

COVID-19 Vaccine Decision Tree For Ages 6 months and older

This document includes COVID-19 vaccination guidance for individuals 6 months of age and older who are eligible to receive COVID-19 vaccine for the 2025-2026 respiratory season.

AVAILABLE 2025-2026 COVID-19 VACCINES:

- **PFIZER-BIONTECH:**
 - 2025-2026 Pfizer COVID-19 Vaccine (COMIRNATY®) 5-11 years
 - 2025-2026 Pfizer COVID-19 Vaccine (COMIRNATY®) 12+ years
- **MODERNA:**
 - 2025-2026 Moderna COVID-19 Vaccine (SPIKEVAX) 6 months-11 years
 - 2025-2026 Moderna COVID-19 Vaccine (SPIKEVAX) 12+ years
 - 2025-2026 Moderna COVID-19 Vaccine (MNEXSPIKE) 12+ years
- **Novavax:**
 - 2025-2026 Novavax COVID-19 Vaccine (NUVAXOVID) 12+ years

Current Recommendations:

Ages 6 months and older should have a conversation with a trusted health care provider surrounding COVID-19 vaccination.


Most important for:

- Everyone 6 months and older
- Individuals 6 months – 64 years with a high-risk condition.

For more information regarding COVID-19 vaccination for those who are moderately or severely immunocompromised please [visit the CDC COVID-19 clinical considerations.](#)

COVID-19 Vaccine Decision Tree

Updated 2025-2026 COVID-19 Vaccine for Ages 6 months - 23 months



COVID-19 Vaccine Decision Tree

Updated 2025-2026 COVID-19 Vaccine for Ages 2-64 years

How many doses of any COVID-19 vaccine (including Novavax or Janssen) has the patient received?

0 doses

Administer 1 dose of any age-appropriate 2025-2026 **Spikevax, Comirnaty, Mnexspike, or Nuvaxovid** COVID-19 vaccine.

1+ doses

Administer 1 dose of **any age appropriate (Spikevax, Nuvaxovid, or Comirnaty) 2025-2026 COVID-19 vaccine** at least 2 months after any previous dose.

Or

Administer 1 dose of age appropriate **Mnexspike** at least 3 months after any previous dose.

COVID-19 Vaccine Decision Tree

Updated 2025-2026 COVID-19 Vaccine for Ages 65+ years

How many doses of any COVID-19 vaccine (including Novavax or Janssen) has the patient received?

0 doses

Administer 2 doses of any age-appropriate 2025-2026 **Spikevax, Comirnaty, Mnexspike, or Nuvaxovid** COVID-19 vaccine. Administer the second dose at least 6 months after dose one.

1+ doses

Administer 2 doses of **any age appropriate (Spikevax, Nuvaxovid, or Comirnaty) 2025-2026 COVID-19 vaccine.**

Administer dose 1 at least 2 months after any previous dose. Administer the second dose at least 6 months after dose one.

Or

Administer 2 doses of age appropriate Mnexspike at least 3 months after any previous dose.

Administer dose 1 at least 2 months after any previous dose. Administer the second dose at least 6 months after dose one.