



### West Market Gram Negative Antibioqram % Susceptible

Organisms	Isolates	Amikacin	Ampicillin	Cefazolin	Cefazolin, Urine	Cefepime	Ceftazidime	Ceftriaxone	Ciprofloxacin	Gentamicin	Levofloxacin	Meropenem	Nitrofurantoin	Piperacillin/Tazobactam	Poxazolone myc	Trimethoprim/Sulfamethoxazole
Acinetobacter species	14	100	—	—	—	85	100	61	100	100	100	100	—	—	100	92
Citrobacter freundii /freundii complex	153	100	0	0	—	95	83	81	90	97	94	98	94	81	98	94
Citrobacter koseri	73	100	0	94	—	100	98	100	97	100	97	100	42	93	100	97
Enterobacter cloacae /cloacae complex	201	100	0	0	—	92	83	79	94	98	96	99	29	79	98	94
Escherichia coli	5468	100	70	86	96	99	98	99	84	95	89	99	98	98	95	86
Escherichia coli ESBL	254	99	0	0	0	0	0	0	11	75	34	100	93	91	72	49
Klebsiella (Enterobacter) aerogenes	111	100	0	0	—	97	88	89	97	99	98	98	19	86	99	97

Organisms	Isolates	Amikacin	Ampicillin	Cefazolin	Cefazolin, Urine	Cefepime	Ceftazidime	Ceftriaxone	Ciprofloxacin	Gentamicin	Levofloxacin	Meropenem	Nitrofurantoin	Piperacillin/Tazobactam	Poxazolone mycin	Trimethoprim/Sulfamethoxazole
Klebsiella oxytoca/Raoultella ornithinolytica	205	100	0	26	—	96	95	94	95	96	98	100	90	93	96	91
Klebsiella oxytoca ESBL	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Klebsiella pneumoniae	676	100	0	92	99	100	99	99	95	99	97	100	35	93	99	94
Klebsiella pneumoniae ESBL	37	97	0	0	5	0	0	0	13	59	32	97	19	64	67	16
Morganella morganii	60	100	0	0	0	100	88	89	86	91	86	98	0	100	98	91
Pantoea agglomerans	5	100	60	0	—	100	100	100	100	100	100	100	—	100	100	100
Proteus mirabilis	458	99	87	1	97	99	99	98	86	94	88	100	0	100	94	89
Proteus mirabilis ESBL	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Providencia species	28	100	0	0	—	100	92	96	78	89	78	100	0	100	82	85
Pseudomonas	353	99	—	—	—	93	93	—	82	50	82	94	—	90	99	0

Organisms	Isolates	Amikacin	Ampicillin	Cefazolin	Cefazolin, Urine	Cefepime	Ceftazidime	Ceftriaxone	Ciprofloxacin	Gentamicin	Levofloxacin	Meropem	Nitrofurantoin	Piperacillin/Tazobactam	Piperacillin/Tazobactam	Pipera	fosfomycin	Trimethoprim/Sulfamethoxazole
aeruginosa																		
Serratia marcescens	64	100	0	0	—	98	98	90	87	100	89	98	0	90	87			—
Stenotrophomonas maltophilia	24	—	—	—	—	—	—	—	—	—	83	—	—	—	—	—	—	91

Percentages derived from fewer than 10 isolates may not be statistically significant; not all isolates tested against every antibiotic.

Nitrofurantoin results apply to Urine isolates only.

- ■ ■ ■ ■ >= 90% of isolates susceptible
- ■ ■ ■ ■ 61-89% of isolates susceptible
- ■ ■ ■ ■ <= 60% of isolates susceptible