

Organism	# of isolates	Ampicillin	Piperacillin / tazobactam %S	Piperacillin / tazobactam %SDD	Cefazolin	Cefepime %S	Cefepime %SDD	Ceftazidime	Ceftriaxone	Meropenem	Ciprofloxacin	Levofloxacin	Gentamicin	Tobramycin	Nitrofurantoin (urine only)	Trimethoprim / sulfamethoxazole
<i>Citrobacter freundii</i>	200		89	1.5		99	0	85	81↓	100	96	96	99	99	87	97
<i>Enterobacter cloacae</i>	179		77	3.4		95	2.8	80	77	99	95	95	99	99	24	94
<i>Escherichia coli</i>	4127	62	98	0.3	92	98↓	0.8	92↓	95	100	83↓	83	95	95	97	84
<i>Klebsiella aerogenes</i>	117		84	0.9		100	0	85	86	100	96	95	100	100	12	99
<i>Klebsiella oxytoca</i>	164		95	3.0		98	0.6	94↓	96	100	96	98	98	98	84	96
<i>Klebsiella pneumoniae</i>	661		93	4.8	92	98	0.9	91↓	96	99	92	91	98	98	26↓	94
<i>Proteus mirabilis</i>	344	89	100	0	83	98	1.4	99	98	100	88	87	97	97		92
<i>Pseudomonas aeruginosa</i>	374		86	N/A		93↓	N/A	92		91	87	81		97		
<i>Serratia marcescens</i>	49		*	*		100	0	94	88	100	90	90	100	86		100
<i>Stenotrophomonas maltophilia</i>	30											63				100
<i>Haemophilus influenzae</i>	34	88														

↑ or ↓: statistically significant change of 1-9%  
↑↑ or ↓↓: statistically significant change >10%

\*Instrument does not give data for  
S. marcescens and pip/tazo

Blank: not tested or not clinically effective  
S. maltophilia minocycline: 100% S

Organism	# of isolates	Ampicillin	Penicillin non-meningitis	Penicillin meningitis	Ceftriaxone non-meningitis	Ceftriaxone meningitis	Oxacillin	Ciprofloxacin	Levofloxacin	Clindamycin	Erythromycin	Nitrofurantoin (urine only)	Tetracycline*	Trimethoprim/sulfamethoxazole	Linezolid	Vancomycin
<i>Enterococcus faecalis</i>	452	100						92	93			99			96	99
<i>Enterococcus faecium</i>	55	18						7	7			26			95	49
<i>Staphylococcus aureus</i> (MSSA)	778						100			97	71	99	92	97	100	100
<i>Staphylococcus aureus</i> (MRSA)	275						0			92↑	20	99	87	95	100	100
<i>Staphylococcus epidermidis</i>	205						40			69	36↓↓	100	86	62	100	100
<i>Streptococcus pneumoniae</i>	48		100	71↓↓	100	83			98	88	60		83	79	100	100

↑ or ↓: statistically significant change of 1-9%  
↑↑ or ↓↓: statistically significant change >10%

2025 inpatient + outpatient MRSA rate: 26%  
Blank: not tested or not clinically effective

Isolates S to tetracycline are  
S to doxycycline and minocycline