

NORTH DAKOTA

2020 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 6, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4462	584,125	3845	87.9	86.5-89.3	617	12.1	10.7-13.5
Male	2159	298,945	1864	88.7	86.9-90.5	295	11.3	9.5-13.1
Female	2303	285,181	1981	87.0	85.0-89.0	322	13.0	11.0-15.0
Native	191	25,524	140	72.2	63.4-81.0	51	27.8	19.0-36.6
Non-Native	4198	549,690	3650	88.8	87.4-90.2	548	11.2	9.8-12.6
18-24	224	81,452	215	96.9	94.7-99.1	9	3.1	0.9- 5.3
25-34	402	113,068	361	85.9	81.4-90.4	41	14.1	9.6-18.6
35-44	481	95,234	447	92.2	89.1-95.3	34	7.8	4.7-10.9
45-54	512	79,138	470	91.0	87.9-94.1	42	9.0	5.9-12.1
55-64	930	91,622	803	85.9	83.2-88.6	127	14.1	11.4-16.8
65+	1913	123,611	1549	80.0	77.8-82.2	364	20.0	17.8-22.2
Less Than H.S.	193	45,870	126	69.8	60.8-78.8	67	30.2	21.2-39.2
H.S. or G.E.D.	1167	155,122	952	86.0	83.5-88.5	215	14.0	11.5-16.5
Some Post-H.S.	1440	223,729	1232	88.2	86.0-90.4	208	11.8	9.6-14.0
College Graduate	1653	158,034	1528	94.5	93.1-95.9	125	5.5	4.1- 6.9
Less than \$15,000	210	30,554	126	65.4	56.4-74.4	84	34.6	25.6-43.6
\$15,000- 24,999	425	54,239	325	78.7	72.6-84.8	100	21.3	15.2-27.4
\$25,000- 34,999	351	42,118	280	81.1	74.8-87.4	71	18.9	12.6-25.2
\$35,000- 49,999	527	61,453	460	88.8	85.3-92.3	67	11.2	7.7-14.7
\$50,000- 74,999	646	78,889	579	90.5	87.2-93.8	67	9.5	6.2-12.8
\$75,000+	1457	206,410	1368	94.9	93.5-96.3	89	5.1	3.7- 6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2159	298,945	1864	88.7	86.9-90.5	295	11.3	9.5-13.1
Native	83	11,300	64	76.1	63.6-88.6	19	23.9	11.4-36.4
Non-Native	2031	281,831	1767	89.5	87.7-91.3	264	10.5	8.7-12.3
18-24	126	43,057	121	96.8	93.9-99.7	5	3.2	0.3- 6.1
25-34	242	61,159	219	87.0	81.5-92.5	23	13.0	7.5-18.5
35-44	268	50,192	251	94.7	91.6-97.8	17	5.3	2.2- 8.4
45-54	256	40,999	238	92.1	88.0-96.2	18	7.9	3.8-12.0
55-64	418	46,382	358	86.3	82.4-90.2	60	13.7	9.8-17.6
65+	849	57,155	677	78.8	75.3-82.3	172	21.2	17.7-24.7
Less Than H.S.	104	26,522	69	75.7	65.5-85.9	35	24.3	14.1-34.5
H.S. or G.E.D.	601	83,660	490	87.3	84.2-90.4	111	12.7	9.6-15.8
Some Post-H.S.	704	116,975	602	88.4	85.5-91.3	102	11.6	8.7-14.5
College Graduate	745	70,863	699	95.8	94.0-97.6	46	4.2	2.4- 6.0
Less than \$15,000	87	12,321	51	62.0	46.9-77.1	36	38.0	22.9-53.1
\$15,000- 24,999	166	21,507	121	80.7	72.7-88.7	45	19.3	11.3-27.3
\$25,000- 34,999	154	20,207	118	81.3	74.0-88.6	36	18.7	11.4-26.0
\$35,000- 49,999	238	31,153	204	88.1	83.0-93.2	34	11.9	6.8-17.0
\$50,000- 74,999	351	42,724	316	89.6	84.9-94.3	35	10.4	5.7-15.1
\$75,000+	807	117,795	755	94.6	92.8-96.4	52	5.4	3.6- 7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2303	285,181	1981	87.0	85.0-89.0	322	13.0	11.0-15.0
Native	108	14,224	76	69.1	56.9-81.3	32	30.9	18.7-43.1
Non-Native	2167	267,859	1883	88.0	86.0-90.0	284	12.0	10.0-14.0
18-24	98	38,395	94	96.9	93.8- 100	4	3.1	0.0- 6.2
25-34	160	51,909	142	84.5	77.2-91.8	18	15.5	8.2-22.8
35-44	213	45,042	196	89.5	84.0-95.0	17	10.5	5.0-16.0
45-54	256	38,139	232	89.8	85.3-94.3	24	10.2	5.7-14.7
55-64	512	45,240	445	85.4	81.5-89.3	67	14.6	10.7-18.5
65+	1064	66,456	872	81.1	78.2-84.0	192	18.9	16.0-21.8
Less Than H.S.	89	19,348	57	61.6	46.3-76.9	32	38.4	23.1-53.7
H.S. or G.E.D.	566	71,463	462	84.5	80.6-88.4	104	15.5	11.6-19.4
Some Post-H.S.	736	106,754	630	88.1	85.2-91.0	106	11.9	9.0-14.8
College Graduate	908	87,171	829	93.4	91.2-95.6	79	6.6	4.4- 8.8
Less than \$15,000	123	18,233	75	67.6	56.8-78.4	48	32.4	21.6-43.2
\$15,000- 24,999	259	32,732	204	77.4	68.8-86.0	55	22.6	14.0-31.2
\$25,000- 34,999	197	21,911	162	81.0	71.0-91.0	35	19.0	9.0-29.0
\$35,000- 49,999	289	30,300	256	89.5	84.6-94.4	33	10.5	5.6-15.4
\$50,000- 74,999	295	36,166	263	91.5	87.0-96.0	32	8.5	4.0-13.0
\$75,000+	650	88,614	613	95.3	93.3-97.3	37	4.7	2.7- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4407	578,671	3235	73.7	71.9-75.5	770	18.1	16.5-19.7	402	8.2	7.0- 9.4
Male	2142	297,499	1639	77.5	75.1-79.9	342	16.1	13.9-18.3	161	6.4	5.0- 7.8
Female	2265	281,171	1596	69.6	66.9-72.3	428	20.2	17.7-22.7	241	10.2	8.4-12.0
Native	186	25,085	135	71.8	62.8-80.8	32	18.6	11.2-26.0	19	9.7	3.2-16.2
Non-Native	4148	544,573	3044	73.7	71.7-75.7	732	18.2	16.4-20.0	372	8.1	6.9- 9.3
18-24	223	80,974	165	70.3	63.4-77.2	49	24.1	17.6-30.6	9	5.6	1.9- 9.3
25-34	402	112,851	314	77.3	72.6-82.0	67	16.1	12.0-20.2	21	6.5	3.4- 9.6
35-44	478	94,647	363	75.3	70.4-80.2	92	18.7	14.4-23.0	23	6.0	3.1- 8.9
45-54	505	78,371	375	73.2	68.5-77.9	99	19.8	15.7-23.9	31	7.0	4.3- 9.7
55-64	923	90,869	658	71.7	68.2-75.2	174	17.6	14.7-20.5	91	10.6	8.1-13.1
65+	1876	120,960	1360	73.0	70.6-75.4	289	14.7	12.7-16.7	227	12.2	10.4-14.0
Less Than H.S.	189	45,386	128	64.8	54.8-74.8	27	18.1	9.9-26.3	34	17.2	9.8-24.6
H.S. or G.E.D.	1144	152,553	814	75.3	72.0-78.6	185	15.4	12.7-18.1	145	9.2	7.2-11.2
Some Post-H.S.	1424	222,027	1035	71.7	68.6-74.8	257	19.9	17.0-22.8	132	8.3	6.3-10.3
College Graduate	1642	157,368	1250	77.2	74.5-79.9	301	18.3	15.9-20.7	91	4.6	3.2- 6.0
Less than \$15,000	201	29,140	100	54.4	44.4-64.4	42	17.2	10.7-23.7	59	28.4	19.2-37.6
\$15,000- 24,999	420	54,013	280	64.8	57.5-72.1	81	22.3	15.8-28.8	59	13.0	8.1-17.9
\$25,000- 34,999	343	41,394	246	72.5	65.4-79.6	64	16.8	10.7-22.9	33	10.7	6.0-15.4
\$35,000- 49,999	521	60,986	389	74.8	69.5-80.1	83	17.1	12.4-21.8	49	8.1	4.8-11.4
\$50,000- 74,999	643	78,709	470	72.5	67.6-77.4	124	21.1	16.6-25.6	49	6.4	3.9- 8.9
\$75,000+	1451	205,949	1137	79.8	77.3-82.3	251	16.2	13.8-18.6	63	4.1	2.9- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2142	297,499	1639	77.5	75.1-79.9	342	16.1	13.9-18.3	161	6.4	5.0- 7.8
Native	82	11,202	57	69.8	56.3-83.3	19	25.1	12.2-38.0	6	5.1	0.0-11.0
Non-Native	2015	280,382	1544	77.7	75.2-80.2	321	15.9	13.7-18.1	150	6.4	5.0- 7.8
18-24	126	43,057	98	76.3	67.9-84.7	27	22.1	14.1-30.1	1	1.6	0.0- 4.7
25-34	243	61,338	200	81.0	75.1-86.9	32	12.8	8.3-17.3	11	6.2	2.1-10.3
35-44	265	49,605	212	80.9	75.0-86.8	45	16.4	10.9-21.9	8	2.8	0.1- 5.5
45-54	253	40,759	194	76.3	70.0-82.6	48	18.4	12.7-24.1	11	5.2	1.7- 8.7
55-64	416	46,259	309	75.9	71.0-80.8	70	14.5	10.6-18.4	37	9.6	6.1-13.1
65+	839	56,482	626	74.1	70.4-77.8	120	14.4	11.3-17.5	93	11.5	8.8-14.2
Less Than H.S.	103	26,324	70	70.2	58.4-82.0	15	13.9	5.7-22.1	18	15.9	6.5-25.3
H.S. or G.E.D.	589	82,608	438	79.2	75.3-83.1	93	14.6	11.1-18.1	58	6.2	4.2- 8.2
Some Post-H.S.	704	117,108	526	74.9	70.8-79.0	125	18.8	15.1-22.5	53	6.4	4.0- 8.8
College Graduate	742	70,567	601	82.6	79.3-85.9	109	14.4	11.1-17.7	32	3.0	1.6- 4.4
Less than \$15,000	85	12,195	40	51.2	35.7-66.7	22	21.0	10.2-31.8	23	27.8	12.9-42.7
\$15,000- 24,999	165	21,496	112	63.9	52.1-75.7	31	21.7	11.3-32.1	22	14.4	5.6-23.2
\$25,000- 34,999	150	19,619	111	73.4	64.0-82.8	25	15.9	8.1-23.7	14	10.7	4.2-17.2
\$35,000- 49,999	236	31,032	174	76.1	68.8-83.4	37	17.6	10.9-24.3	25	6.2	3.3- 9.1
\$50,000- 74,999	350	42,681	266	76.7	70.8-82.6	59	17.7	12.2-23.2	25	5.6	2.7- 8.5
\$75,000+	805	117,671	657	82.7	79.4-86.0	121	13.9	11.0-16.8	27	3.4	1.6- 5.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2265	281,171	1596	69.6	66.9-72.3	428	20.2	17.7-22.7	241	10.2	8.4-12.0
Native	104	13,883	78	73.3	61.1-85.5	13	13.3	4.9-21.7	13	13.4	3.2-23.6
Non-Native	2133	264,191	1500	69.5	66.6-72.4	411	20.6	18.1-23.1	222	9.9	8.1-11.7
18-24	97	37,917	67	63.6	52.6-74.6	22	26.3	16.1-36.5	8	10.1	3.0-17.2
25-34	159	51,513	114	72.9	65.1-80.7	35	20.1	13.0-27.2	10	7.0	2.5-11.5
35-44	213	45,042	151	69.2	61.6-76.8	47	21.3	14.6-28.0	15	9.5	4.4-14.6
45-54	252	37,612	181	69.7	62.8-76.6	51	21.2	14.9-27.5	20	9.0	4.7-13.3
55-64	507	44,610	349	67.4	62.5-72.3	104	20.9	16.8-25.0	54	11.6	8.1-15.1
65+	1037	64,479	734	72.1	69.0-75.2	169	15.0	12.5-17.5	134	12.9	10.5-15.3
Less Than H.S.	86	19,062	58	57.3	41.0-73.6	12	23.8	8.3-39.3	16	18.9	6.7-31.1
H.S. or G.E.D.	555	69,944	376	70.8	65.5-76.1	92	16.4	11.9-20.9	87	12.7	9.0-16.4
Some Post-H.S.	720	104,919	509	68.3	63.4-73.2	132	21.3	17.0-25.6	79	10.5	7.4-13.6
College Graduate	900	86,801	649	72.7	68.8-76.6	192	21.4	17.9-24.9	59	5.8	3.6- 8.0
Less than \$15,000	116	16,945	60	56.6	43.7-69.5	20	14.5	6.9-22.1	36	28.9	17.3-40.5
\$15,000- 24,999	255	32,517	168	65.3	56.3-74.3	50	22.7	14.7-30.7	37	12.0	6.3-17.7
\$25,000- 34,999	193	21,776	135	71.6	61.2-82.0	39	17.7	8.5-26.9	19	10.7	4.0-17.4
\$35,000- 49,999	285	29,955	215	73.4	65.6-81.2	46	16.5	10.0-23.0	24	10.1	4.2-16.0
\$50,000- 74,999	293	36,027	204	67.5	59.7-75.3	65	25.1	17.8-32.4	24	7.4	2.9-11.9
\$75,000+	646	88,278	480	75.8	71.7-79.9	130	19.2	15.3-23.1	36	5.0	3.0- 7.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4419	579,867	3127	65.0	63.0-67.0	912	23.7	21.9-25.5	380	11.3	9.9-12.7
Male	2140	297,465	1650	73.3	70.6-76.0	350	18.2	15.8-20.6	140	8.6	6.8-10.4
Female	2279	282,401	1477	56.3	53.4-59.2	562	29.5	26.6-32.4	240	14.2	12.0-16.4
Native	191	25,524	109	47.9	38.3-57.5	55	29.2	20.6-37.8	27	22.9	13.7-32.1
Non-Native	4158	545,496	2967	65.7	63.5-67.9	848	23.6	21.6-25.6	343	10.7	9.3-12.1
18-24	224	81,452	123	54.2	46.9-61.5	62	29.1	22.4-35.8	39	16.8	11.5-22.1
25-34	399	112,449	221	53.0	47.3-58.7	125	32.4	26.9-37.9	53	14.6	10.5-18.7
35-44	477	93,979	295	62.1	56.8-67.4	123	25.3	20.6-30.0	59	12.6	8.9-16.3
45-54	508	78,621	340	67.4	62.5-72.3	110	20.2	16.1-24.3	58	12.4	8.9-15.9
55-64	922	91,042	639	69.7	66.0-73.4	213	21.4	18.3-24.5	70	8.9	6.4-11.4
65+	1889	122,324	1509	80.4	78.2-82.6	279	14.9	12.9-16.9	101	4.8	3.8- 5.8
Less Than H.S.	191	45,767	142	64.7	54.5-74.9	30	22.3	12.9-31.7	19	13.0	6.1-19.9
H.S. or G.E.D.	1151	153,367	845	66.3	62.4-70.2	185	19.4	16.1-22.7	121	14.3	11.2-17.4
Some Post-H.S.	1428	222,539	1009	64.7	61.4-68.0	287	23.7	20.6-26.8	132	11.6	9.2-14.0
College Graduate	1641	156,857	1124	63.9	60.8-67.0	409	28.5	25.6-31.4	108	7.6	5.8- 9.4
Less than \$15,000	206	30,352	108	49.1	39.1-59.1	49	20.7	13.3-28.1	49	30.2	21.0-39.4
\$15,000- 24,999	423	54,182	290	58.5	51.1-65.9	88	24.8	17.9-31.7	45	16.6	10.5-22.7
\$25,000- 34,999	346	41,248	251	65.9	58.6-73.2	66	21.8	15.7-27.9	29	12.3	6.8-17.8
\$35,000- 49,999	521	60,673	357	61.7	55.4-68.0	121	28.3	22.4-34.2	43	9.9	6.2-13.6
\$50,000- 74,999	636	77,762	430	63.0	57.7-68.3	150	25.6	20.9-30.3	56	11.4	7.7-15.1
\$75,000+	1451	205,971	1046	68.3	65.2-71.4	313	23.8	20.9-26.7	92	7.9	5.9- 9.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	297,465	1650	73.3	70.6-76.0	350	18.2	15.8-20.6	140	8.6	6.8-10.4
Native	83	11,300	50	48.2	33.5-62.9	22	27.1	13.8-40.4	11	24.7	10.8-38.6
Non-Native	2013	280,294	1564	74.0	71.3-76.7	324	18.1	15.7-20.5	125	7.9	6.1- 9.7
18-24	126	43,057	90	71.3	62.3-80.3	26	21.6	13.4-29.8	10	7.1	2.4-11.8
25-34	241	60,979	153	63.0	55.9-70.1	62	25.1	19.0-31.2	26	12.0	6.9-17.1
35-44	268	50,250	183	69.4	62.5-76.3	58	19.2	13.5-24.9	27	11.4	6.3-16.5
45-54	253	40,545	182	72.1	65.4-78.8	44	16.5	10.8-22.2	27	11.4	6.7-16.1
55-64	413	46,048	323	77.4	72.1-82.7	71	15.7	11.6-19.8	19	7.0	3.3-10.7
65+	839	56,586	719	86.8	84.1-89.5	89	10.4	7.9-12.9	31	2.8	1.6- 4.0
Less Than H.S.	102	26,419	78	66.9	53.8-80.0	14	19.6	8.2-31.0	10	13.4	3.6-23.2
H.S. or G.E.D.	593	83,279	477	79.5	75.2-83.8	82	13.9	10.2-17.6	34	6.6	3.9- 9.3
Some Post-H.S.	696	116,013	538	72.4	68.1-76.7	104	17.5	13.8-21.2	54	10.2	7.1-13.3
College Graduate	745	70,863	553	69.3	65.0-73.6	150	24.1	20.0-28.2	42	6.6	4.2- 9.0
Less than \$15,000	83	12,120	41	47.5	31.8-63.2	26	25.4	13.1-37.7	16	27.1	12.0-42.2
\$15,000- 24,999	166	21,558	123	65.1	53.5-76.7	29	21.0	11.2-30.8	14	13.9	4.5-23.3
\$25,000- 34,999	152	20,122	120	73.0	63.4-82.6	23	19.7	11.3-28.1	9	7.3	1.0-13.6
\$35,000- 49,999	238	31,153	180	68.3	59.5-77.1	41	23.1	14.9-31.3	17	8.6	3.9-13.3
\$50,000- 74,999	346	41,878	262	75.0	69.1-80.9	61	16.3	11.4-21.2	23	8.6	4.7-12.5
\$75,000+	805	117,637	632	75.5	71.6-79.4	134	18.4	14.9-21.9	39	6.1	3.7- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2279	282,401	1477	56.3	53.4-59.2	562	29.5	26.6-32.4	240	14.2	12.0-16.4
Native	108	14,224	59	47.6	34.9-60.3	33	30.8	19.4-42.2	16	21.5	9.0-34.0
Non-Native	2145	265,202	1403	56.9	53.8-60.0	524	29.5	26.6-32.4	218	13.7	11.5-15.9
18-24	98	38,395	33	35.0	24.2-45.8	36	37.4	26.8-48.0	29	27.6	18.4-36.8
25-34	158	51,469	68	41.2	32.4-50.0	63	41.1	32.1-50.1	27	17.7	10.8-24.6
35-44	209	43,729	112	53.8	45.6-62.0	65	32.4	24.6-40.2	32	13.9	8.4-19.4
45-54	255	38,076	158	62.4	55.3-69.5	66	24.1	18.0-30.2	31	13.5	8.2-18.8
55-64	509	44,994	316	61.9	56.8-67.0	142	27.3	22.6-32.0	51	10.8	7.3-14.3
65+	1050	65,738	790	74.9	71.8-78.0	190	18.7	15.8-21.6	70	6.4	4.6- 8.2
Less Than H.S.	89	19,348	64	61.6	45.7-77.5	16	26.0	10.5-41.5	9	12.4	3.0-21.8
H.S. or G.E.D.	558	70,088	368	50.6	44.5-56.7	103	26.0	20.3-31.7	87	23.4	17.7-29.1
Some Post-H.S.	732	106,526	471	56.4	51.3-61.5	183	30.4	25.5-35.3	78	13.1	9.6-16.6
College Graduate	896	85,994	571	59.5	55.2-63.8	259	32.1	28.0-36.2	66	8.4	5.9-10.9
Less than \$15,000	123	18,233	67	50.2	37.3-63.1	23	17.6	8.4-26.8	33	32.2	20.4-44.0
\$15,000- 24,999	257	32,624	167	54.2	44.4-64.0	59	27.4	18.2-36.6	31	18.4	10.6-26.2
\$25,000- 34,999	194	21,126	131	59.1	48.5-69.7	43	23.9	15.1-32.7	20	17.0	8.2-25.8
\$35,000- 49,999	283	29,521	177	54.7	46.1-63.3	80	33.9	25.7-42.1	26	11.4	5.5-17.3
\$50,000- 74,999	290	35,884	168	48.9	40.7-57.1	89	36.5	28.5-44.5	33	14.6	7.9-21.3
\$75,000+	646	88,334	414	58.6	53.5-63.7	179	30.9	26.0-35.8	53	10.4	7.1-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2505	452,571	2322	89.6	87.8-91.4	183	10.4	8.6-12.2
Male	1280	236,513	1163	88.5	86.1-90.9	117	11.5	9.1-13.9
Female	1225	216,057	1159	90.8	88.1-93.5	66	9.2	6.5-11.9
Native	148	23,088	134	87.7	80.6-94.8	14	12.3	5.2-19.4
Non-Native	2323	424,094	2160	89.7	87.7-91.7	163	10.3	8.3-12.3
18-24	221	80,351	198	86.1	80.2-92.0	23	13.9	8.0-19.8
25-34	400	112,768	349	85.9	81.8-90.0	51	14.1	10.0-18.2
35-44	480	95,084	441	89.4	85.5-93.3	39	10.6	6.7-14.5
45-54	480	73,317	456	93.6	90.5-96.7	24	6.4	3.3- 9.5
55-64	924	91,051	878	94.2	92.2-96.2	46	5.8	3.8- 7.8
Less Than H.S.	69	31,747	48	64.8	51.1-78.5	21	35.2	21.5-48.9
H.S. or G.E.D.	612	118,560	541	84.5	80.8-88.2	71	15.5	11.8-19.2
Some Post-H.S.	821	174,227	768	92.9	90.5-95.3	53	7.1	4.7- 9.5
College Graduate	1002	127,891	964	95.9	94.3-97.5	38	4.1	2.5- 5.7
Less than \$15,000	115	23,778	98	83.4	73.4-93.4	17	16.6	6.6-26.6
\$15,000- 24,999	157	36,858	119	74.2	65.2-83.2	38	25.8	16.8-34.8
\$25,000- 34,999	146	28,224	126	80.9	71.7-90.1	20	19.1	9.9-28.3
\$35,000- 49,999	249	43,492	229	90.5	85.2-95.8	20	9.5	4.2-14.8
\$50,000- 74,999	384	63,067	359	87.7	82.4-93.0	25	12.3	7.0-17.6
\$75,000+	1074	179,772	1047	96.6	95.2-98.0	27	3.4	2.0- 4.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1280	236,513	1163	88.5	86.1-90.9	117	11.5	9.1-13.9
Native	65	10,202	60	88.5	77.7-99.3	5	11.5	0.7-22.3
Non-Native	1192	222,822	1085	88.6	86.1-91.1	107	11.4	8.9-13.9
18-24	124	42,413	110	86.7	79.4-94.0	14	13.3	6.0-20.6
25-34	240	60,859	205	85.5	80.6-90.4	35	14.5	9.6-19.4
35-44	267	50,042	243	87.4	81.5-93.3	24	12.6	6.7-18.5
45-54	237	37,387	221	91.4	86.3-96.5	16	8.6	3.5-13.7
55-64	412	45,811	384	92.7	89.4-96.0	28	7.3	4.0-10.6
H.S. or G.E.D.	369	67,657	319	83.3	78.4-88.2	50	16.7	11.8-21.6
Some Post-H.S.	444	94,406	412	92.8	90.1-95.5	32	7.2	4.5-9.9
College Graduate	426	55,609	406	95.2	92.7-97.7	20	4.8	2.3-7.3
Less than \$15,000	51	10,133	41	84.8	73.6-96.0	10	15.2	4.0-26.4
\$15,000- 24,999	68	15,043	46	71.5	58.4-84.6	22	28.5	15.4-41.6
\$25,000- 34,999	67	13,391	53	74.2	61.5-86.9	14	25.8	13.1-38.5
\$35,000- 49,999	116	22,978	105	88.2	79.8-96.6	11	11.8	3.4-20.2
\$50,000- 74,999	201	33,773	183	84.1	75.9-92.3	18	15.9	7.7-24.1
\$75,000+	582	101,013	566	96.7	94.9-98.5	16	3.3	1.5-5.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1225	216,057	1159	90.8	88.1-93.5	66	9.2	6.5-11.9
Native	83	12,886	74	87.0	77.6-96.4	9	13.0	3.6-22.4
Non-Native	1131	201,271	1075	91.0	88.3-93.7	56	9.0	6.3-11.7
18-24	97	37,937	88	85.4	76.2-94.6	9	14.6	5.4-23.8
25-34	160	51,909	144	86.2	79.1-93.3	16	13.8	6.7-20.9
35-44	213	45,042	198	91.6	86.9-96.3	15	8.4	3.7-13.1
45-54	243	35,929	235	95.9	92.4-99.4	8	4.1	0.6- 7.6
55-64	512	45,240	494	95.8	93.4-98.2	18	4.2	1.8- 6.6
H.S. or G.E.D.	243	50,903	222	86.2	80.1-92.3	21	13.8	7.7-19.9
Some Post-H.S.	377	79,821	356	93.1	89.4-96.8	21	6.9	3.2-10.6
College Graduate	576	72,282	558	96.4	94.4-98.4	18	3.6	1.6- 5.6
Less than \$15,000	64	13,645	57	82.4	67.3-97.5	7	17.6	2.5-32.7
\$15,000- 24,999	89	21,816	73	76.0	63.5-88.5	16	24.0	11.5-36.5
\$25,000- 34,999	79	14,832	73	86.9	73.4- 100	6	13.1	0.0-26.6
\$35,000- 49,999	133	20,513	124	93.1	87.0-99.2	9	6.9	0.8-13.0
\$50,000- 74,999	183	29,294	176	91.9	85.6-98.2	7	8.1	1.8-14.4
\$75,000+	492	78,759	481	96.4	94.0-98.8	11	3.6	1.2- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4465	584,508	3307	75.4	73.6-77.2	1158	24.6	22.8-26.4
Male	2163	299,340	1637	75.9	73.4-78.4	526	24.1	21.6-26.6
Female	2302	285,168	1670	74.8	72.3-77.3	632	25.2	22.7-27.7
Native	191	25,524	128	63.8	54.2-73.4	63	36.2	26.6-45.8
Non-Native	4200	549,938	3126	76.0	74.2-77.8	1074	24.0	22.2-25.8
18-24	224	81,452	193	85.3	80.0-90.6	31	14.7	9.4-20.0
25-34	403	113,247	321	80.4	75.9-84.9	82	19.6	15.1-24.1
35-44	482	95,368	380	73.7	68.6-78.8	102	26.3	21.2-31.4
45-54	511	78,985	397	75.6	71.1-80.1	114	24.4	19.9-28.9
55-64	930	91,715	695	72.6	68.9-76.3	235	27.4	23.7-31.1
65+	1915	123,740	1321	67.4	64.9-69.9	594	32.6	30.1-35.1
Less Than H.S.	193	45,870	111	59.5	49.5-69.5	82	40.5	30.5-50.5
H.S. or G.E.D.	1167	155,154	762	70.1	66.6-73.6	405	29.9	26.4-33.4
Some Post-H.S.	1443	224,079	1034	75.2	72.5-77.9	409	24.8	22.1-27.5
College Graduate	1653	158,034	1394	85.6	83.2-88.0	259	14.4	12.0-16.8
Less than \$15,000	209	30,511	121	65.6	56.6-74.6	88	34.4	25.4-43.4
\$15,000- 24,999	427	54,441	275	71.0	64.7-77.3	152	29.0	22.7-35.3
\$25,000- 34,999	350	42,072	232	67.2	60.3-74.1	118	32.8	25.9-39.7
\$35,000- 49,999	527	61,453	380	70.5	64.8-76.2	147	29.5	23.8-35.2
\$50,000- 74,999	646	78,889	496	78.6	74.3-82.9	150	21.4	17.1-25.7
\$75,000+	1456	206,335	1214	82.7	80.2-85.2	242	17.3	14.8-19.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2163	299,340	1637	75.9	73.4-78.4	526	24.1	21.6-26.6
Native	83	11,300	59	71.9	58.4-85.4	24	28.1	14.6-41.6
Non-Native	2034	282,092	1544	76.1	73.6-78.6	490	23.9	21.4-26.4
18-24	126	43,057	107	82.3	74.3-90.3	19	17.7	9.7-25.7
25-34	243	61,338	195	80.9	74.8-87.0	48	19.1	13.0-25.2
35-44	269	50,326	213	74.1	67.0-81.2	56	25.9	18.8-33.0
45-54	255	40,846	201	77.5	71.2-83.8	54	22.5	16.2-28.8
55-64	419	46,518	316	73.0	67.5-78.5	103	27.0	21.5-32.5
65+	851	57,255	605	68.6	64.7-72.5	246	31.4	27.5-35.3
Less Than H.S.	104	26,522	56	53.4	39.9-66.9	48	46.6	33.1-60.1
H.S. or G.E.D.	603	83,780	415	72.5	68.0-77.0	188	27.5	23.0-32.0
Some Post-H.S.	706	117,250	517	76.5	72.6-80.4	189	23.5	19.6-27.4
College Graduate	745	70,863	646	88.0	84.9-91.1	99	12.0	8.9-15.1
Less than \$15,000	87	12,321	51	71.3	59.0-83.6	36	28.7	16.4-41.0
\$15,000- 24,999	168	21,708	108	69.5	59.1-79.9	60	30.5	20.1-40.9
\$25,000- 34,999	154	20,207	109	69.7	60.5-78.9	45	30.3	21.1-39.5
\$35,000- 49,999	238	31,153	168	70.8	62.4-79.2	70	29.2	20.8-37.6
\$50,000- 74,999	351	42,724	275	79.3	73.8-84.8	76	20.7	15.2-26.2
\$75,000+	806	117,721	676	82.8	79.3-86.3	130	17.2	13.7-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2302	285,168	1670	74.8	72.3-77.3	632	25.2	22.7-27.7
Native	108	14,224	69	57.4	44.5-70.3	39	42.6	29.7-55.5
Non-Native	2166	267,846	1582	75.8	73.3-78.3	584	24.2	21.7-26.7
18-24	98	38,395	86	88.7	82.0-95.4	12	11.3	4.6-18.0
25-34	160	51,909	126	79.8	72.9-86.7	34	20.2	13.3-27.1
35-44	213	45,042	167	73.3	65.7-80.9	46	26.7	19.1-34.3
45-54	256	38,139	196	73.6	66.9-80.3	60	26.4	19.7-33.1
55-64	511	45,197	379	72.2	67.5-76.9	132	27.8	23.1-32.5
65+	1064	66,486	716	66.4	63.1-69.7	348	33.6	30.3-36.9
Less Than H.S.	89	19,348	55	67.9	54.6-81.2	34	32.1	18.8-45.4
H.S. or G.E.D.	564	71,375	347	67.3	61.8-72.8	217	32.7	27.2-38.2
Some Post-H.S.	737	106,829	517	73.9	69.8-78.0	220	26.1	22.0-30.2
College Graduate	908	87,171	748	83.6	80.3-86.9	160	16.4	13.1-19.7
Less than \$15,000	122	18,190	70	61.7	49.4-74.0	52	38.3	26.0-50.6
\$15,000- 24,999	259	32,732	167	72.0	64.2-79.8	92	28.0	20.2-35.8
\$25,000- 34,999	196	21,866	123	64.9	55.1-74.7	73	35.1	25.3-44.9
\$35,000- 49,999	289	30,300	212	70.2	62.4-78.0	77	29.8	22.0-37.6
\$50,000- 74,999	295	36,166	221	77.8	71.3-84.3	74	22.2	15.7-28.7
\$75,000+	650	88,614	538	82.5	78.8-86.2	112	17.5	13.8-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4424	580,360	435	6.1	5.3- 6.9	3989	93.9	93.1-94.7
Male	2141	296,941	265	7.4	6.2- 8.6	1876	92.6	91.4-93.8
Female	2283	283,419	170	4.7	3.7- 5.7	2113	95.3	94.3-96.3
Native	190	25,473	20	5.7	2.4- 9.0	170	94.3	91.0-97.6
Non-Native	4161	545,880	408	6.1	5.3- 6.9	3753	93.9	93.1-94.7
18-24	223	81,290				223	100.0	100.0- 100
25-34	400	111,972	3	1.1	0.0- 2.3	397	98.9	97.7- 100
35-44	479	94,787	8	2.5	0.5- 4.5	471	97.5	95.5-99.5
45-54	512	79,138	14	2.9	1.1- 4.7	498	97.1	95.3-98.9
55-64	924	91,372	67	6.6	4.8- 8.4	857	93.4	91.6-95.2
65+	1886	121,802	343	19.2	17.0-21.4	1543	80.8	78.6-83.0
Less Than H.S.	190	45,614	43	12.7	7.8-17.6	147	87.3	82.4-92.2
H.S. or G.E.D.	1156	154,279	133	6.9	5.3- 8.5	1023	93.1	91.5-94.7
Some Post-H.S.	1426	221,648	145	5.7	4.5- 6.9	1281	94.3	93.1-95.5
College Graduate	1643	157,448	113	3.9	2.9- 4.9	1530	96.1	95.1-97.1
Less than \$15,000	204	29,615	33	9.2	5.3-13.1	171	90.8	86.9-94.7
\$15,000- 24,999	422	54,133	69	12.3	8.2-16.4	353	87.7	83.6-91.8
\$25,000- 34,999	349	41,957	50	9.3	6.2-12.4	299	90.7	87.6-93.8
\$35,000- 49,999	525	61,354	65	7.1	4.9- 9.3	460	92.9	90.7-95.1
\$50,000- 74,999	640	78,077	71	7.1	4.9- 9.3	569	92.9	90.7-95.1
\$75,000+	1453	206,133	71	3.1	2.1- 4.1	1382	96.9	95.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2141	296,941	265	7.4	6.2- 8.6	1876	92.6	91.4-93.8
Native	82	11,248	8	4.5	0.4- 8.6	74	95.5	91.4-99.6
Non-Native	2014	279,782	253	7.6	6.4- 8.8	1761	92.4	91.2-93.6
18-24	125	42,895				125	100.0	100.0- 100
25-34	240	60,063	2	1.1	0.0- 2.7	238	98.9	97.3- 100
35-44	267	50,185	6	3.0	0.3- 5.7	261	97.0	94.3-99.7
45-54	256	40,999	9	3.2	0.7- 5.7	247	96.8	94.3-99.3
55-64	416	46,385	38	7.3	4.8- 9.8	378	92.7	90.2-95.2
65+	837	56,414	210	26.7	23.0-30.4	627	73.3	69.6-77.0
Less Than H.S.	103	26,471	26	14.2	7.1-21.3	77	85.8	78.7-92.9
H.S. or G.E.D.	593	82,932	81	7.9	5.7-10.1	512	92.1	89.9-94.3
Some Post-H.S.	701	116,144	87	6.9	5.1- 8.7	614	93.1	91.3-94.9
College Graduate	739	70,469	70	5.2	3.6- 6.8	669	94.8	93.2-96.4
Less than \$15,000	83	11,502	14	9.3	3.4-15.2	69	90.7	84.8-96.6
\$15,000- 24,999	166	21,643	37	16.1	8.7-23.5	129	83.9	76.5-91.3
\$25,000- 34,999	153	20,122	29	13.5	7.8-19.2	124	86.5	80.8-92.2
\$35,000- 49,999	238	31,153	41	10.0	6.3-13.7	197	90.0	86.3-93.7
\$50,000- 74,999	347	42,034	50	9.7	6.2-13.2	297	90.3	86.8-93.8
\$75,000+	805	117,691	57	4.2	2.8- 5.6	748	95.8	94.4-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2283	283,419	170	4.7	3.7- 5.7	2113	95.3	94.3-96.3
Native	108	14,224	12	6.6	1.3-11.9	96	93.4	88.1-98.7
Non-Native	2147	266,097	155	4.5	3.5- 5.5	1992	95.5	94.5-96.5
18-24	98	38,395				98	100.0	100.0- 100
25-34	160	51,909	1	1.0	0.0- 3.0	159	99.0	97.0- 100
35-44	212	44,602	2	2.0	0.0- 4.7	210	98.0	95.3- 100
45-54	256	38,139	5	2.5	0.1- 4.9	251	97.5	95.1-99.9
55-64	508	44,987	29	5.8	3.3- 8.3	479	94.2	91.7-96.7
65+	1049	65,387	133	12.7	10.3-15.1	916	87.3	84.9-89.7
Less Than H.S.	87	19,143	17	10.7	4.4-17.0	70	89.3	83.0-95.6
H.S. or G.E.D.	563	71,347	52	5.8	3.6- 8.0	511	94.2	92.0-96.4
Some Post-H.S.	725	105,504	58	4.5	2.7- 6.3	667	95.5	93.7-97.3
College Graduate	904	86,979	43	2.8	1.8- 3.8	861	97.2	96.2-98.2
Less than \$15,000	121	18,114	19	9.2	4.1-14.3	102	90.8	85.7-95.9
\$15,000- 24,999	256	32,490	32	9.7	5.2-14.2	224	90.3	85.8-94.8
\$25,000- 34,999	196	21,835	21	5.4	2.7- 8.1	175	94.6	91.9-97.3
\$35,000- 49,999	287	30,201	24	4.0	2.0- 6.0	263	96.0	94.0-98.0
\$50,000- 74,999	293	36,042	21	4.1	2.1- 6.1	272	95.9	93.9-97.9
\$75,000+	648	88,442	14	1.6	0.2- 3.0	634	98.4	97.0-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4453	582,564	3986	88.1	86.7-89.5	467	11.9	10.5-13.3
Male	2155	298,105	1978	90.9	89.1-92.7	177	9.1	7.3-10.9
Female	2298	284,459	2008	85.2	82.8-87.6	290	14.8	12.4-17.2
Native	191	25,524	156	80.3	72.3-88.3	35	19.7	11.7-27.7
Non-Native	4189	548,032	3762	88.4	87.0-89.8	427	11.6	10.2-13.0
18-24	223	81,096	184	83.5	78.2-88.8	39	16.5	11.2-21.8
25-34	401	112,672	352	87.7	83.6-91.8	49	12.3	8.2-16.4
35-44	480	94,737	416	83.8	79.5-88.1	64	16.2	11.9-20.5
45-54	512	79,138	460	91.1	88.4-93.8	52	8.9	6.2-11.6
55-64	930	91,720	845	90.9	88.7-93.1	85	9.1	6.9-11.3
65+	1907	123,200	1729	90.8	89.2-92.4	178	9.2	7.6-10.8
Less Than H.S.	192	45,815	173	86.8	79.2-94.4	19	13.2	5.6-20.8
H.S. or G.E.D.	1166	155,093	1030	86.0	83.1-88.9	136	14.0	11.1-16.9
Some Post-H.S.	1437	223,044	1298	89.1	86.9-91.3	139	10.9	8.7-13.1
College Graduate	1649	157,241	1476	89.1	87.1-91.1	173	10.9	8.9-12.9
Less than \$15,000	208	30,458	173	77.8	69.8-85.8	35	22.2	14.2-30.2
\$15,000- 24,999	425	54,279	376	85.9	80.2-91.6	49	14.1	8.4-19.8
\$25,000- 34,999	348	41,665	304	84.3	78.0-90.6	44	15.7	9.4-22.0
\$35,000- 49,999	526	61,097	469	88.3	84.0-92.6	57	11.7	7.4-16.0
\$50,000- 74,999	644	78,628	580	90.5	87.6-93.4	64	9.5	6.6-12.4
\$75,000+	1454	205,971	1328	89.8	87.6-92.0	126	10.2	8.0-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2155	298,105	1978	90.9	89.1-92.7	177	9.1	7.3-10.9
Native	83	11,300	68	80.3	68.9-91.7	15	19.7	8.3-31.1
Non-Native	2027	280,896	1866	91.2	89.4-93.0	161	8.8	7.0-10.6
18-24	125	42,701	104	83.2	75.8-90.6	21	16.8	9.4-24.2
25-34	242	60,979	220	92.9	89.6-96.2	22	7.1	3.8-10.4
35-44	268	50,136	237	86.3	81.0-91.6	31	13.7	8.4-19.0
45-54	256	40,999	230	92.2	88.7-95.7	26	7.8	4.3-11.3
55-64	418	46,480	393	94.9	92.5-97.3	25	5.1	2.7- 7.5
65+	846	56,810	794	94.5	92.7-96.3	52	5.5	3.7- 7.3
Less Than H.S.	103	26,467	96	92.4	85.5-99.3	7	7.6	0.7-14.5
H.S. or G.E.D.	601	83,695	538	89.2	85.7-92.7	63	10.8	7.3-14.3
Some Post-H.S.	703	116,701	656	91.9	89.2-94.6	47	8.1	5.4-10.8
College Graduate	743	70,317	683	90.5	87.6-93.4	60	9.5	6.6-12.4
Less than \$15,000	85	12,225	73	77.9	64.4-91.4	12	22.1	8.6-35.6
\$15,000- 24,999	166	21,547	153	88.5	79.9-97.1	13	11.5	2.9-20.1
\$25,000- 34,999	153	19,848	135	88.7	82.4-95.0	18	11.3	5.0-17.6
\$35,000- 49,999	237	30,797	223	94.1	90.0-98.2	14	5.9	1.8-10.0
\$50,000- 74,999	349	42,462	322	92.6	89.1-96.1	27	7.4	3.9-10.9
\$75,000+	806	117,605	743	91.8	89.3-94.3	63	8.2	5.7-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2298	284,459	2008	85.2	82.8-87.6	290	14.8	12.4-17.2
Native	108	14,224	88	80.3	68.9-91.7	20	19.7	8.3-31.1
Non-Native	2162	267,137	1896	85.4	83.0-87.8	266	14.6	12.2-17.0
18-24	98	38,395	80	83.9	76.5-91.3	18	16.1	8.7-23.5
25-34	159	51,693	132	81.5	73.9-89.1	27	18.5	10.9-26.1
35-44	212	44,602	179	81.0	74.1-87.9	33	19.0	12.1-25.9
45-54	256	38,139	230	89.9	85.6-94.2	26	10.1	5.8-14.4
55-64	512	45,240	452	86.9	83.2-90.6	60	13.1	9.4-16.8
65+	1061	66,390	935	87.8	85.4-90.2	126	12.2	9.8-14.6
Less Than H.S.	89	19,348	77	79.1	64.4-93.8	12	20.9	6.2-35.6
H.S. or G.E.D.	565	71,399	492	82.1	77.2-87.0	73	17.9	13.0-22.8
Some Post-H.S.	734	106,342	642	85.9	82.4-89.4	92	14.1	10.6-17.6
College Graduate	906	86,924	793	88.1	85.4-90.8	113	11.9	9.2-14.6
Less than \$15,000	123	18,233	100	77.8	67.6-88.0	23	22.2	12.0-32.4
\$15,000- 24,999	259	32,732	223	84.2	76.6-91.8	36	15.8	8.2-23.4
\$25,000- 34,999	195	21,817	169	80.2	70.0-90.4	26	19.8	9.6-30.0
\$35,000- 49,999	289	30,300	246	82.3	75.2-89.4	43	17.7	10.6-24.8
\$50,000- 74,999	295	36,166	258	88.1	83.2-93.0	37	11.9	7.0-16.8
\$75,000+	648	88,366	585	87.1	83.2-91.0	63	12.9	9.0-16.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4437	581,013	4085	91.4	90.2-92.6	352	8.6	7.4- 9.8
Male	2145	296,843	2028	94.6	93.2-96.0	117	5.4	4.0- 6.8
Female	2292	284,170	2057	88.0	86.0-90.0	235	12.0	10.0-14.0
Native	190	25,503	164	85.6	78.2-93.0	26	14.4	7.0-21.8
Non-Native	4175	546,551	3852	91.6	90.4-92.8	323	8.4	7.2- 9.6
18-24	222	81,039	203	91.5	87.6-95.4	19	8.5	4.6-12.4
25-34	399	112,423	367	91.9	88.6-95.2	32	8.1	4.8-11.4
35-44	477	93,992	432	87.6	83.7-91.5	45	12.4	8.5-16.3
45-54	511	79,117	469	92.5	90.0-95.0	42	7.5	5.0-10.0
55-64	928	91,573	857	92.5	90.5-94.5	71	7.5	5.5- 9.5
65+	1900	122,869	1757	92.3	90.9-93.7	143	7.7	6.3- 9.1
Less Than H.S.	192	45,815	177	89.7	83.0-96.4	15	10.3	3.6-17.0
H.S. or G.E.D.	1165	155,026	1063	90.4	88.0-92.8	102	9.6	7.2-12.0
Some Post-H.S.	1429	221,992	1324	92.0	90.0-94.0	105	8.0	6.0-10.0
College Graduate	1642	156,809	1512	92.0	90.2-93.8	130	8.0	6.2- 9.8
Less than \$15,000	208	30,458	178	80.6	72.8-88.4	30	19.4	11.6-27.2
\$15,000- 24,999	421	53,550	382	89.2	83.9-94.5	39	10.8	5.5-16.1
\$25,000- 34,999	348	41,665	313	89.4	84.7-94.1	35	10.6	5.9-15.3
\$35,000- 49,999	525	61,048	481	91.0	87.1-94.9	44	9.0	5.1-12.9
\$50,000- 74,999	641	78,422	597	93.4	91.0-95.8	44	6.6	4.2- 9.0
\$75,000+	1450	205,627	1358	93.4	91.6-95.2	92	6.6	4.8- 8.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2145	296,843	2028	94.6	93.2-96.0	117	5.4	4.0- 6.8
Native	83	11,300	73	89.1	80.5-97.7	10	10.9	2.3-19.5
Non-Native	2017	279,633	1911	94.8	93.4-96.2	106	5.2	3.8- 6.6
18-24	124	42,644	117	94.4	89.9-98.9	7	5.6	1.1-10.1
25-34	240	60,731	231	97.2	95.0-99.4	9	2.8	0.6- 5.0
35-44	266	49,440	245	90.0	85.3-94.7	21	10.0	5.3-14.7
45-54	255	40,978	237	94.1	90.8-97.4	18	5.9	2.6- 9.2
55-64	416	46,333	398	96.4	94.4-98.4	18	3.6	1.6- 5.6
65+	844	56,718	800	94.9	93.1-96.7	44	5.1	3.3- 6.9
Less Than H.S.	103	26,467	97	92.5	85.6-99.4	6	7.5	0.6-14.4
H.S. or G.E.D.	601	83,695	558	94.7	92.5-96.9	43	5.3	3.1- 7.5
Some Post-H.S.	699	115,822	670	95.2	93.0-97.4	29	4.8	2.6- 7.0
College Graduate	737	69,934	698	94.3	92.1-96.5	39	5.7	3.5- 7.9
Less than \$15,000	85	12,225	77	84.2	72.0-96.4	8	15.8	3.6-28.0
\$15,000- 24,999	164	20,894	154	92.0	84.7-99.3	10	8.0	0.7-15.3
\$25,000- 34,999	153	19,848	139	91.4	85.7-97.1	14	8.6	2.9-14.3
\$35,000- 49,999	237	30,797	229	97.4	94.9-99.9	8	2.6	0.1- 5.1
\$50,000- 74,999	346	42,256	330	95.8	93.3-98.3	16	4.2	1.7- 6.7
\$75,000+	803	117,337	763	95.8	94.2-97.4	40	4.2	2.6- 5.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2292	284,170	2057	88.0	86.0-90.0	235	12.0	10.0-14.0
Native	107	14,203	91	82.9	71.7-94.1	16	17.1	5.9-28.3
Non-Native	2158	266,917	1941	88.2	86.0-90.4	217	11.8	9.6-14.0
18-24	98	38,395	86	88.1	81.6-94.6	12	11.9	5.4-18.4
25-34	159	51,693	136	85.7	79.2-92.2	23	14.3	7.8-20.8
35-44	211	44,552	187	84.9	78.4-91.4	24	15.1	8.6-21.6
45-54	256	38,139	232	90.7	86.6-94.8	24	9.3	5.2-13.4
55-64	512	45,240	459	88.5	85.0-92.0	53	11.5	8.0-15.0
65+	1056	66,151	957	90.1	87.9-92.3	99	9.9	7.7-12.1
Less Than H.S.	89	19,348	80	85.9	73.4-98.4	9	14.1	1.6-26.6
H.S. or G.E.D.	564	71,332	505	85.4	80.9-89.9	59	14.6	10.1-19.1
Some Post-H.S.	730	106,170	654	88.5	85.4-91.6	76	11.5	8.4-14.6
College Graduate	905	86,875	814	90.2	87.7-92.7	91	9.8	7.3-12.3
Less than \$15,000	123	18,233	101	78.1	67.9-88.3	22	21.9	11.7-32.1
\$15,000- 24,999	257	32,657	228	87.4	80.1-94.7	29	12.6	5.3-19.9
\$25,000- 34,999	195	21,817	174	87.5	80.4-94.6	21	12.5	5.4-19.6
\$35,000- 49,999	288	30,250	252	84.5	77.4-91.6	36	15.5	8.4-22.6
\$50,000- 74,999	295	36,166	267	90.5	86.2-94.8	28	9.5	5.2-13.8
\$75,000+	647	88,291	595	90.1	86.8-93.4	52	9.9	6.6-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4437	581,013	352	8.6	7.4- 9.8	99	3.1	2.3- 3.9	3986	88.3	86.9-89.7
Male	2145	296,843	117	5.4	4.0- 6.8	50	3.4	2.2- 4.6	1978	91.3	89.5-93.1
Female	2292	284,170	235	12.0	10.0-14.0	49	2.8	1.6- 4.0	2008	85.3	82.9-87.7
Native	190	25,503	26	14.4	7.0-21.8	8	5.3	1.2- 9.4	156	80.3	72.3-88.3
Non-Native	4175	546,551	323	8.4	7.2- 9.6	90	3.0	2.2- 3.8	3762	88.6	87.2-90.0
18-24	222	81,039	19	8.5	4.6-12.4	19	7.9	4.2-11.6	184	83.6	78.3-88.9
25-34	399	112,423	32	8.1	4.8-11.4	15	4.1	1.6- 6.6	352	87.8	83.7-91.9
35-44	477	93,992	45	12.4	8.5-16.3	16	3.1	1.3- 4.9	416	84.5	80.4-88.6
45-54	511	79,117	42	7.5	5.0-10.0	9	1.4	0.4- 2.4	460	91.1	88.4-93.8
55-64	928	91,573	71	7.5	5.5- 9.5	12	1.4	0.4- 2.4	845	91.1	88.9-93.3
65+	1900	122,869	143	7.7	6.3- 9.1	28	1.2	0.6- 1.8	1729	91.1	89.5-92.7
Less Than H.S.	192	45,815	15	10.3	3.6-17.0	4	2.9	0.0- 7.0	173	86.8	79.2-94.4
H.S. or G.E.D.	1165	155,026	102	9.6	7.2-12.0	33	4.4	2.4- 6.4	1030	86.0	83.1-88.9
Some Post-H.S.	1429	221,992	105	8.0	6.0-10.0	26	2.5	1.3- 3.7	1298	89.5	87.3-91.7
College Graduate	1642	156,809	130	8.0	6.2- 9.8	36	2.6	1.4- 3.8	1476	89.4	87.4-91.4
Less than \$15,000	208	30,458	30	19.4	11.6-27.2	5	2.7	0.0- 5.6	173	77.8	69.8-85.8
\$15,000- 24,999	421	53,550	39	10.8	5.5-16.1	6	2.1	0.1- 4.1	376	87.1	81.6-92.6
\$25,000- 34,999	348	41,665	35	10.6	5.9-15.3	9	5.1	0.2-10.0	304	84.3	78.0-90.6
\$35,000- 49,999	525	61,048	44	9.0	5.1-12.9	12	2.7	0.7- 4.7	469	88.3	84.0-92.6
\$50,000- 74,999	641	78,422	44	6.6	4.2- 9.0	17	2.6	0.8- 4.4	580	90.8	87.9-93.7
\$75,000+	1450	205,627	92	6.6	4.8- 8.4	30	3.4	1.8- 5.0	1328	90.0	87.8-92.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2145	296,843	117	5.4	4.0- 6.8	50	3.4	2.2- 4.6	1978	91.3	89.5-93.1
Native	83	11,300	10	10.9	2.3-19.5	5	8.8	0.6-17.0	68	80.3	68.9-91.7
Non-Native	2017	279,633	106	5.2	3.8- 6.6	45	3.2	2.0- 4.4	1866	91.6	89.8-93.4
18-24	124	42,644	7	5.6	1.1-10.1	13	11.2	4.9-17.5	104	83.3	75.9-90.7
25-34	240	60,731	9	2.8	0.6- 5.0	11	4.0	1.5- 6.5	220	93.2	89.9-96.5
35-44	266	49,440	21	10.0	5.3-14.7	8	2.5	0.5- 4.5	237	87.6	82.5-92.7
45-54	255	40,978	18	5.9	2.6- 9.2	7	1.9	0.3- 3.5	230	92.2	88.7-95.7
55-64	416	46,333	18	3.6	1.6- 5.6	5	1.3	0.1- 2.5	393	95.2	92.8-97.6
65+	844	56,718	44	5.1	3.3- 6.9	6	0.3	0.1- 0.5	794	94.6	92.8-96.4
Less Than H.S.	103	26,467	6	7.5	0.6-14.4	1	0.2	0.0- 0.6	96	92.4	85.5-99.3
H.S. or G.E.D.	601	83,695	43	5.3	3.1- 7.5	20	5.5	2.6- 8.4	538	89.2	85.7-92.7
Some Post-H.S.	699	115,822	29	4.8	2.6- 7.0	14	2.6	0.8- 4.4	656	92.6	90.1-95.1
College Graduate	737	69,934	39	5.7	3.5- 7.9	15	3.3	1.3- 5.3	683	90.9	88.0-93.8
Less than \$15,000	85	12,225	8	15.8	3.6-28.0	4	6.4	0.0-13.7	73	77.9	64.4-91.4
\$15,000- 24,999	164	20,894	10	8.0	0.7-15.3	1	0.7	0.0- 2.1	153	91.3	83.9-98.7
\$25,000- 34,999	153	19,848	14	8.6	2.9-14.3	4	2.7	0.0- 5.6	135	88.7	82.4-95.0
\$35,000- 49,999	237	30,797	8	2.6	0.1- 5.1	6	3.3	0.0- 6.6	223	94.1	90.0-98.2
\$50,000- 74,999	346	42,256	16	4.2	1.7- 6.7	8	2.7	0.2- 5.2	322	93.1	89.6-96.6
\$75,000+	803	117,337	40	4.2	2.6- 5.8	20	3.8	1.8- 5.8	743	92.1	89.6-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2292	284,170	235	12.0	10.0-14.0	49	2.8	1.6- 4.0	2008	85.3	82.9-87.7
Native	107	14,203	16	17.1	5.9-28.3	3	2.5	0.0- 5.6	88	80.4	69.0-91.8
Non-Native	2158	266,917	217	11.8	9.6-14.0	45	2.7	1.5- 3.9	1896	85.5	83.1-87.9
18-24	98	38,395	12	11.9	5.4-18.4	6	4.2	0.5- 7.9	80	83.9	76.5-91.3
25-34	159	51,693	23	14.3	7.8-20.8	4	4.2	0.0- 8.9	132	81.5	73.9-89.1
35-44	211	44,552	24	15.1	8.6-21.6	8	3.8	0.9- 6.7	179	81.1	74.2-88.0
45-54	256	38,139	24	9.3	5.2-13.4	2	0.8	0.0- 2.0	230	89.9	85.6-94.2
55-64	512	45,240	53	11.5	8.0-15.0	7	1.6	0.2- 3.0	452	86.9	83.2-90.6
65+	1056	66,151	99	9.9	7.7-12.1	22	2.0	1.0- 3.0	935	88.1	85.7-90.5
Less Than H.S.	89	19,348	9	14.1	1.6-26.6	3	6.7	0.0-16.3	77	79.1	64.4-93.8
H.S. or G.E.D.	564	71,332	59	14.6	10.1-19.1	13	3.2	0.8- 5.6	492	82.2	77.3-87.1
Some Post-H.S.	730	106,170	76	11.5	8.4-14.6	12	2.4	0.6- 4.2	642	86.1	82.6-89.6
College Graduate	905	86,875	91	9.8	7.3-12.3	21	2.0	0.8- 3.2	793	88.1	85.4-90.8
Less than \$15,000	123	18,233	22	21.9	11.7-32.1	1	0.3	0.0- 0.9	100	77.8	67.6-88.0
\$15,000- 24,999	257	32,657	29	12.6	5.3-19.9	5	3.0	0.0- 6.1	223	84.4	76.8-92.0
\$25,000- 34,999	195	21,817	21	12.5	5.4-19.6	5	7.3	0.0-15.9	169	80.2	70.0-90.4
\$35,000- 49,999	288	30,250	36	15.5	8.4-22.6	6	2.1	0.3- 3.9	246	82.4	75.3-89.5
\$50,000- 74,999	295	36,166	28	9.5	5.2-13.8	9	2.5	0.1- 4.9	258	88.1	83.2-93.0
\$75,000+	647	88,291	52	9.9	6.6-13.2	10	2.9	0.5- 5.3	585	87.2	83.3-91.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4445	581,578	1462	22.6	21.0-24.2	2983	77.4	75.8-79.0
Male	2158	298,507	612	19.1	17.1-21.1	1546	80.9	78.9-82.9
Female	2287	283,071	850	26.4	24.0-28.8	1437	73.6	71.2-76.0
Native	191	25,524	57	24.0	16.2-31.8	134	76.0	68.2-83.8
Non-Native	4181	547,186	1385	22.6	21.0-24.2	2796	77.4	75.8-79.0
18-24	224	81,452	9	4.3	1.4- 7.2	215	95.7	92.8-98.6
25-34	403	113,247	27	7.8	4.7-10.9	376	92.2	89.1-95.3
35-44	479	94,495	57	12.2	8.5-15.9	422	87.8	84.1-91.5
45-54	509	78,558	98	17.9	14.0-21.8	411	82.1	78.2-86.0
55-64	929	91,402	328	34.5	30.8-38.2	601	65.5	61.8-69.2
65+	1901	122,424	943	50.8	48.1-53.5	958	49.2	46.5-51.9
Less Than H.S.	192	45,546	90	29.9	21.7-38.1	102	70.1	61.9-78.3
H.S. or G.E.D.	1159	153,718	419	22.4	19.7-25.1	740	77.6	74.9-80.3
Some Post-H.S.	1438	223,506	503	25.7	23.0-28.4	935	74.3	71.6-77.0
College Graduate	1647	157,437	448	16.5	14.5-18.5	1199	83.5	81.5-85.5
Less than \$15,000	207	30,349	90	27.1	19.5-34.7	117	72.9	65.3-80.5
\$15,000- 24,999	425	54,369	194	31.7	25.4-38.0	231	68.3	62.0-74.6
\$25,000- 34,999	350	42,062	136	30.9	24.2-37.6	214	69.1	62.4-75.8
\$35,000- 49,999	526	61,398	191	24.7	20.2-29.2	335	75.3	70.8-79.8
\$50,000- 74,999	644	78,708	198	22.8	18.9-26.7	446	77.2	73.3-81.1
\$75,000+	1451	205,285	364	16.6	14.4-18.8	1087	83.4	81.2-85.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2158	298,507	612	19.1	17.1-21.1	1546	80.9	78.9-82.9
Native	83	11,300	24	20.6	10.6-30.6	59	79.4	69.4-89.4
Non-Native	2030	281,437	576	19.1	17.1-21.1	1454	80.9	78.9-82.9
18-24	126	43,057	4	3.2	0.0- 6.5	122	96.8	93.5- 100
25-34	243	61,338	14	6.2	2.7- 9.7	229	93.8	90.3-97.3
35-44	269	50,326	26	8.1	4.4-11.8	243	91.9	88.2-95.6
45-54	255	40,821	49	15.0	10.3-19.7	206	85.0	80.3-89.7
55-64	417	46,162	136	32.0	26.3-37.7	281	68.0	62.3-73.7
65+	848	56,802	383	47.1	43.0-51.2	465	52.9	48.8-57.0
Less Than H.S.	103	26,198	43	25.3	15.5-35.1	60	74.7	64.9-84.5
H.S. or G.E.D.	600	83,357	190	19.7	16.4-23.0	410	80.3	77.0-83.6
Some Post-H.S.	707	117,414	206	20.6	17.3-23.9	501	79.4	76.1-82.7
College Graduate	743	70,612	171	13.6	11.1-16.1	572	86.4	83.9-88.9
Less than \$15,000	87	12,321	33	22.6	12.4-32.8	54	77.4	67.2-87.6
\$15,000- 24,999	167	21,666	59	23.8	15.4-32.2	108	76.2	67.8-84.6
\$25,000- 34,999	154	20,207	62	28.9	20.7-37.1	92	71.1	62.9-79.3
\$35,000- 49,999	238	31,153	72	17.8	12.5-23.1	166	82.2	76.9-87.5
\$50,000- 74,999	351	42,724	107	23.3	17.8-28.8	244	76.7	71.2-82.2
\$75,000+	806	117,618	179	15.1	12.4-17.8	627	84.9	82.2-87.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2287	283,071	850	26.4	24.0-28.8	1437	73.6	71.2-76.0
Native	108	14,224	33	26.6	15.0-38.2	75	73.4	61.8-85.0
Non-Native	2151	265,749	809	26.4	24.0-28.8	1342	73.6	71.2-76.0
18-24	98	38,395	5	5.5	0.6-10.4	93	94.5	89.6-99.4
25-34	160	51,909	13	9.5	3.8-15.2	147	90.5	84.8-96.2
35-44	210	44,169	31	16.9	10.2-23.6	179	83.1	76.4-89.8
45-54	254	37,737	49	21.1	15.0-27.2	205	78.9	72.8-85.0
55-64	512	45,240	192	37.2	32.3-42.1	320	62.8	57.9-67.7
65+	1053	65,621	560	54.0	50.5-57.5	493	46.0	42.5-49.5
Less Than H.S.	89	19,348	47	36.2	22.3-50.1	42	63.8	49.9-77.7
H.S. or G.E.D.	559	70,362	229	25.5	21.2-29.8	330	74.5	70.2-78.8
Some Post-H.S.	731	106,092	297	31.4	27.1-35.7	434	68.6	64.3-72.9
College Graduate	904	86,824	277	18.9	16.2-21.6	627	81.1	78.4-83.8
Less than \$15,000	120	18,028	57	30.1	19.5-40.7	63	69.9	59.3-80.5
\$15,000- 24,999	258	32,703	135	37.0	28.4-45.6	123	63.0	54.4-71.6
\$25,000- 34,999	196	21,855	74	32.8	22.8-42.8	122	67.2	57.2-77.2
\$35,000- 49,999	288	30,245	119	31.9	24.8-39.0	169	68.1	61.0-75.2
\$50,000- 74,999	293	35,984	91	22.1	16.2-28.0	202	77.9	72.0-83.8
\$75,000+	645	87,667	185	18.6	15.3-21.9	460	81.4	78.1-84.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1 MALES AND FEMALES	38
2 MALES ONLY	39
3 FEMALES ONLY	40
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4 MALES AND FEMALES	41
5 MALES ONLY	42
6 FEMALES ONLY	43
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7 MALES AND FEMALES	44
8 MALES ONLY	45
9 FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4360	574,434	2254	62.2	60.2-64.2	2106	37.8	35.8-39.8
Male	2118	295,134	1102	62.1	59.4-64.8	1016	37.9	35.2-40.6
Female	2242	279,300	1152	62.3	59.6-65.0	1090	37.7	35.0-40.4
Native	188	25,156	73	47.7	37.9-57.5	115	52.3	42.5-62.1
Non-Native	4102	540,519	2140	62.8	60.8-64.8	1962	37.2	35.2-39.2
18-24	223	81,157	200	90.4	86.1-94.7	23	9.6	5.3-13.9
25-34	401	112,421	314	75.5	70.2-80.8	87	24.5	19.2-29.8
35-44	479	94,653	353	70.2	64.9-75.5	126	29.8	24.5-35.1
45-54	506	78,097	347	67.2	62.3-72.1	159	32.8	27.9-37.7
55-64	905	88,584	448	49.2	45.3-53.1	457	50.8	46.9-54.7
65+	1846	119,521	592	30.7	28.2-33.2	1254	69.3	66.8-71.8
Less Than H.S.	182	44,625	56	41.2	30.6-51.8	126	58.8	48.2-69.4
H.S. or G.E.D.	1126	150,355	454	57.3	53.6-61.0	672	42.7	39.0-46.4
Some Post-H.S.	1409	221,200	693	61.0	57.7-64.3	716	39.0	35.7-42.3
College Graduate	1634	156,884	1045	74.4	71.9-76.9	589	25.6	23.1-28.1
Less than \$15,000	204	30,215	77	53.8	44.0-63.6	127	46.2	36.4-56.0
\$15,000- 24,999	413	53,540	128	39.6	32.2-47.0	285	60.4	53.0-67.8
\$25,000- 34,999	342	41,616	117	47.6	40.2-55.0	225	52.4	45.0-59.8
\$35,000- 49,999	520	60,633	223	59.1	53.4-64.8	297	40.9	35.2-46.6
\$50,000- 74,999	634	77,622	348	65.3	60.4-70.2	286	34.7	29.8-39.6
\$75,000+	1439	204,132	950	71.2	68.3-74.1	489	28.8	25.9-31.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2118	295,134	1102	62.1	59.4-64.8	1016	37.9	35.2-40.6
Native	83	11,300	34	53.3	38.8-67.8	49	46.7	32.2-61.2
Non-Native	1992	278,125	1043	62.5	59.8-65.2	949	37.5	34.8-40.2
18-24	126	43,057	113	91.1	86.0-96.2	13	8.9	3.8-14.0
25-34	242	61,149	195	79.2	73.1-85.3	47	20.8	14.7-26.9
35-44	267	50,010	188	66.7	59.4-74.0	79	33.3	26.0-40.6
45-54	251	40,132	159	63.1	55.8-70.4	92	36.9	29.6-44.2
55-64	409	45,075	185	45.5	39.6-51.4	224	54.5	48.6-60.4
65+	823	55,711	262	29.7	26.0-33.4	561	70.3	66.6-74.0
Less Than H.S.	98	25,975	35	48.4	34.7-62.1	63	51.6	37.9-65.3
H.S. or G.E.D.	585	81,967	252	57.5	52.4-62.6	333	42.5	37.4-47.6
Some Post-H.S.	694	116,072	349	61.8	57.3-66.3	345	38.2	33.7-42.7
College Graduate	736	70,194	463	72.8	68.9-76.7	273	27.2	23.3-31.1
Less than \$15,000	86	12,273	40	61.0	46.7-75.3	46	39.0	24.7-53.3
\$15,000- 24,999	164	21,473	48	34.0	22.4-45.6	116	66.0	54.4-77.6
\$25,000- 34,999	148	19,903	58	52.9	42.7-63.1	90	47.1	36.9-57.3
\$35,000- 49,999	233	30,508	101	59.1	50.5-67.7	132	40.9	32.3-49.5
\$50,000- 74,999	342	41,595	164	58.4	51.3-65.5	178	41.6	34.5-48.7
\$75,000+	799	116,858	504	68.9	65.0-72.8	295	31.1	27.2-35.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2242	279,300	1152	62.3	59.6-65.0	1090	37.7	35.0-40.4
Native	105	13,856	39	43.0	30.3-55.7	66	57.0	44.3-69.7
Non-Native	2110	262,394	1097	63.1	60.2-66.0	1013	36.9	34.0-39.8
18-24	97	38,100	87	89.6	82.7-96.5	10	10.4	3.5-17.3
25-34	159	51,272	119	71.1	62.3-79.9	40	28.9	20.1-37.7
35-44	212	44,643	165	74.1	66.7-81.5	47	25.9	18.5-33.3
45-54	255	37,965	188	71.5	64.8-78.2	67	28.5	21.8-35.2
55-64	496	43,509	263	53.0	47.7-58.3	233	47.0	41.7-52.3
65+	1023	63,811	330	31.6	28.3-34.9	693	68.4	65.1-71.7
Less Than H.S.	84	18,649	21	31.2	16.1-46.3	63	68.8	53.7-83.9
H.S. or G.E.D.	541	68,388	202	57.1	51.4-62.8	339	42.9	37.2-48.6
Some Post-H.S.	715	105,128	344	60.2	55.5-64.9	371	39.8	35.1-44.5
College Graduate	898	86,690	582	75.7	72.2-79.2	316	24.3	20.8-27.8
Less than \$15,000	118	17,943	37	48.9	35.8-62.0	81	51.1	38.0-64.2
\$15,000- 24,999	249	32,067	80	43.3	33.5-53.1	169	56.7	46.9-66.5
\$25,000- 34,999	194	21,713	59	42.7	31.9-53.5	135	57.3	46.5-68.1
\$35,000- 49,999	287	30,125	122	59.0	51.4-66.6	165	41.0	33.4-48.6
\$50,000- 74,999	292	36,027	184	73.2	66.7-79.7	108	26.8	20.3-33.3
\$75,000+	640	87,274	446	74.3	69.8-78.8	194	25.7	21.2-30.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1814	117,897	1603	88.3	86.5-90.1	211	11.7	9.9-13.5
Male	809	54,941	724	89.5	86.8-92.2	85	10.5	7.8-13.2
Female	1005	62,956	879	87.2	84.7-89.7	126	12.8	10.3-15.3
Non-Native	1755	114,364	1550	88.2	86.2-90.2	205	11.8	9.8-13.8
65+	1814	117,897	1603	88.3	86.5-90.1	211	11.7	9.9-13.5
Less Than H.S.	113	12,978	81	74.5	65.3-83.7	32	25.5	16.3-34.7
H.S. or G.E.D.	517	32,805	434	84.7	81.2-88.2	83	15.3	11.8-18.8
Some Post-H.S.	574	45,274	514	91.0	88.3-93.7	60	9.0	6.3-11.7
College Graduate	608	26,704	573	95.0	93.0-97.0	35	5.0	3.0- 7.0
Less than \$15,000	86	5,893	64	78.2	68.4-88.0	22	21.8	12.0-31.6
\$15,000- 24,999	255	16,696	205	82.5	76.6-88.4	50	17.5	11.6-23.4
\$25,000- 34,999	193	13,129	166	86.8	81.3-92.3	27	13.2	7.7-18.7
\$35,000- 49,999	271	17,503	238	88.3	84.0-92.6	33	11.7	7.4-16.0
\$50,000- 74,999	247	14,440	229	93.8	90.5-97.1	18	6.2	2.9- 9.5
\$75,000+	360	23,465	349	96.1	93.4-98.8	11	3.9	1.2- 6.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	809	54,941	724	89.5	86.8-92.2	85	10.5	7.8-13.2
Non-Native	784	53,221	701	89.4	86.7-92.1	83	10.6	7.9-13.3
65+	809	54,941	724	89.5	86.8-92.2	85	10.5	7.8-13.2
Less Than H.S.	57	6,971	41	74.3	61.0-87.6	16	25.7	12.4-39.0
H.S. or G.E.D.	214	14,082	188	88.1	83.0-93.2	26	11.9	6.8-17.0
Some Post-H.S.	242	20,761	216	92.8	89.5-96.1	26	7.2	3.9-10.5
College Graduate	295	13,040	279	94.6	91.7-97.5	16	5.4	2.5- 8.3
\$15,000- 24,999	95	6,410	78	86.8	78.8-94.8	17	13.2	5.2-21.2
\$25,000- 34,999	81	6,340	67	84.7	76.1-93.3	14	15.3	6.7-23.9
\$35,000- 49,999	117	7,892	104	89.7	83.4-96.0	13	10.3	4.0-16.6
\$50,000- 74,999	139	8,000	128	92.1	86.6-97.6	11	7.9	2.4-13.4
\$75,000+	213	14,679	206	96.7	94.0-99.4	7	3.3	0.6- 6.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1005	62,956	879	87.2	84.7-89.7	126	12.8	10.3-15.3
Non-Native	971	61,143	849	87.2	84.7-89.7	122	12.8	10.3-15.3
65+	1005	62,956	879	87.2	84.7-89.7	126	12.8	10.3-15.3
Less Than H.S.	56	6,007	40	74.8	62.3-87.3	16	25.2	12.7-37.7
H.S. or G.E.D.	303	18,723	246	82.2	77.3-87.1	57	17.8	12.9-22.7
Some Post-H.S.	332	24,513	298	89.5	85.4-93.6	34	10.5	6.4-14.6
College Graduate	313	13,664	294	95.4	92.9-97.9	19	4.6	2.1- 7.1
Less than \$15,000	53	3,835	34	72.1	58.8-85.4	19	27.9	14.6-41.2
\$15,000- 24,999	160	10,286	127	79.8	71.8-87.8	33	20.2	12.2-28.2
\$25,000- 34,999	112	6,789	99	88.7	82.0-95.4	13	11.3	4.6-18.0
\$35,000- 49,999	154	9,612	134	87.2	81.1-93.3	20	12.8	6.7-18.9
\$50,000- 74,999	108	6,441	101	95.9	92.6-99.2	7	4.1	0.8- 7.4
\$75,000+	147	8,786	143	95.2	89.7- 100	4	4.8	0.0-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4419	579,749	3014	66.3	64.3-68.3	1405	33.7	31.7-35.7
Male	2138	295,901	1382	62.7	60.0-65.4	756	37.3	34.6-40.0
Female	2281	283,849	1632	70.1	67.4-72.8	649	29.9	27.2-32.6
Native	188	25,248	94	51.1	41.3-60.9	94	48.9	39.1-58.7
Non-Native	4162	545,786	2879	67.1	65.1-69.1	1283	32.9	30.9-34.9
18-24	222	81,264	147	66.2	59.3-73.1	75	33.8	26.9-40.7
25-34	400	112,671	246	59.2	53.5-64.9	154	40.8	35.1-46.5
35-44	477	95,010	331	67.7	62.4-73.0	146	32.3	27.0-37.6
45-54	506	77,489	354	69.1	64.2-74.0	152	30.9	26.0-35.8
55-64	924	91,134	649	69.1	65.4-72.8	275	30.9	27.2-34.6
65+	1890	122,181	1287	68.0	65.5-70.5	603	32.0	29.5-34.5
Less Than H.S.	189	45,185	101	47.9	37.5-58.3	88	52.1	41.7-62.5
H.S. or G.E.D.	1152	153,886	679	58.6	54.7-62.5	473	41.4	37.5-45.3
Some Post-H.S.	1428	221,946	966	67.8	64.5-71.1	462	32.2	28.9-35.5
College Graduate	1641	157,361	1263	76.8	74.1-79.5	378	23.2	20.5-25.9
Less than \$15,000	205	29,627	90	49.9	39.9-59.9	115	50.1	40.1-60.1
\$15,000- 24,999	419	53,941	207	50.8	43.4-58.2	212	49.2	41.8-56.6
\$25,000- 34,999	348	41,971	216	61.4	54.0-68.8	132	38.6	31.2-46.0
\$35,000- 49,999	524	61,125	341	62.6	56.7-68.5	183	37.4	31.5-43.3
\$50,000- 74,999	639	78,156	450	65.4	59.9-70.9	189	34.6	29.1-40.1
\$75,000+	1452	205,980	1143	75.3	72.2-78.4	309	24.7	21.6-27.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2138	295,901	1382	62.7	60.0-65.4	756	37.3	34.6-40.0
Native	83	11,300	38	44.3	30.0-58.6	45	55.7	41.4-70.0
Non-Native	2013	278,955	1321	63.7	60.8-66.6	692	36.3	33.4-39.2
18-24	124	42,869	85	67.5	58.1-76.9	39	32.5	23.1-41.9
25-34	240	60,762	143	57.3	50.0-64.6	97	42.7	35.4-50.0
35-44	265	50,037	163	58.6	51.0-66.2	102	41.4	33.8-49.0
45-54	251	39,552	155	62.9	55.8-70.0	96	37.1	30.0-44.2
55-64	415	46,041	271	63.6	57.7-69.5	144	36.4	30.5-42.3
65+	843	56,640	565	67.4	63.5-71.3	278	32.6	28.7-36.5
Less Than H.S.	102	25,971	57	48.2	34.7-61.7	45	51.8	38.3-65.3
H.S. or G.E.D.	596	83,047	338	55.9	50.6-61.2	258	44.1	38.8-49.4
Some Post-H.S.	696	115,405	445	63.8	59.3-68.3	251	36.2	31.7-40.7
College Graduate	739	70,552	540	73.9	69.8-78.0	199	26.1	22.0-30.2
Less than \$15,000	83	11,425	37	48.6	32.7-64.5	46	51.4	35.5-67.3
\$15,000- 24,999	166	21,537	79	47.6	36.0-59.2	87	52.4	40.8-64.0
\$25,000- 34,999	154	20,207	89	58.9	48.7-69.1	65	41.1	30.9-51.3
\$35,000- 49,999	235	30,825	137	61.4	52.8-70.0	98	38.6	30.0-47.2
\$50,000- 74,999	346	42,085	226	57.2	49.8-64.6	120	42.8	35.4-50.2
\$75,000+	806	117,735	592	69.7	65.4-74.0	214	30.3	26.0-34.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2281	283,849	1632	70.1	67.4-72.8	649	29.9	27.2-32.6
Native	105	13,948	56	56.7	43.8-69.6	49	43.3	30.4-56.2
Non-Native	2149	266,831	1558	70.8	67.9-73.7	591	29.2	26.3-32.1
18-24	98	38,395	62	64.7	54.3-75.1	36	35.3	24.9-45.7
25-34	160	51,909	103	61.5	52.7-70.3	57	38.5	29.7-47.3
35-44	212	44,973	168	77.9	71.0-84.8	44	22.1	15.2-29.0
45-54	255	37,937	199	75.5	69.0-82.0	56	24.5	18.0-31.0
55-64	509	45,093	378	74.6	70.1-79.1	131	25.4	20.9-29.9
65+	1047	65,540	722	68.4	65.1-71.7	325	31.6	28.3-34.9
Less Than H.S.	87	19,214	44	47.6	31.7-63.5	43	52.4	36.5-68.3
H.S. or G.E.D.	556	70,839	341	61.8	55.9-67.7	215	38.2	32.3-44.1
Some Post-H.S.	732	106,541	521	72.1	67.6-76.6	211	27.9	23.4-32.4
College Graduate	902	86,808	723	79.2	75.7-82.7	179	20.8	17.3-24.3
Less than \$15,000	122	18,201	53	50.6	37.7-63.5	69	49.4	36.5-62.3
\$15,000- 24,999	253	32,404	128	52.8	43.2-62.4	125	47.2	37.6-56.8
\$25,000- 34,999	194	21,764	127	63.7	52.9-74.5	67	36.3	25.5-47.1
\$35,000- 49,999	289	30,300	204	63.9	55.5-72.3	85	36.1	27.7-44.5
\$50,000- 74,999	293	36,070	224	74.9	67.5-82.3	69	25.1	17.7-32.5
\$75,000+	646	88,245	551	82.7	78.6-86.8	95	17.3	13.2-21.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
RACE/ETHNICITY CATEGORIES (_RACEPRV).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
WHITE/HISPANIC RACE GROUP (_RACEG21).	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN INCHES (HTIN4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED HEIGHT IN METERS (HTM4).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
40 MALES AND FEMALES	89
41 MALES ONLY	90
42 FEMALES ONLY	91
RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
43 MALES AND FEMALES	92
44 MALES ONLY	93
45 FEMALES ONLY	94
RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).	
46 MALES AND FEMALES	95
47 MALES ONLY	96
48 FEMALES ONLY	97
RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).	
49 MALES AND FEMALES	98
50 MALES ONLY	99
51 FEMALES ONLY	100

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4405	574,309	4076	88.8	87.2-90.4	55	3.6	2.4- 4.8	208	5.0	4.0- 6.0	27	1.4	0.8- 2.0	5	0.2	0.0- 0.4	34	1.0	0.4- 1.6
Male	2125	293,422	1951	88.3	86.1-90.5	33	3.6	2.2- 5.0	93	4.3	3.1- 5.5	21	2.2	1.0- 3.4	3	0.1	0.0- 0.3	24	1.6	0.6- 2.6
Female	2280	280,887	2125	89.2	87.0-91.4	22	3.6	2.0- 5.2	115	5.7	4.3- 7.1	6	0.7	0.1- 1.3	2	0.3	0.0- 0.9	10	0.5	0.1- 0.9
18-24	216	77,897	175	81.5	75.4-87.6	10	6.8	2.3-11.3	21	6.9	3.6-10.2	6	2.8	0.3- 5.3	2	1.4	0.0- 3.4	2	0.7	0.0- 1.7
25-34	399	111,564	339	83.4	78.7-88.1	12	5.3	2.2- 8.4	33	6.9	4.0- 9.8	9	3.1	0.7- 5.5	1	0.2	0.0- 0.6	5	1.1	0.0- 2.3
35-44	478	94,669	420	84.4	79.7-89.1	12	5.2	2.1- 8.3	35	6.4	3.7- 9.1	6	2.0	0.4- 3.6				5	2.0	0.0- 4.4
45-54	501	77,024	456	91.4	88.3-94.5	8	3.6	1.1- 6.1	28	3.1	1.7- 4.5	3	0.7	0.0- 1.5				6	1.3	0.1- 2.5
55-64	916	90,601	850	92.6	90.4-94.8	8	1.4	0.4- 2.4	50	5.2	3.4- 7.0	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	5	0.6	0.0- 1.2
65+	1895	122,554	1836	97.1	96.1-98.1	5	0.4	0.0- 0.8	41	1.9	1.1- 2.7	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	11	0.6	0.2- 1.0
Less Than H.S.	190	44,165	160	73.5	63.3-83.7	4	8.0	0.4-15.6	24	13.9	7.4-20.4	1	2.3	0.0- 6.6				1	2.3	0.0- 6.6
H.S. or G.E.D.	1153	152,078	1057	87.7	84.8-90.6	20	4.4	2.2- 6.6	56	5.0	3.4- 6.6	10	1.9	0.7- 3.1	1	0.0	0.0- 0.0	9	1.0	0.0- 2.0
Some Post-H.S.	1429	221,045	1314	90.1	87.7-92.5	14	2.9	1.3- 4.5	83	5.2	3.6- 6.8	3	0.4	0.0- 1.0	4	0.6	0.0- 1.4	11	0.8	0.2- 1.4
College Graduate	1626	156,044	1539	92.5	90.5-94.5	16	2.2	1.0- 3.4	45	2.2	1.4- 3.0	13	2.2	0.8- 3.6				13	1.0	0.2- 1.8
Less than \$15,000	209	30,479	176	78.9	70.1-87.7	5	9.3	1.3-17.3	24	9.9	5.4-14.4	1	0.4	0.0- 1.2	1	1.2	0.0- 3.6	2	0.2	0.0- 0.4
\$15,000- 24,999	422	52,529	371	77.0	69.6-84.4	6	4.3	0.0- 8.8	33	11.6	5.9-17.3	6	4.5	0.8- 8.2	1	1.3	0.0- 3.8	5	1.2	0.0- 2.6
\$25,000- 34,999	346	41,668	315	86.3	80.6-92.0	5	4.9	0.4- 9.4	22	7.0	3.5-10.5	1	0.7	0.0- 2.1				3	1.0	0.0- 2.4
\$35,000- 49,999	519	60,432	483	90.2	85.9-94.5	5	2.1	0.1- 4.1	26	4.6	2.4- 6.8	3	2.8	0.0- 6.3				2	0.3	0.0- 0.7
\$50,000- 74,999	641	77,888	591	87.7	83.0-92.4	13	7.1	2.8-11.4	32	3.8	2.0- 5.6	1	0.4	0.0- 1.2				4	1.0	0.0- 2.4
\$75,000+	1447	205,445	1373	93.1	91.1-95.1	11	1.5	0.5- 2.5	39	3.0	1.8- 4.2	10	1.3	0.5- 2.1	3	0.1	0.0- 0.3	11	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2125	293,422	1951	88.3	86.1-90.5	33	3.6	2.2- 5.0	93	4.3	3.1- 5.5	21	2.2	1.0- 3.4	3	0.1	0.0- 0.3	24	1.6	0.6- 2.6
18-24	122	41,844	103	84.0	76.2-91.8	3	4.0	0.0- 9.1	8	5.7	1.0-10.4	5	4.3	0.0- 8.6	1	0.9	0.0- 2.7	2	1.2	0.0- 3.2
25-34	240	60,084	210	86.9	81.6-92.2	4	2.3	0.0- 4.7	16	5.1	2.2- 8.0	7	4.4	0.5- 8.3				3	1.4	0.0- 3.4
35-44	267	49,963	232	80.2	72.9-87.5	11	8.7	3.2-14.2	16	5.1	1.8- 8.4	5	2.8	0.3- 5.3				3	3.2	0.0- 7.3
45-54	247	39,308	223	89.1	84.0-94.2	6	5.2	0.9- 9.5	12	2.6	1.0- 4.2	2	1.1	0.0- 2.7				4	2.0	0.0- 4.4
55-64	409	45,645	372	91.7	88.6-94.8	6	1.8	0.2- 3.4	25	5.3	2.8- 7.8	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	4	1.0	0.0- 2.2
65+	840	56,579	811	96.7	95.1-98.3	3	0.5	0.0- 1.1	16	1.8	0.6- 3.0	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	8	0.8	0.0- 1.6
Less Than H.S.	102	25,749	88	76.2	62.5-89.9	2	7.8	0.0-18.0	10	8.3	1.8-14.8	1	3.9	0.0-11.3				1	3.9	0.0-11.3
H.S. or G.E.D.	590	81,188	533	87.7	84.0-91.4	11	3.5	1.3- 5.7	30	4.7	2.3- 7.1	8	2.5	0.5- 4.5	1	0.0	0.0- 0.0	7	1.6	0.0- 3.2
Some Post-H.S.	698	116,058	638	90.3	87.2-93.4	8	2.6	0.6- 4.6	40	5.0	3.0- 7.0	2	0.7	0.0- 1.9	2	0.4	0.0- 1.0	8	1.0	0.0- 2.0
College Graduate	731	69,676	689	90.9	87.8-94.0	11	2.8	1.0- 4.6	13	1.0	0.4- 1.6	10	3.6	1.2- 6.0				8	1.7	0.3- 3.1
Less than \$15,000	86	12,246	72	84.5	74.3-94.7	1	3.2	0.0- 9.3	9	7.7	1.4-14.0	1	1.1	0.0- 3.3	1	3.1	0.0- 9.0	2	0.5	0.0- 1.3
\$15,000- 24,999	167	21,488	146	81.3	71.1-91.5	1	0.7	0.0- 2.1	13	8.2	1.5-14.9	5	9.4	1.0-17.8				2	0.5	0.0- 1.1
\$25,000- 34,999	150	19,954	132	84.4	76.6-92.2	3	4.6	0.0- 9.9	12	8.1	2.6-13.6	1	1.5	0.0- 4.4				2	1.4	0.0- 3.6
\$35,000- 49,999	235	30,407	222	88.8	81.4-96.2	4	3.2	0.0- 6.7	6	3.4	0.3- 6.5	2	4.2	0.0-10.7				1	0.4	0.0- 1.2
\$50,000- 74,999	347	41,779	316	84.9	78.2-91.6	8	7.6	1.7-13.5	20	5.3	2.4- 8.2	1	0.8	0.0- 2.4				2	1.5	0.0- 3.9
\$75,000+	801	117,230	754	91.5	88.6-94.4	8	2.0	0.4- 3.6	22	3.5	1.5- 5.5	7	1.6	0.4- 2.8	2	0.1	0.1- 0.1	8	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2280	280,887	2125	89.2	87.0-91.4	22	3.6	2.0- 5.2	115	5.7	4.3- 7.1	6	0.7	0.1- 1.3	2	0.3	0.0- 0.9	10	0.5	0.1- 0.9
18-24	94	36,053	72	78.6	69.4-87.8	7	10.1	2.7-17.5	13	8.3	3.6-13.0	1	1.2	0.0- 3.4	1	1.9	0.0- 5.6			
25-34	159	51,480	129	79.4	71.6-87.2	8	8.8	2.5-15.1	17	9.0	3.7-14.3	2	1.6	0.0- 4.0	1	0.3	0.0- 0.9	2	0.8	0.0- 2.0
35-44	211	44,707	188	89.1	83.8-94.4	1	1.3	0.0- 3.8	19	7.8	3.5-12.1	1	1.0	0.0- 3.0				2	0.7	0.0- 1.9
45-54	254	37,716	233	93.7	90.2-97.2	2	1.9	0.0- 4.6	16	3.6	1.6- 5.6	1	0.3	0.0- 0.9				2	0.5	0.0- 1.3
55-64	507	44,957	478	93.6	90.9-96.3	2	1.0	0.0- 2.6	25	5.0	2.6- 7.4	1	0.2	0.0- 0.6				1	0.2	0.0- 0.6
65+	1055	65,975	1025	97.3	96.1-98.5	2	0.2	0.0- 0.6	25	2.0	1.0- 3.0							3	0.4	0.0- 1.0
Less Than H.S.	88	18,416	72	69.8	54.7-84.9	2	8.4	0.0-20.2	14	21.8	9.5-34.1									
H.S. or G.E.D.	563	70,890	524	87.8	83.3-92.3	9	5.4	1.5- 9.3	26	5.2	2.8- 7.6	2	1.2	0.0- 3.0				2	0.3	0.0- 0.9
Some Post-H.S.	731	104,987	676	89.9	86.2-93.6	6	3.1	0.6- 5.6	43	5.3	2.9- 7.7	1	0.1	0.0- 0.3	2	0.8	0.0- 2.2	3	0.7	0.0- 1.5
College Graduate	895	86,368	850	93.7	91.3-96.1	5	1.6	0.0- 3.2	32	3.2	1.8- 4.6	3	1.1	0.0- 2.5				5	0.4	0.0- 0.8
Less than \$15,000	123	18,233	104	75.2	62.7-87.7	4	13.4	1.1-25.7	15	11.3	5.0-17.6									
\$15,000- 24,999	255	31,042	225	74.1	63.7-84.5	5	6.8	0.0-14.1	20	14.0	5.8-22.2	1	1.1	0.0- 3.3	1	2.2	0.0- 6.5	3	1.7	0.0- 4.1
\$25,000- 34,999	196	21,714	183	88.1	80.1-96.1	2	5.2	0.0-12.3	10	6.0	1.7-10.3							1	0.7	0.0- 2.1
\$35,000- 49,999	284	30,026	261	91.5	87.2-95.8	1	1.0	0.0- 3.0	20	5.7	2.8- 8.6	1	1.4	0.0- 4.1				1	0.3	0.0- 0.9
\$50,000- 74,999	294	36,109	275	90.8	84.5-97.1	5	6.6	0.5-12.7	12	2.2	0.6- 3.8							2	0.4	0.0- 1.0
\$75,000+	646	88,214	619	95.2	93.0-97.4	3	1.0	0.0- 2.2	17	2.4	1.2- 3.6	3	0.8	0.0- 2.0	1	0.2	0.0- 0.6	3	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4405	574,309	4051	88.1	86.5-89.7	51	3.2	2.2- 4.2	194	4.7	3.7- 5.7	23	1.3	0.7- 1.9	4	0.1	0.0- 0.3	82	2.5	1.7- 3.3
Male	2125	293,422	1936	87.5	85.1-89.9	31	3.4	2.0- 4.8	83	3.9	2.7- 5.1	18	2.0	0.8- 3.2	3	0.1	0.0- 0.3	54	3.1	1.9- 4.3
Female	2280	280,887	2115	88.7	86.3-91.1	20	3.1	1.5- 4.7	111	5.5	4.1- 6.9	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3	28	1.9	0.7- 3.1
18-24	216	77,897	173	80.7	74.6-86.8	7	5.6	1.3- 9.9	20	6.6	3.3- 9.9	5	2.6	0.1- 5.1	1	0.5	0.0- 1.5	10	4.0	1.3- 6.7
25-34	399	111,564	335	82.6	77.9-87.3	11	4.3	1.6- 7.0	27	6.4	3.5- 9.3	7	2.7	0.3- 5.1	1	0.2	0.0- 0.6	18	3.9	1.4- 6.4
35-44	478	94,669	417	84.0	79.3-88.7	12	5.2	2.1- 8.3	32	5.7	3.3- 8.1	6	2.0	0.4- 3.6				11	3.1	0.6- 5.6
45-54	501	77,024	449	89.6	86.3-92.9	8	3.6	1.1- 6.1	26	3.1	1.7- 4.5	3	0.7	0.0- 1.5				15	3.1	1.1- 5.1
55-64	916	90,601	846	92.3	90.1-94.5	8	1.4	0.4- 2.4	48	5.1	3.3- 6.9	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	12	1.1	0.3- 1.9
65+	1895	122,554	1831	97.0	96.0-98.0	5	0.4	0.0- 0.8	41	1.9	1.1- 2.7	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	16	0.7	0.3- 1.1
Less Than H.S.	190	44,165	158	72.7	62.5-82.9	3	5.6	0.0-11.9	24	13.9	7.4-20.4	1	2.3	0.0- 6.6				4	5.6	0.0-12.1
H.S. or G.E.D.	1153	152,078	1049	87.1	84.2-90.0	18	3.9	1.9- 5.9	54	4.8	3.2- 6.4	8	1.6	0.4- 2.8	1	0.0	0.0- 0.0	23	2.5	1.3- 3.7
Some Post-H.S.	1429	221,045	1304	89.2	86.7-91.7	13	2.8	1.2- 4.4	75	4.6	3.2- 6.0	2	0.4	0.0- 1.0	3	0.3	0.0- 0.7	32	2.8	1.6- 4.0
College Graduate	1626	156,044	1534	92.3	90.3-94.3	16	2.2	1.0- 3.4	41	2.1	1.3- 2.9	12	2.0	0.8- 3.2				23	1.4	0.6- 2.2
Less than \$15,000	209	30,479	175	78.7	69.9-87.5	5	9.3	1.3-17.3	23	9.6	5.1-14.1	1	0.4	0.0- 1.2	1	1.2	0.0- 3.6	4	0.7	0.0- 1.5
\$15,000- 24,999	422	52,529	366	76.2	68.8-83.6	4	1.7	0.0- 3.7	32	10.5	5.2-15.8	6	4.5	0.8- 8.2				14	7.0	1.7-12.3
\$25,000- 34,999	346	41,668	313	85.2	79.3-91.1	5	4.9	0.4- 9.4	19	6.3	3.0- 9.6	1	0.7	0.0- 2.1				8	2.9	0.4- 5.4
\$35,000- 49,999	519	60,432	482	89.8	85.3-94.3	4	1.4	0.0- 2.8	26	4.6	2.4- 6.8	3	2.8	0.0- 6.3				4	1.4	0.0- 3.0
\$50,000- 74,999	641	77,888	589	87.2	82.5-91.9	13	7.1	2.8-11.4	28	3.6	1.8- 5.4	1	0.4	0.0- 1.2				10	1.6	0.0- 3.2
\$75,000+	1447	205,445	1368	92.6	90.6-94.6	11	1.5	0.5- 2.5	35	2.9	1.7- 4.1	7	1.0	0.2- 1.8	3	0.1	0.0- 0.3	23	1.8	0.8- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2125	293,422	1936	87.5	85.3-89.7	31	3.4	2.0- 4.8	83	3.9	2.7- 5.1	18	2.0	0.8- 3.2	3	0.1	0.0- 0.3	54	3.1	1.9- 4.3
18-24	122	41,844	103	84.0	76.2-91.8	1	2.4	0.0- 6.9	8	5.7	1.0-10.4	4	3.8	0.0- 8.1	1	0.9	0.0- 2.7	5	3.3	0.2- 6.4
25-34	240	60,084	207	85.7	80.2-91.2	4	2.3	0.0- 4.7	12	4.4	1.7- 7.1	5	3.7	0.0- 7.4				12	3.9	1.2- 6.6
35-44	267	49,963	229	79.5	72.2-86.8	11	8.7	3.2-14.2	13	3.7	1.2- 6.2	5	2.8	0.3- 5.3				9	5.3	0.6-10.0
45-54	247	39,308	219	87.2	81.7-92.7	6	5.2	0.9- 9.5	11	2.6	1.0- 4.2	2	1.1	0.0- 2.7				9	4.0	1.1- 6.9
55-64	409	45,645	369	91.1	88.0-94.2	6	1.8	0.2- 3.4	23	5.2	2.7- 7.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	9	1.8	0.4- 3.2
65+	840	56,579	809	96.6	95.0-98.2	3	0.5	0.0- 1.1	16	1.8	0.6- 3.0	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	10	0.9	0.1- 1.7
Less Than H.S.	102	25,749	86	74.7	61.0-88.4	2	7.8	0.0-18.0	10	8.3	1.8-14.8	1	3.9	0.0-11.3				3	5.3	0.0-12.9
H.S. or G.E.D.	590	81,188	527	86.8	82.9-90.7	10	3.0	1.0- 5.0	28	4.5	2.1- 6.9	6	2.0	0.2- 3.8	1	0.0	0.0- 0.0	18	3.7	1.5- 5.9
Some Post-H.S.	698	116,058	634	89.5	86.4-92.6	7	2.4	0.6- 4.2	35	4.3	2.5- 6.1	2	0.7	0.0- 1.9	2	0.4	0.0- 1.0	18	2.6	1.0- 4.2
College Graduate	731	69,676	686	90.5	87.4-93.6	11	2.8	1.0- 4.6	10	0.7	0.1- 1.3	9	3.2	1.0- 5.4				15	2.6	0.8- 4.4
Less than \$15,000	86	12,246	71	83.9	73.5-94.3	1	3.2	0.0- 9.3	9	7.7	1.4-14.0	1	1.1	0.0- 3.3	1	3.1	0.0- 9.0	3	1.0	0.0- 2.4
\$15,000- 24,999	167	21,488	143	79.5	69.3-89.7	1	0.7	0.0- 2.1	12	5.4	1.1- 9.7	5	9.4	1.0-17.8				6	5.0	0.0-10.7
\$25,000- 34,999	150	19,954	130	81.9	73.3-90.5	3	4.6	0.0- 9.9	9	6.7	1.4-12.0	1	1.5	0.0- 4.4				7	5.3	0.2-10.4
\$35,000- 49,999	235	30,407	222	88.8	81.4-96.2	3	1.8	0.0- 4.0	6	3.4	0.3- 6.5	2	4.2	0.0-10.7				2	1.8	0.0- 4.7
\$50,000- 74,999	347	41,779	315	84.2	77.3-91.1	8	7.6	1.7-13.5	17	5.0	2.1- 7.9	1	0.8	0.0- 2.4				6	2.5	0.0- 5.2
\$75,000+	801	117,230	752	91.2	88.3-94.1	8	2.0	0.4- 3.6	19	3.4	1.4- 5.4	5	1.3	0.1- 2.5	2	0.1	0.1- 0.1	15	2.2	0.8- 3.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2280	280,887	2115	88.7	86.5-90.9	20	3.1	1.5- 4.7	111	5.5	4.1- 6.9	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3	28	1.9	0.7- 3.1
18-24	94	36,053	70	77.0	67.8-86.2	6	9.4	2.0-16.8	12	7.6	3.1-12.1	1	1.2	0.0- 3.4				5	4.9	0.2- 9.6
25-34	159	51,480	128	79.0	71.0-87.0	7	6.7	1.6-11.8	15	8.6	3.3-13.9	2	1.6	0.0- 4.0	1	0.3	0.0- 0.9	6	3.8	0.0- 8.1
35-44	211	44,707	188	89.1	83.8-94.4	1	1.3	0.0- 3.8	19	7.8	3.5-12.1	1	1.0	0.0- 3.0				2	0.7	0.0- 1.9
45-54	254	37,716	230	92.1	88.2-96.0	2	1.9	0.0- 4.6	15	3.6	1.6- 5.6	1	0.3	0.0- 0.9				6	2.2	0.0- 4.6
55-64	507	44,957	477	93.5	90.8-96.2	2	1.0	0.0- 2.6	25	5.0	2.6- 7.4							3	0.5	0.0- 1.1
65+	1055	65,975	1022	97.2	96.0-98.4	2	0.2	0.0- 0.6	25	2.0	1.0- 3.0							6	0.5	0.0- 1.1
Less Than H.S.	88	18,416	72	69.8	54.7-84.9	1	2.6	0.0- 7.5	14	21.8	9.5-34.1							1	5.9	0.0-16.9
H.S. or G.E.D.	563	70,890	522	87.4	82.9-91.9	8	5.1	1.4- 8.8	26	5.2	2.8- 7.6	2	1.2	0.0- 3.0				5	1.1	0.0- 2.3
Some Post-H.S.	731	104,987	670	88.8	85.1-92.5	6	3.1	0.6- 5.6	40	4.9	2.5- 7.3				1	0.2	0.0- 0.6	14	3.0	1.0- 5.0
College Graduate	895	86,368	848	93.6	91.2-96.0	5	1.6	0.0- 3.2	31	3.1	1.7- 4.5	3	1.1	0.0- 2.5				8	0.5	0.1- 0.9
Less than \$15,000	123	18,233	104	75.2	62.7-87.7	4	13.4	1.1-25.7	14	10.9	4.6-17.2							1	0.5	0.0- 1.5
\$15,000- 24,999	255	31,042	223	73.9	63.5-84.3	3	2.5	0.0- 5.6	20	14.0	5.8-22.2	1	1.1	0.0- 3.3				8	8.4	0.4-16.4
\$25,000- 34,999	196	21,714	183	88.1	80.1-96.1	2	5.2	0.0-12.3	10	6.0	1.7-10.3							1	0.7	0.0- 2.1
\$35,000- 49,999	284	30,026	260	90.8	86.3-95.3	1	1.0	0.0- 3.0	20	5.7	2.8- 8.6	1	1.4	0.0- 4.1				2	1.1	0.0- 2.7
\$50,000- 74,999	294	36,109	274	90.7	84.4-97.0	5	6.6	0.5-12.7	11	2.1	0.5- 3.7							4	0.6	0.0- 1.4
\$75,000+	646	88,214	616	94.5	92.1-96.9	3	1.0	0.0- 2.2	16	2.3	1.1- 3.5	2	0.7	0.0- 1.9	1	0.2	0.0- 0.6	8	1.3	0.1- 2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4395	575,777	3995	85.1	83.3-86.9	49	3.1	2.1- 4.1	194	4.5	3.7- 5.3	23	1.3	0.7- 1.9	70	1.8	1.2- 2.4	64	4.2	3.0- 5.4
Male	2119	293,619	1905	84.2	81.7-86.7	30	3.3	1.9- 4.7	85	3.9	2.7- 5.1	18	2.0	0.8- 3.2	43	1.8	1.0- 2.6	38	4.9	3.1- 6.7
Female	2276	282,158	2090	86.0	83.5-88.5	19	2.9	1.5- 4.3	109	5.1	3.9- 6.3	5	0.6	0.0- 1.2	27	1.8	0.8- 2.8	26	3.4	1.8- 5.0
18-24	218	79,477	166	74.8	68.1-81.5	6	4.9	1.0- 8.8	20	6.4	3.3- 9.5	5	2.5	0.0- 5.0	8	2.9	0.5- 5.3	13	8.4	3.9-12.9
25-34	401	112,665	322	77.5	72.4-82.6	11	4.3	1.6- 7.0	26	5.5	3.1- 7.9	7	2.7	0.5- 4.9	14	2.9	0.7- 5.1	21	7.1	3.8-10.4
35-44	476	94,345	410	81.4	76.5-86.3	11	5.0	1.9- 8.1	31	5.3	2.9- 7.7	6	2.0	0.4- 3.6	8	1.4	0.0- 2.8	10	4.8	1.7- 7.9
45-54	499	76,852	440	86.5	82.4-90.6	8	3.6	1.1- 6.1	26	3.1	1.7- 4.5	3	0.7	0.0- 1.5	14	2.6	1.0- 4.2	8	3.6	0.9- 6.3
55-64	913	90,261	837	90.7	88.0-93.4	8	1.4	0.2- 2.6	49	5.1	3.3- 6.9	1	0.1	0.0- 0.3	11	1.0	0.2- 1.8	7	1.7	0.0- 3.5
65+	1888	122,177	1820	96.5	95.5-97.5	5	0.4	0.0- 0.8	42	2.0	1.2- 2.8	1	0.0	0.0- 0.0	15	0.5	0.1- 0.9	5	0.6	0.0- 1.2
Less Than H.S.	191	45,756	151	62.8	52.2-73.4	3	5.4	0.0-11.5	24	13.4	7.1-19.7	1	2.2	0.0- 6.3	3	3.2	0.0- 7.9	9	13.0	4.8-21.2
H.S. or G.E.D.	1152	152,737	1034	83.4	80.1-86.7	17	3.6	1.6- 5.6	55	4.8	3.2- 6.4	8	1.6	0.4- 2.8	18	1.4	0.6- 2.2	20	5.1	2.7- 7.5
Some Post-H.S.	1424	220,577	1287	87.2	84.5-89.9	13	2.8	1.2- 4.4	76	4.3	3.1- 5.5	2	0.4	0.0- 1.0	28	2.3	1.1- 3.5	18	3.0	1.4- 4.6
College Graduate	1624	155,821	1520	90.5	88.3-92.7	15	2.1	0.9- 3.3	39	1.8	1.0- 2.6	12	2.0	0.8- 3.2	21	1.1	0.5- 1.7	17	2.5	1.1- 3.9
Less than \$15,000	206	29,977	169	75.4	66.0-84.8	5	9.5	1.3-17.7	23	9.8	5.3-14.3	1	0.4	0.0- 1.2	4	0.7	0.0- 1.5	4	4.2	0.0- 9.5
\$15,000- 24,999	421	52,890	358	71.6	64.0-79.2	4	1.7	0.0- 3.7	31	8.7	4.4-13.0	6	4.5	0.8- 8.2	12	6.4	1.1-11.7	10	7.1	2.0-12.2
\$25,000- 34,999	347	41,865	308	81.5	75.0-88.0	5	4.9	0.4- 9.4	19	6.3	3.0- 9.6	1	0.7	0.0- 2.1	8	2.9	0.4- 5.4	6	3.7	0.6- 6.8
\$35,000- 49,999	520	60,819	478	86.4	81.1-91.7	4	1.4	0.0- 2.8	26	4.5	2.3- 6.7	3	2.8	0.0- 6.3	3	0.7	0.0- 1.5	6	4.2	0.7- 7.7
\$50,000- 74,999	642	78,330	586	85.1	80.2-90.0	13	7.1	2.8-11.4	27	3.5	1.7- 5.3	1	0.4	0.0- 1.2	9	1.0	0.0- 2.0	6	3.0	0.5- 5.5
\$75,000+	1444	204,956	1354	90.6	88.2-93.0	10	1.3	0.3- 2.3	38	3.0	1.8- 4.2	7	1.0	0.2- 1.8	19	1.2	0.6- 1.8	16	2.8	1.2- 4.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	293,619	1905	84.2	81.7-86.7	30	3.3	1.9- 4.7	85	3.9	2.7- 5.1	18	2.0	0.8- 3.2	43	1.8	1.0- 2.6	38	4.9	3.1- 6.7
18-24	121	41,621	99	79.8	71.2-88.4	1	2.4	0.0- 6.9	8	5.7	1.0-10.4	4	3.8	0.0- 8.1	3	1.3	0.0- 2.9	6	6.9	1.4-12.4
25-34	242	61,185	198	79.1	72.8-85.4	4	2.2	0.0- 4.6	12	4.4	1.7- 7.1	5	3.6	0.0- 7.3	8	2.2	0.2- 4.2	15	8.5	4.0-13.0
35-44	265	49,638	224	76.2	68.6-83.8	10	8.4	2.9-13.9	13	3.7	1.2- 6.2	5	2.9	0.4- 5.4	6	2.1	0.0- 4.6	7	6.7	1.4-12.0
45-54	246	39,274	215	83.8	77.3-90.3	6	5.2	0.9- 9.5	11	2.6	1.0- 4.2	2	1.1	0.0- 2.7	8	2.9	0.5- 5.3	4	4.4	0.0- 8.9
55-64	407	45,479	363	88.6	84.3-92.9	6	1.8	0.2- 3.4	24	5.3	2.8- 7.8	1	0.1	0.0- 0.3	8	1.5	0.3- 2.7	5	2.7	0.0- 6.0
65+	838	56,420	806	96.5	94.9-98.1	3	0.5	0.0- 1.1	17	1.9	0.7- 3.1	1	0.1	0.0- 0.3	10	0.9	0.1- 1.7	1	0.2	0.0- 0.6
Less Than H.S.	103	26,464	81	63.0	48.9-77.1	2	7.6	0.0-17.4	10	8.1	1.8-14.4	1	3.8	0.0-11.1	2	1.4	0.0- 3.8	7	16.2	4.6-27.8
H.S. or G.E.D.	591	81,945	519	82.5	78.0-87.0	10	2.9	0.9- 4.9	29	4.5	2.1- 6.9	6	2.0	0.2- 3.8	14	1.9	0.7- 3.1	13	6.1	2.8- 9.4
Some Post-H.S.	693	115,032	624	87.6	84.1-91.1	7	2.5	0.7- 4.3	36	4.4	2.6- 6.2	2	0.8	0.0- 2.2	14	1.8	0.4- 3.2	10	2.9	0.9- 4.9
College Graduate	730	69,485	680	89.1	85.8-92.4	10	2.6	0.8- 4.4	10	0.7	0.1- 1.3	9	3.2	1.0- 5.4	13	1.8	0.6- 3.0	8	2.5	0.7- 4.3
Less than \$15,000	84	11,800	68	82.4	71.2-93.6	1	3.3	0.0- 9.6	9	8.0	1.5-14.5	1	1.1	0.0- 3.3	3	1.1	0.0- 2.5	2	4.1	0.0-11.4
\$15,000- 24,999	167	21,488	140	76.0	65.4-86.6	1	0.7	0.0- 2.1	12	5.4	1.1- 9.7	5	9.4	1.0-17.8	5	4.5	0.0-10.0	4	4.1	0.0- 8.4
\$25,000- 34,999	150	19,954	126	76.1	66.3-85.9	3	4.6	0.0- 9.9	9	6.7	1.4-12.0	1	1.5	0.0- 4.4	7	5.3	0.2-10.4	4	5.9	0.0-11.8
\$35,000- 49,999	236	30,793	220	84.5	75.9-93.1	3	1.8	0.0- 3.8	6	3.4	0.3- 6.5	2	4.1	0.0-10.4	1	0.4	0.0- 1.2	4	5.9	0.0-11.8
\$50,000- 74,999	348	42,220	313	81.5	74.2-88.8	8	7.5	1.6-13.4	17	4.9	2.0- 7.8	1	0.7	0.0- 2.1	5	1.3	0.0- 2.9	4	4.1	0.0- 8.2
\$75,000+	799	116,808	745	89.0	85.7-92.3	8	2.0	0.4- 3.6	21	3.4	1.4- 5.4	5	1.3	0.1- 2.5	11	1.1	0.3- 1.9	9	3.1	0.9- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2276	282,158	2090	86.0	83.5-88.5	19	2.9	1.5- 4.3	109	5.1	3.9- 6.3	5	0.6	0.0- 1.2	27	1.8	0.8- 2.8	26	3.4	1.8- 5.0
18-24	97	37,856	67	69.3	58.9-79.7	5	7.6	0.9-14.3	12	7.2	2.9-11.5	1	1.1	0.0- 3.3	5	4.7	0.2- 9.2	7	10.0	2.4-17.6
25-34	159	51,480	124	75.6	67.4-83.8	7	6.7	1.6-11.8	14	6.9	2.8-11.0	2	1.6	0.0- 4.0	6	3.8	0.0- 8.1	6	5.4	0.7-10.1
35-44	211	44,707	186	87.1	81.2-93.0	1	1.3	0.0- 3.8	18	7.1	3.0-11.2	1	1.0	0.0- 3.0	2	0.7	0.0- 1.9	3	2.7	0.0- 5.8
45-54	253	37,578	225	89.3	84.4-94.2	2	1.9	0.0- 4.6	15	3.6	1.6- 5.6	1	0.3	0.0- 0.9	6	2.2	0.0- 4.6	4	2.7	0.0- 5.6
55-64	506	44,781	474	92.8	89.9-95.7	2	1.0	0.0- 2.6	25	5.0	2.6- 7.4				3	0.5	0.0- 1.1	2	0.7	0.0- 1.7
65+	1050	65,757	1014	96.6	95.2-98.0	2	0.2	0.0- 0.6	25	2.0	1.0- 3.0				5	0.2	0.0- 0.4	4	0.9	0.0- 1.9
Less Than H.S.	88	19,292	70	62.6	46.7-78.5	1	2.4	0.0- 7.1	14	20.8	8.8-32.8				1	5.6	0.0-16.2	2	8.5	0.0-19.7
H.S. or G.E.D.	561	70,792	515	84.5	79.4-89.6	7	4.4	0.9- 7.9	26	5.2	2.8- 7.6	2	1.2	0.0- 3.0	4	0.9	0.0- 1.9	7	3.9	1.0- 6.8
Some Post-H.S.	731	105,545	663	86.7	82.6-90.8	6	3.1	0.6- 5.6	40	4.2	2.6- 5.8				14	2.9	0.9- 4.9	8	3.1	0.6- 5.6
College Graduate	894	86,336	840	91.7	88.8-94.6	5	1.6	0.0- 3.2	29	2.6	1.4- 3.8	3	1.1	0.0- 2.5	8	0.5	0.1- 0.9	9	2.4	0.6- 4.2
Less than \$15,000	122	18,177	101	70.8	57.5-84.1	4	13.5	1.2-25.8	14	10.9	4.6-17.2				1	0.5	0.0- 1.5	2	4.3	0.0-11.7
\$15,000- 24,999	254	31,403	218	68.6	58.0-79.2	3	2.5	0.0- 5.6	19	10.9	4.4-17.4	1	1.1	0.0- 3.3	7	7.7	0.0-15.5	6	9.2	1.4-17.0
\$25,000- 34,999	197	21,911	182	86.4	78.2-94.6	2	5.1	0.0-12.2	10	5.9	1.6-10.2				1	0.7	0.0- 2.1	2	1.8	0.0- 4.2
\$35,000- 49,999	284	30,026	258	88.4	82.7-94.1	1	1.0	0.0- 3.0	20	5.7	2.8- 8.6	1	1.4	0.0- 4.1	2	1.1	0.0- 2.7	2	2.4	0.0- 6.1
\$50,000- 74,999	294	36,109	273	89.4	82.7-96.1	5	6.6	0.5-12.7	10	1.8	0.2- 3.4				4	0.6	0.0- 1.4	2	1.7	0.0- 4.4
\$75,000+	645	88,148	609	92.8	90.1-95.5	2	0.5	0.0- 1.1	17	2.5	1.1- 3.9	2	0.7	0.0- 1.9	8	1.3	0.1- 2.5	7	2.3	0.3- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 10: RACE/ETHNICITY CATEGORIES (_RACEPRV).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4469	584,823	4067	85.2	83.4-87.0	50	3.1	2.1- 4.1	194	4.4	3.6- 5.2	23	1.3	0.7- 1.9	71	1.9	1.3- 2.5	64	4.1	2.9- 5.3
Male	2165	299,567	1949	84.3	81.8-86.8	31	3.3	1.9- 4.7	85	3.8	2.6- 5.0	18	1.9	0.9- 2.9	44	1.9	1.1- 2.7	38	4.8	3.0- 6.6
Female	2304	285,256	2118	86.2	83.7-88.7	19	2.9	1.5- 4.3	109	5.0	3.8- 6.2	5	0.6	0.0- 1.2	27	1.8	0.8- 2.8	26	3.4	1.8- 5.0
18-24	224	81,452	171	75.0	68.3-81.7	6	4.8	0.9- 8.7	20	6.3	3.2- 9.4	5	2.5	0.1- 4.9	9	3.3	0.9- 5.7	13	8.2	3.7-12.7
25-34	403	113,247	324	77.6	72.5-82.7	11	4.2	1.7- 6.7	26	5.5	3.1- 7.9	7	2.7	0.5- 4.9	14	2.9	0.7- 5.1	21	7.0	3.7-10.3
35-44	482	95,368	415	81.4	76.5-86.3	12	5.2	2.1- 8.3	31	5.3	2.9- 7.7	6	2.0	0.4- 3.6	8	1.4	0.0- 2.8	10	4.7	1.6- 7.8
45-54	512	79,138	453	86.9	83.0-90.8	8	3.5	1.0- 6.0	26	3.0	1.8- 4.2	3	0.7	0.0- 1.5	14	2.5	0.9- 4.1	8	3.5	0.8- 6.2
55-64	931	91,758	855	90.9	88.4-93.4	8	1.4	0.4- 2.4	49	5.1	3.3- 6.9	1	0.1	0.0- 0.3	11	1.0	0.4- 1.6	7	1.6	0.0- 3.4
65+	1917	123,860	1849	96.6	95.6-97.6	5	0.4	0.0- 0.8	42	1.9	1.1- 2.7	1	0.0	0.0- 0.0	15	0.5	0.1- 0.9	5	0.6	0.0- 1.2
Less Than H.S.	193	45,870	153	62.9	52.3-73.5	3	5.4	0.0-11.5	24	13.4	7.1-19.7	1	2.2	0.0- 6.3	3	3.2	0.0- 7.9	9	12.9	4.7-21.1
H.S. or G.E.D.	1169	155,242	1051	83.7	80.4-87.0	17	3.5	1.5- 5.5	55	4.7	3.1- 6.3	8	1.6	0.4- 2.8	18	1.4	0.6- 2.2	20	5.0	2.6- 7.4
Some Post-H.S.	1445	224,306	1307	87.2	84.7-89.7	13	2.7	1.1- 4.3	76	4.2	3.0- 5.4	2	0.4	0.0- 1.0	29	2.5	1.3- 3.7	18	2.9	1.3- 4.5
College Graduate	1653	158,034	1548	90.6	88.4-92.8	16	2.2	1.0- 3.4	39	1.8	1.0- 2.6	12	2.0	0.8- 3.2	21	1.1	0.5- 1.7	17	2.4	1.0- 3.8
Less than \$15,000	210	30,554	172	74.6	65.2-84.0	5	9.3	1.3-17.3	23	9.6	5.1-14.1	1	0.4	0.0- 1.2	5	1.9	0.0- 4.4	4	4.1	0.0- 9.4
\$15,000- 24,999	427	54,441	364	72.4	64.8-80.0	4	1.7	0.0- 3.7	31	8.4	4.3-12.5	6	4.3	0.6- 8.0	12	6.2	1.1-11.3	10	6.9	2.0-11.8
\$25,000- 34,999	351	42,118	312	81.6	75.3-87.9	5	4.9	0.4- 9.4	19	6.3	3.0- 9.6	1	0.7	0.0- 2.1	8	2.9	0.4- 5.4	6	3.7	0.6- 6.8
\$35,000- 49,999	527	61,453	485	86.5	81.4-91.6	4	1.4	0.0- 2.8	26	4.5	2.3- 6.7	3	2.7	0.0- 6.2	3	0.7	0.0- 1.5	6	4.1	0.6- 7.6
\$50,000- 74,999	646	78,889	590	85.2	80.3-90.1	13	7.0	2.7-11.3	27	3.4	1.6- 5.2	1	0.4	0.0- 1.2	9	1.0	0.0- 2.0	6	2.9	0.4- 5.4
\$75,000+	1457	206,410	1367	90.7	88.3-93.1	10	1.3	0.3- 2.3	38	3.0	1.8- 4.2	7	1.0	0.2- 1.8	19	1.2	0.6- 1.8	16	2.8	1.4- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 11: RACE/ETHNICITY CATEGORIES (_RACEPRV).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2165	299,567	1949	84.3	81.8-86.8	31	3.3	1.9- 4.7	85	3.8	2.8- 4.8	18	1.9	0.9- 2.9	44	1.9	1.1- 2.7	38	4.8	3.0- 6.6
18-24	126	43,057	103	79.6	71.2-88.0	1	2.3	0.0- 6.8	8	5.5	1.0-10.0	4	3.7	0.0- 7.8	4	2.1	0.0- 4.3	6	6.7	1.4-12.0
25-34	243	61,338	199	79.2	72.9-85.5	4	2.2	0.0- 4.6	12	4.3	1.6- 7.0	5	3.6	0.0- 7.3	8	2.2	0.2- 4.2	15	8.5	4.0-13.0
35-44	269	50,326	227	76.2	68.8-83.6	11	8.6	3.1-14.1	13	3.7	1.2- 6.2	5	2.8	0.3- 5.3	6	2.1	0.0- 4.5	7	6.6	1.3-11.9
45-54	256	40,999	225	84.5	78.4-90.6	6	5.0	0.9- 9.1	11	2.5	0.9- 4.1	2	1.1	0.0- 2.7	8	2.8	0.6- 5.0	4	4.2	0.0- 8.5
55-64	419	46,518	375	88.9	84.6-93.2	6	1.7	0.1- 3.3	24	5.2	2.7- 7.7	1	0.1	0.0- 0.3	8	1.5	0.3- 2.7	5	2.6	0.0- 5.7
65+	852	57,329	820	96.5	94.9-98.1	3	0.5	0.0- 1.1	17	1.8	0.6- 3.0	1	0.0	0.0- 0.0	10	0.9	0.1- 1.7	1	0.2	0.0- 0.6
Less Than H.S.	104	26,522	82	63.1	49.0-77.2	2	7.5	0.0-17.3	10	8.0	1.7-14.3	1	3.8	0.0-11.1	2	1.4	0.0- 3.8	7	16.2	4.6-27.8
H.S. or G.E.D.	603	83,780	531	82.9	78.4-87.4	10	2.9	0.9- 4.9	29	4.4	2.2- 6.6	6	2.0	0.2- 3.8	14	1.9	0.7- 3.1	13	6.0	2.7- 9.3
Some Post-H.S.	708	117,477	638	87.6	84.1-91.1	7	2.4	0.6- 4.2	36	4.3	2.5- 6.1	2	0.7	0.0- 1.9	15	2.1	0.5- 3.7	10	2.9	0.9- 4.9
College Graduate	745	70,863	694	89.0	85.7-92.3	11	2.8	1.0- 4.6	10	0.7	0.1- 1.3	9	3.2	1.0- 5.4	13	1.8	0.6- 3.0	8	2.5	0.7- 4.3
Less than \$15,000	87	12,321	70	80.1	68.3-91.9	1	3.1	0.0- 9.2	9	7.7	1.4-14.0	1	1.1	0.0- 3.3	4	4.1	0.0-10.2	2	3.9	0.0-10.8
\$15,000- 24,999	168	21,708	141	76.2	65.6-86.8	1	0.6	0.0- 1.8	12	5.4	1.1- 9.7	5	9.3	0.9-17.7	5	4.4	0.0- 9.9	4	4.0	0.0- 8.3
\$25,000- 34,999	154	20,207	130	76.4	66.8-86.0	3	4.5	0.0- 9.6	9	6.6	1.5-11.7	1	1.5	0.0- 4.4	7	5.2	0.1-10.3	4	5.8	0.0-11.7
\$35,000- 49,999	238	31,153	222	84.6	76.2-93.0	3	1.7	0.0- 3.7	6	3.3	0.2- 6.4	2	4.1	0.0-10.4	1	0.4	0.0- 1.2	4	5.8	0.1-11.5
\$50,000- 74,999	351	42,724	316	81.7	74.6-88.8	8	7.4	1.5-13.3	17	4.8	1.9- 7.7	1	0.7	0.0- 2.1	5	1.3	0.0- 2.9	4	4.0	0.1- 7.9
\$75,000+	807	117,795	753	89.1	85.8-92.4	8	1.9	0.3- 3.5	21	3.4	1.4- 5.4	5	1.3	0.1- 2.5	11	1.1	0.3- 1.9	9	3.1	0.9- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE12: RACE/ETHNICITY CATEGORIES (_RACEPRV).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2304	285,256	2118	86.2	83.7-88.7	19	2.9	1.5- 4.3	109	5.0	3.8- 6.2	5	0.6	0.0- 1.2	27	1.8	0.8- 2.8	26	3.4	1.8- 5.0
18-24	98	38,395	68	69.7	59.5-79.9	5	7.5	0.8-14.2	12	7.1	2.8-11.4	1	1.1	0.0- 3.3	5	4.6	0.3- 8.9	7	9.9	2.5-17.3
25-34	160	51,909	125	75.8	67.6-84.0	7	6.7	1.6-11.8	14	6.8	2.7-10.9	2	1.6	0.0- 4.0	6	3.7	0.0- 8.0	6	5.3	0.6-10.0
35-44	213	45,042	188	87.2	81.3-93.1	1	1.3	0.0- 3.8	18	7.1	3.0-11.2	1	1.0	0.0- 3.0	2	0.7	0.0- 1.9	3	2.7	0.0- 5.8
45-54	256	38,139	228	89.4	84.7-94.1	2	1.9	0.0- 4.6	15	3.5	1.5- 5.5	1	0.3	0.0- 0.9	6	2.2	0.0- 4.6	4	2.7	0.0- 5.6
55-64	512	45,240	480	92.9	90.0-95.8	2	1.0	0.0- 2.6	25	4.9	2.5- 7.3				3	0.5	0.0- 1.1	2	0.7	0.0- 1.7
65+	1065	66,531	1029	96.6	95.2-98.0	2	0.2	0.0- 0.6	25	2.0	1.0- 3.0				5	0.2	0.0- 0.4	4	0.9	0.0- 1.9
Less Than H.S.	89	19,348	71	62.7	46.8-78.6	1	2.4	0.0- 7.1	14	20.8	8.8-32.8				1	5.6	0.0-16.2	2	8.5	0.0-19.7
H.S. or G.E.D.	566	71,463	520	84.6	79.5-89.7	7	4.3	0.8- 7.8	26	5.2	2.8- 7.6	2	1.2	0.0- 2.8	4	0.8	0.0- 1.8	7	3.8	0.9- 6.7
Some Post-H.S.	737	106,829	669	86.9	82.8-91.0	6	3.1	0.6- 5.6	40	4.1	2.5- 5.7				14	2.9	0.9- 4.9	8	3.0	0.6- 5.4
College Graduate	908	87,171	854	91.8	88.9-94.7	5	1.6	0.0- 3.2	29	2.6	1.4- 3.8	3	1.1	0.0- 2.5	8	0.5	0.1- 0.9	9	2.4	0.6- 4.2
Less than \$15,000	123	18,233	102	70.9	57.6-84.2	4	13.4	1.1-25.7	14	10.9	4.6-17.2				1	0.5	0.0- 1.5	2	4.3	0.0-11.7
\$15,000- 24,999	259	32,732	223	69.9	59.5-80.3	3	2.4	0.0- 5.3	19	10.5	4.2-16.8	1	1.1	0.0- 3.3	7	7.4	0.0-15.0	6	8.8	1.4-16.2
\$25,000- 34,999	197	21,911	182	86.4	78.2-94.6	2	5.1	0.0-12.2	10	5.9	1.6-10.2				1	0.7	0.0- 2.1	2	1.8	0.0- 4.2
\$35,000- 49,999	289	30,300	263	88.5	82.8-94.2	1	1.0	0.0- 3.0	20	5.7	2.8- 8.6	1	1.4	0.0- 4.1	2	1.0	0.0- 2.6	2	2.4	0.0- 6.1
\$50,000- 74,999	295	36,166	274	89.4	82.7-96.1	5	6.6	0.5-12.7	10	1.8	0.2- 3.4				4	0.6	0.0- 1.4	2	1.7	0.0- 4.4
\$75,000+	650	88,614	614	92.8	90.1-95.5	2	0.5	0.0- 1.1	17	2.4	1.0- 3.8	2	0.7	0.0- 1.9	8	1.3	0.1- 2.5	7	2.3	0.3- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 13: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4395	575,777	3995	85.1	83.3-86.9	400	14.9	13.1-16.7
Male	2119	293,619	1905	84.2	81.7-86.7	214	15.8	13.3-18.3
Female	2276	282,158	2090	86.0	83.5-88.5	186	14.0	11.5-16.5
18-24	218	79,477	166	74.8	68.1-81.5	52	25.2	18.5-31.9
25-34	401	112,665	322	77.5	72.4-82.6	79	22.5	17.4-27.6
35-44	476	94,345	410	81.4	76.5-86.3	66	18.6	13.7-23.5
45-54	499	76,852	440	86.5	82.4-90.6	59	13.5	9.4-17.6
55-64	913	90,261	837	90.7	88.0-93.4	76	9.3	6.6-12.0
65+	1888	122,177	1820	96.5	95.5-97.5	68	3.5	2.5- 4.5
Less Than H.S.	191	45,756	151	62.8	52.2-73.4	40	37.2	26.6-47.8
H.S. or G.E.D.	1152	152,737	1034	83.4	80.1-86.7	118	16.6	13.3-19.9
Some Post-H.S.	1424	220,577	1287	87.2	84.5-89.9	137	12.8	10.1-15.5
College Graduate	1624	155,821	1520	90.5	88.3-92.7	104	9.5	7.3-11.7
Less than \$15,000	206	29,977	169	75.4	66.0-84.8	37	24.6	15.2-34.0
\$15,000- 24,999	421	52,890	358	71.6	64.0-79.2	63	28.4	20.8-36.0
\$25,000- 34,999	347	41,865	308	81.5	75.0-88.0	39	18.5	12.0-25.0
\$35,000- 49,999	520	60,819	478	86.4	81.1-91.7	42	13.6	8.3-18.9
\$50,000- 74,999	642	78,330	586	85.1	80.2-90.0	56	14.9	10.0-19.8
\$75,000+	1444	204,956	1354	90.6	88.2-93.0	90	9.4	7.0-11.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 14: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	293,619	1905	84.2	81.7-86.7	214	15.8	13.3-18.3
18-24	121	41,621	99	79.8	71.2-88.4	22	20.2	11.6-28.8
25-34	242	61,185	198	79.1	72.8-85.4	44	20.9	14.6-27.2
35-44	265	49,638	224	76.2	68.6-83.8	41	23.8	16.2-31.4
45-54	246	39,274	215	83.8	77.3-90.3	31	16.2	9.7-22.7
55-64	407	45,479	363	88.6	84.3-92.9	44	11.4	7.1-15.7
65+	838	56,420	806	96.5	94.9-98.1	32	3.5	1.9- 5.1
Less Than H.S.	103	26,464	81	63.0	48.9-77.1	22	37.0	22.9-51.1
H.S. or G.E.D.	591	81,945	519	82.5	78.0-87.0	72	17.5	13.0-22.0
Some Post-H.S.	693	115,032	624	87.6	84.1-91.1	69	12.4	8.9-15.9
College Graduate	730	69,485	680	89.1	85.8-92.4	50	10.9	7.6-14.2
Less than \$15,000	84	11,800	68	82.4	71.2-93.6	16	17.6	6.4-28.8
\$15,000- 24,999	167	21,488	140	76.0	65.4-86.6	27	24.0	13.4-34.6
\$25,000- 34,999	150	19,954	126	76.1	66.3-85.9	24	23.9	14.1-33.7
\$35,000- 49,999	236	30,793	220	84.5	75.9-93.1	16	15.5	6.9-24.1
\$50,000- 74,999	348	42,220	313	81.5	74.2-88.8	35	18.5	11.2-25.8
\$75,000+	799	116,808	745	89.0	85.7-92.3	54	11.0	7.7-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 15: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2276	282,158	2090	86.0	83.5-88.5	186	14.0	11.5-16.5
18-24	97	37,856	67	69.3	58.9-79.7	30	30.7	20.3-41.1
25-34	159	51,480	124	75.6	67.4-83.8	35	24.4	16.2-32.6
35-44	211	44,707	186	87.1	81.2-93.0	25	12.9	7.0-18.8
45-54	253	37,578	225	89.3	84.4-94.2	28	10.7	5.8-15.6
55-64	506	44,781	474	92.8	89.9-95.7	32	7.2	4.3-10.1
65+	1050	65,757	1014	96.6	95.2-98.0	36	3.4	2.0- 4.8
Less Than H.S.	88	19,292	70	62.6	46.7-78.5	18	37.4	21.5-53.3
H.S. or G.E.D.	561	70,792	515	84.5	79.4-89.6	46	15.5	10.4-20.6
Some Post-H.S.	731	105,545	663	86.7	82.6-90.8	68	13.3	9.2-17.4
College Graduate	894	86,336	840	91.7	88.8-94.6	54	8.3	5.4-11.2
Less than \$15,000	122	18,177	101	70.8	57.5-84.1	21	29.2	15.9-42.5
\$15,000- 24,999	254	31,403	218	68.6	58.0-79.2	36	31.4	20.8-42.0
\$25,000- 34,999	197	21,911	182	86.4	78.2-94.6	15	13.6	5.4-21.8
\$35,000- 49,999	284	30,026	258	88.4	82.7-94.1	26	11.6	5.9-17.3
\$50,000- 74,999	294	36,109	273	89.4	82.7-96.1	21	10.6	3.9-17.3
\$75,000+	645	88,148	609	92.8	90.1-95.5	36	7.2	4.5- 9.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 16: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4395	575,777	3995	85.1	83.3-86.9	49	3.1	2.1- 4.1	233	6.1	5.1- 7.1	54	1.5	0.9- 2.1	64	4.2	3.0- 5.4
Male	2119	293,619	1905	84.2	81.7-86.7	30	3.3	1.9- 4.7	113	6.2	4.6- 7.8	33	1.5	0.9- 2.1	38	4.9	3.1- 6.7
Female	2276	282,158	2090	86.0	83.5-88.5	19	2.9	1.5- 4.3	120	6.1	4.7- 7.5	21	1.5	0.5- 2.5	26	3.4	1.8- 5.0
18-24	218	79,477	166	74.8	68.1-81.5	6	4.9	1.0- 8.8	26	9.1	5.2-13.0	7	2.8	0.6- 5.0	13	8.4	3.9-12.9
25-34	401	112,665	322	77.5	72.4-82.6	11	4.3	1.6- 7.0	35	8.6	5.3-11.9	12	2.5	0.3- 4.7	21	7.1	3.8-10.4
35-44	476	94,345	410	81.4	76.5-86.3	11	5.0	1.9- 8.1	38	7.6	4.7-10.5	7	1.1	0.0- 2.5	10	4.8	1.7- 7.9
45-54	499	76,852	440	86.5	82.4-90.6	8	3.6	1.1- 6.1	33	4.3	2.5- 6.1	10	2.0	0.4- 3.6	8	3.6	0.9- 6.3
55-64	913	90,261	837	90.7	88.0-93.4	8	1.4	0.2- 2.6	52	5.5	3.7- 7.3	9	0.7	0.3- 1.1	7	1.7	0.0- 3.5
65+	1888	122,177	1820	96.5	95.5-97.5	5	0.4	0.0- 0.8	49	2.3	1.5- 3.1	9	0.2	0.0- 0.4	5	0.6	0.0- 1.2
Less Than H.S.	191	45,756	151	62.8	52.2-73.4	3	5.4	0.0-11.5	25	15.6	8.3-22.9	3	3.2	0.0- 7.9	9	13.0	4.8-21.2
H.S. or G.E.D.	1152	152,737	1034	83.4	80.1-86.7	17	3.6	1.6- 5.6	65	6.6	4.6- 8.6	16	1.3	0.5- 2.1	20	5.1	2.7- 7.5
Some Post-H.S.	1424	220,577	1287	87.2	84.5-89.9	13	2.8	1.2- 4.4	84	5.1	3.7- 6.5	22	1.9	0.7- 3.1	18	3.0	1.4- 4.6
College Graduate	1624	155,821	1520	90.5	88.3-92.7	15	2.1	0.9- 3.3	59	4.4	2.8- 6.0	13	0.6	0.2- 1.0	17	2.5	1.1- 3.9
Less than \$15,000	206	29,977	169	75.4	66.0-84.8	5	9.5	1.3-17.7	25	10.3	5.6-15.0	3	0.6	0.0- 1.4	4	4.2	0.0- 9.5
\$15,000- 24,999	421	52,890	358	71.6	64.0-79.2	4	1.7	0.0- 3.7	38	13.8	8.3-19.3	11	5.8	0.7-10.9	10	7.1	2.0-12.2
\$25,000- 34,999	347	41,865	308	81.5	75.0-88.0	5	4.9	0.4- 9.4	22	7.9	4.2-11.6	6	2.0	0.0- 4.4	6	3.7	0.6- 6.8
\$35,000- 49,999	520	60,819	478	86.4	81.1-91.7	4	1.4	0.0- 2.8	30	7.5	3.6-11.4	2	0.5	0.0- 1.3	6	4.2	0.7- 7.7
\$50,000- 74,999	642	78,330	586	85.1	80.2-90.0	13	7.1	2.8-11.4	29	4.0	2.0- 6.0	8	0.8	0.0- 1.6	6	3.0	0.5- 5.5
\$75,000+	1444	204,956	1354	90.6	88.2-93.0	10	1.3	0.3- 2.3	52	4.4	2.8- 6.0	12	0.9	0.3- 1.5	16	2.8	1.2- 4.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 17: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	293,619	1905	84.2	81.7-86.7	30	3.3	1.9- 4.7	113	6.2	4.6- 7.8	33	1.5	0.9- 2.1	38	4.9	3.1- 6.7
18-24	121	41,621	99	79.8	71.2-88.4	1	2.4	0.0- 6.9	13	9.8	3.5-16.1	2	1.0	0.0- 2.4	6	6.9	1.4-12.4
25-34	242	61,185	198	79.1	72.8-85.4	4	2.2	0.0- 4.6	17	8.0	3.5-12.5	8	2.2	0.2- 4.2	15	8.5	4.0-13.0
35-44	265	49,638	224	76.2	68.6-83.8	10	8.4	2.9-13.9	18	6.6	3.1-10.1	6	2.1	0.0- 4.6	7	6.7	1.4-12.0
45-54	246	39,274	215	83.8	77.3-90.3	6	5.2	0.9- 9.5	15	4.3	1.8- 6.8	6	2.3	0.1- 4.5	4	4.4	0.0- 8.9
55-64	407	45,479	363	88.6	84.3-92.9	6	1.8	0.2- 3.4	27	6.0	3.3- 8.7	6	0.9	0.1- 1.7	5	2.7	0.0- 6.0
65+	838	56,420	806	96.5	94.9-98.1	3	0.5	0.0- 1.1	23	2.5	1.1- 3.9	5	0.3	0.0- 0.7	1	0.2	0.0- 0.6
Less Than H.S.	103	26,464	81	63.0	48.9-77.1	2	7.6	0.0-17.4	11	11.8	2.6-21.0	2	1.4	0.0- 3.8	7	16.2	4.6-27.8
H.S. or G.E.D.	591	81,945	519	82.5	78.0-87.0	10	2.9	0.9- 4.9	37	6.7	4.0- 9.4	12	1.7	0.7- 2.7	13	6.1	2.8- 9.4
Some Post-H.S.	693	115,032	624	87.6	84.1-91.1	7	2.5	0.7- 4.3	41	5.3	3.1- 7.5	11	1.7	0.3- 3.1	10	2.9	0.9- 4.9
College Graduate	730	69,485	680	89.1	85.8-92.4	10	2.6	0.8- 4.4	24	4.8	2.4- 7.2	8	1.0	0.2- 1.8	8	2.5	0.7- 4.3
Less than \$15,000	84	11,800	68	82.4	71.2-93.6	1	3.3	0.0- 9.6	11	9.4	2.5-16.3	2	0.9	0.0- 2.1	2	4.1	0.0-11.4
\$15,000- 24,999	167	21,488	140	76.0	65.4-86.6	1	0.7	0.0- 2.1	17	14.8	5.6-24.0	5	4.5	0.0-10.0	4	4.1	0.0- 8.4
\$25,000- 34,999	150	19,954	126	76.1	66.3-85.9	3	4.6	0.0- 9.9	11	9.3	3.0-15.6	6	4.1	0.0- 8.8	4	5.9	0.0-11.8
\$35,000- 49,999	236	30,793	220	84.5	75.9-93.1	3	1.8	0.0- 3.8	9	7.9	1.0-14.8				4	5.9	0.0-11.8
\$50,000- 74,999	348	42,220	313	81.5	74.2-88.8	8	7.5	1.6-13.4	18	5.6	2.5- 8.7	5	1.3	0.0- 2.9	4	4.1	0.0- 8.2
\$75,000+	799	116,808	745	89.0	85.7-92.3	8	2.0	0.4- 3.6	30	5.1	2.7- 7.5	7	0.8	0.2- 1.4	9	3.1	0.9- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 18: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2276	282,158	2090	86.0	83.5-88.5	19	2.9	1.5- 4.3	120	6.1	4.7- 7.5	21	1.5	0.5- 2.5	26	3.4	1.8- 5.0
18-24	97	37,856	67	69.3	58.9-79.7	5	7.6	0.9-14.3	13	8.3	3.4-13.2	5	4.7	0.2- 9.2	7	10.0	2.4-17.6
25-34	159	51,480	124	75.6	67.4-83.8	7	6.7	1.6-11.8	18	9.4	4.5-14.3	4	2.9	0.0- 7.0	6	5.4	0.7-10.1
35-44	211	44,707	186	87.1	81.2-93.0	1	1.3	0.0- 3.8	20	8.7	4.0-13.4	1	0.1	0.0- 0.3	3	2.7	0.0- 5.8
45-54	253	37,578	225	89.3	84.4-94.2	2	1.9	0.0- 4.6	18	4.4	2.0- 6.8	4	1.7	0.0- 3.9	4	2.7	0.0- 5.6
55-64	506	44,781	474	92.8	89.9-95.7	2	1.0	0.0- 2.6	25	5.0	2.6- 7.4	3	0.5	0.0- 1.1	2	0.7	0.0- 1.7
65+	1050	65,757	1014	96.6	95.2-98.0	2	0.2	0.0- 0.6	26	2.1	1.1- 3.1	4	0.2	0.0- 0.4	4	0.9	0.0- 1.9
Less Than H.S.	88	19,292	70	62.6	46.7-78.5	1	2.4	0.0- 7.1	14	20.8	8.8-32.8	1	5.6	0.0-16.2	2	8.5	0.0-19.7
H.S. or G.E.D.	561	70,792	515	84.5	79.4-89.6	7	4.4	0.9- 7.9	28	6.4	3.7- 9.1	4	0.9	0.0- 1.9	7	3.9	1.0- 6.8
Some Post-H.S.	731	105,545	663	86.7	82.6-90.8	6	3.1	0.6- 5.6	43	4.9	3.1- 6.7	11	2.2	0.4- 4.0	8	3.1	0.6- 5.6
College Graduate	894	86,336	840	91.7	88.8-94.6	5	1.6	0.0- 3.2	35	4.0	2.2- 5.8	5	0.3	0.1- 0.5	9	2.4	0.6- 4.2
Less than \$15,000	122	18,177	101	70.8	57.5-84.1	4	13.5	1.2-25.8	14	10.9	4.6-17.2	1	0.5	0.0- 1.5	2	4.3	0.0-11.7
\$15,000- 24,999	254	31,403	218	68.6	58.0-79.2	3	2.5	0.0- 5.6	21	13.0	5.9-20.1	6	6.8	0.0-14.4	6	9.2	1.4-17.0
\$25,000- 34,999	197	21,911	182	86.4	78.2-94.6	2	5.1	0.0-12.2	11	6.7	2.2-11.2				2	1.8	0.0- 4.2
\$35,000- 49,999	284	30,026	258	88.4	82.7-94.1	1	1.0	0.0- 3.0	21	7.1	3.2-11.0	2	1.1	0.0- 2.7	2	2.4	0.0- 6.1
\$50,000- 74,999	294	36,109	273	89.4	82.7-96.1	5	6.6	0.5-12.7	11	2.1	0.5- 3.7	3	0.3	0.0- 0.7	2	1.7	0.0- 4.4
\$75,000+	645	88,148	609	92.8	90.1-95.5	2	0.5	0.0- 1.1	22	3.5	1.7- 5.3	5	0.9	0.0- 1.9	7	2.3	0.3- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 19: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4401	577,150	403	23.2	21.0-25.4	484	19.7	17.9-21.5	452	13.4	12.0-14.8	638	13.9	12.7-15.1	1111	15.1	13.9-16.3	1313	14.7	13.7-15.7
Male	2128	294,916	236	24.4	21.5-27.3	290	21.5	19.0-24.0	225	12.7	10.7-14.7	301	13.7	11.9-15.5	519	15.1	13.5-16.7	557	12.6	11.2-14.0
Female	2273	282,234	167	21.9	18.8-25.0	194	17.9	15.2-20.6	227	14.2	12.0-16.4	337	14.1	12.3-15.9	592	15.0	13.4-16.6	756	16.9	15.3-18.5
Native	191	25,524	30	29.9	19.9-39.9	28	20.8	12.6-29.0	32	17.4	10.1-24.7	33	13.1	7.8-18.4	50	14.6	9.3-19.9	18	4.1	1.7- 6.5
Non-Native	4153	544,417	366	22.7	20.5-24.9	452	19.8	17.8-21.8	415	13.3	11.9-14.7	595	13.9	12.5-15.3	1041	15.0	13.8-16.2	1284	15.3	14.3-16.3
Less Than H.S.	192	45,761	17	24.0	14.0-34.0	16	21.0	11.0-31.0	14	11.1	4.4-17.8	13	8.1	3.0-13.2	21	9.4	4.5-14.3	111	26.4	19.7-33.1
H.S. or G.E.D.	1155	153,888	144	31.5	27.2-35.8	104	16.8	13.5-20.1	69	7.6	5.4- 9.8	143	12.3	10.1-14.5	302	15.9	13.7-18.1	393	15.9	13.9-17.9
Some Post-H.S.	1423	221,468	127	21.7	18.2-25.2	139	18.1	15.2-21.0	152	15.0	12.5-17.5	216	14.9	12.7-17.1	374	16.0	14.0-18.0	415	14.3	12.7-15.9
College Graduate	1628	155,752	115	16.9	14.0-19.8	225	24.6	21.5-27.7	217	17.6	15.1-20.1	266	15.8	13.8-17.8	413	14.5	12.7-16.3	392	10.6	9.2-12.0
Less than \$15,000	209	30,506	32	39.7	29.1-50.3	19	15.4	7.8-23.0	13	5.1	1.8- 8.4	27	12.1	6.4-17.8	48	12.5	8.0-17.0	70	15.2	10.5-19.9
\$15,000- 24,999	427	54,441	39	29.6	21.8-37.4	32	16.1	9.6-22.6	16	6.7	2.6-10.8	33	9.0	5.7-12.3	93	12.1	8.8-15.4	214	26.5	21.6-31.4
\$25,000- 34,999	348	41,848	36	24.3	17.0-31.6	34	19.9	12.8-27.0	18	7.8	3.5-12.1	23	6.9	3.4-10.4	74	14.6	10.5-18.7	163	26.6	21.5-31.7
\$35,000- 49,999	524	61,282	47	23.7	17.6-29.8	51	20.2	14.3-26.1	27	6.7	3.6- 9.8	62	12.1	8.4-15.8	159	18.9	15.2-22.6	178	18.4	14.9-21.9
\$50,000- 74,999	640	78,107	43	16.5	11.6-21.4	72	20.3	15.2-25.4	69	16.0	11.7-20.3	97	16.5	12.8-20.2	193	18.8	15.5-22.1	166	11.9	9.5-14.3
\$75,000+	1444	204,128	114	17.1	14.0-20.2	214	23.3	20.2-26.4	258	20.7	18.0-23.4	305	18.4	16.0-20.8	347	14.1	12.3-15.9	206	6.4	5.4- 7.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 20: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2128	294,916	236	24.4	21.5-27.3	290	21.5	19.0-24.0	225	12.7	10.7-14.7	301	13.7	11.9-15.5	519	15.1	13.5-16.7	557	12.6	11.2-14.0
Native	83	11,300	14	33.1	17.6-48.6	12	18.4	6.8-30.0	12	13.2	4.0-22.4	18	17.2	7.6-26.8	20	14.7	6.7-22.7	7	3.4	0.5- 6.3
Non-Native	2011	278,902	217	23.9	21.0-26.8	275	21.7	19.0-24.4	209	12.6	10.6-14.6	277	13.6	11.8-15.4	487	15.0	13.4-16.6	546	13.1	11.7-14.5
Less Than H.S.	104	26,522	9	22.0	9.3-34.7	10	19.8	7.5-32.1	8	12.6	3.0-22.2	8	9.9	2.3-17.5	14	11.8	4.2-19.4	55	23.8	15.4-32.2
H.S. or G.E.D.	594	82,691	83	29.8	24.3-35.3	73	19.9	15.4-24.4	48	9.1	6.4-11.8	81	13.2	10.1-16.3	158	16.4	13.5-19.3	151	11.6	9.4-13.8
Some Post-H.S.	698	116,138	82	24.2	19.5-28.9	89	20.8	16.7-24.9	80	13.5	10.4-16.6	105	14.2	11.3-17.1	194	16.7	14.0-19.4	148	10.6	8.6-12.6
College Graduate	731	69,477	62	19.1	14.6-23.6	118	25.1	20.8-29.4	89	15.6	12.1-19.1	107	15.0	11.9-18.1	153	12.4	10.0-14.8	202	12.8	10.6-15.0
Less than \$15,000	87	12,321	14	37.0	21.3-52.7	10	21.9	7.2-36.6	6	3.4	0.1- 6.7	12	12.7	3.1-22.3	22	14.0	6.6-21.4	23	11.0	5.3-16.7
\$15,000- 24,999	168	21,708	17	32.0	19.7-44.3	17	16.8	7.4-26.2	5	5.1	0.0-11.0	13	8.5	3.0-14.0	39	12.7	7.4-18.0	77	24.9	17.3-32.5
\$25,000- 34,999	153	19,991	21	25.6	15.4-35.8	18	17.8	9.2-26.4	10	9.6	2.9-16.3	8	7.6	1.9-13.3	28	13.6	7.3-19.9	68	25.9	18.6-33.2
\$35,000- 49,999	235	30,982	29	28.3	19.3-37.3	30	22.6	14.0-31.2	13	4.7	1.8- 7.6	22	11.3	5.2-17.4	67	18.1	12.6-23.6	74	15.0	10.5-19.5
\$50,000- 74,999	346	42,234	22	14.2	8.1-20.3	47	24.6	17.2-32.0	34	13.3	8.2-18.4	51	16.3	11.4-21.2	100	19.8	15.1-24.5	92	11.7	8.8-14.6
\$75,000+	801	116,372	75	18.8	14.7-22.9	133	23.9	20.0-27.8	131	18.7	15.4-22.0	154	17.3	14.4-20.2	183	14.1	11.7-16.5	125	7.2	5.6- 8.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 21: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2273	282,234	167	21.9	19.0-24.8	194	17.9	15.2-20.6	227	14.2	12.0-16.4	337	14.1	12.3-15.9	592	15.0	13.4-16.6	756	16.9	15.5-18.3
Native	108	14,224	16	27.4	14.7-40.1	16	22.7	11.3-34.1	20	20.7	9.9-31.5	15	9.9	4.2-15.6	30	14.6	7.7-21.5	11	4.8	1.1- 8.5
Non-Native	2142	265,515	149	21.5	18.4-24.6	177	17.7	15.0-20.4	206	13.9	11.7-16.1	318	14.3	12.5-16.1	554	15.0	13.4-16.6	738	17.6	16.0-19.2
Less Than H.S.	88	19,239	8	26.7	10.6-42.8	6	22.6	6.5-38.7	6	9.0	0.6-17.4	5	5.6	0.0-11.3	7	6.1	1.2-11.0	56	30.0	18.8-41.2
H.S. or G.E.D.	561	71,196	61	33.4	26.9-39.9	31	13.1	8.4-17.8	21	5.9	2.8- 9.0	62	11.4	8.3-14.5	144	15.3	12.4-18.2	242	21.0	17.7-24.3
Some Post-H.S.	725	105,330	45	18.9	13.8-24.0	50	15.1	10.8-19.4	72	16.7	12.6-20.8	111	15.6	12.5-18.7	180	15.3	12.6-18.0	267	18.4	15.7-21.1
College Graduate	897	86,275	53	15.1	11.2-19.0	107	24.3	20.0-28.6	128	19.1	15.6-22.6	159	16.3	13.6-19.0	260	16.3	13.9-18.7	190	8.9	7.3-10.5
Less than \$15,000	122	18,185	18	41.6	27.7-55.5	9	11.0	3.6-18.4	7	6.2	0.9-11.5	15	11.7	4.4-19.0	26	11.5	6.0-17.0	47	18.1	11.0-25.2
\$15,000- 24,999	259	32,732	22	28.0	18.0-38.0	15	15.6	6.8-24.4	11	7.8	2.1-13.5	20	9.3	4.8-13.8	54	11.7	7.6-15.8	137	27.6	21.1-34.1
\$25,000- 34,999	195	21,857	15	23.0	12.4-33.6	16	21.7	10.7-32.7	8	6.1	0.6-11.6	15	6.3	2.2-10.4	46	15.6	9.9-21.3	95	27.2	20.1-34.3
\$35,000- 49,999	289	30,300	18	19.1	10.9-27.3	21	17.7	9.9-25.5	14	8.7	3.2-14.2	40	13.0	8.5-17.5	92	19.6	14.7-24.5	104	21.9	16.6-27.2
\$50,000- 74,999	294	35,873	21	19.3	11.5-27.1	25	15.2	8.5-21.9	35	19.2	11.9-26.5	46	16.7	11.4-22.0	93	17.6	13.3-21.9	74	12.0	8.7-15.3
\$75,000+	643	87,756	39	15.0	10.5-19.5	81	22.6	17.7-27.5	127	23.2	18.9-27.5	151	19.9	16.4-23.4	164	14.1	11.6-16.6	81	5.3	3.9- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 22: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4401	577,150	2518	78.8	77.6-80.0	1883	21.2	20.0-22.4
Male	2128	294,916	1290	80.8	79.2-82.4	838	19.2	17.6-20.8
Female	2273	282,234	1228	76.8	75.0-78.6	1045	23.2	21.4-25.0
Native	191	25,524	150	90.7	87.0-94.4	41	9.3	5.6-13.0
Non-Native	4153	544,417	2332	78.2	77.0-79.4	1821	21.8	20.6-23.0
Less Than H.S.	192	45,761	70	70.2	62.9-77.5	122	29.8	22.5-37.1
H.S. or G.E.D.	1155	153,888	617	77.8	75.4-80.2	538	22.2	19.8-24.6
Some Post-H.S.	1423	221,468	823	78.8	76.6-81.0	600	21.2	19.0-23.4
College Graduate	1628	155,752	1007	82.5	80.7-84.3	621	17.5	15.7-19.3
Less than \$15,000	209	30,506	118	79.7	74.0-85.4	91	20.3	14.6-26.0
\$15,000- 24,999	427	54,441	159	67.9	62.4-73.4	268	32.1	26.6-37.6
\$25,000- 34,999	348	41,848	147	67.5	61.8-73.2	201	32.5	26.8-38.2
\$35,000- 49,999	524	61,282	249	71.0	66.5-75.5	275	29.0	24.5-33.5
\$50,000- 74,999	640	78,107	385	80.9	78.0-83.8	255	19.1	16.2-22.0
\$75,000+	1444	204,128	1076	88.3	86.9-89.7	368	11.7	10.3-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 23: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2128	294,916	1290	80.8	79.2-82.4	838	19.2	17.6-20.8
Native	83	11,300	67	90.9	85.0-96.8	16	9.1	3.2-15.0
Non-Native	2011	278,902	1198	80.3	78.7-81.9	813	19.7	18.1-21.3
Less Than H.S.	104	26,522	42	72.4	63.2-81.6	62	27.6	18.4-36.8
H.S. or G.E.D.	594	82,691	372	82.5	79.8-85.2	222	17.5	14.8-20.2
Some Post-H.S.	698	116,138	446	81.6	78.9-84.3	252	18.4	15.7-21.1
College Graduate	731	69,477	430	80.8	78.3-83.3	301	19.2	16.7-21.7
Less than \$15,000	87	12,321	53	82.9	75.3-90.5	34	17.1	9.5-24.7
\$15,000- 24,999	168	21,708	69	69.4	60.8-78.0	99	30.6	22.0-39.2
\$25,000- 34,999	153	19,991	67	67.0	58.8-75.2	86	33.0	24.8-41.2
\$35,000- 49,999	235	30,982	116	74.2	68.1-80.3	119	25.8	19.7-31.9
\$50,000- 74,999	346	42,234	202	80.2	76.1-84.3	144	19.8	15.7-23.9
\$75,000+	801	116,372	584	87.2	85.0-89.4	217	12.8	10.6-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 24: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2273	282,234	1228	76.8	75.0-78.6	1045	23.2	21.4-25.0
Native	108	14,224	83	90.6	85.9-95.3	25	9.4	4.7-14.1
Non-Native	2142	265,515	1134	76.0	74.2-77.8	1008	24.0	22.2-25.8
Less Than H.S.	88	19,239	28	67.1	55.3-78.9	60	32.9	21.1-44.7
H.S. or G.E.D.	561	71,196	245	72.3	68.4-76.2	316	27.7	23.8-31.6
Some Post-H.S.	725	105,330	377	75.8	72.7-78.9	348	24.2	21.1-27.3
College Graduate	897	86,275	577	83.8	81.6-86.0	320	16.2	14.0-18.4
Less than \$15,000	122	18,185	65	77.6	69.8-85.4	57	22.4	14.6-30.2
\$15,000- 24,999	259	32,732	90	67.0	59.7-74.3	169	33.0	25.7-40.3
\$25,000- 34,999	195	21,857	80	68.0	60.2-75.8	115	32.0	24.2-39.8
\$35,000- 49,999	289	30,300	133	67.7	61.2-74.2	156	32.3	25.8-38.8
\$50,000- 74,999	294	35,873	183	81.7	77.4-86.0	111	18.3	14.0-22.6
\$75,000+	643	87,756	492	89.7	87.7-91.7	151	10.3	8.3-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4332	564,250	168	3.2	2.4- 4.0	1750	37.8	35.8-39.8	1955	46.8	44.6-49.0	459	12.2	10.8-13.6
Male	2094	286,851	4	0.2	0.0- 0.6	185	9.2	7.4-11.0	1454	66.9	64.2-69.6	451	23.7	21.2-26.2
Female	2238	277,399	164	6.3	4.9- 7.7	1565	67.4	64.5-70.3	501	26.0	23.3-28.7	8	0.4	0.0- 0.8
Native	184	24,390	10	9.3	1.7-16.9	74	39.6	29.8-49.4	86	40.9	31.5-50.3	14	10.2	3.7-16.7
Non-Native	4083	531,789	157	3.0	2.4- 3.6	1654	37.8	35.6-40.0	1832	46.9	44.7-49.1	440	12.4	11.0-13.8
18-24	216	79,652	1	0.1	0.0- 0.3	67	36.1	28.8-43.4	110	51.0	43.6-58.4	38	12.8	8.3-17.3
25-34	380	107,030	6	2.2	0.2- 4.2	117	33.9	28.2-39.6	174	45.1	39.2-51.0	83	18.7	14.4-23.0
35-44	462	90,714	9	2.9	0.7- 5.1	143	35.2	29.7-40.7	229	46.8	41.3-52.3	81	15.2	11.5-18.9
45-54	491	75,954	15	4.5	2.0- 7.0	170	34.5	29.4-39.6	247	50.1	44.8-55.4	59	10.9	7.8-14.0
55-64	908	89,611	25	2.4	1.4- 3.4	387	39.5	35.6-43.4	416	47.1	43.2-51.0	80	11.1	8.4-13.8
65+	1875	121,290	112	6.2	4.8- 7.6	866	45.1	42.4-47.8	779	43.2	40.5-45.9	118	5.5	4.3- 6.7
Less Than H.S.	183	42,491	16	7.6	2.3-12.9	72	40.8	30.4-51.2	90	47.9	37.3-58.5	5	3.7	0.0- 7.6
H.S. or G.E.D.	1120	148,290	63	4.1	2.5- 5.7	433	34.6	30.9-38.3	527	50.3	46.2-54.4	97	11.0	8.5-13.5
Some Post-H.S.	1414	219,843	51	2.7	1.7- 3.7	586	37.8	34.5-41.1	619	45.4	41.9-48.9	158	14.2	11.7-16.7
College Graduate	1610	152,707	38	1.9	1.1- 2.7	658	40.3	37.2-43.4	716	44.9	41.8-48.0	198	12.9	10.7-15.1
Less than \$15,000	205	29,639	17	5.6	2.3- 8.9	91	44.5	34.5-54.5	83	43.3	33.3-53.3	14	6.6	1.5-11.7
\$15,000- 24,999	419	53,821	27	5.5	2.4- 8.6	209	50.1	42.7-57.5	153	35.8	28.7-42.9	30	8.6	4.1-13.1
\$25,000- 34,999	346	41,490	14	3.5	0.8- 6.2	160	40.7	33.3-48.1	154	48.6	41.2-56.0	18	7.3	3.4-11.2
\$35,000- 49,999	521	60,360	23	3.7	1.3- 6.1	220	38.1	32.2-44.0	234	47.0	40.7-53.3	44	11.2	7.3-15.1
\$50,000- 74,999	641	77,099	21	2.3	1.1- 3.5	235	37.1	31.8-42.4	313	45.6	40.3-50.9	72	15.1	11.0-19.2
\$75,000+	1444	204,593	21	1.2	0.6- 1.8	488	31.6	28.5-34.7	719	51.9	48.6-55.2	216	15.3	12.9-17.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2094	286,851	4	0.2	0.0- 0.6	185	9.2	7.4-11.0	1454	66.9	64.2-69.6	451	23.7	21.2-26.2
Native	80	10,818				6	12.4	0.0-25.1	61	65.5	50.0-81.0	13	22.1	9.0-35.2
Non-Native	1973	270,705	4	0.2	0.0- 0.6	177	9.1	7.3-10.9	1359	66.7	63.8-69.6	433	24.0	21.5-26.5
18-24	120	41,986				8	8.6	2.5-14.7	76	67.6	58.4-76.8	36	23.8	15.8-31.8
25-34	230	57,998				15	7.2	3.5-10.9	132	58.3	51.0-65.6	83	34.6	27.7-41.5
35-44	254	46,237				16	8.1	3.8-12.4	158	62.8	55.5-70.1	80	29.1	22.4-35.8
45-54	244	39,109	1	1.1	0.0- 3.3	21	11.0	5.7-16.3	164	67.2	60.1-74.3	58	20.8	14.9-26.7
55-64	410	45,466	1	0.1	0.0- 0.3	37	9.4	5.3-13.5	296	69.4	63.5-75.3	76	21.1	16.0-26.2
65+	836	56,057	2	0.3	0.0- 0.7	88	11.2	8.5-13.9	628	76.7	73.2-80.2	118	11.8	9.3-14.3
Less Than H.S.	98	23,674	1	1.8	0.0- 5.1	14	20.8	9.4-32.2	78	70.7	58.0-83.4	5	6.7	0.0-13.6
H.S. or G.E.D.	574	79,370	1	0.1	0.0- 0.3	57	8.8	5.9-11.7	422	71.0	66.1-75.9	94	20.1	15.6-24.6
Some Post-H.S.	693	114,999	1	0.0	0.0- 0.0	57	8.2	5.5-10.9	478	64.7	60.0-69.4	157	27.1	22.8-31.4
College Graduate	726	68,082	1	0.2	0.0- 0.6	57	7.3	4.8- 9.8	474	64.3	59.8-68.8	194	28.1	23.8-32.4
Less than \$15,000	87	12,321				11	12.5	2.3-22.7	63	72.1	58.0-86.2	13	15.4	3.8-27.0
\$15,000- 24,999	163	21,283	1	2.0	0.0- 5.7	23	15.0	5.6-24.4	111	62.2	50.2-74.2	28	20.8	10.6-31.0
\$25,000- 34,999	151	19,673				17	8.7	3.4-14.0	116	75.9	66.9-84.9	18	15.3	7.3-23.3
\$35,000- 49,999	235	30,540				23	11.2	5.3-17.1	168	66.7	58.3-75.1	44	22.1	14.8-29.4
\$50,000- 74,999	348	41,990				30	9.2	4.9-13.5	246	63.2	55.9-70.5	72	27.6	20.7-34.5
\$75,000+	800	116,724	2	0.1	0.0- 0.3	50	6.6	4.2- 9.0	535	66.9	62.8-71.0	213	26.3	22.4-30.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2238	277,399	164	6.3	4.9- 7.7	1565	67.4	64.5-70.3	501	26.0	23.3-28.7	8	0.4	0.0- 0.8
Native	104	13,572	10	16.7	3.8-29.6	68	61.3	48.0-74.6	25	21.2	11.6-30.8	1	0.7	0.0- 2.1
Non-Native	2110	261,084	153	5.8	4.6- 7.0	1477	67.6	64.7-70.5	473	26.3	23.6-29.0	7	0.3	0.0- 0.7
18-24	96	37,666	1	0.3	0.0- 0.9	59	66.8	56.8-76.8	34	32.4	22.4-42.4	2	0.4	0.0- 1.0
25-34	150	49,033	6	4.8	0.7- 8.9	102	65.6	56.4-74.8	42	29.6	20.8-38.4			
35-44	208	44,477	9	5.8	1.3-10.3	127	63.4	55.6-71.2	71	30.1	22.8-37.4	1	0.8	0.0- 2.2
45-54	247	36,845	14	8.1	3.4-12.8	149	59.4	52.1-66.7	83	32.1	25.4-38.8	1	0.4	0.0- 1.2
55-64	498	44,146	24	4.7	2.5- 6.9	350	70.5	65.6-75.4	120	24.1	19.6-28.6	4	0.7	0.0- 1.7
65+	1039	65,232	110	11.3	8.9-13.7	778	74.2	70.9-77.5	151	14.5	11.8-17.2			
Less Than H.S.	85	18,817	15	15.0	4.2-25.8	58	65.9	50.2-81.6	12	19.1	5.0-33.2			
H.S. or G.E.D.	546	68,920	62	8.8	5.7-11.9	376	64.3	58.2-70.4	105	26.3	20.6-32.0	3	0.5	0.0- 1.1
Some Post-H.S.	721	104,843	50	5.6	3.6- 7.6	529	70.2	65.5-74.9	141	24.1	19.6-28.6	1	0.1	0.0- 0.3
College Graduate	884	84,625	37	3.3	1.9- 4.7	601	66.8	62.7-70.9	242	29.3	25.2-33.4	4	0.6	0.0- 1.4
Less than \$15,000	118	17,318	17	9.6	3.9-15.3	80	67.3	55.1-79.5	20	22.8	11.2-34.4	1	0.3	0.0- 0.9
\$15,000- 24,999	256	32,538	26	7.8	3.1-12.5	186	73.0	64.2-81.8	42	18.5	10.5-26.5	2	0.7	0.0- 1.9
\$25,000- 34,999	195	21,817	14	6.7	1.4-12.0	143	69.4	59.6-79.2	38	23.9	14.9-32.9			
\$35,000- 49,999	286	29,820	23	7.5	2.8-12.2	197	65.6	57.4-73.8	66	26.9	19.1-34.7			
\$50,000- 74,999	293	35,109	21	4.9	2.4- 7.4	205	70.6	63.3-77.9	67	24.5	17.4-31.6			
\$75,000+	644	87,869	19	2.5	1.1- 3.9	438	65.0	60.1-69.9	184	32.0	27.1-36.9	3	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4336	565,314	168	3.2	2.4- 4.0	1750	37.7	35.7-39.7	1958	46.9	44.7-49.1	460	12.2	10.8-13.6
Male	2098	287,915	4	0.2	0.0- 0.6	185	9.1	7.3-10.9	1457	67.0	64.3-69.7	452	23.6	21.1-26.1
Female	2238	277,399	164	6.3	4.9- 7.7	1565	67.4	64.5-70.3	501	26.0	23.3-28.7	8	0.4	0.0- 0.8
Native	184	24,390	10	9.3	1.7-16.9	74	39.6	29.8-49.4	86	40.9	31.5-50.3	14	10.2	3.7-16.7
Non-Native	4087	532,853	157	3.0	2.4- 3.6	1654	37.7	35.5-39.9	1835	46.9	44.7-49.1	441	12.4	11.0-13.8
18-24	217	79,782	1	0.1	0.0- 0.3	67	36.1	28.8-43.4	110	50.9	43.5-58.3	39	12.9	8.4-17.4
25-34	381	107,224	6	2.2	0.2- 4.2	117	33.9	28.4-39.4	175	45.2	39.3-51.1	83	18.7	14.4-23.0
35-44	464	91,454	9	2.8	0.6- 5.0	143	34.9	29.6-40.2	231	47.2	41.7-52.7	81	15.1	11.4-18.8
45-54	491	75,954	15	4.5	2.0- 7.0	170	34.5	29.4-39.6	247	50.1	44.8-55.4	59	10.9	7.8-14.0
55-64	908	89,611	25	2.4	1.4- 3.4	387	39.5	35.6-43.4	416	47.1	43.2-51.0	80	11.1	8.4-13.8
65+	1875	121,290	112	6.2	4.8- 7.6	866	45.1	42.4-47.8	779	43.2	40.5-45.9	118	5.5	4.3- 6.7
Less Than H.S.	184	42,962	16	7.5	2.2-12.8	72	40.3	30.1-50.5	91	48.4	37.8-59.0	5	3.7	0.0- 7.4
H.S. or G.E.D.	1121	148,483	63	4.1	2.5- 5.7	433	34.6	30.9-38.3	528	50.3	46.2-54.4	97	11.0	8.5-13.5
Some Post-H.S.	1414	219,843	51	2.7	1.7- 3.7	586	37.8	34.5-41.1	619	45.4	41.9-48.9	158	14.2	11.7-16.7
College Graduate	1612	153,106	38	1.9	1.1- 2.7	658	40.2	37.1-43.3	717	45.0	41.9-48.1	199	12.9	10.7-15.1
Less than \$15,000	205	29,639	17	5.6	2.3- 8.9	91	44.5	34.5-54.5	83	43.3	33.3-53.3	14	6.6	1.5-11.7
\$15,000- 24,999	420	54,091	27	5.5	2.4- 8.6	209	49.8	42.4-57.2	154	36.1	29.0-43.2	30	8.6	4.3-12.9
\$25,000- 34,999	346	41,490	14	3.5	0.8- 6.2	160	40.7	33.3-48.1	154	48.6	41.2-56.0	18	7.3	3.4-11.2
\$35,000- 49,999	521	60,360	23	3.7	1.3- 6.1	220	38.1	32.2-44.0	234	47.0	40.7-53.3	44	11.2	7.3-15.1
\$50,000- 74,999	641	77,099	21	2.3	1.1- 3.5	235	37.1	31.8-42.4	313	45.6	40.3-50.9	72	15.1	11.0-19.2
\$75,000+	1444	204,593	21	1.2	0.6- 1.8	488	31.6	28.5-34.7	719	51.9	48.6-55.2	216	15.3	12.9-17.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2098	287,915	4	0.2	0.0- 0.6	185	9.1	7.3-10.9	1457	67.0	64.3-69.7	452	23.6	21.1-26.1
Native	80	10,818				6	12.4	0.0-25.1	61	65.5	50.0-81.0	13	22.1	9.0-35.2
Non-Native	1977	271,769	4	0.2	0.0- 0.6	177	9.1	7.3-10.9	1362	66.7	64.0-69.4	434	23.9	21.4-26.4
18-24	121	42,116				8	8.6	2.5-14.7	76	67.4	58.2-76.6	37	24.0	16.0-32.0
25-34	231	58,191				15	7.1	3.4-10.8	133	58.4	51.1-65.7	83	34.5	27.6-41.4
35-44	256	46,977				16	8.0	3.7-12.3	160	63.4	56.1-70.7	80	28.6	22.1-35.1
45-54	244	39,109	1	1.1	0.0- 3.3	21	11.0	5.7-16.3	164	67.2	60.1-74.3	58	20.8	14.9-26.7
55-64	410	45,466	1	0.1	0.0- 0.3	37	9.4	5.3-13.5	296	69.4	63.5-75.3	76	21.1	16.0-26.2
65+	836	56,057	2	0.3	0.0- 0.7	88	11.2	8.5-13.9	628	76.7	73.2-80.2	118	11.8	9.3-14.3
Less Than H.S.	99	24,145	1	1.7	0.0- 5.0	14	20.4	9.2-31.6	79	71.3	58.8-83.8	5	6.6	0.0-13.3
H.S. or G.E.D.	575	79,563	1	0.1	0.0- 0.3	57	8.8	5.9-11.7	423	71.1	66.2-76.0	94	20.0	15.5-24.5
Some Post-H.S.	693	114,999	1	0.0	0.0- 0.0	57	8.2	5.5-10.9	478	64.7	60.0-69.4	157	27.1	22.8-31.4
College Graduate	728	68,481	1	0.2	0.0- 0.6	57	7.3	4.8- 9.8	475	64.4	59.9-68.9	195	28.2	23.9-32.5
Less than \$15,000	87	12,321				11	12.5	2.3-22.7	63	72.1	58.0-86.2	13	15.4	3.8-27.0
\$15,000- 24,999	164	21,553	1	1.9	0.0- 5.6	23	14.8	5.6-24.0	112	62.7	50.9-74.5	28	20.6	10.6-30.6
\$25,000- 34,999	151	19,673				17	8.7	3.4-14.0	116	75.9	66.9-84.9	18	15.3	7.3-23.3
\$35,000- 49,999	235	30,540				23	11.2	5.3-17.1	168	66.7	58.3-75.1	44	22.1	14.8-29.4
\$50,000- 74,999	348	41,990				30	9.2	4.9-13.5	246	63.2	55.9-70.5	72	27.6	20.7-34.5
\$75,000+	800	116,724	2	0.1	0.0- 0.3	50	6.6	4.2- 9.0	535	66.9	62.8-71.0	213	26.3	22.4-30.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2238	277,399	164	6.3	4.9- 7.7	1565	67.4	64.5-70.3	501	26.0	23.3-28.7	8	0.4	0.0- 0.8
Native	104	13,572	10	16.7	3.8-29.6	68	61.3	48.0-74.6	25	21.2	11.6-30.8	1	0.7	0.0- 2.1
Non-Native	2110	261,084	153	5.8	4.6- 7.0	1477	67.6	64.7-70.5	473	26.3	23.6-29.0	7	0.3	0.0- 0.7
18-24	96	37,666	1	0.3	0.0- 0.9	59	66.8	56.8-76.8	34	32.4	22.4-42.4	2	0.4	0.0- 1.0
25-34	150	49,033	6	4.8	0.7- 8.9	102	65.6	56.4-74.8	42	29.6	20.8-38.4			
35-44	208	44,477	9	5.8	1.3-10.3	127	63.4	55.6-71.2	71	30.1	22.8-37.4	1	0.8	0.0- 2.2
45-54	247	36,845	14	8.1	3.4-12.8	149	59.4	52.1-66.7	83	32.1	25.4-38.8	1	0.4	0.0- 1.2
55-64	498	44,146	24	4.7	2.5- 6.9	350	70.5	65.6-75.4	120	24.1	19.6-28.6	4	0.7	0.0- 1.7
65+	1039	65,232	110	11.3	8.9-13.7	778	74.2	70.9-77.5	151	14.5	11.8-17.2			
Less Than H.S.	85	18,817	15	15.0	4.2-25.8	58	65.9	50.2-81.6	12	19.1	5.0-33.2			
H.S. or G.E.D.	546	68,920	62	8.8	5.7-11.9	376	64.3	58.2-70.4	105	26.3	20.6-32.0	3	0.5	0.0- 1.1
Some Post-H.S.	721	104,843	50	5.6	3.6- 7.6	529	70.2	65.5-74.9	141	24.1	19.6-28.6	1	0.1	0.0- 0.3
College Graduate	884	84,625	37	3.3	1.9- 4.7	601	66.8	62.7-70.9	242	29.3	25.2-33.4	4	0.6	0.0- 1.4
Less than \$15,000	118	17,318	17	9.6	3.9-15.3	80	67.3	55.1-79.5	20	22.8	11.2-34.4	1	0.3	0.0- 0.9
\$15,000- 24,999	256	32,538	26	7.8	3.1-12.5	186	73.0	64.2-81.8	42	18.5	10.5-26.5	2	0.7	0.0- 1.9
\$25,000- 34,999	195	21,817	14	6.7	1.4-12.0	143	69.4	59.6-79.2	38	23.9	14.9-32.9			
\$35,000- 49,999	286	29,820	23	7.5	2.8-12.2	197	65.6	57.4-73.8	66	26.9	19.1-34.7			
\$50,000- 74,999	293	35,109	21	4.9	2.4- 7.4	205	70.6	63.3-77.9	67	24.5	17.4-31.6			
\$75,000+	644	87,869	19	2.5	1.1- 3.9	438	65.0	60.1-69.9	184	32.0	27.1-36.9	3	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 31: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4119	542,674	33	0.7	0.3- 1.1	1007	24.4	22.4-26.4	1893	45.2	43.0-47.4	878	21.3	19.5-23.1	250	6.8	5.6- 8.0	58	1.7	1.1- 2.3
Male	2075	284,115	1	0.1	0.0- 0.3	164	8.9	7.1-10.7	1001	47.4	44.5-50.3	674	31.6	29.1-34.1	187	9.4	7.6-11.2	48	2.6	1.8- 3.4
Female	2044	258,559	32	1.3	0.7- 1.9	843	41.3	38.2-44.4	892	42.8	39.7-45.9	204	9.9	8.1-11.7	63	3.9	2.5- 5.3	10	0.8	0.2- 1.4
Native	181	24,122				27	12.3	6.4-18.2	85	49.4	39.4-59.4	46	25.3	16.5-34.1	18	9.5	4.4-14.6	5	3.4	0.3- 6.5
Non-Native	3881	512,140	32	0.7	0.3- 1.1	969	24.9	22.9-26.9	1774	44.9	42.7-47.1	826	21.2	19.4-23.0	230	6.7	5.5- 7.9	50	1.6	1.0- 2.2
18-24	211	78,184	2	0.8	0.0- 1.8	67	33.7	26.6-40.8	91	45.5	38.1-52.9	32	13.7	8.8-18.6	16	5.3	2.4- 8.2	3	1.1	0.0- 2.7
25-34	377	106,494	2	0.6	0.0- 1.4	89	24.8	19.7-29.9	161	42.8	36.9-48.7	81	19.3	15.0-23.6	34	9.9	6.2-13.6	10	2.5	0.7- 4.3
35-44	445	87,870	1	0.3	0.0- 0.9	72	18.5	14.0-23.0	205	48.1	42.4-53.8	115	23.8	19.1-28.5	40	6.9	4.4- 9.4	12	2.4	0.8- 4.0
45-54	457	70,791	2	0.2	0.0- 0.6	85	18.7	14.4-23.0	192	42.2	36.7-47.7	133	29.0	24.1-33.9	35	7.7	4.8-10.6	10	2.1	0.5- 3.7
55-64	853	84,704	6	0.8	0.0- 1.8	187	21.6	18.1-25.1	404	44.7	40.6-48.8	185	23.9	20.4-27.4	59	7.4	5.0- 9.8	12	1.6	0.6- 2.6
65+	1776	114,630	20	1.1	0.5- 1.7	507	27.7	25.2-30.2	840	47.2	44.5-49.9	332	19.7	17.3-22.1	66	3.7	2.7- 4.7	11	0.7	0.1- 1.3
Less Than H.S.	178	41,394	1	0.9	0.0- 2.7	50	23.9	14.9-32.9	77	48.1	37.3-58.9	40	20.8	13.0-28.6	7	4.7	0.0-10.0	3	1.7	0.0- 4.2
H.S. or G.E.D.	1072	144,214	8	0.6	0.0- 1.2	270	25.1	21.4-28.8	496	43.8	39.7-47.9	218	22.2	18.9-25.5	63	5.9	3.9- 7.9	17	2.5	1.1- 3.9
Some Post-H.S.	1334	210,087	16	0.9	0.3- 1.5	326	23.6	20.5-26.7	584	43.2	39.7-46.7	295	22.4	19.5-25.3	96	8.7	6.5-10.9	17	1.3	0.5- 2.1
College Graduate	1533	146,340	8	0.4	0.0- 0.8	360	24.9	22.0-27.8	735	48.5	45.2-51.8	325	19.0	16.6-21.4	84	5.7	4.3- 7.1	21	1.5	0.7- 2.3
Less than \$15,000	196	28,498				68	38.0	27.6-48.4	76	37.6	28.0-47.2	35	15.4	8.0-22.8	13	8.2	2.5-13.9	4	0.9	0.0- 1.9
\$15,000- 24,999	398	51,054	2	0.6	0.0- 1.6	109	26.6	19.7-33.5	204	49.9	42.3-57.5	58	16.2	10.5-21.9	23	6.4	1.7-11.1	2	0.3	0.0- 0.9
\$25,000- 34,999	337	40,882	5	0.7	0.1- 1.3	93	31.0	23.6-38.4	153	41.4	34.1-48.7	62	18.6	13.1-24.1	18	5.9	2.4- 9.4	6	2.4	0.0- 4.8
\$35,000- 49,999	503	59,225	3	0.3	0.0- 0.7	105	20.4	15.1-25.7	239	48.6	42.3-54.9	120	23.4	18.3-28.5	29	4.8	2.6- 7.0	7	2.6	0.4- 4.8
\$50,000- 74,999	617	75,564	2	0.1	0.0- 0.3	116	18.2	13.9-22.5	308	47.3	41.8-52.8	146	22.9	18.6-27.2	34	7.9	4.6-11.2	11	3.6	1.2- 6.0
\$75,000+	1399	199,666	7	0.5	0.1- 0.9	291	20.9	18.2-23.6	628	44.8	41.5-48.1	340	24.0	21.3-26.7	108	8.3	6.3-10.3	25	1.5	0.9- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 32: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2075	284,115	1	0.1	0.0- 0.3	164	8.9	7.1-10.7	1001	47.4	44.5-50.3	674	31.6	29.1-34.1	187	9.4	7.6-11.2	48	2.6	1.8- 3.4
Native	80	11,107				3	3.1	0.0- 6.8	32	41.6	26.3-56.9	25	31.7	18.0-45.4	16	17.6	7.6-27.6	4	6.1	0.0-12.4
Non-Native	1956	268,346	1	0.1	0.0- 0.3	158	9.1	7.1-11.1	942	47.4	44.5-50.3	643	31.9	29.2-34.6	170	9.2	7.4-11.0	42	2.4	1.4- 3.4
18-24	117	41,353				19	15.7	8.6-22.8	60	57.4	47.6-67.2	21	16.5	9.4-23.6	14	8.3	3.2-13.4	3	2.1	0.0- 4.8
25-34	230	57,842				26	11.7	6.6-16.8	103	44.7	37.3-52.1	68	28.6	22.1-35.1	26	12.2	7.3-17.1	7	2.8	0.6- 5.0
35-44	253	46,343	1	0.6	0.0- 1.8	14	6.5	2.8-10.2	107	46.3	38.7-53.9	95	35.9	28.6-43.2	25	6.8	3.7- 9.9	11	3.8	1.3- 6.3
45-54	237	37,968				10	3.1	0.7- 5.5	90	39.7	32.1-47.3	104	43.3	35.9-50.7	26	11.2	6.3-16.1	7	2.7	0.2- 5.2
55-64	406	44,881				19	6.1	2.4- 9.8	202	44.6	38.7-50.5	129	34.6	28.9-40.3	44	11.8	7.7-15.9	12	2.9	0.9- 4.9
65+	832	55,727				76	9.2	6.7-11.7	439	51.2	47.1-55.3	257	32.2	28.3-36.1	52	6.2	4.2- 8.2	8	1.2	0.2- 2.2
Less Than H.S.	98	23,757				9	14.3	3.7-24.9	49	52.5	38.8-66.2	31	26.6	15.8-37.4	6	3.6	0.0- 7.3	3	2.9	0.0- 7.4
H.S. or G.E.D.	571	79,027				54	10.3	6.8-13.8	278	44.8	39.5-50.1	173	32.5	27.4-37.6	52	9.0	5.9-12.1	14	3.3	1.3- 5.3
Some Post-H.S.	685	113,413				54	8.3	5.6-11.0	311	44.8	40.1-49.5	229	32.6	28.3-36.9	77	12.4	9.3-15.5	14	1.9	0.7- 3.1
College Graduate	719	67,279	1	0.4	0.0- 1.2	46	6.3	3.9- 8.7	362	52.6	47.9-57.3	241	31.2	26.9-35.5	52	6.9	4.7- 9.1	17	2.6	1.0- 4.2
Less than \$15,000	85	12,247				16	32.7	16.6-48.8	40	44.9	29.6-60.2	20	11.9	4.6-19.2	6	9.1	0.3-17.9	3	1.4	0.0- 3.2
\$15,000- 24,999	161	20,647	1	1.3	0.0- 3.8	16	6.9	1.6-12.2	90	56.3	44.5-68.1	38	27.1	16.1-38.1	15	7.6	2.1-13.1	1	0.7	0.0- 2.1
\$25,000- 34,999	152	19,917				28	19.2	11.0-27.4	68	42.9	32.7-53.1	39	26.3	17.3-35.3	12	8.4	2.3-14.5	5	3.1	0.0- 6.2
\$35,000- 49,999	234	30,495				15	7.1	1.8-12.4	117	50.6	41.6-59.6	77	31.4	23.4-39.4	20	6.4	3.1- 9.7	5	4.4	0.5- 8.3
\$50,000- 74,999	348	42,085				17	4.1	1.4- 6.8	183	50.4	43.1-57.7	114	32.3	25.6-39.0	27	9.8	5.1-14.5	7	3.5	0.8- 6.2
\$75,000+	796	116,249				39	5.0	3.0- 7.0	356	44.8	40.3-49.3	294	36.7	32.6-40.8	83	11.1	8.2-14.0	24	2.5	1.3- 3.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 33: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2044	258,559	32	1.3	0.7- 1.9	843	41.3	38.2-44.4	892	42.8	39.7-45.9	204	9.9	8.1-11.7	63	3.9	2.5- 5.3	10	0.8	0.2- 1.4
Native	101	13,016				24	20.2	10.0-30.4	53	56.2	42.9-69.5	21	19.9	8.7-31.1	2	2.6	0.0- 6.3	1	1.1	0.0- 3.3
Non-Native	1925	243,794	31	1.3	0.7- 1.9	811	42.4	39.1-45.7	832	42.1	39.0-45.2	183	9.4	7.4-11.4	60	4.0	2.4- 5.6	8	0.8	0.2- 1.4
18-24	94	36,831	2	1.6	0.0- 3.8	48	53.8	42.6-65.0	31	32.1	21.7-42.5	11	10.5	3.8-17.2	2	1.9	0.0- 4.8			
25-34	147	48,651	2	1.2	0.0- 3.0	63	40.4	31.2-49.6	58	40.6	31.4-49.8	13	8.2	3.1-13.3	8	7.2	1.5-12.9	3	2.3	0.0- 5.0
35-44	192	41,527				58	31.8	23.8-39.8	98	50.1	41.5-58.7	20	10.2	4.9-15.5	15	7.1	3.2-11.0	1	0.9	0.0- 2.7
45-54	220	32,823	2	0.5	0.0- 1.5	75	36.8	29.2-44.4	102	45.1	37.3-52.9	29	12.5	7.6-17.4	9	3.8	0.9- 6.7	3	1.4	0.0- 3.2
55-64	447	39,823	6	1.7	0.0- 3.7	168	39.1	33.6-44.6	202	44.8	39.3-50.3	56	11.9	8.4-15.4	15	2.5	1.1- 3.9			
65+	944	58,903	20	2.1	1.1- 3.1	431	45.1	41.4-48.8	401	43.4	39.7-47.1	75	7.8	5.6-10.0	14	1.4	0.6- 2.2	3	0.2	0.0- 0.4
Less Than H.S.	80	17,637	1	2.1	0.0- 6.2	41	36.7	21.2-52.2	28	42.1	25.2-59.0	9	12.9	1.7-24.1	1	6.1	0.0-17.7			
H.S. or G.E.D.	501	65,187	8	1.2	0.0- 2.4	216	42.9	36.6-49.2	218	42.5	36.2-48.8	45	9.7	6.0-13.4	11	2.0	0.4- 3.6	3	1.6	0.0- 3.8
Some Post-H.S.	649	96,674	16	1.9	0.7- 3.1	272	41.6	36.1-47.1	273	41.3	36.0-46.6	66	10.5	7.4-13.6	19	4.3	1.8- 6.8	3	0.6	0.0- 1.2
College Graduate	814	79,061	7	0.4	0.0- 0.8	314	40.8	36.1-45.5	373	45.0	40.5-49.5	84	8.6	6.2-11.0	32	4.6	2.6- 6.6	4	0.6	0.0- 1.6
Less than \$15,000	111	16,251				52	42.0	28.3-55.7	36	32.0	19.8-44.2	15	18.1	6.5-29.7	7	7.4	0.1-14.7	1	0.5	0.0- 1.5
\$15,000- 24,999	237	30,407	1	0.1	0.0- 0.3	93	40.0	30.0-50.0	114	45.5	35.7-55.3	20	8.8	3.7-13.9	8	5.5	0.0-12.6	1	0.1	0.0- 0.3
\$25,000- 34,999	185	20,965	5	1.3	0.1- 2.5	65	42.2	30.8-53.6	85	40.0	29.6-50.4	23	11.4	5.5-17.3	6	3.5	0.0- 7.2	1	1.7	0.0- 5.0
\$35,000- 49,999	269	28,731	3	0.6	0.0- 1.4	90	34.5	25.9-43.1	122	46.4	37.8-55.0	43	14.8	8.5-21.1	9	3.1	0.6- 5.6	2	0.6	0.0- 1.6
\$50,000- 74,999	269	33,479	2	0.2	0.0- 0.4	99	35.9	27.9-43.9	125	43.4	35.0-51.8	32	11.2	6.5-15.9	7	5.6	0.7-10.5	4	3.8	0.0- 8.1
\$75,000+	603	83,417	7	1.2	0.2- 2.2	252	43.1	37.8-48.4	272	44.7	39.4-50.0	46	6.4	4.2- 8.6	25	4.5	2.3- 6.7	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 34: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18						> 18, <= 25			> 25, <= 30			> 30, <= 35			>35				
	TOTAL	WEIGHTED	N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)	
TOTAL	4076	532,349	47	1.1	0.7- 1.5		1076	28.6	26.6-30.6		1599	37.5	35.3-39.7		844	19.8	18.0-21.6		510	13.1	11.7-14.5	
Male	2062	281,725	10	0.6	0.2- 1.0		415	22.7	20.2-25.2		913	42.5	39.6-45.4		477	21.9	19.5-24.3		247	12.3	10.3-14.3	
Female	2014	250,625	37	1.5	0.9- 2.1		661	35.2	32.1-38.3		686	31.8	28.9-34.7		367	17.5	15.1-19.9		263	14.0	11.6-16.4	
Native	175	22,892	3	0.5	0.0- 1.1		27	15.6	8.3-22.9		49	31.0	21.2-40.8		49	27.1	17.9-36.3		47	25.8	17.2-34.4	
Non-Native	3846	503,389	43	1.0	0.6- 1.4		1026	29.0	26.8-31.2		1537	37.9	35.7-40.1		782	19.4	17.6-21.2		458	12.6	11.0-14.2	
18-24	203	75,096	4	1.7	0.1- 3.3		95	48.5	40.9-56.1		54	28.5	21.4-35.6		28	12.8	7.7-17.9		22	8.5	4.6-12.4	
25-34	362	101,844	6	1.6	0.2- 3.0		116	32.1	26.4-37.8		132	34.6	28.9-40.3		62	17.3	12.8-21.8		46	14.3	9.8-18.8	
35-44	439	86,981	1	0.1	0.0- 0.3		96	23.1	18.2-28.0		180	39.6	33.9-45.3		93	21.9	17.0-26.8		69	15.3	11.2-19.4	
45-54	454	70,417	3	0.4	0.0- 0.8		106	22.3	17.8-26.8		169	38.0	32.7-43.3		103	23.5	19.0-28.0		73	15.8	11.9-19.7	
55-64	852	84,392	9	1.2	0.2- 2.2		201	22.6	19.1-26.1		335	40.2	36.3-44.1		176	20.6	17.3-23.9		131	15.4	12.5-18.3	
65+	1766	113,618	24	1.2	0.6- 1.8		462	24.8	22.4-27.2		729	41.9	39.2-44.6		382	22.3	19.9-24.7		169	9.7	7.9-11.5	
Less Than H.S.	173	39,764	2	1.1	0.0- 2.9		42	27.2	17.0-37.4		68	36.7	26.1-47.3		35	18.4	10.6-26.2		26	16.7	8.5-24.9	
H.S. or G.E.D.	1058	140,118	15	1.2	0.4- 2.0		272	28.8	24.9-32.7		400	34.8	30.9-38.7		232	21.4	18.1-24.7		139	13.8	10.9-16.7	
Some Post-H.S.	1327	208,541	18	1.2	0.4- 2.0		329	26.2	22.9-29.5		501	37.2	33.7-40.7		309	21.6	18.7-24.5		170	13.8	11.4-16.2	
College Graduate	1516	143,286	12	0.7	0.1- 1.3		432	32.4	29.1-35.7		629	40.4	37.1-43.7		268	16.2	13.8-18.6		175	10.3	8.3-12.3	
Less than \$15,000	192	27,162	4	3.3	0.0- 7.2		62	40.4	29.8-51.0		60	25.7	17.3-34.1		40	17.9	10.6-25.2		26	12.8	6.3-19.3	
\$15,000- 24,999	394	49,744	8	1.1	0.1- 2.1		101	25.9	18.8-33.0		140	32.2	25.5-38.9		96	28.1	21.0-35.2		49	12.7	7.0-18.4	
\$25,000- 34,999	333	40,153	5	0.9	0.0- 1.9		92	33.1	25.5-40.7		111	31.5	24.6-38.4		77	17.5	12.6-22.4		48	16.9	11.0-22.8	
\$35,000- 49,999	498	58,081	3	0.5	0.0- 1.1		101	20.6	15.1-26.1		213	45.7	39.2-52.2		103	19.0	14.3-23.7		78	14.2	10.1-18.3	
\$50,000- 74,999	612	73,731	3	0.6	0.0- 1.6		148	23.8	19.1-28.5		254	40.5	35.0-46.0		123	17.1	13.4-20.8		84	18.0	13.5-22.5	
\$75,000+	1389	197,682	11	0.8	0.2- 1.4		349	26.9	23.8-30.0		577	39.4	36.1-42.7		288	21.8	19.1-24.5		164	11.0	9.0-13.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 35: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35				
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2062	281,725	10	0.6	0.2- 1.0	415	22.7	20.2-25.2	913	42.5	39.6-45.4	477	21.9	19.5-24.3	247	12.3	10.3-14.3			
Native	79	10,756	1	0.6	0.0- 1.8	9	14.7	3.1-26.3	27	41.0	25.5-56.5	20	18.5	8.5-28.5	22	25.2	13.4-37.0			
Non-Native	1946	266,649	8	0.5	0.1- 0.9	392	22.8	20.1-25.5	876	42.9	40.0-45.8	448	21.9	19.5-24.3	222	11.9	9.9-13.9			
18-24	116	41,134	1	0.9	0.0- 2.7	52	46.7	36.5-56.9	32	30.8	21.2-40.4	17	12.3	6.0-18.6	14	9.2	3.7-14.7			
25-34	227	57,211	3	1.5	0.0- 3.3	57	23.6	17.3-29.9	101	45.1	37.7-52.5	40	18.6	12.9-24.3	26	11.2	6.7-15.7			
35-44	251	45,883				47	21.0	14.9-27.1	112	44.2	36.6-51.8	58	23.1	16.6-29.6	34	11.8	7.1-16.5			
45-54	236	37,670	1	0.2	0.0- 0.6	33	11.5	7.2-15.8	94	42.1	34.5-49.7	72	30.4	23.5-37.3	36	15.6	9.9-21.3			
55-64	406	44,881	1	0.2	0.0- 0.6	62	16.1	11.2-21.0	189	43.9	38.0-49.8	87	22.6	17.7-27.5	67	17.2	12.7-21.7			
65+	826	54,945	4	0.7	0.0- 1.5	164	18.2	15.1-21.3	385	46.3	42.2-50.4	203	25.1	21.6-28.6	70	9.7	7.0-12.4			
Less Than H.S.	96	23,368				17	26.8	13.5-40.1	41	41.2	27.1-55.3	20	14.3	6.9-21.7	18	17.8	8.0-27.6			
H.S. or G.E.D.	566	78,085	6	1.0	0.0- 2.0	120	23.5	18.6-28.4	227	38.8	33.5-44.1	140	24.0	19.5-28.5	73	12.8	9.3-16.3			
Some Post-H.S.	683	113,152	3	0.8	0.0- 1.8	126	20.7	16.6-24.8	292	41.6	36.9-46.3	180	24.6	20.5-28.7	82	12.3	9.4-15.2			
College Graduate	715	66,481	1	0.2	0.0- 0.6	151	23.9	19.6-28.2	352	48.4	43.7-53.1	137	17.8	14.3-21.3	74	9.7	7.2-12.2			
Less than \$15,000	85	12,247	4	7.3	0.0-15.7	21	39.4	23.3-55.5	32	30.0	16.9-43.1	20	15.6	6.8-24.4	8	7.7	0.1-15.3			
\$15,000- 24,999	159	20,322	1	0.3	0.0- 0.9	39	22.3	12.7-31.9	62	39.1	27.5-50.7	35	26.0	15.0-37.0	22	12.2	4.6-19.8			
\$25,000- 34,999	150	19,637	1	0.9	0.0- 2.7	44	34.6	24.2-45.0	48	29.2	20.0-38.4	36	20.4	12.6-28.2	21	15.0	7.4-22.6			
\$35,000- 49,999	232	29,939	1	0.5	0.0- 1.5	35	14.3	7.6-21.0	118	55.3	46.3-64.3	52	19.5	13.0-26.0	26	10.5	5.6-15.4			
\$50,000- 74,999	347	41,952	1	0.9	0.0- 2.7	67	18.4	12.9-23.9	169	48.7	41.3-56.1	70	17.6	12.7-22.5	40	14.5	9.0-20.0			
\$75,000+	794	115,910	1	0.1	0.0- 0.3	134	18.0	14.5-21.5	361	44.2	39.7-48.7	201	25.8	21.9-29.7	97	11.9	9.2-14.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 36: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18						> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	2014	250,625	37	1.5	0.9- 2.1	661	35.2	32.1-38.3	686	31.8	28.9-34.7	367	17.5	15.1-19.9	263	14.0	11.6-16.4			
Native	96	12,136	2	0.4	0.0- 1.0	18	16.4	7.4-25.4	22	22.2	11.4-33.0	29	34.7	20.8-48.6	25	26.3	13.8-38.8			
Non-Native	1900	236,739	35	1.6	0.8- 2.4	634	36.0	32.9-39.1	661	32.4	29.5-35.3	334	16.6	14.2-19.0	236	13.4	11.0-15.8			
18-24	87	33,962	3	2.6	0.0- 5.5	43	50.7	39.1-62.3	22	25.6	15.6-35.6	11	13.4	5.2-21.6	8	7.7	2.0-13.4			
25-34	135	44,633	3	1.6	0.0- 3.6	59	43.1	33.3-52.9	31	21.1	13.3-28.9	22	15.7	8.8-22.6	20	18.4	10.2-26.6			
35-44	188	41,098	1	0.3	0.0- 0.9	49	25.4	18.0-32.8	68	34.5	26.5-42.5	35	20.7	13.3-28.1	35	19.1	12.4-25.8			
45-54	218	32,747	2	0.5	0.0- 1.5	73	34.6	27.2-42.0	75	33.3	26.0-40.6	31	15.5	9.8-21.2	37	16.0	10.3-21.7			
55-64	446	39,511	8	2.3	0.1- 4.5	139	30.0	24.9-35.1	146	36.0	30.5-41.5	89	18.4	14.3-22.5	64	13.3	9.8-16.8			
65+	940	58,673	20	1.8	0.8- 2.8	298	30.9	27.4-34.4	344	37.8	34.1-41.5	179	19.7	16.6-22.8	99	9.8	7.6-12.0			
Less Than H.S.	77	16,396	2	2.6	0.0- 7.1	25	27.8	12.5-43.1	27	30.3	14.8-45.8	15	24.3	9.4-39.2	8	15.1	0.8-29.4			
H.S. or G.E.D.	492	62,034	9	1.5	0.1- 2.9	152	35.4	29.1-41.7	173	29.8	24.3-35.3	92	18.2	13.3-23.1	66	15.0	10.1-19.9			
Some Post-H.S.	644	95,390	15	1.7	0.5- 2.9	203	32.7	27.4-38.0	209	31.9	27.0-36.8	129	18.1	14.0-22.2	88	15.6	11.7-19.5			
College Graduate	801	76,805	11	1.1	0.1- 2.1	281	39.7	35.0-44.4	277	33.5	29.2-37.8	131	14.9	11.8-18.0	101	10.8	8.1-13.5			
Less than \$15,000	107	14,915				41	41.2	27.1-55.3	28	22.1	11.3-32.9	20	19.8	9.0-30.6	18	16.9	7.3-26.5			
\$15,000- 24,999	235	29,422	7	1.7	0.1- 3.3	62	28.3	18.7-37.9	78	27.5	19.7-35.3	61	29.5	20.3-38.7	27	13.1	5.1-21.1			
\$25,000- 34,999	183	20,516	4	1.0	0.0- 2.0	48	31.7	20.1-43.3	63	33.7	23.5-43.9	41	14.9	8.8-21.0	27	18.7	10.1-27.3			
\$35,000- 49,999	266	28,143	2	0.4	0.0- 1.2	66	27.3	18.9-35.7	95	35.6	27.4-43.8	51	18.5	11.6-25.4	52	18.1	11.2-25.0			
\$50,000- 74,999	265	31,779	2	0.3	0.0- 0.7	81	31.0	23.0-39.0	85	29.7	22.3-37.1	53	16.4	10.7-22.1	44	22.6	14.8-30.4			
\$75,000+	595	81,771	10	1.8	0.4- 3.2	215	39.6	34.3-44.9	216	32.7	27.8-37.6	87	16.2	12.1-20.3	67	9.6	6.9-12.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 37: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4076	532,349	60	1.3	0.9- 1.7	1052	28.1	26.1-30.1	1604	37.6	35.4-39.8	1360	33.1	31.1-35.1
Male	2062	281,725	14	0.7	0.1- 1.3	400	22.0	19.5-24.5	918	42.8	39.9-45.7	730	34.5	31.8-37.2
Female	2014	250,625	46	1.8	1.0- 2.6	652	34.9	31.8-38.0	686	31.8	28.9-34.7	630	31.5	28.6-34.4
Native	175	22,892	4	0.6	0.0- 1.4	26	15.5	8.2-22.8	49	31.0	21.2-40.8	96	52.8	42.6-63.0
Non-Native	3846	503,389	54	1.2	0.8- 1.6	1004	28.5	26.3-30.7	1542	38.1	35.9-40.3	1246	32.2	30.0-34.4
18-24	203	75,096	4	1.7	0.1- 3.3	94	48.1	40.5-55.7	55	28.9	21.8-36.0	50	21.4	15.3-27.5
25-34	362	101,844	6	1.6	0.2- 3.0	111	31.1	25.4-36.8	134	35.1	29.4-40.8	111	32.2	26.5-37.9
35-44	439	86,981	2	0.3	0.0- 0.7	95	22.9	18.2-27.6	180	39.6	33.9-45.3	162	37.2	31.7-42.7
45-54	454	70,417	4	0.4	0.0- 1.0	101	21.7	17.2-26.2	173	38.5	33.2-43.8	176	39.3	34.0-44.6
55-64	852	84,392	12	1.5	0.3- 2.7	198	22.3	18.8-25.8	333	39.7	35.8-43.6	309	36.5	32.6-40.4
65+	1766	113,618	32	1.8	1.0- 2.6	453	24.2	21.8-26.6	729	41.9	39.2-44.6	552	32.1	29.4-34.8
Less Than H.S.	173	39,764	2	1.1	0.0- 2.9	42	27.2	17.0-37.4	68	36.7	26.1-47.3	61	35.0	24.8-45.2
H.S. or G.E.D.	1058	140,118	20	1.5	0.7- 2.3	266	28.4	24.5-32.3	400	34.7	30.8-38.6	372	35.3	31.4-39.2
Some Post-H.S.	1327	208,541	22	1.4	0.6- 2.2	320	25.5	22.2-28.8	505	37.5	34.0-41.0	480	35.5	32.2-38.8
College Graduate	1516	143,286	15	0.8	0.2- 1.4	424	31.7	28.4-35.0	630	40.5	37.2-43.8	447	26.9	24.0-29.8
Less than \$15,000	192	27,162	4	3.3	0.0- 7.2	62	40.4	29.8-51.0	60	25.7	17.3-34.1	66	30.7	21.7-39.7
\$15,000- 24,999	394	49,744	12	1.8	0.4- 3.2	95	24.6	17.7-31.5	142	32.8	25.9-39.7	145	40.8	33.2-48.4
\$25,000- 34,999	333	40,153	6	1.1	0.1- 2.1	91	32.9	25.3-40.5	111	31.5	24.6-38.4	125	34.4	27.3-41.5
\$35,000- 49,999	498	58,081	3	0.5	0.0- 1.1	99	19.5	14.2-24.8	212	45.8	39.3-52.3	184	34.3	28.4-40.2
\$50,000- 74,999	612	73,731	4	0.7	0.0- 1.7	144	23.3	18.6-28.0	256	40.7	35.2-46.2	208	35.3	30.0-40.6
\$75,000+	1389	197,682	13	0.9	0.3- 1.5	343	26.6	23.5-29.7	580	39.6	36.3-42.9	453	32.9	29.8-36.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 38: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2062	281,725	14	0.7	0.1- 1.3	400	22.0	19.5-24.5	918	42.8	39.9-45.7	730	34.5	31.8-37.2
Native	79	10,756	1	0.6	0.0- 1.8	9	14.7	3.1-26.3	27	41.0	25.5-56.5	42	43.7	29.2-58.2
Non-Native	1946	266,649	11	0.6	0.2- 1.0	378	22.1	19.4-24.8	881	43.1	40.2-46.0	676	34.2	31.5-36.9
18-24	116	41,134	1	0.9	0.0- 2.7	51	46.0	35.8-56.2	33	31.5	21.9-41.1	31	21.6	13.6-29.6
25-34	227	57,211	3	1.5	0.0- 3.3	52	21.7	15.4-28.0	103	46.0	38.6-53.4	69	30.7	23.8-37.6
35-44	251	45,883	1	0.3	0.0- 0.9	46	20.7	14.6-26.8	112	44.2	36.6-51.8	92	34.9	27.6-42.2
45-54	236	37,670	2	0.3	0.0- 0.7	28	10.5	6.4-14.6	98	43.1	35.5-50.7	108	46.1	38.5-53.7
55-64	406	44,881	1	0.2	0.0- 0.6	62	16.1	11.2-21.0	187	43.0	37.1-48.9	156	40.7	34.8-46.6
65+	826	54,945	6	0.9	0.1- 1.7	161	18.0	14.9-21.1	385	46.3	42.2-50.4	274	34.8	30.7-38.9
Less Than H.S.	96	23,368				17	26.8	13.5-40.1	41	41.2	27.1-55.3	38	32.0	20.2-43.8
H.S. or G.E.D.	566	78,085	8	1.2	0.0- 2.4	117	23.2	18.3-28.1	227	38.7	33.4-44.0	214	37.0	31.9-42.1
Some Post-H.S.	683	113,152	3	0.8	0.0- 1.8	121	19.9	15.8-24.0	296	42.2	37.5-46.9	263	37.1	32.6-41.6
College Graduate	715	66,481	2	0.3	0.0- 0.7	145	22.7	18.6-26.8	353	48.7	44.0-53.4	215	28.3	24.2-32.4
Less than \$15,000	85	12,247	4	7.3	0.0-15.7	21	39.4	23.3-55.5	32	30.0	16.9-43.1	28	23.3	11.9-34.7
\$15,000- 24,999	159	20,322	2	0.5	0.0- 1.3	36	20.7	11.3-30.1	64	40.5	28.9-52.1	57	38.3	26.5-50.1
\$25,000- 34,999	150	19,637	1	0.9	0.0- 2.7	44	34.6	24.2-45.0	48	29.2	20.0-38.4	57	35.3	25.5-45.1
\$35,000- 49,999	232	29,939	1	0.5	0.0- 1.5	33	12.1	6.0-18.2	117	55.3	46.3-64.3	81	32.1	24.1-40.1
\$50,000- 74,999	347	41,952	1	0.9	0.0- 2.7	64	17.7	12.2-23.2	171	49.1	41.7-56.5	111	32.4	25.7-39.1
\$75,000+	794	115,910	3	0.2	0.0- 0.4	128	17.4	13.9-20.9	364	44.4	39.9-48.9	299	38.0	33.7-42.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 39: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Recomended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2014	250,625	46	1.8	1.0- 2.6	652	34.9	31.8-38.0	686	31.8	28.9-34.7	630	31.5	28.6-34.4
Native	96	12,136	3	0.6	0.0- 1.4	17	16.2	7.2-25.2	22	22.2	11.4-33.0	54	61.0	48.1-73.9
Non-Native	1900	236,739	43	1.9	1.1- 2.7	626	35.7	32.6-38.8	661	32.4	29.5-35.3	570	30.0	27.1-32.9
18-24	87	33,962	3	2.6	0.0- 5.5	43	50.7	39.1-62.3	22	25.6	15.6-35.6	19	21.1	11.7-30.5
25-34	135	44,633	3	1.6	0.0- 3.6	59	43.1	33.3-52.9	31	21.1	13.3-28.9	42	34.1	24.5-43.7
35-44	188	41,098	1	0.3	0.0- 0.9	49	25.4	18.0-32.8	68	34.5	26.5-42.5	70	39.8	31.2-48.4
45-54	218	32,747	2	0.5	0.0- 1.5	73	34.6	27.2-42.0	75	33.3	26.0-40.6	68	31.6	24.3-38.9
55-64	446	39,511	11	2.9	0.5- 5.3	136	29.4	24.3-34.5	146	36.0	30.5-41.5	153	31.7	26.6-36.8
65+	940	58,673	26	2.6	1.4- 3.8	292	30.1	26.8-33.4	344	37.8	34.1-41.5	278	29.5	26.0-33.0
Less Than H.S.	77	16,396	2	2.6	0.0- 7.1	25	27.8	12.5-43.1	27	30.3	14.8-45.8	23	39.3	21.9-56.7
H.S. or G.E.D.	492	62,034	12	1.9	0.5- 3.3	149	35.1	28.8-41.4	173	29.8	24.3-35.3	158	33.3	27.2-39.4
Some Post-H.S.	644	95,390	19	2.2	1.0- 3.4	199	32.3	27.0-37.6	209	31.9	27.0-36.8	217	33.7	28.6-38.8
College Graduate	801	76,805	13	1.2	0.2- 2.2	279	39.6	34.9-44.3	277	33.5	29.2-37.8	232	25.7	21.8-29.6
Less than \$15,000	107	14,915				41	41.2	27.1-55.3	28	22.1	11.3-32.9	38	36.7	23.6-49.8
\$15,000- 24,999	235	29,422	10	2.6	0.4- 4.8	59	27.3	17.7-36.9	78	27.5	19.7-35.3	88	42.5	32.3-52.7
\$25,000- 34,999	183	20,516	5	1.3	0.1- 2.5	47	31.4	19.8-43.0	63	33.7	23.5-43.9	68	33.6	23.6-43.6
\$35,000- 49,999	266	28,143	2	0.4	0.0- 1.2	66	27.3	18.9-35.7	95	35.6	27.4-43.8	103	36.6	28.2-45.0
\$50,000- 74,999	265	31,779	3	0.6	0.0- 1.4	80	30.7	22.7-38.7	85	29.7	22.3-37.1	97	39.0	30.6-47.4
\$75,000+	595	81,771	10	1.8	0.4- 3.2	215	39.6	34.3-44.9	216	32.7	27.8-37.6	154	25.8	21.1-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4076	532,349	1112	29.3	27.3-31.3	2964	70.7	68.7-72.7
Male	2062	281,725	414	22.7	20.2-25.2	1648	77.3	74.8-79.8
Female	2014	250,625	698	36.7	33.6-39.8	1316	63.3	60.2-66.4
Native	175	22,892	30	16.1	8.8-23.4	145	83.9	76.6-91.2
Non-Native	3846	503,389	1058	29.7	27.5-31.9	2788	70.3	68.1-72.5
18-24	203	75,096	98	49.8	42.2-57.4	105	50.2	42.6-57.8
25-34	362	101,844	117	32.7	27.0-38.4	245	67.3	61.6-73.0
35-44	439	86,981	97	23.2	18.3-28.1	342	76.8	71.9-81.7
45-54	454	70,417	105	22.1	17.6-26.6	349	77.9	73.4-82.4
55-64	852	84,392	210	23.8	20.3-27.3	642	76.2	72.7-79.7
65+	1766	113,618	485	26.0	23.6-28.4	1281	74.0	71.6-76.4
Less Than H.S.	173	39,764	44	28.3	18.1-38.5	129	71.7	61.5-81.9
H.S. or G.E.D.	1058	140,118	286	29.9	26.0-33.8	772	70.1	66.2-74.0
Some Post-H.S.	1327	208,541	342	27.0	23.7-30.3	985	73.0	69.7-76.3
College Graduate	1516	143,286	439	32.5	29.2-35.8	1077	67.5	64.2-70.8
Less than \$15,000	192	27,162	66	43.7	33.1-54.3	126	56.3	45.7-66.9
\$15,000- 24,999	394	49,744	107	26.4	19.3-33.5	287	73.6	66.5-80.7
\$25,000- 34,999	333	40,153	97	34.0	26.4-41.6	236	66.0	58.4-73.6
\$35,000- 49,999	498	58,081	102	20.0	14.7-25.3	396	80.0	74.7-85.3
\$50,000- 74,999	612	73,731	148	24.0	19.3-28.7	464	76.0	71.3-80.7
\$75,000+	1389	197,682	356	27.5	24.4-30.6	1033	72.5	69.4-75.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2062	281,725	414	22.7	20.2-25.2	1648	77.3	74.8-79.8
Native	79	10,756	10	15.4	3.8-27.0	69	84.6	73.0-96.2
Non-Native	1946	266,649	389	22.7	20.0-25.4	1557	77.3	74.6-80.0
18-24	116	41,134	52	46.9	36.7-57.1	64	53.1	42.9-63.3
25-34	227	57,211	55	23.3	17.0-29.6	172	76.7	70.4-83.0
35-44	251	45,883	47	21.0	14.9-27.1	204	79.0	72.9-85.1
45-54	236	37,670	30	10.8	6.5-15.1	206	89.2	84.9-93.5
55-64	406	44,881	63	16.3	11.4-21.2	343	83.7	78.8-88.6
65+	826	54,945	167	18.9	15.8-22.0	659	81.1	78.0-84.2
Less Than H.S.	96	23,368	17	26.8	13.5-40.1	79	73.2	59.9-86.5
H.S. or G.E.D.	566	78,085	125	24.4	19.5-29.3	441	75.6	70.7-80.5
Some Post-H.S.	683	113,152	124	20.7	16.6-24.8	559	79.3	75.2-83.4
College Graduate	715	66,481	147	23.0	18.7-27.3	568	77.0	72.7-81.3
Less than \$15,000	85	12,247	25	46.7	30.8-62.6	60	53.3	37.4-69.2
\$15,000- 24,999	159	20,322	38	21.2	11.8-30.6	121	78.8	69.4-88.2
\$25,000- 34,999	150	19,637	45	35.4	25.0-45.8	105	64.6	54.2-75.0
\$35,000- 49,999	232	29,939	34	12.6	6.5-18.7	198	87.4	81.3-93.5
\$50,000- 74,999	347	41,952	65	18.5	13.0-24.0	282	81.5	76.0-87.0
\$75,000+	794	115,910	131	17.7	14.2-21.2	663	82.3	78.8-85.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2014	250,625	698	36.7	33.6-39.8	1316	63.3	60.2-66.4
Native	96	12,136	20	16.8	7.8-25.8	76	83.2	74.2-92.2
Non-Native	1900	236,739	669	37.6	34.5-40.7	1231	62.4	59.3-65.5
18-24	87	33,962	46	53.2	41.6-64.8	41	46.8	35.2-58.4
25-34	135	44,633	62	44.7	34.9-54.5	73	55.3	45.5-65.1
35-44	188	41,098	50	25.7	18.3-33.1	138	74.3	66.9-81.7
45-54	218	32,747	75	35.1	27.7-42.5	143	64.9	57.5-72.3
55-64	446	39,511	147	32.3	27.0-37.6	299	67.7	62.4-73.0
65+	940	58,673	318	32.7	29.2-36.2	622	67.3	63.8-70.8
Less Than H.S.	77	16,396	27	30.4	14.7-46.1	50	69.6	53.9-85.3
H.S. or G.E.D.	492	62,034	161	37.0	30.7-43.3	331	63.0	56.7-69.3
Some Post-H.S.	644	95,390	218	34.4	29.1-39.7	426	65.6	60.3-70.9
College Graduate	801	76,805	292	40.8	36.1-45.5	509	59.2	54.5-63.9
Less than \$15,000	107	14,915	41	41.2	27.1-55.3	66	58.8	44.7-72.9
\$15,000- 24,999	235	29,422	69	29.9	20.3-39.5	166	70.1	60.5-79.7
\$25,000- 34,999	183	20,516	52	32.7	21.3-44.1	131	67.3	55.9-78.7
\$35,000- 49,999	266	28,143	68	27.8	19.4-36.2	198	72.2	63.8-80.6
\$50,000- 74,999	265	31,779	83	31.3	23.3-39.3	182	68.7	60.7-76.7
\$75,000+	595	81,771	225	41.4	36.1-46.7	370	58.6	53.3-63.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4410	573,618	3487	66.6	64.4-68.8	315	12.1	10.5-13.7	303	10.8	9.4-12.2	197	6.6	5.6- 7.6	67	2.2	1.6- 2.8	41	1.6	1.0- 2.2
Male	2124	291,116	1695	71.9	69.2-74.6	139	9.3	7.5-11.1	146	9.3	7.5-11.1	92	6.0	4.6- 7.4	35	2.3	1.3- 3.3	17	1.3	0.5- 2.1
Female	2286	282,502	1792	61.2	58.1-64.3	176	15.0	12.5-17.5	157	12.5	10.1-14.9	105	7.3	5.7- 8.9	32	2.1	1.1- 3.1	24	1.9	0.9- 2.9
Native	186	24,506	101	49.0	39.2-58.8	24	11.0	5.9-16.1	19	10.6	4.1-17.1	24	17.0	9.6-24.4	6	2.6	0.2- 5.0	12	9.7	2.4-17.0
Non-Native	4157	541,171	3331	67.3	65.1-69.5	288	12.3	10.7-13.9	280	10.9	9.3-12.5	171	6.2	5.0- 7.4	59	2.1	1.5- 2.7	28	1.2	0.6- 1.8
18-24	220	80,730	157	71.6	64.9-78.3	32	15.3	9.8-20.8	16	5.4	2.5- 8.3	7	2.7	0.5- 4.9	2	1.0	0.0- 2.4	6	4.0	0.7- 7.3
25-34	392	109,752	204	48.3	42.6-54.0	54	15.3	11.0-19.6	66	20.8	15.7-25.9	40	9.5	6.4-12.6	21	4.2	2.0- 6.4	7	1.8	0.2- 3.4
35-44	464	91,496	114	24.6	19.5-29.7	71	18.2	13.7-22.7	121	26.1	21.4-30.8	111	22.3	17.8-26.8	29	5.7	3.3- 8.1	18	3.1	1.1- 5.1
45-54	504	77,828	291	59.0	53.9-64.1	103	22.9	18.4-27.4	65	9.8	7.1-12.5	30	5.3	3.1- 7.5	11	2.1	0.3- 3.9	4	0.9	0.0- 1.9
55-64	918	90,376	844	90.9	88.5-93.3	38	5.0	3.2- 6.8	21	2.7	1.3- 4.1	6	0.7	0.0- 1.5	3	0.4	0.0- 0.8	6	0.4	0.0- 0.8
65+	1912	123,436	1877	97.8	97.0-98.6	17	1.1	0.5- 1.7	14	0.9	0.3- 1.5	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3			
Less Than H.S.	190	44,559	154	63.7	53.1-74.3	12	12.3	4.7-19.9	12	12.5	4.7-20.3	5	3.5	0.0- 7.0				7	8.0	1.7-14.3
H.S. or G.E.D.	1151	152,395	962	71.2	67.3-75.1	77	12.9	9.8-16.0	57	8.1	5.7-10.5	43	6.5	4.3- 8.7	5	0.7	0.0- 1.5	7	0.6	0.0- 1.2
Some Post-H.S.	1424	220,294	1136	66.7	63.2-70.2	113	12.5	10.0-15.0	91	10.7	8.2-13.2	51	6.1	4.3- 7.9	22	2.7	1.5- 3.9	11	1.3	0.3- 2.3
College Graduate	1637	155,218	1228	63.0	59.9-66.1	113	10.8	8.6-13.0	143	13.4	11.0-15.8	98	8.4	6.4-10.4	39	3.3	2.1- 4.5	16	1.2	0.4- 2.0
Less than \$15,000	210	30,554	179	72.3	62.3-82.3	11	10.5	2.9-18.1	8	6.7	0.8-12.6	7	6.2	1.5-10.9	3	1.4	0.0- 3.2	2	2.9	0.0- 7.4
\$15,000- 24,999	427	54,441	373	71.1	63.5-78.7	26	15.6	9.1-22.1	14	6.2	1.7-10.7	5	2.5	0.1- 4.9	2	1.0	0.0- 2.6	7	3.6	0.3- 6.9
\$25,000- 34,999	351	42,118	307	76.0	68.6-83.4	16	9.6	4.3-14.9	16	9.1	3.6-14.6	6	3.1	0.2- 6.0	3	1.5	0.0- 3.7	3	0.7	0.0- 1.5
\$35,000- 49,999	526	61,406	442	73.4	67.5-79.3	28	8.5	4.8-12.2	24	8.7	4.6-12.8	22	7.6	3.9-11.3	6	0.7	0.1- 1.3	4	1.1	0.0- 2.5
\$50,000- 74,999	644	78,560	505	67.4	61.9-72.9	47	12.9	8.6-17.2	47	11.6	7.7-15.5	27	3.9	2.1- 5.7	12	3.6	1.2- 6.0	6	0.6	0.0- 1.2
\$75,000+	1453	205,430	985	56.0	52.7-59.3	150	14.4	11.9-16.9	153	14.2	11.7-16.7	114	10.5	8.3-12.7	35	3.2	1.8- 4.6	16	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2124	291,116	1695	71.9	69.2-74.6	139	9.3	7.5-11.1	146	9.3	7.5-11.1	92	6.0	4.6- 7.4	35	2.3	1.3- 3.3	17	1.3	0.5- 2.1
Native	80	10,760	53	72.2	60.4-84.0	13	12.8	5.0-20.6	5	3.8	0.1- 7.5	5	8.2	0.2-16.2	1	1.0	0.0- 3.0	3	2.0	0.0- 4.5
Non-Native	2003	275,266	1606	71.7	69.0-74.4	124	9.2	7.4-11.0	139	9.5	7.7-11.3	87	6.0	4.6- 7.4	33	2.3	1.3- 3.3	14	1.3	0.3- 2.3
18-24	122	42,335	97	81.4	73.8-89.0	12	7.9	3.2-12.6	9	6.1	1.8-10.4							4	4.6	0.0- 9.7
25-34	237	59,073	149	62.0	54.9-69.1	22	10.2	5.7-14.7	32	14.0	8.7-19.3	19	8.9	4.8-13.0	13	4.3	1.6- 7.0	2	0.6	0.0- 1.8
35-44	254	46,873	79	33.8	26.0-41.6	35	15.3	9.4-21.2	61	22.9	16.8-29.0	56	20.0	14.1-25.9	15	6.2	2.7- 9.7	8	1.9	0.3- 3.5
45-54	250	40,082	155	61.8	54.5-69.1	40	17.4	11.7-23.1	31	10.3	6.4-14.2	16	6.7	3.0-10.4	5	2.4	0.0- 5.5	3	1.4	0.0- 3.2
55-64	412	45,731	378	90.8	87.3-94.3	21	5.9	2.8- 9.0	11	2.8	0.8- 4.8				2	0.5	0.0- 1.3			
65+	849	57,022	837	98.4	97.2-99.6	9	1.3	0.3- 2.3	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3						
Less Than H.S.	102	25,531	85	73.5	61.2-85.8	8	10.6	2.6-18.6	3	5.6	0.0-12.7	2	3.3	0.0- 8.2				4	7.0	0.0-14.8
H.S. or G.E.D.	589	81,331	483	75.0	70.3-79.7	42	9.9	6.6-13.2	35	7.9	5.0-10.8	24	6.4	3.5- 9.3	1	0.2	0.0- 0.6	4	0.6	0.0- 1.4
Some Post-H.S.	692	114,113	550	71.9	67.4-76.4	50	9.6	6.7-12.5	47	8.8	6.1-11.5	26	5.8	3.4- 8.2	14	3.0	1.2- 4.8	5	1.0	0.0- 2.0
College Graduate	736	69,215	573	68.2	63.7-72.7	39	7.6	5.1-10.1	61	13.2	9.7-16.7	40	6.8	4.4- 9.2	19	3.6	1.6- 5.6	4	0.5	0.0- 1.1
Less than \$15,000	87	12,321	78	81.0	67.1-94.9	3	3.5	0.0- 8.4	3	8.4	0.0-20.4	3	7.2	0.0-15.2						
\$15,000- 24,999	168	21,708	154	84.1	74.3-93.9	11	15.2	5.4-25.0	1	0.2	0.0- 0.6							2	0.5	0.0- 1.3
\$25,000- 34,999	154	20,207	143	88.9	81.6-96.2	5	5.5	0.0-11.2	5	3.9	0.2- 7.6	1	1.7	0.0- 4.8						
\$35,000- 49,999	237	31,106	207	82.9	76.4-89.4	6	3.9	0.6- 7.2	11	7.0	2.5-11.5	9	4.4	1.1- 7.7	3	0.8	0.0- 1.8	1	1.0	0.0- 3.0
\$50,000- 74,999	349	42,394	281	72.5	65.6-79.4	22	9.7	5.0-14.4	28	12.3	7.0-17.6	10	2.4	0.6- 4.2	6	2.5	0.3- 4.7	2	0.5	0.0- 1.3
\$75,000+	803	116,816	551	58.7	54.2-63.2	81	12.9	9.8-16.0	74	11.7	8.8-14.6	63	10.4	7.5-13.3	24	4.3	2.3- 6.3	10	2.0	0.2- 3.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2286	282,502	1792	61.2	58.1-64.3	176	15.0	12.5-17.5	157	12.5	10.1-14.9	105	7.3	5.7- 8.9	32	2.1	1.1- 3.1	24	1.9	0.9- 2.9
Native	106	13,746	48	30.9	20.3-41.5	11	9.6	2.9-16.3	14	15.9	5.1-26.7	19	23.9	12.5-35.3	5	4.0	0.0- 8.1	9	15.7	3.5-27.9
Non-Native	2154	265,905	1725	62.8	59.7-65.9	164	15.4	12.9-17.9	141	12.3	9.9-14.7	84	6.4	4.8- 8.0	26	1.9	1.1- 2.7	14	1.2	0.4- 2.0
18-24	98	38,395	60	60.9	50.3-71.5	20	23.5	13.9-33.1	7	4.7	0.8- 8.6	7	5.7	1.4-10.0	2	2.0	0.0- 4.7	2	3.3	0.0- 7.8
25-34	155	50,679	55	32.5	24.3-40.7	32	21.2	13.6-28.8	34	28.8	19.8-37.8	21	10.3	5.6-15.0	8	4.0	0.9- 7.1	5	3.2	0.3- 6.1
35-44	210	44,623	35	14.9	9.4-20.4	36	21.1	14.0-28.2	60	29.5	22.1-36.9	55	24.7	17.6-31.8	14	5.2	1.9- 8.5	10	4.5	1.0- 8.0
45-54	254	37,745	136	56.1	48.8-63.4	63	28.8	22.1-35.5	34	9.3	5.8-12.8	14	3.9	1.5- 6.3	6	1.8	0.2- 3.4	1	0.2	0.0- 0.6
55-64	506	44,645	466	91.0	87.7-94.3	17	4.0	1.8- 6.2	10	2.5	0.5- 4.5	6	1.5	0.0- 3.1	1	0.3	0.0- 0.9	6	0.8	0.0- 1.6
65+	1063	66,414	1040	97.3	96.1-98.5	8	0.8	0.2- 1.4	12	1.6	0.6- 2.6	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6			
Less Than H.S.	88	19,028	69	50.5	34.4-66.6	4	14.5	0.4-28.6	9	21.8	6.9-36.7	3	3.8	0.0- 8.5				3	9.5	0.0-19.7
H.S. or G.E.D.	562	71,064	479	66.9	60.6-73.2	35	16.3	11.0-21.6	22	8.2	4.3-12.1	19	6.6	3.5- 9.7	4	1.4	0.0- 3.0	3	0.6	0.0- 1.4
Some Post-H.S.	732	106,181	586	61.2	55.9-66.5	63	15.6	11.5-19.7	44	12.8	8.7-16.9	25	6.5	3.6- 9.4	8	2.3	0.5- 4.1	6	1.6	0.0- 3.2
College Graduate	901	86,003	655	58.8	54.3-63.3	74	13.4	10.1-16.7	82	13.5	10.2-16.8	58	9.6	6.9-12.3	20	3.0	1.4- 4.6	12	1.7	0.5- 2.9
Less than \$15,000	123	18,233	101	66.4	52.9-79.9	8	15.3	3.3-27.3	5	5.6	0.0-11.3	4	5.5	0.0-11.0	3	2.3	0.0- 5.2	2	4.8	0.0-12.4
\$15,000- 24,999	259	32,732	219	62.4	52.2-72.6	15	15.9	7.3-24.5	13	10.2	2.9-17.5	5	4.1	0.4- 7.8	2	1.6	0.0- 4.1	5	5.7	0.2-11.2
\$25,000- 34,999	197	21,911	164	64.1	52.7-75.5	11	13.5	4.9-22.1	11	13.9	4.1-23.7	5	4.4	0.0- 9.1	3	3.0	0.0- 6.9	3	1.3	0.0- 2.9
\$35,000- 49,999	289	30,300	235	63.7	54.9-72.5	22	13.2	6.9-19.5	13	10.4	3.7-17.1	13	10.8	4.3-17.3	3	0.7	0.0- 1.5	3	1.2	0.0- 2.8
\$50,000- 74,999	295	36,166	224	61.3	52.9-69.7	25	16.7	9.3-24.1	19	10.8	4.7-16.9	17	5.5	2.4- 8.6	6	5.0	0.7- 9.3	4	0.8	0.0- 1.8
\$75,000+	650	88,614	434	52.3	47.2-57.4	69	16.4	12.3-20.5	79	17.4	13.1-21.7	51	10.7	7.4-14.0	11	1.9	0.7- 3.1	6	1.2	0.0- 2.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4460	583,452	193	7.9	6.3-9.5	1169	26.6	24.8-28.4	1445	38.4	36.4-40.4	1653	27.1	25.5-28.7
Male	2160	298,641	104	8.9	6.7-11.1	603	28.1	25.6-30.6	708	39.3	36.6-42.0	745	23.7	21.5-25.9
Female	2300	284,811	89	6.8	4.8-8.8	566	25.1	22.6-27.6	737	37.5	34.6-40.4	908	30.6	28.1-33.1
Native	191	25,524	24	24.1	14.3-33.9	54	28.8	20.2-37.4	74	36.2	27.2-45.2	39	11.0	6.5-15.5
Non-Native	4200	549,367	167	7.2	5.6-8.8	1098	26.5	24.5-28.5	1350	38.5	36.3-40.7	1585	27.9	26.1-29.7
18-24	224	81,452	12	9.8	4.3-15.3	90	38.8	31.7-45.9	77	38.0	30.7-45.3	45	13.3	9.2-17.4
25-34	403	113,247	16	8.6	4.3-12.9	95	25.0	20.1-29.9	114	33.0	27.5-38.5	178	33.4	28.5-38.3
35-44	482	95,368	12	6.2	2.3-10.1	99	21.5	17.0-26.0	145	38.5	33.0-44.0	226	33.9	29.2-38.6
45-54	508	78,106	11	4.7	1.6-7.8	90	19.5	15.4-23.6	168	43.3	38.0-48.6	239	32.5	28.2-36.8
55-64	930	91,612	19	5.3	2.6-8.0	248	27.2	23.9-30.5	330	41.4	37.5-45.3	333	26.1	23.0-29.2
65+	1913	123,667	123	11.1	8.9-13.3	547	28.0	25.6-30.4	611	38.4	35.7-41.1	632	22.4	20.4-24.4
Less Than H.S.	193	45,870	193	100.0	100.0- 100									
H.S. or G.E.D.	1169	155,242				1169	100.0	100.0- 100						
Some Post-H.S.	1445	224,306							1445	100.0	100.0- 100			
College Graduate	1653	158,034										1653	100.0	100.0- 100
Less than \$15,000	210	30,554	31	16.9	9.1-24.7	83	40.6	31.0-50.2	67	34.3	24.7-43.9	29	8.2	3.9-12.5
\$15,000- 24,999	427	54,441	43	17.2	10.7-23.7	173	32.1	25.8-38.4	140	40.0	32.6-47.4	71	10.7	7.0-14.4
\$25,000- 34,999	351	42,118	16	6.3	1.4-11.2	123	35.4	28.3-42.5	133	42.3	35.0-49.6	79	16.0	11.3-20.7
\$35,000- 49,999	527	61,453	18	7.2	2.7-11.7	153	30.7	25.0-36.4	169	37.5	31.6-43.4	187	24.7	20.0-29.4
\$50,000- 74,999	646	78,889	11	3.9	0.8-7.0	129	23.2	18.5-27.9	232	43.0	37.5-48.5	274	29.8	25.3-34.3
\$75,000+	1456	205,804	16	2.2	0.8-3.6	242	20.3	17.6-23.0	423	36.9	33.6-40.2	775	40.6	37.5-43.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2160	298,641	104	8.9	6.7-11.1	603	28.1	25.6-30.6	708	39.3	36.6-42.0	745	23.7	21.5-25.9
Native	83	11,300	10	18.9	5.6-32.2	28	32.4	18.5-46.3	35	44.3	29.8-58.8	10	4.5	0.8- 8.2
Non-Native	2034	281,626	93	8.6	6.2-11.0	563	27.8	25.3-30.3	658	39.1	36.2-42.0	720	24.5	22.3-26.7
18-24	126	43,057	5	8.3	1.2-15.4	46	36.1	26.7-45.5	46	39.0	29.4-48.6	29	16.7	10.4-23.0
25-34	243	61,338	9	7.6	2.3-12.9	65	27.7	21.4-34.0	82	40.4	33.1-47.7	87	24.2	18.9-29.5
35-44	269	50,326	10	10.0	3.3-16.7	69	23.7	17.8-29.6	83	36.7	29.4-44.0	107	29.6	23.5-35.7
45-54	253	40,186	6	6.6	1.3-11.9	58	25.1	18.8-31.4	87	41.6	34.3-48.9	102	26.6	21.1-32.1
55-64	419	46,518	12	7.1	2.6-11.6	139	31.3	26.0-36.6	155	41.1	35.2-47.0	113	20.6	16.5-24.7
65+	850	57,216	62	12.8	9.3-16.3	226	25.7	22.2-29.2	255	37.8	33.7-41.9	307	23.8	20.9-26.7
Less Than H.S.	104	26,522	104	100.0	100.0- 100									
H.S. or G.E.D.	603	83,780				603	100.0	100.0- 100						
Some Post-H.S.	708	117,477							708	100.0	100.0- 100			
College Graduate	745	70,863										745	100.0	100.0- 100
Less than \$15,000	87	12,321	10	16.5	3.0-30.0	35	43.9	28.6-59.2	27	29.4	15.7-43.1	15	10.2	2.8-17.6
\$15,000- 24,999	168	21,708	20	19.4	9.4-29.4	67	28.6	19.4-37.8	51	41.0	29.2-52.8	30	11.0	4.9-17.1
\$25,000- 34,999	154	20,207	12	7.2	2.1-12.3	57	36.3	26.5-46.1	59	45.2	34.8-55.6	26	11.4	5.9-16.9
\$35,000- 49,999	238	31,153	12	11.4	3.0-19.8	79	30.1	22.3-37.9	73	36.2	27.8-44.6	74	22.3	15.6-29.0
\$50,000- 74,999	351	42,724	8	5.7	0.6-10.8	87	27.4	20.9-33.9	128	43.4	36.1-50.7	128	23.4	18.1-28.7
\$75,000+	806	117,190	13	3.6	1.2- 6.0	168	24.2	20.3-28.1	251	39.7	35.2-44.2	374	32.5	28.8-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2300	284,811	89	6.8	4.8- 8.8	566	25.1	22.6-27.6	737	37.5	34.6-40.4	908	30.6	28.1-33.1
Native	108	14,224	14	28.2	14.5-41.9	26	26.0	15.4-36.6	39	29.7	18.7-40.7	29	16.1	8.7-23.5
Non-Native	2166	267,741	74	5.7	3.7- 7.7	535	25.1	22.4-27.8	692	37.8	34.9-40.7	865	31.4	28.9-33.9
18-24	98	38,395	7	11.6	3.0-20.2	44	41.9	31.3-52.5	31	36.9	26.1-47.7	16	9.6	4.7-14.5
25-34	160	51,909	7	9.7	2.6-16.8	30	21.8	14.2-29.4	32	24.2	16.2-32.2	91	44.3	35.7-52.9
35-44	213	45,042	2	1.9	0.0- 4.8	30	19.0	12.1-25.9	62	40.5	32.3-48.7	119	38.6	31.3-45.9
45-54	255	37,920	5	2.7	0.0- 5.4	32	13.6	8.5-18.7	81	45.1	37.7-52.5	137	38.7	32.0-45.4
55-64	511	45,094	7	3.4	0.5- 6.3	109	23.0	18.7-27.3	175	41.8	36.5-47.1	220	31.8	27.5-36.1
65+	1063	66,451	61	9.7	7.2-12.2	321	30.1	26.8-33.4	356	39.0	35.5-42.5	325	21.2	18.7-23.7
Less Than H.S.	89	19,348	89	100.0	100.0- 100									
H.S. or G.E.D.	566	71,463				566	100.0	100.0- 100						
Some Post-H.S.	737	106,829							737	100.0	100.0- 100			
College Graduate	908	87,171										908	100.0	100.0- 100
Less than \$15,000	123	18,233	21	17.2	7.8-26.6	48	38.4	26.1-50.7	40	37.6	24.5-50.7	14	6.9	1.6-12.2
\$15,000- 24,999	259	32,732	23	15.7	7.1-24.3	106	34.5	26.1-42.9	89	39.4	30.0-48.8	41	10.5	5.8-15.2
\$25,000- 34,999	197	21,911	4	5.5	0.0-13.9	66	34.6	24.2-45.0	74	39.6	29.4-49.8	53	20.2	12.8-27.6
\$35,000- 49,999	289	30,300	6	2.8	0.4- 5.2	74	31.2	23.0-39.4	96	38.8	30.4-47.2	113	27.1	20.6-33.6
\$50,000- 74,999	295	36,166	3	1.8	0.0- 4.2	42	18.3	11.0-25.6	104	42.5	34.3-50.7	146	37.4	30.1-44.7
\$75,000+	650	88,614	3	0.5	0.0- 1.1	74	15.1	11.0-19.2	172	33.1	28.2-38.0	401	51.3	46.2-56.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 49: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3618	473,864	210	6.4	5.2- 7.6	427	11.5	9.9-13.1	351	8.9	7.7-10.1	527	13.0	11.4-14.6	2103	60.2	58.0-62.4
Male	1805	245,908	87	5.0	3.4- 6.6	168	8.8	6.8-10.8	154	8.2	6.6- 9.8	238	12.7	10.5-14.9	1158	65.3	62.4-68.2
Female	1813	227,956	123	8.0	6.0-10.0	259	14.4	11.9-16.9	197	9.6	7.6-11.6	289	13.3	11.1-15.5	945	54.7	51.4-58.0
Native	161	21,572	23	13.6	7.3-19.9	31	21.3	11.7-30.9	19	12.2	5.7-18.7	26	12.8	6.9-18.7	62	40.1	29.7-50.5
Non-Native	3419	447,265	183	6.0	4.8- 7.2	390	10.8	9.2-12.4	328	8.8	7.4-10.2	494	13.0	11.4-14.6	2024	61.4	59.0-63.8
18-24	153	54,782	24	18.6	11.3-25.9	26	20.8	13.4-28.2	20	9.2	4.9-13.5	22	14.0	8.1-19.9	61	37.5	29.1-45.9
25-34	356	99,371	18	5.0	2.3- 7.7	27	9.2	5.3-13.1	31	9.2	5.5-12.9	56	14.7	10.4-19.0	224	62.0	55.9-68.1
35-44	415	80,256	16	3.1	1.3- 4.9	26	8.2	4.5-11.9	25	7.5	4.2-10.8	36	9.2	5.7-12.7	312	72.0	66.5-77.5
45-54	448	68,025	21	5.3	2.8- 7.8	20	5.4	2.9- 7.9	21	4.7	2.3- 7.1	33	7.5	4.4-10.6	353	77.1	72.2-82.0
55-64	779	77,099	39	4.0	2.4- 5.6	60	8.1	5.7-10.5	51	6.7	4.3- 9.1	103	11.5	9.0-14.0	526	69.8	65.9-73.7
65+	1467	94,331	92	6.6	5.0- 8.2	268	18.5	16.0-21.0	203	14.5	12.3-16.7	277	19.0	16.6-21.4	627	41.4	38.5-44.3
Less Than H.S.	135	29,244	31	17.7	9.1-26.3	43	31.9	20.5-43.3	16	9.1	2.0-16.2	18	15.1	5.9-24.3	27	26.3	15.1-37.5
H.S. or G.E.D.	903	123,714	83	10.0	7.3-12.7	173	14.1	11.2-17.0	123	12.1	9.2-15.0	153	15.2	12.1-18.3	371	48.5	44.0-53.0
Some Post-H.S.	1164	182,957	67	5.7	3.7- 7.7	140	11.9	9.2-14.6	133	9.7	7.5-11.9	169	12.6	10.2-15.0	655	60.0	56.3-63.7
College Graduate	1415	137,344	29	1.8	0.8- 2.8	71	4.2	2.8- 5.6	79	4.9	3.5- 6.3	187	11.0	8.8-13.2	1049	78.0	75.3-80.7
Less than \$15,000	210	30,554	210	100.0	100.0- 100												
\$15,000- 24,999	427	54,441				427	100.0	100.0- 100									
\$25,000- 34,999	351	42,118							351	100.0	100.0- 100						
\$35,000- 49,999	527	61,453										527	100.0	100.0- 100			
\$50,000- 74,999	646	78,889													646	100.0	100.0- 100
\$75,000+	1457	206,410													1457	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 50: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	245,908	87	5.0	3.4- 6.6	168	8.8	6.8-10.8	154	8.2	6.6- 9.8	238	12.7	10.5-14.9	1158	65.3	62.4-68.2
Native	72	10,499	9	9.0	1.7-16.3	12	11.1	2.3-19.9	9	12.7	2.9-22.5	6	9.9	1.1-18.7	36	57.3	42.2-72.4
Non-Native	1712	232,564	75	4.7	3.1- 6.3	155	8.7	6.7-10.7	141	8.0	6.4- 9.6	230	12.8	10.6-15.0	1111	65.8	62.7-68.9
18-24	84	28,609	10	12.9	4.9-20.9	11	17.6	7.6-27.6	10	8.0	2.5-13.5	14	16.0	7.8-24.2	39	45.5	33.5-57.5
25-34	214	54,018	10	5.3	1.4- 9.2	12	5.2	1.9- 8.5	19	8.5	4.4-12.6	34	16.8	10.7-22.9	139	64.1	56.5-71.7
35-44	229	41,324	8	2.3	0.3- 4.3	13	7.9	2.6-13.2	13	6.2	2.3-10.1	19	7.0	3.3-10.7	176	76.5	69.4-83.6
45-54	225	36,090	9	4.2	0.7- 7.7	7	3.5	0.4- 6.6	12	6.2	2.3-10.1	16	8.6	3.5-13.7	181	77.4	70.3-84.5
55-64	350	38,989	16	3.1	1.3- 4.9	26	6.7	3.6- 9.8	14	4.9	1.8- 8.0	34	8.5	5.2-11.8	260	76.7	71.4-82.0
65+	703	46,878	34	4.5	2.7- 6.3	99	14.2	10.9-17.5	86	14.1	10.8-17.4	121	17.3	13.8-20.8	363	49.9	45.4-54.4
Less Than H.S.	75	17,832	10	11.4	1.4-21.4	20	23.6	11.1-36.1	12	8.1	2.2-14.0	12	19.9	5.8-34.0	21	37.0	20.9-53.1
H.S. or G.E.D.	493	68,384	35	7.9	4.4-11.4	67	9.1	6.2-12.0	57	10.7	7.4-14.0	79	13.7	9.8-17.6	255	58.6	52.9-64.3
Some Post-H.S.	589	98,059	27	3.7	1.7- 5.7	51	9.1	5.8-12.4	59	9.3	6.4-12.2	73	11.5	8.4-14.6	379	66.4	61.5-71.3
College Graduate	647	61,027	15	2.1	0.5- 3.7	30	3.9	1.7- 6.1	26	3.8	1.8- 5.8	74	11.4	8.1-14.7	502	78.9	74.6-83.2
Less than \$15,000	87	12,321	87	100.0	100.0- 100												
\$15,000- 24,999	168	21,708				168	100.0	100.0- 100									
\$25,000- 34,999	154	20,207							154	100.0	100.0- 100						
\$35,000- 49,999	238	31,153										238	100.0	100.0- 100			
\$50,000- 74,999	351	42,724													351	100.0	100.0- 100
\$75,000+	807	117,795													807	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 51: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1813	227,956	123	8.0	6.0-10.0	259	14.4	11.9-16.9	197	9.6	7.6-11.6	289	13.3	11.1-15.5	945	54.7	51.4-58.0
Native	89	11,073	14	17.9	8.1-27.7	19	31.0	16.1-45.9	10	11.7	3.3-20.1	20	15.5	7.7-23.3	26	23.8	13.4-34.2
Non-Native	1707	214,701	108	7.5	5.5- 9.5	235	13.0	10.6-15.4	187	9.6	7.6-11.6	264	13.2	11.0-15.4	913	56.6	53.3-59.9
18-24	69	26,173	14	24.7	12.7-36.7	15	24.2	13.0-35.4	10	10.5	3.8-17.2	8	11.8	3.6-20.0	22	28.8	17.6-40.0
25-34	142	45,353	8	4.7	1.2- 8.2	15	13.9	6.3-21.5	12	9.9	3.6-16.2	22	12.1	6.4-17.8	85	59.4	49.8-69.0
35-44	186	38,931	8	4.1	1.0- 7.2	13	8.5	3.0-14.0	12	8.8	3.5-14.1	17	11.5	5.4-17.6	136	67.2	58.6-75.8
45-54	223	31,936	12	6.4	2.3-10.5	13	7.4	3.1-11.7	9	3.1	0.7- 5.5	17	6.2	3.1- 9.3	172	76.8	70.3-83.3
55-64	429	38,109	23	4.9	2.4- 7.4	34	9.5	6.0-13.0	37	8.4	5.1-11.7	69	14.5	10.6-18.4	266	62.7	57.2-68.2
65+	764	47,453	58	8.7	6.0-11.4	169	22.8	19.1-26.5	117	14.8	11.9-17.7	156	20.6	17.3-23.9	264	33.1	29.2-37.0
Less Than H.S.	60	11,412	21	27.4	12.1-42.7	23	45.0	25.8-64.2	4	10.5	0.0-26.0	6	7.5	1.0-14.0	6	9.6	0.6-18.6
H.S. or G.E.D.	410	55,330	48	12.7	8.0-17.4	106	20.4	15.1-25.7	66	13.7	9.0-18.4	74	17.1	12.0-22.2	116	36.1	29.0-43.2
Some Post-H.S.	575	84,898	40	8.1	4.6-11.6	89	15.2	10.9-19.5	74	10.2	7.1-13.3	96	13.9	10.2-17.6	276	52.7	47.0-58.4
College Graduate	768	76,317	14	1.6	0.4- 2.8	41	4.5	2.5- 6.5	53	5.8	3.6- 8.0	113	10.8	8.3-13.3	547	77.3	73.6-81.0
Less than \$15,000	123	18,233	123	100.0	100.0- 100												
\$15,000- 24,999	259	32,732				259	100.0	100.0- 100									
\$25,000- 34,999	197	21,911							197	100.0	100.0- 100						
\$35,000- 49,999	289	30,300										289	100.0	100.0- 100			
\$50,000- 74,999	295	36,166													295	100.0	100.0- 100
\$75,000+	650	88,614													650	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 10: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	102
2	MALES ONLY	103
3	FEMALES ONLY	104
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	105
5	MALES ONLY	106
6	FEMALES ONLY	107

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4333	562,774	446	12.7	11.1-14.3	153	4.7	3.7- 5.7	1184	22.8	21.2-24.4	2550	59.8	57.8-61.8
Male	2086	284,857	233	13.3	11.1-15.5	83	5.6	4.0- 7.2	646	25.2	22.8-27.6	1124	55.9	53.0-58.8
Female	2247	277,918	213	12.0	9.8-14.2	70	3.7	2.3- 5.1	538	20.3	18.1-22.5	1426	63.9	61.0-66.8
Native	181	24,043	44	26.3	17.7-34.9	18	9.8	3.7-15.9	47	24.9	15.9-33.9	72	39.0	29.6-48.4
Non-Native	4083	530,724	393	12.0	10.4-13.6	135	4.5	3.5- 5.5	1123	22.7	21.1-24.3	2432	60.9	58.7-63.1
18-24	211	77,055	23	11.7	6.6-16.8	11	5.2	1.9- 8.5	10	4.0	1.5- 6.5	167	79.1	72.8-85.4
25-34	384	107,738	56	15.9	11.4-20.4	18	6.5	3.4- 9.6	66	17.6	13.3-21.9	244	60.0	54.1-65.9
35-44	462	91,155	63	15.6	11.3-19.9	21	5.4	2.9- 7.9	111	24.9	20.0-29.8	267	54.1	48.4-59.8
45-54	497	76,817	58	14.0	10.3-17.7	21	4.7	2.2- 7.2	94	19.7	15.6-23.8	324	61.7	56.6-66.8
55-64	907	88,772	105	12.9	10.2-15.6	38	4.1	2.5- 5.7	213	24.9	21.4-28.4	551	58.0	54.1-61.9
65+	1872	121,236	141	7.2	5.6- 8.8	44	2.6	1.6- 3.6	690	38.2	35.5-40.9	997	52.0	49.3-54.7
Less Than H.S.	185	41,804	31	30.3	19.9-40.7	10	9.0	2.5-15.5	65	27.0	18.6-35.4	79	33.8	24.0-43.6
H.S. or G.E.D.	1122	148,156	169	16.9	14.0-19.8	51	6.2	4.0- 8.4	341	24.6	21.5-27.7	561	52.3	48.2-56.4
Some Post-H.S.	1402	217,677	175	12.5	10.1-14.9	53	4.5	3.1- 5.9	431	26.0	23.1-28.9	743	57.0	53.7-60.3
College Graduate	1617	154,160	71	4.3	2.9- 5.7	39	2.2	1.2- 3.2	346	15.6	13.6-17.6	1161	78.0	75.5-80.5
Less than \$15,000	206	29,976	50	22.1	14.7-29.5	20	9.1	3.8-14.4	41	16.4	9.1-23.7	95	52.5	42.5-62.5
\$15,000- 24,999	415	53,301	78	27.0	19.6-34.4	18	4.9	1.8- 8.0	128	22.9	17.6-28.2	191	45.2	37.8-52.6
\$25,000- 34,999	342	40,874	43	15.3	10.0-20.6	12	7.8	2.3-13.3	114	29.2	22.7-35.7	173	47.7	40.3-55.1
\$35,000- 49,999	520	59,513	49	10.2	6.7-13.7	14	3.3	0.6- 6.0	171	27.5	22.4-32.6	286	59.0	53.1-64.9
\$50,000- 74,999	635	77,046	53	8.3	5.4-11.2	21	4.0	1.8- 6.2	196	27.4	22.7-32.1	365	60.3	55.0-65.6
\$75,000+	1440	203,120	106	9.3	7.1-11.5	44	4.1	2.5- 5.7	340	21.3	18.8-23.8	950	65.4	62.3-68.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2086	284,857	233	13.3	11.1-15.5	83	5.6	4.0- 7.2	646	25.2	22.8-27.6	1124	55.9	53.0-58.8
Native	77	10,299	14	19.8	8.4-31.2	10	17.3	4.8-29.8	18	15.8	6.8-24.8	35	47.1	32.2-62.0
Non-Native	1967	269,428	212	12.9	10.7-15.1	73	5.2	3.6- 6.8	620	25.8	23.4-28.2	1062	56.1	53.2-59.0
18-24	117	40,152	9	9.5	3.0-16.0	7	6.7	1.6-11.8	6	3.9	0.6- 7.2	95	79.9	71.7-88.1
25-34	231	57,767	40	17.3	11.8-22.8	13	7.2	3.3-11.1	41	20.8	14.5-27.1	137	54.7	47.4-62.0
35-44	254	46,848	37	16.3	10.4-22.2	14	7.1	3.0-11.2	68	25.0	18.5-31.5	135	51.7	44.1-59.3
45-54	248	39,928	31	13.8	8.7-18.9	12	5.8	1.7- 9.9	57	24.2	17.7-30.7	148	56.1	48.7-63.5
55-64	403	44,156	51	14.3	9.8-18.8	20	4.6	2.1- 7.1	98	25.7	20.4-31.0	234	55.3	49.4-61.2
65+	833	56,006	65	8.4	5.7-11.1	17	2.4	1.0- 3.8	376	45.6	41.5-49.7	375	43.6	39.5-47.7
Less Than H.S.	97	22,726	17	26.0	13.7-38.3	6	9.6	1.2-18.0	41	29.5	17.9-41.1	33	35.0	21.3-48.7
H.S. or G.E.D.	576	79,628	84	16.5	12.4-20.6	32	7.6	4.3-10.9	198	28.4	23.9-32.9	262	47.5	42.0-53.0
Some Post-H.S.	684	112,919	95	13.6	10.3-16.9	27	5.0	2.6- 7.4	230	27.4	23.5-31.3	332	54.0	49.3-58.7
College Graduate	725	68,832	37	5.1	2.9- 7.3	18	2.9	1.3- 4.5	176	16.9	14.0-19.8	494	75.2	71.5-78.9
Less than \$15,000	85	12,174	21	20.6	8.3-32.9	10	10.7	1.7-19.7	16	20.4	6.9-33.9	38	48.4	32.9-63.9
\$15,000- 24,999	162	21,314	34	28.2	17.0-39.4	8	4.4	0.7- 8.1	57	21.4	14.0-28.8	63	46.0	34.2-57.8
\$25,000- 34,999	149	19,195	26	20.9	12.3-29.5	5	6.1	0.2-12.0	57	31.7	22.1-41.3	61	41.3	30.9-51.7
\$35,000- 49,999	233	29,337	28	15.6	9.1-22.1	6	4.6	0.0- 9.7	86	27.8	20.7-34.9	113	51.9	43.1-60.7
\$50,000- 74,999	344	41,526	31	10.8	5.9-15.7	11	5.4	1.7- 9.1	123	28.7	22.6-34.8	179	55.1	47.8-62.4
\$75,000+	794	115,762	61	9.5	6.6-12.4	30	4.9	2.7- 7.1	222	26.5	22.6-30.4	481	59.0	54.5-63.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2247	277,918	213	12.0	9.8-14.2	70	3.7	2.3- 5.1	538	20.3	18.1-22.5	1426	63.9	61.0-66.8
Native	104	13,744	30	31.2	18.9-43.5	8	4.1	1.0- 7.2	29	31.7	18.6-44.8	37	33.0	21.4-44.6
Non-Native	2116	261,296	181	11.0	8.6-13.4	62	3.7	2.3- 5.1	503	19.5	17.3-21.7	1370	65.8	62.9-68.7
18-24	94	36,903	14	14.2	6.0-22.4	4	3.6	0.0- 7.3	4	4.1	0.0- 8.2	72	78.1	68.7-87.5
25-34	153	49,971	16	14.3	6.7-21.9	5	5.6	0.5-10.7	25	13.9	8.0-19.8	107	66.1	56.9-75.3
35-44	208	44,307	26	14.8	8.7-20.9	7	3.6	0.7- 6.5	43	24.9	17.3-32.5	132	56.6	48.4-64.8
45-54	249	36,889	27	14.2	8.7-19.7	9	3.4	0.9- 5.9	37	14.7	9.6-19.8	176	67.7	60.8-74.6
55-64	504	44,616	54	11.6	8.1-15.1	18	3.6	1.8- 5.4	115	24.2	19.7-28.7	317	60.7	55.6-65.8
65+	1039	65,230	76	6.3	4.7- 7.9	27	2.7	1.3- 4.1	314	31.8	28.3-35.3	622	59.2	55.7-62.7
Less Than H.S.	88	19,077	14	35.4	18.7-52.1	4	8.3	0.0-18.5	24	23.9	11.7-36.1	46	32.4	18.9-45.9
H.S. or G.E.D.	546	68,528	85	17.3	12.8-21.8	19	4.6	1.7- 7.5	143	20.2	15.9-24.5	299	57.9	52.0-63.8
Some Post-H.S.	718	104,758	80	11.2	7.9-14.5	26	4.0	2.2- 5.8	201	24.5	20.4-28.6	411	60.2	55.3-65.1
College Graduate	892	85,328	34	3.6	1.8- 5.4	21	1.6	0.6- 2.6	170	14.5	11.8-17.2	667	80.2	76.9-83.5
Less than \$15,000	121	17,802	29	23.2	13.8-32.6	10	8.0	1.5-14.5	25	13.6	6.2-21.0	57	55.3	42.8-67.8
\$15,000- 24,999	253	31,987	44	26.2	16.4-36.0	10	5.2	0.7- 9.7	71	24.0	16.7-31.3	128	44.6	35.2-54.0
\$25,000- 34,999	193	21,679	17	10.3	4.0-16.6	7	9.3	0.3-18.3	57	26.9	18.1-35.7	112	53.4	42.6-64.2
\$35,000- 49,999	287	30,176	21	4.9	2.0- 7.8	8	2.1	0.3- 3.9	85	27.2	19.8-34.6	173	65.8	58.0-73.6
\$50,000- 74,999	291	35,520	22	5.4	2.5- 8.3	10	2.4	0.6- 4.2	73	25.8	18.5-33.1	186	66.4	58.8-74.0
\$75,000+	646	87,358	45	9.0	5.9-12.1	14	2.9	0.9- 4.9	118	14.3	11.2-17.4	469	73.8	69.5-78.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4333	562,774	3734	82.6	80.8-84.4	599	17.4	15.6-19.2
Male	2086	284,857	1770	81.1	78.7-83.5	316	18.9	16.5-21.3
Female	2247	277,918	1964	84.2	81.7-86.7	283	15.8	13.3-18.3
Native	181	24,043	119	63.9	54.3-73.5	62	36.1	26.5-45.7
Non-Native	4083	530,724	3555	83.5	81.7-85.3	528	16.5	14.7-18.3
18-24	211	77,055	177	83.1	77.2-89.0	34	16.9	11.0-22.8
25-34	384	107,738	310	77.6	72.3-82.9	74	22.4	17.1-27.7
35-44	462	91,155	378	79.0	74.3-83.7	84	21.0	16.3-25.7
45-54	497	76,817	418	81.3	77.0-85.6	79	18.7	14.4-23.0
55-64	907	88,772	764	83.0	79.9-86.1	143	17.0	13.9-20.1
65+	1872	121,236	1687	90.2	88.4-92.0	185	9.8	8.0-11.6
Less Than H.S.	185	41,804	144	60.8	50.2-71.4	41	39.2	28.6-49.8
H.S. or G.E.D.	1122	148,156	902	76.9	73.4-80.4	220	23.1	19.6-26.6
Some Post-H.S.	1402	217,677	1174	83.0	80.5-85.5	228	17.0	14.5-19.5
College Graduate	1617	154,160	1507	93.5	91.9-95.1	110	6.5	4.9- 8.1
Less than \$15,000	206	29,976	136	68.8	60.2-77.4	70	31.2	22.6-39.8
\$15,000- 24,999	415	53,301	319	68.1	60.7-75.5	96	31.9	24.5-39.3
\$25,000- 34,999	342	40,874	287	76.9	69.8-84.0	55	23.1	16.0-30.2
\$35,000- 49,999	520	59,513	457	86.5	82.2-90.8	63	13.5	9.2-17.8
\$50,000- 74,999	635	77,046	561	87.7	84.2-91.2	74	12.3	8.8-15.8
\$75,000+	1440	203,120	1290	86.6	84.1-89.1	150	13.4	10.9-15.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2086	284,857	1770	81.1	78.7-83.5	316	18.9	16.5-21.3
Native	77	10,299	53	62.9	48.2-77.6	24	37.1	22.4-51.8
Non-Native	1967	269,428	1682	81.9	79.4-84.4	285	18.1	15.6-20.6
18-24	117	40,152	101	83.8	76.0-91.6	16	16.2	8.4-24.0
25-34	231	57,767	178	75.5	69.0-82.0	53	24.5	18.0-31.0
35-44	254	46,848	203	76.6	69.9-83.3	51	23.4	16.7-30.1
45-54	248	39,928	205	80.4	74.1-86.7	43	19.6	13.3-25.9
55-64	403	44,156	332	81.1	76.2-86.0	71	18.9	14.0-23.8
65+	833	56,006	751	89.2	86.3-92.1	82	10.8	7.9-13.7
Less Than H.S.	97	22,726	74	64.5	51.2-77.8	23	35.5	22.2-48.8
H.S. or G.E.D.	576	79,628	460	75.9	71.2-80.6	116	24.1	19.4-28.8
Some Post-H.S.	684	112,919	562	81.3	77.6-85.0	122	18.7	15.0-22.4
College Graduate	725	68,832	670	92.0	89.5-94.5	55	8.0	5.5-10.5
Less than \$15,000	85	12,174	54	68.8	54.7-82.9	31	31.2	17.1-45.3
\$15,000- 24,999	162	21,314	120	67.4	56.0-78.8	42	32.6	21.2-44.0
\$25,000- 34,999	149	19,195	118	73.0	63.4-82.6	31	27.0	17.4-36.6
\$35,000- 49,999	233	29,337	199	79.8	72.2-87.4	34	20.2	12.6-27.8
\$50,000- 74,999	344	41,526	302	83.8	77.9-89.7	42	16.2	10.3-22.1
\$75,000+	794	115,762	703	85.6	82.1-89.1	91	14.4	10.9-17.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2247	277,918	1964	84.2	81.7-86.7	283	15.8	13.3-18.3
Native	104	13,744	66	64.7	52.2-77.2	38	35.3	22.8-47.8
Non-Native	2116	261,296	1873	85.3	82.8-87.8	243	14.7	12.2-17.2
18-24	94	36,903	76	82.2	73.4-91.0	18	17.8	9.0-26.6
25-34	153	49,971	132	80.0	71.4-88.6	21	20.0	11.4-28.6
35-44	208	44,307	175	81.5	75.0-88.0	33	18.5	12.0-25.0
45-54	249	36,889	213	82.4	76.5-88.3	36	17.6	11.7-23.5
55-64	504	44,616	432	84.9	81.0-88.8	72	15.1	11.2-19.0
65+	1039	65,230	936	91.1	89.1-93.1	103	8.9	6.9-10.9
Less Than H.S.	88	19,077	70	56.4	39.7-73.1	18	43.6	26.9-60.3
H.S. or G.E.D.	546	68,528	442	78.1	73.0-83.2	104	21.9	16.8-27.0
Some Post-H.S.	718	104,758	612	84.8	81.1-88.5	106	15.2	11.5-18.9
College Graduate	892	85,328	837	94.7	92.7-96.7	55	5.3	3.3- 7.3
Less than \$15,000	121	17,802	82	68.9	57.9-79.9	39	31.1	20.1-42.1
\$15,000- 24,999	253	31,987	199	68.6	58.6-78.6	54	31.4	21.4-41.4
\$25,000- 34,999	193	21,679	169	80.4	70.2-90.6	24	19.6	9.4-29.8
\$35,000- 49,999	287	30,176	258	93.0	89.7-96.3	29	7.0	3.7-10.3
\$50,000- 74,999	291	35,520	259	92.2	88.9-95.5	32	7.8	4.5-11.1
\$75,000+	646	87,358	587	88.0	84.5-91.5	59	12.0	8.5-15.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	109
2 MALES ONLY	110
3 FEMALES ONLY	111
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	112
5 MALES ONLY	113
6 FEMALES ONLY	114
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	115
8 MALES ONLY	116
9 FEMALES ONLY	117
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)	
10 MALES AND FEMALES	118
11 MALES ONLY	119
12 FEMALES ONLY	120
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)	
13 MALES AND FEMALES	121
14 MALES ONLY	122
15 FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4300	558,151	2388	58.9	56.9-60.9	1912	41.1	39.1-43.1
Male	2066	282,177	1302	64.2	61.5-66.9	764	35.8	33.1-38.5
Female	2234	275,973	1086	53.5	50.6-56.4	1148	46.5	43.6-49.4
Native	178	23,475	70	50.4	40.4-60.4	108	49.6	39.6-59.6
Non-Native	4054	526,589	2291	59.4	57.2-61.6	1763	40.6	38.4-42.8
18-24	210	75,809	124	56.5	49.1-63.9	86	43.5	36.1-50.9
25-34	383	107,661	268	68.9	63.4-74.4	115	31.1	25.6-36.6
35-44	458	90,139	307	63.7	58.2-69.2	151	36.3	30.8-41.8
45-54	493	75,985	321	64.6	59.5-69.7	172	35.4	30.3-40.5
55-64	896	87,908	507	56.6	52.7-60.5	389	43.4	39.5-47.3
65+	1860	120,650	861	46.0	43.3-48.7	999	54.0	51.3-56.7
Less Than H.S.	184	40,502	64	32.8	23.0-42.6	120	67.2	57.4-77.0
H.S. or G.E.D.	1117	147,331	538	53.7	49.6-57.8	579	46.3	42.2-50.4
Some Post-H.S.	1393	216,522	789	61.8	58.5-65.1	604	38.2	34.9-41.5
College Graduate	1600	152,850	996	66.8	63.9-69.7	604	33.2	30.3-36.1
Less than \$15,000	206	29,867	69	37.8	28.0-47.6	137	62.2	52.4-72.0
\$15,000- 24,999	412	51,797	160	44.8	37.2-52.4	252	55.2	47.6-62.8
\$25,000- 34,999	347	41,667	164	52.1	44.7-59.5	183	47.9	40.5-55.3
\$35,000- 49,999	514	58,980	282	61.8	55.9-67.7	232	38.2	32.3-44.1
\$50,000- 74,999	633	76,783	409	64.4	59.1-69.7	224	35.6	30.3-40.9
\$75,000+	1431	202,643	982	70.3	67.4-73.2	449	29.7	26.8-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2066	282,177	1302	64.2	61.5-66.9	764	35.8	33.1-38.5
Native	76	10,202	38	61.6	47.9-75.3	38	38.4	24.7-52.1
Non-Native	1948	266,735	1250	64.9	62.0-67.8	698	35.1	32.2-38.0
18-24	116	39,160	70	59.6	49.6-69.6	46	40.4	30.4-50.4
25-34	230	57,689	180	79.0	72.9-85.1	50	21.0	14.9-27.1
35-44	252	46,434	175	63.3	55.7-70.9	77	36.7	29.1-44.3
45-54	246	39,574	159	63.9	56.6-71.2	87	36.1	28.8-43.4
55-64	399	43,761	244	59.4	53.3-65.5	155	40.6	34.5-46.7
65+	823	55,560	474	57.2	52.9-61.5	349	42.8	38.5-47.1
Less Than H.S.	96	21,425	40	32.0	19.7-44.3	56	68.0	55.7-80.3
H.S. or G.E.D.	571	79,203	323	59.6	54.3-64.9	248	40.4	35.1-45.7
Some Post-H.S.	682	113,199	434	68.2	63.9-72.5	248	31.8	27.5-36.1
College Graduate	713	67,599	504	73.1	69.0-77.2	209	26.9	22.8-31.0
Less than \$15,000	84	12,009	38	45.2	29.5-60.9	46	54.8	39.1-70.5
\$15,000- 24,999	161	21,276	79	48.0	36.2-59.8	82	52.0	40.2-63.8
\$25,000- 34,999	152	19,826	82	56.9	46.7-67.1	70	43.1	32.9-53.3
\$35,000- 49,999	230	29,032	145	69.4	61.2-77.6	85	30.6	22.4-38.8
\$50,000- 74,999	342	41,286	234	66.6	59.3-73.9	108	33.4	26.1-40.7
\$75,000+	789	115,216	575	73.1	69.2-77.0	214	26.9	23.0-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2234	275,973	1086	53.5	50.6-56.4	1148	46.5	43.6-49.4
Native	102	13,273	32	41.8	28.3-55.3	70	58.2	44.7-71.7
Non-Native	2106	259,854	1041	53.8	50.7-56.9	1065	46.2	43.1-49.3
18-24	94	36,648	54	53.2	42.0-64.4	40	46.8	35.6-58.0
25-34	153	49,971	88	57.3	48.3-66.3	65	42.7	33.7-51.7
35-44	206	43,705	132	64.3	56.3-72.3	74	35.7	27.7-43.7
45-54	247	36,411	162	65.4	58.3-72.5	85	34.6	27.5-41.7
55-64	497	44,147	263	53.8	48.5-59.1	234	46.2	40.9-51.5
65+	1037	65,091	387	36.5	33.0-40.0	650	63.5	60.0-67.0
Less Than H.S.	88	19,077	24	33.6	18.3-48.9	64	66.4	51.1-81.7
H.S. or G.E.D.	546	68,128	215	46.9	40.8-53.0	331	53.1	47.0-59.2
Some Post-H.S.	711	103,323	355	54.7	49.6-59.8	356	45.3	40.2-50.4
College Graduate	887	85,252	492	61.8	57.5-66.1	395	38.2	33.9-42.5
Less than \$15,000	122	17,857	31	32.8	20.6-45.0	91	67.2	55.0-79.4
\$15,000- 24,999	251	30,521	81	42.6	32.4-52.8	170	57.4	47.2-67.6
\$25,000- 34,999	195	21,841	82	47.7	37.1-58.3	113	52.3	41.7-62.9
\$35,000- 49,999	284	29,948	137	54.3	45.9-62.7	147	45.7	37.3-54.1
\$50,000- 74,999	291	35,496	175	61.9	53.9-69.9	116	38.1	30.1-46.1
\$75,000+	642	87,426	407	66.7	62.0-71.4	235	33.3	28.6-38.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4300	558,151	1421	35.5	33.5-37.5	483	12.8	11.4-14.2	175	3.8	3.0- 4.6	309	6.8	5.8- 7.8	1912	41.1	39.1-43.1
Male	2066	282,177	659	33.1	30.4-35.8	306	15.9	13.7-18.1	123	5.6	4.4- 6.8	214	9.6	8.0-11.2	764	35.8	33.1-38.5
Female	2234	275,973	762	37.9	35.0-40.8	177	9.8	8.0-11.6	52	1.9	1.3- 2.5	95	3.9	2.9- 4.9	1148	46.5	43.6-49.4
Native	178	23,475	46	31.6	21.8-41.4	16	9.1	4.2-14.0	1	1.5	0.0- 4.4	7	8.2	1.7-14.7	108	49.6	39.6-59.6
Non-Native	4054	526,589	1358	35.7	33.5-37.9	463	13.1	11.7-14.5	171	3.8	3.0- 4.6	299	6.7	5.7- 7.7	1763	40.6	38.4-42.8
18-24	210	75,809	80	36.8	29.5-44.1	32	14.5	9.4-19.6	6	2.5	0.3- 4.7	6	2.6	0.4- 4.8	86	43.5	36.1-50.9
25-34	383	107,661	156	40.6	34.9-46.3	65	15.9	12.0-19.8	17	4.3	2.1- 6.5	30	8.1	5.0-11.2	115	31.1	25.6-36.6
35-44	458	90,139	175	38.6	33.1-44.1	73	15.4	11.5-19.3	28	3.6	1.8- 5.4	31	6.2	3.7- 8.7	151	36.3	30.8-41.8
45-54	493	75,985	204	40.0	34.9-45.1	58	12.1	8.6-15.6	24	5.1	2.7- 7.5	35	7.3	4.8- 9.8	172	35.4	30.3-40.5
55-64	896	87,908	308	33.2	29.5-36.9	102	11.8	9.3-14.3	43	4.4	2.8- 6.0	54	7.2	5.0- 9.4	389	43.4	39.5-47.3
65+	1860	120,650	498	26.6	24.2-29.0	153	8.4	6.8-10.0	57	2.9	1.9- 3.9	153	8.1	6.5- 9.7	999	54.0	51.3-56.7
Less Than H.S.	184	40,502	42	24.7	15.5-33.9	7	1.8	0.2- 3.4	3	0.4	0.0- 1.0	12	5.8	1.3-10.3	120	67.2	57.4-77.0
H.S. or G.E.D.	1117	147,331	335	34.0	30.1-37.9	88	9.9	7.4-12.4	41	3.3	1.9- 4.7	74	6.5	4.7- 8.3	579	46.3	42.2-50.4
Some Post-H.S.	1393	216,522	457	36.1	32.8-39.4	165	14.0	11.5-16.5	55	4.2	2.8- 5.6	112	7.4	5.6- 9.2	604	38.2	34.9-41.5
College Graduate	1600	152,850	587	39.1	36.0-42.2	222	16.6	14.1-19.1	76	4.6	3.2- 6.0	111	6.5	4.9- 8.1	604	33.2	30.3-36.1
Less than \$15,000	206	29,867	38	24.6	15.4-33.8	11	7.5	2.6-12.4	5	0.9	0.0- 1.9	15	5.0	1.9- 8.1	137	62.2	52.4-72.0
\$15,000- 24,999	412	51,797	110	32.6	25.2-40.0	25	7.5	3.0-12.0	10	1.3	0.3- 2.3	15	3.4	1.0- 5.8	252	55.2	47.6-62.8
\$25,000- 34,999	347	41,667	101	37.4	30.1-44.7	24	6.8	3.5-10.1	10	2.8	0.1- 5.5	29	5.1	2.9- 7.3	183	47.9	40.5-55.3
\$35,000- 49,999	514	58,980	174	35.8	29.9-41.7	57	16.7	11.8-21.6	15	3.0	1.0- 5.0	36	6.3	3.2- 9.4	232	38.2	32.3-44.1
\$50,000- 74,999	633	76,783	248	40.1	34.8-45.4	79	11.4	8.3-14.5	26	3.1	1.5- 4.7	56	9.9	6.6-13.2	224	35.6	30.3-40.9
\$75,000+	1431	202,643	547	39.5	36.2-42.8	226	16.8	14.3-19.3	88	5.6	4.2- 7.0	121	8.5	6.7-10.3	449	29.7	26.8-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2066	282,177	659	33.1	30.4-35.8	306	15.9	13.7-18.1	123	5.6	4.4- 6.8	214	9.6	8.0-11.2	764	35.8	33.1-38.5
Native	76	10,202	19	25.2	11.3-39.1	12	15.2	6.0-24.4	1	3.4	0.0-10.1	6	17.8	4.3-31.3	38	38.4	24.7-52.1
Non-Native	1948	266,735	635	33.9	31.2-36.6	291	16.1	13.9-18.3	119	5.7	4.3- 7.1	205	9.3	7.7-10.9	698	35.1	32.2-38.0
18-24	116	39,160	43	36.7	26.9-46.5	18	15.7	8.4-23.0	5	3.6	0.3- 6.9	4	3.6	0.0- 7.3	46	40.4	30.4-50.4
25-34	230	57,689	89	36.9	29.8-44.0	53	22.7	16.6-28.8	14	7.1	3.4-10.8	24	12.2	7.1-17.3	50	21.0	14.9-27.1
35-44	252	46,434	84	33.3	26.2-40.4	45	15.9	10.8-21.0	23	5.5	2.6- 8.4	23	8.5	4.4-12.6	77	36.7	29.1-44.3
45-54	246	39,574	85	33.0	26.1-39.9	31	13.1	7.8-18.4	18	7.7	3.8-11.6	25	10.1	6.0-14.2	87	36.1	28.8-43.4
55-64	399	43,761	122	29.9	24.4-35.4	58	13.2	9.5-16.9	26	5.9	3.4- 8.4	38	10.4	6.9-13.9	155	40.6	34.5-46.7
65+	823	55,560	236	29.2	25.3-33.1	101	12.8	10.1-15.5	37	3.9	2.5- 5.3	100	11.2	8.7-13.7	349	42.8	38.5-47.1
Less Than H.S.	96	21,425	24	21.4	10.8-32.0	6	3.2	0.5- 5.9	2	0.3	0.0- 0.7	8	7.2	0.0-14.6	56	68.0	55.7-80.3
H.S. or G.E.D.	571	79,203	177	34.4	29.1-39.7	58	11.0	7.7-14.3	32	5.0	2.6- 7.4	56	9.1	6.2-12.0	248	40.4	35.1-45.7
Some Post-H.S.	682	113,199	215	33.4	28.9-37.9	107	18.1	14.2-22.0	39	6.4	4.0- 8.8	73	10.4	7.5-13.3	248	31.8	27.5-36.1
College Graduate	713	67,599	243	35.2	30.7-39.7	134	21.1	17.2-25.0	50	6.8	4.4- 9.2	77	10.0	7.3-12.7	209	26.9	22.8-31.0
Less than \$15,000	84	12,009	19	28.3	13.0-43.6	4	8.4	0.0-17.2	4	1.2	0.0- 2.6	11	7.4	2.1-12.7	46	54.8	39.1-70.5
\$15,000- 24,999	161	21,276	45	28.4	17.8-39.0	18	12.8	4.0-21.6	6	1.1	0.0- 2.3	10	5.6	0.7-10.5	82	52.0	40.2-63.8
\$25,000- 34,999	152	19,826	42	33.9	23.9-43.9	19	11.6	5.3-17.9	6	4.7	0.0-10.4	15	6.6	2.7-10.5	70	43.1	32.9-53.3
\$35,000- 49,999	230	29,032	70	33.6	25.4-41.8	36	20.3	13.2-27.4	9	4.5	0.8- 8.2	30	11.0	5.1-16.9	85	30.6	22.4-38.8
\$50,000- 74,999	342	41,286	124	33.2	26.5-39.9	50	14.2	9.1-19.3	20	5.0	2.3- 7.7	40	14.2	8.7-19.7	108	33.4	26.1-40.7
\$75,000+	789	115,216	276	35.9	31.6-40.2	146	18.8	15.3-22.3	64	7.3	5.1- 9.5	89	11.0	8.3-13.7	214	26.9	23.0-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2234	275,973	762	37.9	35.0-40.8	177	9.8	8.0-11.6	52	1.9	1.3- 2.5	95	3.9	2.9- 4.9	1148	46.5	43.6-49.4
Native	102	13,273	27	36.5	23.2-49.8	4	4.4	0.0- 9.5				1	0.9	0.0- 2.7	70	58.2	44.7-71.7
Non-Native	2106	259,854	723	37.6	34.5-40.7	172	10.1	8.1-12.1	52	2.0	1.2- 2.8	94	4.1	2.9- 5.3	1065	46.2	43.1-49.3
18-24	94	36,648	37	37.0	26.4-47.6	14	13.2	5.9-20.5	1	1.3	0.0- 3.8	2	1.6	0.0- 4.1	40	46.8	35.6-58.0
25-34	153	49,971	67	45.0	35.8-54.2	12	8.0	3.3-12.7	3	1.0	0.0- 2.4	6	3.4	0.7- 6.1	65	42.7	33.7-51.7
35-44	206	43,705	91	44.2	36.0-52.4	28	14.8	8.9-20.7	5	1.6	0.0- 3.4	8	3.6	0.9- 6.3	74	35.7	27.7-43.7
45-54	247	36,411	119	47.6	40.3-54.9	27	11.1	6.4-15.8	6	2.4	0.4- 4.4	10	4.3	1.4- 7.2	85	34.6	27.5-41.7
55-64	497	44,147	186	36.5	31.6-41.4	44	10.4	7.1-13.7	17	2.9	1.3- 4.5	16	4.0	1.5- 6.5	234	46.2	40.9-51.5
65+	1037	65,091	262	24.3	21.2-27.4	52	4.7	3.1- 6.3	20	2.0	1.0- 3.0	53	5.4	3.6- 7.2	650	63.5	60.0-67.0
Less Than H.S.	88	19,077	18	28.4	13.3-43.5	1	0.3	0.0- 0.9	1	0.6	0.0- 1.8	4	4.2	0.0- 9.1	64	66.4	51.1-81.7
H.S. or G.E.D.	546	68,128	158	33.5	27.6-39.4	30	8.7	4.8-12.6	9	1.3	0.0- 2.7	18	3.5	1.3- 5.7	331	53.1	47.0-59.2
Some Post-H.S.	711	103,323	242	39.1	34.0-44.2	58	9.6	6.5-12.7	16	1.7	0.7- 2.7	39	4.2	2.6- 5.8	356	45.3	40.2-50.4
College Graduate	887	85,252	344	42.2	37.9-46.5	88	13.0	9.9-16.1	26	2.8	1.4- 4.2	34	3.8	2.0- 5.6	395	38.2	33.9-42.5
Less than \$15,000	122	17,857	19	22.1	10.9-33.3	7	6.8	1.1-12.5	1	0.6	0.0- 1.8	4	3.3	0.0- 7.2	91	67.2	55.0-79.4
\$15,000- 24,999	251	30,521	65	35.6	25.4-45.8	7	3.8	0.0- 8.3	4	1.4	0.0- 3.0	5	1.8	0.0- 3.8	170	57.4	47.2-67.6
\$25,000- 34,999	195	21,841	59	40.6	30.0-51.2	5	2.4	0.0- 5.1	4	0.9	0.0- 1.9	14	3.8	1.6- 6.0	113	52.3	41.7-62.9
\$35,000- 49,999	284	29,948	104	37.9	29.7-46.1	21	13.2	6.5-19.9	6	1.6	0.2- 3.0	6	1.7	0.1- 3.3	147	45.7	37.3-54.1
\$50,000- 74,999	291	35,496	124	48.2	40.0-56.4	29	8.0	4.5-11.5	6	0.9	0.1- 1.7	16	4.8	1.7- 7.9	116	38.1	30.1-46.1
\$75,000+	642	87,426	271	44.1	39.0-49.2	80	14.1	10.6-17.6	24	3.3	1.7- 4.9	32	5.2	3.0- 7.4	235	33.3	28.6-38.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4257	552,800	3621	79.2	77.4-81.0	636	20.8	19.0-22.6
Male	2039	278,903	1629	74.8	72.3-77.3	410	25.2	22.7-27.7
Female	2218	273,896	1992	83.7	81.3-86.1	226	16.3	13.9-18.7
Native	176	22,870	147	75.6	66.6-84.6	29	24.4	15.4-33.4
Non-Native	4013	521,843	3410	79.2	77.4-81.0	603	20.8	19.0-22.6
18-24	207	74,871	140	69.1	62.2-76.0	67	30.9	24.0-37.8
25-34	380	106,761	257	69.3	64.0-74.6	123	30.7	25.4-36.0
35-44	450	88,926	327	73.7	68.8-78.6	123	26.3	21.4-31.2
45-54	490	75,454	386	78.4	74.1-82.7	104	21.6	17.3-25.9
55-64	888	87,135	770	85.7	83.0-88.4	118	14.3	11.6-17.0
65+	1842	119,652	1741	94.3	92.9-95.7	101	5.7	4.3- 7.1
Less Than H.S.	183	40,439	161	88.2	81.9-94.5	22	11.8	5.5-18.1
H.S. or G.E.D.	1097	144,937	936	78.4	74.9-81.9	161	21.6	18.1-25.1
Some Post-H.S.	1380	214,484	1143	76.1	73.0-79.2	237	23.9	20.8-27.0
College Graduate	1591	151,995	1375	81.9	79.2-84.6	216	18.1	15.4-20.8
Less than \$15,000	205	29,786	175	81.4	73.8-89.0	30	18.6	11.0-26.2
\$15,000- 24,999	407	51,011	361	82.3	76.0-88.6	46	17.7	11.4-24.0
\$25,000- 34,999	346	41,588	305	83.8	77.9-89.7	41	16.2	10.3-22.1
\$35,000- 49,999	507	58,242	432	77.7	72.2-83.2	75	22.3	16.8-27.8
\$50,000- 74,999	626	76,067	527	80.1	75.6-84.6	99	19.9	15.4-24.4
\$75,000+	1421	201,487	1147	75.7	72.8-78.6	274	24.3	21.4-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2039	278,903	1629	74.8	72.3-77.3	410	25.2	22.7-27.7
Native	75	9,768	57	65.3	50.4-80.2	18	34.7	19.8-49.6
Non-Native	1922	263,894	1532	74.8	72.1-77.5	390	25.2	22.5-27.9
18-24	115	38,707	76	68.0	58.6-77.4	39	32.0	22.6-41.4
25-34	229	57,255	139	60.1	53.0-67.2	90	39.9	32.8-47.0
35-44	246	45,488	167	72.5	65.8-79.2	79	27.5	20.8-34.2
45-54	245	39,485	179	74.1	67.8-80.4	66	25.9	19.6-32.2
55-64	394	43,173	322	81.9	77.4-86.4	72	18.1	13.6-22.6
65+	810	54,795	746	91.9	89.5-94.3	64	8.1	5.7-10.5
Less Than H.S.	96	21,425	85	90.9	84.2-97.6	11	9.1	2.4-15.8
H.S. or G.E.D.	559	77,689	462	77.8	73.1-82.5	97	22.2	17.5-26.9
Some Post-H.S.	673	111,848	512	69.2	64.5-73.9	161	30.8	26.1-35.5
College Graduate	707	67,189	566	75.4	71.1-79.7	141	24.6	20.3-28.9
Less than \$15,000	83	11,929	66	76.5	62.8-90.2	17	23.5	9.8-37.2
\$15,000- 24,999	158	20,714	135	80.8	71.0-90.6	23	19.2	9.4-29.0
\$25,000- 34,999	151	19,747	126	78.4	69.2-87.6	25	21.6	12.4-30.8
\$35,000- 49,999	226	28,553	179	72.9	64.7-81.1	47	27.1	18.9-35.3
\$50,000- 74,999	336	40,602	269	75.3	68.6-82.0	67	24.7	18.0-31.4
\$75,000+	782	114,376	594	72.5	68.4-76.6	188	27.5	23.4-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2218	273,896	1992	83.7	81.3-86.1	226	16.3	13.9-18.7
Native	101	13,102	90	83.3	73.1-93.5	11	16.7	6.5-26.9
Non-Native	2091	257,948	1878	83.7	81.2-86.2	213	16.3	13.8-18.8
18-24	92	36,165	64	70.3	60.1-80.5	28	29.7	19.5-39.9
25-34	151	49,506	118	80.0	72.7-87.3	33	20.0	12.7-27.3
35-44	204	43,438	160	74.9	67.6-82.2	44	25.1	17.8-32.4
45-54	245	35,969	207	83.1	77.6-88.6	38	16.9	11.4-22.4
55-64	494	43,962	448	89.4	86.1-92.7	46	10.6	7.3-13.9
65+	1032	64,857	995	96.3	94.9-97.7	37	3.7	2.3-5.1
Less Than H.S.	87	19,014	76	85.2	74.0-96.4	11	14.8	3.6-26.0
H.S. or G.E.D.	538	67,248	474	79.1	73.4-84.8	64	20.9	15.2-26.6
Some Post-H.S.	707	102,636	631	83.6	79.5-87.7	76	16.4	12.3-20.5
College Graduate	884	84,805	809	87.0	83.7-90.3	75	13.0	9.7-16.3
Less than \$15,000	122	17,857	109	84.7	75.9-93.5	13	15.3	6.5-24.1
\$15,000- 24,999	249	30,297	226	83.2	75.2-91.2	23	16.8	8.8-24.8
\$25,000- 34,999	195	21,841	179	88.7	81.3-96.1	16	11.3	3.9-18.7
\$35,000- 49,999	281	29,689	253	82.4	75.1-89.7	28	17.6	10.3-24.9
\$50,000- 74,999	290	35,465	258	85.5	79.6-91.4	32	14.5	8.6-20.4
\$75,000+	639	87,111	553	80.0	75.5-84.5	86	20.0	15.5-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1		>1, <=2			>2, <=5			>5, <=10			>10			None			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4266	553,020	800	17.5	15.9-19.1	334	8.6	7.4- 9.8	510	14.1	12.5-15.7	370	9.0	7.8-10.2	331	9.2	7.8-10.6	1921	41.6	39.4-43.8
Male	2047	279,766	323	14.4	12.4-16.4	171	8.8	7.2-10.4	290	15.7	13.5-17.9	242	11.3	9.5-13.1	253	13.6	11.6-15.6	768	36.2	33.5-38.9
Female	2219	273,254	477	20.6	18.2-23.0	163	8.3	6.5-10.1	220	12.5	10.3-14.7	128	6.6	5.2- 8.0	78	4.8	3.4- 6.2	1153	47.1	44.2-50.0
Native	174	22,820	22	13.7	6.3-21.1	9	5.5	1.4- 9.6	10	9.0	1.9-16.1	13	11.4	4.7-18.1	12	9.4	3.1-15.7	108	51.0	40.8-61.2
Non-Native	4026	522,591	770	17.7	16.1-19.3	319	8.6	7.4- 9.8	496	14.5	12.9-16.1	353	8.9	7.7-10.1	316	9.2	7.8-10.6	1772	41.0	38.8-43.2
18-24	206	74,693	27	13.2	8.1-18.3	15	6.5	3.0-10.0	35	15.2	9.9-20.5	21	9.4	5.3-13.5	22	11.5	6.4-16.6	86	44.2	36.6-51.8
25-34	380	106,703	69	17.6	13.1-22.1	33	10.1	6.4-13.8	73	18.8	14.3-23.3	36	7.5	4.8-10.2	52	14.2	10.3-18.1	117	31.6	26.1-37.1
35-44	454	89,344	65	14.0	10.3-17.7	51	11.6	7.9-15.3	83	18.8	14.5-23.1	51	9.9	6.8-13.0	52	9.0	6.1-11.9	152	36.7	31.2-42.2
45-54	491	75,400	101	19.9	15.8-24.0	47	9.2	6.3-12.1	74	15.7	11.8-19.6	46	9.6	6.5-12.7	50	9.7	6.8-12.6	173	35.9	30.8-41.0
55-64	892	87,619	176	18.7	15.8-21.6	83	9.3	6.9-11.7	105	11.7	9.2-14.2	83	9.8	7.4-12.2	55	6.9	4.7- 9.1	390	43.6	39.7-47.5
65+	1843	119,262	362	20.2	18.0-22.4	105	5.2	4.0- 6.4	140	6.5	5.1- 7.9	133	8.3	6.7- 9.9	100	5.0	3.8- 6.2	1003	54.7	52.0-57.4
Less Than H.S.	181	39,821	26	13.2	6.1-20.3	4	2.7	0.0- 6.6	7	4.6	0.3- 8.9	12	3.8	1.1- 6.5	11	7.1	1.0-13.2	121	68.5	58.7-78.3
H.S. or G.E.D.	1105	145,425	174	14.2	11.5-16.9	70	7.6	5.4- 9.8	119	14.3	11.2-17.4	74	7.4	5.4- 9.4	88	9.6	7.1-12.1	580	46.9	42.8-51.0
Some Post-H.S.	1381	214,754	250	17.6	15.1-20.1	109	8.8	6.6-11.0	162	14.1	11.6-16.6	128	9.8	7.8-11.8	126	11.0	8.6-13.4	606	38.7	35.4-42.0
College Graduate	1593	152,075	350	21.7	19.0-24.4	151	10.8	8.6-13.0	221	16.1	13.7-18.5	156	10.7	8.7-12.7	106	7.0	5.2- 8.8	609	33.6	30.7-36.5
Less than \$15,000	201	28,728	15	8.6	2.7-14.5	8	7.2	0.7-13.7	10	4.9	0.8- 9.0	15	8.9	3.4-14.4	15	5.5	2.0- 9.0	138	64.8	55.0-74.6
\$15,000- 24,999	406	50,867	60	15.1	9.2-21.0	21	6.8	2.1-11.5	40	12.2	6.9-17.5	17	4.6	1.9- 7.3	15	5.0	1.3- 8.7	253	56.3	48.7-63.9
\$25,000- 34,999	345	41,561	56	17.7	12.2-23.2	24	7.3	3.6-11.0	30	13.2	7.7-18.7	27	7.6	3.9-11.3	23	5.5	2.4- 8.6	185	48.7	41.3-56.1
\$35,000- 49,999	513	58,785	106	18.5	14.0-23.0	34	8.1	4.4-11.8	56	15.9	11.2-20.6	50	10.6	7.1-14.1	35	8.6	4.7-12.5	232	38.4	32.5-44.3
\$50,000- 74,999	630	76,618	147	23.2	18.5-27.9	54	8.6	5.7-11.5	84	11.6	8.3-14.9	57	9.4	6.5-12.3	63	11.5	8.0-15.0	225	35.7	30.4-41.0
\$75,000+	1429	202,344	284	17.8	15.3-20.3	150	11.0	8.8-13.2	230	18.8	16.1-21.5	169	11.4	9.4-13.4	145	11.2	9.0-13.4	451	29.8	26.7-32.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2047	279,766	323	14.4	12.4-16.4	171	8.8	7.2-10.4	290	15.7	13.5-17.9	242	11.3	9.5-13.1	253	13.6	11.6-15.6	768	36.2	33.5-38.9
Native	74	9,969	7	7.0	1.1-12.9	3	1.5	0.0-3.3	6	12.3	0.0-24.8	11	21.4	8.3-34.5	9	18.5	5.6-31.4	38	39.2	25.1-53.3
Non-Native	1931	264,557	313	14.9	12.9-16.9	165	9.1	7.3-10.9	283	16.1	13.7-18.5	227	10.9	9.1-12.7	241	13.4	11.2-15.6	702	35.6	32.7-38.5
18-24	114	38,467	18	15.9	8.5-23.3	6	5.3	0.8-9.8	18	15.5	8.1-22.9	11	9.2	3.9-14.5	15	13.0	6.3-19.7	46	41.2	31.0-51.4
25-34	229	57,380	33	12.6	8.1-17.1	22	11.4	6.5-16.3	52	21.9	16.0-27.8	29	10.6	6.5-14.7	41	21.8	15.3-28.3	52	21.7	15.6-27.8
35-44	250	46,273	30	11.8	7.1-16.5	27	10.9	6.2-15.6	38	15.7	10.2-21.2	32	10.6	6.3-14.9	46	14.2	9.3-19.1	77	36.9	29.3-44.5
45-54	246	39,574	32	11.9	7.4-16.4	19	7.8	4.1-11.5	41	19.0	12.9-25.1	30	11.3	6.8-15.8	37	14.0	9.1-18.9	87	36.1	28.8-43.4
55-64	396	43,552	48	12.1	8.2-16.0	44	10.3	6.8-13.8	57	13.6	9.5-17.7	53	13.3	9.4-17.2	39	9.9	6.4-13.4	155	40.8	34.7-46.9
65+	812	54,520	162	21.2	17.7-24.7	53	6.3	4.3-8.3	84	8.5	6.3-10.7	87	12.5	9.6-15.4	75	7.6	5.6-9.6	351	43.9	39.6-48.2
Less Than H.S.	95	21,112	15	10.0	4.3-15.7	3	4.8	0.0-11.9	5	5.4	0.0-11.9	8	5.1	0.4-9.8	7	5.5	0.0-12.2	57	69.2	56.9-81.5
H.S. or G.E.D.	563	77,959	86	13.6	10.1-17.1	41	9.5	6.0-13.0	71	15.0	10.9-19.1	49	8.0	5.3-10.7	68	12.9	9.2-16.6	248	41.1	35.8-46.4
Some Post-H.S.	676	112,641	100	14.7	11.4-18.0	55	8.0	5.5-10.5	95	16.6	12.9-20.3	82	12.1	9.2-15.0	95	16.6	12.9-20.3	249	32.0	27.7-36.3
College Graduate	709	67,303	122	16.5	13.0-20.0	72	10.8	7.9-13.7	118	17.5	14.0-21.0	103	15.8	12.3-19.3	83	12.0	8.9-15.1	211	27.5	23.4-31.6
Less than \$15,000	81	11,243	4	6.5	0.0-13.4	5	12.3	0.0-26.0	6	4.2	0.0-8.9	9	10.9	1.3-20.5	10	7.0	1.5-12.5	47	59.0	43.1-74.9
\$15,000- 24,999	158	20,854	20	10.8	3.2-18.4	11	7.1	1.6-12.6	23	16.5	6.9-26.1	13	7.7	2.0-13.4	9	4.7	0.0-9.4	82	53.1	41.3-64.9
\$25,000- 34,999	150	19,720	25	16.1	9.0-23.2	6	3.3	0.0-6.8	16	16.1	7.5-24.7	16	11.0	4.5-17.5	16	9.6	3.1-16.1	71	43.9	33.5-54.3
\$35,000- 49,999	230	29,032	38	15.1	9.2-21.0	18	8.4	3.9-12.9	30	19.1	11.8-26.4	32	13.7	8.0-19.4	27	13.1	6.4-19.8	85	30.6	22.4-38.8
\$50,000- 74,999	340	41,187	66	19.0	13.3-24.7	30	6.4	3.5-9.3	49	11.5	7.0-16.0	38	11.9	7.4-16.4	49	17.6	11.7-23.5	108	33.5	26.2-40.8
\$75,000+	788	115,137	122	14.0	11.1-16.9	81	11.0	8.3-13.7	133	18.4	14.9-21.9	117	13.3	10.6-16.0	120	16.2	12.9-19.5	215	27.1	23.2-31.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2219	273,254	477	20.6	18.2-23.0	163	8.3	6.5-10.1	220	12.5	10.3-14.7	128	6.6	5.2- 8.0	78	4.8	3.4- 6.2	1153	47.1	44.2-50.0
Native	100	12,851	15	18.9	6.9-30.9	6	8.6	1.3-15.9	4	6.5	0.0-14.1	2	3.6	0.0- 8.7	3	2.3	0.0- 5.2	70	60.1	46.4-73.8
Non-Native	2095	258,034	457	20.6	18.1-23.1	154	8.1	6.3- 9.9	213	12.9	10.7-15.1	126	6.9	5.3- 8.5	75	4.9	3.3- 6.5	1070	46.6	43.5-49.7
18-24	92	36,226	9	10.4	3.5-17.3	9	7.8	2.5-13.1	17	14.9	7.6-22.2	10	9.7	3.6-15.8	7	9.9	2.3-17.5	40	47.4	36.0-58.8
25-34	151	49,323	36	23.5	15.5-31.5	11	8.7	3.0-14.4	21	15.2	8.5-21.9	7	3.9	0.8- 7.0	11	5.5	2.0- 9.0	65	43.2	34.0-52.4
35-44	204	43,070	35	16.4	10.3-22.5	24	12.3	6.6-18.0	45	22.2	15.5-28.9	19	9.3	4.8-13.8	6	3.4	0.3- 6.5	75	36.4	28.4-44.4
45-54	245	35,826	69	28.7	22.0-35.4	28	10.8	6.3-15.3	33	12.1	7.6-16.6	16	7.8	3.5-12.1	13	4.9	2.0- 7.8	86	35.6	28.5-42.7
55-64	496	44,067	128	25.2	20.9-29.5	39	8.4	5.5-11.3	48	9.8	6.9-12.7	30	6.4	3.7- 9.1	16	3.9	1.4- 6.4	235	46.4	41.1-51.7
65+	1031	64,742	200	19.3	16.4-22.2	52	4.3	2.9- 5.7	56	4.8	3.2- 6.4	46	4.8	3.2- 6.4	25	2.8	1.4- 4.2	652	63.9	60.4-67.4
Less Than H.S.	86	18,710	11	16.8	3.7-29.9	1	0.3	0.0- 0.9	2	3.8	0.0- 9.1	4	2.4	0.0- 4.9	4	9.0	0.0-19.4	64	67.7	52.2-83.2
H.S. or G.E.D.	542	67,466	88	14.9	10.4-19.4	29	5.3	2.8- 7.8	48	13.6	8.9-18.3	25	6.8	3.7- 9.9	20	5.7	2.6- 8.8	332	53.7	47.4-60.0
Some Post-H.S.	705	102,113	150	20.8	16.7-24.9	54	9.8	6.3-13.3	67	11.3	8.0-14.6	46	7.2	4.7- 9.7	31	4.8	2.4- 7.2	357	46.0	40.9-51.1
College Graduate	884	84,772	228	25.8	22.1-29.5	79	10.8	7.9-13.7	103	15.1	11.8-18.4	53	6.8	4.4- 9.2	23	3.1	1.5- 4.7	398	38.6	34.3-42.9
Less than \$15,000	120	17,485	11	10.0	1.6-18.4	3	3.9	0.0- 8.8	4	5.3	0.0-11.2	6	7.6	0.9-14.3	5	4.5	0.0- 9.0	91	68.6	56.4-80.8
\$15,000- 24,999	248	30,012	40	18.1	9.7-26.5	10	6.6	0.0-13.5	17	9.3	3.4-15.2	4	2.3	0.0- 4.8	6	5.2	0.0-10.7	171	58.5	48.3-68.7
\$25,000- 34,999	195	21,841	31	19.1	10.7-27.5	18	10.8	4.7-16.9	14	10.6	3.5-17.7	11	4.6	1.1- 8.1	7	1.9	0.3- 3.5	114	53.0	42.4-63.6
\$35,000- 49,999	283	29,754	68	21.8	15.1-28.5	16	7.7	1.8-13.6	26	12.7	6.6-18.8	18	7.6	3.3-11.9	8	4.2	0.3- 8.1	147	46.0	37.6-54.4
\$50,000- 74,999	290	35,431	81	28.1	20.7-35.5	24	11.1	5.6-16.6	35	11.8	6.7-16.9	19	6.6	2.9-10.3	14	4.3	1.2- 7.4	117	38.2	30.2-46.2
\$75,000+	641	87,207	162	22.8	18.7-26.9	69	11.0	7.7-14.3	97	19.3	15.0-23.6	52	8.8	5.9-11.7	25	4.7	2.5- 6.9	236	33.4	28.7-38.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4266	553,020	3991	92.0	90.8-93.2	275	8.0	6.8- 9.2
Male	2047	279,766	1892	91.6	90.0-93.2	155	8.4	6.8-10.0
Female	2219	273,254	2099	92.5	90.7-94.3	120	7.5	5.7- 9.3
Native	174	22,820	162	89.8	83.1-96.5	12	10.2	3.5-16.9
Non-Native	4026	522,591	3765	92.1	90.9-93.3	261	7.9	6.7- 9.1
18-24	206	74,693	184	87.8	82.5-93.1	22	12.2	6.9-17.5
25-34	380	106,703	342	90.7	87.6-93.8	38	9.3	6.2-12.4
35-44	454	89,344	409	91.6	88.7-94.5	45	8.4	5.5-11.3
45-54	491	75,400	447	90.7	87.8-93.6	44	9.3	6.4-12.2
55-64	892	87,619	842	93.3	91.1-95.5	50	6.7	4.5- 8.9
65+	1843	119,262	1767	96.1	95.1-97.1	76	3.9	2.9- 4.9
Less Than H.S.	181	39,821	172	94.8	89.7-99.9	9	5.2	0.1-10.3
H.S. or G.E.D.	1105	145,425	1033	91.3	88.8-93.8	72	8.7	6.2-11.2
Some Post-H.S.	1381	214,754	1275	90.7	88.5-92.9	106	9.3	7.1-11.5
College Graduate	1593	152,075	1505	93.8	92.2-95.4	88	6.2	4.6- 7.8
Less than \$15,000	201	28,728	186	93.8	89.9-97.7	15	6.2	2.3-10.1
\$15,000- 24,999	406	50,867	391	94.2	90.3-98.1	15	5.8	1.9- 9.7
\$25,000- 34,999	345	41,561	327	97.2	95.6-98.8	18	2.8	1.2- 4.4
\$35,000- 49,999	513	58,785	482	92.5	89.2-95.8	31	7.5	4.2-10.8
\$50,000- 74,999	630	76,618	582	91.4	88.3-94.5	48	8.6	5.5-11.7
\$75,000+	1429	202,344	1314	90.6	88.6-92.6	115	9.4	7.4-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2047	279,766	1892	91.6	90.0-93.2	155	8.4	6.8-10.0
Native	74	9,969	66	82.6	69.7-95.5	8	17.4	4.5-30.3
Non-Native	1931	264,557	1786	91.9	90.3-93.5	145	8.1	6.5- 9.7
18-24	114	38,467	102	88.8	82.3-95.3	12	11.2	4.7-17.7
25-34	229	57,380	205	88.4	83.7-93.1	24	11.6	6.9-16.3
35-44	250	46,273	220	91.8	88.1-95.5	30	8.2	4.5-11.9
45-54	246	39,574	224	90.9	86.8-95.0	22	9.1	5.0-13.2
55-64	396	43,552	372	93.0	90.1-95.9	24	7.0	4.1- 9.9
65+	812	54,520	769	96.0	94.6-97.4	43	4.0	2.6- 5.4
Less Than H.S.	95	21,112	91	98.8	97.2- 100	4	1.2	0.0- 2.8
H.S. or G.E.D.	563	77,959	523	92.2	89.3-95.1	40	7.8	4.9-10.7
Some Post-H.S.	676	112,641	614	89.1	86.0-92.2	62	10.9	7.8-14.0
College Graduate	709	67,303	660	92.6	90.1-95.1	49	7.4	4.9- 9.9
Less than \$15,000	81	11,243	73	94.4	89.3-99.5	8	5.6	0.5-10.7
\$15,000- 24,999	158	20,854	151	95.7	91.0- 100	7	4.3	0.0- 9.0
\$25,000- 34,999	150	19,720	140	96.4	93.7-99.1	10	3.6	0.9- 6.3
\$35,000- 49,999	230	29,032	214	92.6	88.1-97.1	16	7.4	2.9-11.9
\$50,000- 74,999	340	41,187	309	89.0	84.1-93.9	31	11.0	6.1-15.9
\$75,000+	788	115,137	721	90.4	87.7-93.1	67	9.6	6.9-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2219	273,254	2099	92.5	90.7-94.3	120	7.5	5.7- 9.3
Native	100	12,851	96	95.4	90.1- 100	4	4.6	0.0- 9.9
Non-Native	2095	258,034	1979	92.2	90.4-94.0	116	7.8	6.0- 9.6
18-24	92	36,226	82	86.7	78.5-94.9	10	13.3	5.1-21.5
25-34	151	49,323	137	93.3	89.6-97.0	14	6.7	3.0-10.4
35-44	204	43,070	189	91.3	86.4-96.2	15	8.7	3.8-13.6
45-54	245	35,826	223	90.4	86.1-94.7	22	9.6	5.3-13.9
55-64	496	44,067	470	93.6	90.7-96.5	26	6.4	3.5- 9.3
65+	1031	64,742	998	96.2	94.6-97.8	33	3.8	2.2- 5.4
Less Than H.S.	86	18,710	81	90.4	80.0- 100	5	9.6	0.0-20.0
H.S. or G.E.D.	542	67,466	510	90.1	86.0-94.2	32	9.9	5.8-14.0
Some Post-H.S.	705	102,113	661	92.4	89.7-95.1	44	7.6	4.9-10.3
College Graduate	884	84,772	845	94.8	92.6-97.0	39	5.2	3.0- 7.4
Less than \$15,000	120	17,485	113	93.4	87.9-98.9	7	6.6	1.1-12.1
\$15,000- 24,999	248	30,012	240	93.1	87.2-99.0	8	6.9	1.0-12.8
\$25,000- 34,999	195	21,841	187	97.8	96.2-99.4	8	2.2	0.6- 3.8
\$35,000- 49,999	283	29,754	268	92.4	87.3-97.5	15	7.6	2.5-12.7
\$50,000- 74,999	290	35,431	273	94.3	90.6-98.0	17	5.7	2.0- 9.4
\$75,000+	641	87,207	593	90.8	87.9-93.7	48	9.2	6.3-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 12: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1843	119,843	1298	69.2	66.7-71.7	545	30.8	28.3-33.3
Male	815	55,099	564	68.9	64.8-73.0	251	31.1	27.0-35.2
Female	1028	64,744	734	69.4	65.9-72.9	294	30.6	27.1-34.1
Non-Native	1784	116,386	1256	68.9	66.2-71.6	528	31.1	28.4-33.8
65+	1843	119,843	1298	69.2	66.7-71.7	545	30.8	28.3-33.3
Less Than H.S.	122	13,643	69	51.3	40.7-61.9	53	48.7	38.1-59.3
H.S. or G.E.D.	523	33,231	347	66.3	61.6-71.0	176	33.7	29.0-38.4
Some Post-H.S.	586	46,002	420	71.6	67.3-75.9	166	28.4	24.1-32.7
College Graduate	610	26,832	461	77.7	73.8-81.6	149	22.3	18.4-26.2
Less than \$15,000	89	6,042	51	59.7	47.0-72.4	38	40.3	27.6-53.0
\$15,000- 24,999	264	17,308	174	64.7	57.1-72.3	90	35.3	27.7-42.9
\$25,000- 34,999	197	13,362	127	66.1	58.5-73.7	70	33.9	26.3-41.5
\$35,000- 49,999	271	17,629	196	68.0	61.1-74.9	75	32.0	25.1-38.9
\$50,000- 74,999	251	14,697	181	71.2	64.3-78.1	70	28.8	21.9-35.7
\$75,000+	363	23,537	284	76.9	71.6-82.2	79	23.1	17.8-28.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	815	55,099	564	68.9	64.8-73.0	251	31.1	27.0-35.2
Non-Native	791	53,490	546	68.6	64.5-72.7	245	31.4	27.3-35.5
65+	815	55,099	564	68.9	64.8-73.0	251	31.1	27.0-35.2
Less Than H.S.	62	7,309	36	55.0	39.7-70.3	26	45.0	29.7-60.3
H.S. or G.E.D.	214	13,820	139	66.7	59.4-74.0	75	33.3	26.0-40.6
Some Post-H.S.	246	20,927	176	70.5	63.6-77.4	70	29.5	22.6-36.4
College Graduate	292	12,956	212	76.5	71.0-82.0	80	23.5	18.0-29.0
\$15,000- 24,999	96	6,546	56	53.9	40.8-67.0	40	46.1	33.0-59.2
\$25,000- 34,999	84	6,446	52	67.5	55.9-79.1	32	32.5	20.9-44.1
\$35,000- 49,999	117	7,922	85	71.2	61.0-81.4	32	28.8	18.6-39.0
\$50,000- 74,999	141	8,149	102	74.5	65.9-83.1	39	25.5	16.9-34.1
\$75,000+	212	14,540	159	74.3	67.0-81.6	53	25.7	18.4-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1028	64,744	734	69.4	65.9-72.9	294	30.6	27.1-34.1
Non-Native	993	62,896	710	69.2	65.7-72.7	283	30.8	27.3-34.3
65+	1028	64,744	734	69.4	65.9-72.9	294	30.6	27.1-34.1
Less Than H.S.	60	6,334	33	47.1	32.8-61.4	27	52.9	38.6-67.2
H.S. or G.E.D.	309	19,411	208	66.0	59.9-72.1	101	34.0	27.9-40.1
Some Post-H.S.	340	25,075	244	72.6	67.1-78.1	96	27.4	21.9-32.9
College Graduate	318	13,876	249	78.9	73.6-84.2	69	21.1	15.8-26.4
Less than \$15,000	57	4,082	31	52.9	36.4-69.4	26	47.1	30.6-63.6
\$15,000- 24,999	168	10,762	118	71.3	62.7-79.9	50	28.7	20.1-37.3
\$25,000- 34,999	113	6,917	75	64.9	54.7-75.1	38	35.1	24.9-45.3
\$35,000- 49,999	154	9,707	111	65.5	56.1-74.9	43	34.5	25.1-43.9
\$50,000- 74,999	110	6,548	79	67.1	56.3-77.9	31	32.9	22.1-43.7
\$75,000+	151	8,997	125	81.2	73.6-88.8	26	18.8	11.2-26.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1768	115,381	1268	71.0	68.5-73.5	500	29.0	26.5-31.5
Male	779	52,988	511	63.8	59.5-68.1	268	36.2	31.9-40.5
Female	989	62,392	757	77.2	74.3-80.1	232	22.8	19.9-25.7
Non-Native	1714	112,125	1227	70.9	68.4-73.4	487	29.1	26.6-31.6
65+	1768	115,381	1268	71.0	68.5-73.5	500	29.0	26.5-31.5
Less Than H.S.	114	12,538	72	60.7	49.9-71.5	42	39.3	28.5-50.1
H.S. or G.E.D.	497	31,752	356	72.4	67.9-76.9	141	27.6	23.1-32.1
Some Post-H.S.	570	45,040	407	71.6	67.3-75.9	163	28.4	24.1-32.7
College Graduate	585	25,916	432	73.5	69.2-77.8	153	26.5	22.2-30.8
Less than \$15,000	83	5,701	52	65.2	53.0-77.4	31	34.8	22.6-47.0
\$15,000- 24,999	251	16,095	183	72.3	65.4-79.2	68	27.7	20.8-34.6
\$25,000- 34,999	191	13,131	139	74.8	67.9-81.7	52	25.2	18.3-32.1
\$35,000- 49,999	260	17,223	194	72.7	66.0-79.4	66	27.3	20.6-34.0
\$50,000- 74,999	244	14,395	169	70.3	63.6-77.0	75	29.7	23.0-36.4
\$75,000+	355	22,980	254	68.9	63.0-74.8	101	31.1	25.2-37.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	779	52,988	511	63.8	59.5-68.1	268	36.2	31.9-40.5
Non-Native	756	51,411	494	63.5	59.2-67.8	262	36.5	32.2-40.8
65+	779	52,988	511	63.8	59.5-68.1	268	36.2	31.9-40.5
Less Than H.S.	59	6,751	35	51.4	35.9-66.9	24	48.6	33.1-64.1
H.S. or G.E.D.	203	13,234	134	68.1	60.8-75.4	69	31.9	24.6-39.2
Some Post-H.S.	239	20,478	157	63.3	56.0-70.6	82	36.7	29.4-44.0
College Graduate	277	12,439	184	66.4	59.7-73.1	93	33.6	26.9-40.3
\$15,000- 24,999	91	6,076	58	60.7	48.0-73.4	33	39.3	26.6-52.0
\$25,000- 34,999	82	6,411	56	70.9	59.7-82.1	26	29.1	17.9-40.3
\$35,000- 49,999	110	7,674	70	59.8	48.2-71.4	40	40.2	28.6-51.8
\$50,000- 74,999	136	7,880	88	66.4	57.0-75.8	48	33.6	24.2-43.0
\$75,000+	209	14,317	139	63.2	55.2-71.2	70	36.8	28.8-44.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	989	62,392	757	77.2	74.3-80.1	232	22.8	19.9-25.7
Non-Native	958	60,714	733	77.2	74.1-80.3	225	22.8	19.7-25.9
65+	989	62,392	757	77.2	74.3-80.1	232	22.8	19.9-25.7
Less Than H.S.	55	5,787	37	71.5	58.6-84.4	18	28.5	15.6-41.4
H.S. or G.E.D.	294	18,519	222	75.4	69.7-81.1	72	24.6	18.9-30.3
Some Post-H.S.	331	24,562	250	78.5	73.6-83.4	81	21.5	16.6-26.4
College Graduate	308	13,477	248	80.1	74.8-85.4	60	19.9	14.6-25.2
Less than \$15,000	52	3,762	31	64.5	49.2-79.8	21	35.5	20.2-50.8
\$15,000- 24,999	160	10,018	125	79.3	71.9-86.7	35	20.7	13.3-28.1
\$25,000- 34,999	109	6,720	83	78.5	70.3-86.7	26	21.5	13.3-29.7
\$35,000- 49,999	150	9,550	124	83.0	76.1-89.9	26	17.0	10.1-23.9
\$50,000- 74,999	108	6,515	81	75.0	65.8-84.2	27	25.0	15.8-34.2
\$75,000+	146	8,663	115	78.3	70.5-86.1	31	21.7	13.9-29.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	132
2	MALES ONLY	133
3	FEMALES ONLY	134
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	135
5	MALES ONLY	136
6	FEMALES ONLY	137
	DRINKING AND DRIVING (_DRNKDRV)	
7	MALES AND FEMALES	138
8	MALES ONLY	139
9	FEMALES ONLY	140

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4303	556,777	3825	88.8	87.4-90.2	478	11.2	9.8-12.6
Male	2057	280,314	1704	83.1	80.9-85.3	353	16.9	14.7-19.1
Female	2246	276,464	2121	94.6	93.2-96.0	125	5.4	4.0- 6.8
Native	178	23,075	154	86.5	80.2-92.8	24	13.5	7.2-19.8
Non-Native	4056	525,654	3608	88.8	87.4-90.2	448	11.2	9.8-12.6
18-24	209	76,135	182	88.4	83.7-93.1	27	11.6	6.9-16.3
25-34	381	106,875	325	87.5	84.0-91.0	56	12.5	9.0-16.0
35-44	453	89,283	401	90.2	86.9-93.5	52	9.8	6.5-13.1
45-54	490	75,701	427	86.3	82.6-90.0	63	13.7	10.0-17.4
55-64	901	87,892	808	89.3	86.8-91.8	93	10.7	8.2-13.2
65+	1869	120,891	1682	90.2	88.4-92.0	187	9.8	8.0-11.6
Less Than H.S.	182	41,105	149	84.7	78.0-91.4	33	15.3	8.6-22.0
H.S. or G.E.D.	1110	145,650	935	84.1	81.2-87.0	175	15.9	13.0-18.8
Some Post-H.S.	1394	215,885	1226	88.2	86.0-90.4	168	11.8	9.6-14.0
College Graduate	1610	153,159	1510	95.2	94.0-96.4	100	4.8	3.6- 6.0
Less than \$15,000	204	29,767	172	89.0	83.5-94.5	32	11.0	5.5-16.5
\$15,000- 24,999	412	51,343	360	88.8	84.3-93.3	52	11.2	6.7-15.7
\$25,000- 34,999	345	41,302	302	87.7	83.0-92.4	43	12.3	7.6-17.0
\$35,000- 49,999	515	58,896	452	82.7	77.4-88.0	63	17.3	12.0-22.6
\$50,000- 74,999	630	76,061	573	92.7	90.2-95.2	57	7.3	4.8- 9.8
\$75,000+	1430	201,920	1296	90.7	88.7-92.7	134	9.3	7.3-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2057	280,314	1704	83.1	80.9-85.3	353	16.9	14.7-19.1
Native	75	9,787	58	82.4	72.6-92.2	17	17.6	7.8-27.4
Non-Native	1939	265,153	1607	82.8	80.4-85.2	332	17.2	14.8-19.6
18-24	115	39,487	95	85.5	78.6-92.4	20	14.5	7.6-21.4
25-34	229	57,124	181	80.2	74.3-86.1	48	19.8	13.9-25.7
35-44	247	45,569	206	85.9	80.8-91.0	41	14.1	9.0-19.2
45-54	245	39,437	193	77.6	71.3-83.9	52	22.4	16.1-28.7
55-64	397	43,305	327	83.5	79.2-87.8	70	16.5	12.2-20.8
65+	824	55,392	702	85.6	82.5-88.7	122	14.4	11.3-17.5
Less Than H.S.	95	22,244	68	77.2	66.4-88.0	27	22.8	12.0-33.6
H.S. or G.E.D.	561	77,167	432	77.0	72.5-81.5	129	23.0	18.5-27.5
Some Post-H.S.	676	111,928	553	82.8	79.3-86.3	123	17.2	13.7-20.7
College Graduate	721	68,223	648	92.2	90.0-94.4	73	7.8	5.6-10.0
Less than \$15,000	82	11,910	67	90.9	85.2-96.6	15	9.1	3.4-14.8
\$15,000- 24,999	159	20,316	127	83.0	74.6-91.4	32	17.0	8.6-25.4
\$25,000- 34,999	150	19,460	117	78.2	69.4-87.0	33	21.8	13.0-30.6
\$35,000- 49,999	230	28,945	186	74.2	65.4-83.0	44	25.8	17.0-34.6
\$50,000- 74,999	339	40,570	289	87.5	83.0-92.0	50	12.5	8.0-17.0
\$75,000+	786	114,764	673	86.0	83.1-88.9	113	14.0	11.1-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2246	276,464	2121	94.6	93.2-96.0	125	5.4	4.0- 6.8
Native	103	13,288	96	89.5	81.1-97.9	7	10.5	2.1-18.9
Non-Native	2117	260,501	2001	94.8	93.4-96.2	116	5.2	3.8- 6.6
18-24	94	36,648	87	91.6	85.3-97.9	7	8.4	2.1-14.7
25-34	152	49,752	144	96.0	92.7-99.3	8	4.0	0.7- 7.3
35-44	206	43,714	195	94.7	91.0-98.4	11	5.3	1.6- 9.0
45-54	245	36,264	234	95.6	92.9-98.3	11	4.4	1.7- 7.1
55-64	504	44,587	481	95.0	92.5-97.5	23	5.0	2.5- 7.5
65+	1045	65,499	980	94.1	92.5-95.7	65	5.9	4.3- 7.5
Less Than H.S.	87	18,861	81	93.4	87.3-99.5	6	6.6	0.5-12.7
H.S. or G.E.D.	549	68,483	503	92.1	89.0-95.2	46	7.9	4.8-11.0
Some Post-H.S.	718	103,957	673	94.0	91.5-96.5	45	6.0	3.5- 8.5
College Graduate	889	84,936	862	97.6	96.6-98.6	27	2.4	1.4- 3.4
Less than \$15,000	122	17,857	105	87.8	79.8-95.8	17	12.2	4.2-20.2
\$15,000- 24,999	253	31,027	233	92.5	87.4-97.6	20	7.5	2.4-12.6
\$25,000- 34,999	195	21,841	185	96.2	93.7-98.7	10	3.8	1.3- 6.3
\$35,000- 49,999	285	29,950	266	90.8	85.1-96.5	19	9.2	3.5-14.9
\$50,000- 74,999	291	35,490	284	98.7	97.7-99.7	7	1.3	0.3- 2.3
\$75,000+	644	87,156	623	97.0	95.4-98.6	21	3.0	1.4- 4.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4303	556,777	3137	73.7	71.9-75.5	1166	26.3	24.5-28.1
Male	2057	280,314	1309	65.1	62.4-67.8	748	34.9	32.2-37.6
Female	2246	276,464	1828	82.3	79.9-84.7	418	17.7	15.3-20.1
Native	178	23,075	132	73.9	65.9-81.9	46	26.1	18.1-34.1
Non-Native	4056	525,654	2952	73.5	71.5-75.5	1104	26.5	24.5-28.5
18-24	209	76,135	146	73.6	67.3-79.9	63	26.4	20.1-32.7
25-34	381	106,875	255	70.2	64.9-75.5	126	29.8	24.5-35.1
35-44	453	89,283	324	75.2	70.5-79.9	129	24.8	20.1-29.5
45-54	490	75,701	352	73.0	68.3-77.7	138	27.0	22.3-31.7
55-64	901	87,892	645	72.7	69.2-76.2	256	27.3	23.8-30.8
65+	1869	120,891	1415	76.9	74.5-79.3	454	23.1	20.7-25.5
Less Than H.S.	182	41,105	125	70.6	61.4-79.8	57	29.4	20.2-38.6
H.S. or G.E.D.	1110	145,650	746	67.8	64.1-71.5	364	32.2	28.5-35.9
Some Post-H.S.	1394	215,885	986	72.1	69.0-75.2	408	27.9	24.8-31.0
College Graduate	1610	153,159	1276	82.2	79.8-84.6	334	17.8	15.4-20.2
Less than \$15,000	204	29,767	139	72.3	63.9-80.7	65	27.7	19.3-36.1
\$15,000- 24,999	412	51,343	300	74.2	67.7-80.7	112	25.8	19.3-32.3
\$25,000- 34,999	345	41,302	258	74.0	67.1-80.9	87	26.0	19.1-32.9
\$35,000- 49,999	515	58,896	354	65.4	59.3-71.5	161	34.6	28.5-40.7
\$50,000- 74,999	630	76,061	465	75.6	71.1-80.1	165	24.4	19.9-28.9
\$75,000+	1430	201,920	1063	76.2	73.5-78.9	367	23.8	21.1-26.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2057	280,314	1309	65.1	62.4-67.8	748	34.9	32.2-37.6
Native	75	9,787	49	70.6	58.3-82.9	26	29.4	17.1-41.7
Non-Native	1939	265,153	1230	64.6	61.7-67.5	709	35.4	32.5-38.3
18-24	115	39,487	74	69.1	59.9-78.3	41	30.9	21.7-40.1
25-34	229	57,124	136	61.7	54.6-68.8	93	38.3	31.2-45.4
35-44	247	45,569	152	65.3	58.0-72.6	95	34.7	27.4-42.0
45-54	245	39,437	154	63.3	56.0-70.6	91	36.7	29.4-44.0
55-64	397	43,305	231	61.7	56.0-67.4	166	38.3	32.6-44.0
65+	824	55,392	562	69.7	65.8-73.6	262	30.3	26.4-34.2
Less Than H.S.	95	22,244	53	62.0	48.9-75.1	42	38.0	24.9-51.1
H.S. or G.E.D.	561	77,167	320	57.0	51.7-62.3	241	43.0	37.7-48.3
Some Post-H.S.	676	111,928	412	64.2	59.7-68.7	264	35.8	31.3-40.3
College Graduate	721	68,223	522	76.7	73.0-80.4	199	23.3	19.6-27.0
Less than \$15,000	82	11,910	51	67.9	54.2-81.6	31	32.1	18.4-45.8
\$15,000- 24,999	159	20,316	102	62.7	51.1-74.3	57	37.3	25.7-48.9
\$25,000- 34,999	150	19,460	98	65.7	55.7-75.7	52	34.3	24.3-44.3
\$35,000- 49,999	230	28,945	135	57.8	49.0-66.6	95	42.2	33.4-51.0
\$50,000- 74,999	339	40,570	219	67.1	60.4-73.8	120	32.9	26.2-39.6
\$75,000+	786	114,764	517	68.3	64.4-72.2	269	31.7	27.8-35.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2246	276,464	1828	82.3	79.9-84.7	418	17.7	15.3-20.1
Native	103	13,288	83	76.3	65.5-87.1	20	23.7	12.9-34.5
Non-Native	2117	260,501	1722	82.5	80.1-84.9	395	17.5	15.1-19.9
18-24	94	36,648	72	78.3	69.5-87.1	22	21.7	12.9-30.5
25-34	152	49,752	119	79.9	72.5-87.3	33	20.1	12.7-27.5
35-44	206	43,714	172	85.5	79.8-91.2	34	14.5	8.8-20.2
45-54	245	36,264	198	83.4	78.3-88.5	47	16.6	11.5-21.7
55-64	504	44,587	414	83.4	79.7-87.1	90	16.6	12.9-20.3
65+	1045	65,499	853	82.9	80.2-85.6	192	17.1	14.4-19.8
Less Than H.S.	87	18,861	72	80.8	68.3-93.3	15	19.2	6.7-31.7
H.S. or G.E.D.	549	68,483	426	79.9	75.2-84.6	123	20.1	15.4-24.8
Some Post-H.S.	718	103,957	574	80.7	76.6-84.8	144	19.3	15.2-23.4
College Graduate	889	84,936	754	86.7	84.0-89.4	135	13.3	10.6-16.0
Less than \$15,000	122	17,857	88	75.2	64.4-86.0	34	24.8	14.0-35.6
\$15,000- 24,999	253	31,027	198	81.8	74.5-89.1	55	18.2	10.9-25.5
\$25,000- 34,999	195	21,841	160	81.4	72.0-90.8	35	18.6	9.2-28.0
\$35,000- 49,999	285	29,950	219	72.8	65.2-80.4	66	27.2	19.6-34.8
\$50,000- 74,999	291	35,490	246	85.5	79.8-91.2	45	14.5	8.8-20.2
\$75,000+	644	87,156	546	86.7	83.4-90.0	98	13.3	10.0-16.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 7: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2394	327,239	88	3.5	2.5- 4.5	2306	96.5	95.5-97.5
Male	1294	178,977	71	5.4	3.8- 7.0	1223	94.6	93.0-96.2
Female	1100	148,262	17	1.2	0.4- 2.0	1083	98.8	98.0-99.6
Native	70	11,484	3	3.2	0.0- 7.1	67	96.8	92.9- 100
Non-Native	2296	311,701	85	3.6	2.6- 4.6	2211	96.4	95.4-97.4
18-24	122	42,805	4	2.9	0.0- 5.8	118	97.1	94.2- 100
25-34	264	72,769	11	4.3	1.6- 7.0	253	95.7	93.0-98.4
35-44	306	57,143	16	3.0	1.2- 4.8	290	97.0	95.2-98.8
45-54	319	48,906	18	5.4	2.5- 8.3	301	94.6	91.7-97.5
55-64	513	49,873	19	3.0	1.4- 4.6	494	97.0	95.4-98.6
65+	870	55,745	20	2.2	1.0- 3.4	850	97.8	96.6-99.0
Less Than H.S.	64	13,955	3	2.0	0.0- 4.5	61	98.0	95.5- 100
H.S. or G.E.D.	533	77,663	26	4.6	2.4- 6.8	507	95.4	93.2-97.6
Some Post-H.S.	789	132,821	29	3.7	2.1- 5.3	760	96.3	94.7-97.9
College Graduate	1006	102,162	30	2.6	1.4- 3.8	976	97.4	96.2-98.6
Less than \$15,000	67	11,152	6	6.8	0.3-13.3	61	93.2	86.7-99.7
\$15,000- 24,999	161	22,819	7	2.3	0.1- 4.5	154	97.7	95.5-99.9
\$25,000- 34,999	161	21,316	11	7.3	1.4-13.2	150	92.7	86.8-98.6
\$35,000- 49,999	282	36,203	9	2.9	0.5- 5.3	273	97.1	94.7-99.5
\$50,000- 74,999	406	48,530	13	2.8	0.8- 4.8	393	97.2	95.2-99.2
\$75,000+	982	141,334	36	3.8	2.2- 5.4	946	96.2	94.6-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 8: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1294	178,977	71	5.4	3.8- 7.0	1223	94.6	93.0-96.2
Non-Native	1242	171,012	69	5.5	3.9- 7.1	1173	94.5	92.9-96.1
18-24	68	23,323	2	2.8	0.0- 6.7	66	97.2	93.3- 100
25-34	177	44,331	9	6.3	2.0-10.6	168	93.7	89.4-98.0
35-44	174	29,041	16	5.9	2.4- 9.4	158	94.1	90.6-97.6
45-54	159	25,223	16	9.8	4.3-15.3	143	90.2	84.7-95.7
55-64	243	25,677	11	4.0	1.5- 6.5	232	96.0	93.5-98.5
65+	473	31,381	17	3.1	1.3- 4.9	456	96.9	95.1-98.7
H.S. or G.E.D.	316	45,452	20	5.9	2.6- 9.2	296	94.1	90.8-97.4
Some Post-H.S.	427	75,636	23	5.7	3.0- 8.4	404	94.3	91.6-97.0
College Graduate	510	49,739	25	4.8	2.4- 7.2	485	95.2	92.8-97.6
\$15,000- 24,999	77	9,099	7	5.9	0.6-11.2	70	94.1	88.8-99.4
\$25,000- 34,999	79	10,887	4	6.9	0.0-15.5	75	93.1	84.5- 100
\$35,000- 49,999	144	19,928	6	4.0	0.1- 7.9	138	96.0	92.1-99.9
\$50,000- 74,999	230	26,446	9	3.9	0.6- 7.2	221	96.1	92.8-99.4
\$75,000+	573	83,268	35	6.3	3.8- 8.8	538	93.7	91.2-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 14: SEATBELT USE**

TABLE 9: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1100	148,262	17	1.2	0.4- 2.0	1083	98.8	98.0-99.6
Non-Native	1054	140,689	16	1.2	0.4- 2.0	1038	98.8	98.0-99.6
18-24	54	19,481	2	2.9	0.0- 7.2	52	97.1	92.8- 100
25-34	87	28,438	2	1.3	0.0- 3.1	85	98.7	96.9- 100
35-44	132	28,102				132	100.0	100.0- 100
45-54	160	23,683	2	0.8	0.0- 2.0	158	99.2	98.0- 100
55-64	270	24,195	8	2.0	0.4- 3.6	262	98.0	96.4-99.6
65+	397	24,363	3	1.1	0.0- 2.3	394	98.9	97.7- 100
H.S. or G.E.D.	217	32,211	6	2.7	0.0- 5.4	211	97.3	94.6- 100
Some Post-H.S.	362	57,185	6	1.2	0.0- 2.4	356	98.8	97.6- 100
College Graduate	496	52,424	5	0.5	0.0- 1.1	491	99.5	98.9- 100
\$15,000- 24,999	84	13,720				84	100.0	100.0- 100
\$25,000- 34,999	82	10,429	7	7.9	0.0-15.9	75	92.1	84.1- 100
\$35,000- 49,999	138	16,275	3	1.5	0.0- 3.3	135	98.5	96.7- 100
\$50,000- 74,999	176	22,084	4	1.6	0.0- 3.6	172	98.4	96.4- 100
\$75,000+	409	58,066	1	0.2	0.0- 0.6	408	99.8	99.4- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)	
1	FEMALES ONLY	142
	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)	
2	FEMALES ONLY	143
	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP35)	
3	FEMALES ONLY	144

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM22)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1837	162,458	1368	73.9	71.2-76.6	469	26.1	23.4-28.8
Native	71	6,596	48	68.7	54.6-82.8	23	31.3	17.2-45.4
Non-Native	1746	154,612	1307	74.3	71.6-77.0	439	25.7	23.0-28.4
40-44	104	21,206	65	63.7	52.7-74.7	39	36.3	25.3-47.3
45-54	235	34,718	186	78.4	71.9-84.9	49	21.6	15.1-28.1
55-64	498	44,112	390	76.0	71.3-80.7	108	24.0	19.3-28.7
65+	1000	62,421	727	73.4	70.3-76.5	273	26.6	23.5-29.7
Less Than H.S.	68	8,521	29	45.5	29.8-61.2	39	54.5	38.8-70.2
H.S. or G.E.D.	445	35,815	310	68.4	62.7-74.1	135	31.6	25.9-37.3
Some Post-H.S.	605	66,751	456	76.2	71.9-80.5	149	23.8	19.5-28.1
College Graduate	717	51,177	573	79.7	75.8-83.6	144	20.3	16.4-24.2
Less than \$15,000	91	8,002	50	55.8	42.5-69.1	41	44.2	30.9-57.5
\$15,000- 24,999	215	17,942	142	64.4	55.4-73.4	73	35.6	26.6-44.6
\$25,000- 34,999	159	11,821	111	68.8	58.6-79.0	48	31.2	21.0-41.4
\$35,000- 49,999	241	18,006	191	77.2	70.5-83.9	50	22.8	16.1-29.5
\$50,000- 74,999	243	22,979	185	77.8	70.9-84.7	58	22.2	15.3-29.1
\$75,000+	519	54,305	430	80.7	76.2-85.2	89	19.3	14.8-23.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5023)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1141	95,348	917	79.0	75.9-82.1	224	21.0	17.9-24.1
Native	51	3,624	35	63.3	45.7-80.9	16	36.7	19.1-54.3
Non-Native	1075	90,714	870	79.8	76.7-82.9	205	20.2	17.1-23.3
50-54	122	18,224	99	80.5	72.1-88.9	23	19.5	11.1-27.9
55-64	498	44,112	390	76.0	71.3-80.7	108	24.0	19.3-28.7
65+	521	33,012	428	82.3	78.4-86.2	93	17.7	13.8-21.6
H.S. or G.E.D.	258	22,087	195	75.9	69.6-82.2	63	24.1	17.8-30.4
Some Post-H.S.	370	38,883	291	76.8	71.3-82.3	79	23.2	17.7-28.7
College Graduate	493	31,211	422	87.6	84.5-90.7	71	12.4	9.3-15.5
\$15,000- 24,999	106	9,644	78	66.9	55.1-78.7	28	33.1	21.3-44.9
\$25,000- 34,999	84	6,497	60	70.7	58.4-83.0	24	29.3	17.0-41.6
\$35,000- 49,999	175	12,656	147	81.6	74.3-88.9	28	18.4	11.1-25.7
\$50,000- 74,999	174	13,848	138	76.5	67.9-85.1	36	23.5	14.9-32.1
\$75,000+	352	31,853	310	88.2	84.1-92.3	42	11.8	7.7-15.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP35)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	899	156,477	690	75.2	71.3-79.1	209	24.8	20.9-28.7
Native	55	8,078	41	75.1	61.2-89.0	14	24.9	11.0-38.8
Non-Native	835	146,851	641	75.2	71.1-79.3	194	24.8	20.7-28.9
25-34	138	45,650	111	77.3	68.9-85.7	27	22.7	14.3-31.1
35-44	175	36,206	142	81.7	74.8-88.6	33	18.3	11.4-25.2
45-54	174	26,415	147	83.7	77.0-90.4	27	16.3	9.6-23.0
55-64	329	28,424	237	68.0	61.7-74.3	92	32.0	25.7-38.3
H.S. or G.E.D.	159	31,712	115	69.9	60.5-79.3	44	30.1	20.7-39.5
Some Post-H.S.	270	57,152	202	77.2	70.9-83.5	68	22.8	16.5-29.1
College Graduate	455	59,293	367	80.6	75.9-85.3	88	19.4	14.7-24.1
\$15,000- 24,999	60	14,785	43	70.0	54.9-85.1	17	30.0	14.9-45.1
\$25,000- 34,999	60	11,709	35	62.5	45.8-79.2	25	37.5	20.8-54.2
\$35,000- 49,999	102	15,382	79	76.1	64.5-87.7	23	23.9	12.3-35.5
\$50,000- 74,999	144	23,231	117	83.0	75.2-90.8	27	17.0	9.2-24.8
\$75,000+	368	61,181	302	81.7	76.6-86.8	66	18.3	13.2-23.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA23)	
1 MALES ONLY	146

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA23)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1422	140,574	525	29.3	26.6-32.0	897	70.7	68.0-73.4
Native	53	5,049	13	17.6	6.6-28.6	40	82.4	71.4-93.4
Non-Native	1349	133,365	508	30.1	27.2-33.0	841	69.9	67.0-72.8
40-44	99	16,321	1	0.5	0.0- 1.5	98	99.5	98.5- 100
45-54	216	33,649	32	14.3	9.0-19.6	184	85.7	80.4-91.0
55-64	369	40,540	137	31.7	26.2-37.2	232	68.3	62.8-73.8
65+	738	50,064	355	46.8	42.3-51.3	383	53.2	48.7-57.7
Less Than H.S.	70	12,160	19	15.9	7.9-23.9	51	84.1	76.1-92.1
H.S. or G.E.D.	383	36,405	132	30.0	24.7-35.3	251	70.0	64.7-75.3
Some Post-H.S.	470	56,613	158	28.3	23.6-33.0	312	71.7	67.0-76.4
College Graduate	498	35,308	216	34.8	29.9-39.7	282	65.2	60.3-70.1
Less than \$15,000	56	4,524	15	28.2	11.7-44.7	41	71.8	55.3-88.3
\$15,000- 24,999	121	10,322	33	25.1	15.3-34.9	88	74.9	65.1-84.7
\$25,000- 34,999	99	9,784	35	33.6	22.2-45.0	64	66.4	55.0-77.8
\$35,000- 49,999	162	13,513	52	26.0	18.2-33.8	110	74.0	66.2-81.8
\$50,000- 74,999	253	23,415	91	26.5	20.2-32.8	162	73.5	67.2-79.8
\$75,000+	545	61,362	218	30.8	26.5-35.1	327	69.2	64.9-73.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)	
1 MALES AND FEMALES	149
2 MALES ONLY	150
3 FEMALES ONLY	151
RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)	
4 MALES AND FEMALES	152
5 MALES ONLY	153
6 FEMALES ONLY	154
RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)	
7 MALES AND FEMALES	155
8 MALES ONLY	156
9 FEMALES ONLY	157
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLDS4)	
10 MALES AND FEMALES	158
11 MALES ONLY	159
12 FEMALES ONLY	160
RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)	
13 MALES AND FEMALES	161
14 MALES ONLY	162
15 FEMALES ONLY	163
RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)	
16 MALES AND FEMALES	164
17 MALES ONLY	165
18 FEMALES ONLY	166
RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)	
19 MALES AND FEMALES	167
20 MALES ONLY	168
21 FEMALES ONLY	169
RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)	
22 MALES AND FEMALES	170

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
23	MALES ONLY	171
24	FEMALES ONLY	172

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2180	191,907	1496	66.6	64.1-69.1	112	4.9	3.7- 6.1	572	28.6	26.1-31.1
Male	1003	94,233	680	66.2	62.3-70.1	44	4.1	2.5- 5.7	279	29.7	26.0-33.4
Female	1177	97,673	816	66.9	63.4-70.4	68	5.6	4.0- 7.2	293	27.5	24.2-30.8
Native	89	7,326	52	58.0	44.9-71.1	3	2.4	0.0- 5.3	34	39.5	26.4-52.6
Non-Native	2059	181,919	1427	67.0	64.3-69.7	107	5.0	3.8- 6.2	525	28.0	25.5-30.5
50-54	232	35,515	108	49.2	41.6-56.8	13	5.1	2.2- 8.0	111	45.6	38.0-53.2
55-64	885	86,743	587	65.5	61.6-69.4	43	5.1	3.3- 6.9	255	29.4	25.7-33.1
65+	1063	69,649	801	76.8	73.7-79.9	56	4.5	3.1- 5.9	206	18.7	15.8-21.6
H.S. or G.E.D.	521	46,833	335	63.0	57.9-68.1	26	5.8	3.3- 8.3	160	31.2	26.3-36.1
Some Post-H.S.	740	80,198	502	65.5	61.2-69.8	29	4.2	2.4- 6.0	209	30.3	26.2-34.4
College Graduate	870	55,092	628	72.5	69.0-76.0	56	5.7	3.9- 7.5	186	21.8	18.5-25.1
Less than \$15,000	91	8,745	40	49.2	35.3-63.1	6	5.5	0.0-11.2	45	45.3	31.6-59.0
\$15,000- 24,999	183	15,482	113	54.4	45.0-63.8	12	7.4	1.9-12.9	58	38.2	29.0-47.4
\$25,000- 34,999	145	12,551	94	65.0	55.0-75.0	5	2.3	0.3- 4.3	46	32.7	22.7-42.7
\$35,000- 49,999	298	23,478	206	64.7	57.1-72.3	8	2.7	0.3- 5.1	84	32.5	24.9-40.1
\$50,000- 74,999	371	31,056	265	70.6	64.5-76.7	26	5.7	3.0- 8.4	80	23.7	17.8-29.6
\$75,000+	755	72,382	553	70.6	66.5-74.7	37	4.5	2.7- 6.3	165	24.9	21.0-28.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1003	94,233	680	66.2	62.3-70.1	44	4.1	2.5- 5.7	279	29.7	26.0-33.4
Non-Native	949	88,987	652	66.9	63.0-70.8	43	4.2	2.6- 5.8	254	28.9	25.0-32.8
50-54	111	17,527	40	39.0	28.2-49.8	8	6.2	1.7-10.7	63	54.8	43.8-65.8
55-64	386	42,505	246	65.8	59.9-71.7	12	3.5	1.1- 5.9	128	30.7	25.0-36.4
65+	506	34,201	394	80.7	76.6-84.8	24	3.9	1.9- 5.9	88	15.4	11.7-19.1
H.S. or G.E.D.	255	24,382	159	61.4	54.1-68.7	11	6.3	2.2-10.4	85	32.3	25.2-39.4
Some Post-H.S.	355	40,124	239	64.1	57.8-70.4	10	3.3	0.9- 5.7	106	32.6	26.5-38.7
College Graduate	365	23,491	260	73.1	67.6-78.6	23	4.3	2.1- 6.5	82	22.6	17.3-27.9
\$15,000- 24,999	73	5,961	42	49.0	33.9-64.1	4	3.4	0.0- 8.5	27	47.6	32.3-62.9
\$25,000- 34,999	56	5,653	36	69.6	54.3-84.9	1	0.8	0.0- 2.4	19	29.6	14.3-44.9
\$35,000- 49,999	118	10,511	75	58.0	44.9-71.1	2	1.5	0.0- 4.0	41	40.5	27.4-53.6
\$50,000- 74,999	195	17,092	145	74.3	66.3-82.3	11	4.5	1.4- 7.6	39	21.2	13.6-28.8
\$75,000+	397	40,099	281	67.3	61.4-73.2	17	3.7	1.5- 5.9	99	29.1	23.4-34.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCPY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy in the past 10 years			Colonoscopy in the past 10+ years			Have never had a colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1177	97,673	816	66.9	63.6-70.2	68	5.6	4.0- 7.2	293	27.5	24.2-30.8
Native	52	3,731	32	57.5	40.4-74.6	3	4.8	0.0-10.5	17	37.7	20.6-54.8
Non-Native	1110	92,933	775	67.2	63.7-70.7	64	5.7	3.9- 7.5	271	27.1	23.8-30.4
50-54	121	17,988	68	59.2	49.2-69.2	5	4.1	0.0- 8.2	48	36.8	27.0-46.6
55-64	499	44,238	341	65.1	59.8-70.4	31	6.7	4.0- 9.4	127	28.2	23.1-33.3
65+	557	35,448	407	73.0	68.5-77.5	32	5.0	2.8- 7.2	118	21.9	17.6-26.2
H.S. or G.E.D.	266	22,452	176	64.7	57.6-71.8	15	5.3	2.4- 8.2	75	30.1	23.2-37.0
Some Post-H.S.	385	40,075	263	66.9	61.2-72.6	19	5.1	2.4- 7.8	103	28.0	22.5-33.5
College Graduate	505	31,601	368	72.2	67.5-76.9	33	6.7	4.0- 9.4	104	21.2	16.9-25.5
Less than \$15,000	53	5,371	21	42.6	25.2-60.0	4	4.3	0.0- 9.6	28	53.1	35.7-70.5
\$15,000- 24,999	110	9,522	71	57.8	45.8-69.8	8	9.9	1.7-18.1	31	32.3	20.9-43.7
\$25,000- 34,999	89	6,898	58	61.2	48.3-74.1	4	3.5	0.0- 7.0	27	35.3	22.4-48.2
\$35,000- 49,999	180	12,967	131	70.2	61.8-78.6	6	3.7	0.2- 7.2	43	26.1	17.9-34.3
\$50,000- 74,999	176	13,964	120	66.1	56.9-75.3	15	7.1	2.6-11.6	41	26.9	18.1-35.7
\$75,000+	358	32,283	272	74.8	69.3-80.3	20	5.6	2.9- 8.3	66	19.7	14.6-24.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2113	185,402	67	2.9	2.1- 3.7	189	7.6	6.2- 9.0	1857	89.5	87.9-91.1
Male	968	90,328	37	3.1	1.9- 4.3	84	7.2	5.2- 9.2	847	89.7	87.5-91.9
Female	1145	95,074	30	2.8	1.6- 4.0	105	7.9	6.1- 9.7	1010	89.3	87.1-91.5
Native	89	7,293	3	1.9	0.0- 4.1	3	3.2	0.0- 6.9	83	94.9	90.6-99.2
Non-Native	1995	175,678	63	3.0	2.0- 4.0	182	7.7	6.3- 9.1	1750	89.3	87.7-90.9
50-54	227	34,173	1	0.6	0.0- 1.8	7	4.2	0.9- 7.5	219	95.2	91.7-98.7
55-64	865	83,922	18	2.2	1.0- 3.4	34	3.5	2.1- 4.9	813	94.3	92.5-96.1
65+	1021	67,307	48	5.0	3.4- 6.6	148	14.4	11.9-16.9	825	80.6	77.7-83.5
H.S. or G.E.D.	502	45,323	19	3.9	1.9- 5.9	28	6.1	3.6- 8.6	455	90.1	87.0-93.2
Some Post-H.S.	716	77,735	25	3.1	1.7- 4.5	57	7.5	5.3- 9.7	634	89.4	86.9-91.9
College Graduate	845	53,700	22	2.1	0.9- 3.3	101	9.6	7.4-11.8	722	88.3	85.9-90.7
Less than \$15,000	89	8,499	1	0.3	0.0- 0.9	7	7.7	0.8-14.6	81	92.0	85.1-98.9
\$15,000- 24,999	171	15,042	7	2.9	0.2- 5.6	13	5.6	2.3- 8.9	151	91.4	87.1-95.7
\$25,000- 34,999	142	12,320	4	3.5	0.0- 7.0	13	9.6	3.7-15.5	125	86.9	80.2-93.6
\$35,000- 49,999	290	22,163	15	5.4	2.3- 8.5	37	12.4	7.7-17.1	238	82.2	76.7-87.7
\$50,000- 74,999	355	30,060	9	1.8	0.4- 3.2	24	4.8	2.4- 7.2	322	93.4	90.7-96.1
\$75,000+	741	70,816	17	1.9	0.9- 2.9	66	6.7	4.7- 8.7	658	91.4	89.2-93.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	968	90,328	37	3.1	1.9- 4.3	84	7.2	5.2- 9.2	847	89.7	87.5-91.9
Non-Native	915	85,213	36	3.2	1.8- 4.6	83	7.5	5.5- 9.5	796	89.3	86.9-91.7
50-54	107	16,572				4	4.1	0.0- 8.4	103	95.9	91.6- 100
55-64	377	40,922	7	1.9	0.1- 3.7	14	3.8	1.4- 6.2	356	94.4	91.7-97.1
65+	484	32,834	30	6.1	3.6- 8.6	66	13.1	9.6-16.6	388	80.8	76.5-85.1
H.S. or G.E.D.	246	23,513	14	5.2	2.3- 8.1	11	4.7	1.4- 8.0	221	90.1	85.6-94.6
Some Post-H.S.	340	38,835	9	2.0	0.2- 3.8	24	7.2	4.1-10.3	307	90.8	87.3-94.3
College Graduate	353	22,884	13	2.7	0.7- 4.7	48	11.2	7.7-14.7	292	86.1	82.2-90.0
\$15,000- 24,999	68	5,743	5	6.2	0.0-12.9	3	2.8	0.0- 6.5	60	91.0	83.4-98.6
\$25,000- 34,999	53	5,422	2	4.1	0.0-10.0	4	7.8	0.0-15.6	47	88.2	78.6-97.8
\$35,000- 49,999	113	9,456	9	7.1	1.6-12.6	13	10.2	2.9-17.5	91	82.6	73.8-91.4
\$50,000- 74,999	187	16,712	4	1.1	0.0- 2.3	9	3.0	0.8- 5.2	174	95.9	93.5-98.3
\$75,000+	389	39,380	11	1.9	0.5- 3.3	45	8.8	5.9-11.7	333	89.3	86.0-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCPY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 5 years			No sigmoidoscopy in the past 5+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1145	95,074	30	2.8	1.6- 4.0	105	7.9	6.1- 9.7	1010	89.3	87.1-91.5
Native	51	3,647	3	3.8	0.0- 8.3	3	6.4	0.0-13.8	45	89.8	81.2-98.4
Non-Native	1080	90,465	27	2.8	1.6- 4.0	99	7.8	6.0- 9.6	954	89.4	87.2-91.6
50-54	120	17,601	1	1.2	0.0- 3.4	3	4.3	0.0- 9.2	116	94.5	89.2-99.8
55-64	488	43,001	11	2.6	0.8- 4.4	20	3.2	1.6- 4.8	457	94.2	91.8-96.6
65+	537	34,472	18	4.0	1.8- 6.2	82	15.6	11.9-19.3	437	80.4	76.3-84.5
H.S. or G.E.D.	256	21,810	5	2.4	0.0- 4.8	17	7.5	3.6-11.4	234	90.1	85.6-94.6
Some Post-H.S.	376	38,900	16	4.2	1.8- 6.6	33	7.8	4.7-10.9	327	88.0	84.3-91.7
College Graduate	492	30,817	9	1.7	0.5- 2.9	53	8.4	5.9-10.9	430	90.0	87.3-92.7
Less than \$15,000	52	5,234				6	11.5	0.7-22.3	46	88.5	77.7-99.3
\$15,000- 24,999	103	9,299	2	0.9	0.0- 2.3	10	7.3	2.4-12.2	91	91.7	86.6-96.8
\$25,000- 34,999	89	6,898	2	3.0	0.0- 7.1	9	11.1	2.9-19.3	78	85.9	76.9-94.9
\$35,000- 49,999	177	12,707	6	4.0	0.1- 7.9	24	14.0	7.7-20.3	147	82.0	74.9-89.1
\$50,000- 74,999	168	13,349	5	2.6	0.1- 5.1	15	7.1	2.6-11.6	148	90.3	85.2-95.4
\$75,000+	352	31,436	6	1.9	0.3- 3.5	21	4.2	2.2- 6.2	325	94.0	91.5-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2113	185,402	100	4.2	3.2- 5.2	156	6.3	5.1- 7.5	1857	89.5	87.9-91.1
Male	968	90,328	52	4.4	3.0- 5.8	69	5.9	4.1- 7.7	847	89.7	87.5-91.9
Female	1145	95,074	48	4.1	2.7- 5.5	87	6.6	5.0- 8.2	1010	89.3	87.1-91.5
Native	89	7,293	3	1.9	0.0- 4.1	3	3.2	0.0- 6.9	83	94.9	90.6-99.2
Non-Native	1995	175,678	96	4.4	3.4- 5.4	149	6.3	5.1- 7.5	1750	89.3	87.7-90.9
50-54	227	34,173	1	0.6	0.0- 1.8	7	4.2	0.9- 7.5	219	95.2	91.7-98.7
55-64	865	83,922	23	2.9	1.5- 4.3	29	2.8	1.6- 4.0	813	94.3	92.5-96.1
65+	1021	67,307	76	7.7	5.7- 9.7	120	11.7	9.3-14.1	825	80.6	77.7-83.5
H.S. or G.E.D.	502	45,323	26	5.6	3.2- 8.0	21	4.4	2.2- 6.6	455	90.1	87.0-93.2
Some Post-H.S.	716	77,735	33	3.7	2.1- 5.3	49	6.9	4.7- 9.1	634	89.4	86.9-91.9
College Graduate	845	53,700	38	3.8	2.4- 5.2	85	7.9	5.9- 9.9	722	88.3	85.9-90.7
Less than \$15,000	89	8,499	4	3.0	0.0- 6.5	4	5.0	0.0-11.1	81	92.0	85.1-98.9
\$15,000- 24,999	171	15,042	9	3.5	0.6- 6.4	11	5.0	1.9- 8.1	151	91.4	87.1-95.7
\$25,000- 34,999	142	12,320	5	3.9	0.4- 7.4	12	9.2	3.5-14.9	125	86.9	80.2-93.6
\$35,000- 49,999	290	22,163	25	9.1	5.0-13.2	27	8.7	4.6-12.8	238	82.2	76.7-87.7
\$50,000- 74,999	355	30,060	12	2.5	0.9- 4.1	21	4.1	1.9- 6.3	322	93.4	90.7-96.1
\$75,000+	741	70,816	27	3.0	1.6- 4.4	56	5.6	3.8- 7.4	658	91.4	89.2-93.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	968	90,328	52	4.4	3.0- 5.8	69	5.9	4.1- 7.7	847	89.7	87.5-91.9
Non-Native	915	85,213	51	4.6	3.0- 6.2	68	6.1	4.3- 7.9	796	89.3	86.9-91.7
50-54	107	16,572				4	4.1	0.0- 8.4	103	95.9	91.6- 100
55-64	377	40,922	11	3.2	1.0- 5.4	10	2.5	0.5- 4.5	356	94.4	91.7-97.1
65+	484	32,834	41	8.0	5.1-10.9	55	11.2	7.9-14.5	388	80.8	76.5-85.1
H.S. or G.E.D.	246	23,513	17	6.7	3.2-10.2	8	3.3	0.4- 6.2	221	90.1	85.6-94.6
Some Post-H.S.	340	38,835	14	3.1	1.1- 5.1	19	6.1	3.0- 9.2	307	90.8	87.3-94.3
College Graduate	353	22,884	20	4.5	2.0- 7.0	41	9.4	6.3-12.5	292	86.1	82.2-90.0
\$15,000- 24,999	68	5,743	6	7.3	0.2-14.4	2	1.7	0.0- 4.6	60	91.0	83.4-98.6
\$25,000- 34,999	53	5,422	2	4.1	0.0-10.0	4	7.8	0.0-15.6	47	88.2	78.6-97.8
\$35,000- 49,999	113	9,456	12	8.8	2.9-14.7	10	8.6	1.5-15.7	91	82.6	73.8-91.4
\$50,000- 74,999	187	16,712	6	2.0	0.2- 3.8	7	2.1	0.5- 3.7	174	95.9	93.5-98.3
\$75,000+	389	39,380	19	3.7	1.7- 5.7	37	7.0	4.3- 9.7	333	89.3	86.0-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS10Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy in the past 10 years			Sigmoidoscopy in the past 10+ years			Have never had a sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1145	95,074	48	4.1	2.7- 5.5	87	6.6	5.0- 8.2	1010	89.3	87.1-91.5
Native	51	3,647	3	3.8	0.0- 8.3	3	6.4	0.0-13.8	45	89.8	81.2-98.4
Non-Native	1080	90,465	45	4.2	2.8- 5.6	81	6.4	4.6- 8.2	954	89.4	87.2-91.6
50-54	120	17,601	1	1.2	0.0- 3.4	3	4.3	0.0- 9.2	116	94.5	89.2-99.8
55-64	488	43,001	12	2.7	0.9- 4.5	19	3.0	1.4- 4.6	457	94.2	91.8-96.6
65+	537	34,472	35	7.4	4.5-10.3	65	12.2	8.9-15.5	437	80.4	76.3-84.5
H.S. or G.E.D.	256	21,810	9	4.3	1.2- 7.4	13	5.6	2.1- 9.1	234	90.1	85.6-94.6
Some Post-H.S.	376	38,900	19	4.4	2.0- 6.8	30	7.6	4.5-10.7	327	88.0	84.3-91.7
College Graduate	492	30,817	18	3.2	1.4- 5.0	44	6.8	4.6- 9.0	430	90.0	87.3-92.7
Less than \$15,000	52	5,234	3	4.3	0.0-10.0	3	7.2	0.0-16.8	46	88.5	77.7-99.3
\$15,000- 24,999	103	9,299	3	1.2	0.0- 2.6	9	7.1	2.2-12.0	91	91.7	86.6-96.8
\$25,000- 34,999	89	6,898	3	3.8	0.0- 8.3	8	10.3	2.1-18.5	78	85.9	76.9-94.9
\$35,000- 49,999	177	12,707	13	9.3	3.6-15.0	17	8.7	3.8-13.6	147	82.0	74.9-89.1
\$50,000- 74,999	168	13,349	6	3.1	0.4- 5.8	14	6.6	2.3-10.9	148	90.3	85.2-95.4
\$75,000+	352	31,436	8	2.2	0.4- 4.0	19	3.9	1.9- 5.9	325	94.0	91.5-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2166	190,022	161	7.4	5.8- 9.0	489	20.3	18.1-22.5	1516	72.3	69.9-74.7
Male	996	92,928	63	7.3	4.8- 9.8	214	19.4	16.3-22.5	719	73.4	69.9-76.9
Female	1170	97,094	98	7.5	5.7- 9.3	275	21.2	18.3-24.1	797	71.4	68.3-74.5
Native	90	7,377	12	8.6	3.1-14.1	20	21.8	11.0-32.6	58	69.7	58.1-81.3
Non-Native	2046	180,163	147	7.4	5.8- 9.0	462	20.1	17.9-22.3	1437	72.5	70.1-74.9
50-54	230	34,878	23	9.0	5.1-12.9	23	13.9	8.0-19.8	184	77.1	70.4-83.8
55-64	880	86,098	60	6.6	4.2- 9.0	164	16.7	13.8-19.6	656	76.8	73.3-80.3
65+	1056	69,045	78	7.6	5.4- 9.8	302	28.0	24.7-31.3	676	64.4	60.9-67.9
Less Than H.S.	50	9,195	4	12.9	0.0-28.2	14	26.4	11.7-41.1	32	60.7	43.3-78.1
H.S. or G.E.D.	522	46,789	45	6.7	4.5- 8.9	106	20.8	16.5-25.1	371	72.5	68.0-77.0
Some Post-H.S.	731	79,218	54	7.2	5.0- 9.4	158	19.0	15.7-22.3	519	73.8	70.1-77.5
College Graduate	862	54,674	58	7.3	4.9- 9.7	211	20.7	17.6-23.8	593	72.0	68.5-75.5
Less than \$15,000	89	8,569	5	5.0	0.0-10.3	25	36.6	22.1-51.1	59	58.4	44.1-72.7
\$15,000- 24,999	184	15,549	16	6.3	2.6-10.0	42	16.3	10.2-22.4	126	77.4	70.3-84.5
\$25,000- 34,999	141	12,228	13	7.0	2.5-11.5	39	22.8	14.8-30.8	89	70.2	61.4-79.0
\$35,000- 49,999	292	22,335	25	7.6	4.3-10.9	76	21.1	15.8-26.4	191	71.3	65.2-77.4
\$50,000- 74,999	369	30,891	26	6.3	3.4- 9.2	77	20.1	15.2-25.0	266	73.6	68.1-79.1
\$75,000+	750	71,954	50	6.7	4.3- 9.1	151	18.4	15.1-21.7	549	74.8	71.1-78.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFLDS4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	996	92,928	63	7.3	4.8- 9.8	214	19.4	16.3-22.5	719	73.4	69.9-76.9
Non-Native	943	87,810	58	7.4	4.9- 9.9	200	19.0	15.9-22.1	685	73.7	70.0-77.4
50-54	110	17,006	10	9.1	2.8-15.4	11	14.0	5.4-22.6	89	76.9	67.1-86.7
55-64	384	42,029	17	6.1	2.2-10.0	65	14.8	10.7-18.9	302	79.1	73.8-84.4
65+	502	33,893	36	7.8	4.5-11.1	138	27.7	22.8-32.6	328	64.5	59.2-69.8
H.S. or G.E.D.	253	24,147	16	5.5	2.6- 8.4	39	17.7	11.8-23.6	198	76.8	70.5-83.1
Some Post-H.S.	351	39,622	25	7.4	3.9-10.9	81	19.1	14.4-23.8	245	73.5	68.0-79.0
College Graduate	362	23,364	19	5.8	2.5- 9.1	86	19.8	14.9-24.7	257	74.4	68.9-79.9
\$15,000- 24,999	72	5,810	8	9.2	1.6-16.8	15	14.7	4.9-24.5	49	76.1	64.3-87.9
\$25,000- 34,999	53	5,416	3	2.6	0.0- 5.7	15	25.4	11.5-39.3	35	72.1	57.8-86.4
\$35,000- 49,999	115	9,592	7	4.5	0.6- 8.4	28	21.6	12.6-30.6	80	73.9	64.3-83.5
\$50,000- 74,999	196	17,148	10	5.2	1.5- 8.9	40	17.9	11.6-24.2	146	77.0	69.9-84.1
\$75,000+	393	39,679	23	6.7	3.4-10.0	74	17.5	13.0-22.0	296	75.8	70.5-81.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLS4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test in the past year			Had a blood stool test one or more years ago			Have never had a blood stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1170	97,094	98	7.5	5.7- 9.3	275	21.2	18.3-24.1	797	71.4	68.3-74.5
Native	52	3,731	7	8.8	1.4-16.2	10	17.2	5.4-29.0	35	74.0	60.5-87.5
Non-Native	1103	92,353	89	7.4	5.6- 9.2	262	21.2	18.3-24.1	752	71.4	68.3-74.5
50-54	120	17,873	13	8.8	3.7-13.9	12	13.9	6.1-21.7	95	77.3	68.5-86.1
55-64	496	44,069	43	7.0	4.6- 9.4	99	18.4	14.3-22.5	354	74.6	70.1-79.1
65+	554	35,152	42	7.4	4.9- 9.9	164	28.3	23.8-32.8	348	64.4	59.7-69.1
H.S. or G.E.D.	269	22,642	29	7.9	4.8-11.0	67	24.2	17.9-30.5	173	67.9	61.2-74.6
Some Post-H.S.	380	39,596	29	7.0	4.3- 9.7	77	18.8	14.3-23.3	274	74.2	69.1-79.3
College Graduate	500	31,309	39	8.4	5.3-11.5	125	21.4	17.3-25.5	336	70.2	65.5-74.9
Less than \$15,000	52	5,253	3	3.7	0.0- 9.0	11	31.5	13.5-49.5	38	64.8	46.8-82.8
\$15,000- 24,999	112	9,739	8	4.6	0.9- 8.3	27	17.3	9.5-25.1	77	78.1	69.5-86.7
\$25,000- 34,999	88	6,812	10	10.4	3.0-17.8	24	20.8	11.6-30.0	54	68.7	57.5-79.9
\$35,000- 49,999	177	12,744	18	9.9	5.0-14.8	48	20.8	14.3-27.3	111	69.3	61.7-76.9
\$50,000- 74,999	173	13,743	16	7.8	3.3-12.3	37	22.8	15.2-30.4	120	69.5	61.3-77.7
\$75,000+	357	32,274	27	6.8	3.9- 9.7	77	19.6	14.7-24.5	253	73.6	68.1-79.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2174	190,590	80	4.0	3.0- 5.0	43	2.0	1.2- 2.8	2051	94.0	92.6-95.4
Male	1001	93,301	31	4.4	2.6- 6.2	19	1.3	0.5- 2.1	951	94.2	92.2-96.2
Female	1173	97,288	49	3.6	2.4- 4.8	24	2.6	1.2- 4.0	1100	93.8	92.0-95.6
Native	88	7,293	6	4.8	0.7- 8.9	4	4.6	0.0- 9.7	78	90.6	84.1-97.1
Non-Native	2055	180,753	72	3.9	2.7- 5.1	37	1.8	1.0- 2.6	1946	94.3	92.9-95.7
50-54	231	35,023	12	5.9	2.4- 9.4	5	2.3	0.0- 4.8	214	91.8	87.5-96.1
55-64	882	86,067	26	2.6	1.4- 3.8	12	1.5	0.5- 2.5	844	95.9	94.3-97.5
65+	1061	69,499	42	4.7	2.9- 6.5	26	2.5	1.3- 3.7	993	92.8	90.6-95.0
Less Than H.S.	50	9,195	6	10.6	0.6-20.6	2	1.6	0.0- 4.0	42	87.8	77.6-98.0
H.S. or G.E.D.	519	46,375	20	3.9	1.9- 5.9	12	2.4	0.8- 4.0	487	93.8	91.3-96.3
Some Post-H.S.	741	80,006	30	4.1	2.3- 5.9	19	2.6	1.2- 4.0	692	93.2	91.0-95.4
College Graduate	863	54,868	24	2.8	1.4- 4.2	10	0.9	0.3- 1.5	829	96.3	94.7-97.9
Less than \$15,000	91	8,500	9	9.3	2.2-16.4	1	4.4	0.0-12.6	81	86.3	75.9-96.7
\$15,000- 24,999	183	15,541	4	1.9	0.0- 3.9	8	4.3	0.8- 7.8	171	93.8	89.7-97.9
\$25,000- 34,999	144	12,375	7	5.0	0.7- 9.3	3	2.2	0.0- 4.9	134	92.7	87.6-97.8
\$35,000- 49,999	296	22,647	10	2.6	0.6- 4.6	7	2.3	0.1- 4.5	279	95.1	92.4-97.8
\$50,000- 74,999	371	30,961	16	3.5	1.5- 5.5	7	1.7	0.0- 3.5	348	94.7	92.2-97.2
\$75,000+	749	72,137	24	4.0	2.0- 6.0	5	0.6	0.0- 1.2	720	95.4	93.4-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1001	93,301	31	4.4	2.6- 6.2	19	1.3	0.5- 2.1	951	94.2	92.2-96.2
Non-Native	947	88,121	29	4.5	2.5- 6.5	17	1.3	0.5- 2.1	901	94.1	92.1-96.1
50-54	111	17,067	5	6.6	0.7-12.5	2	0.4	0.0- 1.0	104	93.0	87.1-98.9
55-64	384	42,123	13	3.3	1.3- 5.3	7	1.5	0.1- 2.9	364	95.1	92.7-97.5
65+	506	34,111	13	4.6	1.5- 7.7	10	1.6	0.2- 3.0	483	93.8	90.5-97.1
H.S. or G.E.D.	252	24,046	9	4.6	1.3- 7.9	5	2.2	0.0- 4.4	238	93.3	89.4-97.2
Some Post-H.S.	357	40,036	14	4.6	1.9- 7.3	7	1.3	0.1- 2.5	336	94.1	91.2-97.0
College Graduate	362	23,424	5	1.9	0.0- 3.9	7	1.0	0.2- 1.8	350	97.1	94.9-99.3
\$15,000- 24,999	73	6,013				2	1.3	0.0- 3.1	71	98.7	96.9- 100
\$25,000- 34,999	55	5,476	1	2.0	0.0- 5.9	2	3.3	0.0- 8.4	52	94.7	88.2- 100
\$35,000- 49,999	116	9,724	2	1.7	0.0- 4.2	3	1.5	0.0- 3.5	111	96.8	93.5- 100
\$50,000- 74,999	196	17,140	6	2.7	0.5- 4.9	4	0.8	0.0- 1.6	186	96.5	94.1-98.9
\$75,000+	393	39,858	14	5.4	2.3- 8.5	4	0.9	0.0- 1.9	375	93.7	90.4-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDNA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test in the past 3 years			Had a stool DNA test in past 3 or more years			Have never had a stool DNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1173	97,288	49	3.6	2.4- 4.8	24	2.6	1.2- 4.0	1100	93.8	92.0-95.6
Native	50	3,647	4	6.7	0.0-14.0	2	6.7	0.0-16.3	44	86.6	75.0-98.2
Non-Native	1108	92,632	43	3.4	2.2- 4.6	20	2.2	1.0- 3.4	1045	94.5	92.7-96.3
50-54	120	17,955	7	5.3	1.4- 9.2	3	4.1	0.0- 9.0	110	90.6	84.5-96.7
55-64	498	43,945	13	2.0	0.6- 3.4	5	1.4	0.0- 2.8	480	96.6	94.6-98.6
65+	555	35,388	29	4.7	2.7- 6.7	16	3.4	1.6- 5.2	510	91.8	89.3-94.3
H.S. or G.E.D.	267	22,328	11	3.1	1.1- 5.1	7	2.6	0.2- 5.0	249	94.4	91.3-97.5
Some Post-H.S.	384	39,970	16	3.7	1.5- 5.9	12	3.9	1.4- 6.4	356	92.4	89.1-95.7
College Graduate	501	31,444	19	3.4	1.6- 5.2	3	0.8	0.0- 1.8	479	95.7	93.5-97.9
Less than \$15,000	53	5,164	5	6.7	0.0-13.4	1	7.2	0.0-20.5	47	86.1	72.0- 100
\$15,000- 24,999	110	9,529	4	3.0	0.0- 6.3	6	6.2	0.5-11.9	100	90.8	84.3-97.3
\$25,000- 34,999	89	6,898	6	7.4	0.3-14.5	1	1.4	0.0- 3.9	82	91.2	83.8-98.6
\$35,000- 49,999	180	12,924	8	3.2	0.5- 5.9	4	2.9	0.0- 6.2	168	93.9	89.6-98.2
\$50,000- 74,999	175	13,821	10	4.6	1.5- 7.7	3	2.9	0.0- 6.6	162	92.5	87.8-97.2
\$75,000+	356	32,279	10	2.3	0.5- 4.1	1	0.2	0.0- 0.6	345	97.4	95.4-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2133	187,025	49	2.2	1.4- 3.0	29	1.0	0.6- 1.4	2055	96.8	96.0-97.6
Male	978	91,032	34	3.2	2.0- 4.4	19	1.5	0.7- 2.3	925	95.4	93.8-97.0
Female	1155	95,993	15	1.3	0.5- 2.1	10	0.6	0.2- 1.0	1130	98.1	97.3-98.9
Native	87	7,119	4	3.9	0.0- 9.0	2	1.8	0.0- 4.3	81	94.3	88.6- 100
Non-Native	2014	177,328	44	2.1	1.3- 2.9	27	1.0	0.6- 1.4	1943	96.9	96.1-97.7
50-54	229	34,446	1	0.3	0.0- 0.9				228	99.7	99.1- 100
55-64	871	84,970	17	1.9	0.9- 2.9	8	0.7	0.1- 1.3	846	97.4	96.2-98.6
65+	1033	67,608	31	3.5	1.9- 5.1	21	2.0	1.0- 3.0	981	94.5	92.7-96.3
H.S. or G.E.D.	506	45,210	18	4.0	2.0- 6.0	10	1.9	0.5- 3.3	478	94.1	91.7-96.5
Some Post-H.S.	724	79,015	18	2.2	1.0- 3.4	12	0.9	0.3- 1.5	694	96.9	95.7-98.1
College Graduate	857	54,308	12	1.0	0.4- 1.6	6	0.4	0.0- 0.8	839	98.6	97.8-99.4
Less than \$15,000	87	8,451	2	0.7	0.0- 1.7	2	1.1	0.0- 2.7	83	98.1	96.1- 100
\$15,000- 24,999	178	15,291	7	2.5	0.1- 4.9	8	2.5	0.3- 4.7	163	95.0	91.9-98.1
\$25,000- 34,999	139	11,549	5	4.7	0.4- 9.0	3	2.3	0.0- 4.8	131	93.1	88.2-98.0
\$35,000- 49,999	290	22,281	9	3.4	0.7- 6.1	4	1.7	0.0- 3.5	277	94.9	91.6-98.2
\$50,000- 74,999	366	30,568	5	0.9	0.0- 1.9	5	1.1	0.0- 2.5	356	98.0	96.4-99.6
\$75,000+	743	71,217	15	2.1	0.9- 3.3	3	0.2	0.0- 0.4	725	97.7	96.5-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	978	91,032	34	3.2	2.0- 4.4	19	1.5	0.7- 2.3	925	95.4	93.8-97.0
Non-Native	924	85,959	31	3.0	1.8- 4.2	18	1.5	0.7- 2.3	875	95.5	93.9-97.1
50-54	109	16,633							109	100.0	100.0- 100
55-64	381	41,402	12	2.8	1.0- 4.6	5	0.9	0.0- 1.9	364	96.3	94.1-98.5
65+	488	32,996	22	5.2	2.7- 7.7	14	2.9	1.1- 4.7	452	91.9	88.8-95.0
H.S. or G.E.D.	247	23,483	16	6.4	2.9- 9.9	6	2.6	0.2- 5.0	225	91.0	86.9-95.1
Some Post-H.S.	345	39,393	11	2.7	0.9- 4.5	8	1.2	0.2- 2.2	326	96.2	94.2-98.2
College Graduate	359	23,049	6	1.1	0.1- 2.1	4	0.6	0.0- 1.2	349	98.3	97.1-99.5
\$15,000- 24,999	69	5,822	7	6.6	0.3-12.9	4	3.5	0.0- 8.0	58	90.0	82.4-97.6
\$25,000- 34,999	53	4,939	4	9.0	0.0-18.0	2	3.6	0.0- 8.7	47	87.4	77.2-97.6
\$35,000- 49,999	113	9,577	4	4.2	0.0- 8.7	2	2.3	0.0- 5.8	107	93.5	87.8-99.2
\$50,000- 74,999	191	16,802	3	1.4	0.0- 3.0	4	1.6	0.0- 4.0	184	97.1	94.4-99.8
\$75,000+	389	39,254	12	3.1	1.1- 5.1	2	0.3	0.0- 0.7	375	96.6	94.6-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOLN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy in the past 5 years			Not had a virtual colonoscopy in the past 5+ years			Have never had a virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1155	95,993	15	1.3	0.5- 2.1	10	0.6	0.2- 1.0	1130	98.1	97.3-98.9
Native	50	3,615	2	2.2	0.0- 5.5	1	1.9	0.0- 5.6	47	95.9	91.0- 100
Non-Native	1090	91,369	13	1.2	0.4- 2.0	9	0.6	0.2- 1.0	1068	98.2	97.2-99.2
50-54	120	17,813	1	0.6	0.0- 1.8				119	99.4	98.2- 100
55-64	490	43,568	5	1.0	0.0- 2.2	3	0.4	0.0- 1.0	482	98.5	97.3-99.7
65+	545	34,612	9	1.9	0.3- 3.5	7	1.2	0.2- 2.2	529	96.9	95.1-98.7
H.S. or G.E.D.	259	21,727	2	1.3	0.0- 3.3	4	1.1	0.0- 2.3	253	97.5	95.1-99.9
Some Post-H.S.	379	39,622	7	1.6	0.2- 3.0	4	0.6	0.0- 1.2	368	97.7	96.1-99.3
College Graduate	498	31,259	6	0.9	0.1- 1.7	2	0.3	0.0- 0.7	490	98.8	97.8-99.8
\$15,000- 24,999	109	9,469				4	1.8	0.0- 3.8	105	98.2	96.2- 100
\$25,000- 34,999	86	6,609	1	1.4	0.0- 4.1	1	1.2	0.0- 3.6	84	97.3	93.6- 100
\$35,000- 49,999	177	12,704	5	2.9	0.0- 6.4	2	1.3	0.0- 3.1	170	95.9	92.0-99.8
\$50,000- 74,999	175	13,766	2	0.4	0.0- 1.0	1	0.5	0.0- 1.5	172	99.1	97.9- 100
\$75,000+	354	31,963	3	0.8	0.0- 1.8	1	0.1	0.0- 0.5	350	99.0	98.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 19: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2295	203,312	7	0.2	0.0- 0.4	961	39.8	37.3-42.3	1327	60.0	57.5-62.5
Male	1078	102,244	5	0.4	0.0- 0.8	446	40.2	36.5-43.9	627	59.5	55.8-63.2
Female	1217	101,068	2	0.1	0.1- 0.1	515	39.5	36.2-42.8	700	60.5	57.2-63.8
Native	94	7,635				42	38.0	26.0-50.0	52	62.0	50.0-74.0
Non-Native	2167	192,866	7	0.2	0.0- 0.4	901	39.7	37.2-42.2	1259	60.1	57.6-62.6
50-54	252	38,438				78	35.1	27.8-42.4	174	64.9	57.6-72.2
55-64	927	91,488				322	32.9	29.2-36.6	605	67.1	63.4-70.8
65+	1116	73,386	7	0.6	0.0- 1.2	561	50.9	47.4-54.4	548	48.5	45.0-52.0
Less Than H.S.	56	10,863				26	50.8	34.3-67.3	30	49.2	32.7-65.7
H.S. or G.E.D.	571	52,048	3	0.6	0.0- 1.4	238	41.3	36.4-46.2	330	58.2	53.3-63.1
Some Post-H.S.	772	83,624	1	0.1	0.0- 0.3	319	38.6	34.5-42.7	452	61.3	57.2-65.4
College Graduate	895	56,632	3	0.1	0.0- 0.3	378	38.3	34.6-42.0	514	61.6	57.7-65.5
Less than \$15,000	94	8,913				42	50.7	37.2-64.2	52	49.3	35.8-62.8
\$15,000- 24,999	193	16,352	3	1.8	0.0- 4.2	79	30.1	22.5-37.7	111	68.1	60.3-75.9
\$25,000- 34,999	149	13,109	1	0.5	0.0- 1.5	67	40.6	30.8-50.4	81	58.8	49.0-68.6
\$35,000- 49,999	310	24,654	1	0.1	0.0- 0.3	150	47.7	40.4-55.0	159	52.3	45.0-59.6
\$50,000- 74,999	386	32,805	1	0.1	0.0- 0.3	155	37.1	31.2-43.0	230	62.8	56.9-68.7
\$75,000+	772	74,182	1	0.0	0.0- 0.0	278	33.9	29.8-38.0	493	66.1	62.0-70.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 20: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1078	102,244	5	0.4	0.0- 0.8	446	40.2	36.5-43.9	627	59.5	55.8-63.2
Non-Native	1018	96,656	5	0.4	0.0- 0.8	417	40.1	36.2-44.0	596	59.5	55.6-63.4
50-54	124	19,440				40	35.8	25.2-46.4	84	64.2	53.6-74.8
55-64	415	46,248				133	32.5	26.8-38.2	282	67.5	61.8-73.2
65+	539	36,556	5	1.0	0.0- 2.2	273	52.2	46.9-57.5	261	46.8	41.5-52.1
H.S. or G.E.D.	288	27,847	2	1.0	0.0- 2.4	112	39.2	32.3-46.1	174	59.9	53.0-66.8
Some Post-H.S.	378	42,889	1	0.2	0.0- 0.6	162	39.4	33.5-45.3	215	60.4	54.5-66.3
College Graduate	378	24,266	2	0.1	0.0- 0.3	156	37.6	31.5-43.7	220	62.3	56.2-68.4
\$15,000- 24,999	77	6,217	2	4.3	0.0-10.2	31	28.7	16.7-40.7	44	67.0	54.1-79.9
\$25,000- 34,999	59	6,184	1	1.1	0.0- 3.3	26	41.4	25.7-57.1	32	57.5	41.8-73.2
\$35,000- 49,999	125	11,357	1	0.1	0.0- 0.3	58	48.8	36.5-61.1	66	51.0	38.7-63.3
\$50,000- 74,999	206	18,348	1	0.1	0.0- 0.3	76	32.7	24.9-40.5	129	67.2	59.4-75.0
\$75,000+	411	41,602				151	34.7	29.2-40.2	260	65.3	59.8-70.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 21: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTIM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1217	101,068	2	0.1	0.1- 0.1	515	39.5	36.2-42.8	700	60.5	57.2-63.8
Native	53	3,848				24	38.8	23.3-54.3	29	61.2	45.7-76.7
Non-Native	1149	96,211	2	0.1	0.1- 0.1	484	39.3	35.8-42.8	663	60.6	57.1-64.1
50-54	128	18,998				38	34.4	24.6-44.2	90	65.6	55.8-75.4
55-64	512	45,240				189	33.4	28.5-38.3	323	66.6	61.7-71.5
65+	577	36,831	2	0.2	0.0- 0.4	288	49.6	44.7-54.5	287	50.2	45.3-55.1
H.S. or G.E.D.	283	24,201	1	0.1	0.0- 0.3	126	43.7	36.6-50.8	156	56.2	49.1-63.3
Some Post-H.S.	394	40,735				157	37.8	32.1-43.5	237	62.2	56.5-67.9
College Graduate	517	32,366	1	0.1	0.0- 0.3	222	38.9	34.0-43.8	294	61.0	56.1-65.9
Less than \$15,000	54	5,410				21	46.1	28.5-63.7	33	53.9	36.3-71.5
\$15,000- 24,999	116	10,135	1	0.3	0.0- 0.9	48	31.0	21.2-40.8	67	68.7	58.9-78.5
\$25,000- 34,999	90	6,924				41	40.0	27.8-52.2	49	60.0	47.8-72.2
\$35,000- 49,999	185	13,297				92	46.7	38.1-55.3	93	53.3	44.7-61.9
\$50,000- 74,999	180	14,456				79	42.7	33.7-51.7	101	57.3	48.3-66.3
\$75,000+	361	32,580	1	0.1	0.0- 0.3	127	32.9	27.0-38.8	233	67.0	61.1-72.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 22: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2163	189,874	1612	72.5	70.0-75.0	169	7.8	6.4- 9.2	382	19.7	17.5-21.9
Male	993	92,651	722	71.7	68.0-75.4	70	6.4	4.6- 8.2	201	21.9	18.6-25.2
Female	1170	97,223	890	73.2	69.9-76.5	99	9.2	7.0-11.4	181	17.6	14.7-20.5
Native	89	7,326	60	63.9	51.0-76.8	10	8.7	2.4-15.0	19	27.4	14.7-40.1
Non-Native	2044	179,996	1532	72.9	70.4-75.4	155	7.7	6.1- 9.3	357	19.4	17.0-21.8
50-54	229	34,625	126	57.9	50.5-65.3	21	9.9	5.2-14.6	82	32.2	25.3-39.1
55-64	876	85,903	635	70.9	67.2-74.6	65	7.1	4.9- 9.3	176	22.0	18.5-25.5
65+	1058	69,346	851	81.8	78.9-84.7	83	7.7	5.7- 9.7	124	10.6	8.2-13.0
H.S. or G.E.D.	515	46,241	364	68.7	63.8-73.6	40	9.2	5.9-12.5	111	22.1	17.6-26.6
Some Post-H.S.	736	79,819	550	71.6	67.5-75.7	52	7.3	4.9- 9.7	134	21.1	17.4-24.8
College Graduate	864	54,723	665	78.0	74.7-81.3	73	7.3	5.3- 9.3	126	14.7	11.8-17.6
Less than \$15,000	90	8,703	50	59.1	45.6-72.6	12	12.9	3.3-22.5	28	27.9	15.9-39.9
\$15,000- 24,999	181	15,307	123	58.6	49.2-68.0	13	9.7	3.4-16.0	45	31.7	22.5-40.9
\$25,000- 34,999	144	12,476	104	72.0	62.2-81.8	13	6.9	2.8-11.0	27	21.1	11.7-30.5
\$35,000- 49,999	295	22,534	226	73.7	67.0-80.4	19	6.8	3.3-10.3	50	19.5	13.2-25.8
\$50,000- 74,999	369	30,992	284	74.3	68.4-80.2	30	6.5	3.8- 9.2	55	19.2	13.5-24.9
\$75,000+	751	72,086	583	75.8	71.9-79.7	51	6.3	4.1- 8.5	117	17.9	14.4-21.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 23: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	993	92,651	722	71.7	68.0-75.4	70	6.4	4.6- 8.2	201	21.9	18.6-25.2
Non-Native	940	87,466	691	72.4	68.7-76.1	63	6.2	4.2- 8.2	186	21.4	17.9-24.9
50-54	108	16,637	48	49.0	38.0-60.0	10	8.5	2.6-14.4	50	42.5	31.7-53.3
55-64	381	41,977	263	70.8	65.1-76.5	23	4.7	2.2- 7.2	95	24.5	19.2-29.8
65+	504	34,037	411	83.9	80.0-87.8	37	7.4	4.7-10.1	56	8.7	5.8-11.6
H.S. or G.E.D.	250	23,832	169	66.9	59.6-74.2	14	7.5	3.0-12.0	67	25.6	18.9-32.3
Some Post-H.S.	354	39,883	260	70.1	64.0-76.2	24	6.1	3.2- 9.0	70	23.8	18.1-29.5
College Graduate	362	23,391	271	76.8	71.5-82.1	31	6.3	3.8- 8.8	60	16.9	12.0-21.8
\$15,000- 24,999	72	5,834	46	53.5	38.2-68.8	3	6.3	0.0-14.5	23	40.2	24.9-55.5
\$25,000- 34,999	55	5,578	39	73.0	57.7-88.3	6	8.7	1.1-16.3	10	18.2	3.7-32.7
\$35,000- 49,999	115	9,566	80	67.6	56.0-79.2	8	6.1	1.4-10.8	27	26.3	15.1-37.5
\$50,000- 74,999	195	17,092	151	76.1	68.3-83.9	13	4.7	1.4- 8.0	31	19.2	11.6-26.8
\$75,000+	394	39,880	297	73.1	67.6-78.6	25	5.5	2.8- 8.2	72	21.3	16.0-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 24: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received one or more of the recommended CRC tests within the recommended time interval			Did not receive one or more of the recommended CRC tests within the recommended time interval			Have never received any of the recommended CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1170	97,223	890	73.2	69.9-76.5	99	9.2	7.0-11.4	181	17.6	14.7-20.5
Native	52	3,731	37	64.1	47.2-81.0	6	13.2	1.8-24.6	9	22.7	7.0-38.4
Non-Native	1104	92,530	841	73.4	70.1-76.7	92	9.1	6.7-11.5	171	17.5	14.6-20.4
50-54	121	17,988	78	66.1	56.5-75.7	11	11.3	4.2-18.4	32	22.6	14.4-30.8
55-64	495	43,926	372	71.0	65.9-76.1	42	9.4	6.1-12.7	81	19.7	15.0-24.4
65+	554	35,309	440	79.6	75.3-83.9	46	8.0	5.3-10.7	68	12.4	8.7-16.1
H.S. or G.E.D.	265	22,410	195	70.6	63.7-77.5	26	11.0	6.1-15.9	44	18.4	12.5-24.3
Some Post-H.S.	382	39,936	290	73.2	67.7-78.7	28	8.4	4.9-11.9	64	18.4	13.5-23.3
College Graduate	502	31,331	394	79.0	74.7-83.3	42	8.1	5.2-11.0	66	13.0	9.7-16.3
Less than \$15,000	52	5,329	28	51.2	33.4-69.0	7	16.9	2.4-31.4	17	31.8	15.3-48.3
\$15,000- 24,999	109	9,474	77	61.8	49.8-73.8	10	11.7	3.1-20.3	22	26.5	15.3-37.7
\$25,000- 34,999	89	6,898	65	71.2	58.7-83.7	7	5.4	1.3- 9.5	17	23.4	11.1-35.7
\$35,000- 49,999	180	12,967	146	78.2	70.2-86.2	11	7.3	2.4-12.2	23	14.4	7.3-21.5
\$50,000- 74,999	174	13,901	133	72.1	63.1-81.1	17	8.6	3.7-13.5	24	19.3	10.7-27.9
\$75,000+	357	32,206	286	79.1	73.8-84.4	26	7.3	4.0-10.6	45	13.6	9.1-18.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	174
2	MALES ONLY	175
3	FEMALES ONLY	176

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4024	523,014	932	31.7	29.5-33.9	3092	68.3	66.1-70.5
Male	1919	263,771	482	31.7	28.8-34.6	1437	68.3	65.4-71.2
Female	2105	259,243	450	31.7	28.6-34.8	1655	68.3	65.2-71.4
Native	165	21,204	80	52.8	42.6-63.0	85	47.2	37.0-57.4
Non-Native	3801	494,577	840	31.0	28.8-33.2	2961	69.0	66.8-71.2
18-24	200	72,460	55	27.8	20.7-34.9	145	72.2	65.1-79.3
25-34	363	101,133	147	45.0	38.9-51.1	216	55.0	48.9-61.1
35-44	434	85,778	187	47.1	41.4-52.8	247	52.9	47.2-58.6
45-54	461	70,144	155	35.4	30.1-40.7	306	64.6	59.3-69.9
55-64	853	82,856	197	26.9	23.0-30.8	656	73.1	69.2-77.0
65+	1713	110,644	191	11.7	9.7-13.7	1522	88.3	86.3-90.3
Less Than H.S.	163	37,246	40	45.3	33.7-56.9	123	54.7	43.1-66.3
H.S. or G.E.D.	1029	136,573	212	28.3	24.4-32.2	817	71.7	67.8-75.6
Some Post-H.S.	1302	201,792	304	30.8	27.3-34.3	998	69.2	65.7-72.7
College Graduate	1523	146,426	374	32.5	29.2-35.8	1149	67.5	64.2-70.8
Less than \$15,000	199	29,300	66	41.4	31.2-51.6	133	58.6	48.4-68.8
\$15,000- 24,999	380	47,959	89	37.6	29.4-45.8	291	62.4	54.2-70.6
\$25,000- 34,999	325	38,492	67	30.4	23.0-37.8	258	69.6	62.2-77.0
\$35,000- 49,999	474	53,040	102	27.5	21.8-33.2	372	72.5	66.8-78.2
\$50,000- 74,999	598	72,774	162	36.3	30.4-42.2	436	63.7	57.8-69.6
\$75,000+	1365	192,772	327	30.5	27.2-33.8	1038	69.5	66.2-72.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	263,771	482	31.7	28.8-34.6	1437	68.3	65.4-71.2
Native	69	8,902	30	49.4	33.7-65.1	39	50.6	34.9-66.3
Non-Native	1812	249,952	445	31.4	28.3-34.5	1367	68.6	65.5-71.7
18-24	111	37,619	29	27.1	17.5-36.7	82	72.9	63.3-82.5
25-34	220	54,575	82	41.4	34.0-48.8	138	58.6	51.2-66.0
35-44	237	43,967	91	42.5	34.5-50.5	146	57.5	49.5-65.5
45-54	232	36,650	71	32.6	25.3-39.9	161	67.4	60.1-74.7
55-64	373	40,479	100	31.2	24.9-37.5	273	68.8	62.5-75.1
65+	746	50,482	109	15.2	11.9-18.5	637	84.8	81.5-88.1
Less Than H.S.	89	20,433	26	50.8	36.3-65.3	63	49.2	34.7-63.7
H.S. or G.E.D.	520	72,600	128	29.0	23.9-34.1	392	71.0	65.9-76.1
Some Post-H.S.	630	105,036	162	30.5	25.8-35.2	468	69.5	64.8-74.2
College Graduate	676	64,950	164	30.2	25.5-34.9	512	69.8	65.1-74.5
Less than \$15,000	79	11,707	29	40.7	24.6-56.8	50	59.3	43.2-75.4
\$15,000- 24,999	149	19,455	41	37.0	24.8-49.2	108	63.0	50.8-75.2
\$25,000- 34,999	138	17,775	37	33.5	22.7-44.3	101	66.5	55.7-77.3
\$35,000- 49,999	206	25,587	47	28.0	19.6-36.4	159	72.0	63.6-80.4
\$50,000- 74,999	324	39,386	90	35.9	28.1-43.7	234	64.1	56.3-71.9
\$75,000+	748	108,990	182	30.0	25.7-34.3	566	70.0	65.7-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2105	259,243	450	31.7	28.6-34.8	1655	68.3	65.2-71.4
Native	96	12,302	50	55.3	42.0-68.6	46	44.7	31.4-58.0
Non-Native	1989	244,625	395	30.5	27.4-33.6	1594	69.5	66.4-72.6
18-24	89	34,841	26	28.5	17.9-39.1	63	71.5	60.9-82.1
25-34	143	46,558	65	49.1	39.5-58.7	78	50.9	41.3-60.5
35-44	197	41,811	96	51.9	43.5-60.3	101	48.1	39.7-56.5
45-54	229	33,494	84	38.4	31.0-45.8	145	61.6	54.2-69.0
55-64	480	42,377	97	22.7	17.8-27.6	383	77.3	72.4-82.2
65+	967	60,163	82	8.8	6.6-11.0	885	91.2	89.0-93.4
Less Than H.S.	74	16,813	14	38.6	20.4-56.8	60	61.4	43.2-79.6
H.S. or G.E.D.	509	63,972	84	27.6	21.5-33.7	425	72.4	66.3-78.5
Some Post-H.S.	672	96,755	142	31.1	25.8-36.4	530	68.9	63.6-74.2
College Graduate	847	81,476	210	34.4	29.9-38.9	637	65.6	61.1-70.1
Less than \$15,000	120	17,594	37	41.9	28.6-55.2	83	58.1	44.8-71.4
\$15,000- 24,999	231	28,504	48	37.9	26.9-48.9	183	62.1	51.1-73.1
\$25,000- 34,999	187	20,717	30	27.7	17.5-37.9	157	72.3	62.1-82.5
\$35,000- 49,999	268	27,454	55	27.0	19.2-34.8	213	73.0	65.2-80.8
\$50,000- 74,999	274	33,388	72	36.8	28.2-45.4	202	63.2	54.6-71.8
\$75,000+	617	83,782	145	31.3	26.2-36.4	472	68.7	63.6-73.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2020**

End of Calculated Variable Data Report