

# NORTH DAKOTA

## 2021 ADULT LandLine Cellphone Module Variables Report

### Behavioral Risk Factor Surveillance System

August 11, 2022



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021

MODULE 01: PRE-DIABETES CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

| TABLE |                                                                                                                                | PAGE |
|-------|--------------------------------------------------------------------------------------------------------------------------------|------|
|       | HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)                                   |      |
| 1     | MALES AND FEMALES                                                                                                              | 3    |
| 2     | MALES ONLY                                                                                                                     | 4    |
| 3     | FEMALES ONLY                                                                                                                   | 5    |
|       | HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1) |      |
| 4     | MALES AND FEMALES                                                                                                              | 6    |
| 5     | MALES ONLY                                                                                                                     | 7    |
| 6     | FEMALES ONLY                                                                                                                   | 8    |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 01: PRE-DIABETES**

**TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|--------------------|-------------------|----------|------|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL              | 4814              | 503,616  | 2657 | 45.7 | 43.9-47.5  | 2157 | 54.3 | 52.5-56.1  |
| Male               | 2406              | 251,743  | 1266 | 43.4 | 41.0-45.8  | 1140 | 56.6 | 54.2-59.0  |
| Female             | 2408              | 251,873  | 1391 | 48.0 | 45.3-50.7  | 1017 | 52.0 | 49.3-54.7  |
| Native             | 184               | 18,286   | 106  | 47.7 | 37.7-57.7  | 78   | 52.3 | 42.3-62.3  |
| Non-Native         | 4557              | 479,004  | 2505 | 45.5 | 43.5-47.5  | 2052 | 54.5 | 52.5-56.5  |
| 18-24              | 317               | 68,999   | 53   | 16.5 | 12.0-21.0  | 264  | 83.5 | 79.0-88.0  |
| 25-34              | 496               | 104,233  | 137  | 27.2 | 22.7-31.7  | 359  | 72.8 | 68.3-77.3  |
| 35-44              | 603               | 90,618   | 251  | 41.6 | 37.1-46.1  | 352  | 58.4 | 53.9-62.9  |
| 45-54              | 627               | 67,607   | 344  | 54.8 | 50.3-59.3  | 283  | 45.2 | 40.7-49.7  |
| 55-64              | 871               | 75,213   | 566  | 66.3 | 62.6-70.0  | 305  | 33.7 | 30.0-37.4  |
| 65+                | 1900              | 96,946   | 1306 | 68.0 | 65.5-70.5  | 594  | 32.0 | 29.5-34.5  |
| Less Than H.S.     | 203               | 36,822   | 106  | 41.0 | 32.2-49.8  | 97   | 59.0 | 50.2-67.8  |
| H.S. or G.E.D.     | 1341              | 133,578  | 683  | 42.0 | 38.7-45.3  | 658  | 58.0 | 54.7-61.3  |
| Some Post-H.S.     | 1569              | 189,990  | 898  | 47.5 | 44.4-50.6  | 671  | 52.5 | 49.4-55.6  |
| College Graduate   | 1687              | 141,032  | 967  | 48.4 | 45.5-51.3  | 720  | 51.6 | 48.7-54.5  |
| Less than \$15,000 | 140               | 17,691   | 72   | 49.4 | 38.0-60.8  | 68   | 50.6 | 39.2-62.0  |
| \$15,000- 24,999   | 295               | 26,226   | 161  | 43.5 | 35.9-51.1  | 134  | 56.5 | 48.9-64.1  |
| \$25,000- 34,999   | 404               | 40,355   | 225  | 46.1 | 39.4-52.8  | 179  | 53.9 | 47.2-60.6  |
| \$35,000- 49,999   | 585               | 55,781   | 339  | 47.9 | 42.6-53.2  | 246  | 52.1 | 46.8-57.4  |
| \$50,000- 99,999   | 1315              | 139,478  | 740  | 46.3 | 42.8-49.8  | 575  | 53.7 | 50.2-57.2  |
| \$100,000- 199,999 | 890               | 98,426   | 496  | 50.4 | 46.3-54.5  | 394  | 49.6 | 45.5-53.7  |
| \$200,000+         | 167               | 19,717   | 96   | 47.8 | 38.4-57.2  | 71   | 52.2 | 42.8-61.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 01: PRE-DIABETES**

**TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|--------------------|-------------------|----------|------|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male               | 2406              | 251,743  | 1266 | 43.4 | 41.0-45.8  | 1140 | 56.6 | 54.2-59.0  |
| Native             | 74                | 7,805    | 37   | 44.9 | 29.6-60.2  | 37   | 55.1 | 39.8-70.4  |
| Non-Native         | 2280              | 239,301  | 1198 | 43.1 | 40.6-45.6  | 1082 | 56.9 | 54.4-59.4  |
| 18-24              | 192               | 35,797   | 27   | 13.1 | 07.8-18.4  | 165  | 86.9 | 81.6-92.2  |
| 25-34              | 304               | 55,767   | 73   | 23.7 | 18.4-29.0  | 231  | 76.3 | 71.0-81.6  |
| 35-44              | 338               | 46,788   | 133  | 40.0 | 34.1-45.9  | 205  | 60.0 | 54.1-65.9  |
| 45-54              | 307               | 34,101   | 184  | 58.0 | 51.7-64.3  | 123  | 42.0 | 35.7-48.3  |
| 55-64              | 410               | 36,380   | 257  | 63.0 | 57.5-68.5  | 153  | 37.0 | 31.5-42.5  |
| 65+                | 855               | 42,909   | 592  | 69.6 | 65.9-73.3  | 263  | 30.4 | 26.7-34.1  |
| Less Than H.S.     | 107               | 20,262   | 51   | 32.5 | 22.1-42.9  | 56   | 67.5 | 57.1-77.9  |
| H.S. or G.E.D.     | 717               | 73,392   | 345  | 39.7 | 35.4-44.0  | 372  | 60.3 | 56.0-64.6  |
| Some Post-H.S.     | 771               | 93,228   | 414  | 44.9 | 40.6-49.2  | 357  | 55.1 | 50.8-59.4  |
| College Graduate   | 800               | 62,900   | 454  | 49.6 | 45.5-53.7  | 346  | 50.4 | 46.3-54.5  |
| Less than \$15,000 | 59                | 5,644    | 27   | 37.3 | 22.4-52.2  | 32   | 62.7 | 47.8-77.6  |
| \$15,000- 24,999   | 123               | 11,792   | 57   | 37.8 | 26.6-49.0  | 66   | 62.2 | 51.0-73.4  |
| \$25,000- 34,999   | 177               | 19,394   | 83   | 34.8 | 26.0-43.6  | 94   | 65.2 | 56.4-74.0  |
| \$35,000- 49,999   | 288               | 29,223   | 160  | 46.3 | 39.0-53.6  | 128  | 53.7 | 46.4-61.0  |
| \$50,000- 99,999   | 674               | 70,591   | 360  | 43.6 | 39.1-48.1  | 314  | 56.4 | 51.9-60.9  |
| \$100,000- 199,999 | 531               | 56,004   | 304  | 51.4 | 46.1-56.7  | 227  | 48.6 | 43.3-53.9  |
| \$200,000+         | 104               | 10,795   | 65   | 57.6 | 46.2-69.0  | 39   | 42.4 | 31.0-53.8  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 01: PRE-DIABETES**

**TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|--------------------|-------------------|----------|------|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female             | 2408              | 251,873  | 1391 | 48.0 | 45.3-50.7  | 1017 | 52.0 | 49.3-54.7  |
| Native             | 110               | 10,481   | 69   | 49.8 | 36.5-63.1  | 41   | 50.2 | 36.9-63.5  |
| Non-Native         | 2277              | 239,703  | 1307 | 47.8 | 45.1-50.5  | 970  | 52.2 | 49.5-54.9  |
| 18-24              | 125               | 33,202   | 26   | 20.2 | 12.8-27.6  | 99   | 79.8 | 72.4-87.2  |
| 25-34              | 192               | 48,466   | 64   | 31.1 | 23.5-38.7  | 128  | 68.9 | 61.3-76.5  |
| 35-44              | 265               | 43,830   | 118  | 43.3 | 36.6-50.0  | 147  | 56.7 | 50.0-63.4  |
| 45-54              | 320               | 33,506   | 160  | 51.5 | 45.4-57.6  | 160  | 48.5 | 42.4-54.6  |
| 55-64              | 461               | 38,833   | 309  | 69.4 | 64.5-74.3  | 152  | 30.6 | 25.7-35.5  |
| 65+                | 1045              | 54,037   | 714  | 66.7 | 63.2-70.2  | 331  | 33.3 | 29.8-36.8  |
| Less Than H.S.     | 96                | 16,559   | 55   | 51.4 | 37.5-65.3  | 41   | 48.6 | 34.7-62.5  |
| H.S. or G.E.D.     | 624               | 60,186   | 338  | 44.8 | 39.5-50.1  | 286  | 55.2 | 49.9-60.5  |
| Some Post-H.S.     | 798               | 96,762   | 484  | 49.9 | 45.2-54.6  | 314  | 50.1 | 45.4-54.8  |
| College Graduate   | 887               | 78,132   | 513  | 47.4 | 43.3-51.5  | 374  | 52.6 | 48.5-56.7  |
| Less than \$15,000 | 81                | 12,048   | 45   | 55.1 | 40.2-70.0  | 36   | 44.9 | 30.0-59.8  |
| \$15,000- 24,999   | 172               | 14,434   | 104  | 48.2 | 37.8-58.6  | 68   | 51.8 | 41.4-62.2  |
| \$25,000- 34,999   | 227               | 20,961   | 142  | 56.5 | 46.9-66.1  | 85   | 43.5 | 33.9-53.1  |
| \$35,000- 49,999   | 297               | 26,558   | 179  | 49.6 | 41.6-57.6  | 118  | 50.4 | 42.4-58.4  |
| \$50,000- 99,999   | 641               | 68,887   | 380  | 49.0 | 43.7-54.3  | 261  | 51.0 | 45.7-56.3  |
| \$100,000- 199,999 | 359               | 42,422   | 192  | 49.1 | 42.8-55.4  | 167  | 50.9 | 44.6-57.2  |
| \$200,000+         | 63                | 8,923    | 31   | 36.0 | 21.7-50.3  | 32   | 64.0 | 49.7-78.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 01: PRE-DIABETES**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | Yes, during pregnancy |     |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N                     | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL              | 5014              | 523,519  | 604 | 8.9  | 07.9-09.9  | 48                    | 1.0 | 00.6-01.4  | 4362 | 90.1 | 89.1-91.1  |
| Male               | 2503              | 261,647  | 324 | 9.7  | 08.3-11.1  |                       |     |            | 2179 | 90.3 | 88.9-91.7  |
| Female             | 2511              | 261,872  | 280 | 8.0  | 06.8-09.2  | 48                    | 2.0 | 01.2-02.8  | 2183 | 89.9 | 88.5-91.3  |
| Native             | 195               | 19,859   | 30  | 12.4 | 06.7-18.1  | 4                     | 1.5 | 00.0-03.1  | 161  | 86.1 | 80.2-92.0  |
| Non-Native         | 4743              | 497,011  | 570 | 8.8  | 07.8-09.8  | 44                    | 1.0 | 00.6-01.4  | 4129 | 90.2 | 89.2-91.2  |
| 18-24              | 329               | 71,401   | 3   | 0.9  | 00.0-02.1  | 1                     | 0.5 | 00.0-01.5  | 325  | 98.5 | 96.9-0100  |
| 25-34              | 508               | 106,997  | 17  | 3.5  | 01.5-05.5  | 5                     | 1.1 | 00.0-02.3  | 486  | 95.4 | 93.2-97.6  |
| 35-44              | 625               | 93,910   | 31  | 4.7  | 02.9-06.5  | 11                    | 1.8 | 00.6-03.0  | 583  | 93.5 | 91.3-95.7  |
| 45-54              | 655               | 71,123   | 69  | 11.5 | 08.6-14.4  | 10                    | 1.4 | 00.4-02.4  | 576  | 87.1 | 84.2-90.0  |
| 55-64              | 906               | 78,738   | 147 | 16.9 | 14.0-19.8  | 8                     | 0.5 | 00.1-00.9  | 751  | 82.5 | 79.6-85.4  |
| 65+                | 1991              | 101,349  | 337 | 16.0 | 14.0-18.0  | 13                    | 0.6 | 00.2-01.0  | 1641 | 83.5 | 81.5-85.5  |
| Less Than H.S.     | 211               | 37,954   | 22  | 9.4  | 04.7-14.1  | 4                     | 2.0 | 00.0-04.2  | 185  | 88.6 | 83.5-93.7  |
| H.S. or G.E.D.     | 1399              | 138,962  | 161 | 7.8  | 06.2-09.4  | 15                    | 1.1 | 00.3-01.9  | 1223 | 91.1 | 89.5-92.7  |
| Some Post-H.S.     | 1631              | 197,340  | 207 | 9.6  | 08.0-11.2  | 15                    | 0.9 | 00.3-01.5  | 1409 | 89.4 | 87.6-91.2  |
| College Graduate   | 1757              | 146,925  | 214 | 8.8  | 07.4-10.2  | 14                    | 0.8 | 00.2-01.4  | 1529 | 90.3 | 88.7-91.9  |
| Less than \$15,000 | 146               | 18,445   | 16  | 9.6  | 02.9-16.3  | 5                     | 4.5 | 00.0-09.2  | 125  | 85.9 | 78.1-93.7  |
| \$15,000- 24,999   | 309               | 26,988   | 43  | 8.4  | 05.1-11.7  | 4                     | 1.0 | 00.0-02.6  | 262  | 90.6 | 87.1-94.1  |
| \$25,000- 34,999   | 420               | 42,173   | 50  | 6.3  | 03.9-08.7  | 7                     | 1.1 | 00.1-02.1  | 363  | 92.6 | 90.1-95.1  |
| \$35,000- 49,999   | 610               | 58,111   | 87  | 11.0 | 08.1-13.9  | 3                     | 0.7 | 00.0-01.7  | 520  | 88.3 | 85.4-91.2  |
| \$50,000- 99,999   | 1368              | 145,539  | 171 | 10.1 | 08.3-11.9  | 9                     | 0.5 | 00.1-00.9  | 1188 | 89.4 | 87.4-91.4  |
| \$100,000- 199,999 | 927               | 103,059  | 96  | 7.4  | 05.6-09.2  | 15                    | 2.1 | 00.7-03.5  | 816  | 90.5 | 88.3-92.7  |
| \$200,000+         | 171               | 20,235   | 17  | 7.3  | 03.0-11.6  |                       |     |            | 154  | 92.7 | 88.4-97.0  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 01: PRE-DIABETES**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male               | 2503              | 261,647  | 324 | 9.7  | 08.3-11.1  | 2179 | 90.3 | 88.9-91.7  |
| Native             | 81                | 8,626    | 13  | 16.5 | 05.7-27.3  | 68   | 83.5 | 72.7-94.3  |
| Non-Native         | 2369              | 248,157  | 308 | 9.6  | 08.2-11.0  | 2061 | 90.4 | 89.0-91.8  |
| 18-24              | 200               | 37,138   | 2   | 1.6  | 00.0-03.8  | 198  | 98.4 | 96.2-0100  |
| 25-34              | 311               | 57,209   | 9   | 3.1  | 00.9-05.3  | 302  | 96.9 | 94.7-99.1  |
| 35-44              | 351               | 48,653   | 17  | 5.2  | 02.7-07.7  | 334  | 94.8 | 92.3-97.3  |
| 45-54              | 319               | 35,784   | 34  | 11.3 | 07.2-15.4  | 285  | 88.7 | 84.6-92.8  |
| 55-64              | 423               | 37,830   | 85  | 21.7 | 17.0-26.4  | 338  | 78.3 | 73.6-83.0  |
| 65+                | 899               | 45,032   | 177 | 18.4 | 15.5-21.3  | 722  | 81.6 | 78.7-84.5  |
| Less Than H.S.     | 111               | 21,038   | 10  | 8.2  | 02.3-14.1  | 101  | 91.8 | 85.9-97.7  |
| H.S. or G.E.D.     | 751               | 76,849   | 90  | 9.1  | 06.7-11.5  | 661  | 90.9 | 88.5-93.3  |
| Some Post-H.S.     | 796               | 96,095   | 112 | 10.8 | 08.4-13.2  | 684  | 89.2 | 86.8-91.6  |
| College Graduate   | 833               | 65,634   | 112 | 9.6  | 07.4-11.8  | 721  | 90.4 | 88.2-92.6  |
| Less than \$15,000 | 62                | 5,987    | 4   | 6.6  | 00.0-13.7  | 58   | 93.4 | 86.3-0100  |
| \$15,000- 24,999   | 128               | 11,915   | 19  | 10.0 | 04.3-15.7  | 109  | 90.0 | 84.3-95.7  |
| \$25,000- 34,999   | 186               | 20,019   | 21  | 6.4  | 02.7-10.1  | 165  | 93.6 | 89.9-97.3  |
| \$35,000- 49,999   | 299               | 30,500   | 45  | 12.0 | 07.7-16.3  | 254  | 88.0 | 83.7-92.3  |
| \$50,000- 99,999   | 701               | 73,994   | 98  | 11.4 | 08.9-13.9  | 603  | 88.6 | 86.1-91.1  |
| \$100,000- 199,999 | 552               | 58,282   | 62  | 8.6  | 06.1-11.1  | 490  | 91.4 | 88.9-93.9  |
| \$200,000+         | 104               | 10,946   | 12  | 9.7  | 02.8-16.6  | 92   | 90.3 | 83.4-97.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 01: PRE-DIABETES**

**TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)**  
Denominator excludes: Respondents who are male or respondents that do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | Yes, during pregnancy |     |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N                     | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Female             | 2511              | 261,872  | 280 | 8.0  | 06.8-09.2  | 48                    | 2.0 | 01.2-02.8  | 2183 | 89.9 | 88.5-91.3  |
| Native             | 114               | 11,232   | 17  | 9.3  | 03.6-15.0  | 4                     | 2.7 | 00.0-05.4  | 93   | 88.0 | 81.7-94.3  |
| Non-Native         | 2374              | 248,854  | 262 | 8.0  | 06.8-09.2  | 44                    | 2.0 | 01.2-02.8  | 2068 | 90.0 | 88.6-91.4  |
| 18-24              | 129               | 34,262   | 1   | 0.3  | 00.0-00.9  | 1                     | 1.1 | 00.0-03.1  | 127  | 98.7 | 96.5-0100  |
| 25-34              | 197               | 49,788   | 8   | 4.0  | 00.7-07.3  | 5                     | 2.5 | 00.1-04.9  | 184  | 93.6 | 89.7-97.5  |
| 35-44              | 274               | 45,257   | 14  | 4.1  | 01.6-06.6  | 11                    | 3.8 | 01.4-06.2  | 249  | 92.1 | 88.8-95.4  |
| 45-54              | 336               | 35,339   | 35  | 11.6 | 07.7-15.5  | 10                    | 2.8 | 00.8-04.8  | 291  | 85.6 | 81.3-89.9  |
| 55-64              | 483               | 40,908   | 62  | 12.5 | 09.0-16.0  | 8                     | 1.0 | 00.2-01.8  | 413  | 86.4 | 82.9-89.9  |
| 65+                | 1092              | 56,317   | 160 | 14.0 | 11.6-16.4  | 13                    | 1.0 | 00.4-01.6  | 919  | 85.0 | 82.6-87.4  |
| Less Than H.S.     | 100               | 16,916   | 12  | 10.9 | 03.3-18.5  | 4                     | 4.4 | 00.0-09.3  | 84   | 84.7 | 75.9-93.5  |
| H.S. or G.E.D.     | 648               | 62,113   | 71  | 6.3  | 04.5-08.1  | 15                    | 2.4 | 00.8-04.0  | 562  | 91.3 | 88.9-93.7  |
| Some Post-H.S.     | 835               | 101,245  | 95  | 8.5  | 06.3-10.7  | 15                    | 1.8 | 00.6-03.0  | 725  | 89.7 | 87.2-92.2  |
| College Graduate   | 924               | 81,290   | 102 | 8.2  | 06.2-10.2  | 14                    | 1.5 | 00.5-02.5  | 808  | 90.3 | 88.1-92.5  |
| Less than \$15,000 | 84                | 12,458   | 12  | 11.0 | 01.8-20.2  | 5                     | 6.6 | 00.0-13.5  | 67   | 82.3 | 71.1-93.5  |
| \$15,000- 24,999   | 181               | 15,072   | 24  | 7.0  | 03.5-10.5  | 4                     | 1.8 | 00.0-04.5  | 153  | 91.1 | 86.6-95.6  |
| \$25,000- 34,999   | 234               | 22,154   | 29  | 6.1  | 03.4-08.8  | 7                     | 2.1 | 00.3-03.9  | 198  | 91.7 | 88.4-95.0  |
| \$35,000- 49,999   | 311               | 27,612   | 42  | 9.8  | 06.1-13.5  | 3                     | 1.5 | 00.0-03.5  | 266  | 88.7 | 84.6-92.8  |
| \$50,000- 99,999   | 667               | 71,545   | 73  | 8.7  | 06.2-11.2  | 9                     | 1.1 | 00.3-01.9  | 585  | 90.2 | 87.5-92.9  |
| \$100,000- 199,999 | 375               | 44,776   | 34  | 6.0  | 03.6-08.4  | 15                    | 4.8 | 01.7-07.9  | 326  | 89.2 | 85.5-92.9  |
| \$200,000+         | 67                | 9,289    | 5   | 4.4  | 00.1-08.7  |                       |     |            | 62   | 95.6 | 91.3-99.9  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

| TABLE                                                                                                                                                                                               | PAGE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| ARE YOU NOW TAKING INSULIN? (INSULIN1)                                                                                                                                                              |      |
| 1 MALES AND FEMALES                                                                                                                                                                                 | 11   |
| 2 MALES ONLY                                                                                                                                                                                        | 12   |
| 3 FEMALES ONLY                                                                                                                                                                                      | 13   |
| ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR) |      |
| 4 MALES AND FEMALES                                                                                                                                                                                 | 14   |
| 5 MALES ONLY                                                                                                                                                                                        | 15   |
| 6 FEMALES ONLY                                                                                                                                                                                      | 16   |
| INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)                                                          |      |
| 7 MALES AND FEMALES                                                                                                                                                                                 | 17   |
| 8 MALES ONLY                                                                                                                                                                                        | 18   |
| 9 FEMALES ONLY                                                                                                                                                                                      | 19   |
| ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)                                                                |      |
| 10 MALES AND FEMALES                                                                                                                                                                                | 20   |
| 11 MALES ONLY                                                                                                                                                                                       | 21   |
| 12 FEMALES ONLY                                                                                                                                                                                     | 22   |
| ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)                                                                    |      |
| 13 MALES AND FEMALES                                                                                                                                                                                | 23   |
| 14 MALES ONLY                                                                                                                                                                                       | 24   |
| 15 FEMALES ONLY                                                                                                                                                                                     | 25   |
| ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)                                                                      |      |
| 16 MALES AND FEMALES                                                                                                                                                                                | 26   |
| 17 MALES ONLY                                                                                                                                                                                       | 27   |
| 18 FEMALES ONLY                                                                                                                                                                                     | 28   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

| TABLE                                                                                                                                      | PAGE |
|--------------------------------------------------------------------------------------------------------------------------------------------|------|
| WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1) |      |
| 19 MALES AND FEMALES                                                                                                                       | 29   |
| 20 MALES ONLY                                                                                                                              | 30   |
| 21 FEMALES ONLY                                                                                                                            | 31   |
| HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)                                     |      |
| 22 MALES AND FEMALES                                                                                                                       | 32   |
| 23 MALES ONLY                                                                                                                              | 33   |
| 24 FEMALES ONLY                                                                                                                            | 34   |
| HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)                                                   |      |
| 25 MALES AND FEMALES                                                                                                                       | 35   |
| 26 MALES ONLY                                                                                                                              | 36   |
| 27 FEMALES ONLY                                                                                                                            | 37   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL              | 756               | 55,903   | 294 | 37.7 | 33.0-42.4  | 462 | 62.3 | 57.6-67.0  |
| Male               | 436               | 32,935   | 179 | 41.1 | 34.8-47.4  | 257 | 58.9 | 52.6-65.2  |
| Female             | 320               | 22,968   | 115 | 32.7 | 26.0-39.4  | 205 | 67.3 | 60.6-74.0  |
| Native             | 63                | 5,649    | 33  | 50.1 | 34.2-66.0  | 30  | 49.9 | 34.0-65.8  |
| Non-Native         | 684               | 49,555   | 260 | 36.7 | 31.8-41.6  | 424 | 63.3 | 58.4-68.2  |
| 45-54              | 80                | 8,523    | 33  | 36.6 | 24.6-48.6  | 47  | 63.4 | 51.4-75.4  |
| 55-64              | 141               | 12,599   | 56  | 40.5 | 30.9-50.1  | 85  | 59.5 | 49.9-69.1  |
| 65+                | 493               | 26,494   | 187 | 35.8 | 30.7-40.9  | 306 | 64.2 | 59.1-69.3  |
| Less Than H.S.     | 54                | 6,510    | 28  | 53.3 | 33.3-73.3  | 26  | 46.7 | 26.7-66.7  |
| H.S. or G.E.D.     | 216               | 14,574   | 79  | 35.2 | 27.0-43.4  | 137 | 64.8 | 56.6-73.0  |
| Some Post-H.S.     | 256               | 22,151   | 103 | 36.5 | 29.2-43.8  | 153 | 63.5 | 56.2-70.8  |
| College Graduate   | 227               | 12,582   | 82  | 34.2 | 26.8-41.6  | 145 | 65.8 | 58.4-73.2  |
| \$15,000- 24,999   | 72                | 5,347    | 36  | 49.8 | 35.1-64.5  | 36  | 50.2 | 35.5-64.9  |
| \$25,000- 34,999   | 91                | 5,883    | 32  | 29.3 | 18.3-40.3  | 59  | 70.7 | 59.7-81.7  |
| \$35,000- 49,999   | 102               | 7,406    | 37  | 33.8 | 22.0-45.6  | 65  | 66.2 | 54.4-78.0  |
| \$50,000- 99,999   | 198               | 13,403   | 76  | 34.2 | 26.0-42.4  | 122 | 65.8 | 57.6-74.0  |
| \$100,000- 199,999 | 82                | 6,779    | 32  | 43.5 | 30.6-56.4  | 50  | 56.5 | 43.6-69.4  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Male               | 436               | 32,935   | 179 | 41.1 | 34.8-47.4  | 257 | 58.9 | 52.6-65.2  |
| Non-Native         | 392               | 28,680   | 160 | 41.0 | 34.5-47.5  | 232 | 59.0 | 52.5-65.5  |
| 55-64              | 90                | 8,101    | 38  | 45.6 | 33.3-57.9  | 52  | 54.4 | 42.1-66.7  |
| 65+                | 266               | 13,911   | 105 | 36.9 | 30.2-43.6  | 161 | 63.1 | 56.4-69.8  |
| H.S. or G.E.D.     | 131               | 9,345    | 53  | 39.6 | 29.0-50.2  | 78  | 60.4 | 49.8-71.0  |
| Some Post-H.S.     | 127               | 11,340   | 56  | 39.9 | 29.5-50.3  | 71  | 60.1 | 49.7-70.5  |
| College Graduate   | 137               | 7,801    | 48  | 34.4 | 24.6-44.2  | 89  | 65.6 | 55.8-75.4  |
| \$25,000- 34,999   | 53                | 3,401    | 20  | 30.8 | 15.5-46.1  | 33  | 69.2 | 53.9-84.5  |
| \$35,000- 49,999   | 57                | 4,074    | 24  | 47.1 | 31.0-63.2  | 33  | 52.9 | 36.8-69.0  |
| \$50,000- 99,999   | 121               | 8,191    | 46  | 34.4 | 23.8-45.0  | 75  | 65.6 | 55.0-76.2  |
| \$100,000- 199,999 | 60                | 5,063    | 25  | 47.4 | 32.1-62.7  | 35  | 52.6 | 37.3-67.9  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female             | 320               | 22,968   | 115 | 32.7 | 26.0-39.4  | 205 | 67.3 | 60.6-74.0  |
| Non-Native         | 292               | 20,876   | 100 | 30.8 | 23.9-37.7  | 192 | 69.2 | 62.3-76.1  |
| 55-64              | 51                | 4,498    | 18  | 31.1 | 16.8-45.4  | 33  | 68.9 | 54.6-83.2  |
| 65+                | 227               | 12,583   | 82  | 34.7 | 27.1-42.3  | 145 | 65.3 | 57.7-72.9  |
| H.S. or G.E.D.     | 85                | 5,229    | 26  | 27.2 | 14.7-39.7  | 59  | 72.8 | 60.3-85.3  |
| Some Post-H.S.     | 129               | 10,811   | 47  | 33.0 | 23.2-42.8  | 82  | 67.0 | 57.2-76.8  |
| College Graduate   | 90                | 4,781    | 34  | 33.9 | 22.1-45.7  | 56  | 66.1 | 54.3-77.9  |
| \$50,000- 99,999   | 77                | 5,212    | 30  | 33.9 | 20.8-47.0  | 47  | 66.1 | 53.0-79.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | N  | Never |            | < 1 time per Day |      |            | 1-5 times per Day |      |            | > 5 times per Day |      |            |
|--------------------|-------------------|----------|----|-------|------------|------------------|------|------------|-------------------|------|------------|-------------------|------|------------|
|                    | TOTAL             | WEIGHTED |    | %     | C.I. (95%) | N                | %    | C.I. (95%) | N                 | %    | C.I. (95%) | N                 | %    | C.I. (95%) |
| TOTAL              | 737               | 54,829   | 98 | 14.6  | 11.1-18.1  | 246              | 33.0 | 28.5-37.5  | 350               | 44.3 | 39.6-49.0  | 43                | 8.1  | 05.0-11.2  |
| Male               | 425               | 32,104   | 45 | 12.0  | 07.9-16.1  | 159              | 36.1 | 30.2-42.0  | 188               | 41.4 | 35.3-47.5  | 33                | 10.5 | 05.8-15.2  |
| Female             | 312               | 22,725   | 53 | 18.1  | 12.0-24.2  | 87               | 28.6 | 21.2-36.0  | 162               | 48.5 | 40.9-56.1  | 10                | 4.8  | 01.1-08.5  |
| Native             | 60                | 5,474    | 8  | 17.6  | 05.6-29.6  | 16               | 23.1 | 11.5-34.7  | 35                | 56.4 | 41.3-71.5  | 1                 | 2.9  | 00.0-08.4  |
| Non-Native         | 669               | 48,792   | 87 | 13.8  | 10.3-17.3  | 228              | 34.3 | 29.4-39.2  | 312               | 43.0 | 38.1-47.9  | 42                | 8.8  | 05.3-12.3  |
| 45-54              | 78                | 8,389    | 12 | 15.1  | 05.9-24.3  | 19               | 22.3 | 12.3-32.3  | 40                | 53.3 | 40.8-65.8  | 7                 | 9.3  | 02.0-16.6  |
| 55-64              | 135               | 12,065   | 16 | 13.5  | 06.4-20.6  | 49               | 35.5 | 26.1-44.9  | 56                | 39.3 | 29.5-49.1  | 14                | 11.7 | 05.4-18.0  |
| 65+                | 482               | 26,087   | 64 | 14.6  | 10.7-18.5  | 164              | 34.9 | 29.8-40.0  | 239               | 47.9 | 42.6-53.2  | 15                | 2.6  | 01.2-04.0  |
| Less Than H.S.     | 50                | 6,252    | 7  | 14.2  | 02.2-26.2  | 16               | 35.2 | 14.4-56.0  | 25                | 39.7 | 20.7-58.7  | 2                 | 11.0 | 00.0-29.4  |
| H.S. or G.E.D.     | 211               | 14,418   | 30 | 14.8  | 09.1-20.5  | 76               | 38.3 | 30.1-46.5  | 95                | 40.1 | 32.1-48.1  | 10                | 6.7  | 01.6-11.8  |
| Some Post-H.S.     | 250               | 21,585   | 37 | 17.6  | 11.1-24.1  | 80               | 29.9 | 22.8-37.0  | 118               | 46.3 | 38.5-54.1  | 15                | 6.2  | 02.5-09.9  |
| College Graduate   | 223               | 12,489   | 23 | 8.9   | 04.8-13.0  | 74               | 31.4 | 24.1-38.7  | 110               | 48.0 | 39.8-56.2  | 16                | 11.7 | 05.8-17.6  |
| \$15,000- 24,999   | 69                | 5,170    | 11 | 19.3  | 07.7-30.9  | 16               | 18.9 | 08.7-29.1  | 40                | 55.6 | 40.7-70.5  | 2                 | 6.3  | 00.0-16.7  |
| \$25,000- 34,999   | 90                | 5,844    | 15 | 19.1  | 08.3-29.9  | 23               | 27.8 | 15.8-39.8  | 51                | 52.7 | 39.8-65.6  | 1                 | 0.5  | 00.0-01.5  |
| \$35,000- 49,999   | 98                | 7,208    | 14 | 20.4  | 07.3-33.5  | 44               | 38.6 | 26.4-50.8  | 35                | 33.5 | 21.7-45.3  | 5                 | 7.6  | 00.3-14.9  |
| \$50,000- 99,999   | 193               | 13,041   | 20 | 8.9   | 04.4-13.4  | 68               | 37.4 | 28.0-46.8  | 92                | 46.5 | 36.9-56.1  | 13                | 7.3  | 02.4-12.2  |
| \$100,000- 199,999 | 82                | 6,779    | 9  | 15.1  | 04.5-25.7  | 31               | 31.7 | 20.3-43.1  | 32                | 37.1 | 24.8-49.4  | 10                | 16.1 | 06.5-25.7  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | N  | Never |            | < 1 time per Day |      |            | 1-5 times per Day |      |            | > 5 times per Day |      |            |
|--------------------|-------------------|----------|----|-------|------------|------------------|------|------------|-------------------|------|------------|-------------------|------|------------|
|                    | TOTAL             | WEIGHTED |    | %     | C.I. (95%) | N                | %    | C.I. (95%) | N                 | %    | C.I. (95%) | N                 | %    | C.I. (95%) |
| Male               | 425               | 32,104   | 45 | 12.0  | 07.9-16.1  | 159              | 36.1 | 30.2-42.0  | 188               | 41.4 | 35.1-47.7  | 33                | 10.5 | 05.8-15.2  |
| Non-Native         | 383               | 28,098   | 40 | 11.9  | 07.6-16.2  | 148              | 38.1 | 31.6-44.6  | 163               | 38.5 | 32.2-44.8  | 32                | 11.4 | 06.1-16.7  |
| 55-64              | 86                | 7,616    | 10 | 11.8  | 03.8-19.8  | 31               | 35.5 | 23.9-47.1  | 33                | 36.3 | 23.8-48.8  | 12                | 16.4 | 07.0-25.8  |
| 65+                | 260               | 13,677   | 26 | 13.1  | 07.6-18.6  | 102              | 40.1 | 32.8-47.4  | 121               | 43.2 | 35.9-50.5  | 11                | 3.7  | 01.3-06.1  |
| H.S. or G.E.D.     | 129               | 9,283    | 15 | 11.8  | 05.3-18.3  | 52               | 42.7 | 32.1-53.3  | 53                | 38.1 | 27.7-48.5  | 9                 | 7.4  | 01.7-13.1  |
| Some Post-H.S.     | 122               | 10,804   | 13 | 13.3  | 05.5-21.1  | 46               | 36.3 | 25.5-47.1  | 53                | 41.7 | 30.9-52.5  | 10                | 8.6  | 02.7-14.5  |
| College Graduate   | 135               | 7,753    | 10 | 7.2   | 02.3-12.1  | 48               | 32.4 | 23.2-41.6  | 65                | 46.7 | 36.3-57.1  | 12                | 13.7 | 05.9-21.5  |
| \$25,000- 34,999   | 53                | 3,401    | 8  | 17.8  | 02.7-32.9  | 16               | 35.7 | 18.8-52.6  | 28                | 45.7 | 28.6-62.8  | 1                 | 0.8  | 00.0-02.4  |
| \$35,000- 49,999   | 55                | 3,922    | 9  | 15.9  | 05.1-26.7  | 24               | 38.8 | 22.9-54.7  | 19                | 37.0 | 20.9-53.1  | 3                 | 8.4  | 00.0-18.0  |
| \$50,000- 99,999   | 117               | 7,853    | 8  | 5.9   | 01.6-10.2  | 49               | 44.4 | 31.5-57.3  | 51                | 42.4 | 29.9-54.9  | 9                 | 7.2  | 01.5-12.9  |
| \$100,000- 199,999 | 60                | 5,063    | 6  | 14.3  | 01.8-26.8  | 23               | 31.7 | 18.4-45.0  | 22                | 34.3 | 19.6-49.0  | 9                 | 19.7 | 07.5-31.9  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | N  | Never |            | < 1 time per Day |      |            | 1-5 times per Day |      |            | > 5 times per Day |     |            |
|--------------------|-------------------|----------|----|-------|------------|------------------|------|------------|-------------------|------|------------|-------------------|-----|------------|
|                    | TOTAL             | WEIGHTED |    | %     | C.I. (95%) | N                | %    | C.I. (95%) | N                 | %    | C.I. (95%) | N                 | %   | C.I. (95%) |
| Female             | 312               | 22,725   | 53 | 18.1  | 12.0-24.2  | 87               | 28.6 | 21.2-36.0  | 162               | 48.5 | 40.9-56.1  | 10                | 4.8 | 01.1-08.5  |
| Non-Native         | 286               | 20,694   | 47 | 16.4  | 10.3-22.5  | 80               | 29.1 | 21.3-36.9  | 149               | 49.2 | 41.2-57.2  | 10                | 5.3 | 01.2-09.4  |
| 65+                | 222               | 12,410   | 38 | 16.2  | 10.7-21.7  | 62               | 29.2 | 21.9-36.5  | 118               | 53.1 | 45.3-60.9  | 4                 | 1.4 | 00.0-03.0  |
| H.S. or G.E.D.     | 82                | 5,134    | 15 | 20.3  | 09.3-31.3  | 24               | 30.4 | 17.7-43.1  | 42                | 43.7 | 30.6-56.8  | 1                 | 5.6 | 00.0-16.0  |
| Some Post-H.S.     | 128               | 10,781   | 24 | 21.8  | 11.4-32.2  | 34               | 23.4 | 15.0-31.8  | 65                | 50.9 | 39.9-61.9  | 5                 | 3.9 | 00.0-08.4  |
| College Graduate   | 88                | 4,735    | 13 | 11.8  | 04.2-19.4  | 26               | 29.6 | 18.0-41.2  | 45                | 50.2 | 36.9-63.5  | 4                 | 8.4 | 00.0-17.4  |
| \$50,000- 99,999   | 76                | 5,188    | 12 | 13.3  | 04.1-22.5  | 19               | 26.7 | 14.4-39.0  | 41                | 52.6 | 37.7-67.5  | 4                 | 7.4 | 00.0-16.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Times per Day |      |            | Times per Week |      |            | Times per Month |      |            | Times per Year |     |            | Never |      |            | No Feet |     |            |
|--------------------|-------------------|----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|-----|------------|-------|------|------------|---------|-----|------------|
|                    | TOTAL             | WEIGHTED | N             | %    | C.I. (95%) | N              | %    | C.I. (95%) | N               | %    | C.I. (95%) | N              | %   | C.I. (95%) | N     | %    | C.I. (95%) | N       | %   | C.I. (95%) |
| TOTAL              | 735               | 53,831   | 395           | 56.4 | 51.7-61.1  | 123            | 14.9 | 11.8-18.0  | 52              | 7.9  | 04.6-11.2  | 35             | 4.7 | 02.7-06.7  | 120   | 15.1 | 12.0-18.2  | 10      | 1.0 | 00.2-01.8  |
| Male               | 424               | 31,989   | 224           | 57.1 | 51.0-63.2  | 75             | 15.2 | 11.1-19.3  | 28              | 5.6  | 03.2-08.0  | 21             | 3.9 | 01.9-05.9  | 73    | 17.8 | 13.3-22.3  | 3       | 0.4 | 00.0-01.0  |
| Female             | 311               | 21,842   | 171           | 55.4 | 47.8-63.0  | 48             | 14.6 | 09.5-19.7  | 24              | 11.3 | 04.0-18.6  | 14             | 5.7 | 02.0-09.4  | 47    | 11.2 | 07.5-14.9  | 7       | 1.8 | 00.2-03.4  |
| Native             | 63                | 5,649    | 43            | 66.3 | 51.2-81.4  | 11             | 20.5 | 06.8-34.2  | 1               | 0.9  | 00.0-02.7  | 4              | 5.9 | 00.0-12.6  | 4     | 6.4  | 00.0-13.5  |         |     |            |
| Non-Native         | 663               | 47,483   | 349           | 55.5 | 50.4-60.6  | 110            | 14.3 | 11.2-17.4  | 50              | 8.6  | 04.9-12.3  | 31             | 4.6 | 02.6-06.6  | 113   | 15.9 | 12.6-19.2  | 10      | 1.1 | 00.3-01.9  |
| 45-54              | 77                | 8,231    | 53            | 70.1 | 58.7-81.5  | 10             | 13.4 | 04.8-22.0  | 2               | 2.8  | 00.0-07.5  | 2              | 1.9 | 00.0-04.4  | 10    | 11.8 | 04.2-19.4  |         |     |            |
| 55-64              | 140               | 12,509   | 87            | 61.3 | 51.7-70.9  | 21             | 13.6 | 06.9-20.3  | 8               | 7.4  | 01.9-12.9  | 6              | 4.5 | 00.4-08.6  | 18    | 13.1 | 06.8-19.4  |         |     |            |
| 65+                | 478               | 25,691   | 234           | 51.4 | 46.1-56.7  | 86             | 16.7 | 12.8-20.6  | 41              | 9.0  | 05.7-12.3  | 23             | 4.5 | 02.3-06.7  | 84    | 16.4 | 12.5-20.3  | 10      | 2.1 | 00.7-03.5  |
| Less Than H.S.     | 52                | 6,228    | 32            | 58.9 | 37.9-79.9  | 7              | 15.0 | 02.3-27.7  | 4               | 14.5 | 00.0-35.7  | 3              | 5.5 | 00.0-12.0  | 6     | 6.1  | 00.0-12.4  |         |     |            |
| H.S. or G.E.D.     | 210               | 14,189   | 102           | 49.8 | 41.2-58.4  | 35             | 12.9 | 08.0-17.8  | 19              | 10.2 | 05.1-15.3  | 10             | 5.8 | 01.1-10.5  | 39    | 19.8 | 12.9-26.7  | 5       | 1.5 | 00.0-03.1  |
| Some Post-H.S.     | 248               | 20,964   | 146           | 61.7 | 54.4-69.0  | 45             | 16.6 | 11.1-22.1  | 15              | 6.6  | 02.7-10.5  | 9              | 2.8 | 00.6-05.0  | 30    | 11.5 | 06.8-16.2  | 3       | 0.8 | 00.0-02.0  |
| College Graduate   | 222               | 12,363   | 114           | 54.0 | 46.0-62.0  | 34             | 14.2 | 08.3-20.1  | 14              | 4.1  | 01.6-06.6  | 13             | 6.2 | 02.5-09.9  | 45    | 20.5 | 14.0-27.0  | 2       | 1.1 | 00.0-02.7  |
| \$15,000- 24,999   | 71                | 5,223    | 41            | 60.7 | 46.4-75.0  | 11             | 11.9 | 03.9-19.9  | 6               | 7.3  | 00.6-14.0  | 3              | 8.3 | 00.0-19.1  | 10    | 11.8 | 03.6-20.0  |         |     |            |
| \$25,000- 34,999   | 89                | 5,785    | 52            | 59.3 | 46.8-71.8  | 14             | 17.0 | 07.2-26.8  | 4               | 2.7  | 00.0-05.4  | 2              | 3.0 | 00.0-07.3  | 12    | 12.7 | 04.3-21.1  | 5       | 5.4 | 00.3-10.5  |
| \$35,000- 49,999   | 100               | 6,901    | 51            | 57.7 | 45.7-69.7  | 18             | 15.2 | 07.4-23.0  | 12              | 7.1  | 02.4-11.8  | 6              | 4.1 | 00.0-08.6  | 11    | 15.1 | 05.3-24.9  | 2       | 0.8 | 00.0-01.8  |
| \$50,000- 99,999   | 192               | 12,839   | 103           | 58.0 | 49.2-66.8  | 32             | 15.9 | 09.2-22.6  | 11              | 5.1  | 01.6-08.6  | 12             | 5.8 | 02.1-09.5  | 33    | 15.0 | 09.1-20.9  | 1       | 0.3 | 00.0-00.9  |
| \$100,000- 199,999 | 82                | 6,779    | 47            | 62.4 | 50.4-74.4  | 11             | 9.8  | 03.3-16.3  | 3               | 2.9  | 00.0-07.0  | 5              | 6.1 | 00.4-11.8  | 16    | 18.8 | 09.4-28.2  |         |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Times per Day |      |            | Times per Week |      |            | Times per Month |     |            | Times per Year |     |            | Never |      |            | No Feet |     |            |
|--------------------|-------------------|----------|---------------|------|------------|----------------|------|------------|-----------------|-----|------------|----------------|-----|------------|-------|------|------------|---------|-----|------------|
|                    | TOTAL             | WEIGHTED | N             | %    | C.I. (95%) | N              | %    | C.I. (95%) | N               | %   | C.I. (95%) | N              | %   | C.I. (95%) | N     | %    | C.I. (95%) | N       | %   | C.I. (95%) |
| Male               | 424               | 31,989   | 224           | 57.1 | 51.0-63.2  | 75             | 15.2 | 11.1-19.3  | 28              | 5.6 | 03.2-08.0  | 21             | 3.9 | 01.9-05.9  | 73    | 17.8 | 13.3-22.3  | 3       | 0.4 | 00.0-01.0  |
| Non-Native         | 380               | 27,733   | 195           | 55.7 | 49.2-62.2  | 68             | 14.7 | 10.6-18.8  | 26              | 5.8 | 03.1-08.5  | 20             | 4.3 | 02.1-06.5  | 68    | 19.0 | 13.9-24.1  | 3       | 0.5 | 00.0-01.1  |
| 55-64              | 90                | 8,134    | 54            | 61.7 | 49.7-73.7  | 14             | 11.7 | 04.4-19.0  | 5               | 7.1 | 00.4-13.8  | 3              | 2.8 | 00.0-06.3  | 14    | 16.6 | 07.8-25.4  |         |     |            |
| 65+                | 257               | 13,493   | 122           | 49.7 | 42.3-57.1  | 48             | 17.2 | 11.9-22.5  | 23              | 8.9 | 05.0-12.8  | 16             | 5.8 | 02.7-08.9  | 45    | 17.5 | 12.0-23.0  | 3       | 1.0 | 00.0-02.4  |
| H.S. or G.E.D.     | 127               | 9,137    | 64            | 51.5 | 40.9-62.1  | 21             | 11.8 | 05.9-17.7  | 10              | 9.4 | 03.3-15.5  | 3              | 1.9 | 00.0-04.4  | 27    | 24.3 | 14.7-33.9  | 2       | 1.1 | 00.0-02.9  |
| Some Post-H.S.     | 124               | 10,881   | 71            | 59.5 | 49.3-69.7  | 26             | 18.3 | 10.3-26.3  | 6               | 4.7 | 00.4-09.0  | 7              | 3.9 | 00.6-07.2  | 14    | 13.7 | 06.3-21.1  |         |     |            |
| College Graduate   | 133               | 7,594    | 63            | 52.2 | 41.8-62.6  | 22             | 14.2 | 07.7-20.7  | 9               | 3.5 | 01.0-06.0  | 10             | 7.7 | 02.2-13.2  | 28    | 21.8 | 13.2-30.4  | 1       | 0.5 | 00.0-01.5  |
| \$25,000- 34,999   | 53                | 3,401    | 35            | 69.4 | 54.3-84.5  | 6              | 10.6 | 00.8-20.4  | 3               | 3.8 | 00.0-08.1  | 1              | 1.7 | 00.0-05.0  | 6     | 11.6 | 00.2-23.0  | 2       | 2.9 | 00.0-07.6  |
| \$35,000- 49,999   | 56                | 4,040    | 24            | 46.2 | 30.1-62.3  | 13             | 18.7 | 07.7-29.7  | 6               | 6.8 | 00.7-12.9  | 4              | 6.0 | 00.0-13.4  | 9     | 22.3 | 07.0-37.6  |         |     |            |
| \$50,000- 99,999   | 116               | 7,661    | 59            | 55.7 | 44.3-67.1  | 20             | 14.2 | 06.9-21.5  | 7               | 5.3 | 00.8-09.8  | 9              | 7.1 | 01.8-12.4  | 20    | 17.2 | 08.6-25.8  | 1       | 0.5 | 00.0-01.5  |
| \$100,000- 199,999 | 60                | 5,063    | 34            | 66.0 | 52.5-79.5  | 9              | 9.6  | 02.3-16.9  | 3               | 3.9 | 00.0-09.4  | 3              | 3.8 | 00.0-08.3  | 11    | 16.7 | 06.3-27.1  |         |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Times per Day |      |            | Times per Week |      |            | Times per Month |      |            | Times per Year |      |            | Never |      |            | No Feet |     |            |
|--------------------|-------------------|----------|---------------|------|------------|----------------|------|------------|-----------------|------|------------|----------------|------|------------|-------|------|------------|---------|-----|------------|
|                    | TOTAL             | WEIGHTED | N             | %    | C.I. (95%) | N              | %    | C.I. (95%) | N               | %    | C.I. (95%) | N              | %    | C.I. (95%) | N     | %    | C.I. (95%) | N       | %   | C.I. (95%) |
| Female             | 311               | 21,842   | 171           | 55.4 | 47.8-63.0  | 48             | 14.6 | 09.5-19.7  | 24              | 11.3 | 04.0-18.6  | 14             | 5.7  | 02.0-09.4  | 47    | 11.2 | 07.3-15.1  | 7       | 1.8 | 00.2-03.4  |
| Non-Native         | 283               | 19,750   | 154           | 55.3 | 47.1-63.5  | 42             | 13.7 | 08.4-19.0  | 24              | 12.5 | 04.7-20.3  | 11             | 4.9  | 01.2-08.6  | 45    | 11.6 | 07.5-15.7  | 7       | 2.0 | 00.4-03.6  |
| 55-64              | 50                | 4,374    | 33            | 60.6 | 44.3-76.9  | 7              | 17.2 | 04.3-30.1  | 3               | 8.0  | 00.0-17.2  | 3              | 7.6  | 00.0-17.2  | 4     | 6.7  | 00.0-14.3  |         |     |            |
| 65+                | 221               | 12,197   | 112           | 53.2 | 45.4-61.0  | 38             | 16.1 | 10.2-22.0  | 18              | 9.3  | 04.0-14.6  | 7              | 3.1  | 00.4-05.8  | 39    | 15.1 | 09.8-20.4  | 7       | 3.2 | 00.5-05.9  |
| H.S. or G.E.D.     | 83                | 5,053    | 38            | 46.5 | 33.2-59.8  | 14             | 14.9 | 06.7-23.1  | 9               | 11.9 | 02.5-21.3  | 7              | 12.8 | 01.0-24.6  | 12    | 11.5 | 03.7-19.3  | 3       | 2.3 | 00.0-05.0  |
| Some Post-H.S.     | 124               | 10,084   | 75            | 64.1 | 54.1-74.1  | 19             | 14.8 | 07.5-22.1  | 9               | 8.6  | 02.1-15.1  | 2              | 1.6  | 00.0-04.5  | 16    | 9.2  | 03.9-14.5  | 3       | 1.8 | 00.0-04.2  |
| College Graduate   | 89                | 4,769    | 51            | 56.8 | 43.9-69.7  | 12             | 14.2 | 03.2-25.2  | 5               | 5.0  | 00.0-10.3  | 3              | 3.7  | 00.0-08.2  | 17    | 18.4 | 09.0-27.8  | 1       | 1.9 | 00.0-05.6  |
| \$50,000- 99,999   | 76                | 5,178    | 44            | 61.4 | 46.9-75.9  | 12             | 18.4 | 05.9-30.9  | 4               | 4.7  | 00.0-10.4  | 3              | 3.9  | 00.0-08.8  | 13    | 11.7 | 04.4-19.0  |         |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1 time |      |            | 2 times |      |            | 3 times |      |            | 4 times |      |            | 5 or more times |      |            | None |      |            |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N      | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %    | C.I. (95%) | N               | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL              | 742               | 54,693   | 172    | 23.9 | 19.8-28.0  | 275     | 36.8 | 32.3-41.3  | 76      | 8.6  | 06.2-11.0  | 115     | 16.2 | 12.1-20.3  | 43              | 5.6  | 03.4-07.8  | 61   | 8.9  | 06.4-11.4  |
| Male               | 427               | 32,090   | 91     | 24.1 | 18.4-29.8  | 169     | 38.0 | 32.1-43.9  | 45      | 9.1  | 05.8-12.4  | 70      | 16.0 | 10.9-21.1  | 25              | 5.2  | 02.7-07.7  | 27   | 7.6  | 04.5-10.7  |
| Female             | 315               | 22,603   | 81     | 23.7 | 17.6-29.8  | 106     | 35.1 | 27.8-42.4  | 31      | 7.9  | 04.4-11.4  | 45      | 16.6 | 09.3-23.9  | 18              | 6.1  | 02.4-09.8  | 34   | 10.6 | 06.5-14.7  |
| Native             | 62                | 5,590    | 14     | 28.3 | 13.6-43.0  | 17      | 25.1 | 11.4-38.8  | 10      | 11.5 | 00.7-22.3  | 8       | 10.9 | 02.1-19.7  | 7               | 10.7 | 02.3-19.1  | 6    | 13.6 | 02.8-24.4  |
| Non-Native         | 671               | 48,404   | 155    | 23.3 | 19.0-27.6  | 255     | 38.2 | 33.3-43.1  | 65      | 8.4  | 05.9-10.9  | 107     | 17.1 | 12.4-21.8  | 35              | 4.8  | 02.6-07.0  | 54   | 8.3  | 05.8-10.8  |
| 45-54              | 80                | 8,523    | 14     | 22.2 | 11.0-33.4  | 31      | 38.6 | 26.4-50.8  | 7       | 6.9  | 00.8-13.0  | 12      | 13.9 | 05.3-22.5  | 7               | 8.4  | 01.7-15.1  | 9    | 9.9  | 03.0-16.8  |
| 55-64              | 140               | 12,404   | 26     | 18.3 | 10.7-25.9  | 54      | 38.4 | 29.0-47.8  | 16      | 9.6  | 03.7-15.5  | 21      | 16.6 | 09.3-23.9  | 9               | 5.7  | 01.0-10.4  | 14   | 11.4 | 05.1-17.7  |
| 65+                | 481               | 25,662   | 121    | 25.7 | 21.0-30.4  | 179     | 39.2 | 33.7-44.7  | 48      | 8.6  | 05.9-11.3  | 76      | 14.8 | 11.1-18.5  | 23              | 4.0  | 02.0-06.0  | 34   | 7.7  | 04.8-10.6  |
| Less Than H.S.     | 51                | 6,278    | 17     | 33.5 | 15.3-51.7  | 14      | 22.4 | 08.7-36.1  | 4       | 5.5  | 00.0-11.2  | 8       | 27.8 | 03.7-51.9  | 3               | 4.6  | 00.0-10.1  | 5    | 6.2  | 00.0-12.5  |
| H.S. or G.E.D.     | 214               | 14,439   | 48     | 26.2 | 18.6-33.8  | 79      | 35.4 | 27.6-43.2  | 19      | 8.4  | 03.3-13.5  | 35      | 12.6 | 07.7-17.5  | 11              | 4.4  | 01.1-07.7  | 22   | 13.0 | 06.9-19.1  |
| Some Post-H.S.     | 247               | 21,278   | 57     | 22.5 | 15.6-29.4  | 100     | 42.2 | 34.4-50.0  | 21      | 6.5  | 03.0-10.0  | 36      | 15.6 | 10.1-21.1  | 12              | 5.1  | 01.8-08.4  | 21   | 8.1  | 04.2-12.0  |
| College Graduate   | 227               | 12,613   | 49     | 18.8 | 13.1-24.5  | 81      | 36.5 | 28.7-44.3  | 31      | 13.8 | 08.1-19.5  | 36      | 15.8 | 10.1-21.5  | 17              | 8.2  | 02.9-13.5  | 13   | 6.8  | 02.7-10.9  |
| \$15,000- 24,999   | 69                | 5,079    | 15     | 23.3 | 08.8-37.8  | 23      | 39.8 | 24.7-54.9  | 8       | 7.3  | 01.2-13.4  | 12      | 13.7 | 04.7-22.7  | 6               | 7.3  | 00.6-14.0  | 5    | 8.6  | 00.8-16.4  |
| \$25,000- 34,999   | 91                | 5,883    | 23     | 29.6 | 17.4-41.8  | 26      | 28.6 | 17.2-40.0  | 4       | 3.8  | 00.0-08.1  | 19      | 18.0 | 08.8-27.2  | 7               | 6.0  | 00.0-13.1  | 12   | 14.0 | 05.2-22.8  |
| \$35,000- 49,999   | 99                | 7,289    | 27     | 28.6 | 16.8-40.4  | 37      | 40.1 | 26.8-53.4  | 8       | 9.5  | 02.2-16.8  | 18      | 12.1 | 05.4-18.8  | 2               | 0.6  | 00.0-01.6  | 7    | 9.0  | 01.4-16.6  |
| \$50,000- 99,999   | 195               | 13,154   | 44     | 26.9 | 17.5-36.3  | 85      | 41.5 | 32.3-50.7  | 22      | 6.6  | 03.1-10.1  | 27      | 15.2 | 08.3-22.1  | 6               | 3.1  | 00.0-07.0  | 11   | 6.7  | 02.2-11.2  |
| \$100,000- 199,999 | 81                | 6,716    | 12     | 12.2 | 04.6-19.8  | 38      | 49.9 | 37.0-62.8  | 11      | 15.3 | 04.7-25.9  | 11      | 12.3 | 04.5-20.1  | 3               | 3.3  | 00.0-07.4  | 6    | 6.9  | 00.4-13.4  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1 time |      |            |     |      |            | 2 times |      |            | 3 times |      |            | 4 times |     |            | 5 or more times |      |            | None |   |            |
|--------------------|-------------------|----------|--------|------|------------|-----|------|------------|---------|------|------------|---------|------|------------|---------|-----|------------|-----------------|------|------------|------|---|------------|
|                    | TOTAL             | WEIGHTED | N      | %    | C.I. (95%) | N   | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %   | C.I. (95%) | N               | %    | C.I. (95%) | N    | % | C.I. (95%) |
| Male               | 427               | 32,090   | 91     | 24.1 | 18.4-29.8  | 169 | 38.0 | 32.1-43.9  | 45      | 9.1  | 05.8-12.4  | 70      | 16.0 | 10.9-21.1  | 25      | 5.2 | 02.7-07.7  | 27              | 7.6  | 04.5-10.7  |      |   |            |
| Non-Native         | 384               | 27,893   | 80     | 22.9 | 17.2-28.6  | 157 | 39.5 | 33.2-45.8  | 38      | 8.6  | 05.5-11.7  | 66      | 17.3 | 11.6-23.0  | 20      | 4.7 | 02.2-07.2  | 23              | 7.0  | 03.9-10.1  |      |   |            |
| 55-64              | 89                | 7,906    | 19     | 19.9 | 10.1-29.7  | 33  | 39.2 | 27.4-51.0  | 12      | 11.9 | 03.3-20.5  | 15      | 17.4 | 08.4-26.4  | 5       | 4.6 | 00.0-09.5  | 5               | 7.1  | 00.8-13.4  |      |   |            |
| 65+                | 259               | 13,444   | 55     | 21.6 | 15.7-27.5  | 108 | 43.1 | 35.7-50.5  | 26      | 8.9  | 05.2-12.6  | 44      | 15.9 | 10.8-21.0  | 13      | 3.7 | 01.3-06.1  | 13              | 6.9  | 03.0-10.8  |      |   |            |
| H.S. or G.E.D.     | 129               | 9,209    | 25     | 23.8 | 14.2-33.4  | 55  | 36.9 | 26.9-46.9  | 11      | 9.3  | 02.2-16.4  | 19      | 10.0 | 04.9-15.1  | 6       | 4.6 | 00.3-08.9  | 13              | 15.4 | 07.0-23.8  |      |   |            |
| Some Post-H.S.     | 122               | 10,811   | 22     | 19.3 | 09.5-29.1  | 55  | 45.5 | 34.5-56.5  | 13      | 8.0  | 02.7-13.3  | 21      | 20.1 | 11.3-28.9  | 5       | 3.2 | 00.0-06.9  | 6               | 3.9  | 00.6-07.2  |      |   |            |
| College Graduate   | 138               | 7,852    | 30     | 21.0 | 13.4-28.6  | 51  | 40.1 | 29.9-50.3  | 17      | 12.1 | 05.2-19.0  | 25      | 15.7 | 08.8-22.6  | 11      | 7.8 | 02.3-13.3  | 4               | 3.3  | 00.0-07.2  |      |   |            |
| \$25,000- 34,999   | 53                | 3,401    | 10     | 26.8 | 09.7-43.9  | 16  | 32.4 | 16.3-48.5  | 1       | 1.3  | 00.0-04.0  | 15      | 26.3 | 11.8-40.8  | 6       | 4.3 | 00.2-08.4  | 5               | 8.8  | 00.4-17.2  |      |   |            |
| \$35,000- 49,999   | 54                | 3,957    | 14     | 33.9 | 17.6-50.2  | 22  | 32.2 | 17.7-46.7  | 3       | 5.9  | 00.0-12.6  | 11      | 16.7 | 05.5-27.9  | 1       | 0.7 | 00.0-02.1  | 3               | 10.5 | 00.0-22.8  |      |   |            |
| \$50,000- 99,999   | 120               | 8,113    | 23     | 23.6 | 11.4-35.8  | 59  | 48.2 | 35.7-60.7  | 15      | 8.4  | 03.1-13.7  | 17      | 16.3 | 07.5-25.1  | 3       | 1.3 | 00.0-03.1  | 3               | 2.1  | 00.0-04.6  |      |   |            |
| \$100,000- 199,999 | 59                | 5,000    | 9      | 12.4 | 03.2-21.6  | 28  | 52.4 | 36.9-67.9  | 9       | 18.3 | 04.8-31.8  | 8       | 10.0 | 02.2-17.8  | 1       | 2.1 | 00.0-06.2  | 4               | 4.8  | 00.0-10.3  |      |   |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1 time |      |            |     |      |            | 2 times |      |            | 3 times |      |            | 4 times |     |            | 5 or more times |      |            | None |   |            |
|--------------------|-------------------|----------|--------|------|------------|-----|------|------------|---------|------|------------|---------|------|------------|---------|-----|------------|-----------------|------|------------|------|---|------------|
|                    | TOTAL             | WEIGHTED | N      | %    | C.I. (95%) | N   | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %   | C.I. (95%) | N               | %    | C.I. (95%) | N    | % | C.I. (95%) |
| Female             | 315               | 22,603   | 81     | 23.7 | 17.6-29.8  | 106 | 35.1 | 27.8-42.4  | 31      | 7.9  | 04.4-11.4  | 45      | 16.6 | 09.3-23.9  | 18      | 6.1 | 02.4-09.8  | 34              | 10.6 | 06.5-14.7  |      |   |            |
| Non-Native         | 287               | 20,511   | 75     | 23.7 | 17.4-30.0  | 98  | 36.4 | 28.6-44.2  | 27      | 8.1  | 04.2-12.0  | 41      | 16.8 | 09.2-24.4  | 15      | 5.0 | 01.5-08.5  | 31              | 10.0 | 05.9-14.1  |      |   |            |
| 55-64              | 51                | 4,498    | 7      | 15.6 | 03.3-27.9  | 21  | 37.1 | 21.6-52.6  | 4       | 5.7  | 00.0-11.8  | 6       | 15.1 | 02.9-27.3  | 4       | 7.6 | 00.0-17.2  | 9               | 19.0 | 06.1-31.9  |      |   |            |
| 65+                | 222               | 12,218   | 66     | 30.1 | 22.8-37.4  | 71  | 35.0 | 27.0-43.0  | 22      | 8.2  | 04.3-12.1  | 32      | 13.6 | 08.3-18.9  | 10      | 4.4 | 01.1-07.7  | 21              | 8.6  | 04.5-12.7  |      |   |            |
| H.S. or G.E.D.     | 85                | 5,229    | 23     | 30.4 | 18.1-42.7  | 24  | 32.7 | 19.6-45.8  | 8       | 6.9  | 01.2-12.6  | 16      | 17.1 | 07.1-27.1  | 5       | 4.0 | 00.0-08.9  | 9               | 8.8  | 01.5-16.1  |      |   |            |
| Some Post-H.S.     | 125               | 10,467   | 35     | 25.8 | 16.2-35.4  | 45  | 38.8 | 27.8-49.8  | 8       | 4.9  | 00.4-09.4  | 15      | 11.0 | 04.3-17.7  | 7       | 7.1 | 01.6-12.6  | 15              | 12.4 | 05.3-19.5  |      |   |            |
| College Graduate   | 89                | 4,760    | 19     | 15.2 | 07.4-23.0  | 30  | 30.5 | 18.9-42.1  | 14      | 16.8 | 06.4-27.2  | 11      | 16.0 | 06.0-26.0  | 6       | 8.9 | 00.0-19.3  | 9               | 12.6 | 04.0-21.2  |      |   |            |
| \$50,000- 99,999   | 75                | 5,040    | 21     | 32.2 | 17.1-47.3  | 26  | 30.7 | 18.4-43.0  | 7       | 3.6  | 00.7-06.5  | 10      | 13.5 | 02.9-24.1  | 3       | 6.0 | 00.0-15.6  | 8               | 14.1 | 03.7-24.5  |      |   |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1-2 per yr |      |            | 3-4 per yr |      |            | 5-9 per yr |     |            | 10 or more per yr |     |            | NONE |      |            | Never Heard of |     |            |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|-------------------|-----|------------|------|------|------------|----------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N          | %    | C.I. (95%) | N          | %    | C.I. (95%) | N          | %   | C.I. (95%) | N                 | %   | C.I. (95%) | N    | %    | C.I. (95%) | N              | %   | C.I. (95%) |
| TOTAL              | 726               | 54,064   | 460        | 61.6 | 56.5-66.7  | 206        | 28.7 | 24.0-33.4  | 15         | 2.3 | 00.9-03.7  | 9                 | 0.6 | 00.0-01.2  | 31   | 6.1  | 02.8-09.4  | 5              | 0.7 | 00.0-01.5  |
| Male               | 417               | 31,810   | 267        | 62.1 | 55.8-68.4  | 119        | 29.0 | 22.7-35.3  | 10         | 2.7 | 00.7-04.7  | 3                 | 0.4 | 00.0-01.0  | 17   | 5.6  | 02.5-08.7  | 1              | 0.1 | 00.0-00.3  |
| Female             | 309               | 22,254   | 193        | 60.8 | 52.8-68.8  | 87         | 28.2 | 21.3-35.1  | 5          | 1.7 | 00.0-03.7  | 6                 | 0.9 | 00.0-01.9  | 14   | 6.8  | 00.1-13.5  | 4              | 1.6 | 00.0-03.4  |
| Native             | 59                | 5,437    | 31         | 52.1 | 36.0-68.2  | 21         | 36.5 | 20.4-52.6  | 2          | 2.7 | 00.0-07.0  | 2                 | 1.5 | 00.0-03.9  | 2    | 4.6  | 00.0-11.5  | 1              | 2.6 | 00.0-07.5  |
| Non-Native         | 659               | 48,006   | 425        | 62.9 | 57.6-68.2  | 183        | 27.9 | 23.2-32.6  | 13         | 2.3 | 00.7-03.9  | 7                 | 0.5 | 00.0-01.1  | 27   | 5.9  | 02.4-09.4  | 4              | 0.5 | 00.0-01.1  |
| 45-54              | 78                | 8,327    | 40         | 51.5 | 38.8-64.2  | 27         | 35.7 | 23.2-48.2  | 3          | 2.8 | 00.0-06.5  |                   |     |            | 7    | 8.2  | 00.9-15.5  | 1              | 1.7 | 00.0-05.0  |
| 55-64              | 140               | 12,574   | 84         | 60.5 | 50.9-70.1  | 43         | 29.8 | 20.8-38.8  | 3          | 2.3 | 00.0-05.4  | 3                 | 1.1 | 00.0-02.7  | 7    | 6.3  | 01.4-11.2  |                |     |            |
| 65+                | 467               | 25,060   | 315        | 71.5 | 66.8-76.2  | 123        | 23.0 | 18.7-27.3  | 7          | 1.6 | 00.0-03.2  | 6                 | 0.8 | 00.0-01.6  | 12   | 2.1  | 00.5-03.7  | 4              | 1.0 | 00.0-02.0  |
| Less Than H.S.     | 51                | 6,315    | 34         | 50.1 | 29.5-70.7  | 10         | 27.9 | 07.3-48.5  |            |     |            | 1                 | 1.0 | 00.0-03.0  | 6    | 21.0 | 00.0-42.2  |                |     |            |
| H.S. or G.E.D.     | 203               | 13,942   | 136        | 69.0 | 60.8-77.2  | 51         | 20.9 | 14.0-27.8  | 4          | 1.4 | 00.0-03.0  | 3                 | 0.7 | 00.0-01.7  | 9    | 8.0  | 02.5-13.5  |                |     |            |
| Some Post-H.S.     | 247               | 21,257   | 150        | 60.8 | 53.0-68.6  | 76         | 31.5 | 24.1-38.9  | 5          | 3.4 | 00.3-06.5  | 3                 | 0.6 | 00.0-01.6  | 8    | 1.8  | 00.2-03.4  | 5              | 1.8 | 00.0-03.6  |
| College Graduate   | 222               | 12,464   | 138        | 60.3 | 52.1-68.5  | 68         | 33.1 | 25.1-41.1  | 6          | 2.6 | 00.1-05.1  | 2                 | 0.4 | 00.0-01.0  | 8    | 3.7  | 00.8-06.6  |                |     |            |
| \$15,000- 24,999   | 70                | 5,146    | 41         | 56.4 | 41.3-71.5  | 23         | 34.1 | 19.2-49.0  | 1          | 2.3 | 00.0-06.6  | 2                 | 1.7 | 00.0-04.2  | 3    | 5.6  | 00.0-12.5  |                |     |            |
| \$25,000- 34,999   | 89                | 5,839    | 52         | 58.6 | 45.5-71.7  | 27         | 27.7 | 16.1-39.3  | 2          | 1.2 | 00.0-03.4  | 2                 | 1.3 | 00.0-03.3  | 6    | 11.2 | 00.8-21.6  |                |     |            |
| \$35,000- 49,999   | 96                | 6,965    | 66         | 66.9 | 53.0-80.8  | 24         | 25.8 | 12.3-39.3  | 1          | 1.3 | 00.0-03.8  | 1                 | 0.4 | 00.0-01.2  | 4    | 5.7  | 00.0-12.8  |                |     |            |
| \$50,000- 99,999   | 189               | 12,978   | 131        | 71.1 | 62.5-79.7  | 49         | 25.3 | 16.9-33.7  | 3          | 0.7 | 00.0-01.7  | 2                 | 0.9 | 00.0-02.3  | 3    | 1.2  | 00.0-02.8  | 1              | 0.8 | 00.0-02.4  |
| \$100,000- 199,999 | 82                | 6,779    | 53         | 65.1 | 52.8-77.4  | 25         | 32.2 | 19.9-44.5  |            |     |            | 1                 | 0.4 | 00.0-01.2  | 3    | 2.3  | 00.0-05.0  |                |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1-2 per yr |      |            | 3-4 per yr |      |            | 5-9 per yr |     |            | 10 or more per yr |     |            | NONE |      |            | Never Heard of |     |            |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|-------------------|-----|------------|------|------|------------|----------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N          | %    | C.I. (95%) | N          | %    | C.I. (95%) | N          | %   | C.I. (95%) | N                 | %   | C.I. (95%) | N    | %    | C.I. (95%) | N              | %   | C.I. (95%) |
| Male               | 417               | 31,810   | 267        | 62.1 | 55.6-68.6  | 119        | 29.0 | 22.7-35.3  | 10         | 2.7 | 0.7-04.7   | 3                 | 0.4 | 0.0-01.0   | 17   | 5.6  | 02.5-08.7  | 1              | 0.1 | 00.0-00.3  |
| Non-Native         | 377               | 27,829   | 248        | 64.8 | 58.3-71.3  | 104        | 27.0 | 20.7-33.3  | 9          | 3.0 | 0.6-05.4   | 2                 | 0.3 | 0.0-00.7   | 13   | 4.8  | 01.7-07.9  | 1              | 0.1 | 00.0-00.3  |
| 55-64              | 89                | 8,076    | 53         | 58.6 | 46.3-70.9  | 31         | 33.6 | 21.8-45.4  | 2          | 3.4 | 0.0-08.3   |                   |     |            | 3    | 4.4  | 00.0-09.7  |                |     |            |
| 65+                | 251               | 13,190   | 170        | 72.9 | 66.8-79.0  | 66         | 21.6 | 16.1-27.1  | 5          | 1.4 | 0.0-02.8   | 3                 | 1.1 | 0.0-02.5   | 6    | 2.8  | 00.1-05.5  | 1              | 0.3 | 00.0-00.9  |
| H.S. or G.E.D.     | 122               | 8,925    | 83         | 68.1 | 57.5-78.7  | 28         | 19.1 | 10.3-27.9  | 3          | 1.9 | 0.0-04.3   | 1                 | 0.6 | 0.0-01.8   | 7    | 10.3 | 02.7-17.9  |                |     |            |
| Some Post-H.S.     | 122               | 10,856   | 76         | 63.9 | 53.5-74.3  | 39         | 30.7 | 20.9-40.5  | 3          | 3.8 | 0.0-08.7   | 1                 | 0.2 | 0.0-00.6   | 2    | 1.0  | 00.0-02.4  | 1              | 0.3 | 00.0-00.9  |
| College Graduate   | 134               | 7,738    | 85         | 62.5 | 52.1-72.9  | 42         | 31.7 | 21.5-41.9  | 4          | 3.7 | 0.0-07.8   |                   |     |            | 3    | 2.2  | 00.0-05.1  |                |     |            |
| \$25,000- 34,999   | 51                | 3,357    | 28         | 57.1 | 39.5-74.7  | 18         | 29.4 | 13.9-44.9  | 2          | 2.1 | 0.0-05.8   | 1                 | 1.6 | 0.0-04.7   | 2    | 9.8  | 00.0-24.3  |                |     |            |
| \$35,000- 49,999   | 53                | 3,821    | 36         | 66.1 | 50.2-82.0  | 13         | 21.7 | 09.2-34.2  | 1          | 2.3 | 0.0-06.8   | 1                 | 0.7 | 0.0-02.1   | 2    | 9.2  | 00.0-21.7  |                |     |            |
| \$50,000- 99,999   | 115               | 7,977    | 81         | 70.6 | 59.0-82.2  | 30         | 27.6 | 16.0-39.2  | 2          | 0.9 | 0.0-02.5   |                   |     |            | 2    | 0.9  | 00.0-02.1  |                |     |            |
| \$100,000- 199,999 | 60                | 5,063    | 42         | 70.1 | 55.4-84.8  | 16         | 27.9 | 13.4-42.4  |            |     |            |                   |     |            | 2    | 1.9  | 00.0-04.8  |                |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1-2 per yr |      |            | 3-4 per yr |      |            | 5-9 per yr |     |            | 10 or more per yr |     |            | NONE |     |            | Never Heard of |     |            |
|--------------------|-------------------|----------|------------|------|------------|------------|------|------------|------------|-----|------------|-------------------|-----|------------|------|-----|------------|----------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N          | %    | C.I. (95%) | N          | %    | C.I. (95%) | N          | %   | C.I. (95%) | N                 | %   | C.I. (95%) | N    | %   | C.I. (95%) | N              | %   | C.I. (95%) |
| Female             | 309               | 22,254   | 193        | 60.8 | 52.8-68.8  | 87         | 28.2 | 21.3-35.1  | 5          | 1.7 | 00.0-03.7  | 6                 | 0.9 | 00.0-01.9  | 14   | 6.8 | 00.1-13.5  | 4              | 1.6 | 00.0-03.4  |
| Non-Native         | 282               | 20,177   | 177        | 60.2 | 51.6-68.8  | 79         | 29.1 | 21.7-36.5  | 4          | 1.2 | 00.0-03.2  | 5                 | 0.9 | 00.0-01.9  | 14   | 7.5 | 00.2-14.8  | 3              | 1.0 | 00.0-02.4  |
| 55-64              | 51                | 4,498    | 31         | 63.9 | 48.4-79.4  | 12         | 23.0 | 09.1-36.9  | 1          | 0.4 | 00.0-01.2  | 3                 | 3.1 | 00.0-07.4  | 4    | 9.6 | 00.0-19.6  |                |     |            |
| 65+                | 216               | 11,869   | 145        | 70.0 | 62.6-77.4  | 57         | 24.6 | 17.9-31.3  | 2          | 1.8 | 00.0-04.9  | 3                 | 0.5 | 00.0-01.1  | 6    | 1.3 | 00.3-02.3  | 3              | 1.8 | 00.0-04.0  |
| H.S. or G.E.D.     | 81                | 5,016    | 53         | 70.5 | 58.2-82.8  | 23         | 23.9 | 12.7-35.1  | 1          | 0.5 | 00.0-01.7  | 2                 | 0.9 | 00.0-02.3  | 2    | 4.1 | 00.0-10.8  |                |     |            |
| Some Post-H.S.     | 125               | 10,401   | 74         | 57.6 | 46.2-69.0  | 37         | 32.4 | 21.2-43.6  | 2          | 2.9 | 00.0-07.0  | 2                 | 1.1 | 00.0-02.9  | 6    | 2.6 | 00.0-05.5  | 4              | 3.4 | 00.0-06.9  |
| College Graduate   | 88                | 4,726    | 53         | 56.8 | 43.7-69.9  | 26         | 35.3 | 22.4-48.2  | 2          | 0.7 | 00.0-01.7  | 2                 | 1.0 | 00.0-02.4  | 5    | 6.1 | 00.0-12.2  |                |     |            |
| \$50,000- 99,999   | 74                | 5,001    | 50         | 71.9 | 59.0-84.8  | 19         | 21.7 | 09.7-33.7  | 1          | 0.3 | 00.0-00.9  | 2                 | 2.3 | 00.0-06.0  | 1    | 1.7 | 00.0-05.0  | 1              | 2.1 | 00.0-06.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1 time |      |            | 2 times |      |            | 3 times |      |            | 4 times |      |            | 5 or more times |     |            | None |      |            |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|------|------------|---------|------|------------|-----------------|-----|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N      | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %    | C.I. (95%) | N               | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL              | 731               | 54,158   | 236    | 33.8 | 29.3-38.3  | 212     | 28.3 | 24.2-32.4  | 40      | 5.4  | 0.2-08.1   | 75      | 9.9  | 0.7-12.6   | 35              | 3.2 | 0.2-04.4   | 133  | 19.4 | 15.1-23.7  |
| Male               | 425               | 32,117   | 138    | 34.9 | 28.8-41.0  | 133     | 31.9 | 26.2-37.6  | 21      | 5.2  | 0.1-09.3   | 42      | 9.2  | 0.5-12.5   | 24              | 4.0 | 0.2-06.0   | 67   | 14.7 | 10.6-18.8  |
| Female             | 306               | 22,041   | 98     | 32.2 | 25.1-39.3  | 79      | 23.0 | 17.1-28.9  | 19      | 5.6  | 0.2-08.7   | 33      | 11.0 | 0.6-15.5   | 11              | 1.9 | 0.0-03.1   | 66   | 26.3 | 18.3-34.3  |
| Native             | 60                | 5,400    | 17     | 29.7 | 14.8-44.6  | 22      | 36.5 | 21.2-51.8  | 9       | 11.4 | 0.3-19.6   | 1       | 0.4  | 0.0-01.2   | 3               | 6.3 | 0.0-13.7   | 8    | 15.6 | 0.4-27.0   |
| Non-Native         | 662               | 48,058   | 216    | 34.3 | 29.4-39.2  | 189     | 27.7 | 23.4-32.0  | 30      | 4.5  | 0.1-07.4   | 74      | 11.2 | 0.8-14.1   | 32              | 2.8 | 0.1-04.0   | 121  | 19.5 | 15.0-24.0  |
| 45-54              | 80                | 8,523    | 27     | 36.0 | 23.8-48.2  | 20      | 25.8 | 14.6-37.0  | 3       | 4.1  | 0.0-08.8   | 8       | 12.1 | 0.3-20.9   | 5               | 5.6 | 0.1-11.1   | 17   | 16.5 | 0.8-24.7   |
| 55-64              | 140               | 12,418   | 38     | 26.6 | 18.2-35.0  | 48      | 35.2 | 25.8-44.6  | 10      | 6.5  | 0.2-11.0   | 15      | 12.0 | 0.5-18.5   | 3               | 0.7 | 0.0-01.5   | 26   | 19.1 | 11.3-26.9  |
| 65+                | 470               | 25,113   | 158    | 35.7 | 30.4-41.0  | 132     | 28.9 | 23.8-34.0  | 24      | 3.5  | 0.1-05.1   | 49      | 9.8  | 0.6-12.9   | 27              | 4.6 | 0.2-06.6   | 80   | 17.5 | 13.2-21.8  |
| Less Than H.S.     | 52                | 6,295    | 23     | 43.6 | 24.0-63.2  | 10      | 13.2 | 0.3-23.0   | 3       | 13.4 | 0.0-31.8   | 2       | 0.9  | 0.0-02.3   | 4               | 4.3 | 0.0-09.0   | 10   | 24.7 | 0.3-45.5   |
| H.S. or G.E.D.     | 206               | 13,988   | 58     | 30.8 | 22.6-39.0  | 67      | 32.5 | 24.5-40.5  | 9       | 2.3  | 0.0-03.9   | 16      | 4.8  | 0.2-07.3   | 12              | 4.5 | 0.1-07.6   | 44   | 25.1 | 17.5-32.7  |
| Some Post-H.S.     | 245               | 21,304   | 84     | 32.4 | 25.0-39.8  | 69      | 28.9 | 21.8-36.0  | 17      | 5.7  | 0.2-09.0   | 31      | 15.4 | 0.9-21.1   | 7               | 1.7 | 0.0-03.1   | 37   | 15.9 | 0.6-22.2   |
| College Graduate   | 225               | 12,486   | 70     | 34.7 | 26.9-42.5  | 64      | 29.8 | 22.2-37.4  | 11      | 4.3  | 0.1-07.0   | 26      | 11.0 | 0.6-15.9   | 12              | 3.7 | 0.1-06.2   | 42   | 16.5 | 10.8-22.2  |
| \$15,000- 24,999   | 70                | 5,229    | 21     | 36.3 | 20.6-52.0  | 17      | 21.1 | 10.3-31.9  | 7       | 13.4 | 0.3-23.8   | 8       | 7.6  | 0.1-13.7   | 5               | 4.4 | 0.0-08.5   | 12   | 17.3 | 0.6-28.1   |
| \$25,000- 34,999   | 84                | 5,452    | 24     | 32.3 | 19.2-45.4  | 24      | 29.7 | 17.7-41.7  | 3       | 2.5  | 0.0-05.2   | 13      | 13.1 | 0.4-22.1   | 4               | 2.8 | 0.0-05.9   | 16   | 19.6 | 0.9-30.0   |
| \$35,000- 49,999   | 96                | 6,976    | 35     | 39.9 | 27.0-52.8  | 25      | 24.5 | 13.9-35.1  | 3       | 2.0  | 0.0-04.7   | 10      | 7.9  | 0.1-14.0   | 4               | 2.4 | 0.0-04.9   | 19   | 23.3 | 0.8-36.8   |
| \$50,000- 99,999   | 194               | 13,251   | 74     | 40.3 | 30.9-49.7  | 56      | 29.1 | 20.7-37.5  | 10      | 3.1  | 0.0-05.5   | 16      | 11.9 | 0.5-18.4   | 10              | 2.2 | 0.0-03.8   | 28   | 13.4 | 0.7-19.5   |
| \$100,000- 199,999 | 81                | 6,728    | 23     | 28.0 | 16.6-39.4  | 29      | 41.1 | 28.0-54.2  | 3       | 1.9  | 0.0-04.4   | 10      | 10.5 | 0.3-17.8   | 2               | 1.5 | 0.0-03.9   | 14   | 16.9 | 0.7-25.9   |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1 time |      |            | 2 times |      |            | 3 times |     |            | 4 times |      |            | 5 or more times |     |            | None |      |            |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|-----|------------|---------|------|------------|-----------------|-----|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N      | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %   | C.I. (95%) | N       | %    | C.I. (95%) | N               | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Male               | 425               | 32,117   | 138    | 34.9 | 28.8-41.0  | 133     | 31.9 | 26.2-37.6  | 21      | 5.2 | 01.1-09.3  | 42      | 9.2  | 05.9-12.5  | 24              | 4.0 | 02.0-06.0  | 67   | 14.7 | 10.6-18.8  |
| Non-Native         | 382               | 27,920   | 125    | 35.3 | 29.0-41.6  | 118     | 31.3 | 25.4-37.2  | 14      | 4.2 | 00.0-08.7  | 42      | 10.6 | 06.7-14.5  | 21              | 3.4 | 01.6-05.2  | 62   | 15.2 | 10.7-19.7  |
| 55-64              | 90                | 8,094    | 23     | 23.9 | 13.7-34.1  | 32      | 38.7 | 26.5-50.9  | 7       | 6.4 | 01.3-11.5  | 11      | 12.4 | 04.6-20.2  | 2               | 0.7 | 00.0-01.7  | 15   | 17.9 | 08.3-27.5  |
| 65+                | 256               | 13,283   | 90     | 39.4 | 32.1-46.7  | 75      | 30.7 | 23.6-37.8  | 12      | 3.0 | 01.2-04.8  | 24      | 7.9  | 04.4-11.4  | 18              | 5.9 | 03.0-08.8  | 37   | 13.0 | 08.3-17.7  |
| H.S. or G.E.D.     | 126               | 9,092    | 35     | 27.9 | 18.1-37.7  | 46      | 36.8 | 26.4-47.2  | 5       | 2.2 | 00.2-04.2  | 7       | 3.1  | 00.6-05.6  | 8               | 5.4 | 00.9-09.9  | 25   | 24.6 | 14.6-34.6  |
| Some Post-H.S.     | 123               | 10,978   | 41     | 33.9 | 23.1-44.7  | 41      | 34.7 | 24.1-45.3  | 9       | 4.5 | 01.0-08.0  | 15      | 16.6 | 08.2-25.0  | 5               | 2.3 | 00.0-04.7  | 12   | 8.0  | 02.1-13.9  |
| College Graduate   | 137               | 7,813    | 44     | 34.8 | 25.2-44.4  | 41      | 34.9 | 24.7-45.1  | 4       | 1.7 | 00.0-03.5  | 18      | 10.4 | 04.7-16.1  | 7               | 3.8 | 00.3-07.3  | 23   | 14.5 | 07.4-21.6  |
| \$25,000- 34,999   | 51                | 3,301    | 14     | 36.6 | 18.4-54.8  | 17      | 37.2 | 20.3-54.1  | 1       | 1.7 | 00.0-05.0  | 9       | 11.0 | 02.4-19.6  | 4               | 4.7 | 00.0-09.8  | 6    | 8.8  | 00.6-17.0  |
| \$35,000- 49,999   | 54                | 3,871    | 22     | 48.6 | 31.9-65.3  | 14      | 19.8 | 07.8-31.8  | 1       | 0.8 | 00.0-02.4  | 6       | 12.3 | 01.7-22.9  | 1               | 0.7 | 00.0-02.3  | 10   | 17.7 | 04.6-30.8  |
| \$50,000- 99,999   | 118               | 8,057    | 42     | 34.3 | 22.3-46.3  | 32      | 33.5 | 21.3-45.7  | 7       | 4.0 | 00.5-07.5  | 12      | 13.4 | 05.0-21.8  | 7               | 2.6 | 00.2-05.0  | 18   | 12.2 | 04.9-19.5  |
| \$100,000- 199,999 | 59                | 5,012    | 15     | 25.8 | 12.7-38.9  | 26      | 50.9 | 35.4-66.4  | 1       | 0.3 | 00.0-00.9  | 7       | 8.2  | 01.1-15.3  | 1               | 1.5 | 00.0-04.4  | 9    | 13.2 | 04.0-22.4  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1 time |      |            | 2 times |      |            | 3 times |     |            | 4 times |      |            | 5 or more times |     |            | None |      |            |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|---------|-----|------------|---------|------|------------|-----------------|-----|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N      | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %   | C.I. (95%) | N       | %    | C.I. (95%) | N               | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Female             | 306               | 22,041   | 98     | 32.2 | 25.1-39.3  | 79      | 23.0 | 17.1-28.9  | 19      | 5.6 | 02.5-08.7  | 33      | 11.0 | 06.7-15.3  | 11              | 1.9 | 00.7-03.1  | 66   | 26.3 | 18.3-34.3  |
| Non-Native         | 280               | 20,138   | 91     | 32.9 | 25.5-40.3  | 71      | 22.7 | 16.6-28.8  | 16      | 4.9 | 02.0-07.8  | 32      | 11.9 | 07.0-16.8  | 11              | 2.0 | 00.6-03.4  | 59   | 25.6 | 17.0-34.2  |
| 55-64              | 50                | 4,324    | 15     | 31.6 | 16.5-46.7  | 16      | 28.5 | 14.2-42.8  | 3       | 6.8 | 00.0-15.6  | 4       | 11.2 | 00.0-22.6  | 1               | 0.6 | 00.0-01.8  | 11   | 21.3 | 08.0-34.6  |
| 65+                | 214               | 11,830   | 68     | 31.6 | 24.0-39.2  | 57      | 26.8 | 19.5-34.1  | 12      | 4.0 | 01.5-06.5  | 25      | 11.9 | 06.8-17.0  | 9               | 3.1 | 00.9-05.3  | 43   | 22.6 | 15.3-29.9  |
| H.S. or G.E.D.     | 80                | 4,896    | 23     | 36.3 | 22.0-50.6  | 21      | 24.6 | 13.2-36.0  | 4       | 2.5 | 00.0-05.0  | 9       | 7.8  | 01.9-13.7  | 4               | 2.8 | 00.0-05.7  | 19   | 26.1 | 13.8-38.4  |
| Some Post-H.S.     | 122               | 10,326   | 43     | 30.9 | 20.9-40.9  | 28      | 22.7 | 13.9-31.5  | 8       | 6.9 | 01.4-12.4  | 16      | 14.2 | 06.6-21.8  | 2               | 1.0 | 00.0-02.6  | 25   | 24.4 | 13.6-35.2  |
| College Graduate   | 88                | 4,672    | 26     | 34.3 | 21.0-47.6  | 23      | 21.4 | 11.4-31.4  | 7       | 8.6 | 01.7-15.5  | 8       | 12.2 | 03.0-21.4  | 5               | 3.5 | 00.0-07.0  | 19   | 19.9 | 09.9-29.9  |
| \$50,000- 99,999   | 76                | 5,194    | 32     | 49.7 | 34.8-64.6  | 24      | 22.3 | 12.1-32.5  | 3       | 1.8 | 00.0-03.8  | 4       | 9.6  | 00.0-19.6  | 3               | 1.5 | 00.0-03.5  | 10   | 15.2 | 04.8-25.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | < 1 Month Ago |      |            | 1 Month but < 12 Months |      |            | 1+ Yrs but < 2 Years |      |            | 2 or more Years |      |            | Never |     |            |
|--------------------|-------------------|----------|---------------|------|------------|-------------------------|------|------------|----------------------|------|------------|-----------------|------|------------|-------|-----|------------|
|                    | TOTAL             | WEIGHTED | N             | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                    | %    | C.I. (95%) | N               | %    | C.I. (95%) | N     | %   | C.I. (95%) |
| TOTAL              | 735               | 53,608   | 144           | 18.1 | 14.6-21.6  | 414                     | 50.1 | 45.4-54.8  | 89                   | 12.7 | 09.6-15.8  | 67              | 12.7 | 09.0-16.4  | 21    | 6.4 | 02.5-10.3  |
| Male               | 424               | 31,250   | 83            | 18.3 | 13.6-23.0  | 234                     | 49.5 | 43.4-55.6  | 53                   | 12.3 | 08.4-16.2  | 42              | 14.4 | 09.3-19.5  | 12    | 5.5 | 01.0-10.0  |
| Female             | 311               | 22,359   | 61            | 17.8 | 12.7-22.9  | 180                     | 51.1 | 43.3-58.9  | 36                   | 13.3 | 08.0-18.6  | 25              | 10.2 | 04.9-15.5  | 9     | 7.6 | 00.3-14.9  |
| Native             | 61                | 5,268    | 11            | 18.0 | 05.1-30.9  | 31                      | 49.2 | 33.7-64.7  | 10                   | 13.9 | 01.9-25.9  | 7               | 15.6 | 04.0-27.2  | 2     | 3.3 | 00.0-08.0  |
| Non-Native         | 665               | 47,641   | 132           | 18.2 | 14.7-21.7  | 378                     | 50.1 | 45.0-55.2  | 78                   | 12.6 | 09.3-15.9  | 59              | 12.4 | 08.5-16.3  | 18    | 6.6 | 02.1-11.1  |
| 45-54              | 79                | 8,451    | 19            | 27.2 | 15.2-39.2  | 36                      | 42.6 | 30.3-54.9  | 12                   | 15.0 | 06.4-23.6  | 10              | 13.7 | 04.9-22.5  | 2     | 1.5 | 00.0-03.7  |
| 55-64              | 141               | 12,612   | 22            | 15.6 | 08.5-22.7  | 79                      | 52.9 | 43.3-62.5  | 20                   | 16.1 | 08.5-23.7  | 17              | 12.5 | 05.8-19.2  | 3     | 2.9 | 00.0-06.2  |
| 65+                | 478               | 25,407   | 99            | 19.5 | 15.4-23.6  | 287                     | 60.0 | 54.7-65.3  | 52                   | 10.8 | 07.3-14.3  | 32              | 8.2  | 05.1-11.3  | 8     | 1.4 | 00.2-02.6  |
| H.S. or G.E.D.     | 211               | 14,096   | 37            | 19.8 | 13.1-26.5  | 122                     | 50.7 | 42.3-59.1  | 29                   | 15.3 | 08.8-21.8  | 16              | 8.6  | 03.7-13.5  | 7     | 5.6 | 00.9-10.3  |
| Some Post-H.S.     | 248               | 21,055   | 40            | 15.4 | 10.1-20.7  | 150                     | 54.5 | 46.5-62.5  | 29                   | 11.7 | 06.6-16.8  | 24              | 15.1 | 08.0-22.2  | 5     | 3.2 | 00.0-06.9  |
| College Graduate   | 224               | 12,437   | 55            | 23.1 | 16.0-30.2  | 120                     | 50.5 | 42.3-58.7  | 25                   | 13.4 | 07.3-19.5  | 17              | 8.4  | 03.9-12.9  | 7     | 4.6 | 00.7-08.5  |
| \$15,000- 24,999   | 69                | 5,027    | 7             | 7.0  | 00.7-13.3  | 44                      | 58.4 | 43.1-73.7  | 7                    | 11.3 | 01.9-20.7  | 10              | 22.9 | 08.0-37.8  | 1     | 0.4 | 00.0-01.2  |
| \$25,000- 34,999   | 91                | 5,883    | 24            | 26.2 | 14.4-38.0  | 44                      | 42.2 | 29.9-54.5  | 10                   | 12.9 | 03.7-22.1  | 10              | 15.1 | 04.9-25.3  | 3     | 3.6 | 00.0-08.1  |
| \$35,000- 49,999   | 98                | 6,904    | 13            | 13.7 | 05.3-22.1  | 63                      | 58.0 | 44.3-71.7  | 10                   | 8.5  | 02.0-15.0  | 11              | 17.0 | 03.5-30.5  | 1     | 2.8 | 00.0-08.3  |
| \$50,000- 99,999   | 196               | 13,316   | 40            | 18.5 | 11.2-25.8  | 113                     | 52.1 | 42.7-61.5  | 26                   | 12.7 | 06.6-18.8  | 11              | 10.3 | 02.9-17.7  | 6     | 6.3 | 00.2-12.4  |
| \$100,000- 199,999 | 78                | 6,362    | 19            | 27.3 | 15.9-38.7  | 43                      | 49.7 | 36.6-62.8  | 8                    | 13.8 | 03.0-24.6  | 6               | 7.1  | 00.4-13.8  | 2     | 2.0 | 00.0-04.9  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | < 1 Month Ago |      |            | 1 Month but < 12 Months |      |            | 1+ Yrs but < 2 Years |      |            | 2 or more Years |      |            | Never |     |            |
|--------------------|-------------------|----------|---------------|------|------------|-------------------------|------|------------|----------------------|------|------------|-----------------|------|------------|-------|-----|------------|
|                    | TOTAL             | WEIGHTED | N             | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                    | %    | C.I. (95%) | N               | %    | C.I. (95%) | N     | %   | C.I. (95%) |
| Male               | 424               | 31,250   | 83            | 18.3 | 13.6-23.0  | 234                     | 49.5 | 43.4-55.6  | 53                   | 12.3 | 08.4-16.2  | 42              | 14.4 | 09.3-19.5  | 12    | 5.5 | 01.0-10.0  |
| Non-Native         | 382               | 27,375   | 76            | 18.6 | 13.7-23.5  | 212                     | 49.5 | 42.8-56.2  | 48                   | 12.2 | 08.3-16.1  | 37              | 14.4 | 09.1-19.7  | 9     | 5.3 | 00.4-10.2  |
| 55-64              | 91                | 8,152    | 13            | 14.1 | 06.1-22.1  | 54                      | 56.7 | 44.9-68.5  | 14                   | 15.7 | 06.3-25.1  | 9               | 12.4 | 04.0-20.8  | 1     | 1.1 | 00.0-03.3  |
| 65+                | 258               | 13,323   | 58            | 21.4 | 15.5-27.3  | 149                     | 57.6 | 50.3-64.9  | 27                   | 9.8  | 05.7-13.9  | 19              | 9.1  | 04.4-13.8  | 5     | 2.1 | 00.1-04.1  |
| H.S. or G.E.D.     | 128               | 8,952    | 26            | 22.4 | 13.6-31.2  | 65                      | 44.5 | 33.9-55.1  | 22                   | 19.1 | 10.3-27.9  | 10              | 7.5  | 01.8-13.2  | 5     | 6.4 | 00.1-12.7  |
| Some Post-H.S.     | 123               | 10,621   | 18            | 12.3 | 05.4-19.2  | 74                      | 56.7 | 45.7-67.7  | 13                   | 8.2  | 02.9-13.5  | 15              | 19.8 | 09.4-30.2  | 3     | 3.0 | 00.0-06.9  |
| College Graduate   | 136               | 7,767    | 31            | 23.5 | 14.1-32.9  | 78                      | 52.5 | 42.1-62.9  | 15                   | 13.2 | 05.9-20.5  | 9               | 8.4  | 02.3-14.5  | 3     | 2.5 | 00.0-05.6  |
| \$25,000- 34,999   | 53                | 3,401    | 15            | 32.8 | 15.4-50.2  | 24                      | 37.3 | 21.4-53.2  | 5                    | 10.6 | 00.4-20.8  | 6               | 13.0 | 00.1-25.9  | 3     | 6.3 | 00.0-14.1  |
| \$35,000- 49,999   | 55                | 3,764    | 5             | 8.9  | 00.1-17.7  | 37                      | 64.6 | 48.7-80.5  | 7                    | 12.4 | 01.8-23.0  | 6               | 14.2 | 02.0-26.4  |       |     |            |
| \$50,000- 99,999   | 120               | 8,152    | 24            | 17.0 | 08.0-26.0  | 69                      | 53.8 | 42.2-65.4  | 14                   | 9.4  | 03.9-14.9  | 9               | 14.9 | 03.5-26.3  | 4     | 4.9 | 00.0-10.8  |
| \$100,000- 199,999 | 57                | 4,718    | 11            | 22.1 | 09.4-34.8  | 32                      | 51.4 | 35.7-67.1  | 7                    | 15.4 | 02.1-28.7  | 6               | 9.6  | 00.6-18.6  | 1     | 1.5 | 00.0-04.4  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | < 1 Month Ago |      |            | 1 Month but < 12 Months |      |            | 1+ Yrs but < 2 Years |      |            | 2 or more Years |      |            | Never |     |            |
|--------------------|-------------------|----------|---------------|------|------------|-------------------------|------|------------|----------------------|------|------------|-----------------|------|------------|-------|-----|------------|
|                    | TOTAL             | WEIGHTED | N             | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                    | %    | C.I. (95%) | N               | %    | C.I. (95%) | N     | %   | C.I. (95%) |
| Female             | 311               | 22,359   | 61            | 17.8 | 12.7-22.9  | 180                     | 51.1 | 43.3-58.9  | 36                   | 13.3 | 08.0-18.6  | 25              | 10.2 | 04.9-15.5  | 9     | 7.6 | 00.3-14.9  |
| Non-Native         | 283               | 20,266   | 56            | 17.6 | 12.1-23.1  | 166                     | 51.0 | 42.8-59.2  | 30                   | 13.2 | 07.5-18.9  | 22              | 9.8  | 04.3-15.3  | 9     | 8.4 | 00.6-16.2  |
| 55-64              | 50                | 4,460    | 9             | 18.3 | 05.4-31.2  | 25                      | 46.0 | 29.9-62.1  | 6                    | 16.8 | 03.5-30.1  | 8               | 12.8 | 02.0-23.6  | 2     | 6.2 | 00.0-14.8  |
| 65+                | 220               | 12,085   | 41            | 17.4 | 11.5-23.3  | 138                     | 62.7 | 54.9-70.5  | 25                   | 11.9 | 06.0-17.8  | 13              | 7.3  | 03.2-11.4  | 3     | 0.6 | 00.0-01.4  |
| H.S. or G.E.D.     | 83                | 5,144    | 11            | 15.2 | 05.8-24.6  | 57                      | 61.4 | 48.1-74.7  | 7                    | 8.7  | 01.1-16.3  | 6               | 10.5 | 01.5-19.5  | 2     | 4.2 | 00.0-10.9  |
| Some Post-H.S.     | 125               | 10,434   | 22            | 18.6 | 10.4-26.8  | 76                      | 52.4 | 41.0-63.8  | 16                   | 15.4 | 07.0-23.8  | 9               | 10.3 | 01.1-19.5  | 2     | 3.5 | 00.0-09.8  |
| College Graduate   | 88                | 4,670    | 24            | 22.5 | 12.1-32.9  | 42                      | 47.2 | 34.3-60.1  | 10                   | 13.7 | 02.5-24.9  | 8               | 8.5  | 01.8-15.2  | 4     | 8.0 | 00.0-17.0  |
| \$50,000- 99,999   | 76                | 5,164    | 16            | 21.0 | 08.7-33.3  | 44                      | 49.5 | 34.6-64.4  | 12                   | 17.7 | 05.2-30.2  | 2               | 3.2  | 00.0-07.7  | 2     | 8.6 | 00.0-21.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL              | 746               | 55,189   | 113 | 16.9 | 12.6-21.2  | 633 | 83.1 | 78.8-87.4  |
| Male               | 432               | 32,508   | 74  | 18.5 | 13.0-24.0  | 358 | 81.5 | 76.0-87.0  |
| Female             | 314               | 22,681   | 39  | 14.6 | 07.5-21.7  | 275 | 85.4 | 78.3-92.5  |
| Native             | 63                | 5,649    | 15  | 19.9 | 07.6-32.2  | 48  | 80.1 | 67.8-92.4  |
| Non-Native         | 674               | 48,841   | 95  | 16.3 | 11.6-21.0  | 579 | 83.7 | 79.0-88.4  |
| 45-54              | 77                | 8,142    | 13  | 17.9 | 08.1-27.7  | 64  | 82.1 | 72.3-91.9  |
| 55-64              | 142               | 12,651   | 20  | 15.4 | 08.0-22.8  | 122 | 84.6 | 77.2-92.0  |
| 65+                | 485               | 26,109   | 72  | 14.0 | 10.5-17.5  | 413 | 86.0 | 82.5-89.5  |
| Less Than H.S.     | 52                | 6,380    | 12  | 37.2 | 14.7-59.7  | 40  | 62.8 | 40.3-85.3  |
| H.S. or G.E.D.     | 211               | 14,297   | 31  | 16.7 | 10.0-23.4  | 180 | 83.3 | 76.6-90.0  |
| Some Post-H.S.     | 253               | 21,852   | 34  | 12.8 | 07.9-17.7  | 219 | 87.2 | 82.3-92.1  |
| College Graduate   | 227               | 12,574   | 36  | 14.0 | 08.7-19.3  | 191 | 86.0 | 80.7-91.3  |
| \$15,000- 24,999   | 70                | 5,269    | 11  | 15.9 | 02.8-29.0  | 59  | 84.1 | 71.0-97.2  |
| \$25,000- 34,999   | 90                | 5,863    | 17  | 17.1 | 08.3-25.9  | 73  | 82.9 | 74.1-91.7  |
| \$35,000- 49,999   | 102               | 7,406    | 10  | 11.4 | 04.0-18.8  | 92  | 88.6 | 81.2-96.0  |
| \$50,000- 99,999   | 196               | 13,320   | 27  | 12.2 | 06.3-18.1  | 169 | 87.8 | 81.9-93.7  |
| \$100,000- 199,999 | 81                | 6,720    | 11  | 16.1 | 05.7-26.5  | 70  | 83.9 | 73.5-94.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Male               | 432               | 32,508   | 74  | 18.5 | 13.0-24.0  | 358 | 81.5 | 76.0-87.0  |
| Non-Native         | 388               | 28,253   | 61  | 17.7 | 11.8-23.6  | 327 | 82.3 | 76.4-88.2  |
| 55-64              | 91                | 8,152    | 14  | 16.8 | 07.0-26.6  | 77  | 83.2 | 73.4-93.0  |
| 65+                | 263               | 13,754   | 46  | 17.8 | 12.3-23.3  | 217 | 82.2 | 76.7-87.7  |
| H.S. or G.E.D.     | 128               | 9,145    | 22  | 20.0 | 11.0-29.0  | 106 | 80.0 | 71.0-89.0  |
| Some Post-H.S.     | 126               | 11,156   | 20  | 13.6 | 06.9-20.3  | 106 | 86.4 | 79.7-93.1  |
| College Graduate   | 138               | 7,852    | 24  | 15.6 | 08.5-22.7  | 114 | 84.4 | 77.3-91.5  |
| \$25,000- 34,999   | 53                | 3,401    | 12  | 19.2 | 07.0-31.4  | 41  | 80.8 | 68.6-93.0  |
| \$35,000- 49,999   | 57                | 4,074    | 5   | 9.4  | 00.8-18.0  | 52  | 90.6 | 82.0-99.2  |
| \$50,000- 99,999   | 120               | 8,143    | 20  | 14.1 | 06.5-21.7  | 100 | 85.9 | 78.3-93.5  |
| \$100,000- 199,999 | 60                | 5,063    | 7   | 13.7 | 01.7-25.7  | 53  | 86.3 | 74.3-98.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female             | 314               | 22,681   | 39  | 14.6 | 07.5-21.7  | 275 | 85.4 | 78.3-92.5  |
| Non-Native         | 286               | 20,589   | 34  | 14.4 | 06.8-22.0  | 252 | 85.6 | 78.0-93.2  |
| 55-64              | 51                | 4,498    | 6   | 13.1 | 02.1-24.1  | 45  | 86.9 | 75.9-97.9  |
| 65+                | 222               | 12,355   | 26  | 9.8  | 05.7-13.9  | 196 | 90.2 | 86.1-94.3  |
| H.S. or G.E.D.     | 83                | 5,152    | 9   | 10.8 | 02.4-19.2  | 74  | 89.2 | 80.8-97.6  |
| Some Post-H.S.     | 127               | 10,696   | 14  | 12.0 | 05.1-18.9  | 113 | 88.0 | 81.1-94.9  |
| College Graduate   | 89                | 4,722    | 12  | 11.2 | 03.8-18.6  | 77  | 88.8 | 81.4-96.2  |
| \$50,000- 99,999   | 76                | 5,177    | 7   | 9.2  | 00.0-18.4  | 69  | 90.8 | 81.6-0100  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL              | 751               | 55,505   | 373 | 49.7 | 44.8-54.6  | 378 | 50.3 | 45.4-55.2  |
| Male               | 434               | 32,830   | 206 | 47.5 | 41.2-53.8  | 228 | 52.5 | 46.2-58.8  |
| Female             | 317               | 22,676   | 167 | 52.8 | 45.2-60.4  | 150 | 47.2 | 39.6-54.8  |
| Native             | 63                | 5,649    | 25  | 34.4 | 20.3-48.5  | 38  | 65.6 | 51.5-79.7  |
| Non-Native         | 679               | 49,158   | 345 | 51.8 | 46.7-56.9  | 334 | 48.2 | 43.1-53.3  |
| 45-54              | 79                | 8,464    | 44  | 57.1 | 44.6-69.6  | 35  | 42.9 | 30.4-55.4  |
| 55-64              | 142               | 12,651   | 70  | 45.4 | 36.0-54.8  | 72  | 54.6 | 45.2-64.0  |
| 65+                | 488               | 26,103   | 237 | 50.2 | 44.7-55.7  | 251 | 49.8 | 44.3-55.3  |
| Less Than H.S.     | 53                | 6,415    | 20  | 40.5 | 20.7-60.3  | 33  | 59.5 | 39.7-79.3  |
| H.S. or G.E.D.     | 215               | 14,532   | 81  | 38.9 | 30.7-47.1  | 134 | 61.1 | 52.9-69.3  |
| Some Post-H.S.     | 254               | 21,918   | 139 | 53.8 | 46.0-61.6  | 115 | 46.2 | 38.4-54.0  |
| College Graduate   | 226               | 12,554   | 132 | 59.7 | 51.7-67.7  | 94  | 40.3 | 32.3-48.3  |
| \$15,000- 24,999   | 72                | 5,347    | 27  | 33.7 | 20.2-47.2  | 45  | 66.3 | 52.8-79.8  |
| \$25,000- 34,999   | 91                | 5,883    | 46  | 49.6 | 36.7-62.5  | 45  | 50.4 | 37.5-63.3  |
| \$35,000- 49,999   | 101               | 7,310    | 51  | 49.9 | 36.8-63.0  | 50  | 50.1 | 37.0-63.2  |
| \$50,000- 99,999   | 195               | 13,203   | 100 | 55.8 | 46.4-65.2  | 95  | 44.2 | 34.8-53.6  |
| \$100,000- 199,999 | 81                | 6,720    | 50  | 62.7 | 50.2-75.2  | 31  | 37.3 | 24.8-49.8  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Male               | 434               | 32,830   | 206 | 47.5 | 41.2-53.8  | 228 | 52.5 | 46.2-58.8  |
| Non-Native         | 390               | 28,574   | 190 | 50.1 | 43.4-56.8  | 200 | 49.9 | 43.2-56.6  |
| 55-64              | 91                | 8,152    | 42  | 42.4 | 30.8-54.0  | 49  | 57.6 | 46.0-69.2  |
| 65+                | 263               | 13,753   | 118 | 43.3 | 36.0-50.6  | 145 | 56.7 | 49.4-64.0  |
| H.S. or G.E.D.     | 130               | 9,302    | 46  | 35.3 | 25.1-45.5  | 84  | 64.7 | 54.5-74.9  |
| Some Post-H.S.     | 127               | 11,340   | 66  | 50.1 | 39.3-60.9  | 61  | 49.9 | 39.1-60.7  |
| College Graduate   | 137               | 7,832    | 81  | 62.1 | 52.1-72.1  | 56  | 37.9 | 27.9-47.9  |
| \$25,000- 34,999   | 53                | 3,401    | 24  | 41.6 | 24.4-58.8  | 29  | 58.4 | 41.2-75.6  |
| \$35,000- 49,999   | 57                | 4,074    | 25  | 42.8 | 26.9-58.7  | 32  | 57.2 | 41.3-73.1  |
| \$50,000- 99,999   | 119               | 8,128    | 58  | 56.1 | 43.9-68.3  | 61  | 43.9 | 31.7-56.1  |
| \$100,000- 199,999 | 60                | 5,063    | 39  | 66.7 | 52.0-81.4  | 21  | 33.3 | 18.6-48.0  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 2: DIABETES**

**TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female             | 317               | 22,676   | 167 | 52.8 | 45.0-60.6  | 150 | 47.2 | 39.4-55.0  |
| Non-Native         | 289               | 20,584   | 155 | 54.2 | 46.0-62.4  | 134 | 45.8 | 37.6-54.0  |
| 55-64              | 51                | 4,498    | 28  | 50.8 | 34.5-67.1  | 23  | 49.2 | 32.9-65.5  |
| 65+                | 225               | 12,350   | 119 | 57.9 | 50.1-65.7  | 106 | 42.1 | 34.3-49.9  |
| H.S. or G.E.D.     | 85                | 5,229    | 35  | 45.3 | 31.6-59.0  | 50  | 54.7 | 41.0-68.4  |
| Some Post-H.S.     | 127               | 10,578   | 73  | 57.7 | 46.3-69.1  | 54  | 42.3 | 30.9-53.7  |
| College Graduate   | 89                | 4,722    | 51  | 55.7 | 42.4-69.0  | 38  | 44.3 | 31.0-57.6  |
| \$50,000- 99,999   | 76                | 5,075    | 42  | 55.3 | 40.2-70.4  | 34  | 44.7 | 29.6-59.8  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

**MODULE 19: CAREGIVER CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

| TABLE                                                                                                                                               | PAGE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|------|
| DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1) |      |
| 1 MALES AND FEMALES                                                                                                                                 | 40   |
| 2 MALES ONLY                                                                                                                                        | 41   |
| 3 FEMALES ONLY                                                                                                                                      | 42   |
| WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)                                                                                                  |      |
| 4 MALES AND FEMALES                                                                                                                                 | 43   |
| 5 MALES ONLY                                                                                                                                        | 44   |
| 6 FEMALES ONLY                                                                                                                                      | 45   |
| FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)                                                                                     |      |
| 7 MALES AND FEMALES                                                                                                                                 | 46   |
| 8 MALES ONLY                                                                                                                                        | 47   |
| 9 FEMALES ONLY                                                                                                                                      | 48   |
| IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)                                                                    |      |
| 10 MALES AND FEMALES                                                                                                                                | 49   |
| 11 MALES ONLY                                                                                                                                       | 50   |
| 12 FEMALES ONLY                                                                                                                                     | 51   |
| WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)                                      |      |
| 13 MALES AND FEMALES                                                                                                                                | 52   |
| 14 MALES ONLY                                                                                                                                       | 53   |
| 15 FEMALES ONLY                                                                                                                                     | 54   |
| DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)                             |      |
| 16 MALES AND FEMALES                                                                                                                                | 55   |
| 17 MALES ONLY                                                                                                                                       | 56   |
| 18 FEMALES ONLY                                                                                                                                     | 57   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

**MODULE 19: CAREGIVER CONTENTS**

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                                                                     | PAGE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING? (CRGVPER1) |      |
| 19 MALES AND FEMALES                                                                                                                                      | 58   |
| 20 MALES ONLY                                                                                                                                             | 59   |
| 21 FEMALES ONLY                                                                                                                                           | 60   |
| IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS? (CRGVHOU1)    |      |
| 22 MALES AND FEMALES                                                                                                                                      | 61   |
| 23 MALES ONLY                                                                                                                                             | 62   |
| 24 FEMALES ONLY                                                                                                                                           | 63   |
| IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)          |      |
| 25 MALES AND FEMALES                                                                                                                                      | 64   |
| 26 MALES ONLY                                                                                                                                             | 65   |
| 27 FEMALES ONLY                                                                                                                                           | 66   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 1: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            | Caregiving recipient died in past 30 days |     |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|-------------------------------------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                                         | %   | C.I. (95%) |
| TOTAL              | 5440              | 537,351  | 920 | 16.3 | 15.1-17.5  | 4517 | 83.7 | 82.5-84.9  | 3                                         | 0.0 | 00.0-00.0  |
| Male               | 2758              | 273,122  | 376 | 12.9 | 11.3-14.5  | 2382 | 87.1 | 85.5-88.7  |                                           |     |            |
| Female             | 2682              | 264,229  | 544 | 19.7 | 17.7-21.7  | 2135 | 80.3 | 78.3-82.3  | 3                                         | 0.1 | 00.1-00.1  |
| Native             | 238               | 23,223   | 69  | 29.0 | 21.2-36.8  | 169  | 71.0 | 63.2-78.8  |                                           |     |            |
| Non-Native         | 5127              | 507,932  | 832 | 15.5 | 14.3-16.7  | 4292 | 84.5 | 83.3-85.7  | 3                                         | 0.0 | 00.0-00.0  |
| 18-24              | 302               | 64,983   | 33  | 10.8 | 06.9-14.7  | 269  | 89.2 | 85.3-93.1  |                                           |     |            |
| 25-34              | 477               | 100,037  | 44  | 10.8 | 07.3-14.3  | 433  | 89.2 | 85.7-92.7  |                                           |     |            |
| 35-44              | 605               | 90,475   | 95  | 16.2 | 12.9-19.5  | 510  | 83.8 | 80.5-87.1  |                                           |     |            |
| 45-54              | 689               | 74,303   | 124 | 17.9 | 14.6-21.2  | 565  | 82.1 | 78.8-85.4  |                                           |     |            |
| 55-64              | 990               | 85,499   | 217 | 22.1 | 19.0-25.2  | 772  | 77.8 | 74.7-80.9  | 1                                         | 0.1 | 00.0-00.3  |
| 65+                | 2377              | 122,054  | 407 | 18.5 | 16.5-20.5  | 1968 | 81.4 | 79.4-83.4  | 2                                         | 0.0 | 00.0-00.0  |
| Less Than H.S.     | 245               | 38,832   | 42  | 17.9 | 11.4-24.4  | 203  | 82.1 | 75.6-88.6  |                                           |     |            |
| H.S. or G.E.D.     | 1505              | 140,211  | 232 | 15.1 | 12.7-17.5  | 1272 | 84.8 | 82.4-87.2  | 1                                         | 0.1 | 00.0-00.3  |
| Some Post-H.S.     | 1773              | 205,279  | 336 | 17.7 | 15.5-19.9  | 1436 | 82.3 | 80.1-84.5  | 1                                         | 0.0 | 00.0-00.0  |
| College Graduate   | 1903              | 151,432  | 309 | 15.0 | 13.0-17.0  | 1593 | 85.0 | 83.0-87.0  | 1                                         | 0.0 | 00.0-00.0  |
| Less than \$15,000 | 185               | 21,973   | 34  | 21.6 | 13.2-30.0  | 151  | 78.4 | 70.0-86.8  |                                           |     |            |
| \$15,000- 24,999   | 368               | 30,974   | 65  | 22.9 | 16.6-29.2  | 303  | 77.1 | 70.8-83.4  |                                           |     |            |
| \$25,000- 34,999   | 488               | 45,428   | 97  | 18.9 | 14.2-23.6  | 391  | 81.1 | 76.4-85.8  |                                           |     |            |
| \$35,000- 49,999   | 683               | 62,498   | 133 | 15.7 | 12.4-19.0  | 550  | 84.3 | 81.0-87.6  |                                           |     |            |
| \$50,000- 99,999   | 1515              | 151,591  | 257 | 15.9 | 13.5-18.3  | 1257 | 84.0 | 81.6-86.4  | 1                                         | 0.1 | 00.0-00.3  |
| \$100,000- 199,999 | 975               | 105,073  | 157 | 15.4 | 12.7-18.1  | 818  | 84.6 | 81.9-87.3  |                                           |     |            |
| \$200,000+         | 184               | 20,707   | 23  | 13.2 | 07.1-19.3  | 161  | 86.8 | 80.7-92.9  |                                           |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 2: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male               | 2758              | 273,122  | 376 | 12.9 | 11.3-14.5  | 2382 | 87.1 | 85.5-88.7  |
| Native             | 108               | 10,974   | 26  | 19.9 | 10.9-28.9  | 82   | 80.1 | 71.1-89.1  |
| Non-Native         | 2596              | 257,451  | 337 | 12.3 | 10.7-13.9  | 2259 | 87.7 | 86.1-89.3  |
| 18-24              | 183               | 33,443   | 19  | 9.9  | 05.0-14.8  | 164  | 90.1 | 85.2-95.0  |
| 25-34              | 299               | 55,587   | 23  | 8.4  | 04.9-11.9  | 276  | 91.6 | 88.1-95.1  |
| 35-44              | 337               | 46,264   | 40  | 11.5 | 07.8-15.2  | 297  | 88.5 | 84.8-92.2  |
| 45-54              | 345               | 38,504   | 53  | 14.5 | 10.2-18.8  | 292  | 85.5 | 81.2-89.8  |
| 55-64              | 485               | 43,093   | 95  | 19.6 | 15.5-23.7  | 390  | 80.4 | 76.3-84.5  |
| 65+                | 1109              | 56,230   | 146 | 14.2 | 11.7-16.7  | 963  | 85.8 | 83.3-88.3  |
| Less Than H.S.     | 142               | 23,023   | 21  | 13.3 | 06.8-19.8  | 121  | 86.7 | 80.2-93.2  |
| H.S. or G.E.D.     | 816               | 79,301   | 96  | 11.3 | 08.8-13.8  | 720  | 88.7 | 86.2-91.2  |
| Some Post-H.S.     | 867               | 100,587  | 141 | 15.2 | 12.5-17.9  | 726  | 84.8 | 82.1-87.5  |
| College Graduate   | 923               | 68,926   | 117 | 11.3 | 08.9-13.7  | 806  | 88.7 | 86.3-91.1  |
| Less than \$15,000 | 82                | 8,505    | 16  | 24.2 | 12.0-36.4  | 66   | 75.8 | 63.6-88.0  |
| \$15,000- 24,999   | 153               | 13,839   | 28  | 24.9 | 15.5-34.3  | 125  | 75.1 | 65.7-84.5  |
| \$25,000- 34,999   | 228               | 22,089   | 41  | 18.3 | 11.4-25.2  | 187  | 81.7 | 74.8-88.6  |
| \$35,000- 49,999   | 338               | 32,722   | 44  | 11.4 | 07.5-15.3  | 294  | 88.6 | 84.7-92.5  |
| \$50,000- 99,999   | 791               | 78,373   | 96  | 10.5 | 08.0-13.0  | 695  | 89.5 | 87.0-92.0  |
| \$100,000- 199,999 | 589               | 60,565   | 74  | 12.2 | 09.1-15.3  | 515  | 87.8 | 84.7-90.9  |
| \$200,000+         | 115               | 11,953   | 9   | 4.6  | 01.3-07.9  | 106  | 95.4 | 92.1-98.7  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 3: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            | Caregiving recipient died in past 30 days |     |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|-------------------------------------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                                         | %   | C.I. (95%) |
| Female             | 2682              | 264,229  | 544 | 19.7 | 17.7-21.7  | 2135 | 80.3 | 78.3-82.3  | 3                                         | 0.1 | 00.1-00.1  |
| Native             | 130               | 12,249   | 43  | 37.2 | 25.2-49.2  | 87   | 62.8 | 50.8-74.8  |                                           |     |            |
| Non-Native         | 2531              | 250,481  | 495 | 18.7 | 16.7-20.7  | 2033 | 81.2 | 79.2-83.2  | 3                                         | 0.1 | 00.1-00.1  |
| 18-24              | 119               | 31,540   | 14  | 11.8 | 05.5-18.1  | 105  | 88.2 | 81.9-94.5  |                                           |     |            |
| 25-34              | 178               | 44,450   | 21  | 13.8 | 07.3-20.3  | 157  | 86.2 | 79.7-92.7  |                                           |     |            |
| 35-44              | 268               | 44,210   | 55  | 21.2 | 15.7-26.7  | 213  | 78.8 | 73.3-84.3  |                                           |     |            |
| 45-54              | 344               | 35,798   | 71  | 21.5 | 16.6-26.4  | 273  | 78.5 | 73.6-83.4  |                                           |     |            |
| 55-64              | 505               | 42,406   | 122 | 24.7 | 20.2-29.2  | 382  | 75.1 | 70.6-79.6  | 1                                         | 0.2 | 00.0-00.6  |
| 65+                | 1268              | 65,824   | 261 | 22.3 | 19.6-25.0  | 1005 | 77.7 | 75.0-80.4  | 2                                         | 0.1 | 00.0-00.3  |
| Less Than H.S.     | 103               | 15,809   | 21  | 24.6 | 12.1-37.1  | 82   | 75.4 | 62.9-87.9  |                                           |     |            |
| H.S. or G.E.D.     | 689               | 60,909   | 136 | 20.1 | 16.0-24.2  | 552  | 79.7 | 75.6-83.8  | 1                                         | 0.2 | 00.0-00.6  |
| Some Post-H.S.     | 906               | 104,693  | 195 | 20.1 | 16.8-23.4  | 710  | 79.9 | 76.6-83.2  | 1                                         | 0.0 | 00.0-00.0  |
| College Graduate   | 980               | 82,506   | 192 | 18.0 | 15.1-20.9  | 787  | 82.0 | 79.1-84.9  | 1                                         | 0.0 | 00.0-00.0  |
| Less than \$15,000 | 103               | 13,468   | 18  | 20.1 | 08.5-31.7  | 85   | 79.9 | 68.3-91.5  |                                           |     |            |
| \$15,000- 24,999   | 215               | 17,135   | 37  | 21.2 | 13.0-29.4  | 178  | 78.8 | 70.6-87.0  |                                           |     |            |
| \$25,000- 34,999   | 260               | 23,339   | 56  | 19.4 | 12.9-25.9  | 204  | 80.6 | 74.1-87.1  |                                           |     |            |
| \$35,000- 49,999   | 345               | 29,777   | 89  | 20.5 | 15.4-25.6  | 256  | 79.5 | 74.4-84.6  |                                           |     |            |
| \$50,000- 99,999   | 724               | 73,217   | 161 | 21.8 | 17.7-25.9  | 562  | 78.1 | 74.0-82.2  | 1                                         | 0.1 | 00.0-00.3  |
| \$100,000- 199,999 | 386               | 44,508   | 83  | 19.7 | 15.0-24.4  | 303  | 80.3 | 75.6-85.0  |                                           |     |            |
| \$200,000+         | 69                | 8,754    | 14  | 24.9 | 12.0-37.8  | 55   | 75.1 | 62.2-88.0  |                                           |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 4: WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | N   | Parent (1,2) |            | N   | In-Laws (3,4,9,10) |            | N   | Spouse or Same-sex Partner (6,7,8) |            | N   | Child, Grandparent GrandChild (5,11,12,13) |            | N  | Other Relative (14) |            | N   | Non-Relative (15) |            |
|--------------------|-------------------|----------|-----|--------------|------------|-----|--------------------|------------|-----|------------------------------------|------------|-----|--------------------------------------------|------------|----|---------------------|------------|-----|-------------------|------------|
|                    | TOTAL             | WEIGHTED |     | %            | C.I. (95%) |     | %                  | C.I. (95%) |     | %                                  | C.I. (95%) |     | %                                          | C.I. (95%) |    | %                   | C.I. (95%) |     | %                 | C.I. (95%) |
| TOTAL              | 909               | 86,565   | 219 | 25.5         | 21.6-29.4  | 135 | 15.3               | 12.2-18.4  | 218 | 19.8                               | 16.9-22.7  | 116 | 15.1                                       | 12.0-18.2  | 60 | 6.6                 | 04.6-08.6  | 161 | 17.7              | 14.4-21.0  |
| Male               | 371               | 34,899   | 85  | 22.9         | 17.4-28.4  | 52  | 13.6               | 09.5-17.7  | 100 | 22.4                               | 17.5-27.3  | 52  | 16.0                                       | 11.1-20.9  | 19 | 5.3                 | 02.6-08.0  | 63  | 19.8              | 14.5-25.1  |
| Female             | 538               | 51,666   | 134 | 27.3         | 22.0-32.6  | 83  | 16.4               | 11.9-20.9  | 118 | 18.0                               | 14.3-21.7  | 64  | 14.5                                       | 10.4-18.6  | 41 | 7.5                 | 04.6-10.4  | 98  | 16.3              | 12.0-20.6  |
| Native             | 69                | 6,739    | 24  | 36.1         | 20.8-51.4  | 13  | 18.5               | 06.5-30.5  | 5   | 4.6                                | 00.0-09.7  | 13  | 20.6                                       | 06.3-34.9  | 5  | 7.3                 | 00.0-15.5  | 9   | 13.0              | 02.0-24.0  |
| Non-Native         | 822               | 77,954   | 191 | 24.8         | 20.7-28.9  | 120 | 15.0               | 11.7-18.3  | 208 | 20.9                               | 17.8-24.0  | 102 | 14.8                                       | 11.5-18.1  | 54 | 6.6                 | 04.4-08.8  | 147 | 17.8              | 14.3-21.3  |
| 35-44              | 92                | 14,374   | 26  | 26.0         | 16.0-36.0  | 10  | 10.6               | 03.7-17.5  | 11  | 10.4                               | 03.3-17.5  | 22  | 26.1                                       | 15.9-36.3  | 9  | 10.5                | 03.4-17.6  | 14  | 16.5              | 07.9-25.1  |
| 45-54              | 121               | 13,114   | 42  | 28.1         | 19.7-36.5  | 18  | 13.8               | 06.9-20.7  | 18  | 18.8                               | 10.4-27.2  | 18  | 15.0                                       | 07.9-22.1  | 6  | 6.7                 | 01.2-12.2  | 19  | 17.6              | 09.4-25.8  |
| 55-64              | 213               | 18,637   | 72  | 30.8         | 23.5-38.1  | 44  | 22.8               | 15.9-29.7  | 34  | 17.8                               | 11.9-23.7  | 20  | 9.2                                        | 04.7-13.7  | 14 | 5.7                 | 02.2-09.2  | 29  | 13.6              | 08.1-19.1  |
| 65+                | 406               | 22,610   | 54  | 13.8         | 09.9-17.7  | 53  | 12.1               | 08.6-15.6  | 152 | 41.0                               | 35.3-46.7  | 38  | 8.9                                        | 05.8-12.0  | 26 | 6.7                 | 03.8-09.6  | 83  | 17.4              | 13.3-21.5  |
| H.S. or G.E.D.     | 229               | 20,975   | 44  | 19.7         | 13.0-26.4  | 44  | 21.3               | 14.2-28.4  | 53  | 18.3                               | 12.8-23.8  | 27  | 14.5                                       | 07.8-21.2  | 21 | 8.0                 | 03.9-12.1  | 40  | 18.2              | 11.5-24.9  |
| Some Post-H.S.     | 334               | 36,203   | 81  | 23.9         | 18.0-29.8  | 39  | 12.6               | 07.7-17.5  | 83  | 21.7                               | 16.6-26.8  | 41  | 14.1                                       | 09.2-19.0  | 19 | 5.8                 | 02.7-08.9  | 71  | 21.9              | 16.0-27.8  |
| College Graduate   | 303               | 22,244   | 78  | 24.7         | 19.0-30.4  | 48  | 16.2               | 11.1-21.3  | 75  | 20.5                               | 15.4-25.6  | 43  | 18.7                                       | 12.8-24.6  | 16 | 6.1                 | 02.4-09.8  | 43  | 13.8              | 08.7-18.9  |
| \$15,000- 24,999   | 65                | 7,084    | 15  | 29.3         | 13.6-45.0  | 12  | 12.3               | 04.3-20.3  | 12  | 15.4                               | 05.8-25.0  | 6   | 10.3                                       | 00.9-19.7  | 4  | 6.9                 | 00.4-13.4  | 16  | 25.8              | 11.5-40.1  |
| \$25,000- 34,999   | 97                | 8,569    | 11  | 14.5         | 03.3-25.7  | 15  | 16.8               | 06.6-27.0  | 22  | 19.9                               | 10.9-28.9  | 14  | 12.1                                       | 03.5-20.7  | 12 | 13.0                | 02.8-23.2  | 23  | 23.8              | 12.0-35.6  |
| \$35,000- 49,999   | 132               | 9,812    | 28  | 19.5         | 11.5-27.5  | 10  | 6.7                | 01.0-12.4  | 43  | 33.2                               | 23.2-43.2  | 19  | 20.0                                       | 09.8-30.2  | 7  | 4.8                 | 00.7-08.9  | 25  | 15.9              | 08.5-23.3  |
| \$50,000- 99,999   | 253               | 23,906   | 64  | 27.8         | 20.0-35.6  | 32  | 13.2               | 07.3-19.1  | 63  | 20.7                               | 14.6-26.8  | 35  | 14.5                                       | 09.0-20.0  | 14 | 5.2                 | 02.1-08.3  | 45  | 18.6              | 11.9-25.3  |
| \$100,000- 199,999 | 156               | 16,089   | 41  | 23.3         | 15.9-30.7  | 33  | 22.0               | 14.4-29.6  | 33  | 16.0                               | 09.7-22.3  | 23  | 20.4                                       | 12.4-28.4  | 11 | 8.1                 | 02.8-13.4  | 15  | 10.2              | 03.9-16.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 5: WHAT IS HIS OR HER RELATIONSHIP TO YOU? (CRGVREL4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | N  | Parent (1,2) |            |    | In-Laws (3,4,9,10) |            |     | Spouse or Same-sex Partner (6,7,8) |            |    | Child, Grandparent GrandChild (5,11,12,13) |            |    | Other Relative (14) |            |    | Non-Relative (15) |            |  |
|--------------------|-------------------|----------|----|--------------|------------|----|--------------------|------------|-----|------------------------------------|------------|----|--------------------------------------------|------------|----|---------------------|------------|----|-------------------|------------|--|
|                    | TOTAL             | WEIGHTED |    | %            | C.I. (95%) | N  | %                  | C.I. (95%) | N   | %                                  | C.I. (95%) | N  | %                                          | C.I. (95%) | N  | %                   | C.I. (95%) | N  | %                 | C.I. (95%) |  |
| Male               | 371               | 34,899   | 85 | 22.9         | 17.4-28.4  | 52 | 13.6               | 09.5-17.7  | 100 | 22.4                               | 17.5-27.3  | 52 | 16.0                                       | 11.1-20.9  | 19 | 5.3                 | 02.6-08.0  | 63 | 19.8              | 14.5-25.1  |  |
| Non-Native         | 333               | 31,413   | 76 | 23.2         | 17.3-29.1  | 44 | 13.3               | 09.0-17.6  | 94  | 22.9                               | 17.8-28.0  | 46 | 16.1                                       | 11.0-21.2  | 17 | 5.3                 | 02.4-08.2  | 56 | 19.2              | 13.7-24.7  |  |
| 45-54              | 51                | 5,446    | 15 | 19.1         | 08.3-29.9  | 10 | 15.5               | 04.9-26.1  | 9   | 24.3                               | 10.0-38.6  | 7  | 12.8                                       | 02.4-23.2  | 3  | 9.7                 | 00.0-20.7  | 7  | 18.6              | 04.7-32.5  |  |
| 55-64              | 94                | 8,405    | 31 | 28.4         | 18.4-38.4  | 17 | 19.2               | 10.2-28.2  | 15  | 18.4                               | 09.4-27.4  | 12 | 12.9                                       | 05.1-20.7  | 3  | 3.3                 | 00.0-07.4  | 16 | 17.9              | 08.5-27.3  |  |
| 65+                | 146               | 7,990    | 15 | 8.9          | 03.8-14.0  | 16 | 11.1               | 05.4-16.8  | 67  | 47.2                               | 37.6-56.8  | 15 | 9.7                                        | 04.6-14.8  | 9  | 7.2                 | 01.7-12.7  | 24 | 15.9              | 09.0-22.8  |  |
| H.S. or G.E.D.     | 94                | 8,772    | 22 | 25.9         | 14.1-37.7  | 15 | 18.0               | 08.4-27.6  | 18  | 14.7                               | 07.1-22.3  | 15 | 17.2                                       | 08.0-26.4  | 10 | 8.9                 | 02.6-15.2  | 14 | 15.3              | 06.1-24.5  |  |
| Some Post-H.S.     | 140               | 15,270   | 33 | 21.0         | 13.2-28.8  | 17 | 12.5               | 06.2-18.8  | 41  | 25.8                               | 17.6-34.0  | 17 | 12.5                                       | 05.6-19.4  | 2  | 1.4                 | 00.0-03.4  | 30 | 26.9              | 17.3-36.5  |  |
| College Graduate   | 115               | 7,602    | 23 | 16.9         | 09.6-24.2  | 19 | 16.0               | 08.2-23.8  | 36  | 27.4                               | 17.6-37.2  | 16 | 19.0                                       | 09.6-28.4  | 4  | 4.0                 | 00.0-08.7  | 17 | 16.7              | 08.1-25.3  |  |
| \$50,000- 99,999   | 96                | 8,221    | 21 | 26.8         | 15.8-37.8  | 10 | 8.7                | 02.6-14.8  | 27  | 23.0                               | 13.0-33.0  | 18 | 19.8                                       | 09.8-29.8  | 5  | 5.4                 | 00.3-10.5  | 15 | 16.4              | 06.8-26.0  |  |
| \$100,000- 199,999 | 74                | 7,379    | 19 | 21.9         | 10.7-33.1  | 14 | 18.2               | 07.6-28.8  | 20  | 22.1                               | 11.1-33.1  | 11 | 19.3                                       | 08.5-30.1  | 5  | 8.0                 | 00.0-16.0  | 5  | 10.5              | 01.1-19.9  |  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 6: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Parent (1,2) |      |            | In-Laws (3,4,9,10) |      |            | Spouse or Same-sex Partner (6,7,8) |      |            | Child, Grandparent GrandChild (5,11,12,13) |      |            | Other Relative (14) |      |            | Non-Relative (15) |      |            |
|--------------------|-------------------|----------|--------------|------|------------|--------------------|------|------------|------------------------------------|------|------------|--------------------------------------------|------|------------|---------------------|------|------------|-------------------|------|------------|
|                    | TOTAL             | WEIGHTED | N            | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                                  | %    | C.I. (95%) | N                                          | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                 | %    | C.I. (95%) |
| Female             | 538               | 51,666   | 134          | 27.3 | 22.0-32.6  | 83                 | 16.4 | 11.9-20.9  | 118                                | 18.0 | 14.3-21.7  | 64                                         | 14.5 | 10.4-18.6  | 41                  | 7.5  | 04.6-10.4  | 98                | 16.3 | 12.0-20.6  |
| Non-Native         | 489               | 46,541   | 115          | 25.9 | 20.4-31.4  | 76                 | 16.1 | 11.4-20.8  | 114                                | 19.6 | 15.5-23.7  | 56                                         | 14.0 | 09.9-18.1  | 37                  | 7.6  | 04.7-10.5  | 91                | 16.8 | 12.3-21.3  |
| 35-44              | 54                | 9,294    | 14           | 23.0 | 10.7-35.3  | 5                  | 8.9  | 00.5-17.3  | 5                                  | 9.3  | 00.5-18.1  | 14                                         | 27.3 | 14.0-40.6  | 7                   | 13.7 | 03.5-23.9  | 9                 | 17.8 | 06.4-29.2  |
| 45-54              | 70                | 7,668    | 27           | 34.5 | 22.5-46.5  | 8                  | 12.5 | 03.7-21.3  | 9                                  | 15.0 | 05.2-24.8  | 11                                         | 16.6 | 07.0-26.2  | 3                   | 4.6  | 00.0-09.7  | 12                | 16.8 | 07.0-26.6  |
| 55-64              | 119               | 10,232   | 41           | 32.8 | 22.6-43.0  | 27                 | 25.8 | 15.8-35.8  | 19                                 | 17.4 | 09.6-25.2  | 8                                          | 6.1  | 00.8-11.4  | 11                  | 7.8  | 02.5-13.1  | 13                | 10.2 | 03.9-16.5  |
| 65+                | 260               | 14,620   | 39           | 16.5 | 11.0-22.0  | 37                 | 12.6 | 08.1-17.1  | 85                                 | 37.7 | 30.6-44.8  | 23                                         | 8.5  | 04.4-12.6  | 17                  | 6.5  | 03.2-09.8  | 59                | 18.2 | 13.1-23.3  |
| H.S. or G.E.D.     | 135               | 12,203   | 22           | 15.2 | 07.9-22.5  | 29                 | 23.7 | 13.7-33.7  | 35                                 | 21.0 | 13.4-28.6  | 12                                         | 12.6 | 03.4-21.8  | 11                  | 7.4  | 01.9-12.9  | 26                | 20.2 | 11.0-29.4  |
| Some Post-H.S.     | 194               | 20,934   | 48           | 26.1 | 17.9-34.3  | 22                 | 12.7 | 05.4-20.0  | 42                                 | 18.7 | 12.2-25.2  | 24                                         | 15.3 | 08.4-22.2  | 17                  | 9.0  | 03.9-14.1  | 41                | 18.3 | 10.9-25.7  |
| College Graduate   | 188               | 14,643   | 55           | 28.8 | 21.2-36.4  | 29                 | 16.3 | 09.6-23.0  | 39                                 | 16.8 | 10.9-22.7  | 27                                         | 18.6 | 11.3-25.9  | 12                  | 7.2  | 02.3-12.1  | 26                | 12.3 | 06.0-18.6  |
| \$25,000- 34,999   | 56                | 4,523    | 6            | 13.2 | 00.7-25.7  | 8                  | 16.5 | 01.8-31.2  | 11                                 | 18.2 | 06.6-29.8  | 7                                          | 9.4  | 01.6-17.2  | 10                  | 19.5 | 02.4-36.6  | 14                | 23.2 | 07.7-38.7  |
| \$35,000- 49,999   | 89                | 6,106    | 21           | 22.2 | 12.2-32.2  | 6                  | 2.6  | 00.1-05.1  | 28                                 | 33.0 | 20.8-45.2  | 12                                         | 19.5 | 06.0-33.0  | 5                   | 5.2  | 00.5-09.9  | 17                | 17.4 | 07.8-27.0  |
| \$50,000- 99,999   | 157               | 15,685   | 43           | 28.3 | 17.7-38.9  | 22                 | 15.6 | 07.2-24.0  | 36                                 | 19.5 | 11.9-27.1  | 17                                         | 11.7 | 05.4-18.0  | 9                   | 5.1  | 01.2-09.0  | 30                | 19.8 | 11.0-28.6  |
| \$100,000- 199,999 | 82                | 8,710    | 22           | 24.5 | 14.3-34.7  | 19                 | 25.2 | 14.2-36.2  | 13                                 | 10.8 | 03.9-17.7  | 12                                         | 21.4 | 09.6-33.2  | 6                   | 8.2  | 01.1-15.3  | 10                | 9.9  | 01.3-18.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 7: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Less than 30 days |      |            | 1 mnth to LT 6 mnths |      |            | 6 mnths to LT 2 yrs |      |            | 2 yrs LT 5 yrs |      |            | More than 5 yrs |      |            |
|--------------------|-------------------|----------|-------------------|------|------------|----------------------|------|------------|---------------------|------|------------|----------------|------|------------|-----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                    | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N              | %    | C.I. (95%) | N               | %    | C.I. (95%) |
| TOTAL              | 894               | 85,525   | 130               | 16.4 | 12.9-19.9  | 122                  | 15.0 | 11.9-18.1  | 167                 | 17.7 | 14.6-20.8  | 184            | 20.1 | 16.8-23.4  | 291             | 30.7 | 26.8-34.6  |
| Male               | 365               | 34,565   | 54                | 15.6 | 11.1-20.1  | 44                   | 13.2 | 08.7-17.7  | 65                  | 18.0 | 12.9-23.1  | 79             | 21.0 | 15.9-26.1  | 123             | 32.1 | 26.2-38.0  |
| Female             | 529               | 50,960   | 76                | 17.0 | 12.1-21.9  | 78                   | 16.2 | 11.9-20.5  | 102                 | 17.5 | 13.4-21.6  | 105            | 19.5 | 15.2-23.8  | 168             | 29.8 | 24.7-34.9  |
| Native             | 66                | 6,446    | 9                 | 14.6 | 01.3-27.9  | 12                   | 15.2 | 04.0-26.4  | 13                  | 17.0 | 03.7-30.3  | 13             | 22.8 | 09.3-36.3  | 19              | 30.4 | 15.5-45.3  |
| Non-Native         | 809               | 77,070   | 120               | 16.9 | 13.2-20.6  | 106                  | 14.6 | 11.3-17.9  | 151                 | 17.9 | 14.6-21.2  | 167            | 19.8 | 16.3-23.3  | 265             | 30.8 | 26.7-34.9  |
| 35-44              | 93                | 14,332   | 14                | 13.7 | 06.1-21.3  | 13                   | 12.5 | 05.4-19.6  | 18                  | 19.1 | 10.3-27.9  | 18             | 21.5 | 11.9-31.1  | 30              | 33.3 | 22.3-44.3  |
| 45-54              | 121               | 12,999   | 22                | 17.1 | 09.7-24.5  | 19                   | 14.0 | 07.5-20.5  | 22                  | 21.4 | 12.6-30.2  | 31             | 28.4 | 19.2-37.6  | 27              | 19.1 | 11.3-26.9  |
| 55-64              | 209               | 18,248   | 25                | 13.7 | 08.0-19.4  | 33                   | 13.8 | 08.3-19.3  | 42                  | 18.0 | 11.9-24.1  | 38             | 17.9 | 11.8-24.0  | 71              | 36.6 | 29.0-44.2  |
| 65+                | 394               | 22,115   | 52                | 13.1 | 09.2-17.0  | 39                   | 10.1 | 06.6-13.6  | 73                  | 17.5 | 13.2-21.8  | 84             | 20.1 | 15.6-24.6  | 146             | 39.2 | 33.5-44.9  |
| H.S. or G.E.D.     | 225               | 20,688   | 30                | 13.9 | 08.2-19.6  | 35                   | 19.5 | 12.2-26.8  | 38                  | 16.5 | 10.2-22.8  | 50             | 23.3 | 16.2-30.4  | 72              | 26.8 | 19.9-33.7  |
| Some Post-H.S.     | 325               | 35,588   | 48                | 18.2 | 12.3-24.1  | 40                   | 12.0 | 07.3-16.7  | 66                  | 18.9 | 13.6-24.2  | 59             | 17.2 | 12.1-22.3  | 112             | 33.7 | 27.4-40.0  |
| College Graduate   | 302               | 22,196   | 45                | 15.3 | 10.6-20.0  | 44                   | 18.1 | 12.2-24.0  | 51                  | 13.9 | 09.4-18.4  | 67             | 21.9 | 16.2-27.6  | 95              | 30.8 | 24.3-37.3  |
| \$15,000- 24,999   | 62                | 6,811    | 12                | 23.4 | 08.5-38.3  | 8                    | 16.0 | 02.9-29.1  | 9                   | 18.2 | 05.3-31.1  | 14             | 15.8 | 05.2-26.4  | 19              | 26.6 | 13.9-39.3  |
| \$25,000- 34,999   | 93                | 8,387    | 20                | 17.9 | 07.3-28.5  | 9                    | 17.3 | 04.0-30.6  | 20                  | 20.5 | 10.7-30.3  | 15             | 13.0 | 05.0-21.0  | 29              | 31.4 | 18.5-44.3  |
| \$35,000- 49,999   | 130               | 9,753    | 17                | 14.2 | 06.8-21.6  | 15                   | 14.2 | 05.4-23.0  | 19                  | 10.9 | 04.8-17.0  | 32             | 25.4 | 16.0-34.8  | 47              | 35.2 | 24.8-45.6  |
| \$50,000- 99,999   | 253               | 23,798   | 33                | 18.5 | 10.3-26.7  | 33                   | 12.9 | 07.8-18.0  | 51                  | 19.1 | 13.0-25.2  | 61             | 25.2 | 18.1-32.3  | 75              | 24.2 | 18.1-30.3  |
| \$100,000- 199,999 | 156               | 15,952   | 26                | 18.7 | 11.3-26.1  | 21                   | 14.1 | 07.6-20.6  | 29                  | 16.3 | 09.2-23.4  | 24             | 14.5 | 08.0-21.0  | 56              | 36.3 | 27.3-45.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 8: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Less than 30 days |      |            | 1 mnth to LT 6 mnths |      |            | 6 mnths to LT 2 yrs |      |            | 2 yrs LT 5 yrs |      |            | More than 5 yrs |      |            |
|--------------------|-------------------|----------|-------------------|------|------------|----------------------|------|------------|---------------------|------|------------|----------------|------|------------|-----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                    | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N              | %    | C.I. (95%) | N               | %    | C.I. (95%) |
| Male               | 365               | 34,565   | 54                | 15.6 | 11.1-20.1  | 44                   | 13.2 | 08.7-17.7  | 65                  | 18.0 | 12.9-23.1  | 79             | 21.0 | 15.9-26.1  | 123             | 32.1 | 26.2-38.0  |
| Non-Native         | 327               | 31,031   | 50                | 16.8 | 11.7-21.9  | 39                   | 13.3 | 08.4-18.2  | 59                  | 18.4 | 13.1-23.7  | 72             | 20.9 | 15.4-26.4  | 107             | 30.7 | 24.6-36.8  |
| 45-54              | 51                | 5,355    | 7                 | 12.0 | 02.0-22.0  | 9                    | 14.6 | 04.4-24.8  | 7                   | 16.6 | 03.3-29.9  | 17             | 38.8 | 22.7-54.9  | 11              | 17.9 | 05.4-30.4  |
| 55-64              | 90                | 8,109    | 11                | 12.0 | 04.4-19.6  | 11                   | 10.2 | 03.5-16.9  | 16                  | 16.7 | 07.7-25.7  | 16             | 17.2 | 08.4-26.0  | 36              | 43.8 | 32.0-55.6  |
| 65+                | 142               | 7,787    | 19                | 14.1 | 07.6-20.6  | 12                   | 10.3 | 04.2-16.4  | 27                  | 19.2 | 11.6-26.8  | 31             | 17.0 | 09.9-24.1  | 53              | 39.4 | 29.8-49.0  |
| H.S. or G.E.D.     | 92                | 8,692    | 10                | 12.7 | 04.5-20.9  | 11                   | 16.8 | 05.4-28.2  | 16                  | 14.6 | 06.4-22.8  | 19             | 20.0 | 10.4-29.6  | 36              | 35.9 | 24.1-47.7  |
| Some Post-H.S.     | 137               | 15,033   | 26                | 21.3 | 12.9-29.7  | 16                   | 11.1 | 04.6-17.6  | 27                  | 19.6 | 11.4-27.8  | 24             | 16.0 | 08.7-23.3  | 44              | 31.9 | 22.7-41.1  |
| College Graduate   | 115               | 7,673    | 17                | 13.6 | 06.9-20.3  | 15                   | 16.8 | 08.2-25.4  | 16                  | 14.7 | 06.3-23.1  | 31             | 27.1 | 16.9-37.3  | 36              | 27.8 | 18.4-37.2  |
| \$50,000- 99,999   | 95                | 8,076    | 12                | 13.6 | 04.4-22.8  | 10                   | 10.7 | 03.3-18.1  | 17                  | 20.4 | 10.0-30.8  | 24             | 27.6 | 16.2-39.0  | 32              | 27.6 | 17.2-38.0  |
| \$100,000- 199,999 | 74                | 7,379    | 15                | 22.0 | 10.6-33.4  | 10                   | 14.2 | 04.4-24.0  | 11                  | 13.6 | 04.0-23.2  | 12             | 12.1 | 03.7-20.5  | 26              | 38.0 | 24.5-51.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 9: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Less than 30 days |      |            | 1 mnth to LT 6 mnths |      |            | 6 mnths to LT 2 yrs |      |            | 2 yrs LT 5 yrs |      |            | More than 5 yrs |      |            |
|--------------------|-------------------|----------|-------------------|------|------------|----------------------|------|------------|---------------------|------|------------|----------------|------|------------|-----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                    | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N              | %    | C.I. (95%) | N               | %    | C.I. (95%) |
| Female             | 529               | 50,960   | 76                | 17.0 | 12.1-21.9  | 78                   | 16.2 | 11.9-20.5  | 102                 | 17.5 | 13.4-21.6  | 105            | 19.5 | 15.2-23.8  | 168             | 29.8 | 24.7-34.9  |
| Non-Native         | 482               | 46,040   | 70                | 17.0 | 11.9-22.1  | 67                   | 15.5 | 11.2-19.8  | 92                  | 17.5 | 13.2-21.8  | 95             | 19.1 | 14.6-23.6  | 158             | 30.8 | 25.3-36.3  |
| 35-44              | 53                | 8,996    | 5                 | 10.2 | 00.8-19.6  | 10                   | 16.8 | 06.2-27.4  | 10                  | 16.5 | 05.7-27.3  | 12             | 24.9 | 11.6-38.2  | 16              | 31.6 | 17.3-45.9  |
| 45-54              | 70                | 7,645    | 15                | 20.7 | 10.3-31.1  | 10                   | 13.6 | 05.4-21.8  | 15                  | 24.7 | 12.9-36.5  | 14             | 21.2 | 10.6-31.8  | 16              | 19.9 | 09.9-29.9  |
| 55-64              | 119               | 10,139   | 14                | 15.1 | 07.1-23.1  | 22                   | 16.6 | 08.4-24.8  | 26                  | 19.0 | 10.6-27.4  | 22             | 18.4 | 10.2-26.6  | 35              | 30.8 | 21.0-40.6  |
| 65+                | 252               | 14,329   | 33                | 12.5 | 07.6-17.4  | 27                   | 10.0 | 05.7-14.3  | 46                  | 16.5 | 11.2-21.8  | 53             | 21.8 | 15.9-27.7  | 93              | 39.1 | 32.0-46.2  |
| H.S. or G.E.D.     | 133               | 11,996   | 20                | 14.8 | 07.0-22.6  | 24                   | 21.5 | 12.1-30.9  | 22                  | 17.8 | 08.6-27.0  | 31             | 25.7 | 15.5-35.9  | 36              | 20.2 | 12.4-28.0  |
| Some Post-H.S.     | 188               | 20,555   | 22                | 15.9 | 07.9-23.9  | 24                   | 12.7 | 06.0-19.4  | 39                  | 18.4 | 11.7-25.1  | 35             | 18.1 | 11.0-25.2  | 68              | 34.9 | 26.1-43.7  |
| College Graduate   | 187               | 14,523   | 28                | 16.2 | 09.9-22.5  | 29                   | 18.8 | 11.2-26.4  | 35                  | 13.5 | 08.2-18.8  | 36             | 19.2 | 12.3-26.1  | 59              | 32.3 | 23.9-40.7  |
| \$25,000- 34,999   | 54                | 4,424    | 13                | 21.9 | 05.6-38.2  | 5                    | 16.9 | 00.0-34.9  | 10                  | 16.0 | 05.0-27.0  | 9              | 17.9 | 04.4-31.4  | 17              | 27.3 | 12.0-42.6  |
| \$35,000- 49,999   | 87                | 6,046    | 12                | 14.7 | 05.5-23.9  | 11                   | 16.9 | 04.6-29.2  | 11                  | 8.1  | 02.6-13.6  | 21             | 23.6 | 13.0-34.2  | 32              | 36.7 | 23.8-49.6  |
| \$50,000- 99,999   | 158               | 15,722   | 21                | 21.1 | 09.7-32.5  | 23                   | 14.0 | 07.1-20.9  | 34                  | 18.5 | 10.9-26.1  | 37             | 23.9 | 15.1-32.7  | 43              | 22.5 | 14.9-30.1  |
| \$100,000- 199,999 | 82                | 8,573    | 11                | 15.8 | 06.0-25.6  | 11                   | 14.1 | 05.3-22.9  | 18                  | 18.7 | 08.7-28.7  | 12             | 16.5 | 07.1-25.9  | 30              | 34.9 | 22.6-47.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 10: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Up to 8 hrs per wk |      |            | 9 to 19 hrs per wk |      |            | 20 to 39 hrs per wk |      |            | 40 hrs or more |      |            |
|--------------------|-------------------|----------|--------------------|------|------------|--------------------|------|------------|---------------------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N                  | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL              | 839               | 80,968   | 507                | 58.5 | 54.2-62.8  | 106                | 13.6 | 10.7-16.5  | 91                  | 11.2 | 08.5-13.9  | 135            | 16.7 | 13.2-20.2  |
| Male               | 345               | 32,894   | 214                | 59.4 | 52.9-65.9  | 47                 | 15.5 | 10.6-20.4  | 36                  | 11.2 | 06.7-15.7  | 48             | 13.8 | 09.1-18.5  |
| Female             | 494               | 48,074   | 293                | 57.9 | 52.0-63.8  | 59                 | 12.4 | 08.5-16.3  | 55                  | 11.2 | 07.5-14.9  | 87             | 18.6 | 13.7-23.5  |
| Native             | 64                | 6,469    | 36                 | 57.8 | 41.3-74.3  | 8                  | 6.6  | 01.5-11.7  | 7                   | 13.0 | 01.6-24.4  | 13             | 22.6 | 08.1-37.1  |
| Non-Native         | 756               | 72,490   | 458                | 58.1 | 53.4-62.8  | 97                 | 14.6 | 11.3-17.9  | 81                  | 11.0 | 08.1-13.9  | 120            | 16.4 | 12.9-19.9  |
| 35-44              | 90                | 14,208   | 51                 | 58.9 | 47.5-70.3  | 14                 | 10.5 | 04.2-16.8  | 15                  | 18.9 | 09.9-27.9  | 10             | 11.6 | 03.8-19.4  |
| 45-54              | 116               | 12,626   | 68                 | 58.3 | 48.1-68.5  | 15                 | 14.5 | 06.9-22.1  | 10                  | 9.2  | 03.3-15.1  | 23             | 18.0 | 10.4-25.6  |
| 55-64              | 203               | 17,668   | 136                | 66.1 | 58.5-73.7  | 26                 | 14.9 | 09.2-20.6  | 16                  | 6.4  | 03.1-09.7  | 25             | 12.7 | 07.0-18.4  |
| 65+                | 358               | 19,764   | 215                | 58.4 | 52.3-64.5  | 37                 | 10.5 | 06.8-14.2  | 40                  | 9.8  | 06.3-13.3  | 66             | 21.3 | 16.2-26.4  |
| H.S. or G.E.D.     | 209               | 19,546   | 131                | 61.4 | 52.8-70.0  | 21                 | 9.5  | 04.8-14.2  | 20                  | 9.6  | 04.7-14.5  | 37             | 19.5 | 12.2-26.8  |
| Some Post-H.S.     | 301               | 33,063   | 180                | 57.4 | 50.1-64.7  | 42                 | 15.5 | 10.2-20.8  | 35                  | 11.9 | 07.0-16.8  | 44             | 15.2 | 10.1-20.3  |
| College Graduate   | 287               | 21,305   | 172                | 60.5 | 53.4-67.6  | 37                 | 14.3 | 09.0-19.6  | 32                  | 12.2 | 07.3-17.1  | 46             | 13.0 | 08.7-17.3  |
| \$15,000- 24,999   | 60                | 6,618    | 31                 | 51.5 | 35.0-68.0  | 9                  | 11.9 | 02.7-21.1  | 6                   | 13.7 | 01.5-25.9  | 14             | 22.9 | 09.0-36.8  |
| \$25,000- 34,999   | 86                | 7,712    | 53                 | 54.5 | 39.6-69.4  | 9                  | 9.8  | 00.6-19.0  | 14                  | 22.9 | 09.8-36.0  | 10             | 12.8 | 02.8-22.8  |
| \$35,000- 49,999   | 120               | 8,875    | 73                 | 61.9 | 51.1-72.7  | 14                 | 14.8 | 06.8-22.8  | 11                  | 6.4  | 01.3-11.5  | 22             | 16.9 | 09.1-24.7  |
| \$50,000- 99,999   | 240               | 22,656   | 155                | 62.8 | 54.6-71.0  | 36                 | 17.9 | 11.2-24.6  | 21                  | 8.6  | 03.9-13.3  | 28             | 10.6 | 05.9-15.3  |
| \$100,000- 199,999 | 150               | 15,543   | 89                 | 57.9 | 48.3-67.5  | 18                 | 12.2 | 05.7-18.7  | 19                  | 12.7 | 06.4-19.0  | 24             | 17.2 | 09.6-24.8  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 11: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Up to 8 hrs per wk |      |            | 9 to 19 hrs per wk |      |            | 20 to 39 hrs per wk |      |            | 40 hrs or more |      |            |
|--------------------|-------------------|----------|--------------------|------|------------|--------------------|------|------------|---------------------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N                  | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Male               | 345               | 32,894   | 214                | 59.4 | 52.7-66.1  | 47                 | 15.5 | 10.6-20.4  | 36                  | 11.2 | 06.7-15.7  | 48             | 13.8 | 09.1-18.5  |
| Non-Native         | 308               | 29,380   | 191                | 58.8 | 51.7-65.9  | 43                 | 16.6 | 11.3-21.9  | 31                  | 11.1 | 06.4-15.8  | 43             | 13.5 | 08.6-18.4  |
| 45-54              | 50                | 5,302    | 33                 | 62.1 | 46.0-78.2  | 8                  | 18.6 | 05.3-31.9  | 6                   | 12.0 | 01.6-22.4  | 3              | 7.3  | 00.0-15.9  |
| 55-64              | 88                | 7,823    | 61                 | 68.1 | 56.9-79.3  | 11                 | 15.6 | 06.6-24.6  | 5                   | 3.6  | 00.3-06.9  | 11             | 12.8 | 04.6-21.0  |
| 65+                | 130               | 6,948    | 80                 | 58.9 | 49.1-68.7  | 12                 | 9.6  | 03.5-15.7  | 13                  | 8.8  | 03.7-13.9  | 25             | 22.6 | 13.6-31.6  |
| H.S. or G.E.D.     | 86                | 7,996    | 59                 | 67.3 | 55.0-79.6  | 7                  | 10.2 | 02.4-18.0  | 8                   | 9.8  | 02.2-17.4  | 12             | 12.7 | 04.1-21.3  |
| Some Post-H.S.     | 129               | 14,215   | 75                 | 55.3 | 44.9-65.7  | 21                 | 18.2 | 10.0-26.4  | 13                  | 11.8 | 04.5-19.1  | 20             | 14.7 | 07.4-22.0  |
| College Graduate   | 109               | 7,515    | 70                 | 68.1 | 57.7-78.5  | 16                 | 14.5 | 06.5-22.5  | 12                  | 10.5 | 03.8-17.2  | 11             | 6.9  | 02.2-11.6  |
| \$50,000- 99,999   | 92                | 7,875    | 56                 | 58.9 | 46.6-71.2  | 15                 | 20.8 | 10.0-31.6  | 9                   | 8.4  | 02.3-14.5  | 12             | 11.9 | 04.1-19.7  |
| \$100,000- 199,999 | 71                | 7,166    | 46                 | 58.7 | 44.4-73.0  | 11                 | 17.8 | 06.0-29.6  | 7                   | 10.6 | 01.8-19.4  | 7              | 12.9 | 02.9-22.9  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 12: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Up to 8 hrs per wk |      |            | 9 to 19 hrs per wk |      |            | 20 to 39 hrs per wk |      |            | 40 hrs or more |      |            |
|--------------------|-------------------|----------|--------------------|------|------------|--------------------|------|------------|---------------------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N                  | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Female             | 494               | 48,074   | 293                | 57.9 | 52.0-63.8  | 59                 | 12.4 | 08.5-16.3  | 55                  | 11.2 | 07.5-14.9  | 87             | 18.6 | 13.7-23.5  |
| Non-Native         | 448               | 43,110   | 267                | 57.6 | 51.3-63.9  | 54                 | 13.1 | 08.8-17.4  | 50                  | 10.9 | 07.2-14.6  | 77             | 18.3 | 13.2-23.4  |
| 35-44              | 52                | 8,967    | 33                 | 63.8 | 49.1-78.5  | 6                  | 8.4  | 01.0-15.8  | 7                   | 14.8 | 04.0-25.6  | 6              | 12.9 | 01.9-23.9  |
| 45-54              | 66                | 7,324    | 35                 | 55.6 | 42.5-68.7  | 7                  | 11.5 | 02.7-20.3  | 4                   | 7.2  | 00.3-14.1  | 20             | 25.8 | 14.6-37.0  |
| 55-64              | 115               | 9,845    | 75                 | 64.4 | 54.0-74.8  | 15                 | 14.4 | 07.0-21.8  | 11                  | 8.7  | 03.4-14.0  | 14             | 12.6 | 04.8-20.4  |
| 65+                | 228               | 12,816   | 135                | 58.2 | 50.6-65.8  | 25                 | 10.9 | 06.2-15.6  | 27                  | 10.4 | 05.9-14.9  | 41             | 20.6 | 14.3-26.9  |
| H.S. or G.E.D.     | 123               | 11,550   | 72                 | 57.3 | 45.5-69.1  | 14                 | 9.1  | 03.2-15.0  | 12                  | 9.5  | 03.0-16.0  | 25             | 24.2 | 13.6-34.8  |
| Some Post-H.S.     | 172               | 18,847   | 105                | 58.9 | 49.1-68.7  | 21                 | 13.4 | 06.1-20.7  | 22                  | 12.1 | 05.4-18.8  | 24             | 15.6 | 08.3-22.9  |
| College Graduate   | 178               | 13,789   | 102                | 56.4 | 47.4-65.4  | 21                 | 14.2 | 07.3-21.1  | 20                  | 13.1 | 06.4-19.8  | 35             | 16.3 | 10.2-22.4  |
| \$25,000- 34,999   | 52                | 4,294    | 31                 | 45.3 | 26.7-63.9  | 6                  | 12.7 | 00.0-27.4  | 8                   | 31.1 | 11.5-50.7  | 7              | 10.9 | 02.1-19.7  |
| \$35,000- 49,999   | 81                | 5,442    | 48                 | 60.3 | 47.4-73.2  | 10                 | 15.5 | 05.5-25.5  | 8                   | 6.1  | 01.2-11.0  | 15             | 18.1 | 08.3-27.9  |
| \$50,000- 99,999   | 148               | 14,780   | 99                 | 65.0 | 54.4-75.6  | 21                 | 16.4 | 08.0-24.8  | 12                  | 8.8  | 02.3-15.3  | 16             | 9.9  | 03.8-16.0  |
| \$100,000- 199,999 | 79                | 8,377    | 43                 | 57.3 | 44.2-70.4  | 7                  | 7.3  | 01.2-13.4  | 12                  | 14.6 | 05.8-23.4  | 17             | 20.8 | 09.4-32.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 13: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Arthritis, Rheumatism, Asthma, COPD<br>Values (1,2,4) |      |            | Cancer (3)<br>Values (5,6,10,14) |      |            | Diabetes, Heart Disease, Hypertension, Stroke<br>(Values 7,8) |      |            | HIV Organ Failure<br>Kidney, Liver Disease<br>Values (9,11) |      |            | Substance Abuse, Addiction Disorder, Other<br>(Values 12,13,15) |     |            |    |      |           |
|--------------------|-------------------|----------|-------------------------------------------------------|------|------------|----------------------------------|------|------------|---------------------------------------------------------------|------|------------|-------------------------------------------------------------|------|------------|-----------------------------------------------------------------|-----|------------|----|------|-----------|
|                    | TOTAL             | WEIGHTED | N                                                     | %    | C.I. (95%) | N                                | %    | C.I. (95%) | N                                                             | %    | C.I. (95%) | N                                                           | %    | C.I. (95%) | N                                                               | %   | C.I. (95%) |    |      |           |
| TOTAL              | 453               | 45,524   | 53                                                    | 10.2 | 06.7-13.7  | 71                               | 14.3 | 10.4-18.2  | 133                                                           | 34.1 | 28.2-40.0  | 107                                                         | 21.9 | 17.2-26.6  | 19                                                              | 3.3 | 01.5-05.1  | 70 | 16.3 | 11.8-20.8 |
| Male               | 164               | 16,896   | 19                                                    | 9.4  | 04.5-14.3  | 21                               | 12.4 | 06.1-18.7  | 50                                                            | 31.5 | 22.9-40.1  | 38                                                          | 25.8 | 17.4-34.2  | 8                                                               | 4.7 | 01.0-08.4  | 28 | 16.2 | 09.5-22.9 |
| Female             | 289               | 28,628   | 34                                                    | 10.6 | 05.7-15.5  | 50                               | 15.3 | 10.2-20.4  | 83                                                            | 35.6 | 27.8-43.4  | 69                                                          | 19.7 | 14.4-25.0  | 11                                                              | 2.5 | 00.9-04.1  | 42 | 16.3 | 10.2-22.4 |
| Non-Native         | 408               | 41,266   | 50                                                    | 10.9 | 07.0-14.8  | 61                               | 14.2 | 10.1-18.3  | 122                                                           | 34.7 | 28.4-41.0  | 96                                                          | 21.5 | 16.6-26.4  | 18                                                              | 3.1 | 01.5-04.7  | 61 | 15.6 | 11.1-20.1 |
| 45-54              | 61                | 6,680    | 6                                                     | 7.5  | 01.0-14.0  | 10                               | 16.9 | 06.1-27.7  | 20                                                            | 30.3 | 18.1-42.5  | 12                                                          | 19.3 | 07.9-30.7  | 2                                                               | 1.8 | 00.0-04.5  | 11 | 24.2 | 10.9-37.5 |
| 55-64              | 101               | 9,204    | 13                                                    | 13.2 | 04.8-21.6  | 21                               | 18.8 | 10.2-27.4  | 23                                                            | 24.1 | 14.5-33.7  | 21                                                          | 18.4 | 10.8-26.0  | 8                                                               | 9.3 | 02.2-16.4  | 15 | 16.1 | 07.9-24.3 |
| 65+                | 200               | 11,710   | 23                                                    | 9.5  | 05.0-14.0  | 26                               | 11.5 | 06.6-16.4  | 58                                                            | 30.3 | 22.9-37.7  | 53                                                          | 30.2 | 22.6-37.8  | 9                                                               | 4.4 | 01.3-07.5  | 31 | 14.1 | 08.2-20.0 |
| H.S. or G.E.D.     | 117               | 11,196   | 15                                                    | 9.2  | 03.7-14.7  | 10                               | 11.3 | 03.5-19.1  | 34                                                            | 28.8 | 18.4-39.2  | 30                                                          | 29.0 | 18.2-39.8  | 8                                                               | 5.3 | 00.8-09.8  | 20 | 16.4 | 08.2-24.6 |
| Some Post-H.S.     | 154               | 18,316   | 17                                                    | 11.2 | 04.5-17.9  | 26                               | 12.4 | 06.7-18.1  | 35                                                            | 29.2 | 19.2-39.2  | 41                                                          | 21.4 | 14.3-28.5  | 7                                                               | 3.8 | 00.7-06.9  | 28 | 22.0 | 13.2-30.8 |
| College Graduate   | 155               | 11,800   | 16                                                    | 8.1  | 03.4-12.8  | 30                               | 18.5 | 11.2-25.8  | 57                                                            | 47.6 | 37.6-57.6  | 30                                                          | 15.8 | 08.9-22.7  | 4                                                               | 1.7 | 00.0-03.7  | 18 | 8.3  | 03.8-12.8 |
| \$25,000- 34,999   | 57                | 5,061    | 8                                                     | 6.7  | 00.8-12.6  | 7                                | 10.4 | 01.0-19.8  | 21                                                            | 41.6 | 24.0-59.2  | 14                                                          | 28.9 | 12.0-45.8  | 1                                                               | 1.3 | 00.0-03.8  | 6  | 11.2 | 00.4-22.0 |
| \$35,000- 49,999   | 58                | 4,863    | 7                                                     | 13.2 | 02.8-23.6  | 8                                | 13.8 | 03.2-24.4  | 12                                                            | 30.6 | 14.1-47.1  | 18                                                          | 24.7 | 11.6-37.8  |                                                                 |     |            | 13 | 17.7 | 06.5-28.9 |
| \$50,000- 99,999   | 124               | 12,007   | 15                                                    | 11.7 | 04.3-19.1  | 25                               | 19.0 | 10.8-27.2  | 32                                                            | 27.8 | 17.2-38.4  | 30                                                          | 17.8 | 10.5-25.1  | 4                                                               | 3.8 | 00.0-07.9  | 18 | 20.0 | 10.2-29.8 |
| \$100,000- 199,999 | 81                | 8,745    | 7                                                     | 5.3  | 01.0-09.6  | 7                                | 7.7  | 01.0-14.4  | 30                                                            | 38.9 | 26.2-51.6  | 20                                                          | 26.1 | 14.9-37.3  | 4                                                               | 2.7 | 00.0-05.6  | 13 | 19.3 | 08.1-30.5 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 14: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Arthritis, Rheumatism<br>Asthma<br>COPD<br>Values (1,2,4) |      |            | Cancer (3) |      |            | Values (5,6,10,14) |      |            | Diabetes, Heart Disease,<br>Hypertension<br>Stroke<br>(Values 7,8) |      |            | HIV<br>Organ Failure<br>Kidney, Liver Disease<br>Values (9,11) |     |            | Substance Abuse,<br>Addiction Disorder,<br>Other<br>(Values 12,13,15) |      |            |
|--------------------|-------------------|----------|-----------------------------------------------------------|------|------------|------------|------|------------|--------------------|------|------------|--------------------------------------------------------------------|------|------------|----------------------------------------------------------------|-----|------------|-----------------------------------------------------------------------|------|------------|
|                    | TOTAL             | WEIGHTED | N                                                         | %    | C.I. (95%) | N          | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                                                                  | %    | C.I. (95%) | N                                                              | %   | C.I. (95%) | N                                                                     | %    | C.I. (95%) |
| Male               | 164               | 16,896   | 19                                                        | 9.4  | 04.5-14.3  | 21         | 12.4 | 06.1-18.7  | 50                 | 31.5 | 22.9-40.1  | 38                                                                 | 25.8 | 17.4-34.2  | 8                                                              | 4.7 | 01.0-08.4  | 28                                                                    | 16.2 | 09.5-22.9  |
| Non-Native         | 145               | 15,146   | 18                                                        | 10.3 | 05.0-15.6  | 17         | 12.1 | 05.4-18.8  | 45                 | 32.3 | 22.9-41.7  | 34                                                                 | 26.0 | 16.8-35.2  | 7                                                              | 3.8 | 00.5-07.1  | 24                                                                    | 15.3 | 08.4-22.2  |
| 65+                | 60                | 3,679    | 8                                                         | 9.3  | 02.2-16.4  | 5          | 10.6 | 01.0-20.2  | 18                 | 33.0 | 18.7-47.3  | 15                                                                 | 28.5 | 14.4-42.6  | 2                                                              | 2.6 | 00.0-06.3  | 12                                                                    | 16.0 | 06.4-25.6  |
| Some Post-H.S.     | 58                | 6,860    | 4                                                         | 5.8  | 00.0-12.1  | 8          | 12.1 | 03.1-21.1  | 15                 | 27.9 | 14.4-41.4  | 15                                                                 | 25.1 | 12.8-37.4  | 3                                                              | 5.6 | 00.0-12.3  | 13                                                                    | 23.4 | 10.7-36.1  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 15: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Arthritis, Rheumatism<br>Asthma<br>COPD<br>Values (1,2,4) |      |            | Cancer (3) |      |            | Values (5,6,10,14) |      |            | Diabetes, Heart Disease,<br>Hypertension<br>Stroke<br>(Values 7,8) |      |            | HIV<br>Organ Failure<br>Kidney, Liver Disease<br>Values (9,11) |     |            | Substance Abuse,<br>Addiction Disorder,<br>Other<br>(Values 12,13,15) |      |            |
|--------------------|-------------------|----------|-----------------------------------------------------------|------|------------|------------|------|------------|--------------------|------|------------|--------------------------------------------------------------------|------|------------|----------------------------------------------------------------|-----|------------|-----------------------------------------------------------------------|------|------------|
|                    | TOTAL             | WEIGHTED | N                                                         | %    | C.I. (95%) | N          | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                                                                  | %    | C.I. (95%) | N                                                              | %   | C.I. (95%) | N                                                                     | %    | C.I. (95%) |
| Female             | 289               | 28,628   | 34                                                        | 10.6 | 05.7-15.5  | 50         | 15.3 | 10.2-20.4  | 83                 | 35.6 | 27.8-43.4  | 69                                                                 | 19.7 | 14.4-25.0  | 11                                                             | 2.5 | 00.9-04.1  | 42                                                                    | 16.3 | 10.2-22.4  |
| Non-Native         | 263               | 26,120   | 32                                                        | 11.3 | 06.0-16.6  | 44         | 15.4 | 10.1-20.7  | 77                 | 36.1 | 27.9-44.3  | 62                                                                 | 18.8 | 13.3-24.3  | 11                                                             | 2.7 | 00.9-04.5  | 37                                                                    | 15.7 | 09.8-21.6  |
| 55-64              | 61                | 5,087    | 9                                                         | 14.2 | 02.2-26.2  | 13         | 21.2 | 08.9-33.5  | 11                 | 19.9 | 07.7-32.1  | 16                                                                 | 24.6 | 13.2-36.0  | 4                                                              | 5.7 | 00.0-11.4  | 8                                                                     | 14.4 | 04.0-24.8  |
| 65+                | 140               | 8,031    | 15                                                        | 9.6  | 03.9-15.3  | 21         | 11.9 | 06.2-17.6  | 40                 | 29.1 | 20.3-37.9  | 38                                                                 | 30.9 | 21.7-40.1  | 7                                                              | 5.2 | 00.9-09.5  | 19                                                                    | 13.3 | 06.0-20.6  |
| H.S. or G.E.D.     | 72                | 6,467    | 7                                                         | 5.8  | 00.7-10.9  | 9          | 19.2 | 06.5-31.9  | 19                 | 27.9 | 14.6-41.2  | 19                                                                 | 26.9 | 14.4-39.4  | 5                                                              | 4.0 | 00.3-07.7  | 13                                                                    | 16.3 | 05.9-26.7  |
| Some Post-H.S.     | 96                | 11,456   | 13                                                        | 14.4 | 04.6-24.2  | 18         | 12.5 | 05.2-19.8  | 20                 | 30.0 | 16.1-43.9  | 26                                                                 | 19.2 | 10.8-27.6  | 4                                                              | 2.7 | 00.0-05.6  | 15                                                                    | 21.1 | 09.1-33.1  |
| College Graduate   | 108               | 8,452    | 11                                                        | 7.1  | 02.4-11.8  | 21         | 17.6 | 08.8-26.4  | 42                 | 50.0 | 38.0-62.0  | 21                                                                 | 15.5 | 07.7-23.3  | 2                                                              | 1.6 | 00.0-04.0  | 11                                                                    | 8.2  | 02.5-13.9  |
| \$50,000- 99,999   | 84                | 8,129    | 9                                                         | 10.7 | 01.1-20.3  | 23         | 26.6 | 15.0-38.2  | 19                 | 25.0 | 11.7-38.3  | 19                                                                 | 16.1 | 07.3-24.9  | 2                                                              | 1.7 | 00.0-04.1  | 12                                                                    | 19.8 | 07.6-32.0  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 16: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL              | 828               | 78,551   | 121 | 13.7 | 10.8-16.6  | 707 | 86.3 | 83.4-89.2  |
| Male               | 344               | 32,185   | 50  | 11.0 | 07.5-14.5  | 294 | 89.0 | 85.5-92.5  |
| Female             | 484               | 46,365   | 71  | 15.6 | 11.3-19.9  | 413 | 84.4 | 80.1-88.7  |
| Native             | 63                | 6,310    | 12  | 18.6 | 07.0-30.2  | 51  | 81.4 | 69.8-93.0  |
| Non-Native         | 747               | 70,391   | 107 | 13.3 | 10.2-16.4  | 640 | 86.7 | 83.6-89.8  |
| 35-44              | 90                | 13,651   | 9   | 13.9 | 05.1-22.7  | 81  | 86.1 | 77.3-94.9  |
| 45-54              | 112               | 11,957   | 21  | 16.2 | 09.1-23.3  | 91  | 83.8 | 76.7-90.9  |
| 55-64              | 196               | 17,215   | 32  | 15.0 | 09.3-20.7  | 164 | 85.0 | 79.3-90.7  |
| 65+                | 363               | 20,021   | 55  | 17.2 | 12.5-21.9  | 308 | 82.8 | 78.1-87.5  |
| H.S. or G.E.D.     | 209               | 19,492   | 25  | 12.5 | 07.0-18.0  | 184 | 87.5 | 82.0-93.0  |
| Some Post-H.S.     | 309               | 33,006   | 37  | 12.4 | 07.5-17.3  | 272 | 87.6 | 82.7-92.5  |
| College Graduate   | 268               | 18,994   | 51  | 17.7 | 12.4-23.0  | 217 | 82.3 | 77.0-87.6  |
| \$15,000- 24,999   | 60                | 6,477    | 8   | 7.4  | 01.7-13.1  | 52  | 92.6 | 86.9-98.3  |
| \$25,000- 34,999   | 86                | 7,228    | 10  | 10.6 | 03.0-18.2  | 76  | 89.4 | 81.8-97.0  |
| \$35,000- 49,999   | 124               | 8,897    | 18  | 16.7 | 08.7-24.7  | 106 | 83.3 | 75.3-91.3  |
| \$50,000- 99,999   | 231               | 22,076   | 34  | 12.6 | 06.7-18.5  | 197 | 87.4 | 81.5-93.3  |
| \$100,000- 199,999 | 142               | 14,767   | 18  | 13.3 | 06.4-20.2  | 124 | 86.7 | 79.8-93.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 17: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Male               | 344               | 32,185   | 50  | 11.0 | 07.5-14.5  | 294 | 89.0 | 85.5-92.5  |
| Non-Native         | 307               | 28,786   | 43  | 10.4 | 06.9-13.9  | 264 | 89.6 | 86.1-93.1  |
| 55-64              | 87                | 7,646    | 11  | 8.7  | 02.8-14.6  | 76  | 91.3 | 85.4-97.2  |
| 65+                | 132               | 7,116    | 29  | 23.3 | 14.9-31.7  | 103 | 76.7 | 68.3-85.1  |
| H.S. or G.E.D.     | 86                | 8,211    | 10  | 9.9  | 03.0-16.8  | 76  | 90.1 | 83.2-97.0  |
| Some Post-H.S.     | 131               | 14,111   | 14  | 6.8  | 02.7-10.9  | 117 | 93.2 | 89.1-97.3  |
| College Graduate   | 106               | 6,691    | 19  | 15.5 | 07.9-23.1  | 87  | 84.5 | 76.9-92.1  |
| \$50,000- 99,999   | 89                | 7,501    | 12  | 8.4  | 03.3-13.5  | 77  | 91.6 | 86.5-96.7  |
| \$100,000- 199,999 | 70                | 6,862    | 7   | 6.6  | 01.1-12.1  | 63  | 93.4 | 87.9-98.9  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 18: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZD)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female             | 484               | 46,365   | 71  | 15.6 | 11.3-19.9  | 413 | 84.4 | 80.1-88.7  |
| Non-Native         | 440               | 41,606   | 64  | 15.3 | 10.8-19.8  | 376 | 84.7 | 80.2-89.2  |
| 35-44              | 50                | 8,315    | 8   | 20.5 | 07.2-33.8  | 42  | 79.5 | 66.2-92.8  |
| 45-54              | 63                | 6,944    | 14  | 18.1 | 08.5-27.7  | 49  | 81.9 | 72.3-91.5  |
| 55-64              | 109               | 9,569    | 21  | 20.0 | 10.8-29.2  | 88  | 80.0 | 70.8-89.2  |
| 65+                | 231               | 12,905   | 26  | 13.9 | 08.2-19.6  | 205 | 86.1 | 80.4-91.8  |
| H.S. or G.E.D.     | 123               | 11,281   | 15  | 14.4 | 06.2-22.6  | 108 | 85.6 | 77.4-93.8  |
| Some Post-H.S.     | 178               | 18,895   | 23  | 16.5 | 08.5-24.5  | 155 | 83.5 | 75.5-91.5  |
| College Graduate   | 162               | 12,303   | 32  | 18.9 | 12.0-25.8  | 130 | 81.1 | 74.2-88.0  |
| \$35,000- 49,999   | 81                | 5,191    | 13  | 20.6 | 09.4-31.8  | 68  | 79.4 | 68.2-90.6  |
| \$50,000- 99,999   | 142               | 14,575   | 22  | 14.8 | 06.4-23.2  | 120 | 85.2 | 76.8-93.6  |
| \$100,000- 199,999 | 72                | 7,905    | 11  | 19.1 | 07.5-30.7  | 61  | 80.9 | 69.3-92.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 19: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?  
(CRGVPER1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL              | 909               | 86,522   | 407 | 45.7 | 41.4-50.0  | 502 | 54.3 | 50.0-58.6  |
| Male               | 369               | 34,702   | 148 | 39.4 | 33.1-45.7  | 221 | 60.6 | 54.3-66.9  |
| Female             | 540               | 51,820   | 259 | 49.9 | 44.2-55.6  | 281 | 50.1 | 44.4-55.8  |
| Native             | 68                | 6,675    | 39  | 58.7 | 42.4-75.0  | 29  | 41.3 | 25.0-57.6  |
| Non-Native         | 822               | 77,838   | 360 | 44.8 | 40.3-49.3  | 462 | 55.2 | 50.7-59.7  |
| 35-44              | 94                | 14,637   | 50  | 48.8 | 37.4-60.2  | 44  | 51.2 | 39.8-62.6  |
| 45-54              | 124               | 13,273   | 64  | 49.0 | 39.0-59.0  | 60  | 51.0 | 41.0-61.0  |
| 55-64              | 214               | 18,733   | 92  | 42.6 | 34.8-50.4  | 122 | 57.4 | 49.6-65.2  |
| 65+                | 401               | 22,258   | 166 | 44.8 | 39.1-50.5  | 235 | 55.2 | 49.5-60.9  |
| H.S. or G.E.D.     | 227               | 20,738   | 100 | 47.7 | 39.3-56.1  | 127 | 52.3 | 43.9-60.7  |
| Some Post-H.S.     | 331               | 35,995   | 129 | 37.8 | 31.1-44.5  | 202 | 62.2 | 55.5-68.9  |
| College Graduate   | 308               | 22,646   | 155 | 53.0 | 46.1-59.9  | 153 | 47.0 | 40.1-53.9  |
| \$15,000- 24,999   | 65                | 7,084    | 23  | 32.6 | 18.1-47.1  | 42  | 67.4 | 52.9-81.9  |
| \$25,000- 34,999   | 96                | 8,505    | 46  | 56.2 | 42.7-69.7  | 50  | 43.8 | 30.3-57.3  |
| \$35,000- 49,999   | 132               | 9,812    | 54  | 44.6 | 33.8-55.4  | 78  | 55.4 | 44.6-66.2  |
| \$50,000- 99,999   | 254               | 23,953   | 114 | 40.9 | 32.9-48.9  | 140 | 59.1 | 51.1-67.1  |
| \$100,000- 199,999 | 157               | 16,160   | 81  | 51.2 | 41.8-60.6  | 76  | 48.8 | 39.4-58.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 20: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?  
(CRGVPER1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Male               | 369               | 34,702   | 148 | 39.4 | 33.1-45.7  | 221 | 60.6 | 54.3-66.9  |
| Non-Native         | 330               | 31,079   | 131 | 38.7 | 32.0-45.4  | 199 | 61.3 | 54.6-68.0  |
| 45-54              | 53                | 5,584    | 21  | 33.3 | 19.0-47.6  | 32  | 66.7 | 52.4-81.0  |
| 55-64              | 92                | 8,266    | 38  | 38.7 | 27.5-49.9  | 54  | 61.3 | 50.1-72.5  |
| 65+                | 143               | 7,747    | 52  | 38.5 | 28.9-48.1  | 91  | 61.5 | 51.9-71.1  |
| H.S. or G.E.D.     | 91                | 8,471    | 33  | 42.4 | 29.5-55.3  | 58  | 57.6 | 44.7-70.5  |
| Some Post-H.S.     | 139               | 15,163   | 54  | 35.2 | 25.8-44.6  | 85  | 64.8 | 55.4-74.2  |
| College Graduate   | 117               | 7,812    | 50  | 40.3 | 29.5-51.1  | 67  | 59.7 | 48.9-70.5  |
| \$50,000- 99,999   | 95                | 8,110    | 37  | 33.8 | 22.4-45.2  | 58  | 66.2 | 54.8-77.6  |
| \$100,000- 199,999 | 74                | 7,379    | 34  | 42.8 | 29.3-56.3  | 40  | 57.2 | 43.7-70.7  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 21: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?  
(CRGVPER1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female             | 540               | 51,820   | 259 | 49.9 | 44.2-55.6  | 281 | 50.1 | 44.4-55.8  |
| Non-Native         | 492               | 46,759   | 229 | 48.9 | 43.0-54.8  | 263 | 51.1 | 45.2-57.0  |
| 35-44              | 54                | 9,302    | 29  | 47.8 | 33.1-62.5  | 25  | 52.2 | 37.5-66.9  |
| 45-54              | 71                | 7,689    | 43  | 60.4 | 48.1-72.7  | 28  | 39.6 | 27.3-51.9  |
| 55-64              | 122               | 10,467   | 54  | 45.6 | 34.8-56.4  | 68  | 54.4 | 43.6-65.2  |
| 65+                | 258               | 14,511   | 114 | 48.1 | 40.8-55.4  | 144 | 51.9 | 44.6-59.2  |
| H.S. or G.E.D.     | 136               | 12,267   | 67  | 51.4 | 40.2-62.6  | 69  | 48.6 | 37.4-59.8  |
| Some Post-H.S.     | 192               | 20,832   | 75  | 39.8 | 30.6-49.0  | 117 | 60.2 | 51.0-69.4  |
| College Graduate   | 191               | 14,834   | 105 | 59.7 | 51.3-68.1  | 86  | 40.3 | 31.9-48.7  |
| \$25,000- 34,999   | 55                | 4,459    | 30  | 65.1 | 47.9-82.3  | 25  | 34.9 | 17.7-52.1  |
| \$35,000- 49,999   | 89                | 6,106    | 36  | 42.7 | 29.8-55.6  | 53  | 57.3 | 44.4-70.2  |
| \$50,000- 99,999   | 159               | 15,843   | 77  | 44.5 | 33.9-55.1  | 82  | 55.5 | 44.9-66.1  |
| \$100,000- 199,999 | 83                | 8,782    | 47  | 58.3 | 45.8-70.8  | 36  | 41.7 | 29.2-54.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 22: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?  
(CRGVHOU1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL              | 902               | 85,893   | 694 | 79.5 | 76.2-82.8  | 208 | 20.5 | 17.2-23.8  |
| Male               | 366               | 34,466   | 276 | 77.5 | 72.4-82.6  | 90  | 22.5 | 17.4-27.6  |
| Female             | 536               | 51,427   | 418 | 80.9 | 76.6-85.2  | 118 | 19.1 | 14.8-23.4  |
| Native             | 67                | 6,648    | 51  | 82.1 | 71.1-93.1  | 16  | 17.9 | 06.9-28.9  |
| Non-Native         | 816               | 77,237   | 626 | 78.9 | 75.4-82.4  | 190 | 21.1 | 17.6-24.6  |
| 35-44              | 93                | 14,443   | 83  | 86.8 | 78.6-95.0  | 10  | 13.2 | 05.0-21.4  |
| 45-54              | 124               | 13,273   | 98  | 81.2 | 73.6-88.8  | 26  | 18.8 | 11.2-26.4  |
| 55-64              | 213               | 18,706   | 167 | 75.7 | 68.6-82.8  | 46  | 24.3 | 17.2-31.4  |
| 65+                | 396               | 21,851   | 281 | 71.7 | 66.6-76.8  | 115 | 28.3 | 23.2-33.4  |
| H.S. or G.E.D.     | 226               | 20,544   | 171 | 79.7 | 73.4-86.0  | 55  | 20.3 | 14.0-26.6  |
| Some Post-H.S.     | 325               | 35,561   | 240 | 76.1 | 70.2-82.0  | 85  | 23.9 | 18.0-29.8  |
| College Graduate   | 308               | 22,646   | 248 | 83.2 | 78.5-87.9  | 60  | 16.8 | 12.1-21.5  |
| \$15,000- 24,999   | 65                | 7,084    | 44  | 66.8 | 52.1-81.5  | 21  | 33.2 | 18.5-47.9  |
| \$25,000- 34,999   | 96                | 8,505    | 73  | 83.2 | 75.2-91.2  | 23  | 16.8 | 08.8-24.8  |
| \$35,000- 49,999   | 132               | 9,812    | 96  | 77.9 | 69.5-86.3  | 36  | 22.1 | 13.7-30.5  |
| \$50,000- 99,999   | 253               | 23,858   | 204 | 81.6 | 75.5-87.7  | 49  | 18.4 | 12.3-24.5  |
| \$100,000- 199,999 | 156               | 15,966   | 126 | 82.9 | 76.2-89.6  | 30  | 17.1 | 10.4-23.8  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 23: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?  
(CRGVHOU1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No |      |            |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N  | %    | C.I. (95%) |
| Male               | 366               | 34,466   | 276 | 77.5 | 72.4-82.6  | 90 | 22.5 | 17.4-27.6  |
| Non-Native         | 327               | 30,843   | 245 | 76.3 | 70.8-81.8  | 82 | 23.7 | 18.2-29.2  |
| 45-54              | 53                | 5,584    | 40  | 80.0 | 67.7-92.3  | 13 | 20.0 | 07.7-32.3  |
| 55-64              | 92                | 8,266    | 68  | 71.4 | 60.6-82.2  | 24 | 28.6 | 17.8-39.4  |
| 65+                | 140               | 7,511    | 96  | 65.7 | 56.5-74.9  | 44 | 34.3 | 25.1-43.5  |
| H.S. or G.E.D.     | 91                | 8,471    | 65  | 74.4 | 63.8-85.0  | 26 | 25.6 | 15.0-36.2  |
| Some Post-H.S.     | 136               | 14,927   | 99  | 76.5 | 68.3-84.7  | 37 | 23.5 | 15.3-31.7  |
| College Graduate   | 117               | 7,812    | 94  | 79.7 | 71.1-88.3  | 23 | 20.3 | 11.7-28.9  |
| \$50,000- 99,999   | 94                | 8,015    | 72  | 74.2 | 63.0-85.4  | 22 | 25.8 | 14.6-37.0  |
| \$100,000- 199,999 | 74                | 7,379    | 59  | 82.3 | 72.5-92.1  | 15 | 17.7 | 07.9-27.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 24: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?  
(CRGVHOU1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female             | 536               | 51,427   | 418 | 80.9 | 76.6-85.2  | 118 | 19.1 | 14.8-23.4  |
| Non-Native         | 489               | 46,393   | 381 | 80.6 | 76.1-85.1  | 108 | 19.4 | 14.9-23.9  |
| 35-44              | 53                | 9,107    | 46  | 84.5 | 73.1-95.9  | 7   | 15.5 | 04.1-26.9  |
| 45-54              | 71                | 7,689    | 58  | 82.1 | 72.3-91.9  | 13  | 17.9 | 08.1-27.7  |
| 55-64              | 121               | 10,439   | 99  | 79.1 | 69.9-88.3  | 22  | 20.9 | 11.7-30.1  |
| 65+                | 256               | 14,340   | 185 | 74.9 | 68.6-81.2  | 71  | 25.1 | 18.8-31.4  |
| H.S. or G.E.D.     | 135               | 12,073   | 106 | 83.4 | 75.8-91.0  | 29  | 16.6 | 09.0-24.2  |
| Some Post-H.S.     | 189               | 20,633   | 141 | 75.8 | 67.8-83.8  | 48  | 24.2 | 16.2-32.2  |
| College Graduate   | 191               | 14,834   | 154 | 85.0 | 79.5-90.5  | 37  | 15.0 | 09.5-20.5  |
| \$25,000- 34,999   | 55                | 4,459    | 42  | 83.6 | 72.8-94.4  | 13  | 16.4 | 05.6-27.2  |
| \$35,000- 49,999   | 89                | 6,106    | 66  | 77.4 | 66.6-88.2  | 23  | 22.6 | 11.8-33.4  |
| \$50,000- 99,999   | 159               | 15,843   | 132 | 85.4 | 78.3-92.5  | 27  | 14.6 | 07.5-21.7  |
| \$100,000- 199,999 | 82                | 8,587    | 67  | 83.5 | 74.3-92.7  | 15  | 16.5 | 07.3-25.7  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 25: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL              | 4253              | 426,742  | 503 | 11.5 | 10.3-12.7  | 3750 | 88.5 | 87.3-89.7  |
| Male               | 2237              | 225,105  | 239 | 10.4 | 08.8-12.0  | 1998 | 89.6 | 88.0-91.2  |
| Female             | 2016              | 201,638  | 264 | 12.7 | 10.9-14.5  | 1752 | 87.3 | 85.5-89.1  |
| Native             | 161               | 15,630   | 22  | 13.0 | 06.1-19.9  | 139  | 87.0 | 80.1-93.9  |
| Non-Native         | 4041              | 407,194  | 477 | 11.4 | 10.2-12.6  | 3564 | 88.6 | 87.4-89.8  |
| 18-24              | 261               | 56,871   | 33  | 11.1 | 07.0-15.2  | 228  | 88.9 | 84.8-93.0  |
| 25-34              | 418               | 85,447   | 28  | 6.1  | 03.7-08.5  | 390  | 93.9 | 91.5-96.3  |
| 35-44              | 487               | 72,484   | 54  | 11.8 | 08.5-15.1  | 433  | 88.2 | 84.9-91.5  |
| 45-54              | 535               | 57,429   | 87  | 14.9 | 11.6-18.2  | 448  | 85.1 | 81.8-88.4  |
| 55-64              | 714               | 61,494   | 107 | 16.0 | 12.9-19.1  | 607  | 84.0 | 80.9-87.1  |
| 65+                | 1838              | 93,018   | 194 | 11.3 | 09.5-13.1  | 1644 | 88.7 | 86.9-90.5  |
| Less Than H.S.     | 194               | 31,021   | 19  | 6.6  | 02.7-10.5  | 175  | 93.4 | 89.5-97.3  |
| H.S. or G.E.D.     | 1190              | 113,793  | 118 | 10.7 | 08.3-13.1  | 1072 | 89.3 | 86.9-91.7  |
| Some Post-H.S.     | 1343              | 157,503  | 169 | 11.6 | 09.4-13.8  | 1174 | 88.4 | 86.2-90.6  |
| College Graduate   | 1514              | 122,820  | 197 | 13.4 | 11.2-15.6  | 1317 | 86.6 | 84.4-88.8  |
| Less than \$15,000 | 141               | 16,530   | 11  | 5.5  | 01.0-10.0  | 130  | 94.5 | 90.0-99.0  |
| \$15,000- 24,999   | 286               | 23,138   | 28  | 11.9 | 06.0-17.8  | 258  | 88.1 | 82.2-94.0  |
| \$25,000- 34,999   | 368               | 35,267   | 33  | 8.1  | 04.4-11.8  | 335  | 91.9 | 88.2-95.6  |
| \$35,000- 49,999   | 510               | 48,601   | 70  | 15.0 | 10.9-19.1  | 440  | 85.0 | 80.9-89.1  |
| \$50,000- 99,999   | 1196              | 121,322  | 139 | 11.0 | 08.8-13.2  | 1057 | 89.0 | 86.8-91.2  |
| \$100,000- 199,999 | 786               | 84,649   | 116 | 14.6 | 11.7-17.5  | 670  | 85.4 | 82.5-88.3  |
| \$200,000+         | 152               | 17,358   | 26  | 17.8 | 10.7-24.9  | 126  | 82.2 | 75.1-89.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 26: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male               | 2237              | 225,105  | 239 | 10.4 | 08.8-12.0  | 1998 | 89.6 | 88.0-91.2  |
| Native             | 78                | 8,556    | 9   | 7.9  | 01.0-14.8  | 69   | 92.1 | 85.2-99.0  |
| Non-Native         | 2121              | 213,408  | 227 | 10.5 | 08.9-12.1  | 1894 | 89.5 | 87.9-91.1  |
| 18-24              | 158               | 29,613   | 20  | 11.3 | 06.0-16.6  | 138  | 88.7 | 83.4-94.0  |
| 25-34              | 264               | 48,585   | 19  | 7.1  | 03.8-10.4  | 245  | 92.9 | 89.6-96.2  |
| 35-44              | 281               | 38,685   | 31  | 10.6 | 06.7-14.5  | 250  | 89.4 | 85.5-93.3  |
| 45-54              | 278               | 31,434   | 39  | 12.9 | 08.6-17.2  | 239  | 87.1 | 82.8-91.4  |
| 55-64              | 357               | 31,751   | 42  | 12.9 | 08.8-17.0  | 315  | 87.1 | 83.0-91.2  |
| 65+                | 899               | 45,037   | 88  | 9.7  | 07.3-12.1  | 811  | 90.3 | 87.9-92.7  |
| Less Than H.S.     | 115               | 19,319   | 10  | 6.3  | 01.0-11.6  | 105  | 93.7 | 88.4-99.0  |
| H.S. or G.E.D.     | 673               | 67,004   | 75  | 10.9 | 08.0-13.8  | 598  | 89.1 | 86.2-92.0  |
| Some Post-H.S.     | 682               | 80,210   | 71  | 9.4  | 06.9-11.9  | 611  | 90.6 | 88.1-93.1  |
| College Graduate   | 759               | 57,277   | 83  | 12.8 | 09.9-15.7  | 676  | 87.2 | 84.3-90.1  |
| Less than \$15,000 | 60                | 6,130    | 4   | 4.7  | 00.0-11.4  | 56   | 95.3 | 88.6-100.0 |
| \$15,000- 24,999   | 115               | 9,927    | 8   | 11.2 | 01.6-20.8  | 107  | 88.8 | 79.2-98.4  |
| \$25,000- 34,999   | 178               | 17,330   | 16  | 7.1  | 03.0-11.2  | 162  | 92.9 | 88.8-97.0  |
| \$35,000- 49,999   | 272               | 27,169   | 37  | 13.0 | 07.9-18.1  | 235  | 87.0 | 81.9-92.1  |
| \$50,000- 99,999   | 659               | 66,884   | 60  | 8.3  | 05.9-10.7  | 599  | 91.7 | 89.3-94.1  |
| \$100,000- 199,999 | 492               | 49,987   | 70  | 15.1 | 11.4-18.8  | 422  | 84.9 | 81.2-88.6  |
| \$200,000+         | 99                | 10,815   | 18  | 21.3 | 11.9-30.7  | 81   | 78.7 | 69.3-88.1  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 19: CAREGIVER**

**TABLE 27: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female             | 2016              | 201,638  | 264 | 12.7 | 10.9-14.5  | 1752 | 87.3 | 85.5-89.1  |
| Native             | 83                | 7,074    | 13  | 19.2 | 07.0-31.4  | 70   | 80.8 | 68.6-93.0  |
| Non-Native         | 1920              | 193,786  | 250 | 12.4 | 10.4-14.4  | 1670 | 87.6 | 85.6-89.6  |
| 18-24              | 103               | 27,258   | 13  | 10.9 | 04.4-17.4  | 90   | 89.1 | 82.6-95.6  |
| 25-34              | 154               | 36,862   | 9   | 4.8  | 01.3-08.3  | 145  | 95.2 | 91.7-98.7  |
| 35-44              | 206               | 33,798   | 23  | 13.2 | 07.9-18.5  | 183  | 86.8 | 81.5-92.1  |
| 45-54              | 257               | 25,995   | 48  | 17.3 | 12.2-22.4  | 209  | 82.7 | 77.6-87.8  |
| 55-64              | 357               | 29,743   | 65  | 19.3 | 14.4-24.2  | 292  | 80.7 | 75.8-85.6  |
| 65+                | 939               | 47,981   | 106 | 12.7 | 10.0-15.4  | 833  | 87.3 | 84.6-90.0  |
| Less Than H.S.     | 79                | 11,701   | 9   | 7.0  | 01.5-12.5  | 70   | 93.0 | 87.5-98.5  |
| H.S. or G.E.D.     | 517               | 46,789   | 43  | 10.5 | 06.8-14.2  | 474  | 89.5 | 85.8-93.2  |
| Some Post-H.S.     | 661               | 77,293   | 98  | 13.8 | 10.5-17.1  | 563  | 86.2 | 82.9-89.5  |
| College Graduate   | 755               | 65,543   | 114 | 14.0 | 11.1-16.9  | 641  | 86.0 | 83.1-88.9  |
| Less than \$15,000 | 81                | 10,400   | 7   | 5.9  | 00.0-11.8  | 74   | 94.1 | 88.2-0100  |
| \$15,000- 24,999   | 171               | 13,212   | 20  | 12.5 | 05.2-19.8  | 151  | 87.5 | 80.2-94.8  |
| \$25,000- 34,999   | 190               | 17,937   | 17  | 9.1  | 03.2-15.0  | 173  | 90.9 | 85.0-96.8  |
| \$35,000- 49,999   | 238               | 21,433   | 33  | 17.5 | 10.6-24.4  | 205  | 82.5 | 75.6-89.4  |
| \$50,000- 99,999   | 537               | 54,438   | 79  | 14.3 | 10.6-18.0  | 458  | 85.7 | 82.0-89.4  |
| \$100,000- 199,999 | 294               | 34,661   | 46  | 13.9 | 09.6-18.2  | 248  | 86.1 | 81.8-90.4  |
| \$200,000+         | 53                | 6,544    | 8   | 12.0 | 01.8-22.2  | 45   | 88.0 | 77.8-98.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

**MODULE 20: ADVERSE CHILDHOOD EXPERIENCE CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

| TABLE                                                                                                                                                             | PAGE |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)                                                                                 |      |
| 1 MALES AND FEMALES                                                                                                                                               | 69   |
| 2 MALES ONLY                                                                                                                                                      | 70   |
| 3 FEMALES ONLY                                                                                                                                                    | 71   |
| DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)                                                                                       |      |
| 4 MALES AND FEMALES                                                                                                                                               | 72   |
| 5 MALES ONLY                                                                                                                                                      | 73   |
| 6 FEMALES ONLY                                                                                                                                                    | 74   |
| DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)                                                         |      |
| 7 MALES AND FEMALES                                                                                                                                               | 75   |
| 8 MALES ONLY                                                                                                                                                      | 76   |
| 9 FEMALES ONLY                                                                                                                                                    | 77   |
| DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)                             |      |
| 10 MALES AND FEMALES                                                                                                                                              | 78   |
| 11 MALES ONLY                                                                                                                                                     | 79   |
| 12 FEMALES ONLY                                                                                                                                                   | 80   |
| WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)                                                                                                               |      |
| 13 MALES AND FEMALES                                                                                                                                              | 81   |
| 14 MALES ONLY                                                                                                                                                     | 82   |
| 15 FEMALES ONLY                                                                                                                                                   | 83   |
| HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)                                                   |      |
| 16 MALES AND FEMALES                                                                                                                                              | 84   |
| 17 MALES ONLY                                                                                                                                                     | 85   |
| 18 FEMALES ONLY                                                                                                                                                   | 86   |
| NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT- (ACEHURT1) |      |
| 19 MALES AND FEMALES                                                                                                                                              | 87   |
| 20 MALES ONLY                                                                                                                                                     | 88   |
| 21 FEMALES ONLY                                                                                                                                                   | 89   |
| HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)                                                           |      |
| 22 MALES AND FEMALES                                                                                                                                              | 90   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

**MODULE 20: ADVERSE CHILDHOOD EXPERIENCE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

| TABLE                | PAGE |
|----------------------|------|
| 23 MALES ONLY        | 91   |
| 24 FEMALES ONLY      | 92   |
| 25 MALES AND FEMALES | 93   |
| 26 MALES ONLY        | 94   |
| 27 FEMALES ONLY      | 95   |
| 28 MALES AND FEMALES | 96   |
| 29 MALES ONLY        | 97   |
| 30 FEMALES ONLY      | 98   |
| 31 MALES AND FEMALES | 99   |
| 32 MALES ONLY        | 100  |
| 33 FEMALES ONLY      | 101  |
| 34 MALES AND FEMALES | 102  |
| 35 MALES ONLY        | 103  |
| 36 FEMALES ONLY      | 104  |
| 37 MALES AND FEMALES | 105  |
| 38 MALES ONLY        | 106  |
| 39 FEMALES ONLY      | 107  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 1: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL              | 5208              | 510,326  | 778 | 20.7 | 19.1-22.3  | 4430 | 79.3 | 77.7-80.9  |
| Male               | 2626              | 257,626  | 331 | 16.0 | 14.0-18.0  | 2295 | 84.0 | 82.0-86.0  |
| Female             | 2582              | 252,700  | 447 | 25.5 | 23.0-28.0  | 2135 | 74.5 | 72.0-77.0  |
| Native             | 220               | 21,921   | 60  | 34.7 | 25.9-43.5  | 160  | 65.3 | 56.5-74.1  |
| Non-Native         | 4921              | 483,067  | 709 | 20.1 | 18.5-21.7  | 4212 | 79.9 | 78.3-81.5  |
| 18-24              | 293               | 63,373   | 105 | 37.6 | 31.1-44.1  | 188  | 62.4 | 55.9-68.9  |
| 25-34              | 451               | 93,431   | 123 | 30.8 | 25.7-35.9  | 328  | 69.2 | 64.1-74.3  |
| 35-44              | 570               | 84,845   | 138 | 25.7 | 21.6-29.8  | 432  | 74.3 | 70.2-78.4  |
| 45-54              | 645               | 69,103   | 121 | 18.9 | 15.6-22.2  | 524  | 81.1 | 77.8-84.4  |
| 55-64              | 961               | 82,853   | 115 | 11.1 | 08.7-13.5  | 846  | 88.9 | 86.5-91.3  |
| 65+                | 2288              | 116,721  | 176 | 7.7  | 06.3-09.1  | 2112 | 92.3 | 90.9-93.7  |
| Less Than H.S.     | 232               | 36,297   | 42  | 29.1 | 20.3-37.9  | 190  | 70.9 | 62.1-79.7  |
| H.S. or G.E.D.     | 1431              | 132,277  | 191 | 21.0 | 17.9-24.1  | 1240 | 79.0 | 75.9-82.1  |
| Some Post-H.S.     | 1686              | 194,175  | 251 | 20.3 | 17.6-23.0  | 1435 | 79.7 | 77.0-82.4  |
| College Graduate   | 1849              | 146,331  | 293 | 19.0 | 16.6-21.4  | 1556 | 81.0 | 78.6-83.4  |
| Less than \$15,000 | 172               | 20,045   | 40  | 37.7 | 26.7-48.7  | 132  | 62.3 | 51.3-73.3  |
| \$15,000- 24,999   | 347               | 28,957   | 55  | 23.7 | 16.8-30.6  | 292  | 76.3 | 69.4-83.2  |
| \$25,000- 34,999   | 461               | 42,388   | 65  | 24.4 | 18.1-30.7  | 396  | 75.6 | 69.3-81.9  |
| \$35,000- 49,999   | 666               | 60,475   | 82  | 16.8 | 12.7-20.9  | 584  | 83.2 | 79.1-87.3  |
| \$50,000- 99,999   | 1474              | 146,008  | 229 | 21.7 | 18.6-24.8  | 1245 | 78.3 | 75.2-81.4  |
| \$100,000- 199,999 | 949               | 102,341  | 167 | 19.4 | 16.1-22.7  | 782  | 80.6 | 77.3-83.9  |
| \$200,000+         | 180               | 20,251   | 27  | 16.2 | 08.9-23.5  | 153  | 83.8 | 76.5-91.1  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 2: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male               | 2626              | 257,626  | 331 | 16.0 | 14.0-18.0  | 2295 | 84.0 | 82.0-86.0  |
| Native             | 99                | 10,085   | 24  | 31.9 | 19.0-44.8  | 75   | 68.1 | 55.2-81.0  |
| Non-Native         | 2479              | 243,663  | 299 | 15.3 | 13.3-17.3  | 2180 | 84.7 | 82.7-86.7  |
| 18-24              | 176               | 32,394   | 47  | 28.2 | 20.2-36.2  | 129  | 71.8 | 63.8-79.8  |
| 25-34              | 283               | 52,241   | 60  | 23.8 | 17.9-29.7  | 223  | 76.2 | 70.3-82.1  |
| 35-44              | 315               | 42,757   | 63  | 18.7 | 13.8-23.6  | 252  | 81.3 | 76.4-86.2  |
| 45-54              | 324               | 35,708   | 48  | 14.7 | 10.4-19.0  | 276  | 85.3 | 81.0-89.6  |
| 55-64              | 467               | 41,296   | 42  | 8.2  | 05.5-10.9  | 425  | 91.8 | 89.1-94.5  |
| 65+                | 1061              | 53,229   | 71  | 5.8  | 04.2-07.4  | 990  | 94.2 | 92.6-95.8  |
| Less Than H.S.     | 132               | 20,970   | 19  | 26.6 | 15.2-38.0  | 113  | 73.4 | 62.0-84.8  |
| H.S. or G.E.D.     | 770               | 74,279   | 86  | 14.9 | 11.4-18.4  | 684  | 85.1 | 81.6-88.6  |
| Some Post-H.S.     | 821               | 94,994   | 108 | 16.1 | 12.8-19.4  | 713  | 83.9 | 80.6-87.2  |
| College Graduate   | 895               | 66,333   | 117 | 13.8 | 11.1-16.5  | 778  | 86.2 | 83.5-88.9  |
| Less than \$15,000 | 75                | 7,648    | 17  | 33.9 | 17.2-50.6  | 58   | 66.1 | 49.4-82.8  |
| \$15,000- 24,999   | 145               | 13,053   | 16  | 19.5 | 08.9-30.1  | 129  | 80.5 | 69.9-91.1  |
| \$25,000- 34,999   | 212               | 20,128   | 25  | 18.4 | 10.4-26.4  | 187  | 81.6 | 73.6-89.6  |
| \$35,000- 49,999   | 328               | 31,742   | 42  | 14.8 | 09.5-20.1  | 286  | 85.2 | 79.9-90.5  |
| \$50,000- 99,999   | 766               | 74,744   | 99  | 16.9 | 13.2-20.6  | 667  | 83.1 | 79.4-86.8  |
| \$100,000- 199,999 | 573               | 58,902   | 81  | 15.1 | 11.4-18.8  | 492  | 84.9 | 81.2-88.6  |
| \$200,000+         | 112               | 11,588   | 12  | 10.2 | 03.5-16.9  | 100  | 89.8 | 83.1-96.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 3: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female             | 2582              | 252,700  | 447 | 25.5 | 23.0-28.0  | 2135 | 74.5 | 72.0-77.0  |
| Native             | 121               | 11,836   | 36  | 37.2 | 25.0-49.4  | 85   | 62.8 | 50.6-75.0  |
| Non-Native         | 2442              | 239,404  | 410 | 25.0 | 22.5-27.5  | 2032 | 75.0 | 72.5-77.5  |
| 18-24              | 117               | 30,979   | 58  | 47.5 | 37.5-57.5  | 59   | 52.5 | 42.5-62.5  |
| 25-34              | 168               | 41,190   | 63  | 39.7 | 31.1-48.3  | 105  | 60.3 | 51.7-68.9  |
| 35-44              | 255               | 42,088   | 75  | 32.8 | 26.1-39.5  | 180  | 67.2 | 60.5-73.9  |
| 45-54              | 321               | 33,395   | 73  | 23.4 | 18.1-28.7  | 248  | 76.6 | 71.3-81.9  |
| 55-64              | 494               | 41,556   | 73  | 13.9 | 10.4-17.4  | 421  | 86.1 | 82.6-89.6  |
| 65+                | 1227              | 63,491   | 105 | 9.3  | 07.3-11.3  | 1122 | 90.7 | 88.7-92.7  |
| Less Than H.S.     | 100               | 15,327   | 23  | 32.5 | 18.4-46.6  | 77   | 67.5 | 53.4-81.6  |
| H.S. or G.E.D.     | 661               | 57,998   | 105 | 28.8 | 23.5-34.1  | 556  | 71.2 | 65.9-76.5  |
| Some Post-H.S.     | 865               | 99,181   | 143 | 24.2 | 20.1-28.3  | 722  | 75.8 | 71.7-79.9  |
| College Graduate   | 954               | 79,998   | 176 | 23.3 | 19.8-26.8  | 778  | 76.7 | 73.2-80.2  |
| Less than \$15,000 | 97                | 12,397   | 23  | 40.1 | 25.6-54.6  | 74   | 59.9 | 45.4-74.4  |
| \$15,000- 24,999   | 202               | 15,905   | 39  | 27.1 | 18.3-35.9  | 163  | 72.9 | 64.1-81.7  |
| \$25,000- 34,999   | 249               | 22,260   | 40  | 29.9 | 20.7-39.1  | 209  | 70.1 | 60.9-79.3  |
| \$35,000- 49,999   | 338               | 28,733   | 40  | 19.1 | 12.8-25.4  | 298  | 80.9 | 74.6-87.2  |
| \$50,000- 99,999   | 708               | 71,263   | 130 | 26.7 | 21.8-31.6  | 578  | 73.3 | 68.4-78.2  |
| \$100,000- 199,999 | 376               | 43,439   | 86  | 25.3 | 19.6-31.0  | 290  | 74.7 | 69.0-80.4  |
| \$200,000+         | 68                | 8,662    | 15  | 24.2 | 10.5-37.9  | 53   | 75.8 | 62.1-89.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 4: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|--------------------|-------------------|----------|------|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL              | 5204              | 510,364  | 1201 | 26.0 | 24.4-27.6  | 4003 | 74.0 | 72.4-75.6  |
| Male               | 2630              | 258,296  | 576  | 23.4 | 21.2-25.6  | 2054 | 76.6 | 74.4-78.8  |
| Female             | 2574              | 252,068  | 625  | 28.7 | 26.2-31.2  | 1949 | 71.3 | 68.8-73.8  |
| Native             | 220               | 21,921   | 97   | 47.2 | 38.2-56.2  | 123  | 52.8 | 43.8-61.8  |
| Non-Native         | 4917              | 483,020  | 1088 | 25.0 | 23.4-26.6  | 3829 | 75.0 | 73.4-76.6  |
| 18-24              | 293               | 63,215   | 89   | 31.6 | 25.3-37.9  | 204  | 68.4 | 62.1-74.7  |
| 25-34              | 451               | 93,196   | 127  | 29.0 | 24.1-33.9  | 324  | 71.0 | 66.1-75.9  |
| 35-44              | 573               | 85,589   | 149  | 26.8 | 22.7-30.9  | 424  | 73.2 | 69.1-77.3  |
| 45-54              | 645               | 69,072   | 163  | 25.1 | 21.2-29.0  | 482  | 74.9 | 71.0-78.8  |
| 55-64              | 963               | 83,091   | 245  | 27.4 | 24.1-30.7  | 718  | 72.6 | 69.3-75.9  |
| 65+                | 2279              | 116,202  | 428  | 19.6 | 17.6-21.6  | 1851 | 80.4 | 78.4-82.4  |
| Less Than H.S.     | 231               | 36,098   | 69   | 34.0 | 25.8-42.2  | 162  | 66.0 | 57.8-74.2  |
| H.S. or G.E.D.     | 1426              | 132,169  | 360  | 29.7 | 26.6-32.8  | 1066 | 70.3 | 67.2-73.4  |
| Some Post-H.S.     | 1694              | 195,183  | 381  | 25.8 | 23.1-28.5  | 1313 | 74.2 | 71.5-76.9  |
| College Graduate   | 1843              | 145,667  | 387  | 20.8 | 18.4-23.2  | 1456 | 79.2 | 76.8-81.6  |
| Less than \$15,000 | 173               | 20,249   | 54   | 39.7 | 29.1-50.3  | 119  | 60.3 | 49.7-70.9  |
| \$15,000- 24,999   | 350               | 29,465   | 92   | 32.5 | 25.4-39.6  | 258  | 67.5 | 60.4-74.6  |
| \$25,000- 34,999   | 460               | 41,878   | 122  | 33.9 | 27.6-40.2  | 338  | 66.1 | 59.8-72.4  |
| \$35,000- 49,999   | 658               | 59,696   | 161  | 25.2 | 20.7-29.7  | 497  | 74.8 | 70.3-79.3  |
| \$50,000- 99,999   | 1472              | 146,263  | 319  | 25.0 | 21.9-28.1  | 1153 | 75.0 | 71.9-78.1  |
| \$100,000- 199,999 | 951               | 102,458  | 227  | 25.6 | 22.1-29.1  | 724  | 74.4 | 70.9-77.9  |
| \$200,000+         | 179               | 20,204   | 38   | 20.6 | 13.5-27.7  | 141  | 79.4 | 72.3-86.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 5: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male               | 2630              | 258,296  | 576 | 23.4 | 21.2-25.6  | 2054 | 76.6 | 74.4-78.8  |
| Native             | 99                | 10,085   | 38  | 34.1 | 22.1-46.1  | 61   | 65.9 | 53.9-77.9  |
| Non-Native         | 2483              | 244,248  | 525 | 22.8 | 20.6-25.0  | 1958 | 77.2 | 75.0-79.4  |
| 18-24              | 176               | 32,236   | 41  | 24.3 | 16.7-31.9  | 135  | 75.7 | 68.1-83.3  |
| 25-34              | 285               | 52,601   | 66  | 23.1 | 17.6-28.6  | 219  | 76.9 | 71.4-82.4  |
| 35-44              | 315               | 42,956   | 71  | 22.7 | 17.4-28.0  | 244  | 77.3 | 72.0-82.6  |
| 45-54              | 326               | 35,967   | 86  | 25.0 | 19.7-30.3  | 240  | 75.0 | 69.7-80.3  |
| 55-64              | 472               | 41,692   | 128 | 29.0 | 24.1-33.9  | 344  | 71.0 | 66.1-75.9  |
| 65+                | 1056              | 52,843   | 184 | 18.2 | 15.5-20.9  | 872  | 81.8 | 79.1-84.5  |
| Less Than H.S.     | 131               | 20,904   | 40  | 33.8 | 23.0-44.6  | 91   | 66.2 | 55.4-77.0  |
| H.S. or G.E.D.     | 772               | 74,438   | 185 | 26.5 | 22.6-30.4  | 587  | 73.5 | 69.6-77.4  |
| Some Post-H.S.     | 827               | 95,707   | 170 | 21.9 | 18.4-25.4  | 657  | 78.1 | 74.6-81.6  |
| College Graduate   | 892               | 66,197   | 178 | 18.5 | 15.6-21.4  | 714  | 81.5 | 78.6-84.4  |
| Less than \$15,000 | 76                | 7,852    | 24  | 33.1 | 19.4-46.8  | 52   | 66.9 | 53.2-80.6  |
| \$15,000- 24,999   | 147               | 13,304   | 38  | 27.6 | 17.8-37.4  | 109  | 72.4 | 62.6-82.2  |
| \$25,000- 34,999   | 214               | 20,029   | 58  | 31.6 | 23.0-40.2  | 156  | 68.4 | 59.8-77.0  |
| \$35,000- 49,999   | 324               | 31,389   | 66  | 20.7 | 15.0-26.4  | 258  | 79.3 | 73.6-85.0  |
| \$50,000- 99,999   | 765               | 74,826   | 150 | 22.0 | 18.1-25.9  | 615  | 78.0 | 74.1-81.9  |
| \$100,000- 199,999 | 572               | 58,989   | 130 | 22.9 | 18.6-27.2  | 442  | 77.1 | 72.8-81.4  |
| \$200,000+         | 112               | 11,588   | 20  | 18.8 | 10.2-27.4  | 92   | 81.2 | 72.6-89.8  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 6: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female             | 2574              | 252,068  | 625 | 28.7 | 26.2-31.2  | 1949 | 71.3 | 68.8-73.8  |
| Native             | 121               | 11,836   | 59  | 58.4 | 46.6-70.2  | 62   | 41.6 | 29.8-53.4  |
| Non-Native         | 2434              | 238,772  | 563 | 27.2 | 24.7-29.7  | 1871 | 72.8 | 70.3-75.3  |
| 18-24              | 117               | 30,979   | 48  | 39.2 | 29.4-49.0  | 69   | 60.8 | 51.0-70.6  |
| 25-34              | 166               | 40,595   | 61  | 36.8 | 28.4-45.2  | 105  | 63.2 | 54.8-71.6  |
| 35-44              | 258               | 42,632   | 78  | 30.9 | 24.4-37.4  | 180  | 69.1 | 62.6-75.6  |
| 45-54              | 319               | 33,105   | 77  | 25.2 | 19.7-30.7  | 242  | 74.8 | 69.3-80.3  |
| 55-64              | 491               | 41,398   | 117 | 25.7 | 21.0-30.4  | 374  | 74.3 | 69.6-79.0  |
| 65+                | 1223              | 63,358   | 244 | 20.8 | 18.1-23.5  | 979  | 79.2 | 76.5-81.9  |
| Less Than H.S.     | 100               | 15,194   | 29  | 34.3 | 21.6-47.0  | 71   | 65.7 | 53.0-78.4  |
| H.S. or G.E.D.     | 654               | 57,731   | 175 | 33.7 | 28.6-38.8  | 479  | 66.3 | 61.2-71.4  |
| Some Post-H.S.     | 867               | 99,477   | 211 | 29.7 | 25.4-34.0  | 656  | 70.3 | 66.0-74.6  |
| College Graduate   | 951               | 79,470   | 209 | 22.7 | 19.2-26.2  | 742  | 77.3 | 73.8-80.8  |
| Less than \$15,000 | 97                | 12,397   | 30  | 43.9 | 29.4-58.4  | 67   | 56.1 | 41.6-70.6  |
| \$15,000- 24,999   | 203               | 16,161   | 54  | 36.6 | 27.0-46.2  | 149  | 63.4 | 53.8-73.0  |
| \$25,000- 34,999   | 246               | 21,849   | 64  | 36.0 | 26.8-45.2  | 182  | 64.0 | 54.8-73.2  |
| \$35,000- 49,999   | 334               | 28,308   | 95  | 30.3 | 23.4-37.2  | 239  | 69.7 | 62.8-76.6  |
| \$50,000- 99,999   | 707               | 71,437   | 169 | 28.1 | 23.4-32.8  | 538  | 71.9 | 67.2-76.6  |
| \$100,000- 199,999 | 379               | 43,468   | 97  | 29.2 | 23.3-35.1  | 282  | 70.8 | 64.9-76.7  |
| \$200,000+         | 67                | 8,615    | 18  | 22.9 | 11.1-34.7  | 49   | 77.1 | 65.3-88.9  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 7: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL              | 5205              | 510,290  | 391 | 11.8 | 10.4-13.2  | 4814 | 88.2 | 86.8-89.6  |
| Male               | 2627              | 257,956  | 212 | 11.9 | 10.1-13.7  | 2415 | 88.1 | 86.3-89.9  |
| Female             | 2578              | 252,334  | 179 | 11.6 | 09.6-13.6  | 2399 | 88.4 | 86.4-90.4  |
| Native             | 220               | 21,929   | 47  | 28.8 | 20.2-37.4  | 173  | 71.2 | 62.6-79.8  |
| Non-Native         | 4917              | 482,868  | 336 | 10.9 | 09.5-12.3  | 4581 | 89.1 | 87.7-90.5  |
| 18-24              | 292               | 63,032   | 54  | 20.2 | 14.7-25.7  | 238  | 79.8 | 74.3-85.3  |
| 25-34              | 450               | 93,333   | 87  | 21.1 | 16.6-25.6  | 363  | 78.9 | 74.4-83.4  |
| 35-44              | 575               | 85,698   | 81  | 15.4 | 11.9-18.9  | 494  | 84.6 | 81.1-88.1  |
| 45-54              | 642               | 68,711   | 55  | 9.1  | 06.6-11.6  | 587  | 90.9 | 88.4-93.4  |
| 55-64              | 964               | 83,168   | 63  | 6.6  | 04.8-08.4  | 901  | 93.4 | 91.6-95.2  |
| 65+                | 2282              | 116,349  | 51  | 2.3  | 01.5-03.1  | 2231 | 97.7 | 96.9-98.5  |
| Less Than H.S.     | 228               | 35,810   | 31  | 23.8 | 15.4-32.2  | 197  | 76.2 | 67.8-84.6  |
| H.S. or G.E.D.     | 1427              | 132,012  | 126 | 14.9 | 12.2-17.6  | 1301 | 85.1 | 82.4-87.8  |
| Some Post-H.S.     | 1692              | 194,962  | 134 | 11.5 | 09.3-13.7  | 1558 | 88.5 | 86.3-90.7  |
| College Graduate   | 1848              | 146,261  | 99  | 6.4  | 05.0-07.8  | 1749 | 93.6 | 92.2-95.0  |
| Less than \$15,000 | 171               | 20,201   | 17  | 20.4 | 10.4-30.4  | 154  | 79.6 | 69.6-89.6  |
| \$15,000- 24,999   | 352               | 29,425   | 30  | 14.8 | 08.7-20.9  | 322  | 85.2 | 79.1-91.3  |
| \$25,000- 34,999   | 461               | 42,000   | 35  | 14.5 | 09.2-19.8  | 426  | 85.5 | 80.2-90.8  |
| \$35,000- 49,999   | 660               | 59,984   | 51  | 12.2 | 08.5-15.9  | 609  | 87.8 | 84.1-91.5  |
| \$50,000- 99,999   | 1471              | 146,195  | 106 | 11.0 | 08.6-13.4  | 1365 | 89.0 | 86.6-91.4  |
| \$100,000- 199,999 | 949               | 102,360  | 84  | 11.9 | 09.0-14.8  | 865  | 88.1 | 85.2-91.0  |
| \$200,000+         | 180               | 20,251   | 13  | 8.1  | 03.6-12.6  | 167  | 91.9 | 87.4-96.4  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 8: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male               | 2627              | 257,956  | 212 | 11.9 | 10.1-13.7  | 2415 | 88.1 | 86.3-89.9  |
| Native             | 100               | 10,181   | 17  | 21.0 | 10.2-31.8  | 83   | 79.0 | 68.2-89.8  |
| Non-Native         | 2478              | 243,742  | 188 | 11.5 | 09.5-13.5  | 2290 | 88.5 | 86.5-90.5  |
| 18-24              | 175               | 32,053   | 23  | 14.9 | 08.2-21.6  | 152  | 85.1 | 78.4-91.8  |
| 25-34              | 284               | 52,544   | 53  | 22.1 | 16.2-28.0  | 231  | 77.9 | 72.0-83.8  |
| 35-44              | 318               | 43,179   | 47  | 15.2 | 10.7-19.7  | 271  | 84.8 | 80.3-89.3  |
| 45-54              | 325               | 35,786   | 31  | 11.0 | 06.9-15.1  | 294  | 89.0 | 84.9-93.1  |
| 55-64              | 470               | 41,594   | 31  | 6.3  | 03.9-08.7  | 439  | 93.7 | 91.3-96.1  |
| 65+                | 1055              | 52,800   | 27  | 2.5  | 01.3-03.7  | 1028 | 97.5 | 96.3-98.7  |
| Less Than H.S.     | 128               | 20,616   | 20  | 28.9 | 17.1-40.7  | 108  | 71.1 | 59.3-82.9  |
| H.S. or G.E.D.     | 770               | 74,155   | 76  | 14.1 | 10.8-17.4  | 694  | 85.9 | 82.6-89.2  |
| Some Post-H.S.     | 825               | 95,462   | 69  | 11.0 | 08.3-13.7  | 756  | 89.0 | 86.3-91.7  |
| College Graduate   | 896               | 66,673   | 46  | 5.7  | 03.7-07.7  | 850  | 94.3 | 92.3-96.3  |
| Less than \$15,000 | 74                | 7,804    | 7   | 21.2 | 04.5-37.9  | 67   | 78.8 | 62.1-95.5  |
| \$15,000- 24,999   | 147               | 13,190   | 11  | 9.1  | 02.4-15.8  | 136  | 90.9 | 84.2-97.6  |
| \$25,000- 34,999   | 215               | 20,112   | 19  | 16.9 | 09.1-24.7  | 196  | 83.1 | 75.3-90.9  |
| \$35,000- 49,999   | 326               | 31,483   | 24  | 10.8 | 05.9-15.7  | 302  | 89.2 | 84.3-94.1  |
| \$50,000- 99,999   | 763               | 74,722   | 53  | 10.2 | 06.9-13.5  | 710  | 89.8 | 86.5-93.1  |
| \$100,000- 199,999 | 573               | 59,120   | 56  | 12.7 | 09.2-16.2  | 517  | 87.3 | 83.8-90.8  |
| \$200,000+         | 112               | 11,588   | 11  | 12.0 | 04.7-19.3  | 101  | 88.0 | 80.7-95.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 9: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female             | 2578              | 252,334  | 179 | 11.6 | 09.6-13.6  | 2399 | 88.4 | 86.4-90.4  |
| Native             | 120               | 11,748   | 30  | 35.6 | 23.1-48.1  | 90   | 64.4 | 51.9-76.9  |
| Non-Native         | 2439              | 239,126  | 148 | 10.3 | 08.3-12.3  | 2291 | 89.7 | 87.7-91.7  |
| 18-24              | 117               | 30,979   | 31  | 25.6 | 17.0-34.2  | 86   | 74.4 | 65.8-83.0  |
| 25-34              | 166               | 40,789   | 34  | 19.8 | 12.9-26.7  | 132  | 80.2 | 73.3-87.1  |
| 35-44              | 257               | 42,519   | 34  | 15.7 | 10.4-21.0  | 223  | 84.3 | 79.0-89.6  |
| 45-54              | 317               | 32,925   | 24  | 7.1  | 04.0-10.2  | 293  | 92.9 | 89.8-96.0  |
| 55-64              | 494               | 41,573   | 32  | 6.9  | 04.2-09.6  | 462  | 93.1 | 90.4-95.8  |
| 65+                | 1227              | 63,549   | 24  | 2.2  | 01.2-03.2  | 1203 | 97.8 | 96.8-98.8  |
| Less Than H.S.     | 100               | 15,194   | 11  | 16.8 | 05.8-27.8  | 89   | 83.2 | 72.2-94.2  |
| H.S. or G.E.D.     | 657               | 57,856   | 50  | 15.8 | 11.3-20.3  | 607  | 84.2 | 79.7-88.7  |
| Some Post-H.S.     | 867               | 99,500   | 65  | 12.0 | 08.7-15.3  | 802  | 88.0 | 84.7-91.3  |
| College Graduate   | 952               | 79,588   | 53  | 7.1  | 04.9-09.3  | 899  | 92.9 | 90.7-95.1  |
| Less than \$15,000 | 97                | 12,397   | 10  | 19.9 | 07.4-32.4  | 87   | 80.1 | 67.6-92.6  |
| \$15,000- 24,999   | 205               | 16,235   | 19  | 19.5 | 10.3-28.7  | 186  | 80.5 | 71.3-89.7  |
| \$25,000- 34,999   | 246               | 21,888   | 16  | 12.2 | 04.9-19.5  | 230  | 87.8 | 80.5-95.1  |
| \$35,000- 49,999   | 334               | 28,501   | 27  | 13.8 | 07.9-19.7  | 307  | 86.2 | 80.3-92.1  |
| \$50,000- 99,999   | 708               | 71,472   | 53  | 11.8 | 08.3-15.3  | 655  | 88.2 | 84.7-91.7  |
| \$100,000- 199,999 | 376               | 43,239   | 28  | 10.8 | 06.1-15.5  | 348  | 89.2 | 84.5-93.9  |
| \$200,000+         | 68                | 8,662    | 2   | 3.0  | 00.0-07.1  | 66   | 97.0 | 92.9-0100  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 10: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL              | 5212              | 510,247  | 284 | 9.2  | 08.0-10.4  | 4928 | 90.8 | 89.6-92.0  |
| Male               | 2634              | 258,496  | 162 | 9.8  | 08.0-11.6  | 2472 | 90.2 | 88.4-92.0  |
| Female             | 2578              | 251,751  | 122 | 8.5  | 06.7-10.3  | 2456 | 91.5 | 89.7-93.3  |
| Native             | 219               | 21,833   | 49  | 25.9 | 17.9-33.9  | 170  | 74.1 | 66.1-82.1  |
| Non-Native         | 4924              | 482,863  | 232 | 8.4  | 07.2-09.6  | 4692 | 91.6 | 90.4-92.8  |
| 18-24              | 291               | 62,965   | 56  | 19.8 | 14.5-25.1  | 235  | 80.2 | 74.9-85.5  |
| 25-34              | 450               | 93,206   | 67  | 17.4 | 13.1-21.7  | 383  | 82.6 | 78.3-86.9  |
| 35-44              | 570               | 84,752   | 55  | 11.0 | 08.1-13.9  | 515  | 89.0 | 86.1-91.9  |
| 45-54              | 645               | 69,268   | 32  | 5.1  | 03.1-07.1  | 613  | 94.9 | 92.9-96.9  |
| 55-64              | 965               | 83,281   | 31  | 3.9  | 02.3-05.5  | 934  | 96.1 | 94.5-97.7  |
| 65+                | 2291              | 116,775  | 43  | 1.7  | 01.1-02.3  | 2248 | 98.3 | 97.7-98.9  |
| Less Than H.S.     | 232               | 36,134   | 31  | 24.5 | 16.1-32.9  | 201  | 75.5 | 67.1-83.9  |
| H.S. or G.E.D.     | 1429              | 131,889  | 105 | 12.0 | 09.5-14.5  | 1324 | 88.0 | 85.5-90.5  |
| Some Post-H.S.     | 1694              | 194,952  | 97  | 8.6  | 06.6-10.6  | 1597 | 91.4 | 89.4-93.4  |
| College Graduate   | 1847              | 146,026  | 50  | 3.6  | 02.4-04.8  | 1797 | 96.4 | 95.2-97.6  |
| Less than \$15,000 | 172               | 20,225   | 19  | 19.9 | 09.7-30.1  | 153  | 80.1 | 69.9-90.3  |
| \$15,000- 24,999   | 352               | 29,430   | 28  | 13.8 | 08.1-19.5  | 324  | 86.2 | 80.5-91.9  |
| \$25,000- 34,999   | 462               | 42,077   | 29  | 12.1 | 07.2-17.0  | 433  | 87.9 | 83.0-92.8  |
| \$35,000- 49,999   | 659               | 59,653   | 35  | 9.6  | 05.9-13.3  | 624  | 90.4 | 86.7-94.1  |
| \$50,000- 99,999   | 1474              | 145,958  | 72  | 8.5  | 06.1-10.9  | 1402 | 91.5 | 89.1-93.9  |
| \$100,000- 199,999 | 950               | 102,499  | 48  | 6.8  | 04.6-09.0  | 902  | 93.2 | 91.0-95.4  |
| \$200,000+         | 180               | 20,251   | 6   | 3.8  | 00.5-07.1  | 174  | 96.2 | 92.9-99.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 11: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male               | 2634              | 258,496  | 162 | 9.8  | 08.0-11.6  | 2472 | 90.2 | 88.4-92.0  |
| Native             | 99                | 10,085   | 21  | 22.0 | 11.8-32.2  | 78   | 78.0 | 67.8-88.2  |
| Non-Native         | 2485              | 244,320  | 139 | 9.3  | 07.5-11.1  | 2346 | 90.7 | 88.9-92.5  |
| 18-24              | 174               | 31,986   | 25  | 16.9 | 09.8-24.0  | 149  | 83.1 | 76.0-90.2  |
| 25-34              | 285               | 52,601   | 42  | 17.7 | 12.2-23.2  | 243  | 82.3 | 76.8-87.8  |
| 35-44              | 316               | 43,088   | 37  | 13.8 | 09.3-18.3  | 279  | 86.2 | 81.7-90.7  |
| 45-54              | 326               | 35,964   | 18  | 5.0  | 02.5-07.5  | 308  | 95.0 | 92.5-97.5  |
| 55-64              | 472               | 41,755   | 17  | 4.1  | 01.7-06.5  | 455  | 95.9 | 93.5-98.3  |
| 65+                | 1061              | 53,101   | 23  | 2.0  | 01.0-03.0  | 1038 | 98.0 | 97.0-99.0  |
| Less Than H.S.     | 131               | 20,904   | 19  | 26.9 | 15.5-38.3  | 112  | 73.1 | 61.7-84.5  |
| H.S. or G.E.D.     | 773               | 74,415   | 64  | 11.8 | 08.5-15.1  | 709  | 88.2 | 84.9-91.5  |
| Some Post-H.S.     | 826               | 95,523   | 51  | 8.8  | 06.3-11.3  | 775  | 91.2 | 88.7-93.7  |
| College Graduate   | 896               | 66,605   | 27  | 3.4  | 01.8-05.0  | 869  | 96.6 | 95.0-98.2  |
| Less than \$15,000 | 75                | 7,828    | 9   | 18.0 | 02.5-33.5  | 66   | 82.0 | 66.5-97.5  |
| \$15,000- 24,999   | 146               | 13,165   | 13  | 12.6 | 05.0-20.2  | 133  | 87.4 | 79.8-95.0  |
| \$25,000- 34,999   | 215               | 20,207   | 12  | 8.9  | 03.0-14.8  | 203  | 91.1 | 85.2-97.0  |
| \$35,000- 49,999   | 326               | 31,483   | 17  | 9.3  | 04.0-14.6  | 309  | 90.7 | 85.4-96.0  |
| \$50,000- 99,999   | 768               | 74,976   | 47  | 10.3 | 06.8-13.8  | 721  | 89.7 | 86.2-93.2  |
| \$100,000- 199,999 | 573               | 59,103   | 33  | 8.1  | 05.0-11.2  | 540  | 91.9 | 88.8-95.0  |
| \$200,000+         | 112               | 11,588   | 4   | 4.4  | 00.0-09.1  | 108  | 95.6 | 90.9-0100  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 12: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female             | 2578              | 251,751  | 122 | 8.5  | 06.7-10.3  | 2456 | 91.5 | 89.7-93.3  |
| Native             | 120               | 11,748   | 28  | 29.3 | 17.5-41.1  | 92   | 70.7 | 58.9-82.5  |
| Non-Native         | 2439              | 238,543  | 93  | 7.4  | 05.6-09.2  | 2346 | 92.6 | 90.8-94.4  |
| 18-24              | 117               | 30,979   | 31  | 22.8 | 14.8-30.8  | 86   | 77.2 | 69.2-85.2  |
| 25-34              | 165               | 40,605   | 25  | 16.9 | 10.0-23.8  | 140  | 83.1 | 76.2-90.0  |
| 35-44              | 254               | 41,663   | 18  | 8.0  | 04.1-11.9  | 236  | 92.0 | 88.1-95.9  |
| 45-54              | 319               | 33,304   | 14  | 5.1  | 02.0-08.2  | 305  | 94.9 | 91.8-98.0  |
| 55-64              | 493               | 41,526   | 14  | 3.6  | 01.2-06.0  | 479  | 96.4 | 94.0-98.8  |
| 65+                | 1230              | 63,674   | 20  | 1.5  | 00.7-02.3  | 1210 | 98.5 | 97.7-99.3  |
| Less Than H.S.     | 101               | 15,230   | 12  | 21.1 | 08.9-33.3  | 89   | 78.9 | 66.7-91.1  |
| H.S. or G.E.D.     | 656               | 57,474   | 41  | 12.2 | 08.1-16.3  | 615  | 87.8 | 83.7-91.9  |
| Some Post-H.S.     | 868               | 99,430   | 46  | 8.3  | 05.6-11.0  | 822  | 91.7 | 89.0-94.4  |
| College Graduate   | 951               | 79,421   | 23  | 3.7  | 01.9-05.5  | 928  | 96.3 | 94.5-98.1  |
| Less than \$15,000 | 97                | 12,397   | 10  | 21.2 | 07.7-34.7  | 87   | 78.8 | 65.3-92.3  |
| \$15,000- 24,999   | 206               | 16,265   | 15  | 14.9 | 06.7-23.1  | 191  | 85.1 | 76.9-93.3  |
| \$25,000- 34,999   | 247               | 21,870   | 17  | 15.0 | 07.4-22.6  | 230  | 85.0 | 77.4-92.6  |
| \$35,000- 49,999   | 333               | 28,170   | 18  | 10.0 | 04.7-15.3  | 315  | 90.0 | 84.7-95.3  |
| \$50,000- 99,999   | 706               | 70,982   | 25  | 6.5  | 03.6-09.4  | 681  | 93.5 | 90.6-96.4  |
| \$100,000- 199,999 | 377               | 43,396   | 15  | 5.1  | 02.2-08.0  | 362  | 94.9 | 92.0-97.8  |
| \$200,000+         | 68                | 8,662    | 2   | 2.8  | 00.0-06.7  | 66   | 97.2 | 93.3-0100  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**  
**MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**  
**TABLE 13: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            | Parents not married |     |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|---------------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                   | %   | C.I. (95%) |
| TOTAL              | 5203              | 510,752  | 866 | 23.4 | 21.8-25.0  | 4296 | 75.4 | 73.8-77.0  | 41                  | 1.2 | 0.8-01.6   |
| Male               | 2627              | 257,813  | 452 | 23.7 | 21.5-25.9  | 2157 | 75.5 | 73.3-77.7  | 18                  | 0.8 | 0.4-01.2   |
| Female             | 2576              | 252,939  | 414 | 23.1 | 20.7-25.5  | 2139 | 75.2 | 72.7-77.7  | 23                  | 1.7 | 0.9-02.5   |
| Native             | 218               | 21,823   | 87  | 51.2 | 42.2-60.2  | 124  | 46.0 | 37.2-54.8  | 7                   | 2.8 | 0.1-05.5   |
| Non-Native         | 4918              | 483,463  | 767 | 22.1 | 20.5-23.7  | 4118 | 76.7 | 74.9-78.5  | 33                  | 1.1 | 0.7-01.5   |
| 18-24              | 292               | 63,029   | 104 | 37.8 | 31.5-44.1  | 178  | 59.7 | 53.2-66.2  | 10                  | 2.5 | 0.7-04.3   |
| 25-34              | 450               | 93,388   | 155 | 36.2 | 31.1-41.3  | 288  | 61.8 | 56.5-67.1  | 7                   | 2.0 | 0.4-03.6   |
| 35-44              | 573               | 85,390   | 150 | 26.5 | 22.4-30.6  | 415  | 71.9 | 67.8-76.0  | 8                   | 1.5 | 0.3-02.7   |
| 45-54              | 641               | 68,815   | 144 | 23.2 | 19.5-26.9  | 487  | 75.4 | 71.7-79.1  | 10                  | 1.5 | 0.3-02.7   |
| 55-64              | 962               | 83,410   | 141 | 17.0 | 14.1-19.9  | 816  | 82.4 | 79.5-85.3  | 5                   | 0.7 | 0.0-01.5   |
| 65+                | 2285              | 116,720  | 172 | 7.8  | 06.4-09.2  | 2112 | 92.2 | 90.8-93.6  | 1                   | 0.0 | 0.0-00.0   |
| Less Than H.S.     | 231               | 36,003   | 58  | 37.4 | 28.8-46.0  | 170  | 60.8 | 52.0-69.6  | 3                   | 1.8 | 0.0-04.0   |
| H.S. or G.E.D.     | 1428              | 131,991  | 276 | 26.8 | 23.7-29.9  | 1135 | 70.9 | 67.6-74.2  | 17                  | 2.2 | 0.1-03.4   |
| Some Post-H.S.     | 1694              | 195,563  | 285 | 23.5 | 20.8-26.2  | 1399 | 75.9 | 73.2-78.6  | 10                  | 0.6 | 0.2-01.0   |
| College Graduate   | 1840              | 145,950  | 244 | 16.6 | 14.4-18.8  | 1585 | 82.4 | 80.0-84.8  | 11                  | 1.0 | 0.2-01.8   |
| Less than \$15,000 | 172               | 20,225   | 37  | 34.9 | 24.3-45.5  | 132  | 63.5 | 52.9-74.1  | 3                   | 1.6 | 0.0-04.1   |
| \$15,000- 24,999   | 354               | 29,851   | 71  | 36.6 | 29.0-44.2  | 282  | 62.5 | 54.9-70.1  | 1                   | 1.0 | 0.0-02.8   |
| \$25,000- 34,999   | 461               | 42,144   | 89  | 30.3 | 24.0-36.6  | 369  | 68.6 | 62.3-74.9  | 3                   | 1.1 | 0.0-02.7   |
| \$35,000- 49,999   | 658               | 59,891   | 90  | 20.7 | 16.2-25.2  | 558  | 76.6 | 71.9-81.3  | 10                  | 2.6 | 0.6-04.6   |
| \$50,000- 99,999   | 1474              | 145,993  | 224 | 21.4 | 18.5-24.3  | 1235 | 77.2 | 74.3-80.1  | 15                  | 1.4 | 0.6-02.2   |
| \$100,000- 199,999 | 948               | 102,159  | 174 | 22.0 | 18.5-25.5  | 769  | 77.3 | 73.8-80.8  | 5                   | 0.7 | 0.0-01.5   |
| \$200,000+         | 180               | 20,251   | 34  | 18.9 | 12.2-25.6  | 146  | 81.1 | 74.4-87.8  |                     |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 14: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            | Parents not married |     |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|---------------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                   | %   | C.I. (95%) |
| Male               | 2627              | 257,813  | 452 | 23.7 | 21.5-25.9  | 2157 | 75.5 | 73.3-77.7  | 18                  | 0.8 | 00.4-01.2  |
| Native             | 98                | 10,007   | 40  | 46.1 | 33.0-59.2  | 57   | 53.2 | 40.1-66.3  | 1                   | 0.7 | 00.0-02.1  |
| Non-Native         | 2481              | 243,800  | 402 | 22.8 | 20.4-25.2  | 2063 | 76.4 | 74.0-78.8  | 16                  | 0.8 | 00.4-01.2  |
| 18-24              | 175               | 32,050   | 54  | 34.9 | 26.9-42.9  | 115  | 63.6 | 55.4-71.8  | 6                   | 1.5 | 00.0-03.1  |
| 25-34              | 282               | 51,996   | 95  | 37.4 | 30.9-43.9  | 186  | 62.1 | 55.6-68.6  | 1                   | 0.5 | 00.0-01.5  |
| 35-44              | 317               | 43,212   | 77  | 24.2 | 18.9-29.5  | 236  | 74.3 | 68.8-79.8  | 4                   | 1.5 | 00.0-03.1  |
| 45-54              | 322               | 35,507   | 73  | 21.9 | 16.8-27.0  | 244  | 76.3 | 71.2-81.4  | 5                   | 1.7 | 00.0-03.5  |
| 55-64              | 472               | 41,864   | 79  | 18.7 | 14.6-22.8  | 391  | 81.2 | 77.1-85.3  | 2                   | 0.1 | 00.0-00.3  |
| 65+                | 1059              | 53,183   | 74  | 8.1  | 06.1-10.1  | 985  | 91.9 | 89.9-93.9  |                     |     |            |
| Less Than H.S.     | 130               | 20,773   | 33  | 37.8 | 26.4-49.2  | 96   | 60.8 | 49.2-72.4  | 1                   | 1.4 | 00.0-04.1  |
| H.S. or G.E.D.     | 771               | 74,089   | 154 | 26.0 | 21.9-30.1  | 607  | 72.4 | 68.3-76.5  | 10                  | 1.6 | 00.4-02.8  |
| Some Post-H.S.     | 827               | 95,576   | 146 | 24.6 | 20.7-28.5  | 677  | 75.2 | 71.3-79.1  | 4                   | 0.3 | 00.1-00.5  |
| College Graduate   | 891               | 66,326   | 117 | 15.4 | 12.5-18.3  | 771  | 84.1 | 81.2-87.0  | 3                   | 0.5 | 00.0-01.1  |
| Less than \$15,000 | 75                | 7,828    | 18  | 39.9 | 23.6-56.2  | 55   | 59.3 | 43.2-75.4  | 2                   | 0.8 | 00.0-02.0  |
| \$15,000- 24,999   | 148               | 13,429   | 34  | 38.7 | 27.1-50.3  | 114  | 61.3 | 49.7-72.9  |                     |     |            |
| \$25,000- 34,999   | 214               | 20,029   | 38  | 27.6 | 19.2-36.0  | 175  | 72.1 | 63.7-80.5  | 1                   | 0.4 | 00.0-01.2  |
| \$35,000- 49,999   | 325               | 31,349   | 50  | 23.1 | 16.6-29.6  | 270  | 74.7 | 68.2-81.2  | 5                   | 2.2 | 00.0-04.6  |
| \$50,000- 99,999   | 767               | 74,918   | 118 | 20.7 | 16.8-24.6  | 642  | 78.0 | 74.1-81.9  | 7                   | 1.3 | 00.1-02.5  |
| \$100,000- 199,999 | 570               | 58,742   | 104 | 22.0 | 17.5-26.5  | 464  | 77.8 | 73.3-82.3  | 2                   | 0.2 | 00.0-00.6  |
| \$200,000+         | 112               | 11,588   | 20  | 18.5 | 10.1-26.9  | 92   | 81.5 | 73.1-89.9  |                     |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE  
TABLE 15: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            | Parents not married |     |            |
|--------------------|-------------------|----------|-----|------|------------|------|------|------------|---------------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                   | %   | C.I. (95%) |
| Female             | 2576              | 252,939  | 414 | 23.1 | 20.7-25.5  | 2139 | 75.2 | 72.7-77.7  | 23                  | 1.7 | 00.9-02.5  |
| Native             | 120               | 11,816   | 47  | 55.4 | 43.4-67.4  | 67   | 39.9 | 28.5-51.3  | 6                   | 4.6 | 00.0-09.5  |
| Non-Native         | 2437              | 239,663  | 365 | 21.4 | 19.0-23.8  | 2055 | 77.0 | 74.5-79.5  | 17                  | 1.5 | 00.7-02.3  |
| 18-24              | 117               | 30,979   | 50  | 40.8 | 31.0-50.6  | 63   | 55.8 | 46.0-65.6  | 4                   | 3.5 | 00.2-06.8  |
| 25-34              | 168               | 41,392   | 60  | 34.6 | 26.4-42.8  | 102  | 61.6 | 53.2-70.0  | 6                   | 3.8 | 00.7-06.9  |
| 35-44              | 256               | 42,178   | 73  | 28.9 | 22.6-35.2  | 179  | 69.5 | 63.2-75.8  | 4                   | 1.6 | 00.0-03.4  |
| 45-54              | 319               | 33,308   | 71  | 24.4 | 18.9-29.9  | 243  | 74.3 | 68.8-79.8  | 5                   | 1.2 | 00.0-02.6  |
| 55-64              | 490               | 41,546   | 62  | 15.2 | 11.1-19.3  | 425  | 83.6 | 79.3-87.9  | 3                   | 1.2 | 00.0-02.8  |
| 65+                | 1226              | 63,537   | 98  | 7.5  | 05.7-09.3  | 1127 | 92.4 | 90.6-94.2  | 1                   | 0.1 | 00.0-00.3  |
| Less Than H.S.     | 101               | 15,230   | 25  | 36.8 | 23.3-50.3  | 74   | 60.8 | 47.3-74.3  | 2                   | 2.3 | 00.0-06.0  |
| H.S. or G.E.D.     | 657               | 57,902   | 122 | 27.9 | 22.8-33.0  | 528  | 69.1 | 63.8-74.4  | 7                   | 3.0 | 00.8-05.2  |
| Some Post-H.S.     | 867               | 99,987   | 139 | 22.5 | 18.4-26.6  | 722  | 76.6 | 72.5-80.7  | 6                   | 1.0 | 00.0-02.0  |
| College Graduate   | 949               | 79,624   | 127 | 17.6 | 14.3-20.9  | 814  | 80.9 | 77.6-84.2  | 8                   | 1.5 | 00.3-02.7  |
| Less than \$15,000 | 97                | 12,397   | 19  | 31.8 | 17.9-45.7  | 77   | 66.1 | 52.2-80.0  | 1                   | 2.1 | 00.0-06.2  |
| \$15,000- 24,999   | 206               | 16,422   | 37  | 34.8 | 24.6-45.0  | 168  | 63.5 | 53.3-73.7  | 1                   | 1.7 | 00.0-05.0  |
| \$25,000- 34,999   | 247               | 22,115   | 51  | 32.8 | 23.6-42.0  | 194  | 65.4 | 56.2-74.6  | 2                   | 1.8 | 00.0-04.7  |
| \$35,000- 49,999   | 333               | 28,542   | 40  | 18.2 | 11.9-24.5  | 288  | 78.7 | 72.0-85.4  | 5                   | 3.1 | 00.0-06.2  |
| \$50,000- 99,999   | 707               | 71,076   | 106 | 22.0 | 17.5-26.5  | 593  | 76.4 | 71.9-80.9  | 8                   | 1.6 | 00.2-03.0  |
| \$100,000- 199,999 | 378               | 43,417   | 70  | 22.0 | 16.5-27.5  | 305  | 76.7 | 71.0-82.4  | 3                   | 1.3 | 00.0-03.1  |
| \$200,000+         | 68                | 8,662    | 14  | 19.4 | 08.8-30.0  | 54   | 80.6 | 70.0-91.2  |                     |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 16: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |     |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|-----|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %   | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL              | 5145              | 503,521  | 4509  | 84.2 | 82.8-85.6  | 171  | 3.9 | 03.1-04.7  | 465            | 11.8 | 10.4-13.2  |
| Male               | 2596              | 254,565  | 2297  | 86.7 | 84.9-88.5  | 83   | 3.5 | 02.5-04.5  | 216            | 9.8  | 08.2-11.4  |
| Female             | 2549              | 248,955  | 2212  | 81.8 | 79.4-84.2  | 88   | 4.3 | 02.9-05.7  | 249            | 13.9 | 11.9-15.9  |
| Native             | 218               | 21,785   | 140   | 58.3 | 49.1-67.5  | 15   | 9.3 | 03.2-15.4  | 63             | 32.4 | 23.6-41.2  |
| Non-Native         | 4863              | 476,773  | 4311  | 85.4 | 84.0-86.8  | 154  | 3.7 | 02.9-04.5  | 398            | 10.9 | 09.5-12.3  |
| 18-24              | 287               | 61,497   | 232   | 78.1 | 72.4-83.8  | 17   | 6.8 | 03.3-10.3  | 38             | 15.1 | 10.2-20.0  |
| 25-34              | 449               | 93,427   | 365   | 79.2 | 74.7-83.7  | 29   | 6.2 | 03.5-08.9  | 55             | 14.6 | 10.5-18.7  |
| 35-44              | 563               | 83,685   | 473   | 83.1 | 79.6-86.6  | 13   | 2.2 | 00.8-03.6  | 77             | 14.8 | 11.3-18.3  |
| 45-54              | 633               | 67,761   | 532   | 83.8 | 80.5-87.1  | 22   | 3.4 | 01.8-05.0  | 79             | 12.8 | 09.9-15.7  |
| 55-64              | 948               | 81,771   | 825   | 86.4 | 83.9-88.9  | 30   | 3.0 | 01.8-04.2  | 93             | 10.6 | 08.2-13.0  |
| 65+                | 2265              | 115,378  | 2082  | 91.2 | 89.8-92.6  | 60   | 2.8 | 02.0-03.6  | 123            | 6.1  | 04.9-07.3  |
| Less Than H.S.     | 226               | 35,496   | 176   | 70.9 | 62.7-79.1  | 9    | 5.4 | 00.9-09.9  | 41             | 23.7 | 16.1-31.3  |
| H.S. or G.E.D.     | 1404              | 129,827  | 1214  | 82.6 | 79.9-85.3  | 41   | 3.6 | 02.2-05.0  | 149            | 13.8 | 11.3-16.3  |
| Some Post-H.S.     | 1671              | 191,919  | 1473  | 85.1 | 82.6-87.6  | 57   | 4.1 | 02.7-05.5  | 141            | 10.9 | 08.7-13.1  |
| College Graduate   | 1834              | 145,032  | 1639  | 88.1 | 86.1-90.1  | 64   | 3.7 | 02.7-04.7  | 131            | 8.2  | 06.6-09.8  |
| Less than \$15,000 | 172               | 20,225   | 140   | 71.7 | 61.5-81.9  | 4    | 1.6 | 00.0-03.4  | 28             | 26.6 | 16.4-36.8  |
| \$15,000- 24,999   | 345               | 28,722   | 291   | 77.7 | 71.0-84.4  | 13   | 4.9 | 01.8-08.0  | 41             | 17.4 | 11.1-23.7  |
| \$25,000- 34,999   | 456               | 41,359   | 399   | 77.5 | 71.4-83.6  | 18   | 7.3 | 03.4-11.2  | 39             | 15.2 | 09.9-20.5  |
| \$35,000- 49,999   | 655               | 59,356   | 574   | 86.6 | 83.1-90.1  | 26   | 4.3 | 02.3-06.3  | 55             | 9.2  | 06.3-12.1  |
| \$50,000- 99,999   | 1454              | 143,830  | 1283  | 84.3 | 81.6-87.0  | 47   | 4.4 | 02.6-06.2  | 124            | 11.3 | 08.9-13.7  |
| \$100,000- 199,999 | 943               | 101,933  | 822   | 87.3 | 84.8-89.8  | 27   | 2.3 | 01.3-03.3  | 94             | 10.4 | 08.0-12.8  |
| \$200,000+         | 178               | 19,995   | 158   | 87.8 | 82.1-93.5  | 6    | 2.7 | 00.0-05.4  | 14             | 9.5  | 04.4-14.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 17: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |      |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Male               | 2596              | 254,565  | 2297  | 86.7 | 84.9-88.5  | 83   | 3.5  | 02.5-04.5  | 216            | 9.8  | 08.2-11.4  |
| Native             | 98                | 10,069   | 67    | 65.3 | 52.2-78.4  | 7    | 9.2  | 01.0-17.4  | 24             | 25.6 | 13.6-37.6  |
| Non-Native         | 2452              | 240,873  | 2189  | 87.4 | 85.6-89.2  | 74   | 3.3  | 02.3-04.3  | 189            | 9.2  | 07.6-10.8  |
| 18-24              | 173               | 31,640   | 150   | 85.2 | 78.9-91.5  | 7    | 4.4  | 01.1-07.7  | 16             | 10.4 | 04.7-16.1  |
| 25-34              | 282               | 52,142   | 241   | 83.7 | 78.6-88.8  | 15   | 5.5  | 02.6-08.4  | 26             | 10.8 | 06.3-15.3  |
| 35-44              | 309               | 42,112   | 271   | 87.4 | 83.1-91.7  | 4    | 1.2  | 00.0-02.4  | 34             | 11.4 | 07.3-15.5  |
| 45-54              | 320               | 35,243   | 270   | 84.3 | 79.8-88.8  | 13   | 3.7  | 01.2-06.2  | 37             | 12.0 | 08.1-15.9  |
| 55-64              | 461               | 40,741   | 397   | 86.6 | 83.1-90.1  | 17   | 3.3  | 01.5-05.1  | 47             | 10.2 | 07.1-13.3  |
| 65+                | 1051              | 52,686   | 968   | 91.6 | 89.4-93.8  | 27   | 2.9  | 01.5-04.3  | 56             | 5.5  | 03.7-07.3  |
| Less Than H.S.     | 129               | 20,481   | 98    | 69.6 | 58.6-80.6  | 6    | 6.2  | 00.5-11.9  | 25             | 24.1 | 13.9-34.3  |
| H.S. or G.E.D.     | 758               | 72,992   | 667   | 86.6 | 83.5-89.7  | 25   | 3.7  | 01.9-05.5  | 66             | 9.7  | 07.0-12.4  |
| Some Post-H.S.     | 815               | 94,225   | 728   | 88.8 | 86.1-91.5  | 21   | 2.5  | 01.1-03.9  | 66             | 8.8  | 06.4-11.2  |
| College Graduate   | 886               | 65,818   | 798   | 89.4 | 86.9-91.9  | 31   | 4.0  | 02.2-05.8  | 57             | 6.6  | 04.6-08.6  |
| Less than \$15,000 | 75                | 7,828    | 58    | 69.0 | 52.9-85.1  | 2    | 1.5  | 00.0-04.0  | 15             | 29.4 | 13.1-45.7  |
| \$15,000- 24,999   | 142               | 12,761   | 118   | 76.0 | 65.2-86.8  | 6    | 7.3  | 00.8-13.8  | 18             | 16.7 | 06.9-26.5  |
| \$25,000- 34,999   | 214               | 20,156   | 185   | 75.9 | 67.3-84.5  | 14   | 11.7 | 05.0-18.4  | 15             | 12.4 | 05.5-19.3  |
| \$35,000- 49,999   | 323               | 31,086   | 285   | 88.7 | 84.6-92.8  | 12   | 4.2  | 01.5-06.9  | 26             | 7.1  | 03.8-10.4  |
| \$50,000- 99,999   | 753               | 73,490   | 675   | 88.1 | 85.2-91.0  | 19   | 2.8  | 01.2-04.4  | 59             | 9.1  | 06.4-11.8  |
| \$100,000- 199,999 | 567               | 58,606   | 502   | 89.3 | 86.2-92.4  | 16   | 2.3  | 00.9-03.7  | 49             | 8.5  | 05.8-11.2  |
| \$200,000+         | 112               | 11,588   | 103   | 90.2 | 83.5-96.9  | 3    | 1.7  | 00.0-04.2  | 6              | 8.1  | 01.8-14.4  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 18: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |     |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|-----|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %   | C.I. (95%) | N              | %    | C.I. (95%) |
| Female             | 2549              | 248,955  | 2212  | 81.8 | 79.4-84.2  | 88   | 4.3 | 02.9-05.7  | 249            | 13.9 | 11.9-15.9  |
| Native             | 120               | 11,715   | 73    | 52.3 | 39.8-64.8  | 8    | 9.4 | 00.6-18.2  | 39             | 38.3 | 26.0-50.6  |
| Non-Native         | 2411              | 235,900  | 2122  | 83.3 | 80.9-85.7  | 80   | 4.1 | 02.9-05.3  | 209            | 12.6 | 10.6-14.6  |
| 18-24              | 114               | 29,857   | 82    | 70.6 | 61.2-80.0  | 10   | 9.3 | 03.0-15.6  | 22             | 20.1 | 11.9-28.3  |
| 25-34              | 167               | 41,286   | 124   | 73.5 | 65.5-81.5  | 14   | 7.2 | 02.3-12.1  | 29             | 19.3 | 12.2-26.4  |
| 35-44              | 254               | 41,573   | 202   | 78.7 | 73.0-84.4  | 9    | 3.2 | 00.8-05.6  | 43             | 18.2 | 12.7-23.7  |
| 45-54              | 313               | 32,518   | 262   | 83.4 | 78.7-88.1  | 9    | 3.0 | 00.8-05.2  | 42             | 13.6 | 09.1-18.1  |
| 55-64              | 487               | 41,030   | 428   | 86.2 | 82.3-90.1  | 13   | 2.8 | 01.0-04.6  | 46             | 11.0 | 07.5-14.5  |
| 65+                | 1214              | 62,692   | 1114  | 90.8 | 88.8-92.8  | 33   | 2.6 | 01.6-03.6  | 67             | 6.5  | 04.7-08.3  |
| Less Than H.S.     | 97                | 15,015   | 78    | 72.7 | 60.0-85.4  | 3    | 4.2 | 00.0-11.3  | 16             | 23.1 | 11.5-34.7  |
| H.S. or G.E.D.     | 646               | 56,836   | 547   | 77.5 | 72.6-82.4  | 16   | 3.6 | 01.2-06.0  | 83             | 19.0 | 14.5-23.5  |
| Some Post-H.S.     | 856               | 97,694   | 745   | 81.5 | 77.4-85.6  | 36   | 5.6 | 03.1-08.1  | 75             | 12.9 | 09.4-16.4  |
| College Graduate   | 948               | 79,214   | 841   | 87.1 | 84.4-89.8  | 33   | 3.4 | 02.0-04.8  | 74             | 9.5  | 07.0-12.0  |
| Less than \$15,000 | 97                | 12,397   | 82    | 73.5 | 60.4-86.6  | 2    | 1.7 | 00.0-04.1  | 13             | 24.9 | 11.8-38.0  |
| \$15,000- 24,999   | 203               | 15,961   | 173   | 79.1 | 70.7-87.5  | 7    | 2.9 | 00.5-05.3  | 23             | 18.0 | 09.8-26.2  |
| \$25,000- 34,999   | 242               | 21,203   | 214   | 79.0 | 70.4-87.6  | 4    | 3.0 | 00.0-07.1  | 24             | 17.9 | 09.9-25.9  |
| \$35,000- 49,999   | 332               | 28,270   | 289   | 84.2 | 78.5-89.9  | 14   | 4.4 | 01.3-07.5  | 29             | 11.4 | 06.3-16.5  |
| \$50,000- 99,999   | 701               | 70,340   | 608   | 80.2 | 75.7-84.7  | 28   | 6.1 | 03.2-09.0  | 65             | 13.7 | 10.0-17.4  |
| \$100,000- 199,999 | 376               | 43,327   | 320   | 84.6 | 80.1-89.1  | 11   | 2.4 | 00.8-04.0  | 45             | 13.0 | 08.7-17.3  |
| \$200,000+         | 66                | 8,406    | 55    | 84.6 | 74.8-94.4  | 3    | 4.0 | 00.0-09.3  | 8              | 11.5 | 03.1-19.9  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 19: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—  
(ACEHURT1)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |      |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL              | 5148              | 504,628  | 4131  | 76.7 | 75.1-78.3  | 325  | 6.7  | 05.7-07.7  | 692            | 16.6 | 15.2-18.0  |
| Male               | 2591              | 253,771  | 2049  | 76.5 | 74.3-78.7  | 161  | 6.6  | 05.2-08.0  | 381            | 16.9 | 14.9-18.9  |
| Female             | 2557              | 250,857  | 2082  | 76.9 | 74.5-79.3  | 164  | 6.8  | 05.2-08.4  | 311            | 16.3 | 14.1-18.5  |
| Native             | 218               | 21,778   | 140   | 56.1 | 46.9-65.3  | 14   | 4.1  | 01.4-06.8  | 64             | 39.8 | 30.6-49.0  |
| Non-Native         | 4864              | 477,632  | 3943  | 77.8 | 76.2-79.4  | 305  | 6.7  | 05.7-07.7  | 616            | 15.5 | 14.1-16.9  |
| 18-24              | 287               | 61,785   | 215   | 70.6 | 64.3-76.9  | 19   | 6.9  | 03.4-10.4  | 53             | 22.5 | 16.6-28.4  |
| 25-34              | 450               | 93,090   | 338   | 72.6 | 67.7-77.5  | 34   | 9.0  | 05.5-12.5  | 78             | 18.4 | 14.1-22.7  |
| 35-44              | 572               | 85,024   | 446   | 74.8 | 70.7-78.9  | 24   | 5.5  | 03.1-07.9  | 102            | 19.7 | 16.0-23.4  |
| 45-54              | 637               | 68,305   | 492   | 76.2 | 72.3-80.1  | 36   | 6.2  | 04.0-08.4  | 109            | 17.7 | 14.2-21.2  |
| 55-64              | 950               | 81,442   | 774   | 80.4 | 77.3-83.5  | 53   | 5.4  | 03.6-07.2  | 123            | 14.2 | 11.5-16.9  |
| 65+                | 2252              | 114,982  | 1866  | 82.5 | 80.5-84.5  | 159  | 6.8  | 05.6-08.0  | 227            | 10.7 | 09.1-12.3  |
| Less Than H.S.     | 223               | 34,233   | 152   | 56.3 | 47.1-65.5  | 16   | 9.3  | 02.8-15.8  | 55             | 34.3 | 25.5-43.1  |
| H.S. or G.E.D.     | 1404              | 130,121  | 1108  | 75.8 | 72.9-78.7  | 88   | 6.7  | 04.9-08.5  | 208            | 17.5 | 14.8-20.2  |
| Some Post-H.S.     | 1677              | 193,884  | 1336  | 76.3 | 73.6-79.0  | 107  | 7.0  | 05.2-08.8  | 234            | 16.7 | 14.3-19.1  |
| College Graduate   | 1835              | 145,433  | 1528  | 83.0 | 80.8-85.2  | 114  | 5.6  | 04.2-07.0  | 193            | 11.4 | 09.4-13.4  |
| Less than \$15,000 | 166               | 19,400   | 115   | 51.5 | 40.7-62.3  | 10   | 11.0 | 02.4-19.6  | 41             | 37.4 | 26.4-48.4  |
| \$15,000- 24,999   | 346               | 29,063   | 267   | 72.2 | 65.3-79.1  | 25   | 6.8  | 03.5-10.1  | 54             | 20.9 | 14.2-27.6  |
| \$25,000- 34,999   | 455               | 41,544   | 355   | 68.4 | 61.9-74.9  | 38   | 9.6  | 05.9-13.3  | 62             | 22.0 | 15.9-28.1  |
| \$35,000- 49,999   | 656               | 59,300   | 533   | 80.6 | 76.7-84.5  | 48   | 7.6  | 04.9-10.3  | 75             | 11.8 | 08.7-14.9  |
| \$50,000- 99,999   | 1458              | 144,459  | 1172  | 77.7 | 74.8-80.6  | 87   | 6.0  | 04.2-07.8  | 199            | 16.4 | 13.7-19.1  |
| \$100,000- 199,999 | 949               | 102,417  | 764   | 79.4 | 76.1-82.7  | 48   | 5.8  | 03.8-07.8  | 137            | 14.8 | 12.1-17.5  |
| \$200,000+         | 179               | 20,211   | 147   | 83.3 | 77.0-89.6  | 10   | 3.8  | 01.1-06.5  | 22             | 12.9 | 07.2-18.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 20: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—  
(ACEHURT1)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |      |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Male               | 2591              | 253,771  | 2049  | 76.5 | 74.3-78.7  | 161  | 6.6  | 05.2-08.0  | 381            | 16.9 | 14.9-18.9  |
| Native             | 97                | 9,942    | 61    | 56.6 | 43.3-69.9  | 5    | 5.3  | 00.2-10.4  | 31             | 38.0 | 24.7-51.3  |
| Non-Native         | 2447              | 240,071  | 1958  | 77.6 | 75.4-79.8  | 150  | 6.5  | 05.1-07.9  | 339            | 15.9 | 13.9-17.9  |
| 18-24              | 172               | 31,409   | 134   | 73.5 | 65.3-81.7  | 12   | 8.1  | 03.2-13.0  | 26             | 18.4 | 11.0-25.8  |
| 25-34              | 283               | 51,964   | 216   | 74.3 | 68.4-80.2  | 20   | 8.0  | 04.1-11.9  | 47             | 17.7 | 12.6-22.8  |
| 35-44              | 315               | 42,551   | 253   | 78.2 | 72.9-83.5  | 10   | 3.9  | 01.4-06.4  | 52             | 17.9 | 13.0-22.8  |
| 45-54              | 320               | 35,219   | 237   | 72.7 | 67.0-78.4  | 22   | 7.8  | 04.5-11.1  | 61             | 19.6 | 14.5-24.7  |
| 55-64              | 460               | 40,320   | 362   | 77.0 | 72.5-81.5  | 27   | 5.9  | 03.4-08.4  | 71             | 17.1 | 13.0-21.2  |
| 65+                | 1041              | 52,308   | 847   | 81.6 | 78.9-84.3  | 70   | 6.1  | 04.5-07.7  | 124            | 12.2 | 09.8-14.6  |
| Less Than H.S.     | 125               | 19,537   | 82    | 54.0 | 42.2-65.8  | 7    | 8.8  | 01.0-16.6  | 36             | 37.2 | 25.6-48.8  |
| H.S. or G.E.D.     | 758               | 73,208   | 586   | 76.1 | 72.4-79.8  | 47   | 7.4  | 05.0-09.8  | 125            | 16.5 | 13.2-19.8  |
| Some Post-H.S.     | 816               | 94,466   | 635   | 76.1 | 72.4-79.8  | 54   | 6.2  | 04.2-08.2  | 127            | 17.7 | 14.4-21.0  |
| College Graduate   | 885               | 65,800   | 741   | 84.6 | 81.7-87.5  | 53   | 5.7  | 03.9-07.5  | 91             | 9.8  | 07.3-12.3  |
| Less than \$15,000 | 72                | 7,450    | 49    | 53.0 | 36.9-69.1  | 6    | 19.0 | 02.1-35.9  | 17             | 28.0 | 14.5-41.5  |
| \$15,000- 24,999   | 145               | 13,218   | 112   | 69.9 | 58.9-80.9  | 9    | 7.0  | 01.3-12.7  | 24             | 23.1 | 12.5-33.7  |
| \$25,000- 34,999   | 211               | 19,699   | 160   | 70.3 | 61.5-79.1  | 19   | 10.1 | 04.6-15.6  | 32             | 19.6 | 11.6-27.6  |
| \$35,000- 49,999   | 321               | 30,711   | 259   | 81.5 | 76.0-87.0  | 22   | 7.2  | 03.3-11.1  | 40             | 11.3 | 07.2-15.4  |
| \$50,000- 99,999   | 756               | 73,988   | 592   | 75.9 | 71.8-80.0  | 48   | 5.4  | 03.4-07.4  | 116            | 18.7 | 14.8-22.6  |
| \$100,000- 199,999 | 572               | 59,057   | 461   | 79.5 | 75.4-83.6  | 23   | 4.2  | 02.2-06.2  | 88             | 16.3 | 12.6-20.0  |
| \$200,000+         | 111               | 11,548   | 94    | 86.0 | 78.7-93.3  | 8    | 6.2  | 01.3-11.1  | 9              | 7.8  | 01.9-13.7  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 21: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—  
(ACEHURT1)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |      |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Female             | 2557              | 250,857  | 2082  | 76.9 | 74.5-79.3  | 164  | 6.8  | 05.2-08.4  | 311            | 16.3 | 14.1-18.5  |
| Native             | 121               | 11,836   | 79    | 55.7 | 43.2-68.2  | 9    | 3.1  | 00.6-05.6  | 33             | 41.2 | 28.5-53.9  |
| Non-Native         | 2417              | 237,561  | 1985  | 78.0 | 75.5-80.5  | 155  | 7.0  | 05.4-08.6  | 277            | 15.0 | 12.8-17.2  |
| 18-24              | 115               | 30,375   | 81    | 67.6 | 58.0-77.2  | 7    | 5.7  | 00.8-10.6  | 27             | 26.7 | 17.5-35.9  |
| 25-34              | 167               | 41,127   | 122   | 70.4 | 62.0-78.8  | 14   | 10.2 | 03.9-16.5  | 31             | 19.3 | 12.0-26.6  |
| 35-44              | 257               | 42,472   | 193   | 71.5 | 65.2-77.8  | 14   | 7.0  | 03.1-10.9  | 50             | 21.5 | 15.8-27.2  |
| 45-54              | 317               | 33,087   | 255   | 79.9 | 74.8-85.0  | 14   | 4.5  | 02.0-07.0  | 48             | 15.6 | 10.9-20.3  |
| 55-64              | 490               | 41,123   | 412   | 83.7 | 79.8-87.6  | 26   | 4.9  | 02.7-07.1  | 52             | 11.4 | 07.9-14.9  |
| 65+                | 1211              | 62,674   | 1019  | 83.2 | 80.7-85.7  | 89   | 7.3  | 05.5-09.1  | 103            | 9.5  | 07.5-11.5  |
| Less Than H.S.     | 98                | 14,696   | 70    | 59.4 | 44.9-73.9  | 9    | 10.1 | 00.0-20.7  | 19             | 30.5 | 16.8-44.2  |
| H.S. or G.E.D.     | 646               | 56,914   | 522   | 75.4 | 70.5-80.3  | 41   | 5.8  | 03.4-08.2  | 83             | 18.8 | 14.3-23.3  |
| Some Post-H.S.     | 861               | 99,418   | 701   | 76.4 | 72.3-80.5  | 53   | 7.8  | 05.1-10.5  | 107            | 15.8 | 12.3-19.3  |
| College Graduate   | 950               | 79,633   | 787   | 81.7 | 78.6-84.8  | 61   | 5.6  | 03.8-07.4  | 102            | 12.7 | 09.8-15.6  |
| Less than \$15,000 | 94                | 11,950   | 66    | 50.6 | 36.3-64.9  | 4    | 6.1  | 00.0-14.7  | 24             | 43.3 | 28.6-58.0  |
| \$15,000- 24,999   | 201               | 15,845   | 155   | 74.2 | 65.6-82.8  | 16   | 6.7  | 02.8-10.6  | 30             | 19.1 | 10.9-27.3  |
| \$25,000- 34,999   | 244               | 21,845   | 195   | 66.7 | 57.5-75.9  | 19   | 9.1  | 03.8-14.4  | 30             | 24.2 | 15.4-33.0  |
| \$35,000- 49,999   | 335               | 28,589   | 274   | 79.6 | 73.7-85.5  | 26   | 7.9  | 04.0-11.8  | 35             | 12.4 | 07.5-17.3  |
| \$50,000- 99,999   | 702               | 70,471   | 580   | 79.5 | 75.0-84.0  | 39   | 6.5  | 03.4-09.6  | 83             | 14.0 | 10.5-17.5  |
| \$100,000- 199,999 | 377               | 43,360   | 303   | 79.2 | 73.9-84.5  | 25   | 7.9  | 04.0-11.8  | 49             | 12.9 | 08.8-17.0  |
| \$200,000+         | 68                | 8,662    | 53    | 79.7 | 68.9-90.5  | 2    | 0.5  | 00.0-01.3  | 13             | 19.8 | 09.0-30.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 22: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |      |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL              | 5122              | 503,015  | 3531  | 62.0 | 60.2-63.8  | 322  | 7.0  | 06.0-08.0  | 1269           | 31.0 | 29.2-32.8  |
| Male               | 2579              | 252,624  | 1719  | 61.0 | 58.5-63.5  | 176  | 7.7  | 06.3-09.1  | 684            | 31.3 | 28.9-33.7  |
| Female             | 2543              | 250,391  | 1812  | 63.0 | 60.3-65.7  | 146  | 6.3  | 04.9-07.7  | 585            | 30.7 | 28.2-33.2  |
| Native             | 217               | 21,635   | 108   | 46.1 | 37.1-55.1  | 13   | 4.8  | 01.3-08.3  | 96             | 49.1 | 40.1-58.1  |
| Non-Native         | 4840              | 476,232  | 3385  | 62.9 | 61.1-64.7  | 304  | 7.1  | 06.1-08.1  | 1151           | 30.0 | 28.2-31.8  |
| 18-24              | 290               | 62,637   | 132   | 43.7 | 37.2-50.2  | 23   | 8.4  | 04.7-12.1  | 135            | 47.9 | 41.2-54.6  |
| 25-34              | 445               | 91,785   | 235   | 50.6 | 45.3-55.9  | 45   | 10.3 | 06.8-13.8  | 165            | 39.1 | 33.8-44.4  |
| 35-44              | 572               | 85,035   | 331   | 56.1 | 51.4-60.8  | 37   | 6.2  | 04.0-08.4  | 204            | 37.7 | 33.2-42.2  |
| 45-54              | 633               | 67,522   | 408   | 64.6 | 60.3-68.9  | 34   | 5.2  | 03.2-07.2  | 191            | 30.2 | 26.1-34.3  |
| 55-64              | 954               | 82,304   | 669   | 70.6 | 67.3-73.9  | 64   | 6.5  | 04.7-08.3  | 221            | 22.9 | 19.8-26.0  |
| 65+                | 2228              | 113,733  | 1756  | 78.1 | 75.9-80.3  | 119  | 5.4  | 04.2-06.6  | 353            | 16.5 | 14.5-18.5  |
| Less Than H.S.     | 221               | 33,833   | 145   | 48.7 | 39.7-57.7  | 9    | 7.6  | 01.9-13.3  | 67             | 43.7 | 34.7-52.7  |
| H.S. or G.E.D.     | 1407              | 130,885  | 996   | 61.1 | 57.6-64.6  | 87   | 6.7  | 04.9-08.5  | 324            | 32.2 | 28.9-35.5  |
| Some Post-H.S.     | 1665              | 192,805  | 1155  | 62.6 | 59.5-65.7  | 96   | 7.0  | 05.2-08.8  | 414            | 30.4 | 27.5-33.3  |
| College Graduate   | 1821              | 144,606  | 1231  | 65.4 | 62.7-68.1  | 129  | 6.9  | 05.5-08.3  | 461            | 27.6 | 25.1-30.1  |
| Less than \$15,000 | 166               | 19,233   | 100   | 47.0 | 36.4-57.6  | 8    | 5.2  | 00.0-11.7  | 58             | 47.7 | 36.9-58.5  |
| \$15,000- 24,999   | 337               | 28,503   | 233   | 54.5 | 47.1-61.9  | 21   | 8.4  | 03.7-13.1  | 83             | 37.1 | 29.7-44.5  |
| \$25,000- 34,999   | 453               | 41,827   | 326   | 59.2 | 52.5-65.9  | 18   | 2.7  | 00.7-04.7  | 109            | 38.1 | 31.4-44.8  |
| \$35,000- 49,999   | 651               | 59,055   | 445   | 63.6 | 58.5-68.7  | 43   | 7.1  | 04.2-10.0  | 163            | 29.2 | 24.5-33.9  |
| \$50,000- 99,999   | 1457              | 144,822  | 978   | 60.7 | 57.4-64.0  | 110  | 8.2  | 06.2-10.2  | 369            | 31.1 | 27.8-34.4  |
| \$100,000- 199,999 | 942               | 101,381  | 606   | 60.7 | 56.8-64.6  | 65   | 7.5  | 05.1-09.9  | 271            | 31.8 | 28.1-35.5  |
| \$200,000+         | 178               | 20,184   | 129   | 68.1 | 59.7-76.5  | 9    | 7.2  | 02.3-12.1  | 40             | 24.7 | 16.9-32.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 23: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |      |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Male               | 2579              | 252,624  | 1719  | 61.0 | 58.5-63.5  | 176  | 7.7  | 06.3-09.1  | 684            | 31.3 | 28.9-33.7  |
| Native             | 98                | 10,038   | 51    | 50.0 | 36.7-63.3  | 5    | 6.6  | 00.0-13.5  | 42             | 43.4 | 30.3-56.5  |
| Non-Native         | 2435              | 238,899  | 1641  | 61.7 | 59.2-64.2  | 168  | 7.7  | 06.3-09.1  | 626            | 30.6 | 28.2-33.0  |
| 18-24              | 173               | 31,658   | 83    | 45.2 | 36.8-53.6  | 13   | 7.7  | 03.2-12.2  | 77             | 47.1 | 38.5-55.7  |
| 25-34              | 278               | 50,691   | 154   | 52.4 | 45.7-59.1  | 27   | 10.9 | 06.2-15.6  | 97             | 36.7 | 30.2-43.2  |
| 35-44              | 315               | 42,547   | 186   | 58.5 | 52.4-64.6  | 20   | 6.8  | 03.5-10.1  | 109            | 34.7 | 28.8-40.6  |
| 45-54              | 318               | 34,822   | 195   | 62.0 | 55.9-68.1  | 15   | 4.4  | 01.9-06.9  | 108            | 33.5 | 27.4-39.6  |
| 55-64              | 463               | 41,065   | 315   | 68.7 | 63.8-73.6  | 39   | 8.3  | 05.4-11.2  | 109            | 23.0 | 18.5-27.5  |
| 65+                | 1032              | 51,840   | 786   | 74.5 | 71.4-77.6  | 62   | 6.8  | 04.8-08.8  | 184            | 18.7 | 15.8-21.6  |
| Less Than H.S.     | 123               | 19,095   | 79    | 45.3 | 33.7-56.9  | 8    | 13.2 | 03.6-22.8  | 36             | 41.5 | 29.5-53.5  |
| H.S. or G.E.D.     | 763               | 73,542   | 524   | 61.4 | 56.9-65.9  | 50   | 7.4  | 05.0-09.8  | 189            | 31.2 | 26.9-35.5  |
| Some Post-H.S.     | 809               | 93,977   | 528   | 61.2 | 57.1-65.3  | 56   | 7.2  | 05.0-09.4  | 225            | 31.5 | 27.4-35.6  |
| College Graduate   | 878               | 65,320   | 585   | 65.2 | 61.3-69.1  | 61   | 6.9  | 04.9-08.9  | 232            | 27.9 | 24.4-31.4  |
| Less than \$15,000 | 70                | 7,230    | 41    | 43.6 | 28.5-58.7  | 3    | 9.7  | 00.0-25.8  | 26             | 46.6 | 30.7-62.5  |
| \$15,000- 24,999   | 142               | 13,014   | 93    | 49.4 | 38.2-60.6  | 13   | 15.3 | 06.1-24.5  | 36             | 35.3 | 24.1-46.5  |
| \$25,000- 34,999   | 209               | 19,875   | 145   | 58.4 | 49.2-67.6  | 7    | 2.2  | 00.0-04.6  | 57             | 39.3 | 30.1-48.5  |
| \$35,000- 49,999   | 320               | 30,700   | 214   | 63.4 | 56.5-70.3  | 22   | 6.4  | 03.3-09.5  | 84             | 30.2 | 23.5-36.9  |
| \$50,000- 99,999   | 754               | 73,792   | 496   | 60.2 | 55.7-64.7  | 64   | 9.4  | 06.7-12.1  | 194            | 30.4 | 26.1-34.7  |
| \$100,000- 199,999 | 569               | 58,413   | 362   | 61.5 | 56.4-66.6  | 41   | 7.5  | 04.6-10.4  | 166            | 31.0 | 26.3-35.7  |
| \$200,000+         | 111               | 11,548   | 78    | 63.1 | 52.1-74.1  | 5    | 7.0  | 00.5-13.5  | 28             | 29.9 | 19.3-40.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 24: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |     |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|-----|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %   | C.I. (95%) | N              | %    | C.I. (95%) |
| Female             | 2543              | 250,391  | 1812  | 63.0 | 60.3-65.7  | 146  | 6.3 | 04.9-07.7  | 585            | 30.7 | 28.2-33.2  |
| Native             | 119               | 11,598   | 57    | 42.8 | 30.6-55.0  | 8    | 3.2 | 00.7-05.7  | 54             | 54.0 | 41.7-66.3  |
| Non-Native         | 2405              | 237,334  | 1744  | 64.1 | 61.4-66.8  | 136  | 6.4 | 04.8-08.0  | 525            | 29.5 | 27.0-32.0  |
| 18-24              | 117               | 30,979   | 49    | 42.3 | 32.5-52.1  | 10   | 9.0 | 02.9-15.1  | 58             | 48.7 | 38.7-58.7  |
| 25-34              | 167               | 41,093   | 81    | 48.3 | 39.5-57.1  | 18   | 9.6 | 04.3-14.9  | 68             | 42.1 | 33.5-50.7  |
| 35-44              | 257               | 42,488   | 145   | 53.6 | 46.7-60.5  | 17   | 5.7 | 02.8-08.6  | 95             | 40.7 | 33.8-47.6  |
| 45-54              | 315               | 32,700   | 213   | 67.3 | 61.4-73.2  | 19   | 6.1 | 03.2-09.0  | 83             | 26.6 | 20.9-32.3  |
| 55-64              | 491               | 41,238   | 354   | 72.5 | 67.8-77.2  | 25   | 4.6 | 02.4-06.8  | 112            | 22.8 | 18.3-27.3  |
| 65+                | 1196              | 61,893   | 970   | 81.1 | 78.6-83.6  | 57   | 4.3 | 02.9-05.7  | 169            | 14.6 | 12.2-17.0  |
| Less Than H.S.     | 98                | 14,738   | 66    | 53.1 | 39.0-67.2  | 1    | 0.4 | 00.0-01.2  | 31             | 46.5 | 32.4-60.6  |
| H.S. or G.E.D.     | 644               | 57,343   | 472   | 60.8 | 55.3-66.3  | 37   | 5.8 | 03.4-08.2  | 135            | 33.4 | 28.1-38.7  |
| Some Post-H.S.     | 856               | 98,828   | 627   | 63.9 | 59.2-68.6  | 40   | 6.8 | 03.9-09.7  | 189            | 29.3 | 24.8-33.8  |
| College Graduate   | 943               | 79,286   | 646   | 65.6 | 61.7-69.5  | 68   | 7.0 | 05.0-09.0  | 229            | 27.4 | 23.7-31.1  |
| Less than \$15,000 | 96                | 12,003   | 59    | 49.1 | 34.8-63.4  | 5    | 2.5 | 00.0-05.4  | 32             | 48.4 | 33.9-62.9  |
| \$15,000- 24,999   | 195               | 15,489   | 140   | 58.7 | 48.7-68.7  | 8    | 2.6 | 00.4-04.8  | 47             | 38.7 | 28.5-48.9  |
| \$25,000- 34,999   | 244               | 21,952   | 181   | 59.9 | 50.5-69.3  | 11   | 3.1 | 00.4-05.8  | 52             | 37.0 | 27.6-46.4  |
| \$35,000- 49,999   | 331               | 28,355   | 231   | 63.8 | 56.2-71.4  | 21   | 8.0 | 02.7-13.3  | 79             | 28.2 | 21.3-35.1  |
| \$50,000- 99,999   | 703               | 71,030   | 482   | 61.3 | 56.2-66.4  | 46   | 7.0 | 04.3-09.7  | 175            | 31.8 | 26.9-36.7  |
| \$100,000- 199,999 | 373               | 42,968   | 244   | 59.7 | 53.4-66.0  | 24   | 7.4 | 03.9-10.9  | 105            | 32.9 | 26.8-39.0  |
| \$200,000+         | 67                | 8,635    | 51    | 74.8 | 62.3-87.3  | 4    | 7.5 | 00.0-15.1  | 12             | 17.6 | 06.6-28.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 25: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |     |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|-----|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %   | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL              | 5161              | 504,536  | 4751  | 89.9 | 88.7-91.1  | 163  | 3.6 | 02.8-04.4  | 247            | 6.5  | 05.5-07.5  |
| Male               | 2609              | 255,120  | 2483  | 94.1 | 92.9-95.3  | 59   | 2.5 | 01.7-03.3  | 67             | 3.5  | 02.5-04.5  |
| Female             | 2552              | 249,417  | 2268  | 85.5 | 83.3-87.7  | 104  | 4.8 | 03.4-06.2  | 180            | 9.7  | 07.9-11.5  |
| Native             | 212               | 21,162   | 171   | 72.4 | 63.6-81.2  | 11   | 8.3 | 02.6-14.0  | 30             | 19.4 | 11.6-27.2  |
| Non-Native         | 4884              | 478,248  | 4520  | 90.6 | 89.4-91.8  | 152  | 3.4 | 02.6-04.2  | 212            | 6.0  | 05.0-07.0  |
| 18-24              | 289               | 62,068   | 258   | 87.8 | 83.3-92.3  | 8    | 3.2 | 00.8-05.6  | 23             | 9.0  | 05.1-12.9  |
| 25-34              | 450               | 93,252   | 388   | 85.1 | 81.0-89.2  | 24   | 5.6 | 02.9-08.3  | 38             | 9.4  | 06.1-12.7  |
| 35-44              | 567               | 83,919   | 516   | 89.9 | 87.0-92.8  | 14   | 3.1 | 01.1-05.1  | 37             | 7.0  | 04.6-09.4  |
| 45-54              | 634               | 67,555   | 567   | 89.1 | 86.4-91.8  | 28   | 4.1 | 02.3-05.9  | 39             | 6.8  | 04.4-09.2  |
| 55-64              | 953               | 82,281   | 880   | 91.1 | 88.7-93.5  | 26   | 3.3 | 01.7-04.9  | 47             | 5.6  | 03.8-07.4  |
| 65+                | 2268              | 115,461  | 2142  | 94.4 | 93.2-95.6  | 63   | 2.6 | 01.8-03.4  | 63             | 3.0  | 02.2-03.8  |
| Less Than H.S.     | 219               | 32,704   | 195   | 82.2 | 74.6-89.8  | 10   | 6.8 | 01.9-11.7  | 14             | 10.9 | 04.4-17.4  |
| H.S. or G.E.D.     | 1414              | 131,050  | 1315  | 90.7 | 88.5-92.9  | 40   | 2.9 | 01.7-04.1  | 59             | 6.4  | 04.6-08.2  |
| Some Post-H.S.     | 1684              | 194,369  | 1539  | 88.4 | 86.2-90.6  | 46   | 4.0 | 02.6-05.4  | 99             | 7.7  | 05.9-09.5  |
| College Graduate   | 1834              | 145,167  | 1692  | 92.8 | 91.4-94.2  | 67   | 3.1 | 02.1-04.1  | 75             | 4.2  | 03.0-05.4  |
| Less than \$15,000 | 170               | 19,513   | 150   | 78.8 | 69.0-88.6  | 6    | 4.2 | 00.1-08.3  | 14             | 17.0 | 07.6-26.4  |
| \$15,000- 24,999   | 347               | 28,662   | 313   | 83.1 | 76.4-89.8  | 13   | 7.3 | 02.4-12.2  | 21             | 9.6  | 04.3-14.9  |
| \$25,000- 34,999   | 462               | 41,942   | 415   | 87.2 | 82.7-91.7  | 20   | 4.4 | 01.7-07.1  | 27             | 8.3  | 04.4-12.2  |
| \$35,000- 49,999   | 655               | 59,615   | 605   | 91.9 | 89.2-94.6  | 17   | 2.6 | 01.0-04.2  | 33             | 5.5  | 03.1-07.9  |
| \$50,000- 99,999   | 1463              | 144,628  | 1341  | 89.8 | 87.6-92.0  | 47   | 3.3 | 02.1-04.5  | 75             | 7.0  | 05.0-09.0  |
| \$100,000- 199,999 | 944               | 101,763  | 878   | 91.8 | 89.4-94.2  | 29   | 3.4 | 01.8-05.0  | 37             | 4.8  | 02.8-06.8  |
| \$200,000+         | 179               | 20,051   | 169   | 95.3 | 91.6-99.0  | 3    | 1.9 | 00.0-04.3  | 7              | 2.8  | 00.0-05.7  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 26: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |     |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|-----|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %   | C.I. (95%) | N              | %    | C.I. (95%) |
| Male               | 2609              | 255,120  | 2483  | 94.1 | 92.9-95.3  | 59   | 2.5 | 01.7-03.3  | 67             | 3.5  | 02.5-04.5  |
| Native             | 98                | 9,822    | 86    | 80.6 | 68.8-92.4  | 5    | 6.5 | 00.6-12.4  | 7              | 12.9 | 01.9-23.9  |
| Non-Native         | 2464              | 241,539  | 2354  | 94.6 | 93.4-95.8  | 54   | 2.3 | 01.5-03.1  | 56             | 3.0  | 02.0-04.0  |
| 18-24              | 174               | 31,712   | 165   | 93.9 | 89.4-98.4  | 4    | 2.4 | 00.0-05.1  | 5              | 3.7  | 00.0-07.4  |
| 25-34              | 283               | 52,159   | 261   | 92.4 | 88.9-95.9  | 7    | 2.9 | 00.7-05.1  | 15             | 4.7  | 02.0-07.4  |
| 35-44              | 315               | 42,467   | 295   | 92.9 | 89.6-96.2  | 7    | 2.1 | 00.3-03.9  | 13             | 5.0  | 02.1-07.9  |
| 45-54              | 319               | 34,936   | 299   | 93.2 | 90.1-96.3  | 9    | 2.8 | 00.8-04.8  | 11             | 4.0  | 01.5-06.5  |
| 55-64              | 466               | 41,275   | 445   | 94.3 | 91.6-97.0  | 11   | 3.5 | 01.3-05.7  | 10             | 2.2  | 00.4-04.0  |
| 65+                | 1052              | 52,571   | 1018  | 97.2 | 96.2-98.2  | 21   | 1.3 | 00.7-01.9  | 13             | 1.4  | 00.6-02.2  |
| Less Than H.S.     | 125               | 19,283   | 116   | 90.4 | 83.1-97.7  | 5    | 3.4 | 00.0-07.1  | 4              | 6.2  | 00.0-12.7  |
| H.S. or G.E.D.     | 766               | 73,911   | 733   | 94.4 | 92.2-96.6  | 17   | 2.4 | 01.0-03.8  | 16             | 3.2  | 01.4-05.0  |
| Some Post-H.S.     | 822               | 95,015   | 775   | 93.2 | 91.0-95.4  | 17   | 2.7 | 01.3-04.1  | 30             | 4.1  | 02.3-05.9  |
| College Graduate   | 888               | 65,861   | 851   | 96.1 | 94.5-97.7  | 20   | 2.0 | 00.8-03.2  | 17             | 2.0  | 01.0-03.0  |
| Less than \$15,000 | 74                | 7,510    | 67    | 86.1 | 75.5-96.7  | 3    | 4.6 | 00.0-10.7  | 4              | 9.3  | 00.3-18.3  |
| \$15,000- 24,999   | 147               | 13,144   | 142   | 88.1 | 78.1-98.1  | 3    | 6.5 | 00.0-13.8  | 2              | 5.4  | 00.0-13.0  |
| \$25,000- 34,999   | 214               | 20,085   | 203   | 92.8 | 87.5-98.1  | 5    | 3.6 | 00.0-07.3  | 6              | 3.7  | 00.0-07.6  |
| \$35,000- 49,999   | 323               | 31,154   | 310   | 96.5 | 94.0-99.0  | 8    | 1.8 | 00.2-03.4  | 5              | 1.8  | 00.0-03.8  |
| \$50,000- 99,999   | 760               | 74,204   | 719   | 93.5 | 91.1-95.9  | 12   | 1.5 | 00.3-02.7  | 29             | 4.9  | 02.9-06.9  |
| \$100,000- 199,999 | 570               | 58,572   | 542   | 94.4 | 92.0-96.8  | 16   | 2.9 | 01.3-04.5  | 12             | 2.8  | 01.0-04.6  |
| \$200,000+         | 112               | 11,588   | 109   | 98.1 | 95.7-0100  | 2    | 1.7 | 00.0-04.1  | 1              | 0.2  | 00.0-00.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 27: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |      |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|------|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Female             | 2552              | 249,417  | 2268  | 85.5 | 83.3-87.7  | 104  | 4.8  | 03.4-06.2  | 180            | 9.7  | 07.9-11.5  |
| Native             | 114               | 11,341   | 85    | 65.2 | 52.5-77.9  | 6    | 9.8  | 00.6-19.0  | 23             | 25.0 | 13.8-36.2  |
| Non-Native         | 2420              | 236,709  | 2166  | 86.4 | 84.2-88.6  | 98   | 4.5  | 03.1-05.9  | 156            | 9.0  | 07.2-10.8  |
| 18-24              | 115               | 30,357   | 93    | 81.4 | 73.6-89.2  | 4    | 4.0  | 00.1-07.9  | 18             | 14.6 | 07.5-21.7  |
| 25-34              | 167               | 41,093   | 127   | 75.7 | 67.9-83.5  | 17   | 9.0  | 03.7-14.3  | 23             | 15.3 | 08.6-22.0  |
| 35-44              | 252               | 41,451   | 221   | 86.8 | 81.7-91.9  | 7    | 4.1  | 00.8-07.4  | 24             | 9.1  | 05.2-13.0  |
| 45-54              | 315               | 32,619   | 268   | 84.7 | 80.0-89.4  | 19   | 5.5  | 02.8-08.2  | 28             | 9.9  | 06.0-13.8  |
| 55-64              | 487               | 41,006   | 435   | 87.9 | 84.2-91.6  | 15   | 3.0  | 01.0-05.0  | 37             | 9.1  | 06.0-12.2  |
| 65+                | 1216              | 62,890   | 1124  | 92.0 | 90.2-93.8  | 42   | 3.6  | 02.4-04.8  | 50             | 4.4  | 03.0-05.8  |
| Less Than H.S.     | 94                | 13,421   | 79    | 70.6 | 56.3-84.9  | 5    | 11.8 | 01.2-22.4  | 10             | 17.7 | 05.4-30.0  |
| H.S. or G.E.D.     | 648               | 57,140   | 582   | 85.9 | 82.0-89.8  | 23   | 3.5  | 01.5-05.5  | 43             | 10.6 | 07.1-14.1  |
| Some Post-H.S.     | 862               | 99,353   | 764   | 83.7 | 80.0-87.4  | 29   | 5.2  | 02.8-07.6  | 69             | 11.1 | 08.0-14.2  |
| College Graduate   | 946               | 79,306   | 841   | 90.0 | 87.6-92.4  | 47   | 4.0  | 02.6-05.4  | 58             | 6.0  | 04.0-08.0  |
| Less than \$15,000 | 96                | 12,003   | 83    | 74.3 | 60.2-88.4  | 3    | 3.9  | 00.0-09.6  | 10             | 21.8 | 08.1-35.5  |
| \$15,000- 24,999   | 200               | 15,518   | 171   | 78.9 | 69.9-87.9  | 10   | 7.9  | 01.0-14.8  | 19             | 13.2 | 05.9-20.5  |
| \$25,000- 34,999   | 248               | 21,857   | 212   | 82.2 | 74.9-89.5  | 15   | 5.2  | 01.3-09.1  | 21             | 12.6 | 06.1-19.1  |
| \$35,000- 49,999   | 332               | 28,461   | 295   | 86.9 | 82.0-91.8  | 9    | 3.6  | 00.9-06.3  | 28             | 9.5  | 05.4-13.6  |
| \$50,000- 99,999   | 703               | 70,423   | 622   | 85.8 | 82.1-89.5  | 35   | 5.1  | 02.9-07.3  | 46             | 9.1  | 05.8-12.4  |
| \$100,000- 199,999 | 374               | 43,191   | 336   | 88.3 | 83.6-93.0  | 13   | 4.2  | 01.1-07.3  | 25             | 7.5  | 03.8-11.2  |
| \$200,000+         | 67                | 8,462    | 60    | 91.4 | 83.6-99.2  | 1    | 2.3  | 00.0-06.8  | 6              | 6.3  | 00.0-13.0  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 28: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |     |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|-----|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %   | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL              | 5159              | 505,335  | 4878  | 92.7 | 91.7-93.7  | 117  | 2.9 | 02.1-03.7  | 164            | 4.5  | 03.7-05.3  |
| Male               | 2612              | 255,763  | 2515  | 95.0 | 93.8-96.2  | 48   | 2.6 | 01.6-03.6  | 49             | 2.3  | 01.5-03.1  |
| Female             | 2547              | 249,572  | 2363  | 90.2 | 88.4-92.0  | 69   | 3.1 | 02.1-04.1  | 115            | 6.7  | 05.1-08.3  |
| Native             | 215               | 21,558   | 188   | 84.3 | 77.4-91.2  | 7    | 3.0 | 00.3-05.7  | 20             | 12.7 | 06.2-19.2  |
| Non-Native         | 4880              | 478,723  | 4629  | 93.0 | 91.8-94.2  | 110  | 2.9 | 02.1-03.7  | 141            | 4.1  | 03.3-04.9  |
| 18-24              | 290               | 62,367   | 265   | 91.4 | 87.7-95.1  | 9    | 2.5 | 00.7-04.3  | 16             | 6.1  | 02.8-09.4  |
| 25-34              | 449               | 93,181   | 399   | 88.2 | 84.5-91.9  | 26   | 5.8 | 03.1-08.5  | 24             | 6.0  | 03.3-08.7  |
| 35-44              | 569               | 84,667   | 532   | 92.7 | 90.2-95.2  | 10   | 2.3 | 00.7-03.9  | 27             | 5.0  | 02.8-07.2  |
| 45-54              | 633               | 67,408   | 585   | 91.5 | 89.0-94.0  | 19   | 3.2 | 01.6-04.8  | 29             | 5.3  | 03.1-07.5  |
| 55-64              | 951               | 82,075   | 892   | 93.4 | 91.4-95.4  | 20   | 2.1 | 00.9-03.3  | 39             | 4.5  | 02.9-06.1  |
| 65+                | 2267              | 115,638  | 2205  | 97.1 | 96.3-97.9  | 33   | 1.5 | 00.9-02.1  | 29             | 1.4  | 00.8-02.0  |
| Less Than H.S.     | 223               | 34,039   | 204   | 85.6 | 78.3-92.9  | 10   | 7.0 | 01.7-12.3  | 9              | 7.4  | 01.9-12.9  |
| H.S. or G.E.D.     | 1409              | 130,435  | 1336  | 93.1 | 91.3-94.9  | 32   | 2.4 | 01.4-03.4  | 41             | 4.6  | 03.0-06.2  |
| Some Post-H.S.     | 1682              | 194,369  | 1574  | 91.3 | 89.3-93.3  | 45   | 3.6 | 02.2-05.0  | 63             | 5.1  | 03.5-06.7  |
| College Graduate   | 1835              | 145,246  | 1754  | 95.7 | 94.5-96.9  | 30   | 1.5 | 00.9-02.1  | 51             | 2.9  | 01.9-03.9  |
| Less than \$15,000 | 170               | 19,747   | 154   | 79.5 | 69.1-89.9  | 6    | 6.2 | 00.0-13.1  | 10             | 14.3 | 05.3-23.3  |
| \$15,000- 24,999   | 345               | 28,591   | 324   | 88.7 | 83.0-94.4  | 11   | 5.1 | 01.2-09.0  | 10             | 6.2  | 01.7-10.7  |
| \$25,000- 34,999   | 461               | 42,251   | 428   | 89.2 | 84.7-93.7  | 16   | 5.5 | 02.0-09.0  | 17             | 5.3  | 02.4-08.2  |
| \$35,000- 49,999   | 656               | 59,578   | 625   | 94.3 | 91.9-96.7  | 14   | 1.8 | 00.6-03.0  | 17             | 3.9  | 01.7-06.1  |
| \$50,000- 99,999   | 1460              | 144,710  | 1387  | 93.7 | 91.9-95.5  | 22   | 2.1 | 00.9-03.3  | 51             | 4.2  | 02.8-05.6  |
| \$100,000- 199,999 | 944               | 101,777  | 897   | 95.2 | 93.6-96.8  | 16   | 1.5 | 00.5-02.5  | 31             | 3.3  | 01.9-04.7  |
| \$200,000+         | 179               | 20,051   | 171   | 96.1 | 92.8-99.4  | 4    | 2.1 | 00.0-04.5  | 4              | 1.9  | 00.0-04.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 29: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |      |            | More than once |     |            |
|--------------------|-------------------|----------|-------|------|------------|------|------|------------|----------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) | N              | %   | C.I. (95%) |
| Male               | 2612              | 255,763  | 2515  | 95.0 | 93.8-96.2  | 48   | 2.6  | 01.6-03.6  | 49             | 2.3 | 01.5-03.1  |
| Native             | 97                | 10,044   | 91    | 91.7 | 84.4-99.0  | 1    | 1.1  | 00.0-03.3  | 5              | 7.1 | 00.2-14.0  |
| Non-Native         | 2469              | 242,032  | 2381  | 95.2 | 94.0-96.4  | 47   | 2.7  | 01.7-03.7  | 41             | 2.1 | 01.3-02.9  |
| 18-24              | 174               | 31,712   | 168   | 96.7 | 93.8-99.6  | 4    | 2.5  | 00.0-05.2  | 2              | 0.8 | 00.0-02.0  |
| 25-34              | 282               | 52,088   | 262   | 92.4 | 88.5-96.3  | 11   | 4.8  | 01.5-08.1  | 9              | 2.9 | 00.7-05.1  |
| 35-44              | 317               | 42,899   | 298   | 93.0 | 89.7-96.3  | 8    | 3.2  | 00.8-05.6  | 11             | 3.8 | 01.3-06.3  |
| 45-54              | 319               | 34,907   | 302   | 94.0 | 90.9-97.1  | 6    | 2.2  | 00.4-04.0  | 11             | 3.9 | 01.4-06.4  |
| 55-64              | 466               | 41,357   | 448   | 95.9 | 93.7-98.1  | 8    | 2.1  | 00.5-03.7  | 10             | 2.0 | 00.4-03.6  |
| 65+                | 1054              | 52,800   | 1037  | 98.4 | 97.6-99.2  | 11   | 0.8  | 00.2-01.4  | 6              | 0.8 | 00.2-01.4  |
| Less Than H.S.     | 126               | 19,601   | 119   | 89.6 | 81.2-98.0  | 5    | 8.0  | 00.2-15.8  | 2              | 2.4 | 00.0-06.1  |
| H.S. or G.E.D.     | 766               | 73,877   | 742   | 95.8 | 93.8-97.8  | 15   | 2.3  | 00.9-03.7  | 9              | 1.9 | 00.5-03.3  |
| Some Post-H.S.     | 821               | 95,048   | 784   | 94.5 | 92.5-96.5  | 15   | 2.6  | 01.2-04.0  | 22             | 2.9 | 01.5-04.3  |
| College Graduate   | 891               | 66,188   | 862   | 96.5 | 95.1-97.9  | 13   | 1.5  | 00.5-02.5  | 16             | 2.0 | 00.8-03.2  |
| Less than \$15,000 | 75                | 7,828    | 68    | 80.3 | 64.2-96.4  | 5    | 15.1 | 00.0-30.8  | 2              | 4.5 | 00.0-11.0  |
| \$15,000- 24,999   | 146               | 13,116   | 142   | 92.1 | 84.3-99.9  | 2    | 3.4  | 00.0-08.5  | 2              | 4.5 | 00.0-10.6  |
| \$25,000- 34,999   | 213               | 20,014   | 206   | 93.6 | 88.5-98.7  | 6    | 5.4  | 00.5-10.3  | 1              | 0.9 | 00.0-02.7  |
| \$35,000- 49,999   | 323               | 31,154   | 315   | 97.2 | 94.8-99.6  | 4    | 0.8  | 00.0-01.8  | 4              | 1.9 | 00.0-04.1  |
| \$50,000- 99,999   | 760               | 74,252   | 729   | 94.8 | 92.6-97.0  | 11   | 2.1  | 00.7-03.5  | 20             | 3.1 | 01.5-04.7  |
| \$100,000- 199,999 | 569               | 58,571   | 548   | 95.9 | 93.9-97.9  | 9    | 1.9  | 00.5-03.3  | 12             | 2.1 | 00.7-03.5  |
| \$200,000+         | 112               | 11,588   | 109   | 97.8 | 94.9-0100  | 1    | 1.2  | 00.0-03.4  | 2              | 1.1 | 00.0-02.9  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 30: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |     |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|-----|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %   | C.I. (95%) | N              | %    | C.I. (95%) |
| Female             | 2547              | 249,572  | 2363  | 90.2 | 88.4-92.0  | 69   | 3.1 | 02.1-04.1  | 115            | 6.7  | 05.1-08.3  |
| Native             | 118               | 11,514   | 97    | 77.8 | 66.8-88.8  | 6    | 4.7 | 00.0-09.4  | 15             | 17.5 | 07.1-27.9  |
| Non-Native         | 2411              | 236,691  | 2248  | 90.8 | 89.0-92.6  | 63   | 3.1 | 01.9-04.3  | 100            | 6.2  | 04.6-07.8  |
| 18-24              | 116               | 30,655   | 97    | 86.0 | 79.3-92.7  | 5    | 2.4 | 00.0-04.9  | 14             | 11.6 | 05.3-17.9  |
| 25-34              | 167               | 41,093   | 137   | 82.8 | 75.7-89.9  | 15   | 7.2 | 02.3-12.1  | 15             | 10.0 | 04.5-15.5  |
| 35-44              | 252               | 41,768   | 234   | 92.3 | 88.4-96.2  | 2    | 1.4 | 00.0-03.4  | 16             | 6.3  | 03.0-09.6  |
| 45-54              | 314               | 32,501   | 283   | 88.8 | 84.7-92.9  | 13   | 4.3 | 01.6-07.0  | 18             | 6.8  | 03.5-10.1  |
| 55-64              | 485               | 40,718   | 444   | 90.9 | 87.8-94.0  | 12   | 2.1 | 00.3-03.9  | 29             | 7.1  | 04.4-09.8  |
| 65+                | 1213              | 62,838   | 1168  | 96.1 | 94.7-97.5  | 22   | 2.0 | 01.0-03.0  | 23             | 1.9  | 00.9-02.9  |
| Less Than H.S.     | 97                | 14,438   | 85    | 80.2 | 67.9-92.5  | 5    | 5.6 | 00.0-11.9  | 7              | 14.2 | 02.8-25.6  |
| H.S. or G.E.D.     | 643               | 56,559   | 594   | 89.5 | 86.2-92.8  | 17   | 2.4 | 00.8-04.0  | 32             | 8.0  | 04.9-11.1  |
| Some Post-H.S.     | 861               | 99,321   | 790   | 88.3 | 85.0-91.6  | 30   | 4.5 | 02.3-06.7  | 41             | 7.2  | 04.7-09.7  |
| College Graduate   | 944               | 79,058   | 892   | 95.0 | 93.2-96.8  | 17   | 1.5 | 00.7-02.3  | 35             | 3.6  | 02.0-05.2  |
| Less than \$15,000 | 95                | 11,919   | 86    | 79.0 | 65.3-92.7  | 1    | 0.3 | 00.0-00.9  | 8              | 20.7 | 07.0-34.4  |
| \$15,000- 24,999   | 199               | 15,475   | 182   | 85.7 | 77.5-93.9  | 9    | 6.5 | 01.0-12.0  | 8              | 7.7  | 01.0-14.4  |
| \$25,000- 34,999   | 248               | 22,238   | 222   | 85.2 | 78.3-92.1  | 10   | 5.6 | 00.5-10.7  | 16             | 9.2  | 03.9-14.5  |
| \$35,000- 49,999   | 333               | 28,424   | 310   | 91.0 | 86.7-95.3  | 10   | 3.0 | 00.6-05.4  | 13             | 6.0  | 02.3-09.7  |
| \$50,000- 99,999   | 700               | 70,458   | 658   | 92.5 | 89.8-95.2  | 11   | 2.2 | 00.6-03.8  | 31             | 5.3  | 02.9-07.7  |
| \$100,000- 199,999 | 375               | 43,206   | 349   | 94.1 | 91.4-96.8  | 7    | 0.9 | 00.1-01.7  | 19             | 5.0  | 02.3-07.7  |
| \$200,000+         | 67                | 8,462    | 62    | 93.7 | 87.0-0100  | 3    | 3.3 | 00.0-08.2  | 2              | 3.0  | 00.0-07.7  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 31: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |     |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|-----|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %   | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL              | 5148              | 503,644  | 4985  | 95.0 | 94.0-96.0  | 57   | 1.6 | 01.0-02.2  | 106            | 3.3  | 02.5-04.1  |
| Male               | 2603              | 253,885  | 2551  | 97.0 | 96.0-98.0  | 22   | 1.4 | 00.6-02.2  | 30             | 1.6  | 01.0-02.2  |
| Female             | 2545              | 249,759  | 2434  | 93.0 | 91.4-94.6  | 35   | 1.9 | 00.9-02.9  | 76             | 5.1  | 03.7-06.5  |
| Native             | 212               | 20,983   | 192   | 87.6 | 81.1-94.1  | 7    | 3.2 | 00.3-06.1  | 13             | 9.2  | 03.3-15.1  |
| Non-Native         | 4871              | 477,536  | 4729  | 95.3 | 94.3-96.3  | 50   | 1.6 | 01.0-02.2  | 92             | 3.1  | 02.3-03.9  |
| 18-24              | 286               | 61,746   | 275   | 96.0 | 93.5-98.5  | 3    | 0.7 | 00.0-01.5  | 8              | 3.3  | 00.8-05.8  |
| 25-34              | 449               | 93,001   | 416   | 90.4 | 86.7-94.1  | 11   | 3.6 | 01.1-06.1  | 22             | 6.1  | 03.2-09.0  |
| 35-44              | 566               | 84,200   | 536   | 93.6 | 91.1-96.1  | 7    | 1.8 | 00.4-03.2  | 23             | 4.6  | 02.4-06.8  |
| 45-54              | 633               | 67,324   | 602   | 94.5 | 92.3-96.7  | 9    | 1.9 | 00.5-03.3  | 22             | 3.6  | 01.8-05.4  |
| 55-64              | 952               | 82,158   | 922   | 96.4 | 94.8-98.0  | 14   | 1.3 | 00.5-02.1  | 16             | 2.3  | 00.9-03.7  |
| 65+                | 2262              | 115,216  | 2234  | 98.7 | 98.1-99.3  | 13   | 0.6 | 00.2-01.0  | 15             | 0.7  | 00.3-01.1  |
| Less Than H.S.     | 221               | 33,608   | 207   | 87.6 | 80.5-94.7  | 5    | 5.0 | 00.3-09.7  | 9              | 7.4  | 01.9-12.9  |
| H.S. or G.E.D.     | 1408              | 130,227  | 1360  | 94.7 | 92.9-96.5  | 18   | 1.9 | 00.7-03.1  | 30             | 3.4  | 02.0-04.8  |
| Some Post-H.S.     | 1673              | 193,553  | 1615  | 94.7 | 93.1-96.3  | 21   | 1.7 | 00.7-02.7  | 37             | 3.6  | 02.2-05.0  |
| College Graduate   | 1837              | 145,300  | 1794  | 97.4 | 96.4-98.4  | 13   | 0.6 | 00.2-01.0  | 30             | 2.0  | 01.2-02.8  |
| Less than \$15,000 | 167               | 19,165   | 153   | 80.9 | 70.3-91.5  | 5    | 5.5 | 00.0-12.4  | 9              | 13.6 | 04.4-22.8  |
| \$15,000- 24,999   | 347               | 28,897   | 332   | 90.6 | 85.3-95.9  | 1    | 0.2 | 00.0-00.6  | 14             | 9.2  | 03.9-14.5  |
| \$25,000- 34,999   | 462               | 42,097   | 440   | 92.8 | 88.9-96.7  | 8    | 2.9 | 00.4-05.4  | 14             | 4.3  | 01.2-07.4  |
| \$35,000- 49,999   | 653               | 59,440   | 639   | 97.0 | 95.2-98.8  | 5    | 0.6 | 00.0-01.2  | 9              | 2.4  | 00.6-04.2  |
| \$50,000- 99,999   | 1459              | 144,361  | 1414  | 95.6 | 94.0-97.2  | 17   | 1.8 | 00.6-03.0  | 28             | 2.6  | 01.4-03.8  |
| \$100,000- 199,999 | 942               | 101,682  | 920   | 97.3 | 95.9-98.7  | 5    | 0.7 | 00.0-01.5  | 17             | 2.0  | 00.8-03.2  |
| \$200,000+         | 179               | 20,051   | 178   | 99.9 | 99.7-0100  |      |     |            | 1              | 0.1  | 00.0-00.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 32: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |       |            | Once |      |            | More than once |     |            |
|--------------------|-------------------|----------|-------|-------|------------|------|------|------------|----------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N     | %     | C.I. (95%) | N    | %    | C.I. (95%) | N              | %   | C.I. (95%) |
| Male               | 2603              | 253,885  | 2551  | 97.0  | 96.0-98.0  | 22   | 1.4  | 00.6-02.2  | 30             | 1.6 | 01.0-02.2  |
| Native             | 95                | 9,544    | 88    | 91.6  | 84.3-98.9  | 1    | 0.4  | 00.0-01.2  | 6              | 8.0 | 00.7-15.3  |
| Non-Native         | 2461              | 240,582  | 2417  | 97.2  | 96.2-98.2  | 21   | 1.4  | 00.6-02.2  | 23             | 1.4 | 00.8-02.0  |
| 18-24              | 171               | 31,123   | 169   | 98.9  | 97.3-0100  | 2    | 1.1  | 00.0-02.7  |                |     |            |
| 25-34              | 282               | 51,908   | 270   | 94.8  | 91.3-98.3  | 5    | 2.8  | 00.0-05.7  | 7              | 2.3 | 00.3-04.3  |
| 35-44              | 313               | 42,244   | 300   | 95.2  | 92.3-98.1  | 5    | 2.1  | 00.1-04.1  | 8              | 2.7 | 00.5-04.9  |
| 45-54              | 317               | 34,609   | 307   | 96.2  | 93.7-98.7  | 3    | 1.2  | 00.0-02.6  | 7              | 2.7 | 00.5-04.9  |
| 55-64              | 468               | 41,416   | 459   | 97.9  | 96.1-99.7  | 4    | 0.6  | 00.0-01.2  | 5              | 1.6 | 00.0-03.2  |
| 65+                | 1052              | 52,586   | 1046  | 99.4  | 98.8-0100  | 3    | 0.2  | 00.0-00.4  | 3              | 0.4 | 00.0-00.8  |
| Less Than H.S.     | 124               | 19,169   | 119   | 91.7  | 83.7-99.7  | 3    | 5.8  | 00.0-13.1  | 2              | 2.5 | 00.0-06.2  |
| H.S. or G.E.D.     | 766               | 73,622   | 755   | 97.4  | 95.8-99.0  | 5    | 1.2  | 00.0-02.4  | 6              | 1.4 | 00.2-02.6  |
| Some Post-H.S.     | 815               | 94,201   | 794   | 97.1  | 95.5-98.7  | 7    | 0.9  | 00.1-01.7  | 14             | 2.0 | 00.8-03.2  |
| College Graduate   | 891               | 66,132   | 876   | 98.0  | 96.8-99.2  | 7    | 0.9  | 00.1-01.7  | 8              | 1.1 | 00.3-01.9  |
| Less than \$15,000 | 72                | 7,247    | 68    | 84.5  | 67.8-0100  | 2    | 11.8 | 00.0-28.3  | 2              | 3.7 | 00.0-08.8  |
| \$15,000- 24,999   | 147               | 13,144   | 144   | 93.0  | 85.4-0100  |      |      |            | 3              | 7.0 | 00.0-14.6  |
| \$25,000- 34,999   | 213               | 19,837   | 209   | 96.8  | 92.9-0100  | 2    | 2.7  | 00.0-06.6  | 2              | 0.4 | 00.0-01.2  |
| \$35,000- 49,999   | 322               | 31,103   | 319   | 98.3  | 96.3-0100  |      |      |            | 3              | 1.7 | 00.0-03.7  |
| \$50,000- 99,999   | 758               | 73,762   | 745   | 97.8  | 96.4-99.2  | 6    | 1.0  | 00.0-02.0  | 7              | 1.2 | 00.2-02.2  |
| \$100,000- 199,999 | 568               | 58,455   | 556   | 97.6  | 96.0-99.2  | 4    | 1.0  | 00.0-02.0  | 8              | 1.5 | 00.3-02.7  |
| \$200,000+         | 112               | 11,588   | 112   | 100.0 | 0100-0100  |      |      |            |                |     |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 33: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | Once |     |            | More than once |      |            |
|--------------------|-------------------|----------|-------|------|------------|------|-----|------------|----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N    | %   | C.I. (95%) | N              | %    | C.I. (95%) |
| Female             | 2545              | 249,759  | 2434  | 93.0 | 91.4-94.6  | 35   | 1.9 | 00.9-02.9  | 76             | 5.1  | 03.7-06.5  |
| Native             | 117               | 11,439   | 104   | 84.1 | 74.3-93.9  | 6    | 5.6 | 00.3-10.9  | 7              | 10.3 | 01.5-19.1  |
| Non-Native         | 2410              | 236,954  | 2312  | 93.4 | 91.8-95.0  | 29   | 1.8 | 00.8-02.8  | 69             | 4.8  | 03.4-06.2  |
| 18-24              | 115               | 30,623   | 106   | 93.0 | 87.9-98.1  | 1    | 0.3 | 00.0-00.9  | 8              | 6.7  | 01.8-11.6  |
| 25-34              | 167               | 41,093   | 146   | 84.8 | 77.9-91.7  | 6    | 4.5 | 00.2-08.8  | 15             | 10.8 | 04.9-16.7  |
| 35-44              | 253               | 41,956   | 236   | 92.0 | 88.1-95.9  | 2    | 1.5 | 00.0-03.7  | 15             | 6.5  | 03.0-10.0  |
| 45-54              | 316               | 32,715   | 295   | 92.7 | 89.2-96.2  | 6    | 2.7 | 00.3-05.1  | 15             | 4.6  | 01.9-07.3  |
| 55-64              | 484               | 40,742   | 463   | 94.8 | 92.3-97.3  | 10   | 2.1 | 00.5-03.7  | 11             | 3.1  | 01.1-05.1  |
| 65+                | 1210              | 62,629   | 1188  | 98.1 | 97.1-99.1  | 10   | 0.9 | 00.3-01.5  | 12             | 1.1  | 00.3-01.9  |
| Less Than H.S.     | 97                | 14,438   | 88    | 82.1 | 69.9-94.3  | 2    | 3.9 | 00.0-09.4  | 7              | 14.0 | 02.6-25.4  |
| H.S. or G.E.D.     | 642               | 56,605   | 605   | 91.2 | 87.9-94.5  | 13   | 2.9 | 00.9-04.9  | 24             | 5.9  | 03.2-08.6  |
| Some Post-H.S.     | 858               | 99,352   | 821   | 92.5 | 89.6-95.4  | 14   | 2.3 | 00.5-04.1  | 23             | 5.1  | 02.7-07.5  |
| College Graduate   | 946               | 79,168   | 918   | 96.8 | 95.4-98.2  | 6    | 0.4 | 00.0-00.8  | 22             | 2.8  | 01.4-04.2  |
| Less than \$15,000 | 95                | 11,919   | 85    | 78.8 | 65.1-92.5  | 3    | 1.6 | 00.0-03.8  | 7              | 19.6 | 05.9-33.3  |
| \$15,000- 24,999   | 200               | 15,753   | 188   | 88.6 | 81.3-95.9  | 1    | 0.4 | 00.0-01.2  | 11             | 11.0 | 03.7-18.3  |
| \$25,000- 34,999   | 249               | 22,260   | 231   | 89.3 | 82.8-95.8  | 6    | 3.0 | 00.0-06.3  | 12             | 7.7  | 02.0-13.4  |
| \$35,000- 49,999   | 331               | 28,337   | 320   | 95.7 | 92.8-98.6  | 5    | 1.3 | 00.0-02.7  | 6              | 3.1  | 00.4-05.8  |
| \$50,000- 99,999   | 701               | 70,599   | 669   | 93.3 | 90.6-96.0  | 11   | 2.6 | 00.6-04.6  | 21             | 4.2  | 02.0-06.4  |
| \$100,000- 199,999 | 374               | 43,227   | 364   | 96.9 | 94.7-99.1  | 1    | 0.4 | 00.0-01.2  | 9              | 2.7  | 00.5-04.9  |
| \$200,000+         | 67                | 8,462    | 66    | 99.8 | 99.4-0100  |      |     |            | 1              | 0.2  | 00.0-00.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 34: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | N   | Never |            |    | A little of the time |            |     | Some of the time |            |     | Most of the time |            |      | All of the time |            |  |
|--------------------|-------------------|----------|-----|-------|------------|----|----------------------|------------|-----|------------------|------------|-----|------------------|------------|------|-----------------|------------|--|
|                    | TOTAL             | WEIGHTED |     | %     | C.I. (95%) | N  | %                    | C.I. (95%) | N   | %                | C.I. (95%) | N   | %                | C.I. (95%) | N    | %               | C.I. (95%) |  |
| TOTAL              | 5171              | 506,141  | 125 | 3.2   | 02.4-04.0  | 93 | 2.6                  | 01.8-03.4  | 165 | 4.1              | 03.3-04.9  | 788 | 16.4             | 15.0-17.8  | 4000 | 73.7            | 71.9-75.5  |  |
| Male               | 2603              | 254,950  | 66  | 3.0   | 02.0-04.0  | 39 | 2.1                  | 01.1-03.1  | 68  | 3.3              | 02.3-04.3  | 413 | 16.0             | 14.2-17.8  | 2017 | 75.6            | 73.4-77.8  |  |
| Female             | 2568              | 251,191  | 59  | 3.3   | 02.1-04.5  | 54 | 3.2                  | 02.0-04.4  | 97  | 4.9              | 03.5-06.3  | 375 | 16.7             | 14.5-18.9  | 1983 | 71.8            | 69.3-74.3  |  |
| Native             | 215               | 21,458   | 2   | 3.2   | 00.0-07.7  | 7  | 7.4                  | 01.3-13.5  | 22  | 13.3             | 06.2-20.4  | 44  | 20.4             | 13.0-27.8  | 140  | 55.7            | 46.3-65.1  |  |
| Non-Native         | 4888              | 479,212  | 121 | 3.2   | 02.4-04.0  | 85 | 2.4                  | 01.6-03.2  | 140 | 3.7              | 02.9-04.5  | 731 | 16.1             | 14.7-17.5  | 3811 | 74.6            | 72.8-76.4  |  |
| 18-24              | 288               | 62,247   | 6   | 2.6   | 00.4-04.8  | 16 | 6.8                  | 03.1-10.5  | 17  | 6.0              | 02.7-09.3  | 55  | 19.7             | 14.4-25.0  | 194  | 64.9            | 58.4-71.4  |  |
| 25-34              | 445               | 92,123   | 17  | 5.6   | 02.5-08.7  | 9  | 2.9                  | 00.9-04.9  | 23  | 5.3              | 02.8-07.8  | 75  | 16.5             | 12.6-20.4  | 321  | 69.7            | 64.6-74.8  |  |
| 35-44              | 571               | 85,191   | 21  | 4.1   | 02.1-06.1  | 17 | 3.3                  | 01.5-05.1  | 31  | 5.7              | 03.5-07.9  | 101 | 18.9             | 15.2-22.6  | 401  | 68.0            | 63.5-72.5  |  |
| 45-54              | 639               | 68,429   | 18  | 2.7   | 01.1-04.3  | 12 | 1.7                  | 00.5-02.9  | 23  | 3.9              | 02.1-05.7  | 96  | 15.5             | 12.4-18.6  | 490  | 76.2            | 72.5-79.9  |  |
| 55-64              | 959               | 82,689   | 13  | 1.5   | 00.5-02.5  | 12 | 1.1                  | 00.3-01.9  | 23  | 2.6              | 01.4-03.8  | 147 | 14.4             | 11.9-16.9  | 764  | 80.4            | 77.5-83.3  |  |
| 65+                | 2269              | 115,463  | 50  | 2.2   | 01.4-03.0  | 27 | 1.4                  | 00.8-02.0  | 48  | 2.3              | 01.5-03.1  | 314 | 14.5             | 12.7-16.3  | 1830 | 79.5            | 77.5-81.5  |  |
| Less Than H.S.     | 227               | 34,627   | 14  | 11.4  | 04.3-18.5  | 9  | 6.9                  | 01.6-12.2  | 17  | 7.1              | 03.0-11.2  | 48  | 23.3             | 15.7-30.9  | 139  | 51.3            | 42.3-60.3  |  |
| H.S. or G.E.D.     | 1408              | 130,580  | 47  | 3.6   | 02.2-05.0  | 37 | 4.5                  | 02.7-06.3  | 48  | 4.5              | 02.9-06.1  | 246 | 18.0             | 15.5-20.5  | 1030 | 69.4            | 66.3-72.5  |  |
| Some Post-H.S.     | 1682              | 194,087  | 34  | 2.4   | 01.4-03.4  | 29 | 2.0                  | 01.0-03.0  | 53  | 4.3              | 02.9-05.7  | 252 | 16.3             | 13.9-18.7  | 1314 | 75.0            | 72.3-77.7  |  |
| College Graduate   | 1845              | 145,889  | 30  | 1.9   | 01.1-02.7  | 18 | 0.8                  | 00.4-01.2  | 46  | 2.7              | 01.7-03.7  | 240 | 13.4             | 11.4-15.4  | 1511 | 81.3            | 79.1-83.5  |  |
| Less than \$15,000 | 166               | 19,181   | 11  | 11.4  | 02.6-20.2  | 6  | 7.1                  | 01.0-13.2  | 12  | 7.0              | 01.9-12.1  | 26  | 22.9             | 13.3-32.5  | 111  | 51.7            | 40.9-62.5  |  |
| \$15,000- 24,999   | 348               | 29,027   | 11  | 5.4   | 01.3-09.5  | 8  | 2.8                  | 00.3-05.3  | 12  | 6.0              | 01.7-10.3  | 60  | 18.4             | 12.5-24.3  | 257  | 67.4            | 60.1-74.7  |  |
| \$25,000- 34,999   | 460               | 41,796   | 10  | 2.9   | 00.4-05.4  | 12 | 3.8                  | 01.1-06.5  | 16  | 4.8              | 01.9-07.7  | 66  | 17.7             | 12.6-22.8  | 356  | 70.8            | 64.7-76.9  |  |
| \$35,000- 49,999   | 658               | 59,851   | 10  | 1.6   | 00.0-03.2  | 14 | 3.0                  | 01.0-05.0  | 24  | 4.3              | 01.9-06.7  | 127 | 18.8             | 15.1-22.5  | 483  | 72.4            | 67.9-76.9  |  |
| \$50,000- 99,999   | 1468              | 145,858  | 36  | 3.1   | 01.5-04.7  | 22 | 2.1                  | 00.7-03.5  | 39  | 4.1              | 02.5-05.7  | 218 | 16.6             | 14.1-19.1  | 1153 | 74.0            | 70.9-77.1  |  |
| \$100,000- 199,999 | 945               | 101,872  | 16  | 2.4   | 01.0-03.8  | 18 | 2.8                  | 01.2-04.4  | 29  | 2.9              | 01.7-04.1  | 133 | 13.9             | 11.2-16.6  | 749  | 78.0            | 74.7-81.3  |  |
| \$200,000+         | 178               | 19,909   | 6   | 2.1   | 00.1-04.1  | 1  | 0.7                  | 00.0-02.1  | 5   | 2.3              | 00.1-04.5  | 23  | 12.1             | 06.4-17.8  | 143  | 82.8            | 76.5-89.1  |  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 35: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | A little of the time |      |            | Some of the time |      |            | Most of the time |      |            | All of the time |      |            |
|--------------------|-------------------|----------|-------|------|------------|----------------------|------|------------|------------------|------|------------|------------------|------|------------|-----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N                    | %    | C.I. (95%) | N                | %    | C.I. (95%) | N                | %    | C.I. (95%) | N               | %    | C.I. (95%) |
| Male               | 2603              | 254,950  | 66    | 3.0  | 02.0-04.0  | 39                   | 2.1  | 01.1-03.1  | 68               | 3.3  | 02.3-04.3  | 413              | 16.0 | 14.2-17.8  | 2017            | 75.6 | 73.4-77.8  |
| Native             | 97                | 9,981    | 1     | 2.5  | 00.0-07.4  | 1                    | 3.2  | 00.0-09.3  | 10               | 13.8 | 02.8-24.8  | 16               | 15.3 | 05.7-24.9  | 69              | 65.2 | 51.7-78.7  |
| Non-Native         | 2456              | 240,865  | 63    | 3.0  | 02.0-04.0  | 37                   | 2.0  | 01.0-03.0  | 55               | 2.9  | 01.9-03.9  | 388              | 16.0 | 14.2-17.8  | 1913            | 76.1 | 73.9-78.3  |
| 18-24              | 171               | 31,268   | 4     | 3.2  | 00.0-06.5  | 6                    | 5.5  | 00.2-10.8  | 8                | 4.8  | 00.9-08.7  | 35               | 20.1 | 13.2-27.0  | 118             | 66.4 | 58.0-74.8  |
| 25-34              | 280               | 51,654   | 10    | 4.9  | 01.4-08.4  | 4                    | 2.0  | 00.0-04.0  | 7                | 2.8  | 00.6-05.0  | 49               | 15.5 | 11.0-20.0  | 210             | 74.8 | 68.9-80.7  |
| 35-44              | 315               | 42,846   | 8     | 2.1  | 00.3-03.9  | 8                    | 2.9  | 00.7-05.1  | 15               | 5.1  | 02.2-08.0  | 46               | 14.5 | 10.0-19.0  | 238             | 75.4 | 69.9-80.9  |
| 45-54              | 321               | 35,315   | 8     | 3.0  | 00.6-05.4  | 5                    | 0.9  | 00.1-01.7  | 10               | 3.8  | 01.3-06.3  | 49               | 16.2 | 11.5-20.9  | 249             | 76.0 | 70.5-81.5  |
| 55-64              | 467               | 41,359   | 6     | 1.2  | 00.0-02.4  | 4                    | 0.6  | 00.0-01.4  | 10               | 2.3  | 00.7-03.9  | 86               | 16.7 | 13.0-20.4  | 361             | 79.2 | 75.1-83.3  |
| 65+                | 1049              | 52,507   | 30    | 3.0  | 01.8-04.2  | 12                   | 1.3  | 00.3-02.3  | 18               | 2.0  | 00.8-03.2  | 148              | 14.9 | 12.4-17.4  | 841             | 78.8 | 75.9-81.7  |
| Less Than H.S.     | 128               | 19,906   | 11    | 11.4 | 03.0-19.8  | 6                    | 10.2 | 01.4-19.0  | 13               | 10.1 | 03.4-16.8  | 18               | 13.2 | 05.9-20.5  | 80              | 55.0 | 43.2-66.8  |
| H.S. or G.E.D.     | 758               | 73,341   | 23    | 2.4  | 01.2-03.6  | 18                   | 2.5  | 01.1-03.9  | 16               | 2.3  | 00.9-03.7  | 142              | 18.3 | 15.0-21.6  | 559             | 74.5 | 70.8-78.2  |
| Some Post-H.S.     | 817               | 94,653   | 18    | 2.6  | 01.2-04.0  | 8                    | 1.1  | 00.1-02.1  | 21               | 3.3  | 01.7-04.9  | 137              | 17.7 | 14.4-21.0  | 633             | 75.4 | 71.7-79.1  |
| College Graduate   | 893               | 66,289   | 14    | 1.6  | 00.4-02.8  | 7                    | 0.5  | 00.1-00.9  | 17               | 2.2  | 01.0-03.4  | 114              | 12.0 | 09.5-14.5  | 741             | 83.7 | 80.8-86.6  |
| Less than \$15,000 | 72                | 7,333    | 7     | 14.6 | 00.0-30.5  | 3                    | 9.7  | 00.0-20.3  | 6                | 8.3  | 00.5-16.1  | 8                | 12.6 | 02.8-22.4  | 48              | 54.8 | 38.5-71.1  |
| \$15,000- 24,999   | 147               | 13,328   | 5     | 5.6  | 00.0-11.3  | 4                    | 2.6  | 00.0-05.5  | 5                | 9.3  | 00.5-18.1  | 20               | 11.4 | 04.9-17.9  | 113             | 71.1 | 60.3-81.9  |
| \$25,000- 34,999   | 212               | 19,976   | 6     | 2.3  | 00.0-05.0  | 5                    | 4.7  | 00.0-09.6  | 5                | 4.4  | 00.3-08.5  | 36               | 18.4 | 11.1-25.7  | 160             | 70.2 | 61.4-79.0  |
| \$35,000- 49,999   | 323               | 31,383   | 5     | 0.5  | 00.0-01.1  | 4                    | 1.7  | 00.0-04.1  | 11               | 2.7  | 00.5-04.9  | 69               | 20.8 | 15.3-26.3  | 234             | 74.3 | 68.4-80.2  |
| \$50,000- 99,999   | 761               | 74,471   | 16    | 2.2  | 00.8-03.6  | 8                    | 1.6  | 00.0-03.6  | 15               | 2.9  | 01.3-04.5  | 126              | 17.5 | 14.0-21.0  | 596             | 75.9 | 71.8-80.0  |
| \$100,000- 199,999 | 568               | 58,512   | 11    | 3.0  | 01.0-05.0  | 9                    | 1.5  | 00.3-02.7  | 13               | 2.5  | 00.9-04.1  | 84               | 14.6 | 11.1-18.1  | 451             | 78.4 | 74.3-82.5  |
| \$200,000+         | 111               | 11,447   | 5     | 3.1  | 00.0-06.2  |                      |      |            | 1                | 1.3  | 00.0-03.8  | 13               | 9.4  | 03.5-15.3  | 92              | 86.1 | 79.0-93.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 36: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | A little of the time |      |            | Some of the time |      |            | Most of the time |      |            | All of the time |      |            |
|--------------------|-------------------|----------|-------|------|------------|----------------------|------|------------|------------------|------|------------|------------------|------|------------|-----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N                    | %    | C.I. (95%) | N                | %    | C.I. (95%) | N                | %    | C.I. (95%) | N               | %    | C.I. (95%) |
| Female             | 2568              | 251,191  | 59    | 3.3  | 02.1-04.5  | 54                   | 3.2  | 02.0-04.4  | 97               | 4.9  | 03.5-06.3  | 375              | 16.7 | 14.5-18.9  | 1983            | 71.8 | 69.3-74.3  |
| Native             | 118               | 11,476   | 1     | 3.8  | 00.0-10.9  | 6                    | 11.0 | 01.4-20.6  | 12               | 13.0 | 03.8-22.2  | 28               | 24.9 | 13.7-36.1  | 71              | 47.3 | 34.8-59.8  |
| Non-Native         | 2432              | 238,348  | 58    | 3.3  | 02.1-04.5  | 48                   | 2.9  | 01.9-03.9  | 85               | 4.6  | 03.4-05.8  | 343              | 16.2 | 14.0-18.4  | 1898            | 73.1 | 70.6-75.6  |
| 18-24              | 117               | 30,979   | 2     | 2.0  | 00.0-04.7  | 10                   | 8.1  | 02.8-13.4  | 9                | 7.2  | 02.1-12.3  | 20               | 19.4 | 11.2-27.6  | 76              | 63.3 | 53.7-72.9  |
| 25-34              | 165               | 40,469   | 7     | 6.5  | 01.2-11.8  | 5                    | 4.0  | 00.3-07.7  | 16               | 8.3  | 03.4-13.2  | 26               | 17.9 | 11.0-24.8  | 111             | 63.3 | 54.5-72.1  |
| 35-44              | 256               | 42,345   | 13    | 6.2  | 02.5-09.9  | 9                    | 3.7  | 01.2-06.2  | 16               | 6.2  | 02.9-09.5  | 55               | 23.3 | 17.2-29.4  | 163             | 60.6 | 53.7-67.5  |
| 45-54              | 318               | 33,113   | 10    | 2.3  | 00.7-03.9  | 7                    | 2.6  | 00.4-04.8  | 13               | 4.0  | 01.6-06.4  | 47               | 14.7 | 10.4-19.0  | 241             | 76.4 | 71.1-81.7  |
| 55-64              | 492               | 41,330   | 7     | 1.8  | 00.4-03.2  | 8                    | 1.6  | 00.2-03.0  | 13               | 2.9  | 01.1-04.7  | 61               | 12.1 | 08.6-15.6  | 403             | 81.7 | 77.6-85.8  |
| 65+                | 1220              | 62,956   | 20    | 1.6  | 00.8-02.4  | 15                   | 1.4  | 00.6-02.2  | 30               | 2.6  | 01.4-03.8  | 166              | 14.2 | 11.8-16.6  | 989             | 80.1 | 77.4-82.8  |
| Less Than H.S.     | 99                | 14,721   | 3     | 11.3 | 00.0-23.5  | 3                    | 2.5  | 00.0-06.0  | 4                | 3.1  | 00.0-06.4  | 30               | 36.9 | 23.0-50.8  | 59              | 46.2 | 32.7-59.7  |
| H.S. or G.E.D.     | 650               | 57,239   | 24    | 5.2  | 02.8-07.6  | 19                   | 7.0  | 03.5-10.5  | 32               | 7.3  | 04.2-10.4  | 104              | 17.6 | 13.5-21.7  | 471             | 63.0 | 57.7-68.3  |
| Some Post-H.S.     | 865               | 99,434   | 16    | 2.1  | 00.5-03.7  | 21                   | 2.9  | 01.1-04.7  | 32               | 5.3  | 02.9-07.7  | 115              | 14.9 | 11.6-18.2  | 681             | 74.7 | 70.4-79.0  |
| College Graduate   | 952               | 79,600   | 16    | 2.1  | 00.9-03.3  | 11                   | 1.1  | 00.3-01.9  | 29               | 3.1  | 01.7-04.5  | 126              | 14.5 | 11.6-17.4  | 770             | 79.2 | 75.9-82.5  |
| Less than \$15,000 | 94                | 11,848   | 4     | 9.5  | 00.0-19.7  | 3                    | 5.4  | 00.0-12.5  | 6                | 6.1  | 00.0-12.6  | 18               | 29.2 | 15.5-42.9  | 63              | 49.8 | 35.5-64.1  |
| \$15,000- 24,999   | 201               | 15,699   | 6     | 5.3  | 00.0-11.0  | 4                    | 3.0  | 00.0-06.9  | 7                | 3.2  | 00.3-06.1  | 40               | 24.4 | 15.2-33.6  | 144             | 64.2 | 54.2-74.2  |
| \$25,000- 34,999   | 248               | 21,820   | 4     | 3.5  | 00.0-07.4  | 7                    | 3.0  | 00.1-05.9  | 11               | 5.1  | 01.2-09.0  | 30               | 17.1 | 09.8-24.4  | 196             | 71.3 | 62.9-79.7  |
| \$35,000- 49,999   | 335               | 28,467   | 5     | 2.7  | 00.0-06.0  | 10                   | 4.4  | 01.1-07.7  | 13               | 6.1  | 02.0-10.2  | 58               | 16.6 | 11.3-21.9  | 249             | 70.3 | 63.2-77.4  |
| \$50,000- 99,999   | 707               | 71,387   | 20    | 4.1  | 01.4-06.8  | 14                   | 2.6  | 00.8-04.4  | 24               | 5.5  | 03.0-08.0  | 92               | 15.8 | 12.1-19.5  | 557             | 72.1 | 67.2-77.0  |
| \$100,000- 199,999 | 377               | 43,360   | 5     | 1.5  | 00.0-03.1  | 9                    | 4.6  | 01.3-07.9  | 16               | 3.4  | 01.4-05.4  | 49               | 13.0 | 08.7-17.3  | 298             | 77.5 | 72.0-83.0  |
| \$200,000+         | 67                | 8,462    | 1     | 0.7  | 00.0-02.1  | 1                    | 1.7  | 00.0-05.0  | 4                | 3.6  | 00.0-07.3  | 10               | 15.8 | 05.2-26.4  | 51              | 78.2 | 66.8-89.6  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 37: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |     |            | A little of the time |     |            | Some of the time |     |            | Most of the time |      |            | All of the time |      |            |
|--------------------|-------------------|----------|-------|-----|------------|----------------------|-----|------------|------------------|-----|------------|------------------|------|------------|-----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %   | C.I. (95%) | N                    | %   | C.I. (95%) | N                | %   | C.I. (95%) | N                | %    | C.I. (95%) | N               | %    | C.I. (95%) |
| TOTAL              | 5188              | 508,316  | 58    | 1.4 | 01.0-01.8  | 55                   | 1.7 | 01.1-02.3  | 114              | 2.9 | 02.1-03.7  | 520              | 10.3 | 09.1-11.5  | 4441            | 83.7 | 82.3-85.1  |
| Male               | 2616              | 256,315  | 32    | 1.5 | 00.7-02.3  | 22                   | 1.4 | 00.6-02.2  | 47               | 2.2 | 01.4-03.0  | 265              | 9.9  | 08.5-11.3  | 2250            | 85.0 | 83.0-87.0  |
| Female             | 2572              | 252,001  | 26    | 1.2 | 00.6-01.8  | 33                   | 1.9 | 01.1-02.7  | 67               | 3.7 | 02.5-04.9  | 255              | 10.8 | 09.0-12.6  | 2191            | 82.3 | 80.1-84.5  |
| Native             | 217               | 21,682   | 4     | 2.1 | 00.0-04.3  | 6                    | 4.7 | 00.2-09.2  | 12               | 9.6 | 02.9-16.3  | 34               | 18.2 | 10.9-25.5  | 161             | 65.3 | 56.1-74.5  |
| Non-Native         | 4903              | 481,164  | 54    | 1.4 | 01.0-01.8  | 49                   | 1.6 | 01.0-02.2  | 100              | 2.7 | 02.1-03.3  | 478              | 10.0 | 08.8-11.2  | 4222            | 84.5 | 83.1-85.9  |
| 18-24              | 289               | 62,350   | 4     | 1.0 | 00.0-02.0  | 10                   | 4.7 | 01.4-08.0  | 14               | 5.8 | 02.5-09.1  | 30               | 9.8  | 05.9-13.7  | 231             | 78.7 | 73.0-84.4  |
| 25-34              | 449               | 92,991   | 9     | 2.2 | 00.4-04.0  | 8                    | 2.1 | 00.3-03.9  | 18               | 4.1 | 01.9-06.3  | 43               | 12.1 | 08.4-15.8  | 371             | 79.5 | 74.8-84.2  |
| 35-44              | 574               | 85,503   | 13    | 2.1 | 00.9-03.3  | 9                    | 1.8 | 00.4-03.2  | 20               | 3.4 | 01.8-05.0  | 56               | 10.7 | 07.8-13.6  | 476             | 82.0 | 78.5-85.5  |
| 45-54              | 640               | 68,509   | 4     | 0.6 | 00.0-01.2  | 7                    | 1.1 | 00.1-02.1  | 19               | 3.0 | 01.4-04.6  | 53               | 8.0  | 05.6-10.4  | 557             | 87.3 | 84.4-90.2  |
| 55-64              | 961               | 82,913   | 6     | 0.9 | 00.1-01.7  | 7                    | 0.6 | 00.0-01.2  | 11               | 1.2 | 00.2-02.2  | 84               | 8.6  | 06.6-10.6  | 853             | 88.8 | 86.4-91.2  |
| 65+                | 2275              | 116,050  | 22    | 1.2 | 00.6-01.8  | 14                   | 0.8 | 00.4-01.2  | 32               | 1.4 | 00.8-02.0  | 254              | 11.6 | 10.0-13.2  | 1953            | 85.1 | 83.3-86.9  |
| Less Than H.S.     | 228               | 34,742   | 9     | 4.3 | 00.2-08.4  | 10                   | 6.1 | 00.8-11.4  | 10               | 7.0 | 02.3-11.7  | 43               | 18.4 | 11.7-25.1  | 156             | 64.2 | 55.4-73.0  |
| H.S. or G.E.D.     | 1419              | 131,689  | 27    | 2.4 | 01.4-03.4  | 17                   | 2.0 | 00.8-03.2  | 43               | 4.2 | 02.6-05.8  | 200              | 13.6 | 11.2-16.0  | 1132            | 77.8 | 74.9-80.7  |
| Some Post-H.S.     | 1684              | 194,686  | 6     | 0.2 | 00.0-00.4  | 16                   | 1.4 | 00.6-02.2  | 31               | 2.3 | 01.1-03.5  | 146              | 9.7  | 07.7-11.7  | 1485            | 86.3 | 83.9-88.7  |
| College Graduate   | 1848              | 146,243  | 16    | 1.3 | 00.5-02.1  | 12                   | 0.8 | 00.2-01.4  | 30               | 1.7 | 00.9-02.5  | 129              | 6.3  | 04.9-07.7  | 1661            | 90.0 | 88.2-91.8  |
| Less than \$15,000 | 169               | 19,700   | 10    | 7.6 | 00.7-14.5  | 6                    | 8.4 | 01.1-15.7  | 10               | 8.0 | 02.1-13.9  | 25               | 13.5 | 06.6-20.4  | 118             | 62.6 | 52.0-73.2  |
| \$15,000- 24,999   | 350               | 29,379   | 3     | 1.0 | 00.0-02.2  | 4                    | 1.1 | 00.0-02.3  | 10               | 4.6 | 00.7-08.5  | 51               | 16.3 | 10.4-22.2  | 282             | 77.0 | 70.3-83.7  |
| \$25,000- 34,999   | 461               | 42,191   | 9     | 2.4 | 00.4-04.4  | 8                    | 2.3 | 00.1-04.5  | 5                | 2.4 | 00.0-04.9  | 46               | 11.7 | 07.2-16.2  | 393             | 81.2 | 75.7-86.7  |
| \$35,000- 49,999   | 658               | 59,851   | 5     | 0.5 | 00.1-00.9  | 6                    | 0.9 | 00.0-01.9  | 17               | 4.0 | 01.6-06.4  | 84               | 11.3 | 08.4-14.2  | 546             | 83.3 | 79.6-87.0  |
| \$50,000- 99,999   | 1470              | 145,971  | 8     | 0.7 | 00.1-01.3  | 14                   | 1.8 | 00.6-03.0  | 28               | 2.5 | 01.3-03.7  | 130              | 9.7  | 07.5-11.9  | 1290            | 85.4 | 82.9-87.9  |
| \$100,000- 199,999 | 947               | 102,025  | 5     | 0.8 | 00.0-01.6  | 8                    | 1.3 | 00.1-02.5  | 17               | 1.4 | 00.6-02.2  | 71               | 8.6  | 06.2-11.0  | 846             | 87.8 | 85.1-90.5  |
| \$200,000+         | 180               | 20,251   | 3     | 1.2 | 00.0-02.8  | 2                    | 1.5 | 00.0-03.5  | 3                | 2.0 | 00.0-04.4  | 6                | 2.3  | 00.1-04.5  | 166             | 93.0 | 88.9-97.1  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 38: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |      |            | A little of the time |     |            | Some of the time |     |            | Most of the time |      |            | All of the time |      |            |
|--------------------|-------------------|----------|-------|------|------------|----------------------|-----|------------|------------------|-----|------------|------------------|------|------------|-----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N                    | %   | C.I. (95%) | N                | %   | C.I. (95%) | N                | %    | C.I. (95%) | N               | %    | C.I. (95%) |
| Male               | 2616              | 256,315  | 32    | 1.5  | 00.7-02.3  | 22                   | 1.4 | 00.6-02.2  | 47               | 2.2 | 01.4-03.0  | 265              | 9.9  | 08.5-11.3  | 2250            | 85.0 | 83.0-87.0  |
| Native             | 98                | 10,085   | 2     | 2.2  | 00.0-05.3  | 3                    | 5.9 | 00.0-13.5  | 4                | 6.7 | 00.0-15.9  | 11               | 13.3 | 04.3-22.3  | 78              | 71.9 | 59.0-84.8  |
| Non-Native         | 2468              | 242,127  | 30    | 1.5  | 00.7-02.3  | 19                   | 1.3 | 00.5-02.1  | 41               | 2.0 | 01.2-02.8  | 248              | 9.7  | 08.3-11.1  | 2130            | 85.5 | 83.5-87.5  |
| 18-24              | 172               | 31,371   | 4     | 1.9  | 00.0-04.1  | 2                    | 3.0 | 00.0-07.5  | 7                | 4.9 | 00.6-09.2  | 18               | 9.6  | 04.7-14.5  | 141             | 80.6 | 73.2-88.0  |
| 25-34              | 283               | 52,082   | 7     | 3.3  | 00.4-06.2  | 3                    | 1.6 | 00.0-03.6  | 5                | 1.5 | 00.0-03.1  | 19               | 8.0  | 04.3-11.7  | 249             | 85.6 | 80.5-90.7  |
| 35-44              | 317               | 42,958   | 3     | 0.6  | 00.0-01.4  | 5                    | 2.2 | 00.0-04.4  | 10               | 2.5 | 00.7-04.3  | 28               | 9.8  | 06.1-13.5  | 271             | 84.9 | 80.4-89.4  |
| 45-54              | 323               | 35,608   | 2     | 0.5  | 00.0-01.3  | 5                    | 1.6 | 00.0-03.4  | 9                | 3.3 | 00.9-05.7  | 28               | 8.5  | 05.0-12.0  | 279             | 86.1 | 81.6-90.6  |
| 55-64              | 469               | 41,583   | 4     | 1.0  | 00.0-02.2  | 1                    | 0.1 | 00.0-00.3  | 5                | 1.0 | 00.0-02.2  | 52               | 11.3 | 08.0-14.6  | 407             | 86.6 | 83.1-90.1  |
| 65+                | 1052              | 52,713   | 12    | 1.3  | 00.5-02.1  | 6                    | 0.7 | 00.1-01.3  | 11               | 1.1 | 00.3-01.9  | 120              | 11.8 | 09.4-14.2  | 903             | 85.2 | 82.5-87.9  |
| Less Than H.S.     | 128               | 19,906   | 7     | 6.4  | 00.0-13.5  | 4                    | 6.1 | 00.0-13.7  | 6                | 8.0 | 01.1-14.9  | 27               | 16.9 | 09.5-24.3  | 84              | 62.6 | 51.0-74.2  |
| H.S. or G.E.D.     | 766               | 74,164   | 14    | 2.0  | 00.8-03.2  | 5                    | 0.5 | 00.0-01.1  | 19               | 2.3 | 01.1-03.5  | 105              | 12.5 | 09.6-15.4  | 623             | 82.7 | 79.4-86.0  |
| Some Post-H.S.     | 820               | 95,053   | 3     | 0.2  | 00.0-00.4  | 8                    | 1.8 | 00.4-03.2  | 9                | 1.4 | 00.2-02.6  | 68               | 8.8  | 06.4-11.2  | 732             | 87.8 | 84.9-90.7  |
| College Graduate   | 895               | 66,432   | 8     | 1.4  | 00.2-02.6  | 5                    | 0.6 | 00.0-01.2  | 13               | 1.5 | 00.5-02.5  | 64               | 6.3  | 04.3-08.3  | 805             | 90.3 | 87.9-92.7  |
| Less than \$15,000 | 74                | 7,730    | 7     | 15.2 | 00.0-30.5  | 2                    | 6.8 | 00.0-16.0  | 4                | 4.4 | 00.0-09.7  | 8                | 12.5 | 02.7-22.3  | 53              | 61.2 | 44.9-77.5  |
| \$15,000- 24,999   | 148               | 13,429   | 2     | 1.1  | 00.0-02.9  | 1                    | 1.1 | 00.0-03.1  | 4                | 6.7 | 00.0-14.5  | 26               | 16.0 | 08.6-23.4  | 115             | 75.2 | 65.2-85.2  |
| \$25,000- 34,999   | 213               | 20,155   | 4     | 1.3  | 00.0-02.7  | 3                    | 2.3 | 00.0-05.6  | 2                | 1.1 | 00.0-02.7  | 22               | 12.9 | 05.8-20.0  | 182             | 82.4 | 74.8-90.0  |
| \$35,000- 49,999   | 323               | 31,383   | 2     | 0.1  | 00.0-00.3  | 2                    | 0.1 | 00.0-00.3  | 8                | 2.8 | 00.3-05.3  | 48               | 13.1 | 08.8-17.4  | 263             | 83.8 | 78.9-88.7  |
| \$50,000- 99,999   | 764               | 74,642   | 5     | 0.7  | 00.0-01.5  | 3                    | 1.3 | 00.0-03.3  | 13               | 1.8 | 00.6-03.0  | 69               | 9.1  | 06.6-11.6  | 674             | 87.1 | 83.8-90.4  |
| \$100,000- 199,999 | 569               | 58,595   | 2     | 0.8  | 00.0-01.8  | 6                    | 1.6 | 00.0-03.2  | 8                | 1.2 | 00.2-02.2  | 41               | 7.5  | 04.8-10.2  | 512             | 89.0 | 85.7-92.3  |
| \$200,000+         | 112               | 11,588   | 2     | 2.0  | 00.0-04.7  | 1                    | 1.3 | 00.0-03.8  |                  |     |            | 5                | 2.6  | 00.1-05.1  | 104             | 94.0 | 89.5-98.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 20: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 39: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Never |     |            | A little of the time |     |            | Some of the time |      |            | Most of the time |      |            | All of the time |      |            |
|--------------------|-------------------|----------|-------|-----|------------|----------------------|-----|------------|------------------|------|------------|------------------|------|------------|-----------------|------|------------|
|                    | TOTAL             | WEIGHTED | N     | %   | C.I. (95%) | N                    | %   | C.I. (95%) | N                | %    | C.I. (95%) | N                | %    | C.I. (95%) | N               | %    | C.I. (95%) |
| Female             | 2572              | 252,001  | 26    | 1.2 | 00.6-01.8  | 33                   | 1.9 | 01.1-02.7  | 67               | 3.7  | 02.5-04.9  | 255              | 10.8 | 09.0-12.6  | 2191            | 82.3 | 80.1-84.5  |
| Native             | 119               | 11,598   | 2     | 2.1 | 00.0-05.0  | 3                    | 3.7 | 00.0-09.0  | 8                | 12.2 | 02.4-22.0  | 23               | 22.5 | 11.5-33.5  | 83              | 59.6 | 46.9-72.3  |
| Non-Native         | 2435              | 239,037  | 24    | 1.2 | 00.6-01.8  | 30                   | 1.9 | 01.1-02.7  | 59               | 3.3  | 02.1-04.5  | 230              | 10.2 | 08.4-12.0  | 2092            | 83.4 | 81.2-85.6  |
| 18-24              | 117               | 30,979   |       |     |            | 8                    | 6.4 | 01.7-11.1  | 7                | 6.7  | 01.6-11.8  | 12               | 10.1 | 03.8-16.4  | 90              | 76.8 | 68.4-85.2  |
| 25-34              | 166               | 40,910   | 2     | 0.8 | 00.0-02.0  | 5                    | 2.7 | 00.0-05.6  | 13               | 7.4  | 02.9-11.9  | 24               | 17.4 | 10.3-24.5  | 122             | 71.8 | 63.6-80.0  |
| 35-44              | 257               | 42,545   | 10    | 3.6 | 01.2-06.0  | 4                    | 1.5 | 00.1-02.9  | 10               | 4.2  | 01.5-06.9  | 28               | 11.7 | 07.0-16.4  | 205             | 79.1 | 73.4-84.8  |
| 45-54              | 317               | 32,901   | 2     | 0.7 | 00.0-01.7  | 2                    | 0.6 | 00.0-01.4  | 10               | 2.8  | 00.8-04.8  | 25               | 7.4  | 04.1-10.7  | 278             | 88.5 | 84.6-92.4  |
| 55-64              | 492               | 41,330   | 2     | 0.8 | 00.0-01.8  | 6                    | 1.2 | 00.0-02.4  | 6                | 1.3  | 00.0-02.7  | 32               | 5.8  | 03.4-08.2  | 446             | 91.0 | 88.1-93.9  |
| 65+                | 1223              | 63,337   | 10    | 1.1 | 00.3-01.9  | 8                    | 0.8 | 00.2-01.4  | 21               | 1.7  | 00.9-02.5  | 134              | 11.4 | 09.2-13.6  | 1050            | 85.0 | 82.5-87.5  |
| Less Than H.S.     | 100               | 14,836   | 2     | 1.5 | 00.0-03.7  | 6                    | 6.1 | 00.0-13.4  | 4                | 5.6  | 00.0-11.5  | 16               | 20.4 | 08.6-32.2  | 72              | 66.4 | 53.1-79.7  |
| H.S. or G.E.D.     | 653               | 57,525   | 13    | 3.0 | 01.2-04.8  | 12                   | 4.0 | 01.5-06.5  | 24               | 6.7  | 03.6-09.8  | 95               | 14.9 | 11.0-18.8  | 509             | 71.4 | 66.3-76.5  |
| Some Post-H.S.     | 864               | 99,633   | 3     | 0.3 | 00.0-00.7  | 8                    | 1.0 | 00.0-02.0  | 22               | 3.2  | 01.2-05.2  | 78               | 10.6 | 07.5-13.7  | 753             | 84.9 | 81.2-88.6  |
| College Graduate   | 953               | 79,812   | 8     | 1.1 | 00.3-01.9  | 7                    | 0.9 | 00.1-01.7  | 17               | 1.9  | 00.7-03.1  | 65               | 6.3  | 04.3-08.3  | 856             | 89.8 | 87.4-92.2  |
| Less than \$15,000 | 95                | 11,970   | 3     | 2.7 | 00.0-06.0  | 4                    | 9.5 | 00.0-19.7  | 6                | 10.3 | 01.3-19.3  | 17               | 14.1 | 04.9-23.3  | 65              | 63.5 | 49.6-77.4  |
| \$15,000- 24,999   | 202               | 15,950   | 1     | 0.9 | 00.0-02.7  | 3                    | 1.1 | 00.0-02.5  | 6                | 2.9  | 00.0-05.8  | 25               | 16.6 | 07.8-25.4  | 167             | 78.5 | 69.5-87.5  |
| \$25,000- 34,999   | 248               | 22,036   | 5     | 3.4 | 00.1-06.7  | 5                    | 2.3 | 00.0-05.2  | 3                | 3.6  | 00.0-08.3  | 24               | 10.5 | 05.0-16.0  | 211             | 80.1 | 72.5-87.7  |
| \$35,000- 49,999   | 335               | 28,467   | 3     | 0.9 | 00.0-01.9  | 4                    | 1.7 | 00.0-03.9  | 9                | 5.4  | 01.5-09.3  | 36               | 9.4  | 05.3-13.5  | 283             | 82.7 | 77.0-88.4  |
| \$50,000- 99,999   | 706               | 71,329   | 3     | 0.6 | 00.0-01.4  | 11                   | 2.2 | 00.6-03.8  | 15               | 3.4  | 01.2-05.6  | 61               | 10.3 | 07.0-13.6  | 616             | 83.6 | 79.5-87.7  |
| \$100,000- 199,999 | 378               | 43,430   | 3     | 0.9 | 00.0-01.9  | 2                    | 0.9 | 00.0-02.3  | 9                | 1.8  | 00.2-03.4  | 30               | 10.1 | 05.6-14.6  | 334             | 86.3 | 81.4-91.2  |
| \$200,000+         | 68                | 8,662    | 1     | 0.1 | 00.0-00.3  | 1                    | 1.7 | 00.0-05.0  | 3                | 4.7  | 00.0-10.2  | 1                | 2.0  | 00.0-05.9  | 62              | 91.5 | 84.2-98.8  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

**MODULE 21: MARIJUANA USE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

| TABLE                                                                                                                                                      | PAGE |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)                                                                    |      |
| 1 MALES AND FEMALES                                                                                                                                        | 109  |
| 2 MALES ONLY                                                                                                                                               | 110  |
| 3 FEMALES ONLY                                                                                                                                             | 111  |
| DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN3) |      |
| 4 MALES AND FEMALES                                                                                                                                        | 112  |
| 5 MALES ONLY                                                                                                                                               | 113  |
| 6 FEMALES ONLY                                                                                                                                             | 114  |
| WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)                                                                    |      |
| 7 MALES AND FEMALES                                                                                                                                        | 115  |
| 8 MALES ONLY                                                                                                                                               | 116  |
| 9 FEMALES ONLY                                                                                                                                             | 117  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 21: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | NONE |      |            | Data was weighted using _LLCPWT. |     |            |    |           |            | 6-10 Days  |     |            | 11-20 Days |     |            | 21-30 Days |      |            |
|--------------------|-------------------|----------|------|------|------------|----------------------------------|-----|------------|----|-----------|------------|------------|-----|------------|------------|-----|------------|------------|------|------------|
|                    | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | 1 Day                            |     | 2-5 Days   |    | 6-10 Days |            | 11-20 Days |     | 21-30 Days |            |     |            |            |      |            |
|                    |                   |          | N    | %    | C.I. (95%) | N                                | %   | C.I. (95%) | N  | %         | C.I. (95%) | N          | %   | C.I. (95%) | N          | %   | C.I. (95%) | N          | %    | C.I. (95%) |
| TOTAL              | 5270              | 517,851  | 4965 | 91.4 | 90.2-92.6  | 32                               | 0.7 | 00.5-00.9  | 77 | 2.2       | 01.6-02.8  | 27         | 0.7 | 00.3-01.1  | 43         | 1.2 | 00.8-01.6  | 126        | 3.8  | 03.0-04.6  |
| Male               | 2656              | 261,750  | 2478 | 90.2 | 88.4-92.0  | 23                               | 1.0 | 00.6-01.4  | 43 | 2.6       | 01.6-03.6  | 17         | 0.9 | 00.3-01.5  | 25         | 1.0 | 00.6-01.4  | 70         | 4.2  | 03.0-05.4  |
| Female             | 2614              | 256,101  | 2487 | 92.6 | 91.0-94.2  | 9                                | 0.4 | 00.0-00.8  | 34 | 1.7       | 00.9-02.5  | 10         | 0.6 | 00.2-01.0  | 18         | 1.3 | 00.5-02.1  | 56         | 3.4  | 02.4-04.4  |
| Native             | 221               | 22,167   | 182  | 73.8 | 65.4-82.2  | 2                                | 0.3 | 00.0-00.9  | 11 | 9.9       | 03.0-16.8  | 5          | 1.6 | 00.0-03.4  | 3          | 2.5 | 00.0-05.4  | 18         | 11.7 | 05.8-17.6  |
| Non-Native         | 4975              | 489,684  | 4715 | 92.2 | 91.0-93.4  | 30                               | 0.7 | 00.3-01.1  | 66 | 1.8       | 01.2-02.4  | 22         | 0.7 | 00.3-01.1  | 40         | 1.1 | 00.7-01.5  | 102        | 3.4  | 02.6-04.2  |
| 18-24              | 289               | 62,385   | 241  | 83.9 | 79.0-88.8  | 6                                | 1.4 | 00.0-02.8  | 13 | 5.2       | 01.7-08.7  | 3          | 0.7 | 00.0-01.5  | 8          | 2.2 | 00.4-04.0  | 18         | 6.6  | 03.5-09.7  |
| 25-34              | 459               | 95,972   | 389  | 83.8 | 79.9-87.7  | 6                                | 1.0 | 00.0-02.0  | 16 | 3.3       | 01.5-05.1  | 4          | 1.4 | 00.0-02.8  | 10         | 2.0 | 00.6-03.4  | 34         | 8.5  | 05.4-11.6  |
| 35-44              | 580               | 86,591   | 528  | 91.6 | 89.2-94.0  | 3                                | 0.4 | 00.0-01.0  | 6  | 1.2       | 00.2-02.2  | 7          | 0.9 | 00.1-01.7  | 10         | 1.8 | 00.6-03.0  | 26         | 4.2  | 02.4-06.0  |
| 45-54              | 660               | 70,388   | 623  | 93.8 | 91.6-96.0  | 6                                | 0.7 | 00.1-01.3  | 12 | 2.2       | 00.8-03.6  | 5          | 0.9 | 00.1-01.7  | 3          | 0.5 | 00.0-01.1  | 11         | 2.0  | 00.8-03.2  |
| 55-64              | 967               | 83,743   | 909  | 93.6 | 91.6-95.6  | 4                                | 0.5 | 00.0-01.1  | 19 | 2.1       | 00.9-03.3  | 7          | 0.7 | 00.1-01.3  | 9          | 1.0 | 00.2-01.8  | 19         | 2.1  | 00.9-03.3  |
| 65+                | 2315              | 118,772  | 2275 | 98.3 | 97.7-98.9  | 7                                | 0.4 | 00.0-00.8  | 11 | 0.4       | 00.0-00.8  | 1          | 0.0 | 00.0-00.0  | 3          | 0.1 | 00.1-00.1  | 18         | 0.7  | 00.3-01.1  |
| Less Than H.S.     | 229               | 35,591   | 213  | 85.5 | 78.1-92.9  |                                  |     |            | 3  | 4.0       | 00.0-08.7  |            |     |            | 2          | 1.3 | 00.0-03.3  | 11         | 9.2  | 03.3-15.1  |
| H.S. or G.E.D.     | 1446              | 134,240  | 1362 | 90.8 | 88.6-93.0  | 10                               | 1.2 | 00.4-02.0  | 19 | 2.0       | 00.8-03.2  | 6          | 0.7 | 00.1-01.3  | 10         | 0.6 | 00.2-01.0  | 39         | 4.7  | 02.9-06.5  |
| Some Post-H.S.     | 1718              | 198,898  | 1602 | 91.0 | 89.0-93.0  | 8                                | 0.4 | 00.0-00.8  | 28 | 2.0       | 01.2-02.8  | 10         | 0.8 | 00.2-01.4  | 20         | 1.8 | 00.8-02.8  | 50         | 4.0  | 02.6-05.4  |
| College Graduate   | 1865              | 147,898  | 1778 | 94.1 | 92.7-95.5  | 14                               | 0.8 | 00.2-01.4  | 26 | 2.0       | 01.0-03.0  | 11         | 0.8 | 00.2-01.4  | 11         | 0.8 | 00.2-01.4  | 25         | 1.5  | 00.7-02.3  |
| Less than \$15,000 | 173               | 20,376   | 153  | 82.7 | 73.9-91.5  |                                  |     |            | 3  | 2.4       | 00.0-05.1  | 3          | 0.6 | 00.0-01.4  | 1          | 1.3 | 00.0-03.8  | 13         | 13.0 | 04.8-21.2  |
| \$15,000- 24,999   | 356               | 29,871   | 329  | 85.8 | 79.9-91.7  | 3                                | 1.0 | 00.0-02.4  | 8  | 4.1       | 00.4-07.8  | 1          | 0.7 | 00.0-02.1  | 6          | 4.1 | 00.8-07.4  | 9          | 4.4  | 01.1-07.7  |
| \$25,000- 34,999   | 469               | 42,765   | 431  | 87.4 | 82.7-92.1  | 3                                | 0.7 | 00.0-01.5  | 8  | 3.5       | 00.8-06.2  | 2          | 1.1 | 00.0-02.7  | 4          | 0.7 | 00.0-01.9  | 21         | 6.6  | 03.1-10.1  |
| \$35,000- 49,999   | 664               | 60,740   | 626  | 90.0 | 86.5-93.5  | 3                                | 1.0 | 00.0-02.2  | 9  | 1.4       | 00.4-02.4  | 4          | 1.0 | 00.0-02.2  | 9          | 2.0 | 00.6-03.4  | 13         | 4.6  | 01.9-07.3  |
| \$50,000- 99,999   | 1479              | 147,598  | 1398 | 92.9 | 90.9-94.9  | 7                                | 0.4 | 00.0-00.8  | 24 | 2.5       | 01.1-03.9  | 5          | 0.3 | 00.0-00.7  | 11         | 0.8 | 00.2-01.4  | 34         | 3.0  | 01.8-04.2  |
| \$100,000- 199,999 | 958               | 102,823  | 911  | 94.3 | 92.3-96.3  | 10                               | 0.9 | 00.3-01.5  | 13 | 1.5       | 00.5-02.5  | 7          | 1.1 | 00.0-02.3  | 4          | 0.4 | 00.0-00.8  | 13         | 1.8  | 00.6-03.0  |
| \$200,000+         | 181               | 20,355   | 179  | 98.7 | 96.9-0100  | 1                                | 0.7 | 00.0-02.1  |    |           |            |            |     |            | 1          | 0.6 | 00.0-01.8  |            |      |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 21: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | NONE |      |            | 1 Day |     |            | 2-5 Days |     |            | 6-10 Days |     |            | 11-20 Days |     |            | 21-30 Days |      |            |
|--------------------|-------------------|----------|------|------|------------|-------|-----|------------|----------|-----|------------|-----------|-----|------------|------------|-----|------------|------------|------|------------|
|                    | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N     | %   | C.I. (95%) | N        | %   | C.I. (95%) | N         | %   | C.I. (95%) | N          | %   | C.I. (95%) | N          | %    | C.I. (95%) |
| Male               | 2656              | 261,750  | 2478 | 90.2 | 88.4-92.0  | 23    | 1.0 | 00.6-01.4  | 43       | 2.6 | 01.6-03.6  | 17        | 0.9 | 00.3-01.5  | 25         | 1.0 | 00.6-01.4  | 70         | 4.2  | 03.0-05.4  |
| Native             | 98                | 10,330   | 86   | 84.5 | 73.7-95.3  | 2     | 0.7 | 00.0-01.9  | 3        | 7.2 | 00.0-16.8  | 2         | 1.1 | 00.0-02.7  | 1          | 1.4 | 00.0-04.1  | 4          | 5.0  | 00.0-10.3  |
| Non-Native         | 2506              | 247,040  | 2344 | 90.4 | 88.6-92.2  | 21    | 1.0 | 00.6-01.4  | 40       | 2.5 | 01.5-03.5  | 15        | 0.9 | 00.3-01.5  | 24         | 1.0 | 00.4-01.6  | 62         | 4.1  | 02.9-05.3  |
| 18-24              | 172               | 31,211   | 145  | 82.9 | 75.6-90.2  | 4     | 1.8 | 00.0-03.6  | 9        | 7.9 | 01.8-14.0  | 2         | 0.6 | 00.0-01.6  | 4          | 1.1 | 00.0-02.3  | 8          | 5.7  | 01.8-09.6  |
| 25-34              | 291               | 54,276   | 246  | 82.3 | 77.0-87.6  | 4     | 1.0 | 00.0-02.2  | 10       | 3.7 | 01.3-06.1  | 3         | 1.5 | 00.0-03.3  | 6          | 1.4 | 00.0-02.8  | 22         | 10.1 | 05.6-14.6  |
| 35-44              | 321               | 43,754   | 288  | 89.7 | 86.0-93.4  | 3     | 0.9 | 00.0-02.1  | 3        | 0.9 | 00.0-02.1  | 4         | 1.1 | 00.0-02.3  | 8          | 2.6 | 00.6-04.6  | 15         | 4.8  | 02.3-07.3  |
| 45-54              | 331               | 36,536   | 312  | 93.5 | 90.6-96.4  | 4     | 1.2 | 00.0-02.4  | 7        | 2.5 | 00.5-04.5  | 4         | 1.5 | 00.0-03.1  | 1          | 0.3 | 00.0-00.9  | 3          | 1.0  | 00.0-02.2  |
| 55-64              | 471               | 41,874   | 441  | 93.6 | 91.1-96.1  | 4     | 1.0 | 00.0-02.0  | 8        | 1.8 | 00.2-03.4  | 3         | 0.6 | 00.0-01.4  | 4          | 0.7 | 00.0-01.5  | 11         | 2.3  | 00.7-03.9  |
| 65+                | 1070              | 54,098   | 1046 | 97.8 | 96.8-98.8  | 4     | 0.6 | 00.0-01.2  | 6        | 0.6 | 00.0-01.2  | 1         | 0.1 | 00.0-00.3  | 2          | 0.1 | 00.0-00.3  | 11         | 0.8  | 00.2-01.4  |
| Less Than H.S.     | 128               | 20,187   | 117  | 79.4 | 67.8-91.0  |       |     |            | 2        | 6.0 | 00.0-14.0  |           |     |            | 1          | 1.5 | 00.0-04.4  | 8          | 13.1 | 03.7-22.5  |
| H.S. or G.E.D.     | 775               | 75,181   | 718  | 89.6 | 86.7-92.5  | 7     | 1.2 | 00.2-02.2  | 15       | 2.8 | 01.0-04.6  | 5         | 1.2 | 00.0-02.4  | 6          | 0.6 | 00.0-01.2  | 24         | 4.6  | 02.6-06.6  |
| Some Post-H.S.     | 839               | 97,754   | 779  | 90.8 | 88.3-93.3  | 5     | 0.7 | 00.1-01.3  | 14       | 2.4 | 01.0-03.8  | 6         | 0.9 | 00.1-01.7  | 11         | 1.4 | 00.4-02.4  | 24         | 3.9  | 02.1-05.7  |
| College Graduate   | 906               | 67,716   | 858  | 93.6 | 91.6-95.6  | 11    | 1.6 | 00.6-02.6  | 11       | 1.5 | 00.5-02.5  | 6         | 0.9 | 00.1-01.7  | 7          | 0.8 | 00.0-01.6  | 13         | 1.6  | 00.6-02.6  |
| Less than \$15,000 | 73                | 7,632    | 59   | 70.6 | 54.1-87.1  |       |     |            | 3        | 6.3 | 00.0-13.4  | 2         | 1.4 | 00.0-03.4  |            |     |            | 9          | 21.7 | 05.2-38.2  |
| \$15,000- 24,999   | 149               | 13,472   | 135  | 81.5 | 71.5-91.5  | 3     | 2.2 | 00.0-05.1  | 3        | 6.5 | 00.0-14.1  | 1         | 1.5 | 00.0-04.4  | 3          | 4.1 | 00.0-09.0  | 4          | 4.2  | 00.0-08.7  |
| \$25,000- 34,999   | 219               | 20,501   | 197  | 84.0 | 76.6-91.4  | 1     | 0.6 | 00.0-01.8  | 5        | 5.5 | 00.2-10.8  | 1         | 1.2 | 00.0-03.6  | 3          | 1.4 | 00.0-03.8  | 12         | 7.2  | 02.1-12.3  |
| \$35,000- 49,999   | 327               | 31,840   | 308  | 90.7 | 86.0-95.4  | 2     | 1.0 | 00.0-02.4  | 4        | 1.2 | 00.0-02.4  | 2         | 1.5 | 00.0-03.7  | 6          | 1.8 | 00.0-03.6  | 5          | 3.9  | 00.4-07.4  |
| \$50,000- 99,999   | 769               | 75,964   | 720  | 91.5 | 88.6-94.4  | 4     | 0.4 | 00.0-01.0  | 16       | 3.3 | 00.9-05.7  | 3         | 0.5 | 00.0-01.1  | 6          | 0.7 | 00.1-01.3  | 20         | 3.6  | 01.6-05.6  |
| \$100,000- 199,999 | 578               | 59,442   | 551  | 94.6 | 92.1-97.1  | 7     | 1.2 | 00.2-02.2  | 6        | 1.2 | 00.0-02.4  | 4         | 0.5 | 00.0-01.1  | 3          | 0.3 | 00.0-00.7  | 7          | 2.2  | 00.2-04.2  |
| \$200,000+         | 113               | 11,693   | 111  | 97.8 | 94.7-0100  | 1     | 1.2 | 00.0-03.6  |          |     |            |           |     |            |            |     |            | 1          | 1.0  | 00.0-03.0  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 21: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | NONE |       |            | 1 Day |     |            | 2-5 Days |      |            | 6-10 Days |     |            | 11-20 Days |     |            | 21-30 Days |      |            |
|--------------------|-------------------|----------|------|-------|------------|-------|-----|------------|----------|------|------------|-----------|-----|------------|------------|-----|------------|------------|------|------------|
|                    | TOTAL             | WEIGHTED | N    | %     | C.I. (95%) | N     | %   | C.I. (95%) | N        | %    | C.I. (95%) | N         | %   | C.I. (95%) | N          | %   | C.I. (95%) | N          | %    | C.I. (95%) |
| Female             | 2614              | 256,101  | 2487 | 92.6  | 91.0-94.2  | 9     | 0.4 | 00.0-00.8  | 34       | 1.7  | 00.9-02.5  | 10        | 0.6 | 00.2-01.0  | 18         | 1.3 | 00.5-02.1  | 56         | 3.4  | 02.4-04.4  |
| Native             | 123               | 11,837   | 96   | 64.5  | 52.2-76.8  |       |     |            | 8        | 12.2 | 02.4-22.0  | 3         | 2.1 | 00.0-05.0  | 2          | 3.5 | 00.0-08.4  | 14         | 17.6 | 08.0-27.2  |
| Non-Native         | 2469              | 242,644  | 2371 | 94.1  | 92.7-95.5  | 9     | 0.4 | 00.0-00.8  | 26       | 1.2  | 00.6-01.8  | 7         | 0.5 | 00.1-00.9  | 16         | 1.2 | 00.4-02.0  | 40         | 2.6  | 01.6-03.6  |
| 18-24              | 117               | 31,174   | 96   | 84.9  | 78.0-91.8  | 2     | 1.1 | 00.0-02.9  | 4        | 2.5  | 00.0-05.4  | 1         | 0.7 | 00.0-02.1  | 4          | 3.3 | 00.0-06.8  | 10         | 7.5  | 02.6-12.4  |
| 25-34              | 168               | 41,695   | 143  | 85.8  | 79.9-91.7  | 2     | 0.9 | 00.0-02.5  | 6        | 2.8  | 00.3-05.3  | 1         | 1.2 | 00.0-03.6  | 4          | 2.7 | 00.0-05.4  | 12         | 6.5  | 02.6-10.4  |
| 35-44              | 259               | 42,837   | 240  | 93.5  | 90.4-96.6  |       |     |            | 3        | 1.4  | 00.0-03.0  | 3         | 0.6 | 00.0-01.4  | 2          | 1.0 | 00.0-02.4  | 11         | 3.5  | 01.3-05.7  |
| 45-54              | 329               | 33,852   | 311  | 94.0  | 91.1-96.9  | 2     | 0.2 | 00.0-00.6  | 5        | 1.9  | 00.1-03.7  | 1         | 0.3 | 00.0-00.9  | 2          | 0.6 | 00.0-01.4  | 8          | 3.0  | 00.8-05.2  |
| 55-64              | 496               | 41,869   | 468  | 93.6  | 90.9-96.3  |       |     |            | 11       | 2.3  | 00.7-03.9  | 4         | 0.9 | 00.0-01.9  | 5          | 1.4 | 00.0-02.8  | 8          | 2.0  | 00.4-03.6  |
| 65+                | 1245              | 64,674   | 1229 | 98.7  | 97.9-99.5  | 3     | 0.3 | 00.0-00.7  | 5        | 0.3  | 00.0-00.7  |           |     |            | 1          | 0.0 | 00.0-00.0  | 7          | 0.6  | 00.0-01.2  |
| Less Than H.S.     | 101               | 15,404   | 96   | 93.5  | 87.6-99.4  |       |     |            | 1        | 1.3  | 00.0-03.8  |           |     |            | 1          | 1.1 | 00.0-03.3  | 3          | 4.0  | 00.0-09.1  |
| H.S. or G.E.D.     | 671               | 59,059   | 644  | 92.3  | 89.0-95.6  | 3     | 1.1 | 00.0-02.5  | 4        | 1.0  | 00.0-02.4  | 1         | 0.0 | 00.0-00.0  | 4          | 0.6 | 00.0-01.4  | 15         | 4.9  | 02.2-07.6  |
| Some Post-H.S.     | 879               | 101,144  | 823  | 91.2  | 88.5-93.9  | 3     | 0.2 | 00.0-00.4  | 14       | 1.6  | 00.6-02.6  | 4         | 0.8 | 00.0-01.8  | 9          | 2.1 | 00.5-03.7  | 26         | 4.1  | 02.3-05.9  |
| College Graduate   | 959               | 80,182   | 920  | 94.4  | 92.4-96.4  | 3     | 0.1 | 00.0-00.3  | 15       | 2.3  | 00.9-03.7  | 5         | 0.8 | 00.0-01.6  | 4          | 0.9 | 00.0-01.9  | 12         | 1.4  | 00.4-02.4  |
| Less than \$15,000 | 100               | 12,744   | 94   | 90.0  | 81.2-98.8  |       |     |            |          |      |            | 1         | 0.2 | 00.0-00.6  | 1          | 2.1 | 00.0-06.2  | 4          | 7.7  | 00.0-15.7  |
| \$15,000- 24,999   | 207               | 16,398   | 194  | 89.2  | 82.5-95.9  |       |     |            | 5        | 2.1  | 00.0-04.5  |           |     |            | 3          | 4.0 | 00.0-08.5  | 5          | 4.7  | 00.0-09.4  |
| \$25,000- 34,999   | 250               | 22,264   | 234  | 90.5  | 85.0-96.0  | 2     | 0.8 | 00.0-02.0  | 3        | 1.6  | 00.0-04.0  | 1         | 1.0 | 00.0-03.0  | 1          | 0.1 | 00.0-00.3  | 9          | 6.0  | 01.3-10.7  |
| \$35,000- 49,999   | 337               | 28,900   | 318  | 89.3  | 84.0-94.6  | 1     | 1.1 | 00.0-03.3  | 5        | 1.7  | 00.0-03.5  | 2         | 0.5 | 00.0-01.1  | 3          | 2.1 | 00.0-04.5  | 8          | 5.4  | 01.3-09.5  |
| \$50,000- 99,999   | 710               | 71,634   | 678  | 94.3  | 91.9-96.7  | 3     | 0.5 | 00.0-01.3  | 8        | 1.7  | 00.3-03.1  | 2         | 0.2 | 00.0-00.6  | 5          | 0.9 | 00.0-02.1  | 14         | 2.4  | 00.8-04.0  |
| \$100,000- 199,999 | 380               | 43,381   | 360  | 93.9  | 90.6-97.2  | 3     | 0.4 | 00.0-00.8  | 7        | 2.0  | 00.4-03.6  | 3         | 1.9 | 00.0-04.4  | 1          | 0.5 | 00.0-01.5  | 6          | 1.3  | 00.1-02.5  |
| \$200,000+         | 68                | 8,662    | 68   | 100.0 | 0100-0100  |       |     |            |          |      |            |           |     |            |            |     |            |            |      |            |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 21: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Smoke It |      |            | Eat It |      |            | Drink It |     |            | Vaporize It |     |            | Dab It |     |            | Used some other way |     |            |
|--------------------|-------------------|----------|----------|------|------------|--------|------|------------|----------|-----|------------|-------------|-----|------------|--------|-----|------------|---------------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N        | %    | C.I. (95%) | N      | %    | C.I. (95%) | N        | %   | C.I. (95%) | N           | %   | C.I. (95%) | N      | %   | C.I. (95%) | N                   | %   | C.I. (95%) |
| TOTAL              | 303               | 44,307   | 218      | 74.0 | 67.7-80.3  | 47     | 11.8 | 07.9-15.7  | 2        | 1.6 | 00.0-04.3  | 16          | 6.3 | 02.4-10.2  | 12     | 4.7 | 01.8-07.6  | 8                   | 1.5 | 00.1-02.9  |
| Male               | 178               | 25,687   | 134      | 76.1 | 68.1-84.1  | 24     | 10.4 | 05.7-15.1  | 1        | 2.5 | 00.0-07.4  | 9           | 5.0 | 00.7-09.3  | 7      | 4.6 | 00.9-08.3  | 3                   | 1.3 | 00.0-03.3  |
| Female             | 125               | 18,620   | 84       | 71.0 | 61.4-80.6  | 23     | 13.7 | 07.4-20.0  | 1        | 0.4 | 00.0-01.2  | 7           | 8.2 | 00.9-15.5  | 5      | 4.9 | 00.2-09.6  | 5                   | 1.8 | 00.0-03.8  |
| Non-Native         | 259               | 37,858   | 183      | 74.2 | 67.7-80.7  | 44     | 13.4 | 08.9-17.9  | 2        | 1.9 | 00.0-05.2  | 14          | 5.1 | 01.6-08.6  | 10     | 4.1 | 01.4-06.8  | 6                   | 1.3 | 00.0-02.7  |
| 25-34              | 69                | 15,365   | 51       | 74.9 | 62.7-87.1  | 7      | 7.4  | 01.5-13.3  | 1        | 4.2 | 00.0-12.2  | 4           | 6.0 | 00.0-13.1  | 5      | 5.8 | 00.3-11.3  | 1                   | 1.7 | 00.0-05.0  |
| 35-44              | 52                | 7,271    | 41       | 77.7 | 64.8-90.6  | 6      | 11.3 | 01.5-21.1  |          |     |            | 3           | 5.4 | 00.0-12.3  | 1      | 3.5 | 00.0-10.2  | 1                   | 2.2 | 00.0-06.5  |
| 55-64              | 58                | 5,384    | 42       | 70.2 | 56.3-84.1  | 14     | 25.4 | 12.3-38.5  |          |     |            | 1           | 2.6 | 00.0-07.7  |        |     |            | 1                   | 1.7 | 00.0-05.0  |
| H.S. or G.E.D.     | 84                | 12,345   | 71       | 85.8 | 77.0-94.6  | 7      | 4.6  | 00.3-08.9  |          |     |            | 2           | 2.8 | 00.0-06.7  | 4      | 6.8 | 00.0-13.9  |                     |     |            |
| Some Post-H.S.     | 115               | 17,821   | 83       | 72.7 | 62.9-82.5  | 17     | 11.7 | 05.8-17.6  |          |     |            | 7           | 8.5 | 01.1-15.9  | 5      | 5.0 | 00.3-09.7  | 3                   | 2.1 | 00.0-05.0  |
| College Graduate   | 86                | 8,618    | 50       | 61.5 | 49.3-73.7  | 21     | 24.5 | 13.5-35.5  | 1        | 0.8 | 00.0-02.4  | 6           | 5.4 | 00.1-10.7  | 3      | 4.3 | 00.0-09.4  | 5                   | 3.5 | 00.0-07.4  |
| \$50,000- 99,999   | 81                | 10,512   | 59       | 74.8 | 63.6-86.0  | 10     | 12.8 | 04.4-21.2  | 1        | 0.6 | 00.0-02.0  | 6           | 6.2 | 00.1-12.3  | 2      | 2.6 | 00.0-06.7  | 3                   | 2.9 | 00.0-06.4  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 21: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Smoke It |      |            | Eat It |      |            | Drink It |     |            | Vaporize It |     |            | Dab It |     |            | Used some other way |     |            |
|--------------------|-------------------|----------|----------|------|------------|--------|------|------------|----------|-----|------------|-------------|-----|------------|--------|-----|------------|---------------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N        | %    | C.I. (95%) | N      | %    | C.I. (95%) | N        | %   | C.I. (95%) | N           | %   | C.I. (95%) | N      | %   | C.I. (95%) | N                   | %   | C.I. (95%) |
| Male               | 178               | 25,687   | 134      | 76.1 | 68.1-84.1  | 24     | 10.4 | 05.7-15.1  | 1        | 2.5 | 00.0-07.4  | 9           | 5.0 | 00.5-09.5  | 7      | 4.6 | 00.9-08.3  | 3                   | 1.3 | 00.0-03.3  |
| Non-Native         | 162               | 23,700   | 120      | 76.4 | 68.2-84.6  | 23     | 11.1 | 06.0-16.2  | 1        | 2.7 | 00.0-08.0  | 8           | 3.4 | 00.7-06.1  | 7      | 5.0 | 00.9-09.1  | 3                   | 1.4 | 00.0-03.6  |
| H.S. or G.E.D.     | 57                | 7,822    | 48       | 84.8 | 73.6-96.0  | 4      | 3.9  | 00.0-09.2  |          |     |            | 2           | 4.5 | 00.0-10.8  | 3      | 6.8 | 00.0-15.2  |                     |     |            |
| Some Post-H.S.     | 60                | 9,012    | 47       | 80.1 | 68.9-91.3  | 7      | 10.0 | 02.2-17.8  |          |     |            | 2           | 1.1 | 00.0-02.7  | 3      | 5.9 | 00.0-13.2  | 1                   | 2.8 | 00.0-08.3  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 21: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Smoke It |      |            | Eat It |      |            | Drink It |     |            | Vaporize It |      |            | Dab It |     |            | Used some other way |     |            |
|--------------------|-------------------|----------|----------|------|------------|--------|------|------------|----------|-----|------------|-------------|------|------------|--------|-----|------------|---------------------|-----|------------|
|                    | TOTAL             | WEIGHTED | N        | %    | C.I. (95%) | N      | %    | C.I. (95%) | N        | %   | C.I. (95%) | N           | %    | C.I. (95%) | N      | %   | C.I. (95%) | N                   | %   | C.I. (95%) |
| Female             | 125               | 18,620   | 84       | 71.0 | 61.2-80.8  | 23     | 13.7 | 07.4-20.0  | 1        | 0.4 | 00.0-01.2  | 7           | 8.2  | 00.9-15.5  | 5      | 4.9 | 00.2-09.6  | 5                   | 1.8 | 00.0-03.8  |
| Non-Native         | 97                | 14,158   | 63       | 70.5 | 59.7-81.3  | 21     | 17.4 | 09.4-25.4  | 1        | 0.5 | 00.0-01.5  | 6           | 8.1  | 00.0-16.3  | 3      | 2.5 | 00.0-05.6  | 3                   | 1.0 | 00.0-02.4  |
| Some Post-H.S.     | 55                | 8,810    | 36       | 65.2 | 49.5-80.9  | 10     | 13.3 | 04.5-22.1  |          |     |            | 5           | 16.1 | 01.8-30.4  | 2      | 4.1 | 00.0-10.2  | 2                   | 1.3 | 00.0-03.5  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 21: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1  |      |            | 2   |      |            | 3   |      |            |
|--------------------|-------------------|----------|----|------|------------|-----|------|------------|-----|------|------------|
|                    | TOTAL             | WEIGHTED | N  | %    | C.I. (95%) | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL              | 303               | 44,161   | 97 | 29.1 | 22.8-35.4  | 105 | 36.7 | 29.8-43.6  | 101 | 34.2 | 27.5-40.9  |
| Male               | 177               | 25,473   | 43 | 25.1 | 17.1-33.1  | 74  | 44.2 | 35.0-53.4  | 60  | 30.8 | 22.2-39.4  |
| Female             | 126               | 18,688   | 54 | 34.7 | 24.7-44.7  | 31  | 26.5 | 16.7-36.3  | 41  | 38.8 | 28.2-49.4  |
| Non-Native         | 258               | 37,572   | 84 | 30.7 | 23.6-37.8  | 98  | 39.6 | 32.2-47.0  | 76  | 29.7 | 22.6-36.8  |
| 25-34              | 68                | 15,079   | 21 | 34.7 | 21.6-47.8  | 30  | 44.5 | 31.2-57.8  | 17  | 20.8 | 10.6-31.0  |
| 35-44              | 52                | 7,271    | 16 | 31.6 | 17.5-45.7  | 13  | 27.8 | 14.1-41.5  | 23  | 40.7 | 26.0-55.4  |
| 55-64              | 58                | 5,384    | 21 | 39.3 | 24.4-54.2  | 18  | 24.8 | 12.3-37.3  | 19  | 35.9 | 21.2-50.6  |
| H.S. or G.E.D.     | 82                | 11,878   | 22 | 20.4 | 10.4-30.4  | 30  | 42.8 | 29.5-56.1  | 30  | 36.8 | 24.1-49.5  |
| Some Post-H.S.     | 116               | 17,962   | 40 | 35.4 | 24.8-46.0  | 35  | 30.8 | 21.2-40.4  | 41  | 33.8 | 23.6-44.0  |
| College Graduate   | 87                | 8,798    | 26 | 24.2 | 14.2-34.2  | 37  | 47.5 | 35.0-60.0  | 24  | 28.4 | 17.0-39.8  |
| \$50,000- 99,999   | 80                | 10,298   | 28 | 29.8 | 17.8-41.8  | 31  | 39.1 | 26.0-52.2  | 21  | 31.1 | 16.2-46.0  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 21: MARIJUANA USE**

**TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1  |      |            | 2  |      |            | 3  |      |            |
|--------------------|-------------------|----------|----|------|------------|----|------|------------|----|------|------------|
|                    | TOTAL             | WEIGHTED | N  | %    | C.I. (95%) | N  | %    | C.I. (95%) | N  | %    | C.I. (95%) |
| Male               | 177               | 25,473   | 43 | 25.1 | 17.1-33.1  | 74 | 44.2 | 35.0-53.4  | 60 | 30.8 | 22.2-39.4  |
| Non-Native         | 161               | 23,486   | 39 | 25.6 | 17.2-34.0  | 73 | 47.3 | 37.7-56.9  | 49 | 27.2 | 18.4-36.0  |
| H.S. or G.E.D.     | 56                | 7,608    | 9  | 14.9 | 04.5-25.3  | 25 | 53.9 | 38.4-69.4  | 22 | 31.2 | 17.7-44.7  |
| Some Post-H.S.     | 60                | 9,012    | 16 | 32.6 | 18.3-46.9  | 22 | 36.2 | 23.5-48.9  | 22 | 31.1 | 18.2-44.0  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021  
MODULE 21: MARIJUANA USE**

**TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | 1  |      |            | 2  |      |            | 3  |      |            |
|--------------------|-------------------|----------|----|------|------------|----|------|------------|----|------|------------|
|                    | TOTAL             | WEIGHTED | N  | %    | C.I. (95%) | N  | %    | C.I. (95%) | N  | %    | C.I. (95%) |
| Female             | 126               | 18,688   | 54 | 34.7 | 24.5-44.9  | 31 | 26.5 | 16.7-36.3  | 41 | 38.8 | 28.2-49.4  |
| Non-Native         | 97                | 14,086   | 45 | 39.3 | 27.1-51.5  | 25 | 26.8 | 15.8-37.8  | 27 | 33.9 | 22.1-45.7  |
| Some Post-H.S.     | 56                | 8,950    | 24 | 38.1 | 22.4-53.8  | 13 | 25.4 | 10.9-39.9  | 19 | 36.5 | 20.8-52.2  |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2021**

End of Module Data Report