

NORTH DAKOTA

2022 Core Variables Report

Behavioral Risk Factor Surveillance System

June 1, 2023



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4142	599,241	576	16.0	14.6-17.4	1437	34.7	32.9-36.5	1468	34.9	33.1-36.7	506	11.0	09.8-12.2	155	3.4	02.8-04.0
Male	2105	306,283	321	18.0	15.8-20.2	697	32.9	30.5-35.3	744	35.1	32.7-37.5	258	10.7	09.1-12.3	85	3.3	02.5-04.1
Female	2037	292,959	255	14.0	12.0-16.0	740	36.5	34.0-39.0	724	34.7	32.2-37.2	248	11.2	09.6-12.8	70	3.5	02.5-04.5
Native	132	23,680	14	14.8	07.0-22.6	40	27.8	19.2-36.4	47	38.4	28.6-48.2	21	12.2	05.3-19.1	10	6.7	02.4-11.0
Non-Native	3933	565,349	549	16.1	14.5-17.7	1384	35.3	33.5-37.1	1383	34.5	32.7-36.3	475	10.9	09.7-12.1	142	3.2	02.6-03.8
18-24	297	83,252	75	26.8	21.1-32.5	115	36.7	30.8-42.6	83	28.1	22.6-33.6	20	6.1	03.4-08.8	4	2.3	00.0-04.8
25-34	455	112,942	79	18.1	14.2-22.0	189	38.9	34.0-43.8	145	33.3	28.6-38.0	33	8.0	05.1-10.9	9	1.7	00.5-02.9
35-44	495	100,224	83	18.2	14.3-22.1	183	33.2	28.7-37.7	182	38.8	33.9-43.7	36	7.8	05.3-10.3	11	2.0	00.6-03.4
45-54	541	79,806	87	16.4	12.9-19.9	197	35.7	31.4-40.0	196	36.5	32.0-41.0	47	9.0	06.3-11.7	14	2.4	01.0-03.8
55-64	746	89,439	88	10.5	08.1-12.9	258	35.6	31.7-39.5	276	36.0	32.1-39.9	90	12.8	09.9-15.7	34	5.1	03.1-07.1
65+	1608	133,578	164	9.6	08.0-11.2	495	29.8	27.3-32.3	586	35.8	33.1-38.5	280	18.8	16.4-21.2	83	6.0	04.6-07.4
Less Than H.S.	176	44,769	28	20.5	12.5-28.5	28	18.6	11.2-26.0	60	29.4	21.6-37.2	42	21.8	14.5-29.1	18	9.7	04.4-15.0
H.S. or G.E.D.	1055	160,157	115	13.7	11.0-16.4	321	30.9	27.6-34.2	391	37.9	34.4-41.4	172	13.4	11.0-15.8	56	4.2	03.0-05.4
Some Post-H.S.	1311	227,563	164	15.4	13.0-17.8	458	34.9	32.0-37.8	482	36.7	33.6-39.8	160	10.3	08.5-12.1	47	2.7	01.9-03.5
College Graduate	1593	165,245	268	18.0	15.6-20.4	629	42.6	39.9-45.3	530	30.7	28.2-33.2	132	6.8	05.4-08.2	34	1.9	01.1-02.7
Less than \$15,000	143	21,539	14	13.0	04.4-21.6	23	16.1	08.8-23.4	48	33.9	23.9-43.9	32	19.0	11.7-26.3	26	18.0	10.4-25.6
\$15,000- 24,999	276	36,304	29	11.2	06.3-16.1	69	27.1	20.2-34.0	100	37.0	29.6-44.4	53	15.1	10.4-19.8	25	9.6	04.3-14.9
\$25,000- 34,999	364	53,181	35	13.2	08.1-18.3	99	28.0	22.1-33.9	130	35.7	29.6-41.8	77	17.9	12.8-23.0	23	5.3	02.9-07.7
\$35,000- 49,999	489	65,603	55	15.2	10.7-19.7	147	29.4	24.5-34.3	189	38.2	32.9-43.5	79	13.6	10.3-16.9	19	3.6	01.8-05.4
\$50,000- 99,999	1230	175,530	158	14.1	11.6-16.6	485	39.2	35.9-42.5	448	36.8	33.5-40.1	111	8.0	06.2-09.8	28	1.9	00.9-02.9
\$100,000 - 199,999	696	105,599	114	16.7	13.4-20.0	312	45.2	40.9-49.5	222	31.3	27.2-35.4	42	6.1	04.1-08.1	6	0.8	00.0-01.6
\$200,000+	166	25,456	52	32.8	24.6-41.0	56	30.4	22.8-38.0	48	30.6	22.4-38.8	9	5.5	01.6-09.4	1	0.7	00.0-02.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2105	306,283	321	18.0	15.8-20.2	697	32.9	30.5-35.3	744	35.1	32.7-37.5	258	10.7	09.1-12.3	85	3.3	02.5-04.1
Native	64	11,919	10	22.0	08.9-35.1	18	24.7	12.9-36.5	20	31.6	18.3-44.9	10	14.1	02.1-26.1	6	7.6	01.5-13.7
Non-Native	1993	287,648	303	17.8	15.6-20.0	670	33.6	31.1-36.1	702	35.0	32.5-37.5	241	10.5	08.9-12.1	77	3.1	02.3-03.9
18-24	159	43,713	44	29.2	21.2-37.2	57	34.0	26.0-42.0	49	30.9	23.3-38.5	7	3.9	01.0-06.8	2	2.0	00.0-04.9
25-34	269	60,703	55	22.5	16.8-28.2	105	35.9	29.8-42.0	83	32.7	26.6-38.8	20	7.2	03.7-10.7	6	1.7	00.1-03.3
35-44	262	52,861	51	21.3	15.4-27.2	90	31.7	25.8-37.6	94	36.7	30.2-43.2	21	8.5	05.0-12.0	6	1.8	00.2-03.4
45-54	280	41,671	42	15.5	10.8-20.2	108	36.4	30.3-42.5	103	37.1	30.8-43.4	23	9.5	05.4-13.6	4	1.5	00.0-03.1
55-64	386	45,341	43	10.1	07.0-13.2	130	34.3	29.0-39.6	148	38.2	32.9-43.5	48	12.8	08.7-16.9	17	4.5	02.3-06.7
65+	749	61,994	86	10.1	07.7-12.5	207	27.0	23.5-30.5	267	35.4	31.5-39.3	139	20.2	16.7-23.7	50	7.3	05.1-09.5
Less Than H.S.	106	27,001	20	23.1	12.3-33.9	21	19.5	10.9-28.1	34	31.8	21.2-42.4	25	20.4	11.8-29.0	6	5.3	00.2-10.4
H.S. or G.E.D.	584	90,178	66	14.6	10.9-18.3	173	30.3	26.0-34.6	227	39.6	34.9-44.3	83	11.0	08.5-13.5	35	4.5	02.7-06.3
Some Post-H.S.	655	115,521	94	18.4	14.7-22.1	215	32.9	28.8-37.0	234	35.4	31.3-39.5	82	10.3	07.8-12.8	30	3.1	01.9-04.3
College Graduate	754	72,425	140	19.7	16.4-23.0	287	41.3	37.2-45.4	245	29.9	26.2-33.6	68	7.6	05.6-09.6	14	1.4	00.6-02.2
Less than \$15,000	55	8,010	7	24.7	05.5-43.9	9	15.4	05.0-25.8	14	20.1	07.8-32.4	13	21.8	09.1-34.5	12	18.0	06.8-29.2
\$15,000- 24,999	119	16,663	14	14.4	05.8-23.0	28	25.1	15.5-34.7	45	38.5	27.3-49.7	19	14.3	07.2-21.4	13	7.7	03.0-12.4
\$25,000- 34,999	168	24,617	20	16.7	07.9-25.5	40	24.6	16.4-32.8	64	38.3	29.3-47.3	29	13.7	07.4-20.0	15	6.8	02.9-10.7
\$35,000- 49,999	252	33,757	33	16.4	10.3-22.5	62	25.1	18.8-31.4	95	38.2	30.9-45.5	50	16.0	10.9-21.1	12	4.4	01.7-07.1
\$50,000- 99,999	662	96,685	92	15.7	12.2-19.2	238	35.2	30.9-39.5	243	37.9	33.4-42.4	70	8.7	06.3-11.1	19	2.5	00.9-04.1
\$100,000 - 199,999	396	57,282	66	17.4	13.1-21.7	174	44.1	38.6-49.6	122	29.0	23.9-34.1	33	9.2	05.9-12.5	1	0.3	00.0-00.9
\$200,000+	110	15,709	39	35.3	25.1-45.5	36	31.1	21.5-40.7	30	28.1	18.5-37.7	5	5.6	00.3-10.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2037	292,959	255	14.0	12.0-16.0	740	36.5	34.0-39.0	724	34.7	32.2-37.2	248	11.2	09.6-12.8	70	3.5	02.5-04.5
Native	68	11,761	4	7.6	00.0-15.6	22	30.9	18.6-43.2	27	45.2	31.3-59.1	11	10.4	03.7-17.1	4	5.9	00.0-11.8
Non-Native	1940	277,700	246	14.3	12.3-16.3	714	37.1	34.4-39.8	681	34.0	31.5-36.5	234	11.2	09.4-13.0	65	3.4	02.4-04.4
18-24	138	39,539	31	24.0	16.2-31.8	58	39.7	30.9-48.5	34	25.1	17.3-32.9	13	8.7	04.0-13.4	2	2.5	00.0-06.4
25-34	186	52,239	24	13.0	07.9-18.1	84	42.4	34.8-50.0	62	34.1	26.7-41.5	13	8.9	04.0-13.8	3	1.6	00.0-03.4
35-44	233	47,363	32	14.7	09.4-20.0	93	34.9	28.2-41.6	88	41.1	33.8-48.4	15	7.0	03.3-10.7	5	2.3	00.1-04.5
45-54	261	38,135	45	17.3	12.4-22.2	89	34.9	28.4-41.4	93	35.9	29.4-42.4	24	8.5	05.0-12.0	10	3.4	01.2-05.6
55-64	360	44,098	45	10.9	07.6-14.2	128	36.9	31.2-42.6	128	33.8	28.3-39.3	42	12.8	08.7-16.9	17	5.6	02.5-08.7
65+	859	71,585	78	9.0	06.8-11.2	288	32.3	28.8-35.8	319	36.2	32.5-39.9	141	17.5	14.4-20.6	33	4.9	03.1-06.7
Less Than H.S.	70	17,768	8	16.6	04.4-28.8	7	17.3	03.8-30.8	26	25.8	14.6-37.0	17	23.9	11.6-36.2	12	16.4	05.4-27.4
H.S. or G.E.D.	471	69,979	49	12.5	08.8-16.2	148	31.6	26.3-36.9	164	35.8	30.3-41.3	89	16.5	12.6-20.4	21	3.7	01.9-05.5
Some Post-H.S.	656	112,042	70	12.4	09.3-15.5	243	37.0	32.7-41.3	248	38.1	33.6-42.6	78	10.2	07.7-12.7	17	2.3	01.1-03.5
College Graduate	839	92,820	128	16.7	13.6-19.8	342	43.6	39.7-47.5	285	31.3	27.8-34.8	64	6.1	04.3-07.9	20	2.3	01.1-03.5
Less than \$15,000	88	13,528	7	6.1	00.8-11.4	14	16.5	06.9-26.1	34	42.1	29.0-55.2	19	17.4	08.8-26.0	14	17.9	07.9-27.9
\$15,000- 24,999	157	19,642	15	8.5	03.4-13.6	41	28.8	19.0-38.6	55	35.7	25.7-45.7	34	15.7	09.2-22.2	12	11.2	02.6-19.8
\$25,000- 34,999	196	28,563	15	10.2	04.5-15.9	59	30.9	22.7-39.1	66	33.4	25.2-41.6	48	21.5	14.1-28.9	8	4.0	01.1-06.9
\$35,000- 49,999	237	31,846	22	13.9	07.4-20.4	85	34.0	26.7-41.3	94	38.3	30.3-46.3	29	11.1	06.4-15.8	7	2.8	00.4-05.2
\$50,000- 99,999	568	78,845	66	12.1	08.8-15.4	247	44.1	39.0-49.2	205	35.4	30.7-40.1	41	7.2	04.7-09.7	9	1.1	00.3-01.9
\$100,000 - 199,999	300	48,317	48	15.8	10.9-20.7	138	46.5	40.0-53.0	100	34.0	27.5-40.5	9	2.4	00.6-04.2	5	1.3	00.0-02.7
\$200,000+	56	9,747	13	28.8	14.9-42.7	20	29.4	16.7-42.1	18	34.7	19.8-49.6	4	5.3	00.0-11.2	1	1.9	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4069	589,066	2662	64.8	63.0-66.6	396	9.6	08.6-10.6	450	12.0	10.8-13.2	320	8.3	07.3-09.3	241	5.3	04.5-06.1
Male	2063	300,017	1413	68.8	66.4-71.2	191	9.8	08.2-11.4	191	9.6	08.0-11.2	141	6.6	05.4-07.8	127	5.2	04.0-06.4
Female	2006	289,048	1249	60.7	58.0-63.4	205	9.3	07.7-10.9	259	14.4	12.4-16.4	179	10.1	08.3-11.9	114	5.5	04.3-06.7
Native	131	23,447	83	63.6	53.8-73.4	6	4.1	00.4-07.8	19	16.0	07.8-24.2	15	11.4	04.9-17.9	8	4.8	01.3-08.3
Non-Native	3862	555,652	2529	64.8	63.0-66.6	382	9.8	08.6-11.0	426	11.9	10.5-13.3	296	8.1	06.9-09.3	229	5.4	04.6-06.2
18-24	294	82,210	189	62.9	56.8-69.0	30	9.5	06.0-13.0	48	17.2	12.3-22.1	19	7.6	04.1-11.1	8	2.8	00.6-05.0
25-34	450	111,680	293	63.9	59.0-68.8	49	9.8	06.9-12.7	63	13.7	10.2-17.2	29	8.2	05.1-11.3	16	4.4	02.0-06.8
35-44	491	99,349	311	64.2	59.5-68.9	65	12.4	09.3-15.5	60	12.3	09.2-15.4	34	6.7	04.3-09.1	21	4.4	02.4-06.4
45-54	533	78,289	364	68.5	64.2-72.8	48	8.7	06.2-11.2	51	9.0	06.5-11.5	46	9.3	06.6-12.0	24	4.5	02.5-06.5
55-64	743	88,660	482	64.9	61.0-68.8	69	9.1	06.7-11.5	77	10.6	08.1-13.1	62	8.6	06.2-11.0	53	6.8	04.8-08.8
65+	1558	128,877	1023	65.0	62.3-67.7	135	8.1	06.7-09.5	151	9.5	07.7-11.3	130	9.4	07.6-11.2	119	8.0	06.4-09.6
Less Than H.S.	171	43,640	110	63.4	54.4-72.4	7	4.1	00.6-07.6	15	9.8	03.9-15.7	18	13.4	06.7-20.1	21	9.3	04.6-14.0
H.S. or G.E.D.	1025	156,276	649	62.2	58.7-65.7	76	7.9	05.9-09.9	120	13.3	10.8-15.8	94	9.4	07.2-11.6	86	7.2	05.2-09.2
Some Post-H.S.	1284	223,571	836	65.1	62.2-68.0	131	10.1	08.1-12.1	140	11.9	09.7-14.1	100	7.8	06.0-09.6	77	5.1	03.7-06.5
College Graduate	1582	164,071	1063	67.4	64.7-70.1	181	11.9	10.1-13.7	173	11.1	09.3-12.9	108	6.8	05.4-08.2	57	2.8	02.0-03.6
Less than \$15,000	139	21,010	66	38.1	28.3-47.9	9	5.8	01.7-09.9	16	18.1	07.9-28.3	19	17.7	09.7-25.7	29	20.3	11.9-28.7
\$15,000- 24,999	269	35,509	145	55.1	47.5-62.7	26	8.6	04.7-12.5	34	13.4	08.3-18.5	26	10.9	05.2-16.6	38	12.0	07.7-16.3
\$25,000- 34,999	353	51,898	208	62.4	56.1-68.7	28	7.5	04.4-10.6	45	11.9	08.0-15.8	36	10.3	06.0-14.6	36	7.9	04.6-11.2
\$35,000- 49,999	478	64,099	301	63.4	58.1-68.7	47	9.7	06.4-13.0	57	12.4	08.9-15.9	47	8.9	06.0-11.8	26	5.5	03.0-08.0
\$50,000- 99,999	1218	173,324	800	65.1	61.8-68.4	136	11.2	09.0-13.4	127	10.6	08.4-12.8	104	9.0	07.0-11.0	51	4.1	02.7-05.5
\$100,000 - 199,999	691	104,994	503	71.6	67.7-75.5	65	8.9	06.5-11.3	80	12.0	09.1-14.9	28	5.1	02.9-07.3	15	2.3	01.1-03.5
\$200,000+	164	24,867	122	76.4	69.1-83.7	14	8.5	03.6-13.4	16	10.1	04.8-15.4	8	3.6	01.1-06.1	4	1.4	00.0-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.															
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days			
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2063	300,017	1413	68.8	66.4-71.2	191	9.8	08.2-11.4	191	9.6	08.0-11.2	141	6.6	05.4-07.8	127	5.2	04.0-06.4	
Native	62	11,570	45	68.5	53.6-83.4	2	4.7	00.0-11.2	10	18.5	05.6-31.4	2	5.4	00.0-13.8	3	2.8	00.0-06.5	
Non-Native	1954	281,977	1335	68.7	66.2-71.2	183	9.9	08.3-11.5	178	9.3	07.7-10.9	136	6.7	05.3-08.1	122	5.4	04.2-06.6	
18-24	156	42,671	104	65.1	56.9-73.3	18	9.9	05.2-14.6	21	15.7	08.8-22.6	6	4.7	00.8-08.6	7	4.6	00.9-08.3	
25-34	266	60,026	181	67.9	61.6-74.2	34	12.7	08.4-17.0	31	11.2	07.1-15.3	14	6.2	02.9-09.5	6	2.0	00.2-03.8	
35-44	260	52,381	175	69.7	63.6-75.8	35	12.5	08.2-16.8	22	8.1	04.6-11.6	15	5.0	02.5-07.5	13	4.7	02.2-07.2	
45-54	276	40,828	201	73.6	67.9-79.3	19	7.0	03.7-10.3	26	8.2	04.9-11.5	18	6.6	03.5-09.7	12	4.7	02.0-07.4	
55-64	384	44,666	262	69.2	64.1-74.3	35	9.5	06.2-12.8	32	7.6	04.9-10.3	27	7.0	04.3-09.7	28	6.8	04.3-09.3	
65+	721	59,446	490	68.0	64.1-71.9	50	6.6	04.6-08.6	59	7.1	04.9-09.3	61	9.6	06.9-12.3	61	8.7	06.2-11.2	
Less Than H.S.	104	26,675	74	70.0	59.2-80.8	3	2.3	00.0-05.0	10	11.8	03.2-20.4	9	8.9	02.4-15.4	8	7.0	01.1-12.9	
H.S. or G.E.D.	571	87,849	382	67.0	62.5-71.5	44	8.9	06.2-11.6	58	11.0	07.9-14.1	37	6.3	03.9-08.7	50	6.8	04.6-09.0	
Some Post-H.S.	634	112,528	438	69.5	65.4-73.6	58	10.6	07.7-13.5	51	8.1	05.6-10.6	49	6.9	04.7-09.1	38	4.9	03.1-06.7	
College Graduate	748	71,808	515	69.6	65.9-73.3	85	12.4	09.7-15.1	71	9.0	06.6-11.4	46	5.9	04.1-07.7	31	3.2	01.8-04.6	
Less than \$15,000	55	8,010	27	44.4	27.7-61.1	5	10.5	01.3-19.7	5	15.1	00.0-33.7	5	10.9	00.7-21.1	13	19.1	07.7-30.5	
\$15,000- 24,999	115	15,949	68	64.6	54.4-74.8	9	8.3	02.4-14.2	9	7.7	01.8-13.6	12	8.7	03.6-13.8	17	10.7	05.0-16.4	
\$25,000- 34,999	162	23,855	104	70.0	61.6-78.4	12	7.4	02.5-12.3	14	8.2	03.3-13.1	13	6.8	02.3-11.3	19	7.6	03.5-11.7	
\$35,000- 49,999	244	32,610	159	66.2	59.1-73.3	21	9.5	04.8-14.2	29	11.3	06.8-15.8	20	6.6	03.5-09.7	15	6.5	03.0-10.0	
\$50,000- 99,999	658	95,738	454	68.7	64.4-73.0	66	11.0	07.9-14.1	56	8.3	05.8-10.8	51	7.8	05.3-10.3	31	4.3	02.3-06.3	
\$100,000 - 199,999	393	56,871	294	73.8	68.9-78.7	36	8.9	05.8-12.0	36	9.0	05.7-12.3	15	4.9	02.4-07.4	12	3.3	01.3-05.3	
\$200,000+	108	15,120	82	78.0	69.4-86.6	9	9.5	02.8-16.2	11	8.8	03.3-14.3	5	3.3	00.4-06.2	1	0.4	00.0-01.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.															
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2006	289,048	1249	60.7	58.0-63.4	205	9.3	07.7-10.9	259	14.4	12.4-16.4	179	10.1	08.3-11.9	114	5.5	04.3-06.7	
Native	69	11,876	38	58.9	45.6-72.2	4	3.4	00.0-06.9	9	13.6	03.8-23.4	13	17.3	07.3-27.3	5	6.8	00.7-12.9	
Non-Native	1908	273,675	1194	60.8	58.1-63.5	199	9.6	08.0-11.2	248	14.6	12.6-16.6	160	9.6	07.8-11.4	107	5.4	04.0-06.8	
18-24	138	39,539	85	60.5	51.7-69.3	12	9.0	03.9-14.1	27	18.9	12.0-25.8	13	10.7	04.6-16.8	1	0.9	00.0-02.7	
25-34	184	51,655	112	59.2	51.4-67.0	15	6.5	03.2-09.8	32	16.6	10.9-22.3	15	10.5	05.0-16.0	10	7.2	02.7-11.7	
35-44	231	46,968	136	58.2	51.1-65.3	30	12.2	07.5-16.9	38	17.0	11.7-22.3	19	8.5	04.6-12.4	8	4.1	01.2-07.0	
45-54	257	37,461	163	63.0	56.5-69.5	29	10.6	06.7-14.5	25	9.8	05.7-13.9	28	12.4	07.9-16.9	12	4.3	01.8-06.8	
55-64	359	43,994	220	60.5	54.8-66.2	34	8.7	05.6-11.8	45	13.7	09.6-17.8	35	10.2	06.5-13.9	25	6.9	04.0-09.8	
65+	837	69,431	533	62.4	58.5-66.3	85	9.4	07.2-11.6	92	11.6	09.1-14.1	69	9.2	06.8-11.6	58	7.4	05.2-09.6	
Less Than H.S.	67	16,965	36	53.0	37.7-68.3	4	7.0	00.0-14.8	5	6.7	00.0-13.8	9	20.4	06.9-33.9	13	12.9	05.1-20.7	
H.S. or G.E.D.	454	68,427	267	56.0	50.3-61.7	32	6.6	03.9-09.3	62	16.2	11.9-20.5	57	13.5	09.8-17.2	36	7.7	04.4-11.0	
Some Post-H.S.	650	111,043	398	60.8	56.3-65.3	73	9.6	07.1-12.1	89	15.6	12.1-19.1	51	8.6	05.9-11.3	39	5.3	03.3-07.3	
College Graduate	834	92,263	548	65.6	61.9-69.3	96	11.5	09.0-14.0	102	12.8	10.1-15.5	62	7.5	05.3-09.7	26	2.6	01.4-03.8	
Less than \$15,000	84	12,999	39	34.3	22.3-46.3	4	2.9	00.0-05.8	11	19.9	07.7-32.1	14	21.8	10.6-33.0	16	21.1	09.7-32.5	
\$15,000- 24,999	154	19,559	77	47.4	36.8-58.0	17	8.8	03.7-13.9	25	18.0	10.0-26.0	14	12.6	03.4-21.8	21	13.1	06.8-19.4	
\$25,000- 34,999	191	28,043	104	55.9	46.9-64.9	16	7.6	03.3-11.9	31	15.0	09.1-20.9	23	13.3	06.6-20.0	17	8.2	02.9-13.5	
\$35,000- 49,999	234	31,489	142	60.6	52.8-68.4	26	10.0	05.3-14.7	28	13.7	08.2-19.2	27	11.2	06.3-16.1	11	4.5	01.0-08.0	
\$50,000- 99,999	560	77,586	346	60.6	55.7-65.5	70	11.5	08.6-14.4	71	13.5	10.0-17.0	53	10.5	07.4-13.6	20	3.9	01.9-05.9	
\$100,000 - 199,999	298	48,123	209	68.9	62.6-75.2	29	8.9	05.2-12.6	44	15.6	10.7-20.5	13	5.4	01.9-08.9	3	1.1	00.0-02.5	
\$200,000+	56	9,747	40	73.9	61.4-86.4	5	6.8	00.1-13.5	5	12.2	02.0-22.4	3	4.1	00.0-08.8	3	3.0	00.0-07.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4070	589,678	2718	60.1	58.3-61.9	364	9.6	08.4-10.8	425	12.2	11.0-13.4	392	12.4	11.0-13.8	171	5.7	04.7-06.7
Male	2067	300,678	1496	67.8	65.3-70.3	165	9.3	07.7-10.9	189	10.4	08.8-12.0	143	8.1	06.7-09.5	74	4.4	03.2-05.6
Female	2003	289,000	1222	52.2	49.5-54.9	199	10.0	08.4-11.6	236	14.1	12.1-16.1	249	16.9	14.7-19.1	97	6.9	05.3-08.5
Native	133	23,854	72	50.6	40.6-60.6	8	6.1	01.2-11.0	21	16.3	09.0-23.6	21	16.0	08.7-23.3	11	11.2	04.7-17.7
Non-Native	3861	555,602	2589	60.3	58.3-62.3	351	9.9	08.7-11.1	398	12.1	10.7-13.5	367	12.3	10.9-13.7	156	5.4	04.4-06.4
18-24	298	83,068	117	38.9	32.8-45.0	32	12.1	07.8-16.4	62	20.3	15.4-25.2	62	20.0	15.1-24.9	25	8.8	05.1-12.5
25-34	449	111,339	209	45.8	40.7-50.9	61	12.3	09.2-15.4	65	14.6	11.1-18.1	86	19.8	15.7-23.9	28	7.6	04.7-10.5
35-44	488	98,885	261	56.1	51.2-61.0	59	10.5	07.8-13.2	75	14.0	10.9-17.1	60	12.5	09.4-15.6	33	7.0	04.6-09.4
45-54	533	78,606	341	63.6	59.1-68.1	52	9.5	06.8-12.2	59	11.4	08.5-14.3	57	10.6	07.9-13.3	24	4.9	02.7-07.1
55-64	737	87,804	517	70.0	66.3-73.7	65	8.8	06.4-11.2	64	9.2	06.7-11.7	54	7.4	05.2-09.6	37	4.7	03.1-06.3
65+	1565	129,977	1273	80.3	77.9-82.7	95	5.8	04.4-07.2	100	6.1	04.7-07.5	73	5.6	04.0-07.2	24	2.2	01.2-03.2
Less Than H.S.	171	43,590	123	62.6	53.4-71.8	9	7.3	01.8-12.8	11	7.8	02.9-12.7	21	16.1	09.0-23.2	7	6.1	00.8-11.4
H.S. or G.E.D.	1030	157,485	688	60.3	56.8-63.8	79	8.0	06.0-10.0	94	11.0	08.5-13.5	112	13.6	11.1-16.1	57	7.0	05.0-09.0
Some Post-H.S.	1288	223,512	840	58.5	55.4-61.6	111	9.6	07.6-11.6	152	13.9	11.5-16.3	122	11.8	09.6-14.0	63	6.1	04.5-07.7
College Graduate	1575	163,684	1065	61.7	58.8-64.6	162	11.6	09.6-13.6	168	12.2	10.2-14.2	137	11.2	09.2-13.2	43	3.4	02.2-04.6
Less than \$15,000	140	20,959	76	48.0	37.6-58.4	8	6.3	01.6-11.0	14	12.5	05.2-19.8	26	21.9	13.3-30.5	16	11.3	05.2-17.4
\$15,000- 24,999	273	35,992	165	52.4	44.6-60.2	26	11.1	05.6-16.6	31	14.5	08.6-20.4	34	14.3	09.0-19.6	17	7.8	03.7-11.9
\$25,000- 34,999	358	52,589	219	50.4	43.7-57.1	20	6.3	03.0-09.6	48	16.2	11.1-21.3	52	19.8	14.1-25.5	19	7.2	03.9-10.5
\$35,000- 49,999	481	64,507	320	60.1	54.6-65.6	32	6.2	03.8-08.6	57	14.3	10.2-18.4	52	14.1	10.0-18.2	20	5.2	02.7-07.7
\$50,000- 99,999	1214	173,060	815	60.6	57.3-63.9	139	12.4	10.0-14.8	118	11.3	09.1-13.5	109	11.8	09.4-14.2	33	3.9	02.3-05.5
\$100,000 - 199,999	692	105,067	440	59.4	55.1-63.7	75	11.2	08.5-13.9	93	15.0	11.9-18.1	59	9.5	06.8-12.2	25	4.9	02.7-07.1
\$200,000+	163	24,969	128	78.4	71.1-85.7	12	6.5	02.6-10.4	7	3.1	00.7-05.5	9	7.2	02.1-12.3	7	4.9	01.0-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2067	300,678	1496	67.8	65.3-70.3	165	9.3	07.7-10.9	189	10.4	08.8-12.0	143	8.1	06.7-09.5	74	4.4	03.2-05.6
Native	63	11,737	45	68.0	54.3-81.7	1	1.2	00.0-03.6	8	14.2	04.4-24.0	6	10.3	00.9-19.7	3	6.3	00.0-13.4
Non-Native	1956	282,185	1415	67.5	65.0-70.0	160	9.8	08.2-11.4	178	10.3	08.7-11.9	136	8.1	06.5-09.7	67	4.3	03.1-05.5
18-24	160	43,529	81	51.6	43.2-60.0	19	12.9	07.0-18.8	33	19.2	12.7-25.7	16	10.0	05.1-14.9	11	6.3	02.2-10.4
25-34	266	59,819	147	56.5	50.0-63.0	40	14.2	09.9-18.5	32	11.7	07.6-15.8	39	13.9	09.4-18.4	8	3.7	01.0-06.4
35-44	256	51,661	156	64.2	57.9-70.5	27	9.3	05.6-13.0	35	12.1	08.0-16.2	19	6.8	03.7-09.9	19	7.5	04.2-10.8
45-54	274	40,749	196	70.6	64.7-76.5	21	7.9	04.4-11.4	25	9.6	05.9-13.3	19	7.0	03.5-10.5	13	4.9	02.2-07.6
55-64	382	44,665	288	77.0	72.3-81.7	28	7.8	04.7-10.9	30	6.6	04.1-09.1	22	5.4	03.0-07.8	14	3.1	01.3-04.9
65+	729	60,255	628	85.0	81.9-88.1	30	4.1	02.5-05.7	34	4.4	02.8-06.0	28	4.8	02.6-07.0	9	1.7	00.5-02.9
Less Than H.S.	104	26,736	81	72.6	62.0-83.2	6	8.0	00.9-15.1	4	5.5	00.0-11.0	8	8.4	02.1-14.7	5	5.4	00.0-10.9
H.S. or G.E.D.	571	88,324	405	67.1	62.6-71.6	40	8.5	05.8-11.2	51	10.3	07.4-13.2	45	8.7	06.0-11.4	30	5.4	03.4-07.4
Some Post-H.S.	640	112,583	444	65.1	60.8-69.4	57	10.0	07.3-12.7	67	11.8	08.9-14.7	49	8.5	06.0-11.0	23	4.6	02.6-06.6
College Graduate	747	71,977	564	71.3	67.6-75.0	59	9.2	06.8-11.6	67	10.1	07.6-12.6	41	6.7	04.5-08.9	16	2.7	01.3-04.1
Less than \$15,000	55	8,010	35	66.3	51.4-81.2	2	4.1	00.0-10.0	8	13.3	03.3-23.3	6	8.6	01.0-16.2	4	7.7	00.0-15.7
\$15,000- 24,999	118	16,568	76	61.8	51.0-72.6	8	7.5	01.8-13.2	14	15.5	06.9-24.1	14	11.4	04.9-17.9	6	3.8	00.3-07.3
\$25,000- 34,999	164	24,182	113	63.7	54.5-72.9	10	6.2	01.9-10.5	15	10.2	04.7-15.7	17	13.3	06.2-20.4	9	6.6	02.1-11.1
\$35,000- 49,999	248	33,439	182	70.8	64.1-77.5	11	4.0	01.3-06.7	26	10.9	06.4-15.4	22	10.9	06.2-15.6	7	3.3	00.8-05.8
\$50,000- 99,999	654	94,977	478	66.7	62.2-71.2	66	12.3	09.0-15.6	55	10.2	07.3-13.1	36	6.6	04.2-09.0	19	4.2	02.0-06.4
\$100,000 - 199,999	393	57,012	277	66.4	60.9-71.9	35	10.1	06.6-13.6	44	13.2	09.1-17.3	28	7.2	04.3-10.1	9	3.2	01.0-05.4
\$200,000+	108	15,250	89	81.9	73.7-90.1	5	3.6	00.5-06.7	5	3.8	00.3-07.3	2	2.7	00.0-06.2	7	8.0	01.7-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	None		1-2 days			3-7 days			8-29 days			30 days			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2003	289,000	1222	52.2	49.5-54.9	199	10.0	08.4-11.6	236	14.1	12.1-16.1	249	16.9	14.7-19.1	97	6.9	05.3-08.5
Native	70	12,117	27	33.6	21.3-45.9	7	10.8	01.8-19.8	13	18.3	07.5-29.1	15	21.5	10.5-32.5	8	15.9	05.5-26.3
Non-Native	1905	273,417	1174	52.7	50.0-55.4	191	10.0	08.4-11.6	220	13.9	11.9-15.9	231	16.7	14.5-18.9	89	6.6	05.0-08.2
18-24	138	39,539	36	25.0	17.4-32.6	13	11.1	04.8-17.4	29	21.5	14.1-28.9	46	31.0	22.8-39.2	14	11.4	05.1-17.7
25-34	183	51,520	62	33.4	26.0-40.8	21	10.0	05.7-14.3	33	17.9	11.8-24.0	47	26.6	19.5-33.7	20	12.1	06.8-17.4
35-44	232	47,224	105	47.2	39.9-54.5	32	11.7	07.4-16.0	40	16.0	10.9-21.1	41	18.7	13.0-24.4	14	6.4	02.9-09.9
45-54	259	37,857	145	56.1	49.4-62.8	31	11.3	07.2-15.4	34	13.4	08.7-18.1	38	14.4	09.9-18.9	11	4.8	01.7-07.9
55-64	355	43,139	229	62.6	56.9-68.3	37	9.8	06.5-13.1	34	11.9	07.4-16.4	32	9.4	06.1-12.7	23	6.3	03.6-09.0
65+	836	69,722	645	76.2	72.7-79.7	65	7.4	05.4-09.4	66	7.5	05.5-09.5	45	6.4	04.0-08.8	15	2.5	00.9-04.1
Less Than H.S.	67	16,853	42	46.7	31.4-62.0	3	6.3	00.0-15.5	7	11.5	02.1-20.9	13	28.4	14.1-42.7	2	7.1	00.0-17.5
H.S. or G.E.D.	459	69,161	283	51.7	46.0-57.4	39	7.4	04.7-10.1	43	12.0	07.9-16.1	67	19.8	15.1-24.5	27	9.1	05.6-12.6
Some Post-H.S.	648	110,929	396	51.9	47.4-56.4	54	9.2	06.5-11.9	85	16.1	12.6-19.6	73	15.1	11.6-18.6	40	7.7	05.2-10.2
College Graduate	828	91,707	501	54.1	50.2-58.0	103	13.5	10.8-16.2	101	13.8	11.1-16.5	96	14.7	11.8-17.6	27	4.0	02.2-05.8
Less than \$15,000	85	12,949	41	36.6	24.3-48.9	6	7.7	00.8-14.6	6	12.0	02.0-22.0	20	30.2	17.9-42.5	12	13.5	05.1-21.9
\$15,000- 24,999	155	19,423	89	44.3	34.1-54.5	18	14.2	05.4-23.0	17	13.6	05.8-21.4	20	16.8	08.8-24.8	11	11.1	04.2-18.0
\$25,000- 34,999	194	28,407	106	39.2	31.2-47.2	10	6.4	01.5-11.3	33	21.3	13.5-29.1	35	25.3	17.1-33.5	10	7.8	02.7-12.9
\$35,000- 49,999	233	31,069	138	48.6	40.6-56.6	21	8.6	04.5-12.7	31	18.0	11.1-24.9	30	17.6	10.9-24.3	13	7.3	03.0-11.6
\$50,000- 99,999	560	78,083	337	53.2	48.1-58.3	73	12.5	09.2-15.8	63	12.6	09.3-15.9	73	18.2	14.1-22.3	14	3.5	01.5-05.5
\$100,000 - 199,999	299	48,055	163	51.1	44.4-57.8	40	12.5	08.4-16.6	49	17.2	12.1-22.3	31	12.3	07.6-17.0	16	7.0	03.3-10.7
\$200,000+	55	9,719	39	72.8	59.5-86.1	7	10.9	02.5-19.3	2	2.1	00.0-05.0	7	14.2	02.8-25.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2113	328,040	1229	56.9	54.4-59.4	225	10.9	09.3-12.5	292	14.9	12.9-16.9	250	12.5	10.7-14.3	117	4.8	03.8-05.8
Male	966	146,630	593	62.9	59.4-66.4	97	10.3	07.9-12.7	114	12.2	09.7-14.7	106	10.0	07.8-12.2	56	4.6	03.2-06.0
Female	1147	181,410	636	52.0	48.5-55.5	128	11.4	09.2-13.6	178	17.1	14.4-19.8	144	14.6	11.9-17.3	61	4.9	03.3-06.5
Native	76	14,323	31	40.1	27.2-53.0	5	7.4	00.0-15.0	17	30.8	17.9-43.7	18	15.3	07.5-23.1	5	6.4	00.7-12.1
Non-Native	2002	309,389	1178	57.6	55.1-60.1	216	11.1	09.5-12.7	267	14.1	12.1-16.1	229	12.5	10.7-14.3	112	4.8	03.6-06.0
18-24	205	58,267	112	52.5	45.1-59.9	21	10.8	06.3-15.3	38	18.1	12.4-23.8	31	16.5	10.6-22.4	3	2.2	00.0-04.7
25-34	293	73,757	159	52.3	46.0-58.6	42	13.9	09.6-18.2	51	18.2	13.3-23.1	34	12.8	08.5-17.1	7	2.8	00.4-05.2
35-44	287	54,368	170	59.9	53.8-66.0	39	11.7	08.0-15.4	35	13.4	09.1-17.7	31	10.2	06.5-13.9	12	4.9	02.2-07.6
45-54	272	40,114	156	59.3	53.0-65.6	32	10.2	06.5-13.9	42	14.7	10.2-19.2	34	13.0	08.5-17.5	8	2.8	00.8-04.8
55-64	353	41,812	209	59.0	53.1-64.9	34	10.2	06.5-13.9	42	11.8	07.9-15.7	38	10.3	07.0-13.6	30	8.6	05.5-11.7
65+	703	59,722	423	61.1	56.8-65.4	57	7.7	05.5-09.9	84	11.3	08.6-14.0	82	11.7	08.8-14.6	57	8.3	05.9-10.7
Less Than H.S.	84	23,442	49	57.0	44.1-69.9	3	3.3	00.0-07.2	8	8.8	02.3-15.3	16	23.6	11.6-35.6	8	7.4	01.1-13.7
H.S. or G.E.D.	542	88,095	300	53.1	48.2-58.0	51	10.6	07.5-13.7	68	14.5	10.8-18.2	79	15.8	12.1-19.5	44	6.2	03.8-08.6
Some Post-H.S.	688	127,643	406	57.7	53.4-62.0	69	10.8	08.1-13.5	109	17.5	14.2-20.8	67	9.2	06.8-11.6	37	4.8	03.0-06.6
College Graduate	794	87,923	471	59.5	55.6-63.4	101	13.5	10.8-16.2	107	13.3	10.6-16.0	87	11.0	08.5-13.5	28	2.7	01.5-03.9
Less than \$15,000	93	16,135	34	42.4	29.7-55.1	3	3.5	00.0-08.0	12	11.7	03.7-19.7	25	26.2	16.0-36.4	19	16.3	08.1-24.5
\$15,000- 24,999	170	23,690	85	49.4	39.8-59.0	14	8.9	03.4-14.4	24	17.2	09.6-24.8	27	15.5	09.0-22.0	20	9.0	04.5-13.5
\$25,000- 34,999	212	33,070	109	49.0	40.6-57.4	19	10.4	05.1-15.7	33	17.5	11.0-24.0	33	15.9	09.2-22.6	18	7.2	02.7-11.7
\$35,000- 49,999	264	36,795	151	54.5	47.2-61.8	27	10.1	05.8-14.4	39	17.9	11.8-24.0	32	12.5	07.8-17.2	15	5.1	02.4-07.8
\$50,000- 99,999	619	95,637	371	58.8	54.1-63.5	82	13.4	10.3-16.5	83	14.5	11.2-17.8	65	10.6	07.7-13.5	18	2.7	01.1-04.3
\$100,000 - 199,999	346	55,754	229	65.7	59.8-71.6	41	11.7	07.8-15.6	49	13.4	09.1-17.7	18	6.2	03.3-09.1	9	2.9	00.5-05.3
\$200,000+	66	9,797	39	57.7	44.0-71.4	9	12.8	04.0-21.6	11	18.3	07.7-28.9	5	10.1	00.0-20.5	2	1.1	00.0-02.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	966	146,630	593	62.9	59.4-66.4	97	10.3	07.9-12.7	114	12.2	09.7-14.7	106	10.0	07.8-12.2	56	4.6	03.2-06.0
Non-Native	917	138,094	565	63.3	59.6-67.0	91	10.1	07.7-12.5	104	11.7	09.2-14.2	101	10.1	07.9-12.3	56	4.9	03.3-06.5
18-24	96	26,036	64	62.0	51.2-72.8	11	13.0	05.7-20.3	14	15.5	07.5-23.5	6	7.2	01.3-13.1	1	2.3	00.0-06.8
25-34	156	35,154	97	64.1	55.9-72.3	18	10.7	05.6-15.8	20	12.7	07.0-18.4	18	11.2	06.1-16.3	3	1.3	00.0-03.1
35-44	133	24,541	86	67.4	59.2-75.6	17	10.7	05.6-15.8	11	9.0	03.5-14.5	13	8.6	03.7-13.5	6	4.3	00.8-07.8
45-54	123	18,556	73	64.7	55.9-73.5	13	7.9	03.4-12.4	22	16.6	09.7-23.5	9	6.2	02.1-10.3	6	4.7	01.0-08.4
55-64	163	18,138	100	59.7	51.1-68.3	15	11.3	04.8-17.8	16	8.8	04.1-13.5	23	15.1	09.0-21.2	9	5.1	01.8-08.4
65+	295	24,206	173	58.8	52.3-65.3	23	7.7	04.4-11.0	31	10.3	06.2-14.4	37	11.6	07.5-15.7	31	11.6	07.1-16.1
H.S. or G.E.D.	272	43,196	158	57.3	50.4-64.2	30	13.6	08.5-18.7	29	12.2	07.3-17.1	30	10.7	06.6-14.8	25	6.1	03.6-08.6
Some Post-H.S.	309	57,317	196	65.4	59.5-71.3	25	8.3	04.8-11.8	40	13.5	09.0-18.0	31	8.3	05.2-11.4	17	4.5	02.3-06.7
College Graduate	338	33,554	206	62.7	57.0-68.4	39	11.3	07.6-15.0	42	12.4	08.5-16.3	39	11.4	07.7-15.1	12	2.2	00.6-03.8
\$15,000- 24,999	64	8,836	32	50.0	35.5-64.5	6	10.3	00.9-19.7	7	15.3	03.1-27.5	10	14.1	04.9-23.3	9	10.3	02.9-17.7
\$25,000- 34,999	85	11,794	46	58.3	45.8-70.8	6	7.5	00.8-14.2	8	8.2	01.3-15.1	15	17.8	08.0-27.6	10	8.2	02.7-13.7
\$35,000- 49,999	118	15,555	74	62.1	51.9-72.3	12	10.7	04.0-17.4	14	12.0	04.9-19.1	13	11.7	05.0-18.4	5	3.4	00.3-06.5
\$50,000- 99,999	294	46,880	177	60.6	53.7-67.5	37	12.7	08.2-17.2	35	13.5	08.8-18.2	32	8.8	04.9-12.7	13	4.4	01.3-07.5
\$100,000 - 199,999	175	26,827	120	69.8	62.2-77.4	17	9.0	04.3-13.7	24	12.5	06.8-18.2	11	7.5	03.0-12.0	3	1.2	00.0-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1147	181,410	636	52.0	48.5-55.5	128	11.4	09.2-13.6	178	17.1	14.4-19.8	144	14.6	11.9-17.3	61	4.9	03.3-06.5
Non-Native	1085	171,295	613	53.0	49.3-56.7	125	11.9	09.5-14.3	163	16.0	13.3-18.7	128	14.4	11.7-17.1	56	4.7	03.1-06.3
18-24	109	32,231	48	44.7	34.5-54.9	10	8.9	03.4-14.4	24	20.2	12.4-28.0	25	24.0	15.0-33.0	2	2.0	00.0-04.7
25-34	137	38,603	62	41.5	32.7-50.3	24	16.8	10.1-23.5	31	23.3	15.7-30.9	16	14.2	07.3-21.1	4	4.2	00.0-08.5
35-44	154	29,827	84	53.7	45.1-62.3	22	12.5	07.0-18.0	24	17.0	10.3-23.7	18	11.5	06.2-16.8	6	5.3	01.0-09.6
45-54	149	21,558	83	54.6	46.0-63.2	19	12.2	06.7-17.7	20	13.1	07.2-19.0	25	18.8	11.5-26.1	2	1.2	00.0-03.0
55-64	190	23,674	109	58.5	50.7-66.3	19	9.4	05.1-13.7	26	14.2	08.5-19.9	15	6.7	03.2-10.2	21	11.3	06.2-16.4
65+	408	35,516	250	62.6	57.1-68.1	34	7.7	05.0-10.4	53	12.0	08.3-15.7	45	11.7	07.8-15.6	26	6.0	03.5-08.5
H.S. or G.E.D.	270	44,899	142	48.9	41.8-56.0	21	7.6	03.7-11.5	39	16.7	11.2-22.2	49	20.6	14.7-26.5	19	6.2	02.5-09.9
Some Post-H.S.	379	70,326	210	51.5	45.6-57.4	44	12.9	08.8-17.0	69	20.8	15.9-25.7	36	9.8	06.3-13.3	20	5.0	02.5-07.5
College Graduate	456	54,369	265	57.6	52.3-62.9	62	14.9	11.2-18.6	65	13.8	10.1-17.5	48	10.7	07.6-13.8	16	3.1	01.3-04.9
Less than \$15,000	58	10,546	20	35.1	20.2-50.0	3	5.3	00.0-12.4	7	12.6	01.4-23.8	18	31.8	18.1-45.5	10	15.2	05.0-25.4
\$15,000- 24,999	106	14,854	53	49.0	36.5-61.5	8	8.0	01.1-14.9	17	18.3	08.5-28.1	17	16.4	07.8-25.0	11	8.3	02.6-14.0
\$25,000- 34,999	127	21,276	63	43.8	33.2-54.4	13	12.0	04.7-19.3	25	22.7	13.5-31.9	18	14.9	06.3-23.5	8	6.7	00.4-13.0
\$35,000- 49,999	146	21,240	77	48.9	38.9-58.9	15	9.6	04.1-15.1	25	22.1	13.3-30.9	19	13.1	06.4-19.8	10	6.3	02.0-10.6
\$50,000- 99,999	325	48,757	194	57.0	50.5-63.5	45	14.2	09.7-18.7	48	15.5	10.8-20.2	33	12.2	07.7-16.7	5	1.1	00.1-02.1
\$100,000 - 199,999	171	28,927	109	62.0	53.4-70.6	24	14.2	07.9-20.5	25	14.3	08.0-20.6	7	5.1	01.2-09.0	6	4.5	00.2-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH INSURANCE? (PRIMINSR)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON OR A GROUP OF DOCTORS THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH INSURANCE? (PRIMINSR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Private Plan Purchased by you or family member			Medicare, Medigap, Medicaid, CHIP or State Prgm			Military and Other Government Related Health Care			Indian Health Service			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4049	581,810	1673	49.2	47.2-51.2	436	11.2	10.0-12.4	1566	28.3	26.7-29.9	228	6.3	05.3-07.3	30	1.0	00.6-01.4	116	4.1	03.3-04.9
Male	2050	295,549	891	51.3	48.8-53.8	222	11.1	09.5-12.7	701	24.6	22.4-26.8	149	7.2	05.8-08.6	12	0.9	00.3-01.5	75	4.8	03.6-06.0
Female	1999	286,261	782	47.0	44.3-49.7	214	11.2	09.4-13.0	865	32.0	29.6-34.4	79	5.3	03.9-06.7	18	1.1	00.5-01.7	41	3.4	02.2-04.6
Native	131	23,584	46	34.9	25.5-44.3	9	8.4	02.7-14.1	37	24.8	16.2-33.4	4	2.8	00.0-06.1	26	21.3	12.7-29.9	9	7.8	02.3-13.3
Non-Native	3850	549,212	1605	50.0	48.0-52.0	421	11.3	10.1-12.5	1499	28.3	26.7-29.9	217	6.3	05.3-07.3	4	0.2	00.0-00.4	104	3.9	03.1-04.7
18-24	271	74,624	150	51.4	44.9-57.9	48	17.5	12.8-22.2	40	16.7	11.6-21.8	18	7.5	04.0-11.0	2	0.9	00.0-02.3	13	6.0	02.5-09.5
25-34	449	111,681	284	59.9	54.8-65.0	43	8.7	06.0-11.4	56	14.3	10.6-18.0	36	9.3	06.2-12.4	5	1.4	00.0-02.8	25	6.4	03.9-08.9
35-44	489	99,153	335	67.5	62.8-72.2	44	8.0	05.5-10.5	51	12.4	08.9-15.9	25	5.3	03.1-07.5	5	1.1	00.1-02.1	29	5.7	03.5-07.9
45-54	528	78,160	367	69.9	65.6-74.2	64	12.2	09.1-15.3	48	8.6	06.1-11.1	26	4.4	02.6-06.2	6	1.6	00.2-03.0	17	3.3	01.5-05.1
55-64	738	88,628	417	55.8	51.7-59.9	138	18.2	15.1-21.3	107	15.5	12.4-18.6	44	6.0	04.0-08.0	7	1.1	00.3-01.9	25	3.4	02.0-04.8
65+	1574	129,564	120	7.6	06.0-09.2	99	6.6	05.2-08.0	1264	79.7	77.3-82.1	79	5.0	03.8-06.2	5	0.4	00.0-00.8	7	0.6	00.0-01.2
Less Than H.S.	166	41,627	33	30.1	20.9-39.3	14	6.1	02.4-09.8	100	49.5	40.1-58.9	8	4.0	00.9-07.1	2	2.1	00.0-05.4	9	8.2	02.3-14.1
H.S. or G.E.D.	1031	155,349	341	42.1	38.4-45.8	115	11.9	09.5-14.3	474	34.8	31.5-38.1	64	6.5	04.5-08.5	5	0.7	00.1-01.3	32	3.9	02.5-05.3
Some Post-H.S.	1277	220,650	494	47.6	44.5-50.7	143	11.7	09.7-13.7	495	26.7	24.2-29.2	77	7.3	05.5-09.1	16	1.5	00.7-02.3	52	5.2	03.6-06.8
College Graduate	1571	163,060	801	62.6	59.9-65.3	164	11.0	09.2-12.8	497	18.9	17.1-20.7	79	5.3	03.9-06.7	7	0.5	00.1-00.9	23	1.8	01.0-02.6
Less than \$15,000	140	20,920	11	12.0	04.7-19.3	14	8.8	03.5-14.1	97	69.4	60.0-78.8	7	3.3	00.6-06.0	2	0.5	00.0-01.3	9	6.0	01.9-10.1
\$15,000- 24,999	269	35,550	24	12.9	07.8-18.0	31	14.2	08.5-19.9	182	57.7	49.9-65.5	18	5.6	02.7-08.5	2	1.4	00.0-03.4	12	8.3	02.8-13.8
\$25,000- 34,999	353	50,821	70	27.2	20.9-33.5	48	12.1	08.4-15.8	191	43.3	36.8-49.8	23	9.0	04.5-13.5	5	2.3	00.1-04.5	16	6.1	02.8-09.4
\$35,000- 49,999	482	64,893	140	39.5	34.0-45.0	46	11.6	08.1-15.1	229	33.1	28.4-37.8	42	9.4	06.1-12.7	8	1.8	00.4-03.2	17	4.6	02.1-07.1
\$50,000- 99,999	1220	172,273	600	58.2	54.9-61.5	114	10.1	07.9-12.3	398	21.4	18.9-23.9	76	6.5	04.7-08.3	7	0.6	00.0-01.2	25	3.1	01.7-04.5
\$100,000 - 199,999	690	104,392	462	73.4	69.7-77.1	79	10.4	07.9-12.9	120	10.4	08.2-12.6	23	4.7	02.5-06.9				6	1.0	00.2-01.8
\$200,000+	167	25,516	117	74.4	67.0-81.8	26	14.6	08.5-20.7	17	6.5	02.6-10.4	4	2.4	00.0-04.9				3	2.1	00.0-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH INSURANCE? (PRIMINSR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Private Plan Purchased by you or family member			Medicare, Medigap, Medicaid, CHIP or State Prgm			Military and Other Government Related Health Care			Indian Health Service			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2050	295,549	891	51.3	48.8-53.8	222	11.1	09.5-12.7	701	24.6	22.4-26.8	149	7.2	05.8-08.6	12	0.9	00.3-01.5	75	4.8	03.6-06.0
Native	63	11,727	29	46.7	32.0-61.4	4	7.1	00.0-14.2	13	18.2	06.6-29.8	3	4.0	00.0-09.7	10	18.2	05.5-30.9	4	5.8	00.0-13.1
Non-Native	1946	278,042	851	52.0	49.5-54.5	214	11.3	09.7-12.9	670	24.6	22.4-26.8	140	7.2	05.8-08.6	2	0.2	00.0-00.4	69	4.7	03.5-05.9
18-24	142	37,800	81	53.0	44.0-62.0	24	15.7	09.6-21.8	20	17.8	10.2-25.4	9	7.4	02.3-12.5				8	6.0	01.7-10.3
25-34	264	59,808	172	64.8	58.5-71.1	27	9.0	05.5-12.5	22	7.7	04.2-11.2	22	9.1	05.4-12.8	5	2.5	00.0-05.0	16	6.9	03.4-10.4
35-44	257	52,072	178	68.7	62.4-75.0	20	7.6	04.1-11.1	25	11.2	06.5-15.9	17	6.2	03.1-09.3				17	6.4	03.3-09.5
45-54	272	40,735	188	69.5	63.4-75.6	36	13.0	08.7-17.3	19	6.7	03.4-10.0	16	5.1	02.6-07.6	3	1.7	00.0-03.7	10	4.1	01.4-06.8
55-64	383	44,964	209	53.4	47.9-58.9	73	20.1	15.6-24.6	56	14.3	10.4-18.2	24	6.5	03.8-09.2	2	0.8	00.0-02.0	19	4.9	02.5-07.3
65+	732	60,169	63	8.1	05.9-10.3	42	5.6	03.8-07.4	559	77.2	73.7-80.7	61	8.0	05.6-10.4	2	0.2	00.0-00.4	5	0.9	00.1-01.7
Less Than H.S.	98	24,474	23	32.2	20.6-43.8	11	8.9	03.2-14.6	47	39.7	28.1-51.3	7	5.0	01.1-08.9	2	3.6	00.0-09.3	8	10.7	03.1-18.3
H.S. or G.E.D.	569	86,912	229	49.7	45.0-54.4	57	10.0	07.3-12.7	219	28.8	24.7-32.9	40	6.7	04.2-09.2	3	0.6	00.0-01.4	21	4.1	02.3-05.9
Some Post-H.S.	636	111,700	275	51.2	46.9-55.5	82	13.3	10.4-16.2	195	20.8	17.7-23.9	45	7.7	05.2-10.2	6	1.1	00.3-01.9	33	5.9	03.7-08.1
College Graduate	744	71,690	361	59.6	55.7-63.5	72	10.0	07.5-12.5	240	20.7	17.8-23.6	57	7.8	05.6-10.0	1	0.1	00.0-00.3	13	1.9	00.7-03.1
Less than \$15,000	53	7,545	2	2.6	00.0-07.1	5	9.8	00.4-19.2	36	75.6	62.5-88.7	5	6.6	00.0-13.5	1	0.6	00.0-01.8	4	4.9	00.0-09.8
\$15,000- 24,999	114	15,945	14	17.6	08.6-26.6	16	12.4	05.7-19.1	63	49.5	37.9-61.1	12	9.8	03.7-15.9				9	10.8	03.4-18.2
\$25,000- 34,999	162	23,268	35	31.2	21.2-41.2	23	13.4	07.3-19.5	74	31.9	23.7-40.1	17	13.0	05.7-20.3	2	1.6	00.0-03.8	11	8.9	03.0-14.8
\$35,000- 49,999	248	33,275	62	35.0	27.6-42.4	29	14.2	08.9-19.5	109	30.2	23.9-36.5	30	11.6	06.7-16.5	5	2.5	00.1-04.9	13	6.4	02.7-10.1
\$50,000- 99,999	656	94,817	325	58.1	53.6-62.6	58	9.8	07.1-12.5	203	21.0	17.7-24.3	51	7.0	04.6-09.4	2	0.4	00.0-01.0	17	3.6	01.6-05.6
\$100,000 - 199,999	391	56,249	248	71.4	66.5-76.3	47	11.3	08.0-14.6	80	11.6	08.7-14.5	13	4.8	02.1-07.5				3	0.9	00.0-01.9
\$200,000+	111	15,769	77	74.2	65.2-83.2	17	12.5	06.4-18.6	12	8.3	02.4-14.2	2	1.6	00.0-04.0				3	3.4	00.0-07.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH INSURANCE? (PRIMINSR)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Private Plan Purchased by you or family member			Medicare, Medigap, Medicaid, CHIP or State Prgm			Military and Other Government Related Health Care			Indian Health Service			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1999	286,261	782	47.0	44.3-49.7	214	11.2	09.4-13.0	865	32.0	29.6-34.4	79	5.3	03.9-06.7	18	1.1	00.5-01.7	41	3.4	02.2-04.6
Native	68	11,857	17	23.2	12.0-34.4	5	9.7	01.1-18.3	24	31.3	18.6-44.0	1	1.7	00.0-04.8	16	24.3	12.3-36.3	5	9.8	01.6-18.0
Non-Native	1904	271,169	754	48.0	45.3-50.7	207	11.3	09.5-13.1	829	32.0	29.6-34.4	77	5.4	04.0-06.8	2	0.1	00.0-00.3	35	3.1	01.9-04.3
18-24	129	36,824	69	49.8	40.4-59.2	24	19.3	12.0-26.6	20	15.5	08.8-22.2	9	7.5	02.4-12.6	2	1.8	00.0-04.5	5	6.0	00.5-11.5
25-34	185	51,873	112	54.2	46.4-62.0	16	8.4	04.1-12.7	34	22.0	15.1-28.9	14	9.6	04.5-14.7				9	5.9	02.0-09.8
35-44	232	47,081	157	66.2	59.3-73.1	24	8.5	04.8-12.2	26	13.8	08.5-19.1	8	4.2	01.1-07.3	5	2.3	00.1-04.5	12	4.9	02.2-07.6
45-54	256	37,425	179	70.4	64.3-76.5	28	11.3	07.0-15.6	29	10.6	06.7-14.5	10	3.7	01.3-06.1	3	1.5	00.0-03.5	7	2.4	00.6-04.2
55-64	355	43,664	208	58.3	52.4-64.2	65	16.3	12.2-20.4	51	16.7	11.8-21.6	20	5.5	03.0-08.0	5	1.3	00.1-02.5	6	1.9	00.3-03.5
65+	842	69,395	57	7.2	05.0-09.4	57	7.5	05.3-09.7	705	81.9	78.8-85.0	18	2.3	01.1-03.5	3	0.6	00.0-01.2	2	0.5	00.0-01.1
Less Than H.S.	68	17,153	10	27.1	11.8-42.4	3	2.2	00.0-05.3	53	63.4	47.5-79.3	1	2.6	00.0-07.7				1	4.7	00.0-13.5
H.S. or G.E.D.	462	68,438	112	32.5	27.0-38.0	58	14.4	10.3-18.5	255	42.6	37.1-48.1	24	6.1	03.0-09.2	2	0.8	00.0-02.0	11	3.6	01.4-05.8
Some Post-H.S.	641	108,950	219	43.9	39.2-48.6	61	10.1	07.4-12.8	300	32.8	28.7-36.9	32	6.9	04.2-09.6	10	1.9	00.5-03.3	19	4.5	02.3-06.7
College Graduate	827	91,370	440	64.9	61.4-68.4	92	11.9	09.2-14.6	257	17.4	15.0-19.8	22	3.3	01.7-04.9	6	0.8	00.2-01.4	10	1.7	00.5-02.9
Less than \$15,000	87	13,375	9	17.3	06.5-28.1	9	8.3	01.8-14.8	61	65.9	53.6-78.2	2	1.5	00.0-03.7	1	0.5	00.0-01.5	5	6.6	00.7-12.5
\$15,000- 24,999	155	19,605	10	9.0	03.3-14.7	15	15.7	06.9-24.5	119	64.5	53.5-75.5	6	2.1	00.0-04.3	2	2.5	00.0-06.0	3	6.2	00.0-14.4
\$25,000- 34,999	191	27,553	35	23.8	16.2-31.4	25	11.0	06.3-15.7	117	52.9	43.9-61.9	6	5.7	00.0-11.4	3	2.8	00.0-06.5	5	3.7	00.2-07.2
\$35,000- 49,999	234	31,618	78	44.2	36.0-52.4	17	8.7	04.2-13.2	120	36.2	28.9-43.5	12	7.0	02.5-11.5	3	1.1	00.0-02.5	4	2.8	00.0-06.1
\$50,000- 99,999	564	77,456	275	58.4	53.5-63.3	56	10.5	07.4-13.6	195	21.9	18.4-25.4	25	5.8	03.4-08.2	5	0.9	00.0-01.9	8	2.4	00.6-04.2
\$100,000 - 199,999	299	48,144	214	75.8	70.1-81.5	32	9.4	05.7-13.1	40	9.0	05.9-12.1	10	4.6	01.1-08.1				3	1.3	00.0-02.9
\$200,000+	56	9,747	40	74.8	61.7-87.9	9	17.9	05.6-30.2	5	3.5	00.2-06.8	2	3.8	00.0-09.1						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON OR A GROUP OF DOCTORS THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4115	593,585	2550	59.8	58.0-61.6	1002	22.2	20.6-23.8	563	18.0	16.4-19.6
Male	2085	302,401	1264	59.0	56.5-61.5	443	17.8	16.0-19.6	378	23.2	20.8-25.6
Female	2030	291,184	1286	60.6	57.9-63.3	559	26.9	24.5-29.3	185	12.5	10.5-14.5
Native	132	23,556	76	57.1	47.1-67.1	24	14.8	08.5-21.1	32	28.1	18.7-37.5
Non-Native	3908	559,989	2426	60.0	58.0-62.0	965	22.6	21.0-24.2	517	17.4	15.8-19.0
18-24	294	81,930	152	53.1	46.8-59.4	47	14.5	10.4-18.6	95	32.4	26.5-38.3
25-34	446	110,591	243	54.4	49.3-59.5	76	17.6	13.5-21.7	127	28.0	23.5-32.5
35-44	491	99,317	274	57.5	52.6-62.4	113	21.2	17.3-25.1	104	21.3	17.2-25.4
45-54	538	79,412	316	57.8	53.3-62.3	154	28.5	24.4-32.6	68	13.7	10.4-17.0
55-64	744	89,243	469	63.2	59.3-67.1	200	26.7	23.2-30.2	75	10.1	07.6-12.6
65+	1602	133,093	1096	69.1	66.6-71.6	412	24.9	22.5-27.3	94	6.0	04.6-07.4
Less Than H.S.	173	43,604	112	60.2	51.0-69.4	28	13.6	07.3-19.9	33	26.1	17.7-34.5
H.S. or G.E.D.	1052	159,187	670	61.1	57.6-64.6	227	20.4	17.5-23.3	155	18.5	15.6-21.4
Some Post-H.S.	1301	225,602	789	58.4	55.3-61.5	308	22.1	19.6-24.6	204	19.6	16.9-22.3
College Graduate	1584	163,900	975	60.2	57.5-62.9	438	26.6	24.1-29.1	171	13.2	11.0-15.4
Less than \$15,000	143	21,539	85	56.0	45.6-66.4	31	20.9	13.1-28.7	27	23.1	13.1-33.1
\$15,000- 24,999	274	35,994	174	61.9	54.5-69.3	69	21.3	15.4-27.2	31	16.8	10.3-23.3
\$25,000- 34,999	363	52,898	211	54.2	47.7-60.7	85	19.8	14.5-25.1	67	26.0	19.9-32.1
\$35,000- 49,999	481	64,271	308	58.2	52.7-63.7	107	21.5	17.0-26.0	66	20.4	15.5-25.3
\$50,000- 99,999	1224	174,224	766	62.1	58.8-65.4	306	22.7	20.0-25.4	152	15.3	12.8-17.8
\$100,000 - 199,999	696	105,358	436	62.1	58.0-66.2	175	23.7	20.2-27.2	85	14.2	11.1-17.3
\$200,000+	166	25,436	92	52.7	44.1-61.3	50	30.6	22.6-38.6	24	16.7	09.8-23.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON OR A GROUP OF DOCTORS THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2085	302,401	1264	59.0	56.5-61.5	443	17.8	16.0-19.6	378	23.2	20.8-25.6
Native	63	11,551	33	54.3	39.6-69.0	11	13.5	04.9-22.1	19	32.1	18.2-46.0
Non-Native	1975	284,174	1201	59.3	56.8-61.8	425	18.1	16.1-20.1	349	22.6	20.2-25.0
18-24	158	43,217	78	51.5	43.1-59.9	22	12.4	07.3-17.5	58	36.1	27.9-44.3
25-34	263	59,130	130	48.2	41.5-54.9	35	13.3	09.0-17.6	98	38.5	32.0-45.0
35-44	258	51,885	140	56.9	50.2-63.6	46	16.2	11.5-20.9	72	26.9	21.0-32.8
45-54	278	41,457	175	61.2	54.9-67.5	59	20.8	15.7-25.9	44	18.0	12.7-23.3
55-64	385	45,203	251	67.3	62.2-72.4	88	21.4	17.1-25.7	46	11.3	08.0-14.6
65+	743	61,510	490	68.9	65.2-72.6	193	22.5	19.2-25.8	60	8.6	06.2-11.0
Less Than H.S.	103	26,309	66	62.2	50.8-73.6	13	7.0	02.7-11.3	24	30.8	19.6-42.0
H.S. or G.E.D.	580	88,900	364	60.7	56.0-65.4	104	15.7	12.4-19.0	112	23.6	19.5-27.7
Some Post-H.S.	648	114,088	371	55.8	51.5-60.1	131	18.1	14.8-21.4	146	26.1	22.2-30.0
College Graduate	750	72,164	460	60.6	56.7-64.5	194	23.7	20.4-27.0	96	15.7	12.6-18.8
Less than \$15,000	55	8,010	30	54.3	36.7-71.9	12	15.1	05.5-24.7	13	30.6	12.0-49.2
\$15,000- 24,999	116	16,087	71	59.5	48.5-70.5	27	20.7	12.1-29.3	18	19.7	10.9-28.5
\$25,000- 34,999	165	24,218	89	54.0	44.4-63.6	36	14.1	08.6-19.6	40	31.9	22.7-41.1
\$35,000- 49,999	247	32,875	162	62.3	55.0-69.6	39	11.3	07.2-15.4	46	26.4	19.3-33.5
\$50,000- 99,999	660	95,961	399	59.5	55.0-64.0	150	19.8	16.3-23.3	111	20.7	16.8-24.6
\$100,000 - 199,999	396	57,041	254	63.4	57.9-68.9	78	16.5	12.6-20.4	64	20.1	15.4-24.8
\$200,000+	110	15,689	63	54.4	43.8-65.0	26	21.5	13.3-29.7	21	24.2	14.4-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON OR A GROUP OF DOCTORS THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2030	291,184	1286	60.6	57.9-63.3	559	26.9	24.5-29.3	185	12.5	10.5-14.5
Native	69	12,006	43	59.7	46.2-73.2	13	16.1	06.9-25.3	13	24.2	11.7-36.7
Non-Native	1933	275,815	1225	60.8	58.1-63.5	540	27.3	24.9-29.7	168	11.9	09.9-13.9
18-24	136	38,712	74	54.9	45.9-63.9	25	16.9	10.4-23.4	37	28.2	19.8-36.6
25-34	183	51,461	113	61.5	53.7-69.3	41	22.6	15.7-29.5	29	15.9	10.2-21.6
35-44	233	47,432	134	58.1	50.8-65.4	67	26.6	20.3-32.9	32	15.3	09.6-21.0
45-54	260	37,955	141	54.1	47.4-60.8	95	37.0	30.5-43.5	24	8.9	05.2-12.6
55-64	359	44,040	218	58.9	53.0-64.8	112	32.2	26.7-37.7	29	8.9	05.2-12.6
65+	859	71,583	606	69.3	65.8-72.8	219	26.9	23.4-30.4	34	3.8	02.2-05.4
Less Than H.S.	70	17,295	46	57.3	42.0-72.6	15	23.7	10.2-37.2	9	19.0	06.3-31.7
H.S. or G.E.D.	472	70,287	306	61.6	56.1-67.1	123	26.4	21.5-31.3	43	12.0	08.3-15.7
Some Post-H.S.	653	111,514	418	61.0	56.5-65.5	177	26.1	22.2-30.0	58	12.9	09.4-16.4
College Graduate	834	91,737	515	59.9	56.0-63.8	244	28.9	25.4-32.4	75	11.2	08.5-13.9
Less than \$15,000	88	13,528	55	57.1	44.2-70.0	19	24.3	13.5-35.1	14	18.6	07.8-29.4
\$15,000- 24,999	158	19,907	103	63.8	53.4-74.2	42	21.8	14.0-29.6	13	14.5	05.3-23.7
\$25,000- 34,999	198	28,679	122	54.3	45.3-63.3	49	24.6	16.6-32.6	27	21.0	13.2-28.8
\$35,000- 49,999	234	31,397	146	53.9	45.7-62.1	68	32.0	24.4-39.6	20	14.0	07.1-20.9
\$50,000- 99,999	564	78,264	367	65.2	60.5-69.9	156	26.2	21.9-30.5	41	8.6	05.7-11.5
\$100,000 - 199,999	300	48,317	182	60.6	54.1-67.1	97	32.2	26.1-38.3	21	7.2	04.1-10.3
\$200,000+	56	9,747	29	50.0	34.9-65.1	24	45.3	30.4-60.2	3	4.8	00.0-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4138	598,092	246	8.7	07.5-09.9	3892	91.3	90.1-92.5
Male	2105	305,930	103	6.7	05.1-08.3	2002	93.3	91.7-94.9
Female	2033	292,162	143	10.8	08.8-12.8	1890	89.2	87.2-91.2
Native	133	23,927	16	13.0	06.3-19.7	117	87.0	80.3-93.7
Non-Native	3929	564,170	220	8.4	07.2-09.6	3709	91.6	90.4-92.8
18-24	299	83,628	41	16.0	10.9-21.1	258	84.0	78.9-89.1
25-34	454	112,617	50	11.9	08.6-15.2	404	88.1	84.8-91.4
35-44	494	99,992	44	10.5	07.2-13.8	450	89.5	86.2-92.8
45-54	537	79,319	38	8.0	05.3-10.7	499	92.0	89.3-94.7
55-64	746	89,147	42	6.2	04.0-08.4	704	93.8	91.6-96.0
65+	1608	133,388	31	2.2	01.4-03.0	1577	97.8	97.0-98.6
Less Than H.S.	176	44,634	16	17.6	09.2-26.0	160	82.4	74.0-90.8
H.S. or G.E.D.	1052	159,737	71	8.7	06.5-10.9	981	91.3	89.1-93.5
Some Post-H.S.	1307	226,796	101	9.9	07.9-11.9	1206	90.1	88.1-92.1
College Graduate	1596	165,417	58	4.7	03.3-06.1	1538	95.3	93.9-96.7
Less than \$15,000	143	21,539	25	24.6	14.6-34.6	118	75.4	65.4-85.4
\$15,000- 24,999	276	36,512	30	19.5	12.1-26.9	246	80.5	73.1-87.9
\$25,000- 34,999	364	52,935	30	10.1	06.0-14.2	334	89.9	85.8-94.0
\$35,000- 49,999	488	65,405	33	9.9	06.4-13.4	455	90.1	86.6-93.6
\$50,000- 99,999	1230	175,405	56	6.9	04.9-08.9	1174	93.1	91.1-95.1
\$100,000 - 199,999	697	105,643	16	2.6	01.2-04.0	681	97.4	96.0-98.8
\$200,000+	167	25,516	2	2.3	00.0-06.0	165	97.7	94.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2105	305,930	103	6.7	05.1-08.3	2002	93.3	91.7-94.9
Native	64	11,919	4	7.9	00.0-16.7	60	92.1	83.3-0100
Non-Native	1993	287,265	95	6.5	04.9-08.1	1898	93.5	91.9-95.1
18-24	161	44,089	13	9.9	04.0-15.8	148	90.1	84.2-96.0
25-34	269	60,703	25	9.6	05.7-13.5	244	90.4	86.5-94.3
35-44	261	52,519	16	7.3	03.4-11.2	245	92.7	88.8-96.6
45-54	277	41,307	16	7.4	03.5-11.3	261	92.6	88.7-96.5
55-64	388	45,451	17	4.2	02.0-06.4	371	95.8	93.6-98.0
65+	749	61,861	16	2.2	01.0-03.4	733	97.8	96.6-99.0
Less Than H.S.	106	27,015	7	14.0	04.0-24.0	99	86.0	76.0-96.0
H.S. or G.E.D.	583	89,771	36	7.2	04.7-09.7	547	92.8	90.3-95.3
Some Post-H.S.	653	115,251	40	6.8	04.4-09.2	613	93.2	90.8-95.6
College Graduate	757	72,735	20	3.1	01.7-04.5	737	96.9	95.5-98.3
Less than \$15,000	55	8,010	6	20.5	01.5-39.5	49	79.5	60.5-98.5
\$15,000- 24,999	119	16,663	13	17.4	06.8-28.0	106	82.6	72.0-93.2
\$25,000- 34,999	167	24,410	13	8.5	03.2-13.8	154	91.5	86.2-96.8
\$35,000- 49,999	252	33,884	17	7.6	03.7-11.5	235	92.4	88.5-96.3
\$50,000- 99,999	664	96,838	25	5.7	03.2-08.2	639	94.3	91.8-96.8
\$100,000 - 199,999	397	57,326	5	1.1	00.1-02.1	392	98.9	97.9-99.9
\$200,000+	111	15,769				111	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2033	292,162	143	10.8	08.8-12.8	1890	89.2	87.2-91.2
Native	69	12,008	12	18.0	08.0-28.0	57	82.0	72.0-92.0
Non-Native	1936	276,905	125	10.3	08.3-12.3	1811	89.7	87.7-91.7
18-24	138	39,539	28	22.8	14.6-31.0	110	77.2	69.0-85.4
25-34	185	51,914	25	14.6	09.1-20.1	160	85.4	79.9-90.9
35-44	233	47,474	28	14.0	08.9-19.1	205	86.0	80.9-91.1
45-54	260	38,012	22	8.6	05.1-12.1	238	91.4	87.9-94.9
55-64	358	43,696	25	8.3	04.6-12.0	333	91.7	88.0-95.4
65+	859	71,527	15	2.1	00.9-03.3	844	97.9	96.7-99.1
Less Than H.S.	70	17,619	9	23.0	08.5-37.5	61	77.0	62.5-91.5
H.S. or G.E.D.	469	69,966	35	10.7	07.0-14.4	434	89.3	85.6-93.0
Some Post-H.S.	654	111,544	61	13.1	09.8-16.4	593	86.9	83.6-90.2
College Graduate	839	92,683	38	5.9	03.9-07.9	801	94.1	92.1-96.1
Less than \$15,000	88	13,528	19	27.1	15.3-38.9	69	72.9	61.1-84.7
\$15,000- 24,999	157	19,849	17	21.3	11.1-31.5	140	78.7	68.5-88.9
\$25,000- 34,999	197	28,526	17	11.5	05.6-17.4	180	88.5	82.6-94.4
\$35,000- 49,999	236	31,521	16	12.3	06.2-18.4	220	87.7	81.6-93.8
\$50,000- 99,999	566	78,567	31	8.3	05.2-11.4	535	91.7	88.6-94.8
\$100,000 - 199,999	300	48,317	11	4.3	01.4-07.2	289	95.7	92.8-98.6
\$200,000+	56	9,747	2	6.1	00.0-15.7	54	93.9	84.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4099	590,025	3241	74.4	72.6-76.2	408	12.0	10.6-13.4	215	6.4	05.4-07.4	203	6.1	05.1-07.1	32	1.1	00.7-01.5
Male	2077	300,390	1559	69.7	67.3-72.1	218	12.7	10.9-14.5	125	7.3	05.9-08.7	151	8.8	07.2-10.4	24	1.4	00.8-02.0
Female	2022	289,635	1682	79.3	76.9-81.7	190	11.2	09.4-13.0	90	5.4	04.0-06.8	52	3.3	02.3-04.3	8	0.7	00.1-01.3
Native	134	24,036	96	71.2	62.4-80.0	15	12.7	06.2-19.2	14	10.1	04.2-16.0	8	5.5	01.2-09.8	1	0.5	00.0-01.5
Non-Native	3887	555,546	3088	74.7	72.9-76.5	381	11.9	10.5-13.3	198	6.3	05.3-07.3	190	6.0	05.0-07.0	30	1.1	00.7-01.5
18-24	288	80,552	180	63.6	57.5-69.7	43	16.5	11.8-21.2	38	12.1	08.2-16.0	20	5.8	03.1-08.5	7	2.0	00.4-03.6
25-34	443	109,709	281	64.9	60.0-69.8	64	15.0	11.3-18.7	44	9.0	06.3-11.7	47	9.9	07.0-12.8	7	1.3	00.3-02.3
35-44	492	99,581	333	66.9	62.2-71.6	74	14.8	11.3-18.3	33	6.9	04.4-09.4	45	9.5	06.6-12.4	7	1.9	00.0-03.9
45-54	533	78,179	406	75.5	71.4-79.6	62	11.3	08.4-14.2	32	6.3	03.9-08.7	30	6.3	03.9-08.7	3	0.5	00.0-01.1
55-64	743	89,116	597	80.6	77.5-83.7	70	10.1	07.6-12.6	40	4.8	03.2-06.4	30	3.6	02.2-05.0	6	0.8	00.0-01.6
65+	1600	132,889	1444	89.9	88.1-91.7	95	6.3	04.9-07.7	28	1.5	00.9-02.1	31	2.2	01.4-03.0	2	0.2	00.0-00.4
Less Than H.S.	175	44,089	142	78.5	71.1-85.9	18	11.0	05.5-16.5	7	5.1	01.2-09.0	6	4.2	00.3-08.1	2	1.2	00.0-03.0
H.S. or G.E.D.	1033	155,313	796	72.0	68.7-75.3	90	10.8	08.3-13.3	69	7.8	05.8-09.8	66	7.8	05.8-09.8	12	1.6	00.6-02.6
Some Post-H.S.	1299	225,080	1007	72.1	69.2-75.0	145	14.0	11.6-16.4	62	6.0	04.4-07.6	75	6.8	05.2-08.4	10	1.1	00.1-02.1
College Graduate	1585	164,035	1291	78.9	76.5-81.3	154	10.6	08.6-12.6	76	5.8	04.4-07.2	56	4.2	03.0-05.4	8	0.6	00.2-01.0
Less than \$15,000	141	20,904	115	79.8	71.6-88.0	7	6.1	01.4-10.8	8	6.0	00.5-11.5	10	7.7	02.4-13.0	1	0.3	00.0-00.9
\$15,000- 24,999	272	35,827	223	78.6	72.3-84.9	21	8.0	04.1-11.9	14	6.6	02.9-10.3	11	4.6	01.7-07.5	3	2.3	00.0-05.0
\$25,000- 34,999	360	52,315	286	74.7	68.8-80.6	33	10.4	06.3-14.5	19	7.5	03.8-11.2	20	6.7	03.4-10.0	2	0.6	00.0-01.4
\$35,000- 49,999	487	65,252	391	72.5	67.2-77.8	46	12.5	08.4-16.6	23	7.5	04.2-10.8	21	5.3	02.8-07.8	6	2.2	00.4-04.0
\$50,000- 99,999	1223	174,265	957	73.8	70.7-76.9	131	13.2	10.7-15.7	66	5.9	04.3-07.5	58	6.1	04.5-07.7	11	1.0	00.4-01.6
\$100,000 - 199,999	694	105,085	548	76.6	72.9-80.3	65	10.0	07.5-12.5	37	6.1	03.9-08.3	39	6.5	04.3-08.7	5	0.8	00.2-01.4
\$200,000+	167	25,516	129	79.0	72.1-85.9	19	10.9	05.6-16.2	7	3.4	00.9-05.9	11	6.5	02.4-10.6	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2077	300,390	1559	69.7	67.3-72.1	218	12.7	10.9-14.5	125	7.3	05.9-08.7	151	8.8	07.2-10.4	24	1.4	00.8-02.0
Native	64	11,919	44	70.2	57.3-83.1	6	10.3	01.9-18.7	8	12.1	02.5-21.7	6	7.4	00.5-14.3			
Non-Native	1965	281,646	1481	69.8	67.3-72.3	203	12.7	10.7-14.7	116	7.3	05.9-08.7	142	8.7	07.1-10.3	23	1.5	00.9-02.1
18-24	154	42,113	88	59.7	51.5-67.9	24	15.2	09.3-21.1	25	16.1	10.0-22.2	12	6.2	02.3-10.1	5	2.8	00.3-05.3
25-34	260	58,596	144	56.6	50.1-63.1	40	16.2	11.3-21.1	29	9.8	06.1-13.5	41	15.5	10.8-20.2	6	1.9	00.1-03.7
35-44	259	52,123	155	60.7	54.2-67.2	48	17.9	13.0-22.8	19	6.9	03.8-10.0	34	13.4	08.9-17.9	3	1.2	00.0-02.6
45-54	275	40,742	201	71.7	65.6-77.8	36	13.1	08.6-17.6	13	5.5	02.4-08.6	22	8.7	04.8-12.6	3	1.0	00.0-02.2
55-64	385	45,250	295	76.5	71.8-81.2	34	10.1	06.4-13.8	27	6.5	04.0-09.0	24	5.4	03.0-07.8	5	1.5	00.1-02.9
65+	744	61,566	676	90.4	87.9-92.9	36	5.1	03.1-07.1	12	1.2	00.4-02.0	18	3.0	01.6-04.4	2	0.4	00.0-01.0
Less Than H.S.	106	26,941	83	74.8	65.0-84.6	10	10.9	04.2-17.6	5	5.3	00.2-10.4	6	7.0	00.7-13.3	2	2.0	00.0-04.9
H.S. or G.E.D.	568	86,458	406	65.7	61.0-70.4	53	11.7	08.4-15.0	49	10.0	07.1-12.9	50	10.4	07.5-13.3	10	2.3	00.7-03.9
Some Post-H.S.	649	114,228	471	67.3	63.2-71.4	80	15.3	12.0-18.6	35	6.8	04.4-09.2	56	9.6	07.1-12.1	7	1.0	00.2-01.8
College Graduate	748	71,606	594	76.2	72.7-79.7	74	10.7	08.2-13.2	36	5.8	03.8-07.8	39	6.5	04.3-08.7	5	0.8	00.0-01.6
Less than \$15,000	54	7,781	44	80.8	68.3-93.3	5	13.1	01.7-24.5	2	1.6	00.0-04.1	3	4.4	00.0-09.7			
\$15,000- 24,999	116	16,158	88	69.0	58.4-79.6	6	7.0	01.1-12.9	10	11.5	04.1-18.9	10	9.5	03.2-15.8	2	3.0	00.0-07.3
\$25,000- 34,999	163	23,703	121	69.8	60.8-78.8	18	12.1	06.0-18.2	8	6.5	01.0-12.0	14	10.4	04.3-16.5	2	1.2	00.0-03.2
\$35,000- 49,999	252	33,746	194	70.4	63.5-77.3	23	11.5	06.6-16.4	14	7.7	03.4-12.0	16	7.0	03.5-10.5	5	3.4	00.5-06.3
\$50,000- 99,999	659	95,900	498	70.6	66.3-74.9	70	12.5	09.2-15.8	39	6.7	04.3-09.1	43	8.6	06.1-11.1	9	1.5	00.3-02.7
\$100,000 - 199,999	395	56,939	289	67.4	61.9-72.9	42	13.1	09.2-17.0	27	8.1	05.0-11.2	33	10.2	06.5-13.9	4	1.2	00.0-02.4
\$200,000+	111	15,769	79	69.7	59.9-79.5	16	15.7	07.7-23.7	5	4.2	00.5-07.9	10	10.0	03.5-16.5	1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	289,635	1682	79.3	76.9-81.7	190	11.2	09.4-13.0	90	5.4	04.0-06.8	52	3.3	02.3-04.3	8	0.7	00.1-01.3
Native	70	12,117	52	72.2	60.2-84.2	9	15.0	05.2-24.8	6	8.2	01.3-15.1	2	3.6	00.0-08.5	1	1.0	00.0-03.0
Non-Native	1922	273,900	1607	79.7	77.3-82.1	178	11.0	09.0-13.0	82	5.3	03.9-06.7	48	3.2	02.2-04.2	7	0.7	00.0-01.5
18-24	134	38,439	92	67.8	59.2-76.4	19	18.0	10.4-25.6	13	7.6	03.3-11.9	8	5.3	01.6-09.0	2	1.2	00.0-03.0
25-34	183	51,113	137	74.3	67.4-81.2	24	13.6	08.1-19.1	15	8.0	03.9-12.1	6	3.5	00.6-06.4	1	0.6	00.0-01.8
35-44	233	47,458	178	73.7	67.0-80.4	26	11.4	06.7-16.1	14	6.9	03.0-10.8	11	5.3	02.0-08.6	4	2.7	00.0-06.2
45-54	258	37,437	205	79.5	74.0-85.0	26	9.4	05.7-13.1	19	7.3	03.6-11.0	8	3.7	01.0-06.4			
55-64	358	43,865	302	84.9	80.8-89.0	36	10.1	06.4-13.8	13	3.1	01.3-04.9	6	1.7	00.3-03.1	1	0.2	00.0-00.6
65+	856	71,323	768	89.4	86.9-91.9	59	7.2	05.0-09.4	16	1.7	00.7-02.7	13	1.6	00.6-02.6			
Less Than H.S.	69	17,149	59	84.3	73.5-95.1	8	11.0	01.8-20.2	2	4.7	00.0-11.2						
H.S. or G.E.D.	465	68,855	390	80.0	75.1-84.9	37	9.8	06.1-13.5	20	5.1	02.4-07.8	16	4.5	02.0-07.0	2	0.7	00.0-01.7
Some Post-H.S.	650	110,852	536	77.2	73.1-81.3	65	12.7	09.4-16.0	27	5.1	02.9-07.3	19	3.9	02.1-05.7	3	1.1	00.0-02.7
College Graduate	837	92,429	697	80.9	77.6-84.2	80	10.5	07.8-13.2	40	5.7	03.7-07.7	17	2.5	01.1-03.9	3	0.4	00.0-00.8
Less than \$15,000	87	13,123	71	79.2	68.2-90.2	2	2.0	00.0-04.9	6	8.6	00.2-17.0	7	9.7	02.1-17.3	1	0.5	00.0-01.5
\$15,000- 24,999	156	19,669	135	86.4	79.5-93.3	15	8.9	03.4-14.4	4	2.5	00.0-05.4	1	0.5	00.0-01.5	1	1.7	00.0-05.0
\$25,000- 34,999	197	28,613	165	78.8	71.2-86.4	15	9.0	03.1-14.9	11	8.5	03.2-13.8	6	3.7	00.6-06.8			
\$35,000- 49,999	235	31,506	197	74.7	66.7-82.7	23	13.6	07.1-20.1	9	7.3	02.2-12.4	5	3.5	00.0-07.0	1	0.9	00.0-02.7
\$50,000- 99,999	564	78,364	459	77.7	73.2-82.2	61	14.1	10.2-18.0	27	4.8	02.6-07.0	15	3.1	01.3-04.9	2	0.3	00.0-00.7
\$100,000 - 199,999	299	48,146	259	87.5	83.4-91.6	23	6.3	03.4-09.2	10	3.8	01.3-06.3	6	2.2	00.4-04.0	1	0.3	00.0-00.9
\$200,000+	56	9,747	50	94.1	89.2-99.0	3	3.1	00.0-06.8	2	2.0	00.0-04.7	1	0.7	00.0-02.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWTT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4147	599,496	3092	76.0	74.4-77.6	1055	24.0	22.4-25.6
Male	2109	306,778	1576	76.5	74.3-78.7	533	23.5	21.3-25.7
Female	2038	292,717	1516	75.6	73.2-78.0	522	24.4	22.0-26.8
Native	134	24,036	95	73.9	65.5-82.3	39	26.1	17.7-34.5
Non-Native	3934	564,950	2941	76.3	74.7-77.9	993	23.7	22.1-25.3
18-24	298	83,308	257	85.3	80.8-89.8	41	14.7	10.2-19.2
25-34	455	112,942	376	81.7	77.6-85.8	79	18.3	14.2-22.4
35-44	496	100,489	393	77.8	73.7-81.9	103	22.2	18.1-26.3
45-54	542	79,927	424	77.9	74.2-81.6	118	22.1	18.4-25.8
55-64	745	88,976	515	68.5	64.8-72.2	230	31.5	27.8-35.2
65+	1611	133,854	1127	68.2	65.5-70.9	484	31.8	29.1-34.5
Less Than H.S.	177	44,536	109	67.3	59.3-75.3	68	32.7	24.7-40.7
H.S. or G.E.D.	1057	160,434	682	67.9	64.6-71.2	375	32.1	28.8-35.4
Some Post-H.S.	1310	227,492	993	78.0	75.5-80.5	317	22.0	19.5-24.5
College Graduate	1596	165,527	1302	83.4	81.4-85.4	294	16.6	14.6-18.6
Less than \$15,000	142	21,121	92	66.4	56.8-76.0	50	33.6	24.0-43.2
\$15,000- 24,999	277	36,570	182	72.4	66.1-78.7	95	27.6	21.3-33.9
\$25,000- 34,999	365	53,246	248	70.5	64.4-76.6	117	29.5	23.4-35.6
\$35,000- 49,999	488	65,646	339	69.6	64.5-74.7	149	30.4	25.3-35.5
\$50,000- 99,999	1231	175,656	955	78.7	76.0-81.4	276	21.3	18.6-24.0
\$100,000 - 199,999	697	105,643	572	82.9	79.8-86.0	125	17.1	14.0-20.2
\$200,000+	167	25,516	141	84.3	78.0-90.6	26	15.7	09.4-22.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2109	306,778	1576	76.5	74.3-78.7	533	23.5	21.3-25.7
Native	64	11,919	46	70.8	57.5-84.1	18	29.2	15.9-42.5
Non-Native	1996	287,968	1497	77.0	74.8-79.2	499	23.0	20.8-25.2
18-24	161	44,089	139	84.3	77.8-90.8	22	15.7	09.2-22.2
25-34	269	60,703	227	84.7	80.0-89.4	42	15.3	10.6-20.0
35-44	262	52,861	201	75.1	69.2-81.0	61	24.9	19.0-30.8
45-54	280	41,671	219	77.8	72.5-83.1	61	22.2	16.9-27.5
55-64	387	45,341	260	66.6	61.3-71.9	127	33.4	28.1-38.7
65+	750	62,114	530	70.4	66.7-74.1	220	29.6	25.9-33.3
Less Than H.S.	107	27,087	75	72.1	62.3-81.9	32	27.9	18.1-37.7
H.S. or G.E.D.	585	90,389	377	67.2	62.9-71.5	208	32.8	28.5-37.1
Some Post-H.S.	654	115,411	506	80.1	76.8-83.4	148	19.9	16.6-23.2
College Graduate	757	72,735	613	83.6	80.7-86.5	144	16.4	13.5-19.3
Less than \$15,000	55	8,010	36	69.3	54.4-84.2	19	30.7	15.8-45.6
\$15,000- 24,999	119	16,663	81	71.0	61.4-80.6	38	29.0	19.4-38.6
\$25,000- 34,999	168	24,617	120	75.8	68.0-83.6	48	24.2	16.4-32.0
\$35,000- 49,999	252	33,846	174	70.6	63.9-77.3	78	29.4	22.7-36.1
\$50,000- 99,999	663	96,811	503	77.2	73.5-80.9	160	22.8	19.1-26.5
\$100,000 - 199,999	397	57,326	317	80.2	75.7-84.7	80	19.8	15.3-24.3
\$200,000+	111	15,769	89	77.9	68.7-87.1	22	22.1	12.9-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2038	292,717	1516	75.6	73.2-78.0	522	24.4	22.0-26.8
Native	70	12,117	49	77.0	67.0-87.0	21	23.0	13.0-33.0
Non-Native	1938	276,983	1444	75.5	73.1-77.9	494	24.5	22.1-26.9
18-24	137	39,219	118	86.3	80.2-92.4	19	13.7	07.6-19.8
25-34	186	52,239	149	78.2	71.5-84.9	37	21.8	15.1-28.5
35-44	234	47,628	192	80.7	74.8-86.6	42	19.3	13.4-25.2
45-54	262	38,256	205	77.9	72.4-83.4	57	22.1	16.6-27.6
55-64	358	43,635	255	70.5	65.2-75.8	103	29.5	24.2-34.8
65+	861	71,740	597	66.2	62.5-69.9	264	33.8	30.1-37.5
Less Than H.S.	70	17,449	34	59.8	45.7-73.9	36	40.2	26.1-54.3
H.S. or G.E.D.	472	70,045	305	68.9	63.8-74.0	167	31.1	26.0-36.2
Some Post-H.S.	656	112,081	487	75.7	72.0-79.4	169	24.3	20.6-28.0
College Graduate	839	92,792	689	83.3	80.4-86.2	150	16.7	13.8-19.6
Less than \$15,000	87	13,111	56	64.6	52.3-76.9	31	35.4	23.1-47.7
\$15,000- 24,999	158	19,907	101	73.5	65.7-81.3	57	26.5	18.7-34.3
\$25,000- 34,999	197	28,628	128	66.0	57.4-74.6	69	34.0	25.4-42.6
\$35,000- 49,999	236	31,801	165	68.4	60.8-76.0	71	31.6	24.0-39.2
\$50,000- 99,999	568	78,845	452	80.5	76.8-84.2	116	19.5	15.8-23.2
\$100,000 - 199,999	300	48,317	255	86.0	81.7-90.3	45	14.0	09.7-18.3
\$200,000+	56	9,747	52	94.5	88.6-0100	4	5.5	00.0-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022

SECTION 5: INADEQUATE SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4118	595,277	1231	33.2	31.4-35.0	2735	63.7	61.9-65.5	152	3.1	02.5-03.7
Male	2095	304,097	663	35.3	32.8-37.8	1352	61.6	59.1-64.1	80	3.2	02.4-04.0
Female	2023	291,181	568	31.0	28.5-33.5	1383	65.9	63.4-68.4	72	3.1	02.3-03.9
Native	131	23,497	65	51.3	41.1-61.5	60	44.4	34.4-54.4	6	4.3	00.2-08.4
Non-Native	3911	561,626	1143	32.5	30.7-34.3	2626	64.5	62.5-66.5	142	3.0	02.4-03.6
18-24	296	82,226	96	33.3	27.4-39.2	190	63.3	57.2-69.4	10	3.5	01.1-05.9
25-34	454	112,603	177	42.3	37.2-47.4	269	55.7	50.6-60.8	8	2.0	00.6-03.4
35-44	494	100,122	180	37.8	33.1-42.5	308	61.1	56.2-66.0	6	1.1	00.3-01.9
45-54	539	79,393	191	34.8	30.5-39.1	341	64.0	59.7-68.3	7	1.2	00.2-02.2
55-64	742	88,882	242	33.3	29.4-37.2	485	64.6	60.7-68.5	15	2.0	01.0-03.0
65+	1593	132,052	345	20.7	18.3-23.1	1142	72.0	69.5-74.5	106	7.4	05.8-09.0
Less Than H.S.	172	43,252	51	34.1	25.1-43.1	102	57.3	48.1-66.5	19	8.7	04.2-13.2
H.S. or G.E.D.	1043	158,852	321	33.1	29.6-36.6	658	61.9	58.4-65.4	64	5.0	03.6-06.4
Some Post-H.S.	1305	226,628	435	36.0	32.9-39.1	838	62.3	59.2-65.4	32	1.7	00.9-02.5
College Graduate	1591	165,038	421	29.0	26.3-31.7	1133	69.1	66.4-71.8	37	1.8	01.0-02.6
Less than \$15,000	138	20,871	48	35.8	25.6-46.0	78	57.1	46.7-67.5	12	7.0	02.5-11.5
\$15,000- 24,999	274	36,357	87	36.8	29.0-44.6	170	57.7	49.9-65.5	17	5.5	02.6-08.4
\$25,000- 34,999	364	53,007	119	36.0	29.7-42.3	224	58.8	52.3-65.3	21	5.2	02.7-07.7
\$35,000- 49,999	485	64,976	148	32.9	27.8-38.0	317	64.6	59.3-69.9	20	2.5	01.3-03.7
\$50,000- 99,999	1230	174,913	343	33.1	29.8-36.4	849	64.3	61.0-67.6	38	2.6	01.6-03.6
\$100,000 - 199,999	695	105,523	218	34.3	30.2-38.4	469	64.4	60.3-68.5	8	1.4	00.4-02.4
\$200,000+	164	25,049	47	29.8	22.0-37.6	116	70.1	62.3-77.9	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 5: INADEQUATE SLEEP**

TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2095	304,097	663	35.3	32.8-37.8	1352	61.6	59.1-64.1	80	3.2	02.4-04.0
Native	63	11,813	32	53.5	38.8-68.2	28	42.3	27.8-56.8	3	4.2	00.0-10.5
Non-Native	1983	285,392	615	34.5	32.0-37.0	1295	62.5	60.0-65.0	73	3.0	02.2-03.8
18-24	158	42,687	53	35.2	27.0-43.4	100	61.9	53.5-70.3	5	2.9	00.4-05.4
25-34	269	60,703	107	42.3	35.8-48.8	159	56.2	49.7-62.7	3	1.5	00.0-03.3
35-44	261	52,682	109	43.2	36.5-49.9	149	55.8	49.1-62.5	3	1.0	00.0-02.2
45-54	279	41,462	109	38.7	32.4-45.0	166	60.2	53.9-66.5	4	1.2	00.0-02.4
55-64	385	45,221	122	32.8	27.5-38.1	253	64.5	59.2-69.8	10	2.7	00.9-04.5
65+	743	61,342	163	20.9	17.6-24.2	525	70.4	66.5-74.3	55	8.7	06.2-11.2
Less Than H.S.	103	25,726	37	42.3	30.5-54.1	53	47.8	36.2-59.4	13	9.9	04.0-15.8
H.S. or G.E.D.	580	89,530	195	36.2	31.5-40.9	349	58.7	54.0-63.4	36	5.1	03.1-07.1
Some Post-H.S.	653	115,280	228	37.2	32.9-41.5	410	61.5	57.2-65.8	15	1.2	00.4-02.0
College Graduate	753	72,404	201	28.7	25.0-32.4	536	69.8	66.1-73.5	16	1.5	00.7-02.3
Less than \$15,000	53	7,794	20	36.8	20.7-52.9	28	56.3	39.2-73.4	5	6.9	00.4-13.4
\$15,000- 24,999	118	16,619	37	35.3	24.1-46.5	72	57.2	45.8-68.6	9	7.5	02.4-12.6
\$25,000- 34,999	166	24,327	55	35.9	26.5-45.3	99	56.9	47.3-66.5	12	7.2	02.7-11.7
\$35,000- 49,999	250	33,240	83	39.3	32.0-46.6	155	57.8	50.5-65.1	12	2.9	01.1-04.7
\$50,000- 99,999	662	96,068	189	33.7	29.2-38.2	453	63.8	59.3-68.3	20	2.5	01.1-03.9
\$100,000 - 199,999	395	57,206	131	36.5	31.0-42.0	260	62.3	56.8-67.8	4	1.2	00.0-02.4
\$200,000+	110	15,664	36	35.1	24.9-45.3	73	64.7	54.5-74.9	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 5: INADEQUATE SLEEP**

TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2023	291,181	568	31.0	28.5-33.5	1383	65.9	63.4-68.4	72	3.1	02.3-03.9
Native	68	11,685	33	49.2	35.5-62.9	32	46.5	32.8-60.2	3	4.4	00.0-09.7
Non-Native	1928	276,233	528	30.3	27.8-32.8	1331	66.6	63.9-69.3	69	3.1	02.1-04.1
18-24	138	39,539	43	31.1	22.7-39.5	90	64.8	56.0-73.6	5	4.1	00.4-07.8
25-34	185	51,900	70	42.3	34.5-50.1	110	55.1	47.3-62.9	5	2.5	00.1-04.9
35-44	233	47,440	71	31.9	25.2-38.6	159	67.0	60.1-73.9	3	1.2	00.0-02.6
45-54	260	37,931	82	30.6	24.5-36.7	175	68.1	62.0-74.2	3	1.2	00.0-02.8
55-64	357	43,661	120	33.9	28.4-39.4	232	64.8	59.1-70.5	5	1.4	00.2-02.6
65+	850	70,709	182	20.5	17.4-23.6	617	73.3	70.0-76.6	51	6.2	04.2-08.2
Less Than H.S.	69	17,526	14	21.9	08.6-35.2	49	71.3	57.2-85.4	6	6.8	00.0-13.9
H.S. or G.E.D.	463	69,322	126	29.1	23.8-34.4	309	65.9	60.4-71.4	28	4.9	02.7-07.1
Some Post-H.S.	652	111,348	207	34.8	30.3-39.3	428	63.0	58.5-67.5	17	2.2	01.0-03.4
College Graduate	838	92,635	220	29.3	25.6-33.0	597	68.6	64.9-72.3	21	2.1	01.1-03.1
Less than \$15,000	85	13,077	28	35.3	22.0-48.6	50	57.6	44.3-70.9	7	7.1	01.2-13.0
\$15,000- 24,999	156	19,738	50	38.0	27.2-48.8	98	58.1	47.3-68.9	8	3.9	01.0-06.8
\$25,000- 34,999	198	28,679	64	36.0	27.4-44.6	125	60.5	51.9-69.1	9	3.5	00.8-06.2
\$35,000- 49,999	235	31,735	65	26.3	19.0-33.6	162	71.7	64.4-79.0	8	2.0	00.4-03.6
\$50,000- 99,999	568	78,845	154	32.4	27.5-37.3	396	65.0	60.1-69.9	18	2.7	01.1-04.3
\$100,000 - 199,999	300	48,317	87	31.7	25.4-38.0	209	66.7	60.4-73.0	4	1.5	00.0-03.1
\$200,000+	54	9,385	11	20.9	09.3-32.5	43	79.1	67.5-90.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 6: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)	
1 MALES AND FEMALES	38
2 MALES ONLY	39
3 FEMALES ONLY	40
NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? (RMVTETH4)	
4 MALES AND FEMALES	41
5 MALES ONLY	42
6 FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 1: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4111	594,154	2808	66.6	64.8-68.4	451	11.9	10.7-13.1	400	10.2	09.0-11.4	428	10.4	09.2-11.6	24	0.9	00.5-01.3
Male	2089	303,617	1339	62.7	60.2-65.2	232	11.5	09.7-13.3	220	11.2	09.4-13.0	280	13.3	11.5-15.1	18	1.2	00.6-01.8
Female	2022	290,538	1469	70.7	68.2-73.2	219	12.3	10.3-14.3	180	9.2	07.6-10.8	148	7.4	06.0-08.8	6	0.5	00.1-00.9
Native	134	24,036	65	53.3	43.5-63.1	21	13.5	07.2-19.8	17	10.0	04.5-15.5	31	23.2	14.8-31.6			
Non-Native	3899	559,675	2691	67.1	65.3-68.9	425	12.0	10.6-13.4	373	10.2	09.0-11.4	388	9.8	08.6-11.0	22	0.9	00.5-01.3
18-24	295	82,159	194	64.9	59.0-70.8	44	16.3	11.6-21.0	28	8.7	05.4-12.0	25	8.9	05.2-12.6	4	1.2	00.0-02.4
25-34	449	111,558	276	61.6	56.7-66.5	69	16.0	12.3-19.7	54	11.6	08.5-14.7	43	9.5	06.6-12.4	7	1.4	00.4-02.4
35-44	492	99,582	339	67.0	62.3-71.7	45	9.9	06.8-13.0	55	11.6	08.3-14.9	48	10.2	07.3-13.1	5	1.3	00.0-02.7
45-54	539	79,305	383	69.6	65.3-73.9	48	9.0	06.5-11.5	57	11.1	08.2-14.0	46	9.4	06.7-12.1	5	1.0	00.0-02.0
55-64	745	89,245	525	69.7	66.0-73.4	80	10.6	08.1-13.1	61	8.4	06.0-10.8	78	11.1	08.6-13.6	1	0.1	00.0-00.3
65+	1591	132,306	1091	67.8	65.1-70.5	165	9.8	08.0-11.6	145	9.7	07.9-11.5	188	12.4	10.4-14.4	2	0.3	00.0-00.7
Less Than H.S.	171	43,849	77	50.1	40.9-59.3	27	15.5	09.0-22.0	25	13.7	07.6-19.8	40	18.9	12.2-25.6	2	1.9	00.0-04.6
H.S. or G.E.D.	1042	157,889	619	58.5	55.0-62.0	127	13.7	11.2-16.2	137	13.1	10.7-15.5	152	13.6	11.2-16.0	7	1.1	00.3-01.9
Some Post-H.S.	1302	226,331	882	68.6	65.7-71.5	137	10.8	08.8-12.8	122	9.4	07.6-11.2	156	10.8	08.8-12.8	5	0.4	00.0-00.8
College Graduate	1589	164,579	1226	76.3	73.8-78.8	159	10.6	08.6-12.6	115	7.5	05.9-09.1	79	4.5	03.3-05.7	10	1.0	00.4-01.6
Less than \$15,000	138	20,955	47	32.1	22.5-41.7	20	17.0	08.6-25.4	26	18.1	10.5-25.7	42	30.3	20.1-40.5	3	2.6	00.0-05.7
\$15,000- 24,999	272	35,272	132	46.9	39.3-54.5	49	20.2	13.5-26.9	46	18.1	12.4-23.8	42	13.2	08.7-17.7	3	1.7	00.0-03.7
\$25,000- 34,999	361	52,828	194	51.1	44.6-57.6	47	16.2	11.1-21.3	54	14.7	09.8-19.6	63	16.8	12.3-21.3	3	1.3	00.0-02.9
\$35,000- 49,999	488	65,536	303	60.5	55.2-65.8	65	14.0	10.1-17.9	54	10.5	07.2-13.8	61	13.2	09.5-16.9	5	1.8	00.2-03.4
\$50,000- 99,999	1229	175,301	924	72.4	69.3-75.5	126	11.0	08.8-13.2	91	8.9	06.9-10.9	84	7.3	05.5-09.1	4	0.4	00.0-00.8
\$100,000 - 199,999	693	104,810	546	78.2	74.7-81.7	53	8.2	05.7-10.7	46	6.1	04.1-08.1	47	7.4	05.2-09.6	1	0.1	00.0-00.3
\$200,000+	167	25,516	137	82.3	75.2-89.4	11	7.3	02.2-12.4	9	4.6	01.1-08.1	10	5.8	01.5-10.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 2: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2089	303,617	1339	62.7	60.2-65.2	232	11.5	09.7-13.3	220	11.2	09.4-13.0	280	13.3	11.5-15.1	18	1.2	00.6-01.8
Native	64	11,919	31	52.1	37.4-66.8	8	15.3	04.5-26.1	9	9.0	01.4-16.6	16	23.6	11.4-35.8			
Non-Native	1977	284,872	1277	63.1	60.6-65.6	221	11.5	09.7-13.3	205	11.2	09.4-13.0	257	13.0	11.2-14.8	17	1.3	00.7-01.9
18-24	159	43,543	105	64.6	56.4-72.8	19	12.2	06.7-17.7	17	10.3	05.2-15.4	14	10.5	04.6-16.4	4	2.3	00.0-04.7
25-34	265	59,744	154	58.9	52.4-65.4	40	14.9	10.2-19.6	35	13.4	08.9-17.9	30	10.8	06.9-14.7	6	1.9	00.3-03.5
35-44	261	52,570	165	61.0	54.3-67.7	30	12.6	07.7-17.5	30	12.0	07.3-16.7	34	13.5	09.0-18.0	2	0.8	00.0-02.0
45-54	278	41,213	183	64.2	57.9-70.5	27	9.5	05.8-13.2	33	12.5	08.2-16.8	31	12.1	07.8-16.4	4	1.8	00.0-03.6
55-64	385	45,147	247	64.0	58.7-69.3	45	10.9	07.4-14.4	38	9.6	06.5-12.7	55	15.5	11.4-19.6			
65+	741	61,400	485	64.5	60.6-68.4	71	8.7	06.3-11.1	67	9.4	06.9-11.9	116	16.8	13.7-19.9	2	0.6	00.0-01.6
Less Than H.S.	104	26,664	42	44.5	32.9-56.1	15	14.5	06.3-22.7	15	13.6	05.6-21.6	31	26.5	16.5-36.5	1	1.0	00.0-03.0
H.S. or G.E.D.	576	88,755	333	56.6	51.9-61.3	63	12.0	08.9-15.1	75	13.5	10.2-16.8	99	16.4	13.1-19.7	6	1.5	00.3-02.7
Some Post-H.S.	650	114,932	419	66.4	62.3-70.5	61	9.6	07.1-12.1	69	11.1	08.4-13.8	97	12.2	09.7-14.7	4	0.8	00.0-01.6
College Graduate	753	72,108	541	71.3	67.6-75.0	92	12.6	09.7-15.5	61	8.0	05.8-10.2	52	6.5	04.5-08.5	7	1.7	00.5-02.9
Less than \$15,000	51	7,461	16	29.3	14.2-44.4	8	13.2	02.6-23.8	10	17.3	05.5-29.1	14	32.9	13.7-52.1	3	7.3	00.0-15.7
\$15,000- 24,999	117	16,196	44	36.4	25.8-47.0	22	21.9	10.7-33.1	26	23.4	14.2-32.6	22	14.6	08.1-21.1	3	3.7	00.0-08.0
\$25,000- 34,999	165	24,276	76	46.0	36.4-55.6	19	14.0	07.1-20.9	27	17.2	08.8-25.6	42	22.0	14.9-29.1	1	0.9	00.0-02.7
\$35,000- 49,999	251	33,691	139	53.9	46.5-61.3	35	13.4	08.5-18.3	29	11.4	06.7-16.1	44	18.2	12.1-24.3	4	3.0	00.1-05.9
\$50,000- 99,999	662	96,620	470	67.5	63.2-71.8	75	12.1	09.0-15.2	52	9.5	06.8-12.2	62	10.3	07.4-13.2	3	0.6	00.0-01.2
\$100,000 - 199,999	394	56,664	290	73.6	68.7-78.5	33	8.0	04.9-11.1	30	6.9	04.2-09.6	40	11.3	07.6-15.0	1	0.2	00.0-00.6
\$200,000+	111	15,769	87	79.7	71.1-88.3	8	5.3	01.4-09.2	8	6.8	01.3-12.3	8	8.2	01.5-14.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

TABLE 3: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2022	290,538	1469	70.7	68.2-73.2	219	12.3	10.3-14.3	180	9.2	07.6-10.8	148	7.4	06.0-08.8	6	0.5	00.1-00.9
Native	70	12,117	34	54.6	41.3-67.9	13	11.6	04.9-18.3	8	11.0	03.2-18.8	15	22.8	11.2-34.4			
Non-Native	1922	274,803	1414	71.3	68.8-73.8	204	12.4	10.4-14.4	168	9.1	07.5-10.7	131	6.6	05.2-08.0	5	0.5	00.0-01.1
18-24	136	38,616	89	65.2	56.6-73.8	25	20.8	13.2-28.4	11	6.8	02.7-10.9	11	7.2	02.9-11.5			
25-34	184	51,814	122	64.6	57.2-72.0	29	17.2	11.1-23.3	19	9.4	05.1-13.7	13	8.0	03.7-12.3	1	0.7	00.0-02.1
35-44	231	47,012	174	73.7	67.2-80.2	15	6.9	03.2-10.6	25	11.1	06.4-15.8	14	6.5	03.0-10.0	3	1.9	00.0-04.4
45-54	261	38,092	200	75.3	69.4-81.2	21	8.5	04.8-12.2	24	9.5	05.4-13.6	15	6.4	03.1-09.7	1	0.2	00.0-00.6
55-64	360	44,098	278	75.6	70.3-80.9	35	10.4	06.7-14.1	23	7.2	03.7-10.7	23	6.6	03.7-09.5	1	0.3	00.0-00.9
65+	850	70,905	606	70.6	67.1-74.1	94	10.9	08.4-13.4	78	10.0	07.6-12.4	72	8.6	06.4-10.8			
Less Than H.S.	67	17,185	35	58.8	44.3-73.3	12	17.0	06.2-27.8	10	13.9	04.3-23.5	9	7.0	01.9-12.1	1	3.2	00.0-09.5
H.S. or G.E.D.	466	69,133	286	61.0	55.5-66.5	64	16.0	11.7-20.3	62	12.5	09.0-16.0	53	10.0	06.9-13.1	1	0.5	00.0-01.5
Some Post-H.S.	652	111,399	463	70.8	66.7-74.9	76	12.0	08.9-15.1	53	7.7	05.3-10.1	59	9.5	06.8-12.2	1	0.1	00.0-00.3
College Graduate	836	92,471	685	80.3	77.0-83.6	67	9.1	06.6-11.6	54	7.2	05.0-09.4	27	2.9	01.5-04.3	3	0.5	00.0-01.1
Less than \$15,000	87	13,494	31	33.6	21.3-45.9	12	19.1	07.7-30.5	16	18.5	08.7-28.3	28	28.9	17.5-40.3			
\$15,000- 24,999	155	19,076	88	55.7	45.3-66.1	27	18.6	10.6-26.6	20	13.7	06.4-21.0	20	12.0	05.5-18.5			
\$25,000- 34,999	196	28,552	118	55.4	46.6-64.2	28	18.0	10.6-25.4	27	12.5	06.8-18.2	21	12.4	06.9-17.9	2	1.6	00.0-04.1
\$35,000- 49,999	237	31,846	164	67.5	59.9-75.1	30	14.6	08.5-20.7	25	9.6	04.9-14.3	17	7.8	03.7-11.9	1	0.4	00.0-01.2
\$50,000- 99,999	567	78,681	454	78.4	74.1-82.7	51	9.6	06.5-12.7	39	8.1	05.4-10.8	22	3.7	01.9-05.5	1	0.2	00.0-00.6
\$100,000 - 199,999	299	48,146	256	83.6	78.5-88.7	20	8.4	04.5-12.3	16	5.2	02.5-07.9	7	2.8	00.6-05.0			
\$200,000+	56	9,747	50	86.5	74.5-98.5	3	10.7	00.0-22.5	1	1.0	00.0-03.0	2	1.8	00.0-04.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 4: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1908	228,865	1204	66.1	63.6-68.6	476	22.9	20.7-25.1	228	11.0	09.4-12.6
Male	990	118,933	622	66.1	62.6-69.6	252	22.6	19.7-25.5	116	11.3	08.9-13.7
Female	918	109,932	582	66.1	62.4-69.8	224	23.2	19.9-26.5	112	10.7	08.3-13.1
Native	74	11,058	44	72.8	62.4-83.2	19	15.6	08.0-23.2	11	11.6	04.2-19.0
Non-Native	1798	212,828	1143	66.1	63.4-68.8	441	22.9	20.5-25.3	214	11.1	09.3-12.9
25-34	82	21,776	67	81.2	72.2-90.2	13	16.2	07.6-24.8	2	2.5	00.0-06.0
35-44	131	29,074	104	77.9	69.9-85.9	22	17.7	10.3-25.1	5	4.4	00.5-08.3
45-54	204	31,645	157	76.1	69.6-82.6	39	19.0	13.1-24.9	8	4.9	01.2-08.6
55-64	388	48,882	262	67.5	62.2-72.8	79	19.3	15.0-23.6	47	13.2	09.3-17.1
65+	1080	89,872	595	52.9	49.4-56.4	320	30.2	27.1-33.3	165	17.0	14.3-19.7
Less Than H.S.	123	26,322	43	44.1	32.9-55.3	42	28.7	19.5-37.9	38	27.2	18.4-36.0
H.S. or G.E.D.	591	71,365	323	61.0	56.3-65.7	175	26.3	22.2-30.4	93	12.7	09.8-15.6
Some Post-H.S.	607	84,176	396	70.4	66.5-74.3	146	21.6	18.1-25.1	65	8.0	05.8-10.2
College Graduate	585	46,734	442	78.7	75.0-82.4	111	16.3	13.2-19.4	32	5.0	02.8-07.2
Less than \$15,000	93	11,031	31	39.3	26.2-52.4	38	37.4	25.4-49.4	24	23.2	13.4-33.0
\$15,000- 24,999	176	17,451	78	47.8	38.6-57.0	56	27.8	20.2-35.4	42	24.4	16.8-32.0
\$25,000- 34,999	216	25,952	120	61.2	53.2-69.2	60	23.8	16.9-30.7	36	15.0	09.3-20.7
\$35,000- 49,999	270	30,237	164	61.9	54.6-69.2	72	27.0	20.3-33.7	34	11.1	06.8-15.4
\$50,000- 99,999	544	64,566	390	72.6	68.1-77.1	113	19.7	15.6-23.8	41	7.6	04.9-10.3
\$100,000 - 199,999	217	29,286	171	80.1	74.2-86.0	35	15.4	10.1-20.7	11	4.5	01.6-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 5: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	990	118,933	622	66.1	62.6-69.6	252	22.6	19.7-25.5	116	11.3	08.9-13.7
Non-Native	930	109,758	592	66.4	62.9-69.9	231	22.4	19.3-25.5	107	11.3	08.9-13.7
35-44	76	16,422	61	82.7	74.1-91.3	14	15.9	07.7-24.1	1	1.5	00.0-04.2
45-54	112	16,900	86	77.0	68.4-85.6	22	18.6	10.8-26.4	4	4.4	00.0-08.9
55-64	224	27,628	149	66.2	59.1-73.3	44	18.9	13.2-24.6	31	14.9	09.6-20.2
65+	525	44,187	283	51.3	46.4-56.2	163	30.5	26.0-35.0	79	18.3	14.0-22.6
Less Than H.S.	70	14,760	23	40.3	25.6-55.0	25	30.2	17.9-42.5	22	29.5	17.5-41.5
H.S. or G.E.D.	333	41,872	194	65.1	59.4-70.8	96	23.7	18.8-28.6	43	11.2	07.7-14.7
Some Post-H.S.	294	40,129	192	71.1	65.4-76.8	69	20.5	15.4-25.6	33	8.3	05.2-11.4
College Graduate	291	21,905	213	76.9	71.6-82.2	60	18.1	13.2-23.0	18	5.0	02.5-07.5
\$15,000- 24,999	73	7,987	33	49.4	36.1-62.7	25	29.3	17.9-40.7	15	21.3	10.5-32.1
\$25,000- 34,999	98	11,619	52	60.8	48.5-73.1	28	19.5	11.1-27.9	18	19.7	09.5-29.9
\$35,000- 49,999	148	17,107	93	66.7	57.9-75.5	38	23.4	15.4-31.4	17	9.9	04.6-15.2
\$50,000- 99,999	310	36,513	212	71.0	64.9-77.1	74	21.5	16.0-27.0	24	7.5	04.0-11.0
\$100,000 - 199,999	138	17,509	104	74.5	66.1-82.9	26	19.6	11.8-27.4	8	5.9	01.6-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 6: ORAL HEALTH**

**TABLE 6: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	918	109,932	582	66.1	62.4-69.8	224	23.2	19.9-26.5	112	10.7	08.3-13.1
Non-Native	868	103,070	551	65.7	61.8-69.6	210	23.4	19.9-26.9	107	10.8	08.4-13.2
35-44	55	12,652	43	71.8	57.7-85.9	8	20.1	07.2-33.0	4	8.1	00.1-16.1
45-54	92	14,745	71	75.0	65.2-84.8	17	19.4	10.8-28.0	4	5.6	00.0-11.5
55-64	164	21,254	113	69.1	61.1-77.1	35	19.9	13.2-26.6	16	11.0	05.3-16.7
65+	555	45,685	312	54.4	49.5-59.3	157	29.9	25.2-34.6	86	15.7	12.2-19.2
Less Than H.S.	53	11,562	20	49.0	32.1-65.9	17	26.8	12.9-40.7	16	24.2	11.5-36.9
H.S. or G.E.D.	258	29,494	129	55.2	47.6-62.8	79	29.9	22.8-37.0	50	14.8	10.1-19.5
Some Post-H.S.	313	44,047	204	69.8	64.1-75.5	77	22.5	17.2-27.8	32	7.7	04.8-10.6
College Graduate	294	24,829	229	80.4	75.3-85.5	51	14.6	10.3-18.9	14	4.9	01.6-08.2
Less than \$15,000	57	7,241	23	47.8	30.7-64.9	26	42.2	26.1-58.3	8	10.0	02.0-18.0
\$15,000- 24,999	103	9,463	45	46.5	33.8-59.2	31	26.5	16.1-36.9	27	27.1	16.3-37.9
\$25,000- 34,999	118	14,333	68	61.5	50.7-72.3	32	27.3	17.1-37.5	18	11.3	05.6-17.0
\$35,000- 49,999	122	13,129	71	55.5	43.9-67.1	34	31.8	20.6-43.0	17	12.7	05.6-19.8
\$50,000- 99,999	234	28,053	178	74.8	67.9-81.7	39	17.4	11.3-23.5	17	7.8	03.7-11.9
\$100,000 - 199,999	79	11,777	67	88.3	81.6-95.0	9	9.2	03.1-15.3	3	2.5	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	46
2 MALES ONLY	47
3 FEMALES ONLY	48
(EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	49
5 MALES ONLY	50
6 FEMALES ONLY	51
(EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	52
8 MALES ONLY	53
9 FEMALES ONLY	54
(EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	55
11 MALES ONLY	56
12 FEMALES ONLY	57
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	58
14 MALES ONLY	59
15 FEMALES ONLY	60
(EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)	
16 MALES AND FEMALES	61
17 MALES ONLY	62
18 FEMALES ONLY	63
(EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)	
19 MALES AND FEMALES	64
20 MALES ONLY	65
21 FEMALES ONLY	66
(EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	67
23 MALES ONLY	68
24 FEMALES ONLY	69
(EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	
25 MALES AND FEMALES	70
26 MALES ONLY	71
27 FEMALES ONLY	72
NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	
28 MALES AND FEMALES	73
29 MALES ONLY	74
30 FEMALES ONLY	75
(EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)	
31 MALES AND FEMALES	76
32 MALES ONLY	77
33 FEMALES ONLY	78
(EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	
34 MALES AND FEMALES	79
35 MALES ONLY	80
36 FEMALES ONLY	81
HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)	
37 MALES AND FEMALES	82
38 MALES ONLY	83
39 FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 1: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4128	597,600	257	4.3	03.7-04.9	3871	95.7	95.1-96.3
Male	2096	305,407	153	5.2	04.2-06.2	1943	94.8	93.8-95.8
Female	2032	292,192	104	3.5	02.7-04.3	1928	96.5	95.7-97.3
Native	133	24,004	16	8.1	03.6-12.6	117	91.9	87.4-96.4
Non-Native	3920	563,590	229	4.0	03.4-04.6	3691	96.0	95.4-96.6
18-24	298	83,475	1	0.7	00.0-02.1	297	99.3	97.9-0100
25-34	455	112,942	4	1.1	00.0-02.3	451	98.9	97.7-0100
35-44	494	100,204	4	0.8	00.0-01.6	490	99.2	98.4-0100
45-54	538	79,449	14	2.5	01.1-03.9	524	97.5	96.1-98.9
55-64	744	89,108	52	6.8	04.8-08.8	692	93.2	91.2-95.2
65+	1599	132,422	182	11.5	09.7-13.3	1417	88.5	86.7-90.3
Less Than H.S.	173	43,958	21	8.6	04.3-12.9	152	91.4	87.1-95.7
H.S. or G.E.D.	1051	159,930	71	4.6	03.2-06.0	980	95.4	94.0-96.8
Some Post-H.S.	1309	227,338	91	4.4	03.4-05.4	1218	95.6	94.6-96.6
College Graduate	1588	164,866	73	2.9	02.1-03.7	1515	97.1	96.3-97.9
Less than \$15,000	142	21,391	21	11.2	05.1-17.3	121	88.8	82.7-94.9
\$15,000- 24,999	273	36,210	32	7.7	04.6-10.8	241	92.3	89.2-95.4
\$25,000- 34,999	364	52,880	37	8.2	05.3-11.1	327	91.8	88.9-94.7
\$35,000- 49,999	489	65,701	37	5.4	03.4-07.4	452	94.6	92.6-96.6
\$50,000- 99,999	1228	175,290	52	3.2	02.0-04.4	1176	96.8	95.6-98.0
\$100,000 - 199,999	695	105,464	23	2.2	01.2-03.2	672	97.8	96.8-98.8
\$200,000+	167	25,516	2	1.0	00.0-02.4	165	99.0	97.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2096	305,407	153	5.2	04.2-06.2	1943	94.8	93.8-95.8
Native	64	11,919	5	3.5	00.0-07.2	59	96.5	92.8-0100
Non-Native	1986	286,979	139	4.9	03.9-05.9	1847	95.1	94.1-96.1
18-24	160	43,936	1	1.4	00.0-04.1	159	98.6	95.9-0100
25-34	269	60,703	1	0.3	00.0-00.9	268	99.7	99.1-0100
35-44	260	52,576	1	0.5	00.0-01.5	259	99.5	98.5-0100
45-54	278	41,397	9	3.2	00.8-05.6	269	96.8	94.4-99.2
55-64	385	45,158	35	9.5	06.2-12.8	350	90.5	87.2-93.8
65+	744	61,638	106	14.8	11.9-17.7	638	85.2	82.3-88.1
Less Than H.S.	106	26,950	16	12.2	05.5-18.9	90	87.8	81.1-94.5
H.S. or G.E.D.	582	89,880	38	3.9	02.5-05.3	544	96.1	94.7-97.5
Some Post-H.S.	653	115,307	54	5.2	03.6-06.8	599	94.8	93.2-96.4
College Graduate	749	72,113	44	3.9	02.5-05.3	705	96.1	94.7-97.5
Less than \$15,000	55	8,010	12	14.0	05.0-23.0	43	86.0	77.0-95.0
\$15,000- 24,999	117	16,416	10	5.8	01.9-09.7	107	94.2	90.3-98.1
\$25,000- 34,999	167	24,531	22	11.6	06.3-16.9	145	88.4	83.1-93.7
\$35,000- 49,999	253	33,956	27	7.2	04.1-10.3	226	92.8	89.7-95.9
\$50,000- 99,999	661	96,528	35	3.8	02.0-05.6	626	96.2	94.4-98.0
\$100,000 - 199,999	395	57,147	20	3.7	01.7-05.7	375	96.3	94.3-98.3
\$200,000+	111	15,769	1	0.9	00.0-02.7	110	99.1	97.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2032	292,192	104	3.5	02.7-04.3	1928	96.5	95.7-97.3
Native	69	12,085	11	12.5	04.7-20.3	58	87.5	79.7-95.3
Non-Native	1934	276,610	90	3.1	02.3-03.9	1844	96.9	96.1-97.7
18-24	138	39,539				138	100.0	0100-0100
25-34	186	52,239	3	2.1	00.0-04.5	183	97.9	95.5-0100
35-44	234	47,628	3	1.3	00.0-02.9	231	98.7	97.1-0100
45-54	260	38,052	5	1.7	00.1-03.3	255	98.3	96.7-99.9
55-64	359	43,950	17	4.0	02.0-06.0	342	96.0	94.0-98.0
65+	855	70,785	76	8.6	06.4-10.8	779	91.4	89.2-93.6
Less Than H.S.	67	17,008	5	2.9	00.4-05.4	62	97.1	94.6-99.6
H.S. or G.E.D.	469	70,050	33	5.4	03.0-07.8	436	94.6	92.2-97.0
Some Post-H.S.	656	112,031	37	3.6	02.2-05.0	619	96.4	95.0-97.8
College Graduate	839	92,754	29	2.1	01.3-02.9	810	97.9	97.1-98.7
Less than \$15,000	87	13,380	9	9.5	01.5-17.5	78	90.5	82.5-98.5
\$15,000- 24,999	156	19,795	22	9.2	04.5-13.9	134	90.8	86.1-95.5
\$25,000- 34,999	197	28,349	15	5.2	02.3-08.1	182	94.8	91.9-97.7
\$35,000- 49,999	236	31,745	10	3.4	00.9-05.9	226	96.6	94.1-99.1
\$50,000- 99,999	567	78,762	17	2.4	01.0-03.8	550	97.6	96.2-99.0
\$100,000 - 199,999	300	48,317	3	0.4	00.0-00.8	297	99.6	99.2-0100
\$200,000+	56	9,747	1	1.0	00.0-03.0	55	99.0	97.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4116	596,025	252	4.2	03.6-04.8	3864	95.8	95.2-96.4
Male	2090	304,398	134	4.5	03.5-05.5	1956	95.5	94.5-96.5
Female	2026	291,627	118	3.8	03.0-04.6	1908	96.2	95.4-97.0
Native	132	23,737	10	5.2	01.7-08.7	122	94.8	91.3-98.3
Non-Native	3908	562,090	238	4.1	03.5-04.7	3670	95.9	95.3-96.5
18-24	299	83,628	3	1.2	00.0-02.8	296	98.8	97.2-0100
25-34	455	112,942	2	0.5	00.0-01.1	453	99.5	98.9-0100
35-44	495	100,224	2	0.6	00.0-01.6	493	99.4	98.4-0100
45-54	537	78,965	6	1.5	00.1-02.9	531	98.5	97.1-99.9
55-64	741	88,354	39	5.6	03.8-07.4	702	94.4	92.6-96.2
65+	1589	131,912	200	12.6	10.6-14.6	1389	87.4	85.4-89.4
Less Than H.S.	174	43,756	16	7.5	03.2-11.8	158	92.5	88.2-96.8
H.S. or G.E.D.	1040	158,595	72	4.2	03.0-05.4	968	95.8	94.6-97.0
Some Post-H.S.	1305	226,946	87	4.3	03.3-05.3	1218	95.7	94.7-96.7
College Graduate	1590	165,221	77	3.1	02.3-03.9	1513	96.9	96.1-97.7
Less than \$15,000	138	20,595	16	9.4	04.3-14.5	122	90.6	85.5-95.7
\$15,000- 24,999	271	35,926	30	6.5	03.8-09.2	241	93.5	90.8-96.2
\$25,000- 34,999	362	52,313	39	7.7	04.8-10.6	323	92.3	89.4-95.2
\$35,000- 49,999	483	65,336	34	4.5	02.7-06.3	449	95.5	93.7-97.3
\$50,000- 99,999	1229	175,504	58	3.7	02.5-04.9	1171	96.3	95.1-97.5
\$100,000 - 199,999	696	105,623	23	2.1	01.1-03.1	673	97.9	96.9-98.9
\$200,000+	167	25,516	1	0.6	00.0-01.8	166	99.4	98.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2090	304,398	134	4.5	03.5-05.5	1956	95.5	94.5-96.5
Native	63	11,885	2	2.0	00.0-04.9	61	98.0	95.1-0100
Non-Native	1980	285,811	131	4.6	03.6-05.6	1849	95.4	94.4-96.4
18-24	161	44,089	2	1.7	00.0-04.4	159	98.3	95.6-0100
25-34	269	60,703	2	0.9	00.0-02.1	267	99.1	97.9-0100
35-44	262	52,861	1	0.7	00.0-02.1	261	99.3	97.9-0100
45-54	277	40,884	2	1.3	00.0-03.3	275	98.7	96.7-0100
55-64	384	44,869	20	5.6	03.1-08.1	364	94.4	91.9-96.9
65+	737	60,991	107	14.6	11.7-17.5	630	85.4	82.5-88.3
Less Than H.S.	105	26,455	11	9.3	03.0-15.6	94	90.7	84.4-97.0
H.S. or G.E.D.	575	89,308	34	3.6	02.0-05.2	541	96.4	94.8-98.0
Some Post-H.S.	651	114,943	45	4.4	03.0-05.8	606	95.6	94.2-97.0
College Graduate	753	72,535	44	4.0	02.6-05.4	709	96.0	94.6-97.4
Less than \$15,000	53	7,745	8	13.1	03.3-22.9	45	86.9	77.1-96.7
\$15,000- 24,999	117	16,438	10	5.0	01.5-08.5	107	95.0	91.5-98.5
\$25,000- 34,999	164	23,634	21	8.6	04.3-12.9	143	91.4	87.1-95.7
\$35,000- 49,999	248	33,555	20	4.8	02.4-07.2	228	95.2	92.8-97.6
\$50,000- 99,999	662	96,697	36	4.6	02.6-06.6	626	95.4	93.4-97.4
\$100,000 - 199,999	396	57,307	18	2.9	01.3-04.5	378	97.1	95.5-98.7
\$200,000+	111	15,769	1	0.9	00.0-02.7	110	99.1	97.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2026	291,627	118	3.8	03.0-04.6	1908	96.2	95.4-97.0
Native	69	11,852	8	8.4	02.1-14.7	61	91.6	85.3-97.9
Non-Native	1928	276,279	107	3.6	02.8-04.4	1821	96.4	95.6-97.2
18-24	138	39,539	1	0.5	00.0-01.5	137	99.5	98.5-0100
25-34	186	52,239				186	100.0	0100-0100
35-44	233	47,363	1	0.5	00.0-01.5	232	99.5	98.5-0100
45-54	260	38,081	4	1.7	00.0-03.5	256	98.3	96.5-0100
55-64	357	43,485	19	5.6	03.1-08.1	338	94.4	91.9-96.9
65+	852	70,920	93	10.9	08.5-13.3	759	89.1	86.7-91.5
Less Than H.S.	69	17,301	5	4.7	00.0-09.4	64	95.3	90.6-0100
H.S. or G.E.D.	465	69,287	38	4.9	03.1-06.7	427	95.1	93.3-96.9
Some Post-H.S.	654	112,004	42	4.3	02.9-05.7	612	95.7	94.3-97.1
College Graduate	837	92,685	33	2.4	01.4-03.4	804	97.6	96.6-98.6
Less than \$15,000	85	12,851	8	7.2	01.5-12.9	77	92.8	87.1-98.5
\$15,000- 24,999	154	19,488	20	7.8	03.9-11.7	134	92.2	88.3-96.1
\$25,000- 34,999	198	28,679	18	6.9	03.0-10.8	180	93.1	89.2-97.0
\$35,000- 49,999	235	31,782	14	4.1	01.7-06.5	221	95.9	93.5-98.3
\$50,000- 99,999	567	78,807	22	2.6	01.4-03.8	545	97.4	96.2-98.6
\$100,000 - 199,999	300	48,317	5	1.2	00.0-02.4	295	98.8	97.6-0100
\$200,000+	56	9,747				56	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4141	599,206	160	2.9	02.3-03.5	3981	97.1	96.5-97.7
Male	2106	306,560	78	2.8	02.0-03.6	2028	97.2	96.4-98.0
Female	2035	292,647	82	3.1	02.3-03.9	1953	96.9	96.1-97.7
Native	134	24,036	7	3.3	00.8-05.8	127	96.7	94.2-99.2
Non-Native	3929	564,756	149	2.9	02.3-03.5	3780	97.1	96.5-97.7
18-24	299	83,628	3	0.9	00.0-01.9	296	99.1	98.1-0100
25-34	455	112,942	2	0.6	00.0-01.4	453	99.4	98.6-0100
35-44	496	100,489	6	1.4	00.2-02.6	490	98.6	97.4-99.8
45-54	541	79,832	8	1.8	00.4-03.2	533	98.2	96.8-99.6
55-64	745	89,268	24	3.9	02.1-05.7	721	96.1	94.3-97.9
65+	1605	133,046	117	7.4	05.8-09.0	1488	92.6	91.0-94.2
Less Than H.S.	177	44,806	20	8.7	04.6-12.8	157	91.3	87.2-95.4
H.S. or G.E.D.	1053	160,092	55	3.4	02.4-04.4	998	96.6	95.6-97.6
Some Post-H.S.	1310	227,526	43	2.4	01.4-03.4	1267	97.6	96.6-98.6
College Graduate	1594	165,275	42	1.6	01.0-02.2	1552	98.4	97.8-99.0
Less than \$15,000	141	21,278	9	5.8	01.1-10.5	132	94.2	89.5-98.9
\$15,000- 24,999	276	36,420	27	8.4	04.9-11.9	249	91.6	88.1-95.1
\$25,000- 34,999	364	53,178	20	3.6	01.6-05.6	344	96.4	94.4-98.4
\$35,000- 49,999	489	65,640	24	3.9	01.9-05.9	465	96.1	94.1-98.1
\$50,000- 99,999	1228	175,249	37	2.5	01.5-03.5	1191	97.5	96.5-98.5
\$100,000 - 199,999	697	105,643	7	0.8	00.0-01.6	690	99.2	98.4-0100
\$200,000+	167	25,516	1	0.1	00.0-00.3	166	99.9	99.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 8: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2106	306,560	78	2.8	02.0-03.6	2028	97.2	96.4-98.0
Native	64	11,919	3	3.2	00.0-06.9	61	96.8	93.1-0100
Non-Native	1994	287,844	72	2.7	01.9-03.5	1922	97.3	96.5-98.1
18-24	161	44,089	2	1.0	00.0-02.4	159	99.0	97.6-0100
25-34	269	60,703	1	0.4	00.0-01.2	268	99.6	98.8-0100
35-44	262	52,861	4	1.3	00.0-02.7	258	98.7	97.3-0100
45-54	279	41,576	2	1.3	00.0-03.3	277	98.7	96.7-0100
55-64	387	45,410	13	4.4	01.9-06.9	374	95.6	93.1-98.1
65+	748	61,920	56	7.4	05.2-09.6	692	92.6	90.4-94.8
Less Than H.S.	107	27,087	9	8.0	02.7-13.3	98	92.0	86.7-97.3
H.S. or G.E.D.	585	90,322	28	2.8	01.6-04.0	557	97.2	96.0-98.4
Some Post-H.S.	653	115,394	18	2.0	01.0-03.0	635	98.0	97.0-99.0
College Graduate	755	72,599	23	2.1	01.1-03.1	732	97.9	96.9-98.9
Less than \$15,000	55	8,010	2	3.9	00.0-10.2	53	96.1	89.8-0100
\$15,000- 24,999	119	16,663	13	8.8	03.5-14.1	106	91.2	85.9-96.5
\$25,000- 34,999	167	24,564	10	3.9	01.2-06.6	157	96.1	93.4-98.8
\$35,000- 49,999	253	33,956	11	2.9	00.7-05.1	242	97.1	94.9-99.3
\$50,000- 99,999	662	96,671	20	2.8	01.2-04.4	642	97.2	95.6-98.8
\$100,000 - 199,999	397	57,326	5	1.2	00.0-02.4	392	98.8	97.6-0100
\$200,000+	111	15,769	1	0.2	00.0-00.6	110	99.8	99.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	292,647	82	3.1	02.3-03.9	1953	96.9	96.1-97.7
Native	70	12,117	4	3.4	00.0-06.9	66	96.6	93.1-0100
Non-Native	1935	276,912	77	3.1	02.3-03.9	1858	96.9	96.1-97.7
18-24	138	39,539	1	0.8	00.0-02.4	137	99.2	97.6-0100
25-34	186	52,239	1	0.7	00.0-02.1	185	99.3	97.9-0100
35-44	234	47,628	2	1.5	00.0-03.7	232	98.5	96.3-0100
45-54	262	38,256	6	2.3	00.3-04.3	256	97.7	95.7-99.7
55-64	358	43,859	11	3.4	01.2-05.6	347	96.6	94.4-98.8
65+	857	71,126	61	7.3	05.1-09.5	796	92.7	90.5-94.9
Less Than H.S.	70	17,719	11	9.7	03.0-16.4	59	90.3	83.6-97.0
H.S. or G.E.D.	468	69,770	27	4.2	02.2-06.2	441	95.8	93.8-97.8
Some Post-H.S.	657	112,132	25	2.8	01.4-04.2	632	97.2	95.8-98.6
College Graduate	839	92,676	19	1.3	00.7-01.9	820	98.7	98.1-99.3
Less than \$15,000	86	13,268	7	6.9	00.6-13.2	79	93.1	86.8-99.4
\$15,000- 24,999	157	19,757	14	8.0	03.1-12.9	143	92.0	87.1-96.9
\$25,000- 34,999	197	28,614	10	3.3	00.6-06.0	187	96.7	94.0-99.4
\$35,000- 49,999	236	31,684	13	5.1	01.6-08.6	223	94.9	91.4-98.4
\$50,000- 99,999	566	78,578	17	2.1	00.9-03.3	549	97.9	96.7-99.1
\$100,000 - 199,999	300	48,317	2	0.3	00.0-00.7	298	99.7	99.3-0100
\$200,000+	56	9,747				56	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4135	598,186	552	14.9	13.5-16.3	3583	85.1	83.7-86.5
Male	2102	305,785	238	12.8	11.0-14.6	1864	87.2	85.4-89.0
Female	2033	292,402	314	17.0	14.8-19.2	1719	83.0	80.8-85.2
Native	134	24,036	26	20.4	12.2-28.6	108	79.6	71.4-87.8
Non-Native	3925	563,913	514	14.6	13.2-16.0	3411	85.4	84.0-86.8
18-24	298	83,340	52	18.5	13.6-23.4	246	81.5	76.6-86.4
25-34	455	112,942	73	18.0	13.9-22.1	382	82.0	77.9-86.1
35-44	494	100,091	84	17.2	13.5-20.9	410	82.8	79.1-86.5
45-54	538	79,503	66	12.1	09.2-15.0	472	87.9	85.0-90.8
55-64	743	89,000	92	11.8	09.3-14.3	651	88.2	85.7-90.7
65+	1607	133,311	185	11.8	10.0-13.6	1422	88.2	86.4-90.0
Less Than H.S.	177	44,806	28	16.4	09.3-23.5	149	83.6	76.5-90.7
H.S. or G.E.D.	1053	159,900	135	14.8	12.3-17.3	918	85.2	82.7-87.7
Some Post-H.S.	1308	226,986	200	16.4	14.0-18.8	1108	83.6	81.2-86.0
College Graduate	1590	164,987	189	12.6	10.6-14.6	1401	87.4	85.4-89.4
Less than \$15,000	140	20,931	36	23.7	15.5-31.9	104	76.3	68.1-84.5
\$15,000- 24,999	277	36,570	40	14.8	09.7-19.9	237	85.2	80.1-90.3
\$25,000- 34,999	365	53,127	53	16.1	11.0-21.2	312	83.9	78.8-89.0
\$35,000- 49,999	488	65,544	76	16.9	12.8-21.0	412	83.1	79.0-87.2
\$50,000- 99,999	1229	175,440	166	15.8	13.1-18.5	1063	84.2	81.5-86.9
\$100,000 - 199,999	696	105,517	70	12.5	09.4-15.6	626	87.5	84.4-90.6
\$200,000+	167	25,516	15	7.9	03.6-12.2	152	92.1	87.8-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2102	305,785	238	12.8	11.0-14.6	1864	87.2	85.4-89.0
Native	64	11,919	12	21.7	09.2-34.2	52	78.3	65.8-90.8
Non-Native	1991	287,125	220	12.5	10.5-14.5	1771	87.5	85.5-89.5
18-24	160	43,801	27	19.2	12.1-26.3	133	80.8	73.7-87.9
25-34	269	60,703	41	17.0	11.9-22.1	228	83.0	77.9-88.1
35-44	260	52,463	28	10.6	06.7-14.5	232	89.4	85.5-93.3
45-54	279	41,576	26	9.1	05.4-12.8	253	90.9	87.2-94.6
55-64	386	45,354	41	11.0	07.5-14.5	345	89.0	85.5-92.5
65+	748	61,887	75	9.9	07.4-12.4	673	90.1	87.6-92.6
Less Than H.S.	107	27,087	19	17.1	08.1-26.1	88	82.9	73.9-91.9
H.S. or G.E.D.	583	89,924	68	13.5	10.2-16.8	515	86.5	83.2-89.8
Some Post-H.S.	652	115,074	81	13.3	10.2-16.4	571	86.7	83.6-89.8
College Graduate	754	72,543	70	9.9	07.4-12.4	684	90.1	87.6-92.6
Less than \$15,000	54	7,770	15	24.6	11.3-37.9	39	75.4	62.1-88.7
\$15,000- 24,999	119	16,663	12	12.0	04.9-19.1	107	88.0	80.9-95.1
\$25,000- 34,999	168	24,617	13	6.8	02.5-11.1	155	93.2	88.9-97.5
\$35,000- 49,999	252	33,798	31	13.5	08.4-18.6	221	86.5	81.4-91.6
\$50,000- 99,999	662	96,678	80	15.2	11.5-18.9	582	84.8	81.1-88.5
\$100,000 - 199,999	397	57,326	37	10.9	07.2-14.6	360	89.1	85.4-92.8
\$200,000+	111	15,769	9	6.7	01.8-11.6	102	93.3	88.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2033	292,402	314	17.0	14.8-19.2	1719	83.0	80.8-85.2
Native	70	12,117	14	19.0	08.4-29.6	56	81.0	70.4-91.6
Non-Native	1934	276,788	294	16.9	14.7-19.1	1640	83.1	80.9-85.3
18-24	138	39,539	25	17.7	10.8-24.6	113	82.3	75.4-89.2
25-34	186	52,239	32	19.2	12.7-25.7	154	80.8	74.3-87.3
35-44	234	47,628	56	24.4	18.3-30.5	178	75.6	69.5-81.7
45-54	259	37,926	40	15.4	10.7-20.1	219	84.6	79.9-89.3
55-64	357	43,646	51	12.6	09.1-16.1	306	87.4	83.9-90.9
65+	859	71,423	110	13.6	10.9-16.3	749	86.4	83.7-89.1
Less Than H.S.	70	17,719	9	15.4	04.0-26.8	61	84.6	73.2-96.0
H.S. or G.E.D.	470	69,976	67	16.4	12.3-20.5	403	83.6	79.5-87.7
Some Post-H.S.	656	111,912	119	19.5	15.8-23.2	537	80.5	76.8-84.2
College Graduate	836	92,444	119	14.7	12.0-17.4	717	85.3	82.6-88.0
Less than \$15,000	86	13,161	21	23.1	12.5-33.7	65	76.9	66.3-87.5
\$15,000- 24,999	158	19,907	28	17.2	09.9-24.5	130	82.8	75.5-90.1
\$25,000- 34,999	197	28,510	40	24.2	16.0-32.4	157	75.8	67.6-84.0
\$35,000- 49,999	236	31,746	45	20.5	14.0-27.0	191	79.5	73.0-86.0
\$50,000- 99,999	567	78,762	86	16.5	12.8-20.2	481	83.5	79.8-87.2
\$100,000 - 199,999	299	48,191	33	14.4	09.1-19.7	266	85.6	80.3-90.9
\$200,000+	56	9,747	6	10.0	02.0-18.0	50	90.0	82.0-98.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	529	85,863	403	72.1	67.2-77.0	126	27.9	23.0-32.8
Male	224	37,468	162	67.8	60.2-75.4	62	32.2	24.6-39.8
Female	305	48,395	241	75.5	69.4-81.6	64	24.5	18.4-30.6
Non-Native	492	79,615	374	71.9	66.8-77.0	118	28.1	23.0-33.2
18-24	51	15,281	32	63.8	49.7-77.9	19	36.2	22.1-50.3
25-34	69	19,577	45	64.8	52.5-77.1	24	35.2	22.9-47.5
35-44	82	16,761	58	70.9	60.1-81.7	24	29.1	18.3-39.9
45-54	63	9,243	52	84.5	75.3-93.7	11	15.5	06.3-24.7
55-64	87	9,772	66	70.9	59.7-82.1	21	29.1	17.9-40.3
65+	177	15,229	150	84.7	78.4-91.0	27	15.3	09.0-21.6
H.S. or G.E.D.	127	22,423	103	74.5	65.3-83.7	24	25.5	16.3-34.7
Some Post-H.S.	195	36,478	140	65.5	57.3-73.7	55	34.5	26.3-42.7
College Graduate	182	19,999	139	76.7	69.6-83.8	43	23.3	16.2-30.4
\$25,000- 34,999	52	8,553	40	77.7	63.8-91.6	12	22.3	08.4-36.2
\$35,000- 49,999	75	11,018	58	74.4	62.2-86.6	17	25.6	13.4-37.8
\$50,000- 99,999	159	26,553	126	75.4	67.2-83.6	33	24.6	16.4-32.8
\$100,000 - 199,999	70	13,165	52	74.0	61.5-86.5	18	26.0	13.5-38.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	224	37,468	162	67.8	60.0-75.6	62	32.2	24.4-40.0
Non-Native	206	34,129	149	67.7	59.5-75.9	57	32.3	24.1-40.5
65+	71	5,892	58	82.3	72.5-92.1	13	17.7	07.9-27.5
H.S. or G.E.D.	63	11,340	47	67.7	54.0-81.4	16	32.3	18.6-46.0
Some Post-H.S.	79	15,057	53	59.2	45.9-72.5	26	40.8	27.5-54.1
College Graduate	66	6,832	49	75.5	63.7-87.3	17	24.5	12.7-36.3
\$50,000- 99,999	75	13,903	60	78.0	66.4-89.6	15	22.0	10.4-33.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	305	48,395	241	75.5	69.4-81.6	64	24.5	18.4-30.6
Non-Native	286	45,486	225	75.0	68.7-81.3	61	25.0	18.7-31.3
35-44	55	11,355	41	74.3	61.2-87.4	14	25.7	12.6-38.8
55-64	50	5,381	39	71.7	57.2-86.2	11	28.3	13.8-42.8
65+	106	9,337	92	86.2	78.0-94.4	14	13.8	05.6-22.0
H.S. or G.E.D.	64	11,083	56	81.6	69.6-93.6	8	18.4	06.4-30.4
Some Post-H.S.	116	21,421	87	69.9	59.7-80.1	29	30.1	19.9-40.3
College Graduate	116	13,167	90	77.3	68.3-86.3	26	22.7	13.7-31.7
\$50,000- 99,999	84	12,650	66	72.5	60.7-84.3	18	27.5	15.7-39.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 16: (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4115	596,232	266	4.0	03.4-04.6	3849	96.0	95.4-96.6
Male	2087	304,460	121	3.2	02.6-03.8	1966	96.8	96.2-97.4
Female	2028	291,773	145	4.9	03.9-05.9	1883	95.1	94.1-96.1
Native	134	24,036	2	0.9	00.0-02.1	132	99.1	97.9-100
Non-Native	3904	561,933	257	4.1	03.5-04.7	3647	95.9	95.3-96.5
18-24	298	83,343	1	0.2	00.0-00.6	297	99.8	99.4-100
25-34	454	112,701	2	0.6	00.0-01.4	452	99.4	98.6-100
35-44	492	99,648	7	1.6	00.4-02.8	485	98.4	97.2-99.6
45-54	538	79,466	12	2.7	01.1-04.3	526	97.3	95.7-98.9
55-64	742	88,725	37	4.8	03.2-06.4	705	95.2	93.6-96.8
65+	1591	132,350	207	11.5	09.7-13.3	1384	88.5	86.7-90.3
Less Than H.S.	175	44,269	10	3.3	00.9-05.7	165	96.7	94.3-99.1
H.S. or G.E.D.	1051	159,680	66	3.7	02.5-04.9	985	96.3	95.1-97.5
Some Post-H.S.	1302	226,497	80	4.2	03.2-05.2	1222	95.8	94.8-96.8
College Graduate	1580	164,279	110	4.4	03.4-05.4	1470	95.6	94.6-96.6
Less than \$15,000	138	20,784	7	3.1	00.6-05.6	131	96.9	94.4-99.4
\$15,000- 24,999	276	36,484	15	2.4	01.0-03.8	261	97.6	96.2-99.0
\$25,000- 34,999	362	52,784	26	4.0	02.0-06.0	336	96.0	94.0-98.0
\$35,000- 49,999	486	65,384	35	5.4	03.4-07.4	451	94.6	92.6-96.6
\$50,000- 99,999	1224	174,932	75	3.5	02.5-04.5	1149	96.5	95.5-97.5
\$100,000 - 199,999	690	104,683	41	3.9	02.5-05.3	649	96.1	94.7-97.5
\$200,000+	165	25,266	11	4.9	01.4-08.4	154	95.1	91.6-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2087	304,460	121	3.2	02.6-03.8	1966	96.8	96.2-97.4
Native	64	11,919				64	100.0	0100-0100
Non-Native	1976	285,894	117	3.3	02.5-04.1	1859	96.7	95.9-97.5
18-24	160	43,804	1	0.5	00.0-01.5	159	99.5	98.5-0100
25-34	269	60,703				269	100.0	0100-0100
35-44	259	52,207	1	0.2	00.0-00.6	258	99.8	99.4-0100
45-54	278	41,469	5	2.4	00.0-04.8	273	97.6	95.2-0100
55-64	386	45,369	13	2.9	01.1-04.7	373	97.1	95.3-98.9
65+	735	60,907	101	11.8	09.3-14.3	634	88.2	85.7-90.7
Less Than H.S.	106	26,968	5	3.3	00.0-06.6	101	96.7	93.4-0100
H.S. or G.E.D.	581	89,672	31	2.6	01.6-03.6	550	97.4	96.4-98.4
Some Post-H.S.	649	114,671	28	2.9	01.7-04.1	621	97.1	95.9-98.3
College Graduate	745	71,991	57	4.5	03.1-05.9	688	95.5	94.1-96.9
Less than \$15,000	54	7,952	3	4.4	00.0-09.7	51	95.6	90.3-0100
\$15,000- 24,999	118	16,577	2	0.5	00.0-01.3	116	99.5	98.7-0100
\$25,000- 34,999	166	24,236	11	3.4	01.0-05.8	155	96.6	94.2-99.0
\$35,000- 49,999	251	33,832	20	5.3	02.8-07.8	231	94.7	92.2-97.2
\$50,000- 99,999	657	96,193	39	3.2	01.8-04.6	618	96.8	95.4-98.2
\$100,000 - 199,999	393	56,703	26	3.9	02.1-05.7	367	96.1	94.3-97.9
\$200,000+	110	15,662	8	4.7	01.4-08.0	102	95.3	92.0-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2028	291,773	145	4.9	03.9-05.9	1883	95.1	94.1-96.1
Native	70	12,117	2	1.7	00.0-04.1	68	98.3	95.9-0100
Non-Native	1928	276,038	140	4.9	03.9-05.9	1788	95.1	94.1-96.1
18-24	138	39,539				138	100.0	0100-0100
25-34	185	51,998	2	1.3	00.0-03.1	183	98.7	96.9-0100
35-44	233	47,440	6	3.1	00.6-05.6	227	96.9	94.4-99.4
45-54	260	37,997	7	3.0	00.6-05.4	253	97.0	94.6-99.4
55-64	356	43,356	24	6.7	03.8-09.6	332	93.3	90.4-96.2
65+	856	71,443	106	11.3	08.9-13.7	750	88.7	86.3-91.1
Less Than H.S.	69	17,301	5	3.2	00.0-06.5	64	96.8	93.5-0100
H.S. or G.E.D.	470	70,008	35	5.1	02.9-07.3	435	94.9	92.7-97.1
Some Post-H.S.	653	111,826	52	5.5	03.7-07.3	601	94.5	92.7-96.3
College Graduate	835	92,288	53	4.3	02.9-05.7	782	95.7	94.3-97.1
Less than \$15,000	84	12,832	4	2.3	00.0-04.8	80	97.7	95.2-0100
\$15,000- 24,999	158	19,907	13	4.0	01.5-06.5	145	96.0	93.5-98.5
\$25,000- 34,999	196	28,548	15	4.5	01.6-07.4	181	95.5	92.6-98.4
\$35,000- 49,999	235	31,552	15	5.4	02.3-08.5	220	94.6	91.5-97.7
\$50,000- 99,999	567	78,738	36	3.8	02.4-05.2	531	96.2	94.8-97.6
\$100,000 - 199,999	297	47,980	15	3.9	01.5-06.3	282	96.1	93.7-98.5
\$200,000+	55	9,604	3	5.3	00.0-12.6	52	94.7	87.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 19: (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4129	597,605	484	8.4	07.4-09.4	3645	91.6	90.6-92.6
Male	2094	304,859	206	6.6	05.6-07.6	1888	93.4	92.4-94.4
Female	2035	292,746	278	10.3	08.9-11.7	1757	89.7	88.3-91.1
Native	132	23,277	10	6.1	02.0-10.2	122	93.9	89.8-98.0
Non-Native	3920	564,063	467	8.5	07.5-09.5	3453	91.5	90.5-92.5
18-24	299	83,628	4	1.0	00.0-02.0	295	99.0	98.0-0100
25-34	454	112,449	3	0.7	00.0-01.5	451	99.3	98.5-0100
35-44	491	99,561	28	6.0	03.6-08.4	463	94.0	91.6-96.4
45-54	541	79,832	40	7.6	05.2-10.0	501	92.4	90.0-94.8
55-64	745	89,327	87	12.6	09.7-15.5	658	87.4	84.5-90.3
65+	1599	132,808	322	19.1	16.9-21.3	1277	80.9	78.7-83.1
Less Than H.S.	176	44,612	23	9.3	04.8-13.8	153	90.7	86.2-95.2
H.S. or G.E.D.	1053	159,762	134	9.2	07.4-11.0	919	90.8	89.0-92.6
Some Post-H.S.	1305	226,817	152	8.1	06.7-09.5	1153	91.9	90.5-93.3
College Graduate	1588	164,906	175	7.8	06.4-09.2	1413	92.2	90.8-93.6
Less than \$15,000	142	21,391	20	11.4	05.5-17.3	122	88.6	82.7-94.5
\$15,000- 24,999	276	36,304	33	7.6	03.9-11.3	243	92.4	88.7-96.1
\$25,000- 34,999	365	53,200	63	11.4	07.9-14.9	302	88.6	85.1-92.1
\$35,000- 49,999	488	65,657	69	10.7	07.8-13.6	419	89.3	86.4-92.2
\$50,000- 99,999	1226	175,097	138	7.8	06.2-09.4	1088	92.2	90.6-93.8
\$100,000 - 199,999	695	105,320	60	7.5	05.1-09.9	635	92.5	90.1-94.9
\$200,000+	166	25,434	8	3.0	00.6-05.4	158	97.0	94.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2094	304,859	206	6.6	05.6-07.6	1888	93.4	92.4-94.4
Native	63	11,425	4	5.5	00.0-11.6	59	94.5	88.4-0100
Non-Native	1984	286,787	200	6.7	05.5-07.9	1784	93.3	92.1-94.5
18-24	161	44,089				161	100.0	0100-0100
25-34	268	60,210	1	0.2	00.0-00.6	267	99.8	99.4-0100
35-44	260	52,447	7	2.4	00.6-04.2	253	97.6	95.8-99.4
45-54	279	41,576	12	5.0	02.1-07.9	267	95.0	92.1-97.9
55-64	386	45,377	43	12.2	08.3-16.1	343	87.8	83.9-91.7
65+	740	61,160	143	18.2	15.1-21.3	597	81.8	78.7-84.9
Less Than H.S.	106	26,893	10	6.9	02.2-11.6	96	93.1	88.4-97.8
H.S. or G.E.D.	582	89,716	67	7.2	05.2-09.2	515	92.8	90.8-94.8
Some Post-H.S.	648	114,686	57	6.2	04.4-08.0	591	93.8	92.0-95.6
College Graduate	752	72,408	72	6.5	04.7-08.3	680	93.5	91.7-95.3
Less than \$15,000	55	8,010	5	4.9	00.0-10.4	50	95.1	89.6-0100
\$15,000- 24,999	119	16,663	10	4.7	01.4-08.0	109	95.3	92.0-98.6
\$25,000- 34,999	167	24,521	22	9.2	04.5-13.9	145	90.8	86.1-95.5
\$35,000- 49,999	252	33,864	39	11.0	07.3-14.7	213	89.0	85.3-92.7
\$50,000- 99,999	660	96,500	66	6.3	04.5-08.1	594	93.7	91.9-95.5
\$100,000 - 199,999	396	57,063	33	6.5	04.0-09.0	363	93.5	91.0-96.0
\$200,000+	110	15,687	3	1.2	00.0-02.8	107	98.8	97.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2035	292,746	278	10.3	08.9-11.7	1757	89.7	88.3-91.1
Native	69	11,852	6	6.8	01.1-12.5	63	93.2	87.5-98.9
Non-Native	1936	277,276	267	10.4	08.8-12.0	1669	89.6	88.0-91.2
18-24	138	39,539	4	2.0	00.0-04.0	134	98.0	96.0-100
25-34	186	52,239	2	1.2	00.0-02.8	184	98.8	97.2-100
35-44	231	47,114	21	10.0	05.5-14.5	210	90.0	85.5-94.5
45-54	262	38,256	28	10.3	06.4-14.2	234	89.7	85.8-93.6
55-64	359	43,950	44	13.1	08.8-17.4	315	86.9	82.6-91.2
65+	859	71,647	179	19.9	16.8-23.0	680	80.1	77.0-83.2
Less Than H.S.	70	17,719	13	13.0	04.4-21.6	57	87.0	78.4-95.6
H.S. or G.E.D.	471	70,047	67	11.8	08.5-15.1	404	88.2	84.9-91.5
Some Post-H.S.	657	112,132	95	10.2	07.8-12.6	562	89.8	87.4-92.2
College Graduate	836	92,498	103	8.7	06.7-10.7	733	91.3	89.3-93.3
Less than \$15,000	87	13,380	15	15.4	06.8-24.0	72	84.6	76.0-93.2
\$15,000- 24,999	157	19,642	23	10.1	04.0-16.2	134	89.9	83.8-96.0
\$25,000- 34,999	198	28,679	41	13.3	08.2-18.4	157	86.7	81.6-91.8
\$35,000- 49,999	236	31,793	30	10.4	05.9-14.9	206	89.6	85.1-94.1
\$50,000- 99,999	566	78,596	72	9.5	07.1-11.9	494	90.5	88.1-92.9
\$100,000 - 199,999	299	48,257	27	8.7	04.8-12.6	272	91.3	87.4-95.2
\$200,000+	56	9,747	5	5.9	00.2-11.6	51	94.1	88.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4132	597,447	297	5.7	04.9-06.5	3835	94.3	93.5-95.1
Male	2098	305,314	144	5.5	04.3-06.7	1954	94.5	93.3-95.7
Female	2034	292,133	153	6.0	04.8-07.2	1881	94.0	92.8-95.2
Native	133	23,770	12	10.5	04.0-17.0	121	89.5	83.0-96.0
Non-Native	3924	563,633	281	5.6	04.8-06.4	3643	94.4	93.6-95.2
18-24	298	83,451	5	2.2	00.2-04.2	293	97.8	95.8-99.8
25-34	452	112,027	10	2.7	00.9-04.5	442	97.3	95.5-99.1
35-44	494	99,984	8	2.0	00.4-03.6	486	98.0	96.4-99.6
45-54	539	79,628	22	4.8	02.6-07.0	517	95.2	93.0-97.4
55-64	743	89,075	62	8.8	06.4-11.2	681	91.2	88.8-93.6
65+	1606	133,282	190	11.8	10.0-13.6	1416	88.2	86.4-90.0
Less Than H.S.	176	44,605	22	8.4	04.1-12.7	154	91.6	87.3-95.9
H.S. or G.E.D.	1048	158,972	108	8.0	06.2-09.8	940	92.0	90.2-93.8
Some Post-H.S.	1308	227,069	102	5.6	04.4-06.8	1206	94.4	93.2-95.6
College Graduate	1593	165,295	65	3.1	02.1-04.1	1528	96.9	95.9-97.9
Less than \$15,000	142	21,510	28	15.0	08.9-21.1	114	85.0	78.9-91.1
\$15,000- 24,999	274	36,117	29	7.3	04.4-10.2	245	92.7	89.8-95.6
\$25,000- 34,999	363	52,774	39	8.5	05.6-11.4	324	91.5	88.6-94.4
\$35,000- 49,999	486	65,208	45	6.8	04.4-09.2	441	93.2	90.8-95.6
\$50,000- 99,999	1228	175,009	83	6.0	04.4-07.6	1145	94.0	92.4-95.6
\$100,000 - 199,999	696	105,403	18	2.3	01.1-03.5	678	97.7	96.5-98.9
\$200,000+	167	25,516	3	2.4	00.0-05.1	164	97.6	94.9-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2098	305,314	144	5.5	04.3-06.7	1954	94.5	93.3-95.7
Native	64	11,919	5	12.9	01.7-24.1	59	87.1	75.9-98.3
Non-Native	1988	286,848	135	5.1	04.1-06.1	1853	94.9	93.9-95.9
18-24	160	43,912	5	4.3	00.4-08.2	155	95.7	91.8-99.6
25-34	268	60,515	4	2.1	00.0-04.3	264	97.9	95.7-0100
35-44	261	52,622	4	1.5	00.0-03.1	257	98.5	96.9-0100
45-54	279	41,576	12	5.0	02.3-07.7	267	95.0	92.3-97.7
55-64	383	44,977	28	7.8	04.7-10.9	355	92.2	89.1-95.3
65+	747	61,712	91	11.6	08.9-14.3	656	88.4	85.7-91.1
Less Than H.S.	105	26,738	15	11.4	04.5-18.3	90	88.6	81.7-95.5
H.S. or G.E.D.	580	89,508	53	7.1	04.7-09.5	527	92.9	90.5-95.3
Some Post-H.S.	653	115,370	44	4.4	03.0-05.8	609	95.6	94.2-97.0
College Graduate	754	72,541	32	2.9	01.7-04.1	722	97.1	95.9-98.3
Less than \$15,000	55	8,010	11	17.2	06.2-28.2	44	82.8	71.8-93.8
\$15,000- 24,999	118	16,559	11	6.3	02.0-10.6	107	93.7	89.4-98.0
\$25,000- 34,999	166	24,203	14	6.9	02.6-11.2	152	93.1	88.8-97.4
\$35,000- 49,999	250	33,687	20	5.5	02.6-08.4	230	94.5	91.6-97.4
\$50,000- 99,999	662	96,649	49	5.9	03.7-08.1	613	94.1	91.9-96.3
\$100,000 - 199,999	396	57,087	11	2.4	00.6-04.2	385	97.6	95.8-99.4
\$200,000+	111	15,769	3	3.9	00.0-08.4	108	96.1	91.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2034	292,133	153	6.0	04.8-07.2	1881	94.0	92.8-95.2
Native	69	11,852	7	8.1	01.8-14.4	62	91.9	85.6-98.2
Non-Native	1936	276,785	146	6.0	04.8-07.2	1790	94.0	92.8-95.2
18-24	138	39,539				138	100.0	0100-0100
25-34	184	51,512	6	3.5	00.8-06.2	178	96.5	93.8-99.2
35-44	233	47,363	4	2.6	00.1-05.1	229	97.4	94.9-99.9
45-54	260	38,052	10	4.7	01.6-07.8	250	95.3	92.2-98.4
55-64	360	44,098	34	9.7	06.2-13.2	326	90.3	86.8-93.8
65+	859	71,570	99	11.9	09.4-14.4	760	88.1	85.6-90.6
Less Than H.S.	71	17,867	7	3.9	00.8-07.0	64	96.1	93.0-99.2
H.S. or G.E.D.	468	69,464	55	9.0	06.3-11.7	413	91.0	88.3-93.7
Some Post-H.S.	655	111,698	58	6.9	04.9-08.9	597	93.1	91.1-95.1
College Graduate	839	92,754	33	3.2	01.8-04.6	806	96.8	95.4-98.2
Less than \$15,000	87	13,500	17	13.7	06.8-20.6	70	86.3	79.4-93.2
\$15,000- 24,999	156	19,558	18	8.2	03.9-12.5	138	91.8	87.5-96.1
\$25,000- 34,999	197	28,571	25	9.8	05.5-14.1	172	90.2	85.9-94.5
\$35,000- 49,999	236	31,521	25	8.1	04.4-11.8	211	91.9	88.2-95.6
\$50,000- 99,999	566	78,359	34	6.2	03.7-08.7	532	93.8	91.3-96.3
\$100,000 - 199,999	300	48,317	7	2.2	00.2-04.2	293	97.8	95.8-99.8
\$200,000+	56	9,747				56	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4131	596,992	757	21.6	20.0-23.2	3374	78.4	76.8-80.0
Male	2100	305,241	257	13.9	11.9-15.9	1843	86.1	84.1-88.1
Female	2031	291,751	500	29.6	27.1-32.1	1531	70.4	67.9-72.9
Native	132	23,638	27	25.0	15.6-34.4	105	75.0	65.6-84.4
Non-Native	3923	563,210	722	21.6	20.0-23.2	3201	78.4	76.8-80.0
18-24	295	82,589	82	28.6	22.9-34.3	213	71.4	65.7-77.1
25-34	453	112,438	106	25.8	21.3-30.3	347	74.2	69.7-78.7
35-44	495	100,338	122	25.3	21.0-29.6	373	74.7	70.4-79.0
45-54	538	79,528	115	20.4	16.7-24.1	423	79.6	75.9-83.3
55-64	743	89,015	150	20.7	17.4-24.0	593	79.3	76.0-82.6
65+	1607	133,084	182	12.2	10.2-14.2	1425	87.8	85.8-89.8
Less Than H.S.	177	44,573	32	25.4	16.8-34.0	145	74.6	66.0-83.2
H.S. or G.E.D.	1054	159,963	192	23.0	19.9-26.1	862	77.0	73.9-80.1
Some Post-H.S.	1304	226,117	257	21.7	19.0-24.4	1047	78.3	75.6-81.0
College Graduate	1590	164,931	275	19.0	16.6-21.4	1315	81.0	78.6-83.4
Less than \$15,000	142	21,496	51	39.3	29.1-49.5	91	60.7	50.5-70.9
\$15,000- 24,999	275	35,946	70	28.8	21.9-35.7	205	71.2	64.3-78.1
\$25,000- 34,999	363	52,754	83	25.8	19.9-31.7	280	74.2	68.3-80.1
\$35,000- 49,999	489	65,676	86	21.6	16.9-26.3	403	78.4	73.7-83.1
\$50,000- 99,999	1227	175,079	220	20.8	17.9-23.7	1007	79.2	76.3-82.1
\$100,000 - 199,999	697	105,643	104	17.7	14.2-21.2	593	82.3	78.8-85.8
\$200,000+	167	25,516	20	13.0	06.9-19.1	147	87.0	80.9-93.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2100	305,241	257	13.9	11.9-15.9	1843	86.1	84.1-88.1
Native	64	11,919	11	21.9	08.0-35.8	53	78.1	64.2-92.0
Non-Native	1989	286,676	242	13.8	11.8-15.8	1747	86.2	84.2-88.2
18-24	159	43,673	28	18.8	11.9-25.7	131	81.2	74.3-88.1
25-34	268	60,342	42	16.2	11.1-21.3	226	83.8	78.7-88.9
35-44	261	52,710	45	16.5	11.8-21.2	216	83.5	78.8-88.2
45-54	278	41,476	36	12.1	08.0-16.2	242	87.9	83.8-92.0
55-64	386	45,284	48	11.6	08.3-14.9	338	88.4	85.1-91.7
65+	748	61,755	58	8.9	06.4-11.4	690	91.1	88.6-93.6
Less Than H.S.	107	27,087	12	16.6	07.2-26.0	95	83.4	74.0-92.8
H.S. or G.E.D.	584	90,030	84	16.4	12.9-19.9	500	83.6	80.1-87.1
Some Post-H.S.	650	114,625	85	13.6	10.7-16.5	565	86.4	83.5-89.3
College Graduate	754	72,443	76	10.6	08.1-13.1	678	89.4	86.9-91.9
Less than \$15,000	55	8,010	17	25.0	12.3-37.7	38	75.0	62.3-87.7
\$15,000- 24,999	119	16,663	25	20.3	12.1-28.5	94	79.7	71.5-87.9
\$25,000- 34,999	167	24,358	22	13.1	07.0-19.2	145	86.9	80.8-93.0
\$35,000- 49,999	252	33,830	30	12.3	07.6-17.0	222	87.7	83.0-92.4
\$50,000- 99,999	661	96,356	84	15.7	12.0-19.4	577	84.3	80.6-88.0
\$100,000 - 199,999	397	57,326	31	8.6	05.5-11.7	366	91.4	88.3-94.5
\$200,000+	111	15,769	6	5.4	00.7-10.1	105	94.6	89.9-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2031	291,751	500	29.6	27.1-32.1	1531	70.4	67.9-72.9
Native	68	11,720	16	28.2	15.7-40.7	52	71.8	59.3-84.3
Non-Native	1934	276,534	480	29.8	27.3-32.3	1454	70.2	67.7-72.7
18-24	136	38,915	54	39.7	30.7-48.7	82	60.3	51.3-69.3
25-34	185	52,096	64	36.9	29.3-44.5	121	63.1	55.5-70.7
35-44	234	47,628	77	34.9	28.0-41.8	157	65.1	58.2-72.0
45-54	260	38,052	79	29.5	23.6-35.4	181	70.5	64.6-76.4
55-64	357	43,731	102	30.1	24.6-35.6	255	69.9	64.4-75.4
65+	859	71,329	124	15.0	12.3-17.7	735	85.0	82.3-87.7
Less Than H.S.	70	17,486	20	38.9	23.8-54.0	50	61.1	46.0-76.2
H.S. or G.E.D.	470	69,933	108	31.4	25.9-36.9	362	68.6	63.1-74.1
Some Post-H.S.	654	111,493	172	30.1	25.8-34.4	482	69.9	65.6-74.2
College Graduate	836	92,488	199	25.7	22.2-29.2	637	74.3	70.8-77.8
Less than \$15,000	87	13,485	34	47.7	34.6-60.8	53	52.3	39.2-65.4
\$15,000- 24,999	156	19,283	45	36.2	26.0-46.4	111	63.8	53.6-74.0
\$25,000- 34,999	196	28,396	61	36.7	27.9-45.5	135	63.3	54.5-72.1
\$35,000- 49,999	237	31,846	56	31.5	23.7-39.3	181	68.5	60.7-76.3
\$50,000- 99,999	566	78,723	136	27.0	22.5-31.5	430	73.0	68.5-77.5
\$100,000 - 199,999	300	48,317	73	28.4	22.1-34.7	227	71.6	65.3-77.9
\$200,000+	56	9,747	14	25.3	12.0-38.6	42	74.7	61.4-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 28: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4135	598,441	195	3.7	03.1-04.3	3940	96.3	95.7-96.9
Male	2102	305,925	81	2.7	01.9-03.5	2021	97.3	96.5-98.1
Female	2033	292,516	114	4.6	03.6-05.6	1919	95.4	94.4-96.4
Native	134	24,036	9	3.7	01.0-06.4	125	96.3	93.6-99.0
Non-Native	3924	564,111	183	3.7	03.1-04.3	3741	96.3	95.7-96.9
18-24	299	83,628	4	2.2	00.0-04.6	295	97.8	95.4-0100
25-34	455	112,942	2	0.3	00.0-00.7	453	99.7	99.3-0100
35-44	494	100,079	11	2.1	00.7-03.5	483	97.9	96.5-99.3
45-54	539	79,399	15	2.8	01.2-04.4	524	97.2	95.6-98.8
55-64	745	89,245	34	4.4	02.8-06.0	711	95.6	94.0-97.2
65+	1603	133,147	129	8.6	06.8-10.4	1474	91.4	89.6-93.2
Less Than H.S.	175	44,562	13	7.9	02.8-13.0	162	92.1	87.0-97.2
H.S. or G.E.D.	1051	159,990	47	3.2	02.2-04.2	1004	96.8	95.8-97.8
Some Post-H.S.	1308	227,007	61	3.2	02.2-04.2	1247	96.8	95.8-97.8
College Graduate	1594	165,374	74	3.5	02.5-04.5	1520	96.5	95.5-97.5
Less than \$15,000	142	21,447	7	4.7	00.6-08.8	135	95.3	91.2-99.4
\$15,000- 24,999	274	36,314	27	8.7	03.8-13.6	247	91.3	86.4-96.2
\$25,000- 34,999	365	53,234	31	6.5	03.8-09.2	334	93.5	90.8-96.2
\$35,000- 49,999	488	65,743	20	2.5	01.1-03.9	468	97.5	96.1-98.9
\$50,000- 99,999	1228	175,095	54	3.2	02.0-04.4	1174	96.8	95.6-98.0
\$100,000 - 199,999	697	105,643	18	2.1	01.1-03.1	679	97.9	96.9-98.9
\$200,000+	166	25,204	4	2.9	00.0-05.8	162	97.1	94.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 29: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2102	305,925	81	2.7	01.9-03.5	2021	97.3	96.5-98.1
Native	64	11,919	5	3.5	00.2-06.8	59	96.5	93.2-99.8
Non-Native	1990	287,209	74	2.7	01.9-03.5	1916	97.3	96.5-98.1
18-24	161	44,089	2	2.0	00.0-04.9	159	98.0	95.1-0100
25-34	269	60,703	1	0.3	00.0-00.9	268	99.7	99.1-0100
35-44	260	52,451	4	1.3	00.0-02.7	256	98.7	97.3-0100
45-54	279	41,576	3	1.2	00.0-02.6	276	98.8	97.4-0100
55-64	386	45,270	15	3.0	01.4-04.6	371	97.0	95.4-98.6
65+	747	61,835	56	7.6	05.4-09.8	691	92.4	90.2-94.6
Less Than H.S.	105	26,788	3	3.9	00.0-08.8	102	96.1	91.2-0100
H.S. or G.E.D.	583	90,062	23	2.9	01.5-04.3	560	97.1	95.7-98.5
Some Post-H.S.	654	115,382	20	2.0	01.0-03.0	634	98.0	97.0-99.0
College Graduate	754	72,537	35	3.2	02.0-04.4	719	96.8	95.6-98.0
Less than \$15,000	55	8,010	2	2.5	00.0-06.0	53	97.5	94.0-0100
\$15,000- 24,999	118	16,534	5	3.2	00.0-06.5	113	96.8	93.5-0100
\$25,000- 34,999	167	24,555	17	7.4	03.3-11.5	150	92.6	88.5-96.7
\$35,000- 49,999	252	33,928	11	1.9	00.5-03.3	241	98.1	96.7-99.5
\$50,000- 99,999	661	96,373	23	2.5	00.9-04.1	638	97.5	95.9-99.1
\$100,000 - 199,999	397	57,326	11	2.4	00.8-04.0	386	97.6	96.0-99.2
\$200,000+	111	15,769	1	1.2	00.0-03.6	110	98.8	96.4-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 30: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2033	292,516	114	4.6	03.6-05.6	1919	95.4	94.4-96.4
Native	70	12,117	4	3.9	00.0-08.0	66	96.1	92.0-0100
Non-Native	1934	276,902	109	4.7	03.5-05.9	1825	95.3	94.1-96.5
18-24	138	39,539	2	2.6	00.0-06.7	136	97.4	93.3-0100
25-34	186	52,239	1	0.3	00.0-00.9	185	99.7	99.1-0100
35-44	234	47,628	7	2.9	00.5-05.3	227	97.1	94.7-99.5
45-54	260	37,822	12	4.5	02.0-07.0	248	95.5	93.0-98.0
55-64	359	43,975	19	5.8	03.1-08.5	340	94.2	91.5-96.9
65+	856	71,313	73	9.4	06.9-11.9	783	90.6	88.1-93.1
Less Than H.S.	70	17,775	10	14.0	03.6-24.4	60	86.0	75.6-96.4
H.S. or G.E.D.	468	69,928	24	3.6	02.0-05.2	444	96.4	94.8-98.0
Some Post-H.S.	654	111,625	41	4.5	02.9-06.1	613	95.5	93.9-97.1
College Graduate	840	92,837	39	3.8	02.4-05.2	801	96.2	94.8-97.6
Less than \$15,000	87	13,436	5	6.0	00.0-12.1	82	94.0	87.9-0100
\$15,000- 24,999	156	19,780	22	13.3	05.1-21.5	134	86.7	78.5-94.9
\$25,000- 34,999	198	28,679	14	5.8	02.1-09.5	184	94.2	90.5-97.9
\$35,000- 49,999	236	31,816	9	3.1	00.7-05.5	227	96.9	94.5-99.3
\$50,000- 99,999	567	78,722	31	4.2	02.4-06.0	536	95.8	94.0-97.6
\$100,000 - 199,999	300	48,317	7	1.9	00.5-03.3	293	98.1	96.7-99.5
\$200,000+	55	9,434	3	5.8	00.0-12.5	52	94.2	87.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4131	597,226	1453	27.1	25.5-28.7	2678	72.9	71.3-74.5
Male	2097	304,843	665	23.6	21.6-25.6	1432	76.4	74.4-78.4
Female	2034	292,383	788	30.8	28.4-33.2	1246	69.2	66.8-71.6
Native	134	24,036	47	24.2	16.8-31.6	87	75.8	68.4-83.2
Non-Native	3920	562,926	1388	27.4	25.8-29.0	2532	72.6	71.0-74.2
18-24	299	83,628	13	6.2	02.5-09.9	286	93.8	90.1-97.5
25-34	452	111,941	28	7.4	04.5-10.3	424	92.6	89.7-95.5
35-44	493	99,935	79	17.0	13.3-20.7	414	83.0	79.3-86.7
45-54	539	79,505	135	24.9	21.0-28.8	404	75.1	71.2-79.0
55-64	745	89,070	305	41.9	37.8-46.0	440	58.1	54.0-62.2
65+	1603	133,147	893	55.8	53.1-58.5	710	44.2	41.5-46.9
Less Than H.S.	176	44,635	77	36.7	28.1-45.3	99	63.3	54.7-71.9
H.S. or G.E.D.	1051	159,459	398	27.5	24.6-30.4	653	72.5	69.6-75.4
Some Post-H.S.	1306	226,525	480	28.2	25.7-30.7	826	71.8	69.3-74.3
College Graduate	1591	165,099	497	22.8	20.6-25.0	1094	77.2	75.0-79.4
Less than \$15,000	142	21,391	70	37.7	28.1-47.3	72	62.3	52.7-71.9
\$15,000- 24,999	277	36,570	127	36.6	29.3-43.9	150	63.4	56.1-70.7
\$25,000- 34,999	363	52,622	160	32.7	26.8-38.6	203	67.3	61.4-73.2
\$35,000- 49,999	487	65,643	189	29.6	25.1-34.1	298	70.4	65.9-74.9
\$50,000- 99,999	1228	174,880	421	26.6	23.9-29.3	807	73.4	70.7-76.1
\$100,000 - 199,999	694	104,964	180	20.9	17.6-24.2	514	79.1	75.8-82.4
\$200,000+	167	25,516	38	17.9	12.0-23.8	129	82.1	76.2-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2097	304,843	665	23.6	21.6-25.6	1432	76.4	74.4-78.4
Native	64	11,919	20	17.6	08.8-26.4	44	82.4	73.6-91.2
Non-Native	1986	286,278	634	24.0	22.0-26.0	1352	76.0	74.0-78.0
18-24	161	44,089	7	5.1	01.2-09.0	154	94.9	91.0-98.8
25-34	267	60,105	11	4.0	01.3-06.7	256	96.0	93.3-98.7
35-44	259	52,307	32	12.0	07.9-16.1	227	88.0	83.9-92.1
45-54	278	41,339	63	22.3	17.0-27.6	215	77.7	72.4-83.0
55-64	386	45,120	159	41.4	35.9-46.9	227	58.6	53.1-64.1
65+	746	61,884	393	53.5	49.4-57.6	353	46.5	42.4-50.6
Less Than H.S.	106	26,917	40	27.7	18.5-36.9	66	72.3	63.1-81.5
H.S. or G.E.D.	581	89,718	190	22.8	19.3-26.3	391	77.2	73.7-80.7
Some Post-H.S.	651	114,648	204	24.0	20.5-27.5	447	76.0	72.5-79.5
College Graduate	753	72,403	230	22.7	19.6-25.8	523	77.3	74.2-80.4
Less than \$15,000	55	8,010	29	38.2	22.7-53.7	26	61.8	46.3-77.3
\$15,000- 24,999	119	16,663	42	27.2	18.4-36.0	77	72.8	64.0-81.6
\$25,000- 34,999	166	24,066	56	22.0	15.1-28.9	110	78.0	71.1-84.9
\$35,000- 49,999	252	33,912	95	27.5	21.6-33.4	157	72.5	66.6-78.4
\$50,000- 99,999	662	96,568	212	23.7	20.2-27.2	450	76.3	72.8-79.8
\$100,000 - 199,999	394	56,647	109	22.3	17.8-26.8	285	77.7	73.2-82.2
\$200,000+	111	15,769	25	18.6	11.2-26.0	86	81.4	74.0-88.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2034	292,383	788	30.8	28.4-33.2	1246	69.2	66.8-71.6
Native	70	12,117	27	30.7	19.1-42.3	43	69.3	57.7-80.9
Non-Native	1934	276,648	754	30.9	28.5-33.3	1180	69.1	66.7-71.5
18-24	138	39,539	6	7.5	01.0-14.0	132	92.5	86.0-99.0
25-34	185	51,837	17	11.4	05.9-16.9	168	88.6	83.1-94.1
35-44	234	47,628	47	22.5	16.4-28.6	187	77.5	71.4-83.6
45-54	261	38,166	72	27.6	21.7-33.5	189	72.4	66.5-78.3
55-64	359	43,950	146	42.4	36.5-48.3	213	57.6	51.7-63.5
65+	857	71,263	500	57.9	54.0-61.8	357	42.1	38.2-46.0
Less Than H.S.	70	17,719	37	50.4	35.3-65.5	33	49.6	34.5-64.7
H.S. or G.E.D.	470	69,741	208	33.5	28.6-38.4	262	66.5	61.6-71.4
Some Post-H.S.	655	111,877	276	32.6	28.7-36.5	379	67.4	63.5-71.3
College Graduate	838	92,696	267	22.9	20.0-25.8	571	77.1	74.2-80.0
Less than \$15,000	87	13,380	41	37.4	25.2-49.6	46	62.6	50.4-74.8
\$15,000- 24,999	158	19,907	85	44.5	34.1-54.9	73	55.5	45.1-65.9
\$25,000- 34,999	197	28,555	104	41.6	33.0-50.2	93	58.4	49.8-67.0
\$35,000- 49,999	235	31,732	94	31.8	24.7-38.9	141	68.2	61.1-75.3
\$50,000- 99,999	566	78,312	209	30.0	25.7-34.3	357	70.0	65.7-74.3
\$100,000 - 199,999	300	48,317	71	19.3	14.2-24.4	229	80.7	75.6-85.8
\$200,000+	56	9,747	13	16.7	06.9-26.5	43	83.3	73.5-93.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 34: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4144	599,046	510	9.6	08.6-10.6	33	0.9	00.5-01.3	3511	87.8	86.6-89.0	90	1.8	01.4-02.2
Male	2104	305,846	272	10.1	08.7-11.5				1781	88.0	86.4-89.6	51	1.9	01.3-02.5
Female	2040	293,201	238	9.0	07.6-10.4	33	1.8	01.0-02.6	1730	87.5	85.9-89.1	39	1.7	01.1-02.3
Native	134	24,036	32	19.1	12.2-26.0	3	1.9	00.0-04.3	93	75.5	67.9-83.1	6	3.5	00.4-06.6
Non-Native	3932	564,596	466	9.1	08.1-10.1	29	0.8	00.4-01.2	3356	88.4	87.2-89.6	81	1.7	01.3-02.1
18-24	296	82,742	6	2.4	00.4-04.4	2	0.7	00.0-01.7	287	96.6	94.2-99.0	1	0.3	00.0-00.9
25-34	455	112,942	13	2.7	01.1-04.3	5	1.3	00.1-02.5	434	95.2	93.0-97.4	3	0.8	00.0-01.8
35-44	496	100,489	30	6.5	04.1-08.9	6	0.8	00.0-01.6	455	91.7	89.0-94.4	5	1.0	00.0-02.0
45-54	541	79,832	50	9.1	06.6-11.6	7	1.4	00.2-02.6	472	87.0	83.9-90.1	12	2.5	00.9-04.1
55-64	745	89,347	109	13.8	11.3-16.3	6	0.8	00.2-01.4	611	83.2	80.3-86.1	19	2.3	01.1-03.5
65+	1611	133,694	302	19.6	17.2-22.0	7	0.5	00.1-00.9	1252	76.6	74.2-79.0	50	3.4	02.2-04.6
Less Than H.S.	178	44,954	30	11.8	07.1-16.5	1	0.2	00.0-00.6	140	84.7	79.2-90.2	7	3.3	00.6-06.0
H.S. or G.E.D.	1054	159,847	130	9.3	07.5-11.1	9	1.1	00.3-01.9	899	88.4	86.2-90.6	16	1.1	00.5-01.7
Some Post-H.S.	1310	227,302	182	10.4	08.6-12.2	8	0.7	00.1-01.3	1084	86.6	84.6-88.6	36	2.3	01.5-03.1
College Graduate	1595	165,436	168	8.1	06.7-09.5	15	1.1	00.5-01.7	1381	89.5	87.9-91.1	31	1.4	00.8-02.0
Less than \$15,000	142	21,426	32	19.2	11.6-26.8	3	1.4	00.0-03.2	103	78.0	70.2-85.8	4	1.4	00.0-03.0
\$15,000- 24,999	276	36,206	53	13.6	09.5-17.7	3	2.1	00.0-04.5	212	81.8	76.7-86.9	8	2.4	00.4-04.4
\$25,000- 34,999	365	53,012	61	12.9	09.2-16.6	2	0.5	00.0-01.3	296	85.1	81.2-89.0	6	1.5	00.1-02.9
\$35,000- 49,999	489	65,754	67	11.3	08.2-14.4	2	0.8	00.0-02.0	414	86.6	83.1-90.1	6	1.3	00.1-02.5
\$50,000- 99,999	1230	175,319	134	8.4	06.6-10.2	9	0.6	00.2-01.0	1062	89.5	87.7-91.3	25	1.5	00.9-02.1
\$100,000 - 199,999	697	105,643	61	7.4	05.4-09.4	7	0.9	00.1-01.7	617	90.1	87.7-92.5	12	1.5	00.3-02.7
\$200,000+	167	25,516	11	6.0	02.3-09.7	1	0.4	00.0-01.2	150	90.4	85.7-95.1	5	3.2	00.1-06.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 35: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2104	305,846	272	10.1	08.7-11.5	1781	88.0	86.4-89.6	51	1.9	01.3-02.5
Native	64	11,919	18	22.6	11.6-33.6	43	73.4	61.6-85.2	3	4.0	00.0-08.9
Non-Native	1992	287,130	248	9.5	08.1-10.9	1698	88.7	87.1-90.3	46	1.8	01.2-02.4
18-24	159	43,441	3	2.9	00.0-06.2	155	96.5	93.0-0100	1	0.6	00.0-01.8
25-34	269	60,703	7	2.1	00.5-03.7	260	96.6	94.2-99.0	2	1.3	00.0-03.1
35-44	262	52,861	13	5.5	02.4-08.6	246	93.6	90.3-96.9	3	0.8	00.0-01.8
45-54	279	41,576	29	10.4	06.5-14.3	244	87.3	83.0-91.6	6	2.3	00.3-04.3
55-64	385	45,249	63	15.9	12.0-19.8	307	80.3	76.0-84.6	15	3.8	01.6-06.0
65+	750	62,015	157	22.2	18.7-25.7	569	74.9	71.4-78.4	24	2.8	01.6-04.0
Less Than H.S.	107	27,087	21	15.5	08.2-22.8	86	84.5	77.2-91.8			
H.S. or G.E.D.	582	89,594	74	9.8	07.3-12.3	497	88.6	85.9-91.3	11	1.6	00.6-02.6
Some Post-H.S.	654	115,408	88	9.8	07.6-12.0	547	87.6	85.1-90.1	19	2.7	01.3-04.1
College Graduate	755	72,599	89	9.0	07.0-11.0	645	89.1	86.9-91.3	21	1.9	00.9-02.9
Less than \$15,000	55	8,010	11	14.1	04.5-23.7	43	85.1	75.3-94.9	1	0.8	00.0-02.4
\$15,000- 24,999	118	16,299	20	13.9	07.2-20.6	95	84.4	77.5-91.3	3	1.7	00.0-03.9
\$25,000- 34,999	167	24,333	32	15.8	09.7-21.9	131	82.0	75.5-88.5	4	2.2	00.0-04.7
\$35,000- 49,999	252	33,909	42	15.6	10.3-20.9	205	82.1	76.4-87.8	5	2.3	00.0-04.7
\$50,000- 99,999	663	96,713	82	8.9	06.5-11.3	566	89.6	87.1-92.1	15	1.5	00.5-02.5
\$100,000 - 199,999	397	57,326	41	9.0	06.1-11.9	346	88.9	85.6-92.2	10	2.1	00.5-03.7
\$200,000+	111	15,769	7	5.0	01.1-08.9	100	91.7	86.6-96.8	4	3.3	00.2-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 36: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2040	293,201	238	9.0	07.6-10.4	33	1.8	01.0-02.6	1730	87.5	85.9-89.1	39	1.7	01.1-02.3
Native	70	12,117	14	15.6	07.2-24.0	3	3.8	00.0-08.5	50	77.6	67.6-87.6	3	3.1	00.0-06.8
Non-Native	1940	277,466	218	8.6	07.2-10.0	29	1.7	00.9-02.5	1658	88.1	86.5-89.7	35	1.6	01.0-02.2
18-24	137	39,301	3	1.8	00.0-04.0	2	1.5	00.0-03.5	132	96.7	93.8-99.6			
25-34	186	52,239	6	3.4	00.5-06.3	5	2.7	00.2-05.2	174	93.5	89.8-97.2	1	0.3	00.0-00.9
35-44	234	47,628	17	7.7	04.0-11.4	6	1.7	00.1-03.3	209	89.5	85.2-93.8	2	1.1	00.0-02.9
45-54	262	38,256	21	7.6	04.1-11.1	7	3.0	00.5-05.5	228	86.7	82.0-91.4	6	2.6	00.2-05.0
55-64	360	44,098	46	11.5	08.0-15.0	6	1.5	00.3-02.7	304	86.1	82.4-89.8	4	0.8	00.0-01.6
65+	861	71,679	145	17.2	14.3-20.1	7	0.9	00.1-01.7	683	78.0	74.7-81.3	26	3.9	02.1-05.7
Less Than H.S.	71	17,867	9	6.2	01.7-10.7	1	0.5	00.0-01.5	54	85.0	76.8-93.2	7	8.3	01.4-15.2
H.S. or G.E.D.	472	70,253	56	8.7	06.2-11.2	9	2.6	00.6-04.6	402	88.2	85.1-91.3	5	0.6	00.0-01.2
Some Post-H.S.	656	111,894	94	11.1	08.6-13.6	8	1.4	00.2-02.6	537	85.5	82.6-88.4	17	1.9	00.9-02.9
College Graduate	840	92,837	79	7.4	05.6-09.2	15	1.9	00.9-02.9	736	89.8	87.6-92.0	10	0.9	00.3-01.5
Less than \$15,000	87	13,416	21	22.2	11.6-32.8	3	2.3	00.0-05.0	60	73.7	62.7-84.7	3	1.8	00.0-04.2
\$15,000- 24,999	158	19,907	33	13.3	08.0-18.6	3	3.9	00.0-08.2	117	79.7	72.4-87.0	5	3.1	00.2-06.0
\$25,000- 34,999	198	28,679	29	10.4	06.1-14.7	2	0.8	00.0-02.2	165	87.8	83.1-92.5	2	1.0	00.0-02.6
\$35,000- 49,999	237	31,846	25	6.8	03.9-09.7	2	1.7	00.0-04.2	209	91.3	87.6-95.0	1	0.2	00.0-00.6
\$50,000- 99,999	567	78,607	52	7.8	05.3-10.3	9	1.3	00.5-02.1	496	89.5	86.8-92.2	10	1.4	00.4-02.4
\$100,000 - 199,999	300	48,317	20	5.5	03.0-08.0	7	2.0	00.2-03.8	271	91.5	88.0-95.0	2	0.9	00.0-02.5
\$200,000+	56	9,747	4	7.6	00.3-14.9	1	0.9	00.0-02.7	50	88.2	78.8-97.6	1	3.2	00.0-09.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	484	54,691	21	6.8	03.3-10.3	50	14.4	10.1-18.7	96	23.8	19.1-28.5	202	36.8	31.9-41.7	115	18.2	14.7-21.7
Male	259	29,438	10	7.5	02.2-12.8	21	10.4	05.9-14.9	55	25.1	18.4-31.8	113	40.0	33.1-46.9	60	17.0	12.3-21.7
Female	225	25,252	11	5.9	02.0-09.8	29	19.2	11.9-26.5	41	22.3	15.6-29.0	89	32.9	26.0-39.8	55	19.6	14.1-25.1
Non-Native	442	48,943	20	6.9	03.4-10.4	39	12.6	08.3-16.9	91	24.9	19.8-30.0	181	36.1	31.0-41.2	111	19.6	15.7-23.5
55-64	105	11,725	4	3.0	00.0-06.3	8	7.4	02.3-12.5	26	24.3	15.5-33.1	63	61.1	51.1-71.1	4	4.3	00.2-08.4
65+	283	24,550	3	0.8	00.0-01.8	15	5.6	02.3-08.9	32	11.8	07.5-16.1	123	43.9	37.2-50.6	110	37.9	31.4-44.4
H.S. or G.E.D.	118	13,823	6	7.7	01.0-14.4	8	9.4	02.3-16.5	26	27.9	17.5-38.3	47	36.4	26.6-46.2	31	18.7	11.4-26.0
Some Post-H.S.	177	23,148	3	3.0	00.0-06.7	24	18.4	10.8-26.0	39	26.5	18.7-34.3	69	36.0	28.2-43.8	42	16.2	11.1-21.3
College Graduate	163	12,881	11	10.4	04.1-16.7	16	15.6	08.2-23.0	28	20.0	12.6-27.4	75	36.9	28.9-44.9	33	17.0	10.5-23.5
\$15,000- 24,999	50	4,709				4	6.2	00.0-12.9	11	26.3	11.4-41.2	22	46.7	30.6-62.8	13	20.8	09.2-32.4
\$25,000- 34,999	58	6,345	1	4.5	00.0-13.1	6	11.7	01.7-21.7	8	17.0	05.2-28.8	27	44.1	29.2-59.0	16	22.7	10.5-34.9
\$35,000- 49,999	65	7,305	2	5.5	00.0-12.9	5	9.8	00.4-19.2	13	25.1	10.2-40.0	22	28.8	16.8-40.8	23	30.7	18.2-43.2
\$50,000- 99,999	129	14,182	5	8.8	00.0-18.2	8	8.9	02.0-15.8	27	25.2	16.0-34.4	61	40.8	30.8-50.8	28	16.3	09.6-23.0
\$100,000 - 199,999	61	7,835	3	8.6	00.0-18.6	10	18.6	07.6-29.6	16	31.5	18.0-45.0	24	29.7	17.9-41.5	8	11.5	02.5-20.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	259	29,438	10	7.5	02.2-12.8	21	10.4	05.9-14.9	55	25.1	18.4-31.8	113	40.0	33.1-46.9	60	17.0	12.3-21.7
Non-Native	237	26,336	9	7.0	01.5-12.5	18	9.5	05.0-14.0	52	26.2	19.1-33.3	100	38.9	31.6-46.2	58	18.4	13.1-23.7
55-64	61	7,001	1	1.2	00.0-03.6	2	4.0	00.0-09.5	16	22.2	11.6-32.8	39	67.2	54.9-79.5	3	5.4	00.0-11.5
65+	149	13,107	1	0.4	00.0-01.2	8	6.2	01.3-11.1	17	13.2	06.7-19.7	66	45.0	35.8-54.2	57	35.3	26.5-44.1
H.S. or G.E.D.	70	8,459	4	10.2	00.0-20.4	3	6.2	00.0-13.1	17	30.2	16.3-44.1	31	40.9	27.8-54.0	15	12.5	05.6-19.4
Some Post-H.S.	85	10,920	2	3.1	00.0-08.2	8	11.0	03.6-18.4	25	34.3	22.7-45.9	33	37.9	26.5-49.3	17	13.7	06.8-20.6
College Graduate	85	6,156	3	6.3	00.0-13.2	8	16.2	05.0-27.4	11	11.8	04.7-18.9	42	45.7	33.9-57.5	21	20.0	11.4-28.6
\$50,000- 99,999	79	8,254	2	9.8	00.0-23.7	4	5.3	00.0-10.8	13	18.6	08.4-28.8	40	45.4	31.9-58.9	20	20.9	11.1-30.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	225	25,252	11	5.9	02.0-09.8	29	19.2	11.9-26.5	41	22.3	15.6-29.0	89	32.9	26.0-39.8	55	19.6	14.1-25.1
Non-Native	205	22,608	11	6.6	02.1-11.1	21	16.2	08.8-23.6	39	23.4	16.1-30.7	81	32.9	25.6-40.2	53	20.9	15.0-26.8
65+	134	11,443	2	1.3	00.0-03.1	7	5.0	00.7-09.3	15	10.2	04.7-15.7	57	42.6	33.0-52.2	53	40.9	31.1-50.7
Some Post-H.S.	92	12,228	1	2.8	00.0-08.3	16	25.1	13.1-37.1	14	19.5	09.3-29.7	36	34.3	23.3-45.3	25	18.3	10.7-25.9
College Graduate	78	6,725	8	14.2	04.0-24.4	8	15.0	05.0-25.0	17	27.6	15.4-39.8	33	28.8	18.6-39.0	12	14.3	04.7-23.9
\$50,000- 99,999	50	5,928	3	7.5	00.0-18.7	4	13.8	00.0-27.7	14	34.5	18.4-50.6	21	34.4	19.7-49.1	8	9.8	01.8-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 WHAT IS YOUR AGE? (AGE) MALES AND FEMALES	89
4 ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3) MALES AND FEMALES	92
5 MALES ONLY	93
6 FEMALES ONLY	94
7 THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE2) MALES AND FEMALES	95
8 MALES ONLY	96
9 FEMALES ONLY	97
10 WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE4) MALES AND FEMALES	98
11 MALES ONLY	99
12 FEMALES ONLY	100
13 ARE YOU: (MARITAL STATUS) (MARITAL) MALES AND FEMALES	101
14 MALES ONLY	102
15 FEMALES ONLY	103
16 WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA) MALES AND FEMALES	104
17 MALES ONLY	105
18 FEMALES ONLY	106
19 DO YOU OWN OR RENT YOUR HOME? (RENTHOM1) MALES AND FEMALES	107
20 MALES ONLY	108
21 FEMALES ONLY	109

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
22 MALES AND FEMALES	110
23 MALES ONLY	111
24 FEMALES ONLY	112
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
25 MALES AND FEMALES	113
26 MALES ONLY	114
27 FEMALES ONLY	115
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)	
28 MALES AND FEMALES	116
29 MALES ONLY	117
30 FEMALES ONLY	118
HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)	
31 MALES AND FEMALES	119
32 MALES ONLY	120
33 FEMALES ONLY	121
HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)	
34 MALES AND FEMALES	122
35 MALES ONLY	123
36 FEMALES ONLY	124
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
37 MALES AND FEMALES	125
38 MALES ONLY	126
39 FEMALES ONLY	127
ARE YOU CURRENTLY...? (EMPLOY1)	
40 MALES AND FEMALES	128
41 MALES ONLY	129
42 FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
43 MALES AND FEMALES	131
44 MALES ONLY	132
45 FEMALES ONLY	133
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)	
46 MALES AND FEMALES	134
47 MALES ONLY	135
48 FEMALES ONLY	136
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
49 MALES AND FEMALES	137
50 MALES ONLY	138
51 FEMALES ONLY	139
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
52 MALES AND FEMALES	140
53 MALES ONLY	141
54 FEMALES ONLY	142
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
55 MALES AND FEMALES	143
56 MALES ONLY	144
57 FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
TOTAL	4153	600,466	299	13.9	12.3-15.5	455	18.8	17.2-20.4	496	16.7	15.1-18.3	542	13.3	12.1-14.5	748	14.9	13.7-16.1	1613	22.3	21.1-23.5
Male	2111	306,915	161	14.4	12.2-16.6	269	19.8	17.6-22.0	262	17.2	15.0-19.4	280	13.6	12.0-15.2	388	14.8	13.2-16.4	751	20.2	18.6-21.8
Female	2042	293,551	138	13.5	11.3-15.7	186	17.8	15.4-20.2	234	16.2	14.0-18.4	262	13.0	11.4-14.6	360	15.0	13.2-16.8	862	24.5	22.7-26.3
Native	134	24,036	18	21.1	12.3-29.9	20	25.3	15.3-35.3	20	16.2	09.1-23.3	20	12.0	06.5-17.5	28	14.1	08.6-19.6	28	11.2	06.5-15.9
Non-Native	3940	565,921	275	13.6	12.0-15.2	430	18.7	16.9-20.5	468	16.8	15.2-18.4	502	13.2	12.0-14.4	707	14.9	13.7-16.1	1558	22.7	21.5-23.9
Less Than H.S.	178	44,954	20	22.4	13.6-31.2	11	12.2	05.1-19.3	10	11.0	04.3-17.7	12	8.7	03.8-13.6	27	13.3	08.0-18.6	98	32.4	25.1-39.7
H.S. or G.E.D.	1059	160,780	118	20.0	16.7-23.3	106	17.8	14.7-20.9	102	14.6	11.9-17.3	97	10.0	08.0-12.0	171	13.3	11.1-15.5	465	24.2	21.7-26.7
Some Post-H.S.	1312	227,653	110	14.1	11.6-16.6	138	18.4	15.7-21.1	149	16.3	13.8-18.8	162	13.4	11.4-15.4	254	16.0	14.0-18.0	499	21.7	19.5-23.9
College Graduate	1597	165,572	51	5.5	03.9-07.1	198	21.9	19.2-24.6	234	21.0	18.5-23.5	267	17.4	15.4-19.4	296	15.5	13.7-17.3	551	18.7	16.9-20.5
Less than \$15,000	143	21,539	16	22.1	11.9-32.3	16	20.0	10.8-29.2	7	8.2	02.1-14.3	14	9.5	04.2-14.8	33	18.1	11.2-25.0	57	22.1	15.2-29.0
\$15,000- 24,999	277	36,570	33	26.6	18.8-34.4	21	12.0	06.9-17.1	14	9.2	03.7-14.7	10	4.9	01.8-08.0	43	13.5	08.8-18.2	156	33.8	27.5-40.1
\$25,000- 34,999	366	53,297	42	20.8	14.9-26.7	39	20.3	14.2-26.4	22	8.8	04.5-13.1	22	7.2	04.1-10.3	50	11.2	07.9-14.5	191	31.8	26.5-37.1
\$35,000- 49,999	490	65,802	35	14.5	09.8-19.2	55	19.3	14.6-24.0	45	14.7	10.2-19.2	37	7.9	05.2-10.6	77	14.4	11.1-17.7	241	29.1	25.0-33.2
\$50,000- 99,999	1232	175,683	60	9.7	07.2-12.2	145	21.0	17.9-24.1	166	18.8	16.1-21.5	173	13.8	11.6-16.0	236	16.1	13.9-18.3	452	20.8	18.6-23.0
\$100,000 - 199,999	697	105,643	27	6.2	03.8-08.6	94	20.1	16.4-23.8	129	23.9	20.0-27.8	144	20.3	17.0-23.6	158	18.2	15.3-21.1	145	11.4	09.2-13.6
\$200,000+	167	25,516	4	3.0	00.1-05.9	15	14.7	07.3-22.1	46	34.2	25.8-42.6	38	22.1	15.0-29.2	42	18.5	12.8-24.2	22	7.5	04.0-11.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Male	2111	306,915	161	14.4	12.2-16.6	269	19.8	17.6-22.0	262	17.2	15.2-19.2	280	13.6	12.0-15.2	388	14.8	13.2-16.4	751	20.2	18.6-21.8
Native	64	11,919	9	22.0	09.1-34.9	14	33.5	18.4-48.6	6	9.8	01.8-17.8	13	16.4	07.0-25.8	11	11.5	04.2-18.8	11	6.8	02.1-11.5
Non-Native	1998	288,104	148	14.1	11.9-16.3	251	19.5	17.1-21.9	251	17.5	15.3-19.7	255	13.3	11.5-15.1	370	15.0	13.4-16.6	723	20.6	19.0-22.2
Less Than H.S.	107	27,087	14	24.1	12.9-35.3	8	12.7	04.3-21.1	5	9.6	01.0-18.2	10	12.1	04.8-19.4	17	12.0	05.9-18.1	53	29.5	20.7-38.3
H.S. or G.E.D.	586	90,415	68	19.9	15.6-24.2	68	17.8	13.9-21.7	70	17.0	13.3-20.7	63	11.0	08.3-13.7	111	15.0	12.1-17.9	206	19.3	16.4-22.2
Some Post-H.S.	655	115,521	61	14.6	11.1-18.1	87	20.5	16.6-24.4	89	18.1	14.6-21.6	85	13.4	10.7-16.1	124	14.8	12.1-17.5	209	18.5	15.8-21.2
College Graduate	757	72,735	18	3.7	01.9-05.5	104	23.1	19.2-27.0	97	19.0	15.5-22.5	119	17.3	14.4-20.2	136	15.8	13.1-18.5	283	21.1	18.6-23.6
Less than \$15,000	55	8,010	5	22.1	02.7-41.5	9	22.4	08.7-36.1	3	7.2	00.0-15.4	3	4.9	00.0-11.2	16	18.7	08.5-28.9	19	24.7	12.2-37.2
\$15,000- 24,999	119	16,663	14	22.4	12.0-32.8	16	18.5	09.9-27.1	7	10.9	01.3-20.5	6	6.1	00.6-11.6	23	14.0	07.7-20.3	53	28.1	19.7-36.5
\$25,000- 34,999	168	24,617	18	20.8	11.8-29.8	19	17.1	09.7-24.5	11	10.0	02.6-17.4	13	10.2	04.3-16.1	26	13.0	07.7-18.3	81	28.9	21.5-36.3
\$35,000- 49,999	253	33,956	18	13.8	07.7-19.9	34	22.7	15.8-29.6	23	13.3	07.8-18.8	17	7.0	03.5-10.5	40	14.9	10.2-19.6	121	28.3	22.8-33.8
\$50,000- 99,999	664	96,838	39	11.5	07.8-15.2	89	21.7	17.6-25.8	86	18.4	14.7-22.1	98	14.5	11.6-17.4	114	14.1	11.4-16.8	238	19.8	16.9-22.7
\$100,000 - 199,999	397	57,326	20	8.4	04.9-11.9	51	17.5	13.0-22.0	68	23.7	18.6-28.8	75	19.6	15.3-23.9	86	17.9	14.0-21.8	97	12.9	10.0-15.8
\$200,000+	111	15,769	3	3.8	00.0-08.3	9	12.2	04.2-20.2	28	34.0	23.6-44.4	25	22.4	13.8-31.0	31	19.8	12.7-26.9	15	7.7	03.4-12.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)												
Female	2042	293,551	138	13.5	11.3-15.7	186	17.8	15.4-20.2	234	16.2	14.0-18.4	262	13.0	11.4-14.6	360	15.0	13.2-16.8	862	24.5	22.7-26.3
Native	70	12,117	9	20.2	08.0-32.4	6	17.3	04.8-29.8	14	22.6	11.4-33.8	7	7.7	01.8-13.6	17	16.7	08.5-24.9	17	15.6	07.8-23.4
Non-Native	1942	277,816	127	13.2	11.0-15.4	179	18.0	15.5-20.5	217	16.0	13.8-18.2	247	13.0	11.2-14.8	337	14.8	13.0-16.6	835	25.0	23.2-26.8
Less Than H.S.	71	17,867	6	19.9	05.6-34.2	3	11.4	00.0-23.6	5	13.1	02.3-23.9	2	3.6	00.0-08.5	10	15.2	05.2-25.2	45	36.8	24.3-49.3
H.S. or G.E.D.	473	70,365	50	20.2	15.3-25.1	38	17.9	12.8-23.0	32	11.5	07.4-15.6	34	8.7	05.8-11.6	60	11.1	08.2-14.0	259	30.7	26.4-35.0
Some Post-H.S.	657	112,132	49	13.7	10.2-17.2	51	16.2	12.1-20.3	60	14.5	11.0-18.0	77	13.3	10.4-16.2	130	17.3	14.4-20.2	290	25.0	21.9-28.1
College Graduate	840	92,837	33	6.9	04.5-09.3	94	20.9	17.2-24.6	137	22.6	19.1-26.1	148	17.5	14.8-20.2	160	15.3	12.8-17.8	268	16.8	14.6-19.0
Less than \$15,000	88	13,528	11	22.0	10.4-33.6	7	18.6	06.3-30.9	4	8.7	00.5-16.9	11	12.3	05.0-19.6	17	17.8	08.6-27.0	38	20.6	12.8-28.4
\$15,000- 24,999	158	19,907	19	30.1	18.7-41.5	5	6.7	01.0-12.4	7	7.8	02.1-13.5	4	3.8	00.1-07.5	20	13.1	06.0-20.2	103	38.5	29.5-47.5
\$25,000- 34,999	198	28,679	24	20.8	13.0-28.6	20	23.1	14.1-32.1	11	7.7	03.0-12.4	9	4.5	01.4-07.6	24	9.6	05.5-13.7	110	34.3	26.9-41.7
\$35,000- 49,999	237	31,846	17	15.3	08.2-22.4	21	15.8	09.5-22.1	22	16.1	09.0-23.2	20	8.9	04.8-13.0	37	13.9	09.0-18.8	120	30.0	23.7-36.3
\$50,000- 99,999	568	78,845	21	7.4	04.3-10.5	56	20.1	15.2-25.0	80	19.2	15.1-23.3	75	12.9	10.0-15.8	122	18.5	15.0-22.0	214	22.0	18.7-25.3
\$100,000 - 199,999	300	48,317	7	3.6	00.7-06.5	43	23.2	16.9-29.5	61	24.0	18.1-29.9	69	21.0	15.9-26.1	72	18.5	14.2-22.8	48	9.7	06.6-12.8
\$200,000+	56	9,747	1	1.7	00.0-04.8	6	18.7	04.4-33.0	18	34.5	20.6-48.4	13	21.6	09.6-33.6	11	16.4	06.6-26.2	7	7.2	01.1-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4129	597,666	50	2.7	01.9-03.5	13	0.8	00.4-01.2	2	0.1	00.0-00.3	20	0.9	00.5-01.3	1	0.1	00.0-00.3	4043	95.5	94.5-96.5
Male	2099	305,502	28	2.9	01.7-04.1	8	0.9	00.3-01.5	2	0.2	00.0-00.4	13	1.2	00.6-01.8	1	0.1	00.0-00.3	2047	94.7	93.1-96.3
Female	2030	292,163	22	2.4	01.2-03.6	5	0.7	00.1-01.3				7	0.6	00.2-01.0				1996	96.3	94.9-97.7
18-24	298	83,437	12	6.2	02.7-09.7	3	1.5	00.0-03.3	1	0.5	00.0-01.5	2	0.7	00.0-01.7				280	91.2	87.1-95.3
25-34	453	112,584	12	4.1	01.7-06.5	5	1.9	00.1-03.7				5	1.6	00.2-03.0				431	92.4	89.3-95.5
35-44	493	100,055	13	3.5	01.5-05.5	3	0.8	00.0-01.8				3	0.9	00.0-01.9	1	0.3	00.0-00.9	473	94.6	92.2-97.0
45-54	535	79,035	4	1.4	00.0-02.8	1	0.3	00.0-00.9	1	0.2	00.0-00.6	7	2.0	00.4-03.6				522	96.1	93.9-98.3
55-64	742	88,969	4	0.7	00.0-01.5	1	0.3	00.0-00.9				1	0.3	00.0-00.9				736	98.7	97.5-99.9
65+	1608	133,586	5	0.7	00.1-01.3							2	0.2	00.0-00.4				1601	99.2	98.6-99.8
Less Than H.S.	177	44,822	5	6.1	00.8-11.4													172	93.9	88.6-99.2
H.S. or G.E.D.	1051	159,713	19	3.6	01.8-05.4	6	1.5	00.3-02.7	2	0.3	00.0-00.9	3	0.4	00.0-00.8	1	0.2	00.0-00.6	1020	93.9	91.7-96.1
Some Post-H.S.	1312	227,653	14	2.1	00.9-03.3	5	0.8	00.0-01.6				7	1.1	00.3-01.9				1286	96.0	94.4-97.6
College Graduate	1585	164,353	12	1.6	00.6-02.6	2	0.2	00.0-00.6				10	1.3	00.5-02.1				1561	96.8	95.4-98.2
Less than \$15,000	141	21,108	4	3.5	00.0-07.2	2	4.2	00.0-09.9				1	0.3	00.0-00.9				134	92.0	85.3-98.7
\$15,000- 24,999	277	36,570	3	4.1	00.0-09.2							1	0.9	00.0-02.7				273	95.0	89.7-0100
\$25,000- 34,999	365	53,165	7	4.5	01.2-07.8	1	1.2	00.0-03.6										357	94.3	90.4-98.2
\$35,000- 49,999	488	65,498	5	1.6	00.0-03.2	2	1.0	00.0-02.4	1	0.2	00.0-00.6	2	0.7	00.0-01.7				478	96.4	94.0-98.8
\$50,000- 99,999	1232	175,683	12	2.2	00.8-03.6	2	0.4	00.0-01.0				7	1.0	00.2-01.8				1211	96.3	94.7-97.9
\$100,000 - 199,999	696	105,585	8	2.5	00.5-04.5	1	0.3	00.0-00.9	1	0.4	00.0-01.2	3	0.8	00.0-01.8				683	96.0	93.8-98.2
\$200,000+	166	25,397	1	1.3	00.0-03.8							2	1.9	00.0-04.6				163	96.8	93.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2099	305,502	28	2.9	01.7-04.1	8	0.9	00.3-01.5	2	0.2	00.0-00.4	13	1.2	00.6-01.8	1	0.1	00.0-00.3	2047	94.7	93.1-96.3
18-24	161	44,089	6	5.6	01.1-10.1	2	2.1	00.0-05.2	1	0.9	00.0-02.7	1	0.6	00.0-01.8				151	90.9	85.4-96.4
25-34	268	60,584	7	4.4	01.1-07.7	2	1.3	00.0-03.1				4	2.4	00.0-04.8				255	91.9	87.6-96.2
35-44	261	52,735	7	3.9	01.0-06.8	3	1.4	00.0-03.2				2	1.1	00.0-02.5	1	0.6	00.0-01.8	248	92.9	89.2-96.6
45-54	275	40,996	3	2.2	00.0-04.7	1	0.6	00.0-01.8	1	0.4	00.0-01.2	4	2.2	00.0-04.6				266	94.7	91.2-98.2
55-64	385	45,147	2	0.8	00.0-02.0							1	0.5	00.0-01.5				382	98.6	97.0-0100
65+	749	61,951	3	0.7	00.0-01.5							1	0.3	00.0-00.9				745	99.0	98.0-0100
Less Than H.S.	106	26,955	3	6.1	00.0-12.8													103	93.9	87.2-0100
H.S. or G.E.D.	583	90,070	11	4.0	01.6-06.4	2	1.0	00.0-02.6	2	0.6	00.0-01.6	3	0.7	00.0-01.5	1	0.4	00.0-01.2	564	93.2	90.1-96.3
Some Post-H.S.	655	115,521	9	2.3	00.7-03.9	4	1.2	00.0-02.4				6	1.9	00.3-03.5				636	94.6	92.2-97.0
College Graduate	752	72,181	5	1.3	00.1-02.5	2	0.5	00.0-01.3				4	1.1	00.0-02.3				741	97.1	95.3-98.9
Less than \$15,000	55	8,010	1	1.7	00.0-05.0													54	98.3	95.0-0100
\$15,000- 24,999	119	16,663																119	100.0	0100-0100
\$25,000- 34,999	167	24,486	4	6.4	00.3-12.5	1	2.6	00.0-07.5										162	91.0	83.4-98.6
\$35,000- 49,999	252	33,792	3	1.5	00.0-03.3	1	1.0	00.0-03.0	1	0.4	00.0-01.2	2	1.4	00.0-03.4				245	95.7	92.4-99.0
\$50,000- 99,999	664	96,838	10	3.6	01.2-06.0	2	0.8	00.0-02.0				4	1.1	00.0-02.3				648	94.4	91.7-97.1
\$100,000 - 199,999	396	57,269	3	1.5	00.0-03.3	1	0.5	00.0-01.5	1	0.7	00.0-02.1	3	1.4	00.0-03.0				388	95.9	93.2-98.6
\$200,000+	110	15,650	1	2.1	00.0-06.2							1	1.1	00.0-03.3				108	96.8	92.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2030	292,163	22	2.4	01.2-03.6	5	0.7	00.1-01.3	7	0.6	00.2-01.0	1996	96.3	94.9-97.7
18-24	137	39,348	6	6.9	01.2-12.6	1	0.8	00.0-02.4	1	0.9	00.0-02.7	129	91.5	85.4-97.6
25-34	185	52,000	5	3.8	00.5-07.1	3	2.7	00.0-05.6	1	0.6	00.0-01.8	176	92.9	88.4-97.4
35-44	232	47,320	6	3.0	00.6-05.4				1	0.6	00.0-01.8	225	96.4	93.7-99.1
45-54	260	38,039	1	0.5	00.0-01.5				3	1.8	00.0-04.0	256	97.6	95.2-0100
55-64	357	43,822	2	0.6	00.0-01.6	1	0.7	00.0-02.1				354	98.7	97.1-0100
65+	859	71,635	2	0.6	00.0-01.6				1	0.1	00.0-00.3	856	99.3	98.3-0100
Less Than H.S.	71	17,867	2	6.2	00.0-15.2							69	93.8	84.8-0100
H.S. or G.E.D.	468	69,643	8	3.1	00.7-05.5	4	2.1	00.0-04.3				456	94.8	91.7-97.9
Some Post-H.S.	657	112,132	5	1.8	00.2-03.4	1	0.5	00.0-01.5	1	0.3	00.0-00.9	650	97.4	95.4-99.4
College Graduate	833	92,171	7	1.9	00.5-03.3				6	1.5	00.1-02.9	820	96.6	94.6-98.6
Less than \$15,000	86	13,098	3	4.6	00.0-10.3	2	6.8	00.0-15.8	1	0.5	00.0-01.5	80	88.1	77.9-98.3
\$15,000- 24,999	158	19,907	3	7.6	00.0-16.8				1	1.7	00.0-05.0	154	90.7	81.1-0100
\$25,000- 34,999	198	28,679	3	2.9	00.0-06.2							195	97.1	93.8-0100
\$35,000- 49,999	236	31,705	2	1.8	00.0-04.3	1	0.9	00.0-02.7				233	97.3	94.2-0100
\$50,000- 99,999	568	78,845	2	0.5	00.0-01.3				3	0.9	00.0-01.9	563	98.6	97.2-0100
\$100,000 - 199,999	300	48,317	5	3.8	00.3-07.3							295	96.2	92.7-99.7
\$200,000+	56	9,747							1	3.2	00.0-09.3	55	96.8	90.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4066	586,207	3706	85.5	83.9-87.1	107	4.4	03.4-05.4	140	4.4	03.6-05.2	45	2.2	01.4-03.0	7	0.5	00.1-00.9	61	3.0	02.2-03.8
Male	2049	296,051	1863	85.3	83.1-87.5	67	5.4	04.0-06.8	67	4.3	03.1-05.5	21	2.1	01.1-03.1	3	0.4	00.0-01.0	28	2.6	01.6-03.6
Female	2017	290,156	1843	85.7	83.5-87.9	40	3.4	02.2-04.6	73	4.4	03.2-05.6	24	2.4	01.4-03.4	4	0.5	00.0-01.1	33	3.5	02.3-04.7
18-24	291	81,568	228	73.5	67.6-79.4	18	7.4	03.7-11.1	19	6.6	03.7-09.5	15	6.6	03.3-09.9	1	0.4	00.0-01.2	10	5.6	02.1-09.1
25-34	448	111,338	369	79.8	75.5-84.1	33	7.8	05.1-10.5	20	5.5	03.0-08.0	11	2.8	01.0-04.6	2	0.7	00.0-01.7	13	3.5	01.5-05.5
35-44	484	97,747	414	80.0	75.5-84.5	22	6.1	03.2-09.0	22	4.7	02.7-06.7	8	2.8	00.8-04.8	3	1.7	00.0-03.7	15	4.8	02.3-07.3
45-54	521	76,730	465	87.7	84.4-91.0	22	4.7	02.5-06.9	22	4.3	02.3-06.3	7	1.5	00.3-02.7				5	1.8	00.2-03.4
55-64	734	87,391	691	92.6	90.1-95.1	6	0.8	00.0-01.6	28	3.9	02.3-05.5	1	0.2	00.0-00.6				8	2.6	00.6-04.6
65+	1588	131,432	1539	95.9	94.7-97.1	6	0.6	00.0-01.2	29	2.2	01.4-03.0	3	0.4	00.0-01.0	1	0.1	00.0-00.3	10	0.9	00.3-01.5
Less Than H.S.	171	43,087	143	73.6	64.4-82.8	6	9.2	02.1-16.3	11	6.9	02.2-11.6	3	2.3	00.0-05.4	2	2.0	00.0-05.5	6	6.0	01.1-10.9
H.S. or G.E.D.	1040	157,232	958	86.8	83.9-89.7	26	3.7	02.1-05.3	29	3.8	02.2-05.4	7	1.7	00.5-02.9	3	0.7	00.0-01.5	17	3.3	01.5-05.1
Some Post-H.S.	1286	222,843	1163	86.0	83.5-88.5	32	4.1	02.5-05.7	66	5.6	04.0-07.2	8	1.6	00.4-02.8	1	0.2	00.0-00.6	16	2.5	01.3-03.7
College Graduate	1564	161,794	1438	86.8	84.4-89.2	42	4.0	02.8-05.2	34	2.6	01.6-03.6	27	3.6	02.2-05.0	1	0.2	00.0-00.6	22	2.8	01.4-04.2
Less than \$15,000	140	21,037	113	70.2	59.4-81.0	8	11.2	02.4-20.0	12	10.6	03.7-17.5	1	0.9	00.0-02.7				6	7.1	01.0-13.2
\$15,000- 24,999	274	35,980	234	74.5	66.9-82.1	12	7.8	03.3-12.3	16	7.4	03.3-11.5	5	4.4	00.5-08.3	1	2.2	00.0-06.3	6	3.6	00.1-07.1
\$25,000- 34,999	361	52,071	322	81.9	75.8-88.0	10	6.3	01.6-11.0	23	8.7	05.0-12.4	1	0.3	00.0-00.9	2	0.9	00.0-02.5	3	2.0	00.0-04.4
\$35,000- 49,999	478	63,994	426	81.8	76.7-86.9	10	3.5	01.0-06.0	19	4.4	02.2-06.6	12	5.3	02.2-08.4	2	1.2	00.0-02.8	9	3.8	01.1-06.5
\$50,000- 99,999	1218	172,974	1131	88.6	86.1-91.1	31	3.6	02.2-05.0	33	3.1	01.9-04.3	6	1.5	00.3-02.7				17	3.2	01.6-04.8
\$100,000 - 199,999	690	104,278	653	91.6	88.7-94.5	10	2.0	00.6-03.4	13	2.3	00.9-03.7	3	0.8	00.0-02.0	2	0.7	00.0-01.7	9	2.6	00.8-04.4
\$200,000+	166	25,426	158	92.8	87.7-97.9	1	1.4	00.0-04.1	4	3.5	00.0-07.0	2	1.4	00.0-03.4				1	1.0	00.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2049	296,051	1863	85.3	83.1-87.5	67	5.4	04.0-06.8	67	4.3	03.1-05.5	21	2.1	01.1-03.1	3	0.4	00.0-01.0	28	2.6	01.6-03.6
18-24	155	42,411	121	71.4	63.0-79.8	13	10.6	04.5-16.7	9	6.2	02.1-10.3	7	6.1	01.4-10.8				5	5.7	00.6-10.8
25-34	263	59,416	217	79.2	73.5-84.9	17	6.7	03.4-10.0	14	6.7	02.8-10.6	7	3.6	00.9-06.3	1	0.7	00.0-01.9	7	3.1	00.7-05.5
35-44	252	50,481	223	83.1	76.8-89.4	15	8.1	03.4-12.8	7	3.1	00.6-05.6	1	1.0	00.0-03.0	1	1.6	00.0-04.5	5	3.2	00.5-05.9
45-54	265	39,356	228	84.5	79.6-89.4	15	6.1	02.8-09.4	15	6.0	02.7-09.3	5	2.2	00.2-04.2				2	1.2	00.0-02.8
55-64	380	44,312	362	94.8	92.3-97.3	4	0.9	00.0-02.1	11	3.1	01.1-05.1							3	1.2	00.0-02.6
65+	734	60,075	712	96.4	94.6-98.2	3	0.9	00.0-01.9	11	1.4	00.4-02.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3	6	1.2	00.2-02.2
Less Than H.S.	101	25,468	82	68.5	56.0-81.0	4	10.4	00.6-20.2	8	10.2	02.8-17.6	2	2.7	00.0-07.4	2	3.4	00.0-09.3	3	4.9	00.0-11.0
H.S. or G.E.D.	573	87,746	523	86.5	82.6-90.4	18	4.8	02.4-07.2	18	4.0	01.8-06.2	5	2.2	00.2-04.2				9	2.6	00.8-04.4
Some Post-H.S.	637	111,700	576	86.6	83.3-89.9	21	5.0	02.8-07.2	30	4.7	02.9-06.5	2	0.9	00.0-02.1	1	0.3	00.0-00.9	7	2.4	00.6-04.2
College Graduate	734	70,237	679	87.9	84.8-91.0	23	4.7	02.7-06.7	11	2.0	00.6-03.4	12	3.6	01.6-05.6				9	1.9	00.5-03.3
Less than \$15,000	53	7,700	42	67.0	47.6-86.4	5	23.0	03.0-43.0	5	7.4	00.0-15.2							1	2.7	00.0-07.8
\$15,000- 24,999	116	16,073	95	70.6	58.4-82.8	9	12.5	04.3-20.7	4	2.1	00.0-04.5	4	7.9	00.3-15.5	1	4.9	00.0-14.1	3	2.1	00.0-04.8
\$25,000- 34,999	163	23,391	143	80.2	71.0-89.4	6	8.3	00.7-15.9	11	8.6	03.3-13.9				2	2.0	00.0-05.3	1	1.0	00.0-03.0
\$35,000- 49,999	243	32,474	213	80.9	74.0-87.8	6	3.7	00.4-07.0	12	5.9	02.4-09.4	8	6.9	01.8-12.0				4	2.4	00.0-04.9
\$50,000- 99,999	654	94,654	609	88.3	84.6-92.0	21	4.8	02.4-07.2	13	2.4	00.8-04.0	1	0.6	00.0-01.8				10	3.8	01.3-06.3
\$100,000 - 199,999	390	55,961	366	90.6	86.7-94.5	8	3.1	00.9-05.3	10	3.3	01.1-05.5	2	1.3	00.0-03.3				4	1.7	00.0-03.5
\$200,000+	111	15,769	105	91.2	84.1-98.3	1	2.3	00.0-06.6	3	4.3	00.0-09.4	2	2.2	00.0-05.1						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2017	290,156	1843	85.7	83.5-87.9	40	3.4	02.2-04.6	73	4.4	03.2-05.6	24	2.4	01.4-03.4	4	0.5	00.0-01.1	33	3.5	02.3-04.7
18-24	136	39,157	107	75.8	67.8-83.8	5	3.9	00.4-07.4	10	7.1	02.6-11.6	8	7.0	02.1-11.9	1	0.8	00.0-02.4	5	5.4	00.7-10.1
25-34	185	51,922	152	80.4	73.9-86.9	16	9.0	04.3-13.7	6	4.0	00.7-07.3	4	1.9	00.0-03.9	1	0.7	00.0-02.1	6	3.9	00.8-07.0
35-44	232	47,266	191	76.6	69.9-83.3	7	3.9	00.8-07.0	15	6.3	03.0-09.6	7	4.7	01.0-08.4	2	1.8	00.0-04.3	10	6.6	02.5-10.7
45-54	256	37,374	237	91.0	86.9-95.1	7	3.3	00.8-05.8	7	2.5	00.5-04.5	2	0.9	00.0-02.1				3	2.4	00.0-04.9
55-64	354	43,079	329	90.4	86.1-94.7	2	0.6	00.0-01.4	17	4.7	02.3-07.1	1	0.3	00.0-00.9				5	4.0	00.3-07.7
65+	854	71,357	827	95.6	93.8-97.4	3	0.3	00.0-00.7	18	2.8	01.4-04.2	2	0.6	00.0-01.6				4	0.6	00.0-01.2
Less Than H.S.	70	17,619	61	81.0	68.5-93.5	2	7.4	00.0-17.2	3	2.1	00.0-04.6	1	1.8	00.0-05.3				3	7.7	00.0-16.1
H.S. or G.E.D.	467	69,487	435	87.1	82.8-91.4	8	2.4	00.6-04.2	11	3.5	01.3-05.7	2	1.0	00.0-02.4	3	1.7	00.0-03.7	8	4.3	01.4-07.2
Some Post-H.S.	649	111,142	587	85.4	81.7-89.1	11	3.2	01.2-05.2	36	6.5	04.1-08.9	6	2.3	00.5-04.1				9	2.6	00.8-04.4
College Graduate	830	91,558	759	85.9	82.6-89.2	19	3.6	02.0-05.2	23	3.1	01.7-04.5	15	3.7	01.7-05.7	1	0.4	00.0-01.2	13	3.4	01.4-05.4
Less than \$15,000	87	13,337	71	72.1	59.6-84.6	3	4.4	00.0-09.3	7	12.4	02.6-22.2	1	1.4	00.0-04.1				5	9.6	00.8-18.4
\$15,000- 24,999	158	19,907	139	77.7	68.1-87.3	3	4.1	00.0-08.8	12	11.7	04.6-18.8	1	1.6	00.0-04.7				3	4.9	00.0-11.0
\$25,000- 34,999	198	28,679	179	83.3	75.3-91.3	4	4.6	00.0-10.3	12	8.8	03.5-14.1	1	0.5	00.0-01.5				2	2.8	00.0-06.7
\$35,000- 49,999	235	31,520	213	82.8	75.4-90.2	4	3.3	00.0-07.0	7	2.7	00.5-04.9	4	3.6	00.0-07.3	2	2.4	00.0-05.7	5	5.2	00.3-10.1
\$50,000- 99,999	564	78,320	522	89.0	85.5-92.5	10	2.1	00.7-03.5	20	3.8	01.8-05.8	5	2.5	00.3-04.7				7	2.6	00.6-04.6
\$100,000 - 199,999	300	48,317	287	92.7	88.6-96.8	2	0.7	00.0-01.7	3	1.0	00.0-02.2	1	0.3	00.0-00.9	2	1.5	00.0-03.7	5	3.7	00.4-07.0
\$200,000+	55	9,656	53	95.2	88.7-0100				1	2.0	00.0-05.9							1	2.7	00.0-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 8: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE4)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		N	Black or African American		N	Am. Indian or Alaskan Native		N	Asian	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	54	16,032	32	61.4	47.1-75.7	1	1.3	00.0-03.8	18	33.9	19.6-48.2	3	3.4	00.0-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022

SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE4)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE4)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4120	595,437	2226	54.3	52.5-56.1	430	8.9	07.9-09.9	494	6.6	05.8-07.4	45	1.5	00.9-02.1	781	24.2	22.4-26.0	144	4.5	03.7-05.3
Male	2095	304,225	1159	54.1	51.6-56.6	228	8.8	07.4-10.2	139	4.1	03.3-04.9	22	1.2	00.6-01.8	474	27.3	24.9-29.7	73	4.5	03.3-05.7
Female	2025	291,212	1067	54.4	51.7-57.1	202	9.1	07.5-10.7	355	9.3	08.1-10.5	23	1.8	00.8-02.8	307	20.9	18.5-23.3	71	4.5	03.3-05.7
Native	133	23,794	43	28.8	20.2-37.4	20	15.1	07.5-22.7	12	5.4	02.1-08.7	5	3.9	00.2-07.6	46	40.5	30.5-50.5	7	6.3	01.2-11.4
Non-Native	3916	562,362	2146	55.3	53.3-57.3	404	8.7	07.7-09.7	475	6.7	05.9-07.5	40	1.4	00.8-02.0	715	23.3	21.5-25.1	136	4.4	03.6-05.2
18-24	298	83,340	25	9.9	06.0-13.8										235	79.1	74.0-84.2	38	11.0	07.3-14.7
25-34	452	111,963	206	50.0	44.9-55.1	22	5.8	03.3-08.3	1	0.2	00.0-00.6	3	1.0	00.0-02.2	184	34.9	30.2-39.6	36	8.0	05.3-10.7
35-44	490	99,269	294	64.0	59.5-68.5	55	10.6	07.7-13.5	5	0.9	00.1-01.7	14	4.0	01.8-06.2	98	16.4	13.1-19.7	24	4.0	02.2-05.8
45-54	531	78,667	362	69.4	65.1-73.7	67	12.7	09.6-15.8	16	4.3	02.1-06.5	9	1.7	00.5-02.9	62	10.0	07.3-12.7	15	1.9	00.9-02.9
55-64	744	89,054	469	66.9	63.2-70.6	129	16.2	13.3-19.1	30	3.9	02.1-05.7	11	1.9	00.5-03.3	87	8.7	06.7-10.7	18	2.4	01.0-03.8
65+	1605	133,143	870	61.0	58.3-63.7	157	8.8	07.2-10.4	442	23.7	21.3-26.1	8	0.7	00.1-01.3	115	5.2	04.0-06.4	13	0.6	00.2-01.0
Less Than H.S.	177	44,706	56	34.2	25.6-42.8	16	9.3	04.2-14.4	58	19.0	13.3-24.7	6	4.0	00.3-07.7	36	29.3	20.3-38.3	5	4.3	00.4-08.2
H.S. or G.E.D.	1054	160,226	486	45.9	42.4-49.4	109	8.6	06.6-10.6	161	7.3	05.9-08.7	17	2.3	01.1-03.5	239	30.0	26.5-33.5	42	5.9	03.9-07.9
Some Post-H.S.	1305	225,896	689	54.9	51.8-58.0	152	9.8	08.0-11.6	156	5.5	04.5-06.5	11	1.1	00.3-01.9	249	24.2	21.5-26.9	48	4.4	03.0-05.8
College Graduate	1581	163,898	994	67.0	64.5-69.5	153	8.0	06.6-09.4	119	4.2	03.2-05.2	11	0.7	00.3-01.1	255	16.9	14.7-19.1	49	3.2	02.2-04.2
Less than \$15,000	143	21,539	12	10.4	04.1-16.7	44	24.5	16.7-32.3	27	11.3	06.2-16.4	9	7.8	01.5-14.1	44	38.9	28.3-49.5	7	7.1	01.6-12.6
\$15,000- 24,999	276	36,379	49	18.3	12.2-24.4	56	15.7	11.0-20.4	81	18.5	13.4-23.6	1	0.5	00.0-01.5	83	44.1	36.3-51.9	6	2.9	00.4-05.4
\$25,000- 34,999	365	53,216	109	30.5	24.4-36.6	56	15.3	10.6-20.0	85	14.5	10.6-18.4	3	1.0	00.0-02.2	98	34.0	27.7-40.3	14	4.8	02.1-07.5
\$35,000- 49,999	488	65,287	207	43.0	37.5-48.5	61	11.3	08.0-14.6	81	9.7	07.2-12.2	10	3.1	00.9-05.3	103	25.0	20.1-29.9	26	7.9	04.6-11.2
\$50,000- 99,999	1227	174,791	770	63.6	60.3-66.9	112	7.7	06.1-09.3	92	3.6	02.6-04.6	8	0.7	00.1-01.3	189	18.6	15.9-21.3	56	5.8	04.0-07.6
\$100,000 - 199,999	697	105,643	564	81.7	78.4-85.0	34	3.7	02.3-05.1	18	1.3	00.5-02.1	3	0.3	00.0-00.7	67	11.4	08.5-14.3	11	1.7	00.5-02.9
\$200,000+	167	25,516	139	84.1	78.0-90.2	7	4.2	00.9-07.5	2	0.9	00.0-02.3	2	1.5	00.0-03.7	12	6.0	02.3-09.7	5	3.3	00.2-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2095	304,225	1159	54.1	51.6-56.6	228	8.8	07.4-10.2	139	4.1	03.3-04.9	22	1.2	00.6-01.8	474	27.3	24.9-29.7	73	4.5	03.3-05.7
Native	63	11,677	23	35.3	21.6-49.0	4	9.6	00.0-21.2	5	4.9	00.0-09.8	2	2.5	00.0-06.0	23	37.9	23.4-52.4	6	9.8	01.4-18.2
Non-Native	1986	286,140	1110	54.8	52.3-57.3	220	8.9	07.5-10.3	132	4.0	03.0-05.0	20	1.2	00.6-01.8	437	26.8	24.3-29.3	67	4.4	03.2-05.6
18-24	160	43,801	13	9.7	04.4-15.0										130	81.6	75.1-88.1	17	8.8	04.3-13.3
25-34	267	60,162	112	46.2	39.7-52.7	11	4.7	01.6-07.8				1	0.2	00.0-00.6	122	40.2	33.9-46.5	21	8.6	04.7-12.5
35-44	259	52,267	147	63.3	57.2-69.4	32	11.0	07.1-14.9	2	0.6	00.0-01.4	8	3.5	01.0-06.0	57	17.3	12.8-21.8	13	4.3	01.9-06.7
45-54	276	41,159	192	70.6	64.5-76.7	25	9.1	05.4-12.8	8	4.6	01.1-08.1	5	1.7	00.1-03.3	37	11.8	07.7-15.9	9	2.1	00.7-03.5
55-64	387	45,339	233	64.3	59.0-69.6	76	18.7	14.6-22.8	9	2.7	00.7-04.7	4	1.0	00.0-02.0	56	10.6	07.7-13.5	9	2.7	00.3-05.1
65+	746	61,498	462	67.3	63.4-71.2	84	9.8	07.4-12.2	120	14.5	11.6-17.4	4	0.9	00.0-01.9	72	7.1	05.1-09.1	4	0.4	00.0-00.8
Less Than H.S.	107	27,087	37	34.6	23.6-45.6	9	8.1	01.8-14.4	27	16.5	09.4-23.6	2	0.8	00.0-02.2	27	32.9	21.7-44.1	5	7.2	00.9-13.5
H.S. or G.E.D.	582	89,928	294	49.7	45.0-54.4	70	9.9	07.4-12.4	37	2.9	01.7-04.1	6	1.1	00.1-02.1	155	31.7	27.2-36.2	20	4.7	02.5-06.9
Some Post-H.S.	651	114,562	358	55.0	50.7-59.3	70	8.1	05.9-10.3	40	3.0	02.0-04.0	6	1.3	00.1-02.5	152	28.0	23.9-32.1	25	4.5	02.5-06.5
College Graduate	753	72,287	470	65.8	62.1-69.5	79	8.9	06.7-11.1	35	2.6	01.4-03.8	8	1.3	00.3-02.3	138	18.3	15.2-21.4	23	3.2	01.8-04.6
Less than \$15,000	55	8,010	7	16.4	04.2-28.6	22	32.0	17.5-46.5	4	7.2	00.0-15.0	2	2.6	00.0-06.3	19	40.6	22.6-58.6	1	1.1	00.0-03.3
\$15,000- 24,999	118	16,472	29	25.6	14.8-36.4	26	15.6	08.7-22.5	16	10.1	03.8-16.4				43	44.3	33.1-55.5	4	4.5	00.0-09.0
\$25,000- 34,999	167	24,537	54	33.9	24.3-43.5	26	11.3	06.4-16.2	24	10.6	05.1-16.1	2	1.7	00.0-04.1	57	39.0	29.6-48.4	4	3.4	00.0-06.9
\$35,000- 49,999	251	33,442	108	39.5	32.2-46.8	29	9.6	05.7-13.5	29	8.7	05.0-12.4	6	2.7	00.5-04.9	64	29.8	22.7-36.9	15	9.6	04.7-14.5
\$50,000- 99,999	661	96,293	403	60.4	55.9-64.9	62	7.8	05.6-10.0	35	2.6	01.4-03.8	5	0.9	00.0-01.9	126	22.9	18.8-27.0	30	5.4	03.2-07.6
\$100,000 - 199,999	397	57,326	306	77.2	72.5-81.9	25	5.3	02.9-07.7	11	1.1	00.3-01.9	1	0.2	00.0-00.6	48	14.4	10.3-18.5	6	1.7	00.3-03.1
\$200,000+	111	15,769	89	80.4	72.0-88.8	5	4.7	00.2-09.2	1	0.3	00.0-00.9	2	2.4	00.0-05.7	10	7.6	02.5-12.7	4	4.6	00.0-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2025	291,212	1067	54.4	51.7-57.1	202	9.1	07.5-10.7	355	9.3	08.1-10.5	23	1.8	00.8-02.8	307	20.9	18.5-23.3	71	4.5	03.3-05.7
Native	70	12,117	20	22.7	12.9-32.5	16	20.3	10.1-30.5	7	5.8	01.1-10.5	3	5.3	00.0-11.8	23	43.0	29.3-56.7	1	2.9	00.0-08.6
Non-Native	1930	276,222	1036	55.9	53.2-58.6	184	8.6	07.0-10.2	343	9.5	08.3-10.7	20	1.7	00.7-02.7	278	19.8	17.4-22.2	69	4.5	03.3-05.7
18-24	138	39,539	12	10.2	04.3-16.1										105	76.3	68.7-83.9	21	13.6	07.7-19.5
25-34	185	51,801	94	54.3	46.7-61.9	11	7.2	02.7-11.7	1	0.5	00.0-01.5	2	1.9	00.0-04.4	62	28.8	22.1-35.5	15	7.3	03.6-11.0
35-44	231	47,003	147	64.8	57.9-71.7	23	10.2	05.9-14.5	3	1.3	00.0-02.9	6	4.5	00.8-08.2	41	15.5	10.8-20.2	11	3.7	01.3-06.1
45-54	255	37,509	170	68.1	62.0-74.2	42	16.6	11.7-21.5	8	3.9	01.2-06.6	4	1.7	00.0-03.5	25	8.0	04.7-11.3	6	1.6	00.2-03.0
55-64	357	43,715	236	69.7	64.2-75.2	53	13.6	09.7-17.5	21	5.2	02.3-08.1	7	2.8	00.1-05.5	31	6.7	04.0-09.4	9	2.0	00.6-03.4
65+	859	71,646	408	55.6	51.7-59.5	73	8.0	05.8-10.2	322	31.6	28.1-35.1	4	0.5	00.0-01.1	43	3.5	02.3-04.7	9	0.8	00.2-01.4
Less Than H.S.	70	17,619	19	33.5	19.0-48.0	7	11.0	02.2-19.8	31	22.8	12.8-32.8	4	8.9	00.1-17.7	9	23.8	09.1-38.5			
H.S. or G.E.D.	472	70,298	192	41.0	35.7-46.3	39	7.0	04.3-09.7	124	13.0	10.3-15.7	11	3.8	01.3-06.3	84	27.7	22.4-33.0	22	7.5	04.2-10.8
Some Post-H.S.	654	111,334	331	54.8	50.3-59.3	82	11.6	08.9-14.3	116	8.2	06.4-10.0	5	0.8	00.0-01.8	97	20.3	16.4-24.2	23	4.2	02.2-06.2
College Graduate	828	91,610	524	68.0	64.3-71.7	74	7.2	05.4-09.0	84	5.4	04.0-06.8	3	0.3	00.0-00.7	117	15.8	12.9-18.7	26	3.3	01.9-04.7
Less than \$15,000	88	13,528	5	6.8	00.1-13.5	22	20.0	10.8-29.2	23	13.7	07.0-20.4	7	10.9	01.3-20.5	25	37.9	24.8-51.0	6	10.7	02.3-19.1
\$15,000- 24,999	158	19,907	20	12.2	06.3-18.1	30	15.8	09.1-22.5	65	25.5	17.7-33.3	1	0.9	00.0-02.7	40	43.9	33.1-54.7	2	1.7	00.0-04.4
\$25,000- 34,999	198	28,679	55	27.6	19.8-35.4	30	18.6	11.2-26.0	61	17.8	12.3-23.3	1	0.3	00.0-00.9	41	29.7	21.3-38.1	10	6.0	01.9-10.1
\$35,000- 49,999	237	31,846	99	46.6	38.6-54.6	32	13.0	07.7-18.3	52	10.8	07.1-14.5	4	3.4	00.0-06.9	39	20.0	13.5-26.5	11	6.2	02.1-10.3
\$50,000- 99,999	566	78,498	367	67.5	62.8-72.2	50	7.6	05.2-10.0	57	4.8	03.2-06.4	3	0.5	00.0-01.3	63	13.3	09.8-16.8	26	6.3	03.6-09.0
\$100,000 - 199,999	300	48,317	258	87.0	82.5-91.5	9	1.8	00.4-03.2	7	1.4	00.0-02.8	2	0.3	00.0-00.9	19	7.7	04.0-11.4	5	1.7	00.1-03.3
\$200,000+	56	9,747	50	90.0	82.2-97.8	2	3.5	00.0-08.4	1	1.8	00.0-05.3				2	3.5	00.0-08.4	1	1.1	00.0-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 16: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4146	598,958	5	0.4	00.0-00.8	60	2.1	01.5-02.7	113	5.0	03.8-06.2	1059	26.8	25.2-28.4	1312	38.0	36.2-39.8	1597	27.6	26.2-29.0
Male	2105	305,758	3	0.5	00.0-01.1	38	2.6	01.6-03.6	66	5.8	04.2-07.4	586	29.6	27.2-32.0	655	37.8	35.3-40.3	757	23.8	22.0-25.6
Female	2041	293,201	2	0.4	00.0-01.0	22	1.5	00.7-02.3	47	4.2	02.6-05.8	473	24.0	21.6-26.4	657	38.2	35.5-40.9	840	31.7	29.3-34.1
Native	134	24,036				5	4.2	00.3-08.1	6	8.1	00.8-15.4	27	22.4	13.8-31.0	64	49.6	39.6-59.6	32	15.8	09.9-21.7
Non-Native	3936	564,796	4	0.4	00.0-00.8	53	2.0	01.4-02.6	103	4.8	03.6-06.0	1015	27.1	25.3-28.9	1226	37.6	35.6-39.6	1535	28.1	26.5-29.7
18-24	299	83,628				2	1.1	00.0-02.7	18	11.0	06.1-15.9	118	38.5	32.6-44.4	110	38.5	32.6-44.4	51	10.9	07.8-14.0
25-34	453	112,268	2	1.1	00.0-02.7	2	0.9	00.0-02.1	7	2.9	00.7-05.1	106	25.6	21.1-30.1	138	37.3	32.2-42.4	198	32.3	28.0-36.6
35-44	495	100,363	1	0.8	00.0-02.4	2	0.9	00.0-02.1	7	3.2	00.7-05.7	102	23.4	19.1-27.7	149	37.1	32.2-42.0	234	34.6	30.3-38.9
45-54	538	79,220				3	1.3	00.0-02.7	9	3.7	01.3-06.1	97	20.3	16.6-24.0	162	38.4	33.7-43.1	267	36.4	32.3-40.5
55-64	748	89,549				5	1.6	00.0-03.2	22	5.1	02.7-07.5	171	23.9	20.6-27.2	254	40.7	36.6-44.8	296	28.7	25.4-32.0
65+	1613	133,931	2	0.4	00.0-01.0	46	5.3	03.7-06.9	50	5.2	03.6-06.8	465	29.1	26.6-31.6	499	36.9	34.2-39.6	551	23.1	21.1-25.1
Less than \$15,000	143	21,539	1	0.8	00.0-02.4	4	4.1	00.0-08.6	9	8.9	00.9-16.9	48	34.4	24.6-44.2	56	40.6	30.4-50.8	25	11.2	06.1-16.3
\$15,000- 24,999	277	36,570				13	5.8	02.3-09.3	17	10.0	03.5-16.5	102	34.8	27.7-41.9	93	36.3	29.0-43.6	52	13.1	08.6-17.6
\$25,000- 34,999	366	53,297	2	2.3	00.0-05.6	14	5.2	02.3-08.1	15	7.3	03.0-11.6	136	35.2	29.1-41.3	119	37.2	30.9-43.5	80	12.8	09.5-16.1
\$35,000- 49,999	490	65,802				5	2.0	00.0-04.0	10	3.6	01.2-06.0	162	34.4	29.1-39.7	163	37.2	31.9-42.5	150	22.9	18.8-27.0
\$50,000- 99,999	1232	175,683	1	0.5	00.0-01.5	6	1.0	00.0-02.0	19	3.2	01.6-04.8	268	24.2	21.3-27.1	391	40.2	36.9-43.5	547	31.0	28.3-33.7
\$100,000 - 199,999	696	105,292							11	2.9	01.1-04.7	117	20.4	16.7-24.1	188	34.9	30.6-39.2	380	41.9	37.8-46.0
\$200,000+	167	25,516				1	1.3	00.0-03.8	1	1.5	00.0-04.4	16	9.6	04.7-14.5	43	36.9	27.9-45.9	106	50.6	42.0-59.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2105	305,758	3	0.5	00.0-01.1	38	2.6	01.6-03.6	66	5.8	04.2-07.4	586	29.6	27.2-32.0	655	37.8	35.3-40.3	757	23.8	22.0-25.6
Native	64	11,919				4	7.7	00.0-15.5	4	14.1	00.8-27.4	17	26.0	12.9-39.1	29	41.7	27.8-55.6	10	10.6	03.0-18.2
Non-Native	1995	287,330	2	0.4	00.0-01.0	32	2.4	01.4-03.4	59	5.3	03.7-06.9	561	30.0	27.6-32.4	612	37.6	35.1-40.1	729	24.3	22.3-26.3
18-24	161	44,089				2	2.1	00.0-05.0	12	12.7	05.8-19.6	68	40.9	32.7-49.1	61	38.2	30.2-46.2	18	6.1	03.2-09.0
25-34	267	60,029	1	0.7	00.0-02.1	2	1.6	00.0-03.8	5	3.5	00.4-06.6	68	26.8	21.1-32.5	87	39.5	33.0-46.0	104	28.0	22.7-33.3
35-44	261	52,735	1	1.6	00.0-04.7	1	0.6	00.0-01.8	3	2.7	00.0-06.0	70	29.2	23.1-35.3	89	39.7	33.0-46.4	97	26.2	21.1-31.3
45-54	277	41,314				3	2.4	00.0-05.1	7	5.5	01.6-09.4	63	24.0	18.5-29.5	85	37.6	31.1-44.1	119	30.5	25.2-35.8
55-64	388	45,451				2	0.6	00.0-01.6	15	6.6	03.3-09.9	111	29.9	24.8-35.0	124	37.6	32.1-43.1	136	25.3	21.0-29.6
65+	751	62,140	1	0.3	00.0-00.9	28	7.1	04.4-09.8	24	5.5	03.1-07.9	206	28.0	24.3-31.7	209	34.5	30.4-38.6	283	24.7	21.8-27.6
Less than \$15,000	55	8,010	1	2.1	00.0-06.2	1	3.2	00.0-09.3	4	16.1	00.0-35.1	18	30.6	16.1-45.1	17	30.5	15.6-45.4	14	17.4	07.0-27.8
\$15,000- 24,999	119	16,663				7	8.0	01.7-14.3	6	8.2	00.0-17.4	43	33.9	23.7-44.1	37	33.7	23.3-44.1	26	16.2	08.9-23.5
\$25,000- 34,999	168	24,617	2	5.0	00.0-12.1	12	9.5	04.0-15.0	8	8.4	02.3-14.5	63	34.7	25.7-43.7	48	32.8	24.0-41.6	35	9.5	05.8-13.2
\$35,000- 49,999	253	33,956				2	1.3	00.0-03.1	9	6.4	01.9-10.9	94	39.3	32.0-46.6	79	34.9	27.8-42.0	69	18.1	13.2-23.0
\$50,000- 99,999	664	96,838				6	1.8	00.0-03.6	17	5.2	02.5-07.9	180	29.5	25.4-33.6	216	40.8	36.1-45.5	245	22.7	19.6-25.8
\$100,000 - 199,999	397	57,326							8	3.8	01.1-06.5	82	25.0	19.9-30.1	115	36.6	31.1-42.1	192	34.6	29.7-39.5
\$200,000+	111	15,769				1	2.2	00.0-06.3	1	2.4	00.0-06.9	13	12.0	05.3-18.7	27	35.1	24.3-45.9	69	48.4	38.0-58.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2041	293,201	2	0.4	00.0-01.0	22	1.5	00.7-02.3	47	4.2	02.6-05.8	473	24.0	21.6-26.4	657	38.2	35.5-40.9	840	31.7	29.3-34.1	
Native	70	12,117				1	0.8	00.0-02.4	2	2.2	00.0-05.5	10	18.8	07.8-29.8	35	57.3	44.2-70.4	22	20.9	11.9-29.9	
Non-Native	1941	277,466	2	0.4	00.0-01.0	21	1.5	00.7-02.3	44	4.3	02.7-05.9	454	24.1	21.7-26.5	614	37.6	34.9-40.3	806	32.1	29.7-34.5	
18-24	138	39,539							6	9.0	01.9-16.1	50	35.9	27.3-44.5	49	38.8	30.0-47.6	33	16.3	10.6-22.0	
25-34	186	52,239	1	1.6	00.0-04.7				2	2.3	00.0-05.4	38	24.1	17.2-31.0	51	34.8	27.2-42.4	94	37.1	30.0-44.2	
35-44	234	47,628				1	1.2	00.0-03.4	4	3.8	00.3-07.3	32	17.0	11.3-22.7	60	34.1	26.8-41.4	137	44.0	37.1-50.9	
45-54	261	37,906							2	1.7	00.0-04.1	34	16.1	11.0-21.2	77	39.3	32.6-46.0	148	42.9	36.6-49.2	
55-64	360	44,098					3	2.6	00.0-05.5	7	3.5	00.6-06.4	60	17.7	13.4-22.0	130	44.0	38.1-49.9	160	32.1	27.2-37.0
65+	862	71,791	1	0.4	00.0-01.2	18	3.7	01.7-05.7	26	5.0	02.8-07.2	259	30.0	26.5-33.5	290	39.0	35.1-42.9	268	21.8	19.1-24.5	
Less than \$15,000	88	13,528				3	4.7	00.0-11.0	5	4.6	00.3-08.9	30	36.7	24.0-49.4	39	46.6	33.5-59.7	11	7.5	02.2-12.8	
\$15,000- 24,999	158	19,907				6	4.0	00.1-07.9	11	11.6	02.6-20.6	59	35.6	25.8-45.4	56	38.4	28.4-48.4	26	10.4	05.1-15.7	
\$25,000- 34,999	198	28,679				2	1.5	00.0-03.9	7	6.3	00.4-12.2	73	35.6	27.2-44.0	71	40.9	32.1-49.7	45	15.6	10.3-20.9	
\$35,000- 49,999	237	31,846				3	2.7	00.0-06.2	1	0.5	00.0-01.5	68	29.1	21.5-36.7	84	39.7	31.9-47.5	81	27.9	21.2-34.6	
\$50,000- 99,999	568	78,845	1	1.1	00.0-03.3				2	0.7	00.0-01.9	88	17.8	13.9-21.7	175	39.3	34.2-44.4	302	41.1	36.4-45.8	
\$100,000 - 199,999	299	47,966							3	1.8	00.0-04.0	35	14.8	09.7-19.9	73	32.8	26.1-39.5	188	50.7	44.0-57.4	
\$200,000+	56	9,747										3	5.8	00.0-12.5	16	39.9	24.4-55.4	37	54.3	39.0-69.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 19: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4137	597,747	3092	66.9	65.1-68.7	889	27.8	26.0-29.6	156	5.3	04.3-06.3
Male	2103	305,384	1557	65.8	63.3-68.3	462	28.9	26.4-31.4	84	5.3	03.9-06.7
Female	2034	292,364	1535	68.0	65.5-70.5	427	26.7	24.2-29.2	72	5.3	03.9-06.7
Native	134	24,036	81	55.8	45.8-65.8	42	34.7	25.1-44.3	11	9.5	03.4-15.6
Non-Native	3930	563,795	2964	67.4	65.4-69.4	825	27.5	25.7-29.3	141	5.1	04.1-06.1
18-24	297	83,235	48	16.0	11.5-20.5	182	59.9	53.8-66.0	67	24.1	18.6-29.6
25-34	453	112,047	213	49.0	43.9-54.1	219	47.2	42.1-52.3	21	3.8	02.0-05.6
35-44	496	100,489	361	72.4	68.1-76.7	121	25.0	20.7-29.3	14	2.6	01.2-04.0
45-54	536	78,993	434	81.0	77.3-84.7	88	16.7	13.2-20.2	14	2.3	00.9-03.7
55-64	745	89,298	646	87.2	84.5-89.9	90	11.9	09.4-14.4	9	0.9	00.3-01.5
65+	1610	133,685	1390	87.3	85.3-89.3	189	11.0	09.2-12.8	31	1.7	00.9-02.5
Less Than H.S.	177	44,577	115	53.4	44.2-62.6	48	34.7	25.7-43.7	14	11.9	05.2-18.6
H.S. or G.E.D.	1055	160,277	732	60.4	56.9-63.9	272	32.9	29.4-36.4	51	6.7	04.7-08.7
Some Post-H.S.	1309	226,982	941	65.5	62.4-68.6	316	29.4	26.5-32.3	52	5.1	03.5-06.7
College Graduate	1593	165,163	1303	78.7	76.3-81.1	252	19.0	16.6-21.4	38	2.3	01.5-03.1
Less than \$15,000	142	21,345	56	30.8	21.8-39.8	71	57.9	47.9-67.9	15	11.3	05.2-17.4
\$15,000- 24,999	277	36,570	153	43.4	36.0-50.8	112	51.3	43.7-58.9	12	5.3	01.8-08.8
\$25,000- 34,999	365	53,211	225	49.3	42.8-55.8	126	46.5	39.8-53.2	14	4.3	01.8-06.8
\$35,000- 49,999	490	65,802	347	62.6	57.1-68.1	133	35.2	29.9-40.5	10	2.2	00.4-04.0
\$50,000- 99,999	1232	175,683	987	72.9	69.8-76.0	215	23.6	20.7-26.5	30	3.6	02.0-05.2
\$100,000 - 199,999	697	105,643	625	86.6	83.5-89.7	57	10.2	07.5-12.9	15	3.2	01.4-05.0
\$200,000+	165	24,648	155	92.2	87.1-97.3	8	7.0	01.9-12.1	2	0.8	00.0-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2103	305,384	1557	65.8	63.3-68.3	462	28.9	26.5-31.3	84	5.3	03.9-06.7
Native	64	11,919	34	49.6	34.9-64.3	24	40.6	26.3-54.9	6	9.8	01.4-18.2
Non-Native	1993	286,910	1494	66.5	64.0-69.0	424	28.4	25.9-30.9	75	5.0	03.6-06.4
18-24	160	43,889	29	18.3	11.6-25.0	99	61.8	53.6-70.0	32	19.9	13.0-26.8
25-34	268	60,300	120	47.3	40.8-53.8	132	47.3	40.8-53.8	16	5.4	02.7-08.1
35-44	262	52,861	182	70.5	64.4-76.6	71	26.5	20.6-32.4	9	3.0	01.0-05.0
45-54	275	40,858	219	79.0	73.5-84.5	48	18.1	12.8-23.4	8	2.9	00.5-05.3
55-64	387	45,336	337	87.3	83.8-90.8	48	12.3	08.8-15.8	2	0.4	00.0-01.0
65+	751	62,140	670	89.1	86.4-91.8	64	8.9	06.4-11.4	17	2.0	00.8-03.2
Less Than H.S.	106	26,711	68	52.1	40.5-63.7	29	36.7	25.1-48.3	9	11.2	03.6-18.8
H.S. or G.E.D.	584	90,100	411	62.1	57.4-66.8	144	31.1	26.6-35.6	29	6.7	04.2-09.2
Some Post-H.S.	655	115,521	463	64.1	59.8-68.4	170	31.8	27.7-35.9	22	4.1	02.1-06.1
College Graduate	756	72,655	615	78.5	75.0-82.0	118	18.5	15.2-21.8	23	3.0	01.6-04.4
Less than \$15,000	55	8,010	20	27.9	14.4-41.4	30	62.4	46.9-77.9	5	9.6	00.8-18.4
\$15,000- 24,999	119	16,663	59	44.9	33.7-56.1	53	50.0	38.8-61.2	7	5.2	00.5-09.9
\$25,000- 34,999	168	24,617	105	49.8	40.2-59.4	55	44.2	34.4-54.0	8	6.0	01.5-10.5
\$35,000- 49,999	253	33,956	177	61.0	53.6-68.4	69	35.1	27.8-42.4	7	3.9	00.4-07.4
\$50,000- 99,999	664	96,838	517	69.3	64.8-73.8	131	26.9	22.6-31.2	16	3.9	01.5-06.3
\$100,000 - 199,999	397	57,326	347	83.1	78.6-87.6	40	13.3	09.2-17.4	10	3.6	01.2-06.0
\$200,000+	110	15,393	102	89.8	82.2-97.4	6	9.0	01.6-16.4	2	1.2	00.0-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2034	292,364	1535	68.0	65.5-70.5	427	26.7	24.2-29.2	72	5.3	03.9-06.7
Native	70	12,117	47	62.0	48.5-75.5	18	28.8	15.9-41.7	5	9.2	00.6-17.8
Non-Native	1937	276,885	1470	68.4	65.7-71.1	401	26.4	23.9-28.9	66	5.2	03.6-06.8
18-24	137	39,346	19	13.5	07.2-19.8	83	57.7	48.5-66.9	35	28.8	20.2-37.4
25-34	185	51,747	93	51.0	43.2-58.8	87	47.1	39.3-54.9	5	1.9	00.1-03.7
35-44	234	47,628	179	74.6	68.3-80.9	50	23.4	17.3-29.5	5	2.0	00.2-03.8
45-54	261	38,135	215	83.3	78.6-88.0	40	15.1	10.6-19.6	6	1.6	00.2-03.0
55-64	358	43,962	309	87.2	83.3-91.1	42	11.5	07.6-15.4	7	1.4	00.2-02.6
65+	859	71,545	720	85.8	83.3-88.3	125	12.8	10.3-15.3	14	1.4	00.6-02.2
Less Than H.S.	71	17,867	47	55.4	40.3-70.5	19	31.6	17.1-46.1	5	12.9	01.1-24.7
H.S. or G.E.D.	471	70,177	321	58.2	52.5-63.9	128	35.2	29.7-40.7	22	6.6	03.7-09.5
Some Post-H.S.	654	111,461	478	67.0	62.5-71.5	146	26.9	22.8-31.0	30	6.2	03.7-08.7
College Graduate	837	92,508	688	78.9	75.6-82.2	134	19.3	16.0-22.6	15	1.8	00.6-03.0
Less than \$15,000	87	13,335	36	32.5	20.9-44.1	41	55.1	42.2-68.0	10	12.4	04.2-20.6
\$15,000- 24,999	158	19,907	94	42.2	32.6-51.8	59	52.4	42.2-62.6	5	5.3	00.2-10.4
\$25,000- 34,999	197	28,594	120	48.8	40.0-57.6	71	48.4	39.6-57.2	6	2.8	00.1-05.5
\$35,000- 49,999	237	31,846	170	64.2	56.2-72.2	64	35.3	27.3-43.3	3	0.5	00.0-01.3
\$50,000- 99,999	568	78,845	470	77.3	72.8-81.8	84	19.5	15.4-23.6	14	3.2	01.2-05.2
\$100,000 - 199,999	300	48,317	278	90.6	86.3-94.9	17	6.5	03.2-09.8	5	2.9	00.2-05.6
\$200,000+	55	9,255	53	96.3	91.2-0100	2	3.7	00.0-08.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 22: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4017	573,364	3826	94.2	93.2-95.2	97	3.0	02.2-03.8	94	2.8	02.2-03.4
Male	2030	291,210	1931	94.3	93.1-95.5	55	3.1	02.1-04.1	44	2.6	01.6-03.6
Female	1987	282,154	1895	94.1	92.7-95.5	42	3.0	01.8-04.2	50	3.0	02.0-04.0
Native	131	23,287	126	95.1	90.2-0100	4	4.0	00.0-08.5	1	0.9	00.0-02.7
Non-Native	3814	540,793	3642	94.4	93.4-95.4	89	2.9	02.1-03.7	83	2.7	02.1-03.3
18-24	265	74,596	240	89.6	85.3-93.9	12	5.4	02.1-08.7	13	5.0	02.1-07.9
25-34	420	104,834	389	93.0	90.5-95.5	13	3.1	01.3-04.9	18	3.9	01.9-05.9
35-44	482	97,529	462	95.5	93.3-97.7	9	2.2	00.6-03.8	11	2.3	00.9-03.7
45-54	519	76,062	487	92.9	90.4-95.4	11	3.2	01.2-05.2	21	3.9	02.1-05.7
55-64	733	87,810	710	97.1	95.7-98.5	12	1.7	00.7-02.7	11	1.3	00.5-02.1
65+	1598	132,533	1538	95.5	94.1-96.9	40	3.1	01.9-04.3	20	1.4	00.8-02.0
Less Than H.S.	170	42,194	154	88.7	82.6-94.8	15	11.1	05.0-17.2	1	0.2	00.0-00.6
H.S. or G.E.D.	1020	153,069	970	94.1	92.3-95.9	26	2.6	01.4-03.8	24	3.2	01.8-04.6
Some Post-H.S.	1270	217,826	1213	94.9	93.3-96.5	31	2.6	01.6-03.6	26	2.5	01.5-03.5
College Graduate	1551	158,857	1485	95.0	93.6-96.4	24	1.7	00.9-02.5	42	3.3	02.1-04.5
Less than \$15,000	137	20,240	131	94.2	88.5-99.9	4	4.7	00.0-10.2	2	1.1	00.0-02.7
\$15,000- 24,999	266	34,720	253	91.3	85.2-97.4	9	5.4	00.3-10.5	4	3.3	00.0-06.8
\$25,000- 34,999	356	51,569	342	94.3	91.0-97.6	10	4.2	01.3-07.1	4	1.5	00.0-03.1
\$35,000- 49,999	471	62,048	456	96.6	94.6-98.6	8	2.2	00.4-04.0	7	1.2	00.2-02.2
\$50,000- 99,999	1194	168,851	1168	97.4	96.2-98.6	12	1.0	00.4-01.6	14	1.6	00.6-02.6
\$100,000 - 199,999	680	101,656	662	97.0	95.4-98.6	12	2.0	00.8-03.2	6	1.0	00.2-01.8
\$200,000+	160	23,706	157	98.5	96.5-0100	1	0.2	00.0-00.6	2	1.3	00.0-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2030	291,210	1931	94.3	93.1-95.5	55	3.1	02.1-04.1	44	2.6	01.6-03.6
Native	63	11,631	59	94.5	89.0-0100	3	3.6	00.0-07.7	1	1.9	00.0-05.6
Non-Native	1923	273,650	1836	94.7	93.3-96.1	50	2.9	01.9-03.9	37	2.4	01.4-03.4
18-24	142	38,866	127	89.7	84.2-95.2	6	4.1	00.8-07.4	9	6.2	01.7-10.7
25-34	249	56,507	233	94.1	91.0-97.2	9	3.5	01.0-06.0	7	2.4	00.6-04.2
35-44	254	51,128	245	96.5	94.1-98.9	4	1.4	00.0-02.8	5	2.1	00.1-04.1
45-54	265	39,085	247	91.4	87.3-95.5	6	3.6	00.5-06.7	12	5.0	02.1-07.9
55-64	379	44,379	368	97.3	95.5-99.1	7	1.9	00.3-03.5	4	0.8	00.0-01.6
65+	741	61,245	711	95.4	93.4-97.4	23	3.8	02.0-05.6	7	0.8	00.2-01.4
Less Than H.S.	101	24,969	94	92.5	86.6-98.4	7	7.5	01.6-13.4			
H.S. or G.E.D.	561	85,872	537	94.6	92.2-97.0	13	2.7	01.1-04.3	11	2.7	00.9-04.5
Some Post-H.S.	628	109,258	597	94.8	92.8-96.8	17	2.4	01.2-03.6	14	2.8	01.2-04.4
College Graduate	735	70,043	700	94.6	92.6-96.6	17	2.3	00.9-03.7	18	3.0	01.4-04.6
Less than \$15,000	53	7,608	52	99.3	97.9-0100	1	0.7	00.0-02.1			
\$15,000- 24,999	114	16,158	108	92.3	85.0-99.6	3	2.6	00.0-06.3	3	5.1	00.0-11.6
\$25,000- 34,999	164	23,779	157	93.4	88.1-98.7	6	5.9	00.8-11.0	1	0.6	00.0-01.8
\$35,000- 49,999	238	30,925	225	94.0	90.3-97.7	7	3.8	00.5-07.1	6	2.2	00.2-04.2
\$50,000- 99,999	638	92,178	620	97.1	95.7-98.5	10	1.6	00.4-02.8	8	1.3	00.3-02.3
\$100,000 - 199,999	385	54,713	374	96.7	94.5-98.9	9	2.7	00.7-04.7	2	0.6	00.0-01.6
\$200,000+	105	14,451	104	98.5	95.6-0100				1	1.5	00.0-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1987	282,154	1895	94.1	92.7-95.5	42	3.0	01.8-04.2	50	3.0	02.0-04.0
Native	68	11,656	67	95.7	87.5-0100	1	4.3	00.0-12.5			
Non-Native	1891	267,143	1806	94.2	92.8-95.6	39	2.8	01.6-04.0	46	3.0	02.0-04.0
18-24	123	35,730	113	89.6	82.9-96.3	6	6.8	00.9-12.7	4	3.6	00.1-07.1
25-34	171	48,327	156	91.8	87.5-96.1	4	2.6	00.0-05.3	11	5.7	02.2-09.2
35-44	228	46,402	217	94.5	91.0-98.0	5	3.0	00.1-05.9	6	2.6	00.4-04.8
45-54	254	36,977	240	94.4	91.3-97.5	5	2.8	00.3-05.3	9	2.8	01.0-04.6
55-64	354	43,431	342	96.9	94.9-98.9	5	1.4	00.0-02.8	7	1.7	00.3-03.1
65+	857	71,288	827	95.7	93.9-97.5	17	2.4	00.8-04.0	13	1.9	00.7-03.1
Less Than H.S.	69	17,225	60	83.1	71.1-95.1	8	16.4	04.4-28.4	1	0.5	00.0-01.5
H.S. or G.E.D.	459	67,197	433	93.6	90.9-96.3	13	2.5	00.7-04.3	13	3.9	01.5-06.3
Some Post-H.S.	642	108,568	616	95.0	92.8-97.2	14	2.7	00.9-04.5	12	2.3	00.9-03.7
College Graduate	816	88,814	785	95.3	93.5-97.1	7	1.1	00.1-02.1	24	3.6	02.0-05.2
Less than \$15,000	84	12,631	79	91.2	82.4-0100	3	7.1	00.0-15.7	2	1.8	00.0-04.3
\$15,000- 24,999	152	18,563	145	90.3	81.1-99.5	6	7.9	00.0-16.5	1	1.8	00.0-05.3
\$25,000- 34,999	192	27,790	185	95.0	90.7-99.3	4	2.7	00.0-06.0	3	2.2	00.0-04.9
\$35,000- 49,999	233	31,124	231	99.1	97.9-0100	1	0.6	00.0-01.8	1	0.3	00.0-00.9
\$50,000- 99,999	556	76,673	548	97.8	96.0-99.6	2	0.4	00.0-01.0	6	1.8	00.2-03.4
\$100,000 - 199,999	295	46,943	288	97.4	95.4-99.4	3	1.1	00.0-02.5	4	1.4	00.0-03.0
\$200,000+	55	9,255	53	98.5	96.3-0100	1	0.5	00.0-01.5	1	1.0	00.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 8: DEMOGRAPHICS

**TABLE 25: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4153	600,466	3875	91.8	90.6-93.0	76	2.1	01.5-02.7	202	6.1	05.1-07.1
Male	2111	306,915	1962	91.6	90.0-93.2	48	2.5	01.7-03.3	101	5.9	04.5-07.3
Female	2042	293,551	1913	92.1	90.5-93.7	28	1.6	00.8-02.4	101	6.3	04.9-07.7
Native	134	24,036	131	98.2	96.0-0100	1	0.4	00.0-01.2	2	1.3	00.0-03.3
Non-Native	3940	565,921	3692	92.1	90.9-93.3	69	2.0	01.4-02.6	179	5.9	04.9-06.9
18-24	299	83,628	264	87.9	83.8-92.0	14	5.2	02.3-08.1	21	7.0	03.7-10.3
25-34	455	112,942	403	88.2	84.9-91.5	9	1.4	00.4-02.4	43	10.4	07.3-13.5
35-44	496	100,489	462	93.1	90.6-95.6	8	1.6	00.2-03.0	26	5.4	03.2-07.6
45-54	542	79,927	490	89.7	86.8-92.6	6	1.2	00.0-02.4	46	9.1	06.4-11.8
55-64	748	89,549	715	96.3	94.9-97.7	3	0.3	00.0-00.7	30	3.4	02.0-04.8
65+	1613	133,931	1541	94.7	93.3-96.1	36	2.8	01.8-03.8	36	2.4	01.4-03.4
Less Than H.S.	178	44,954	157	87.5	81.2-93.8	15	6.2	02.3-10.1	6	6.3	01.2-11.4
H.S. or G.E.D.	1059	160,780	989	91.9	89.7-94.1	28	3.0	01.6-04.4	42	5.1	03.3-06.9
Some Post-H.S.	1312	227,653	1235	92.9	91.1-94.7	15	1.3	00.5-02.1	62	5.8	04.2-07.4
College Graduate	1597	165,572	1491	91.8	90.2-93.4	18	1.2	00.6-01.8	88	7.0	05.4-08.6
Less than \$15,000	143	21,539	136	95.2	91.3-99.1	3	2.3	00.0-05.2	4	2.5	00.0-05.2
\$15,000- 24,999	277	36,570	259	90.0	84.3-95.7	8	4.7	01.0-08.4	10	5.2	00.5-09.9
\$25,000- 34,999	366	53,297	348	92.3	88.4-96.2	7	2.8	00.4-05.2	11	4.9	01.6-08.2
\$35,000- 49,999	490	65,802	475	96.3	94.1-98.5	3	0.4	00.0-01.0	12	3.3	01.1-05.5
\$50,000- 99,999	1232	175,683	1186	94.7	92.9-96.5	14	1.5	00.5-02.5	32	3.8	02.4-05.2
\$100,000 - 199,999	697	105,643	674	95.3	93.1-97.5	4	0.6	00.0-01.2	19	4.1	01.9-06.3
\$200,000+	167	25,516	158	92.2	86.5-97.9	1	0.4	00.0-01.2	8	7.4	01.7-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2111	306,915	1962	91.6	90.0-93.2	48	2.5	01.7-03.3	101	5.9	04.5-07.3
Native	64	11,919	61	96.4	92.1-0100	1	0.9	00.0-02.7	2	2.7	00.0-06.6
Non-Native	1998	288,104	1871	92.2	90.6-93.8	42	2.4	01.6-03.2	85	5.5	04.1-06.9
18-24	161	44,089	138	86.4	80.7-92.1	10	6.0	02.1-09.9	13	7.6	03.1-12.1
25-34	269	60,703	242	90.0	86.1-93.9	6	1.5	00.1-02.9	21	8.5	04.8-12.2
35-44	262	52,861	245	93.9	90.8-97.0	4	0.9	00.0-01.9	13	5.2	02.3-08.1
45-54	280	41,671	250	87.8	83.1-92.5	4	1.9	00.0-04.3	26	10.3	06.2-14.4
55-64	388	45,451	368	95.9	93.9-97.9	2	0.5	00.0-01.3	18	3.7	01.9-05.5
65+	751	62,140	719	94.3	92.1-96.5	22	4.2	02.2-06.2	10	1.5	00.5-02.5
Less Than H.S.	107	27,087	92	87.0	79.6-94.4	11	6.7	02.0-11.4	4	6.2	00.3-12.1
H.S. or G.E.D.	586	90,415	546	91.9	89.2-94.6	18	3.5	01.5-05.5	22	4.6	02.4-06.8
Some Post-H.S.	655	115,521	612	92.7	90.3-95.1	10	1.4	00.4-02.4	33	5.9	03.7-08.1
College Graduate	757	72,735	710	92.1	89.7-94.5	9	1.4	00.4-02.4	38	6.5	04.3-08.7
Less than \$15,000	55	8,010	53	98.0	94.5-0100	1	1.8	00.0-05.3	1	0.2	00.0-00.6
\$15,000- 24,999	119	16,663	108	88.6	81.0-96.2	7	8.3	01.4-15.2	4	3.1	00.0-06.8
\$25,000- 34,999	168	24,617	156	89.7	83.4-96.0	7	6.2	01.1-11.3	5	4.2	00.3-08.1
\$35,000- 49,999	253	33,956	243	95.5	92.0-99.0	3	0.9	00.0-01.9	7	3.6	00.3-06.9
\$50,000- 99,999	664	96,838	635	94.0	91.6-96.4	10	1.8	00.4-03.2	19	4.2	02.2-06.2
\$100,000 - 199,999	397	57,326	383	95.2	92.5-97.9	3	0.7	00.0-01.5	11	4.0	01.5-06.5
\$200,000+	111	15,769	107	93.5	87.0-0100				4	6.5	00.0-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2042	293,551	1913	92.1	90.5-93.7	28	1.6	00.8-02.4	101	6.3	04.9-07.7
Native	70	12,117	70	100.0	0100-0100						
Non-Native	1942	277,816	1821	92.0	90.2-93.8	27	1.7	00.9-02.5	94	6.3	04.7-07.9
18-24	138	39,539	126	89.5	83.2-95.8	4	4.2	00.1-08.3	8	6.3	01.4-11.2
25-34	186	52,239	161	86.0	80.5-91.5	3	1.2	00.0-02.6	22	12.7	07.4-18.0
35-44	234	47,628	217	92.2	88.3-96.1	4	2.3	00.0-04.8	13	5.6	02.5-08.7
45-54	262	38,256	240	91.7	88.0-95.4	2	0.5	00.0-01.3	20	7.7	04.0-11.4
55-64	360	44,098	347	96.8	94.8-98.8	1	0.1	00.0-00.3	12	3.1	01.3-04.9
65+	862	71,791	822	95.1	93.3-96.9	14	1.6	00.6-02.6	26	3.3	01.9-04.7
Less Than H.S.	71	17,867	65	88.1	77.3-98.9	4	5.4	00.0-11.9	2	6.5	00.0-15.7
H.S. or G.E.D.	473	70,365	443	92.0	88.7-95.3	10	2.4	00.4-04.4	20	5.6	02.7-08.5
Some Post-H.S.	657	112,132	623	93.2	90.7-95.7	5	1.1	00.0-02.3	29	5.7	03.3-08.1
College Graduate	840	92,837	781	91.5	89.1-93.9	9	1.0	00.2-01.8	50	7.4	05.2-09.6
Less than \$15,000	88	13,528	83	93.5	87.6-99.4	2	2.6	00.0-06.7	3	3.9	00.0-08.2
\$15,000- 24,999	158	19,907	151	91.2	82.8-99.6	1	1.8	00.0-05.1	6	7.0	00.0-15.0
\$25,000- 34,999	198	28,679	192	94.6	89.5-99.7				6	5.4	00.3-10.5
\$35,000- 49,999	237	31,846	232	97.2	94.7-99.7				5	2.8	00.3-05.3
\$50,000- 99,999	568	78,845	551	95.7	93.3-98.1	4	1.1	00.0-02.5	13	3.3	01.3-05.3
\$100,000 - 199,999	300	48,317	291	95.4	92.1-98.7	1	0.3	00.0-00.9	8	4.2	00.9-07.5
\$200,000+	56	9,747	51	90.1	79.7-0100	1	1.0	00.0-03.0	4	8.9	00.0-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 28: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1233	110,786	80	5.6	03.8-07.4	1153	94.4	92.6-96.2
Male	486	41,522	38	7.3	04.2-10.4	448	92.7	89.6-95.8
Female	747	69,264	42	4.6	02.6-06.6	705	95.4	93.4-97.4
Non-Native	1184	104,921	76	5.5	03.7-07.3	1108	94.5	92.7-96.3
35-44	51	8,656	2	2.1	00.0-05.2	49	97.9	94.8-0100
45-54	74	9,479	5	4.4	00.3-08.5	69	95.6	91.5-99.7
55-64	225	24,490	11	5.7	01.6-09.8	214	94.3	90.2-98.4
65+	852	59,535	60	6.4	04.2-08.6	792	93.6	91.4-95.8
Less Than H.S.	69	9,434	7	5.9	01.2-10.6	62	94.1	89.4-98.8
H.S. or G.E.D.	341	30,164	18	5.2	02.3-08.1	323	94.8	91.9-97.7
Some Post-H.S.	394	43,961	27	6.2	02.9-09.5	367	93.8	90.5-97.1
College Graduate	429	27,226	28	5.0	02.8-07.2	401	95.0	92.8-97.2
Less than \$15,000	51	4,582	4	1.8	00.0-03.8	47	98.2	96.2-0100
\$15,000- 24,999	115	8,380	7	6.2	00.5-11.9	108	93.8	88.1-99.5
\$25,000- 34,999	140	11,723	7	2.3	00.1-04.5	133	97.7	95.5-99.9
\$35,000- 49,999	177	13,163	12	6.7	01.4-12.0	165	93.3	88.0-98.6
\$50,000- 99,999	346	31,284	19	4.9	02.0-07.8	327	95.1	92.2-98.0
\$100,000 - 199,999	138	14,761	9	7.2	01.5-12.9	129	92.8	87.1-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	486	41,522	38	7.3	04.2-10.4	448	92.7	89.6-95.8
Non-Native	465	39,055	35	6.9	03.8-10.0	430	93.1	90.0-96.2
55-64	92	9,537	9	12.6	02.6-22.6	83	87.4	77.4-97.4
65+	337	22,601	26	7.3	03.8-10.8	311	92.7	89.2-96.2
H.S. or G.E.D.	138	13,041	6	4.5	00.4-08.6	132	95.5	91.4-99.6
Some Post-H.S.	134	14,531	12	10.5	03.1-17.9	122	89.5	82.1-96.9
College Graduate	186	10,150	18	7.6	03.7-11.5	168	92.4	88.5-96.3
\$25,000- 34,999	54	4,148	2	3.0	00.0-08.1	52	97.0	91.9-0100
\$35,000- 49,999	67	4,054	5	6.2	00.0-12.5	62	93.8	87.5-0100
\$50,000- 99,999	159	13,796	12	4.5	01.6-07.4	147	95.5	92.6-98.4
\$100,000 - 199,999	65	6,001	6	10.7	00.7-20.7	59	89.3	79.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	747	69,264	42	4.6	02.6-06.6	705	95.4	93.4-97.4
Non-Native	719	65,867	41	4.7	02.7-06.7	678	95.3	93.3-97.3
55-64	133	14,953	2	1.3	00.0-03.1	131	98.7	96.9-0100
65+	515	36,934	34	5.9	03.2-08.6	481	94.1	91.4-96.8
H.S. or G.E.D.	203	17,123	12	5.8	01.7-09.9	191	94.2	90.1-98.3
Some Post-H.S.	260	29,430	15	4.0	00.7-07.3	245	96.0	92.7-99.3
College Graduate	243	17,076	10	3.4	00.9-05.9	233	96.6	94.1-99.1
\$15,000- 24,999	82	5,960	6	5.6	00.5-10.7	76	94.4	89.3-99.5
\$25,000- 34,999	86	7,575	5	2.0	00.0-04.0	81	98.0	96.0-0100
\$35,000- 49,999	110	9,109	7	6.9	00.0-14.0	103	93.1	86.0-0100
\$50,000- 99,999	187	17,488	7	5.2	00.5-09.9	180	94.8	90.1-99.5
\$100,000 - 199,999	73	8,761	3	4.8	00.0-11.3	70	95.2	88.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 8: DEMOGRAPHICS

TABLE 31: HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.								
	TOTAL	WEIGHTED	One Number			Two Numbers			Three Numbers		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	79	6,019	50	86.8	80.5-93.1	21	10.2	04.7-15.7	8	3.0	00.5-05.5
Non-Native	75	5,593	46	85.8	78.9-92.7	21	11.0	04.9-17.1	8	3.2	00.5-05.9
65+	60	3,808	34	81.7	72.5-90.9	19	13.8	06.0-21.6	7	4.6	00.7-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022

SECTION 8: DEMOGRAPHICS

TABLE 32: HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022

SECTION 8: DEMOGRAPHICS

TABLE 33: HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 34: HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4124	595,716	3710	90.1	88.9-91.3	246	6.2	05.2-07.2	23	0.8	00.4-01.2	7	0.2	00.0-00.4	3	0.1	00.1-00.1	2	0.1	00.0-00.3	133	2.6	02.2-03.0
Male	2095	304,852	1861	88.6	86.8-90.4	149	7.2	05.8-08.6	19	1.3	00.5-02.1	5	0.2	00.0-00.4	3	0.2	00.0-00.4	2	0.1	00.0-00.3	56	2.3	01.7-02.9
Female	2029	290,864	1849	91.6	90.2-93.0	97	5.1	03.9-06.3	4	0.2	00.0-00.4	2	0.2	00.0-00.6							77	2.9	02.1-03.0
Native	134	24,036	114	84.7	77.1-92.3	12	8.2	03.3-13.1	2	3.3	00.0-08.8										6	3.8	00.7-06.6
Non-Native	3917	561,894	3532	90.4	89.2-91.6	230	6.1	05.1-07.1	20	0.6	00.2-01.0	6	0.2	00.0-00.4	3	0.1	00.1-00.1	2	0.1	00.0-00.3	124	2.5	01.9-03.0
18-24	298	83,386	281	94.4	91.5-97.3	14	4.9	02.2-07.6	1	0.2	00.0-00.6							1	0.2	00.0-00.6	1	0.2	00.0-00.6
25-34	453	112,269	420	91.7	88.8-94.6	27	6.8	04.3-09.3	5	1.3	00.0-02.7	1	0.2	00.0-00.6									
35-44	494	100,088	449	90.5	87.4-93.6	35	6.9	04.2-09.6	4	1.1	00.0-02.3	2	0.6	00.0-01.6				1	0.2	00.0-00.6	3	0.6	00.0-01.1
45-54	533	78,329	484	90.3	87.6-93.0	34	6.2	04.0-08.4	6	1.6	00.4-02.8	4	0.6	00.0-01.2	2	0.5	00.0-01.1				3	0.9	00.0-01.1
55-64	742	88,610	661	89.2	86.8-91.6	54	7.1	05.1-09.1	4	0.4	00.0-00.8										23	3.3	01.9-04.4
65+	1604	133,034	1415	86.1	83.9-88.3	82	5.3	03.9-06.7	3	0.2	00.0-00.6				1	0.1	00.0-00.3				103	8.4	06.6-10.3
Less Than H.S.	175	44,090	142	81.5	74.4-88.6	11	8.4	02.9-13.9	4	3.7	00.0-07.6										18	6.4	03.1-09.9
H.S. or G.E.D.	1052	159,885	927	88.6	86.2-91.0	60	6.4	04.4-08.4	4	0.4	00.0-00.8	4	0.6	00.0-01.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3	55	3.9	02.7-05.1
Some Post-H.S.	1304	226,369	1185	91.4	89.6-93.2	75	5.5	04.1-06.9	8	0.8	00.2-01.4				2	0.1	00.0-00.3	1	0.1	00.0-00.3	33	2.0	01.2-02.8
College Graduate	1589	164,536	1454	92.1	90.5-93.7	99	6.2	04.8-07.6	7	0.4	00.0-00.8	2	0.2	00.0-00.4							27	1.2	00.6-01.8
Less than \$15,000	141	21,024	115	83.2	75.8-90.6	5	4.6	00.0-09.7	1	1.3	00.0-03.8										20	10.9	05.6-16.3
\$15,000- 24,999	277	36,570	234	86.0	80.7-91.3	12	5.5	01.0-10.0	1	0.3	00.0-00.9	1	0.5	00.0-01.5	1	0.3	00.0-00.9				28	7.3	04.2-10.5
\$25,000- 34,999	364	53,054	327	87.9	83.6-92.2	20	7.0	03.5-10.5	2	0.8	00.0-02.2										15	4.3	01.9-06.6
\$35,000- 49,999	490	65,802	431	87.7	84.2-91.2	35	7.7	04.8-10.6	2	0.4	00.0-01.0	1	0.7	00.0-02.1	1	0.2	00.0-00.6				20	3.3	01.7-04.4
\$50,000- 99,999	1231	175,595	1141	93.3	91.7-94.9	67	5.0	03.6-06.4	5	0.4	00.0-00.8	2	0.2	00.0-00.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3	14	0.8	00.2-01.4
\$100,000 - 199,999	696	105,469	631	91.1	88.7-93.5	58	7.4	05.2-09.6	4	1.1	00.0-02.3										3	0.5	00.0-01.1
\$200,000+	165	25,063	145	85.9	79.4-92.4	17	12.9	06.6-19.2	1	0.3	00.0-00.9	1	0.8	00.0-02.4							1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2095	304,852	1861	88.6	86.8-90.4	149	7.2	05.8-08.6	19	1.3	00.5-02.1	5	0.2	00.0-00.4	3	0.2	00.0-00.4	2	0.1	00.0-00.3	56	2.3	01.7-02.9
Native	64	11,919	55	81.5	68.6-94.4	8	12.7	03.7-21.7	1	5.8	00.0-16.6												
Non-Native	1986	286,482	1770	89.2	87.6-90.8	137	7.0	05.6-08.4	17	1.0	00.4-01.6	4	0.2	00.0-00.4	3	0.2	00.0-00.4	2	0.2	00.0-00.4	53	2.3	01.5-03.1
18-24	161	44,089	147	92.6	88.5-96.7	11	6.1	02.2-10.0	1	0.5	00.0-01.5							1	0.5	00.0-01.5	1	0.3	00.0-00.6
25-34	268	60,300	242	88.8	84.3-93.3	20	8.4	04.7-12.1	5	2.4	00.0-05.1	1	0.3	00.0-00.9									
35-44	260	52,460	230	88.2	83.5-92.9	24	8.9	04.8-13.0	3	1.8	00.0-04.0	1	0.4	00.0-01.2				1	0.4	00.0-01.2	1	0.3	00.0-00.6
45-54	276	41,203	248	89.1	85.0-93.2	16	5.7	02.8-08.6	5	2.4	00.2-04.6	3	0.9	00.0-01.9	2	0.9	00.0-02.1				2	1.1	00.0-02.2
55-64	385	45,138	333	86.1	82.4-89.8	35	9.1	06.0-12.2	2	0.4	00.0-01.0										15	4.4	02.0-06.8
65+	745	61,663	661	87.2	84.3-90.1	43	5.2	03.6-06.8	3	0.5	00.0-01.3				1	0.2	00.0-00.6				37	7.0	04.5-09.5
Less Than H.S.	106	26,996	88	79.6	70.0-89.2	9	10.3	02.9-17.7	4	6.1	00.0-12.4										5	4.0	00.3-07.7
H.S. or G.E.D.	581	89,875	514	89.0	86.1-91.9	37	6.2	03.8-08.6	4	0.6	00.0-01.4	3	0.5	00.0-01.1	1	0.2	00.0-00.6	1	0.2	00.0-00.6	21	3.2	01.8-04.6
Some Post-H.S.	652	115,132	583	90.2	87.7-92.7	46	6.6	04.4-08.8	5	1.2	00.2-02.2				2	0.2	00.0-00.6	1	0.2	00.0-00.6	15	1.6	00.8-02.4
College Graduate	753	72,362	675	89.2	86.7-91.7	56	8.1	05.9-10.3	6	0.7	00.1-01.3	1	0.3	00.0-00.9							15	1.7	00.7-02.7
Less than \$15,000	54	7,913	49	88.9	78.5-99.3	1	0.8	00.0-02.4	1	3.5	00.0-10.2										3	6.9	00.0-14.1
\$15,000- 24,999	119	16,663	97	82.1	72.3-91.9	8	9.4	00.2-18.6				1	1.1	00.0-03.3	1	0.7	00.0-02.1				12	6.7	02.4-11.0
\$25,000- 34,999	167	24,564	144	83.7	76.3-91.1	13	9.5	03.4-15.6	2	1.7	00.0-04.8										8	5.1	01.0-09.1
\$35,000- 49,999	253	33,956	215	85.4	80.5-90.3	23	9.6	05.3-13.9	2	0.7	00.0-01.7				1	0.5	00.0-01.5				12	3.8	01.4-06.0
\$50,000- 99,999	664	96,838	613	93.3	91.3-95.3	33	4.1	02.5-05.7	4	0.6	00.0-01.2	2	0.3	00.0-00.7	1	0.2	00.0-00.6	1	0.2	00.0-00.6	10	1.3	00.5-02.1
\$100,000 - 199,999	396	57,152	349	87.3	83.4-91.2	40	9.8	06.5-13.1	4	2.0	00.0-04.2										3	0.8	00.0-01.6
\$200,000+	111	15,769	93	79.4	70.0-88.8	15	18.5	09.3-27.7	1	0.4	00.0-01.2	1	1.2	00.0-03.6							1	0.4	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2029	290,864	1849	91.6	90.2-93.0	97	5.1	03.9-06.3	4	0.2	00.0-00.4	2	0.2	00.0-00.6	77	2.9	02.1-03.7
Native	70	12,117	59	87.9	80.5-95.3	4	3.9	00.0-08.0	1	0.8	00.0-02.4				6	7.4	01.1-13.7
Non-Native	1931	275,412	1762	91.7	90.1-93.3	93	5.2	03.8-06.6	3	0.2	00.0-00.4	2	0.2	00.0-00.6	71	2.7	01.9-03.5
18-24	137	39,297	134	96.4	92.3-0100	3	3.6	00.0-07.7									
25-34	185	51,969	178	95.1	91.4-98.8	7	4.9	01.2-08.6									
35-44	234	47,628	219	93.0	89.1-96.9	11	4.8	01.5-08.1	1	0.4	00.0-01.2	1	0.9	00.0-02.7	2	0.9	00.0-02.3
45-54	257	37,126	236	91.6	87.9-95.3	18	6.9	03.6-10.2	1	0.6	00.0-01.8	1	0.2	00.0-00.6	1	0.7	00.0-02.1
55-64	357	43,473	328	92.4	89.5-95.3	19	5.0	02.5-07.5	2	0.5	00.0-01.1				8	2.1	00.5-03.7
65+	859	71,371	754	85.1	82.2-88.0	39	5.3	03.3-07.3							66	9.5	07.1-11.9
Less Than H.S.	69	17,094	54	84.5	75.3-93.7	2	5.3	00.0-12.6							13	10.3	04.2-16.4
H.S. or G.E.D.	471	70,009	413	88.1	84.4-91.8	23	6.7	03.4-10.0				1	0.6	00.0-01.8	34	4.6	02.8-06.4
Some Post-H.S.	652	111,237	602	92.7	90.5-94.9	29	4.4	02.6-06.2	3	0.5	00.0-01.1				18	2.3	01.1-03.5
College Graduate	836	92,174	779	94.3	92.5-96.1	43	4.7	03.1-06.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	12	0.9	00.3-01.5
Less than \$15,000	87	13,111	66	79.8	69.8-89.8	4	6.9	00.0-14.9							17	13.3	06.2-20.4
\$15,000- 24,999	158	19,907	137	89.3	84.2-94.4	4	2.3	00.0-04.8	1	0.5	00.0-01.5				16	7.9	03.6-12.2
\$25,000- 34,999	197	28,490	183	91.6	86.9-96.3	7	4.9	00.8-09.0							7	3.6	00.9-06.3
\$35,000- 49,999	237	31,846	216	90.2	85.1-95.3	12	5.7	01.6-09.8				1	1.4	00.0-04.1	8	2.8	00.6-05.0
\$50,000- 99,999	567	78,757	528	93.4	90.9-95.9	34	6.2	03.7-08.7	1	0.1	00.0-00.3				4	0.3	00.0-00.7
\$100,000 - 199,999	300	48,317	282	95.6	93.2-98.0	18	4.4	02.0-06.8									
\$200,000+	54	9,294	52	96.7	92.2-0100	2	3.3	00.0-07.8									

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 37: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4136	596,805	518	11.2	10.0-12.4	3618	88.8	87.6-90.0
Male	2099	304,301	458	18.6	16.6-20.6	1641	81.4	79.4-83.4
Female	2037	292,503	60	3.6	02.4-04.8	1977	96.4	95.2-97.6
Native	132	23,182	12	6.4	02.1-10.7	120	93.6	89.3-97.9
Non-Native	3925	563,113	495	11.3	10.1-12.5	3430	88.7	87.5-89.9
18-24	295	82,791	20	7.5	04.0-11.0	275	92.5	89.0-96.0
25-34	449	111,090	44	10.8	07.5-14.1	405	89.2	85.9-92.5
35-44	495	100,277	47	10.1	07.2-13.0	448	89.9	87.0-92.8
45-54	540	79,425	54	9.4	06.9-11.9	486	90.6	88.1-93.1
55-64	747	89,501	85	11.5	09.0-14.0	662	88.5	86.0-91.0
65+	1610	133,719	268	15.6	13.6-17.6	1342	84.4	82.4-86.4
Less Than H.S.	177	44,260	23	10.8	06.1-15.5	154	89.2	84.5-93.9
H.S. or G.E.D.	1056	160,197	122	10.0	07.8-12.2	934	90.0	87.8-92.2
Some Post-H.S.	1305	226,490	172	13.1	10.9-15.3	1133	86.9	84.7-89.1
College Graduate	1592	164,753	200	10.0	08.4-11.6	1392	90.0	88.4-91.6
Less than \$15,000	143	21,539	16	7.5	03.2-11.8	127	92.5	88.2-96.8
\$15,000- 24,999	277	36,570	27	9.2	04.9-13.5	250	90.8	86.5-95.1
\$25,000- 34,999	366	53,297	46	12.5	07.8-17.2	320	87.5	82.8-92.2
\$35,000- 49,999	489	65,760	75	12.5	09.2-15.8	414	87.5	84.2-90.8
\$50,000- 99,999	1231	175,488	188	14.1	11.7-16.5	1043	85.9	83.5-88.3
\$100,000 - 199,999	696	105,515	80	11.2	08.3-14.1	616	88.8	85.9-91.7
\$200,000+	167	25,516	13	7.3	02.8-11.8	154	92.7	88.2-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2099	304,301	458	18.6	16.6-20.6	1641	81.4	79.4-83.4
Native	62	11,065	10	11.0	02.8-19.2	52	89.0	80.8-97.2
Non-Native	1988	286,344	437	18.8	16.8-20.8	1551	81.2	79.2-83.2
18-24	158	43,572	14	9.9	04.6-15.2	144	90.1	84.8-95.4
25-34	265	59,264	36	15.3	10.4-20.2	229	84.7	79.8-89.6
35-44	261	52,649	37	15.9	10.8-21.0	224	84.1	79.0-89.2
45-54	279	41,442	43	14.5	10.2-18.8	236	85.5	81.2-89.8
55-64	387	45,403	71	19.3	14.8-23.8	316	80.7	76.2-85.2
65+	749	61,970	257	32.3	28.4-36.2	492	67.7	63.8-71.6
Less Than H.S.	106	26,393	23	18.0	10.4-25.6	83	82.0	74.4-89.6
H.S. or G.E.D.	584	90,153	111	15.1	11.8-18.4	473	84.9	81.6-88.2
Some Post-H.S.	650	114,673	153	22.1	18.4-25.8	497	77.9	74.2-81.6
College Graduate	754	72,329	170	17.5	14.6-20.4	584	82.5	79.6-85.4
Less than \$15,000	55	8,010	13	16.5	06.1-26.9	42	83.5	73.1-93.9
\$15,000- 24,999	119	16,663	21	14.2	07.3-21.1	98	85.8	78.9-92.7
\$25,000- 34,999	168	24,617	43	23.6	15.2-32.0	125	76.4	68.0-84.8
\$35,000- 49,999	253	33,956	69	21.2	15.5-26.9	184	78.8	73.1-84.5
\$50,000- 99,999	663	96,643	165	22.1	18.4-25.8	498	77.9	74.2-81.6
\$100,000 - 199,999	396	57,199	70	16.3	12.2-20.4	326	83.7	79.6-87.8
\$200,000+	111	15,769	12	11.2	04.3-18.1	99	88.8	81.9-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2037	292,503	60	3.6	02.4-04.8	1977	96.4	95.2-97.6
Native	70	12,117	2	2.2	00.0-05.1	68	97.8	94.9-0100
Non-Native	1937	276,769	58	3.7	02.5-04.9	1879	96.3	95.1-97.5
18-24	137	39,219	6	4.9	00.6-09.2	131	95.1	90.8-99.4
25-34	184	51,826	8	5.7	01.4-10.0	176	94.3	90.0-98.6
35-44	234	47,628	10	3.6	01.2-06.0	224	96.4	94.0-98.8
45-54	261	37,983	11	3.9	01.5-06.3	250	96.1	93.7-98.5
55-64	360	44,098	14	3.4	01.4-05.4	346	96.6	94.6-98.6
65+	861	71,749	11	1.2	00.4-02.0	850	98.8	98.0-99.6
Less Than H.S.	71	17,867				71	100.0	0100-0100
H.S. or G.E.D.	472	70,045	11	3.4	00.9-05.9	461	96.6	94.1-99.1
Some Post-H.S.	655	111,817	19	3.9	01.7-06.1	636	96.1	93.9-98.3
College Graduate	838	92,424	30	4.1	02.5-05.7	808	95.9	94.3-97.5
Less than \$15,000	88	13,528	3	2.2	00.0-05.1	85	97.8	94.9-0100
\$15,000- 24,999	158	19,907	6	5.0	00.0-10.9	152	95.0	89.1-0100
\$25,000- 34,999	198	28,679	3	3.0	00.0-07.3	195	97.0	92.7-0100
\$35,000- 49,999	236	31,804	6	3.2	00.3-06.1	230	96.8	93.9-99.7
\$50,000- 99,999	568	78,845	23	4.4	02.4-06.4	545	95.6	93.6-97.6
\$100,000 - 199,999	300	48,317	10	5.2	01.3-09.1	290	94.8	90.9-98.7
\$200,000+	56	9,747	1	1.0	00.0-03.0	55	99.0	97.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 40: ARE YOU CURRENTLY...? (EMPLOY1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4096	589,679	2302	65.9	64.1-67.7	90	2.9	02.1-03.7	107	3.2	02.4-04.0	108	4.8	03.8-05.8	1357	19.5	18.3-20.7	132	3.7	02.9-04.5
Male	2078	300,809	1302	71.7	69.5-73.9	47	2.9	01.9-03.9	5	0.2	00.0-00.4	61	5.0	03.6-06.4	608	17.5	15.9-19.1	55	2.7	01.9-03.5
Female	2018	288,870	1000	59.9	57.4-62.4	43	2.9	01.9-03.9	102	6.3	04.9-07.7	47	4.5	03.1-05.9	749	21.6	19.8-23.4	77	4.8	03.4-06.2
Native	130	23,250	74	59.7	49.5-69.9	6	10.2	01.6-18.8	2	2.0	00.0-04.7	6	7.2	01.3-13.1	32	14.2	08.5-19.9	10	6.6	02.3-10.9
Non-Native	3897	557,273	2196	66.4	64.6-68.2	79	2.5	01.9-03.1	101	3.2	02.4-04.0	98	4.6	03.6-05.6	1305	19.7	18.5-20.9	118	3.5	02.7-04.3
18-24	294	82,294	200	66.3	60.4-72.2	15	5.2	02.5-07.9	1	0.5	00.0-01.5	73	25.9	20.4-31.4				5	2.1	00.1-04.1
25-34	445	110,064	376	82.4	78.3-86.5	15	4.3	01.9-06.7	11	3.6	01.4-05.8	27	5.3	03.1-07.5	2	0.4	00.0-01.0	14	4.1	01.7-06.5
35-44	484	97,559	424	87.3	84.0-90.6	14	2.6	01.2-04.0	24	5.6	03.2-08.0	4	0.7	00.1-01.3	5	1.1	00.1-02.1	13	2.8	01.2-04.4
45-54	529	77,838	460	86.8	83.7-89.9	10	2.0	00.8-03.2	15	3.4	01.6-05.2	3	0.3	00.0-00.7	18	3.0	01.4-04.6	23	4.5	02.5-06.5
55-64	741	88,795	533	70.8	67.1-74.5	24	3.1	01.7-04.5	18	3.1	01.3-04.9				121	16.2	13.3-19.1	45	6.7	04.5-08.9
65+	1603	133,130	309	21.0	18.6-23.4	12	0.9	00.3-01.5	38	2.6	01.6-03.6	1	0.1	00.0-00.3	1211	72.8	70.3-75.3	32	2.7	01.5-03.9
Less Than H.S.	177	44,622	66	49.8	40.6-59.0	6	4.3	00.2-08.4	11	5.8	01.9-09.7	4	5.1	00.0-10.4	71	23.5	17.2-29.8	19	11.4	05.5-17.3
H.S. or G.E.D.	1042	157,538	548	65.0	61.7-68.3	30	3.8	02.2-05.4	25	3.0	01.4-04.6	14	2.5	01.1-03.9	382	20.7	18.3-23.1	43	5.0	03.2-06.8
Some Post-H.S.	1295	223,270	711	64.9	62.0-67.8	30	2.9	01.7-04.1	42	3.5	02.3-04.7	51	6.6	04.8-08.4	418	19.4	17.4-21.4	43	2.8	01.8-03.8
College Graduate	1579	163,528	974	72.5	70.1-74.9	24	1.6	00.8-02.4	29	2.2	01.2-03.2	39	4.4	02.8-06.0	486	17.6	15.8-19.4	27	1.7	00.9-02.5
Less than \$15,000	143	21,539	25	23.2	13.4-33.0	22	17.1	09.3-24.9	3	2.5	00.0-07.0	15	15.6	08.0-23.2	46	18.7	12.4-25.0	32	22.9	14.5-31.3
\$15,000- 24,999	274	35,822	66	36.3	28.3-44.3	11	5.3	02.0-08.6	6	2.5	00.0-05.4	21	14.1	08.2-20.0	139	30.8	24.7-36.9	31	11.0	06.7-15.3
\$25,000- 34,999	363	53,040	146	53.1	46.6-59.6	12	4.3	01.6-07.0	6	2.0	00.2-03.8	14	5.6	02.5-08.7	174	29.5	24.4-34.6	11	5.5	01.6-09.4
\$35,000- 49,999	487	64,880	235	63.4	58.5-68.3	9	2.3	00.7-03.9	9	2.3	00.5-04.1	5	1.8	00.0-03.8	216	26.9	22.8-31.0	13	3.3	01.3-05.3
\$50,000- 99,999	1228	174,850	794	75.2	72.5-77.9	12	1.3	00.3-02.3	24	2.0	01.0-03.0	13	2.2	00.8-03.6	373	18.0	15.8-20.2	12	1.2	00.2-02.2
\$100,000 - 199,999	695	105,158	553	83.7	80.6-86.8	5	0.8	00.0-01.6	18	4.0	01.8-06.2	10	2.4	00.8-04.0	106	8.7	06.7-10.7	3	0.5	00.0-01.1
\$200,000+	166	25,024	144	89.4	84.3-94.5	2	1.7	00.0-04.1	7	5.0	01.1-08.9				13	3.9	01.5-06.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2078	300,809	1302	71.7	69.5-73.9	47	2.9	01.9-03.9	5	0.2	00.0-00.4	61	5.0	03.6-06.4	608	17.5	15.9-19.1	55	2.7	01.9-03.5
Native	60	11,133	40	69.5	54.4-84.6	3	11.5	00.0-25.2				3	8.7	00.0-18.1	13	9.0	03.1-14.9	1	1.2	00.0-03.6
Non-Native	1975	283,676	1241	72.3	70.1-74.5	40	2.4	01.6-03.2	5	0.2	00.0-00.4	55	4.8	03.4-06.2	582	17.5	15.9-19.1	52	2.7	01.9-03.5
18-24	157	43,075	106	65.8	57.6-74.0	8	5.4	01.5-09.3				40	26.4	19.0-33.8				3	2.4	00.0-05.5
25-34	263	59,047	230	87.5	83.0-92.0	8	4.1	01.0-07.2				17	5.4	02.7-08.1	2	0.7	00.0-01.9	6	2.3	00.3-04.3
35-44	254	51,533	234	93.8	91.1-96.5	6	1.8	00.2-03.4	2	0.5	00.0-01.3	1	0.3	00.0-00.9	3	1.0	00.0-02.2	8	2.6	00.8-04.4
45-54	273	40,461	250	92.6	89.3-95.9	5	1.8	00.2-03.4	1	0.4	00.0-01.2	3	0.7	00.0-01.5	8	2.3	00.5-04.1	6	2.3	00.1-04.5
55-64	384	44,968	295	75.1	70.0-80.2	13	3.2	01.4-05.0	1	0.2	00.0-00.6				57	16.9	12.4-21.4	18	4.6	02.2-07.0
65+	747	61,724	187	26.3	22.6-30.0	7	1.3	00.1-02.5	1	0.1	00.0-00.3				538	69.9	66.2-73.6	14	2.3	00.9-03.7
Less Than H.S.	106	26,755	50	56.6	45.4-67.8	6	7.2	00.5-13.9				3	5.3	00.0-11.4	40	24.8	16.6-33.0	7	6.1	00.6-11.6
H.S. or G.E.D.	576	88,536	369	74.1	70.2-78.0	17	4.0	01.8-06.2	2	0.3	00.0-00.7	7	2.1	00.5-03.7	159	15.8	13.1-18.5	22	3.7	01.9-05.5
Some Post-H.S.	644	113,186	409	72.1	68.4-75.8	14	2.1	00.9-03.3	1	0.1	00.0-00.3	29	7.2	04.7-09.7	176	16.6	14.1-19.1	15	1.9	00.9-02.9
College Graduate	750	71,960	472	73.7	70.4-77.0	10	1.1	00.3-01.9	2	0.4	00.0-01.0	22	4.9	02.7-07.1	233	18.3	15.8-20.8	11	1.6	00.6-02.6
Less than \$15,000	55	8,010	10	28.9	09.9-47.9	10	14.3	03.9-24.7				7	15.8	04.2-27.4	14	21.4	09.1-33.7	14	19.6	08.0-31.2
\$15,000- 24,999	116	15,915	32	37.0	25.0-49.0	8	7.7	02.4-13.0	2	1.3	00.0-03.1	14	19.3	09.7-28.9	49	27.3	18.7-35.9	11	7.4	02.9-11.9
\$25,000- 34,999	166	24,373	80	61.7	52.9-70.5	1	0.5	00.0-01.5	1	0.3	00.0-00.9	6	5.7	01.0-10.4	73	27.9	20.5-35.3	5	3.8	00.3-07.3
\$35,000- 49,999	251	33,480	127	66.0	59.5-72.5	8	3.9	01.0-06.8				1	0.2	00.0-00.6	111	27.7	22.0-33.4	4	2.2	00.0-04.6
\$50,000- 99,999	662	96,248	450	77.8	74.1-81.5	8	1.7	00.3-03.1	1	0.2	00.0-00.6	7	2.4	00.4-04.4	187	16.3	13.6-19.0	9	1.7	00.1-03.3
\$100,000 - 199,999	395	56,842	320	87.4	84.1-90.7	2	0.6	00.0-01.6	1	0.3	00.0-00.9	6	2.8	00.6-05.0	65	8.5	06.1-10.9	1	0.4	00.0-01.2
\$200,000+	111	15,769	101	94.1	90.0-98.2	1	1.3	00.0-03.7							9	4.7	01.4-08.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2018	288,870	1000	59.9	57.4-62.4	43	2.9	01.9-03.9	102	6.3	04.9-07.7	47	4.5	03.1-05.9	749	21.6	19.8-23.4	77	4.8	03.4-06.2
Native	70	12,117	34	50.8	37.3-64.3	3	9.1	00.0-19.7	2	3.9	00.0-09.2	3	5.7	00.0-12.6	19	18.9	09.9-27.9	9	11.6	03.8-19.4
Non-Native	1922	273,597	955	60.4	57.9-62.9	39	2.6	01.6-03.6	96	6.3	04.9-07.7	43	4.5	03.1-05.9	723	21.9	20.1-23.7	66	4.4	03.0-05.8
18-24	137	39,219	94	66.9	58.1-75.7	7	4.9	01.0-08.8	1	1.1	00.0-03.3	33	25.4	17.4-33.4				2	1.7	00.0-04.1
25-34	182	51,016	146	76.5	69.4-83.6	7	4.5	01.2-07.8	11	7.8	03.3-12.3	10	5.0	01.7-08.3				8	6.2	01.7-10.7
35-44	230	46,026	190	80.0	73.9-86.1	8	3.5	01.0-06.0	22	11.3	06.4-16.2	3	1.0	00.0-02.2	2	1.2	00.0-03.0	5	2.9	00.4-05.4
45-54	256	37,376	210	80.5	75.2-85.8	5	2.2	00.2-04.2	14	6.6	03.1-10.1				10	3.8	01.3-06.3	17	6.9	03.6-10.2
55-64	357	43,827	238	66.3	60.6-72.0	11	3.1	00.9-05.3	17	6.1	02.8-09.4				64	15.5	11.6-19.4	27	9.0	05.3-12.7
65+	856	71,406	122	16.4	13.3-19.5	5	0.6	00.0-01.2	37	4.7	03.1-06.3	1	0.1	00.0-00.3	673	75.3	71.8-78.8	18	3.0	01.2-04.8
Less Than H.S.	71	17,867	16	39.7	24.4-55.0				11	14.4	04.8-24.0	1	5.0	00.0-14.4	31	21.4	12.4-30.4	12	19.4	07.6-31.2
H.S. or G.E.D.	466	69,002	179	53.4	47.9-58.9	13	3.6	01.4-05.8	23	6.5	03.2-09.8	7	3.0	00.6-05.4	223	26.8	22.9-30.7	21	6.7	03.6-09.8
Some Post-H.S.	651	110,084	302	57.4	53.1-61.7	16	3.7	01.7-05.7	41	6.9	04.5-09.3	22	5.9	03.4-08.4	242	22.3	19.2-25.4	28	3.8	02.2-05.4
College Graduate	829	91,568	502	71.4	68.1-74.7	14	2.0	00.8-03.2	27	3.7	02.1-05.3	17	4.0	02.0-06.0	253	17.1	14.7-19.5	16	1.7	00.7-02.7
Less than \$15,000	88	13,528	15	19.7	09.5-29.9	12	18.7	07.9-29.5	3	4.0	00.0-11.3	8	15.5	05.3-25.7	32	17.1	10.0-24.2	18	24.8	13.4-36.2
\$15,000- 24,999	158	19,907	34	35.8	24.8-46.8	3	3.4	00.0-07.3	4	3.4	00.0-08.5	7	9.9	02.6-17.2	90	33.5	25.3-41.7	20	13.9	07.2-20.6
\$25,000- 34,999	197	28,667	66	45.9	37.1-54.7	11	7.4	02.3-12.5	5	3.4	00.1-06.7	8	5.6	01.7-09.5	101	30.9	23.8-38.0	6	6.9	00.2-13.6
\$35,000- 49,999	236	31,401	108	60.7	53.3-68.1	1	0.6	00.0-01.8	9	4.7	01.0-08.4	4	3.4	00.0-07.3	105	26.2	20.3-32.1	9	4.4	01.3-07.5
\$50,000- 99,999	566	78,602	344	72.1	68.0-76.2	4	0.8	00.0-01.8	23	4.3	02.1-06.5	6	2.0	00.2-03.8	186	20.2	16.9-23.5	3	0.6	00.0-01.4
\$100,000 - 199,999	300	48,317	233	79.4	74.1-84.7	3	1.0	00.0-02.4	17	8.2	03.9-12.5	4	1.9	00.0-03.9	41	8.9	05.8-12.0	2	0.6	00.0-01.8
\$200,000+	55	9,255	43	81.3	70.1-92.5	1	2.5	00.0-07.4	7	13.6	03.4-23.8				4	2.6	00.0-05.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 43: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4085	586,251	333	11.3	10.1-12.5	307	10.6	09.4-11.8	152	5.4	04.4-06.4	57	2.1	01.5-02.7	37	1.6	01.0-02.2	3199	68.9	67.1-70.7
Male	2065	298,710	169	11.0	09.2-12.8	150	10.2	08.4-12.0	82	5.6	04.2-07.0	32	2.3	01.3-03.3	18	1.6	00.8-02.4	1614	69.3	66.8-71.8
Female	2020	287,541	164	11.6	09.6-13.6	157	11.1	09.1-13.1	70	5.3	03.9-06.7	25	1.9	01.1-02.7	19	1.6	00.8-02.4	1585	68.4	65.7-71.1
Native	131	23,476	24	20.3	12.1-28.5	12	8.6	03.3-13.9	5	6.0	00.3-11.7	5	3.4	00.5-06.3	6	7.6	01.3-13.9	79	54.1	43.9-64.3
Non-Native	3879	552,852	305	11.0	09.6-12.4	288	10.7	09.3-12.1	147	5.5	04.5-06.5	51	2.1	01.5-02.7	31	1.4	00.8-02.0	3057	69.3	67.3-71.3
18-24	292	81,847	36	12.8	08.5-17.1	20	6.7	03.8-09.6	6	2.7	00.3-05.1	1	0.7	00.0-02.1	8	3.5	01.0-06.0	221	73.6	67.9-79.3
25-34	440	108,259	65	15.9	12.2-19.6	66	16.3	12.4-20.2	31	7.8	04.9-10.7	13	3.7	01.5-05.9	9	2.5	00.7-04.3	256	53.7	48.6-58.8
35-44	483	97,234	85	18.3	14.6-22.0	126	27.3	22.8-31.8	75	16.5	12.6-20.4	33	6.3	03.9-08.7	19	3.9	01.9-05.9	145	27.7	23.4-32.0
45-54	523	77,021	91	18.5	14.8-22.2	71	12.8	09.9-15.7	27	4.8	02.8-06.8	7	1.7	00.3-03.1	1	0.3	00.0-00.9	326	62.0	57.5-66.5
55-64	743	88,908	43	5.9	03.9-07.9	19	2.6	01.0-04.2	7	1.0	00.2-01.8	3	0.5	00.0-01.1				671	90.0	87.5-92.5
65+	1604	132,982	13	1.0	00.4-01.6	5	0.3	00.0-00.7	6	0.4	00.0-00.8							1580	98.3	97.5-99.1
Less Than H.S.	175	43,714	11	7.9	03.0-12.8	11	9.5	03.4-15.6	4	6.2	00.3-12.1	2	1.8	00.0-04.5	3	2.9	00.0-06.2	144	71.7	62.7-80.7
H.S. or G.E.D.	1046	157,582	82	12.6	09.9-15.3	64	9.5	07.1-11.9	31	4.8	03.0-06.6	13	1.9	00.7-03.1	12	2.4	01.0-03.8	844	68.8	65.1-72.5
Some Post-H.S.	1291	222,364	104	10.2	08.2-12.2	83	9.8	07.6-12.0	48	5.4	03.8-07.0	22	2.5	01.3-03.7	12	1.5	00.7-02.3	1022	70.6	67.5-73.7
College Graduate	1571	161,968	135	12.4	10.2-14.6	149	13.2	11.0-15.4	69	5.8	04.4-07.2	20	1.8	01.0-02.6	10	0.8	00.2-01.4	1188	66.0	63.1-68.9
Less than \$15,000	143	21,539	4	5.3	00.0-11.2	6	5.3	01.0-09.6	1	0.3	00.0-00.9	2	3.1	00.0-07.4	3	5.0	00.0-10.7	127	81.0	71.8-90.2
\$15,000- 24,999	277	36,570	12	7.1	03.0-11.2	6	3.0	00.0-06.1	7	5.6	00.7-10.5				1	0.9	00.0-02.7	251	83.3	76.4-90.2
\$25,000- 34,999	365	52,665	23	8.9	05.0-12.8	17	9.3	04.4-14.2	9	5.8	01.7-09.9	5	2.3	00.3-04.3				311	73.7	67.0-80.4
\$35,000- 49,999	488	65,556	35	11.0	07.1-14.9	19	5.6	02.5-08.7	10	3.4	01.0-05.8	6	1.7	00.1-03.3	5	1.8	00.2-03.4	413	76.5	71.4-81.6
\$50,000- 99,999	1228	174,946	103	11.7	09.3-14.1	97	11.7	09.2-14.2	47	5.4	03.6-07.2	21	2.9	01.5-04.3	12	1.6	00.6-02.6	948	66.7	63.2-70.2
\$100,000 - 199,999	694	105,115	83	14.9	11.6-18.2	96	16.2	13.1-19.3	48	8.8	06.3-11.3	16	3.0	01.4-04.6	7	1.2	00.2-02.2	444	55.9	51.6-60.2
\$200,000+	167	25,516	21	15.0	08.7-21.3	29	20.0	12.7-27.3	17	11.6	05.9-17.3	2	1.7	00.0-04.1	2	2.1	00.0-05.0	96	49.7	41.1-58.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2065	298,710	169	11.0	09.2-12.8	150	10.2	08.4-12.0	82	5.6	04.2-07.0	32	2.3	01.3-03.3	18	1.6	00.8-02.4	1614	69.3	66.8-71.8
Native	63	11,759	12	19.6	08.0-31.2	2	3.0	00.0-07.5	1	1.7	00.0-05.0	3	3.6	00.0-07.7	4	9.9	00.0-19.9	41	62.1	47.8-76.4
Non-Native	1956	280,442	155	10.8	09.0-12.6	145	10.5	08.7-12.3	81	5.9	04.5-07.3	28	2.3	01.3-03.3	14	1.3	00.5-02.1	1533	69.3	66.8-71.8
18-24	157	43,216	17	11.4	05.9-16.9	12	6.5	02.8-10.2	5	4.0	00.1-07.9	1	1.4	00.0-04.1	4	3.3	00.0-06.6	118	73.3	65.7-80.9
25-34	259	57,752	35	14.8	10.1-19.5	33	14.1	09.2-19.0	14	5.7	02.6-08.8	5	2.7	00.2-05.2	5	2.5	00.1-04.9	167	60.2	53.5-66.9
35-44	253	51,151	40	15.2	10.5-19.9	59	26.3	19.8-32.8	34	15.5	10.0-21.0	18	6.5	03.4-09.6	8	3.5	01.0-06.0	94	33.0	26.9-39.1
45-54	268	40,019	45	19.3	14.0-24.6	34	11.8	07.7-15.9	22	7.6	04.3-10.9	6	2.8	00.4-05.2	1	0.5	00.0-01.5	160	58.0	51.5-64.5
55-64	383	44,810	25	7.0	04.3-09.7	9	2.0	00.6-03.4	4	1.2	00.0-02.4	2	0.7	00.0-01.7				343	89.1	85.8-92.4
65+	745	61,763	7	1.3	00.3-02.3	3	0.5	00.0-01.1	3	0.3	00.0-00.7							732	97.9	96.7-99.1
Less Than H.S.	106	26,503	8	7.6	02.1-13.1	5	8.3	00.7-15.9	2	5.6	00.0-13.0	2	3.0	00.0-07.7	2	3.5	00.0-08.4	87	72.0	60.4-83.6
H.S. or G.E.D.	579	89,153	50	12.9	09.4-16.4	42	9.9	06.8-13.0	16	4.5	02.1-06.9	11	2.7	01.1-04.3	7	2.2	00.4-04.0	453	67.8	63.1-72.5
Some Post-H.S.	640	112,257	54	10.0	07.3-12.7	52	11.3	08.2-14.4	32	6.4	04.0-08.8	10	2.1	00.5-03.7	6	1.4	00.2-02.6	486	68.8	64.5-73.1
College Graduate	739	70,525	57	11.6	08.7-14.5	51	9.5	07.0-12.0	32	5.6	03.6-07.6	9	1.9	00.5-03.3	3	0.7	00.0-01.5	587	70.7	66.8-74.6
Less than \$15,000	55	8,010				2	4.7	00.0-11.6							2	7.1	00.0-16.5	51	88.2	77.0-99.4
\$15,000- 24,999	119	16,663	6	6.7	01.0-12.4	3	2.7	00.0-06.0	4	7.8	00.0-17.2							106	82.8	72.2-93.4
\$25,000- 34,999	168	24,617	9	8.4	02.1-14.7	9	10.3	02.5-18.1	3	2.4	00.0-05.3	2	1.7	00.0-04.1				145	77.3	67.9-86.7
\$35,000- 49,999	252	33,844	17	10.2	05.1-15.3	11	6.2	02.3-10.1	4	3.2	00.0-06.5	3	1.3	00.0-02.9	3	2.0	00.0-04.2	214	77.1	70.2-84.0
\$50,000- 99,999	661	96,476	53	10.7	07.8-13.6	54	11.9	08.6-15.2	27	6.1	03.6-08.6	13	3.6	01.4-05.8	6	1.7	00.1-03.3	508	66.0	61.3-70.7
\$100,000 - 199,999	394	56,798	46	14.6	10.5-18.7	43	14.4	10.1-18.7	29	9.5	06.0-13.0	10	3.0	01.0-05.0	2	0.8	00.0-02.0	264	57.7	52.0-63.4
\$200,000+	111	15,769	14	15.7	07.7-23.7	13	13.6	06.2-21.0	11	11.4	04.5-18.3	2	2.7	00.0-06.6	2	3.4	00.0-08.1	69	53.3	42.7-63.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2020	287,541	164	11.6	09.6-13.6	157	11.1	09.1-13.1	70	5.3	03.9-06.7	25	1.9	01.1-02.7	19	1.6	00.8-02.4	1585	68.4	65.7-71.1
Native	68	11,717	12	21.0	09.0-33.0	10	14.2	05.0-23.4	4	10.2	00.0-20.6	2	3.1	00.0-07.4	2	5.3	00.0-12.4	38	46.1	32.6-59.6
Non-Native	1923	272,410	150	11.3	09.3-13.3	143	10.8	08.8-12.8	66	5.1	03.7-06.5	23	1.9	01.1-02.7	17	1.5	00.7-02.3	1524	69.4	66.7-72.1
18-24	135	38,631	19	14.4	07.9-20.9	8	6.9	02.2-11.6	1	1.2	00.0-03.6				4	3.6	00.0-07.3	103	73.9	65.7-82.1
25-34	181	50,507	30	17.3	11.4-23.2	33	18.9	12.6-25.2	17	10.2	05.1-15.3	8	5.0	01.7-08.3	4	2.5	00.0-05.2	89	46.2	38.4-54.0
35-44	230	46,083	45	21.6	15.5-27.7	67	28.4	21.7-35.1	41	17.6	12.1-23.1	15	6.0	02.7-09.3	11	4.5	01.6-07.4	51	21.9	16.0-27.8
45-54	255	37,002	46	17.7	12.6-22.8	37	13.8	09.3-18.3	5	1.7	00.1-03.3	1	0.4	00.0-01.2				166	66.3	60.0-72.6
55-64	360	44,098	18	4.8	02.4-07.2	10	3.2	00.7-05.7	3	0.8	00.0-01.8	1	0.3	00.0-00.9				328	90.9	87.2-94.6
65+	859	71,219	6	0.7	00.1-01.3	2	0.2	00.0-00.4	3	0.5	00.0-01.1							848	98.6	97.6-99.6
Less Than H.S.	69	17,211	3	8.2	00.0-17.2	6	11.5	01.5-21.5	2	7.0	00.0-16.4				1	2.1	00.0-06.2	57	71.2	56.7-85.7
H.S. or G.E.D.	467	68,429	32	12.2	08.1-16.3	22	8.9	05.2-12.6	15	5.2	02.5-07.9	2	1.0	00.0-02.4	5	2.7	00.3-05.1	391	70.0	64.3-75.7
Some Post-H.S.	651	110,107	50	10.4	07.5-13.3	31	8.3	05.4-11.2	16	4.4	02.2-06.6	12	3.0	01.2-04.8	6	1.6	00.2-03.0	536	72.4	67.9-76.9
College Graduate	832	91,443	78	13.0	10.1-15.9	98	16.1	13.0-19.2	37	6.0	04.0-08.0	11	1.8	00.6-03.0	7	0.9	00.3-01.5	601	62.3	58.4-66.2
Less than \$15,000	88	13,528	4	8.4	00.0-17.4	4	5.6	00.1-11.1	1	0.5	00.0-01.5	2	5.0	00.0-11.9	1	3.8	00.0-11.1	76	76.7	64.2-89.2
\$15,000- 24,999	158	19,907	6	7.5	01.6-13.4	3	3.3	00.0-08.4	3	3.7	00.0-08.0				1	1.7	00.0-05.0	145	83.7	74.9-92.5
\$25,000- 34,999	197	28,048	14	9.3	04.2-14.4	8	8.5	02.4-14.6	6	8.7	01.6-15.8	3	2.9	00.0-06.0				166	70.5	61.3-79.7
\$35,000- 49,999	236	31,713	18	11.8	06.1-17.5	8	5.0	00.3-09.7	6	3.5	00.4-06.6	3	2.0	00.0-04.5	2	1.7	00.0-04.1	199	75.9	68.3-83.5
\$50,000- 99,999	567	78,470	50	12.9	09.2-16.6	43	11.5	07.8-15.2	20	4.5	02.3-06.7	8	2.0	00.4-03.6	6	1.5	00.0-03.1	440	67.6	62.7-72.5
\$100,000 - 199,999	300	48,317	37	15.2	10.1-20.3	53	18.3	13.4-23.2	19	8.1	04.2-12.0	6	2.9	00.4-05.4	5	1.8	00.0-03.6	180	53.8	47.1-60.5
\$200,000+	56	9,747	7	13.8	03.8-23.8	16	30.5	16.4-44.6	6	11.8	02.2-21.4							27	43.9	29.0-58.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 46: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$25,000			\$25,000- 34,999			\$35,000- 49,999			\$50,000- 99,999			\$100,000 - 199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2508	352,889	56	2.8	01.8-03.8	87	3.3	02.5-04.1	112	3.8	03.0-04.6	165	6.5	05.3-07.7	366	15.1	13.3-16.9	1722	68.4	66.0-70.8
Male	1259	180,084	23	2.3	01.1-03.5	32	2.1	01.3-02.9	43	3.1	02.1-04.1	76	6.2	04.4-08.0	168	13.7	11.3-16.1	917	72.6	69.5-75.7
Female	1249	172,806	33	3.3	01.9-04.7	55	4.5	02.9-06.1	69	4.6	03.2-06.0	89	6.9	04.9-08.9	198	16.6	13.9-19.3	805	64.1	60.8-67.4
Native	99	16,387	4	4.0	00.0-08.1	7	7.6	00.5-14.7	7	5.9	00.8-11.0	8	9.6	02.3-16.9	22	26.0	15.6-36.4	51	47.0	35.6-58.4
Non-Native	2382	332,664	50	2.7	01.7-03.7	79	3.1	02.3-03.9	105	3.8	02.8-04.8	154	6.3	04.9-07.7	340	14.6	12.8-16.4	1654	69.7	67.3-72.1
18-24	186	52,136	8	5.1	01.2-09.0	8	4.0	01.1-06.9	15	7.5	03.8-11.2	18	11.2	05.9-16.5	42	21.3	15.0-27.6	95	50.9	43.1-58.7
25-34	276	69,108	8	2.8	00.6-05.0	8	3.5	01.0-06.0	5	1.0	00.0-02.0	16	5.3	02.6-08.0	39	15.7	10.8-20.6	200	71.7	65.8-77.6
35-44	254	52,403	4	2.0	00.0-04.2	3	1.3	00.0-02.9	6	2.3	00.5-04.1	8	4.2	00.7-07.7	22	8.9	04.6-13.2	211	81.3	75.4-87.2
45-54	256	37,038	6	2.4	00.4-04.4	8	3.1	00.7-05.5	3	1.0	00.0-02.2	7	3.8	00.9-06.7	22	10.3	05.8-14.8	210	79.3	73.6-85.0
55-64	439	52,512	19	4.4	02.0-06.8	14	3.1	01.3-04.9	15	3.9	01.4-06.4	28	5.5	03.3-07.7	50	11.3	08.2-14.4	313	71.8	66.9-76.7
65+	1097	89,694	11	1.2	00.4-02.0	46	4.1	02.7-05.5	68	6.0	04.4-07.6	88	7.8	06.0-09.6	191	18.9	16.0-21.8	693	62.0	58.7-65.3
Less Than H.S.	116	28,512	4	5.6	00.0-12.1	10	4.8	01.5-08.1	11	7.6	02.5-12.7	19	12.8	04.8-20.8	31	27.7	17.5-37.9	41	41.5	30.1-52.9
H.S. or G.E.D.	716	104,092	16	2.6	01.0-04.2	32	4.5	02.7-06.3	42	4.6	02.8-06.4	60	7.6	05.2-10.0	136	18.0	14.5-21.5	430	62.6	58.3-66.9
Some Post-H.S.	822	136,833	25	3.2	01.8-04.6	31	3.2	01.8-04.6	37	3.6	02.2-05.0	56	6.1	04.1-08.1	119	14.5	11.8-17.2	554	69.4	65.7-73.1
College Graduate	854	83,452	11	1.4	00.4-02.4	14	1.5	00.5-02.5	22	2.1	01.1-03.1	30	3.6	01.8-05.4	80	8.2	06.0-10.4	697	83.2	80.3-86.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$25,000			\$25,000- 34,999			\$35,000- 49,999			\$50,000- 99,999			\$100,000 - 199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1259	180,084	23	2.3	01.1-03.5	32	2.1	01.3-02.9	43	3.1	02.1-04.1	76	6.2	04.4-08.0	168	13.7	11.3-16.1	917	72.6	69.5-75.7
Non-Native	1195	170,297	19	2.1	00.9-03.3	30	2.2	01.2-03.2	41	3.2	02.0-04.4	71	6.0	04.2-07.8	153	12.9	10.4-15.4	881	73.6	70.5-76.7
18-24	94	26,476	4	6.0	00.0-12.9	1	0.7	00.0-02.1	6	5.8	01.1-10.5	8	8.3	02.4-14.2	18	19.3	10.5-28.1	57	59.9	48.9-70.9
25-34	167	37,776	7	3.7	01.0-06.4	2	1.1	00.0-02.7	4	1.4	00.0-02.8	12	6.7	02.8-10.6	19	11.1	06.0-16.2	123	76.0	69.1-82.9
35-44	130	27,191	1	0.5	00.0-01.5	2	1.7	00.0-04.1	2	1.4	00.0-03.4	5	5.3	00.0-11.2	11	9.1	02.2-16.0	109	82.1	73.3-90.9
45-54	137	20,326	3	1.9	00.0-04.4	3	1.9	00.0-04.4	2	1.0	00.0-02.4	4	4.0	00.0-08.3	13	12.4	05.5-19.3	115	80.7	72.7-88.7
55-64	219	25,761	8	2.7	00.7-04.7	8	3.1	00.7-05.5	5	1.8	00.0-03.6	18	7.3	03.8-10.8	26	12.4	07.5-17.3	154	72.7	66.4-79.0
65+	512	42,554	3	0.9	00.0-01.9	16	3.8	01.6-06.0	24	5.8	03.3-08.3	29	5.3	03.1-07.5	81	16.7	12.6-20.8	359	67.6	62.7-72.5
Less Than H.S.	75	19,466	2	5.3	00.0-13.7	4	3.6	00.0-07.3	6	5.3	00.8-09.8	7	8.5	00.0-17.1	22	29.0	16.7-41.3	34	48.3	34.6-62.0
H.S. or G.E.D.	398	58,550	6	1.6	00.2-03.0	12	2.6	00.8-04.4	15	3.4	01.2-05.6	28	6.2	03.7-08.7	63	14.6	10.5-18.7	274	71.6	66.5-76.7
Some Post-H.S.	397	67,523	9	2.0	00.4-03.6	8	1.6	00.4-02.8	9	2.2	00.6-03.8	28	6.2	03.5-08.9	48	12.0	08.5-15.5	295	76.1	71.4-80.8
College Graduate	389	34,545	6	2.5	00.5-04.5	8	1.5	00.3-02.7	13	3.0	01.2-04.8	13	4.8	01.7-07.9	35	6.8	04.3-09.3	314	81.4	76.7-86.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$25,000			\$25,000- 34,999			\$35,000- 49,999			\$50,000- 99,999			\$100,000 - 199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1249	172,806	33	3.3	01.9-04.7	55	4.5	02.9-06.1	69	4.6	03.2-06.0	89	6.9	04.9-08.9	198	16.6	13.9-19.3	805	64.1	60.8-67.4
Native	55	9,631	1	1.8	00.0-05.3	5	12.0	00.4-23.6	5	9.2	00.6-17.8	6	13.6	02.0-25.2	11	23.4	09.7-37.1	27	40.0	25.5-54.5
Non-Native	1187	162,367	31	3.3	01.9-04.7	49	4.0	02.6-05.4	64	4.4	03.0-05.8	83	6.5	04.5-08.5	187	16.3	13.6-19.0	773	65.6	62.3-68.9
18-24	92	25,659	4	4.2	00.1-08.3	7	7.5	02.0-13.0	9	9.2	03.1-15.3	10	14.1	05.3-22.9	24	23.3	14.3-32.3	38	41.7	30.7-52.7
25-34	109	31,332	1	1.6	00.0-04.7	6	6.4	01.3-11.5	1	0.6	00.0-01.8	4	3.7	00.2-07.2	20	21.1	12.3-29.9	77	66.6	56.6-76.6
35-44	124	25,212	3	3.7	00.0-08.0	1	1.0	00.0-03.0	4	3.2	00.1-06.3	3	3.0	00.0-06.5	11	8.8	03.5-14.1	102	80.4	72.8-88.0
45-54	119	16,711	6	5.4	01.1-09.7	5	4.6	00.5-08.7	1	0.9	00.0-02.7	3	3.6	00.0-07.5	9	7.8	02.7-12.9	95	77.7	69.5-85.9
55-64	220	26,751	11	5.9	01.8-10.0	6	3.1	00.6-05.6	10	6.0	01.3-10.7	10	3.7	01.2-06.2	24	10.3	06.0-14.6	159	71.0	63.7-78.3
65+	585	47,140	8	1.5	00.3-02.7	30	4.4	02.6-06.2	44	6.2	04.2-08.2	59	10.1	07.4-12.8	110	20.8	16.7-24.9	334	57.0	52.3-61.7
H.S. or G.E.D.	318	45,542	10	4.1	01.2-07.0	20	6.8	03.3-10.3	27	6.0	03.1-08.9	32	9.5	05.4-13.6	73	22.4	16.5-28.3	156	51.1	44.2-58.0
Some Post-H.S.	425	69,310	16	4.3	01.9-06.7	23	4.8	02.3-07.3	28	4.9	02.7-07.1	28	6.1	03.4-08.8	71	16.9	12.6-21.2	259	63.0	57.5-68.5
College Graduate	465	48,907	5	0.7	00.1-01.3	6	1.4	00.0-02.8	9	1.5	00.3-02.7	17	2.7	00.9-04.5	45	9.2	06.3-12.1	383	84.5	80.8-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 49: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	644	149,708	12	1.8	00.6-03.0	632	98.2	97.0-99.4
Non-Native	605	140,985	12	2.0	00.8-03.2	593	98.0	96.8-99.2
18-24	132	37,682	2	1.5	00.0-03.7	130	98.5	96.3-0100
25-34	183	51,536	9	4.1	01.4-06.8	174	95.9	93.2-98.6
35-44	229	45,947	1	0.2	00.0-00.6	228	99.8	99.4-0100
45-54	100	14,542				100	100.0	0100-0100
H.S. or G.E.D.	129	35,786	3	2.0	00.0-04.2	126	98.0	95.8-0100
Some Post-H.S.	187	54,248	1	0.6	00.0-01.8	186	99.4	98.2-0100
College Graduate	313	51,385	8	3.3	00.9-05.7	305	96.7	94.3-99.1
\$25,000- 34,999	58	15,081	1	2.2	00.0-06.5	57	97.8	93.5-0100
\$35,000- 49,999	67	15,873	4	4.9	00.0-10.0	63	95.1	90.0-0100
\$50,000- 99,999	190	40,990	2	1.2	00.0-02.8	188	98.8	97.2-0100
\$100,000 - 199,999	141	29,166	3	3.0	00.0-06.3	138	97.0	93.7-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3828	550,995	22	0.6	00.4-00.8	863	22.8	21.2-24.4	1718	44.1	42.1-46.1	891	23.4	21.8-25.0	330	9.0	08.0-10.0	4	0.2	00.0-00.4
Male	2017	291,683	1	0.0	00.0-00.0	149	8.6	07.0-10.2	931	45.5	43.0-48.0	670	32.3	29.9-34.7	263	13.3	11.5-15.1	3	0.3	00.0-00.7
Female	1811	259,312	21	1.1	00.5-01.7	714	38.8	36.1-41.5	787	42.6	39.9-45.3	221	13.3	11.3-15.3	67	4.1	02.9-05.3	1	0.1	00.0-00.3
Native	126	22,461	2	2.4	00.0-05.7	24	15.8	08.7-22.9	48	38.7	28.5-48.9	33	26.9	17.9-35.9	19	16.2	08.9-23.5			
Non-Native	3639	519,840	18	0.4	00.2-00.6	825	23.2	21.4-25.0	1641	44.3	42.3-46.3	845	23.2	21.6-24.8	306	8.7	07.7-09.7	4	0.2	00.0-00.4
18-24	283	78,766	3	0.9	00.0-01.9	91	30.5	24.8-36.2	120	44.2	37.9-50.5	51	18.1	13.2-23.0	16	5.4	02.7-08.1	2	0.9	00.0-02.3
25-34	416	103,130	1	0.2	00.0-00.6	97	25.8	21.1-30.5	185	43.3	38.0-48.6	87	20.8	16.7-24.9	46	9.9	07.0-12.8			
35-44	458	91,950	2	0.5	00.0-01.3	82	17.8	13.9-21.7	189	41.6	36.5-46.7	129	29.0	24.5-33.5	56	11.1	08.2-14.0			
45-54	472	69,379	2	0.3	00.0-00.7	74	15.7	12.0-19.4	199	42.1	37.2-47.0	136	28.3	24.0-32.6	59	13.1	09.8-16.4	2	0.4	00.0-01.0
55-64	691	83,048	2	0.5	00.0-01.3	130	19.5	16.0-23.0	284	41.5	37.4-45.6	203	28.0	24.3-31.7	72	10.5	08.0-13.0			
65+	1508	124,722	12	0.9	00.3-01.5	389	25.3	22.8-27.8	741	49.4	46.5-52.3	285	18.9	16.5-21.3	81	5.6	04.2-07.0			
Less Than H.S.	172	42,768	3	1.4	00.0-03.2	48	27.9	19.5-36.3	73	44.0	34.8-53.2	36	21.1	13.8-28.4	12	5.6	02.3-08.9			
H.S. or G.E.D.	981	148,951	8	0.9	00.3-01.5	237	23.2	20.1-26.3	419	42.5	38.8-46.2	218	22.4	19.3-25.5	97	10.6	08.4-12.8	2	0.5	00.0-01.1
Some Post-H.S.	1206	207,513	6	0.4	00.0-00.8	238	19.4	16.9-21.9	566	45.3	42.0-48.6	280	24.8	21.9-27.7	115	10.1	08.1-12.1	1	0.1	00.0-00.3
College Graduate	1466	151,156	5	0.3	00.0-00.7	339	25.8	23.1-28.5	659	44.0	41.1-46.9	356	23.0	20.6-25.4	106	6.9	05.5-08.3	1	0.1	00.0-00.3
Less than \$15,000	135	20,432	2	1.7	00.0-04.2	35	25.9	16.3-35.5	56	43.9	33.1-54.7	32	18.9	11.5-26.3	9	8.2	02.7-13.7	1	1.4	00.0-04.1
\$15,000- 24,999	263	35,098	4	1.3	00.0-03.1	74	25.1	18.8-31.4	122	49.2	41.4-57.0	40	16.0	10.3-21.7	22	8.0	04.3-11.7	1	0.4	00.0-01.2
\$25,000- 34,999	351	51,399	3	0.8	00.0-01.8	88	27.6	21.3-33.9	160	44.3	37.6-51.0	71	18.4	13.7-23.1	29	8.9	05.4-12.4			
\$35,000- 49,999	463	61,866	1	0.1	00.0-00.3	108	21.6	17.1-26.1	225	50.6	44.9-56.3	85	17.8	13.7-21.9	43	9.2	06.3-12.1	1	0.7	00.0-02.1
\$50,000- 99,999	1186	169,385	2	0.2	00.0-00.6	228	19.9	17.2-22.6	543	43.1	39.8-46.4	297	26.4	23.3-29.5	115	10.3	08.1-12.5	1	0.1	00.0-00.3
\$100,000 - 199,999	668	101,049				105	16.4	13.1-19.7	309	46.9	42.6-51.2	196	28.1	24.2-32.0	58	8.6	06.2-11.0			
\$200,000+	160	23,570	1	0.7	00.0-02.1	27	20.3	12.7-27.9	56	32.8	24.8-40.8	54	31.2	23.4-39.0	22	14.9	08.4-21.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2017	291,683	1	0.0	00.0-00.0	149	8.6	07.0-10.2	931	45.5	43.0-48.0	670	32.3	29.9-34.7	263	13.3	11.5-15.1	3	0.3	00.0-00.7
Native	61	11,158				5	8.4	00.0-17.0	23	37.4	22.3-52.5	18	28.6	15.5-41.7	15	25.6	13.1-38.1			
Non-Native	1915	274,385	1	0.0	00.0-00.0	140	8.6	06.8-10.4	889	45.7	43.0-48.4	639	32.5	30.0-35.0	243	12.8	11.0-14.6	3	0.3	00.0-00.7
18-24	151	41,464				28	18.8	11.9-25.7	77	51.4	42.8-60.0	34	22.2	14.9-29.5	10	5.8	02.3-09.3	2	1.7	00.0-04.1
25-34	249	55,881				23	9.7	05.8-13.6	127	50.7	44.0-57.4	61	24.8	18.9-30.7	38	14.8	10.1-19.5			
35-44	252	50,786				18	7.6	03.3-11.9	100	39.7	33.0-46.4	95	38.2	31.5-44.9	39	14.4	09.9-18.9			
45-54	262	39,324				11	4.6	01.3-07.9	98	37.0	30.5-43.5	105	39.5	33.0-46.0	47	18.6	13.3-23.9	1	0.3	00.0-00.9
55-64	376	44,060				16	4.3	02.1-06.5	143	37.5	32.0-43.0	158	41.5	36.0-47.0	59	16.8	12.3-21.3			
65+	727	60,168	1	0.1	00.0-00.3	53	7.2	05.0-09.4	386	52.8	48.7-56.9	217	29.8	25.9-33.7	70	10.0	07.5-12.5			
Less Than H.S.	106	26,941				16	19.6	09.6-29.6	47	44.6	33.0-56.2	32	27.4	17.6-37.2	11	8.4	03.1-13.7			
H.S. or G.E.D.	558	85,619				55	10.8	07.7-13.9	247	44.1	39.2-49.0	173	29.6	25.3-33.9	81	14.6	11.3-17.9	2	0.8	00.0-02.0
Some Post-H.S.	628	109,658	1	0.1	00.0-00.3	40	6.1	04.1-08.1	290	45.0	40.5-49.5	204	33.8	29.5-38.1	93	15.0	11.9-18.1			
College Graduate	723	69,209				37	5.5	03.5-07.5	347	48.5	44.4-52.6	260	35.1	31.2-39.0	78	10.8	08.3-13.3	1	0.2	00.0-00.6
Less than \$15,000	54	7,796				5	11.3	00.7-21.9	27	54.8	37.7-71.9	17	22.0	10.0-34.0	4	8.2	00.0-16.6	1	3.7	00.0-10.8
\$15,000- 24,999	114	15,941				15	13.4	06.1-20.7	60	53.0	41.6-64.4	21	18.7	09.9-27.5	17	14.1	06.7-21.5	1	0.8	00.0-02.4
\$25,000- 34,999	164	24,365				19	18.4	09.0-27.8	77	43.2	33.8-52.6	48	26.0	18.2-33.8	20	12.4	06.5-18.3			
\$35,000- 49,999	250	33,645				27	11.5	06.6-16.4	129	52.3	44.9-59.7	60	22.1	16.2-28.0	33	12.8	08.1-17.5	1	1.3	00.0-03.8
\$50,000- 99,999	655	95,779				37	6.2	03.8-08.6	302	45.7	41.0-50.4	223	33.8	29.5-38.1	93	14.4	11.3-17.5			
\$100,000 - 199,999	394	56,842				13	3.1	01.1-05.1	166	41.8	36.3-47.3	165	41.9	36.4-47.4	50	13.3	09.6-17.0			
\$200,000+	110	15,515				4	5.0	00.0-10.1	39	33.2	23.4-43.0	46	39.7	29.5-49.9	21	22.1	12.9-31.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 52: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1811	259,312	21	1.1	00.5-01.7	714	38.8	36.1-41.5	787	42.6	39.9-45.3	221	13.3	11.3-15.3	67	4.1	02.9-05.3	1	0.1	00.0-00.3
Native	65	11,304	2	4.7	00.0-11.2	19	23.1	12.1-34.1	25	40.0	26.1-53.9	15	25.2	12.7-37.7	4	7.0	00.1-13.9			
Non-Native	1724	245,454	17	0.8	00.4-01.2	685	39.5	36.6-42.4	752	42.7	39.8-45.6	206	12.9	10.9-14.9	63	4.1	02.9-05.3	1	0.1	00.0-00.3
18-24	132	37,301	3	1.8	00.0-04.0	63	43.5	34.5-52.5	43	36.2	27.2-45.2	17	13.5	07.0-20.0	6	4.9	00.8-09.0			
25-34	167	47,249	1	0.5	00.0-01.5	74	44.8	36.6-53.0	58	34.6	26.8-42.4	26	16.0	09.9-22.1	8	4.1	01.2-07.0			
35-44	206	41,164	2	1.1	00.0-02.7	64	30.4	23.5-37.3	89	43.8	36.2-51.4	34	17.6	11.7-23.5	17	7.1	03.6-10.6			
45-54	210	30,055	2	0.8	00.0-01.8	63	30.3	23.4-37.2	101	48.9	41.6-56.2	31	13.6	08.7-18.5	12	5.9	02.6-09.2	1	0.5	00.0-01.5
55-64	315	38,988	2	1.0	00.0-02.6	114	36.8	30.7-42.9	141	46.1	39.8-52.4	45	12.8	09.1-16.5	13	3.3	01.3-05.3			
65+	781	64,555	11	1.5	00.5-02.5	336	42.2	38.3-46.1	355	46.2	42.1-50.3	68	8.7	06.5-10.9	11	1.5	00.5-02.5			
Less Than H.S.	66	15,827	3	3.7	00.0-08.4	32	42.1	27.0-57.2	26	43.0	27.5-58.5	4	10.5	00.0-21.1	1	0.8	00.0-02.4			
H.S. or G.E.D.	423	63,332	8	2.0	00.4-03.6	182	39.9	34.2-45.6	172	40.3	34.4-46.2	45	12.7	08.6-16.8	16	5.0	02.5-07.5			
Some Post-H.S.	578	97,855	5	0.7	00.0-01.5	198	34.2	29.5-38.9	276	45.7	40.8-50.6	76	14.6	11.1-18.1	22	4.6	02.4-06.8	1	0.2	00.0-00.6
College Graduate	743	81,947	5	0.6	00.0-01.2	302	42.9	38.8-47.0	312	40.2	36.1-44.3	96	12.8	10.1-15.5	28	3.6	02.2-05.0			
Less than \$15,000	81	12,637	2	2.8	00.0-06.9	30	34.9	21.8-48.0	29	37.2	24.3-50.1	15	16.9	07.3-26.5	5	8.2	00.9-15.5			
\$15,000- 24,999	149	19,158	4	2.5	00.0-05.8	59	34.8	25.0-44.6	62	46.0	35.0-57.0	19	13.7	06.4-21.0	5	2.9	00.2-05.6			
\$25,000- 34,999	187	27,034	3	1.5	00.0-03.5	69	35.9	27.3-44.5	83	45.4	36.2-54.6	23	11.6	05.9-17.3	9	5.8	01.7-09.9			
\$35,000- 49,999	213	28,221	1	0.1	00.0-00.3	81	33.7	25.9-41.5	96	48.5	39.9-57.1	25	12.7	07.4-18.0	10	4.9	01.4-08.4			
\$50,000- 99,999	531	73,606	2	0.6	00.0-01.4	191	37.8	32.7-42.9	241	39.7	34.8-44.6	74	16.7	12.6-20.8	22	5.0	02.6-07.4	1	0.2	00.0-00.6
\$100,000 - 199,999	274	44,207				92	33.5	27.0-40.0	143	53.5	46.6-60.4	31	10.5	06.6-14.4	8	2.6	00.6-04.6			
\$200,000+	50	8,054	1	2.2	00.0-06.3	23	49.9	34.2-65.6	17	32.1	18.0-46.2	8	14.9	04.7-25.1	1	1.0	00.0-03.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4007	576,935	175	3.8	03.0-04.6	1536	37.2	35.4-39.0	1831	46.2	44.2-48.2	453	12.4	11.2-13.6	9	0.3	00.1-00.5	3	0.1	00.0-00.3
Male	2047	297,203	4	0.1	00.0-00.3	189	9.7	08.1-11.3	1399	66.0	63.5-68.5	443	23.4	21.2-25.6	9	0.5	00.1-00.9	3	0.3	00.0-00.7
Female	1960	279,731	171	7.8	06.4-09.2	1347	66.4	63.9-68.9	432	25.2	22.8-27.6	10	0.6	00.2-01.0						
Native	127	22,869	5	2.9	00.0-05.8	48	33.6	24.2-43.0	60	52.8	42.6-63.0	14	10.7	04.8-16.6						
Non-Native	3811	544,614	163	3.8	03.0-04.6	1467	37.5	35.5-39.5	1737	45.8	43.8-47.8	432	12.5	11.1-13.9	9	0.3	00.1-00.5	3	0.1	00.0-00.3
18-24	288	80,688	10	2.9	01.1-04.7	96	34.2	28.1-40.3	134	47.3	41.0-53.6	46	14.8	10.5-19.1				2	0.8	00.0-01.8
25-34	432	107,209	10	2.6	00.8-04.4	133	34.6	29.5-39.7	224	49.1	44.0-54.2	63	13.2	09.9-16.5	2	0.5	00.0-01.3			
35-44	479	96,684	11	3.2	01.2-05.2	161	34.4	29.5-39.3	212	43.8	38.9-48.7	93	18.1	14.4-21.8	2	0.4	00.0-01.0			
45-54	506	74,694	7	1.3	00.3-02.3	169	33.8	29.3-38.3	269	52.7	48.0-57.4	59	11.8	08.7-14.9	1	0.3	00.0-00.9	1	0.2	00.0-00.6
55-64	731	87,615	24	3.4	01.8-05.0	265	36.6	32.7-40.5	355	48.6	44.5-52.7	84	11.0	08.5-13.5	3	0.3	00.0-00.7			
65+	1571	130,044	113	7.6	06.0-09.2	712	45.5	42.6-48.4	637	39.6	36.9-42.3	108	7.2	05.6-08.8	1	0.0	00.0-00.0			
Less Than H.S.	173	43,623	19	7.5	03.6-11.4	64	38.6	29.4-47.8	73	43.9	34.7-53.1	17	9.9	04.8-15.0						
H.S. or G.E.D.	1032	156,290	66	5.0	03.4-06.6	382	35.2	31.7-38.7	475	47.5	43.8-51.2	104	11.4	09.0-13.8	4	0.7	00.1-01.3	1	0.2	00.0-00.6
Some Post-H.S.	1265	217,943	48	3.1	02.1-04.1	492	36.1	33.0-39.2	575	47.0	43.9-50.1	150	13.8	11.4-16.2						
College Graduate	1534	158,471	42	2.7	01.7-03.7	597	40.1	37.2-43.0	706	44.6	41.7-47.5	182	12.1	10.3-13.9	5	0.3	00.1-00.5	2	0.3	00.0-00.7
Less than \$15,000	140	20,903	13	6.9	02.6-11.2	64	45.9	35.5-56.3	58	43.4	32.8-54.0	5	3.8	00.1-07.5						
\$15,000- 24,999	276	36,388	16	4.3	01.9-06.7	137	46.9	39.3-54.5	101	42.1	34.3-49.9	20	6.2	02.9-09.5	1	0.1	00.0-00.3	1	0.3	00.0-00.9
\$25,000- 34,999	363	53,082	19	3.5	01.5-05.5	173	46.6	40.1-53.1	142	40.9	34.4-47.4	27	8.3	04.6-12.0	2	0.7	00.0-01.7			
\$35,000- 49,999	482	64,571	19	3.3	01.5-05.1	210	44.0	38.5-49.5	211	42.0	36.7-47.3	40	9.7	06.4-13.0	1	0.6	00.0-01.8	1	0.5	00.0-01.5
\$50,000- 99,999	1220	173,756	38	2.9	01.7-04.1	438	34.6	31.5-37.7	584	47.8	44.5-51.1	158	14.6	12.1-17.1	2	0.1	00.0-00.3			
\$100,000 - 199,999	689	104,515	11	2.4	00.8-04.0	211	30.5	26.6-34.4	374	53.0	48.7-57.3	93	14.1	11.2-17.0						
\$200,000+	166	25,418	1	0.7	00.0-02.1	39	26.6	18.4-34.8	86	50.0	41.4-58.6	39	21.8	14.9-28.7	1	1.0	00.0-03.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2047	297,203	4	0.1	00.0-00.3	189	9.7	08.1-11.3	1399	66.0	63.5-68.5	443	23.4	21.2-25.6	9	0.5	00.1-00.9	3	0.3	00.0-00.7
Native	62	11,565				4	9.4	00.0-19.2	45	71.8	58.7-84.9	13	18.7	08.1-29.3						
Non-Native	1942	279,288	4	0.1	00.0-00.3	180	9.7	07.9-11.5	1323	65.6	63.1-68.1	423	23.8	21.4-26.2	9	0.5	00.1-00.9	3	0.3	00.0-00.7
18-24	156	42,850				13	8.7	03.8-13.6	96	62.4	54.2-70.6	45	27.5	20.1-34.9				2	1.5	00.0-03.5
25-34	254	57,234				19	8.3	04.4-12.2	172	67.1	60.8-73.4	61	23.6	18.1-29.1	2	0.9	00.0-02.3			
35-44	254	51,304				17	9.7	04.8-14.6	145	56.8	49.9-63.7	90	32.7	26.4-39.0	2	0.8	00.0-02.0			
45-54	270	40,483				25	10.3	06.0-14.6	184	67.1	60.8-73.4	59	21.7	16.2-27.2	1	0.6	00.0-01.8	1	0.3	00.0-00.9
55-64	382	44,636				23	6.5	03.6-09.4	274	71.6	66.5-76.7	82	21.2	16.7-25.7	3	0.7	00.0-01.5			
65+	731	60,697	4	0.5	00.1-00.9	92	13.7	10.8-16.6	528	70.5	66.6-74.4	106	15.2	12.1-18.3	1	0.1	00.0-00.3			
Less Than H.S.	106	26,941				23	22.6	12.8-32.4	66	61.3	50.1-72.5	17	16.1	08.3-23.9						
H.S. or G.E.D.	576	88,802	2	0.2	00.0-00.4	63	10.8	07.7-13.9	405	68.0	63.5-72.5	101	19.5	15.8-23.2	4	1.1	00.0-02.3	1	0.4	00.0-01.2
Some Post-H.S.	634	111,267	1	0.1	00.0-00.3	54	8.0	05.6-10.4	433	65.8	61.5-70.1	146	26.1	22.2-30.0						
College Graduate	729	69,937	1	0.0	00.0-00.0	49	6.2	04.2-08.2	493	65.5	61.6-69.4	179	27.0	23.3-30.7	5	0.7	00.1-01.3	2	0.6	00.0-01.6
Less than \$15,000	55	8,010				9	17.7	05.7-29.7	41	72.3	58.0-86.6	5	10.0	00.8-19.2						
\$15,000- 24,999	119	16,663				16	14.5	07.1-21.9	82	71.9	62.3-81.5	19	12.5	05.8-19.2	1	0.3	00.0-00.9	1	0.7	00.0-02.1
\$25,000- 34,999	167	24,596	2	0.7	00.0-01.7	30	19.1	10.5-27.7	106	60.8	51.0-70.6	27	18.0	10.6-25.4	2	1.5	00.0-03.7			
\$35,000- 49,999	250	33,581				33	16.1	10.0-22.2	176	63.4	56.0-70.8	39	18.4	12.3-24.5	1	1.2	00.0-03.6	1	1.0	00.0-02.8
\$50,000- 99,999	657	96,070	1	0.0	00.0-00.0	46	7.6	05.1-10.1	455	66.5	62.0-71.0	153	25.5	21.4-29.6	2	0.2	00.0-00.6			
\$100,000 - 199,999	396	57,244				29	6.2	03.5-08.9	274	68.1	62.8-73.4	93	25.7	20.6-30.8						
\$200,000+	111	15,769				4	3.2	00.0-06.7	67	60.1	49.7-70.5	39	35.1	25.1-45.1	1	1.6	00.0-04.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 8: DEMOGRAPHICS**

TABLE 55: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1960	279,731	171	7.8	06.4-09.2	1347	66.4	63.9-68.9	432	25.2	22.8-27.6	10	0.6	00.2-01.0
Native	65	11,304	5	5.9	00.0-11.8	44	58.3	44.0-72.6	15	33.4	19.1-47.7	1	2.4	00.0-07.1
Non-Native	1869	265,326	159	7.7	06.3-09.1	1287	66.7	64.0-69.4	414	25.0	22.5-27.5	9	0.6	00.2-01.0
18-24	132	37,838	10	6.2	02.5-09.9	83	63.1	54.1-72.1	38	30.3	21.5-39.1	1	0.4	00.0-01.2
25-34	178	49,975	10	5.6	02.1-09.1	114	64.7	57.1-72.3	52	28.5	21.4-35.6	2	1.2	00.0-03.0
35-44	225	45,381	11	6.9	02.8-11.0	144	62.4	55.3-69.5	67	29.2	22.5-35.9	3	1.5	00.0-03.3
45-54	236	34,211	7	2.8	00.6-05.0	144	61.5	54.8-68.2	85	35.6	28.9-42.3			
55-64	349	42,979	24	7.0	03.9-10.1	242	67.8	62.1-73.5	81	24.8	19.7-29.9	2	0.5	00.0-01.1
65+	840	69,347	109	13.8	11.1-16.5	620	73.4	69.9-76.9	109	12.6	10.1-15.1	2	0.2	00.0-00.6
Less Than H.S.	67	16,682	19	19.6	09.4-29.8	41	64.5	50.0-79.0	7	15.9	03.4-28.4			
H.S. or G.E.D.	456	67,488	64	11.3	08.0-14.6	319	67.3	62.0-72.6	70	20.6	15.7-25.5	3	0.8	00.0-01.8
Some Post-H.S.	631	106,677	47	6.4	04.2-08.6	438	65.4	60.9-69.9	142	27.4	23.1-31.7	4	0.9	00.0-01.9
College Graduate	805	88,535	41	4.7	03.1-06.3	548	67.0	63.3-70.7	213	28.0	24.5-31.5	3	0.3	00.0-00.7
Less than \$15,000	85	12,893	13	11.2	04.1-18.3	55	63.5	50.8-76.2	17	25.4	13.4-37.4			
\$15,000- 24,999	157	19,725	16	8.0	03.7-12.3	121	74.2	64.4-84.0	19	16.9	07.5-26.3	1	0.9	00.0-02.7
\$25,000- 34,999	196	28,486	17	6.0	02.5-09.5	143	70.4	62.0-78.8	36	23.6	15.6-31.6			
\$35,000- 49,999	232	30,990	19	6.8	03.1-10.5	177	74.2	66.9-81.5	35	18.7	11.8-25.6	1	0.3	00.0-00.9
\$50,000- 99,999	563	77,687	37	6.5	04.0-09.0	392	67.9	63.2-72.6	129	24.5	20.2-28.8	5	1.1	00.0-02.3
\$100,000 - 199,999	293	47,271	11	5.3	01.8-08.8	182	59.9	53.2-66.6	100	34.8	28.5-41.1			
\$200,000+	55	9,648	1	1.8	00.0-05.1	35	64.8	50.7-78.9	19	33.5	19.6-47.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 9: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
1 MALES AND FEMALES	143
2 MALES ONLY	144
3 FEMALES ONLY	145
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
4 MALES AND FEMALES	146
5 MALES ONLY	147
6 FEMALES ONLY	148
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
7 MALES AND FEMALES	149
8 MALES ONLY	150
9 FEMALES ONLY	151
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
10 MALES AND FEMALES	152
11 MALES ONLY	153
12 FEMALES ONLY	154
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
13 MALES AND FEMALES	155
14 MALES ONLY	156
15 FEMALES ONLY	157
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
16 MALES AND FEMALES	158
17 MALES ONLY	159
18 FEMALES ONLY	160

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 9: DISABILITY

TABLE 1: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4052	583,365	481	8.8	07.8-09.8	3571	91.2	90.2-92.2
Male	2052	297,736	280	10.2	08.8-11.6	1772	89.8	88.4-91.2
Female	2000	285,629	201	7.3	06.1-08.5	1799	92.7	91.5-93.9
Native	129	23,188	20	10.7	05.4-16.0	109	89.3	84.0-94.6
Non-Native	3846	549,853	445	8.6	07.6-09.6	3401	91.4	90.4-92.4
18-24	288	80,759	4	1.5	00.0-03.1	284	98.5	96.9-100.0
25-34	437	108,633	8	2.0	00.4-03.6	429	98.0	96.4-99.6
35-44	485	97,768	20	4.2	02.2-06.2	465	95.8	93.8-97.8
45-54	524	77,305	32	6.3	03.9-08.7	492	93.7	91.3-96.1
55-64	735	87,722	77	11.4	08.7-14.1	658	88.6	85.9-91.3
65+	1583	131,179	340	22.0	19.6-24.4	1243	78.0	75.6-80.4
Less Than H.S.	174	43,500	40	16.0	10.5-21.5	134	84.0	78.5-89.5
H.S. or G.E.D.	1035	157,123	169	11.0	09.0-13.0	866	89.0	87.0-91.0
Some Post-H.S.	1276	220,219	140	8.1	06.5-09.7	1136	91.9	90.3-93.5
College Graduate	1562	161,519	132	5.6	04.4-06.8	1430	94.4	93.2-95.6
Less than \$15,000	140	20,710	23	13.2	07.3-19.1	117	86.8	80.9-92.7
\$15,000- 24,999	276	36,388	53	14.0	09.7-18.3	223	86.0	81.7-90.3
\$25,000- 34,999	364	52,962	59	11.9	08.2-15.6	305	88.1	84.4-91.8
\$35,000- 49,999	483	65,052	69	10.0	07.3-12.7	414	90.0	87.3-92.7
\$50,000- 99,999	1223	174,853	117	7.4	05.8-09.0	1106	92.6	91.0-94.2
\$100,000 - 199,999	690	104,667	49	5.4	03.6-07.2	641	94.6	92.8-96.4
\$200,000+	167	25,516	14	6.5	03.0-10.0	153	93.5	90.0-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

TABLE 2: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2052	297,736	280	10.2	08.8-11.6	1772	89.8	88.4-91.2
Native	62	11,653	8	7.1	01.4-12.8	54	92.9	87.2-98.6
Non-Native	1943	279,376	264	10.3	08.9-11.7	1679	89.7	88.3-91.1
18-24	155	42,564	2	1.8	00.0-04.3	153	98.2	95.7-0100
25-34	256	57,771	5	2.5	00.1-04.9	251	97.5	95.1-99.9
35-44	254	51,296	15	6.0	02.9-09.1	239	94.0	90.9-97.1
45-54	273	40,810	19	7.6	04.1-11.1	254	92.4	88.9-95.9
55-64	379	44,343	45	12.2	08.5-15.9	334	87.8	84.1-91.5
65+	735	60,951	194	27.1	23.4-30.8	541	72.9	69.2-76.6
Less Than H.S.	107	27,087	26	16.8	09.9-23.7	81	83.2	76.3-90.1
H.S. or G.E.D.	573	88,574	93	12.0	09.3-14.7	480	88.0	85.3-90.7
Some Post-H.S.	631	110,846	83	9.0	06.8-11.2	548	91.0	88.8-93.2
College Graduate	737	70,575	78	7.3	05.5-09.1	659	92.7	90.9-94.5
Less than \$15,000	55	8,010	7	11.4	01.8-21.0	48	88.6	79.0-98.2
\$15,000- 24,999	119	16,663	27	15.3	08.8-21.8	92	84.7	78.2-91.2
\$25,000- 34,999	166	24,282	26	12.8	06.9-18.7	140	87.2	81.3-93.1
\$35,000- 49,999	250	33,749	45	11.7	08.0-15.4	205	88.3	84.6-92.0
\$50,000- 99,999	656	96,119	83	9.9	07.4-12.4	573	90.1	87.6-92.6
\$100,000 - 199,999	393	56,844	38	8.0	05.1-10.9	355	92.0	89.1-94.9
\$200,000+	111	15,769	11	8.1	03.2-13.0	100	91.9	87.0-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

TABLE 3: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2000	285,629	201	7.3	06.1-08.5	1799	92.7	91.5-93.9
Native	67	11,535	12	14.4	05.8-23.0	55	85.6	77.0-94.2
Non-Native	1903	270,477	181	6.8	05.6-08.0	1722	93.2	92.0-94.4
18-24	133	38,194	2	1.2	00.0-02.8	131	98.8	97.2-0100
25-34	181	50,862	3	1.5	00.0-03.3	178	98.5	96.7-0100
35-44	231	46,471	5	2.1	00.1-04.1	226	97.9	95.9-99.9
45-54	251	36,495	13	4.9	02.2-07.6	238	95.1	92.4-97.8
55-64	356	43,379	32	10.4	06.5-14.3	324	89.6	85.7-93.5
65+	848	70,227	146	17.5	14.4-20.6	702	82.5	79.4-85.6
Less Than H.S.	67	16,413	14	14.8	06.0-23.6	53	85.2	76.4-94.0
H.S. or G.E.D.	462	68,549	76	9.6	07.1-12.1	386	90.4	87.9-92.9
Some Post-H.S.	645	109,373	57	7.2	05.0-09.4	588	92.8	90.6-95.0
College Graduate	825	90,944	54	4.3	02.9-05.7	771	95.7	94.3-97.1
Less than \$15,000	85	12,700	16	14.4	06.8-22.0	69	85.6	78.0-93.2
\$15,000- 24,999	157	19,725	26	12.9	07.0-18.8	131	87.1	81.2-93.0
\$25,000- 34,999	198	28,679	33	11.1	06.2-16.0	165	88.9	84.0-93.8
\$35,000- 49,999	233	31,303	24	8.1	04.2-12.0	209	91.9	88.0-95.8
\$50,000- 99,999	567	78,734	34	4.3	02.5-06.1	533	95.7	93.9-97.5
\$100,000 - 199,999	297	47,824	11	2.2	00.8-03.6	286	97.8	96.4-99.2
\$200,000+	56	9,747	3	3.9	00.0-08.4	53	96.1	91.6-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 9: DISABILITY

TABLE 4: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4054	583,653	190	4.4	03.6-05.2	3864	95.6	94.8-96.4
Male	2053	297,696	81	3.7	02.7-04.7	1972	96.3	95.3-97.3
Female	2001	285,957	109	5.1	03.9-06.3	1892	94.9	93.7-96.1
Native	129	23,249	15	10.2	04.3-16.1	114	89.8	83.9-95.7
Non-Native	3850	550,229	173	4.2	03.4-05.0	3677	95.8	95.0-96.6
18-24	288	80,759	12	4.5	01.8-07.2	276	95.5	92.8-98.2
25-34	438	108,946	11	3.6	01.4-05.8	427	96.4	94.2-98.6
35-44	484	97,491	11	1.7	00.7-02.7	473	98.3	97.3-99.3
45-54	525	77,386	14	2.7	01.3-04.1	511	97.3	95.9-98.7
55-64	736	88,001	34	5.8	03.6-08.0	702	94.2	92.0-96.4
65+	1583	131,069	108	7.0	05.6-08.4	1475	93.0	91.6-94.4
Less Than H.S.	174	43,747	19	9.8	04.9-14.7	155	90.2	85.3-95.1
H.S. or G.E.D.	1033	156,605	63	5.0	03.4-06.6	970	95.0	93.4-96.6
Some Post-H.S.	1277	220,422	64	4.5	03.1-05.9	1213	95.5	94.1-96.9
College Graduate	1565	161,874	44	2.2	01.4-03.0	1521	97.8	97.0-98.6
Less than \$15,000	142	21,162	18	11.3	05.6-17.0	124	88.7	83.0-94.4
\$15,000- 24,999	272	36,055	25	7.2	04.1-10.3	247	92.8	89.7-95.9
\$25,000- 34,999	364	53,195	23	5.5	02.8-08.2	341	94.5	91.8-97.2
\$35,000- 49,999	485	65,156	37	6.4	03.9-08.9	448	93.6	91.1-96.1
\$50,000- 99,999	1224	174,624	35	2.5	01.5-03.5	1189	97.5	96.5-98.5
\$100,000 - 199,999	693	105,002	16	2.3	00.9-03.7	677	97.7	96.3-99.1
\$200,000+	167	25,516	2	1.1	00.0-02.9	165	98.9	97.1-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 9: DISABILITY

TABLE 5: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2053	297,696	81	3.7	02.7-04.7	1972	96.3	95.3-97.3
Native	62	11,715	3	6.5	00.0-14.9	59	93.5	85.1-0100
Non-Native	1944	279,274	76	3.6	02.6-04.6	1868	96.4	95.4-97.4
18-24	155	42,564	6	3.6	00.7-06.5	149	96.4	93.5-99.3
25-34	257	58,084	6	3.7	00.6-06.8	251	96.3	93.2-99.4
35-44	253	51,020	4	1.1	00.0-02.3	249	98.9	97.7-0100
45-54	274	40,899	6	2.1	00.3-03.9	268	97.9	96.1-99.7
55-64	379	44,205	10	3.8	01.1-06.5	369	96.2	93.5-98.9
65+	735	60,924	49	6.8	04.6-09.0	686	93.2	91.0-95.4
Less Than H.S.	106	26,917	7	5.2	01.1-09.3	99	94.8	90.7-98.9
H.S. or G.E.D.	572	88,198	26	4.4	02.4-06.4	546	95.6	93.6-97.6
Some Post-H.S.	633	111,156	32	4.1	02.3-05.9	601	95.9	94.1-97.7
College Graduate	738	70,770	16	1.6	00.8-02.4	722	98.4	97.6-99.2
Less than \$15,000	55	8,010	4	4.3	00.0-09.4	51	95.7	90.6-0100
\$15,000- 24,999	116	16,415	9	6.5	02.0-11.0	107	93.5	89.0-98.0
\$25,000- 34,999	166	24,515	6	4.3	00.4-08.2	160	95.7	91.8-99.6
\$35,000- 49,999	251	33,794	16	5.2	02.3-08.1	235	94.8	91.9-97.7
\$50,000- 99,999	657	95,890	24	2.9	01.5-04.3	633	97.1	95.7-98.5
\$100,000 - 199,999	395	57,066	10	2.9	00.5-05.3	385	97.1	94.7-99.5
\$200,000+	111	15,769	1	0.4	00.0-01.2	110	99.6	98.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 9: DISABILITY

TABLE 6: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2001	285,957	109	5.1	03.9-06.3	1892	94.9	93.7-96.1
Native	67	11,535	12	14.0	05.6-22.4	55	86.0	77.6-94.4
Non-Native	1906	270,955	97	4.8	03.6-06.0	1809	95.2	94.0-96.4
18-24	133	38,194	6	5.6	01.1-10.1	127	94.4	89.9-98.9
25-34	181	50,862	5	3.6	00.5-06.7	176	96.4	93.3-99.5
35-44	231	46,471	7	2.4	00.4-04.4	224	97.6	95.6-99.6
45-54	251	36,488	8	3.3	00.9-05.7	243	96.7	94.3-99.1
55-64	357	43,797	24	7.8	04.3-11.3	333	92.2	88.7-95.7
65+	848	70,145	59	7.1	04.9-09.3	789	92.9	90.7-95.1
Less Than H.S.	68	16,830	12	17.2	06.6-27.8	56	82.8	72.2-93.4
H.S. or G.E.D.	461	68,407	37	5.8	03.4-08.2	424	94.2	91.8-96.6
Some Post-H.S.	644	109,266	32	4.8	02.8-06.8	612	95.2	93.2-97.2
College Graduate	827	91,103	28	2.8	01.6-04.0	799	97.2	96.0-98.4
Less than \$15,000	87	13,152	14	15.6	07.2-24.0	73	84.4	76.0-92.8
\$15,000- 24,999	156	19,641	16	7.9	03.4-12.4	140	92.1	87.6-96.6
\$25,000- 34,999	198	28,679	17	6.4	02.7-10.1	181	93.6	89.9-97.3
\$35,000- 49,999	234	31,361	21	7.8	03.3-12.3	213	92.2	87.7-96.7
\$50,000- 99,999	567	78,734	11	2.1	00.7-03.5	556	97.9	96.5-99.3
\$100,000 - 199,999	298	47,936	6	1.5	00.1-02.9	292	98.5	97.1-99.9
\$200,000+	56	9,747	1	2.2	00.0-06.5	55	97.8	93.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

TABLE 7: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4021	578,012	380	11.0	09.6-12.4	3641	89.0	87.6-90.4
Male	2033	295,226	166	8.8	07.2-10.4	1867	91.2	89.6-92.8
Female	1988	282,786	214	13.4	11.4-15.4	1774	86.6	84.6-88.6
Native	126	22,756	18	14.0	07.3-20.7	108	86.0	79.3-92.7
Non-Native	3820	545,146	357	11.0	09.6-12.4	3463	89.0	87.6-90.4
18-24	286	79,987	50	19.0	13.9-24.1	236	81.0	75.9-86.1
25-34	433	107,177	41	10.7	07.4-14.0	392	89.3	86.0-92.6
35-44	480	96,675	46	10.4	07.3-13.5	434	89.6	86.5-92.7
45-54	521	77,001	43	7.8	05.4-10.2	478	92.2	89.8-94.6
55-64	732	87,622	60	9.7	07.0-12.4	672	90.3	87.6-93.0
65+	1569	129,550	140	9.7	07.7-11.7	1429	90.3	88.3-92.3
Less Than H.S.	171	42,856	30	22.5	14.5-30.5	141	77.5	69.5-85.5
H.S. or G.E.D.	1020	154,574	130	14.1	11.4-16.8	890	85.9	83.2-88.6
Some Post-H.S.	1267	218,363	135	10.8	08.8-12.8	1132	89.2	87.2-91.2
College Graduate	1557	161,114	84	5.3	04.1-06.5	1473	94.7	93.5-95.9
Less than \$15,000	140	21,015	40	31.6	22.0-41.2	100	68.4	58.8-78.0
\$15,000- 24,999	269	35,346	50	19.5	13.4-25.6	219	80.5	74.4-86.6
\$25,000- 34,999	362	52,885	53	17.5	12.2-22.8	309	82.5	77.2-87.8
\$35,000- 49,999	477	63,871	44	9.5	06.2-12.8	433	90.5	87.2-93.8
\$50,000- 99,999	1215	173,172	88	8.8	06.6-11.0	1127	91.2	89.0-93.4
\$100,000 - 199,999	691	104,661	28	6.0	03.5-08.5	663	94.0	91.5-96.5
\$200,000+	167	25,516	4	2.8	00.0-05.7	163	97.2	94.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

TABLE 8: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2033	295,226	166	8.8	07.2-10.4	1867	91.2	89.6-92.8
Native	61	11,678	6	8.2	00.8-15.6	55	91.8	84.4-99.2
Non-Native	1926	276,935	158	9.0	07.4-10.6	1768	91.0	89.4-92.6
18-24	154	42,364	22	15.8	09.1-22.5	132	84.2	77.5-90.9
25-34	257	58,084	21	8.2	04.7-11.7	236	91.8	88.3-95.3
35-44	249	50,204	17	6.4	03.3-09.5	232	93.6	90.5-96.7
45-54	272	40,726	19	6.8	03.5-10.1	253	93.2	89.9-96.5
55-64	375	43,825	28	7.0	04.5-09.5	347	93.0	90.5-95.5
65+	726	60,022	59	9.3	06.6-12.0	667	90.7	88.0-93.4
Less Than H.S.	105	26,759	15	15.7	07.1-24.3	90	84.3	75.7-92.9
H.S. or G.E.D.	565	87,462	60	10.6	07.7-13.5	505	89.4	86.5-92.3
Some Post-H.S.	627	110,152	58	8.6	06.2-11.0	569	91.4	89.0-93.8
College Graduate	731	70,099	32	4.2	02.6-05.8	699	95.8	94.2-97.4
Less than \$15,000	54	7,973	19	34.0	18.7-49.3	35	66.0	50.7-81.3
\$15,000- 24,999	116	16,430	25	20.1	11.9-28.3	91	79.9	71.7-88.1
\$25,000- 34,999	165	24,298	20	14.6	07.7-21.5	145	85.4	78.5-92.3
\$35,000- 49,999	246	33,032	19	7.0	03.5-10.5	227	93.0	89.5-96.5
\$50,000- 99,999	651	95,154	43	7.6	04.9-10.3	608	92.4	89.7-95.1
\$100,000 - 199,999	393	56,724	11	3.3	01.1-05.5	382	96.7	94.5-98.9
\$200,000+	111	15,769	2	2.2	00.0-05.5	109	97.8	94.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

TABLE 9: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1988	282,786	214	13.4	11.4-15.4	1774	86.6	84.6-88.6
Native	65	11,079	12	20.1	09.1-31.1	53	79.9	68.9-90.9
Non-Native	1894	268,211	199	13.1	10.9-15.3	1695	86.9	84.7-89.1
18-24	132	37,623	28	22.6	14.8-30.4	104	77.4	69.6-85.2
25-34	176	49,093	20	13.6	07.5-19.7	156	86.4	80.3-92.5
35-44	231	46,471	29	14.8	09.5-20.1	202	85.2	79.9-90.5
45-54	249	36,275	24	8.8	05.3-12.3	225	91.2	87.7-94.7
55-64	357	43,797	32	12.5	07.8-17.2	325	87.5	82.8-92.2
65+	843	69,528	81	10.2	07.7-12.7	762	89.8	87.3-92.3
Less Than H.S.	66	16,097	15	33.8	18.7-48.9	51	66.2	51.1-81.3
H.S. or G.E.D.	455	67,113	70	18.7	14.0-23.4	385	81.3	76.6-86.0
Some Post-H.S.	640	108,211	77	13.1	09.8-16.4	563	86.9	83.6-90.2
College Graduate	826	91,015	52	6.1	04.3-07.9	774	93.9	92.1-95.7
Less than \$15,000	86	13,041	21	30.2	17.9-42.5	65	69.8	57.5-82.1
\$15,000- 24,999	153	18,917	25	19.0	10.2-27.8	128	81.0	72.2-89.8
\$25,000- 34,999	197	28,587	33	19.8	11.8-27.8	164	80.2	72.2-88.2
\$35,000- 49,999	231	30,838	25	12.1	06.6-17.6	206	87.9	82.4-93.4
\$50,000- 99,999	564	78,018	45	10.3	07.0-13.6	519	89.7	86.4-93.0
\$100,000 - 199,999	298	47,936	17	9.2	04.5-13.9	281	90.8	86.1-95.5
\$200,000+	56	9,747	2	3.7	00.0-08.8	54	96.3	91.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 9: DISABILITY

**TABLE 10: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4031	581,051	561	11.0	10.0-12.0	3470	89.0	88.0-90.0
Male	2043	296,705	228	8.4	07.2-09.6	1815	91.6	90.4-92.8
Female	1988	284,346	333	13.7	11.9-15.5	1655	86.3	84.5-88.1
Native	130	23,294	24	15.3	08.6-22.0	106	84.7	78.0-91.4
Non-Native	3827	547,678	534	10.9	09.7-12.1	3293	89.1	87.9-90.3
18-24	287	80,605	5	1.8	00.2-03.4	282	98.2	96.6-99.8
25-34	436	108,245	12	3.2	01.0-05.4	424	96.8	94.6-99.0
35-44	485	97,662	20	5.1	02.7-07.5	465	94.9	92.5-97.3
45-54	522	77,043	47	10.2	07.3-13.1	475	89.8	86.9-92.7
55-64	733	87,535	109	15.9	12.8-19.0	624	84.1	81.0-87.2
65+	1568	129,962	368	24.6	22.1-27.1	1200	75.4	72.9-77.9
Less Than H.S.	174	43,717	45	19.5	13.2-25.8	129	80.5	74.2-86.8
H.S. or G.E.D.	1023	155,216	186	13.2	11.0-15.4	837	86.8	84.6-89.0
Some Post-H.S.	1272	219,767	196	11.5	09.7-13.3	1076	88.5	86.7-90.3
College Graduate	1556	161,247	134	5.9	04.7-07.1	1422	94.1	92.9-95.3
Less than \$15,000	141	21,128	55	35.0	25.6-44.4	86	65.0	55.6-74.4
\$15,000- 24,999	272	35,808	81	22.2	16.7-27.7	191	77.8	72.3-83.3
\$25,000- 34,999	359	52,742	88	18.2	13.5-22.9	271	81.8	77.1-86.5
\$35,000- 49,999	479	64,618	78	13.4	09.9-16.9	401	86.6	83.1-90.1
\$50,000- 99,999	1221	174,012	124	8.0	06.4-09.6	1097	92.0	90.4-93.6
\$100,000 - 199,999	690	104,707	31	4.1	02.3-05.9	659	95.9	94.1-97.7
\$200,000+	167	25,516	6	2.8	00.3-05.3	161	97.2	94.7-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

TABLE 11: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2043	296,705	228	8.4	07.2-09.6	1815	91.6	90.4-92.8
Native	63	11,759	5	4.6	00.3-08.9	58	95.4	91.1-99.7
Non-Native	1934	278,334	221	8.6	07.2-10.0	1713	91.4	90.0-92.8
18-24	154	42,411	1	0.4	00.0-01.2	153	99.6	98.8-0100
25-34	257	58,084	6	2.0	00.2-03.8	251	98.0	96.2-99.8
35-44	254	51,190	8	3.0	00.8-05.2	246	97.0	94.8-99.2
45-54	273	40,763	20	9.0	04.9-13.1	253	91.0	86.9-95.1
55-64	378	43,965	51	14.4	10.3-18.5	327	85.6	81.5-89.7
65+	727	60,292	142	19.9	16.6-23.2	585	80.1	76.8-83.4
Less Than H.S.	106	26,887	18	11.9	06.0-17.8	88	88.1	82.2-94.0
H.S. or G.E.D.	567	87,759	80	10.4	07.9-12.9	487	89.6	87.1-92.1
Some Post-H.S.	632	110,874	76	8.0	06.0-10.0	556	92.0	90.0-94.0
College Graduate	733	70,431	54	5.2	03.6-06.8	679	94.8	93.2-96.4
Less than \$15,000	55	8,010	21	31.2	17.1-45.3	34	68.8	54.7-82.9
\$15,000- 24,999	117	16,465	28	17.3	10.0-24.6	89	82.7	75.4-90.0
\$25,000- 34,999	166	24,515	34	12.8	07.9-17.7	132	87.2	82.3-92.1
\$35,000- 49,999	247	33,420	35	11.6	07.1-16.1	212	88.4	83.9-92.9
\$50,000- 99,999	655	95,681	64	7.6	05.4-09.8	591	92.4	90.2-94.6
\$100,000 - 199,999	393	56,905	13	3.3	01.3-05.3	380	96.7	94.7-98.7
\$200,000+	111	15,769	2	1.2	00.0-03.0	109	98.8	97.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

TABLE 12: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1988	284,346	333	13.7	11.9-15.5	1655	86.3	84.5-88.1
Native	67	11,535	19	26.1	14.1-38.1	48	73.9	61.9-85.9
Non-Native	1893	269,344	313	13.2	11.4-15.0	1580	86.8	85.0-88.6
18-24	133	38,194	4	3.3	00.0-06.6	129	96.7	93.4-0100
25-34	179	50,161	6	4.7	00.8-08.6	173	95.3	91.4-99.2
35-44	231	46,471	12	7.5	03.2-11.8	219	92.5	88.2-96.8
45-54	249	36,280	27	11.6	07.3-15.9	222	88.4	84.1-92.7
55-64	355	43,570	58	17.4	12.7-22.1	297	82.6	77.9-87.3
65+	841	69,669	226	28.7	25.0-32.4	615	71.3	67.6-75.0
Less Than H.S.	68	16,830	27	31.6	18.7-44.5	41	68.4	55.5-81.3
H.S. or G.E.D.	456	67,456	106	16.8	13.1-20.5	350	83.2	79.5-86.9
Some Post-H.S.	640	108,892	120	15.1	12.0-18.2	520	84.9	81.8-88.0
College Graduate	823	90,816	80	6.4	04.8-08.0	743	93.6	92.0-95.2
Less than \$15,000	86	13,117	34	37.3	25.0-49.6	52	62.7	50.4-75.0
\$15,000- 24,999	155	19,342	53	26.4	18.4-34.4	102	73.6	65.6-81.6
\$25,000- 34,999	193	28,227	54	22.9	15.5-30.3	139	77.1	69.7-84.5
\$35,000- 49,999	232	31,198	43	15.3	10.0-20.6	189	84.7	79.4-90.0
\$50,000- 99,999	566	78,331	60	8.4	05.9-10.9	506	91.6	89.1-94.1
\$100,000 - 199,999	297	47,802	18	5.1	02.0-08.2	279	94.9	91.8-98.0
\$200,000+	56	9,747	4	5.3	00.0-11.2	52	94.7	88.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 9: DISABILITY

TABLE 13: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4046	582,171	124	2.6	02.0-03.2	3922	97.4	96.8-98.0
Male	2049	296,994	61	2.5	01.7-03.3	1988	97.5	96.7-98.3
Female	1997	285,177	63	2.7	01.9-03.5	1934	97.3	96.5-98.1
Native	129	23,055	5	2.9	00.4-05.4	124	97.1	94.6-99.6
Non-Native	3841	548,886	116	2.6	02.0-03.2	3725	97.4	96.8-98.0
18-24	287	80,605	5	1.9	00.1-03.7	282	98.1	96.3-99.9
25-34	437	108,648	3	0.6	00.0-01.4	434	99.4	98.6-0100
35-44	483	97,280	6	1.4	00.2-02.6	477	98.6	97.4-99.8
45-54	524	77,361	13	2.7	01.1-04.3	511	97.3	95.7-98.9
55-64	734	87,557	26	3.2	01.8-04.6	708	96.8	95.4-98.2
65+	1581	130,721	71	5.1	03.7-06.5	1510	94.9	93.5-96.3
Less Than H.S.	174	43,747	10	4.4	01.5-07.3	164	95.6	92.7-98.5
H.S. or G.E.D.	1031	156,054	45	3.5	02.3-04.7	986	96.5	95.3-97.7
Some Post-H.S.	1273	219,764	44	2.6	01.8-03.4	1229	97.4	96.6-98.2
College Graduate	1562	161,501	25	1.2	00.6-01.8	1537	98.8	98.2-99.4
Less than \$15,000	141	20,923	20	10.5	05.4-15.6	121	89.5	84.4-94.6
\$15,000- 24,999	273	35,852	25	9.3	05.2-13.4	248	90.7	86.6-94.8
\$25,000- 34,999	362	52,952	21	3.9	01.9-05.9	341	96.1	94.1-98.1
\$35,000- 49,999	483	64,835	13	2.6	00.8-04.4	470	97.4	95.6-99.2
\$50,000- 99,999	1223	174,463	22	1.6	00.8-02.4	1201	98.4	97.6-99.2
\$100,000 - 199,999	691	104,726	3	0.4	00.0-01.0	688	99.6	99.0-0100
\$200,000+	167	25,516	1	1.0	00.0-03.0	166	99.0	97.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

TABLE 14: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2049	296,994	61	2.5	01.7-03.3	1988	97.5	96.7-98.3
Native	63	11,759	1	0.9	00.0-02.7	62	99.1	97.3-0100
Non-Native	1940	278,623	57	2.5	01.7-03.3	1883	97.5	96.7-98.3
18-24	154	42,411	2	1.3	00.0-03.1	152	98.7	96.9-0100
25-34	257	58,084	1	0.2	00.0-00.6	256	99.8	99.4-0100
35-44	252	50,808	5	2.2	00.2-04.2	247	97.8	95.8-99.8
45-54	273	40,763	7	2.9	00.5-05.3	266	97.1	94.7-99.5
55-64	379	44,149	12	2.9	01.1-04.7	367	97.1	95.3-98.9
65+	734	60,779	34	5.3	03.3-07.3	700	94.7	92.7-96.7
Less Than H.S.	106	26,917	6	4.6	00.7-08.5	100	95.4	91.5-99.3
H.S. or G.E.D.	570	87,944	23	3.3	01.7-04.9	547	96.7	95.1-98.3
Some Post-H.S.	632	110,847	20	2.2	01.2-03.2	612	97.8	96.8-98.8
College Graduate	736	70,533	12	1.2	00.4-02.0	724	98.8	98.0-99.6
Less than \$15,000	55	8,010	9	12.4	03.2-21.6	46	87.6	78.4-96.8
\$15,000- 24,999	118	16,509	12	10.9	03.8-18.0	106	89.1	82.0-96.2
\$25,000- 34,999	166	24,515	12	5.0	01.9-08.1	154	95.0	91.9-98.1
\$35,000- 49,999	250	33,583	5	1.6	00.0-03.2	245	98.4	96.8-0100
\$50,000- 99,999	656	95,729	16	1.9	00.7-03.1	640	98.1	96.9-99.3
\$100,000 - 199,999	394	56,924	2	0.6	00.0-01.6	392	99.4	98.4-0100
\$200,000+	111	15,769	1	1.7	00.0-05.0	110	98.3	95.0-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

TABLE 15: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1997	285,177	63	2.7	01.9-03.5	1934	97.3	96.5-98.1
Native	66	11,296	4	5.0	00.1-09.9	62	95.0	90.1-99.9
Non-Native	1901	270,263	59	2.6	01.8-03.4	1842	97.4	96.6-98.2
18-24	133	38,194	3	2.6	00.0-05.5	130	97.4	94.5-0100
25-34	180	50,564	2	1.0	00.0-02.4	178	99.0	97.6-0100
35-44	231	46,471	1	0.6	00.0-01.8	230	99.4	98.2-0100
45-54	251	36,598	6	2.4	00.4-04.4	245	97.6	95.6-99.6
55-64	355	43,408	14	3.6	01.6-05.6	341	96.4	94.4-98.4
65+	847	69,942	37	4.9	03.1-06.7	810	95.1	93.3-96.9
Less Than H.S.	68	16,830	4	4.0	00.0-08.1	64	96.0	91.9-0100
H.S. or G.E.D.	461	68,110	22	3.8	01.8-05.8	439	96.2	94.2-98.2
Some Post-H.S.	641	108,917	24	3.0	01.6-04.4	617	97.0	95.6-98.4
College Graduate	826	90,969	13	1.2	00.4-02.0	813	98.8	98.0-99.6
Less than \$15,000	86	12,913	11	9.3	03.0-15.6	75	90.7	84.4-97.0
\$15,000- 24,999	155	19,342	13	7.9	03.0-12.8	142	92.1	87.2-97.0
\$25,000- 34,999	196	28,437	9	2.9	00.7-05.1	187	97.1	94.9-99.3
\$35,000- 49,999	233	31,253	8	3.7	00.4-07.0	225	96.3	93.0-99.6
\$50,000- 99,999	567	78,734	6	1.3	00.1-02.5	561	98.7	97.5-99.9
\$100,000 - 199,999	297	47,802	1	0.1	00.0-00.3	296	99.9	99.7-0100
\$200,000+	56	9,747				56	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

**TABLE 16: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4029	579,861	235	6.2	05.2-07.2	3794	93.8	92.8-94.8
Male	2042	296,020	74	3.6	02.6-04.6	1968	96.4	95.4-97.4
Female	1987	283,841	161	9.0	07.4-10.6	1826	91.0	89.4-92.6
Native	129	23,260	15	9.0	04.1-13.9	114	91.0	86.1-95.9
Non-Native	3825	546,492	217	6.2	05.2-07.2	3608	93.8	92.8-94.8
18-24	287	80,605	15	5.8	02.9-08.7	272	94.2	91.3-97.1
25-34	435	107,899	21	5.4	02.9-07.9	414	94.6	92.1-97.1
35-44	482	97,052	24	6.2	03.7-08.7	458	93.8	91.3-96.3
45-54	521	76,794	17	4.0	02.0-06.0	504	96.0	94.0-98.0
55-64	732	87,473	41	6.2	04.0-08.4	691	93.8	91.6-96.0
65+	1572	130,038	117	8.7	06.9-10.5	1455	91.3	89.5-93.1
Less Than H.S.	173	43,564	25	13.5	07.8-19.2	148	86.5	80.8-92.2
H.S. or G.E.D.	1021	154,768	89	8.6	06.4-10.8	932	91.4	89.2-93.6
Some Post-H.S.	1269	219,269	78	6.0	04.4-07.6	1191	94.0	92.4-95.6
College Graduate	1560	161,155	43	2.5	01.5-03.5	1517	97.5	96.5-98.5
Less than \$15,000	140	20,577	33	25.2	16.2-34.2	107	74.8	65.8-83.8
\$15,000- 24,999	272	35,818	35	12.4	07.5-17.3	237	87.6	82.7-92.5
\$25,000- 34,999	361	52,769	33	9.3	05.4-13.2	328	90.7	86.8-94.6
\$35,000- 49,999	479	64,457	39	9.0	05.9-12.1	440	91.0	87.9-94.1
\$50,000- 99,999	1219	174,034	37	3.5	02.1-04.9	1182	96.5	95.1-97.9
\$100,000 - 199,999	691	104,726	12	3.0	01.0-05.0	679	97.0	95.0-99.0
\$200,000+	167	25,516				167	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

**TABLE 17: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2042	296,020	74	3.6	02.6-04.6	1968	96.4	95.4-97.4
Native	62	11,725	1	0.9	00.0-02.7	61	99.1	97.3-0100
Non-Native	1934	277,682	71	3.7	02.7-04.7	1863	96.3	95.3-97.3
18-24	154	42,411	1	0.7	00.0-02.1	153	99.3	97.9-0100
25-34	256	57,848	9	3.1	00.9-05.3	247	96.9	94.7-99.1
35-44	251	50,581	11	4.5	01.8-07.2	240	95.5	92.8-98.2
45-54	272	40,534	7	3.5	00.8-06.2	265	96.5	93.8-99.2
55-64	378	44,077	10	2.9	00.9-04.9	368	97.1	95.1-99.1
65+	731	60,569	36	5.7	03.5-07.9	695	94.3	92.1-96.5
Less Than H.S.	106	26,917	7	6.8	01.7-11.9	99	93.2	88.1-98.3
H.S. or G.E.D.	565	87,434	31	5.0	03.0-07.0	534	95.0	93.0-97.0
Some Post-H.S.	631	110,611	19	2.5	01.1-03.9	612	97.5	96.1-98.9
College Graduate	735	70,304	17	2.2	01.0-03.4	718	97.8	96.6-99.0
Less than \$15,000	54	7,938	7	10.0	00.8-19.2	47	90.0	80.8-99.2
\$15,000- 24,999	117	16,476	7	5.7	01.0-10.4	110	94.3	89.6-99.0
\$25,000- 34,999	166	24,515	12	6.2	02.1-10.3	154	93.8	89.7-97.9
\$35,000- 49,999	250	33,583	11	4.0	01.3-06.7	239	96.0	93.3-98.7
\$50,000- 99,999	654	95,410	21	3.1	01.5-04.7	633	96.9	95.3-98.5
\$100,000 - 199,999	394	56,924	6	2.7	00.5-04.9	388	97.3	95.1-99.5
\$200,000+	111	15,769				111	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 9: DISABILITY**

**TABLE 18: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1987	283,841	161	9.0	07.4-10.6	1826	91.0	89.4-92.6
Native	67	11,535	14	17.3	07.9-26.7	53	82.7	73.3-92.1
Non-Native	1891	268,810	146	8.7	06.9-10.5	1745	91.3	89.5-93.1
18-24	133	38,194	14	11.5	05.6-17.4	119	88.5	82.6-94.4
25-34	179	50,051	12	8.1	03.4-12.8	167	91.9	87.2-96.6
35-44	231	46,471	13	8.0	03.7-12.3	218	92.0	87.7-96.3
45-54	249	36,260	10	4.5	01.8-07.2	239	95.5	92.8-98.2
55-64	354	43,396	31	9.4	05.7-13.1	323	90.6	86.9-94.3
65+	841	69,469	81	11.2	08.5-13.9	760	88.8	86.1-91.5
Less Than H.S.	67	16,647	18	24.3	12.1-36.5	49	75.7	63.5-87.9
H.S. or G.E.D.	456	67,335	58	13.2	09.3-17.1	398	86.8	82.9-90.7
Some Post-H.S.	638	108,659	59	9.5	06.8-12.2	579	90.5	87.8-93.2
College Graduate	825	90,851	26	2.7	01.5-03.9	799	97.3	96.1-98.5
Less than \$15,000	86	12,640	26	34.7	22.2-47.2	60	65.3	52.8-77.8
\$15,000- 24,999	155	19,342	28	18.0	10.2-25.8	127	82.0	74.2-89.8
\$25,000- 34,999	195	28,254	21	11.9	05.4-18.4	174	88.1	81.6-94.6
\$35,000- 49,999	229	30,874	28	14.4	08.5-20.3	201	85.6	79.7-91.5
\$50,000- 99,999	565	78,624	16	3.9	01.7-06.1	549	96.1	93.9-98.3
\$100,000 - 199,999	297	47,802	6	3.5	00.4-06.6	291	96.5	93.4-99.6
\$200,000+	56	9,747				56	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 10: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1 HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	158
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	159
3 HAVE YOU EVER HAD A CERVICAL CANCER SCREENING TEST? (CERVSCRN) FEMALES ONLY	160
4 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST CERVICAL CANCER SCREENING TEST? (CRVCLCNC) FEMALES ONLY	161
5 AT YOUR MOST RECENT CERVICAL CANCER SCREENING, DID YOU HAVE A PAP TEST? (CRVCLPAP) FEMALES ONLY	162
6 AT YOUR MOST RECENT CERVICAL CANCER SCREENING, DID YOU HAVE AN H.P.V. TEST? (CRVCLHPV) FEMALES ONLY	163
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING
TABLE 1: HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1977	281,665	1527	63.1	60.4-65.8	450	36.9	34.2-39.6
Native	66	11,270	45	53.7	39.4-68.0	21	46.3	32.0-60.6
Non-Native	1882	266,898	1461	63.6	60.9-66.3	421	36.4	33.7-39.1
18-24	133	38,194	9	7.5	02.0-13.0	124	92.5	87.0-98.0
25-34	177	49,271	37	21.6	14.9-28.3	140	78.4	71.7-85.1
35-44	229	45,857	123	54.8	47.7-61.9	106	45.2	38.1-52.3
45-54	247	36,134	210	85.0	80.1-89.9	37	15.0	10.1-19.9
55-64	352	42,971	342	97.5	95.9-99.1	10	2.5	00.9-04.1
65+	839	69,238	806	96.2	94.6-97.8	33	3.8	02.2-05.4
Less Than H.S.	68	16,830	58	68.6	52.3-84.9	10	31.4	15.1-47.7
H.S. or G.E.D.	455	66,582	351	61.2	55.5-66.9	104	38.8	33.1-44.5
Some Post-H.S.	630	107,078	495	63.6	58.9-68.3	135	36.4	31.7-41.1
College Graduate	823	90,824	622	62.9	58.8-67.0	201	37.1	33.0-41.2
Less than \$15,000	85	12,234	60	55.1	41.8-68.4	25	44.9	31.6-58.2
\$15,000- 24,999	151	18,453	122	62.3	51.3-73.3	29	37.7	26.7-48.7
\$25,000- 34,999	195	28,283	148	59.1	49.9-68.3	47	40.9	31.7-50.1
\$35,000- 49,999	229	30,939	175	60.3	51.9-68.7	54	39.7	31.3-48.1
\$50,000- 99,999	565	78,568	444	66.0	60.9-71.1	121	34.0	28.9-39.1
\$100,000 - 199,999	295	47,349	218	63.1	56.2-70.0	77	36.9	30.0-43.8
\$200,000+	56	9,747	39	67.5	53.4-81.6	17	32.5	18.4-46.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1504	175,543	925	60.9	58.0-63.8	231	16.9	14.5-19.3	97	6.0	04.6-07.4	81	5.4	04.0-06.8	170	10.7	08.7-12.7
Non-Native	1440	167,481	896	61.6	58.5-64.7	216	16.6	14.1-19.1	92	6.0	04.6-07.4	78	5.5	04.1-06.9	158	10.3	08.3-12.3
35-44	123	25,109	80	62.5	52.7-72.3	22	22.0	13.2-30.8	6	3.3	00.6-06.0	5	2.3	00.1-04.5	10	9.8	03.3-16.3
45-54	208	30,425	144	67.9	61.0-74.8	32	16.3	10.8-21.8	10	4.6	01.5-07.7	10	4.7	01.6-07.8	12	6.5	02.8-10.2
55-64	338	41,439	227	65.5	59.6-71.4	54	17.8	12.9-22.7	20	5.5	02.8-08.2	13	4.3	01.4-07.2	24	6.9	04.0-09.8
65+	789	65,076	457	58.7	54.8-62.6	114	14.2	11.5-16.9	54	7.1	04.9-09.3	46	5.9	04.1-07.7	118	14.2	11.5-16.9
Less Than H.S.	57	11,330	24	51.2	34.9-67.5	7	14.1	02.1-26.1	9	13.1	03.1-23.1	4	6.5	00.0-15.5	13	15.1	06.3-23.9
H.S. or G.E.D.	342	39,644	171	49.5	43.0-56.0	63	18.9	13.6-24.2	25	6.4	03.7-09.1	22	7.8	04.1-11.5	61	17.3	12.2-22.4
Some Post-H.S.	487	67,434	306	62.5	57.4-67.6	84	19.4	15.1-23.7	20	3.5	01.7-05.3	21	3.9	02.1-05.7	56	10.8	07.5-14.1
College Graduate	617	56,783	424	69.2	64.9-73.5	77	13.3	10.2-16.4	42	6.8	04.4-09.2	34	5.4	03.4-07.4	40	5.4	03.4-07.4
Less than \$15,000	58	6,461	19	30.1	15.6-44.6	14	32.8	16.7-48.9	6	10.2	01.8-18.6	4	5.2	00.1-10.3	15	21.6	09.8-33.4
\$15,000- 24,999	119	11,200	60	56.2	44.0-68.4	13	5.6	02.3-08.9	8	5.7	01.2-10.2	11	11.4	01.8-21.0	27	21.1	12.7-29.5
\$25,000- 34,999	146	16,431	80	51.4	41.2-61.6	27	21.0	12.6-29.4	14	9.6	03.7-15.5	3	4.1	00.0-09.2	22	13.9	06.8-21.0
\$35,000- 49,999	173	18,477	110	59.7	49.9-69.5	27	19.0	10.4-27.6	5	4.1	00.0-08.2	10	4.9	01.2-08.6	21	12.4	05.3-19.5
\$50,000- 99,999	439	51,328	294	65.2	59.9-70.5	63	16.2	12.1-20.3	28	5.3	03.1-07.5	17	4.2	02.0-06.4	37	9.2	05.7-12.7
\$100,000 - 199,999	218	29,874	154	69.9	62.8-77.0	32	15.5	09.6-21.4	8	4.3	01.0-07.6	13	5.4	02.3-08.5	11	5.0	01.9-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: HAVE YOU EVER HAD A CERVICAL CANCER SCREENING TEST? (CERVSCRN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1840	263,335	1266	65.7	63.0-68.4	574	34.3	31.6-37.0
Native	64	11,186	45	69.0	55.3-82.7	19	31.0	17.3-44.7
Non-Native	1749	248,816	1205	65.7	63.0-68.4	544	34.3	31.6-37.0
18-24	132	37,984	36	25.9	17.7-34.1	96	74.1	65.9-82.3
25-34	163	45,060	108	65.9	58.1-73.7	55	34.1	26.3-41.9
35-44	211	42,893	156	73.7	67.0-80.4	55	26.3	19.6-33.0
45-54	231	33,483	198	85.2	80.1-90.3	33	14.8	09.7-19.9
55-64	331	40,045	274	85.0	80.9-89.1	57	15.0	10.9-19.1
65+	772	63,870	494	61.5	57.4-65.6	278	38.5	34.4-42.6
Less Than H.S.	65	16,530	37	61.3	46.4-76.2	28	38.7	23.8-53.6
H.S. or G.E.D.	416	61,475	232	52.3	46.4-58.2	184	47.7	41.8-53.6
Some Post-H.S.	587	99,911	394	65.8	61.1-70.5	193	34.2	29.5-38.9
College Graduate	771	85,068	602	76.0	72.3-79.7	169	24.0	20.3-27.7
Less than \$15,000	83	11,844	51	56.4	42.9-69.9	32	43.6	30.1-57.1
\$15,000- 24,999	147	18,379	83	49.5	38.5-60.5	64	50.5	39.5-61.5
\$25,000- 34,999	178	25,928	103	54.9	45.5-64.3	75	45.1	35.7-54.5
\$35,000- 49,999	218	29,181	144	62.9	54.5-71.3	74	37.1	28.7-45.5
\$50,000- 99,999	515	72,539	398	75.1	70.4-79.8	117	24.9	20.2-29.6
\$100,000 - 199,999	274	43,083	213	75.4	69.3-81.5	61	24.6	18.5-30.7
\$200,000+	55	9,514	47	89.4	81.6-97.2	8	10.6	02.8-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST CERVICAL CANCER SCREENING TEST? (CRVCLCNC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1191	166,362	356	34.9	31.4-38.4	190	17.3	14.8-19.8	136	11.3	09.1-13.5	134	11.6	09.4-13.8	375	24.8	22.1-27.5
Non-Native	1133	157,179	334	34.4	30.9-37.9	179	17.0	14.3-19.7	130	11.6	09.2-14.0	131	12.0	09.6-14.4	359	25.1	22.2-28.0
25-34	107	29,465	51	49.7	39.3-60.1	30	24.1	15.9-32.3	9	7.4	02.3-12.5	11	10.8	04.5-17.1	6	8.1	01.4-14.8
35-44	155	31,415	74	46.3	37.5-55.1	28	18.1	11.4-24.8	12	8.4	02.9-13.9	11	7.6	02.3-12.9	30	19.5	12.8-26.2
45-54	189	27,300	62	31.3	24.0-38.6	34	15.9	10.6-21.2	31	16.3	10.4-22.2	27	15.5	09.8-21.2	35	21.0	14.5-27.5
55-64	263	32,902	80	28.1	22.2-34.0	45	17.8	12.5-23.1	37	14.5	09.6-19.4	35	14.5	09.4-19.6	66	25.2	19.1-31.3
65+	442	35,654	67	13.7	10.0-17.4	48	11.8	08.5-15.1	41	9.5	06.2-12.8	48	12.5	08.4-16.6	238	52.5	47.0-58.0
H.S. or G.E.D.	216	30,780	57	31.6	23.8-39.4	33	15.4	09.5-21.3	19	8.8	04.1-13.5	24	13.0	07.1-18.9	83	31.3	24.4-38.2
Some Post-H.S.	371	63,243	105	35.0	29.1-40.9	50	15.0	10.7-19.3	40	10.4	06.9-13.9	42	11.7	08.0-15.4	134	27.8	22.9-32.7
College Graduate	567	62,056	185	36.5	31.8-41.2	104	22.8	18.5-27.1	72	12.5	09.4-15.6	64	10.5	07.8-13.2	142	17.6	14.5-20.7
\$15,000- 24,999	75	8,515	22	39.6	24.5-54.7	5	7.9	00.0-16.5	5	6.2	00.5-11.9	7	7.5	01.0-14.0	36	38.7	24.4-53.0
\$25,000- 34,999	97	13,764	26	32.4	20.2-44.6	12	10.6	04.3-16.9	8	8.6	01.5-15.7	12	17.8	07.2-28.4	39	30.6	18.6-42.6
\$35,000- 49,999	136	17,447	38	32.0	22.2-41.8	23	21.0	11.8-30.2	14	10.0	02.9-17.1	16	13.9	05.9-21.9	45	23.2	15.6-30.8
\$50,000- 99,999	384	53,324	112	35.8	29.5-42.1	60	16.4	11.9-20.9	45	9.9	06.8-13.0	41	11.0	07.3-14.7	126	26.9	22.0-31.8
\$100,000 - 199,999	207	31,778	65	31.6	24.3-38.9	45	22.9	16.2-29.6	34	18.5	12.0-25.0	22	10.2	05.7-14.7	41	16.9	11.6-22.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

TABLE 5: AT YOUR MOST RECENT CERVICAL CANCER SCREENING, DID YOU HAVE A PAP TEST? (CRVCLPAP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1218	167,216	1139	94.9	93.5-96.3	79	5.1	03.7-06.5
Non-Native	1159	157,835	1080	94.6	93.0-96.2	79	5.4	03.8-07.0
25-34	107	29,199	105	98.0	95.3-100.0	2	2.0	00.0-04.7
35-44	154	31,383	148	95.0	90.5-99.5	6	5.0	00.5-09.5
45-54	190	27,352	181	95.1	91.8-98.4	9	4.9	01.6-08.2
55-64	263	32,297	250	96.4	94.2-98.6	13	3.6	01.4-05.8
65+	470	37,504	421	89.7	86.6-92.8	49	10.3	07.2-13.4
H.S. or G.E.D.	218	30,463	201	95.5	93.1-97.9	17	4.5	02.1-06.9
Some Post-H.S.	372	62,656	348	95.0	92.6-97.4	24	5.0	02.6-07.4
College Graduate	591	63,694	556	94.9	92.9-96.9	35	5.1	03.1-07.1
\$15,000- 24,999	79	8,831	74	96.9	94.0-99.8	5	3.1	00.2-06.0
\$25,000- 34,999	101	13,951	92	95.0	91.5-98.5	9	5.0	01.5-08.5
\$35,000- 49,999	137	17,662	126	92.7	87.6-97.8	11	7.3	02.2-12.4
\$50,000- 99,999	384	52,612	369	96.9	94.9-98.9	15	3.1	01.1-05.1
\$100,000 - 199,999	210	32,099	202	96.6	94.1-99.1	8	3.4	00.9-05.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: AT YOUR MOST RECENT CERVICAL CANCER SCREENING, DID YOU HAVE AN H.P.V. TEST? (CRVCLHPV)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	848	123,454	369	53.8	49.9-57.7	479	46.2	42.3-50.1
Non-Native	800	115,591	339	52.6	48.5-56.7	461	47.4	43.3-51.5
25-34	98	26,353	74	75.7	66.7-84.7	24	24.3	15.3-33.3
35-44	116	24,329	75	66.8	57.4-76.2	41	33.2	23.8-42.6
45-54	128	17,978	61	49.0	39.6-58.4	67	51.0	41.6-60.4
55-64	179	21,766	66	38.6	30.4-46.8	113	61.4	53.2-69.6
65+	294	23,969	68	26.2	19.9-32.5	226	73.8	67.5-80.1
H.S. or G.E.D.	142	21,705	63	56.2	46.6-65.8	79	43.8	34.2-53.4
Some Post-H.S.	260	46,825	113	54.3	47.4-61.2	147	45.7	38.8-52.6
College Graduate	419	47,440	183	51.2	45.7-56.7	236	48.8	43.3-54.3
\$15,000- 24,999	55	6,612	22	56.6	40.9-72.3	33	43.4	27.7-59.1
\$25,000- 34,999	72	11,061	33	64.8	52.1-77.5	39	35.2	22.5-47.9
\$35,000- 49,999	100	13,209	46	55.8	44.0-67.6	54	44.2	32.4-56.0
\$50,000- 99,999	270	39,412	113	51.0	43.7-58.3	157	49.0	41.7-56.3
\$100,000 - 199,999	145	22,450	59	47.3	37.9-56.7	86	52.7	43.3-62.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 10: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1960	278,833	584	22.9	20.9-24.9	1376	77.1	75.1-79.1
Native	67	11,535	11	11.3	04.2-18.4	56	88.7	81.6-95.8
Non-Native	1864	263,801	564	23.5	21.3-25.7	1300	76.5	74.3-78.7
18-24	130	37,514				130	100.0	0100-0100
25-34	168	47,360	4	2.7	00.0-05.4	164	97.3	94.6-0100
35-44	230	46,379	35	16.1	10.8-21.4	195	83.9	78.6-89.2
45-54	245	35,835	68	30.5	24.0-37.0	177	69.5	63.0-76.0
55-64	350	42,800	118	34.4	28.7-40.1	232	65.6	59.9-71.3
65+	837	68,945	359	42.7	38.8-46.6	478	57.3	53.4-61.2
Less Than H.S.	67	16,659	22	22.2	11.2-33.2	45	77.8	66.8-88.8
H.S. or G.E.D.	453	66,363	147	22.5	18.4-26.6	306	77.5	73.4-81.6
Some Post-H.S.	630	107,063	226	28.4	24.5-32.3	404	71.6	67.7-75.5
College Graduate	809	88,397	189	16.8	14.3-19.3	620	83.2	80.7-85.7
Less than \$15,000	84	12,366	24	20.9	11.1-30.7	60	79.1	69.3-88.9
\$15,000- 24,999	154	19,086	59	27.5	19.1-35.9	95	72.5	64.1-80.9
\$25,000- 34,999	194	27,949	64	24.5	17.6-31.4	130	75.5	68.6-82.4
\$35,000- 49,999	225	30,043	67	22.8	16.3-29.3	158	77.2	70.7-83.7
\$50,000- 99,999	561	77,838	159	23.2	19.3-27.1	402	76.8	72.9-80.7
\$100,000 - 199,999	290	46,225	67	20.6	15.7-25.5	223	79.4	74.5-84.3
\$200,000+	56	9,747	10	16.1	06.1-26.1	46	83.9	73.9-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	COLONOSCOPY AND SIGMOIDOSCOPY ARE EXAMS TO CHECK FOR COLON CANCER. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM4)	
1	MALES AND FEMALES	167
2	MALES ONLY	168
3	FEMALES ONLY	169
	HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)	
4	MALES AND FEMALES	170
5	MALES ONLY	171
6	FEMALES ONLY	172
	HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY? (COLNTES1)	
7	MALES AND FEMALES	173
8	MALES ONLY	174
9	FEMALES ONLY	175
	HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT SIGMOIDOSCOPY? (SIGMTES1)	
10	MALES AND FEMALES	176
11	MALES ONLY	177
12	FEMALES ONLY	178
	HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY OR SIGMOIDOSCOPY? (LASTSIG4)	
13	MALES AND FEMALES	179
14	MALES ONLY	180
15	FEMALES ONLY	181
	HAVE YOU EVER HAD ANY OTHER KIND OF TEST FOR COLORECTAL CANCER, SUCH AS VIRTUAL COLONOSCOPY, CT COLONOGRAPHY, BLOOD STOOL TEST, FIT DNA, OR COLOGUARD TEST? (COLNCNCR)	
16	MALES AND FEMALES	182
17	MALES ONLY	183
18	FEMALES ONLY	184
	A VIRTUAL COLONOSCOPY USES A SERIES OF X-RAYS TO TAKE PICTURES OF INSIDE THE COLON. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLO1)	
19	MALES AND FEMALES	185
20	MALES ONLY	186
21	FEMALES ONLY	187
	WHEN WAS YOUR MOST RECENT CT COLONOGRAPHY OR VIRTUAL COLONOSCOPY? (VCLNTES2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 11: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	188
23 MALES ONLY	189
24 FEMALES ONLY	190
ONE STOOL TEST USES A SPECIAL KIT TO OBTAIN A SMALL AMOUNT OF STOOL AT HOME AND RETURNS THE KIT TO THE DOCTOR OR THE LAB. HAVE YOU EVER HAD THIS TEST? (SMALSTOL)	
25 MALES AND FEMALES	191
26 MALES ONLY	192
27 FEMALES ONLY	193
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (STOLTEST)	
28 MALES AND FEMALES	194
29 MALES ONLY	195
30 FEMALES ONLY	196
ANOTHER STOOL TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDN2)	
31 MALES AND FEMALES	197
32 MALES ONLY	198
33 FEMALES ONLY	199
WAS THE BLOOD STOOL OR FIT (YOU REPORTED EARLIER) CONDUCTED AS PART OF A COLOGUARD TEST? (BLDSTFIT)	
34 MALES AND FEMALES	200
35 MALES ONLY	201
36 FEMALES ONLY	202
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATES1)	
37 MALES AND FEMALES	203
38 MALES ONLY	204
39 FEMALES ONLY	205

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 1: COLONOSCOPY AND SIGMOIDOSCOPY ARE EXAMS TO CHECK FOR COLON CANCER. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2573	257,848	2003	75.5	73.5-77.5	570	24.5	22.5-26.5
Male	1241	124,409	968	74.4	71.5-77.3	273	25.6	22.7-28.5
Female	1332	133,439	1035	76.5	73.8-79.2	297	23.5	20.8-26.2
Native	61	6,902	31	51.7	38.0-65.4	30	48.3	34.6-62.0
Non-Native	2464	245,536	1940	76.5	74.5-78.5	524	23.5	21.5-25.5
45-54	285	41,565	152	51.9	45.6-58.2	133	48.1	41.8-54.4
55-64	725	86,837	560	76.8	73.3-80.3	165	23.2	19.7-26.7
65+	1563	129,447	1291	82.2	80.0-84.4	272	17.8	15.6-20.0
Less Than H.S.	128	21,563	84	63.4	53.8-73.0	44	36.6	27.0-46.2
H.S. or G.E.D.	663	66,728	499	74.0	70.1-77.9	164	26.0	22.1-29.9
Some Post-H.S.	807	97,829	639	77.1	73.8-80.4	168	22.9	19.6-26.2
College Graduate	975	71,728	781	78.4	75.5-81.3	194	21.6	18.7-24.5
Less than \$15,000	97	9,820	70	72.4	62.4-82.4	27	27.6	17.6-37.6
\$15,000- 24,999	199	17,503	134	69.7	62.3-77.1	65	30.3	22.9-37.7
\$25,000- 34,999	253	25,500	183	67.0	59.7-74.3	70	33.0	25.7-40.3
\$35,000- 49,999	329	30,685	259	75.5	69.8-81.2	70	24.5	18.8-30.2
\$50,000- 99,999	767	75,793	624	78.8	75.3-82.3	143	21.2	17.7-24.7
\$100,000 - 199,999	375	41,655	302	78.4	73.5-83.3	73	21.6	16.7-26.5
\$200,000+	87	10,019	72	84.1	76.1-92.1	15	15.9	07.9-23.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 2: COLONOSCOPY AND SIGMOIDOSCOPY ARE EXAMS TO CHECK FOR COLON CANCER. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1241	124,409	968	74.4	71.5-77.3	273	25.6	22.7-28.5
Non-Native	1189	118,431	939	75.6	72.7-78.5	250	24.4	21.5-27.3
45-54	137	20,121	73	49.6	40.4-58.8	64	50.4	41.2-59.6
55-64	376	43,894	284	72.9	67.6-78.2	92	27.1	21.8-32.4
65+	728	60,394	611	83.8	80.7-86.9	117	16.2	13.1-19.3
Less Than H.S.	75	12,842	46	56.2	43.5-68.9	29	43.8	31.1-56.5
H.S. or G.E.D.	335	34,897	257	74.0	68.5-79.5	78	26.0	20.5-31.5
Some Post-H.S.	358	43,495	285	76.8	71.7-81.9	73	23.2	18.1-28.3
College Graduate	473	33,176	380	78.9	74.8-83.0	93	21.1	17.0-25.2
\$15,000- 24,999	77	7,201	51	64.9	52.6-77.2	26	35.1	22.8-47.4
\$25,000- 34,999	114	12,051	80	63.8	52.6-75.0	34	36.2	25.0-47.4
\$35,000- 49,999	166	15,665	127	73.2	65.0-81.4	39	26.8	18.6-35.0
\$50,000- 99,999	393	38,690	323	79.4	74.5-84.3	70	20.6	15.7-25.5
\$100,000 - 199,999	218	22,721	180	77.8	70.9-84.7	38	22.2	15.3-29.1
\$200,000+	60	6,202	49	81.8	71.6-92.0	11	18.2	08.0-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 3: COLONOSCOPY AND SIGMOIDOSCOPY ARE EXAMS TO CHECK FOR COLON CANCER. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1332	133,439	1035	76.5	73.8-79.2	297	23.5	20.8-26.2
Non-Native	1275	127,105	1001	77.4	74.7-80.1	274	22.6	19.9-25.3
45-54	148	21,444	79	54.0	45.4-62.6	69	46.0	37.4-54.6
55-64	349	42,942	276	80.8	76.3-85.3	73	19.2	14.7-23.7
65+	835	69,053	680	80.8	77.7-83.9	155	19.2	16.1-22.3
Less Than H.S.	53	8,721	38	74.0	61.1-86.9	15	26.0	13.1-38.9
H.S. or G.E.D.	328	31,832	242	74.0	68.5-79.5	86	26.0	20.5-31.5
Some Post-H.S.	449	54,335	354	77.3	72.8-81.8	95	22.7	18.2-27.2
College Graduate	502	38,552	401	78.0	73.9-82.1	101	22.0	17.9-26.1
Less than \$15,000	60	5,992	42	72.6	60.1-85.1	18	27.4	14.9-39.9
\$15,000- 24,999	122	10,301	83	73.1	64.3-81.9	39	26.9	18.1-35.7
\$25,000- 34,999	139	13,449	103	69.8	60.8-78.8	36	30.2	21.2-39.2
\$35,000- 49,999	163	15,019	132	77.9	70.3-85.5	31	22.1	14.5-29.7
\$50,000- 99,999	374	37,103	301	78.2	73.3-83.1	73	21.8	16.9-26.7
\$100,000 - 199,999	157	18,934	122	79.1	72.2-86.0	35	20.9	14.0-27.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 4: HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy			Sigmoidoscopy			Both		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1969	190,575	1733	88.9	87.3-90.5	8	0.4	00.2-00.6	228	10.8	09.2-12.4
Male	950	90,453	843	89.6	87.4-91.8	5	0.4	00.0-00.8	102	10.0	07.8-12.2
Female	1019	100,122	890	88.2	86.0-90.4	3	0.3	00.0-00.7	126	11.5	09.3-13.7
Non-Native	1907	184,004	1680	88.9	87.3-90.5	7	0.3	00.1-00.5	220	10.8	09.2-12.4
45-54	151	21,460	135	89.3	84.0-94.6				16	10.7	05.4-16.0
55-64	553	65,234	505	91.2	88.5-93.9	5	0.8	00.0-01.6	43	8.0	05.5-10.5
65+	1265	103,881	1093	87.3	85.3-89.3	3	0.2	00.0-00.4	169	12.6	10.6-14.6
Less Than H.S.	74	11,566	67	90.8	83.2-98.4				7	9.2	01.6-16.8
H.S. or G.E.D.	489	48,648	445	91.7	89.0-94.4	2	0.3	00.0-00.7	42	8.1	05.4-10.8
Some Post-H.S.	632	74,564	558	88.3	85.6-91.0	2	0.2	00.0-00.4	72	11.5	08.8-14.2
College Graduate	774	55,798	663	86.8	84.3-89.3	4	0.8	00.0-01.6	107	12.4	10.0-14.8
Less than \$15,000	66	6,226	57	86.5	77.1-95.9				9	13.5	04.1-22.9
\$15,000- 24,999	132	11,991	118	91.8	86.9-96.7	2	1.1	00.0-02.9	12	7.1	02.4-11.8
\$25,000- 34,999	180	16,664	148	82.6	76.3-88.9	3	1.4	00.0-03.0	29	16.0	09.7-22.3
\$35,000- 49,999	256	23,051	223	87.9	83.4-92.4				33	12.1	07.6-16.6
\$50,000- 99,999	619	59,345	546	88.7	85.8-91.6	1	0.1	00.0-00.3	72	11.2	08.3-14.1
\$100,000 - 199,999	300	32,471	272	91.9	88.6-95.2	1	0.2	00.0-00.6	27	7.9	04.8-11.0
\$200,000+	72	8,426	67	94.9	90.4-99.4				5	5.1	00.6-09.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 5: HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy			Sigmoidoscopy			Both		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	950	90,453	843	89.6	87.4-91.8	5	0.4	00.0-00.8	102	10.0	07.8-12.2
Non-Native	922	87,528	817	89.5	87.3-91.7	5	0.5	00.1-00.9	100	10.1	07.9-12.3
45-54	72	9,878	67	91.4	84.1-98.7				5	8.6	01.3-15.9
55-64	280	31,475	254	91.3	87.6-95.0	3	0.8	00.0-01.8	23	7.9	04.4-11.4
65+	598	49,100	522	88.1	85.2-91.0	2	0.3	00.0-00.7	74	11.6	08.7-14.5
H.S. or G.E.D.	254	25,506	239	95.2	92.7-97.7	2	0.5	00.0-01.3	13	4.3	01.8-06.8
Some Post-H.S.	281	32,859	257	90.0	86.1-93.9	1	0.3	00.0-00.9	23	9.6	05.7-13.5
College Graduate	376	25,965	314	84.9	81.2-88.6	2	0.6	00.0-01.4	60	14.5	10.8-18.2
\$15,000- 24,999	50	4,518	47	93.8	86.5-0100	1	2.3	00.0-06.8	2	3.8	00.0-09.7
\$25,000- 34,999	78	7,325	67	88.1	80.8-95.4	3	3.1	00.0-06.8	8	8.8	02.3-15.3
\$35,000- 49,999	127	11,468	113	89.3	83.2-95.4				14	10.7	04.6-16.8
\$50,000- 99,999	319	30,401	280	88.4	84.1-92.7				39	11.6	07.3-15.9
\$100,000 - 199,999	179	17,573	159	90.4	85.9-94.9	1	0.4	00.0-01.2	19	9.3	04.8-13.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 6: HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy			Sigmoidoscopy			Both		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1019	100,122	890	88.2	86.0-90.4	3	0.3	00.0-00.7	126	11.5	09.3-13.7
Non-Native	985	96,477	863	88.5	86.3-90.7	2	0.1	00.0-00.3	120	11.4	09.2-13.6
45-54	79	11,582	68	87.5	80.1-94.9				11	12.5	05.1-19.9
55-64	273	33,759	251	91.1	87.2-95.0	2	0.8	00.0-02.0	20	8.0	04.3-11.7
65+	667	54,781	571	86.5	83.6-89.4	1	0.1	00.0-00.3	95	13.5	10.6-16.4
H.S. or G.E.D.	235	23,142	206	87.7	82.8-92.6				29	12.3	07.4-17.2
Some Post-H.S.	351	41,704	301	86.9	83.0-90.8	1	0.1	00.0-00.3	49	13.1	09.2-17.0
College Graduate	398	29,832	349	88.5	85.2-91.8	2	0.9	00.0-02.3	47	10.6	07.5-13.7
\$15,000- 24,999	82	7,473	71	90.5	83.8-97.2	1	0.4	00.0-01.2	10	9.1	02.4-15.8
\$25,000- 34,999	102	9,339	81	78.3	68.7-87.9				21	21.7	12.1-31.3
\$35,000- 49,999	129	11,583	110	86.5	80.0-93.0				19	13.5	07.0-20.0
\$50,000- 99,999	300	28,944	266	88.9	84.8-93.0	1	0.3	00.0-00.9	33	10.8	06.7-14.9
\$100,000 - 199,999	121	14,898	113	93.8	89.1-98.5				8	6.2	01.5-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING
TABLE 7: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY? (COLNTES1)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1921	186,196	382	20.5	18.3-22.7	307	17.0	15.0-19.0	649	34.3	31.8-36.8	396	19.3	17.3-21.3	187	8.9	07.3-10.5
Male	929	88,699	184	20.9	18.0-23.8	143	16.9	14.2-19.6	319	34.6	31.1-38.1	191	18.6	15.9-21.3	92	9.0	06.8-11.2
Female	992	97,497	198	20.1	17.2-23.0	164	17.1	14.4-19.8	330	34.1	30.6-37.6	205	19.9	17.0-22.8	95	8.8	06.6-11.0
Non-Native	1862	180,092	373	20.7	18.5-22.9	300	17.1	15.1-19.1	624	34.0	31.5-36.5	385	19.4	17.2-21.6	180	8.8	07.2-10.4
45-54	147	20,848	55	33.5	25.5-41.5	35	24.9	17.3-32.5	37	25.2	17.6-32.8	9	5.7	02.0-09.4	11	10.7	04.2-17.2
55-64	542	64,140	119	22.2	18.3-26.1	78	14.7	11.4-18.0	194	35.8	31.3-40.3	123	23.3	19.2-27.4	28	4.0	02.4-05.6
65+	1232	101,208	208	16.7	14.3-19.1	194	16.8	14.3-19.3	418	35.3	32.2-38.4	264	19.5	17.0-22.0	148	11.6	09.4-13.8
Less Than H.S.	69	11,024	10	10.1	03.4-16.8	5	6.1	00.6-11.6	27	44.0	30.3-57.7	15	23.7	11.5-35.9	12	16.2	06.4-26.0
H.S. or G.E.D.	476	47,679	87	19.8	15.7-23.9	87	21.0	16.7-25.3	160	33.7	29.0-38.4	88	15.6	12.1-19.1	54	9.8	06.7-12.9
Some Post-H.S.	618	73,047	115	19.9	16.4-23.4	105	17.7	14.4-21.0	196	32.1	28.0-36.2	138	21.4	17.9-24.9	64	9.0	06.5-11.5
College Graduate	758	54,446	170	24.0	20.5-27.5	110	14.8	11.9-17.7	266	35.9	32.0-39.8	155	18.7	15.8-21.6	57	6.6	04.6-08.6
Less than \$15,000	64	5,951	14	22.4	10.4-34.4	12	16.4	06.8-26.0	18	30.5	17.0-44.0	13	21.9	10.5-33.3	7	8.8	01.2-16.4
\$15,000- 24,999	127	11,568	25	17.0	10.1-23.9	14	8.0	03.5-12.5	47	37.3	27.5-47.1	21	21.6	10.8-32.4	20	16.1	08.5-23.7
\$25,000- 34,999	175	16,353	33	16.5	10.6-22.4	22	16.3	09.2-23.4	57	40.0	30.8-49.2	38	17.8	11.7-23.9	25	9.4	04.9-13.9
\$35,000- 49,999	249	22,529	49	19.9	14.2-25.6	35	16.2	10.5-21.9	79	32.0	25.3-38.7	59	22.1	16.0-28.2	27	9.8	05.7-13.9
\$50,000- 99,999	608	58,226	129	22.5	18.6-26.4	119	21.2	17.5-24.9	191	31.0	26.9-35.1	120	18.0	14.7-21.3	49	7.3	04.9-09.7
\$100,000 - 199,999	296	32,199	56	19.9	14.8-25.0	39	15.3	10.6-20.0	121	37.5	31.4-43.6	65	21.2	15.9-26.5	15	6.1	02.4-09.8
\$200,000+	72	8,426	14	17.7	08.7-26.7	9	10.7	03.4-18.0	23	37.3	24.2-50.4	20	22.1	12.3-31.9	6	12.2	02.4-22.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 8: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY? (COLNTES1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	929	88,699	184	20.9	18.0-23.8	143	16.9	14.2-19.6	319	34.6	31.1-38.1	191	18.6	15.9-21.3	92	9.0	06.8-11.2
Non-Native	902	85,910	179	21.0	18.1-23.9	138	16.7	14.0-19.4	309	34.6	31.1-38.1	185	18.6	15.9-21.3	91	9.1	06.9-11.3
45-54	71	9,756	26	34.3	22.7-45.9	24	34.7	22.7-46.7	13	18.8	09.0-28.6	4	5.1	00.2-10.0	4	7.1	00.2-14.0
55-64	273	30,797	68	24.2	18.7-29.7	34	13.5	09.0-18.0	95	36.3	29.8-42.8	64	21.8	16.5-27.1	12	4.2	01.8-06.6
65+	585	48,146	90	16.1	12.8-19.4	85	15.5	12.2-18.8	211	36.6	32.1-41.1	123	19.3	15.8-22.8	76	12.5	09.4-15.6
H.S. or G.E.D.	247	25,067	53	23.9	17.8-30.0	44	20.9	15.0-26.8	84	34.0	27.3-40.7	37	12.2	07.9-16.5	29	9.1	05.4-12.8
Some Post-H.S.	276	32,206	44	18.0	12.9-23.1	43	16.7	11.8-21.6	89	31.6	25.5-37.7	68	23.5	18.2-28.8	32	10.2	06.3-14.1
College Graduate	368	25,440	82	23.9	19.0-28.8	52	15.0	10.9-19.1	132	36.8	31.3-42.3	78	18.8	14.5-23.1	24	5.6	03.1-08.1
\$25,000- 34,999	74	7,079	16	18.5	09.1-27.9	4	9.4	00.2-18.6	27	42.2	28.5-55.9	16	20.5	10.3-30.7	11	9.4	02.1-16.7
\$35,000- 49,999	124	11,187	23	20.5	12.1-28.9	17	16.3	08.5-24.1	41	33.4	24.0-42.8	28	18.9	11.5-26.3	15	10.9	04.8-17.0
\$50,000- 99,999	313	29,854	67	22.7	17.2-28.2	66	22.5	17.0-28.0	95	29.8	23.9-35.7	59	17.1	12.4-21.8	26	8.0	04.5-11.5
\$100,000 - 199,999	176	17,360	29	17.7	11.4-24.0	22	15.2	08.9-21.5	72	36.3	28.5-44.1	41	23.3	16.2-30.4	12	7.5	02.6-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 9: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY? (COLNTES1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	992	97,497	198	20.1	17.2-23.0	164	17.1	14.4-19.8	330	34.1	30.6-37.6	205	19.9	17.0-22.8	95	8.8	06.6-11.0
Non-Native	960	94,182	194	20.5	17.6-23.4	162	17.5	14.8-20.2	315	33.4	29.9-36.9	200	20.1	17.2-23.0	89	8.5	06.3-10.7
45-54	76	11,092	29	32.8	21.8-43.8	11	16.3	07.1-25.5	24	30.8	19.4-42.2	5	6.2	00.7-11.7	7	13.9	03.5-24.3
55-64	269	33,343	51	20.4	14.9-25.9	44	15.7	11.0-20.4	99	35.3	29.0-41.6	59	24.8	18.5-31.1	16	3.9	01.7-06.1
65+	647	53,062	118	17.2	13.9-20.5	109	18.0	14.5-21.5	207	34.1	29.8-38.4	141	19.7	16.4-23.0	72	10.9	08.0-13.8
H.S. or G.E.D.	229	22,611	34	15.3	09.8-20.8	43	21.2	14.7-27.7	76	33.4	26.5-40.3	51	19.5	13.8-25.2	25	10.6	05.5-15.7
Some Post-H.S.	342	40,841	71	21.3	16.4-26.2	62	18.4	13.9-22.9	107	32.5	26.8-38.2	70	19.7	15.0-24.4	32	8.0	04.9-11.1
College Graduate	390	29,006	88	24.1	19.2-29.0	58	14.6	10.7-18.5	134	35.2	29.9-40.5	77	18.6	14.5-22.7	33	7.5	04.6-10.4
\$15,000- 24,999	79	7,228	20	20.5	10.9-30.1	9	6.3	01.8-10.8	23	29.4	17.4-41.4	13	27.0	11.7-42.3	14	16.8	07.4-26.2
\$25,000- 34,999	101	9,273	17	15.0	07.4-22.6	18	21.5	11.5-31.5	30	38.3	26.0-50.6	22	15.7	08.4-23.0	14	9.4	03.7-15.1
\$35,000- 49,999	125	11,342	26	19.3	11.7-26.9	18	16.2	08.2-24.2	38	30.5	21.1-39.9	31	25.2	15.8-34.6	12	8.9	03.2-14.6
\$50,000- 99,999	295	28,372	62	22.4	16.7-28.1	53	19.8	14.5-25.1	96	32.3	26.2-38.4	61	19.0	14.1-23.9	23	6.5	03.4-09.6
\$100,000 - 199,999	120	14,839	27	22.4	14.2-30.6	17	15.4	08.1-22.7	49	38.8	29.2-48.4	24	18.8	11.2-26.4	3	4.5	00.0-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT SIGMOIDOSCOPY? (SIGMTES1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	209	18,638	26	14.3	08.6-20.0	21	12.7	06.8-18.6	37	18.9	12.4-25.4	33	13.0	08.3-17.7	92	41.1	33.5-48.7
Male	94	8,106	13	13.9	06.3-21.5	9	12.5	04.3-20.7	14	19.3	08.1-30.5	17	15.4	07.6-23.2	41	38.9	27.7-50.1
Female	115	10,532	13	14.6	06.6-22.6	12	12.9	04.7-21.1	23	18.6	11.0-26.2	16	11.2	05.3-17.1	51	42.7	32.3-53.1
Non-Native	202	17,982	25	14.1	08.4-19.8	21	13.2	07.1-19.3	33	18.1	11.4-24.8	32	13.1	08.2-18.0	91	41.5	33.7-49.3
65+	150	11,126	16	13.3	06.8-19.8	13	9.9	04.0-15.8	24	15.5	09.2-21.8	26	16.2	09.5-22.9	71	45.1	36.1-54.1
Some Post-H.S.	64	7,453	7	11.1	02.5-19.7	8	14.9	03.9-25.9	12	19.7	08.9-30.5	9	11.1	03.3-18.9	28	43.2	29.7-56.7
College Graduate	99	6,531	10	11.8	04.5-19.1	6	7.9	01.6-14.2	20	21.3	12.5-30.1	15	13.5	06.6-20.4	48	45.5	34.9-56.1
\$50,000- 99,999	66	5,927	8	12.4	02.8-22.0	7	15.6	03.1-28.1	14	26.9	12.6-41.2	14	13.9	06.1-21.7	23	31.2	18.5-43.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT SIGMOIDOSCOPY? (SIGMTES1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	94	8,106	13	13.9	06.3-21.5	9	12.5	04.3-20.7	14	19.3	08.1-30.5	17	15.4	07.8-23.0	41	38.9	27.7-50.1
Non-Native	93	8,033	13	14.0	06.2-21.8	9	12.6	04.2-21.0	14	19.4	08.0-30.8	16	14.7	07.1-22.3	41	39.2	27.8-50.6
65+	66	4,787	7	12.2	03.0-21.4	5	10.0	00.8-19.2	9	13.5	04.1-22.9	14	20.2	09.6-30.8	31	44.1	30.8-57.4
College Graduate	55	3,461	7	15.5	04.7-26.3	3	7.0	00.0-14.6	8	13.5	03.7-23.3	9	15.4	06.4-24.4	28	48.7	34.8-62.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT SIGMOIDOSCOPY? (SIGMTES1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	115	10,532	13	14.6	06.6-22.6	12	12.9	04.7-21.1	23	18.6	11.0-26.2	16	11.2	05.3-17.1	51	42.7	32.3-53.1
Non-Native	109	9,949	12	14.2	06.0-22.4	12	13.7	05.1-22.3	19	17.0	09.4-24.6	16	11.9	05.6-18.2	50	43.2	32.4-54.0
65+	84	6,339	9	14.0	04.8-23.2	8	9.8	02.5-17.1	15	17.0	08.6-25.4	12	13.1	05.1-21.1	40	46.0	34.2-57.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING

TABLE 13: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY OR SIGMOIDOSCOPY? (LASTSIG4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING

TABLE 14: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY OR SIGMOIDOSCOPY? (LASTSIG4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING

TABLE 15: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY OR SIGMOIDOSCOPY? (LASTSIG4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 16: HAVE YOU EVER HAD ANY OTHER KIND OF TEST FOR COLORECTAL CANCER, SUCH AS VIRTUAL COLONOSCOPY, CT COLONOGRAPHY, BLOOD STOOL TEST, FIT DNA, OR COLOGUARD TEST? (COLNCNCR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2510	250,557	488	18.5	16.7-20.3	2022	81.5	79.7-83.3
Male	1208	121,126	211	17.3	14.9-19.7	997	82.7	80.3-85.1
Female	1302	129,431	277	19.6	17.2-22.0	1025	80.4	78.0-82.8
Native	60	6,868	13	26.6	13.9-39.3	47	73.4	60.7-86.1
Non-Native	2404	238,464	468	18.3	16.5-20.1	1936	81.7	79.9-83.5
45-54	281	40,860	49	16.1	11.6-20.6	232	83.9	79.4-88.4
55-64	710	84,506	134	18.3	15.2-21.4	576	81.7	78.6-84.8
65+	1519	125,191	305	19.4	17.0-21.8	1214	80.6	78.2-83.0
Less Than H.S.	118	19,791	14	10.4	04.3-16.5	104	89.6	83.5-95.7
H.S. or G.E.D.	638	64,558	99	14.6	11.5-17.7	539	85.4	82.3-88.5
Some Post-H.S.	792	95,493	157	19.5	16.4-22.6	635	80.5	77.4-83.6
College Graduate	962	70,715	218	22.9	20.0-25.8	744	77.1	74.2-80.0
Less than \$15,000	91	8,843	22	19.2	10.2-28.2	69	80.8	71.8-89.8
\$15,000- 24,999	195	17,136	42	19.4	13.3-25.5	153	80.6	74.5-86.7
\$25,000- 34,999	243	24,175	59	22.4	16.3-28.5	184	77.6	71.5-83.7
\$35,000- 49,999	323	30,086	64	20.2	15.1-25.3	259	79.8	74.7-84.9
\$50,000- 99,999	750	74,260	145	18.8	15.7-21.9	605	81.2	78.1-84.3
\$100,000 - 199,999	370	40,927	65	17.5	13.2-21.8	305	82.5	78.2-86.8
\$200,000+	87	10,019	18	22.5	12.5-32.5	69	77.5	67.5-87.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 17: HAVE YOU EVER HAD ANY OTHER KIND OF TEST FOR COLORECTAL CANCER, SUCH AS VIRTUAL COLONOSCOPY, CT COLONOGRAPHY, BLOOD STOOL TEST, FIT DNA, OR COLOGUARD TEST? (COLNCNR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1208	121,126	211	17.3	14.9-19.7	997	82.7	80.3-85.1
Non-Native	1158	115,255	202	17.0	14.5-19.5	956	83.0	80.5-85.5
45-54	136	19,883	17	11.7	06.2-17.2	119	88.3	82.8-93.8
55-64	366	42,613	74	20.0	15.5-24.5	292	80.0	75.5-84.5
65+	706	58,630	120	17.2	13.9-20.5	586	82.8	79.5-86.1
Less Than H.S.	70	12,166	8	13.0	04.0-22.0	62	87.0	78.0-96.0
H.S. or G.E.D.	323	33,978	40	12.1	08.2-16.0	283	87.9	84.0-91.8
Some Post-H.S.	348	42,176	65	19.3	14.6-24.0	283	80.7	76.0-85.4
College Graduate	467	32,806	98	21.7	17.6-25.8	369	78.3	74.2-82.4
\$15,000- 24,999	76	7,175	14	17.3	08.1-26.5	62	82.7	73.5-91.9
\$25,000- 34,999	112	11,691	19	15.3	07.1-23.5	93	84.7	76.5-92.9
\$35,000- 49,999	162	15,353	33	22.4	15.0-29.8	129	77.6	70.2-85.0
\$50,000- 99,999	380	37,731	67	17.2	12.9-21.5	313	82.8	78.5-87.1
\$100,000 - 199,999	215	22,155	33	14.8	09.7-19.9	182	85.2	80.1-90.3
\$200,000+	60	6,202	14	23.2	12.2-34.2	46	76.8	65.8-87.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 18: HAVE YOU EVER HAD ANY OTHER KIND OF TEST FOR COLORECTAL CANCER, SUCH AS VIRTUAL COLONOSCOPY, CT COLONOGRAPHY, BLOOD STOOL TEST, FIT DNA, OR COLOGUARD TEST? (COLNCNR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1302	129,431	277	19.6	17.2-22.0	1025	80.4	78.0-82.8
Non-Native	1246	123,209	266	19.6	17.1-22.1	980	80.4	77.9-82.9
45-54	145	20,977	32	20.3	13.2-27.4	113	79.7	72.6-86.8
55-64	344	41,893	60	16.6	12.3-20.9	284	83.4	79.1-87.7
65+	813	66,561	185	21.3	18.2-24.4	628	78.7	75.6-81.8
H.S. or G.E.D.	315	30,580	59	17.4	12.7-22.1	256	82.6	77.9-87.3
Some Post-H.S.	444	53,318	92	19.7	15.6-23.8	352	80.3	76.2-84.4
College Graduate	495	37,909	120	23.9	19.6-28.2	375	76.1	71.8-80.4
Less than \$15,000	58	5,495	13	14.3	05.5-23.1	45	85.7	76.9-94.5
\$15,000- 24,999	119	9,960	28	20.9	12.7-29.1	91	79.1	70.9-87.3
\$25,000- 34,999	131	12,483	40	29.0	20.0-38.0	91	71.0	62.0-80.0
\$35,000- 49,999	161	14,734	31	17.9	11.2-24.6	130	82.1	75.4-88.8
\$50,000- 99,999	370	36,529	78	20.5	15.8-25.2	292	79.5	74.8-84.2
\$100,000 - 199,999	155	18,772	32	20.7	13.6-27.8	123	79.3	72.2-86.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 19: A VIRTUAL COLONOSCOPY USES A SERIES OF X-RAYS TO TAKE PICTURES OF INSIDE THE COLON. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLO1)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	464	44,135	53	10.6	07.3-13.9	411	89.4	86.1-92.7
Male	203	20,243	25	9.5	05.4-13.6	178	90.5	86.4-94.6
Female	261	23,892	28	11.5	06.6-16.4	233	88.5	83.6-93.4
Non-Native	444	41,570	51	10.9	07.6-14.2	393	89.1	85.8-92.4
55-64	131	15,144	8	7.9	01.8-14.0	123	92.1	86.0-98.2
65+	285	22,719	40	12.8	08.5-17.1	245	87.2	82.9-91.5
H.S. or G.E.D.	95	9,014	15	14.4	06.6-22.2	80	85.6	77.8-93.4
Some Post-H.S.	146	17,400	20	13.9	07.4-20.4	126	86.1	79.6-92.6
College Graduate	210	15,688	18	6.1	03.0-09.2	192	93.9	90.8-97.0
\$25,000- 34,999	55	5,033	5	8.7	00.0-18.1	50	91.3	81.9-0100
\$35,000- 49,999	61	5,775	4	5.7	00.2-11.2	57	94.3	88.8-99.8
\$50,000- 99,999	139	13,549	21	15.3	07.7-22.9	118	84.7	77.1-92.3
\$100,000 - 199,999	64	7,049	4	4.9	00.0-09.8	60	95.1	90.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 20: A VIRTUAL COLONOSCOPY USES A SERIES OF X-RAYS TO TAKE PICTURES OF INSIDE THE COLON. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	203	20,243	25	9.5	05.4-13.6	178	90.5	86.4-94.6
Non-Native	194	18,945	24	9.6	05.5-13.7	170	90.4	86.3-94.5
55-64	72	8,404	4	3.4	00.0-06.9	68	96.6	93.1-0100
65+	114	9,513	20	15.9	08.5-23.3	94	84.1	76.7-91.5
Some Post-H.S.	60	7,524	10	13.4	05.0-21.8	50	86.6	78.2-95.0
College Graduate	95	7,038	9	6.8	01.7-11.9	86	93.2	88.1-98.3
\$50,000- 99,999	66	6,452	12	12.6	04.4-20.8	54	87.4	79.2-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 21: A VIRTUAL COLONOSCOPY USES A SERIES OF X-RAYS TO TAKE PICTURES OF INSIDE THE COLON. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	261	23,892	28	11.5	06.6-16.4	233	88.5	83.6-93.4
Non-Native	250	22,624	27	12.0	06.9-17.1	223	88.0	82.9-93.1
55-64	59	6,740	4	13.4	01.1-25.7	55	86.6	74.3-98.9
65+	171	13,206	20	10.7	05.8-15.6	151	89.3	84.4-94.2
H.S. or G.E.D.	55	4,911	9	17.6	05.4-29.8	46	82.4	70.2-94.6
Some Post-H.S.	86	9,876	10	14.3	04.9-23.7	76	85.7	76.3-95.1
College Graduate	115	8,650	9	5.5	01.6-09.4	106	94.5	90.6-98.4
\$50,000- 99,999	73	7,097	9	17.7	05.5-29.9	64	82.3	70.1-94.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING
TABLE 22: WHEN WAS YOUR MOST RECENT CT COLONOGRAPHY OR VIRTUAL COLONOSCOPY? (VCLNTES2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING

TABLE 23: WHEN WAS YOUR MOST RECENT CT COLONOGRAPHY OR VIRTUAL COLONOSCOPY? (VCLNTES2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING

TABLE 24: WHEN WAS YOUR MOST RECENT CT COLONOGRAPHY OR VIRTUAL COLONOSCOPY? (VCLNTES2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 25: ONE STOOL TEST USES A SPECIAL KIT TO OBTAIN A SMALL AMOUNT OF STOOL AT HOME AND RETURNS THE KIT TO THE DOCTOR OR THE LAB. HAVE YOU EVER HAD THIS TEST?
(SMALSTOL)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	483	45,959	354	73.4	68.9-77.9	129	26.6	22.1-31.1
Male	209	20,778	147	71.1	64.2-78.0	62	28.9	22.0-35.8
Female	274	25,181	207	75.2	69.1-81.3	67	24.8	18.7-30.9
Non-Native	463	43,394	338	72.7	68.0-77.4	125	27.3	22.6-32.0
55-64	133	15,349	93	66.6	57.4-75.8	40	33.4	24.2-42.6
65+	301	24,025	225	77.5	72.4-82.6	76	22.5	17.4-27.6
H.S. or G.E.D.	98	9,412	76	77.7	67.9-87.5	22	22.3	12.5-32.1
Some Post-H.S.	155	18,457	113	71.4	63.4-79.4	42	28.6	20.6-36.6
College Graduate	216	16,023	154	71.8	64.9-78.7	62	28.2	21.3-35.1
\$25,000- 34,999	59	5,417	44	78.2	66.2-90.2	15	21.8	09.8-33.8
\$35,000- 49,999	64	6,064	51	79.6	68.2-91.0	13	20.4	09.0-31.8
\$50,000- 99,999	142	13,791	95	64.5	55.1-73.9	47	35.5	26.1-44.9
\$100,000 - 199,999	64	7,032	47	73.0	60.8-85.2	17	27.0	14.8-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 26: ONE STOOL TEST USES A SPECIAL KIT TO OBTAIN A SMALL AMOUNT OF STOOL AT HOME AND RETURNS THE KIT TO THE DOCTOR OR THE LAB. HAVE YOU EVER HAD THIS TEST?
(SMALSTOL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	209	20,778	147	71.1	64.2-78.0	62	28.9	22.0-35.8
Non-Native	200	19,480	140	70.5	63.2-77.8	60	29.5	22.2-36.8
55-64	73	8,411	51	68.5	56.5-80.5	22	31.5	19.5-43.5
65+	119	10,041	82	70.9	61.7-80.1	37	29.1	19.9-38.3
Some Post-H.S.	64	8,019	44	68.6	56.3-80.9	20	31.4	19.1-43.7
College Graduate	98	7,105	68	71.1	61.3-80.9	30	28.9	19.1-38.7
\$50,000- 99,999	66	6,459	43	65.7	52.6-78.8	23	34.3	21.2-47.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 27: ONE STOOL TEST USES A SPECIAL KIT TO OBTAIN A SMALL AMOUNT OF STOOL AT HOME AND RETURNS THE KIT TO THE DOCTOR OR THE LAB. HAVE YOU EVER HAD THIS TEST?
(SMALSTOL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	274	25,181	207	75.2	69.1-81.3	67	24.8	18.7-30.9
Non-Native	263	23,913	198	74.5	68.2-80.8	65	25.5	19.2-31.8
55-64	60	6,938	42	64.4	50.1-78.7	18	35.6	21.3-49.9
65+	182	13,984	143	82.3	76.6-88.0	39	17.7	12.0-23.4
H.S. or G.E.D.	59	5,336	47	82.7	71.5-93.9	12	17.3	06.1-28.5
Some Post-H.S.	91	10,438	69	73.5	62.9-84.1	22	26.5	15.9-37.1
College Graduate	118	8,918	86	72.4	63.0-81.8	32	27.6	18.2-37.0
\$50,000- 99,999	76	7,333	52	63.5	50.2-76.8	24	36.5	23.2-49.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 28: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (STOLTEST)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	344	32,977	100	31.8	26.1-37.5	50	14.1	10.2-18.0	36	11.8	07.3-16.3	49	13.6	09.7-17.5	109	28.7	23.4-34.0
Male	146	14,726	43	29.8	21.4-38.2	16	11.5	05.6-17.4	12	11.7	03.9-19.5	28	19.8	12.5-27.1	47	27.3	19.3-35.3
Female	198	18,251	57	33.5	25.7-41.3	34	16.2	10.7-21.7	24	11.8	06.5-17.1	21	8.6	04.7-12.5	62	29.9	22.6-37.2
Non-Native	328	30,824	91	30.3	24.4-36.2	48	13.7	09.8-17.6	34	11.9	07.2-16.6	49	14.6	10.5-18.7	106	29.5	24.0-35.0
55-64	92	10,129	30	33.2	22.4-44.0	15	13.4	06.3-20.5	9	11.2	02.2-20.2	17	18.5	10.1-26.9	21	23.6	13.8-33.4
65+	216	17,991	55	27.6	20.7-34.5	27	12.0	07.3-16.7	22	12.4	06.3-18.5	27	10.6	06.5-14.7	85	37.4	30.0-44.8
H.S. or G.E.D.	74	7,235	16	21.2	11.4-31.0	9	13.1	04.7-21.5	9	14.0	04.0-24.0	15	18.4	09.0-27.8	25	33.3	21.3-45.3
Some Post-H.S.	109	12,709	35	35.5	25.1-45.9	16	13.6	06.7-20.5	12	12.7	04.7-20.7	15	13.4	06.5-20.3	31	24.8	16.2-33.4
College Graduate	150	11,319	45	35.1	26.3-43.9	23	14.9	08.6-21.2	14	7.8	03.3-12.3	19	12.8	06.9-18.7	49	29.3	21.3-37.3
\$35,000- 49,999	50	4,778	13	25.1	11.6-38.6	7	15.8	03.6-28.0	6	10.7	01.7-19.7	7	17.1	04.9-29.3	17	31.3	16.8-45.8
\$50,000- 99,999	94	8,843	29	36.2	25.0-47.4	11	10.2	03.5-16.9	7	5.4	00.9-09.9	17	18.4	09.8-27.0	30	29.8	19.8-39.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 29: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (STOLTEST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	146	14,726	43	29.8	21.4-38.2	16	11.5	05.6-17.4	12	11.7	03.7-19.7	28	19.8	12.7-26.9	47	27.3	19.3-35.3
Non-Native	139	13,686	40	29.5	20.9-38.1	14	9.3	04.2-14.4	11	11.9	03.5-20.3	28	21.3	13.7-28.9	46	27.9	19.5-36.3
55-64	51	5,760	15	30.1	15.8-44.4	7	12.4	03.0-21.8	4	10.4	00.0-24.1	16	31.0	17.3-44.7	9	16.1	05.1-27.1
65+	81	7,066	22	27.0	16.2-37.8	6	7.3	00.8-13.8	7	14.2	02.6-25.8	10	10.9	03.8-18.0	36	40.6	28.3-52.9
College Graduate	67	5,000	19	32.7	19.6-45.8	9	15.2	05.2-25.2	3	3.9	00.0-09.0	10	16.8	06.4-27.2	26	31.4	19.4-43.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 30: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (STOLTEST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	198	18,251	57	33.5	25.7-41.3	34	16.2	10.7-21.7	24	11.8	06.5-17.1	21	8.6	04.7-12.5	62	29.9	22.6-37.2
Non-Native	189	17,138	51	30.9	23.1-38.7	34	17.2	11.3-23.1	23	11.9	06.2-17.6	21	9.2	04.9-13.5	60	30.8	23.4-38.2
65+	135	10,925	33	28.0	19.2-36.8	21	15.1	08.6-21.6	15	11.2	04.3-18.1	17	10.4	05.1-15.7	49	35.3	26.1-44.5
Some Post-H.S.	65	7,206	23	42.8	28.9-56.7	12	17.0	07.2-26.8	7	9.3	02.2-16.4	5	7.3	00.6-14.0	18	23.6	12.2-35.0
College Graduate	83	6,319	26	37.0	24.8-49.2	14	14.7	06.9-22.5	11	11.0	03.9-18.1	9	9.6	02.9-16.3	23	27.7	16.5-38.9
\$50,000- 99,999	51	4,599	14	33.9	19.0-48.8	9	15.5	04.9-26.1	4	6.6	00.0-13.5	5	8.6	01.2-16.0	19	35.4	21.1-49.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 31: ANOTHER STOOL TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDN2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	471	44,419	94	18.5	14.6-22.4	377	81.5	77.6-85.4
Male	204	20,163	39	18.9	12.8-25.0	165	81.1	75.0-87.2
Female	267	24,256	55	18.1	13.0-23.2	212	81.9	76.8-87.0
Non-Native	453	42,140	89	18.5	14.4-22.6	364	81.5	77.4-85.6
55-64	131	14,996	30	22.1	14.3-29.9	101	77.9	70.1-85.7
65+	293	23,186	54	16.2	11.5-20.9	239	83.8	79.1-88.5
H.S. or G.E.D.	96	9,080	27	26.7	16.3-37.1	69	73.3	62.9-83.7
Some Post-H.S.	150	17,871	30	16.6	10.3-22.9	120	83.4	77.1-89.7
College Graduate	212	15,592	34	15.7	10.4-21.0	178	84.3	79.0-89.6
\$25,000- 34,999	58	5,219	14	20.7	09.5-31.9	44	79.3	68.1-90.5
\$35,000- 49,999	59	5,467	11	16.4	06.0-26.8	48	83.6	73.2-94.0
\$50,000- 99,999	143	13,797	20	13.8	07.1-20.5	123	86.2	79.5-92.9
\$100,000 - 199,999	64	7,042	14	23.0	11.4-34.6	50	77.0	65.4-88.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

**TABLE 32: ANOTHER STOOL TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST?
(STOOLDN2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	204	20,163	39	18.9	12.8-25.0	165	81.1	75.0-87.2
Non-Native	197	19,151	37	18.6	12.5-24.7	160	81.4	75.3-87.5
55-64	72	8,255	16	23.4	12.4-34.4	56	76.6	65.6-87.6
65+	116	9,702	20	16.0	08.6-23.4	96	84.0	76.6-91.4
Some Post-H.S.	63	7,846	14	17.8	08.2-27.4	49	82.2	72.6-91.8
College Graduate	95	6,923	11	12.3	04.9-19.7	84	87.7	80.3-95.1
\$50,000- 99,999	67	6,485	10	15.3	05.1-25.5	57	84.7	74.5-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 33: ANOTHER STOOL TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDN2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	267	24,256	55	18.1	12.8-23.4	212	81.9	76.6-87.2
Non-Native	256	22,988	52	18.3	12.8-23.8	204	81.7	76.2-87.2
55-64	59	6,740	14	20.5	09.5-31.5	45	79.5	68.5-90.5
65+	177	13,484	34	16.3	10.0-22.6	143	83.7	77.4-90.0
H.S. or G.E.D.	57	5,072	15	21.8	09.3-34.3	42	78.2	65.7-90.7
Some Post-H.S.	87	10,025	16	15.7	07.5-23.9	71	84.3	76.1-92.5
College Graduate	117	8,670	23	18.4	11.0-25.8	94	81.6	74.2-89.0
\$50,000- 99,999	76	7,312	10	12.5	04.1-20.9	66	87.5	79.1-95.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 34: WAS THE BLOOD STOOL OR FIT (YOU REPORTED EARLIER) CONDUCTED AS PART OF A COLOGUARD TEST? (BLDSTFIT)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	85	7,391	71	85.0	76.8-93.2	14	15.0	06.8-23.2
Non-Native	81	7,090	69	86.1	77.9-94.3	12	13.9	05.7-22.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING

TABLE 35: HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING

TABLE 36: WAS THE BLOOD STOOL OR FIT (YOU REPORTED EARLIER) CONDUCTED AS PART OF A COLOGUARD TEST? (BLDSTFIT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
 SECTION 11: COLORECTAL CANCER SCREENING
 TABLE 37: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATES1)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	88	7,820	41	51.0	38.7-63.3	14	17.7	07.7-27.7	11	11.5	04.2-18.8	5	6.3	00.4-12.2	17	13.6	06.5-20.7
Female	51	4,223	22	42.7	27.2-58.2	11	28.3	13.0-43.6	5	8.9	00.3-17.5	3	6.6	00.0-15.0	10	13.4	04.6-22.2
Non-Native	84	7,534	38	50.8	38.1-63.5	14	18.3	07.9-28.7	11	11.9	04.5-19.3	5	6.5	00.4-12.6	16	12.5	05.6-19.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING

TABLE 38: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATES1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 11: COLORECTAL CANCER SCREENING**

TABLE 39: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATES1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	51	4,223	22	42.7	28.2-57.2	11	28.3	16.0-40.6	5	8.9	00.3-17.5	3	6.6	00.0-15.0	10	13.4	04.8-22.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 12: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	207
2 MALES ONLY	208
3 FEMALES ONLY	209
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	210
5 MALES ONLY	211
6 FEMALES ONLY	212
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)	
7 MALES AND FEMALES	213
8 MALES ONLY	214
9 FEMALES ONLY	215
WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW2)	
10 MALES AND FEMALES	216
11 MALES ONLY	217
12 FEMALES ONLY	218

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3996	575,506	1606	40.2	38.4-42.0	2390	59.8	58.0-61.6
Male	2022	293,252	898	42.6	40.1-45.1	1124	57.4	54.9-59.9
Female	1974	282,254	708	37.8	35.1-40.5	1266	62.2	59.5-64.9
Native	127	22,742	82	66.1	56.5-75.7	45	33.9	24.3-43.5
Non-Native	3793	542,566	1493	39.0	37.0-41.0	2300	61.0	59.0-63.0
18-24	286	80,476	46	17.6	12.5-22.7	240	82.4	77.3-87.5
25-34	432	107,062	138	34.5	29.4-39.6	294	65.5	60.4-70.6
35-44	481	96,989	220	49.8	44.9-54.7	261	50.2	45.3-55.1
45-54	513	75,367	199	41.3	36.6-46.0	314	58.7	54.0-63.4
55-64	727	86,881	317	47.3	43.2-51.4	410	52.7	48.6-56.8
65+	1557	128,732	686	46.6	43.7-49.5	871	53.4	50.5-56.3
Less Than H.S.	172	43,542	98	60.7	51.7-69.7	74	39.3	30.3-48.3
H.S. or G.E.D.	1009	152,950	511	49.8	46.1-53.5	498	50.2	46.5-53.9
Some Post-H.S.	1261	217,785	557	41.0	37.9-44.1	704	59.0	55.9-62.1
College Graduate	1549	160,250	439	24.7	22.3-27.1	1110	75.3	72.9-77.7
Less than \$15,000	137	20,059	76	52.7	42.1-63.3	61	47.3	36.7-57.9
\$15,000- 24,999	270	35,640	140	48.6	40.8-56.4	130	51.4	43.6-59.2
\$25,000- 34,999	360	52,828	166	45.6	39.1-52.1	194	54.4	47.9-60.9
\$35,000- 49,999	476	64,069	205	43.4	37.9-48.9	271	56.6	51.1-62.1
\$50,000- 99,999	1211	172,770	483	39.6	36.3-42.9	728	60.4	57.1-63.7
\$100,000 - 199,999	686	104,168	236	36.1	32.0-40.2	450	63.9	59.8-68.0
\$200,000+	164	24,990	53	35.4	26.8-44.0	111	64.6	56.0-73.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2022	293,252	898	42.6	40.1-45.1	1124	57.4	54.9-59.9
Native	61	11,318	36	61.4	47.3-75.5	25	38.6	24.5-52.7
Non-Native	1915	275,353	839	41.5	39.0-44.0	1076	58.5	56.0-61.0
18-24	154	42,411	22	14.2	08.3-20.1	132	85.8	79.9-91.7
25-34	254	57,213	82	34.4	27.9-40.9	172	65.6	59.1-72.1
35-44	250	50,518	128	53.2	46.3-60.1	122	46.8	39.9-53.7
45-54	269	39,814	121	46.7	40.0-53.4	148	53.3	46.6-60.0
55-64	375	43,670	169	47.9	42.2-53.6	206	52.1	46.4-57.8
65+	720	59,625	376	55.2	51.1-59.3	344	44.8	40.7-48.9
Less Than H.S.	106	26,964	64	58.8	47.2-70.4	42	41.2	29.6-52.8
H.S. or G.E.D.	558	86,486	293	48.3	43.4-53.2	265	51.7	46.8-56.6
Some Post-H.S.	623	109,192	304	43.8	39.5-48.1	319	56.2	51.9-60.5
College Graduate	731	69,982	236	27.7	24.2-31.2	495	72.3	68.8-75.8
Less than \$15,000	55	8,010	30	39.6	24.1-55.1	25	60.4	44.9-75.9
\$15,000- 24,999	116	16,415	69	48.0	36.6-59.4	47	52.0	40.6-63.4
\$25,000- 34,999	165	24,417	74	38.8	29.8-47.8	91	61.2	52.2-70.2
\$35,000- 49,999	246	33,170	120	47.6	40.2-55.0	126	52.4	45.0-59.8
\$50,000- 99,999	648	94,620	303	44.9	40.2-49.6	345	55.1	50.4-59.8
\$100,000 - 199,999	392	56,672	145	39.9	34.2-45.6	247	60.1	54.4-65.8
\$200,000+	108	15,243	34	33.9	23.5-44.3	74	66.1	55.7-76.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1974	282,254	708	37.8	35.1-40.5	1266	62.2	59.5-64.9
Native	66	11,424	46	70.8	57.9-83.7	20	29.2	16.3-42.1
Non-Native	1878	267,213	654	36.3	33.6-39.0	1224	63.7	61.0-66.4
18-24	132	38,065	24	21.3	12.9-29.7	108	78.7	70.3-87.1
25-34	178	49,849	56	34.6	27.0-42.2	122	65.4	57.8-73.0
35-44	231	46,471	92	46.1	38.8-53.4	139	53.9	46.6-61.2
45-54	244	35,553	78	35.2	28.5-41.9	166	64.8	58.1-71.5
55-64	352	43,211	148	46.8	40.9-52.7	204	53.2	47.3-59.1
65+	837	69,106	310	39.1	35.2-43.0	527	60.9	57.0-64.8
Less Than H.S.	66	16,578	34	63.7	49.2-78.2	32	36.3	21.8-50.8
H.S. or G.E.D.	451	66,464	218	51.6	45.9-57.3	233	48.4	42.7-54.1
Some Post-H.S.	638	108,594	253	38.2	33.7-42.7	385	61.8	57.3-66.3
College Graduate	818	90,268	203	22.4	19.3-25.5	615	77.6	74.5-80.7
Less than \$15,000	82	12,049	46	61.3	48.4-74.2	36	38.7	25.8-51.6
\$15,000- 24,999	154	19,224	71	49.1	38.3-59.9	83	50.9	40.1-61.7
\$25,000- 34,999	195	28,411	92	51.4	42.6-60.2	103	48.6	39.8-57.4
\$35,000- 49,999	230	30,899	85	38.9	30.9-46.9	145	61.1	53.1-69.1
\$50,000- 99,999	563	78,149	180	33.2	28.5-37.9	383	66.8	62.1-71.5
\$100,000 - 199,999	294	47,496	91	31.4	25.1-37.7	203	68.6	62.3-74.9
\$200,000+	56	9,747	19	37.7	22.8-52.6	37	62.3	47.4-77.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1605	231,410	376	26.4	23.7-29.1	139	11.2	09.0-13.4	1090	62.4	59.5-65.3
Male	898	124,982	209	25.6	22.1-29.1	64	9.1	06.6-11.6	625	65.3	61.4-69.2
Female	707	106,427	167	27.3	23.2-31.4	75	13.7	10.2-17.2	465	59.0	54.5-63.5
Native	82	15,034	36	44.3	31.6-57.0	7	9.9	02.5-17.3	39	45.8	33.3-58.3
Non-Native	1492	211,365	332	25.0	22.3-27.7	125	11.1	08.9-13.3	1035	63.9	60.8-67.0
25-34	138	36,921	37	30.4	21.6-39.2	28	20.7	13.1-28.3	73	48.8	39.6-58.0
35-44	220	48,289	67	30.8	24.1-37.5	26	12.6	07.5-17.7	127	56.6	49.3-63.9
45-54	198	30,966	50	26.1	19.4-32.8	16	8.2	03.9-12.5	132	65.7	58.4-73.0
55-64	317	41,120	107	32.8	26.9-38.7	24	9.0	05.1-12.9	186	58.2	51.9-64.5
65+	686	59,978	102	16.0	12.7-19.3	37	5.2	03.4-07.0	547	78.7	75.2-82.2
Less Than H.S.	98	26,412	32	36.6	25.0-48.2	11	16.5	06.5-26.5	55	46.9	35.1-58.7
H.S. or G.E.D.	510	75,978	139	29.5	24.8-34.2	50	11.9	08.2-15.6	321	58.5	53.4-63.6
Some Post-H.S.	557	89,225	134	24.7	20.6-28.8	54	11.3	08.2-14.4	369	64.0	59.3-68.7
College Graduate	439	39,627	70	17.3	13.2-21.4	24	6.0	03.5-08.5	345	76.8	72.1-81.5
Less than \$15,000	76	10,566	23	30.0	17.5-42.5	17	20.7	09.7-31.7	36	49.3	35.6-63.0
\$15,000- 24,999	140	17,324	46	35.1	24.9-45.3	10	14.7	02.7-26.7	84	50.2	39.0-61.4
\$25,000- 34,999	166	24,097	41	27.6	18.6-36.6	12	11.2	03.8-18.6	113	61.2	51.4-71.0
\$35,000- 49,999	205	27,798	58	32.1	24.1-40.1	18	10.8	05.3-16.3	129	57.1	48.7-65.5
\$50,000- 99,999	483	68,420	107	26.8	21.7-31.9	42	11.8	08.1-15.5	334	61.4	56.1-66.7
\$100,000 - 199,999	236	37,559	42	19.7	13.6-25.8	16	8.5	04.0-13.0	178	71.8	64.9-78.7
\$200,000+	53	8,851	5	12.5	01.3-23.7	1	1.1	00.0-03.3	47	86.4	75.0-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	898	124,982	209	25.6	22.1-29.1	64	9.1	06.6-11.6	625	65.3	61.4-69.2
Non-Native	839	114,396	187	24.1	20.6-27.6	55	8.6	05.9-11.3	597	67.3	63.4-71.2
25-34	82	19,670	22	30.3	18.9-41.7	17	20.1	10.5-29.7	43	49.5	37.5-61.5
35-44	128	26,865	37	27.5	19.1-35.9	11	9.7	03.0-16.4	80	62.8	53.4-72.2
45-54	121	18,595	28	23.1	14.9-31.3	8	7.5	01.6-13.4	85	69.4	60.2-78.6
55-64	169	20,903	60	34.3	26.3-42.3	10	6.3	02.2-10.4	99	59.3	50.9-67.7
65+	376	32,931	55	15.1	11.0-19.2	15	3.9	01.7-06.1	306	81.0	76.5-85.5
Less Than H.S.	64	15,855	17	30.4	16.7-44.1	7	16.2	04.0-28.4	40	53.4	38.9-67.9
H.S. or G.E.D.	293	41,814	84	31.5	25.2-37.8	22	7.7	04.2-11.2	187	60.8	54.3-67.3
Some Post-H.S.	304	47,775	72	22.4	17.1-27.7	24	9.0	04.9-13.1	208	68.5	62.4-74.6
College Graduate	236	19,372	35	16.1	10.6-21.6	11	6.4	02.5-10.3	190	77.5	71.2-83.8
\$15,000- 24,999	69	7,880	22	34.1	20.2-48.0	3	11.0	00.0-28.6	44	54.8	38.5-71.1
\$25,000- 34,999	74	9,482	20	29.3	16.8-41.8	1	4.7	00.0-13.7	53	66.0	52.5-79.5
\$35,000- 49,999	120	15,779	32	29.7	19.5-39.9	6	5.6	01.1-10.1	82	64.7	54.3-75.1
\$50,000- 99,999	303	42,494	68	25.8	19.7-31.9	27	11.8	07.1-16.5	208	62.4	55.7-69.1
\$100,000 - 199,999	145	22,632	26	20.1	12.3-27.9	8	7.2	01.5-12.9	111	72.6	63.8-81.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	707	106,427	167	27.3	23.2-31.4	75	13.7	10.2-17.2	465	59.0	54.5-63.5
Non-Native	653	96,969	145	26.0	21.7-30.3	70	14.0	10.3-17.7	438	60.0	55.1-64.9
25-34	56	17,251	15	30.6	16.9-44.3	11	21.4	09.4-33.4	30	48.0	33.9-62.1
35-44	92	21,424	30	34.9	24.1-45.7	15	16.2	08.4-24.0	47	48.9	37.7-60.1
45-54	77	12,371	22	30.6	19.6-41.6	8	9.3	02.8-15.8	47	60.1	48.3-71.9
55-64	148	20,218	47	31.2	22.8-39.6	14	11.7	05.2-18.2	87	57.0	47.8-66.2
65+	310	27,047	47	17.2	12.1-22.3	22	6.9	03.8-10.0	241	75.9	70.2-81.6
H.S. or G.E.D.	217	34,165	55	27.1	20.0-34.2	28	17.1	10.4-23.8	134	55.8	47.8-63.8
Some Post-H.S.	253	41,450	62	27.2	20.5-33.9	30	14.0	08.9-19.1	161	58.8	51.5-66.1
College Graduate	203	20,256	35	18.3	11.8-24.8	13	5.6	02.5-08.7	155	76.0	69.1-82.9
\$15,000- 24,999	71	9,444	24	35.9	21.4-50.4	7	17.8	01.5-34.1	40	46.3	30.8-61.8
\$25,000- 34,999	92	14,615	21	26.5	14.0-39.0	11	15.4	04.8-26.0	60	58.1	44.6-71.6
\$35,000- 49,999	85	12,018	26	35.1	22.4-47.8	12	17.7	06.9-28.5	47	47.2	33.9-60.5
\$50,000- 99,999	180	25,926	39	28.4	20.0-36.8	15	11.8	05.7-17.9	126	59.8	50.8-68.8
\$100,000 - 199,999	91	14,927	16	19.0	09.2-28.8	8	10.5	03.1-17.9	67	70.6	59.4-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 7: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4009	577,019	136	3.4	02.8-04.0	97	3.1	02.3-03.9	3776	93.5	92.5-94.5
Male	2033	294,672	130	6.3	05.1-07.5	87	5.7	04.3-07.1	1816	88.0	86.2-89.8
Female	1976	282,348	6	0.4	00.0-00.8	10	0.5	00.1-00.9	1960	99.1	98.5-99.7
Native	126	22,744	6	3.9	00.4-07.4	10	9.6	02.3-16.9	110	86.4	78.6-94.2
Non-Native	3806	543,950	130	3.4	02.8-04.0	82	2.7	02.1-03.3	3594	93.8	92.8-94.8
18-24	286	80,476	7	2.2	00.4-04.0	12	3.9	01.7-06.1	267	93.9	91.2-96.6
25-34	435	107,933	14	2.7	01.3-04.1	19	4.4	02.2-06.6	402	93.0	90.5-95.5
35-44	478	96,286	23	4.2	02.4-06.0	18	4.6	02.4-06.8	437	91.2	88.5-93.9
45-54	515	75,756	30	6.2	03.8-08.6	14	3.3	01.3-05.3	471	90.5	87.6-93.4
55-64	727	86,793	35	4.6	02.8-06.4	18	2.3	01.1-03.5	674	93.0	90.8-95.2
65+	1568	129,776	27	1.7	00.9-02.5	16	1.0	00.4-01.6	1525	97.3	96.3-98.3
Less Than H.S.	174	43,746	7	3.2	00.7-05.7	8	5.9	01.4-10.4	159	90.9	85.6-96.2
H.S. or G.E.D.	1015	153,649	50	4.6	03.2-06.0	35	4.8	03.0-06.6	930	90.7	88.5-92.9
Some Post-H.S.	1263	218,182	48	3.7	02.5-04.9	31	2.6	01.6-03.6	1184	93.7	92.1-95.3
College Graduate	1551	160,339	31	2.0	01.2-02.8	22	1.4	00.8-02.0	1498	96.6	95.6-97.6
Less than \$15,000	138	20,140	6	2.6	00.1-05.1	3	1.9	00.0-04.4	129	95.5	92.0-99.0
\$15,000- 24,999	271	35,700	5	1.8	00.0-03.6	2	0.9	00.0-02.5	264	97.2	94.8-99.6
\$25,000- 34,999	361	52,806	8	2.6	00.6-04.6	10	4.3	01.4-07.2	343	93.1	89.6-96.6
\$35,000- 49,999	479	64,404	16	3.6	01.6-05.6	14	3.9	01.5-06.3	449	92.5	89.6-95.4
\$50,000- 99,999	1213	172,969	46	4.1	02.7-05.5	25	2.3	01.3-03.3	1142	93.6	92.0-95.2
\$100,000 - 199,999	687	104,293	28	3.9	02.3-05.5	22	4.8	02.6-07.0	637	91.3	88.8-93.8
\$200,000+	166	25,293	11	4.7	01.8-07.6	6	4.4	00.7-08.1	149	90.9	86.2-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 8: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2033	294,672	130	6.3	05.1-07.5	87	5.7	04.3-07.1	1816	88.0	86.2-89.8
Native	61	11,554	6	7.8	01.1-14.5	7	15.9	02.8-29.0	48	76.4	62.7-90.1
Non-Native	1925	276,411	124	6.4	05.2-07.6	75	5.0	03.8-06.2	1726	88.6	86.8-90.4
18-24	154	42,411	7	4.2	01.1-07.3	11	6.6	02.7-10.5	136	89.2	84.3-94.1
25-34	257	58,084	12	4.1	01.7-06.5	19	8.2	04.3-12.1	226	87.7	83.2-92.2
35-44	249	50,202	22	8.0	04.7-11.3	17	8.3	04.2-12.4	210	83.8	78.7-88.9
45-54	270	40,012	28	10.9	06.8-15.0	12	5.3	02.0-08.6	230	83.8	78.9-88.7
55-64	375	43,582	35	9.3	06.0-12.6	13	3.9	01.7-06.1	327	86.9	83.0-90.8
65+	728	60,381	26	3.2	01.8-04.6	15	2.1	00.9-03.3	687	94.7	92.9-96.5
Less Than H.S.	107	27,087	6	4.2	00.5-07.9	8	9.5	02.2-16.8	93	86.3	78.3-94.3
H.S. or G.E.D.	561	86,784	50	8.1	05.7-10.5	32	7.7	05.0-10.4	479	84.2	80.7-87.7
Some Post-H.S.	626	109,821	47	7.1	04.9-09.3	28	4.9	02.9-06.9	551	88.1	85.4-90.8
College Graduate	734	70,225	27	3.7	02.3-05.1	18	2.8	01.4-04.2	689	93.5	91.5-95.5
Less than \$15,000	55	8,010	6	6.6	00.3-12.9	2	1.8	00.0-04.5	47	91.7	84.8-98.6
\$15,000- 24,999	117	16,476	5	4.0	00.3-07.7	2	2.0	00.0-05.3	110	94.0	88.9-99.1
\$25,000- 34,999	165	24,369	7	4.7	00.8-08.6	9	9.1	03.0-15.2	149	86.2	79.1-93.3
\$35,000- 49,999	249	33,505	15	6.2	02.7-09.7	13	7.4	03.1-11.7	221	86.4	80.9-91.9
\$50,000- 99,999	650	94,878	43	7.0	04.6-09.4	23	4.0	02.2-05.8	584	89.0	86.3-91.7
\$100,000 - 199,999	392	56,698	28	7.1	04.4-09.8	20	8.2	04.5-11.9	344	84.6	80.3-88.9
\$200,000+	110	15,546	11	7.6	02.9-12.3	6	7.2	01.1-13.3	93	85.2	77.9-92.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 12: TOBACCO USE

TABLE 9: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1976	282,348	6	0.4	00.0-00.8	10	0.5	00.1-00.9	1960	99.1	98.5-99.7
Native	65	11,190				3	3.2	00.0-07.7	62	96.8	92.3-0100
Non-Native	1881	267,540	6	0.4	00.0-00.8	7	0.4	00.0-00.8	1868	99.2	98.6-99.8
18-24	132	38,065				1	0.8	00.0-02.4	131	99.2	97.6-0100
25-34	178	49,849	2	1.0	00.0-02.4				176	99.0	97.6-0100
35-44	229	46,084	1	0.2	00.0-00.6	1	0.5	00.0-01.5	227	99.3	98.1-0100
45-54	245	35,745	2	1.0	00.0-02.6	2	1.0	00.0-02.4	241	98.0	95.8-0100
55-64	352	43,211				5	0.8	00.0-01.6	347	99.2	98.4-0100
65+	840	69,395	1	0.3	00.0-00.9	1	0.1	00.0-00.3	838	99.6	99.0-0100
Less Than H.S.	67	16,659	1	1.7	00.0-05.0				66	98.3	95.0-0100
H.S. or G.E.D.	454	66,864				3	1.0	00.0-02.2	451	99.0	97.8-0100
Some Post-H.S.	637	108,360	1	0.2	00.0-00.6	3	0.3	00.0-00.7	633	99.4	98.8-0100
College Graduate	817	90,114	4	0.7	00.0-01.5	4	0.3	00.0-00.7	809	99.0	98.2-99.8
Less than \$15,000	83	12,130				1	2.0	00.0-05.9	82	98.0	94.1-0100
\$15,000- 24,999	154	19,224							154	100.0	0100-0100
\$25,000- 34,999	196	28,437	1	0.8	00.0-02.4	1	0.1	00.0-00.3	194	99.0	97.4-0100
\$35,000- 49,999	230	30,899	1	0.7	00.0-02.1	1	0.2	00.0-00.6	228	99.1	97.7-0100
\$50,000- 99,999	563	78,092	3	0.5	00.0-01.3	2	0.2	00.0-00.4	558	99.3	98.5-0100
\$100,000 - 199,999	295	47,595				2	0.7	00.0-01.7	293	99.3	98.3-0100
\$200,000+	56	9,747							56	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 10: WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked e-cigs			Every day			Some days			Not at all(right now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1597	229,487	1095	57.5	54.6-60.4	67	7.8	05.8-09.8	63	5.7	04.1-07.3	372	29.0	26.1-31.9
Male	897	124,811	603	56.6	52.7-60.5	38	7.4	05.0-09.8	36	5.7	03.7-07.7	220	30.3	26.6-34.0
Female	700	104,676	492	58.5	53.8-63.2	29	8.3	05.2-11.4	27	5.8	03.4-08.2	152	27.5	23.2-31.8
Native	81	14,800	53	56.5	43.4-69.6	6	12.3	02.7-21.9	4	7.2	00.0-14.5	18	24.0	12.4-35.6
Non-Native	1486	209,847	1023	57.6	54.5-60.7	60	7.6	05.6-09.6	58	5.7	04.1-07.3	345	29.2	26.3-32.1
25-34	137	36,289	37	26.8	18.6-35.0	26	21.1	13.5-28.7	16	11.4	05.7-17.1	58	40.7	31.7-49.7
35-44	217	47,795	110	47.4	40.1-54.7	11	5.3	01.8-08.8	15	7.0	03.5-10.5	81	40.4	33.1-47.7
45-54	199	31,109	131	62.6	55.2-70.0	4	2.7	00.0-05.4	7	3.1	00.7-05.5	57	31.6	24.3-38.9
55-64	316	40,703	226	69.9	64.2-75.6	4	2.2	00.0-04.6	11	3.3	01.1-05.5	75	24.6	19.3-29.9
65+	683	59,650	589	85.7	82.8-88.6	2	0.3	00.0-00.7	4	0.5	00.0-01.1	88	13.4	10.5-16.3
Less Than H.S.	96	25,822	64	50.2	38.2-62.2	6	10.4	02.0-18.8	3	4.8	00.0-10.1	23	34.6	22.4-46.8
H.S. or G.E.D.	507	75,139	331	53.0	47.9-58.1	34	11.3	07.6-15.0	22	7.2	04.3-10.1	120	28.6	23.7-33.5
Some Post-H.S.	556	88,991	366	58.4	53.5-63.3	21	6.4	03.5-09.3	23	5.4	03.0-07.8	146	29.8	25.3-34.3
College Graduate	437	39,367	333	68.6	63.3-73.9	6	2.5	00.5-04.5	15	4.2	01.8-06.6	83	24.7	19.6-29.8
Less than \$15,000	75	10,395	47	57.5	43.8-71.2	2	3.7	00.0-08.8	7	12.6	02.6-22.6	19	26.2	14.2-38.2
\$15,000- 24,999	140	17,324	104	59.4	47.6-71.2	5	9.7	00.0-19.5	5	6.0	00.5-11.5	26	24.9	14.3-35.5
\$25,000- 34,999	164	23,271	121	63.0	53.4-72.6	12	16.7	08.1-25.3	6	5.4	00.9-09.9	25	14.9	08.6-21.2
\$35,000- 49,999	204	27,739	131	53.0	44.6-61.4	3	3.0	00.0-06.3	7	4.5	00.6-08.4	63	39.5	31.1-47.9
\$50,000- 99,999	479	67,828	324	57.6	52.3-62.9	18	5.9	03.2-08.6	16	4.6	02.2-07.0	121	31.9	26.6-37.2
\$100,000 - 199,999	236	37,559	166	62.4	55.0-69.8	9	6.6	01.9-11.3	7	3.9	01.0-06.8	54	27.0	20.1-33.9
\$200,000+	53	8,851	41	66.8	51.1-82.5	2	6.4	00.0-15.0				10	26.8	11.9-41.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 11: WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked e-cigs			Every day			Some days			Not at all(right now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	897	124,811	603	56.6	52.7-60.5	38	7.4	05.0-09.8	36	5.7	03.7-07.7	220	30.3	26.6-34.0
Non-Native	839	114,396	567	57.6	53.5-61.7	34	6.9	04.5-09.3	34	5.7	03.7-07.7	204	29.8	25.9-33.7
25-34	82	19,670	18	20.8	11.2-30.4	18	24.8	14.0-35.6	12	13.8	06.0-21.6	34	40.6	28.8-52.4
35-44	128	26,865	62	45.5	36.1-54.9	6	4.8	00.7-08.9	11	8.4	03.5-13.3	49	41.2	31.6-50.8
45-54	121	18,595	81	64.7	55.3-74.1	3	3.9	00.0-08.4	3	1.7	00.0-04.1	34	29.7	20.7-38.7
55-64	169	20,903	119	68.6	60.6-76.6				4	1.8	00.0-03.6	46	29.7	21.7-37.7
65+	375	32,759	321	84.1	79.6-88.6	2	0.6	00.0-01.4	2	0.6	00.0-01.4	50	14.7	10.4-19.0
Less Than H.S.	63	15,683	41	50.8	36.3-65.3	4	8.4	00.6-16.2	1	2.7	00.0-08.0	17	38.1	23.2-53.0
H.S. or G.E.D.	293	41,814	188	53.6	46.9-60.3	21	11.1	06.4-15.8	11	6.3	02.6-10.0	73	29.0	22.9-35.1
Some Post-H.S.	304	47,775	192	55.9	49.4-62.4	11	6.2	02.3-10.1	12	5.4	02.3-08.5	89	32.5	26.4-38.6
College Graduate	236	19,372	181	69.6	62.3-76.9	2	1.5	00.0-03.7	12	7.6	03.3-11.9	41	21.3	14.8-27.8
\$15,000- 24,999	69	7,880	51	60.4	43.3-77.5	2	3.4	00.0-08.3	2	3.4	00.0-08.5	14	32.8	15.4-50.2
\$25,000- 34,999	74	9,482	57	68.1	54.2-82.0	3	9.6	00.0-20.0	2	5.3	00.0-12.6	12	17.0	06.8-27.2
\$35,000- 49,999	120	15,779	78	55.7	44.9-66.5	1	2.0	00.0-05.7	5	6.8	00.3-13.3	36	35.6	25.2-46.0
\$50,000- 99,999	303	42,494	199	55.9	49.2-62.6	14	7.1	03.4-10.8	14	6.0	02.7-09.3	76	30.9	24.4-37.4
\$100,000 - 199,999	145	22,632	99	59.9	50.3-69.5	4	5.9	00.0-11.8	7	6.5	01.6-11.4	35	27.6	19.0-36.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 12: TOBACCO USE**

TABLE 12: WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked e-cigs			Every day			Some days			Not at all(right now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	700	104,676	492	58.5	53.8-63.2	29	8.3	05.2-11.4	27	5.8	03.4-08.2	152	27.5	23.2-31.8
Non-Native	647	95,452	456	57.6	52.7-62.5	26	8.3	05.0-11.6	24	5.6	03.1-08.1	141	28.4	23.7-33.1
25-34	55	16,619	19	33.8	20.1-47.5	8	16.8	06.0-27.6	4	8.6	00.4-16.8	24	40.8	26.9-54.7
35-44	89	20,930	48	49.8	38.4-61.2	5	5.8	00.0-11.7	4	5.1	00.2-10.0	32	39.3	27.9-50.7
45-54	78	12,513	50	59.6	47.8-71.4	1	0.9	00.0-02.7	4	5.0	00.1-09.9	23	34.4	22.6-46.2
55-64	147	19,800	107	71.4	63.2-79.6	4	4.4	00.0-08.9	7	4.9	01.0-08.8	29	19.3	12.4-26.2
65+	308	26,891	268	87.7	83.8-91.6				2	0.4	00.0-01.0	38	12.0	08.1-15.9
H.S. or G.E.D.	214	33,325	143	52.2	44.2-60.2	13	11.5	05.4-17.6	11	8.4	03.5-13.3	47	27.9	20.1-35.7
Some Post-H.S.	252	41,216	174	61.3	54.0-68.6	10	6.7	02.4-11.0	11	5.5	02.0-09.0	57	26.6	19.9-33.3
College Graduate	201	19,995	152	67.7	59.9-75.5	4	3.5	00.2-06.8	3	0.9	00.0-01.9	42	28.0	20.4-35.6
\$15,000- 24,999	71	9,444	53	58.7	42.2-75.2	3	14.9	00.0-31.4	3	8.1	00.0-17.1	12	18.4	07.6-29.2
\$25,000- 34,999	90	13,790	64	59.5	46.4-72.6	9	21.5	09.2-33.8	4	5.5	00.0-11.2	13	13.4	05.4-21.4
\$35,000- 49,999	84	11,960	53	49.5	36.2-62.8	2	4.3	00.0-10.2	2	1.5	00.0-03.7	27	44.7	31.0-58.4
\$50,000- 99,999	176	25,334	125	60.5	51.5-69.5	4	3.9	00.0-08.0	2	2.2	00.0-05.1	45	33.5	24.5-42.5
\$100,000 - 199,999	91	14,927	67	66.2	54.0-78.4	5	7.8	00.0-15.8				19	26.1	14.9-37.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 13: LUNG CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)	
1 MALES AND FEMALES	220
2 MALES ONLY	221
3 FEMALES ONLY	222
HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)	
4 MALES AND FEMALES	223
5 MALES ONLY	224
6 FEMALES ONLY	225
ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)	
7 MALES AND FEMALES	226
8 MALES ONLY	227
9 FEMALES ONLY	228
THE NEXT QUESTION IS ABOUT CT OR CAT SCANS OF YOUR CHEST AREA. DURING THIS TEST, YOU LIE FLAT ON YOUR BACK AND ARE MOVED THROUGH AN OPEN, DONUT SHAPED X-RAY MACHINE. HAVE YOU EVER HAD A CT OR CAT SCAN OF YOUR CHEST AREA? (LCSCTSC1)	
10 MALES AND FEMALES	229
11 MALES ONLY	230
12 FEMALES ONLY	231
WERE ANY OF THE CT OR CAT SCANS OF YOUR CHEST AREA DONE MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSSCNCR)	
13 MALES AND FEMALES	232
14 MALES ONLY	233
15 FEMALES ONLY	234
WHEN DID YOU HAVE YOUR MOST RECENT CT OR CAT SCAN OF YOUR CHEST AREA MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSCTWHN)	
16 MALES AND FEMALES	235
17 MALES ONLY	236
18 FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

**TABLE 1: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes			<18 yrs.			18-44 yrs.			45-54 yrs.			55-64 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1562	225,223	49	3.0	02.0-04.0	774	55.4	52.5-58.3	736	41.5	38.6-44.4	1	0.0	00.0-00.0	2	0.1	00.0-00.3
Male	877	122,330	33	4.0	02.4-05.6	449	56.4	52.5-60.3	392	39.4	35.7-43.1	1	0.1	00.0-00.3	2	0.1	00.0-00.3
Female	685	102,893	16	1.8	00.8-02.8	325	54.3	49.8-58.8	344	43.9	39.4-48.4						
Native	79	14,443	2	2.3	00.0-05.6	45	58.6	45.9-71.3	32	39.1	26.6-51.6						
Non-Native	1457	206,585	46	3.1	02.1-04.1	714	55.1	52.0-58.2	694	41.7	38.6-44.8	1	0.0	00.0-00.0	2	0.1	00.0-00.3
25-34	136	36,098	6	4.2	00.9-07.5	70	57.1	48.1-66.1	60	38.7	29.9-47.5						
35-44	215	47,298	5	2.4	00.2-04.6	135	63.2	56.1-70.3	75	34.4	27.3-41.5						
45-54	193	30,081	8	2.9	00.7-05.1	92	50.9	43.3-58.5	93	46.2	38.6-53.8						
55-64	311	40,191	10	3.5	01.0-06.0	189	62.8	56.7-68.9	111	33.5	27.6-39.4	1	0.2	00.0-00.6			
65+	662	57,613	20	3.1	01.5-04.7	259	40.9	36.6-45.2	381	55.7	51.2-60.2				2	0.3	00.0-00.7
Less Than H.S.	93	25,332	1	0.6	00.0-01.8	68	80.4	72.2-88.6	24	19.0	10.8-27.2						
H.S. or G.E.D.	493	73,499	13	2.7	01.1-04.3	275	59.1	54.0-64.2	204	38.2	33.3-43.1				1	0.0	00.0-00.0
Some Post-H.S.	546	87,620	16	3.0	01.2-04.8	266	50.8	45.9-55.7	263	46.1	41.2-51.0				1	0.1	00.0-00.3
College Graduate	430	38,771	19	5.2	02.5-07.9	165	42.7	37.2-48.2	245	51.9	46.4-57.4	1	0.2	00.0-00.6			
Less than \$15,000	74	10,332	2	1.3	00.0-03.1	43	56.4	42.3-70.5	28	41.4	27.1-55.7	1	0.9	00.0-02.7			
\$15,000- 24,999	137	17,041	5	5.4	00.0-10.9	74	60.1	49.5-70.7	57	34.3	24.5-44.1				1	0.2	00.0-00.6
\$25,000- 34,999	160	22,888	4	2.0	00.0-04.4	76	56.4	47.0-65.8	80	41.6	32.4-50.8						
\$35,000- 49,999	204	27,761	2	1.2	00.0-03.0	102	53.4	45.0-61.8	100	45.4	37.0-53.8						
\$50,000- 99,999	475	67,375	11	1.6	00.6-02.6	241	56.7	51.4-62.0	222	41.5	36.2-46.8				1	0.2	00.0-00.6
\$100,000 - 199,999	232	37,268	10	4.7	01.4-08.0	111	50.7	43.3-58.1	111	44.6	37.3-51.9						
\$200,000+	51	8,552	6	8.4	01.5-15.3	26	59.7	44.4-75.0	19	31.9	17.0-46.8						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 2: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes			<18 yrs.			18-44 yrs.			45-54 yrs.			55-64 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	877	122,330	33	4.0	02.4-05.6	449	56.4	52.5-60.3	392	39.4	35.7-43.1	1	0.1	00.0-00.3	2	0.1	00.0-00.3
Non-Native	824	112,724	32	4.2	02.6-05.8	418	55.7	51.6-59.8	371	39.9	36.0-43.8	1	0.1	00.0-00.3	2	0.1	00.0-00.3
25-34	82	19,670	6	7.7	01.6-13.8	40	58.0	46.6-69.4	36	34.3	23.7-44.9						
35-44	126	26,449	3	1.9	00.0-04.3	77	63.2	54.0-72.4	46	34.8	25.8-43.8						
45-54	118	18,115	7	4.4	00.9-07.9	47	43.3	33.3-53.3	64	52.2	42.2-62.2						
55-64	164	20,391	6	4.4	00.0-08.9	112	70.7	62.7-78.7	45	24.5	17.1-31.9	1	0.5	00.0-01.5			
65+	365	31,686	11	3.7	01.3-06.1	160	45.9	39.8-52.0	192	50.0	43.9-56.1				2	0.5	00.0-01.3
Less Than H.S.	61	15,386	1	0.9	00.0-02.9	47	82.6	73.0-92.2	13	16.5	07.1-25.9						
H.S. or G.E.D.	287	41,024	8	3.4	00.9-05.9	164	59.9	53.4-66.4	114	36.7	30.4-43.0				1	0.1	00.0-00.3
Some Post-H.S.	297	46,871	11	3.7	01.2-06.2	150	52.0	45.5-58.5	135	44.0	37.5-50.5				1	0.3	00.0-00.9
College Graduate	232	19,049	13	8.5	03.2-13.8	88	38.7	31.4-46.0	130	52.3	44.9-59.7	1	0.5	00.0-01.5			
\$15,000- 24,999	67	7,650	3	10.3	00.0-21.7	38	61.1	46.0-76.2	25	28.2	15.7-40.7				1	0.3	00.0-00.9
\$25,000- 34,999	73	9,322	2	3.9	00.0-09.4	35	55.4	41.7-69.1	36	40.7	27.4-54.0						
\$35,000- 49,999	120	15,779	1	1.4	00.0-03.9	71	61.8	51.2-72.4	48	36.8	26.4-47.2						
\$50,000- 99,999	300	42,079	7	1.7	00.3-03.1	154	56.5	49.8-63.2	138	41.6	35.1-48.1				1	0.3	00.0-00.9
\$100,000 - 199,999	141	22,341	7	4.8	00.7-08.9	68	52.4	43.0-61.8	66	42.8	33.6-52.0						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 3: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes			<18 yrs.			18-44 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	685	102,893	16	1.8	00.8-02.8	325	54.3	49.8-58.8	344	43.9	39.4-48.4
Non-Native	633	93,862	14	1.8	00.6-03.0	296	54.4	49.7-59.1	323	43.8	39.1-48.5
25-34	54	16,428				30	56.1	41.8-70.4	24	43.9	29.6-58.2
35-44	89	20,849	2	2.9	00.0-07.0	58	63.1	51.9-74.3	29	33.9	22.9-44.9
45-54	75	11,966	1	0.7	00.0-02.1	45	62.3	50.3-74.3	29	37.0	25.0-49.0
55-64	147	19,800	4	2.6	00.0-05.3	77	54.6	45.6-63.6	66	42.7	33.7-51.7
65+	297	25,927	9	2.4	00.8-04.0	99	34.9	28.6-41.2	189	62.7	56.2-69.2
H.S. or G.E.D.	206	32,476	5	1.9	00.1-03.7	111	58.0	50.0-66.0	90	40.1	32.3-47.9
Some Post-H.S.	249	40,749	5	2.0	00.0-04.2	116	49.5	42.2-56.8	128	48.4	41.1-55.7
College Graduate	198	19,722	6	2.0	00.4-03.6	77	46.5	38.5-54.5	115	51.5	43.5-59.5
\$15,000- 24,999	70	9,392	2	1.5	00.0-03.7	36	59.3	44.4-74.2	32	39.2	24.5-53.9
\$25,000- 34,999	87	13,566	2	0.7	00.0-01.7	41	57.0	44.3-69.7	44	42.3	29.6-55.0
\$35,000- 49,999	84	11,982	1	0.9	00.0-02.7	31	42.3	29.0-55.6	52	56.8	43.5-70.1
\$50,000- 99,999	175	25,296	4	1.4	00.0-02.8	87	57.2	48.6-65.8	84	41.4	32.8-50.0
\$100,000 - 199,999	91	14,927	3	4.6	00.0-10.3	43	48.1	36.1-60.1	45	47.3	35.3-59.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 4: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<18 yrs.			18-44 yrs.			45-54 yrs.			55-64 yrs.			65-100 yrs		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1117	154,654	14	2.1	00.9-03.3	737	72.6	69.7-75.5	151	11.8	09.6-14.0	137	9.5	07.7-11.3	78	4.1	03.1-05.1	
Male	619	83,163	8	1.9	00.5-03.3	413	73.5	69.6-77.4	85	11.9	09.0-14.8	73	9.1	06.7-11.5	40	3.6	02.2-05.0	
Female	498	71,492	6	2.3	00.1-04.5	324	71.6	67.1-76.1	66	11.6	08.5-14.7	64	10.0	07.3-12.7	38	4.6	03.0-06.2	
Non-Native	1058	144,583	13	2.1	00.7-03.5	701	73.0	69.9-76.1	144	11.9	09.7-14.1	128	9.1	07.3-10.9	72	3.9	02.9-04.9	
25-34	94	24,004	1	0.9	00.0-02.7	93	99.1	97.3-0100										
35-44	141	30,975	2	2.0	00.0-04.9	139	98.0	95.1-0100										
45-54	132	20,537	3	1.9	00.0-04.1	94	68.0	58.8-77.2	35	30.1	21.1-39.1							
55-64	192	24,986	4	2.1	00.0-04.3	112	55.7	47.7-63.7	33	17.7	11.4-24.0	43	24.5	17.4-31.6				
65+	526	44,719				271	49.9	44.8-55.0	83	17.0	13.3-20.7	94	19.1	15.0-23.2	78	14.0	10.7-17.3	
Less Than H.S.	60	14,725	2	5.8	00.0-14.0	31	58.0	43.5-72.5	7	12.0	02.8-21.2	12	16.7	06.5-26.9	8	7.5	01.6-13.4	
H.S. or G.E.D.	343	49,872	5	2.7	00.2-05.2	219	71.4	65.9-76.9	42	11.7	07.8-15.6	44	9.2	06.3-12.1	33	5.0	03.0-07.0	
Some Post-H.S.	382	60,953	4	1.2	00.0-02.4	255	75.7	71.4-80.0	54	11.2	08.1-14.3	50	9.2	06.5-11.9	19	2.6	01.2-04.0	
College Graduate	332	29,105	3	0.9	00.0-02.1	232	75.6	70.7-80.5	48	13.0	09.3-16.7	31	6.8	04.3-09.3	18	3.7	01.7-05.7	
\$15,000- 24,999	87	9,981				45	59.6	45.1-74.1	11	9.2	03.1-15.3	20	23.4	10.9-35.9	11	7.7	02.6-12.8	
\$25,000- 34,999	118	16,720				73	68.5	58.7-78.3	14	11.4	04.5-18.3	15	12.6	05.9-19.3	16	7.5	03.0-12.0	
\$35,000- 49,999	135	17,338	2	3.6	00.0-08.9	80	65.0	55.4-74.6	22	16.7	09.4-24.0	18	7.7	03.6-11.8	13	7.0	02.7-11.3	
\$50,000- 99,999	354	47,584	4	1.3	00.0-02.7	236	74.5	69.6-79.4	57	13.0	09.3-16.7	39	8.9	05.8-12.0	18	2.4	01.2-03.6	
\$100,000 - 199,999	179	28,103	5	4.0	00.1-07.9	142	79.7	72.8-86.6	14	8.3	03.4-13.2	18	8.0	04.1-11.9				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 5: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<18 yrs.			18-44 yrs.			45-54 yrs.			55-64 yrs.			65-100 yrs		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	619	83,163	8	1.9	00.5-03.3	413	73.5	69.6-77.4	85	11.9	09.0-14.8	73	9.1	06.7-11.5	40	3.6	02.2-05.0	
Non-Native	587	77,949	8	2.0	00.4-03.6	396	74.3	70.4-78.2	82	12.2	09.1-15.3	65	8.0	05.8-10.2	36	3.4	02.0-04.8	
25-34	53	12,028	1	1.7	00.0-05.0	52	98.3	95.0-0100										
35-44	84	18,203	2	3.4	00.0-08.3	82	96.6	91.7-0100										
45-54	81	12,581	3	3.1	00.0-06.8	60	68.7	56.9-80.5	18	28.2	16.4-40.0							
55-64	99	12,334	1	0.5	00.0-01.5	59	57.7	46.7-68.7	19	20.2	10.8-29.6	20	21.5	12.5-30.5				
65+	287	24,200				146	51.3	44.4-58.2	48	16.1	11.4-20.8	53	20.2	14.5-25.9	40	12.4	07.9-16.9	
H.S. or G.E.D.	194	26,411	2	2.3	00.0-05.6	131	72.9	65.8-80.0	21	10.0	05.3-14.7	26	11.0	06.5-15.5	14	3.9	01.5-06.3	
Some Post-H.S.	205	32,830	2	1.2	00.0-02.8	143	78.9	73.4-84.4	30	11.8	07.3-16.3	21	6.3	03.4-09.2	9	1.8	00.4-03.2	
College Graduate	177	13,594	3	2.0	00.0-04.4	116	72.1	65.2-79.0	28	13.8	08.5-19.1	19	8.1	04.2-12.0	11	4.0	01.5-06.5	
\$35,000- 49,999	82	10,133	1	1.9	00.0-05.6	53	71.9	61.1-82.7	12	14.6	06.0-23.2	10	6.8	02.1-11.5	6	4.8	00.3-09.3	
\$50,000- 99,999	222	30,004	2	0.8	00.0-02.0	144	74.4	68.3-80.5	38	13.3	08.4-18.2	25	8.9	05.0-12.8	13	2.6	01.0-04.2	
\$100,000 - 199,999	109	16,832	5	6.6	00.3-12.9	84	78.3	69.5-87.1	9	7.8	02.1-13.5	11	7.2	02.7-11.7				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 6: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<18 yrs.			18-44 yrs.			45-54 yrs.			55-64 yrs.			65-100 yrs		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	498	71,492	6	2.3	00.1-04.5	324	71.6	67.1-76.1	66	11.6	08.5-14.7	64	10.0	07.3-12.7	38	4.6	03.0-06.2	
Non-Native	471	66,634	5	2.2	00.0-04.4	305	71.5	66.8-76.2	62	11.5	08.4-14.6	63	10.4	07.5-13.3	36	4.4	02.8-06.0	
35-44	57	12,772				57	100.0	0100-0100										
45-54	51	7,955				34	66.9	52.4-81.4	17	33.1	18.6-47.6							
55-64	93	12,652	3	3.7	00.0-07.8	53	53.7	42.1-65.3	14	15.2	07.2-23.2	23	27.4	16.6-38.2				
65+	239	20,518				125	48.2	40.9-55.5	35	18.1	12.0-24.2	41	17.8	12.5-23.1	38	16.0	10.7-21.3	
H.S. or G.E.D.	149	23,460	3	3.2	00.0-07.1	88	69.7	61.3-78.1	21	13.6	07.3-19.9	18	7.2	03.5-10.9	19	6.3	03.0-09.6	
Some Post-H.S.	177	28,123	2	1.2	00.0-03.0	112	71.9	65.0-78.8	24	10.5	06.0-15.0	29	12.7	07.8-17.6	10	3.6	01.2-06.0	
College Graduate	155	15,511				116	78.7	72.0-85.4	20	12.3	07.0-17.6	12	5.6	02.3-08.9	7	3.4	00.5-06.3	
\$25,000- 34,999	69	10,655				40	71.7	60.5-82.9	11	11.9	04.5-19.3	7	8.7	02.0-15.4	11	7.7	02.4-13.0	
\$35,000- 49,999	53	7,205	1	6.1	00.0-17.5	27	55.4	38.3-72.5	10	19.5	07.2-31.8	8	9.0	01.7-16.3	7	10.0	02.0-18.0	
\$50,000- 99,999	132	17,580	2	2.0	00.0-04.7	92	74.6	66.8-82.4	19	12.4	06.5-18.3	14	9.1	04.0-14.2	5	1.9	00.0-03.9	
\$100,000 - 199,999	70	11,271				58	81.8	71.2-92.4	5	9.0	00.4-17.6	7	9.2	02.3-16.1				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

**TABLE 7. ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-20			21-40			41-80.			81-120			161-300		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1469	213,123	1255	87.8	85.8-89.8	174	10.1	08.3-11.9	38	1.9	01.1-02.7	1	0.0	00.0-00.0	1	0.2	00.0-00.6
Male	822	114,537	668	83.4	80.5-86.3	123	13.5	10.8-16.2	30	3.1	01.7-04.5	1	0.0	00.0-00.0			
Female	647	98,587	587	92.9	90.7-95.1	51	6.0	04.0-08.0	8	0.6	00.0-01.2				1	0.4	00.0-01.2
Native	76	14,116	66	90.9	85.0-96.8	9	7.8	02.3-13.3	1	1.2	00.0-03.6						
Non-Native	1370	195,212	1172	87.7	85.7-89.7	159	10.0	08.2-11.8	37	2.0	01.2-02.8	1	0.0	00.0-00.0	1	0.2	00.0-00.6
25-34	130	34,576	120	92.7	88.0-97.4	8	6.3	02.0-10.6	2	1.0	00.0-02.6						
35-44	206	45,407	186	91.5	87.6-95.4	19	7.9	04.0-11.8	1	0.5	00.0-01.5						
45-54	178	28,164	161	88.6	82.9-94.3	15	8.8	04.1-13.5	1	1.2	00.0-03.6				1	1.4	00.0-04.1
55-64	294	37,839	252	85.6	81.1-90.1	35	12.7	08.4-17.0	7	1.6	00.4-02.8						
65+	618	53,715	494	79.8	76.1-83.5	96	15.3	12.0-18.6	27	4.8	02.6-07.0	1	0.1	00.0-00.3			
Less Than H.S.	89	24,752	76	90.4	84.5-96.3	9	7.1	02.0-12.2	4	2.5	00.0-05.6						
H.S. or G.E.D.	466	69,909	395	88.3	85.4-91.2	60	9.6	06.9-12.3	11	2.1	00.7-03.5						
Some Post-H.S.	512	82,492	438	86.9	83.6-90.2	65	11.3	08.2-14.4	8	1.3	00.3-02.3				1	0.5	00.0-01.5
College Graduate	402	35,969	346	87.0	83.5-90.5	40	10.3	07.0-13.6	15	2.6	01.2-04.0	1	0.1	00.0-00.3			
Less than \$15,000	70	9,982	56	84.1	75.3-92.9	11	12.5	04.5-20.5	3	3.4	00.0-07.5						
\$15,000- 24,999	125	15,631	108	90.7	85.4-96.0	14	7.6	02.7-12.5	3	1.7	00.0-03.7						
\$25,000- 34,999	155	22,278	136	90.8	85.5-96.1	15	8.4	03.1-13.7	3	0.6	00.0-01.4	1	0.1	00.0-00.3			
\$35,000- 49,999	197	26,922	167	87.5	82.6-92.4	24	10.7	06.0-15.4	6	1.8	00.2-03.4						
\$50,000- 99,999	454	65,093	378	84.2	80.3-88.1	63	13.4	09.7-17.1	12	1.8	00.4-03.2				1	0.6	00.0-01.8
\$100,000 - 199,999	215	34,244	190	90.6	86.7-94.5	19	6.6	03.5-09.7	6	2.8	00.3-05.3						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 8: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-20			21-40			41-80.			81-120		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	822	114,537	668	83.4	80.5-86.3	123	13.5	10.8-16.2	30	3.1	01.7-04.5	1	0.0	00.0-00.0
Non-Native	773	105,602	627	82.9	79.8-86.0	115	13.8	10.9-16.7	30	3.3	01.9-04.7	1	0.0	00.0-00.0
25-34	75	17,957	66	88.0	80.2-95.8	7	10.0	02.6-17.4	2	2.0	00.0-05.1			
35-44	123	26,012	107	87.6	81.1-94.1	15	11.5	05.2-17.8	1	0.9	00.0-02.7			
45-54	109	16,862	98	88.0	80.6-95.4	10	10.0	03.5-16.5	1	2.0	00.0-05.7			
55-64	153	18,887	121	78.4	71.0-85.8	27	19.1	11.8-26.4	5	2.5	00.3-04.7			
65+	341	29,077	256	74.6	69.1-80.1	63	18.0	13.1-22.9	21	7.3	03.8-10.8	1	0.1	00.0-00.3
Less Than H.S.	57	14,685	46	84.9	75.5-94.3	7	10.9	02.7-19.1	4	4.2	00.0-09.3			
H.S. or G.E.D.	272	38,678	210	81.5	76.6-86.4	51	14.7	10.2-19.2	11	3.8	01.3-06.3			
Some Post-H.S.	277	43,911	230	83.9	78.8-89.0	41	14.1	09.2-19.0	6	1.9	00.1-03.7			
College Graduate	216	17,262	182	84.8	79.3-90.3	24	11.7	06.6-16.8	9	3.4	01.0-05.8	1	0.2	00.0-00.6
\$15,000- 24,999	58	6,434	47	82.5	71.1-93.9	9	14.7	03.9-25.5	2	2.8	00.0-06.7			
\$25,000- 34,999	70	8,867	58	86.4	76.8-96.0	9	12.0	02.6-21.4	2	1.3	00.0-03.5	1	0.3	00.0-00.9
\$35,000- 49,999	115	15,101	91	81.8	74.0-89.6	19	15.4	07.8-23.0	5	2.8	00.3-05.3			
\$50,000- 99,999	290	40,962	236	81.8	76.3-87.3	45	15.7	10.6-20.8	9	2.5	00.5-04.5			
\$100,000 - 199,999	134	20,961	113	86.9	81.0-92.8	15	8.5	03.8-13.2	6	4.6	00.7-08.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 9: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-20			21-40			41-80.			161-300		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	647	98,587	587	92.9	90.9-94.9	51	6.0	04.0-08.0	8	0.6	00.0-01.2	1	0.4	00.0-01.2
Non-Native	597	89,610	545	93.5	91.3-95.7	44	5.6	03.6-07.6	7	0.5	00.1-00.9	1	0.4	00.0-01.2
25-34	55	16,619	54	97.8	93.5-0100	1	2.2	00.0-06.5						
35-44	83	19,395	79	96.9	93.8-0100	4	3.1	00.0-06.2						
45-54	69	11,302	63	89.6	81.0-98.2	5	7.0	00.9-13.1				1	3.4	00.0-09.9
55-64	141	18,952	131	92.9	88.2-97.6	8	6.4	01.9-10.9	2	0.8	00.0-02.0			
65+	277	24,638	238	86.0	81.3-90.7	33	12.1	07.8-16.4	6	1.9	00.1-03.7			
H.S. or G.E.D.	194	31,232	185	96.7	94.3-99.1	9	3.3	00.9-05.7						
Some Post-H.S.	235	38,581	208	90.3	86.2-94.4	24	8.0	04.3-11.7	2	0.7	00.0-01.7	1	1.0	00.0-03.0
College Graduate	186	18,707	164	89.1	84.2-94.0	16	9.0	04.5-13.5	6	1.9	00.1-03.7			
\$15,000- 24,999	67	9,197	61	96.4	92.9-99.9	5	2.6	00.0-05.3	1	1.0	00.0-03.0			
\$25,000- 34,999	85	13,411	78	93.7	87.6-99.8	6	6.1	00.0-12.2	1	0.2	00.0-00.6			
\$35,000- 49,999	82	11,821	76	94.7	90.2-99.2	5	4.8	00.5-09.1	1	0.5	00.0-01.5			
\$50,000- 99,999	164	24,131	142	88.2	82.7-93.7	18	9.5	04.8-14.2	3	0.7	00.0-01.7	1	1.6	00.0-04.7
\$100,000 - 199,999	81	13,282	77	96.5	93.0-0100	4	3.5	00.0-07.0						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 10: THE NEXT QUESTION IS ABOUT CT OR CAT SCANS OF YOUR CHEST AREA. DURING THIS TEST, YOU LIE FLAT ON YOUR BACK AND ARE MOVED THROUGH AN OPEN, DONUT SHAPED X-RAY MACHINE. HAVE YOU EVER HAD A CT OR CAT SCAN OF YOUR CHEST AREA? (LCSCTSC1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3810	551,712	1579	35.9	34.1-37.7	2231	64.1	62.3-65.9
Male	1931	282,324	844	37.3	34.8-39.8	1087	62.7	60.2-65.2
Female	1879	269,388	735	34.4	31.9-36.9	1144	65.6	63.1-68.1
Native	120	22,010	47	29.6	20.4-38.8	73	70.4	61.2-79.6
Non-Native	3621	520,546	1504	36.2	34.2-38.2	2117	63.8	61.8-65.8
18-24	278	78,134	59	23.9	18.0-29.8	219	76.1	70.2-82.0
25-34	415	103,945	92	23.2	18.7-27.7	323	76.8	72.3-81.3
35-44	463	93,617	129	28.5	23.8-33.2	334	71.5	66.8-76.2
45-54	489	72,381	157	30.6	26.3-34.9	332	69.4	65.1-73.7
55-64	693	82,408	294	42.9	38.8-47.0	399	57.1	53.0-61.2
65+	1472	121,227	848	58.5	55.6-61.4	624	41.5	38.6-44.4
Less Than H.S.	164	41,663	87	50.8	41.2-60.4	77	49.2	39.6-58.8
H.S. or G.E.D.	967	147,779	456	38.4	34.9-41.9	511	61.6	58.1-65.1
Some Post-H.S.	1197	208,337	502	35.9	32.8-39.0	695	64.1	61.0-67.2
College Graduate	1476	152,829	534	29.6	27.1-32.1	942	70.4	67.9-72.9
Less than \$15,000	130	19,212	67	46.8	35.8-57.8	63	53.2	42.2-64.2
\$15,000- 24,999	257	34,699	125	40.8	33.0-48.6	132	59.2	51.4-67.0
\$25,000- 34,999	345	50,452	154	41.3	34.6-48.0	191	58.7	52.0-65.4
\$35,000- 49,999	456	61,191	219	40.3	34.8-45.8	237	59.7	54.2-65.2
\$50,000- 99,999	1153	166,170	483	36.6	33.3-39.9	670	63.4	60.1-66.7
\$100,000 - 199,999	666	100,978	220	29.8	25.9-33.7	446	70.2	66.3-74.1
\$200,000+	157	24,095	48	28.3	20.5-36.1	109	71.7	63.9-79.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 11: THE NEXT QUESTION IS ABOUT CT OR CAT SCANS OF YOUR CHEST AREA. DURING THIS TEST, YOU LIE FLAT ON YOUR BACK AND ARE MOVED THROUGH AN OPEN, DONUT SHAPED X-RAY MACHINE. HAVE YOU EVER HAD A CT OR CAT SCAN OF YOUR CHEST AREA? (LCSCTSC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1931	282,324	844	37.3	34.8-39.8	1087	62.7	60.2-65.2
Native	57	10,923	21	28.0	14.1-41.9	36	72.0	58.1-85.9
Non-Native	1833	265,712	805	37.7	35.2-40.2	1028	62.3	59.8-64.8
18-24	149	40,810	35	27.9	19.5-36.3	114	72.1	63.7-80.5
25-34	242	55,254	56	22.3	16.6-28.0	186	77.7	72.0-83.4
35-44	245	49,641	77	32.6	25.9-39.3	168	67.4	60.7-74.1
45-54	258	38,639	84	29.7	23.8-35.6	174	70.3	64.4-76.2
55-64	361	42,256	167	44.8	39.1-50.5	194	55.2	49.5-60.9
65+	676	55,724	425	62.7	58.4-67.0	251	37.3	33.0-41.6
Less Than H.S.	101	25,932	55	50.7	38.9-62.5	46	49.3	37.5-61.1
H.S. or G.E.D.	534	83,504	249	37.3	32.6-42.0	285	62.7	58.0-67.4
Some Post-H.S.	594	105,263	247	35.0	30.7-39.3	347	65.0	60.7-69.3
College Graduate	697	66,871	293	36.0	32.1-39.9	404	64.0	60.1-67.9
Less than \$15,000	51	7,598	30	56.6	39.4-73.8	21	43.4	26.2-60.6
\$15,000- 24,999	108	15,785	53	40.5	29.1-51.9	55	59.5	48.1-70.9
\$25,000- 34,999	160	23,766	67	39.1	29.3-48.9	93	60.9	51.1-70.7
\$35,000- 49,999	232	31,475	120	42.7	35.3-50.1	112	57.3	49.9-64.7
\$50,000- 99,999	619	91,326	282	39.5	35.0-44.0	337	60.5	56.0-65.0
\$100,000 - 199,999	376	54,291	135	30.4	25.3-35.5	241	69.6	64.5-74.7
\$200,000+	106	15,200	38	34.7	24.5-44.9	68	65.3	55.1-75.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 12: THE NEXT QUESTION IS ABOUT CT OR CAT SCANS OF YOUR CHEST AREA. DURING THIS TEST, YOU LIE FLAT ON YOUR BACK AND ARE MOVED THROUGH AN OPEN, DONUT SHAPED X-RAY MACHINE. HAVE YOU EVER HAD A CT OR CAT SCAN OF YOUR CHEST AREA? (LCSC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1879	269,388	735	34.4	31.9-36.9	1144	65.6	63.1-68.1
Native	63	11,087	26	31.2	18.9-43.5	37	68.8	56.5-81.1
Non-Native	1788	254,833	699	34.6	31.9-37.3	1089	65.4	62.7-68.1
18-24	129	37,324	24	19.5	11.5-27.5	105	80.5	72.5-88.5
25-34	173	48,691	36	24.3	17.0-31.6	137	75.7	68.4-83.0
35-44	218	43,975	52	23.8	17.5-30.1	166	76.2	69.9-82.5
45-54	231	33,743	73	31.7	25.2-38.2	158	68.3	61.8-74.8
55-64	332	40,153	127	40.8	34.7-46.9	205	59.2	53.1-65.3
65+	796	65,503	423	54.9	51.0-58.8	373	45.1	41.2-49.0
Less Than H.S.	63	15,731	32	51.0	34.9-67.1	31	49.0	32.9-65.1
H.S. or G.E.D.	433	64,274	207	39.7	34.2-45.2	226	60.3	54.8-65.8
Some Post-H.S.	603	103,074	255	36.7	32.2-41.2	348	63.3	58.8-67.8
College Graduate	779	85,958	241	24.7	21.4-28.0	538	75.3	72.0-78.6
Less than \$15,000	79	11,614	37	40.4	27.3-53.5	42	59.6	46.5-72.7
\$15,000- 24,999	149	18,914	72	41.1	30.3-51.9	77	58.9	48.1-69.7
\$25,000- 34,999	185	26,686	87	43.2	34.0-52.4	98	56.8	47.6-66.0
\$35,000- 49,999	224	29,716	99	37.6	29.8-45.4	125	62.4	54.6-70.2
\$50,000- 99,999	534	74,845	201	33.2	28.5-37.9	333	66.8	62.1-71.5
\$100,000 - 199,999	290	46,687	85	29.1	22.8-35.4	205	70.9	64.6-77.2
\$200,000+	51	8,895	10	17.4	06.4-28.4	41	82.6	71.6-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

**TABLE 13: WERE ANY OF THE CT OR CAT SCANS OF YOUR CHEST AREA DONE MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSSCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1485	189,038	289	18.5	16.1-20.9	1196	81.5	79.1-83.9
Male	794	100,265	171	19.7	16.4-23.0	623	80.3	77.0-83.6
Female	691	88,774	118	17.1	13.6-20.6	573	82.9	79.4-86.4
Non-Native	1414	179,780	277	18.7	16.2-21.2	1137	81.3	78.8-83.8
18-24	57	18,212	1	3.3	00.0-09.8	56	96.7	90.2-0100
25-34	91	23,921	5	6.9	00.6-13.2	86	93.1	86.8-99.4
35-44	125	26,031	9	7.7	02.4-13.0	116	92.3	87.0-97.6
45-54	154	21,834	26	18.4	11.5-25.3	128	81.6	74.7-88.5
55-64	288	34,668	59	26.2	19.9-32.5	229	73.8	67.5-80.1
65+	770	64,372	189	27.4	23.5-31.3	581	72.6	68.7-76.5
Less Than H.S.	79	19,891	19	20.8	10.2-31.4	60	79.2	68.6-89.8
H.S. or G.E.D.	420	53,340	101	21.5	17.0-26.0	319	78.5	74.0-83.0
Some Post-H.S.	480	72,310	93	18.2	14.3-22.1	387	81.8	77.9-85.7
College Graduate	506	43,498	76	14.2	10.9-17.5	430	85.8	82.5-89.1
Less than \$15,000	59	7,953	18	28.8	14.7-42.9	41	71.2	57.1-85.3
\$15,000- 24,999	116	13,387	30	25.2	14.6-35.8	86	74.8	64.2-85.4
\$25,000- 34,999	144	20,051	33	22.8	14.2-31.4	111	77.2	68.6-85.8
\$35,000- 49,999	210	23,620	40	16.9	11.0-22.8	170	83.1	77.2-89.0
\$50,000- 99,999	463	59,265	100	21.0	16.3-25.7	363	79.0	74.3-83.7
\$100,000 - 199,999	214	29,497	29	13.3	08.2-18.4	185	86.7	81.6-91.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

**TABLE 14: WERE ANY OF THE CT OR CAT SCANS OF YOUR CHEST AREA DONE MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSSCNCR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	794	100,265	171	19.7	16.4-23.0	623	80.3	77.0-83.6
Non-Native	758	95,504	162	19.6	16.3-22.9	596	80.4	77.1-83.7
25-34	55	12,103	2	3.6	00.0-08.7	53	96.4	91.3-0100
35-44	73	15,544	6	9.0	01.4-16.6	67	91.0	83.4-98.6
45-54	82	11,289	18	23.8	13.8-33.8	64	76.2	66.2-86.2
55-64	164	18,594	34	25.6	17.8-33.4	130	74.4	66.6-82.2
65+	387	31,794	110	31.1	25.6-36.6	277	68.9	63.4-74.4
Less Than H.S.	50	12,280	13	22.5	08.8-36.2	37	77.5	63.8-91.2
H.S. or G.E.D.	236	29,692	59	21.7	15.8-27.6	177	78.3	72.4-84.2
Some Post-H.S.	232	35,448	52	19.3	13.8-24.8	180	80.7	75.2-86.2
College Graduate	276	22,846	47	16.4	11.5-21.3	229	83.6	78.7-88.5
\$15,000- 24,999	51	6,201	17	32.4	16.3-48.5	34	67.6	51.5-83.7
\$25,000- 34,999	61	8,743	14	18.9	07.1-30.7	47	81.1	69.3-92.9
\$35,000- 49,999	114	12,631	25	18.2	10.4-26.0	89	81.8	74.0-89.6
\$50,000- 99,999	271	35,090	65	22.1	16.0-28.2	206	77.9	71.8-84.0
\$100,000 - 199,999	130	16,190	22	17.9	10.3-25.5	108	82.1	74.5-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 15: WERE ANY OF THE CT OR CAT SCANS OF YOUR CHEST AREA DONE MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSSCNCR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	691	88,774	118	17.1	13.6-20.6	573	82.9	79.4-86.4
Non-Native	656	84,277	115	17.6	13.9-21.3	541	82.4	78.7-86.1
35-44	52	10,487	3	5.9	00.0-12.6	49	94.1	87.4-0100
45-54	72	10,545	8	12.6	03.4-21.8	64	87.4	78.2-96.6
55-64	124	16,073	25	26.9	16.9-36.9	99	73.1	63.1-83.1
65+	383	32,577	79	23.7	18.4-29.0	304	76.3	71.0-81.6
H.S. or G.E.D.	184	23,648	42	21.4	14.5-28.3	142	78.6	71.7-85.5
Some Post-H.S.	248	36,862	41	17.2	11.5-22.9	207	82.8	77.1-88.5
College Graduate	230	20,652	29	11.8	07.1-16.5	201	88.2	83.5-92.9
\$15,000- 24,999	65	7,186	13	19.0	04.7-33.3	52	81.0	66.7-95.3
\$25,000- 34,999	83	11,308	19	25.8	13.8-37.8	64	74.2	62.2-86.2
\$35,000- 49,999	96	10,989	15	15.5	06.5-24.5	81	84.5	75.5-93.5
\$50,000- 99,999	192	24,175	35	19.5	12.1-26.9	157	80.5	73.1-87.9
\$100,000 - 199,999	84	13,307	7	7.7	01.8-13.6	77	92.3	86.4-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 16: WHEN DID YOU HAVE YOUR MOST RECENT CT OR CAT SCAN OF YOUR CHEST AREA MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LC SCTWHN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	275	33,678	140	48.6	41.3-55.9	32	15.5	09.4-21.6	29	8.8	05.3-12.3	25	9.9	05.4-14.4	14	6.1	01.8-10.4	35	11.1	06.8-15.4
Male	161	18,816	82	51.2	41.8-60.6	16	9.7	04.6-14.8	16	8.6	04.1-13.1	13	9.3	03.2-15.4	10	7.3	00.6-14.0	24	13.8	07.1-20.5
Female	114	14,862	58	45.3	33.9-56.7	16	22.7	11.5-33.9	13	9.1	03.4-14.8	12	10.7	04.2-17.2	4	4.6	00.0-09.7	11	7.6	02.7-12.5
Non-Native	263	32,298	134	47.9	40.5-55.3	30	15.6	09.5-21.7	28	9.1	05.4-12.8	23	9.9	05.4-14.4	14	6.4	01.9-10.9	34	11.2	06.7-15.7
55-64	57	8,912	32	55.5	41.0-70.0	7	13.4	03.2-23.6	4	6.0	00.0-12.1	7	10.5	02.5-18.5	2	5.2	00.0-12.6	5	9.3	01.3-17.3
65+	177	16,480	91	52.7	43.9-61.5	18	12.6	06.1-19.1	19	9.7	05.2-14.2	13	6.9	02.8-11.0	8	3.1	00.7-05.5	28	15.0	08.3-21.7
H.S. or G.E.D.	94	10,909	49	49.8	38.0-61.6	12	19.3	08.5-30.1	9	8.0	02.5-13.5	9	9.0	02.1-15.9	3	2.9	00.0-06.2	12	11.0	03.9-18.1
Some Post-H.S.	91	12,965	47	47.1	35.1-59.1	9	15.9	04.7-27.1	9	7.4	02.1-12.7	13	16.3	06.9-25.7	5	6.8	00.5-13.1	8	6.6	01.3-11.9
College Graduate	72	5,933	33	43.6	30.5-56.7	10	14.4	04.8-24.0	11	19.3	07.5-31.1	3	4.1	00.0-09.0	4	3.9	00.0-08.0	11	14.7	05.3-24.1
\$50,000- 99,999	94	11,784	48	45.4	32.7-58.1	10	16.8	04.8-28.8	13	11.4	04.5-18.3	8	10.3	01.7-18.9	8	10.9	00.1-21.7	7	5.2	00.7-09.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 17: WHEN DID YOU HAVE YOUR MOST RECENT CT OR CAT SCAN OF YOUR CHEST AREA MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSCTWHN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	161	18,816	82	51.2	41.8-60.6	16	9.7	04.6-14.8	16	8.6	04.1-13.1	13	9.3	03.2-15.4	10	7.3	00.6-14.0	24	13.8	07.1-20.5
Non-Native	152	17,777	77	50.2	40.4-60.0	14	9.4	04.1-14.7	16	9.1	04.4-13.8	11	9.0	02.7-15.3	10	7.7	00.6-14.8	24	14.6	07.7-21.5
65+	101	9,039	49	51.4	39.6-63.2	9	9.6	02.7-16.5	9	8.6	02.7-14.5	9	8.5	02.6-14.4	6	3.7	00.4-07.0	19	18.2	08.0-28.4
H.S. or G.E.D.	54	6,089	29	56.8	41.9-71.7	5	12.5	01.7-23.3	6	10.6	02.0-19.2	3	3.3	00.0-07.4	2	4.1	00.0-09.8	9	12.7	03.5-21.9
Some Post-H.S.	50	6,643	26	52.9	36.8-69.0	5	8.1	00.5-15.7	3	4.2	00.0-08.9	8	20.8	05.7-35.9	2	3.9	00.0-09.6	6	10.1	00.5-19.7
\$50,000- 99,999	61	7,308	30	47.3	31.4-63.2	6	9.6	00.6-18.6	8	11.9	03.1-20.7	6	13.3	00.4-26.2	6	11.8	00.0-26.9	5	6.2	00.0-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 13: LUNG CANCER SCREENING**

TABLE 18: WHEN DID YOU HAVE YOUR MOST RECENT CT OR CAT SCAN OF YOUR CHEST AREA MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSCTWHN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	114	14,862	58	45.3	33.7-56.9	16	22.7	11.3-34.1	13	9.1	03.4-14.8	12	10.7	04.2-17.2	4	4.6	00.0-09.7	11	7.6	02.5-12.7
Non-Native	111	14,521	57	45.0	33.4-56.6	16	23.3	11.9-34.7	12	9.0	03.1-14.9	12	10.9	04.2-17.6	4	4.7	00.0-10.0	10	7.1	02.2-12.0
65+	76	7,441	42	54.2	40.5-67.9	9	16.4	05.0-27.8	10	11.0	03.9-18.1	4	5.0	00.0-10.7	2	2.3	00.0-05.4	9	11.1	03.3-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 14: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
1 MALES AND FEMALES	239
2 MALES ONLY	240
3 FEMALES ONLY	241
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)	
4 MALES AND FEMALES	242
5 MALES ONLY	243
6 FEMALES ONLY	244
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	245
8 MALES ONLY	246
9 FEMALES ONLY	247
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	248
11 MALES ONLY	249
12 FEMALES ONLY	250

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11+ days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3918	562,187	504	13.6	12.2-15.0	59	1.5	01.1-01.9	1264	33.6	31.8-35.4	373	9.3	08.1-10.5	1718	42.0	40.0-44.0
Male	1980	286,573	279	14.4	12.6-16.2	52	2.5	01.7-03.3	629	32.6	30.1-35.1	259	12.0	10.4-13.6	761	38.5	36.0-41.0
Female	1938	275,614	225	12.7	10.9-14.5	7	0.3	00.1-00.5	635	34.7	32.2-37.2	114	6.6	05.0-08.2	957	45.6	42.9-48.3
Native	124	22,485	14	13.1	05.7-20.5	3	2.8	00.0-05.9	34	27.5	18.3-36.7	4	4.8	00.0-10.1	69	51.9	41.5-62.3
Non-Native	3720	529,848	485	13.7	12.3-15.1	53	1.3	00.9-01.7	1209	34.0	32.0-36.0	364	9.6	08.4-10.8	1609	41.4	39.4-43.4
18-24	279	78,384	40	13.2	09.1-17.3	3	1.7	00.0-03.7	105	36.6	30.5-42.7	15	5.8	02.3-09.3	116	42.6	36.3-48.9
25-34	425	105,435	77	16.8	13.1-20.5	5	1.0	00.0-02.0	169	39.4	34.3-44.5	35	8.1	05.4-10.8	139	34.7	29.6-39.8
35-44	470	94,103	73	15.2	11.7-18.7	5	0.7	00.1-01.3	167	34.5	29.8-39.2	55	11.6	08.5-14.7	170	37.9	33.0-42.8
45-54	498	73,012	87	17.7	14.0-21.4	10	2.2	00.8-03.6	174	34.2	29.7-38.7	50	9.3	06.6-12.0	177	36.6	31.9-41.3
55-64	709	84,486	88	11.7	09.2-14.2	13	2.0	00.8-03.2	240	33.5	29.6-37.4	80	12.3	09.6-15.0	288	40.6	36.5-44.7
65+	1537	126,766	139	8.7	07.1-10.3	23	1.5	00.7-02.3	409	26.1	23.6-28.6	138	8.9	07.1-10.7	828	54.7	51.8-57.6
Less Than H.S.	168	42,230	8	4.0	00.9-07.1	4	3.5	00.0-07.2	26	18.5	10.7-26.3	16	12.0	05.3-18.7	114	61.9	52.5-71.3
H.S. or G.E.D.	982	147,538	98	11.7	09.2-14.2	18	1.7	00.9-02.5	308	32.8	29.3-36.3	88	8.6	06.6-10.6	470	45.2	41.5-48.9
Some Post-H.S.	1233	213,694	163	14.1	11.7-16.5	18	1.1	00.5-01.7	415	36.2	33.1-39.3	111	9.1	07.1-11.1	526	39.4	36.3-42.5
College Graduate	1530	157,970	234	17.1	14.7-19.5	19	1.1	00.5-01.7	512	34.8	32.1-37.5	158	9.7	08.1-11.3	607	37.3	34.6-40.0
Less than \$15,000	137	19,968	8	9.1	02.0-16.2				27	23.5	13.5-33.5	8	6.1	00.8-11.4	94	61.3	50.3-72.3
\$15,000- 24,999	266	34,947	25	11.8	06.5-17.1	5	1.3	00.0-02.7	67	26.1	19.4-32.8	18	8.6	03.3-13.9	151	52.1	44.3-59.9
\$25,000- 34,999	348	50,828	41	14.6	09.7-19.5	6	2.2	00.0-04.4	85	22.8	17.5-28.1	23	6.1	03.2-09.0	193	54.2	47.5-60.9
\$35,000- 49,999	470	62,546	43	9.3	06.2-12.4	8	1.3	00.1-02.5	161	38.3	32.8-43.8	43	8.4	05.7-11.1	215	42.6	37.1-48.1
\$50,000- 99,999	1196	170,784	154	12.9	10.7-15.1	20	1.8	00.8-02.8	430	36.5	33.2-39.8	132	11.0	08.8-13.2	460	37.8	34.5-41.1
\$100,000 - 199,999	671	101,374	118	18.2	14.9-21.5	9	1.3	00.5-02.1	263	40.8	36.5-45.1	80	10.8	08.3-13.3	201	28.9	25.0-32.8
\$200,000+	163	24,985	39	22.3	15.4-29.2	4	1.8	00.0-03.8	60	38.7	30.1-47.3	22	13.8	07.5-20.1	38	23.5	16.1-30.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11+ days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1980	286,573	279	14.4	12.6-16.2	52	2.5	01.7-03.3	629	32.6	30.1-35.1	259	12.0	10.4-13.6	761	38.5	36.0-41.0
Native	59	11,295	7	9.3	01.3-17.3	3	5.5	00.0-11.6	15	28.2	14.5-41.9	3	7.3	00.0-16.7	31	49.8	34.5-65.1
Non-Native	1877	269,042	267	14.7	12.7-16.7	46	2.3	01.5-03.1	603	32.9	30.4-35.4	252	12.3	10.5-14.1	709	37.8	35.1-40.5
18-24	150	41,227	19	11.9	06.6-17.2	3	3.2	00.0-06.9	49	32.7	24.5-40.9	8	3.7	01.0-06.4	71	48.5	39.7-57.3
25-34	251	56,642	49	18.5	13.4-23.6	5	1.8	00.2-03.4	100	38.5	32.0-45.0	29	12.2	07.7-16.7	68	29.0	22.5-35.5
35-44	245	49,343	42	15.8	10.9-20.7	5	1.4	00.2-02.6	86	33.3	27.0-39.6	34	14.0	09.3-18.7	78	35.5	28.6-42.4
45-54	261	38,508	43	17.1	12.0-22.2	9	3.4	01.0-05.8	86	33.1	26.8-39.4	37	13.7	09.2-18.2	86	32.6	26.3-38.9
55-64	365	42,539	50	13.1	09.4-16.8	11	3.4	01.4-05.4	121	32.5	27.2-37.8	51	14.2	10.3-18.1	132	36.8	31.1-42.5
65+	708	58,315	76	10.0	07.5-12.5	19	2.6	01.2-04.0	187	25.9	22.2-29.6	100	13.1	10.4-15.8	326	48.3	44.0-52.6
Less Than H.S.	104	26,478	6	5.3	00.6-10.0	3	4.6	00.0-10.3	19	20.4	10.8-30.0	11	9.2	03.5-14.9	65	60.5	49.1-71.9
H.S. or G.E.D.	538	82,635	58	11.3	08.2-14.4	16	2.8	01.2-04.4	172	32.4	27.9-36.9	67	11.7	08.8-14.6	225	41.9	37.0-46.8
Some Post-H.S.	612	107,876	92	15.6	12.3-18.9	17	2.1	01.1-03.1	201	34.9	30.6-39.2	80	12.7	09.8-15.6	222	34.8	30.5-39.1
College Graduate	721	68,831	122	19.7	16.2-23.2	16	2.2	01.0-03.4	234	33.5	29.6-37.4	101	12.5	10.0-15.0	248	32.1	28.2-36.0
Less than \$15,000	54	7,839	3	4.7	00.0-10.2				11	29.6	10.6-48.6	4	6.9	00.0-14.7	36	58.8	40.6-77.0
\$15,000- 24,999	112	15,723	9	11.1	02.5-19.7	5	2.9	00.0-05.8	29	26.1	16.7-35.5	12	8.5	03.2-13.8	57	51.4	39.8-63.0
\$25,000- 34,999	160	23,618	18	14.3	07.0-21.6	6	4.7	00.2-09.2	44	24.7	17.1-32.3	11	5.5	01.4-09.6	81	50.7	40.9-60.5
\$35,000- 49,999	244	32,683	25	9.5	05.0-14.0	7	2.4	00.2-04.6	77	33.1	26.0-40.2	34	12.8	08.3-17.3	101	42.3	34.9-49.7
\$50,000- 99,999	640	93,453	93	14.4	11.3-17.5	18	3.0	01.2-04.8	209	32.9	28.6-37.2	94	13.9	10.8-17.0	226	35.9	31.4-40.4
\$100,000 - 199,999	382	54,769	67	18.7	14.2-23.2	8	2.2	00.6-03.8	142	37.8	32.3-43.3	61	15.1	11.0-19.2	104	26.1	21.0-31.2
\$200,000+	109	15,434	28	23.6	15.0-32.2	4	2.9	00.0-06.0	38	38.1	27.5-48.7	17	15.7	08.3-23.1	22	19.7	11.3-28.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11+ days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1938	275,614	225	12.7	10.9-14.5	7	0.3	00.1-00.5	635	34.7	32.2-37.2	114	6.6	05.0-08.2	957	45.6	42.9-48.3
Native	65	11,190	7	16.9	04.6-29.2				19	26.8	14.8-38.8	1	2.3	00.0-06.8	38	54.0	39.9-68.1
Non-Native	1843	260,806	218	12.7	10.7-14.7	7	0.3	00.1-00.5	606	35.1	32.4-37.8	112	6.8	05.2-08.4	900	45.0	42.3-47.7
18-24	129	37,158	21	14.7	08.4-21.0				56	41.0	31.8-50.2	7	8.2	01.3-15.1	45	36.0	27.0-45.0
25-34	174	48,793	28	14.9	09.4-20.4				69	40.5	32.5-48.5	6	3.3	00.6-06.0	71	41.3	33.3-49.3
35-44	225	44,760	31	14.5	09.4-19.6				81	35.8	28.9-42.7	21	9.0	05.1-12.9	92	40.6	33.5-47.7
45-54	237	34,504	44	18.3	12.8-23.8	1	0.8	00.0-02.4	88	35.4	28.9-41.9	13	4.4	02.0-06.8	91	41.1	34.2-48.0
55-64	344	41,947	38	10.3	06.8-13.8	2	0.5	00.0-01.3	119	34.5	28.8-40.2	29	10.3	06.4-14.2	156	44.4	38.5-50.3
65+	829	68,451	63	7.5	05.5-09.5	4	0.6	00.0-01.2	222	26.3	22.8-29.8	38	5.4	03.2-07.6	502	60.2	56.3-64.1
Less Than H.S.	64	15,752	2	1.9	00.0-04.6	1	1.8	00.0-05.3	7	15.3	02.2-28.4	5	16.8	02.1-31.5	49	64.3	47.6-81.0
H.S. or G.E.D.	444	64,903	40	12.3	08.2-16.4	2	0.3	00.0-00.7	136	33.3	27.8-38.8	21	4.6	02.4-06.8	245	49.4	43.7-55.1
Some Post-H.S.	621	105,819	71	12.6	09.5-15.7	1	0.1	00.0-00.3	214	37.5	33.0-42.0	31	5.6	03.4-07.8	304	44.2	39.5-48.9
College Graduate	809	89,140	112	15.1	12.2-18.0	3	0.3	00.0-00.7	278	35.9	32.0-39.8	57	7.5	05.3-09.7	359	41.3	37.4-45.2
Less than \$15,000	83	12,130	5	12.0	01.0-23.0				16	19.5	09.3-29.7	4	5.6	00.0-12.7	58	62.9	49.4-76.4
\$15,000- 24,999	154	19,224	16	12.4	05.5-19.3				38	26.2	16.8-35.6	6	8.7	00.1-17.3	94	52.7	41.9-63.5
\$25,000- 34,999	188	27,210	23	14.9	08.0-21.8				41	21.2	13.8-28.6	12	6.7	02.4-11.0	112	57.2	48.2-66.2
\$35,000- 49,999	226	29,863	18	9.1	04.6-13.6	1	0.2	00.0-00.6	84	44.1	35.9-52.3	9	3.7	01.0-06.4	114	43.0	35.0-51.0
\$50,000- 99,999	556	77,331	61	11.0	07.9-14.1	2	0.3	00.0-00.7	221	40.9	35.8-46.0	38	7.6	04.9-10.3	234	40.1	35.2-45.0
\$100,000 - 199,999	289	46,606	51	17.5	12.4-22.6	1	0.2	00.0-00.6	121	44.4	37.7-51.1	19	5.8	03.1-08.5	97	32.2	26.1-38.3
\$200,000+	54	9,550	11	20.1	08.5-31.7				22	39.6	24.7-54.5	5	10.8	00.0-21.8	16	29.5	15.6-43.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRKN3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2180	322,451	866	33.5	31.1-35.9	648	30.0	27.6-32.4	275	14.1	12.3-15.9	143	7.5	06.1-08.9	236	14.2	12.2-16.2	12	0.6	00.2-01.0
Male	1203	173,049	368	26.0	23.1-28.9	362	29.4	26.5-32.3	181	14.9	12.5-17.3	107	9.5	07.5-11.5	181	19.8	16.9-22.7	4	0.3	00.0-00.7
Female	977	149,401	498	42.3	38.6-46.0	286	30.8	27.3-34.3	94	13.2	10.5-15.9	36	5.1	03.1-07.1	55	7.7	05.5-09.9	8	0.9	00.1-01.7
Native	54	10,791	8	11.3	02.5-20.1	15	25.5	12.4-38.6	6	11.4	02.0-20.8	3	3.3	00.0-07.4	21	47.0	31.5-62.5	1	1.6	00.0-04.7
Non-Native	2094	307,361	843	34.3	31.9-36.7	626	30.3	27.9-32.7	267	14.3	12.5-16.1	138	7.6	06.2-09.0	209	13.0	11.2-14.8	11	0.6	00.2-01.0
18-24	160	44,073	26	16.9	10.2-23.6	41	25.3	17.9-32.7	33	20.0	13.3-26.7	15	10.4	04.5-16.3	44	26.9	19.5-34.3	1	0.5	00.0-01.5
25-34	283	67,855	71	26.8	21.1-32.5	78	28.6	22.7-34.5	52	17.4	12.7-22.1	33	10.0	06.7-13.3	47	16.6	11.9-21.3	2	0.5	00.0-01.3
35-44	297	57,842	78	24.7	19.4-30.0	98	32.9	27.2-38.6	45	15.7	11.2-20.2	26	7.8	04.7-10.9	49	18.1	13.2-23.0	1	1.0	00.0-02.8
45-54	316	45,519	107	32.4	26.9-37.9	110	35.5	29.6-41.4	34	11.2	07.3-15.1	19	5.9	03.0-08.8	44	14.6	10.1-19.1	2	0.3	00.0-00.7
55-64	419	49,996	168	40.4	35.1-45.7	132	30.5	25.6-35.4	62	14.0	10.5-17.5	23	6.6	03.7-09.5	31	7.6	04.7-10.5	3	0.8	00.0-01.8
65+	705	57,166	416	58.3	54.0-62.6	189	27.8	23.9-31.7	49	6.4	04.4-08.4	27	4.0	02.4-05.6	21	3.1	01.5-04.7	3	0.4	00.0-01.0
Less Than H.S.	54	16,082	18	28.7	13.8-43.6	17	29.2	14.9-43.5	5	6.4	00.5-12.3	4	11.0	00.0-23.0	9	21.3	08.2-34.4	1	3.4	00.0-10.1
H.S. or G.E.D.	507	79,766	188	32.6	27.9-37.3	132	25.4	21.1-29.7	70	15.5	11.8-19.2	35	7.2	04.7-09.7	80	18.8	14.7-22.9	2	0.4	00.0-01.0
Some Post-H.S.	696	127,537	254	29.7	26.0-33.4	209	30.7	26.8-34.6	92	15.6	12.3-18.9	52	7.7	05.5-09.9	86	16.0	12.7-19.3	3	0.3	00.0-00.7
College Graduate	921	98,850	405	40.1	36.6-43.6	290	33.1	29.6-36.6	108	12.3	09.9-14.7	52	6.8	04.6-09.0	60	7.0	05.0-09.0	6	0.7	00.1-01.3
\$15,000- 24,999	114	16,564	34	20.9	12.3-29.5	35	30.1	18.7-41.5	21	24.3	13.9-34.7	9	8.0	02.3-13.7	14	15.4	06.8-24.0	1	1.2	00.0-03.6
\$25,000- 34,999	151	22,846	68	38.1	28.7-47.5	35	21.0	13.4-28.6	21	16.1	08.7-23.5	9	8.2	02.3-14.1	17	15.8	08.0-23.6	1	0.8	00.0-02.4
\$35,000- 49,999	254	35,471	103	32.1	25.4-38.8	66	24.1	18.0-30.2	33	13.7	08.6-18.8	18	10.6	05.5-15.7	32	17.7	11.6-23.8	2	1.8	00.0-04.7
\$50,000- 99,999	728	104,877	288	33.0	29.1-36.9	228	32.2	28.1-36.3	89	13.1	10.0-16.2	47	7.2	05.0-09.4	75	14.4	11.1-17.7	1	0.1	00.0-00.3
\$100,000 - 199,999	469	71,987	183	36.5	31.6-41.4	153	33.0	28.1-37.9	58	13.3	09.6-17.0	27	5.1	02.9-07.3	48	12.0	08.5-15.5			
\$200,000+	124	18,867	39	26.6	18.2-35.0	41	35.2	25.4-45.0	21	20.8	12.2-29.4	10	7.3	02.6-12.0	12	9.8	04.1-15.5	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1203	173,049	368	26.0	23.1-28.9	362	29.4	26.5-32.3	181	14.9	12.5-17.3	107	9.5	07.5-11.5	181	19.8	16.9-22.7	4	0.3	00.0-00.7
Non-Native	1155	164,360	357	26.3	23.4-29.2	350	29.8	26.7-32.9	178	15.3	12.9-17.7	103	9.7	07.7-11.7	163	18.7	15.8-21.6	4	0.3	00.0-00.7
18-24	77	20,421	11	18.6	07.6-29.6	14	18.2	09.0-27.4	14	15.8	07.4-24.2	8	9.2	02.5-15.9	30	38.2	26.2-50.2			
25-34	180	39,201	30	16.8	10.9-22.7	45	25.8	18.7-32.9	36	18.9	12.8-25.0	26	13.4	08.5-18.3	41	24.1	17.2-31.0	2	0.9	00.0-02.5
35-44	164	31,266	30	19.0	12.3-25.7	55	32.1	24.7-39.5	23	13.6	07.9-19.3	18	9.7	05.2-14.2	38	25.6	18.2-33.0			
45-54	171	25,364	40	23.5	16.6-30.4	60	35.3	27.5-43.1	20	10.7	06.0-15.4	16	8.7	04.0-13.4	34	21.4	14.3-28.5	1	0.3	00.0-00.9
55-64	233	26,878	74	32.5	25.8-39.2	71	30.8	24.3-37.3	50	20.8	15.1-26.5	17	7.9	04.0-11.8	21	8.0	04.5-11.5			
65+	378	29,919	183	46.9	41.2-52.6	117	32.7	27.2-38.2	38	8.9	05.8-12.0	22	6.4	03.5-09.3	17	4.9	02.2-07.6	1	0.2	00.0-00.6
H.S. or G.E.D.	308	46,926	84	24.8	19.3-30.3	82	25.3	20.0-30.6	52	17.1	12.2-22.0	28	8.6	05.3-11.9	62	24.2	18.5-29.9			
Some Post-H.S.	382	68,852	107	23.5	19.0-28.0	113	29.3	24.2-34.4	53	14.3	10.4-18.2	39	10.0	06.7-13.3	69	22.8	17.9-27.7	1	0.1	00.0-00.3
College Graduate	472	46,595	164	29.9	25.4-34.4	154	34.5	29.6-39.4	72	15.5	11.8-19.2	38	10.1	06.8-13.4	41	9.0	06.3-11.7	3	1.0	00.0-02.4
\$15,000- 24,999	55	7,634	11	16.1	05.5-26.7	15	22.7	10.2-35.2	14	32.8	16.9-48.7	8	16.3	04.9-27.7	7	12.2	02.6-21.8			
\$25,000- 34,999	76	11,327	26	27.3	16.3-38.3	18	22.8	11.8-33.8	11	12.5	04.3-20.7	7	12.2	02.4-22.0	14	25.2	12.3-38.1			
\$35,000- 49,999	142	18,445	46	26.9	18.5-35.3	36	20.2	13.1-27.3	24	14.7	08.4-21.0	13	13.7	06.4-21.0	23	24.4	15.4-33.4			
\$50,000- 99,999	408	58,796	118	23.4	18.7-28.1	136	33.4	27.9-38.9	62	14.7	10.8-18.6	34	8.8	05.7-11.9	58	19.7	14.6-24.8			
\$100,000 - 199,999	277	40,374	83	27.6	21.5-33.7	90	32.1	25.8-38.4	40	14.5	09.8-19.2	22	7.2	04.1-10.3	42	18.7	13.2-24.2			
\$200,000+	86	12,137	24	25.5	15.1-35.9	29	33.3	22.1-44.5	13	17.0	07.4-26.6	8	8.9	02.4-15.4	12	15.3	06.7-23.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	977	149,401	498	42.3	38.6-46.0	286	30.8	27.3-34.3	94	13.2	10.5-15.9	36	5.1	03.1-07.1	55	7.7	05.5-09.9	8	0.9	00.1-01.7
Non-Native	939	143,001	486	43.5	39.8-47.2	276	30.9	27.2-34.6	89	13.1	10.2-16.0	35	5.3	03.1-07.5	46	6.4	04.2-08.6	7	0.9	00.1-01.7
18-24	83	23,651	15	15.5	07.9-23.1	27	31.4	20.4-42.4	19	23.6	13.6-33.6	7	11.4	02.4-20.4	14	17.2	08.4-26.0	1	0.9	00.0-02.7
25-34	103	28,654	41	40.5	30.1-50.9	33	32.5	22.5-42.5	16	15.4	07.8-23.0	7	5.4	01.3-09.5	6	6.3	01.2-11.4			
35-44	133	26,576	48	31.3	22.9-39.7	43	33.8	25.0-42.6	22	18.2	10.9-25.5	8	5.4	01.5-09.3	11	9.2	03.7-14.7	1	2.1	00.0-06.0
45-54	145	20,155	67	43.6	34.8-52.4	50	35.7	27.1-44.3	14	11.9	05.6-18.2	3	2.3	00.0-05.0	10	6.1	02.2-10.0	1	0.4	00.0-01.2
55-64	186	23,118	94	49.7	41.7-57.7	61	30.2	23.1-37.3	12	6.1	02.4-09.8	6	5.2	00.7-09.7	10	7.2	02.3-12.1	3	1.7	00.0-03.7
65+	327	27,247	233	70.8	64.9-76.7	72	22.5	17.0-28.0	11	3.7	01.3-06.1	5	1.3	00.1-02.5	4	1.1	00.0-02.3	2	0.6	00.0-01.6
H.S. or G.E.D.	199	32,840	104	43.7	35.5-51.9	50	25.5	18.2-32.8	18	13.3	07.0-19.6	7	5.2	01.3-09.1	18	11.2	05.7-16.7	2	1.1	00.0-02.7
Some Post-H.S.	314	58,684	147	36.9	31.0-42.8	96	32.5	26.4-38.6	39	17.2	11.9-22.5	13	5.1	02.4-07.8	17	7.9	04.0-11.8	2	0.5	00.0-01.3
College Graduate	449	52,255	241	49.1	43.8-54.4	136	31.9	27.0-36.8	36	9.4	06.3-12.5	14	3.9	01.4-06.4	19	5.3	02.8-07.8	3	0.4	00.0-00.8
\$15,000- 24,999	59	8,930	23	25.1	11.8-38.4	20	36.5	19.1-53.9	7	17.0	04.5-29.5	1	0.9	00.0-02.7	7	18.2	04.5-31.9	1	2.3	00.0-06.8
\$25,000- 34,999	75	11,519	42	48.8	34.5-63.1	17	19.3	08.7-29.9	10	19.6	07.3-31.9	2	4.2	00.0-10.1	3	6.5	00.0-14.3	1	1.5	00.0-04.4
\$35,000- 49,999	112	17,027	57	37.8	27.4-48.2	30	28.2	18.4-38.0	9	12.6	04.6-20.6	5	7.2	00.0-14.5	9	10.5	03.1-17.9	2	3.7	00.0-10.0
\$50,000- 99,999	320	46,081	170	45.3	38.8-51.8	92	30.7	24.6-36.8	27	11.1	06.4-15.8	13	5.1	02.0-08.2	17	7.7	03.8-11.6	1	0.2	00.0-00.6
\$100,000 - 199,999	192	31,614	100	48.0	39.8-56.2	63	34.2	26.2-42.2	18	11.9	06.0-17.8	5	2.5	00.1-04.9	6	3.5	00.0-07.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2168	320,006	260	14.8	12.8-16.8	122	6.8	05.4-08.2	67	3.7	02.7-04.7	59	3.1	02.1-04.1	193	11.3	09.5-13.1	1467	60.3	57.8-62.8
Male	1198	172,324	154	15.0	12.5-17.5	81	8.6	06.6-10.6	51	5.0	03.6-06.4	41	3.5	02.3-04.7	146	15.3	12.8-17.8	725	52.5	49.2-55.8
Female	970	147,682	106	14.5	11.6-17.4	41	4.8	03.0-06.6	16	2.2	01.0-03.4	18	2.6	01.2-04.0	47	6.5	04.3-08.7	742	69.4	65.7-73.1
Native	54	10,651	9	15.5	04.7-26.3	6	15.7	03.4-28.0				1	3.2	00.0-09.5	14	28.8	14.3-43.3	24	36.7	22.4-51.0
Non-Native	2082	305,194	251	14.9	12.9-16.9	115	6.6	05.2-08.0	67	3.9	02.9-04.9	58	3.1	02.1-04.1	172	10.5	08.7-12.3	1419	61.0	58.5-63.5
18-24	159	43,630	36	23.0	15.6-30.4	20	13.3	07.2-19.4	8	4.5	01.2-07.8	9	5.4	01.7-09.1	26	17.6	10.7-24.5	60	36.3	28.3-44.3
25-34	284	68,328	59	21.3	16.0-26.6	22	7.3	04.2-10.4	17	5.5	02.8-08.2	9	2.9	00.9-04.9	33	11.9	07.8-16.0	144	51.2	44.9-57.5
35-44	298	57,963	50	15.9	11.6-20.2	25	8.2	04.9-11.5	13	4.7	02.2-07.2	5	2.1	00.3-03.9	45	16.2	11.5-20.9	160	52.9	46.8-59.0
45-54	315	45,087	40	13.6	09.3-17.9	15	4.7	02.2-07.2	10	2.9	00.9-04.9	14	5.4	02.5-08.3	38	11.9	08.2-15.6	198	61.5	55.6-67.4
55-64	414	48,864	45	10.6	07.5-13.7	22	5.4	02.9-07.9	13	3.6	01.6-05.6	12	2.7	01.1-04.3	30	7.5	04.6-10.4	292	70.3	65.4-75.2
65+	698	56,134	30	3.9	02.3-05.5	18	2.8	01.4-04.2	6	0.9	00.1-01.7	10	1.2	00.2-02.2	21	3.3	01.7-04.9	613	88.0	85.3-90.7
H.S. or G.E.D.	504	79,717	70	18.3	14.0-22.6	33	7.3	04.8-09.8	19	4.1	02.1-06.1	19	3.8	01.8-05.8	49	11.1	07.8-14.4	314	55.4	50.3-60.5
Some Post-H.S.	694	127,056	74	12.4	09.5-15.3	42	7.1	04.7-09.5	26	4.5	02.7-06.3	21	3.7	01.9-05.5	73	13.0	09.9-16.1	458	59.2	54.9-63.5
College Graduate	920	98,760	111	14.3	11.6-17.0	44	5.4	03.6-07.2	21	2.8	01.4-04.2	18	1.9	00.9-02.9	62	7.6	05.6-09.6	664	67.9	64.4-71.4
\$15,000- 24,999	109	16,062	10	11.6	03.8-19.4	7	13.9	02.5-25.3	3	2.6	00.0-05.7	4	4.4	00.0-09.3	10	11.4	04.0-18.8	75	56.2	43.9-68.5
\$25,000- 34,999	149	21,560	14	10.6	04.7-16.5	17	12.5	06.2-18.8	5	4.5	00.0-09.0	3	2.2	00.0-05.3	12	9.5	03.2-15.8	98	60.7	50.9-70.5
\$35,000- 49,999	252	35,595	25	13.3	07.8-18.8	10	4.6	01.5-07.7	7	4.4	01.1-07.7	7	3.2	00.7-05.7	24	13.1	07.8-18.4	179	61.3	53.9-68.7
\$50,000- 99,999	726	104,292	85	14.3	11.0-17.6	35	5.4	03.4-07.4	27	4.5	02.7-06.3	11	1.8	00.4-03.2	64	11.5	08.4-14.6	504	62.6	58.3-66.9
\$100,000 - 199,999	468	71,858	69	16.7	12.8-20.6	27	6.3	03.8-08.8	19	4.3	02.3-06.3	15	3.4	01.6-05.2	39	10.1	06.8-13.4	299	59.2	54.1-64.3
\$200,000+	124	18,867	16	14.0	07.1-20.9	7	7.5	01.8-13.2	2	4.1	00.0-09.8	7	7.1	01.2-13.0	14	11.2	05.3-17.1	78	56.1	45.9-66.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1198	172,324	154	15.0	12.5-17.5	81	8.6	06.6-10.6	51	5.0	03.6-06.4	41	3.5	02.3-04.7	146	15.3	12.8-17.8	725	52.5	49.2-55.8
Non-Native	1149	163,739	147	15.0	12.5-17.5	77	8.4	06.4-10.4	51	5.3	03.7-06.9	41	3.7	02.5-04.9	131	14.6	12.1-17.1	702	52.9	49.6-56.2
18-24	76	20,184	16	22.9	11.7-34.1	12	17.1	07.7-26.5	4	4.9	00.0-10.0	4	3.7	00.0-07.6	18	22.8	12.6-33.0	22	28.5	17.5-39.5
25-34	182	40,108	36	19.6	13.5-25.7	15	8.6	04.3-12.9	15	7.4	03.7-11.1	7	3.6	00.9-06.3	31	18.7	12.2-25.2	78	42.1	34.5-49.7
35-44	165	31,387	30	16.6	10.7-22.5	20	12.4	06.7-18.1	10	6.7	02.6-10.8	3	1.9	00.0-04.1	30	20.1	13.2-27.0	72	42.3	34.3-50.3
45-54	172	25,327	25	15.5	09.4-21.6	10	6.6	02.5-10.7	8	3.9	01.2-06.6	11	7.1	02.8-11.4	28	16.0	10.1-21.9	90	50.9	42.9-58.9
55-64	229	26,236	24	10.3	06.2-14.4	11	5.1	01.8-08.4	9	4.3	01.4-07.2	10	3.9	01.4-06.4	23	9.3	05.4-13.2	152	67.1	60.4-73.8
65+	374	29,082	23	5.4	03.0-07.8	13	3.3	01.3-05.3	5	1.5	00.1-02.9	6	1.8	00.2-03.4	16	5.0	02.1-07.9	311	83.0	78.5-87.5
H.S. or G.E.D.	308	47,311	44	17.9	12.6-23.2	23	8.6	04.9-12.3	14	5.0	02.5-07.5	14	4.2	01.8-06.6	42	15.9	11.0-20.8	171	48.5	42.2-54.8
Some Post-H.S.	383	69,273	46	13.3	09.4-17.2	32	10.1	06.4-13.8	21	6.4	03.7-09.1	13	3.7	01.5-05.9	57	17.8	13.3-22.3	214	48.7	43.0-54.4
College Graduate	470	46,390	61	14.7	11.0-18.4	24	6.2	03.5-08.9	15	3.7	01.5-05.9	14	3.4	01.4-05.4	39	9.4	06.5-12.3	317	62.7	57.6-67.8
\$15,000- 24,999	52	7,235	6	14.4	02.2-26.6	3	10.4	00.0-23.5	1	2.2	00.0-06.3	2	2.5	00.0-06.4	7	13.2	03.0-23.4	33	57.4	40.9-73.9
\$25,000- 34,999	74	10,099	5	7.0	00.1-13.9	9	17.7	06.5-28.9	1	1.6	00.0-04.5	2	4.4	00.0-11.1	10	14.6	04.4-24.8	47	54.8	41.3-68.3
\$35,000- 49,999	140	18,568	13	12.0	05.3-18.7	8	6.6	01.5-11.7	6	7.3	01.2-13.4	5	4.3	00.6-08.0	20	20.8	12.2-29.4	88	48.9	39.1-58.7
\$50,000- 99,999	409	59,153	60	16.1	11.8-20.4	24	6.7	03.6-09.8	23	6.6	03.7-09.5	8	1.7	00.3-03.1	46	14.9	10.2-19.6	248	54.1	48.2-60.0
\$100,000 - 199,999	276	40,245	38	14.1	09.6-18.6	19	8.8	04.7-12.9	16	6.6	03.3-09.9	12	4.8	01.9-07.7	33	15.1	09.8-20.4	158	50.5	43.8-57.2
\$200,000+	86	12,137	11	15.1	06.3-23.9	5	8.3	00.9-15.7				6	8.2	00.9-15.5	11	13.9	05.9-21.9	53	54.5	42.5-66.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	970	147,682	106	14.5	11.6-17.4	41	4.8	03.0-06.6	16	2.2	01.0-03.4	18	2.6	01.2-04.0	47	6.5	04.3-08.7	742	69.4	65.7-73.1
Non-Native	933	141,455	104	14.8	11.7-17.9	38	4.4	02.6-06.2	16	2.3	00.9-03.7	17	2.5	01.1-03.9	41	5.7	03.5-07.9	717	70.3	66.4-74.2
18-24	83	23,446	20	23.0	13.2-32.8	8	10.0	02.0-18.0	4	4.1	00.0-08.4	5	6.8	00.7-12.9	8	13.0	03.6-22.4	38	43.0	31.4-54.6
25-34	102	28,220	23	23.7	14.3-33.1	7	5.4	00.9-09.9	2	2.7	00.0-06.6	2	1.8	00.0-04.5	2	2.3	00.0-05.6	66	64.0	53.6-74.4
35-44	133	26,576	20	15.1	08.4-21.8	5	3.3	00.2-06.4	3	2.2	00.0-04.7	2	2.3	00.0-05.4	15	11.6	05.7-17.5	88	65.6	56.8-74.4
45-54	143	19,761	15	11.1	04.8-17.4	5	2.3	00.1-04.5	2	1.6	00.0-04.0	3	3.3	00.0-07.0	10	6.5	02.4-10.6	108	75.2	67.2-83.2
55-64	185	22,627	21	10.9	06.2-15.6	11	5.7	01.8-09.6	4	2.7	00.0-05.4	2	1.4	00.0-03.4	7	5.3	01.0-09.6	140	74.1	66.8-81.4
65+	324	27,052	7	2.2	00.4-04.0	5	2.2	00.2-04.2	1	0.2	00.0-00.6	4	0.6	00.0-01.2	5	1.3	00.0-02.7	302	93.5	90.6-96.4
H.S. or G.E.D.	196	32,406	26	18.8	11.5-26.1	10	5.4	01.9-08.9	5	2.8	00.0-05.7	5	3.2	00.1-06.3	7	4.2	00.9-07.5	143	65.5	57.3-73.7
Some Post-H.S.	311	57,783	28	11.3	07.0-15.6	10	3.6	01.1-06.1	5	2.2	00.0-04.4	8	3.8	01.1-06.5	16	7.3	03.6-11.0	244	71.8	65.5-78.1
College Graduate	450	52,370	50	13.9	10.2-17.6	20	4.8	02.4-07.2	6	2.1	00.3-03.9	4	0.6	00.0-01.4	23	6.1	03.4-08.8	347	72.6	67.7-77.5
\$15,000- 24,999	57	8,828	4	9.3	00.0-19.7	4	16.7	00.0-34.1	2	2.9	00.0-07.6	2	5.9	00.0-14.3	3	9.9	00.0-20.7	42	55.2	37.4-73.0
\$25,000- 34,999	75	11,460	9	13.8	04.4-23.2	8	7.9	01.8-14.0	4	7.1	00.0-14.9	1	0.3	00.0-00.9	2	5.0	00.0-12.3	51	65.9	52.6-79.2
\$35,000- 49,999	112	17,027	12	14.7	06.1-23.3	2	2.4	00.0-05.9	1	1.3	00.0-03.8	2	2.0	00.0-05.5	4	4.7	00.2-09.2	91	74.9	64.7-85.1
\$50,000- 99,999	317	45,139	25	11.9	06.4-17.4	11	3.6	01.2-06.0	4	1.8	00.0-03.6	3	1.9	00.0-04.4	18	7.0	03.5-10.5	256	73.7	67.2-80.2
\$100,000 - 199,999	192	31,614	31	20.0	13.1-26.9	8	3.1	00.7-05.5	3	1.3	00.0-02.7	3	1.6	00.0-03.4	6	3.8	00.3-07.3	141	70.3	62.7-77.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2128	313,642	544	20.9	18.9-22.9	535	23.2	21.0-25.4	304	13.7	11.9-15.5	167	8.5	07.1-09.9	578	33.6	31.1-36.1
Male	1165	166,456	209	14.4	12.2-16.6	242	18.8	16.3-21.3	191	14.4	12.2-16.6	91	7.8	06.0-09.6	432	44.5	41.2-47.8
Female	963	147,185	335	28.3	25.0-31.6	293	28.2	24.9-31.5	113	13.0	10.5-15.5	76	9.2	06.8-11.6	146	21.4	17.9-24.9
Non-Native	2050	300,716	525	21.1	19.1-23.1	523	23.6	21.4-25.8	288	13.4	11.6-15.2	166	8.7	07.1-10.3	548	33.1	30.6-35.6
18-24	157	42,880	12	7.6	03.3-11.9	21	12.9	07.2-18.6	22	12.8	07.3-18.3	14	9.4	04.3-14.5	88	57.3	48.9-65.7
25-34	277	66,328	40	15.8	10.9-20.7	53	20.7	15.4-26.0	35	11.6	07.7-15.5	30	11.0	07.1-14.9	119	40.9	34.6-47.2
35-44	290	56,407	44	13.8	09.7-17.9	58	20.8	15.5-26.1	45	15.3	10.8-19.8	28	10.2	06.3-14.1	115	39.9	33.8-46.0
45-54	302	43,488	58	18.6	13.9-23.3	86	28.7	23.2-34.2	44	14.7	10.4-19.0	20	6.1	03.4-08.8	94	31.9	26.0-37.8
55-64	409	48,573	101	26.2	21.3-31.1	113	26.8	22.1-31.5	63	14.2	10.7-17.7	34	7.2	04.7-09.7	98	25.5	20.8-30.2
65+	693	55,967	289	41.7	37.4-46.0	204	29.1	25.2-33.0	95	14.2	11.1-17.3	41	5.9	03.9-07.9	64	9.1	06.6-11.6
H.S. or G.E.D.	489	76,939	116	19.1	15.2-23.0	111	22.4	18.1-26.7	62	12.1	09.0-15.2	44	8.6	05.9-11.3	156	37.9	32.8-43.0
Some Post-H.S.	682	124,917	181	20.4	17.3-23.5	164	22.3	18.8-25.8	91	14.0	11.1-16.9	50	8.6	06.1-11.1	196	34.8	30.7-38.9
College Graduate	909	97,881	235	23.5	20.4-26.6	252	25.8	22.7-28.9	143	15.5	12.8-18.2	69	8.2	06.0-10.4	210	27.1	23.8-30.4
\$15,000- 24,999	110	16,064	28	16.0	08.6-23.4	25	20.3	11.5-29.1	17	15.6	07.6-23.6	10	6.4	01.5-11.3	30	41.6	29.1-54.1
\$25,000- 34,999	148	21,957	47	25.3	16.9-33.7	32	21.9	13.7-30.1	16	11.2	05.3-17.1	11	6.3	01.8-10.8	42	35.3	25.5-45.1
\$35,000- 49,999	250	34,899	68	19.1	13.8-24.4	59	24.1	17.6-30.6	42	13.7	09.0-18.4	19	9.4	04.7-14.1	62	33.8	26.5-41.1
\$50,000- 99,999	710	101,693	171	21.3	17.8-24.8	194	24.5	20.8-28.2	108	15.0	11.9-18.1	56	8.4	05.9-10.9	181	30.8	26.5-35.1
\$100,000 - 199,999	465	71,283	111	21.1	17.0-25.2	102	20.8	16.5-25.1	66	14.0	10.3-17.7	34	8.0	05.1-10.9	152	36.2	31.1-41.3
\$200,000+	123	18,761	21	14.6	08.1-21.1	33	25.2	16.4-34.0	16	12.6	05.9-19.3	12	8.6	03.3-13.9	41	39.1	29.1-49.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1165	166,456	209	14.4	12.2-16.6	242	18.8	16.3-21.3	191	14.4	12.2-16.6	91	7.8	06.0-09.6	432	44.5	41.2-47.8
Non-Native	1123	159,458	200	14.2	12.0-16.4	237	19.1	16.6-21.6	183	14.2	12.0-16.4	91	8.2	06.4-10.0	412	44.3	40.8-47.8
18-24	74	19,434	2	4.1	00.0-09.8	9	12.6	04.0-21.2	7	8.3	02.2-14.4	5	4.9	00.4-09.4	51	70.0	58.6-81.4
25-34	175	38,108	18	10.4	05.7-15.1	24	14.1	08.4-19.8	21	10.5	06.0-15.0	17	10.8	05.7-15.9	95	54.2	46.4-62.0
35-44	159	30,237	13	8.3	03.8-12.8	23	14.7	08.6-20.8	25	14.9	09.2-20.6	13	7.5	03.4-11.6	85	54.6	46.4-62.8
45-54	160	23,567	18	10.8	05.7-15.9	35	23.3	16.0-30.6	25	15.5	09.4-21.6	12	6.7	03.0-10.4	70	43.8	35.4-52.2
55-64	227	26,188	44	19.9	14.0-25.8	45	21.3	15.2-27.4	47	19.5	14.0-25.0	17	6.6	03.3-09.9	74	32.6	25.9-39.3
65+	370	28,922	114	31.1	25.6-36.6	106	27.6	22.5-32.7	66	17.6	13.1-22.1	27	8.3	05.0-11.6	57	15.3	11.0-19.6
H.S. or G.E.D.	295	44,903	47	13.4	09.1-17.7	58	18.6	13.7-23.5	43	13.3	09.2-17.4	25	7.5	04.4-10.6	122	47.1	40.6-53.6
Some Post-H.S.	370	66,840	65	14.0	10.5-17.5	76	17.8	13.5-22.1	50	12.3	08.8-15.8	26	7.8	04.7-10.9	153	48.1	42.4-53.8
College Graduate	466	46,012	90	16.0	12.5-19.5	103	21.0	16.7-25.3	90	18.7	14.8-22.6	38	8.4	05.7-11.1	145	35.9	30.8-41.0
\$15,000- 24,999	51	7,133	7	7.9	01.2-14.6	9	17.1	04.8-29.4	12	24.0	10.5-37.5	6	8.6	00.6-16.6	17	42.3	25.6-59.0
\$25,000- 34,999	73	10,497	14	16.5	07.3-25.7	20	20.2	10.6-29.8	8	10.3	02.9-17.7	5	7.6	00.5-14.7	26	45.3	31.4-59.2
\$35,000- 49,999	139	17,956	26	13.4	07.3-19.5	24	15.3	08.4-22.2	30	15.7	09.4-22.0	11	8.7	03.2-14.2	48	47.0	37.0-57.0
\$50,000- 99,999	393	56,435	71	15.4	11.3-19.5	82	19.1	14.6-23.6	64	14.6	10.7-18.5	31	8.0	04.9-11.1	145	42.8	36.9-48.7
\$100,000 - 199,999	274	39,728	44	12.9	08.8-17.0	50	16.7	11.8-21.6	45	15.5	10.8-20.2	18	5.9	03.0-08.8	117	49.0	42.3-55.7
\$200,000+	86	12,137	10	9.5	03.4-15.6	24	27.3	16.3-38.3	11	11.4	04.0-18.8	9	10.0	02.9-17.1	32	41.8	30.0-53.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 14: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	963	147,185	335	28.3	25.0-31.6	293	28.2	24.9-31.5	113	13.0	10.5-15.5	76	9.2	06.8-11.6	146	21.4	17.9-24.9
Non-Native	927	141,258	325	28.9	25.6-32.2	286	28.7	25.2-32.2	105	12.6	09.9-15.3	75	9.4	07.0-11.8	136	20.4	16.9-23.9
18-24	83	23,446	10	10.6	04.1-17.1	12	13.1	05.7-20.5	15	16.6	08.2-25.0	9	13.1	04.7-21.5	37	46.7	34.7-58.7
25-34	102	28,220	22	23.1	13.7-32.5	29	29.5	19.9-39.1	14	13.2	05.9-20.5	13	11.3	05.0-17.6	24	22.9	14.1-31.7
35-44	131	26,170	31	20.1	12.8-27.4	35	27.9	19.3-36.5	20	15.7	08.8-22.6	15	13.3	06.6-20.0	30	23.0	15.4-30.6
45-54	142	19,921	40	27.8	19.8-35.8	51	35.2	26.6-43.8	19	13.7	07.4-20.0	8	5.5	01.6-09.4	24	17.8	10.4-25.2
55-64	182	22,385	57	33.6	26.0-41.2	68	33.3	25.9-40.7	16	8.0	03.9-12.1	17	7.9	04.0-11.8	24	17.2	10.5-23.9
65+	323	27,044	175	52.9	46.6-59.2	98	30.7	24.6-36.8	29	10.6	06.5-14.7	14	3.4	01.4-05.4	7	2.3	00.3-04.3
H.S. or G.E.D.	194	32,036	69	27.0	19.9-34.1	53	27.6	20.2-35.0	19	10.4	05.3-15.5	19	10.0	05.1-14.9	34	24.9	17.1-32.7
Some Post-H.S.	312	58,077	116	27.7	22.4-33.0	88	27.4	21.7-33.1	41	15.9	11.0-20.8	24	9.5	05.4-13.6	43	19.4	13.9-24.9
College Graduate	443	51,868	145	30.1	25.2-35.0	149	30.0	25.3-34.7	53	12.6	09.1-16.1	31	8.0	04.7-11.3	65	19.4	14.9-23.9
\$15,000- 24,999	59	8,930	21	22.5	10.2-34.8	16	22.9	10.4-35.4	5	8.9	00.0-18.3	4	4.7	00.0-10.8	13	41.1	23.1-59.1
\$25,000- 34,999	75	11,460	33	33.5	20.2-46.8	12	23.4	10.5-36.3	8	12.0	03.2-20.8	6	5.0	00.0-10.5	16	26.1	13.6-38.6
\$35,000- 49,999	111	16,943	42	25.1	16.3-33.9	35	33.4	22.6-44.2	12	11.5	04.4-18.6	8	10.0	02.2-17.8	14	19.9	10.1-29.7
\$50,000- 99,999	317	45,258	100	28.6	22.5-34.7	112	31.1	25.2-37.0	44	15.5	10.6-20.4	25	8.9	05.0-12.8	36	15.9	10.6-21.2
\$100,000 - 199,999	191	31,556	67	31.4	24.1-38.7	52	25.9	18.5-33.3	21	12.2	06.5-17.9	16	10.6	05.1-16.1	35	20.0	13.3-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 15: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1 MALES AND FEMALES	252
2 MALES ONLY	253
3 FEMALES ONLY	254
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4 MALES AND FEMALES	255
5 MALES ONLY	256
6 FEMALES ONLY	257
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
7 MALES AND FEMALES	258
8 MALES ONLY	259
9 FEMALES ONLY	260
HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)	
10 MALES AND FEMALES	261
11 MALES ONLY	262
12 FEMALES ONLY	263

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3916	560,636	2047	45.5	43.5-47.5	1869	54.5	52.5-56.5
Male	1979	285,689	911	38.8	36.3-41.3	1068	61.2	58.7-63.7
Female	1937	274,948	1136	52.3	49.6-55.0	801	47.7	45.0-50.4
Native	121	21,956	51	40.3	30.1-50.5	70	59.7	49.5-69.9
Non-Native	3722	528,933	1966	45.9	43.9-47.9	1756	54.1	52.1-56.1
18-24	274	76,578	88	33.5	27.4-39.6	186	66.5	60.4-72.6
25-34	425	105,198	161	36.9	31.8-42.0	264	63.1	58.0-68.2
35-44	472	94,751	174	35.8	31.1-40.5	298	64.2	59.5-68.9
45-54	499	73,377	226	42.0	37.3-46.7	273	58.0	53.3-62.7
55-64	708	83,764	363	50.8	46.7-54.9	345	49.2	45.1-53.3
65+	1538	126,968	1035	65.5	62.8-68.2	503	34.5	31.8-37.2
Less Than H.S.	164	40,903	67	33.0	24.2-41.8	97	67.0	58.2-75.8
H.S. or G.E.D.	980	147,456	456	38.5	35.0-42.0	524	61.5	58.0-65.0
Some Post-H.S.	1231	212,540	604	44.7	41.6-47.8	627	55.3	52.2-58.4
College Graduate	1535	158,633	918	56.2	53.3-59.1	617	43.8	40.9-46.7
Less than \$15,000	134	19,298	68	38.3	28.5-48.1	66	61.7	51.9-71.5
\$15,000- 24,999	265	34,614	134	39.9	32.5-47.3	131	60.1	52.7-67.5
\$25,000- 34,999	348	51,217	193	46.3	39.8-52.8	155	53.7	47.2-60.2
\$35,000- 49,999	467	62,294	254	47.6	42.1-53.1	213	52.4	46.9-57.9
\$50,000- 99,999	1193	169,796	646	48.2	44.7-51.7	547	51.8	48.3-55.3
\$100,000 - 199,999	676	102,505	349	47.3	43.0-51.6	327	52.7	48.4-57.0
\$200,000+	164	25,052	67	37.0	28.8-45.2	97	63.0	54.8-71.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1979	285,689	911	38.8	36.3-41.3	1068	61.2	58.7-63.7
Native	58	11,197	21	35.1	20.8-49.4	37	64.9	50.6-79.2
Non-Native	1878	268,362	875	39.3	36.8-41.8	1003	60.7	58.2-63.2
18-24	148	40,390	40	28.3	20.3-36.3	108	71.7	63.7-79.7
25-34	251	56,343	82	32.5	26.2-38.8	169	67.5	61.2-73.8
35-44	246	49,509	63	24.8	18.9-30.7	183	75.2	69.3-81.1
45-54	262	38,912	96	31.6	25.7-37.5	166	68.4	62.5-74.3
55-64	365	42,398	176	47.4	41.7-53.1	189	52.6	46.9-58.3
65+	707	58,137	454	62.9	58.8-67.0	253	37.1	33.0-41.2
Less Than H.S.	103	26,391	35	26.3	16.7-35.9	68	73.7	64.1-83.3
H.S. or G.E.D.	541	83,202	212	33.1	28.6-37.6	329	66.9	62.4-71.4
Some Post-H.S.	603	105,750	258	39.1	34.8-43.4	345	60.9	56.6-65.2
College Graduate	727	69,591	405	50.4	46.3-54.5	322	49.6	45.5-53.7
Less than \$15,000	53	7,777	25	38.1	22.2-54.0	28	61.9	46.0-77.8
\$15,000- 24,999	113	15,817	52	37.6	26.8-48.4	61	62.4	51.6-73.2
\$25,000- 34,999	158	23,662	78	41.0	31.6-50.4	80	59.0	49.6-68.4
\$35,000- 49,999	244	32,660	122	42.9	35.6-50.2	122	57.1	49.8-64.4
\$50,000- 99,999	635	92,423	305	41.4	36.7-46.1	330	58.6	53.9-63.3
\$100,000 - 199,999	384	55,375	168	37.7	32.2-43.2	216	62.3	56.8-67.8
\$200,000+	109	15,404	41	30.3	21.3-39.3	68	69.7	60.7-78.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1937	274,948	1136	52.3	49.6-55.0	801	47.7	45.0-50.4
Native	63	10,759	30	45.8	31.5-60.1	33	54.2	39.9-68.5
Non-Native	1844	260,571	1091	52.8	50.1-55.5	753	47.2	44.5-49.9
18-24	126	36,187	48	39.3	29.9-48.7	78	60.7	51.3-70.1
25-34	174	48,856	79	42.0	34.2-49.8	95	58.0	50.2-65.8
35-44	226	45,242	111	47.8	40.5-55.1	115	52.2	44.9-59.5
45-54	237	34,465	130	53.7	46.8-60.6	107	46.3	39.4-53.2
55-64	343	41,366	187	54.3	48.4-60.2	156	45.7	39.8-51.6
65+	831	68,831	581	67.6	63.9-71.3	250	32.4	28.7-36.1
Less Than H.S.	61	14,511	32	45.3	28.8-61.8	29	54.7	38.2-71.2
H.S. or G.E.D.	439	64,254	244	45.5	39.8-51.2	195	54.5	48.8-60.2
Some Post-H.S.	628	106,790	346	50.2	45.5-54.9	282	49.8	45.1-54.5
College Graduate	808	89,042	513	60.7	56.8-64.6	295	39.3	35.4-43.2
Less than \$15,000	81	11,521	43	38.4	25.9-50.9	38	61.6	49.1-74.1
\$15,000- 24,999	152	18,797	82	41.7	31.5-51.9	70	58.3	48.1-68.5
\$25,000- 34,999	190	27,555	115	50.9	41.9-59.9	75	49.1	40.1-58.1
\$35,000- 49,999	223	29,634	132	52.8	44.6-61.0	91	47.2	39.0-55.4
\$50,000- 99,999	558	77,372	341	56.3	51.2-61.4	217	43.7	38.6-48.8
\$100,000 - 199,999	292	47,130	181	58.5	51.8-65.2	111	41.5	34.8-48.2
\$200,000+	55	9,648	26	47.6	32.5-62.7	29	52.4	37.3-67.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020			Jan-Apr 2021			May-Aug 2021			Sep-Dec 2021		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1826	223,062	5	0.3	00.1-00.5	37	2.3	01.3-03.3	1004	52.2	49.5-54.9	131	8.5	06.7-10.3	49	2.8	01.8-03.8	600	34.0	31.5-36.5
Male	817	96,695	2	0.3	00.0-00.7	15	2.1	00.7-03.5	427	48.4	44.3-52.5	77	11.5	08.6-14.4	31	4.2	02.2-06.2	265	33.4	29.5-37.3
Female	1009	126,367	3	0.2	00.0-00.4	22	2.4	01.2-03.6	577	55.0	51.3-58.7	54	6.3	04.3-08.3	18	1.7	00.7-02.7	335	34.4	30.9-37.9
Non-Native	1757	213,373	5	0.3	00.1-00.5	35	2.3	01.3-03.3	979	53.0	50.1-55.9	123	8.3	06.5-10.1	46	2.6	01.6-03.6	569	33.5	30.8-36.2
18-24	67	19,554				3	4.5	00.0-09.6	32	45.0	32.3-57.7	3	5.4	00.0-12.1	5	7.7	00.8-14.6	24	37.4	24.9-49.9
25-34	134	32,007	1	0.6	00.0-01.8	7	5.2	01.3-09.1	55	41.5	32.3-50.7	16	12.5	06.4-18.6	3	2.7	00.0-06.2	52	37.5	28.5-46.5
35-44	155	29,940				2	0.9	00.0-02.3	91	58.8	50.2-67.4	12	8.9	03.4-14.4	1	1.3	00.0-03.8	49	30.1	22.3-37.9
45-54	204	27,699				2	0.7	00.0-01.7	107	52.6	45.2-60.0	19	9.7	05.4-14.0	3	1.6	00.0-03.4	73	35.4	28.3-42.5
55-64	343	40,028	2	0.6	00.0-01.4	5	1.9	00.1-03.7	192	53.9	48.0-59.8	24	8.0	04.5-11.5	11	2.7	00.9-04.5	109	33.0	27.3-38.7
65+	923	73,834	2	0.2	00.0-00.4	18	1.8	00.8-02.8	527	54.9	51.2-58.6	57	7.3	05.1-09.5	26	2.7	01.5-03.9	293	33.1	29.8-36.4
Less Than H.S.	54	10,556							32	50.1	33.0-67.2	10	23.8	08.5-39.1	2	4.4	00.0-11.7	10	21.7	07.0-36.4
H.S. or G.E.D.	389	48,048	1	0.2	00.0-00.6	9	2.0	00.4-03.6	209	48.3	42.2-54.4	35	11.2	07.1-15.3	11	4.2	01.3-07.1	124	34.1	28.4-39.8
Some Post-H.S.	535	82,413	2	0.2	00.0-00.6	12	2.9	01.1-04.7	285	52.2	47.1-57.3	47	8.8	06.1-11.5	18	3.1	01.3-04.9	171	32.7	28.0-37.4
College Graduate	848	82,045	2	0.4	00.0-01.0	16	2.1	00.9-03.3	478	54.6	50.7-58.5	39	4.7	03.1-06.3	18	1.5	00.5-02.5	295	36.7	33.0-40.4
Less than \$15,000	59	6,519				1	2.2	00.0-06.5	25	37.1	22.2-52.0	11	19.6	07.6-31.6	5	8.2	00.2-16.2	17	32.9	17.4-48.4
\$15,000- 24,999	117	11,766				4	2.0	00.0-04.4	62	44.4	33.0-55.8	12	13.0	05.0-21.0	6	7.9	00.0-16.1	33	32.6	21.6-43.6
\$25,000- 34,999	172	20,561	1	0.3	00.0-00.9	7	5.2	00.5-09.9	91	49.1	39.9-58.3	11	5.6	01.7-09.5	11	7.8	02.5-13.1	51	32.0	23.4-40.6
\$35,000- 49,999	225	26,032				5	1.3	00.0-02.7	134	56.0	48.0-64.0	11	4.8	01.7-07.9	5	1.2	00.0-02.4	70	36.7	28.7-44.7
\$50,000- 99,999	595	74,269	3	0.6	00.0-01.2	9	1.5	00.3-02.7	325	52.2	47.1-57.3	39	8.8	05.5-12.1	11	1.3	00.3-02.3	208	35.6	30.9-40.3
\$100,000 - 199,999	324	44,327	1	0.2	00.0-00.6	7	2.8	00.6-05.0	180	56.5	50.2-62.8	22	7.8	04.3-11.3	4	0.9	00.0-01.9	110	31.8	25.9-37.7
\$200,000+	62	8,014							37	58.9	45.6-72.2	7	11.1	03.3-18.9				18	30.0	17.3-42.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020			Jan-Apr 2021			May-Aug 2021			Sep-Dec 2021		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	817	96,695	2	0.3	00.0-00.7	15	2.1	00.7-03.5	427	48.4	44.3-52.5	77	11.5	08.6-14.4	31	4.2	02.2-06.2	265	33.4	29.5-37.3
Non-Native	787	92,562	2	0.3	00.0-00.7	15	2.2	00.8-03.6	415	49.1	45.0-53.2	71	11.1	08.2-14.0	30	3.9	02.1-05.7	254	33.3	29.4-37.2
25-34	63	13,539	1	1.4	00.0-04.1	1	2.3	00.0-06.8	26	38.7	26.0-51.4	10	17.2	07.2-27.2	2	4.1	00.0-11.2	23	36.2	23.1-49.3
35-44	53	10,438				1	1.5	00.0-04.4	28	55.8	41.3-70.3	5	9.0	00.4-17.6				19	33.6	19.9-47.3
45-54	87	11,259				1	1.1	00.0-03.3	43	47.6	36.4-58.8	14	16.4	08.0-24.8	1	1.3	00.0-03.8	28	33.7	22.9-44.5
55-64	166	18,567	1	0.6	00.0-01.8	2	2.1	00.0-05.2	85	47.0	38.6-55.4	17	12.0	05.9-18.1	8	4.0	01.1-06.9	53	34.3	26.1-42.5
65+	416	33,347				9	2.2	00.4-04.0	233	54.3	48.8-59.8	28	8.0	04.7-11.3	15	3.5	01.3-05.7	131	31.9	27.0-36.8
H.S. or G.E.D.	186	23,097				4	1.9	00.0-03.9	92	44.2	35.8-52.6	23	16.3	09.4-23.2	8	6.8	01.3-12.3	59	30.8	23.2-38.4
Some Post-H.S.	229	36,007				7	3.8	00.7-06.9	117	50.5	43.1-57.9	24	9.4	05.3-13.5	10	4.5	01.0-08.0	71	31.8	24.7-38.9
College Graduate	374	32,001	2	0.9	00.0-02.3	4	0.8	00.0-01.8	203	50.7	44.8-56.6	23	6.9	04.0-09.8	12	2.6	00.8-04.4	130	38.1	32.4-43.8
\$25,000- 34,999	67	7,797				3	7.5	00.0-16.7	38	53.5	39.2-67.8	5	9.0	00.6-17.4	6	10.9	00.9-20.9	15	19.2	09.0-29.4
\$35,000- 49,999	104	11,273				3	1.4	00.0-03.2	59	57.4	46.2-68.6	6	6.2	00.5-11.9	3	1.9	00.0-04.4	33	33.1	22.5-43.7
\$50,000- 99,999	278	33,688	1	0.6	00.0-01.8	4	1.7	00.0-03.9	152	48.3	40.9-55.7	25	11.9	06.2-17.6	6	2.1	00.1-04.1	90	35.4	28.0-42.8
\$100,000 - 199,999	156	19,091	1	0.6	00.0-01.6	2	2.1	00.0-05.2	81	50.3	41.1-59.5	14	11.0	04.9-17.1	4	2.0	00.0-04.4	54	34.0	25.4-42.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020			Jan-Apr 2021			May-Aug 2021			Sep-Dec 2021		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1009	126,367	3	0.2	00.0-00.4	22	2.4	01.2-03.6	577	55.0	51.3-58.7	54	6.3	04.3-08.3	18	1.7	00.7-02.7	335	34.4	30.9-37.9
Non-Native	970	120,811	3	0.2	00.0-00.6	20	2.3	01.1-03.5	564	56.0	52.1-59.9	52	6.2	04.2-08.2	16	1.6	00.6-02.6	315	33.7	30.2-37.2
25-34	71	18,468				6	7.3	01.2-13.4	29	43.5	30.8-56.2	6	9.1	01.8-16.4	1	1.6	00.0-04.7	29	38.5	26.3-50.7
35-44	102	19,502				1	0.6	00.0-01.8	63	60.3	49.7-70.9	7	8.9	01.8-16.0	1	2.0	00.0-05.9	30	28.2	18.8-37.6
45-54	117	16,440				1	0.4	00.0-01.2	64	56.1	46.5-65.7	5	5.1	00.6-09.6	2	1.8	00.0-04.2	45	36.6	27.4-45.8
55-64	177	21,461	1	0.7	00.0-02.1	3	1.7	00.0-03.7	107	59.8	51.6-68.0	7	4.5	00.6-08.4	3	1.6	00.0-03.8	56	31.8	24.2-39.4
65+	507	40,488	2	0.4	00.0-01.0	9	1.4	00.4-02.4	294	55.4	50.5-60.3	29	6.7	04.0-09.4	11	2.0	00.4-03.6	162	34.1	29.4-38.8
H.S. or G.E.D.	203	24,951	1	0.4	00.0-01.2	5	2.1	00.0-04.6	117	52.1	43.5-60.7	12	6.4	01.9-10.9	3	1.8	00.0-04.3	65	37.2	28.8-45.6
Some Post-H.S.	306	46,405	2	0.4	00.0-01.0	5	2.2	00.0-04.4	168	53.6	46.9-60.3	23	8.4	04.7-12.1	8	1.9	00.3-03.5	100	33.5	27.0-40.0
College Graduate	474	50,044				12	3.0	01.0-05.0	275	57.1	51.8-62.4	16	3.3	01.3-05.3	6	0.8	00.0-01.8	165	35.8	30.7-40.9
\$15,000- 24,999	69	6,230				2	1.2	00.0-03.0	38	45.6	30.5-60.7	5	7.4	00.0-15.0	2	4.1	00.0-09.8	22	41.7	26.0-57.4
\$25,000- 34,999	105	12,764	1	0.5	00.0-01.5	4	3.8	00.0-08.7	53	46.5	34.7-58.3	6	3.5	00.2-06.8	5	6.0	00.1-11.9	36	39.8	28.0-51.6
\$35,000- 49,999	121	14,759				2	1.3	00.0-03.3	75	54.9	43.5-66.3	5	3.7	00.2-07.2	2	0.7	00.0-01.7	37	39.4	28.0-50.8
\$50,000- 99,999	317	40,581	2	0.6	00.0-01.4	5	1.3	00.0-02.7	173	55.5	48.8-62.2	14	6.3	02.6-10.0	5	0.6	00.0-01.2	118	35.8	29.5-42.1
\$100,000 - 199,999	168	25,236				5	3.3	00.4-06.2	99	61.2	52.8-69.6	8	5.3	01.2-09.4				56	30.2	22.6-37.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 15: IMMUNIZATION

TABLE 7. HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3626	506,394	1558	34.4	32.6-36.2	2068	65.6	63.8-67.4
Male	1812	255,865	661	27.4	25.0-29.8	1151	72.6	70.2-75.0
Female	1814	250,529	897	41.6	38.9-44.3	917	58.4	55.7-61.1
Native	112	19,709	38	28.6	19.4-37.8	74	71.4	62.2-80.6
Non-Native	3451	478,304	1497	34.8	33.0-36.6	1954	65.2	63.4-67.0
18-24	220	61,884	57	25.8	19.5-32.1	163	74.2	67.9-80.5
25-34	346	86,951	75	21.7	17.0-26.4	271	78.3	73.6-83.0
35-44	427	86,965	76	18.6	14.5-22.7	351	81.4	77.3-85.5
45-54	452	66,956	91	21.8	17.5-26.1	361	78.2	73.9-82.5
55-64	683	80,138	201	29.0	25.3-32.7	482	71.0	67.3-74.7
65+	1498	123,499	1058	69.1	66.4-71.8	440	30.9	28.2-33.6
Less Than H.S.	155	38,707	64	30.2	22.0-38.4	91	69.8	61.6-78.0
H.S. or G.E.D.	920	135,191	403	33.9	30.4-37.4	517	66.1	62.6-69.6
Some Post-H.S.	1147	192,088	501	36.1	33.0-39.2	646	63.9	60.8-67.0
College Graduate	1399	139,653	588	33.7	31.0-36.4	811	66.3	63.6-69.0
Less than \$15,000	121	17,319	58	40.3	29.5-51.1	63	59.7	48.9-70.5
\$15,000- 24,999	248	31,548	127	37.3	29.9-44.7	121	62.7	55.3-70.1
\$25,000- 34,999	327	46,478	171	40.7	34.2-47.2	156	59.3	52.8-65.8
\$35,000- 49,999	439	56,729	214	38.4	33.1-43.7	225	61.6	56.3-66.9
\$50,000- 99,999	1110	153,642	459	33.1	30.0-36.2	651	66.9	63.8-70.0
\$100,000 - 199,999	615	91,371	199	29.0	24.9-33.1	416	71.0	66.9-75.1
\$200,000+	150	22,679	40	22.6	15.3-29.9	110	77.4	70.1-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 8: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1812	255,865	661	27.4	25.0-29.8	1151	72.6	70.2-75.0
Native	55	10,361	14	24.4	11.5-37.3	41	75.6	62.7-88.5
Non-Native	1721	240,293	634	27.5	25.1-29.9	1087	72.5	70.1-74.9
18-24	118	32,929	26	19.9	12.5-27.3	92	80.1	72.7-87.5
25-34	202	45,849	30	14.1	09.0-19.2	172	85.9	80.8-91.0
35-44	218	44,628	29	12.8	08.1-17.5	189	87.2	82.5-91.9
45-54	234	34,978	36	15.7	10.6-20.8	198	84.3	79.2-89.4
55-64	351	40,637	93	25.7	20.8-30.6	258	74.3	69.4-79.2
65+	689	56,844	447	62.3	58.0-66.6	242	37.7	33.4-42.0
Less Than H.S.	97	24,555	32	22.1	13.9-30.3	65	77.9	69.7-86.1
H.S. or G.E.D.	503	75,555	168	25.4	21.3-29.5	335	74.6	70.5-78.7
Some Post-H.S.	555	94,603	192	27.1	23.2-31.0	363	72.9	69.0-76.8
College Graduate	652	60,399	267	32.2	28.3-36.1	385	67.8	63.9-71.7
\$15,000- 24,999	105	14,551	44	30.5	20.7-40.3	61	69.5	59.7-79.3
\$25,000- 34,999	153	22,627	56	25.0	17.6-32.4	97	75.0	67.6-82.4
\$35,000- 49,999	225	29,857	93	29.6	22.9-36.3	132	70.4	63.7-77.1
\$50,000- 99,999	578	80,800	220	28.9	24.8-33.0	358	71.1	67.0-75.2
\$100,000 - 199,999	348	49,391	110	24.2	19.3-29.1	238	75.8	70.9-80.7
\$200,000+	101	14,166	22	14.9	08.4-21.4	79	85.1	78.6-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

**TABLE 9: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1814	250,529	897	41.6	38.9-44.3	917	58.4	55.7-61.1
Native	57	9,348	24	33.4	20.3-46.5	33	66.6	53.5-79.7
Non-Native	1730	238,010	863	42.2	39.5-44.9	867	57.8	55.1-60.5
18-24	102	28,955	31	32.4	22.2-42.6	71	67.6	57.4-77.8
25-34	144	41,102	45	30.1	22.1-38.1	99	69.9	61.9-77.9
35-44	209	42,337	47	24.7	18.0-31.4	162	75.3	68.6-82.0
45-54	218	31,978	55	28.5	21.6-35.4	163	71.5	64.6-78.4
55-64	332	39,501	108	32.4	26.7-38.1	224	67.6	61.9-73.3
65+	809	66,655	611	75.0	71.5-78.5	198	25.0	21.5-28.5
Less Than H.S.	58	14,153	32	44.3	27.6-61.0	26	55.7	39.0-72.4
H.S. or G.E.D.	417	59,636	235	44.6	38.9-50.3	182	55.4	49.7-61.1
Some Post-H.S.	592	97,486	309	44.8	40.1-49.5	283	55.2	50.5-59.9
College Graduate	747	79,254	321	34.9	31.0-38.8	426	65.1	61.2-69.0
Less than \$15,000	74	10,467	41	48.8	34.7-62.9	33	51.2	37.1-65.3
\$15,000- 24,999	143	16,997	83	43.2	32.6-53.8	60	56.8	46.2-67.4
\$25,000- 34,999	174	23,851	115	55.5	45.7-65.3	59	44.5	34.7-54.3
\$35,000- 49,999	214	26,873	121	48.2	40.0-56.4	93	51.8	43.6-60.0
\$50,000- 99,999	532	72,841	239	37.7	32.8-42.6	293	62.3	57.4-67.2
\$100,000 - 199,999	267	41,980	89	34.7	27.8-41.6	178	65.3	58.4-72.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

**TABLE 10: HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3641	523,525	1034	29.9	28.1-31.7	275	7.2	06.2-08.2	1438	38.8	36.8-40.8	894	24.2	22.4-26.0
Male	1858	269,976	400	21.9	19.7-24.1	162	8.5	06.9-10.1	817	42.9	40.2-45.6	479	26.8	24.3-29.3
Female	1783	253,549	634	38.4	35.7-41.1	113	5.7	04.5-06.9	621	34.4	31.7-37.1	415	21.5	19.1-23.9
Native	117	21,248	32	24.8	16.0-33.6	7	5.0	01.1-08.9	57	53.1	42.5-63.7	21	17.1	09.5-24.7
Non-Native	3459	493,459	992	30.4	28.4-32.4	261	7.1	06.1-08.1	1358	38.2	36.2-40.2	848	24.3	22.5-26.1
18-24	258	72,963	73	25.7	20.0-31.4	15	5.9	02.8-09.0	115	45.5	38.8-52.2	55	22.9	17.2-28.6
25-34	389	97,021	153	39.7	34.4-45.0	30	6.9	04.4-09.4	117	29.7	24.8-34.6	89	23.7	19.0-28.4
35-44	442	88,846	170	36.7	31.8-41.6	32	7.5	04.6-10.4	151	34.5	29.6-39.4	89	21.3	17.0-25.6
45-54	467	68,444	154	31.5	27.0-36.0	28	5.7	03.3-08.1	179	39.3	34.4-44.2	106	23.5	19.2-27.8
55-64	665	78,415	181	26.4	22.7-30.1	52	7.5	05.3-09.7	295	45.4	41.1-49.7	137	20.6	17.3-23.9
65+	1420	117,836	303	20.6	18.2-23.0	118	8.5	06.9-10.1	581	40.5	37.6-43.4	418	30.4	27.7-33.1
Less Than H.S.	158	40,247	17	15.1	07.5-22.7	13	9.6	03.5-15.7	63	37.9	28.7-47.1	65	37.3	27.9-46.7
H.S. or G.E.D.	909	137,516	198	23.7	20.4-27.0	83	8.4	06.2-10.6	366	40.6	36.7-44.5	262	27.2	23.9-30.5
Some Post-H.S.	1153	199,803	303	29.5	26.4-32.6	79	6.1	04.5-07.7	483	41.2	37.9-44.5	288	23.2	20.5-25.9
College Graduate	1416	145,205	516	40.6	37.7-43.5	100	6.8	05.4-08.2	524	33.9	31.2-36.6	276	18.8	16.4-21.2
Less than \$15,000	121	17,179	28	28.1	17.9-38.3	8	5.7	01.4-10.0	47	35.1	24.7-45.5	38	31.2	20.0-42.4
\$15,000- 24,999	246	31,989	55	22.2	15.5-28.9	20	8.7	03.2-14.2	85	34.6	27.0-42.2	86	34.5	26.7-42.3
\$25,000- 34,999	333	48,844	74	21.4	16.1-26.7	30	9.7	05.8-13.6	130	38.6	31.9-45.3	99	30.3	23.6-37.0
\$35,000- 49,999	438	58,297	116	28.2	22.9-33.5	34	8.3	05.2-11.4	164	34.4	29.1-39.7	124	29.1	23.8-34.4
\$50,000- 99,999	1117	159,574	331	32.6	29.1-36.1	90	7.3	05.5-09.1	449	38.3	34.8-41.8	247	21.9	19.0-24.8
\$100,000 - 199,999	625	94,479	233	37.3	33.0-41.6	46	7.4	04.9-09.9	242	38.1	33.6-42.6	104	17.2	13.9-20.5
\$200,000+	159	24,237	52	33.1	24.5-41.7	11	5.6	02.3-08.9	67	41.8	33.2-50.4	29	19.5	12.2-26.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 11: HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1858	269,976	400	21.9	19.7-24.1	162	8.5	06.9-10.1	817	42.9	40.2-45.6	479	26.8	24.3-29.3
Native	56	10,826	11	20.5	08.0-33.0	4	6.9	00.2-13.6	31	59.1	44.2-74.0	10	13.6	04.6-22.6
Non-Native	1764	253,629	383	22.1	19.7-24.5	154	8.4	06.8-10.0	769	42.1	39.4-44.8	458	27.4	24.9-29.9
18-24	141	39,132	27	16.7	10.2-23.2	12	8.5	03.6-13.4	69	49.5	40.5-58.5	33	25.3	17.3-33.3
25-34	234	53,109	70	29.6	23.3-35.9	20	7.5	04.2-10.8	85	36.3	29.6-43.0	59	26.7	20.4-33.0
35-44	233	46,985	62	25.5	19.6-31.4	20	9.9	05.0-14.8	98	41.7	34.6-48.8	53	22.9	16.8-29.0
45-54	244	36,305	52	19.6	14.3-24.9	14	5.6	02.1-09.1	104	43.0	36.1-49.9	74	31.8	25.3-38.3
55-64	343	39,614	67	18.6	14.1-23.1	31	8.7	05.6-11.8	166	49.6	43.7-55.5	79	23.1	18.2-28.0
65+	663	54,832	122	18.8	15.3-22.3	65	10.1	07.4-12.8	295	40.6	36.3-44.9	181	30.5	26.4-34.6
Less Than H.S.	97	25,487	8	8.5	01.8-15.2	10	13.7	04.7-22.7	40	39.1	27.5-50.7	39	38.7	26.9-50.5
H.S. or G.E.D.	505	77,863	88	17.5	13.8-21.2	46	7.9	05.4-10.4	226	45.6	40.5-50.7	145	29.0	24.5-33.5
Some Post-H.S.	574	101,578	126	24.4	20.3-28.5	48	7.4	05.0-09.8	257	43.8	39.1-48.5	143	24.4	20.5-28.3
College Graduate	677	64,294	178	28.8	24.9-32.7	58	8.9	06.4-11.4	292	39.8	35.7-43.9	149	22.5	19.0-26.0
\$15,000- 24,999	105	14,906	20	17.1	08.9-25.3	9	12.5	01.9-23.1	44	38.1	26.9-49.3	32	32.3	21.3-43.3
\$25,000- 34,999	154	23,515	21	11.9	06.2-17.6	19	14.0	07.1-20.9	66	39.7	30.1-49.3	48	34.4	24.4-44.4
\$35,000- 49,999	228	30,519	47	20.3	14.4-26.2	18	8.1	04.0-12.2	93	39.4	31.8-47.0	70	32.3	24.9-39.7
\$50,000- 99,999	597	86,597	130	23.7	19.4-28.0	54	7.9	05.4-10.4	267	43.8	38.9-48.7	146	24.6	20.5-28.7
\$100,000 - 199,999	352	50,721	97	28.2	22.9-33.5	32	9.1	05.6-12.6	153	41.5	35.6-47.4	70	21.2	16.3-26.1
\$200,000+	108	15,360	30	26.6	17.2-36.0	10	8.4	03.1-13.7	45	41.5	30.9-52.1	23	23.5	14.1-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 15: IMMUNIZATION**

TABLE 12: HAVE YOU RECEIVED A TETANUS SHOT IN THE PAST 10 YEARS? (TETANUS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus in the past 10 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1783	253,549	634	38.4	35.7-41.1	113	5.7	04.5-06.9	621	34.4	31.7-37.1	415	21.5	19.1-23.9
Native	61	10,421	21	29.2	16.7-41.7	3	3.1	00.0-06.6	26	47.0	32.3-61.7	11	20.7	08.5-32.9
Non-Native	1695	239,829	609	39.1	36.2-42.0	107	5.8	04.4-07.2	589	34.0	31.3-36.7	390	21.0	18.6-23.4
18-24	117	33,831	46	36.1	26.9-45.3	3	2.8	00.0-06.1	46	40.9	31.1-50.7	22	20.1	11.9-28.3
25-34	155	43,912	83	52.1	43.5-60.7	10	6.1	02.2-10.0	32	21.7	14.4-29.0	30	20.1	13.2-27.0
35-44	209	41,861	108	49.3	41.9-56.7	12	4.9	02.0-07.8	53	26.3	19.6-33.0	36	19.5	13.4-25.6
45-54	223	32,139	102	45.0	37.9-52.1	14	5.9	02.8-09.0	75	35.1	28.2-42.0	32	14.0	09.1-18.9
55-64	322	38,801	114	34.4	28.5-40.3	21	6.4	03.7-09.1	129	41.1	35.0-47.2	58	18.2	13.5-22.9
65+	757	63,004	181	22.1	18.8-25.4	53	7.1	05.1-09.1	286	40.5	36.4-44.6	237	30.3	26.6-34.0
Less Than H.S.	61	14,761	9	26.5	10.6-42.4	3	2.5	00.0-05.6	23	36.0	20.3-51.7	26	34.9	19.6-50.2
H.S. or G.E.D.	404	59,653	110	31.9	26.2-37.6	37	9.1	05.6-12.6	140	34.1	28.4-39.8	117	24.9	19.8-30.0
Some Post-H.S.	579	98,225	177	34.7	30.0-39.4	31	4.7	02.9-06.5	226	38.6	33.9-43.3	145	22.0	18.1-25.9
College Graduate	739	80,911	338	49.9	45.6-54.2	42	5.1	03.3-06.9	232	29.2	25.5-32.9	127	15.8	12.9-18.7
Less than \$15,000	72	9,963	16	29.7	16.0-43.4	4	4.2	00.1-08.3	29	39.5	25.6-53.4	23	26.7	14.7-38.7
\$15,000- 24,999	141	17,083	35	26.7	16.7-36.7	11	5.4	01.7-09.1	41	31.5	20.7-42.3	54	36.4	25.4-47.4
\$25,000- 34,999	179	25,329	53	30.3	22.1-38.5	11	5.6	01.7-09.5	64	37.6	28.4-46.8	51	26.5	17.9-35.1
\$35,000- 49,999	210	27,778	69	37.0	28.6-45.4	16	8.4	03.7-13.1	71	28.9	21.6-36.2	54	25.7	18.1-33.3
\$50,000- 99,999	520	72,977	201	43.1	37.8-48.4	36	6.6	04.2-09.0	182	31.8	27.1-36.5	101	18.6	14.5-22.7
\$100,000 - 199,999	273	43,759	136	47.9	41.0-54.8	14	5.4	02.1-08.7	89	34.1	27.4-40.8	34	12.6	08.1-17.1
\$200,000+	51	8,878	22	44.4	28.5-60.3	1	0.9	00.0-02.7	22	42.2	26.9-57.5	6	12.5	01.9-23.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)	
1 MALES AND FEMALES	265
2 MALES ONLY	266
3 FEMALES ONLY	267
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
4 MALES AND FEMALES	268
5 MALES ONLY	269
6 FEMALES ONLY	270
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
7 MALES AND FEMALES	271
8 MALES ONLY	272
9 FEMALES ONLY	273

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 16: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3748	541,213	931	30.3	28.3-32.3	2817	69.7	67.7-71.7
Male	1894	275,906	479	28.8	26.3-31.3	1415	71.2	68.7-73.7
Female	1854	265,308	452	31.8	29.1-34.5	1402	68.2	65.5-70.9
Native	114	20,931	55	51.9	41.1-62.7	59	48.1	37.3-58.9
Non-Native	3569	511,119	859	29.5	27.5-31.5	2710	70.5	68.5-72.5
18-24	273	77,122	77	30.6	24.3-36.9	196	69.4	63.1-75.7
25-34	408	101,709	147	40.1	34.8-45.4	261	59.9	54.6-65.2
35-44	454	90,951	190	43.1	38.0-48.2	264	56.9	51.8-62.0
45-54	479	70,374	173	37.9	33.0-42.8	306	62.1	57.2-67.0
55-64	684	80,595	179	26.0	22.3-29.7	505	74.0	70.3-77.7
65+	1450	120,462	165	10.5	08.7-12.3	1285	89.5	87.7-91.3
Less Than H.S.	156	40,450	38	34.4	24.6-44.2	118	65.6	55.8-75.4
H.S. or G.E.D.	944	143,230	201	25.8	22.3-29.3	743	74.2	70.7-77.7
Some Post-H.S.	1182	205,018	300	32.4	29.1-35.7	882	67.6	64.3-70.9
College Graduate	1460	151,411	389	30.2	27.5-32.9	1071	69.8	67.1-72.5
Less than \$15,000	131	18,932	48	38.6	27.8-49.4	83	61.4	50.6-72.2
\$15,000- 24,999	252	33,113	60	28.6	21.0-36.2	192	71.4	63.8-79.0
\$25,000- 34,999	329	48,382	75	28.6	22.1-35.1	254	71.4	64.9-77.9
\$35,000- 49,999	448	60,036	100	28.4	23.1-33.7	348	71.6	66.3-76.9
\$50,000- 99,999	1154	165,497	293	31.4	28.1-34.7	861	68.6	65.3-71.9
\$100,000 - 199,999	643	97,623	170	30.7	26.4-35.0	473	69.3	65.0-73.6
\$200,000+	150	23,314	49	34.3	25.5-43.1	101	65.7	56.9-74.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1894	275,906	479	28.8	26.3-31.3	1415	71.2	68.7-73.7
Native	56	10,868	28	57.5	42.4-72.6	28	42.5	27.4-57.6
Non-Native	1799	259,336	444	27.8	25.3-30.3	1355	72.2	69.7-74.7
18-24	145	39,995	32	24.1	16.1-32.1	113	75.9	67.9-83.9
25-34	241	54,856	81	36.9	30.0-43.8	160	63.1	56.2-70.0
35-44	238	47,674	88	37.7	30.8-44.6	150	62.3	55.4-69.2
45-54	250	37,095	91	37.6	30.9-44.3	159	62.4	55.7-69.1
55-64	353	40,903	95	25.6	20.7-30.5	258	74.4	69.5-79.3
65+	667	55,382	92	12.9	10.0-15.8	575	87.1	84.2-90.0
Less Than H.S.	97	25,511	23	28.8	17.4-40.2	74	71.2	59.8-82.6
H.S. or G.E.D.	519	80,272	121	24.7	20.2-29.2	398	75.3	70.8-79.8
Some Post-H.S.	585	103,295	150	31.5	27.0-36.0	435	68.5	64.0-73.0
College Graduate	688	66,074	183	29.3	25.4-33.2	505	70.7	66.8-74.6
Less than \$15,000	53	7,742	20	39.6	21.2-58.0	33	60.4	42.0-78.8
\$15,000- 24,999	110	15,550	29	25.2	15.6-34.8	81	74.8	65.2-84.4
\$25,000- 34,999	154	23,218	30	23.0	14.2-31.8	124	77.0	68.2-85.8
\$35,000- 49,999	229	30,950	57	30.1	22.8-37.4	172	69.9	62.6-77.2
\$50,000- 99,999	618	90,457	157	28.5	24.0-33.0	461	71.5	67.0-76.0
\$100,000 - 199,999	362	52,091	92	29.2	23.7-34.7	270	70.8	65.3-76.3
\$200,000+	100	14,240	36	39.8	28.6-51.0	64	60.2	49.0-71.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1854	265,308	452	31.8	29.1-34.5	1402	68.2	65.5-70.9
Native	58	10,064	27	45.8	30.9-60.7	31	54.2	39.3-69.1
Non-Native	1770	251,784	415	31.1	28.2-34.0	1355	68.9	66.0-71.8
18-24	128	37,127	45	37.5	28.1-46.9	83	62.5	53.1-71.9
25-34	167	46,853	66	43.9	35.7-52.1	101	56.1	47.9-64.3
35-44	216	43,277	102	49.1	41.7-56.5	114	50.9	43.5-58.3
45-54	229	33,279	82	38.2	31.3-45.1	147	61.8	54.9-68.7
55-64	331	39,691	84	26.4	20.9-31.9	247	73.6	68.1-79.1
65+	783	65,079	73	8.5	06.3-10.7	710	91.5	89.3-93.7
Less Than H.S.	59	14,940	15	44.0	26.9-61.1	44	56.0	38.9-73.1
H.S. or G.E.D.	425	62,958	80	27.2	21.7-32.7	345	72.8	67.3-78.3
Some Post-H.S.	597	101,723	150	33.4	28.7-38.1	447	66.6	61.9-71.3
College Graduate	772	85,337	206	30.9	27.0-34.8	566	69.1	65.2-73.0
Less than \$15,000	78	11,190	28	37.9	25.0-50.8	50	62.1	49.2-75.0
\$15,000- 24,999	142	17,563	31	31.7	20.5-42.9	111	68.3	57.1-79.5
\$25,000- 34,999	175	25,164	45	33.7	24.5-42.9	130	66.3	57.1-75.5
\$35,000- 49,999	219	29,086	43	26.5	18.7-34.3	176	73.5	65.7-81.3
\$50,000- 99,999	536	75,040	136	34.9	29.6-40.2	400	65.1	59.8-70.4
\$100,000 - 199,999	281	45,533	78	32.5	25.8-39.2	203	67.5	60.8-74.2
\$200,000+	50	9,074	13	25.7	12.2-39.2	37	74.3	60.8-87.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 4: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	599	111,014	18	1.2	00.6-01.8	47	5.0	03.4-06.6	55	7.9	05.5-10.3	87	14.0	10.7-17.3	270	48.7	44.0-53.4	122	23.2	19.1-27.3
Male	302	52,207	8	1.3	00.3-02.3	24	5.8	03.1-08.5	22	6.4	03.5-09.3	39	12.4	08.1-16.7	148	51.2	44.5-57.9	61	22.9	17.0-28.8
Female	297	58,808	10	1.2	00.4-02.0	23	4.3	02.3-06.3	33	9.2	05.9-12.5	48	15.4	10.7-20.1	122	46.4	39.7-53.1	61	23.5	17.4-29.6
Non-Native	551	102,013	18	1.4	00.6-02.2	44	4.9	03.1-06.7	52	8.1	05.7-10.5	83	14.6	11.3-17.9	250	49.6	44.7-54.5	104	21.4	17.1-25.7
18-24	69	21,228										1	2.0	00.0-05.9	41	58.2	45.1-71.3	27	39.8	26.9-52.7
25-34	104	26,938				1	1.0	00.0-03.0	1	1.2	00.0-03.6	10	10.9	04.0-17.8	65	60.9	50.5-71.3	27	26.0	16.8-35.2
35-44	138	28,387				4	3.2	00.1-06.3	14	10.3	05.0-15.6	30	22.5	14.7-30.3	66	45.5	36.5-54.5	24	18.6	11.3-25.9
45-54	117	17,384				19	13.7	07.2-20.2	18	17.0	09.4-24.6	20	17.8	10.0-25.6	43	37.1	27.5-46.7	17	14.3	07.6-21.0
55-64	98	10,966	9	7.6	02.1-13.1	14	12.3	05.8-18.8	14	17.4	08.0-26.8	13	15.0	06.0-24.0	30	30.4	20.0-40.8	18	17.2	09.0-25.4
65+	73	6,111	9	9.0	02.9-15.1	9	10.8	03.2-18.4	8	10.5	03.1-17.9	13	16.9	07.5-26.3	25	42.1	29.4-54.8	9	10.6	03.3-17.9
H.S. or G.E.D.	134	26,177	4	1.3	00.0-02.9	7	3.1	00.7-05.5	8	4.5	01.2-07.8	15	12.1	05.8-18.4	72	56.7	47.1-66.3	28	22.3	13.9-30.7
Some Post-H.S.	189	43,577	4	1.0	00.0-02.2	17	6.4	03.1-09.7	22	10.1	05.8-14.4	27	12.6	07.5-17.7	77	44.8	37.0-52.6	42	25.2	18.1-32.3
College Graduate	253	31,782	10	1.8	00.6-03.0	23	6.2	03.5-08.9	22	7.8	04.3-11.3	39	14.4	09.7-19.1	112	49.8	42.9-56.7	47	20.0	14.5-25.5
\$25,000- 34,999	57	10,500	3	2.6	00.0-06.3	1	0.7	00.0-02.1	3	4.1	00.0-08.6	4	3.1	00.0-06.4	36	73.3	61.1-85.5	10	16.2	05.6-26.8
\$35,000- 49,999	71	12,913				3	1.7	00.0-03.7	9	12.7	04.3-21.1	9	11.1	03.5-18.7	31	47.1	33.8-60.4	19	27.5	15.3-39.7
\$50,000- 99,999	193	36,010	3	0.6	00.0-01.2	19	7.3	03.6-11.0	18	8.2	04.1-12.3	36	19.0	12.3-25.7	81	43.1	34.7-51.5	36	21.9	14.6-29.2
\$100,000 - 199,999	101	17,722	4	1.9	00.0-03.9	7	3.8	00.9-06.7	16	13.4	06.5-20.3	16	16.2	08.2-24.2	46	50.9	39.7-62.1	12	13.8	05.0-22.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 5: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	302	52,207	8	1.3	00.3-02.3	24	5.8	03.1-08.5	22	6.4	03.5-09.3	39	12.4	08.1-16.7	148	51.2	44.5-57.9	61	22.9	17.0-28.8
Non-Native	280	47,847	8	1.5	00.3-02.7	23	5.8	03.1-08.5	21	6.6	03.5-09.7	36	12.4	07.9-16.9	138	52.5	45.4-59.6	54	21.3	15.4-27.2
25-34	55	12,340										5	9.1	01.1-17.1	34	59.3	45.2-73.4	16	31.7	18.2-45.2
35-44	62	12,499				4	7.2	00.1-14.3	5	8.2	00.9-15.5	8	14.2	04.2-24.2	33	49.7	36.2-63.2	12	20.7	09.3-32.1
45-54	62	9,305				9	13.8	04.0-23.6	7	14.6	04.0-25.2	12	19.6	08.0-31.2	26	40.4	26.9-53.9	8	11.6	03.6-19.6
55-64	55	5,759	4	8.2	00.0-16.4	6	7.7	01.2-14.2	6	10.8	02.0-19.6	8	17.3	03.8-30.8	21	37.0	22.7-51.3	10	19.0	07.6-30.4
H.S. or G.E.D.	83	14,566	2	0.5	00.0-01.3	6	4.7	00.8-08.6	6	6.1	01.0-11.2	7	7.9	01.6-14.2	48	63.2	51.2-75.2	14	17.6	07.4-27.8
Some Post-H.S.	88	19,464	2	1.6	00.0-04.0	7	7.9	01.8-14.0	6	4.6	00.7-08.5	12	11.7	04.6-18.8	38	45.6	34.2-57.0	23	28.5	18.1-38.9
College Graduate	118	13,282	4	2.3	00.0-04.7	11	6.1	02.2-10.0	7	6.3	00.8-11.8	16	11.9	05.4-18.4	58	51.9	41.9-61.9	22	21.5	13.1-29.9
\$50,000- 99,999	97	16,787	1	0.5	00.0-01.5	11	9.3	03.0-15.6	6	4.9	00.8-09.0	15	16.3	07.3-25.3	44	43.1	31.3-54.9	20	25.9	14.7-37.1
\$100,000 - 199,999	53	8,922	2	1.6	00.0-04.0	3	2.8	00.0-06.1	7	14.0	03.8-24.2	7	12.3	02.9-21.7	29	59.0	44.7-73.3	5	10.4	01.2-19.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 6: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	297	58,808	10	1.2	00.4-02.0	23	4.3	02.3-06.3	33	9.2	05.9-12.5	48	15.4	10.7-20.1	122	46.4	39.7-53.1	61	23.5	17.4-29.6
Non-Native	271	54,166	10	1.3	00.3-02.3	21	4.2	02.2-06.2	31	9.4	05.9-12.9	47	16.6	11.5-21.7	112	47.0	39.9-54.1	50	21.6	15.3-27.9
35-44	76	15,888							9	12.0	04.4-19.6	22	29.0	17.6-40.4	33	42.1	29.9-54.3	12	16.9	07.7-26.1
45-54	55	8,079				10	13.6	05.4-21.8	11	19.8	08.8-30.8	8	15.7	05.1-26.3	17	33.4	19.7-47.1	9	17.5	06.5-28.5
H.S. or G.E.D.	51	11,611	2	2.3	00.0-05.4	1	1.1	00.0-03.3	2	2.6	00.0-06.3	8	17.4	06.0-28.8	24	48.5	33.6-63.4	14	28.1	14.0-42.2
Some Post-H.S.	101	24,114	2	0.6	00.0-01.4	10	5.1	01.6-08.6	16	14.5	07.4-21.6	15	13.3	06.0-20.6	39	44.1	33.3-54.9	19	22.4	13.0-31.8
College Graduate	135	18,500	6	1.5	00.1-02.9	12	6.2	02.5-09.9	15	8.9	04.0-13.8	23	16.3	09.4-23.2	54	48.3	38.7-57.9	25	18.9	11.5-26.3
\$50,000- 99,999	96	19,222	2	0.6	00.0-01.6	8	5.6	01.5-09.7	12	11.0	04.3-17.7	21	21.4	11.4-31.4	37	43.0	30.8-55.2	16	18.4	09.2-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 16: HIV/AIDS**

**TABLE 1: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3907	560,236	135	5.6	04.6-06.6	3772	94.4	93.4-95.4
Male	1970	284,812	82	6.1	04.7-07.5	1888	93.9	92.5-95.3
Female	1937	275,424	53	5.1	03.5-06.7	1884	94.9	93.3-96.5
Native	119	21,535	12	13.2	05.6-20.8	107	86.8	79.2-94.4
Non-Native	3719	529,418	121	5.3	04.3-06.3	3598	94.7	93.7-95.7
18-24	276	77,779	45	17.4	12.3-22.5	231	82.6	77.5-87.7
25-34	424	105,009	40	9.3	06.4-12.2	384	90.7	87.8-93.6
35-44	466	93,606	25	5.4	03.0-07.8	441	94.6	92.2-97.0
45-54	497	73,263	9	1.8	00.6-03.0	488	98.2	97.0-99.4
55-64	707	83,773	11	1.5	00.5-02.5	696	98.5	97.5-99.5
65+	1537	126,806	5	0.3	00.0-00.7	1532	99.7	99.3-0100
Less Than H.S.	166	41,993	4	6.5	00.2-12.8	162	93.5	87.2-99.8
H.S. or G.E.D.	980	147,390	47	8.0	05.6-10.4	933	92.0	89.6-94.4
Some Post-H.S.	1228	212,084	45	5.4	03.8-07.0	1183	94.6	93.0-96.2
College Graduate	1528	157,791	37	3.2	02.2-04.2	1491	96.8	95.8-97.8
Less than \$15,000	134	19,317	5	7.2	00.0-15.8	129	92.8	84.2-0100
\$15,000- 24,999	263	34,524	8	7.8	01.9-13.7	255	92.2	86.3-98.1
\$25,000- 34,999	349	51,147	16	6.8	03.3-10.3	333	93.2	89.7-96.7
\$35,000- 49,999	469	62,461	24	8.8	05.3-12.3	445	91.2	87.7-94.7
\$50,000- 99,999	1195	170,376	43	5.2	03.4-07.0	1152	94.8	93.0-96.6
\$100,000 - 199,999	669	101,189	12	2.8	01.0-04.6	657	97.2	95.4-99.0
\$200,000+	162	24,585	6	4.4	00.9-07.9	156	95.6	92.1-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 16: HIV/AIDS**

TABLE 2: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1970	284,812	82	6.1	04.7-07.5	1888	93.9	92.5-95.3
Native	58	11,197	9	18.4	06.2-30.6	49	81.6	69.4-93.8
Non-Native	1872	267,829	72	5.6	04.2-07.0	1800	94.4	93.0-95.8
18-24	147	40,470	21	15.4	08.5-22.3	126	84.6	77.7-91.5
25-34	250	56,196	30	11.5	07.4-15.6	220	88.5	84.4-92.6
35-44	243	49,116	17	6.0	02.9-09.1	226	94.0	90.9-97.1
45-54	259	38,447	4	1.4	00.0-02.8	255	98.6	97.2-0100
55-64	362	42,053	8	2.1	00.5-03.7	354	97.9	96.3-99.5
65+	709	58,529	2	0.3	00.0-00.7	707	99.7	99.3-0100
Less Than H.S.	102	26,269	2	5.6	00.0-13.0	100	94.4	87.0-0100
H.S. or G.E.D.	541	83,193	26	7.1	04.4-09.8	515	92.9	90.2-95.6
Some Post-H.S.	604	106,139	26	5.7	03.5-07.9	578	94.3	92.1-96.5
College Graduate	719	68,583	26	5.0	03.0-07.0	693	95.0	93.0-97.0
Less than \$15,000	54	7,839	2	12.5	00.0-31.7	52	87.5	68.3-0100
\$15,000- 24,999	111	15,726	2	2.4	00.0-06.1	109	97.6	93.9-0100
\$25,000- 34,999	160	23,882	7	6.4	01.3-11.5	153	93.6	88.5-98.7
\$35,000- 49,999	242	32,465	18	11.0	06.1-15.9	224	89.0	84.1-93.9
\$50,000- 99,999	638	92,955	29	6.1	03.6-08.6	609	93.9	91.4-96.4
\$100,000 - 199,999	377	54,151	7	2.8	00.6-05.0	370	97.2	95.0-99.4
\$200,000+	107	14,937	5	5.4	00.7-10.1	102	94.6	89.9-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 16: HIV/AIDS**

**TABLE 3: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1937	275,424	53	5.1	03.5-06.7	1884	94.9	93.3-96.5
Native	61	10,338	3	7.7	00.0-15.9	58	92.3	84.1-0100
Non-Native	1847	261,589	49	5.0	03.4-06.6	1798	95.0	93.4-96.6
18-24	129	37,309	24	19.6	12.0-27.2	105	80.4	72.8-88.0
25-34	174	48,814	10	6.8	02.5-11.1	164	93.2	88.9-97.5
35-44	223	44,489	8	4.7	01.4-08.0	215	95.3	92.0-98.6
45-54	238	34,816	5	2.2	00.0-04.4	233	97.8	95.6-0100
55-64	345	41,720	3	0.8	00.0-01.8	342	99.2	98.2-0100
65+	828	68,276	3	0.4	00.0-00.8	825	99.6	99.2-0100
Less Than H.S.	64	15,724	2	8.0	00.0-18.8	62	92.0	81.2-0100
H.S. or G.E.D.	439	64,196	21	9.2	05.3-13.1	418	90.8	86.9-94.7
Some Post-H.S.	624	105,945	19	5.0	02.6-07.4	605	95.0	92.6-97.4
College Graduate	809	89,208	11	1.8	00.6-03.0	798	98.2	97.0-99.4
Less than \$15,000	80	11,478	3	3.6	00.0-07.7	77	96.4	92.3-0100
\$15,000- 24,999	152	18,797	6	12.4	02.6-22.2	146	87.6	77.8-97.4
\$25,000- 34,999	189	27,265	9	7.1	02.2-12.0	180	92.9	88.0-97.8
\$35,000- 49,999	227	29,996	6	6.4	01.3-11.5	221	93.6	88.5-98.7
\$50,000- 99,999	557	77,421	14	4.2	01.8-06.6	543	95.8	93.4-98.2
\$100,000 - 199,999	292	47,038	5	2.8	00.1-05.5	287	97.2	94.5-99.9
\$200,000+	55	9,648	1	2.8	00.0-08.1	54	97.2	91.9-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU TESTED POSITIVE FOR COVID 19? (COVIDPOS)	
1 MALES AND FEMALES	275
2 MALES ONLY	276
3 FEMALES ONLY	277
DID YOU HAVE ANY SYMPTOMS LASTING 3 MONTHS OR LONGER THAT YOU DID NOT HAVE PRIOR TO HAVING CORONAVIRUS OR COVID-19? (COVIDSMP)	
4 MALES AND FEMALES	278
5 MALES ONLY	279
6 FEMALES ONLY	280
WHICH OF THE FOLLOWING WAS THE PRIMARY SYMPTOM THAT YOU EXPERIENCED? WAS IT... (COVIDPRM)	
7 MALES AND FEMALES	281
8 MALES ONLY	282
9 FEMALES ONLY	283

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU TESTED POSITIVE FOR COVID 19? (COVIDPOS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Positive home test without health professional		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3913	560,517	1308	37.4	35.4-39.4	2513	60.5	58.5-62.5	92	2.2	01.6-02.8
Male	1967	283,898	639	35.3	32.8-37.8	1280	62.5	60.0-65.0	48	2.1	01.5-02.7
Female	1946	276,619	669	39.5	36.8-42.2	1233	58.4	55.7-61.1	44	2.2	01.4-03.0
Native	119	21,283	50	44.0	33.6-54.4	65	53.4	42.8-64.0	4	2.6	00.1-05.1
Non-Native	3725	529,953	1237	37.3	35.3-39.3	2403	60.6	58.6-62.6	85	2.1	01.5-02.7
18-24	275	77,355	126	47.3	40.8-53.8	146	51.7	45.2-58.2	3	1.0	00.0-02.2
25-34	423	105,047	181	43.2	38.1-48.3	227	53.6	48.3-58.9	15	3.2	01.4-05.0
35-44	468	93,628	202	43.7	38.8-48.6	258	54.6	49.5-59.7	8	1.7	00.3-03.1
45-54	497	73,248	181	35.6	31.1-40.1	303	62.3	57.6-67.0	13	2.1	00.9-03.3
55-64	705	83,631	223	32.8	28.9-36.7	458	64.1	60.2-68.0	24	3.1	01.7-04.5
65+	1545	127,609	395	26.0	23.5-28.5	1121	72.3	69.8-74.8	29	1.7	01.1-02.3
Less Than H.S.	166	41,692	41	32.3	22.9-41.7	125	67.7	58.3-77.1			
H.S. or G.E.D.	983	147,596	310	35.5	31.8-39.2	661	63.0	59.3-66.7	12	1.5	00.5-02.5
Some Post-H.S.	1231	212,489	405	38.2	35.1-41.3	793	59.3	56.0-62.6	33	2.5	01.5-03.5
College Graduate	1528	157,803	551	39.5	36.6-42.4	930	57.6	54.7-60.5	47	2.9	01.9-03.9
Less than \$15,000	135	19,488	33	31.5	20.7-42.3	99	65.4	54.4-76.4	3	3.1	00.0-06.6
\$15,000- 24,999	265	34,614	78	39.7	31.7-47.7	183	59.0	51.0-67.0	4	1.2	00.0-02.6
\$25,000- 34,999	350	51,239	99	33.1	26.6-39.6	246	65.9	59.4-72.4	5	1.0	00.0-02.0
\$35,000- 49,999	470	62,584	152	36.1	30.6-41.6	310	62.5	57.0-68.0	8	1.4	00.2-02.6
\$50,000- 99,999	1194	169,702	438	40.2	36.9-43.5	726	57.6	54.3-60.9	30	2.2	01.2-03.2
\$100,000 - 199,999	667	101,000	268	40.9	36.6-45.2	375	55.9	51.6-60.2	24	3.2	01.6-04.8
\$200,000+	163	24,940	47	34.3	25.7-42.9	105	60.4	51.6-69.2	11	5.3	01.8-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU TESTED POSITIVE FOR COVID 19? (COVIDPOS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Positive home test without health professional		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1967	283,898	639	35.3	32.8-37.8	1280	62.5	60.0-65.0	48	2.1	01.5-02.7
Native	57	10,773	22	38.9	24.2-53.6	33	58.4	43.5-73.3	2	2.7	00.0-06.4
Non-Native	1871	267,461	604	35.2	32.5-37.9	1222	62.7	60.0-65.4	45	2.1	01.3-02.9
18-24	146	40,046	61	44.0	35.2-52.8	84	55.3	46.5-64.1	1	0.7	00.0-02.1
25-34	249	56,233	96	40.2	33.5-46.9	144	56.7	50.0-63.4	9	3.1	00.9-05.3
35-44	243	48,766	97	39.2	32.3-46.1	142	59.4	52.5-66.3	4	1.5	00.0-03.1
45-54	257	38,200	82	31.4	25.1-37.7	166	65.7	59.4-72.0	9	3.0	00.8-05.2
55-64	360	41,911	110	31.4	25.9-36.9	240	66.3	60.8-71.8	10	2.3	00.9-03.7
65+	712	58,743	193	27.1	23.4-30.8	504	70.9	67.0-74.8	15	2.1	00.9-03.3
Less Than H.S.	102	25,967	20	26.9	15.5-38.3	82	73.1	61.7-84.5			
H.S. or G.E.D.	540	82,920	166	32.8	28.1-37.5	367	65.5	60.8-70.2	7	1.6	00.2-03.0
Some Post-H.S.	604	105,977	201	38.7	34.2-43.2	385	58.8	54.3-63.3	18	2.4	01.2-03.6
College Graduate	717	68,448	251	36.6	32.5-40.7	443	60.4	56.3-64.5	23	3.0	01.6-04.4
Less than \$15,000	54	7,839	9	25.1	05.7-44.5	45	74.9	55.5-94.3			
\$15,000- 24,999	113	15,817	28	30.5	19.1-41.9	84	69.0	57.6-80.4	1	0.5	00.0-01.5
\$25,000- 34,999	160	23,882	35	25.9	17.3-34.5	122	73.0	64.4-81.6	3	1.1	00.0-02.5
\$35,000- 49,999	243	32,588	83	36.9	29.5-44.3	157	62.3	54.9-69.7	3	0.7	00.0-01.5
\$50,000- 99,999	636	92,244	230	39.6	34.9-44.3	392	58.3	53.6-63.0	14	2.1	00.9-03.3
\$100,000 - 199,999	375	53,962	139	37.1	31.4-42.8	223	60.0	54.3-65.7	13	2.9	01.1-04.7
\$200,000+	108	15,292	25	28.7	18.5-38.9	74	63.9	53.3-74.5	9	7.4	01.9-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU TESTED POSITIVE FOR COVID 19? (COVIDPOS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Positive home test without health professional		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1946	276,619	669	39.5	36.8-42.2	1233	58.4	55.7-61.1	44	2.2	01.4-03.0
Native	62	10,509	28	49.2	34.7-63.7	32	48.3	33.8-62.8	2	2.5	00.0-06.0
Non-Native	1854	262,492	633	39.4	36.7-42.1	1181	58.5	55.8-61.2	40	2.1	01.3-02.9
18-24	129	37,309	65	50.8	41.4-60.2	62	47.7	38.3-57.1	2	1.4	00.0-03.4
25-34	174	48,814	85	46.7	38.7-54.7	83	50.0	42.0-58.0	6	3.3	00.8-05.8
35-44	225	44,861	105	48.6	41.3-55.9	116	49.4	42.1-56.7	4	2.0	00.0-04.4
45-54	240	35,048	99	40.2	33.5-46.9	137	58.6	51.7-65.5	4	1.2	00.0-02.4
55-64	345	41,720	113	34.2	28.5-39.9	218	61.9	56.0-67.8	14	3.9	01.7-06.1
65+	833	68,867	202	25.0	21.7-28.3	617	73.5	70.2-76.8	14	1.4	00.6-02.2
Less Than H.S.	64	15,724	21	41.4	25.1-57.7	43	58.6	42.3-74.9			
H.S. or G.E.D.	443	64,676	144	38.8	33.1-44.5	294	59.8	54.1-65.5	5	1.4	00.0-02.8
Some Post-H.S.	627	106,512	204	37.7	33.2-42.2	408	59.7	55.0-64.4	15	2.5	00.9-04.1
College Graduate	811	89,355	300	41.8	37.9-45.7	487	55.5	51.4-59.6	24	2.8	01.6-04.0
Less than \$15,000	81	11,650	24	35.8	22.7-48.9	54	58.9	45.6-72.2	3	5.2	00.0-11.1
\$15,000- 24,999	152	18,797	50	47.5	36.5-58.5	99	50.7	39.9-61.5	3	1.9	00.0-04.3
\$25,000- 34,999	190	27,356	64	39.4	30.4-48.4	124	59.7	50.7-68.7	2	0.9	00.0-02.1
\$35,000- 49,999	227	29,996	69	35.2	27.2-43.2	153	62.6	54.4-70.8	5	2.2	00.0-04.4
\$50,000- 99,999	558	77,458	208	41.0	36.1-45.9	334	56.7	51.6-61.8	16	2.3	00.9-03.7
\$100,000 - 199,999	292	47,038	129	45.3	38.6-52.0	152	51.2	44.5-57.9	11	3.5	01.0-06.0
\$200,000+	55	9,648	22	43.2	28.1-58.3	31	54.9	39.8-70.0	2	1.9	00.0-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS**

TABLE 4: DID YOU HAVE ANY SYMPTOMS LASTING 3 MONTHS OR LONGER THAT YOU DID NOT HAVE PRIOR TO HAVING CORONAVIRUS OR COVID-19? (COVIDSMP)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1368	217,621	335	25.5	22.8-28.2	1033	74.5	71.8-77.2
Male	671	104,522	123	18.5	15.0-22.0	548	81.5	78.0-85.0
Female	697	113,099	212	32.1	27.8-36.4	485	67.9	63.6-72.2
Native	51	9,368	19	31.8	18.3-45.3	32	68.2	54.7-81.7
Non-Native	1295	205,395	313	25.5	22.6-28.4	982	74.5	71.6-77.4
18-24	129	37,393	28	21.9	13.9-29.9	101	78.1	70.1-86.1
25-34	191	47,567	38	22.5	15.8-29.2	153	77.5	70.8-84.2
35-44	207	41,868	66	32.7	25.6-39.8	141	67.3	60.2-74.4
45-54	191	27,252	44	24.4	17.5-31.3	147	75.6	68.7-82.5
55-64	239	28,971	60	28.5	21.6-35.4	179	71.5	64.6-78.4
65+	411	34,570	99	23.3	18.6-28.0	312	76.7	72.0-81.4
H.S. or G.E.D.	315	53,836	77	24.7	19.0-30.4	238	75.3	69.6-81.0
Some Post-H.S.	426	84,320	122	29.2	24.3-34.1	304	70.8	65.9-75.7
College Graduate	587	66,006	125	21.7	17.8-25.6	462	78.3	74.4-82.2
\$15,000- 24,999	79	13,986	19	30.0	17.3-42.7	60	70.0	57.3-82.7
\$25,000- 34,999	102	17,029	20	18.6	10.0-27.2	82	81.4	72.8-90.0
\$35,000- 49,999	157	23,224	43	24.8	16.8-32.8	114	75.2	67.2-83.2
\$50,000- 99,999	458	71,005	117	27.6	22.7-32.5	341	72.4	67.5-77.3
\$100,000 - 199,999	286	43,538	68	26.1	19.8-32.4	218	73.9	67.6-80.2
\$200,000+	58	9,876	12	19.6	08.0-31.2	46	80.4	68.8-92.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS**

TABLE 5: DID YOU HAVE ANY SYMPTOMS LASTING 3 MONTHS OR LONGER THAT YOU DID NOT HAVE PRIOR TO HAVING CORONAVIRUS OR COVID-19? (COVIDSMP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	671	104,522	123	18.5	15.0-22.0	548	81.5	78.0-85.0
Non-Native	633	98,038	114	18.4	14.7-22.1	519	81.6	77.9-85.3
18-24	62	17,894	9	14.5	05.1-23.9	53	85.5	76.1-94.9
25-34	103	24,045	17	20.7	11.5-29.9	86	79.3	70.1-88.5
35-44	99	19,443	20	18.6	10.6-26.6	79	81.4	73.4-89.4
45-54	89	12,858	18	21.0	11.6-30.4	71	79.0	69.6-88.4
55-64	117	13,618	21	17.7	10.1-25.3	96	82.3	74.7-89.9
65+	201	16,663	38	18.2	12.1-24.3	163	81.8	75.7-87.9
H.S. or G.E.D.	168	27,995	39	23.1	15.8-30.4	129	76.9	69.6-84.2
Some Post-H.S.	213	42,679	41	19.7	13.4-26.0	172	80.3	74.0-86.6
College Graduate	270	26,818	41	15.3	10.2-20.4	229	84.7	79.6-89.8
\$35,000- 49,999	83	12,010	21	24.4	13.6-35.2	62	75.6	64.8-86.4
\$50,000- 99,999	238	37,848	46	20.7	14.4-27.0	192	79.3	73.0-85.6
\$100,000 - 199,999	149	20,896	23	14.9	07.8-22.0	126	85.1	78.0-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS**

TABLE 6: DID YOU HAVE ANY SYMPTOMS LASTING 3 MONTHS OR LONGER THAT YOU DID NOT HAVE PRIOR TO HAVING CORONAVIRUS OR COVID-19? (COVIDSMP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	697	113,099	212	32.1	27.8-36.4	485	67.9	63.6-72.2
Non-Native	662	107,356	199	31.9	27.6-36.2	463	68.1	63.8-72.4
18-24	67	19,499	19	28.8	16.6-41.0	48	71.2	59.0-83.4
25-34	88	23,521	21	24.3	14.7-33.9	67	75.7	66.1-85.3
35-44	108	22,425	46	45.0	34.6-55.4	62	55.0	44.6-65.4
45-54	102	14,394	26	27.5	17.5-37.5	76	72.5	62.5-82.5
55-64	122	15,353	39	38.0	27.8-48.2	83	62.0	51.8-72.2
65+	210	17,907	61	28.1	21.2-35.0	149	71.9	65.0-78.8
H.S. or G.E.D.	147	25,840	38	26.5	17.9-35.1	109	73.5	64.9-82.1
Some Post-H.S.	213	41,641	81	38.9	31.3-46.5	132	61.1	53.5-68.7
College Graduate	317	39,187	84	26.1	20.6-31.6	233	73.9	68.4-79.4
\$15,000- 24,999	51	9,162	14	39.1	22.2-56.0	37	60.9	44.0-77.8
\$25,000- 34,999	65	10,625	14	16.0	06.6-25.4	51	84.0	74.6-93.4
\$35,000- 49,999	74	11,214	22	25.3	13.3-37.3	52	74.7	62.7-86.7
\$50,000- 99,999	220	33,157	71	35.5	27.9-43.1	149	64.5	56.9-72.1
\$100,000 - 199,999	137	22,642	45	36.5	26.9-46.1	92	63.5	53.9-73.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS
TABLE 7: WHICH OF THE FOLLOWING WAS THE PRIMARY SYMPTOM THAT YOU EXPERIENCED? WAS IT.... (COVIDPRM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Fatigue 2-Difficulty thinking			3-Difficulty breathing 4-Joint pain			5-Chest Pain 6-Dizziness			7-Depression 8-Symptoms worsen			10-Lost taste or smell 11-Other symptom			9-None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	321	53,081	103	28.6	22.9-34.3	68	25.5	19.4-31.6	11	2.5	00.7-04.3	5	1.3	00.1-02.5	120	37.5	31.0-44.0	14	4.7	02.0-07.4
Male	116	18,281	34	25.6	16.6-34.6	28	27.7	17.3-38.1	3	1.2	00.0-03.0	3	2.9	00.0-06.2	44	38.4	27.6-49.2	4	4.0	00.0-08.1
Female	205	34,799	69	30.1	22.8-37.4	40	24.3	16.9-31.7	8	3.1	00.7-05.5	2	0.4	00.0-01.2	76	37.0	29.0-45.0	10	5.0	01.5-08.5
Non-Native	299	49,829	96	28.1	22.2-34.0	64	26.0	19.5-32.5	10	2.3	00.5-04.1	5	1.4	00.0-02.8	110	37.3	30.6-44.0	14	5.0	02.1-07.9
35-44	64	13,103	16	24.0	13.0-35.0	16	33.0	19.5-46.5	5	6.9	00.6-13.2	2	2.3	00.0-05.6	20	26.8	15.6-38.0	5	7.0	00.7-13.3
55-64	56	7,782	22	33.9	20.0-47.8	10	22.3	08.0-36.6							21	31.6	18.5-44.7	3	12.2	00.0-24.7
65+	95	7,602	32	34.0	22.8-45.2	17	21.1	11.1-31.1	6	5.2	00.9-09.5	1	0.2	00.0-00.6	34	34.2	23.6-44.8	5	5.3	00.6-10.0
H.S. or G.E.D.	72	12,408	22	25.4	14.4-36.4	19	31.7	18.2-45.2	4	3.8	00.0-08.1	2	2.9	00.0-07.0	20	29.8	17.5-42.1	5	6.3	00.2-12.4
Some Post-H.S.	119	23,719	39	30.2	21.0-39.4	28	26.8	17.4-36.2							47	38.2	28.2-48.2	5	4.8	00.3-09.3
College Graduate	120	13,798	39	30.8	21.4-40.2	19	16.8	09.0-24.6	7	6.1	01.0-11.2	3	2.4	00.0-05.5	48	40.0	29.8-50.2	4	4.0	00.0-08.1
\$50,000- 99,999	115	19,206	35	29.5	19.9-39.1	22	21.1	11.9-30.3	3	1.5	00.0-03.3	2	1.9	00.0-04.6	47	39.3	28.9-49.7	6	6.6	00.9-12.3
\$100,000 - 199,999	63	10,494	19	25.1	13.1-37.1	16	32.4	17.5-47.3	3	3.2	00.0-06.9	2	2.9	00.0-07.0	21	32.8	19.3-46.3	2	3.6	00.0-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 8: WHICH OF THE FOLLOWING WAS THE PRIMARY SYMPTOM THAT YOU EXPERIENCED? WAS IT.... (COVIDPRM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Fatigue 2-Difficulty thinking			3-Difficulty breathing 4-Joint pain			5-Chest Pain 6-Dizziness			7-Depression 8-Symptoms worsen			10-Lost taste or smell 11-Other symptom			9-None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	116	18,281	34	25.6	16.6-34.6	28	27.7	17.5-37.9	3	1.2	00.0-03.0	3	2.9	00.0-06.2	44	38.4	27.4-49.4	4	4.0	00.0-08.1
Non-Native	107	17,021	33	27.0	17.4-36.6	25	27.0	16.2-37.8	3	1.3	00.0-03.1	3	3.2	00.0-06.7	39	37.2	25.8-48.6	4	4.3	00.0-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022
SECTION 17 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 9: WHICH OF THE FOLLOWING WAS THE PRIMARY SYMPTOM THAT YOU EXPERIENCED? WAS IT.... (COVIDPRM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-Fatigue 2-Difficulty thinking			3-Difficulty breathing 4-Joint pain			5-Chest Pain 6-Dizziness			7-Depression 8-Symptoms worsen			10-Lost taste or smell 11-Other symptom			9-None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	205	34,799	69	30.1	22.8-37.4	40	24.3	16.7-31.9	8	3.1	00.7-05.5	2	0.4	00.0-01.2	76	37.0	29.0-45.0	10	5.0	01.5-08.5
Non-Native	192	32,809	63	28.6	21.3-35.9	39	25.5	17.5-33.5	7	2.8	00.4-05.2	2	0.5	00.0-01.3	71	37.3	29.1-45.5	10	5.3	01.6-09.0
65+	59	4,739	22	39.7	25.2-54.2	8	14.9	04.3-25.5	4	6.5	00.2-12.8	1	0.4	00.0-01.2	19	30.0	17.3-42.7	5	8.5	01.2-15.8
Some Post-H.S.	80	15,731	32	37.8	25.8-49.8	19	25.2	14.2-36.2							24	29.8	18.4-41.2	5	7.2	00.3-14.1
College Graduate	81	9,821	22	25.4	14.8-36.0	12	16.4	07.0-25.8	4	6.2	00.0-12.7	2	1.5	00.0-04.2	38	45.8	33.5-58.1	3	4.7	00.0-10.2
\$50,000- 99,999	71	11,775	22	30.3	17.8-42.8	12	19.9	08.3-31.5	1	0.7	00.0-02.1				32	42.0	28.7-55.3	4	7.1	00.0-14.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2022**

End of Core Data Report