

NORTH DAKOTA

2006 Codebook Report

Behavioral Risk Factor Surveillance System

March 1, 2007



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

State FIPS Code

Section: 0.1 Record Identification

Column: 1-2

Prologue:

Description: State FIPS Code

Type: Num

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
38	North Dakota	4,780	100.00	100.00

Geographic Stratum Code

Section: 0.2 Record Identification

Column: 3-4

Prologue:

Description: Geographic Stratum Code

Type: Num

SAS Variable Name: _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Notes: For states with geographic stratification, strata should be numbered sequentially (with no gaps) starting with number 1. Otherwise geographic stratification = 1.	3,750	78.45	95.83
2		502	10.50	3.34
3		528	11.05	0.83

Household Density Stratum Code

Section: 0.3 Record Identification

Column: 5

Prologue:

Description: Household Density Stratum Code

Type: Num

SAS Variable Name: _DENSTR2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Listed	4,328	90.54	84.57
2	Unlisted	452	9.46	15.43

Pre-Call Status Code

Section: 0.4 Record Identification

Column: 6

Prologue:

Description: Pre-Call Status Code

Type: Num

SAS Variable Name: PRECALL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	To be called	4,780	100.00	100.00

Replicate Number

Section: 0.5 Record Identification

Column: 7-11

Prologue:

Description: Replicate Number

Type: Num

SAS Variable Name: REPNUM

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Replicate Depth

Section: 0.6 Record Identification

Column: 12-13

Prologue:

Description: Replicate Depth

Type: Num

SAS Variable Name: REPDEPTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

File Month

Section: 0.7 Record Identification

Column: 14-15

Prologue:

Description: File Month

Type: Num

SAS Variable Name: FMONTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	430	9.00	8.25
2	February	425	8.89	8.92
3	March	421	8.81	8.68
4	April	379	7.93	7.64
5	May	355	7.43	8.00
6	June	383	8.01	8.17
7	July	420	8.79	9.06
8	August	430	9.00	9.31
9	September	408	8.54	7.94
10	October	360	7.53	7.57
11	November	387	8.10	8.31
12	December	382	7.99	8.17

Interview Date

Section: 0.8 Record Identification

Column: 16-23

Prologue:

Description: Interview Date

Type: Char

SAS Variable Name: IDATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Interview Month

Section: 0.9 Record Identification

Column: 16-17

Prologue:

Description: Interview Month

Type: Char

SAS Variable Name: IMONTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	430	9.00	8.25
2	February	425	8.89	8.92
3	March	421	8.81	8.68
4	April	379	7.93	7.64
5	May	355	7.43	8.00
6	June	383	8.01	8.17
7	July	420	8.79	9.06
8	August	430	9.00	9.31
9	September	408	8.54	7.94
10	October	360	7.53	7.57
11	November	387	8.10	8.31
12	December	382	7.99	8.17

Interview Day

Section: 0.10 Record Identification

Column: 18-19

Prologue:

Description: Interview Day

Type: Char

SAS Variable Name: IDAY

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Interview Day	89	1.86	1.52
2		259	5.42	5.08
3		773	16.17	13.94
4		408	8.54	8.49
5		363	7.59	7.24
6		280	5.86	6.04
7		355	7.43	8.04
8		290	6.07	5.81
9		265	5.54	5.57
10		238	4.98	5.09
11		213	4.46	4.66
12		201	4.21	4.42
13		207	4.33	4.83
14		141	2.95	3.17
15		123	2.57	2.65
16		93	1.95	2.66
17		92	1.92	2.24
18		88	1.84	1.95
19		81	1.69	1.80
20		58	1.21	1.38
21		45	0.94	1.02
22		31	0.65	0.51
23		39	0.82	0.84
24		22	0.46	0.44
25		10	0.21	0.21
26		9	0.19	0.11
27		6	0.13	0.11
28		1	0.02	0.17

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Interview Year

Section: 0.11 Record Identification

Column: 20-23

Prologue:

Description: Interview Year

Type: Char

SAS Variable Name: IYEAR

Value	Value Label	Frequency	Percentage	Weighted Percentage
2006		4,780	100.00	100.00

Interviewer Identification

Section: 0.12 Record Identification

Column: 24-26

Prologue:

Description: Interviewer Identification

Type: Char

SAS Variable Name: INTVID

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Final Disposition

Section: 0.13 Record Identification

Column: 27-29

Prologue:

Description: Final Disposition

Type: Num

SAS Variable Name: DISPCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Completed Interview	4,499	94.12	93.86
120	Partial Complete Interview	281	5.88	6.14

Annual Sequence Number

Section: 0.14 Record Identification

Column: 30-39

Prologue:

Description: Annual Sequence Number

Type: Num

SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Primary Sampling Unit

Section: 0.15 Record Identification

Column: 30-39

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Type: Num

SAS Variable Name: _PSU

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Number of Attempts

Section: 0.16 Record Identification

Column: 40-41

Prologue:

Description: Number of Attempts

Type: Num

SAS Variable Name: NATTMPTS

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification

Column: 42-47

Prologue:

Description: Number of Sample Records Selected from Stratum

Type: Num

SAS Variable Name: NRECSEL

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification

Column: 48-56

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Type: Num

SAS Variable Name: NRECSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Correct telephone number?

Section: 0.19 Record Identification

Column: 57

Prologue:

Description: Correct Telephone Number?

Type: Num

SAS Variable Name: CTELENUM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,780	100.00	100.00

Cellular Telephone

Section: 0.20 Record Identification

Column: 58

Prologue:

Description: Cellular Telephone

Type: Num

SAS Variable Name: CELLFON1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not a cellular phone	4,780	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Private Residence?

Section: 0.21 Record Identification

Column: 59

Prologue:

Description: Private Residence?

Type: Num

SAS Variable Name: PVTRESID

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,780	100.00	100.00

Number of Adults in Household

Section: 0.22 Record Identification

Column: 60-61

Prologue:

Description: Number of Adults in Household

Type: Num

SAS Variable Name: NUMADULT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of adults in the household	1,640	34.31	18.38
2		2,738	57.28	62.38
3		322	6.74	13.78
4		70	1.46	4.15
5		8	0.17	1.15
6 - 99	6 or more	2	0.04	0.16

Number of Adult men in Household

Section: 0.23 Record Identification

Column: 62-63

Prologue:

Description: Number of Adult Men in Household

Type: Num

SAS Variable Name: NUMMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult men in the household	1,096	22.93	11.94
1		3,405	71.23	73.61
2		245	5.13	11.77
3		31	0.65	2.18
4		2	0.04	0.33
5		1	0.02	0.19

Number of Adult women in Household

Section: 0.24 Record Identification

Column: 64-65

Prologue:

Description: Number of Adult Women in Household

Type: Num

SAS Variable Name: NUMWOMEN

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Number of adult women in the household	628	13.14	9.59
1		3,914	81.88	80.26
2		218	4.56	9.09
3		17	0.36	0.83
4		3	0.06	0.24

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

General Health

Section: 1.1 Health Status

Column: 73

Prologue:

Description: Would you say that in general your health is:

Type: Num

SAS Variable Name: GENHLTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Excellent	825	17.26	20.48
2	Very good	1,690	35.36	36.03
3	Good	1,569	32.82	31.88
4	Fair	504	10.54	8.78
5	Poor	183	3.83	2.68
7	Don't know/Not Sure	8	0.17	0.11
9	Refused	1	0.02	0.03

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life

Column: 74-75

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?

Type: Num

SAS Variable Name: PHYSHLTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,550	32.43	31.98
88	None	3,125	65.38	66.43
77	Don't know/Not sure	82	1.72	1.28
99	Refused	23	0.48	0.31

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life

Column: 76-77

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?

Type: Num

SAS Variable Name: MENTHLTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	1,331	27.85	30.02
88	None	3,343	69.94	68.17
77	Don't know/Not sure	82	1.72	1.38
99	Refused	24	0.50	0.43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Poor Physical Health

Section: 2.3 Healthy Days - Health-Related Quality of Life

Column: 78-79

Type: Num

SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Number of days Notes: _ _ Number of days	804	34.45	33.91
88	None	1,475	63.20	64.49
77	Don't know/Not sure	41	1.76	1.17
99	Refused	14	0.60	0.43
BLANK	Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88	2,446		

Have any health care coverage

Section: 3.1 Health Care Access

Column: 80

Type: Num

SAS Variable Name: HLTHPLAN

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,298	89.92	87.73
2	No	467	9.77	11.51
7	Don't know/Not Sure	10	0.21	0.70
9	Refused	5	0.10	0.05

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Column: 81

Type: Num

SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more than one or is there no person who you think of as your personal doctor or health care provider?".)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, only one	3,458	72.34	67.11
2	More than one	411	8.60	8.22
3	No	895	18.72	24.39
7	Don't know/Not Sure	12	0.25	0.20
9	Refused	4	0.08	0.08

Could Not See Dr. Because of Cost

Section: 3.3 Health Care Access

Column: 82

Type: Num

SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	345	7.22	7.62
2	No	4,423	92.53	92.18
7	Don't know/Not sure	11	0.23	0.20
9	Refused	1	0.02	0.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Length of time since last routine checkup

Section: 3.4 Health Care Access

Column: 83

Type: Num

SAS Variable Name: CHECKUP

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	3,112	65.10	61.72
2	Within the past 2 years (1 year but < 2 years ago)	690	14.44	15.69
3	Within the past 5 years (2 years but < 5 years ago)	400	8.37	9.48
4	5 or more years ago	509	10.65	11.73
7	Don't know/Not sure	34	0.71	0.74
8	Never	31	0.65	0.60
9	Refused	4	0.08	0.05

Exercise in Past 30 Days

Section: 4.1 Exercise

Column: 84

Type: Num

SAS Variable Name: EXERANY2

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,563	74.54	77.93
2	No	1,210	25.31	21.95
7	Don't know/Not Sure	3	0.06	0.04
9	Refused	4	0.08	0.08

Ever Told by Doctor You Have Diabetes

Section: 5.1 Diabetes

Column: 85

Type: Num

SAS Variable Name: DIABETE2

Prologue:

Description: Have you ever been told by a doctor that you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If Respondent says pre-diabetes or boarderline diabetes, use response code 4.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	392	8.20	6.71
2	Yes, but female told only during pregnancy	30	0.63	0.61
3	No	4,290	89.75	91.71
4	No, pre-diabetes or boarderline diabetes	64	1.34	0.90
7	Don't know/Not Sure	3	0.06	0.05
9	Refused	1	0.02	0.02

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Last Visited Dentist or Dental Clinic

Section: 6.1 Oral Health

Column: 86

Type: Num

SAS Variable Name: LASTDEN3

Prologue:

Description: How long has it been since you last visited a dentist or a dental clinic for any reason? Include visits to dental specialists, such as orthodontists.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	3,247	67.93	70.26
2	Within the past 2 years (1 year but < 2 years ago)	511	10.69	9.95
3	Within the past 5 years (2 years but < 5 years ago)	438	9.16	9.03
4	5 or more years ago	534	11.17	9.74
7	Don't know/Not sure	26	0.54	0.53
8	Never	17	0.36	0.32
9	Refused	7	0.15	0.17

Number of Permanent Teeth Removed

Section: 6.2 Oral Health

Column: 87

Type: Num

SAS Variable Name: RMVTETH3

Prologue:

Description: How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost due to infection, but do not include teeth lost for other reasons, such as injury or orthodontics. (If wisdom teeth are removed because of tooth decay or gum disease, they should be included in the count for lost teeth)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	1 to 5	1,527	31.95	27.90
2	6 or more, but not all	638	13.35	10.02
3	All	409	8.56	6.01
7	Don't know/Not sure	58	1.21	0.91
8	None	2,132	44.60	54.93
9	Refused	16	0.33	0.23

When Teeth Last Cleaned by Dentist or Hygienist

Section: 6.3 Oral Health

Column: 88

Type: Num

SAS Variable Name: DENCLEAN

Prologue:

Description: How long has it been since you had your teeth cleaned by a dentist or dental hygienist?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	2,924	67.09	69.33
2	Within the past 2 years (1 year but < 2 years ago)	454	10.42	9.77
3	Within the past 5 years (2 years but < 5 years ago)	391	8.97	9.19
4	5 or more years ago	429	9.84	8.94
7	Don't know/Not sure	37	0.85	0.68
8	Never	115	2.64	1.98
9	Refused	8	0.18	0.10
BLANK	Not asked or Missing	422		

Notes: Section 6.01, LASTDEN3, is coded 8; or Section 6.02, RMVTEETH, is coded 3, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Ever Diagnosed with Heart Attack

Section: 7.1 Cardiovascular Disease

Column: 89

Type: Num

SAS Variable Name: CVDINFR3

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: A heart attack, also called a myocardial infraction?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	268	5.61	4.01
2	No	4,488	93.89	95.58
7	Don't know/Not sure	24	0.50	0.41

Angina or coronary heart disease

Section: 7.2 Cardiovascular Disease

Column: 90

Type: Num

SAS Variable Name: CVDCRHD3

Prologue:

Description: [Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":] Angina or coronary heart disease.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	260	5.44	3.98
2	No	4,471	93.54	95.38
7	Don't know/Not sure	48	1.00	0.64
9	Refused	1	0.02	0.00

Ever Diagnosed with a Stroke

Section: 7.3 Cardiovascular Disease

Column: 91

Type: Num

SAS Variable Name: CVDSTRK3

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me "Yes", "No", or you're "Not sure":

Description: (Ever told) you had a stroke.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	136	2.85	2.01
2	No	4,633	96.92	97.79
7	Don't know/Not sure	11	0.23	0.20

Ever Told Had Asthma

Section: 8.1 Asthma

Column: 92

Type: Num

SAS Variable Name: ASTHMA2

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	468	9.79	10.28
2	No - Go to Section 9.01 QLACTLM2	4,303	90.02	89.51
7	Don't know/Not Sure - Go to Section 9.01 QLACTLM2	8	0.17	0.21
9	Refused - Go to Section 9.01 QLACTLM2	1	0.02	0.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Still Have Asthma

Section: 8.2 Asthma

Column: 93

Type: Num

SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	339	72.44	68.45
2	No	117	25.00	28.27
7	Don't know/Not Sure	12	2.56	3.28
BLANK	Not asked or Missing	4,312		

Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing

Activity Limitation Due to Health Problems

Section: 9.1 Disability

Column: 94

Type: Num

SAS Variable Name: QLACTLM2

Prologue: The following questions are about health problems or impairments you may have.

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	901	18.85	15.20
2	No	3,856	80.67	84.31
7	Don't know/Not Sure	20	0.42	0.46
9	Refused	3	0.06	0.03

Health Problems Requiring Special Equipment

Section: 9.2 Disability

Column: 95

Type: Num

SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	293	6.13	4.35
2	No	4,484	93.81	95.53
7	Don't know/Not Sure	2	0.04	0.11
9	Refused	1	0.02	0.01

Smoked at Least 100 Cigarettes

Section: 10.1 Tobacco Use

Column: 96

Type: Num

SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,155	45.08	43.51
2	No - Go to Section 11.01 AGE	2,609	54.58	56.20
7	Don't know/Not Sure - Go to Section 11.01 AGE	12	0.25	0.25
9	Refused - Go to Section 11.01 AGE	4	0.08	0.04

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Frequency of Days Now Smoking

Section: 10.2 Tobacco Use

Column: 97

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

Type: Num

SAS Variable Name: SMOKDAY2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Every day	659	30.58	35.72
2	Some days	187	8.68	9.03
3	Not at all - Go to Section 11.01 AGE	1,309	60.74	55.25
BLANK	Not asked or Missing	2,625		

Notes: Section 10.01, SMOKE100, is coded 2, 7, 9, or Missing

Stopped Smoking in past 12 months

Section: 10.3 Tobacco Use

Column: 98

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking?

Type: Num

SAS Variable Name: STOPSMK2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	391	46.22	48.93
2	No	449	53.07	50.80
7	Don't know/Not Sure	1	0.12	0.01
9	Refused	5	0.59	0.26
BLANK	Not asked or Missing	3,934		

Notes: Section 10.01, SMOKE100, is coded 2, 7, 9, or Missing or Section 10.02, SMOKEDAY, is coded 3, 9, or Missing

Reported Age in Years

Section: 11.1 Demographics

Column: 99-100

Prologue:

Description: What is your age?

Type: Num

SAS Variable Name: AGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	2	0.04	0.02
9	Refused	52	1.09	0.66
18 - 24	Age 18 - 24	202	4.23	15.76
	Notes: __ Code age in years			
25 - 34	Age 25 - 34	519	10.86	15.38
35 - 44	Age 35 - 44	749	15.67	16.52
45 - 54	Age 45 - 54	1,064	22.26	19.42
55 - 64	Age 55 - 64	821	17.18	13.12
65 - 99	Age 65 or older	1,371	28.68	19.12

Hispanic/Latino

Section: 11.2 Demographics

Column: 101

Prologue:

Description: Are you Hispanic or Latino?

Type: Num

SAS Variable Name: HISPANC2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	1.13	1.13
2	No	4,689	98.10	98.29
7	Don't know/Not Sure	25	0.52	0.41
9	Refused	12	0.25	0.17

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Multiple Race

Section: 11.3 Demographics

Column: 102-107

Type: Char

SAS Variable Name: MRACE

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.02	0.03
9	Refused	23	0.48	0.49
	Notes: Specify_____			
HIDDEN	Data not displayed	4,756	99.50	99.48
	Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report			

Respondent Race Choice

Section: 11.4 Demographics

Column: 108

Type: Num

SAS Variable Name: ORACE2

Prologue:

Description: Which one of these groups would you say best represents your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	18	64.29	43.84
2	Black or African American	1	3.57	0.31
3	Asian	1	3.57	3.13
5	American Indian, Alaska Native	4	14.29	35.90
6	Other	2	7.14	6.68
	Notes: Specify_____			
7	Don't know/Not sure	1	3.57	1.30
9	Refused	1	3.57	8.84
BLANK	Not asked or Missing	4,752		
	Notes: Section 11.03, MRACE, has only one valid race code			

Marital Status

Section: 11.5 Demographics

Column: 109

Type: Num

SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Married	2,878	60.21	63.98
2	Divorced	551	11.53	7.26
3	Widowed	676	14.14	7.27
4	Separated	43	0.90	0.77
5	Never married	552	11.55	17.70
6	A member of an unmarried couple	71	1.49	2.91
9	Refused	9	0.19	0.11

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Number of Children in Household

Section: 11.6 Demographics

Column: 110-111

Prologue:

Description: How many children less than 18 years of age live in your household?

Type: Num

SAS Variable Name: CHILDREN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 87	Number of children Notes: _ _ = Number of children	1,381	28.89	37.81
88	None	3,398	71.09	62.17
99	Refused	1	0.02	0.02

Education Level

Section: 11.7 Demographics

Column: 112

Prologue:

Description: What is the highest grade or year of school you completed?

Type: Num

SAS Variable Name: EDUCA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Never attended school or only kindergarten	2	0.04	0.03
2	Grades 1 - 8 (Elementary)	229	4.79	3.09
3	Grades 9 - 11 (Some high school)	201	4.21	4.58
4	Grade 12 or GED (High school graduate)	1,435	30.02	28.80
5	College 1 year to 3 years (Some college or technical school)	1,486	31.09	32.39
6	College 4 years or more (College graduate)	1,419	29.69	31.00
9	Refused	8	0.17	0.13

Employment Status

Section: 11.8 Demographics

Column: 113

Prologue:

Description: Are you currently: (employment status)

Type: Num

SAS Variable Name: EMPLOY

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed for wages	2,427	50.77	55.74
2	Self-employed	578	12.09	11.08
3	Out of work for more than 1 year	47	0.98	0.88
4	Out of work for less than 1 year	59	1.23	2.14
5	A homemaker	348	7.28	6.61
6	A student	88	1.84	5.40
7	Retired	1,066	22.30	15.25
8	Unable to work	159	3.33	2.83
9	Refused	8	0.17	0.07

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Income Level

Section: 11.9 Demographics

Column: 114-115

Type: Num

SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$10,000 Notes: If "no," code 02	169	3.54	3.16
2	Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01	227	4.75	3.81
3	Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02	312	6.53	5.52
4	Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03	410	8.58	7.56
5	Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06	614	12.85	12.54
6	Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07	836	17.49	17.47
7	Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08	783	16.38	18.01
8	\$75,000 or more	734	15.36	18.31
77	Don't know/Not sure	312	6.53	7.75
99	Refused	383	8.01	5.86

Reported Weight in Pounds

Section: 11.10 Demographics

Column: 116-119

Type: Num

SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions up.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
50 - 0999	Weight (pounds) Notes: 0 _ _ _ = weight in pounds	4,531	94.79	95.60
7777	Don't know/Not sure	70	1.46	1.74
9000 - 9998	Weight (kilograms) Notes: The initial '9' indicates this was a metric value.	3	0.06	0.03
9999	Refused	176	3.68	2.63

Reported Height in Feet and Inches

Section: 11.11 Demographics

Column: 120-123

Type: Num

SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round fractions down.]

Value	Value Label	Frequency	Percentage	Weighted Percentage
200 - 711	Height (ft/inches) Notes: 0 _ / _ _ = feet / inches	4,732	99.00	99.34
7777	Don't know/Not sure	25	0.52	0.26
9000 - 9998	Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value.	5	0.10	0.13
9999	Refused	18	0.38	0.26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

County Code

Section: 11.12 Demographics

Column: 124-126

Prologue:

Description: What county do you live in?

Type: Num

SAS Variable Name: CTYCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know/Not sure	23	0.48	0.61
999	Refused	39	0.82	0.67
HIDDEN	Data not displayed	4,718	98.70	98.72

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Zipcode of residence

Section: 11.13 Demographics

Column: 127-131

Prologue:

Description: What is your ZIP Code where you live?

Type: Char

SAS Variable Name: ZIPCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
77777	Don't know/Not Sure	52	1.09	0.88
99999	Refused	67	1.40	1.18
HIDDEN	Data not displayed	4,661	97.51	97.94

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Household Telephones

Section: 11.14 Demographics

Column: 132

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are only used by a computer or fax machine.

Type: Num

SAS Variable Name: NUMHHOL2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	193	4.04	3.36
2	No - Go to Section 11.16 TELSERV2	4,582	95.86	96.55
9	Refused - Go to Section 11.16 TELSERV2	5	0.10	0.09

Residential Phones

Section: 11.15 Demographics

Column: 133

Prologue:

Description: How many of these are residential numbers?

Type: Num

SAS Variable Name: NUMPHON2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Residential telephone number	93	48.19	67.12
2	Residential telephone numbers	85	44.04	28.26
3	Residential telephone numbers	8	4.15	1.84
4	Residential telephone numbers	3	1.55	0.48
5	Residential telephone numbers	1	0.52	0.17
7	Don't know/Not Sure	3	1.55	2.14
BLANK	Not asked or Missing	4,587		

Notes: Section 11.14, NUMHHOL2, is coded 2, 7, 9 or missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Lost phone service one week+ last 12 mos

Section: 11.16 Demographics

Column: 134

Type: Num

SAS Variable Name: TELSERSV2

Prologue:

Description: During the past 12 months, has your household been without telephone service for 1 week or more? Do not include interruptions of phone service due to weather or natural disasters.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	97	2.03	3.97
2	No	4,670	97.70	95.62
7	Don't know/Not Sure	10	0.21	0.36
9	Refused	3	0.06	0.05

Respondents Sex

Section: 11.17 Demographics

Column: 135

Type: Num

SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male - Go to Section 12.01 VETERAN	1,928	40.33	49.47
2	Female - If 11.01, AGE, is 45 or older go to Section 12.01 VETERAN	2,852	59.67	50.53

Pregnancy Status

Section: 11.18 Demographics

Column: 136

Type: Num

SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	50	5.67	6.83
2	No	827	93.76	92.81
7	Don't know/Not Sure	1	0.11	0.07
9	Refused	4	0.45	0.29
BLANK	Not asked or Missing	3,898		

Notes: Section 11.17, SEX, is coded 1; or Section 11.01, AGE, is greater than 44

Are You A Veteran

Section: 12.1 Veteran's Status

Column: 137

Type: Num

SAS Variable Name: VETERAN

Prologue: The next question relates to military service in the United States Armed Forces, either in the regular military or in a National Guard or Reserve unit.

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National Guard or military reserve unit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	684	14.33	14.65
2	No	4,085	85.60	85.30
9	Refused	3	0.06	0.05
BLANK	Not asked or Missing	8		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Days in past 30 had alcoholic beverage

Section: 13.1 Alcohol Consumption

Column: 138

Type: Num

SAS Variable Name: DRNKANY4

Prologue:

Description: During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,646	55.56	58.83
2	No - Go to Section 14.01 FLUSHOT3	2,095	43.99	40.80
7	Don't know/Not Sure - Go to Section 14.01 FLUSHOT3	10	0.21	0.20
9	Refused - Go to Section 14.01 FLUSHOT3	11	0.23	0.17
BLANK	Not asked or Missing	18		

Days in past 30 had alcoholic beverage

Section: 13.2 Alcohol Consumption

Column: 139-141

Type: Num

SAS Variable Name: ALCDAY4

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Days per week Notes: 1_ _ = Days per week	803	30.39	29.70
201 - 299	Days in past 30 Notes: 2_ _ = Days in past 30	1,745	66.05	67.03
777	Don't know/Not sure	59	2.23	2.02
888	No drinks in past 30 days - Go to Section 14.01 FLUSHOT3	18	0.68	0.62
999	Refused	17	0.64	0.63
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9	2,138		

Avg alcoholic drinks per day in past 30

Section: 13.3 Alcohol Consumption

Column: 142-143

Type: Num

SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12 ounce beer, a 4 ounce glass of wine, or a drink with one shot of liquor. On the days when you drank, during the past 30 days, about how many drinks did you drink on the average?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks Notes: _ _ Number of drinks	2,547	97.25	96.79
77	Don't know/Not sure	53	2.02	2.37
99	Refused	19	0.73	0.84
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888, 999, or Missing	2,161		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Binge Drinking

Section: 13.4 Alcohol Consumption

Column: 144-145

Type: Num

SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks for men or 4 or more drinks for women on an occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of Times	762	29.13	35.85
88	None	1,805	69.00	62.01
77	Don't know/Not Sure	31	1.19	1.49
99	Refused	18	0.69	0.65
BLANK	Not asked or Missing	2,164		

Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 12.02, ALCDAY4, is coded 888, 999, or Missing

Most drinks on single occasion past 30 days

Section: 13.5 Alcohol Consumption

Column: 146-147

Type: Num

SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of drinks	2,500	95.68	94.96
77	Don't know/Not sure	93	3.56	4.29
99	Refused	20	0.77	0.74
BLANK	Not asked or Missing	2,167		

Notes: Section 13.01, DRNKANY4, is coded 2, 7, or 9; or Section 13.02, ALCDAY4, is coded 888, 999, or Missing

Flu shot past 12 mos

Section: 14.1 Immunization/Adult Influenza

Column: 148

Type: Num

SAS Variable Name: FLUSHOT3

Prologue:

Description: A flu shot is an influenza vaccine injected in your arm. During the past 12 months, have you had a flu shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,982	41.79	37.58
2	No	2,750	57.98	61.96
7	Don't know/Not Sure	11	0.23	0.46
BLANK	Not asked or Missing	37		

Flu spray past 12 mos

Section: 14.2 Immunization/Adult Influenza

Column: 149

Type: Num

SAS Variable Name: FLUSPRY2

Prologue:

Description: During the past 12 months, have you had a flu vaccine that was sprayed in your nose? The flu vaccine that is sprayed in the nose is also called FluMist™.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	0.78	0.88
2	No	4,689	98.88	98.81
7	Don't know/Not Sure	11	0.23	0.25
9	Refused	5	0.11	0.06
BLANK	Not asked or Missing	38		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Date most recent flu vaccine(mmyyyy)

Section: 14.3 Immunization/Adult Influenza

Column: 150-155

Type: Char

SAS Variable Name: RCVFVAD

Prologue: Questions 14.3 to 14.8 are part of the Adult Influenza Supplement and will only be used if the supplement is activated.

Description: During what month and year did you receive your most recent flu vaccination?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 14.01, FLUSHOT3, is coded 2, 7, or 9; or Section 14.02, FLUSPRY2, is coded 2, 7, or 9	4,780		

Main reason no flu vaccine this season

Section: 14.4 Immunization/Adult Influenza

Column: 156-157

Type: Num

SAS Variable Name: RSNOFAD2

Prologue:

Description: What is the MAIN reason you have NOT received a flu vaccination for this current flu season?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 14.03, RCVFVAD, is more recent than 09/2005	4,780		

Health pro said have health problems

Section: 14.5 Immunization/Adult Influenza

Column: 158

Type: Num

SAS Variable Name: DRHPAD

Prologue:

Description: Has a doctor, nurse, or other health professional ever said that you have any of the following health problems? Read each problem listed below:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Still have this health problem

Section: 14.6 Immunization/Adult Influenza

Column: 159

Type: Num

SAS Variable Name: HAVHPAD

Prologue:

Description: Do you still have (this/any of these) problem(s)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 14.05, DRHPAD, is coded 2, 7, or 9	4,780		

Health care facility worker

Section: 14.7 Immunization/Adult Influenza

Column: 160

Type: Num

SAS Variable Name: WRKHCF

Prologue:

Description: Do you currently work in a health care facility, such as a medical clinic, hospital, or nursing home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Work entails contact w/ patients

Section: 14.8 Immunization/Adult Influenza

Column: 161

Type: Num

SAS Variable Name: DIRCONT

Prologue:

Description: Do you have direct face-to-face or hands-on contact with patients as a part of your routine work?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Notes: Section 14.07, WRKHCF, is coded 2, 7, or 9

Pneumonia shot ever

Section: 14.9 Immunization/Adult Influenza

Column: 162

Type: Num

SAS Variable Name: PNEUVAC3

Prologue:

Description: Have you EVER had a pneumonia shot? A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different from the flu shot. Have you ever had a pneumonia shot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,357	28.65	23.61
2	No	3,048	64.34	66.41
7	Don't know/Not Sure	331	6.99	9.96
9	Refused	1	0.02	0.03
BLANK	Not asked or Missing	43		

Ever had Hepatitis B vaccine

Section: 14.10 Immunization/Adult Influenza

Column: 163

Type: Num

SAS Variable Name: HEPBVAC

Prologue:

Description: Have you EVER received the hepatitis B vaccine? The hepatitis B vaccine is completed after the third shot is given.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,152	24.32	31.75
2	No	2,883	60.87	52.61
7	Don't know/Not sure	699	14.76	15.61
9	Refused	2	0.04	0.02
BLANK	Not asked or Missing	44		

Do Any High Risk Situations Apply

Section: 14.11 Immunization/Adult Influenza

Column: 164

Type: Num

SAS Variable Name: HEPBRSN

Prologue:

Tell me if ANY of these statements is true for YOU. Do NOT tell me WHICH statement or statements are true for you, just if ANY of them are:

Description: You have hemophilia and have received clotting factor concentrate: You are a man who has had sex with other men, even just one time: You have taken street drugs by needle, even just one time: You traded sex for money or drugs, even just one time:

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	2.31	3.77
2	No	4,591	97.39	95.94
7	Don't know/Not sure	3	0.06	0.08
9	Refused	11	0.23	0.21
BLANK	Not asked or Missing	66		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Had Fall Past Three Months

Section: 15.1 Falls

Column: 165-166

Type: Num

SAS Variable Name: FALL3MN2

Prologue: The next question asks about a recent fall. By a fall, we mean when a person unintentionally comes to rest on the ground or another lower level.

Description: In the past 3 months, how many times have you fallen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: _ _ Number of times, 76=76 or more	338	10.40	10.49
2		119	3.66	3.52
3		24	0.74	0.62
4		16	0.49	0.57
5		4	0.12	0.11
6		8	0.25	0.25
7		1	0.03	0.03
8		2	0.06	0.05
10		4	0.12	0.21
15		1	0.03	0.01
20		1	0.03	0.04
76		1	0.03	0.00
88	None - Go to Section 16.01 SEATBLT2	2,715	83.51	83.65
77	Don't know/Not Sure - Go to Section 16.01 SEATBLT2	17	0.52	0.45
BLANK	Missing Notes: Section 11.01, AGE, coded 18-44, 7, or 9	1,529		

Injured in Fall

Section: 15.2 Falls

Column: 167-168

Type: Num

SAS Variable Name: FALLINJ2

Prologue:

Description: How many of these falls caused an injury? By an injury, we mean the fall caused you to limit your regular activities for at least a day or to go see a doctor.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of falls Notes: _ _ Number of times, 76=76 or more	136	26.20	24.48
2		19	3.66	3.65
3		4	0.77	1.04
4		2	0.39	0.46
5		4	0.77	1.04
50		1	0.19	0.02
88	None	350	67.44	68.79
77	Don't know/Not Sure	2	0.39	0.46
99	Refused	1	0.19	0.05
BLANK	Missing Notes: Section 11.01, AGE, coded 18-44, 7, or 9; or Section 15.01, FALL3MN2, is coded 77, 88, 99 or Missing	4,261		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

How often use seatbelts in car?

Section: 16.1 Seatbelt Use

Column: 169

Type: Num

SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say...

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	2,791	59.46	58.13
2	Nearly always	1,186	25.27	25.60
3	Sometimes	405	8.63	9.26
4	Seldom	152	3.24	3.52
5	Never	151	3.22	3.14
7	Don't know/Not sure	5	0.11	0.32
8	Never drive or ride in a car	4	0.09	0.04
BLANK	Not asked or Missing	86		

Did you drive after having too much to drink in the past 30 days?

Section: 17.1 Drinking and Driving

Column: 170-171

Type: Num

SAS Variable Name: DRINKDRI

Prologue:

Description: During the past month, how many times have you driven when you've had perhaps too much to drink?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: _ _ Number of times	162	6.18	7.29
88	None	2,454	93.66	92.61
77	Don't know/Not sure	4	0.15	0.10
BLANK	Not asked or Missing Notes: Section 13.01, DRNKANY4, is coded 2	2,160		

Have You Ever Had a Mammogram

Section: 18.1 Women's Health

Column: 172

Type: Num

SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,181	77.70	65.86
2	No - Go to Section 18.03 PROFEXAM	624	22.23	34.08
7	Don't know/Not sure - Go to Section 18.03 PROFEXAM	1	0.04	0.03
9	Refused - Go to Section 18.03 PROFEXAM	1	0.04	0.02
BLANK	Not asked or Missing Notes: Section 11.17, SEX, is coded 1	1,973		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

How Long since Last Mammogram

Section: 18.2 Women's Health

Column: 173

Prologue:

Description: How long has it been since you had your last mammogram?

Type: Num

SAS Variable Name: HOWLONG

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (1 to 12 months ago)	1,459	66.90	67.30
2	Within the past 2 years (1 to 2 years ago)	350	16.05	15.33
3	Within the past 3 years (2 to 3 years ago)	128	5.87	6.12
4	Within the past 5 years (3 to 5 years ago)	114	5.23	5.33
5	5 or more years ago	108	4.95	4.88
7	Don't know/Not sure	21	0.96	0.98
9	Refused	1	0.05	0.06
BLANK	Not asked or Missing	2,599		

Notes: Section 11.17, SEX, is coded 1; or Section 18.01, HADMAM, is coded 2, 7, 9, or Missing

Ever Had Breast Physical Exam by Doctor

Section: 18.3 Women's Health

Column: 174

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever had a clinical breast exam?

Type: Num

SAS Variable Name: PROFEXAM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,605	92.84	92.17
2	No - Go to Section 18.05 HADPAP2	190	6.77	7.51
7	Don't know/Not sure - Go to Section 18.05 HADPAP2	9	0.32	0.29
9	Refused - Go to Section 18.05 HADPAP2	2	0.07	0.03
BLANK	Not asked or Missing	1,974		

Notes: Section 11.17, SEX, is coded 1

How Long since Last Breast Physical Exam

Section: 18.4 Women's Health

Column: 175

Prologue:

Description: How long has it been since your last breast exam?

Type: Num

SAS Variable Name: LENGEXAM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (1 to 12 months ago)	1,754	67.33	69.16
2	Within the past 2 years (1 to 2 years ago)	439	16.85	16.73
3	Within the past 3 years (2 to 3 years ago)	142	5.45	4.89
4	Within the past 5 years (3 to 5 years ago)	97	3.72	3.47
5	5 or more years ago	140	5.37	4.80
7	Don't know/Not sure	33	1.27	0.95
BLANK	Not asked or Missing	2,175		

Notes: Section 11.17, SEX, is coded 1; or Section 18.03, PROFEXAM, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Ever Had a Pap Test

Section: 18.5 Women's Health

Column: 176

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

Type: Num

SAS Variable Name: HADPAP2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,704	96.43	95.28
2	No - Go to Section 18.07 HADHYST2	94	3.35	4.48
7	Don't know/Not sure - Go to Section 18.07 HADHYST2	3	0.11	0.14
9	Refused - Go to Section 18.07 HADHYST2	3	0.11	0.10
BLANK	Not asked or Missing Notes: Section 11.17, SEX, is coded 1	1,976		

How Long Since Last Pap Test

Section: 18.6 Women's Health

Column: 177

Prologue:

Description: How long has it been since you had your last Pap test?

Type: Num

SAS Variable Name: LASTPAP2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (anytime less than 12 months ago)	1,396	51.63	58.97
2	Within the past 2 years (1 year but less than 2 years ago)	476	17.60	16.35
3	Within the past 3 years (2 years but less than 3 years ago)	207	7.66	6.76
4	Within the past 5 years (3 years but less than 5 years ago)	190	7.03	5.45
5	5 or more years ago	384	14.20	11.00
7	Don't know/Not sure	50	1.85	1.42
9	Refused	1	0.04	0.04
BLANK	Not asked or Missing Notes: Section 11.17, SEX, is coded 1; or Section 18.05, HADPAP2, is coded 2, 7, 9, or Missing	2,076		

Had Hysterectomy

Section: 18.7 Women's Health

Column: 178

Prologue:

Description: Have you had a hysterectomy? [A hysterectomy is an operation to remove the uterus (womb).]

Type: Num

SAS Variable Name: HADHYST2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	756	27.46	22.09
2	No	1,994	72.43	77.82
9	Refused	3	0.11	0.09
BLANK	Not asked or Missing Notes: Section 11.17, SEX, is coded 1; or Section 11.18, PREGNANT, is coded 1	2,027		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Ever Had PSA Test

Section: 19.1 Prostate Cancer Screening

Column: 179

Type: Num

SAS Variable Name: PSATEST

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	880	61.80	60.54
2	No - Go to Section 19.03 DIGRECEX	498	34.97	36.18
7	Don't know/Not Sure - Go to Section 19.03 DIGRECEX	45	3.16	3.26
9	Refused - Go to Section 19.03 DIGRECEX	1	0.07	0.02
BLANK	Not asked or Missing	3,356		
Notes: Section 11.01, AGE, is less than 40; or Section 11.17, SEX, is coded 2				

Time Since Last PSA Test

Section: 19.2 Prostate Cancer Screening

Column: 180

Type: Num

SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	585	66.48	64.20
2	Within the past 2 years (1 year but < 2 years ago)	155	17.61	19.11
3	Within the past 3 years (2 years but < 3 years ago)	66	7.50	8.72
4	Within the past 5 years (3 years but < 5 years ago)	46	5.23	5.10
5	5 or more years ago	22	2.50	2.41
7	Don't know/Not Sure	6	0.68	0.46
BLANK	Not asked or Missing	3,900		
Notes: Section 11.01, AGE, is less than 40; or Section 11.17, SEX, is coded 2; or Section 19.01, PSATEST, is coded, 2, 7, 9, or Missing				

Ever Had Digital Rectal Exam

Section: 19.3 Prostate Cancer Screening

Column: 181

Type: Num

SAS Variable Name: DIGRECEX

Prologue:

Description: A digital rectal exam is an exam in which a doctor, nurse or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. Have you ever had a digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,092	76.79	77.68
2	No - Go to Section 19.05 PROSTATE	319	22.43	21.78
7	Don't know/Not Sure - Go to Section 19.05 PROSTATE	10	0.70	0.46
9	Refused - Go to Section 19.05 PROSTATE	1	0.07	0.08
BLANK	Not asked or Missing	3,358		
Notes: Section 11.01, AGE, is less than 40; or Section 11.17, SEX, is coded 2				

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Time Since Last Digital Rectal Exam

Section: 19.4 Prostate Cancer Screening

Column: 182

Type: Num

SAS Variable Name: DRETIME

Prologue:

Description: How long has it been since your last digital rectal exam?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months)	559	51.24	50.81
2	Within the past 2 years (1 year but < 2 years ago)	190	17.42	18.51
3	Within the past 3 years (2 years but < 3 years ago)	105	9.62	10.70
4	Within the past 5 years (3 years but < 5 years ago)	78	7.15	6.83
5	5 or more years ago	144	13.20	11.81
7	Don't know/Not sure	13	1.19	1.11
9	Refused	2	0.18	0.24
BLANK	Not asked or Missing	3,689		

Notes: Section 11.01, AGE, is less than 40; or Section 11.17, SEX, is coded 2; or Section 19.03, DIGRECEX, is coded 2, 7, 9, or Missing

Ever Told You Had Prostate Cancer

Section: 19.5 Prostate Cancer Screening

Column: 183

Type: Num

SAS Variable Name: PROSTATE

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	56	3.94	3.72
2	No	1,362	95.92	96.18
7	Don't know/Not sure	2	0.14	0.09
BLANK	Not asked or Missing	3,360		

Notes: Section 11.01, AGE, is less than 40; or Section 11.17, SEX, is coded 2

Ever Had Blood Stool Test Using Home Kit

Section: 20.1 Colorectal Cancer Screening

Column: 184

Type: Num

SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have you ever had this test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,088	39.81	40.17
2	No - Go to Section 20.03 HADSIGM3	1,629	59.60	59.48
7	Don't know/Not Sure - Go to Section 20.03 HADSIGM3	14	0.51	0.31
9	Refused - Go to Section 20.03 HADSIGM3	2	0.07	0.04
BLANK	Not asked or Missing	2,047		

Notes: Section 11.01, AGE, is less than 50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Time Since Last Blood Stool Test

Section: 20.2 Colorectal Cancer Screening

Column: 185

Type: Num

SAS Variable Name: LSTBLDS2

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	392	36.03	37.32
2	Within the past 2 years (1 year but < 2 years ago)	195	17.92	17.17
3	Within the past 5 years (2 years but < 5 years ago)	268	24.63	24.74
4	5 or more years ago	214	19.67	19.27
7	Don't know/Not sure	19	1.75	1.50
BLANK	Not asked or Missing	3,692		

Notes: Section 11.01, AGE, is less than 50; or Section 20.01, BLDSTOOL, is coded 2, 7, 9, or Missing

Ever Had Sigmoidoscopy/Colonoscopy

Section: 20.3 Colorectal Cancer Screening

Column: 186

Type: Num

SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. Have you ever had either of these exams?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,534	56.17	55.99
2	No - Go to Section 21.01 HIVTST5	1,178	43.13	43.40
7	Don't know/Not Sure - Go to Section 21.01 HIVTST5	19	0.70	0.61
BLANK	Not asked or Missing	2,049		

Notes: Section 11.01, AGE, is less than 50

Time Since Last Sigmoidoscopy/Colonoscopy

Section: 20.4 Colorectal Cancer Screening

Column: 187

Type: Num

SAS Variable Name: LASTSIG2

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past year (< 12 months ago)	372	24.25	24.46
2	Within the past 2 years (1 year but < 2 years ago)	276	17.99	17.62
3	Within the past 5 years (2 years but < 5 years ago)	584	38.07	38.23
4	Within the past 10 years (5 years but < 10 years ago)	175	11.41	11.43
5	10 or more years ago	112	7.30	7.67
7	Don't know/Not Sure	14	0.91	0.54
9	Refused	1	0.07	0.05
BLANK	Not asked or Missing	3,246		

Notes: Section 11.01, AGE, is less than 50; or Section 20.04, HADSIGM3, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Ever tested HIV

Section: 21.1 HIV/AIDS

Column: 188

Prologue:

Description: Have you EVER been tested for HIV?

Type: Num

SAS Variable Name: HIVTST5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	702	21.11	23.69
2	No - Go to Section 22.01 EMTSUPRT	2,573	77.38	74.87
7	Don't know/Not Sure - Go to Section 22.01 EMTSUPRT	50	1.50	1.43
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is greater than 64	1,455		

Month and Year of Last HIV Test

Section: 21.2 HIV/AIDS

Column: 189-194

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985, code "777777").[Include saliva tests.]

Type: Num

SAS Variable Name: HIVTSTD2

Value	Value Label	Frequency	Percentage	Weighted Percentage
11985 - 772006	Code month and year Notes: _ _/_ _ _ _ month and year	619	88.18	89.72
777777	Don't know/Not sure	80	11.40	9.78
999999	Refused	3	0.43	0.50
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is greater than 64 or Section 21.01, HIVTST5, is coded 2, 7, 9, or Missing	4,078		

Location of last HIV test

Section: 21.3 HIV/AIDS

Column: 195-196

Prologue:

Description: Where did you have your last HIV test, at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at home, or somewhere else?

Type: Num

SAS Variable Name: WHRTST7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Private doctor or HMO	146	20.83	19.83
2	Counseling and testing site	15	2.14	1.89
3	Hospital	135	19.26	19.85
4	Clinic	266	37.95	39.40
5	In a jail or prison (or other correctional facility)	12	1.71	1.81
6	Home	3	0.43	0.21
7	Somewhere else	33	4.71	4.25
8	Drug treatment facility	86	12.27	12.24
77	Don't know/Not sure	5	0.71	0.52
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is greater than 64 or Section 21.01, HIVTST5, is coded 2, 7, 9, or Missing	4,079		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Was your last HIV test a rapid test?

Section: 21.4 HIV/AIDS

Column: 197

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

Type: Num

SAS Variable Name: HIVRDTST

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	8.33	10.25
2	No	150	83.33	82.27
7	Don't know/Not sure	15	8.33	7.48
BLANK	Not asked or Missing	4,600		

Notes: Section 11.01, AGE, is greater than 64; or Section 21.02, HIVTSTD2, is not within the last 12 months

How often get emotional support needed

Section: 22.1 Emotional Support and Life Satisfaction

Column: 198

Prologue:

Description: How often do you get the social and emotional support you need?

Type: Num

SAS Variable Name: EMTSUPRT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always	2,078	44.68	47.55
2	Usually	1,659	35.67	35.07
3	Sometimes	468	10.06	9.18
4	Rarely	116	2.49	2.34
5	Never	246	5.29	4.41
7	Don't know/Not sure	70	1.51	1.21
9	Refused	14	0.30	0.24
BLANK	Not asked or Missing	129		

Satisfaction with life

Section: 22.2 Emotional Support and Life Satisfaction

Column: 199

Prologue:

Description: In general, how satisfied are you with your life?

Type: Num

SAS Variable Name: LSATISFY

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Very satisfied	2,028	43.60	45.75
2	Satisfied	2,431	52.27	50.08
3	Dissatisfied	136	2.92	3.16
4	Very dissatisfied	23	0.49	0.37
7	Don't know/Not sure	22	0.47	0.41
9	Refused	11	0.24	0.23
BLANK	Not asked or Missing	129		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Birth date of child

Module: 1.1 Random Child Selection

Column: 200-205

Prologue:

Description: What is the birth month and year of the "Xth" child?

Type: Char

SAS Variable Name: RCSBIRTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
777777	Don't know/Not sure	29	2.18	3.41
999999	Refused	57	4.29	4.41
BLANK	Not asked or Missing Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing	3,451		
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,243	93.53	92.18

Gender of child

Module: 1.2 Random Child Selection

Column: 206

Prologue:

Description: Is the child a boy or a girl?

Type: Num

SAS Variable Name: RCSGENDR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Boy	669	50.34	49.35
2	Girl	651	48.98	50.14
9	Refused	9	0.68	0.51
BLANK	Not asked or Missing Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing	3,451		

Ethnicity of child

Module: 1.3 Random Child Selection

Column: 207

Prologue:

Description: Is the child Hispanic or Latino?

Type: Num

SAS Variable Name: RCHISLAT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	1.73	1.74
2	No	1,297	97.59	97.58
7	Don't know/Not Sure	2	0.15	0.14
9	Refused	7	0.53	0.54
BLANK	Not asked or Missing Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing	3,451		

Race of child (multiple possible)

Module: 1.4 Random Child Selection

Column: 208-213

Prologue:

Description: Which one or more of the following would you say is the race of the child?

Type: Char

SAS Variable Name: RCSRACE

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	7	0.53	0.58
BLANK	Not asked or Missing Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing	3,451		
HIDDEN	Data Not Displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	1,322	99.47	99.42

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Race of child

Module: 1.5 Random Child Selection

Column: 214

Type: Num

SAS Variable Name: RCSBRACE

Prologue:

Description: Which one of these groups would you say best represents the child's race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White	20	60.61	52.14
2	Black or African American	5	15.15	12.77
5	American Indian or Alaskan Native	3	9.09	17.82
6	Other	2	6.06	4.58
7	Don't know/Not sure	2	6.06	5.51
9	Refused	1	3.03	7.17
BLANK	Not asked or Missing	4,747		

Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 01.04, RCSRACE, is coded 1, 2, 3, 4, 5, 6, 7, or 9

Relationship to child

Module: 1.6 Random Child Selection

Column: 215

Type: Num

SAS Variable Name: RCSRELN1

Prologue:

Description: How are you related to the child?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Parent (mother or father),biologic, step or adoptive parent	1,235	92.93	85.29
2	Grandparent	21	1.58	1.37
3	Foster parent or guardian	9	0.68	0.67
4	Sibling (brother or sister), biologic,step or adoptive sibling	40	3.01	9.59
5	Other relative	9	0.68	1.71
6	Not related in any way	12	0.90	1.16
7	Don't know/Not sure	1	0.08	0.05
9	Refused	2	0.15	0.16
BLANK	Not asked or Missing	3,451		

Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing

Health pro said child has health problems

Module: 2.1 Child Influenza Vaccination

Column: 216

Type: Num

SAS Variable Name: DRHPCH

Prologue:

Description: Has a doctor, nurse, or other medical professional ever said that [Fill: he/she] has any of the following health problems? Read each problem listed below: Asthma, Lung problems, other than asthma, Heart problems, Diabetes, Kidney problems, Sickle cell anemia or other anemia,

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 02.01, DRHPCH, is coded 2, 7, 9, or missing

Child still have health problem

Module: 2.2 Child Influenza Vaccination

Column: 217

Type: Num

SAS Variable Name: HAVHPCH

Prologue:

Description: Does [Fill: he/she] still have (this/any of these) problem(s)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 02.01, DRHPCH, is coded 2, 7, 9, or Missing

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Child flu shot past 12 mos

Module: 2.3 Child Influenza Vaccination

Column: 218

Type: Num

SAS Variable Name: CIFLUSH2

Prologue:

Description: During the past 12 months, has the child had a flu shot? A flu shot is an influenza vaccine injected in [his/her] arm or thigh?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing	4,780		

Date child rcvd most recent flu vaccine(mmyyyy)

Module: 2.4 Child Influenza Vaccination

Column: 219-224

Type: Char

SAS Variable Name: RCVFVCH2

Prologue:

Description: During what month and year did [Fill: he/she] receive the most recent flu vaccination? The most recent flu vaccination may have been either the flu shot or the flu spray.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 02.03, CIFLUSH2, is coded 2, 7, 9, or missing	4,780		

Main reason child no flu vaccine this season

Module: 2.5 Child Influenza Vaccination

Column: 225-226

Type: Num

SAS Variable Name: RNOFVCH2

Prologue:

Description: What is the MAIN reason [Fill: he/she] has not received a flu vaccination for this current flu season?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing	4,780		

Hlth pro ever said child has asthma

Module: 3.1 Childhood Asthma

Column: 227

Type: Num

SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor or other medical professional EVER said that the child has asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing	4,780		

Child still have asthma?

Module: 3.2 Childhood Asthma

Column: 228

Type: Num

SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.06, CHILDREN, is coded 0, 88, 99, or Missing; or Module 03.01, CASTHDX2, is coded 2, 7, 9, or Missing	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Age When Told Diabetic

Module: 4.1 Diabetes

Column: 229-230

Prologue:

Description: How old were you when you were told you have diabetes?

Type: Num
SAS Variable Name: DIABAGE2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 97	Age in years Notes: _ _ Code age in years, 97 = 97 or older	375	95.66	97.25
98	Don't know/Not sure	14	3.57	2.49
99	Refused	3	0.77	0.27
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,388		

Now Taking Insulin

Module: 4.2 Diabetes

Column: 231

Prologue:

Description: Are you now taking insulin?

Type: Num
SAS Variable Name: INSULIN

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	106	27.04	26.37
2	No	286	72.96	73.63
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,388		

Now Taking Diabetes Pills

Module: 4.3 Diabetes

Column: 232

Prologue:

Description: Are you taking diabetes pills?

Type: Num
SAS Variable Name: DIABPILL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	275	70.15	70.90
2	No	117	29.85	29.10
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,388		

How Often Check Blood for Glucose

Module: 4.4 Diabetes

Column: 233-235

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or friend, but do not include times when checked by a health professional.

Type: Num
SAS Variable Name: BLDSUGAR

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	261	66.58	64.59
201 - 299	Times per week Notes: 2 _ _ Times per week	70	17.86	19.93
301 - 399	Times per month Notes: 3 _ _ Times per month	18	4.59	4.57
401 - 499	Times per year Notes: 4 _ _ Times per year	3	0.77	0.72
777	Don't know/Not sure	3	0.77	0.58
888	Never	37	9.44	9.63
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,388		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

How Often Check Feet for Sores or Irritations

Module: 4.5 Diabetes

Column: 236-238

Type: Num

SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family member or friend, but do not include times when checked by a health professional.

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Times per day Notes: 1 _ _ Times per day	239	60.97	59.55
201 - 299	Times per week Notes: 2 _ _ Times per week	79	20.15	18.35
301 - 399	Times per month Notes: 3 _ _ Times per month	23	5.87	8.58
401 - 499	Times per year Notes: 4 _ _ Times per year	8	2.04	2.16
555	No feet	2	0.51	0.55
777	Don't know/Not sure	8	2.04	1.96
888	Never	32	8.16	8.64
999	Refused	1	0.26	0.22
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,388		

Ever Had Feet Sores or Irritations Lasting More Than Four Weeks

Module: 4.6 Diabetes

Column: 239

Type: Num

SAS Variable Name: FEETSORE

Prologue:

Description: Have you ever had any sores or irritations on your feet that took more than four weeks to heal?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	37	9.44	9.72
2	No	355	90.56	90.28
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,388		

Times Seen Health Professional for Diabetes

Module: 4.7 Diabetes

Column: 240-241

Type: Num

SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your diabetes?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: _ _ Number of times, 76=76 or more	351	89.54	89.91
88	None	30	7.65	7.92
77	Don't know/Not sure	11	2.81	2.16
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,388		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Times Checked for Glycosylated Hemoglobin

Module: 4.8 Diabetes

Column: 242-243

Type: Num

SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times in the past 12 months has a doctor, nurse, or other health professional checked you for hemoglobin "A one C"?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: _ _ Number of times, 76 = 76 or more	317	80.87	82.89
88	None	33	8.42	6.74
98	Never heard of hemoglobin "A one C" test	16	4.08	4.05
77	Don't know/Not sure	26	6.63	6.32
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,388		

Times Feet Check for Sores/irritations

Module: 4.9 Diabetes

Column: 244-245

Type: Num

SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	Number of times Notes: _ _ Number of times, 76=76 or more	306	78.46	82.22
88	None	82	21.03	17.37
77	Don't know/Not sure	1	0.26	0.20
99	Refused	1	0.26	0.21
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing; or Module 4.05, FEETCHK2, is coded 555	4,390		

Last Eye Exam Where Pupils Were Dilated

Module: 4.10 Diabetes

Column: 246

Type: Num

SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had eye exam in which the pupils were dilated? This would have made you temporarily sensitive to bright light.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past month (< 1 month ago)	73	18.62	18.84
2	Within the past year (1 month but < 12 months ago)	212	54.08	54.16
3	Within the past 2 years (1 year but < 2 years ago)	55	14.03	14.12
4	2 or more years ago	36	9.18	9.42
7	Don't know/Not sure	6	1.53	1.45
8	Never	10	2.55	2.01
BLANK	Not asked or Missing Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing	4,388		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Ever Told Diabetes Has Affected Eyes

Module: 4.11 Diabetes

Column: 247

Type: Num

SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	59	15.05	13.83
2	No	328	83.67	84.84
7	Don't know/Not sure	5	1.28	1.33
BLANK	Not asked or Missing	4,388		

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

Ever Taken Class in Managing Diabetes

Module: 4.12 Diabetes

Column: 248

Type: Num

SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	216	55.10	56.96
2	No	174	44.39	42.64
7	Don't know/Not sure	2	0.51	0.40
BLANK	Not asked or Missing	4,388		

Notes: Section 5.01, DIABETE2, is coded 2, 3, 4, 7, 9, or Missing

Difficulty recognizing friend across street

Module: 5.1 Visual Impairment and Access to Eye Care

Column: 249

Type: Num

SAS Variable Name: VIDFCLT2

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Notes: Section 11.01, AGE, is less than 40

Difficulty reading typed text

Module: 5.2 Visual Impairment and Access to Eye Care

Column: 250

Type: Num

SAS Variable Name: VIREDF2

Prologue:

Description: How much difficulty, if any, do you have reading print in newspaper, magazine, recipe, menu, or numbers? Would you say:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Notes: Section 11.01, AGE, is less than 40; or VIDFCLT2 is coded as 8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Last time visited eye care provider

Module: 5.3 Visual Impairment and Access to Eye Care

Column: 251

Type: Num

SAS Variable Name: VIPRFVS2

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is less than 40; or VIDFCLT2 is coded as 8; or VIREDIF2 is coded as 8	4,780		

Reason did not use eye doc past 12 mos

Module: 5.4 Visual Impairment and Access to Eye Care

Column: 252-253

Type: Num

SAS Variable Name: VINOCRE2

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is less than 40; or VIDFCLT2 is coded as 8; or VIREDIF2 is coded as 8; or VIPRFVS2 is coded as 1, 2, or 8	4,780		

When last eyexam

Module: 5.5 Visual Impairment and Access to Eye Care

Column: 254

Type: Num

SAS Variable Name: VIEYEXM2

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is less than 40; or VIDFCLT2 is coded as 8; or VIREDIF2 is coded as 8; or VIPRFVS2 is coded as 8; or VINOCRE2 is coded as 8; Module 4.10, EYEXAM, is coded 1, 2, 3, 4, 7, 8 or 9	4,780		

Eye care health insurance

Module: 5.6 Visual Impairment and Access to Eye Care

Column: 255

Type: Num

SAS Variable Name: VIINSUR2

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is less than 40; or VIDFCLT2 is coded as 8; or VIREDIF2 is coded as 8; or VIPRFVS2 is coded as 8; or VINOCRE2 is coded as 8; or VIEYEXM2 is coded as 08	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Hlth care pro said now have cataracts

Module: 5.7 Visual Impairment and Access to Eye Care

Column: 256

Type: Num

SAS Variable Name: VICTRCT2

Prologue:

Description: Have you been told by an eye doctor or other health care professional that you NOW have cataracts?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is less than 40; or VIDFCLT2 is coded as 8; or VIREDIF2 is coded as 8; or VIPRFVS2 is coded as 8; or VINOCRE2 is coded as 8; or VIEYEXM2 is coded as 08; or VINSUR2 is coded as 8	4,780		

Hlth care pro EVER said have glaucoma

Module: 5.8 Visual Impairment and Access to Eye Care

Column: 257

Type: Num

SAS Variable Name: VIGLUMA2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is less than 40; or VIDFCLT2 is coded as 8; or VIREDIF2 is coded as 8; or VIPRFVS2 is coded as 8; or VINOCRE2 is coded as 8; or VIEYEXM2 is coded as 08; or VINSUR2 is coded as 8; or VICTRCT2 is coded as 8	4,780		

Hlth care pro EVER said have macular degeneration

Module: 5.9 Visual Impairment and Access to Eye Care

Column: 258

Type: Num

SAS Variable Name: VIMACDG2

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had macular degeneration?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is less than 40; or VIDFCLT2 is coded as 8; or VIREDIF2 is coded as 8; or VIPRFVS2 is coded as 8; or VINOCRE2 is coded as 8; or VIEYEXM2 is coded as 08; or VINSUR2 is coded as 8; or VICTRCT2 is coded as 8; or VIGLUMA2 is coded as 8	4,780		

Eye injury at workplace

Module: 5.10 Visual Impairment and Access to Eye Care

Column: 259

Type: Num

SAS Variable Name: VIATWRK2

Prologue:

Description: Have you EVER had an eye injury that occurred at your workplace while you were doing your work?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is less than 40; or VIDFCLT2 is coded as 8; or VIREDIF2 is coded as 8; or VIPRFVS2 is coded as 8; or VINOCRE2 is coded as 8; or VIEYEXM2 is coded as 08; or VINSUR2 is coded as 8; or VICTRCT2 is coded as 8; or VIGLUMA2 is coded as 8; or VIMACDG2 is coded as 8	4,780		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

How many days hard to do usual activities in past 30 days

Module: 6.1 Healthy Days (Symptoms)

Column: 260-261

Type: Num

SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as self-care, work, or recreation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

How many days depressed in past 30 days

Module: 6.2 Healthy Days (Symptoms)

Column: 262-263

Type: Num

SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how many days have you felt sad, blue, or depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

How many days felt anxious in past 30 days

Module: 6.3 Healthy Days (Symptoms)

Column: 264-265

Type: Num

SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

How many days did you get enough sleep in past 30 days

Module: 6.4 Healthy Days (Symptoms)

Column: 266-267

Type: Num

SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

How many days full of energy in past 30 days

Module: 6.5 Healthy Days (Symptoms)

Column: 268-269

Type: Num

SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Age at Asthma Diagnosis

Module: 7.1 Adult Asthma History

Column: 270-271

Type: Num

SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing	4,780		

Asthma During Past 12 Months

Module: 7.2 Adult Asthma History

Column: 272

Type: Num

SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 8.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,780		

Emergency Asthma Care During Past 12 Months

Module: 7.3 Adult Asthma History

Column: 273-274

Type: Num

SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 8.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,780		

Urgent Asthma Treatment During Past 12 Months

Module: 7.4 Adult Asthma History

Column: 275-276

Type: Num

SAS Variable Name: ASDRVIST

Prologue:

Description: [If one or more visits to module Q9.3, fill in (Besides those emergency room visits,)] During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent treatment of worsening asthma symptoms?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 8.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,780		

Routine Asthma Care During Past 12 Months

Module: 7.5 Adult Asthma History

Column: 277-278

Type: Num

SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor or other nurse for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 8.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Activities Limited Due to Asthma During Past 12 Months

Module: 7.6 Adult Asthma History

Column: 279-281

Type: Num

SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 8.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,780		

Asthma Symptoms During Past 30 Days

Module: 7.7 Adult Asthma History

Column: 282

Type: Num

SAS Variable Name: ASYMPATOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when you do not have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 8.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,780		

Sleep Difficulty Due to Asthma During Past 30 Days

Module: 7.8 Adult Asthma History

Column: 283

Type: Num

SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 8.02, ASTHNOW, is coded 2, 7, 9, or Missing; or Module 9.07, ASYMPATOM, is coded 8, or Missing	4,780		

Times used prescribed preventative asthma med in past 30 days

Module: 7.9 Adult Asthma History

Column: 284

Type: Num

SAS Variable Name: ASTHMED2

Prologue:

Description: During the past 30 days, how often did you take a prescription asthma medication to prevent an asthma attack from occurring?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 8.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Times used asthma inhaler during an attack in past 30 days

Module: 7.10 Adult Asthma History

Column: 285

Type: Num

SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler during an asthma attack to stop it?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 8.01, ASTHMA2, is coded 2, 7, 9, or Missing; or Section 8.02, ASTHNOW, is coded 2, 7, 9, or Missing	4,780		

Are You Doing Anything to Keep From Getting Pregnant?

Module: 8.1 Family Planning

Column: 286

Type: Num

SAS Variable Name: BRTHCNT3

Prologue: Some things people do to keep from getting pregnant include not having sex at certain times, using birth control methods such as the pill, implants, shots, condoms, diaphragm, foam, IUD, having their tubes tied, or having a vasectomy.

Description: Are you or your [if female, insert husband/partner, if male, insert wife/partner] doing anything now to keep [if female, insert husband/partner, if male, insert wife/partner] from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.16, SEX, is coded 2 and Section 11.01, AGE, is greater than 44 or Section 11.17, PREGNANT, is coded 1; or Section 11.16, SEX, is coded 1 and Section 11.01, AGE, is greater than 59	4,780		

What method are you using?

Module: 8.2 Family Planning

Column: 287-288

Type: Num

SAS Variable Name: TYPCNTR4

Prologue:

Description: What are you or your [If female, insert `husband/partner`, if male, insert `wife/partner`] doing now to keep [If female, insert `you`, if male, insert `her`] from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.16, SEX, is coded 2 and Section 11.01, AGE, is greater than 44 or Section 11.17, PREGNANT, is coded 1; or Section 11.16, SEX, is coded 1 and Section 11.01, AGE, is greater than 59; or Module 08.01, BRTHCNT3, is coded 2, 3, 4, 7, or 9	4,780		

What is Main Reason for Not Using Birth Control?

Module: 8.3 Family Planning

Column: 289-290

Type: Num

SAS Variable Name: NOBCUSE2

Prologue:

Description: What is the main reason for not doing anything to keep [if female, insert you, if male, insert your wife/partner] from getting pregnant?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.16, SEX, is coded 2 and Section 11.01, AGE, is greater than 44 or Section 11.17, PREGNANT, is coded 1; or Section 11.16, SEX, is coded 1 and Section 11.01, AGE, is greater than 59; or Section 18.01, BIRTHCNT3, is coded 1,3, 4, 7, or 9	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

How do you feel about having a child now or sometime in the future?

Module: 8.4 Family Planning

Column: 291

Prologue:

Description: How do you feel about having a child now or sometime in the future? Would you say:

Type: Num

SAS Variable Name: FPCHLDFT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, or Missing Notes: Section 11.16, SEX, is coded 2 and Section 11.01, AGE, is greater than 44 or Section 11.17, PREGNANT, is coded 1; or Section 11.16, SEX, is coded 1 and Section 11.01, AGE, is greater than 59; or Module 08.01, BIRTHCNT3, is coded 1,3, 4, 7, or 9; or Module 08.03, NOBCUSE2, is coded 8,9,10, or 16	4,780		

How soon would you want to have a child?

Module: 8.5 Family Planning

Column: 292

Prologue:

Description: How soon would you want to have a child?

Type: Num

SAS Variable Name: FPCHLDHS

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked, or Missing Notes: Section 11.16, SEX, is coded 2 and Section 11.01, AGE, is greater than 44 or Section 11.17, PREGNANT, is coded 1; or Section 11.16, SEX, is coded 1 and Section 11.01, AGE, is greater than 59; or Module 08.01, BIRTHCNT3, is coded 1,3, 4, 7, or 9; or Module 08.03, NOBCUSE2, is coded 8,9,10, or 16; or Module 08.04, FPCHLDFT, is coded 1, 3, 7, or	4,780		

Current Vitamin User

Module: 9.1 Folic Acid

Column: 293

Prologue:

Description: Do you currently take any vitamin pills or supplements?

Type: Num

SAS Variable Name: VITAMINS

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Multivitamin User

Module: 9.2 Folic Acid

Column: 294

Prologue:

Description: Are any of these a multivitamin?

Type: Num

SAS Variable Name: MULTIVIT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 9.01, VITAMINS, is coded 2, 7, 9, or Missing	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Vitamins with Folic Acid

Module: 9.3 Folic Acid

Column: 295

Type: Num

SAS Variable Name: FOLICACD

Prologue:

Description: Do any of the vitamin pills or supplements you take contain folic acid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 8.01, VITAMINS, is coded 2, 7, 9, or Missing; or Module 8.02, MULTIVIT, is coded 1 or Missing	4,780		

Time frequency vitamin use

Module: 9.4 Folic Acid

Column: 296-298

Type: Num

SAS Variable Name: TAKEVIT

Prologue:

Description: How often do you take this vitamin pill or supplement?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 9.01, VITAMINS, is coded 2, 7, 9, or Missing; or Module 9.03, FOLICACD, is coded 2, 7, 9, or Missing	4,780		

Reason to take Folic Acid

Module: 9.5 Folic Acid

Column: 299

Type: Num

SAS Variable Name: RECOMMEN

Prologue:

Description: Some health experts recommend that women take 400 micrograms of the B vitamin folic acid, for which one of the following reasons...?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Section 11.01, AGE, is greater than 44	4,780		

Smoking Policy at Home

Module: 10.1 Secondhand Smoke Policy

Column: 300

Type: Num

SAS Variable Name: HOUSESMK

Prologue:

Description: Which statement best describes the rules about smoking inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Smoking is not allowed anywhere inside your home	3,539	76.39	78.07
2	Smoking is allowed in some places or at some times	335	7.23	7.16
3	Smoking is allowed anywhere inside the home	82	1.77	1.85
4	There are no rules about smoking inside the home	664	14.33	12.68
7	Don't know/Not sure	12	0.26	0.22
9	Refused	1	0.02	0.02
BLANK	Not asked or Missing	147		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Indoor work location

Module: 10.2 Secondhand Smoke Policy

Column: 301

Type: Num

SAS Variable Name: INDOORS

Prologue:

Description: While working at your job, are you indoors most of the time?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,151	73.82	72.34
2	No - Go to next module	749	25.70	27.02
7	Don't know/Not sure - Go to next module	10	0.34	0.48
9	Refused - Go to next module	4	0.14	0.15
BLANK	Not asked or Missing	1,866		
Notes: Section 11.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing				

Work Smoking Policy for Indoor Common Areas

Module: 10.3 Secondhand Smoke Policy

Column: 302

Type: Num

SAS Variable Name: SMKPUBLIC

Prologue:

Description: Which of the following best describes your place of works official smoking policy for indoor public or common areas, such as lobbies, rest rooms, and lunch rooms? (For workers who visit clients, "place of work" means their base location.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed in any public areas Notes: For workers who visit clients or work at home `place of work` means their base location. For self-employed persons who work at home, the official smoking policy means the home smoking policy.	1,903	88.55	87.77
2	Allowed in some public areas	128	5.96	6.92
3	Allowed in all public areas	19	0.88	1.15
4	No official policy	79	3.68	3.21
7	Don't know/Not sure	17	0.79	0.87
9	Refused	3	0.14	0.08
BLANK	Not asked or Missing	2,631		
Notes: Section 11.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing; or Module 10.02, INDOORS, is coded 2, 7, 9				

Smoking Policy for Work Areas

Module: 10.4 Secondhand Smoke Policy

Column: 303

Type: Num

SAS Variable Name: SMKWORK

Prologue:

Description: Which of the following best describes your place of works official smoking policy for work areas?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not allowed in any work areas	1,955	91.06	89.88
2	Allowed in some work areas	84	3.91	5.43
3	Allowed in all work areas	15	0.70	0.83
4	No official policy	78	3.63	3.27
7	Don't know/Not sure	11	0.51	0.42
9	Refused	4	0.19	0.17
BLANK	Not asked or Missing	2,633		
Notes: Section 11.08, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9, or Missing; or Module 10.02, INDOORS, is coded 2, 7, 9				

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Is home heated with a furnace that burns oil, gas, coal, or other fuel?

Module: 11.1 Indoor Air Quality

Column: 304

Type: Num

SAS Variable Name: IAQHTSRC

Prologue:

Description: Is your home heated with a furnace or boiler that burns oil, gas, coal, or other fuel?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Does your home have any natural gas powered appliances?

Module: 11.2 Indoor Air Quality

Column: 305

Type: Num

SAS Variable Name: IAQGASAP

Prologue:

Description: Does your home have any of the following appliances powered by natural gas: a stove, an oven, a water heater, or a clothes dryer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

How many days did you used fireplace or kerosene heater in past 12 months?

Module: 11.3 Indoor Air Quality

Column: 306-308

Type: Num

SAS Variable Name: IAQHTDYS

Prologue:

Description: During the past 12 months, on how many days have you used a wood or coal stove, fireplace, or kerosene heater inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Do you have a CO detector in your home?

Module: 11.4 Indoor Air Quality

Column: 309

Type: Num

SAS Variable Name: IAQCODTR

Prologue: A carbon monoxide or CO detector checks the level of carbon monoxide in your home. It is not a smoke detector.

Description: Do you have a CO detector in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Currently have mold in home on an area greater than the size of a dollar bill?

Module: 11.5 Indoor Air Quality

Column: 310

Type: Num

SAS Variable Name: IAQMOLD

Prologue:

Description: Do you currently have mold in your home on an area greater than the size of a dollar bill?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

What is the main source of home water supply?

Module: 12.1 Home Environment

Column: 311

Prologue:

Description: What is the main source of your home water supply?

Type: Num

SAS Variable Name: HEWTRSRC

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Which best describes the water that you drink at home most often?

Module: 12.2 Home Environment

Column: 312

Prologue:

Description: Which of the following best describes the water that you drink at home most often?

Type: Num

SAS Variable Name: HEWTRDRK

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

How many days were chemicals applied inside your home to kill pests in past 12 months?

Module: 12.3 Home Environment

Column: 313-315

Prologue:

Description: During the past 12 months, on how many days were pesticides, sprays, or chemicals applied inside your home to kill bugs, mice, or other pests?

Type: Num

SAS Variable Name: HECHMHOM

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

How many days were chemicals applied in your lawn to kill pests in past 12 months?

Module: 12.4 Home Environment

Column: 316-318

Prologue:

Description: During the past 12 months, on how many days were pesticides or chemicals applied in your yard to kill plant, animal, or insect pests, including applications by lawn care services?

Type: Num

SAS Variable Name: HECHMYRD

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

How do other people usually classify you in this country?

Module: 13.1 Reactions to Race

Column: 319

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, multiracial or some other group?

Type: Num

SAS Variable Name: RRCLASS2

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

How often do you think about your race?

Module: 13.2 Reactions to Race

Column: 320

Type: Num

SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say:

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 13.3 Reactions to Race

Column: 321

Type: Num

SAS Variable Name: RRATWORK

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

When seeking health care, how do you feel compared to people of other races in the past 12 months?

Module: 13.4 Reactions to Race

Column: 322

Type: Num

SAS Variable Name: RRHCARE2

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or better than for people of other races?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Times past 12 mos felt physical symptoms because of treatment due to your race

Module: 13.5 Reactions to Race

Column: 323

Type: Num

SAS Variable Name: RRPHYSM1

Prologue:

Description: Within the past 12 months on average, how often have you experienced any physical symptoms, for example, a headache, an upset stomach, tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Times past 12 mos felt emotionally upset because of treatment due to your race

Module: 13.6 Reactions to Race

Column: 324

Type: Num

SAS Variable Name: RREMTSM1

Prologue:

Description: Within the past 12 months on average, how often have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you were treated based on your race?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Days had little pleasure doing things

Module: 14.1 Anxiety and Depression

Column: 325-326

Type: Num

SAS Variable Name: ADPLEASR

Prologue:

Description: Over the last 2 weeks, how many days have you had little interest or pleasure in doing things?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	1,380	29.94	30.53
88	None	3,042	66.00	66.04
77	Don't know/Not sure	158	3.43	2.91
99	Refused	29	0.63	0.52
BLANK	Not asked or Missing	171		

Days felt down, depressed or hopeless

Module: 14.2 Anxiety and Depression

Column: 327-328

Type: Num

SAS Variable Name: ADDOWN

Prologue:

Description: Over the last 2 weeks, how many days have you felt down, depressed or hopeless?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	1,063	23.07	22.61
88	None	3,496	75.88	76.50
77	Don't know/Not sure	35	0.76	0.63
99	Refused	13	0.28	0.26
BLANK	Not asked or Missing	173		

Days had trouble with sleep

Module: 14.3 Anxiety and Depression

Column: 329-330

Type: Num

SAS Variable Name: ADSLEEP

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	2,150	46.70	46.07
88	None	2,369	51.46	52.41
77	Don't know/Not sure	71	1.54	1.24
99	Refused	14	0.30	0.28
BLANK	Not asked or Missing	176		

Days were tired or had little energy

Module: 14.4 Anxiety and Depression

Column: 331-332

Type: Num

SAS Variable Name: ADENERGY

Prologue:

Description: Over the last 2 weeks, how many days have you felt tired or had little energy?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	2,824	61.36	62.95
88	None	1,682	36.55	35.32
77	Don't know/Not sure	83	1.80	1.48
99	Refused	13	0.28	0.25
BLANK	Not asked or Missing	178		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Days ate too little or too much

Module: 14.5 Anxiety and Depression

Column: 333-334

Type: Num

SAS Variable Name: ADEAT

Prologue:

Description: Over the last 2 weeks, how many days have you had a poor appetite or ate too much?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	1,653	35.95	34.50
88	None	2,858	62.16	63.90
77	Don't know/Not sure	73	1.59	1.41
99	Refused	14	0.30	0.19
BLANK	Not asked or Missing	182		

Days felt like failure or let family down

Module: 14.6 Anxiety and Depression

Column: 335-336

Type: Num

SAS Variable Name: ADFAIL

Prologue:

Description: Over the last 2 weeks, how many days have you felt bad about yourself or that you were a failure or had let yourself or your family down?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	728	15.85	16.29
88	None	3,827	83.30	83.04
77	Don't know/Not sure	27	0.59	0.43
99	Refused	12	0.26	0.23
BLANK	Not asked or Missing	186		

Days had trouble concentrating

Module: 14.7 Anxiety and Depression

Column: 337-338

Type: Num

SAS Variable Name: ADTHINK

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble concentrating on things, such as reading the newspaper or watching the TV?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	670	14.59	15.02
88	None	3,878	84.45	84.19
77	Don't know/Not sure	36	0.78	0.58
99	Refused	8	0.17	0.21
BLANK	Not asked or Missing	188		

Days talked to move slower or faster than usual

Module: 14.8 Anxiety and Depression

Column: 339-340

Type: Num

SAS Variable Name: ADMOVE

Prologue:

Description: Over the last 2 weeks, how many days have you moved or spoken so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	01-14 days	333	7.25	8.15
88	None	4,174	90.94	90.43
77	Don't know/Not sure	76	1.66	1.30
99	Refused	7	0.15	0.12
BLANK	Not asked or Missing	190		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Ever told you had an anxiety disorder

Module: 14.9 Anxiety and Depression

Column: 341

Type: Num

SAS Variable Name: ADANXEV

Prologue:

Description: Has a doctor or other healthcare provider EVER told you that you had an anxiety disorder (including acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	457	9.98	10.17
2	No	4,107	89.65	89.51
7	Don't know/Not sure	10	0.22	0.17
9	Refused	7	0.15	0.15
BLANK	Not asked or Missing	199		

Ever told you had a depressive disorder

Module: 14.10 Anxiety and Depression

Column: 342

Type: Num

SAS Variable Name: ADDEPEV

Prologue:

Description: Has a doctor or other healthcare provider EVER told you that you have a depressive disorder (including depression, major depression, dysthymia, or minor depression)?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	798	17.43	16.80
2	No	3,768	82.29	82.95
7	Don't know/Not sure	9	0.20	0.17
9	Refused	4	0.09	0.09
BLANK	Not asked or Missing	201		

In a safe place to answer questions

Module: 15.1 Sexual Violence

Column: 343

Type: Num

SAS Variable Name: SVSAFE

Prologue:

Description: Are you in a safe place to answer these questions?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Unwanted touching of sexual parts of body past 12 mos

Module: 15.2 Sexual Violence

Column: 344

Type: Num

SAS Variable Name: SVSEXTCH

Prologue:

Description: In the past 12 months, has anyone touched sexual parts of your body after you said or showed that you didn't want them to or without your consent?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Notes: Module 15.01, SVSAFE, is coded as 2

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Someone past 12 mos put you in unwanted sex situation w/o touching

Module: 15.3 Sexual Violence

Column: 345

Type: Num

SAS Variable Name: SVNOTCH

Prologue:

Description: In the past 12 months, has anyone exposed you to unwanted sexual situations that did not involve physical touching?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, SVSAFE, is coded as 2	4,780		

Someone ever had sex with you against your will

Module: 15.4 Sexual Violence

Column: 346

Type: Num

SAS Variable Name: SVEHDSE1

Prologue:

Description: Has anyone EVER had sex with you after you said or showed that you didn't want them to or without your consent?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, SVSAFE, is coded as 2	4,780		

Happened in the past 12 months

Module: 15.5 Sexual Violence

Column: 347

Type: Num

SAS Variable Name: SVHDSX12

Prologue:

Description: Has this happened in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, SVSAFE, is coded as 2; or Module 15.04, SVEHDSE1, is coded as 2, 7, or 9	4,780		

Someone ever attempt to have sex against will but did not happen

Module: 15.6 Sexual Violence

Column: 348

Type: Num

SAS Variable Name: SVEANOS1

Prologue:

Description: Has anyone EVER ATTEMPTED to have sex with you after you said or showed that you didn't want to or without your consent, BUT SEX DID NOT OCCUR?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, SVSAFE, is coded as 2	4,780		

Happened in the past 12 months

Module: 15.7 Sexual Violence

Column: 349

Type: Num

SAS Variable Name: SVNOSX12

Prologue:

Description: Has this happened in the past 12 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, SVSAFE, is coded as 2; or Module 15.06, SVEANOS1, is coded as 2, 7, or 9	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Relationship to person most recently attempting or having unwanted sex

Module: 15.8 Sexual Violence

Column: 350-351

Type: Num

SAS Variable Name: SVRELAT2

Prologue:

Description: Think about the time of the most recent incident involving a person who had sex with you –or- attempted to have sex with you after you said or showed that you didn't want to or without your consent? What was that person's relationship to you?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, SVSAFE, is coded as 2	4,780		

Person's gender who had sex with you against your will

Module: 15.9 Sexual Violence

Column: 352

Type: Num

SAS Variable Name: SVGENDER

Prologue:

Description: Was the person who did this male or female?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 15.01, SVSAFE, is coded as 2	4,780		

In a safe place to answer questions

Module: 16.1 Intimate Partner Violence

Column: 353

Type: Num

SAS Variable Name: IPVSAFE

Prologue:

Description: Are you in a safe place to answer these questions?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Sex partner ever threatened violence

Module: 16.2 Intimate Partner Violence

Column: 354

Type: Num

SAS Variable Name: IPVTHRAT

Prologue:

Description: Has an intimate partner EVER THREATENED you with physical violence? This includes threatening to hit, slap, push, kick, or physically hurt you in any way

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 16.01, IPVSAFE, is coded 2	4,780		

Sex partner ever violent

Module: 16.4 Intimate Partner Violence

Column: 356

Type: Num

SAS Variable Name: IPVPHHRT

Prologue:

Description: Has an intimate partner EVER hit, slapped, pushed, kicked, or physically hurt you in any way?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 16.01, IPVSAFE, is coded 2	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Ever had unwanted sex w/ partner

Module: 16.5 Intimate Partner Violence

Column: 357

Type: Num

SAS Variable Name: IPVUWSEX

Prologue:

Description: Have you EVER experienced any unwanted sex by a current or former intimate partner?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 16.01, IPVSAFE, is coded 2	4,780		

Had unwanted sex or violence from sex partner last 12 mos

Module: 16.6 Intimate Partner Violence

Column: 358

Type: Num

SAS Variable Name: IPVVVL12

Prologue:

Description: In the past 12 months, have you experienced any physical violence or had unwanted sex with an intimate partner?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 16.01, IPVSAFE, is coded 2; or Module 16.02, IPVPHHRT, is coded 2, 7, 9 or Missing; and Module 16.04, IPVUWSEX, is coded 2, 7, 9 or Missing	4,780		

Injuries from violence or unwanted sex past 12 mos

Module: 16.7 Intimate Partner Violence

Column: 359

Type: Num

SAS Variable Name: IPVSXINJ

Prologue:

Description: In the past 12 months, have you had any injuries, such as bruises, cuts, scrapes, black eyes, vaginal or anal tears, or broken bones, as a result of this physical violence or unwanted sex?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing Notes: Module 16.01, IPVSAFE, is coded 2; or Module 16.02, IPVPHHRT, is coded 2, 7, 9 or Missing; and Module 16.04, IPVUWSEX, is coded 2, 7, 9 or Missing; or Module 16.05, IPVVVL12, is coded 2, 7, 9, or missing	4,780		

How well prepared is your household to safely withstand a large-scale disaster or emergency?

Module: 17.1 General Preparedness

Column: 362

Type: Num

SAS Variable Name: GPWELPRD

Prologue:

The next series of questions asks about large-scale disasters or emergencies. By large-scale disaster or emergency we mean any event that leaves you isolated in your home or displaces you from your home for at least 3 days. This might include natural disasters such as hurricanes, tornados, floods, and ice storms, or man-made disasters such as explosions, terrorist events, or blackouts.

Description: How well prepared do you feel your household is to safely ride out or withstand a large-scale disaster or emergency? Would you say

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Does your household have a disaster evacuation plan?

Module: 17.2 General Preparedness

Column: 363

Type: Num

SAS Variable Name: GPVACPLN

Prologue:

Description: Does your household have a disaster evacuation plan, a written plan for how you will leave your home, in case of a large-scale disaster or emergency that requires evacuation?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Does your household have a 3-day supply of water for everyone who lives there?

Module: 17.3 General Preparedness

Column: 364

Type: Num

SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon of water per person per day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 17.4 General Preparedness

Column: 365

Type: Num

SAS Variable Name: GP3DYFOD

Prologue:

Description: Does your household have a 3-day supply of non-perishable food for everyone who lives there? By non-perishable we mean food that does not require refrigeration or cooking.

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 17.5 General Preparedness

Column: 366

Type: Num

SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 17.6 General Preparedness

Column: 367

Type: Num

SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 17.7 General Preparedness

Type: Num

Column: 368

SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 17.8 General Preparedness

Type: Num

Column: 369

SAS Variable Name: GPMNDEVC

Prologue:

Description: If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

What would be the main reason why you might not evacuate if asked to do so?

Module: 17.9 General Preparedness

Type: Num

Column: 370-371

SAS Variable Name: GPNOTEVC

Prologue:

Description: What would be the main reason why you might not evacuate if asked to do so?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 17.10 General Preparedness

Type: Num

Column: 372

SAS Variable Name: GPEMRCOM

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 17.11 General Preparedness

Type: Num

Column: 373

SAS Variable Name: GPEMRINF

Prologue:

Description: What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Not asked or Missing	4,780		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

State Added Questions

State: 1.1 StateQuestions

Column: 401-650

Prologue:

Description: State Added Questions

Type: Char

SAS Variable Name: STATEQUE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Questionnaire Version Identifier

State: 2.1 Questionnaire Version

Column: 741

Prologue:

Description: Questionnaire Version Identifier

Type: Num

SAS Variable Name: QSTVER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Version 1	4,780	100.00	100.00

Language identifier

State: 2.2 Questionnaire Language

Column: 742-743

Prologue:

Description: Language identifier

Type: Num

SAS Variable Name: QSTLANG

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	4,780	100.00	100.00

Sample Design Stratification Variable

Weighting: 1.1 Weighting And Stratification Variables

Column: 800-804

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Type: Num

SAS Variable Name: _STSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Stratum weight

Weighting: 1.2 Weighting And Stratification Variables

Column: 805-814

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected (NRECSEL).)

Type: Num

SAS Variable Name: _STRWT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Raw weighting factor

Weighting: 1.3 Weighting And Stratification Variables

Column: 815-824

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPNPH).)

Type: Num

SAS Variable Name: _RAW

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Design weight

Weighting: 1.4 Weighting And Stratification Variables

Column: 825-834

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Type: Num

SAS Variable Name: _WT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Post-stratification weight

Weighting: 1.5 Weighting And Stratification Variables

Column: 835-844

Prologue:

Description: Post-stratification weight (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Type: Num

SAS Variable Name: _POSTSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Final weight

Weighting: 1.6 Weighting And Stratification Variables

Column: 845-854

Prologue:

Description: Final weight assigned to each respondent (Post-stratification weight (_POSTSTR) multiplied by design weight (_WT2).)

Type: Num

SAS Variable Name: _FINALWT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Raw weighting factor questionnaire version 1

Weighting: 1.7 Weighting And Stratification Variables

Column: 855-864

Prologue:

Description: Raw weighting factor questionnaire version 1 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH) questionnaire version 1.)

Type: Num
SAS Variable Name: _RAWQ1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Design weight questionnaire version 1. The product of the preceding four factors

Weighting: 1.8 Weighting And Stratification Variables

Column: 865-874

Prologue:

Description: Design weight questionnaire version 1 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ1).)

Type: Num
SAS Variable Name: _WT2Q1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Post-stratification weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.9 Weighting And Stratification Variables

Column: 875-884

Prologue:

Description: Post-stratification weight questionnaire version 1 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 1.)

Type: Num
SAS Variable Name: _POSTQ1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2

Weighting: 1.10 Weighting And Stratification Variables

Column: 885-894

Prologue:

Description: Final weight assigned to each respondent questionnaire version 1 (Post-stratification weight (_POSTQ1) multiplied by design weight (_WT2Q1).)

Type: Num
SAS Variable Name: _FINALQ1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Raw weighting factor questionnaire version 2

Weighting: 1.11 Weighting And Stratification Variables

Column: 895-904

Prologue:

Description: Raw weighting factor questionnaire version 2 (Number of adults in the household (NUMADULT) divided by the imputed number of phones (_IMPMPH) questionnaire version 2.)

Type: Num
SAS Variable Name: _RAWQ2

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Design weight questionnaire version 2. The product of the preceding four factors

Weighting: 1.12 Weighting And Stratification Variables

Column: 905-914

Prologue:

Description: Design weight questionnaire version 2 (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWQ2).)

Type: Num
SAS Variable Name: _WT2Q2

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Post-stratification weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

Weighting: 1.13 Weighting And Stratification Variables

Column: 915-924

Prologue:

Description: Post-stratification weight questionnaire version 2 (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age questionnaire version 2.)

Type: Num
SAS Variable Name: _POSTQ2

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2

Weighting: 1.14 Weighting And Stratification Variables

Column: 925-934

Prologue:

Description: Final weight assigned to each respondent questionnaire version 2 (Post-stratification weight (_POSTQ2) multiplied by design weight (_WT2Q2).)

Type: Num
SAS Variable Name: _FINALQ2

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Region

Weighting: 1.15 Weighting And Stratification Variables

Column: 935-936

Type: Num

SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Age group codes used in post-stratification.

Weighting: 1.16 Weighting And Stratification Variables

Column: 937-938

Type: Num

SAS Variable Name: _AGEG_

Prologue:

Description: Age groups used in post-stratification (_AGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _AGEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24	202	4.23	15.76
2	Age 25 to 34	519	10.86	15.38
3	Age 35 to 44	749	15.67	16.52
4	Age 45 to 54	1,076	22.51	19.58
5	Age 55 to 64	863	18.05	13.64
6	Age 65 to 74	689	14.41	8.88
7	Age 75 or older	682	14.27	10.24

Gender group codes used in post-stratification.

Weighting: 1.17 Weighting And Stratification Variables

Column: 939

Type: Num

SAS Variable Name: _SEXG_

Prologue:

Description: Gender categories used in post-stratification (_SEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _SEXG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Male	1,928	40.33	49.47
2	Female	2,852	59.67	50.53

Race group codes used in post-stratification.

Weighting: 1.19 Weighting And Stratification Variables

Column: 941

Type: Num

SAS Variable Name: _RACEG4_

Prologue:

Description: Post-stratification race group codes used in weighting (_RACEG4_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _RACEG4_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Any race and ethnicity	4,780	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Age value used to determine age groups

Weighting: 1.20 Weighting And Stratification Variables

Column: 942-943

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused to give an age. The value of the imputed age will be an average age computed from the sample if the respondent refused to give an age.)

Type: Num

SAS Variable Name: _IMPAGE

Value	Value Label	Frequency	Percentage	Weighted Percentage
18 - 24	Age 18 to 24	202	4.23	15.76
25 - 34	Age 25 to 34	519	10.86	15.38
35 - 44	Age 35 to 44	749	15.67	16.52
45 - 54	Age 45 to 54	1,076	22.51	19.58
55 - 64	Age 55 to 64	863	18.05	13.64
65 - 99	Age 65 or older	1,371	28.68	19.12

Imputed number of phones

Weighting: 1.21 Weighting And Stratification Variables

Column: 944

Prologue:

Description: Imputed number of phones used in weighting

Type: Num

SAS Variable Name: _IMPMPH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Number of phones	4,683	97.97	98.97
2		85	1.78	0.95
3		8	0.17	0.06
4		3	0.06	0.02
5		1	0.02	0.01

Interruption in Telephone Service Correction Factor

Weighting: 1.22 Weighting And Stratification Variables

Column: 945-954

Prologue:

Description: Interruption in Telephone Service Correction Factor (CPS number of adults in households with telephones divided by CPS total number of adults, then multiplied by BRFSS adult population estimate)

Type: Num

SAS Variable Name: _ITSCF1

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Interruption in Telephone Service Correction Factor (Adjusted _WT2)

Weighting: 1.23 Weighting And Stratification Variables

Column: 955-964

Prologue:

Description: Interruption in Telephone Service Correction Factor (Adjusted _WT2) (Adjusted design weight using TELSERV response and the number of adults in households without telephones.)

Type: Num

SAS Variable Name: _ITSCF2

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Interruption in Telephone Service Post Stratification Correction Factor

Weighting: 1.24 Weighting And Stratification Variables

Column: 965-974

Prologue:

Description: Interruption in Telephone Service Post Stratification Correction Factor (Population estimate for race/gender/age categories divided by the weighted sample frequency by race/gender/age.)

Type: Num
SAS Variable Name: _ITSPPOST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Interruption in Telephone Service Final Weighting Factor

Weighting: 1.25 Weighting And Stratification Variables

Column: 975-984

Prologue:

Description: Interruption in Telephone Service Final Weighting Factor (ITS design weight (_ITSDCF2) multiplied by the ITS post stratification weight (_ITSPPOST).)

Type: Num
SAS Variable Name: _ITSFINL

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Metropolitan Statistical Area Code.

Weighting: 1.27 Weighting And Stratification Variables

Column: 988-992

Prologue:

Description: FIPS Metropolitan Statistical Area Code

Type: Char
SAS Variable Name: _MSACODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,780	100.00	100.00

Metropolitan Status Code

Weighting: 1.28 Record Identification

Column: 993

Prologue:

Description: Metropolitan Status Code

Type: Num
SAS Variable Name: MSCODE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	In the center city of an MSA	1,064	22.26	27.50
2	Outside the center city of an MSA but inside the county containing the center city	351	7.34	9.79
3	Inside a suburban county of the MSA	164	3.43	4.61
5	Not in an MSA	3,201	66.97	58.10

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

CRACE with trailing 7,8,9s removed

ChildDemograp 1.01 Child Demographic Variables
hics:

Column: 994-999

Type: Char

Prologue:

Description: CRACE with trailing 7,8,9s removed

SAS Variable Name: CRACEORG

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		4,780		

CRACEORG with responses in ascending order

ChildDemograp 1.02 Child Demographic Variables
hics:

Column: 1000-1005

Type: Num

Prologue:

Description: CRACE with 7,8,9s removed, in ascending order

SAS Variable Name: CRACEASC

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		4,780		

Child Non-Hispanic Race including Multiracial

ChildDemograp 1.03 Child Demographic Variables
hics:

Column: 1006-1007

Type: Num

Prologue:

Description: Child multiracial race categorization

SAS Variable Name: _CRACE

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Missing Notes: CRACEASC = missing	4,780		

Child gender group codes used in post-stratification.

ChildWeighting: 1.04 Child Weighting Variables

Column: 1008

Type: Num

Prologue:

Description: Child gender categories used in post-stratification (_CSEXG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CSEXG_ value.)

SAS Variable Name: _CSEXG_

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Child race group codes used in post-stratification.

ChildWeighting: 1.05 Child Weighting Variables

Column: 1009

Type: Num

Prologue:

Description: Child post-stratification race group codes used in weighting (_CRACEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CRACEG_ value.)

SAS Variable Name: _CRACEG_

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Child age group codes used in post-stratification.

ChildWeighting: 1.06 Child Weighting Variables

Column: 1010

Type: Num

SAS Variable Name: _CAGEG_

Prologue:

Description: Child age groups used in post-stratification (_CAGEG_ is calculated by _REGION. For states using more than one _REGION, there could be more than one response for a given _CAGEG_ value.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Raw child weighting factor questionnaire version 1

ChildWeighting: 1.07 Child Weighting Variables

Column: 1011-1020

Type: Num

SAS Variable Name: _RAWCH1

Prologue:

Description: Raw child weighting factor questionnaire version 1 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPDPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Raw child weighting factor questionnaire version 2

ChildWeighting: 1.08 Child Weighting Variables

Column: 1021-1030

Type: Num

SAS Variable Name: _RAWCH2

Prologue:

Description: Raw child weighting factor questionnaire version 2 (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPDPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Raw child weighting factor

ChildWeighting: 1.09 Child Weighting Variables

Column: 1031-1040

Type: Num

SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of phones (_IMPDPH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Child design weight questionnaire version 1

ChildWeighting: 1.10 Child Weighting Variables

Column: 1041-1050

Type: Num

SAS Variable Name: _WT2CH1

Prologue:

Description: Child design weight questionnaire version 1 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Child design weight questionnaire version 2

ChildWeighting: 1.11 Child Weighting Variables

Column: 1051-1060

Type: Num

SAS Variable Name: _WT2CH2

Prologue:

Description: Child design weight questionnaire version 2 (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Child design weight

ChildWeighting: 1.12 Child Weighting Variables

Column: 1061-1070

Type: Num

SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Post-stratification child weight questionnaire version 1 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.13 Child Weighting Variables

Column: 1071-1080

Type: Num

SAS Variable Name: _POSTCH1

Prologue:

Description: Post-stratification child weight questionnaire version 1 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 1.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Post-stratification child weight questionnaire version 2 (Population estimate for age/gender/race categories divided by the weighted sample frequency by age/race/gender).

ChildWeighting: 1.14 Child Weighting Variables

Column: 1081-1090

Type: Num

SAS Variable Name: _POSTCH2

Prologue:

Description: Post-stratification child weight questionnaire version 2 (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age questionnaire version 2.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Post-stratification child weight

ChildWeighting: 1.15 Child Weighting Variables

Column: 1091-1100

Type: Num

SAS Variable Name: _POSTCH

Prologue:

Description: Post-stratification child weight (Child population estimate for race/gender/age categories divided by the weighted sample child frequency by race/gender/age.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Final weight questionnaire version 1: Post-stratification weight multiplied by _WT2CH1

ChildWeighting: 1.16 Child Weighting Variables

Column: 1101-1110

Type: Num

SAS Variable Name: _CHILDQ1

Prologue:

Description: Final weight assigned to each child questionnaire version 1 (Post-stratification child weight (_POSTCH1) multiplied by child design weight (_WT2CH1).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Final weight questionnaire version 2: Post-stratification weight multiplied by _WT2CH2

ChildWeighting: 1.17 Child Weighting Variables

Column: 1111-1120

Type: Num

SAS Variable Name: _CHILDQ2

Prologue:

Description: Final weight assigned to each child questionnaire version 2 (Post-stratification child weight (_POSTCH2) multiplied by child design weight (_WT2CH2).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Final child weight

ChildWeighting: 1.18 Child Weighting Variables

Column: 1121-1130

Type: Num

SAS Variable Name: _CHILDWT

Prologue:

Description: Final weight assigned to each child (Post-stratification child weight (_POSTCH) multiplied by child design weight (_WT2CH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Raw household weighting factor

HouseholdWeighting: 1.1 Household Weighting Variables

Column: 1131-1140

Type: Num

SAS Variable Name: _RAWHH

Prologue:

Description: Raw household weighting factor (One divided by the imputed number of phones (_IMPNP).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Household design weight

HouseholdWeighting: 1.2 Household Weighting Variables

Column: 1141-1150

Type: Num

SAS Variable Name: _WT2HH

Prologue:

Description: Household design weight (Household stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWHH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Post-stratification household weight

HouseholdWeighting: 1.3 Household Weighting Variables

Type: Num

Column: 1151-1160

SAS Variable Name: _POSTHH

Prologue:

Description: Post-stratification household weight (Population estimate for households divided by the weighted sample frequency for households.)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Final household weight

HouseholdWeighting: 1.4 Household Weighting Variables

Type: Num

Column: 1161-1170

SAS Variable Name: _HOUSEWT

Prologue:

Description: Final weight assigned to each household (Post-stratification household weight (_POSTHH) multiplied by household design weight (_WT2HH).)

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		4,780	100.00	100.00

Health Status Calculated Variable

CalculatedVariables: 1.1 Calculated Variables

Type: Num

Column: 1171

SAS Variable Name: _RFHLTH

Prologue:

Description: Calculated Variable for HEALTH STATUS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Good or Better Health Notes: GENHLTH = 1 or 2 or 3	4,084	85.44	88.40
2	Fair or Poor Health Notes: GENHLTH = 4 or 5	687	14.37	11.47
9	Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing	9	0.19	0.14

Leisure Time Physical Activity Calculated Variable

CalculatedVariables: 4.1 Calculated Variables

Type: Num

Column: 1172

SAS Variable Name: _TOTINDA

Prologue:

Description: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Had physical activity or exercise Notes: EXERANY2 = 1	3,563	74.54	77.93
2	No physical activity or exercise in last 30 days Notes: EXERANY2 = 2	1,210	25.31	21.95
9	Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing	7	0.15	0.12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Risk factor for having had permanent teeth extracted

Calculated Variables:
6.1 Calculated Variables

Type: Num

Column: 1173

SAS Variable Name: _EXTETH2

Prologue:

Description: Risk factor for having had permanent teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at risk Notes: RMVTEETH = 8	2,132	44.60	54.93
2	At risk Notes: RMVTEETH = 1 or 2 or 3	2,574	53.85	43.93
9	Don't know/Not Sure Or Refused/Missing Notes: RMVTEETH = 7 or 9	74	1.55	1.14

Adults aged 65+ who have had all their natural teeth extracted

Calculated Variables:
6.2 Calculated Variables

Type: Num

Column: 1174

SAS Variable Name: _ALTETH2

Prologue:

Description: Adults aged 65+ who have had all their natural teeth extracted

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: AGE >= 65 and RMVTEETH = 1 or 2 or 8	1,025	71.93	72.04
2	Yes Notes: AGE >= 65 and RMVTEETH = 3	302	21.19	21.36
9	Don't know/Not Sure Or Refused/Missing Notes: AGE >= 65 and and RMVTEETH = 7 or 9 or AGE = 7 or 9 or missing	98	6.88	6.60
BLANK	Missing or Age Less Than 65 Notes: 18 <= AGE <= 64	3,355		

Adults that have visited a dentist, dental hygenist or dental clinic within the past year

Calculated Variables:
6.3 Calculated Variables

Type: Num

Column: 1175

SAS Variable Name: _DENVST1

Prologue:

Description: Adults that have visited a dentist, dental hygenist or dental clinic within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: LASTDEN3 = 1 or DENCLEAN = 1	3,330	69.67	72.06
2	Yes Notes: LASTDEN3 = 8 or LASTDEN3 = 2, 3, or 4 and DENCLEAN = 2, 3, 4, 7, 8, 9 or missing or LASTDEN3 = 7, 9 or missing and DENCLEAN = 2 or 3 or 4 or 8	1,433	29.98	27.76
9	Don't know/Not Sure Or Refused/Missing Notes: LASTDEN3 = 7 or 9 or missing and DENCLEAN = 7 or 9 or missing	17	0.36	0.18

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Lifetime Asthma Calculated Variable

Calculated Variables: 8.1 Calculated Variables

Type: Num

Column: 1176

SAS Variable Name: _LTASTHM

Prologue:

Description: Adults who have ever been told they have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2	4,303	90.02	89.51
2	Yes Notes: ASTHMA2 = 1	468	9.79	10.28
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or missing	9	0.19	0.21

Current Asthma Calculated Variable

Calculated Variables: 8.2 Calculated Variables

Type: Num

Column: 1177

SAS Variable Name: _CASTHMA

Prologue:

Description: Adults who have been told they currently have asthma

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ASTHMA2 = 2 or ASTHMA2 = 1 and ASTHNOW = 2	4,420	92.47	92.42
2	Yes Notes: ASTHMA2 = 1 and ASTHNOW = 1	339	7.09	7.04
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or ASTHNOW = 7 or 9	21	0.44	0.54

Computed Asthma Status

Calculated Variables: 8.3 Calculated Variables

Type: Num

Column: 1178

SAS Variable Name: _ASTHMST

Prologue:

Description: Computed asthma status

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current Notes: ASTHMA2 = 1 and ASTHNOW = 1	339	7.09	7.04
2	Former Notes: ASTHMA2 = 1 and ASTHNOW = 2	117	2.45	2.91
3	Never Notes: ASTHMA2 = 2	4,303	90.02	89.51
9	Don't know/Not Sure Or Refused/Missing Notes: ASTHMA2 = 7 or 9 or ASTHNOW = 7 or 9	21	0.44	0.54

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Computed Smoking Status

Calculated Variables: 10.1 Calculated Variables

Type: Num

Column: 1179

SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Current smoker - now smokes every day Notes: (SMOKE100 = 1) AND (SMOKEDAY = 1)	659	13.79	15.54
2	Current smoker - now smokes some days Notes: (SMOKE100 = 1) AND (SMOKEDAY = 2)	187	3.91	3.93
3	Former smoker Notes: (SMOKE100 = 1) AND (SMOKEDAY = 3)	1,309	27.38	24.04
4	Never smoked Notes: (SMOKE100 = 2)	2,609	54.58	56.20
9	Don't know/Refused/Missing Notes: (SMOKE100 = 1) AND ((SMOKEDAY = 9) OR (SMOKE100 = (. OR 7 OR 9)))	16	0.33	0.29

Current Smoking Calculated Variable

Calculated Variables: 10.2 Calculated Variables

Type: Num

Column: 1180

SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: (_SMOKER2 = (3 OR 4))	3,918	81.97	80.24
2	Yes Notes: (_SMOKER2 = (1 OR 2))	846	17.70	19.47
9	Don't know/Refused/Missing Notes: (_SMOKER2 = 9)	16	0.33	0.29

MRACE with trailing 7,8,9s removed calculated variable

Calculated Race Variables: 11.1 Calculated Race Variables

Type: Char

Column: 1181-1186

SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9s removed

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.02	0.03
9	Refused	23	0.48	0.49
HIDDEN	Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report	4,756	99.50	99.48

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

MRACEORG with responses in ascending order calculated variable

Calculated Variables: 11.2 Calculated Race Variables

Type: Char

Column: 1187-1192

SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	0.02	0.03
9	Refused	23	0.48	0.49
HIDDEN	Data not displayed	4,756	99.50	99.48

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Computed Preferred Race

Calculated Variables: 11.3 Calculated Race Variables

Type: Num

Column: 1193-1194

SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White Notes: MRACEASC = 1	4,571	95.63	93.74
2	Black or African American Notes: MRACEASC = 2	22	0.46	0.67
3	Asian Notes: MRACEASC = 3	16	0.33	0.78
4	Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4	9	0.19	0.21
5	American Indian or Alaskan Native Notes: MRACEASC = 5	115	2.41	3.54
6	Other race Notes: MRACEASC = 6	21	0.44	0.47
7	No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9	2	0.04	0.07
77	Don't know/Not sure Notes: MRACEASC = 7	1	0.02	0.03
99	Refused Notes: MRACEASC = 9	23	0.48	0.49

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Computed non-Hispanic Race including Multiracial

Calculated Variables: 11.4 Calculated Race Variables

Type: Num

Column: 1195-1196

SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only Notes: MRACEASC = 1	4,553	95.25	93.42
2	Black or African American only Notes: MRACEASC = 2	21	0.44	0.67
3	Asian Only Notes: MRACEASC = 3	15	0.31	0.76
4	Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4	9	0.19	0.21
5	American Indian or Alaskan Native only Notes: MRACEASC = 5	111	2.32	3.27
6	Other race only Notes: MRACEASC = 6	19	0.40	0.42
7	Multiracial Notes: MRACEASC >= 12	28	0.59	0.74
77	Don't know/Not sure Notes: MRACEASC = 7	1	0.02	0.03
99	Refused Notes: MRACEASC = 9	23	0.48	0.49

Computed Non-Hispanic Whites/All Others race categories Race/ethnic group codes used in post-stratification.

Calculated Variables: 11.5 Calculated Race Variables

Type: Num

Column: 1197

SAS Variable Name: _RACEG2

Prologue:

Description: White/Hispanic race group

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Non-Hispanic White Notes: RACE2 = 1	4,480	93.72	92.20
2	Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8	244	5.10	6.76
9	Don't know/Not sure/Refused Notes: RACE2 = 9	56	1.17	1.05

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Computed Five level race/ethnicity category.

Calculated Variables: 11.6 Calculated Race Variables

Type: Num

Column: 1198

SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, Non-Hispanic Notes: RACE2 = 1	4,480	93.72	92.20
2	Black only, Non-Hispanic Notes: RACE2 = 2	20	0.42	0.65
3	Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6	143	2.99	4.27
4	Multiracial, Non-Hispanic Notes: RACE2 = 7	27	0.56	0.71
5	Hispanic Notes: RACE2 = 8	54	1.13	1.13
9	Don't know/Not sure/Refused Notes: RACE2 = 9	56	1.17	1.05

Computed race groups used for internet prevalence tables

Calculated Variables: 11.7 Calculated Race Variables

Type: Num

Column: 1199

SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White - Non-Hispanic Notes: _RACEGR2 = 1	4,480	94.83	93.17
2	Black - Non-Hispanic Notes: _RACEGR2 = 2	20	0.42	0.66
3	Hispanic Notes: _RACEGR2 = 5	54	1.14	1.14
4	Other race only, Non-Hispanic Notes: _RACEGR2 = 3	143	3.03	4.31
5	Multiracial, Non-Hispanic Notes: _RACEGR2 = 4	27	0.57	0.71
BLANK	Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or missing	56		

Computed number of census race categories chosen

Calculated Variables: 11.8 Calculated Race Variables

Type: Num

Column: 1200

SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Other/do not know/refused Notes: 6 <= MRACEASC <= 9	43	0.90	0.94
1	1 category chosen Notes: MRACEASC had one race category	4,713	98.60	98.42
2	2 category chosen Notes: MRACEASC had two race categories	22	0.46	0.51
3	3 category chosen Notes: MRACEASC had three race categories	2	0.04	0.13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Computed number of census race categories chosen, collapsed

Calculated Variables: 11.9 Calculated Race Variables

Type: Num

Column: 1201

SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	One category chosen Notes: _CNRACE = 1	4,713	99.49	99.35
2	Two or more categories chosen Notes: _CNRACE > 1	24	0.51	0.65
BLANK	_CNRACE = 0 or missing Notes: _CNRACE = 0	43		

Computed Race-Ethnicity grouping

Calculated Variables: 11.10 Calculated Race Variables

Type: Num

Column: 1202

SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2	4,480	93.72	92.20
2	Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3	20	0.42	0.65
3	Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 4	15	0.31	0.76
4	Native Hawaiian or other Pacific Islander only, No Notes: HISPANC2 = 2 and _MRACE = 5	8	0.17	0.16
5	American Indian or Alaskan Native only, Non-Hispan Notes: HISPANC2 = 2 and _MRACE = 6	109	2.28	3.23
6	Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7	11	0.23	0.12
7	Multiracial, non-Hispanic Notes: HISPANC2 = 1	27	0.56	0.71
8	Hispanic Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2	54	1.13	1.13
9	Don't know/Not sure/Refused	56	1.17	1.05

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Reported age in five-year age categories calculated variable

Calculated Variables:
11.11 Calculated Variables

Type: Num

Column: 1203-1204

SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 LE AGE LE 24	202	4.23	15.76
2	Age 25 to 29 Notes: 25 LE AGE LE 29	258	5.40	7.66
3	Age 30 to 34 Notes: 30 LE AGE LE 34	261	5.46	7.72
4	Age 35 to 39 Notes: 35 LE AGE LE 39	324	6.78	7.18
5	Age 40 to 44 Notes: 40 LE AGE LE 44	425	8.89	9.35
6	Age 45 to 49 Notes: 45 LE AGE LE 49	507	10.61	9.46
7	Age 50 to 54 Notes: 50 LE AGE LE 54	557	11.65	9.97
8	Age 55 to 59 Notes: 55 LE AGE LE 59	451	9.44	7.27
9	Age 60 to 64 Notes: 60 LE AGE LE 64	370	7.74	5.86
10	Age 65 to 69 Notes: 65 LE AGE LE 69	372	7.78	5.00
11	Age 70 to 74 Notes: 70 LE AGE LE 74	317	6.63	3.88
12	Age 75 to 79 Notes: 75 LE AGE LE 79	325	6.80	5.26
13	Age 80 or older Notes: 80 LE AGE LE 99	357	7.47	4.99
14	Don't know/Refused/Missing Notes: 7 LE AGE LE 9	54	1.13	0.68

Reported age in two age groups calculated variable

Calculated Variables:
11.12 Calculated Variables

Type: Num

Column: 1205

SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 64 Notes: 18 LE AGE LE 64	3,355	70.19	80.20
2	Age 65 or older Notes: 65 LE AGE LE 99	1,371	28.68	19.12
3	Don't know/Refused/Missing Notes: 7 LE AGE LE 9	54	1.13	0.68

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Imputed age in six groups

Calculated Variables: 11.13 Calculated Variables

Type: Num

Column: 1206

SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 to 24 Notes: 18 LE AGE LE 24	202	4.23	15.76
2	Age 25 to 34 Notes: 25 LE AGE LE 34	519	10.86	15.38
3	Age 35 to 44 Notes: 35 LE AGE LE 44	749	15.67	16.52
4	Age 45 to 54 Notes: 45 LE AGE LE 54	1,076	22.51	19.58
5	Age 55 to 64 Notes: 55 LE AGE LE 64	863	18.05	13.64
6	Age 65 or older Notes: AGE GE 65	1,371	28.68	19.12

Computed Height in Inches

Calculated Variables: 11.14 Calculated Variables

Type: Num

Column: 1207-1209

SAS Variable Name: HTIN3

Prologue:

Description: Reported height in inches

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in inches	4,737	99.10	99.48
999	Don't know/Refused/Missing	43	0.90	0.52

Computed Height in Meters

Calculated Variables: 11.15 Calculated Variables

Type: Num

Column: 1210-1212

SAS Variable Name: HTM3

Prologue:

Description: Reported height in meters

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 998	Height in meters [2 implied decimal places] Notes: 0001 <= HEIGHT3 <= 7776 or 7778 <= HEIGHT3 <= 9998 (metric HEIGHT3 value multiplied by 100 and divided by 2.54)	4,737	99.10	99.48
999	Don't know/Refused/Missing	43	0.90	0.52

Computed Weight in Kilograms

Calculated Variables: 11.16 Calculated Variables

Type: Num

Column: 1213-1217

SAS Variable Name: WTKG2

Prologue:

Description: Reported weight in kilograms

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 99998	Weight in kilograms [2 implied decimal places] Notes: WEIGHT2 = 7777 or 9999	4,534	94.85	95.63
99999	Don't know/Refused/Missing	246	5.15	4.37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Computed body mass index

Calculated Variables: 11.17 Calculated Variables

Type: Num

Column: 1218-1221

SAS Variable Name: _BMI4

Prologue:

Description: Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 9998	1 or greater Notes: WTKG2/(HTM3*HTM3) (Has 2 implied decimal places)	4,516	94.48	95.46
9999	Don't know/Refused/Missing Notes: WTKG2 = 777 or 999 or HTM3 = 777 or 999	264	5.52	4.54

Computed body mass index categories

Calculated Variables: 11.18 Calculated Variables

Type: Num

Column: 1222

SAS Variable Name: _BMI4CAT

Prologue:

Description: Three-categories of Body Mass Index (BMI)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Neither overweight nor obese Notes: _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,523	31.86	33.92
2	Overweight Notes: 2500 <= _BMI4 < 3000	1,775	37.13	37.29
3	Obese Notes: 3000 <= _BMI4 < 9999	1,218	25.48	24.26
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	264	5.52	4.54

Overweight or obese calculated variable

Calculated Variables: 11.19 Calculated Variables

Type: Num

Column: 1223

SAS Variable Name: _RFBMI4

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: 0 <= _BMI4 < 2500 (_BMI4 has 2 implied decimal places)	1,523	31.86	33.92
2	Yes Notes: 2500 <= _BMI4 < 9999	2,993	62.62	61.54
9	Don't know/Refused/Missing Notes: _BMI4 = 9999	264	5.52	4.54

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Computed number of children in household

Calculated Variables:
bles:

Column: 1224

Type: Num

SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No children in household Notes: CHILDREN = 88	3,398	71.09	62.17
2	One child in household Notes: CHILDREN = 01	542	11.34	15.14
3	Two children in household Notes: CHILDREN = 02	499	10.44	13.42
4	Three children in household Notes: CHILDREN = 03	251	5.25	6.78
5	Four children in household Notes: CHILDREN = 04	65	1.36	1.82
6	Five or more children in household Notes: 05 <= CHILDREN < 88	24	0.50	0.64
9	Don't know/Not sure/Missing Notes: CHILDREN = 99	1	0.02	0.02

Computed level of education completed categories

Calculated Variables:
bles:

Column: 1225

Type: Num

SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Did not graduate High School Notes: EDUCA = 1 or 2 or 3	432	9.04	7.69
2	Graduated High School Notes: EDUCA = 4	1,435	30.02	28.80
3	Attended College or Technical School Notes: EDUCA = 5	1,486	31.09	32.39
4	Graduated from College or Technical School Notes: EDUCA = 6	1,419	29.69	31.00
9	Don't know/Not sure/Missing Notes: EDUCA = 9 or missing	8	0.17	0.13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Computed income categories

Calculated Variables: 11.22 Calculated Variables

Type: Num

Column: 1226

SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than \$15,000 Notes: INCOME2 = 1 or 2	396	8.28	6.97
2	\$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4	722	15.10	13.08
3	\$25,000 to less than \$35,000 Notes: INCOME2 = 5	614	12.85	12.54
4	\$35,000 to less than \$50,000 Notes: INCOME2 = 6	836	17.49	17.47
5	\$50,000 or more Notes: INCOME2 = 7 or 8	1,517	31.74	36.32
9	Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or missing	695	14.54	13.62

Computed drink-occasions-per-day

Calculated Variables: 13.1 Calculated Variables

Type: Num

Column: 1227-1229

SAS Variable Name: DROCDY2_

Prologue:

Description: Drink-occasions-per-day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	No Drink-Occasions per day Notes: ALCDAY4 = 888 or DRNKANY4 = 2	2,113	44.21	41.06
1 - 899	Drink-Occasions per day Notes: ALCDAY4 <= 231	2,548	53.31	56.69
900	Don't know/Not Sure Or Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing or DRNKANY4 = 7 or 9 or Missing	119	2.49	2.25

Binge Drinking Calculated Variable

Calculated Variables: 13.2 Calculated Variables

Type: Num

Column: 1230

SAS Variable Name: _RFBING4

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one occasion)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: ALCDAY4 < 300 and DRNK3GE5 = 0 or ALCDAY4 = 888	3,880	81.17	76.39
2	Yes Notes: ALCDAY4 < 300 and DRNK3GE5 = 1	744	15.56	20.30
9	Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY4 = 777 or 999 or Missing	156	3.26	3.32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Computed number of drinks of alcohol beverages per day

Calculated Variables: 13.3 Calculated Variables

Type: Num

Column: 1231-1234

SAS Variable Name: _DRNKDY3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink Notes: ALCDAY4 = 888	2,113	44.21	41.06
1 - 9899	Number of drinks per day Notes: ALCDAY4 / 7 per week or ALCDAY4 / 30 per month * AVEDRNK2	2,497	52.24	55.28
9900	Don't know/Not sure/Refused/Missing Notes: ALCDAY4 = 777 or 999 or Missing	170	3.56	3.66

Computed total number drinks a month

Calculated Variables: 13.4 Calculated Variables

Type: Num

Column: 1235-1238

SAS Variable Name: _DRNKMO3

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	Did not drink in the past month Notes: _DRNKDY3 = 0	2,113	44.21	41.06
1 - 9998	Number of Drinks Notes: _DRNKDY3 * 30	2,497	52.24	55.28
9999	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	170	3.56	3.66

Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 13.5 Calculated Variables

Type: Num

Column: 1239

SAS Variable Name: _RFDRHV3

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	4,433	92.74	92.08
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2 or SEX = 2 and _DRNKDY3 > 1	177	3.70	4.26
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	170	3.56	3.66

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 13.6
Calculated Variables:

Type: Num

Column: 1240

SAS Variable Name: _RFDRMN3

Prologue:

Description: Adult Men that are Heavy drinkers (having more than two drinks per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 1 and _DRNKDY3 <= 2 or ALCDAY4 = 888	1,760	91.29	91.06
2	Yes Notes: SEX = 1 and _DRNKDY3 > 2	84	4.36	4.78
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	84	4.36	4.16
BLANK	Respondent is female Notes: SEX = 2	2,852		

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables: 13.7
Calculated Variables:

Type: Num

Column: 1241

SAS Variable Name: _RFDRWM3

Prologue:

Description: Adult Women that are Heavy drinkers (having more than one drink per day)

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	No Notes: SEX = 2 and _DRNKDY3 <= 1 or ALCDAY4 = 888	2,673	93.72	93.06
2	Yes Notes: SEX = 2 and _DRNKDY3 > 1	93	3.26	3.76
9	Don't know/Refused/Missing Notes: _DRNKDY3 = 900	86	3.02	3.17
BLANK	Respondent is male Notes: SEX = 1	1,928		

Flu Shot Calculated Variable

Calculated Variables: 14.1
Calculated Variables:

Type: Num

Column: 1242

SAS Variable Name: _FLSHOT3

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE>=65 AND FLUSHOT3=1	917	64.35	68.00
2	No Notes: AGE>=65 AND FLUSHOT3=2	438	30.74	27.23
9	Don't know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR FLUSHOT3=(7,9)	70	4.91	4.78
BLANK	Missing or Age Less Than 65 Notes: AGE<65	3,355		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Pneumonia Vaccination Calculated Variable

Calculated Variables: 14.2 Calculated Variables

Type: Num

Column: 1243

SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE>=65 AND PNEUVAC3=1	899	63.09	64.10
2	No Notes: AGE>=65 AND PNEUVAC3=2	410	28.77	28.29
9	Don't know/Not Sure Or Refused/Missing Notes: AGE=(7,9) OR PNEUVAC3=(7,9)	116	8.14	7.61
BLANK	Missing or Age Less Than 65 Notes: AGE<65	3,355		

Always or Nearly Always Wear Seat Belts

Calculated Variables: 16.1 Calculated Variables

Type: Num

Column: 1244

SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always or Almost Always Wear Seat Belt	3,981	83.28	82.22
2	Sometimes, Seldom, or Never Wear Seat Belt	708	14.81	15.62
9	Don't know/Not Sure Or Refused/Missing	91	1.90	2.16

Always Wear Seat Belts

Calculated Variables: 16.2 Calculated Variables

Type: Num

Column: 1245

SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Always Wear Seat Belt	2,795	58.47	57.10
2	Don't Always Wear Seat Belt	1,894	39.62	40.75
9	Don't know/Not Sure Or Refused/Missing	91	1.90	2.16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Women respondents aged 40+ that have had a mammogram in the past two years

Calculated Variables:
18.1 Calculated Variables

Type: Num

Column: 1246

SAS Variable Name: _RFMAM2Y

Prologue:

Description: Women respondents aged 40+ that have had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 1 or 2	1,697	75.73	75.13
2	No Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 3 or 4 or 5	479	21.37	22.20
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 40 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	65	2.90	2.67
BLANK	Missing or Age less than 40 or Male Notes: SEX = 1 or SEX = 2 and AGE < 40 or SEX = 2 and AGE => 40 and HADMAM = missing	2,539		

Women respondents aged 50+ that have had a mammogram in the past two years

Calculated Variables:
18.2 Calculated Variables

Type: Num

Column: 1247

SAS Variable Name: _MAM502Y

Prologue:

Description: Women respondents aged 50+ that have had a mammogram in the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 1 or 2	1,311	77.12	77.25
2	No Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 3 or 4 or 5	327	19.24	19.14
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 50 and HADMAM = 1 and HOWLONG = 7 or 9 or SEX = 2 and HADMAM = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	62	3.65	3.61
BLANK	Missing or Age less than 50 or Male Notes: SEX = 1 or SEX = 2 and AGE < 50 or SEX = 2 and AGE => 50 and HADMAM = missing	3,080		

Women respondents aged 18+ that have had a pap test in the past three years

Calculated Variables:
18.3 Calculated Variables

Type: Num

Column: 1248

SAS Variable Name: _RFPAP32

Prologue:

Description: Women respondents aged 18+ that have had a pap test in the past three years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 1 or 2 or 3	1,645	80.05	82.56
2	No Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 4 or 5 or 6 or SEX = 2 and AGE => 18 and HADPAP2 = 2	343	16.69	15.10
9	Don't know/Not Sure/Refused Notes: SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = 7 or 9 or SEX = 2 and AGE => 18 and HADPAP2 = 7 or 9 or SEX = 2 and AGE = 7 or 9 or missing	67	3.26	2.33
BLANK	Missing or Male Notes: SEX = 2 and HADHYST2 = 1 and PREGNANT = 2 or 7 or 9 or missing or SEX = 2 and AGE => 18 and HADPAP2 = 1 and LASTPAP2 = missing or SEX = 2 and AGE => 18 and HADPAP2 = missing or SEX = 1	2,725		

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006**

Male respondents aged 40+ that have had a PSA test in the past 2 years

Calculated Variables
bles:

Column: 1249

Type: Num

SAS Variable Name: _RFPSA2Y

Prologue:

Description: Male respondents aged 40+ that have had a PSA test in the past 2 years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = 1 or 2	734	51.44	50.06
2	No Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = 3 or 4 or 5 or SEX = 1 and AGE => 40 and PSATEST = 2	629	44.08	45.83
9	Don't know/Not Sure/Refused Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = 7 or 9 or SEX = 1 and AGE => 40 and PSATEST = 7 or 9 or SEX = 1 and AGE = 7 or 9 or missing	64	4.48	4.10
BLANK	Missing or Age less than 40 or Female Notes: SEX = 1 and AGE => 40 and PSATEST = 1 and PSATIME = missing or SEX = 1 and AGE => 40 and PSATEST = missing or SEX = 1 and AGE = < 40 or SEX = 2	3,353		

Respondents aged 50+ that have had a blood stool test within the past two years

Calculated Variables
bles:

Column: 1250

Type: Num

SAS Variable Name: _RFBLDST

Prologue:

Description: Respondents aged 50+ that have had a blood stool test within the past two years

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS2 = 1 or 2	578	21.07	21.62
2	No Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS2 = 3 or 4 or AGE => 50 and BLDSTOOL = 2	2,078	75.76	75.90
9	Don't know/Not Sure/Refused Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS2 = 7 or 9 or AGE => 50 and BLDSTOOL = 7 or 9 or AGE = 7 or 9 or missing	87	3.17	2.48
BLANK	Missing or Age less than 50 Notes: AGE => 50 and BLDSTOOL = 1 and LSTBLDS2 = missing or AGE => 50 and BLDSTOOL = missing or AGE < 50	2,037		

Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

Calculated Variables
bles:

Column: 1251

Type: Num

SAS Variable Name: _RFSIGM2

Prologue:

Description: Respondents aged 50 or older that have had a sigmoidoscopy or colonoscopy

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: AGE => 50 and HADSIGM3 = 1	1,516	55.29	55.22
2	No Notes: AGE => 50 and HADSIGM3 = 2	1,153	42.05	42.55
9	Don't know/Not Sure/Refused Notes: AGE => 50 and HADSIGM3 = 7 or 9	73	2.66	2.23
BLANK	Missing or Age less than 50 Notes: AGE => 50 and HADSIGM3 = missing or AGE = 7 or 9 or missing or AGE < 50	2,038		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CODEBOOK REPORT, 2006

Ever been tested for HIV calculated variable

Calculated Variables:
21.1 Calculated Variables

Type: Num

Column: 1252

SAS Variable Name: _AIDTST2

Prologue:

Description: Adults aged 18-64 that have ever been tested for HIV

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes Notes: 18 <= AGE <= 64 and HIVTST5 = 1	699	20.95	23.57
2	No Notes: 18 <= AGE <= 64 and HIVTST5 = 2	2,534	75.94	74.14
9	Don't know/Not Sure/Refused Notes: 18 <= AGE <= 64 and HIVTST5 = 7 or 9 or AGE = 7 or 9 or missing	104	3.12	2.29
BLANK	Missing or Age greater than 64 Notes: 18 <= AGE <= 64 and HIVTST5 = missing or AGE > 64	1,443		