

OUTLINE

- What are the school & child care immunization requirements in ND?
- Why are school & child care immunizations important, for our state?
- What are the school immunization rates currently and historically?

2

SCHOOL VACCINATION LAWS ARE THE NORM IN THE US Have been in state laws since the 1800s

Since 1980, all 50 states require vaccination prior to school entry

- They are considered an essential part of keeping children safe in school settings
- They help achieve high vaccination rates

NORTH DAKOTA STATE IMMUNIZATION LAW

- 23-07-17.1. Inoculation required before admission tschool.

 All students through grade 12 must meet a minimum number of required immunizations prior to school entrance.

 I hese apply to public, private, and homeschooled students, as well as child care facilities.
- students, as well as child care facilities.

 According to ND Century Code, each institutional authority and district superintendent is legally responsible for excluding non-compliant students.

 The school district and individual school employees may be laidle for harm to students injured if a fron-student superior of the complex of th


4

	Child c	are: Mini	imum Nu	ımber of	Doses Re	equired P	er Age
Vaccine Type	2-3 Months	4-5 Months	6-7 Months	8-11 Months	12-17 Months	18-24 Months	2-5* Years
Rotavirus#	1	2	2 or 3¥				
Hib§ (Haemophilu s influenzae type b)	1	2	2 or 3	2 or 3	3 or 4	3 or 4	3 or 4
HBV (Hepatitis B)	1	2	3	3	3	3	3
IPV (Polio)	1	2	3	3	3	3	3
PCV ^T (Pneumococ cal)	1	2	3	3	4	4	4
DTaP/DT (Diphtheria- Tetanus- Pertussis)	1	2	3	3	4	4	4

5

CHILDCARE REQUIREMENTS, CONTINUED MMR (Measles-Mumps-Rubella) Varicella 1 1 1 (Chickenpox)

7



8

NOTES ABOUT POLIO

- OPV doses given after April 1st, 2016 must be redone
- OPV changed from trivalent to bivalent, on that date
- OPV is a live, attenuated vaccine and follows rules about timing of live vaccines (must be separated by 28 days)
- IPV is an inactive vaccine and does not follow live vaccine timing
- When in doubt: use NDIIS forecaster. Some individuals (especially children from countries such as India or Ukraine) may require re-vaccination.

"NOT CURRENTLY REQUIRED FOR SCHOOL OR CHILDCARE, BUT YOUR PEDIATRICIAN RECOMMENDS THESE VACCINES, TOO!"

- HPV: start at age 9/10, finish by age 11/12
- Annual influenza for everyone 6mos+
- COVID-19 vaccine for everyone 6mos+
- RSV IG coming soon for vulnerable infants

 Nearly everyone will be exposed to all three of these pathogens, at some point. Vaccination is the best way to prevent their ill effects.
- Men B

10

SANDWICH RECOMMENDATION

• "Your child is due today for vaccines to prevent whooping cough, HPV cancer, and meningitis."



11

DON'T FORGET

- Vaccines are just as effective if given at the lower end of the approved age range
- Get your kid their "kindergarten shots" at their 4 year visit and their first HPV shot at age 9!



WHY SCHOOL VACCINES ARE IMPORTANT

- Each case of measles can infect up to 18 susceptible people, making it one of the most contagious diseases.
- Measles is a very serious illness. In recent outbreaks, nearly half of children have required hospitalization.
- For every 1000 measles cases, 1-2 will die.
- Over 100,000 people, mostly children, die from measles every year
- The Herd Immunity Threshold for measles is 95%



13

WHY SCHOOL VACCINES ARE IMPORTANT Exclusion Period Until blisters have dried and no new blisters have started for 24 hours-usually takes about 5-6 days. Measles Until 4 days after rash appears. Unvaccinated students 21 days from last measles case in Influenza Until child is fever free for 24 hours without the use of fever reducing meds. Meningococcal Meningitis Until at least 24 hours after antibiotic therapy was started. Mumps Until **five days** after parotitis onset. Until **five days** after appropriate antibiotic therapy was started or 21 days after symptom onset. Rubella Until seven days after rash onset.

14

SCHOOL EXCLUSION DUE TO ILLNESS

- Students may claim exemptions to vaccination requirements.
 Personal Belief (philosophical, moral, religious)
- History of Disease (requires health professional signature)
 Medical (requires health professional signature)
- · In the event that there is a case of measles in a school.
- Students who do not meet the vaccination requirements will be excluded for 21 days after the last case of measles.
- · Based on the incubation period of seven to 21 days
- Student will be excluded beginning on the fifth day after exposure.

	CILC
MEA	3113
	OF THIS HOUSEHOLD WITH THE
HEALTH OFFICER'S PE	RMIT - MUST NOT ENTER
OR LEAVE	THESE PREMISES
Na serous other than those authorized by the Boar	of of Health shall remove this Placard. Any Person or
Persons defacing, covering up, or destroying this Places	of render themselves liable to the Penalties of the law.
	NOS, provides that unyone violating the provisions of this Art, as of not more than \$100.00, to be paid to the use of said
equity, and costs of prosecution, or to be imprisoned i more than thirty days, or both, at the discretion of the	
	By Order of The Board of Health
Health Officer.	
	Patel ————————————————————————————————————
Address.	

• Medical: Requires certificate signed by physician. • History of disease: Requires a **EXEMPTIONS** certificate signed by a physician. Available for varicella, MMR, and hepatitis B • Personal belief & religious: Requires certificate signed by parent/guardian.

16

EXCLUSION DUE TO NON-COMPLIANCE

- Parents of students who are not up to date with required immunizations or do not have an immunization record on file should be notified of the missing record or of which immunizations their children need to receive at the start of school.
- Parents have until October 1st to comply with requirements.
 After this, the child should be excluded from school.
- It is the school's responsibility to enforce the vaccination requirements and exclusion.

17

Herd Immunity: How It Works Percent Vaccinated: 95% Percent Vaccinated: 75% Percent Vaccinated: 90% on vaccinated. To took vaccinated. 30 % • Infected • Unvaccinated • Vaccinated




THINK ABOUT INDIVIDUAL **PROTECTION**


- Tetanus
 Present in the environment, not spread person to person
 Polio
 IPV only prevents paralytic disease, but virus can still circulate asymptomatically
 Pneumococcal disease
 Many people are carriers of this bacteria
 Chickenpox
 Children can get varicella from adults with shingles


19





20



















































COVID-19 Vaccine

- FDA's VRBPAC met on June 15th to discuss strain selection for future COVID-19 vaccines.
 - SARS-CoV-2 mutates 2-times faster than influenza.
 - Current Omicron variant (XBB) is different than other Omicron variants and updating vaccines could help immune systems recognize difference.
 - FDA wants to go back to monovalent vaccine targeting XBB only.
 - Earliest Omicron variant no longer circulating.
 - All VRBPAC members voted in favor of updating to XBB.

Dakota | Health & Human Services

40

COVID-19 Vaccine

 Starting in Fall of 2023, COVID-19 vaccine will transition to the commercial market and the federal government will no longer be purchasing COVID-19 vaccine for use in insured individuals.

Dakota | Health & Human Service

41

Who is eligible to receive COVID-19 vaccine through the VFC program?

- COVID-19 vaccine is available to any child who currently is eligible for the Vaccines for Children (VFC) program.
- They must be 18 years of age or younger and:
 - Medicaid eligible
 - American Indian/Alaskan Native
 - uninsured
 - underinsured

Dakota | Health & Human Services

Who is eligible to receive COVID-19 vaccine through the Bridge Access Program?	
3 3	·
• The bridge access program is similar to the 317 adult	
vaccine program. • Adults 19 years and older who are uninsured or under	
insured are eligible to receive vaccine.	
DoCoto Neath & Humon Services	
13	
Will VFC/Bridge Program vaccine still be	
distributed through the NDHHS warehouse?	
 No, after commercialization vaccine will be distributed through traditional vaccine channels. Vaccine will likely be 	-
distributed directly through the manufacturers or McKesson.	
DOKOTO Health & Homos Services	
14	
Who will be recommended to receive this version of the COVID-19 vaccine?	
• We do not currently know who will be recommended to	
receive COVID-19 vaccine this fall and how recommendations will vary based on previous COVID-19	
vaccines received. The Advisory Committee on Immunization	
Practices (ACIP) is expected to issue recommendations after	

When will our facility receive this vaccine?

- NDHHS has been told that the updated fall monovalent doses will begin shipping in September.
 - Once the Immunization Unit has more information, it will be sent out via email.
- Similar to influenza vaccine pre-books, facilities will be made aware prior to doses being shipped.

Dakota | Health & Human Service

46

Do I need to enroll in the VFC/317 program to receive COVID-19 vaccine if my facility already receives COVID-19 vaccine from NDHHS?

- Yes. As soon as COVID-19 vaccine is released on the commercial market, providers will need to be enrolled with the VFC/317 vaccine program to continue to receive COVID-19 vaccine for VFC-eligible children and/or uninsured adults.
- Facilities interested in enrolling should email vaccine@nd.gov for more information.
- No further steps are needed at this time if your facility currently receives VFC and/or 317 vaccine.

Dakota | Health & Human Services

47

Moderna Fall COVID-19 Vaccines

- Formulation: monovalent XBB.1.5 (decided by VRBPAC on 6/15)
- Packaging and Vial Size (2 presentations):
 - <u>Ages 12+</u>: Single dose vial 0.5 mL dose (expected to be full BLA and to be approved first) packaged in carton of 10 vials
 - 6 months 11 years: Single dose vial 0.25 mL dose (expected to be EUA) packages in carton of 10 vials
 - Expected same dosage amount for 6 mnths-11 years
 - Vaccines for 12+ and 6-11 years will be in different packaging and caps, but no details yet $\,$
- Storage and Handling:Shipped frozen

 - 30 days fridge
 At least 6 month frozen; could be up to 9 months (TBD)

49

Novavax Fall COVID-19 Vaccines

- · One presentation
 - Ages 12+: Five dose vial; .5mL dose
 - In the future, Novavax expects to continue their efforts to transition to a single dose presentation.
- · Storage Conditions
 - Refrigerator until expiration

Dakota | Health & Human Serv

50

Can I charge patients out-of-pocket for the administration fee for publicly supplied COVID-19 vaccine?

- Just as with the VFC/317 vaccine program, there will be a maximum administration fee that can be charged. NDHHS is currently working on a process to potentially cover the cost of administration fees for uninsured adults through the bridge program and more details will be released when that information is available.
- If using vaccine supplied by NDHHS individuals, regardless of age or insurance status, cannot be turned away for vaccination or have vaccine-related administration fees sent to collections.

Dakota | Health & Human Service

Does my facility need to purchase privately supplied COVID-19 vaccine? If so, who receives privately purchased vaccine?

- COVID-19 vaccine must be purchased privately for use in all insured individuals.
- COVID-19 vaccine must be purchased through the manufacturer or potentially through vaccine wholesalers.
- The insurance company should then be billed for the cost of the vaccine and the administration fee.
- Medicaid/Medicare adults are considered insured and cannot receive vaccine supplied by the NDHHS.

Dakota | Health & Human Services

52

I'm a VFC/317 enrolled provider, am I required to carry COVID-19 vaccine?

 Yes. VFC is an entitlement program so those that qualify are guaranteed access to all recommended vaccines. Not carrying certain recommended vaccines could result in your facility being disenrolled from the VFC program.

Dakota | Health & Human Service

53

Should I continue to administer bivalent COVID-19 vaccine throughout the summer anticipating an updated fall monovalent vaccine?

- Yes. Those who are not yet protected against COVID-19 should be vaccinated using the current ACIP recommendations.
- Providers should consider counseling patients on the possibility of delaying their bivalent dose until the updated product is available.

Dakota | Health & Human Services

Should I consider planning mass	vaccination
clinics or work with my local LTC	to start
planning now?	

• Yes. Providers should start planning now with community partners to host respiratory vaccine clinics this fall.

Dakota | Health & Human Services

55

Post-Test

- Post-test
 - Nurses interested in continuing education credit, visit https://ndhealth.co1.qualtrics.com/jfe/form/SV_3raK9n7iylmGRiC
 - \bullet Successfully complete the five-question post-test to receive your certificate
 - Credit for this session will not expire until September 12, 2023.
- This presentation will be posted to our website: www.hhs.nd.gov/immunizations

Dakota | Health & Human Services

56

Staff Members

Immunization Unit Molly Howell, MPH Director Abbi Berg, MPH VFC/Quality Improvement Manager Wiranda Baumgartner VFC/Qi Coordinator (West) Ally Schweitzer, MHA VFC/QiC Coordinator (East)

Danni Pinnick, MPH Immunization Surveillance Coc Phone: 701-328-3354
Email: mshowel@nd.gov
Phone: 701-328-3324
Email: alberg@nd.gov
Phone: 701-328-2035
Email: mshowelster@nd.gov
Phone: 701-541-7226
Email: aschwelster@nd.gov

Phone: Email: <u>lyndemonson@nd.gov</u> NIDIS Manager
Allison Dykstra, MS
NIDIS Coordinator
Ronda & Rercher
NIDIS Data Admin
Melissa Anderson
NIDIS Data Quality Coordinator
Andrew Bigustad, MPH
Aduk Immunication Coordinator
Olenika Aguilar, MPH
Immunication Analyst

Phone: 701-328-2404

Email: many workstelled sov

Phone: 701-328-2420

Email: phone: 701-328-2420

Email: phone: 701-328-2420

Email: phone: 701-328-3449

Email: melissa Anderson@nd sov

Phone: 701-388-4169

Email: melissa Anderson@nd sov

Phone: 701-368-5140

Christina Pieske Immunization Admin Assistan (CDC Foundation Staff)
Email: oaguilar@nd.gov

Phone: 701-328-3386
Email: chrnieske@nd.gov

Dakota | Health & Human Services

