

NORTH DAKOTA

2023 Core Variables Report

Behavioral Risk Factor Surveillance System

May 31, 2024



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

|       |                                                         |      |
|-------|---------------------------------------------------------|------|
| TABLE |                                                         | PAGE |
|       | WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH) |      |
| 1     | MALES AND FEMALES                                       | 3    |
| 2     | MALES ONLY                                              | 4    |
| 3     | FEMALES ONLY                                            | 5    |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Excellent |      |            | Very good |      |            | Good |      |            | Fair |      |            | Poor |      |            |
|-----------------------|-------------------|----------|-----------|------|------------|-----------|------|------------|------|------|------------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5730              | 605,286  | 806       | 15.6 | 14.4-16.8  | 2056      | 35.9 | 34.3-37.5  | 1930 | 33.3 | 31.7-34.9  | 716  | 11.9 | 10.7-13.1  | 222  | 3.4  | 2.8- 4.0   |
| Male                  | 2803              | 308,877  | 435       | 17.2 | 15.4-19.0  | 1000      | 36.6 | 34.2-39.0  | 959  | 33.1 | 30.9-35.3  | 312  | 10.0 | 8.6-11.4   | 97   | 3.1  | 2.1- 4.1   |
| Female                | 2927              | 296,409  | 371       | 13.8 | 12.0-15.6  | 1056      | 35.1 | 32.7-37.5  | 971  | 33.5 | 31.1-35.9  | 404  | 13.8 | 12.0-15.6  | 125  | 3.8  | 3.0- 4.6   |
| Native                | 162               | 24,422   | 12        | 9.7  | 3.6-15.8   | 45        | 27.8 | 19.0-36.6  | 56   | 37.2 | 27.2-47.2  | 41   | 21.5 | 13.7-29.3  | 8    | 3.8  | 0.9- 6.7   |
| Non-Native            | 5480              | 570,977  | 780       | 15.7 | 14.3-17.1  | 1983      | 36.4 | 34.8-38.0  | 1843 | 33.1 | 31.5-34.7  | 663  | 11.4 | 10.2-12.6  | 211  | 3.4  | 2.8- 4.0   |
| 18-24                 | 308               | 85,750   | 68        | 21.4 | 16.3-26.5  | 107       | 34.3 | 28.4-40.2  | 96   | 31.5 | 25.8-37.2  | 34   | 11.2 | 7.3-15.1   | 3    | 1.6  | 0.0- 3.8   |
| 25-34                 | 580               | 108,491  | 121       | 19.5 | 16.0-23.0  | 225       | 36.9 | 32.6-41.2  | 177  | 31.6 | 27.3-35.9  | 43   | 8.8  | 6.1-11.5   | 14   | 3.1  | 1.5- 4.7   |
| 35-44                 | 756               | 103,957  | 144       | 18.5 | 15.4-21.6  | 299       | 38.1 | 34.2-42.0  | 234  | 32.0 | 28.1-35.9  | 65   | 9.3  | 6.8-11.8   | 14   | 2.1  | 0.9- 3.3   |
| 45-54                 | 819               | 81,312   | 108       | 12.5 | 10.0-15.0  | 327       | 40.5 | 36.6-44.4  | 291  | 35.3 | 31.6-39.0  | 70   | 8.7  | 6.5-10.9   | 23   | 3.0  | 1.6- 4.4   |
| 55-64                 | 964               | 88,033   | 122       | 12.5 | 10.0-15.0  | 370       | 36.8 | 33.3-40.3  | 317  | 33.4 | 29.9-36.9  | 108  | 12.4 | 9.7-15.1   | 47   | 5.0  | 3.4- 6.6   |
| 65+                   | 2303              | 137,742  | 243       | 10.4 | 8.8-12.0   | 728       | 31.1 | 28.7-33.5  | 815  | 35.4 | 33.0-37.8  | 396  | 18.1 | 16.1-20.1  | 121  | 5.0  | 4.0- 6.0   |
| Less Than H.S.        | 168               | 42,159   | 12        | 8.1  | 3.4-12.8   | 37        | 23.4 | 15.4-31.4  | 61   | 35.4 | 26.4-44.4  | 47   | 26.2 | 18.2-34.2  | 11   | 6.9  | 1.8-12.0   |
| H.S. or G.E.D.        | 1441              | 159,681  | 171       | 14.6 | 12.2-17.0  | 431       | 32.8 | 29.7-35.9  | 529  | 35.0 | 31.9-38.1  | 226  | 13.5 | 11.3-15.7  | 84   | 4.1  | 3.1- 5.1   |
| Some Post-H.S.        | 1779              | 231,781  | 218       | 14.6 | 12.4-16.8  | 622       | 35.6 | 32.9-38.3  | 627  | 34.6 | 31.9-37.3  | 239  | 11.7 | 9.9-13.5   | 73   | 3.6  | 2.6- 4.6   |
| College Graduate      | 2322              | 169,610  | 397       | 19.2 | 17.2-21.2  | 960       | 42.5 | 40.1-44.9  | 708  | 29.5 | 27.3-31.7  | 203  | 7.1  | 5.9- 8.3   | 54   | 1.8  | 1.2- 2.4   |
| Less than \$15,000    | 147               | 17,964   | 16        | 15.5 | 7.1-23.9   | 19        | 12.8 | 6.3-19.3   | 41   | 27.4 | 16.0-38.8  | 41   | 29.5 | 18.5-40.5  | 30   | 14.9 | 8.4-21.4   |
| \$15,000- 24,999      | 309               | 36,195   | 23        | 9.3  | 5.0-13.6   | 57        | 24.8 | 17.9-31.7  | 110  | 33.4 | 26.7-40.1  | 84   | 23.5 | 17.6-29.4  | 35   | 9.1  | 5.6-12.6   |
| \$25,000- 34,999      | 457               | 48,636   | 40        | 11.6 | 6.9-16.3   | 108       | 23.2 | 18.1-28.3  | 175  | 37.6 | 31.5-43.7  | 104  | 21.7 | 16.6-26.8  | 30   | 6.0  | 3.3- 8.7   |
| \$35,000- 49,999      | 629               | 61,415   | 71        | 12.0 | 8.7-15.3   | 197       | 30.3 | 25.8-34.8  | 229  | 36.7 | 31.8-41.6  | 103  | 15.8 | 12.1-19.5  | 29   | 5.2  | 2.8- 7.6   |
| \$50,000- 99,999      | 1554              | 164,681  | 201       | 14.5 | 12.1-16.9  | 627       | 40.4 | 37.3-43.5  | 555  | 35.0 | 32.1-37.9  | 131  | 8.2  | 6.4-10.0   | 40   | 2.0  | 1.2- 2.8   |
| \$100,000 - 199,999   | 1150              | 124,134  | 198       | 17.9 | 15.4-20.4  | 525       | 44.8 | 41.3-48.3  | 355  | 31.6 | 28.3-34.9  | 62   | 4.7  | 3.3- 6.1   | 10   | 1.0  | 0.2- 1.8   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Excellent |      |            | Very good |      |            | Good |      |            | Fair |      |            | Poor |      |            |
|-----------------------|-------------------|----------|-----------|------|------------|-----------|------|------------|------|------|------------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2803              | 308,877  | 435       | 17.2 | 15.4-19.0  | 1000      | 36.6 | 34.2-39.0  | 959  | 33.1 | 30.9-35.3  | 312  | 10.0 | 8.6-11.4   | 97   | 3.1  | 2.1- 4.1   |
| Native                | 69                | 10,822   | 7         | 14.6 | 3.4-25.8   | 19        | 31.4 | 16.9-45.9  | 22   | 27.7 | 15.5-39.9  | 18   | 23.4 | 11.4-35.4  | 3    | 2.9  | 0.0- 6.4   |
| Non-Native            | 2683              | 292,671  | 420       | 17.3 | 15.5-19.1  | 958       | 36.7 | 34.3-39.1  | 923  | 33.4 | 31.2-35.6  | 288  | 9.5  | 8.1-10.9   | 94   | 3.1  | 2.1- 4.1   |
| 18-24                 | 178               | 45,353   | 45        | 23.6 | 16.9-30.3  | 63        | 37.1 | 29.1-45.1  | 49   | 26.4 | 19.3-33.5  | 19   | 10.6 | 5.7-15.5   | 2    | 2.3  | 0.0- 6.2   |
| 25-34                 | 317               | 58,044   | 71        | 21.1 | 16.2-26.0  | 123       | 38.8 | 32.7-44.9  | 100  | 32.3 | 26.4-38.2  | 17   | 5.2  | 2.7- 7.7   | 6    | 2.5  | 0.3- 4.7   |
| 35-44                 | 421               | 54,181   | 93        | 22.6 | 18.1-27.1  | 164       | 38.4 | 33.1-43.7  | 130  | 30.7 | 25.8-35.6  | 31   | 7.4  | 4.7-10.1   | 3    | 0.9  | 0.0- 1.9   |
| 45-54                 | 422               | 42,395   | 57        | 12.9 | 9.4-16.4   | 175       | 42.0 | 36.7-47.3  | 148  | 34.9 | 29.8-40.0  | 29   | 6.6  | 3.9- 9.3   | 13   | 3.6  | 1.4- 5.8   |
| 55-64                 | 452               | 44,575   | 60        | 13.1 | 9.6-16.6   | 157       | 35.2 | 30.1-40.3  | 163  | 35.3 | 30.2-40.4  | 51   | 11.7 | 8.2-15.2   | 21   | 4.7  | 2.5- 6.9   |
| 65+                   | 1013              | 64,328   | 109       | 10.3 | 8.1-12.5   | 318       | 30.3 | 27.0-33.6  | 369  | 37.7 | 34.2-41.2  | 165  | 17.2 | 14.3-20.1  | 52   | 4.6  | 3.2- 6.0   |
| Less Than H.S.        | 93                | 22,975   | 9         | 11.4 | 3.8-19.0   | 27        | 33.9 | 21.4-46.4  | 30   | 26.9 | 16.7-37.1  | 20   | 18.6 | 9.6-27.6   | 7    | 9.1  | 0.5-17.7   |
| H.S. or G.E.D.        | 773               | 90,020   | 117       | 17.9 | 14.6-21.2  | 240       | 33.6 | 29.5-37.7  | 275  | 34.1 | 30.2-38.0  | 99   | 10.9 | 8.5-13.3   | 42   | 3.5  | 2.3- 4.7   |
| Some Post-H.S.        | 861               | 118,719  | 120       | 16.2 | 13.3-19.1  | 296       | 35.6 | 31.9-39.3  | 315  | 35.7 | 32.0-39.4  | 101  | 9.8  | 7.6-12.0   | 29   | 2.8  | 1.6- 4.0   |
| College Graduate      | 1065              | 75,659   | 184       | 19.0 | 16.3-21.7  | 434       | 43.1 | 39.6-46.6  | 336  | 29.8 | 26.7-32.9  | 92   | 6.8  | 5.2- 8.4   | 19   | 1.3  | 0.5- 2.1   |
| Less than \$15,000    | 66                | 7,230    | 7         | 13.7 | 3.7-23.7   | 10        | 12.7 | 3.5-21.9   | 20   | 26.7 | 13.8-39.6  | 14   | 23.9 | 7.8-40.0   | 15   | 22.9 | 10.7-35.1  |
| \$15,000- 24,999      | 116               | 13,499   | 11        | 10.3 | 3.6-17.0   | 23        | 30.6 | 18.1-43.1  | 38   | 30.3 | 19.9-40.7  | 28   | 21.2 | 12.4-30.0  | 16   | 7.7  | 3.2-12.2   |
| \$25,000- 34,999      | 204               | 23,678   | 18        | 12.4 | 6.1-18.7   | 53        | 26.5 | 18.5-34.5  | 72   | 32.3 | 24.1-40.5  | 46   | 21.4 | 14.3-28.5  | 15   | 7.3  | 2.4-12.2   |
| \$35,000- 49,999      | 297               | 29,968   | 35        | 12.1 | 7.6-16.6   | 85        | 31.6 | 24.9-38.3  | 107  | 33.5 | 27.0-40.0  | 56   | 19.2 | 13.5-24.9  | 14   | 3.7  | 1.3- 6.1   |
| \$50,000- 99,999      | 809               | 90,407   | 107       | 15.5 | 12.2-18.8  | 291       | 37.7 | 33.4-42.0  | 332  | 39.1 | 34.8-43.4  | 65   | 6.2  | 4.4- 8.0   | 14   | 1.4  | 0.4- 2.4   |
| \$100,000 - 199,999   | 654               | 71,569   | 117       | 18.8 | 15.3-22.3  | 297       | 44.3 | 39.8-48.8  | 198  | 31.2 | 26.9-35.5  | 38   | 5.0  | 3.2- 6.8   | 4    | 0.6  | 0.0- 1.4   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Excellent |      |            | Very good |      |            | Good |      |            | Fair |      |            | Poor |     |            |
|-----------------------|-------------------|----------|-----------|------|------------|-----------|------|------------|------|------|------------|------|------|------------|------|-----|------------|
|                       | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) | N    | %   | C.I. (95%) |
| Female                | 2927              | 296,409  | 371       | 13.8 | 12.0-15.6  | 1056      | 35.1 | 32.9-37.3  | 971  | 33.5 | 31.1-35.9  | 404  | 13.8 | 12.0-15.6  | 125  | 3.8 | 3.0- 4.6   |
| Native                | 93                | 13,600   | 5         | 5.8  | 0.0-11.7   | 26        | 25.0 | 14.6-35.4  | 34   | 44.7 | 30.6-58.8  | 23   | 20.1 | 9.9-30.3   | 5    | 4.4 | 0.1- 8.7   |
| Non-Native            | 2797              | 278,307  | 360       | 14.1 | 12.3-15.9  | 1025      | 36.0 | 33.6-38.4  | 920  | 32.7 | 30.3-35.1  | 375  | 13.5 | 11.7-15.3  | 117  | 3.7 | 2.9- 4.5   |
| 18-24                 | 130               | 40,397   | 23        | 18.9 | 11.3-26.5  | 44        | 31.3 | 22.9-39.7  | 47   | 37.2 | 28.2-46.2  | 15   | 11.9 | 5.8-18.0   | 1    | 0.8 | 0.0- 2.4   |
| 25-34                 | 263               | 50,447   | 50        | 17.6 | 12.5-22.7  | 102       | 34.7 | 28.4-41.0  | 77   | 30.9 | 24.4-37.4  | 26   | 12.9 | 7.8-18.0   | 8    | 3.9 | 1.5- 6.3   |
| 35-44                 | 335               | 49,776   | 51        | 14.0 | 9.9-18.1   | 135       | 37.8 | 31.9-43.7  | 104  | 33.4 | 27.5-39.3  | 34   | 11.3 | 7.2-15.4   | 11   | 3.4 | 1.2- 5.6   |
| 45-54                 | 397               | 38,917   | 51        | 12.0 | 8.5-15.5   | 152       | 38.9 | 33.2-44.6  | 143  | 35.6 | 30.1-41.1  | 41   | 11.0 | 7.5-14.5   | 10   | 2.4 | 0.8- 4.0   |
| 55-64                 | 512               | 43,458   | 62        | 11.9 | 8.6-15.2   | 213       | 38.4 | 33.5-43.3  | 154  | 31.4 | 26.7-36.1  | 57   | 13.1 | 9.0-17.2   | 26   | 5.3 | 2.9- 7.7   |
| 65+                   | 1290              | 73,414   | 134       | 10.4 | 8.4-12.4   | 410       | 31.7 | 28.6-34.8  | 446  | 33.4 | 30.3-36.5  | 231  | 19.0 | 16.3-21.7  | 69   | 5.5 | 3.9- 7.1   |
| Less Than H.S.        | 75                | 19,185   | 3         | 4.1  | 0.0- 8.8   | 10        | 10.7 | 3.6-17.8   | 31   | 45.7 | 31.6-59.8  | 27   | 35.3 | 22.0-48.6  | 4    | 4.3 | 0.0- 8.8   |
| H.S. or G.E.D.        | 668               | 69,660   | 54        | 10.3 | 6.8-13.8   | 191       | 31.8 | 26.9-36.7  | 254  | 36.1 | 31.4-40.8  | 127  | 16.9 | 13.2-20.6  | 42   | 4.9 | 3.1- 6.7   |
| Some Post-H.S.        | 918               | 113,062  | 98        | 12.9 | 9.8-16.0   | 326       | 35.6 | 31.7-39.5  | 312  | 33.5 | 29.6-37.4  | 138  | 13.6 | 10.9-16.3  | 44   | 4.5 | 2.9- 6.1   |
| College Graduate      | 1257              | 93,951   | 213       | 19.4 | 16.7-22.1  | 526       | 42.0 | 38.7-45.3  | 372  | 29.2 | 26.3-32.1  | 111  | 7.3  | 5.7- 8.9   | 35   | 2.1 | 1.3- 2.9   |
| Less than \$15,000    | 81                | 10,735   | 9         | 16.7 | 4.4-29.0   | 9         | 12.8 | 4.0-21.6   | 21   | 27.8 | 11.1-44.5  | 27   | 33.2 | 18.1-48.3  | 15   | 9.4 | 3.3-15.5   |
| \$15,000- 24,999      | 193               | 22,697   | 12        | 8.6  | 2.7-14.5   | 34        | 21.4 | 13.6-29.2  | 72   | 35.2 | 26.6-43.8  | 56   | 24.9 | 17.3-32.5  | 19   | 9.9 | 5.0-14.8   |
| \$25,000- 34,999      | 253               | 24,958   | 22        | 10.7 | 4.0-17.4   | 55        | 19.9 | 13.2-26.6  | 103  | 42.6 | 34.0-51.2  | 58   | 22.0 | 14.7-29.3  | 15   | 4.7 | 1.8- 7.6   |
| \$35,000- 49,999      | 332               | 31,447   | 36        | 11.9 | 7.2-16.6   | 112       | 29.0 | 22.9-35.1  | 122  | 39.7 | 32.4-47.0  | 47   | 12.6 | 7.9-17.3   | 15   | 6.7 | 3.0-10.4   |
| \$50,000- 99,999      | 745               | 74,274   | 94        | 13.1 | 9.8-16.4   | 336       | 43.7 | 39.2-48.2  | 223  | 29.9 | 25.6-34.2  | 66   | 10.5 | 7.4-13.6   | 26   | 2.7 | 1.5- 3.9   |
| \$100,000 - 199,999   | 496               | 52,565   | 81        | 16.5 | 12.6-20.4  | 228       | 45.4 | 39.9-50.9  | 157  | 32.1 | 26.8-37.4  | 24   | 4.4  | 2.4- 6.4   | 6    | 1.5 | 0.0- 3.1   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

| TABLE                                                                                                                                                                                       | PAGE |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)                |      |
| 1 MALES AND FEMALES                                                                                                                                                                         | 7    |
| 2 MALES ONLY                                                                                                                                                                                | 8    |
| 3 FEMALES ONLY                                                                                                                                                                              | 9    |
| NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH) |      |
| 4 MALES AND FEMALES                                                                                                                                                                         | 10   |
| 5 MALES ONLY                                                                                                                                                                                | 11   |
| 6 FEMALES ONLY                                                                                                                                                                              | 12   |
| DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)           |      |
| 7 MALES AND FEMALES                                                                                                                                                                         | 13   |
| 8 MALES ONLY                                                                                                                                                                                | 14   |
| 9 FEMALES ONLY                                                                                                                                                                              | 15   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N    | None |            | 1-2 days |      |            | 3-7 days |      |            | 8-29 days |      |            | 30 days |      |            |
|---------------------|-------------------|----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
|                     | TOTAL             | WEIGHTED |      | %    | C.I. (95%) | N        | %    | C.I. (95%) | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) |
| TOTAL               | 5591              | 590,780  | 3640 | 65.1 | 63.5-66.7  | 586      | 11.1 | 9.9-12.3   | 596      | 11.1 | 9.9-12.3   | 452       | 7.6  | 6.6- 8.6   | 317     | 5.1  | 4.3- 5.9   |
| Male                | 2736              | 301,254  | 1904 | 69.9 | 67.7-72.1  | 243      | 10.0 | 8.4-11.6   | 269      | 10.2 | 8.6-11.8   | 189       | 6.0  | 5.0- 7.0   | 131     | 3.8  | 3.0- 4.6   |
| Female              | 2855              | 289,526  | 1736 | 60.0 | 57.6-62.4  | 343      | 12.2 | 10.4-14.0  | 327      | 12.1 | 10.3-13.9  | 263       | 9.3  | 7.9-10.7   | 186     | 6.4  | 5.2- 7.6   |
| Native              | 157               | 23,587   | 91   | 66.4 | 56.6-76.2  | 19       | 9.6  | 4.5-14.7   | 16       | 9.0  | 3.1-14.9   | 20        | 10.1 | 2.7-17.5   | 11      | 5.0  | 1.5- 8.5   |
| Non-Native          | 5351              | 557,712  | 3490 | 64.9 | 63.1-66.7  | 561      | 11.2 | 10.0-12.4  | 573      | 11.3 | 10.1-12.5  | 427       | 7.6  | 6.6- 8.6   | 300     | 5.1  | 4.3- 5.9   |
| 18-24               | 300               | 83,163   | 181  | 57.5 | 51.2-63.8  | 41       | 14.3 | 9.8-18.8   | 51       | 18.3 | 13.2-23.4  | 21        | 7.1  | 3.8-10.4   | 6       | 2.7  | 0.3- 5.1   |
| 25-34               | 571               | 106,653  | 384  | 65.3 | 60.8-69.8  | 68       | 12.7 | 9.4-16.0   | 69       | 11.7 | 8.8-14.6   | 37        | 7.4  | 4.7-10.1   | 13      | 2.8  | 1.2- 4.4   |
| 35-44               | 744               | 101,842  | 501  | 68.5 | 64.8-72.2  | 93       | 11.7 | 9.2-14.2   | 70       | 8.9  | 6.7-11.1   | 49        | 6.7  | 4.7- 8.7   | 31      | 4.1  | 2.5- 5.7   |
| 45-54               | 807               | 79,762   | 544  | 69.7 | 66.2-73.2  | 102      | 11.9 | 9.4-14.4   | 75       | 8.5  | 6.3-10.7   | 48        | 5.1  | 3.5- 6.7   | 38      | 4.9  | 3.3- 6.5   |
| 55-64               | 946               | 86,450   | 604  | 64.4 | 60.7-68.1  | 96       | 8.6  | 6.6-10.6   | 94       | 10.0 | 7.6-12.4   | 86        | 9.0  | 6.8-11.2   | 66      | 7.9  | 5.5-10.3   |
| 65+                 | 2223              | 132,911  | 1426 | 64.6 | 62.2-67.0  | 186      | 8.5  | 7.1- 9.9   | 237      | 10.1 | 8.5-11.7   | 211       | 9.6  | 8.0-11.2   | 163     | 7.3  | 5.9- 8.7   |
| Less Than H.S.      | 154               | 39,227   | 86   | 49.2 | 39.6-58.8  | 10       | 10.2 | 3.3-17.1   | 22       | 17.9 | 10.1-25.7  | 20        | 12.4 | 5.9-18.9   | 16      | 10.4 | 4.9-15.9   |
| H.S. or G.E.D.      | 1394              | 155,060  | 898  | 65.2 | 62.1-68.3  | 106      | 8.8  | 6.8-10.8   | 163      | 11.8 | 9.6-14.0   | 138       | 9.4  | 7.4-11.4   | 89      | 4.8  | 3.4- 6.2   |
| Some Post-H.S.      | 1738              | 226,903  | 1124 | 65.1 | 62.4-67.8  | 186      | 12.0 | 10.0-14.0  | 167      | 9.9  | 8.1-11.7   | 141       | 7.2  | 5.8- 8.6   | 120     | 5.8  | 4.6- 7.0   |
| College Graduate    | 2286              | 167,596  | 1517 | 68.2 | 66.0-70.4  | 283      | 12.3 | 10.7-13.9  | 241      | 10.6 | 9.0-12.2   | 153       | 5.7  | 4.7- 6.7   | 92      | 3.2  | 2.4- 4.0   |
| Less than \$15,000  | 134               | 16,604   | 62   | 51.4 | 39.2-63.6  | 8        | 4.9  | 1.2- 8.6   | 15       | 6.9  | 2.6-11.2   | 31        | 26.0 | 14.0-38.0  | 18      | 10.9 | 5.2-16.6   |
| \$15,000- 24,999    | 297               | 34,350   | 135  | 47.4 | 40.0-54.8  | 27       | 8.3  | 4.8-11.8   | 43       | 16.2 | 10.7-21.7  | 50        | 15.8 | 10.5-21.1  | 42      | 12.3 | 7.6-17.0   |
| \$25,000- 34,999    | 441               | 47,542   | 224  | 52.2 | 45.7-58.7  | 44       | 10.9 | 6.8-15.0   | 69       | 16.5 | 11.8-21.2  | 53        | 10.6 | 7.1-14.1   | 51      | 9.7  | 6.2-13.2   |
| \$35,000- 49,999    | 616               | 60,169   | 384  | 60.3 | 55.2-65.4  | 51       | 8.9  | 5.6-12.2   | 74       | 14.3 | 10.4-18.2  | 60        | 8.2  | 5.5-10.9   | 47      | 8.3  | 5.6-11.0   |
| \$50,000- 99,999    | 1533              | 162,349  | 1014 | 66.6 | 63.5-69.7  | 198      | 13.9 | 11.5-16.3  | 165      | 11.3 | 9.1-13.5   | 95        | 5.4  | 4.0- 6.8   | 61      | 2.9  | 2.1- 3.7   |
| \$100,000 - 199,999 | 1140              | 123,188  | 808  | 70.9 | 67.6-74.2  | 141      | 12.6 | 10.1-15.1  | 98       | 8.5  | 6.5-10.5   | 62        | 5.8  | 4.0- 7.6   | 31      | 2.2  | 1.2- 3.2   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | None |      |            | 1-2 days |      |            | 3-7 days |      |            | 8-29 days |      |            | 30 days |      |            |
|---------------------|-------------------|----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N        | %    | C.I. (95%) | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) |
| Male                | 2736              | 301,254  | 1904 | 69.9 | 67.7-72.1  | 243      | 10.0 | 8.4-11.6   | 269      | 10.2 | 8.6-11.8   | 189       | 6.0  | 5.0- 7.0   | 131     | 3.8  | 3.0- 4.6   |
| Native              | 68                | 10,516   | 47   | 77.7 | 66.7-88.7  | 6        | 9.9  | 1.5-18.3   | 6        | 4.7  | 0.6- 8.8   | 6         | 6.1  | 0.2-12.0   | 3       | 1.7  | 0.0- 3.7   |
| Non-Native          | 2619              | 285,568  | 1818 | 69.4 | 67.0-71.8  | 233      | 10.1 | 8.5-11.7   | 260      | 10.5 | 8.9-12.1   | 181       | 6.1  | 4.9- 7.3   | 127     | 4.0  | 3.2- 4.8   |
| 18-24               | 172               | 43,484   | 109  | 61.0 | 52.8-69.2  | 27       | 15.8 | 9.7-21.9   | 24       | 15.9 | 9.4-22.4   | 11        | 6.9  | 2.4-11.4   | 1       | 0.4  | 0.0- 1.2   |
| 25-34               | 310               | 56,649   | 219  | 69.9 | 64.0-75.8  | 34       | 12.3 | 7.8-16.8   | 37       | 11.4 | 7.7-15.1   | 15        | 4.5  | 2.1- 6.9   | 5       | 2.0  | 0.0- 4.0   |
| 35-44               | 416               | 53,650   | 302  | 74.4 | 69.9-78.9  | 47       | 10.5 | 7.4-13.6   | 35       | 7.7  | 5.0-10.4   | 18        | 4.2  | 2.2- 6.2   | 14      | 3.3  | 1.5- 5.1   |
| 45-54               | 412               | 41,181   | 303  | 75.3 | 70.8-79.8  | 37       | 9.4  | 6.1-12.7   | 35       | 7.2  | 4.7- 9.7   | 24        | 5.1  | 2.7- 7.5   | 13      | 2.9  | 1.1- 4.7   |
| 55-64               | 444               | 43,773   | 301  | 69.4 | 64.3-74.5  | 36       | 6.3  | 4.1- 8.5   | 46       | 11.0 | 7.3-14.7   | 31        | 6.3  | 3.8- 8.8   | 30      | 7.0  | 4.3- 9.7   |
| 65+                 | 982               | 62,516   | 670  | 69.1 | 65.6-72.6  | 62       | 6.5  | 4.5- 8.5   | 92       | 8.7  | 6.7-10.7   | 90        | 8.8  | 6.6-11.0   | 68      | 6.8  | 4.8- 8.8   |
| Less Than H.S.      | 86                | 21,335   | 51   | 57.5 | 44.8-70.2  | 6        | 9.0  | 0.4-17.6   | 13       | 17.7 | 7.9-27.5   | 8         | 7.6  | 0.9-14.3   | 8       | 8.2  | 1.9-14.5   |
| H.S. or G.E.D.      | 754               | 87,709   | 521  | 70.4 | 66.5-74.3  | 58       | 9.8  | 6.9-12.7   | 75       | 9.8  | 7.3-12.3   | 63        | 6.9  | 4.9- 8.9   | 37      | 3.1  | 1.9- 4.3   |
| Some Post-H.S.      | 841               | 116,320  | 579  | 69.6 | 65.9-73.3  | 81       | 10.6 | 8.1-13.1   | 77       | 9.7  | 7.2-12.2   | 58        | 6.1  | 4.3- 7.9   | 46      | 3.9  | 2.7- 5.1   |
| College Graduate    | 1045              | 74,447   | 744  | 72.9 | 69.8-76.0  | 97       | 9.8  | 7.8-11.8   | 104      | 9.5  | 7.5-11.5   | 60        | 4.6  | 3.2- 6.0   | 40      | 3.3  | 2.1- 4.5   |
| Less than \$15,000  | 61                | 6,746    | 30   | 44.0 | 28.1-59.9  | 5        | 8.7  | 0.7-16.7   | 8        | 12.1 | 2.7-21.5   | 10        | 19.5 | 2.8-36.2   | 8       | 15.6 | 4.4-26.8   |
| \$15,000- 24,999    | 110               | 12,478   | 56   | 54.3 | 42.1-66.5  | 9        | 7.1  | 1.8-12.4   | 12       | 14.2 | 5.6-22.8   | 15        | 15.4 | 6.0-24.8   | 18      | 9.0  | 4.1-13.9   |
| \$25,000- 34,999    | 195               | 22,975   | 105  | 57.7 | 48.7-66.7  | 18       | 9.0  | 4.3-13.7   | 28       | 14.7 | 7.8-21.6   | 24        | 8.3  | 4.4-12.2   | 20      | 10.3 | 4.4-16.2   |
| \$35,000- 49,999    | 289               | 29,235   | 186  | 62.6 | 55.5-69.7  | 12       | 4.6  | 1.7- 7.5   | 40       | 16.8 | 10.9-22.7  | 30        | 8.7  | 4.8-12.6   | 21      | 7.2  | 3.7-10.7   |
| \$50,000- 99,999    | 794               | 88,700   | 555  | 70.3 | 66.2-74.4  | 90       | 13.8 | 10.5-17.1  | 76       | 9.3  | 6.8-11.8   | 49        | 4.5  | 3.1- 5.9   | 24      | 2.1  | 1.1- 3.1   |
| \$100,000 - 199,999 | 648               | 70,990   | 481  | 75.8 | 71.9-79.7  | 69       | 10.3 | 7.6-13.0   | 53       | 7.9  | 5.4-10.4   | 27        | 4.2  | 2.4- 6.0   | 18      | 1.8  | 0.8- 2.8   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | None |      |            | 1-2 days |      |            | 3-7 days |      |            | 8-29 days |      |            | 30 days |      |            |
|---------------------|-------------------|----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N        | %    | C.I. (95%) | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) |
| Female              | 2855              | 289,526  | 1736 | 60.0 | 57.6-62.4  | 343      | 12.2 | 10.4-14.0  | 327      | 12.1 | 10.3-13.9  | 263       | 9.3  | 7.9-10.7   | 186     | 6.4  | 5.2- 7.6   |
| Native              | 89                | 13,071   | 44   | 57.3 | 43.2-71.4  | 13       | 9.4  | 3.1-15.7   | 10       | 12.4 | 2.6-22.2   | 14        | 13.3 | 1.0-25.6   | 8       | 7.6  | 1.5-13.7   |
| Non-Native          | 2732              | 272,144  | 1672 | 60.1 | 57.6-62.6  | 328      | 12.3 | 10.5-14.1  | 313      | 12.2 | 10.4-14.0  | 246       | 9.2  | 7.8-10.6   | 173     | 6.2  | 5.0- 7.4   |
| 18-24               | 128               | 39,679   | 72   | 53.7 | 44.3-63.1  | 14       | 12.7 | 6.0-19.4   | 27       | 21.0 | 13.4-28.6  | 10        | 7.3  | 2.6-12.0   | 5       | 5.3  | 0.6-10.0   |
| 25-34               | 261               | 50,004   | 165  | 60.1 | 53.2-67.0  | 34       | 13.2 | 8.1-18.3   | 32       | 12.1 | 7.6-16.6   | 22        | 10.7 | 5.8-15.6   | 8       | 3.8  | 1.4- 6.2   |
| 35-44               | 328               | 48,191   | 199  | 62.0 | 56.1-67.9  | 46       | 13.1 | 8.8-17.4   | 35       | 10.3 | 6.6-14.0   | 31        | 9.5  | 6.0-13.0   | 17      | 5.1  | 2.6- 7.6   |
| 45-54               | 395               | 38,581   | 241  | 63.6 | 58.3-68.9  | 65       | 14.4 | 10.7-18.1  | 40       | 9.8  | 6.5-13.1   | 24        | 5.1  | 2.9- 7.3   | 25      | 7.1  | 4.2-10.0   |
| 55-64               | 502               | 42,677   | 303  | 59.3 | 54.0-64.6  | 60       | 11.0 | 7.9-14.1   | 48       | 9.1  | 6.4-11.8   | 55        | 11.7 | 8.2-15.2   | 36      | 8.9  | 5.2-12.6   |
| 65+                 | 1241              | 70,395   | 756  | 60.5 | 57.2-63.8  | 124      | 10.2 | 8.0-12.4   | 145      | 11.3 | 9.1-13.5   | 121       | 10.3 | 8.1-12.5   | 95      | 7.7  | 5.9- 9.5   |
| Less Than H.S.      | 68                | 17,892   | 35   | 39.3 | 25.8-52.8  | 4        | 11.6 | 0.8-22.4   | 9        | 18.1 | 5.6-30.6   | 12        | 18.1 | 6.3-29.9   | 8       | 13.0 | 3.4-22.6   |
| H.S. or G.E.D.      | 640               | 67,351   | 377  | 58.3 | 53.2-63.4  | 48       | 7.6  | 5.1-10.1   | 88       | 14.3 | 10.6-18.0  | 75        | 12.8 | 9.3-16.3   | 52      | 7.0  | 4.3- 9.7   |
| Some Post-H.S.      | 897               | 110,583  | 545  | 60.5 | 56.4-64.6  | 105      | 13.5 | 10.4-16.6  | 90       | 10.1 | 7.7-12.5   | 83        | 8.3  | 6.1-10.5   | 74      | 7.7  | 5.7- 9.7   |
| College Graduate    | 1241              | 93,149   | 773  | 64.5 | 61.4-67.6  | 186      | 14.4 | 12.0-16.8  | 137      | 11.6 | 9.4-13.8   | 93        | 6.5  | 4.9- 8.1   | 52      | 3.1  | 2.1- 4.1   |
| Less than \$15,000  | 73                | 9,858    | 32   | 56.4 | 39.5-73.3  | 3        | 2.2  | 0.0- 4.9   | 7        | 3.3  | 0.4- 6.2   | 21        | 30.5 | 13.8-47.2  | 10      | 7.6  | 2.1-13.1   |
| \$15,000- 24,999    | 187               | 21,872   | 79   | 43.4 | 34.2-52.6  | 18       | 9.0  | 4.3-13.7   | 31       | 17.3 | 10.0-24.6  | 35        | 16.1 | 9.6-22.6   | 24      | 14.2 | 7.3-21.1   |
| \$25,000- 34,999    | 246               | 24,567   | 119  | 47.1 | 38.1-56.1  | 26       | 12.7 | 6.2-19.2   | 41       | 18.3 | 11.6-25.0  | 29        | 12.8 | 6.9-18.7   | 31      | 9.2  | 5.1-13.3   |
| \$35,000- 49,999    | 327               | 30,934   | 198  | 58.1 | 50.8-65.4  | 39       | 13.0 | 7.5-18.5   | 34       | 12.0 | 6.9-17.1   | 30        | 7.8  | 4.3-11.3   | 26      | 9.3  | 5.0-13.6   |
| \$50,000- 99,999    | 739               | 73,649   | 459  | 62.1 | 57.6-66.6  | 108      | 14.0 | 10.7-17.3  | 89       | 13.6 | 10.1-17.1  | 46        | 6.4  | 4.2- 8.6   | 37      | 3.9  | 2.5- 5.3   |
| \$100,000 - 199,999 | 492               | 52,198   | 327  | 64.3 | 58.8-69.8  | 72       | 15.7 | 11.2-20.2  | 45       | 9.3  | 6.2-12.4   | 35        | 8.0  | 4.7-11.3   | 13      | 2.6  | 0.8- 4.4   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N    | None |            | 1-2 days |      |            | 3-7 days |      |            | 8-29 days |      |            | 30 days |      |            |
|---------------------|-------------------|----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
|                     | TOTAL             | WEIGHTED |      | %    | C.I. (95%) | N        | %    | C.I. (95%) | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) |
| TOTAL               | 5641              | 595,583  | 3713 | 58.7 | 56.9-60.5  | 524      | 9.9  | 8.9-10.9   | 638      | 13.8 | 12.6-15.0  | 547       | 12.8 | 11.6-14.0  | 219     | 4.8  | 4.0- 5.6   |
| Male                | 2762              | 304,366  | 1980 | 66.7 | 64.3-69.1  | 201      | 8.2  | 6.8- 9.6   | 259      | 12.2 | 10.6-13.8  | 222       | 8.8  | 7.4-10.2   | 100     | 4.1  | 3.1- 5.1   |
| Female              | 2879              | 291,217  | 1733 | 50.3 | 47.9-52.7  | 323      | 11.7 | 10.1-13.3  | 379      | 15.5 | 13.5-17.5  | 325       | 17.1 | 14.9-19.3  | 119     | 5.5  | 4.3- 6.7   |
| Native              | 160               | 23,984   | 89   | 52.8 | 42.6-63.0  | 19       | 11.9 | 5.4-18.4   | 16       | 13.3 | 5.7-20.9   | 27        | 17.2 | 10.1-24.3  | 9       | 4.8  | 0.9- 8.7   |
| Non-Native          | 5394              | 561,766  | 3561 | 58.7 | 56.9-60.5  | 497      | 9.8  | 8.6-11.0   | 615      | 13.8 | 12.6-15.0  | 515       | 12.8 | 11.4-14.2  | 206     | 4.8  | 4.0- 5.6   |
| 18-24               | 301               | 84,217   | 112  | 36.0 | 29.9-42.1  | 32       | 11.2 | 7.1-15.3   | 72       | 23.8 | 18.5-29.1  | 65        | 22.8 | 17.5-28.1  | 20      | 6.3  | 3.4- 9.2   |
| 25-34               | 574               | 106,993  | 251  | 42.6 | 38.1-47.1  | 74       | 13.1 | 9.8-16.4   | 122      | 20.2 | 16.7-23.7  | 92        | 17.4 | 13.9-20.9  | 35      | 6.8  | 4.6- 9.0   |
| 35-44               | 751               | 103,126  | 401  | 55.5 | 51.4-59.6  | 87       | 10.3 | 7.9-12.7   | 114      | 14.6 | 11.7-17.5  | 108       | 13.9 | 11.2-16.6  | 41      | 5.6  | 3.8- 7.4   |
| 45-54               | 806               | 79,887   | 481  | 61.7 | 58.0-65.4  | 94       | 11.4 | 8.9-13.9   | 101      | 11.1 | 8.7-13.5   | 91        | 11.0 | 8.5-13.5   | 39      | 4.8  | 3.0- 6.6   |
| 55-64               | 951               | 86,933   | 642  | 67.5 | 63.8-71.2  | 81       | 7.2  | 5.4- 9.0   | 100      | 11.1 | 8.6-13.6   | 88        | 10.0 | 7.5-12.5   | 40      | 4.1  | 2.7- 5.5   |
| 65+                 | 2258              | 134,428  | 1826 | 80.8 | 78.8-82.8  | 156      | 7.1  | 5.9- 8.3   | 129      | 5.1  | 4.1- 6.1   | 103       | 5.0  | 3.8- 6.2   | 44      | 2.0  | 1.2- 2.8   |
| Less Than H.S.      | 159               | 41,267   | 99   | 52.3 | 42.7-61.9  | 7        | 4.6  | 0.1- 9.1   | 19       | 15.4 | 8.3-22.5   | 24        | 20.8 | 12.8-28.8  | 10      | 6.9  | 2.0-11.8   |
| H.S. or G.E.D.      | 1408              | 156,076  | 925  | 59.0 | 55.7-62.3  | 111      | 9.0  | 6.8-11.2   | 143      | 12.6 | 10.2-15.0  | 150       | 13.4 | 11.0-15.8  | 79      | 6.0  | 4.4- 7.6   |
| Some Post-H.S.      | 1747              | 228,014  | 1141 | 58.3 | 55.4-61.2  | 136      | 8.4  | 6.6-10.2   | 207      | 14.7 | 12.5-16.9  | 181       | 13.1 | 10.9-15.3  | 82      | 5.5  | 4.1- 6.9   |
| College Graduate    | 2309              | 168,315  | 1537 | 60.7 | 58.3-63.1  | 268      | 13.7 | 11.9-15.5  | 267      | 13.3 | 11.5-15.1  | 190       | 10.0 | 8.4-11.6   | 47      | 2.3  | 1.5- 3.1   |
| Less than \$15,000  | 141               | 17,145   | 58   | 40.2 | 27.9-52.5  | 11       | 6.2  | 1.7-10.7   | 22       | 16.7 | 8.9-24.5   | 33        | 26.0 | 15.8-36.2  | 17      | 10.9 | 5.2-16.6   |
| \$15,000- 24,999    | 300               | 35,169   | 161  | 46.1 | 38.8-53.4  | 16       | 3.7  | 1.5- 5.9   | 40       | 14.3 | 9.2-19.4   | 58        | 26.2 | 19.3-33.1  | 25      | 9.7  | 5.4-14.0   |
| \$25,000- 34,999    | 445               | 47,844   | 262  | 49.2 | 42.7-55.7  | 26       | 6.2  | 3.3- 9.1   | 71       | 19.2 | 13.7-24.7  | 58        | 16.9 | 11.8-22.0  | 28      | 8.4  | 4.7-12.1   |
| \$35,000- 49,999    | 618               | 59,831   | 401  | 55.6 | 50.5-60.7  | 56       | 7.4  | 5.0- 9.8   | 68       | 15.0 | 10.9-19.1  | 61        | 13.4 | 9.7-17.1   | 32      | 8.5  | 5.0-12.0   |
| \$50,000- 99,999    | 1542              | 163,257  | 1029 | 60.1 | 57.0-63.2  | 152      | 11.4 | 9.2-13.6   | 184      | 13.8 | 11.4-16.2  | 133       | 11.4 | 9.2-13.6   | 44      | 3.3  | 2.1- 4.5   |
| \$100,000 - 199,999 | 1141              | 123,084  | 766  | 62.4 | 58.9-65.9  | 131      | 12.3 | 9.9-14.7   | 137      | 14.2 | 11.5-16.9  | 79        | 8.4  | 6.2-10.6   | 28      | 2.7  | 1.5- 3.9   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | None |      |            | 1-2 days |      |            | 3-7 days |      |            | 8-29 days |      |            | 30 days |      |            |
|---------------------|-------------------|----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N        | %    | C.I. (95%) | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) |
| Male                | 2762              | 304,366  | 1980 | 66.7 | 64.3-69.1  | 201      | 8.2  | 6.8- 9.6   | 259      | 12.2 | 10.6-13.8  | 222       | 8.8  | 7.4-10.2   | 100     | 4.1  | 3.1- 5.1   |
| Native              | 67                | 10,489   | 41   | 62.7 | 48.4-77.0  | 6        | 10.8 | 0.4-21.2   | 6        | 9.1  | 0.7-17.5   | 11        | 13.6 | 5.0-22.2   | 3       | 3.8  | 0.0- 9.1   |
| Non-Native          | 2644              | 288,493  | 1899 | 66.7 | 64.3-69.1  | 192      | 8.1  | 6.7- 9.5   | 250      | 12.4 | 10.6-14.2  | 208       | 8.7  | 7.3-10.1   | 95      | 4.1  | 3.1- 5.1   |
| 18-24               | 175               | 44,840   | 87   | 50.6 | 42.4-58.8  | 18       | 11.8 | 6.1-17.5   | 40       | 20.8 | 14.5-27.1  | 21        | 12.6 | 6.9-18.3   | 9       | 4.1  | 1.4- 6.8   |
| 25-34               | 315               | 57,593   | 167  | 52.7 | 46.4-59.0  | 36       | 11.0 | 6.7-15.3   | 64       | 21.0 | 15.9-26.1  | 34        | 10.2 | 6.7-13.7   | 14      | 5.1  | 2.4- 7.8   |
| 35-44               | 419               | 53,952   | 256  | 63.0 | 57.9-68.1  | 40       | 8.8  | 5.9-11.7   | 55       | 12.8 | 9.3-16.3   | 42        | 9.2  | 6.3-12.1   | 26      | 6.2  | 3.7- 8.7   |
| 45-54               | 411               | 41,164   | 276  | 69.4 | 64.5-74.3  | 38       | 9.1  | 6.0-12.2   | 31       | 7.1  | 4.6- 9.6   | 46        | 9.5  | 6.6-12.4   | 20      | 4.9  | 2.4- 7.4   |
| 55-64               | 446               | 44,103   | 337  | 75.1 | 70.2-80.0  | 24       | 4.8  | 2.6- 7.0   | 33       | 8.5  | 4.8-12.2   | 38        | 8.8  | 5.5-12.1   | 14      | 2.8  | 1.2- 4.4   |
| 65+                 | 996               | 62,715   | 857  | 86.7 | 84.3-89.1  | 45       | 4.0  | 2.6- 5.4   | 36       | 3.2  | 2.0- 4.4   | 41        | 4.0  | 2.6- 5.4   | 17      | 2.0  | 0.8- 3.2   |
| Less Than H.S.      | 87                | 22,612   | 58   | 62.5 | 50.0-75.0  | 3        | 4.6  | 0.0-11.9   | 11       | 15.9 | 6.5-25.3   | 8         | 9.5  | 2.4-16.6   | 7       | 7.5  | 1.4-13.6   |
| H.S. or G.E.D.      | 757               | 87,843   | 527  | 65.3 | 61.2-69.4  | 51       | 7.8  | 5.3-10.3   | 79       | 14.4 | 11.1-17.7  | 60        | 7.3  | 5.3- 9.3   | 40      | 5.1  | 3.3- 6.9   |
| Some Post-H.S.      | 849               | 117,341  | 605  | 67.0 | 63.1-70.9  | 53       | 7.2  | 4.8- 9.6   | 80       | 11.5 | 9.0-14.0   | 79        | 10.5 | 8.0-13.0   | 32      | 3.9  | 2.3- 5.5   |
| College Graduate    | 1060              | 75,210   | 785  | 69.9 | 66.6-73.2  | 92       | 10.3 | 8.1-12.5   | 89       | 9.7  | 7.5-11.9   | 74        | 7.7  | 5.7- 9.7   | 20      | 2.3  | 1.1- 3.5   |
| Less than \$15,000  | 62                | 6,548    | 25   | 38.8 | 21.9-55.7  | 5        | 7.2  | 0.3-14.1   | 9        | 18.8 | 7.0-30.6   | 13        | 16.4 | 6.6-26.2   | 10      | 18.8 | 7.2-30.4   |
| \$15,000- 24,999    | 114               | 13,358   | 69   | 57.8 | 46.0-69.6  | 3        | 2.1  | 0.0- 4.5   | 11       | 10.3 | 3.6-17.0   | 19        | 21.9 | 11.5-32.3  | 12      | 7.9  | 2.8-13.0   |
| \$25,000- 34,999    | 196               | 23,076   | 126  | 59.1 | 49.9-68.3  | 8        | 3.6  | 0.5- 6.7   | 30       | 21.9 | 13.5-30.3  | 21        | 9.3  | 5.0-13.6   | 11      | 6.2  | 1.5-10.9   |
| \$35,000- 49,999    | 290               | 29,292   | 203  | 63.0 | 55.7-70.3  | 20       | 5.0  | 2.3- 7.7   | 27       | 15.0 | 8.9-21.1   | 28        | 10.5 | 6.0-15.0   | 12      | 6.5  | 2.4-10.6   |
| \$50,000- 99,999    | 804               | 89,803   | 591  | 69.5 | 65.4-73.6  | 65       | 9.7  | 6.8-12.6   | 78       | 11.2 | 8.5-13.9   | 53        | 7.2  | 5.0- 9.4   | 17      | 2.4  | 1.0- 3.8   |
| \$100,000 - 199,999 | 647               | 70,752   | 474  | 68.8 | 64.3-73.3  | 54       | 9.3  | 6.4-12.2   | 59       | 11.2 | 8.3-14.1   | 44        | 7.8  | 5.1-10.5   | 16      | 2.9  | 1.3- 4.5   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | None |      |            | 1-2 days |      |            | 3-7 days |      |            | 8-29 days |      |            | 30 days |      |            |
|---------------------|-------------------|----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N        | %    | C.I. (95%) | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) |
| Female              | 2879              | 291,217  | 1733 | 50.3 | 47.9-52.7  | 323      | 11.7 | 10.1-13.3  | 379      | 15.5 | 13.5-17.5  | 325       | 17.1 | 14.9-19.3  | 119     | 5.5  | 4.3- 6.7   |
| Native              | 93                | 13,495   | 48   | 45.1 | 31.4-58.8  | 13       | 12.7 | 4.7-20.7   | 10       | 16.6 | 5.0-28.2   | 16        | 20.0 | 9.4-30.6   | 6       | 5.5  | 0.0-11.0   |
| Non-Native          | 2750              | 273,273  | 1662 | 50.4 | 47.9-52.9  | 305      | 11.7 | 10.1-13.3  | 365      | 15.4 | 13.6-17.2  | 307       | 17.1 | 14.9-19.3  | 111     | 5.5  | 4.3- 6.7   |
| 18-24               | 126               | 39,377   | 25   | 19.3 | 11.9-26.7  | 14       | 10.4 | 4.5-16.3   | 32       | 27.2 | 18.8-35.6  | 44        | 34.3 | 25.3-43.3  | 11      | 8.8  | 3.5-14.1   |
| 25-34               | 259               | 49,401   | 84   | 30.7 | 24.4-37.0  | 38       | 15.4 | 10.3-20.5  | 58       | 19.3 | 14.2-24.4  | 58        | 25.8 | 19.5-32.1  | 21      | 8.8  | 5.3-12.3   |
| 35-44               | 332               | 49,173   | 145  | 47.3 | 41.0-53.6  | 47       | 12.0 | 8.3-15.7   | 59       | 16.6 | 12.1-21.1  | 66        | 19.1 | 14.4-23.8  | 15      | 5.0  | 2.3- 7.7   |
| 45-54               | 395               | 38,723   | 205  | 53.6 | 47.9-59.3  | 56       | 13.7 | 9.8-17.6   | 70       | 15.3 | 11.6-19.0  | 45        | 12.6 | 8.5-16.7   | 19      | 4.8  | 2.4- 7.2   |
| 55-64               | 505               | 42,830   | 305  | 59.8 | 54.5-65.1  | 57       | 9.7  | 7.0-12.4   | 67       | 13.8 | 10.1-17.5  | 50        | 11.3 | 7.6-15.0   | 26      | 5.4  | 3.0- 7.8   |
| 65+                 | 1262              | 71,712   | 969  | 75.5 | 72.6-78.4  | 111      | 9.7  | 7.7-11.7   | 93       | 6.8  | 5.2- 8.4   | 62        | 6.0  | 4.2- 7.8   | 27      | 2.0  | 1.2- 2.8   |
| Less Than H.S.      | 72                | 18,655   | 41   | 40.0 | 26.5-53.5  | 4        | 4.5  | 0.0- 9.6   | 8        | 14.7 | 3.9-25.5   | 16        | 34.6 | 20.5-48.7  | 3       | 6.1  | 0.0-13.9   |
| H.S. or G.E.D.      | 651               | 68,233   | 398  | 51.0 | 45.9-56.1  | 60       | 10.6 | 7.1-14.1   | 64       | 10.3 | 7.2-13.4   | 90        | 21.2 | 16.7-25.7  | 39      | 7.0  | 4.5- 9.5   |
| Some Post-H.S.      | 898               | 110,674  | 536  | 49.1 | 45.0-53.2  | 83       | 9.7  | 7.2-12.2   | 127      | 18.2 | 14.7-21.7  | 102       | 15.9 | 12.6-19.2  | 50      | 7.1  | 4.9- 9.3   |
| College Graduate    | 1249              | 93,105   | 752  | 53.3 | 50.0-56.6  | 176      | 16.4 | 13.9-18.9  | 178      | 16.2 | 13.7-18.7  | 116       | 11.9 | 9.5-14.3   | 27      | 2.2  | 1.2- 3.2   |
| Less than \$15,000  | 79                | 10,597   | 33   | 41.1 | 24.0-58.2  | 6        | 5.7  | 0.0-11.4   | 13       | 15.3 | 4.9-25.7   | 20        | 31.9 | 16.8-47.0  | 7       | 6.0  | 0.9-11.1   |
| \$15,000- 24,999    | 186               | 21,811   | 92   | 39.0 | 30.0-48.0  | 13       | 4.7  | 1.4- 8.0   | 29       | 16.7 | 9.8-23.6   | 39        | 28.9 | 19.9-37.9  | 13      | 10.7 | 4.6-16.8   |
| \$25,000- 34,999    | 249               | 24,768   | 136  | 40.1 | 31.9-48.3  | 18       | 8.6  | 3.7-13.5   | 41       | 16.8 | 9.7-23.9   | 37        | 24.0 | 15.4-32.6  | 17      | 10.5 | 5.0-16.0   |
| \$35,000- 49,999    | 328               | 30,539   | 198  | 48.6 | 41.5-55.7  | 36       | 9.7  | 5.8-13.6   | 41       | 15.0 | 9.5-20.5   | 33        | 16.2 | 10.5-21.9  | 20      | 10.5 | 4.6-16.4   |
| \$50,000- 99,999    | 738               | 73,454   | 438  | 48.6 | 43.9-53.3  | 87       | 13.4 | 9.9-16.9   | 106      | 17.1 | 13.4-20.8  | 80        | 16.6 | 12.7-20.5  | 27      | 4.3  | 2.5- 6.1   |
| \$100,000 - 199,999 | 494               | 52,332   | 292  | 53.7 | 48.2-59.2  | 77       | 16.3 | 12.4-20.2  | 78       | 18.3 | 13.6-23.0  | 35        | 9.2  | 5.5-12.9   | 12      | 2.4  | 0.8- 4.0   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | None |      |            | 1-2 days |      |            | 3-7 days |      |            | 8-29 days |      |            | 30 days |      |            |
|---------------------|-------------------|----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N        | %    | C.I. (95%) | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) |
| TOTAL               | 2974              | 338,167  | 1725 | 56.8 | 54.4-59.2  | 317      | 10.8 | 9.2-12.4   | 367      | 13.4 | 11.6-15.2  | 386       | 14.0 | 12.4-15.6  | 179     | 5.1  | 4.1- 6.1   |
| Male                | 1278              | 149,479  | 758  | 58.7 | 55.2-62.2  | 131      | 11.5 | 9.1-13.9   | 154      | 12.8 | 10.4-15.2  | 155       | 11.4 | 9.4-13.4   | 80      | 5.5  | 3.9- 7.1   |
| Female              | 1696              | 188,688  | 967  | 55.3 | 52.2-58.4  | 186      | 10.2 | 8.4-12.0   | 213      | 13.8 | 11.4-16.2  | 231       | 16.0 | 13.6-18.4  | 99      | 4.8  | 3.6- 6.0   |
| Native              | 106               | 15,635   | 63   | 63.5 | 51.7-75.3  | 11       | 9.8  | 3.5-16.1   | 13       | 13.9 | 4.7-23.1   | 12        | 8.8  | 2.9-14.7   | 7       | 4.0  | 0.1- 7.9   |
| Non-Native          | 2828              | 318,244  | 1642 | 56.7 | 54.3-59.1  | 301      | 10.8 | 9.2-12.4   | 349      | 13.2 | 11.4-15.0  | 368       | 14.2 | 12.4-16.0  | 168     | 5.1  | 4.1- 6.1   |
| 18-24               | 223               | 63,389   | 137  | 61.0 | 53.9-68.1  | 20       | 9.0  | 4.7-13.3   | 27       | 13.7 | 8.4-19.0   | 37        | 15.4 | 10.3-20.5  | 2       | 0.8  | 0.0- 2.0   |
| 25-34               | 367               | 69,825   | 195  | 50.1 | 44.2-56.0  | 57       | 15.2 | 10.9-19.5  | 52       | 14.6 | 10.5-18.7  | 49        | 14.9 | 10.6-19.2  | 14      | 5.2  | 2.5- 7.9   |
| 35-44               | 438               | 58,461   | 260  | 58.2 | 52.9-63.5  | 49       | 10.9 | 7.8-14.0   | 54       | 13.0 | 9.3-16.7   | 61        | 15.1 | 11.2-19.0  | 14      | 2.9  | 1.3- 4.5   |
| 45-54               | 433               | 40,854   | 274  | 63.9 | 58.8-69.0  | 44       | 10.4 | 7.1-13.7   | 51       | 10.4 | 7.3-13.5   | 42        | 9.1  | 6.2-12.0   | 22      | 6.3  | 3.6- 9.0   |
| 55-64               | 491               | 44,468   | 251  | 47.0 | 41.7-52.3  | 52       | 10.4 | 7.3-13.5   | 71       | 17.2 | 12.5-21.9  | 72        | 15.1 | 11.2-19.0  | 45      | 10.1 | 7.0-13.2   |
| 65+                 | 1022              | 61,170   | 608  | 61.1 | 57.6-64.6  | 95       | 7.9  | 6.1- 9.7   | 112      | 11.2 | 8.8-13.6   | 125       | 12.7 | 10.2-15.2  | 82      | 7.0  | 5.2- 8.8   |
| Less Than H.S.      | 104               | 29,136   | 50   | 43.4 | 32.0-54.8  | 9        | 10.5 | 2.5-18.5   | 15       | 19.6 | 9.6-29.6   | 17        | 17.5 | 9.1-25.9   | 13      | 9.1  | 3.6-14.6   |
| H.S. or G.E.D.      | 760               | 89,675   | 413  | 54.9 | 50.4-59.4  | 67       | 9.0  | 6.6-11.4   | 90       | 12.6 | 9.5-15.7   | 139       | 18.3 | 14.8-21.8  | 51      | 5.2  | 3.4- 7.0   |
| Some Post-H.S.      | 920               | 127,524  | 533  | 57.2 | 53.3-61.1  | 95       | 10.8 | 8.3-13.3   | 101      | 12.3 | 9.6-15.0   | 131       | 14.3 | 11.6-17.0  | 60      | 5.5  | 3.9- 7.1   |
| College Graduate    | 1181              | 90,645   | 724  | 62.1 | 58.8-65.4  | 145      | 12.6 | 10.4-14.8  | 159      | 13.8 | 11.4-16.2  | 98        | 8.2  | 6.4-10.0   | 55      | 3.2  | 2.2- 4.2   |
| Less than \$15,000  | 104               | 13,565   | 41   | 46.0 | 32.1-59.9  | 4        | 3.7  | 0.0- 8.0   | 13       | 11.3 | 4.4-18.2   | 26        | 23.7 | 13.1-34.3  | 20      | 15.3 | 7.5-23.1   |
| \$15,000- 24,999    | 213               | 25,267   | 87   | 35.6 | 27.6-43.6  | 22       | 10.6 | 5.7-15.5   | 26       | 15.6 | 8.7-22.5   | 50        | 26.9 | 18.9-34.9  | 28      | 11.3 | 6.6-16.0   |
| \$25,000- 34,999    | 286               | 32,697   | 121  | 40.3 | 32.5-48.1  | 26       | 7.0  | 3.7-10.3   | 50       | 20.4 | 13.7-27.1  | 60        | 24.1 | 17.6-30.6  | 29      | 8.2  | 4.1-12.3   |
| \$35,000- 49,999    | 342               | 36,744   | 191  | 54.4 | 47.5-61.3  | 32       | 8.3  | 5.0-11.6   | 46       | 16.1 | 10.2-22.0  | 45        | 14.1 | 9.2-19.0   | 28      | 7.1  | 3.8-10.4   |
| \$50,000- 99,999    | 801               | 90,496   | 484  | 59.9 | 55.6-64.2  | 103      | 13.3 | 10.2-16.4  | 102      | 13.0 | 10.1-15.9  | 82        | 10.4 | 7.9-12.9   | 30      | 3.4  | 2.0- 4.8   |
| \$100,000 - 199,999 | 548               | 61,904   | 355  | 61.3 | 56.2-66.4  | 63       | 13.0 | 9.5-16.5   | 75       | 14.4 | 10.3-18.5  | 42        | 8.7  | 5.4-12.0   | 13      | 2.5  | 0.9- 4.1   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | None |      |            | 1-2 days |      |            | 3-7 days |      |            | 8-29 days |      |            | 30 days |      |            |
|---------------------|-------------------|----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N        | %    | C.I. (95%) | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) |
| Male                | 1278              | 149,479  | 758  | 58.7 | 55.2-62.2  | 131      | 11.5 | 9.1-13.9   | 154      | 12.8 | 10.4-15.2  | 155       | 11.4 | 9.4-13.4   | 80      | 5.5  | 3.9- 7.1   |
| Non-Native          | 1220              | 142,088  | 724  | 58.7 | 55.2-62.2  | 124      | 11.4 | 8.9-13.9   | 148      | 12.8 | 10.3-15.3  | 149       | 11.6 | 9.4-13.8   | 75      | 5.5  | 3.9- 7.1   |
| 18-24               | 115               | 29,456   | 78   | 67.4 | 57.8-77.0  | 13       | 12.1 | 5.0-19.2   | 6        | 7.1  | 1.2-13.0   | 16        | 11.6 | 5.7-17.5   | 2       | 1.8  | 0.0- 4.3   |
| 25-34               | 175               | 32,112   | 95   | 51.2 | 42.8-59.6  | 25       | 16.3 | 9.4-23.2   | 33       | 18.6 | 12.1-25.1  | 16        | 8.3  | 4.0-12.6   | 6       | 5.5  | 1.0-10.0   |
| 35-44               | 211               | 25,868   | 135  | 63.5 | 56.2-70.8  | 24       | 11.7 | 6.6-16.8   | 23       | 11.6 | 6.7-16.5   | 23        | 10.7 | 6.4-15.0   | 6       | 2.5  | 0.5- 4.5   |
| 45-54               | 188               | 18,034   | 125  | 67.7 | 60.3-75.1  | 12       | 7.5  | 3.0-12.0   | 20       | 8.3  | 4.6-12.0   | 20        | 9.7  | 5.4-14.0   | 11      | 6.8  | 2.3-11.3   |
| 55-64               | 201               | 19,678   | 95   | 41.7 | 33.9-49.5  | 24       | 11.4 | 6.3-16.5   | 33       | 21.6 | 13.6-29.6  | 29        | 14.4 | 8.7-20.1   | 20      | 10.9 | 5.8-16.0   |
| 65+                 | 388               | 24,331   | 230  | 60.0 | 54.1-65.9  | 33       | 7.4  | 4.7-10.1   | 39       | 9.7  | 6.4-13.0   | 51        | 14.9 | 10.4-19.4  | 35      | 7.9  | 5.0-10.8   |
| Less Than H.S.      | 54                | 14,227   | 29   | 51.8 | 35.5-68.1  | 3        | 7.6  | 0.0-19.0   | 7        | 20.0 | 6.3-33.7   | 9         | 12.4 | 3.8-21.0   | 6       | 8.2  | 0.6-15.8   |
| H.S. or G.E.D.      | 369               | 44,721   | 210  | 57.3 | 51.2-63.4  | 39       | 12.3 | 8.2-16.4   | 37       | 11.3 | 7.2-15.4   | 54        | 13.2 | 9.3-17.1   | 29      | 6.0  | 3.3- 8.7   |
| Some Post-H.S.      | 392               | 56,004   | 233  | 58.4 | 52.5-64.3  | 45       | 13.8 | 9.3-18.3   | 38       | 10.4 | 6.9-13.9   | 51        | 11.5 | 8.0-15.0   | 25      | 5.9  | 3.2- 8.6   |
| College Graduate    | 458               | 33,582   | 281  | 63.0 | 57.9-68.1  | 44       | 8.6  | 5.9-11.3   | 72       | 16.3 | 12.4-20.2  | 41        | 8.8  | 5.9-11.7   | 20      | 3.3  | 1.7- 4.9   |
| \$15,000- 24,999    | 75                | 8,667    | 31   | 36.9 | 23.2-50.6  | 9        | 14.2 | 4.8-23.6   | 8        | 14.1 | 2.3-25.9   | 15        | 22.9 | 11.1-34.7  | 12      | 11.8 | 4.2-19.4   |
| \$25,000- 34,999    | 118               | 14,194   | 48   | 42.0 | 30.4-53.6  | 13       | 6.7  | 2.2-11.2   | 20       | 22.9 | 12.1-33.7  | 21        | 17.0 | 9.6-24.4   | 16      | 11.4 | 3.8-19.0   |
| \$35,000- 49,999    | 143               | 15,505   | 81   | 57.1 | 46.9-67.3  | 12       | 7.8  | 2.3-13.3   | 15       | 13.2 | 5.0-21.4   | 19        | 11.1 | 5.2-17.0   | 16      | 10.8 | 4.3-17.3   |
| \$50,000- 99,999    | 362               | 42,222   | 231  | 61.8 | 55.3-68.3  | 43       | 15.8 | 10.1-21.5  | 39       | 10.8 | 6.9-14.7   | 38        | 8.6  | 5.5-11.7   | 11      | 3.0  | 0.6- 5.4   |
| \$100,000 - 199,999 | 273               | 31,171   | 176  | 63.3 | 56.2-70.4  | 27       | 11.3 | 6.8-15.8   | 40       | 13.8 | 8.7-18.9   | 26        | 10.4 | 5.9-14.9   | 4       | 1.2  | 0.0- 2.6   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | None |      |            | 1-2 days |      |            | 3-7 days |      |            | 8-29 days |      |            | 30 days |      |            |
|---------------------|-------------------|----------|------|------|------------|----------|------|------------|----------|------|------------|-----------|------|------------|---------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N        | %    | C.I. (95%) | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) |
| Female              | 1696              | 188,688  | 967  | 55.3 | 52.2-58.4  | 186      | 10.2 | 8.4-12.0   | 213      | 13.8 | 11.4-16.2  | 231       | 16.0 | 13.6-18.4  | 99      | 4.8  | 3.6- 6.0   |
| Native              | 68                | 10,267   | 42   | 66.3 | 51.6-81.0  | 6        | 7.8  | 0.9-14.7   | 8        | 12.9 | 1.3-24.5   | 9         | 11.1 | 2.7-19.5   | 3       | 1.9  | 0.0- 4.4   |
| Non-Native          | 1608              | 176,156  | 918  | 55.1 | 51.8-58.4  | 177      | 10.3 | 8.3-12.3   | 201      | 13.6 | 11.2-16.0  | 219       | 16.3 | 13.8-18.8  | 93      | 4.7  | 3.5- 5.9   |
| 18-24               | 108               | 33,933   | 59   | 55.5 | 45.3-65.7  | 7        | 6.2  | 1.1-11.3   | 21       | 19.5 | 11.3-27.7  | 21        | 18.8 | 11.0-26.6  |         |      |            |
| 25-34               | 192               | 37,713   | 100  | 49.1 | 41.1-57.1  | 32       | 14.3 | 9.2-19.4   | 19       | 11.2 | 5.9-16.5   | 33        | 20.4 | 13.5-27.3  | 8       | 4.9  | 1.8- 8.0   |
| 35-44               | 227               | 32,594   | 125  | 53.9 | 46.5-61.3  | 25       | 10.2 | 6.1-14.3   | 31       | 14.1 | 8.8-19.4   | 38        | 18.5 | 12.6-24.4  | 8       | 3.3  | 0.9- 5.7   |
| 45-54               | 245               | 22,820   | 149  | 60.9 | 53.8-68.0  | 32       | 12.7 | 8.0-17.4   | 31       | 12.0 | 7.3-16.7   | 22        | 8.5  | 4.4-12.6   | 11      | 5.8  | 2.1- 9.5   |
| 55-64               | 290               | 24,790   | 156  | 51.3 | 44.2-58.4  | 28       | 9.6  | 5.7-13.5   | 38       | 13.8 | 8.3-19.3   | 43        | 15.8 | 10.5-21.1  | 25      | 9.5  | 5.4-13.6   |
| 65+                 | 634               | 36,839   | 378  | 61.8 | 57.3-66.3  | 62       | 8.3  | 5.9-10.7   | 73       | 12.2 | 9.1-15.3   | 74        | 11.2 | 8.5-13.9   | 47      | 6.4  | 4.2- 8.6   |
| Less Than H.S.      | 50                | 14,909   | 21   | 35.4 | 19.7-51.1  | 6        | 13.2 | 1.4-25.0   | 8        | 19.2 | 4.9-33.5   | 8         | 22.3 | 8.2-36.4   | 7       | 9.9  | 2.3-17.5   |
| H.S. or G.E.D.      | 391               | 44,955   | 203  | 52.5 | 45.8-59.2  | 28       | 5.6  | 3.1- 8.1   | 53       | 14.0 | 9.5-18.5   | 85        | 23.5 | 17.8-29.2  | 22      | 4.4  | 2.2- 6.6   |
| Some Post-H.S.      | 528               | 71,520   | 300  | 56.3 | 51.0-61.6  | 50       | 8.4  | 5.9-10.9   | 63       | 13.7 | 9.8-17.6   | 80        | 16.4 | 12.5-20.3  | 35      | 5.2  | 3.2- 7.2   |
| College Graduate    | 723               | 57,063   | 443  | 61.6 | 57.3-65.9  | 101      | 15.0 | 11.9-18.1  | 87       | 12.3 | 9.4-15.2   | 57        | 7.9  | 5.5-10.3   | 35      | 3.2  | 2.0- 4.4   |
| Less than \$15,000  | 61                | 8,325    | 24   | 49.1 | 30.5-67.7  | 3        | 4.6  | 0.0-11.1   | 7        | 10.9 | 2.1-19.7   | 18        | 28.1 | 12.8-43.4  | 9       | 7.3  | 1.8-12.8   |
| \$15,000- 24,999    | 138               | 16,599   | 56   | 34.9 | 25.1-44.7  | 13       | 8.7  | 3.4-14.0   | 18       | 16.4 | 8.0-24.8   | 35        | 29.0 | 18.6-39.4  | 16      | 11.0 | 4.9-17.1   |
| \$25,000- 34,999    | 168               | 18,503   | 73   | 39.0 | 28.2-49.8  | 13       | 7.2  | 2.5-11.9   | 30       | 18.4 | 10.0-26.8  | 39        | 29.6 | 19.8-39.4  | 13      | 5.7  | 1.4-10.0   |
| \$35,000- 49,999    | 199               | 21,240   | 110  | 52.5 | 43.3-61.7  | 20       | 8.7  | 4.2-13.2   | 31       | 18.2 | 10.2-26.2  | 26        | 16.3 | 9.2-23.4   | 12      | 4.4  | 1.3- 7.5   |
| \$50,000- 99,999    | 439               | 48,274   | 253  | 58.3 | 52.4-64.2  | 60       | 11.1 | 7.8-14.4   | 63       | 15.0 | 10.7-19.3  | 44        | 11.9 | 8.0-15.8   | 19      | 3.7  | 1.7- 5.7   |
| \$100,000 - 199,999 | 275               | 30,733   | 179  | 59.2 | 51.6-66.8  | 36       | 14.8 | 9.7-19.9   | 35       | 15.1 | 8.8-21.4   | 16        | 7.0  | 2.3-11.7   | 9       | 3.9  | 1.2- 6.6   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

| TABLE |                                                                                                                                  | PAGE |
|-------|----------------------------------------------------------------------------------------------------------------------------------|------|
|       | WHAT IS THE CURRENT SOURCE OF YOUR PRIMARY HEALTH INSURANCE? (PRIMINS1)                                                          |      |
| 1     | MALES AND FEMALES                                                                                                                | 17   |
| 2     | MALES ONLY                                                                                                                       | 18   |
| 3     | FEMALES ONLY                                                                                                                     | 19   |
|       | DO YOU HAVE ONE PERSON (OR A GROUP OF DOCTORS) THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)               |      |
| 4     | MALES AND FEMALES                                                                                                                | 20   |
| 5     | MALES ONLY                                                                                                                       | 21   |
| 6     | FEMALES ONLY                                                                                                                     | 22   |
|       | WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1) |      |
| 7     | MALES AND FEMALES                                                                                                                | 23   |
| 8     | MALES ONLY                                                                                                                       | 24   |
| 9     | FEMALES ONLY                                                                                                                     | 25   |
|       | ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)                                     |      |
| 10    | MALES AND FEMALES                                                                                                                | 26   |
| 11    | MALES ONLY                                                                                                                       | 27   |
| 12    | FEMALES ONLY                                                                                                                     | 28   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: WHAT IS THE CURRENT SOURCE OF YOUR PRIMARY HEALTH INSURANCE? (PRIMINS1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Plan Purchased thru employer or union |      |            | Private Plan Purchased by you or family member |      |            | Medicare, Medigap, Medicaid, CHIP or State Prgm |      |            | Military and Other Government Related Health Care |      |            | Indian Health Service |      |            | None |      |            |
|---------------------|-------------------|----------|---------------------------------------|------|------------|------------------------------------------------|------|------------|-------------------------------------------------|------|------------|---------------------------------------------------|------|------------|-----------------------|------|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N                                     | %    | C.I. (95%) | N                                              | %    | C.I. (95%) | N                                               | %    | C.I. (95%) | N                                                 | %    | C.I. (95%) | N                     | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL               | 5470              | 572,704  | 2143                                  | 45.2 | 43.4-47.0  | 550                                            | 11.8 | 10.6-13.0  | 2211                                            | 31.3 | 29.7-32.9  | 358                                               | 6.6  | 5.8- 7.4   | 23                    | 0.5  | 0.3- 0.7   | 185  | 4.7  | 3.9- 5.5   |
| Male                | 2688              | 292,933  | 1121                                  | 47.5 | 45.1-49.9  | 263                                            | 11.7 | 9.9-13.5   | 953                                             | 26.6 | 24.6-28.6  | 221                                               | 7.6  | 6.4- 8.8   | 11                    | 0.5  | 0.1- 0.9   | 119  | 6.1  | 4.7- 7.5   |
| Female              | 2782              | 279,771  | 1022                                  | 42.8 | 40.4-45.2  | 287                                            | 11.9 | 10.1-13.7  | 1258                                            | 36.2 | 33.8-38.6  | 137                                               | 5.5  | 4.3- 6.7   | 12                    | 0.6  | 0.2- 1.0   | 66   | 3.2  | 2.4- 4.0   |
| Native              | 157               | 22,977   | 55                                    | 30.6 | 22.0-39.2  | 10                                             | 9.5  | 3.4-15.6   | 52                                              | 37.2 | 26.8-47.6  | 13                                                | 5.9  | 1.8-10.0   | 20                    | 11.8 | 5.5-18.1   | 7    | 5.0  | 0.9- 9.1   |
| Non-Native          | 5238              | 541,737  | 2063                                  | 46.0 | 44.2-47.8  | 531                                            | 11.9 | 10.7-13.1  | 2131                                            | 30.9 | 29.3-32.5  | 339                                               | 6.5  | 5.7- 7.3   | 2                     | 0.0  | 0.0- 0.0   | 172  | 4.6  | 3.8- 5.4   |
| 18-24               | 258               | 71,557   | 126                                   | 45.1 | 38.4-51.8  | 57                                             | 23.0 | 17.1-28.9  | 39                                              | 18.8 | 13.1-24.5  | 21                                                | 7.2  | 4.1-10.3   |                       |      |            | 15   | 5.8  | 2.7- 8.9   |
| 25-34               | 563               | 105,181  | 344                                   | 56.6 | 51.9-61.3  | 68                                             | 10.7 | 8.2-13.2   | 77                                              | 19.1 | 14.8-23.4  | 29                                                | 5.4  | 3.2- 7.6   | 2                     | 0.4  | 0.0- 1.0   | 43   | 7.8  | 5.3-10.3   |
| 35-44               | 734               | 100,634  | 499                                   | 64.4 | 60.3-68.5  | 70                                             | 10.9 | 8.0-13.8   | 73                                              | 12.7 | 9.6-15.8   | 41                                                | 4.7  | 3.1- 6.3   | 2                     | 0.6  | 0.0- 1.6   | 49   | 6.7  | 4.7- 8.7   |
| 45-54               | 792               | 78,757   | 495                                   | 59.4 | 55.5-63.3  | 105                                            | 13.7 | 11.0-16.4  | 95                                              | 13.9 | 11.0-16.8  | 53                                                | 7.0  | 4.8- 9.2   | 6                     | 1.3  | 0.1- 2.5   | 38   | 4.8  | 3.2- 6.4   |
| 55-64               | 927               | 84,973   | 510                                   | 53.1 | 49.2-57.0  | 141                                            | 14.3 | 11.6-17.0  | 157                                             | 18.0 | 14.9-21.1  | 83                                                | 10.3 | 7.9-12.7   | 5                     | 0.6  | 0.0- 1.2   | 31   | 3.7  | 1.9- 5.5   |
| 65+                 | 2196              | 131,603  | 169                                   | 7.8  | 6.4- 9.2   | 109                                            | 4.6  | 3.6- 5.6   | 1770                                            | 80.9 | 78.9-82.9  | 131                                               | 6.0  | 4.8- 7.2   | 8                     | 0.3  | 0.0- 0.7   | 9    | 0.5  | 0.1- 0.9   |
| Less Than H.S.      | 157               | 39,236   | 28                                    | 21.6 | 13.8-29.4  | 11                                             | 8.6  | 2.5-14.7   | 95                                              | 54.7 | 45.1-64.3  | 11                                                | 4.9  | 1.8- 8.0   | 1                     | 0.5  | 0.0- 1.5   | 11   | 9.8  | 3.9-15.7   |
| H.S. or G.E.D.      | 1355              | 148,551  | 421                                   | 37.9 | 34.6-41.2  | 136                                            | 12.9 | 10.4-15.4  | 616                                             | 34.2 | 31.1-37.3  | 89                                                | 6.4  | 4.8- 8.0   | 9                     | 1.0  | 0.2- 1.8   | 84   | 7.7  | 5.9- 9.5   |
| Some Post-H.S.      | 1695              | 219,332  | 608                                   | 44.5 | 41.6-47.4  | 173                                            | 12.1 | 9.9-14.3   | 729                                             | 31.6 | 29.1-34.1  | 122                                               | 7.6  | 6.0- 9.2   | 7                     | 0.4  | 0.0- 0.8   | 56   | 3.8  | 2.6- 5.0   |
| College Graduate    | 2252              | 164,635  | 1085                                  | 58.4 | 56.0-60.8  | 230                                            | 11.2 | 9.6-12.8   | 764                                             | 22.5 | 20.7-24.3  | 134                                               | 5.8  | 4.6- 7.0   | 5                     | 0.2  | 0.0- 0.4   | 34   | 1.9  | 1.3- 2.5   |
| Less than \$15,000  | 141               | 17,138   | 3                                     | 3.6  | 0.0- 7.7   | 5                                              | 3.1  | 0.0- 6.2   | 105                                             | 73.9 | 63.7-84.1  | 11                                                | 5.6  | 1.5- 9.7   |                       |      |            | 17   | 13.8 | 5.2-22.4   |
| \$15,000- 24,999    | 295               | 34,804   | 23                                    | 11.8 | 6.5-17.1   | 28                                             | 11.8 | 6.9-16.7   | 201                                             | 58.7 | 51.3-66.1  | 24                                                | 9.4  | 4.7-14.1   | 2                     | 0.6  | 0.0- 1.8   | 17   | 7.6  | 3.7-11.5   |
| \$25,000- 34,999    | 442               | 46,876   | 78                                    | 22.6 | 17.3-27.9  | 37                                             | 9.5  | 5.8-13.2   | 265                                             | 47.5 | 41.2-53.8  | 33                                                | 7.9  | 4.6-11.2   | 3                     | 1.5  | 0.0- 3.7   | 26   | 10.9 | 6.2-15.6   |
| \$35,000- 49,999    | 608               | 58,613   | 141                                   | 33.5 | 28.4-38.6  | 57                                             | 10.6 | 7.3-13.9   | 330                                             | 39.8 | 35.1-44.5  | 49                                                | 8.7  | 6.0-11.4   | 6                     | 1.2  | 0.2- 2.2   | 25   | 6.2  | 3.5- 8.9   |
| \$50,000- 99,999    | 1517              | 160,397  | 672                                   | 51.3 | 48.2-54.4  | 163                                            | 12.5 | 10.1-14.9  | 533                                             | 25.2 | 22.5-27.9  | 100                                               | 6.7  | 5.1- 8.3   | 4                     | 0.3  | 0.0- 0.7   | 45   | 4.1  | 2.7- 5.5   |
| \$100,000 - 199,999 | 1125              | 121,351  | 729                                   | 69.4 | 66.1-72.7  | 103                                            | 11.1 | 8.6-13.6   | 204                                             | 11.9 | 9.9-13.9   | 66                                                | 5.4  | 3.8- 7.0   | 2                     | 0.1  | 0.0- 0.3   | 21   | 2.1  | 1.1- 3.1   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: WHAT IS THE CURRENT SOURCE OF YOUR PRIMARY HEALTH INSURANCE? (PRIMINS1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Plan Purchased thru employer or union |      |            | Private Plan Purchased by you or family member |      |            | Medicare, Medigap, Medicaid, CHIP or State Prgm |      |            | Military and Other Government Related Health Care |      |            | Indian Health Service |      |            | None |      |            |
|---------------------|-------------------|----------|---------------------------------------|------|------------|------------------------------------------------|------|------------|-------------------------------------------------|------|------------|---------------------------------------------------|------|------------|-----------------------|------|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N                                     | %    | C.I. (95%) | N                                              | %    | C.I. (95%) | N                                               | %    | C.I. (95%) | N                                                 | %    | C.I. (95%) | N                     | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                | 2688              | 292,933  | 1121                                  | 47.5 | 45.1-49.9  | 263                                            | 11.7 | 9.9-13.5   | 953                                             | 26.6 | 24.6-28.6  | 221                                               | 7.6  | 6.4- 8.8   | 11                    | 0.5  | 0.1- 0.9   | 119  | 6.1  | 4.7- 7.5   |
| Native              | 68                | 10,298   | 24                                    | 30.4 | 18.2-42.6  | 3                                              | 5.9  | 0.0-12.6   | 21                                              | 37.6 | 22.3-52.9  | 8                                                 | 7.5  | 0.8-14.2   | 8                     | 10.7 | 2.7-18.7   | 4    | 7.9  | 0.0-16.1   |
| Non-Native          | 2578              | 278,468  | 1080                                  | 48.1 | 45.7-50.5  | 257                                            | 12.0 | 10.2-13.8  | 920                                             | 26.2 | 24.2-28.2  | 208                                               | 7.6  | 6.4- 8.8   | 2                     | 0.1  | 0.0- 0.3   | 111  | 6.0  | 4.6- 7.4   |
| 18-24               | 144               | 36,724   | 70                                    | 44.6 | 35.6-53.6  | 35                                             | 26.6 | 18.0-35.2  | 17                                              | 13.0 | 6.5-19.5   | 13                                                | 8.1  | 3.6-12.6   |                       |      |            | 9    | 7.7  | 2.4-13.0   |
| 25-34               | 306               | 56,076   | 198                                   | 61.2 | 54.9-67.5  | 33                                             | 9.5  | 6.2-12.8   | 29                                              | 13.2 | 7.9-18.5   | 15                                                | 4.8  | 2.3- 7.3   | 1                     | 0.3  | 0.0- 0.9   | 30   | 11.0 | 6.9-15.1   |
| 35-44               | 410               | 52,775   | 281                                   | 67.1 | 62.0-72.2  | 40                                             | 9.8  | 6.5-13.1   | 30                                              | 9.4  | 5.9-12.9   | 28                                                | 5.9  | 3.5- 8.3   |                       |      |            | 31   | 7.8  | 5.1-10.5   |
| 45-54               | 408               | 41,261   | 249                                   | 59.6 | 54.1-65.1  | 54                                             | 13.8 | 9.9-17.7   | 45                                              | 12.2 | 8.5-15.9   | 35                                                | 7.9  | 5.2-10.6   | 4                     | 1.6  | 0.0- 3.4   | 21   | 5.0  | 2.6- 7.4   |
| 55-64               | 441               | 43,837   | 240                                   | 52.8 | 47.3-58.3  | 59                                             | 13.7 | 9.8-17.6   | 75                                              | 16.3 | 12.2-20.4  | 44                                                | 11.5 | 7.8-15.2   | 3                     | 0.8  | 0.0- 1.8   | 20   | 5.0  | 1.9- 8.1   |
| 65+                 | 979               | 62,260   | 83                                    | 8.5  | 6.5-10.5   | 42                                             | 3.8  | 2.4- 5.2   | 757                                             | 78.0 | 74.9-81.1  | 86                                                | 8.5  | 6.5-10.5   | 3                     | 0.4  | 0.0- 1.0   | 8    | 0.8  | 0.0- 1.6   |
| Less Than H.S.      | 87                | 21,486   | 20                                    | 26.1 | 15.3-36.9  | 7                                              | 11.5 | 1.9-21.1   | 42                                              | 40.0 | 27.7-52.3  | 8                                                 | 5.7  | 1.6- 9.8   | 1                     | 0.9  | 0.0- 2.7   | 9    | 15.8 | 5.8-25.8   |
| H.S. or G.E.D.      | 726               | 83,378   | 255                                   | 41.1 | 36.8-45.4  | 79                                             | 14.3 | 11.0-17.6  | 274                                             | 28.1 | 24.2-32.0  | 57                                                | 7.2  | 5.0- 9.4   | 4                     | 0.6  | 0.0- 1.2   | 57   | 8.7  | 6.3-11.1   |
| Some Post-H.S.      | 832               | 113,818  | 339                                   | 49.2 | 45.3-53.1  | 81                                             | 11.2 | 8.5-13.9   | 295                                             | 25.3 | 22.2-28.4  | 78                                                | 8.7  | 6.5-10.9   | 3                     | 0.5  | 0.0- 1.1   | 36   | 5.2  | 3.2- 7.2   |
| College Graduate    | 1036              | 73,535   | 506                                   | 58.5 | 55.2-61.8  | 96                                             | 9.8  | 7.6-12.0   | 339                                             | 22.8 | 20.1-25.5  | 76                                                | 7.0  | 5.2- 8.8   | 2                     | 0.1  | 0.0- 0.3   | 17   | 1.8  | 0.8- 2.8   |
| Less than \$15,000  | 63                | 7,080    | 1                                     | 1.9  | 0.0- 5.6   | 2                                              | 5.1  | 0.0-12.0   | 41                                              | 56.7 | 40.2-73.2  | 6                                                 | 10.1 | 1.3-18.9   |                       |      |            | 13   | 26.3 | 9.4-43.2   |
| \$15,000- 24,999    | 110               | 12,781   | 8                                     | 7.9  | 1.4-14.4   | 9                                              | 10.8 | 3.2-18.4   | 67                                              | 53.8 | 41.5-66.1  | 15                                                | 14.9 | 5.5-24.3   | 2                     | 1.7  | 0.0- 4.6   | 9    | 10.9 | 3.1-18.7   |
| \$25,000- 34,999    | 200               | 23,634   | 34                                    | 20.3 | 13.4-27.2  | 18                                             | 9.2  | 4.1-14.3   | 104                                             | 43.0 | 34.0-52.0  | 27                                                | 11.8 | 6.7-16.9   | 1                     | 0.3  | 0.0- 0.9   | 16   | 15.4 | 7.4-23.4   |
| \$35,000- 49,999    | 287               | 28,508   | 51                                    | 27.2 | 20.3-34.1  | 27                                             | 12.0 | 6.7-17.3   | 156                                             | 39.1 | 32.6-45.6  | 33                                                | 11.8 | 7.3-16.3   | 3                     | 1.5  | 0.0- 3.5   | 17   | 8.4  | 3.9-12.9   |
| \$50,000- 99,999    | 787               | 87,434   | 338                                   | 49.8 | 45.3-54.3  | 93                                             | 13.7 | 10.4-17.0  | 268                                             | 24.4 | 20.7-28.1  | 58                                                | 6.8  | 4.6- 9.0   | 1                     | 0.2  | 0.0- 0.6   | 29   | 5.0  | 3.0- 7.0   |
| \$100,000 - 199,999 | 639               | 69,856   | 412                                   | 70.0 | 65.9-74.1  | 47                                             | 9.5  | 6.2-12.8   | 113                                             | 10.7 | 8.3-13.1   | 47                                                | 6.5  | 4.3- 8.7   | 2                     | 0.2  | 0.0- 0.6   | 18   | 3.1  | 1.5- 4.7   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: WHAT IS THE CURRENT SOURCE OF YOUR PRIMARY HEALTH INSURANCE? (PRIMINS1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Plan Purchased thru employer or union |      |            | Private Plan Purchased by you or family member |      |            | Medicare, Medigap, Medicaid, CHIP or State Prgm |      |            | Military and Other Government Related Health Care |     |            | Indian Health Service |      |            | None |     |            |
|---------------------|-------------------|----------|---------------------------------------|------|------------|------------------------------------------------|------|------------|-------------------------------------------------|------|------------|---------------------------------------------------|-----|------------|-----------------------|------|------------|------|-----|------------|
|                     | TOTAL             | WEIGHTED | N                                     | %    | C.I. (95%) | N                                              | %    | C.I. (95%) | N                                               | %    | C.I. (95%) | N                                                 | %   | C.I. (95%) | N                     | %    | C.I. (95%) | N    | %   | C.I. (95%) |
| Female              | 2782              | 279,771  | 1022                                  | 42.8 | 40.4-45.2  | 287                                            | 11.9 | 10.1-13.7  | 1258                                            | 36.2 | 33.8-38.6  | 137                                               | 5.5 | 4.3- 6.7   | 12                    | 0.6  | 0.2- 1.0   | 66   | 3.2 | 2.4- 4.0   |
| Native              | 89                | 12,679   | 31                                    | 30.8 | 18.8-42.8  | 7                                              | 12.4 | 3.0-21.8   | 31                                              | 36.8 | 22.5-51.1  | 5                                                 | 4.6 | 0.0- 9.9   | 12                    | 12.7 | 3.3-22.1   | 3    | 2.7 | 0.0- 5.8   |
| Non-Native          | 2660              | 263,269  | 983                                   | 43.7 | 41.2-46.2  | 274                                            | 11.8 | 10.0-13.6  | 1211                                            | 36.0 | 33.6-38.4  | 131                                               | 5.5 | 4.3- 6.7   |                       |      |            | 61   | 3.2 | 2.4- 4.0   |
| 18-24               | 114               | 34,832   | 56                                    | 45.7 | 35.9-55.5  | 22                                             | 19.1 | 11.3-26.9  | 22                                              | 25.0 | 15.8-34.2  | 8                                                 | 6.3 | 1.8-10.8   |                       |      |            | 6    | 3.9 | 0.8- 7.0   |
| 25-34               | 257               | 49,105   | 146                                   | 51.4 | 44.5-58.3  | 35                                             | 12.0 | 7.9-16.1   | 48                                              | 25.9 | 19.0-32.8  | 14                                                | 6.0 | 2.7- 9.3   | 1                     | 0.5  | 0.0- 1.5   | 13   | 4.3 | 1.9- 6.7   |
| 35-44               | 324               | 47,859   | 218                                   | 61.4 | 55.1-67.7  | 30                                             | 12.0 | 7.3-16.7   | 43                                              | 16.4 | 11.3-21.5  | 13                                                | 3.3 | 1.3- 5.3   | 2                     | 1.3  | 0.0- 3.5   | 18   | 5.5 | 2.8- 8.2   |
| 45-54               | 384               | 37,496   | 246                                   | 59.2 | 53.3-65.1  | 51                                             | 13.5 | 9.6-17.4   | 50                                              | 15.8 | 11.1-20.5  | 18                                                | 6.0 | 2.9- 9.1   | 2                     | 1.0  | 0.0- 2.4   | 17   | 4.5 | 2.1- 6.9   |
| 55-64               | 486               | 41,135   | 270                                   | 53.5 | 48.2-58.8  | 82                                             | 14.9 | 11.4-18.4  | 82                                              | 19.8 | 15.1-24.5  | 39                                                | 9.1 | 6.0-12.2   | 2                     | 0.4  | 0.0- 1.0   | 11   | 2.4 | 0.8- 4.0   |
| 65+                 | 1217              | 69,344   | 86                                    | 7.2  | 5.4- 9.0   | 67                                             | 5.3  | 3.7- 6.9   | 1013                                            | 83.4 | 80.9-85.9  | 45                                                | 3.7 | 2.3- 5.1   | 5                     | 0.3  | 0.1- 0.5   | 1    | 0.1 | 0.0- 0.3   |
| Less Than H.S.      | 70                | 17,750   | 8                                     | 16.1 | 4.5-27.7   | 4                                              | 5.0  | 0.0-11.1   | 53                                              | 72.5 | 59.4-85.6  | 3                                                 | 3.8 | 0.0- 8.5   |                       |      |            | 2    | 2.6 | 0.0- 6.3   |
| H.S. or G.E.D.      | 629               | 65,173   | 166                                   | 33.8 | 28.9-38.7  | 57                                             | 11.0 | 7.3-14.7   | 342                                             | 42.0 | 37.1-46.9  | 32                                                | 5.3 | 3.1- 7.5   | 5                     | 1.5  | 0.0- 3.3   | 27   | 6.4 | 3.9- 8.9   |
| Some Post-H.S.      | 863               | 105,514  | 269                                   | 39.5 | 35.4-43.6  | 92                                             | 13.1 | 10.0-16.2  | 434                                             | 38.3 | 34.4-42.2  | 44                                                | 6.4 | 4.2- 8.6   | 4                     | 0.4  | 0.0- 1.0   | 20   | 2.4 | 1.2- 3.6   |
| College Graduate    | 1216              | 91,100   | 579                                   | 58.4 | 55.1-61.7  | 134                                            | 12.4 | 10.0-14.8  | 425                                             | 22.4 | 19.9-24.9  | 58                                                | 4.8 | 3.4- 6.2   | 3                     | 0.2  | 0.0- 0.4   | 17   | 1.9 | 0.9- 2.9   |
| Less than \$15,000  | 78                | 10,057   | 2                                     | 4.8  | 0.0-11.5   | 3                                              | 1.7  | 0.0- 4.1   | 64                                              | 86.0 | 76.6-95.4  | 5                                                 | 2.5 | 0.0- 5.4   |                       |      |            | 4    | 5.1 | 0.0-10.8   |
| \$15,000- 24,999    | 185               | 22,023   | 15                                    | 14.1 | 6.7-21.5   | 19                                             | 12.3 | 6.0-18.6   | 134                                             | 61.5 | 52.1-70.9  | 9                                                 | 6.3 | 1.6-11.0   |                       |      |            | 8    | 5.8 | 1.7- 9.9   |
| \$25,000- 34,999    | 242               | 23,242   | 44                                    | 24.9 | 17.1-32.7  | 19                                             | 9.8  | 4.3-15.3   | 161                                             | 52.1 | 43.3-60.9  | 6                                                 | 4.1 | 0.0- 8.2   | 2                     | 2.7  | 0.0- 7.0   | 10   | 6.4 | 2.3-10.5   |
| \$35,000- 49,999    | 321               | 30,104   | 90                                    | 39.5 | 32.1-46.9  | 30                                             | 9.3  | 5.2-13.4   | 174                                             | 40.5 | 33.8-47.2  | 16                                                | 5.8 | 2.7- 8.9   | 3                     | 0.8  | 0.0- 1.8   | 8    | 4.2 | 1.1- 7.3   |
| \$50,000- 99,999    | 730               | 72,962   | 334                                   | 53.1 | 48.4-57.8  | 70                                             | 10.9 | 8.0-13.8   | 265                                             | 26.1 | 22.2-30.0  | 42                                                | 6.6 | 4.2- 9.0   | 3                     | 0.4  | 0.0- 1.2   | 16   | 2.9 | 1.3- 4.5   |
| \$100,000 - 199,999 | 486               | 51,495   | 317                                   | 68.6 | 63.5-73.7  | 56                                             | 13.3 | 9.2-17.4   | 91                                              | 13.4 | 9.9-16.9   | 19                                                | 4.0 | 2.0- 6.0   |                       |      |            | 3    | 0.7 | 0.0- 1.5   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON (OR A GROUP OF DOCTORS) THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes, only one |      |            | More than one |      |            | No  |      |            |
|-----------------------|-------------------|----------|---------------|------|------------|---------------|------|------------|-----|------|------------|
|                       | TOTAL             | WEIGHTED | N             | %    | C.I. (95%) | N             | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL                 | 5685              | 598,274  | 3228          | 54.5 | 52.7-56.3  | 1790          | 29.5 | 27.9-31.1  | 667 | 16.0 | 14.6-17.4  |
| Male                  | 2774              | 304,724  | 1533          | 52.1 | 49.7-54.5  | 767           | 25.4 | 23.4-27.4  | 474 | 22.4 | 20.2-24.6  |
| Female                | 2911              | 293,551  | 1695          | 56.9 | 54.5-59.3  | 1023          | 33.8 | 31.4-36.2  | 193 | 9.3  | 7.7-10.9   |
| Native                | 160               | 24,032   | 97            | 52.7 | 42.3-63.1  | 46            | 32.0 | 21.8-42.2  | 17  | 15.3 | 7.1-23.5   |
| Non-Native            | 5440              | 564,754  | 3083          | 54.5 | 52.7-56.3  | 1722          | 29.5 | 27.9-31.1  | 635 | 16.0 | 14.6-17.4  |
| 18-24                 | 295               | 81,771   | 142           | 47.9 | 41.6-54.2  | 64            | 22.4 | 17.1-27.7  | 89  | 29.7 | 24.0-35.4  |
| 25-34                 | 568               | 106,703  | 291           | 50.6 | 45.9-55.3  | 136           | 25.6 | 21.3-29.9  | 141 | 23.8 | 19.9-27.7  |
| 35-44                 | 751               | 103,173  | 383           | 51.0 | 46.9-55.1  | 229           | 30.7 | 27.0-34.4  | 139 | 18.3 | 15.2-21.4  |
| 45-54                 | 811               | 80,652   | 442           | 54.8 | 50.9-58.7  | 270           | 31.6 | 28.1-35.1  | 99  | 13.7 | 11.0-16.4  |
| 55-64                 | 963               | 88,651   | 587           | 60.4 | 56.7-64.1  | 287           | 30.2 | 26.7-33.7  | 89  | 9.4  | 7.2-11.6   |
| 65+                   | 2297              | 137,325  | 1383          | 59.9 | 57.5-62.3  | 804           | 34.4 | 32.0-36.8  | 110 | 5.7  | 4.5- 6.9   |
| Less Than H.S.        | 167               | 41,479   | 94            | 51.7 | 42.3-61.1  | 39            | 23.3 | 15.3-31.3  | 34  | 25.0 | 16.4-33.6  |
| H.S. or G.E.D.        | 1427              | 157,331  | 815           | 53.8 | 50.5-57.1  | 399           | 26.1 | 23.4-28.8  | 213 | 20.1 | 17.4-22.8  |
| Some Post-H.S.        | 1766              | 229,378  | 976           | 53.7 | 50.8-56.6  | 572           | 31.2 | 28.5-33.9  | 218 | 15.1 | 12.9-17.3  |
| College Graduate      | 2306              | 168,083  | 1329          | 56.7 | 54.3-59.1  | 775           | 32.0 | 29.8-34.2  | 202 | 11.3 | 9.7-12.9   |
| Less than \$15,000    | 144               | 17,145   | 60            | 37.7 | 26.7-48.7  | 59            | 42.5 | 30.7-54.3  | 25  | 19.7 | 11.3-28.1  |
| \$15,000- 24,999      | 307               | 35,763   | 178           | 55.4 | 48.1-62.7  | 90            | 27.6 | 21.3-33.9  | 39  | 17.0 | 10.9-23.1  |
| \$25,000- 34,999      | 455               | 48,650   | 256           | 52.5 | 46.2-58.8  | 146           | 29.2 | 23.3-35.1  | 53  | 18.4 | 13.1-23.7  |
| \$35,000- 49,999      | 627               | 60,512   | 375           | 57.7 | 52.8-62.6  | 193           | 26.6 | 22.5-30.7  | 59  | 15.7 | 11.6-19.8  |
| \$50,000- 99,999      | 1545              | 163,851  | 879           | 53.0 | 49.9-56.1  | 470           | 28.5 | 25.8-31.2  | 196 | 18.4 | 15.5-21.3  |
| \$100,000 - 199,999   | 1142              | 123,051  | 647           | 56.1 | 52.6-59.6  | 370           | 30.9 | 27.6-34.2  | 125 | 13.1 | 10.6-15.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON (OR A GROUP OF DOCTORS) THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes, only one |      |            | More than one |      |            | No  |      |            |
|-----------------------|-------------------|----------|---------------|------|------------|---------------|------|------------|-----|------|------------|
|                       | TOTAL             | WEIGHTED | N             | %    | C.I. (95%) | N             | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Male                  | 2774              | 304,724  | 1533          | 52.1 | 49.7-54.5  | 767           | 25.4 | 23.4-27.4  | 474 | 22.4 | 20.2-24.6  |
| Native                | 67                | 10,537   | 41            | 50.6 | 35.5-65.7  | 17            | 29.1 | 15.0-43.2  | 9   | 20.2 | 6.1-34.3   |
| Non-Native            | 2657              | 288,971  | 1467          | 52.2 | 49.8-54.6  | 738           | 25.4 | 23.4-27.4  | 452 | 22.4 | 20.2-24.6  |
| 18-24                 | 169               | 43,004   | 72            | 42.9 | 34.5-51.3  | 30            | 17.1 | 11.0-23.2  | 67  | 40.0 | 31.8-48.2  |
| 25-34                 | 307               | 56,512   | 148           | 47.0 | 40.7-53.3  | 57            | 19.0 | 13.9-24.1  | 102 | 34.0 | 27.9-40.1  |
| 35-44                 | 417               | 53,574   | 204           | 49.5 | 44.2-54.8  | 107           | 24.9 | 20.4-29.4  | 106 | 25.6 | 20.9-30.3  |
| 45-54                 | 417               | 42,062   | 223           | 53.0 | 47.5-58.5  | 119           | 27.9 | 23.0-32.8  | 75  | 19.1 | 14.8-23.4  |
| 55-64                 | 454               | 45,357   | 281           | 61.3 | 56.0-66.6  | 116           | 27.4 | 22.5-32.3  | 57  | 11.3 | 8.2-14.4   |
| 65+                   | 1010              | 64,214   | 605           | 57.9 | 54.2-61.6  | 338           | 34.2 | 30.7-37.7  | 67  | 7.9  | 5.7-10.1   |
| Less Than H.S.        | 95                | 23,469   | 48            | 43.9 | 31.7-56.1  | 19            | 18.4 | 9.4-27.4   | 28  | 37.8 | 25.3-50.3  |
| H.S. or G.E.D.        | 759               | 87,731   | 408           | 50.0 | 45.7-54.3  | 193           | 23.4 | 19.9-26.9  | 158 | 26.6 | 22.7-30.5  |
| Some Post-H.S.        | 853               | 117,408  | 453           | 52.3 | 48.4-56.2  | 240           | 25.9 | 22.6-29.2  | 160 | 21.7 | 18.4-25.0  |
| College Graduate      | 1056              | 74,611   | 616           | 56.6 | 53.1-60.1  | 312           | 29.0 | 25.9-32.1  | 128 | 14.3 | 11.8-16.8  |
| Less than \$15,000    | 64                | 6,553    | 29            | 39.9 | 26.0-53.8  | 21            | 37.7 | 23.2-52.2  | 14  | 22.4 | 10.8-34.0  |
| \$15,000- 24,999      | 114               | 13,066   | 65            | 53.1 | 40.9-65.3  | 28            | 20.6 | 12.0-29.2  | 21  | 26.4 | 14.1-38.7  |
| \$25,000- 34,999      | 204               | 24,257   | 108           | 48.6 | 39.6-57.6  | 62            | 28.1 | 19.9-36.3  | 34  | 23.3 | 15.5-31.1  |
| \$35,000- 49,999      | 295               | 29,718   | 161           | 51.2 | 44.1-58.3  | 84            | 23.9 | 18.2-29.6  | 50  | 24.9 | 18.4-31.4  |
| \$50,000- 99,999      | 804               | 89,761   | 453           | 51.3 | 46.8-55.8  | 209           | 23.3 | 19.8-26.8  | 142 | 25.4 | 21.1-29.7  |
| \$100,000 - 199,999   | 647               | 70,566   | 363           | 55.4 | 50.9-59.9  | 186           | 26.8 | 22.9-30.7  | 98  | 17.8 | 14.1-21.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON (OR A GROUP OF DOCTORS) THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes, only one |      |            | More than one |      |            | No  |      |            |
|-----------------------|-------------------|----------|---------------|------|------------|---------------|------|------------|-----|------|------------|
|                       | TOTAL             | WEIGHTED | N             | %    | C.I. (95%) | N             | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female                | 2911              | 293,551  | 1695          | 56.9 | 54.5-59.3  | 1023          | 33.8 | 31.4-36.2  | 193 | 9.3  | 7.7-10.9   |
| Native                | 93                | 13,495   | 56            | 54.3 | 40.2-68.4  | 29            | 34.2 | 20.1-48.3  | 8   | 11.4 | 2.2-20.6   |
| Non-Native            | 2783              | 275,783  | 1616          | 56.9 | 54.4-59.4  | 984           | 33.8 | 31.4-36.2  | 183 | 9.3  | 7.7-10.9   |
| 18-24                 | 126               | 38,766   | 70            | 53.5 | 44.1-62.9  | 34            | 28.3 | 19.7-36.9  | 22  | 18.2 | 10.8-25.6  |
| 25-34                 | 261               | 50,191   | 143           | 54.7 | 47.8-61.6  | 79            | 32.9 | 26.2-39.6  | 39  | 12.4 | 8.5-16.3   |
| 35-44                 | 334               | 49,599   | 179           | 52.7 | 46.4-59.0  | 122           | 37.0 | 30.9-43.1  | 33  | 10.3 | 6.6-14.0   |
| 45-54                 | 394               | 38,590   | 219           | 56.7 | 51.0-62.4  | 151           | 35.5 | 30.2-40.8  | 24  | 7.8  | 4.3-11.3   |
| 55-64                 | 509               | 43,294   | 306           | 59.6 | 54.3-64.9  | 171           | 33.0 | 27.9-38.1  | 32  | 7.4  | 4.5-10.3   |
| 65+                   | 1287              | 73,111   | 778           | 61.6 | 58.5-64.7  | 466           | 34.6 | 31.5-37.7  | 43  | 3.8  | 2.4- 5.2   |
| Less Than H.S.        | 72                | 18,009   | 46            | 61.9 | 47.6-76.2  | 20            | 29.8 | 16.1-43.5  | 6   | 8.4  | 0.8-16.0   |
| H.S. or G.E.D.        | 668               | 69,600   | 407           | 58.5 | 53.4-63.6  | 206           | 29.5 | 25.0-34.0  | 55  | 12.0 | 8.3-15.7   |
| Some Post-H.S.        | 913               | 111,969  | 523           | 55.2 | 51.1-59.3  | 332           | 36.7 | 32.6-40.8  | 58  | 8.1  | 5.7-10.5   |
| College Graduate      | 1250              | 93,472   | 713           | 56.7 | 53.4-60.0  | 463           | 34.4 | 31.3-37.5  | 74  | 8.9  | 6.7-11.1   |
| Less than \$15,000    | 80                | 10,592   | 31            | 36.3 | 21.0-51.6  | 38            | 45.5 | 28.8-62.2  | 11  | 18.1 | 6.5-29.7   |
| \$15,000- 24,999      | 193               | 22,697   | 113           | 56.8 | 47.8-65.8  | 62            | 31.6 | 23.2-40.0  | 18  | 11.7 | 6.0-17.4   |
| \$25,000- 34,999      | 251               | 24,393   | 148           | 56.3 | 47.3-65.3  | 84            | 30.2 | 21.8-38.6  | 19  | 13.5 | 6.6-20.4   |
| \$35,000- 49,999      | 332               | 30,793   | 214           | 64.0 | 57.1-70.9  | 109           | 29.2 | 23.1-35.3  | 9   | 6.7  | 1.8-11.6   |
| \$50,000- 99,999      | 741               | 74,089   | 426           | 55.2 | 50.5-59.9  | 261           | 34.8 | 30.3-39.3  | 54  | 10.0 | 7.1-12.9   |
| \$100,000 - 199,999   | 495               | 52,486   | 284           | 56.9 | 51.4-62.4  | 184           | 36.4 | 30.9-41.9  | 27  | 6.7  | 4.0- 9.4   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5727              | 604,695  | 338 | 8.3  | 7.3- 9.3   | 5389 | 91.7 | 90.7-92.7  |
| Male                  | 2806              | 309,511  | 138 | 6.8  | 5.4- 8.2   | 2668 | 93.2 | 91.8-94.6  |
| Female                | 2921              | 295,184  | 200 | 10.0 | 8.4-11.6   | 2721 | 90.0 | 88.4-91.6  |
| Native                | 161               | 24,174   | 25  | 12.7 | 6.8-18.6   | 136  | 87.3 | 81.4-93.2  |
| Non-Native            | 5478              | 570,634  | 308 | 8.1  | 7.1- 9.1   | 5170 | 91.9 | 90.9-92.9  |
| 18-24                 | 306               | 84,969   | 38  | 12.3 | 8.2-16.4   | 268  | 87.7 | 83.6-91.8  |
| 25-34                 | 578               | 107,938  | 77  | 14.7 | 11.4-18.0  | 501  | 85.3 | 82.0-88.6  |
| 35-44                 | 756               | 103,966  | 71  | 9.5  | 7.1-11.9   | 685  | 90.5 | 88.1-92.9  |
| 45-54                 | 816               | 81,178   | 60  | 7.8  | 5.6-10.0   | 756  | 92.2 | 90.0-94.4  |
| 55-64                 | 967               | 88,945   | 54  | 5.7  | 3.7- 7.7   | 913  | 94.3 | 92.3-96.3  |
| 65+                   | 2304              | 137,699  | 38  | 2.0  | 1.2- 2.8   | 2266 | 98.0 | 97.2-98.8  |
| Less Than H.S.        | 170               | 42,812   | 25  | 18.8 | 11.4-26.2  | 145  | 81.2 | 73.8-88.6  |
| H.S. or G.E.D.        | 1439              | 159,436  | 110 | 9.3  | 7.3-11.3   | 1329 | 90.7 | 88.7-92.7  |
| Some Post-H.S.        | 1776              | 230,815  | 115 | 8.4  | 6.8-10.0   | 1661 | 91.6 | 90.0-93.2  |
| College Graduate      | 2322              | 169,578  | 88  | 4.8  | 3.6- 6.0   | 2234 | 95.2 | 94.0-96.4  |
| Less than \$15,000    | 148               | 18,175   | 25  | 21.3 | 11.9-30.7  | 123  | 78.7 | 69.3-88.1  |
| \$15,000- 24,999      | 310               | 36,282   | 58  | 23.5 | 17.2-29.8  | 252  | 76.5 | 70.2-82.8  |
| \$25,000- 34,999      | 457               | 49,024   | 46  | 14.5 | 9.6-19.4   | 411  | 85.5 | 80.6-90.4  |
| \$35,000- 49,999      | 629               | 61,375   | 53  | 13.5 | 9.8-17.2   | 576  | 86.5 | 82.8-90.2  |
| \$50,000- 99,999      | 1550              | 163,538  | 66  | 6.0  | 4.4- 7.6   | 1484 | 94.0 | 92.4-95.6  |
| \$100,000 - 199,999   | 1149              | 124,019  | 34  | 4.2  | 2.6- 5.8   | 1115 | 95.8 | 94.2-97.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2806              | 309,511  | 138 | 6.8  | 5.4- 8.2   | 2668 | 93.2 | 91.8-94.6  |
| Native                | 70                | 10,909   | 10  | 12.0 | 3.8-20.2   | 60   | 88.0 | 79.8-96.2  |
| Non-Native            | 2685              | 293,218  | 126 | 6.6  | 5.2- 8.0   | 2559 | 93.4 | 92.0-94.8  |
| 18-24                 | 178               | 45,353   | 15  | 7.8  | 3.5-12.1   | 163  | 92.2 | 87.9-96.5  |
| 25-34                 | 315               | 57,491   | 36  | 12.1 | 8.0-16.2   | 279  | 87.9 | 83.8-92.0  |
| 35-44                 | 422               | 54,305   | 30  | 7.0  | 4.5- 9.5   | 392  | 93.0 | 90.5-95.5  |
| 45-54                 | 420               | 42,321   | 26  | 7.6  | 4.5-10.7   | 394  | 92.4 | 89.3-95.5  |
| 55-64                 | 455               | 45,487   | 20  | 5.4  | 2.1- 8.7   | 435  | 94.6 | 91.3-97.9  |
| 65+                   | 1016              | 64,554   | 11  | 1.7  | 0.5- 2.9   | 1005 | 98.3 | 97.1-99.5  |
| Less Than H.S.        | 95                | 23,627   | 16  | 18.6 | 9.0-28.2   | 79   | 81.4 | 71.8-91.0  |
| H.S. or G.E.D.        | 773               | 90,063   | 53  | 7.9  | 5.5-10.3   | 720  | 92.1 | 89.7-94.5  |
| Some Post-H.S.        | 861               | 118,654  | 40  | 5.6  | 3.8- 7.4   | 821  | 94.4 | 92.6-96.2  |
| College Graduate      | 1066              | 75,664   | 29  | 3.9  | 2.3- 5.5   | 1037 | 96.1 | 94.5-97.7  |
| Less than \$15,000    | 67                | 7,440    | 15  | 32.6 | 16.1-49.1  | 52   | 67.4 | 50.9-83.9  |
| \$15,000- 24,999      | 117               | 13,586   | 16  | 16.2 | 7.8-24.6   | 101  | 83.8 | 75.4-92.2  |
| \$25,000- 34,999      | 204               | 24,066   | 19  | 12.6 | 6.1-19.1   | 185  | 87.4 | 80.9-93.9  |
| \$35,000- 49,999      | 297               | 29,968   | 20  | 10.3 | 5.6-15.0   | 277  | 89.7 | 85.0-94.4  |
| \$50,000- 99,999      | 807               | 89,841   | 29  | 5.1  | 3.1- 7.1   | 778  | 94.9 | 92.9-96.9  |
| \$100,000 - 199,999   | 654               | 71,569   | 16  | 3.2  | 1.4- 5.0   | 638  | 96.8 | 95.0-98.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2921              | 295,184  | 200 | 10.0 | 8.4-11.6   | 2721 | 90.0 | 88.4-91.6  |
| Native                | 91                | 13,265   | 15  | 13.3 | 5.3-21.3   | 76   | 86.7 | 78.7-94.7  |
| Non-Native            | 2793              | 277,417  | 182 | 9.7  | 8.1-11.3   | 2611 | 90.3 | 88.7-91.9  |
| 18-24                 | 128               | 39,616   | 23  | 17.6 | 10.5-24.7  | 105  | 82.4 | 75.3-89.5  |
| 25-34                 | 263               | 50,447   | 41  | 17.7 | 12.4-23.0  | 222  | 82.3 | 77.0-87.6  |
| 35-44                 | 334               | 49,661   | 41  | 12.2 | 8.3-16.1   | 293  | 87.8 | 83.9-91.7  |
| 45-54                 | 396               | 38,857   | 34  | 8.0  | 5.1-10.9   | 362  | 92.0 | 89.1-94.9  |
| 55-64                 | 512               | 43,458   | 34  | 6.1  | 3.7- 8.5   | 478  | 93.9 | 91.5-96.3  |
| 65+                   | 1288              | 73,145   | 27  | 2.4  | 1.4- 3.4   | 1261 | 97.6 | 96.6-98.6  |
| Less Than H.S.        | 75                | 19,185   | 9   | 19.1 | 7.3-30.9   | 66   | 80.9 | 69.1-92.7  |
| H.S. or G.E.D.        | 666               | 69,373   | 57  | 11.2 | 8.1-14.3   | 609  | 88.8 | 85.7-91.9  |
| Some Post-H.S.        | 915               | 112,161  | 75  | 11.4 | 8.7-14.1   | 840  | 88.6 | 85.9-91.3  |
| College Graduate      | 1256              | 93,915   | 59  | 5.5  | 3.9- 7.1   | 1197 | 94.5 | 92.9-96.1  |
| Less than \$15,000    | 81                | 10,735   | 10  | 13.4 | 4.2-22.6   | 71   | 86.6 | 77.4-95.8  |
| \$15,000- 24,999      | 193               | 22,697   | 42  | 28.0 | 19.4-36.6  | 151  | 72.0 | 63.4-80.6  |
| \$25,000- 34,999      | 253               | 24,958   | 27  | 16.2 | 9.1-23.3   | 226  | 83.8 | 76.7-90.9  |
| \$35,000- 49,999      | 332               | 31,408   | 33  | 16.5 | 10.6-22.4  | 299  | 83.5 | 77.6-89.4  |
| \$50,000- 99,999      | 743               | 73,696   | 37  | 6.9  | 4.4- 9.4   | 706  | 93.1 | 90.6-95.6  |
| \$100,000 - 199,999   | 495               | 52,450   | 18  | 5.6  | 2.5- 8.7   | 477  | 94.4 | 91.3-97.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Past year < 12 months |      |            | Past 2 years<br>1 year < 2 years |      |            | Past 2-5 years<br>2 years < 5 years |      |            | 5 or more years |      |            | Never |     |            |
|---------------------|-------------------|----------|-----------------------|------|------------|----------------------------------|------|------------|-------------------------------------|------|------------|-----------------|------|------------|-------|-----|------------|
|                     | TOTAL             | WEIGHTED | N                     | %    | C.I. (95%) | N                                | %    | C.I. (95%) | N                                   | %    | C.I. (95%) | N               | %    | C.I. (95%) | N     | %   | C.I. (95%) |
| TOTAL               | 5654              | 595,314  | 4541                  | 75.7 | 74.1-77.3  | 525                              | 10.7 | 9.7-11.7   | 291                                 | 7.0  | 6.0- 8.0   | 259             | 5.6  | 4.8- 6.4   | 38    | 1.0 | 0.6- 1.4   |
| Male                | 2772              | 304,662  | 2106                  | 71.0 | 68.8-73.2  | 257                              | 10.8 | 9.2-12.4   | 187                                 | 8.4  | 7.0- 9.8   | 193             | 8.1  | 6.7- 9.5   | 29    | 1.7 | 0.9- 2.5   |
| Female              | 2882              | 290,652  | 2435                  | 80.6 | 78.6-82.6  | 268                              | 10.6 | 9.0-12.2   | 104                                 | 5.5  | 4.1- 6.9   | 66              | 2.8  | 2.0- 3.6   | 9     | 0.4 | 0.2- 0.6   |
| Native              | 163               | 24,117   | 137                   | 76.8 | 67.8-85.8  | 10                               | 8.9  | 3.0-14.8   | 8                                   | 7.7  | 2.2-13.2   | 8               | 6.7  | 0.8-12.6   |       |     |            |
| Non-Native          | 5407              | 561,714  | 4340                  | 75.7 | 74.1-77.3  | 508                              | 10.8 | 9.6-12.0   | 276                                 | 6.9  | 5.9- 7.9   | 245             | 5.5  | 4.7- 6.3   | 38    | 1.1 | 0.7- 1.5   |
| 18-24               | 296               | 82,764   | 183                   | 63.1 | 57.0-69.2  | 56                               | 16.9 | 12.4-21.4  | 43                                  | 15.6 | 10.9-20.3  | 12              | 3.9  | 1.4- 6.4   | 2     | 0.4 | 0.0- 1.0   |
| 25-34               | 569               | 105,895  | 369                   | 66.5 | 62.2-70.8  | 75                               | 13.0 | 9.9-16.1   | 51                                  | 7.6  | 5.4- 9.8   | 64              | 10.5 | 7.8-13.2   | 10    | 2.4 | 0.4- 4.4   |
| 35-44               | 751               | 102,797  | 534                   | 71.4 | 67.7-75.1  | 78                               | 10.5 | 8.0-13.0   | 74                                  | 9.6  | 7.2-12.0   | 54              | 7.1  | 4.9- 9.3   | 11    | 1.3 | 0.5- 2.1   |
| 45-54               | 808               | 80,165   | 613                   | 75.3 | 72.0-78.6  | 88                               | 10.5 | 8.1-12.9   | 45                                  | 5.4  | 3.6- 7.2   | 57              | 7.7  | 5.3-10.1   | 5     | 1.0 | 0.0- 2.0   |
| 55-64               | 950               | 87,009   | 782                   | 82.9 | 80.2-85.6  | 96                               | 9.8  | 7.6-12.0   | 36                                  | 4.1  | 2.5- 5.7   | 33              | 2.9  | 1.7- 4.1   | 3     | 0.3 | 0.0- 0.7   |
| 65+                 | 2280              | 136,683  | 2060                  | 89.3 | 87.7-90.9  | 132                              | 6.1  | 4.9- 7.3   | 42                                  | 2.1  | 1.3- 2.9   | 39              | 2.0  | 1.2- 2.8   | 7     | 0.6 | 0.2- 1.0   |
| Less Than H.S.      | 167               | 42,018   | 130                   | 72.4 | 63.8-81.0  | 11                               | 6.9  | 2.0-11.8   | 11                                  | 8.9  | 3.4-14.4   | 10              | 8.0  | 2.7-13.3   | 5     | 3.9 | 0.0- 8.2   |
| H.S. or G.E.D.      | 1425              | 157,141  | 1131                  | 74.7 | 71.8-77.6  | 125                              | 10.6 | 8.4-12.8   | 81                                  | 7.6  | 5.6- 9.6   | 77              | 6.1  | 4.5- 7.7   | 11    | 1.0 | 0.4- 1.6   |
| Some Post-H.S.      | 1746              | 226,120  | 1391                  | 75.5 | 73.0-78.0  | 169                              | 11.2 | 9.2-13.2   | 90                                  | 6.9  | 5.3- 8.5   | 85              | 5.6  | 4.2- 7.0   | 11    | 0.8 | 0.2- 1.4   |
| College Graduate    | 2300              | 168,213  | 1875                  | 77.6 | 75.4-79.8  | 219                              | 11.2 | 9.6-12.8   | 109                                 | 6.2  | 5.0- 7.4   | 86              | 4.4  | 3.4- 5.4   | 11    | 0.6 | 0.2- 1.0   |
| Less than \$15,000  | 143               | 17,754   | 110                   | 68.4 | 57.2-79.6  | 17                               | 17.2 | 8.2-26.2   | 7                                   | 6.4  | 0.9-11.9   | 8               | 7.2  | 0.0-14.5   | 1     | 0.8 | 0.0- 2.4   |
| \$15,000- 24,999    | 307               | 35,912   | 249                   | 74.8 | 67.9-81.7  | 27                               | 12.1 | 7.0-17.2   | 12                                  | 5.5  | 1.6- 9.4   | 16              | 6.7  | 2.2-11.2   | 3     | 1.0 | 0.0- 2.2   |
| \$25,000- 34,999    | 453               | 48,214   | 387                   | 79.2 | 73.7-84.7  | 33                               | 9.0  | 5.1-12.9   | 18                                  | 6.9  | 3.2-10.6   | 15              | 4.9  | 2.2- 7.6   |       |     |            |
| \$35,000- 49,999    | 623               | 60,148   | 514                   | 75.3 | 70.6-80.0  | 51                               | 10.5 | 7.2-13.8   | 36                                  | 9.6  | 5.9-13.3   | 20              | 4.0  | 2.0- 6.0   | 2     | 0.5 | 0.0- 1.3   |
| \$50,000- 99,999    | 1535              | 162,303  | 1203                  | 73.9 | 71.0-76.8  | 150                              | 11.0 | 9.0-13.0   | 83                                  | 6.7  | 4.9- 8.5   | 85              | 6.7  | 5.1- 8.3   | 14    | 1.7 | 0.5- 2.9   |
| \$100,000 - 199,999 | 1139              | 122,559  | 880                   | 75.2 | 72.1-78.3  | 116                              | 10.2 | 8.0-12.4   | 74                                  | 7.9  | 5.9- 9.9   | 64              | 6.1  | 4.3- 7.9   | 5     | 0.7 | 0.1- 1.3   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Past year < 12 months |      |            | Past 2 years<br>1 year < 2 years |      |            | Past 2-5 years<br>2 years < 5 years |      |            | 5 or more years |      |            | Never |     |            |
|---------------------|-------------------|----------|-----------------------|------|------------|----------------------------------|------|------------|-------------------------------------|------|------------|-----------------|------|------------|-------|-----|------------|
|                     | TOTAL             | WEIGHTED | N                     | %    | C.I. (95%) | N                                | %    | C.I. (95%) | N                                   | %    | C.I. (95%) | N               | %    | C.I. (95%) | N     | %   | C.I. (95%) |
| Male                | 2772              | 304,662  | 2106                  | 71.0 | 68.8-73.2  | 257                              | 10.8 | 9.2-12.4   | 187                                 | 8.4  | 7.0- 9.8   | 193             | 8.1  | 6.7- 9.5   | 29    | 1.7 | 0.9- 2.5   |
| Native              | 70                | 10,909   | 57                    | 70.5 | 55.8-85.2  | 4                                | 9.3  | 0.3-18.3   | 4                                   | 8.8  | 0.0-17.6   | 5               | 11.4 | 0.0-23.4   |       |     |            |
| Non-Native          | 2653              | 288,654  | 2016                  | 71.1 | 68.9-73.3  | 247                              | 10.8 | 9.2-12.4   | 178                                 | 8.3  | 6.9- 9.7   | 183             | 8.0  | 6.6- 9.4   | 29    | 1.7 | 0.9- 2.5   |
| 18-24               | 171               | 43,895   | 95                    | 58.1 | 49.9-66.3  | 34                               | 17.8 | 11.7-23.9  | 30                                  | 16.8 | 10.9-22.7  | 11              | 7.0  | 2.5-11.5   | 1     | 0.4 | 0.0- 1.2   |
| 25-34               | 312               | 56,858   | 176                   | 58.1 | 51.8-64.4  | 42                               | 12.9 | 8.8-17.0   | 33                                  | 9.2  | 6.1-12.3   | 54              | 16.2 | 11.7-20.7  | 7     | 3.5 | 0.2- 6.8   |
| 35-44               | 418               | 53,185   | 269                   | 64.1 | 59.0-69.2  | 51                               | 12.7 | 9.2-16.2   | 47                                  | 11.1 | 7.8-14.4   | 42              | 9.8  | 6.7-12.9   | 9     | 2.2 | 0.6- 3.8   |
| 45-54               | 417               | 41,823   | 295                   | 71.3 | 66.4-76.2  | 42                               | 8.7  | 6.0-11.4   | 32                                  | 7.6  | 4.9-10.3   | 44              | 10.6 | 7.1-14.1   | 4     | 1.8 | 0.0- 3.6   |
| 55-64               | 448               | 44,802   | 358                   | 80.3 | 76.0-84.6  | 48                               | 10.7 | 7.4-14.0   | 21                                  | 5.3  | 2.8- 7.8   | 18              | 3.2  | 1.4- 5.0   | 3     | 0.5 | 0.0- 1.3   |
| 65+                 | 1006              | 64,100   | 913                   | 90.2 | 88.0-92.4  | 40                               | 3.9  | 2.5- 5.3   | 24                                  | 2.6  | 1.4- 3.8   | 24              | 2.2  | 1.2- 3.2   | 5     | 1.0 | 0.0- 2.0   |
| Less Than H.S.      | 93                | 23,373   | 66                    | 64.2 | 51.9-76.5  | 9                                | 10.0 | 2.4-17.6   | 7                                   | 8.6  | 2.1-15.1   | 6               | 10.2 | 1.8-18.6   | 5     | 7.0 | 0.0-14.4   |
| H.S. or G.E.D.      | 765               | 88,680   | 573                   | 69.9 | 66.0-73.8  | 66                               | 10.9 | 8.0-13.8   | 58                                  | 9.3  | 6.8-11.8   | 59              | 8.1  | 5.9-10.3   | 9     | 1.7 | 0.5- 2.9   |
| Some Post-H.S.      | 849               | 116,084  | 636                   | 71.5 | 67.8-75.2  | 81                               | 10.4 | 7.9-12.9   | 57                                  | 8.1  | 5.9-10.3   | 65              | 8.7  | 6.3-11.1   | 10    | 1.4 | 0.4- 2.4   |
| College Graduate    | 1056              | 75,136   | 823                   | 73.1 | 70.0-76.2  | 101                              | 11.7 | 9.3-14.1   | 65                                  | 7.9  | 5.7-10.1   | 62              | 6.8  | 5.0- 8.6   | 5     | 0.5 | 0.1- 0.9   |
| Less than \$15,000  | 66                | 7,399    | 48                    | 66.8 | 50.7-82.9  | 10                               | 14.8 | 5.2-24.4   | 1                                   | 2.2  | 0.0- 6.3   | 6               | 14.2 | 0.0-29.9   | 1     | 2.0 | 0.0- 5.9   |
| \$15,000- 24,999    | 116               | 13,336   | 87                    | 68.6 | 56.4-80.8  | 14                               | 15.0 | 6.2-23.8   | 6                                   | 6.2  | 0.9-11.5   | 9               | 10.2 | 0.2-20.2   |       |     |            |
| \$25,000- 34,999    | 204               | 23,836   | 172                   | 76.6 | 68.4-84.8  | 11                               | 8.1  | 2.2-14.0   | 10                                  | 8.8  | 3.1-14.5   | 11              | 6.5  | 2.2-10.8   |       |     |            |
| \$35,000- 49,999    | 293               | 29,398   | 235                   | 72.7 | 66.0-79.4  | 15                               | 6.6  | 3.1-10.1   | 26                                  | 14.0 | 8.5-19.5   | 16              | 6.1  | 2.6- 9.6   | 1     | 0.6 | 0.0- 1.8   |
| \$50,000- 99,999    | 797               | 88,829   | 587                   | 68.7 | 64.6-72.8  | 74                               | 10.6 | 8.1-13.1   | 58                                  | 8.2  | 5.8-10.6   | 67              | 9.7  | 7.2-12.2   | 11    | 2.8 | 0.6- 5.0   |
| \$100,000 - 199,999 | 648               | 70,607   | 470                   | 69.7 | 65.4-74.0  | 66                               | 10.4 | 7.5-13.3   | 58                                  | 10.8 | 7.9-13.7   | 50              | 8.4  | 5.9-10.9   | 4     | 0.7 | 0.0- 1.5   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Past year < 12 months |      |            | Past 2 years<br>1 year < 2 years |      |            | Past 2-5 years<br>2 years < 5 years |      |            | 5 or more years |     |            | Never |     |            |
|---------------------|-------------------|----------|-----------------------|------|------------|----------------------------------|------|------------|-------------------------------------|------|------------|-----------------|-----|------------|-------|-----|------------|
|                     | TOTAL             | WEIGHTED | N                     | %    | C.I. (95%) | N                                | %    | C.I. (95%) | N                                   | %    | C.I. (95%) | N               | %   | C.I. (95%) | N     | %   | C.I. (95%) |
| Female              | 2882              | 290,652  | 2435                  | 80.6 | 78.6-82.6  | 268                              | 10.6 | 9.0-12.2   | 104                                 | 5.5  | 4.1- 6.9   | 66              | 2.8 | 2.0- 3.6   | 9     | 0.4 | 0.2- 0.6   |
| Native              | 93                | 13,208   | 80                    | 81.9 | 71.5-92.3  | 6                                | 8.6  | 1.0-16.2   | 4                                   | 6.7  | 0.0-13.8   | 3               | 2.8 | 0.0- 5.9   |       |     |            |
| Non-Native          | 2754              | 273,059  | 2324                  | 80.6 | 78.4-82.8  | 261                              | 10.7 | 9.1-12.3   | 98                                  | 5.4  | 4.0- 6.8   | 62              | 2.9 | 2.1- 3.7   | 9     | 0.4 | 0.0- 0.8   |
| 18-24               | 125               | 38,869   | 88                    | 68.8 | 60.0-77.6  | 22                               | 16.0 | 9.5-22.5   | 13                                  | 14.3 | 6.9-21.7   | 1               | 0.5 | 0.0- 1.5   | 1     | 0.5 | 0.0- 1.5   |
| 25-34               | 257               | 49,038   | 193                   | 76.3 | 70.6-82.0  | 33                               | 13.0 | 8.3-17.7   | 18                                  | 5.8  | 3.1- 8.5   | 10              | 3.8 | 1.3- 6.3   | 3     | 1.1 | 0.0- 2.5   |
| 35-44               | 333               | 49,613   | 265                   | 79.3 | 74.4-84.2  | 27                               | 8.1  | 4.8-11.4   | 27                                  | 8.0  | 4.9-11.1   | 12              | 4.3 | 1.8- 6.8   | 2     | 0.3 | 0.0- 0.9   |
| 45-54               | 391               | 38,343   | 318                   | 79.7 | 75.0-84.4  | 46                               | 12.6 | 8.9-16.3   | 13                                  | 3.1  | 1.3- 4.9   | 13              | 4.5 | 1.8- 7.2   | 1     | 0.2 | 0.0- 0.6   |
| 55-64               | 502               | 42,207   | 424                   | 85.7 | 82.4-89.0  | 48                               | 8.9  | 6.2-11.6   | 15                                  | 2.8  | 1.2- 4.4   | 15              | 2.6 | 1.0- 4.2   |       |     |            |
| 65+                 | 1274              | 72,583   | 1147                  | 88.5 | 86.1-90.9  | 92                               | 8.0  | 6.0-10.0   | 18                                  | 1.7  | 0.7- 2.7   | 15              | 1.7 | 0.7- 2.7   | 2     | 0.1 | 0.0- 0.3   |
| Less Than H.S.      | 74                | 18,645   | 64                    | 82.7 | 71.5-93.9  | 2                                | 2.9  | 0.0- 8.0   | 4                                   | 9.2  | 0.0-18.6   | 4               | 5.2 | 0.0-10.5   |       |     |            |
| H.S. or G.E.D.      | 660               | 68,461   | 558                   | 80.8 | 76.5-85.1  | 59                               | 10.2 | 7.1-13.3   | 23                                  | 5.3  | 2.6- 8.0   | 18              | 3.5 | 1.7- 5.3   | 2     | 0.1 | 0.0- 0.3   |
| Some Post-H.S.      | 897               | 110,036  | 755                   | 79.7 | 76.2-83.2  | 88                               | 12.0 | 9.3-14.7   | 33                                  | 5.7  | 3.3- 8.1   | 20              | 2.4 | 1.2- 3.6   | 1     | 0.3 | 0.0- 0.9   |
| College Graduate    | 1244              | 93,077   | 1052                  | 81.2 | 78.5-83.9  | 118                              | 10.9 | 8.7-13.1   | 44                                  | 4.7  | 3.1- 6.3   | 24              | 2.4 | 1.2- 3.6   | 6     | 0.7 | 0.1- 1.3   |
| Less than \$15,000  | 77                | 10,356   | 62                    | 69.4 | 53.9-84.9  | 7                                | 18.9 | 5.0-32.8   | 6                                   | 9.4  | 0.6-18.2   | 2               | 2.3 | 0.0- 5.4   |       |     |            |
| \$15,000- 24,999    | 191               | 22,576   | 162                   | 78.4 | 70.4-86.4  | 13                               | 10.3 | 4.2-16.4   | 6                                   | 5.1  | 0.0-10.4   | 7               | 4.7 | 1.2- 8.2   | 3     | 1.5 | 0.0- 3.5   |
| \$25,000- 34,999    | 249               | 24,378   | 215                   | 81.7 | 74.4-89.0  | 22                               | 9.9  | 4.8-15.0   | 8                                   | 5.0  | 0.3- 9.7   | 4               | 3.3 | 0.0- 6.8   |       |     |            |
| \$35,000- 49,999    | 330               | 30,749   | 279                   | 77.8 | 70.9-84.7  | 36                               | 14.3 | 8.8-19.8   | 10                                  | 5.4  | 0.5-10.3   | 4               | 2.1 | 0.0- 4.3   | 1     | 0.4 | 0.0- 1.2   |
| \$50,000- 99,999    | 738               | 73,474   | 616                   | 80.3 | 76.4-84.2  | 76                               | 11.5 | 8.4-14.6   | 25                                  | 4.8  | 2.4- 7.2   | 18              | 3.1 | 1.5- 4.7   | 3     | 0.3 | 0.0- 0.7   |
| \$100,000 - 199,999 | 491               | 51,952   | 410                   | 82.6 | 78.7-86.5  | 50                               | 9.8  | 6.9-12.7   | 16                                  | 4.1  | 1.9- 6.3   | 14              | 2.9 | 1.1- 4.7   | 1     | 0.6 | 0.0- 1.8   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                                                                                                               | PAGE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2) |      |
| 1 MALES AND FEMALES                                                                                                                                                                                 | 31   |
| 2 MALES ONLY                                                                                                                                                                                        | 32   |
| 3 FEMALES ONLY                                                                                                                                                                                      | 33   |
| WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT12)                                                                                     |      |
| 4 MALES AND FEMALES                                                                                                                                                                                 | 34   |
| 5 MALES ONLY                                                                                                                                                                                        | 35   |
| 6 FEMALES ONLY                                                                                                                                                                                      | 36   |
| HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)                                                                                           |      |
| 7 MALES AND FEMALES                                                                                                                                                                                 | 37   |
| 8 MALES ONLY                                                                                                                                                                                        | 38   |
| 9 FEMALES ONLY                                                                                                                                                                                      | 39   |
| AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)                                                                                       |      |
| 10 MALES AND FEMALES                                                                                                                                                                                | 40   |
| 11 MALES ONLY                                                                                                                                                                                       | 41   |
| 12 FEMALES ONLY                                                                                                                                                                                     | 42   |
| WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT22)                                                                                             |      |
| 13 MALES AND FEMALES                                                                                                                                                                                | 43   |
| 14 MALES ONLY                                                                                                                                                                                       | 44   |
| 15 FEMALES ONLY                                                                                                                                                                                     | 45   |
| HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)                                                                                           |      |
| 16 MALES AND FEMALES                                                                                                                                                                                | 46   |
| 17 MALES ONLY                                                                                                                                                                                       | 47   |
| 18 FEMALES ONLY                                                                                                                                                                                     | 48   |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE |                                                                                                                                                                                                                                                                                                                                                                 | PAGE |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
|       | AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)                                                                                                                                                                                                                                                   |      |
| 19    | MALES AND FEMALES                                                                                                                                                                                                                                                                                                                                               | 49   |
| 20    | MALES ONLY                                                                                                                                                                                                                                                                                                                                                      | 50   |
| 21    | FEMALES ONLY                                                                                                                                                                                                                                                                                                                                                    | 51   |
|       | DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH) |      |
| 22    | MALES AND FEMALES                                                                                                                                                                                                                                                                                                                                               | 52   |
| 23    | MALES ONLY                                                                                                                                                                                                                                                                                                                                                      | 53   |
| 24    | FEMALES ONLY                                                                                                                                                                                                                                                                                                                                                    | 54   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|---------------------|-------------------|----------|------|------|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL               | 5731              | 606,000  | 4412 | 78.5 | 77.1-79.9  | 1319 | 21.5 | 20.1-22.9  |
| Male                | 2803              | 309,548  | 2198 | 79.8 | 78.0-81.6  | 605  | 20.2 | 18.4-22.0  |
| Female              | 2928              | 296,452  | 2214 | 77.1 | 75.1-79.1  | 714  | 22.9 | 20.9-24.9  |
| Native              | 164               | 24,657   | 110  | 68.4 | 58.6-78.2  | 54   | 31.6 | 21.8-41.4  |
| Non-Native          | 5479              | 571,457  | 4236 | 78.9 | 77.5-80.3  | 1243 | 21.1 | 19.7-22.5  |
| 18-24               | 308               | 85,750   | 264  | 87.2 | 83.3-91.1  | 44   | 12.8 | 8.9-16.7   |
| 25-34               | 579               | 108,360  | 501  | 84.0 | 80.3-87.7  | 78   | 16.0 | 12.3-19.7  |
| 35-44               | 756               | 103,895  | 639  | 82.0 | 78.7-85.3  | 117  | 18.0 | 14.7-21.3  |
| 45-54               | 819               | 81,312   | 650  | 77.8 | 74.5-81.1  | 169  | 22.2 | 18.9-25.5  |
| 55-64               | 967               | 88,945   | 702  | 70.7 | 67.2-74.2  | 265  | 29.3 | 25.8-32.8  |
| 65+                 | 2302              | 137,738  | 1656 | 71.7 | 69.5-73.9  | 646  | 28.3 | 26.1-30.5  |
| Less Than H.S.      | 171               | 43,166   | 114  | 69.3 | 60.9-77.7  | 57   | 30.7 | 22.3-39.1  |
| H.S. or G.E.D.      | 1444              | 159,937  | 968  | 71.5 | 68.8-74.2  | 476  | 28.5 | 25.8-31.2  |
| Some Post-H.S.      | 1775              | 231,319  | 1328 | 78.6 | 76.4-80.8  | 447  | 21.4 | 19.2-23.6  |
| College Graduate    | 2321              | 169,525  | 1990 | 87.5 | 85.9-89.1  | 331  | 12.5 | 10.9-14.1  |
| Less than \$15,000  | 147               | 17,964   | 81   | 60.7 | 49.3-72.1  | 66   | 39.3 | 27.9-50.7  |
| \$15,000- 24,999    | 310               | 36,282   | 188  | 65.4 | 58.5-72.3  | 122  | 34.6 | 27.7-41.5  |
| \$25,000- 34,999    | 456               | 49,098   | 304  | 71.9 | 66.8-77.0  | 152  | 28.1 | 23.0-33.2  |
| \$35,000- 49,999    | 629               | 61,252   | 463  | 74.8 | 70.7-78.9  | 166  | 25.2 | 21.1-29.3  |
| \$50,000- 99,999    | 1551              | 164,401  | 1233 | 80.3 | 77.9-82.7  | 318  | 19.7 | 17.3-22.1  |
| \$100,000 - 199,999 | 1149              | 124,007  | 995  | 87.6 | 85.4-89.8  | 154  | 12.4 | 10.2-14.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Yes  |      |            | No  |      |            |
|---------------------|-------------------|----------|------|------|------------|-----|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Male                | 2803              | 309,548  | 2198 | 79.8 | 78.0-81.6  | 605 | 20.2 | 18.4-22.0  |
| Native              | 70                | 10,909   | 50   | 71.0 | 56.9-85.1  | 20  | 29.0 | 14.9-43.1  |
| Non-Native          | 2682              | 293,255  | 2109 | 80.2 | 78.4-82.0  | 573 | 19.8 | 18.0-21.6  |
| 18-24               | 178               | 45,353   | 155  | 90.1 | 86.0-94.2  | 23  | 9.9  | 5.8-14.0   |
| 25-34               | 317               | 58,044   | 277  | 86.1 | 81.6-90.6  | 40  | 13.9 | 9.4-18.4   |
| 35-44               | 420               | 53,971   | 355  | 82.3 | 78.0-86.6  | 65  | 17.7 | 13.4-22.0  |
| 45-54               | 422               | 42,395   | 339  | 79.6 | 75.3-83.9  | 83  | 20.4 | 16.1-24.7  |
| 55-64               | 455               | 45,487   | 322  | 68.5 | 63.4-73.6  | 133 | 31.5 | 26.4-36.6  |
| 65+                 | 1011              | 64,297   | 750  | 73.0 | 69.7-76.3  | 261 | 27.0 | 23.7-30.3  |
| Less Than H.S.      | 96                | 23,982   | 65   | 74.8 | 65.0-84.6  | 31  | 25.2 | 15.4-35.0  |
| H.S. or G.E.D.      | 774               | 90,132   | 533  | 73.0 | 69.5-76.5  | 241 | 27.0 | 23.5-30.5  |
| Some Post-H.S.      | 858               | 118,321  | 664  | 80.3 | 77.4-83.2  | 194 | 19.7 | 16.8-22.6  |
| College Graduate    | 1064              | 75,610   | 929  | 89.0 | 86.8-91.2  | 135 | 11.0 | 8.8-13.2   |
| Less than \$15,000  | 66                | 7,230    | 39   | 61.2 | 46.5-75.9  | 27  | 38.8 | 24.1-53.5  |
| \$15,000- 24,999    | 117               | 13,586   | 67   | 60.9 | 49.1-72.7  | 50  | 39.1 | 27.3-50.9  |
| \$25,000- 34,999    | 205               | 24,258   | 139  | 73.1 | 65.7-80.5  | 66  | 26.9 | 19.5-34.3  |
| \$35,000- 49,999    | 296               | 29,762   | 221  | 74.3 | 68.4-80.2  | 75  | 25.7 | 19.8-31.6  |
| \$50,000- 99,999    | 807               | 90,258   | 647  | 81.5 | 78.4-84.6  | 160 | 18.5 | 15.4-21.6  |
| \$100,000 - 199,999 | 653               | 71,441   | 561  | 86.6 | 83.5-89.7  | 92  | 13.4 | 10.3-16.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Yes  |      |            | No  |      |            |
|---------------------|-------------------|----------|------|------|------------|-----|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female              | 2928              | 296,452  | 2214 | 77.1 | 75.1-79.1  | 714 | 22.9 | 20.9-24.9  |
| Native              | 94                | 13,748   | 60   | 66.3 | 52.8-79.8  | 34  | 33.7 | 20.2-47.2  |
| Non-Native          | 2797              | 278,202  | 2127 | 77.6 | 75.6-79.6  | 670 | 22.4 | 20.4-24.4  |
| 18-24               | 130               | 40,397   | 109  | 83.9 | 77.0-90.8  | 21  | 16.1 | 9.2-23.0   |
| 25-34               | 262               | 50,316   | 224  | 81.6 | 75.5-87.7  | 38  | 18.4 | 12.3-24.5  |
| 35-44               | 336               | 49,924   | 284  | 81.6 | 76.5-86.7  | 52  | 18.4 | 13.3-23.5  |
| 45-54               | 397               | 38,917   | 311  | 75.7 | 70.8-80.6  | 86  | 24.3 | 19.4-29.2  |
| 55-64               | 512               | 43,458   | 380  | 73.0 | 68.3-77.7  | 132 | 27.0 | 22.3-31.7  |
| 65+                 | 1291              | 73,440   | 906  | 70.5 | 67.6-73.4  | 385 | 29.5 | 26.6-32.4  |
| Less Than H.S.      | 75                | 19,185   | 49   | 62.4 | 48.7-76.1  | 26  | 37.6 | 23.9-51.3  |
| H.S. or G.E.D.      | 670               | 69,805   | 435  | 69.4 | 64.9-73.9  | 235 | 30.6 | 26.1-35.1  |
| Some Post-H.S.      | 917               | 112,997  | 664  | 76.8 | 73.5-80.1  | 253 | 23.2 | 19.9-26.5  |
| College Graduate    | 1257              | 93,915   | 1061 | 86.3 | 84.1-88.5  | 196 | 13.7 | 11.5-15.9  |
| Less than \$15,000  | 81                | 10,735   | 42   | 60.3 | 44.0-76.6  | 39  | 39.7 | 23.4-56.0  |
| \$15,000- 24,999    | 193               | 22,697   | 121  | 68.2 | 60.0-76.4  | 72  | 31.8 | 23.6-40.0  |
| \$25,000- 34,999    | 251               | 24,840   | 165  | 70.8 | 63.5-78.1  | 86  | 29.2 | 21.9-36.5  |
| \$35,000- 49,999    | 333               | 31,490   | 242  | 75.3 | 69.4-81.2  | 91  | 24.7 | 18.8-30.6  |
| \$50,000- 99,999    | 744               | 74,143   | 586  | 78.8 | 75.1-82.5  | 158 | 21.2 | 17.5-24.9  |
| \$100,000 - 199,999 | 496               | 52,565   | 434  | 88.9 | 85.8-92.0  | 62  | 11.1 | 8.0-14.2   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 4: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT12)**  
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |                        |      |            |                    |     |            |                            |      |            |                      |     |            |                  |      |            |  |
|---------------------|-------------------|----------|----------------------------------|------|------------|------------------------|------|------------|--------------------|-----|------------|----------------------------|------|------------|----------------------|-----|------------|------------------|------|------------|--|
|                     |                   |          | Walking or Running               |      |            | Gardening or household |      |            | Bike or elliptical |     |            | Aerobics or weight lifting |      |            | Calisthenics or yoga |     |            | Other Activities |      |            |  |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                  | %   | C.I. (95%) | N                          | %    | C.I. (95%) | N                    | %   | C.I. (95%) | N                | %    | C.I. (95%) |  |
| TOTAL               | 4372              | 472,200  | 2626                             | 60.2 | 58.2-62.2  | 516                    | 8.9  | 7.9- 9.9   | 235                | 5.1 | 4.3- 5.9   | 276                        | 8.1  | 6.9- 9.3   | 70                   | 1.8 | 1.2- 2.4   | 649              | 15.9 | 14.5-17.3  |  |
| Male                | 2176              | 244,635  | 1203                             | 54.1 | 51.4-56.8  | 208                    | 7.4  | 6.0- 8.8   | 117                | 4.9 | 3.7- 6.1   | 187                        | 10.8 | 9.0-12.6   | 29                   | 1.5 | 0.9- 2.1   | 432              | 21.2 | 18.8-23.6  |  |
| Female              | 2196              | 227,565  | 1423                             | 66.7 | 64.2-69.2  | 308                    | 10.6 | 9.0-12.2   | 118                | 5.3 | 4.1- 6.5   | 89                         | 5.2  | 3.8- 6.6   | 41                   | 2.1 | 1.3- 2.9   | 217              | 10.1 | 8.3-11.9   |  |
| Native              | 110               | 16,858   | 74                               | 69.3 | 58.7-79.9  | 7                      | 2.8  | 0.4- 5.2   | 2                  | 3.2 | 0.0- 8.9   | 9                          | 9.6  | 3.3-15.9   | 2                    | 2.0 | 0.0- 5.1   | 16               | 13.0 | 5.4-20.6   |  |
| Non-Native          | 4199              | 447,785  | 2511                             | 59.6 | 57.6-61.6  | 504                    | 9.3  | 8.3-10.3   | 231                | 5.2 | 4.4- 6.0   | 261                        | 8.1  | 6.9- 9.3   | 67                   | 1.8 | 1.2- 2.4   | 625              | 16.0 | 14.4-17.6  |  |
| 18-24               | 264               | 74,774   | 150                              | 58.0 | 51.5-64.5  | 3                      | 1.7  | 0.0- 4.1   | 9                  | 3.0 | 0.8- 5.2   | 46                         | 16.6 | 11.9-21.3  | 6                    | 2.3 | 0.3- 4.3   | 50               | 18.4 | 13.3-23.5  |  |
| 25-34               | 495               | 90,181   | 291                              | 57.3 | 52.4-62.2  | 22                     | 6.0  | 3.3- 8.7   | 20                 | 3.6 | 1.8- 5.4   | 64                         | 11.4 | 8.5-14.3   | 10                   | 2.1 | 0.7- 3.5   | 88               | 19.7 | 15.6-23.8  |  |
| 35-44               | 637               | 84,866   | 365                              | 58.5 | 54.2-62.8  | 40                     | 5.8  | 3.8- 7.8   | 41                 | 7.4 | 4.9- 9.9   | 53                         | 7.4  | 5.2- 9.6   | 18                   | 2.8 | 1.4- 4.2   | 120              | 18.0 | 14.7-21.3  |  |
| 45-54               | 641               | 62,269   | 396                              | 61.9 | 57.6-66.2  | 51                     | 8.3  | 5.8-10.8   | 38                 | 5.8 | 3.6- 8.0   | 47                         | 8.2  | 5.7-10.7   | 10                   | 1.3 | 0.3- 2.3   | 99               | 14.5 | 11.4-17.6  |  |
| 55-64               | 693               | 62,031   | 444                              | 65.1 | 61.0-69.2  | 109                    | 14.4 | 11.5-17.3  | 39                 | 6.2 | 3.8- 8.6   | 23                         | 3.0  | 1.6- 4.4   | 10                   | 1.2 | 0.2- 2.2   | 68               | 10.0 | 7.5-12.5   |  |
| 65+                 | 1642              | 98,078   | 980                              | 61.7 | 59.0-64.4  | 291                    | 16.8 | 14.6-19.0  | 88                 | 4.9 | 3.5- 6.3   | 43                         | 2.3  | 1.5- 3.1   | 16                   | 1.0 | 0.4- 1.6   | 224              | 13.2 | 11.2-15.2  |  |
| Less Than H.S.      | 111               | 29,628   | 71                               | 60.4 | 49.0-71.8  | 11                     | 8.9  | 1.8-16.0   | 4                  | 3.6 | 0.0- 7.3   | 5                          | 5.3  | 0.4-10.2   | 1                    | 0.2 | 0.0- 0.6   | 19               | 21.7 | 11.9-31.5  |  |
| H.S. or G.E.D.      | 960               | 113,476  | 566                              | 58.8 | 54.9-62.7  | 136                    | 9.2  | 7.2-11.2   | 38                 | 3.9 | 2.3- 5.5   | 60                         | 8.9  | 6.4-11.4   | 11                   | 1.4 | 0.2- 2.6   | 149              | 17.7 | 14.6-20.8  |  |
| Some Post-H.S.      | 1315              | 180,545  | 795                              | 60.2 | 57.1-63.3  | 168                    | 9.3  | 7.5-11.1   | 61                 | 5.0 | 3.4- 6.6   | 79                         | 8.4  | 6.4-10.4   | 22                   | 2.1 | 1.1- 3.1   | 190              | 15.0 | 12.6-17.4  |  |
| College Graduate    | 1974              | 147,215  | 1188                             | 61.2 | 58.7-63.7  | 201                    | 8.4  | 7.0- 9.8   | 131                | 6.4 | 5.2- 7.6   | 129                        | 7.6  | 6.2- 9.0   | 36                   | 2.0 | 1.2- 2.8   | 289              | 14.4 | 12.6-16.2  |  |
| Less than \$15,000  | 81                | 10,899   | 54                               | 63.6 | 48.9-78.3  | 8                      | 4.8  | 0.9- 8.7   | 3                  | 1.8 | 0.0- 4.0   | 6                          | 12.2 | 1.0-23.4   | 3                    | 6.6 | 0.0-13.9   | 7                | 11.0 | 0.0-22.4   |  |
| \$15,000- 24,999    | 187               | 23,645   | 121                              | 71.7 | 64.1-79.3  | 26                     | 8.6  | 4.7-12.5   | 11                 | 4.2 | 1.3- 7.1   | 9                          | 6.7  | 1.8-11.6   | 4                    | 1.9 | 0.0- 4.3   | 16               | 6.8  | 2.7-10.9   |  |
| \$25,000- 34,999    | 302               | 35,112   | 186                              | 62.9 | 55.5-70.3  | 43                     | 11.3 | 7.0-15.6   | 17                 | 5.9 | 2.0- 9.8   | 14                         | 6.7  | 2.8-10.6   | 3                    | 1.2 | 0.0- 2.8   | 39               | 12.0 | 6.9-17.1   |  |
| \$35,000- 49,999    | 461               | 45,554   | 289                              | 62.5 | 56.8-68.2  | 64                     | 11.6 | 8.3-14.9   | 26                 | 5.4 | 2.9- 7.9   | 19                         | 6.7  | 3.4-10.0   | 7                    | 1.9 | 0.3- 3.5   | 56               | 11.9 | 8.0-15.8   |  |
| \$50,000- 99,999    | 1221              | 130,731  | 752                              | 60.7 | 57.2-64.2  | 146                    | 9.8  | 7.4-12.2   | 54                 | 3.9 | 2.5- 5.3   | 75                         | 7.7  | 5.7- 9.7   | 23                   | 1.9 | 0.9- 2.9   | 171              | 16.1 | 13.2-19.0  |  |
| \$100,000 - 199,999 | 993               | 108,433  | 567                              | 55.3 | 51.6-59.0  | 90                     | 7.6  | 5.8- 9.4   | 67                 | 6.9 | 4.9- 8.9   | 82                         | 9.8  | 7.3-12.3   | 15                   | 1.5 | 0.5- 2.5   | 172              | 19.1 | 16.0-22.2  |  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 5: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT12)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |                        |      |            |                    |     |            |                            |      |            |                      |     |            |                  |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|------------------------|------|------------|--------------------|-----|------------|----------------------------|------|------------|----------------------|-----|------------|------------------|------|------------|
|                     |                   |          | Walking or Running               |      |            | Gardening or household |      |            | Bike or elliptical |     |            | Aerobics or weight lifting |      |            | Calisthenics or yoga |     |            | Other Activities |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                  | %   | C.I. (95%) | N                          | %    | C.I. (95%) | N                    | %   | C.I. (95%) | N                | %    | C.I. (95%) |
| Male                | 2176              | 244,635  | 1203                             | 54.1 | 51.4-56.8  | 208                    | 7.4  | 6.0- 8.8   | 117                | 4.9 | 3.7- 6.1   | 187                        | 10.8 | 9.0-12.6   | 29                   | 1.5 | 0.9- 2.1   | 432              | 21.2 | 18.8-23.6  |
| Native              | 50                | 7,743    | 29                               | 62.0 | 46.3-77.7  | 1                      | 1.1  | 0.0- 3.3   | 1                  | 0.5 | 0.0- 1.5   | 6                          | 12.4 | 2.6-22.2   | 2                    | 4.3 | 0.0-11.2   | 11               | 19.7 | 7.0-32.4   |
| Non-Native          | 2089              | 232,833  | 1152                             | 53.6 | 50.9-56.3  | 204                    | 7.7  | 6.3- 9.1   | 114                | 5.1 | 3.9- 6.3   | 176                        | 10.7 | 8.9-12.5   | 27                   | 1.5 | 0.9- 2.1   | 416              | 21.4 | 19.0-23.8  |
| 18-24               | 155               | 40,882   | 73                               | 47.6 | 38.8-56.4  | 2                      | 2.6  | 0.0- 6.9   | 7                  | 3.9 | 1.0- 6.8   | 30                         | 18.5 | 12.0-25.0  | 3                    | 2.0 | 0.0- 4.4   | 40               | 25.4 | 17.8-33.0  |
| 25-34               | 273               | 49,408   | 141                              | 49.2 | 42.5-55.9  | 11                     | 5.1  | 2.0- 8.2   | 9                  | 2.6 | 0.8- 4.4   | 50                         | 16.4 | 11.7-21.1  | 4                    | 1.8 | 0.0- 3.6   | 58               | 25.0 | 18.7-31.3  |
| 35-44               | 353               | 44,127   | 180                              | 52.8 | 47.1-58.5  | 21                     | 5.6  | 3.1- 8.1   | 22                 | 6.5 | 3.6- 9.4   | 39                         | 10.6 | 7.1-14.1   | 9                    | 2.4 | 0.8- 4.0   | 82               | 22.1 | 17.4-26.8  |
| 45-54               | 335               | 33,092   | 176                              | 53.9 | 47.8-60.0  | 25                     | 6.1  | 3.6- 8.6   | 22                 | 5.9 | 3.0- 8.8   | 36                         | 11.5 | 7.4-15.6   | 5                    | 1.7 | 0.1- 3.3   | 71               | 20.9 | 16.0-25.8  |
| 55-64               | 318               | 30,679   | 192                              | 61.3 | 55.0-67.6  | 37                     | 11.3 | 7.2-15.4   | 20                 | 7.0 | 3.3-10.7   | 15                         | 4.3  | 1.9- 6.7   | 4                    | 0.8 | 0.0- 1.8   | 50               | 15.3 | 10.8-19.8  |
| 65+                 | 742               | 46,447   | 441                              | 61.8 | 57.7-65.9  | 112                    | 14.1 | 11.2-17.0  | 37                 | 4.7 | 2.5- 6.9   | 17                         | 2.1  | 0.9- 3.3   | 4                    | 0.4 | 0.0- 1.0   | 131              | 17.0 | 13.9-20.1  |
| Less Than H.S.      | 63                | 17,715   | 36                               | 50.0 | 35.1-64.9  | 6                      | 11.0 | 0.0-22.0   | 2                  | 2.0 | 0.0- 4.9   | 5                          | 8.8  | 0.6-17.0   |                      |     |            | 14               | 28.3 | 14.2-42.4  |
| H.S. or G.E.D.      | 529               | 65,291   | 298                              | 54.1 | 49.0-59.2  | 54                     | 6.5  | 4.3- 8.7   | 18                 | 3.5 | 1.5- 5.5   | 47                         | 11.3 | 8.0-14.6   | 5                    | 1.3 | 0.0- 2.7   | 107              | 23.2 | 18.7-27.7  |
| Some Post-H.S.      | 654               | 93,795   | 369                              | 54.9 | 50.4-59.4  | 67                     | 7.7  | 5.7- 9.7   | 30                 | 4.9 | 2.9- 6.9   | 52                         | 11.0 | 7.9-14.1   | 11                   | 1.9 | 0.7- 3.1   | 125              | 19.7 | 16.0-23.4  |
| College Graduate    | 923               | 66,790   | 497                              | 54.0 | 50.3-57.7  | 81                     | 7.0  | 5.2- 8.8   | 67                 | 7.2 | 5.2- 9.2   | 80                         | 10.3 | 7.9-12.7   | 13                   | 1.7 | 0.7- 2.7   | 185              | 19.7 | 16.8-22.6  |
| \$15,000- 24,999    | 67                | 8,274    | 46                               | 77.1 | 65.9-88.3  | 7                      | 4.9  | 0.6- 9.2   | 3                  | 2.6 | 0.0- 5.7   | 2                          | 4.1  | 0.0- 9.8   |                      |     |            | 9                | 11.3 | 2.5-20.1   |
| \$25,000- 34,999    | 137               | 17,513   | 88                               | 65.3 | 55.1-75.5  | 10                     | 4.5  | 1.2- 7.8   | 8                  | 4.7 | 1.0- 8.4   | 11                         | 12.0 | 4.6-19.4   | 2                    | 1.9 | 0.0- 4.8   | 18               | 11.7 | 4.8-18.6   |
| \$35,000- 49,999    | 220               | 21,910   | 134                              | 54.4 | 46.0-62.8  | 31                     | 11.4 | 6.5-16.3   | 8                  | 4.4 | 0.5- 8.3   | 13                         | 9.7  | 4.2-15.2   | 3                    | 2.5 | 0.0- 5.4   | 31               | 17.7 | 10.6-24.8  |
| \$50,000- 99,999    | 640               | 72,716   | 369                              | 54.7 | 49.6-59.8  | 67                     | 9.2  | 5.9-12.5   | 28                 | 3.6 | 2.0- 5.2   | 51                         | 10.4 | 7.3-13.5   | 9                    | 1.5 | 0.3- 2.7   | 116              | 20.6 | 16.3-24.9  |
| \$100,000 - 199,999 | 560               | 61,756   | 281                              | 48.4 | 43.5-53.3  | 48                     | 7.3  | 4.9- 9.7   | 43                 | 7.7 | 5.0-10.4   | 62                         | 12.9 | 9.4-16.4   | 5                    | 0.9 | 0.0- 1.9   | 121              | 22.8 | 18.5-27.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 6: WHAT TYPE OF PHYSICAL ACTIVITY OR EXERCISE DID YOU SPEND THE MOST TIME DOING DURING THE PAST MONTH? (EXTRACT12)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |                        |      |            |                    |     |            |                            |      |            |                      |     |            |                  |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|------------------------|------|------------|--------------------|-----|------------|----------------------------|------|------------|----------------------|-----|------------|------------------|------|------------|
|                     |                   |          | Walking or Running               |      |            | Gardening or household |      |            | Bike or elliptical |     |            | Aerobics or weight lifting |      |            | Calisthenics or yoga |     |            | Other Activities |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                  | %   | C.I. (95%) | N                          | %    | C.I. (95%) | N                    | %   | C.I. (95%) | N                | %    | C.I. (95%) |
| Female              | 2196              | 227,565  | 1423                             | 66.7 | 64.2-69.2  | 308                    | 10.6 | 9.0-12.2   | 118                | 5.3 | 4.1- 6.5   | 89                         | 5.2  | 3.8- 6.6   | 41                   | 2.1 | 1.3- 2.9   | 217              | 10.1 | 8.3-11.9   |
| Native              | 60                | 9,115    | 45                               | 75.6 | 60.9-90.3  | 6                      | 4.2  | 0.1- 8.3   | 1                  | 5.6 | 0.0-16.0   | 3                          | 7.3  | 0.0-15.5   |                      |     |            | 5                | 7.3  | 0.0-16.3   |
| Non-Native          | 2110              | 214,952  | 1359                             | 66.2 | 63.7-68.7  | 300                    | 11.0 | 9.4-12.6   | 117                | 5.3 | 4.1- 6.5   | 85                         | 5.2  | 3.8- 6.6   | 40                   | 2.2 | 1.4- 3.0   | 209              | 10.1 | 8.5-11.7   |
| 18-24               | 109               | 33,892   | 77                               | 70.6 | 61.4-79.8  | 1                      | 0.6  | 0.0- 1.8   | 2                  | 2.0 | 0.0- 4.7   | 16                         | 14.2 | 7.1-21.3   | 3                    | 2.7 | 0.0- 5.8   | 10               | 9.9  | 3.6-16.2   |
| 25-34               | 222               | 40,773   | 150                              | 67.2 | 60.3-74.1  | 11                     | 7.0  | 2.5-11.5   | 11                 | 4.8 | 1.9- 7.7   | 14                         | 5.3  | 2.6- 8.0   | 6                    | 2.4 | 0.4- 4.4   | 30               | 13.3 | 8.4-18.2   |
| 35-44               | 284               | 40,739   | 185                              | 64.7 | 58.2-71.2  | 19                     | 6.1  | 3.4- 8.8   | 19                 | 8.3 | 4.0-12.6   | 14                         | 4.0  | 1.8- 6.2   | 9                    | 3.4 | 1.0- 5.8   | 38               | 13.5 | 9.0-18.0   |
| 45-54               | 306               | 29,177   | 220                              | 70.9 | 64.8-77.0  | 26                     | 10.8 | 6.5-15.1   | 16                 | 5.6 | 2.3- 8.9   | 11                         | 4.5  | 1.6- 7.4   | 5                    | 0.9 | 0.1- 1.7   | 28               | 7.3  | 4.4-10.2   |
| 55-64               | 375               | 31,352   | 252                              | 68.9 | 63.4-74.4  | 72                     | 17.5 | 13.2-21.8  | 19                 | 5.3 | 2.6- 8.0   | 8                          | 1.8  | 0.4- 3.2   | 6                    | 1.7 | 0.1- 3.3   | 18               | 4.8  | 2.1- 7.5   |
| 65+                 | 900               | 51,631   | 539                              | 61.7 | 58.0-65.4  | 179                    | 19.3 | 16.4-22.2  | 51                 | 5.2 | 3.4- 7.0   | 26                         | 2.6  | 1.4- 3.8   | 12                   | 1.5 | 0.5- 2.5   | 93               | 9.9  | 7.5-12.3   |
| H.S. or G.E.D.      | 431               | 48,184   | 268                              | 65.3 | 59.4-71.2  | 82                     | 12.8 | 9.5-16.1   | 20                 | 4.3 | 1.6- 7.0   | 13                         | 5.7  | 2.0- 9.4   | 6                    | 1.6 | 0.0- 3.4   | 42               | 10.3 | 6.8-13.8   |
| Some Post-H.S.      | 661               | 86,750   | 426                              | 65.9 | 61.4-70.4  | 101                    | 11.1 | 8.4-13.8   | 31                 | 5.2 | 2.8- 7.6   | 27                         | 5.6  | 3.2- 8.0   | 11                   | 2.4 | 0.8- 4.0   | 65               | 9.9  | 7.0-12.8   |
| College Graduate    | 1051              | 80,424   | 691                              | 67.1 | 63.8-70.4  | 120                    | 9.6  | 7.6-11.6   | 64                 | 5.8 | 4.2- 7.4   | 49                         | 5.3  | 3.5- 7.1   | 23                   | 2.3 | 1.1- 3.5   | 104              | 9.9  | 7.7-12.1   |
| \$15,000- 24,999    | 120               | 15,372   | 75                               | 68.8 | 58.8-78.8  | 19                     | 10.6 | 5.1-16.1   | 8                  | 5.1 | 1.0- 9.2   | 7                          | 8.2  | 1.5-14.9   | 4                    | 2.9 | 0.0- 6.4   | 7                | 4.4  | 0.5- 8.3   |
| \$25,000- 34,999    | 165               | 17,599   | 98                               | 60.4 | 49.4-71.4  | 33                     | 18.1 | 10.3-25.9  | 9                  | 7.1 | 0.2-14.0   | 3                          | 1.5  | 0.0- 3.5   | 1                    | 0.6 | 0.0- 1.8   | 21               | 12.3 | 4.9-19.7   |
| \$35,000- 49,999    | 241               | 23,644   | 155                              | 70.0 | 62.9-77.1  | 33                     | 11.9 | 7.4-16.4   | 18                 | 6.3 | 2.8- 9.8   | 6                          | 3.9  | 0.4- 7.4   | 4                    | 1.4 | 0.0- 2.8   | 25               | 6.5  | 3.6- 9.4   |
| \$50,000- 99,999    | 581               | 58,016   | 383                              | 68.1 | 63.2-73.0  | 79                     | 10.5 | 7.4-13.6   | 26                 | 4.3 | 1.9- 6.7   | 24                         | 4.3  | 2.3- 6.3   | 14                   | 2.4 | 1.0- 3.8   | 55               | 10.5 | 7.4-13.6   |
| \$100,000 - 199,999 | 433               | 46,677   | 286                              | 64.4 | 58.7-70.1  | 42                     | 8.0  | 5.3-10.7   | 24                 | 5.7 | 3.2- 8.2   | 20                         | 5.7  | 2.4- 9.0   | 10                   | 2.2 | 0.6- 3.8   | 51               | 14.0 | 9.5-18.5   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 7: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)**

Denominator excludes: Respondents reporting no moderate physical activity  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 5 or more days per week |      |            | 1-10 days per month |      |            | 11 to 15 days per month |      |            | 16 or more days per month |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|------|------------|---------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                         | %    | C.I. (95%) |
| TOTAL               | 4265              | 462,132  | 1750              | 41.7 | 39.7-43.7  | 1074                    | 24.3 | 22.5-26.1  | 506                 | 12.4 | 11.0-13.8  | 200                     | 5.3  | 4.3- 6.3   | 735                       | 16.2 | 14.8-17.6  |
| Male                | 2132              | 240,026  | 829               | 40.0 | 37.5-42.5  | 519                     | 23.5 | 21.1-25.9  | 305                 | 15.0 | 13.0-17.0  | 110                     | 5.6  | 4.2- 7.0   | 369                       | 15.8 | 13.8-17.8  |
| Female              | 2133              | 222,105  | 921               | 43.6 | 40.9-46.3  | 555                     | 25.2 | 22.7-27.7  | 201                 | 9.7  | 8.1-11.3   | 90                      | 4.8  | 3.4- 6.2   | 366                       | 16.6 | 14.4-18.8  |
| Native              | 108               | 16,490   | 42                | 40.1 | 28.7-51.5  | 25                      | 21.9 | 12.7-31.1  | 18                  | 17.9 | 8.7-27.1   | 3                       | 4.3  | 0.0-10.8   | 20                        | 15.7 | 7.1-24.3   |
| Non-Native          | 4095              | 438,133  | 1688              | 41.9 | 39.9-43.9  | 1034                    | 24.4 | 22.6-26.2  | 479                 | 12.3 | 10.9-13.7  | 194                     | 5.3  | 4.3- 6.3   | 700                       | 16.2 | 14.8-17.6  |
| 18-24               | 263               | 74,449   | 117               | 42.0 | 35.5-48.5  | 64                      | 25.8 | 19.9-31.7  | 31                  | 11.2 | 7.1-15.3   | 17                      | 7.2  | 3.5-10.9   | 34                        | 13.8 | 8.9-18.7   |
| 25-34               | 488               | 88,635   | 226               | 46.1 | 41.2-51.0  | 98                      | 20.6 | 16.5-24.7  | 72                  | 14.8 | 11.1-18.5  | 25                      | 4.7  | 2.7- 6.7   | 67                        | 13.6 | 10.3-16.9  |
| 35-44               | 625               | 83,174   | 294               | 46.5 | 42.0-51.0  | 123                     | 21.0 | 17.3-24.7  | 83                  | 12.7 | 9.8-15.6   | 34                      | 5.9  | 3.5- 8.3   | 91                        | 13.9 | 10.8-17.0  |
| 45-54               | 625               | 60,527   | 281               | 42.6 | 38.1-47.1  | 156                     | 26.7 | 22.6-30.8  | 71                  | 12.0 | 9.1-14.9   | 27                      | 4.4  | 2.4- 6.4   | 90                        | 14.3 | 11.2-17.4  |
| 55-64               | 680               | 60,362   | 252               | 36.5 | 32.2-40.8  | 169                     | 24.1 | 20.2-28.0  | 69                  | 10.9 | 8.0-13.8   | 43                      | 7.1  | 4.7- 9.5   | 147                       | 21.4 | 17.7-25.1  |
| 65+                 | 1584              | 94,985   | 580               | 36.1 | 33.4-38.8  | 464                     | 28.2 | 25.5-30.9  | 180                 | 12.3 | 10.3-14.3  | 54                      | 2.9  | 1.9- 3.9   | 306                       | 20.5 | 18.0-23.0  |
| Less Than H.S.      | 106               | 28,645   | 29                | 28.6 | 18.2-39.0  | 28                      | 24.8 | 14.8-34.8  | 19                  | 16.7 | 7.9-25.5   | 9                       | 12.1 | 3.7-20.5   | 21                        | 17.8 | 9.4-26.2   |
| H.S. or G.E.D.      | 926               | 110,238  | 344               | 40.2 | 36.3-44.1  | 244                     | 24.9 | 21.4-28.4  | 138                 | 15.1 | 12.2-18.0  | 37                      | 3.7  | 2.3- 5.1   | 163                       | 16.1 | 13.2-19.0  |
| Some Post-H.S.      | 1275              | 176,152  | 495               | 40.5 | 37.2-43.8  | 339                     | 26.6 | 23.7-29.5  | 155                 | 11.8 | 9.6-14.0   | 65                      | 5.4  | 3.8- 7.0   | 221                       | 15.7 | 13.3-18.1  |
| College Graduate    | 1947              | 145,882  | 879               | 47.2 | 44.7-49.7  | 459                     | 21.1 | 18.9-23.3  | 193                 | 10.4 | 8.8-12.0   | 89                      | 4.9  | 3.7- 6.1   | 327                       | 16.4 | 14.4-18.4  |
| Less than \$15,000  | 76                | 10,383   | 21                | 23.8 | 12.2-35.4  | 18                      | 30.7 | 15.8-45.6  | 17                  | 17.4 | 7.2-27.6   | 6                       | 6.3  | 0.4-12.2   | 14                        | 21.7 | 7.6-35.8   |
| \$15,000- 24,999    | 180               | 23,037   | 63                | 36.0 | 27.0-45.0  | 60                      | 35.7 | 26.7-44.7  | 19                  | 7.0  | 3.1-10.9   | 7                       | 3.7  | 0.0- 7.4   | 31                        | 17.5 | 10.4-24.6  |
| \$25,000- 34,999    | 292               | 34,565   | 104               | 38.7 | 30.9-46.5  | 77                      | 17.8 | 12.7-22.9  | 35                  | 14.7 | 8.6-20.8   | 17                      | 6.1  | 2.6- 9.6   | 59                        | 22.7 | 15.6-29.8  |
| \$35,000- 49,999    | 449               | 43,951   | 174               | 42.7 | 36.6-48.8  | 106                     | 20.9 | 16.2-25.6  | 53                  | 12.6 | 8.5-16.7   | 24                      | 6.4  | 3.1- 9.7   | 92                        | 17.4 | 13.1-21.7  |
| \$50,000- 99,999    | 1203              | 128,515  | 506               | 42.9 | 39.4-46.4  | 281                     | 20.8 | 17.9-23.7  | 156                 | 13.4 | 10.9-15.9  | 63                      | 7.2  | 4.8- 9.6   | 197                       | 15.7 | 13.0-18.4  |
| \$100,000 - 199,999 | 978               | 107,105  | 446               | 46.1 | 42.4-49.8  | 231                     | 22.7 | 19.6-25.8  | 110                 | 13.0 | 10.3-15.7  | 42                      | 4.2  | 2.6- 5.8   | 149                       | 13.9 | 11.4-16.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 8: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 5 or more days per week |      |            | 1-10 days per month |      |            | 11 to 15 days per month |      |            | 16 or more days per month |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|------|------------|---------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                         | %    | C.I. (95%) |
| Male                | 2132              | 240,026  | 829               | 40.0 | 37.5-42.5  | 519                     | 23.5 | 21.1-25.9  | 305                 | 15.0 | 13.0-17.0  | 110                     | 5.6  | 4.2- 7.0   | 369                       | 15.8 | 13.8-17.8  |
| Non-Native          | 2048              | 228,641  | 800               | 40.0 | 37.3-42.7  | 497                     | 23.2 | 20.8-25.6  | 292                 | 15.3 | 13.3-17.3  | 107                     | 5.8  | 4.4- 7.2   | 352                       | 15.7 | 13.7-17.7  |
| 18-24               | 155               | 40,882   | 69                | 40.9 | 32.5-49.3  | 37                      | 25.9 | 17.9-33.9  | 22                  | 13.5 | 7.6-19.4   | 10                      | 7.8  | 2.3-13.3   | 17                        | 11.9 | 5.8-18.0   |
| 25-34               | 270               | 48,740   | 118               | 45.2 | 38.5-51.9  | 52                      | 19.9 | 14.6-25.2  | 45                  | 17.5 | 12.0-23.0  | 16                      | 5.1  | 2.6- 7.6   | 39                        | 12.3 | 8.4-16.2   |
| 35-44               | 346               | 43,076   | 158               | 45.6 | 39.7-51.5  | 67                      | 20.8 | 15.9-25.7  | 53                  | 15.2 | 11.1-19.3  | 20                      | 5.8  | 3.1- 8.5   | 48                        | 12.6 | 8.9-16.3   |
| 45-54               | 327               | 32,283   | 138               | 39.7 | 33.6-45.8  | 79                      | 25.6 | 20.1-31.1  | 48                  | 16.3 | 11.6-21.0  | 15                      | 4.8  | 2.1- 7.5   | 47                        | 13.6 | 9.7-17.5   |
| 55-64               | 311               | 29,625   | 100               | 33.5 | 27.4-39.6  | 78                      | 22.4 | 17.3-27.5  | 34                  | 11.3 | 7.0-15.6   | 20                      | 7.4  | 3.9-10.9   | 79                        | 25.5 | 19.4-31.6  |
| 65+                 | 723               | 45,420   | 246               | 32.8 | 28.7-36.9  | 206                     | 27.0 | 23.1-30.9  | 103                 | 15.1 | 12.0-18.2  | 29                      | 3.6  | 1.8- 5.4   | 139                       | 21.5 | 17.6-25.4  |
| Less Than H.S.      | 60                | 16,916   | 14                | 23.0 | 10.8-35.2  | 12                      | 21.5 | 8.4-34.6   | 15                  | 22.4 | 9.3-35.5   | 5                       | 12.9 | 0.9-24.9   | 14                        | 20.2 | 8.6-31.8   |
| H.S. or G.E.D.      | 511               | 63,707   | 183               | 40.8 | 35.5-46.1  | 124                     | 23.5 | 19.0-28.0  | 81                  | 15.6 | 11.9-19.3  | 22                      | 4.1  | 2.1- 6.1   | 101                       | 16.0 | 12.5-19.5  |
| Some Post-H.S.      | 639               | 91,999   | 226               | 38.4 | 33.9-42.9  | 171                     | 26.1 | 22.2-30.0  | 98                  | 14.8 | 11.5-18.1  | 36                      | 5.4  | 3.4- 7.4   | 108                       | 15.3 | 12.2-18.4  |
| College Graduate    | 915               | 66,361   | 405               | 46.2 | 42.5-49.9  | 209                     | 20.5 | 17.6-23.4  | 110                 | 12.9 | 10.4-15.4  | 47                      | 5.7  | 3.7- 7.7   | 144                       | 14.8 | 12.3-17.3  |
| \$15,000- 24,999    | 67                | 8,274    | 23                | 32.9 | 19.0-46.8  | 25                      | 39.6 | 24.9-54.3  | 6                   | 5.5  | 0.8-10.2   | 1                       | 0.4  | 0.0- 1.2   | 12                        | 21.5 | 8.4-34.6   |
| \$25,000- 34,999    | 131               | 17,110   | 44                | 38.3 | 27.1-49.5  | 37                      | 21.3 | 13.3-29.3  | 18                  | 12.2 | 4.4-20.0   | 9                       | 7.7  | 1.8-13.6   | 23                        | 20.5 | 11.1-29.9  |
| \$35,000- 49,999    | 212               | 20,886   | 74                | 41.8 | 33.2-50.4  | 49                      | 19.1 | 12.8-25.4  | 30                  | 15.4 | 8.7-22.1   | 12                      | 5.7  | 1.8- 9.6   | 47                        | 18.0 | 12.3-23.7  |
| \$50,000- 99,999    | 630               | 71,322   | 249               | 40.0 | 35.1-44.9  | 140                     | 21.5 | 17.4-25.6  | 100                 | 17.0 | 12.9-21.1  | 38                      | 7.6  | 4.3-10.9   | 103                       | 13.9 | 11.0-16.8  |
| \$100,000 - 199,999 | 555               | 61,327   | 247               | 44.2 | 39.3-49.1  | 127                     | 22.6 | 18.3-26.9  | 77                  | 16.6 | 12.7-20.5  | 22                      | 4.0  | 2.2- 5.8   | 82                        | 12.7 | 9.6-15.8   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 9: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT1)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 5 or more days per week |      |            | 1-10 days per month |      |            | 11 to 15 days per month |     |            | 16 or more days per month |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                         | %    | C.I. (95%) |
| Female              | 2133              | 222,105  | 921               | 43.6 | 40.9-46.3  | 555                     | 25.2 | 22.7-27.7  | 201                 | 9.7  | 8.1-11.3   | 90                      | 4.8 | 3.4- 6.2   | 366                       | 16.6 | 14.4-18.8  |
| Native              | 60                | 9,115    | 21                | 33.4 | 18.5-48.3  | 13                      | 19.9 | 7.4-32.4   | 12                  | 27.1 | 12.0-42.2  | 2                       | 6.7 | 0.0-17.9   | 12                        | 12.9 | 4.7-21.1   |
| Non-Native          | 2047              | 209,492  | 888               | 43.9 | 41.2-46.6  | 537                     | 25.7 | 23.2-28.2  | 187                 | 9.0  | 7.4-10.6   | 87                      | 4.8 | 3.4- 6.2   | 348                       | 16.7 | 14.5-18.9  |
| 18-24               | 108               | 33,568   | 48                | 43.4 | 33.2-53.6  | 27                      | 25.7 | 16.9-34.5  | 9                   | 8.4  | 3.1-13.7   | 7                       | 6.5 | 1.4-11.6   | 17                        | 16.0 | 8.2-23.8   |
| 25-34               | 218               | 39,895   | 108               | 47.3 | 40.0-54.6  | 46                      | 21.5 | 15.2-27.8  | 27                  | 11.6 | 7.1-16.1   | 9                       | 4.3 | 1.4- 7.2   | 28                        | 15.3 | 9.4-21.2   |
| 35-44               | 279               | 40,098   | 136               | 47.4 | 40.7-54.1  | 56                      | 21.3 | 15.6-27.0  | 30                  | 9.9  | 6.0-13.8   | 14                      | 6.1 | 2.4- 9.8   | 43                        | 15.3 | 10.4-20.2  |
| 45-54               | 298               | 28,244   | 143               | 45.9 | 39.2-52.6  | 77                      | 27.9 | 21.8-34.0  | 23                  | 7.1  | 4.2-10.0   | 12                      | 4.0 | 1.3- 6.7   | 43                        | 15.1 | 10.4-19.8  |
| 55-64               | 369               | 30,737   | 152               | 39.5 | 33.4-45.6  | 91                      | 25.8 | 20.1-31.5  | 35                  | 10.5 | 6.6-14.4   | 23                      | 6.7 | 3.6- 9.8   | 68                        | 17.5 | 13.2-21.8  |
| 65+                 | 861               | 49,565   | 334               | 39.1 | 35.2-43.0  | 258                     | 29.3 | 25.6-33.0  | 77                  | 9.7  | 7.2-12.2   | 25                      | 2.4 | 1.2- 3.6   | 167                       | 19.6 | 16.5-22.7  |
| H.S. or G.E.D.      | 415               | 46,532   | 161               | 39.3 | 33.0-45.6  | 120                     | 26.9 | 21.4-32.4  | 57                  | 14.5 | 9.8-19.2   | 15                      | 3.2 | 1.0- 5.4   | 62                        | 16.1 | 11.0-21.2  |
| Some Post-H.S.      | 636               | 84,153   | 269               | 42.7 | 37.8-47.6  | 168                     | 27.2 | 22.7-31.7  | 57                  | 8.5  | 6.0-11.0   | 29                      | 5.4 | 3.0- 7.8   | 113                       | 16.3 | 12.6-20.0  |
| College Graduate    | 1032              | 79,521   | 474               | 48.1 | 44.4-51.8  | 250                     | 21.6 | 18.7-24.5  | 83                  | 8.3  | 6.3-10.3   | 42                      | 4.3 | 2.7- 5.9   | 183                       | 17.7 | 14.8-20.6  |
| \$15,000- 24,999    | 113               | 14,764   | 40                | 37.7 | 26.1-49.3  | 35                      | 33.6 | 22.0-45.2  | 13                  | 7.9  | 2.4-13.4   | 6                       | 5.6 | 0.0-11.3   | 19                        | 15.2 | 7.4-23.0   |
| \$25,000- 34,999    | 161               | 17,455   | 60                | 39.1 | 28.1-50.1  | 40                      | 14.4 | 8.3-20.5   | 17                  | 17.1 | 7.9-26.3   | 8                       | 4.5 | 0.2- 8.8   | 36                        | 24.9 | 14.5-35.3  |
| \$35,000- 49,999    | 237               | 23,065   | 100               | 43.6 | 35.0-52.2  | 57                      | 22.5 | 15.8-29.2  | 23                  | 10.1 | 5.0-15.2   | 12                      | 7.1 | 1.8-12.4   | 45                        | 16.8 | 10.7-22.9  |
| \$50,000- 99,999    | 573               | 57,193   | 257               | 46.5 | 41.2-51.8  | 141                     | 19.9 | 16.0-23.8  | 56                  | 8.9  | 6.2-11.6   | 25                      | 6.8 | 3.7- 9.9   | 94                        | 17.9 | 13.2-22.6  |
| \$100,000 - 199,999 | 423               | 45,778   | 199               | 48.6 | 42.7-54.5  | 104                     | 22.9 | 18.0-27.8  | 33                  | 8.2  | 5.1-11.3   | 20                      | 4.6 | 2.1- 7.1   | 67                        | 15.6 | 11.3-19.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)**  
Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |               |      |            |               |     |            |                    |      |            |              |      |            |                |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|------|------------|
|                     |                   |          | 30 mins or less                  |      |            | 31 to 45 mins |      |            | 46 to 59 mins |     |            | 1hr to 1hr 59 mins |      |            | 2hrs to 3hrs |      |            | More than 3hrs |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N             | %    | C.I. (95%) | N             | %   | C.I. (95%) | N                  | %    | C.I. (95%) | N            | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL               | 4261              | 462,190  | 1541                             | 33.4 | 31.6-35.2  | 556           | 11.8 | 10.6-13.0  | 31            | 0.6 | 0.4- 0.8   | 1231               | 31.9 | 30.1-33.7  | 586          | 15.1 | 13.5-16.7  | 316            | 7.3  | 6.3- 8.3   |
| Male                | 2126              | 239,065  | 636                              | 27.7 | 25.3-30.1  | 258           | 10.7 | 9.1-12.3   | 13            | 0.4 | 0.2- 0.6   | 657                | 32.8 | 30.3-35.3  | 333          | 18.1 | 15.7-20.5  | 229            | 10.2 | 8.6-11.8   |
| Female              | 2135              | 223,125  | 905                              | 39.4 | 36.7-42.1  | 298           | 12.9 | 11.1-14.7  | 18            | 0.8 | 0.4- 1.2   | 574                | 30.8 | 28.1-33.5  | 253          | 11.9 | 10.1-13.7  | 87             | 4.1  | 2.9- 5.3   |
| Native              | 109               | 16,656   | 38                               | 29.8 | 19.6-40.0  | 10            | 8.6  | 2.5-14.7   | 1             | 1.4 | 0.0- 4.1   | 36                 | 38.5 | 26.9-50.1  | 14           | 11.4 | 3.8-19.0   | 10             | 10.3 | 2.5-18.1   |
| Non-Native          | 4094              | 438,312  | 1484                             | 33.6 | 31.8-35.4  | 538           | 11.9 | 10.7-13.1  | 29            | 0.6 | 0.4- 0.8   | 1177               | 31.5 | 29.5-33.5  | 564          | 15.3 | 13.7-16.9  | 302            | 7.2  | 6.2- 8.2   |
| 18-24               | 260               | 73,747   | 54                               | 21.3 | 15.6-27.0  | 23            | 8.0  | 4.7-11.3   | 2             | 0.5 | 0.0- 1.3   | 116                | 44.6 | 37.9-51.3  | 46           | 18.5 | 13.2-23.8  | 19             | 7.2  | 3.7-10.7   |
| 25-34               | 486               | 88,328   | 164                              | 32.4 | 27.9-36.9  | 56            | 10.6 | 7.9-13.3   | 4             | 0.8 | 0.0- 1.6   | 157                | 31.3 | 26.8-35.8  | 73           | 17.9 | 13.6-22.2  | 32             | 7.1  | 4.4- 9.8   |
| 35-44               | 629               | 83,777   | 223                              | 36.7 | 32.4-41.0  | 79            | 11.3 | 8.8-13.8   | 4             | 0.6 | 0.0- 1.2   | 213                | 34.3 | 30.0-38.6  | 71           | 11.3 | 8.6-14.0   | 39             | 5.8  | 3.8- 7.8   |
| 45-54               | 630               | 61,332   | 211                              | 33.0 | 28.7-37.3  | 95            | 13.5 | 10.6-16.4  | 3             | 0.3 | 0.0- 0.7   | 193                | 32.1 | 27.8-36.4  | 82           | 13.3 | 10.2-16.4  | 46             | 7.7  | 5.3-10.1   |
| 55-64               | 676               | 60,340   | 254                              | 34.9 | 30.6-39.2  | 91            | 14.1 | 10.8-17.4  | 3             | 0.4 | 0.0- 0.8   | 185                | 28.0 | 23.9-32.1  | 95           | 15.7 | 12.4-19.0  | 48             | 6.9  | 4.7- 9.1   |
| 65+                 | 1580              | 94,666   | 635                              | 40.1 | 37.2-43.0  | 212           | 13.7 | 11.5-15.9  | 15            | 0.9 | 0.3- 1.5   | 367                | 22.7 | 20.2-25.2  | 219          | 13.9 | 11.9-15.9  | 132            | 8.7  | 6.9-10.5   |
| Less Than H.S.      | 106               | 28,708   | 34                               | 22.8 | 14.0-31.6  | 3             | 2.4  | 0.0- 6.3   |               |     |            | 34                 | 34.6 | 23.4-45.8  | 26           | 31.5 | 20.3-42.7  | 9              | 8.7  | 2.2-15.2   |
| H.S. or G.E.D.      | 928               | 110,729  | 327                              | 32.1 | 28.4-35.8  | 88            | 8.7  | 6.5-10.9   | 5             | 0.5 | 0.0- 1.1   | 277                | 33.3 | 29.4-37.2  | 151          | 16.9 | 13.8-20.0  | 80             | 8.5  | 6.1-10.9   |
| Some Post-H.S.      | 1275              | 176,204  | 468                              | 33.9 | 30.8-37.0  | 156           | 11.9 | 9.7-14.1   | 8             | 0.5 | 0.1- 0.9   | 358                | 32.1 | 29.0-35.2  | 181          | 14.2 | 11.8-16.6  | 104            | 7.4  | 5.8- 9.0   |
| College Graduate    | 1940              | 145,213  | 709                              | 35.9 | 33.4-38.4  | 307           | 15.9 | 13.9-17.9  | 18            | 1.0 | 0.4- 1.6   | 558                | 29.9 | 27.5-32.3  | 227          | 11.6 | 9.8-13.4   | 121            | 5.6  | 4.4- 6.8   |
| Less than \$15,000  | 77                | 10,307   | 30                               | 32.6 | 19.9-45.3  | 7             | 5.8  | 0.7-10.9   |               |     |            | 22                 | 28.2 | 15.1-41.3  | 11           | 22.6 | 8.3-36.9   | 7              | 10.9 | 0.0-22.7   |
| \$15,000- 24,999    | 179               | 22,923   | 78                               | 38.6 | 29.6-47.6  | 19            | 10.4 | 4.7-16.1   |               |     |            | 45                 | 31.0 | 22.0-40.0  | 22           | 13.1 | 6.6-19.6   | 15             | 6.9  | 3.0-10.8   |
| \$25,000- 34,999    | 298               | 34,600   | 121                              | 33.7 | 26.3-41.1  | 21            | 6.0  | 2.1- 9.9   | 1             | 0.3 | 0.0- 0.9   | 88                 | 33.8 | 26.4-41.2  | 47           | 20.4 | 13.5-27.3  | 20             | 5.7  | 2.4- 9.0   |
| \$35,000- 49,999    | 450               | 44,418   | 173                              | 33.6 | 27.9-39.3  | 56            | 12.0 | 8.3-15.7   | 3             | 0.6 | 0.0- 1.4   | 123                | 32.1 | 26.2-38.0  | 64           | 14.8 | 10.5-19.1  | 31             | 7.1  | 4.2-10.0   |
| \$50,000- 99,999    | 1201              | 128,456  | 454                              | 35.2 | 31.7-38.7  | 156           | 11.8 | 9.6-14.0   | 9             | 0.6 | 0.0- 1.2   | 346                | 31.3 | 27.8-34.8  | 160          | 14.9 | 12.0-17.8  | 76             | 6.2  | 4.4- 8.0   |
| \$100,000 - 199,999 | 981               | 107,273  | 308                              | 30.4 | 26.9-33.9  | 151           | 13.6 | 11.2-16.0  | 10            | 0.9 | 0.1- 1.7   | 295                | 31.9 | 28.2-35.6  | 140          | 15.7 | 12.8-18.6  | 77             | 7.5  | 5.5- 9.5   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 11: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)**  
Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |               |      |            |               |     |            |                    |      |            |              |      |            |                |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|------|------------|
|                     |                   |          | 30 mins or less                  |      |            | 31 to 45 mins |      |            | 46 to 59 mins |     |            | 1hr to 1hr 59 mins |      |            | 2hrs to 3hrs |      |            | More than 3hrs |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N             | %    | C.I. (95%) | N             | %   | C.I. (95%) | N                  | %    | C.I. (95%) | N            | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Male                | 2126              | 239,065  | 636                              | 27.7 | 25.3-30.1  | 258           | 10.7 | 9.1-12.3   | 13            | 0.4 | 0.2- 0.6   | 657                | 32.8 | 30.3-35.3  | 333          | 18.1 | 15.7-20.5  | 229            | 10.2 | 8.6-11.8   |
| Non-Native          | 2042              | 227,695  | 613                              | 27.9 | 25.5-30.3  | 246           | 10.5 | 8.9-12.1   | 12            | 0.4 | 0.2- 0.6   | 632                | 32.9 | 30.4-35.4  | 322          | 18.4 | 16.0-20.8  | 217            | 9.9  | 8.3-11.5   |
| 18-24               | 153               | 40,410   | 28                               | 17.5 | 10.8-24.2  | 13            | 7.3  | 3.2-11.4   | 1             | 0.5 | 0.0- 1.5   | 60                 | 40.1 | 31.3-48.9  | 34           | 23.8 | 16.0-31.6  | 17             | 10.8 | 5.3-16.3   |
| 25-34               | 266               | 48,038   | 70                               | 24.6 | 19.1-30.1  | 22            | 7.8  | 4.5-11.1   |               |     |            | 97                 | 35.3 | 28.8-41.8  | 52           | 23.0 | 16.7-29.3  | 25             | 9.3  | 5.4-13.2   |
| 35-44               | 350               | 43,716   | 111                              | 32.1 | 26.6-37.6  | 37            | 9.8  | 6.5-13.1   | 3             | 0.8 | 0.0- 1.8   | 123                | 34.9 | 29.4-40.4  | 47           | 14.2 | 10.1-18.3  | 29             | 8.2  | 4.9-11.5   |
| 45-54               | 332               | 32,764   | 84                               | 26.7 | 21.2-32.2  | 48            | 13.3 | 9.4-17.2   | 1             | 0.2 | 0.0- 0.6   | 113                | 33.7 | 27.8-39.6  | 49           | 14.5 | 10.0-19.0  | 37             | 11.6 | 7.7-15.5   |
| 55-64               | 306               | 29,288   | 94                               | 29.3 | 23.4-35.2  | 42            | 14.2 | 9.1-19.3   | 2             | 0.5 | 0.0- 1.3   | 94                 | 29.6 | 23.7-35.5  | 45           | 17.2 | 12.1-22.3  | 29             | 9.2  | 5.5-12.9   |
| 65+                 | 719               | 44,849   | 249                              | 35.9 | 31.6-40.2  | 96            | 13.6 | 10.5-16.7  | 6             | 0.7 | 0.1- 1.3   | 170                | 23.1 | 19.6-26.6  | 106          | 14.5 | 11.4-17.6  | 92             | 12.3 | 9.4-15.2   |
| Less Than H.S.      | 59                | 16,855   | 10                               | 8.1  | 2.6-13.6   | 1             | 3.4  | 0.0- 9.9   |               |     |            | 20                 | 32.3 | 18.0-46.6  | 20           | 41.8 | 26.1-57.5  | 8              | 14.5 | 3.9-25.1   |
| H.S. or G.E.D.      | 512               | 63,702   | 152                              | 28.2 | 23.5-32.9  | 43            | 8.1  | 5.4-10.8   | 1             | 0.3 | 0.0- 0.9   | 167                | 33.5 | 28.6-38.4  | 92           | 19.3 | 15.0-23.6  | 57             | 10.5 | 7.4-13.6   |
| Some Post-H.S.      | 637               | 91,500   | 208                              | 30.6 | 26.5-34.7  | 71            | 10.3 | 7.8-12.8   | 4             | 0.4 | 0.0- 0.8   | 190                | 33.9 | 29.4-38.4  | 90           | 14.7 | 11.6-17.8  | 74             | 10.2 | 7.7-12.7   |
| College Graduate    | 911               | 65,965   | 265                              | 28.8 | 25.5-32.1  | 142           | 15.7 | 13.0-18.4  | 8             | 0.7 | 0.1- 1.3   | 278                | 31.0 | 27.7-34.3  | 130          | 15.6 | 12.7-18.5  | 88             | 8.3  | 6.3-10.3   |
| \$15,000- 24,999    | 64                | 7,850    | 25                               | 36.3 | 22.0-50.6  | 7             | 13.5 | 2.5-24.5   |               |     |            | 14                 | 22.8 | 9.3-36.3   | 9            | 18.1 | 5.0-31.2   | 9              | 9.3  | 2.4-16.2   |
| \$25,000- 34,999    | 134               | 17,222   | 51                               | 29.9 | 20.3-39.5  | 10            | 7.9  | 0.8-15.0   |               |     |            | 37                 | 28.2 | 18.6-37.8  | 26           | 26.2 | 15.4-37.0  | 10             | 7.7  | 1.6-13.8   |
| \$35,000- 49,999    | 214               | 21,084   | 72                               | 27.3 | 20.2-34.4  | 23            | 10.1 | 5.2-15.0   |               |     |            | 64                 | 33.0 | 25.0-41.0  | 35           | 20.0 | 12.4-27.6  | 20             | 9.5  | 4.4-14.6   |
| \$50,000- 99,999    | 627               | 70,826   | 201                              | 30.6 | 26.1-35.1  | 82            | 10.6 | 7.9-13.3   | 4             | 0.4 | 0.0- 0.8   | 189                | 32.5 | 27.8-37.2  | 94           | 17.9 | 13.4-22.4  | 57             | 7.9  | 5.4-10.4   |
| \$100,000 - 199,999 | 556               | 61,298   | 136                              | 22.5 | 18.4-26.6  | 74            | 11.9 | 9.0-14.8   | 5             | 0.5 | 0.0- 1.1   | 185                | 35.0 | 30.3-39.7  | 95           | 19.8 | 15.5-24.1  | 61             | 10.2 | 7.3-13.1   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 12: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM1)**  
Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |               |      |            |               |     |            |                    |      |            |              |      |            |                |     |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|-----|------------|
|                     |                   |          | 30 mins or less                  |      |            | 31 to 45 mins |      |            | 46 to 59 mins |     |            | 1hr to 1hr 59 mins |      |            | 2hrs to 3hrs |      |            | More than 3hrs |     |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N             | %    | C.I. (95%) | N             | %   | C.I. (95%) | N                  | %    | C.I. (95%) | N            | %    | C.I. (95%) | N              | %   | C.I. (95%) |
| Female              | 2135              | 223,125  | 905                              | 39.4 | 36.7-42.1  | 298           | 12.9 | 11.1-14.7  | 18            | 0.8 | 0.4- 1.2   | 574                | 30.8 | 28.1-33.5  | 253          | 11.9 | 10.1-13.7  | 87             | 4.1 | 2.9- 5.3   |
| Native              | 60                | 9,115    | 24                               | 34.7 | 20.0-49.4  | 5             | 6.4  | 0.0-13.1   | 1             | 2.6 | 0.0- 7.5   | 19                 | 43.4 | 27.1-59.7  | 9            | 11.9 | 1.3-22.5   | 2              | 1.0 | 0.0- 2.6   |
| Non-Native          | 2052              | 210,617  | 871                              | 39.7 | 37.0-42.4  | 292           | 13.4 | 11.6-15.2  | 17            | 0.8 | 0.4- 1.2   | 545                | 29.9 | 27.2-32.6  | 242          | 12.0 | 10.0-14.0  | 85             | 4.3 | 3.1- 5.5   |
| 18-24               | 107               | 33,338   | 26                               | 25.8 | 16.6-35.0  | 10            | 8.8  | 3.5-14.1   | 1             | 0.6 | 0.0- 1.8   | 56                 | 49.9 | 39.7-60.1  | 12           | 12.1 | 5.2-19.0   | 2              | 2.8 | 0.0- 7.1   |
| 25-34               | 220               | 40,290   | 94                               | 41.7 | 34.4-49.0  | 34            | 13.9 | 9.2-18.6   | 4             | 1.8 | 0.0- 3.8   | 60                 | 26.5 | 20.0-33.0  | 21           | 11.7 | 6.4-17.0   | 7              | 4.4 | 0.7- 8.1   |
| 35-44               | 279               | 40,061   | 112                              | 41.7 | 35.0-48.4  | 42            | 13.0 | 8.9-17.1   | 1             | 0.3 | 0.0- 0.9   | 90                 | 33.6 | 27.1-40.1  | 24           | 8.1  | 4.6-11.6   | 10             | 3.3 | 1.1- 5.5   |
| 45-54               | 298               | 28,568   | 127                              | 40.3 | 33.8-46.8  | 47            | 13.8 | 9.7-17.9   | 2             | 0.5 | 0.0- 1.3   | 80                 | 30.3 | 24.0-36.6  | 33           | 11.9 | 7.6-16.2   | 9              | 3.2 | 1.0- 5.4   |
| 55-64               | 370               | 31,053   | 160                              | 40.2 | 34.1-46.3  | 49            | 14.0 | 9.9-18.1   | 1             | 0.2 | 0.0- 0.6   | 91                 | 26.5 | 20.8-32.2  | 50           | 14.4 | 10.1-18.7  | 19             | 4.7 | 2.3- 7.1   |
| 65+                 | 861               | 49,817   | 386                              | 43.9 | 40.0-47.8  | 116           | 13.8 | 11.1-16.5  | 9             | 1.2 | 0.2- 2.2   | 197                | 22.4 | 18.9-25.9  | 113          | 13.4 | 10.7-16.1  | 40             | 5.4 | 3.4- 7.4   |
| H.S. or G.E.D.      | 416               | 47,028   | 175                              | 37.3 | 31.2-43.4  | 45            | 9.5  | 6.4-12.6   | 4             | 0.7 | 0.0- 1.5   | 110                | 33.1 | 26.8-39.4  | 59           | 13.7 | 9.6-17.8   | 23             | 5.7 | 2.2- 9.2   |
| Some Post-H.S.      | 638               | 84,704   | 260                              | 37.6 | 32.9-42.3  | 85            | 13.6 | 10.5-16.7  | 4             | 0.7 | 0.0- 1.5   | 168                | 30.3 | 25.8-34.8  | 91           | 13.6 | 10.3-16.9  | 30             | 4.3 | 2.3- 6.3   |
| College Graduate    | 1029              | 79,248   | 444                              | 41.9 | 38.4-45.4  | 165           | 16.1 | 13.6-18.6  | 10            | 1.2 | 0.2- 2.2   | 280                | 29.0 | 25.5-32.5  | 97           | 8.3  | 6.3-10.3   | 33             | 3.4 | 2.0- 4.8   |
| \$15,000- 24,999    | 115               | 15,073   | 53                               | 39.8 | 28.4-51.2  | 12            | 8.8  | 2.3-15.3   |               |     |            | 31                 | 35.2 | 23.6-46.8  | 13           | 10.5 | 3.6-17.4   | 6              | 5.6 | 0.9-10.3   |
| \$25,000- 34,999    | 164               | 17,378   | 70                               | 37.5 | 26.3-48.7  | 11            | 4.1  | 1.0- 7.2   | 1             | 0.6 | 0.0- 1.8   | 51                 | 39.4 | 28.2-50.6  | 21           | 14.7 | 6.3-23.1   | 10             | 3.7 | 1.2- 6.2   |
| \$35,000- 49,999    | 236               | 23,333   | 101                              | 39.2 | 30.8-47.6  | 33            | 13.7 | 8.0-19.4   | 3             | 1.1 | 0.0- 2.5   | 59                 | 31.3 | 22.9-39.7  | 29           | 10.0 | 5.9-14.1   | 11             | 4.8 | 1.5- 8.1   |
| \$50,000- 99,999    | 574               | 57,629   | 253                              | 40.8 | 35.5-46.1  | 74            | 13.3 | 9.8-16.8   | 5             | 0.8 | 0.0- 1.8   | 157                | 29.9 | 24.8-35.0  | 66           | 11.2 | 8.1-14.3   | 19             | 4.0 | 1.5- 6.5   |
| \$100,000 - 199,999 | 425               | 45,975   | 172                              | 40.9 | 35.0-46.8  | 77            | 15.9 | 12.0-19.8  | 5             | 1.4 | 0.0- 2.8   | 110                | 27.8 | 22.1-33.5  | 45           | 10.2 | 6.7-13.7   | 16             | 3.8 | 1.6- 6.0   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 13: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT22)**  
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |                        |      |            |                    |      |            |                            |      |            |                      |     |            |                  |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|------------------------|------|------------|--------------------|------|------------|----------------------------|------|------------|----------------------|-----|------------|------------------|------|------------|
|                     |                   |          | Walking or Running               |      |            | Gardening or household |      |            | Bike or elliptical |      |            | Aerobics or weight lifting |      |            | Calisthenics or yoga |     |            | Other Activities |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                          | %    | C.I. (95%) | N                    | %   | C.I. (95%) | N                | %    | C.I. (95%) |
| TOTAL               | 3158              | 343,912  | 824                              | 27.9 | 25.7-30.1  | 801                    | 20.3 | 18.5-22.1  | 233                | 7.1  | 5.9- 8.3   | 313                        | 12.7 | 10.9-14.5  | 105                  | 3.2 | 2.4- 4.0   | 882              | 28.8 | 26.6-31.0  |
| Male                | 1578              | 181,196  | 404                              | 26.2 | 23.5-28.9  | 312                    | 16.3 | 14.1-18.5  | 117                | 6.1  | 4.7- 7.5   | 185                        | 14.5 | 12.1-16.9  | 33                   | 2.2 | 1.4- 3.0   | 527              | 34.6 | 31.5-37.7  |
| Female              | 1580              | 162,716  | 420                              | 29.7 | 26.6-32.8  | 489                    | 24.7 | 22.2-27.2  | 116                | 8.3  | 6.3-10.3   | 128                        | 10.6 | 8.2-13.0   | 72                   | 4.4 | 3.0- 5.8   | 355              | 22.3 | 19.8-24.8  |
| Native              | 79                | 11,791   | 20                               | 33.4 | 19.7-47.1  | 20                     | 25.2 | 13.6-36.8  | 7                  | 9.7  | 2.4-17.0   | 10                         | 8.1  | 1.6-14.6   |                      |     |            | 22               | 23.6 | 12.8-34.4  |
| Non-Native          | 3036              | 327,088  | 791                              | 27.6 | 25.4-29.8  | 773                    | 20.2 | 18.4-22.0  | 220                | 7.0  | 5.8- 8.2   | 299                        | 12.8 | 11.0-14.6  | 105                  | 3.4 | 2.6- 4.2   | 848              | 28.9 | 26.7-31.1  |
| 18-24               | 211               | 60,838   | 70                               | 32.1 | 25.2-39.0  | 11                     | 4.7  | 1.8- 7.6   | 6                  | 3.8  | 0.7- 6.9   | 47                         | 24.8 | 18.1-31.5  | 10                   | 3.4 | 1.2- 5.6   | 67               | 31.1 | 24.2-38.0  |
| 25-34               | 358               | 64,369   | 114                              | 30.2 | 25.1-35.3  | 42                     | 13.9 | 9.2-18.6   | 23                 | 6.8  | 3.9- 9.7   | 51                         | 13.4 | 9.5-17.3   | 10                   | 2.6 | 0.8- 4.4   | 118              | 33.2 | 27.7-38.7  |
| 35-44               | 492               | 64,538   | 141                              | 29.8 | 25.1-34.5  | 78                     | 16.5 | 12.8-20.2  | 43                 | 9.0  | 6.1-11.9   | 63                         | 12.0 | 8.9-15.1   | 16                   | 2.9 | 1.3- 4.5   | 151              | 29.8 | 25.3-34.3  |
| 45-54               | 461               | 43,853   | 124                              | 26.5 | 21.8-31.2  | 106                    | 22.8 | 18.5-27.1  | 32                 | 7.3  | 4.6-10.0   | 52                         | 11.1 | 7.8-14.4   | 21                   | 5.7 | 2.8- 8.6   | 126              | 26.5 | 22.0-31.0  |
| 55-64               | 484               | 42,914   | 115                              | 25.3 | 20.6-30.0  | 144                    | 29.2 | 24.3-34.1  | 52                 | 11.2 | 7.7-14.7   | 38                         | 7.3  | 4.6-10.0   | 13                   | 2.8 | 0.8- 4.8   | 122              | 24.1 | 19.6-28.6  |
| 65+                 | 1152              | 67,400   | 260                              | 22.5 | 19.6-25.4  | 420                    | 36.9 | 33.6-40.2  | 77                 | 5.9  | 4.3- 7.5   | 62                         | 6.1  | 4.3- 7.9   | 35                   | 2.7 | 1.5- 3.9   | 298              | 26.0 | 22.9-29.1  |
| Less Than H.S.      | 71                | 20,286   | 15                               | 22.6 | 10.3-34.9  | 19                     | 21.0 | 9.6-32.4   | 7                  | 10.6 | 2.8-18.4   | 8                          | 15.9 | 4.5-27.3   | 1                    | 1.6 | 0.0- 4.7   | 21               | 28.4 | 15.5-41.3  |
| H.S. or G.E.D.      | 644               | 79,249   | 164                              | 30.1 | 25.4-34.8  | 205                    | 23.2 | 19.7-26.7  | 39                 | 5.6  | 3.1- 8.1   | 45                         | 11.0 | 7.3-14.7   | 15                   | 2.8 | 1.2- 4.4   | 176              | 27.3 | 23.0-31.6  |
| Some Post-H.S.      | 914               | 130,683  | 237                              | 27.2 | 23.7-30.7  | 237                    | 19.7 | 16.8-22.6  | 64                 | 6.6  | 4.6- 8.6   | 89                         | 12.4 | 9.5-15.3   | 21                   | 2.7 | 1.3- 4.1   | 266              | 31.4 | 27.7-35.1  |
| College Graduate    | 1522              | 113,288  | 405                              | 28.1 | 25.4-30.8  | 340                    | 18.9 | 16.7-21.1  | 123                | 8.2  | 6.6- 9.8   | 170                        | 13.5 | 11.3-15.7  | 66                   | 4.3 | 3.1- 5.5   | 418              | 27.0 | 24.5-29.5  |
| Less than \$15,000  | 51                | 6,939    | 13                               | 31.0 | 13.0-49.0  | 12                     | 15.1 | 3.9-26.3   | 2                  | 3.9  | 0.0- 9.2   | 7                          | 13.2 | 2.8-23.6   | 3                    | 8.4 | 0.0-17.8   | 14               | 28.3 | 10.7-45.9  |
| \$15,000- 24,999    | 121               | 16,423   | 33                               | 26.8 | 17.2-36.4  | 31                     | 18.5 | 11.1-25.9  | 11                 | 10.1 | 2.7-17.5   | 14                         | 18.0 | 7.8-28.2   | 6                    | 6.5 | 0.4-12.6   | 26               | 20.1 | 10.9-29.3  |
| \$25,000- 34,999    | 210               | 25,804   | 54                               | 30.9 | 21.5-40.3  | 54                     | 20.9 | 13.5-28.3  | 14                 | 6.4  | 2.1-10.7   | 11                         | 8.0  | 1.9-14.1   | 8                    | 3.8 | 0.7- 6.9   | 69               | 30.0 | 21.6-38.4  |
| \$35,000- 49,999    | 316               | 31,259   | 80                               | 29.2 | 22.7-35.7  | 102                    | 25.9 | 20.2-31.6  | 19                 | 6.6  | 3.1-10.1   | 23                         | 11.1 | 5.0-17.2   | 6                    | 0.9 | 0.1- 1.7   | 86               | 26.5 | 20.2-32.8  |
| \$50,000- 99,999    | 876               | 93,673   | 197                              | 22.5 | 19.2-25.8  | 230                    | 21.8 | 18.3-25.3  | 80                 | 8.0  | 5.8-10.2   | 86                         | 12.9 | 9.6-16.2   | 31                   | 3.2 | 1.8- 4.6   | 252              | 31.6 | 27.5-35.7  |
| \$100,000 - 199,999 | 787               | 86,056   | 226                              | 31.5 | 27.4-35.6  | 153                    | 16.6 | 13.5-19.7  | 54                 | 6.3  | 4.3- 8.3   | 99                         | 12.8 | 10.1-15.5  | 32                   | 3.7 | 2.1- 5.3   | 223              | 29.2 | 25.1-33.3  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 14: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT22)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Walking or Running |      |            | Gardening or household |      |            | Bike or elliptical |     |            | Aerobics or weight lifting |      |            | Calisthenics or yoga |     |            | Other Activities |      |            |
|---------------------|-------------------|----------|--------------------|------|------------|------------------------|------|------------|--------------------|-----|------------|----------------------------|------|------------|----------------------|-----|------------|------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                  | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                  | %   | C.I. (95%) | N                          | %    | C.I. (95%) | N                    | %   | C.I. (95%) | N                | %    | C.I. (95%) |
| Male                | 1578              | 181,196  | 404                | 26.2 | 23.5-28.9  | 312                    | 16.3 | 14.1-18.5  | 117                | 6.1 | 4.7- 7.5   | 185                        | 14.5 | 12.1-16.9  | 33                   | 2.2 | 1.4- 3.0   | 527              | 34.6 | 31.5-37.7  |
| Non-Native          | 1509              | 172,205  | 386                | 26.1 | 23.4-28.8  | 299                    | 16.3 | 14.1-18.5  | 108                | 5.8 | 4.4- 7.2   | 179                        | 14.8 | 12.3-17.3  | 33                   | 2.3 | 1.3- 3.3   | 504              | 34.7 | 31.6-37.8  |
| 18-24               | 125               | 33,710   | 38                 | 27.6 | 19.0-36.2  | 7                      | 5.1  | 1.2- 9.0   |                    |     |            | 31                         | 26.4 | 17.6-35.2  | 6                    | 3.7 | 0.8- 6.6   | 43               | 37.2 | 27.4-47.0  |
| 25-34               | 204               | 37,036   | 65                 | 30.2 | 23.3-37.1  | 17                     | 8.8  | 3.5-14.1   | 13                 | 6.9 | 2.8-11.0   | 27                         | 13.1 | 7.8-18.4   | 4                    | 1.4 | 0.0- 3.0   | 78               | 39.5 | 31.9-47.1  |
| 35-44               | 275               | 33,450   | 75                 | 27.2 | 21.3-33.1  | 34                     | 12.9 | 8.4-17.4   | 25                 | 8.2 | 4.9-11.5   | 41                         | 15.1 | 10.2-20.0  | 4                    | 1.0 | 0.0- 2.0   | 96               | 35.6 | 29.3-41.9  |
| 45-54               | 249               | 24,196   | 65                 | 26.2 | 19.9-32.5  | 46                     | 18.2 | 12.9-23.5  | 16                 | 6.7 | 3.2-10.2   | 31                         | 13.3 | 8.2-18.4   | 7                    | 3.4 | 0.3- 6.5   | 84               | 32.2 | 25.7-38.7  |
| 55-64               | 217               | 20,570   | 48                 | 23.7 | 16.8-30.6  | 61                     | 28.1 | 20.5-35.7  | 20                 | 8.5 | 4.6-12.4   | 20                         | 8.8  | 4.7-12.9   | 4                    | 2.5 | 0.0- 5.0   | 64               | 28.5 | 21.4-35.6  |
| 65+                 | 508               | 32,234   | 113                | 20.8 | 16.7-24.9  | 147                    | 31.3 | 26.4-36.2  | 43                 | 7.4 | 4.9- 9.9   | 35                         | 7.8  | 4.9-10.7   | 8                    | 1.5 | 0.1- 2.9   | 162              | 31.2 | 26.3-36.1  |
| H.S. or G.E.D.      | 364               | 46,768   | 93                 | 28.3 | 22.8-33.8  | 83                     | 17.5 | 13.4-21.6  | 18                 | 3.8 | 1.8- 5.8   | 34                         | 14.1 | 8.8-19.4   | 9                    | 3.0 | 1.0- 5.0   | 127              | 33.3 | 27.6-39.0  |
| Some Post-H.S.      | 459               | 68,509   | 112                | 24.6 | 20.1-29.1  | 100                    | 16.7 | 13.2-20.2  | 26                 | 4.4 | 2.4- 6.4   | 60                         | 16.0 | 11.7-20.3  | 7                    | 1.7 | 0.3- 3.1   | 154              | 36.6 | 31.3-41.9  |
| College Graduate    | 706               | 51,431   | 188                | 27.1 | 23.4-30.8  | 121                    | 15.0 | 12.1-17.9  | 68                 | 9.3 | 6.9-11.7   | 85                         | 14.3 | 11.2-17.4  | 15                   | 1.8 | 0.8- 2.8   | 229              | 32.6 | 28.7-36.5  |
| \$25,000- 34,999    | 92                | 13,284   | 22                 | 28.1 | 15.8-40.4  | 12                     | 15.0 | 4.4-25.6   | 6                  | 3.8 | 0.3- 7.3   | 8                          | 9.2  | 0.8-17.6   | 2                    | 1.9 | 0.0- 4.6   | 42               | 42.0 | 28.9-55.1  |
| \$35,000- 49,999    | 142               | 14,877   | 39                 | 32.4 | 22.6-42.2  | 35                     | 19.9 | 12.6-27.2  | 5                  | 3.6 | 0.1- 7.1   | 14                         | 13.6 | 5.2-22.0   | 2                    | 0.7 | 0.0- 1.7   | 47               | 29.8 | 20.4-39.2  |
| \$50,000- 99,999    | 457               | 52,752   | 101                | 22.5 | 17.8-27.2  | 101                    | 19.8 | 15.1-24.5  | 44                 | 6.7 | 4.3- 9.1   | 50                         | 12.8 | 8.9-16.7   | 12                   | 2.7 | 0.9- 4.5   | 149              | 35.6 | 29.7-41.5  |
| \$100,000 - 199,999 | 440               | 48,340   | 120                | 28.5 | 23.4-33.6  | 78                     | 13.1 | 9.8-16.4   | 27                 | 5.6 | 3.2- 8.0   | 55                         | 13.4 | 9.7-17.1   | 8                    | 2.0 | 0.2- 3.8   | 152              | 37.4 | 31.7-43.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 15: WHAT OTHER TYPE OF PHYSICAL ACTIVITY GAVE YOU THE NEXT MOST EXERCISE DURING THE PAST MONTH? (EXTRACT22)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Walking or Running |      |            | Gardening or household |      |            | Bike or elliptical |      |            | Aerobics or weight lifting |      |            | Calisthenics or yoga |     |            | Other Activities |      |            |
|---------------------|-------------------|----------|--------------------|------|------------|------------------------|------|------------|--------------------|------|------------|----------------------------|------|------------|----------------------|-----|------------|------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                  | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                          | %    | C.I. (95%) | N                    | %   | C.I. (95%) | N                | %    | C.I. (95%) |
| Female              | 1580              | 162,716  | 420                | 29.7 | 26.6-32.8  | 489                    | 24.7 | 22.2-27.2  | 116                | 8.3  | 6.3-10.3   | 128                        | 10.6 | 8.2-13.0   | 72                   | 4.4 | 3.0- 5.8   | 355              | 22.3 | 19.8-24.8  |
| Non-Native          | 1527              | 154,882  | 405                | 29.2 | 26.1-32.3  | 474                    | 24.6 | 21.9-27.3  | 112                | 8.3  | 6.3-10.3   | 120                        | 10.6 | 8.2-13.0   | 72                   | 4.7 | 3.3- 6.1   | 344              | 22.6 | 19.9-25.3  |
| 18-24               | 86                | 27,129   | 32                 | 37.8 | 26.6-49.0  | 4                      | 4.2  | 0.1- 8.3   | 6                  | 8.6  | 1.5-15.7   | 16                         | 22.9 | 12.5-33.3  | 4                    | 3.0 | 0.1- 5.9   | 24               | 23.5 | 14.5-32.5  |
| 25-34               | 154               | 27,332   | 49                 | 30.2 | 22.4-38.0  | 25                     | 20.7 | 12.5-28.9  | 10                 | 6.5  | 2.4-10.6   | 24                         | 13.8 | 8.3-19.3   | 6                    | 4.2 | 0.7- 7.7   | 40               | 24.6 | 17.3-31.9  |
| 35-44               | 217               | 31,087   | 66                 | 32.6 | 25.0-40.2  | 44                     | 20.3 | 14.2-26.4  | 18                 | 9.9  | 5.0-14.8   | 22                         | 8.6  | 4.7-12.5   | 12                   | 5.0 | 1.9- 8.1   | 55               | 23.6 | 17.1-30.1  |
| 45-54               | 212               | 19,657   | 59                 | 27.0 | 20.1-33.9  | 60                     | 28.5 | 21.2-35.8  | 16                 | 8.0  | 3.7-12.3   | 21                         | 8.5  | 4.6-12.4   | 14                   | 8.6 | 3.3-13.9   | 42               | 19.5 | 13.4-25.6  |
| 55-64               | 267               | 22,344   | 67                 | 26.8 | 20.5-33.1  | 83                     | 30.3 | 23.8-36.8  | 32                 | 13.7 | 8.2-19.2   | 18                         | 6.0  | 2.5- 9.5   | 9                    | 3.1 | 0.2- 6.0   | 58               | 20.1 | 14.8-25.4  |
| 65+                 | 644               | 35,166   | 147                | 24.1 | 20.2-28.0  | 273                    | 42.0 | 37.5-46.5  | 34                 | 4.6  | 2.8- 6.4   | 27                         | 4.4  | 2.4- 6.4   | 27                   | 3.7 | 1.9- 5.5   | 136              | 21.2 | 17.5-24.9  |
| H.S. or G.E.D.      | 280               | 32,481   | 71                 | 32.7 | 24.9-40.5  | 122                    | 31.3 | 24.6-38.0  | 21                 | 8.2  | 2.9-13.5   | 11                         | 6.6  | 1.7-11.5   | 6                    | 2.6 | 0.1- 5.1   | 49               | 18.6 | 12.5-24.7  |
| Some Post-H.S.      | 455               | 62,175   | 125                | 30.0 | 24.5-35.5  | 137                    | 23.1 | 18.4-27.8  | 38                 | 9.0  | 5.7-12.3   | 29                         | 8.4  | 4.9-11.9   | 14                   | 3.8 | 1.4- 6.2   | 112              | 25.7 | 20.8-30.6  |
| College Graduate    | 816               | 61,857   | 217                | 28.9 | 25.2-32.6  | 219                    | 22.2 | 19.1-25.3  | 55                 | 7.3  | 4.9- 9.7   | 85                         | 12.9 | 10.0-15.8  | 51                   | 6.4 | 4.2- 8.6   | 189              | 22.3 | 19.0-25.6  |
| \$15,000- 24,999    | 73                | 10,443   | 19                 | 25.4 | 13.2-37.6  | 23                     | 22.6 | 12.2-33.0  | 3                  | 5.5  | 0.0-12.9   | 9                          | 19.2 | 6.1-32.3   | 4                    | 7.0 | 0.0-15.4   | 15               | 20.3 | 8.0-32.6   |
| \$25,000- 34,999    | 118               | 12,520   | 32                 | 33.9 | 20.0-47.8  | 42                     | 27.1 | 16.1-38.1  | 8                  | 9.2  | 1.4-17.0   | 3                          | 6.7  | 0.0-15.7   | 6                    | 5.8 | 0.0-11.7   | 27               | 17.3 | 8.3-26.3   |
| \$35,000- 49,999    | 174               | 16,382   | 41                 | 26.2 | 17.8-34.6  | 67                     | 31.2 | 22.6-39.8  | 14                 | 9.2  | 3.3-15.1   | 9                          | 8.8  | 0.0-17.6   | 4                    | 1.0 | 0.0- 2.2   | 39               | 23.5 | 15.5-31.5  |
| \$50,000- 99,999    | 419               | 40,921   | 96                 | 22.6 | 17.5-27.7  | 129                    | 24.5 | 19.4-29.6  | 36                 | 9.7  | 5.8-13.6   | 36                         | 13.0 | 7.7-18.3   | 19                   | 3.8 | 1.6- 6.0   | 103              | 26.5 | 21.2-31.8  |
| \$100,000 - 199,999 | 347               | 37,717   | 106                | 35.4 | 28.7-42.1  | 75                     | 21.1 | 15.6-26.6  | 27                 | 7.1  | 4.2-10.0   | 44                         | 11.9 | 7.8-16.0   | 24                   | 5.8 | 3.1- 8.5   | 71               | 18.7 | 13.6-23.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 16: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)**

Denominator excludes: Respondents reporting no moderate physical activity  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 5 or more days per week |      |            | 1-10 days per month |      |            | 11 to 15 days per month |     |            | 16 or more days per month |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                         | %    | C.I. (95%) |
| TOTAL               | 3088              | 338,061  | 1497              | 47.5 | 45.1-49.9  | 530                     | 16.5 | 14.7-18.3  | 647                 | 22.5 | 20.5-24.5  | 100                     | 3.3 | 2.5- 4.1   | 314                       | 10.2 | 8.8-11.6   |
| Male                | 1550              | 178,715  | 737               | 45.7 | 42.6-48.8  | 261                     | 16.2 | 13.8-18.6  | 356                 | 24.4 | 21.5-27.3  | 52                      | 3.1 | 2.1- 4.1   | 144                       | 10.5 | 8.3-12.7   |
| Female              | 1538              | 159,346  | 760               | 49.5 | 46.2-52.8  | 269                     | 16.9 | 14.4-19.4  | 291                 | 20.3 | 17.6-23.0  | 48                      | 3.4 | 2.0- 4.8   | 170                       | 9.8  | 8.0-11.6   |
| Native              | 78                | 11,704   | 31                | 43.0 | 29.5-56.5  | 14                      | 16.6 | 7.8-25.4   | 23                  | 27.0 | 15.0-39.0  | 1                       | 0.7 | 0.0- 2.1   | 9                         | 12.7 | 2.9-22.5   |
| Non-Native          | 2968              | 321,377  | 1448              | 47.6 | 45.2-50.0  | 508                     | 16.5 | 14.7-18.3  | 619                 | 22.5 | 20.5-24.5  | 97                      | 3.4 | 2.6- 4.2   | 296                       | 10.0 | 8.6-11.4   |
| 18-24               | 210               | 60,621   | 99                | 47.4 | 40.0-54.8  | 34                      | 15.5 | 10.2-20.8  | 48                  | 23.2 | 16.7-29.7  | 8                       | 3.8 | 0.9- 6.7   | 21                        | 10.0 | 5.3-14.7   |
| 25-34               | 354               | 63,822   | 184               | 49.5 | 43.6-55.4  | 49                      | 15.0 | 10.9-19.1  | 86                  | 25.3 | 20.0-30.6  | 10                      | 2.8 | 1.0- 4.6   | 25                        | 7.3  | 4.4-10.2   |
| 35-44               | 484               | 63,236   | 254               | 50.6 | 45.5-55.7  | 60                      | 13.7 | 10.0-17.4  | 112                 | 23.4 | 19.1-27.7  | 18                      | 3.7 | 1.7- 5.7   | 40                        | 8.5  | 5.6-11.4   |
| 45-54               | 450               | 42,713   | 229               | 48.0 | 42.7-53.3  | 74                      | 18.2 | 13.9-22.5  | 97                  | 20.5 | 16.4-24.6  | 12                      | 2.5 | 0.9- 4.1   | 38                        | 10.8 | 7.1-14.5   |
| 55-64               | 477               | 42,544   | 218               | 43.8 | 38.5-49.1  | 83                      | 17.3 | 13.2-21.4  | 110                 | 24.1 | 19.4-28.8  | 16                      | 3.3 | 1.3- 5.3   | 50                        | 11.4 | 7.5-15.3   |
| 65+                 | 1113              | 65,125   | 513               | 44.6 | 41.1-48.1  | 230                     | 20.1 | 17.4-22.8  | 194                 | 18.4 | 15.7-21.1  | 36                      | 3.2 | 2.0- 4.4   | 140                       | 13.6 | 11.1-16.1  |
| Less Than H.S.      | 68                | 20,035   | 27                | 39.0 | 24.9-53.1  | 13                      | 18.4 | 7.8-29.0   | 16                  | 22.9 | 10.0-35.8  | 2                       | 4.6 | 0.0-11.1   | 10                        | 15.1 | 4.3-25.9   |
| H.S. or G.E.D.      | 625               | 77,545   | 259               | 42.4 | 37.5-47.3  | 127                     | 19.2 | 15.3-23.1  | 148                 | 24.1 | 19.8-28.4  | 21                      | 3.2 | 1.6- 4.8   | 70                        | 11.2 | 8.1-14.3   |
| Some Post-H.S.      | 893               | 128,180  | 413               | 46.2 | 42.3-50.1  | 160                     | 17.1 | 14.2-20.0  | 176                 | 21.8 | 18.5-25.1  | 33                      | 3.7 | 2.1- 5.3   | 111                       | 11.2 | 8.8-13.6   |
| College Graduate    | 1495              | 111,896  | 796               | 54.1 | 51.2-57.0  | 229                     | 13.7 | 11.7-15.7  | 306                 | 22.2 | 19.7-24.7  | 43                      | 2.5 | 1.7- 3.3   | 121                       | 7.5  | 5.9- 9.1   |
| \$15,000- 24,999    | 117               | 15,935   | 60                | 53.6 | 42.0-65.2  | 16                      | 16.0 | 7.2-24.8   | 17                  | 14.7 | 7.1-22.3   | 3                       | 3.1 | 0.0- 6.8   | 21                        | 12.6 | 6.5-18.7   |
| \$25,000- 34,999    | 205               | 25,459   | 86                | 40.2 | 30.6-49.8  | 43                      | 17.6 | 10.9-24.3  | 37                  | 22.9 | 13.9-31.9  | 10                      | 5.0 | 1.5- 8.5   | 29                        | 14.3 | 7.4-21.2   |
| \$35,000- 49,999    | 309               | 30,476   | 136               | 42.3 | 35.0-49.6  | 55                      | 18.1 | 12.8-23.4  | 67                  | 25.1 | 18.6-31.6  | 14                      | 4.3 | 1.6- 7.0   | 37                        | 10.2 | 6.3-14.1   |
| \$50,000- 99,999    | 856               | 92,006   | 415               | 47.9 | 43.6-52.2  | 151                     | 15.2 | 12.1-18.3  | 185                 | 24.3 | 20.2-28.4  | 21                      | 2.8 | 1.0- 4.6   | 84                        | 9.8  | 7.4-12.2   |
| \$100,000 - 199,999 | 780               | 85,534   | 409               | 51.7 | 47.4-56.0  | 116                     | 15.4 | 12.1-18.7  | 177                 | 23.1 | 19.4-26.8  | 23                      | 2.7 | 1.3- 4.1   | 55                        | 7.2  | 4.8- 9.6   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 17: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 5 or more days per week |      |            | 1-10 days per month |      |            | 11 to 15 days per month |     |            | 16 or more days per month |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                         | %    | C.I. (95%) |
| Male                | 1550              | 178,715  | 737               | 45.7 | 42.6-48.8  | 261                     | 16.2 | 13.8-18.6  | 356                 | 24.4 | 21.5-27.3  | 52                      | 3.1 | 2.1- 4.1   | 144                       | 10.5 | 8.3-12.7   |
| Non-Native          | 1482              | 169,811  | 711               | 46.1 | 42.8-49.4  | 248                     | 15.9 | 13.5-18.3  | 340                 | 24.4 | 21.5-27.3  | 50                      | 3.2 | 2.2- 4.2   | 133                       | 10.4 | 8.2-12.6   |
| 18-24               | 124               | 33,492   | 58                | 45.9 | 36.1-55.7  | 21                      | 16.2 | 9.1-23.3   | 26                  | 21.8 | 13.2-30.4  | 4                       | 2.4 | 0.0- 4.9   | 15                        | 13.7 | 6.1-21.3   |
| 25-34               | 202               | 36,816   | 100               | 46.1 | 38.3-53.9  | 29                      | 15.0 | 9.5-20.5   | 51                  | 27.8 | 20.4-35.2  | 5                       | 2.5 | 0.1- 4.9   | 17                        | 8.5  | 4.4-12.6   |
| 35-44               | 272               | 33,023   | 146               | 51.5 | 44.8-58.2  | 29                      | 12.3 | 7.6-17.0   | 65                  | 24.4 | 18.5-30.3  | 12                      | 4.4 | 1.7- 7.1   | 20                        | 7.4  | 4.1-10.7   |
| 45-54               | 244               | 23,678   | 122               | 45.7 | 38.6-52.8  | 42                      | 18.3 | 12.4-24.2  | 56                  | 24.3 | 18.0-30.6  | 5                       | 1.9 | 0.1- 3.7   | 19                        | 9.8  | 5.3-14.3   |
| 55-64               | 212               | 20,300   | 92                | 41.5 | 33.7-49.3  | 41                      | 17.7 | 11.8-23.6  | 52                  | 25.6 | 18.5-32.7  | 10                      | 4.7 | 1.2- 8.2   | 17                        | 10.6 | 4.1-17.1   |
| 65+                 | 496               | 31,406   | 219               | 41.9 | 36.8-47.0  | 99                      | 19.1 | 14.8-23.4  | 106                 | 22.7 | 18.2-27.2  | 16                      | 3.0 | 1.2- 4.8   | 56                        | 13.3 | 9.4-17.2   |
| H.S. or G.E.D.      | 353               | 45,637   | 148               | 44.6 | 38.3-50.9  | 71                      | 19.0 | 14.3-23.7  | 83                  | 22.3 | 17.2-27.4  | 14                      | 3.3 | 1.3- 5.3   | 37                        | 10.8 | 6.9-14.7   |
| Some Post-H.S.      | 453               | 67,794   | 197               | 42.2 | 36.9-47.5  | 77                      | 16.4 | 12.5-20.3  | 111                 | 26.4 | 21.5-31.3  | 17                      | 3.6 | 1.6- 5.6   | 51                        | 11.4 | 7.9-14.9   |
| College Graduate    | 697               | 50,984   | 375               | 55.0 | 50.7-59.3  | 104                     | 12.5 | 9.8-15.2   | 151                 | 23.2 | 19.5-26.9  | 20                      | 2.4 | 1.2- 3.6   | 47                        | 6.8  | 4.6- 9.0   |
| \$25,000- 34,999    | 90                | 13,113   | 38                | 38.8 | 25.9-51.7  | 14                      | 14.3 | 5.5-23.1   | 19                  | 21.7 | 9.9-33.5   | 7                       | 6.6 | 0.9-12.3   | 12                        | 18.6 | 7.2-30.0   |
| \$35,000- 49,999    | 141               | 14,815   | 57                | 39.3 | 29.1-49.5  | 32                      | 22.8 | 14.2-31.4  | 29                  | 24.9 | 15.1-34.7  | 5                       | 2.6 | 0.1- 5.1   | 18                        | 10.4 | 4.9-15.9   |
| \$50,000- 99,999    | 448               | 51,957   | 212               | 47.1 | 41.2-53.0  | 72                      | 13.1 | 9.4-16.8   | 112                 | 28.8 | 22.9-34.7  | 14                      | 2.4 | 0.8- 4.0   | 38                        | 8.6  | 5.5-11.7   |
| \$100,000 - 199,999 | 434               | 47,851   | 225               | 50.6 | 44.9-56.3  | 61                      | 13.9 | 10.0-17.8  | 109                 | 27.1 | 21.8-32.4  | 9                       | 1.7 | 0.3- 3.1   | 30                        | 6.7  | 3.8- 9.6   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 18: HOW MANY TIMES PER WEEK OR PER MONTH DID YOU TAKE PART IN THIS ACTIVITY DURING THE PAST MONTH? (EXEROFT2)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 5 or more days per week |      |            | 1-10 days per month |      |            | 11 to 15 days per month |     |            | 16 or more days per month |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                         | %    | C.I. (95%) |
| Female              | 1538              | 159,346  | 760               | 49.5 | 46.2-52.8  | 269                     | 16.9 | 14.4-19.4  | 291                 | 20.3 | 17.6-23.0  | 48                      | 3.4 | 2.0- 4.8   | 170                       | 9.8  | 8.0-11.6   |
| Non-Native          | 1486              | 151,566  | 737               | 49.3 | 46.0-52.6  | 260                     | 17.1 | 14.6-19.6  | 279                 | 20.3 | 17.6-23.0  | 47                      | 3.6 | 2.2- 5.0   | 163                       | 9.6  | 7.8-11.4   |
| 18-24               | 86                | 27,129   | 41                | 49.2 | 37.6-60.8  | 13                      | 14.7 | 6.5-22.9   | 22                  | 25.0 | 15.0-35.0  | 4                       | 5.6 | 0.0-11.3   | 6                         | 5.5  | 0.8-10.2   |
| 25-34               | 152               | 27,006   | 84                | 54.2 | 45.4-63.0  | 20                      | 15.0 | 8.5-21.5   | 35                  | 21.9 | 14.8-29.0  | 5                       | 3.2 | 0.3- 6.1   | 8                         | 5.7  | 1.8- 9.6   |
| 35-44               | 212               | 30,213   | 108               | 49.7 | 41.9-57.5  | 31                      | 15.4 | 9.5-21.3   | 47                  | 22.3 | 15.8-28.8  | 6                       | 2.9 | 0.5- 5.3   | 20                        | 9.7  | 4.8-14.6   |
| 45-54               | 206               | 19,036   | 107               | 50.9 | 42.9-58.9  | 32                      | 18.0 | 11.7-24.3  | 41                  | 15.8 | 10.7-20.9  | 7                       | 3.2 | 0.5- 5.9   | 19                        | 12.1 | 6.2-18.0   |
| 55-64               | 265               | 22,243   | 126               | 46.0 | 38.9-53.1  | 42                      | 17.0 | 11.5-22.5  | 58                  | 22.8 | 16.7-28.9  | 6                       | 2.1 | 0.3- 3.9   | 33                        | 12.1 | 7.4-16.8   |
| 65+                 | 617               | 33,719   | 294               | 47.2 | 42.5-51.9  | 131                     | 21.0 | 17.3-24.7  | 88                  | 14.4 | 11.1-17.7  | 20                      | 3.4 | 1.6- 5.2   | 84                        | 13.9 | 10.8-17.0  |
| H.S. or G.E.D.      | 272               | 31,908   | 111               | 39.2 | 31.4-47.0  | 56                      | 19.4 | 12.5-26.3  | 65                  | 26.8 | 19.4-34.2  | 7                       | 2.9 | 0.5- 5.3   | 33                        | 11.7 | 6.6-16.8   |
| Some Post-H.S.      | 440               | 60,386   | 216               | 50.7 | 44.8-56.6  | 83                      | 18.0 | 13.7-22.3  | 65                  | 16.5 | 12.0-21.0  | 16                      | 3.9 | 1.5- 6.3   | 60                        | 10.9 | 7.6-14.2   |
| College Graduate    | 798               | 60,912   | 421               | 53.3 | 49.2-57.4  | 125                     | 14.7 | 11.8-17.6  | 155                 | 21.4 | 17.9-24.9  | 23                      | 2.6 | 1.4- 3.8   | 74                        | 8.1  | 5.9-10.3   |
| \$15,000- 24,999    | 71                | 10,260   | 31                | 52.1 | 37.4-66.8  | 11                      | 15.6 | 5.6-25.6   | 12                  | 16.8 | 6.4-27.2   |                         |     |            | 17                        | 15.5 | 7.1-23.9   |
| \$25,000- 34,999    | 115               | 12,346   | 48                | 41.7 | 27.8-55.6  | 29                      | 21.2 | 11.0-31.4  | 18                  | 24.1 | 10.4-37.8  | 3                       | 3.2 | 0.0- 7.1   | 17                        | 9.8  | 3.1-16.5   |
| \$35,000- 49,999    | 168               | 15,661   | 79                | 45.0 | 34.8-55.2  | 23                      | 13.7 | 7.2-20.2   | 38                  | 25.4 | 16.8-34.0  | 9                       | 5.9 | 1.2-10.6   | 19                        | 10.0 | 4.5-15.5   |
| \$50,000- 99,999    | 408               | 40,048   | 203               | 49.0 | 42.5-55.5  | 79                      | 18.0 | 13.1-22.9  | 73                  | 18.4 | 13.5-23.3  | 7                       | 3.4 | 0.0- 7.1   | 46                        | 11.2 | 7.5-14.9   |
| \$100,000 - 199,999 | 346               | 37,683   | 184               | 53.0 | 46.3-59.7  | 55                      | 17.2 | 11.9-22.5  | 68                  | 17.9 | 13.2-22.6  | 14                      | 4.0 | 1.6- 6.4   | 25                        | 7.8  | 3.9-11.7   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 19: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)**  
Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |               |      |            |               |     |            |                    |      |            |              |      |            |                |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|------|------------|
|                     |                   |          | 30 mins or less                  |      |            | 31 to 45 mins |      |            | 46 to 59 mins |     |            | 1hr to 1hr 59 mins |      |            | 2hrs to 3hrs |      |            | More than 3hrs |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N             | %    | C.I. (95%) | N             | %   | C.I. (95%) | N                  | %    | C.I. (95%) | N            | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL               | 3086              | 338,747  | 1148                             | 36.4 | 34.2-38.6  | 276           | 8.2  | 7.0- 9.4   | 16            | 0.5 | 0.3- 0.7   | 848                | 28.6 | 26.4-30.8  | 534          | 18.0 | 16.2-19.8  | 264            | 8.4  | 7.0- 9.8   |
| Male                | 1549              | 178,717  | 482                              | 29.4 | 26.7-32.1  | 123           | 7.7  | 5.9- 9.5   | 11            | 0.6 | 0.2- 1.0   | 454                | 29.1 | 26.4-31.8  | 313          | 22.9 | 20.0-25.8  | 166            | 10.3 | 8.1-12.5   |
| Female              | 1537              | 160,029  | 666                              | 44.1 | 40.8-47.4  | 153           | 8.7  | 6.9-10.5   | 5             | 0.4 | 0.0- 0.8   | 394                | 28.1 | 25.0-31.2  | 221          | 12.5 | 10.5-14.5  | 98             | 6.3  | 4.7- 7.9   |
| Native              | 76                | 11,311   | 26                               | 40.4 | 26.3-54.5  | 6             | 7.7  | 0.1-15.3   |               |     |            | 16                 | 18.0 | 8.8-27.2   | 19           | 28.1 | 15.6-40.6  | 9              | 5.9  | 1.6-10.2   |
| Non-Native          | 2970              | 322,533  | 1105                             | 36.1 | 33.9-38.3  | 265           | 8.2  | 7.0- 9.4   | 16            | 0.5 | 0.3- 0.7   | 827                | 29.3 | 27.1-31.5  | 507          | 17.5 | 15.7-19.3  | 250            | 8.4  | 7.0- 9.8   |
| 18-24               | 210               | 60,679   | 68                               | 30.2 | 23.5-36.9  | 16            | 6.8  | 3.3-10.3   |               |     |            | 73                 | 35.1 | 27.8-42.4  | 43           | 22.3 | 15.8-28.8  | 10             | 5.6  | 1.7- 9.5   |
| 25-34               | 355               | 64,016   | 131                              | 35.7 | 30.2-41.2  | 27            | 7.4  | 4.5-10.3   | 1             | 0.1 | 0.0- 0.3   | 110                | 28.7 | 23.6-33.8  | 68           | 20.2 | 15.5-24.9  | 18             | 7.9  | 3.8-12.0   |
| 35-44               | 489               | 64,171   | 187                              | 40.9 | 35.8-46.0  | 47            | 8.8  | 6.1-11.5   | 3             | 0.4 | 0.0- 0.8   | 140                | 27.0 | 22.7-31.3  | 86           | 17.3 | 13.6-21.0  | 26             | 5.5  | 3.3- 7.7   |
| 45-54               | 455               | 43,247   | 166                              | 37.4 | 32.1-42.7  | 47            | 9.5  | 6.6-12.4   | 3             | 0.8 | 0.0- 1.8   | 127                | 28.4 | 23.5-33.3  | 68           | 14.1 | 10.6-17.6  | 44             | 9.9  | 6.8-13.0   |
| 55-64               | 471               | 41,913   | 176                              | 37.2 | 32.1-42.3  | 45            | 10.1 | 6.6-13.6   | 2             | 1.0 | 0.0- 2.6   | 126                | 26.1 | 21.4-30.8  | 68           | 14.7 | 10.6-18.8  | 54             | 11.0 | 7.7-14.3   |
| 65+                 | 1106              | 64,720   | 420                              | 37.0 | 33.7-40.3  | 94            | 7.4  | 5.6- 9.2   | 7             | 0.7 | 0.1- 1.3   | 272                | 25.7 | 22.6-28.8  | 201          | 17.3 | 14.6-20.0  | 112            | 11.7 | 9.3-14.1   |
| Less Than H.S.      | 69                | 19,935   | 22                               | 29.2 | 16.5-41.9  | 3             | 2.4  | 0.0- 5.7   |               |     |            | 16                 | 18.8 | 8.4-29.2   | 17           | 32.2 | 18.1-46.3  | 11             | 17.3 | 5.0-29.6   |
| H.S. or G.E.D.      | 620               | 77,338   | 197                              | 31.9 | 27.2-36.6  | 39            | 7.4  | 4.7-10.1   |               |     |            | 186                | 32.5 | 27.8-37.2  | 118          | 17.9 | 14.2-21.6  | 80             | 10.4 | 7.7-13.1   |
| Some Post-H.S.      | 898               | 129,194  | 324                              | 35.4 | 31.7-39.1  | 72            | 7.5  | 5.3- 9.7   | 9             | 0.9 | 0.3- 1.5   | 241                | 28.9 | 25.2-32.6  | 170          | 18.9 | 15.8-22.0  | 82             | 8.4  | 6.2-10.6   |
| College Graduate    | 1492              | 111,875  | 603                              | 41.9 | 39.0-44.8  | 162           | 10.6 | 8.8-12.4   | 7             | 0.4 | 0.0- 0.8   | 401                | 27.2 | 24.7-29.7  | 228          | 14.6 | 12.6-16.6  | 91             | 5.4  | 4.0- 6.8   |
| Less than \$15,000  | 50                | 6,916    | 22                               | 49.4 | 31.0-67.8  |               |      |            |               |     |            | 15                 | 21.4 | 8.9-33.9   | 11           | 27.4 | 9.4-45.4   | 2              | 1.8  | 0.0- 4.3   |
| \$15,000- 24,999    | 117               | 16,190   | 41                               | 36.2 | 25.2-47.2  | 6             | 2.9  | 0.0- 6.4   | 2             | 0.9 | 0.0- 2.3   | 42                 | 41.1 | 29.7-52.5  | 17           | 14.3 | 5.3-23.3   | 9              | 4.6  | 1.3- 7.9   |
| \$25,000- 34,999    | 203               | 25,527   | 71                               | 29.8 | 21.4-38.2  | 13            | 6.6  | 1.3-11.9   | 2             | 0.8 | 0.0- 2.0   | 64                 | 37.7 | 28.1-47.3  | 38           | 18.1 | 10.5-25.7  | 15             | 7.0  | 2.3-11.7   |
| \$35,000- 49,999    | 307               | 30,437   | 115                              | 38.2 | 30.9-45.5  | 28            | 10.5 | 5.4-15.6   | 1             | 0.3 | 0.0- 0.9   | 88                 | 25.3 | 19.4-31.2  | 52           | 18.1 | 12.6-23.6  | 23             | 7.6  | 3.7-11.5   |
| \$50,000- 99,999    | 859               | 92,441   | 293                              | 31.0 | 27.1-34.9  | 87            | 9.3  | 6.9-11.7   | 4             | 0.4 | 0.0- 0.8   | 248                | 29.8 | 25.9-33.7  | 146          | 17.6 | 14.3-20.9  | 81             | 11.9 | 8.4-15.4   |
| \$100,000 - 199,999 | 782               | 85,581   | 310                              | 40.0 | 35.7-44.3  | 74            | 7.9  | 5.9- 9.9   | 2             | 0.2 | 0.0- 0.6   | 201                | 27.0 | 23.1-30.9  | 139          | 18.7 | 15.2-22.2  | 56             | 6.2  | 4.4- 8.0   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 20: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)**  
Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |               |      |            |               |     |            |                    |      |            |              |      |            |                |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|------|------------|
|                     |                   |          | 30 mins or less                  |      |            | 31 to 45 mins |      |            | 46 to 59 mins |     |            | 1hr to 1hr 59 mins |      |            | 2hrs to 3hrs |      |            | More than 3hrs |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N             | %    | C.I. (95%) | N             | %   | C.I. (95%) | N                  | %    | C.I. (95%) | N            | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Male                | 1549              | 178,717  | 482                              | 29.4 | 26.7-32.1  | 123           | 7.7  | 5.9- 9.5   | 11            | 0.6 | 0.2- 1.0   | 454                | 29.1 | 26.4-31.8  | 313          | 22.9 | 20.0-25.8  | 166            | 10.3 | 8.1-12.5   |
| Non-Native          | 1483              | 170,018  | 458                              | 29.3 | 26.4-32.2  | 117           | 7.8  | 6.0- 9.6   | 11            | 0.6 | 0.2- 1.0   | 443                | 29.8 | 26.9-32.7  | 295          | 22.2 | 19.3-25.1  | 159            | 10.4 | 8.2-12.6   |
| 18-24               | 124               | 33,550   | 30                               | 20.4 | 13.3-27.5  | 9             | 7.3  | 2.2-12.4   |               |     |            | 46                 | 34.0 | 25.0-43.0  | 34           | 32.9 | 23.1-42.7  | 5              | 5.4  | 0.0-11.1   |
| 25-34               | 201               | 36,684   | 65                               | 31.5 | 24.2-38.8  | 14            | 7.0  | 2.9-11.1   | 1             | 0.3 | 0.0- 0.9   | 65                 | 28.6 | 21.9-35.3  | 47           | 24.8 | 18.1-31.5  | 9              | 7.8  | 2.1-13.5   |
| 35-44               | 274               | 33,327   | 87                               | 31.7 | 25.4-38.0  | 27            | 10.1 | 6.0-14.2   | 2             | 0.6 | 0.0- 1.4   | 85                 | 29.0 | 23.3-34.7  | 58           | 22.3 | 16.6-28.0  | 15             | 6.3  | 3.0- 9.6   |
| 45-54               | 246               | 23,788   | 79                               | 33.6 | 26.5-40.7  | 17            | 6.6  | 3.1-10.1   | 3             | 1.4 | 0.0- 3.2   | 72                 | 28.2 | 21.9-34.5  | 42           | 16.7 | 11.8-21.6  | 33             | 13.5 | 8.6-18.4   |
| 55-64               | 210               | 19,926   | 67                               | 33.2 | 25.6-40.8  | 12            | 5.9  | 2.2- 9.6   | 1             | 0.6 | 0.0- 1.8   | 63                 | 27.4 | 20.5-34.3  | 39           | 18.8 | 11.7-25.9  | 28             | 14.1 | 8.4-19.8   |
| 65+                 | 494               | 31,443   | 154                              | 28.6 | 23.9-33.3  | 44            | 8.6  | 5.9-11.3   | 4             | 0.8 | 0.0- 1.8   | 123                | 26.1 | 21.4-30.8  | 93           | 18.1 | 14.0-22.2  | 76             | 17.9 | 13.6-22.2  |
| H.S. or G.E.D.      | 351               | 45,720   | 95                               | 27.5 | 22.0-33.0  | 26            | 9.1  | 5.0-13.2   |               |     |            | 103                | 30.2 | 24.5-35.9  | 74           | 22.0 | 16.7-27.3  | 53             | 11.2 | 7.9-14.5   |
| Some Post-H.S.      | 453               | 67,658   | 132                              | 27.9 | 23.2-32.6  | 29            | 6.8  | 3.9- 9.7   | 6             | 1.0 | 0.0- 2.0   | 127                | 29.5 | 24.6-34.4  | 108          | 25.6 | 20.7-30.5  | 51             | 9.2  | 6.5-11.9   |
| College Graduate    | 697               | 50,967   | 242                              | 34.5 | 30.4-38.6  | 66            | 9.2  | 6.8-11.6   | 5             | 0.6 | 0.0- 1.2   | 214                | 31.7 | 27.8-35.6  | 118          | 16.8 | 13.7-19.9  | 52             | 7.2  | 4.8- 9.6   |
| \$25,000- 34,999    | 89                | 13,102   | 29                               | 29.7 | 17.5-41.9  | 4             | 8.1  | 0.0-17.3   | 1             | 0.9 | 0.0- 2.7   | 29                 | 32.8 | 20.6-45.0  | 19           | 23.7 | 11.4-36.0  | 7              | 4.8  | 0.0- 9.7   |
| \$35,000- 49,999    | 138               | 14,372   | 44                               | 29.6 | 20.4-38.8  | 13            | 14.8 | 5.6-24.0   | 1             | 0.7 | 0.0- 2.1   | 43                 | 26.8 | 18.0-35.6  | 22           | 18.9 | 10.5-27.3  | 15             | 9.3  | 3.4-15.2   |
| \$50,000- 99,999    | 448               | 51,952   | 115                              | 24.0 | 19.1-28.9  | 43            | 8.5  | 5.6-11.4   | 3             | 0.5 | 0.0- 1.3   | 142                | 30.1 | 25.0-35.2  | 90           | 22.7 | 17.6-27.8  | 55             | 14.1 | 8.8-19.4   |
| \$100,000 - 199,999 | 437               | 48,046   | 149                              | 33.1 | 27.8-38.4  | 32            | 6.4  | 3.9- 8.9   | 2             | 0.4 | 0.0- 1.0   | 120                | 27.7 | 22.6-32.8  | 96           | 24.1 | 18.8-29.4  | 38             | 8.3  | 5.4-11.2   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 21: AND WHEN YOU TOOK PART IN THIS ACTIVITY, FOR HOW MANY MINUTES OR HOURS DID YOU USUALLY KEEP AT IT? (EXERHMM2)**  
Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |               |      |            |               |     |            |                    |      |            |              |      |            |                |     |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------------|------|------------|--------------|------|------------|----------------|-----|------------|
|                     |                   |          | 30 mins or less                  |      |            | 31 to 45 mins |      |            | 46 to 59 mins |     |            | 1hr to 1hr 59 mins |      |            | 2hrs to 3hrs |      |            | More than 3hrs |     |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N             | %    | C.I. (95%) | N             | %   | C.I. (95%) | N                  | %    | C.I. (95%) | N            | %    | C.I. (95%) | N              | %   | C.I. (95%) |
| Female              | 1537              | 160,029  | 666                              | 44.1 | 40.8-47.4  | 153           | 8.7  | 6.9-10.5   | 5             | 0.4 | 0.0- 0.8   | 394                | 28.1 | 25.0-31.2  | 221          | 12.5 | 10.5-14.5  | 98             | 6.3 | 4.7- 7.9   |
| Non-Native          | 1487              | 152,515  | 647                              | 43.7 | 40.4-47.0  | 148           | 8.7  | 6.9-10.5   | 5             | 0.4 | 0.0- 0.8   | 384                | 28.8 | 25.7-31.9  | 212          | 12.3 | 10.1-14.5  | 91             | 6.1 | 4.3- 7.9   |
| 18-24               | 86                | 27,129   | 38                               | 42.3 | 30.9-53.7  | 7             | 6.2  | 1.5-10.9   |               |     |            | 27                 | 36.6 | 25.2-48.0  | 9            | 9.0  | 2.9-15.1   | 5              | 5.8 | 0.7-10.9   |
| 25-34               | 154               | 27,332   | 66                               | 41.2 | 32.8-49.6  | 13            | 7.8  | 3.3-12.3   |               |     |            | 45                 | 28.9 | 20.9-36.9  | 21           | 14.0 | 7.9-20.1   | 9              | 8.1 | 2.2-14.0   |
| 35-44               | 215               | 30,845   | 100                              | 50.9 | 43.1-58.7  | 20            | 7.5  | 4.0-11.0   | 1             | 0.2 | 0.0- 0.6   | 55                 | 24.9 | 18.4-31.4  | 28           | 12.0 | 7.5-16.5   | 11             | 4.6 | 1.9- 7.3   |
| 45-54               | 209               | 19,459   | 87                               | 42.0 | 34.2-49.8  | 30            | 13.1 | 8.0-18.2   |               |     |            | 55                 | 28.5 | 21.1-35.9  | 26           | 10.9 | 6.2-15.6   | 11             | 5.4 | 1.9- 8.9   |
| 55-64               | 261               | 21,987   | 109                              | 40.8 | 33.7-47.9  | 33            | 13.9 | 8.4-19.4   | 1             | 1.4 | 0.0- 4.1   | 63                 | 24.9 | 18.6-31.2  | 29           | 11.0 | 6.5-15.5   | 26             | 8.1 | 4.8-11.4   |
| 65+                 | 612               | 33,277   | 266                              | 45.0 | 40.3-49.7  | 50            | 6.4  | 4.4- 8.4   | 3             | 0.7 | 0.0- 1.5   | 149                | 25.4 | 21.3-29.5  | 108          | 16.6 | 13.3-19.9  | 36             | 5.9 | 3.7- 8.1   |
| H.S. or G.E.D.      | 269               | 31,618   | 102                              | 38.2 | 30.2-46.2  | 13            | 4.9  | 1.8- 8.0   |               |     |            | 83                 | 35.8 | 27.8-43.8  | 44           | 11.9 | 7.4-16.4   | 27             | 9.2 | 4.9-13.5   |
| Some Post-H.S.      | 445               | 61,536   | 192                              | 43.6 | 37.7-49.5  | 43            | 8.3  | 5.4-11.2   | 3             | 0.7 | 0.0- 1.7   | 114                | 28.2 | 22.7-33.7  | 62           | 11.6 | 8.3-14.9   | 31             | 7.5 | 4.2-10.8   |
| College Graduate    | 795               | 60,908   | 361                              | 48.0 | 43.9-52.1  | 96            | 11.7 | 9.0-14.4   | 2             | 0.3 | 0.0- 0.7   | 187                | 23.4 | 19.9-26.9  | 110          | 12.6 | 9.9-15.3   | 39             | 4.0 | 2.6- 5.4   |
| \$15,000- 24,999    | 70                | 10,262   | 29                               | 44.8 | 29.9-59.7  | 5             | 1.9  | 0.0- 3.9   |               |     |            | 24                 | 36.9 | 22.6-51.2  | 7            | 12.0 | 0.8-23.2   | 5              | 4.4 | 0.3- 8.5   |
| \$25,000- 34,999    | 114               | 12,425   | 42                               | 30.0 | 18.0-42.0  | 9             | 5.1  | 0.8- 9.4   | 1             | 0.7 | 0.0- 2.1   | 35                 | 42.8 | 28.5-57.1  | 19           | 12.1 | 4.3-19.9   | 8              | 9.4 | 1.2-17.6   |
| \$35,000- 49,999    | 169               | 16,066   | 71                               | 46.0 | 35.8-56.2  | 15            | 6.7  | 2.0-11.4   |               |     |            | 45                 | 23.9 | 16.1-31.7  | 30           | 17.4 | 10.1-24.7  | 8              | 6.0 | 0.9-11.1   |
| \$50,000- 99,999    | 411               | 40,488   | 178                              | 40.0 | 33.9-46.1  | 44            | 10.2 | 6.7-13.7   | 1             | 0.2 | 0.0- 0.6   | 106                | 29.4 | 23.3-35.5  | 56           | 11.1 | 7.6-14.6   | 26             | 9.1 | 4.8-13.4   |
| \$100,000 - 199,999 | 345               | 37,535   | 161                              | 48.9 | 42.2-55.6  | 42            | 9.7  | 6.4-13.0   |               |     |            | 81                 | 26.0 | 19.9-32.1  | 43           | 11.9 | 7.6-16.2   | 18             | 3.5 | 1.7- 5.3   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 22: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)**

Denominator excludes: Respondents reporting no moderate physical activity  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 5 or more days per week |      |            | 1-10 days per month |      |            | 11 to 15 days per month |     |            | 16 or more days per month |      |            | Never |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|-------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                         | %    | C.I. (95%) | N     | %    | C.I. (95%) |
| TOTAL               | 5508              | 584,935  | 1149              | 22.5 | 20.9-24.1  | 618                     | 11.8 | 10.6-13.0  | 552                 | 10.3 | 9.3-11.3   | 132                     | 2.6 | 2.0- 3.2   | 383                       | 7.2  | 6.2- 8.2   | 2674  | 45.6 | 43.8-47.4  |
| Male                | 2702              | 299,493  | 553               | 21.8 | 19.8-23.8  | 343                     | 13.7 | 11.9-15.5  | 272                 | 10.1 | 8.7-11.5   | 84                      | 3.3 | 2.5- 4.1   | 202                       | 8.2  | 6.8- 9.6   | 1248  | 42.9 | 40.5-45.3  |
| Female              | 2806              | 285,442  | 596               | 23.2 | 21.0-25.4  | 275                     | 9.8  | 8.2-11.4   | 280                 | 10.6 | 9.0-12.2   | 48                      | 1.9 | 1.1- 2.7   | 181                       | 6.1  | 4.9- 7.3   | 1426  | 48.4 | 45.9-50.9  |
| Native              | 158               | 23,515   | 30                | 22.3 | 13.1-31.5  | 21                      | 12.9 | 6.2-19.6   | 26                  | 16.0 | 9.1-22.9   | 4                       | 2.4 | 0.0- 5.1   | 16                        | 11.6 | 4.3-18.9   | 61    | 34.7 | 25.1-44.3  |
| Non-Native          | 5268              | 552,119  | 1105              | 22.6 | 21.0-24.2  | 583                     | 11.6 | 10.4-12.8  | 519                 | 10.1 | 9.1-11.1   | 128                     | 2.7 | 2.1- 3.3   | 362                       | 7.1  | 6.1- 8.1   | 2571  | 45.9 | 44.1-47.7  |
| 18-24               | 296               | 82,309   | 78                | 28.7 | 22.8-34.6  | 56                      | 19.2 | 14.3-24.1  | 37                  | 11.2 | 7.5-14.9   | 8                       | 2.7 | 0.5- 4.9   | 29                        | 9.1  | 5.6-12.6   | 88    | 29.0 | 23.1-34.9  |
| 25-34               | 568               | 105,861  | 139               | 23.9 | 20.0-27.8  | 59                      | 10.4 | 7.7-13.1   | 73                  | 12.7 | 9.6-15.8   | 20                      | 3.3 | 1.7- 4.9   | 32                        | 5.4  | 3.2- 7.6   | 245   | 44.3 | 39.6-49.0  |
| 35-44               | 733               | 100,549  | 188               | 25.8 | 22.1-29.5  | 77                      | 11.0 | 8.3-13.7   | 61                  | 7.3  | 5.3- 9.3   | 23                      | 3.1 | 1.5- 4.7   | 54                        | 8.2  | 5.8-10.6   | 330   | 44.7 | 40.6-48.8  |
| 45-54               | 799               | 79,541   | 162               | 19.8 | 16.7-22.9  | 87                      | 11.0 | 8.5-13.5   | 89                  | 11.7 | 9.0-14.4   | 15                      | 2.0 | 0.8- 3.2   | 46                        | 6.1  | 4.1- 8.1   | 400   | 49.3 | 45.4-53.2  |
| 55-64               | 923               | 84,557   | 169               | 18.3 | 15.4-21.2  | 93                      | 10.4 | 7.9-12.9   | 92                  | 10.4 | 8.0-12.8   | 22                      | 2.5 | 1.3- 3.7   | 65                        | 7.4  | 5.2- 9.6   | 482   | 51.0 | 47.1-54.9  |
| 65+                 | 2189              | 132,118  | 413               | 19.2 | 17.2-21.2  | 246                     | 10.2 | 8.6-11.8   | 200                 | 9.2  | 7.8-10.6   | 44                      | 2.2 | 1.4- 3.0   | 157                       | 7.3  | 5.9- 8.7   | 1129  | 51.9 | 49.4-54.4  |
| Less Than H.S.      | 158               | 41,384   | 33                | 22.2 | 14.2-30.2  | 17                      | 11.5 | 5.6-17.4   | 18                  | 9.6  | 4.3-14.9   | 4                       | 2.7 | 0.0- 5.8   | 8                         | 6.3  | 1.6-11.0   | 78    | 47.6 | 38.0-57.2  |
| H.S. or G.E.D.      | 1370              | 152,260  | 241               | 20.7 | 17.8-23.6  | 169                     | 13.1 | 10.7-15.5  | 141                 | 11.0 | 8.8-13.2   | 29                      | 2.2 | 1.2- 3.2   | 99                        | 7.3  | 5.5- 9.1   | 691   | 45.8 | 42.5-49.1  |
| Some Post-H.S.      | 1710              | 223,698  | 338               | 21.9 | 19.4-24.4  | 204                     | 13.0 | 11.0-15.0  | 145                 | 9.1  | 7.3-10.9   | 44                      | 3.1 | 2.1- 4.1   | 133                       | 8.1  | 6.5- 9.7   | 846   | 44.8 | 41.9-47.7  |
| College Graduate    | 2252              | 165,633  | 534               | 25.2 | 23.0-27.4  | 224                     | 8.9  | 7.5-10.3   | 247                 | 11.4 | 9.8-13.0   | 55                      | 2.4 | 1.6- 3.2   | 141                       | 6.0  | 4.8- 7.2   | 1051  | 46.1 | 43.7-48.5  |
| Less than \$15,000  | 138               | 17,236   | 20                | 17.0 | 6.6-27.4   | 17                      | 16.6 | 6.4-26.8   | 13                  | 9.0  | 3.7-14.3   | 5                       | 2.8 | 0.0- 5.7   | 12                        | 10.4 | 2.8-18.0   | 71    | 44.1 | 32.7-55.5  |
| \$15,000- 24,999    | 295               | 34,596   | 61                | 26.5 | 19.6-33.4  | 40                      | 15.7 | 10.0-21.4  | 28                  | 9.9  | 5.6-14.2   | 4                       | 1.1 | 0.0- 2.5   | 17                        | 6.4  | 2.5-10.3   | 145   | 40.3 | 33.2-47.4  |
| \$25,000- 34,999    | 442               | 47,585   | 79                | 20.8 | 15.1-26.5  | 51                      | 11.4 | 7.5-15.3   | 44                  | 12.4 | 7.9-16.9   | 9                       | 2.4 | 0.4- 4.4   | 32                        | 9.7  | 5.6-13.8   | 227   | 43.4 | 37.1-49.7  |
| \$35,000- 49,999    | 605               | 58,730   | 123               | 22.1 | 17.6-26.6  | 70                      | 11.3 | 8.0-14.6   | 64                  | 11.1 | 7.8-14.4   | 18                      | 3.7 | 1.5- 5.9   | 51                        | 8.4  | 5.9-10.9   | 279   | 43.3 | 38.2-48.4  |
| \$50,000- 99,999    | 1508              | 160,270  | 308               | 21.9 | 19.2-24.6  | 165                     | 11.5 | 9.3-13.7   | 150                 | 10.5 | 8.5-12.5   | 37                      | 2.8 | 1.6- 4.0   | 97                        | 5.8  | 4.4- 7.2   | 751   | 47.6 | 44.3-50.9  |
| \$100,000 - 199,999 | 1125              | 122,027  | 276               | 24.4 | 21.3-27.5  | 110                     | 10.0 | 7.8-12.2   | 118                 | 9.9  | 7.9-11.9   | 32                      | 3.5 | 2.1- 4.9   | 69                        | 6.1  | 4.3- 7.9   | 520   | 46.1 | 42.6-49.6  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 23: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)**

**Denominator excludes: Respondents reporting no moderate physical activity**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 5 or more days per week |      |            | 1-10 days per month |      |            | 11 to 15 days per month |     |            | 16 or more days per month |      |            | Never |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|-------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                         | %    | C.I. (95%) | N     | %    | C.I. (95%) |
| Male                | 2702              | 299,493  | 553               | 21.8 | 19.8-23.8  | 343                     | 13.7 | 11.9-15.5  | 272                 | 10.1 | 8.7-11.5   | 84                      | 3.3 | 2.5- 4.1   | 202                       | 8.2  | 6.8- 9.6   | 1248  | 42.9 | 40.5-45.3  |
| Native              | 66                | 10,318   | 16                | 21.4 | 10.6-32.2  | 9                       | 15.9 | 4.7-27.1   | 8                   | 8.5  | 1.4-15.6   | 3                       | 4.7 | 0.0-10.4   | 8                         | 16.7 | 3.6-29.8   | 22    | 32.8 | 18.3-47.3  |
| Non-Native          | 2588              | 284,145  | 529               | 21.9 | 19.7-24.1  | 325                     | 13.4 | 11.6-15.2  | 261                 | 10.2 | 8.8-11.6   | 81                      | 3.3 | 2.5- 4.1   | 190                       | 8.0  | 6.6- 9.4   | 1202  | 43.2 | 40.8-45.6  |
| 18-24               | 173               | 44,125   | 42                | 25.6 | 18.3-32.9  | 41                      | 24.6 | 17.3-31.9  | 22                  | 11.0 | 6.3-15.7   | 7                       | 3.7 | 1.0- 6.4   | 19                        | 11.4 | 5.9-16.9   | 42    | 23.8 | 16.4-31.2  |
| 25-34               | 308               | 56,172   | 82                | 27.2 | 21.5-32.9  | 33                      | 10.4 | 6.7-14.1   | 35                  | 11.8 | 7.5-16.1   | 13                      | 3.5 | 1.5- 5.5   | 22                        | 6.3  | 3.4- 9.2   | 123   | 40.8 | 34.5-47.1  |
| 35-44               | 410               | 52,776   | 111               | 26.5 | 21.8-31.2  | 44                      | 12.2 | 8.5-15.9   | 35                  | 7.3  | 4.8- 9.8   | 17                      | 3.7 | 1.7- 5.7   | 32                        | 9.1  | 5.8-12.4   | 171   | 41.2 | 35.9-46.5  |
| 45-54               | 415               | 41,824   | 83                | 18.7 | 14.6-22.8  | 58                      | 14.9 | 10.8-19.0  | 46                  | 11.8 | 8.1-15.5   | 7                       | 2.4 | 0.4- 4.4   | 26                        | 6.6  | 3.7- 9.5   | 195   | 45.5 | 40.0-51.0  |
| 55-64               | 430               | 42,686   | 75                | 17.2 | 13.1-21.3  | 50                      | 11.1 | 7.6-14.6   | 39                  | 8.3  | 5.4-11.2   | 11                      | 3.0 | 1.0- 5.0   | 35                        | 8.8  | 5.1-12.5   | 220   | 51.6 | 45.9-57.3  |
| 65+                 | 966               | 61,910   | 160               | 15.5 | 12.8-18.2  | 117                     | 11.0 | 8.6-13.4   | 95                  | 10.2 | 8.0-12.4   | 29                      | 3.5 | 1.9- 5.1   | 68                        | 7.7  | 5.5- 9.9   | 497   | 52.1 | 48.4-55.8  |
| Less Than H.S.      | 88                | 22,958   | 17                | 21.6 | 11.4-31.8  | 11                      | 14.0 | 5.4-22.6   | 9                   | 7.2  | 1.5-12.9   | 3                       | 2.3 | 0.0- 5.0   | 5                         | 7.5  | 0.4-14.6   | 43    | 47.4 | 34.7-60.1  |
| H.S. or G.E.D.      | 736               | 86,138   | 124               | 19.8 | 16.1-23.5  | 105                     | 15.9 | 12.6-19.2  | 78                  | 10.4 | 7.9-12.9   | 20                      | 2.5 | 1.3- 3.7   | 58                        | 8.0  | 5.6-10.4   | 351   | 43.5 | 39.2-47.8  |
| Some Post-H.S.      | 829               | 114,974  | 160               | 21.1 | 17.8-24.4  | 110                     | 14.3 | 11.4-17.2  | 68                  | 9.0  | 6.6-11.4   | 28                      | 4.2 | 2.4- 6.0   | 74                        | 9.6  | 7.1-12.1   | 389   | 41.8 | 37.9-45.7  |
| College Graduate    | 1039              | 73,980   | 251               | 25.6 | 22.5-28.7  | 113                     | 9.8  | 7.8-11.8   | 116                 | 12.1 | 9.7-14.5   | 33                      | 3.4 | 2.2- 4.6   | 64                        | 6.2  | 4.6- 7.8   | 462   | 43.0 | 39.5-46.5  |
| Less than \$15,000  | 62                | 7,024    | 7                 | 9.3  | 1.9-16.7   | 9                       | 20.9 | 4.4-37.4   | 8                   | 12.9 | 3.5-22.3   |                         |     |            | 4                         | 6.5  | 0.0-13.9   | 34    | 50.3 | 34.2-66.4  |
| \$15,000- 24,999    | 111               | 13,030   | 25                | 27.3 | 16.7-37.9  | 18                      | 19.7 | 9.1-30.3   | 10                  | 9.1  | 2.6-15.6   | 2                       | 1.8 | 0.0- 4.9   | 5                         | 2.8  | 0.3- 5.3   | 51    | 39.3 | 27.3-51.3  |
| \$25,000- 34,999    | 197               | 23,253   | 35                | 18.1 | 11.2-25.0  | 20                      | 9.8  | 4.5-15.1   | 21                  | 12.8 | 5.7-19.9   | 6                       | 4.5 | 0.6- 8.4   | 17                        | 14.8 | 7.4-22.2   | 98    | 40.0 | 31.4-48.6  |
| \$35,000- 49,999    | 280               | 27,982   | 51                | 21.3 | 15.0-27.6  | 39                      | 14.1 | 9.0-19.2   | 31                  | 11.2 | 6.1-16.3   | 12                      | 5.3 | 1.8- 8.8   | 26                        | 11.1 | 6.6-15.6   | 121   | 36.9 | 30.2-43.6  |
| \$50,000- 99,999    | 790               | 88,463   | 157               | 22.3 | 18.6-26.0  | 93                      | 12.9 | 9.8-16.0   | 76                  | 9.3  | 6.8-11.8   | 27                      | 3.5 | 1.9- 5.1   | 53                        | 6.3  | 4.1- 8.5   | 384   | 45.7 | 41.4-50.0  |
| \$100,000 - 199,999 | 640               | 70,150   | 152               | 22.5 | 18.6-26.4  | 71                      | 12.1 | 9.0-15.2   | 70                  | 10.9 | 8.0-13.8   | 19                      | 3.5 | 1.7- 5.3   | 45                        | 7.0  | 4.6- 9.4   | 283   | 44.0 | 39.3-48.7  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 24: DURING THE PAST MONTH, HOW MANY TIMES PER WEEK OR PER MONTH DID YOU DO PHYSICAL ACTIVITIES OR EXERCISES TO STRENGTHEN YOUR MUSCLES? DO NOT COUNT AEROBIC ACTIVITIES LIKE WALKING, RUNNING, OR BICYCLING. COUNT ACTIVITIES USING YOUR OWN BODY WEIGHT LIKE YOGA, SIT-UPS OR PUSH-UPS AND THOSE USING WEIGHT MACHINES, FREE WEIGHTS, OR ELASTIC BANDS. (STRENGTH)**

**Denominator excludes: Respondents reporting no moderate physical activity**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 5 or more days per week |      |            | 1-10 days per month |      |            | 11 to 15 days per month |     |            | 16 or more days per month |      |            | Never |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|------|------------|---------------------|------|------------|-------------------------|-----|------------|---------------------------|------|------------|-------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                         | %    | C.I. (95%) | N     | %    | C.I. (95%) |
| Female              | 2806              | 285,442  | 596               | 23.2 | 21.0-25.4  | 275                     | 9.8  | 8.2-11.4   | 280                 | 10.6 | 9.0-12.2   | 48                      | 1.9 | 1.1- 2.7   | 181                       | 6.1  | 4.9- 7.3   | 1426  | 48.4 | 45.9-50.9  |
| Native              | 92                | 13,197   | 14                | 23.0 | 9.1-36.9   | 12                      | 10.6 | 2.4-18.8   | 18                  | 21.9 | 11.1-32.7  | 1                       | 0.7 | 0.0- 2.1   | 8                         | 7.5  | 0.4-14.6   | 39    | 36.3 | 23.4-49.2  |
| Non-Native          | 2680              | 267,975  | 576               | 23.4 | 21.2-25.6  | 258                     | 9.7  | 8.1-11.3   | 258                 | 10.0 | 8.4-11.6   | 47                      | 2.0 | 1.2- 2.8   | 172                       | 6.1  | 4.9- 7.3   | 1369  | 48.7 | 46.2-51.2  |
| 18-24               | 123               | 38,184   | 36                | 32.4 | 23.0-41.8  | 15                      | 13.0 | 6.5-19.5   | 15                  | 11.5 | 5.8-17.2   | 1                       | 1.6 | 0.0- 4.7   | 10                        | 6.5  | 2.4-10.6   | 46    | 35.1 | 26.1-44.1  |
| 25-34               | 260               | 49,689   | 57                | 20.3 | 14.6-26.0  | 26                      | 10.3 | 6.4-14.2   | 38                  | 13.8 | 9.3-18.3   | 7                       | 3.1 | 0.7- 5.5   | 10                        | 4.4  | 1.5- 7.3   | 122   | 48.2 | 41.3-55.1  |
| 35-44               | 323               | 47,773   | 77                | 25.0 | 19.3-30.7  | 33                      | 9.7  | 6.2-13.2   | 26                  | 7.2  | 4.1-10.3   | 6                       | 2.4 | 0.0- 4.8   | 22                        | 7.1  | 4.0-10.2   | 159   | 48.6 | 42.3-54.9  |
| 45-54               | 384               | 37,717   | 79                | 21.1 | 16.2-26.0  | 29                      | 6.6  | 3.9- 9.3   | 43                  | 11.7 | 7.8-15.6   | 8                       | 1.6 | 0.4- 2.8   | 20                        | 5.4  | 2.9- 7.9   | 205   | 53.6 | 47.7-59.5  |
| 55-64               | 493               | 41,870   | 94                | 19.5 | 15.2-23.8  | 43                      | 9.6  | 5.9-13.3   | 53                  | 12.6 | 8.9-16.3   | 11                      | 2.0 | 0.6- 3.4   | 30                        | 6.0  | 3.5- 8.5   | 262   | 50.3 | 45.0-55.6  |
| 65+                 | 1223              | 70,209   | 253               | 22.4 | 19.5-25.3  | 129                     | 9.6  | 7.6-11.6   | 105                 | 8.3  | 6.5-10.1   | 15                      | 1.0 | 0.2- 1.8   | 89                        | 6.9  | 5.3- 8.5   | 632   | 51.8 | 48.5-55.1  |
| Less Than H.S.      | 70                | 18,426   | 16                | 23.0 | 10.1-35.9  | 6                       | 8.5  | 0.7-16.3   | 9                   | 12.6 | 3.2-22.0   | 1                       | 3.3 | 0.0- 9.6   | 3                         | 4.7  | 0.0-10.6   | 35    | 48.0 | 33.7-62.3  |
| H.S. or G.E.D.      | 634               | 66,122   | 117               | 21.9 | 17.2-26.6  | 64                      | 9.4  | 6.3-12.5   | 63                  | 11.7 | 8.4-15.0   | 9                       | 1.9 | 0.1- 3.7   | 41                        | 6.3  | 3.9- 8.7   | 340   | 48.8 | 43.5-54.1  |
| Some Post-H.S.      | 881               | 108,724  | 178               | 22.6 | 18.9-26.3  | 94                      | 11.6 | 8.9-14.3   | 77                  | 9.3  | 6.9-11.7   | 16                      | 2.0 | 0.8- 3.2   | 59                        | 6.5  | 4.5- 8.5   | 457   | 48.0 | 43.9-52.1  |
| College Graduate    | 1213              | 91,653   | 283               | 24.8 | 21.9-27.7  | 111                     | 8.2  | 6.2-10.2   | 131                 | 10.9 | 8.7-13.1   | 22                      | 1.6 | 0.8- 2.4   | 77                        | 5.8  | 4.2- 7.4   | 589   | 48.6 | 45.3-51.9  |
| Less than \$15,000  | 76                | 10,212   | 13                | 22.3 | 6.2-38.4   | 8                       | 13.7 | 1.0-26.4   | 5                   | 6.3  | 0.4-12.2   | 5                       | 4.8 | 0.0- 9.9   | 8                         | 13.1 | 1.3-24.9   | 37    | 39.8 | 24.3-55.3  |
| \$15,000- 24,999    | 184               | 21,565   | 36                | 26.0 | 16.8-35.2  | 22                      | 13.3 | 6.8-19.8   | 18                  | 10.4 | 4.7-16.1   | 2                       | 0.8 | 0.0- 1.8   | 12                        | 8.6  | 2.7-14.5   | 94    | 40.9 | 32.3-49.5  |
| \$25,000- 34,999    | 245               | 24,333   | 44                | 23.4 | 14.6-32.2  | 31                      | 12.9 | 7.2-18.6   | 23                  | 12.0 | 6.3-17.7   | 3                       | 0.3 | 0.0- 0.7   | 15                        | 4.8  | 1.5- 8.1   | 129   | 46.5 | 37.7-55.3  |
| \$35,000- 49,999    | 325               | 30,748   | 72                | 22.8 | 16.3-29.3  | 31                      | 8.6  | 4.3-12.9   | 33                  | 11.1 | 6.6-15.6   | 6                       | 2.3 | 0.0- 4.7   | 25                        | 5.9  | 3.2- 8.6   | 158   | 49.2 | 41.9-56.5  |
| \$50,000- 99,999    | 718               | 71,806   | 151               | 21.5 | 17.6-25.4  | 72                      | 9.8  | 6.9-12.7   | 74                  | 11.8 | 8.7-14.9   | 10                      | 1.9 | 0.1- 3.7   | 44                        | 5.1  | 3.3- 6.9   | 367   | 49.9 | 45.2-54.6  |
| \$100,000 - 199,999 | 485               | 51,877   | 124               | 26.9 | 22.0-31.8  | 39                      | 7.2  | 4.5- 9.9   | 48                  | 8.5  | 5.8-11.2   | 13                      | 3.5 | 1.0- 6.0   | 24                        | 4.9  | 2.5- 7.3   | 237   | 49.1 | 43.6-54.6  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 5: HYPERTENSION AWARENESS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

| TABLE                                                                                                                   | PAGE |
|-------------------------------------------------------------------------------------------------------------------------|------|
| HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE?<br>(BPHIGH6) |      |
| 1 MALES AND FEMALES                                                                                                     | 56   |
| 2 MALES ONLY                                                                                                            | 57   |
| 3 FEMALES ONLY                                                                                                          | 58   |
| ARE YOU CURRENTLY TAKING PRESCRIPTION MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS1)                                  |      |
| 4 MALES AND FEMALES                                                                                                     | 59   |
| 5 MALES ONLY                                                                                                            | 60   |
| 6 FEMALES ONLY                                                                                                          | 61   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH6)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N    | Yes  |            | Yes, during pregnancy |     |            | N    | No   |            | Borderline high or pre-hypertensive |     |            |
|---------------------|-------------------|----------|------|------|------------|-----------------------|-----|------------|------|------|------------|-------------------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED |      | %    | C.I. (95%) | N                     | %   | C.I. (95%) |      | %    | C.I. (95%) | N                                   | %   | C.I. (95%) |
| TOTAL               | 5725              | 605,462  | 2304 | 31.8 | 30.4-33.2  | 51                    | 1.4 | 1.0- 1.8   | 3329 | 66.2 | 64.6-67.8  | 41                                  | 0.6 | 0.4- 0.8   |
| Male                | 2806              | 309,716  | 1199 | 35.6 | 33.4-37.8  |                       |     |            | 1580 | 63.8 | 61.6-66.0  | 27                                  | 0.7 | 0.3- 1.1   |
| Female              | 2919              | 295,745  | 1105 | 27.8 | 25.8-29.8  | 51                    | 2.9 | 1.9- 3.9   | 1749 | 68.8 | 66.6-71.0  | 14                                  | 0.5 | 0.1- 0.9   |
| Native              | 163               | 24,585   | 80   | 34.0 | 25.4-42.6  | 3                     | 2.4 | 0.0- 5.1   | 79   | 63.3 | 54.5-72.1  | 1                                   | 0.3 | 0.0- 0.9   |
| Non-Native          | 5474              | 570,990  | 2193 | 31.8 | 30.2-33.4  | 47                    | 1.4 | 0.8- 2.0   | 3194 | 66.2 | 64.6-67.8  | 40                                  | 0.6 | 0.4- 0.8   |
| 18-24               | 307               | 85,203   | 24   | 7.2  | 4.1-10.3   | 3                     | 0.8 | 0.0- 1.8   | 280  | 92.0 | 88.9-95.1  |                                     |     |            |
| 25-34               | 580               | 108,491  | 86   | 15.3 | 12.0-18.6  | 17                    | 3.5 | 1.5- 5.5   | 473  | 80.5 | 76.8-84.2  | 4                                   | 0.7 | 0.0- 1.5   |
| 35-44               | 758               | 104,229  | 160  | 19.9 | 16.8-23.0  | 12                    | 2.6 | 1.0- 4.2   | 578  | 76.6 | 73.3-79.9  | 8                                   | 0.9 | 0.3- 1.5   |
| 45-54               | 816               | 81,239   | 284  | 36.6 | 32.7-40.5  | 5                     | 0.8 | 0.0- 1.8   | 521  | 61.9 | 58.0-65.8  | 6                                   | 0.7 | 0.1- 1.3   |
| 55-64               | 964               | 88,751   | 419  | 43.5 | 39.8-47.2  | 4                     | 0.4 | 0.0- 0.8   | 533  | 55.5 | 51.8-59.2  | 8                                   | 0.5 | 0.1- 0.9   |
| 65+                 | 2300              | 137,549  | 1331 | 58.6 | 56.2-61.0  | 10                    | 0.3 | 0.1- 0.5   | 944  | 40.7 | 38.3-43.1  | 15                                  | 0.5 | 0.3- 0.7   |
| Less Than H.S.      | 171               | 42,830   | 70   | 29.8 | 22.2-37.4  | 4                     | 3.3 | 0.0- 7.0   | 97   | 66.9 | 58.7-75.1  |                                     |     |            |
| H.S. or G.E.D.      | 1439              | 159,608  | 631  | 32.4 | 29.7-35.1  | 11                    | 1.5 | 0.5- 2.5   | 784  | 65.4 | 62.5-68.3  | 13                                  | 0.7 | 0.3- 1.1   |
| Some Post-H.S.      | 1775              | 231,504  | 739  | 33.6 | 31.1-36.1  | 14                    | 1.1 | 0.5- 1.7   | 1009 | 64.7 | 62.2-67.2  | 13                                  | 0.6 | 0.2- 1.0   |
| College Graduate    | 2320              | 169,466  | 858  | 29.3 | 27.3-31.3  | 22                    | 1.3 | 0.7- 1.9   | 1425 | 68.8 | 66.6-71.0  | 15                                  | 0.6 | 0.2- 1.0   |
| Less than \$15,000  | 148               | 18,175   | 58   | 28.4 | 18.6-38.2  |                       |     |            | 90   | 71.6 | 61.8-81.4  |                                     |     |            |
| \$15,000- 24,999    | 309               | 36,203   | 148  | 33.5 | 27.4-39.6  | 2                     | 1.6 | 0.0- 3.8   | 157  | 64.5 | 58.0-71.0  | 2                                   | 0.4 | 0.0- 1.0   |
| \$25,000- 34,999    | 459               | 49,325   | 235  | 40.2 | 34.3-46.1  | 4                     | 0.9 | 0.0- 1.9   | 216  | 57.6 | 51.5-63.7  | 4                                   | 1.3 | 0.0- 2.9   |
| \$35,000- 49,999    | 627               | 61,211   | 304  | 38.8 | 34.1-43.5  | 4                     | 0.7 | 0.0- 1.5   | 313  | 59.6 | 54.9-64.3  | 6                                   | 0.9 | 0.1- 1.7   |
| \$50,000- 99,999    | 1550              | 164,401  | 610  | 30.9 | 28.2-33.6  | 12                    | 1.4 | 0.6- 2.2   | 918  | 67.3 | 64.6-70.0  | 10                                  | 0.4 | 0.2- 0.6   |
| \$100,000 - 199,999 | 1146              | 123,409  | 349  | 25.4 | 22.7-28.1  | 14                    | 1.6 | 0.6- 2.6   | 773  | 72.3 | 69.4-75.2  | 10                                  | 0.7 | 0.1- 1.3   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            | Borderline high or pre-hypertensive |     |            |
|---------------------|-------------------|----------|------|------|------------|------|------|------------|-------------------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                                   | %   | C.I. (95%) |
| Male                | 2806              | 309,716  | 1199 | 35.6 | 33.4-37.8  | 1580 | 63.8 | 61.6-66.0  | 27                                  | 0.7 | 0.3- 1.1   |
| Native              | 69                | 10,837   | 38   | 43.5 | 29.4-57.6  | 31   | 56.5 | 42.4-70.6  |                                     |     |            |
| Non-Native          | 2686              | 293,495  | 1139 | 35.3 | 33.1-37.5  | 1520 | 64.0 | 61.8-66.2  | 27                                  | 0.7 | 0.3- 1.1   |
| 18-24               | 177               | 44,806   | 17   | 9.7  | 4.8-14.6   | 160  | 90.3 | 85.4-95.2  |                                     |     |            |
| 25-34               | 317               | 58,044   | 58   | 19.9 | 14.8-25.0  | 257  | 79.6 | 74.5-84.7  | 2                                   | 0.5 | 0.0- 1.3   |
| 35-44               | 422               | 54,305   | 117  | 26.6 | 21.9-31.3  | 298  | 71.9 | 67.2-76.6  | 7                                   | 1.6 | 0.4- 2.8   |
| 45-54               | 421               | 42,476   | 161  | 39.6 | 34.3-44.9  | 256  | 59.7 | 54.4-65.0  | 4                                   | 0.7 | 0.0- 1.5   |
| 55-64               | 454               | 45,486   | 235  | 51.4 | 45.9-56.9  | 215  | 48.1 | 42.6-53.6  | 4                                   | 0.5 | 0.0- 1.1   |
| 65+                 | 1015              | 64,600   | 611  | 61.3 | 57.8-64.8  | 394  | 38.0 | 34.5-41.5  | 10                                  | 0.7 | 0.1- 1.3   |
| Less Than H.S.      | 96                | 23,645   | 46   | 39.8 | 28.2-51.4  | 50   | 60.2 | 48.6-71.8  |                                     |     |            |
| H.S. or G.E.D.      | 774               | 90,247   | 340  | 34.5 | 30.8-38.2  | 428  | 65.0 | 61.3-68.7  | 6                                   | 0.5 | 0.1- 0.9   |
| Some Post-H.S.      | 861               | 118,761  | 364  | 35.8 | 32.1-39.5  | 488  | 63.4 | 59.7-67.1  | 9                                   | 0.7 | 0.1- 1.3   |
| College Graduate    | 1064              | 75,560   | 446  | 35.4 | 32.3-38.5  | 606  | 63.5 | 60.2-66.8  | 12                                  | 1.1 | 0.3- 1.9   |
| Less than \$15,000  | 67                | 7,440    | 28   | 40.8 | 25.1-56.5  | 39   | 59.2 | 43.5-74.9  |                                     |     |            |
| \$15,000- 24,999    | 117               | 13,586   | 59   | 39.0 | 28.2-49.8  | 57   | 60.9 | 50.1-71.7  | 1                                   | 0.1 | 0.0- 0.3   |
| \$25,000- 34,999    | 206               | 24,367   | 109  | 47.2 | 38.2-56.2  | 94   | 51.3 | 42.3-60.3  | 3                                   | 1.4 | 0.0- 3.2   |
| \$35,000- 49,999    | 296               | 29,915   | 155  | 45.0 | 38.1-51.9  | 139  | 54.0 | 47.1-60.9  | 2                                   | 1.0 | 0.0- 2.6   |
| \$50,000- 99,999    | 808               | 90,364   | 346  | 34.5 | 30.6-38.4  | 456  | 65.2 | 61.3-69.1  | 6                                   | 0.3 | 0.0- 0.7   |
| \$100,000 - 199,999 | 652               | 70,962   | 227  | 29.9 | 25.8-34.0  | 417  | 69.2 | 65.1-73.3  | 8                                   | 0.9 | 0.3- 1.5   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N    | Yes  |            | Yes, during pregnancy |     |            | N    | No   |            | Borderline high or pre-hypertensive |     |            |
|---------------------|-------------------|----------|------|------|------------|-----------------------|-----|------------|------|------|------------|-------------------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED |      | %    | C.I. (95%) | N                     | %   | C.I. (95%) |      | %    | C.I. (95%) | N                                   | %   | C.I. (95%) |
| Female              | 2919              | 295,745  | 1105 | 27.8 | 25.8-29.8  | 51                    | 2.9 | 1.9- 3.9   | 1749 | 68.8 | 66.6-71.0  | 14                                  | 0.5 | 0.1- 0.9   |
| Native              | 94                | 13,748   | 42   | 26.5 | 16.5-36.5  | 3                     | 4.3 | 0.0- 9.4   | 48   | 68.6 | 57.6-79.6  | 1                                   | 0.5 | 0.0- 1.5   |
| Non-Native          | 2788              | 277,495  | 1054 | 28.1 | 26.1-30.1  | 47                    | 2.9 | 1.9- 3.9   | 1674 | 68.6 | 66.4-70.8  | 13                                  | 0.5 | 0.1- 0.9   |
| 18-24               | 130               | 40,397   | 7    | 4.4  | 0.9- 7.9   | 3                     | 1.8 | 0.0- 3.8   | 120  | 93.8 | 89.9-97.7  |                                     |     |            |
| 25-34               | 263               | 50,447   | 28   | 9.9  | 6.0-13.8   | 17                    | 7.4 | 3.5-11.3   | 216  | 81.6 | 76.3-86.9  | 2                                   | 1.0 | 0.0- 2.4   |
| 35-44               | 336               | 49,924   | 43   | 12.5 | 8.6-16.4   | 12                    | 5.5 | 2.2- 8.8   | 280  | 81.7 | 76.8-86.6  | 1                                   | 0.2 | 0.0- 0.6   |
| 45-54               | 395               | 38,763   | 123  | 33.3 | 27.8-38.8  | 5                     | 1.6 | 0.0- 3.6   | 265  | 64.4 | 58.9-69.9  | 2                                   | 0.7 | 0.0- 1.7   |
| 55-64               | 510               | 43,264   | 184  | 35.3 | 30.4-40.2  | 4                     | 0.8 | 0.0- 1.6   | 318  | 63.4 | 58.5-68.3  | 4                                   | 0.6 | 0.0- 1.2   |
| 65+                 | 1285              | 72,950   | 720  | 56.1 | 52.8-59.4  | 10                    | 0.5 | 0.1- 0.9   | 550  | 43.0 | 39.7-46.3  | 5                                   | 0.3 | 0.0- 0.7   |
| Less Than H.S.      | 75                | 19,185   | 24   | 17.5 | 9.5-25.5   | 4                     | 7.3 | 0.0-15.3   | 47   | 75.2 | 64.4-86.0  |                                     |     |            |
| H.S. or G.E.D.      | 665               | 69,360   | 291  | 29.6 | 25.5-33.7  | 11                    | 3.4 | 1.0- 5.8   | 356  | 66.0 | 61.5-70.5  | 7                                   | 1.0 | 0.2- 1.8   |
| Some Post-H.S.      | 914               | 112,743  | 375  | 31.2 | 27.7-34.7  | 14                    | 2.3 | 0.9- 3.7   | 521  | 66.0 | 62.3-69.7  | 4                                   | 0.5 | 0.0- 1.1   |
| College Graduate    | 1256              | 93,906   | 412  | 24.4 | 21.9-26.9  | 22                    | 2.4 | 1.2- 3.6   | 819  | 73.0 | 70.3-75.7  | 3                                   | 0.2 | 0.0- 0.4   |
| Less than \$15,000  | 81                | 10,735   | 30   | 19.9 | 9.1-30.7   |                       |     |            | 51   | 80.1 | 69.3-90.9  |                                     |     |            |
| \$15,000- 24,999    | 192               | 22,618   | 89   | 30.2 | 22.8-37.6  | 2                     | 2.6 | 0.0- 6.1   | 100  | 66.6 | 58.8-74.4  | 1                                   | 0.5 | 0.0- 1.5   |
| \$25,000- 34,999    | 253               | 24,958   | 126  | 33.3 | 26.0-40.6  | 4                     | 1.8 | 0.0- 4.0   | 122  | 63.7 | 56.1-71.3  | 1                                   | 1.2 | 0.0- 3.6   |
| \$35,000- 49,999    | 331               | 31,296   | 149  | 32.9 | 26.6-39.2  | 4                     | 1.3 | 0.0- 2.9   | 174  | 65.0 | 58.7-71.3  | 4                                   | 0.8 | 0.0- 1.6   |
| \$50,000- 99,999    | 742               | 74,038   | 264  | 26.6 | 22.9-30.3  | 12                    | 3.0 | 1.0- 5.0   | 462  | 70.0 | 66.1-73.9  | 4                                   | 0.4 | 0.0- 0.8   |
| \$100,000 - 199,999 | 494               | 52,448   | 122  | 19.2 | 15.5-22.9  | 14                    | 3.9 | 1.5- 6.3   | 356  | 76.4 | 72.1-80.7  | 2                                   | 0.6 | 0.0- 1.4   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 4. ARE YOU CURRENTLY TAKING PRESCRIPTION MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS1)**

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No  |      |            |
|-----------------------|-------------------|----------|------|------|------------|-----|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL                 | 2291              | 191,176  | 1919 | 77.9 | 75.5-80.3  | 372 | 22.1 | 19.7-24.5  |
| Male                  | 1189              | 109,263  | 944  | 73.2 | 69.9-76.5  | 245 | 26.8 | 23.5-30.1  |
| Female                | 1102              | 81,913   | 975  | 84.1 | 81.0-87.2  | 127 | 15.9 | 12.8-19.0  |
| Native                | 80                | 8,358    | 67   | 81.6 | 71.2-92.0  | 13  | 18.4 | 8.0-28.8   |
| Non-Native            | 2182              | 180,468  | 1830 | 77.7 | 75.2-80.2  | 352 | 22.3 | 19.8-24.8  |
| 25-34                 | 86                | 16,572   | 23   | 27.7 | 17.1-38.3  | 63  | 72.3 | 61.7-82.9  |
| 35-44                 | 160               | 20,700   | 90   | 58.2 | 49.8-66.6  | 70  | 41.8 | 33.4-50.2  |
| 45-54                 | 282               | 29,575   | 219  | 78.8 | 73.5-84.1  | 63  | 21.2 | 15.9-26.5  |
| 55-64                 | 413               | 37,921   | 356  | 87.8 | 84.3-91.3  | 57  | 12.2 | 8.7-15.7   |
| 65+                   | 1326              | 80,286   | 1227 | 93.0 | 91.4-94.6  | 99  | 7.0  | 5.4- 8.6   |
| Less Than H.S.        | 70                | 12,751   | 63   | 79.5 | 65.4-93.6  | 7   | 20.5 | 6.4-34.6   |
| H.S. or G.E.D.        | 627               | 51,441   | 511  | 73.9 | 69.4-78.4  | 116 | 26.1 | 21.6-30.6  |
| Some Post-H.S.        | 735               | 77,334   | 618  | 77.7 | 73.6-81.8  | 117 | 22.3 | 18.2-26.4  |
| College Graduate      | 856               | 49,483   | 724  | 81.6 | 78.5-84.7  | 132 | 18.4 | 15.3-21.5  |
| Less than \$15,000    | 57                | 5,156    | 45   | 66.2 | 45.4-87.0  | 12  | 33.8 | 13.0-54.6  |
| \$15,000- 24,999      | 148               | 12,134   | 125  | 81.5 | 73.3-89.7  | 23  | 18.5 | 10.3-26.7  |
| \$25,000- 34,999      | 234               | 19,663   | 204  | 81.8 | 73.8-89.8  | 30  | 18.2 | 10.2-26.2  |
| \$35,000- 49,999      | 304               | 23,765   | 268  | 77.7 | 70.6-84.8  | 36  | 22.3 | 15.2-29.4  |
| \$50,000- 99,999      | 609               | 50,832   | 501  | 76.2 | 71.5-80.9  | 108 | 23.8 | 19.1-28.5  |
| \$100,000 - 199,999   | 349               | 31,301   | 269  | 73.2 | 67.5-78.9  | 80  | 26.8 | 21.1-32.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 5. ARE YOU CURRENTLY TAKING PRESCRIPTION MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS1)**

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|-----------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Male                  | 1189              | 109,263  | 944 | 73.2 | 69.9-76.5  | 245 | 26.8 | 23.5-30.1  |
| Non-Native            | 1131              | 102,894  | 901 | 73.1 | 69.6-76.6  | 230 | 26.9 | 23.4-30.4  |
| 25-34                 | 58                | 11,562   | 10  | 18.7 | 7.5-29.9   | 48  | 81.3 | 70.1-92.5  |
| 35-44                 | 117               | 14,438   | 59  | 53.1 | 43.1-63.1  | 58  | 46.9 | 36.9-56.9  |
| 45-54                 | 160               | 16,733   | 120 | 76.9 | 69.6-84.2  | 40  | 23.1 | 15.8-30.4  |
| 55-64                 | 230               | 22,759   | 198 | 89.6 | 85.7-93.5  | 32  | 10.4 | 6.5-14.3   |
| 65+                   | 607               | 39,446   | 555 | 91.6 | 88.9-94.3  | 52  | 8.4  | 5.7-11.1   |
| H.S. or G.E.D.        | 336               | 30,907   | 255 | 69.3 | 63.2-75.4  | 81  | 30.7 | 24.6-36.8  |
| Some Post-H.S.        | 361               | 42,218   | 296 | 74.9 | 69.2-80.6  | 65  | 25.1 | 19.4-30.8  |
| College Graduate      | 446               | 26,735   | 354 | 75.2 | 70.3-80.1  | 92  | 24.8 | 19.9-29.7  |
| \$15,000- 24,999      | 59                | 5,294    | 50  | 81.0 | 68.5-93.5  | 9   | 19.0 | 6.5-31.5   |
| \$25,000- 34,999      | 108               | 11,363   | 91  | 77.8 | 65.5-90.1  | 17  | 22.2 | 9.9-34.5   |
| \$35,000- 49,999      | 155               | 13,456   | 130 | 73.8 | 64.6-83.0  | 25  | 26.2 | 17.0-35.4  |
| \$50,000- 99,999      | 345               | 31,124   | 270 | 72.4 | 66.1-78.7  | 75  | 27.6 | 21.3-33.9  |
| \$100,000 - 199,999   | 227               | 21,247   | 172 | 71.7 | 64.4-79.0  | 55  | 28.3 | 21.0-35.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 6. ARE YOU CURRENTLY TAKING PRESCRIPTION MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS1)**

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|-----------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female                | 1102              | 81,913   | 975 | 84.1 | 81.0-87.2  | 127 | 15.9 | 12.8-19.0  |
| Non-Native            | 1051              | 77,574   | 929 | 83.9 | 80.6-87.2  | 122 | 16.1 | 12.8-19.4  |
| 45-54                 | 122               | 12,842   | 99  | 81.4 | 73.4-89.4  | 23  | 18.6 | 10.6-26.6  |
| 55-64                 | 183               | 15,162   | 158 | 85.0 | 78.3-91.7  | 25  | 15.0 | 8.3-21.7   |
| 65+                   | 719               | 40,840   | 672 | 94.3 | 92.5-96.1  | 47  | 5.7  | 3.9- 7.5   |
| H.S. or G.E.D.        | 291               | 20,534   | 256 | 80.9 | 74.2-87.6  | 35  | 19.1 | 12.4-25.8  |
| Some Post-H.S.        | 374               | 35,116   | 322 | 81.2 | 75.7-86.7  | 52  | 18.8 | 13.3-24.3  |
| College Graduate      | 410               | 22,748   | 370 | 89.1 | 85.4-92.8  | 40  | 10.9 | 7.2-14.6   |
| \$15,000- 24,999      | 89                | 6,840    | 75  | 81.9 | 71.1-92.7  | 14  | 18.1 | 7.3-28.9   |
| \$25,000- 34,999      | 126               | 8,300    | 113 | 87.3 | 79.5-95.1  | 13  | 12.7 | 4.9-20.5   |
| \$35,000- 49,999      | 149               | 10,309   | 138 | 82.8 | 72.2-93.4  | 11  | 17.2 | 6.6-27.8   |
| \$50,000- 99,999      | 264               | 19,708   | 231 | 82.2 | 75.5-88.9  | 33  | 17.8 | 11.1-24.5  |
| \$100,000 - 199,999   | 122               | 10,055   | 97  | 76.3 | 67.1-85.5  | 25  | 23.7 | 14.5-32.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                                                   | PAGE |
|-----------------------------------------------------------------------------------------------------------------------------------------|------|
| CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3) |      |
| 1 MALES AND FEMALES                                                                                                                     | 63   |
| 2 MALES ONLY                                                                                                                            | 64   |
| 3 FEMALES ONLY                                                                                                                          | 65   |
| HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR CHOLESTEROL IS HIGH? (TOLDHI3)                        |      |
| 4 MALES AND FEMALES                                                                                                                     | 66   |
| 5 MALES ONLY                                                                                                                            | 67   |
| 6 FEMALES ONLY                                                                                                                          | 68   |
| ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR CHOLESTEROL? (CHOLMED3)               |      |
| 7 MALES AND FEMALES                                                                                                                     | 69   |
| 8 MALES ONLY                                                                                                                            | 70   |
| 9 FEMALES ONLY                                                                                                                          | 71   |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |          |      |            |               |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|----------|------|------------|---------------|------|------------|
|                     | TOTAL             | WEIGHTED | Never                            |      |            | < 1 Year |      |            | 1 - < 2 Years |      |            |
|                     |                   |          | N                                | %    | C.I. (95%) | N        | %    | C.I. (95%) | N             | %    | C.I. (95%) |
| TOTAL               | 5408              | 552,957  | 386                              | 11.7 | 10.3-13.1  | 3976     | 65.6 | 63.8-67.4  | 530           | 11.1 | 9.9-12.3   |
| Male                | 2632              | 280,671  | 218                              | 11.9 | 10.1-13.7  | 1873     | 64.3 | 61.9-66.7  | 240           | 10.1 | 8.7-11.5   |
| Female              | 2776              | 272,286  | 168                              | 11.4 | 9.4-13.4   | 2103     | 66.9 | 64.4-69.4  | 290           | 12.1 | 10.3-13.9  |
| Native              | 153               | 21,878   | 16                               | 19.2 | 9.6-28.8   | 119      | 68.8 | 58.6-79.0  | 10            | 7.6  | 2.3-12.9   |
| Non-Native          | 5180              | 523,066  | 361                              | 11.3 | 9.9-12.7   | 3806     | 65.4 | 63.6-67.2  | 513           | 11.3 | 10.1-12.5  |
| 18-24               | 233               | 65,511   | 74                               | 31.9 | 25.2-38.6  | 82       | 38.4 | 31.3-45.5  | 37            | 14.6 | 9.9-19.3   |
| 25-34               | 502               | 93,641   | 118                              | 22.5 | 18.4-26.6  | 235      | 47.1 | 42.2-52.0  | 66            | 14.6 | 10.9-18.3  |
| 35-44               | 702               | 95,494   | 92                               | 14.3 | 11.2-17.4  | 403      | 56.0 | 51.9-60.1  | 82            | 11.8 | 9.1-14.5   |
| 45-54               | 788               | 77,930   | 43                               | 5.6  | 3.8- 7.4   | 540      | 68.6 | 64.9-72.3  | 100           | 12.7 | 10.0-15.4  |
| 55-64               | 939               | 85,811   | 20                               | 2.0  | 1.0- 3.0   | 747      | 80.9 | 78.2-83.6  | 92            | 9.4  | 7.2-11.6   |
| 65+                 | 2244              | 134,570  | 39                               | 2.0  | 1.2- 2.8   | 1969     | 87.1 | 85.3-88.9  | 153           | 6.6  | 5.4- 7.8   |
| Less Than H.S.      | 154               | 37,602   | 17                               | 17.1 | 8.9-25.3   | 105      | 62.9 | 53.3-72.5  | 20            | 12.8 | 6.3-19.3   |
| H.S. or G.E.D.      | 1344              | 142,450  | 112                              | 12.5 | 10.0-15.0  | 965      | 63.0 | 59.7-66.3  | 123           | 11.0 | 8.8-13.2   |
| Some Post-H.S.      | 1678              | 211,839  | 126                              | 11.8 | 9.6-14.0   | 1228     | 65.7 | 62.8-68.6  | 162           | 10.4 | 8.6-12.2   |
| College Graduate    | 2219              | 159,515  | 128                              | 9.4  | 7.6-11.2   | 1670     | 68.6 | 66.2-71.0  | 223           | 11.5 | 9.9-13.1   |
| Less than \$15,000  | 128               | 14,991   | 17                               | 18.5 | 7.7-29.3   | 87       | 60.5 | 48.2-72.8  | 11            | 10.1 | 3.8-16.4   |
| \$15,000- 24,999    | 292               | 33,228   | 32                               | 21.7 | 14.3-29.1  | 222      | 62.1 | 54.3-69.9  | 17            | 7.3  | 3.6-11.0   |
| \$25,000- 34,999    | 430               | 45,346   | 32                               | 13.5 | 8.2-18.8   | 324      | 61.6 | 54.7-68.5  | 44            | 12.5 | 7.8-17.2   |
| \$35,000- 49,999    | 591               | 55,764   | 38                               | 11.6 | 7.9-15.3   | 448      | 67.3 | 62.2-72.4  | 54            | 10.9 | 7.6-14.2   |
| \$50,000- 99,999    | 1488              | 152,764  | 105                              | 11.4 | 9.0-13.8   | 1068     | 63.9 | 60.6-67.2  | 155           | 12.0 | 9.6-14.4   |
| \$100,000 - 199,999 | 1101              | 116,249  | 64                               | 8.3  | 6.1-10.5   | 792      | 68.1 | 64.8-71.4  | 121           | 11.6 | 9.2-14.0   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| 2 - < 5 Years |     |            | >= 5 Years |     |            | 6  |     |            | 8   |     |            |
|---------------|-----|------------|------------|-----|------------|----|-----|------------|-----|-----|------------|
| N             | %   | C.I. (95%) | N          | %   | C.I. (95%) | N  | %   | C.I. (95%) | N   | %   | C.I. (95%) |
| 169           | 4.0 | 3.2- 4.8   | 75         | 1.7 | 1.3- 2.1   | 73 | 1.8 | 1.2- 2.4   | 199 | 4.1 | 3.5- 4.7   |
| 92            | 4.0 | 3.0- 5.0   | 45         | 2.2 | 1.4- 3.0   | 47 | 2.3 | 1.5- 3.1   | 117 | 5.1 | 4.1- 6.1   |
| 77            | 3.9 | 2.9- 4.9   | 30         | 1.2 | 0.6- 1.8   | 26 | 1.3 | 0.7- 1.9   | 82  | 3.2 | 2.4- 4.0   |
| 2             | 1.3 | 0.0- 3.3   | 1          | 1.0 | 0.0- 3.0   | 2  | 1.1 | 0.0- 2.7   | 3   | 1.0 | 0.0- 2.2   |
| 164           | 4.1 | 3.3- 4.9   | 73         | 1.7 | 1.1- 2.3   | 69 | 1.9 | 1.3- 2.5   | 194 | 4.3 | 3.5- 5.1   |
| 12            | 4.9 | 2.0- 7.8   | 6          | 2.9 | 0.5- 5.3   | 8  | 2.9 | 0.7- 5.1   | 14  | 4.4 | 2.0- 6.8   |
| 24            | 4.9 | 2.7- 7.1   | 11         | 2.0 | 0.8- 3.2   | 16 | 3.4 | 1.6- 5.2   | 32  | 5.4 | 3.4- 7.4   |
| 45            | 6.8 | 4.6- 9.0   | 18         | 2.2 | 1.0- 3.4   | 14 | 1.8 | 0.6- 3.0   | 48  | 7.1 | 4.9- 9.3   |
| 35            | 4.4 | 2.8- 6.0   | 11         | 1.5 | 0.3- 2.7   | 18 | 2.2 | 1.0- 3.4   | 41  | 5.0 | 3.2- 6.8   |
| 29            | 2.8 | 1.6- 4.0   | 11         | 1.4 | 0.4- 2.4   | 9  | 1.1 | 0.3- 1.9   | 31  | 2.3 | 1.3- 3.3   |
| 24            | 1.3 | 0.7- 1.9   | 18         | 0.9 | 0.5- 1.3   | 8  | 0.4 | 0.0- 0.8   | 33  | 1.7 | 1.1- 2.3   |
| 3             | 1.9 | 0.0- 4.3   |            |     |            | 2  | 1.2 | 0.0- 2.8   | 7   | 4.2 | 0.9- 7.5   |
| 52            | 4.9 | 3.3- 6.5   | 19         | 1.7 | 0.9- 2.5   | 20 | 2.1 | 0.9- 3.3   | 53  | 4.9 | 3.5- 6.3   |
| 54            | 4.0 | 2.8- 5.2   | 27         | 2.2 | 1.2- 3.2   | 27 | 2.2 | 1.2- 3.2   | 54  | 3.6 | 2.4- 4.8   |
| 60            | 3.5 | 2.5- 4.5   | 29         | 1.5 | 0.9- 2.1   | 24 | 1.2 | 0.6- 1.8   | 85  | 4.2 | 3.2- 5.2   |
| 3             | 1.0 | 0.0- 2.2   | 1          | 0.3 | 0.0- 0.9   | 2  | 3.2 | 0.0- 8.7   | 7   | 6.5 | 1.4-11.6   |
| 7             | 2.4 | 0.2- 4.6   | 2          | 1.5 | 0.0- 4.2   | 3  | 1.8 | 0.0- 4.2   | 9   | 3.3 | 0.8- 5.8   |
| 11            | 4.4 | 1.3- 7.5   | 7          | 3.0 | 0.6- 5.4   | 3  | 1.4 | 0.0- 3.8   | 9   | 3.6 | 0.9- 6.3   |
| 18            | 3.3 | 1.5- 5.1   | 6          | 0.8 | 0.0- 1.6   | 6  | 1.9 | 0.3- 3.5   | 21  | 4.2 | 2.2- 6.2   |
| 47            | 4.1 | 2.7- 5.5   | 25         | 1.7 | 0.9- 2.5   | 20 | 1.7 | 0.9- 2.5   | 68  | 5.1 | 3.7- 6.5   |
| 47            | 5.0 | 3.4- 6.6   | 15         | 1.7 | 0.7- 2.7   | 20 | 1.9 | 0.9- 2.9   | 42  | 3.4 | 2.2- 4.6   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 2: CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Never |      |            | < 1 Year |      |            | 1 - < 2 Years |      |            |
|-----------------------|-------------------|----------|-------|------|------------|----------|------|------------|---------------|------|------------|
|                       | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N        | %    | C.I. (95%) | N             | %    | C.I. (95%) |
| Male                  | 2632              | 280,671  | 218   | 11.9 | 10.1-13.7  | 1873     | 64.3 | 61.9-66.7  | 240           | 10.1 | 8.7-11.5   |
| Native                | 65                | 9,976    | 6     | 15.7 | 1.8-29.6   | 50       | 69.5 | 54.2-84.8  | 7             | 13.0 | 2.6-23.4   |
| Non-Native            | 2525              | 266,393  | 207   | 11.7 | 9.9-13.5   | 1797     | 64.2 | 61.8-66.6  | 228           | 9.9  | 8.3-11.5   |
| 18-24                 | 133               | 34,034   | 35    | 24.2 | 16.4-32.0  | 48       | 42.7 | 32.9-52.5  | 18            | 11.7 | 6.4-17.0   |
| 25-34                 | 276               | 50,244   | 63    | 23.0 | 17.1-28.9  | 130      | 47.4 | 40.7-54.1  | 30            | 11.5 | 7.0-16.0   |
| 35-44                 | 390               | 49,658   | 51    | 15.8 | 11.5-20.1  | 218      | 52.9 | 47.4-58.4  | 45            | 12.1 | 8.4-15.8   |
| 45-54                 | 406               | 40,368   | 29    | 6.9  | 4.2- 9.6   | 266      | 65.6 | 60.3-70.9  | 47            | 11.8 | 8.3-15.3   |
| 55-64                 | 436               | 42,900   | 13    | 2.3  | 0.9- 3.7   | 344      | 80.1 | 75.8-84.4  | 40            | 9.2  | 6.1-12.3   |
| 65+                   | 991               | 63,467   | 27    | 3.2  | 1.8- 4.6   | 867      | 86.9 | 84.4-89.4  | 60            | 6.0  | 4.2- 7.8   |
| Less Than H.S.        | 88                | 21,174   | 11    | 20.1 | 8.1-32.1   | 55       | 58.0 | 45.1-70.9  | 12            | 11.2 | 3.6-18.8   |
| H.S. or G.E.D.        | 716               | 80,067   | 72    | 12.8 | 9.9-15.7   | 482      | 60.4 | 56.1-64.7  | 68            | 11.5 | 8.6-14.4   |
| Some Post-H.S.        | 800               | 106,516  | 75    | 12.1 | 9.4-14.8   | 558      | 63.9 | 59.8-68.0  | 71            | 9.0  | 6.6-11.4   |
| College Graduate      | 1021              | 71,690   | 58    | 8.2  | 6.0-10.4   | 774      | 71.3 | 68.0-74.6  | 88            | 9.6  | 7.4-11.8   |
| Less than \$15,000    | 57                | 5,915    | 12    | 27.5 | 8.9-46.1   | 33       | 51.1 | 33.9-68.3  | 8             | 16.4 | 4.8-28.0   |
| \$15,000- 24,999      | 110               | 12,244   | 13    | 19.9 | 8.1-31.7   | 84       | 67.1 | 54.4-79.8  | 4             | 3.7  | 0.0- 8.0   |
| \$25,000- 34,999      | 185               | 21,782   | 14    | 9.5  | 4.2-14.8   | 143      | 65.0 | 55.4-74.6  | 14            | 11.7 | 4.6-18.8   |
| \$35,000- 49,999      | 280               | 27,748   | 24    | 14.4 | 8.5-20.3   | 199      | 60.3 | 53.0-67.6  | 24            | 10.8 | 6.1-15.5   |
| \$50,000- 99,999      | 769               | 82,520   | 63    | 12.6 | 9.1-16.1   | 537      | 62.7 | 58.2-67.2  | 71            | 9.9  | 7.4-12.4   |
| \$100,000 - 199,999   | 626               | 66,770   | 40    | 8.9  | 6.0-11.8   | 448      | 68.3 | 64.0-72.6  | 61            | 9.9  | 7.2-12.6   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 2: CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| 2 - < 5 Years |     |            | >= 5 Years |     |            | 6  |     |            | 8   |     |            |
|---------------|-----|------------|------------|-----|------------|----|-----|------------|-----|-----|------------|
| N             | %   | C.I. (95%) | N          | %   | C.I. (95%) | N  | %   | C.I. (95%) | N   | %   | C.I. (95%) |
| 92            | 4.0 | 3.0- 5.0   | 45         | 2.2 | 1.4- 3.0   | 47 | 2.3 | 1.5- 3.1   | 117 | 5.1 | 4.1- 6.1   |
|               |     |            |            |     |            |    |     |            | 2   | 1.8 | 0.0- 4.3   |
| 90            | 4.2 | 3.2- 5.2   | 44         | 2.3 | 1.5- 3.1   | 45 | 2.4 | 1.6- 3.2   | 114 | 5.2 | 4.0- 6.4   |
| 8             | 5.5 | 1.6- 9.4   | 5          | 4.6 | 0.5- 8.7   | 6  | 3.7 | 0.6- 6.8   | 13  | 7.7 | 3.4-12.0   |
| 11            | 4.1 | 1.6- 6.6   | 8          | 2.7 | 0.7- 4.7   | 11 | 4.4 | 1.5- 7.3   | 23  | 6.9 | 3.8-10.0   |
| 27            | 6.9 | 4.2- 9.6   | 11         | 2.4 | 0.8- 4.0   | 9  | 1.9 | 0.5- 3.3   | 29  | 8.1 | 5.0-11.2   |
| 20            | 4.7 | 2.5- 6.9   | 5          | 1.7 | 0.0- 3.5   | 12 | 3.0 | 1.2- 4.8   | 27  | 6.3 | 3.6- 9.0   |
| 17            | 3.6 | 1.6- 5.6   | 5          | 1.5 | 0.0- 3.1   | 6  | 1.6 | 0.0- 3.2   | 11  | 1.7 | 0.7- 2.7   |
| 9             | 0.9 | 0.3- 1.5   | 11         | 1.3 | 0.5- 2.1   | 3  | 0.3 | 0.0- 0.7   | 14  | 1.3 | 0.5- 2.1   |
| 3             | 3.3 | 0.0- 7.2   |            |     |            | 2  | 2.1 | 0.0- 5.0   | 5   | 5.3 | 0.4-10.2   |
| 34            | 5.1 | 3.3- 6.9   | 11         | 1.9 | 0.7- 3.1   | 10 | 1.8 | 0.4- 3.2   | 39  | 6.5 | 4.3- 8.7   |
| 30            | 4.2 | 2.6- 5.8   | 17         | 3.1 | 1.3- 4.9   | 17 | 2.9 | 1.3- 4.5   | 32  | 4.8 | 3.0- 6.6   |
| 25            | 2.9 | 1.7- 4.1   | 17         | 2.0 | 0.8- 3.2   | 18 | 2.1 | 1.1- 3.1   | 41  | 3.9 | 2.5- 5.3   |
| 1             | 0.6 | 0.0- 1.8   | 1          | 0.7 | 0.0- 2.1   | 1  | 1.1 | 0.0- 3.3   | 1   | 2.7 | 0.0- 8.0   |
| 3             | 2.0 | 0.0- 4.5   | 1          | 3.8 | 0.0-10.9   | 1  | 0.8 | 0.0- 2.4   | 4   | 2.9 | 0.0- 6.6   |
| 5             | 3.4 | 0.0- 6.9   | 3          | 3.2 | 0.0- 6.9   | 1  | 2.4 | 0.0- 6.9   | 5   | 4.7 | 0.0- 9.4   |
| 12            | 4.6 | 1.7- 7.5   | 3          | 1.3 | 0.0- 3.1   | 1  | 0.9 | 0.0- 2.7   | 17  | 7.6 | 3.7-11.5   |
| 27            | 4.0 | 2.2- 5.8   | 15         | 2.1 | 0.7- 3.5   | 14 | 2.4 | 1.0- 3.8   | 42  | 6.3 | 4.1- 8.5   |
| 27            | 5.1 | 3.1- 7.1   | 12         | 2.5 | 0.9- 4.1   | 14 | 2.2 | 0.8- 3.6   | 24  | 3.1 | 1.7- 4.5   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 3: CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |          |      |            |               |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|----------|------|------------|---------------|------|------------|
|                     | TOTAL             | WEIGHTED | Never                            |      |            | < 1 Year |      |            | 1 - < 2 Years |      |            |
|                     |                   |          | N                                | %    | C.I. (95%) | N        | %    | C.I. (95%) | N             | %    | C.I. (95%) |
| Female              | 2776              | 272,286  | 168                              | 11.4 | 9.4-13.4   | 2103     | 66.9 | 64.4-69.4  | 290           | 12.1 | 10.3-13.9  |
| Native              | 88                | 11,902   | 10                               | 22.2 | 9.1-35.3   | 69       | 68.2 | 54.7-81.7  | 3             | 3.0  | 0.0- 6.5   |
| Non-Native          | 2655              | 256,673  | 154                              | 10.9 | 8.9-12.9   | 2009     | 66.6 | 64.1-69.1  | 285           | 12.7 | 10.9-14.5  |
| 18-24               | 100               | 31,476   | 39                               | 40.3 | 29.9-50.7  | 34       | 33.9 | 23.7-44.1  | 19            | 17.7 | 9.9-25.5   |
| 25-34               | 226               | 43,397   | 55                               | 22.0 | 16.3-27.7  | 105      | 46.9 | 39.5-54.3  | 36            | 18.2 | 12.1-24.3  |
| 35-44               | 312               | 45,837   | 41                               | 12.6 | 8.3-16.9   | 185      | 59.3 | 53.0-65.6  | 37            | 11.4 | 7.5-15.3   |
| 45-54               | 382               | 37,561   | 14                               | 4.3  | 1.8- 6.8   | 274      | 71.7 | 66.4-77.0  | 53            | 13.7 | 9.8-17.6   |
| 55-64               | 503               | 42,911   | 7                                | 1.7  | 0.3- 3.1   | 403      | 81.7 | 78.0-85.4  | 52            | 9.5  | 6.6-12.4   |
| 65+                 | 1253              | 71,104   | 12                               | 1.0  | 0.4- 1.6   | 1102     | 87.3 | 85.1-89.5  | 93            | 7.1  | 5.5- 8.7   |
| Less Than H.S.      | 66                | 16,428   | 6                                | 13.1 | 2.9-23.3   | 50       | 69.1 | 55.2-83.0  | 8             | 14.8 | 4.0-25.6   |
| H.S. or G.E.D.      | 628               | 62,383   | 40                               | 12.1 | 7.8-16.4   | 483      | 66.3 | 61.0-71.6  | 55            | 10.3 | 6.8-13.8   |
| Some Post-H.S.      | 878               | 105,323  | 51                               | 11.5 | 8.2-14.8   | 670      | 67.5 | 63.2-71.8  | 91            | 11.9 | 9.0-14.8   |
| College Graduate    | 1198              | 87,825   | 70                               | 10.5 | 8.1-12.9   | 896      | 66.3 | 63.0-69.6  | 135           | 13.2 | 10.8-15.6  |
| Less than \$15,000  | 71                | 9,077    | 5                                | 12.6 | 0.6-24.6   | 54       | 66.6 | 50.3-82.9  | 3             | 5.9  | 0.0-12.8   |
| \$15,000- 24,999    | 182               | 20,984   | 19                               | 22.7 | 13.1-32.3  | 138      | 59.2 | 49.4-69.0  | 13            | 9.3  | 4.0-14.6   |
| \$25,000- 34,999    | 245               | 23,564   | 18                               | 17.1 | 8.5-25.7   | 181      | 58.5 | 49.1-67.9  | 30            | 13.3 | 7.2-19.4   |
| \$35,000- 49,999    | 311               | 28,016   | 14                               | 8.8  | 4.1-13.5   | 249      | 74.2 | 67.7-80.7  | 30            | 11.0 | 6.3-15.7   |
| \$50,000- 99,999    | 719               | 70,244   | 42                               | 10.0 | 6.7-13.3   | 531      | 65.4 | 60.5-70.3  | 84            | 14.5 | 10.6-18.4  |
| \$100,000 - 199,999 | 475               | 49,480   | 24                               | 7.6  | 4.3-10.9   | 344      | 68.0 | 62.7-73.3  | 60            | 13.9 | 10.0-17.8  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 3: CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR CHOLESTEROL CHECKED? (CHOLCHK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| 2 - < 5 Years |     |            | >= 5 Years |     |            | 6  |     |            | 8  |     |            |
|---------------|-----|------------|------------|-----|------------|----|-----|------------|----|-----|------------|
| N             | %   | C.I. (95%) | N          | %   | C.I. (95%) | N  | %   | C.I. (95%) | N  | %   | C.I. (95%) |
| 77            | 3.9 | 2.9- 4.9   | 30         | 1.2 | 0.6- 1.8   | 26 | 1.3 | 0.7- 1.9   | 82 | 3.2 | 2.4- 4.0   |
| 2             | 2.3 | 0.0- 5.8   | 1          | 1.9 | 0.0- 5.6   | 2  | 2.0 | 0.0- 4.7   | 1  | 0.3 | 0.0- 0.9   |
| 74            | 3.9 | 2.7- 5.1   | 29         | 1.2 | 0.6- 1.8   | 24 | 1.3 | 0.7- 1.9   | 80 | 3.4 | 2.6- 4.2   |
| 4             | 4.3 | 0.0- 8.6   | 1          | 1.0 | 0.0- 3.0   | 2  | 2.0 | 0.0- 4.7   | 1  | 0.9 | 0.0- 2.7   |
| 13            | 5.7 | 2.4- 9.0   | 3          | 1.3 | 0.0- 2.7   | 5  | 2.2 | 0.2- 4.2   | 9  | 3.7 | 1.2- 6.2   |
| 18            | 6.7 | 3.2-10.2   | 7          | 2.1 | 0.3- 3.9   | 5  | 1.8 | 0.0- 3.8   | 19 | 6.1 | 3.2- 9.0   |
| 15            | 4.0 | 1.5- 6.5   | 6          | 1.3 | 0.1- 2.5   | 6  | 1.4 | 0.2- 2.6   | 14 | 3.6 | 1.6- 5.6   |
| 12            | 2.1 | 0.9- 3.3   | 6          | 1.4 | 0.2- 2.6   | 3  | 0.7 | 0.0- 1.5   | 20 | 2.9 | 1.5- 4.3   |
| 15            | 1.7 | 0.7- 2.7   | 7          | 0.4 | 0.0- 0.8   | 5  | 0.5 | 0.0- 1.1   | 19 | 2.0 | 1.0- 3.0   |
|               |     |            |            |     |            |    |     |            | 2  | 2.9 | 0.0- 7.4   |
| 18            | 4.7 | 2.2- 7.2   | 8          | 1.4 | 0.2- 2.6   | 10 | 2.4 | 0.6- 4.2   | 14 | 2.8 | 1.2- 4.4   |
| 24            | 3.9 | 2.1- 5.7   | 10         | 1.3 | 0.3- 2.3   | 10 | 1.6 | 0.4- 2.8   | 22 | 2.5 | 1.3- 3.7   |
| 35            | 4.0 | 2.4- 5.6   | 12         | 1.1 | 0.3- 1.9   | 6  | 0.5 | 0.1- 0.9   | 44 | 4.4 | 2.8- 6.0   |
| 2             | 1.2 | 0.0- 3.0   |            |     |            | 1  | 4.7 | 0.0-13.5   | 6  | 8.9 | 1.1-16.7   |
| 4             | 2.7 | 0.0- 5.8   | 1          | 0.2 | 0.0- 0.6   | 2  | 2.3 | 0.0- 5.8   | 5  | 3.6 | 0.3- 6.9   |
| 6             | 5.2 | 0.0-10.5   | 4          | 2.8 | 0.0- 5.9   | 2  | 0.6 | 0.0- 1.4   | 4  | 2.5 | 0.0- 5.6   |
| 6             | 2.0 | 0.2- 3.8   | 3          | 0.4 | 0.0- 0.8   | 5  | 2.9 | 0.4- 5.4   | 4  | 0.9 | 0.0- 1.9   |
| 20            | 4.2 | 2.2- 6.2   | 10         | 1.3 | 0.5- 2.1   | 6  | 1.0 | 0.0- 2.0   | 26 | 3.6 | 1.8- 5.4   |
| 20            | 4.7 | 2.3- 7.1   | 3          | 0.6 | 0.0- 1.4   | 6  | 1.5 | 0.1- 2.9   | 18 | 3.7 | 1.7- 5.7   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR CHOLESTEROL IS HIGH? (TOLDHI3)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 4980              | 484,368  | 2065 | 35.1 | 33.5-36.7  | 2915 | 64.9 | 63.3-66.5  |
| Male                  | 2391              | 244,668  | 958  | 33.9 | 31.5-36.3  | 1433 | 66.1 | 63.7-68.5  |
| Female                | 2589              | 239,700  | 1107 | 36.3 | 33.9-38.7  | 1482 | 63.7 | 61.3-66.1  |
| Native                | 134               | 17,288   | 53   | 27.0 | 18.6-35.4  | 81   | 73.0 | 64.6-81.4  |
| Non-Native            | 4781              | 460,123  | 1997 | 35.6 | 33.8-37.4  | 2784 | 64.4 | 62.6-66.2  |
| 18-24                 | 159               | 44,603   | 16   | 9.4  | 4.7-14.1   | 143  | 90.6 | 85.9-95.3  |
| 25-34                 | 379               | 71,402   | 67   | 19.6 | 14.9-24.3  | 312  | 80.4 | 75.7-85.1  |
| 35-44                 | 607               | 81,454   | 112  | 18.5 | 15.0-22.0  | 495  | 81.5 | 78.0-85.0  |
| 45-54                 | 736               | 72,311   | 244  | 35.2 | 31.1-39.3  | 492  | 64.8 | 60.7-68.9  |
| 55-64                 | 915               | 83,843   | 418  | 46.8 | 42.9-50.7  | 497  | 53.2 | 49.3-57.1  |
| 65+                   | 2184              | 130,755  | 1208 | 55.1 | 52.6-57.6  | 976  | 44.9 | 42.4-47.4  |
| Less Than H.S.        | 133               | 30,309   | 53   | 34.0 | 24.4-43.6  | 80   | 66.0 | 56.4-75.6  |
| H.S. or G.E.D.        | 1217              | 123,392  | 485  | 31.9 | 28.8-35.0  | 732  | 68.1 | 65.0-71.2  |
| Some Post-H.S.        | 1540              | 185,620  | 680  | 38.2 | 35.3-41.1  | 860  | 61.8 | 58.9-64.7  |
| College Graduate      | 2081              | 143,848  | 842  | 34.0 | 31.6-36.4  | 1239 | 66.0 | 63.6-68.4  |
| Less than \$15,000    | 107               | 11,959   | 41   | 31.3 | 19.0-43.6  | 66   | 68.7 | 56.4-81.0  |
| \$15,000- 24,999      | 259               | 25,963   | 114  | 36.1 | 28.8-43.4  | 145  | 63.9 | 56.6-71.2  |
| \$25,000- 34,999      | 394               | 39,098   | 180  | 37.5 | 31.2-43.8  | 214  | 62.5 | 56.2-68.8  |
| \$35,000- 49,999      | 550               | 48,957   | 265  | 41.5 | 36.4-46.6  | 285  | 58.5 | 53.4-63.6  |
| \$50,000- 99,999      | 1375              | 134,359  | 575  | 34.2 | 31.3-37.1  | 800  | 65.8 | 62.9-68.7  |
| \$100,000 - 199,999   | 1033              | 106,275  | 345  | 30.4 | 27.1-33.7  | 688  | 69.6 | 66.3-72.9  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR CHOLESTEROL IS HIGH? (TOLDHI3)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2391              | 244,668  | 958 | 33.9 | 31.5-36.3  | 1433 | 66.1 | 63.7-68.5  |
| Native                | 57                | 8,187    | 25  | 32.5 | 18.8-46.2  | 32   | 67.5 | 53.8-81.2  |
| Non-Native            | 2298              | 232,897  | 925 | 34.2 | 31.8-36.6  | 1373 | 65.8 | 63.4-68.2  |
| 18-24                 | 98                | 25,810   | 9   | 8.6  | 2.9-14.3   | 89   | 91.4 | 85.7-97.1  |
| 25-34                 | 210               | 37,921   | 33  | 16.6 | 10.9-22.3  | 177  | 83.4 | 77.7-89.1  |
| 35-44                 | 336               | 41,379   | 73  | 22.1 | 17.2-27.0  | 263  | 77.9 | 73.0-82.8  |
| 45-54                 | 372               | 36,960   | 132 | 37.1 | 31.4-42.8  | 240  | 62.9 | 57.2-68.6  |
| 55-64                 | 420               | 41,690   | 203 | 47.6 | 41.9-53.3  | 217  | 52.4 | 46.7-58.1  |
| 65+                   | 955               | 60,908   | 508 | 52.2 | 48.5-55.9  | 447  | 47.8 | 44.1-51.5  |
| Less Than H.S.        | 73                | 16,038   | 26  | 28.9 | 17.1-40.7  | 47   | 71.1 | 59.3-82.9  |
| H.S. or G.E.D.        | 637               | 69,129   | 237 | 30.5 | 26.4-34.6  | 400  | 69.5 | 65.4-73.6  |
| Some Post-H.S.        | 719               | 93,015   | 299 | 36.3 | 32.4-40.2  | 420  | 63.7 | 59.8-67.6  |
| College Graduate      | 958               | 65,546   | 395 | 35.5 | 32.2-38.8  | 563  | 64.5 | 61.2-67.8  |
| \$15,000- 24,999      | 97                | 9,813    | 43  | 41.4 | 29.2-53.6  | 54   | 58.6 | 46.4-70.8  |
| \$25,000- 34,999      | 169               | 19,613   | 69  | 32.1 | 23.1-41.1  | 100  | 67.9 | 58.9-76.9  |
| \$35,000- 49,999      | 255               | 23,710   | 112 | 36.3 | 29.4-43.2  | 143  | 63.7 | 56.8-70.6  |
| \$50,000- 99,999      | 699               | 71,158   | 293 | 33.8 | 29.7-37.9  | 406  | 66.2 | 62.1-70.3  |
| \$100,000 - 199,999   | 583               | 60,621   | 200 | 31.3 | 27.0-35.6  | 383  | 68.7 | 64.4-73.0  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR CHOLESTEROL IS HIGH? (TOLDHI3)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2589              | 239,700  | 1107 | 36.3 | 33.9-38.7  | 1482 | 63.7 | 61.3-66.1  |
| Native                | 77                | 9,102    | 28   | 22.1 | 12.1-32.1  | 49   | 77.9 | 67.9-87.9  |
| Non-Native            | 2483              | 227,226  | 1072 | 36.9 | 34.5-39.3  | 1411 | 63.1 | 60.7-65.5  |
| 18-24                 | 61                | 18,792   | 7    | 10.6 | 2.4-18.8   | 54   | 89.4 | 81.2-97.6  |
| 25-34                 | 169               | 33,481   | 34   | 23.1 | 15.5-30.7  | 135  | 76.9 | 69.3-84.5  |
| 35-44                 | 271               | 40,075   | 39   | 14.7 | 10.0-19.4  | 232  | 85.3 | 80.6-90.0  |
| 45-54                 | 364               | 35,351   | 112  | 33.2 | 27.5-38.9  | 252  | 66.8 | 61.1-72.5  |
| 55-64                 | 495               | 42,153   | 215  | 46.0 | 40.7-51.3  | 280  | 54.0 | 48.7-59.3  |
| 65+                   | 1229              | 69,847   | 700  | 57.6 | 54.3-60.9  | 529  | 42.4 | 39.1-45.7  |
| Less Than H.S.        | 60                | 14,270   | 27   | 39.7 | 24.4-55.0  | 33   | 60.3 | 45.0-75.6  |
| H.S. or G.E.D.        | 580               | 54,263   | 248  | 33.6 | 28.9-38.3  | 332  | 66.4 | 61.7-71.1  |
| Some Post-H.S.        | 821               | 92,606   | 381  | 40.1 | 36.0-44.2  | 440  | 59.9 | 55.8-64.0  |
| College Graduate      | 1123              | 78,302   | 447  | 32.8 | 29.7-35.9  | 676  | 67.2 | 64.1-70.3  |
| Less than \$15,000    | 63                | 7,684    | 23   | 28.1 | 11.2-45.0  | 40   | 71.9 | 55.0-88.8  |
| \$15,000- 24,999      | 162               | 16,150   | 71   | 32.9 | 24.1-41.7  | 91   | 67.1 | 58.3-75.9  |
| \$25,000- 34,999      | 225               | 19,485   | 111  | 42.9 | 34.3-51.5  | 114  | 57.1 | 48.5-65.7  |
| \$35,000- 49,999      | 295               | 25,247   | 153  | 46.5 | 39.1-53.9  | 142  | 53.5 | 46.1-60.9  |
| \$50,000- 99,999      | 676               | 63,201   | 282  | 34.7 | 30.2-39.2  | 394  | 65.3 | 60.8-69.8  |
| \$100,000 - 199,999   | 450               | 45,654   | 145  | 29.2 | 23.9-34.5  | 305  | 70.8 | 65.5-76.1  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 7: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR CHOLESTEROL? (CHOLMED3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 4998              | 486,352  | 1733 | 26.5 | 25.1-27.9  | 3265 | 73.5 | 72.1-74.9  |
| Male                  | 2398              | 245,650  | 868  | 28.2 | 26.0-30.4  | 1530 | 71.8 | 69.6-74.0  |
| Female                | 2600              | 240,702  | 865  | 24.7 | 22.7-26.7  | 1735 | 75.3 | 73.3-77.3  |
| Native                | 137               | 17,668   | 51   | 30.0 | 20.4-39.6  | 86   | 70.0 | 60.4-79.6  |
| Non-Native            | 4796              | 461,727  | 1665 | 26.5 | 25.1-27.9  | 3131 | 73.5 | 72.1-74.9  |
| 18-24                 | 159               | 44,603   | 3    | 2.4  | 0.0- 5.3   | 156  | 97.6 | 94.7- 100  |
| 25-34                 | 383               | 72,259   | 10   | 4.1  | 1.6- 6.6   | 373  | 95.9 | 93.4-98.4  |
| 35-44                 | 609               | 81,697   | 43   | 7.2  | 4.8- 9.6   | 566  | 92.8 | 90.4-95.2  |
| 45-54                 | 741               | 73,235   | 140  | 20.0 | 16.7-23.3  | 601  | 80.0 | 76.7-83.3  |
| 55-64                 | 916               | 83,772   | 335  | 39.1 | 35.2-43.0  | 581  | 60.9 | 57.0-64.8  |
| 65+                   | 2190              | 130,785  | 1202 | 54.7 | 52.2-57.2  | 988  | 45.3 | 42.8-47.8  |
| Less Than H.S.        | 134               | 30,931   | 50   | 28.9 | 20.1-37.7  | 84   | 71.1 | 62.3-79.9  |
| H.S. or G.E.D.        | 1224              | 124,020  | 443  | 25.2 | 22.5-27.9  | 781  | 74.8 | 72.1-77.5  |
| Some Post-H.S.        | 1545              | 185,987  | 574  | 28.7 | 26.2-31.2  | 971  | 71.3 | 68.8-73.8  |
| College Graduate      | 2086              | 144,214  | 662  | 24.0 | 22.0-26.0  | 1424 | 76.0 | 74.0-78.0  |
| Less than \$15,000    | 110               | 12,171   | 44   | 26.2 | 15.6-36.8  | 66   | 73.8 | 63.2-84.4  |
| \$15,000- 24,999      | 258               | 25,781   | 111  | 32.4 | 25.5-39.3  | 147  | 67.6 | 60.7-74.5  |
| \$25,000- 34,999      | 394               | 39,060   | 172  | 33.8 | 27.7-39.9  | 222  | 66.2 | 60.1-72.3  |
| \$35,000- 49,999      | 551               | 49,139   | 234  | 32.4 | 27.7-37.1  | 317  | 67.6 | 62.9-72.3  |
| \$50,000- 99,999      | 1380              | 134,893  | 475  | 25.8 | 23.3-28.3  | 905  | 74.2 | 71.7-76.7  |
| \$100,000 - 199,999   | 1035              | 106,422  | 237  | 17.2 | 14.7-19.7  | 798  | 82.8 | 80.3-85.3  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 8: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR CHOLESTEROL? (CHOLMED3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2398              | 245,650  | 868 | 28.2 | 26.0-30.4  | 1530 | 71.8 | 69.6-74.0  |
| Native                | 59                | 8,414    | 21  | 32.9 | 17.6-48.2  | 38   | 67.1 | 51.8-82.4  |
| Non-Native            | 2303              | 233,651  | 835 | 28.1 | 25.9-30.3  | 1468 | 71.9 | 69.7-74.1  |
| 18-24                 | 98                | 25,810   | 3   | 4.1  | 0.0- 9.0   | 95   | 95.9 | 91.0- 100  |
| 25-34                 | 212               | 38,400   | 4   | 2.7  | 0.0- 5.6   | 208  | 97.3 | 94.4- 100  |
| 35-44                 | 338               | 41,622   | 31  | 9.7  | 6.2-13.2   | 307  | 90.3 | 86.8-93.8  |
| 45-54                 | 375               | 37,428   | 79  | 22.3 | 17.4-27.2  | 296  | 77.7 | 72.8-82.6  |
| 55-64                 | 420               | 41,592   | 179 | 45.1 | 39.4-50.8  | 241  | 54.9 | 49.2-60.6  |
| 65+                   | 955               | 60,799   | 572 | 59.3 | 55.6-63.0  | 383  | 40.7 | 37.0-44.4  |
| Less Than H.S.        | 76                | 16,840   | 29  | 30.5 | 18.5-42.5  | 47   | 69.5 | 57.5-81.5  |
| H.S. or G.E.D.        | 639               | 69,393   | 222 | 25.4 | 21.7-29.1  | 417  | 74.6 | 70.9-78.3  |
| Some Post-H.S.        | 718               | 92,747   | 273 | 29.6 | 25.9-33.3  | 445  | 70.4 | 66.7-74.1  |
| College Graduate      | 961               | 65,730   | 343 | 28.1 | 25.0-31.2  | 618  | 71.9 | 68.8-75.0  |
| \$15,000- 24,999      | 96                | 9,679    | 45  | 37.1 | 25.5-48.7  | 51   | 62.9 | 51.3-74.5  |
| \$25,000- 34,999      | 168               | 19,544   | 72  | 31.3 | 22.3-40.3  | 96   | 68.7 | 59.7-77.7  |
| \$35,000- 49,999      | 254               | 23,580   | 122 | 37.2 | 30.3-44.1  | 132  | 62.8 | 55.9-69.7  |
| \$50,000- 99,999      | 703               | 71,667   | 264 | 28.4 | 24.7-32.1  | 439  | 71.6 | 67.9-75.3  |
| \$100,000 - 199,999   | 585               | 60,768   | 155 | 20.7 | 17.2-24.2  | 430  | 79.3 | 75.8-82.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 9: ARE YOU CURRENTLY TAKING MEDICINE PRESCRIBED BY YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL FOR YOUR CHOLESTEROL? (CHOLMED3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| Female                | 2600              | 240,702  | 865 | 24.7 | 22.7-26.7  | 1735 | 75.3  | 73.3-77.3  |
| Native                | 78                | 9,254    | 30  | 27.3 | 15.5-39.1  | 48   | 72.7  | 60.9-84.5  |
| Non-Native            | 2493              | 228,075  | 830 | 24.8 | 22.8-26.8  | 1663 | 75.2  | 73.2-77.2  |
| 18-24                 | 61                | 18,792   |     |      |            | 61   | 100.0 | 100.0- 100 |
| 25-34                 | 171               | 33,860   | 6   | 5.6  | 1.1-10.1   | 165  | 94.4  | 89.9-98.9  |
| 35-44                 | 271               | 40,075   | 12  | 4.6  | 1.7- 7.5   | 259  | 95.4  | 92.5-98.3  |
| 45-54                 | 366               | 35,807   | 61  | 17.6 | 13.1-22.1  | 305  | 82.4  | 77.9-86.9  |
| 55-64                 | 496               | 42,181   | 156 | 33.2 | 27.9-38.5  | 340  | 66.8  | 61.5-72.1  |
| 65+                   | 1235              | 69,987   | 630 | 50.7 | 47.4-54.0  | 605  | 49.3  | 46.0-52.6  |
| Less Than H.S.        | 58                | 14,091   | 21  | 27.0 | 14.1-39.9  | 37   | 73.0  | 60.1-85.9  |
| H.S. or G.E.D.        | 585               | 54,627   | 221 | 25.0 | 21.1-28.9  | 364  | 75.0  | 71.1-78.9  |
| Some Post-H.S.        | 827               | 93,240   | 301 | 27.8 | 24.3-31.3  | 526  | 72.2  | 68.7-75.7  |
| College Graduate      | 1125              | 78,484   | 319 | 20.5 | 18.0-23.0  | 806  | 79.5  | 77.0-82.0  |
| Less than \$15,000    | 66                | 7,933    | 26  | 23.4 | 9.7-37.1   | 40   | 76.6  | 62.9-90.3  |
| \$15,000- 24,999      | 162               | 16,102   | 66  | 29.6 | 21.2-38.0  | 96   | 70.4  | 62.0-78.8  |
| \$25,000- 34,999      | 226               | 19,516   | 100 | 36.2 | 28.0-44.4  | 126  | 63.8  | 55.6-72.0  |
| \$35,000- 49,999      | 297               | 25,560   | 112 | 28.1 | 21.8-34.4  | 185  | 71.9  | 65.6-78.2  |
| \$50,000- 99,999      | 677               | 63,226   | 211 | 22.8 | 19.3-26.3  | 466  | 77.2  | 73.7-80.7  |
| \$100,000 - 199,999   | 450               | 45,654   | 82  | 12.6 | 9.5-15.7   | 368  | 87.4  | 84.3-90.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                               | PAGE |
|---------------------------------------------------------------------------------------------------------------------|------|
| (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)                                 |      |
| 1 MALES AND FEMALES                                                                                                 | 74   |
| 2 MALES ONLY                                                                                                        | 75   |
| 3 FEMALES ONLY                                                                                                      | 76   |
| (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)                                                  |      |
| 4 MALES AND FEMALES                                                                                                 | 77   |
| 5 MALES ONLY                                                                                                        | 78   |
| 6 FEMALES ONLY                                                                                                      | 79   |
| (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)                                                                          |      |
| 7 MALES AND FEMALES                                                                                                 | 80   |
| 8 MALES ONLY                                                                                                        | 81   |
| 9 FEMALES ONLY                                                                                                      | 82   |
| (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)                                                                             |      |
| 10 MALES AND FEMALES                                                                                                | 83   |
| 11 MALES ONLY                                                                                                       | 84   |
| 12 FEMALES ONLY                                                                                                     | 85   |
| DO YOU STILL HAVE ASTHMA? (ASTHNOW)                                                                                 |      |
| 13 MALES AND FEMALES                                                                                                | 86   |
| 14 MALES ONLY                                                                                                       | 87   |
| 15 FEMALES ONLY                                                                                                     | 88   |
| (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)                                                  |      |
| 16 MALES AND FEMALES                                                                                                | 89   |
| 17 MALES ONLY                                                                                                       | 90   |
| 18 FEMALES ONLY                                                                                                     | 91   |
| (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)                                             |      |
| 19 MALES AND FEMALES                                                                                                | 92   |
| 20 MALES ONLY                                                                                                       | 93   |
| 21 FEMALES ONLY                                                                                                     | 94   |
| (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3) |      |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                                            | PAGE |
|----------------------------------------------------------------------------------------------------------------------------------|------|
| 22 MALES AND FEMALES                                                                                                             | 95   |
| 23 MALES ONLY                                                                                                                    | 96   |
| 24 FEMALES ONLY                                                                                                                  | 97   |
| (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3) |      |
| 25 MALES AND FEMALES                                                                                                             | 98   |
| 26 MALES ONLY                                                                                                                    | 99   |
| 27 FEMALES ONLY                                                                                                                  | 100  |
| NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)            |      |
| 28 MALES AND FEMALES                                                                                                             | 101  |
| 29 MALES ONLY                                                                                                                    | 102  |
| 30 FEMALES ONLY                                                                                                                  | 103  |
| (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)                     |      |
| 31 MALES AND FEMALES                                                                                                             | 104  |
| 32 MALES ONLY                                                                                                                    | 105  |
| 33 FEMALES ONLY                                                                                                                  | 106  |
| (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)                                                                                       |      |
| 34 MALES AND FEMALES                                                                                                             | 107  |
| 35 MALES ONLY                                                                                                                    | 108  |
| 36 FEMALES ONLY                                                                                                                  | 109  |
| HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)                                                           |      |
| 37 MALES AND FEMALES                                                                                                             | 110  |
| 38 MALES ONLY                                                                                                                    | 111  |
| 39 FEMALES ONLY                                                                                                                  | 112  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 1: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| TOTAL                 | 5716              | 604,849  | 318 | 4.1  | 3.5- 4.7   | 5398 | 95.9  | 95.3-96.5  |
| Male                  | 2799              | 309,601  | 204 | 5.5  | 4.5- 6.5   | 2595 | 94.5  | 93.5-95.5  |
| Female                | 2917              | 295,248  | 114 | 2.7  | 2.1- 3.3   | 2803 | 97.3  | 96.7-97.9  |
| Native                | 162               | 24,528   | 8   | 2.4  | 0.0- 4.8   | 154  | 97.6  | 95.2- 100  |
| Non-Native            | 5468              | 570,569  | 305 | 4.2  | 3.6- 4.8   | 5163 | 95.8  | 95.2-96.4  |
| 18-24                 | 308               | 85,750   |     |      |            | 308  | 100.0 | 100.0- 100 |
| 25-34                 | 580               | 108,491  | 5   | 1.3  | 0.1- 2.5   | 575  | 98.7  | 97.5-99.9  |
| 35-44                 | 756               | 103,647  | 10  | 1.2  | 0.4- 2.0   | 746  | 98.8  | 98.0-99.6  |
| 45-54                 | 816               | 81,114   | 16  | 2.2  | 1.0- 3.4   | 800  | 97.8  | 96.6-99.0  |
| 55-64                 | 960               | 88,438   | 57  | 7.3  | 4.9- 9.7   | 903  | 92.7  | 90.3-95.1  |
| 65+                   | 2296              | 137,409  | 230 | 10.3 | 8.7-11.9   | 2066 | 89.7  | 88.1-91.3  |
| Less Than H.S.        | 168               | 42,516   | 15  | 8.5  | 3.6-13.4   | 153  | 91.5  | 86.6-96.4  |
| H.S. or G.E.D.        | 1436              | 159,332  | 98  | 4.5  | 3.5- 5.5   | 1338 | 95.5  | 94.5-96.5  |
| Some Post-H.S.        | 1778              | 231,694  | 109 | 4.1  | 3.1- 5.1   | 1669 | 95.9  | 94.9-96.9  |
| College Graduate      | 2315              | 169,335  | 96  | 2.8  | 2.2- 3.4   | 2219 | 97.2  | 96.6-97.8  |
| Less than \$15,000    | 147               | 18,130   | 20  | 7.0  | 3.1-10.9   | 127  | 93.0  | 89.1-96.9  |
| \$15,000- 24,999      | 305               | 35,957   | 37  | 8.7  | 5.2-12.2   | 268  | 91.3  | 87.8-94.8  |
| \$25,000- 34,999      | 456               | 49,072   | 42  | 7.7  | 4.4-11.0   | 414  | 92.3  | 89.0-95.6  |
| \$35,000- 49,999      | 627               | 61,163   | 42  | 5.4  | 3.4- 7.4   | 585  | 94.6  | 92.6-96.6  |
| \$50,000- 99,999      | 1552              | 164,630  | 65  | 2.9  | 1.9- 3.9   | 1487 | 97.1  | 96.1-98.1  |
| \$100,000 - 199,999   | 1148              | 124,015  | 34  | 2.2  | 1.4- 3.0   | 1114 | 97.8  | 97.0-98.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 2: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| Male                  | 2799              | 309,601  | 204 | 5.5  | 4.5- 6.5   | 2595 | 94.5  | 93.5-95.5  |
| Native                | 69                | 10,831   | 4   | 3.7  | 0.0- 8.8   | 65   | 96.3  | 91.2- 100  |
| Non-Native            | 2680              | 293,426  | 196 | 5.6  | 4.6- 6.6   | 2484 | 94.4  | 93.4-95.4  |
| 18-24                 | 178               | 45,353   |     |      |            | 178  | 100.0 | 100.0- 100 |
| 25-34                 | 317               | 58,044   | 4   | 2.2  | 0.0- 4.6   | 313  | 97.8  | 95.4- 100  |
| 35-44                 | 421               | 54,207   | 5   | 1.5  | 0.1- 2.9   | 416  | 98.5  | 97.1-99.9  |
| 45-54                 | 421               | 42,481   | 10  | 2.8  | 0.8- 4.8   | 411  | 97.2  | 95.2-99.2  |
| 55-64                 | 450               | 45,110   | 44  | 11.1 | 7.2-15.0   | 406  | 88.9  | 85.0-92.8  |
| 65+                   | 1012              | 64,405   | 141 | 13.7 | 11.2-16.2  | 871  | 86.3  | 83.8-88.8  |
| Less Than H.S.        | 96                | 24,087   | 10  | 10.8 | 3.4-18.2   | 86   | 89.2  | 81.8-96.6  |
| H.S. or G.E.D.        | 770               | 89,858   | 64  | 5.6  | 4.0- 7.2   | 706  | 94.4  | 92.8-96.0  |
| Some Post-H.S.        | 860               | 118,726  | 67  | 5.4  | 3.8- 7.0   | 793  | 94.6  | 93.0-96.2  |
| College Graduate      | 1063              | 75,509   | 63  | 4.0  | 2.8- 5.2   | 1000 | 96.0  | 94.8-97.2  |
| Less than \$15,000    | 66                | 7,396    | 13  | 13.2 | 4.4-22.0   | 53   | 86.8  | 78.0-95.6  |
| \$15,000- 24,999      | 114               | 13,419   | 21  | 12.9 | 6.0-19.8   | 93   | 87.1  | 80.2-94.0  |
| \$25,000- 34,999      | 204               | 24,182   | 29  | 11.1 | 5.4-16.8   | 175  | 88.9  | 83.2-94.6  |
| \$35,000- 49,999      | 297               | 29,968   | 32  | 8.2  | 5.1-11.3   | 265  | 91.8  | 88.7-94.9  |
| \$50,000- 99,999      | 809               | 90,407   | 50  | 4.0  | 2.6- 5.4   | 759  | 96.0  | 94.6-97.4  |
| \$100,000 - 199,999   | 653               | 71,471   | 25  | 2.9  | 1.5- 4.3   | 628  | 97.1  | 95.7-98.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 3: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |       |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %     | C.I. (95%) |
| Female                | 2917              | 295,248  | 114 | 2.7 | 2.1- 3.3   | 2803 | 97.3  | 96.7-97.9  |
| Native                | 93                | 13,698   | 4   | 1.3 | 0.0- 2.9   | 89   | 98.7  | 97.1- 100  |
| Non-Native            | 2788              | 277,144  | 109 | 2.7 | 2.1- 3.3   | 2679 | 97.3  | 96.7-97.9  |
| 18-24                 | 130               | 40,397   |     |     |            | 130  | 100.0 | 100.0- 100 |
| 25-34                 | 263               | 50,447   | 1   | 0.3 | 0.0- 0.9   | 262  | 99.7  | 99.1- 100  |
| 35-44                 | 335               | 49,440   | 5   | 1.0 | 0.0- 2.0   | 330  | 99.0  | 98.0- 100  |
| 45-54                 | 395               | 38,633   | 6   | 1.5 | 0.1- 2.9   | 389  | 98.5  | 97.1-99.9  |
| 55-64                 | 510               | 43,327   | 13  | 3.4 | 1.2- 5.6   | 497  | 96.6  | 94.4-98.8  |
| 65+                   | 1284              | 73,004   | 89  | 7.2 | 5.4- 9.0   | 1195 | 92.8  | 91.0-94.6  |
| Less Than H.S.        | 72                | 18,429   | 5   | 5.4 | 0.5-10.3   | 67   | 94.6  | 89.7-99.5  |
| H.S. or G.E.D.        | 666               | 69,474   | 34  | 3.0 | 1.6- 4.4   | 632  | 97.0  | 95.6-98.4  |
| Some Post-H.S.        | 918               | 112,968  | 42  | 2.8 | 1.8- 3.8   | 876  | 97.2  | 96.2-98.2  |
| College Graduate      | 1252              | 93,826   | 33  | 1.8 | 1.0- 2.6   | 1219 | 98.2  | 97.4-99.0  |
| Less than \$15,000    | 81                | 10,735   | 7   | 2.7 | 0.3- 5.1   | 74   | 97.3  | 94.9-99.7  |
| \$15,000- 24,999      | 191               | 22,538   | 16  | 6.2 | 2.3-10.1   | 175  | 93.8  | 89.9-97.7  |
| \$25,000- 34,999      | 252               | 24,889   | 13  | 4.4 | 1.5- 7.3   | 239  | 95.6  | 92.7-98.5  |
| \$35,000- 49,999      | 330               | 31,196   | 10  | 2.7 | 0.7- 4.7   | 320  | 97.3  | 95.3-99.3  |
| \$50,000- 99,999      | 743               | 74,223   | 15  | 1.5 | 0.5- 2.5   | 728  | 98.5  | 97.5-99.5  |
| \$100,000 - 199,999   | 495               | 52,544   | 9   | 1.2 | 0.4- 2.0   | 486  | 98.8  | 98.0-99.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 7: CHRONIC HEALTH CONDITIONS**  
**TABLE 4: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| TOTAL                 | 5688              | 602,807  | 327 | 3.9  | 3.3- 4.5   | 5361 | 96.1  | 95.5-96.7  |
| Male                  | 2784              | 308,107  | 207 | 5.0  | 4.0- 6.0   | 2577 | 95.0  | 94.0-96.0  |
| Female                | 2904              | 294,699  | 120 | 2.6  | 2.0- 3.2   | 2784 | 97.4  | 96.8-98.0  |
| Native                | 163               | 24,388   | 6   | 1.6  | 0.0- 3.2   | 157  | 98.4  | 96.8- 100  |
| Non-Native            | 5437              | 568,533  | 315 | 4.0  | 3.4- 4.6   | 5122 | 96.0  | 95.4-96.6  |
| 18-24                 | 308               | 85,750   |     |      |            | 308  | 100.0 | 100.0- 100 |
| 25-34                 | 580               | 108,491  | 4   | 0.8  | 0.0- 1.6   | 576  | 99.2  | 98.4- 100  |
| 35-44                 | 758               | 104,229  | 8   | 1.0  | 0.2- 1.8   | 750  | 99.0  | 98.2-99.8  |
| 45-54                 | 815               | 80,725   | 14  | 2.0  | 0.8- 3.2   | 801  | 98.0  | 96.8-99.2  |
| 55-64                 | 958               | 88,029   | 52  | 6.2  | 4.0- 8.4   | 906  | 93.8  | 91.6-96.0  |
| 65+                   | 2269              | 135,583  | 249 | 10.6 | 9.0-12.2   | 2020 | 89.4  | 87.8-91.0  |
| Less Than H.S.        | 167               | 42,874   | 9   | 4.5  | 1.2- 7.8   | 158  | 95.5  | 92.2-98.8  |
| H.S. or G.E.D.        | 1423              | 158,448  | 81  | 3.5  | 2.5- 4.5   | 1342 | 96.5  | 95.5-97.5  |
| Some Post-H.S.        | 1765              | 230,334  | 117 | 4.4  | 3.4- 5.4   | 1648 | 95.6  | 94.6-96.6  |
| College Graduate      | 2314              | 169,179  | 120 | 3.3  | 2.5- 4.1   | 2194 | 96.7  | 95.9-97.5  |
| Less than \$15,000    | 144               | 17,963   | 12  | 5.3  | 1.6- 9.0   | 132  | 94.7  | 91.0-98.4  |
| \$15,000- 24,999      | 307               | 35,992   | 25  | 5.2  | 2.7- 7.7   | 282  | 94.8  | 92.3-97.3  |
| \$25,000- 34,999      | 449               | 48,649   | 34  | 5.3  | 2.4- 8.2   | 415  | 94.7  | 91.8-97.6  |
| \$35,000- 49,999      | 624               | 61,024   | 48  | 5.6  | 3.6- 7.6   | 576  | 94.4  | 92.4-96.4  |
| \$50,000- 99,999      | 1551              | 164,478  | 96  | 4.3  | 3.1- 5.5   | 1455 | 95.7  | 94.5-96.9  |
| \$100,000 - 199,999   | 1149              | 123,938  | 39  | 2.2  | 1.4- 3.0   | 1110 | 97.8  | 97.0-98.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| Male                  | 2784              | 308,107  | 207 | 5.0  | 4.0- 6.0   | 2577 | 95.0  | 94.0-96.0  |
| Native                | 69                | 10,640   | 4   | 2.1  | 0.0- 4.5   | 65   | 97.9  | 95.5- 100  |
| Non-Native            | 2664              | 292,083  | 198 | 5.1  | 4.1- 6.1   | 2466 | 94.9  | 93.9-95.9  |
| 18-24                 | 178               | 45,353   |     |      |            | 178  | 100.0 | 100.0- 100 |
| 25-34                 | 317               | 58,044   | 3   | 1.3  | 0.0- 2.9   | 314  | 98.7  | 97.1- 100  |
| 35-44                 | 422               | 54,305   | 3   | 0.8  | 0.0- 1.8   | 419  | 99.2  | 98.2- 100  |
| 45-54                 | 419               | 41,956   | 11  | 3.1  | 0.9- 5.3   | 408  | 96.9  | 94.7-99.1  |
| 55-64                 | 448               | 44,826   | 36  | 8.7  | 5.0-12.4   | 412  | 91.3  | 87.6-95.0  |
| 65+                   | 1000              | 63,623   | 154 | 14.4 | 11.9-16.9  | 846  | 85.6  | 83.1-88.1  |
| Less Than H.S.        | 94                | 23,929   | 6   | 6.2  | 0.5-11.9   | 88   | 93.8  | 88.1-99.5  |
| H.S. or G.E.D.        | 764               | 89,400   | 48  | 4.2  | 2.8- 5.6   | 716  | 95.8  | 94.4-97.2  |
| Some Post-H.S.        | 852               | 117,811  | 74  | 5.9  | 4.3- 7.5   | 778  | 94.1  | 92.5-95.7  |
| College Graduate      | 1064              | 75,547   | 79  | 4.5  | 3.3- 5.7   | 985  | 95.5  | 94.3-96.7  |
| Less than \$15,000    | 64                | 7,255    | 9   | 8.9  | 2.0-15.8   | 55   | 91.1  | 84.2-98.0  |
| \$15,000- 24,999      | 116               | 13,393   | 12  | 7.6  | 2.3-12.9   | 104  | 92.4  | 87.1-97.7  |
| \$25,000- 34,999      | 198               | 23,809   | 19  | 6.5  | 1.4-11.6   | 179  | 93.5  | 88.4-98.6  |
| \$35,000- 49,999      | 294               | 29,739   | 27  | 6.6  | 3.7- 9.5   | 267  | 93.4  | 90.5-96.3  |
| \$50,000- 99,999      | 808               | 90,311   | 72  | 6.4  | 4.6- 8.2   | 736  | 93.6  | 91.8-95.4  |
| \$100,000 - 199,999   | 654               | 71,569   | 29  | 2.8  | 1.6- 4.0   | 625  | 97.2  | 96.0-98.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |       |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %     | C.I. (95%) |
| Female                | 2904              | 294,699  | 120 | 2.6 | 2.0- 3.2   | 2784 | 97.4  | 96.8-98.0  |
| Native                | 94                | 13,748   | 2   | 1.3 | 0.0- 3.5   | 92   | 98.7  | 96.5- 100  |
| Non-Native            | 2773              | 276,449  | 117 | 2.7 | 2.1- 3.3   | 2656 | 97.3  | 96.7-97.9  |
| 18-24                 | 130               | 40,397   |     |     |            | 130  | 100.0 | 100.0- 100 |
| 25-34                 | 263               | 50,447   | 1   | 0.3 | 0.0- 0.9   | 262  | 99.7  | 99.1- 100  |
| 35-44                 | 336               | 49,924   | 5   | 1.2 | 0.0- 2.4   | 331  | 98.8  | 97.6- 100  |
| 45-54                 | 396               | 38,769   | 3   | 0.7 | 0.0- 1.7   | 393  | 99.3  | 98.3- 100  |
| 55-64                 | 510               | 43,203   | 16  | 3.7 | 1.7- 5.7   | 494  | 96.3  | 94.3-98.3  |
| 65+                   | 1269              | 71,960   | 95  | 7.2 | 5.4- 9.0   | 1174 | 92.8  | 91.0-94.6  |
| Less Than H.S.        | 73                | 18,944   | 3   | 2.2 | 0.0- 4.9   | 70   | 97.8  | 95.1- 100  |
| H.S. or G.E.D.        | 659               | 69,048   | 33  | 2.6 | 1.4- 3.8   | 626  | 97.4  | 96.2-98.6  |
| Some Post-H.S.        | 913               | 112,523  | 43  | 3.0 | 2.0- 4.0   | 870  | 97.0  | 96.0-98.0  |
| College Graduate      | 1250              | 93,632   | 41  | 2.3 | 1.5- 3.1   | 1209 | 97.7  | 96.9-98.5  |
| Less than \$15,000    | 80                | 10,708   | 3   | 2.9 | 0.0- 7.0   | 77   | 97.1  | 93.0- 100  |
| \$15,000- 24,999      | 191               | 22,599   | 13  | 3.8 | 1.4- 6.2   | 178  | 96.2  | 93.8-98.6  |
| \$25,000- 34,999      | 251               | 24,840   | 15  | 4.2 | 1.5- 6.9   | 236  | 95.8  | 93.1-98.5  |
| \$35,000- 49,999      | 330               | 31,285   | 21  | 4.7 | 2.3- 7.1   | 309  | 95.3  | 92.9-97.7  |
| \$50,000- 99,999      | 743               | 74,167   | 24  | 1.8 | 1.0- 2.6   | 719  | 98.2  | 97.4-99.0  |
| \$100,000 - 199,999   | 495               | 52,369   | 10  | 1.3 | 0.3- 2.3   | 485  | 98.7  | 97.7-99.7  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 7: CHRONIC HEALTH CONDITIONS**  
**TABLE 7: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |      |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5725              | 605,380  | 208 | 2.6 | 2.2- 3.0   | 5517 | 97.4 | 97.0-97.8  |
| Male                  | 2800              | 308,940  | 101 | 2.4 | 1.8- 3.0   | 2699 | 97.6 | 97.0-98.2  |
| Female                | 2925              | 296,440  | 107 | 2.7 | 1.9- 3.5   | 2818 | 97.3 | 96.5-98.1  |
| Native                | 163               | 24,579   | 7   | 2.1 | 0.3- 3.9   | 156  | 97.9 | 96.1-99.7  |
| Non-Native            | 5474              | 570,915  | 195 | 2.6 | 2.0- 3.2   | 5279 | 97.4 | 96.8-98.0  |
| 18-24                 | 308               | 85,750   | 1   | 0.8 | 0.0- 2.4   | 307  | 99.2 | 97.6- 100  |
| 25-34                 | 578               | 108,072  | 3   | 0.7 | 0.0- 1.5   | 575  | 99.3 | 98.5- 100  |
| 35-44                 | 758               | 104,229  | 2   | 0.5 | 0.0- 1.3   | 756  | 99.5 | 98.7- 100  |
| 45-54                 | 818               | 81,234   | 16  | 2.2 | 1.0- 3.4   | 802  | 97.8 | 96.6-99.0  |
| 55-64                 | 960               | 88,054   | 35  | 3.8 | 2.4- 5.2   | 925  | 96.2 | 94.8-97.6  |
| 65+                   | 2303              | 138,042  | 151 | 6.1 | 4.9- 7.3   | 2152 | 93.9 | 92.7-95.1  |
| Less Than H.S.        | 169               | 42,844   | 5   | 3.6 | 0.0- 7.5   | 164  | 96.4 | 92.5- 100  |
| H.S. or G.E.D.        | 1439              | 159,802  | 70  | 3.1 | 2.1- 4.1   | 1369 | 96.9 | 95.9-97.9  |
| Some Post-H.S.        | 1776              | 231,179  | 76  | 2.7 | 1.9- 3.5   | 1700 | 97.3 | 96.5-98.1  |
| College Graduate      | 2322              | 169,584  | 57  | 1.6 | 1.0- 2.2   | 2265 | 98.4 | 97.8-99.0  |
| Less than \$15,000    | 147               | 17,964   | 15  | 5.7 | 2.0- 9.4   | 132  | 94.3 | 90.6-98.0  |
| \$15,000- 24,999      | 309               | 36,239   | 16  | 3.0 | 1.2- 4.8   | 293  | 97.0 | 95.2-98.8  |
| \$25,000- 34,999      | 454               | 48,758   | 33  | 4.8 | 2.6- 7.0   | 421  | 95.2 | 93.0-97.4  |
| \$35,000- 49,999      | 629               | 61,420   | 32  | 4.8 | 2.3- 7.3   | 597  | 95.2 | 92.7-97.7  |
| \$50,000- 99,999      | 1552              | 164,570  | 51  | 2.3 | 1.3- 3.3   | 1501 | 97.7 | 96.7-98.7  |
| \$100,000 - 199,999   | 1148              | 123,861  | 15  | 1.2 | 0.4- 2.0   | 1133 | 98.8 | 98.0-99.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS  
TABLE 8: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |       |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %     | C.I. (95%) |
| Male                  | 2800              | 308,940  | 101 | 2.4 | 1.8- 3.0   | 2699 | 97.6  | 97.0-98.2  |
| Native                | 69                | 10,831   | 4   | 3.0 | 0.0- 6.3   | 65   | 97.0  | 93.7- 100  |
| Non-Native            | 2680              | 292,725  | 93  | 2.3 | 1.7- 2.9   | 2587 | 97.7  | 97.1-98.3  |
| 18-24                 | 178               | 45,353   |     |     |            | 178  | 100.0 | 100.0- 100 |
| 25-34                 | 315               | 57,625   | 2   | 0.9 | 0.0- 2.3   | 313  | 99.1  | 97.7- 100  |
| 35-44                 | 422               | 54,305   |     |     |            | 422  | 100.0 | 100.0- 100 |
| 45-54                 | 421               | 42,317   | 6   | 1.6 | 0.2- 3.0   | 415  | 98.4  | 97.0-99.8  |
| 55-64                 | 450               | 44,680   | 19  | 4.0 | 1.8- 6.2   | 431  | 96.0  | 93.8-98.2  |
| 65+                   | 1014              | 64,661   | 74  | 6.8 | 5.0- 8.6   | 940  | 93.2  | 91.4-95.0  |
| Less Than H.S.        | 95                | 23,715   | 1   | 0.9 | 0.0- 2.7   | 94   | 99.1  | 97.3- 100  |
| H.S. or G.E.D.        | 772               | 90,059   | 36  | 3.1 | 1.9- 4.3   | 736  | 96.9  | 95.7-98.1  |
| Some Post-H.S.        | 857               | 118,082  | 34  | 2.4 | 1.4- 3.4   | 823  | 97.6  | 96.6-98.6  |
| College Graduate      | 1066              | 75,664   | 30  | 2.0 | 1.2- 2.8   | 1036 | 98.0  | 97.2-98.8  |
| Less than \$15,000    | 66                | 7,230    | 7   | 8.0 | 0.6-15.4   | 59   | 92.0  | 84.6-99.4  |
| \$15,000- 24,999      | 117               | 13,586   | 7   | 3.3 | 0.2- 6.4   | 110  | 96.7  | 93.6-99.8  |
| \$25,000- 34,999      | 202               | 23,852   | 14  | 4.0 | 1.3- 6.7   | 188  | 96.0  | 93.3-98.7  |
| \$35,000- 49,999      | 296               | 29,930   | 20  | 5.3 | 2.6- 8.0   | 276  | 94.7  | 92.0-97.4  |
| \$50,000- 99,999      | 808               | 90,381   | 26  | 2.2 | 1.0- 3.4   | 782  | 97.8  | 96.6-99.0  |
| \$100,000 - 199,999   | 653               | 71,337   | 9   | 1.1 | 0.3- 1.9   | 644  | 98.9  | 98.1-99.7  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 7: CHRONIC HEALTH CONDITIONS**  
**TABLE 9: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |      |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2925              | 296,440  | 107 | 2.7 | 1.9- 3.5   | 2818 | 97.3 | 96.5-98.1  |
| Native                | 94                | 13,748   | 3   | 1.3 | 0.0- 2.9   | 91   | 98.7 | 97.1- 100  |
| Non-Native            | 2794              | 278,190  | 102 | 2.8 | 2.0- 3.6   | 2692 | 97.2 | 96.4-98.0  |
| 18-24                 | 130               | 40,397   | 1   | 1.7 | 0.0- 5.0   | 129  | 98.3 | 95.0- 100  |
| 25-34                 | 263               | 50,447   | 1   | 0.4 | 0.0- 1.2   | 262  | 99.6 | 98.8- 100  |
| 35-44                 | 336               | 49,924   | 2   | 1.1 | 0.0- 2.9   | 334  | 98.9 | 97.1- 100  |
| 45-54                 | 397               | 38,917   | 10  | 2.8 | 0.8- 4.8   | 387  | 97.2 | 95.2-99.2  |
| 55-64                 | 510               | 43,374   | 16  | 3.6 | 1.6- 5.6   | 494  | 96.4 | 94.4-98.4  |
| 65+                   | 1289              | 73,381   | 77  | 5.5 | 4.1- 6.9   | 1212 | 94.5 | 93.1-95.9  |
| Less Than H.S.        | 74                | 19,129   | 4   | 6.9 | 0.0-15.1   | 70   | 93.1 | 84.9- 100  |
| H.S. or G.E.D.        | 667               | 69,743   | 34  | 3.2 | 1.8- 4.6   | 633  | 96.8 | 95.4-98.2  |
| Some Post-H.S.        | 919               | 113,097  | 42  | 2.9 | 1.9- 3.9   | 877  | 97.1 | 96.1-98.1  |
| College Graduate      | 1256              | 93,920   | 27  | 1.3 | 0.7- 1.9   | 1229 | 98.7 | 98.1-99.3  |
| Less than \$15,000    | 81                | 10,735   | 8   | 4.1 | 0.8- 7.4   | 73   | 95.9 | 92.6-99.2  |
| \$15,000- 24,999      | 192               | 22,654   | 9   | 2.8 | 0.8- 4.8   | 183  | 97.2 | 95.2-99.2  |
| \$25,000- 34,999      | 252               | 24,906   | 19  | 5.6 | 2.3- 8.9   | 233  | 94.4 | 91.1-97.7  |
| \$35,000- 49,999      | 333               | 31,490   | 12  | 4.3 | 0.0- 8.6   | 321  | 95.7 | 91.4- 100  |
| \$50,000- 99,999      | 744               | 74,189   | 25  | 2.4 | 1.0- 3.8   | 719  | 97.6 | 96.2-99.0  |
| \$100,000 - 199,999   | 495               | 52,524   | 6   | 1.3 | 0.1- 2.5   | 489  | 98.7 | 97.5-99.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 7: CHRONIC HEALTH CONDITIONS**  
**TABLE 10: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5726              | 605,431  | 737 | 14.6 | 13.4-15.8  | 4989 | 85.4 | 84.2-86.6  |
| Male                  | 2800              | 309,211  | 306 | 11.7 | 10.1-13.3  | 2494 | 88.3 | 86.7-89.9  |
| Female                | 2926              | 296,220  | 431 | 17.5 | 15.5-19.5  | 2495 | 82.5 | 80.5-84.5  |
| Native                | 164               | 24,657   | 35  | 21.7 | 13.1-30.3  | 129  | 78.3 | 69.7-86.9  |
| Non-Native            | 5474              | 570,887  | 689 | 14.2 | 13.0-15.4  | 4785 | 85.8 | 84.6-87.0  |
| 18-24                 | 307               | 85,591   | 53  | 18.3 | 13.4-23.2  | 254  | 81.7 | 76.8-86.6  |
| 25-34                 | 577               | 107,891  | 106 | 20.1 | 16.4-23.8  | 471  | 79.9 | 76.2-83.6  |
| 35-44                 | 758               | 104,229  | 114 | 15.1 | 12.2-18.0  | 644  | 84.9 | 82.0-87.8  |
| 45-54                 | 817               | 81,201   | 107 | 12.9 | 10.4-15.4  | 710  | 87.1 | 84.6-89.6  |
| 55-64                 | 963               | 88,533   | 110 | 12.2 | 9.7-14.7   | 853  | 87.8 | 85.3-90.3  |
| 65+                   | 2304              | 137,986  | 247 | 10.0 | 8.6-11.4   | 2057 | 90.0 | 88.6-91.4  |
| Less Than H.S.        | 172               | 43,377   | 29  | 21.5 | 13.5-29.5  | 143  | 78.5 | 70.5-86.5  |
| H.S. or G.E.D.        | 1439              | 159,595  | 183 | 15.0 | 12.5-17.5  | 1256 | 85.0 | 82.5-87.5  |
| Some Post-H.S.        | 1776              | 231,027  | 250 | 14.6 | 12.6-16.6  | 1526 | 85.4 | 83.4-87.4  |
| College Graduate      | 2320              | 169,460  | 274 | 12.4 | 10.8-14.0  | 2046 | 87.6 | 86.0-89.2  |
| Less than \$15,000    | 148               | 18,175   | 31  | 32.3 | 20.1-44.5  | 117  | 67.7 | 55.5-79.9  |
| \$15,000- 24,999      | 309               | 36,214   | 54  | 18.5 | 13.0-24.0  | 255  | 81.5 | 76.0-87.0  |
| \$25,000- 34,999      | 455               | 48,816   | 63  | 17.3 | 12.0-22.6  | 392  | 82.7 | 77.4-88.0  |
| \$35,000- 49,999      | 627               | 61,225   | 90  | 15.9 | 12.0-19.8  | 537  | 84.1 | 80.2-88.0  |
| \$50,000- 99,999      | 1552              | 164,422  | 186 | 12.8 | 10.6-15.0  | 1366 | 87.2 | 85.0-89.4  |
| \$100,000 - 199,999   | 1148              | 123,736  | 140 | 14.2 | 11.5-16.9  | 1008 | 85.8 | 83.1-88.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS  
TABLE 11: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2800              | 309,211  | 306 | 11.7 | 10.1-13.3  | 2494 | 88.3 | 86.7-89.9  |
| Native                | 70                | 10,909   | 13  | 15.6 | 6.4-24.8   | 57   | 84.4 | 75.2-93.6  |
| Non-Native            | 2679              | 292,918  | 286 | 11.5 | 9.9-13.1   | 2393 | 88.5 | 86.9-90.1  |
| 18-24                 | 177               | 45,194   | 22  | 12.0 | 6.7-17.3   | 155  | 88.0 | 82.7-93.3  |
| 25-34                 | 315               | 57,625   | 46  | 14.4 | 10.1-18.7  | 269  | 85.6 | 81.3-89.9  |
| 35-44                 | 422               | 54,305   | 53  | 11.8 | 8.5-15.1   | 369  | 88.2 | 84.9-91.5  |
| 45-54                 | 422               | 42,503   | 48  | 12.1 | 8.6-15.6   | 374  | 87.9 | 84.4-91.4  |
| 55-64                 | 451               | 45,075   | 47  | 12.0 | 7.9-16.1   | 404  | 88.0 | 83.9-92.1  |
| 65+                   | 1013              | 64,510   | 90  | 8.6  | 6.6-10.6   | 923  | 91.4 | 89.4-93.4  |
| Less Than H.S.        | 97                | 24,192   | 11  | 13.7 | 4.9-22.5   | 86   | 86.3 | 77.5-95.1  |
| H.S. or G.E.D.        | 771               | 89,956   | 78  | 10.7 | 8.2-13.2   | 693  | 89.3 | 86.8-91.8  |
| Some Post-H.S.        | 858               | 118,096  | 111 | 13.0 | 10.5-15.5  | 747  | 87.0 | 84.5-89.5  |
| College Graduate      | 1064              | 75,546   | 105 | 10.4 | 8.2-12.6   | 959  | 89.6 | 87.4-91.8  |
| Less than \$15,000    | 67                | 7,440    | 11  | 22.3 | 6.4-38.2   | 56   | 77.7 | 61.8-93.6  |
| \$15,000- 24,999      | 116               | 13,517   | 17  | 15.2 | 7.4-23.0   | 99   | 84.8 | 77.0-92.6  |
| \$25,000- 34,999      | 203               | 23,910   | 21  | 14.9 | 7.3-22.5   | 182  | 85.1 | 77.5-92.7  |
| \$35,000- 49,999      | 295               | 29,768   | 32  | 9.7  | 5.8-13.6   | 263  | 90.3 | 86.4-94.2  |
| \$50,000- 99,999      | 809               | 90,407   | 87  | 11.1 | 8.6-13.6   | 722  | 88.9 | 86.4-91.4  |
| \$100,000 - 199,999   | 653               | 71,337   | 66  | 11.1 | 8.2-14.0   | 587  | 88.9 | 86.0-91.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS  
TABLE 12: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2926              | 296,220  | 431 | 17.5 | 15.5-19.5  | 2495 | 82.5 | 80.5-84.5  |
| Native                | 94                | 13,748   | 22  | 26.6 | 13.3-39.9  | 72   | 73.4 | 60.1-86.7  |
| Non-Native            | 2795              | 277,970  | 403 | 16.9 | 14.9-18.9  | 2392 | 83.1 | 81.1-85.1  |
| 18-24                 | 130               | 40,397   | 31  | 25.3 | 16.9-33.7  | 99   | 74.7 | 66.3-83.1  |
| 25-34                 | 262               | 50,267   | 60  | 26.8 | 20.5-33.1  | 202  | 73.2 | 66.9-79.5  |
| 35-44                 | 336               | 49,924   | 61  | 18.6 | 13.7-23.5  | 275  | 81.4 | 76.5-86.3  |
| 45-54                 | 395               | 38,698   | 59  | 13.8 | 10.1-17.5  | 336  | 86.2 | 82.5-89.9  |
| 55-64                 | 512               | 43,458   | 63  | 12.5 | 9.2-15.8   | 449  | 87.5 | 84.2-90.8  |
| 65+                   | 1291              | 73,475   | 157 | 11.2 | 9.2-13.2   | 1134 | 88.8 | 86.8-90.8  |
| Less Than H.S.        | 75                | 19,185   | 18  | 31.4 | 17.7-45.1  | 57   | 68.6 | 54.9-82.3  |
| H.S. or G.E.D.        | 668               | 69,639   | 105 | 20.5 | 16.0-25.0  | 563  | 79.5 | 75.0-84.0  |
| Some Post-H.S.        | 918               | 112,930  | 139 | 16.3 | 13.4-19.2  | 779  | 83.7 | 80.8-86.6  |
| College Graduate      | 1256              | 93,915   | 169 | 14.0 | 11.6-16.4  | 1087 | 86.0 | 83.6-88.4  |
| Less than \$15,000    | 81                | 10,735   | 20  | 39.2 | 22.3-56.1  | 61   | 60.8 | 43.9-77.7  |
| \$15,000- 24,999      | 193               | 22,697   | 37  | 20.5 | 13.2-27.8  | 156  | 79.5 | 72.2-86.8  |
| \$25,000- 34,999      | 252               | 24,906   | 42  | 19.7 | 12.3-27.1  | 210  | 80.3 | 72.9-87.7  |
| \$35,000- 49,999      | 332               | 31,458   | 58  | 21.8 | 15.1-28.5  | 274  | 78.2 | 71.5-84.9  |
| \$50,000- 99,999      | 743               | 74,015   | 99  | 14.8 | 11.5-18.1  | 644  | 85.2 | 81.9-88.5  |
| \$100,000 - 199,999   | 495               | 52,399   | 74  | 18.5 | 13.6-23.4  | 421  | 81.5 | 76.6-86.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS  
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|-----------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| TOTAL                 | 713               | 85,163   | 526 | 71.7 | 67.4-76.0  | 187 | 28.3 | 24.0-32.6  |
| Male                  | 292               | 34,266   | 198 | 63.5 | 56.4-70.6  | 94  | 36.5 | 29.4-43.6  |
| Female                | 421               | 50,897   | 328 | 77.2 | 71.9-82.5  | 93  | 22.8 | 17.5-28.1  |
| Non-Native            | 666               | 77,940   | 487 | 70.3 | 65.6-75.0  | 179 | 29.7 | 25.0-34.4  |
| 18-24                 | 51                | 15,019   | 31  | 65.0 | 50.5-79.5  | 20  | 35.0 | 20.5-49.5  |
| 25-34                 | 103               | 21,215   | 69  | 71.9 | 62.7-81.1  | 34  | 28.1 | 18.9-37.3  |
| 35-44                 | 106               | 14,597   | 62  | 61.1 | 50.7-71.5  | 44  | 38.9 | 28.5-49.3  |
| 45-54                 | 104               | 10,152   | 80  | 76.7 | 67.7-85.7  | 24  | 23.3 | 14.3-32.3  |
| 55-64                 | 109               | 10,762   | 85  | 74.3 | 62.9-85.7  | 24  | 25.7 | 14.3-37.1  |
| 65+                   | 240               | 13,417   | 199 | 84.5 | 79.0-90.0  | 41  | 15.5 | 10.0-21.0  |
| H.S. or G.E.D.        | 178               | 23,205   | 135 | 73.5 | 64.9-82.1  | 43  | 26.5 | 17.9-35.1  |
| Some Post-H.S.        | 240               | 32,312   | 180 | 71.4 | 64.5-78.3  | 60  | 28.6 | 21.7-35.5  |
| College Graduate      | 266               | 20,333   | 187 | 65.6 | 58.5-72.7  | 79  | 34.4 | 27.3-41.5  |
| \$15,000- 24,999      | 53                | 6,632    | 39  | 67.0 | 50.9-83.1  | 14  | 33.0 | 16.9-49.1  |
| \$25,000- 34,999      | 61                | 8,366    | 40  | 63.7 | 46.8-80.6  | 21  | 36.3 | 19.4-53.2  |
| \$35,000- 49,999      | 85                | 9,140    | 67  | 80.7 | 70.5-90.9  | 18  | 19.3 | 9.1-29.5   |
| \$50,000- 99,999      | 182               | 20,473   | 129 | 70.5 | 62.5-78.5  | 53  | 29.5 | 21.5-37.5  |
| \$100,000 - 199,999   | 135               | 16,996   | 99  | 71.5 | 62.3-80.7  | 36  | 28.5 | 19.3-37.7  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS  
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No |      |            |
|-----------------------|-------------------|----------|-----|------|------------|----|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N  | %    | C.I. (95%) |
| Male                  | 292               | 34,266   | 198 | 63.5 | 56.4-70.6  | 94 | 36.5 | 29.4-43.6  |
| Non-Native            | 273               | 31,901   | 184 | 62.9 | 55.5-70.3  | 89 | 37.1 | 29.7-44.5  |
| 65+                   | 89                | 5,522    | 69  | 79.0 | 68.6-89.4  | 20 | 21.0 | 10.6-31.4  |
| H.S. or G.E.D.        | 74                | 8,949    | 52  | 66.6 | 54.1-79.1  | 22 | 33.4 | 20.9-45.9  |
| Some Post-H.S.        | 105               | 14,495   | 73  | 65.6 | 55.0-76.2  | 32 | 34.4 | 23.8-45.0  |
| College Graduate      | 102               | 7,531    | 66  | 61.4 | 50.2-72.6  | 36 | 38.6 | 27.4-49.8  |
| \$50,000- 99,999      | 85                | 9,811    | 60  | 72.0 | 61.0-83.0  | 25 | 28.0 | 17.0-39.0  |
| \$100,000 - 199,999   | 62                | 7,377    | 47  | 72.3 | 59.0-85.6  | 15 | 27.7 | 14.4-41.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS  
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No |      |            |
|-----------------------|-------------------|----------|-----|------|------------|----|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N  | %    | C.I. (95%) |
| Female                | 421               | 50,897   | 328 | 77.2 | 71.9-82.5  | 93 | 22.8 | 17.5-28.1  |
| Non-Native            | 393               | 46,040   | 303 | 75.4 | 69.7-81.1  | 90 | 24.6 | 18.9-30.3  |
| 25-34                 | 59                | 13,309   | 45  | 79.8 | 69.2-90.4  | 14 | 20.2 | 9.6-30.8   |
| 35-44                 | 60                | 9,142    | 38  | 66.6 | 53.3-79.9  | 22 | 33.4 | 20.1-46.7  |
| 45-54                 | 58                | 5,278    | 47  | 84.3 | 74.7-93.9  | 11 | 15.7 | 6.1-25.3   |
| 55-64                 | 63                | 5,436    | 48  | 75.4 | 63.4-87.4  | 15 | 24.6 | 12.6-36.6  |
| 65+                   | 151               | 7,896    | 130 | 88.3 | 82.8-93.8  | 21 | 11.7 | 6.2-17.2   |
| H.S. or G.E.D.        | 104               | 14,257   | 83  | 77.8 | 66.2-89.4  | 21 | 22.2 | 10.6-33.8  |
| Some Post-H.S.        | 135               | 17,817   | 107 | 76.2 | 67.2-85.2  | 28 | 23.8 | 14.8-32.8  |
| College Graduate      | 164               | 12,801   | 121 | 68.0 | 59.0-77.0  | 43 | 32.0 | 23.0-41.0  |
| \$35,000- 49,999      | 57                | 6,822    | 46  | 80.5 | 68.0-93.0  | 11 | 19.5 | 7.0-32.0   |
| \$50,000- 99,999      | 97                | 10,662   | 69  | 69.2 | 57.6-80.8  | 28 | 30.8 | 19.2-42.4  |
| \$100,000 - 199,999   | 73                | 9,619    | 52  | 70.9 | 58.4-83.4  | 21 | 29.1 | 16.6-41.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 7: CHRONIC HEALTH CONDITIONS**  
**TABLE 16: (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| TOTAL                 | 5718              | 605,117  | 412 | 4.7  | 4.1- 5.3   | 5306 | 95.3  | 94.7-95.9  |
| Male                  | 2802              | 309,760  | 165 | 3.6  | 3.0- 4.2   | 2637 | 96.4  | 95.8-97.0  |
| Female                | 2916              | 295,357  | 247 | 5.8  | 4.8- 6.8   | 2669 | 94.2  | 93.2-95.2  |
| Native                | 164               | 24,657   | 3   | 1.5  | 0.0- 3.5   | 161  | 98.5  | 96.5- 100  |
| Non-Native            | 5466              | 570,574  | 402 | 4.8  | 4.2- 5.4   | 5064 | 95.2  | 94.6-95.8  |
| 18-24                 | 307               | 85,441   |     |      |            | 307  | 100.0 | 100.0- 100 |
| 25-34                 | 578               | 108,141  | 3   | 0.3  | 0.0- 0.7   | 575  | 99.7  | 99.3- 100  |
| 35-44                 | 758               | 104,229  | 8   | 1.1  | 0.3- 1.9   | 750  | 98.9  | 98.1-99.7  |
| 45-54                 | 819               | 81,427   | 21  | 2.7  | 1.3- 4.1   | 798  | 97.3  | 95.9-98.7  |
| 55-64                 | 967               | 88,975   | 63  | 6.3  | 4.5- 8.1   | 904  | 93.7  | 91.9-95.5  |
| 65+                   | 2289              | 136,904  | 317 | 14.1 | 12.3-15.9  | 1972 | 85.9  | 84.1-87.7  |
| Less Than H.S.        | 171               | 43,321   | 7   | 2.8  | 0.6- 5.0   | 164  | 97.2  | 95.0-99.4  |
| H.S. or G.E.D.        | 1438              | 159,612  | 96  | 4.2  | 3.2- 5.2   | 1342 | 95.8  | 94.8-96.8  |
| Some Post-H.S.        | 1774              | 230,911  | 128 | 4.8  | 3.8- 5.8   | 1646 | 95.2  | 94.2-96.2  |
| College Graduate      | 2316              | 169,302  | 180 | 5.6  | 4.6- 6.6   | 2136 | 94.4  | 93.4-95.4  |
| Less than \$15,000    | 147               | 18,079   | 6   | 2.4  | 0.0- 4.8   | 141  | 97.6  | 95.2- 100  |
| \$15,000- 24,999      | 308               | 35,919   | 21  | 5.5  | 2.8- 8.2   | 287  | 94.5  | 91.8-97.2  |
| \$25,000- 34,999      | 457               | 49,240   | 39  | 5.6  | 3.6- 7.6   | 418  | 94.4  | 92.4-96.4  |
| \$35,000- 49,999      | 629               | 61,374   | 56  | 6.3  | 4.3- 8.3   | 573  | 93.7  | 91.7-95.7  |
| \$50,000- 99,999      | 1545              | 163,911  | 128 | 5.3  | 4.1- 6.5   | 1417 | 94.7  | 93.5-95.9  |
| \$100,000 - 199,999   | 1148              | 123,869  | 57  | 3.3  | 2.3- 4.3   | 1091 | 96.7  | 95.7-97.7  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| Male                  | 2802              | 309,760  | 165 | 3.6  | 3.0- 4.2   | 2637 | 96.4  | 95.8-97.0  |
| Native                | 70                | 10,909   |     |      |            | 70   | 100.0 | 100.0- 100 |
| Non-Native            | 2681              | 293,466  | 162 | 3.8  | 3.2- 4.4   | 2519 | 96.2  | 95.6-96.8  |
| 18-24                 | 178               | 45,353   |     |      |            | 178  | 100.0 | 100.0- 100 |
| 25-34                 | 316               | 57,812   | 1   | 0.2  | 0.0- 0.6   | 315  | 99.8  | 99.4- 100  |
| 35-44                 | 422               | 54,305   | 2   | 0.6  | 0.0- 1.4   | 420  | 99.4  | 98.6- 100  |
| 45-54                 | 422               | 42,510   | 4   | 0.7  | 0.1- 1.3   | 418  | 99.3  | 98.7-99.9  |
| 55-64                 | 455               | 45,517   | 22  | 4.3  | 2.3- 6.3   | 433  | 95.7  | 93.7-97.7  |
| 65+                   | 1009              | 64,263   | 136 | 13.3 | 10.8-15.8  | 873  | 86.7  | 84.2-89.2  |
| Less Than H.S.        | 97                | 24,192   | 2   | 1.6  | 0.0- 4.0   | 95   | 98.4  | 96.0- 100  |
| H.S. or G.E.D.        | 772               | 90,048   | 45  | 3.4  | 2.2- 4.6   | 727  | 96.6  | 95.4-97.8  |
| Some Post-H.S.        | 860               | 118,560  | 49  | 3.7  | 2.5- 4.9   | 811  | 96.3  | 95.1-97.5  |
| College Graduate      | 1063              | 75,539   | 69  | 4.6  | 3.4- 5.8   | 994  | 95.4  | 94.2-96.6  |
| Less than \$15,000    | 66                | 7,344    | 2   | 2.6  | 0.0- 7.1   | 64   | 97.4  | 92.9- 100  |
| \$15,000- 24,999      | 116               | 13,531   | 6   | 4.1  | 0.4- 7.8   | 110  | 95.9  | 92.2-99.6  |
| \$25,000- 34,999      | 205               | 24,313   | 15  | 4.8  | 2.3- 7.3   | 190  | 95.2  | 92.7-97.7  |
| \$35,000- 49,999      | 296               | 29,883   | 25  | 5.4  | 2.9- 7.9   | 271  | 94.6  | 92.1-97.1  |
| \$50,000- 99,999      | 807               | 90,230   | 67  | 4.8  | 3.4- 6.2   | 740  | 95.2  | 93.8-96.6  |
| \$100,000 - 199,999   | 652               | 71,304   | 20  | 2.2  | 1.0- 3.4   | 632  | 97.8  | 96.6-99.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| Female                | 2916              | 295,357  | 247 | 5.8  | 4.8- 6.8   | 2669 | 94.2  | 93.2-95.2  |
| Native                | 94                | 13,748   | 3   | 2.7  | 0.0- 6.2   | 91   | 97.3  | 93.8- 100  |
| Non-Native            | 2785              | 277,107  | 240 | 6.0  | 5.0- 7.0   | 2545 | 94.0  | 93.0-95.0  |
| 18-24                 | 129               | 40,088   |     |      |            | 129  | 100.0 | 100.0- 100 |
| 25-34                 | 262               | 50,329   | 2   | 0.4  | 0.0- 1.0   | 260  | 99.6  | 99.0- 100  |
| 35-44                 | 336               | 49,924   | 6   | 1.6  | 0.2- 3.0   | 330  | 98.4  | 97.0-99.8  |
| 45-54                 | 397               | 38,917   | 17  | 4.8  | 2.1- 7.5   | 380  | 95.2  | 92.5-97.9  |
| 55-64                 | 512               | 43,458   | 41  | 8.3  | 5.4-11.2   | 471  | 91.7  | 88.8-94.6  |
| 65+                   | 1280              | 72,641   | 181 | 14.8 | 12.4-17.2  | 1099 | 85.2  | 82.8-87.6  |
| Less Than H.S.        | 74                | 19,129   | 5   | 4.2  | 0.3- 8.1   | 69   | 95.8  | 91.9-99.7  |
| H.S. or G.E.D.        | 666               | 69,563   | 51  | 5.3  | 3.7- 6.9   | 615  | 94.7  | 93.1-96.3  |
| Some Post-H.S.        | 914               | 112,352  | 79  | 6.0  | 4.4- 7.6   | 835  | 94.0  | 92.4-95.6  |
| College Graduate      | 1253              | 93,763   | 111 | 6.4  | 5.0- 7.8   | 1142 | 93.6  | 92.2-95.0  |
| Less than \$15,000    | 81                | 10,735   | 4   | 2.3  | 0.0- 5.0   | 77   | 97.7  | 95.0- 100  |
| \$15,000- 24,999      | 192               | 22,387   | 15  | 6.3  | 2.4-10.2   | 177  | 93.7  | 89.8-97.6  |
| \$25,000- 34,999      | 252               | 24,927   | 24  | 6.5  | 3.4- 9.6   | 228  | 93.5  | 90.4-96.6  |
| \$35,000- 49,999      | 333               | 31,490   | 31  | 7.1  | 4.2-10.0   | 302  | 92.9  | 90.0-95.8  |
| \$50,000- 99,999      | 738               | 73,681   | 61  | 5.8  | 4.0- 7.6   | 677  | 94.2  | 92.4-96.0  |
| \$100,000 - 199,999   | 496               | 52,565   | 37  | 4.9  | 2.9- 6.9   | 459  | 95.1  | 93.1-97.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5718              | 604,734  | 663 | 7.9  | 7.1- 8.7   | 5055 | 92.1 | 91.3-92.9  |
| Male                  | 2796              | 308,844  | 280 | 6.5  | 5.5- 7.5   | 2516 | 93.5 | 92.5-94.5  |
| Female                | 2922              | 295,890  | 383 | 9.4  | 8.2-10.6   | 2539 | 90.6 | 89.4-91.8  |
| Native                | 163               | 24,491   | 9   | 3.0  | 0.8- 5.2   | 154  | 97.0 | 94.8-99.2  |
| Non-Native            | 5468              | 570,389  | 643 | 8.1  | 7.3- 8.9   | 4825 | 91.9 | 91.1-92.7  |
| 18-24                 | 307               | 85,441   | 1   | 0.2  | 0.0- 0.6   | 306  | 99.8 | 99.4- 100  |
| 25-34                 | 579               | 108,259  | 9   | 1.5  | 0.7- 2.3   | 570  | 98.5 | 97.7-99.3  |
| 35-44                 | 755               | 103,770  | 23  | 2.9  | 1.7- 4.1   | 732  | 97.1 | 95.9-98.3  |
| 45-54                 | 817               | 81,123   | 43  | 5.3  | 3.5- 7.1   | 774  | 94.7 | 92.9-96.5  |
| 55-64                 | 963               | 88,673   | 115 | 11.8 | 9.3-14.3   | 848  | 88.2 | 85.7-90.7  |
| 65+                   | 2297              | 137,468  | 472 | 20.6 | 18.6-22.6  | 1825 | 79.4 | 77.4-81.4  |
| Less Than H.S.        | 169               | 43,005   | 17  | 6.4  | 2.9- 9.9   | 152  | 93.6 | 90.1-97.1  |
| H.S. or G.E.D.        | 1440              | 159,657  | 171 | 8.0  | 6.6- 9.4   | 1269 | 92.0 | 90.6-93.4  |
| Some Post-H.S.        | 1771              | 230,713  | 196 | 7.9  | 6.7- 9.1   | 1575 | 92.1 | 90.9-93.3  |
| College Graduate      | 2319              | 169,387  | 277 | 8.4  | 7.2- 9.6   | 2042 | 91.6 | 90.4-92.8  |
| Less than \$15,000    | 146               | 17,858   | 12  | 7.5  | 2.4-12.6   | 134  | 92.5 | 87.4-97.6  |
| \$15,000- 24,999      | 308               | 35,817   | 54  | 13.2 | 9.3-17.1   | 254  | 86.8 | 82.9-90.7  |
| \$25,000- 34,999      | 456               | 49,185   | 55  | 6.1  | 4.1- 8.1   | 401  | 93.9 | 91.9-95.9  |
| \$35,000- 49,999      | 627               | 61,223   | 84  | 8.4  | 6.2-10.6   | 543  | 91.6 | 89.4-93.8  |
| \$50,000- 99,999      | 1551              | 164,433  | 164 | 7.4  | 6.0- 8.8   | 1387 | 92.6 | 91.2-94.0  |
| \$100,000 - 199,999   | 1149              | 123,902  | 113 | 7.4  | 5.8- 9.0   | 1036 | 92.6 | 91.0-94.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2796              | 308,844  | 280 | 6.5  | 5.5- 7.5   | 2516 | 93.5 | 92.5-94.5  |
| Native                | 69                | 10,743   | 2   | 1.6  | 0.0- 3.8   | 67   | 98.4 | 96.2- 100  |
| Non-Native            | 2677              | 292,749  | 272 | 6.6  | 5.6- 7.6   | 2405 | 93.4 | 92.4-94.4  |
| 18-24                 | 178               | 45,353   | 1   | 0.4  | 0.0- 1.2   | 177  | 99.6 | 98.8- 100  |
| 25-34                 | 316               | 57,812   | 3   | 0.8  | 0.0- 1.8   | 313  | 99.2 | 98.2- 100  |
| 35-44                 | 420               | 54,043   | 8   | 2.0  | 0.4- 3.6   | 412  | 98.0 | 96.4-99.6  |
| 45-54                 | 421               | 42,258   | 15  | 3.7  | 1.5- 5.9   | 406  | 96.3 | 94.1-98.5  |
| 55-64                 | 452               | 45,275   | 37  | 7.4  | 4.5-10.3   | 415  | 92.6 | 89.7-95.5  |
| 65+                   | 1009              | 64,103   | 216 | 21.2 | 18.3-24.1  | 793  | 78.8 | 75.9-81.7  |
| Less Than H.S.        | 95                | 23,876   | 9   | 6.2  | 1.5-10.9   | 86   | 93.8 | 89.1-98.5  |
| H.S. or G.E.D.        | 771               | 89,860   | 82  | 6.8  | 5.0- 8.6   | 689  | 93.2 | 91.4-95.0  |
| Some Post-H.S.        | 857               | 118,258  | 79  | 6.1  | 4.5- 7.7   | 778  | 93.9 | 92.3-95.5  |
| College Graduate      | 1063              | 75,430   | 109 | 7.1  | 5.5- 8.7   | 954  | 92.9 | 91.3-94.5  |
| Less than \$15,000    | 65                | 7,124    | 4   | 7.7  | 0.0-15.9   | 61   | 92.3 | 84.1- 100  |
| \$15,000- 24,999      | 116               | 13,429   | 22  | 13.5 | 6.6-20.4   | 94   | 86.5 | 79.6-93.4  |
| \$25,000- 34,999      | 204               | 24,264   | 16  | 3.4  | 1.4- 5.4   | 188  | 96.6 | 94.6-98.6  |
| \$35,000- 49,999      | 294               | 29,733   | 38  | 7.5  | 4.8-10.2   | 256  | 92.5 | 89.8-95.2  |
| \$50,000- 99,999      | 808               | 90,391   | 80  | 6.6  | 4.8- 8.4   | 728  | 93.4 | 91.6-95.2  |
| \$100,000 - 199,999   | 653               | 71,337   | 53  | 6.1  | 4.1- 8.1   | 600  | 93.9 | 91.9-95.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| Female                | 2922              | 295,890  | 383 | 9.4  | 8.2-10.6   | 2539 | 90.6  | 89.4-91.8  |
| Native                | 94                | 13,748   | 7   | 4.0  | 0.7- 7.3   | 87   | 96.0  | 92.7-99.3  |
| Non-Native            | 2791              | 277,640  | 371 | 9.6  | 8.4-10.8   | 2420 | 90.4  | 89.2-91.6  |
| 18-24                 | 129               | 40,088   |     |      |            | 129  | 100.0 | 100.0- 100 |
| 25-34                 | 263               | 50,447   | 6   | 2.3  | 0.7- 3.9   | 257  | 97.7  | 96.1-99.3  |
| 35-44                 | 335               | 49,728   | 15  | 3.9  | 1.9- 5.9   | 320  | 96.1  | 94.1-98.1  |
| 45-54                 | 396               | 38,864   | 28  | 7.1  | 4.2-10.0   | 368  | 92.9  | 90.0-95.8  |
| 55-64                 | 511               | 43,397   | 78  | 16.3 | 12.4-20.2  | 433  | 83.7  | 79.8-87.6  |
| 65+                   | 1288              | 73,366   | 256 | 20.1 | 17.4-22.8  | 1032 | 79.9  | 77.2-82.6  |
| Less Than H.S.        | 74                | 19,129   | 8   | 6.7  | 1.4-12.0   | 66   | 93.3  | 88.0-98.6  |
| H.S. or G.E.D.        | 669               | 69,797   | 89  | 9.5  | 7.1-11.9   | 580  | 90.5  | 88.1-92.9  |
| Some Post-H.S.        | 914               | 112,456  | 117 | 9.7  | 7.7-11.7   | 797  | 90.3  | 88.3-92.3  |
| College Graduate      | 1256              | 93,957   | 168 | 9.4  | 7.8-11.0   | 1088 | 90.6  | 89.0-92.2  |
| Less than \$15,000    | 81                | 10,735   | 8   | 7.4  | 1.1-13.7   | 73   | 92.6  | 86.3-98.9  |
| \$15,000- 24,999      | 192               | 22,387   | 32  | 13.0 | 8.3-17.7   | 160  | 87.0  | 82.3-91.7  |
| \$25,000- 34,999      | 252               | 24,921   | 39  | 8.7  | 5.2-12.2   | 213  | 91.3  | 87.8-94.8  |
| \$35,000- 49,999      | 333               | 31,490   | 46  | 9.2  | 6.1-12.3   | 287  | 90.8  | 87.7-93.9  |
| \$50,000- 99,999      | 743               | 74,042   | 84  | 8.4  | 6.2-10.6   | 659  | 91.6  | 89.4-93.8  |
| \$100,000 - 199,999   | 496               | 52,565   | 60  | 9.1  | 6.6-11.6   | 436  | 90.9  | 88.4-93.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5725              | 605,571  | 372 | 5.2  | 4.6- 5.8   | 5353 | 94.8 | 94.2-95.4  |
| Male                  | 2801              | 309,363  | 171 | 5.0  | 4.0- 6.0   | 2630 | 95.0 | 94.0-96.0  |
| Female                | 2924              | 296,207  | 201 | 5.3  | 4.3- 6.3   | 2723 | 94.7 | 93.7-95.7  |
| Native                | 163               | 24,601   | 14  | 5.0  | 1.9- 8.1   | 149  | 95.0 | 91.9-98.1  |
| Non-Native            | 5474              | 571,083  | 352 | 5.2  | 4.6- 5.8   | 5122 | 94.8 | 94.2-95.4  |
| 18-24                 | 307               | 85,376   | 2   | 0.6  | 0.0- 1.4   | 305  | 99.4 | 98.6- 100  |
| 25-34                 | 579               | 108,259  | 13  | 2.6  | 1.0- 4.2   | 566  | 97.4 | 95.8-99.0  |
| 35-44                 | 758               | 104,229  | 20  | 2.9  | 1.5- 4.3   | 738  | 97.1 | 95.7-98.5  |
| 45-54                 | 818               | 81,367   | 20  | 2.6  | 1.4- 3.8   | 798  | 97.4 | 96.2-98.6  |
| 55-64                 | 963               | 88,664   | 88  | 9.6  | 7.4-11.8   | 875  | 90.4 | 88.2-92.6  |
| 65+                   | 2300              | 137,676  | 229 | 10.3 | 8.7-11.9   | 2071 | 89.7 | 88.1-91.3  |
| Less Than H.S.        | 172               | 43,377   | 21  | 8.3  | 4.2-12.4   | 151  | 91.7 | 87.6-95.8  |
| H.S. or G.E.D.        | 1440              | 159,444  | 135 | 6.4  | 5.0- 7.8   | 1305 | 93.6 | 92.2-95.0  |
| Some Post-H.S.        | 1776              | 231,444  | 128 | 5.4  | 4.2- 6.6   | 1648 | 94.6 | 93.4-95.8  |
| College Graduate      | 2318              | 169,334  | 87  | 2.8  | 2.0- 3.6   | 2231 | 97.2 | 96.4-98.0  |
| Less than \$15,000    | 148               | 18,175   | 27  | 15.3 | 7.7-22.9   | 121  | 84.7 | 77.1-92.3  |
| \$15,000- 24,999      | 308               | 36,104   | 48  | 12.7 | 8.4-17.0   | 260  | 87.3 | 83.0-91.6  |
| \$25,000- 34,999      | 456               | 49,234   | 45  | 6.1  | 3.7- 8.5   | 411  | 93.9 | 91.5-96.3  |
| \$35,000- 49,999      | 630               | 61,458   | 47  | 6.7  | 4.5- 8.9   | 583  | 93.3 | 91.1-95.5  |
| \$50,000- 99,999      | 1551              | 164,462  | 90  | 4.3  | 3.3- 5.3   | 1461 | 95.7 | 94.7-96.7  |
| \$100,000 - 199,999   | 1148              | 123,849  | 33  | 3.1  | 1.9- 4.3   | 1115 | 96.9 | 95.7-98.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2801              | 309,363  | 171 | 5.0  | 4.0- 6.0   | 2630 | 95.0 | 94.0-96.0  |
| Native                | 70                | 10,909   | 2   | 1.2  | 0.0- 3.2   | 68   | 98.8 | 96.8- 100  |
| Non-Native            | 2680              | 293,070  | 166 | 5.2  | 4.2- 6.2   | 2514 | 94.8 | 93.8-95.8  |
| 18-24                 | 177               | 44,979   | 1   | 0.5  | 0.0- 1.5   | 176  | 99.5 | 98.5- 100  |
| 25-34                 | 316               | 57,812   | 5   | 1.6  | 0.0- 3.2   | 311  | 98.4 | 96.8- 100  |
| 35-44                 | 422               | 54,305   | 13  | 3.6  | 1.4- 5.8   | 409  | 96.4 | 94.2-98.6  |
| 45-54                 | 422               | 42,503   | 10  | 2.8  | 0.8- 4.8   | 412  | 97.2 | 95.2-99.2  |
| 55-64                 | 452               | 45,259   | 34  | 9.1  | 5.8-12.4   | 418  | 90.9 | 87.6-94.2  |
| 65+                   | 1012              | 64,506   | 108 | 11.0 | 8.6-13.4   | 904  | 89.0 | 86.6-91.4  |
| Less Than H.S.        | 97                | 24,192   | 11  | 8.1  | 3.0-13.2   | 86   | 91.9 | 86.8-97.0  |
| H.S. or G.E.D.        | 770               | 89,670   | 64  | 6.0  | 4.2- 7.8   | 706  | 94.0 | 92.2-95.8  |
| Some Post-H.S.        | 860               | 118,510  | 61  | 5.3  | 3.7- 6.9   | 799  | 94.7 | 93.1-96.3  |
| College Graduate      | 1064              | 75,570   | 35  | 2.4  | 1.4- 3.4   | 1029 | 97.6 | 96.6-98.6  |
| Less than \$15,000    | 67                | 7,440    | 10  | 11.4 | 2.6-20.2   | 57   | 88.6 | 79.8-97.4  |
| \$15,000- 24,999      | 116               | 13,535   | 18  | 13.8 | 6.4-21.2   | 98   | 86.2 | 78.8-93.6  |
| \$25,000- 34,999      | 205               | 24,357   | 18  | 5.4  | 2.1- 8.7   | 187  | 94.6 | 91.3-97.9  |
| \$35,000- 49,999      | 297               | 29,968   | 24  | 7.7  | 4.2-11.2   | 273  | 92.3 | 88.8-95.8  |
| \$50,000- 99,999      | 806               | 90,188   | 49  | 4.4  | 2.8- 6.0   | 757  | 95.6 | 94.0-97.2  |
| \$100,000 - 199,999   | 653               | 71,337   | 21  | 3.6  | 1.8- 5.4   | 632  | 96.4 | 94.6-98.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2924              | 296,207  | 201 | 5.3  | 4.3- 6.3   | 2723 | 94.7 | 93.7-95.7  |
| Native                | 93                | 13,692   | 12  | 8.1  | 2.6-13.6   | 81   | 91.9 | 86.4-97.4  |
| Non-Native            | 2794              | 278,013  | 186 | 5.2  | 4.2- 6.2   | 2608 | 94.8 | 93.8-95.8  |
| 18-24                 | 130               | 40,397   | 1   | 0.8  | 0.0- 2.4   | 129  | 99.2 | 97.6- 100  |
| 25-34                 | 263               | 50,447   | 8   | 3.7  | 1.0- 6.4   | 255  | 96.3 | 93.6-99.0  |
| 35-44                 | 336               | 49,924   | 7   | 2.2  | 0.2- 4.2   | 329  | 97.8 | 95.8-99.8  |
| 45-54                 | 396               | 38,865   | 10  | 2.4  | 0.8- 4.0   | 386  | 97.6 | 96.0-99.2  |
| 55-64                 | 511               | 43,405   | 54  | 10.1 | 7.2-13.0   | 457  | 89.9 | 87.0-92.8  |
| 65+                   | 1288              | 73,170   | 121 | 9.8  | 7.8-11.8   | 1167 | 90.2 | 88.2-92.2  |
| Less Than H.S.        | 75                | 19,185   | 10  | 8.6  | 2.1-15.1   | 65   | 91.4 | 84.9-97.9  |
| H.S. or G.E.D.        | 670               | 69,774   | 71  | 6.9  | 5.1- 8.7   | 599  | 93.1 | 91.3-94.9  |
| Some Post-H.S.        | 916               | 112,933  | 67  | 5.6  | 4.0- 7.2   | 849  | 94.4 | 92.8-96.0  |
| College Graduate      | 1254              | 93,764   | 52  | 3.2  | 2.0- 4.4   | 1202 | 96.8 | 95.6-98.0  |
| Less than \$15,000    | 81                | 10,735   | 17  | 18.0 | 6.8-29.2   | 64   | 82.0 | 70.8-93.2  |
| \$15,000- 24,999      | 192               | 22,569   | 30  | 12.1 | 7.0-17.2   | 162  | 87.9 | 82.8-93.0  |
| \$25,000- 34,999      | 251               | 24,877   | 27  | 6.8  | 3.5-10.1   | 224  | 93.2 | 89.9-96.5  |
| \$35,000- 49,999      | 333               | 31,490   | 23  | 5.8  | 3.1- 8.5   | 310  | 94.2 | 91.5-96.9  |
| \$50,000- 99,999      | 745               | 74,274   | 41  | 4.0  | 2.6- 5.4   | 704  | 96.0 | 94.6-97.4  |
| \$100,000 - 199,999   | 495               | 52,512   | 12  | 2.4  | 0.8- 4.0   | 483  | 97.6 | 96.0-99.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5724              | 604,738  | 1051 | 22.3 | 20.7-23.9  | 4673 | 77.7 | 76.1-79.3  |
| Male                  | 2802              | 308,866  | 344  | 14.5 | 12.7-16.3  | 2458 | 85.5 | 83.7-87.3  |
| Female                | 2922              | 295,871  | 707  | 30.5 | 28.1-32.9  | 2215 | 69.5 | 67.1-71.9  |
| Native                | 163               | 24,460   | 39   | 28.7 | 19.1-38.3  | 124  | 71.3 | 61.7-80.9  |
| Non-Native            | 5473              | 570,392  | 1000 | 22.1 | 20.5-23.7  | 4473 | 77.9 | 76.3-79.5  |
| 18-24                 | 306               | 85,015   | 93   | 32.9 | 27.0-38.8  | 213  | 67.1 | 61.2-73.0  |
| 25-34                 | 578               | 108,062  | 148  | 30.4 | 25.9-34.9  | 430  | 69.6 | 65.1-74.1  |
| 35-44                 | 756               | 103,967  | 168  | 22.9 | 19.6-26.2  | 588  | 77.1 | 73.8-80.4  |
| 45-54                 | 817               | 81,157   | 177  | 20.2 | 17.3-23.1  | 640  | 79.8 | 76.9-82.7  |
| 55-64                 | 964               | 88,615   | 173  | 16.9 | 14.2-19.6  | 791  | 83.1 | 80.4-85.8  |
| 65+                   | 2303              | 137,922  | 292  | 13.7 | 11.9-15.5  | 2011 | 86.3 | 84.5-88.1  |
| Less Than H.S.        | 171               | 43,110   | 40   | 35.5 | 26.1-44.9  | 131  | 64.5 | 55.1-73.9  |
| H.S. or G.E.D.        | 1441              | 159,465  | 263  | 21.4 | 18.7-24.1  | 1178 | 78.6 | 75.9-81.3  |
| Some Post-H.S.        | 1773              | 230,746  | 374  | 24.3 | 21.8-26.8  | 1399 | 75.7 | 73.2-78.2  |
| College Graduate      | 2320              | 169,445  | 371  | 17.0 | 15.2-18.8  | 1949 | 83.0 | 81.2-84.8  |
| Less than \$15,000    | 148               | 18,175   | 56   | 44.4 | 32.6-56.2  | 92   | 55.6 | 43.8-67.4  |
| \$15,000- 24,999      | 308               | 36,090   | 98   | 36.6 | 29.5-43.7  | 210  | 63.4 | 56.3-70.5  |
| \$25,000- 34,999      | 458               | 49,300   | 130  | 34.4 | 28.3-40.5  | 328  | 65.6 | 59.5-71.7  |
| \$35,000- 49,999      | 630               | 61,458   | 136  | 27.1 | 22.2-32.0  | 494  | 72.9 | 68.0-77.8  |
| \$50,000- 99,999      | 1553              | 164,601  | 266  | 19.4 | 16.9-21.9  | 1287 | 80.6 | 78.1-83.1  |
| \$100,000 - 199,999   | 1147              | 123,600  | 162  | 17.2 | 14.3-20.1  | 985  | 82.8 | 79.9-85.7  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2802              | 308,866  | 344 | 14.5 | 12.7-16.3  | 2458 | 85.5 | 83.7-87.3  |
| Native                | 69                | 10,712   | 12  | 22.9 | 9.8-36.0   | 57   | 77.1 | 64.0-90.2  |
| Non-Native            | 2682              | 292,770  | 330 | 14.4 | 12.6-16.2  | 2352 | 85.6 | 83.8-87.4  |
| 18-24                 | 177               | 44,979   | 35  | 21.3 | 14.4-28.2  | 142  | 78.7 | 71.8-85.6  |
| 25-34                 | 315               | 57,615   | 55  | 19.7 | 14.2-25.2  | 260  | 80.3 | 74.8-85.8  |
| 35-44                 | 421               | 54,167   | 57  | 13.3 | 9.8-16.8   | 364  | 86.7 | 83.2-90.2  |
| 45-54                 | 421               | 42,320   | 57  | 13.2 | 9.7-16.7   | 364  | 86.8 | 83.3-90.3  |
| 55-64                 | 453               | 45,182   | 50  | 11.4 | 8.1-14.7   | 403  | 88.6 | 85.3-91.9  |
| 65+                   | 1015              | 64,605   | 90  | 9.1  | 6.9-11.3   | 925  | 90.9 | 88.7-93.1  |
| Less Than H.S.        | 96                | 23,926   | 16  | 24.7 | 13.1-36.3  | 80   | 75.3 | 63.7-86.9  |
| H.S. or G.E.D.        | 772               | 89,654   | 96  | 14.0 | 11.1-16.9  | 676  | 86.0 | 83.1-88.9  |
| Some Post-H.S.        | 859               | 118,271  | 123 | 15.1 | 12.4-17.8  | 736  | 84.9 | 82.2-87.6  |
| College Graduate      | 1065              | 75,595   | 108 | 10.5 | 8.3-12.7   | 957  | 89.5 | 87.3-91.7  |
| Less than \$15,000    | 67                | 7,440    | 23  | 41.5 | 25.6-57.4  | 44   | 58.5 | 42.6-74.4  |
| \$15,000- 24,999      | 116               | 13,517   | 28  | 25.3 | 15.7-34.9  | 88   | 74.7 | 65.1-84.3  |
| \$25,000- 34,999      | 206               | 24,367   | 50  | 26.8 | 18.8-34.8  | 156  | 73.2 | 65.2-81.2  |
| \$35,000- 49,999      | 297               | 29,968   | 45  | 18.9 | 13.0-24.8  | 252  | 81.1 | 75.2-87.0  |
| \$50,000- 99,999      | 809               | 90,407   | 77  | 10.1 | 7.2-13.0   | 732  | 89.9 | 87.0-92.8  |
| \$100,000 - 199,999   | 651               | 71,035   | 55  | 10.1 | 7.2-13.0   | 596  | 89.9 | 87.0-92.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2922              | 295,871  | 707 | 30.5 | 28.1-32.9  | 2215 | 69.5 | 67.1-71.9  |
| Native                | 94                | 13,748   | 27  | 33.2 | 19.5-46.9  | 67   | 66.8 | 53.1-80.5  |
| Non-Native            | 2791              | 277,621  | 670 | 30.3 | 27.9-32.7  | 2121 | 69.7 | 67.3-72.1  |
| 18-24                 | 129               | 40,036   | 58  | 46.1 | 36.7-55.5  | 71   | 53.9 | 44.5-63.3  |
| 25-34                 | 263               | 50,447   | 93  | 42.6 | 35.7-49.5  | 170  | 57.4 | 50.5-64.3  |
| 35-44                 | 335               | 49,800   | 111 | 33.3 | 27.6-39.0  | 224  | 66.7 | 61.0-72.4  |
| 45-54                 | 396               | 38,838   | 120 | 27.8 | 22.9-32.7  | 276  | 72.2 | 67.3-77.1  |
| 55-64                 | 511               | 43,433   | 123 | 22.7 | 18.4-27.0  | 388  | 77.3 | 73.0-81.6  |
| 65+                   | 1288              | 73,317   | 202 | 17.7 | 15.0-20.4  | 1086 | 82.3 | 79.6-85.0  |
| Less Than H.S.        | 75                | 19,185   | 24  | 48.9 | 34.8-63.0  | 51   | 51.1 | 37.0-65.2  |
| H.S. or G.E.D.        | 669               | 69,811   | 167 | 31.0 | 26.1-35.9  | 502  | 69.0 | 64.1-73.9  |
| Some Post-H.S.        | 914               | 112,475  | 251 | 34.0 | 29.9-38.1  | 663  | 66.0 | 61.9-70.1  |
| College Graduate      | 1255              | 93,850   | 263 | 22.2 | 19.5-24.9  | 992  | 77.8 | 75.1-80.5  |
| Less than \$15,000    | 81                | 10,735   | 33  | 46.5 | 30.0-63.0  | 48   | 53.5 | 37.0-70.0  |
| \$15,000- 24,999      | 192               | 22,573   | 70  | 43.4 | 34.2-52.6  | 122  | 56.6 | 47.4-65.8  |
| \$25,000- 34,999      | 252               | 24,933   | 80  | 41.8 | 32.8-50.8  | 172  | 58.2 | 49.2-67.2  |
| \$35,000- 49,999      | 333               | 31,490   | 91  | 35.0 | 27.7-42.3  | 242  | 65.0 | 57.7-72.3  |
| \$50,000- 99,999      | 744               | 74,194   | 189 | 30.6 | 26.3-34.9  | 555  | 69.4 | 65.1-73.7  |
| \$100,000 - 199,999   | 496               | 52,565   | 107 | 26.7 | 21.4-32.0  | 389  | 73.3 | 68.0-78.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 28: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |      |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5727              | 606,053  | 260 | 3.6 | 3.0- 4.2   | 5467 | 96.4 | 95.8-97.0  |
| Male                  | 2801              | 309,530  | 101 | 2.8 | 2.2- 3.4   | 2700 | 97.2 | 96.6-97.8  |
| Female                | 2926              | 296,524  | 159 | 4.5 | 3.5- 5.5   | 2767 | 95.5 | 94.5-96.5  |
| Native                | 164               | 24,657   | 8   | 2.8 | 0.8- 4.8   | 156  | 97.2 | 95.2-99.2  |
| Non-Native            | 5476              | 571,558  | 250 | 3.6 | 3.0- 4.2   | 5226 | 96.4 | 95.8-97.0  |
| 18-24                 | 308               | 85,750   | 5   | 2.6 | 0.2- 5.0   | 303  | 97.4 | 95.0-99.8  |
| 25-34                 | 578               | 108,127  | 6   | 0.9 | 0.1- 1.7   | 572  | 99.1 | 98.3-99.9  |
| 35-44                 | 758               | 104,229  | 9   | 1.0 | 0.2- 1.8   | 749  | 99.0 | 98.2-99.8  |
| 45-54                 | 820               | 81,523   | 24  | 3.3 | 1.9- 4.7   | 796  | 96.7 | 95.3-98.1  |
| 55-64                 | 965               | 88,640   | 39  | 4.0 | 2.6- 5.4   | 926  | 96.0 | 94.6-97.4  |
| 65+                   | 2298              | 137,784  | 177 | 8.4 | 7.0- 9.8   | 2121 | 91.6 | 90.2-93.0  |
| Less Than H.S.        | 171               | 43,110   | 13  | 7.4 | 2.5-12.3   | 158  | 92.6 | 87.7-97.5  |
| H.S. or G.E.D.        | 1440              | 159,828  | 70  | 2.9 | 2.1- 3.7   | 1370 | 97.1 | 96.3-97.9  |
| Some Post-H.S.        | 1777              | 231,560  | 96  | 4.1 | 3.1- 5.1   | 1681 | 95.9 | 94.9-96.9  |
| College Graduate      | 2320              | 169,584  | 81  | 2.8 | 2.0- 3.6   | 2239 | 97.2 | 96.4-98.0  |
| Less than \$15,000    | 145               | 18,089   | 9   | 3.7 | 0.8- 6.6   | 136  | 96.3 | 93.4-99.2  |
| \$15,000- 24,999      | 308               | 36,159   | 22  | 7.6 | 3.5-11.7   | 286  | 92.4 | 88.3-96.5  |
| \$25,000- 34,999      | 456               | 49,233   | 30  | 4.5 | 2.5- 6.5   | 426  | 95.5 | 93.5-97.5  |
| \$35,000- 49,999      | 628               | 61,333   | 55  | 6.8 | 4.6- 9.0   | 573  | 93.2 | 91.0-95.4  |
| \$50,000- 99,999      | 1552              | 164,589  | 59  | 3.2 | 2.0- 4.4   | 1493 | 96.8 | 95.6-98.0  |
| \$100,000 - 199,999   | 1148              | 123,771  | 25  | 2.1 | 0.9- 3.3   | 1123 | 97.9 | 96.7-99.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 29: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |      |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2801              | 309,530  | 101 | 2.8 | 2.2- 3.4   | 2700 | 97.2 | 96.6-97.8  |
| Native                | 70                | 10,909   | 2   | 1.2 | 0.0- 2.8   | 68   | 98.8 | 97.2- 100  |
| Non-Native            | 2681              | 293,285  | 99  | 2.9 | 2.3- 3.5   | 2582 | 97.1 | 96.5-97.7  |
| 18-24                 | 178               | 45,353   | 1   | 0.6 | 0.0- 1.8   | 177  | 99.4 | 98.2- 100  |
| 25-34                 | 315               | 57,680   | 3   | 0.8 | 0.0- 1.8   | 312  | 99.2 | 98.2- 100  |
| 35-44                 | 422               | 54,305   | 6   | 1.4 | 0.2- 2.6   | 416  | 98.6 | 97.4-99.8  |
| 45-54                 | 423               | 42,606   | 10  | 2.8 | 0.8- 4.8   | 413  | 97.2 | 95.2-99.2  |
| 55-64                 | 453               | 45,182   | 14  | 3.2 | 1.4- 5.0   | 439  | 96.8 | 95.0-98.6  |
| 65+                   | 1010              | 64,404   | 67  | 6.9 | 4.9- 8.9   | 943  | 93.1 | 91.1-95.1  |
| Less Than H.S.        | 96                | 23,926   | 5   | 3.1 | 0.2- 6.0   | 91   | 96.9 | 94.0-99.8  |
| H.S. or G.E.D.        | 773               | 90,135   | 27  | 2.2 | 1.2- 3.2   | 746  | 97.8 | 96.8-98.8  |
| Some Post-H.S.        | 858               | 118,463  | 32  | 3.1 | 1.9- 4.3   | 826  | 96.9 | 95.7-98.1  |
| College Graduate      | 1064              | 75,585   | 37  | 3.0 | 1.8- 4.2   | 1027 | 97.0 | 95.8-98.2  |
| Less than \$15,000    | 65                | 7,367    | 2   | 2.7 | 0.0- 7.0   | 63   | 97.3 | 93.0- 100  |
| \$15,000- 24,999      | 115               | 13,463   | 5   | 4.3 | 0.2- 8.4   | 110  | 95.7 | 91.6-99.8  |
| \$25,000- 34,999      | 204               | 24,309   | 11  | 3.2 | 1.0- 5.4   | 193  | 96.8 | 94.6-99.0  |
| \$35,000- 49,999      | 296               | 29,914   | 23  | 6.3 | 3.2- 9.4   | 273  | 93.7 | 90.6-96.8  |
| \$50,000- 99,999      | 809               | 90,407   | 25  | 2.6 | 1.4- 3.8   | 784  | 97.4 | 96.2-98.6  |
| \$100,000 - 199,999   | 652               | 71,206   | 15  | 1.8 | 0.8- 2.8   | 637  | 98.2 | 97.2-99.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 30: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2926              | 296,524  | 159 | 4.5  | 3.5- 5.5   | 2767 | 95.5 | 94.5-96.5  |
| Native                | 94                | 13,748   | 6   | 4.1  | 0.8- 7.4   | 88   | 95.9 | 92.6-99.2  |
| Non-Native            | 2795              | 278,274  | 151 | 4.4  | 3.4- 5.4   | 2644 | 95.6 | 94.6-96.6  |
| 18-24                 | 130               | 40,397   | 4   | 4.7  | 0.0- 9.4   | 126  | 95.3 | 90.6- 100  |
| 25-34                 | 263               | 50,447   | 3   | 1.0  | 0.0- 2.2   | 260  | 99.0 | 97.8- 100  |
| 35-44                 | 336               | 49,924   | 3   | 0.6  | 0.0- 1.4   | 333  | 99.4 | 98.6- 100  |
| 45-54                 | 397               | 38,917   | 14  | 3.8  | 1.6- 6.0   | 383  | 96.2 | 94.0-98.4  |
| 55-64                 | 512               | 43,458   | 25  | 4.8  | 2.4- 7.2   | 487  | 95.2 | 92.8-97.6  |
| 65+                   | 1288              | 73,381   | 110 | 9.7  | 7.7-11.7   | 1178 | 90.3 | 88.3-92.3  |
| Less Than H.S.        | 75                | 19,185   | 8   | 12.9 | 2.9-22.9   | 67   | 87.1 | 77.1-97.1  |
| H.S. or G.E.D.        | 667               | 69,693   | 43  | 3.9  | 2.5- 5.3   | 624  | 96.1 | 94.7-97.5  |
| Some Post-H.S.        | 919               | 113,097  | 64  | 5.1  | 3.7- 6.5   | 855  | 94.9 | 93.5-96.3  |
| College Graduate      | 1256              | 93,999   | 44  | 2.6  | 1.6- 3.6   | 1212 | 97.4 | 96.4-98.4  |
| Less than \$15,000    | 80                | 10,722   | 7   | 4.4  | 0.5- 8.3   | 73   | 95.6 | 91.7-99.5  |
| \$15,000- 24,999      | 193               | 22,697   | 17  | 9.5  | 3.6-15.4   | 176  | 90.5 | 84.6-96.4  |
| \$25,000- 34,999      | 252               | 24,924   | 19  | 5.7  | 2.6- 8.8   | 233  | 94.3 | 91.2-97.4  |
| \$35,000- 49,999      | 332               | 31,419   | 32  | 7.3  | 4.4-10.2   | 300  | 92.7 | 89.8-95.6  |
| \$50,000- 99,999      | 743               | 74,182   | 34  | 4.0  | 2.0- 6.0   | 709  | 96.0 | 94.0-98.0  |
| \$100,000 - 199,999   | 496               | 52,565   | 10  | 2.5  | 0.1- 4.9   | 486  | 97.5 | 95.1-99.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5716              | 604,242  | 1945 | 25.9 | 24.5-27.3  | 3771 | 74.1 | 72.7-75.5  |
| Male                  | 2798              | 309,154  | 755  | 20.7 | 18.9-22.5  | 2043 | 79.3 | 77.5-81.1  |
| Female                | 2918              | 295,087  | 1190 | 31.4 | 29.2-33.6  | 1728 | 68.6 | 66.4-70.8  |
| Native                | 164               | 24,657   | 56   | 22.1 | 15.0-29.2  | 108  | 77.9 | 70.8-85.0  |
| Non-Native            | 5464              | 569,698  | 1860 | 26.1 | 24.7-27.5  | 3604 | 73.9 | 72.5-75.3  |
| 18-24                 | 306               | 85,419   | 17   | 5.7  | 2.8- 8.6   | 289  | 94.3 | 91.4-97.2  |
| 25-34                 | 574               | 107,218  | 49   | 9.1  | 6.6-11.6   | 525  | 90.9 | 88.4-93.4  |
| 35-44                 | 756               | 103,978  | 94   | 13.5 | 10.6-16.4  | 662  | 86.5 | 83.6-89.4  |
| 45-54                 | 814               | 81,073   | 220  | 27.8 | 24.3-31.3  | 594  | 72.2 | 68.7-75.7  |
| 55-64                 | 965               | 88,800   | 356  | 37.7 | 34.0-41.4  | 609  | 62.3 | 58.6-66.0  |
| 65+                   | 2301              | 137,755  | 1209 | 52.4 | 49.9-54.9  | 1092 | 47.6 | 45.1-50.1  |
| Less Than H.S.        | 171               | 43,322   | 71   | 30.8 | 23.0-38.6  | 100  | 69.2 | 61.4-77.0  |
| H.S. or G.E.D.        | 1440              | 159,017  | 528  | 26.4 | 23.9-28.9  | 912  | 73.6 | 71.1-76.1  |
| Some Post-H.S.        | 1772              | 231,048  | 633  | 27.5 | 25.1-29.9  | 1139 | 72.5 | 70.1-74.9  |
| College Graduate      | 2314              | 168,883  | 709  | 22.4 | 20.6-24.2  | 1605 | 77.6 | 75.8-79.4  |
| Less than \$15,000    | 148               | 18,175   | 58   | 32.7 | 22.7-42.7  | 90   | 67.3 | 57.3-77.3  |
| \$15,000- 24,999      | 308               | 36,126   | 136  | 33.8 | 27.3-40.3  | 172  | 66.2 | 59.7-72.7  |
| \$25,000- 34,999      | 458               | 48,940   | 197  | 31.3 | 26.0-36.6  | 261  | 68.7 | 63.4-74.0  |
| \$35,000- 49,999      | 624               | 60,852   | 263  | 33.3 | 28.8-37.8  | 361  | 66.7 | 62.2-71.2  |
| \$50,000- 99,999      | 1551              | 164,402  | 521  | 26.0 | 23.5-28.5  | 1030 | 74.0 | 71.5-76.5  |
| \$100,000 - 199,999   | 1144              | 123,290  | 261  | 18.3 | 15.8-20.8  | 883  | 81.7 | 79.2-84.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 32: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2798              | 309,154  | 755 | 20.7 | 18.9-22.5  | 2043 | 79.3 | 77.5-81.1  |
| Native                | 70                | 10,909   | 16  | 16.6 | 7.0-26.2   | 54   | 83.4 | 73.8-93.0  |
| Non-Native            | 2677              | 292,861  | 730 | 21.1 | 19.3-22.9  | 1947 | 78.9 | 77.1-80.7  |
| 18-24                 | 177               | 45,183   | 6   | 2.6  | 0.4- 4.8   | 171  | 97.4 | 95.2-99.6  |
| 25-34                 | 316               | 57,812   | 21  | 6.7  | 3.8- 9.6   | 295  | 93.3 | 90.4-96.2  |
| 35-44                 | 421               | 54,177   | 42  | 10.9 | 7.4-14.4   | 379  | 89.1 | 85.6-92.6  |
| 45-54                 | 418               | 42,207   | 89  | 21.7 | 17.2-26.2  | 329  | 78.3 | 73.8-82.8  |
| 55-64                 | 454               | 45,395   | 149 | 34.1 | 28.8-39.4  | 305  | 65.9 | 60.6-71.2  |
| 65+                   | 1012              | 64,381   | 448 | 44.4 | 40.7-48.1  | 564  | 55.6 | 51.9-59.3  |
| Less Than H.S.        | 97                | 24,192   | 33  | 22.3 | 13.9-30.7  | 64   | 77.7 | 69.3-86.1  |
| H.S. or G.E.D.        | 773               | 89,952   | 205 | 20.2 | 17.1-23.3  | 568  | 79.8 | 76.7-82.9  |
| Some Post-H.S.        | 857               | 118,180  | 235 | 21.7 | 18.8-24.6  | 622  | 78.3 | 75.4-81.2  |
| College Graduate      | 1061              | 75,409   | 281 | 19.7 | 17.2-22.2  | 780  | 80.3 | 77.8-82.8  |
| Less than \$15,000    | 67                | 7,440    | 19  | 28.3 | 15.4-41.2  | 48   | 71.7 | 58.8-84.6  |
| \$15,000- 24,999      | 116               | 13,553   | 40  | 28.4 | 18.6-38.2  | 76   | 71.6 | 61.8-81.4  |
| \$25,000- 34,999      | 206               | 24,367   | 63  | 21.4 | 15.1-27.7  | 143  | 78.6 | 72.3-84.9  |
| \$35,000- 49,999      | 294               | 29,629   | 116 | 32.5 | 26.2-38.8  | 178  | 67.5 | 61.2-73.8  |
| \$50,000- 99,999      | 806               | 90,128   | 229 | 21.3 | 18.2-24.4  | 577  | 78.7 | 75.6-81.8  |
| \$100,000 - 199,999   | 652               | 71,209   | 127 | 15.9 | 12.8-19.0  | 525  | 84.1 | 81.0-87.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 33: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2918              | 295,087  | 1190 | 31.4 | 29.2-33.6  | 1728 | 68.6 | 66.4-70.8  |
| Native                | 94                | 13,748   | 40   | 26.4 | 16.2-36.6  | 54   | 73.6 | 63.4-83.8  |
| Non-Native            | 2787              | 276,837  | 1130 | 31.4 | 29.2-33.6  | 1657 | 68.6 | 66.4-70.8  |
| 18-24                 | 129               | 40,236   | 11   | 9.2  | 3.7-14.7   | 118  | 90.8 | 85.3-96.3  |
| 25-34                 | 258               | 49,406   | 28   | 12.0 | 7.5-16.5   | 230  | 88.0 | 83.5-92.5  |
| 35-44                 | 335               | 49,800   | 52   | 16.3 | 11.6-21.0  | 283  | 83.7 | 79.0-88.4  |
| 45-54                 | 396               | 38,866   | 131  | 34.4 | 28.9-39.9  | 265  | 65.6 | 60.1-71.1  |
| 55-64                 | 511               | 43,405   | 207  | 41.3 | 36.2-46.4  | 304  | 58.7 | 53.6-63.8  |
| 65+                   | 1289              | 73,374   | 761  | 59.4 | 56.3-62.5  | 528  | 40.6 | 37.5-43.7  |
| Less Than H.S.        | 74                | 19,129   | 38   | 41.4 | 27.9-54.9  | 36   | 58.6 | 45.1-72.1  |
| H.S. or G.E.D.        | 667               | 69,065   | 323  | 34.5 | 30.2-38.8  | 344  | 65.5 | 61.2-69.8  |
| Some Post-H.S.        | 915               | 112,869  | 398  | 33.5 | 30.0-37.0  | 517  | 66.5 | 63.0-70.0  |
| College Graduate      | 1253              | 93,473   | 428  | 24.6 | 22.1-27.1  | 825  | 75.4 | 72.9-77.9  |
| Less than \$15,000    | 81                | 10,735   | 39   | 35.8 | 21.3-50.3  | 42   | 64.2 | 49.7-78.7  |
| \$15,000- 24,999      | 192               | 22,573   | 96   | 37.1 | 28.5-45.7  | 96   | 62.9 | 54.3-71.5  |
| \$25,000- 34,999      | 252               | 24,574   | 134  | 41.2 | 33.0-49.4  | 118  | 58.8 | 50.6-67.0  |
| \$35,000- 49,999      | 330               | 31,224   | 147  | 34.1 | 27.8-40.4  | 183  | 65.9 | 59.6-72.2  |
| \$50,000- 99,999      | 745               | 74,274   | 292  | 31.6 | 27.5-35.7  | 453  | 68.4 | 64.3-72.5  |
| \$100,000 - 199,999   | 492               | 52,080   | 134  | 21.6 | 17.3-25.9  | 358  | 78.4 | 74.1-82.7  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 7: CHRONIC HEALTH CONDITIONS**  
**TABLE 34: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N   | Yes  |            | Yes, during pregnancy |     |            | N    | No   |            | No, pre or borderline diabetes |     |            |
|---------------------|-------------------|----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|--------------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED |     | %    | C.I. (95%) | N                     | %   | C.I. (95%) |      | %    | C.I. (95%) | N                              | %   | C.I. (95%) |
| TOTAL               | 5738              | 606,820  | 726 | 9.5  | 8.7-10.3   | 47                    | 1.0 | 0.6- 1.4   | 4864 | 87.7 | 86.7-88.7  | 101                            | 1.7 | 1.3- 2.1   |
| Male                | 2809              | 310,249  | 374 | 10.0 | 8.8-11.2   |                       |     |            | 2392 | 88.7 | 87.3-90.1  | 43                             | 1.3 | 0.9- 1.7   |
| Female              | 2929              | 296,571  | 352 | 9.1  | 7.9-10.3   | 47                    | 2.1 | 1.3- 2.9   | 2472 | 86.6 | 85.0-88.2  | 58                             | 2.2 | 1.4- 3.0   |
| Native              | 164               | 24,657   | 47  | 19.2 | 12.5-25.9  |                       |     |            | 111  | 76.1 | 68.5-83.7  | 6                              | 4.7 | 0.2- 9.2   |
| Non-Native          | 5486              | 572,277  | 671 | 9.2  | 8.4-10.0   | 45                    | 1.0 | 0.6- 1.4   | 4675 | 88.2 | 87.2-89.2  | 95                             | 1.6 | 1.2- 2.0   |
| 18-24               | 308               | 85,750   | 3   | 0.9  | 0.0- 1.9   | 2                     | 0.7 | 0.0- 1.7   | 300  | 97.1 | 94.9-99.3  | 3                              | 1.3 | 0.0- 2.9   |
| 25-34               | 579               | 108,259  | 12  | 2.6  | 1.0- 4.2   | 10                    | 1.7 | 0.5- 2.9   | 553  | 94.8 | 92.8-96.8  | 4                              | 0.9 | 0.0- 1.9   |
| 35-44               | 757               | 104,155  | 34  | 4.5  | 2.9- 6.1   | 11                    | 1.5 | 0.5- 2.5   | 708  | 92.8 | 90.6-95.0  | 4                              | 1.2 | 0.0- 2.4   |
| 45-54               | 819               | 81,453   | 89  | 12.5 | 9.8-15.2   | 9                     | 1.5 | 0.3- 2.7   | 711  | 84.9 | 82.0-87.8  | 10                             | 1.1 | 0.3- 1.9   |
| 55-64               | 966               | 88,915   | 134 | 14.4 | 11.7-17.1  | 6                     | 0.4 | 0.0- 0.8   | 798  | 82.0 | 79.1-84.9  | 28                             | 3.2 | 1.8- 4.6   |
| 65+                 | 2309              | 138,289  | 454 | 19.3 | 17.3-21.3  | 9                     | 0.4 | 0.0- 0.8   | 1794 | 77.8 | 75.6-80.0  | 52                             | 2.5 | 1.7- 3.3   |
| Less Than H.S.      | 172               | 43,377   | 23  | 9.1  | 5.0-13.2   | 2                     | 1.3 | 0.0- 3.1   | 139  | 84.7 | 78.8-90.6  | 8                              | 4.9 | 1.0- 8.8   |
| H.S. or G.E.D.      | 1446              | 160,204  | 219 | 9.7  | 8.1-11.3   | 7                     | 0.5 | 0.1- 0.9   | 1201 | 88.6 | 86.8-90.4  | 19                             | 1.2 | 0.4- 2.0   |
| Some Post-H.S.      | 1780              | 231,730  | 244 | 10.9 | 9.3-12.5   | 15                    | 1.0 | 0.4- 1.6   | 1479 | 86.0 | 84.2-87.8  | 42                             | 2.0 | 1.2- 2.8   |
| College Graduate    | 2321              | 169,537  | 238 | 7.6  | 6.4- 8.8   | 23                    | 1.5 | 0.7- 2.3   | 2028 | 89.8 | 88.4-91.2  | 32                             | 1.2 | 0.8- 1.6   |
| Less than \$15,000  | 148               | 18,175   | 25  | 9.0  | 4.7-13.3   |                       |     |            | 114  | 81.7 | 73.3-90.1  | 9                              | 9.3 | 1.5-17.1   |
| \$15,000- 24,999    | 310               | 36,282   | 58  | 13.8 | 9.3-18.3   | 3                     | 1.2 | 0.0- 2.8   | 237  | 79.5 | 73.8-85.2  | 12                             | 5.5 | 1.8- 9.2   |
| \$25,000- 34,999    | 459               | 49,325   | 89  | 14.2 | 10.5-17.9  | 3                     | 0.3 | 0.0- 0.7   | 359  | 84.3 | 80.4-88.2  | 8                              | 1.2 | 0.4- 2.0   |
| \$35,000- 49,999    | 630               | 61,458   | 118 | 14.6 | 11.7-17.5  | 5                     | 1.1 | 0.0- 2.3   | 494  | 82.7 | 79.4-86.0  | 13                             | 1.5 | 0.5- 2.5   |
| \$50,000- 99,999    | 1553              | 164,607  | 166 | 8.7  | 7.1-10.3   | 16                    | 1.6 | 0.6- 2.6   | 1341 | 88.2 | 86.2-90.2  | 30                             | 1.5 | 0.7- 2.3   |
| \$100,000 - 199,999 | 1148              | 123,842  | 88  | 6.3  | 4.7- 7.9   | 7                     | 0.6 | 0.2- 1.0   | 1039 | 91.8 | 90.0-93.6  | 14                             | 1.3 | 0.5- 2.1   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS  
TABLE 35: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            | No, pre or borderline diabetes |     |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|--------------------------------|-----|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                              | %   | C.I. (95%) |
| Male                  | 2809              | 310,249  | 374 | 10.0 | 8.8-11.2   | 2392 | 88.7 | 87.3-90.1  | 43                             | 1.3 | 0.9- 1.7   |
| Native                | 70                | 10,909   | 21  | 22.1 | 11.1-33.1  | 48   | 76.1 | 64.7-87.5  | 1                              | 1.8 | 0.0- 5.3   |
| Non-Native            | 2688              | 293,956  | 346 | 9.5  | 8.3-10.7   | 2300 | 89.2 | 88.0-90.4  | 42                             | 1.3 | 0.9- 1.7   |
| 18-24                 | 178               | 45,353   | 2   | 0.9  | 0.0- 2.1   | 175  | 98.7 | 97.1- 100  | 1                              | 0.4 | 0.0- 1.2   |
| 25-34                 | 316               | 57,812   | 8   | 3.2  | 0.8- 5.6   | 306  | 96.5 | 94.1-98.9  | 2                              | 0.3 | 0.0- 0.7   |
| 35-44                 | 422               | 54,305   | 21  | 4.6  | 2.4- 6.8   | 401  | 95.4 | 93.2-97.6  |                                |     |            |
| 45-54                 | 423               | 42,606   | 43  | 12.6 | 8.7-16.5   | 374  | 86.1 | 82.0-90.2  | 6                              | 1.3 | 0.1- 2.5   |
| 55-64                 | 454               | 45,457   | 69  | 14.3 | 10.8-17.8  | 374  | 82.3 | 78.2-86.4  | 11                             | 3.4 | 1.0- 5.8   |
| 65+                   | 1016              | 64,717   | 231 | 22.1 | 19.0-25.2  | 762  | 75.5 | 72.4-78.6  | 23                             | 2.4 | 1.4- 3.4   |
| Less Than H.S.        | 97                | 24,192   | 16  | 9.8  | 4.3-15.3   | 78   | 88.1 | 82.0-94.2  | 3                              | 2.0 | 0.0- 4.5   |
| H.S. or G.E.D.        | 776               | 90,373   | 108 | 9.2  | 7.2-11.2   | 661  | 90.0 | 87.8-92.2  | 7                              | 0.8 | 0.2- 1.4   |
| Some Post-H.S.        | 862               | 118,698  | 127 | 11.2 | 9.0-13.4   | 719  | 87.4 | 85.0-89.8  | 16                             | 1.4 | 0.6- 2.2   |
| College Graduate      | 1064              | 75,566   | 122 | 9.1  | 7.3-10.9   | 925  | 89.4 | 87.4-91.4  | 17                             | 1.5 | 0.7- 2.3   |
| Less than \$15,000    | 67                | 7,440    | 12  | 12.2 | 4.6-19.8   | 54   | 87.3 | 79.5-95.1  | 1                              | 0.5 | 0.0- 1.5   |
| \$15,000- 24,999      | 117               | 13,586   | 26  | 15.7 | 8.6-22.8   | 87   | 80.6 | 72.6-88.6  | 4                              | 3.7 | 0.0- 8.0   |
| \$25,000- 34,999      | 206               | 24,367   | 47  | 16.7 | 11.0-22.4  | 157  | 82.9 | 77.2-88.6  | 2                              | 0.5 | 0.0- 1.3   |
| \$35,000- 49,999      | 297               | 29,968   | 58  | 14.4 | 10.3-18.5  | 233  | 84.2 | 79.9-88.5  | 6                              | 1.4 | 0.2- 2.6   |
| \$50,000- 99,999      | 809               | 90,407   | 97  | 9.7  | 7.3-12.1   | 697  | 88.9 | 86.4-91.4  | 15                             | 1.4 | 0.6- 2.2   |
| \$100,000 - 199,999   | 652               | 71,277   | 60  | 7.1  | 4.9- 9.3   | 581  | 91.1 | 88.7-93.5  | 11                             | 1.8 | 0.6- 3.0   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS  
TABLE 36: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N   | Yes  |            | Yes, during pregnancy |     |            | N    | No   |            | No, pre or borderline diabetes |      |            |
|---------------------|-------------------|----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|--------------------------------|------|------------|
|                     | TOTAL             | WEIGHTED |     | %    | C.I. (95%) | N                     | %   | C.I. (95%) |      | %    | C.I. (95%) | N                              | %    | C.I. (95%) |
| Female              | 2929              | 296,571  | 352 | 9.1  | 7.9-10.3   | 47                    | 2.1 | 1.3- 2.9   | 2472 | 86.6 | 85.0-88.2  | 58                             | 2.2  | 1.4- 3.0   |
| Native              | 94                | 13,748   | 26  | 16.9 | 9.1-24.7   |                       |     |            | 63   | 76.0 | 65.6-86.4  | 5                              | 7.1  | 0.0-14.5   |
| Non-Native          | 2798              | 278,321  | 325 | 8.8  | 7.6-10.0   | 45                    | 2.1 | 1.3- 2.9   | 2375 | 87.1 | 85.5-88.7  | 53                             | 2.0  | 1.2- 2.8   |
| 18-24               | 130               | 40,397   | 1   | 0.9  | 0.0- 2.7   | 2                     | 1.4 | 0.0- 3.4   | 125  | 95.4 | 91.3-99.5  | 2                              | 2.3  | 0.0- 5.4   |
| 25-34               | 263               | 50,447   | 4   | 1.9  | 0.0- 3.9   | 10                    | 3.6 | 1.2- 6.0   | 247  | 92.9 | 89.4-96.4  | 2                              | 1.6  | 0.0- 3.6   |
| 35-44               | 335               | 49,850   | 13  | 4.3  | 1.8- 6.8   | 11                    | 3.2 | 1.0- 5.4   | 307  | 89.9 | 86.0-93.8  | 4                              | 2.6  | 0.1- 5.1   |
| 45-54               | 396               | 38,847   | 46  | 12.4 | 8.5-16.3   | 9                     | 3.2 | 0.8- 5.6   | 337  | 83.6 | 79.1-88.1  | 4                              | 0.8  | 0.0- 1.6   |
| 55-64               | 512               | 43,458   | 65  | 14.5 | 10.6-18.4  | 6                     | 0.9 | 0.1- 1.7   | 424  | 81.6 | 77.5-85.7  | 17                             | 3.0  | 1.4- 4.6   |
| 65+                 | 1293              | 73,572   | 223 | 16.9 | 14.4-19.4  | 9                     | 0.8 | 0.2- 1.4   | 1032 | 79.7 | 77.0-82.4  | 29                             | 2.6  | 1.4- 3.8   |
| Less Than H.S.      | 75                | 19,185   | 7   | 8.2  | 1.9-14.5   | 2                     | 3.0 | 0.0- 7.1   | 61   | 80.4 | 70.0-90.8  | 5                              | 8.5  | 0.5-16.5   |
| H.S. or G.E.D.      | 670               | 69,832   | 111 | 10.5 | 8.1-12.9   | 7                     | 1.1 | 0.1- 2.1   | 540  | 86.8 | 83.9-89.7  | 12                             | 1.7  | 0.3- 3.1   |
| Some Post-H.S.      | 918               | 113,032  | 117 | 10.7 | 8.5-12.9   | 15                    | 2.1 | 0.9- 3.3   | 760  | 84.6 | 81.9-87.3  | 26                             | 2.6  | 1.4- 3.8   |
| College Graduate    | 1257              | 93,972   | 116 | 6.4  | 5.0- 7.8   | 23                    | 2.7 | 1.3- 4.1   | 1103 | 90.1 | 88.1-92.1  | 15                             | 0.8  | 0.4- 1.2   |
| Less than \$15,000  | 81                | 10,735   | 13  | 6.8  | 2.1-11.5   |                       |     |            | 60   | 77.9 | 64.8-91.0  | 8                              | 15.3 | 2.6-28.0   |
| \$15,000- 24,999    | 193               | 22,697   | 32  | 12.7 | 7.0-18.4   | 3                     | 1.9 | 0.0- 4.4   | 150  | 78.9 | 71.5-86.3  | 8                              | 6.6  | 1.3-11.9   |
| \$25,000- 34,999    | 253               | 24,958   | 42  | 11.8 | 6.9-16.7   | 3                     | 0.6 | 0.0- 1.4   | 202  | 85.8 | 80.7-90.9  | 6                              | 1.9  | 0.3- 3.5   |
| \$35,000- 49,999    | 333               | 31,490   | 60  | 14.8 | 10.5-19.1  | 5                     | 2.2 | 0.0- 4.4   | 261  | 81.4 | 76.3-86.5  | 7                              | 1.6  | 0.0- 3.2   |
| \$50,000- 99,999    | 744               | 74,200   | 69  | 7.6  | 5.4- 9.8   | 16                    | 3.5 | 1.5- 5.5   | 644  | 87.3 | 84.2-90.4  | 15                             | 1.6  | 0.4- 2.8   |
| \$100,000 - 199,999 | 496               | 52,565   | 28  | 5.2  | 2.8- 7.6   | 7                     | 1.5 | 0.3- 2.7   | 458  | 92.7 | 90.0-95.4  | 3                              | 0.7  | 0.0- 1.7   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 7: CHRONIC HEALTH CONDITIONS**  
**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)**  
**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | N  | 1-15 |            |  | N  | 16-30 |            |  | N   | 31-45 |            |  | N   | 46-60 |            |  | N   | 60+  |            |  |
|-----------------------|-------------------|----------|----|------|------------|--|----|-------|------------|--|-----|-------|------------|--|-----|-------|------------|--|-----|------|------------|--|
|                       | TOTAL             | WEIGHTED |    | %    | C.I. (95%) |  |    | %     | C.I. (95%) |  |     | %     | C.I. (95%) |  |     | %     | C.I. (95%) |  |     | %    | C.I. (95%) |  |
| TOTAL                 | 683               | 55,419   | 25 | 6.1  | 3.4- 8.8   |  | 49 | 10.4  | 7.1-13.7   |  | 140 | 24.0  | 19.9-28.1  |  | 283 | 39.2  | 34.7-43.7  |  | 186 | 20.3 | 17.0-23.6  |  |
| Male                  | 361               | 30,105   | 13 | 6.4  | 2.7-10.1   |  | 26 | 11.0  | 6.3-15.7   |  | 65  | 20.8  | 15.5-26.1  |  | 149 | 38.6  | 32.5-44.7  |  | 108 | 23.3 | 18.4-28.2  |  |
| Female                | 322               | 25,315   | 12 | 5.7  | 1.6- 9.8   |  | 23 | 9.8   | 5.3-14.3   |  | 75  | 27.9  | 21.4-34.4  |  | 134 | 39.9  | 33.0-46.8  |  | 78  | 16.7 | 12.4-21.0  |  |
| Non-Native            | 630               | 50,039   | 25 | 6.7  | 3.8- 9.6   |  | 43 | 9.0   | 5.9-12.1   |  | 126 | 23.1  | 18.8-27.4  |  | 259 | 40.2  | 35.5-44.9  |  | 177 | 21.0 | 17.5-24.5  |  |
| 45-54                 | 86                | 9,593    | 5  | 6.1  | 0.8-11.4   |  | 10 | 8.5   | 2.8-14.2   |  | 37  | 47.8  | 35.3-60.3  |  | 32  | 35.5  | 23.9-47.1  |  | 2   | 2.2  | 0.0- 5.5   |  |
| 55-64                 | 125               | 12,191   | 4  | 3.5  | 0.0- 7.0   |  | 7  | 4.7   | 0.4- 9.0   |  | 30  | 23.1  | 14.5-31.7  |  | 75  | 60.0  | 49.8-70.2  |  | 9   | 8.6  | 2.3-14.9   |  |
| 65+                   | 423               | 25,417   | 6  | 1.4  | 0.2- 2.6   |  | 11 | 2.6   | 0.8- 4.4   |  | 55  | 13.4  | 9.5-17.3   |  | 176 | 43.3  | 37.4-49.2  |  | 175 | 39.2 | 33.5-44.9  |  |
| H.S. or G.E.D.        | 205               | 14,977   | 3  | 3.5  | 0.0- 8.4   |  | 13 | 8.8   | 3.3-14.3   |  | 45  | 26.9  | 19.3-34.5  |  | 78  | 36.3  | 28.5-44.1  |  | 66  | 24.6 | 17.9-31.3  |  |
| Some Post-H.S.        | 225               | 24,011   | 15 | 9.4  | 4.3-14.5   |  | 19 | 13.8  | 7.7-19.9   |  | 47  | 24.3  | 17.2-31.4  |  | 100 | 37.9  | 30.6-45.2  |  | 44  | 14.6 | 10.1-19.1  |  |
| College Graduate      | 232               | 12,678   | 7  | 4.6  | 0.9- 8.3   |  | 16 | 7.4   | 3.7-11.1   |  | 44  | 20.2  | 14.1-26.3  |  | 97  | 43.6  | 36.0-51.2  |  | 68  | 24.2 | 18.1-30.3  |  |
| \$15,000- 24,999      | 53                | 4,771    | 1  | 2.8  | 0.0- 8.3   |  | 4  | 6.0   | 0.0-12.7   |  | 16  | 35.8  | 18.2-53.4  |  | 21  | 41.7  | 24.5-58.9  |  | 11  | 13.7 | 3.3-24.1   |  |
| \$25,000- 34,999      | 84                | 6,793    | 1  | 1.8  | 0.0- 5.3   |  | 7  | 12.6  | 1.8-23.4   |  | 18  | 21.5  | 11.1-31.9  |  | 40  | 47.7  | 34.4-61.0  |  | 18  | 16.4 | 7.2-25.6   |  |
| \$35,000- 49,999      | 111               | 8,470    | 2  | 1.7  | 0.0- 4.2   |  | 4  | 5.0   | 0.0-10.5   |  | 27  | 31.9  | 20.9-42.9  |  | 34  | 30.8  | 20.4-41.2  |  | 44  | 30.6 | 21.2-40.0  |  |
| \$50,000- 99,999      | 161               | 14,183   | 11 | 12.2 | 4.4-20.0   |  | 14 | 13.5  | 5.5-21.5   |  | 34  | 22.3  | 14.5-30.1  |  | 68  | 36.6  | 27.4-45.8  |  | 34  | 15.4 | 8.9-21.9   |  |
| \$100,000 - 199,999   | 88                | 7,777    | 5  | 8.3  | 0.0-16.9   |  | 11 | 18.6  | 8.2-29.0   |  | 17  | 18.9  | 8.5-29.3   |  | 39  | 42.7  | 30.5-54.9  |  | 16  | 11.6 | 5.5-17.7   |  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 38: HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | N  | 1-15 |            |  | N  | 16-30 |            |  | N  | 31-45 |            |  | N   | 46-60 |            |  | N   | 60+  |            |  |
|-----------------------|-------------------|----------|----|------|------------|--|----|-------|------------|--|----|-------|------------|--|-----|-------|------------|--|-----|------|------------|--|
|                       | TOTAL             | WEIGHTED |    | %    | C.I. (95%) |  |    | %     | C.I. (95%) |  |    | %     | C.I. (95%) |  |     | %     | C.I. (95%) |  |     | %    | C.I. (95%) |  |
| Male                  | 361               | 30,105   | 13 | 6.4  | 2.7-10.1   |  | 26 | 11.0  | 6.3-15.7   |  | 65 | 20.8  | 15.5-26.1  |  | 149 | 38.6  | 32.5-44.7  |  | 108 | 23.3 | 18.4-28.2  |  |
| Non-Native            | 334               | 27,088   | 13 | 7.1  | 3.0-11.2   |  | 21 | 8.1   | 4.0-12.2   |  | 60 | 20.9  | 15.4-26.4  |  | 139 | 40.1  | 33.6-46.6  |  | 101 | 23.8 | 18.7-28.9  |  |
| 55-64                 | 65                | 6,166    | 3  | 6.0  | 0.0-12.7   |  | 4  | 3.7   | 0.0- 7.4   |  | 12 | 18.5  | 7.5-29.5   |  | 42  | 62.4  | 48.7-76.1  |  | 4   | 9.4  | 0.0-19.6   |  |
| 65+                   | 223               | 13,981   | 1  | 0.5  | 0.0- 1.5   |  | 5  | 2.0   | 0.0- 4.2   |  | 24 | 11.2  | 6.3-16.1   |  | 91  | 41.8  | 33.8-49.8  |  | 102 | 44.4 | 36.4-52.4  |  |
| H.S. or G.E.D.        | 106               | 8,173    | 1  | 1.6  | 0.0- 4.7   |  | 8  | 10.7  | 1.9-19.5   |  | 27 | 31.8  | 21.0-42.6  |  | 37  | 31.9  | 21.7-42.1  |  | 33  | 24.0 | 14.6-33.4  |  |
| Some Post-H.S.        | 121               | 12,988   | 10 | 11.8 | 4.2-19.4   |  | 11 | 15.1  | 6.3-23.9   |  | 14 | 14.6  | 6.4-22.8   |  | 59  | 41.3  | 31.3-51.3  |  | 27  | 17.2 | 10.3-24.1  |  |
| College Graduate      | 120               | 6,764    | 2  | 3.8  | 0.0- 9.1   |  | 7  | 6.9   | 1.8-12.0   |  | 21 | 16.7  | 9.3-24.1   |  | 49  | 43.8  | 33.2-54.4  |  | 41  | 28.8 | 20.0-37.6  |  |
| \$35,000- 49,999      | 55                | 3,980    | 1  | 2.7  | 0.0- 7.8   |  | 1  | 4.7   | 0.0-13.7   |  | 13 | 29.0  | 14.3-43.7  |  | 13  | 24.1  | 10.6-37.6  |  | 27  | 39.5 | 25.0-54.0  |  |
| \$50,000- 99,999      | 94                | 8,621    | 7  | 12.7 | 2.7-22.7   |  | 10 | 18.0  | 6.0-30.0   |  | 14 | 16.3  | 6.9-25.7   |  | 40  | 34.3  | 22.7-45.9  |  | 23  | 18.8 | 9.6-28.0   |  |
| \$100,000 - 199,999   | 60                | 5,069    | 2  | 5.0  | 0.0-11.9   |  | 6  | 15.1  | 3.3-26.9   |  | 11 | 18.7  | 5.4-32.0   |  | 27  | 47.3  | 32.4-62.2  |  | 14  | 13.9 | 6.1-21.7   |  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 39: HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | 1-15 |      |            | 16-30 |      |            | 31-45 |      |            | 46-60 |      |            | 60+ |      |            |
|-----------------------|-------------------|----------|------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-----|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Female                | 322               | 25,315   | 12   | 5.7  | 1.6- 9.8   | 23    | 9.8  | 5.3-14.3   | 75    | 27.9 | 21.4-34.4  | 134   | 39.9 | 33.0-46.8  | 78  | 16.7 | 12.4-21.0  |
| Non-Native            | 296               | 22,950   | 12   | 6.3  | 1.8-10.8   | 22    | 10.1 | 5.4-14.8   | 66    | 25.7 | 19.0-32.4  | 120   | 40.2 | 32.9-47.5  | 76  | 17.7 | 13.0-22.4  |
| 55-64                 | 60                | 6,025    | 1    | 1.0  | 0.0- 3.0   | 3     | 5.7  | 0.0-13.3   | 18    | 27.9 | 14.6-41.2  | 33    | 57.5 | 42.4-72.6  | 5   | 7.8  | 0.4-15.2   |
| 65+                   | 200               | 11,436   | 5    | 2.6  | 0.1- 5.1   | 6     | 3.4  | 0.3- 6.5   | 31    | 16.1 | 10.0-22.2  | 85    | 45.2 | 36.6-53.8  | 73  | 32.8 | 25.2-40.4  |
| H.S. or G.E.D.        | 99                | 6,803    | 2    | 5.8  | 0.0-15.6   | 5     | 6.5  | 0.4-12.6   | 18    | 21.0 | 10.8-31.2  | 41    | 41.4 | 29.2-53.6  | 33  | 25.4 | 15.8-35.0  |
| Some Post-H.S.        | 104               | 11,022   | 5    | 6.6  | 0.1-13.1   | 8     | 12.2 | 4.0-20.4   | 33    | 35.6 | 24.2-47.0  | 41    | 34.0 | 23.4-44.6  | 17  | 11.5 | 5.4-17.6   |
| College Graduate      | 112               | 5,914    | 5    | 5.5  | 0.4-10.6   | 9     | 7.9  | 2.6-13.2   | 23    | 24.3 | 14.5-34.1  | 48    | 43.3 | 32.1-54.5  | 27  | 19.0 | 11.2-26.8  |
| \$35,000- 49,999      | 56                | 4,489    | 1    | 0.8  | 0.0- 2.4   | 3     | 5.2  | 0.0-11.9   | 14    | 34.4 | 18.5-50.3  | 21    | 36.8 | 21.7-51.9  | 17  | 22.7 | 10.7-34.7  |
| \$50,000- 99,999      | 67                | 5,562    | 4    | 11.6 | 0.0-24.3   | 4     | 6.6  | 0.0-13.7   | 20    | 31.7 | 18.2-45.2  | 28    | 40.0 | 25.3-54.7  | 11  | 10.1 | 2.3-17.9   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                   | PAGE |
|-------------------------------------------------------------------------|------|
| WHAT IS YOUR AGE? (AGE)                                                 |      |
| 1 MALES AND FEMALES                                                     | 116  |
| 2 MALES ONLY                                                            | 117  |
| 3 FEMALES ONLY                                                          | 118  |
| ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? (HISPANC3)               |      |
| 4 MALES AND FEMALES                                                     | 119  |
| 5 MALES ONLY                                                            | 120  |
| 6 FEMALES ONLY                                                          | 121  |
| WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? (MRACE1) |      |
| 7 MALES AND FEMALES                                                     | 122  |
| 8 MALES ONLY                                                            | 123  |
| 9 FEMALES ONLY                                                          | 124  |
| ARE YOU: (MARITAL STATUS) (MARITAL)                                     |      |
| 10 MALES AND FEMALES                                                    | 125  |
| 11 MALES ONLY                                                           | 126  |
| 12 FEMALES ONLY                                                         | 127  |
| WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)      |      |
| 13 MALES AND FEMALES                                                    | 128  |
| 14 MALES ONLY                                                           | 129  |
| 15 FEMALES ONLY                                                         | 130  |
| DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)                                |      |
| 16 MALES AND FEMALES                                                    | 131  |
| 17 MALES ONLY                                                           | 132  |
| 18 FEMALES ONLY                                                         | 133  |
| IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)                        |      |
| 19 MALES AND FEMALES                                                    | 134  |
| 20 MALES ONLY                                                           | 135  |
| 21 FEMALES ONLY                                                         | 136  |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                                                                                        | PAGE |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)                                                                                                                    |      |
| 22 MALES AND FEMALES                                                                                                                                                         | 137  |
| 23 MALES ONLY                                                                                                                                                                | 138  |
| 24 FEMALES ONLY                                                                                                                                                              | 139  |
| NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4) |      |
| 25 MALES AND FEMALES                                                                                                                                                         | 140  |
| 26 MALES ONLY                                                                                                                                                                | 141  |
| 27 FEMALES ONLY                                                                                                                                                              | 142  |
| HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)                                                                                             |      |
| 28 MALES AND FEMALES                                                                                                                                                         | 143  |
| 29 MALES ONLY                                                                                                                                                                | 144  |
| 30 FEMALES ONLY                                                                                                                                                              | 145  |
| HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)                                                                                                           |      |
| 31 MALES AND FEMALES                                                                                                                                                         | 146  |
| 32 MALES ONLY                                                                                                                                                                | 147  |
| 33 FEMALES ONLY                                                                                                                                                              | 148  |
| HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)            |      |
| 34 MALES AND FEMALES                                                                                                                                                         | 149  |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                          | PAGE |
|--------------------------------------------------------------------------------|------|
| 35 MALES ONLY                                                                  | 150  |
| 36 FEMALES ONLY                                                                | 151  |
| ARE YOU CURRENTLY...? (EMPLOY1)                                                |      |
| 37 MALES AND FEMALES                                                           | 152  |
| 38 MALES ONLY                                                                  | 153  |
| 39 FEMALES ONLY                                                                | 154  |
| HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN) |      |
| 40 MALES AND FEMALES                                                           | 155  |
| 41 MALES ONLY                                                                  | 156  |
| 42 FEMALES ONLY                                                                | 157  |
| IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)                    |      |
| 43 MALES AND FEMALES                                                           | 158  |
| 44 MALES ONLY                                                                  | 159  |
| 45 FEMALES ONLY                                                                | 160  |
| TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)                            |      |
| 46 MALES AND FEMALES                                                           | 161  |
| 47 MALES ONLY                                                                  | 162  |
| 48 FEMALES ONLY                                                                | 163  |
| ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)       |      |
| 49 MALES AND FEMALES                                                           | 164  |
| 50 MALES ONLY                                                                  | 165  |
| 51 FEMALES ONLY                                                                | 166  |
| ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)          |      |
| 52 MALES AND FEMALES                                                           | 167  |
| 53 MALES ONLY                                                                  | 168  |
| 54 FEMALES ONLY                                                                | 169  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | 18-24 |      |            | 25-34 |      |            | 35-44 |      |            | 45-54 |      |            | 55-64 |      |            | 65+  |      |            |
|-----------------------|-------------------|----------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5745              | 607,442  | 308   | 14.1 | 12.5-15.7  | 580   | 17.9 | 16.5-19.3  | 758   | 17.2 | 16.0-18.4  | 820   | 13.4 | 12.4-14.4  | 968   | 14.7 | 13.7-15.7  | 2311 | 22.8 | 21.6-24.0  |
| Male                  | 2813              | 310,662  | 178   | 14.6 | 12.4-16.8  | 317   | 18.7 | 16.7-20.7  | 422   | 17.5 | 15.7-19.3  | 423   | 13.7 | 12.3-15.1  | 456   | 14.7 | 13.1-16.3  | 1017 | 20.8 | 19.2-22.4  |
| Female                | 2932              | 296,780  | 130   | 13.6 | 11.4-15.8  | 263   | 17.0 | 15.0-19.0  | 336   | 16.8 | 14.8-18.8  | 397   | 13.1 | 11.7-14.5  | 512   | 14.6 | 13.2-16.0  | 1294 | 24.8 | 23.2-26.4  |
| Native                | 164               | 24,657   | 14    | 17.7 | 9.1-26.3   | 22    | 23.2 | 13.6-32.8  | 23    | 19.5 | 11.3-27.7  | 27    | 14.7 | 8.6-20.8   | 39    | 14.4 | 9.1-19.7   | 39   | 10.5 | 6.4-14.6   |
| Non-Native            | 5493              | 572,899  | 289   | 13.9 | 12.3-15.5  | 550   | 17.6 | 16.2-19.0  | 731   | 17.3 | 15.9-18.7  | 774   | 13.3 | 12.3-14.3  | 910   | 14.6 | 13.6-15.6  | 2239 | 23.3 | 22.1-24.5  |
| Less Than H.S.        | 172               | 43,377   | 14    | 18.9 | 10.1-27.7  | 25    | 26.5 | 17.5-35.5  | 15    | 10.4 | 5.1-15.7   | 24    | 11.5 | 6.8-16.2   | 21    | 11.5 | 6.2-16.8   | 73   | 21.4 | 15.7-27.1  |
| H.S. or G.E.D.        | 1447              | 160,275  | 132   | 21.2 | 17.9-24.5  | 140   | 16.6 | 14.1-19.1  | 160   | 15.4 | 13.0-17.8  | 154   | 10.1 | 8.3-11.9   | 239   | 13.9 | 11.9-15.9  | 622  | 22.9 | 20.7-25.1  |
| Some Post-H.S.        | 1782              | 232,027  | 110   | 14.7 | 12.2-17.2  | 152   | 15.9 | 13.5-18.3  | 206   | 16.0 | 13.8-18.2  | 236   | 13.3 | 11.5-15.1  | 326   | 15.9 | 13.9-17.9  | 752  | 24.2 | 22.2-26.2  |
| College Graduate      | 2324              | 169,709  | 51    | 5.4  | 3.8- 7.0   | 262   | 19.6 | 17.4-21.8  | 376   | 22.4 | 20.2-24.6  | 400   | 16.9 | 15.1-18.7  | 379   | 14.5 | 12.9-16.1  | 856  | 21.3 | 19.7-22.9  |
| Less than \$15,000    | 148               | 18,175   | 12    | 19.1 | 8.5-29.7   | 20    | 28.2 | 16.2-40.2  | 14    | 12.5 | 5.4-19.6   | 22    | 12.2 | 6.5-17.9   | 30    | 14.2 | 8.3-20.1   | 50   | 13.8 | 8.5-19.1   |
| \$15,000- 24,999      | 310               | 36,282   | 34    | 25.6 | 18.2-33.0  | 26    | 15.1 | 9.2-21.0   | 23    | 11.1 | 6.2-16.0   | 19    | 5.6  | 2.9- 8.3   | 54    | 14.3 | 10.0-18.6  | 154  | 28.3 | 22.8-33.8  |
| \$25,000- 34,999      | 459               | 49,325   | 36    | 19.3 | 13.4-25.2  | 36    | 17.9 | 12.2-23.6  | 32    | 10.7 | 6.6-14.8   | 39    | 8.5  | 5.6-11.4   | 68    | 14.7 | 10.6-18.8  | 248  | 28.8 | 24.1-33.5  |
| \$35,000- 49,999      | 630               | 61,458   | 36    | 16.2 | 11.3-21.1  | 42    | 12.1 | 8.6-15.6   | 49    | 11.7 | 8.4-15.0   | 60    | 12.2 | 9.1-15.3   | 79    | 11.7 | 8.8-14.6   | 364  | 36.3 | 32.0-40.6  |
| \$50,000- 99,999      | 1554              | 164,681  | 70    | 11.7 | 9.0-14.4   | 199   | 21.9 | 19.0-24.8  | 211   | 16.7 | 14.3-19.1  | 205   | 13.0 | 11.0-15.0  | 285   | 15.6 | 13.6-17.6  | 584  | 21.2 | 19.2-23.2  |
| \$100,000 - 199,999   | 1150              | 124,134  | 34    | 7.6  | 4.9-10.3   | 152   | 20.7 | 17.6-23.8  | 258   | 27.1 | 24.0-30.2  | 265   | 19.1 | 16.6-21.6  | 196   | 13.5 | 11.3-15.7  | 245  | 12.0 | 10.2-13.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 8: DEMOGRAPHICS**  
**TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |       |      |            |       |      |            |       |      |            |       |      |            |      |      |            |  |  |
|---------------------|-------------------|----------|----------------------------------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|------|------|------------|--|--|
|                     |                   |          | 18-24                            |      |            | 25-34 |      |            | 35-44 |      |            | 45-54 |      |            | 55-64 |      |            | 65+  |      |            |  |  |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) |  |  |
| Male                | 2813              | 310,662  | 178                              | 14.6 | 12.4-16.8  | 317   | 18.7 | 16.7-20.7  | 422   | 17.5 | 15.7-19.3  | 423   | 13.7 | 12.3-15.1  | 456   | 14.7 | 13.1-16.3  | 1017 | 20.8 | 19.2-22.4  |  |  |
| Native              | 70                | 10,909   | 5                                | 12.8 | 1.4-24.2   | 12    | 28.2 | 13.7-42.7  | 11    | 19.6 | 7.6-31.6   | 15    | 17.8 | 8.4-27.2   | 14    | 13.4 | 5.4-21.4   | 13   | 8.2  | 2.7-13.7   |  |  |
| Non-Native          | 2692              | 294,369  | 169                              | 14.6 | 12.4-16.8  | 302   | 18.5 | 16.3-20.7  | 409   | 17.6 | 15.8-19.4  | 395   | 13.4 | 12.0-14.8  | 431   | 14.6 | 13.0-16.2  | 986  | 21.3 | 19.7-22.9  |  |  |
| Less Than H.S.      | 97                | 24,192   | 8                                | 18.6 | 6.6-30.6   | 14    | 26.8 | 14.8-38.8  | 9     | 9.5  | 3.4-15.6   | 17    | 13.7 | 7.0-20.4   | 9     | 9.9  | 3.0-16.8   | 40   | 21.5 | 13.9-29.1  |  |  |
| H.S. or G.E.D.      | 776               | 90,373   | 87                               | 22.0 | 17.9-26.1  | 92    | 18.4 | 14.9-21.9  | 100   | 15.4 | 12.5-18.3  | 95    | 10.8 | 8.4-13.2   | 127   | 13.9 | 11.4-16.4  | 275  | 19.4 | 16.9-21.9  |  |  |
| Some Post-H.S.      | 863               | 118,930  | 63                               | 14.9 | 11.4-18.4  | 91    | 17.5 | 14.2-20.8  | 126   | 17.7 | 14.8-20.6  | 125   | 13.2 | 10.8-15.6  | 145   | 15.3 | 12.8-17.8  | 313  | 21.4 | 18.9-23.9  |  |  |
| College Graduate    | 1066              | 75,664   | 19                               | 3.5  | 1.9- 5.1   | 120   | 18.6 | 15.5-21.7  | 186   | 22.4 | 19.5-25.3  | 182   | 17.4 | 14.9-19.9  | 173   | 16.2 | 13.7-18.7  | 386  | 21.8 | 19.4-24.2  |  |  |
| Less than \$15,000  | 67                | 7,440    | 7                                | 21.5 | 5.2-37.8   | 8     | 18.3 | 6.0-30.6   | 4     | 6.6  | 0.1-13.1   | 13    | 20.2 | 9.0-31.4   | 16    | 19.4 | 8.8-30.0   | 19   | 14.0 | 6.0-22.0   |  |  |
| \$15,000- 24,999    | 117               | 13,586   | 15                               | 26.4 | 14.8-38.0  | 11    | 18.3 | 6.9-29.7   | 8     | 7.0  | 2.1-11.9   | 10    | 8.1  | 2.8-13.4   | 20    | 13.6 | 6.7-20.5   | 53   | 26.5 | 17.7-35.3  |  |  |
| \$25,000- 34,999    | 206               | 24,367   | 16                               | 15.1 | 8.2-22.0   | 20    | 21.0 | 12.2-29.8  | 19    | 12.8 | 6.5-19.1   | 22    | 9.3  | 5.2-13.4   | 32    | 15.4 | 9.1-21.7   | 97   | 26.4 | 19.9-32.9  |  |  |
| \$35,000- 49,999    | 297               | 29,968   | 20                               | 16.7 | 10.0-23.4  | 22    | 12.1 | 7.2-17.0   | 26    | 12.9 | 8.0-17.8   | 21    | 8.9  | 5.0-12.8   | 34    | 11.8 | 7.5-16.1   | 174  | 37.6 | 31.3-43.9  |  |  |
| \$50,000- 99,999    | 809               | 90,407   | 46                               | 13.0 | 9.1-16.9   | 117   | 24.0 | 19.9-28.1  | 108   | 14.2 | 11.3-17.1  | 101   | 12.0 | 9.5-14.5   | 136   | 15.2 | 12.3-18.1  | 301  | 21.6 | 18.7-24.5  |  |  |
| \$100,000 - 199,999 | 654               | 71,569   | 25                               | 9.1  | 5.6-12.6   | 83    | 19.5 | 15.6-23.4  | 156   | 26.9 | 23.0-30.8  | 140   | 17.9 | 14.8-21.0  | 106   | 14.3 | 11.4-17.2  | 144  | 12.3 | 9.9-14.7   |  |  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 8: DEMOGRAPHICS**  
**TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 18-24 |      |            | 25-34 |      |            | 35-44 |      |            | 45-54 |      |            | 55-64 |      |            | 65+  |      |            |
|---------------------|-------------------|----------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|-------|------|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N     | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female              | 2932              | 296,780  | 130   | 13.6 | 11.4-15.8  | 263   | 17.0 | 15.0-19.0  | 336   | 16.8 | 14.8-18.8  | 397   | 13.1 | 11.7-14.5  | 512   | 14.6 | 13.2-16.0  | 1294 | 24.8 | 23.2-26.4  |
| Native              | 94                | 13,748   | 9     | 21.7 | 9.2-34.2   | 10    | 19.1 | 6.2-32.0   | 12    | 19.3 | 7.9-30.7   | 12    | 12.3 | 4.5-20.1   | 25    | 15.1 | 8.0-22.2   | 26   | 12.4 | 6.1-18.7   |
| Non-Native          | 2801              | 278,530  | 120   | 13.2 | 10.8-15.6  | 248   | 16.7 | 14.7-18.7  | 322   | 16.9 | 14.9-18.9  | 379   | 13.1 | 11.7-14.5  | 479   | 14.6 | 13.0-16.2  | 1253 | 25.4 | 23.6-27.2  |
| Less Than H.S.      | 75                | 19,185   | 6     | 19.2 | 5.9-32.5   | 11    | 26.1 | 12.6-39.6  | 6     | 11.5 | 2.7-20.3   | 7     | 8.6  | 2.1-15.1   | 12    | 13.4 | 5.0-21.8   | 33   | 21.2 | 12.4-30.0  |
| H.S. or G.E.D.      | 671               | 69,902   | 45    | 20.1 | 14.8-25.4  | 48    | 14.3 | 10.4-18.2  | 60    | 15.3 | 11.2-19.4  | 59    | 9.1  | 6.6-11.6   | 112   | 13.8 | 11.1-16.5  | 347  | 27.3 | 23.8-30.8  |
| Some Post-H.S.      | 919               | 113,097  | 47    | 14.4 | 10.7-18.1  | 61    | 14.3 | 11.0-17.6  | 80    | 14.2 | 11.1-17.3  | 111   | 13.4 | 10.9-15.9  | 181   | 16.7 | 14.0-19.4  | 439  | 27.1 | 24.2-30.0  |
| College Graduate    | 1258              | 94,046   | 32    | 6.8  | 4.4- 9.2   | 142   | 20.4 | 17.5-23.3  | 190   | 22.3 | 19.4-25.2  | 218   | 16.5 | 14.1-18.9  | 206   | 13.1 | 11.1-15.1  | 470  | 20.9 | 18.7-23.1  |
| Less than \$15,000  | 81                | 10,735   | 5     | 17.4 | 3.5-31.3   | 12    | 35.1 | 17.7-52.5  | 10    | 16.7 | 5.5-27.9   | 9     | 6.6  | 1.9-11.3   | 14    | 10.5 | 4.2-16.8   | 31   | 13.7 | 6.8-20.6   |
| \$15,000- 24,999    | 193               | 22,697   | 19    | 25.1 | 15.5-34.7  | 15    | 13.2 | 7.1-19.3   | 15    | 13.6 | 6.5-20.7   | 9     | 4.1  | 1.2- 7.0   | 34    | 14.8 | 9.1-20.5   | 101  | 29.3 | 22.2-36.4  |
| \$25,000- 34,999    | 253               | 24,958   | 20    | 23.4 | 14.2-32.6  | 16    | 15.0 | 7.9-22.1   | 13    | 8.6  | 3.3-13.9   | 17    | 7.8  | 3.7-11.9   | 36    | 14.0 | 8.5-19.5   | 151  | 31.2 | 24.5-37.9  |
| \$35,000- 49,999    | 333               | 31,490   | 16    | 15.6 | 8.3-22.9   | 20    | 12.1 | 6.8-17.4   | 23    | 10.5 | 6.0-15.0   | 39    | 15.3 | 10.2-20.4  | 45    | 11.5 | 7.6-15.4   | 190  | 35.0 | 29.1-40.9  |
| \$50,000- 99,999    | 745               | 74,274   | 24    | 10.1 | 6.2-14.0   | 82    | 19.2 | 15.1-23.3  | 103   | 19.8 | 15.9-23.7  | 104   | 14.2 | 11.1-17.3  | 149   | 16.1 | 13.2-19.0  | 283  | 20.6 | 17.7-23.5  |
| \$100,000 - 199,999 | 496               | 52,565   | 9     | 5.5  | 1.6- 9.4   | 69    | 22.4 | 17.3-27.5  | 102   | 27.2 | 22.1-32.3  | 125   | 20.7 | 16.8-24.6  | 90    | 12.4 | 9.5-15.3   | 101  | 11.7 | 9.0-14.4   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? (HISPANC3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Mexican, Mexican American<br>Chicano~a |     |            | Puerto Rican |     |            | Cuban |     |            | Another Hispanic,<br>Latino~a<br>or Spanish origin |     |            | Multiple Responses |     |            | No   |      |            |
|---------------------|-------------------|----------|----------------------------------------|-----|------------|--------------|-----|------------|-------|-----|------------|----------------------------------------------------|-----|------------|--------------------|-----|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N                                      | %   | C.I. (95%) | N            | %   | C.I. (95%) | N     | %   | C.I. (95%) | N                                                  | %   | C.I. (95%) | N                  | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL               | 5701              | 601,810  | 73                                     | 3.1 | 2.3- 3.9   | 9            | 0.3 | 0.1- 0.5   | 2     | 0.1 | 0.0- 0.3   | 24                                                 | 0.8 | 0.4- 1.2   | 2                  | 0.0 | 0.0- 0.0   | 5591 | 95.7 | 94.9-96.5  |
| Male                | 2787              | 307,623  | 44                                     | 3.2 | 2.2- 4.2   | 6            | 0.4 | 0.0- 0.8   | 1     | 0.0 | 0.0- 0.0   | 13                                                 | 0.7 | 0.3- 1.1   |                    |     |            | 2723 | 95.7 | 94.5-96.9  |
| Female              | 2914              | 294,187  | 29                                     | 2.9 | 1.7- 4.1   | 3            | 0.2 | 0.0- 0.4   | 1     | 0.1 | 0.0- 0.3   | 11                                                 | 0.9 | 0.3- 1.5   | 2                  | 0.1 | 0.0- 0.3   | 2868 | 95.8 | 94.4-97.2  |
| 18-24               | 304               | 84,269   | 17                                     | 7.2 | 3.9-10.5   |              |     |            | 1     | 0.5 | 0.0- 1.5   | 3                                                  | 1.4 | 0.0- 3.0   |                    |     |            | 283  | 91.0 | 87.3-94.7  |
| 25-34               | 575               | 107,442  | 17                                     | 4.2 | 2.0- 6.4   | 2            | 0.6 | 0.0- 1.2   |       |     |            | 8                                                  | 1.8 | 0.6- 3.0   | 1                  | 0.2 | 0.0- 0.6   | 547  | 93.3 | 90.8-95.8  |
| 35-44               | 757               | 104,104  | 15                                     | 3.7 | 1.7- 5.7   | 3            | 0.6 | 0.0- 1.4   |       |     |            | 4                                                  | 0.6 | 0.0- 1.2   |                    |     |            | 735  | 95.2 | 93.0-97.4  |
| 45-54               | 807               | 80,185   | 13                                     | 2.7 | 1.1- 4.3   | 2            | 0.3 | 0.0- 0.7   | 1     | 0.1 | 0.0- 0.3   | 2                                                  | 0.3 | 0.0- 0.7   |                    |     |            | 789  | 96.5 | 94.7-98.3  |
| 55-64               | 959               | 88,240   | 3                                      | 0.8 | 0.0- 1.8   | 2            | 0.5 | 0.0- 1.1   |       |     |            | 3                                                  | 0.4 | 0.0- 0.8   | 1                  | 0.1 | 0.0- 0.3   | 950  | 98.3 | 97.1-99.5  |
| 65+                 | 2299              | 137,571  | 8                                      | 0.8 | 0.2- 1.4   |              |     |            |       |     |            | 4                                                  | 0.3 | 0.0- 0.7   |                    |     |            | 2287 | 98.9 | 98.1-99.7  |
| Less Than H.S.      | 168               | 42,057   | 8                                      | 7.7 | 2.2-13.2   | 1            | 0.5 | 0.0- 1.5   |       |     |            |                                                    |     |            |                    |     |            | 159  | 91.8 | 86.1-97.5  |
| H.S. or G.E.D.      | 1433              | 158,945  | 29                                     | 4.4 | 2.6- 6.2   | 2            | 0.2 | 0.0- 0.4   |       |     |            | 9                                                  | 1.0 | 0.2- 1.8   |                    |     |            | 1393 | 94.4 | 92.6-96.2  |
| Some Post-H.S.      | 1767              | 229,815  | 21                                     | 2.6 | 1.4- 3.8   | 5            | 0.5 | 0.1- 0.9   | 1     | 0.2 | 0.0- 0.6   | 7                                                  | 0.8 | 0.0- 1.6   |                    |     |            | 1733 | 95.9 | 94.5-97.3  |
| College Graduate    | 2317              | 169,238  | 14                                     | 1.1 | 0.5- 1.7   | 1            | 0.1 | 0.0- 0.3   | 1     | 0.1 | 0.0- 0.3   | 8                                                  | 0.6 | 0.2- 1.0   | 2                  | 0.1 | 0.0- 0.3   | 2291 | 98.0 | 97.2-98.8  |
| Less than \$15,000  | 144               | 17,765   | 1                                      | 0.9 | 0.0- 2.7   |              |     |            | 1     | 2.2 | 0.0- 6.5   | 2                                                  | 2.3 | 0.0- 5.6   |                    |     |            | 140  | 94.6 | 89.1- 100  |
| \$15,000- 24,999    | 308               | 36,129   | 2                                      | 1.1 | 0.0- 2.9   | 2            | 1.5 | 0.3- 2.7   |       |     |            | 2                                                  | 0.8 | 0.0- 2.0   |                    |     |            | 302  | 96.6 | 94.2-99.0  |
| \$25,000- 34,999    | 458               | 49,272   | 12                                     | 5.0 | 1.7- 8.3   | 1            | 0.2 | 0.0- 0.6   |       |     |            | 4                                                  | 2.2 | 0.0- 4.7   | 1                  | 0.3 | 0.0- 0.9   | 440  | 92.3 | 88.2-96.4  |
| \$35,000- 49,999    | 626               | 60,958   | 10                                     | 4.2 | 1.3- 7.1   | 1            | 0.3 | 0.0- 0.9   |       |     |            | 3                                                  | 1.0 | 0.0- 2.2   |                    |     |            | 612  | 94.5 | 91.2-97.8  |
| \$50,000- 99,999    | 1549              | 163,794  | 19                                     | 3.1 | 1.5- 4.7   | 2            | 0.3 | 0.0- 0.7   |       |     |            | 7                                                  | 0.8 | 0.2- 1.4   |                    |     |            | 1521 | 95.8 | 94.2-97.4  |
| \$100,000 - 199,999 | 1143              | 123,128  | 12                                     | 2.6 | 1.0- 4.2   | 3            | 0.5 | 0.0- 1.1   | 1     | 0.1 | 0.0- 0.3   | 1                                                  | 0.2 | 0.0- 0.6   |                    |     |            | 1126 | 96.6 | 94.8-98.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? (HISPANC3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Mexican, Mexican American<br>Chicano-a |     |            | Puerto Rican |     |            | Cuban |     |            | Another Hispanic, Latino-a<br>or Spanish origin |     |            | No   |      |            |
|---------------------|-------------------|----------|----------------------------------------|-----|------------|--------------|-----|------------|-------|-----|------------|-------------------------------------------------|-----|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N                                      | %   | C.I. (95%) | N            | %   | C.I. (95%) | N     | %   | C.I. (95%) | N                                               | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                | 2787              | 307,623  | 44                                     | 3.2 | 2.2- 4.2   | 6            | 0.4 | 0.0- 0.8   | 1     | 0.0 | 0.0- 0.0   | 13                                              | 0.7 | 0.3- 1.1   | 2723 | 95.7 | 94.5-96.9  |
| 18-24               | 175               | 44,460   | 10                                     | 6.6 | 2.5-10.7   |              |     |            |       |     |            |                                                 |     |            | 165  | 93.4 | 89.3-97.5  |
| 25-34               | 315               | 57,756   | 12                                     | 5.7 | 2.2- 9.2   | 1            | 0.5 | 0.0- 1.5   |       |     |            | 5                                               | 1.9 | 0.1- 3.7   | 297  | 91.9 | 88.0-95.8  |
| 35-44               | 421               | 54,180   | 5                                      | 1.7 | 0.1- 3.3   | 1            | 0.5 | 0.0- 1.5   |       |     |            | 3                                               | 0.9 | 0.0- 1.9   | 412  | 96.9 | 94.9-98.9  |
| 45-54               | 414               | 41,748   | 10                                     | 4.2 | 1.5- 6.9   | 2            | 0.6 | 0.0- 1.6   | 1     | 0.2 | 0.0- 0.6   | 1                                               | 0.3 | 0.0- 0.9   | 400  | 94.7 | 91.8-97.6  |
| 55-64               | 451               | 45,113   |                                        |     |            | 2            | 0.9 | 0.0- 2.3   |       |     |            | 1                                               | 0.3 | 0.0- 0.9   | 448  | 98.8 | 97.4- 100  |
| 65+                 | 1011              | 64,367   | 7                                      | 1.6 | 0.2- 3.0   |              |     |            |       |     |            | 3                                               | 0.4 | 0.0- 1.0   | 1001 | 98.0 | 96.6-99.4  |
| Less Than H.S.      | 96                | 23,993   | 4                                      | 7.0 | 0.1-13.9   | 1            | 1.0 | 0.0- 3.0   |       |     |            |                                                 |     |            | 91   | 92.1 | 85.0-99.2  |
| H.S. or G.E.D.      | 768               | 89,624   | 21                                     | 4.6 | 2.6- 6.6   | 1            | 0.1 | 0.0- 0.3   |       |     |            | 5                                               | 0.8 | 0.0- 1.6   | 741  | 94.5 | 92.3-96.7  |
| Some Post-H.S.      | 855               | 117,483  | 11                                     | 2.4 | 0.8- 4.0   | 4            | 0.8 | 0.0- 1.6   |       |     |            | 4                                               | 0.8 | 0.0- 1.6   | 836  | 96.0 | 94.2-97.8  |
| College Graduate    | 1060              | 75,267   | 7                                      | 1.3 | 0.3- 2.3   |              |     |            | 1     | 0.1 | 0.0- 0.3   | 4                                               | 0.5 | 0.0- 1.1   | 1048 | 98.1 | 96.9-99.3  |
| Less than \$15,000  | 65                | 7,216    | 1                                      | 2.2 | 0.0- 6.5   |              |     |            |       |     |            |                                                 |     |            | 64   | 97.8 | 93.5- 100  |
| \$15,000- 24,999    | 117               | 13,586   | 2                                      | 3.1 | 0.0- 7.6   | 1            | 1.7 | 0.0- 5.0   |       |     |            | 1                                               | 0.9 | 0.0- 2.7   | 113  | 94.3 | 88.6- 100  |
| \$25,000- 34,999    | 206               | 24,367   | 8                                      | 6.1 | 1.0-11.2   | 1            | 0.4 | 0.0- 1.2   |       |     |            |                                                 |     |            | 197  | 93.4 | 88.1-98.7  |
| \$35,000- 49,999    | 296               | 29,687   | 6                                      | 3.6 | 0.5- 6.7   | 1            | 0.6 | 0.0- 1.8   |       |     |            | 2                                               | 1.0 | 0.0- 2.4   | 287  | 94.8 | 91.3-98.3  |
| \$50,000- 99,999    | 806               | 90,053   | 11                                     | 3.1 | 1.1- 5.1   | 2            | 0.5 | 0.0- 1.3   |       |     |            | 5                                               | 1.2 | 0.0- 2.4   | 788  | 95.2 | 93.0-97.4  |
| \$100,000 - 199,999 | 648               | 71,151   | 9                                      | 3.2 | 1.0- 5.4   | 1            | 0.4 | 0.0- 1.2   | 1     | 0.1 | 0.0- 0.3   | 1                                               | 0.3 | 0.0- 0.9   | 636  | 96.0 | 93.6-98.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? (HISPANC3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Mexican, Mexican American Chicano~a |     |            | Puerto Rican |     |            | Cuban |     |            | Another Hispanic, Latino~a or Spanish origin |     |            | Multiple Responses |     |            | No   |      |            |
|---------------------|-------------------|----------|-------------------------------------|-----|------------|--------------|-----|------------|-------|-----|------------|----------------------------------------------|-----|------------|--------------------|-----|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N                                   | %   | C.I. (95%) | N            | %   | C.I. (95%) | N     | %   | C.I. (95%) | N                                            | %   | C.I. (95%) | N                  | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Female              | 2914              | 294,187  | 29                                  | 2.9 | 1.7- 4.1   | 3            | 0.2 | 0.0- 0.4   | 1     | 0.1 | 0.0- 0.3   | 11                                           | 0.9 | 0.3- 1.5   | 2                  | 0.1 | 0.0- 0.3   | 2868 | 95.8 | 94.4-97.2  |
| 18-24               | 129               | 39,808   | 7                                   | 7.8 | 2.1-13.5   |              |     |            | 1     | 1.0 | 0.0- 3.0   | 3                                            | 2.9 | 0.0- 6.2   |                    |     |            | 118  | 88.3 | 81.6-95.0  |
| 25-34               | 260               | 49,686   | 5                                   | 2.5 | 0.3- 4.7   | 1            | 0.6 | 0.6- 0.6   |       |     |            | 3                                            | 1.6 | 0.0- 3.6   | 1                  | 0.3 | 0.0- 0.9   | 250  | 94.9 | 92.0-97.8  |
| 35-44               | 336               | 49,924   | 10                                  | 5.8 | 2.1- 9.5   | 2            | 0.7 | 0.0- 1.7   |       |     |            | 1                                            | 0.2 | 0.0- 0.6   |                    |     |            | 323  | 93.3 | 89.4-97.2  |
| 45-54               | 393               | 38,438   | 3                                   | 1.2 | 0.0- 2.8   |              |     |            |       |     |            | 1                                            | 0.4 | 0.0- 1.0   |                    |     |            | 389  | 98.5 | 96.9- 100  |
| 55-64               | 508               | 43,127   | 3                                   | 1.5 | 0.0- 3.5   |              |     |            |       |     |            | 2                                            | 0.4 | 0.0- 1.0   | 1                  | 0.1 | 0.0- 0.3   | 502  | 97.9 | 95.9-99.9  |
| 65+                 | 1288              | 73,204   | 1                                   | 0.2 | 0.0- 0.6   |              |     |            |       |     |            | 1                                            | 0.2 | 0.0- 0.6   |                    |     |            | 1286 | 99.6 | 99.0- 100  |
| Less Than H.S.      | 72                | 18,064   | 4                                   | 8.6 | 0.0-17.6   |              |     |            |       |     |            |                                              |     |            |                    |     |            | 68   | 91.4 | 82.4- 100  |
| H.S. or G.E.D.      | 665               | 69,320   | 8                                   | 4.2 | 1.3- 7.1   | 1            | 0.3 | 0.0- 0.9   |       |     |            | 4                                            | 1.3 | 0.0- 2.7   |                    |     |            | 652  | 94.2 | 91.1-97.3  |
| Some Post-H.S.      | 912               | 112,332  | 10                                  | 2.8 | 1.0- 4.6   | 1            | 0.3 | 0.3- 0.3   | 1     | 0.4 | 0.0- 1.0   | 3                                            | 0.8 | 0.0- 2.0   |                    |     |            | 897  | 95.7 | 93.5-97.9  |
| College Graduate    | 1257              | 93,971   | 7                                   | 1.0 | 0.2- 1.8   | 1            | 0.1 | 0.0- 0.3   |       |     |            | 4                                            | 0.7 | 0.0- 1.5   | 2                  | 0.2 | 0.0- 0.6   | 1243 | 97.9 | 96.7-99.1  |
| Less than \$15,000  | 79                | 10,550   |                                     |     |            |              |     |            | 1     | 3.7 | 0.0-10.8   | 2                                            | 3.8 | 0.0- 9.3   |                    |     |            | 76   | 92.5 | 83.7- 100  |
| \$15,000- 24,999    | 191               | 22,544   |                                     |     |            | 1            | 1.4 | 1.2- 1.6   |       |     |            | 1                                            | 0.7 | 0.0- 2.1   |                    |     |            | 189  | 97.9 | 96.5-99.3  |
| \$25,000- 34,999    | 252               | 24,905   | 4                                   | 3.9 | 0.0- 7.8   |              |     |            |       |     |            | 4                                            | 4.3 | 0.0- 9.2   | 1                  | 0.7 | 0.0- 2.1   | 243  | 91.2 | 84.9-97.5  |
| \$35,000- 49,999    | 330               | 31,271   | 4                                   | 4.8 | 0.0- 9.9   |              |     |            |       |     |            | 1                                            | 1.1 | 0.0- 3.3   |                    |     |            | 325  | 94.1 | 88.6-99.6  |
| \$50,000- 99,999    | 743               | 73,741   | 8                                   | 3.1 | 0.7- 5.5   |              |     |            |       |     |            | 2                                            | 0.3 | 0.0- 0.7   |                    |     |            | 733  | 96.5 | 94.1-98.9  |
| \$100,000 - 199,999 | 495               | 51,976   | 3                                   | 1.8 | 0.0- 4.0   | 2            | 0.7 | 0.0- 1.7   |       |     |            |                                              |     |            |                    |     |            | 490  | 97.5 | 95.1-99.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? (MRACE1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | White only |      |            | Black only |     |            | American Indian or Alaska Native only |      |            | Asian only |     |            | Native Hawaiian or Pacific Islander only |     |            | Other Race only or Multiracial |     |            |
|---------------------|-------------------|----------|------------|------|------------|------------|-----|------------|---------------------------------------|------|------------|------------|-----|------------|------------------------------------------|-----|------------|--------------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED | N          | %    | C.I. (95%) | N          | %   | C.I. (95%) | N                                     | %    | C.I. (95%) | N          | %   | C.I. (95%) | N                                        | %   | C.I. (95%) | N                              | %   | C.I. (95%) |
| TOTAL               | 5664              | 597,489  | 5172       | 86.7 | 85.3-88.1  | 87         | 3.1 | 2.3- 3.9   | 173                                   | 4.4  | 3.6- 5.2   | 58         | 1.7 | 1.1- 2.3   | 6                                        | 0.1 | 0.0- 0.3   | 168                            | 3.9 | 3.1- 4.7   |
| Male                | 2763              | 304,488  | 2510       | 86.6 | 84.6-88.6  | 57         | 3.7 | 2.5- 4.9   | 73                                    | 3.7  | 2.7- 4.7   | 24         | 1.3 | 0.7- 1.9   | 4                                        | 0.2 | 0.0- 0.4   | 95                             | 4.4 | 3.2- 5.6   |
| Female              | 2901              | 293,001  | 2662       | 86.9 | 84.9-88.9  | 30         | 2.5 | 1.5- 3.5   | 100                                   | 5.1  | 3.7- 6.5   | 34         | 2.1 | 1.3- 2.9   | 2                                        | 0.1 | 0.0- 0.3   | 73                             | 3.3 | 2.3- 4.3   |
| 18-24               | 304               | 84,640   | 246        | 77.4 | 71.9-82.9  | 16         | 7.6 | 3.7-11.5   | 17                                    | 6.4  | 3.3- 9.5   | 7          | 2.7 | 0.5- 4.9   |                                          |     |            | 18                             | 6.0 | 3.1- 8.9   |
| 25-34               | 574               | 106,751  | 499        | 83.7 | 80.0-87.4  | 16         | 4.0 | 1.8- 6.2   | 24                                    | 5.8  | 3.1- 8.5   | 14         | 2.5 | 1.1- 3.9   | 3                                        | 0.5 | 0.0- 1.1   | 18                             | 3.4 | 1.8- 5.0   |
| 35-44               | 752               | 103,360  | 650        | 82.1 | 78.6-85.6  | 28         | 4.7 | 2.9- 6.5   | 24                                    | 4.8  | 2.6- 7.0   | 21         | 3.4 | 1.8- 5.0   | 2                                        | 0.2 | 0.0- 0.6   | 27                             | 4.9 | 2.7- 7.1   |
| 45-54               | 800               | 79,259   | 719        | 88.3 | 85.6-91.0  | 10         | 1.5 | 0.5- 2.5   | 27                                    | 4.6  | 2.6- 6.6   | 10         | 1.4 | 0.4- 2.4   | 1                                        | 0.1 | 0.0- 0.3   | 33                             | 4.1 | 2.5- 5.7   |
| 55-64               | 952               | 87,452   | 878        | 90.9 | 88.5-93.3  | 10         | 1.2 | 0.4- 2.0   | 40                                    | 4.1  | 2.7- 5.5   | 3          | 0.6 | 0.0- 1.2   |                                          |     |            | 21                             | 3.2 | 1.4- 5.0   |
| 65+                 | 2282              | 136,027  | 2180       | 95.0 | 93.8-96.2  | 7          | 0.5 | 0.1- 0.9   | 41                                    | 2.0  | 1.2- 2.8   | 3          | 0.2 | 0.0- 0.4   |                                          |     |            | 51                             | 2.4 | 1.6- 3.2   |
| Less Than H.S.      | 163               | 41,375   | 138        | 77.5 | 68.7-86.3  | 2          | 3.7 | 0.0- 8.8   | 7                                     | 6.7  | 1.0-12.4   | 3          | 2.4 | 0.0- 5.3   |                                          |     |            | 13                             | 9.6 | 3.9-15.3   |
| H.S. or G.E.D.      | 1430              | 158,079  | 1308       | 86.5 | 84.0-89.0  | 27         | 3.8 | 2.2- 5.4   | 44                                    | 4.3  | 2.7- 5.9   | 10         | 1.5 | 0.3- 2.7   | 4                                        | 0.4 | 0.0- 0.8   | 37                             | 3.5 | 2.1- 4.9   |
| Some Post-H.S.      | 1754              | 228,156  | 1591       | 86.8 | 84.6-89.0  | 30         | 3.2 | 2.0- 4.4   | 68                                    | 5.4  | 4.0- 6.8   | 5          | 0.6 | 0.0- 1.2   | 1                                        | 0.1 | 0.0- 0.3   | 59                             | 3.9 | 2.7- 5.1   |
| College Graduate    | 2302              | 168,190  | 2123       | 89.5 | 87.7-91.3  | 28         | 2.1 | 1.1- 3.1   | 53                                    | 2.4  | 1.6- 3.2   | 40         | 3.4 | 2.2- 4.6   | 1                                        | 0.0 | 0.0- 0.0   | 57                             | 2.7 | 1.9- 3.5   |
| Less than \$15,000  | 145               | 17,442   | 120        | 67.6 | 55.1-80.1  | 5          | 7.8 | 0.4-15.2   | 10                                    | 14.0 | 3.2-24.8   | 2          | 2.4 | 0.0- 5.9   | 1                                        | 0.6 | 0.0- 1.8   | 7                              | 7.5 | 0.1-14.9   |
| \$15,000- 24,999    | 307               | 35,952   | 260        | 72.5 | 65.2-79.8  | 9          | 5.9 | 1.6-10.2   | 15                                    | 8.5  | 3.6-13.4   | 6          | 4.2 | 0.9- 7.5   | 2                                        | 0.8 | 0.0- 2.0   | 15                             | 8.1 | 3.6-12.6   |
| \$25,000- 34,999    | 453               | 48,859   | 412        | 85.4 | 80.3-90.5  | 6          | 1.9 | 0.1- 3.7   | 21                                    | 7.9  | 4.0-11.8   | 3          | 1.1 | 0.0- 2.5   |                                          |     |            | 11                             | 3.8 | 0.9- 6.7   |
| \$35,000- 49,999    | 626               | 60,647   | 556        | 83.3 | 79.2-87.4  | 12         | 3.3 | 1.3- 5.3   | 30                                    | 7.4  | 4.1-10.7   | 5          | 1.4 | 0.0- 2.8   |                                          |     |            | 23                             | 4.6 | 2.4- 6.8   |
| \$50,000- 99,999    | 1541              | 163,010  | 1427       | 89.4 | 87.2-91.6  | 21         | 2.6 | 1.4- 3.8   | 38                                    | 3.2  | 2.0- 4.4   | 17         | 1.9 | 0.7- 3.1   | 2                                        | 0.2 | 0.0- 0.6   | 36                             | 2.7 | 1.7- 3.7   |
| \$100,000 - 199,999 | 1139              | 123,105  | 1071       | 92.7 | 90.7-94.7  | 11         | 1.6 | 0.6- 2.6   | 23                                    | 2.0  | 1.0- 3.0   | 9          | 0.9 | 0.1- 1.7   | 1                                        | 0.1 | 0.0- 0.3   | 24                             | 2.7 | 1.5- 3.9   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? (MRACE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | White only |      |            | Black only |     |            | American Indian or Alaska Native only |      |            | Asian only |     |            | Native Hawaiian or Pacific Islander only |     |            | Other Race only or Multiracial |      |            |
|---------------------|-------------------|----------|------------|------|------------|------------|-----|------------|---------------------------------------|------|------------|------------|-----|------------|------------------------------------------|-----|------------|--------------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N          | %    | C.I. (95%) | N          | %   | C.I. (95%) | N                                     | %    | C.I. (95%) | N          | %   | C.I. (95%) | N                                        | %   | C.I. (95%) | N                              | %    | C.I. (95%) |
| Male                | 2763              | 304,488  | 2510       | 86.6 | 84.6-88.6  | 57         | 3.7 | 2.5- 4.9   | 73                                    | 3.7  | 2.7- 4.7   | 24         | 1.3 | 0.7- 1.9   | 4                                        | 0.2 | 0.0- 0.4   | 95                             | 4.4  | 3.2- 5.6   |
| 18-24               | 174               | 44,243   | 145        | 78.5 | 70.9-86.1  | 9          | 7.8 | 2.1-13.5   | 6                                     | 3.8  | 0.5- 7.1   | 2          | 2.2 | 0.0- 5.5   |                                          |     |            | 12                             | 7.6  | 3.1-12.1   |
| 25-34               | 315               | 57,410   | 277        | 85.0 | 80.3-89.7  | 11         | 4.6 | 1.9- 7.3   | 12                                    | 5.4  | 2.1- 8.7   | 4          | 1.3 | 0.0- 2.7   | 2                                        | 0.7 | 0.0- 1.7   | 9                              | 3.1  | 0.9- 5.3   |
| 35-44               | 419               | 53,867   | 362        | 82.5 | 78.0-87.0  | 18         | 5.5 | 3.0- 8.0   | 12                                    | 4.3  | 1.6- 7.0   | 9          | 2.5 | 0.7- 4.3   | 2                                        | 0.4 | 0.0- 1.0   | 16                             | 4.8  | 2.1- 7.5   |
| 45-54               | 409               | 41,114   | 360        | 86.5 | 82.6-90.4  | 8          | 2.3 | 0.5- 4.1   | 15                                    | 4.7  | 2.2- 7.2   | 6          | 1.7 | 0.1- 3.3   |                                          |     |            | 20                             | 4.8  | 2.4- 7.2   |
| 55-64               | 446               | 44,480   | 410        | 89.7 | 85.8-93.6  | 9          | 2.3 | 0.7- 3.9   | 14                                    | 3.3  | 1.3- 5.3   | 1          | 0.3 | 0.0- 0.9   |                                          |     |            | 12                             | 4.4  | 1.3- 7.5   |
| 65+                 | 1000              | 63,375   | 956        | 95.2 | 93.4-97.0  | 2          | 0.4 | 0.0- 1.0   | 14                                    | 1.5  | 0.5- 2.5   | 2          | 0.2 | 0.0- 0.6   |                                          |     |            | 26                             | 2.7  | 1.5- 3.9   |
| Less Than H.S.      | 92                | 23,130   | 77         | 76.6 | 64.8-88.4  | 1          | 3.9 | 0.0-11.3   | 3                                     | 4.4  | 0.0-10.3   | 1          | 1.2 | 0.0- 3.6   |                                          |     |            | 10                             | 13.9 | 4.9-22.9   |
| H.S. or G.E.D.      | 765               | 89,214   | 692        | 86.1 | 82.6-89.6  | 17         | 4.2 | 2.0- 6.4   | 27                                    | 4.4  | 2.4- 6.4   | 8          | 2.2 | 0.4- 4.0   | 3                                        | 0.5 | 0.0- 1.1   | 18                             | 2.7  | 1.3- 4.1   |
| Some Post-H.S.      | 846               | 116,198  | 767        | 87.5 | 84.6-90.4  | 18         | 3.7 | 1.9- 5.5   | 25                                    | 3.9  | 2.1- 5.7   | 3          | 0.5 | 0.0- 1.1   | 1                                        | 0.1 | 0.0- 0.3   | 32                             | 4.4  | 2.6- 6.2   |
| College Graduate    | 1052              | 74,691   | 969        | 89.9 | 87.5-92.3  | 21         | 3.2 | 1.8- 4.6   | 17                                    | 1.9  | 0.9- 2.9   | 12         | 1.7 | 0.7- 2.7   |                                          |     |            | 33                             | 3.2  | 2.0- 4.4   |
| Less than \$15,000  | 66                | 7,315    | 57         | 74.9 | 58.0-91.8  | 2          | 5.6 | 0.0-14.2   | 1                                     | 2.3  | 0.0- 6.6   |            |     |            | 1                                        | 1.5 | 0.0- 4.4   | 5                              | 15.7 | 0.0-31.6   |
| \$15,000- 24,999    | 116               | 13,546   | 92         | 64.9 | 52.6-77.2  | 6          | 9.2 | 1.2-17.2   | 7                                     | 12.5 | 1.9-23.1   | 1          | 0.9 | 0.0- 2.7   | 1                                        | 1.1 | 0.0- 3.3   | 9                              | 11.3 | 3.5-19.1   |
| \$25,000- 34,999    | 201               | 23,953   | 175        | 81.6 | 73.8-89.4  | 4          | 1.8 | 0.0- 3.6   | 12                                    | 8.6  | 2.9-14.3   | 2          | 1.6 | 0.0- 4.0   |                                          |     |            | 8                              | 6.4  | 0.7-12.1   |
| \$35,000- 49,999    | 294               | 29,426   | 265        | 85.3 | 79.6-91.0  | 8          | 4.8 | 1.3- 8.3   | 11                                    | 5.5  | 1.8- 9.2   | 2          | 1.3 | 0.0- 3.3   |                                          |     |            | 8                              | 3.1  | 0.7- 5.5   |
| \$50,000- 99,999    | 800               | 89,226   | 732        | 88.2 | 85.1-91.3  | 16         | 3.8 | 1.8- 5.8   | 20                                    | 3.1  | 1.5- 4.7   | 7          | 1.8 | 0.0- 3.6   | 1                                        | 0.3 | 0.0- 0.9   | 24                             | 2.9  | 1.5- 4.3   |
| \$100,000 - 199,999 | 646               | 70,978   | 607        | 92.5 | 90.0-95.0  | 7          | 1.7 | 0.3- 3.1   | 12                                    | 2.1  | 0.7- 3.5   | 6          | 1.1 | 0.1- 2.1   | 1                                        | 0.2 | 0.0- 0.6   | 13                             | 2.4  | 0.8- 4.0   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? (MRACE1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | White only |      |            | Black only |     |            | American Indian or Alaska Native only |      |            | Asian only |     |            | Native Hawaiian or Pacific Islander only |     |            | Other Race only or Multiracial |     |            |
|---------------------|-------------------|----------|------------|------|------------|------------|-----|------------|---------------------------------------|------|------------|------------|-----|------------|------------------------------------------|-----|------------|--------------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED | N          | %    | C.I. (95%) | N          | %   | C.I. (95%) | N                                     | %    | C.I. (95%) | N          | %   | C.I. (95%) | N                                        | %   | C.I. (95%) | N                              | %   | C.I. (95%) |
| Female              | 2901              | 293,001  | 2662       | 86.9 | 84.9-88.9  | 30         | 2.5 | 1.5- 3.5   | 100                                   | 5.1  | 3.7- 6.5   | 34         | 2.1 | 1.3- 2.9   | 2                                        | 0.1 | 0.0- 0.3   | 73                             | 3.3 | 2.3- 4.3   |
| 18-24               | 130               | 40,397   | 101        | 76.0 | 68.2-83.8  | 7          | 7.3 | 2.0-12.6   | 11                                    | 9.2  | 3.9-14.5   | 5          | 3.2 | 0.3- 6.1   |                                          |     |            | 6                              | 4.2 | 0.9- 7.5   |
| 25-34               | 259               | 49,341   | 222        | 82.3 | 76.4-88.2  | 5          | 3.3 | 0.2- 6.4   | 12                                    | 6.4  | 2.1-10.7   | 10         | 3.8 | 1.4- 6.2   | 1                                        | 0.3 | 0.0- 0.9   | 9                              | 3.8 | 1.3- 6.3   |
| 35-44               | 333               | 49,493   | 288        | 81.7 | 76.2-87.2  | 10         | 3.8 | 1.4- 6.2   | 12                                    | 5.4  | 2.1- 8.7   | 12         | 4.2 | 1.5- 6.9   |                                          |     |            | 11                             | 4.9 | 1.6- 8.2   |
| 45-54               | 391               | 38,145   | 359        | 90.2 | 86.5-93.9  | 2          | 0.7 | 0.0- 1.7   | 12                                    | 4.4  | 1.5- 7.3   | 4          | 1.1 | 0.0- 2.3   | 1                                        | 0.2 | 0.0- 0.6   | 13                             | 3.3 | 1.1- 5.5   |
| 55-64               | 506               | 42,973   | 468        | 92.0 | 89.3-94.7  | 1          | 0.2 | 0.0- 0.6   | 26                                    | 5.0  | 2.8- 7.2   | 2          | 0.8 | 0.0- 2.0   |                                          |     |            | 9                              | 2.0 | 0.6- 3.4   |
| 65+                 | 1282              | 72,652   | 1224       | 94.7 | 93.1-96.3  | 5          | 0.5 | 0.0- 1.1   | 27                                    | 2.4  | 1.2- 3.6   | 1          | 0.2 | 0.0- 0.6   |                                          |     |            | 25                             | 2.2 | 1.2- 3.2   |
| Less Than H.S.      | 71                | 18,245   | 61         | 78.8 | 65.7-91.9  | 1          | 3.5 | 0.0-10.2   | 4                                     | 9.5  | 0.0-20.1   | 2          | 4.0 | 0.0- 9.7   |                                          |     |            | 3                              | 4.2 | 0.0- 9.3   |
| H.S. or G.E.D.      | 665               | 68,865   | 616        | 87.1 | 83.2-91.0  | 10         | 3.4 | 1.2- 5.6   | 17                                    | 4.2  | 1.8- 6.6   | 2          | 0.6 | 0.0- 1.4   | 1                                        | 0.2 | 0.0- 0.6   | 19                             | 4.6 | 2.1- 7.1   |
| Some Post-H.S.      | 908               | 111,958  | 824        | 86.2 | 82.9-89.5  | 12         | 2.8 | 1.0- 4.6   | 43                                    | 7.1  | 4.7- 9.5   | 2          | 0.6 | 0.0- 1.6   |                                          |     |            | 27                             | 3.4 | 1.8- 5.0   |
| College Graduate    | 1250              | 93,499   | 1154       | 89.1 | 86.6-91.6  | 7          | 1.2 | 0.0- 2.4   | 36                                    | 2.7  | 1.7- 3.7   | 28         | 4.7 | 2.9- 6.5   | 1                                        | 0.1 | 0.0- 0.3   | 24                             | 2.2 | 1.2- 3.2   |
| Less than \$15,000  | 79                | 10,127   | 63         | 62.4 | 45.0-79.8  | 3          | 9.4 | 0.0-20.6   | 9                                     | 22.4 | 5.3-39.5   | 2          | 4.1 | 0.0-10.0   |                                          |     |            | 2                              | 1.6 | 0.0- 4.0   |
| \$15,000- 24,999    | 191               | 22,406   | 168        | 77.0 | 68.2-85.8  | 3          | 3.9 | 0.0- 8.8   | 8                                     | 6.0  | 1.5-10.5   | 5          | 6.2 | 0.9-11.5   | 1                                        | 0.7 | 0.0- 2.1   | 6                              | 6.2 | 0.7-11.7   |
| \$25,000- 34,999    | 252               | 24,905   | 237        | 89.0 | 82.7-95.3  | 2          | 2.1 | 0.0- 5.0   | 9                                     | 7.1  | 1.6-12.6   | 1          | 0.5 | 0.0- 1.5   |                                          |     |            | 3                              | 1.3 | 0.0- 2.7   |
| \$35,000- 49,999    | 332               | 31,222   | 291        | 81.5 | 75.2-87.8  | 4          | 2.0 | 0.0- 4.0   | 19                                    | 9.1  | 4.0-14.2   | 3          | 1.4 | 0.0- 3.2   |                                          |     |            | 15                             | 6.0 | 2.5- 9.5   |
| \$50,000- 99,999    | 741               | 73,784   | 695        | 90.9 | 87.8-94.0  | 5          | 1.2 | 0.0- 2.6   | 18                                    | 3.3  | 1.3- 5.3   | 10         | 2.1 | 0.7- 3.5   | 1                                        | 0.1 | 0.0- 0.3   | 12                             | 2.4 | 0.6- 4.2   |
| \$100,000 - 199,999 | 493               | 52,127   | 464        | 92.9 | 90.0-95.8  | 4          | 1.5 | 0.0- 3.1   | 11                                    | 1.7  | 0.5- 2.9   | 3          | 0.8 | 0.0- 1.6   |                                          |     |            | 11                             | 3.1 | 1.1- 5.1   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: ARE YOU: (MARITAL STATUS) (MARITAL)**  
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |          |      |            |         |      |            |           |     |            |               |      |            |                  |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|----------|------|------------|---------|------|------------|-----------|-----|------------|---------------|------|------------|------------------|------|------------|
|                     |                   |          | Married                          |      |            | Divorced |      |            | Widowed |      |            | Separated |     |            | Never married |      |            | Unmarried couple |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N        | %    | C.I. (95%) | N       | %    | C.I. (95%) | N         | %   | C.I. (95%) | N             | %    | C.I. (95%) | N                | %    | C.I. (95%) |
| TOTAL               | 5700              | 601,854  | 3254                             | 54.4 | 52.6-56.2  | 639      | 9.5  | 8.5-10.5   | 653     | 6.2  | 5.6- 6.8   | 56        | 1.2 | 0.8- 1.6   | 913           | 24.0 | 22.4-25.6  | 185              | 4.7  | 3.9- 5.5   |
| Male                | 2783              | 306,198  | 1612                             | 53.5 | 51.1-55.9  | 306      | 9.1  | 7.9-10.3   | 170     | 3.3  | 2.7- 3.9   | 29        | 1.2 | 0.6- 1.8   | 565           | 27.5 | 25.1-29.9  | 101              | 5.3  | 4.1- 6.5   |
| Female              | 2917              | 295,657  | 1642                             | 55.4 | 53.0-57.8  | 333      | 9.8  | 8.4-11.2   | 483     | 9.1  | 8.1-10.1   | 27        | 1.2 | 0.6- 1.8   | 348           | 20.4 | 18.0-22.8  | 84               | 4.0  | 3.0- 5.0   |
| Native              | 163               | 24,605   | 66                               | 33.9 | 24.9-42.9  | 26       | 12.9 | 6.6-19.2   | 19      | 6.6  | 2.9-10.3   | 3         | 1.1 | 0.0- 2.3   | 40            | 39.1 | 28.7-49.5  | 9                | 6.6  | 1.9-11.3   |
| Non-Native          | 5460              | 568,994  | 3151                             | 55.4 | 53.6-57.2  | 604      | 9.3  | 8.3-10.3   | 626     | 6.2  | 5.6- 6.8   | 51        | 1.2 | 0.8- 1.6   | 857           | 23.3 | 21.7-24.9  | 171              | 4.5  | 3.7- 5.3   |
| 18-24               | 306               | 85,057   | 19                               | 6.5  | 3.4- 9.6   | 5        | 2.4  | 0.2- 4.6   |         |      |            |           |     |            | 240           | 79.3 | 74.4-84.2  | 42               | 11.8 | 8.3-15.3   |
| 25-34               | 576               | 107,710  | 268                              | 46.7 | 42.2-51.2  | 26       | 4.7  | 2.7- 6.7   | 2       | 0.6  | 0.0- 1.4   | 8         | 2.0 | 0.4- 3.6   | 226           | 38.5 | 34.0-43.0  | 46               | 7.5  | 5.1- 9.9   |
| 35-44               | 752               | 103,508  | 497                              | 67.4 | 63.7-71.1  | 82       | 11.3 | 8.8-13.8   | 4       | 0.7  | 0.0- 1.5   | 24        | 3.0 | 1.6- 4.4   | 110           | 13.0 | 10.5-15.5  | 35               | 4.6  | 2.8- 6.4   |
| 45-54               | 812               | 80,365   | 531                              | 66.8 | 63.1-70.5  | 133      | 16.2 | 13.3-19.1  | 21      | 2.8  | 1.4- 4.2   | 10        | 0.9 | 0.3- 1.5   | 86            | 9.7  | 7.5-11.9   | 31               | 3.6  | 2.2- 5.0   |
| 55-64               | 957               | 87,723   | 623                              | 69.3 | 66.0-72.6  | 171      | 15.6 | 13.1-18.1  | 41      | 3.3  | 2.1- 4.5   | 6         | 1.1 | 0.0- 2.5   | 101           | 9.2  | 7.0-11.4   | 15               | 1.6  | 0.6- 2.6   |
| 65+                 | 2297              | 137,491  | 1316                             | 63.6 | 61.2-66.0  | 222      | 8.4  | 7.0- 9.8   | 585     | 22.4 | 20.4-24.4  | 8         | 0.3 | 0.1- 0.5   | 150           | 4.7  | 3.7- 5.7   | 16               | 0.7  | 0.3- 1.1   |
| Less Than H.S.      | 169               | 42,946   | 68                               | 38.0 | 29.2-46.8  | 20       | 10.7 | 5.6-15.8   | 36      | 10.0 | 6.1-13.9   | 3         | 3.3 | 0.0- 7.0   | 34            | 32.1 | 22.5-41.7  | 8                | 5.9  | 1.8-10.0   |
| H.S. or G.E.D.      | 1441              | 159,359  | 663                              | 43.7 | 40.6-46.8  | 184      | 10.6 | 8.8-12.4   | 231     | 8.1  | 6.7- 9.5   | 18        | 1.4 | 0.6- 2.2   | 290           | 30.4 | 27.1-33.7  | 55               | 5.8  | 4.2- 7.4   |
| Some Post-H.S.      | 1768              | 229,657  | 970                              | 53.9 | 51.0-56.8  | 214      | 9.9  | 8.3-11.5   | 219     | 6.0  | 5.0- 7.0   | 19        | 1.1 | 0.5- 1.7   | 283           | 24.2 | 21.5-26.9  | 63               | 4.9  | 3.5- 6.3   |
| College Graduate    | 2306              | 168,178  | 1548                             | 69.7 | 67.5-71.9  | 217      | 7.2  | 6.0- 8.4   | 162     | 3.5  | 2.9- 4.1   | 16        | 0.7 | 0.3- 1.1   | 304           | 15.9 | 13.9-17.9  | 59               | 3.0  | 2.2- 3.8   |
| Less than \$15,000  | 145               | 17,807   | 11                               | 7.7  | 2.8-12.6   | 41       | 22.3 | 13.7-30.9  | 26      | 7.7  | 4.0-11.4   | 2         | 2.0 | 0.0- 5.1   | 62            | 57.5 | 46.5-68.5  | 3                | 2.8  | 0.0- 6.1   |
| \$15,000- 24,999    | 309               | 36,033   | 48                               | 15.1 | 10.4-19.8  | 73       | 19.2 | 13.9-24.5  | 78      | 14.5 | 10.4-18.6  | 5         | 1.9 | 0.0- 3.9   | 93            | 43.4 | 36.0-50.8  | 12               | 6.0  | 2.3- 9.7   |
| \$25,000- 34,999    | 457               | 49,019   | 138                              | 25.9 | 20.8-31.0  | 90       | 16.2 | 12.1-20.3  | 106     | 13.9 | 10.4-17.4  | 14        | 5.1 | 1.6- 8.6   | 86            | 30.7 | 24.2-37.2  | 23               | 8.2  | 4.7-11.7   |
| \$35,000- 49,999    | 630               | 61,458   | 274                              | 41.2 | 36.3-46.1  | 84       | 11.6 | 8.7-14.5   | 112     | 9.8  | 7.6-12.0   | 8         | 1.7 | 0.5- 2.9   | 130           | 30.2 | 25.1-35.3  | 22               | 5.5  | 3.0- 8.0   |
| \$50,000- 99,999    | 1549              | 163,962  | 977                              | 60.8 | 57.7-63.9  | 154      | 8.3  | 6.7- 9.9   | 104     | 3.6  | 2.6- 4.6   | 11        | 0.6 | 0.2- 1.0   | 243           | 21.2 | 18.3-24.1  | 60               | 5.5  | 3.9- 7.1   |
| \$100,000 - 199,999 | 1147              | 123,688  | 909                              | 77.2 | 74.1-80.3  | 79       | 6.1  | 4.5- 7.7   | 31      | 1.2  | 0.6- 1.8   | 8         | 0.6 | 0.2- 1.0   | 84            | 11.4 | 8.7-14.1   | 36               | 3.6  | 2.2- 5.0   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 11: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |          |      |            |         |      |            |           |     |            |               |      |            |                  |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|----------|------|------------|---------|------|------------|-----------|-----|------------|---------------|------|------------|------------------|------|------------|
|                     |                   |          | Married                          |      |            | Divorced |      |            | Widowed |      |            | Separated |     |            | Never married |      |            | Unmarried couple |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N        | %    | C.I. (95%) | N       | %    | C.I. (95%) | N         | %   | C.I. (95%) | N             | %    | C.I. (95%) | N                | %    | C.I. (95%) |
| Male                | 2783              | 306,198  | 1612                             | 53.5 | 51.1-55.9  | 306      | 9.1  | 7.9-10.3   | 170     | 3.3  | 2.7- 3.9   | 29        | 1.2 | 0.6- 1.8   | 565           | 27.5 | 25.1-29.9  | 101              | 5.3  | 4.1- 6.5   |
| Native              | 70                | 10,909   | 29                               | 30.6 | 18.6-42.6  | 9        | 12.8 | 2.4-23.2   | 6       | 6.4  | 0.0-13.1   | 2         | 1.4 | 0.0- 3.4   | 22            | 44.0 | 29.1-58.9  | 2                | 4.8  | 0.0-11.5   |
| Non-Native          | 2671              | 291,455  | 1562                             | 54.4 | 52.0-56.8  | 292      | 9.0  | 7.8-10.2   | 162     | 3.2  | 2.6- 3.8   | 25        | 1.2 | 0.6- 1.8   | 534           | 26.9 | 24.5-29.3  | 96               | 5.3  | 4.1- 6.5   |
| 18-24               | 176               | 44,660   | 7                                | 4.5  | 1.0- 8.0   | 2        | 1.7  | 0.0- 4.2   |         |      |            |           |     |            | 139           | 78.7 | 72.0-85.4  | 28               | 15.1 | 9.6-20.6   |
| 25-34               | 313               | 57,263   | 121                              | 40.9 | 34.6-47.2  | 11       | 3.2  | 1.2- 5.2   |         |      |            | 2         | 1.4 | 0.0- 3.6   | 149           | 45.4 | 39.1-51.7  | 30               | 9.1  | 5.6-12.6   |
| 35-44               | 420               | 54,083   | 277                              | 67.0 | 61.9-72.1  | 42       | 10.9 | 7.6-14.2   | 2       | 0.8  | 0.0- 2.2   | 10        | 2.4 | 0.8- 4.0   | 76            | 15.8 | 12.1-19.5  | 13               | 3.1  | 1.3- 4.9   |
| 45-54               | 416               | 41,614   | 264                              | 64.1 | 59.0-69.2  | 73       | 17.6 | 13.5-21.7  | 6       | 1.5  | 0.3- 2.7   | 7         | 1.1 | 0.3- 1.9   | 52            | 12.1 | 8.6-15.6   | 14               | 3.6  | 1.6- 5.6   |
| 55-64               | 447               | 44,382   | 283                              | 67.6 | 62.5-72.7  | 78       | 15.4 | 11.7-19.1  | 5       | 0.6  | 0.0- 1.2   | 4         | 1.9 | 0.0- 4.4   | 69            | 13.2 | 9.7-16.7   | 8                | 1.2  | 0.2- 2.2   |
| 65+                 | 1011              | 64,196   | 660                              | 70.7 | 67.4-74.0  | 100      | 8.2  | 6.2-10.2   | 157     | 13.9 | 11.4-16.4  | 6         | 0.5 | 0.1- 0.9   | 80            | 5.9  | 4.3- 7.5   | 8                | 0.8  | 0.0- 1.6   |
| Less Than H.S.      | 94                | 23,762   | 38                               | 35.7 | 24.1-47.3  | 10       | 8.4  | 2.9-13.9   | 16      | 9.2  | 4.1-14.3   | 2         | 4.8 | 0.0-11.3   | 23            | 35.2 | 22.5-47.9  | 5                | 6.9  | 0.8-13.0   |
| H.S. or G.E.D.      | 772               | 89,697   | 375                              | 44.7 | 40.6-48.8  | 93       | 9.0  | 6.8-11.2   | 56      | 3.3  | 2.3- 4.3   | 8         | 0.8 | 0.2- 1.4   | 207           | 36.0 | 31.7-40.3  | 33               | 6.3  | 4.1- 8.5   |
| Some Post-H.S.      | 850               | 116,594  | 477                              | 53.4 | 49.5-57.3  | 102      | 10.0 | 7.8-12.2   | 49      | 3.0  | 2.0- 4.0   | 11        | 1.1 | 0.3- 1.9   | 172           | 26.3 | 22.6-30.0  | 39               | 6.2  | 4.0- 8.4   |
| College Graduate    | 1059              | 74,932   | 719                              | 70.1 | 67.0-73.2  | 97       | 7.4  | 5.8- 9.0   | 48      | 2.1  | 1.5- 2.7   | 8         | 0.8 | 0.2- 1.4   | 163           | 17.4 | 14.7-20.1  | 24               | 2.4  | 1.4- 3.4   |
| Less than \$15,000  | 64                | 7,073    | 7                                | 13.9 | 3.5-24.3   | 17       | 17.9 | 8.3-27.5   | 5       | 2.1  | 0.1- 4.1   |           |     |            | 33            | 60.6 | 45.9-75.3  | 2                | 5.4  | 0.0-12.8   |
| \$15,000- 24,999    | 116               | 13,336   | 19                               | 13.1 | 6.2-20.0   | 30       | 18.7 | 10.9-26.5  | 14      | 9.2  | 3.3-15.1   | 1         | 0.3 | 0.0- 0.9   | 47            | 53.2 | 41.4-65.0  | 5                | 5.4  | 0.1-10.7   |
| \$25,000- 34,999    | 204               | 24,061   | 68                               | 28.2 | 20.8-35.6  | 36       | 13.8 | 8.5-19.1   | 32      | 9.4  | 5.1-13.7   | 10        | 8.1 | 1.4-14.8   | 49            | 34.9 | 25.9-43.9  | 9                | 5.5  | 1.6- 9.4   |
| \$35,000- 49,999    | 297               | 29,968   | 140                              | 42.5 | 35.8-49.2  | 36       | 10.9 | 7.0-14.8   | 33      | 6.1  | 3.6- 8.6   | 2         | 0.9 | 0.0- 2.3   | 78            | 35.3 | 28.2-42.4  | 8                | 4.3  | 0.8- 7.8   |
| \$50,000- 99,999    | 805               | 89,796   | 480                              | 56.1 | 51.8-60.4  | 84       | 8.0  | 6.0-10.0   | 35      | 2.7  | 1.5- 3.9   | 4         | 0.3 | 0.0- 0.7   | 163           | 25.6 | 21.5-29.7  | 39               | 7.3  | 4.8- 9.8   |
| \$100,000 - 199,999 | 651               | 71,123   | 486                              | 71.1 | 66.6-75.6  | 53       | 7.9  | 5.4-10.4   | 17      | 1.1  | 0.5- 1.7   | 8         | 1.0 | 0.2- 1.8   | 65            | 14.6 | 10.7-18.5  | 22               | 4.3  | 2.3- 6.3   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 12: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Married |      |            | Divorced |      |            | Widowed |      |            | Separated |     |            | Never married |      |            | Unmarried couple |      |            |
|---------------------|-------------------|----------|---------|------|------------|----------|------|------------|---------|------|------------|-----------|-----|------------|---------------|------|------------|------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N       | %    | C.I. (95%) | N        | %    | C.I. (95%) | N       | %    | C.I. (95%) | N         | %   | C.I. (95%) | N             | %    | C.I. (95%) | N                | %    | C.I. (95%) |
| Female              | 2917              | 295,657  | 1642    | 55.4 | 53.0-57.8  | 333      | 9.8  | 8.4-11.2   | 483     | 9.1  | 8.1-10.1   | 27        | 1.2 | 0.6- 1.8   | 348           | 20.4 | 18.0-22.8  | 84               | 4.0  | 3.0- 5.0   |
| Native              | 93                | 13,696   | 37      | 36.5 | 23.8-49.2  | 17       | 12.9 | 5.3-20.5   | 13      | 6.6  | 2.5-10.7   | 1         | 0.9 | 0.0- 2.7   | 18            | 35.2 | 20.7-49.7  | 7                | 7.9  | 1.2-14.6   |
| Non-Native          | 2789              | 277,539  | 1589    | 56.5 | 54.0-59.0  | 312      | 9.7  | 8.3-11.1   | 464     | 9.2  | 8.2-10.2   | 26        | 1.3 | 0.7- 1.9   | 323           | 19.5 | 17.1-21.9  | 75               | 3.8  | 2.8- 4.8   |
| 18-24               | 130               | 40,397   | 12      | 8.8  | 3.7-13.9   | 3        | 3.1  | 0.0- 6.6   |         |      |            |           |     |            | 101           | 79.9 | 72.8-87.0  | 14               | 8.2  | 3.9-12.5   |
| 25-34               | 263               | 50,447   | 147     | 53.4 | 46.5-60.3  | 15       | 6.4  | 3.1- 9.7   | 2       | 1.3  | 0.0- 3.1   | 6         | 2.6 | 0.4- 4.8   | 77            | 30.7 | 24.2-37.2  | 16               | 5.6  | 2.7- 8.5   |
| 35-44               | 332               | 49,425   | 220     | 67.8 | 62.1-73.5  | 40       | 11.7 | 7.8-15.6   | 2       | 0.5  | 0.0- 1.1   | 14        | 3.7 | 1.5- 5.9   | 34            | 9.9  | 6.4-13.4   | 22               | 6.4  | 3.5- 9.3   |
| 45-54               | 396               | 38,751   | 267     | 69.6 | 64.5-74.7  | 60       | 14.7 | 10.6-18.8  | 15      | 4.2  | 1.8- 6.6   | 3         | 0.8 | 0.0- 1.8   | 34            | 7.2  | 4.5- 9.9   | 17               | 3.6  | 1.8- 5.4   |
| 55-64               | 510               | 43,341   | 340     | 70.9 | 66.4-75.4  | 93       | 15.8 | 12.3-19.3  | 36      | 6.0  | 3.6- 8.4   | 2         | 0.2 | 0.0- 0.6   | 32            | 5.2  | 3.2- 7.2   | 7                | 1.9  | 0.0- 3.9   |
| 65+                 | 1286              | 73,295   | 656     | 57.3 | 54.0-60.6  | 122      | 8.5  | 6.7-10.3   | 428     | 29.8 | 26.9-32.7  | 2         | 0.1 | 0.0- 0.3   | 70            | 3.8  | 2.6- 5.0   | 8                | 0.5  | 0.1- 0.9   |
| Less Than H.S.      | 75                | 19,185   | 30      | 40.9 | 27.4-54.4  | 10       | 13.6 | 4.4-22.8   | 20      | 11.1 | 5.0-17.2   | 1         | 1.4 | 0.0- 4.1   | 11            | 28.2 | 13.9-42.5  | 3                | 4.7  | 0.0-10.2   |
| H.S. or G.E.D.      | 669               | 69,662   | 288     | 42.4 | 37.5-47.3  | 91       | 12.6 | 9.5-15.7   | 175     | 14.3 | 11.6-17.0  | 10        | 2.2 | 0.6- 3.8   | 83            | 23.2 | 17.9-28.5  | 22               | 5.2  | 2.8- 7.6   |
| Some Post-H.S.      | 918               | 113,063  | 493     | 54.5 | 50.4-58.6  | 112      | 9.7  | 7.5-11.9   | 170     | 9.1  | 7.3-10.9   | 8         | 1.2 | 0.4- 2.0   | 111           | 22.0 | 18.1-25.9  | 24               | 3.5  | 1.9- 5.1   |
| College Graduate    | 1247              | 93,246   | 829     | 69.3 | 66.2-72.4  | 120      | 7.2  | 5.8- 8.6   | 114     | 4.6  | 3.6- 5.6   | 8         | 0.6 | 0.2- 1.0   | 141           | 14.8 | 12.1-17.5  | 35               | 3.6  | 2.2- 5.0   |
| Less than \$15,000  | 81                | 10,735   | 4       | 3.6  | 0.0- 7.9   | 24       | 25.3 | 12.6-38.0  | 21      | 11.3 | 4.8-17.8   | 2         | 3.3 | 0.0- 8.4   | 29            | 55.5 | 40.0-71.0  | 1                | 1.1  | 0.0- 3.3   |
| \$15,000- 24,999    | 193               | 22,697   | 29      | 16.3 | 10.0-22.6  | 43       | 19.5 | 12.2-26.8  | 64      | 17.6 | 11.9-23.3  | 4         | 2.8 | 0.0- 5.9   | 46            | 37.6 | 28.4-46.8  | 7                | 6.3  | 1.2-11.4   |
| \$25,000- 34,999    | 253               | 24,958   | 70      | 23.8 | 16.9-30.7  | 54       | 18.5 | 12.4-24.6  | 74      | 18.2 | 12.5-23.9  | 4         | 2.1 | 0.0- 4.6   | 37            | 26.5 | 17.3-35.7  | 14               | 10.8 | 4.9-16.7   |
| \$35,000- 49,999    | 333               | 31,490   | 134     | 39.9 | 33.0-46.8  | 48       | 12.3 | 8.2-16.4   | 79      | 13.3 | 9.8-16.8   | 6         | 2.4 | 0.4- 4.4   | 52            | 25.4 | 18.0-32.8  | 14               | 6.6  | 2.9-10.3   |
| \$50,000- 99,999    | 744               | 74,166   | 497     | 66.6 | 62.1-71.1  | 70       | 8.6  | 6.1-11.1   | 69      | 4.7  | 3.3- 6.1   | 7         | 1.0 | 0.2- 1.8   | 80            | 15.9 | 11.8-20.0  | 21               | 3.3  | 1.7- 4.9   |
| \$100,000 - 199,999 | 496               | 52,565   | 423     | 85.3 | 81.2-89.4  | 26       | 3.6  | 2.0- 5.2   | 14      | 1.3  | 0.5- 2.1   |           |     |            | 19            | 7.0  | 3.3-10.7   | 14               | 2.8  | 1.2- 4.4   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 13: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Never or only Kindergarten |     |            | Elementary |     |            | Some High School |      |            | High School Grad or GED |      |            | Some College or Technical School |      |            | College Graduate |      |            |
|---------------------|-------------------|----------|----------------------------|-----|------------|------------|-----|------------|------------------|------|------------|-------------------------|------|------------|----------------------------------|------|------------|------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                          | %   | C.I. (95%) | N          | %   | C.I. (95%) | N                | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                                | %    | C.I. (95%) | N                | %    | C.I. (95%) |
| TOTAL               | 5725              | 605,388  | 1                          | 0.0 | 0.0- 0.0   | 51         | 1.6 | 1.0- 2.2   | 120              | 5.5  | 4.3- 6.7   | 1447                    | 26.5 | 24.9-28.1  | 1782                             | 38.3 | 36.7-39.9  | 2324             | 28.0 | 26.6-29.4  |
| Male                | 2802              | 309,159  | 1                          | 0.1 | 0.0- 0.3   | 30         | 1.9 | 1.1- 2.7   | 66               | 5.8  | 4.2- 7.4   | 776                     | 29.2 | 27.0-31.4  | 863                              | 38.5 | 36.1-40.9  | 1066             | 24.5 | 22.9-26.1  |
| Female              | 2923              | 296,229  |                            |     |            | 21         | 1.3 | 0.5- 2.1   | 54               | 5.2  | 3.6- 6.8   | 671                     | 23.6 | 21.4-25.8  | 919                              | 38.2 | 35.8-40.6  | 1258             | 31.7 | 29.7-33.7  |
| Native              | 163               | 24,139   |                            |     |            |            |     |            | 7                | 11.5 | 2.1-20.9   | 41                      | 24.9 | 16.7-33.1  | 65                               | 48.3 | 38.3-58.3  | 50               | 15.4 | 10.3-20.5  |
| Non-Native          | 5479              | 571,728  | 1                          | 0.0 | 0.0- 0.0   | 49         | 1.7 | 1.1- 2.3   | 108              | 5.1  | 3.9- 6.3   | 1382                    | 26.5 | 24.9-28.1  | 1686                             | 37.9 | 36.1-39.7  | 2253             | 28.8 | 27.4-30.2  |
| 18-24               | 307               | 85,232   |                            |     |            | 2          | 1.2 | 0.0- 3.0   | 12               | 8.4  | 3.7-13.1   | 132                     | 39.8 | 33.9-45.7  | 110                              | 39.9 | 33.8-46.0  | 51               | 10.7 | 7.6-13.8   |
| 25-34               | 579               | 108,361  |                            |     |            | 1          | 0.3 | 0.0- 0.9   | 24               | 10.3 | 6.4-14.2   | 140                     | 24.6 | 20.9-28.3  | 152                              | 34.1 | 29.6-38.6  | 262              | 30.7 | 27.0-34.4  |
| 35-44               | 757               | 104,170  |                            |     |            | 4          | 1.2 | 0.0- 2.4   | 11               | 3.1  | 1.3- 4.9   | 160                     | 23.7 | 20.2-27.2  | 206                              | 35.6 | 31.5-39.7  | 376              | 36.4 | 32.9-39.9  |
| 45-54               | 814               | 80,725   |                            |     |            | 5          | 1.4 | 0.2- 2.6   | 19               | 4.7  | 2.5- 6.9   | 154                     | 20.0 | 16.9-23.1  | 236                              | 38.3 | 34.4-42.2  | 400              | 35.6 | 32.1-39.1  |
| 55-64               | 965               | 88,791   | 1                          | 0.3 | 0.0- 0.9   | 6          | 2.0 | 0.2- 3.8   | 14               | 3.3  | 1.3- 5.3   | 239                     | 25.0 | 21.9-28.1  | 326                              | 41.7 | 38.0-45.4  | 379              | 27.7 | 24.8-30.6  |
| 65+                 | 2303              | 138,110  |                            |     |            | 33         | 3.1 | 1.9- 4.3   | 40               | 3.6  | 2.4- 4.8   | 622                     | 26.6 | 24.4-28.8  | 752                              | 40.6 | 38.1-43.1  | 856              | 26.1 | 24.1-28.1  |
| Less than \$15,000  | 148               | 18,175   |                            |     |            | 2          | 2.0 | 0.0- 4.7   | 10               | 16.7 | 5.1-28.3   | 56                      | 30.7 | 20.9-40.5  | 52                               | 36.0 | 25.2-46.8  | 28               | 14.7 | 8.0-21.4   |
| \$15,000- 24,999    | 309               | 36,162   |                            |     |            | 5          | 2.2 | 0.0- 4.4   | 22               | 15.1 | 8.6-21.6   | 122                     | 32.5 | 26.0-39.0  | 116                              | 40.6 | 33.5-47.7  | 44               | 9.6  | 6.1-13.1   |
| \$25,000- 34,999    | 459               | 49,325   |                            |     |            | 13         | 5.8 | 2.3- 9.3   | 13               | 8.1  | 3.6-12.6   | 170                     | 34.5 | 28.8-40.2  | 158                              | 39.5 | 33.2-45.8  | 105              | 12.0 | 9.1-14.9   |
| \$35,000- 49,999    | 626               | 61,225   |                            |     |            | 8          | 1.6 | 0.2- 3.0   | 17               | 6.1  | 2.6- 9.6   | 193                     | 30.9 | 26.4-35.4  | 240                              | 45.0 | 39.9-50.1  | 168              | 16.4 | 13.5-19.3  |
| \$50,000- 99,999    | 1552              | 164,361  |                            |     |            | 7          | 1.3 | 0.1- 2.5   | 23               | 4.3  | 2.3- 6.3   | 338                     | 23.3 | 20.6-26.0  | 495                              | 40.4 | 37.3-43.5  | 689              | 30.6 | 28.1-33.1  |
| \$100,000 - 199,999 | 1149              | 124,075  |                            |     |            | 2          | 0.2 | 0.0- 0.6   | 7                | 2.1  | 0.5- 3.7   | 175                     | 19.7 | 16.8-22.6  | 291                              | 35.1 | 31.6-38.6  | 674              | 42.8 | 39.5-46.1  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Never or only Kindergarten |     |            | Elementary |     |            | Some High School |      |            | High School Grad or GED |      |            | Some College or Technical School |      |            | College Graduate |      |            |
|---------------------|-------------------|----------|----------------------------|-----|------------|------------|-----|------------|------------------|------|------------|-------------------------|------|------------|----------------------------------|------|------------|------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                          | %   | C.I. (95%) | N          | %   | C.I. (95%) | N                | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                                | %    | C.I. (95%) | N                | %    | C.I. (95%) |
| Male                | 2802              | 309,159  | 1                          | 0.1 | 0.0- 0.3   | 30         | 1.9 | 1.1- 2.7   | 66               | 5.8  | 4.2- 7.4   | 776                     | 29.2 | 27.0-31.4  | 863                              | 38.5 | 36.1-40.9  | 1066             | 24.5 | 22.9-26.1  |
| Native              | 69                | 10,391   |                            |     |            |            |     |            | 3                | 9.9  | 0.0-22.2   | 25                      | 33.5 | 20.4-46.6  | 25                               | 43.1 | 28.6-57.6  | 16               | 13.6 | 6.0-21.2   |
| Non-Native          | 2685              | 293,632  | 1                          | 0.1 | 0.0- 0.3   | 28         | 2.0 | 1.2- 2.8   | 61               | 5.6  | 3.8- 7.4   | 737                     | 29.1 | 26.9-31.3  | 822                              | 38.2 | 35.8-40.6  | 1036             | 25.0 | 23.2-26.8  |
| 18-24               | 177               | 44,835   |                            |     |            | 1          | 1.0 | 0.0- 3.0   | 7                | 9.1  | 2.4-15.8   | 87                      | 44.4 | 36.4-52.4  | 63                               | 39.6 | 31.6-47.6  | 19               | 6.0  | 3.3- 8.7   |
| 25-34               | 317               | 58,044   |                            |     |            |            |     |            | 14               | 11.2 | 5.7-16.7   | 92                      | 28.7 | 23.4-34.0  | 91                               | 35.9 | 29.8-42.0  | 120              | 24.3 | 19.8-28.8  |
| 35-44               | 421               | 54,246   |                            |     |            | 3          | 1.5 | 0.0- 3.3   | 6                | 2.7  | 0.5- 4.9   | 100                     | 25.7 | 21.0-30.4  | 126                              | 38.8 | 33.3-44.3  | 186              | 31.3 | 26.8-35.8  |
| 45-54               | 419               | 41,974   |                            |     |            | 4          | 2.1 | 0.0- 4.3   | 13               | 5.8  | 2.7- 8.9   | 95                      | 23.3 | 18.8-27.8  | 125                              | 37.5 | 32.0-43.0  | 182              | 31.3 | 26.8-35.8  |
| 55-64               | 454               | 45,383   | 1                          | 0.6 | 0.0- 1.8   | 5          | 3.4 | 0.1- 6.7   | 3                | 1.3  | 0.0- 2.9   | 127                     | 27.7 | 23.0-32.4  | 145                              | 40.0 | 34.5-45.5  | 173              | 27.1 | 22.8-31.4  |
| 65+                 | 1014              | 64,677   |                            |     |            | 17         | 3.7 | 1.9- 5.5   | 23               | 4.4  | 2.4- 6.4   | 275                     | 27.2 | 24.1-30.3  | 313                              | 39.3 | 35.6-43.0  | 386              | 25.5 | 22.8-28.2  |
| Less than \$15,000  | 67                | 7,440    |                            |     |            | 2          | 4.8 | 0.0-11.5   | 4                | 15.1 | 0.0-31.0   | 33                      | 45.3 | 30.2-60.4  | 16                               | 20.4 | 9.6-31.2   | 12               | 14.5 | 5.3-23.7   |
| \$15,000- 24,999    | 116               | 13,465   |                            |     |            | 3          | 4.5 | 0.0- 9.6   | 7                | 13.6 | 2.4-24.8   | 42                      | 32.0 | 21.6-42.4  | 44                               | 40.7 | 29.1-52.3  | 20               | 9.2  | 4.3-14.1   |
| \$25,000- 34,999    | 206               | 24,367   |                            |     |            | 8          | 7.7 | 1.8-13.6   | 10               | 12.7 | 4.9-20.5   | 75                      | 31.0 | 23.4-38.6  | 67                               | 38.0 | 29.2-46.8  | 46               | 10.6 | 6.9-14.3   |
| \$35,000- 49,999    | 296               | 29,936   |                            |     |            | 5          | 2.5 | 0.1- 4.9   | 10               | 5.2  | 1.7- 8.7   | 112                     | 34.9 | 28.2-41.6  | 101                              | 42.8 | 35.7-49.9  | 68               | 14.5 | 10.4-18.6  |
| \$50,000- 99,999    | 808               | 90,120   |                            |     |            | 5          | 1.4 | 0.0- 2.8   | 17               | 6.0  | 2.7- 9.3   | 208                     | 27.8 | 23.9-31.7  | 265                              | 40.8 | 36.5-45.1  | 313              | 24.1 | 21.0-27.2  |
| \$100,000 - 199,999 | 653               | 71,510   |                            |     |            | 2          | 0.4 | 0.0- 1.0   | 4                | 1.8  | 0.0- 3.8   | 131                     | 24.2 | 20.1-28.3  | 179                              | 38.4 | 33.7-43.1  | 337              | 35.2 | 31.3-39.1  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Elementary |     |            | Some High School |      |            | High School Grad or GED |      |            | Some College or Technical School |      |            | College Graduate |      |            |
|---------------------|-------------------|----------|------------|-----|------------|------------------|------|------------|-------------------------|------|------------|----------------------------------|------|------------|------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N          | %   | C.I. (95%) | N                | %    | C.I. (95%) | N                       | %    | C.I. (95%) | N                                | %    | C.I. (95%) | N                | %    | C.I. (95%) |
| Female              | 2923              | 296,229  | 21         | 1.3 | 0.5- 2.1   | 54               | 5.2  | 3.6- 6.8   | 671                     | 23.6 | 21.4-25.8  | 919                              | 38.2 | 35.8-40.6  | 1258             | 31.7 | 29.7-33.7  |
| Native              | 94                | 13,748   |            |     |            | 4                | 12.7 | 0.0-26.0   | 16                      | 18.4 | 8.0-28.8   | 40                               | 52.2 | 38.5-65.9  | 34               | 16.8 | 9.7-23.9   |
| Non-Native          | 2794              | 278,097  | 21         | 1.4 | 0.6- 2.2   | 47               | 4.5  | 2.9- 6.1   | 645                     | 23.8 | 21.6-26.0  | 864                              | 37.5 | 35.1-39.9  | 1217             | 32.8 | 30.6-35.0  |
| 18-24               | 130               | 40,397   | 1          | 1.5 | 0.0- 4.4   | 5                | 7.6  | 1.3-13.9   | 45                      | 34.8 | 26.0-43.6  | 47                               | 40.2 | 31.0-49.4  | 32               | 15.9 | 10.2-21.6  |
| 25-34               | 262               | 50,317   | 1          | 0.7 | 0.0- 2.1   | 10               | 9.2  | 3.5-14.9   | 48                      | 19.9 | 14.6-25.2  | 61                               | 32.0 | 25.3-38.7  | 142              | 38.1 | 32.0-44.2  |
| 35-44               | 336               | 49,924   | 1          | 1.0 | 0.0- 3.0   | 5                | 3.4  | 0.5- 6.3   | 60                      | 21.5 | 16.0-27.0  | 80                               | 32.1 | 26.0-38.2  | 190              | 42.0 | 36.1-47.9  |
| 45-54               | 395               | 38,751   | 1          | 0.7 | 0.0- 2.1   | 6                | 3.6  | 0.7- 6.5   | 59                      | 16.4 | 12.1-20.7  | 111                              | 39.1 | 33.2-45.0  | 218              | 40.2 | 34.9-45.5  |
| 55-64               | 511               | 43,408   | 1          | 0.5 | 0.0- 1.5   | 11               | 5.4  | 1.7- 9.1   | 112                     | 22.2 | 18.1-26.3  | 181                              | 43.5 | 38.2-48.8  | 206              | 28.4 | 24.3-32.5  |
| 65+                 | 1289              | 73,432   | 16         | 2.5 | 0.9- 4.1   | 17               | 3.0  | 1.4- 4.6   | 347                     | 26.0 | 23.3-28.7  | 439                              | 41.7 | 38.4-45.0  | 470              | 26.7 | 24.2-29.2  |
| Less than \$15,000  | 81                | 10,735   |            |     |            | 6                | 17.9 | 1.6-34.2   | 23                      | 20.6 | 8.3-32.9   | 36                               | 46.8 | 30.5-63.1  | 16               | 14.8 | 5.6-24.0   |
| \$15,000- 24,999    | 193               | 22,697   | 2          | 0.8 | 0.0- 2.0   | 15               | 16.0 | 8.0-24.0   | 80                      | 32.9 | 24.5-41.3  | 72                               | 40.5 | 31.5-49.5  | 24               | 9.9  | 5.2-14.6   |
| \$25,000- 34,999    | 253               | 24,958   | 5          | 4.0 | 0.1- 7.9   | 3                | 3.7  | 0.0- 8.0   | 95                      | 38.0 | 29.6-46.4  | 91                               | 41.0 | 32.2-49.8  | 59               | 13.3 | 8.8-17.8   |
| \$35,000- 49,999    | 330               | 31,289   | 3          | 0.8 | 0.0- 1.8   | 7                | 6.9  | 1.0-12.8   | 81                      | 26.9 | 20.6-33.2  | 139                              | 47.1 | 39.8-54.4  | 100              | 18.3 | 14.0-22.6  |
| \$50,000- 99,999    | 744               | 74,241   | 2          | 1.2 | 0.0- 3.0   | 6                | 2.4  | 0.2- 4.6   | 130                     | 17.9 | 14.4-21.4  | 230                              | 40.0 | 35.3-44.7  | 376              | 38.5 | 34.2-42.8  |
| \$100,000 - 199,999 | 496               | 52,565   |            |     |            | 3                | 2.4  | 0.0- 5.1   | 44                      | 13.7 | 9.2-18.2   | 112                              | 30.7 | 25.4-36.0  | 337              | 53.2 | 47.5-58.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Own  |      |            | Rent |      |            | Other Arrangement |      |            |
|---------------------|-------------------|----------|------|------|------------|------|------|------------|-------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                 | %    | C.I. (95%) |
| TOTAL               | 5707              | 602,384  | 4380 | 67.1 | 65.3-68.9  | 1172 | 28.0 | 26.4-29.6  | 155               | 4.9  | 3.9- 5.9   |
| Male                | 2793              | 308,205  | 2126 | 66.2 | 63.8-68.6  | 573  | 27.8 | 25.6-30.0  | 94                | 6.0  | 4.6- 7.4   |
| Female              | 2914              | 294,179  | 2254 | 68.1 | 65.6-70.6  | 599  | 28.3 | 25.9-30.7  | 61                | 3.7  | 2.5- 4.9   |
| Native              | 164               | 24,657   | 99   | 52.8 | 42.6-63.0  | 58   | 41.8 | 31.6-52.0  | 7                 | 5.4  | 0.3-10.5   |
| Non-Native          | 5463              | 568,544  | 4228 | 68.0 | 66.2-69.8  | 1090 | 27.2 | 25.6-28.8  | 145               | 4.8  | 3.8- 5.8   |
| 18-24               | 306               | 84,952   | 52   | 17.5 | 12.6-22.4  | 187  | 59.7 | 53.6-65.8  | 67                | 22.8 | 17.5-28.1  |
| 25-34               | 577               | 108,018  | 315  | 52.2 | 47.5-56.9  | 244  | 45.0 | 40.3-49.7  | 18                | 2.8  | 1.4- 4.2   |
| 35-44               | 754               | 103,763  | 552  | 71.7 | 68.0-75.4  | 186  | 25.4 | 21.9-28.9  | 16                | 2.9  | 1.3- 4.5   |
| 45-54               | 806               | 79,838   | 651  | 81.2 | 78.3-84.1  | 141  | 17.2 | 14.3-20.1  | 14                | 1.6  | 0.6- 2.6   |
| 55-64               | 965               | 88,538   | 825  | 85.2 | 82.5-87.9  | 134  | 14.3 | 11.6-17.0  | 6                 | 0.5  | 0.1- 0.9   |
| 65+                 | 2299              | 137,275  | 1985 | 86.4 | 84.6-88.2  | 280  | 12.1 | 10.5-13.7  | 34                | 1.5  | 0.9- 2.1   |
| Less Than H.S.      | 169               | 42,849   | 90   | 41.0 | 32.2-49.8  | 74   | 53.0 | 43.8-62.2  | 5                 | 5.9  | 0.2-11.6   |
| H.S. or G.E.D.      | 1438              | 158,684  | 1005 | 60.2 | 56.9-63.5  | 362  | 31.1 | 28.0-34.2  | 71                | 8.8  | 6.6-11.0   |
| Some Post-H.S.      | 1773              | 230,658  | 1348 | 68.2 | 65.5-70.9  | 377  | 27.6 | 24.9-30.3  | 48                | 4.2  | 2.8- 5.6   |
| College Graduate    | 2312              | 168,472  | 1924 | 78.8 | 76.6-81.0  | 357  | 19.4 | 17.4-21.4  | 31                | 1.9  | 1.1- 2.7   |
| Less than \$15,000  | 147               | 18,017   | 54   | 23.9 | 15.5-32.3  | 86   | 65.4 | 54.6-76.2  | 7                 | 10.7 | 1.9-19.5   |
| \$15,000- 24,999    | 309               | 36,149   | 143  | 33.5 | 27.2-39.8  | 156  | 64.3 | 57.8-70.8  | 10                | 2.2  | 0.6- 3.8   |
| \$25,000- 34,999    | 457               | 48,944   | 295  | 50.4 | 44.1-56.7  | 152  | 47.1 | 40.8-53.4  | 10                | 2.5  | 0.5- 4.5   |
| \$35,000- 49,999    | 628               | 61,165   | 457  | 59.7 | 54.4-65.0  | 159  | 36.3 | 31.2-41.4  | 12                | 4.0  | 1.5- 6.5   |
| \$50,000- 99,999    | 1553              | 164,558  | 1255 | 72.2 | 69.1-75.3  | 268  | 23.8 | 20.9-26.7  | 30                | 4.0  | 2.2- 5.8   |
| \$100,000 - 199,999 | 1147              | 123,368  | 1018 | 83.4 | 80.3-86.5  | 114  | 13.5 | 10.8-16.2  | 15                | 3.1  | 1.3- 4.9   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Own  |      |            | Rent |      |            | Other Arrangement |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|-------------------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                 | %    | C.I. (95%) |
| Male                  | 2793              | 308,205  | 2126 | 66.2 | 63.8-68.6  | 573  | 27.8 | 25.6-30.0  | 94                | 6.0  | 4.6- 7.4   |
| Native                | 70                | 10,909   | 41   | 57.2 | 42.7-71.7  | 27   | 40.0 | 25.5-54.5  | 2                 | 2.9  | 0.0- 6.8   |
| Non-Native            | 2678              | 292,497  | 2054 | 66.9 | 64.5-69.3  | 534  | 27.1 | 24.7-29.5  | 90                | 6.0  | 4.4- 7.6   |
| 18-24                 | 178               | 45,353   | 30   | 17.6 | 11.3-23.9  | 103  | 54.3 | 46.1-62.5  | 45                | 28.1 | 20.3-35.9  |
| 25-34                 | 314               | 57,571   | 162  | 49.6 | 43.3-55.9  | 138  | 46.4 | 40.1-52.7  | 14                | 4.0  | 1.8- 6.2   |
| 35-44                 | 420               | 54,104   | 301  | 71.5 | 66.8-76.2  | 109  | 25.4 | 20.9-29.9  | 10                | 3.1  | 1.1- 5.1   |
| 45-54                 | 416               | 41,819   | 335  | 79.7 | 75.2-84.2  | 71   | 18.2 | 13.9-22.5  | 10                | 2.1  | 0.7- 3.5   |
| 55-64                 | 455               | 45,333   | 380  | 83.4 | 79.3-87.5  | 73   | 16.2 | 12.3-20.1  | 2                 | 0.4  | 0.0- 1.0   |
| 65+                   | 1010              | 64,024   | 918  | 90.3 | 88.1-92.5  | 79   | 8.5  | 6.3-10.7   | 13                | 1.2  | 0.4- 2.0   |
| Less Than H.S.        | 95                | 23,845   | 50   | 40.6 | 29.0-52.2  | 41   | 51.1 | 38.8-63.4  | 4                 | 8.4  | 0.0-17.2   |
| H.S. or G.E.D.        | 771               | 89,827   | 539  | 59.9 | 55.6-64.2  | 183  | 29.5 | 25.6-33.4  | 49                | 10.7 | 7.6-13.8   |
| Some Post-H.S.        | 859               | 118,277  | 649  | 68.1 | 64.2-72.0  | 183  | 26.9 | 23.2-30.6  | 27                | 5.0  | 2.8- 7.2   |
| College Graduate      | 1060              | 74,991   | 880  | 78.6 | 75.5-81.7  | 166  | 20.1 | 17.2-23.0  | 14                | 1.4  | 0.6- 2.2   |
| Less than \$15,000    | 66                | 7,282    | 27   | 25.6 | 13.6-37.6  | 33   | 53.6 | 37.7-69.5  | 6                 | 20.8 | 3.7-37.9   |
| \$15,000- 24,999      | 116               | 13,453   | 48   | 26.2 | 17.2-35.2  | 63   | 70.8 | 61.4-80.2  | 5                 | 3.0  | 0.1- 5.9   |
| \$25,000- 34,999      | 206               | 24,367   | 131  | 54.3 | 45.3-63.3  | 70   | 43.2 | 34.2-52.2  | 5                 | 2.5  | 0.0- 5.2   |
| \$35,000- 49,999      | 295               | 29,675   | 211  | 56.9 | 49.6-64.2  | 75   | 37.8 | 30.5-45.1  | 9                 | 5.4  | 1.9- 8.9   |
| \$50,000- 99,999      | 808               | 90,284   | 630  | 68.7 | 64.2-73.2  | 157  | 26.6 | 22.5-30.7  | 21                | 4.6  | 2.1- 7.1   |
| \$100,000 - 199,999   | 653               | 71,461   | 562  | 80.0 | 75.7-84.3  | 79   | 15.6 | 11.9-19.3  | 12                | 4.3  | 1.6- 7.0   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Own  |      |            | Rent |      |            | Other Arrangement |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|-------------------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) | N                 | %    | C.I. (95%) |
| Female                | 2914              | 294,179  | 2254 | 68.1 | 65.7-70.5  | 599  | 28.3 | 25.9-30.7  | 61                | 3.7  | 2.5- 4.9   |
| Native                | 94                | 13,748   | 58   | 49.4 | 35.7-63.1  | 31   | 43.2 | 29.3-57.1  | 5                 | 7.4  | 0.0-15.8   |
| Non-Native            | 2785              | 276,046  | 2174 | 69.1 | 66.6-71.6  | 556  | 27.4 | 25.0-29.8  | 55                | 3.5  | 2.3- 4.7   |
| 18-24                 | 128               | 39,599   | 22   | 17.4 | 10.0-24.8  | 84   | 65.8 | 56.8-74.8  | 22                | 16.8 | 9.9-23.7   |
| 25-34                 | 263               | 50,447   | 153  | 55.2 | 48.3-62.1  | 106  | 43.3 | 36.4-50.2  | 4                 | 1.5  | 0.0- 3.1   |
| 35-44                 | 334               | 49,659   | 251  | 71.9 | 66.0-77.8  | 77   | 25.4 | 19.9-30.9  | 6                 | 2.7  | 0.2- 5.2   |
| 45-54                 | 390               | 38,018   | 316  | 82.9 | 78.8-87.0  | 70   | 16.2 | 12.3-20.1  | 4                 | 0.9  | 0.0- 2.1   |
| 55-64                 | 510               | 43,205   | 445  | 87.0 | 83.5-90.5  | 61   | 12.4 | 8.9-15.9   | 4                 | 0.6  | 0.0- 1.2   |
| 65+                   | 1289              | 73,251   | 1067 | 83.0 | 80.5-85.5  | 201  | 15.2 | 12.8-17.6  | 21                | 1.9  | 0.9- 2.9   |
| Less Than H.S.        | 74                | 19,004   | 40   | 41.7 | 28.2-55.2  | 33   | 55.5 | 41.8-69.2  | 1                 | 2.8  | 0.0- 8.3   |
| H.S. or G.E.D.        | 667               | 68,857   | 466  | 60.5 | 55.4-65.6  | 179  | 33.2 | 28.3-38.1  | 22                | 6.3  | 3.2- 9.4   |
| Some Post-H.S.        | 914               | 112,380  | 699  | 68.3 | 64.2-72.4  | 194  | 28.3 | 24.2-32.4  | 21                | 3.4  | 1.6- 5.2   |
| College Graduate      | 1252              | 93,481   | 1044 | 78.9 | 76.0-81.8  | 191  | 18.9 | 16.2-21.6  | 17                | 2.2  | 0.8- 3.6   |
| Less than \$15,000    | 81                | 10,735   | 27   | 22.7 | 10.9-34.5  | 53   | 73.4 | 60.1-86.7  | 1                 | 3.9  | 0.0-11.3   |
| \$15,000- 24,999      | 193               | 22,697   | 95   | 37.8 | 29.4-46.2  | 93   | 60.4 | 51.8-69.0  | 5                 | 1.7  | 0.0- 3.7   |
| \$25,000- 34,999      | 251               | 24,577   | 164  | 46.6 | 38.0-55.2  | 82   | 51.0 | 42.2-59.8  | 5                 | 2.4  | 0.0- 5.1   |
| \$35,000- 49,999      | 333               | 31,490   | 246  | 62.4 | 55.0-69.8  | 84   | 35.0 | 27.7-42.3  | 3                 | 2.7  | 0.0- 6.2   |
| \$50,000- 99,999      | 745               | 74,274   | 625  | 76.4 | 71.9-80.9  | 111  | 20.3 | 16.2-24.4  | 9                 | 3.3  | 0.8- 5.8   |
| \$100,000 - 199,999   | 494               | 51,906   | 456  | 88.0 | 83.7-92.3  | 35   | 10.6 | 6.5-14.7   | 3                 | 1.4  | 0.0- 3.2   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Valid County Code |      |            | Didnt Know County Code |     |            | Refused to give County Code |     |            |
|---------------------|-------------------|----------|-------------------|------|------------|------------------------|-----|------------|-----------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                      | %   | C.I. (95%) | N                           | %   | C.I. (95%) |
| TOTAL               | 5612              | 585,759  | 5360              | 94.7 | 93.9-95.5  | 124                    | 3.0 | 2.4- 3.6   | 128                         | 2.3 | 1.7- 2.9   |
| Male                | 2742              | 299,779  | 2612              | 94.6 | 93.4-95.8  | 63                     | 2.9 | 2.1- 3.7   | 67                          | 2.5 | 1.7- 3.3   |
| Female              | 2870              | 285,980  | 2748              | 94.8 | 93.6-96.0  | 61                     | 3.1 | 2.1- 4.1   | 61                          | 2.1 | 1.3- 2.9   |
| Native              | 154               | 22,773   | 144               | 90.9 | 84.4-97.4  | 7                      | 6.5 | 0.8-12.2   | 3                           | 2.6 | 0.0- 5.9   |
| Non-Native          | 5374              | 554,322  | 5153              | 95.1 | 94.3-95.9  | 111                    | 2.7 | 2.1- 3.3   | 110                         | 2.1 | 1.7- 2.5   |
| 18-24               | 281               | 77,684   | 253               | 90.2 | 86.5-93.9  | 23                     | 8.5 | 5.0-12.0   | 5                           | 1.3 | 0.1- 2.5   |
| 25-34               | 545               | 102,169  | 526               | 96.5 | 94.9-98.1  | 11                     | 2.1 | 0.7- 3.5   | 8                           | 1.4 | 0.4- 2.4   |
| 35-44               | 735               | 100,879  | 699               | 94.6 | 92.4-96.8  | 20                     | 3.0 | 1.4- 4.6   | 16                          | 2.4 | 0.8- 4.0   |
| 45-54               | 805               | 80,054   | 770               | 95.2 | 93.4-97.0  | 7                      | 0.9 | 0.1- 1.7   | 28                          | 3.9 | 2.1- 5.7   |
| 55-64               | 957               | 87,892   | 914               | 94.7 | 92.9-96.5  | 11                     | 1.8 | 0.6- 3.0   | 32                          | 3.5 | 2.1- 4.9   |
| 65+                 | 2289              | 137,082  | 2198              | 95.7 | 94.7-96.7  | 52                     | 2.5 | 1.7- 3.3   | 39                          | 1.8 | 1.2- 2.4   |
| Less Than H.S.      | 162               | 39,751   | 151               | 93.9 | 89.8-98.0  | 9                      | 5.4 | 1.5- 9.3   | 2                           | 0.7 | 0.0- 1.7   |
| H.S. or G.E.D.      | 1413              | 154,375  | 1341              | 93.5 | 91.7-95.3  | 45                     | 4.4 | 2.8- 6.0   | 27                          | 2.0 | 1.2- 2.8   |
| Some Post-H.S.      | 1738              | 223,888  | 1655              | 95.0 | 93.6-96.4  | 35                     | 2.2 | 1.4- 3.0   | 48                          | 2.8 | 1.8- 3.8   |
| College Graduate    | 2280              | 165,790  | 2203              | 96.2 | 95.2-97.2  | 32                     | 1.7 | 0.9- 2.5   | 45                          | 2.1 | 1.3- 2.9   |
| Less than \$15,000  | 141               | 16,947   | 131               | 92.3 | 86.0-98.6  | 8                      | 6.3 | 0.6-12.0   | 2                           | 1.4 | 0.0- 3.9   |
| \$15,000- 24,999    | 294               | 33,590   | 278               | 92.6 | 88.5-96.7  | 15                     | 7.0 | 2.9-11.1   | 1                           | 0.4 | 0.0- 1.2   |
| \$25,000- 34,999    | 447               | 47,484   | 426               | 95.5 | 93.1-97.9  | 17                     | 4.1 | 1.7- 6.5   | 4                           | 0.4 | 0.0- 0.8   |
| \$35,000- 49,999    | 618               | 59,645   | 602               | 95.5 | 93.1-97.9  | 12                     | 3.4 | 1.2- 5.6   | 4                           | 1.1 | 0.0- 2.3   |
| \$50,000- 99,999    | 1517              | 159,282  | 1486              | 97.3 | 96.1-98.5  | 19                     | 1.8 | 0.8- 2.8   | 12                          | 0.9 | 0.3- 1.5   |
| \$100,000 - 199,999 | 1128              | 120,688  | 1095              | 96.8 | 95.4-98.2  | 16                     | 1.8 | 0.4- 3.2   | 17                          | 1.4 | 0.6- 2.2   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Valid County Code |      |            | Didnt Know County Code |      |            | Refused to give County Code |     |            |
|---------------------|-------------------|----------|-------------------|------|------------|------------------------|------|------------|-----------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                           | %   | C.I. (95%) |
| Male                | 2742              | 299,779  | 2612              | 94.6 | 93.4-95.8  | 63                     | 2.9  | 2.1- 3.7   | 67                          | 2.5 | 1.7- 3.3   |
| Native              | 67                | 10,448   | 64                | 92.7 | 82.9- 100  | 3                      | 7.3  | 0.0-17.1   |                             |     |            |
| Non-Native          | 2627              | 284,580  | 2514              | 95.1 | 94.1-96.1  | 55                     | 2.5  | 1.7- 3.3   | 58                          | 2.4 | 1.6- 3.2   |
| 18-24               | 166               | 42,291   | 150               | 90.6 | 85.9-95.3  | 13                     | 8.1  | 3.6-12.6   | 3                           | 1.3 | 0.0- 2.9   |
| 25-34               | 296               | 53,994   | 285               | 96.3 | 93.9-98.7  | 6                      | 2.0  | 0.2- 3.8   | 5                           | 1.8 | 0.2- 3.4   |
| 35-44               | 409               | 52,819   | 386               | 94.8 | 92.4-97.2  | 10                     | 2.0  | 0.8- 3.2   | 13                          | 3.2 | 1.2- 5.2   |
| 45-54               | 412               | 41,424   | 390               | 94.7 | 92.2-97.2  | 3                      | 0.7  | 0.0- 1.7   | 19                          | 4.6 | 2.2- 7.0   |
| 55-64               | 452               | 44,961   | 426               | 93.5 | 90.6-96.4  | 10                     | 3.1  | 0.9- 5.3   | 16                          | 3.4 | 1.6- 5.2   |
| 65+                 | 1007              | 64,291   | 975               | 96.3 | 94.7-97.9  | 21                     | 2.1  | 1.1- 3.1   | 11                          | 1.6 | 0.4- 2.8   |
| Less Than H.S.      | 93                | 22,673   | 87                | 93.8 | 88.5-99.1  | 4                      | 4.9  | 0.0- 9.8   | 2                           | 1.2 | 0.0- 3.2   |
| H.S. or G.E.D.      | 753               | 86,622   | 714               | 94.1 | 91.9-96.3  | 23                     | 3.5  | 1.9- 5.1   | 16                          | 2.4 | 1.0- 3.8   |
| Some Post-H.S.      | 841               | 114,963  | 802               | 95.1 | 93.3-96.9  | 15                     | 2.2  | 1.0- 3.4   | 24                          | 2.7 | 1.5- 3.9   |
| College Graduate    | 1045              | 74,118   | 1004              | 95.7 | 94.1-97.3  | 19                     | 1.8  | 0.8- 2.8   | 22                          | 2.5 | 1.3- 3.7   |
| Less than \$15,000  | 66                | 7,299    | 60                | 89.0 | 80.0-98.0  | 5                      | 8.0  | 0.7-15.3   | 1                           | 3.0 | 0.0- 8.9   |
| \$15,000- 24,999    | 112               | 13,155   | 103               | 90.0 | 82.9-97.1  | 9                      | 10.0 | 2.9-17.1   |                             |     |            |
| \$25,000- 34,999    | 203               | 23,888   | 190               | 95.5 | 92.6-98.4  | 10                     | 3.8  | 1.1- 6.5   | 3                           | 0.7 | 0.0- 1.5   |
| \$35,000- 49,999    | 291               | 29,436   | 282               | 95.1 | 91.8-98.4  | 7                      | 3.7  | 0.8- 6.6   | 2                           | 1.2 | 0.0- 2.8   |
| \$50,000- 99,999    | 784               | 86,458   | 768               | 97.2 | 95.6-98.8  | 7                      | 1.4  | 0.2- 2.6   | 9                           | 1.4 | 0.4- 2.4   |
| \$100,000 - 199,999 | 639               | 69,339   | 617               | 96.8 | 95.2-98.4  | 9                      | 1.4  | 0.2- 2.6   | 13                          | 1.8 | 0.6- 3.0   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Valid County Code |      |            | Didnt Know County Code |     |            | Refused to give County Code |     |            |
|---------------------|-------------------|----------|-------------------|------|------------|------------------------|-----|------------|-----------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                      | %   | C.I. (95%) | N                           | %   | C.I. (95%) |
| Female              | 2870              | 285,980  | 2748              | 94.8 | 93.6-96.0  | 61                     | 3.1 | 2.1- 4.1   | 61                          | 2.1 | 1.3- 2.9   |
| Native              | 87                | 12,325   | 80                | 89.4 | 81.0-97.8  | 4                      | 5.8 | 0.0-12.1   | 3                           | 4.7 | 0.0-10.6   |
| Non-Native          | 2747              | 269,742  | 2639              | 95.1 | 93.9-96.3  | 56                     | 3.0 | 2.0- 4.0   | 52                          | 1.9 | 1.3- 2.5   |
| 18-24               | 115               | 35,393   | 103               | 89.7 | 83.8-95.6  | 10                     | 9.1 | 3.4-14.8   | 2                           | 1.2 | 0.0- 3.0   |
| 25-34               | 249               | 48,175   | 241               | 96.8 | 94.4-99.2  | 5                      | 2.3 | 0.3- 4.3   | 3                           | 1.0 | 0.0- 2.2   |
| 35-44               | 326               | 48,059   | 313               | 94.3 | 90.6-98.0  | 10                     | 4.1 | 1.2- 7.0   | 3                           | 1.6 | 0.0- 4.0   |
| 45-54               | 393               | 38,630   | 380               | 95.6 | 92.9-98.3  | 4                      | 1.1 | 0.0- 2.5   | 9                           | 3.2 | 0.7- 5.7   |
| 55-64               | 505               | 42,931   | 488               | 95.9 | 93.7-98.1  | 1                      | 0.4 | 0.0- 1.2   | 16                          | 3.7 | 1.5- 5.9   |
| 65+                 | 1282              | 72,791   | 1223              | 95.2 | 93.8-96.6  | 31                     | 2.8 | 1.6- 4.0   | 28                          | 2.0 | 1.2- 2.8   |
| Less Than H.S.      | 69                | 17,078   | 64                | 94.1 | 87.6- 100  | 5                      | 5.9 | 0.0-12.4   |                             |     |            |
| H.S. or G.E.D.      | 660               | 67,753   | 627               | 92.8 | 89.7-95.9  | 22                     | 5.6 | 2.5- 8.7   | 11                          | 1.6 | 0.4- 2.8   |
| Some Post-H.S.      | 897               | 108,925  | 853               | 94.9 | 92.9-96.9  | 20                     | 2.3 | 1.1- 3.5   | 24                          | 2.8 | 1.2- 4.4   |
| College Graduate    | 1235              | 91,672   | 1199              | 96.6 | 95.2-98.0  | 13                     | 1.6 | 0.6- 2.6   | 23                          | 1.8 | 1.0- 2.6   |
| Less than \$15,000  | 75                | 9,648    | 71                | 94.8 | 86.4- 100  | 3                      | 5.0 | 0.0-13.4   | 1                           | 0.2 | 0.0- 0.6   |
| \$15,000- 24,999    | 182               | 20,435   | 175               | 94.3 | 89.4-99.2  | 6                      | 5.1 | 0.4- 9.8   | 1                           | 0.6 | 0.0- 1.8   |
| \$25,000- 34,999    | 244               | 23,596   | 236               | 95.5 | 91.6-99.4  | 7                      | 4.3 | 0.6- 8.0   | 1                           | 0.2 | 0.0- 0.6   |
| \$35,000- 49,999    | 327               | 30,208   | 320               | 95.9 | 92.4-99.4  | 5                      | 3.1 | 0.0- 6.2   | 2                           | 1.1 | 0.0- 2.9   |
| \$50,000- 99,999    | 733               | 72,824   | 718               | 97.4 | 95.8-99.0  | 12                     | 2.3 | 0.7- 3.9   | 3                           | 0.3 | 0.0- 0.7   |
| \$100,000 - 199,999 | 489               | 51,349   | 478               | 96.9 | 94.2-99.6  | 7                      | 2.2 | 0.0- 4.7   | 4                           | 0.9 | 0.0- 1.9   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |             |     |            |                    |     |            |                         |     |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|-------------|-----|------------|--------------------|-----|------------|-------------------------|-----|------------|
|                     |                   |          | 0001-77776                       |      |            | 77778-99950 |     |            | Didnt Know Zipcode |     |            | Refused to give Zipcode |     |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N           | %   | C.I. (95%) | N                  | %   | C.I. (95%) | N                       | %   | C.I. (95%) |
| TOTAL               | 5745              | 607,442  | 5392                             | 93.2 | 92.2-94.2  | 2           | 0.0 | 0.0- 0.0   | 68                 | 1.7 | 1.1- 2.3   | 283                     | 5.1 | 4.3- 5.9   |
| Male                | 2813              | 310,662  | 2633                             | 92.1 | 90.7-93.5  | 2           | 0.1 | 0.1- 0.1   | 41                 | 2.2 | 1.2- 3.2   | 137                     | 5.7 | 4.5- 6.9   |
| Female              | 2932              | 296,780  | 2759                             | 94.3 | 93.3-95.3  |             |     |            | 27                 | 1.2 | 0.6- 1.8   | 146                     | 4.5 | 3.5- 5.5   |
| Native              | 164               | 24,657   | 156                              | 93.2 | 87.7-98.7  |             |     |            | 1                  | 1.1 | 0.0- 3.3   | 7                       | 5.8 | 0.5-11.1   |
| Non-Native          | 5493              | 572,899  | 5174                             | 93.5 | 92.5-94.5  | 2           | 0.0 | 0.0- 0.0   | 63                 | 1.7 | 1.1- 2.3   | 254                     | 4.8 | 4.0- 5.6   |
| 18-24               | 308               | 85,750   | 274                              | 88.7 | 84.6-92.8  |             |     |            | 16                 | 5.5 | 2.6- 8.4   | 18                      | 5.9 | 3.0- 8.8   |
| 25-34               | 580               | 108,491  | 546                              | 94.5 | 92.5-96.5  |             |     |            | 9                  | 1.8 | 0.4- 3.2   | 25                      | 3.7 | 2.1- 5.3   |
| 35-44               | 758               | 104,229  | 710                              | 93.9 | 91.9-95.9  |             |     |            | 9                  | 1.2 | 0.2- 2.2   | 39                      | 4.9 | 3.3- 6.5   |
| 45-54               | 820               | 81,523   | 757                              | 91.9 | 89.7-94.1  |             |     |            | 9                  | 0.7 | 0.3- 1.1   | 54                      | 7.4 | 5.2- 9.6   |
| 55-64               | 968               | 89,058   | 903                              | 93.1 | 91.1-95.1  |             |     |            | 7                  | 0.7 | 0.0- 1.5   | 58                      | 6.1 | 4.3- 7.9   |
| 65+                 | 2311              | 138,391  | 2202                             | 95.1 | 94.1-96.1  | 2           | 0.1 | 0.0- 0.3   | 18                 | 0.8 | 0.4- 1.2   | 89                      | 4.0 | 3.0- 5.0   |
| Less Than H.S.      | 172               | 43,377   | 159                              | 92.1 | 86.8-97.4  |             |     |            | 6                  | 5.4 | 0.3-10.5   | 7                       | 2.6 | 0.4- 4.8   |
| H.S. or G.E.D.      | 1447              | 160,275  | 1354                             | 92.8 | 91.0-94.6  | 1           | 0.1 | 0.0- 0.3   | 21                 | 1.8 | 0.8- 2.8   | 71                      | 5.3 | 3.7- 6.9   |
| Some Post-H.S.      | 1782              | 232,027  | 1671                             | 93.1 | 91.5-94.7  | 1           | 0.0 | 0.0- 0.0   | 21                 | 1.6 | 0.8- 2.4   | 89                      | 5.2 | 3.8- 6.6   |
| College Graduate    | 2324              | 169,709  | 2199                             | 94.5 | 93.3-95.7  |             |     |            | 18                 | 0.6 | 0.2- 1.0   | 107                     | 4.9 | 3.9- 5.9   |
| Less than \$15,000  | 148               | 18,175   | 139                              | 94.9 | 91.0-98.8  |             |     |            | 1                  | 0.4 | 0.0- 1.2   | 8                       | 4.7 | 0.8- 8.6   |
| \$15,000- 24,999    | 310               | 36,282   | 296                              | 93.2 | 88.9-97.5  |             |     |            | 6                  | 2.9 | 0.2- 5.6   | 8                       | 3.9 | 0.6- 7.2   |
| \$25,000- 34,999    | 459               | 49,325   | 434                              | 94.8 | 92.1-97.5  |             |     |            | 9                  | 1.7 | 0.3- 3.1   | 16                      | 3.5 | 1.1- 5.9   |
| \$35,000- 49,999    | 630               | 61,458   | 612                              | 96.6 | 94.8-98.4  |             |     |            | 5                  | 1.1 | 0.0- 2.3   | 13                      | 2.3 | 0.9- 3.7   |
| \$50,000- 99,999    | 1554              | 164,681  | 1510                             | 96.9 | 95.9-97.9  |             |     |            | 11                 | 0.9 | 0.3- 1.5   | 33                      | 2.1 | 1.3- 2.9   |
| \$100,000 - 199,999 | 1150              | 124,134  | 1113                             | 97.1 | 96.1-98.1  | 1           | 0.1 | 0.0- 0.3   | 6                  | 0.3 | 0.1- 0.5   | 30                      | 2.4 | 1.4- 3.4   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |             |     |            |                    |     |            |                         |     |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|-------------|-----|------------|--------------------|-----|------------|-------------------------|-----|------------|
|                     |                   |          | 0001-77776                       |      |            | 77778-99950 |     |            | Didnt Know Zipcode |     |            | Refused to give Zipcode |     |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N           | %   | C.I. (95%) | N                  | %   | C.I. (95%) | N                       | %   | C.I. (95%) |
| Male                | 2813              | 310,662  | 2633                             | 92.1 | 90.7-93.5  | 2           | 0.1 | 0.1- 0.1   | 41                 | 2.2 | 1.2- 3.2   | 137                     | 5.7 | 4.5- 6.9   |
| Native              | 70                | 10,909   | 68                               | 94.3 | 85.3- 100  |             |     |            |                    |     |            | 2                       | 5.7 | 0.0-14.7   |
| Non-Native          | 2692              | 294,369  | 2531                             | 92.5 | 91.1-93.9  | 2           | 0.1 | 0.0- 0.3   | 37                 | 2.2 | 1.2- 3.2   | 122                     | 5.3 | 4.1- 6.5   |
| 18-24               | 178               | 45,353   | 154                              | 84.5 | 78.0-91.0  |             |     |            | 12                 | 7.6 | 2.7-12.5   | 12                      | 7.9 | 3.2-12.6   |
| 25-34               | 317               | 58,044   | 295                              | 92.7 | 89.4-96.0  |             |     |            | 8                  | 3.1 | 0.7- 5.5   | 14                      | 4.2 | 1.8- 6.6   |
| 35-44               | 422               | 54,305   | 390                              | 92.0 | 89.1-94.9  |             |     |            | 6                  | 1.3 | 0.1- 2.5   | 26                      | 6.7 | 4.0- 9.4   |
| 45-54               | 423               | 42,606   | 385                              | 90.3 | 87.0-93.6  |             |     |            | 5                  | 0.8 | 0.0- 1.6   | 33                      | 9.0 | 5.7-12.3   |
| 55-64               | 456               | 45,600   | 435                              | 96.0 | 94.0-98.0  |             |     |            | 1                  | 0.1 | 0.0- 0.3   | 20                      | 3.9 | 1.9- 5.9   |
| 65+                 | 1017              | 64,754   | 974                              | 95.3 | 93.7-96.9  | 2           | 0.3 | 0.0- 0.7   | 9                  | 0.7 | 0.1- 1.3   | 32                      | 3.7 | 2.1- 5.3   |
| Less Than H.S.      | 97                | 24,192   | 88                               | 88.9 | 80.3-97.5  |             |     |            | 4                  | 7.6 | 0.0-15.8   | 5                       | 3.5 | 0.4- 6.6   |
| H.S. or G.E.D.      | 776               | 90,373   | 723                              | 92.0 | 89.5-94.5  | 1           | 0.1 | 0.0- 0.3   | 16                 | 2.6 | 1.0- 4.2   | 36                      | 5.2 | 3.2- 7.2   |
| Some Post-H.S.      | 863               | 118,930  | 807                              | 92.2 | 90.0-94.4  | 1           | 0.1 | 0.0- 0.3   | 9                  | 1.5 | 0.5- 2.5   | 46                      | 6.2 | 4.2- 8.2   |
| College Graduate    | 1066              | 75,664   | 1012                             | 94.2 | 92.4-96.0  |             |     |            | 10                 | 0.8 | 0.2- 1.4   | 44                      | 5.0 | 3.2- 6.8   |
| Less than \$15,000  | 67                | 7,440    | 61                               | 89.2 | 80.2-98.2  |             |     |            | 1                  | 1.0 | 0.0- 3.0   | 5                       | 9.8 | 1.0-18.6   |
| \$15,000- 24,999    | 117               | 13,586   | 114                              | 94.3 | 86.9- 100  |             |     |            |                    |     |            | 3                       | 5.7 | 0.0-13.1   |
| \$25,000- 34,999    | 206               | 24,367   | 195                              | 94.6 | 90.7-98.5  |             |     |            | 6                  | 2.6 | 0.0- 5.3   | 5                       | 2.8 | 0.0- 5.7   |
| \$35,000- 49,999    | 297               | 29,968   | 285                              | 96.1 | 93.6-98.6  |             |     |            | 3                  | 1.2 | 0.0- 2.8   | 9                       | 2.7 | 0.7- 4.7   |
| \$50,000- 99,999    | 809               | 90,407   | 781                              | 95.7 | 93.9-97.5  |             |     |            | 9                  | 1.6 | 0.4- 2.8   | 19                      | 2.7 | 1.3- 4.1   |
| \$100,000 - 199,999 | 654               | 71,569   | 629                              | 96.4 | 94.8-98.0  | 1           | 0.2 | 0.0- 0.6   | 2                  | 0.2 | 0.0- 0.4   | 22                      | 3.3 | 1.7- 4.9   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 0001-77776 |      |            | Didnt Know Zipcode |     |            | Refused to give Zipcode |     |            |
|---------------------|-------------------|----------|------------|------|------------|--------------------|-----|------------|-------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED | N          | %    | C.I. (95%) | N                  | %   | C.I. (95%) | N                       | %   | C.I. (95%) |
| Female              | 2932              | 296,780  | 2759       | 94.3 | 93.3-95.3  | 27                 | 1.2 | 0.6- 1.8   | 146                     | 4.5 | 3.5- 5.5   |
| Native              | 94                | 13,748   | 88         | 92.3 | 85.4-99.2  | 1                  | 1.9 | 0.0- 5.6   | 5                       | 5.8 | 0.0-11.7   |
| Non-Native          | 2801              | 278,530  | 2643       | 94.5 | 93.5-95.5  | 26                 | 1.1 | 0.5- 1.7   | 132                     | 4.3 | 3.3- 5.3   |
| 18-24               | 130               | 40,397   | 120        | 93.3 | 89.0-97.6  | 4                  | 3.1 | 0.2- 6.0   | 6                       | 3.5 | 0.4- 6.6   |
| 25-34               | 263               | 50,447   | 251        | 96.6 | 94.6-98.6  | 1                  | 0.4 | 0.0- 1.2   | 11                      | 3.0 | 1.2- 4.8   |
| 35-44               | 336               | 49,924   | 320        | 96.0 | 93.6-98.4  | 3                  | 1.1 | 0.0- 2.7   | 13                      | 2.9 | 1.1- 4.7   |
| 45-54               | 397               | 38,917   | 372        | 93.7 | 90.8-96.6  | 4                  | 0.6 | 0.0- 1.2   | 21                      | 5.6 | 2.9- 8.3   |
| 55-64               | 512               | 43,458   | 468        | 90.1 | 86.8-93.4  | 6                  | 1.4 | 0.0- 2.8   | 38                      | 8.5 | 5.4-11.6   |
| 65+                 | 1294              | 73,637   | 1228       | 94.9 | 93.5-96.3  | 9                  | 0.9 | 0.3- 1.5   | 57                      | 4.2 | 3.0- 5.4   |
| Less Than H.S.      | 75                | 19,185   | 71         | 96.0 | 91.5- 100  | 2                  | 2.6 | 0.0- 6.5   | 2                       | 1.4 | 0.0- 3.8   |
| H.S. or G.E.D.      | 671               | 69,902   | 631        | 93.8 | 91.4-96.2  | 5                  | 0.8 | 0.0- 1.8   | 35                      | 5.3 | 3.1- 7.5   |
| Some Post-H.S.      | 919               | 113,097  | 864        | 94.1 | 92.1-96.1  | 12                 | 1.7 | 0.5- 2.9   | 43                      | 4.2 | 2.6- 5.8   |
| College Graduate    | 1258              | 94,046   | 1187       | 94.7 | 93.3-96.1  | 8                  | 0.5 | 0.1- 0.9   | 63                      | 4.8 | 3.4- 6.2   |
| Less than \$15,000  | 81                | 10,735   | 78         | 98.9 | 97.3- 100  |                    |     |            | 3                       | 1.1 | 0.0- 2.7   |
| \$15,000- 24,999    | 193               | 22,697   | 182        | 92.5 | 87.2-97.8  | 6                  | 4.6 | 0.3- 8.9   | 5                       | 2.9 | 0.0- 6.0   |
| \$25,000- 34,999    | 253               | 24,958   | 239        | 95.0 | 91.5-98.5  | 3                  | 0.7 | 0.0- 1.5   | 11                      | 4.2 | 0.9- 7.5   |
| \$35,000- 49,999    | 333               | 31,490   | 327        | 97.1 | 94.6-99.6  | 2                  | 1.0 | 0.0- 2.6   | 4                       | 1.9 | 0.0- 3.9   |
| \$50,000- 99,999    | 745               | 74,274   | 729        | 98.4 | 97.6-99.2  | 2                  | 0.1 | 0.0- 0.3   | 14                      | 1.4 | 0.6- 2.2   |
| \$100,000 - 199,999 | 496               | 52,565   | 484        | 98.1 | 96.9-99.3  | 4                  | 0.6 | 0.0- 1.2   | 8                       | 1.3 | 0.3- 2.3   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |       |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %     | C.I. (95%) |
| TOTAL                 | 1195              | 67,016   | 68  | 4.5 | 3.1- 5.9   | 1127 | 95.5  | 94.1-96.9  |
| Male                  | 413               | 24,802   | 32  | 5.9 | 3.2- 8.6   | 381  | 94.1  | 91.4-96.8  |
| Female                | 782               | 42,214   | 36  | 3.7 | 1.9- 5.5   | 746  | 96.3  | 94.5-98.1  |
| Non-Native            | 1135              | 60,784   | 64  | 4.8 | 3.2- 6.4   | 1071 | 95.2  | 93.6-96.8  |
| 45-54                 | 50                | 4,191    |     |     |            | 50   | 100.0 | 100.0- 100 |
| 55-64                 | 168               | 11,623   | 8   | 4.3 | 1.0- 7.6   | 160  | 95.7  | 92.4-99.0  |
| 65+                   | 924               | 40,726   | 58  | 5.3 | 3.5- 7.1   | 866  | 94.7  | 92.9-96.5  |
| H.S. or G.E.D.        | 360               | 20,282   | 13  | 2.7 | 0.7- 4.7   | 347  | 97.3  | 95.3-99.3  |
| Some Post-H.S.        | 397               | 25,760   | 31  | 5.7 | 3.3- 8.1   | 366  | 94.3  | 91.9-96.7  |
| College Graduate      | 393               | 15,545   | 19  | 4.2 | 0.7- 7.7   | 374  | 95.8  | 92.3-99.3  |
| \$15,000- 24,999      | 84                | 4,713    | 4   | 4.4 | 0.0-10.5   | 80   | 95.6  | 89.5- 100  |
| \$25,000- 34,999      | 136               | 8,681    | 5   | 1.2 | 0.0- 2.4   | 131  | 98.8  | 97.6- 100  |
| \$35,000- 49,999      | 173               | 8,773    | 11  | 5.2 | 1.5- 8.9   | 162  | 94.8  | 91.1-98.5  |
| \$50,000- 99,999      | 282               | 15,377   | 11  | 4.0 | 1.3- 6.7   | 271  | 96.0  | 93.3-98.7  |
| \$100,000 - 199,999   | 104               | 6,376    | 5   | 1.9 | 0.0- 3.9   | 99   | 98.1  | 96.1- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No  |      |            |
|-----------------------|-------------------|----------|-----|------|------------|-----|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N   | %    | C.I. (95%) |
| Male                  | 413               | 24,802   | 32  | 5.9  | 3.2- 8.6   | 381 | 94.1 | 91.4-96.8  |
| Non-Native            | 394               | 22,990   | 30  | 6.1  | 3.2- 9.0   | 364 | 93.9 | 91.0-96.8  |
| 55-64                 | 58                | 4,218    | 3   | 5.4  | 0.0-12.5   | 55  | 94.6 | 87.5- 100  |
| 65+                   | 323               | 15,940   | 29  | 7.7  | 4.0-11.4   | 294 | 92.3 | 88.6-96.0  |
| H.S. or G.E.D.        | 125               | 7,258    | 7   | 4.7  | 0.0- 9.6   | 118 | 95.3 | 90.4- 100  |
| Some Post-H.S.        | 128               | 9,687    | 13  | 6.9  | 2.4-11.4   | 115 | 93.1 | 88.6-97.6  |
| College Graduate      | 143               | 5,918    | 8   | 2.6  | 0.4- 4.8   | 135 | 97.4 | 95.2-99.6  |
| \$35,000- 49,999      | 73                | 3,606    | 9   | 11.5 | 2.7-20.3   | 64  | 88.5 | 79.7-97.3  |
| \$50,000- 99,999      | 106               | 6,644    | 3   | 2.5  | 0.0- 5.6   | 103 | 97.5 | 94.4- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Yes |     |            | No  |      |            |
|---------------------|-------------------|----------|-----|-----|------------|-----|------|------------|
|                     | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N   | %    | C.I. (95%) |
| Female              | 782               | 42,214   | 36  | 3.7 | 1.9- 5.5   | 746 | 96.3 | 94.5-98.1  |
| Non-Native          | 741               | 37,794   | 34  | 4.0 | 2.0- 6.0   | 707 | 96.0 | 94.0-98.0  |
| 55-64               | 110               | 7,406    | 5   | 3.7 | 0.4- 7.0   | 105 | 96.3 | 93.0-99.6  |
| 65+                 | 601               | 24,786   | 29  | 3.7 | 2.1- 5.3   | 572 | 96.3 | 94.7-97.9  |
| H.S. or G.E.D.      | 235               | 13,023   | 6   | 1.5 | 0.1- 2.9   | 229 | 98.5 | 97.1-99.9  |
| Some Post-H.S.      | 269               | 16,073   | 18  | 5.0 | 2.3- 7.7   | 251 | 95.0 | 92.3-97.7  |
| College Graduate    | 250               | 9,627    | 11  | 5.2 | 0.0-10.5   | 239 | 94.8 | 89.5- 100  |
| \$15,000- 24,999    | 59                | 3,008    | 3   | 2.1 | 0.0- 4.6   | 56  | 97.9 | 95.4- 100  |
| \$25,000- 34,999    | 96                | 5,584    | 4   | 1.7 | 0.0- 3.7   | 92  | 98.3 | 96.3- 100  |
| \$35,000- 49,999    | 100               | 5,167    | 2   | 0.8 | 0.0- 2.0   | 98  | 99.2 | 98.0- 100  |
| \$50,000- 99,999    | 176               | 8,733    | 8   | 5.1 | 1.0- 9.2   | 168 | 94.9 | 90.8-99.0  |
| \$100,000 - 199,999 | 59                | 3,632    | 2   | 2.1 | 0.0- 5.4   | 57  | 97.9 | 94.6- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**

**SECTION 8: DEMOGRAPHICS**

**TABLE 28: HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |             |      |            |               |     |            |              |     |            |      |     |            |
|-----------------------|-------------------|----------|----------------------------------|------|------------|-------------|------|------------|---------------|-----|------------|--------------|-----|------------|------|-----|------------|
|                       | TOTAL             | WEIGHTED | One Number                       |      |            | Two Numbers |      |            | Three Numbers |     |            | Four Numbers |     |            | None |     |            |
|                       |                   |          | N                                | %    | C.I. (95%) | N           | %    | C.I. (95%) | N             | %   | C.I. (95%) | N            | %   | C.I. (95%) | N    | %   | C.I. (95%) |
| TOTAL                 | 65                | 2,914    | 40                               | 75.1 | 62.9-87.3  | 18          | 19.7 | 7.9-31.5   | 5             | 2.5 | 0.1- 4.9   | 1            | 0.6 | 0.0- 1.8   | 1    | 1.9 | 0.0- 5.6   |
| Non-Native            | 61                | 2,817    | 39                               | 76.7 | 64.4-89.0  | 15          | 18.1 | 6.1-30.1   | 5             | 2.6 | 0.1- 5.1   | 1            | 0.6 | 0.0- 1.8   | 1    | 2.0 | 0.0- 5.9   |
| 65+                   | 55                | 2,037    | 34                               | 77.3 | 65.5-89.1  | 15          | 18.2 | 6.8-29.6   | 5             | 3.6 | 0.1- 7.1   | 1            | 0.9 | 0.0- 2.7   |      |     |            |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 8: DEMOGRAPHICS

TABLE 29: HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 8: DEMOGRAPHICS

TABLE 30: HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)**  
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |             |     |            |               |     |            |              |     |            |              |     |            |                     |     |            |      |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|-------------|-----|------------|---------------|-----|------------|--------------|-----|------------|--------------|-----|------------|---------------------|-----|------------|------|------|------------|
|                     |                   |          | One Number                       |      |            | Two Numbers |     |            | Three Numbers |     |            | Four Numbers |     |            | Five Numbers |     |            | Six or More Numbers |     |            | None |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N           | %   | C.I. (95%) | N             | %   | C.I. (95%) | N            | %   | C.I. (95%) | N            | %   | C.I. (95%) | N                   | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL               | 5674              | 599,155  | 5118                             | 91.0 | 90.0-92.0  | 349         | 5.5 | 4.7- 6.3   | 34            | 0.6 | 0.4- 0.8   | 10           | 0.2 | 0.0- 0.4   | 4            | 0.1 | 0.0- 0.3   | 8                   | 0.1 | 0.0- 0.3   | 151  | 2.5  | 1.9- 3.0   |
| Male                | 2776              | 306,060  | 2488                             | 90.2 | 88.8-91.6  | 184         | 6.4 | 5.2- 7.6   | 17            | 0.6 | 0.2- 1.0   | 7            | 0.2 | 0.0- 0.4   | 3            | 0.1 | 0.0- 0.3   | 6                   | 0.2 | 0.0- 0.4   | 71   | 2.2  | 1.6- 2.8   |
| Female              | 2898              | 293,094  | 2630                             | 91.9 | 90.5-93.3  | 165         | 4.6 | 3.6- 5.6   | 17            | 0.5 | 0.1- 0.9   | 3            | 0.1 | 0.0- 0.3   | 1            | 0.1 | 0.0- 0.3   | 2                   | 0.1 | 0.1- 0.1   | 80   | 2.8  | 2.0- 3.6   |
| Native              | 163               | 24,605   | 142                              | 83.7 | 74.7-92.7  | 13          | 8.8 | 2.3-15.3   | 2             | 0.9 | 0.0- 2.5   | 1            | 0.6 | 0.0- 1.8   |              |     |            |                     |     |            | 5    | 6.0  | 0.0-13.0   |
| Non-Native          | 5430              | 565,757  | 4905                             | 91.5 | 90.7-92.3  | 330         | 5.4 | 4.6- 6.2   | 32            | 0.6 | 0.4- 0.8   | 9            | 0.1 | 0.0- 0.3   | 4            | 0.1 | 0.0- 0.3   | 8                   | 0.2 | 0.0- 0.4   | 142  | 2.2  | 1.8- 2.6   |
| 18-24               | 307               | 85,307   | 292                              | 94.9 | 92.2-97.6  | 14          | 4.8 | 2.1- 7.5   |               |     |            |              |     |            |              |     |            | 1                   | 0.3 | 0.0- 0.9   |      |      |            |
| 25-34               | 575               | 107,472  | 552                              | 95.1 | 92.7-97.5  | 17          | 3.1 | 1.5- 4.7   | 3             | 0.4 | 0.0- 0.8   | 1            | 0.2 | 0.0- 0.6   |              |     |            |                     |     |            | 2    | 1.3  | 0.0- 3.0   |
| 35-44               | 752               | 103,347  | 693                              | 91.8 | 89.4-94.2  | 39          | 5.6 | 3.6- 7.6   | 10            | 1.5 | 0.5- 2.5   | 2            | 0.2 | 0.0- 0.6   | 3            | 0.4 | 0.0- 1.0   | 2                   | 0.1 | 0.0- 0.3   | 3    | 0.3  | 0.0- 0.6   |
| 45-54               | 804               | 79,607   | 742                              | 92.1 | 89.9-94.3  | 37          | 4.7 | 3.1- 6.3   | 11            | 1.3 | 0.3- 2.3   | 3            | 0.3 | 0.0- 0.7   | 1            | 0.1 | 0.0- 0.3   | 1                   | 0.2 | 0.0- 0.6   | 9    | 1.3  | 0.3- 2.3   |
| 55-64               | 955               | 87,628   | 856                              | 89.7 | 87.3-92.1  | 74          | 7.3 | 5.3- 9.3   | 3             | 0.2 | 0.0- 0.4   | 1            | 0.0 | 0.0- 0.0   |              |     |            | 4                   | 0.3 | 0.0- 0.7   | 17   | 2.5  | 1.1- 3.9   |
| 65+                 | 2281              | 135,794  | 1983                             | 85.1 | 83.3-86.9  | 168         | 7.3 | 6.1- 8.5   | 7             | 0.3 | 0.1- 0.5   | 3            | 0.2 | 0.0- 0.4   |              |     |            |                     |     |            | 120  | 7.2  | 5.8- 8.6   |
| Less Than H.S.      | 169               | 42,868   | 146                              | 89.0 | 83.3-94.7  | 12          | 5.0 | 1.5- 8.5   | 1             | 0.1 | 0.0- 0.3   |              |     |            |              |     |            |                     |     |            | 10   | 5.8  | 1.1-10.0   |
| H.S. or G.E.D.      | 1430              | 158,079  | 1289                             | 91.0 | 89.2-92.8  | 85          | 5.7 | 4.1- 7.3   | 7             | 0.3 | 0.1- 0.5   | 3            | 0.2 | 0.0- 0.4   | 1            | 0.1 | 0.0- 0.3   |                     |     |            | 45   | 2.8  | 1.8- 3.8   |
| Some Post-H.S.      | 1764              | 229,302  | 1573                             | 90.6 | 89.0-92.2  | 119         | 5.9 | 4.7- 7.1   | 10            | 0.7 | 0.3- 1.1   | 4            | 0.2 | 0.0- 0.4   | 2            | 0.2 | 0.0- 0.4   | 3                   | 0.2 | 0.0- 0.4   | 53   | 2.4  | 1.6- 3.2   |
| College Graduate    | 2294              | 167,109  | 2098                             | 92.6 | 91.4-93.8  | 130         | 4.7 | 3.7- 5.7   | 16            | 0.8 | 0.4- 1.2   | 3            | 0.1 | 0.0- 0.3   |              |     |            | 5                   | 0.3 | 0.1- 0.5   | 42   | 1.5  | 1.1- 1.9   |
| Less than \$15,000  | 147               | 18,101   | 128                              | 83.6 | 73.0-94.2  | 3           | 3.8 | 0.0- 8.5   |               |     |            |              |     |            |              |     |            | 2                   | 1.1 | 0.0- 2.9   | 14   | 11.5 | 1.5-21.0   |
| \$15,000- 24,999    | 309               | 36,219   | 278                              | 92.2 | 89.1-95.3  | 11          | 2.1 | 0.7- 3.5   | 1             | 0.2 | 0.0- 0.6   |              |     |            |              |     |            |                     |     |            | 19   | 5.6  | 2.7- 8.5   |
| \$25,000- 34,999    | 456               | 48,881   | 402                              | 90.0 | 86.7-93.3  | 27          | 5.1 | 2.4- 7.8   | 2             | 0.5 | 0.0- 1.3   |              |     |            |              |     |            | 2                   | 0.3 | 0.0- 0.7   | 23   | 4.1  | 2.1- 6.1   |
| \$35,000- 49,999    | 629               | 61,392   | 560                              | 89.9 | 87.2-92.6  | 45          | 6.4 | 4.2- 8.6   | 1             | 0.1 | 0.0- 0.3   |              |     |            |              |     |            |                     |     |            | 23   | 3.6  | 2.0- 5.5   |
| \$50,000- 99,999    | 1551              | 164,277  | 1408                             | 91.6 | 90.0-93.2  | 108         | 6.1 | 4.7- 7.5   | 13            | 0.8 | 0.4- 1.2   | 3            | 0.1 | 0.0- 0.3   |              |     |            | 1                   | 0.2 | 0.0- 0.6   | 18   | 1.3  | 0.5- 2.2   |
| \$100,000 - 199,999 | 1146              | 123,477  | 1061                             | 93.2 | 91.4-95.0  | 63          | 4.8 | 3.4- 6.2   | 4             | 0.4 | 0.0- 0.8   | 4            | 0.4 | 0.0- 0.8   | 4            | 0.4 | 0.0- 0.8   | 2                   | 0.1 | 0.0- 0.3   | 8    | 0.6  | 0.0- 1.3   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |             |      |            |               |     |            |              |     |            |              |     |            |                     |     |            |      |          |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|-------------|------|------------|---------------|-----|------------|--------------|-----|------------|--------------|-----|------------|---------------------|-----|------------|------|----------|------------|
|                     |                   |          | One Number                       |      |            | Two Numbers |      |            | Three Numbers |     |            | Four Numbers |     |            | Five Numbers |     |            | Six or More Numbers |     |            | None |          |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N           | %    | C.I. (95%) | N             | %   | C.I. (95%) | N            | %   | C.I. (95%) | N            | %   | C.I. (95%) | N                   | %   | C.I. (95%) | N    | %        | C.I. (95%) |
| Male                | 2776              | 306,060  | 2488                             | 90.2 | 88.8-91.6  | 184         | 6.4  | 5.2- 7.6   | 17            | 0.6 | 0.2- 1.0   | 7            | 0.2 | 0.0- 0.4   | 3            | 0.1 | 0.0- 0.3   | 6                   | 0.2 | 0.0- 0.4   | 71   | 2.2      | 1.6- 2.8   |
| Native              | 70                | 10,909   | 59                               | 85.0 | 74.2-95.8  | 8           | 10.6 | 0.8-20.4   | 1             | 1.8 | 0.0- 5.3   |              |     |            |              |     |            |                     |     | 2          | 2.6  | 0.0- 6.3 |            |
| Non-Native          | 2659              | 290,619  | 2387                             | 90.5 | 89.1-91.9  | 172         | 6.2  | 5.0- 7.4   | 16            | 0.6 | 0.2- 1.0   | 7            | 0.2 | 0.0- 0.4   | 3            | 0.1 | 0.0- 0.3   | 6                   | 0.2 | 0.0- 0.4   | 68   | 2.1      | 1.5- 2.7   |
| 18-24               | 177               | 44,910   | 166                              | 93.5 | 89.6-97.4  | 10          | 5.9  | 2.2- 9.6   |               |     |            |              |     |            |              |     |            | 1                   | 0.6 | 0.0- 1.8   |      |          |            |
| 25-34               | 313               | 57,476   | 298                              | 95.2 | 92.5-97.9  | 11          | 3.8  | 1.3- 6.3   | 3             | 0.7 | 0.0- 1.5   | 1            | 0.3 | 0.0- 0.9   |              |     |            |                     |     |            |      |          |            |
| 35-44               | 417               | 53,584   | 379                              | 90.6 | 87.5-93.7  | 25          | 6.5  | 3.8- 9.2   | 5             | 1.3 | 0.1- 2.5   | 2            | 0.4 | 0.0- 1.0   | 2            | 0.5 | 0.0- 1.3   | 1                   | 0.1 | 0.0- 0.3   | 3    | 0.6      | 0.0- 1.5   |
| 45-54               | 414               | 41,608   | 379                              | 90.1 | 86.6-93.6  | 18          | 5.2  | 2.7- 7.7   | 6             | 1.7 | 0.1- 3.3   | 1            | 0.2 | 0.0- 0.6   | 1            | 0.2 | 0.0- 0.6   | 1                   | 0.4 | 0.0- 1.2   | 8    | 2.2      | 0.4- 4.4   |
| 55-64               | 452               | 45,158   | 402                              | 87.8 | 84.1-91.5  | 34          | 8.5  | 5.4-11.6   |               |     |            | 1            | 0.1 | 0.0- 0.3   |              |     |            | 3                   | 0.4 | 0.0- 1.0   | 12   | 3.2      | 0.8- 5.5   |
| 65+                 | 1003              | 63,325   | 864                              | 84.9 | 82.2-87.6  | 86          | 8.5  | 6.3-10.7   | 3             | 0.2 | 0.0- 0.4   | 2            | 0.2 | 0.0- 0.4   |              |     |            |                     |     |            | 48   | 6.2      | 4.2- 8.3   |
| Less Than H.S.      | 94                | 23,683   | 84                               | 90.6 | 84.3-96.9  | 6           | 5.6  | 0.5-10.7   |               |     |            |              |     |            |              |     |            |                     |     | 4          | 3.7  | 0.0- 7.3 |            |
| H.S. or G.E.D.      | 767               | 89,509   | 693                              | 91.7 | 89.5-93.9  | 51          | 6.1  | 4.1- 8.1   | 3             | 0.2 | 0.0- 0.4   | 2            | 0.3 | 0.0- 0.7   | 1            | 0.1 | 0.0- 0.3   |                     |     |            | 17   | 1.6      | 0.8- 2.5   |
| Some Post-H.S.      | 854               | 117,407  | 757                              | 89.1 | 86.7-91.5  | 60          | 6.9  | 4.9- 8.9   | 6             | 0.9 | 0.1- 1.7   | 2            | 0.2 | 0.0- 0.6   | 1            | 0.2 | 0.0- 0.6   | 3                   | 0.3 | 0.0- 0.9   | 25   | 2.4      | 1.4- 3.5   |
| College Graduate    | 1052              | 74,165   | 948                              | 90.8 | 88.8-92.8  | 65          | 5.7  | 4.1- 7.3   | 8             | 0.9 | 0.3- 1.5   | 3            | 0.3 | 0.0- 0.7   |              |     |            | 3                   | 0.4 | 0.0- 1.0   | 25   | 2.0      | 1.2- 2.9   |
| Less than \$15,000  | 66                | 7,366    | 56                               | 89.1 | 81.1-97.1  | 2           | 4.1  | 0.0-10.2   |               |     |            |              |     |            |              |     |            | 2                   | 2.7 | 0.0- 7.0   | 6    | 4.0      | 0.5- 7.5   |
| \$15,000- 24,999    | 117               | 13,586   | 107                              | 93.0 | 87.9-98.1  | 2           | 0.3  | 0.0- 0.7   |               |     |            |              |     |            |              |     |            |                     |     | 8          | 6.7  | 1.6-11.1 |            |
| \$25,000- 34,999    | 204               | 24,057   | 182                              | 91.8 | 87.9-95.7  | 10          | 3.4  | 1.0- 5.8   | 1             | 0.5 | 0.0- 1.5   |              |     |            |              |     |            | 2                   | 0.7 | 0.0- 1.7   | 9    | 3.6      | 0.9- 6.3   |
| \$35,000- 49,999    | 296               | 29,902   | 261                              | 90.3 | 86.8-93.8  | 22          | 6.5  | 3.4- 9.6   |               |     |            |              |     |            |              |     |            |                     |     | 13         | 3.1  | 1.1- 5.1 |            |
| \$50,000- 99,999    | 806               | 90,004   | 730                              | 90.8 | 88.4-93.2  | 53          | 6.3  | 4.3- 8.3   | 7             | 0.8 | 0.2- 1.4   | 3            | 0.2 | 0.0- 0.4   |              |     |            | 1                   | 0.3 | 0.0- 0.9   | 12   | 1.6      | 0.4- 2.9   |
| \$100,000 - 199,999 | 651               | 71,119   | 590                              | 90.5 | 87.8-93.2  | 44          | 6.9  | 4.5- 9.3   | 2             | 0.4 | 0.0- 1.0   | 3            | 0.6 | 0.0- 1.2   | 3            | 0.5 | 0.0- 1.1   | 1                   | 0.1 | 0.0- 0.3   | 8    | 1.1      | 0.3- 1.9   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |         | One Number |      |            | Two Numbers |     |            | Three Numbers |     |            | Four Numbers |     |            | Five Numbers |     |            | Six or More Numbers |     |            | None |      |            |
|---------------------|-------------------|---------|------------|------|------------|-------------|-----|------------|---------------|-----|------------|--------------|-----|------------|--------------|-----|------------|---------------------|-----|------------|------|------|------------|
|                     |                   |         | N          | %    | C.I. (95%) | N           | %   | C.I. (95%) | N             | %   | C.I. (95%) | N            | %   | C.I. (95%) | N            | %   | C.I. (95%) | N                   | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Female              | 2898              | 293,094 | 2630       | 91.9 | 90.5-93.3  | 165         | 4.6 | 3.6- 5.6   | 17            | 0.5 | 0.1- 0.9   | 3            | 0.1 | 0.0- 0.3   | 1            | 0.1 | 0.0- 0.3   | 2                   | 0.1 | 0.1- 0.1   | 80   | 2.8  | 2.0- 3.6   |
| Native              | 93                | 13,696  | 83         | 82.6 | 68.9-96.3  | 5           | 7.4 | 0.0-16.0   | 1             | 0.3 | 0.0- 0.9   | 1            | 1.0 | 0.0- 3.0   |              |     |            |                     |     |            | 3    | 8.7  | 0.0-20.0   |
| Non-Native          | 2771              | 275,139 | 2518       | 92.5 | 91.3-93.7  | 158         | 4.5 | 3.5- 5.5   | 16            | 0.5 | 0.1- 0.9   | 2            | 0.1 | 0.1- 0.1   | 1            | 0.1 | 0.0- 0.3   | 2                   | 0.1 | 0.1- 0.1   | 74   | 2.3  | 1.7- 2.9   |
| 18-24               | 130               | 40,397  | 126        | 96.5 | 92.8- 100  | 4           | 3.5 | 0.0- 7.2   |               |     |            |              |     |            |              |     |            |                     |     |            |      |      |            |
| 25-34               | 262               | 49,996  | 254        | 94.9 | 90.6-99.2  | 6           | 2.3 | 0.1- 4.5   |               |     |            |              |     |            |              |     |            |                     |     |            | 2    | 2.7  | 0.0- 6.4   |
| 35-44               | 335               | 49,763  | 314        | 93.1 | 89.8-96.4  | 14          | 4.5 | 1.8- 7.2   | 5             | 1.8 | 0.2- 3.4   |              |     |            | 1            | 0.4 | 0.0- 1.2   | 1                   | 0.2 | 0.0- 0.6   |      |      |            |
| 45-54               | 390               | 37,999  | 363        | 94.3 | 92.1-96.5  | 19          | 4.2 | 2.2- 6.2   | 5             | 0.8 | 0.0- 1.6   | 2            | 0.4 | 0.0- 1.0   |              |     |            |                     |     |            | 1    | 0.3  | 0.0- 0.9   |
| 55-64               | 503               | 42,470  | 454        | 91.7 | 89.2-94.2  | 40          | 6.0 | 4.0- 8.0   | 3             | 0.3 | 0.0- 0.7   |              |     |            |              |     |            | 1                   | 0.1 | 0.0- 0.3   | 5    | 1.8  | 0.0- 3.6   |
| 65+                 | 1278              | 72,469  | 1119       | 85.3 | 82.9-87.7  | 82          | 6.1 | 4.5- 7.7   | 4             | 0.3 | 0.0- 0.7   | 1            | 0.2 | 0.0- 0.6   |              |     |            |                     |     |            | 72   | 8.1  | 6.1-10.1   |
| Less Than H.S.      | 75                | 19,185  | 62         | 87.0 | 77.2-96.8  | 6           | 4.3 | 0.0- 9.0   | 1             | 0.3 | 0.0- 0.9   |              |     |            |              |     |            |                     |     |            | 6    | 8.4  | 0.0-17.0   |
| H.S. or G.E.D.      | 663               | 68,570  | 596        | 90.0 | 86.7-93.3  | 34          | 5.2 | 2.5- 7.9   | 4             | 0.5 | 0.0- 1.1   | 1            | 0.1 | 0.0- 0.3   |              |     |            |                     |     |            | 28   | 4.2  | 2.2- 6.4   |
| Some Post-H.S.      | 910               | 111,895 | 816        | 92.0 | 90.2-93.8  | 59          | 4.8 | 3.4- 6.2   | 4             | 0.4 | 0.0- 1.0   | 2            | 0.2 | 0.0- 0.4   | 1            | 0.2 | 0.0- 0.6   |                     |     |            | 28   | 2.3  | 1.3- 3.3   |
| College Graduate    | 1242              | 92,944  | 1150       | 94.2 | 92.8-95.6  | 65          | 3.9 | 2.7- 5.1   | 8             | 0.7 | 0.1- 1.3   |              |     |            |              |     |            | 2                   | 0.2 | 0.0- 0.4   | 17   | 1.0  | 0.4- 1.6   |
| Less than \$15,000  | 81                | 10,735  | 72         | 79.9 | 63.2-96.6  | 1           | 3.5 | 0.0-10.4   |               |     |            |              |     |            |              |     |            |                     |     |            | 8    | 16.6 | 0.5-32.0   |
| \$15,000- 24,999    | 192               | 22,634  | 171        | 91.7 | 87.6-95.8  | 9           | 3.2 | 0.8- 5.6   | 1             | 0.3 | 0.0- 0.9   |              |     |            |              |     |            |                     |     |            | 11   | 4.9  | 1.6- 8.2   |
| \$25,000- 34,999    | 252               | 24,824  | 220        | 88.2 | 82.7-93.7  | 17          | 6.7 | 2.0-11.4   | 1             | 0.5 | 0.0- 1.5   |              |     |            |              |     |            |                     |     |            | 14   | 4.5  | 1.6- 7.4   |
| \$35,000- 49,999    | 333               | 31,490  | 299        | 89.5 | 85.6-93.4  | 23          | 6.3 | 3.2- 9.4   | 1             | 0.2 | 0.0- 0.6   |              |     |            |              |     |            |                     |     |            | 10   | 4.0  | 1.5- 6.6   |
| \$50,000- 99,999    | 745               | 74,274  | 678        | 92.6 | 90.6-94.6  | 55          | 5.8 | 4.0- 7.6   | 6             | 0.7 | 0.0- 1.5   |              |     |            |              |     |            |                     |     |            | 6    | 0.9  | 0.1- 1.7   |
| \$100,000 - 199,999 | 495               | 52,358  | 471        | 96.9 | 95.3-98.5  | 19          | 2.0 | 0.8- 3.2   | 2             | 0.3 | 0.0- 0.7   | 1            | 0.2 | 0.0- 0.6   | 1            | 0.4 | 0.0- 1.2   | 1                   | 0.2 | 0.0- 0.6   |      |      |            |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | N   | Yes  |            | N    | No   |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED |     | %    | C.I. (95%) |      | %    | C.I. (95%) |
| TOTAL                 | 5721              | 604,394  | 701 | 10.6 | 9.6-11.6   | 5020 | 89.4 | 88.4-90.4  |
| Male                  | 2800              | 308,483  | 621 | 18.2 | 16.6-19.8  | 2179 | 81.8 | 80.2-83.4  |
| Female                | 2921              | 295,911  | 80  | 2.7  | 1.9- 3.5   | 2841 | 97.3 | 96.5-98.1  |
| Native                | 163               | 24,605   | 19  | 10.6 | 4.3-16.9   | 144  | 89.4 | 83.1-95.7  |
| Non-Native            | 5471              | 570,086  | 664 | 10.5 | 9.5-11.5   | 4807 | 89.5 | 88.5-90.5  |
| 18-24                 | 308               | 85,750   | 20  | 6.8  | 3.7- 9.9   | 288  | 93.2 | 90.1-96.3  |
| 25-34                 | 580               | 108,491  | 34  | 6.0  | 3.8- 8.2   | 546  | 94.0 | 91.8-96.2  |
| 35-44                 | 751               | 102,862  | 65  | 8.1  | 5.9-10.3   | 686  | 91.9 | 89.7-94.1  |
| 45-54                 | 815               | 80,849   | 79  | 9.7  | 7.3-12.1   | 736  | 90.3 | 87.9-92.7  |
| 55-64                 | 964               | 88,683   | 110 | 12.7 | 10.2-15.2  | 854  | 87.3 | 84.8-89.8  |
| 65+                   | 2303              | 137,760  | 393 | 17.8 | 15.8-19.8  | 1910 | 82.2 | 80.2-84.2  |
| Less Than H.S.        | 170               | 42,853   | 21  | 7.6  | 4.1-11.1   | 149  | 92.4 | 88.9-95.9  |
| H.S. or G.E.D.        | 1442              | 159,435  | 186 | 11.2 | 9.2-13.2   | 1256 | 88.8 | 86.8-90.8  |
| Some Post-H.S.        | 1773              | 230,881  | 230 | 11.5 | 9.7-13.3   | 1543 | 88.5 | 86.7-90.3  |
| College Graduate      | 2317              | 169,297  | 260 | 9.3  | 7.9-10.7   | 2057 | 90.7 | 89.3-92.1  |
| Less than \$15,000    | 148               | 18,175   | 15  | 8.7  | 2.0-15.4   | 133  | 91.3 | 84.6-98.0  |
| \$15,000- 24,999      | 310               | 36,282   | 37  | 10.3 | 5.8-14.8   | 273  | 89.7 | 85.2-94.2  |
| \$25,000- 34,999      | 458               | 49,046   | 62  | 11.4 | 8.1-14.7   | 396  | 88.6 | 85.3-91.9  |
| \$35,000- 49,999      | 630               | 61,458   | 105 | 13.1 | 10.2-16.0  | 525  | 86.9 | 84.0-89.8  |
| \$50,000- 99,999      | 1554              | 164,681  | 196 | 11.6 | 9.6-13.6   | 1358 | 88.4 | 86.4-90.4  |
| \$100,000 - 199,999   | 1149              | 124,060  | 145 | 11.6 | 9.4-13.8   | 1004 | 88.4 | 86.2-90.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2800              | 308,483  | 621 | 18.2 | 16.6-19.8  | 2179 | 81.8 | 80.2-83.4  |
| Native                | 70                | 10,909   | 14  | 20.4 | 7.7-33.1   | 56   | 79.6 | 66.9-92.3  |
| Non-Native            | 2680              | 292,373  | 593 | 18.0 | 16.2-19.8  | 2087 | 82.0 | 80.2-83.8  |
| 18-24                 | 178               | 45,353   | 15  | 8.7  | 4.2-13.2   | 163  | 91.3 | 86.8-95.8  |
| 25-34                 | 317               | 58,044   | 28  | 9.5  | 5.8-13.2   | 289  | 90.5 | 86.8-94.2  |
| 35-44                 | 417               | 53,206   | 56  | 13.9 | 10.0-17.8  | 361  | 86.1 | 82.2-90.0  |
| 45-54                 | 420               | 42,086   | 67  | 16.0 | 12.1-19.9  | 353  | 84.0 | 80.1-87.9  |
| 55-64                 | 455               | 45,473   | 89  | 21.3 | 16.8-25.8  | 366  | 78.7 | 74.2-83.2  |
| 65+                   | 1013              | 64,322   | 366 | 35.8 | 32.3-39.3  | 647  | 64.2 | 60.7-67.7  |
| Less Than H.S.        | 95                | 23,668   | 21  | 13.7 | 7.2-20.2   | 74   | 86.3 | 79.8-92.8  |
| H.S. or G.E.D.        | 773               | 89,871   | 179 | 19.0 | 15.9-22.1  | 594  | 81.0 | 77.9-84.1  |
| Some Post-H.S.        | 858               | 118,053  | 206 | 19.4 | 16.5-22.3  | 652  | 80.6 | 77.7-83.5  |
| College Graduate      | 1064              | 75,513   | 211 | 16.5 | 14.0-19.0  | 853  | 83.5 | 81.0-86.0  |
| Less than \$15,000    | 67                | 7,440    | 11  | 10.9 | 2.5-19.3   | 56   | 89.1 | 80.7-97.5  |
| \$15,000- 24,999      | 117               | 13,586   | 29  | 19.6 | 10.4-28.8  | 88   | 80.4 | 71.2-89.6  |
| \$25,000- 34,999      | 205               | 24,089   | 60  | 22.5 | 15.8-29.2  | 145  | 77.5 | 70.8-84.2  |
| \$35,000- 49,999      | 297               | 29,968   | 95  | 24.4 | 18.9-29.9  | 202  | 75.6 | 70.1-81.1  |
| \$50,000- 99,999      | 809               | 90,407   | 172 | 18.3 | 15.2-21.4  | 637  | 81.7 | 78.6-84.8  |
| \$100,000 - 199,999   | 653               | 71,495   | 135 | 19.0 | 15.5-22.5  | 518  | 81.0 | 77.5-84.5  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |       |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %     | C.I. (95%) |
| Female                | 2921              | 295,911  | 80  | 2.7 | 1.9- 3.5   | 2841 | 97.3  | 96.5-98.1  |
| Native                | 93                | 13,696   | 5   | 2.7 | 0.0- 5.6   | 88   | 97.3  | 94.4- 100  |
| Non-Native            | 2791              | 277,713  | 71  | 2.6 | 1.8- 3.4   | 2720 | 97.4  | 96.6-98.2  |
| 18-24                 | 130               | 40,397   | 5   | 4.5 | 0.4- 8.6   | 125  | 95.5  | 91.4-99.6  |
| 25-34                 | 263               | 50,447   | 6   | 2.0 | 0.4- 3.6   | 257  | 98.0  | 96.4-99.6  |
| 35-44                 | 334               | 49,656   | 9   | 1.8 | 0.4- 3.2   | 325  | 98.2  | 96.8-99.6  |
| 45-54                 | 395               | 38,763   | 12  | 2.8 | 1.0- 4.6   | 383  | 97.2  | 95.4-99.0  |
| 55-64                 | 509               | 43,210   | 21  | 3.6 | 1.8- 5.4   | 488  | 96.4  | 94.6-98.2  |
| 65+                   | 1290              | 73,438   | 27  | 2.0 | 1.0- 3.0   | 1263 | 98.0  | 97.0-99.0  |
| Less Than H.S.        | 75                | 19,185   |     |     |            | 75   | 100.0 | 100.0- 100 |
| H.S. or G.E.D.        | 669               | 69,564   | 7   | 1.1 | 0.1- 2.1   | 662  | 98.9  | 97.9-99.9  |
| Some Post-H.S.        | 915               | 112,827  | 24  | 3.3 | 1.5- 5.1   | 891  | 96.7  | 94.9-98.5  |
| College Graduate      | 1253              | 93,784   | 49  | 3.6 | 2.4- 4.8   | 1204 | 96.4  | 95.2-97.6  |
| Less than \$15,000    | 81                | 10,735   | 4   | 7.1 | 0.0-16.9   | 77   | 92.9  | 83.1- 100  |
| \$15,000- 24,999      | 193               | 22,697   | 8   | 4.8 | 0.5- 9.1   | 185  | 95.2  | 90.9-99.5  |
| \$25,000- 34,999      | 253               | 24,958   | 2   | 0.7 | 0.0- 1.7   | 251  | 99.3  | 98.3- 100  |
| \$35,000- 49,999      | 333               | 31,490   | 10  | 2.3 | 0.5- 4.1   | 323  | 97.7  | 95.9-99.5  |
| \$50,000- 99,999      | 745               | 74,274   | 24  | 3.5 | 1.7- 5.3   | 721  | 96.5  | 94.7-98.3  |
| \$100,000 - 199,999   | 496               | 52,565   | 10  | 1.6 | 0.6- 2.6   | 486  | 98.4  | 97.4-99.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Employed or Self-Employed |      |            | Out of Work |      |            | Homemaker |     |            | Student |      |            | Retired |      |            | Unable to Work |      |            |
|---------------------|-------------------|----------|---------------------------|------|------------|-------------|------|------------|-----------|-----|------------|---------|------|------------|---------|------|------------|----------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                         | %    | C.I. (95%) | N           | %    | C.I. (95%) | N         | %   | C.I. (95%) | N       | %    | C.I. (95%) | N       | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| TOTAL               | 5646              | 593,240  | 3082                      | 63.5 | 61.9-65.1  | 115         | 3.1  | 2.3- 3.9   | 172       | 3.5 | 2.9- 4.1   | 112     | 4.8  | 3.8- 5.8   | 1948    | 20.6 | 19.4-21.8  | 217            | 4.5  | 3.7- 5.3   |
| Male                | 2762              | 302,549  | 1727                      | 70.2 | 68.0-72.4  | 67          | 3.5  | 2.5- 4.5   | 3         | 0.1 | 0.0- 0.3   | 53      | 4.2  | 2.8- 5.6   | 828     | 18.3 | 16.9-19.7  | 84             | 3.6  | 2.6- 4.6   |
| Female              | 2884              | 290,691  | 1355                      | 56.5 | 54.1-58.9  | 48          | 2.6  | 1.6- 3.6   | 169       | 7.1 | 5.9- 8.3   | 59      | 5.3  | 3.9- 6.7   | 1120    | 23.1 | 21.5-24.7  | 133            | 5.4  | 4.0- 6.8   |
| Native              | 163               | 24,485   | 86                        | 57.9 | 47.7-68.1  | 10          | 7.8  | 1.5-14.1   | 4         | 2.2 | 0.0- 4.4   | 7       | 6.2  | 1.3-11.1   | 37      | 11.3 | 6.6-16.0   | 19             | 14.6 | 5.6-23.6   |
| Non-Native          | 5403              | 560,142  | 2955                      | 63.9 | 62.3-65.5  | 103         | 2.9  | 2.3- 3.5   | 162       | 3.4 | 2.8- 4.0   | 104     | 4.7  | 3.7- 5.7   | 1883    | 21.0 | 19.8-22.2  | 196            | 4.1  | 3.3- 4.9   |
| 18-24               | 301               | 83,298   | 199                       | 61.9 | 55.6-68.2  | 16          | 5.5  | 2.6- 8.4   | 2         | 0.9 | 0.0- 2.3   | 77      | 27.9 | 22.0-33.8  |         |      |            | 7              | 3.7  | 1.0- 6.4   |
| 25-34               | 563               | 105,568  | 489                       | 83.9 | 80.2-87.6  | 23          | 5.4  | 2.9- 7.9   | 25        | 4.8 | 2.8- 6.8   | 16      | 2.4  | 1.2- 3.6   |         |      |            | 10             | 3.6  | 1.2- 6.0   |
| 35-44               | 744               | 102,002  | 654                       | 86.1 | 83.2-89.0  | 21          | 3.1  | 1.7- 4.5   | 29        | 4.6 | 2.6- 6.6   | 14      | 1.9  | 0.7- 3.1   | 2       | 0.5  | 0.0- 1.3   | 24             | 3.8  | 2.0- 5.6   |
| 45-54               | 799               | 79,445   | 691                       | 84.6 | 81.5-87.7  | 19          | 2.7  | 1.3- 4.1   | 27        | 4.0 | 2.2- 5.8   | 2       | 0.4  | 0.0- 1.0   | 27      | 4.4  | 2.6- 6.2   | 33             | 4.0  | 2.4- 5.6   |
| 55-64               | 945               | 85,703   | 637                       | 66.4 | 62.9-69.9  | 21          | 2.0  | 1.0- 3.0   | 30        | 3.4 | 2.0- 4.8   | 2       | 0.2  | 0.0- 0.6   | 164     | 16.8 | 14.1-19.5  | 91             | 11.2 | 8.7-13.7   |
| 65+                 | 2294              | 137,223  | 412                       | 18.1 | 16.1-20.1  | 15          | 0.6  | 0.2- 1.0   | 59        | 3.1 | 2.1- 4.1   | 1       | 0.0  | 0.0- 0.0   | 1755    | 75.8 | 73.6-78.0  | 52             | 2.4  | 1.6- 3.2   |
| Less Than H.S.      | 167               | 41,859   | 58                        | 42.9 | 33.5-52.3  | 9           | 8.0  | 2.5-13.5   | 16        | 8.2 | 3.5-12.9   | 4       | 6.2  | 0.0-12.5   | 57      | 17.7 | 12.4-23.0  | 23             | 17.0 | 9.7-24.3   |
| H.S. or G.E.D.      | 1417              | 155,796  | 713                       | 62.5 | 59.4-65.6  | 45          | 4.2  | 2.8- 5.6   | 49        | 3.4 | 2.2- 4.6   | 26      | 4.6  | 2.6- 6.6   | 512     | 20.7 | 18.5-22.9  | 72             | 4.6  | 3.2- 6.0   |
| Some Post-H.S.      | 1754              | 227,002  | 912                       | 62.0 | 59.3-64.7  | 29          | 2.4  | 1.4- 3.4   | 59        | 3.5 | 2.5- 4.5   | 51      | 6.4  | 4.6- 8.2   | 623     | 21.6 | 19.6-23.6  | 80             | 4.2  | 3.0- 5.4   |
| College Graduate    | 2293              | 167,038  | 1392                      | 71.9 | 69.9-73.9  | 32          | 1.7  | 1.1- 2.3   | 48        | 2.6 | 1.8- 3.4   | 31      | 2.4  | 1.4- 3.4   | 750     | 20.1 | 18.5-21.7  | 40             | 1.3  | 0.9- 1.7   |
| Less than \$15,000  | 145               | 17,874   | 25                        | 22.0 | 13.0-31.0  | 16          | 14.5 | 5.7-23.3   | 3         | 1.8 | 0.0- 4.0   | 12      | 14.3 | 5.7-22.9   | 40      | 11.8 | 6.7-16.9   | 49             | 35.6 | 23.8-47.4  |
| \$15,000- 24,999    | 308               | 35,983   | 79                        | 33.2 | 26.1-40.3  | 16          | 8.9  | 3.8-14.0   | 12        | 3.2 | 1.4- 5.0   | 20      | 13.0 | 7.5-18.5   | 135     | 26.4 | 20.9-31.9  | 46             | 15.4 | 10.1-20.7  |
| \$25,000- 34,999    | 456               | 48,493   | 171                       | 52.0 | 45.7-58.3  | 18          | 4.8  | 1.9- 7.7   | 11        | 2.9 | 0.7- 5.1   | 14      | 6.8  | 3.3-10.3   | 212     | 26.1 | 21.6-30.6  | 30             | 7.3  | 3.8-10.8   |
| \$35,000- 49,999    | 628               | 61,122   | 271                       | 56.9 | 52.0-61.8  | 9           | 2.7  | 0.9- 4.5   | 13        | 2.2 | 0.8- 3.6   | 5       | 1.7  | 0.1- 3.3   | 309     | 32.2 | 28.1-36.3  | 21             | 4.4  | 2.0- 6.8   |
| \$50,000- 99,999    | 1543              | 162,419  | 949                       | 71.2 | 68.5-73.9  | 18          | 1.5  | 0.7- 2.3   | 43        | 3.4 | 2.2- 4.6   | 14      | 2.7  | 0.9- 4.5   | 499     | 19.5 | 17.5-21.5  | 20             | 1.7  | 0.7- 2.7   |
| \$100,000 - 199,999 | 1148              | 123,904  | 889                       | 81.7 | 79.0-84.4  | 14          | 1.9  | 0.5- 3.3   | 26        | 3.0 | 1.4- 4.6   | 13      | 2.2  | 0.8- 3.6   | 200     | 10.5 | 8.7-12.3   | 6              | 0.6  | 0.0- 1.2   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Employed or Self-Employed |      |            | Out of Work |      |            | Homemaker |     |            | Student |      |            | Retired |      |            | Unable to Work |      |            |
|---------------------|-------------------|----------|---------------------------|------|------------|-------------|------|------------|-----------|-----|------------|---------|------|------------|---------|------|------------|----------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                         | %    | C.I. (95%) | N           | %    | C.I. (95%) | N         | %   | C.I. (95%) | N       | %    | C.I. (95%) | N       | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Male                | 2762              | 302,549  | 1727                      | 70.2 | 68.0-72.4  | 67          | 3.5  | 2.5- 4.5   | 3         | 0.1 | 0.0- 0.3   | 53      | 4.2  | 2.8- 5.6   | 828     | 18.3 | 16.9-19.7  | 84             | 3.6  | 2.6- 4.6   |
| Native              | 69                | 10,737   | 36                        | 53.6 | 38.7-68.5  | 6           | 11.5 | 0.0-23.5   | 1         | 0.9 | 0.0- 2.7   | 4       | 8.6  | 0.0-17.2   | 16      | 12.7 | 4.5-20.9   | 6              | 12.7 | 1.3-24.1   |
| Non-Native          | 2648              | 287,584  | 1662                      | 70.9 | 68.7-73.1  | 61          | 3.2  | 2.2- 4.2   | 2         | 0.1 | 0.0- 0.3   | 48      | 4.1  | 2.7- 5.5   | 797     | 18.4 | 16.8-20.0  | 78             | 3.3  | 2.3- 4.3   |
| 18-24               | 174               | 43,759   | 118                       | 65.0 | 56.8-73.2  | 12          | 6.9  | 2.6-11.2   | 1         | 0.4 | 0.0- 1.2   | 39      | 24.3 | 16.7-31.9  |         |      |            | 4              | 3.4  | 0.1- 6.7   |
| 25-34               | 308               | 56,673   | 285                       | 90.0 | 85.5-94.5  | 13          | 5.9  | 2.2- 9.6   |           |     |            | 6       | 1.8  | 0.2- 3.4   |         |      |            | 4              | 2.2  | 0.0- 4.6   |
| 35-44               | 414               | 52,806   | 389                       | 92.8 | 89.9-95.7  | 10          | 2.7  | 0.9- 4.5   | 1         | 0.2 | 0.0- 0.6   | 6       | 1.8  | 0.0- 3.6   | 1       | 0.6  | 0.0- 1.8   | 7              | 1.8  | 0.4- 3.2   |
| 45-54               | 411               | 41,340   | 373                       | 90.3 | 87.0-93.6  | 11          | 2.6  | 0.8- 4.4   |           |     |            | 1       | 0.5  | 0.0- 1.5   | 10      | 2.1  | 0.7- 3.5   | 16             | 4.6  | 2.1- 7.1   |
| 55-64               | 444               | 43,631   | 320                       | 71.7 | 66.8-76.6  | 11          | 2.3  | 0.7- 3.9   | 1         | 0.1 | 0.0- 0.3   | 1       | 0.1  | 0.0- 0.3   | 74      | 16.0 | 12.1-19.9  | 37             | 9.8  | 6.3-13.3   |
| 65+                 | 1011              | 64,340   | 242                       | 24.0 | 20.9-27.1  | 10          | 1.0  | 0.2- 1.8   |           |     |            |         |      |            | 743     | 73.3 | 70.0-76.6  | 16             | 1.7  | 0.7- 2.7   |
| Less Than H.S.      | 93                | 23,024   | 44                        | 53.7 | 41.2-66.2  | 4           | 9.2  | 0.6-17.8   |           |     |            | 3       | 8.7  | 0.0-18.9   | 33      | 18.5 | 11.2-25.8  | 9              | 10.0 | 3.1-16.9   |
| H.S. or G.E.D.      | 758               | 87,475   | 462                       | 70.5 | 66.8-74.2  | 29          | 4.4  | 2.6- 6.2   | 2         | 0.3 | 0.0- 0.7   | 14      | 3.6  | 1.6- 5.6   | 219     | 17.1 | 14.6-19.6  | 32             | 4.1  | 2.3- 5.9   |
| Some Post-H.S.      | 848               | 116,131  | 519                       | 69.8 | 66.3-73.3  | 18          | 2.8  | 1.2- 4.4   |           |     |            | 24      | 5.4  | 3.0- 7.8   | 255     | 18.7 | 16.2-21.2  | 32             | 3.2  | 2.0- 4.4   |
| College Graduate    | 1054              | 74,624   | 697                       | 76.3 | 73.6-79.0  | 16          | 1.8  | 0.8- 2.8   | 1         | 0.1 | 0.0- 0.3   | 12      | 2.0  | 0.8- 3.2   | 319     | 19.2 | 16.8-21.6  | 9              | 0.7  | 0.3- 1.1   |
| Less than \$15,000  | 64                | 7,139    | 15                        | 32.7 | 18.0-47.4  | 9           | 21.4 | 4.9-37.9   |           |     |            | 3       | 5.2  | 0.0-10.9   | 18      | 14.2 | 5.4-23.0   | 19             | 26.5 | 13.8-39.2  |
| \$15,000- 24,999    | 115               | 13,286   | 35                        | 35.0 | 23.4-46.6  | 8           | 13.0 | 2.2-23.8   | 1         | 0.8 | 0.0- 2.4   | 7       | 10.9 | 3.1-18.7   | 47      | 26.2 | 17.0-35.4  | 17             | 14.2 | 6.8-21.6   |
| \$25,000- 34,999    | 204               | 23,604   | 86                        | 50.3 | 41.5-59.1  | 13          | 8.1  | 2.4-13.8   | 1         | 0.7 | 0.0- 2.1   | 9       | 8.9  | 3.2-14.6   | 80      | 23.4 | 17.1-29.7  | 15             | 8.7  | 3.0-14.4   |
| \$35,000- 49,999    | 296               | 29,762   | 128                       | 57.1 | 50.4-63.8  | 6           | 3.0  | 0.5- 5.5   |           |     |            | 3       | 2.1  | 0.0- 4.6   | 153     | 35.3 | 29.2-41.4  | 6              | 2.6  | 0.6- 4.6   |
| \$50,000- 99,999    | 801               | 88,816   | 530                       | 76.1 | 72.6-79.6  | 9           | 1.3  | 0.3- 2.3   | 1         | 0.1 | 0.0- 0.3   | 7       | 2.4  | 0.0- 4.8   | 248     | 18.9 | 16.2-21.6  | 6              | 1.2  | 0.0- 2.4   |
| \$100,000 - 199,999 | 653               | 71,471   | 523                       | 84.8 | 81.7-87.9  | 7           | 1.6  | 0.4- 2.8   |           |     |            | 10      | 3.2  | 1.0- 5.4   | 112     | 10.1 | 7.9-12.3   | 1              | 0.3  | 0.0- 0.9   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Employed or Self-Employed |      |            | Out of Work |      |            | Homemaker |      |            | Student |      |            | Retired |      |            | Unable to Work |      |            |
|---------------------|-------------------|----------|---------------------------|------|------------|-------------|------|------------|-----------|------|------------|---------|------|------------|---------|------|------------|----------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                         | %    | C.I. (95%) | N           | %    | C.I. (95%) | N         | %    | C.I. (95%) | N       | %    | C.I. (95%) | N       | %    | C.I. (95%) | N              | %    | C.I. (95%) |
| Female              | 2884              | 290,691  | 1355                      | 56.5 | 54.1-58.9  | 48          | 2.6  | 1.6- 3.6   | 169       | 7.1  | 5.9- 8.3   | 59      | 5.3  | 3.9- 6.7   | 1120    | 23.1 | 21.5-24.7  | 133            | 5.4  | 4.0- 6.8   |
| Native              | 94                | 13,748   | 50                        | 61.2 | 47.5-74.9  | 4           | 4.9  | 0.0-10.8   | 3         | 3.2  | 0.0- 6.7   | 3       | 4.3  | 0.0- 9.4   | 21      | 10.2 | 4.5-15.9   | 13             | 16.1 | 3.0-29.2   |
| Non-Native          | 2755              | 272,558  | 1293                      | 56.6 | 54.2-59.0  | 42          | 2.5  | 1.5- 3.5   | 160       | 6.9  | 5.7- 8.1   | 56      | 5.4  | 3.8- 7.0   | 1086    | 23.8 | 22.0-25.6  | 118            | 4.9  | 3.7- 6.1   |
| 18-24               | 127               | 39,539   | 81                        | 58.5 | 49.1-67.9  | 4           | 4.0  | 0.0- 8.1   | 1         | 1.5  | 0.0- 4.4   | 38      | 31.9 | 23.1-40.7  |         |      |            | 3              | 4.1  | 0.0- 8.6   |
| 25-34               | 255               | 48,895   | 204                       | 76.7 | 70.4-83.0  | 10          | 4.8  | 1.7- 7.9   | 25        | 10.4 | 6.5-14.3   | 10      | 3.0  | 1.0- 5.0   |         |      |            | 6              | 5.1  | 0.6- 9.6   |
| 35-44               | 330               | 49,197   | 265                       | 78.9 | 73.8-84.0  | 11          | 3.6  | 1.2- 6.0   | 28        | 9.3  | 5.6-13.0   | 8       | 2.0  | 0.4- 3.6   | 1       | 0.3  | 0.0- 0.9   | 17             | 5.9  | 2.8- 9.0   |
| 45-54               | 388               | 38,105   | 318                       | 78.4 | 73.3-83.5  | 8           | 2.8  | 0.6- 5.0   | 27        | 8.3  | 4.8-11.8   | 1       | 0.2  | 0.0- 0.6   | 17      | 6.9  | 3.4-10.4   | 17             | 3.4  | 1.6- 5.2   |
| 55-64               | 501               | 42,072   | 317                       | 60.8 | 55.7-65.9  | 10          | 1.6  | 0.4- 2.8   | 29        | 6.8  | 4.1- 9.5   | 1       | 0.4  | 0.0- 1.2   | 90      | 17.6 | 13.9-21.3  | 54             | 12.7 | 9.0-16.4   |
| 65+                 | 1283              | 72,882   | 170                       | 12.9 | 10.7-15.1  | 5           | 0.2  | 0.0- 0.4   | 59        | 5.9  | 4.1- 7.7   | 1       | 0.0  | 0.0- 0.0   | 1012    | 78.0 | 75.3-80.7  | 36             | 3.0  | 1.8- 4.2   |
| Less Than H.S.      | 74                | 18,836   | 14                        | 29.7 | 15.8-43.6  | 5           | 6.6  | 0.3-12.9   | 16        | 18.2 | 8.0-28.4   | 1       | 3.2  | 0.0- 9.3   | 24      | 16.8 | 9.0-24.6   | 14             | 25.5 | 12.4-38.6  |
| H.S. or G.E.D.      | 659               | 68,321   | 251                       | 52.3 | 47.2-57.4  | 16          | 4.0  | 1.5- 6.5   | 47        | 7.3  | 4.8- 9.8   | 12      | 5.8  | 2.3- 9.3   | 293     | 25.3 | 21.8-28.8  | 40             | 5.3  | 3.1- 7.5   |
| Some Post-H.S.      | 906               | 110,871  | 393                       | 53.8 | 49.7-57.9  | 11          | 1.9  | 0.5- 3.3   | 59        | 7.1  | 5.1- 9.1   | 27      | 7.4  | 4.7-10.1   | 368     | 24.6 | 21.7-27.5  | 48             | 5.2  | 3.4- 7.0   |
| College Graduate    | 1239              | 92,414   | 695                       | 68.4 | 65.5-71.3  | 16          | 1.6  | 0.6- 2.6   | 47        | 4.6  | 3.0- 6.2   | 19      | 2.8  | 1.4- 4.2   | 431     | 20.8 | 18.6-23.0  | 31             | 1.7  | 1.1- 2.3   |
| Less than \$15,000  | 81                | 10,735   | 10                        | 14.9 | 3.9-25.9   | 7           | 10.0 | 1.2-18.8   | 3         | 3.0  | 0.0- 6.7   | 9       | 20.3 | 6.8-33.8   | 22      | 10.1 | 4.2-16.0   | 30             | 41.7 | 25.0-58.4  |
| \$15,000- 24,999    | 193               | 22,697   | 44                        | 32.1 | 23.1-41.1  | 8           | 6.5  | 1.6-11.4   | 11        | 4.7  | 2.0- 7.4   | 13      | 14.2 | 6.8-21.6   | 88      | 26.5 | 19.8-33.2  | 29             | 16.0 | 8.7-23.3   |
| \$25,000- 34,999    | 252               | 24,889   | 85                        | 53.7 | 45.1-62.3  | 5           | 1.6  | 0.0- 3.2   | 10        | 5.1  | 1.2- 9.0   | 5       | 4.9  | 0.6- 9.2   | 132     | 28.6 | 22.1-35.1  | 15             | 6.1  | 1.8-10.4   |
| \$35,000- 49,999    | 332               | 31,360   | 143                       | 56.7 | 49.8-63.6  | 3           | 2.4  | 0.0- 5.1   | 13        | 4.3  | 1.6- 7.0   | 2       | 1.2  | 0.0- 3.2   | 156     | 29.2 | 23.7-34.7  | 15             | 6.2  | 2.1-10.3   |
| \$50,000- 99,999    | 742               | 73,603   | 419                       | 65.3 | 61.0-69.6  | 9           | 1.8  | 0.2- 3.4   | 42        | 7.4  | 4.9- 9.9   | 7       | 3.1  | 0.4- 5.8   | 251     | 20.1 | 17.2-23.0  | 14             | 2.2  | 0.6- 3.8   |
| \$100,000 - 199,999 | 495               | 52,432   | 366                       | 77.4 | 72.7-82.1  | 7           | 2.3  | 0.0- 4.8   | 26        | 7.2  | 3.7-10.7   | 3       | 0.9  | 0.0- 2.1   | 88      | 11.0 | 8.5-13.5   | 5              | 1.1  | 0.0- 2.3   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**

**SECTION 8: DEMOGRAPHICS**

**TABLE 40: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**

Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |              |      |            |                |      |            |               |     |            |                       |     |            |             |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|-------------|------|------------|
|                     |                   |          | One Child                        |      |            | Two Children |      |            | Three Children |      |            | Four Children |     |            | Five or More Children |     |            | No Children |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N            | %    | C.I. (95%) | N              | %    | C.I. (95%) | N             | %   | C.I. (95%) | N                     | %   | C.I. (95%) | N           | %    | C.I. (95%) |
| TOTAL               | 5551              | 584,173  | 501                              | 11.9 | 10.7-13.1  | 452          | 11.4 | 10.2-12.6  | 212            | 5.5  | 4.5- 6.5   | 88            | 2.4 | 1.8- 3.0   | 44                    | 1.1 | 0.7- 1.5   | 4254        | 67.7 | 65.9-69.5  |
| Male                | 2712              | 298,727  | 225                              | 10.3 | 8.7-11.9   | 226          | 11.0 | 9.4-12.6   | 121            | 5.8  | 4.4- 7.2   | 48            | 2.1 | 1.5- 2.7   | 20                    | 0.9 | 0.5- 1.3   | 2072        | 69.8 | 67.4-72.2  |
| Female              | 2839              | 285,445  | 276                              | 13.6 | 11.8-15.4  | 226          | 11.8 | 10.0-13.6  | 91             | 5.1  | 3.9- 6.3   | 40            | 2.7 | 1.7- 3.7   | 24                    | 1.4 | 0.8- 2.0   | 2182        | 65.4 | 62.9-67.9  |
| Native              | 160               | 23,907   | 27                               | 20.1 | 10.9-29.3  | 12           | 5.6  | 1.9- 9.3   | 15             | 13.4 | 6.1-20.7   | 8             | 7.7 | 1.8-13.6   | 2                     | 2.2 | 0.0- 5.1   | 96          | 51.0 | 40.8-61.2  |
| Non-Native          | 5317              | 552,191  | 468                              | 11.5 | 10.3-12.7  | 433          | 11.6 | 10.4-12.8  | 194            | 5.1  | 4.1- 6.1   | 79            | 2.2 | 1.6- 2.8   | 42                    | 1.1 | 0.7- 1.5   | 4101        | 68.4 | 66.6-70.2  |
| 18-24               | 298               | 83,502   | 37                               | 13.8 | 8.9-18.7   | 20           | 7.9  | 4.4-11.4   | 6              | 3.2  | 0.7- 5.7   | 2             | 0.6 | 0.0- 1.4   | 2                     | 0.5 | 0.0- 1.3   | 231         | 74.0 | 68.1-79.9  |
| 25-34               | 555               | 104,169  | 91                               | 16.5 | 13.0-20.0  | 97           | 18.0 | 14.5-21.5  | 36             | 7.2  | 4.5- 9.9   | 20            | 4.4 | 2.2- 6.6   | 7                     | 1.3 | 0.3- 2.3   | 304         | 52.5 | 47.8-57.2  |
| 35-44               | 711               | 97,521   | 123                              | 17.4 | 14.3-20.5  | 206          | 29.6 | 25.7-33.5  | 116            | 16.2 | 13.1-19.3  | 45            | 6.5 | 4.3- 8.7   | 26                    | 4.3 | 2.5- 6.1   | 195         | 26.0 | 22.5-29.5  |
| 45-54               | 776               | 77,449   | 170                              | 21.3 | 18.0-24.6  | 99           | 12.6 | 9.9-15.3   | 43             | 5.6  | 3.6- 7.6   | 13            | 1.5 | 0.5- 2.5   | 7                     | 0.7 | 0.1- 1.3   | 444         | 58.2 | 54.3-62.1  |
| 55-64               | 928               | 84,860   | 48                               | 6.0  | 4.0- 8.0   | 22           | 2.2  | 1.2- 3.2   | 7              | 1.6  | 0.0- 3.2   | 6             | 1.2 | 0.0- 2.4   | 1                     | 0.1 | 0.0- 0.3   | 844         | 88.9 | 86.2-91.6  |
| 65+                 | 2283              | 136,672  | 32                               | 1.7  | 1.1- 2.3   | 8            | 0.6  | 0.2- 1.0   | 4              | 0.2  | 0.0- 0.4   | 2             | 0.3 | 0.0- 0.7   | 1                     | 0.0 | 0.0- 0.0   | 2236        | 97.2 | 96.2-98.2  |
| Less Than H.S.      | 167               | 42,130   | 19                               | 18.3 | 9.7-26.9   | 13           | 10.0 | 4.3-15.7   | 5              | 6.1  | 0.6-11.6   | 1             | 1.0 | 0.0- 3.0   | 3                     | 1.8 | 0.0- 4.0   | 126         | 62.8 | 53.2-72.4  |
| H.S. or G.E.D.      | 1401              | 154,323  | 119                              | 12.2 | 9.8-14.6   | 78           | 8.5  | 6.5-10.5   | 39             | 4.8  | 3.0- 6.6   | 15            | 2.0 | 0.8- 3.2   | 5                     | 0.5 | 0.1- 0.9   | 1145        | 72.0 | 68.9-75.1  |
| Some Post-H.S.      | 1723              | 223,579  | 130                              | 10.0 | 8.2-11.8   | 146          | 12.8 | 10.6-15.0  | 57             | 4.7  | 3.3- 6.1   | 27            | 2.5 | 1.5- 3.5   | 13                    | 1.0 | 0.4- 1.6   | 1350        | 68.9 | 66.2-71.6  |
| College Graduate    | 2246              | 162,503  | 232                              | 12.7 | 10.9-14.5  | 214          | 12.7 | 10.9-14.5  | 109            | 6.6  | 5.2- 8.0   | 44            | 3.0 | 2.0- 4.0   | 23                    | 1.7 | 0.9- 2.5   | 1624        | 63.3 | 60.9-65.7  |
| Less than \$15,000  | 146               | 17,891   | 7                                | 10.9 | 0.9-20.9   | 4            | 6.5  | 0.0-13.6   |                |      |            | 4             | 3.8 | 0.0- 7.7   | 1                     | 0.9 | 0.0- 2.7   | 130         | 77.9 | 66.3-89.5  |
| \$15,000- 24,999    | 310               | 36,282   | 15                               | 7.7  | 3.4-12.0   | 18           | 8.5  | 4.8-12.2   | 3              | 1.3  | 0.0- 2.9   | 1             | 0.5 | 0.0- 1.5   | 2                     | 1.4 | 0.0- 3.6   | 271         | 80.6 | 74.7-86.5  |
| \$25,000- 34,999    | 459               | 49,325   | 26                               | 7.3  | 4.2-10.4   | 17           | 4.9  | 2.2- 7.6   | 12             | 5.6  | 1.9- 9.3   | 3             | 1.9 | 0.0- 4.3   | 3                     | 1.0 | 0.0- 2.2   | 398         | 79.3 | 73.8-84.8  |
| \$35,000- 49,999    | 628               | 61,109   | 36                               | 9.0  | 5.9-12.1   | 31           | 9.1  | 5.4-12.8   | 12             | 2.9  | 1.1- 4.7   | 2             | 0.5 | 0.0- 1.1   | 1                     | 0.2 | 0.0- 0.6   | 546         | 78.3 | 73.6-83.0  |
| \$50,000- 99,999    | 1549              | 164,125  | 141                              | 11.5 | 9.3-13.7   | 125          | 11.5 | 9.3-13.7   | 61             | 5.8  | 4.0- 7.6   | 26            | 2.7 | 1.5- 3.9   | 12                    | 1.2 | 0.4- 2.0   | 1184        | 67.3 | 64.2-70.4  |
| \$100,000 - 199,999 | 1144              | 123,547  | 157                              | 15.3 | 12.8-17.8  | 186          | 20.6 | 17.7-23.5  | 71             | 6.6  | 4.8- 8.4   | 39            | 4.9 | 3.1- 6.7   | 16                    | 1.9 | 0.9- 2.9   | 675         | 50.6 | 47.1-54.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | One Child |      |            | Two Children |      |            | Three Children |      |            | Four Children |     |            | Five or More Children |     |            | No Children |      |            |
|---------------------|-------------------|----------|-----------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|-------------|------|------------|
|                     | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N            | %    | C.I. (95%) | N              | %    | C.I. (95%) | N             | %   | C.I. (95%) | N                     | %   | C.I. (95%) | N           | %    | C.I. (95%) |
| Male                | 2712              | 298,727  | 225       | 10.3 | 8.7-11.9   | 226          | 11.0 | 9.4-12.6   | 121            | 5.8  | 4.4- 7.2   | 48            | 2.1 | 1.5- 2.7   | 20                    | 0.9 | 0.5- 1.3   | 2072        | 69.8 | 67.4-72.2  |
| Native              | 70                | 10,909   | 7         | 8.5  | 1.6-15.4   | 5            | 4.6  | 0.1- 9.1   | 5              | 10.0 | 0.0-20.0   | 5             | 7.0 | 0.3-13.7   | 1                     | 2.5 | 0.0- 7.2   | 47          | 67.5 | 54.2-80.8  |
| Non-Native          | 2599              | 283,576  | 215       | 10.4 | 8.8-12.0   | 218          | 11.3 | 9.7-12.9   | 113            | 5.6  | 4.2- 7.0   | 43            | 1.9 | 1.3- 2.5   | 19                    | 0.9 | 0.5- 1.3   | 1991        | 69.8 | 67.4-72.2  |
| 18-24               | 172               | 44,075   | 18        | 10.8 | 4.7-16.9   | 14           | 9.5  | 4.4-14.6   | 3              | 3.9  | 0.0- 8.2   | 2             | 1.2 | 0.0- 2.8   | 1                     | 0.4 | 0.0- 1.2   | 134         | 74.3 | 66.3-82.3  |
| 25-34               | 303               | 56,000   | 37        | 12.5 | 8.4-16.6   | 39           | 14.1 | 9.8-18.4   | 20             | 7.7  | 3.6-11.8   | 5             | 1.4 | 0.2- 2.6   | 2                     | 0.7 | 0.0- 1.7   | 200         | 63.6 | 57.3-69.9  |
| 35-44               | 395               | 50,302   | 65        | 16.8 | 12.7-20.9  | 102          | 27.2 | 22.3-32.1  | 61             | 15.0 | 11.1-18.9  | 24            | 5.8 | 3.3- 8.3   | 11                    | 3.4 | 1.2- 5.6   | 132         | 31.8 | 26.7-36.9  |
| 45-54               | 399               | 40,207   | 72        | 17.7 | 13.6-21.8  | 55           | 14.0 | 10.1-17.9  | 31             | 6.8  | 4.3- 9.3   | 11            | 2.2 | 0.8- 3.6   | 5                     | 1.1 | 0.0- 2.3   | 225         | 58.1 | 52.6-63.6  |
| 55-64               | 439               | 44,176   | 23        | 6.2  | 3.3- 9.1   | 14           | 3.2  | 1.2- 5.2   | 4              | 2.1  | 0.0- 4.8   | 5             | 2.1 | 0.0- 4.3   | 1                     | 0.2 | 0.0- 0.6   | 392         | 86.2 | 81.7-90.7  |
| 65+                 | 1004              | 63,969   | 10        | 1.1  | 0.3- 1.9   | 2            | 0.2  | 0.0- 0.6   | 2              | 0.3  | 0.0- 0.7   | 1             | 0.3 | 0.0- 0.9   |                       |     |            | 989         | 98.1 | 96.9-99.3  |
| Less Than H.S.      | 93                | 23,588   | 7         | 12.3 | 1.7-22.9   | 7            | 7.3  | 1.6-13.0   | 4              | 9.3  | 0.3-18.3   |               |     |            | 2                     | 1.7 | 0.0- 4.2   | 73          | 69.3 | 56.6-82.0  |
| H.S. or G.E.D.      | 752               | 87,147   | 64        | 10.2 | 7.7-12.7   | 49           | 9.2  | 6.5-11.9   | 23             | 4.7  | 2.3- 7.1   | 9             | 1.5 | 0.5- 2.5   | 3                     | 0.6 | 0.0- 1.4   | 604         | 73.7 | 69.8-77.6  |
| Some Post-H.S.      | 834               | 114,823  | 61        | 9.4  | 6.9-11.9   | 83           | 13.6 | 10.7-16.5  | 30             | 4.1  | 2.5- 5.7   | 16            | 2.5 | 1.1- 3.9   | 5                     | 0.8 | 0.0- 1.6   | 639         | 69.5 | 65.6-73.4  |
| College Graduate    | 1026              | 71,988   | 93        | 11.4 | 9.0-13.8   | 86           | 10.2 | 8.0-12.4   | 62             | 8.1  | 5.9-10.3   | 22            | 2.7 | 1.5- 3.9   | 10                    | 1.3 | 0.5- 2.1   | 753         | 66.3 | 62.8-69.8  |
| Less than \$15,000  | 65                | 7,156    | 2         | 4.4  | 0.0-10.9   |              |      |            |                |      |            | 1             | 1.6 | 0.0- 4.7   | 1                     | 2.2 | 0.0- 6.5   | 61          | 91.8 | 83.8-99.8  |
| \$15,000- 24,999    | 117               | 13,586   | 3         | 3.6  | 0.0- 7.9   | 10           | 11.1 | 4.2-18.0   |                |      |            | 1             | 1.4 | 0.0- 4.1   | 1                     | 0.9 | 0.0- 2.7   | 102         | 83.0 | 74.6-91.4  |
| \$25,000- 34,999    | 206               | 24,367   | 10        | 4.9  | 1.6- 8.2   | 8            | 4.2  | 1.1- 7.3   | 4              | 5.2  | 0.0-11.1   |               |     |            | 2                     | 1.4 | 0.0- 3.8   | 182         | 84.2 | 76.9-91.5  |
| \$35,000- 49,999    | 296               | 29,679   | 13        | 5.6  | 2.5- 8.7   | 9            | 5.9  | 2.2- 9.6   | 7              | 2.8  | 0.6- 5.0   | 2             | 1.0 | 0.0- 2.4   |                       |     |            | 265         | 84.8 | 79.5-90.1  |
| \$50,000- 99,999    | 806               | 90,070   | 60        | 9.8  | 6.9-12.7   | 70           | 12.2 | 9.3-15.1   | 30             | 5.4  | 2.9- 7.9   | 10            | 1.5 | 0.3- 2.7   | 4                     | 0.7 | 0.0- 1.5   | 632         | 70.5 | 66.2-74.8  |
| \$100,000 - 199,999 | 650               | 71,179   | 81        | 13.7 | 10.6-16.8  | 99           | 18.8 | 14.9-22.7  | 49             | 7.6  | 5.2-10.0   | 28            | 5.3 | 3.1- 7.5   | 7                     | 1.3 | 0.3- 2.3   | 386         | 53.3 | 48.6-58.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | One Child |      |            | Two Children |      |            | Three Children |      |            | Four Children |     |            | Five or More Children |     |            | No Children |      |            |
|---------------------|-------------------|----------|-----------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|-------------|------|------------|
|                     | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N            | %    | C.I. (95%) | N              | %    | C.I. (95%) | N             | %   | C.I. (95%) | N                     | %   | C.I. (95%) | N           | %    | C.I. (95%) |
| Female              | 2839              | 285,445  | 276       | 13.6 | 11.8-15.4  | 226          | 11.8 | 10.0-13.6  | 91             | 5.1  | 3.9- 6.3   | 40            | 2.7 | 1.7- 3.7   | 24                    | 1.4 | 0.8- 2.0   | 2182        | 65.4 | 62.9-67.9  |
| Native              | 90                | 12,998   | 20        | 29.8 | 15.3-44.3  | 7            | 6.4  | 0.7-12.1   | 10             | 16.4 | 6.2-26.6   | 3             | 8.3 | 0.0-17.7   | 1                     | 1.9 | 0.0- 5.6   | 49          | 37.2 | 24.7-49.7  |
| Non-Native          | 2718              | 268,615  | 253       | 12.7 | 10.9-14.5  | 215          | 12.0 | 10.2-13.8  | 81             | 4.6  | 3.4- 5.8   | 36            | 2.5 | 1.5- 3.5   | 23                    | 1.3 | 0.7- 1.9   | 2110        | 66.9 | 64.4-69.4  |
| 18-24               | 126               | 39,427   | 19        | 17.2 | 9.8-24.6   | 6            | 6.1  | 1.0-11.2   | 3              | 2.4  | 0.0- 5.1   |               |     |            | 1                     | 0.6 | 0.0- 1.8   | 97          | 73.7 | 65.1-82.3  |
| 25-34               | 252               | 48,169   | 54        | 21.2 | 15.3-27.1  | 58           | 22.6 | 17.1-28.1  | 16             | 6.6  | 3.1-10.1   | 15            | 7.9 | 3.6-12.2   | 5                     | 2.0 | 0.2- 3.8   | 104         | 39.7 | 32.8-46.6  |
| 35-44               | 316               | 47,220   | 58        | 18.1 | 13.2-23.0  | 104          | 32.1 | 26.2-38.0  | 55             | 17.5 | 12.4-22.6  | 21            | 7.3 | 3.6-11.0   | 15                    | 5.2 | 2.3- 8.1   | 63          | 19.8 | 14.7-24.9  |
| 45-54               | 377               | 37,242   | 98        | 25.2 | 20.3-30.1  | 44           | 11.1 | 7.6-14.6   | 12             | 4.4  | 1.5- 7.3   | 2             | 0.7 | 0.0- 1.7   | 2                     | 0.3 | 0.0- 0.7   | 219         | 58.3 | 52.6-64.0  |
| 55-64               | 489               | 40,685   | 25        | 5.8  | 3.3- 8.3   | 8            | 1.1  | 0.3- 1.9   | 3              | 1.0  | 0.0- 2.4   | 1             | 0.4 | 0.0- 1.2   |                       |     |            | 452         | 91.8 | 88.9-94.7  |
| 65+                 | 1279              | 72,703   | 22        | 2.2  | 1.2- 3.2   | 6            | 0.9  | 0.1- 1.7   | 2              | 0.1  | 0.0- 0.3   | 1             | 0.2 | 0.0- 0.6   | 1                     | 0.1 | 0.0- 0.3   | 1247        | 96.5 | 95.1-97.9  |
| Less Than H.S.      | 74                | 18,542   | 12        | 26.0 | 12.1-39.9  | 6            | 13.4 | 2.8-24.0   | 1              | 1.9  | 0.0- 5.6   | 1             | 2.2 | 0.0- 6.5   | 1                     | 2.0 | 0.0- 5.9   | 53          | 54.4 | 40.1-68.7  |
| H.S. or G.E.D.      | 649               | 67,176   | 55        | 14.8 | 10.7-18.9  | 29           | 7.6  | 4.7-10.5   | 16             | 4.9  | 2.2- 7.6   | 6             | 2.6 | 0.4- 4.8   | 2                     | 0.4 | 0.0- 1.0   | 541         | 69.8 | 64.5-75.1  |
| Some Post-H.S.      | 889               | 108,756  | 69        | 10.6 | 8.1-13.1   | 63           | 11.9 | 9.0-14.8   | 27             | 5.4  | 3.2- 7.6   | 11            | 2.5 | 0.7- 4.3   | 8                     | 1.3 | 0.3- 2.3   | 711         | 68.3 | 64.2-72.4  |
| College Graduate    | 1220              | 90,514   | 139       | 13.7 | 11.3-16.1  | 128          | 14.6 | 12.1-17.1  | 47             | 5.5  | 3.7- 7.3   | 22            | 3.2 | 1.8- 4.6   | 13                    | 2.0 | 0.8- 3.2   | 871         | 61.0 | 57.7-64.3  |
| Less than \$15,000  | 81                | 10,735   | 5         | 15.2 | 0.0-30.9   | 4            | 10.8 | 0.0-22.2   |                |      |            | 3             | 5.3 | 0.0-11.6   |                       |     |            | 69          | 68.6 | 51.5-85.7  |
| \$15,000- 24,999    | 193               | 22,697   | 12        | 10.2 | 3.9-16.5   | 8            | 6.9  | 2.6-11.2   | 3              | 2.1  | 0.0- 4.6   |               |     |            | 1                     | 1.6 | 0.0- 4.7   | 169         | 79.1 | 71.3-86.9  |
| \$25,000- 34,999    | 253               | 24,958   | 16        | 9.7  | 4.2-15.2   | 9            | 5.5  | 1.2- 9.8   | 8              | 6.0  | 1.3-10.7   | 3             | 3.7 | 0.0- 8.2   | 1                     | 0.5 | 0.0- 1.5   | 216         | 74.5 | 66.3-82.7  |
| \$35,000- 49,999    | 332               | 31,429   | 23        | 12.3 | 6.8-17.8   | 22           | 12.2 | 6.1-18.3   | 5              | 3.0  | 0.3- 5.7   |               |     |            | 1                     | 0.4 | 0.0- 1.2   | 281         | 72.1 | 64.7-79.5  |
| \$50,000- 99,999    | 743               | 74,055   | 81        | 13.7 | 10.4-17.0  | 55           | 10.6 | 7.5-13.7   | 31             | 6.3  | 3.9- 8.7   | 16            | 4.2 | 1.7- 6.7   | 8                     | 1.8 | 0.4- 3.2   | 552         | 63.4 | 58.7-68.1  |
| \$100,000 - 199,999 | 494               | 52,369   | 76        | 17.5 | 13.2-21.8  | 87           | 23.0 | 18.3-27.7  | 22             | 5.4  | 2.7- 8.1   | 11            | 4.3 | 1.4- 7.2   | 9                     | 2.7 | 0.9- 4.5   | 289         | 47.1 | 41.6-52.6  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |     |            |                  |     |            |                  |     |            |                  |      |            |                     |      |            |            |      |            |
|--------------------|-------------------|----------|----------------------------------|-----|------------|------------------|-----|------------|------------------|-----|------------|------------------|------|------------|---------------------|------|------------|------------|------|------------|
|                    |                   |          | Less than \$25,000               |     |            | \$25,000- 34,999 |     |            | \$35,000- 49,999 |     |            | \$50,000- 99,999 |      |            | \$100,000 - 199,999 |      |            | \$200,000+ |      |            |
|                    | TOTAL             | WEIGHTED | N                                | %   | C.I. (95%) | N                | %   | C.I. (95%) | N                | %   | C.I. (95%) | N                | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N          | %    | C.I. (95%) |
| TOTAL              | 3101              | 329,920  | 70                               | 3.1 | 2.1- 4.1   | 78               | 2.5 | 1.7- 3.3   | 121              | 4.2 | 3.2- 5.2   | 189              | 6.8  | 5.6- 8.0   | 459                 | 15.0 | 13.2-16.8  | 2184       | 68.5 | 66.3-70.7  |
| Male               | 1496              | 165,767  | 34                               | 2.9 | 1.7- 4.1   | 33               | 1.6 | 0.8- 2.4   | 43               | 2.6 | 1.6- 3.6   | 74               | 5.6  | 4.0- 7.2   | 206                 | 14.7 | 12.3-17.1  | 1106       | 72.6 | 69.7-75.5  |
| Female             | 1605              | 164,153  | 36                               | 3.2 | 1.6- 4.8   | 45               | 3.3 | 1.9- 4.7   | 78               | 5.9 | 4.3- 7.5   | 115              | 7.9  | 6.1- 9.7   | 253                 | 15.2 | 12.8-17.6  | 1078       | 64.4 | 61.1-67.7  |
| Native             | 108               | 17,447   | 6                                | 9.8 | 0.0-20.0   | 3                | 1.9 | 0.0- 4.3   | 4                | 3.6 | 0.0- 7.3   | 10               | 12.2 | 3.2-21.2   | 20                  | 20.1 | 10.3-29.9  | 65         | 52.4 | 39.9-64.9  |
| Non-Native         | 2960              | 308,650  | 61                               | 2.6 | 1.8- 3.4   | 73               | 2.3 | 1.5- 3.1   | 117              | 4.3 | 3.3- 5.3   | 175              | 6.4  | 5.2- 7.6   | 434                 | 14.7 | 12.9-16.5  | 2100       | 69.6 | 67.4-71.8  |
| 18-24              | 188               | 51,470   | 8                                | 5.2 | 1.3- 9.1   | 4                | 1.5 | 0.0- 3.1   | 12               | 6.4 | 2.7-10.1   | 22               | 11.6 | 6.9-16.3   | 36                  | 18.5 | 12.4-24.6  | 106        | 56.7 | 48.9-64.5  |
| 25-34              | 323               | 62,901   | 12                               | 4.3 | 1.2- 7.4   | 8                | 3.8 | 0.9- 6.7   | 11               | 3.6 | 1.6- 5.6   | 15               | 5.1  | 2.2- 8.0   | 36                  | 14.1 | 9.4-18.8   | 241        | 69.1 | 63.0-75.2  |
| 35-44              | 329               | 46,255   | 11                               | 3.1 | 1.1- 5.1   | 3                | 1.8 | 0.0- 4.0   | 8                | 2.9 | 0.7- 5.1   | 15               | 5.8  | 2.5- 9.1   | 32                  | 11.4 | 7.1-15.7   | 260        | 74.9 | 69.2-80.6  |
| 45-54              | 345               | 37,349   | 15                               | 4.2 | 1.8- 6.6   | 7                | 1.7 | 0.3- 3.1   | 9                | 2.7 | 0.9- 4.5   | 10               | 2.8  | 1.0- 4.6   | 39                  | 11.3 | 7.6-15.0   | 265        | 77.4 | 72.5-82.3  |
| 55-64              | 516               | 47,813   | 12                               | 2.0 | 0.6- 3.4   | 18               | 3.4 | 1.6- 5.2   | 20               | 3.8 | 1.8- 5.8   | 34               | 7.1  | 4.4- 9.8   | 68                  | 15.1 | 11.0-19.2  | 364        | 68.6 | 63.7-73.5  |
| 65+                | 1400              | 84,132   | 12                               | 0.8 | 0.2- 1.4   | 38               | 2.2 | 1.4- 3.0   | 61               | 5.0 | 3.4- 6.6   | 93               | 7.1  | 5.3- 8.9   | 248                 | 16.9 | 14.5-19.3  | 948        | 67.9 | 65.0-70.8  |
| Less Than H.S.     | 120               | 30,482   | 7                                | 7.5 | 0.6-14.4   | 5                | 3.7 | 0.0- 7.4   | 13               | 9.5 | 3.8-15.2   | 14               | 11.0 | 4.5-17.5   | 26                  | 22.6 | 13.8-31.4  | 55         | 45.8 | 35.0-56.6  |
| H.S. or G.E.D.     | 879               | 91,574   | 26                               | 2.9 | 1.5- 4.3   | 30               | 3.2 | 1.4- 5.0   | 43               | 4.5 | 2.9- 6.1   | 79               | 8.4  | 6.0-10.8   | 170                 | 18.6 | 15.5-21.7  | 531        | 62.4 | 58.5-66.3  |
| Some Post-H.S.     | 1061              | 134,726  | 21                               | 2.6 | 1.2- 4.0   | 31               | 2.2 | 1.2- 3.2   | 43               | 3.6 | 2.2- 5.0   | 73               | 7.3  | 5.3- 9.3   | 158                 | 14.5 | 11.8-17.2  | 735        | 69.8 | 66.3-73.3  |
| College Graduate   | 1034              | 72,465   | 16                               | 2.2 | 1.0- 3.4   | 12               | 1.5 | 0.3- 2.7   | 22               | 2.9 | 1.5- 4.3   | 22               | 1.9  | 0.9- 2.9   | 105                 | 8.2  | 6.2-10.2   | 857        | 83.4 | 80.7-86.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |     |            |                  |     |            |                  |     |            |                  |      |            |                     |      |            |            |      |            |
|--------------------|-------------------|----------|----------------------------------|-----|------------|------------------|-----|------------|------------------|-----|------------|------------------|------|------------|---------------------|------|------------|------------|------|------------|
|                    | TOTAL             | WEIGHTED | Less than \$25,000               |     |            | \$25,000- 34,999 |     |            | \$35,000- 49,999 |     |            | \$50,000- 99,999 |      |            | \$100,000 - 199,999 |      |            | \$200,000+ |      |            |
|                    |                   |          | N                                | %   | C.I. (95%) | N                | %   | C.I. (95%) | N                | %   | C.I. (95%) | N                | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N          | %    | C.I. (95%) |
| Male               | 1496              | 165,767  | 34                               | 2.9 | 1.7- 4.1   | 33               | 1.6 | 0.8- 2.4   | 43               | 2.6 | 1.6- 3.6   | 74               | 5.6  | 4.0- 7.2   | 206                 | 14.7 | 12.3-17.1  | 1106       | 72.6 | 69.7-75.5  |
| Non-Native         | 1429              | 156,003  | 31                               | 2.8 | 1.6- 4.0   | 33               | 1.7 | 0.9- 2.5   | 41               | 2.6 | 1.6- 3.6   | 69               | 5.2  | 3.6- 6.8   | 190                 | 14.1 | 11.7-16.5  | 1065       | 73.6 | 70.7-76.5  |
| 18-24              | 104               | 25,634   | 4                                | 4.3 | 0.0- 9.4   | 3                | 2.0 | 0.0- 4.2   | 3                | 2.2 | 0.0- 4.7   | 12               | 11.8 | 5.1-18.5   | 16                  | 14.4 | 7.5-21.3   | 66         | 65.4 | 55.4-75.4  |
| 25-34              | 178               | 34,318   | 6                                | 2.8 | 0.3- 5.3   | 2                | 1.2 | 0.0- 2.8   | 3                | 1.4 | 0.0- 3.2   | 8                | 5.8  | 1.1-10.5   | 20                  | 14.9 | 8.2-21.6   | 139        | 73.9 | 65.9-81.9  |
| 35-44              | 165               | 21,261   | 4                                | 2.3 | 0.0- 4.7   |                  |     |            | 4                | 2.4 | 0.0- 4.8   | 4                | 2.1  | 0.0- 4.3   | 19                  | 14.7 | 7.6-21.8   | 134        | 78.5 | 71.1-85.9  |
| 45-54              | 167               | 18,382   | 10                               | 6.8 | 2.3-11.3   | 3                | 1.4 | 0.0- 3.0   | 3                | 2.1 | 0.0- 4.5   | 7                | 3.9  | 0.8- 7.0   | 22                  | 12.3 | 7.0-17.6   | 122        | 73.5 | 66.2-80.8  |
| 55-64              | 238               | 24,285   | 7                                | 2.7 | 0.3- 5.1   | 9                | 3.2 | 0.7- 5.7   | 9                | 3.6 | 1.1- 6.1   | 11               | 4.1  | 1.2- 7.0   | 32                  | 15.4 | 9.3-21.5   | 170        | 71.0 | 63.9-78.1  |
| 65+                | 644               | 41,888   | 3                                | 0.7 | 0.0- 1.7   | 16               | 1.8 | 0.8- 2.8   | 21               | 3.5 | 1.7- 5.3   | 32               | 5.1  | 2.9- 7.3   | 97                  | 15.4 | 11.9-18.9  | 475        | 73.5 | 69.4-77.6  |
| Less Than H.S.     | 71                | 17,784   | 5                                | 7.5 | 0.0-15.1   | 1                | 0.8 | 0.0- 2.4   | 2                | 2.0 | 0.0- 4.9   | 8                | 11.7 | 2.3-21.1   | 18                  | 27.9 | 15.4-40.4  | 37         | 50.1 | 36.0-64.2  |
| H.S. or G.E.D.     | 470               | 50,711   | 15                               | 3.7 | 1.5- 5.9   | 18               | 3.0 | 1.2- 4.8   | 15               | 2.7 | 1.1- 4.3   | 27               | 5.8  | 3.3- 8.3   | 75                  | 14.9 | 11.2-18.6  | 320        | 70.0 | 65.1-74.9  |
| Some Post-H.S.     | 493               | 65,858   | 7                                | 1.3 | 0.3- 2.3   | 9                | 1.0 | 0.2- 1.8   | 18               | 3.0 | 1.4- 4.6   | 26               | 5.3  | 2.8- 7.8   | 67                  | 14.1 | 10.4-17.8  | 366        | 75.3 | 70.8-79.8  |
| College Graduate   | 459               | 30,976   | 7                                | 2.3 | 0.5- 4.1   | 5                | 1.2 | 0.0- 2.6   | 8                | 2.0 | 0.4- 3.6   | 12               | 2.0  | 0.6- 3.4   | 46                  | 8.3  | 5.6-11.0   | 381        | 84.2 | 80.3-88.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER |          | Less than \$25,000 |      |            | \$25,000- 34,999 |     |            | \$35,000- 49,999 |      |            | \$50,000- 99,999 |      |            | \$100,000 - 199,999 |      |            | \$200,000+ |      |            |
|--------------------|-------------------|----------|--------------------|------|------------|------------------|-----|------------|------------------|------|------------|------------------|------|------------|---------------------|------|------------|------------|------|------------|
|                    | TOTAL             | WEIGHTED | N                  | %    | C.I. (95%) | N                | %   | C.I. (95%) | N                | %    | C.I. (95%) | N                | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N          | %    | C.I. (95%) |
| Female             | 1605              | 164,153  | 36                 | 3.2  | 1.6- 4.8   | 45               | 3.3 | 1.9- 4.7   | 78               | 5.9  | 4.3- 7.5   | 115              | 7.9  | 6.1- 9.7   | 253                 | 15.2 | 12.8-17.6  | 1078       | 64.4 | 61.1-67.7  |
| Native             | 59                | 9,596    | 5                  | 16.0 | 0.0-33.2   | 3                | 3.5 | 0.0- 8.0   | 2                | 3.5  | 0.0- 8.8   | 6                | 10.5 | 1.3-19.7   | 8                   | 15.1 | 2.9-27.3   | 35         | 51.4 | 34.0-68.8  |
| Non-Native         | 1531              | 152,647  | 30                 | 2.4  | 1.2- 3.6   | 40               | 2.9 | 1.5- 4.3   | 76               | 6.1  | 4.3- 7.9   | 106              | 7.7  | 5.9- 9.5   | 244                 | 15.4 | 12.9-17.9  | 1035       | 65.5 | 62.2-68.8  |
| 18-24              | 84                | 25,836   | 4                  | 6.2  | 0.1-12.3   | 1                | 1.1 | 0.0- 3.3   | 9                | 10.6 | 3.5-17.7   | 10               | 11.4 | 4.5-18.3   | 20                  | 22.6 | 13.0-32.2  | 40         | 48.1 | 36.5-59.7  |
| 25-34              | 145               | 28,583   | 6                  | 6.2  | 0.0-12.5   | 6                | 7.0 | 1.1-12.9   | 8                | 6.2  | 2.3-10.1   | 7                | 4.2  | 1.1- 7.3   | 16                  | 13.1 | 6.8-19.4   | 102        | 63.3 | 54.1-72.5  |
| 35-44              | 164               | 24,994   | 7                  | 3.8  | 0.9- 6.7   | 3                | 3.3 | 0.0- 7.2   | 4                | 3.4  | 0.0- 6.9   | 11               | 9.0  | 3.3-14.7   | 13                  | 8.6  | 3.3-13.9   | 126        | 71.9 | 63.5-80.3  |
| 45-54              | 178               | 18,967   | 5                  | 1.6  | 0.2- 3.0   | 4                | 2.1 | 0.0- 4.3   | 6                | 3.2  | 0.3- 6.1   | 3                | 1.6  | 0.0- 3.6   | 17                  | 10.3 | 5.0-15.6   | 143        | 81.2 | 74.7-87.7  |
| 55-64              | 278               | 23,528   | 5                  | 1.3  | 0.1- 2.5   | 9                | 3.5 | 1.1- 5.9   | 11               | 4.0  | 1.1- 6.9   | 23               | 10.2 | 5.7-14.7   | 36                  | 14.9 | 9.4-20.4   | 194        | 66.1 | 59.2-73.0  |
| 65+                | 756               | 42,245   | 9                  | 1.0  | 0.2- 1.8   | 22               | 2.5 | 1.3- 3.7   | 40               | 6.5  | 4.0- 9.0   | 61               | 9.2  | 6.5-11.9   | 151                 | 18.4 | 15.1-21.7  | 473        | 62.3 | 58.0-66.6  |
| H.S. or G.E.D.     | 409               | 40,864   | 11                 | 2.0  | 0.4- 3.6   | 12               | 3.4 | 0.3- 6.5   | 28               | 6.7  | 3.8- 9.6   | 52               | 11.6 | 7.5-15.7   | 95                  | 23.2 | 17.7-28.7  | 211        | 53.1 | 46.6-59.6  |
| Some Post-H.S.     | 568               | 68,869   | 14                 | 3.9  | 1.4- 6.4   | 22               | 3.4 | 1.4- 5.4   | 25               | 4.3  | 2.1- 6.5   | 47               | 9.1  | 6.2-12.0   | 91                  | 14.8 | 10.7-18.9  | 369        | 64.5 | 59.2-69.8  |
| College Graduate   | 575               | 41,489   | 9                  | 2.1  | 0.3- 3.9   | 7                | 1.7 | 0.1- 3.3   | 14               | 3.6  | 1.4- 5.8   | 10               | 1.8  | 0.4- 3.2   | 59                  | 8.0  | 5.5-10.5   | 476        | 82.7 | 78.6-86.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Female respondents aged 49 years and older

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No  |       |            |
|-----------------------|-------------------|----------|-----|-----|------------|-----|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N   | %     | C.I. (95%) |
| Female                | 839               | 145,901  | 24  | 3.3 | 1.5- 5.1   | 815 | 96.7  | 94.9-98.5  |
| Non-Native            | 801               | 136,306  | 22  | 2.7 | 1.3- 4.1   | 779 | 97.3  | 95.9-98.7  |
| 18-24                 | 125               | 38,887   | 2   | 1.9 | 0.0- 4.6   | 123 | 98.1  | 95.4- 100  |
| 25-34                 | 245               | 46,228   | 15  | 6.8 | 2.5-11.1   | 230 | 93.2  | 88.9-97.5  |
| 35-44                 | 312               | 46,292   | 5   | 1.7 | 0.1- 3.3   | 307 | 98.3  | 96.7-99.9  |
| 45-54                 | 157               | 14,494   | 2   | 0.9 | 0.0- 2.1   | 155 | 99.1  | 97.9- 100  |
| H.S. or G.E.D.        | 163               | 33,940   | 4   | 2.0 | 0.0- 4.0   | 159 | 98.0  | 96.0- 100  |
| Some Post-H.S.        | 221               | 52,157   | 7   | 3.5 | 0.8- 6.2   | 214 | 96.5  | 93.8-99.2  |
| College Graduate      | 432               | 49,977   | 12  | 2.9 | 1.3- 4.5   | 420 | 97.1  | 95.5-98.7  |
| \$15,000- 24,999      | 51                | 11,924   | 2   | 3.9 | 0.0- 9.2   | 49  | 96.1  | 90.8- 100  |
| \$25,000- 34,999      | 55                | 12,317   |     |     |            | 55  | 100.0 | 100.0- 100 |
| \$35,000- 49,999      | 74                | 13,186   |     |     |            | 74  | 100.0 | 100.0- 100 |
| \$50,000- 99,999      | 252               | 40,713   | 12  | 5.9 | 2.2- 9.6   | 240 | 94.1  | 90.4-97.8  |
| \$100,000 - 199,999   | 232               | 33,218   | 6   | 2.0 | 0.2- 3.8   | 226 | 98.0  | 96.2-99.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |     |            |                   |      |            |                   |      |            |                   |      |            |                    |      |            |                          |     |            |
|---------------------|-------------------|----------|----------------------------------|-----|------------|-------------------|------|------------|-------------------|------|------------|-------------------|------|------------|--------------------|------|------------|--------------------------|-----|------------|
|                     |                   |          | 100 lbs and less                 |     |            | 101 lbs - 150 lbs |      |            | 151 lbs - 200 lbs |      |            | 201 lbs - 250 lbs |      |            | 251 lbs or greater |      |            | WGHT Reported in Metrics |     |            |
|                     | TOTAL             | WEIGHTED | N                                | %   | C.I. (95%) | N                 | %    | C.I. (95%) | N                 | %    | C.I. (95%) | N                 | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                        | %   | C.I. (95%) |
| TOTAL               | 5129              | 546,847  | 44                               | 1.1 | 0.5- 1.7   | 1159              | 22.4 | 20.8-24.0  | 2287              | 43.8 | 42.0-45.6  | 1159              | 22.1 | 20.7-23.5  | 459                | 9.9  | 8.9-10.9   | 21                       | 0.7 | 0.3- 1.1   |
| Male                | 2639              | 292,439  | 4                                | 0.5 | 0.0- 1.1   | 196               | 8.7  | 7.1-10.3   | 1215              | 46.1 | 43.7-48.5  | 854               | 29.6 | 27.4-31.8  | 358                | 14.4 | 12.8-16.0  | 12                       | 0.8 | 0.2- 1.4   |
| Female              | 2490              | 254,408  | 40                               | 1.8 | 1.0- 2.6   | 963               | 38.1 | 35.6-40.6  | 1072              | 41.2 | 38.7-43.7  | 305               | 13.6 | 11.6-15.6  | 101                | 4.7  | 3.5- 5.9   | 9                        | 0.6 | 0.2- 1.0   |
| Native              | 148               | 21,863   | 1                                | 0.4 | 0.0- 1.2   | 25                | 19.0 | 10.6-27.4  | 68                | 43.7 | 33.3-54.1  | 36                | 26.5 | 16.7-36.3  | 18                 | 10.4 | 4.7-16.1   |                          |     |            |
| Non-Native          | 4917              | 517,950  | 41                               | 1.1 | 0.5- 1.7   | 1116              | 22.4 | 20.8-24.0  | 2190              | 43.7 | 41.9-45.5  | 1110              | 22.1 | 20.7-23.5  | 439                | 10.0 | 9.0-11.0   | 21                       | 0.8 | 0.4- 1.2   |
| 18-24               | 283               | 79,841   | 6                                | 3.0 | 0.3- 5.7   | 97                | 35.6 | 29.3-41.9  | 119               | 42.0 | 35.5-48.5  | 35                | 11.9 | 7.8-16.0   | 25                 | 7.1  | 4.4- 9.8   | 1                        | 0.4 | 0.0- 1.2   |
| 25-34               | 544               | 101,779  | 2                                | 0.3 | 0.0- 0.7   | 108               | 20.4 | 16.5-24.3  | 235               | 41.6 | 36.9-46.3  | 121               | 22.9 | 18.8-27.0  | 68                 | 12.8 | 9.7-15.9   | 10                       | 2.1 | 0.7- 3.5   |
| 35-44               | 679               | 93,041   | 2                                | 0.8 | 0.0- 2.0   | 122               | 17.7 | 14.6-20.8  | 288               | 42.6 | 38.3-46.9  | 165               | 23.6 | 20.1-27.1  | 95                 | 14.0 | 11.1-16.9  | 7                        | 1.3 | 0.3- 2.3   |
| 45-54               | 699               | 69,494   | 2                                | 0.2 | 0.0- 0.4   | 113               | 15.9 | 12.8-19.0  | 276               | 39.9 | 35.8-44.0  | 218               | 31.0 | 27.1-34.9  | 87                 | 12.4 | 9.7-15.1   | 3                        | 0.6 | 0.0- 1.4   |
| 55-64               | 850               | 77,581   | 6                                | 1.0 | 0.2- 1.8   | 177               | 19.5 | 16.4-22.6  | 373               | 44.1 | 40.2-48.0  | 215               | 25.5 | 22.0-29.0  | 79                 | 10.0 | 7.6-12.4   |                          |     |            |
| 65+                 | 2074              | 125,112  | 26                               | 1.3 | 0.7- 1.9   | 542               | 24.4 | 22.2-26.6  | 996               | 49.5 | 47.0-52.0  | 405               | 20.0 | 17.8-22.2  | 105                | 4.7  | 3.7- 5.7   |                          |     |            |
| Less Than H.S.      | 159               | 40,191   | 5                                | 5.6 | 0.1-11.1   | 38                | 20.5 | 12.9-28.1  | 75                | 45.3 | 35.9-54.7  | 26                | 18.8 | 10.8-26.8  | 13                 | 7.8  | 3.1-12.5   | 2                        | 2.0 | 0.0- 4.7   |
| H.S. or G.E.D.      | 1283              | 142,207  | 16                               | 1.1 | 0.5- 1.7   | 296               | 23.4 | 20.3-26.5  | 579               | 44.7 | 41.2-48.2  | 264               | 19.4 | 16.9-21.9  | 125                | 11.0 | 8.8-13.2   | 3                        | 0.4 | 0.0- 1.0   |
| Some Post-H.S.      | 1594              | 210,806  | 15                               | 0.8 | 0.4- 1.2   | 336               | 21.1 | 18.6-23.6  | 698               | 42.6 | 39.7-45.5  | 391               | 24.7 | 22.2-27.2  | 149                | 10.4 | 8.6-12.2   | 5                        | 0.5 | 0.1- 0.9   |
| College Graduate    | 2082              | 152,295  | 8                                | 0.4 | 0.0- 0.8   | 486               | 23.6 | 21.4-25.8  | 928               | 44.0 | 41.5-46.5  | 477               | 22.3 | 20.1-24.5  | 172                | 8.8  | 7.4-10.2   | 11                       | 1.0 | 0.4- 1.6   |
| Less than \$15,000  | 140               | 16,966   | 4                                | 1.4 | 0.0- 3.0   | 45                | 32.3 | 20.9-43.7  | 43                | 26.4 | 17.4-35.4  | 29                | 26.2 | 14.2-38.2  | 18                 | 12.6 | 5.5-19.7   | 1                        | 1.2 | 0.0- 3.6   |
| \$15,000- 24,999    | 293               | 34,573   | 7                                | 3.8 | 0.3- 7.3   | 84                | 28.9 | 22.2-35.6  | 134               | 46.1 | 38.7-53.5  | 50                | 15.0 | 10.1-19.9  | 15                 | 4.7  | 1.6- 7.8   | 3                        | 1.5 | 0.0- 3.3   |
| \$25,000- 34,999    | 438               | 47,269   | 4                                | 0.8 | 0.0- 1.6   | 111               | 25.9 | 20.0-31.8  | 203               | 43.4 | 37.1-49.7  | 84                | 19.8 | 14.5-25.1  | 36                 | 10.0 | 5.9-14.1   |                          |     |            |
| \$35,000- 49,999    | 596               | 57,989   | 3                                | 0.6 | 0.0- 1.4   | 149               | 26.4 | 21.9-30.9  | 277               | 43.1 | 38.0-48.2  | 107               | 18.0 | 14.1-21.9  | 57                 | 10.8 | 7.7-13.9   | 3                        | 1.1 | 0.0- 2.5   |
| \$50,000- 99,999    | 1492              | 157,878  | 6                                | 0.4 | 0.0- 1.0   | 311               | 21.0 | 18.3-23.7  | 640               | 42.4 | 39.1-45.7  | 371               | 23.9 | 21.2-26.6  | 157                | 11.5 | 9.5-13.5   | 7                        | 0.7 | 0.1- 1.3   |
| \$100,000 - 199,999 | 1104              | 119,764  | 2                                | 0.4 | 0.0- 1.0   | 185               | 15.5 | 12.8-18.2  | 506               | 46.9 | 43.4-50.4  | 307               | 26.9 | 23.8-30.0  | 102                | 10.2 | 8.0-12.4   | 2                        | 0.1 | 0.0- 0.3   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |     |            |                   |      |            |                   |      |            |                   |      |            |                    |      |            |                          |     |            |
|---------------------|-------------------|----------|----------------------------------|-----|------------|-------------------|------|------------|-------------------|------|------------|-------------------|------|------------|--------------------|------|------------|--------------------------|-----|------------|
|                     |                   |          | 100 lbs and less                 |     |            | 101 lbs - 150 lbs |      |            | 151 lbs - 200 lbs |      |            | 201 lbs - 250 lbs |      |            | 251 lbs or greater |      |            | WGHT Reported in Metrics |     |            |
|                     | TOTAL             | WEIGHTED | N                                | %   | C.I. (95%) | N                 | %    | C.I. (95%) | N                 | %    | C.I. (95%) | N                 | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                        | %   | C.I. (95%) |
| Male                | 2639              | 292,439  | 4                                | 0.5 | 0.0- 1.1   | 196               | 8.7  | 7.1-10.3   | 1215              | 46.1 | 43.7-48.5  | 854               | 29.6 | 27.4-31.8  | 358                | 14.4 | 12.8-16.0  | 12                       | 0.8 | 0.2- 1.4   |
| Native              | 68                | 10,432   |                                  |     |            | 4                 | 8.2  | 0.0-16.8   | 31                | 49.2 | 34.3-64.1  | 19                | 28.7 | 16.0-41.4  | 14                 | 13.9 | 5.9-21.9   |                          |     |            |
| Non-Native          | 2528              | 277,365  | 4                                | 0.5 | 0.0- 1.1   | 184               | 8.4  | 6.8-10.0   | 1161              | 45.8 | 43.3-48.3  | 824               | 29.8 | 27.6-32.0  | 343                | 14.6 | 12.8-16.4  | 12                       | 0.9 | 0.3- 1.5   |
| 18-24               | 166               | 42,953   | 2                                | 2.5 | 0.0- 6.6   | 36                | 20.2 | 13.5-26.9  | 78                | 49.2 | 40.6-57.8  | 27                | 15.4 | 9.5-21.3   | 22                 | 12.0 | 7.1-16.9   | 1                        | 0.7 | 0.0- 2.1   |
| 25-34               | 301               | 55,952   |                                  |     |            | 20                | 7.8  | 3.9-11.7   | 143               | 46.1 | 39.8-52.4  | 84                | 26.6 | 21.1-32.1  | 49                 | 17.2 | 12.5-21.9  | 5                        | 2.3 | 0.1- 4.5   |
| 35-44               | 390               | 49,753   | 1                                | 0.6 | 0.0- 1.8   | 17                | 5.1  | 2.4- 7.8   | 178               | 45.9 | 40.4-51.4  | 119               | 29.4 | 24.3-34.5  | 72                 | 18.0 | 13.9-22.1  | 3                        | 1.0 | 0.0- 2.2   |
| 45-54               | 386               | 39,109   | 1                                | 0.1 | 0.0- 0.3   | 18                | 3.8  | 2.0- 5.6   | 150               | 40.6 | 34.9-46.3  | 148               | 37.0 | 31.5-42.5  | 66                 | 17.3 | 13.0-21.6  | 3                        | 1.1 | 0.0- 2.7   |
| 55-64               | 431               | 43,264   |                                  |     |            | 31                | 8.3  | 5.0-11.6   | 180               | 40.7 | 35.2-46.2  | 156               | 35.8 | 30.3-41.3  | 64                 | 15.1 | 11.2-19.0  |                          |     |            |
| 65+                 | 965               | 61,408   |                                  |     |            | 74                | 7.6  | 5.6- 9.6   | 486               | 51.2 | 47.5-54.9  | 320               | 33.2 | 29.7-36.7  | 85                 | 8.0  | 6.0-10.0   |                          |     |            |
| Less Than H.S.      | 91                | 23,131   | 1                                | 3.9 | 0.0-11.3   | 11                | 14.8 | 5.0-24.6   | 46                | 47.3 | 34.8-59.8  | 21                | 21.6 | 11.6-31.6  | 10                 | 9.0  | 2.7-15.3   | 2                        | 3.4 | 0.0- 8.1   |
| H.S. or G.E.D.      | 725               | 84,159   | 2                                | 0.4 | 0.0- 1.2   | 83                | 12.0 | 9.1-14.9   | 328               | 46.8 | 42.3-51.3  | 204               | 25.2 | 21.7-28.7  | 105                | 14.9 | 12.0-17.8  | 3                        | 0.7 | 0.0- 1.5   |
| Some Post-H.S.      | 821               | 113,908  | 1                                | 0.2 | 0.0- 0.6   | 47                | 6.9  | 4.5- 9.3   | 365               | 43.8 | 39.9-47.7  | 286               | 32.6 | 28.9-36.3  | 119                | 15.9 | 13.0-18.8  | 3                        | 0.5 | 0.0- 1.1   |
| College Graduate    | 996               | 70,194   |                                  |     |            | 55                | 5.6  | 3.8- 7.4   | 471               | 47.7 | 44.2-51.2  | 342               | 32.9 | 29.6-36.2  | 124                | 13.1 | 10.6-15.6  | 4                        | 0.7 | 0.0- 1.5   |
| Less than \$15,000  | 65                | 7,207    | 1                                | 0.8 | 0.0- 2.4   | 13                | 25.3 | 8.8-41.8   | 25                | 39.2 | 24.3-54.1  | 14                | 18.0 | 7.2-28.8   | 12                 | 16.8 | 7.0-26.6   |                          |     |            |
| \$15,000- 24,999    | 111               | 12,707   |                                  |     |            | 20                | 20.2 | 9.8-30.6   | 50                | 46.1 | 33.8-58.4  | 30                | 25.5 | 15.3-35.7  | 10                 | 7.2  | 1.5-12.9   | 1                        | 1.0 | 0.0- 3.0   |
| \$25,000- 34,999    | 202               | 24,015   |                                  |     |            | 26                | 13.8 | 7.7-19.9   | 89                | 43.9 | 35.1-52.7  | 59                | 26.5 | 18.5-34.5  | 28                 | 15.9 | 9.0-22.8   |                          |     |            |
| \$35,000- 49,999    | 290               | 28,710   |                                  |     |            | 30                | 12.9 | 7.6-18.2   | 138               | 44.5 | 37.4-51.6  | 75                | 22.8 | 17.3-28.3  | 44                 | 17.5 | 12.0-23.0  | 3                        | 2.2 | 0.0- 4.9   |
| \$50,000- 99,999    | 794               | 88,692   |                                  |     |            | 51                | 8.0  | 5.3-10.7   | 362               | 46.6 | 42.1-51.1  | 263               | 30.0 | 26.1-33.9  | 116                | 14.9 | 12.0-17.8  | 2                        | 0.4 | 0.0- 1.0   |
| \$100,000 - 199,999 | 648               | 71,040   | 1                                | 0.4 | 0.0- 1.2   | 25                | 3.5  | 1.9- 5.1   | 292               | 45.8 | 41.1-50.5  | 237               | 34.3 | 30.0-38.6  | 91                 | 15.8 | 12.5-19.1  | 2                        | 0.2 | 0.0- 0.6   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |     |            |                   |      |            |                   |      |            |                   |      |            |                    |     |            |                          |     |            |
|---------------------|-------------------|----------|----------------------------------|-----|------------|-------------------|------|------------|-------------------|------|------------|-------------------|------|------------|--------------------|-----|------------|--------------------------|-----|------------|
|                     |                   |          | 100 lbs and less                 |     |            | 101 lbs - 150 lbs |      |            | 151 lbs - 200 lbs |      |            | 201 lbs - 250 lbs |      |            | 251 lbs or greater |     |            | WGHT Reported in Metrics |     |            |
|                     | TOTAL             | WEIGHTED | N                                | %   | C.I. (95%) | N                 | %    | C.I. (95%) | N                 | %    | C.I. (95%) | N                 | %    | C.I. (95%) | N                  | %   | C.I. (95%) | N                        | %   | C.I. (95%) |
| Female              | 2490              | 254,408  | 40                               | 1.8 | 1.0- 2.6   | 963               | 38.1 | 35.6-40.6  | 1072              | 41.2 | 38.7-43.7  | 305               | 13.6 | 11.6-15.6  | 101                | 4.7 | 3.5- 5.9   | 9                        | 0.6 | 0.2- 1.0   |
| Native              | 80                | 11,431   | 1                                | 0.8 | 0.0- 2.4   | 21                | 28.8 | 15.3-42.3  | 37                | 38.6 | 24.7-52.5  | 17                | 24.5 | 9.6-39.4   | 4                  | 7.2 | 0.0-15.0   |                          |     |            |
| Non-Native          | 2389              | 240,584  | 37                               | 1.8 | 1.0- 2.6   | 932               | 38.6 | 36.1-41.1  | 1029              | 41.2 | 38.7-43.7  | 286               | 13.2 | 11.4-15.0  | 96                 | 4.6 | 3.4- 5.8   | 9                        | 0.6 | 0.2- 1.0   |
| 18-24               | 117               | 36,887   | 4                                | 3.6 | 0.0- 7.3   | 61                | 53.4 | 43.6-63.2  | 41                | 33.7 | 24.7-42.7  | 8                 | 7.9  | 2.2-13.6   | 3                  | 1.5 | 0.0- 3.3   |                          |     |            |
| 25-34               | 243               | 45,827   | 2                                | 0.7 | 0.0- 1.7   | 88                | 35.8 | 29.1-42.5  | 92                | 36.0 | 29.3-42.7  | 37                | 18.3 | 12.2-24.4  | 19                 | 7.4 | 3.9-10.9   | 5                        | 1.8 | 0.2- 3.4   |
| 35-44               | 289               | 43,288   | 1                                | 1.1 | 0.0- 3.1   | 105               | 32.1 | 26.2-38.0  | 110               | 38.9 | 32.2-45.6  | 46                | 16.8 | 11.9-21.7  | 23                 | 9.4 | 5.1-13.7   | 4                        | 1.7 | 0.0- 3.5   |
| 45-54               | 313               | 30,385   | 1                                | 0.2 | 0.0- 0.6   | 95                | 31.5 | 25.4-37.6  | 126               | 39.0 | 32.7-45.3  | 70                | 23.2 | 17.9-28.5  | 21                 | 6.0 | 3.1- 8.9   |                          |     |            |
| 55-64               | 419               | 34,317   | 6                                | 2.2 | 0.2- 4.2   | 146               | 33.5 | 28.2-38.8  | 193               | 48.3 | 42.4-54.2  | 59                | 12.5 | 9.2-15.8   | 15                 | 3.6 | 1.4- 5.8   |                          |     |            |
| 65+                 | 1109              | 63,703   | 26                               | 2.5 | 1.3- 3.7   | 468               | 40.6 | 37.1-44.1  | 510               | 47.9 | 44.4-51.4  | 85                | 7.4  | 5.6- 9.2   | 20                 | 1.6 | 0.8- 2.4   |                          |     |            |
| Less Than H.S.      | 68                | 17,059   | 4                                | 8.0 | 0.0-16.4   | 27                | 28.3 | 16.1-40.5  | 29                | 42.6 | 28.1-57.1  | 5                 | 14.9 | 1.8-28.0   | 3                  | 6.2 | 0.0-13.1   |                          |     |            |
| H.S. or G.E.D.      | 558               | 58,047   | 14                               | 1.9 | 0.7- 3.1   | 213               | 40.0 | 34.3-45.7  | 251               | 41.6 | 36.1-47.1  | 60                | 11.0 | 7.7-14.3   | 20                 | 5.5 | 2.8- 8.2   |                          |     |            |
| Some Post-H.S.      | 773               | 96,898   | 14                               | 1.4 | 0.4- 2.4   | 289               | 37.8 | 33.3-42.3  | 333               | 41.1 | 36.6-45.6  | 105               | 15.3 | 12.0-18.6  | 30                 | 3.8 | 2.0- 5.6   | 2                        | 0.5 | 0.0- 1.1   |
| College Graduate    | 1086              | 82,102   | 8                                | 0.7 | 0.1- 1.3   | 431               | 39.0 | 35.5-42.5  | 457               | 40.7 | 37.2-44.2  | 135               | 13.2 | 10.7-15.7  | 48                 | 5.0 | 3.4- 6.6   | 7                        | 1.3 | 0.3- 2.3   |
| Less than \$15,000  | 75                | 9,759    | 3                                | 1.9 | 0.0- 4.3   | 32                | 37.4 | 21.5-53.3  | 18                | 16.9 | 7.7-26.1   | 15                | 32.3 | 14.1-50.5  | 6                  | 9.4 | 0.0-19.2   | 1                        | 2.1 | 0.0- 6.2   |
| \$15,000- 24,999    | 182               | 21,866   | 7                                | 6.0 | 0.3-11.7   | 64                | 33.9 | 25.1-42.7  | 84                | 46.2 | 36.8-55.6  | 20                | 8.9  | 4.0-13.8   | 5                  | 3.3 | 0.0- 7.0   | 2                        | 1.8 | 0.0- 4.3   |
| \$25,000- 34,999    | 236               | 23,254   | 4                                | 1.5 | 0.0- 3.3   | 85                | 38.5 | 29.3-47.7  | 114               | 43.0 | 34.2-51.8  | 25                | 13.0 | 6.3-19.7   | 8                  | 4.0 | 0.3- 7.7   |                          |     |            |
| \$35,000- 49,999    | 306               | 29,280   | 3                                | 1.2 | 0.0- 2.8   | 119               | 39.6 | 32.5-46.7  | 139               | 41.6 | 34.3-48.9  | 32                | 13.3 | 7.8-18.8   | 13                 | 4.2 | 1.7- 6.7   |                          |     |            |
| \$50,000- 99,999    | 698               | 69,186   | 6                                | 1.0 | 0.0- 2.4   | 260               | 37.7 | 33.0-42.4  | 278               | 37.0 | 32.3-41.7  | 108               | 16.0 | 12.7-19.3  | 41                 | 7.2 | 4.7- 9.7   | 5                        | 1.1 | 0.1- 2.1   |
| \$100,000 - 199,999 | 456               | 48,724   | 1                                | 0.4 | 0.0- 1.2   | 160               | 33.0 | 27.5-38.5  | 214               | 48.5 | 42.8-54.2  | 70                | 16.1 | 12.0-20.2  | 11                 | 2.0 | 0.6- 3.4   |                          |     |            |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 5-ft 0-in or less |     |            | 5-ft 1-in to 5-ft 6-in |      |            | 5-ft 7-in to 6-ft 0-in |      |            | 6-ft 1-in to 6-ft 6-in |      |            | 6-ft 7-in or taller |     |            | HGHT Reported in Metrics |     |            |
|---------------------|-------------------|----------|-------------------|-----|------------|------------------------|------|------------|------------------------|------|------------|------------------------|------|------------|---------------------|-----|------------|--------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED | N                 | %   | C.I. (95%) | N                      | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                   | %   | C.I. (95%) | N                        | %   | C.I. (95%) |
| TOTAL               | 5368              | 568,370  | 215               | 3.5 | 2.9- 4.1   | 2099                   | 36.8 | 35.0-38.6  | 2459                   | 46.9 | 45.1-48.7  | 567                    | 11.9 | 10.7-13.1  | 17                  | 0.5 | 0.3- 0.7   | 11                       | 0.4 | 0.2- 0.6   |
| Male                | 2667              | 295,612  | 5                 | 0.3 | 0.1- 0.5   | 215                    | 8.5  | 7.1- 9.9   | 1860                   | 67.1 | 64.7-69.5  | 560                    | 22.5 | 20.3-24.7  | 17                  | 0.9 | 0.3- 1.5   | 10                       | 0.7 | 0.1- 1.3   |
| Female              | 2701              | 272,758  | 210               | 7.1 | 5.9- 8.3   | 1884                   | 67.4 | 65.0-69.8  | 599                    | 25.1 | 22.9-27.3  | 7                      | 0.4  | 0.0- 0.8   |                     |     |            | 1                        | 0.1 | 0.0- 0.3   |
| Native              | 152               | 22,829   | 5                 | 4.2 | 0.1- 8.3   | 63                     | 36.1 | 26.1-46.1  | 68                     | 48.8 | 38.4-59.2  | 15                     | 8.7  | 3.4-14.0   | 1                   | 2.3 | 0.0- 6.6   |                          |     |            |
| Non-Native          | 5145              | 537,507  | 208               | 3.5 | 2.9- 4.1   | 2007                   | 36.7 | 34.9-38.5  | 2357                   | 46.9 | 45.1-48.7  | 548                    | 12.2 | 11.0-13.4  | 15                  | 0.4 | 0.2- 0.6   | 10                       | 0.4 | 0.2- 0.6   |
| 18-24               | 293               | 82,250   | 5                 | 1.7 | 0.1- 3.3   | 94                     | 35.9 | 29.6-42.2  | 141                    | 45.2 | 38.9-51.5  | 46                     | 15.0 | 10.5-19.5  | 4                   | 1.5 | 0.0- 3.1   | 3                        | 0.8 | 0.0- 1.8   |
| 25-34               | 550               | 103,454  | 14                | 3.0 | 1.2- 4.8   | 164                    | 31.3 | 26.8-35.8  | 287                    | 49.6 | 44.9-54.3  | 77                     | 14.4 | 11.1-17.7  | 3                   | 0.6 | 0.0- 1.2   | 5                        | 1.2 | 0.0- 2.4   |
| 35-44               | 698               | 95,947   | 15                | 3.0 | 1.2- 4.8   | 226                    | 35.1 | 31.0-39.2  | 335                    | 46.9 | 42.6-51.2  | 117                    | 14.6 | 11.9-17.3  | 4                   | 0.4 | 0.0- 0.8   | 1                        | 0.1 | 0.0- 0.3   |
| 45-54               | 751               | 74,653   | 22                | 3.3 | 1.7- 4.9   | 249                    | 32.1 | 28.4-35.8  | 379                    | 51.0 | 46.9-55.1  | 99                     | 13.2 | 10.3-16.1  |                     |     |            | 2                        | 0.3 | 0.0- 0.7   |
| 55-64               | 894               | 81,252   | 23                | 2.6 | 1.4- 3.8   | 345                    | 36.1 | 32.4-39.8  | 437                    | 51.0 | 47.1-54.9  | 87                     | 10.0 | 7.6-12.4   | 2                   | 0.3 | 0.0- 0.9   |                          |     |            |
| 65+                 | 2182              | 130,816  | 136               | 6.3 | 4.9- 7.7   | 1021                   | 45.9 | 43.4-48.4  | 880                    | 41.2 | 38.7-43.7  | 141                    | 6.4  | 5.2- 7.6   | 4                   | 0.2 | 0.0- 0.4   |                          |     |            |
| Less Than H.S.      | 163               | 41,007   | 17                | 7.2 | 3.1-11.3   | 69                     | 41.6 | 32.2-51.0  | 64                     | 41.0 | 31.8-50.2  | 11                     | 8.1  | 2.4-13.8   | 1                   | 0.9 | 0.0- 2.7   | 1                        | 1.2 | 0.0- 3.6   |
| H.S. or G.E.D.      | 1346              | 149,249  | 56                | 3.2 | 2.0- 4.4   | 534                    | 37.2 | 33.9-40.5  | 613                    | 46.7 | 43.4-50.0  | 135                    | 12.1 | 9.9-14.3   | 5                   | 0.4 | 0.0- 0.8   | 3                        | 0.4 | 0.0- 1.0   |
| Some Post-H.S.      | 1668              | 218,397  | 71                | 3.6 | 2.6- 4.6   | 641                    | 34.6 | 31.9-37.3  | 771                    | 48.4 | 45.5-51.3  | 179                    | 12.8 | 10.6-15.0  | 5                   | 0.4 | 0.0- 0.8   | 1                        | 0.1 | 0.0- 0.3   |
| College Graduate    | 2179              | 158,359  | 68                | 2.8 | 2.0- 3.6   | 851                    | 38.0 | 35.6-40.4  | 1007                   | 47.0 | 44.5-49.5  | 242                    | 11.5 | 9.9-13.1   | 5                   | 0.3 | 0.1- 0.5   | 6                        | 0.5 | 0.1- 0.9   |
| Less than \$15,000  | 146               | 18,073   | 11                | 8.6 | 1.7-15.5   | 65                     | 43.0 | 31.4-54.6  | 64                     | 43.3 | 31.9-54.7  | 6                      | 5.1  | 0.6- 9.6   |                     |     |            | 1                        | 0.4 | 0.0- 1.2   |
| \$15,000- 24,999    | 301               | 35,395   | 25                | 6.9 | 3.4-10.4   | 148                    | 47.0 | 39.7-54.3  | 104                    | 39.3 | 31.9-46.7  | 22                     | 6.3  | 3.4- 9.2   | 1                   | 0.2 | 0.0- 0.6   | 1                        | 0.3 | 0.0- 0.9   |
| \$25,000- 34,999    | 447               | 48,155   | 22                | 4.7 | 2.2- 7.2   | 212                    | 43.6 | 37.3-49.9  | 174                    | 42.6 | 36.3-48.9  | 38                     | 8.7  | 5.6-11.8   |                     |     |            | 1                        | 0.5 | 0.0- 1.5   |
| \$35,000- 49,999    | 617               | 59,824   | 38                | 5.4 | 3.4- 7.4   | 270                    | 40.9 | 36.0-45.8  | 259                    | 44.5 | 39.4-49.6  | 47                     | 8.4  | 5.7-11.1   | 2                   | 0.4 | 0.0- 1.0   | 1                        | 0.1 | 0.0- 0.3   |
| \$50,000- 99,999    | 1526              | 161,724  | 43                | 2.9 | 1.7- 4.1   | 557                    | 32.8 | 29.9-35.7  | 748                    | 51.4 | 48.3-54.5  | 173                    | 12.4 | 10.2-14.6  | 4                   | 0.4 | 0.0- 0.8   | 2                        | 0.1 | 0.0- 0.3   |
| \$100,000 - 199,999 | 1134              | 122,654  | 17                | 1.1 | 0.3- 1.9   | 355                    | 31.6 | 28.3-34.9  | 588                    | 50.0 | 46.5-53.5  | 167                    | 16.6 | 13.9-19.3  | 5                   | 0.5 | 0.1- 0.9   | 2                        | 0.1 | 0.0- 0.3   |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |     |            |                        |      |            |                        |      |            |                        |      |            |                     |     |            |                          |     |            |
|---------------------|-------------------|----------|----------------------------------|-----|------------|------------------------|------|------------|------------------------|------|------------|------------------------|------|------------|---------------------|-----|------------|--------------------------|-----|------------|
|                     |                   |          | 5-ft 0-in or less                |     |            | 5-ft 1-in to 5-ft 6-in |      |            | 5-ft 7-in to 6-ft 0-in |      |            | 6-ft 1-in to 6-ft 6-in |      |            | 6-ft 7-in or taller |     |            | HGHT Reported in Metrics |     |            |
|                     | TOTAL             | WEIGHTED | N                                | %   | C.I. (95%) | N                      | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                   | %   | C.I. (95%) | N                        | %   | C.I. (95%) |
| Male                | 2667              | 295,612  | 5                                | 0.3 | 0.1- 0.5   | 215                    | 8.5  | 7.1- 9.9   | 1860                   | 67.1 | 64.7-69.5  | 560                    | 22.5 | 20.3-24.7  | 17                  | 0.9 | 0.3- 1.5   | 10                       | 0.7 | 0.1- 1.3   |
| Native              | 69                | 10,809   |                                  |     |            | 5                      | 7.0  | 0.3-13.7   | 48                     | 69.9 | 56.4-83.4  | 15                     | 18.3 | 7.7-28.9   | 1                   | 4.8 | 0.0-13.8   |                          |     |            |
| Non-Native          | 2555              | 280,400  | 5                                | 0.3 | 0.0- 0.7   | 203                    | 8.4  | 7.0- 9.8   | 1782                   | 66.9 | 64.5-69.3  | 541                    | 22.9 | 20.7-25.1  | 15                  | 0.8 | 0.4- 1.2   | 9                        | 0.6 | 0.0- 1.2   |
| 18-24               | 170               | 43,959   | 1                                | 0.4 | 0.0- 1.2   | 11                     | 7.5  | 2.4-12.6   | 105                    | 59.9 | 51.5-68.3  | 46                     | 28.0 | 20.4-35.6  | 4                   | 2.8 | 0.0- 5.7   | 3                        | 1.5 | 0.0- 3.3   |
| 25-34               | 302               | 56,128   | 1                                | 0.7 | 0.0- 1.9   | 14                     | 5.8  | 2.5- 9.1   | 205                    | 64.9 | 58.6-71.2  | 75                     | 25.6 | 19.9-31.3  | 3                   | 1.0 | 0.0- 2.2   | 4                        | 1.9 | 0.0- 4.1   |
| 35-44               | 393               | 50,399   |                                  |     |            | 28                     | 9.0  | 5.7-12.3   | 243                    | 62.3 | 57.0-67.6  | 117                    | 27.8 | 22.9-32.7  | 4                   | 0.7 | 0.0- 1.5   | 1                        | 0.2 | 0.0- 0.6   |
| 45-54               | 395               | 39,986   | 2                                | 0.5 | 0.0- 1.3   | 27                     | 7.9  | 4.6-11.2   | 268                    | 67.2 | 61.7-72.7  | 96                     | 23.8 | 18.9-28.7  |                     |     |            | 2                        | 0.6 | 0.0- 1.4   |
| 55-64               | 433               | 43,350   |                                  |     |            | 32                     | 7.1  | 4.4- 9.8   | 313                    | 73.7 | 69.0-78.4  | 86                     | 18.6 | 14.5-22.7  | 2                   | 0.6 | 0.0- 1.6   |                          |     |            |
| 65+                 | 974               | 61,790   | 1                                | 0.0 | 0.0- 0.0   | 103                    | 12.5 | 9.8-15.2   | 726                    | 73.6 | 70.3-76.9  | 140                    | 13.4 | 10.9-15.9  | 4                   | 0.4 | 0.0- 0.8   |                          |     |            |
| Less Than H.S.      | 92                | 23,335   | 1                                | 1.6 | 0.0- 4.7   | 24                     | 23.4 | 13.0-33.8  | 54                     | 57.1 | 44.6-69.6  | 11                     | 14.3 | 4.7-23.9   | 1                   | 1.5 | 0.0- 4.4   | 1                        | 2.2 | 0.0- 6.3   |
| H.S. or G.E.D.      | 735               | 85,545   | 2                                | 0.2 | 0.0- 0.6   | 75                     | 9.0  | 6.6-11.4   | 515                    | 68.3 | 64.2-72.4  | 135                    | 21.1 | 17.4-24.8  | 5                   | 0.6 | 0.0- 1.2   | 3                        | 0.8 | 0.0- 1.6   |
| Some Post-H.S.      | 825               | 114,639  |                                  |     |            | 59                     | 6.9  | 4.9- 8.9   | 584                    | 68.0 | 64.1-71.9  | 176                    | 24.1 | 20.6-27.6  | 5                   | 0.8 | 0.0- 1.6   | 1                        | 0.2 | 0.0- 0.6   |
| College Graduate    | 1009              | 71,046   | 2                                | 0.2 | 0.0- 0.6   | 56                     | 5.2  | 3.6- 6.8   | 703                    | 68.4 | 65.1-71.7  | 238                    | 24.7 | 21.6-27.8  | 5                   | 0.6 | 0.0- 1.2   | 5                        | 0.8 | 0.0- 1.6   |
| Less than \$15,000  | 65                | 7,339    | 2                                | 2.9 | 0.0- 7.4   | 10                     | 14.6 | 4.8-24.4   | 47                     | 70.0 | 56.1-83.9  | 6                      | 12.5 | 1.9-23.1   |                     |     |            |                          |     |            |
| \$15,000- 24,999    | 113               | 13,118   | 1                                | 1.2 | 0.0- 3.6   | 17                     | 13.1 | 5.7-20.5   | 73                     | 68.7 | 58.3-79.1  | 21                     | 16.4 | 8.6-24.2   | 1                   | 0.5 | 0.0- 1.5   |                          |     |            |
| \$25,000- 34,999    | 203               | 24,100   |                                  |     |            | 25                     | 13.1 | 6.8-19.4   | 140                    | 69.6 | 61.6-77.6  | 37                     | 16.7 | 10.6-22.8  |                     |     |            | 1                        | 0.6 | 0.0- 1.8   |
| \$35,000- 49,999    | 292               | 29,297   |                                  |     |            | 27                     | 8.9  | 5.0-12.8   | 215                    | 72.1 | 65.6-78.6  | 47                     | 17.1 | 11.8-22.4  | 2                   | 0.9 | 0.0- 2.3   | 1                        | 1.0 | 0.0- 3.0   |
| \$50,000- 99,999    | 797               | 89,055   | 1                                | 0.4 | 0.0- 1.2   | 61                     | 8.1  | 5.7-10.5   | 559                    | 68.6 | 64.5-72.7  | 171                    | 22.0 | 18.3-25.7  | 4                   | 0.7 | 0.0- 1.5   | 1                        | 0.2 | 0.0- 0.6   |
| \$100,000 - 199,999 | 650               | 71,307   | 1                                | 0.0 | 0.0- 0.0   | 35                     | 5.8  | 3.6- 8.0   | 441                    | 64.7 | 60.2-69.2  | 166                    | 28.4 | 24.1-32.7  | 5                   | 0.9 | 0.1- 1.7   | 2                        | 0.2 | 0.0- 0.4   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 5-ft 0-in or less |      |            | 5-ft 1-in to 5-ft 6-in |      |            | 5-ft 7-in to 6-ft 0-in |      |            | 6-ft 1-in to 6-ft 6-in |     |            | HGHT Reported in Metrics |     |            |
|---------------------|-------------------|----------|-------------------|------|------------|------------------------|------|------------|------------------------|------|------------|------------------------|-----|------------|--------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                      | %    | C.I. (95%) | N                      | %   | C.I. (95%) | N                        | %   | C.I. (95%) |
| Female              | 2701              | 272,758  | 210               | 7.1  | 5.9- 8.3   | 1884                   | 67.4 | 65.0-69.8  | 599                    | 25.1 | 22.9-27.3  | 7                      | 0.4 | 0.0- 0.8   | 1                        | 0.1 | 0.0- 0.3   |
| Native              | 83                | 12,021   | 5                 | 7.9  | 0.1-15.7   | 58                     | 62.2 | 48.1-76.3  | 20                     | 29.9 | 16.6-43.2  |                        |     |            |                          |     |            |
| Non-Native          | 2590              | 257,107  | 203               | 7.0  | 5.8- 8.2   | 1804                   | 67.5 | 65.1-69.9  | 575                    | 25.1 | 22.7-27.5  | 7                      | 0.4 | 0.0- 0.8   | 1                        | 0.1 | 0.0- 0.3   |
| 18-24               | 123               | 38,290   | 4                 | 3.2  | 0.1- 6.3   | 83                     | 68.6 | 60.0-77.2  | 36                     | 28.2 | 19.8-36.6  |                        |     |            |                          |     |            |
| 25-34               | 248               | 47,326   | 13                | 5.8  | 2.3- 9.3   | 150                    | 61.4 | 54.5-68.3  | 82                     | 31.4 | 24.9-37.9  | 2                      | 1.0 | 0.0- 2.4   | 1                        | 0.3 | 0.0- 0.9   |
| 35-44               | 305               | 45,548   | 15                | 6.3  | 2.8- 9.8   | 198                    | 63.9 | 57.6-70.2  | 92                     | 29.8 | 23.9-35.7  |                        |     |            |                          |     |            |
| 45-54               | 356               | 34,667   | 20                | 6.5  | 3.2- 9.8   | 222                    | 60.0 | 53.9-66.1  | 111                    | 32.4 | 26.5-38.3  | 3                      | 1.0 | 0.0- 2.2   |                          |     |            |
| 55-64               | 461               | 37,901   | 23                | 5.6  | 3.2- 8.0   | 313                    | 69.3 | 64.6-74.0  | 124                    | 25.0 | 20.7-29.3  | 1                      | 0.2 | 0.0- 0.6   |                          |     |            |
| 65+                 | 1208              | 69,026   | 135               | 11.9 | 9.5-14.3   | 918                    | 75.8 | 72.9-78.7  | 154                    | 12.2 | 10.0-14.4  | 1                      | 0.1 | 0.0- 0.3   |                          |     |            |
| Less Than H.S.      | 71                | 17,672   | 16                | 14.7 | 6.1-23.3   | 45                     | 65.6 | 52.1-79.1  | 10                     | 19.7 | 7.7-31.7   |                        |     |            |                          |     |            |
| H.S. or G.E.D.      | 611               | 63,704   | 54                | 7.1  | 4.6- 9.6   | 459                    | 75.1 | 70.6-79.6  | 98                     | 17.7 | 13.8-21.6  |                        |     |            |                          |     |            |
| Some Post-H.S.      | 843               | 103,759  | 71                | 7.6  | 5.4- 9.8   | 582                    | 65.2 | 61.1-69.3  | 187                    | 26.8 | 22.9-30.7  | 3                      | 0.4 | 0.0- 0.8   |                          |     |            |
| College Graduate    | 1170              | 87,313   | 66                | 4.9  | 3.5- 6.3   | 795                    | 64.7 | 61.4-68.0  | 304                    | 29.5 | 26.2-32.8  | 4                      | 0.7 | 0.0- 1.5   | 1                        | 0.2 | 0.0- 0.6   |
| Less than \$15,000  | 81                | 10,735   | 9                 | 12.5 | 1.3-23.7   | 55                     | 62.5 | 46.8-78.2  | 17                     | 25.1 | 11.2-39.0  |                        |     |            |                          |     |            |
| \$15,000- 24,999    | 188               | 22,277   | 24                | 10.2 | 4.9-15.5   | 131                    | 66.9 | 57.9-75.9  | 31                     | 21.9 | 13.7-30.1  | 1                      | 0.3 | 0.0- 0.9   | 1                        | 0.7 | 0.0- 2.1   |
| \$25,000- 34,999    | 244               | 24,055   | 22                | 9.4  | 4.3-14.5   | 187                    | 74.2 | 66.4-82.0  | 34                     | 15.6 | 9.1-22.1   | 1                      | 0.7 | 0.0- 2.1   |                          |     |            |
| \$35,000- 49,999    | 325               | 30,527   | 38                | 10.5 | 6.6-14.4   | 243                    | 71.5 | 64.4-78.6  | 44                     | 17.9 | 11.2-24.6  |                        |     |            |                          |     |            |
| \$50,000- 99,999    | 729               | 72,669   | 42                | 5.9  | 3.7- 8.1   | 496                    | 63.0 | 58.3-67.7  | 189                    | 30.4 | 25.9-34.9  | 2                      | 0.7 | 0.0- 1.7   |                          |     |            |
| \$100,000 - 199,999 | 484               | 51,347   | 16                | 2.7  | 1.1- 4.3   | 320                    | 67.4 | 62.3-72.5  | 147                    | 29.8 | 24.9-34.7  | 1                      | 0.1 | 0.0- 0.3   |                          |     |            |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 9: DISABILITY CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                                                                        | PAGE |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)                                                                                               |      |
| 1 MALES AND FEMALES                                                                                                                                          | 169  |
| 2 MALES ONLY                                                                                                                                                 | 170  |
| 3 FEMALES ONLY                                                                                                                                               | 171  |
| ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)                                                                   |      |
| 4 MALES AND FEMALES                                                                                                                                          | 172  |
| 5 MALES ONLY                                                                                                                                                 | 173  |
| 6 FEMALES ONLY                                                                                                                                               | 174  |
| BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)              |      |
| 7 MALES AND FEMALES                                                                                                                                          | 175  |
| 8 MALES ONLY                                                                                                                                                 | 176  |
| 9 FEMALES ONLY                                                                                                                                               | 177  |
| DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)                                                                                        |      |
| 10 MALES AND FEMALES                                                                                                                                         | 178  |
| 11 MALES ONLY                                                                                                                                                | 179  |
| 12 FEMALES ONLY                                                                                                                                              | 180  |
| DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)                                                                                                       |      |
| 13 MALES AND FEMALES                                                                                                                                         | 181  |
| 14 MALES ONLY                                                                                                                                                | 182  |
| 15 FEMALES ONLY                                                                                                                                              | 183  |
| BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON) |      |
| 16 MALES AND FEMALES                                                                                                                                         | 184  |
| 17 MALES ONLY                                                                                                                                                | 185  |
| 18 FEMALES ONLY                                                                                                                                              | 186  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 1: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5467              | 578,067  | 614 | 8.7  | 7.9- 9.5   | 4853 | 91.3 | 90.5-92.1  |
| Male                  | 2683              | 297,609  | 391 | 10.9 | 9.5-12.3   | 2292 | 89.1 | 87.7-90.5  |
| Female                | 2784              | 280,458  | 223 | 6.4  | 5.2- 7.6   | 2561 | 93.6 | 92.4-94.8  |
| Native                | 155               | 23,058   | 18  | 7.0  | 3.3-10.7   | 137  | 93.0 | 89.3-96.7  |
| Non-Native            | 5233              | 545,924  | 584 | 8.7  | 7.7- 9.7   | 4649 | 91.3 | 90.3-92.3  |
| 18-24                 | 294               | 82,374   | 12  | 3.9  | 1.5- 6.3   | 282  | 96.1 | 93.7-98.5  |
| 25-34                 | 552               | 103,752  | 16  | 3.4  | 1.8- 5.0   | 536  | 96.6 | 95.0-98.2  |
| 35-44                 | 714               | 98,013   | 23  | 3.7  | 1.9- 5.5   | 691  | 96.3 | 94.5-98.1  |
| 45-54                 | 776               | 77,785   | 36  | 4.3  | 2.7- 5.9   | 740  | 95.7 | 94.1-97.3  |
| 55-64                 | 911               | 83,178   | 87  | 11.0 | 8.5-13.5   | 824  | 89.0 | 86.5-91.5  |
| 65+                   | 2220              | 132,964  | 440 | 20.7 | 18.5-22.9  | 1780 | 79.3 | 77.1-81.5  |
| Less Than H.S.        | 163               | 41,065   | 36  | 16.4 | 10.3-22.5  | 127  | 83.6 | 77.5-89.7  |
| H.S. or G.E.D.        | 1361              | 149,870  | 218 | 11.1 | 9.3-12.9   | 1143 | 88.9 | 87.1-90.7  |
| Some Post-H.S.        | 1707              | 223,476  | 182 | 8.1  | 6.7- 9.5   | 1525 | 91.9 | 90.5-93.3  |
| College Graduate      | 2219              | 161,748  | 176 | 5.5  | 4.5- 6.5   | 2043 | 94.5 | 93.5-95.5  |
| Less than \$15,000    | 147               | 18,028   | 22  | 10.5 | 4.4-16.6   | 125  | 89.5 | 83.4-95.6  |
| \$15,000- 24,999      | 303               | 35,681   | 45  | 12.2 | 7.7-16.7   | 258  | 87.8 | 83.3-92.3  |
| \$25,000- 34,999      | 448               | 48,538   | 83  | 13.4 | 9.7-17.1   | 365  | 86.6 | 82.9-90.3  |
| \$35,000- 49,999      | 623               | 60,186   | 92  | 12.3 | 9.4-15.2   | 531  | 87.7 | 84.8-90.6  |
| \$50,000- 99,999      | 1532              | 162,687  | 145 | 7.3  | 5.9- 8.7   | 1387 | 92.7 | 91.3-94.1  |
| \$100,000 - 199,999   | 1139              | 123,082  | 71  | 4.6  | 3.4- 5.8   | 1068 | 95.4 | 94.2-96.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 2: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2683              | 297,609  | 391 | 10.9 | 9.5-12.3   | 2292 | 89.1 | 87.7-90.5  |
| Native                | 69                | 10,809   | 11  | 9.0  | 2.9-15.1   | 58   | 91.0 | 84.9-97.1  |
| Non-Native            | 2566              | 281,533  | 370 | 10.8 | 9.4-12.2   | 2196 | 89.2 | 87.8-90.6  |
| 18-24                 | 170               | 43,728   | 9   | 4.8  | 1.5- 8.1   | 161  | 95.2 | 91.9-98.5  |
| 25-34                 | 303               | 56,296   | 10  | 4.0  | 1.5- 6.5   | 293  | 96.0 | 93.5-98.5  |
| 35-44                 | 401               | 51,333   | 15  | 3.5  | 1.7- 5.3   | 386  | 96.5 | 94.7-98.3  |
| 45-54                 | 401               | 40,855   | 25  | 5.3  | 3.1- 7.5   | 376  | 94.7 | 92.5-96.9  |
| 55-64                 | 431               | 43,333   | 63  | 16.5 | 12.2-20.8  | 368  | 83.5 | 79.2-87.8  |
| 65+                   | 977               | 62,063   | 269 | 27.6 | 24.3-30.9  | 708  | 72.4 | 69.1-75.7  |
| Less Than H.S.        | 90                | 23,063   | 20  | 16.5 | 8.5-24.5   | 70   | 83.5 | 75.5-91.5  |
| H.S. or G.E.D.        | 737               | 85,436   | 129 | 11.9 | 9.5-14.3   | 608  | 88.1 | 85.7-90.5  |
| Some Post-H.S.        | 832               | 115,832  | 127 | 10.9 | 8.7-13.1   | 705  | 89.1 | 86.9-91.3  |
| College Graduate      | 1015              | 71,872   | 115 | 8.1  | 6.3- 9.9   | 900  | 91.9 | 90.1-93.7  |
| Less than \$15,000    | 66                | 7,294    | 12  | 10.8 | 3.5-18.1   | 54   | 89.2 | 81.9-96.5  |
| \$15,000- 24,999      | 113               | 13,185   | 21  | 14.7 | 7.4-22.0   | 92   | 85.3 | 78.0-92.6  |
| \$25,000- 34,999      | 201               | 23,891   | 51  | 17.7 | 11.6-23.8  | 150  | 82.3 | 76.2-88.4  |
| \$35,000- 49,999      | 293               | 29,499   | 66  | 16.6 | 12.1-21.1  | 227  | 83.4 | 78.9-87.9  |
| \$50,000- 99,999      | 796               | 89,113   | 103 | 10.0 | 7.6-12.4   | 693  | 90.0 | 87.6-92.4  |
| \$100,000 - 199,999   | 651               | 71,349   | 64  | 7.2  | 5.2- 9.2   | 587  | 92.8 | 90.8-94.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 3: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2784              | 280,458  | 223 | 6.4  | 5.2- 7.6   | 2561 | 93.6 | 92.4-94.8  |
| Native                | 86                | 12,250   | 7   | 5.2  | 0.5- 9.9   | 79   | 94.8 | 90.1-99.5  |
| Non-Native            | 2667              | 264,391  | 214 | 6.4  | 5.2- 7.6   | 2453 | 93.6 | 92.4-94.8  |
| 18-24                 | 124               | 38,646   | 3   | 2.8  | 0.0- 6.1   | 121  | 97.2 | 93.9- 100  |
| 25-34                 | 249               | 47,455   | 6   | 2.8  | 1.0- 4.6   | 243  | 97.2 | 95.4-99.0  |
| 35-44                 | 313               | 46,680   | 8   | 3.8  | 0.7- 6.9   | 305  | 96.2 | 93.1-99.3  |
| 45-54                 | 375               | 36,930   | 11  | 3.1  | 0.9- 5.3   | 364  | 96.9 | 94.7-99.1  |
| 55-64                 | 480               | 39,845   | 24  | 5.1  | 2.7- 7.5   | 456  | 94.9 | 92.5-97.3  |
| 65+                   | 1243              | 70,901   | 171 | 14.8 | 12.3-17.3  | 1072 | 85.2 | 82.7-87.7  |
| Less Than H.S.        | 73                | 18,002   | 16  | 16.2 | 6.6-25.8   | 57   | 83.8 | 74.2-93.4  |
| H.S. or G.E.D.        | 624               | 64,434   | 89  | 10.1 | 7.4-12.8   | 535  | 89.9 | 87.2-92.6  |
| Some Post-H.S.        | 875               | 107,644  | 55  | 5.0  | 3.4- 6.6   | 820  | 95.0 | 93.4-96.6  |
| College Graduate      | 1204              | 89,876   | 61  | 3.3  | 2.3- 4.3   | 1143 | 96.7 | 95.7-97.7  |
| Less than \$15,000    | 81                | 10,735   | 10  | 10.3 | 1.3-19.3   | 71   | 89.7 | 80.7-98.7  |
| \$15,000- 24,999      | 190               | 22,497   | 24  | 10.8 | 5.1-16.5   | 166  | 89.2 | 83.5-94.9  |
| \$25,000- 34,999      | 247               | 24,647   | 32  | 9.3  | 5.2-13.4   | 215  | 90.7 | 86.6-94.8  |
| \$35,000- 49,999      | 330               | 30,687   | 26  | 8.0  | 4.3-11.7   | 304  | 92.0 | 88.3-95.7  |
| \$50,000- 99,999      | 736               | 73,574   | 42  | 3.9  | 2.5- 5.3   | 694  | 96.1 | 94.7-97.5  |
| \$100,000 - 199,999   | 488               | 51,733   | 7   | 0.9  | 0.1- 1.7   | 481  | 99.1 | 98.3-99.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 4: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5461              | 577,241  | 222 | 4.0  | 3.2- 4.8   | 5239 | 96.0 | 95.2-96.8  |
| Male                  | 2683              | 297,858  | 97  | 3.1  | 2.3- 3.9   | 2586 | 96.9 | 96.1-97.7  |
| Female                | 2778              | 279,383  | 125 | 4.9  | 3.7- 6.1   | 2653 | 95.1 | 93.9-96.3  |
| Native                | 155               | 23,058   | 14  | 12.2 | 4.0-20.4   | 141  | 87.8 | 79.6-96.0  |
| Non-Native            | 5227              | 545,154  | 205 | 3.6  | 3.0- 4.2   | 5022 | 96.4 | 95.8-97.0  |
| 18-24                 | 295               | 82,815   | 8   | 2.6  | 0.6- 4.6   | 287  | 97.4 | 95.4-99.4  |
| 25-34                 | 549               | 102,985  | 13  | 3.1  | 0.9- 5.3   | 536  | 96.9 | 94.7-99.1  |
| 35-44                 | 714               | 98,013   | 17  | 3.3  | 1.3- 5.3   | 697  | 96.7 | 94.7-98.7  |
| 45-54                 | 773               | 77,684   | 20  | 2.6  | 1.4- 3.8   | 753  | 97.4 | 96.2-98.6  |
| 55-64                 | 905               | 82,679   | 36  | 5.9  | 3.5- 8.3   | 869  | 94.1 | 91.7-96.5  |
| 65+                   | 2225              | 133,065  | 128 | 5.5  | 4.3- 6.7   | 2097 | 94.5 | 93.3-95.7  |
| Less Than H.S.        | 162               | 40,647   | 23  | 14.5 | 7.6-21.4   | 139  | 85.5 | 78.6-92.4  |
| H.S. or G.E.D.        | 1363              | 150,294  | 73  | 4.0  | 2.8- 5.2   | 1290 | 96.0 | 94.8-97.2  |
| Some Post-H.S.        | 1707              | 223,057  | 71  | 3.6  | 2.6- 4.6   | 1636 | 96.4 | 95.4-97.4  |
| College Graduate      | 2212              | 161,336  | 55  | 1.9  | 1.3- 2.5   | 2157 | 98.1 | 97.5-98.7  |
| Less than \$15,000    | 144               | 17,421   | 22  | 17.4 | 6.8-28.0   | 122  | 82.6 | 72.0-93.2  |
| \$15,000- 24,999      | 304               | 35,782   | 23  | 8.3  | 4.0-12.6   | 281  | 91.7 | 87.4-96.0  |
| \$25,000- 34,999      | 451               | 48,546   | 30  | 5.5  | 3.1- 7.9   | 421  | 94.5 | 92.1-96.9  |
| \$35,000- 49,999      | 621               | 59,891   | 36  | 4.9  | 2.7- 7.1   | 585  | 95.1 | 92.9-97.3  |
| \$50,000- 99,999      | 1534              | 162,920  | 45  | 2.8  | 1.8- 3.8   | 1489 | 97.2 | 96.2-98.2  |
| \$100,000 - 199,999   | 1138              | 123,045  | 11  | 1.3  | 0.3- 2.3   | 1127 | 98.7 | 97.7-99.7  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 5: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2683              | 297,858  | 97  | 3.1  | 2.3- 3.9   | 2586 | 96.9 | 96.1-97.7  |
| Native                | 69                | 10,809   | 5   | 8.0  | 0.0-16.0   | 64   | 92.0 | 84.0- 100  |
| Non-Native            | 2567              | 281,951  | 92  | 2.9  | 2.1- 3.7   | 2475 | 97.1 | 96.3-97.9  |
| 18-24                 | 171               | 44,168   | 5   | 2.6  | 0.2- 5.0   | 166  | 97.4 | 95.0-99.8  |
| 25-34                 | 302               | 56,109   | 4   | 1.6  | 0.0- 3.2   | 298  | 98.4 | 96.8- 100  |
| 35-44                 | 401               | 51,333   | 7   | 1.6  | 0.2- 3.0   | 394  | 98.4 | 97.0-99.8  |
| 45-54                 | 399               | 40,749   | 10  | 2.7  | 0.9- 4.5   | 389  | 97.3 | 95.5-99.1  |
| 55-64                 | 430               | 43,326   | 15  | 5.2  | 2.1- 8.3   | 415  | 94.8 | 91.7-97.9  |
| 65+                   | 980               | 62,172   | 56  | 4.6  | 3.0- 6.2   | 924  | 95.4 | 93.8-97.0  |
| Less Than H.S.        | 90                | 23,137   | 11  | 9.2  | 3.3-15.1   | 79   | 90.8 | 84.9-96.7  |
| H.S. or G.E.D.        | 736               | 85,662   | 27  | 2.1  | 1.1- 3.1   | 709  | 97.9 | 96.9-98.9  |
| Some Post-H.S.        | 834               | 115,864  | 31  | 3.3  | 1.9- 4.7   | 803  | 96.7 | 95.3-98.1  |
| College Graduate      | 1014              | 71,790   | 28  | 1.9  | 1.1- 2.7   | 986  | 98.1 | 97.3-98.9  |
| Less than \$15,000    | 66                | 7,352    | 10  | 11.9 | 3.1-20.7   | 56   | 88.1 | 79.3-96.9  |
| \$15,000- 24,999      | 114               | 13,217   | 9   | 7.8  | 1.7-13.9   | 105  | 92.2 | 86.1-98.3  |
| \$25,000- 34,999      | 202               | 23,843   | 12  | 5.3  | 1.6- 9.0   | 190  | 94.7 | 91.0-98.4  |
| \$35,000- 49,999      | 293               | 29,534   | 22  | 4.9  | 1.8- 8.0   | 271  | 95.1 | 92.0-98.2  |
| \$50,000- 99,999      | 798               | 89,327   | 21  | 2.9  | 1.3- 4.5   | 777  | 97.1 | 95.5-98.7  |
| \$100,000 - 199,999   | 651               | 71,349   | 5   | 0.7  | 0.0- 1.5   | 646  | 99.3 | 98.5- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 6: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2778              | 279,383  | 125 | 4.9  | 3.7- 6.1   | 2653 | 95.1 | 93.9-96.3  |
| Native                | 86                | 12,250   | 9   | 15.8 | 2.3-29.3   | 77   | 84.2 | 70.7-97.7  |
| Non-Native            | 2660              | 263,203  | 113 | 4.4  | 3.2- 5.6   | 2547 | 95.6 | 94.4-96.8  |
| 18-24                 | 124               | 38,646   | 3   | 2.6  | 0.0- 5.7   | 121  | 97.4 | 94.3- 100  |
| 25-34                 | 247               | 46,876   | 9   | 5.0  | 0.9- 9.1   | 238  | 95.0 | 90.9-99.1  |
| 35-44                 | 313               | 46,680   | 10  | 5.1  | 1.4- 8.8   | 303  | 94.9 | 91.2-98.6  |
| 45-54                 | 374               | 36,934   | 10  | 2.5  | 0.7- 4.3   | 364  | 97.5 | 95.7-99.3  |
| 55-64                 | 475               | 39,353   | 21  | 6.7  | 3.0-10.4   | 454  | 93.3 | 89.6-97.0  |
| 65+                   | 1245              | 70,892   | 72  | 6.4  | 4.6- 8.2   | 1173 | 93.6 | 91.8-95.4  |
| Less Than H.S.        | 72                | 17,511   | 12  | 21.6 | 8.5-34.7   | 60   | 78.4 | 65.3-91.5  |
| H.S. or G.E.D.        | 627               | 64,633   | 46  | 6.5  | 4.1- 8.9   | 581  | 93.5 | 91.1-95.9  |
| Some Post-H.S.        | 873               | 107,192  | 40  | 3.8  | 2.2- 5.4   | 833  | 96.2 | 94.6-97.8  |
| College Graduate      | 1198              | 89,546   | 27  | 2.0  | 1.2- 2.8   | 1171 | 98.0 | 97.2-98.8  |
| Less than \$15,000    | 78                | 10,069   | 12  | 21.3 | 4.6-38.0   | 66   | 78.7 | 62.0-95.4  |
| \$15,000- 24,999      | 190               | 22,565   | 14  | 8.6  | 2.7-14.5   | 176  | 91.4 | 85.5-97.3  |
| \$25,000- 34,999      | 249               | 24,702   | 18  | 5.6  | 2.5- 8.7   | 231  | 94.4 | 91.3-97.5  |
| \$35,000- 49,999      | 328               | 30,356   | 14  | 4.9  | 2.0- 7.8   | 314  | 95.1 | 92.2-98.0  |
| \$50,000- 99,999      | 736               | 73,593   | 24  | 2.7  | 1.3- 4.1   | 712  | 97.3 | 95.9-98.7  |
| \$100,000 - 199,999   | 487               | 51,696   | 6   | 2.0  | 0.0- 4.2   | 481  | 98.0 | 95.8- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 7: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5439              | 575,125  | 499 | 11.9 | 10.7-13.1  | 4940 | 88.1 | 86.9-89.3  |
| Male                  | 2671              | 296,383  | 231 | 10.1 | 8.5-11.7   | 2440 | 89.9 | 88.3-91.5  |
| Female                | 2768              | 278,741  | 268 | 13.8 | 11.8-15.8  | 2500 | 86.2 | 84.2-88.2  |
| Native                | 155               | 23,058   | 26  | 18.9 | 10.9-26.9  | 129  | 81.1 | 73.1-89.1  |
| Non-Native            | 5204              | 542,869  | 463 | 11.5 | 10.3-12.7  | 4741 | 88.5 | 87.3-89.7  |
| 18-24                 | 293               | 82,488   | 52  | 17.9 | 13.0-22.8  | 241  | 82.1 | 77.2-87.0  |
| 25-34                 | 549               | 103,243  | 71  | 14.8 | 11.3-18.3  | 478  | 85.2 | 81.7-88.7  |
| 35-44                 | 704               | 96,659   | 70  | 11.5 | 8.6-14.4   | 634  | 88.5 | 85.6-91.4  |
| 45-54                 | 768               | 77,067   | 65  | 8.8  | 6.4-11.2   | 703  | 91.2 | 88.8-93.6  |
| 55-64                 | 906               | 82,845   | 89  | 11.5 | 8.8-14.2   | 817  | 88.5 | 85.8-91.2  |
| 65+                   | 2219              | 132,824  | 152 | 8.2  | 6.6- 9.8   | 2067 | 91.8 | 90.2-93.4  |
| Less Than H.S.        | 164               | 41,247   | 42  | 30.1 | 21.5-38.7  | 122  | 69.9 | 61.3-78.5  |
| H.S. or G.E.D.        | 1355              | 149,456  | 173 | 14.3 | 11.9-16.7  | 1182 | 85.7 | 83.3-88.1  |
| Some Post-H.S.        | 1700              | 221,842  | 171 | 11.8 | 9.8-13.8   | 1529 | 88.2 | 86.2-90.2  |
| College Graduate      | 2203              | 160,673  | 112 | 5.2  | 4.0- 6.4   | 2091 | 94.8 | 93.6-96.0  |
| Less than \$15,000    | 147               | 18,103   | 44  | 34.1 | 23.1-45.1  | 103  | 65.9 | 54.9-76.9  |
| \$15,000- 24,999      | 302               | 35,499   | 72  | 28.0 | 21.3-34.7  | 230  | 72.0 | 65.3-78.7  |
| \$25,000- 34,999      | 449               | 48,460   | 79  | 25.9 | 19.8-32.0  | 370  | 74.1 | 68.0-80.2  |
| \$35,000- 49,999      | 618               | 59,364   | 62  | 12.3 | 8.8-15.8   | 556  | 87.7 | 84.2-91.2  |
| \$50,000- 99,999      | 1529              | 162,594  | 102 | 8.5  | 6.7-10.3   | 1427 | 91.5 | 89.7-93.3  |
| \$100,000 - 199,999   | 1135              | 122,644  | 42  | 4.8  | 2.8- 6.8   | 1093 | 95.2 | 93.2-97.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 8: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2671              | 296,383  | 231 | 10.1 | 8.5-11.7   | 2440 | 89.9 | 88.3-91.5  |
| Native                | 69                | 10,809   | 13  | 19.6 | 8.4-30.8   | 56   | 80.4 | 69.2-91.6  |
| Non-Native            | 2554              | 280,308  | 213 | 9.7  | 8.1-11.3   | 2341 | 90.3 | 88.7-91.9  |
| 18-24                 | 170               | 44,002   | 28  | 14.4 | 8.9-19.9   | 142  | 85.6 | 80.1-91.1  |
| 25-34                 | 302               | 56,101   | 28  | 9.9  | 6.2-13.6   | 274  | 90.1 | 86.4-93.8  |
| 35-44                 | 394               | 50,498   | 30  | 8.0  | 4.9-11.1   | 364  | 92.0 | 88.9-95.1  |
| 45-54                 | 396               | 40,238   | 35  | 9.9  | 6.4-13.4   | 361  | 90.1 | 86.6-93.6  |
| 55-64                 | 431               | 43,264   | 37  | 10.9 | 6.6-15.2   | 394  | 89.1 | 84.8-93.4  |
| 65+                   | 978               | 62,281   | 73  | 8.4  | 6.0-10.8   | 905  | 91.6 | 89.2-94.0  |
| Less Than H.S.        | 91                | 23,244   | 24  | 26.5 | 15.9-37.1  | 67   | 73.5 | 62.9-84.1  |
| H.S. or G.E.D.        | 734               | 85,364   | 92  | 12.6 | 9.9-15.3   | 642  | 87.4 | 84.7-90.1  |
| Some Post-H.S.        | 829               | 114,912  | 75  | 9.1  | 6.7-11.5   | 754  | 90.9 | 88.5-93.3  |
| College Graduate      | 1008              | 71,456   | 40  | 3.6  | 2.4- 4.8   | 968  | 96.4 | 95.2-97.6  |
| Less than \$15,000    | 67                | 7,440    | 22  | 41.7 | 25.6-57.8  | 45   | 58.3 | 42.2-74.4  |
| \$15,000- 24,999      | 112               | 13,074   | 30  | 27.9 | 17.5-38.3  | 82   | 72.1 | 61.7-82.5  |
| \$25,000- 34,999      | 202               | 23,811   | 41  | 23.3 | 15.3-31.3  | 161  | 76.7 | 68.7-84.7  |
| \$35,000- 49,999      | 289               | 28,842   | 30  | 11.9 | 7.0-16.8   | 259  | 88.1 | 83.2-93.0  |
| \$50,000- 99,999      | 796               | 89,170   | 38  | 5.9  | 3.7- 8.1   | 758  | 94.1 | 91.9-96.3  |
| \$100,000 - 199,999   | 649               | 71,174   | 23  | 3.8  | 2.0- 5.6   | 626  | 96.2 | 94.4-98.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 9: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2768              | 278,741  | 268 | 13.8 | 11.8-15.8  | 2500 | 86.2 | 84.2-88.2  |
| Native                | 86                | 12,250   | 13  | 18.2 | 6.6-29.8   | 73   | 81.8 | 70.2-93.4  |
| Non-Native            | 2650              | 262,561  | 250 | 13.4 | 11.4-15.4  | 2400 | 86.6 | 84.6-88.6  |
| 18-24                 | 123               | 38,486   | 24  | 21.9 | 13.5-30.3  | 99   | 78.1 | 69.7-86.5  |
| 25-34                 | 247               | 47,142   | 43  | 20.6 | 14.7-26.5  | 204  | 79.4 | 73.5-85.3  |
| 35-44                 | 310               | 46,161   | 40  | 15.3 | 10.2-20.4  | 270  | 84.7 | 79.6-89.8  |
| 45-54                 | 372               | 36,829   | 30  | 7.6  | 4.7-10.5   | 342  | 92.4 | 89.5-95.3  |
| 55-64                 | 475               | 39,581   | 52  | 12.2 | 8.5-15.9   | 423  | 87.8 | 84.1-91.5  |
| 65+                   | 1241              | 70,543   | 79  | 8.0  | 5.8-10.2   | 1162 | 92.0 | 89.8-94.2  |
| Less Than H.S.        | 73                | 18,002   | 18  | 34.6 | 20.7-48.5  | 55   | 65.4 | 51.5-79.3  |
| H.S. or G.E.D.        | 621               | 64,092   | 81  | 16.5 | 12.4-20.6  | 540  | 83.5 | 79.4-87.6  |
| Some Post-H.S.        | 871               | 106,929  | 96  | 14.9 | 11.6-18.2  | 775  | 85.1 | 81.8-88.4  |
| College Graduate      | 1195              | 89,217   | 72  | 6.6  | 4.8- 8.4   | 1123 | 93.4 | 91.6-95.2  |
| Less than \$15,000    | 80                | 10,662   | 22  | 28.7 | 14.4-43.0  | 58   | 71.3 | 57.0-85.6  |
| \$15,000- 24,999      | 190               | 22,424   | 42  | 28.1 | 19.5-36.7  | 148  | 71.9 | 63.3-80.5  |
| \$25,000- 34,999      | 247               | 24,649   | 38  | 28.5 | 19.3-37.7  | 209  | 71.5 | 62.3-80.7  |
| \$35,000- 49,999      | 329               | 30,522   | 32  | 12.7 | 7.6-17.8   | 297  | 87.3 | 82.2-92.4  |
| \$50,000- 99,999      | 733               | 73,424   | 64  | 11.6 | 8.5-14.7   | 669  | 88.4 | 85.3-91.5  |
| \$100,000 - 199,999   | 486               | 51,470   | 19  | 6.3  | 2.6-10.0   | 467  | 93.7 | 90.0-97.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 10: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5438              | 574,886  | 752 | 10.7 | 9.7-11.7   | 4686 | 89.3 | 88.3-90.3  |
| Male                  | 2671              | 296,420  | 295 | 8.3  | 7.1- 9.5   | 2376 | 91.7 | 90.5-92.9  |
| Female                | 2767              | 278,466  | 457 | 13.2 | 11.6-14.8  | 2310 | 86.8 | 85.2-88.4  |
| Native                | 154               | 22,980   | 39  | 16.0 | 9.9-22.1   | 115  | 84.0 | 77.9-90.1  |
| Non-Native            | 5204              | 542,709  | 702 | 10.5 | 9.5-11.5   | 4502 | 89.5 | 88.5-90.5  |
| 18-24                 | 293               | 82,515   | 5   | 1.9  | 0.1- 3.7   | 288  | 98.1 | 96.3-99.9  |
| 25-34                 | 547               | 102,941  | 13  | 3.5  | 1.5- 5.5   | 534  | 96.5 | 94.5-98.5  |
| 35-44                 | 707               | 96,913   | 33  | 5.3  | 3.3- 7.3   | 674  | 94.7 | 92.7-96.7  |
| 45-54                 | 771               | 77,433   | 62  | 8.5  | 6.3-10.7   | 709  | 91.5 | 89.3-93.7  |
| 55-64                 | 902               | 82,455   | 148 | 18.7 | 15.4-22.0  | 754  | 81.3 | 78.0-84.6  |
| 65+                   | 2218              | 132,630  | 491 | 21.9 | 19.7-24.1  | 1727 | 78.1 | 75.9-80.3  |
| Less Than H.S.        | 164               | 41,247   | 49  | 23.7 | 16.3-31.1  | 115  | 76.3 | 68.9-83.7  |
| H.S. or G.E.D.        | 1355              | 149,611  | 239 | 11.5 | 9.7-13.3   | 1116 | 88.5 | 86.7-90.3  |
| Some Post-H.S.        | 1702              | 221,700  | 252 | 10.7 | 9.1-12.3   | 1450 | 89.3 | 87.7-90.9  |
| College Graduate      | 2200              | 160,421  | 211 | 6.6  | 5.6- 7.6   | 1989 | 93.4 | 92.4-94.4  |
| Less than \$15,000    | 147               | 18,103   | 62  | 31.7 | 21.9-41.5  | 85   | 68.3 | 58.5-78.1  |
| \$15,000- 24,999      | 302               | 35,516   | 95  | 25.5 | 19.2-31.8  | 207  | 74.5 | 68.2-80.8  |
| \$25,000- 34,999      | 447               | 48,367   | 119 | 22.4 | 17.3-27.5  | 328  | 77.6 | 72.5-82.7  |
| \$35,000- 49,999      | 618               | 59,699   | 107 | 14.2 | 11.1-17.3  | 511  | 85.8 | 82.7-88.9  |
| \$50,000- 99,999      | 1527              | 162,514  | 143 | 6.0  | 4.8- 7.2   | 1384 | 94.0 | 92.8-95.2  |
| \$100,000 - 199,999   | 1134              | 122,434  | 47  | 3.3  | 2.3- 4.3   | 1087 | 96.7 | 95.7-97.7  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 11: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2671              | 296,420  | 295 | 8.3  | 7.1- 9.5   | 2376 | 91.7 | 90.5-92.9  |
| Native                | 68                | 10,730   | 12  | 10.7 | 2.9-18.5   | 56   | 89.3 | 81.5-97.1  |
| Non-Native            | 2555              | 280,423  | 280 | 8.3  | 7.1- 9.5   | 2275 | 91.7 | 90.5-92.9  |
| 18-24                 | 169               | 43,868   | 1   | 0.5  | 0.0- 1.5   | 168  | 99.5 | 98.5- 100  |
| 25-34                 | 302               | 56,109   | 5   | 2.5  | 0.1- 4.9   | 297  | 97.5 | 95.1-99.9  |
| 35-44                 | 396               | 50,669   | 10  | 3.2  | 1.0- 5.4   | 386  | 96.8 | 94.6-99.0  |
| 45-54                 | 396               | 40,397   | 25  | 7.3  | 4.2-10.4   | 371  | 92.7 | 89.6-95.8  |
| 55-64                 | 431               | 43,430   | 66  | 16.2 | 11.7-20.7  | 365  | 83.8 | 79.3-88.3  |
| 65+                   | 977               | 61,947   | 188 | 18.5 | 15.6-21.4  | 789  | 81.5 | 78.6-84.4  |
| Less Than H.S.        | 91                | 23,244   | 22  | 19.5 | 10.5-28.5  | 69   | 80.5 | 71.5-89.5  |
| H.S. or G.E.D.        | 732               | 85,332   | 90  | 7.6  | 5.8- 9.4   | 642  | 92.4 | 90.6-94.2  |
| Some Post-H.S.        | 831               | 115,158  | 96  | 8.3  | 6.3-10.3   | 735  | 91.7 | 89.7-93.7  |
| College Graduate      | 1008              | 71,280   | 87  | 5.8  | 4.4- 7.2   | 921  | 94.2 | 92.8-95.6  |
| Less than \$15,000    | 67                | 7,440    | 20  | 25.5 | 13.3-37.7  | 47   | 74.5 | 62.3-86.7  |
| \$15,000- 24,999      | 113               | 13,129   | 34  | 24.5 | 14.7-34.3  | 79   | 75.5 | 65.7-85.3  |
| \$25,000- 34,999      | 199               | 23,691   | 44  | 20.5 | 12.9-28.1  | 155  | 79.5 | 71.9-87.1  |
| \$35,000- 49,999      | 290               | 29,248   | 52  | 13.6 | 9.3-17.9   | 238  | 86.4 | 82.1-90.7  |
| \$50,000- 99,999      | 798               | 89,408   | 66  | 5.0  | 3.4- 6.6   | 732  | 95.0 | 93.4-96.6  |
| \$100,000 - 199,999   | 649               | 71,120   | 28  | 3.2  | 1.8- 4.6   | 621  | 96.8 | 95.4-98.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 12: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2767              | 278,466  | 457 | 13.2 | 11.6-14.8  | 2310 | 86.8 | 85.2-88.4  |
| Native                | 86                | 12,250   | 27  | 20.7 | 11.5-29.9  | 59   | 79.3 | 70.1-88.5  |
| Non-Native            | 2649              | 262,286  | 422 | 12.8 | 11.2-14.4  | 2227 | 87.2 | 85.6-88.8  |
| 18-24                 | 124               | 38,646   | 4   | 3.5  | 0.0- 7.0   | 120  | 96.5 | 93.0- 100  |
| 25-34                 | 245               | 46,832   | 8   | 4.6  | 1.3- 7.9   | 237  | 95.4 | 92.1-98.7  |
| 35-44                 | 311               | 46,245   | 23  | 7.7  | 4.2-11.2   | 288  | 92.3 | 88.8-95.8  |
| 45-54                 | 375               | 37,036   | 37  | 9.7  | 6.4-13.0   | 338  | 90.3 | 87.0-93.6  |
| 55-64                 | 471               | 39,025   | 82  | 21.5 | 16.6-26.4  | 389  | 78.5 | 73.6-83.4  |
| 65+                   | 1241              | 70,683   | 303 | 25.0 | 22.1-27.9  | 938  | 75.0 | 72.1-77.9  |
| Less Than H.S.        | 73                | 18,002   | 27  | 29.1 | 16.9-41.3  | 46   | 70.9 | 58.7-83.1  |
| H.S. or G.E.D.        | 623               | 64,279   | 149 | 16.7 | 13.4-20.0  | 474  | 83.3 | 80.0-86.6  |
| Some Post-H.S.        | 871               | 106,542  | 156 | 13.4 | 10.9-15.9  | 715  | 86.6 | 84.1-89.1  |
| College Graduate      | 1192              | 89,142   | 124 | 7.2  | 5.8- 8.6   | 1068 | 92.8 | 91.4-94.2  |
| Less than \$15,000    | 80                | 10,662   | 42  | 35.9 | 21.4-50.4  | 38   | 64.1 | 49.6-78.6  |
| \$15,000- 24,999      | 189               | 22,388   | 61  | 26.1 | 18.3-33.9  | 128  | 73.9 | 66.1-81.7  |
| \$25,000- 34,999      | 248               | 24,676   | 75  | 24.2 | 17.5-30.9  | 173  | 75.8 | 69.1-82.5  |
| \$35,000- 49,999      | 328               | 30,450   | 55  | 14.8 | 10.1-19.5  | 273  | 85.2 | 80.5-89.9  |
| \$50,000- 99,999      | 729               | 73,106   | 77  | 7.4  | 5.4- 9.4   | 652  | 92.6 | 90.6-94.6  |
| \$100,000 - 199,999   | 485               | 51,314   | 19  | 3.4  | 1.6- 5.2   | 466  | 96.6 | 94.8-98.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 13: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5435              | 573,113  | 181 | 3.1  | 2.5- 3.7   | 5254 | 96.9 | 96.3-97.5  |
| Male                  | 2673              | 295,931  | 85  | 2.8  | 2.0- 3.6   | 2588 | 97.2 | 96.4-98.0  |
| Female                | 2762              | 277,182  | 96  | 3.4  | 2.4- 4.4   | 2666 | 96.6 | 95.6-97.6  |
| Native                | 154               | 22,677   | 7   | 2.4  | 0.4- 4.4   | 147  | 97.6 | 95.6-99.6  |
| Non-Native            | 5202              | 541,682  | 171 | 3.2  | 2.6- 3.8   | 5031 | 96.8 | 96.2-97.4  |
| 18-24                 | 289               | 81,328   | 3   | 1.5  | 0.0- 3.3   | 286  | 98.5 | 96.7- 100  |
| 25-34                 | 545               | 102,568  | 9   | 2.2  | 0.6- 3.8   | 536  | 97.8 | 96.2-99.4  |
| 35-44                 | 707               | 96,913   | 14  | 2.1  | 0.9- 3.3   | 693  | 97.9 | 96.7-99.1  |
| 45-54                 | 770               | 77,208   | 17  | 2.4  | 1.2- 3.6   | 753  | 97.6 | 96.4-98.8  |
| 55-64                 | 905               | 82,456   | 51  | 7.5  | 4.8-10.2   | 854  | 92.5 | 89.8-95.2  |
| 65+                   | 2219              | 132,641  | 87  | 3.3  | 2.5- 4.1   | 2132 | 96.7 | 95.9-97.5  |
| Less Than H.S.        | 164               | 41,247   | 15  | 10.4 | 4.5-16.3   | 149  | 89.6 | 83.7-95.5  |
| H.S. or G.E.D.        | 1357              | 149,689  | 53  | 2.4  | 1.6- 3.2   | 1304 | 97.6 | 96.8-98.4  |
| Some Post-H.S.        | 1698              | 220,099  | 66  | 3.3  | 2.3- 4.3   | 1632 | 96.7 | 95.7-97.7  |
| College Graduate      | 2199              | 160,171  | 47  | 1.6  | 1.0- 2.2   | 2152 | 98.4 | 97.8-99.0  |
| Less than \$15,000    | 145               | 17,503   | 23  | 10.7 | 5.2-16.2   | 122  | 89.3 | 83.8-94.8  |
| \$15,000- 24,999      | 301               | 35,362   | 25  | 9.1  | 4.6-13.6   | 276  | 90.9 | 86.4-95.4  |
| \$25,000- 34,999      | 451               | 48,546   | 36  | 7.8  | 4.1-11.5   | 415  | 92.2 | 88.5-95.9  |
| \$35,000- 49,999      | 618               | 59,522   | 27  | 4.7  | 2.3- 7.1   | 591  | 95.3 | 92.9-97.7  |
| \$50,000- 99,999      | 1531              | 162,662  | 30  | 1.8  | 1.0- 2.6   | 1501 | 98.2 | 97.4-99.0  |
| \$100,000 - 199,999   | 1133              | 122,392  | 5   | 0.4  | 0.0- 0.8   | 1128 | 99.6 | 99.2- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 14: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |       |            |
|-----------------------|-------------------|----------|-----|------|------------|------|-------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %     | C.I. (95%) |
| Male                  | 2673              | 295,931  | 85  | 2.8  | 2.0- 3.6   | 2588 | 97.2  | 96.4-98.0  |
| Native                | 69                | 10,809   | 4   | 2.6  | 0.0- 5.3   | 65   | 97.4  | 94.7- 100  |
| Non-Native            | 2557              | 280,299  | 80  | 2.9  | 2.1- 3.7   | 2477 | 97.1  | 96.3-97.9  |
| 18-24                 | 167               | 43,223   |     |      |            | 167  | 100.0 | 100.0- 100 |
| 25-34                 | 302               | 56,109   | 4   | 1.8  | 0.0- 3.8   | 298  | 98.2  | 96.2- 100  |
| 35-44                 | 396               | 50,669   | 4   | 1.3  | 0.0- 2.7   | 392  | 98.7  | 97.3- 100  |
| 45-54                 | 397               | 40,476   | 9   | 2.5  | 0.7- 4.3   | 388  | 97.5  | 95.7-99.3  |
| 55-64                 | 431               | 43,378   | 25  | 7.7  | 4.0-11.4   | 406  | 92.3  | 88.6-96.0  |
| 65+                   | 980               | 62,076   | 43  | 3.9  | 2.5- 5.3   | 937  | 96.1  | 94.7-97.5  |
| Less Than H.S.        | 91                | 23,244   | 10  | 12.1 | 4.3-19.9   | 81   | 87.9  | 80.1-95.7  |
| H.S. or G.E.D.        | 734               | 85,465   | 25  | 1.8  | 1.0- 2.6   | 709  | 98.2  | 97.4-99.0  |
| Some Post-H.S.        | 830               | 114,482  | 28  | 2.5  | 1.5- 3.5   | 802  | 97.5  | 96.5-98.5  |
| College Graduate      | 1009              | 71,334   | 22  | 1.8  | 1.0- 2.6   | 987  | 98.2  | 97.4-99.0  |
| Less than \$15,000    | 67                | 7,440    | 9   | 13.3 | 3.3-23.3   | 58   | 86.7  | 76.7-96.7  |
| \$15,000- 24,999      | 113               | 13,129   | 13  | 10.3 | 4.0-16.6   | 100  | 89.7  | 83.4-96.0  |
| \$25,000- 34,999      | 202               | 23,843   | 18  | 10.9 | 4.2-17.6   | 184  | 89.1  | 82.4-95.8  |
| \$35,000- 49,999      | 290               | 29,248   | 14  | 2.8  | 1.0- 4.6   | 276  | 97.2  | 95.4-99.0  |
| \$50,000- 99,999      | 798               | 89,408   | 14  | 1.4  | 0.4- 2.4   | 784  | 98.6  | 97.6-99.6  |
| \$100,000 - 199,999   | 649               | 71,120   | 1   | 0.1  | 0.0- 0.3   | 648  | 99.9  | 99.7- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 15: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |     |            | No   |      |            |
|-----------------------|-------------------|----------|-----|-----|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2762              | 277,182  | 96  | 3.4 | 2.4- 4.4   | 2666 | 96.6 | 95.6-97.6  |
| Native                | 85                | 11,869   | 3   | 2.1 | 0.0- 5.0   | 82   | 97.9 | 95.0- 100  |
| Non-Native            | 2645              | 261,383  | 91  | 3.5 | 2.5- 4.5   | 2554 | 96.5 | 95.5-97.5  |
| 18-24                 | 122               | 38,105   | 3   | 3.2 | 0.0- 6.9   | 119  | 96.8 | 93.1- 100  |
| 25-34                 | 243               | 46,459   | 5   | 2.6 | 0.2- 5.0   | 238  | 97.4 | 95.0-99.8  |
| 35-44                 | 311               | 46,245   | 10  | 3.0 | 0.8- 5.2   | 301  | 97.0 | 94.8-99.2  |
| 45-54                 | 373               | 36,732   | 8   | 2.3 | 0.5- 4.1   | 365  | 97.7 | 95.9-99.5  |
| 55-64                 | 474               | 39,077   | 26  | 7.2 | 3.5-10.9   | 448  | 92.8 | 89.1-96.5  |
| 65+                   | 1239              | 70,565   | 44  | 2.8 | 1.8- 3.8   | 1195 | 97.2 | 96.2-98.2  |
| Less Than H.S.        | 73                | 18,002   | 5   | 8.3 | 0.0-16.7   | 68   | 91.7 | 83.3- 100  |
| H.S. or G.E.D.        | 623               | 64,224   | 28  | 3.3 | 1.7- 4.9   | 595  | 96.7 | 95.1-98.3  |
| Some Post-H.S.        | 868               | 105,618  | 38  | 4.2 | 2.4- 6.0   | 830  | 95.8 | 94.0-97.6  |
| College Graduate      | 1190              | 88,837   | 25  | 1.6 | 0.8- 2.4   | 1165 | 98.4 | 97.6-99.2  |
| Less than \$15,000    | 78                | 10,063   | 14  | 8.8 | 3.1-14.5   | 64   | 91.2 | 85.5-96.9  |
| \$15,000- 24,999      | 188               | 22,233   | 12  | 8.4 | 2.1-14.7   | 176  | 91.6 | 85.3-97.9  |
| \$25,000- 34,999      | 249               | 24,702   | 18  | 4.9 | 1.6- 8.2   | 231  | 95.1 | 91.8-98.4  |
| \$35,000- 49,999      | 328               | 30,274   | 13  | 6.6 | 2.5-10.7   | 315  | 93.4 | 89.3-97.5  |
| \$50,000- 99,999      | 733               | 73,254   | 16  | 2.3 | 0.9- 3.7   | 717  | 97.7 | 96.3-99.1  |
| \$100,000 - 199,999   | 484               | 51,272   | 4   | 0.7 | 0.0- 1.5   | 480  | 99.3 | 98.5- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 16: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5413              | 571,041  | 308 | 6.7  | 5.7- 7.7   | 5105 | 93.3 | 92.3-94.3  |
| Male                  | 2665              | 295,068  | 105 | 4.0  | 3.0- 5.0   | 2560 | 96.0 | 95.0-97.0  |
| Female                | 2748              | 275,972  | 203 | 9.5  | 7.7-11.3   | 2545 | 90.5 | 88.7-92.3  |
| Native                | 151               | 22,195   | 16  | 9.2  | 4.1-14.3   | 135  | 90.8 | 85.7-95.9  |
| Non-Native            | 5184              | 540,144  | 290 | 6.6  | 5.6- 7.6   | 4894 | 93.4 | 92.4-94.4  |
| 18-24                 | 290               | 81,489   | 25  | 10.6 | 6.3-14.9   | 265  | 89.4 | 85.1-93.7  |
| 25-34                 | 545               | 102,622  | 23  | 5.8  | 3.4- 8.2   | 522  | 94.2 | 91.8-96.6  |
| 35-44                 | 706               | 96,789   | 35  | 6.1  | 3.9- 8.3   | 671  | 93.9 | 91.7-96.1  |
| 45-54                 | 765               | 76,381   | 32  | 4.3  | 2.7- 5.9   | 733  | 95.7 | 94.1-97.3  |
| 55-64                 | 900               | 82,044   | 60  | 7.7  | 5.3-10.1   | 840  | 92.3 | 89.9-94.7  |
| 65+                   | 2207              | 131,716  | 133 | 6.0  | 4.8- 7.2   | 2074 | 94.0 | 92.8-95.2  |
| Less Than H.S.        | 161               | 40,895   | 29  | 18.7 | 11.3-26.1  | 132  | 81.3 | 73.9-88.7  |
| H.S. or G.E.D.        | 1345              | 148,758  | 101 | 7.5  | 5.5- 9.5   | 1244 | 92.5 | 90.5-94.5  |
| Some Post-H.S.        | 1693              | 219,477  | 103 | 6.6  | 5.0- 8.2   | 1590 | 93.4 | 91.8-95.0  |
| College Graduate      | 2197              | 160,003  | 75  | 2.9  | 2.1- 3.7   | 2122 | 97.1 | 96.3-97.9  |
| Less than \$15,000    | 143               | 17,434   | 34  | 24.1 | 14.3-33.9  | 109  | 75.9 | 66.1-85.7  |
| \$15,000- 24,999      | 301               | 35,362   | 44  | 19.3 | 13.2-25.4  | 257  | 80.7 | 74.6-86.8  |
| \$25,000- 34,999      | 448               | 48,398   | 57  | 14.2 | 9.5-18.9   | 391  | 85.8 | 81.1-90.5  |
| \$35,000- 49,999      | 615               | 59,261   | 45  | 9.0  | 5.5-12.5   | 570  | 91.0 | 87.5-94.5  |
| \$50,000- 99,999      | 1527              | 162,103  | 54  | 3.9  | 2.5- 5.3   | 1473 | 96.1 | 94.7-97.5  |
| \$100,000 - 199,999   | 1132              | 122,283  | 9   | 1.6  | 0.2- 3.0   | 1123 | 98.4 | 97.0-99.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 17: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2665              | 295,068  | 105 | 4.0  | 3.0- 5.0   | 2560 | 96.0 | 95.0-97.0  |
| Native                | 69                | 10,809   | 6   | 6.4  | 0.9-11.9   | 63   | 93.6 | 88.1-99.1  |
| Non-Native            | 2549              | 279,436  | 97  | 3.9  | 2.9- 4.9   | 2452 | 96.1 | 95.1-97.1  |
| 18-24                 | 167               | 43,223   | 9   | 5.1  | 1.8- 8.4   | 158  | 94.9 | 91.6-98.2  |
| 25-34                 | 302               | 56,164   | 8   | 2.8  | 0.8- 4.8   | 294  | 97.2 | 95.2-99.2  |
| 35-44                 | 396               | 50,669   | 12  | 3.3  | 1.3- 5.3   | 384  | 96.7 | 94.7-98.7  |
| 45-54                 | 393               | 39,954   | 13  | 3.6  | 1.4- 5.8   | 380  | 96.4 | 94.2-98.6  |
| 55-64                 | 430               | 43,303   | 25  | 5.9  | 3.2- 8.6   | 405  | 94.1 | 91.4-96.8  |
| 65+                   | 977               | 61,756   | 38  | 3.9  | 2.3- 5.5   | 939  | 96.1 | 94.5-97.7  |
| Less Than H.S.        | 89                | 22,948   | 10  | 10.0 | 3.5-16.5   | 79   | 90.0 | 83.5-96.5  |
| H.S. or G.E.D.        | 730               | 85,136   | 36  | 4.3  | 2.7- 5.9   | 694  | 95.7 | 94.1-97.3  |
| Some Post-H.S.        | 830               | 114,452  | 40  | 4.2  | 2.8- 5.6   | 790  | 95.8 | 94.4-97.2  |
| College Graduate      | 1007              | 71,126   | 19  | 1.6  | 0.8- 2.4   | 988  | 98.4 | 97.6-99.2  |
| Less than \$15,000    | 67                | 7,440    | 13  | 20.9 | 9.1-32.7   | 54   | 79.1 | 67.3-90.9  |
| \$15,000- 24,999      | 113               | 13,129   | 15  | 13.7 | 6.1-21.3   | 98   | 86.3 | 78.7-93.9  |
| \$25,000- 34,999      | 202               | 23,866   | 20  | 10.6 | 5.7-15.5   | 182  | 89.4 | 84.5-94.3  |
| \$35,000- 49,999      | 290               | 29,248   | 18  | 5.2  | 2.1- 8.3   | 272  | 94.8 | 91.7-97.9  |
| \$50,000- 99,999      | 796               | 89,058   | 16  | 2.2  | 0.8- 3.6   | 780  | 97.8 | 96.4-99.2  |
| \$100,000 - 199,999   | 648               | 71,011   | 4   | 0.6  | 0.0- 1.4   | 644  | 99.4 | 98.6- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 9: DISABILITY**

**TABLE 18: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2748              | 275,972  | 203 | 9.5  | 7.7-11.3   | 2545 | 90.5 | 88.7-92.3  |
| Native                | 82                | 11,387   | 10  | 11.8 | 3.4-20.2   | 72   | 88.2 | 79.8-96.6  |
| Non-Native            | 2635              | 260,708  | 193 | 9.5  | 7.7-11.3   | 2442 | 90.5 | 88.7-92.3  |
| 18-24                 | 123               | 38,265   | 16  | 16.8 | 8.8-24.8   | 107  | 83.2 | 75.2-91.2  |
| 25-34                 | 243               | 46,459   | 15  | 9.4  | 4.7-14.1   | 228  | 90.6 | 85.9-95.3  |
| 35-44                 | 310               | 46,120   | 23  | 9.1  | 5.0-13.2   | 287  | 90.9 | 86.8-95.0  |
| 45-54                 | 372               | 36,427   | 19  | 5.1  | 2.6- 7.6   | 353  | 94.9 | 92.4-97.4  |
| 55-64                 | 470               | 38,741   | 35  | 9.7  | 6.0-13.4   | 435  | 90.3 | 86.6-94.0  |
| 65+                   | 1230              | 69,960   | 95  | 8.0  | 6.0-10.0   | 1135 | 92.0 | 90.0-94.0  |
| Less Than H.S.        | 72                | 17,947   | 19  | 29.8 | 16.3-43.3  | 53   | 70.2 | 56.7-83.7  |
| H.S. or G.E.D.        | 615               | 63,622   | 65  | 11.8 | 8.1-15.5   | 550  | 88.2 | 84.5-91.9  |
| Some Post-H.S.        | 863               | 105,025  | 63  | 9.3  | 6.6-12.0   | 800  | 90.7 | 88.0-93.4  |
| College Graduate      | 1190              | 88,877   | 56  | 4.0  | 2.8- 5.2   | 1134 | 96.0 | 94.8-97.2  |
| Less than \$15,000    | 76                | 9,994    | 21  | 26.6 | 12.1-41.1  | 55   | 73.4 | 58.9-87.9  |
| \$15,000- 24,999      | 188               | 22,233   | 29  | 22.6 | 14.2-31.0  | 159  | 77.4 | 69.0-85.8  |
| \$25,000- 34,999      | 246               | 24,532   | 37  | 17.7 | 9.9-25.5   | 209  | 82.3 | 74.5-90.1  |
| \$35,000- 49,999      | 325               | 30,012   | 27  | 12.7 | 6.6-18.8   | 298  | 87.3 | 81.2-93.4  |
| \$50,000- 99,999      | 731               | 73,045   | 38  | 5.9  | 3.5- 8.3   | 693  | 94.1 | 91.7-96.5  |
| \$100,000 - 199,999   | 484               | 51,272   | 5   | 2.9  | 0.0- 6.0   | 479  | 97.1 | 94.0- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 10: FALLS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

| TABLE                                                                                                                                               | PAGE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|------|
| IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)                                                                                   |      |
| 1 MALES AND FEMALES                                                                                                                                 | 188  |
| 2 MALES ONLY                                                                                                                                        | 189  |
| 3 FEMALES ONLY                                                                                                                                      | 190  |
| HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR CAUSED<br>YOU TO GO TO SEE A DOCTOR? (FALLINJ5) |      |
| 4 MALES AND FEMALES                                                                                                                                 | 191  |
| 5 MALES ONLY                                                                                                                                        | 192  |
| 6 FEMALES ONLY                                                                                                                                      | 193  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 10: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |           |      |            |             |     |            |            |     |            |             |      |            |      |      |            |
|-----------------------|-------------------|----------|----------------------------------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|------|------------|------|------|------------|
|                       |                   |          | One Time                         |      |            | Two Times |      |            | Three Times |     |            | Four Times |     |            | Five+ Times |      |            | None |      |            |
|                       | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N         | %    | C.I. (95%) | N           | %   | C.I. (95%) | N          | %   | C.I. (95%) | N           | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 3847              | 288,920  | 441                              | 10.9 | 9.7-12.1   | 257       | 7.1  | 6.1- 8.1   | 93          | 2.1 | 1.5- 2.7   | 43         | 1.1 | 0.7- 1.5   | 114         | 3.1  | 2.5- 3.7   | 2899 | 75.6 | 73.8-77.4  |
| Male                  | 1783              | 144,591  | 173                              | 9.3  | 7.7-10.9   | 108       | 6.5  | 5.1- 7.9   | 33          | 1.8 | 1.0- 2.6   | 15         | 0.7 | 0.3- 1.1   | 66          | 3.9  | 2.7- 5.1   | 1388 | 77.8 | 75.4-80.2  |
| Female                | 2064              | 144,328  | 268                              | 12.6 | 10.8-14.4  | 149       | 7.6  | 6.2- 9.0   | 60          | 2.5 | 1.7- 3.3   | 28         | 1.6 | 1.0- 2.2   | 48          | 2.4  | 1.6- 3.2   | 1511 | 73.3 | 70.9-75.7  |
| Native                | 97                | 9,232    | 8                                | 11.2 | 2.2-20.2   | 8         | 5.9  | 1.4-10.4   | 2           | 1.4 | 0.0- 3.4   |            |     |            | 4           | 5.4  | 0.0-11.7   | 75   | 76.1 | 65.3-86.9  |
| Non-Native            | 3687              | 274,230  | 428                              | 10.9 | 9.7-12.1   | 246       | 7.2  | 6.2- 8.2   | 88          | 2.2 | 1.6- 2.8   | 43         | 1.2 | 0.8- 1.6   | 107         | 3.0  | 2.4- 3.6   | 2775 | 75.5 | 73.7-77.3  |
| 45-54                 | 759               | 75,889   | 64                               | 7.1  | 5.1- 9.1   | 40        | 5.5  | 3.5- 7.5   | 10          | 1.2 | 0.4- 2.0   | 4          | 0.5 | 0.0- 1.1   | 29          | 4.2  | 2.6- 5.8   | 612  | 81.4 | 78.3-84.5  |
| 55-64                 | 890               | 80,997   | 99                               | 11.2 | 8.7-13.7   | 53        | 7.0  | 4.8- 9.2   | 27          | 2.8 | 1.6- 4.0   | 12         | 1.3 | 0.5- 2.1   | 34          | 3.8  | 2.2- 5.4   | 665  | 73.8 | 70.3-77.3  |
| 65+                   | 2193              | 131,073  | 277                              | 12.8 | 11.0-14.6  | 164       | 8.0  | 6.6- 9.4   | 56          | 2.3 | 1.5- 3.1   | 27         | 1.4 | 0.8- 2.0   | 50          | 2.0  | 1.4- 2.6   | 1619 | 73.4 | 71.0-75.8  |
| Less Than H.S.        | 111               | 18,144   | 17                               | 17.9 | 9.1-26.7   | 9         | 9.3  | 3.0-15.6   | 5           | 3.1 | 0.0- 6.4   | 3          | 2.3 | 0.0- 5.0   | 7           | 7.2  | 1.5-12.9   | 70   | 60.3 | 49.5-71.1  |
| H.S. or G.E.D.        | 941               | 69,087   | 91                               | 9.2  | 7.0-11.4   | 55        | 6.1  | 4.3- 7.9   | 21          | 1.6 | 0.8- 2.4   | 13         | 1.5 | 0.5- 2.5   | 27          | 2.7  | 1.5- 3.9   | 734  | 78.9 | 76.0-81.8  |
| Some Post-H.S.        | 1239              | 115,800  | 148                              | 11.1 | 9.1-13.1   | 110       | 9.0  | 7.0-11.0   | 30          | 2.2 | 1.2- 3.2   | 16         | 1.2 | 0.6- 1.8   | 41          | 3.2  | 2.0- 4.4   | 894  | 73.4 | 70.5-76.3  |
| College Graduate      | 1542              | 84,688   | 185                              | 10.8 | 9.0-12.6   | 82        | 4.8  | 3.6- 6.0   | 37          | 2.4 | 1.6- 3.2   | 11         | 0.5 | 0.1- 0.9   | 37          | 2.5  | 1.5- 3.5   | 1190 | 79.0 | 76.6-81.4  |
| Less than \$15,000    | 96                | 6,895    | 13                               | 11.0 | 4.1-17.9   | 10        | 13.3 | 4.9-21.7   | 4           | 2.6 | 0.0- 5.3   | 3          | 2.1 | 0.0- 5.2   | 13          | 19.5 | 9.1-29.9   | 53   | 51.5 | 39.3-63.7  |
| \$15,000- 24,999      | 219               | 16,762   | 22                               | 13.6 | 7.3-19.9   | 24        | 15.2 | 8.7-21.7   | 12          | 4.9 | 1.4- 8.4   | 8          | 3.6 | 0.9- 6.3   | 13          | 5.4  | 2.1- 8.7   | 140  | 57.4 | 49.2-65.6  |
| \$25,000- 34,999      | 346               | 24,934   | 44                               | 10.2 | 6.7-13.7   | 39        | 10.8 | 6.9-14.7   | 11          | 2.1 | 0.7- 3.5   | 7          | 1.7 | 0.0- 3.7   | 20          | 7.2  | 3.3-11.1   | 225  | 67.9 | 61.6-74.2  |
| \$35,000- 49,999      | 490               | 35,876   | 57                               | 9.5  | 6.6-12.4   | 36        | 8.5  | 5.2-11.8   | 14          | 3.2 | 1.2- 5.2   | 3          | 0.6 | 0.0- 1.4   | 13          | 2.8  | 1.0- 4.6   | 367  | 75.4 | 70.7-80.1  |
| \$50,000- 99,999      | 1055              | 80,726   | 124                              | 11.8 | 9.3-14.3   | 66        | 6.1  | 4.3- 7.9   | 26          | 2.0 | 1.0- 3.0   | 13         | 1.4 | 0.6- 2.2   | 22          | 1.9  | 0.9- 2.9   | 804  | 76.7 | 73.6-79.8  |
| \$100,000 - 199,999   | 689               | 54,449   | 74                               | 10.3 | 7.8-12.8   | 40        | 5.9  | 3.5- 8.3   | 7           | 0.8 | 0.2- 1.4   | 2          | 0.2 | 0.0- 0.6   | 10          | 1.4  | 0.4- 2.4   | 556  | 81.4 | 78.1-84.7  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 10: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |           |      |            |             |     |            |            |     |            |             |     |            |      |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|-----|------------|------|------|------------|
|                     |                   |          | One Time                         |      |            | Two Times |      |            | Three Times |     |            | Four Times |     |            | Five+ Times |     |            | None |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N         | %    | C.I. (95%) | N           | %   | C.I. (95%) | N          | %   | C.I. (95%) | N           | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                | 1783              | 144,591  | 173                              | 9.3  | 7.7-10.9   | 108       | 6.5  | 5.1- 7.9   | 33          | 1.8 | 1.0- 2.6   | 15         | 0.7 | 0.3- 1.1   | 66          | 3.9 | 2.7- 5.1   | 1388 | 77.8 | 75.4-80.2  |
| Non-Native          | 1707              | 136,860  | 168                              | 9.1  | 7.5-10.7   | 104       | 6.7  | 5.1- 8.3   | 31          | 1.8 | 1.0- 2.6   | 15         | 0.8 | 0.4- 1.2   | 62          | 3.8 | 2.8- 4.8   | 1327 | 77.9 | 75.5-80.3  |
| 45-54               | 389               | 39,610   | 24                               | 5.2  | 2.8- 7.6   | 16        | 4.6  | 2.1- 7.1   | 3           | 0.7 | 0.0- 1.5   | 1          | 0.2 | 0.0- 0.6   | 21          | 6.4 | 3.5- 9.3   | 324  | 82.8 | 78.5-87.1  |
| 55-64               | 422               | 42,549   | 41                               | 9.8  | 6.5-13.1   | 22        | 6.0  | 3.1- 8.9   | 12          | 3.1 | 1.1- 5.1   | 3          | 0.7 | 0.0- 1.5   | 17          | 3.4 | 1.6- 5.2   | 327  | 77.0 | 72.3-81.7  |
| 65+                 | 969               | 61,700   | 107                              | 11.1 | 8.7-13.5   | 70        | 8.1  | 5.9-10.3   | 18          | 1.6 | 0.6- 2.6   | 11         | 1.1 | 0.3- 1.9   | 27          | 2.5 | 1.3- 3.7   | 736  | 75.6 | 72.3-78.9  |
| Less Than H.S.      | 60                | 10,027   | 11                               | 17.5 | 7.5-27.5   | 5         | 11.0 | 1.6-20.4   | 3           | 4.6 | 0.0-10.5   | 1          | 0.8 | 0.0- 2.4   | 6           | 9.2 | 1.8-16.6   | 34   | 56.8 | 42.7-70.9  |
| H.S. or G.E.D.      | 466               | 37,574   | 39                               | 7.4  | 4.9- 9.9   | 25        | 5.3  | 3.1- 7.5   | 8           | 1.1 | 0.3- 1.9   | 3          | 0.7 | 0.0- 1.5   | 18          | 3.4 | 1.6- 5.2   | 373  | 82.2 | 78.5-85.9  |
| Some Post-H.S.      | 556               | 56,896   | 47                               | 8.6  | 5.9-11.3   | 55        | 9.0  | 6.5-11.5   | 10          | 1.9 | 0.5- 3.3   | 6          | 0.9 | 0.1- 1.7   | 23          | 4.1 | 2.3- 5.9   | 415  | 75.6 | 71.5-79.7  |
| College Graduate    | 694               | 39,265   | 76                               | 10.2 | 7.7-12.7   | 23        | 3.2  | 1.8- 4.6   | 12          | 1.5 | 0.5- 2.5   | 5          | 0.6 | 0.0- 1.2   | 18          | 2.7 | 1.3- 4.1   | 560  | 81.9 | 78.6-85.2  |
| \$15,000- 24,999    | 79                | 6,152    | 6                                | 11.7 | 2.1-21.3   | 7         | 14.3 | 3.7-24.9   | 2           | 4.5 | 0.0-12.5   | 4          | 5.3 | 0.0-11.0   | 7           | 7.8 | 1.3-14.3   | 53   | 56.3 | 42.4-70.2  |
| \$25,000- 34,999    | 149               | 12,271   | 14                               | 7.6  | 2.7-12.5   | 19        | 14.1 | 7.2-21.0   | 3           | 1.0 | 0.0- 2.4   | 3          | 1.0 | 0.0- 2.2   | 9           | 6.2 | 1.9-10.5   | 101  | 70.1 | 61.3-78.9  |
| \$35,000- 49,999    | 223               | 17,104   | 22                               | 9.0  | 4.5-13.5   | 14        | 7.1  | 2.8-11.4   | 6           | 3.8 | 0.7- 6.9   | 1          | 0.8 | 0.0- 2.4   | 8           | 4.5 | 1.2- 7.8   | 172  | 74.8 | 67.7-81.9  |
| \$50,000- 99,999    | 528               | 43,590   | 52                               | 9.9  | 6.6-13.2   | 33        | 6.2  | 3.8- 8.6   | 10          | 1.3 | 0.3- 2.3   | 5          | 0.7 | 0.1- 1.3   | 18          | 3.0 | 1.4- 4.6   | 410  | 78.9 | 74.8-83.0  |
| \$100,000 - 199,999 | 384               | 31,648   | 38                               | 10.2 | 6.7-13.7   | 20        | 5.5  | 2.4- 8.6   | 4           | 0.7 | 0.0- 1.5   | 1          | 0.2 | 0.0- 0.6   | 4           | 1.0 | 0.0- 2.0   | 317  | 82.4 | 77.9-86.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 10: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |           |      |            |             |     |            |            |     |            |             |      |            |      |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|------|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | One Time                         |      |            | Two Times |      |            | Three Times |     |            | Four Times |     |            | Five+ Times |      |            | None |      |            |
|                     |                   |          | N                                | %    | C.I. (95%) | N         | %    | C.I. (95%) | N           | %   | C.I. (95%) | N          | %   | C.I. (95%) | N           | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female              | 2064              | 144,328  | 268                              | 12.6 | 10.8-14.4  | 149       | 7.6  | 6.2- 9.0   | 60          | 2.5 | 1.7- 3.3   | 28         | 1.6 | 1.0- 2.2   | 48          | 2.4  | 1.6- 3.2   | 1511 | 73.3 | 70.9-75.7  |
| Native              | 57                | 4,839    | 6                                | 10.1 | 1.1-19.1   | 5         | 6.3  | 0.0-12.6   | 1           | 1.0 | 0.0- 3.0   |            |     |            | 2           | 2.6  | 0.0- 6.5   | 43   | 79.9 | 68.5-91.3  |
| Non-Native          | 1980              | 137,369  | 260                              | 12.8 | 10.8-14.8  | 142       | 7.7  | 6.1- 9.3   | 57          | 2.5 | 1.7- 3.3   | 28         | 1.6 | 0.8- 2.4   | 45          | 2.3  | 1.5- 3.1   | 1448 | 73.0 | 70.6-75.4  |
| 45-54               | 370               | 36,279   | 40                               | 9.0  | 5.9-12.1   | 24        | 6.5  | 3.6- 9.4   | 7           | 1.8 | 0.4- 3.2   | 3          | 1.0 | 0.0- 2.2   | 8           | 1.9  | 0.5- 3.3   | 288  | 79.8 | 75.3-84.3  |
| 55-64               | 468               | 38,449   | 58                               | 12.8 | 8.7-16.9   | 31        | 8.1  | 5.0-11.2   | 15          | 2.5 | 1.1- 3.9   | 9          | 2.0 | 0.4- 3.6   | 17          | 4.3  | 1.8- 6.8   | 338  | 70.3 | 65.0-75.6  |
| 65+                 | 1224              | 69,373   | 170                              | 14.4 | 11.9-16.9  | 94        | 8.0  | 6.0-10.0   | 38          | 2.9 | 1.9- 3.9   | 16         | 1.6 | 0.6- 2.6   | 23          | 1.6  | 0.8- 2.4   | 883  | 71.5 | 68.4-74.6  |
| Less Than H.S.      | 51                | 8,117    | 6                                | 18.3 | 3.0-33.6   | 4         | 7.3  | 0.0-15.1   | 2           | 1.2 | 0.0- 3.0   | 2          | 4.1 | 0.0-10.0   | 1           | 4.6  | 0.0-13.2   | 36   | 64.6 | 47.9-81.3  |
| H.S. or G.E.D.      | 475               | 31,513   | 52                               | 11.4 | 7.9-14.9   | 30        | 7.2  | 4.3-10.1   | 13          | 2.2 | 1.0- 3.4   | 10         | 2.6 | 0.8- 4.4   | 9           | 1.8  | 0.4- 3.2   | 361  | 75.0 | 70.3-79.7  |
| Some Post-H.S.      | 683               | 58,904   | 101                              | 13.6 | 10.7-16.5  | 55        | 9.0  | 6.3-11.7   | 20          | 2.4 | 1.2- 3.6   | 10         | 1.5 | 0.5- 2.5   | 18          | 2.3  | 1.1- 3.5   | 479  | 71.2 | 67.3-75.1  |
| College Graduate    | 848               | 45,423   | 109                              | 11.3 | 8.9-13.7   | 59        | 6.1  | 4.3- 7.9   | 25          | 3.1 | 1.7- 4.5   | 6          | 0.5 | 0.1- 0.9   | 19          | 2.4  | 1.2- 3.6   | 630  | 76.5 | 73.4-79.6  |
| Less than \$15,000  | 51                | 3,169    | 6                                | 11.1 | 1.1-21.1   | 6         | 19.2 | 4.5-33.9   | 1           | 1.6 | 0.0- 4.7   | 3          | 4.5 | 0.0-11.2   | 6           | 15.7 | 3.4-28.0   | 29   | 47.9 | 32.0-63.8  |
| \$15,000- 24,999    | 140               | 10,610   | 16                               | 14.7 | 6.5-22.9   | 17        | 15.7 | 7.7-23.7   | 10          | 5.1 | 1.8- 8.4   | 4          | 2.5 | 0.0- 5.2   | 6           | 4.0  | 0.3- 7.7   | 87   | 58.0 | 47.6-68.4  |
| \$25,000- 34,999    | 197               | 12,663   | 30                               | 12.7 | 7.4-18.0   | 20        | 7.5  | 3.6-11.4   | 8           | 3.3 | 0.8- 5.8   | 4          | 2.4 | 0.0- 5.9   | 11          | 8.3  | 1.8-14.8   | 124  | 65.8 | 57.2-74.4  |
| \$35,000- 49,999    | 267               | 18,773   | 35                               | 9.9  | 6.2-13.6   | 22        | 9.8  | 5.1-14.5   | 8           | 2.6 | 0.4- 4.8   | 2          | 0.5 | 0.0- 1.3   | 5           | 1.2  | 0.0- 2.4   | 195  | 75.9 | 69.8-82.0  |
| \$50,000- 99,999    | 527               | 37,136   | 72                               | 14.0 | 10.3-17.7  | 33        | 6.1  | 3.6- 8.6   | 16          | 2.9 | 1.3- 4.5   | 8          | 2.2 | 0.6- 3.8   | 4           | 0.7  | 0.0- 1.5   | 394  | 74.1 | 69.6-78.6  |
| \$100,000 - 199,999 | 305               | 22,801   | 36                               | 10.3 | 6.6-14.0   | 20        | 6.5  | 3.4- 9.6   | 3           | 1.0 | 0.0- 2.2   | 1          | 0.2 | 0.0- 0.6   | 6           | 1.9  | 0.3- 3.5   | 239  | 80.0 | 75.1-84.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**

**SECTION 10: FALLS**

**TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR CAUSED YOU TO GO TO SEE A DOCTOR? (FALLINJ5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting not having a fall in the past 12 months

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |    |      |            |    |     |            | One Time |     |            | Two Times |     |            | Three Times |      |            | Four Times |   |            | Five+ Times |   |            | None |   |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|----|------|------------|----|-----|------------|----------|-----|------------|-----------|-----|------------|-------------|------|------------|------------|---|------------|-------------|---|------------|------|---|------------|
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N  | %    | C.I. (95%) | N  | %   | C.I. (95%) | N        | %   | C.I. (95%) | N         | %   | C.I. (95%) | N           | %    | C.I. (95%) | N          | % | C.I. (95%) | N           | % | C.I. (95%) | N    | % | C.I. (95%) |
| TOTAL               | 940               | 70,192   | 241                              | 26.1 | 22.4-29.8  | 47 | 5.2  | 3.4- 7.0   | 24 | 2.8 | 1.4- 4.2   | 10       | 1.4 | 0.4- 2.4   | 15        | 1.7 | 0.7- 2.7   | 603         | 62.7 | 58.8-66.6  |            |   |            |             |   |            |      |   |            |
| Male                | 391               | 31,874   | 88                               | 21.9 | 17.0-26.8  | 19 | 4.8  | 2.3- 7.3   | 3  | 1.5 | 0.0- 3.3   | 4        | 1.3 | 0.0- 2.9   | 8         | 2.2 | 0.4- 4.0   | 269         | 68.3 | 62.8-73.8  |            |   |            |             |   |            |      |   |            |
| Female              | 549               | 38,318   | 153                              | 29.6 | 24.5-34.7  | 28 | 5.6  | 3.4- 7.8   | 21 | 4.0 | 2.0- 6.0   | 6        | 1.5 | 0.3- 2.7   | 7         | 1.3 | 0.3- 2.3   | 334         | 58.0 | 52.7-63.3  |            |   |            |             |   |            |      |   |            |
| Non-Native          | 904               | 66,808   | 232                              | 26.5 | 22.8-30.2  | 43 | 5.0  | 3.2- 6.8   | 23 | 2.8 | 1.4- 4.2   | 10       | 1.4 | 0.4- 2.4   | 13        | 1.7 | 0.7- 2.7   | 583         | 62.6 | 58.7-66.5  |            |   |            |             |   |            |      |   |            |
| 45-54               | 147               | 14,124   | 37                               | 24.3 | 16.5-32.1  | 9  | 6.2  | 2.1-10.3   | 5  | 4.8 | 0.5- 9.1   | 4        | 3.5 | 0.0- 7.2   | 6         | 3.9 | 0.6- 7.2   | 86          | 57.3 | 48.3-66.3  |            |   |            |             |   |            |      |   |            |
| 55-64               | 223               | 21,051   | 49                               | 26.2 | 18.2-34.2  | 15 | 7.2  | 3.1-11.3   | 8  | 3.5 | 0.8- 6.2   | 1        | 0.6 | 0.0- 1.8   | 3         | 0.9 | 0.0- 1.9   | 147         | 61.5 | 53.3-69.7  |            |   |            |             |   |            |      |   |            |
| 65+                 | 568               | 34,512   | 155                              | 27.2 | 22.7-31.7  | 23 | 3.7  | 1.9- 5.5   | 11 | 1.7 | 0.5- 2.9   | 5        | 1.0 | 0.0- 2.0   | 5         | 0.9 | 0.0- 1.9   | 369         | 65.6 | 60.9-70.3  |            |   |            |             |   |            |      |   |            |
| H.S. or G.E.D.      | 206               | 14,540   | 53                               | 26.6 | 19.5-33.7  | 12 | 6.9  | 2.6-11.2   | 6  | 2.8 | 0.3- 5.3   | 1        | 0.2 | 0.0- 0.6   | 4         | 1.2 | 0.0- 2.4   | 130         | 62.3 | 54.7-69.9  |            |   |            |             |   |            |      |   |            |
| Some Post-H.S.      | 344               | 30,841   | 88                               | 27.6 | 21.9-33.3  | 19 | 5.0  | 2.6- 7.4   | 8  | 2.1 | 0.5- 3.7   | 6        | 2.1 | 0.3- 3.9   | 7         | 2.3 | 0.5- 4.1   | 216         | 60.9 | 54.8-67.0  |            |   |            |             |   |            |      |   |            |
| College Graduate    | 347               | 17,523   | 93                               | 24.5 | 19.4-29.6  | 13 | 4.0  | 1.5- 6.5   | 7  | 2.0 | 0.4- 3.6   | 2        | 0.4 | 0.0- 1.0   | 4         | 1.9 | 0.0- 4.1   | 228         | 67.2 | 61.5-72.9  |            |   |            |             |   |            |      |   |            |
| \$15,000- 24,999    | 79                | 7,144    | 14                               | 20.2 | 8.8-31.6   | 9  | 9.9  | 2.3-17.5   | 6  | 5.9 | 0.8-11.0   | 3        | 3.6 | 0.0- 8.1   | 1         | 0.7 | 0.0- 2.1   | 46          | 59.7 | 46.6-72.8  |            |   |            |             |   |            |      |   |            |
| \$25,000- 34,999    | 119               | 7,840    | 32                               | 26.5 | 15.3-37.7  | 10 | 7.3  | 2.2-12.4   | 3  | 3.6 | 0.0- 9.1   | 2        | 1.8 | 0.0- 4.5   | 2         | 1.2 | 0.0- 3.0   | 70          | 59.6 | 47.8-71.4  |            |   |            |             |   |            |      |   |            |
| \$35,000- 49,999    | 121               | 8,738    | 24                               | 16.4 | 8.4-24.4   | 10 | 10.6 | 3.5-17.7   | 4  | 4.2 | 0.0- 8.9   |          |     |            | 1         | 0.5 | 0.0- 1.5   | 82          | 68.3 | 58.1-78.5  |            |   |            |             |   |            |      |   |            |
| \$50,000- 99,999    | 251               | 18,797   | 80                               | 32.5 | 25.4-39.6  | 5  | 2.1  | 0.1- 4.1   | 3  | 2.2 | 0.0- 4.7   | 2        | 1.4 | 0.0- 3.4   | 1         | 0.4 | 0.0- 1.2   | 160         | 61.4 | 54.0-68.8  |            |   |            |             |   |            |      |   |            |
| \$100,000 - 199,999 | 132               | 10,054   | 36                               | 28.6 | 19.2-38.0  | 4  | 3.2  | 0.0- 6.5   | 1  | 0.7 | 0.0- 2.1   |          |     |            | 2         | 1.2 | 0.0- 3.0   | 89          | 66.4 | 56.8-76.0  |            |   |            |             |   |            |      |   |            |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 10: FALLS**

**TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR CAUSED YOU TO GO TO SEE A DOCTOR? (FALLINJ5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 12 months

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |           |      |            |             |     |            |            |     |            |             |     |            |      |      |            |  |  |
|---------------------|-------------------|----------|----------------------------------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|-----|------------|------|------|------------|--|--|
|                     |                   |          | One Time                         |      |            | Two Times |      |            | Three Times |     |            | Four Times |     |            | Five+ Times |     |            | None |      |            |  |  |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N         | %    | C.I. (95%) | N           | %   | C.I. (95%) | N          | %   | C.I. (95%) | N           | %   | C.I. (95%) | N    | %    | C.I. (95%) |  |  |
| Male                | 391               | 31,874   | 88                               | 21.9 | 17.0-26.8  | 19        | 4.8  | 2.3- 7.3   | 3           | 1.5 | 0.0- 3.3   | 4          | 1.3 | 0.0- 2.9   | 8           | 2.2 | 0.4- 4.0   | 269  | 68.3 | 62.8-73.8  |  |  |
| Non-Native          | 376               | 29,946   | 85                               | 22.6 | 17.5-27.7  | 17        | 4.5  | 2.0- 7.0   | 3           | 1.5 | 0.0- 3.3   | 4          | 1.4 | 0.0- 3.0   | 7           | 2.2 | 0.4- 4.0   | 260  | 67.9 | 62.2-73.6  |  |  |
| 45-54               | 65                | 6,801    | 13                               | 18.0 | 8.2-27.8   | 4         | 5.4  | 0.1-10.7   | 2           | 5.4 | 0.0-12.7   | 1          | 3.1 | 0.0- 9.0   | 3           | 4.4 | 0.0- 9.7   | 42   | 63.7 | 50.6-76.8  |  |  |
| 55-64               | 94                | 9,699    | 21                               | 22.8 | 12.8-32.8  | 3         | 5.2  | 0.0-11.3   |             |     |            | 1          | 1.4 | 0.0- 4.1   | 3           | 1.9 | 0.0- 4.3   | 66   | 68.7 | 57.7-79.7  |  |  |
| 65+                 | 230               | 14,869   | 54                               | 23.9 | 17.2-30.6  | 12        | 4.5  | 1.6- 7.4   | 1           | 0.6 | 0.0- 1.8   | 2          | 0.4 | 0.0- 1.0   | 1           | 0.3 | 0.0- 0.9   | 160  | 70.2 | 63.1-77.3  |  |  |
| H.S. or G.E.D.      | 93                | 6,701    | 23                               | 26.5 | 16.3-36.7  | 7         | 9.2  | 1.8-16.6   |             |     |            | 1          | 0.4 | 0.0- 1.2   | 3           | 2.2 | 0.0- 4.7   | 59   | 61.6 | 50.4-72.8  |  |  |
| Some Post-H.S.      | 140               | 13,850   | 33                               | 23.1 | 15.1-31.1  | 7         | 3.7  | 1.0- 6.4   | 1           | 0.7 | 0.0- 2.1   | 1          | 1.0 | 0.0- 3.0   | 4           | 2.9 | 0.0- 5.8   | 94   | 68.7 | 59.9-77.5  |  |  |
| College Graduate    | 132               | 6,975    | 29                               | 22.8 | 14.2-31.4  | 4         | 2.7  | 0.0- 5.8   |             |     |            | 1          | 0.5 | 0.0- 1.5   | 1           | 2.3 | 0.0- 6.6   | 97   | 71.8 | 62.4-81.2  |  |  |
| \$35,000- 49,999    | 51                | 4,317    | 7                                | 8.3  | 1.4-15.2   | 5         | 10.5 | 0.5-20.5   | 1           | 3.8 | 0.0-11.1   |            |     |            | 1           | 1.0 | 0.0- 3.0   | 37   | 76.4 | 63.3-89.5  |  |  |
| \$50,000- 99,999    | 118               | 9,188    | 33                               | 29.1 | 19.1-39.1  | 2         | 1.1  | 0.0- 2.9   | 2           | 3.3 | 0.0- 8.0   |            |     |            | 1           | 0.9 | 0.0- 2.7   | 80   | 65.6 | 55.0-76.2  |  |  |
| \$100,000 - 199,999 | 66                | 5,503    | 15                               | 24.7 | 11.6-37.8  | 2         | 2.5  | 0.0- 6.4   |             |     |            |            |     |            | 1           | 1.0 | 0.0- 3.0   | 48   | 71.8 | 58.5-85.1  |  |  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 10: FALLS**

**TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR CAUSED YOU TO GO TO SEE A DOCTOR? (FALLINJ5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 12 months

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |           |      |            |             |     |            |            |     |            |             |     |            |      |      |            |  |  |
|---------------------|-------------------|----------|----------------------------------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|-------------|-----|------------|------|------|------------|--|--|
|                     |                   |          | One Time                         |      |            | Two Times |      |            | Three Times |     |            | Four Times |     |            | Five+ Times |     |            | None |      |            |  |  |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N         | %    | C.I. (95%) | N           | %   | C.I. (95%) | N          | %   | C.I. (95%) | N           | %   | C.I. (95%) | N    | %    | C.I. (95%) |  |  |
| Female              | 549               | 38,318   | 153                              | 29.6 | 24.3-34.9  | 28        | 5.6  | 3.4- 7.8   | 21          | 4.0 | 2.0- 6.0   | 6          | 1.5 | 0.3- 2.7   | 7           | 1.3 | 0.3- 2.3   | 334  | 58.0 | 52.7-63.3  |  |  |
| Non-Native          | 528               | 36,862   | 147                              | 29.7 | 24.4-35.0  | 26        | 5.4  | 3.0- 7.8   | 20          | 3.9 | 1.9- 5.9   | 6          | 1.5 | 0.1- 2.9   | 6           | 1.3 | 0.1- 2.5   | 323  | 58.3 | 52.8-63.8  |  |  |
| 45-54               | 82                | 7,323    | 24                               | 30.2 | 18.6-41.8  | 5         | 7.0  | 0.9-13.1   | 3           | 4.3 | 0.0- 9.2   | 3          | 3.9 | 0.0- 8.6   | 3           | 3.3 | 0.0- 7.0   | 44   | 51.3 | 39.0-63.6  |  |  |
| 55-64               | 129               | 11,351   | 28                               | 29.2 | 17.2-41.2  | 12        | 9.0  | 3.5-14.5   | 8           | 6.5 | 1.4-11.6   |            |     |            |             |     |            | 81   | 55.3 | 43.9-66.7  |  |  |
| 65+                 | 338               | 19,643   | 101                              | 29.7 | 23.6-35.8  | 11        | 3.0  | 1.0- 5.0   | 10          | 2.4 | 0.6- 4.2   | 3          | 1.4 | 0.0- 3.0   | 4           | 1.3 | 0.0- 2.9   | 209  | 62.1 | 55.6-68.6  |  |  |
| H.S. or G.E.D.      | 113               | 7,839    | 30                               | 26.7 | 16.9-36.5  | 5         | 4.9  | 0.4- 9.4   | 6           | 5.1 | 0.6- 9.6   |            |     |            | 1           | 0.3 | 0.0- 0.9   | 71   | 62.8 | 52.4-73.2  |  |  |
| Some Post-H.S.      | 204               | 16,991   | 55                               | 31.3 | 23.5-39.1  | 12        | 6.0  | 2.3- 9.7   | 7           | 3.3 | 0.6- 6.0   | 5          | 3.0 | 0.3- 5.7   | 3           | 1.8 | 0.0- 3.8   | 122  | 54.6 | 46.4-62.8  |  |  |
| College Graduate    | 215               | 10,548   | 64                               | 25.6 | 19.3-31.9  | 9         | 4.9  | 1.4- 8.4   | 7           | 3.3 | 0.8- 5.8   | 1          | 0.4 | 0.0- 1.2   | 3           | 1.6 | 0.0- 3.6   | 131  | 64.2 | 57.1-71.3  |  |  |
| \$15,000- 24,999    | 53                | 4,458    | 12                               | 27.9 | 12.0-43.8  | 6         | 7.7  | 1.2-14.2   | 6           | 9.4 | 1.2-17.6   | 1          | 2.1 | 0.0- 6.2   |             |     |            | 28   | 52.9 | 36.2-69.6  |  |  |
| \$25,000- 34,999    | 72                | 4,281    | 20                               | 26.7 | 10.6-42.8  | 5         | 5.2  | 0.3-10.1   | 3           | 6.6 | 0.0-16.4   | 1          | 2.6 | 0.0- 7.7   | 2           | 2.2 | 0.0- 5.5   | 41   | 56.7 | 40.2-73.2  |  |  |
| \$35,000- 49,999    | 70                | 4,421    | 17                               | 24.4 | 10.9-37.9  | 5         | 10.8 | 0.6-21.0   | 3           | 4.6 | 0.0-10.5   |            |     |            |             |     |            | 45   | 60.3 | 45.6-75.0  |  |  |
| \$50,000- 99,999    | 133               | 9,609    | 47                               | 35.7 | 25.7-45.7  | 3         | 3.0  | 0.0- 6.5   | 1           | 1.3 | 0.0- 3.8   | 2          | 2.7 | 0.0- 6.4   |             |     |            | 80   | 57.3 | 46.9-67.7  |  |  |
| \$100,000 - 199,999 | 66                | 4,550    | 21                               | 33.2 | 20.1-46.3  | 2         | 4.0  | 0.0- 9.7   | 1           | 1.5 | 0.0- 4.4   |            |     |            | 1           | 1.5 | 0.0- 4.4   | 41   | 59.8 | 46.3-73.3  |  |  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 11: TOBACCO USE CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                                                                                                                                              | PAGE |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)                                                                                                                             |      |
| 1 MALES AND FEMALES                                                                                                                                                                                                                | 195  |
| 2 MALES ONLY                                                                                                                                                                                                                       | 196  |
| 3 FEMALES ONLY                                                                                                                                                                                                                     | 197  |
| DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)                                                                                                                                                        |      |
| 4 MALES AND FEMALES                                                                                                                                                                                                                | 198  |
| 5 MALES ONLY                                                                                                                                                                                                                       | 199  |
| 6 FEMALES ONLY                                                                                                                                                                                                                     | 200  |
| DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)                                                                                                                                |      |
| 7 MALES AND FEMALES                                                                                                                                                                                                                | 201  |
| 8 MALES ONLY                                                                                                                                                                                                                       | 202  |
| 9 FEMALES ONLY                                                                                                                                                                                                                     | 203  |
| WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW<br>USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW2) |      |
| 10 MALES AND FEMALES                                                                                                                                                                                                               | 204  |
| 11 MALES ONLY                                                                                                                                                                                                                      | 205  |
| 12 FEMALES ONLY                                                                                                                                                                                                                    | 206  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5369              | 566,560  | 2115 | 38.1 | 36.3-39.9  | 3254 | 61.9 | 60.1-63.7  |
| Male                  | 2635              | 291,979  | 1156 | 41.7 | 39.3-44.1  | 1479 | 58.3 | 55.9-60.7  |
| Female                | 2734              | 274,581  | 959  | 34.2 | 31.8-36.6  | 1775 | 65.8 | 63.4-68.2  |
| Native                | 147               | 21,727   | 86   | 61.0 | 51.0-71.0  | 61   | 39.0 | 29.0-49.0  |
| Non-Native            | 5144              | 536,455  | 1995 | 37.1 | 35.3-38.9  | 3149 | 62.9 | 61.1-64.7  |
| 18-24                 | 287               | 80,946   | 42   | 16.1 | 11.2-21.0  | 245  | 83.9 | 79.0-88.8  |
| 25-34                 | 541               | 101,563  | 173  | 37.3 | 32.6-42.0  | 368  | 62.7 | 58.0-67.4  |
| 35-44                 | 703               | 96,347   | 285  | 42.0 | 37.9-46.1  | 418  | 58.0 | 53.9-62.1  |
| 45-54                 | 759               | 75,730   | 305  | 41.4 | 37.5-45.3  | 454  | 58.6 | 54.7-62.5  |
| 55-64                 | 893               | 81,067   | 377  | 44.1 | 40.2-48.0  | 516  | 55.9 | 52.0-59.8  |
| 65+                   | 2186              | 130,907  | 933  | 43.7 | 41.2-46.2  | 1253 | 56.3 | 53.8-58.8  |
| Less Than H.S.        | 160               | 40,336   | 95   | 62.0 | 52.8-71.2  | 65   | 38.0 | 28.8-47.2  |
| H.S. or G.E.D.        | 1332              | 147,458  | 654  | 43.3 | 40.0-46.6  | 678  | 56.7 | 53.4-60.0  |
| Some Post-H.S.        | 1675              | 217,375  | 735  | 39.9 | 37.2-42.6  | 940  | 60.1 | 57.4-62.8  |
| College Graduate      | 2185              | 159,433  | 628  | 24.8 | 22.8-26.8  | 1557 | 75.2 | 73.2-77.2  |
| Less than \$15,000    | 141               | 17,074   | 72   | 49.4 | 37.4-61.4  | 69   | 50.6 | 38.6-62.6  |
| \$15,000- 24,999      | 297               | 35,093   | 145  | 45.2 | 37.8-52.6  | 152  | 54.8 | 47.4-62.2  |
| \$25,000- 34,999      | 447               | 47,986   | 211  | 45.2 | 38.9-51.5  | 236  | 54.8 | 48.5-61.1  |
| \$35,000- 49,999      | 608               | 58,824   | 288  | 47.5 | 42.4-52.6  | 320  | 52.5 | 47.4-57.6  |
| \$50,000- 99,999      | 1521              | 161,807  | 586  | 36.3 | 33.2-39.4  | 935  | 63.7 | 60.6-66.8  |
| \$100,000 - 199,999   | 1125              | 121,666  | 406  | 36.0 | 32.7-39.3  | 719  | 64.0 | 60.7-67.3  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2635              | 291,979  | 1156 | 41.7 | 39.3-44.1  | 1479 | 58.3 | 55.9-60.7  |
| Native                | 66                | 10,577   | 39   | 62.1 | 47.8-76.4  | 27   | 37.9 | 23.6-52.2  |
| Non-Native            | 2523              | 276,902  | 1096 | 40.9 | 38.5-43.3  | 1427 | 59.1 | 56.7-61.5  |
| 18-24                 | 164               | 42,681   | 28   | 17.6 | 11.1-24.1  | 136  | 82.4 | 75.9-88.9  |
| 25-34                 | 300               | 55,456   | 111  | 42.6 | 36.1-49.1  | 189  | 57.4 | 50.9-63.9  |
| 35-44                 | 394               | 50,549   | 166  | 44.4 | 38.9-49.9  | 228  | 55.6 | 50.1-61.1  |
| 45-54                 | 388               | 39,391   | 168  | 43.7 | 38.0-49.4  | 220  | 56.3 | 50.6-62.0  |
| 55-64                 | 425               | 42,514   | 178  | 43.9 | 38.2-49.6  | 247  | 56.1 | 50.4-61.8  |
| 65+                   | 964               | 61,388   | 505  | 52.6 | 48.9-56.3  | 459  | 47.4 | 43.7-51.1  |
| Less Than H.S.        | 89                | 22,626   | 54   | 61.0 | 48.5-73.5  | 35   | 39.0 | 26.5-51.5  |
| H.S. or G.E.D.        | 721               | 84,230   | 370  | 45.0 | 40.7-49.3  | 351  | 55.0 | 50.7-59.3  |
| Some Post-H.S.        | 817               | 112,924  | 402  | 44.0 | 40.1-47.9  | 415  | 56.0 | 52.1-59.9  |
| College Graduate      | 999               | 70,741   | 327  | 28.1 | 25.0-31.2  | 672  | 71.9 | 68.8-75.0  |
| Less than \$15,000    | 64                | 7,062    | 35   | 49.6 | 33.7-65.5  | 29   | 50.4 | 34.5-66.3  |
| \$15,000- 24,999      | 111               | 12,915   | 55   | 48.7 | 36.4-61.0  | 56   | 51.3 | 39.0-63.6  |
| \$25,000- 34,999      | 202               | 23,559   | 107  | 47.9 | 38.9-56.9  | 95   | 52.1 | 43.1-61.1  |
| \$35,000- 49,999      | 287               | 28,950   | 160  | 53.4 | 46.1-60.7  | 127  | 46.6 | 39.3-53.9  |
| \$50,000- 99,999      | 790               | 88,755   | 341  | 40.6 | 36.3-44.9  | 449  | 59.4 | 55.1-63.7  |
| \$100,000 - 199,999   | 644               | 70,714   | 252  | 39.8 | 35.3-44.3  | 392  | 60.2 | 55.7-64.7  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2734              | 274,581  | 959 | 34.2 | 31.8-36.6  | 1775 | 65.8 | 63.4-68.2  |
| Native                | 81                | 11,151   | 47  | 59.9 | 45.8-74.0  | 34   | 40.1 | 26.0-54.2  |
| Non-Native            | 2621              | 259,553  | 899 | 33.0 | 30.6-35.4  | 1722 | 67.0 | 64.6-69.4  |
| 18-24                 | 123               | 38,265   | 14  | 14.6 | 7.2-22.0   | 109  | 85.4 | 78.0-92.8  |
| 25-34                 | 241               | 46,107   | 62  | 30.9 | 24.0-37.8  | 179  | 69.1 | 62.2-76.0  |
| 35-44                 | 309               | 45,798   | 119 | 39.3 | 33.0-45.6  | 190  | 60.7 | 54.4-67.0  |
| 45-54                 | 371               | 36,339   | 137 | 38.8 | 32.9-44.7  | 234  | 61.2 | 55.3-67.1  |
| 55-64                 | 468               | 38,553   | 199 | 44.4 | 38.9-49.9  | 269  | 55.6 | 50.1-61.1  |
| 65+                   | 1222              | 69,519   | 428 | 35.8 | 32.5-39.1  | 794  | 64.2 | 60.9-67.5  |
| Less Than H.S.        | 71                | 17,710   | 41  | 63.2 | 49.5-76.9  | 30   | 36.8 | 23.1-50.5  |
| H.S. or G.E.D.        | 611               | 63,228   | 284 | 41.1 | 36.0-46.2  | 327  | 58.9 | 53.8-64.0  |
| Some Post-H.S.        | 858               | 104,451  | 333 | 35.6 | 31.7-39.5  | 525  | 64.4 | 60.5-68.3  |
| College Graduate      | 1186              | 88,692   | 301 | 22.1 | 19.4-24.8  | 885  | 77.9 | 75.2-80.6  |
| Less than \$15,000    | 77                | 10,012   | 37  | 49.3 | 32.2-66.4  | 40   | 50.7 | 33.6-67.8  |
| \$15,000- 24,999      | 186               | 22,178   | 90  | 43.1 | 33.9-52.3  | 96   | 56.9 | 47.7-66.1  |
| \$25,000- 34,999      | 245               | 24,427   | 104 | 42.7 | 33.9-51.5  | 141  | 57.3 | 48.5-66.1  |
| \$35,000- 49,999      | 321               | 29,874   | 128 | 41.8 | 34.5-49.1  | 193  | 58.2 | 50.9-65.5  |
| \$50,000- 99,999      | 731               | 73,053   | 245 | 31.0 | 26.9-35.1  | 486  | 69.0 | 64.9-73.1  |
| \$100,000 - 199,999   | 481               | 50,952   | 154 | 30.7 | 25.6-35.8  | 327  | 69.3 | 64.2-74.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**

**SECTION 11: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Every day |      |            | Some days |      |            | Not at all |      |            |
|-----------------------|-------------------|----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
|                       | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N          | %    | C.I. (95%) |
| TOTAL                 | 2107              | 215,002  | 437       | 25.1 | 22.6-27.6  | 169       | 10.0 | 8.2-11.8   | 1501       | 64.9 | 62.2-67.6  |
| Male                  | 1152              | 121,295  | 230       | 24.1 | 20.6-27.6  | 86        | 10.2 | 7.7-12.7   | 836        | 65.7 | 62.0-69.4  |
| Female                | 955               | 93,707   | 207       | 26.4 | 22.5-30.3  | 83        | 9.8  | 7.3-12.3   | 665        | 63.7 | 59.6-67.8  |
| Native                | 85                | 13,186   | 26        | 34.8 | 20.9-48.7  | 18        | 18.4 | 9.0-27.8   | 41         | 46.7 | 32.4-61.0  |
| Non-Native            | 1988              | 198,378  | 404       | 24.6 | 22.1-27.1  | 147       | 9.4  | 7.6-11.2   | 1437       | 65.9 | 63.2-68.6  |
| 25-34                 | 172               | 37,649   | 41        | 29.1 | 20.9-37.3  | 26        | 13.0 | 7.7-18.3   | 105        | 57.9 | 49.5-66.3  |
| 35-44                 | 285               | 40,475   | 74        | 29.7 | 23.4-36.0  | 27        | 9.1  | 5.4-12.8   | 184        | 61.2 | 54.7-67.7  |
| 45-54                 | 303               | 31,127   | 85        | 29.7 | 23.8-35.6  | 31        | 10.9 | 6.8-15.0   | 187        | 59.4 | 53.1-65.7  |
| 55-64                 | 376               | 35,759   | 114       | 34.5 | 28.2-40.8  | 32        | 8.6  | 5.3-11.9   | 230        | 56.9 | 50.6-63.2  |
| 65+                   | 929               | 56,922   | 116       | 11.9 | 9.5-14.3   | 39        | 3.9  | 2.5- 5.3   | 774        | 84.2 | 81.5-86.9  |
| Less Than H.S.        | 95                | 24,996   | 36        | 47.0 | 34.8-59.2  | 10        | 12.5 | 4.3-20.7   | 49         | 40.5 | 28.9-52.1  |
| H.S. or G.E.D.        | 653               | 63,794   | 172       | 27.5 | 23.4-31.6  | 50        | 8.9  | 6.2-11.6   | 431        | 63.6 | 59.1-68.1  |
| Some Post-H.S.        | 730               | 86,247   | 156       | 22.5 | 19.0-26.0  | 59        | 10.5 | 7.8-13.2   | 515        | 67.0 | 62.9-71.1  |
| College Graduate      | 626               | 39,423   | 72        | 12.7 | 9.6-15.8   | 49        | 8.9  | 6.2-11.6   | 505        | 78.3 | 74.4-82.2  |
| Less than \$15,000    | 72                | 8,440    | 27        | 38.4 | 21.0-55.8  | 8         | 9.1  | 1.8-16.4   | 37         | 52.5 | 34.5-70.5  |
| \$15,000- 24,999      | 145               | 15,846   | 52        | 41.2 | 30.4-52.0  | 16        | 14.7 | 6.1-23.3   | 77         | 44.1 | 33.5-54.7  |
| \$25,000- 34,999      | 211               | 21,710   | 56        | 32.6 | 23.6-41.6  | 19        | 13.6 | 6.5-20.7   | 136        | 53.8 | 44.4-63.2  |
| \$35,000- 49,999      | 285               | 27,625   | 56        | 23.3 | 16.2-30.4  | 23        | 11.9 | 6.4-17.4   | 206        | 64.7 | 57.1-72.3  |
| \$50,000- 99,999      | 584               | 58,452   | 117       | 24.7 | 19.8-29.6  | 41        | 7.5  | 4.8-10.2   | 426        | 67.7 | 62.6-72.8  |
| \$100,000 - 199,999   | 406               | 43,783   | 50        | 14.8 | 10.5-19.1  | 33        | 10.3 | 6.4-14.2   | 323        | 74.9 | 69.6-80.2  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Every day |      |            | Some days |      |            | Not at all |      |            |
|---------------------|-------------------|----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
|                     | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N          | %    | C.I. (95%) |
| Male                | 1152              | 121,295  | 230       | 24.1 | 20.6-27.6  | 86        | 10.2 | 7.7-12.7   | 836        | 65.7 | 62.0-69.4  |
| Non-Native          | 1092              | 112,805  | 213       | 22.9 | 19.6-26.2  | 79        | 10.2 | 7.7-12.7   | 800        | 67.0 | 63.3-70.7  |
| 25-34               | 110               | 23,421   | 27        | 29.1 | 18.5-39.7  | 20        | 16.0 | 8.6-23.4   | 63         | 54.9 | 44.1-65.7  |
| 35-44               | 166               | 22,466   | 44        | 29.5 | 21.7-37.3  | 12        | 7.4  | 2.5-12.3   | 110        | 63.2 | 55.0-71.4  |
| 45-54               | 167               | 17,112   | 39        | 23.6 | 16.3-30.9  | 17        | 9.8  | 5.1-14.5   | 111        | 66.6 | 58.8-74.4  |
| 55-64               | 178               | 18,655   | 56        | 34.1 | 25.5-42.7  | 11        | 6.4  | 2.1-10.7   | 111        | 59.5 | 50.7-68.3  |
| 65+                 | 503               | 32,150   | 58        | 10.8 | 7.7-13.9   | 15        | 2.8  | 1.2- 4.4   | 430        | 86.4 | 83.1-89.7  |
| Less Than H.S.      | 54                | 13,795   | 18        | 44.3 | 27.8-60.8  | 6         | 15.6 | 3.3-27.9   | 30         | 40.2 | 25.3-55.1  |
| H.S. or G.E.D.      | 370               | 37,893   | 91        | 24.9 | 19.6-30.2  | 28        | 9.4  | 5.7-13.1   | 251        | 65.7 | 60.0-71.4  |
| Some Post-H.S.      | 399               | 49,237   | 80        | 21.5 | 16.8-26.2  | 29        | 9.9  | 6.2-13.6   | 290        | 68.6 | 63.1-74.1  |
| College Graduate    | 326               | 19,829   | 40        | 14.2 | 9.5-18.9   | 22        | 8.2  | 4.5-11.9   | 264        | 77.7 | 72.2-83.2  |
| \$15,000- 24,999    | 55                | 6,294    | 19        | 43.9 | 25.1-62.7  | 3         | 3.4  | 0.0- 8.1   | 33         | 52.7 | 34.3-71.1  |
| \$25,000- 34,999    | 107               | 11,279   | 27        | 32.8 | 19.9-45.7  | 13        | 19.5 | 7.9-31.1   | 67         | 47.7 | 35.2-60.2  |
| \$35,000- 49,999    | 159               | 15,307   | 36        | 26.0 | 17.2-34.8  | 8         | 7.6  | 1.5-13.7   | 115        | 66.5 | 56.9-76.1  |
| \$50,000- 99,999    | 340               | 35,842   | 62        | 22.8 | 16.3-29.3  | 23        | 7.9  | 4.2-11.6   | 255        | 69.3 | 62.6-76.0  |
| \$100,000 - 199,999 | 252               | 28,129   | 33        | 15.0 | 9.5-20.5   | 18        | 10.0 | 4.7-15.3   | 201        | 75.0 | 68.1-81.9  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Every day |      |            | Some days |      |            | Not at all |      |            |
|-----------------------|-------------------|----------|-----------|------|------------|-----------|------|------------|------------|------|------------|
|                       | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N          | %    | C.I. (95%) |
| Female                | 955               | 93,707   | 207       | 26.4 | 22.5-30.3  | 83        | 9.8  | 7.3-12.3   | 665        | 63.7 | 59.6-67.8  |
| Non-Native            | 896               | 85,573   | 191       | 27.0 | 22.9-31.1  | 68        | 8.5  | 6.0-11.0   | 637        | 64.5 | 60.2-68.8  |
| 25-34                 | 62                | 14,228   | 14        | 29.2 | 16.3-42.1  | 6         | 7.9  | 1.4-14.4   | 42         | 62.9 | 49.4-76.4  |
| 35-44                 | 119               | 18,009   | 30        | 30.0 | 20.2-39.8  | 15        | 11.3 | 5.2-17.4   | 74         | 58.7 | 48.5-68.9  |
| 45-54                 | 136               | 14,015   | 46        | 37.2 | 27.6-46.8  | 14        | 12.2 | 5.3-19.1   | 76         | 50.6 | 40.8-60.4  |
| 55-64                 | 198               | 17,104   | 58        | 35.0 | 26.2-43.8  | 21        | 11.0 | 6.1-15.9   | 119        | 54.0 | 45.4-62.6  |
| 65+                   | 426               | 24,772   | 58        | 13.3 | 9.6-17.0   | 24        | 5.4  | 2.9- 7.9   | 344        | 81.3 | 77.0-85.6  |
| H.S. or G.E.D.        | 283               | 25,902   | 81        | 31.3 | 24.4-38.2  | 22        | 8.3  | 4.0-12.6   | 180        | 60.4 | 53.1-67.7  |
| Some Post-H.S.        | 331               | 37,009   | 76        | 23.7 | 18.0-29.4  | 30        | 11.3 | 7.0-15.6   | 225        | 64.9 | 58.4-71.4  |
| College Graduate      | 300               | 19,594   | 32        | 11.3 | 6.8-15.8   | 27        | 9.7  | 5.8-13.6   | 241        | 79.0 | 73.5-84.5  |
| \$15,000- 24,999      | 90                | 9,552    | 33        | 39.4 | 26.5-52.3  | 13        | 22.2 | 9.1-35.3   | 44         | 38.4 | 26.1-50.7  |
| \$25,000- 34,999      | 104               | 10,431   | 29        | 32.4 | 19.5-45.3  | 6         | 7.3  | 0.6-14.0   | 69         | 60.3 | 47.0-73.6  |
| \$35,000- 49,999      | 126               | 12,317   | 20        | 20.0 | 8.6-31.4   | 15        | 17.4 | 8.0-26.8   | 91         | 62.6 | 50.4-74.8  |
| \$50,000- 99,999      | 244               | 22,610   | 55        | 27.7 | 20.1-35.3  | 18        | 6.9  | 3.4-10.4   | 171        | 65.3 | 57.7-72.9  |
| \$100,000 - 199,999   | 154               | 15,653   | 17        | 14.6 | 7.3-21.9   | 15        | 10.8 | 5.1-16.5   | 122        | 74.6 | 66.2-83.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 7: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Every day |     |            | Some days |     |            | Not at all |      |            |
|-----------------------|-------------------|----------|-----------|-----|------------|-----------|-----|------------|------------|------|------------|
|                       | TOTAL             | WEIGHTED | N         | %   | C.I. (95%) | N         | %   | C.I. (95%) | N          | %    | C.I. (95%) |
| TOTAL                 | 5390              | 568,166  | 160       | 3.3 | 2.7- 3.9   | 99        | 2.2 | 1.8- 2.6   | 5131       | 94.5 | 93.7-95.3  |
| Male                  | 2651              | 293,178  | 156       | 6.4 | 5.2- 7.6   | 90        | 3.8 | 2.8- 4.8   | 2405       | 89.8 | 88.4-91.2  |
| Female                | 2739              | 274,988  | 4         | 0.1 | 0.0- 0.3   | 9         | 0.4 | 0.0- 0.8   | 2726       | 99.5 | 99.1-99.9  |
| Native                | 149               | 22,117   | 7         | 7.0 | 0.5-13.5   | 4         | 3.1 | 0.0- 6.4   | 138        | 89.8 | 82.7-96.9  |
| Non-Native            | 5163              | 537,703  | 152       | 3.2 | 2.6- 3.8   | 94        | 2.2 | 1.6- 2.8   | 4917       | 94.6 | 93.8-95.4  |
| 18-24                 | 288               | 81,095   | 3         | 0.7 | 0.0- 1.5   | 13        | 3.6 | 1.6- 5.6   | 272        | 95.7 | 93.5-97.9  |
| 25-34                 | 542               | 102,015  | 27        | 4.5 | 2.5- 6.5   | 17        | 2.9 | 1.5- 4.3   | 498        | 92.6 | 90.2-95.0  |
| 35-44                 | 705               | 96,754   | 31        | 3.6 | 2.2- 5.0   | 22        | 2.6 | 1.4- 3.8   | 652        | 93.9 | 92.1-95.7  |
| 45-54                 | 758               | 75,411   | 39        | 5.0 | 3.2- 6.8   | 18        | 2.4 | 1.2- 3.6   | 701        | 92.6 | 90.6-94.6  |
| 55-64                 | 895               | 81,226   | 38        | 6.0 | 3.6- 8.4   | 6         | 0.7 | 0.1- 1.3   | 851        | 93.3 | 90.9-95.7  |
| 65+                   | 2202              | 131,666  | 22        | 1.3 | 0.5- 2.1   | 23        | 1.3 | 0.7- 1.9   | 2157       | 97.4 | 96.4-98.4  |
| Less Than H.S.        | 163               | 40,980   | 8         | 6.4 | 1.5-11.3   |           |     |            | 155        | 93.6 | 88.7-98.5  |
| H.S. or G.E.D.        | 1342              | 148,137  | 43        | 3.3 | 2.3- 4.3   | 31        | 2.8 | 1.6- 4.0   | 1268       | 93.9 | 92.3-95.5  |
| Some Post-H.S.        | 1677              | 217,237  | 55        | 3.2 | 2.2- 4.2   | 34        | 2.4 | 1.4- 3.4   | 1588       | 94.4 | 93.0-95.8  |
| College Graduate      | 2190              | 159,823  | 53        | 2.8 | 2.0- 3.6   | 33        | 1.8 | 1.0- 2.6   | 2104       | 95.4 | 94.4-96.4  |
| Less than \$15,000    | 142               | 17,265   | 6         | 3.8 | 0.5- 7.1   | 3         | 2.5 | 0.0- 5.2   | 133        | 93.8 | 89.5-98.1  |
| \$15,000- 24,999      | 297               | 35,080   | 8         | 3.8 | 0.0- 7.7   | 5         | 2.7 | 0.3- 5.1   | 284        | 93.5 | 89.0-98.0  |
| \$25,000- 34,999      | 449               | 48,495   | 11        | 4.1 | 1.2- 7.0   | 8         | 1.7 | 0.5- 2.9   | 430        | 94.2 | 90.9-97.5  |
| \$35,000- 49,999      | 609               | 58,743   | 9         | 1.8 | 0.6- 3.0   | 9         | 2.2 | 0.6- 3.8   | 591        | 96.0 | 94.0-98.0  |
| \$50,000- 99,999      | 1523              | 161,665  | 44        | 3.5 | 2.3- 4.7   | 25        | 1.9 | 1.1- 2.7   | 1454       | 94.6 | 93.2-96.0  |
| \$100,000 - 199,999   | 1128              | 121,837  | 43        | 3.8 | 2.6- 5.0   | 27        | 2.5 | 1.5- 3.5   | 1058       | 93.8 | 92.2-95.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 8: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Every day |      |            | Some days |     |            | Not at all |      |            |
|-----------------------|-------------------|----------|-----------|------|------------|-----------|-----|------------|------------|------|------------|
|                       | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N         | %   | C.I. (95%) | N          | %    | C.I. (95%) |
| Male                  | 2651              | 293,178  | 156       | 6.4  | 5.2- 7.6   | 90        | 3.8 | 2.8- 4.8   | 2405       | 89.8 | 88.4-91.2  |
| Native                | 68                | 10,792   | 7         | 14.4 | 1.9-26.9   | 4         | 6.4 | 0.0-13.1   | 57         | 79.2 | 65.9-92.5  |
| Non-Native            | 2537              | 277,886  | 148       | 6.1  | 4.9- 7.3   | 85        | 3.8 | 2.8- 4.8   | 2304       | 90.1 | 88.7-91.5  |
| 18-24                 | 165               | 42,830   | 3         | 1.3  | 0.0- 2.7   | 11        | 5.7 | 2.2- 9.2   | 151        | 93.0 | 89.3-96.7  |
| 25-34                 | 302               | 56,107   | 27        | 8.2  | 4.7-11.7   | 15        | 4.8 | 2.3- 7.3   | 260        | 87.0 | 82.9-91.1  |
| 35-44                 | 395               | 50,609   | 30        | 6.6  | 4.1- 9.1   | 22        | 4.9 | 2.7- 7.1   | 343        | 88.5 | 85.4-91.6  |
| 45-54                 | 389               | 39,272   | 39        | 9.6  | 6.5-12.7   | 16        | 4.3 | 2.1- 6.5   | 334        | 86.1 | 82.4-89.8  |
| 55-64                 | 428               | 42,746   | 35        | 10.9 | 6.6-15.2   | 4         | 0.9 | 0.0- 1.9   | 389        | 88.2 | 83.9-92.5  |
| 65+                   | 972               | 61,614   | 22        | 2.8  | 1.2- 4.4   | 22        | 2.5 | 1.3- 3.7   | 928        | 94.7 | 92.7-96.7  |
| Less Than H.S.        | 90                | 22,977   | 8         | 11.4 | 2.8-20.0   |           |     |            | 82         | 88.6 | 80.0-97.2  |
| H.S. or G.E.D.        | 726               | 84,684   | 41        | 5.6  | 3.8- 7.4   | 31        | 4.9 | 2.9- 6.9   | 654        | 89.5 | 87.0-92.0  |
| Some Post-H.S.        | 820               | 112,887  | 54        | 6.0  | 4.2- 7.8   | 31        | 4.3 | 2.7- 5.9   | 735        | 89.6 | 87.2-92.0  |
| College Graduate      | 1005              | 71,142   | 52        | 6.1  | 4.3- 7.9   | 27        | 3.1 | 1.7- 4.5   | 926        | 90.8 | 88.6-93.0  |
| Less than \$15,000    | 66                | 7,366    | 6         | 8.8  | 1.4-16.2   | 3         | 5.8 | 0.0-12.3   | 57         | 85.4 | 75.8-95.0  |
| \$15,000- 24,999      | 110               | 12,875   | 6         | 9.0  | 0.0-19.2   | 4         | 5.5 | 0.2-10.8   | 100        | 85.6 | 74.6-96.6  |
| \$25,000- 34,999      | 203               | 24,031   | 11        | 8.3  | 2.4-14.2   | 7         | 2.8 | 0.4- 5.2   | 185        | 88.9 | 82.6-95.2  |
| \$35,000- 49,999      | 287               | 28,851   | 9         | 3.6  | 1.1- 6.1   | 9         | 4.5 | 1.2- 7.8   | 269        | 91.9 | 87.8-96.0  |
| \$50,000- 99,999      | 794               | 88,918   | 44        | 6.4  | 4.2- 8.6   | 23        | 3.1 | 1.7- 4.5   | 727        | 90.4 | 87.9-92.9  |
| \$100,000 - 199,999   | 647               | 70,886   | 43        | 6.5  | 4.3- 8.7   | 25        | 4.0 | 2.2- 5.8   | 579        | 89.5 | 87.0-92.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 9: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Every day |     |            | Some days |     |            | Not at all |       |            |
|---------------------|-------------------|----------|-----------|-----|------------|-----------|-----|------------|------------|-------|------------|
|                     | TOTAL             | WEIGHTED | N         | %   | C.I. (95%) | N         | %   | C.I. (95%) | N          | %     | C.I. (95%) |
| Female              | 2739              | 274,988  | 4         | 0.1 | 0.0- 0.3   | 9         | 0.4 | 0.0- 0.8   | 2726       | 99.5  | 99.1-99.9  |
| Native              | 81                | 11,325   |           |     |            |           |     |            | 81         | 100.0 | 100.0- 100 |
| Non-Native          | 2626              | 259,816  | 4         | 0.1 | 0.0- 0.3   | 9         | 0.5 | 0.1- 0.9   | 2613       | 99.4  | 99.0-99.8  |
| 18-24               | 123               | 38,265   |           |     |            | 2         | 1.3 | 0.0- 3.1   | 121        | 98.7  | 96.9- 100  |
| 25-34               | 240               | 45,908   |           |     |            | 2         | 0.6 | 0.0- 1.4   | 238        | 99.4  | 98.6- 100  |
| 35-44               | 310               | 46,145   | 1         | 0.2 | 0.0- 0.6   |           |     |            | 309        | 99.8  | 99.4- 100  |
| 45-54               | 369               | 36,139   |           |     |            | 2         | 0.4 | 0.0- 1.0   | 367        | 99.6  | 99.0- 100  |
| 55-64               | 467               | 38,480   | 3         | 0.5 | 0.0- 1.1   | 2         | 0.4 | 0.0- 1.0   | 462        | 99.1  | 98.3-99.9  |
| 65+                 | 1230              | 70,052   |           |     |            | 1         | 0.2 | 0.0- 0.6   | 1229       | 99.8  | 99.4- 100  |
| Less Than H.S.      | 73                | 18,002   |           |     |            |           |     |            | 73         | 100.0 | 100.0- 100 |
| H.S. or G.E.D.      | 616               | 63,453   | 2         | 0.3 | 0.0- 0.7   |           |     |            | 614        | 99.7  | 99.3- 100  |
| Some Post-H.S.      | 857               | 104,351  | 1         | 0.1 | 0.0- 0.3   | 3         | 0.4 | 0.0- 1.0   | 853        | 99.5  | 98.9- 100  |
| College Graduate    | 1185              | 88,681   | 1         | 0.1 | 0.0- 0.3   | 6         | 0.9 | 0.1- 1.7   | 1178       | 99.1  | 98.3-99.9  |
| Less than \$15,000  | 76                | 9,899    |           |     |            |           |     |            | 76         | 100.0 | 100.0- 100 |
| \$15,000- 24,999    | 187               | 22,204   | 2         | 0.8 | 0.0- 2.0   | 1         | 1.1 | 0.0- 3.3   | 184        | 98.2  | 95.8- 100  |
| \$25,000- 34,999    | 246               | 24,464   |           |     |            | 1         | 0.5 | 0.0- 1.5   | 245        | 99.5  | 98.5- 100  |
| \$35,000- 49,999    | 322               | 29,893   |           |     |            |           |     |            | 322        | 100.0 | 100.0- 100 |
| \$50,000- 99,999    | 729               | 72,747   |           |     |            | 2         | 0.4 | 0.0- 1.0   | 727        | 99.6  | 99.0- 100  |
| \$100,000 - 199,999 | 481               | 50,952   |           |     |            | 2         | 0.3 | 0.0- 0.7   | 479        | 99.7  | 99.3- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 10: WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Never smoked e-cigs |      |            | Every day |      |            | Some days |      |            | Not at all(right now |      |            |
|---------------------|-------------------|----------|---------------------|------|------------|-----------|------|------------|-----------|------|------------|----------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                   | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N                    | %    | C.I. (95%) |
| TOTAL               | 2095              | 213,940  | 1409                | 56.0 | 53.3-58.7  | 110       | 10.3 | 8.1-12.5   | 87        | 6.0  | 4.6- 7.4   | 489                  | 27.7 | 25.2-30.2  |
| Male                | 1147              | 120,956  | 745                 | 54.2 | 50.5-57.9  | 61        | 8.9  | 6.5-11.3   | 43        | 5.3  | 3.5- 7.1   | 298                  | 31.7 | 28.2-35.2  |
| Female              | 948               | 92,984   | 664                 | 58.3 | 54.0-62.6  | 49        | 12.2 | 8.3-16.1   | 44        | 6.9  | 4.5- 9.3   | 191                  | 22.6 | 19.1-26.1  |
| Native              | 85                | 13,186   | 52                  | 50.2 | 35.9-64.5  | 5         | 11.9 | 0.0-24.6   | 4         | 5.8  | 0.1-11.5   | 24                   | 32.1 | 18.6-45.6  |
| Non-Native          | 1976              | 197,317  | 1329                | 55.9 | 53.0-58.8  | 105       | 10.4 | 8.2-12.6   | 83        | 6.1  | 4.5- 7.7   | 459                  | 27.6 | 25.1-30.1  |
| 25-34               | 173               | 37,856   | 40                  | 21.2 | 14.7-27.7  | 37        | 24.0 | 16.4-31.6  | 18        | 11.5 | 6.0-17.0   | 78                   | 43.3 | 35.1-51.5  |
| 35-44               | 281               | 40,080   | 122                 | 45.0 | 38.3-51.7  | 28        | 10.5 | 6.4-14.6   | 26        | 8.5  | 5.2-11.8   | 105                  | 36.0 | 29.7-42.3  |
| 45-54               | 298               | 30,644   | 182                 | 62.7 | 56.6-68.8  | 17        | 5.4  | 2.7- 8.1   | 14        | 4.7  | 2.2- 7.2   | 85                   | 27.2 | 21.7-32.7  |
| 55-64               | 375               | 35,680   | 273                 | 72.1 | 66.8-77.4  | 3         | 0.7  | 0.0- 1.5   | 15        | 3.8  | 1.6- 6.0   | 84                   | 23.4 | 18.3-28.5  |
| 65+                 | 926               | 56,610   | 787                 | 83.0 | 80.1-85.9  | 5         | 0.4  | 0.0- 0.8   | 6         | 0.5  | 0.1- 0.9   | 128                  | 16.1 | 13.2-19.0  |
| Less Than H.S.      | 95                | 24,996   | 47                  | 38.4 | 27.0-49.8  | 12        | 21.3 | 10.1-32.5  | 10        | 12.1 | 4.5-19.7   | 26                   | 28.2 | 17.0-39.4  |
| H.S. or G.E.D.      | 651               | 63,550   | 425                 | 56.0 | 51.3-60.7  | 33        | 9.4  | 5.9-12.9   | 24        | 4.8  | 2.6- 7.0   | 169                  | 29.8 | 25.5-34.1  |
| Some Post-H.S.      | 725               | 85,732   | 484                 | 56.5 | 52.2-60.8  | 47        | 10.8 | 7.7-13.9   | 32        | 5.9  | 3.7- 8.1   | 162                  | 26.8 | 22.9-30.7  |
| College Graduate    | 621               | 39,121   | 451                 | 65.6 | 61.1-70.1  | 18        | 3.8  | 1.8- 5.8   | 21        | 4.5  | 2.5- 6.5   | 131                  | 26.1 | 21.8-30.4  |
| Less than \$15,000  | 72                | 8,440    | 40                  | 36.5 | 21.4-51.6  | 4         | 21.8 | 1.4-42.2   | 6         | 6.6  | 0.7-12.5   | 22                   | 35.0 | 17.6-52.4  |
| \$15,000- 24,999    | 144               | 15,806   | 87                  | 43.4 | 33.0-53.8  | 6         | 10.5 | 1.7-19.3   | 15        | 15.4 | 7.6-23.2   | 36                   | 30.7 | 20.1-41.3  |
| \$25,000- 34,999    | 209               | 21,438   | 140                 | 56.6 | 47.2-66.0  | 10        | 8.4  | 2.7-14.1   | 8         | 6.7  | 0.6-12.8   | 51                   | 28.3 | 20.1-36.5  |
| \$35,000- 49,999    | 284               | 27,495   | 192                 | 55.5 | 48.1-62.9  | 13        | 10.7 | 4.0-17.4   | 10        | 5.7  | 2.0- 9.4   | 69                   | 28.1 | 21.6-34.6  |
| \$50,000- 99,999    | 581               | 58,419   | 388                 | 55.9 | 50.8-61.0  | 33        | 9.1  | 5.8-12.4   | 21        | 5.4  | 2.9- 7.9   | 139                  | 29.6 | 24.7-34.5  |
| \$100,000 - 199,999 | 403               | 43,456   | 263                 | 58.8 | 52.9-64.7  | 20        | 7.1  | 3.8-10.4   | 15        | 4.5  | 1.8- 7.2   | 105                  | 29.6 | 24.1-35.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 11: WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Never smoked e-cigs |      |            | Every day |      |            | Some days |      |            | Not at all(right now |      |            |
|---------------------|-------------------|----------|---------------------|------|------------|-----------|------|------------|-----------|------|------------|----------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                   | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N                    | %    | C.I. (95%) |
| Male                | 1147              | 120,956  | 745                 | 54.2 | 50.5-57.9  | 61        | 8.9  | 6.5-11.3   | 43        | 5.3  | 3.5- 7.1   | 298                  | 31.7 | 28.2-35.2  |
| Non-Native          | 1087              | 112,466  | 706                 | 54.1 | 50.4-57.8  | 59        | 9.2  | 6.7-11.7   | 41        | 5.3  | 3.3- 7.3   | 281                  | 31.4 | 27.9-34.9  |
| 25-34               | 111               | 23,628   | 28                  | 23.1 | 14.5-31.7  | 20        | 19.0 | 10.8-27.2  | 8         | 7.6  | 1.7-13.5   | 55                   | 50.3 | 39.7-60.9  |
| 35-44               | 165               | 22,342   | 69                  | 43.6 | 35.2-52.0  | 17        | 10.8 | 5.3-16.3   | 14        | 8.7  | 4.0-13.4   | 65                   | 37.0 | 29.2-44.8  |
| 45-54               | 165               | 16,936   | 100                 | 60.7 | 52.5-68.9  | 12        | 7.5  | 3.0-12.0   | 7         | 3.9  | 1.0- 6.8   | 46                   | 27.9 | 20.3-35.5  |
| 55-64               | 178               | 18,655   | 133                 | 71.5 | 63.7-79.3  | 1         | 0.5  | 0.0- 1.5   | 6         | 3.3  | 0.4- 6.2   | 38                   | 24.7 | 17.1-32.3  |
| 65+                 | 500               | 31,903   | 411                 | 80.1 | 75.8-84.4  | 2         | 0.4  | 0.0- 1.0   | 2         | 0.3  | 0.0- 0.7   | 85                   | 19.3 | 15.0-23.6  |
| Less Than H.S.      | 54                | 13,795   | 24                  | 33.2 | 18.9-47.5  | 6         | 14.2 | 3.0-25.4   | 5         | 10.5 | 0.9-20.1   | 19                   | 42.2 | 25.7-58.7  |
| H.S. or G.E.D.      | 369               | 37,744   | 228                 | 54.6 | 48.5-60.7  | 18        | 7.7  | 4.0-11.4   | 13        | 4.2  | 1.7- 6.7   | 110                  | 33.5 | 27.8-39.2  |
| Some Post-H.S.      | 397               | 49,139   | 251                 | 54.0 | 48.3-59.7  | 30        | 10.8 | 6.9-14.7   | 15        | 5.1  | 2.4- 7.8   | 101                  | 30.2 | 24.9-35.5  |
| College Graduate    | 324               | 19,737   | 240                 | 67.9 | 61.8-74.0  | 7         | 2.8  | 0.4- 5.2   | 10        | 4.4  | 1.5- 7.3   | 67                   | 24.8 | 19.1-30.5  |
| \$15,000- 24,999    | 54                | 6,254    | 29                  | 30.8 | 16.7-44.9  | 2         | 10.0 | 0.0-23.5   | 7         | 17.8 | 4.9-30.7   | 16                   | 41.5 | 22.5-60.5  |
| \$25,000- 34,999    | 105               | 11,007   | 62                  | 52.3 | 39.4-65.2  | 6         | 8.3  | 1.4-15.2   | 2         | 5.3  | 0.0-14.7   | 35                   | 34.1 | 22.5-45.7  |
| \$35,000- 49,999    | 159               | 15,307   | 111                 | 60.7 | 51.1-70.3  | 4         | 5.9  | 0.0-12.2   | 5         | 4.5  | 0.4- 8.6   | 39                   | 28.9 | 20.1-37.7  |
| \$50,000- 99,999    | 339               | 35,978   | 216                 | 50.0 | 43.3-56.7  | 21        | 9.5  | 5.2-13.8   | 13        | 6.1  | 2.6- 9.6   | 89                   | 34.4 | 27.5-41.3  |
| \$100,000 - 199,999 | 251               | 28,004   | 161                 | 58.0 | 50.6-65.4  | 12        | 6.5  | 2.6-10.4   | 9         | 3.8  | 1.1- 6.5   | 69                   | 31.7 | 24.6-38.8  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 12: WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Never smoked e-cigs |      |            | Every day |      |            | Some days |      |            | Not at all(right now |      |            |
|---------------------|-------------------|----------|---------------------|------|------------|-----------|------|------------|-----------|------|------------|----------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                   | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N                    | %    | C.I. (95%) |
| Female              | 948               | 92,984   | 664                 | 58.3 | 54.0-62.6  | 49        | 12.2 | 8.3-16.1   | 44        | 6.9  | 4.5- 9.3   | 191                  | 22.6 | 19.1-26.1  |
| Non-Native          | 889               | 84,851   | 623                 | 58.4 | 54.1-62.7  | 46        | 12.0 | 8.3-15.7   | 42        | 7.2  | 4.7- 9.7   | 178                  | 22.5 | 19.0-26.0  |
| 25-34               | 62                | 14,228   | 12                  | 18.1 | 8.5-27.7   | 17        | 32.2 | 17.9-46.5  | 10        | 17.9 | 7.1-28.7   | 23                   | 31.8 | 19.5-44.1  |
| 35-44               | 116               | 17,738   | 53                  | 46.8 | 36.4-57.2  | 11        | 10.1 | 4.0-16.2   | 12        | 8.3  | 3.6-13.0   | 40                   | 34.8 | 25.0-44.6  |
| 45-54               | 133               | 13,708   | 82                  | 65.1 | 56.1-74.1  | 5         | 2.9  | 0.2- 5.6   | 7         | 5.7  | 1.2-10.2   | 39                   | 26.4 | 18.4-34.4  |
| 55-64               | 197               | 17,026   | 140                 | 72.8 | 65.7-79.9  | 2         | 0.8  | 0.0- 2.0   | 9         | 4.4  | 1.3- 7.5   | 46                   | 22.0 | 15.5-28.5  |
| 65+                 | 426               | 24,707   | 376                 | 86.8 | 82.9-90.7  | 3         | 0.4  | 0.0- 1.0   | 4         | 0.8  | 0.0- 1.6   | 43                   | 11.9 | 8.0-15.8   |
| H.S. or G.E.D.      | 282               | 25,805   | 197                 | 58.2 | 50.6-65.8  | 15        | 11.8 | 5.3-18.3   | 11        | 5.6  | 2.1- 9.1   | 59                   | 24.5 | 17.8-31.2  |
| Some Post-H.S.      | 328               | 36,593   | 233                 | 60.0 | 53.1-66.9  | 17        | 10.8 | 5.7-15.9   | 17        | 6.9  | 3.2-10.6   | 61                   | 22.3 | 16.6-28.0  |
| College Graduate    | 297               | 19,384   | 211                 | 63.3 | 56.6-70.0  | 11        | 4.8  | 1.7- 7.9   | 11        | 4.6  | 1.7- 7.5   | 64                   | 27.3 | 21.0-33.6  |
| \$15,000- 24,999    | 90                | 9,552    | 58                  | 51.7 | 38.2-65.2  | 4         | 10.9 | 0.0-22.5   | 8         | 13.8 | 3.8-23.8   | 20                   | 23.6 | 12.6-34.6  |
| \$25,000- 34,999    | 104               | 10,431   | 78                  | 61.0 | 47.3-74.7  | 4         | 8.6  | 0.0-17.8   | 6         | 8.2  | 0.4-16.0   | 16                   | 22.3 | 10.0-34.6  |
| \$35,000- 49,999    | 125               | 12,188   | 81                  | 49.0 | 37.6-60.4  | 9         | 16.7 | 4.5-28.9   | 5         | 7.3  | 0.6-14.0   | 30                   | 27.0 | 17.4-36.6  |
| \$50,000- 99,999    | 242               | 22,441   | 172                 | 65.3 | 57.9-72.7  | 12        | 8.6  | 3.7-13.5   | 8         | 4.4  | 1.3- 7.5   | 50                   | 21.8 | 15.5-28.1  |
| \$100,000 - 199,999 | 152               | 15,452   | 102                 | 60.4 | 50.6-70.2  | 8         | 8.1  | 2.2-14.0   | 6         | 5.8  | 0.0-11.7   | 36                   | 25.8 | 17.6-34.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 12: ALCOHOL CONSUMPTION CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                                                                                                                                        | PAGE |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)                                                                                            |      |
| 1 MALES AND FEMALES                                                                                                                                                                                                          | 208  |
| 2 MALES ONLY                                                                                                                                                                                                                 | 209  |
| 3 FEMALES ONLY                                                                                                                                                                                                               | 210  |
| ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3) |      |
| 4 MALES AND FEMALES                                                                                                                                                                                                          | 211  |
| 5 MALES ONLY                                                                                                                                                                                                                 | 212  |
| 6 FEMALES ONLY                                                                                                                                                                                                               | 213  |
| CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)                                          |      |
| 7 MALES AND FEMALES                                                                                                                                                                                                          | 214  |
| 8 MALES ONLY                                                                                                                                                                                                                 | 215  |
| 9 FEMALES ONLY                                                                                                                                                                                                               | 216  |
| DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)                                                                                                                            |      |
| 10 MALES AND FEMALES                                                                                                                                                                                                         | 217  |
| 11 MALES ONLY                                                                                                                                                                                                                | 218  |
| 12 FEMALES ONLY                                                                                                                                                                                                              | 219  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 6 or more days per week |     |            | 1-10 days per month |      |            | 11+ days per month |      |            | No drinks in past 30 days |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|-----|------------|---------------------|------|------------|--------------------|------|------------|---------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                   | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                         | %    | C.I. (95%) |
| TOTAL               | 5243              | 552,794  | 890               | 16.3 | 15.1-17.5  | 78                      | 1.0 | 0.6- 1.4   | 1690                | 34.0 | 32.2-35.8  | 426                | 7.4  | 6.6- 8.2   | 2159                      | 41.2 | 39.4-43.0  |
| Male                | 2576              | 285,440  | 496               | 18.0 | 16.2-19.8  | 61                      | 1.6 | 1.0- 2.2   | 830                 | 33.7 | 31.3-36.1  | 298                | 10.4 | 9.0-11.8   | 891                       | 36.3 | 33.9-38.7  |
| Female              | 2667              | 267,354  | 394               | 14.5 | 12.7-16.3  | 17                      | 0.4 | 0.2- 0.6   | 860                 | 34.3 | 31.9-36.7  | 128                | 4.3  | 3.3- 5.3   | 1268                      | 46.5 | 44.0-49.0  |
| Native              | 145               | 21,425   | 7                 | 4.5  | 0.4- 8.6   |                         |     |            | 37                  | 23.8 | 15.2-32.4  | 11                 | 9.1  | 3.2-15.0   | 90                        | 62.7 | 52.7-72.7  |
| Non-Native          | 5024              | 523,353  | 876               | 16.9 | 15.5-18.3  | 78                      | 1.1 | 0.7- 1.5   | 1632                | 34.4 | 32.6-36.2  | 409                | 7.4  | 6.6- 8.2   | 2029                      | 40.2 | 38.4-42.0  |
| 18-24               | 278               | 78,939   | 38                | 12.1 | 8.2-16.0   | 2                       | 0.7 | 0.0- 1.7   | 102                 | 36.9 | 30.6-43.2  | 11                 | 3.0  | 1.2- 4.8   | 125                       | 47.4 | 40.9-53.9  |
| 25-34               | 531               | 99,896   | 101               | 17.8 | 14.3-21.3  | 2                       | 0.4 | 0.0- 1.0   | 222                 | 41.1 | 36.4-45.8  | 38                 | 6.5  | 4.3- 8.7   | 168                       | 34.1 | 29.4-38.8  |
| 35-44               | 681               | 93,317   | 140               | 19.0 | 15.7-22.3  | 11                      | 1.4 | 0.4- 2.4   | 240                 | 33.6 | 29.7-37.5  | 66                 | 9.1  | 6.7-11.5   | 224                       | 36.8 | 32.5-41.1  |
| 45-54               | 742               | 74,231   | 157               | 20.1 | 17.0-23.2  | 5                       | 0.6 | 0.0- 1.2   | 296                 | 39.6 | 35.5-43.7  | 54                 | 8.2  | 5.8-10.6   | 230                       | 31.5 | 27.6-35.4  |
| 55-64               | 870               | 79,168   | 141               | 15.1 | 12.4-17.8  | 11                      | 0.9 | 0.3- 1.5   | 279                 | 31.2 | 27.7-34.7  | 72                 | 8.4  | 6.2-10.6   | 367                       | 44.4 | 40.5-48.3  |
| 65+                 | 2141              | 127,242  | 313               | 14.4 | 12.6-16.2  | 47                      | 1.8 | 1.2- 2.4   | 551                 | 25.2 | 23.0-27.4  | 185                | 8.6  | 7.2-10.0   | 1045                      | 50.0 | 47.5-52.5  |
| Less Than H.S.      | 157               | 40,091   | 14                | 8.7  | 3.2-14.2   |                         |     |            | 41                  | 29.4 | 20.6-38.2  | 9                  | 4.5  | 1.4- 7.6   | 93                        | 57.3 | 47.7-66.9  |
| H.S. or G.E.D.      | 1302              | 143,263  | 165               | 13.0 | 10.8-15.2  | 18                      | 1.2 | 0.4- 2.0   | 371                 | 30.1 | 27.0-33.2  | 94                 | 6.6  | 5.0- 8.2   | 654                       | 49.2 | 45.7-52.7  |
| Some Post-H.S.      | 1630              | 212,235  | 232               | 14.7 | 12.5-16.9  | 19                      | 0.9 | 0.5- 1.3   | 525                 | 35.4 | 32.5-38.3  | 148                | 8.5  | 6.9-10.1   | 706                       | 40.4 | 37.5-43.3  |
| College Graduate    | 2137              | 155,248  | 477               | 23.7 | 21.5-25.9  | 41                      | 1.3 | 0.9- 1.7   | 747                 | 36.9 | 34.5-39.3  | 172                | 7.3  | 6.1- 8.5   | 700                       | 30.8 | 28.4-33.2  |
| Less than \$15,000  | 139               | 16,782   | 11                | 9.4  | 3.5-15.3   |                         |     |            | 32                  | 31.6 | 19.6-43.6  | 5                  | 2.1  | 0.0- 4.5   | 91                        | 56.8 | 44.6-69.0  |
| \$15,000- 24,999    | 286               | 33,537   | 23                | 9.1  | 4.2-14.0   | 5                       | 1.3 | 0.0- 2.9   | 53                  | 24.1 | 17.0-31.2  | 20                 | 5.5  | 2.8- 8.2   | 185                       | 60.1 | 52.5-67.7  |
| \$25,000- 34,999    | 437               | 47,386   | 43                | 10.9 | 6.8-15.0   | 7                       | 1.1 | 0.0- 2.3   | 117                 | 27.2 | 21.3-33.1  | 31                 | 6.6  | 3.9- 9.3   | 239                       | 54.2 | 47.7-60.7  |
| \$35,000- 49,999    | 597               | 57,655   | 70                | 12.1 | 8.4-15.8   | 5                       | 1.0 | 0.0- 2.2   | 180                 | 31.6 | 26.7-36.5  | 43                 | 8.2  | 5.3-11.1   | 299                       | 47.0 | 41.9-52.1  |
| \$50,000- 99,999    | 1495              | 157,814  | 283               | 16.6 | 14.4-18.8  | 24                      | 1.1 | 0.5- 1.7   | 512                 | 36.6 | 33.5-39.7  | 115                | 7.1  | 5.5- 8.7   | 561                       | 38.6 | 35.5-41.7  |
| \$100,000 - 199,999 | 1102              | 118,996  | 265               | 23.4 | 20.5-26.3  | 16                      | 1.0 | 0.4- 1.6   | 455                 | 41.3 | 37.8-44.8  | 113                | 9.4  | 7.4-11.4   | 253                       | 25.0 | 21.7-28.3  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | 1-5 days per week |      |            | 6 or more days per week |     |            | 1-10 days per month |      |            | 11+ days per month |      |            | No drinks in past 30 days |      |            |
|---------------------|-------------------|----------|-------------------|------|------------|-------------------------|-----|------------|---------------------|------|------------|--------------------|------|------------|---------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                 | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                   | %    | C.I. (95%) | N                  | %    | C.I. (95%) | N                         | %    | C.I. (95%) |
| Male                | 2576              | 285,440  | 496               | 18.0 | 16.2-19.8  | 61                      | 1.6 | 1.0- 2.2   | 830                 | 33.7 | 31.3-36.1  | 298                | 10.4 | 9.0-11.8   | 891                       | 36.3 | 33.9-38.7  |
| Native              | 67                | 10,644   | 4                 | 6.5  | 0.0-13.9   |                         |     |            | 15                  | 17.4 | 6.8-28.0   | 7                  | 12.0 | 2.6-21.4   | 41                        | 64.2 | 50.3-78.1  |
| Non-Native          | 2466              | 270,612  | 487               | 18.5 | 16.7-20.3  | 61                      | 1.7 | 1.1- 2.3   | 803                 | 34.4 | 32.0-36.8  | 285                | 10.3 | 8.9-11.7   | 830                       | 35.1 | 32.7-37.5  |
| 18-24               | 161               | 41,983   | 24                | 12.6 | 7.5-17.7   | 2                       | 1.3 | 0.0- 3.1   | 56                  | 35.3 | 27.1-43.5  | 9                  | 4.8  | 1.7- 7.9   | 70                        | 46.0 | 37.2-54.8  |
| 25-34               | 296               | 54,922   | 63                | 19.8 | 14.9-24.7  | 2                       | 0.7 | 0.0- 1.7   | 122                 | 41.0 | 34.5-47.5  | 27                 | 8.3  | 5.2-11.4   | 82                        | 30.2 | 24.1-36.3  |
| 35-44               | 382               | 48,522   | 94                | 23.7 | 18.8-28.6  | 9                       | 2.0 | 0.6- 3.4   | 115                 | 29.7 | 24.6-34.8  | 48                 | 12.1 | 8.6-15.6   | 116                       | 32.4 | 27.1-37.7  |
| 45-54               | 382               | 38,902   | 81                | 19.3 | 15.0-23.6  | 4                       | 0.8 | 0.0- 1.6   | 145                 | 38.7 | 33.2-44.2  | 44                 | 12.3 | 8.4-16.2   | 108                       | 28.9 | 23.8-34.0  |
| 55-64               | 414               | 41,563   | 66                | 14.7 | 10.8-18.6  | 9                       | 1.5 | 0.5- 2.5   | 139                 | 31.9 | 26.8-37.0  | 51                 | 12.0 | 8.3-15.7   | 149                       | 39.9 | 34.2-45.6  |
| 65+                 | 941               | 59,547   | 168               | 17.0 | 14.3-19.7  | 35                      | 2.9 | 1.7- 4.1   | 253                 | 26.9 | 23.6-30.2  | 119                | 12.3 | 9.8-14.8   | 366                       | 40.8 | 37.1-44.5  |
| Less Than H.S.      | 86                | 22,385   | 8                 | 6.4  | 1.1-11.7   |                         |     |            | 25                  | 32.6 | 20.3-44.9  | 8                  | 7.6  | 2.1-13.1   | 45                        | 53.4 | 40.5-66.3  |
| H.S. or G.E.D.      | 701               | 81,883   | 100               | 14.2 | 11.3-17.1  | 11                      | 1.5 | 0.5- 2.5   | 219                 | 31.3 | 27.2-35.4  | 69                 | 8.9  | 6.5-11.3   | 302                       | 44.1 | 39.6-48.6  |
| Some Post-H.S.      | 797               | 110,231  | 133               | 17.4 | 14.3-20.5  | 16                      | 1.6 | 0.6- 2.6   | 261                 | 35.6 | 31.7-39.5  | 104                | 11.8 | 9.3-14.3   | 283                       | 33.6 | 29.7-37.5  |
| College Graduate    | 983               | 69,485   | 254               | 27.5 | 24.2-30.8  | 34                      | 2.4 | 1.4- 3.4   | 322                 | 33.7 | 30.4-37.0  | 115                | 10.5 | 8.3-12.7   | 258                       | 25.9 | 22.8-29.0  |
| Less than \$15,000  | 62                | 6,769    | 4                 | 7.3  | 0.2-14.4   |                         |     |            | 15                  | 30.4 | 12.8-48.0  | 5                  | 5.3  | 0.0-11.0   | 38                        | 57.0 | 40.1-73.9  |
| \$15,000- 24,999    | 105               | 12,152   | 14                | 10.1 | 3.6-16.6   | 3                       | 0.9 | 0.0- 2.1   | 20                  | 22.9 | 11.3-34.5  | 13                 | 9.7  | 3.4-16.0   | 55                        | 56.4 | 43.9-68.9  |
| \$25,000- 34,999    | 195               | 23,250   | 27                | 13.9 | 7.4-20.4   | 5                       | 2.0 | 0.0- 4.2   | 48                  | 24.6 | 16.4-32.8  | 22                 | 11.1 | 5.8-16.4   | 93                        | 48.3 | 39.1-57.5  |
| \$35,000- 49,999    | 278               | 28,055   | 35                | 13.2 | 8.1-18.3   | 5                       | 2.1 | 0.0- 4.5   | 87                  | 33.0 | 25.9-40.1  | 34                 | 13.5 | 8.2-18.8   | 117                       | 38.3 | 31.4-45.2  |
| \$50,000- 99,999    | 777               | 86,849   | 147               | 16.0 | 13.1-18.9  | 19                      | 1.5 | 0.7- 2.3   | 265                 | 37.4 | 33.1-41.7  | 79                 | 8.7  | 6.5-10.9   | 267                       | 36.4 | 32.1-40.7  |
| \$100,000 - 199,999 | 632               | 69,327   | 167               | 26.0 | 21.9-30.1  | 16                      | 1.7 | 0.7- 2.7   | 237                 | 38.0 | 33.5-42.5  | 82                 | 12.0 | 9.1-14.9   | 130                       | 22.4 | 18.3-26.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |    |     |            | 1-5 days per week |      |            | 6 or more days per week |     |            | 1-10 days per month |      |            | 11+ days per month |   |            | No drinks in past 30 days |   |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|----|-----|------------|-------------------|------|------------|-------------------------|-----|------------|---------------------|------|------------|--------------------|---|------------|---------------------------|---|------------|
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N  | %   | C.I. (95%) | N                 | %    | C.I. (95%) | N                       | %   | C.I. (95%) | N                   | %    | C.I. (95%) | N                  | % | C.I. (95%) | N                         | % | C.I. (95%) |
| Female              | 2667              | 267,354  | 394                              | 14.5 | 12.7-16.3  | 17 | 0.4 | 0.2- 0.6   | 860               | 34.3 | 31.9-36.7  | 128                     | 4.3 | 3.3- 5.3   | 1268                | 46.5 | 44.0-49.0  |                    |   |            |                           |   |            |
| Native              | 78                | 10,781   | 3                                | 2.6  | 0.0- 5.7   |    |     |            | 22                | 30.1 | 16.6-43.6  | 4                       | 6.2 | 0.0-13.5   | 49                  | 61.1 | 46.6-75.6  |                    |   |            |                           |   |            |
| Non-Native          | 2558              | 252,741  | 389                              | 15.2 | 13.4-17.0  | 17 | 0.5 | 0.3- 0.7   | 829               | 34.5 | 32.0-37.0  | 124                     | 4.2 | 3.2- 5.2   | 1199                | 45.7 | 43.2-48.2  |                    |   |            |                           |   |            |
| 18-24               | 117               | 36,956   | 14                               | 11.4 | 5.1-17.7   |    |     |            | 46                | 38.7 | 29.1-48.3  | 2                       | 0.9 | 0.0- 2.3   | 55                  | 48.9 | 39.1-58.7  |                    |   |            |                           |   |            |
| 25-34               | 235               | 44,974   | 38                               | 15.5 | 10.4-20.6  |    |     |            | 100               | 41.2 | 34.1-48.3  | 11                      | 4.4 | 1.7- 7.1   | 86                  | 38.9 | 31.8-46.0  |                    |   |            |                           |   |            |
| 35-44               | 299               | 44,795   | 46                               | 14.0 | 9.5-18.5   | 2  | 0.8 | 0.0- 2.0   | 125               | 37.9 | 31.8-44.0  | 18                      | 5.9 | 3.0- 8.8   | 108                 | 41.5 | 34.8-48.2  |                    |   |            |                           |   |            |
| 45-54               | 360               | 35,329   | 76                               | 21.0 | 16.3-25.7  | 1  | 0.3 | 0.0- 0.9   | 151               | 40.6 | 34.7-46.5  | 10                      | 3.6 | 1.1- 6.1   | 122                 | 34.4 | 28.7-40.1  |                    |   |            |                           |   |            |
| 55-64               | 456               | 37,605   | 75                               | 15.5 | 11.8-19.2  | 2  | 0.3 | 0.0- 0.7   | 140               | 30.5 | 25.4-35.6  | 21                      | 4.3 | 2.3- 6.3   | 218                 | 49.4 | 43.9-54.9  |                    |   |            |                           |   |            |
| 65+                 | 1200              | 67,695   | 145                              | 12.1 | 9.9-14.3   | 12 | 0.9 | 0.3- 1.5   | 298               | 23.8 | 20.9-26.7  | 66                      | 5.2 | 3.6- 6.8   | 679                 | 58.1 | 54.8-61.4  |                    |   |            |                           |   |            |
| Less Than H.S.      | 71                | 17,706   | 6                                | 11.6 | 1.2-22.0   |    |     |            | 16                | 25.5 | 13.2-37.8  | 1                       | 0.6 | 0.0- 2.0   | 48                  | 62.3 | 48.2-76.4  |                    |   |            |                           |   |            |
| H.S. or G.E.D.      | 601               | 61,380   | 65                               | 11.3 | 8.0-14.6   | 7  | 0.9 | 0.0- 1.9   | 152               | 28.4 | 23.3-33.5  | 25                      | 3.4 | 1.6- 5.2   | 352                 | 56.0 | 50.5-61.5  |                    |   |            |                           |   |            |
| Some Post-H.S.      | 833               | 102,004  | 99                               | 11.8 | 9.1-14.5   | 3  | 0.3 | 0.0- 0.7   | 264               | 35.1 | 30.8-39.4  | 44                      | 5.0 | 3.2- 6.8   | 423                 | 47.9 | 43.6-52.2  |                    |   |            |                           |   |            |
| College Graduate    | 1154              | 85,763   | 223                              | 20.7 | 17.8-23.6  | 7  | 0.4 | 0.0- 0.8   | 425               | 39.5 | 36.2-42.8  | 57                      | 4.7 | 3.3- 6.1   | 442                 | 34.7 | 31.4-38.0  |                    |   |            |                           |   |            |
| Less than \$15,000  | 77                | 10,012   | 7                                | 10.9 | 2.1-19.7   |    |     |            | 17                | 32.5 | 16.2-48.8  |                         |     |            | 53                  | 56.7 | 40.0-73.4  |                    |   |            |                           |   |            |
| \$15,000- 24,999    | 181               | 21,385   | 9                                | 8.5  | 1.8-15.2   | 2  | 1.5 | 0.0- 3.9   | 33                | 24.8 | 16.0-33.6  | 7                       | 3.0 | 0.5- 5.5   | 130                 | 62.2 | 52.6-71.8  |                    |   |            |                           |   |            |
| \$25,000- 34,999    | 242               | 24,136   | 16                               | 7.9  | 3.0-12.8   | 2  | 0.2 | 0.0- 0.6   | 69                | 29.7 | 21.5-37.9  | 9                       | 2.3 | 0.7- 3.9   | 146                 | 59.9 | 51.1-68.7  |                    |   |            |                           |   |            |
| \$35,000- 49,999    | 319               | 29,600   | 35                               | 11.1 | 5.8-16.4   |    |     |            | 93                | 30.3 | 23.6-37.0  | 9                       | 3.3 | 0.6- 6.0   | 182                 | 55.3 | 48.0-62.6  |                    |   |            |                           |   |            |
| \$50,000- 99,999    | 718               | 70,965   | 136                              | 17.4 | 14.1-20.7  | 5  | 0.6 | 0.0- 1.2   | 247               | 35.5 | 30.8-40.2  | 36                      | 5.1 | 2.9- 7.3   | 294                 | 41.4 | 36.7-46.1  |                    |   |            |                           |   |            |
| \$100,000 - 199,999 | 470               | 49,668   | 98                               | 19.8 | 15.5-24.1  |    |     |            | 218               | 45.8 | 40.1-51.5  | 31                      | 5.8 | 3.4- 8.2   | 123                 | 28.6 | 23.1-34.1  |                    |   |            |                           |   |            |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER<br>TOTAL    WEIGHTED |         | Data was weighted using _LLCPWT. |      |            |            |      |            |              |      |            |             |      |            |                     |      |            |      |     |            |
|---------------------|----------------------------------------|---------|----------------------------------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|------|-----|------------|
|                     |                                        |         | One Drink                        |      |            | Two Drinks |      |            | Three Drinks |      |            | Four Drinks |      |            | Five or More Drinks |      |            | None |     |            |
|                     |                                        |         | N                                | %    | C.I. (95%) | N          | %    | C.I. (95%) | N            | %    | C.I. (95%) | N           | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N    | %   | C.I. (95%) |
| TOTAL               | 3054                                   | 321,383 | 1298                             | 35.7 | 33.5-37.9  | 934        | 30.8 | 28.6-33.0  | 367          | 14.2 | 12.4-16.0  | 186         | 7.7  | 6.3- 9.1   | 268                 | 11.6 | 10.0-13.2  | 1    | 0.0 | 0.0- 0.0   |
| Male                | 1671                                   | 180,295 | 553                              | 28.0 | 25.5-30.5  | 515        | 30.1 | 27.4-32.8  | 245          | 15.5 | 13.3-17.7  | 143         | 10.0 | 8.0-12.0   | 215                 | 16.4 | 14.0-18.8  |      |     |            |
| Female              | 1383                                   | 141,088 | 745                              | 45.6 | 42.3-48.9  | 419        | 31.8 | 28.7-34.9  | 122          | 12.5 | 10.0-15.0  | 43          | 4.7  | 2.9- 6.5   | 53                  | 5.4  | 3.6- 7.2   | 1    | 0.1 | 0.0- 0.3   |
| Native              | 53                                     | 7,718   | 15                               | 22.3 | 9.0-35.6   | 9          | 15.3 | 4.1-26.5   | 8            | 17.7 | 4.8-30.6   | 7           | 16.1 | 3.2-29.0   | 14                  | 28.5 | 13.0-44.0  |      |     |            |
| Non-Native          | 2967                                   | 309,863 | 1266                             | 35.9 | 33.7-38.1  | 913        | 31.2 | 29.0-33.4  | 357          | 14.2 | 12.4-16.0  | 178         | 7.5  | 6.1- 8.9   | 252                 | 11.2 | 9.6-12.8   | 1    | 0.0 | 0.0- 0.0   |
| 18-24               | 152                                    | 41,242  | 27                               | 17.0 | 10.7-23.3  | 39         | 25.2 | 17.8-32.6  | 34           | 24.4 | 16.8-32.0  | 19          | 13.0 | 7.1-18.9   | 33                  | 20.5 | 13.8-27.2  |      |     |            |
| 25-34               | 359                                    | 64,968  | 101                              | 27.9 | 22.4-33.4  | 110        | 30.9 | 25.6-36.2  | 47           | 13.7 | 9.8-17.6   | 35          | 9.1  | 5.8-12.4   | 66                  | 18.3 | 13.8-22.8  |      |     |            |
| 35-44               | 454                                    | 58,643  | 115                              | 25.2 | 20.7-29.7  | 168        | 36.9 | 31.8-42.0  | 73           | 16.9 | 13.0-20.8  | 40          | 8.8  | 5.9-11.7   | 58                  | 12.2 | 8.9-15.5   |      |     |            |
| 45-54               | 508                                    | 50,303  | 173                              | 35.1 | 30.4-39.8  | 179        | 33.9 | 29.2-38.6  | 61           | 12.3 | 9.0-15.6   | 40          | 8.6  | 5.5-11.7   | 55                  | 10.1 | 7.4-12.8   |      |     |            |
| 55-64               | 498                                    | 43,305  | 206                              | 42.3 | 37.2-47.4  | 165        | 31.7 | 27.0-36.4  | 63           | 11.6 | 8.7-14.5   | 28          | 5.9  | 3.4- 8.4   | 36                  | 8.5  | 5.4-11.6   |      |     |            |
| 65+                 | 1083                                   | 62,921  | 676                              | 61.9 | 58.4-65.4  | 273        | 25.7 | 22.6-28.8  | 89           | 8.6  | 6.4-10.8   | 24          | 2.1  | 1.1- 3.1   | 20                  | 1.6  | 0.8- 2.4   | 1    | 0.1 | 0.0- 0.3   |
| Less Than H.S.      | 63                                     | 16,740  | 25                               | 35.0 | 20.9-49.1  | 17         | 25.7 | 13.4-38.0  | 9            | 17.9 | 5.9-29.9   | 6           | 12.5 | 2.5-22.5   | 6                   | 9.0  | 1.2-16.8   |      |     |            |
| H.S. or G.E.D.      | 642                                    | 72,213  | 268                              | 35.6 | 31.1-40.1  | 165        | 26.9 | 22.6-31.2  | 97           | 15.6 | 12.1-19.1  | 41          | 8.7  | 6.0-11.4   | 71                  | 13.3 | 10.0-16.6  |      |     |            |
| Some Post-H.S.      | 911                                    | 124,557 | 343                              | 31.2 | 27.7-34.7  | 276        | 30.3 | 26.8-33.8  | 123          | 15.3 | 12.4-18.2  | 64          | 8.2  | 5.8-10.6   | 105                 | 14.9 | 12.0-17.8  |      |     |            |
| College Graduate    | 1427                                   | 106,794 | 657                              | 41.3 | 38.4-44.2  | 474        | 34.9 | 32.0-37.8  | 137          | 11.2 | 9.0-13.4   | 73          | 5.5  | 4.1- 6.9   | 85                  | 7.0  | 5.4- 8.6   | 1    | 0.1 | 0.0- 0.3   |
| \$15,000- 24,999    | 98                                     | 13,010  | 41                               | 36.9 | 24.6-49.2  | 30         | 26.6 | 15.6-37.6  | 11           | 16.0 | 5.0-27.0   | 6           | 5.6  | 0.0-11.3   | 10                  | 15.0 | 5.6-24.4   |      |     |            |
| \$25,000- 34,999    | 196                                    | 21,083  | 78                               | 29.4 | 21.0-37.8  | 64         | 35.0 | 25.8-44.2  | 22           | 12.6 | 6.9-18.3   | 14          | 10.2 | 4.1-16.3   | 18                  | 12.9 | 5.6-20.2   |      |     |            |
| \$35,000- 49,999    | 294                                    | 30,076  | 143                              | 38.6 | 31.7-45.5  | 68         | 21.4 | 15.7-27.1  | 41           | 17.8 | 11.1-24.5  | 19          | 9.7  | 4.8-14.6   | 23                  | 12.5 | 6.8-18.2   |      |     |            |
| \$50,000- 99,999    | 931                                    | 96,437  | 403                              | 36.6 | 32.7-40.5  | 283        | 29.5 | 26.0-33.0  | 109          | 15.0 | 11.9-18.1  | 50          | 6.5  | 4.3- 8.7   | 86                  | 12.4 | 9.5-15.3   |      |     |            |
| \$100,000 - 199,999 | 844                                    | 88,758  | 319                              | 33.8 | 30.1-37.5  | 270        | 32.3 | 28.6-36.0  | 114          | 14.7 | 11.8-17.6  | 63          | 8.4  | 6.0-10.8   | 78                  | 10.8 | 8.3-13.3   |      |     |            |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | One Drink |      |            | Two Drinks |      |            | Three Drinks |      |            | Four Drinks |      |            | Five or More Drinks |      |            |
|---------------------|-------------------|----------|-----------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N          | %    | C.I. (95%) | N            | %    | C.I. (95%) | N           | %    | C.I. (95%) | N                   | %    | C.I. (95%) |
| Male                | 1671              | 180,295  | 553       | 28.0 | 25.5-30.5  | 515        | 30.1 | 27.4-32.8  | 245          | 15.5 | 13.3-17.7  | 143         | 10.0 | 8.0-12.0   | 215                 | 16.4 | 14.0-18.8  |
| Non-Native          | 1622              | 174,324  | 540       | 28.2 | 25.7-30.7  | 503        | 30.5 | 27.8-33.2  | 239          | 15.5 | 13.3-17.7  | 135         | 9.6  | 7.6-11.6   | 205                 | 16.2 | 13.8-18.6  |
| 18-24               | 90                | 22,372   | 14        | 14.0 | 6.7-21.3   | 23         | 26.1 | 16.5-35.7  | 16           | 17.2 | 8.8-25.6   | 12          | 15.2 | 6.6-23.8   | 25                  | 27.4 | 17.6-37.2  |
| 25-34               | 212               | 37,974   | 42        | 20.4 | 13.7-27.1  | 57         | 27.2 | 20.3-34.1  | 29           | 15.0 | 9.5-20.5   | 28          | 11.9 | 7.4-16.4   | 56                  | 25.5 | 19.0-32.0  |
| 35-44               | 265               | 32,702   | 51        | 18.6 | 13.5-23.7  | 88         | 31.8 | 25.5-38.1  | 49           | 20.2 | 14.5-25.9  | 31          | 11.8 | 7.3-16.3   | 46                  | 17.6 | 12.3-22.9  |
| 45-54               | 273               | 27,468   | 66        | 23.8 | 18.1-29.5  | 96         | 36.2 | 29.5-42.9  | 38           | 14.1 | 9.4-18.8   | 31          | 11.5 | 7.0-16.0   | 42                  | 14.5 | 10.0-19.0  |
| 55-64               | 264               | 24,920   | 86        | 34.0 | 27.1-40.9  | 85         | 30.5 | 24.2-36.8  | 41           | 14.0 | 9.5-18.5   | 21          | 8.2  | 4.3-12.1   | 31                  | 13.3 | 8.2-18.4   |
| 65+                 | 567               | 34,860   | 294       | 53.2 | 48.3-58.1  | 166        | 29.2 | 24.7-33.7  | 72           | 12.5 | 9.2-15.8   | 20          | 2.9  | 1.3- 4.5   | 15                  | 2.2  | 0.8- 3.6   |
| H.S. or G.E.D.      | 394               | 45,438   | 139       | 31.3 | 26.2-36.4  | 96         | 24.5 | 19.4-29.6  | 64           | 14.0 | 10.1-17.9  | 34          | 11.8 | 7.7-15.9   | 61                  | 18.3 | 13.6-23.0  |
| Some Post-H.S.      | 509               | 72,281   | 134       | 21.8 | 17.9-25.7  | 153        | 29.8 | 25.1-34.5  | 93           | 19.5 | 15.4-23.6  | 44          | 8.8  | 6.1-11.5   | 85                  | 20.2 | 15.9-24.5  |
| College Graduate    | 721               | 51,332   | 265       | 32.9 | 29.0-36.8  | 253        | 36.6 | 32.5-40.7  | 82           | 11.9 | 9.2-14.6   | 58          | 7.9  | 5.7-10.1   | 63                  | 10.7 | 7.8-13.6   |
| \$25,000- 34,999    | 102               | 12,022   | 29        | 20.8 | 10.4-31.2  | 37         | 38.5 | 25.8-51.2  | 16           | 15.6 | 7.2-24.0   | 9           | 11.1 | 2.9-19.3   | 11                  | 14.0 | 4.6-23.4   |
| \$35,000- 49,999    | 159               | 17,065   | 65        | 33.3 | 24.7-41.9  | 36         | 18.9 | 11.8-26.0  | 28           | 17.0 | 9.9-24.1   | 12          | 12.6 | 5.2-20.0   | 18                  | 18.3 | 9.5-27.1   |
| \$50,000- 99,999    | 508               | 54,936   | 183       | 32.4 | 27.3-37.5  | 145        | 26.8 | 22.3-31.3  | 74           | 15.2 | 11.3-19.1  | 38          | 8.2  | 5.3-11.1   | 68                  | 17.4 | 13.1-21.7  |
| \$100,000 - 199,999 | 500               | 53,666   | 143       | 25.4 | 20.9-29.9  | 155        | 29.9 | 25.0-34.8  | 80           | 17.6 | 13.5-21.7  | 53          | 10.8 | 7.5-14.1   | 69                  | 16.4 | 12.5-20.3  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER<br>TOTAL      WEIGHTED |         | Data was weighted using _LLCPWT. |      |            |            |      |            |              |      |            |             |      |            |                     |      |            |      |     |            |
|---------------------|------------------------------------------|---------|----------------------------------|------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|------|-----|------------|
|                     |                                          |         | One Drink                        |      |            | Two Drinks |      |            | Three Drinks |      |            | Four Drinks |      |            | Five or More Drinks |      |            | None |     |            |
|                     |                                          |         | N                                | %    | C.I. (95%) | N          | %    | C.I. (95%) | N            | %    | C.I. (95%) | N           | %    | C.I. (95%) | N                   | %    | C.I. (95%) | N    | %   | C.I. (95%) |
| Female              | 1383                                     | 141,088 | 745                              | 45.6 | 42.3-48.9  | 419        | 31.8 | 28.7-34.9  | 122          | 12.5 | 10.0-15.0  | 43          | 4.7  | 2.9- 6.5   | 53                  | 5.4  | 3.6- 7.2   | 1    | 0.1 | 0.0- 0.3   |
| Non-Native          | 1345                                     | 135,539 | 726                              | 45.7 | 42.2-49.2  | 410        | 32.2 | 28.9-35.5  | 118          | 12.5 | 9.8-15.2   | 43          | 4.9  | 3.1- 6.7   | 47                  | 4.7  | 3.1- 6.3   | 1    | 0.1 | 0.0- 0.3   |
| 18-24               | 62                                       | 18,870  | 13                               | 20.5 | 9.9-31.1   | 16         | 24.1 | 12.5-35.7  | 18           | 32.9 | 19.8-46.0  | 7           | 10.3 | 2.9-17.7   | 8                   | 12.2 | 3.6-20.8   |      |     |            |
| 25-34               | 147                                      | 26,994  | 59                               | 38.5 | 29.5-47.5  | 53         | 36.1 | 27.5-44.7  | 18           | 12.0 | 6.5-17.5   | 7           | 5.2  | 0.3-10.1   | 10                  | 8.2  | 2.7-13.7   |      |     |            |
| 35-44               | 189                                      | 25,941  | 64                               | 33.5 | 25.9-41.1  | 80         | 43.4 | 35.2-51.6  | 24           | 12.6 | 7.5-17.7   | 9           | 5.0  | 1.5- 8.5   | 12                  | 5.3  | 1.8- 8.8   |      |     |            |
| 45-54               | 235                                      | 22,835  | 107                              | 48.7 | 41.3-56.1  | 83         | 31.2 | 24.5-37.9  | 23           | 10.1 | 5.4-14.8   | 9           | 5.1  | 1.2- 9.0   | 13                  | 4.8  | 2.1- 7.5   |      |     |            |
| 55-64               | 234                                      | 18,386  | 120                              | 53.6 | 46.2-61.0  | 80         | 33.3 | 26.2-40.4  | 22           | 8.3  | 4.6-12.0   | 7           | 2.9  | 0.5- 5.3   | 5                   | 2.0  | 0.0- 4.0   |      |     |            |
| 65+                 | 516                                      | 28,062  | 382                              | 72.6 | 67.9-77.3  | 107        | 21.4 | 17.1-25.7  | 17           | 3.8  | 1.8- 5.8   | 4           | 1.1  | 0.0- 2.3   | 5                   | 0.9  | 0.1- 1.7   | 1    | 0.3 | 0.0- 0.9   |
| H.S. or G.E.D.      | 248                                      | 26,775  | 129                              | 42.8 | 34.8-50.8  | 69         | 30.8 | 23.0-38.6  | 33           | 18.2 | 11.1-25.3  | 7           | 3.4  | 0.9- 5.9   | 10                  | 4.8  | 1.5- 8.1   |      |     |            |
| Some Post-H.S.      | 402                                      | 52,276  | 209                              | 44.3 | 38.2-50.4  | 123        | 31.0 | 25.3-36.7  | 30           | 9.6  | 5.7-13.5   | 20          | 7.5  | 3.6-11.4   | 20                  | 7.7  | 3.8-11.6   |      |     |            |
| College Graduate    | 706                                      | 55,462  | 392                              | 49.0 | 44.7-53.3  | 221        | 33.3 | 29.2-37.4  | 55           | 10.7 | 7.6-13.8   | 15          | 3.2  | 1.4- 5.0   | 22                  | 3.6  | 1.8- 5.4   | 1    | 0.1 | 0.0- 0.3   |
| \$15,000- 24,999    | 50                                       | 7,964   | 23                               | 41.8 | 24.6-59.0  | 13         | 23.7 | 9.4-38.0   | 7            | 14.2 | 2.0-26.4   | 2           | 6.2  | 0.0-14.8   | 5                   | 14.1 | 1.6-26.6   |      |     |            |
| \$25,000- 34,999    | 94                                       | 9,061   | 49                               | 40.7 | 27.2-54.2  | 27         | 30.3 | 18.0-42.6  | 6            | 8.5  | 1.2-15.8   | 5           | 9.0  | 0.4-17.6   | 7                   | 11.5 | 0.0-23.3   |      |     |            |
| \$35,000- 49,999    | 135                                      | 13,011  | 78                               | 45.7 | 34.5-56.9  | 32         | 24.8 | 15.6-34.0  | 13           | 18.8 | 6.8-30.8   | 7           | 5.9  | 0.4-11.4   | 5                   | 4.8  | 0.0- 9.7   |      |     |            |
| \$50,000- 99,999    | 423                                      | 41,501  | 220                              | 42.3 | 36.4-48.2  | 138        | 33.0 | 27.3-38.7  | 35           | 14.6 | 9.3-19.9   | 12          | 4.3  | 0.8- 7.8   | 18                  | 5.9  | 2.8- 9.0   |      |     |            |
| \$100,000 - 199,999 | 344                                      | 35,091  | 176                              | 46.6 | 40.3-52.9  | 115        | 36.0 | 29.7-42.3  | 34           | 10.4 | 6.7-14.1   | 10          | 4.8  | 1.9- 7.7   | 9                   | 2.2  | 0.6- 3.8   |      |     |            |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |           |      |            |             |     |            |            |     |            |                    |      |            |      |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|--------------------|------|------------|------|------|------------|
|                     |                   |          | One Time                         |      |            | Two Times |      |            | Three Times |     |            | Four Times |     |            | Five or More Times |      |            | None |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N         | %    | C.I. (95%) | N           | %   | C.I. (95%) | N          | %   | C.I. (95%) | N                  | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL               | 3044              | 320,606  | 334                              | 13.5 | 11.9-15.1  | 181       | 7.6  | 6.2- 9.0   | 87          | 3.4 | 2.6- 4.2   | 74         | 3.1 | 2.1- 4.1   | 219                | 8.6  | 7.4- 9.8   | 2149 | 63.7 | 61.5-65.9  |
| Male                | 1664              | 179,355  | 202                              | 13.9 | 11.7-16.1  | 118       | 8.9  | 6.9-10.9   | 57          | 3.5 | 2.5- 4.5   | 51         | 3.5 | 2.3- 4.7   | 175                | 11.8 | 9.8-13.8   | 1061 | 58.4 | 55.5-61.3  |
| Female              | 1380              | 141,251  | 132                              | 13.0 | 10.5-15.5  | 63        | 6.0  | 4.2- 7.8   | 30          | 3.4 | 1.8- 5.0   | 23         | 2.6 | 1.2- 4.0   | 44                 | 4.5  | 2.9- 6.1   | 1088 | 70.5 | 67.0-74.0  |
| Native              | 53                | 7,473    | 6                                | 10.6 | 1.0-20.2   | 5         | 6.2  | 0.0-12.5   | 1           | 1.5 | 0.0- 4.4   | 2          | 2.6 | 0.0- 6.5   | 7                  | 14.8 | 2.6-27.0   | 32   | 64.3 | 48.8-79.8  |
| Non-Native          | 2959              | 309,494  | 325                              | 13.6 | 11.8-15.4  | 176       | 7.8  | 6.4- 9.2   | 86          | 3.5 | 2.5- 4.5   | 72         | 3.1 | 2.1- 4.1   | 210                | 8.5  | 7.1- 9.9   | 2090 | 63.5 | 61.1-65.9  |
| 18-24               | 153               | 41,555   | 32                               | 21.7 | 14.3-29.1  | 20        | 14.1 | 7.8-20.4   | 7           | 4.4 | 1.1- 7.7   | 10         | 7.0 | 2.5-11.5   | 19                 | 10.5 | 5.8-15.2   | 65   | 42.3 | 33.9-50.7  |
| 25-34               | 360               | 65,255   | 59                               | 16.1 | 12.0-20.2  | 32        | 9.0  | 5.7-12.3   | 16          | 4.9 | 2.2- 7.6   | 15         | 3.5 | 1.5- 5.5   | 48                 | 12.3 | 8.8-15.8   | 190  | 54.1 | 48.2-60.0  |
| 35-44               | 451               | 58,133   | 74                               | 17.5 | 13.4-21.6  | 44        | 9.7  | 6.8-12.6   | 20          | 4.2 | 2.2- 6.2   | 14         | 3.4 | 1.0- 5.8   | 50                 | 10.4 | 7.3-13.5   | 249  | 54.9 | 49.6-60.2  |
| 45-54               | 506               | 50,040   | 66                               | 12.3 | 9.2-15.4   | 28        | 5.1  | 2.9- 7.3   | 24          | 4.6 | 2.4- 6.8   | 15         | 2.8 | 1.2- 4.4   | 42                 | 9.3  | 6.2-12.4   | 331  | 65.9 | 61.2-70.6  |
| 55-64               | 499               | 43,278   | 52                               | 10.4 | 7.3-13.5   | 30        | 7.3  | 4.4-10.2   | 7           | 1.1 | 0.1- 2.1   | 9          | 1.4 | 0.4- 2.4   | 30                 | 6.4  | 3.9- 8.9   | 371  | 73.4 | 68.9-77.9  |
| 65+                 | 1075              | 62,345   | 51                               | 4.8  | 3.2- 6.4   | 27        | 2.3  | 1.3- 3.3   | 13          | 1.3 | 0.5- 2.1   | 11         | 1.2 | 0.4- 2.0   | 30                 | 2.7  | 1.5- 3.9   | 943  | 87.7 | 85.3-90.1  |
| Less Than H.S.      | 62                | 16,861   | 4                                | 9.6  | 0.2-19.0   | 7         | 14.6 | 3.6-25.6   | 3           | 2.6 | 0.0- 5.5   | 2          | 1.7 | 0.0- 4.1   | 4                  | 5.8  | 0.0-11.9   | 42   | 65.7 | 51.8-79.6  |
| H.S. or G.E.D.      | 636               | 71,556   | 73                               | 13.5 | 9.8-17.2   | 31        | 5.5  | 3.3- 7.7   | 13          | 2.2 | 1.0- 3.4   | 23         | 5.5 | 3.0- 8.0   | 57                 | 10.3 | 7.4-13.2   | 439  | 63.0 | 58.3-67.7  |
| Some Post-H.S.      | 912               | 124,539  | 118                              | 15.5 | 12.6-18.4  | 67        | 9.0  | 6.6-11.4   | 30          | 4.1 | 2.3- 5.9   | 21         | 2.9 | 1.3- 4.5   | 81                 | 9.8  | 7.4-12.2   | 595  | 58.6 | 54.7-62.5  |
| College Graduate    | 1425              | 106,640  | 139                              | 12.0 | 9.8-14.2   | 75        | 6.4  | 4.8- 8.0   | 41          | 3.7 | 2.3- 5.1   | 28         | 1.9 | 1.1- 2.7   | 75                 | 6.3  | 4.7- 7.9   | 1067 | 69.7 | 66.8-72.6  |
| \$15,000- 24,999    | 95                | 12,711   | 3                                | 4.4  | 0.0- 9.9   | 6         | 12.5 | 1.9-23.1   | 4           | 6.4 | 0.0-13.7   | 3          | 4.8 | 0.0-10.3   | 8                  | 10.1 | 2.5-17.7   | 71   | 61.7 | 48.4-75.0  |
| \$25,000- 34,999    | 193               | 20,823   | 16                               | 8.9  | 3.8-14.0   | 4         | 2.1  | 0.0- 4.5   | 5           | 2.9 | 0.2- 5.6   | 6          | 6.0 | 0.1-11.9   | 20                 | 13.9 | 7.4-20.4   | 142  | 66.2 | 57.2-75.2  |
| \$35,000- 49,999    | 288               | 29,737   | 24                               | 9.8  | 5.5-14.1   | 16        | 10.4 | 4.1-16.7   | 6           | 3.0 | 0.1- 5.9   | 11         | 4.6 | 0.7- 8.5   | 21                 | 9.0  | 4.3-13.7   | 210  | 63.2 | 55.4-71.0  |
| \$50,000- 99,999    | 930               | 96,266   | 101                              | 13.6 | 10.7-16.5  | 52        | 6.3  | 4.3- 8.3   | 27          | 3.4 | 1.6- 5.2   | 23         | 2.4 | 1.2- 3.6   | 59                 | 8.4  | 6.0-10.8   | 668  | 65.9 | 62.0-69.8  |
| \$100,000 - 199,999 | 844               | 88,839   | 126                              | 16.2 | 13.3-19.1  | 60        | 9.3  | 6.8-11.8   | 27          | 3.9 | 2.3- 5.5   | 19         | 2.5 | 1.3- 3.7   | 62                 | 8.1  | 5.9-10.3   | 550  | 60.0 | 55.9-64.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N   | One Time |            | N   | Two Times |            | N  | Three Times |            | N  | Four Times |            | N   | Five or More Times |            | N    | None |            |
|---------------------|-------------------|----------|-----|----------|------------|-----|-----------|------------|----|-------------|------------|----|------------|------------|-----|--------------------|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED |     | %        | C.I. (95%) |     | %         | C.I. (95%) |    | %           | C.I. (95%) |    | %          | C.I. (95%) |     | %                  | C.I. (95%) |      | %    | C.I. (95%) |
| Male                | 1664              | 179,355  | 202 | 13.9     | 11.7-16.1  | 118 | 8.9       | 6.9-10.9   | 57 | 3.5         | 2.5- 4.5   | 51 | 3.5        | 2.3- 4.7   | 175 | 11.8               | 9.8-13.8   | 1061 | 58.4 | 55.5-61.3  |
| Non-Native          | 1618              | 173,939  | 198 | 14.1     | 11.9-16.3  | 116 | 9.1       | 7.1-11.1   | 56 | 3.5         | 2.5- 4.5   | 50 | 3.5        | 2.3- 4.7   | 168 | 11.7               | 9.7-13.7   | 1030 | 58.0 | 55.1-60.9  |
| 18-24               | 91                | 22,685   | 16  | 18.1     | 9.3-26.9   | 14  | 16.4      | 8.0-24.8   | 2  | 2.1         | 0.0- 5.0   | 8  | 9.3        | 2.6-16.0   | 13  | 12.7               | 6.0-19.4   | 38   | 41.5 | 30.7-52.3  |
| 25-34               | 213               | 38,134   | 34  | 15.4     | 10.3-20.5  | 22  | 10.4      | 5.9-14.9   | 10 | 4.5         | 1.6- 7.4   | 11 | 4.0        | 1.6- 6.4   | 39  | 16.4               | 11.3-21.5  | 97   | 49.3 | 41.7-56.9  |
| 35-44               | 262               | 32,147   | 45  | 19.4     | 13.9-24.9  | 25  | 10.4      | 6.1-14.7   | 14 | 5.2         | 2.3- 8.1   | 9  | 2.8        | 0.6- 5.0   | 40  | 14.7               | 10.0-19.4  | 129  | 47.5 | 40.6-54.4  |
| 45-54               | 271               | 27,284   | 41  | 14.3     | 9.6-19.0   | 17  | 6.1       | 2.8- 9.4   | 18 | 5.9         | 3.0- 8.8   | 10 | 3.2        | 1.0- 5.4   | 31  | 12.8               | 7.9-17.7   | 154  | 57.7 | 51.0-64.4  |
| 55-64               | 262               | 24,494   | 27  | 10.2     | 6.1-14.3   | 19  | 9.1       | 4.6-13.6   | 3  | 0.8         | 0.0- 1.8   | 6  | 1.9        | 0.3- 3.5   | 25  | 9.7                | 5.6-13.8   | 182  | 68.3 | 61.6-75.0  |
| 65+                 | 565               | 34,611   | 39  | 6.6      | 4.2- 9.0   | 21  | 3.2       | 1.6- 4.8   | 10 | 1.8         | 0.4- 3.2   | 7  | 1.3        | 0.1- 2.5   | 27  | 4.1                | 2.3- 5.9   | 461  | 83.0 | 79.5-86.5  |
| H.S. or G.E.D.      | 394               | 45,396   | 50  | 12.4     | 8.9-15.9   | 23  | 6.8       | 3.7- 9.9   | 10 | 2.5         | 0.7- 4.3   | 17 | 6.0        | 2.7- 9.3   | 47  | 11.9               | 8.4-15.4   | 247  | 60.3 | 54.6-66.0  |
| Some Post-H.S.      | 508               | 71,936   | 73  | 16.5     | 12.6-20.4  | 45  | 10.9      | 7.4-14.4   | 18 | 3.5         | 1.7- 5.3   | 12 | 2.6        | 1.0- 4.2   | 68  | 14.2               | 10.7-17.7  | 292  | 52.3 | 47.2-57.4  |
| College Graduate    | 718               | 51,082   | 76  | 12.1     | 9.4-14.8   | 45  | 7.2       | 4.8- 9.6   | 26 | 4.3         | 2.3- 6.3   | 21 | 3.0        | 1.6- 4.4   | 55  | 9.1                | 6.4-11.8   | 495  | 64.3 | 60.2-68.4  |
| \$25,000- 34,999    | 99                | 11,416   | 10  | 9.4      | 2.1-16.7   | 2   | 1.8       | 0.0- 4.9   | 3  | 2.6         | 0.0- 5.7   | 3  | 4.8        | 0.0-10.7   | 16  | 19.1               | 9.7-28.5   | 65   | 62.3 | 50.0-74.6  |
| \$35,000- 49,999    | 154               | 16,604   | 15  | 12.8     | 5.9-19.7   | 11  | 11.0      | 3.7-18.3   | 3  | 2.7         | 0.0- 6.4   | 9  | 7.8        | 1.1-14.5   | 13  | 8.3                | 2.6-14.0   | 103  | 57.3 | 47.1-67.5  |
| \$50,000- 99,999    | 509               | 55,147   | 58  | 13.7     | 9.8-17.6   | 32  | 6.8       | 4.1- 9.5   | 18 | 3.5         | 1.7- 5.3   | 16 | 2.9        | 1.3- 4.5   | 48  | 11.2               | 7.7-14.7   | 337  | 61.9 | 56.6-67.2  |
| \$100,000 - 199,999 | 499               | 53,635   | 82  | 16.4     | 12.7-20.1  | 39  | 10.4      | 6.7-14.1   | 18 | 4.1         | 1.9- 6.3   | 13 | 2.9        | 1.1- 4.7   | 55  | 12.3               | 8.8-15.8   | 292  | 53.9 | 48.6-59.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | One Time |      |            | Two Times |      |            | Three Times |     |            | Four Times |     |            | Five or More Times |     |            | None |      |            |
|---------------------|-------------------|----------|----------|------|------------|-----------|------|------------|-------------|-----|------------|------------|-----|------------|--------------------|-----|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N        | %    | C.I. (95%) | N         | %    | C.I. (95%) | N           | %   | C.I. (95%) | N          | %   | C.I. (95%) | N                  | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Female              | 1380              | 141,251  | 132      | 13.0 | 10.5-15.5  | 63        | 6.0  | 4.2- 7.8   | 30          | 3.4 | 1.8- 5.0   | 23         | 2.6 | 1.2- 4.0   | 44                 | 4.5 | 2.9- 6.1   | 1088 | 70.5 | 67.0-74.0  |
| Non-Native          | 1341              | 135,555  | 127      | 12.8 | 10.3-15.3  | 60        | 6.1  | 4.1- 8.1   | 30          | 3.5 | 1.9- 5.1   | 22         | 2.6 | 1.2- 4.0   | 42                 | 4.3 | 2.7- 5.9   | 1060 | 70.6 | 67.1-74.1  |
| 18-24               | 62                | 18,870   | 16       | 25.9 | 13.7-38.1  | 6         | 11.4 | 2.0-20.8   | 5           | 7.1 | 0.8-13.4   | 2          | 4.2 | 0.0-10.3   | 6                  | 7.9 | 1.4-14.4   | 27   | 43.4 | 30.1-56.7  |
| 25-34               | 147               | 27,121   | 25       | 17.1 | 10.2-24.0  | 10        | 7.1  | 2.2-12.0   | 6           | 5.5 | 0.2-10.8   | 4          | 2.8 | 0.0- 5.7   | 9                  | 6.6 | 2.1-11.1   | 93   | 60.9 | 51.7-70.1  |
| 35-44               | 189               | 25,985   | 29       | 15.2 | 9.3-21.1   | 19        | 8.8  | 4.7-12.9   | 6           | 2.9 | 0.5- 5.3   | 5          | 4.0 | 0.0- 8.5   | 10                 | 4.9 | 1.4- 8.4   | 120  | 64.1 | 56.3-71.9  |
| 45-54               | 235               | 22,756   | 25       | 9.7  | 5.6-13.8   | 11        | 3.9  | 1.4- 6.4   | 6           | 3.1 | 0.2- 6.0   | 5          | 2.4 | 0.2- 4.6   | 11                 | 5.1 | 1.6- 8.6   | 177  | 75.7 | 69.4-82.0  |
| 55-64               | 237               | 18,784   | 25       | 10.6 | 6.1-15.1   | 11        | 4.9  | 2.0- 7.8   | 4           | 1.6 | 0.0- 3.4   | 3          | 0.8 | 0.0- 1.8   | 5                  | 2.0 | 0.0- 4.0   | 189  | 80.1 | 74.4-85.8  |
| 65+                 | 510               | 27,735   | 12       | 2.5  | 0.7- 4.3   | 6         | 1.2  | 0.2- 2.2   | 3           | 0.6 | 0.0- 1.4   | 4          | 1.1 | 0.0- 2.3   | 3                  | 1.0 | 0.0- 2.2   | 482  | 93.7 | 91.0-96.4  |
| H.S. or G.E.D.      | 242               | 26,161   | 23       | 15.3 | 7.7-22.9   | 8         | 3.2  | 0.8- 5.6   | 3           | 1.6 | 0.0- 3.6   | 6          | 4.7 | 0.8- 8.6   | 10                 | 7.4 | 2.5-12.3   | 192  | 67.8 | 59.2-76.4  |
| Some Post-H.S.      | 404               | 52,603   | 45       | 14.1 | 9.4-18.8   | 22        | 6.4  | 3.3- 9.5   | 12          | 5.0 | 1.7- 8.3   | 9          | 3.3 | 0.4- 6.2   | 13                 | 3.8 | 1.3- 6.3   | 303  | 67.3 | 61.0-73.6  |
| College Graduate    | 707               | 55,558   | 63       | 11.9 | 8.8-15.0   | 30        | 5.7  | 3.3- 8.1   | 15          | 3.1 | 1.3- 4.9   | 7          | 0.9 | 0.1- 1.7   | 20                 | 3.7 | 1.9- 5.5   | 572  | 74.8 | 70.7-78.9  |
| \$25,000- 34,999    | 94                | 9,406    | 6        | 8.3  | 1.2-15.4   | 2         | 2.5  | 0.0- 6.2   | 2           | 3.2 | 0.0- 7.9   | 3          | 7.5 | 0.0-18.3   | 4                  | 7.6 | 0.0-16.0   | 77   | 71.0 | 57.1-84.9  |
| \$35,000- 49,999    | 134               | 13,133   | 9        | 6.1  | 1.6-10.6   | 5         | 9.6  | 0.0-20.2   | 3           | 3.4 | 0.0- 7.9   | 2          | 0.6 | 0.0- 1.6   | 8                  | 9.8 | 2.0-17.6   | 107  | 70.5 | 58.3-82.7  |
| \$50,000- 99,999    | 421               | 41,119   | 43       | 13.5 | 9.2-17.8   | 20        | 5.6  | 2.7- 8.5   | 9           | 3.3 | 0.0- 6.6   | 7          | 1.8 | 0.2- 3.4   | 11                 | 4.6 | 1.7- 7.5   | 331  | 71.1 | 65.0-77.2  |
| \$100,000 - 199,999 | 345               | 35,204   | 44       | 15.9 | 10.8-21.0  | 21        | 7.5  | 4.0-11.0   | 9           | 3.7 | 1.2- 6.2   | 6          | 1.9 | 0.3- 3.5   | 7                  | 1.7 | 0.3- 3.1   | 258  | 69.2 | 63.1-75.3  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |           |            |            |      |            |              |      |            |             |      |            |                     |      |            |
|---------------------|-------------------|----------|----------------------------------|-----------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                                | One Drink |            | Two Drinks |      |            | Three Drinks |      |            | Four Drinks |      |            | Five or More Drinks |      |            |
|                     |                   |          |                                  | %         | C.I. (95%) | N          | %    | C.I. (95%) | N            | %    | C.I. (95%) | N           | %    | C.I. (95%) | N                   | %    | C.I. (95%) |
| TOTAL               | 3008              | 314,790  | 762                              | 21.0      | 19.2-22.8  | 751        | 22.4 | 20.6-24.2  | 482          | 15.7 | 14.1-17.3  | 229         | 9.0  | 7.6-10.4   | 784                 | 31.9 | 29.7-34.1  |
| Male                | 1639              | 174,878  | 282                              | 14.4      | 12.2-16.6  | 363        | 20.2 | 17.8-22.6  | 272          | 15.8 | 13.6-18.0  | 135         | 8.4  | 6.6-10.2   | 587                 | 41.2 | 38.3-44.1  |
| Female              | 1369              | 139,912  | 480                              | 29.3      | 26.4-32.2  | 388        | 25.1 | 22.2-28.0  | 210          | 15.5 | 13.1-17.9  | 94          | 9.9  | 7.4-12.4   | 197                 | 20.3 | 17.2-23.4  |
| Native              | 51                | 7,300    | 11                               | 13.0      | 4.2-21.8   | 8          | 16.0 | 3.1-28.9   | 8            | 23.8 | 8.3-39.3   | 5           | 13.5 | 1.0-26.0   | 19                  | 33.6 | 18.1-49.1  |
| Non-Native          | 2923              | 303,688  | 737                              | 21.0      | 19.2-22.8  | 735        | 22.5 | 20.7-24.3  | 468          | 15.5 | 13.9-17.1  | 222         | 8.9  | 7.3-10.5   | 761                 | 32.1 | 29.9-34.3  |
| 18-24               | 147               | 39,635   | 15                               | 10.1      | 5.0-15.2   | 20         | 13.8 | 7.9-19.7   | 18           | 11.7 | 6.2-17.2   | 17          | 13.6 | 7.1-20.1   | 77                  | 50.8 | 42.0-59.6  |
| 25-34               | 349               | 62,495   | 55                               | 17.1      | 12.2-22.0  | 69         | 20.0 | 15.3-24.7  | 41           | 11.2 | 7.5-14.9   | 30          | 8.9  | 5.4-12.4   | 154                 | 42.7 | 36.8-48.6  |
| 35-44               | 448               | 57,637   | 62                               | 13.6      | 10.1-17.1  | 85         | 18.3 | 14.4-22.2  | 78           | 18.2 | 14.1-22.3  | 39          | 10.8 | 6.9-14.7   | 184                 | 39.2 | 34.1-44.3  |
| 45-54               | 501               | 49,635   | 96                               | 20.9      | 16.8-25.0  | 124        | 22.3 | 18.4-26.2  | 91           | 19.4 | 15.3-23.5  | 44          | 8.8  | 5.9-11.7   | 146                 | 28.6 | 24.1-33.1  |
| 55-64               | 497               | 43,267   | 117                              | 23.2      | 18.9-27.5  | 140        | 28.8 | 24.1-33.5  | 89           | 16.7 | 13.0-20.4  | 43          | 8.1  | 5.6-10.6   | 108                 | 23.2 | 18.9-27.5  |
| 65+                 | 1066              | 62,120   | 417                              | 37.4      | 33.9-40.9  | 313        | 29.6 | 26.3-32.9  | 165          | 16.6 | 13.9-19.3  | 56          | 5.5  | 3.7- 7.3   | 115                 | 10.9 | 8.7-13.1   |
| Less Than H.S.      | 60                | 16,050   | 16                               | 24.6      | 11.1-38.1  | 11         | 18.5 | 7.1-29.9   | 8            | 12.7 | 3.1-22.3   | 4           | 6.0  | 0.0-13.6   | 21                  | 38.1 | 23.4-52.8  |
| H.S. or G.E.D.      | 628               | 70,416   | 158                              | 19.8      | 16.1-23.5  | 153        | 22.8 | 18.9-26.7  | 99           | 15.2 | 11.9-18.5  | 32          | 7.4  | 4.5-10.3   | 186                 | 34.8 | 30.1-39.5  |
| Some Post-H.S.      | 897               | 121,462  | 213                              | 19.7      | 16.8-22.6  | 194        | 19.3 | 16.4-22.2  | 139          | 15.2 | 12.5-17.9  | 88          | 11.7 | 8.8-14.6   | 263                 | 34.1 | 30.4-37.8  |
| College Graduate    | 1413              | 105,793  | 371                              | 22.8      | 20.3-25.3  | 392        | 26.0 | 23.5-28.5  | 235          | 17.0 | 14.6-19.4  | 105         | 7.6  | 6.0- 9.2   | 310                 | 26.5 | 23.8-29.2  |
| \$15,000- 24,999    | 94                | 12,818   | 20                               | 17.3      | 7.9-26.7   | 26         | 25.4 | 13.8-37.0  | 18           | 16.8 | 7.4-26.2   | 9           | 8.7  | 1.8-15.6   | 21                  | 31.7 | 19.0-44.4  |
| \$25,000- 34,999    | 188               | 20,296   | 63                               | 24.0      | 15.8-32.2  | 44         | 23.6 | 15.4-31.8  | 23           | 13.1 | 6.2-20.0   | 12          | 6.2  | 1.7-10.7   | 46                  | 33.1 | 23.9-42.3  |
| \$35,000- 49,999    | 294               | 30,380   | 95                               | 24.4      | 18.7-30.1  | 68         | 19.0 | 13.9-24.1  | 35           | 13.3 | 8.4-18.2   | 24          | 7.4  | 3.9-10.9   | 72                  | 35.9 | 28.1-43.7  |
| \$50,000- 99,999    | 915               | 93,646   | 224                              | 21.3      | 18.0-24.6  | 243        | 23.6 | 20.3-26.9  | 161          | 17.5 | 14.6-20.4  | 60          | 7.2  | 4.7- 9.7   | 227                 | 30.3 | 26.4-34.2  |
| \$100,000 - 199,999 | 834               | 87,528   | 166                              | 18.7      | 15.6-21.8  | 192        | 19.3 | 16.4-22.2  | 143          | 16.8 | 13.9-19.7  | 81          | 11.7 | 8.8-14.6   | 252                 | 33.6 | 29.7-37.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |           |            |     |            |            |     |              |            |     |             |            |     |                     |            |
|---------------------|-------------------|----------|----------------------------------|-----------|------------|-----|------------|------------|-----|--------------|------------|-----|-------------|------------|-----|---------------------|------------|
|                     | TOTAL             | WEIGHTED | N                                | One Drink |            |     | Two Drinks |            |     | Three Drinks |            |     | Four Drinks |            |     | Five or More Drinks |            |
|                     |                   |          |                                  | %         | C.I. (95%) | N   | %          | C.I. (95%) | N   | %            | C.I. (95%) | N   | %           | C.I. (95%) | N   | %                   | C.I. (95%) |
| Male                | 1639              | 174,878  | 282                              | 14.4      | 12.2-16.6  | 363 | 20.2       | 17.8-22.6  | 272 | 15.8         | 13.6-18.0  | 135 | 8.4         | 6.6-10.2   | 587 | 41.2                | 38.3-44.1  |
| Non-Native          | 1591              | 169,300  | 273                              | 14.4      | 12.2-16.6  | 355 | 20.3       | 17.9-22.7  | 261 | 15.5         | 13.3-17.7  | 130 | 8.1         | 6.5- 9.7   | 572 | 41.6                | 38.5-44.7  |
| 18-24               | 87                | 21,517   | 8                                | 9.0       | 2.5-15.5   | 9   | 11.0       | 3.9-18.1   | 11  | 11.9         | 4.6-19.2   | 8   | 9.9         | 3.2-16.6   | 51  | 58.1                | 46.9-69.3  |
| 25-34               | 201               | 35,380   | 17                               | 10.5      | 4.2-16.8   | 39  | 20.2       | 13.9-26.5  | 20  | 10.2         | 5.3-15.1   | 15  | 7.0         | 3.1-10.9   | 110 | 52.1                | 44.3-59.9  |
| 35-44               | 260               | 31,788   | 23                               | 8.3       | 4.8-11.8   | 41  | 14.2       | 9.7-18.7   | 41  | 15.8         | 10.9-20.7  | 22  | 9.8         | 5.3-14.3   | 133 | 51.9                | 45.0-58.8  |
| 45-54               | 269               | 27,169   | 37                               | 15.1      | 10.0-20.2  | 50  | 17.7       | 12.6-22.8  | 46  | 18.1         | 12.8-23.4  | 25  | 9.0         | 5.1-12.9   | 111 | 40.1                | 33.4-46.8  |
| 55-64               | 262               | 24,656   | 40                               | 14.7      | 10.0-19.4  | 67  | 26.5       | 20.0-33.0  | 50  | 18.4         | 13.1-23.7  | 23  | 8.1         | 4.6-11.6   | 82  | 32.2                | 25.5-38.9  |
| 65+                 | 560               | 34,368   | 157                              | 26.8      | 22.5-31.1  | 157 | 28.9       | 24.2-33.6  | 104 | 20.2         | 16.1-24.3  | 42  | 7.2         | 4.7- 9.7   | 100 | 16.9                | 13.2-20.6  |
| H.S. or G.E.D.      | 387               | 44,179   | 73                               | 15.4      | 11.5-19.3  | 83  | 21.3       | 16.4-26.2  | 64  | 15.2         | 11.1-19.3  | 21  | 7.1         | 3.8-10.4   | 146 | 41.0                | 35.1-46.9  |
| Some Post-H.S.      | 497               | 69,629   | 69                               | 11.3      | 8.4-14.2   | 93  | 18.1       | 14.2-22.0  | 83  | 15.2         | 11.7-18.7  | 47  | 9.6         | 6.5-12.7   | 205 | 45.8                | 40.7-50.9  |
| College Graduate    | 711               | 50,531   | 129                              | 15.1      | 12.4-17.8  | 181 | 23.4       | 19.9-26.9  | 119 | 17.7         | 14.4-21.0  | 65  | 8.9         | 6.5-11.3   | 217 | 34.9                | 30.8-39.0  |
| \$25,000- 34,999    | 96                | 10,988   | 17                               | 13.5      | 3.3-23.7   | 28  | 28.7       | 16.4-41.0  | 12  | 13.5         | 3.5-23.5   | 8   | 6.9         | 1.0-12.8   | 31  | 37.4                | 24.9-49.9  |
| \$35,000- 49,999    | 160               | 17,252   | 41                               | 19.7      | 12.8-26.6  | 32  | 15.3       | 9.4-21.2   | 20  | 12.3         | 6.0-18.6   | 13  | 8.1         | 3.0-13.2   | 54  | 44.6                | 34.6-54.6  |
| \$50,000- 99,999    | 498               | 52,842   | 98                               | 19.2      | 14.5-23.9  | 113 | 20.9       | 16.6-25.2  | 87  | 16.7         | 13.0-20.4  | 31  | 5.5         | 3.1- 7.9   | 169 | 37.8                | 32.5-43.1  |
| \$100,000 - 199,999 | 490               | 52,364   | 62                               | 11.4      | 8.1-14.7   | 99  | 16.8       | 13.1-20.5  | 83  | 16.9         | 13.0-20.8  | 48  | 10.2        | 6.9-13.5   | 198 | 44.7                | 39.4-50.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |           |            |            |      |            |              |      |            |             |      |            |                     |      |            |
|-----------------------|-------------------|----------|----------------------------------|-----------|------------|------------|------|------------|--------------|------|------------|-------------|------|------------|---------------------|------|------------|
|                       | TOTAL             | WEIGHTED | N                                | One Drink |            | Two Drinks |      |            | Three Drinks |      |            | Four Drinks |      |            | Five or More Drinks |      |            |
|                       |                   |          |                                  | %         | C.I. (95%) | N          | %    | C.I. (95%) | N            | %    | C.I. (95%) | N           | %    | C.I. (95%) | N                   | %    | C.I. (95%) |
| Female                | 1369              | 139,912  | 480                              | 29.3      | 26.4-32.2  | 388        | 25.1 | 22.2-28.0  | 210          | 15.5 | 13.1-17.9  | 94          | 9.9  | 7.4-12.4   | 197                 | 20.3 | 17.2-23.4  |
| Non-Native            | 1332              | 134,389  | 464                              | 29.2      | 26.3-32.1  | 380        | 25.2 | 22.3-28.1  | 207          | 15.5 | 13.1-17.9  | 92          | 10.1 | 7.6-12.6   | 189                 | 20.0 | 16.9-23.1  |
| 18-24                 | 60                | 18,118   | 7                                | 11.5      | 3.3-19.7   | 11         | 17.1 | 7.1-27.1   | 7            | 11.4 | 3.4-19.4   | 9           | 18.0 | 6.6-29.4   | 26                  | 42.1 | 28.4-55.8  |
| 25-34                 | 148               | 27,116   | 38                               | 25.8      | 17.8-33.8  | 30         | 19.7 | 12.6-26.8  | 21           | 12.6 | 7.1-18.1   | 15          | 11.4 | 4.9-17.9   | 44                  | 30.5 | 22.1-38.9  |
| 35-44                 | 188               | 25,849   | 39                               | 20.0      | 13.5-26.5  | 44         | 23.3 | 16.4-30.2  | 37           | 21.1 | 14.4-27.8  | 17          | 11.9 | 5.4-18.4   | 51                  | 23.7 | 17.2-30.2  |
| 45-54                 | 232               | 22,466   | 59                               | 28.0      | 21.1-34.9  | 74         | 27.9 | 21.6-34.2  | 45           | 20.9 | 14.4-27.4  | 19          | 8.6  | 4.5-12.7   | 35                  | 14.7 | 9.4-20.0   |
| 55-64                 | 235               | 18,611   | 77                               | 34.5      | 27.2-41.8  | 73         | 31.8 | 24.7-38.9  | 39           | 14.5 | 9.6-19.4   | 20          | 8.1  | 4.0-12.2   | 26                  | 11.2 | 6.9-15.5   |
| 65+                   | 506               | 27,752   | 260                              | 50.5      | 45.2-55.8  | 156        | 30.4 | 25.7-35.1  | 61           | 12.3 | 9.0-15.6   | 14          | 3.3  | 1.1- 5.5   | 15                  | 3.5  | 1.5- 5.5   |
| H.S. or G.E.D.        | 241               | 26,237   | 85                               | 27.1      | 20.0-34.2  | 70         | 25.4 | 18.5-32.3  | 35           | 15.2 | 9.5-20.9   | 11          | 7.9  | 2.0-13.8   | 40                  | 24.3 | 16.5-32.1  |
| Some Post-H.S.        | 400               | 51,834   | 144                              | 31.0      | 25.5-36.5  | 101        | 21.0 | 16.3-25.7  | 56           | 15.1 | 10.8-19.4  | 41          | 14.4 | 9.3-19.5   | 58                  | 18.4 | 13.3-23.5  |
| College Graduate      | 702               | 55,261   | 242                              | 29.8      | 25.9-33.7  | 211        | 28.4 | 24.5-32.3  | 116          | 16.5 | 13.4-19.6  | 40          | 6.5  | 4.3- 8.7   | 93                  | 18.9 | 15.2-22.6  |
| \$25,000- 34,999      | 92                | 9,308    | 46                               | 36.4      | 23.3-49.5  | 16         | 17.6 | 7.8-27.4   | 11           | 12.6 | 3.0-22.2   | 4           | 5.4  | 0.0-12.3   | 15                  | 28.0 | 13.9-42.1  |
| \$35,000- 49,999      | 134               | 13,128   | 54                               | 30.7      | 21.1-40.3  | 36         | 23.9 | 15.3-32.5  | 15           | 14.6 | 6.6-22.6   | 11          | 6.4  | 2.1-10.7   | 18                  | 24.3 | 12.1-36.5  |
| \$50,000- 99,999      | 417               | 40,803   | 126                              | 24.2      | 19.3-29.1  | 130        | 27.1 | 21.8-32.4  | 74           | 18.7 | 14.0-23.4  | 29          | 9.4  | 4.7-14.1   | 58                  | 20.7 | 15.2-26.2  |
| \$100,000 - 199,999   | 344               | 35,164   | 104                              | 29.6      | 23.7-35.5  | 93         | 22.9 | 18.0-27.8  | 60           | 16.6 | 12.1-21.1  | 33          | 13.8 | 8.7-18.9   | 54                  | 17.1 | 12.6-21.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 13: IMMUNIZATION CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE                                                                                                                                                | PAGE |
|------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)              |      |
| 1 MALES AND FEMALES                                                                                                                                  | 221  |
| 2 MALES ONLY                                                                                                                                         | 222  |
| 3 FEMALES ONLY                                                                                                                                       | 223  |
| DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3) |      |
| 4 MALES AND FEMALES                                                                                                                                  | 224  |
| 5 MALES ONLY                                                                                                                                         | 225  |
| 6 FEMALES ONLY                                                                                                                                       | 226  |
| HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)                                                                  |      |
| 7 MALES AND FEMALES                                                                                                                                  | 227  |
| 8 MALES ONLY                                                                                                                                         | 228  |
| 9 FEMALES ONLY                                                                                                                                       | 229  |
| HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)                                                                                         |      |
| 10 MALES AND FEMALES                                                                                                                                 | 230  |
| 11 MALES ONLY                                                                                                                                        | 231  |
| 12 FEMALES ONLY                                                                                                                                      | 232  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5208              | 547,862  | 2359 | 39.2 | 37.4-41.0  | 2849 | 60.8 | 59.0-62.6  |
| Male                  | 2565              | 283,786  | 1022 | 33.8 | 31.6-36.0  | 1543 | 66.2 | 64.0-68.4  |
| Female                | 2643              | 264,076  | 1337 | 44.9 | 42.4-47.4  | 1306 | 55.1 | 52.6-57.6  |
| Native                | 142               | 20,094   | 59   | 35.1 | 25.3-44.9  | 83   | 64.9 | 55.1-74.7  |
| Non-Native            | 4992              | 519,835  | 2272 | 39.4 | 37.6-41.2  | 2720 | 60.6 | 58.8-62.4  |
| 18-24                 | 274               | 76,672   | 70   | 26.8 | 20.9-32.7  | 204  | 73.2 | 67.3-79.1  |
| 25-34                 | 526               | 99,392   | 166  | 30.2 | 25.9-34.5  | 360  | 69.8 | 65.5-74.1  |
| 35-44                 | 681               | 93,000   | 233  | 33.8 | 29.7-37.9  | 448  | 66.2 | 62.1-70.3  |
| 45-54                 | 733               | 73,102   | 263  | 33.7 | 29.8-37.6  | 470  | 66.3 | 62.4-70.2  |
| 55-64                 | 868               | 78,633   | 385  | 44.5 | 40.6-48.4  | 483  | 55.5 | 51.6-59.4  |
| 65+                   | 2126              | 127,063  | 1242 | 57.5 | 55.0-60.0  | 884  | 42.5 | 40.0-45.0  |
| Less Than H.S.        | 157               | 39,628   | 56   | 27.0 | 19.0-35.0  | 101  | 73.0 | 65.0-81.0  |
| H.S. or G.E.D.        | 1293              | 141,978  | 477  | 30.9 | 27.8-34.0  | 816  | 69.1 | 66.0-72.2  |
| Some Post-H.S.        | 1628              | 211,812  | 713  | 39.8 | 36.9-42.7  | 915  | 60.2 | 57.3-63.1  |
| College Graduate      | 2116              | 153,150  | 1109 | 49.1 | 46.6-51.6  | 1007 | 50.9 | 48.4-53.4  |
| Less than \$15,000    | 140               | 17,051   | 60   | 38.4 | 27.0-49.8  | 80   | 61.6 | 50.2-73.0  |
| \$15,000- 24,999      | 283               | 33,526   | 121  | 36.7 | 29.6-43.8  | 162  | 63.3 | 56.2-70.4  |
| \$25,000- 34,999      | 435               | 46,826   | 197  | 37.8 | 31.7-43.9  | 238  | 62.2 | 56.1-68.3  |
| \$35,000- 49,999      | 596               | 58,059   | 268  | 36.0 | 31.3-40.7  | 328  | 64.0 | 59.3-68.7  |
| \$50,000- 99,999      | 1488              | 156,789  | 697  | 40.0 | 36.9-43.1  | 791  | 60.0 | 56.9-63.1  |
| \$100,000 - 199,999   | 1095              | 118,085  | 497  | 39.9 | 36.4-43.4  | 598  | 60.1 | 56.6-63.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2565              | 283,786  | 1022 | 33.8 | 31.6-36.0  | 1543 | 66.2 | 64.0-68.4  |
| Native                | 65                | 9,733    | 26   | 35.6 | 21.9-49.3  | 39   | 64.4 | 50.7-78.1  |
| Non-Native            | 2458              | 270,021  | 981  | 33.8 | 31.4-36.2  | 1477 | 66.2 | 63.8-68.6  |
| 18-24                 | 160               | 41,419   | 36   | 22.2 | 14.8-29.6  | 124  | 77.8 | 70.4-85.2  |
| 25-34                 | 291               | 54,399   | 70   | 22.9 | 17.6-28.2  | 221  | 77.1 | 71.8-82.4  |
| 35-44                 | 382               | 48,406   | 110  | 27.5 | 22.6-32.4  | 272  | 72.5 | 67.6-77.4  |
| 45-54                 | 376               | 38,256   | 108  | 28.0 | 22.9-33.1  | 268  | 72.0 | 66.9-77.1  |
| 55-64                 | 416               | 41,673   | 167  | 42.0 | 36.3-47.7  | 249  | 58.0 | 52.3-63.7  |
| 65+                   | 940               | 59,634   | 531  | 55.1 | 51.2-59.0  | 409  | 44.9 | 41.0-48.8  |
| Less Than H.S.        | 86                | 22,389   | 28   | 23.6 | 13.4-33.8  | 58   | 76.4 | 66.2-86.6  |
| H.S. or G.E.D.        | 701               | 81,872   | 220  | 27.2 | 23.3-31.1  | 481  | 72.8 | 68.9-76.7  |
| Some Post-H.S.        | 801               | 110,652  | 307  | 33.4 | 29.7-37.1  | 494  | 66.6 | 62.9-70.3  |
| College Graduate      | 970               | 68,069   | 465  | 45.7 | 42.0-49.4  | 505  | 54.3 | 50.6-58.0  |
| Less than \$15,000    | 63                | 7,039    | 26   | 31.9 | 18.4-45.4  | 37   | 68.1 | 54.6-81.6  |
| \$15,000- 24,999      | 103               | 12,045   | 41   | 34.0 | 22.8-45.2  | 62   | 66.0 | 54.8-77.2  |
| \$25,000- 34,999      | 195               | 22,974   | 80   | 32.6 | 24.4-40.8  | 115  | 67.4 | 59.2-75.6  |
| \$35,000- 49,999      | 280               | 28,438   | 112  | 31.4 | 25.1-37.7  | 168  | 68.6 | 62.3-74.9  |
| \$50,000- 99,999      | 773               | 86,226   | 310  | 33.4 | 29.5-37.3  | 463  | 66.6 | 62.7-70.5  |
| \$100,000 - 199,999   | 627               | 68,698   | 253  | 34.7 | 30.4-39.0  | 374  | 65.3 | 61.0-69.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2643              | 264,076  | 1337 | 44.9 | 42.4-47.4  | 1306 | 55.1 | 52.6-57.6  |
| Native                | 77                | 10,362   | 33   | 34.5 | 20.8-48.2  | 44   | 65.5 | 51.8-79.2  |
| Non-Native            | 2534              | 249,814  | 1291 | 45.4 | 42.9-47.9  | 1243 | 54.6 | 52.1-57.1  |
| 18-24                 | 114               | 35,253   | 34   | 32.1 | 22.7-41.5  | 80   | 67.9 | 58.5-77.3  |
| 25-34                 | 235               | 44,993   | 96   | 39.1 | 32.0-46.2  | 139  | 60.9 | 53.8-68.0  |
| 35-44                 | 299               | 44,594   | 123  | 40.6 | 34.1-47.1  | 176  | 59.4 | 52.9-65.9  |
| 45-54                 | 357               | 34,846   | 155  | 40.1 | 34.2-46.0  | 202  | 59.9 | 54.0-65.8  |
| 55-64                 | 452               | 36,960   | 218  | 47.4 | 41.9-52.9  | 234  | 52.6 | 47.1-58.1  |
| 65+                   | 1186              | 67,429   | 711  | 59.6 | 56.3-62.9  | 475  | 40.4 | 37.1-43.7  |
| Less Than H.S.        | 71                | 17,239   | 28   | 31.3 | 18.8-43.8  | 43   | 68.7 | 56.2-81.2  |
| H.S. or G.E.D.        | 592               | 60,105   | 257  | 36.0 | 30.7-41.3  | 335  | 64.0 | 58.7-69.3  |
| Some Post-H.S.        | 827               | 101,160  | 406  | 46.8 | 42.5-51.1  | 421  | 53.2 | 48.9-57.5  |
| College Graduate      | 1146              | 85,081   | 644  | 51.8 | 48.3-55.3  | 502  | 48.2 | 44.7-51.7  |
| Less than \$15,000    | 77                | 10,012   | 34   | 43.0 | 26.3-59.7  | 43   | 57.0 | 40.3-73.7  |
| \$15,000- 24,999      | 180               | 21,480   | 80   | 38.3 | 29.3-47.3  | 100  | 61.7 | 52.7-70.7  |
| \$25,000- 34,999      | 240               | 23,852   | 117  | 42.9 | 33.9-51.9  | 123  | 57.1 | 48.1-66.1  |
| \$35,000- 49,999      | 316               | 29,620   | 156  | 40.3 | 33.4-47.2  | 160  | 59.7 | 52.8-66.6  |
| \$50,000- 99,999      | 715               | 70,563   | 387  | 48.0 | 43.3-52.7  | 328  | 52.0 | 47.3-56.7  |
| \$100,000 - 199,999   | 468               | 49,388   | 244  | 47.0 | 41.3-52.7  | 224  | 53.0 | 47.3-58.7  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER<br>TOTAL    WEIGHTED |         | Data was weighted using _LLCPWT. |     |            |              |     |            |              |      |            |              |      |            |              |      |            |              |      |            |
|---------------------|----------------------------------------|---------|----------------------------------|-----|------------|--------------|-----|------------|--------------|------|------------|--------------|------|------------|--------------|------|------------|--------------|------|------------|
|                     |                                        |         | Jan-Apr 2022                     |     |            | May-Aug 2022 |     |            | Sep-Dec 2022 |      |            | Jan-Apr 2023 |      |            | May-Aug 2023 |      |            | Sep-Dec 2023 |      |            |
|                     |                                        |         | N                                | %   | C.I. (95%) | N            | %   | C.I. (95%) | N            | %    | C.I. (95%) | N            | %    | C.I. (95%) | N            | %    | C.I. (95%) | N            | %    | C.I. (95%) |
| TOTAL               | 2137                                   | 191,315 | 1                                | 0.3 | 0.0- 0.9   | 18           | 1.0 | 0.4- 1.6   | 1355         | 61.7 | 59.0-64.4  | 138          | 9.0  | 7.2-10.8   | 61           | 3.0  | 2.0- 4.0   | 564          | 25.0 | 22.6-27.4  |
| Male                | 919                                    | 85,922  |                                  |     |            | 10           | 1.3 | 0.3- 2.3   | 572          | 60.8 | 56.7-64.9  | 73           | 10.6 | 7.9-13.3   | 32           | 4.6  | 2.6- 6.6   | 232          | 22.7 | 19.4-26.0  |
| Female              | 1218                                   | 105,393 | 1                                | 0.5 | 0.0- 1.5   | 8            | 0.7 | 0.1- 1.3   | 783          | 62.4 | 58.7-66.1  | 65           | 7.8  | 5.3-10.3   | 29           | 1.7  | 0.9- 2.5   | 332          | 26.9 | 23.8-30.0  |
| Native              | 52                                     | 6,411   |                                  |     |            |              |     |            | 25           | 39.6 | 23.1-56.1  | 9            | 19.5 | 6.2-32.8   | 4            | 14.9 | 0.0-29.8   | 14           | 25.9 | 11.6-40.2  |
| Non-Native          | 2062                                   | 182,433 | 1                                | 0.3 | 0.0- 0.9   | 18           | 1.0 | 0.4- 1.6   | 1318         | 62.4 | 59.7-65.1  | 128          | 8.7  | 6.7-10.7   | 54           | 2.5  | 1.7- 3.3   | 543          | 25.1 | 22.7-27.5  |
| 18-24               | 58                                     | 16,662  | 1                                | 3.2 | 0.0- 9.5   | 3            | 4.3 | 0.0- 9.2   | 30           | 53.5 | 39.0-68.0  | 8            | 16.2 | 4.8-27.6   | 3            | 5.0  | 0.0-10.7   | 13           | 17.9 | 7.9-27.9   |
| 25-34               | 153                                    | 26,753  |                                  |     |            | 2            | 1.2 | 0.0- 3.0   | 85           | 50.1 | 41.5-58.7  | 24           | 19.4 | 11.8-27.0  | 3            | 2.7  | 0.0- 6.0   | 39           | 26.5 | 18.9-34.1  |
| 35-44               | 210                                    | 28,055  |                                  |     |            |              |     |            | 150          | 68.4 | 61.1-75.7  | 12           | 6.0  | 2.7- 9.3   | 3            | 2.4  | 0.0- 5.3   | 45           | 23.2 | 16.7-29.7  |
| 45-54               | 249                                    | 23,229  |                                  |     |            | 4            | 1.8 | 0.0- 3.6   | 173          | 68.4 | 61.7-75.1  | 11           | 5.0  | 1.5- 8.5   | 5            | 1.9  | 0.0- 3.9   | 56           | 22.8 | 16.9-28.7  |
| 55-64               | 356                                    | 32,089  |                                  |     |            | 2            | 0.2 | 0.0- 0.6   | 221          | 60.8 | 54.9-66.7  | 28           | 8.9  | 5.2-12.6   | 9            | 2.2  | 0.6- 3.8   | 96           | 27.8 | 22.3-33.3  |
| 65+                 | 1111                                   | 64,528  |                                  |     |            | 7            | 0.6 | 0.2- 1.0   | 696          | 63.9 | 60.6-67.2  | 55           | 5.7  | 3.9- 7.5   | 38           | 3.5  | 2.1- 4.9   | 315          | 26.3 | 23.2-29.4  |
| H.S. or G.E.D.      | 419                                    | 38,440  |                                  |     |            | 7            | 2.3 | 0.3- 4.3   | 242          | 55.1 | 48.6-61.6  | 36           | 12.9 | 7.6-18.2   | 20           | 4.9  | 2.0- 7.8   | 114          | 24.8 | 19.5-30.1  |
| Some Post-H.S.      | 633                                    | 73,131  | 1                                | 0.7 | 0.0- 2.1   | 9            | 1.1 | 0.3- 1.9   | 375          | 58.4 | 53.7-63.1  | 55           | 10.5 | 7.2-13.8   | 16           | 2.8  | 1.2- 4.4   | 177          | 26.5 | 22.4-30.6  |
| College Graduate    | 1042                                   | 71,022  |                                  |     |            | 2            | 0.3 | 0.0- 0.9   | 718          | 69.6 | 66.3-72.9  | 44           | 5.5  | 3.5- 7.5   | 23           | 1.5  | 0.7- 2.3   | 255          | 23.1 | 20.2-26.0  |
| Less than \$15,000  | 50                                     | 4,910   |                                  |     |            | 1            | 0.5 | 0.0- 1.5   | 28           | 60.0 | 41.0-79.0  | 5            | 10.5 | 0.0-21.3   | 3            | 2.9  | 0.0- 7.0   | 13           | 26.1 | 8.5-43.7   |
| \$15,000- 24,999    | 102                                    | 10,705  |                                  |     |            | 1            | 0.2 | 0.0- 0.6   | 48           | 48.7 | 36.4-61.0  | 12           | 11.5 | 4.4-18.6   | 4            | 4.8  | 0.0-10.7   | 37           | 34.7 | 22.9-46.5  |
| \$25,000- 34,999    | 177                                    | 14,730  | 1                                | 3.7 | 0.0-10.6   | 3            | 2.0 | 0.0- 4.4   | 103          | 49.4 | 38.8-60.0  | 14           | 16.5 | 6.7-26.3   | 11           | 6.4  | 0.7-12.1   | 45           | 22.0 | 13.8-30.2  |
| \$35,000- 49,999    | 244                                    | 19,103  |                                  |     |            | 3            | 1.8 | 0.0- 4.0   | 150          | 61.6 | 54.0-69.2  | 17           | 9.0  | 4.1-13.9   | 5            | 1.7  | 0.0- 3.5   | 69           | 25.9 | 19.4-32.4  |
| \$50,000- 99,999    | 643                                    | 56,734  |                                  |     |            | 7            | 1.2 | 0.2- 2.2   | 423          | 64.5 | 59.8-69.2  | 32           | 6.2  | 3.7- 8.7   | 14           | 2.3  | 0.7- 3.9   | 167          | 25.8 | 21.7-29.9  |
| \$100,000 - 199,999 | 469                                    | 43,829  |                                  |     |            | 1            | 0.1 | 0.0- 0.3   | 322          | 66.3 | 61.0-71.6  | 30           | 8.9  | 5.6-12.2   | 8            | 1.5  | 0.3- 2.7   | 108          | 23.2 | 18.5-27.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | May-Aug 2022 |     |            | Sep-Dec 2022 |      |            | Jan-Apr 2023 |      |            | May-Aug 2023 |      |            | Sep-Dec 2023 |      |            |
|-----------------------|-------------------|----------|--------------|-----|------------|--------------|------|------------|--------------|------|------------|--------------|------|------------|--------------|------|------------|
|                       | TOTAL             | WEIGHTED | N            | %   | C.I. (95%) | N            | %    | C.I. (95%) | N            | %    | C.I. (95%) | N            | %    | C.I. (95%) | N            | %    | C.I. (95%) |
| Male                  | 919               | 85,922   | 10           | 1.3 | 0.3- 2.3   | 572          | 60.8 | 56.7-64.9  | 73           | 10.6 | 7.9-13.3   | 32           | 4.6  | 2.6- 6.6   | 232          | 22.7 | 19.4-26.0  |
| Non-Native            | 883               | 81,677   | 10           | 1.4 | 0.4- 2.4   | 552          | 61.5 | 57.4-65.6  | 68           | 10.4 | 7.5-13.3   | 27           | 3.4  | 1.8- 5.0   | 226          | 23.2 | 19.9-26.5  |
| 25-34                 | 68                | 12,251   | 1            | 1.3 | 0.0- 3.8   | 36           | 47.8 | 34.7-60.9  | 13           | 24.3 | 12.0-36.6  | 3            | 5.9  | 0.0-13.0   | 15           | 20.7 | 10.1-31.3  |
| 35-44                 | 93                | 11,127   |              |     |            | 67           | 68.7 | 58.1-79.3  | 8            | 9.9  | 3.2-16.6   | 3            | 6.0  | 0.0-13.1   | 15           | 15.4 | 7.8-23.0   |
| 45-54                 | 100               | 9,753    | 3            | 3.3 | 0.0- 7.0   | 65           | 63.9 | 53.1-74.7  | 8            | 9.8  | 2.2-17.4   | 4            | 3.9  | 0.0- 8.2   | 20           | 19.0 | 10.6-27.4  |
| 55-64                 | 153               | 15,846   | 1            | 0.3 | 0.0- 0.9   | 95           | 59.9 | 51.1-68.7  | 17           | 11.4 | 5.9-16.9   | 6            | 3.0  | 0.5- 5.5   | 34           | 25.4 | 17.4-33.4  |
| 65+                   | 474               | 28,927   | 3            | 0.6 | 0.0- 1.4   | 293          | 63.1 | 57.8-68.4  | 24           | 5.1  | 2.7- 7.5   | 13           | 2.9  | 1.1- 4.7   | 141          | 28.2 | 23.3-33.1  |
| H.S. or G.E.D.        | 190               | 19,852   | 4            | 2.2 | 0.0- 4.7   | 106          | 55.8 | 46.8-64.8  | 20           | 12.6 | 6.3-18.9   | 10           | 6.7  | 1.6-11.8   | 50           | 22.7 | 15.8-29.6  |
| Some Post-H.S.        | 272               | 32,664   | 5            | 2.0 | 0.2- 3.8   | 162          | 59.1 | 52.0-66.2  | 30           | 13.0 | 7.7-18.3   | 10           | 4.7  | 1.6- 7.8   | 65           | 21.3 | 15.6-27.0  |
| College Graduate      | 435               | 28,966   | 1            | 0.2 | 0.0- 0.6   | 294          | 68.0 | 62.7-73.3  | 21           | 6.8  | 3.3-10.3   | 11           | 2.4  | 0.8- 4.0   | 108          | 22.6 | 18.1-27.1  |
| \$25,000- 34,999      | 69                | 6,312    | 3            | 4.8 | 0.0-10.3   | 42           | 52.9 | 36.4-69.4  | 2            | 9.4  | 0.0-24.5   | 4            | 11.5 | 0.0-23.8   | 18           | 21.4 | 9.2-33.6   |
| \$35,000- 49,999      | 98                | 7,797    | 1            | 2.4 | 0.0- 7.1   | 62           | 57.2 | 44.9-69.5  | 8            | 13.2 | 3.6-22.8   | 3            | 1.9  | 0.0- 4.4   | 24           | 25.3 | 14.7-35.9  |
| \$50,000- 99,999      | 283               | 25,944   | 5            | 2.3 | 0.1- 4.5   | 178          | 60.3 | 53.2-67.4  | 19           | 8.9  | 4.4-13.4   | 10           | 4.6  | 1.1- 8.1   | 71           | 23.9 | 18.0-29.8  |
| \$100,000 - 199,999   | 234               | 22,066   | 1            | 0.2 | 0.0- 0.6   | 158          | 66.4 | 59.0-73.8  | 17           | 11.6 | 5.9-17.3   | 6            | 2.5  | 0.1- 4.9   | 52           | 19.3 | 13.6-25.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |     |            |              |     |            |              |      |            |              |      |            |              |     |            |              |      |            |
|---------------------|-------------------|----------|----------------------------------|-----|------------|--------------|-----|------------|--------------|------|------------|--------------|------|------------|--------------|-----|------------|--------------|------|------------|
|                     |                   |          | Jan-Apr 2022                     |     |            | May-Aug 2022 |     |            | Sep-Dec 2022 |      |            | Jan-Apr 2023 |      |            | May-Aug 2023 |     |            | Sep-Dec 2023 |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %   | C.I. (95%) | N            | %   | C.I. (95%) | N            | %    | C.I. (95%) | N            | %    | C.I. (95%) | N            | %   | C.I. (95%) | N            | %    | C.I. (95%) |
| Female              | 1218              | 105,393  | 1                                | 0.5 | 0.0- 1.5   | 8            | 0.7 | 0.1- 1.3   | 783          | 62.4 | 58.7-66.1  | 65           | 7.8  | 5.4-10.2   | 29           | 1.7 | 0.9- 2.5   | 332          | 26.9 | 23.8-30.0  |
| Non-Native          | 1179              | 100,756  | 1                                | 0.5 | 0.0- 1.5   | 8            | 0.7 | 0.0- 1.5   | 766          | 63.1 | 59.4-66.8  | 60           | 7.4  | 4.9- 9.9   | 27           | 1.7 | 0.9- 2.5   | 317          | 26.5 | 23.2-29.8  |
| 25-34               | 85                | 14,502   |                                  |     |            | 1            | 1.2 | 0.0- 3.6   | 49           | 52.0 | 40.4-63.6  | 11           | 15.3 | 6.1-24.5   |              |     |            | 24           | 31.5 | 20.7-42.3  |
| 35-44               | 117               | 16,927   |                                  |     |            |              |     |            | 83           | 68.2 | 58.6-77.8  | 4            | 3.4  | 0.1- 6.7   |              |     |            | 30           | 28.4 | 19.0-37.8  |
| 45-54               | 149               | 13,475   |                                  |     |            | 1            | 0.7 | 0.0- 2.1   | 108          | 71.7 | 63.5-79.9  | 3            | 1.6  | 0.0- 3.6   | 1            | 0.4 | 0.0- 1.2   | 36           | 25.7 | 17.7-33.7  |
| 55-64               | 203               | 16,244   |                                  |     |            | 1            | 0.2 | 0.0- 0.6   | 126          | 61.7 | 53.7-69.7  | 11           | 6.4  | 1.3-11.5   | 3            | 1.6 | 0.0- 3.8   | 62           | 30.2 | 22.8-37.6  |
| 65+                 | 637               | 35,601   |                                  |     |            | 4            | 0.5 | 0.1- 0.9   | 403          | 64.5 | 60.0-69.0  | 31           | 6.3  | 3.9- 8.7   | 25           | 4.1 | 1.9- 6.3   | 174          | 24.7 | 20.8-28.6  |
| H.S. or G.E.D.      | 229               | 18,588   |                                  |     |            | 3            | 2.4 | 0.0- 5.7   | 136          | 54.4 | 45.0-63.8  | 16           | 13.3 | 4.7-21.9   | 10           | 2.9 | 0.7- 5.1   | 64           | 27.0 | 18.8-35.2  |
| Some Post-H.S.      | 361               | 40,467   | 1                                | 1.3 | 0.0- 3.8   | 4            | 0.4 | 0.0- 0.8   | 213          | 57.9 | 51.4-64.4  | 25           | 8.5  | 4.6-12.4   | 6            | 1.3 | 0.1- 2.5   | 112          | 30.7 | 24.8-36.6  |
| College Graduate    | 607               | 42,057   |                                  |     |            | 1            | 0.4 | 0.0- 1.2   | 424          | 70.6 | 66.3-74.9  | 23           | 4.6  | 2.6- 6.6   | 12           | 0.9 | 0.3- 1.5   | 147          | 23.5 | 19.6-27.4  |
| \$15,000- 24,999    | 68                | 7,003    |                                  |     |            | 1            | 0.4 | 0.0- 1.2   | 33           | 49.5 | 34.0-65.0  | 6            | 8.5  | 1.1-15.9   | 2            | 2.9 | 0.0- 7.8   | 26           | 38.8 | 23.5-54.1  |
| \$25,000- 34,999    | 108               | 8,419    | 1                                | 6.4 | 0.0-18.4   |              |     |            | 61           | 46.7 | 32.6-60.8  | 12           | 21.8 | 8.7-34.9   | 7            | 2.6 | 0.4- 4.8   | 27           | 22.4 | 11.4-33.4  |
| \$35,000- 49,999    | 146               | 11,306   |                                  |     |            | 2            | 1.3 | 0.0- 3.1   | 88           | 64.7 | 55.3-74.1  | 9            | 6.1  | 1.6-10.6   | 2            | 1.6 | 0.0- 3.8   | 45           | 26.3 | 17.9-34.7  |
| \$50,000- 99,999    | 360               | 30,790   |                                  |     |            | 2            | 0.3 | 0.0- 0.7   | 245          | 68.0 | 61.9-74.1  | 13           | 3.9  | 1.4- 6.4   | 4            | 0.5 | 0.1- 0.9   | 96           | 27.3 | 21.4-33.2  |
| \$100,000 - 199,999 | 235               | 21,763   |                                  |     |            |              |     |            | 164          | 66.3 | 58.9-73.7  | 13           | 6.1  | 2.6- 9.6   | 2            | 0.4 | 0.0- 1.0   | 56           | 27.2 | 20.1-34.3  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 7. HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 4795              | 485,642  | 2265 | 39.4 | 37.6-41.2  | 2530 | 60.6 | 58.8-62.4  |
| Male                  | 2307              | 246,711  | 947  | 34.6 | 32.2-37.0  | 1360 | 65.4 | 63.0-67.8  |
| Female                | 2488              | 238,930  | 1318 | 44.3 | 41.8-46.8  | 1170 | 55.7 | 53.2-58.2  |
| Native                | 126               | 18,873   | 65   | 42.4 | 30.8-54.0  | 61   | 57.6 | 46.0-69.2  |
| Non-Native            | 4596              | 458,788  | 2172 | 39.5 | 37.7-41.3  | 2424 | 60.5 | 58.7-62.3  |
| 18-24                 | 205               | 56,228   | 79   | 38.5 | 31.1-45.9  | 126  | 61.5 | 54.1-68.9  |
| 25-34                 | 423               | 80,581   | 94   | 23.2 | 18.5-27.9  | 329  | 76.8 | 72.1-81.5  |
| 35-44                 | 589               | 81,563   | 120  | 21.9 | 17.8-26.0  | 469  | 78.1 | 74.0-82.2  |
| 45-54                 | 669               | 67,527   | 165  | 24.4 | 20.7-28.1  | 504  | 75.6 | 71.9-79.3  |
| 55-64                 | 834               | 75,811   | 274  | 34.4 | 30.5-38.3  | 560  | 65.6 | 61.7-69.5  |
| 65+                   | 2075              | 123,932  | 1533 | 73.0 | 70.6-75.4  | 542  | 27.0 | 24.6-29.4  |
| Less Than H.S.        | 145               | 35,999   | 67   | 43.9 | 34.1-53.7  | 78   | 56.1 | 46.3-65.9  |
| H.S. or G.E.D.        | 1189              | 124,198  | 560  | 38.3 | 34.8-41.8  | 629  | 61.7 | 58.2-65.2  |
| Some Post-H.S.        | 1494              | 185,673  | 738  | 41.0 | 38.1-43.9  | 756  | 59.0 | 56.1-61.9  |
| College Graduate      | 1953              | 138,002  | 896  | 37.4 | 34.9-39.9  | 1057 | 62.6 | 60.1-65.1  |
| Less than \$15,000    | 127               | 15,017   | 62   | 50.6 | 37.7-63.5  | 65   | 49.4 | 36.5-62.3  |
| \$15,000- 24,999      | 264               | 29,843   | 143  | 44.0 | 36.2-51.8  | 121  | 56.0 | 48.2-63.8  |
| \$25,000- 34,999      | 400               | 40,240   | 220  | 43.6 | 37.1-50.1  | 180  | 56.4 | 49.9-62.9  |
| \$35,000- 49,999      | 558               | 52,556   | 317  | 48.4 | 43.1-53.7  | 241  | 51.6 | 46.3-56.9  |
| \$50,000- 99,999      | 1362              | 138,646  | 640  | 38.5 | 35.4-41.6  | 722  | 61.5 | 58.4-64.6  |
| \$100,000 - 199,999   | 997               | 105,181  | 346  | 30.1 | 26.6-33.6  | 651  | 69.9 | 66.4-73.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 8: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2307              | 246,711  | 947 | 34.6 | 32.2-37.0  | 1360 | 65.4 | 63.0-67.8  |
| Native                | 52                | 8,766    | 24  | 37.8 | 22.3-53.3  | 28   | 62.2 | 46.7-77.7  |
| Non-Native            | 2213              | 233,837  | 906 | 34.5 | 32.1-36.9  | 1307 | 65.5 | 63.1-67.9  |
| 18-24                 | 116               | 28,913   | 48  | 40.1 | 30.3-49.9  | 68   | 59.9 | 50.1-69.7  |
| 25-34                 | 227               | 43,232   | 43  | 19.2 | 13.5-24.9  | 184  | 80.8 | 75.1-86.5  |
| 35-44                 | 324               | 42,089   | 51  | 16.5 | 12.0-21.0  | 273  | 83.5 | 79.0-88.0  |
| 45-54                 | 336               | 34,808   | 72  | 20.8 | 15.9-25.7  | 264  | 79.2 | 74.3-84.1  |
| 55-64                 | 396               | 40,226   | 127 | 33.1 | 27.6-38.6  | 269  | 66.9 | 61.4-72.4  |
| 65+                   | 908               | 57,444   | 606 | 66.3 | 62.6-70.0  | 302  | 33.7 | 30.0-37.4  |
| Less Than H.S.        | 77                | 19,486   | 31  | 34.8 | 22.5-47.1  | 46   | 65.2 | 52.9-77.5  |
| H.S. or G.E.D.        | 622               | 68,737   | 244 | 32.4 | 28.3-36.5  | 378  | 67.6 | 63.5-71.7  |
| Some Post-H.S.        | 725               | 97,189   | 313 | 37.3 | 33.2-41.4  | 412  | 62.7 | 58.6-66.8  |
| College Graduate      | 875               | 59,976   | 358 | 33.4 | 29.9-36.9  | 517  | 66.6 | 63.1-70.1  |
| Less than \$15,000    | 59                | 6,541    | 26  | 42.8 | 25.7-59.9  | 33   | 57.2 | 40.1-74.3  |
| \$15,000- 24,999      | 91                | 10,574   | 45  | 44.4 | 31.1-57.7  | 46   | 55.6 | 42.3-68.9  |
| \$25,000- 34,999      | 171               | 18,774   | 84  | 38.6 | 29.6-47.6  | 87   | 61.4 | 52.4-70.4  |
| \$35,000- 49,999      | 257               | 25,349   | 138 | 49.3 | 41.9-56.7  | 119  | 50.7 | 43.3-58.1  |
| \$50,000- 99,999      | 694               | 74,904   | 286 | 33.1 | 29.0-37.2  | 408  | 66.9 | 62.8-71.0  |
| \$100,000 - 199,999   | 563               | 60,594   | 185 | 26.9 | 22.8-31.0  | 378  | 73.1 | 69.0-77.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 9: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|---------------------|-------------------|----------|------|------|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female              | 2488              | 238,930  | 1318 | 44.3 | 41.8-46.8  | 1170 | 55.7 | 53.2-58.2  |
| Native              | 74                | 10,107   | 41   | 46.5 | 30.4-62.6  | 33   | 53.5 | 37.4-69.6  |
| Non-Native          | 2383              | 224,952  | 1266 | 44.6 | 42.1-47.1  | 1117 | 55.4 | 52.9-57.9  |
| 18-24               | 89                | 27,315   | 31   | 36.8 | 25.6-48.0  | 58   | 63.2 | 52.0-74.4  |
| 25-34               | 196               | 37,349   | 51   | 27.9 | 20.5-35.3  | 145  | 72.1 | 64.7-79.5  |
| 35-44               | 265               | 39,474   | 69   | 27.8 | 21.1-34.5  | 196  | 72.2 | 65.5-78.9  |
| 45-54               | 333               | 32,719   | 93   | 28.2 | 22.5-33.9  | 240  | 71.8 | 66.1-77.5  |
| 55-64               | 438               | 35,585   | 147  | 35.9 | 30.2-41.6  | 291  | 64.1 | 58.4-69.8  |
| 65+                 | 1167              | 66,488   | 927  | 78.8 | 75.9-81.7  | 240  | 21.2 | 18.3-24.1  |
| Less Than H.S.      | 68                | 16,513   | 36   | 54.5 | 40.2-68.8  | 32   | 45.5 | 31.2-59.8  |
| H.S. or G.E.D.      | 567               | 55,461   | 316  | 45.5 | 40.0-51.0  | 251  | 54.5 | 49.0-60.0  |
| Some Post-H.S.      | 769               | 88,484   | 425  | 45.0 | 40.7-49.3  | 344  | 55.0 | 50.7-59.3  |
| College Graduate    | 1078              | 78,026   | 538  | 40.5 | 37.0-44.0  | 540  | 59.5 | 56.0-63.0  |
| Less than \$15,000  | 68                | 8,476    | 36   | 56.6 | 38.6-74.6  | 32   | 43.4 | 25.4-61.4  |
| \$15,000- 24,999    | 173               | 19,269   | 98   | 43.8 | 34.2-53.4  | 75   | 56.2 | 46.6-65.8  |
| \$25,000- 34,999    | 229               | 21,466   | 136  | 47.9 | 39.1-56.7  | 93   | 52.1 | 43.3-60.9  |
| \$35,000- 49,999    | 301               | 27,207   | 179  | 47.5 | 40.1-54.9  | 122  | 52.5 | 45.1-59.9  |
| \$50,000- 99,999    | 668               | 63,743   | 354  | 44.9 | 40.0-49.8  | 314  | 55.1 | 50.2-60.0  |
| \$100,000 - 199,999 | 434               | 44,587   | 161  | 34.5 | 28.8-40.2  | 273  | 65.5 | 59.8-71.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Yes, received Tdap |      |            | Yes, received tetanus shot but not Tdap |      |            |
|---------------------|-------------------|----------|--------------------|------|------------|-----------------------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                  | %    | C.I. (95%) | N                                       | %    | C.I. (95%) |
| TOTAL               | 3290              | 237,418  | 1980               | 56.1 | 53.9-58.3  | 1310                                    | 43.9 | 41.7-46.1  |
| Male                | 1503              | 117,369  | 860                | 52.6 | 49.5-55.7  | 643                                     | 47.4 | 44.3-50.5  |
| Female              | 1787              | 120,049  | 1120               | 59.4 | 56.7-62.1  | 667                                     | 40.6 | 37.9-43.3  |
| Native              | 82                | 7,276    | 54                 | 63.1 | 50.2-76.0  | 28                                      | 36.9 | 24.0-49.8  |
| Non-Native          | 3163              | 226,450  | 1900               | 55.8 | 53.6-58.0  | 1263                                    | 44.2 | 42.0-46.4  |
| 45-54               | 354               | 35,362   | 116                | 29.8 | 24.5-35.1  | 238                                     | 70.2 | 64.9-75.5  |
| 55-64               | 847               | 76,840   | 469                | 54.3 | 50.2-58.4  | 378                                     | 45.7 | 41.6-49.8  |
| 65+                 | 2089              | 125,216  | 1395               | 64.6 | 62.1-67.1  | 694                                     | 35.4 | 32.9-37.9  |
| Less Than H.S.      | 96                | 15,404   | 44                 | 41.7 | 30.3-53.1  | 52                                      | 58.3 | 46.9-69.7  |
| H.S. or G.E.D.      | 828               | 59,075   | 429                | 48.7 | 44.8-52.6  | 399                                     | 51.3 | 47.4-55.2  |
| Some Post-H.S.      | 1054              | 94,257   | 641                | 57.8 | 54.3-61.3  | 413                                     | 42.2 | 38.7-45.7  |
| College Graduate    | 1306              | 68,138   | 863                | 63.5 | 60.4-66.6  | 443                                     | 36.5 | 33.4-39.6  |
| Less than \$15,000  | 89                | 6,387    | 35                 | 34.9 | 23.1-46.7  | 54                                      | 65.1 | 53.3-76.9  |
| \$15,000- 24,999    | 200               | 15,284   | 97                 | 47.1 | 38.5-55.7  | 103                                     | 52.9 | 44.3-61.5  |
| \$25,000- 34,999    | 315               | 21,863   | 179                | 46.5 | 39.4-53.6  | 136                                     | 53.5 | 46.4-60.6  |
| \$35,000- 49,999    | 434               | 30,854   | 263                | 57.0 | 51.3-62.7  | 171                                     | 43.0 | 37.3-48.7  |
| \$50,000- 99,999    | 938               | 68,443   | 598                | 59.5 | 55.6-63.4  | 340                                     | 40.5 | 36.6-44.4  |
| \$100,000 - 199,999 | 539               | 40,617   | 348                | 61.6 | 56.7-66.5  | 191                                     | 38.4 | 33.5-43.3  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 11: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Yes, received Tdap |      |            | Yes, received tetanus shot but not Tdap |      |            |
|---------------------|-------------------|----------|--------------------|------|------------|-----------------------------------------|------|------------|
|                     | TOTAL             | WEIGHTED | N                  | %    | C.I. (95%) | N                                       | %    | C.I. (95%) |
| Male                | 1503              | 117,369  | 860                | 52.6 | 49.5-55.7  | 643                                     | 47.4 | 44.3-50.5  |
| Non-Native          | 1443              | 111,852  | 821                | 52.1 | 49.0-55.2  | 622                                     | 47.9 | 44.8-51.0  |
| 45-54               | 173               | 17,674   | 46                 | 26.1 | 18.8-33.4  | 127                                     | 73.9 | 66.6-81.2  |
| 55-64               | 405               | 40,897   | 212                | 50.5 | 44.8-56.2  | 193                                     | 49.5 | 43.8-55.2  |
| 65+                 | 925               | 58,797   | 602                | 62.1 | 58.4-65.8  | 323                                     | 37.9 | 34.2-41.6  |
| Less Than H.S.      | 51                | 8,518    | 22                 | 38.0 | 23.3-52.7  | 29                                      | 62.0 | 47.3-76.7  |
| H.S. or G.E.D.      | 400               | 31,696   | 193                | 45.8 | 40.1-51.5  | 207                                     | 54.2 | 48.5-59.9  |
| Some Post-H.S.      | 458               | 44,948   | 273                | 56.0 | 50.7-61.3  | 185                                     | 44.0 | 38.7-49.3  |
| College Graduate    | 591               | 31,790   | 372                | 59.3 | 54.6-64.0  | 219                                     | 40.7 | 36.0-45.4  |
| \$15,000- 24,999    | 66                | 5,079    | 29                 | 51.0 | 35.9-66.1  | 37                                      | 49.0 | 33.9-64.1  |
| \$25,000- 34,999    | 131               | 10,581   | 76                 | 46.6 | 35.6-57.6  | 55                                      | 53.4 | 42.4-64.4  |
| \$35,000- 49,999    | 199               | 14,858   | 107                | 53.1 | 44.9-61.3  | 92                                      | 46.9 | 38.7-55.1  |
| \$50,000- 99,999    | 469               | 37,292   | 279                | 53.7 | 48.2-59.2  | 190                                     | 46.3 | 40.8-51.8  |
| \$100,000 - 199,999 | 296               | 23,115   | 180                | 57.7 | 50.8-64.6  | 116                                     | 42.3 | 35.4-49.2  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes, received Tdap |      |            | Yes, received tetanus shot<br>but not Tdap |      |            |
|-----------------------|-------------------|----------|--------------------|------|------------|--------------------------------------------|------|------------|
|                       | TOTAL             | WEIGHTED | N                  | %    | C.I. (95%) | N                                          | %    | C.I. (95%) |
| Female                | 1787              | 120,049  | 1120               | 59.4 | 56.7-62.1  | 667                                        | 40.6 | 37.9-43.3  |
| Non-Native            | 1720              | 114,598  | 1079               | 59.4 | 56.5-62.3  | 641                                        | 40.6 | 37.7-43.5  |
| 45-54                 | 181               | 17,688   | 70                 | 33.6 | 26.2-41.0  | 111                                        | 66.4 | 59.0-73.8  |
| 55-64                 | 442               | 35,942   | 257                | 58.6 | 53.1-64.1  | 185                                        | 41.4 | 35.9-46.9  |
| 65+                   | 1164              | 66,419   | 793                | 66.8 | 63.5-70.1  | 371                                        | 33.2 | 29.9-36.5  |
| H.S. or G.E.D.        | 428               | 27,379   | 236                | 51.9 | 46.4-57.4  | 192                                        | 48.1 | 42.6-53.6  |
| Some Post-H.S.        | 596               | 49,309   | 368                | 59.5 | 54.8-64.2  | 228                                        | 40.5 | 35.8-45.2  |
| College Graduate      | 715               | 36,348   | 491                | 67.3 | 63.2-71.4  | 224                                        | 32.7 | 28.6-36.8  |
| \$15,000- 24,999      | 134               | 10,205   | 68                 | 45.2 | 34.8-55.6  | 66                                         | 54.8 | 44.4-65.2  |
| \$25,000- 34,999      | 184               | 11,282   | 103                | 46.4 | 37.2-55.6  | 81                                         | 53.6 | 44.4-62.8  |
| \$35,000- 49,999      | 235               | 15,997   | 156                | 60.6 | 52.8-68.4  | 79                                         | 39.4 | 31.6-47.2  |
| \$50,000- 99,999      | 469               | 31,151   | 319                | 66.3 | 61.2-71.4  | 150                                        | 33.7 | 28.6-38.8  |
| \$100,000 - 199,999   | 243               | 17,503   | 168                | 66.7 | 59.8-73.6  | 75                                         | 33.3 | 26.4-40.2  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 14: HIV/AIDS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE |                                                                                                                                                         | PAGE |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------|
|       | INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE<br>YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7) |      |
| 1     | MALES AND FEMALES                                                                                                                                       | 234  |
| 2     | MALES ONLY                                                                                                                                              | 235  |
| 3     | FEMALES ONLY                                                                                                                                            | 236  |
|       | NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)                                                             |      |
| 4     | MALES AND FEMALES                                                                                                                                       | 237  |
| 5     | MALES ONLY                                                                                                                                              | 238  |
| 6     | FEMALES ONLY                                                                                                                                            | 239  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 14: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 4981              | 525,755  | 1310 | 30.8 | 29.0-32.6  | 3671 | 69.2 | 67.4-71.0  |
| Male                  | 2441              | 269,340  | 660  | 29.1 | 26.7-31.5  | 1781 | 70.9 | 68.5-73.3  |
| Female                | 2540              | 256,416  | 650  | 32.5 | 30.0-35.0  | 1890 | 67.5 | 65.0-70.0  |
| Native                | 144               | 21,330   | 79   | 58.1 | 47.7-68.5  | 65   | 41.9 | 31.5-52.3  |
| Non-Native            | 4765              | 496,472  | 1211 | 29.7 | 27.9-31.5  | 3554 | 70.3 | 68.5-72.1  |
| 18-24                 | 265               | 74,133   | 69   | 27.0 | 20.9-33.1  | 196  | 73.0 | 66.9-79.1  |
| 25-34                 | 502               | 95,067   | 185  | 38.1 | 33.2-43.0  | 317  | 61.9 | 57.0-66.8  |
| 35-44                 | 656               | 89,953   | 303  | 48.1 | 43.8-52.4  | 353  | 51.9 | 47.6-56.2  |
| 45-54                 | 702               | 70,320   | 266  | 37.4 | 33.3-41.5  | 436  | 62.6 | 58.5-66.7  |
| 55-64                 | 835               | 75,582   | 238  | 29.2 | 25.5-32.9  | 597  | 70.8 | 67.1-74.5  |
| 65+                   | 2021              | 120,700  | 249  | 11.6 | 10.0-13.2  | 1772 | 88.4 | 86.8-90.0  |
| Less Than H.S.        | 153               | 39,881   | 34   | 28.0 | 19.0-37.0  | 119  | 72.0 | 63.0-81.0  |
| H.S. or G.E.D.        | 1241              | 137,133  | 304  | 28.6 | 25.3-31.9  | 937  | 71.4 | 68.1-74.7  |
| Some Post-H.S.        | 1551              | 200,933  | 425  | 32.9 | 30.0-35.8  | 1126 | 67.1 | 64.2-70.0  |
| College Graduate      | 2023              | 146,123  | 545  | 31.0 | 28.5-33.5  | 1478 | 69.0 | 66.5-71.5  |
| Less than \$15,000    | 136               | 16,711   | 53   | 53.4 | 41.6-65.2  | 83   | 46.6 | 34.8-58.4  |
| \$15,000- 24,999      | 278               | 33,269   | 83   | 35.1 | 27.7-42.5  | 195  | 64.9 | 57.5-72.3  |
| \$25,000- 34,999      | 413               | 44,127   | 105  | 32.9 | 26.4-39.4  | 308  | 67.1 | 60.6-73.6  |
| \$35,000- 49,999      | 562               | 54,618   | 136  | 29.2 | 24.1-34.3  | 426  | 70.8 | 65.7-75.9  |
| \$50,000- 99,999      | 1431              | 151,394  | 375  | 30.5 | 27.4-33.6  | 1056 | 69.5 | 66.4-72.6  |
| \$100,000 - 199,999   | 1042              | 111,675  | 318  | 33.2 | 29.7-36.7  | 724  | 66.8 | 63.3-70.3  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 14: HIV/AIDS**

**TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2441              | 269,340  | 660 | 29.1 | 26.7-31.5  | 1781 | 70.9 | 68.5-73.3  |
| Native                | 66                | 10,338   | 35  | 50.5 | 35.6-65.4  | 31   | 49.5 | 34.6-64.4  |
| Non-Native            | 2334              | 254,930  | 613 | 28.4 | 26.0-30.8  | 1721 | 71.6 | 69.2-74.0  |
| 18-24                 | 152               | 38,623   | 35  | 23.8 | 16.0-31.6  | 117  | 76.2 | 68.4-84.0  |
| 25-34                 | 279               | 51,870   | 83  | 29.6 | 23.7-35.5  | 196  | 70.4 | 64.5-76.3  |
| 35-44                 | 370               | 47,110   | 154 | 43.5 | 37.8-49.2  | 216  | 56.5 | 50.8-62.2  |
| 45-54                 | 356               | 36,400   | 130 | 35.9 | 30.2-41.6  | 226  | 64.1 | 58.4-69.8  |
| 55-64                 | 392               | 39,149   | 116 | 30.2 | 24.7-35.7  | 276  | 69.8 | 64.3-75.3  |
| 65+                   | 892               | 56,186   | 142 | 15.1 | 12.4-17.8  | 750  | 84.9 | 82.2-87.6  |
| Less Than H.S.        | 83                | 22,187   | 17  | 22.3 | 11.7-32.9  | 66   | 77.7 | 67.1-88.3  |
| H.S. or G.E.D.        | 672               | 78,602   | 187 | 29.1 | 25.0-33.2  | 485  | 70.9 | 66.8-75.0  |
| Some Post-H.S.        | 756               | 103,165  | 221 | 31.2 | 27.3-35.1  | 535  | 68.8 | 64.9-72.7  |
| College Graduate      | 923               | 64,146   | 233 | 28.3 | 24.8-31.8  | 690  | 71.7 | 68.2-75.2  |
| Less than \$15,000    | 61                | 6,769    | 20  | 40.8 | 23.7-57.9  | 41   | 59.2 | 42.1-76.3  |
| \$15,000- 24,999      | 100               | 11,889   | 28  | 28.1 | 16.5-39.7  | 72   | 71.9 | 60.3-83.5  |
| \$25,000- 34,999      | 182               | 21,320   | 53  | 32.8 | 23.8-41.8  | 129  | 67.2 | 58.2-76.2  |
| \$35,000- 49,999      | 263               | 26,553   | 64  | 27.4 | 20.7-34.1  | 199  | 72.6 | 65.9-79.3  |
| \$50,000- 99,999      | 747               | 83,401   | 194 | 28.0 | 23.9-32.1  | 553  | 72.0 | 67.9-76.1  |
| \$100,000 - 199,999   | 592               | 64,111   | 168 | 29.8 | 25.5-34.1  | 424  | 70.2 | 65.9-74.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 14: HIV/AIDS**

**TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2540              | 256,416  | 650 | 32.5 | 30.0-35.0  | 1890 | 67.5 | 65.0-70.0  |
| Native                | 78                | 10,992   | 44  | 65.4 | 51.9-78.9  | 34   | 34.6 | 21.1-48.1  |
| Non-Native            | 2431              | 241,541  | 598 | 31.1 | 28.6-33.6  | 1833 | 68.9 | 66.4-71.4  |
| 18-24                 | 113               | 35,510   | 34  | 30.5 | 21.3-39.7  | 79   | 69.5 | 60.3-78.7  |
| 25-34                 | 223               | 43,196   | 102 | 48.4 | 41.0-55.8  | 121  | 51.6 | 44.2-59.0  |
| 35-44                 | 286               | 42,843   | 149 | 53.2 | 46.5-59.9  | 137  | 46.8 | 40.1-53.5  |
| 45-54                 | 346               | 33,920   | 136 | 39.1 | 33.0-45.2  | 210  | 60.9 | 54.8-67.0  |
| 55-64                 | 443               | 36,433   | 122 | 28.1 | 23.0-33.2  | 321  | 71.9 | 66.8-77.0  |
| 65+                   | 1129              | 64,514   | 107 | 8.5  | 6.7-10.3   | 1022 | 91.5 | 89.7-93.3  |
| Less Than H.S.        | 70                | 17,694   | 17  | 35.2 | 20.7-49.7  | 53   | 64.8 | 50.3-79.3  |
| H.S. or G.E.D.        | 569               | 58,531   | 117 | 27.8 | 22.5-33.1  | 452  | 72.2 | 66.9-77.5  |
| Some Post-H.S.        | 795               | 97,768   | 204 | 34.6 | 30.1-39.1  | 591  | 65.4 | 60.9-69.9  |
| College Graduate      | 1100              | 81,976   | 312 | 33.0 | 29.5-36.5  | 788  | 67.0 | 63.5-70.5  |
| Less than \$15,000    | 75                | 9,942    | 33  | 62.1 | 46.6-77.6  | 42   | 37.9 | 22.4-53.4  |
| \$15,000- 24,999      | 178               | 21,380   | 55  | 39.0 | 29.6-48.4  | 123  | 61.0 | 51.6-70.4  |
| \$25,000- 34,999      | 231               | 22,807   | 52  | 33.1 | 23.9-42.3  | 179  | 66.9 | 57.7-76.1  |
| \$35,000- 49,999      | 299               | 28,065   | 72  | 31.0 | 23.6-38.4  | 227  | 69.0 | 61.6-76.4  |
| \$50,000- 99,999      | 684               | 67,993   | 181 | 33.6 | 28.9-38.3  | 503  | 66.4 | 61.7-71.1  |
| \$100,000 - 199,999   | 450               | 47,564   | 150 | 37.8 | 31.9-43.7  | 300  | 62.2 | 56.3-68.1  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**

**SECTION 14: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |           |      |            |           |      |            |           |      |            |           |      |            |      |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|------|------|------------|
|                     |                   |          | 1990 and before                  |      |            | 1991-2000 |      |            | 2001-2008 |      |            | 2009-2015 |      |            | 2016-2022 |      |            | 2023 |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL               | 992               | 129,268  | 34                               | 2.2  | 1.4- 3.0   | 101       | 7.1  | 5.5- 8.7   | 122       | 9.3  | 7.3-11.3   | 154       | 14.8 | 12.1-17.5  | 403       | 44.9 | 41.0-48.8  | 178  | 21.8 | 18.3-25.3  |
| Male                | 493               | 61,562   | 11                               | 1.8  | 0.6- 3.0   | 43        | 6.7  | 4.3- 9.1   | 58        | 9.3  | 6.6-12.0   | 72        | 13.8 | 10.3-17.3  | 202       | 44.1 | 38.8-49.4  | 107  | 24.2 | 19.3-29.1  |
| Female              | 499               | 67,705   | 23                               | 2.5  | 1.3- 3.7   | 58        | 7.4  | 5.0- 9.8   | 64        | 9.2  | 6.7-11.7   | 82        | 15.6 | 11.5-19.7  | 201       | 45.6 | 40.1-51.1  | 71   | 19.7 | 14.6-24.8  |
| Native              | 61                | 9,946    |                                  |      |            | 6         | 4.9  | 0.4- 9.4   | 3         | 3.0  | 0.0- 6.3   | 6         | 12.0 | 1.2-22.8   | 22        | 37.6 | 22.5-52.7  | 24   | 42.5 | 25.8-59.2  |
| Non-Native          | 922               | 118,245  | 34                               | 2.4  | 1.4- 3.4   | 93        | 7.2  | 5.4- 9.0   | 118       | 9.8  | 7.8-11.8   | 148       | 15.1 | 12.4-17.8  | 378       | 45.9 | 42.0-49.8  | 151  | 19.6 | 16.1-23.1  |
| 18-24               | 62                | 17,775   |                                  |      |            |           |      |            |           |      |            |           |      |            | 38        | 57.1 | 43.2-71.0  | 24   | 42.9 | 29.0-56.8  |
| 25-34               | 169               | 32,792   |                                  |      |            | 1         | 0.6  | 0.0- 1.8   | 3         | 1.2  | 0.0- 2.6   | 23        | 14.5 | 8.2-20.8   | 102       | 57.6 | 49.0-66.2  | 40   | 26.1 | 18.1-34.1  |
| 35-44               | 263               | 37,812   |                                  |      |            | 10        | 4.5  | 1.6- 7.4   | 37        | 12.8 | 8.7-16.9   | 58        | 22.6 | 16.5-28.7  | 111       | 41.5 | 34.8-48.2  | 47   | 18.6 | 13.1-24.1  |
| 45-54               | 206               | 19,418   | 4                                | 2.1  | 0.0- 4.6   | 38        | 17.5 | 11.8-23.2  | 41        | 20.1 | 13.6-26.6  | 33        | 13.8 | 8.9-18.7   | 68        | 36.7 | 29.1-44.3  | 22   | 9.8  | 5.5-14.1   |
| 55-64               | 159               | 13,473   | 19                               | 11.4 | 5.9-16.9   | 28        | 18.4 | 11.3-25.5  | 22        | 13.0 | 6.9-19.1   | 22        | 14.8 | 8.5-21.1   | 46        | 31.3 | 22.5-40.1  | 22   | 11.0 | 5.9-16.1   |
| 65+                 | 133               | 7,998    | 11                               | 10.7 | 3.4-18.0   | 24        | 17.0 | 9.2-24.8   | 19        | 13.4 | 6.9-19.9   | 18        | 14.0 | 7.1-20.9   | 38        | 24.9 | 16.7-33.1  | 23   | 20.0 | 11.2-28.8  |
| H.S. or G.E.D.      | 227               | 31,288   | 9                                | 3.0  | 0.8- 5.2   | 17        | 5.0  | 2.3- 7.7   | 22        | 8.2  | 4.5-11.9   | 23        | 10.4 | 5.5-15.3   | 114       | 50.4 | 42.6-58.2  | 42   | 23.0 | 15.4-30.6  |
| Some Post-H.S.      | 313               | 52,315   | 11                               | 2.2  | 0.6- 3.8   | 32        | 7.5  | 4.6-10.4   | 43        | 10.1 | 6.8-13.4   | 51        | 15.6 | 10.9-20.3  | 122       | 42.6 | 36.1-49.1  | 54   | 21.9 | 16.0-27.8  |
| College Graduate    | 427               | 37,730   | 13                               | 1.5  | 0.7- 2.3   | 52        | 9.6  | 6.7-12.5   | 56        | 10.1 | 7.4-12.8   | 73        | 16.4 | 12.5-20.3  | 157       | 44.0 | 38.5-49.5  | 76   | 18.4 | 14.3-22.5  |
| \$15,000- 24,999    | 60                | 9,701    | 2                                | 1.3  | 0.0- 3.3   | 4         | 2.5  | 0.0- 5.2   | 1         | 0.6  | 0.0- 1.8   | 2         | 2.0  | 0.0- 4.9   | 29        | 54.8 | 39.9-69.7  | 22   | 38.8 | 23.9-53.7  |
| \$25,000- 34,999    | 83                | 11,472   | 2                                | 1.0  | 0.0- 2.4   | 9         | 6.5  | 1.6-11.4   | 7         | 7.4  | 1.1-13.7   | 8         | 9.2  | 2.3-16.1   | 42        | 54.0 | 41.1-66.9  | 15   | 21.8 | 10.0-33.6  |
| \$35,000- 49,999    | 102               | 12,234   | 5                                | 5.0  | 0.1- 9.9   | 11        | 9.1  | 3.0-15.2   | 10        | 7.5  | 2.6-12.4   | 14        | 11.5 | 4.6-18.4   | 43        | 48.3 | 36.7-59.9  | 19   | 18.6 | 9.6-27.6   |
| \$50,000- 99,999    | 289               | 37,379   | 9                                | 1.8  | 0.4- 3.2   | 32        | 6.9  | 4.0- 9.8   | 40        | 10.9 | 7.0-14.8   | 59        | 20.5 | 14.4-26.6  | 109       | 44.2 | 37.1-51.3  | 40   | 15.8 | 10.3-21.3  |
| \$100,000 - 199,999 | 263               | 31,910   | 8                                | 1.3  | 0.3- 2.3   | 27        | 9.1  | 5.2-13.0   | 46        | 13.5 | 9.2-17.8   | 41        | 15.7 | 10.4-21.0  | 99        | 40.2 | 32.9-47.5  | 42   | 20.3 | 13.0-27.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**

**SECTION 14: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |           |      |            |           |      |            |           |      |            |           |      |            |      |      |            |
|---------------------|-------------------|----------|----------------------------------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|------|------|------------|
|                     |                   |          | 1990 and before                  |      |            | 1991-2000 |      |            | 2001-2008 |      |            | 2009-2015 |      |            | 2016-2022 |      |            | 2023 |      |            |
|                     | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                | 493               | 61,562   | 11                               | 1.8  | 0.6- 3.0   | 43        | 6.7  | 4.3- 9.1   | 58        | 9.3  | 6.6-12.0   | 72        | 13.8 | 10.3-17.3  | 202       | 44.1 | 38.8-49.4  | 107  | 24.2 | 19.3-29.1  |
| Non-Native          | 460               | 57,543   | 11                               | 2.0  | 0.6- 3.4   | 40        | 6.7  | 4.3- 9.1   | 57        | 9.9  | 7.0-12.8   | 68        | 13.6 | 10.1-17.1  | 188       | 44.2 | 38.7-49.7  | 96   | 23.6 | 18.5-28.7  |
| 25-34               | 80                | 14,809   |                                  |      |            | 1         | 1.3  | 0.0- 3.8   | 2         | 1.9  | 0.0- 4.6   | 12        | 15.5 | 6.7-24.3   | 45        | 55.7 | 43.9-67.5  | 20   | 25.6 | 15.0-36.2  |
| 35-44               | 128               | 16,812   |                                  |      |            | 3         | 2.7  | 0.0- 5.8   | 23        | 17.0 | 10.1-23.9  | 28        | 21.4 | 13.4-29.4  | 47        | 38.1 | 28.9-47.3  | 27   | 20.9 | 13.1-28.7  |
| 45-54               | 103               | 10,034   | 2                                | 1.2  | 0.0- 3.0   | 19        | 18.3 | 9.7-26.9   | 13        | 13.3 | 5.3-21.3   | 12        | 10.6 | 4.5-16.7   | 39        | 40.5 | 29.9-51.1  | 18   | 16.1 | 8.5-23.7   |
| 55-64               | 74                | 6,299    | 4                                | 8.2  | 0.0-16.4   | 10        | 16.9 | 6.9-26.9   | 13        | 14.3 | 6.5-22.1   | 11        | 15.8 | 6.8-24.8   | 26        | 33.8 | 21.6-46.0  | 10   | 11.1 | 3.8-18.4   |
| 65+                 | 75                | 4,781    | 5                                | 10.2 | 0.0-20.6   | 10        | 12.1 | 3.7-20.5   | 7         | 7.8  | 1.7-13.9   | 9         | 11.8 | 3.2-20.4   | 26        | 32.0 | 20.0-44.0  | 18   | 26.1 | 13.9-38.3  |
| H.S. or G.E.D.      | 134               | 17,316   | 4                                | 3.0  | 0.0- 6.1   | 7         | 4.7  | 0.6- 8.8   | 14        | 9.3  | 4.4-14.2   | 13        | 9.1  | 3.8-14.4   | 69        | 50.1 | 40.1-60.1  | 27   | 23.8 | 14.0-33.6  |
| Some Post-H.S.      | 169               | 25,827   | 3                                | 1.6  | 0.0- 3.6   | 16        | 7.2  | 3.5-10.9   | 20        | 9.4  | 4.9-13.9   | 29        | 15.7 | 9.8-21.6   | 67        | 41.3 | 32.9-49.7  | 34   | 24.7 | 16.5-32.9  |
| College Graduate    | 176               | 14,562   | 4                                | 1.3  | 0.0- 2.7   | 20        | 9.9  | 5.2-14.6   | 23        | 9.8  | 5.7-13.9   | 26        | 13.2 | 7.9-18.5   | 60        | 40.7 | 32.1-49.3  | 43   | 25.0 | 17.9-32.1  |
| \$50,000- 99,999    | 138               | 17,759   | 2                                | 1.5  | 0.0- 3.7   | 14        | 6.3  | 2.4-10.2   | 21        | 10.0 | 5.3-14.7   | 25        | 18.5 | 10.5-26.5  | 51        | 41.1 | 30.9-51.3  | 25   | 22.6 | 13.0-32.2  |
| \$100,000 - 199,999 | 141               | 16,474   | 3                                | 0.7  | 0.0- 1.5   | 14        | 9.8  | 4.3-15.3   | 19        | 12.1 | 6.2-18.0   | 20        | 13.7 | 7.4-20.0   | 57        | 44.7 | 35.3-54.1  | 28   | 19.1 | 11.8-26.4  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**

**SECTION 14: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |      |            |           |      |            |           |      |            |           |      |            |           |      |            |      |      |            |
|-----------------------|-------------------|----------|----------------------------------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|-----------|------|------------|------|------|------------|
|                       |                   |          | 1990 and before                  |      |            | 1991-2000 |      |            | 2001-2008 |      |            | 2009-2015 |      |            | 2016-2022 |      |            | 2023 |      |            |
|                       | TOTAL             | WEIGHTED | N                                | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N         | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 499               | 67,705   | 23                               | 2.5  | 1.3- 3.7   | 58        | 7.4  | 5.0- 9.8   | 64        | 9.2  | 6.7-11.7   | 82        | 15.6 | 11.5-19.7  | 201       | 45.6 | 40.1-51.1  | 71   | 19.7 | 14.6-24.8  |
| Non-Native            | 462               | 60,702   | 23                               | 2.8  | 1.4- 4.2   | 53        | 7.7  | 5.3-10.1   | 61        | 9.7  | 6.8-12.6   | 80        | 16.6 | 12.3-20.9  | 190       | 47.4 | 41.7-53.1  | 55   | 15.8 | 11.1-20.5  |
| 25-34                 | 89                | 17,983   |                                  |      |            |           |      |            | 1         | 0.6  | 0.0- 1.8   | 11        | 13.7 | 4.9-22.5   | 57        | 59.1 | 46.6-71.6  | 20   | 26.6 | 14.6-38.6  |
| 35-44                 | 135               | 21,000   |                                  |      |            | 7         | 6.0  | 1.3-10.7   | 14        | 9.4  | 4.3-14.5   | 30        | 23.6 | 14.6-32.6  | 64        | 44.2 | 34.6-53.8  | 20   | 16.8 | 9.2-24.4   |
| 45-54                 | 103               | 9,385    | 2                                | 3.0  | 0.0- 8.1   | 19        | 16.7 | 9.3-24.1   | 28        | 27.3 | 17.1-37.5  | 21        | 17.2 | 9.6-24.8   | 29        | 32.7 | 21.9-43.5  | 4    | 3.0  | 0.0- 6.3   |
| 55-64                 | 85                | 7,174    | 15                               | 14.3 | 6.7-21.9   | 18        | 19.8 | 10.0-29.6  | 9         | 11.9 | 2.5-21.3   | 11        | 14.0 | 5.4-22.6   | 20        | 29.2 | 16.3-42.1  | 12   | 10.9 | 4.0-17.8   |
| 65+                   | 58                | 3,217    | 6                                | 11.5 | 1.7-21.3   | 14        | 24.3 | 10.2-38.4  | 12        | 21.7 | 9.2-34.2   | 9         | 17.3 | 5.7-28.9   | 12        | 14.3 | 5.3-23.3   | 5    | 11.0 | 0.0-22.8   |
| H.S. or G.E.D.        | 93                | 13,972   | 5                                | 3.0  | 0.3- 5.7   | 10        | 5.4  | 1.7- 9.1   | 8         | 6.9  | 1.2-12.6   | 10        | 12.0 | 3.4-20.6   | 45        | 50.9 | 38.4-63.4  | 15   | 21.9 | 9.7-34.1   |
| Some Post-H.S.        | 144               | 26,488   | 8                                | 2.8  | 0.4- 5.2   | 16        | 7.9  | 3.6-12.2   | 23        | 10.8 | 5.9-15.7   | 22        | 15.4 | 7.8-23.0   | 55        | 43.9 | 34.3-53.5  | 20   | 19.2 | 11.0-27.4  |
| College Graduate      | 251               | 23,169   | 9                                | 1.6  | 0.4- 2.8   | 32        | 9.5  | 5.8-13.2   | 33        | 10.3 | 6.4-14.2   | 47        | 18.4 | 12.9-23.9  | 97        | 46.1 | 39.0-53.2  | 33   | 14.2 | 9.1-19.3   |
| \$35,000- 49,999      | 56                | 6,447    | 3                                | 3.5  | 0.0- 8.2   | 8         | 10.7 | 1.7-19.7   | 6         | 8.3  | 1.0-15.6   | 9         | 11.6 | 3.0-20.2   | 21        | 46.4 | 30.3-62.5  | 9    | 19.7 | 6.8-32.6   |
| \$50,000- 99,999      | 151               | 19,620   | 7                                | 2.1  | 0.5- 3.7   | 18        | 7.5  | 3.4-11.6   | 19        | 11.6 | 5.5-17.7   | 34        | 22.3 | 13.7-30.9  | 58        | 46.9 | 37.1-56.7  | 15   | 9.6  | 4.3-14.9   |
| \$100,000 - 199,999   | 122               | 15,436   | 5                                | 1.9  | 0.1- 3.7   | 13        | 8.3  | 3.0-13.6   | 27        | 15.0 | 8.7-21.3   | 21        | 17.8 | 9.2-26.4   | 42        | 35.3 | 24.7-45.9  | 14   | 21.6 | 9.3-33.9   |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 15: SEATBELT USE AND DRINKING AND DRIVING CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE |                                                                                                               | PAGE |
|-------|---------------------------------------------------------------------------------------------------------------|------|
|       | HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)                    |      |
| 1     | MALES AND FEMALES                                                                                             | 241  |
| 2     | MALES ONLY                                                                                                    | 242  |
| 3     | FEMALES ONLY                                                                                                  | 243  |
|       | DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2) |      |
| 4     | MALES AND FEMALES                                                                                             | 244  |
| 5     | MALES ONLY                                                                                                    | 245  |
| 6     | FEMALES ONLY                                                                                                  | 246  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 15: SEATBELT USE AND DRINKING AND DRIVING**  
**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N    | Always |            | Nearly Always |      |            | Sometimes |     |            | Seldom |     |            | Never |     |            | Never drive<br>Ride in Car |     |            |
|---------------------|-------------------|----------|------|--------|------------|---------------|------|------------|-----------|-----|------------|--------|-----|------------|-------|-----|------------|----------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED |      | %      | C.I. (95%) | N             | %    | C.I. (95%) | N         | %   | C.I. (95%) | N      | %   | C.I. (95%) | N     | %   | C.I. (95%) | N                          | %   | C.I. (95%) |
| TOTAL               | 5222              | 551,015  | 3996 | 74.7   | 73.1-76.3  | 757           | 15.3 | 14.1-16.5  | 259       | 5.3 | 4.5- 6.1   | 85     | 1.6 | 1.2- 2.0   | 118   | 3.0 | 2.2- 3.8   | 7                          | 0.1 | 0.0- 0.3   |
| Male                | 2563              | 283,842  | 1802 | 69.6   | 67.4-71.8  | 441           | 17.7 | 15.9-19.5  | 179       | 6.6 | 5.4- 7.8   | 53     | 1.9 | 1.3- 2.5   | 85    | 4.0 | 2.8- 5.2   | 3                          | 0.1 | 0.0- 0.3   |
| Female              | 2659              | 267,174  | 2194 | 80.0   | 77.8-82.2  | 316           | 12.8 | 11.0-14.6  | 80        | 3.8 | 2.8- 4.8   | 32     | 1.3 | 0.7- 1.9   | 33    | 2.0 | 1.0- 3.0   | 4                          | 0.1 | 0.0- 0.3   |
| Native              | 146               | 21,417   | 104  | 72.6   | 63.0-82.2  | 24            | 11.9 | 6.0-17.8   | 10        | 5.9 | 1.8-10.0   |        |     |            | 8     | 9.6 | 1.6-17.6   |                            |     |            |
| Non-Native          | 5000              | 521,332  | 3837 | 74.9   | 73.3-76.5  | 723           | 15.5 | 14.1-16.9  | 244       | 5.2 | 4.4- 6.0   | 84     | 1.7 | 1.3- 2.1   | 105   | 2.7 | 2.1- 3.3   | 7                          | 0.1 | 0.0- 0.3   |
| 18-24               | 281               | 79,361   | 206  | 75.7   | 70.4-81.0  | 43            | 14.2 | 9.9-18.5   | 19        | 5.5 | 3.0- 8.0   | 3      | 1.3 | 0.0- 3.1   | 10    | 3.2 | 1.0- 5.4   |                            |     |            |
| 25-34               | 524               | 98,925   | 375  | 69.8   | 65.3-74.3  | 95            | 18.4 | 14.7-22.1  | 33        | 6.8 | 4.3- 9.3   | 10     | 1.7 | 0.5- 2.9   | 11    | 3.4 | 1.0- 5.8   |                            |     |            |
| 35-44               | 681               | 93,155   | 496  | 72.8   | 69.1-76.5  | 120           | 16.9 | 13.8-20.0  | 36        | 4.9 | 3.1- 6.7   | 10     | 1.5 | 0.5- 2.5   | 19    | 3.9 | 1.9- 5.9   |                            |     |            |
| 45-54               | 730               | 72,967   | 554  | 76.2   | 72.7-79.7  | 109           | 14.2 | 11.5-16.9  | 32        | 4.5 | 2.9- 6.1   | 11     | 1.9 | 0.7- 3.1   | 23    | 3.2 | 1.8- 4.6   | 1                          | 0.1 | 0.0- 0.3   |
| 55-64               | 872               | 79,212   | 659  | 73.9   | 70.2-77.6  | 124           | 14.9 | 11.8-18.0  | 45        | 5.1 | 3.3- 6.9   | 21     | 2.3 | 1.1- 3.5   | 22    | 3.5 | 1.5- 5.5   | 1                          | 0.3 | 0.0- 0.9   |
| 65+                 | 2134              | 127,396  | 1706 | 78.9   | 76.7-81.1  | 266           | 13.4 | 11.6-15.2  | 94        | 4.7 | 3.5- 5.9   | 30     | 1.1 | 0.7- 1.5   | 33    | 1.6 | 1.0- 2.2   | 5                          | 0.2 | 0.0- 0.4   |
| Less Than H.S.      | 158               | 40,425   | 106  | 66.5   | 57.5-75.5  | 25            | 16.9 | 10.0-23.8  | 9         | 4.1 | 0.8- 7.4   | 5      | 3.1 | 0.0- 6.8   | 12    | 8.8 | 3.3-14.3   | 1                          | 0.6 | 0.0- 1.8   |
| H.S. or G.E.D.      | 1290              | 142,323  | 929  | 72.9   | 70.0-75.8  | 187           | 14.0 | 11.6-16.4  | 98        | 7.5 | 5.7- 9.3   | 28     | 1.7 | 0.9- 2.5   | 45    | 3.8 | 2.4- 5.2   | 3                          | 0.1 | 0.0- 0.3   |
| Some Post-H.S.      | 1629              | 212,300  | 1202 | 72.5   | 69.8-75.2  | 266           | 17.3 | 14.9-19.7  | 87        | 5.6 | 4.2- 7.0   | 33     | 1.8 | 1.0- 2.6   | 41    | 2.8 | 1.6- 4.0   |                            |     |            |
| College Graduate    | 2129              | 154,020  | 1747 | 81.6   | 79.6-83.6  | 279           | 13.6 | 11.8-15.4  | 62        | 3.1 | 2.3- 3.9   | 19     | 0.8 | 0.4- 1.2   | 19    | 0.9 | 0.5- 1.3   | 3                          | 0.1 | 0.1- 0.1   |
| Less than \$15,000  | 139               | 16,965   | 96   | 72.5   | 62.1-82.9  | 17            | 7.5  | 3.2-11.8   | 9         | 9.0 | 1.6-16.4   | 4      | 1.1 | 0.0- 2.5   | 12    | 9.7 | 2.4-17.0   | 1                          | 0.1 | 0.0- 0.3   |
| \$15,000- 24,999    | 285               | 33,554   | 200  | 70.2   | 63.3-77.1  | 41            | 13.4 | 8.5-18.3   | 21        | 7.6 | 4.1-11.1   | 4      | 1.5 | 0.0- 3.1   | 17    | 6.5 | 2.0-11.0   | 2                          | 0.8 | 0.0- 2.2   |
| \$25,000- 34,999    | 435               | 46,612   | 331  | 71.2   | 65.1-77.3  | 58            | 16.1 | 11.2-21.0  | 27        | 7.5 | 4.0-11.0   | 5      | 1.0 | 0.0- 2.0   | 12    | 4.0 | 1.1- 6.9   | 2                          | 0.2 | 0.0- 0.4   |
| \$35,000- 49,999    | 587               | 57,066   | 446  | 74.7   | 70.0-79.4  | 89            | 15.0 | 11.5-18.5  | 32        | 5.9 | 3.5- 8.3   | 9      | 2.1 | 0.0- 4.6   | 11    | 2.3 | 0.5- 4.1   |                            |     |            |
| \$50,000- 99,999    | 1486              | 156,603  | 1115 | 73.4   | 70.5-76.3  | 239           | 17.9 | 15.4-20.4  | 80        | 5.0 | 3.8- 6.2   | 25     | 1.5 | 0.9- 2.1   | 27    | 2.2 | 1.2- 3.2   |                            |     |            |
| \$100,000 - 199,999 | 1100              | 118,624  | 870  | 78.2   | 75.3-81.1  | 163           | 14.6 | 12.2-17.0  | 38        | 3.9 | 2.5- 5.3   | 13     | 1.1 | 0.3- 1.9   | 16    | 2.1 | 0.7- 3.5   |                            |     |            |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 15: SEATBELT USE AND DRINKING AND DRIVING**  
**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**  
**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N    | Always |            | Nearly Always |      |            | Sometimes |      |            | Seldom |     |            | Never |      |            | Never drive<br>Ride in Car |     |            |
|---------------------|-------------------|----------|------|--------|------------|---------------|------|------------|-----------|------|------------|--------|-----|------------|-------|------|------------|----------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED |      | %      | C.I. (95%) | N             | %    | C.I. (95%) | N         | %    | C.I. (95%) | N      | %   | C.I. (95%) | N     | %    | C.I. (95%) | N                          | %   | C.I. (95%) |
| Male                | 2563              | 283,842  | 1802 | 69.6   | 67.4-71.8  | 441           | 17.7 | 15.9-19.5  | 179       | 6.6  | 5.4- 7.8   | 53     | 1.9 | 1.3- 2.5   | 85    | 4.0  | 2.8- 5.2   | 3                          | 0.1 | 0.0- 0.3   |
| Native              | 67                | 10,400   | 46   | 67.5   | 52.6-82.4  | 11            | 12.6 | 4.2-21.0   | 5         | 5.7  | 0.4-11.0   |        |     |            | 5     | 14.2 | 0.0-28.7   |                            |     |            |
| Non-Native          | 2452              | 269,075  | 1727 | 69.7   | 67.3-72.1  | 423           | 17.9 | 15.9-19.9  | 169       | 6.6  | 5.4- 7.8   | 53     | 2.0 | 1.4- 2.6   | 77    | 3.7  | 2.7- 4.7   | 3                          | 0.1 | 0.0- 0.3   |
| 18-24               | 162               | 42,060   | 112  | 71.5   | 64.1-78.9  | 30            | 17.8 | 11.5-24.1  | 11        | 5.4  | 2.3- 8.5   | 1      | 0.5 | 0.0- 1.5   | 8     | 4.8  | 1.3- 8.3   |                            |     |            |
| 25-34               | 291               | 54,246   | 196  | 67.4   | 61.3-73.5  | 60            | 20.7 | 15.6-25.8  | 22        | 7.4  | 4.1-10.7   | 6      | 1.6 | 0.2- 3.0   | 7     | 2.9  | 0.2- 5.6   |                            |     |            |
| 35-44               | 379               | 48,032   | 261  | 68.2   | 62.9-73.5  | 67            | 16.7 | 12.6-20.8  | 27        | 6.9  | 4.2- 9.6   | 9      | 2.7 | 0.7- 4.7   | 15    | 5.5  | 2.4- 8.6   |                            |     |            |
| 45-54               | 374               | 38,222   | 264  | 70.5   | 65.2-75.8  | 66            | 17.2 | 12.9-21.5  | 20        | 5.6  | 3.1- 8.1   | 6      | 2.2 | 0.2- 4.2   | 18    | 4.5  | 2.3- 6.7   |                            |     |            |
| 55-64               | 416               | 41,781   | 287  | 69.1   | 63.6-74.6  | 72            | 16.2 | 12.1-20.3  | 30        | 6.5  | 4.0- 9.0   | 11     | 2.7 | 0.9- 4.5   | 15    | 4.9  | 1.6- 8.2   | 1                          | 0.6 | 0.0- 1.8   |
| 65+                 | 941               | 59,501   | 682  | 71.2   | 67.7-74.7  | 146           | 17.2 | 14.3-20.1  | 69        | 7.3  | 5.3- 9.3   | 20     | 1.7 | 0.9- 2.5   | 22    | 2.5  | 1.3- 3.7   | 2                          | 0.1 | 0.0- 0.3   |
| Less Than H.S.      | 86                | 22,483   | 55   | 70.1   | 58.9-81.3  | 15            | 14.8 | 6.8-22.8   | 5         | 2.2  | 0.0- 4.4   | 2      | 0.5 | 0.0- 1.3   | 8     | 11.5 | 2.9-20.1   | 1                          | 1.0 | 0.0- 3.0   |
| H.S. or G.E.D.      | 694               | 81,438   | 463  | 69.7   | 65.8-73.6  | 115           | 15.3 | 12.2-18.4  | 71        | 9.2  | 6.8-11.6   | 16     | 1.8 | 0.8- 2.8   | 28    | 4.0  | 2.4- 5.6   | 1                          | 0.0 | 0.0- 0.0   |
| Some Post-H.S.      | 799               | 110,257  | 518  | 64.9   | 61.0-68.8  | 167           | 21.6 | 18.3-24.9  | 59        | 7.1  | 4.9- 9.3   | 23     | 2.7 | 1.3- 4.1   | 32    | 3.6  | 2.0- 5.2   |                            |     |            |
| College Graduate    | 975               | 68,206   | 760  | 77.3   | 74.2-80.4  | 144           | 15.7 | 13.0-18.4  | 42        | 4.2  | 2.8- 5.6   | 12     | 1.1 | 0.5- 1.7   | 16    | 1.8  | 0.8- 2.8   | 1                          | 0.0 | 0.0- 0.0   |
| Less than \$15,000  | 63                | 7,009    | 39   | 68.0   | 54.3-81.7  | 7             | 10.7 | 1.9-19.5   | 5         | 7.2  | 0.3-14.1   | 3      | 2.5 | 0.0- 5.8   | 8     | 11.3 | 2.3-20.3   | 1                          | 0.3 | 0.0- 0.9   |
| \$15,000- 24,999    | 103               | 12,038   | 64   | 60.0   | 47.3-72.7  | 13            | 11.7 | 4.4-19.0   | 14        | 14.3 | 6.1-22.5   | 1      | 0.3 | 0.0- 0.9   | 9     | 11.6 | 0.6-22.6   | 2                          | 2.2 | 0.0- 5.9   |
| \$25,000- 34,999    | 195               | 22,924   | 134  | 68.0   | 59.4-76.6  | 33            | 17.1 | 10.4-23.8  | 16        | 6.3  | 2.2-10.4   | 2      | 1.1 | 0.0- 2.9   | 10    | 7.5  | 1.6-13.4   |                            |     |            |
| \$35,000- 49,999    | 274               | 27,684   | 197  | 71.0   | 64.3-77.7  | 41            | 15.4 | 10.1-20.7  | 23        | 8.6  | 4.5-12.7   | 5      | 1.1 | 0.0- 2.3   | 8     | 3.8  | 0.5- 7.1   |                            |     |            |
| \$50,000- 99,999    | 770               | 85,889   | 531  | 68.0   | 63.9-72.1  | 149           | 21.1 | 17.4-24.8  | 54        | 6.0  | 4.2- 7.8   | 14     | 1.6 | 0.6- 2.6   | 22    | 3.2  | 1.6- 4.8   |                            |     |            |
| \$100,000 - 199,999 | 631               | 69,121   | 472  | 75.0   | 71.1-78.9  | 103           | 15.5 | 12.4-18.6  | 31        | 5.4  | 3.2- 7.6   | 11     | 1.7 | 0.5- 2.9   | 14    | 2.4  | 1.0- 3.8   |                            |     |            |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 15: SEATBELT USE AND DRINKING AND DRIVING**  
**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**  
**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | N    | Always |            | Nearly Always |      |            | Sometimes |      |            | Seldom |     |            | Never |     |            | Never drive<br>Ride in Car |     |            |
|---------------------|-------------------|----------|------|--------|------------|---------------|------|------------|-----------|------|------------|--------|-----|------------|-------|-----|------------|----------------------------|-----|------------|
|                     | TOTAL             | WEIGHTED |      | %      | C.I. (95%) | N             | %    | C.I. (95%) | N         | %    | C.I. (95%) | N      | %   | C.I. (95%) | N     | %   | C.I. (95%) | N                          | %   | C.I. (95%) |
| Female              | 2659              | 267,174  | 2194 | 80.0   | 77.8-82.2  | 316           | 12.8 | 11.0-14.6  | 80        | 3.8  | 2.8- 4.8   | 32     | 1.3 | 0.7- 1.9   | 33    | 2.0 | 1.0- 3.0   | 4                          | 0.1 | 0.0- 0.3   |
| Native              | 79                | 11,017   | 58   | 77.5   | 65.9-89.1  | 13            | 11.2 | 3.0-19.4   | 5         | 6.1  | 0.0-12.4   |        |     |            | 3     | 5.2 | 0.0-11.5   |                            |     |            |
| Non-Native          | 2548              | 252,257  | 2110 | 80.3   | 78.1-82.5  | 300           | 12.8 | 11.0-14.6  | 75        | 3.8  | 2.8- 4.8   | 31     | 1.3 | 0.5- 2.1   | 28    | 1.6 | 0.8- 2.4   | 4                          | 0.1 | 0.0- 0.3   |
| 18-24               | 119               | 37,301   | 94   | 80.4   | 72.8-88.0  | 13            | 10.1 | 4.4-15.8   | 8         | 5.7  | 1.6- 9.8   | 2      | 2.3 | 0.0- 6.0   | 2     | 1.5 | 0.0- 3.5   |                            |     |            |
| 25-34               | 233               | 44,679   | 179  | 72.6   | 65.7-79.5  | 35            | 15.5 | 10.0-21.0  | 11        | 6.0  | 2.1- 9.9   | 4      | 1.8 | 0.0- 3.8   | 4     | 4.0 | 0.0- 8.1   |                            |     |            |
| 35-44               | 302               | 45,123   | 235  | 77.7   | 72.2-83.2  | 53            | 17.1 | 12.4-21.8  | 9         | 2.8  | 0.8- 4.8   | 1      | 0.2 | 0.0- 0.6   | 4     | 2.1 | 0.0- 4.5   |                            |     |            |
| 45-54               | 356               | 34,746   | 290  | 82.3   | 78.0-86.6  | 43            | 10.9 | 7.4-14.4   | 12        | 3.2  | 1.4- 5.0   | 5      | 1.5 | 0.1- 2.9   | 5     | 1.9 | 0.1- 3.7   | 1                          | 0.2 | 0.0- 0.6   |
| 55-64               | 456               | 37,431   | 372  | 79.2   | 74.1-84.3  | 52            | 13.5 | 8.8-18.2   | 15        | 3.6  | 1.4- 5.8   | 10     | 1.8 | 0.6- 3.0   | 7     | 2.0 | 0.4- 3.6   |                            |     |            |
| 65+                 | 1193              | 67,895   | 1024 | 85.6   | 83.1-88.1  | 120           | 10.1 | 7.9-12.3   | 25        | 2.5  | 1.3- 3.7   | 10     | 0.6 | 0.0- 1.2   | 11    | 0.9 | 0.3- 1.5   | 3                          | 0.3 | 0.0- 0.7   |
| Less Than H.S.      | 72                | 17,942   | 51   | 62.1   | 48.0-76.2  | 10            | 19.6 | 8.0-31.2   | 4         | 6.5  | 0.0-13.4   | 3      | 6.4 | 0.0-14.6   | 4     | 5.5 | 0.0-11.6   |                            |     |            |
| H.S. or G.E.D.      | 596               | 60,885   | 466  | 77.1   | 72.6-81.6  | 72            | 12.2 | 8.7-15.7   | 27        | 5.1  | 2.7- 7.5   | 12     | 1.7 | 0.5- 2.9   | 17    | 3.5 | 1.1- 5.9   | 2                          | 0.3 | 0.0- 0.7   |
| Some Post-H.S.      | 830               | 102,043  | 684  | 80.7   | 77.2-84.2  | 99            | 12.6 | 9.7-15.5   | 28        | 4.0  | 2.2- 5.8   | 10     | 0.8 | 0.2- 1.4   | 9     | 1.9 | 0.3- 3.5   |                            |     |            |
| College Graduate    | 1154              | 85,814   | 987  | 85.0   | 82.5-87.5  | 135           | 12.0 | 9.8-14.2   | 20        | 2.2  | 1.0- 3.4   | 7      | 0.5 | 0.0- 1.1   | 3     | 0.3 | 0.0- 0.7   | 2                          | 0.1 | 0.0- 0.3   |
| Less than \$15,000  | 76                | 9,955    | 57   | 75.7   | 60.8-90.6  | 10            | 5.2  | 1.3- 9.1   | 4         | 10.3 | 0.0-22.1   | 1      | 0.2 | 0.0- 0.6   | 4     | 8.6 | 0.0-19.2   |                            |     |            |
| \$15,000- 24,999    | 182               | 21,515   | 136  | 75.8   | 68.2-83.4  | 28            | 14.4 | 7.9-20.9   | 7         | 3.9  | 0.8- 7.0   | 3      | 2.2 | 0.0- 4.7   | 8     | 3.7 | 0.6- 6.8   |                            |     |            |
| \$25,000- 34,999    | 240               | 23,688   | 197  | 74.3   | 65.9-82.7  | 25            | 15.1 | 8.0-22.2   | 11        | 8.7  | 3.0-14.4   | 3      | 0.9 | 0.0- 1.9   | 2     | 0.6 | 0.0- 1.4   | 2                          | 0.4 | 0.0- 1.0   |
| \$35,000- 49,999    | 313               | 29,382   | 249  | 78.1   | 71.6-84.6  | 48            | 14.6 | 9.7-19.5   | 9         | 3.3  | 0.8- 5.8   | 4      | 3.1 | 0.0- 7.8   | 3     | 0.9 | 0.0- 2.5   |                            |     |            |
| \$50,000- 99,999    | 716               | 70,714   | 584  | 80.0   | 75.9-84.1  | 90            | 14.0 | 10.3-17.7  | 26        | 3.6  | 2.0- 5.2   | 11     | 1.4 | 0.4- 2.4   | 5     | 0.9 | 0.1- 1.7   |                            |     |            |
| \$100,000 - 199,999 | 469               | 49,504   | 398  | 82.6   | 78.1-87.1  | 60            | 13.4 | 9.9-16.9   | 7         | 1.9  | 0.3- 3.5   | 2      | 0.3 | 0.0- 0.9   | 2     | 1.7 | 0.0- 4.2   |                            |     |            |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 15: SEATBELT USE AND DRINKING AND DRIVING**  
**TABLE 4: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |           |            |            |     |            |             |     |            |      |      |            |
|-----------------------|-------------------|----------|----------------------------------|-----------|------------|------------|-----|------------|-------------|-----|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N                                | 1-5 Times |            | 6-10 Times |     |            | 11-30 Times |     |            | None |      |            |
|                       |                   |          |                                  | %         | C.I. (95%) | N          | %   | C.I. (95%) | N           | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 3073              | 323,891  | 123                              | 4.1       | 3.3- 4.9   | 5          | 0.3 | 0.1- 0.5   | 1           | 0.0 | 0.0- 0.0   | 2944 | 95.6 | 94.6-96.6  |
| Male                  | 1675              | 180,627  | 92                               | 5.9       | 4.5- 7.3   | 3          | 0.2 | 0.0- 0.4   | 1           | 0.0 | 0.0- 0.0   | 1579 | 93.8 | 92.4-95.2  |
| Female                | 1398              | 143,264  | 31                               | 1.8       | 1.0- 2.6   | 2          | 0.3 | 0.0- 0.9   |             |     |            | 1365 | 97.9 | 96.9-98.9  |
| Native                | 55                | 7,910    | 4                                | 6.5       | 0.0-13.8   | 1          | 4.7 | 0.0-13.7   |             |     |            | 50   | 88.8 | 77.6- 100  |
| Non-Native            | 2982              | 311,928  | 118                              | 4.1       | 3.1- 5.1   | 4          | 0.1 | 0.0- 0.3   | 1           | 0.0 | 0.0- 0.0   | 2859 | 95.8 | 94.8-96.8  |
| 18-24                 | 156               | 41,977   | 9                                | 6.1       | 2.0-10.2   |            |     |            |             |     |            | 147  | 93.9 | 89.8-98.0  |
| 25-34                 | 358               | 65,153   | 17                               | 4.0       | 2.0- 6.0   | 2          | 0.6 | 0.0- 1.4   |             |     |            | 339  | 95.4 | 93.2-97.6  |
| 35-44                 | 455               | 58,670   | 24                               | 4.4       | 2.6- 6.2   | 1          | 0.6 | 0.0- 1.8   |             |     |            | 430  | 95.0 | 92.8-97.2  |
| 45-54                 | 503               | 49,861   | 23                               | 4.6       | 2.4- 6.8   |            |     |            |             |     |            | 480  | 95.4 | 93.2-97.6  |
| 55-64                 | 503               | 43,962   | 20                               | 3.7       | 1.9- 5.5   |            |     |            |             |     |            | 483  | 96.3 | 94.5-98.1  |
| 65+                   | 1098              | 64,268   | 30                               | 2.6       | 1.4- 3.8   | 2          | 0.1 | 0.0- 0.3   | 1           | 0.0 | 0.0- 0.0   | 1065 | 97.2 | 96.0-98.4  |
| Less Than H.S.        | 66                | 17,545   | 1                                | 2.1       | 0.0- 6.2   |            |     |            |             |     |            | 65   | 97.9 | 93.8- 100  |
| H.S. or G.E.D.        | 645               | 72,752   | 31                               | 6.1       | 3.6- 8.6   | 3          | 0.5 | 0.0- 1.3   |             |     |            | 611  | 93.3 | 90.8-95.8  |
| Some Post-H.S.        | 922               | 126,032  | 40                               | 4.0       | 2.6- 5.4   | 2          | 0.3 | 0.0- 0.9   |             |     |            | 880  | 95.6 | 94.0-97.2  |
| College Graduate      | 1431              | 106,552  | 50                               | 3.1       | 2.1- 4.1   |            |     |            | 1           | 0.0 | 0.0- 0.0   | 1380 | 96.8 | 95.8-97.8  |
| \$15,000- 24,999      | 101               | 13,439   | 4                                | 3.6       | 0.0- 7.5   |            |     |            |             |     |            | 97   | 96.4 | 92.5- 100  |
| \$25,000- 34,999      | 196               | 20,963   | 9                                | 4.8       | 1.5- 8.1   | 2          | 1.4 | 0.0- 3.6   | 1           | 0.1 | 0.0- 0.3   | 184  | 93.7 | 89.8-97.6  |
| \$35,000- 49,999      | 295               | 30,483   | 8                                | 5.0       | 0.5- 9.5   | 1          | 0.0 | 0.0- 0.0   |             |     |            | 286  | 95.0 | 90.5-99.5  |
| \$50,000- 99,999      | 928               | 96,130   | 47                               | 5.1       | 3.3- 6.9   | 1          | 0.4 | 0.0- 1.2   |             |     |            | 880  | 94.6 | 92.8-96.4  |
| \$100,000 - 199,999   | 843               | 88,594   | 33                               | 3.8       | 2.2- 5.4   | 1          | 0.1 | 0.0- 0.3   |             |     |            | 809  | 96.0 | 94.4-97.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 15: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 5: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS  | RESPONDENT NUMBER |          | Data was weighted using _LLCPWT. |           |            |            |     |            |             |     |            |      |      |            |
|---------------------|-------------------|----------|----------------------------------|-----------|------------|------------|-----|------------|-------------|-----|------------|------|------|------------|
|                     | TOTAL             | WEIGHTED | N                                | 1-5 Times |            | 6-10 Times |     |            | 11-30 Times |     |            | None |      |            |
|                     |                   |          |                                  | %         | C.I. (95%) | N          | %   | C.I. (95%) | N           | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                | 1675              | 180,627  | 92                               | 5.9       | 4.5- 7.3   | 3          | 0.2 | 0.0- 0.4   | 1           | 0.0 | 0.0- 0.0   | 1579 | 93.8 | 92.4-95.2  |
| Non-Native          | 1626              | 174,800  | 87                               | 5.8       | 4.4- 7.2   | 3          | 0.2 | 0.0- 0.6   | 1           | 0.0 | 0.0- 0.0   | 1535 | 94.0 | 92.4-95.6  |
| 18-24               | 92                | 22,762   | 8                                | 10.3      | 3.0-17.6   |            |     |            |             |     |            | 84   | 89.7 | 82.4-97.0  |
| 25-34               | 210               | 37,878   | 13                               | 5.4       | 2.3- 8.5   | 2          | 1.0 | 0.0- 2.4   |             |     |            | 195  | 93.6 | 90.3-96.9  |
| 35-44               | 263               | 32,356   | 16                               | 5.5       | 2.8- 8.2   |            |     |            |             |     |            | 247  | 94.5 | 91.8-97.2  |
| 45-54               | 269               | 27,238   | 19                               | 7.5       | 4.0-11.0   |            |     |            |             |     |            | 250  | 92.5 | 89.0-96.0  |
| 55-64               | 264               | 24,987   | 11                               | 4.1       | 1.6- 6.6   |            |     |            |             |     |            | 253  | 95.9 | 93.4-98.4  |
| 65+                 | 577               | 35,405   | 25                               | 4.3       | 2.3- 6.3   | 1          | 0.0 | 0.0- 0.0   | 1           | 0.1 | 0.0- 0.3   | 550  | 95.6 | 93.6-97.6  |
| H.S. or G.E.D.      | 398               | 46,191   | 24                               | 7.7       | 4.2-11.2   | 3          | 0.8 | 0.0- 2.0   |             |     |            | 371  | 91.5 | 87.8-95.2  |
| Some Post-H.S.      | 512               | 72,636   | 32                               | 6.1       | 3.7- 8.5   |            |     |            |             |     |            | 480  | 93.9 | 91.5-96.3  |
| College Graduate    | 718               | 50,410   | 34                               | 4.5       | 2.7- 6.3   |            |     |            | 1           | 0.0 | 0.0- 0.0   | 683  | 95.5 | 93.7-97.3  |
| \$25,000- 34,999    | 101               | 11,669   | 8                                | 8.1       | 2.2-14.0   | 1          | 2.0 | 0.0- 5.9   | 1           | 0.2 | 0.0- 0.6   | 91   | 89.7 | 82.8-96.6  |
| \$35,000- 49,999    | 160               | 17,218   | 5                                | 7.7       | 0.1-15.3   | 1          | 0.1 | 0.0- 0.3   |             |     |            | 154  | 92.2 | 84.6-99.8  |
| \$50,000- 99,999    | 505               | 54,702   | 29                               | 6.1       | 3.6- 8.6   |            |     |            |             |     |            | 476  | 93.9 | 91.4-96.4  |
| \$100,000 - 199,999 | 499               | 53,474   | 29                               | 5.6       | 3.2- 8.0   | 1          | 0.2 | 0.0- 0.6   |             |     |            | 469  | 94.2 | 91.8-96.6  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**  
**SECTION 15: SEATBELT USE AND DRINKING AND DRIVING**  
**TABLE 6: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | 1-5 Times |     |            | 6-10 Times |     |            | None |      |            |
|-----------------------|-------------------|----------|-----------|-----|------------|------------|-----|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N         | %   | C.I. (95%) | N          | %   | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 1398              | 143,264  | 31        | 1.8 | 1.0- 2.6   | 2          | 0.3 | 0.0- 0.9   | 1365 | 97.9 | 96.9-98.9  |
| Non-Native            | 1356              | 137,128  | 31        | 1.9 | 1.1- 2.7   | 1          | 0.0 | 0.0- 0.0   | 1324 | 98.0 | 97.2-98.8  |
| 18-24                 | 64                | 19,215   | 1         | 1.1 | 0.0- 3.3   |            |     |            | 63   | 98.9 | 96.7- 100  |
| 25-34                 | 148               | 27,275   | 4         | 2.0 | 0.0- 4.0   |            |     |            | 144  | 98.0 | 96.0- 100  |
| 35-44                 | 192               | 26,313   | 8         | 3.0 | 0.8- 5.2   | 1          | 1.4 | 0.0- 4.1   | 183  | 95.6 | 92.3-98.9  |
| 45-54                 | 234               | 22,623   | 4         | 1.2 | 0.0- 2.6   |            |     |            | 230  | 98.8 | 97.4- 100  |
| 55-64                 | 239               | 18,975   | 9         | 3.2 | 0.8- 5.6   |            |     |            | 230  | 96.8 | 94.4-99.2  |
| 65+                   | 521               | 28,863   | 5         | 0.6 | 0.0- 1.2   | 1          | 0.2 | 0.0- 0.6   | 515  | 99.1 | 98.3-99.9  |
| H.S. or G.E.D.        | 247               | 26,561   | 7         | 3.5 | 0.8- 6.2   |            |     |            | 240  | 96.5 | 93.8-99.2  |
| Some Post-H.S.        | 410               | 53,396   | 8         | 1.2 | 0.2- 2.2   | 2          | 0.8 | 0.0- 2.2   | 400  | 98.0 | 96.2-99.8  |
| College Graduate      | 713               | 56,142   | 16        | 1.9 | 0.9- 2.9   |            |     |            | 697  | 98.1 | 97.1-99.1  |
| \$15,000- 24,999      | 52                | 8,223    | 2         | 3.4 | 0.0- 8.7   |            |     |            | 50   | 96.6 | 91.3- 100  |
| \$25,000- 34,999      | 95                | 9,294    | 1         | 0.6 | 0.0- 1.8   | 1          | 0.7 | 0.0- 2.1   | 93   | 98.6 | 96.6- 100  |
| \$35,000- 49,999      | 135               | 13,266   | 3         | 1.5 | 0.0- 3.5   |            |     |            | 132  | 98.5 | 96.5- 100  |
| \$50,000- 99,999      | 423               | 41,428   | 18        | 3.7 | 1.7- 5.7   | 1          | 0.9 | 0.0- 2.7   | 404  | 95.4 | 92.9-97.9  |
| \$100,000 - 199,999   | 344               | 35,121   | 4         | 1.1 | 0.0- 2.3   |            |     |            | 340  | 98.9 | 97.7- 100  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023

SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

| TABLE |                                                                                                                                                                                                               | PAGE |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
|       | HAVE YOU EVER TESTED POSITIVE FOR COVID-19 (USING A RAPID POINT-OF-CARE TEST, SELF-TEST, OR LABORATORY TEST) OR BEEN TOLD BY A DOCTOR OR OTHER HEALTH CARE PROVIDER THAT YOU HAVE OR HAD COVID-19? (COVIDP01) |      |
| 1     | MALES AND FEMALES                                                                                                                                                                                             | 248  |
| 2     | MALES ONLY                                                                                                                                                                                                    | 249  |
| 3     | FEMALES ONLY                                                                                                                                                                                                  | 250  |
|       | DO YOU CURRENTLY HAVE SYMPTOMS LASTING 3 MONTHS OR LONGER THAT YOU DID NOT HAVE PRIOR TO HAVING CORONAVIRUS OR COVID-19? (COVIDSM1)                                                                           |      |
| 4     | MALES AND FEMALES                                                                                                                                                                                             | 251  |
| 5     | MALES ONLY                                                                                                                                                                                                    | 252  |
| 6     | FEMALES ONLY                                                                                                                                                                                                  | 253  |
|       | DO THESE LONG-TERM SYMPTOMS REDUCE YOUR ABILITY TO CARRY OUT DAY-TO-DAY ACTIVITIES COMPARED WITH THE TIME BEFORE YOU COVID-19? (COVIDACT)                                                                     |      |
| 7     | MALES AND FEMALES                                                                                                                                                                                             | 254  |
| 8     | MALES ONLY                                                                                                                                                                                                    | 255  |
| 9     | FEMALES ONLY                                                                                                                                                                                                  | 256  |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 1: HAVE YOU EVER TESTED POSITIVE FOR COVID-19 (USING A RAPID POINT-OF-CARE TEST, SELF-TEST, OR LABORATORY TEST) OR BEEN TOLD BY A DOCTOR OR OTHER HEALTH CARE PROVIDER THAT YOU HAVE OR HAD COVID-19? (COVIDPO1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 5191              | 547,819  | 2498 | 50.3 | 48.5-52.1  | 2693 | 49.7 | 47.9-51.5  |
| Male                  | 2549              | 282,509  | 1159 | 45.9 | 43.4-48.4  | 1390 | 54.1 | 51.6-56.6  |
| Female                | 2642              | 265,310  | 1339 | 54.9 | 52.4-57.4  | 1303 | 45.1 | 42.6-47.6  |
| Native                | 145               | 21,334   | 89   | 58.4 | 47.8-69.0  | 56   | 41.6 | 31.0-52.2  |
| Non-Native            | 4971              | 518,353  | 2381 | 50.1 | 48.3-51.9  | 2590 | 49.9 | 48.1-51.7  |
| 18-24                 | 281               | 79,361   | 139  | 49.4 | 42.9-55.9  | 142  | 50.6 | 44.1-57.1  |
| 25-34                 | 522               | 98,719   | 313  | 59.6 | 54.9-64.3  | 209  | 40.4 | 35.7-45.1  |
| 35-44                 | 677               | 92,538   | 364  | 54.3 | 50.0-58.6  | 313  | 45.7 | 41.4-50.0  |
| 45-54                 | 724               | 72,397   | 389  | 52.1 | 48.0-56.2  | 335  | 47.9 | 43.8-52.0  |
| 55-64                 | 860               | 77,845   | 427  | 48.4 | 44.5-52.3  | 433  | 51.6 | 47.7-55.5  |
| 65+                   | 2127              | 126,960  | 866  | 40.7 | 38.2-43.2  | 1261 | 59.3 | 56.8-61.8  |
| Less Than H.S.        | 156               | 39,966   | 66   | 51.0 | 41.4-60.6  | 90   | 49.0 | 39.4-58.6  |
| H.S. or G.E.D.        | 1288              | 142,026  | 520  | 41.3 | 38.0-44.6  | 768  | 58.7 | 55.4-62.0  |
| Some Post-H.S.        | 1617              | 210,951  | 778  | 52.0 | 49.1-54.9  | 839  | 48.0 | 45.1-50.9  |
| College Graduate      | 2115              | 153,064  | 1129 | 56.3 | 53.8-58.8  | 986  | 43.7 | 41.2-46.2  |
| Less than \$15,000    | 139               | 16,965   | 55   | 53.3 | 41.5-65.1  | 84   | 46.7 | 34.9-58.5  |
| \$15,000- 24,999      | 285               | 33,554   | 101  | 41.3 | 33.7-48.9  | 184  | 58.7 | 51.1-66.3  |
| \$25,000- 34,999      | 433               | 46,370   | 169  | 47.3 | 40.6-54.0  | 264  | 52.7 | 46.0-59.4  |
| \$35,000- 49,999      | 587               | 57,118   | 258  | 46.0 | 40.9-51.1  | 329  | 54.0 | 48.9-59.1  |
| \$50,000- 99,999      | 1483              | 156,322  | 760  | 51.3 | 48.0-54.6  | 723  | 48.7 | 45.4-52.0  |
| \$100,000 - 199,999   | 1091              | 117,838  | 599  | 56.3 | 52.8-59.8  | 492  | 43.7 | 40.2-47.2  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 2: HAVE YOU EVER TESTED POSITIVE FOR COVID-19 (USING A RAPID POINT-OF-CARE TEST, SELF-TEST, OR LABORATORY TEST) OR BEEN TOLD BY A DOCTOR OR OTHER HEALTH CARE PROVIDER THAT YOU HAVE OR HAD COVID-19? (COVIDPO1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 2549              | 282,509  | 1159 | 45.9 | 43.4-48.4  | 1390 | 54.1 | 51.6-56.6  |
| Native                | 66                | 10,317   | 37   | 45.5 | 31.0-60.0  | 29   | 54.5 | 40.0-69.0  |
| Non-Native            | 2440              | 267,960  | 1103 | 45.9 | 43.4-48.4  | 1337 | 54.1 | 51.6-56.6  |
| 18-24                 | 162               | 42,060   | 68   | 40.3 | 31.9-48.7  | 94   | 59.7 | 51.3-68.1  |
| 25-34                 | 290               | 54,150   | 158  | 54.7 | 48.2-61.2  | 132  | 45.3 | 38.8-51.8  |
| 35-44                 | 376               | 47,576   | 184  | 47.1 | 41.4-52.8  | 192  | 52.9 | 47.2-58.6  |
| 45-54                 | 373               | 38,186   | 187  | 48.8 | 43.1-54.5  | 186  | 51.2 | 45.5-56.9  |
| 55-64                 | 411               | 41,215   | 185  | 45.7 | 40.0-51.4  | 226  | 54.3 | 48.6-60.0  |
| 65+                   | 937               | 59,322   | 377  | 39.3 | 35.6-43.0  | 560  | 60.7 | 57.0-64.4  |
| Less Than H.S.        | 85                | 22,216   | 36   | 46.0 | 32.9-59.1  | 49   | 54.0 | 40.9-67.1  |
| H.S. or G.E.D.        | 696               | 81,569   | 278  | 40.5 | 36.2-44.8  | 418  | 59.5 | 55.2-63.8  |
| Some Post-H.S.        | 794               | 109,737  | 354  | 45.7 | 41.6-49.8  | 440  | 54.3 | 50.2-58.4  |
| College Graduate      | 966               | 67,664   | 488  | 53.2 | 49.5-56.9  | 478  | 46.8 | 43.1-50.5  |
| Less than \$15,000    | 63                | 7,009    | 19   | 40.2 | 23.5-56.9  | 44   | 59.8 | 43.1-76.5  |
| \$15,000- 24,999      | 103               | 12,038   | 38   | 40.4 | 27.9-52.9  | 65   | 59.6 | 47.1-72.1  |
| \$25,000- 34,999      | 194               | 22,875   | 68   | 39.8 | 30.4-49.2  | 126  | 60.2 | 50.8-69.6  |
| \$35,000- 49,999      | 275               | 27,772   | 109  | 42.8 | 35.5-50.1  | 166  | 57.2 | 49.9-64.5  |
| \$50,000- 99,999      | 769               | 85,814   | 362  | 45.2 | 40.7-49.7  | 407  | 54.8 | 50.3-59.3  |
| \$100,000 - 199,999   | 625               | 68,647   | 315  | 51.2 | 46.5-55.9  | 310  | 48.8 | 44.1-53.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 3: HAVE YOU EVER TESTED POSITIVE FOR COVID-19 (USING A RAPID POINT-OF-CARE TEST, SELF-TEST, OR LABORATORY TEST) OR BEEN TOLD BY A DOCTOR OR OTHER HEALTH CARE PROVIDER THAT YOU HAVE OR HAD COVID-19? (COVIDPO1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes  |      |            | No   |      |            |
|-----------------------|-------------------|----------|------|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N    | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 2642              | 265,310  | 1339 | 54.9 | 52.4-57.4  | 1303 | 45.1 | 42.6-47.6  |
| Native                | 79                | 11,017   | 52   | 70.5 | 57.6-83.4  | 27   | 29.5 | 16.6-42.4  |
| Non-Native            | 2531              | 250,392  | 1278 | 54.5 | 52.0-57.0  | 1253 | 45.5 | 43.0-48.0  |
| 18-24                 | 119               | 37,301   | 71   | 59.6 | 50.0-69.2  | 48   | 40.4 | 30.8-50.0  |
| 25-34                 | 232               | 44,568   | 155  | 65.6 | 58.7-72.5  | 77   | 34.4 | 27.5-41.3  |
| 35-44                 | 301               | 44,962   | 180  | 61.9 | 55.6-68.2  | 121  | 38.1 | 31.8-44.4  |
| 45-54                 | 351               | 34,211   | 202  | 55.8 | 49.7-61.9  | 149  | 44.2 | 38.1-50.3  |
| 55-64                 | 449               | 36,630   | 242  | 51.5 | 46.0-57.0  | 207  | 48.5 | 43.0-54.0  |
| 65+                   | 1190              | 67,638   | 489  | 42.0 | 38.7-45.3  | 701  | 58.0 | 54.7-61.3  |
| Less Than H.S.        | 71                | 17,750   | 30   | 57.2 | 43.5-70.9  | 41   | 42.8 | 29.1-56.5  |
| H.S. or G.E.D.        | 592               | 60,457   | 242  | 42.4 | 37.1-47.7  | 350  | 57.6 | 52.3-62.9  |
| Some Post-H.S.        | 823               | 101,213  | 424  | 58.9 | 54.8-63.0  | 399  | 41.1 | 37.0-45.2  |
| College Graduate      | 1149              | 85,399   | 641  | 58.8 | 55.3-62.3  | 508  | 41.2 | 37.7-44.7  |
| Less than \$15,000    | 76                | 9,955    | 36   | 62.6 | 47.1-78.1  | 40   | 37.4 | 21.9-52.9  |
| \$15,000- 24,999      | 182               | 21,515   | 63   | 41.8 | 32.2-51.4  | 119  | 58.2 | 48.6-67.8  |
| \$25,000- 34,999      | 239               | 23,495   | 101  | 54.6 | 45.6-63.6  | 138  | 45.4 | 36.4-54.4  |
| \$35,000- 49,999      | 312               | 29,346   | 149  | 49.0 | 41.7-56.3  | 163  | 51.0 | 43.7-58.3  |
| \$50,000- 99,999      | 714               | 70,508   | 398  | 58.8 | 54.1-63.5  | 316  | 41.2 | 36.5-45.9  |
| \$100,000 - 199,999   | 466               | 49,191   | 284  | 63.3 | 58.0-68.6  | 182  | 36.7 | 31.4-42.0  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 4: DO YOU CURRENTLY HAVE SYMPTOMS LASTING 3 MONTHS OR LONGER THAT YOU DID NOT HAVE PRIOR TO HAVING CORONAVIRUS OR COVID-19? (COVIDSM1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| TOTAL                 | 2467              | 272,494  | 326 | 13.5 | 11.7-15.3  | 2141 | 86.5 | 84.7-88.3  |
| Male                  | 1143              | 128,078  | 120 | 11.5 | 9.0-14.0   | 1023 | 88.5 | 86.0-91.0  |
| Female                | 1324              | 144,416  | 206 | 15.3 | 12.8-17.8  | 1118 | 84.7 | 82.2-87.2  |
| Native                | 88                | 12,411   | 24  | 23.8 | 12.2-35.4  | 64   | 76.2 | 64.6-87.8  |
| Non-Native            | 2352              | 256,708  | 297 | 12.7 | 10.9-14.5  | 2055 | 87.3 | 85.5-89.1  |
| 18-24                 | 139               | 39,199   | 14  | 11.1 | 5.2-17.0   | 125  | 88.9 | 83.0-94.8  |
| 25-34                 | 310               | 58,243   | 27  | 11.6 | 6.7-16.5   | 283  | 88.4 | 83.5-93.3  |
| 35-44                 | 360               | 49,772   | 54  | 14.9 | 10.6-19.2  | 306  | 85.1 | 80.8-89.4  |
| 45-54                 | 387               | 37,522   | 54  | 14.2 | 10.3-18.1  | 333  | 85.8 | 81.9-89.7  |
| 55-64                 | 419               | 36,777   | 70  | 15.9 | 12.0-19.8  | 349  | 84.1 | 80.2-88.0  |
| 65+                   | 852               | 50,982   | 107 | 13.7 | 10.8-16.6  | 745  | 86.3 | 83.4-89.2  |
| Less Than H.S.        | 65                | 20,305   | 18  | 25.0 | 12.5-37.5  | 47   | 75.0 | 62.5-87.5  |
| H.S. or G.E.D.        | 511               | 58,001   | 77  | 14.6 | 10.9-18.3  | 434  | 85.4 | 81.7-89.1  |
| Some Post-H.S.        | 768               | 108,451  | 101 | 12.4 | 9.7-15.1   | 667  | 87.6 | 84.9-90.3  |
| College Graduate      | 1118              | 85,288   | 130 | 11.5 | 9.3-13.7   | 988  | 88.5 | 86.3-90.7  |
| Less than \$15,000    | 54                | 9,015    | 10  | 17.4 | 4.5-30.3   | 44   | 82.6 | 69.7-95.5  |
| \$15,000- 24,999      | 99                | 13,800   | 15  | 15.1 | 5.5-24.7   | 84   | 84.9 | 75.3-94.5  |
| \$25,000- 34,999      | 166               | 21,815   | 25  | 14.1 | 7.2-21.0   | 141  | 85.9 | 79.0-92.8  |
| \$35,000- 49,999      | 253               | 25,968   | 43  | 19.0 | 12.7-25.3  | 210  | 81.0 | 74.7-87.3  |
| \$50,000- 99,999      | 754               | 79,430   | 99  | 14.0 | 10.5-17.5  | 655  | 86.0 | 82.5-89.5  |
| \$100,000 - 199,999   | 593               | 65,725   | 68  | 11.9 | 8.4-15.4   | 525  | 88.1 | 84.6-91.6  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 5: DO YOU CURRENTLY HAVE SYMPTOMS LASTING 3 MONTHS OR LONGER THAT YOU DID NOT HAVE PRIOR TO HAVING CORONAVIRUS OR COVID-19? (COVIDSM1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Male                  | 1143              | 128,078  | 120 | 11.5 | 9.0-14.0   | 1023 | 88.5 | 86.0-91.0  |
| Non-Native            | 1088              | 121,448  | 111 | 11.2 | 8.7-13.7   | 977  | 88.8 | 86.3-91.3  |
| 18-24                 | 68                | 16,959   | 7   | 11.0 | 3.0-19.0   | 61   | 89.0 | 81.0-97.0  |
| 25-34                 | 158               | 29,627   | 10  | 10.0 | 2.9-17.1   | 148  | 90.0 | 82.9-97.1  |
| 35-44                 | 181               | 22,006   | 22  | 12.0 | 6.9-17.1   | 159  | 88.0 | 82.9-93.1  |
| 45-54                 | 186               | 18,565   | 20  | 11.1 | 6.0-16.2   | 166  | 88.9 | 83.8-94.0  |
| 55-64                 | 180               | 18,086   | 20  | 11.6 | 6.1-17.1   | 160  | 88.4 | 82.9-93.9  |
| 65+                   | 370               | 22,836   | 41  | 13.4 | 8.9-17.9   | 329  | 86.6 | 82.1-91.1  |
| H.S. or G.E.D.        | 273               | 32,718   | 36  | 12.9 | 8.4-17.4   | 237  | 87.1 | 82.6-91.6  |
| Some Post-H.S.        | 348               | 49,329   | 35  | 9.1  | 5.8-12.4   | 313  | 90.9 | 87.6-94.2  |
| College Graduate      | 483               | 35,465   | 40  | 9.6  | 6.1-13.1   | 443  | 90.4 | 86.9-93.9  |
| \$25,000- 34,999      | 67                | 9,053    | 8   | 9.1  | 1.7-16.5   | 59   | 90.9 | 83.5-98.3  |
| \$35,000- 49,999      | 105               | 11,637   | 20  | 20.1 | 10.7-29.5  | 85   | 79.9 | 70.5-89.3  |
| \$50,000- 99,999      | 360               | 38,524   | 42  | 15.3 | 9.6-21.0   | 318  | 84.7 | 79.0-90.4  |
| \$100,000 - 199,999   | 311               | 34,764   | 26  | 7.8  | 4.5-11.1   | 285  | 92.2 | 88.9-95.5  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 6: DO YOU CURRENTLY HAVE SYMPTOMS LASTING 3 MONTHS OR LONGER THAT YOU DID NOT HAVE PRIOR TO HAVING CORONAVIRUS OR COVID-19? (COVIDSM1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes |      |            | No   |      |            |
|-----------------------|-------------------|----------|-----|------|------------|------|------|------------|
|                       | TOTAL             | WEIGHTED | N   | %    | C.I. (95%) | N    | %    | C.I. (95%) |
| Female                | 1324              | 144,416  | 206 | 15.3 | 12.8-17.8  | 1118 | 84.7 | 82.2-87.2  |
| Native                | 52                | 7,764    | 19  | 32.1 | 15.0-49.2  | 33   | 67.9 | 50.8-85.0  |
| Non-Native            | 1264              | 135,260  | 186 | 14.0 | 11.5-16.5  | 1078 | 86.0 | 83.5-88.5  |
| 18-24                 | 71                | 22,240   | 7   | 11.2 | 2.8-19.6   | 64   | 88.8 | 80.4-97.2  |
| 25-34                 | 152               | 28,616   | 17  | 13.3 | 6.4-20.2   | 135  | 86.7 | 79.8-93.6  |
| 35-44                 | 179               | 27,766   | 32  | 17.3 | 10.6-24.0  | 147  | 82.7 | 76.0-89.4  |
| 45-54                 | 201               | 18,957   | 34  | 17.3 | 11.0-23.6  | 167  | 82.7 | 76.4-89.0  |
| 55-64                 | 239               | 18,692   | 50  | 20.0 | 14.5-25.5  | 189  | 80.0 | 74.5-85.5  |
| 65+                   | 482               | 28,146   | 66  | 14.1 | 10.4-17.8  | 416  | 85.9 | 82.2-89.6  |
| H.S. or G.E.D.        | 238               | 25,283   | 41  | 16.7 | 10.6-22.8  | 197  | 83.3 | 77.2-89.4  |
| Some Post-H.S.        | 420               | 59,122   | 66  | 15.2 | 10.9-19.5  | 354  | 84.8 | 80.5-89.1  |
| College Graduate      | 635               | 49,823   | 90  | 12.8 | 9.9-15.7   | 545  | 87.2 | 84.3-90.1  |
| \$15,000- 24,999      | 61                | 8,937    | 12  | 19.8 | 6.1-33.5   | 49   | 80.2 | 66.5-93.9  |
| \$25,000- 34,999      | 99                | 12,763   | 17  | 17.7 | 7.5-27.9   | 82   | 82.3 | 72.1-92.5  |
| \$35,000- 49,999      | 148               | 14,331   | 23  | 18.1 | 9.9-26.3   | 125  | 81.9 | 73.7-90.1  |
| \$50,000- 99,999      | 394               | 40,906   | 57  | 12.7 | 8.8-16.6   | 337  | 87.3 | 83.4-91.2  |
| \$100,000 - 199,999   | 282               | 30,961   | 42  | 16.4 | 10.1-22.7  | 240  | 83.6 | 77.3-89.9  |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 7: DO THESE LONG-TERM SYMPTOMS REDUCE YOUR ABILITY TO CARRY OUT DAY-TO-DAY ACTIVITIES COMPARED WITH THE TIME BEFORE YOU COVID-19? (COVIDACT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

| Data was weighted using _LLCPWT. |                   |          |           |      |            |              |      |            |
|----------------------------------|-------------------|----------|-----------|------|------------|--------------|------|------------|
| DEMOGRAPHIC GROUPS               | RESPONDENT NUMBER |          | Yes,A Lot |      |            | Yes,A Little |      |            |
|                                  | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N            | %    | C.I. (95%) |
| TOTAL                            | 326               | 36,753   | 59        | 15.7 | 10.6-20.8  | 128          | 39.7 | 32.6-46.8  |
| Male                             | 120               | 14,688   | 24        | 14.2 | 6.9-21.5   | 49           | 38.1 | 27.3-48.9  |
| Female                           | 206               | 22,065   | 35        | 16.7 | 9.6-23.8   | 79           | 40.8 | 31.6-50.0  |
| Non-Native                       | 297               | 32,598   | 56        | 17.3 | 11.6-23.0  | 112          | 36.8 | 29.9-43.7  |
| 35-44                            | 54                | 7,437    | 8         | 15.2 | 4.4-26.0   | 23           | 43.8 | 28.3-59.3  |
| 45-54                            | 54                | 5,337    | 8         | 13.8 | 3.0-24.6   | 25           | 44.8 | 29.5-60.1  |
| 55-64                            | 70                | 5,834    | 13        | 15.2 | 6.6-23.8   | 31           | 51.1 | 38.0-64.2  |
| 65+                              | 107               | 7,006    | 26        | 22.4 | 13.0-31.8  | 33           | 33.6 | 22.6-44.6  |
| H.S. or G.E.D.                   | 77                | 8,442    | 21        | 22.7 | 11.5-33.9  | 28           | 41.9 | 28.2-55.6  |
| Some Post-H.S.                   | 101               | 13,445   | 14        | 12.5 | 4.7-20.3   | 40           | 40.2 | 28.6-51.8  |
| College Graduate                 | 130               | 9,789    | 21        | 12.1 | 6.6-17.6   | 52           | 40.3 | 30.3-50.3  |
| \$50,000- 99,999                 | 99                | 11,085   | 21        | 13.8 | 6.5-21.1   | 38           | 35.2 | 23.4-47.0  |
| \$100,000 - 199,999              | 68                | 7,801    | 13        | 13.6 | 4.8-22.4   | 27           | 40.3 | 24.2-56.4  |

  

| Data was weighted using _LLCPWT. |      |            |   |     |            |
|----------------------------------|------|------------|---|-----|------------|
| Not at all                       |      |            | 7 |     |            |
| N                                | %    | C.I. (95%) | N | %   | C.I. (95%) |
| 137                              | 44.5 | 37.2-51.8  | 2 | 0.2 | 0.0- 0.4   |
| 47                               | 47.7 | 35.9-59.5  |   |     |            |
| 90                               | 42.3 | 33.1-51.5  | 2 | 0.3 | 0.0- 0.7   |
| 127                              | 45.7 | 38.1-53.3  | 2 | 0.2 | 0.0- 0.4   |
| 23                               | 40.9 | 25.6-56.2  |   |     |            |
| 21                               | 41.4 | 26.3-56.5  |   |     |            |
| 26                               | 33.7 | 21.5-45.9  |   |     |            |
| 46                               | 43.2 | 31.8-54.6  | 2 | 0.8 | 0.0- 2.0   |
| 28                               | 35.4 | 22.5-48.3  |   |     |            |
| 46                               | 47.1 | 34.9-59.3  | 1 | 0.2 | 0.0- 0.6   |
| 56                               | 47.2 | 36.8-57.6  | 1 | 0.3 | 0.0- 0.9   |
| 40                               | 51.0 | 37.5-64.5  |   |     |            |
| 28                               | 46.1 | 29.8-62.4  |   |     |            |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS

**TABLE 8: DO THESE LONG-TERM SYMPTOMS REDUCE YOUR ABILITY TO CARRY OUT DAY-TO-DAY ACTIVITIES COMPARED WITH THE TIME BEFORE YOU COVID-19? (COVIDACT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

| DEMOGRAPHIC<br>GROUPS | RESPONDENT NUMBER |          | Yes, A Lot |      |            | Yes, A Little |      |            | Not at all |      |            |
|-----------------------|-------------------|----------|------------|------|------------|---------------|------|------------|------------|------|------------|
|                       | TOTAL             | WEIGHTED | N          | %    | C.I. (95%) | N             | %    | C.I. (95%) | N          | %    | C.I. (95%) |
| Male                  | 120               | 14,688   | 24         | 14.2 | 7.1-21.3   | 49            | 38.1 | 27.5-48.7  | 47         | 47.7 | 35.9-59.5  |
| Non-Native            | 111               | 13,611   | 22         | 14.7 | 7.1-22.3   | 45            | 37.4 | 26.2-48.6  | 44         | 47.9 | 35.6-60.2  |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023  
SECTION 16 EMERGING CORE: COVID LONG-TERM EFFECTS**

**TABLE 9: DO THESE LONG-TERM SYMPTOMS REDUCE YOUR ABILITY TO CARRY OUT DAY-TO-DAY ACTIVITIES COMPARED WITH THE TIME BEFORE YOU COVID-19? (COVIDACT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

| Data was weighted using _LLCPWT. |                   |          |           |      |            |              |      |            |
|----------------------------------|-------------------|----------|-----------|------|------------|--------------|------|------------|
| DEMOGRAPHIC GROUPS               | RESPONDENT NUMBER |          | Yes,A Lot |      |            | Yes,A Little |      |            |
|                                  | TOTAL             | WEIGHTED | N         | %    | C.I. (95%) | N            | %    | C.I. (95%) |
| Female                           | 206               | 22,065   | 35        | 16.7 | 9.6-23.8   | 79           | 40.8 | 31.6-50.0  |
| Non-Native                       | 186               | 18,987   | 34        | 19.2 | 11.2-27.2  | 67           | 36.3 | 27.5-45.1  |
| 55-64                            | 50                | 3,732    | 11        | 20.4 | 8.4-32.4   | 20           | 45.9 | 30.4-61.4  |
| 65+                              | 66                | 3,957    | 11        | 13.8 | 4.0-23.6   | 19           | 33.5 | 19.2-47.8  |
| Some Post-H.S.                   | 66                | 8,971    | 8         | 13.3 | 2.5-24.1   | 23           | 36.4 | 21.9-50.9  |
| College Graduate                 | 90                | 6,387    | 14        | 13.1 | 5.8-20.4   | 35           | 42.7 | 30.7-54.7  |
| \$50,000- 99,999                 | 57                | 5,208    | 14        | 21.4 | 8.9-33.9   | 23           | 38.3 | 23.0-53.6  |

  

| Data was weighted using _LLCPWT. |      |            |   |     |            |
|----------------------------------|------|------------|---|-----|------------|
| Not at all                       |      |            | 7 |     |            |
| N                                | %    | C.I. (95%) | N | %   | C.I. (95%) |
| 90                               | 42.3 | 33.1-51.5  | 2 | 0.3 | 0.0- 0.7   |
| 83                               | 44.2 | 34.6-53.8  | 2 | 0.3 | 0.0- 0.7   |
| 19                               | 33.7 | 19.4-48.0  |   |     |            |
| 34                               | 51.3 | 36.6-66.0  | 2 | 1.4 | 0.0- 3.4   |
| 34                               | 50.1 | 34.4-65.8  | 1 | 0.3 | 0.0- 0.9   |
| 40                               | 43.6 | 32.0-55.2  | 1 | 0.5 | 0.0- 1.5   |
| 20                               | 40.3 | 23.6-57.0  |   |     |            |

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2023**

End of Core Data Report