

NORTH DAKOTA

2024 Calculated Variables Report

Behavioral Risk Factor Surveillance System

August 21, 2025



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5842	607,948	4859	84.8	83.6-86.0	983	15.2	14.0-16.4
Male	2988	312,428	2483	84.9	83.3-86.5	505	15.1	13.5-16.7
Female	2854	295,520	2376	84.7	82.9-86.5	478	15.3	13.5-17.1
Native	168	24,765	117	72.8	64.4-81.2	51	27.2	18.8-35.6
Non-Native	5581	573,791	4672	85.4	84.2-86.6	909	14.6	13.4-15.8
18-24	326	92,099	288	86.4	82.1-90.7	38	13.6	9.3-17.9
25-34	613	107,121	543	88.6	85.9-91.3	70	11.4	8.7-14.1
35-44	703	103,405	642	91.2	88.8-93.6	61	8.8	6.4-11.2
45-54	756	81,652	657	86.1	83.2-89.0	99	13.9	11.0-16.8
55-64	993	84,179	816	81.7	79.0-84.4	177	18.3	15.6-21.0
65+	2451	139,493	1913	77.2	75.2-79.2	538	22.8	20.8-24.8
Less Than H.S.	205	41,373	124	65.8	57.6-74.0	81	34.2	26.0-42.4
H.S. or G.E.D.	1559	157,171	1217	83.1	80.9-85.3	342	16.9	14.7-19.1
Some Post-H.S.	1769	231,635	1463	84.8	82.8-86.8	306	15.2	13.2-17.2
College Graduate	2290	175,448	2041	90.9	89.5-92.3	249	9.1	7.7-10.5
Less than \$15,000	168	19,447	97	63.8	54.2-73.4	71	36.2	26.6-45.8
\$15,000- 24,999	312	32,269	190	62.8	55.5-70.1	122	37.2	29.9-44.5
\$25,000- 34,999	489	48,024	359	77.7	73.0-82.4	130	22.3	17.6-27.0
\$35,000- 49,999	590	59,800	469	82.4	78.3-86.5	121	17.6	13.5-21.7
\$50,000- 99,999	1644	167,993	1407	86.6	84.4-88.8	237	13.4	11.2-15.6
\$100,000 - 199,999	1154	126,567	1059	92.5	90.7-94.3	95	7.5	5.7- 9.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 1: HEALTH STATUS

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2988	312,428	2483	84.9	83.3-86.5	505	15.1	13.5-16.7
Native	87	13,408	61	73.3	62.1-84.5	26	26.7	15.5-37.9
Non-Native	2842	293,373	2378	85.6	84.0-87.2	464	14.4	12.8-16.0
18-24	198	48,472	178	88.5	83.6-93.4	20	11.5	6.6-16.4
25-34	354	56,999	312	88.0	84.3-91.7	42	12.0	8.3-15.7
35-44	383	55,082	348	90.5	87.4-93.6	35	9.5	6.4-12.6
45-54	418	43,057	358	86.3	82.8-89.8	60	13.7	10.2-17.2
55-64	527	43,508	435	81.5	77.6-85.4	92	18.5	14.6-22.4
65+	1108	65,311	852	76.1	73.0-79.2	256	23.9	20.8-27.0
Less Than H.S.	116	23,301	76	70.3	60.7-79.9	40	29.7	20.1-39.3
H.S. or G.E.D.	879	88,595	694	84.2	81.5-86.9	185	15.8	13.1-18.5
Some Post-H.S.	892	119,429	738	84.9	82.4-87.4	154	15.1	12.6-17.6
College Graduate	1089	79,459	967	90.0	87.8-92.2	122	10.0	7.8-12.2
Less than \$15,000	75	8,620	46	63.9	50.4-77.4	29	36.1	22.6-49.6
\$15,000- 24,999	128	12,442	78	66.3	55.9-76.7	50	33.7	23.3-44.1
\$25,000- 34,999	219	21,850	165	76.9	70.0-83.8	54	23.1	16.2-30.0
\$35,000- 49,999	297	28,368	234	82.0	76.5-87.5	63	18.0	12.5-23.5
\$50,000- 99,999	918	94,479	774	85.4	82.7-88.1	144	14.6	11.9-17.3
\$100,000 - 199,999	658	73,888	597	92.2	89.8-94.6	61	7.8	5.4-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2854	295,520	2376	84.7	82.9-86.5	478	15.3	13.5-17.1
Native	81	11,357	56	72.1	59.4-84.8	25	27.9	15.2-40.6
Non-Native	2739	280,418	2294	85.2	83.4-87.0	445	14.8	13.0-16.6
18-24	128	43,627	110	84.0	76.7-91.3	18	16.0	8.7-23.3
25-34	259	50,122	231	89.2	85.1-93.3	28	10.8	6.7-14.9
35-44	320	48,323	294	92.1	88.6-95.6	26	7.9	4.4-11.4
45-54	338	38,595	299	86.0	81.3-90.7	39	14.0	9.3-18.7
55-64	466	40,671	381	81.9	77.8-86.0	85	18.1	14.0-22.2
65+	1343	74,182	1061	78.1	75.4-80.8	282	21.9	19.2-24.6
Less Than H.S.	89	18,072	48	59.9	46.2-73.6	41	40.1	26.4-53.8
H.S. or G.E.D.	680	68,576	523	81.7	78.0-85.4	157	18.3	14.6-22.0
Some Post-H.S.	877	112,206	725	84.6	81.7-87.5	152	15.4	12.5-18.3
College Graduate	1201	95,989	1074	91.6	89.8-93.4	127	8.4	6.6-10.2
Less than \$15,000	93	10,828	51	63.6	50.1-77.1	42	36.4	22.9-49.9
\$15,000- 24,999	184	19,826	112	60.6	51.0-70.2	72	39.4	29.8-49.0
\$25,000- 34,999	270	26,173	194	78.3	72.0-84.6	76	21.7	15.4-28.0
\$35,000- 49,999	293	31,431	235	82.9	77.0-88.8	58	17.1	11.2-23.0
\$50,000- 99,999	726	73,514	633	88.2	84.9-91.5	93	11.8	8.5-15.1
\$100,000 - 199,999	496	52,679	462	93.0	90.5-95.5	34	7.0	4.5- 9.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 2: HEALTHY DAYS

TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5745	596,945	3728	64.5	62.9-66.1	1347	25.2	23.6-26.8	670	10.3	9.3-11.3
Male	2940	307,281	1994	68.3	66.1-70.5	656	23.1	21.1-25.1	290	8.7	7.3-10.1
Female	2805	289,664	1734	60.4	58.0-62.8	691	27.5	25.1-29.9	380	12.1	10.5-13.7
Native	165	23,810	103	59.4	49.8-69.0	38	26.9	17.9-35.9	24	13.7	7.0-20.4
Non-Native	5491	564,093	3571	64.6	63.0-66.2	1289	25.2	23.6-26.8	631	10.2	9.2-11.2
18-24	319	89,924	189	56.7	50.6-62.8	115	36.9	31.0-42.8	15	6.4	2.9- 9.9
25-34	609	106,027	399	65.6	61.5-69.7	173	27.3	23.6-31.0	37	7.2	4.7- 9.7
35-44	694	101,690	469	67.6	63.7-71.5	173	24.6	21.1-28.1	52	7.8	5.6-10.0
45-54	746	80,724	501	67.9	64.2-71.6	171	21.5	18.2-24.8	74	10.7	8.2-13.2
55-64	982	83,263	623	64.1	60.8-67.4	212	21.1	18.2-24.0	147	14.8	12.3-17.3
65+	2395	135,316	1547	64.6	62.2-67.0	503	21.1	19.1-23.1	345	14.3	12.5-16.1
Less Than H.S.	194	39,437	111	54.9	45.7-64.1	50	26.1	17.9-34.3	33	19.0	11.4-26.6
H.S. or G.E.D.	1519	152,736	980	66.5	63.4-69.6	336	23.8	21.1-26.5	203	9.7	7.9-11.5
Some Post-H.S.	1739	227,738	1111	63.3	60.6-66.0	401	25.7	23.2-28.2	227	11.1	9.5-12.7
College Graduate	2275	174,791	1514	66.5	64.1-68.9	556	25.6	23.4-27.8	205	7.9	6.5- 9.3
Less than \$15,000	163	18,688	64	40.0	30.0-50.0	42	24.7	16.3-33.1	57	35.3	25.1-45.5
\$15,000- 24,999	300	30,694	150	53.3	45.7-60.9	79	24.9	18.4-31.4	71	21.9	15.6-28.2
\$25,000- 34,999	484	47,534	268	59.2	53.5-64.9	132	26.6	21.5-31.7	84	14.2	10.3-18.1
\$35,000- 49,999	582	58,859	349	59.4	53.9-64.9	150	30.1	24.8-35.4	83	10.5	7.8-13.2
\$50,000- 99,999	1626	166,106	1100	66.7	63.8-69.6	385	25.7	23.0-28.4	141	7.5	5.9- 9.1
\$100,000 - 199,999	1148	126,080	806	69.6	66.5-72.7	267	24.6	21.7-27.5	75	5.8	4.2- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 2: HEALTHY DAYS

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2940	307,281	1994	68.3	66.1-70.5	656	23.1	21.1-25.1	290	8.7	7.3-10.1
Native	86	13,024	56	59.4	46.3-72.5	17	24.7	12.7-36.7	13	16.0	5.6-26.4
Non-Native	2797	288,832	1902	68.7	66.5-70.9	625	23.0	21.0-25.0	270	8.4	7.0- 9.8
18-24	194	47,247	122	60.5	52.9-68.1	62	32.5	25.2-39.8	10	7.0	2.1-11.9
25-34	352	56,631	242	68.5	63.2-73.8	95	25.9	21.0-30.8	15	5.6	2.5- 8.7
35-44	378	54,287	270	73.3	68.6-78.0	89	21.2	16.9-25.5	19	5.5	3.0- 8.0
45-54	411	42,394	287	71.7	67.0-76.4	84	18.5	14.6-22.4	40	9.8	6.7-12.9
55-64	523	43,123	354	68.9	64.4-73.4	107	19.2	15.5-22.9	62	11.9	8.8-15.0
65+	1082	63,599	719	66.8	63.5-70.1	219	20.8	17.9-23.7	144	12.3	10.1-14.5
Less Than H.S.	113	22,857	73	60.3	48.7-71.9	23	24.3	13.9-34.7	17	15.4	6.4-24.4
H.S. or G.E.D.	858	86,463	590	70.8	67.1-74.5	170	20.4	17.3-23.5	98	8.8	6.6-11.0
Some Post-H.S.	876	117,155	594	67.9	64.4-71.4	193	23.6	20.3-26.9	89	8.5	6.5-10.5
College Graduate	1081	79,162	729	68.5	65.4-71.6	267	24.7	21.8-27.6	85	6.8	5.0- 8.6
Less than \$15,000	72	8,432	28	39.9	25.4-54.4	20	25.5	12.8-38.2	24	34.6	19.7-49.5
\$15,000- 24,999	124	11,889	69	61.0	50.2-71.8	34	27.3	17.3-37.3	21	11.8	6.1-17.5
\$25,000- 34,999	215	21,576	131	66.4	58.6-74.2	53	22.1	15.2-29.0	31	11.4	6.5-16.3
\$35,000- 49,999	292	27,713	181	63.1	56.0-70.2	73	27.3	20.6-34.0	38	9.6	5.9-13.3
\$50,000- 99,999	907	93,368	621	68.0	64.3-71.7	217	25.0	21.5-28.5	69	7.0	5.0- 9.0
\$100,000 - 199,999	655	73,597	472	72.1	68.0-76.2	140	22.1	18.4-25.8	43	5.8	3.6- 8.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 2: HEALTHY DAYS**

TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2805	289,664	1734	60.4	58.0-62.8	691	27.5	25.1-29.9	380	12.1	10.5-13.7
Native	79	10,785	47	59.4	45.1-73.7	21	29.6	15.9-43.3	11	11.0	3.6-18.4
Non-Native	2694	275,261	1669	60.4	57.9-62.9	664	27.5	25.1-29.9	361	12.0	10.4-13.6
18-24	125	42,677	67	52.5	43.1-61.9	53	41.8	32.6-51.0	5	5.8	0.7-10.9
25-34	257	49,397	157	62.2	55.7-68.7	78	28.8	22.9-34.7	22	9.0	5.1-12.9
35-44	316	47,403	199	61.0	54.9-67.1	84	28.6	22.9-34.3	33	10.4	6.7-14.1
45-54	335	38,330	214	63.6	57.7-69.5	87	24.7	19.4-30.0	34	11.7	7.8-15.6
55-64	459	40,141	269	58.9	53.6-64.2	105	23.2	18.7-27.7	85	17.8	13.9-21.7
65+	1313	71,717	828	62.6	59.5-65.7	284	21.4	18.9-23.9	201	16.0	13.5-18.5
Less Than H.S.	81	16,580	38	47.5	32.8-62.2	27	28.6	15.3-41.9	16	23.9	11.0-36.8
H.S. or G.E.D.	661	66,273	390	60.9	55.8-66.0	166	28.3	23.4-33.2	105	10.8	8.1-13.5
Some Post-H.S.	863	110,583	517	58.3	54.2-62.4	208	27.9	24.0-31.8	138	13.8	11.3-16.3
College Graduate	1194	95,629	785	64.8	61.5-68.1	289	26.4	23.3-29.5	120	8.9	6.9-10.9
Less than \$15,000	91	10,256	36	40.1	26.2-54.0	22	24.0	12.8-35.2	33	35.9	21.8-50.0
\$15,000- 24,999	176	18,806	81	48.4	38.0-58.8	45	23.3	14.9-31.7	50	28.2	18.8-37.6
\$25,000- 34,999	269	25,957	137	53.2	45.2-61.2	79	30.4	23.0-37.8	53	16.4	10.5-22.3
\$35,000- 49,999	290	31,146	168	56.2	48.2-64.2	77	32.6	24.8-40.4	45	11.2	7.1-15.3
\$50,000- 99,999	719	72,739	479	65.0	60.5-69.5	168	26.7	22.4-31.0	72	8.2	5.7-10.7
\$100,000 - 199,999	493	52,482	334	66.2	61.1-71.3	127	28.1	23.2-33.0	32	5.7	3.5- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 2: HEALTHY DAYS

TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5777	599,977	3820	59.3	57.7-60.9	1384	28.1	26.5-29.7	573	12.6	11.4-13.8
Male	2955	308,420	2093	65.2	63.0-67.4	616	25.0	23.0-27.0	246	9.9	8.5-11.3
Female	2822	291,557	1727	53.1	50.6-55.6	768	31.4	29.0-33.8	327	15.5	13.5-17.5
Native	164	23,964	90	42.9	33.7-52.1	46	35.6	25.8-45.4	28	21.6	13.2-30.0
Non-Native	5522	566,866	3668	59.8	58.0-61.6	1318	27.9	26.3-29.5	536	12.3	11.1-13.5
18-24	321	90,471	130	39.6	33.7-45.5	139	43.2	37.3-49.1	52	17.2	12.5-21.9
25-34	607	105,790	290	47.6	43.3-51.9	215	34.2	30.1-38.3	102	18.2	14.7-21.7
35-44	694	102,081	376	53.8	49.7-57.9	223	32.2	28.3-36.1	95	14.0	11.1-16.9
45-54	750	80,870	446	59.8	55.9-63.7	216	27.8	24.3-31.3	88	12.5	9.8-15.2
55-64	990	83,963	679	69.0	65.7-72.3	221	21.2	18.5-23.9	90	9.8	7.6-12.0
65+	2415	136,801	1899	79.2	77.2-81.2	370	14.8	13.2-16.4	146	5.9	4.7- 7.1
Less Than H.S.	196	40,087	119	48.7	39.7-57.7	43	29.4	20.6-38.2	34	21.9	14.1-29.7
H.S. or G.E.D.	1539	154,678	1044	61.5	58.4-64.6	303	23.2	20.5-25.9	192	15.3	12.9-17.7
Some Post-H.S.	1740	227,882	1162	59.7	56.8-62.6	411	28.4	25.7-31.1	167	11.9	9.9-13.9
College Graduate	2283	175,008	1481	59.0	56.6-61.4	623	32.0	29.6-34.4	179	9.0	7.4-10.6
Less than \$15,000	165	19,225	75	36.1	26.7-45.5	33	27.0	16.8-37.2	57	37.0	27.0-47.0
\$15,000- 24,999	305	31,343	168	48.6	41.0-56.2	72	21.9	15.8-28.0	65	29.5	22.1-36.9
\$25,000- 34,999	479	46,951	288	52.5	46.4-58.6	120	27.8	22.3-33.3	71	19.7	14.6-24.8
\$35,000- 49,999	582	58,928	387	55.7	50.2-61.2	138	29.9	24.6-35.2	57	14.4	10.1-18.7
\$50,000- 99,999	1633	166,291	1064	56.9	53.8-60.0	430	31.9	29.0-34.8	139	11.2	9.0-13.4
\$100,000 - 199,999	1148	125,832	765	62.9	59.6-66.2	303	28.7	25.6-31.8	80	8.4	6.4-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 2: HEALTHY DAYS

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2955	308,420	2093	65.2	63.0-67.4	616	25.0	23.0-27.0	246	9.9	8.5-11.3
Native	84	12,674	52	50.2	37.1-63.3	24	38.3	25.0-51.6	8	11.5	3.1-19.9
Non-Native	2813	290,288	1999	65.7	63.5-67.9	582	24.5	22.5-26.5	232	9.8	8.4-11.2
18-24	194	47,180	90	45.6	38.0-53.2	83	43.3	35.7-50.9	21	11.1	6.2-16.0
25-34	350	56,355	185	53.6	47.9-59.3	117	32.0	26.7-37.3	48	14.4	10.5-18.3
35-44	379	54,617	237	63.0	57.7-68.3	97	25.1	20.4-29.8	45	11.9	8.2-15.6
45-54	416	42,870	269	65.1	60.0-70.2	105	24.0	19.5-28.5	42	10.9	7.6-14.2
55-64	525	43,378	405	77.0	73.1-80.9	87	16.6	13.1-20.1	33	6.4	4.0- 8.8
65+	1091	64,019	907	83.7	81.2-86.2	127	11.3	9.1-13.5	57	4.9	3.3- 6.5
Less Than H.S.	113	22,582	74	57.3	45.9-68.7	22	24.9	14.5-35.3	17	17.7	8.9-26.5
H.S. or G.E.D.	870	87,346	621	65.8	61.9-69.7	158	23.0	19.5-26.5	91	11.2	8.7-13.7
Some Post-H.S.	875	117,596	619	65.1	61.4-68.8	186	25.6	22.1-29.1	70	9.3	6.9-11.7
College Graduate	1085	79,251	770	66.5	63.2-69.8	248	26.5	23.4-29.6	67	7.0	5.0- 9.0
Less than \$15,000	73	8,465	35	37.0	23.3-50.7	13	29.2	13.1-45.3	25	33.8	20.5-47.1
\$15,000- 24,999	126	12,235	80	56.2	44.8-67.6	25	25.0	14.6-35.4	21	18.8	9.8-27.8
\$25,000- 34,999	212	21,136	143	64.0	55.6-72.4	47	23.9	16.3-31.5	22	12.1	6.4-17.8
\$35,000- 49,999	292	27,793	206	61.6	54.3-68.9	58	24.7	18.4-31.0	28	13.7	8.0-19.4
\$50,000- 99,999	912	93,439	633	61.8	57.7-65.9	213	28.5	24.8-32.2	66	9.7	7.2-12.2
\$100,000 - 199,999	653	73,188	481	70.6	66.5-74.7	133	22.6	18.9-26.3	39	6.9	4.5- 9.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 2: HEALTHY DAYS

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2822	291,557	1727	53.1	50.6-55.6	768	31.4	29.0-33.8	327	15.5	13.5-17.5
Native	80	11,290	38	34.7	22.0-47.4	22	32.5	18.2-46.8	20	32.9	18.8-47.0
Non-Native	2709	276,578	1669	53.6	51.1-56.1	736	31.4	29.0-33.8	304	15.0	13.0-17.0
18-24	127	43,291	40	33.1	24.1-42.1	56	42.9	33.7-52.1	31	23.9	16.1-31.7
25-34	257	49,435	105	40.7	34.0-47.4	98	36.8	30.3-43.3	54	22.5	16.8-28.2
35-44	315	47,464	139	43.2	37.1-49.3	126	40.3	34.2-46.4	50	16.5	11.8-21.2
45-54	334	38,000	177	53.7	47.6-59.8	111	32.0	26.3-37.7	46	14.3	9.8-18.8
55-64	465	40,585	274	60.5	55.4-65.6	134	26.0	21.7-30.3	57	13.5	9.8-17.2
65+	1324	72,782	992	75.3	72.6-78.0	243	17.9	15.5-20.3	89	6.8	5.0- 8.6
Less Than H.S.	83	17,505	45	37.5	24.4-50.6	21	35.2	20.7-49.7	17	27.4	13.9-40.9
H.S. or G.E.D.	669	67,332	423	55.8	50.7-60.9	145	23.4	18.9-27.9	101	20.7	16.4-25.0
Some Post-H.S.	865	110,286	543	54.1	49.8-58.4	225	31.3	27.2-35.4	97	14.7	11.4-18.0
College Graduate	1198	95,757	711	52.7	49.2-56.2	375	36.6	33.3-39.9	112	10.7	8.5-12.9
Less than \$15,000	92	10,760	40	35.4	22.5-48.3	20	25.2	12.1-38.3	32	39.4	25.3-53.5
\$15,000- 24,999	179	19,107	88	43.7	33.9-53.5	47	20.0	12.7-27.3	44	36.3	26.1-46.5
\$25,000- 34,999	267	25,815	145	43.1	35.3-50.9	73	31.0	23.4-38.6	49	25.9	18.1-33.7
\$35,000- 49,999	290	31,135	181	50.3	42.1-58.5	80	34.6	26.6-42.6	29	15.0	8.7-21.3
\$50,000- 99,999	721	72,851	431	50.7	46.0-55.4	217	36.3	31.6-41.0	73	13.0	9.3-16.7
\$100,000 - 199,999	495	52,644	284	52.2	46.9-57.5	170	37.3	32.2-42.4	41	10.6	7.1-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPL2)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU654)	
4	MALES AND FEMALES	17
5	MALES ONLY	18
6	FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPL2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5637	578,036	5433	94.2	93.2-95.2	204	5.8	4.8- 6.8
Male	2882	296,619	2748	93.2	91.8-94.6	134	6.8	5.4- 8.2
Female	2755	281,417	2685	95.3	93.9-96.7	70	4.7	3.3- 6.1
Native	163	24,350	152	90.0	83.1-96.9	11	10.0	3.1-16.9
Non-Native	5394	545,836	5205	94.4	93.4-95.4	189	5.6	4.6- 6.6
18-24	275	76,598	253	91.0	87.1-94.9	22	9.0	5.1-12.9
25-34	598	103,809	554	91.7	89.0-94.4	44	8.3	5.6-11.0
35-44	690	101,559	642	91.3	88.8-93.8	48	8.7	6.2-11.2
45-54	735	79,319	703	94.8	92.6-97.0	32	5.2	3.0- 7.4
55-64	966	81,986	924	94.6	92.8-96.4	42	5.4	3.6- 7.2
65+	2373	134,764	2357	99.4	99.0-99.8	16	0.6	0.2- 1.0
Less Than H.S.	190	37,895	162	78.7	71.1-86.3	28	21.3	13.7-28.9
H.S. or G.E.D.	1482	145,989	1394	92.2	90.2-94.2	88	7.8	5.8- 9.8
Some Post-H.S.	1700	219,989	1646	95.2	93.8-96.6	54	4.8	3.4- 6.2
College Graduate	2248	171,973	2215	98.2	97.6-98.8	33	1.8	1.2- 2.4
Less than \$15,000	156	17,784	142	86.6	78.8-94.4	14	13.4	5.6-21.2
\$15,000- 24,999	296	30,115	274	87.4	81.3-93.5	22	12.6	6.5-18.7
\$25,000- 34,999	467	45,371	444	92.5	89.2-95.8	23	7.5	4.2-10.8
\$35,000- 49,999	568	56,906	540	91.9	88.6-95.2	28	8.1	4.8-11.4
\$50,000- 99,999	1624	164,571	1565	94.5	92.7-96.3	59	5.5	3.7- 7.3
\$100,000 - 199,999	1132	123,242	1122	98.5	97.5-99.5	10	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPL2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2882	296,619	2748	93.2	91.8-94.6	134	6.8	5.4- 8.2
Native	86	13,287	77	89.4	81.4-97.4	9	10.6	2.6-18.6
Non-Native	2745	278,420	2621	93.3	91.9-94.7	124	6.7	5.3- 8.1
18-24	167	39,718	151	88.8	83.3-94.3	16	11.2	5.7-16.7
25-34	344	55,060	317	91.0	87.5-94.5	27	9.0	5.5-12.5
35-44	374	53,853	343	89.9	86.2-93.6	31	10.1	6.4-13.8
45-54	407	42,082	382	93.4	90.7-96.1	25	6.6	3.9- 9.3
55-64	512	42,330	487	94.7	92.5-96.9	25	5.3	3.1- 7.5
65+	1078	63,576	1068	99.3	98.9-99.7	10	0.7	0.3- 1.1
Less Than H.S.	108	20,472	87	72.4	61.6-83.2	21	27.6	16.8-38.4
H.S. or G.E.D.	837	82,570	775	91.5	89.1-93.9	62	8.5	6.1-10.9
Some Post-H.S.	861	114,496	829	95.2	93.4-97.0	32	4.8	3.0- 6.6
College Graduate	1066	77,569	1048	97.8	96.6-99.0	18	2.2	1.0- 3.4
Less than \$15,000	72	8,313	64	87.7	78.5-96.9	8	12.3	3.1-21.5
\$15,000- 24,999	118	11,026	107	84.0	73.2-94.8	11	16.0	5.2-26.8
\$25,000- 34,999	207	20,778	190	87.2	80.7-93.7	17	12.8	6.3-19.3
\$35,000- 49,999	284	26,998	266	89.9	84.8-95.0	18	10.1	5.0-15.2
\$50,000- 99,999	902	91,682	855	92.5	90.0-95.0	47	7.5	5.0-10.0
\$100,000 - 199,999	641	71,319	635	98.6	97.4-99.8	6	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPL2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2755	281,417	2685	95.3	93.9-96.7	70	4.7	3.3- 6.1
Native	77	11,063	75	90.7	78.7- 100	2	9.3	0.0-21.3
Non-Native	2649	267,416	2584	95.5	94.1-96.9	65	4.5	3.1- 5.9
18-24	108	36,880	102	93.3	87.6-99.0	6	6.7	1.0-12.4
25-34	254	48,749	237	92.5	88.4-96.6	17	7.5	3.4-11.6
35-44	316	47,706	299	92.9	89.4-96.4	17	7.1	3.6-10.6
45-54	328	37,237	321	96.4	93.1-99.7	7	3.6	0.3- 6.9
55-64	454	39,656	437	94.5	91.6-97.4	17	5.5	2.6- 8.4
65+	1295	71,188	1289	99.5	99.1-99.9	6	0.5	0.1- 0.9
Less Than H.S.	82	17,422	75	86.1	75.5-96.7	7	13.9	3.3-24.5
H.S. or G.E.D.	645	63,419	619	93.1	89.8-96.4	26	6.9	3.6-10.2
Some Post-H.S.	839	105,493	817	95.1	92.9-97.3	22	4.9	2.7- 7.1
College Graduate	1182	94,405	1167	98.5	97.7-99.3	15	1.5	0.7- 2.3
Less than \$15,000	84	9,471	78	85.7	73.4-98.0	6	14.3	2.0-26.6
\$15,000- 24,999	178	19,089	167	89.4	82.3-96.5	11	10.6	3.5-17.7
\$25,000- 34,999	260	24,593	254	97.0	94.1-99.9	6	3.0	0.1- 5.9
\$35,000- 49,999	284	29,908	274	93.8	89.3-98.3	10	6.2	1.7-10.7
\$50,000- 99,999	722	72,889	710	97.0	94.8-99.2	12	3.0	0.8- 5.2
\$100,000 - 199,999	491	51,924	487	98.3	96.5- 100	4	1.7	0.0- 3.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU654)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3173	433,049	2990	92.6	91.4-93.8	183	7.4	6.2- 8.6
Male	1759	228,027	1638	91.4	89.6-93.2	121	8.6	6.8-10.4
Female	1414	205,022	1352	93.9	92.1-95.7	62	6.1	4.3- 7.9
Native	127	22,230	117	89.1	81.5-96.7	10	10.9	3.3-18.5
Non-Native	3015	406,447	2845	92.8	91.6-94.0	170	7.2	6.0- 8.4
18-24	275	76,598	253	91.0	87.1-94.9	22	9.0	5.1-12.9
25-34	597	103,622	553	91.7	89.0-94.4	44	8.3	5.6-11.0
35-44	685	100,659	639	91.8	89.3-94.3	46	8.2	5.7-10.7
45-54	665	71,274	636	94.6	92.2-97.0	29	5.4	3.0- 7.8
55-64	951	80,896	909	94.6	92.6-96.6	42	5.4	3.4- 7.4
Less Than H.S.	92	27,738	66	71.6	61.2-82.0	26	28.4	18.0-38.8
H.S. or G.E.D.	825	112,969	751	90.6	88.1-93.1	74	9.4	6.9-11.9
Some Post-H.S.	922	159,152	870	93.6	91.6-95.6	52	6.4	4.4- 8.4
College Graduate	1329	132,180	1299	97.7	96.9-98.5	30	2.3	1.5- 3.1
Less than \$15,000	101	14,809	87	83.9	74.5-93.3	14	16.1	6.7-25.5
\$15,000- 24,999	131	20,764	111	82.0	73.4-90.6	20	18.0	9.4-26.6
\$25,000- 34,999	192	28,775	171	88.7	83.4-94.0	21	11.3	6.0-16.6
\$35,000- 49,999	272	40,720	245	88.8	84.1-93.5	27	11.2	6.5-15.9
\$50,000- 99,999	922	124,238	870	93.1	90.9-95.3	52	6.9	4.7- 9.1
\$100,000 - 199,999	855	107,443	845	98.3	97.1-99.5	10	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU654)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1759	228,027	1638	91.4	89.6-93.2	121	8.6	6.8-10.4
Native	73	12,556	65	88.9	80.5-97.3	8	11.1	2.7-19.5
Non-Native	1664	212,518	1552	91.5	89.7-93.3	112	8.5	6.7-10.3
18-24	167	39,718	151	88.8	83.3-94.3	16	11.2	5.7-16.7
25-34	344	55,060	317	91.0	87.5-94.5	27	9.0	5.5-12.5
35-44	372	53,512	341	89.9	86.2-93.6	31	10.1	6.4-13.8
45-54	365	37,431	343	93.3	90.2-96.4	22	6.7	3.6- 9.8
55-64	511	42,306	486	94.7	92.5-96.9	25	5.3	3.1- 7.5
Less Than H.S.	56	14,659	36	61.9	47.6-76.2	20	38.1	23.8-52.4
H.S. or G.E.D.	529	66,545	477	90.1	87.2-93.0	52	9.9	7.0-12.8
Some Post-H.S.	533	87,887	502	93.9	91.7-96.1	31	6.1	3.9- 8.3
College Graduate	637	58,005	620	97.1	95.5-98.7	17	2.9	1.3- 4.5
Less than \$15,000	51	7,223	43	85.8	75.2-96.4	8	14.2	3.6-24.8
\$15,000- 24,999	54	7,443	45	77.1	61.8-92.4	9	22.9	7.6-38.2
\$25,000- 34,999	101	14,265	85	81.9	72.7-91.1	16	18.1	8.9-27.3
\$35,000- 49,999	149	19,466	132	86.2	79.3-93.1	17	13.8	6.9-20.7
\$50,000- 99,999	538	69,824	495	90.6	87.3-93.9	43	9.4	6.1-12.7
\$100,000 - 199,999	491	62,206	485	98.4	97.2-99.6	6	1.6	0.4- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU654)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1414	205,022	1352	93.9	92.1-95.7	62	6.1	4.3- 7.9
Native	54	9,674	52	89.3	75.8- 100	2	10.7	0.0-24.2
Non-Native	1351	193,929	1293	94.2	92.4-96.0	58	5.8	4.0- 7.6
18-24	108	36,880	102	93.3	87.6-99.0	6	6.7	1.0-12.4
25-34	253	48,561	236	92.5	88.4-96.6	17	7.5	3.4-11.6
35-44	313	47,147	298	93.9	90.8-97.0	15	6.1	3.0- 9.2
45-54	300	33,842	293	96.1	92.6-99.6	7	3.9	0.4- 7.4
55-64	440	38,591	423	94.4	91.3-97.5	17	5.6	2.5- 8.7
H.S. or G.E.D.	296	46,424	274	91.2	86.7-95.7	22	8.8	4.3-13.3
Some Post-H.S.	389	71,265	368	93.3	90.2-96.4	21	6.7	3.6- 9.8
College Graduate	692	74,175	679	98.2	97.2-99.2	13	1.8	0.8- 2.8
Less than \$15,000	50	7,586	44	82.2	67.1-97.3	6	17.8	2.7-32.9
\$15,000- 24,999	77	13,321	66	84.8	74.8-94.8	11	15.2	5.2-25.2
\$25,000- 34,999	91	14,510	86	95.3	90.4- 100	5	4.7	0.0- 9.6
\$35,000- 49,999	123	21,254	113	91.2	84.7-97.7	10	8.8	2.3-15.3
\$50,000- 99,999	384	54,414	375	96.4	93.7-99.1	9	3.6	0.9- 6.3
\$100,000 - 199,999	364	45,237	360	98.1	96.1- 100	4	1.9	0.0- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 4: EXERCISE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	21
2	MALES ONLY	22
3	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 4: EXERCISE**

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5838	606,002	4460	78.3	76.9-79.7	1378	21.7	20.3-23.1
Male	2986	312,256	2343	80.9	79.1-82.7	643	19.1	17.3-20.9
Female	2852	293,746	2117	75.6	73.4-77.8	735	24.4	22.2-26.6
Native	168	24,765	117	73.8	65.4-82.2	51	26.2	17.8-34.6
Non-Native	5577	572,108	4274	78.5	77.1-79.9	1303	21.5	20.1-22.9
18-24	324	91,072	281	85.2	80.9-89.5	43	14.8	10.5-19.1
25-34	611	106,612	513	82.6	79.1-86.1	98	17.4	13.9-20.9
35-44	704	103,507	569	79.6	76.3-82.9	135	20.4	17.1-23.7
45-54	757	81,687	613	79.6	76.3-82.9	144	20.4	17.1-23.7
55-64	992	83,835	739	74.8	71.7-77.9	253	25.2	22.1-28.3
65+	2450	139,289	1745	70.9	68.7-73.1	705	29.1	26.9-31.3
Less Than H.S.	204	40,721	122	63.5	55.3-71.7	82	36.5	28.3-44.7
H.S. or G.E.D.	1557	156,377	1075	73.9	71.2-76.6	482	26.1	23.4-28.8
Some Post-H.S.	1765	231,044	1345	79.1	76.9-81.3	420	20.9	18.7-23.1
College Graduate	2294	175,658	1904	84.6	82.8-86.4	390	15.4	13.6-17.2
Less than \$15,000	167	18,795	98	61.7	52.1-71.3	69	38.3	28.7-47.9
\$15,000- 24,999	309	31,666	197	68.1	61.2-75.0	112	31.9	25.0-38.8
\$25,000- 34,999	489	47,906	323	69.1	63.8-74.4	166	30.9	25.6-36.2
\$35,000- 49,999	588	59,760	417	73.8	69.1-78.5	171	26.2	21.5-30.9
\$50,000- 99,999	1646	167,923	1275	78.9	76.4-81.4	371	21.1	18.6-23.6
\$100,000 - 199,999	1154	126,567	991	87.0	84.6-89.4	163	13.0	10.6-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 4: EXERCISE**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2986	312,256	2343	80.9	79.1-82.7	643	19.1	17.3-20.9
Native	87	13,408	64	77.1	66.7-87.5	23	22.9	12.5-33.3
Non-Native	2839	293,196	2232	81.1	79.3-82.9	607	18.9	17.1-20.7
18-24	198	48,472	177	88.2	83.3-93.1	21	11.8	6.9-16.7
25-34	353	56,911	303	85.4	81.3-89.5	50	14.6	10.5-18.7
35-44	384	55,184	327	84.5	80.4-88.6	57	15.5	11.4-19.6
45-54	420	43,196	347	81.6	77.3-85.9	73	18.4	14.1-22.7
55-64	526	43,391	391	74.2	69.9-78.5	135	25.8	21.5-30.1
65+	1105	65,102	798	72.5	69.4-75.6	307	27.5	24.4-30.6
Less Than H.S.	116	23,301	70	63.9	53.5-74.3	46	36.1	25.7-46.5
H.S. or G.E.D.	878	88,598	640	79.5	76.6-82.4	238	20.5	17.6-23.4
Some Post-H.S.	890	119,221	703	81.2	78.3-84.1	187	18.8	15.9-21.7
College Graduate	1090	79,532	919	86.8	84.6-89.0	171	13.2	11.0-15.4
Less than \$15,000	75	8,620	45	66.5	53.6-79.4	30	33.5	20.6-46.4
\$15,000- 24,999	128	12,442	85	72.0	62.6-81.4	43	28.0	18.6-37.4
\$25,000- 34,999	217	21,690	154	71.6	63.8-79.4	63	28.4	20.6-36.2
\$35,000- 49,999	295	28,265	209	74.7	68.8-80.6	86	25.3	19.4-31.2
\$50,000- 99,999	919	94,578	714	80.3	77.2-83.4	205	19.7	16.6-22.8
\$100,000 - 199,999	658	73,888	571	88.5	85.8-91.2	87	11.5	8.8-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 4: EXERCISE**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	293,746	2117	75.6	73.4-77.8	735	24.4	22.2-26.6
Native	81	11,357	53	70.0	56.7-83.3	28	30.0	16.7-43.3
Non-Native	2738	278,912	2042	75.7	73.5-77.9	696	24.3	22.1-26.5
18-24	126	42,600	104	81.7	74.3-89.1	22	18.3	10.9-25.7
25-34	258	49,701	210	79.4	73.7-85.1	48	20.6	14.9-26.3
35-44	320	48,323	242	74.1	68.6-79.6	78	25.9	20.4-31.4
45-54	337	38,491	266	77.3	72.0-82.6	71	22.7	17.4-28.0
55-64	466	40,443	348	75.5	71.0-80.0	118	24.5	20.0-29.0
65+	1345	74,187	947	69.5	66.6-72.4	398	30.5	27.6-33.4
Less Than H.S.	88	17,420	52	62.9	49.6-76.2	36	37.1	23.8-50.4
H.S. or G.E.D.	679	67,779	435	66.5	61.6-71.4	244	33.5	28.6-38.4
Some Post-H.S.	875	111,823	642	77.0	73.7-80.3	233	23.0	19.7-26.3
College Graduate	1204	96,125	985	82.8	80.3-85.3	219	17.2	14.7-19.7
Less than \$15,000	92	10,176	53	57.7	44.0-71.4	39	42.3	28.6-56.0
\$15,000- 24,999	181	19,223	112	65.5	56.1-74.9	69	34.5	25.1-43.9
\$25,000- 34,999	272	26,216	169	67.0	59.9-74.1	103	33.0	25.9-40.1
\$35,000- 49,999	293	31,495	208	73.0	65.7-80.3	85	27.0	19.7-34.3
\$50,000- 99,999	727	73,345	561	77.1	73.0-81.2	166	22.9	18.8-27.0
\$100,000 - 199,999	496	52,679	420	84.9	81.2-88.6	76	15.1	11.4-18.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 5: ORAL HEALTH CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)	
1 MALES AND FEMALES	25
2 MALES ONLY	26
3 FEMALES ONLY	27
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)	
4 MALES AND FEMALES	28
5 MALES ONLY	29
6 FEMALES ONLY	30
ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)	
7 MALES AND FEMALES	31
8 MALES ONLY	32
9 FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5716	596,336	3108	63.3	61.7-64.9	2608	36.7	35.1-38.3
Male	2937	308,222	1587	62.2	60.0-64.4	1350	37.8	35.6-40.0
Female	2779	288,114	1521	64.5	62.3-66.7	1258	35.5	33.3-37.7
Native	165	24,586	63	46.4	36.6-56.2	102	53.6	43.8-63.4
Non-Native	5464	563,134	3010	64.2	62.6-65.8	2454	35.8	34.2-37.4
18-24	323	91,046	299	91.5	88.0-95.0	24	8.5	5.0-12.0
25-34	610	106,488	500	79.5	75.8-83.2	110	20.5	16.8-24.2
35-44	700	102,868	505	71.2	67.5-74.9	195	28.8	25.1-32.5
45-54	746	80,347	469	61.0	57.1-64.9	277	39.0	35.1-42.9
55-64	975	82,269	514	52.4	48.9-55.9	461	47.6	44.1-51.1
65+	2362	133,318	821	33.2	31.0-35.4	1541	66.8	64.6-69.0
Less Than H.S.	196	40,201	68	52.4	43.6-61.2	128	47.6	38.8-56.4
H.S. or G.E.D.	1522	153,617	685	59.7	56.8-62.6	837	40.3	37.4-43.2
Some Post-H.S.	1720	226,627	881	60.5	57.8-63.2	839	39.5	36.8-42.2
College Graduate	2264	174,167	1464	72.7	70.7-74.7	800	27.3	25.3-29.3
Less than \$15,000	163	19,074	61	48.3	37.7-58.9	102	51.7	41.1-62.3
\$15,000- 24,999	306	31,557	110	52.6	45.2-60.0	196	47.4	40.0-54.8
\$25,000- 34,999	482	47,343	181	48.1	42.2-54.0	301	51.9	46.0-57.8
\$35,000- 49,999	577	58,669	258	54.8	49.5-60.1	319	45.2	39.9-50.5
\$50,000- 99,999	1620	166,048	876	62.8	59.9-65.7	744	37.2	34.3-40.1
\$100,000 - 199,999	1145	125,822	794	74.0	71.1-76.9	351	26.0	23.1-28.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2937	308,222	1587	62.2	60.0-64.4	1350	37.8	35.6-40.0
Native	86	13,346	41	53.1	40.2-66.0	45	46.9	34.0-59.8
Non-Native	2795	289,662	1527	63.0	60.8-65.2	1268	37.0	34.8-39.2
18-24	197	48,278	182	90.9	86.2-95.6	15	9.1	4.4-13.8
25-34	352	56,758	288	78.8	73.9-83.7	64	21.2	16.3-26.1
35-44	382	54,969	270	69.3	64.2-74.4	112	30.7	25.6-35.8
45-54	414	42,465	249	58.7	53.4-64.0	165	41.3	36.0-46.6
55-64	518	42,666	251	48.3	43.4-53.2	267	51.7	46.8-56.6
65+	1074	63,086	347	31.0	27.9-34.1	727	69.0	65.9-72.1
Less Than H.S.	114	23,066	34	44.4	32.8-56.0	80	55.6	44.0-67.2
H.S. or G.E.D.	861	87,221	400	59.4	55.7-63.1	461	40.6	36.9-44.3
Some Post-H.S.	874	117,916	464	61.9	58.4-65.4	410	38.1	34.6-41.6
College Graduate	1079	78,791	683	71.0	68.1-73.9	396	29.0	26.1-31.9
Less than \$15,000	74	8,506	32	53.5	38.6-68.4	42	46.5	31.6-61.4
\$15,000- 24,999	126	12,352	44	53.5	42.5-64.5	82	46.5	35.5-57.5
\$25,000- 34,999	214	21,558	79	44.2	35.4-53.0	135	55.8	47.0-64.6
\$35,000- 49,999	291	27,959	120	50.6	43.3-57.9	171	49.4	42.1-56.7
\$50,000- 99,999	908	93,764	461	58.4	54.5-62.3	447	41.6	37.7-45.5
\$100,000 - 199,999	654	73,429	444	72.3	68.4-76.2	210	27.7	23.8-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2779	288,114	1521	64.5	62.3-66.7	1258	35.5	33.3-37.7
Native	79	11,240	22	38.4	23.7-53.1	57	61.6	46.9-76.3
Non-Native	2669	273,472	1483	65.5	63.3-67.7	1186	34.5	32.3-36.7
18-24	126	42,768	117	92.1	86.6-97.6	9	7.9	2.4-13.4
25-34	258	49,730	212	80.2	74.5-85.9	46	19.8	14.1-25.5
35-44	318	47,899	235	73.4	67.9-78.9	83	26.6	21.1-32.1
45-54	332	37,882	220	63.5	57.6-69.4	112	36.5	30.6-42.4
55-64	457	39,602	263	56.8	51.5-62.1	194	43.2	37.9-48.5
65+	1288	70,232	474	35.2	32.1-38.3	814	64.8	61.7-67.9
Less Than H.S.	82	17,135	34	63.1	50.2-76.0	48	36.9	24.0-49.8
H.S. or G.E.D.	661	66,396	285	60.1	55.4-64.8	376	39.9	35.2-44.6
Some Post-H.S.	846	108,711	417	58.9	54.8-63.0	429	41.1	37.0-45.2
College Graduate	1185	95,376	781	74.0	71.3-76.7	404	26.0	23.3-28.7
Less than \$15,000	89	10,568	29	44.1	29.2-59.0	60	55.9	41.0-70.8
\$15,000- 24,999	180	19,205	66	52.1	42.1-62.1	114	47.9	37.9-57.9
\$25,000- 34,999	268	25,785	102	51.4	43.4-59.4	166	48.6	40.6-56.6
\$35,000- 49,999	286	30,711	138	58.7	50.9-66.5	148	41.3	33.5-49.1
\$50,000- 99,999	712	72,284	415	68.5	64.4-72.6	297	31.5	27.4-35.6
\$100,000 - 199,999	491	52,393	350	76.5	72.4-80.6	141	23.5	19.4-27.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2341	132,496	2088	88.9	87.3-90.5	253	11.1	9.5-12.7
Male	1062	62,473	944	88.2	85.8-90.6	118	11.8	9.4-14.2
Female	1279	70,022	1144	89.6	87.6-91.6	135	10.4	8.4-12.4
Non-Native	2272	128,399	2029	88.9	87.3-90.5	243	11.1	9.5-12.7
65+	2341	132,496	2088	88.9	87.3-90.5	253	11.1	9.5-12.7
Less Than H.S.	98	9,827	80	80.5	70.9-90.1	18	19.5	9.9-29.1
H.S. or G.E.D.	626	30,690	509	81.6	78.1-85.1	117	18.4	14.9-21.9
Some Post-H.S.	738	55,067	656	89.7	87.3-92.1	82	10.3	7.9-12.7
College Graduate	874	36,519	838	96.0	94.6-97.4	36	4.0	2.6- 5.4
Less than \$15,000	55	2,998	40	81.0	70.4-91.6	15	19.0	8.4-29.6
\$15,000- 24,999	162	9,013	127	76.1	67.7-84.5	35	23.9	15.5-32.3
\$25,000- 34,999	277	16,419	234	85.7	80.8-90.6	43	14.3	9.4-19.2
\$35,000- 49,999	295	15,937	262	86.6	80.9-92.3	33	13.4	7.7-19.1
\$50,000- 99,999	672	37,956	627	92.5	90.1-94.9	45	7.5	5.1- 9.9
\$100,000 - 199,999	263	14,414	249	94.4	91.5-97.3	14	5.6	2.7- 8.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1062	62,473	944	88.2	85.8-90.6	118	11.8	9.4-14.2
Non-Native	1026	60,407	913	88.3	85.8-90.8	113	11.7	9.2-14.2
65+	1062	62,473	944	88.2	85.8-90.6	118	11.8	9.4-14.2
Less Than H.S.	52	5,736	40	77.0	63.3-90.7	12	23.0	9.3-36.7
H.S. or G.E.D.	287	14,663	236	84.4	79.9-88.9	51	15.6	11.1-20.1
Some Post-H.S.	306	23,944	269	87.2	82.9-91.5	37	12.8	8.5-17.1
College Graduate	414	17,986	396	96.1	94.1-98.1	18	3.9	1.9- 5.9
\$15,000- 24,999	61	3,316	51	80.8	67.7-93.9	10	19.2	6.1-32.3
\$25,000- 34,999	109	6,776	93	87.1	79.7-94.5	16	12.9	5.5-20.3
\$35,000- 49,999	136	7,321	113	78.5	68.1-88.9	23	21.5	11.1-31.9
\$50,000- 99,999	351	20,812	324	91.4	87.9-94.9	27	8.6	5.1-12.1
\$100,000 - 199,999	142	8,156	131	92.0	87.1-96.9	11	8.0	3.1-12.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1279	70,022	1144	89.6	87.6-91.6	135	10.4	8.4-12.4
Non-Native	1246	67,992	1116	89.5	87.5-91.5	130	10.5	8.5-12.5
65+	1279	70,022	1144	89.6	87.6-91.6	135	10.4	8.4-12.4
H.S. or G.E.D.	339	16,027	273	79.1	74.0-84.2	66	20.9	15.8-26.0
Some Post-H.S.	432	31,123	387	91.7	89.0-94.4	45	8.3	5.6-11.0
College Graduate	460	18,533	442	95.9	93.7-98.1	18	4.1	1.9- 6.3
\$15,000- 24,999	101	5,697	76	73.4	62.4-84.4	25	26.6	15.6-37.6
\$25,000- 34,999	168	9,643	141	84.8	78.3-91.3	27	15.2	8.7-21.7
\$35,000- 49,999	159	8,617	149	93.5	88.8-98.2	10	6.5	1.8-11.2
\$50,000- 99,999	321	17,144	303	93.9	90.8-97.0	18	6.1	3.0- 9.2
\$100,000 - 199,999	121	6,257	118	97.6	94.7- 100	3	2.4	0.0- 5.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5781	600,073	4083	68.4	66.8-70.0	1698	31.6	30.0-33.2
Male	2965	309,751	1988	65.2	63.0-67.4	977	34.8	32.6-37.0
Female	2816	290,322	2095	71.7	69.3-74.1	721	28.3	25.9-30.7
Native	160	22,820	81	53.5	43.7-63.3	79	46.5	36.7-56.3
Non-Native	5531	568,240	3941	69.0	67.4-70.6	1590	31.0	29.4-32.6
18-24	321	90,879	226	69.5	63.8-75.2	95	30.5	24.8-36.2
25-34	606	105,602	367	58.9	54.6-63.2	239	41.1	36.8-45.4
35-44	696	102,203	479	68.2	64.3-72.1	217	31.8	27.9-35.7
45-54	751	80,636	531	70.4	66.7-74.1	220	29.6	25.9-33.3
55-64	985	83,418	708	71.3	68.2-74.4	277	28.7	25.6-31.8
65+	2422	137,335	1772	72.0	69.8-74.2	650	28.0	25.8-30.2
Less Than H.S.	199	39,749	84	42.6	33.8-51.4	115	57.4	48.6-66.2
H.S. or G.E.D.	1538	154,813	948	63.2	60.1-66.3	590	36.8	33.7-39.9
Some Post-H.S.	1745	228,865	1190	67.8	65.1-70.5	555	32.2	29.5-34.9
College Graduate	2282	174,497	1849	79.5	77.5-81.5	433	20.5	18.5-22.5
Less than \$15,000	161	18,122	63	40.9	30.7-51.1	98	59.1	48.9-69.3
\$15,000- 24,999	305	31,926	130	48.8	41.2-56.4	175	51.2	43.6-58.8
\$25,000- 34,999	483	47,088	282	55.3	49.4-61.2	201	44.7	38.8-50.6
\$35,000- 49,999	587	59,595	373	60.4	54.9-65.9	214	39.6	34.1-45.1
\$50,000- 99,999	1632	166,410	1208	70.3	67.4-73.2	424	29.7	26.8-32.6
\$100,000 - 199,999	1151	126,197	927	77.8	74.9-80.7	224	22.2	19.3-25.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2965	309,751	1988	65.2	63.0-67.4	977	34.8	32.6-37.0
Native	84	12,871	40	51.2	38.1-64.3	44	48.8	35.7-61.9
Non-Native	2823	291,417	1909	65.8	63.6-68.0	914	34.2	32.0-36.4
18-24	195	47,864	130	65.0	57.6-72.4	65	35.0	27.6-42.4
25-34	352	56,727	206	56.4	50.7-62.1	146	43.6	37.9-49.3
35-44	382	54,818	250	65.4	60.1-70.7	132	34.6	29.3-39.9
45-54	417	42,966	281	67.8	62.9-72.7	136	32.2	27.3-37.1
55-64	523	43,123	357	68.1	63.6-72.6	166	31.9	27.4-36.4
65+	1096	64,254	764	69.5	66.4-72.6	332	30.5	27.4-33.6
Less Than H.S.	115	23,036	45	38.6	27.6-49.6	70	61.4	50.4-72.4
H.S. or G.E.D.	875	88,028	520	61.7	57.8-65.6	355	38.3	34.4-42.2
Some Post-H.S.	879	118,063	567	66.0	62.5-69.5	312	34.0	30.5-37.5
College Graduate	1085	79,074	848	75.8	72.7-78.9	237	24.2	21.1-27.3
Less than \$15,000	74	8,355	28	43.6	28.7-58.5	46	56.4	41.5-71.3
\$15,000- 24,999	127	12,365	44	41.5	29.9-53.1	83	58.5	46.9-70.1
\$25,000- 34,999	217	21,591	115	51.8	43.2-60.4	102	48.2	39.6-56.8
\$35,000- 49,999	295	28,198	165	50.9	43.6-58.2	130	49.1	41.8-56.4
\$50,000- 99,999	912	93,881	641	67.4	63.7-71.1	271	32.6	28.9-36.3
\$100,000 - 199,999	657	73,835	497	72.5	68.4-76.6	160	27.5	23.4-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2816	290,322	2095	71.7	69.3-74.1	721	28.3	25.9-30.7
Native	76	9,948	41	56.4	42.1-70.7	35	43.6	29.3-57.9
Non-Native	2708	276,823	2032	72.3	69.9-74.7	676	27.7	25.3-30.1
18-24	126	43,015	96	74.5	66.1-82.9	30	25.5	17.1-33.9
25-34	254	48,875	161	61.8	55.1-68.5	93	38.2	31.5-44.9
35-44	314	47,385	229	71.5	65.6-77.4	85	28.5	22.6-34.4
45-54	334	37,670	250	73.5	68.0-79.0	84	26.5	21.0-32.0
55-64	462	40,295	351	74.6	69.9-79.3	111	25.4	20.7-30.1
65+	1326	73,081	1008	74.3	71.4-77.2	318	25.7	22.8-28.6
Less Than H.S.	84	16,713	39	48.2	33.7-62.7	45	51.8	37.3-66.3
H.S. or G.E.D.	663	66,785	428	65.3	60.4-70.2	235	34.7	29.8-39.6
Some Post-H.S.	866	110,803	623	69.8	65.9-73.7	243	30.2	26.3-34.1
College Graduate	1197	95,423	1001	82.5	79.8-85.2	196	17.5	14.8-20.2
Less than \$15,000	87	9,767	35	38.5	24.4-52.6	52	61.5	47.4-75.6
\$15,000- 24,999	178	19,561	86	53.4	43.4-63.4	92	46.6	36.6-56.6
\$25,000- 34,999	266	25,497	167	58.3	50.3-66.3	99	41.7	33.7-49.7
\$35,000- 49,999	292	31,398	208	69.0	61.4-76.6	84	31.0	23.4-38.6
\$50,000- 99,999	720	72,529	567	74.0	69.5-78.5	153	26.0	21.5-30.5
\$100,000 - 199,999	494	52,363	430	85.3	81.4-89.2	64	14.7	10.8-18.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)	
1 MALES AND FEMALES	35
2 MALES ONLY	36
3 FEMALES ONLY	37
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	38
5 MALES ONLY	39
6 FEMALES ONLY	40
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	41
8 MALES ONLY	42
9 FEMALES ONLY	43
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	44
11 MALES ONLY	45
12 FEMALES ONLY	46
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	47
14 MALES ONLY	48
15 FEMALES ONLY	49

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5792	601,463	591	6.8	6.2- 7.4	5201	93.2	92.6-93.8
Male	2958	309,064	357	8.1	7.1- 9.1	2601	91.9	90.9-92.9
Female	2834	292,399	234	5.3	4.3- 6.3	2600	94.7	93.7-95.7
Native	167	24,595	21	7.8	2.9-12.7	146	92.2	87.3-97.1
Non-Native	5535	567,650	550	6.6	6.0- 7.2	4985	93.4	92.8-94.0
18-24	323	90,485	1	0.6	0.0- 1.8	322	99.4	98.2- 100
25-34	609	106,302	9	1.4	0.4- 2.4	600	98.6	97.6-99.6
35-44	699	102,461	14	1.9	0.9- 2.9	685	98.1	97.1-99.1
45-54	752	80,963	41	5.9	3.7- 8.1	711	94.1	91.9-96.3
55-64	990	83,851	79	8.0	6.0-10.0	911	92.0	90.0-94.0
65+	2419	137,399	447	18.4	16.6-20.2	1972	81.6	79.8-83.4
Less Than H.S.	199	39,519	30	11.4	6.3-16.5	169	88.6	83.5-93.7
H.S. or G.E.D.	1542	155,548	179	6.5	5.3- 7.7	1363	93.5	92.3-94.7
Some Post-H.S.	1750	229,177	189	7.1	5.9- 8.3	1561	92.9	91.7-94.1
College Graduate	2283	174,992	188	5.3	4.5- 6.1	2095	94.7	93.9-95.5
Less than \$15,000	163	18,835	28	10.2	5.7-14.7	135	89.8	85.3-94.3
\$15,000- 24,999	306	31,629	42	7.8	5.1-10.5	264	92.2	89.5-94.9
\$25,000- 34,999	485	47,705	77	11.5	8.0-15.0	408	88.5	85.0-92.0
\$35,000- 49,999	586	59,657	79	7.1	5.1- 9.1	507	92.9	90.9-94.9
\$50,000- 99,999	1640	166,953	165	6.9	5.5- 8.3	1475	93.1	91.7-94.5
\$100,000 - 199,999	1146	125,800	50	3.1	2.1- 4.1	1096	96.9	95.9-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2958	309,064	357	8.1	7.1- 9.1	2601	91.9	90.9-92.9
Native	87	13,408	9	4.9	1.2- 8.6	78	95.1	91.4-98.8
Non-Native	2815	290,184	334	8.0	7.0- 9.0	2481	92.0	91.0-93.0
18-24	196	47,546				196	100.0	100.0- 100
25-34	351	56,350	7	2.2	0.4- 4.0	344	97.8	96.0-99.6
35-44	383	55,065	9	2.2	0.6- 3.8	374	97.8	96.2-99.4
45-54	416	42,634	28	7.0	4.3- 9.7	388	93.0	90.3-95.7
55-64	525	43,366	53	10.2	7.3-13.1	472	89.8	86.9-92.7
65+	1087	64,102	260	23.8	20.9-26.7	827	76.2	73.3-79.1
Less Than H.S.	111	22,135	18	11.2	5.5-16.9	93	88.8	83.1-94.5
H.S. or G.E.D.	870	87,997	106	7.0	5.4- 8.6	764	93.0	91.4-94.6
Some Post-H.S.	882	118,400	115	9.0	7.2-10.8	767	91.0	89.2-92.8
College Graduate	1084	78,982	115	7.1	5.7- 8.5	969	92.9	91.5-94.3
Less than \$15,000	72	8,234	13	10.4	3.9-16.9	59	89.6	83.1-96.1
\$15,000- 24,999	126	12,181	18	9.8	4.7-14.9	108	90.2	85.1-95.3
\$25,000- 34,999	217	21,806	40	13.3	8.0-18.6	177	86.7	81.4-92.0
\$35,000- 49,999	294	28,264	51	8.9	6.0-11.8	243	91.1	88.2-94.0
\$50,000- 99,999	916	93,909	112	8.5	6.7-10.3	804	91.5	89.7-93.3
\$100,000 - 199,999	651	73,135	40	4.0	2.6- 5.4	611	96.0	94.6-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2834	292,399	234	5.3	4.3- 6.3	2600	94.7	93.7-95.7
Native	80	11,187	12	11.2	1.6-20.8	68	88.8	79.2-98.4
Non-Native	2720	277,467	216	5.0	4.2- 5.8	2504	95.0	94.2-95.8
18-24	127	42,939	1	1.2	0.0- 3.6	126	98.8	96.4- 100
25-34	258	49,952	2	0.5	0.0- 1.3	256	99.5	98.7- 100
35-44	316	47,396	5	1.5	0.1- 2.9	311	98.5	97.1-99.9
45-54	336	38,329	13	4.7	1.4- 8.0	323	95.3	92.0-98.6
55-64	465	40,485	26	5.5	3.1- 7.9	439	94.5	92.1-96.9
65+	1332	73,298	187	13.7	11.5-15.9	1145	86.3	84.1-88.5
Less Than H.S.	88	17,384	12	11.6	2.8-20.4	76	88.4	79.6-97.2
H.S. or G.E.D.	672	67,551	73	5.7	4.1- 7.3	599	94.3	92.7-95.9
Some Post-H.S.	868	110,777	74	5.2	3.8- 6.6	794	94.8	93.4-96.2
College Graduate	1199	96,009	73	3.9	2.9- 4.9	1126	96.1	95.1-97.1
Less than \$15,000	91	10,601	15	10.1	3.8-16.4	76	89.9	83.6-96.2
\$15,000- 24,999	180	19,448	24	6.5	3.4- 9.6	156	93.5	90.4-96.6
\$25,000- 34,999	268	25,899	37	10.0	5.1-14.9	231	90.0	85.1-94.9
\$35,000- 49,999	292	31,393	28	5.4	2.9- 7.9	264	94.6	92.1-97.1
\$50,000- 99,999	724	73,044	53	4.9	2.9- 6.9	671	95.1	93.1-97.1
\$100,000 - 199,999	495	52,665	10	1.8	0.6- 3.0	485	98.2	97.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5836	606,295	5083	86.3	85.1-87.5	753	13.7	12.5-14.9
Male	2984	311,374	2652	88.5	87.1-89.9	332	11.5	10.1-12.9
Female	2852	294,920	2431	83.9	82.1-85.7	421	16.1	14.3-17.9
Native	167	24,496	136	80.4	72.2-88.6	31	19.6	11.4-27.8
Non-Native	5578	572,766	4867	86.5	85.3-87.7	711	13.5	12.3-14.7
18-24	326	92,099	281	86.8	82.9-90.7	45	13.2	9.3-17.1
25-34	608	105,983	509	84.1	81.0-87.2	99	15.9	12.8-19.0
35-44	703	103,377	591	84.6	81.7-87.5	112	15.4	12.5-18.3
45-54	756	81,613	648	84.0	80.9-87.1	108	16.0	12.9-19.1
55-64	992	84,016	873	88.1	85.7-90.5	119	11.9	9.5-14.3
65+	2451	139,206	2181	89.0	87.4-90.6	270	11.0	9.4-12.6
Less Than H.S.	204	41,109	172	82.6	75.9-89.3	32	17.4	10.7-24.1
H.S. or G.E.D.	1556	156,867	1361	86.0	83.6-88.4	195	14.0	11.6-16.4
Some Post-H.S.	1769	231,123	1550	87.4	85.6-89.2	219	12.6	10.8-14.4
College Graduate	2290	175,001	1984	85.9	84.1-87.7	306	14.1	12.3-15.9
Less than \$15,000	167	19,317	132	78.5	70.5-86.5	35	21.5	13.5-29.5
\$15,000- 24,999	310	31,979	257	81.0	74.9-87.1	53	19.0	12.9-25.1
\$25,000- 34,999	491	48,066	428	82.6	77.5-87.7	63	17.4	12.3-22.5
\$35,000- 49,999	588	59,510	506	84.4	80.5-88.3	82	15.6	11.7-19.5
\$50,000- 99,999	1644	167,498	1443	87.8	85.8-89.8	201	12.2	10.2-14.2
\$100,000 - 199,999	1153	126,239	1016	87.4	85.2-89.6	137	12.6	10.4-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2984	311,374	2652	88.5	87.1-89.9	332	11.5	10.1-12.9
Native	87	13,408	76	92.0	86.7-97.3	11	8.0	2.7-13.3
Non-Native	2840	292,678	2526	88.3	86.7-89.9	314	11.7	10.1-13.3
18-24	198	48,472	172	86.2	80.9-91.5	26	13.8	8.5-19.1
25-34	351	56,286	303	86.8	83.1-90.5	48	13.2	9.5-16.9
35-44	383	55,054	333	87.8	84.3-91.3	50	12.2	8.7-15.7
45-54	418	43,018	379	90.3	87.2-93.4	39	9.7	6.6-12.8
55-64	526	43,366	470	89.8	86.9-92.7	56	10.2	7.3-13.1
65+	1108	65,178	995	90.1	87.9-92.3	113	9.9	7.7-12.1
Less Than H.S.	115	23,037	102	87.3	79.7-94.9	13	12.7	5.1-20.3
H.S. or G.E.D.	878	88,442	779	88.1	85.4-90.8	99	11.9	9.2-14.6
Some Post-H.S.	892	119,289	794	89.0	86.6-91.4	98	11.0	8.6-13.4
College Graduate	1088	79,056	967	88.6	86.4-90.8	121	11.4	9.2-13.6
Less than \$15,000	74	8,490	59	79.7	67.7-91.7	15	20.3	8.3-32.3
\$15,000- 24,999	127	12,178	113	89.6	82.9-96.3	14	10.4	3.7-17.1
\$25,000- 34,999	219	21,850	202	87.6	80.5-94.7	17	12.4	5.3-19.5
\$35,000- 49,999	296	28,179	251	82.6	76.7-88.5	45	17.4	11.5-23.3
\$50,000- 99,999	919	94,465	826	90.4	88.2-92.6	93	9.6	7.4-11.8
\$100,000 - 199,999	657	73,560	585	87.8	84.9-90.7	72	12.2	9.3-15.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	294,920	2431	83.9	82.1-85.7	421	16.1	14.3-17.9
Native	80	11,088	60	66.5	51.6-81.4	20	33.5	18.6-48.4
Non-Native	2738	280,088	2341	84.5	82.7-86.3	397	15.5	13.7-17.3
18-24	128	43,627	109	87.5	81.8-93.2	19	12.5	6.8-18.2
25-34	257	49,697	206	81.1	76.0-86.2	51	18.9	13.8-24.0
35-44	320	48,323	258	81.0	76.3-85.7	62	19.0	14.3-23.7
45-54	338	38,595	269	77.0	71.3-82.7	69	23.0	17.3-28.7
55-64	466	40,650	403	86.4	82.9-89.9	63	13.6	10.1-17.1
65+	1343	74,028	1186	88.0	85.8-90.2	157	12.0	9.8-14.2
Less Than H.S.	89	18,072	70	76.6	65.0-88.2	19	23.4	11.8-35.0
H.S. or G.E.D.	678	68,425	582	83.3	79.4-87.2	96	16.7	12.8-20.6
Some Post-H.S.	877	111,834	756	85.7	82.8-88.6	121	14.3	11.4-17.2
College Graduate	1202	95,945	1017	83.7	81.2-86.2	185	16.3	13.8-18.8
Less than \$15,000	93	10,828	73	77.5	66.5-88.5	20	22.5	11.5-33.5
\$15,000- 24,999	183	19,801	144	75.8	67.2-84.4	39	24.2	15.6-32.8
\$25,000- 34,999	272	26,216	226	78.4	71.1-85.7	46	21.6	14.3-28.9
\$35,000- 49,999	292	31,332	255	85.9	80.4-91.4	37	14.1	8.6-19.6
\$50,000- 99,999	725	73,033	617	84.3	80.8-87.8	108	15.7	12.2-19.2
\$100,000 - 199,999	496	52,679	431	86.8	83.3-90.3	65	13.2	9.7-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5815	603,769	5271	90.3	89.3-91.3	544	9.7	8.7-10.7
Male	2967	309,145	2747	93.1	91.9-94.3	220	6.9	5.7- 8.1
Female	2848	294,624	2524	87.4	85.8-89.0	324	12.6	11.0-14.2
Native	165	24,331	145	85.6	78.0-93.2	20	14.4	6.8-22.0
Non-Native	5560	570,556	5046	90.5	89.5-91.5	514	9.5	8.5-10.5
18-24	326	92,099	294	90.9	87.8-94.0	32	9.1	6.0-12.2
25-34	603	105,113	546	90.6	88.1-93.1	57	9.4	6.9-11.9
35-44	698	102,618	629	90.4	88.0-92.8	69	9.6	7.2-12.0
45-54	753	81,210	671	87.5	84.6-90.4	82	12.5	9.6-15.4
55-64	988	83,752	900	90.9	88.9-92.9	88	9.1	7.1-11.1
65+	2447	138,977	2231	91.0	89.6-92.4	216	9.0	7.6-10.4
Less Than H.S.	204	41,109	179	86.9	81.0-92.8	25	13.1	7.2-19.0
H.S. or G.E.D.	1550	156,177	1408	89.7	87.7-91.7	142	10.3	8.3-12.3
Some Post-H.S.	1763	230,103	1603	91.4	89.8-93.0	160	8.6	7.0-10.2
College Graduate	2281	174,186	2065	90.3	88.9-91.7	216	9.7	8.3-11.1
Less than \$15,000	166	19,220	137	84.8	78.3-91.3	29	15.2	8.7-21.7
\$15,000- 24,999	310	31,979	264	84.2	78.9-89.5	46	15.8	10.5-21.1
\$25,000- 34,999	489	47,805	445	88.7	84.4-93.0	44	11.3	7.0-15.6
\$35,000- 49,999	586	59,268	522	87.4	83.7-91.1	64	12.6	8.9-16.3
\$50,000- 99,999	1636	166,473	1502	91.9	90.1-93.7	134	8.1	6.3- 9.9
\$100,000 - 199,999	1149	125,739	1058	92.2	90.4-94.0	91	7.8	6.0- 9.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2967	309,145	2747	93.1	91.9-94.3	220	6.9	5.7- 8.1
Native	85	13,243	78	94.4	89.7-99.1	7	5.6	0.9-10.3
Non-Native	2826	290,765	2619	93.1	91.9-94.3	207	6.9	5.7- 8.1
18-24	198	48,472	184	93.1	89.4-96.8	14	6.9	3.2-10.6
25-34	347	55,547	323	93.6	91.1-96.1	24	6.4	3.9- 8.9
35-44	378	54,295	351	93.5	91.0-96.0	27	6.5	4.0- 9.0
45-54	416	42,704	391	93.8	91.1-96.5	25	6.2	3.5- 8.9
55-64	522	43,102	481	92.5	90.0-95.0	41	7.5	5.0-10.0
65+	1106	65,026	1017	92.4	90.6-94.2	89	7.6	5.8- 9.4
Less Than H.S.	115	23,037	106	92.3	86.6-98.0	9	7.7	2.0-13.4
H.S. or G.E.D.	873	87,779	808	92.8	90.6-95.0	65	7.2	5.0- 9.4
Some Post-H.S.	886	118,269	825	93.9	92.1-95.7	61	6.1	4.3- 7.9
College Graduate	1082	78,510	998	92.7	90.9-94.5	84	7.3	5.5- 9.1
Less than \$15,000	73	8,393	62	88.6	80.8-96.4	11	11.4	3.6-19.2
\$15,000- 24,999	127	12,178	115	93.0	88.7-97.3	12	7.0	2.7-11.3
\$25,000- 34,999	217	21,589	205	93.8	89.5-98.1	12	6.2	1.9-10.5
\$35,000- 49,999	294	27,936	260	87.4	82.3-92.5	34	12.6	7.5-17.7
\$50,000- 99,999	913	93,598	856	94.6	93.0-96.2	57	5.4	3.8- 7.0
\$100,000 - 199,999	653	73,060	612	93.9	91.9-95.9	41	6.1	4.1- 8.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2848	294,624	2524	87.4	85.8-89.0	324	12.6	11.0-14.2
Native	80	11,088	67	75.1	60.6-89.6	13	24.9	10.4-39.4
Non-Native	2734	279,791	2427	87.8	86.2-89.4	307	12.2	10.6-13.8
18-24	128	43,627	110	88.5	83.0-94.0	18	11.5	6.0-17.0
25-34	256	49,566	223	87.2	82.9-91.5	33	12.8	8.5-17.1
35-44	320	48,323	278	86.9	82.8-91.0	42	13.1	9.0-17.2
45-54	337	38,507	280	80.6	75.1-86.1	57	19.4	13.9-24.9
55-64	466	40,650	419	89.3	86.0-92.6	47	10.7	7.4-14.0
65+	1341	73,951	1214	89.7	87.5-91.9	127	10.3	8.1-12.5
Less Than H.S.	89	18,072	73	80.0	69.0-91.0	16	20.0	9.0-31.0
H.S. or G.E.D.	677	68,398	600	85.6	81.9-89.3	77	14.4	10.7-18.1
Some Post-H.S.	877	111,834	778	88.8	86.3-91.3	99	11.2	8.7-13.7
College Graduate	1199	95,675	1067	88.3	86.1-90.5	132	11.7	9.5-13.9
Less than \$15,000	93	10,828	75	81.8	72.0-91.6	18	18.2	8.4-28.0
\$15,000- 24,999	183	19,801	149	78.7	70.7-86.7	34	21.3	13.3-29.3
\$25,000- 34,999	272	26,216	240	84.5	77.8-91.2	32	15.5	8.8-22.2
\$35,000- 49,999	292	31,332	262	87.4	82.1-92.7	30	12.6	7.3-17.9
\$50,000- 99,999	723	72,874	646	88.3	85.2-91.4	77	11.7	8.6-14.8
\$100,000 - 199,999	496	52,679	446	89.8	86.7-92.9	50	10.2	7.1-13.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5815	603,769	544	9.7	8.7-10.7	188	3.7	3.1- 4.3	5083	86.6	85.4-87.8
Male	2967	309,145	220	6.9	5.7- 8.1	95	4.0	3.0- 5.0	2652	89.1	87.7-90.5
Female	2848	294,624	324	12.6	11.0-14.2	93	3.4	2.6- 4.2	2431	84.0	82.2-85.8
Native	165	24,331	20	14.4	6.8-22.0	9	4.6	0.7- 8.5	136	81.0	72.8-89.2
Non-Native	5560	570,556	514	9.5	8.5-10.5	179	3.7	3.1- 4.3	4867	86.8	85.6-88.0
18-24	326	92,099	32	9.1	6.0-12.2	13	4.1	1.7- 6.5	281	86.8	82.9-90.7
25-34	603	105,113	57	9.4	6.9-11.9	37	5.8	3.8- 7.8	509	84.8	81.7-87.9
35-44	698	102,618	69	9.6	7.2-12.0	38	5.1	3.3- 6.9	591	85.3	82.4-88.2
45-54	753	81,210	82	12.5	9.6-15.4	23	3.1	1.7- 4.5	648	84.4	81.3-87.5
55-64	988	83,752	88	9.1	7.1-11.1	27	2.5	1.3- 3.7	873	88.4	86.0-90.8
65+	2447	138,977	216	9.0	7.6-10.4	50	1.8	1.2- 2.4	2181	89.1	87.5-90.7
Less Than H.S.	204	41,109	25	13.1	7.2-19.0	7	4.3	0.6- 8.0	172	82.6	75.9-89.3
H.S. or G.E.D.	1550	156,177	142	10.3	8.3-12.3	47	3.3	2.1- 4.5	1361	86.4	84.2-88.6
Some Post-H.S.	1763	230,103	160	8.6	7.0-10.2	53	3.7	2.5- 4.9	1550	87.8	86.0-89.6
College Graduate	2281	174,186	216	9.7	8.3-11.1	81	4.0	3.0- 5.0	1984	86.3	84.5-88.1
Less than \$15,000	166	19,220	29	15.2	8.7-21.7	5	5.9	0.4-11.4	132	78.9	70.9-86.9
\$15,000- 24,999	310	31,979	46	15.8	10.5-21.1	7	3.1	0.0- 6.2	257	81.0	74.9-87.1
\$25,000- 34,999	489	47,805	44	11.3	7.0-15.6	17	5.6	2.3- 8.9	428	83.1	78.0-88.2
\$35,000- 49,999	586	59,268	64	12.6	8.9-16.3	16	2.7	1.1- 4.3	506	84.7	80.8-88.6
\$50,000- 99,999	1636	166,473	134	8.1	6.3- 9.9	59	3.5	2.3- 4.7	1443	88.3	86.3-90.3
\$100,000 - 199,999	1149	125,739	91	7.8	6.0- 9.6	42	4.5	3.1- 5.9	1016	87.7	85.5-89.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2967	309,145	220	6.9	5.7- 8.1	95	4.0	3.0- 5.0	2652	89.1	87.7-90.5
Native	85	13,243	7	5.6	0.9-10.3	2	1.3	0.0- 3.1	76	93.1	88.0-98.2
Non-Native	2826	290,765	207	6.9	5.7- 8.1	93	4.2	3.2- 5.2	2526	88.9	87.3-90.5
18-24	198	48,472	14	6.9	3.2-10.6	12	6.9	2.8-11.0	172	86.2	80.9-91.5
25-34	347	55,547	24	6.4	3.9- 8.9	20	5.7	3.2- 8.2	303	87.9	84.4-91.4
35-44	378	54,295	27	6.5	4.0- 9.0	18	4.4	2.2- 6.6	333	89.1	85.8-92.4
45-54	416	42,704	25	6.2	3.5- 8.9	12	2.8	1.2- 4.4	379	90.9	87.8-94.0
55-64	522	43,102	41	7.5	5.0-10.0	11	2.2	0.6- 3.8	470	90.3	87.4-93.2
65+	1106	65,026	89	7.6	5.8- 9.4	22	2.1	0.9- 3.3	995	90.3	88.1-92.5
Less Than H.S.	115	23,037	9	7.7	2.0-13.4	4	5.0	0.0-10.5	102	87.3	79.7-94.9
H.S. or G.E.D.	873	87,779	65	7.2	5.0- 9.4	29	4.1	2.3- 5.9	779	88.8	86.3-91.3
Some Post-H.S.	886	118,269	61	6.1	4.3- 7.9	31	4.2	2.4- 6.0	794	89.7	87.3-92.1
College Graduate	1082	78,510	84	7.3	5.5- 9.1	31	3.5	2.1- 4.9	967	89.2	87.0-91.4
Less than \$15,000	73	8,393	11	11.4	3.6-19.2	3	7.9	0.0-17.9	59	80.7	68.7-92.7
\$15,000- 24,999	127	12,178	12	7.0	2.7-11.3	2	3.5	0.0- 8.8	113	89.6	82.9-96.3
\$25,000- 34,999	217	21,589	12	6.2	1.9-10.5	3	5.1	0.0-11.0	202	88.7	81.6-95.8
\$35,000- 49,999	294	27,936	34	12.6	7.5-17.7	9	4.0	0.9- 7.1	251	83.4	77.5-89.3
\$50,000- 99,999	913	93,598	57	5.4	3.8- 7.0	30	3.3	1.9- 4.7	826	91.3	89.1-93.5
\$100,000 - 199,999	653	73,060	41	6.1	4.1- 8.1	27	5.5	3.3- 7.7	585	88.4	85.5-91.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2848	294,624	324	12.6	11.0-14.2	93	3.4	2.6- 4.2	2431	84.0	82.2-85.8
Native	80	11,088	13	24.9	10.4-39.4	7	8.7	0.7-16.7	60	66.5	51.6-81.4
Non-Native	2734	279,791	307	12.2	10.6-13.8	86	3.2	2.4- 4.0	2341	84.6	82.8-86.4
18-24	128	43,627	18	11.5	6.0-17.0	1	1.0	0.0- 3.0	109	87.5	81.8-93.2
25-34	256	49,566	33	12.8	8.5-17.1	17	5.9	2.8- 9.0	206	81.3	76.2-86.4
35-44	320	48,323	42	13.1	9.0-17.2	20	5.9	3.0- 8.8	258	81.0	76.3-85.7
45-54	337	38,507	57	19.4	13.9-24.9	11	3.4	1.2- 5.6	269	77.2	71.5-82.9
55-64	466	40,650	47	10.7	7.4-14.0	16	2.9	1.3- 4.5	403	86.4	82.9-89.9
65+	1341	73,951	127	10.3	8.1-12.5	28	1.6	0.8- 2.4	1186	88.1	85.9-90.3
Less Than H.S.	89	18,072	16	20.0	9.0-31.0	3	3.4	0.0- 8.1	70	76.6	65.0-88.2
H.S. or G.E.D.	677	68,398	77	14.4	10.7-18.1	18	2.3	1.1- 3.5	582	83.3	79.4-87.2
Some Post-H.S.	877	111,834	99	11.2	8.7-13.7	22	3.1	1.5- 4.7	756	85.7	82.8-88.6
College Graduate	1199	95,675	132	11.7	9.5-13.9	50	4.4	3.0- 5.8	1017	83.9	81.4-86.4
Less than \$15,000	93	10,828	18	18.2	8.4-28.0	2	4.4	0.0-10.3	73	77.5	66.5-88.5
\$15,000- 24,999	183	19,801	34	21.3	13.3-29.3	5	2.9	0.0- 6.8	144	75.8	67.2-84.4
\$25,000- 34,999	272	26,216	32	15.5	8.8-22.2	14	6.1	2.2-10.0	226	78.4	71.1-85.7
\$35,000- 49,999	292	31,332	30	12.6	7.3-17.9	7	1.5	0.3- 2.7	255	85.9	80.4-91.4
\$50,000- 99,999	723	72,874	77	11.7	8.6-14.8	29	3.8	2.0- 5.6	617	84.5	81.0-88.0
\$100,000 - 199,999	496	52,679	50	10.2	7.1-13.3	15	3.1	1.3- 4.9	431	86.8	83.3-90.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS

TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5830	606,454	2076	26.4	25.0-27.8	3754	73.6	72.2-75.0
Male	2981	311,769	890	22.2	20.6-23.8	2091	77.8	76.2-79.4
Female	2849	294,686	1186	30.7	28.7-32.7	1663	69.3	67.3-71.3
Native	168	24,765	60	22.7	15.6-29.8	108	77.3	70.2-84.4
Non-Native	5570	572,444	1984	26.5	25.1-27.9	3586	73.5	72.1-74.9
18-24	324	91,377	9	3.2	1.0- 5.4	315	96.8	94.6-99.0
25-34	611	106,762	45	7.3	4.9- 9.7	566	92.7	90.3-95.1
35-44	704	103,507	110	16.3	13.2-19.4	594	83.7	80.6-86.8
45-54	754	81,462	213	29.7	26.0-33.4	541	70.3	66.6-74.0
55-64	992	84,117	422	42.0	38.5-45.5	570	58.0	54.5-61.5
65+	2445	139,230	1277	52.3	49.9-54.7	1168	47.7	45.3-50.1
Less Than H.S.	204	40,859	87	26.9	20.0-33.8	117	73.1	66.2-80.0
H.S. or G.E.D.	1562	157,283	582	24.7	22.3-27.1	980	75.3	72.9-77.7
Some Post-H.S.	1762	230,862	682	29.9	27.5-32.3	1080	70.1	67.7-72.5
College Graduate	2284	175,223	721	23.2	21.2-25.2	1563	76.8	74.8-78.8
Less than \$15,000	168	19,447	71	27.6	20.0-35.2	97	72.4	64.8-80.0
\$15,000- 24,999	311	32,251	154	39.1	32.0-46.2	157	60.9	53.8-68.0
\$25,000- 34,999	488	47,357	225	34.0	28.9-39.1	263	66.0	60.9-71.1
\$35,000- 49,999	589	59,762	235	28.6	24.1-33.1	354	71.4	66.9-75.9
\$50,000- 99,999	1644	167,948	555	23.9	21.5-26.3	1089	76.1	73.7-78.5
\$100,000 - 199,999	1152	126,421	341	23.9	21.2-26.6	811	76.1	73.4-78.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2981	311,769	890	22.2	20.6-23.8	2091	77.8	76.2-79.4
Native	87	13,408	23	15.6	8.2-23.0	64	84.4	77.0-91.8
Non-Native	2836	292,860	849	22.6	20.8-24.4	1987	77.4	75.6-79.2
18-24	197	48,263	2	1.7	0.0- 4.1	195	98.3	95.9- 100
25-34	353	56,841	20	5.5	3.0- 8.0	333	94.5	92.0-97.0
35-44	384	55,184	45	13.3	9.2-17.4	339	86.7	82.6-90.8
45-54	418	43,004	107	27.4	22.5-32.3	311	72.6	67.7-77.5
55-64	526	43,408	211	38.5	33.8-43.2	315	61.5	56.8-66.2
65+	1103	65,070	505	45.5	42.2-48.8	598	54.5	51.2-57.8
Less Than H.S.	116	23,301	39	23.3	14.9-31.7	77	76.7	68.3-85.1
H.S. or G.E.D.	880	88,642	262	19.8	17.1-22.5	618	80.2	77.5-82.9
Some Post-H.S.	889	118,999	287	25.2	22.3-28.1	602	74.8	71.9-77.7
College Graduate	1085	79,276	301	20.3	17.9-22.7	784	79.7	77.3-82.1
Less than \$15,000	75	8,620	20	16.1	7.9-24.3	55	83.9	75.7-92.1
\$15,000- 24,999	127	12,425	46	25.6	17.4-33.8	81	74.4	66.2-82.6
\$25,000- 34,999	217	21,655	82	26.7	20.0-33.4	135	73.3	66.6-80.0
\$35,000- 49,999	296	28,314	107	25.8	19.9-31.7	189	74.2	68.3-80.1
\$50,000- 99,999	919	94,415	272	21.8	18.9-24.7	647	78.2	75.3-81.1
\$100,000 - 199,999	657	73,834	177	21.9	18.4-25.4	480	78.1	74.6-81.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS

TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2849	294,686	1186	30.7	28.7-32.7	1663	69.3	67.3-71.3
Native	81	11,357	37	31.1	18.6-43.6	44	68.9	56.4-81.4
Non-Native	2734	279,583	1135	30.6	28.4-32.8	1599	69.4	67.2-71.6
18-24	127	43,114	7	5.0	1.3- 8.7	120	95.0	91.3-98.7
25-34	258	49,921	25	9.5	5.6-13.4	233	90.5	86.6-94.4
35-44	320	48,323	65	19.7	14.8-24.6	255	80.3	75.4-85.2
45-54	336	38,458	106	32.2	26.5-37.9	230	67.8	62.1-73.5
55-64	466	40,709	211	45.7	40.4-51.0	255	54.3	49.0-59.6
65+	1342	74,160	772	58.3	55.2-61.4	570	41.7	38.6-44.8
Less Than H.S.	88	17,559	48	31.6	20.0-43.2	40	68.4	56.8-80.0
H.S. or G.E.D.	682	68,640	320	31.0	26.9-35.1	362	69.0	64.9-73.1
Some Post-H.S.	873	111,863	395	34.8	31.1-38.5	478	65.2	61.5-68.9
College Graduate	1199	95,947	420	25.5	22.8-28.2	779	74.5	71.8-77.2
Less than \$15,000	93	10,828	51	36.9	24.6-49.2	42	63.1	50.8-75.4
\$15,000- 24,999	184	19,826	108	47.5	37.5-57.5	76	52.5	42.5-62.5
\$25,000- 34,999	271	25,703	143	40.1	32.8-47.4	128	59.9	52.6-67.2
\$35,000- 49,999	293	31,448	128	31.1	24.4-37.8	165	68.9	62.2-75.6
\$50,000- 99,999	725	73,533	283	26.6	22.9-30.3	442	73.4	69.7-77.1
\$100,000 - 199,999	495	52,586	164	26.8	22.3-31.3	331	73.2	68.7-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
MULTIRACIAL RACE CATEGORIZATION (_MRACE1)	
1 MALES AND FEMALES	53
2 MALES ONLY	54
3 FEMALES ONLY	55
HISPANIC CATEGORIZATION (_HISPANC)	
4 MALES AND FEMALES	56
5 MALES ONLY	57
6 FEMALES ONLY	58
RACE/ETHNICITY CATEGORIES (_RACE)	
7 MALES AND FEMALES	59
8 MALES ONLY	60
9 FEMALES ONLY	61
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	62
11 MALES ONLY	63
12 FEMALES ONLY	64
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3)	
13 MALES AND FEMALES	65
14 MALES ONLY	66
15 FEMALES ONLY	67
THIRTEEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	68
17 MALES ONLY	69
18 FEMALES ONLY	70

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR) .	
19 MALES AND FEMALES	71
20 MALES ONLY	72
21 FEMALES ONLY	73
IMPUTED AGE IN SIX GROUPS (_AGE_G) .	
22 MALES AND FEMALES	74
23 MALES ONLY	75
24 FEMALES ONLY	76
REPORTED HEIGHT IN INCHES (HTIN4) .	
25 MALES AND FEMALES	77
26 MALES ONLY	78
27 FEMALES ONLY	79
REPORTED HEIGHT IN METERS (HTM4) .	
28 MALES AND FEMALES	80
29 MALES ONLY	81
30 FEMALES ONLY	82
REPORTED WEIGHT IN KILOGRAMS (WTKG3) .	
31 MALES AND FEMALES	83
32 MALES ONLY	84
33 FEMALES ONLY	85
BODY MASS INDEX (kilograms per meter-squared) (_BMI5) .	
34 MALES AND FEMALES	86
35 MALES ONLY	87
36 FEMALES ONLY	88
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT) .	
37 MALES AND FEMALES	89
38 MALES ONLY	90
39 FEMALES ONLY	91

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5) .	
40 MALES AND FEMALES	92
41 MALES ONLY	93
42 FEMALES ONLY	94
RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
43 MALES AND FEMALES	95
44 MALES ONLY	96
45 FEMALES ONLY	97
RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
46 MALES AND FEMALES	98
47 MALES ONLY	99
48 FEMALES ONLY	100
RISK FACTOR FOR INCOME CATEGORIES (_INCOMG1) .	
49 MALES AND FEMALES	101
50 MALES ONLY	102
51 FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 1: MULTIRACIAL RACE CATEGORIZATION (_MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5783	600,142	5271	85.4	84.0-86.8	115	4.1	3.3- 4.9	182	4.5	3.7- 5.3	54	1.7	1.1- 2.3	6	0.1	0.0- 0.3	155	4.2	3.4- 5.0
Male	2946	307,810	2668	85.1	83.3-86.9	70	4.1	3.1- 5.1	98	4.9	3.7- 6.1	26	1.6	1.0- 2.2	3	0.1	0.0- 0.3	81	4.2	3.2- 5.2
Female	2837	292,333	2603	85.7	83.5-87.9	45	4.1	2.7- 5.5	84	4.1	2.9- 5.3	28	1.8	1.0- 2.6	3	0.1	0.0- 0.3	74	4.2	3.0- 5.4
18-24	323	91,220	268	81.4	76.5-86.3	14	6.4	2.9- 9.9	24	7.1	4.2-10.0	4	0.9	0.1- 1.7	1	0.2	0.0- 0.6	12	3.9	1.5- 6.3
25-34	610	106,480	498	76.0	71.9-80.1	33	7.1	4.6- 9.6	33	6.9	4.4- 9.4	11	2.4	0.8- 4.0	2	0.3	0.0- 0.7	33	7.4	4.9- 9.9
35-44	696	102,053	602	82.4	78.9-85.9	30	6.1	3.7- 8.5	19	3.0	1.4- 4.6	24	4.7	2.7- 6.7				21	3.8	2.0- 5.6
45-54	741	79,698	657	85.2	81.9-88.5	22	3.9	2.1- 5.7	32	5.5	3.1- 7.9	10	1.6	0.6- 2.6				20	3.7	1.9- 5.5
55-64	984	82,781	907	89.7	87.2-92.2	8	1.6	0.4- 2.8	37	4.3	2.7- 5.9	3	0.3	0.0- 0.7	2	0.3	0.0- 0.7	27	3.8	2.2- 5.4
65+	2429	137,911	2339	94.9	93.7-96.1	8	0.4	0.0- 0.8	37	1.6	1.0- 2.2	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	42	2.7	1.7- 3.7
Less Than H.S.	199	40,024	158	68.2	59.6-76.8	7	7.9	2.2-13.6	20	14.3	7.6-21.0	3	2.4	0.0- 5.3				11	7.2	2.7-11.7
H.S. or G.E.D.	1552	156,107	1392	83.8	81.1-86.5	39	4.9	3.1- 6.7	65	5.5	3.9- 7.1	6	0.8	0.0- 1.6	3	0.4	0.0- 0.8	47	4.6	3.0- 6.2
Some Post-H.S.	1745	228,131	1609	87.7	85.5-89.9	30	3.6	2.2- 5.0	55	4.0	2.8- 5.2	11	1.3	0.5- 2.1	1	0.0	0.0- 0.0	39	3.4	2.2- 4.6
College Graduate	2274	174,106	2100	87.7	85.7-89.7	39	3.3	2.1- 4.5	41	2.0	1.2- 2.8	34	2.7	1.7- 3.7	2	0.1	0.0- 0.3	58	4.2	3.0- 5.4
Less than \$15,000	166	19,389	129	64.4	53.8-75.0	9	7.9	2.6-13.2	20	19.1	9.7-28.5				1	1.2	0.0- 3.4	7	7.4	0.9-13.9
\$15,000- 24,999	306	31,225	262	73.9	66.3-81.5	6	3.4	0.7- 6.1	19	8.9	4.0-13.8	5	4.5	0.4- 8.6	1	0.4	0.0- 1.2	13	8.9	3.4-14.4
\$25,000- 34,999	489	47,869	426	76.1	70.2-82.0	19	8.8	4.5-13.1	19	5.3	2.4- 8.2				1	0.2	0.0- 0.6	24	9.6	5.5-13.7
\$35,000- 49,999	583	59,199	525	83.2	78.5-87.9	12	4.3	1.6- 7.0	25	6.7	3.8- 9.6	7	2.9	0.4- 5.4	1	0.4	0.0- 1.2	13	2.5	0.9- 4.1
\$50,000- 99,999	1636	166,476	1490	85.6	83.1-88.1	27	3.3	1.9- 4.7	56	5.2	3.4- 7.0	18	1.8	1.0- 2.6	2	0.1	0.0- 0.3	43	4.0	2.6- 5.4
\$100,000 - 199,999	1148	126,162	1102	94.0	92.0-96.0	8	1.2	0.2- 2.2	13	1.5	0.5- 2.5	3	0.5	0.0- 1.1				22	2.9	1.5- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 2: MULTIRACIAL RACE CATEGORIZATION (_MRACE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2946	307,810	2668	85.1	83.3-86.9	70	4.1	3.1- 5.1	98	4.9	3.7- 6.1	26	1.6	1.0- 2.2	3	0.1	0.0- 0.3	81	4.2	3.2- 5.2
18-24	195	47,593	152	75.7	69.0-82.4	8	5.4	1.5- 9.3	21	11.9	6.8-17.0	4	1.7	0.1- 3.3	1	0.5	0.0- 1.5	9	4.8	1.7- 7.9
25-34	353	56,735	294	79.6	74.7-84.5	16	5.4	2.7- 8.1	18	6.2	3.1- 9.3	6	1.9	0.3- 3.5				19	6.9	3.6-10.2
35-44	379	54,460	328	82.6	77.9-87.3	20	6.8	3.7- 9.9	9	3.0	0.8- 5.2	12	4.3	1.8- 6.8				10	3.2	1.0- 5.4
45-54	409	42,016	364	86.3	82.2-90.4	17	5.5	2.8- 8.2	15	3.5	1.5- 5.5	2	0.8	0.0- 2.0				11	4.0	1.5- 6.5
55-64	522	43,001	485	91.1	88.2-94.0	4	1.2	0.0- 2.6	20	4.3	2.3- 6.3	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3	10	2.6	0.8- 4.4
65+	1088	64,006	1045	94.4	92.4-96.4	5	0.6	0.0- 1.2	15	1.5	0.7- 2.3	1	0.2	0.0- 0.6				22	3.3	1.7- 4.9
Less Than H.S.	112	22,454	89	72.0	61.2-82.8	4	7.6	0.2-15.0	10	10.8	3.5-18.1	2	2.6	0.0- 6.5				7	7.1	1.6-12.6
H.S. or G.E.D.	874	88,019	773	83.8	80.5-87.1	23	4.0	2.2- 5.8	43	6.6	4.2- 9.0	3	0.7	0.0- 1.5	2	0.4	0.0- 1.0	30	4.6	2.8- 6.4
Some Post-H.S.	876	117,661	807	87.8	84.9-90.7	16	3.1	1.5- 4.7	29	4.7	2.7- 6.7	5	1.0	0.0- 2.0				19	3.5	1.7- 5.3
College Graduate	1076	78,356	991	86.2	83.3-89.1	27	4.7	2.7- 6.7	16	1.8	0.8- 2.8	16	3.2	1.6- 4.8	1	0.1	0.0- 0.3	25	4.0	2.2- 5.8
Less than \$15,000	75	8,620	56	53.6	38.3-68.9	6	11.2	1.8-20.6	8	22.4	6.9-37.9				1	2.6	0.0- 7.7	4	10.2	0.0-20.6
\$15,000- 24,999	123	11,671	104	77.6	66.8-88.4	2	2.7	0.0- 6.4	10	9.8	2.0-17.6	3	6.4	0.0-14.2	1	1.0	0.0- 3.0	3	2.5	0.0- 5.4
\$25,000- 34,999	218	21,699	185	71.7	62.9-80.5	13	12.8	5.5-20.1	7	3.8	0.7- 6.9							13	11.7	5.0-18.4
\$35,000- 49,999	292	27,981	260	85.0	79.7-90.3	6	2.5	0.5- 4.5	16	8.7	4.2-13.2	2	1.0	0.0- 2.4				8	2.8	0.4- 5.2
\$50,000- 99,999	914	93,991	824	83.4	79.9-86.9	23	4.9	2.5- 7.3	32	5.6	3.4- 7.8	10	1.7	0.5- 2.9	1	0.1	0.0- 0.3	24	4.4	2.4- 6.4
\$100,000 - 199,999	652	73,483	620	92.7	90.0-95.4	6	1.3	0.1- 2.5	12	2.4	0.8- 4.0	2	0.7	0.0- 1.7				12	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 3: MULTIRACIAL RACE CATEGORIZATION (_MRACE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2837	292,333	2603	85.7	83.5-87.9	45	4.1	2.7- 5.5	84	4.1	2.9- 5.3	28	1.8	1.0- 2.6	3	0.1	0.0- 0.3	74	4.2	3.0- 5.4
18-24	128	43,627	116	87.7	80.8-94.6	6	7.4	1.5-13.3	3	1.9	0.0- 4.1							3	3.0	0.0- 6.3
25-34	257	49,745	204	71.8	65.1-78.5	17	9.0	4.5-13.5	15	7.7	3.6-11.8	5	2.8	0.0- 5.7	2	0.7	0.0- 1.7	14	7.9	3.6-12.2
35-44	317	47,593	274	82.2	76.9-87.5	10	5.2	1.9- 8.5	10	3.0	0.6- 5.4	12	5.1	2.0- 8.2				11	4.5	1.6- 7.4
45-54	332	37,683	293	84.1	78.8-89.4	5	2.1	0.1- 4.1	17	7.7	3.2-12.2	8	2.6	0.6- 4.6				9	3.5	1.1- 5.9
55-64	462	39,781	422	88.2	84.3-92.1	4	2.1	0.0- 4.3	17	4.3	1.8- 6.8	2	0.4	0.0- 1.0				17	5.0	2.5- 7.5
65+	1341	73,905	1294	95.4	93.8-97.0	3	0.3	0.0- 0.7	22	1.8	1.0- 2.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	20	2.2	1.0- 3.4
Less Than H.S.	87	17,570	69	63.4	49.3-77.5	3	8.3	0.0-17.1	10	18.8	7.0-30.6	1	2.3	0.0- 6.8				4	7.3	0.0-14.7
H.S. or G.E.D.	678	68,087	619	83.9	79.4-88.4	16	6.0	2.7- 9.3	22	4.2	2.2- 6.2	3	1.0	0.0- 2.2	1	0.4	0.0- 1.2	17	4.5	2.0- 7.0
Some Post-H.S.	869	110,470	802	87.5	84.2-90.8	14	4.0	1.6- 6.4	26	3.3	1.7- 4.9	6	1.6	0.0- 3.2	1	0.1	0.0- 0.3	20	3.4	1.6- 5.2
College Graduate	1198	95,750	1109	88.9	86.4-91.4	12	2.1	0.7- 3.5	25	2.2	1.0- 3.4	18	2.3	1.1- 3.5	1	0.1	0.0- 0.3	33	4.4	2.8- 6.0
Less than \$15,000	91	10,770	73	73.1	59.8-86.4	3	5.3	0.0-11.4	12	16.4	5.2-27.6							3	5.2	0.0-13.2
\$15,000- 24,999	183	19,553	158	71.8	61.6-82.0	4	3.8	0.1- 7.5	9	8.4	2.3-14.5	2	3.3	0.0- 7.8				10	12.8	4.6-21.0
\$25,000- 34,999	271	26,170	241	79.7	72.1-87.3	6	5.5	0.8-10.2	12	6.5	1.8-11.2				1	0.4	0.0- 1.2	11	7.9	2.6-13.2
\$35,000- 49,999	291	31,219	265	81.6	74.2-89.0	6	5.9	1.0-10.8	9	4.9	1.4- 8.4	5	4.5	0.0- 9.2	1	0.8	0.0- 2.4	5	2.3	0.1- 4.5
\$50,000- 99,999	722	72,486	666	88.6	85.1-92.1	4	1.2	0.0- 2.6	24	4.7	2.2- 7.2	8	1.8	0.4- 3.2	1	0.1	0.0- 0.3	19	3.6	1.6- 5.6
\$100,000 - 199,999	496	52,679	482	95.7	93.3-98.1	2	1.0	0.0- 2.6	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6				10	2.9	0.9- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 4: HISPANIC CATEGORIZATION (_HISPANC)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Hispanic, Latino~a or Spanish orgin			Not Hispanic, Latino~a or Spanish orgin		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5803	603,129	119	4.4	3.6- 5.2	5684	95.6	94.8-96.4
Male	2962	309,599	74	4.7	3.5- 5.9	2888	95.3	94.1-96.5
Female	2841	293,529	45	4.0	2.8- 5.2	2796	96.0	94.8-97.2
18-24	323	91,220	17	6.9	3.6-10.2	306	93.1	89.8-96.4
25-34	610	106,430	40	9.1	6.2-12.0	570	90.9	88.0-93.8
35-44	700	102,897	23	5.2	2.8- 7.6	677	94.8	92.4-97.2
45-54	748	80,834	18	3.3	1.7- 4.9	730	96.7	95.1-98.3
55-64	986	83,306	15	2.2	1.0- 3.4	971	97.8	96.6-99.0
65+	2436	138,442	6	0.3	0.1- 0.5	2430	99.7	99.5-99.9
Less Than H.S.	202	40,674	17	15.0	7.9-22.1	185	85.0	77.9-92.1
H.S. or G.E.D.	1551	156,117	44	6.0	4.0- 8.0	1507	94.0	92.0-96.0
Some Post-H.S.	1757	230,132	28	2.8	1.6- 4.0	1729	97.2	96.0-98.4
College Graduate	2279	174,480	30	2.5	1.5- 3.5	2249	97.5	96.5-98.5
Less than \$15,000	167	19,432	5	4.0	0.3- 7.7	162	96.0	92.3-99.7
\$15,000- 24,999	306	31,285	9	7.9	2.4-13.4	297	92.1	86.6-97.6
\$25,000- 34,999	486	47,618	15	6.3	2.6-10.0	471	93.7	90.0-97.4
\$35,000- 49,999	585	59,423	13	4.9	2.0- 7.8	572	95.1	92.2-98.0
\$50,000- 99,999	1644	167,811	33	4.7	2.9- 6.5	1611	95.3	93.5-97.1
\$100,000 - 199,999	1150	126,192	21	3.4	1.8- 5.0	1129	96.6	95.0-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 5: HISPANIC CATEGORIZATION (_HISPANC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Hispanic, Latino~a or Spanish orgin			Not Hispanic, Latino~a or Spanish orgin		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2962	309,599	74	4.7	3.5- 5.9	2888	95.3	94.1-96.5
18-24	195	47,593	12	8.8	3.7-13.9	183	91.2	86.1-96.3
25-34	353	56,735	22	7.9	4.6-11.2	331	92.1	88.8-95.4
35-44	380	54,574	12	4.8	1.9- 7.7	368	95.2	92.3-98.1
45-54	415	42,771	13	4.5	1.8- 7.2	402	95.5	92.8-98.2
55-64	523	43,187	9	2.4	0.6- 4.2	514	97.6	95.8-99.4
65+	1096	64,739	6	0.6	0.0- 1.2	1090	99.4	98.8- 100
Less Than H.S.	114	22,890	12	17.8	8.0-27.6	102	82.2	72.4-92.0
H.S. or G.E.D.	872	87,719	30	6.1	3.7- 8.5	842	93.9	91.5-96.3
Some Post-H.S.	886	118,821	14	2.7	1.1- 4.3	872	97.3	95.7-98.9
College Graduate	1080	78,803	18	2.6	1.2- 4.0	1062	97.4	96.0-98.8
Less than \$15,000	75	8,620	3	5.4	0.0-11.7	72	94.6	88.3- 100
\$15,000- 24,999	124	11,768	5	10.6	1.0-20.2	119	89.4	79.8-99.0
\$25,000- 34,999	217	21,680	11	9.2	2.7-15.7	206	90.8	84.3-97.3
\$35,000- 49,999	293	28,182	10	7.1	2.4-11.8	283	92.9	88.2-97.6
\$50,000- 99,999	918	94,444	22	4.8	2.4- 7.2	896	95.2	92.8-97.6
\$100,000 - 199,999	654	73,514	12	3.1	1.1- 5.1	642	96.9	94.9-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 6: HISPANIC CATEGORIZATION (_HISPANC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Hispanic, Latino~a or Spanish orgin			Not Hispanic, Latino~a or Spanish orgin		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2841	293,529	45	4.0	2.8- 5.2	2796	96.0	94.8-97.2
18-24	128	43,627	5	4.9	0.6- 9.2	123	95.1	90.8-99.4
25-34	257	49,695	18	10.6	5.9-15.3	239	89.4	84.7-94.1
35-44	320	48,323	11	5.7	2.2- 9.2	309	94.3	90.8-97.8
45-54	333	38,063	5	2.0	0.2- 3.8	328	98.0	96.2-99.8
55-64	463	40,118	6	1.9	0.1- 3.7	457	98.1	96.3-99.9
65+	1340	73,703				1340	100.0	100.0- 100
Less Than H.S.	88	17,784	5	11.3	1.7-20.9	83	88.7	79.1-98.3
H.S. or G.E.D.	679	68,398	14	5.8	2.7- 8.9	665	94.2	91.1-97.3
Some Post-H.S.	871	111,311	14	3.0	1.2- 4.8	857	97.0	95.2-98.8
College Graduate	1199	95,677	12	2.4	0.8- 4.0	1187	97.6	96.0-99.2
Less than \$15,000	92	10,813	2	2.8	0.0- 7.5	90	97.2	92.5- 100
\$15,000- 24,999	182	19,518	4	6.2	0.0-12.7	178	93.8	87.3- 100
\$25,000- 34,999	269	25,939	4	3.9	0.2- 7.6	265	96.1	92.4-99.8
\$35,000- 49,999	292	31,241	3	3.0	0.0- 6.5	289	97.0	93.5- 100
\$50,000- 99,999	726	73,367	11	4.5	1.8- 7.2	715	95.5	92.8-98.2
\$100,000 - 199,999	496	52,679	9	3.9	1.2- 6.6	487	96.1	93.4-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5764	599,382	5175	82.5	80.9-84.1	105	3.6	2.8- 4.4	172	4.2	3.4- 5.0	51	1.5	1.1- 1.9	142	3.8	3.0- 4.6	119	4.4	3.6- 5.2
Male	2935	307,198	2612	82.1	80.1-84.1	66	3.8	2.8- 4.8	89	4.4	3.2- 5.6	23	1.3	0.7- 1.9	71	3.6	2.6- 4.6	74	4.8	3.6- 6.0
Female	2829	292,184	2563	82.8	80.6-85.0	39	3.5	2.3- 4.7	83	4.0	2.8- 5.2	28	1.8	1.0- 2.6	71	3.9	2.7- 5.1	45	4.0	2.8- 5.2
18-24	323	91,220	258	76.8	71.5-82.1	12	5.5	2.2- 8.8	23	6.7	4.0- 9.4	3	0.6	0.0- 1.4	10	3.5	1.3- 5.7	17	6.9	3.6-10.2
25-34	610	106,430	469	69.8	65.5-74.1	29	5.7	3.5- 7.9	31	6.3	3.9- 8.7	11	2.4	0.8- 4.0	30	6.7	4.2- 9.2	40	9.1	6.2-12.0
35-44	695	102,201	584	78.7	75.0-82.4	29	6.0	3.6- 8.4	18	2.8	1.2- 4.4	22	4.0	2.2- 5.8	19	3.2	1.6- 4.8	23	5.3	2.9- 7.7
45-54	738	79,558	643	83.0	79.5-86.5	22	3.9	2.1- 5.7	28	5.0	2.6- 7.4	10	1.6	0.6- 2.6	17	3.1	1.5- 4.7	18	3.3	1.5- 5.1
55-64	980	82,637	893	88.4	85.9-90.9	6	1.3	0.1- 2.5	38	4.4	2.8- 6.0	3	0.3	0.0- 0.7	25	3.4	2.0- 4.8	15	2.2	1.0- 3.4
65+	2418	137,336	2328	95.0	93.8-96.2	7	0.4	0.2- 0.6	34	1.5	0.9- 2.1	2	0.2	0.0- 0.4	41	2.7	1.7- 3.7	6	0.3	0.1- 0.5
Less Than H.S.	200	40,465	151	61.7	52.7-70.7	3	3.7	0.0- 7.8	19	13.4	6.9-19.9	2	1.3	0.0- 3.3	8	4.8	1.1- 8.5	17	15.1	8.0-22.2
H.S. or G.E.D.	1545	155,721	1354	79.3	76.4-82.2	38	4.7	2.9- 6.5	60	5.0	3.4- 6.6	5	0.7	0.1- 1.3	44	4.3	2.9- 5.7	44	6.0	4.0- 8.0
Some Post-H.S.	1741	227,968	1586	85.5	83.1-87.9	28	3.4	2.0- 4.8	51	3.7	2.5- 4.9	10	1.2	0.4- 2.0	38	3.4	2.2- 4.6	28	2.9	1.7- 4.1
College Graduate	2267	173,734	2073	86.0	84.0-88.0	36	3.1	1.9- 4.3	42	2.1	1.3- 2.9	34	2.7	1.7- 3.7	52	3.6	2.4- 4.8	30	2.5	1.5- 3.5
Less than \$15,000	166	19,389	125	61.6	51.0-72.2	9	7.9	2.6-13.2	20	19.1	9.7-28.5				7	7.4	0.9-13.9	5	4.0	0.3- 7.7
\$15,000- 24,999	305	31,189	256	69.6	61.6-77.6	6	3.4	0.7- 6.1	18	7.6	3.3-11.9	4	3.1	0.0- 6.2	12	8.4	2.9-13.9	9	7.9	2.4-13.4
\$25,000- 34,999	485	47,573	416	73.7	67.6-79.8	15	6.3	3.0- 9.6	17	4.6	1.9- 7.3				22	9.1	5.0-13.2	15	6.3	2.6-10.0
\$35,000- 49,999	580	59,053	513	79.8	74.9-84.7	11	3.5	1.0- 6.0	23	6.3	3.6- 9.0	7	2.9	0.4- 5.4	13	2.5	0.9- 4.1	13	5.0	2.1- 7.9
\$50,000- 99,999	1636	166,868	1470	82.7	80.0-85.4	25	3.0	1.6- 4.4	54	4.9	3.3- 6.5	16	1.5	0.7- 2.3	38	3.2	2.0- 4.4	33	4.7	2.9- 6.5
\$100,000 - 199,999	1146	125,905	1083	91.2	88.8-93.6	8	1.2	0.2- 2.2	12	1.4	0.4- 2.4	3	0.5	0.0- 1.1	19	2.3	1.1- 3.5	21	3.4	1.8- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2935	307,198	2612	82.1	80.1-84.1	66	3.8	2.8- 4.8	89	4.4	3.2- 5.6	23	1.3	0.7- 1.9	71	3.6	2.6- 4.6	74	4.8	3.6- 6.0
18-24	195	47,593	146	70.6	63.3-77.9	7	4.3	1.0- 7.6	20	11.2	6.3-16.1	3	1.2	0.0- 2.6	7	3.9	1.0- 6.8	12	8.8	3.7-13.9
25-34	353	56,735	277	73.8	68.5-79.1	16	5.4	2.7- 8.1	16	5.3	2.4- 8.2	6	1.9	0.3- 3.5	16	5.7	2.8- 8.6	22	7.9	4.6-11.2
35-44	377	54,148	319	79.7	74.6-84.8	19	6.8	3.7- 9.9	8	2.7	0.5- 4.9	10	3.1	1.1- 5.1	9	2.9	0.9- 4.9	12	4.9	2.0- 7.8
45-54	408	42,051	355	83.3	78.8-87.8	17	5.5	2.8- 8.2	12	2.8	1.0- 4.6	2	0.8	0.0- 2.0	9	3.1	0.9- 5.3	13	4.5	1.8- 7.2
55-64	519	42,829	477	89.9	86.8-93.0	2	0.5	0.0- 1.3	21	4.6	2.4- 6.8	1	0.2	0.0- 0.6	9	2.3	0.5- 4.1	9	2.4	0.6- 4.2
65+	1083	63,842	1038	94.2	92.2-96.2	5	0.6	0.0- 1.2	12	1.1	0.5- 1.7	1	0.2	0.0- 0.6	21	3.2	1.6- 4.8	6	0.6	0.0- 1.2
Less Than H.S.	113	22,724	82	60.9	49.3-72.5	2	4.1	0.0- 9.8	10	10.6	3.5-17.7	1	0.6	0.0- 1.8	6	5.8	0.7-10.9	12	17.9	8.1-27.7
H.S. or G.E.D.	869	87,552	749	79.7	76.2-83.2	23	4.0	2.2- 5.8	38	5.7	3.5- 7.9	2	0.4	0.0- 1.0	27	4.1	2.3- 5.9	30	6.1	3.7- 8.5
Some Post-H.S.	875	117,626	797	85.8	82.7-88.9	16	3.1	1.5- 4.7	25	4.1	2.3- 5.9	4	0.8	0.0- 1.6	19	3.5	1.7- 5.3	14	2.7	1.1- 4.3
College Graduate	1071	78,162	977	85.2	82.3-88.1	25	4.5	2.5- 6.5	16	1.9	0.9- 2.9	16	3.2	1.6- 4.8	19	2.6	1.2- 4.0	18	2.6	1.2- 4.0
Less than \$15,000	75	8,620	54	50.9	36.0-65.8	6	11.2	1.8-20.6	8	22.4	6.9-37.9				4	10.2	0.0-20.6	3	5.4	0.0-11.7
\$15,000- 24,999	123	11,671	100	70.6	58.8-82.4	2	2.7	0.0- 6.4	11	10.8	3.0-18.6	2	2.7	0.0- 6.6	3	2.5	0.0- 5.4	5	10.7	0.9-20.5
\$25,000- 34,999	217	21,680	178	67.7	58.7-76.7	12	10.3	4.4-16.2	5	2.3	0.1- 4.5				11	10.4	3.9-16.9	11	9.2	2.7-15.7
\$35,000- 49,999	289	27,834	250	79.5	73.2-85.8	6	2.5	0.5- 4.5	13	6.9	3.0-10.8	2	1.0	0.0- 2.4	8	2.8	0.4- 5.2	10	7.2	2.5-11.9
\$50,000- 99,999	913	93,923	811	80.4	76.7-84.1	22	4.8	2.4- 7.2	29	5.0	2.8- 7.2	8	1.3	0.3- 2.3	21	3.7	1.9- 5.5	22	4.9	2.5- 7.3
\$100,000 - 199,999	650	73,227	610	90.8	87.7-93.9	6	1.3	0.1- 2.5	11	2.2	0.6- 3.8	2	0.7	0.0- 1.7	9	1.9	0.5- 3.3	12	3.1	1.1- 5.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2829	292,184	2563	82.8	80.6-85.0	39	3.5	2.3- 4.7	83	4.0	2.8- 5.2	28	1.8	1.0- 2.6	71	3.9	2.7- 5.1	45	4.0	2.8- 5.2
18-24	128	43,627	112	83.5	75.9-91.1	5	6.8	0.9-12.7	3	1.9	0.0- 4.1				3	3.0	0.0- 6.3	5	4.9	0.6- 9.2
25-34	257	49,695	192	65.2	58.3-72.1	13	6.1	2.6- 9.6	15	7.4	3.5-11.3	5	2.8	0.0- 5.7	14	7.9	3.6-12.2	18	10.6	5.9-15.3
35-44	318	48,053	265	77.6	71.7-83.5	10	5.2	1.9- 8.5	10	2.9	0.7- 5.1	12	5.1	2.0- 8.2	10	3.5	1.1- 5.9	11	5.7	2.2- 9.2
45-54	330	37,508	288	82.7	77.2-88.2	5	2.1	0.1- 4.1	16	7.5	3.0-12.0	8	2.6	0.6- 4.6	8	3.1	0.9- 5.3	5	2.0	0.2- 3.8
55-64	461	39,808	416	86.7	82.6-90.8	4	2.1	0.0- 4.3	17	4.3	1.8- 6.8	2	0.4	0.0- 1.0	16	4.5	2.1- 6.9	6	2.0	0.2- 3.8
65+	1335	73,494	1290	95.7	94.3-97.1	2	0.1	0.0- 0.3	22	1.8	1.0- 2.6	1	0.2	0.0- 0.6	20	2.2	1.0- 3.4			
Less Than H.S.	87	17,741	69	62.8	48.7-76.9	1	3.1	0.0- 9.0	9	17.0	5.6-28.4	1	2.3	0.0- 6.6	2	3.5	0.0- 8.8	5	11.4	1.8-21.0
H.S. or G.E.D.	676	68,168	605	78.8	73.9-83.7	15	5.6	2.5- 8.7	22	4.2	2.2- 6.2	3	1.0	0.0- 2.2	17	4.5	2.0- 7.0	14	5.9	2.8- 9.0
Some Post-H.S.	866	110,342	789	85.1	81.4-88.8	12	3.7	1.3- 6.1	26	3.3	1.7- 4.9	6	1.6	0.0- 3.2	19	3.3	1.5- 5.1	14	3.0	1.2- 4.8
College Graduate	1196	95,573	1096	86.7	84.0-89.4	11	1.9	0.7- 3.1	26	2.2	1.0- 3.4	18	2.4	1.2- 3.6	33	4.4	2.6- 6.2	12	2.4	0.8- 4.0
Less than \$15,000	91	10,770	71	70.3	56.6-84.0	3	5.3	0.0-11.4	12	16.4	5.2-27.6				3	5.2	0.0-13.2	2	2.8	0.0- 7.5
\$15,000- 24,999	182	19,518	156	69.0	58.4-79.6	4	3.8	0.1- 7.5	7	5.7	0.6-10.8	2	3.3	0.0- 7.8	9	12.0	3.8-20.2	4	6.2	0.0-12.7
\$25,000- 34,999	268	25,893	238	78.6	70.8-86.4	3	2.9	0.0- 6.6	12	6.6	1.9-11.3				11	8.0	2.5-13.5	4	3.9	0.2- 7.6
\$35,000- 49,999	291	31,219	263	80.1	72.7-87.5	5	4.4	0.1- 8.7	10	5.7	1.8- 9.6	5	4.5	0.0- 9.2	5	2.3	0.1- 4.5	3	3.0	0.0- 6.5
\$50,000- 99,999	723	72,945	659	85.7	81.8-89.6	3	0.6	0.0- 1.4	25	4.7	2.2- 7.2	8	1.8	0.4- 3.2	17	2.7	1.3- 4.1	11	4.5	1.8- 7.2
\$100,000 - 199,999	496	52,679	473	91.7	88.2-95.2	2	1.0	0.0- 2.6	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	10	2.9	0.9- 4.9	9	3.9	1.2- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5764	599,382	5175	82.5	80.9-84.1	589	17.5	15.9-19.1
Male	2935	307,198	2612	82.1	80.1-84.1	323	17.9	15.9-19.9
Female	2829	292,184	2563	82.8	80.6-85.0	266	17.2	15.0-19.4
18-24	323	91,220	258	76.8	71.5-82.1	65	23.2	17.9-28.5
25-34	610	106,430	469	69.8	65.5-74.1	141	30.2	25.9-34.5
35-44	695	102,201	584	78.7	75.0-82.4	111	21.3	17.6-25.0
45-54	738	79,558	643	83.0	79.5-86.5	95	17.0	13.5-20.5
55-64	980	82,637	893	88.4	85.9-90.9	87	11.6	9.1-14.1
65+	2418	137,336	2328	95.0	93.8-96.2	90	5.0	3.8- 6.2
Less Than H.S.	200	40,465	151	61.7	52.7-70.7	49	38.3	29.3-47.3
H.S. or G.E.D.	1545	155,721	1354	79.3	76.4-82.2	191	20.7	17.8-23.6
Some Post-H.S.	1741	227,968	1586	85.5	83.1-87.9	155	14.5	12.1-16.9
College Graduate	2267	173,734	2073	86.0	84.0-88.0	194	14.0	12.0-16.0
Less than \$15,000	166	19,389	125	61.6	51.0-72.2	41	38.4	27.8-49.0
\$15,000- 24,999	305	31,189	256	69.6	61.6-77.6	49	30.4	22.4-38.4
\$25,000- 34,999	485	47,573	416	73.7	67.6-79.8	69	26.3	20.2-32.4
\$35,000- 49,999	580	59,053	513	79.8	74.9-84.7	67	20.2	15.3-25.1
\$50,000- 99,999	1636	166,868	1470	82.7	80.0-85.4	166	17.3	14.6-20.0
\$100,000 - 199,999	1146	125,905	1083	91.2	88.8-93.6	63	8.8	6.4-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2935	307,198	2612	82.1	80.1-84.1	323	17.9	15.9-19.9
18-24	195	47,593	146	70.6	63.3-77.9	49	29.4	22.1-36.7
25-34	353	56,735	277	73.8	68.5-79.1	76	26.2	20.9-31.5
35-44	377	54,148	319	79.7	74.6-84.8	58	20.3	15.2-25.4
45-54	408	42,051	355	83.3	78.8-87.8	53	16.7	12.2-21.2
55-64	519	42,829	477	89.9	86.8-93.0	42	10.1	7.0-13.2
65+	1083	63,842	1038	94.2	92.2-96.2	45	5.8	3.8- 7.8
Less Than H.S.	113	22,724	82	60.9	49.3-72.5	31	39.1	27.5-50.7
H.S. or G.E.D.	869	87,552	749	79.7	76.2-83.2	120	20.3	16.8-23.8
Some Post-H.S.	875	117,626	797	85.8	82.7-88.9	78	14.2	11.1-17.3
College Graduate	1071	78,162	977	85.2	82.3-88.1	94	14.8	11.9-17.7
Less than \$15,000	75	8,620	54	50.9	36.0-65.8	21	49.1	34.2-64.0
\$15,000- 24,999	123	11,671	100	70.6	58.8-82.4	23	29.4	17.6-41.2
\$25,000- 34,999	217	21,680	178	67.7	58.7-76.7	39	32.3	23.3-41.3
\$35,000- 49,999	289	27,834	250	79.5	73.2-85.8	39	20.5	14.2-26.8
\$50,000- 99,999	913	93,923	811	80.4	76.7-84.1	102	19.6	15.9-23.3
\$100,000 - 199,999	650	73,227	610	90.8	87.7-93.9	40	9.2	6.1-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2829	292,184	2563	82.8	80.6-85.0	266	17.2	15.0-19.4
18-24	128	43,627	112	83.5	75.9-91.1	16	16.5	8.9-24.1
25-34	257	49,695	192	65.2	58.3-72.1	65	34.8	27.9-41.7
35-44	318	48,053	265	77.6	71.7-83.5	53	22.4	16.5-28.3
45-54	330	37,508	288	82.7	77.2-88.2	42	17.3	11.8-22.8
55-64	461	39,808	416	86.7	82.6-90.8	45	13.3	9.2-17.4
65+	1335	73,494	1290	95.7	94.3-97.1	45	4.3	2.9- 5.7
Less Than H.S.	87	17,741	69	62.8	48.7-76.9	18	37.2	23.1-51.3
H.S. or G.E.D.	676	68,168	605	78.8	73.9-83.7	71	21.2	16.3-26.1
Some Post-H.S.	866	110,342	789	85.1	81.4-88.8	77	14.9	11.2-18.6
College Graduate	1196	95,573	1096	86.7	84.0-89.4	100	13.3	10.6-16.0
Less than \$15,000	91	10,770	71	70.3	56.6-84.0	20	29.7	16.0-43.4
\$15,000- 24,999	182	19,518	156	69.0	58.4-79.6	26	31.0	20.4-41.6
\$25,000- 34,999	268	25,893	238	78.6	70.8-86.4	30	21.4	13.6-29.2
\$35,000- 49,999	291	31,219	263	80.1	72.7-87.5	28	19.9	12.5-27.3
\$50,000- 99,999	723	72,945	659	85.7	81.8-89.6	64	14.3	10.4-18.2
\$100,000 - 199,999	496	52,679	473	91.7	88.2-95.2	23	8.3	4.8-11.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5764	599,382	5175	82.5	80.9-84.1	105	3.6	2.8- 4.4	262	6.6	5.6- 7.6	103	2.9	2.3- 3.5	119	4.4	3.6- 5.2
Male	2935	307,198	2612	82.1	80.1-84.1	66	3.8	2.8- 4.8	133	6.7	5.3- 8.1	50	2.6	1.8- 3.4	74	4.8	3.6- 6.0
Female	2829	292,184	2563	82.8	80.6-85.0	39	3.5	2.3- 4.7	129	6.4	5.0- 7.8	53	3.3	2.3- 4.3	45	4.0	2.8- 5.2
18-24	323	91,220	258	76.8	71.5-82.1	12	5.5	2.2- 8.8	26	7.4	4.5-10.3	10	3.5	1.3- 5.7	17	6.9	3.6-10.2
25-34	610	106,430	469	69.8	65.5-74.1	29	5.7	3.5- 7.9	45	9.3	6.4-12.2	27	6.1	3.7- 8.5	40	9.1	6.2-12.0
35-44	695	102,201	584	78.7	75.0-82.4	29	6.0	3.6- 8.4	43	7.2	4.8- 9.6	16	2.8	1.4- 4.2	23	5.3	2.9- 7.7
45-54	738	79,558	643	83.0	79.5-86.5	22	3.9	2.1- 5.7	43	7.7	5.0-10.4	12	2.0	0.8- 3.2	18	3.3	1.5- 5.1
55-64	980	82,637	893	88.4	85.9-90.9	6	1.3	0.1- 2.5	49	5.9	4.1- 7.7	17	2.2	1.0- 3.4	15	2.2	1.0- 3.4
65+	2418	137,336	2328	95.0	93.8-96.2	7	0.4	0.2- 0.6	56	3.1	2.1- 4.1	21	1.3	0.7- 1.9	6	0.3	0.1- 0.5
Less Than H.S.	200	40,465	151	61.7	52.7-70.7	3	3.7	0.0- 7.8	25	16.8	9.9-23.7	4	2.8	0.0- 5.7	17	15.1	8.0-22.2
H.S. or G.E.D.	1545	155,721	1354	79.3	76.4-82.2	38	4.7	2.9- 6.5	73	6.3	4.5- 8.1	36	3.7	2.3- 5.1	44	6.0	4.0- 8.0
Some Post-H.S.	1741	227,968	1586	85.5	83.1-87.9	28	3.4	2.0- 4.8	69	5.5	3.9- 7.1	30	2.7	1.5- 3.9	28	2.9	1.7- 4.1
College Graduate	2267	173,734	2073	86.0	84.0-88.0	36	3.1	1.9- 4.3	95	5.8	4.4- 7.2	33	2.6	1.6- 3.6	30	2.5	1.5- 3.5
Less than \$15,000	166	19,389	125	61.6	51.0-72.2	9	7.9	2.6-13.2	20	19.1	9.7-28.5	7	7.4	0.9-13.9	5	4.0	0.3- 7.7
\$15,000- 24,999	305	31,189	256	69.6	61.6-77.6	6	3.4	0.7- 6.1	24	11.6	6.3-16.9	10	7.6	2.3-12.9	9	7.9	2.4-13.4
\$25,000- 34,999	485	47,573	416	73.7	67.6-79.8	15	6.3	3.0- 9.6	22	6.8	3.5-10.1	17	7.0	3.3-10.7	15	6.3	2.6-10.0
\$35,000- 49,999	580	59,053	513	79.8	74.9-84.7	11	3.5	1.0- 6.0	32	9.3	5.6-13.0	11	2.3	0.7- 3.9	13	5.0	2.1- 7.9
\$50,000- 99,999	1636	166,868	1470	82.7	80.0-85.4	25	3.0	1.6- 4.4	81	7.2	5.4- 9.0	27	2.4	1.4- 3.4	33	4.7	2.9- 6.5
\$100,000 - 199,999	1146	125,905	1083	91.2	88.8-93.6	8	1.2	0.2- 2.2	19	2.2	1.0- 3.4	15	2.0	0.8- 3.2	21	3.4	1.8- 5.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2935	307,198	2612	82.1	80.1-84.1	66	3.8	2.8- 4.8	133	6.7	5.3- 8.1	50	2.6	1.8- 3.4	74	4.8	3.6- 6.0
18-24	195	47,593	146	70.6	63.3-77.9	7	4.3	1.0- 7.6	23	12.4	7.3-17.5	7	3.9	1.0- 6.8	12	8.8	3.7-13.9
25-34	353	56,735	277	73.8	68.5-79.1	16	5.4	2.7- 8.1	24	8.2	4.7-11.7	14	4.7	2.0- 7.4	22	7.9	4.6-11.2
35-44	377	54,148	319	79.7	74.6-84.8	19	6.8	3.7- 9.9	19	6.0	3.1- 8.9	8	2.7	0.7- 4.7	12	4.9	2.0- 7.8
45-54	408	42,051	355	83.3	78.8-87.8	17	5.5	2.8- 8.2	18	5.3	2.6- 8.0	5	1.4	0.2- 2.6	13	4.5	1.8- 7.2
55-64	519	42,829	477	89.9	86.8-93.0	2	0.5	0.0- 1.3	25	5.5	3.1- 7.9	6	1.6	0.0- 3.2	9	2.4	0.6- 4.2
65+	1083	63,842	1038	94.2	92.2-96.2	5	0.6	0.0- 1.2	24	3.3	1.7- 4.9	10	1.2	0.4- 2.0	6	0.6	0.0- 1.2
Less Than H.S.	113	22,724	82	60.9	49.3-72.5	2	4.1	0.0- 9.8	15	14.8	7.0-22.6	2	2.3	0.0- 5.8	12	17.9	8.1-27.7
H.S. or G.E.D.	869	87,552	749	79.7	76.2-83.2	23	4.0	2.2- 5.8	44	6.6	4.2- 9.0	23	3.6	2.0- 5.2	30	6.1	3.7- 8.5
Some Post-H.S.	875	117,626	797	85.8	82.7-88.9	16	3.1	1.5- 4.7	36	6.0	3.8- 8.2	12	2.4	1.0- 3.8	14	2.7	1.1- 4.3
College Graduate	1071	78,162	977	85.2	82.3-88.1	25	4.5	2.5- 6.5	38	5.7	3.7- 7.7	13	2.0	0.8- 3.2	18	2.6	1.2- 4.0
Less than \$15,000	75	8,620	54	50.9	36.0-65.8	6	11.2	1.8-20.6	8	22.4	6.9-37.9	4	10.2	0.0-20.6	3	5.4	0.0-11.7
\$15,000- 24,999	123	11,671	100	70.6	58.8-82.4	2	2.7	0.0- 6.4	14	14.5	5.7-23.3	2	1.5	0.0- 3.9	5	10.7	0.9-20.5
\$25,000- 34,999	217	21,680	178	67.7	58.7-76.7	12	10.3	4.4-16.2	9	6.2	1.9-10.5	7	6.5	1.0-12.0	11	9.2	2.7-15.7
\$35,000- 49,999	289	27,834	250	79.5	73.2-85.8	6	2.5	0.5- 4.5	17	8.3	4.2-12.4	6	2.4	0.2- 4.6	10	7.2	2.5-11.9
\$50,000- 99,999	913	93,923	811	80.4	76.7-84.1	22	4.8	2.4- 7.2	43	7.3	4.9- 9.7	15	2.7	1.3- 4.1	22	4.9	2.5- 7.3
\$100,000 - 199,999	650	73,227	610	90.8	87.7-93.9	6	1.3	0.1- 2.5	14	3.0	1.0- 5.0	8	1.8	0.4- 3.2	12	3.1	1.1- 5.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2829	292,184	2563	82.8	80.6-85.0	39	3.5	2.3- 4.7	129	6.4	5.0- 7.8	53	3.3	2.3- 4.3	45	4.0	2.8- 5.2
18-24	128	43,627	112	83.5	75.9-91.1	5	6.8	0.9-12.7	3	1.9	0.0- 4.1	3	3.0	0.0- 6.3	5	4.9	0.6- 9.2
25-34	257	49,695	192	65.2	58.3-72.1	13	6.1	2.6- 9.6	21	10.5	5.8-15.2	13	7.6	3.3-11.9	18	10.6	5.9-15.3
35-44	318	48,053	265	77.6	71.7-83.5	10	5.2	1.9- 8.5	24	8.6	4.7-12.5	8	2.9	0.7- 5.1	11	5.7	2.2- 9.2
45-54	330	37,508	288	82.7	77.2-88.2	5	2.1	0.1- 4.1	25	10.5	5.6-15.4	7	2.7	0.7- 4.7	5	2.0	0.2- 3.8
55-64	461	39,808	416	86.7	82.6-90.8	4	2.1	0.0- 4.3	24	6.3	3.4- 9.2	11	2.9	0.9- 4.9	6	2.0	0.2- 3.8
65+	1335	73,494	1290	95.7	94.3-97.1	2	0.1	0.0- 0.3	32	2.8	1.6- 4.0	11	1.4	0.6- 2.2			
Less Than H.S.	87	17,741	69	62.8	48.7-76.9	1	3.1	0.0- 9.0	10	19.2	7.4-31.0	2	3.5	0.0- 8.8	5	11.4	1.8-21.0
H.S. or G.E.D.	676	68,168	605	78.8	73.9-83.7	15	5.6	2.5- 8.7	29	6.0	3.6- 8.4	13	3.8	1.3- 6.3	14	5.9	2.8- 9.0
Some Post-H.S.	866	110,342	789	85.1	81.4-88.8	12	3.7	1.3- 6.1	33	5.1	2.9- 7.3	18	3.1	1.3- 4.9	14	3.0	1.2- 4.8
College Graduate	1196	95,573	1096	86.7	84.0-89.4	11	1.9	0.7- 3.1	57	5.9	4.1- 7.7	20	3.1	1.5- 4.7	12	2.4	0.8- 4.0
Less than \$15,000	91	10,770	71	70.3	56.6-84.0	3	5.3	0.0-11.4	12	16.4	5.2-27.6	3	5.2	0.0-13.2	2	2.8	0.0- 7.5
\$15,000- 24,999	182	19,518	156	69.0	58.4-79.6	4	3.8	0.1- 7.5	10	9.8	2.9-16.7	8	11.2	3.0-19.4	4	6.2	0.0-12.7
\$25,000- 34,999	268	25,893	238	78.6	70.8-86.4	3	2.9	0.0- 6.6	13	7.2	2.3-12.1	10	7.3	2.0-12.6	4	3.9	0.2- 7.6
\$35,000- 49,999	291	31,219	263	80.1	72.7-87.5	5	4.4	0.1- 8.7	15	10.2	4.3-16.1	5	2.3	0.1- 4.5	3	3.0	0.0- 6.5
\$50,000- 99,999	723	72,945	659	85.7	81.8-89.6	3	0.6	0.0- 1.4	38	7.2	4.3-10.1	12	2.0	0.8- 3.2	11	4.5	1.8- 7.2
\$100,000 - 199,999	496	52,679	473	91.7	88.2-95.2	2	1.0	0.0- 2.6	5	1.0	0.0- 2.0	7	2.3	0.5- 4.1	9	3.9	1.2- 6.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

**TABLE 16: THIRTEEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																			
			18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	5727	596,049	599	23.3	21.5-25.1	678	18.2	16.8-19.6	682	15.0	13.8-16.2	738	11.8	10.8-12.8	1282	15.0	14.0-16.0	1748	16.7	15.7-17.7		
Male	2932	306,810	346	23.3	21.1-25.5	398	19.7	17.9-21.5	373	15.5	13.9-17.1	407	12.1	10.9-13.3	636	14.8	13.4-16.2	772	14.6	13.4-15.8		
Female	2795	289,239	253	23.4	20.9-25.9	280	16.6	14.6-18.6	309	14.5	12.7-16.3	331	11.4	10.0-12.8	646	15.3	13.9-16.7	976	18.9	17.5-20.3		
Native	165	24,606	33	34.4	24.8-44.0	27	21.2	12.8-29.6	19	13.3	6.4-20.2	38	17.3	10.6-24.0	28	8.9	5.0-12.8	20	4.9	2.4- 7.4		
Non-Native	5486	564,078	563	23.0	21.2-24.8	643	18.0	16.6-19.4	655	15.1	13.9-16.3	692	11.5	10.5-12.5	1237	15.2	14.2-16.2	1696	17.1	16.1-18.1		
Less Than H.S.	205	41,373	37	40.4	31.2-49.6	9	6.9	2.2-11.6	16	12.0	6.1-17.9	20	8.7	4.6-12.8	41	11.7	7.6-15.8	82	20.2	14.7-25.7		
H.S. or G.E.D.	1532	155,011	244	34.4	31.1-37.7	176	17.4	14.9-19.9	134	10.5	8.7-12.3	158	9.0	7.4-10.6	360	13.9	12.3-15.5	460	14.8	13.2-16.4		
Some Post-H.S.	1730	225,946	150	19.4	16.7-22.1	182	17.2	14.8-19.6	190	14.7	12.5-16.9	228	13.0	11.2-14.8	426	17.6	15.8-19.4	554	18.2	16.4-20.0		
College Graduate	2248	172,190	167	14.5	12.3-16.7	310	22.8	20.4-25.2	340	20.1	18.1-22.1	332	13.5	11.9-15.1	451	13.4	12.0-14.8	648	15.7	14.3-17.1		
Less than \$15,000	166	19,279	22	31.2	20.2-42.2	14	17.5	8.3-26.7	24	15.9	9.2-22.6	25	10.3	5.8-14.8	44	13.5	8.6-18.4	37	11.6	7.1-16.1		
\$15,000- 24,999	309	31,908	33	26.5	18.7-34.3	30	19.1	12.2-26.0	22	8.9	4.8-13.0	30	9.9	5.8-14.0	66	13.9	10.0-17.8	128	21.8	17.1-26.5		
\$25,000- 34,999	486	47,523	55	27.7	21.4-34.0	43	14.4	10.1-18.7	27	8.6	5.1-12.1	36	7.2	4.7- 9.7	98	12.6	9.7-15.5	227	29.4	24.9-33.9		
\$35,000- 49,999	588	59,561	85	33.1	27.2-39.0	48	11.6	8.3-14.9	46	10.3	7.2-13.4	55	10.1	7.2-13.0	127	14.3	11.4-17.2	227	20.6	17.1-24.1		
\$50,000- 99,999	1631	166,750	192	24.6	21.5-27.7	199	17.5	15.1-19.9	178	14.2	12.0-16.4	186	10.7	8.9-12.5	397	17.0	15.0-19.0	479	16.0	14.2-17.8		
\$100,000 - 199,999	1140	125,212	76	12.4	9.7-15.1	206	26.6	23.3-29.9	236	23.5	20.6-26.4	231	17.1	14.7-19.5	230	13.2	11.2-15.2	161	7.1	5.9- 8.3		

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 17: THIRTEEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2932	306,810	346	23.3	21.1-25.5	398	19.7	17.9-21.5	373	15.5	13.9-17.1	407	12.1	10.9-13.3	636	14.8	13.4-16.2	772	14.6	13.4-15.8
Native	86	13,384	23	44.9	31.8-58.0	15	19.2	8.8-29.6	9	11.0	3.0-19.0	17	12.3	5.8-18.8	14	9.0	3.5-14.5	8	3.6	0.9- 6.3
Non-Native	2794	288,498	320	22.4	20.2-24.6	377	19.7	17.7-21.7	358	15.7	13.9-17.5	384	12.1	10.7-13.5	612	15.1	13.7-16.5	743	14.9	13.7-16.1
Less Than H.S.	116	23,301	22	39.7	27.7-51.7	4	3.8	0.1- 7.5	13	15.0	7.0-23.0	14	10.4	4.9-15.9	24	11.9	6.6-17.2	39	19.1	12.0-26.2
H.S. or G.E.D.	864	87,577	153	33.0	28.9-37.1	120	19.6	16.3-22.9	84	11.3	8.8-13.8	104	10.2	8.0-12.4	213	14.8	12.6-17.0	190	11.0	9.2-12.8
Some Post-H.S.	873	116,978	87	18.8	15.3-22.3	119	20.8	17.5-24.1	114	16.0	13.1-18.9	129	13.3	10.9-15.7	200	16.4	14.0-18.8	224	14.7	12.5-16.9
College Graduate	1071	77,786	83	14.3	11.4-17.2	154	22.6	19.5-25.7	160	19.2	16.5-21.9	160	13.2	11.0-15.4	196	13.1	11.1-15.1	318	17.5	15.3-19.7
Less than \$15,000	74	8,532	13	35.5	20.2-50.8	5	13.3	0.2-26.4	13	20.0	9.0-31.0	12	11.5	4.4-18.6	19	12.3	5.8-18.8	12	7.5	2.4-12.6
\$15,000- 24,999	126	12,225	15	28.7	16.5-40.9	13	16.4	7.8-25.0	10	10.5	2.5-18.5	14	9.4	4.1-14.7	29	15.1	9.0-21.2	45	19.8	12.9-26.7
\$25,000- 34,999	218	21,813	24	24.8	16.0-33.6	25	16.7	10.2-23.2	17	12.5	6.2-18.8	21	8.5	4.6-12.4	45	11.9	7.8-16.0	86	25.6	19.1-32.1
\$35,000- 49,999	294	28,041	51	34.2	26.8-41.6	26	11.3	7.0-15.6	24	10.4	6.1-14.7	31	10.8	6.7-14.9	55	13.7	9.8-17.6	107	19.8	15.1-24.5
\$50,000- 99,999	913	93,974	116	24.3	20.4-28.2	128	20.2	16.9-23.5	99	13.3	10.6-16.0	109	10.6	8.4-12.8	207	16.1	13.7-18.5	254	15.5	13.3-17.7
\$100,000 - 199,999	648	72,978	46	12.1	8.8-15.4	125	27.6	23.3-31.9	143	24.9	21.0-28.8	122	15.5	12.6-18.4	126	13.5	11.0-16.0	86	6.5	4.9- 8.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

**TABLE 18: THIRTEEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2795	289,239	253	23.4	20.9-25.9	280	16.6	14.6-18.6	309	14.5	12.7-16.3	331	11.4	10.0-12.8	646	15.3	13.9-16.7	976	18.9	17.5-20.3
Native	79	11,222	10	21.9	9.4-34.4	12	23.6	10.1-37.1	10	16.0	4.6-27.4	21	23.3	11.3-35.3	14	8.8	3.3-14.3	12	6.4	1.7-11.1
Non-Native	2692	275,580	243	23.6	20.9-26.3	266	16.3	14.3-18.3	297	14.4	12.6-16.2	308	10.9	9.5-12.3	625	15.4	14.0-16.8	953	19.4	18.0-20.8
Less Than H.S.	89	18,072	15	41.3	26.6-56.0	5	11.0	1.8-20.2	3	8.2	0.0-17.0	6	6.5	0.0-13.0	17	11.4	5.1-17.7	43	21.7	13.1-30.3
H.S. or G.E.D.	668	67,434	91	36.3	30.6-42.0	56	14.4	10.7-18.1	50	9.6	6.9-12.3	54	7.3	5.1- 9.5	147	12.8	10.3-15.3	270	19.6	16.7-22.5
Some Post-H.S.	857	108,968	63	20.1	15.8-24.4	63	13.3	10.0-16.6	76	13.2	10.3-16.1	99	12.7	10.2-15.2	226	18.9	16.2-21.6	330	22.0	19.3-24.7
College Graduate	1177	94,405	84	14.6	11.7-17.5	156	23.0	19.7-26.3	180	20.8	17.9-23.7	172	13.8	11.6-16.0	255	13.6	11.8-15.4	330	14.2	12.4-16.0
Less than \$15,000	92	10,747	9	27.8	12.3-43.3	9	20.8	7.9-33.7	11	12.7	4.7-20.7	13	9.4	3.5-15.3	25	14.5	7.1-21.9	25	14.9	7.8-22.0
\$15,000- 24,999	183	19,683	18	25.0	14.6-35.4	17	20.7	11.1-30.3	12	7.9	3.4-12.4	16	10.2	4.5-15.9	37	13.1	8.0-18.2	83	23.1	16.6-29.6
\$25,000- 34,999	268	25,710	31	30.2	21.4-39.0	18	12.5	6.6-18.4	10	5.3	1.4- 9.2	15	6.0	2.9- 9.1	53	13.2	9.1-17.3	141	32.6	26.1-39.1
\$35,000- 49,999	294	31,520	34	32.2	23.2-41.2	22	11.9	6.8-17.0	22	10.2	5.7-14.7	24	9.5	5.2-13.8	72	14.9	10.6-19.2	120	21.3	16.2-26.4
\$50,000- 99,999	718	72,777	76	25.0	20.1-29.9	71	14.0	10.7-17.3	79	15.3	11.8-18.8	77	10.8	8.1-13.5	190	18.2	15.3-21.1	225	16.6	14.1-19.1
\$100,000 - 199,999	492	52,235	30	12.9	8.4-17.4	81	25.4	20.3-30.5	93	21.6	17.3-25.9	109	19.3	15.6-23.0	104	12.9	10.0-15.8	75	7.9	5.7-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			>=65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5727	596,049	3295	76.7	75.5-77.9	2432	23.3	22.1-24.5
Male	2932	306,810	1835	78.9	77.5-80.3	1097	21.1	19.7-22.5
Female	2795	289,239	1460	74.4	72.6-76.2	1335	25.6	23.8-27.4
Native	165	24,606	131	91.8	88.5-95.1	34	8.2	4.9-11.5
Non-Native	5486	564,078	3128	76.2	75.0-77.4	2358	23.8	22.6-25.0
Less Than H.S.	205	41,373	100	74.0	67.9-80.1	105	26.0	19.9-32.1
H.S. or G.E.D.	1532	155,011	879	79.1	77.1-81.1	653	20.9	18.9-22.9
Some Post-H.S.	1730	225,946	958	74.4	72.4-76.4	772	25.6	23.6-27.6
College Graduate	2248	172,190	1352	78.3	76.7-79.9	896	21.7	20.1-23.3
Less than \$15,000	166	19,279	108	83.7	78.4-89.0	58	16.3	11.0-21.6
\$15,000- 24,999	309	31,908	142	70.8	65.1-76.5	167	29.2	23.5-34.9
\$25,000- 34,999	486	47,523	202	64.2	59.3-69.1	284	35.8	30.9-40.7
\$35,000- 49,999	588	59,561	283	72.3	68.4-76.2	305	27.7	23.8-31.6
\$50,000- 99,999	1631	166,750	940	76.5	74.3-78.7	691	23.5	21.3-25.7
\$100,000 - 199,999	1140	125,212	871	88.2	86.6-89.8	269	11.8	10.2-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			>=65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2932	306,810	1835	78.9	77.5-80.3	1097	21.1	19.7-22.5
Native	86	13,384	74	94.7	91.4-98.0	12	5.3	2.0- 8.6
Non-Native	2794	288,498	1735	78.3	76.7-79.9	1059	21.7	20.1-23.3
Less Than H.S.	116	23,301	62	74.4	66.4-82.4	54	25.6	17.6-33.6
H.S. or G.E.D.	864	87,577	564	82.4	80.0-84.8	300	17.6	15.2-20.0
Some Post-H.S.	873	116,978	553	78.7	76.2-81.2	320	21.3	18.8-23.8
College Graduate	1071	77,786	651	76.5	74.1-78.9	420	23.5	21.1-25.9
Less than \$15,000	74	8,532	53	87.7	81.2-94.2	21	12.3	5.8-18.8
\$15,000- 24,999	126	12,225	63	72.1	63.9-80.3	63	27.9	19.7-36.1
\$25,000- 34,999	218	21,813	106	68.2	61.1-75.3	112	31.8	24.7-38.9
\$35,000- 49,999	294	28,041	155	73.3	68.0-78.6	139	26.7	21.4-32.0
\$50,000- 99,999	913	93,974	553	77.3	74.6-80.0	360	22.7	20.0-25.4
\$100,000 - 199,999	648	72,978	504	88.5	86.3-90.7	144	11.5	9.3-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			>=65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2795	289,239	1460	74.4	72.8-76.0	1335	25.6	24.0-27.2
Native	79	11,222	57	88.4	82.3-94.5	22	11.6	5.5-17.7
Non-Native	2692	275,580	1393	74.0	72.2-75.8	1299	26.0	24.2-27.8
Less Than H.S.	89	18,072	38	73.6	64.0-83.2	51	26.4	16.8-36.0
H.S. or G.E.D.	668	67,434	315	74.8	71.5-78.1	353	25.2	21.9-28.5
Some Post-H.S.	857	108,968	405	69.9	66.8-73.0	452	30.1	27.0-33.2
College Graduate	1177	94,405	701	79.8	77.6-82.0	476	20.2	18.0-22.4
Less than \$15,000	92	10,747	55	80.6	72.6-88.6	37	19.4	11.4-27.4
\$15,000- 24,999	183	19,683	79	69.9	62.5-77.3	104	30.1	22.7-37.5
\$25,000- 34,999	268	25,710	96	60.8	53.7-67.9	172	39.2	32.1-46.3
\$35,000- 49,999	294	31,520	128	71.5	65.6-77.4	166	28.5	22.6-34.4
\$50,000- 99,999	718	72,777	387	75.4	72.3-78.5	331	24.6	21.5-27.7
\$100,000 - 199,999	492	52,235	367	87.8	85.3-90.3	125	12.2	9.7-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 22: IMPUTED AGE IN SIX GROUPS (_AGE_G).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
			18-24			25-34			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5156	505,539	326	18.2	16.4-20.0	613	21.2	19.6-22.8	760	16.2	15.0-17.4	997	16.7	15.5-17.9	2460	27.7	26.3-29.1
Male	2613	257,933	198	18.8	16.4-21.2	354	22.1	19.9-24.3	422	16.9	15.3-18.5	528	16.9	15.3-18.5	1111	25.4	23.6-27.2
Female	2543	247,606	128	17.6	14.9-20.3	259	20.2	17.8-22.6	338	15.6	13.8-17.4	469	16.5	14.9-18.1	1349	30.0	28.0-32.0
Native	150	21,920	23	28.0	18.2-37.8	29	28.9	19.1-38.7	28	18.2	10.2-26.2	36	15.7	9.8-21.6	34	9.2	5.5-12.9
Non-Native	4919	475,261	300	17.9	16.1-19.7	581	21.1	19.5-22.7	710	15.9	14.7-17.1	944	16.7	15.5-17.9	2384	28.5	27.1-29.9
Less Than H.S.	191	36,937	27	35.4	25.4-45.4	15	14.5	7.6-21.4	16	10.5	5.0-16.0	28	10.5	6.4-14.6	105	29.1	22.2-36.0
H.S. or G.E.D.	1414	136,589	154	28.2	24.5-31.9	188	22.9	20.0-25.8	153	11.1	9.3-12.9	258	13.9	12.1-15.7	661	23.9	21.7-26.1
Some Post-H.S.	1581	194,030	86	15.1	12.2-18.0	149	17.8	15.3-20.3	232	17.3	15.1-19.5	336	19.8	17.6-22.0	778	29.9	27.5-32.3
College Graduate	1950	135,770	58	8.1	6.1-10.1	260	26.2	23.5-28.9	350	20.9	18.7-23.1	373	16.9	15.1-18.7	909	27.9	25.9-29.9
Less than \$15,000	151	16,718	13	22.6	11.4-33.8	18	27.4	15.8-39.0	25	15.1	8.8-21.4	37	16.1	10.0-22.2	58	18.8	12.7-24.9
\$15,000- 24,999	289	28,923	22	22.2	14.0-30.4	30	22.5	14.9-30.1	27	10.7	6.2-15.2	43	12.3	8.2-16.4	167	32.3	26.0-38.6
\$25,000- 34,999	456	42,393	25	18.0	11.7-24.3	51	21.2	15.7-26.7	35	9.6	6.1-13.1	60	10.9	8.0-13.8	285	40.2	34.7-45.7
\$35,000- 49,999	535	51,598	48	26.0	19.5-32.5	58	18.3	13.6-23.0	47	9.8	6.9-12.7	77	14.0	10.5-17.5	305	31.9	27.4-36.4
\$50,000- 99,999	1457	141,870	100	18.3	15.0-21.6	201	22.9	20.0-25.8	174	13.6	11.4-15.8	284	17.2	15.0-19.4	698	27.9	25.5-30.3
\$100,000 - 199,999	926	92,906	29	8.1	5.2-11.0	145	27.5	23.6-31.4	252	27.8	24.5-31.1	229	20.5	17.8-23.2	271	16.0	13.8-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 23: IMPUTED AGE IN SIX GROUPS (_AGE_G).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	18-24			25-34			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2613	257,933	198	18.8	16.4-21.2	354	22.1	19.9-24.3	422	16.9	15.3-18.5	528	16.9	15.3-18.5	1111	25.4	23.6-27.2
Native	79	11,973	20	44.5	30.6-58.4	16	25.2	12.9-37.5	12	10.0	3.7-16.3	19	14.5	7.2-21.8	12	5.9	2.2- 9.6
Non-Native	2479	241,078	175	17.5	15.1-19.9	337	22.3	20.1-24.5	396	16.9	15.1-18.7	500	17.0	15.4-18.6	1071	26.2	24.4-28.0
Less Than H.S.	106	20,601	17	36.5	23.6-49.4	7	11.1	3.3-18.9	12	12.1	5.2-19.0	16	11.4	5.5-17.3	54	29.0	20.0-38.0
H.S. or G.E.D.	791	76,497	100	27.9	23.6-32.2	120	23.6	19.9-27.3	107	13.3	10.8-15.8	160	15.0	12.6-17.4	304	20.2	17.7-22.7
Some Post-H.S.	774	97,129	49	14.7	11.0-18.4	97	21.4	17.7-25.1	133	18.3	15.4-21.2	171	19.7	16.8-22.6	324	25.9	23.0-28.8
College Graduate	929	62,171	31	8.5	5.6-11.4	129	25.0	21.3-28.7	164	19.8	16.9-22.7	180	16.8	14.3-19.3	425	29.9	27.0-32.8
Less than \$15,000	67	7,535	9	29.5	13.6-45.4	9	25.8	9.3-42.3	14	17.7	7.9-27.5	14	13.1	5.5-20.7	21	14.0	6.6-21.4
\$15,000- 24,999	118	10,928	11	28.2	15.1-41.3	12	16.7	7.7-25.7	13	9.4	3.7-15.1	19	14.5	7.6-21.4	63	31.2	22.2-40.2
\$25,000- 34,999	199	18,841	11	15.7	7.1-24.3	25	23.1	14.7-31.5	21	13.1	7.0-19.2	30	11.3	6.8-15.8	112	36.9	28.9-44.9
\$35,000- 49,999	267	24,487	31	27.7	19.7-35.7	31	17.6	11.7-23.5	24	9.6	5.5-13.7	42	14.5	9.8-19.2	139	30.6	24.5-36.7
\$50,000- 99,999	815	80,294	62	18.3	14.0-22.6	130	25.4	21.5-29.3	97	12.3	9.8-14.8	163	17.2	14.5-19.9	363	26.9	23.8-30.0
\$100,000 - 199,999	523	53,669	18	7.7	4.2-11.2	88	28.1	23.2-33.0	147	29.1	24.8-33.4	124	19.3	15.8-22.8	146	15.8	12.9-18.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 24: IMPUTED AGE IN SIX GROUPS (_AGE_G).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																			
	TOTAL	WEIGHTED	N	18-24			25-34			45-54			55-64			65+						
				%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)		N	%	C.I. (95%)					
Female	2543	247,606	128	17.6	14.9-20.3		259	20.2	17.8-22.6		338	15.6	13.8-17.4		469	16.5	14.9-18.1		1349	30.0	28.0-32.0	
Native	71	9,948	3	8.1	0.0-17.1		13	33.5	18.0-49.0		16	28.2	13.3-43.1		17	17.1	7.3-26.9		22	13.1	6.2-20.0	
Non-Native	2440	234,184	125	18.3	15.4-21.2		244	19.8	17.4-22.2		314	14.8	13.0-16.6		444	16.3	14.5-18.1		1313	30.8	28.8-32.8	
Less Than H.S.	85	16,337	10	34.0	18.3-49.7		8	18.9	6.9-30.9		4	8.6	0.0-17.6		12	9.3	3.4-15.2		51	29.2	18.6-39.8	
H.S. or G.E.D.	623	60,092	54	28.5	22.4-34.6		68	22.1	17.2-27.0		46	8.3	5.8-10.8		98	12.4	9.7-15.1		357	28.6	24.7-32.5	
Some Post-H.S.	807	96,901	37	15.6	11.1-20.1		52	14.2	10.5-17.9		99	16.3	13.2-19.4		165	20.0	16.9-23.1		454	33.9	30.4-37.4	
College Graduate	1021	73,599	27	7.9	5.2-10.6		131	27.2	23.3-31.1		186	21.8	18.9-24.7		193	17.0	14.5-19.5		484	26.2	23.5-28.9	
Less than \$15,000	84	9,183	4	16.9	1.2-32.6		9	28.8	12.7-44.9		11	13.0	5.0-21.0		23	18.6	9.4-27.8		37	22.7	13.1-32.3	
\$15,000- 24,999	171	17,995	11	18.5	8.1-28.9		18	26.1	15.5-36.7		14	11.5	5.2-17.8		24	10.9	5.6-16.2		104	32.9	24.7-41.1	
\$25,000- 34,999	257	23,551	14	19.9	10.9-28.9		26	19.8	12.5-27.1		14	6.9	3.0-10.8		30	10.6	6.5-14.7		173	42.8	35.2-50.4	
\$35,000- 49,999	268	27,110	17	24.4	14.6-34.2		27	18.9	11.6-26.2		23	10.0	5.7-14.3		35	13.5	8.4-18.6		166	33.2	26.3-40.1	
\$50,000- 99,999	642	61,576	38	18.4	13.1-23.7		71	19.7	15.4-24.0		77	15.3	11.6-19.0		121	17.2	13.9-20.5		335	29.3	25.4-33.2	
\$100,000 - 199,999	403	39,237	11	8.7	3.6-13.8		57	26.8	20.7-32.9		105	26.0	21.1-30.9		105	22.2	17.7-26.7		125	16.3	13.0-19.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Data was weighted using _LLCPWT.																	
				<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5512	569,430	2	0.0	0.0- 0.0		237	4.3	3.5- 5.1	2094	35.9	34.3-37.5	2553	47.0	45.2-48.8	625	12.8	11.6-14.0	1	0.1	0.0- 0.3
Male	2847	295,031					7	0.3	0.0- 0.7	223	7.3	6.1- 8.5	2000	67.9	65.7-70.1	617	24.5	22.5-26.5			
Female	2665	274,400	2	0.0	0.0- 0.0		230	8.5	7.1- 9.9	1871	66.6	64.1-69.1	553	24.5	22.1-26.9	8	0.2	0.0- 0.4	1	0.2	0.0- 0.6
Native	161	23,543					6	2.6	0.1- 5.1	56	30.7	21.7-39.7	86	56.2	46.4-66.0	13	10.5	3.8-17.2			
Non-Native	5277	538,816	2	0.0	0.0- 0.0		228	4.3	3.5- 5.1	2014	36.1	34.5-37.7	2429	46.6	44.8-48.4	603	12.9	11.7-14.1	1	0.1	0.0- 0.3
18-24	308	87,385					8	3.4	1.0- 5.8	84	31.0	25.1-36.9	165	51.9	45.8-58.0	51	13.8	10.1-17.5			
25-34	578	99,954					17	3.9	1.9- 5.9	184	34.2	29.9-38.5	275	44.9	40.6-49.2	101	16.7	13.4-20.0	1	0.5	0.0- 1.5
35-44	651	95,158					22	4.8	2.6- 7.0	206	30.9	27.0-34.8	324	49.1	44.8-53.4	99	15.2	12.1-18.3			
45-54	693	74,507					8	1.2	0.2- 2.2	227	35.0	31.1-38.9	361	50.5	46.4-54.6	97	13.3	10.6-16.0			
55-64	934	79,190					28	4.2	2.4- 6.0	336	35.2	31.7-38.7	467	48.9	45.2-52.6	103	11.8	9.4-14.2			
65+	2348	133,236	2	0.1	0.0- 0.3		154	6.6	5.4- 7.8	1057	44.7	42.3-47.1	961	40.6	38.2-43.0	174	8.0	6.6- 9.4			
Less Than H.S.	184	37,482					18	8.6	3.3-13.9	61	35.0	26.0-44.0	89	48.2	38.8-57.6	15	7.1	3.0-11.2	1	1.2	0.0- 3.6
H.S. or G.E.D.	1469	147,920	1	0.0	0.0- 0.0		62	4.2	2.8- 5.6	540	35.5	32.4-38.6	724	48.3	45.0-51.6	142	12.0	9.8-14.2			
Some Post-H.S.	1677	218,018	1	0.0	0.0- 0.0		85	4.5	3.3- 5.7	636	33.6	30.9-36.3	743	47.4	44.5-50.3	212	14.5	12.5-16.5			
College Graduate	2171	164,609					70	2.9	1.9- 3.9	855	39.6	37.1-42.1	990	44.7	42.2-47.2	256	12.8	11.0-14.6			
Less than \$15,000	166	19,009					10	5.0	1.3- 8.7	65	37.4	27.2-47.6	72	43.3	33.1-53.5	19	14.4	6.4-22.4			
\$15,000- 24,999	296	30,168					24	6.3	2.8- 9.8	122	45.2	37.4-53.0	133	40.7	33.3-48.1	17	7.8	3.7-11.9			
\$25,000- 34,999	474	46,732					37	9.9	6.0-13.8	210	40.5	34.6-46.4	185	39.4	33.5-45.3	42	10.2	6.7-13.7			
\$35,000- 49,999	577	57,872					27	5.4	2.5- 8.3	237	39.6	34.1-45.1	258	45.9	40.4-51.4	55	9.1	6.4-11.8			
\$50,000- 99,999	1627	166,038	1	0.0	0.0- 0.0		48	3.5	2.1- 4.9	566	31.9	29.2-34.6	812	50.4	47.3-53.5	199	13.9	11.7-16.1	1	0.3	0.0- 0.9
\$100,000 - 199,999	1134	124,132					22	1.9	0.9- 2.9	390	31.2	28.1-34.3	552	50.3	46.8-53.8	170	16.5	14.0-19.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2847	295,031	7	0.3	0.0- 0.7	223	7.3	6.1- 8.5	2000	67.9	65.7-70.1	617	24.5	22.5-26.5
Native	85	12,873				4	2.3	0.0- 4.8	68	78.6	67.2-90.0	13	19.2	7.8-30.6
Non-Native	2714	277,770	7	0.4	0.0- 0.8	212	7.4	6.2- 8.6	1900	67.5	65.3-69.7	595	24.7	22.7-26.7
18-24	189	46,399	1	0.6	0.0- 1.8	11	6.2	2.3-10.1	126	67.2	60.1-74.3	51	25.9	19.4-32.4
25-34	336	53,555				17	4.5	2.3- 6.7	218	64.4	58.9-69.9	101	31.1	25.6-36.6
35-44	358	51,199	2	0.8	0.0- 2.0	28	7.8	4.7-10.9	229	63.2	57.7-68.7	99	28.2	23.1-33.3
45-54	387	39,603				22	6.6	3.7- 9.5	268	68.4	63.3-73.5	97	25.0	20.3-29.7
55-64	507	41,721	1	0.2	0.0- 0.6	41	7.2	4.8- 9.6	367	71.4	66.9-75.9	98	21.3	17.2-25.4
65+	1070	62,553	3	0.3	0.0- 0.7	104	10.4	8.2-12.6	792	72.5	69.4-75.6	171	16.8	14.3-19.3
Less Than H.S.	104	21,072	1	0.5	0.0- 1.5	11	10.8	3.5-18.1	78	76.4	66.8-86.0	14	12.4	5.3-19.5
H.S. or G.E.D.	837	83,980	5	1.0	0.0- 2.0	79	8.4	6.2-10.6	612	69.7	65.8-73.6	141	21.0	17.5-24.5
Some Post-H.S.	849	113,047	1	0.0	0.0- 0.0	63	6.4	4.4- 8.4	576	65.9	62.2-69.6	209	27.6	24.1-31.1
College Graduate	1050	75,874				69	6.3	4.5- 8.1	728	66.2	62.9-69.5	253	27.5	24.2-30.8
Less than \$15,000	74	8,491				6	7.0	0.5-13.5	50	62.1	46.8-77.4	18	30.9	15.6-46.2
\$15,000- 24,999	124	11,641	1	0.9	0.0- 2.7	6	4.6	0.3- 8.9	100	74.2	64.0-84.4	17	20.3	10.5-30.1
\$25,000- 34,999	209	21,094	1	0.5	0.0- 1.5	29	12.7	7.2-18.2	137	64.1	55.9-72.3	42	22.6	15.3-29.9
\$35,000- 49,999	292	27,627				33	10.0	6.1-13.9	205	71.1	64.8-77.4	54	19.0	13.5-24.5
\$50,000- 99,999	910	93,762	2	0.1	0.0- 0.3	61	7.0	4.8- 9.2	649	68.5	64.8-72.2	198	24.5	21.0-28.0
\$100,000 - 199,999	648	72,666	1	0.1	0.0- 0.3	39	4.9	3.1- 6.7	440	67.0	62.7-71.3	168	28.1	24.0-32.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 27: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2665	274,400	2	0.0	0.0- 0.0	230	8.5	7.1- 9.9	1871	66.6	64.1-69.1	553	24.5	22.1-26.9	8	0.2	0.0- 0.4	1	0.2	0.0- 0.6
Native	76	10,670				6	5.8	0.1-11.5	52	65.0	50.5-79.5	18	29.2	15.1-43.3						
Non-Native	2563	261,046	2	0.0	0.0- 0.0	221	8.5	6.9-10.1	1802	66.7	64.2-69.2	529	24.3	21.9-26.7	8	0.2	0.0- 0.4	1	0.2	0.0- 0.6
18-24	119	40,986				7	6.5	1.8-11.2	73	59.0	49.4-68.6	39	34.6	25.4-43.8						
25-34	242	46,399				17	8.3	4.0-12.6	167	68.4	61.9-74.9	57	22.3	16.8-27.8				1	1.0	0.0- 3.0
35-44	293	43,959				20	9.4	5.1-13.7	178	57.9	51.4-64.4	95	32.7	26.8-38.6						
45-54	306	34,904				8	2.5	0.5- 4.5	205	67.2	61.1-73.3	93	30.3	24.4-36.2						
55-64	427	37,468				27	8.6	5.1-12.1	295	66.3	61.0-71.6	100	23.9	19.0-28.8	5	1.2	0.0- 2.4			
65+	1278	70,683	2	0.1	0.0- 0.3	151	12.1	9.9-14.3	953	75.2	72.5-77.9	169	12.3	10.1-14.5	3	0.2	0.0- 0.6			
Less Than H.S.	80	16,410				17	18.9	7.5-30.3	50	66.0	52.3-79.7	11	12.0	2.8-21.2	1	0.3	0.0- 0.9	1	2.8	0.0- 8.1
H.S. or G.E.D.	632	63,941	1	0.0	0.0- 0.0	57	8.4	5.7-11.1	461	71.1	66.2-76.0	112	20.3	15.8-24.8	1	0.1	0.0- 0.3			
Some Post-H.S.	828	104,971	1	0.1	0.0- 0.3	84	9.3	6.8-11.8	573	62.9	58.6-67.2	167	27.4	23.1-31.7	3	0.3	0.0- 0.7			
College Graduate	1121	88,736				70	5.5	3.9- 7.1	786	68.0	64.7-71.3	262	26.3	23.2-29.4	3	0.2	0.0- 0.4			
Less than \$15,000	92	10,518				10	9.0	2.3-15.7	59	61.9	48.2-75.6	22	28.0	15.1-40.9	1	1.1	0.0- 3.3			
\$15,000- 24,999	172	18,527				23	9.6	3.9-15.3	116	70.7	61.5-79.9	33	19.7	11.7-27.7						
\$25,000- 34,999	265	25,638				36	17.6	10.9-24.3	181	63.3	55.1-71.5	48	19.1	12.4-25.8						
\$35,000- 49,999	285	30,245				27	10.3	4.8-15.8	204	66.7	58.9-74.5	53	22.9	16.0-29.8	1	0.2	0.0- 0.6			
\$50,000- 99,999	717	72,275	1	0.1	0.0- 0.3	46	7.9	4.8-11.0	505	64.2	59.3-69.1	163	27.0	22.5-31.5	1	0.2	0.0- 0.6	1	0.6	0.0- 1.8
\$100,000 - 199,999	486	51,466				21	4.5	2.1- 6.9	351	68.4	63.1-73.7	112	26.8	21.7-31.9	2	0.2	0.0- 0.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN METERS (HTM4).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5525	571,720	3	0.0	0.0- 0.0	238	4.3	3.5- 5.1	2098	35.8	34.2-37.4	2557	46.9	45.1-48.7	628	12.9	11.7-14.1	1	0.1	0.0- 0.3
Male	2855	296,707				7	0.3	0.0- 0.7	225	7.4	6.2- 8.6	2003	67.7	65.5-69.9	620	24.6	22.6-26.6			
Female	2670	275,013	3	0.1	0.0- 0.3	231	8.5	7.1- 9.9	1873	66.5	64.0-69.0	554	24.4	22.0-26.8	8	0.2	0.0- 0.4	1	0.2	0.0- 0.6
Native	161	23,543				6	2.6	0.1- 5.1	56	30.7	21.7-39.7	86	56.2	46.4-66.0	13	10.5	3.8-17.2			
Non-Native	5289	540,842	3	0.0	0.0- 0.0	229	4.3	3.5- 5.1	2017	36.1	34.5-37.7	2433	46.6	44.8-48.4	606	12.9	11.7-14.1	1	0.1	0.0- 0.3
18-24	308	87,385				8	3.4	1.0- 5.8	84	31.0	25.1-36.9	165	51.9	45.8-58.0	51	13.8	10.1-17.5			
25-34	582	100,727				17	3.8	1.8- 5.8	187	34.4	30.1-38.7	275	44.5	40.2-48.8	102	16.8	13.5-20.1	1	0.5	0.0- 1.5
35-44	656	96,142	1	0.1	0.0- 0.3	22	4.7	2.5- 6.9	206	30.6	26.7-34.5	326	49.2	44.9-53.5	101	15.2	12.3-18.1			
45-54	697	75,039				9	1.4	0.4- 2.4	228	35.1	31.2-39.0	363	50.3	46.2-54.4	97	13.2	10.5-15.9			
55-64	934	79,190				28	4.2	2.4- 6.0	336	35.2	31.7-38.7	467	48.9	45.2-52.6	103	11.8	9.4-14.2			
65+	2348	133,236	2	0.1	0.0- 0.3	154	6.6	5.4- 7.8	1057	44.7	42.3-47.1	961	40.6	38.2-43.0	174	8.0	6.6- 9.4			
Less Than H.S.	188	38,698				18	8.3	3.2-13.4	63	35.2	26.2-44.2	90	47.8	38.6-57.0	16	7.5	3.4-11.6	1	1.2	0.0- 3.6
H.S. or G.E.D.	1470	148,048	1	0.0	0.0- 0.0	62	4.2	2.8- 5.6	540	35.4	32.3-38.5	724	48.3	45.0-51.6	143	12.1	9.9-14.3			
Some Post-H.S.	1679	218,321	2	0.1	0.0- 0.3	86	4.6	3.4- 5.8	636	33.6	30.9-36.3	743	47.3	44.4-50.2	212	14.5	12.5-16.5			
College Graduate	2177	165,250				70	2.9	1.9- 3.9	857	39.6	37.1-42.1	993	44.7	42.2-47.2	257	12.8	11.0-14.6			
Less than \$15,000	167	19,137				10	4.9	1.2- 8.6	65	37.2	27.0-47.4	72	43.0	32.8-53.2	20	14.9	6.9-22.9			
\$15,000- 24,999	299	31,032				25	6.6	2.9-10.3	123	44.8	37.0-52.6	134	41.0	33.6-48.4	17	7.6	3.5-11.7			
\$25,000- 34,999	475	46,786				37	9.9	6.0-13.8	210	40.4	34.5-46.3	186	39.5	33.6-45.4	42	10.2	6.7-13.7			
\$35,000- 49,999	581	58,436	1	0.2	0.0- 0.6	27	5.3	2.4- 8.2	238	39.5	34.2-44.8	259	45.5	40.2-50.8	56	9.5	6.8-12.2			
\$50,000- 99,999	1628	166,140	1	0.0	0.0- 0.0	48	3.5	2.1- 4.9	566	31.9	29.2-34.6	812	50.4	47.3-53.5	200	13.9	11.7-16.1	1	0.3	0.0- 0.9
\$100,000 - 199,999	1135	124,307				22	1.9	0.9- 2.9	390	31.2	28.1-34.3	553	50.4	46.9-53.9	170	16.5	14.0-19.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2855	296,707	7	0.3	0.0- 0.7	225	7.4	6.2- 8.6	2003	67.7	65.5-69.9	620	24.6	22.6-26.6
Native	85	12,873				4	2.3	0.0- 4.8	68	78.6	67.2-90.0	13	19.2	7.8-30.6
Non-Native	2721	279,183	7	0.3	0.0- 0.7	213	7.5	6.3- 8.7	1903	67.4	65.2-69.6	598	24.8	22.8-26.8
18-24	189	46,399	1	0.6	0.0- 1.8	11	6.2	2.3-10.1	126	67.2	60.1-74.3	51	25.9	19.4-32.4
25-34	338	54,065				18	4.9	2.5- 7.3	218	63.8	58.3-69.3	102	31.2	25.7-36.7
35-44	362	52,043	2	0.8	0.0- 2.0	28	7.7	4.6-10.8	231	63.4	57.9-68.9	101	28.2	23.1-33.3
45-54	389	39,926				23	7.2	4.1-10.3	269	68.0	62.9-73.1	97	24.8	20.1-29.5
55-64	507	41,721	1	0.2	0.0- 0.6	41	7.2	4.8- 9.6	367	71.4	66.9-75.9	98	21.3	17.2-25.4
65+	1070	62,553	3	0.3	0.0- 0.7	104	10.4	8.2-12.6	792	72.5	69.4-75.6	171	16.8	14.3-19.3
Less Than H.S.	108	22,288	1	0.5	0.0- 1.5	13	12.6	5.2-20.0	79	74.1	64.5-83.7	15	12.8	5.9-19.7
H.S. or G.E.D.	838	84,108	5	1.0	0.0- 2.0	79	8.3	6.1-10.5	612	69.5	65.6-73.4	142	21.1	17.6-24.6
Some Post-H.S.	849	113,047	1	0.0	0.0- 0.0	63	6.4	4.4- 8.4	576	65.9	62.2-69.6	209	27.6	24.1-31.1
College Graduate	1053	76,206				69	6.3	4.7- 7.9	730	66.2	62.9-69.5	254	27.5	24.2-30.8
Less than \$15,000	75	8,620				6	6.9	0.6-13.2	50	61.2	46.1-76.3	19	31.9	16.8-47.0
\$15,000- 24,999	126	12,342	1	0.9	0.0- 2.7	7	6.5	0.8-12.2	101	73.5	63.1-83.9	17	19.1	9.7-28.5
\$25,000- 34,999	210	21,148	1	0.5	0.0- 1.5	29	12.7	7.2-18.2	138	64.2	56.0-72.4	42	22.6	15.3-29.9
\$35,000- 49,999	293	27,872				33	9.9	6.0-13.8	205	70.4	64.1-76.7	55	19.7	14.2-25.2
\$50,000- 99,999	911	93,865	2	0.1	0.0- 0.3	61	6.9	4.7- 9.1	649	68.4	64.7-72.1	199	24.5	21.0-28.0
\$100,000 - 199,999	649	72,841	1	0.1	0.0- 0.3	39	4.9	3.1- 6.7	441	67.0	62.7-71.3	168	28.0	23.9-32.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 30: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2670	275,013	3	0.1	0.0- 0.3	231	8.5	7.1- 9.9	1873	66.5	64.0-69.0	554	24.4	22.0-26.8	8	0.2	0.0- 0.4	1	0.2	0.0- 0.6			
Native	76	10,670				6	5.8	0.1-11.5	52	65.0	50.5-79.5	18	29.2	15.1-43.3									
Non-Native	2568	261,659	3	0.1	0.0- 0.3	222	8.5	6.9-10.1	1804	66.7	64.2-69.2	530	24.3	21.9-26.7	8	0.2	0.0- 0.4	1	0.2	0.0- 0.6			
18-24	119	40,986				7	6.5	1.8-11.2	73	59.0	49.4-68.6	39	34.6	25.4-43.8									
25-34	244	46,662				17	8.3	4.0-12.6	169	68.6	62.1-75.1	57	22.2	16.7-27.7				1	1.0	0.0- 3.0			
35-44	294	44,100	1	0.3	0.0- 0.9	20	9.4	5.1-13.7	178	57.7	51.4-64.0	95	32.6	26.7-38.5									
45-54	308	35,113				9	3.0	0.8- 5.2	205	66.8	60.7-72.9	94	30.2	24.3-36.1									
55-64	427	37,468				27	8.6	5.1-12.1	295	66.3	61.0-71.6	100	23.9	19.0-28.8	5	1.2	0.0- 2.4						
65+	1278	70,683	2	0.1	0.0- 0.3	151	12.1	9.9-14.3	953	75.2	72.5-77.9	169	12.3	10.1-14.5	3	0.2	0.0- 0.6						
Less Than H.S.	80	16,410				17	18.9	7.5-30.3	50	66.0	52.3-79.7	11	12.0	2.8-21.2	1	0.3	0.0- 0.9	1	2.8	0.0- 8.1			
H.S. or G.E.D.	632	63,941	1	0.0	0.0- 0.0	57	8.4	5.7-11.1	461	71.1	66.2-76.0	112	20.3	15.8-24.8	1	0.1	0.0- 0.3						
Some Post-H.S.	830	105,275	2	0.2	0.0- 0.4	85	9.5	7.0-12.0	573	62.7	58.4-67.0	167	27.3	23.0-31.6	3	0.3	0.0- 0.7						
College Graduate	1124	89,045				70	5.4	3.8- 7.0	788	68.1	64.8-71.4	263	26.3	23.2-29.4	3	0.2	0.0- 0.4						
Less than \$15,000	92	10,518				10	9.0	2.3-15.7	59	61.9	48.2-75.6	22	28.0	15.1-40.9	1	1.1	0.0- 3.3						
\$15,000- 24,999	173	18,690				24	10.4	4.5-16.3	116	70.1	60.9-79.3	33	19.5	11.7-27.3									
\$25,000- 34,999	265	25,638				36	17.6	10.9-24.3	181	63.3	55.1-71.5	48	19.1	12.4-25.8									
\$35,000- 49,999	288	30,564	1	0.5	0.0- 1.5	27	10.2	4.9-15.5	205	66.4	58.6-74.2	54	22.8	15.9-29.7	1	0.2	0.0- 0.6						
\$50,000- 99,999	717	72,275	1	0.1	0.0- 0.3	46	7.9	4.8-11.0	505	64.2	59.3-69.1	163	27.0	22.5-31.5	1	0.2	0.0- 0.6	1	0.6	0.0- 1.8			
\$100,000 - 199,999	486	51,466				21	4.5	2.1- 6.9	351	68.4	63.1-73.7	112	26.8	21.7-31.9	2	0.2	0.0- 0.6						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 31: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																				
			<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5284	549,450	34	0.7	0.3- 1.1	1196	23.4	21.8-25.0	2308	42.7	40.9-44.5	1279	23.6	22.2-25.0	365	7.0	6.2- 7.8	102	2.5	1.9- 3.1			
Male	2817	292,950	4	0.2	0.0- 0.4	213	9.1	7.7-10.5	1268	45.0	42.6-47.4	946	31.1	29.1-33.1	299	10.4	9.0-11.8	87	4.2	3.2- 5.2			
Female	2467	256,500	30	1.4	0.6- 2.2	983	39.6	37.1-42.1	1040	40.2	37.7-42.7	333	15.0	13.0-17.0	66	3.2	2.2- 4.2	15	0.6	0.2- 1.0			
Native	157	23,081	1	0.7	0.0- 2.1	27	14.9	8.2-21.6	64	40.5	30.7-50.3	41	27.7	18.3-37.1	17	11.9	5.4-18.4	7	4.3	1.0- 7.6			
Non-Native	5058	519,920	32	0.7	0.3- 1.1	1153	23.7	22.1-25.3	2217	42.9	41.1-44.7	1217	23.3	21.9-24.7	345	6.9	6.1- 7.7	94	2.5	1.9- 3.1			
18-24	301	84,846	2	1.1	0.0- 2.7	91	32.9	27.0-38.8	144	45.5	39.4-51.6	46	14.4	10.1-18.7	14	4.7	2.2- 7.2	4	1.4	0.0- 2.8			
25-34	567	98,269	4	0.6	0.0- 1.2	127	23.6	19.7-27.5	229	39.2	34.9-43.5	142	24.6	20.7-28.5	42	7.1	4.9- 9.3	23	4.9	2.7- 7.1			
35-44	636	93,186	3	0.7	0.0- 1.5	122	19.3	16.0-22.6	273	42.6	38.3-46.9	161	25.0	21.3-28.7	56	9.4	6.7-12.1	21	3.0	1.6- 4.4			
45-54	665	71,595	3	0.5	0.0- 1.1	114	18.8	15.5-22.1	270	41.1	37.0-45.2	185	26.7	23.0-30.4	66	8.4	6.2-10.6	27	4.5	2.7- 6.3			
55-64	897	76,077	3	0.7	0.0- 1.7	168	18.3	15.4-21.2	364	39.4	35.7-43.1	270	30.9	27.4-34.4	78	9.0	6.8-11.2	14	1.6	0.6- 2.6			
65+	2218	125,476	19	0.8	0.4- 1.2	574	25.3	23.1-27.5	1028	46.7	44.2-49.2	475	21.7	19.7-23.7	109	4.8	3.8- 5.8	13	0.5	0.1- 0.9			
Less Than H.S.	184	37,855	3	1.8	0.0- 4.5	51	28.3	19.7-36.9	78	41.2	32.0-50.4	37	18.9	12.0-25.8	10	5.4	1.3- 9.5	5	4.5	0.4- 8.6			
H.S. or G.E.D.	1399	141,392	10	0.7	0.1- 1.3	315	24.9	21.8-28.0	620	42.7	39.4-46.0	329	22.3	19.6-25.0	97	6.8	5.2- 8.4	28	2.6	1.6- 3.6			
Some Post-H.S.	1598	209,457	9	0.6	0.0- 1.2	354	21.6	19.1-24.1	661	41.6	38.7-44.5	414	25.3	22.8-27.8	120	8.0	6.4- 9.6	40	2.9	1.9- 3.9			
College Graduate	2094	159,450	11	0.6	0.2- 1.0	475	23.3	21.1-25.5	943	44.3	41.8-46.8	498	23.7	21.5-25.9	138	6.5	5.3- 7.7	29	1.6	0.8- 2.4			
Less than \$15,000	164	19,252	4	3.0	0.0- 6.3	40	21.5	12.5-30.5	64	37.9	28.3-47.5	44	29.8	19.8-39.8	7	4.5	0.6- 8.4	5	3.3	0.2- 6.4			
\$15,000- 24,999	293	30,767	2	0.9	0.0- 2.3	75	29.9	22.3-37.5	127	42.0	34.4-49.6	59	17.7	12.2-23.2	25	8.1	4.0-12.2	5	1.4	0.0- 2.8			
\$25,000- 34,999	455	44,662	2	1.4	0.0- 3.8	126	30.1	24.2-36.0	201	42.7	36.6-48.8	89	16.6	12.5-20.7	27	5.1	2.7- 7.5	10	4.0	1.1- 6.9			
\$35,000- 49,999	557	55,800	1	0.1	0.0- 0.3	140	26.1	21.2-31.0	236	43.3	37.8-48.8	130	22.5	18.0-27.0	38	5.7	3.5- 7.9	12	2.3	0.7- 3.9			
\$50,000- 99,999	1586	162,510	8	0.4	0.0- 0.8	312	21.3	18.6-24.0	711	42.6	39.5-45.7	394	24.4	21.9-26.9	125	8.4	6.6-10.2	36	2.9	1.7- 4.1			
\$100,000 - 199,999	1113	122,377	2	0.3	0.0- 0.7	203	17.9	15.2-20.6	479	43.2	39.7-46.7	319	27.8	24.7-30.9	87	8.0	6.0-10.0	23	2.8	1.4- 4.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 32: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2817	292,950	4	0.2	0.0- 0.4	213	9.1	7.7-10.5	1268	45.0	42.6-47.4	946	31.1	29.1-33.1	299	10.4	9.0-11.8	87	4.2	3.2- 5.2
Native	85	12,873	1	1.3	0.0- 3.8	7	10.1	1.1-19.1	33	39.7	27.0-52.4	25	26.2	14.4-38.0	13	15.8	6.2-25.4	6	6.9	1.0-12.8
Non-Native	2683	275,529	2	0.1	0.0- 0.3	198	8.9	7.5-10.3	1216	45.4	43.0-47.8	904	31.3	29.1-33.5	283	10.3	8.9-11.7	80	4.1	3.1- 5.1
18-24	188	45,986				40	21.0	14.7-27.3	102	54.7	47.1-62.3	31	15.4	9.9-20.9	11	6.3	2.4-10.2	4	2.6	0.0- 5.3
25-34	332	53,166	1	0.3	0.0- 0.9	37	10.9	7.4-14.4	150	44.5	38.8-50.2	98	29.1	23.8-34.4	28	8.0	4.9-11.1	18	7.2	3.7-10.7
35-44	358	51,503				22	6.2	3.3- 9.1	163	44.8	39.1-50.5	111	30.4	25.3-35.5	44	13.6	9.5-17.7	18	4.9	2.4- 7.4
45-54	384	39,486	1	0.4	0.0- 1.2	19	6.0	3.1- 8.9	141	38.0	32.7-43.3	140	34.3	29.2-39.4	58	13.6	10.1-17.1	25	7.7	4.6-10.8
55-64	501	41,210	1	0.2	0.0- 0.6	20	2.9	1.5- 4.3	189	35.4	30.7-40.1	217	45.2	40.3-50.1	65	13.9	10.4-17.4	9	2.4	0.6- 4.2
65+	1054	61,599	1	0.1	0.0- 0.3	75	7.2	5.2- 9.2	523	49.4	45.9-52.9	349	33.8	30.5-37.1	93	8.5	6.5-10.5	13	1.1	0.3- 1.9
Less Than H.S.	106	21,711				16	18.1	8.5-27.7	50	45.1	33.3-56.9	29	24.0	14.6-33.4	7	7.1	0.8-13.4	4	5.7	0.0-11.6
H.S. or G.E.D.	827	83,219	1	0.2	0.0- 0.6	90	13.3	10.4-16.2	375	46.4	42.3-50.5	252	27.5	24.0-31.0	83	8.5	6.5-10.5	26	4.1	2.3- 5.9
Some Post-H.S.	839	112,096	2	0.2	0.0- 0.6	48	6.9	4.7- 9.1	350	43.0	39.1-46.9	306	32.9	29.4-36.4	99	12.1	9.6-14.6	34	5.0	3.2- 6.8
College Graduate	1038	74,866	1	0.1	0.0- 0.3	58	5.2	3.6- 6.8	488	46.0	42.5-49.5	358	34.9	31.6-38.2	110	11.1	8.9-13.3	23	2.7	1.3- 4.1
Less than \$15,000	74	8,574	1	2.1	0.0- 6.2	13	14.8	5.6-24.0	29	41.2	26.9-55.5	24	34.3	18.8-49.8	4	3.3	0.0- 7.0	3	4.3	0.0-10.0
\$15,000- 24,999	126	12,342				11	11.1	3.8-18.4	58	49.8	38.4-61.2	36	25.9	16.7-35.1	17	9.9	4.6-15.2	4	3.3	0.0- 6.6
\$25,000- 34,999	208	20,847				23	14.5	7.2-21.8	104	49.6	40.8-58.4	53	19.9	13.6-26.2	19	7.9	3.6-12.2	9	8.1	2.0-14.2
\$35,000- 49,999	285	27,018				27	12.6	7.5-17.7	128	46.9	39.6-54.2	91	27.7	21.0-34.4	28	8.4	4.9-11.9	11	4.5	1.6- 7.4
\$50,000- 99,999	906	93,176	2	0.2	0.0- 0.6	71	10.2	7.5-12.9	400	42.4	38.5-46.3	300	31.2	27.7-34.7	104	11.9	9.2-14.6	29	4.1	2.3- 5.9
\$100,000 - 199,999	647	72,746				30	5.3	3.1- 7.5	266	41.1	36.6-45.6	251	36.6	32.3-40.9	80	12.7	9.6-15.8	20	4.4	2.2- 6.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 33: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2467	256,500	30	1.4	0.6- 2.2	983	39.6	37.1-42.1	1040	40.2	37.7-42.7	333	15.0	13.0-17.0	66	3.2	2.2- 4.2	15	0.6	0.2- 1.0
Native	72	10,209				20	21.1	10.7-31.5	31	41.5	26.4-56.6	16	29.6	14.5-44.7	4	6.9	0.0-14.7	1	1.0	0.0- 3.0
Non-Native	2375	244,391	30	1.5	0.7- 2.3	955	40.4	37.7-43.1	1001	40.2	37.7-42.7	313	14.3	12.3-16.3	62	3.1	2.1- 4.1	14	0.6	0.2- 1.0
18-24	113	38,860	2	2.4	0.0- 5.7	51	47.0	37.0-57.0	42	34.7	25.5-43.9	15	13.1	6.2-20.0	3	2.8	0.0- 5.9			
25-34	235	45,104	3	0.9	0.0- 1.9	90	38.6	31.7-45.5	79	33.0	26.3-39.7	44	19.3	13.8-24.8	14	6.0	2.7- 9.3	5	2.2	0.0- 4.6
35-44	278	41,683	3	1.5	0.0- 3.3	100	35.5	29.2-41.8	110	39.9	33.4-46.4	50	18.3	13.2-23.4	12	4.3	1.6- 7.0	3	0.6	0.0- 1.4
45-54	281	32,110	2	0.5	0.0- 1.3	95	34.4	28.1-40.7	129	44.9	38.2-51.6	45	17.4	12.1-22.7	8	2.1	0.5- 3.7	2	0.6	0.0- 1.6
55-64	396	34,867	2	1.3	0.0- 3.3	148	36.5	31.0-42.0	175	44.3	38.6-50.0	53	14.0	10.1-17.9	13	3.3	1.3- 5.3	5	0.6	0.0- 1.2
65+	1164	63,877	18	1.6	0.6- 2.6	499	42.8	39.3-46.3	505	44.1	40.6-47.6	126	10.1	8.1-12.1	16	1.3	0.5- 2.1			
Less Than H.S.	78	16,144	3	4.2	0.0-10.5	35	41.9	27.0-56.8	28	36.0	21.9-50.1	8	12.0	2.0-22.0	3	3.1	0.0- 7.2	1	2.8	0.0- 8.3
H.S. or G.E.D.	572	58,173	9	1.4	0.2- 2.6	225	41.5	35.8-47.2	245	37.5	32.2-42.8	77	14.9	10.8-19.0	14	4.2	1.7- 6.7	2	0.4	0.0- 1.0
Some Post-H.S.	759	97,361	7	1.0	0.0- 2.2	306	38.6	34.3-42.9	311	40.1	35.8-44.4	108	16.5	13.0-20.0	21	3.4	1.6- 5.2	6	0.4	0.0- 0.8
College Graduate	1056	84,584	10	1.1	0.3- 1.9	417	39.2	35.7-42.7	455	42.9	39.2-46.6	140	13.8	11.3-16.3	28	2.4	1.4- 3.4	6	0.6	0.0- 1.2
Less than \$15,000	90	10,677	3	3.8	0.0- 8.7	27	26.9	13.0-40.8	35	35.3	22.2-48.4	20	26.2	13.3-39.1	3	5.4	0.0-11.9	2	2.4	0.0- 5.7
\$15,000- 24,999	167	18,425	2	1.5	0.0- 3.7	64	42.5	31.7-53.3	69	36.8	26.8-46.8	23	12.2	5.7-18.7	8	6.9	0.8-13.0	1	0.2	0.0- 0.6
\$25,000- 34,999	247	23,815	2	2.7	0.0- 7.0	103	43.7	35.3-52.1	97	36.7	28.7-44.7	36	13.7	8.0-19.4	8	2.8	0.4- 5.2	1	0.4	0.0- 1.2
\$35,000- 49,999	272	28,781	1	0.1	0.0- 0.3	113	38.9	30.9-46.9	108	40.0	31.6-48.4	39	17.7	11.4-24.0	10	3.1	0.9- 5.3	1	0.2	0.0- 0.8
\$50,000- 99,999	680	69,334	6	0.6	0.0- 1.2	241	36.3	31.6-41.0	311	42.8	37.9-47.7	94	15.3	11.8-18.8	21	3.7	1.9- 5.5	7	1.4	0.0- 2.8
\$100,000 - 199,999	466	49,632	2	0.8	0.0- 2.0	173	36.4	31.1-41.7	213	46.2	40.7-51.7	68	15.0	10.9-19.1	7	1.1	0.3- 1.9	3	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 34: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Data was weighted using _LLCPWT.														
			< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5234	538,483	56	1.5	0.9- 2.1	1313	27.4	25.8-29.0	1909	34.4	32.8-36.0	1180	21.3	19.9-22.7	776	15.4	14.2-16.6
Male	2803	291,582	18	0.9	0.5- 1.3	572	23.5	21.5-25.5	1122	38.0	35.8-40.2	680	22.3	20.5-24.1	411	15.3	13.5-17.1
Female	2431	246,902	38	2.1	1.1- 3.1	741	32.0	29.5-34.5	787	30.2	27.8-32.6	500	20.1	17.9-22.3	365	15.7	13.7-17.7
Native	156	22,772	1	0.7	0.0- 2.1	27	19.4	11.4-27.4	54	29.7	21.1-38.3	38	25.4	16.2-34.6	36	24.8	16.0-33.6
Non-Native	5010	509,309	54	1.5	0.9- 2.1	1268	27.6	26.0-29.2	1829	34.7	33.1-36.3	1129	21.2	19.8-22.6	730	15.0	13.8-16.2
18-24	292	81,257	8	3.4	0.9- 5.9	133	46.0	39.7-52.3	83	27.6	22.1-33.1	39	13.0	8.9-17.1	29	10.0	6.3-13.7
25-34	549	93,420	9	1.5	0.5- 2.5	164	29.7	25.6-33.8	182	31.2	27.1-35.3	107	20.2	16.5-23.9	87	17.4	13.9-20.9
35-44	625	91,550	5	1.1	0.1- 2.1	154	24.6	20.9-28.3	221	34.5	30.4-38.6	135	21.7	18.2-25.2	110	18.2	14.7-21.7
45-54	662	71,203	7	1.1	0.3- 1.9	134	21.9	18.4-25.4	240	34.8	30.9-38.7	159	23.0	19.5-26.5	122	19.1	15.6-22.6
55-64	894	75,771	6	1.0	0.0- 2.0	173	17.8	15.1-20.5	327	37.2	33.5-40.9	240	26.5	23.2-29.8	148	17.4	14.5-20.3
65+	2212	125,281	21	1.0	0.6- 1.4	555	24.5	22.3-26.7	856	39.3	36.9-41.7	500	23.1	20.9-25.3	280	12.1	10.5-13.7
Less Than H.S.	181	37,050	4	2.2	0.0- 5.1	50	30.1	21.3-38.9	68	35.3	26.5-44.1	28	12.9	7.0-18.8	31	19.4	11.8-27.0
H.S. or G.E.D.	1383	137,788	17	2.2	1.0- 3.4	352	29.1	26.0-32.2	474	31.8	28.9-34.7	316	20.7	18.0-23.4	224	16.2	13.8-18.6
Some Post-H.S.	1583	205,218	16	1.3	0.5- 2.1	365	25.4	22.7-28.1	576	34.3	31.6-37.0	374	22.7	20.3-25.1	252	16.2	14.0-18.4
College Graduate	2078	157,131	18	0.8	0.4- 1.2	544	27.7	25.3-30.1	787	36.6	34.2-39.0	461	22.0	19.8-24.2	268	12.9	11.1-14.7
Less than \$15,000	163	18,942	6	4.2	0.5- 7.9	45	26.6	17.0-36.2	51	29.0	20.0-38.0	32	20.3	11.5-29.1	29	20.0	11.8-28.2
\$15,000- 24,999	289	29,814	3	1.4	0.0- 3.2	71	31.2	23.4-39.0	106	34.0	26.9-41.1	61	19.1	13.2-25.0	48	14.3	9.2-19.4
\$25,000- 34,999	449	43,463	6	2.8	0.1- 5.5	111	28.6	22.7-34.5	170	34.6	28.9-40.3	87	17.9	13.4-22.4	75	16.2	11.7-20.7
\$35,000- 49,999	553	54,600	5	1.5	0.0- 3.5	147	29.5	24.6-34.4	180	32.3	27.0-37.6	134	20.5	16.2-24.8	87	16.2	12.1-20.3
\$50,000- 99,999	1573	160,138	13	0.8	0.2- 1.4	374	26.9	24.0-29.8	567	33.0	30.1-35.9	372	21.7	19.3-24.1	247	17.5	15.0-20.0
\$100,000 - 199,999	1106	121,238	5	0.8	0.0- 1.6	245	23.1	20.2-26.0	431	38.0	34.7-41.3	272	24.3	21.4-27.2	153	13.8	11.4-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 35: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Data was weighted using _LLCPWT.														
			< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2803	291,582	18	0.9	0.5- 1.3	572	23.5	21.5-25.5	1122	38.0	35.8-40.2	680	22.3	20.5-24.1	411	15.3	13.5-17.1
Native	85	12,873	1	1.3	0.0- 3.8	14	24.1	11.9-36.3	32	33.3	21.3-45.3	19	19.5	9.1-29.9	19	21.8	11.4-32.2
Non-Native	2670	274,206	16	0.9	0.5- 1.3	546	23.3	21.1-25.5	1071	38.3	36.1-40.5	651	22.5	20.7-24.3	386	15.0	13.2-16.8
18-24	186	45,593	3	1.3	0.0- 2.9	87	46.9	39.1-54.7	55	29.6	22.3-36.9	24	12.1	7.2-17.0	17	10.1	5.0-15.2
25-34	331	53,045	6	1.8	0.4- 3.2	91	26.9	21.8-32.0	133	39.4	33.7-45.1	60	17.9	13.4-22.4	41	14.0	9.7-18.3
35-44	355	51,191	2	0.8	0.0- 2.0	72	20.7	16.0-25.4	137	36.6	31.1-42.1	82	24.1	19.2-29.0	62	17.8	13.3-22.3
45-54	382	39,261	1	0.4	0.0- 1.2	58	17.5	13.0-22.0	143	35.6	30.3-40.9	99	24.5	20.0-29.0	81	22.0	17.3-26.7
55-64	499	41,039	3	0.7	0.0- 1.5	61	10.6	7.9-13.3	191	38.3	33.4-43.2	160	31.6	27.1-36.1	84	18.9	14.8-23.0
65+	1050	61,453	3	0.4	0.0- 0.8	203	18.1	15.4-20.8	463	45.6	42.1-49.1	255	24.6	21.5-27.7	126	11.3	9.1-13.5
Less Than H.S.	105	21,673	1	0.6	0.0- 1.8	24	26.0	15.4-36.6	50	45.8	34.0-57.6	13	8.8	3.5-14.1	17	18.9	9.1-28.7
H.S. or G.E.D.	820	82,546	7	1.3	0.3- 2.3	190	27.7	23.8-31.6	300	34.6	30.9-38.3	194	21.4	18.1-24.7	129	14.9	12.2-17.6
Some Post-H.S.	836	111,637	5	0.9	0.1- 1.7	150	22.0	18.5-25.5	320	35.7	32.0-39.4	222	24.8	21.5-28.1	139	16.6	13.7-19.5
College Graduate	1035	74,667	4	0.4	0.0- 0.8	207	20.3	17.4-23.2	448	42.9	39.4-46.4	251	23.8	20.9-26.7	125	12.5	10.1-14.9
Less than \$15,000	74	8,574	2	3.2	0.0- 7.9	22	28.4	15.7-41.1	29	41.0	26.3-55.7	12	15.8	3.1-28.5	9	11.6	3.0-20.2
\$15,000- 24,999	126	12,342				29	29.4	18.2-40.6	51	39.1	27.9-50.3	27	20.2	12.0-28.4	19	11.3	5.4-17.2
\$25,000- 34,999	206	20,717	3	2.4	0.0- 5.1	48	28.0	19.4-36.6	83	37.5	29.3-45.7	43	17.7	11.4-24.0	29	14.5	7.8-21.2
\$35,000- 49,999	285	27,018	1	0.7	0.0- 2.1	68	30.5	23.6-37.4	98	32.4	25.7-39.1	70	19.2	13.9-24.5	48	17.3	11.6-23.0
\$50,000- 99,999	904	93,085	5	0.7	0.1- 1.3	183	23.2	19.7-26.7	345	35.2	31.5-38.9	230	23.8	20.7-26.9	141	17.0	13.9-20.1
\$100,000 - 199,999	644	72,414	2	0.5	0.0- 1.3	110	18.5	14.8-22.2	266	40.2	35.9-44.5	171	25.3	21.4-29.2	95	15.4	12.1-18.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 36: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
			< 18			> 18, <= 25			> 25, <= 30			> 30, <= 35			>35		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2431	246,902	38	2.1	1.1- 3.1	741	32.0	29.5-34.5	787	30.2	27.8-32.6	500	20.1	17.9-22.3	365	15.7	13.7-17.7
Native	71	9,899				13	13.4	5.2-21.6	22	24.9	13.1-36.7	19	33.0	17.5-48.5	17	28.7	13.8-43.6
Non-Native	2340	235,103	38	2.2	1.2- 3.2	722	32.7	30.2-35.2	758	30.5	28.1-32.9	478	19.6	17.6-21.6	344	15.0	13.0-17.0
18-24	106	35,664	5	5.9	0.6-11.2	46	44.9	34.7-55.1	28	25.0	16.4-33.6	15	14.2	7.1-21.3	12	10.0	4.3-15.7
25-34	218	40,375	3	1.2	0.0- 2.6	73	33.4	26.7-40.1	49	20.3	14.8-25.8	47	23.1	16.8-29.4	46	21.9	15.8-28.0
35-44	270	40,360	3	1.4	0.0- 3.2	82	29.5	23.6-35.4	84	31.8	25.7-37.9	53	18.6	13.7-23.5	48	18.8	13.3-24.3
45-54	280	31,942	6	1.8	0.2- 3.4	76	27.4	21.5-33.3	97	33.9	27.6-40.2	60	21.2	15.7-26.7	41	15.6	10.3-20.9
55-64	395	34,733	3	1.4	0.0- 3.4	112	26.4	21.5-31.3	136	36.0	30.3-41.7	80	20.4	15.9-24.9	64	15.7	11.6-19.8
65+	1162	63,829	18	1.6	0.8- 2.4	352	30.7	27.6-33.8	393	33.3	30.0-36.6	245	21.6	18.7-24.5	154	12.9	10.5-15.3
Less Than H.S.	76	15,376	3	4.5	0.0-11.2	26	36.0	21.1-50.9	18	20.6	8.8-32.4	15	18.7	7.1-30.3	14	20.3	8.0-32.6
H.S. or G.E.D.	563	55,242	10	3.5	0.8- 6.2	162	31.1	25.8-36.4	174	27.6	22.9-32.3	122	19.7	15.4-24.0	95	18.1	13.8-22.4
Some Post-H.S.	747	93,581	11	1.8	0.4- 3.2	215	29.5	25.4-33.6	256	32.8	28.7-36.9	152	20.3	16.8-23.8	113	15.7	12.6-18.8
College Graduate	1043	82,465	14	1.2	0.4- 2.0	337	34.5	31.0-38.0	339	30.8	27.5-34.1	210	20.4	17.5-23.3	143	13.2	10.8-15.6
Less than \$15,000	89	10,368	4	5.0	0.0-10.5	23	25.2	11.1-39.3	22	19.0	9.6-28.4	20	24.0	11.5-36.5	20	26.8	13.9-39.7
\$15,000- 24,999	163	17,472	3	2.5	0.0- 5.4	42	32.5	21.7-43.3	55	30.3	21.3-39.3	34	18.3	10.3-26.3	29	16.4	8.8-24.0
\$25,000- 34,999	243	22,746	3	3.2	0.0- 7.7	63	29.1	20.9-37.3	87	31.9	24.3-39.5	44	18.0	11.7-24.3	46	17.8	11.7-23.9
\$35,000- 49,999	268	27,582	4	2.3	0.0- 5.8	79	28.6	21.3-35.9	82	32.2	24.2-40.2	64	21.7	14.8-28.6	39	15.2	9.5-20.9
\$50,000- 99,999	669	67,053	8	0.9	0.1- 1.7	191	32.0	27.3-36.7	222	30.0	25.7-34.3	142	18.9	15.4-22.4	106	18.2	14.1-22.3
\$100,000 - 199,999	462	48,824	3	1.3	0.0- 2.9	135	29.9	24.8-35.0	165	34.6	29.5-39.7	101	22.8	18.1-27.5	58	11.5	8.4-14.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 37: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
			Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5234	538,483	84	2.0	1.4- 2.6	1281	26.7	25.1-28.3	1909	34.4	32.8-36.0	1960	36.8	35.2-38.4
Male	2803	291,582	28	1.5	0.9- 2.1	558	22.7	20.7-24.7	1122	38.0	35.8-40.2	1095	37.8	35.6-40.0
Female	2431	246,902	56	2.6	1.6- 3.6	723	31.5	29.0-34.0	787	30.2	27.8-32.6	865	35.7	33.2-38.2
Native	156	22,772	1	0.7	0.0- 2.1	27	19.4	11.4-27.4	54	29.7	21.1-38.3	74	50.2	40.2-60.2
Non-Native	5010	509,309	82	2.1	1.5- 2.7	1236	27.0	25.4-28.6	1829	34.6	33.0-36.2	1863	36.3	34.5-38.1
18-24	292	81,257	11	4.6	1.7- 7.5	130	44.7	38.4-51.0	83	27.6	22.1-33.1	68	23.1	17.8-28.4
25-34	549	93,420	11	1.7	0.7- 2.7	161	29.3	25.2-33.4	181	30.9	26.8-35.0	196	38.1	33.6-42.6
35-44	625	91,550	7	1.4	0.2- 2.6	152	24.3	20.6-28.0	221	34.5	30.4-38.6	245	39.9	35.6-44.2
45-54	662	71,203	12	1.9	0.7- 3.1	129	21.1	17.6-24.6	238	34.6	30.7-38.5	283	42.4	38.1-46.7
55-64	894	75,771	11	1.4	0.4- 2.4	167	17.4	14.7-20.1	328	37.4	33.7-41.1	388	43.9	40.2-47.6
65+	2212	125,281	32	1.5	0.9- 2.1	542	23.9	21.7-26.1	858	39.4	37.0-41.8	780	35.2	32.8-37.6
Less Than H.S.	181	37,050	5	3.7	0.0- 7.8	49	28.6	20.0-37.2	68	35.3	26.5-44.1	59	32.3	23.5-41.1
H.S. or G.E.D.	1383	137,788	29	3.2	1.8- 4.6	339	28.0	24.9-31.1	474	31.9	29.0-34.8	541	36.9	33.8-40.0
Some Post-H.S.	1583	205,218	17	1.4	0.6- 2.2	363	25.2	22.5-27.9	575	34.2	31.5-36.9	628	39.2	36.3-42.1
College Graduate	2078	157,131	32	1.4	0.8- 2.0	528	27.1	24.7-29.5	788	36.6	34.2-39.0	730	35.0	32.6-37.4
Less than \$15,000	163	18,942	8	4.9	1.2- 8.6	43	25.9	16.3-35.5	51	29.0	20.0-38.0	61	40.2	29.8-50.6
\$15,000- 24,999	289	29,814	3	1.4	0.0- 3.2	71	31.2	23.4-39.0	106	34.0	26.9-41.1	109	33.4	26.3-40.5
\$25,000- 34,999	449	43,463	10	3.8	0.9- 6.7	107	27.5	21.6-33.4	170	34.6	28.9-40.3	162	34.1	28.4-39.8
\$35,000- 49,999	553	54,600	10	2.4	0.2- 4.6	142	28.6	23.7-33.5	180	32.3	27.0-37.6	221	36.7	31.4-42.0
\$50,000- 99,999	1573	160,138	21	1.5	0.5- 2.5	366	26.2	23.3-29.1	566	32.8	29.9-35.7	620	39.4	36.5-42.3
\$100,000 - 199,999	1106	121,238	10	1.2	0.2- 2.2	238	22.5	19.6-25.4	431	38.0	34.7-41.3	427	38.3	35.0-41.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 38: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
			Underweight			Recommended Range			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2803	291,582	28	1.5	0.9- 2.1	558	22.7	20.7-24.7	1122	38.0	35.8-40.2	1095	37.8	35.6-40.0
Native	85	12,873	1	1.3	0.0- 3.8	14	24.1	11.9-36.3	32	33.3	21.3-45.3	38	41.3	28.6-54.0
Non-Native	2670	274,206	26	1.5	0.7- 2.3	532	22.5	20.5-24.5	1071	38.2	36.0-40.4	1041	37.8	35.6-40.0
18-24	186	45,593	6	3.6	0.5- 6.7	84	44.6	37.0-52.2	55	29.6	22.3-36.9	41	22.2	15.7-28.7
25-34	331	53,045	6	1.8	0.4- 3.2	90	26.5	21.4-31.6	132	38.9	33.2-44.6	103	32.8	27.3-38.3
35-44	355	51,191	4	1.3	0.0- 2.7	70	20.1	15.4-24.8	137	36.6	31.1-42.1	144	41.9	36.2-47.6
45-54	382	39,261	3	1.3	0.0- 2.9	56	16.7	12.4-21.0	141	35.1	29.8-40.4	182	46.9	41.4-52.4
55-64	499	41,039	4	0.9	0.1- 1.7	59	10.2	7.5-12.9	192	38.5	33.6-43.4	244	50.5	45.6-55.4
65+	1050	61,453	5	0.5	0.0- 1.1	199	17.7	15.0-20.4	465	45.9	42.4-49.4	381	35.9	32.6-39.2
Less Than H.S.	105	21,673	2	3.2	0.0- 8.3	23	23.3	13.3-33.3	50	45.8	34.0-57.6	30	27.6	17.2-38.0
H.S. or G.E.D.	820	82,546	14	2.6	1.0- 4.2	182	26.3	22.6-30.0	300	34.7	31.0-38.4	324	36.4	32.5-40.3
Some Post-H.S.	836	111,637	6	1.0	0.2- 1.8	148	21.7	18.2-25.2	319	35.4	31.7-39.1	363	41.9	38.0-45.8
College Graduate	1035	74,667	5	0.5	0.1- 0.9	204	20.0	17.1-22.9	449	42.9	39.4-46.4	377	36.5	33.2-39.8
Less than \$15,000	74	8,574	3	4.4	0.0- 9.5	21	27.2	14.7-39.7	29	41.0	26.3-55.7	21	27.4	13.5-41.3
\$15,000- 24,999	126	12,342				29	29.4	18.2-40.6	51	39.1	27.9-50.3	46	31.5	21.9-41.1
\$25,000- 34,999	206	20,717	6	4.3	0.4- 8.2	45	26.0	17.6-34.4	83	37.5	29.3-45.7	72	32.2	24.0-40.4
\$35,000- 49,999	285	27,018	2	1.4	0.0- 3.4	67	29.7	22.8-36.6	98	32.4	25.7-39.1	118	36.5	29.6-43.4
\$50,000- 99,999	904	93,085	9	1.7	0.3- 3.1	179	22.3	18.8-25.8	344	34.9	31.2-38.6	372	41.1	37.2-45.0
\$100,000 - 199,999	644	72,414	3	0.8	0.0- 1.8	107	18.0	14.3-21.7	266	40.2	35.9-44.5	268	41.0	36.5-45.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 39: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Underweight			Recommended Range			Overweight			Obese		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2431	246,902	56	2.6	1.6- 3.6	723	31.5	29.0-34.0	787	30.2	27.8-32.6	865	35.7	33.2-38.2
Native	71	9,899				13	13.4	5.2-21.6	22	24.9	13.1-36.7	36	61.6	47.7-75.5
Non-Native	2340	235,103	56	2.8	1.8- 3.8	704	32.1	29.6-34.6	758	30.5	28.1-32.9	822	34.6	32.1-37.1
18-24	106	35,664	5	5.9	0.6-11.2	46	44.9	34.7-55.1	28	25.0	16.4-33.6	27	24.2	15.8-32.6
25-34	218	40,375	5	1.7	0.1- 3.3	71	32.9	26.2-39.6	49	20.3	14.8-25.8	93	45.0	37.7-52.3
35-44	270	40,360	3	1.4	0.0- 3.2	82	29.5	23.6-35.4	84	31.8	25.7-37.9	101	37.3	30.8-43.8
45-54	280	31,942	9	2.7	0.9- 4.5	73	26.5	20.6-32.4	97	33.9	27.6-40.2	101	36.9	30.4-43.4
55-64	395	34,733	7	2.0	0.0- 4.2	108	25.8	20.9-30.7	136	36.0	30.3-41.7	144	36.1	30.6-41.6
65+	1162	63,829	27	2.4	1.4- 3.4	343	29.8	26.7-32.9	393	33.3	30.0-36.6	399	34.5	31.2-37.8
Less Than H.S.	76	15,376	3	4.5	0.0-11.2	26	36.0	21.1-50.9	18	20.6	8.8-32.4	29	39.0	24.1-53.9
H.S. or G.E.D.	563	55,242	15	4.2	1.5- 6.9	157	30.4	25.1-35.7	174	27.6	22.9-32.3	217	37.7	32.4-43.0
Some Post-H.S.	747	93,581	11	1.8	0.4- 3.2	215	29.5	25.4-33.6	256	32.8	28.7-36.9	265	36.0	31.7-40.3
College Graduate	1043	82,465	27	2.2	1.2- 3.2	324	33.5	30.0-37.0	339	30.8	27.5-34.1	353	33.5	30.0-37.0
Less than \$15,000	89	10,368	5	5.4	0.0-10.9	22	24.7	10.6-38.8	22	19.0	9.6-28.4	40	50.8	36.3-65.3
\$15,000- 24,999	163	17,472	3	2.5	0.0- 5.4	42	32.5	21.7-43.3	55	30.3	21.3-39.3	63	34.7	24.7-44.7
\$25,000- 34,999	243	22,746	4	3.4	0.0- 7.9	62	28.8	20.6-37.0	87	31.9	24.3-39.5	90	35.8	27.8-43.8
\$35,000- 49,999	268	27,582	8	3.4	0.0- 7.1	75	27.5	20.4-34.6	82	32.2	24.2-40.2	103	36.9	28.9-44.9
\$50,000- 99,999	669	67,053	12	1.3	0.5- 2.1	187	31.6	26.9-36.3	222	30.0	25.7-34.3	248	37.1	32.4-41.8
\$100,000 - 199,999	462	48,824	7	1.8	0.2- 3.4	131	29.3	24.2-34.4	165	34.6	29.5-39.7	159	34.2	28.9-39.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 40: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5234	538,483	1365	28.8	27.2-30.4	3869	71.2	69.6-72.8
Male	2803	291,582	586	24.3	22.1-26.5	2217	75.7	73.5-77.9
Female	2431	246,902	779	34.1	31.6-36.6	1652	65.9	63.4-68.4
Native	156	22,772	28	20.2	12.2-28.2	128	79.8	71.8-87.8
Non-Native	5010	509,309	1318	29.1	27.5-30.7	3692	70.9	69.3-72.5
18-24	292	81,257	141	49.4	43.1-55.7	151	50.6	44.3-56.9
25-34	549	93,420	172	31.1	27.0-35.2	377	68.9	64.8-73.0
35-44	625	91,550	159	25.6	21.9-29.3	466	74.4	70.7-78.1
45-54	662	71,203	141	23.0	19.3-26.7	521	77.0	73.3-80.7
55-64	894	75,771	178	18.8	15.9-21.7	716	81.2	78.3-84.1
65+	2212	125,281	574	25.3	23.1-27.5	1638	74.7	72.5-76.9
Less Than H.S.	181	37,050	54	32.3	23.3-41.3	127	67.7	58.7-76.7
H.S. or G.E.D.	1383	137,788	368	31.2	28.1-34.3	1015	68.8	65.7-71.9
Some Post-H.S.	1583	205,218	380	26.6	23.9-29.3	1203	73.4	70.7-76.1
College Graduate	2078	157,131	560	28.5	26.1-30.9	1518	71.5	69.1-73.9
Less than \$15,000	163	18,942	51	30.8	21.0-40.6	112	69.2	59.4-79.0
\$15,000- 24,999	289	29,814	74	32.7	24.9-40.5	215	67.3	59.5-75.1
\$25,000- 34,999	449	43,463	117	31.3	25.2-37.4	332	68.7	62.6-74.8
\$35,000- 49,999	553	54,600	152	31.0	25.9-36.1	401	69.0	63.9-74.1
\$50,000- 99,999	1573	160,138	387	27.7	24.8-30.6	1186	72.3	69.4-75.2
\$100,000 - 199,999	1106	121,238	248	23.8	20.7-26.9	858	76.2	73.1-79.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2803	291,582	586	24.3	22.1-26.5	2217	75.7	73.5-77.9
Native	85	12,873	15	25.3	13.0-37.6	70	74.7	62.4-87.0
Non-Native	2670	274,206	558	24.0	21.8-26.2	2112	76.0	73.8-78.2
18-24	186	45,593	90	48.2	40.4-56.0	96	51.8	44.0-59.6
25-34	331	53,045	96	28.3	23.0-33.6	235	71.7	66.4-77.0
35-44	355	51,191	74	21.4	16.5-26.3	281	78.6	73.7-83.5
45-54	382	39,261	59	18.0	13.5-22.5	323	82.0	77.5-86.5
55-64	499	41,039	63	11.1	8.2-14.0	436	88.9	86.0-91.8
65+	1050	61,453	204	18.2	15.5-20.9	846	81.8	79.1-84.5
Less Than H.S.	105	21,673	25	26.6	16.0-37.2	80	73.4	62.8-84.0
H.S. or G.E.D.	820	82,546	196	28.9	25.0-32.8	624	71.1	67.2-75.0
Some Post-H.S.	836	111,637	154	22.7	19.2-26.2	682	77.3	73.8-80.8
College Graduate	1035	74,667	209	20.5	17.6-23.4	826	79.5	76.6-82.4
Less than \$15,000	74	8,574	24	31.6	18.5-44.7	50	68.4	55.3-81.5
\$15,000- 24,999	126	12,342	29	29.4	18.2-40.6	97	70.6	59.4-81.8
\$25,000- 34,999	206	20,717	51	30.3	21.7-38.9	155	69.7	61.1-78.3
\$35,000- 49,999	285	27,018	69	31.2	24.3-38.1	216	68.8	61.9-75.7
\$50,000- 99,999	904	93,085	188	24.0	20.3-27.7	716	76.0	72.3-79.7
\$100,000 - 199,999	644	72,414	110	18.8	15.1-22.5	534	81.2	77.5-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2431	246,902	779	34.1	31.6-36.6	1652	65.9	63.4-68.4
Native	71	9,899	13	13.4	5.2-21.6	58	86.6	78.4-94.8
Non-Native	2340	235,103	760	34.9	32.4-37.4	1580	65.1	62.6-67.6
18-24	106	35,664	51	50.9	40.7-61.1	55	49.1	38.9-59.3
25-34	218	40,375	76	34.7	28.0-41.4	142	65.3	58.6-72.0
35-44	270	40,360	85	30.9	24.8-37.0	185	69.1	63.0-75.2
45-54	280	31,942	82	29.2	23.3-35.1	198	70.8	64.9-76.7
55-64	395	34,733	115	27.8	22.7-32.9	280	72.2	67.1-77.3
65+	1162	63,829	370	32.2	28.9-35.5	792	67.8	64.5-71.1
Less Than H.S.	76	15,376	29	40.4	25.1-55.7	47	59.6	44.3-74.9
H.S. or G.E.D.	563	55,242	172	34.6	29.1-40.1	391	65.4	59.9-70.9
Some Post-H.S.	747	93,581	226	31.3	27.0-35.6	521	68.7	64.4-73.0
College Graduate	1043	82,465	351	35.7	32.2-39.2	692	64.3	60.8-67.8
Less than \$15,000	89	10,368	27	30.1	15.8-44.4	62	69.9	55.6-84.2
\$15,000- 24,999	163	17,472	45	35.0	24.2-45.8	118	65.0	54.2-75.8
\$25,000- 34,999	243	22,746	66	32.2	23.6-40.8	177	67.8	59.2-76.4
\$35,000- 49,999	268	27,582	83	30.9	23.3-38.5	185	69.1	61.5-76.7
\$50,000- 99,999	669	67,053	199	32.9	28.2-37.6	470	67.1	62.4-71.8
\$100,000 - 199,999	462	48,824	138	31.1	26.0-36.2	324	68.9	63.8-74.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 43: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5709	590,651	4480	68.5	66.9-70.1	459	11.6	10.4-12.8	421	10.5	9.3-11.7	226	5.8	5.0- 6.6	81	2.3	1.7- 2.9	42	1.3	0.9- 1.7
Male	2913	303,121	2272	69.0	66.8-71.2	225	10.5	8.9-12.1	225	11.1	9.5-12.7	120	5.6	4.6- 6.6	46	2.3	1.5- 3.1	25	1.6	0.8- 2.4
Female	2796	287,530	2208	68.0	65.6-70.4	234	12.8	11.0-14.6	196	10.0	8.4-11.6	106	6.0	4.8- 7.2	35	2.2	1.4- 3.0	17	1.0	0.4- 1.6
Native	164	23,913	103	59.8	50.2-69.4	23	15.2	7.9-22.5	21	14.2	7.5-20.9	8	4.0	0.7- 7.3	6	4.5	0.0- 9.2	3	2.1	0.0- 5.4
Non-Native	5465	558,883	4309	68.7	67.1-70.3	431	11.4	10.2-12.6	400	10.5	9.3-11.7	213	5.8	5.0- 6.6	73	2.2	1.6- 2.8	39	1.3	0.9- 1.7
18-24	320	90,873	246	74.3	68.8-79.8	43	14.4	10.1-18.7	22	7.7	4.2-11.2	4	1.6	0.0- 3.2	1	0.6	0.0- 1.8	4	1.4	0.0- 3.0
25-34	592	102,466	328	50.2	45.9-54.5	99	18.8	15.3-22.3	95	16.8	13.5-20.1	43	7.8	5.4-10.2	18	4.1	2.1- 6.1	9	2.2	0.6- 3.8
35-44	673	98,910	233	32.1	28.2-36.0	88	14.6	11.5-17.7	165	24.8	21.1-28.5	127	19.2	15.9-22.5	43	6.6	4.4- 8.8	17	2.6	1.2- 4.0
45-54	725	78,220	420	58.3	54.4-62.2	147	19.5	16.4-22.6	100	13.3	10.6-16.0	39	5.6	3.6- 7.6	10	1.6	0.4- 2.8	9	1.7	0.3- 3.1
55-64	970	82,215	883	90.3	88.1-92.5	47	5.4	3.8- 7.0	28	2.8	1.6- 4.0	6	0.8	0.0- 1.6	6	0.7	0.1- 1.3			
65+	2429	137,968	2370	97.2	96.2-98.2	35	1.5	0.9- 2.1	11	0.5	0.1- 0.9	7	0.5	0.0- 1.1	3	0.1	0.0- 0.3	3	0.1	0.0- 0.3
Less Than H.S.	197	40,087	159	69.1	60.3-77.9	17	13.1	6.8-19.4	12	11.5	4.8-18.2	5	2.5	0.1- 4.9	2	1.7	0.0- 4.2	2	2.1	0.0- 5.2
H.S. or G.E.D.	1527	153,108	1220	68.5	65.4-71.6	129	13.5	11.1-15.9	94	9.6	7.6-11.6	56	5.5	3.9- 7.1	17	1.8	0.8- 2.8	11	1.2	0.4- 2.0
Some Post-H.S.	1727	225,199	1403	71.5	68.8-74.2	125	10.6	8.6-12.6	101	8.5	6.7-10.3	59	5.5	4.1- 6.9	26	2.6	1.6- 3.6	13	1.4	0.6- 2.2
College Graduate	2246	170,670	1689	64.4	61.9-66.9	186	10.9	9.3-12.5	214	13.9	11.9-15.9	105	7.1	5.7- 8.5	36	2.4	1.6- 3.2	16	1.2	0.6- 1.8
Less than \$15,000	168	19,447	141	73.7	63.7-83.7	10	11.8	3.6-20.0	6	4.1	0.4- 7.8	5	4.4	0.3- 8.5	4	4.4	0.0- 9.9	2	1.7	0.0- 4.1
\$15,000- 24,999	311	32,005	266	72.0	64.4-79.6	21	15.2	8.5-21.9	11	5.3	1.8- 8.8	8	3.8	1.1- 6.5	3	1.1	0.0- 2.3	2	2.5	0.0- 6.0
\$25,000- 34,999	490	47,688	430	78.0	72.3-83.7	26	10.3	6.0-14.6	20	7.7	3.8-11.6	7	1.7	0.3- 3.1	3	0.6	0.0- 1.4	4	1.6	0.0- 3.4
\$35,000- 49,999	590	59,800	509	77.1	72.2-82.0	38	10.7	7.0-14.4	23	6.8	3.9- 9.7	13	3.5	1.3- 5.7	6	1.6	0.2- 3.0	1	0.3	0.0- 0.9
\$50,000- 99,999	1644	167,824	1334	73.7	71.0-76.4	115	9.2	7.4-11.0	98	8.3	6.5-10.1	61	5.4	4.0- 6.8	20	2.0	1.0- 3.0	16	1.5	0.5- 2.5
\$100,000 - 199,999	1148	125,790	722	52.1	48.6-55.6	154	15.5	13.0-18.0	157	17.7	15.0-20.4	81	9.6	7.4-11.8	26	3.6	2.0- 5.2	8	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2913	303,121	2272	69.0	66.8-71.2	225	10.5	8.9-12.1	225	11.1	9.5-12.7	120	5.6	4.6- 6.6	46	2.3	1.5- 3.1	25	1.6	0.8- 2.4
Native	86	13,199	60	64.5	51.8-77.2	12	16.6	6.0-27.2	11	15.3	6.3-24.3	3	3.6	0.0- 8.7						
Non-Native	2778	285,434	2171	69.1	66.9-71.3	211	10.2	8.6-11.8	214	11.1	9.5-12.7	112	5.5	4.3- 6.7	45	2.4	1.6- 3.2	25	1.6	0.8- 2.4
18-24	193	47,429	148	72.6	65.3-79.9	25	13.9	8.6-19.2	14	9.6	4.1-15.1	3	2.0	0.0- 4.4				3	1.9	0.0- 4.4
25-34	342	54,810	216	58.9	53.2-64.6	42	13.7	9.6-17.8	49	15.5	11.4-19.6	19	5.9	3.2- 8.6	12	4.6	1.9- 7.3	4	1.4	0.0- 2.8
35-44	367	52,844	147	36.1	30.8-41.4	44	13.5	9.6-17.4	78	23.2	18.3-28.1	66	17.7	13.4-22.0	22	6.2	3.5- 8.9	10	3.2	0.8- 5.6
45-54	401	41,190	227	54.5	49.0-60.0	70	17.0	13.1-20.9	62	16.0	12.1-19.9	27	7.0	4.1- 9.9	8	2.6	0.6- 4.6	7	2.9	0.5- 5.3
55-64	514	42,416	464	90.1	87.2-93.0	29	6.0	3.6- 8.4	17	3.2	1.4- 5.0	2	0.4	0.0- 1.0	2	0.3	0.0- 0.7			
65+	1096	64,431	1070	97.4	96.2-98.6	15	1.4	0.6- 2.2	5	0.5	0.1- 0.9	3	0.4	0.0- 0.8	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6
Less Than H.S.	112	22,717	89	66.3	54.5-78.1	8	12.0	4.0-20.0	8	14.4	4.4-24.4	4	2.9	0.0- 5.8	1	0.7	0.0- 2.1	2	3.8	0.0- 9.1
H.S. or G.E.D.	863	86,588	684	69.8	65.9-73.7	70	12.0	9.1-14.9	59	10.1	7.6-12.6	32	5.5	3.5- 7.5	9	1.2	0.4- 2.0	9	1.4	0.4- 2.4
Some Post-H.S.	864	115,578	679	69.7	66.0-73.4	64	9.4	7.0-11.8	67	11.2	8.5-13.9	32	5.3	3.3- 7.3	15	3.0	1.4- 4.6	7	1.4	0.2- 2.6
College Graduate	1067	77,090	814	67.9	64.6-71.2	83	10.1	7.9-12.3	91	11.2	8.8-13.6	51	6.4	4.6- 8.2	21	3.1	1.7- 4.5	7	1.3	0.3- 2.3
Less than \$15,000	75	8,620	68	83.2	69.7-96.7	4	11.9	0.0-24.8	1	1.1	0.0- 3.3							2	3.8	0.0- 9.1
\$15,000- 24,999	127	12,178	112	78.0	66.6-89.4	7	14.7	3.5-25.9	6	5.9	1.0-10.8	2	1.4	0.0- 3.6						
\$25,000- 34,999	219	21,850	192	77.8	69.4-86.2	8	6.3	1.4-11.2	9	9.5	2.8-16.2	4	1.6	0.0- 3.4	2	1.2	0.0- 3.0	4	3.5	0.0- 7.4
\$35,000- 49,999	297	28,368	261	79.6	72.9-86.3	17	10.8	5.1-16.5	11	6.1	2.4- 9.8	4	1.3	0.0- 2.7	3	1.5	0.0- 3.3	1	0.6	0.0- 1.8
\$50,000- 99,999	917	94,396	755	75.3	71.8-78.8	60	8.1	5.9-10.3	47	7.3	5.1- 9.5	31	4.7	2.9- 6.5	15	2.7	1.1- 4.3	9	1.9	0.3- 3.5
\$100,000 - 199,999	653	73,268	406	52.4	47.9-56.9	88	15.5	12.2-18.8	91	17.9	14.2-21.6	48	9.5	6.6-12.4	15	3.2	1.4- 5.0	5	1.5	0.0- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2796	287,530	2208	68.0	65.6-70.4	234	12.8	11.0-14.6	196	10.0	8.4-11.6	106	6.0	4.8- 7.2	35	2.2	1.4- 3.0	17	1.0	0.4- 1.6
Native	78	10,714	43	54.1	39.4-68.8	11	13.5	3.9-23.1	10	12.9	3.3-22.5	5	4.5	0.4- 8.6	6	10.2	0.0-20.4	3	4.7	0.0-12.0
Non-Native	2687	273,450	2138	68.4	66.0-70.8	220	12.7	10.9-14.5	186	10.0	8.4-11.6	101	6.2	4.8- 7.6	28	1.9	1.1- 2.7	14	0.9	0.3- 1.5
18-24	127	43,444	98	76.1	68.1-84.1	18	15.0	8.1-21.9	8	5.7	1.8- 9.6	1	1.0	0.0- 3.0	1	1.3	0.0- 3.8	1	0.9	0.0- 2.7
25-34	250	47,655	112	40.3	33.6-47.0	57	24.7	18.8-30.6	46	18.4	13.3-23.5	24	10.0	5.9-14.1	6	3.5	0.6- 6.4	5	3.1	0.2- 6.0
35-44	306	46,067	86	27.6	22.1-33.1	44	15.8	11.1-20.5	87	26.7	21.2-32.2	61	20.9	15.8-26.0	21	7.2	3.9-10.5	7	1.8	0.2- 3.4
45-54	324	37,029	193	62.5	56.6-68.4	77	22.3	17.4-27.2	38	10.2	6.9-13.5	12	4.0	1.6- 6.4	2	0.6	0.0- 1.6	2	0.4	0.0- 1.0
55-64	456	39,799	419	90.5	87.2-93.8	18	4.7	2.3- 7.1	11	2.4	0.6- 4.2	4	1.3	0.0- 2.7	4	1.2	0.0- 2.6			
65+	1333	73,537	1300	97.0	95.6-98.4	20	1.5	0.7- 2.3	6	0.6	0.0- 1.2	4	0.7	0.0- 1.7	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3
Less Than H.S.	85	17,371	70	72.7	59.8-85.6	9	14.6	4.4-24.8	4	7.8	0.2-15.4	1	2.0	0.0- 5.9	1	2.9	0.0- 8.6			
H.S. or G.E.D.	664	66,521	536	66.9	61.8-72.0	59	15.4	11.5-19.3	35	8.9	5.8-12.0	24	5.5	3.1- 7.9	8	2.5	0.3- 4.7	2	0.8	0.0- 2.2
Some Post-H.S.	863	109,621	724	73.3	69.2-77.4	61	11.9	8.8-15.0	34	5.7	3.5- 7.9	27	5.6	3.4- 7.8	11	2.1	0.7- 3.5	6	1.3	0.1- 2.5
College Graduate	1179	93,579	875	61.6	58.1-65.1	103	11.6	9.2-14.0	123	16.2	13.5-18.9	54	7.7	5.5- 9.9	15	1.9	0.7- 3.1	9	1.0	0.2- 1.8
Less than \$15,000	93	10,828	73	66.1	52.0-80.2	6	11.7	1.1-22.3	5	6.5	0.0-13.0	5	7.9	0.6-15.2	4	7.8	0.0-17.4			
\$15,000- 24,999	184	19,826	154	68.4	58.2-78.6	14	15.5	7.3-23.7	5	4.9	0.2- 9.6	6	5.4	1.1- 9.7	3	1.8	0.0- 3.8	2	4.1	0.0- 9.6
\$25,000- 34,999	271	25,838	238	78.2	70.6-85.8	18	13.7	7.0-20.4	11	6.2	2.1-10.3	3	1.8	0.0- 4.0	1	0.1	0.0- 0.3			
\$35,000- 49,999	293	31,431	248	74.9	67.6-82.2	21	10.5	5.4-15.6	12	7.4	3.1-11.7	9	5.5	1.4- 9.6	3	1.7	0.0- 3.9			
\$50,000- 99,999	727	73,428	579	71.6	67.3-75.9	55	10.5	7.4-13.6	51	9.6	6.7-12.5	30	6.3	3.9- 8.7	5	1.3	0.1- 2.5	7	0.8	0.2- 1.4
\$100,000 - 199,999	495	52,522	316	51.8	46.5-57.1	66	15.6	11.7-19.5	66	17.3	13.2-21.4	33	9.7	6.4-13.0	11	4.2	1.7- 6.7	3	1.4	0.0- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 46: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5839	606,498	205	6.8	5.6- 8.0	1565	26.0	24.6-27.4	1772	38.2	36.6-39.8	2297	29.0	27.6-30.4
Male	2983	311,246	116	7.5	5.9- 9.1	882	28.5	26.5-30.5	893	38.4	36.2-40.6	1092	25.6	24.0-27.2
Female	2856	295,252	89	6.1	4.5- 7.7	683	23.3	21.1-25.5	879	38.0	35.6-40.4	1205	32.6	30.4-34.8
Native	168	24,765	19	21.9	12.5-31.3	58	30.2	21.8-38.6	51	34.1	25.1-43.1	40	13.8	8.5-19.1
Non-Native	5585	573,122	181	6.1	4.9- 7.3	1487	25.9	24.5-27.3	1690	38.3	36.5-40.1	2227	29.7	28.3-31.1
18-24	325	91,988	27	14.2	9.1-19.3	154	41.8	36.1-47.5	86	31.9	26.2-37.6	58	12.0	8.9-15.1
25-34	612	106,784	15	5.0	2.5- 7.5	188	29.3	25.4-33.2	149	32.4	28.1-36.7	260	33.3	29.6-37.0
35-44	703	103,171	14	4.3	1.9- 6.7	151	20.3	17.2-23.4	191	36.5	32.4-40.6	347	38.9	35.2-42.6
45-54	751	80,991	16	4.8	2.3- 7.3	153	18.8	15.9-21.7	232	41.4	37.3-45.5	350	35.0	31.5-38.5
55-64	995	84,274	28	4.6	2.8- 6.4	258	22.5	19.8-25.2	336	45.7	42.2-49.2	373	27.2	24.5-29.9
65+	2453	139,288	105	7.7	6.1- 9.3	661	23.5	21.5-25.5	778	41.6	39.2-44.0	909	27.2	25.4-29.0
Less Than H.S.	205	41,373	205	100.0	100.0- 100									
H.S. or G.E.D.	1565	157,508				1565	100.0	100.0- 100						
Some Post-H.S.	1772	231,737							1772	100.0	100.0- 100			
College Graduate	2297	175,879										2297	100.0	100.0- 100
Less than \$15,000	168	19,447	21	23.2	12.6-33.8	72	33.8	24.6-43.0	48	32.5	23.1-41.9	27	10.5	6.0-15.0
\$15,000- 24,999	311	32,190	27	13.7	7.4-20.0	129	32.9	26.0-39.8	105	38.8	31.4-46.2	50	14.6	9.9-19.3
\$25,000- 34,999	491	48,066	39	13.2	8.3-18.1	186	35.6	30.1-41.1	165	38.5	32.8-44.2	101	12.6	9.7-15.5
\$35,000- 49,999	591	59,888	26	10.2	5.7-14.7	206	35.1	30.0-40.2	168	35.7	30.4-41.0	191	19.0	15.7-22.3
\$50,000- 99,999	1647	168,205	39	6.5	4.1- 8.9	372	21.5	19.1-23.9	539	40.4	37.5-43.3	697	31.6	29.1-34.1
\$100,000 - 199,999	1152	126,082	12	1.8	0.8- 2.8	186	17.4	14.7-20.1	291	36.2	32.7-39.7	663	44.7	41.4-48.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2983	311,246	116	7.5	5.9- 9.1	882	28.5	26.5-30.5	893	38.4	36.2-40.6	1092	25.6	24.0-27.2
Native	87	13,408	10	18.0	6.8-29.2	37	36.3	24.1-48.5	25	35.7	23.2-48.2	15	10.0	4.1-15.9
Non-Native	2841	292,655	103	6.9	5.3- 8.5	832	28.3	26.3-30.3	850	38.6	36.4-40.8	1056	26.2	24.4-28.0
18-24	197	48,361	17	15.6	8.7-22.5	100	44.1	36.8-51.4	49	29.5	22.4-36.6	31	10.9	7.0-14.8
25-34	353	56,662	7	4.0	1.1- 6.9	120	31.8	26.7-36.9	97	36.8	31.1-42.5	129	27.4	22.9-31.9
35-44	383	54,848	10	4.9	1.8- 8.0	91	22.5	18.2-26.8	119	40.7	35.0-46.4	163	31.9	27.2-36.6
45-54	416	42,714	12	5.8	2.5- 9.1	107	23.8	19.5-28.1	133	41.5	36.2-46.8	164	28.8	24.5-33.1
55-64	527	43,458	16	5.4	2.7- 8.1	160	26.4	22.5-30.3	171	44.1	39.2-49.0	180	24.1	20.6-27.6
65+	1107	65,203	54	9.2	6.7-11.7	304	23.7	21.0-26.4	324	38.6	35.1-42.1	425	28.5	25.8-31.2
Less Than H.S.	116	23,301	116	100.0	100.0- 100									
H.S. or G.E.D.	882	88,818				882	100.0	100.0- 100						
Some Post-H.S.	893	119,479							893	100.0	100.0- 100			
College Graduate	1092	79,648										1092	100.0	100.0- 100
Less than \$15,000	75	8,620	9	17.3	5.0-29.6	37	45.0	30.3-59.7	15	25.8	12.3-39.3	14	12.0	4.9-19.1
\$15,000- 24,999	128	12,442	16	17.6	8.0-27.2	53	29.0	19.8-38.2	41	41.0	29.6-52.4	18	12.4	5.9-18.9
\$25,000- 34,999	219	21,850	22	17.6	9.6-25.6	86	34.3	26.7-41.9	63	36.2	27.8-44.6	48	11.9	8.0-15.8
\$35,000- 49,999	297	28,368	15	10.3	4.6-16.0	117	42.1	35.0-49.2	70	26.7	20.6-32.8	95	20.9	16.0-25.8
\$50,000- 99,999	919	94,592	27	7.6	4.5-10.7	251	25.8	22.5-29.1	309	41.1	37.2-45.0	332	25.6	22.5-28.7
\$100,000 - 199,999	656	73,404	9	2.4	0.8- 4.0	136	20.7	17.2-24.2	196	43.2	38.7-47.7	315	33.8	29.9-37.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2856	295,252	89	6.1	4.5- 7.7	683	23.3	21.1-25.5	879	38.0	35.6-40.4	1205	32.6	30.6-34.6
Native	81	11,357	9	26.5	11.0-42.0	21	23.1	12.3-33.9	26	32.2	19.3-45.1	25	18.2	9.0-27.4
Non-Native	2744	280,467	78	5.3	3.7- 6.9	655	23.4	21.2-25.6	840	38.0	35.5-40.5	1171	33.3	31.1-35.5
18-24	128	43,627	10	12.7	5.4-20.0	54	39.3	30.3-48.3	37	34.7	25.7-43.7	27	13.3	8.4-18.2
25-34	259	50,122	8	6.2	2.1-10.3	68	26.4	20.7-32.1	52	27.5	21.0-34.0	131	39.9	33.6-46.2
35-44	320	48,323	4	3.6	0.3- 6.9	60	17.8	13.3-22.3	72	31.8	25.7-37.9	184	46.8	40.7-52.9
45-54	335	38,278	4	3.7	0.0- 7.6	46	13.1	9.4-16.8	99	41.2	35.1-47.3	186	42.0	36.3-47.7
55-64	468	40,817	12	3.7	1.3- 6.1	98	18.3	14.6-22.0	165	47.4	42.1-52.7	193	30.6	26.3-34.9
65+	1346	74,086	51	6.4	4.4- 8.4	357	23.2	20.7-25.7	454	44.4	41.1-47.7	484	26.0	23.5-28.5
Less Than H.S.	89	18,072	89	100.0	100.0- 100									
H.S. or G.E.D.	683	68,690				683	100.0	100.0- 100						
Some Post-H.S.	879	112,258							879	100.0	100.0- 100			
College Graduate	1205	96,231										1205	100.0	100.0- 100
Less than \$15,000	93	10,828	12	27.9	12.2-43.6	35	25.0	14.2-35.8	33	37.8	24.7-50.9	13	9.3	3.4-15.2
\$15,000- 24,999	183	19,748	11	11.3	3.3-19.3	76	35.2	25.8-44.6	64	37.5	27.7-47.3	32	16.0	9.3-22.7
\$25,000- 34,999	272	26,216	17	9.6	3.7-15.5	100	36.7	28.9-44.5	102	40.5	32.7-48.3	53	13.2	8.9-17.5
\$35,000- 49,999	294	31,520	11	10.1	3.0-17.2	89	28.9	22.0-35.8	98	43.8	35.6-52.0	96	17.3	12.8-21.8
\$50,000- 99,999	728	73,613	12	5.2	1.9- 8.5	121	16.0	12.7-19.3	230	39.5	34.8-44.2	365	39.3	35.0-43.6
\$100,000 - 199,999	496	52,679	3	1.0	0.0- 2.2	50	12.7	8.6-16.8	95	26.4	21.3-31.5	348	59.9	54.4-65.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 49: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG1).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4701	488,381	480	10.6	9.4-11.8	491	9.8	8.6-11.0	591	12.3	11.1-13.5	1649	34.5	32.7-36.3	1154	25.9	24.3-27.5	336	6.9	6.1- 7.7
Male	2504	259,649	203	8.1	6.7- 9.5	219	8.4	7.0- 9.8	297	10.9	9.5-12.3	921	36.5	34.1-38.9	658	28.5	26.3-30.7	206	7.6	6.4- 8.8
Female	2197	228,732	277	13.4	11.4-15.4	272	11.5	9.7-13.3	294	13.8	11.8-15.8	728	32.2	29.7-34.7	496	23.0	20.8-25.2	130	6.1	4.9- 7.3
Native	143	21,658	37	27.5	17.7-37.3	17	10.2	4.1-16.3	22	15.9	8.8-23.0	52	36.6	26.4-46.8	12	8.1	2.8-13.4	3	1.7	0.0- 3.1
Non-Native	4510	462,059	434	9.7	8.5-10.9	468	9.8	8.6-11.0	558	12.0	10.8-13.2	1584	34.4	32.6-36.2	1134	26.9	25.3-28.5	332	7.2	6.4- 8.0
18-24	242	65,805	35	15.5	10.4-20.6	25	11.6	7.1-16.1	48	20.4	14.7-26.1	100	39.6	32.9-46.3	29	11.5	7.2-15.8	5	1.4	0.0- 2.8
25-34	534	92,764	48	12.0	8.5-15.5	51	9.7	7.0-12.4	58	10.2	7.5-12.9	201	35.0	30.7-39.3	145	27.6	23.5-31.7	31	5.5	3.5- 7.5
35-44	616	89,454	40	6.8	4.4- 9.2	35	6.3	3.9- 8.7	56	9.3	6.8-11.8	192	29.6	25.7-33.5	228	37.6	33.3-41.9	65	10.4	7.9-12.9
45-54	634	67,123	52	8.4	6.0-10.8	35	6.1	3.9- 8.3	47	7.5	5.1- 9.9	174	28.8	24.7-32.9	252	38.5	34.4-42.6	74	10.7	8.2-13.3
55-64	820	69,017	80	9.0	6.8-11.2	60	6.7	4.9- 8.5	77	10.4	7.9-12.9	284	35.4	31.7-39.1	229	27.6	24.1-31.1	90	10.9	8.5-13.3
65+	1855	104,217	225	12.0	10.2-13.8	285	16.3	14.1-18.5	305	15.8	13.8-17.8	698	38.0	35.5-40.5	271	14.3	12.5-16.1	71	3.6	2.6- 4.6
Less Than H.S.	167	35,109	48	25.4	17.2-33.6	39	18.1	11.2-25.0	26	17.4	9.8-25.0	39	31.3	22.1-40.5	12	6.4	2.5-10.3	3	1.4	0.0- 3.1
H.S. or G.E.D.	1202	118,695	201	14.5	12.0-17.0	186	14.4	11.9-16.9	206	17.7	15.0-20.4	372	30.4	27.3-33.5	186	18.4	15.7-21.1	51	4.5	3.1- 5.9
Some Post-H.S.	1381	181,204	153	10.4	8.4-12.4	165	10.2	8.2-12.2	168	11.8	9.6-14.0	539	37.5	34.6-40.4	291	25.2	22.5-27.9	65	4.9	3.7- 6.1
College Graduate	1945	152,367	77	4.4	3.2- 5.6	101	4.0	3.0- 5.0	191	7.5	6.3- 8.7	697	34.9	32.4-37.4	663	37.0	34.5-39.5	216	12.3	10.5-14.1
Less than \$15,000	168	19,447	168	100.0	100.0- 100															
\$15,000- 24,999	312	32,269	312	100.0	100.0- 100															
\$25,000- 34,999	491	48,066				491	100.0	100.0- 100												
\$35,000- 49,999	591	59,888							591	100.0	100.0- 100									
\$50,000- 99,999	1649	168,312										1649	100.0	100.0- 100						
\$100,000 - 199,999	1154	126,567													1154	100.0	100.0- 100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 50: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2504	259,649	203	8.1	6.7- 9.5	219	8.4	7.0- 9.8	297	10.9	9.5-12.3	921	36.5	34.1-38.9	658	28.5	26.3-30.7	206	7.6	6.4- 8.8
Native	77	11,927	18	25.8	12.7-38.9	5	4.2	0.3- 8.1	13	16.2	7.2-25.2	28	38.1	24.8-51.4	11	13.8	4.6-23.0	2	1.9	0.0- 4.0
Non-Native	2395	244,717	180	7.0	5.8- 8.2	212	8.7	7.3-10.1	276	10.6	9.0-12.2	885	36.5	34.1-38.9	639	29.2	27.0-31.4	203	8.0	6.8- 9.2
18-24	147	34,865	20	15.2	8.9-21.5	11	8.5	3.4-13.6	31	19.5	12.8-26.2	62	42.2	33.6-50.8	18	11.9	6.4-17.4	5	2.7	0.3- 5.1
25-34	311	50,284	21	7.5	4.0-11.0	25	8.6	5.1-12.1	31	8.6	5.5-11.7	130	40.5	34.6-46.4	88	30.0	24.5-35.5	16	4.8	2.4- 7.2
35-44	350	50,146	18	5.2	2.5- 7.9	20	6.0	3.1- 8.9	30	7.7	4.8-10.6	106	28.7	23.6-33.8	135	40.3	34.6-46.0	41	12.0	8.3-15.7
45-54	356	36,018	27	6.6	4.1- 9.1	21	6.8	3.5-10.1	24	6.5	3.8- 9.2	97	27.4	22.3-32.5	147	43.4	37.7-49.1	40	9.3	6.4-12.2
55-64	449	37,048	33	6.9	4.4- 9.4	30	5.7	3.5- 7.9	42	9.6	6.5-12.7	163	37.2	32.1-42.3	124	27.9	23.2-32.6	57	12.6	9.1-16.1
65+	891	51,288	84	8.7	6.7-10.7	112	13.5	10.6-16.4	139	14.6	11.9-17.3	363	42.1	38.4-45.8	146	16.5	13.8-19.2	47	4.6	3.2- 6.0
Less Than H.S.	100	19,713	25	18.7	10.1-27.3	22	19.6	10.4-28.8	15	14.8	6.6-23.0	27	36.3	24.3-48.3	9	8.8	2.7-14.9	2	1.9	0.0- 4.0
H.S. or G.E.D.	715	70,557	90	10.6	7.9-13.3	86	10.6	8.1-13.1	117	16.9	13.6-20.2	251	34.5	30.4-38.6	136	21.5	18.0-25.0	35	5.8	3.6- 8.0
Some Post-H.S.	733	98,678	56	7.4	5.0- 9.8	63	8.0	5.6-10.4	70	7.7	5.7- 9.7	309	39.4	35.5-43.3	196	32.1	28.2-36.0	39	5.4	3.6- 7.2
College Graduate	951	69,773	32	3.7	2.3- 5.1	48	3.7	2.5- 4.9	95	8.5	6.5-10.5	332	34.7	31.2-38.2	315	35.6	32.1-39.1	129	13.9	11.4-16.4
Less than \$15,000	75	8,620	75	100.0	100.0- 100															
\$15,000- 24,999	128	12,442	128	100.0	100.0- 100															
\$25,000- 34,999	219	21,850				219	100.0	100.0- 100												
\$35,000- 49,999	297	28,368							297	100.0	100.0- 100									
\$50,000- 99,999	921	94,699										921	100.0	100.0- 100						
\$100,000 - 199,999	658	73,888													658	100.0	100.0- 100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 51: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Less Than 25,000			\$25,000-\$34,999			\$35,000-\$49,999			\$50,000-\$99,999			\$100,000-\$199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2197	228,732	277	13.4	11.4-15.4	272	11.5	9.7-13.3	294	13.8	11.8-15.8	728	32.2	29.7-34.7	496	23.0	20.8-25.2	130	6.1	4.9- 7.3
Native	66	9,731	19	29.6	15.1-44.1	12	17.5	5.5-29.5	9	15.6	4.6-26.6	24	34.7	19.0-50.4	1	1.0	0.0- 3.0	1	1.4	0.0- 4.3
Non-Native	2115	217,342	254	12.6	10.6-14.6	256	11.1	9.3-12.9	282	13.7	11.5-15.9	699	32.0	29.5-34.5	495	24.2	21.8-26.6	129	6.4	5.2- 7.6
18-24	95	30,940	15	15.8	7.8-23.8	14	15.1	7.5-22.7	17	21.4	12.0-30.8	38	36.6	26.4-46.8	11	11.1	4.4-17.8			
25-34	223	42,479	27	17.3	11.0-23.6	26	11.0	6.7-15.3	27	12.1	7.2-17.0	71	28.5	22.2-34.8	57	24.7	18.6-30.8	15	6.4	3.3- 9.5
35-44	266	39,308	22	8.8	4.9-12.7	15	6.8	3.1-10.5	26	11.2	6.7-15.7	86	30.6	24.5-36.7	93	34.2	28.1-40.3	24	8.3	5.0-11.6
45-54	278	31,106	25	10.5	6.2-14.8	14	5.2	2.3- 8.1	23	8.7	5.0-12.4	77	30.4	23.9-36.9	105	32.9	27.0-38.8	34	12.3	8.0-16.6
55-64	371	31,969	47	11.5	7.8-15.2	30	7.8	4.9-10.7	35	11.4	7.3-15.5	121	33.2	27.7-38.7	105	27.2	22.1-32.3	33	8.8	5.5-12.1
65+	964	52,929	141	15.1	12.4-17.8	173	19.1	16.0-22.2	166	17.0	14.1-19.9	335	34.1	30.6-37.6	125	12.1	9.7-14.5	24	2.6	1.4- 3.8
Less Than H.S.	67	15,396	23	34.1	19.4-48.8	17	16.3	6.1-26.5	11	20.6	7.1-34.1	12	24.9	11.0-38.8	3	3.3	0.0- 7.2	1	0.7	0.0- 2.3
H.S. or G.E.D.	487	48,138	111	20.1	15.4-24.8	100	20.0	15.3-24.7	89	18.9	14.2-23.6	121	24.4	19.3-29.5	50	13.9	9.4-18.4	16	2.7	1.1- 4.3
Some Post-H.S.	648	82,525	97	13.9	10.6-17.2	102	12.9	9.8-16.0	98	16.7	12.8-20.6	230	35.3	30.8-39.8	95	16.9	13.4-20.4	26	4.3	2.5- 6.1
College Graduate	994	82,594	45	5.0	3.2- 6.8	53	4.2	2.8- 5.6	96	6.6	5.0- 8.2	365	35.0	31.5-38.5	348	38.2	34.5-41.9	87	11.0	8.6-13.4
Less than \$15,000	93	10,828	93	100.0	100.0- 100															
\$15,000- 24,999	184	19,826	184	100.0	100.0- 100															
\$25,000- 34,999	272	26,216				272	100.0	100.0- 100												
\$35,000- 49,999	294	31,520							294	100.0	100.0- 100									
\$50,000- 99,999	728	73,613										728	100.0	100.0- 100						
\$100,000 - 199,999	496	52,679													496	100.0	100.0- 100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

103 of 193

August 21, 2025

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 9: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
1 WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM23) FEMALES ONLY	105
2 WOMEN RESPONDENTS AGED 40-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM402Y) FEMALES ONLY	106
3 FEMALE RESPONDENTS THAT HAVE HAD A CERVICAL SCREENING TEST (_CRVSCRN) FEMALES ONLY	107
4 FEMALE RESPONDENTS WITH AND INTACT CERVIX, AGED 21-65, WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP37) FEMALES ONLY	108
5 FEMALE RESPONDENTS WITH AND INTACT CERVIX, AGED 30-65, WHO HAVE HAD AN HPV TEST IN THE PAST FIVE YEARS (_HPV5YR1) FEMALES ONLY	109
6 FEMALE RESPONDENTS WITH AN INTACT CERVIX, AGED 21-65 THAT HAVE HAD A PAP TEST IN LAST 3 YEARS OR AGED 30-65 THAT HAVE HAD AN HPV TEST IN LAST 5 YEARS (_PAPHPV1) FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM23)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	2152	164,424	1621	72.5	70.1-74.9	531	27.5	25.1-29.9
Native	53	5,511	30	45.1	26.7-63.5	23	54.9	36.5-73.3
Non-Native	2072	156,293	1572	73.6	71.2-76.0	500	26.4	24.0-28.8
40-44	157	23,505	101	63.6	55.2-72.0	56	36.4	28.0-44.8
45-54	306	34,732	239	76.4	70.5-82.3	67	23.6	17.7-29.5
55-64	426	36,820	325	74.3	69.2-79.4	101	25.7	20.6-30.8
65+	1263	69,367	956	72.7	69.6-75.8	307	27.3	24.2-30.4
Less Than H.S.	61	7,735	25	27.3	14.8-39.8	36	72.7	60.2-85.2
H.S. or G.E.D.	478	30,215	336	67.1	62.0-72.2	142	32.9	27.8-38.0
Some Post-H.S.	696	69,138	511	72.8	68.9-76.7	185	27.2	23.3-31.1
College Graduate	912	56,907	747	81.6	78.7-84.5	165	18.4	15.5-21.3
Less than \$15,000	75	5,608	32	37.2	24.3-50.1	43	62.8	49.9-75.7
\$15,000- 24,999	137	9,621	90	61.7	51.5-71.9	47	38.3	28.1-48.5
\$25,000- 34,999	216	14,373	148	65.3	57.5-73.1	68	34.7	26.9-42.5
\$35,000- 49,999	225	16,464	160	65.3	56.9-73.7	65	34.7	26.3-43.1
\$50,000- 99,999	561	43,162	457	76.1	70.8-81.4	104	23.9	18.6-29.2
\$100,000 - 199,999	373	31,589	313	82.4	77.9-86.9	60	17.6	13.1-22.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 40-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM402Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Received mammogram <2 years			Did not receive mammogram <2 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1589	132,185	1258	75.5	72.8-78.2	331	24.5	21.8-27.2
Non-Native	1523	125,028	1217	76.9	74.2-79.6	306	23.1	20.4-25.8
35-49	157	23,505	101	63.6	55.2-72.0	56	36.4	28.0-44.8
50-54	306	34,732	239	76.4	70.5-82.3	67	23.6	17.7-29.5
55-64	426	36,820	325	74.3	69.2-79.4	101	25.7	20.6-30.8
65+	700	37,128	593	83.3	80.0-86.6	107	16.7	13.4-20.0
H.S. or G.E.D.	315	21,667	241	73.4	67.3-79.5	74	26.6	20.5-32.7
Some Post-H.S.	513	56,060	396	74.5	70.0-79.0	117	25.5	21.0-30.0
College Graduate	729	49,454	608	82.7	79.6-85.8	121	17.3	14.2-20.4
Less than \$15,000	56	4,251	27	43.6	27.9-59.3	29	56.4	40.7-72.1
\$15,000- 24,999	81	6,397	58	65.2	52.1-78.3	23	34.8	21.7-47.9
\$25,000- 34,999	132	9,007	95	66.9	56.9-76.9	37	33.1	23.1-43.1
\$35,000- 49,999	149	11,944	109	66.9	56.9-76.9	40	33.1	23.1-43.1
\$50,000- 99,999	445	37,041	371	75.9	69.8-82.0	74	24.1	18.0-30.2
\$100,000 - 199,999	343	29,867	289	82.9	78.2-87.6	54	17.1	12.4-21.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: FEMALE RESPONDENTS THAT HAVE HAD A CERVICAL SCREENING TEST (_CRVSCRN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had PAP test <3 years or HPV test <5 years			Had PAP test >3 years or HPV test >5 years			Have not had Pap or HPV test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2406	252,351	954	45.1	42.6-47.6	846	25.9	23.9-27.9	606	29.0	26.3-31.7
Native	70	9,456	32	50.1	34.2-66.0	16	14.2	6.0-22.4	22	35.7	20.0-51.4
Non-Native	2315	240,806	914	44.8	42.1-47.5	826	26.4	24.2-28.6	575	28.7	26.0-31.4
18-24	118	40,436	36	28.4	20.0-36.8	2	1.6	0.0- 4.0	80	70.0	61.4-78.6
25-39	228	43,292	162	68.9	62.0-75.8	27	10.4	6.5-14.3	39	20.7	14.2-27.2
40-44	282	42,551	185	65.1	58.8-71.4	71	24.2	18.7-29.7	26	10.7	6.4-15.0
45-54	282	31,783	155	53.7	47.0-60.4	85	29.2	23.3-35.1	42	17.1	11.6-22.6
55-64	391	33,936	194	47.3	41.6-53.0	134	35.0	29.5-40.5	63	17.7	13.2-22.2
65+	1105	60,352	222	19.5	16.8-22.2	527	47.4	43.9-50.9	356	33.1	29.8-36.4
Less Than H.S.	71	15,160	18	30.4	16.3-44.5	19	9.1	4.0-14.2	34	60.4	45.7-75.1
H.S. or G.E.D.	547	56,114	168	37.0	31.5-42.5	162	18.6	15.1-22.1	217	44.4	38.5-50.3
Some Post-H.S.	737	95,895	248	38.2	33.7-42.7	285	32.0	28.1-35.9	204	29.8	25.3-34.3
College Graduate	1046	84,628	519	61.3	57.8-64.8	380	26.8	23.9-29.7	147	11.9	9.5-14.3
Less than \$15,000	79	8,821	18	35.2	20.3-50.1	25	25.8	14.6-37.0	36	39.1	24.4-53.8
\$15,000- 24,999	154	16,757	45	37.0	26.4-47.6	53	22.8	14.8-30.8	56	40.2	28.8-51.6
\$25,000- 34,999	244	23,416	70	34.2	26.0-42.4	89	25.6	19.3-31.9	85	40.2	31.6-48.8
\$35,000- 49,999	259	28,002	89	37.5	29.5-45.5	102	24.3	18.2-30.4	68	38.2	29.0-47.4
\$50,000- 99,999	651	66,780	290	50.6	45.5-55.7	238	25.8	22.1-29.5	123	23.6	18.7-28.5
\$100,000 - 199,999	449	48,226	239	56.2	50.7-61.7	154	29.2	24.5-33.9	56	14.6	10.1-19.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: FEMALE RESPONDENTS WITH AND INTACT CERVIX, AGED 21-65, WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP37)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had PAP test <3 years			Had PAP test >3 years or none		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1023	144,372	649	62.0	58.5-65.5	374	38.0	34.5-41.5
Non-Native	974	136,091	621	62.1	58.4-65.8	353	37.9	34.2-41.6
18-24	71	22,925	33	43.1	30.9-55.3	38	56.9	44.7-69.1
25-34	202	36,747	146	72.0	65.3-78.7	56	28.0	21.3-34.7
35-49	247	37,791	165	66.1	59.4-72.8	82	33.9	27.2-40.6
50-54	212	23,206	129	60.7	53.1-68.3	83	39.3	31.7-46.9
55-64	256	21,828	155	59.5	52.4-66.6	101	40.5	33.4-47.6
H.S. or G.E.D.	188	28,896	114	59.7	51.3-68.1	74	40.3	31.9-48.7
Some Post-H.S.	267	48,634	150	55.4	48.5-62.3	117	44.6	37.7-51.5
College Graduate	544	58,995	375	71.4	67.3-75.5	169	28.6	24.5-32.7
\$15,000- 24,999	51	8,337	26	49.6	32.9-66.3	25	50.4	33.7-67.1
\$25,000- 34,999	65	8,770	36	53.8	39.3-68.3	29	46.2	31.7-60.7
\$35,000- 49,999	91	14,562	53	55.2	42.3-68.1	38	44.8	31.9-57.7
\$50,000- 99,999	283	40,522	202	68.3	61.4-75.2	81	31.7	24.8-38.6
\$100,000 - 199,999	279	34,652	186	64.9	58.2-71.6	93	35.1	28.4-41.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING

TABLE 5: FEMALE RESPONDENTS WITH AND INTACT CERVIX, AGED 30-65, WHO HAVE HAD AN HPV TEST IN THE PAST FIVE YEARS (_HPV5YR1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had HPV test <5 years			HPV test >5 years or none		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	679	83,432	244	38.7	34.4-43.0	435	61.3	57.0-65.6
Non-Native	644	77,805	232	38.9	34.6-43.2	412	61.1	56.8-65.4
25-39	90	16,402	46	51.2	40.0-62.4	44	48.8	37.6-60.0
40-44	195	30,296	87	44.1	36.3-51.9	108	55.9	48.1-63.7
45-54	171	18,195	60	34.7	26.5-42.9	111	65.3	57.1-73.5
55-64	195	17,055	49	23.9	17.2-30.6	146	76.1	69.4-82.8
H.S. or G.E.D.	111	13,671	42	43.6	33.0-54.2	69	56.4	45.8-67.0
Some Post-H.S.	181	28,172	58	35.5	27.7-43.3	123	64.5	56.7-72.3
College Graduate	372	37,194	140	40.1	34.4-45.8	232	59.9	54.2-65.6
\$35,000- 49,999	61	8,011	24	45.0	30.7-59.3	37	55.0	40.7-69.3
\$50,000- 99,999	174	21,260	58	34.5	25.9-43.1	116	65.5	56.9-74.1
\$100,000 - 199,999	199	22,320	72	35.0	27.6-42.4	127	65.0	57.6-72.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

**TABLE 6: FEMALE RESPONDENTS WITH AN INTACT CERVIX, AGED 21-65 THAT HAVE HAD A PAP TEST IN LAST 3 YEARS OR AGED 30-65 THAT HAVE HAD AN HPV TEST IN LAST 5 YEARS
(_PAPHPV1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had PAP test <3 years or HPV test <5 years			Not had PAP test <3 years or HPV test <5 years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	906	121,339	694	78.8	75.7-81.9	212	21.2	18.1-24.3
Non-Native	861	113,684	666	79.7	76.8-82.6	195	20.3	17.4-23.2
25-34	174	31,907	154	88.2	82.9-93.5	20	11.8	6.5-17.1
35-49	234	35,924	183	77.1	71.0-83.2	51	22.9	16.8-29.0
50-54	197	21,343	142	71.5	64.1-78.9	55	28.5	21.1-35.9
55-64	235	20,462	161	66.0	58.7-73.3	74	34.0	26.7-41.3
H.S. or G.E.D.	155	22,079	119	81.2	74.7-87.7	36	18.8	12.3-25.3
Some Post-H.S.	236	40,359	164	73.3	67.2-79.4	72	26.7	20.6-32.8
College Graduate	496	53,509	401	83.9	80.6-87.2	95	16.1	12.8-19.4
\$25,000- 34,999	55	6,902	39	75.2	62.3-88.1	16	24.8	11.9-37.7
\$35,000- 49,999	79	11,285	56	75.7	64.9-86.5	23	24.3	13.5-35.1
\$50,000- 99,999	254	34,404	211	83.7	78.2-89.2	43	16.3	10.8-21.8
\$100,000 - 199,999	256	30,602	204	79.5	73.8-85.2	52	20.5	14.8-26.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 10: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP2)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP2)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS102)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127
RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBLDS6)	
16 MALES AND FEMALES	128
17 MALES ONLY	129
18 FEMALES ONLY	130

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 10: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN2)	
19 MALES AND FEMALES	131
20 MALES ONLY	132
21 FEMALES ONLY	133
RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL2)	
22 MALES AND FEMALES	134
23 MALES ONLY	135
24 FEMALES ONLY	136
RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTI2)	
25 MALES AND FEMALES	137
26 MALES ONLY	138
27 FEMALES ONLY	139
RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC3)	
28 MALES AND FEMALES	140
29 MALES ONLY	141
30 FEMALES ONLY	142

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 1: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3898	281,227	2954	71.8	70.0-73.6	944	28.2	26.4-30.0
Male	1925	141,694	1408	69.2	66.7-71.7	517	30.8	28.3-33.3
Female	1973	139,533	1546	74.5	72.0-77.0	427	25.5	23.0-28.0
Native	90	8,797	62	69.4	56.1-82.7	28	30.6	17.3-43.9
Non-Native	3745	267,444	2844	71.9	70.1-73.7	901	28.1	26.3-29.9
45-54	681	72,645	335	48.4	44.3-52.5	346	51.6	47.5-55.7
55-64	921	77,991	702	75.9	72.8-79.0	219	24.1	21.0-27.2
65+	2291	129,691	1916	82.9	80.9-84.9	375	17.1	15.1-19.1
Less Than H.S.	129	16,098	82	57.2	46.6-67.8	47	42.8	32.2-53.4
H.S. or G.E.D.	966	59,439	694	68.3	64.8-71.8	272	31.7	28.2-35.2
Some Post-H.S.	1247	120,298	930	71.9	69.0-74.8	317	28.1	25.2-31.0
College Graduate	1546	84,485	1244	77.2	74.7-79.7	302	22.8	20.3-25.3
Less than \$15,000	115	7,975	65	52.2	41.4-63.0	50	47.8	37.0-58.6
\$15,000- 24,999	221	14,629	163	70.2	62.8-77.6	58	29.8	22.4-37.2
\$25,000- 34,999	366	24,613	270	70.4	64.3-76.5	96	29.6	23.5-35.7
\$35,000- 49,999	402	26,409	306	72.0	66.5-77.5	96	28.0	22.5-33.5
\$50,000- 99,999	1114	80,405	879	75.1	71.8-78.4	235	24.9	21.6-28.2
\$100,000 - 199,999	728	57,532	547	71.4	67.5-75.3	181	28.6	24.7-32.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 2: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	141,694	1408	69.2	66.7-71.7	517	30.8	28.3-33.3
Non-Native	1846	135,540	1346	68.7	66.2-71.2	500	31.3	28.8-33.8
45-54	381	38,906	175	43.3	37.8-48.8	206	56.7	51.2-62.2
55-64	496	41,026	366	73.6	69.3-77.9	130	26.4	22.1-30.7
65+	1046	61,420	866	82.8	80.1-85.5	180	17.2	14.5-19.9
Less Than H.S.	74	9,723	46	57.2	44.3-70.1	28	42.8	29.9-55.7
H.S. or G.E.D.	522	33,904	354	64.9	60.2-69.6	168	35.1	30.4-39.8
Some Post-H.S.	587	57,856	420	69.0	64.7-73.3	167	31.0	26.7-35.3
College Graduate	738	39,891	585	75.9	72.4-79.4	153	24.1	20.6-27.6
\$15,000- 24,999	91	5,746	60	61.3	49.5-73.1	31	38.7	26.9-50.5
\$25,000- 34,999	157	11,208	110	64.8	55.0-74.6	47	35.2	25.4-45.0
\$35,000- 49,999	193	12,634	145	73.5	66.2-80.8	48	26.5	19.2-33.8
\$50,000- 99,999	606	44,108	459	72.8	68.5-77.1	147	27.2	22.9-31.5
\$100,000 - 199,999	406	33,387	295	67.2	61.9-72.5	111	32.8	27.5-38.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 3: HAD COLONOSCOPY CALCULATED VARIABLE (_HADCOLN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Colonoscopy			Did not have Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1973	139,533	1546	74.5	72.0-77.0	427	25.5	23.0-28.0
Native	50	5,288	31	62.6	43.0-82.2	19	37.4	17.8-57.0
Non-Native	1899	131,904	1498	75.1	72.7-77.5	401	24.9	22.5-27.3
45-54	300	33,738	160	54.2	47.9-60.5	140	45.8	39.5-52.1
55-64	425	36,965	336	78.4	73.7-83.1	89	21.6	16.9-26.3
65+	1245	68,271	1050	82.9	80.4-85.4	195	17.1	14.6-19.6
Less Than H.S.	55	6,375	36	57.3	39.5-75.1	19	42.7	24.9-60.5
H.S. or G.E.D.	444	25,535	340	72.9	67.8-78.0	104	27.1	22.0-32.2
Some Post-H.S.	660	62,442	510	74.6	70.7-78.5	150	25.4	21.5-29.3
College Graduate	808	44,594	659	78.4	75.1-81.7	149	21.6	18.3-24.9
Less than \$15,000	68	4,744	40	55.9	41.8-70.0	28	44.1	30.0-58.2
\$15,000- 24,999	130	8,884	103	76.0	66.6-85.4	27	24.0	14.6-33.4
\$25,000- 34,999	209	13,405	160	75.1	68.0-82.2	49	24.9	17.8-32.0
\$35,000- 49,999	209	13,775	161	70.5	62.3-78.7	48	29.5	21.3-37.7
\$50,000- 99,999	508	36,297	420	78.0	72.9-83.1	88	22.0	16.9-27.1
\$100,000 - 199,999	322	24,145	252	77.2	71.9-82.5	70	22.8	17.5-28.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING

TABLE 4: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2968	227,477	2021	64.6	62.6-66.6	159	5.2	4.2- 6.2	788	30.2	28.2-32.2
Male	1525	119,163	1007	62.7	60.0-65.4	72	4.3	3.1- 5.5	446	33.0	30.3-35.7
Female	1443	108,314	1014	66.7	63.8-69.6	87	6.2	4.6- 7.8	342	27.0	24.1-29.9
Native	81	7,808	51	62.3	48.2-76.4	4	4.4	0.1- 8.7	26	33.3	19.2-47.4
Non-Native	2839	215,720	1935	64.7	62.5-66.9	154	5.3	4.3- 6.3	750	30.1	28.1-32.1
45-54	676	71,723	310	44.5	40.4-48.6	20	3.2	1.6- 4.8	346	52.3	48.2-56.4
55-64	907	76,721	637	69.5	66.0-73.0	51	5.9	4.1- 7.7	219	24.5	21.4-27.6
65+	1385	79,033	1074	78.0	75.5-80.5	88	6.4	5.0- 7.8	223	15.6	13.4-17.8
Less Than H.S.	69	9,842	32	41.6	28.7-54.5	7	8.2	1.9-14.5	30	50.2	36.7-63.7
H.S. or G.E.D.	707	46,236	447	60.7	56.6-64.8	36	4.8	3.0- 6.6	224	34.5	30.4-38.6
Some Post-H.S.	973	100,080	653	64.8	61.5-68.1	53	5.3	3.7- 6.9	267	30.0	26.7-33.3
College Graduate	1211	70,667	886	70.4	67.5-73.3	63	5.0	3.6- 6.4	262	24.7	22.0-27.4
Less than \$15,000	89	6,446	38	39.5	27.9-51.1	7	7.1	1.6-12.6	44	53.3	41.3-65.3
\$15,000- 24,999	141	10,061	95	62.6	52.6-72.6	8	6.1	0.4-11.8	38	31.3	21.9-40.7
\$25,000- 34,999	245	16,473	161	61.9	54.5-69.3	12	5.9	2.2- 9.6	72	32.2	24.9-39.5
\$35,000- 49,999	270	19,415	176	64.9	58.2-71.6	21	5.8	3.1- 8.5	73	29.3	22.8-35.8
\$50,000- 99,999	887	68,032	637	67.4	63.7-71.1	45	5.3	3.5- 7.1	205	27.3	23.6-31.0
\$100,000 - 199,999	660	53,791	459	66.5	62.4-70.6	27	3.5	1.9- 5.1	174	30.0	25.9-34.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1525	119,163	1007	62.7	60.0-65.4	72	4.3	3.1- 5.5	446	33.0	30.3-35.7
Non-Native	1457	113,766	957	62.2	59.3-65.1	69	4.3	3.1- 5.5	431	33.6	30.7-36.5
45-54	378	38,679	165	41.3	35.8-46.8	7	1.7	0.3- 3.1	206	57.0	51.5-62.5
55-64	492	40,584	337	68.0	63.3-72.7	25	5.3	3.1- 7.5	130	26.7	22.4-31.0
65+	655	39,900	505	77.9	74.4-81.4	40	5.8	3.8- 7.8	110	16.3	13.2-19.4
H.S. or G.E.D.	424	29,352	252	57.4	52.1-62.7	22	5.2	2.8- 7.6	150	37.4	32.3-42.5
Some Post-H.S.	482	49,814	312	62.5	57.8-67.2	23	4.2	2.4- 6.0	147	33.3	28.6-38.0
College Graduate	569	32,991	418	70.9	66.8-75.0	25	3.9	2.3- 5.5	126	25.2	21.1-29.3
\$15,000- 24,999	61	4,088	36	57.1	43.2-71.0	3	4.3	0.0- 9.2	22	38.6	24.7-52.5
\$25,000- 34,999	115	8,140	71	56.1	44.7-67.5	5	4.4	0.0- 8.9	39	39.5	28.1-50.9
\$35,000- 49,999	132	9,805	89	68.1	59.1-77.1	7	3.8	0.7- 6.9	36	28.1	19.5-36.7
\$50,000- 99,999	478	37,380	327	66.0	61.1-70.9	25	4.6	2.6- 6.6	126	29.4	24.5-34.3
\$100,000 - 199,999	366	31,172	247	62.3	56.6-68.0	13	3.4	1.2- 5.6	106	34.3	28.6-40.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 6: RESPONDENTS AGED 45-75 WHO HAVE HAD A COLONOSCOPY WITHIN THE PAST TEN YEARS (_CLNSCP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy <10 years			Colonoscopy 10+ years			Never had Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1443	108,314	1014	66.7	63.8-69.6	87	6.2	4.6- 7.8	342	27.0	24.1-29.9
Non-Native	1382	101,954	978	67.5	64.6-70.4	85	6.3	4.7- 7.9	319	26.1	23.4-28.8
45-54	298	33,044	145	48.3	42.0-54.6	13	4.9	2.2- 7.6	140	46.8	40.5-53.1
55-64	415	36,137	300	71.2	66.1-76.3	26	6.7	3.8- 9.6	89	22.1	17.4-26.8
65+	730	39,133	569	78.1	74.6-81.6	48	6.9	4.7- 9.1	113	14.9	12.0-17.8
H.S. or G.E.D.	283	16,884	195	66.4	59.9-72.9	14	4.2	1.8- 6.6	74	29.4	23.1-35.7
Some Post-H.S.	491	50,265	341	66.9	62.0-71.8	30	6.4	3.9- 8.9	120	26.7	22.2-31.2
College Graduate	642	37,676	468	69.9	65.8-74.0	38	5.9	3.7- 8.1	136	24.2	20.3-28.1
Less than \$15,000	50	3,608	23	44.4	28.1-60.7	5	7.9	0.5-15.3	22	47.7	31.2-64.2
\$15,000- 24,999	80	5,973	59	66.3	52.6-80.0	5	7.4	0.0-16.4	16	26.3	13.8-38.8
\$25,000- 34,999	130	8,332	90	67.6	58.2-77.0	7	7.4	1.5-13.3	33	25.0	16.6-33.4
\$35,000- 49,999	138	9,610	87	61.6	51.8-71.4	14	7.8	3.5-12.1	37	30.6	21.2-40.0
\$50,000- 99,999	409	30,652	310	69.2	63.3-75.1	20	6.1	3.0- 9.2	79	24.6	18.9-30.3
\$100,000 - 199,999	294	22,619	212	72.3	66.4-78.2	14	3.6	1.4- 5.8	68	24.1	18.4-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 7: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3898	281,227	365	8.0	7.0- 9.0	3533	92.0	91.0-93.0
Male	1925	141,694	163	7.4	6.2- 8.6	1762	92.6	91.4-93.8
Female	1973	139,533	202	8.6	7.2-10.0	1771	91.4	90.0-92.8
Native	90	8,797	5	6.6	0.3-12.9	85	93.4	87.1-99.7
Non-Native	3745	267,444	351	7.9	6.9- 8.9	3394	92.1	91.1-93.1
45-54	681	72,645	32	4.5	2.9- 6.1	649	95.5	93.9-97.1
55-64	921	77,991	60	6.3	4.5- 8.1	861	93.7	91.9-95.5
65+	2291	129,691	273	11.1	9.5-12.7	2018	88.9	87.3-90.5
Less Than H.S.	129	16,098	5	2.6	0.1- 5.1	124	97.4	94.9-99.9
H.S. or G.E.D.	966	59,439	87	7.9	5.9- 9.9	879	92.1	90.1-94.1
Some Post-H.S.	1247	120,298	114	7.7	6.1- 9.3	1133	92.3	90.7-93.9
College Graduate	1546	84,485	159	9.6	7.8-11.4	1387	90.4	88.6-92.2
Less than \$15,000	115	7,975	6	6.5	0.8-12.2	109	93.5	87.8-99.2
\$15,000- 24,999	221	14,629	28	10.8	6.3-15.3	193	89.2	84.7-93.7
\$25,000- 34,999	366	24,613	52	12.2	8.5-15.9	314	87.8	84.1-91.5
\$35,000- 49,999	402	26,409	37	8.3	5.0-11.6	365	91.7	88.4-95.0
\$50,000- 99,999	1114	80,405	83	7.0	5.2- 8.8	1031	93.0	91.2-94.8
\$100,000 - 199,999	728	57,532	70	7.7	5.7- 9.7	658	92.3	90.3-94.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 8: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	141,694	163	7.4	6.2- 8.6	1762	92.6	91.4-93.8
Non-Native	1846	135,540	151	7.0	5.8- 8.2	1695	93.0	91.8-94.2
45-54	381	38,906	18	4.5	2.3- 6.7	363	95.5	93.3-97.7
55-64	496	41,026	32	6.6	4.1- 9.1	464	93.4	90.9-95.9
65+	1046	61,420	113	9.7	7.7-11.7	933	90.3	88.3-92.3
Less Than H.S.	74	9,723	3	3.5	0.0- 7.4	71	96.5	92.6- 100
H.S. or G.E.D.	522	33,904	43	6.9	4.5- 9.3	479	93.1	90.7-95.5
Some Post-H.S.	587	57,856	45	7.3	5.1- 9.5	542	92.7	90.5-94.9
College Graduate	738	39,891	72	8.9	6.7-11.1	666	91.1	88.9-93.3
\$15,000- 24,999	91	5,746	10	11.2	3.8-18.6	81	88.8	81.4-96.2
\$25,000- 34,999	157	11,208	18	9.6	4.7-14.5	139	90.4	85.5-95.3
\$35,000- 49,999	193	12,634	12	7.1	2.2-12.0	181	92.9	88.0-97.8
\$50,000- 99,999	606	44,108	46	7.6	5.2-10.0	560	92.4	90.0-94.8
\$100,000 - 199,999	406	33,387	37	6.8	4.4- 9.2	369	93.2	90.8-95.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 9: HAD SIGMOIDOSCOPY CALCULATED VARIABLE (_HADSIGM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had Sigmoidoscopy			Did not have Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1973	139,533	202	8.6	7.2-10.0	1771	91.4	90.0-92.8
Native	50	5,288	1	2.9	0.0- 8.6	49	97.1	91.4- 100
Non-Native	1899	131,904	200	8.9	7.5-10.3	1699	91.1	89.7-92.5
45-54	300	33,738	14	4.4	2.0- 6.8	286	95.6	93.2-98.0
55-64	425	36,965	28	5.9	3.5- 8.3	397	94.1	91.7-96.5
65+	1245	68,271	160	12.2	10.0-14.4	1085	87.8	85.6-90.0
Less Than H.S.	55	6,375	2	1.3	0.0- 3.3	53	98.7	96.7- 100
H.S. or G.E.D.	444	25,535	44	9.1	6.0-12.2	400	90.9	87.8-94.0
Some Post-H.S.	660	62,442	69	8.1	5.9-10.3	591	91.9	89.7-94.1
College Graduate	808	44,594	87	10.2	7.8-12.6	721	89.8	87.4-92.2
Less than \$15,000	68	4,744	5	8.2	0.4-16.0	63	91.8	84.0-99.6
\$15,000- 24,999	130	8,884	18	10.5	4.8-16.2	112	89.5	83.8-95.2
\$25,000- 34,999	209	13,405	34	14.3	8.8-19.8	175	85.7	80.2-91.2
\$35,000- 49,999	209	13,775	25	9.4	5.1-13.7	184	90.6	86.3-94.9
\$50,000- 99,999	508	36,297	37	6.3	3.9- 8.7	471	93.7	91.3-96.1
\$100,000 - 199,999	322	24,145	33	9.0	5.7-12.3	289	91.0	87.7-94.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 10: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2985	229,288	108	3.4	2.6- 4.2	109	3.1	2.5- 3.7	2768	93.6	92.6-94.6
Male	1533	119,881	57	3.5	2.5- 4.5	48	2.7	1.9- 3.5	1428	93.9	92.5-95.3
Female	1452	109,407	51	3.3	2.3- 4.3	61	3.5	2.5- 4.5	1340	93.3	91.9-94.7
Native	84	8,530	3	4.2	0.0- 9.5	1	1.8	0.0- 5.3	80	94.0	87.7- 100
Non-Native	2852	216,714	102	3.3	2.5- 4.1	106	3.1	2.5- 3.7	2644	93.6	92.6-94.6
45-54	679	72,477	16	2.3	1.1- 3.5	14	2.0	0.8- 3.2	649	95.8	94.2-97.4
55-64	916	77,644	30	3.4	2.0- 4.8	25	2.5	1.3- 3.7	861	94.1	92.3-95.9
65+	1390	79,167	62	4.4	3.2- 5.6	70	4.6	3.4- 5.8	1258	91.0	89.2-92.8
Less Than H.S.	73	10,728	2	2.0	0.0- 4.7				71	98.0	95.3- 100
H.S. or G.E.D.	714	46,733	29	4.1	2.5- 5.7	23	2.1	1.1- 3.1	662	93.8	91.8-95.8
Some Post-H.S.	970	99,872	36	3.2	2.0- 4.4	30	2.8	1.6- 4.0	904	94.0	92.4-95.6
College Graduate	1219	71,208	41	3.5	2.3- 4.7	56	4.5	3.1- 5.9	1122	92.1	90.3-93.9
Less than \$15,000	91	6,465	2	2.0	0.0- 4.7	2	1.6	0.0- 3.8	87	96.5	93.0- 100
\$15,000- 24,999	142	10,154	16	11.3	5.4-17.2	5	1.5	0.0- 3.1	121	87.2	81.1-93.3
\$25,000- 34,999	243	16,323	16	6.2	2.9- 9.5	14	4.9	2.0- 7.8	213	88.9	84.6-93.2
\$35,000- 49,999	271	19,509	7	4.2	0.7- 7.7	9	2.5	0.5- 4.5	255	93.3	89.4-97.2
\$50,000- 99,999	886	68,330	23	2.1	1.1- 3.1	25	3.1	1.7- 4.5	838	94.8	93.0-96.6
\$100,000 - 199,999	664	54,045	26	3.5	2.1- 4.9	30	3.5	2.1- 4.9	608	93.0	91.0-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 11: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1533	119,881	57	3.5	2.5- 4.5	48	2.7	1.9- 3.5	1428	93.9	92.5-95.3
Non-Native	1463	114,267	51	3.2	2.2- 4.2	46	2.7	1.7- 3.7	1366	94.1	92.7-95.5
45-54	379	38,739	8	1.9	0.5- 3.3	8	2.2	0.6- 3.8	363	95.9	93.7-98.1
55-64	494	40,909	19	4.2	2.0- 6.4	11	2.1	0.7- 3.5	464	93.7	91.2-96.2
65+	660	40,233	30	4.3	2.7- 5.9	29	3.6	2.2- 5.0	601	92.1	89.9-94.3
H.S. or G.E.D.	426	29,428	17	3.9	1.9- 5.9	11	1.5	0.5- 2.5	398	94.6	92.4-96.8
Some Post-H.S.	486	50,220	15	2.9	1.3- 4.5	16	3.3	1.5- 5.1	455	93.8	91.4-96.2
College Graduate	570	33,133	23	4.1	2.3- 5.9	21	3.3	1.7- 4.9	526	92.6	90.2-95.0
\$15,000- 24,999	62	4,137	9	15.2	5.2-25.2	1	0.3	0.0- 0.9	52	84.5	74.5-94.5
\$25,000- 34,999	115	8,140	7	6.3	1.4-11.2	5	3.5	0.0- 7.0	103	90.2	84.3-96.1
\$35,000- 49,999	131	9,731	5	6.5	0.6-12.4	2	0.7	0.0- 1.9	124	92.8	86.7-98.9
\$50,000- 99,999	477	37,295	11	2.1	0.7- 3.5	14	3.4	1.4- 5.4	452	94.5	92.1-96.9
\$100,000 - 199,999	369	31,428	16	3.5	1.7- 5.3	14	2.8	1.0- 4.6	339	93.7	91.2-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 12: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST FIVE YEARS (_SGMSCP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <5 years			Sigmoidoscopy 5+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1452	109,407	51	3.3	2.3- 4.3	61	3.5	2.5- 4.5	1340	93.3	91.9-94.7
Non-Native	1389	102,447	51	3.5	2.3- 4.7	60	3.6	2.6- 4.6	1278	93.0	91.4-94.6
45-54	300	33,738	8	2.7	0.7- 4.7	6	1.7	0.3- 3.1	286	95.6	93.2-98.0
55-64	422	36,735	11	2.5	0.9- 4.1	14	2.9	1.3- 4.5	397	94.7	92.5-96.9
65+	730	38,934	32	4.5	2.7- 6.3	41	5.6	3.6- 7.6	657	89.9	87.4-92.4
H.S. or G.E.D.	288	17,304	12	4.3	1.4- 7.2	12	3.3	0.9- 5.7	264	92.4	88.9-95.9
Some Post-H.S.	484	49,652	21	3.4	1.8- 5.0	14	2.3	0.9- 3.7	449	94.3	92.1-96.5
College Graduate	649	38,075	18	2.9	1.3- 4.5	35	5.4	3.4- 7.4	596	91.6	89.1-94.1
Less than \$15,000	51	3,617	2	3.6	0.0- 8.7	2	2.8	0.0- 6.7	47	93.7	87.4- 100
\$15,000- 24,999	80	6,017	7	8.6	1.5-15.7	4	2.3	0.0- 4.8	69	89.1	81.7-96.5
\$25,000- 34,999	128	8,183	9	6.1	1.4-10.8	9	6.3	1.6-11.0	110	87.5	81.0-94.0
\$35,000- 49,999	140	9,779	2	1.9	0.0- 5.4	7	4.3	0.6- 8.0	131	93.8	88.9-98.7
\$50,000- 99,999	409	31,035	12	2.3	0.9- 3.7	11	2.7	0.7- 4.7	386	95.0	92.6-97.4
\$100,000 - 199,999	295	22,617	10	3.5	1.3- 5.7	16	4.4	2.0- 6.8	269	92.1	89.0-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 13: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS102)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2985	229,288	132	4.2	3.4- 5.0	85	2.2	1.6- 2.8	2768	93.6	92.6-94.6
Male	1533	119,881	71	4.4	3.2- 5.6	34	1.7	1.1- 2.3	1428	93.9	92.5-95.3
Female	1452	109,407	61	4.0	2.8- 5.2	51	2.7	1.7- 3.7	1340	93.3	91.9-94.7
Native	84	8,530	4	6.0	0.0-12.3				80	94.0	87.7- 100
Non-Native	2852	216,714	125	4.1	3.3- 4.9	83	2.3	1.7- 2.9	2644	93.6	92.6-94.6
45-54	679	72,477	19	2.7	1.3- 4.1	11	1.5	0.5- 2.5	649	95.8	94.2-97.4
55-64	916	77,644	40	4.6	3.0- 6.2	15	1.3	0.5- 2.1	861	94.1	92.3-95.9
65+	1390	79,167	73	5.3	3.9- 6.7	59	3.7	2.5- 4.9	1258	91.0	89.2-92.8
Less Than H.S.	73	10,728	2	2.0	0.0- 4.7				71	98.0	95.3- 100
H.S. or G.E.D.	714	46,733	34	4.6	2.8- 6.4	18	1.6	0.6- 2.6	662	93.8	91.8-95.8
Some Post-H.S.	970	99,872	46	4.2	2.8- 5.6	20	1.8	1.0- 2.6	904	94.0	92.4-95.6
College Graduate	1219	71,208	50	4.4	3.0- 5.8	47	3.6	2.4- 4.8	1122	92.1	90.3-93.9
Less than \$15,000	91	6,465	2	2.0	0.0- 4.7	2	1.6	0.0- 3.8	87	96.5	93.0- 100
\$15,000- 24,999	142	10,154	16	11.3	5.4-17.2	5	1.5	0.0- 3.1	121	87.2	81.1-93.3
\$25,000- 34,999	243	16,323	21	8.2	4.5-11.9	9	3.0	0.6- 5.4	213	88.9	84.6-93.2
\$35,000- 49,999	271	19,509	10	5.7	2.0- 9.4	6	1.0	0.0- 2.0	255	93.3	89.4-97.2
\$50,000- 99,999	886	68,330	27	2.7	1.5- 3.9	21	2.5	1.3- 3.7	838	94.8	93.0-96.6
\$100,000 - 199,999	664	54,045	32	4.4	2.8- 6.0	24	2.5	1.3- 3.7	608	93.0	91.0-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS102)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1533	119,881	71	4.4	3.2- 5.6	34	1.7	1.1- 2.3	1428	93.9	92.5-95.3
Non-Native	1463	114,267	65	4.2	3.0- 5.4	32	1.7	1.1- 2.3	1366	94.1	92.7-95.5
45-54	379	38,739	11	2.8	1.0- 4.6	5	1.4	0.2- 2.6	363	95.9	93.7-98.1
55-64	494	40,909	24	5.3	2.9- 7.7	6	1.1	0.1- 2.1	464	93.7	91.2-96.2
65+	660	40,233	36	5.2	3.4- 7.0	23	2.7	1.5- 3.9	601	92.1	89.9-94.3
H.S. or G.E.D.	426	29,428	20	4.4	2.2- 6.6	8	1.0	0.2- 1.8	398	94.6	92.4-96.8
Some Post-H.S.	486	50,220	22	4.5	2.5- 6.5	9	1.7	0.5- 2.9	455	93.8	91.4-96.2
College Graduate	570	33,133	27	4.7	2.7- 6.7	17	2.7	1.3- 4.1	526	92.6	90.2-95.0
\$15,000- 24,999	62	4,137	9	15.2	5.2-25.2	1	0.3	0.0- 0.9	52	84.5	74.5-94.5
\$25,000- 34,999	115	8,140	9	7.9	2.4-13.4	3	1.9	0.0- 4.4	103	90.2	84.3-96.1
\$35,000- 49,999	131	9,731	5	6.5	0.6-12.4	2	0.7	0.0- 1.9	124	92.8	86.7-98.9
\$50,000- 99,999	477	37,295	14	2.9	1.1- 4.7	11	2.6	1.0- 4.2	452	94.5	92.1-96.9
\$100,000 - 199,999	369	31,428	21	4.9	2.5- 7.3	9	1.5	0.5- 2.5	339	93.7	91.2-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS (_SGMS102)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy <10 years			Sigmoidoscopy 10+ years			Never had Sigmoidoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1452	109,407	61	4.0	2.8- 5.2	51	2.7	1.7- 3.7	1340	93.3	91.9-94.7
Non-Native	1389	102,447	60	4.1	2.9- 5.3	51	2.9	1.9- 3.9	1278	93.0	91.4-94.6
45-54	300	33,738	8	2.7	0.7- 4.7	6	1.7	0.3- 3.1	286	95.6	93.2-98.0
55-64	422	36,735	16	3.8	1.8- 5.8	9	1.6	0.4- 2.8	397	94.7	92.5-96.9
65+	730	38,934	37	5.3	3.3- 7.3	36	4.7	2.9- 6.5	657	89.9	87.4-92.4
H.S. or G.E.D.	288	17,304	14	5.0	2.1- 7.9	10	2.6	0.4- 4.8	264	92.4	88.9-95.9
Some Post-H.S.	484	49,652	24	3.9	2.1- 5.7	11	1.8	0.6- 3.0	449	94.3	92.1-96.5
College Graduate	649	38,075	23	4.1	2.1- 6.1	30	4.3	2.5- 6.1	596	91.6	89.1-94.1
Less than \$15,000	51	3,617	2	3.6	0.0- 8.7	2	2.8	0.0- 6.7	47	93.7	87.4- 100
\$15,000- 24,999	80	6,017	7	8.6	1.5-15.7	4	2.3	0.0- 4.8	69	89.1	81.7-96.5
\$25,000- 34,999	128	8,183	12	8.4	3.1-13.7	6	4.1	0.2- 8.0	110	87.5	81.0-94.0
\$35,000- 49,999	140	9,779	5	4.8	0.1- 9.5	4	1.4	0.0- 3.0	131	93.8	88.9-98.7
\$50,000- 99,999	409	31,035	13	2.5	0.9- 4.1	10	2.5	0.7- 4.3	386	95.0	92.6-97.4
\$100,000 - 199,999	295	22,617	11	3.8	1.4- 6.2	15	4.0	1.6- 6.4	269	92.1	89.0-95.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 16: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFB LDS6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2950	227,553	193	6.4	5.4- 7.4	348	11.4	10.0-12.8	2409	82.3	80.7-83.9
Male	1510	118,362	90	5.6	4.2- 7.0	155	9.9	8.1-11.7	1265	84.6	82.6-86.6
Female	1440	109,191	103	7.3	5.7- 8.9	193	13.0	10.8-15.2	1144	79.8	77.3-82.3
Native	82	8,415	7	8.0	0.9-15.1	9	15.7	3.0-28.4	66	76.3	62.8-89.8
Non-Native	2824	215,532	183	6.2	5.2- 7.2	337	11.3	9.9-12.7	2304	82.5	80.9-84.1
45-54	681	72,647	53	7.9	5.7-10.1	59	9.3	6.8-11.8	569	82.8	79.5-86.1
55-64	902	76,416	47	4.9	3.3- 6.5	102	10.7	8.5-12.9	753	84.4	81.9-86.9
65+	1367	78,490	93	6.3	4.9- 7.7	187	13.9	11.7-16.1	1087	79.7	77.3-82.1
Less Than H.S.	72	10,453	3	3.6	0.0- 7.7	3	7.4	0.0-17.2	66	89.0	78.6-99.4
H.S. or G.E.D.	704	46,531	48	6.2	4.2- 8.2	65	9.8	7.3-12.3	591	84.1	81.2-87.0
Some Post-H.S.	965	99,758	57	6.4	4.6- 8.2	132	12.6	10.4-14.8	776	81.0	78.3-83.7
College Graduate	1201	70,123	85	7.0	5.4- 8.6	148	11.3	9.3-13.3	968	81.7	79.3-84.1
Less than \$15,000	89	6,298	11	11.3	3.7-18.9	9	8.7	2.8-14.6	69	80.0	70.8-89.2
\$15,000- 24,999	140	10,103	5	3.6	0.1- 7.1	17	12.1	5.6-18.6	118	84.2	76.9-91.5
\$25,000- 34,999	240	16,295	14	4.9	2.0- 7.8	30	11.3	7.0-15.6	196	83.8	78.7-88.9
\$35,000- 49,999	270	19,703	17	5.7	2.4- 9.0	28	10.6	6.1-15.1	225	83.7	78.4-89.0
\$50,000- 99,999	877	67,624	58	6.7	4.7- 8.7	112	12.6	9.9-15.3	707	80.6	77.5-83.7
\$100,000 - 199,999	659	53,707	47	7.0	4.8- 9.2	86	12.0	9.3-14.7	526	81.0	77.7-84.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 17: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFB LDS6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1510	118,362	90	5.6	4.2- 7.0	155	9.9	8.1-11.7	1265	84.6	82.6-86.6
Non-Native	1443	113,028	85	5.4	4.2- 6.6	147	9.7	7.9-11.5	1211	84.9	82.9-86.9
45-54	381	39,060	27	7.1	4.2-10.0	29	7.6	4.9-10.3	325	85.3	81.4-89.2
55-64	488	40,233	24	4.1	2.3- 5.9	52	10.6	7.5-13.7	412	85.3	82.0-88.6
65+	641	39,069	39	5.5	3.5- 7.5	74	11.4	8.7-14.1	528	83.0	79.7-86.3
H.S. or G.E.D.	422	29,378	27	5.6	3.4- 7.8	35	9.4	6.1-12.7	360	85.0	81.3-88.7
Some Post-H.S.	476	49,547	27	5.7	3.3- 8.1	56	10.9	8.0-13.8	393	83.4	79.9-86.9
College Graduate	561	32,472	34	5.6	3.6- 7.6	62	10.1	7.4-12.8	465	84.2	81.1-87.3
\$15,000- 24,999	60	4,067	3	3.4	0.0- 7.5	8	13.6	3.8-23.4	49	83.0	72.6-93.4
\$25,000- 34,999	113	8,040	6	4.7	1.0- 8.4	13	8.2	3.1-13.3	94	87.1	80.8-93.4
\$35,000- 49,999	131	9,724	6	5.2	0.1-10.3	16	13.3	6.2-20.4	109	81.5	73.3-89.7
\$50,000- 99,999	471	36,626	28	5.5	3.1- 7.9	48	9.8	6.9-12.7	395	84.7	81.2-88.2
\$100,000 - 199,999	364	31,030	20	5.7	3.2- 8.2	37	10.7	7.2-14.2	307	83.6	79.3-87.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 18: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL TEST WITHIN THE PAST YEAR (_RFBIDS6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Blood stool test <1 year			Blood stool test >1+ years			Never had Blood Stool test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1440	109,191	103	7.3	5.7- 8.9	193	13.0	10.8-15.2	1144	79.8	77.3-82.3
Non-Native	1381	102,504	98	7.1	5.5- 8.7	190	13.1	11.1-15.1	1093	79.7	77.2-82.2
45-54	300	33,587	26	8.9	5.4-12.4	30	11.2	6.7-15.7	244	79.9	74.4-85.4
55-64	414	36,183	23	5.9	3.2- 8.6	50	10.8	7.7-13.9	341	83.3	79.4-87.2
65+	726	39,421	54	7.1	4.9- 9.3	113	16.4	13.3-19.5	559	76.5	73.0-80.0
H.S. or G.E.D.	282	17,153	21	7.1	3.6-10.6	30	10.4	6.5-14.3	231	82.5	77.4-87.6
Some Post-H.S.	489	50,211	30	7.1	4.6- 9.6	76	14.3	11.0-17.6	383	78.6	74.5-82.7
College Graduate	640	37,651	51	8.1	5.6-10.6	86	12.4	9.7-15.1	503	79.5	76.0-83.0
\$15,000- 24,999	80	6,036	2	3.8	0.0- 9.1	9	11.2	2.6-19.8	69	85.1	75.3-94.9
\$25,000- 34,999	127	8,255	8	5.1	0.8- 9.4	17	14.3	7.4-21.2	102	80.6	72.8-88.4
\$35,000- 49,999	139	9,979	11	6.2	1.7-10.7	12	7.9	2.8-13.0	116	85.9	79.2-92.6
\$50,000- 99,999	406	30,998	30	8.3	5.0-11.6	64	16.0	11.3-20.7	312	75.8	70.3-81.3
\$100,000 - 199,999	295	22,677	27	8.8	5.3-12.3	49	13.7	9.6-17.8	219	77.4	72.3-82.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING

TABLE 19: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2943	226,762	168	5.3	4.3- 6.3	35	1.1	0.7- 1.5	2740	93.6	92.6-94.6
Male	1505	118,136	67	4.1	3.1- 5.1	15	0.9	0.3- 1.5	1423	95.0	93.8-96.2
Female	1438	108,627	101	6.7	5.1- 8.3	20	1.2	0.6- 1.8	1317	92.1	90.5-93.7
Native	82	8,417	4	3.3	0.0- 6.6				78	96.7	93.4- 100
Non-Native	2816	214,605	164	5.5	4.5- 6.5	35	1.1	0.7- 1.5	2617	93.4	92.4-94.4
45-54	678	72,421	49	7.0	4.8- 9.2	5	0.6	0.0- 1.2	624	92.4	90.2-94.6
55-64	900	76,091	44	4.2	2.8- 5.6	13	1.5	0.5- 2.5	843	94.2	92.6-95.8
65+	1365	78,250	75	4.9	3.5- 6.3	17	1.0	0.4- 1.6	1273	94.1	92.7-95.5
Less Than H.S.	71	10,317	3	2.8	0.0- 5.9				68	97.2	94.1- 100
H.S. or G.E.D.	700	46,130	43	5.8	3.8- 7.8	11	1.6	0.6- 2.6	646	92.6	90.4-94.8
Some Post-H.S.	962	99,422	52	5.0	3.4- 6.6	10	1.0	0.4- 1.6	900	93.9	92.3-95.5
College Graduate	1202	70,205	70	5.9	4.3- 7.5	14	0.9	0.3- 1.5	1118	93.2	91.6-94.8
Less than \$15,000	89	6,298	10	9.6	3.1-16.1				79	90.4	83.9-96.9
\$15,000- 24,999	139	10,041	5	2.7	0.0- 6.0	2	1.0	0.0- 2.6	132	96.2	92.5-99.9
\$25,000- 34,999	237	16,118	20	6.5	3.2- 9.8	3	1.2	0.0- 2.8	214	92.3	88.8-95.8
\$35,000- 49,999	268	19,389	14	4.8	2.1- 7.5	2	0.4	0.0- 1.0	252	94.8	92.1-97.5
\$50,000- 99,999	873	67,107	39	4.8	3.0- 6.6	14	1.4	0.6- 2.2	820	93.8	91.8-95.8
\$100,000 - 199,999	659	53,749	44	7.1	4.9- 9.3	8	1.2	0.2- 2.2	607	91.7	89.3-94.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 20: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1505	118,136	67	4.1	3.1- 5.1	15	0.9	0.3- 1.5	1423	95.0	93.8-96.2
Non-Native	1439	112,832	66	4.2	3.0- 5.4	15	1.0	0.4- 1.6	1358	94.8	93.6-96.0
45-54	381	39,060	19	5.0	2.6- 7.4	2	0.5	0.0- 1.1	360	94.5	92.0-97.0
55-64	488	40,300	24	4.0	2.4- 5.6	6	1.5	0.3- 2.7	458	94.4	92.2-96.6
65+	636	38,776	24	3.2	1.8- 4.6	7	0.7	0.1- 1.3	605	96.1	94.5-97.7
H.S. or G.E.D.	422	29,406	21	5.0	2.6- 7.4	7	1.6	0.2- 3.0	394	93.4	90.7-96.1
Some Post-H.S.	475	49,494	19	3.7	1.9- 5.5	4	0.9	0.0- 1.9	452	95.4	93.4-97.4
College Graduate	558	32,406	27	4.7	2.7- 6.7	4	0.5	0.0- 1.1	527	94.8	92.8-96.8
\$15,000- 24,999	60	4,067	2	2.1	0.0- 5.6	1	2.0	0.0- 5.9	57	95.9	90.8- 100
\$25,000- 34,999	111	7,961	5	2.6	0.1- 5.1	1	0.5	0.0- 1.5	105	96.9	94.2-99.6
\$35,000- 49,999	131	9,724	9	6.8	2.3-11.3	2	0.9	0.0- 2.3	120	92.3	87.6-97.0
\$50,000- 99,999	466	36,296	11	2.3	0.9- 3.7	5	1.1	0.0- 2.3	450	96.6	94.8-98.4
\$100,000 - 199,999	365	31,109	17	5.8	3.1- 8.5	4	1.2	0.0- 2.4	344	93.0	89.9-96.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING

TABLE 21: RESPONDENTS AGED 45-75 WHO HAVE HAD A STOOL DNA TEST WITHIN THE PAST THREE YEARS (_STOLDN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Stool DNA test <3 years			Stool DNA test >3+ years			Never had StoolDNA test		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1438	108,627	101	6.7	5.1- 8.3	20	1.2	0.6- 1.8	1317	92.1	90.5-93.7
Non-Native	1377	101,773	98	6.9	5.3- 8.5	20	1.3	0.7- 1.9	1259	91.8	90.0-93.6
45-54	297	33,361	30	9.3	5.8-12.8	3	0.7	0.0- 1.5	264	90.0	86.5-93.5
55-64	412	35,792	20	4.5	2.3- 6.7	7	1.5	0.3- 2.7	385	94.0	91.5-96.5
65+	729	39,474	51	6.5	4.3- 8.7	10	1.3	0.5- 2.1	668	92.2	89.8-94.6
H.S. or G.E.D.	278	16,724	22	7.1	3.6-10.6	4	1.8	0.0- 3.6	252	91.1	87.2-95.0
Some Post-H.S.	487	49,927	33	6.4	4.0- 8.8	6	1.1	0.1- 2.1	448	92.5	90.0-95.0
College Graduate	644	37,800	43	7.0	4.6- 9.4	10	1.1	0.3- 1.9	591	91.9	89.5-94.3
\$15,000- 24,999	79	5,974	3	3.1	0.0- 8.0	1	0.4	0.0- 1.2	75	96.5	91.6- 100
\$25,000- 34,999	126	8,157	15	10.2	4.3-16.1	2	2.0	0.0- 4.7	109	87.9	81.4-94.4
\$35,000- 49,999	137	9,664	5	2.7	0.0- 5.6				132	97.3	94.4- 100
\$50,000- 99,999	407	30,811	28	7.8	4.5-11.1	9	1.8	0.4- 3.2	370	90.5	87.0-94.0
\$100,000 - 199,999	294	22,640	27	8.9	5.4-12.4	4	1.2	0.0- 2.4	263	89.9	86.2-93.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

**TABLE 22: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2933	225,951	44	1.3	0.9- 1.7	15	0.5	0.3- 0.7	2874	98.2	97.6-98.8
Male	1504	117,765	15	0.7	0.3- 1.1	6	0.4	0.0- 0.8	1483	98.9	98.3-99.5
Female	1429	108,186	29	2.0	1.0- 3.0	9	0.6	0.2- 1.0	1391	97.4	96.4-98.4
Native	81	8,357	4	4.6	0.0- 9.9	1	1.3	0.0- 3.8	76	94.1	88.2- 100
Non-Native	2807	213,853	40	1.2	0.8- 1.6	11	0.3	0.1- 0.5	2756	98.5	98.1-98.9
45-54	680	72,392	4	0.6	0.0- 1.2	1	0.2	0.0- 0.6	675	99.2	98.6-99.8
55-64	893	75,705	12	1.4	0.4- 2.4	5	0.7	0.1- 1.3	876	97.9	96.7-99.1
65+	1360	77,854	28	1.9	1.1- 2.7	9	0.6	0.2- 1.0	1323	97.5	96.5-98.5
Less Than H.S.	70	10,312	3	3.7	0.0- 8.2	1	1.3	0.0- 3.8	66	95.1	90.0- 100
H.S. or G.E.D.	701	46,190	15	2.4	0.8- 4.0	2	0.4	0.0- 1.0	684	97.2	95.6-98.8
Some Post-H.S.	956	98,595	13	1.0	0.4- 1.6	7	0.6	0.0- 1.2	936	98.4	97.6-99.2
College Graduate	1198	70,166	13	0.7	0.3- 1.1	5	0.3	0.1- 0.5	1180	99.0	98.4-99.6
Less than \$15,000	87	6,107	2	3.3	0.0- 7.8	3	2.5	0.0- 5.4	82	94.2	88.9-99.5
\$15,000- 24,999	135	9,938	4	4.5	0.0- 9.2	1	1.3	0.0- 3.8	130	94.2	88.9-99.5
\$25,000- 34,999	240	16,210	4	1.4	0.0- 3.0	4	1.4	0.0- 3.0	232	97.2	95.0-99.4
\$35,000- 49,999	267	19,412	5	2.2	0.0- 4.9	3	1.1	0.0- 2.7	259	96.7	93.6-99.8
\$50,000- 99,999	872	67,121	16	1.4	0.6- 2.2	3	0.3	0.0- 0.7	853	98.3	97.5-99.1
\$100,000 - 199,999	658	53,568	6	0.6	0.0- 1.2				652	99.4	98.8- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 23: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1504	117,765	15	0.7	0.3- 1.1	6	0.4	0.0- 0.8	1483	98.9	98.3-99.5
Non-Native	1437	112,430	13	0.6	0.2- 1.0	5	0.3	0.0- 0.7	1419	99.1	98.7-99.5
45-54	382	39,233	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	380	99.5	98.9- 100
55-64	483	39,801	6	1.2	0.2- 2.2	1	0.3	0.0- 0.9	476	98.5	97.3-99.7
65+	639	38,731	8	0.7	0.1- 1.3	4	0.5	0.0- 1.1	627	98.8	98.0-99.6
H.S. or G.E.D.	422	29,262	5	0.9	0.0- 1.9	1	0.4	0.0- 1.2	416	98.7	97.5-99.9
Some Post-H.S.	473	49,221	3	0.4	0.0- 0.8	3	0.4	0.0- 0.8	467	99.2	98.6-99.8
College Graduate	559	32,432	6	0.8	0.0- 1.6	1	0.1	0.0- 0.3	552	99.1	98.3-99.9
\$15,000- 24,999	58	3,961	1	2.7	0.0- 8.0	1	3.3	0.0- 9.8	56	94.0	86.0- 100
\$25,000- 34,999	113	7,955	2	1.2	0.0- 3.0	1	0.6	0.0- 1.8	110	98.2	96.0- 100
\$35,000- 49,999	131	9,656	2	0.7	0.0- 1.9	1	0.4	0.0- 1.2	128	98.9	97.5- 100
\$50,000- 99,999	469	36,493	6	0.9	0.1- 1.7	2	0.5	0.0- 1.3	461	98.7	97.7-99.7
\$100,000 - 199,999	363	30,941	2	0.4	0.0- 1.0				361	99.6	99.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING

TABLE 24: RESPONDENTS AGED 45-75 WHO HAVE HAD A VIRTUAL COLONOSCOPY WITHIN THE PAST FIVE YEARS (_VIRCOL2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Virtual colonoscopy <5 years			Virtual colonoscopy 5+ years			Never had virtual colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1429	108,186	29	2.0	1.0- 3.0	9	0.6	0.2- 1.0	1391	97.4	96.4-98.4
Non-Native	1370	101,423	27	1.9	1.1- 2.7	6	0.2	0.0- 0.4	1337	97.8	96.8-98.8
45-54	298	33,159	3	1.1	0.0- 2.3				295	98.9	97.7- 100
55-64	410	35,904	6	1.6	0.0- 3.4	4	1.1	0.0- 2.3	400	97.3	95.1-99.5
65+	721	39,123	20	3.2	1.6- 4.8	5	0.6	0.0- 1.2	696	96.2	94.4-98.0
H.S. or G.E.D.	279	16,928	10	5.0	1.1- 8.9	1	0.4	0.0- 1.2	268	94.6	90.7-98.5
Some Post-H.S.	483	49,374	10	1.6	0.6- 2.6	4	0.9	0.0- 1.9	469	97.6	96.2-99.0
College Graduate	639	37,734	7	0.6	0.0- 1.2	4	0.4	0.0- 0.8	628	98.9	98.3-99.5
\$15,000- 24,999	77	5,978	3	5.7	0.0-13.0				74	94.3	87.0- 100
\$25,000- 34,999	127	8,255	2	1.5	0.0- 3.9	3	2.1	0.0- 4.8	122	96.4	92.9-99.9
\$35,000- 49,999	136	9,756	3	3.6	0.0- 8.9	2	1.8	0.0- 4.7	131	94.6	88.7- 100
\$50,000- 99,999	403	30,628	10	2.1	0.5- 3.7	1	0.1	0.0- 0.3	392	97.8	96.2-99.4
\$100,000 - 199,999	295	22,627	4	0.9	0.0- 1.9				291	99.1	98.1- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 25: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTI2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2903	223,856	6	0.2	0.0- 0.4	683	22.2	20.4-24.0	2214	77.7	75.9-79.5
Male	1490	116,895	3	0.2	0.0- 0.4	312	19.4	17.2-21.6	1175	80.4	78.2-82.6
Female	1413	106,961	3	0.2	0.0- 0.4	371	25.1	22.4-27.8	1039	74.6	71.9-77.3
Native	81	8,391				18	27.0	13.3-40.7	63	73.0	59.3-86.7
Non-Native	2778	211,859	6	0.2	0.0- 0.4	658	22.0	20.2-23.8	2114	77.8	76.0-79.6
45-54	671	71,583				133	20.2	16.7-23.7	538	79.8	76.3-83.3
55-64	891	75,475	2	0.2	0.0- 0.4	182	19.4	16.5-22.3	707	80.5	77.6-83.4
65+	1341	76,797	4	0.4	0.0- 0.8	368	26.8	24.1-29.5	969	72.9	70.2-75.6
Less Than H.S.	70	10,272				7	12.4	1.8-23.0	63	87.6	77.0-98.2
H.S. or G.E.D.	687	45,307	2	0.3	0.0- 0.7	147	20.2	16.9-23.5	538	79.5	76.2-82.8
Some Post-H.S.	948	98,021	2	0.2	0.0- 0.4	231	22.9	20.0-25.8	715	76.9	74.0-79.8
College Graduate	1191	69,635	2	0.2	0.0- 0.4	298	24.0	21.3-26.7	891	75.8	73.1-78.5
Less than \$15,000	87	6,131	1	1.3	0.0- 3.8	20	19.9	10.7-29.1	66	78.8	69.4-88.2
\$15,000- 24,999	136	9,848	1	0.6	0.0- 1.8	36	25.6	17.0-34.2	99	73.8	65.2-82.4
\$25,000- 34,999	237	16,064	1	0.6	0.0- 1.8	61	21.7	16.0-27.4	175	77.7	71.8-83.6
\$35,000- 49,999	264	19,114				57	20.5	14.6-26.4	207	79.5	73.6-85.4
\$50,000- 99,999	869	67,065				205	23.2	19.9-26.5	664	76.8	73.5-80.1
\$100,000 - 199,999	655	53,229	2	0.3	0.0- 0.7	173	23.7	20.2-27.2	480	76.1	72.6-79.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 26: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTI2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1490	116,895	3	0.2	0.0- 0.4	312	19.4	17.2-21.6	1175	80.4	78.2-82.6
Non-Native	1424	111,584	3	0.2	0.0- 0.4	296	19.0	16.8-21.2	1125	80.8	78.6-83.0
45-54	375	38,326				66	17.1	13.0-21.2	309	82.9	78.8-87.0
55-64	481	39,814	1	0.2	0.0- 0.6	91	18.0	14.3-21.7	389	81.8	78.1-85.5
65+	634	38,755	2	0.3	0.0- 0.7	155	23.2	19.5-26.9	477	76.5	72.8-80.2
H.S. or G.E.D.	410	28,557	2	0.5	0.0- 1.1	75	17.6	13.5-21.7	333	82.0	77.9-86.1
Some Post-H.S.	474	49,246				105	20.6	16.7-24.5	369	79.4	75.5-83.3
College Graduate	557	32,290	1	0.2	0.0- 0.6	126	21.0	17.3-24.7	430	78.8	75.1-82.5
\$15,000- 24,999	59	3,969	1	1.4	0.0- 4.1	17	28.2	15.5-40.9	41	70.4	57.5-83.3
\$25,000- 34,999	113	8,040				27	18.9	11.3-26.5	86	81.1	73.5-88.7
\$35,000- 49,999	128	9,573				27	22.2	13.6-30.8	101	77.8	69.2-86.4
\$50,000- 99,999	468	36,447				92	18.9	15.0-22.8	376	81.1	77.2-85.0
\$100,000 - 199,999	362	30,763	1	0.2	0.0- 0.6	78	20.2	15.7-24.7	283	79.6	75.1-84.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 27: RESPONDENTS AGED 45-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST TEN YEARS AND A BLOOD STOOL TEST IN THE PAST YEAR (_SBONTI2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Both on time			At least one not on time			Never had either		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1413	106,961	3	0.2	0.0- 0.4	371	25.1	22.4-27.8	1039	74.6	71.9-77.3
Non-Native	1354	100,275	3	0.2	0.0- 0.4	362	25.4	22.7-28.1	989	74.4	71.7-77.1
45-54	296	33,258				67	23.7	18.0-29.4	229	76.3	70.6-82.0
55-64	410	35,662	1	0.2	0.0- 0.6	91	20.9	16.6-25.2	318	78.9	74.6-83.2
65+	707	38,041	2	0.5	0.0- 1.1	213	30.4	26.5-34.3	492	69.1	65.2-73.0
H.S. or G.E.D.	277	16,749				72	24.8	18.9-30.7	205	75.2	69.3-81.1
Some Post-H.S.	474	48,775	2	0.4	0.0- 1.0	126	25.2	20.9-29.5	346	74.4	70.1-78.7
College Graduate	634	37,345	1	0.2	0.0- 0.6	172	26.5	22.6-30.4	461	73.3	69.4-77.2
\$15,000- 24,999	77	5,878				19	23.9	12.3-35.5	58	76.1	64.5-87.7
\$25,000- 34,999	124	8,025	1	1.2	0.0- 3.6	34	24.6	16.2-33.0	89	74.3	65.7-82.9
\$35,000- 49,999	136	9,541				30	18.7	11.1-26.3	106	81.3	73.7-88.9
\$50,000- 99,999	401	30,618				113	28.3	22.6-34.0	288	71.7	66.0-77.4
\$100,000 - 199,999	293	22,466	1	0.3	0.0- 0.9	95	28.4	22.7-34.1	197	71.3	65.6-77.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 28: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2970	228,136	2214	71.1	69.1-73.1	212	7.2	6.0- 8.4	544	21.7	19.9-23.5
Male	1525	119,052	1087	68.0	65.3-70.7	100	5.9	4.5- 7.3	338	26.0	23.3-28.7
Female	1445	109,084	1127	74.6	71.7-77.5	112	8.5	6.5-10.5	206	17.0	14.5-19.5
Native	83	8,358	57	62.1	47.0-77.2	4	9.5	0.0-21.5	22	28.4	14.5-42.3
Non-Native	2839	215,829	2122	71.6	69.6-73.6	206	7.0	5.8- 8.2	511	21.3	19.5-23.1
45-54	677	72,266	376	53.8	49.7-57.9	41	6.6	4.2- 9.0	260	39.7	35.6-43.8
55-64	908	76,961	696	75.3	72.0-78.6	67	7.6	5.6- 9.6	145	17.1	14.2-20.0
65+	1385	78,910	1142	83.0	80.8-85.2	104	7.2	5.6- 8.8	139	9.8	8.0-11.6
Less Than H.S.	70	10,262	39	46.7	33.2-60.2	5	10.4	0.0-21.0	26	42.9	29.0-56.8
H.S. or G.E.D.	705	46,348	494	67.8	63.9-71.7	47	6.2	4.2- 8.2	164	26.1	22.4-29.8
Some Post-H.S.	975	100,248	710	70.6	67.3-73.9	78	7.8	6.0- 9.6	187	21.6	18.7-24.5
College Graduate	1213	70,657	968	77.9	75.2-80.6	82	6.5	4.9- 8.1	163	15.5	13.1-17.9
Less than \$15,000	88	6,463	46	47.7	35.7-59.7	8	7.4	2.1-12.7	34	45.0	32.8-57.2
\$15,000- 24,999	141	10,081	101	67.3	57.5-77.1	12	7.6	1.7-13.5	28	25.0	16.0-34.0
\$25,000- 34,999	244	16,396	175	67.2	59.8-74.6	20	8.4	4.3-12.5	49	24.4	17.3-31.5
\$35,000- 49,999	269	19,521	189	69.7	63.2-76.2	24	7.3	4.0-10.6	56	22.9	17.0-28.8
\$50,000- 99,999	887	68,420	689	73.7	70.0-77.4	58	7.5	5.1- 9.9	140	18.8	15.5-22.1
\$100,000 - 199,999	662	53,910	517	74.9	71.0-78.8	38	4.8	3.0- 6.6	107	20.3	16.6-24.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING

TABLE 29: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1525	119,052	1087	68.0	65.3-70.7	100	5.9	4.5- 7.3	338	26.0	23.3-28.7
Non-Native	1456	113,631	1034	67.6	64.9-70.3	98	6.1	4.7- 7.5	324	26.3	23.6-29.0
45-54	378	38,742	192	48.4	42.9-53.9	17	4.2	2.2- 6.2	169	47.4	41.9-52.9
55-64	492	40,561	369	73.4	68.9-77.9	32	6.6	4.1- 9.1	91	20.0	15.9-24.1
65+	655	39,749	526	81.6	78.5-84.7	51	7.0	4.8- 9.2	78	11.4	8.9-13.9
H.S. or G.E.D.	422	29,319	275	62.9	57.6-68.2	27	6.0	3.5- 8.5	120	31.1	26.0-36.2
Some Post-H.S.	484	49,985	337	67.5	62.8-72.2	36	6.6	4.2- 9.0	111	25.9	21.4-30.4
College Graduate	570	32,947	448	76.7	72.8-80.6	36	5.8	3.6- 8.0	86	17.5	14.0-21.0
\$15,000- 24,999	61	4,102	39	62.8	49.1-76.5	6	8.0	1.7-14.3	16	29.3	16.0-42.6
\$25,000- 34,999	115	8,140	74	58.1	46.7-69.5	13	8.4	2.9-13.9	28	33.5	21.9-45.1
\$35,000- 49,999	131	9,746	92	70.7	61.9-79.5	7	3.9	0.8- 7.0	32	25.4	17.0-33.8
\$50,000- 99,999	477	37,211	347	70.5	65.6-75.4	30	6.1	3.7- 8.5	100	23.4	18.9-27.9
\$100,000 - 199,999	367	31,190	273	69.8	64.3-75.3	17	4.1	1.9- 6.3	77	26.2	20.9-31.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 30: RESPONDENTS AGED 45-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATIONS (_CRCREC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		At least one CRC tests on time			None of the CRC tests on time			Never had CRC tests		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1445	109,084	1127	74.6	71.7-77.5	112	8.5	6.5-10.5	206	17.0	14.5-19.5
Non-Native	1383	102,197	1088	76.0	73.3-78.7	108	8.1	6.3- 9.9	187	15.8	13.4-18.2
45-54	299	33,524	184	60.0	53.5-66.5	24	9.3	5.0-13.6	91	30.7	24.8-36.6
55-64	416	36,400	327	77.3	72.4-82.2	35	8.8	5.7-11.9	54	13.9	9.8-18.0
65+	730	39,160	616	84.4	81.3-87.5	53	7.5	5.3- 9.7	61	8.1	5.7-10.5
H.S. or G.E.D.	283	17,028	219	76.2	70.3-82.1	20	6.5	3.6- 9.4	44	17.4	12.1-22.7
Some Post-H.S.	491	50,263	373	73.6	69.1-78.1	42	8.9	6.0-11.8	76	17.4	13.5-21.3
College Graduate	643	37,710	520	79.0	75.3-82.7	46	7.2	4.8- 9.6	77	13.8	10.7-16.9
Less than \$15,000	50	3,671	27	52.3	36.0-68.6	7	10.4	2.4-18.4	16	37.4	20.9-53.9
\$15,000- 24,999	80	5,979	62	70.4	56.9-83.9	6	7.4	0.0-16.2	12	22.1	9.9-34.3
\$25,000- 34,999	129	8,256	101	76.2	67.6-84.8	7	8.5	2.2-14.8	21	15.3	8.4-22.2
\$35,000- 49,999	138	9,775	97	68.7	59.3-78.1	17	10.8	5.1-16.5	24	20.4	12.2-28.6
\$50,000- 99,999	410	31,209	342	77.6	71.7-83.5	28	9.1	4.8-13.4	40	13.3	8.4-18.2
\$100,000 - 199,999	295	22,720	244	81.9	76.8-87.0	21	5.9	3.2- 8.6	30	12.2	7.7-16.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 11: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	144
2	MALES ONLY	145
3	FEMALES ONLY	146
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	147
5	MALES ONLY	148
6	FEMALES ONLY	149
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI3)	
7	MALES AND FEMALES	150
8	MALES ONLY	151
9	FEMALES ONLY	152

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 11: TOBACCO USE

TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
			Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5411	561,965	452	8.7	7.7- 9.7	186	3.7	3.1- 4.3	1550	25.1	23.7-26.5	3223	62.6	61.0-64.2
Male	2797	291,600	257	9.0	7.6-10.4	99	4.0	3.0- 5.0	895	28.3	26.3-30.3	1546	58.7	56.5-60.9
Female	2614	270,366	195	8.3	6.9- 9.7	87	3.3	2.5- 4.1	655	21.6	19.6-23.6	1677	66.7	64.3-69.1
Native	150	22,260	34	24.2	15.2-33.2	15	8.0	3.1-12.9	40	21.0	13.4-28.6	61	46.8	36.6-57.0
Non-Native	5187	532,344	410	8.0	7.0- 9.0	167	3.5	2.9- 4.1	1480	25.1	23.7-26.5	3130	63.4	61.8-65.0
18-24	308	87,763	6	2.5	0.3- 4.7	12	3.1	1.3- 4.9	25	8.8	5.3-12.3	265	85.6	81.3-89.9
25-34	570	98,336	42	8.0	5.5-10.5	30	5.0	3.0- 7.0	109	19.5	16.0-23.0	389	67.5	63.2-71.8
35-44	654	95,422	70	11.8	8.9-14.7	22	3.7	1.9- 5.5	163	25.0	21.3-28.7	399	59.5	55.4-63.6
45-54	683	73,264	70	12.6	9.3-15.9	32	4.3	2.7- 5.9	177	27.7	24.0-31.4	404	55.4	51.3-59.5
55-64	919	77,926	116	12.6	10.1-15.1	32	3.3	2.1- 4.5	240	27.2	23.9-30.5	531	56.9	53.2-60.6
65+	2277	129,254	148	6.4	5.2- 7.6	58	3.0	2.0- 4.0	836	37.7	35.3-40.1	1235	52.9	50.5-55.3
Less Than H.S.	184	38,316	34	19.4	12.1-26.7	12	4.4	1.5- 7.3	70	28.7	20.9-36.5	68	47.4	38.0-56.8
H.S. or G.E.D.	1425	143,914	186	11.5	9.5-13.5	65	5.0	3.4- 6.6	456	26.2	23.5-28.9	718	57.3	54.2-60.4
Some Post-H.S.	1631	213,711	156	9.4	7.6-11.2	58	3.6	2.6- 4.6	537	28.4	25.9-30.9	880	58.6	55.9-61.3
College Graduate	2159	164,384	75	2.8	2.0- 3.6	50	2.4	1.6- 3.2	484	18.8	17.0-20.6	1550	75.9	73.9-77.9
Less than \$15,000	164	18,939	41	21.7	13.7-29.7	12	4.9	1.6- 8.2	42	27.1	17.3-36.9	69	46.2	35.8-56.6
\$15,000- 24,999	293	30,368	39	11.3	7.0-15.6	16	5.0	1.9- 8.1	91	28.9	22.0-35.8	147	54.7	47.1-62.3
\$25,000- 34,999	467	45,822	57	12.0	8.3-15.7	26	5.7	3.0- 8.4	160	30.0	24.5-35.5	224	52.3	46.2-58.4
\$35,000- 49,999	559	56,723	52	9.7	6.8-12.6	20	4.7	2.3- 7.1	165	23.4	19.1-27.7	322	62.2	57.1-67.3
\$50,000- 99,999	1587	161,918	143	10.1	7.9-12.3	51	3.8	2.6- 5.0	432	23.1	20.7-25.5	961	63.1	60.2-66.0
\$100,000 - 199,999	1121	122,303	58	5.8	4.0- 7.6	32	3.1	1.9- 4.3	314	27.1	24.2-30.0	717	64.0	60.7-67.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
			Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2797	291,600	257	9.0	7.6-10.4	99	4.0	3.0- 5.0	895	28.3	26.3-30.3	1546	58.7	56.5-60.9
Native	80	12,686	13	14.2	6.0-22.4	8	6.6	1.3-11.9	21	22.9	12.3-33.5	38	56.4	43.5-69.3
Non-Native	2670	274,464	237	8.7	7.3-10.1	88	3.9	2.9- 4.9	855	28.3	26.3-30.3	1490	59.1	56.7-61.5
18-24	187	46,031	5	3.7	0.2- 7.2	10	4.7	1.8- 7.6	16	10.1	5.0-15.2	156	81.4	75.1-87.7
25-34	334	53,257	26	8.2	4.9-11.5	21	5.6	3.1- 8.1	72	21.9	17.2-26.6	215	64.3	58.8-69.8
35-44	360	51,201	42	12.6	8.7-16.5	13	4.1	1.7- 6.5	99	28.5	23.4-33.6	206	54.8	49.1-60.5
45-54	383	39,408	37	10.9	7.2-14.6	21	5.6	3.1- 8.1	117	32.6	27.3-37.9	208	50.9	45.4-56.4
55-64	497	41,058	63	11.7	8.6-14.8	15	2.9	1.3- 4.5	130	26.7	22.4-31.0	289	58.6	53.7-63.5
65+	1036	60,644	84	7.5	5.7- 9.3	19	1.8	1.0- 2.6	461	45.6	42.1-49.1	472	45.1	41.6-48.6
Less Than H.S.	108	21,957	22	17.9	9.5-26.3	6	3.9	0.4- 7.4	47	37.3	26.3-48.3	33	40.9	28.9-52.9
H.S. or G.E.D.	817	82,428	110	11.2	8.8-13.6	38	5.5	3.5- 7.5	282	29.2	25.7-32.7	387	54.1	50.0-58.2
Some Post-H.S.	827	110,544	86	9.8	7.4-12.2	30	3.8	2.4- 5.2	294	30.4	26.9-33.9	417	56.0	52.1-59.9
College Graduate	1038	75,523	39	2.8	1.8- 3.8	24	2.7	1.5- 3.9	271	21.7	19.0-24.4	704	72.8	69.9-75.7
Less than \$15,000	73	8,488	24	24.5	13.3-35.7	2	3.8	0.0- 9.3	14	19.6	7.6-31.6	33	52.1	37.2-67.0
\$15,000- 24,999	125	12,266	18	10.6	5.3-15.9	8	5.7	1.4-10.0	39	25.2	16.2-34.2	60	58.5	47.9-69.1
\$25,000- 34,999	209	21,242	28	14.0	7.9-20.1	11	4.8	1.5- 8.1	75	32.6	24.2-41.0	95	48.6	39.8-57.4
\$35,000- 49,999	286	27,517	33	12.5	7.8-17.2	10	4.6	1.3- 7.9	99	30.3	23.8-36.8	144	52.6	45.3-59.9
\$50,000- 99,999	889	91,227	94	10.5	8.0-13.0	30	4.1	2.5- 5.7	273	26.2	22.9-29.5	492	59.1	55.2-63.0
\$100,000 - 199,999	643	71,865	28	5.4	3.0- 7.8	20	3.6	1.8- 5.4	214	32.4	28.3-36.5	381	58.6	54.1-63.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2614	270,366	195	8.3	6.9- 9.7	87	3.3	2.5- 4.1	655	21.6	19.6-23.6	1677	66.7	64.3-69.1
Native	70	9,574	21	37.5	21.4-53.6	7	9.7	0.5-18.9	19	18.6	8.2-29.0	23	34.2	19.5-48.9
Non-Native	2517	257,880	173	7.2	5.8- 8.6	79	3.1	2.3- 3.9	625	21.7	19.7-23.7	1640	68.0	65.6-70.4
18-24	121	41,732	1	1.2	0.0- 3.6	2	1.3	0.0- 3.1	9	7.3	2.4-12.2	109	90.2	84.5-95.9
25-34	236	45,079	16	7.8	3.9-11.7	9	4.3	1.4- 7.2	37	16.6	11.3-21.9	174	71.4	64.9-77.9
35-44	294	44,221	28	10.8	6.5-15.1	9	3.3	0.9- 5.7	64	20.9	15.8-26.0	193	65.1	59.0-71.2
45-54	300	33,856	33	14.5	9.0-20.0	11	2.8	1.0- 4.6	60	21.9	16.6-27.2	196	60.7	54.2-67.2
55-64	422	36,868	53	13.6	9.5-17.7	17	3.6	1.8- 5.4	110	27.8	22.9-32.7	242	54.9	49.4-60.4
65+	1241	68,610	64	5.4	3.8- 7.0	39	4.1	2.5- 5.7	375	30.7	27.6-33.8	763	59.8	56.5-63.1
Less Than H.S.	76	16,359	12	21.5	8.8-34.2	6	5.2	0.1-10.3	23	17.3	7.3-27.3	35	56.0	41.3-70.7
H.S. or G.E.D.	608	61,486	76	11.8	8.7-14.9	27	4.5	2.3- 6.7	174	22.1	18.2-26.0	331	61.5	56.4-66.6
Some Post-H.S.	804	103,168	70	8.8	6.4-11.2	28	3.3	1.7- 4.9	243	26.4	22.9-29.9	463	61.5	57.4-65.6
College Graduate	1121	88,861	36	2.8	1.6- 4.0	26	2.2	1.2- 3.2	213	16.4	13.9-18.9	846	78.6	75.9-81.3
Less than \$15,000	91	10,450	17	19.5	8.1-30.9	10	5.9	1.8-10.0	28	33.3	19.0-47.6	36	41.4	27.3-55.5
\$15,000- 24,999	168	18,102	21	11.8	5.7-17.9	8	4.6	0.1- 9.1	52	31.5	21.7-41.3	87	52.1	41.5-62.7
\$25,000- 34,999	258	24,580	29	10.3	6.2-14.4	15	6.5	2.4-10.6	85	27.8	20.9-34.7	129	55.4	47.4-63.4
\$35,000- 49,999	273	29,206	19	7.0	3.5-10.5	10	4.8	1.5- 8.1	66	16.9	11.8-22.0	178	71.3	64.6-78.0
\$50,000- 99,999	698	70,691	49	9.6	6.3-12.9	21	3.3	1.5- 5.1	159	18.9	15.6-22.2	469	68.2	63.7-72.7
\$100,000 - 199,999	478	50,438	30	6.5	3.8- 9.2	12	2.2	0.8- 3.6	100	19.6	15.5-23.7	336	71.6	66.9-76.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5411	561,965	4773	87.7	86.5-88.9	638	12.3	11.1-13.5
Male	2797	291,600	2441	87.0	85.4-88.6	356	13.0	11.4-14.6
Female	2614	270,366	2332	88.4	86.8-90.0	282	11.6	10.0-13.2
Native	150	22,260	101	67.8	58.2-77.4	49	32.2	22.6-41.8
Non-Native	5187	532,344	4610	88.5	87.3-89.7	577	11.5	10.3-12.7
18-24	308	87,763	290	94.4	91.7-97.1	18	5.6	2.9- 8.3
25-34	570	98,336	498	87.0	83.9-90.1	72	13.0	9.9-16.1
35-44	654	95,422	562	84.5	81.2-87.8	92	15.5	12.2-18.8
45-54	683	73,264	581	83.1	79.6-86.6	102	16.9	13.4-20.4
55-64	919	77,926	771	84.1	81.4-86.8	148	15.9	13.2-18.6
65+	2277	129,254	2071	90.6	89.2-92.0	206	9.4	8.0-10.8
Less Than H.S.	184	38,316	138	76.1	68.5-83.7	46	23.9	16.3-31.5
H.S. or G.E.D.	1425	143,914	1174	83.5	81.1-85.9	251	16.5	14.1-18.9
Some Post-H.S.	1631	213,711	1417	87.1	85.1-89.1	214	12.9	10.9-14.9
College Graduate	2159	164,384	2034	94.7	93.7-95.7	125	5.3	4.3- 6.3
Less than \$15,000	164	18,939	111	73.3	64.9-81.7	53	26.7	18.3-35.1
\$15,000- 24,999	293	30,368	238	83.7	78.6-88.8	55	16.3	11.2-21.4
\$25,000- 34,999	467	45,822	384	82.3	78.0-86.6	83	17.7	13.4-22.0
\$35,000- 49,999	559	56,723	487	85.6	81.9-89.3	72	14.4	10.7-18.1
\$50,000- 99,999	1587	161,918	1393	86.1	83.7-88.5	194	13.9	11.5-16.3
\$100,000 - 199,999	1121	122,303	1031	91.1	88.9-93.3	90	8.9	6.7-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2797	291,600	2441	87.0	85.4-88.6	356	13.0	11.4-14.6
Native	80	12,686	59	79.2	69.6-88.8	21	20.8	11.2-30.4
Non-Native	2670	274,464	2345	87.5	85.9-89.1	325	12.5	10.9-14.1
18-24	187	46,031	172	91.6	87.1-96.1	15	8.4	3.9-12.9
25-34	334	53,257	287	86.2	82.3-90.1	47	13.8	9.9-17.7
35-44	360	51,201	305	83.3	79.0-87.6	55	16.7	12.4-21.0
45-54	383	39,408	325	83.5	79.2-87.8	58	16.5	12.2-20.8
55-64	497	41,058	419	85.3	82.0-88.6	78	14.7	11.4-18.0
65+	1036	60,644	933	90.7	88.7-92.7	103	9.3	7.3-11.3
Less Than H.S.	108	21,957	80	78.2	69.2-87.2	28	21.8	12.8-30.8
H.S. or G.E.D.	817	82,428	669	83.3	80.4-86.2	148	16.7	13.8-19.6
Some Post-H.S.	827	110,544	711	86.4	83.7-89.1	116	13.6	10.9-16.3
College Graduate	1038	75,523	975	94.4	92.8-96.0	63	5.6	4.0- 7.2
Less than \$15,000	73	8,488	47	71.7	59.7-83.7	26	28.3	16.3-40.3
\$15,000- 24,999	125	12,266	99	83.7	76.8-90.6	26	16.3	9.4-23.2
\$25,000- 34,999	209	21,242	170	81.2	74.5-87.9	39	18.8	12.1-25.5
\$35,000- 49,999	286	27,517	243	82.9	77.4-88.4	43	17.1	11.6-22.6
\$50,000- 99,999	889	91,227	765	85.4	82.5-88.3	124	14.6	11.7-17.5
\$100,000 - 199,999	643	71,865	595	91.0	88.3-93.7	48	9.0	6.3-11.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2614	270,366	2332	88.4	86.8-90.0	282	11.6	10.0-13.2
Native	70	9,574	42	52.8	36.9-68.7	28	47.2	31.3-63.1
Non-Native	2517	257,880	2265	89.7	88.1-91.3	252	10.3	8.7-11.9
18-24	121	41,732	118	97.5	94.6- 100	3	2.5	0.0- 5.4
25-34	236	45,079	211	87.9	83.2-92.6	25	12.1	7.4-16.8
35-44	294	44,221	257	85.9	81.0-90.8	37	14.1	9.2-19.0
45-54	300	33,856	256	82.7	77.0-88.4	44	17.3	11.6-23.0
55-64	422	36,868	352	82.8	78.5-87.1	70	17.2	12.9-21.5
65+	1241	68,610	1138	90.5	88.3-92.7	103	9.5	7.3-11.7
Less Than H.S.	76	16,359	58	73.3	60.2-86.4	18	26.7	13.6-39.8
H.S. or G.E.D.	608	61,486	505	83.7	80.0-87.4	103	16.3	12.6-20.0
Some Post-H.S.	804	103,168	706	87.8	85.1-90.5	98	12.2	9.5-14.9
College Graduate	1121	88,861	1059	95.0	93.6-96.4	62	5.0	3.6- 6.4
Less than \$15,000	91	10,450	64	74.7	62.9-86.5	27	25.3	13.5-37.1
\$15,000- 24,999	168	18,102	139	83.6	76.2-91.0	29	16.4	9.0-23.8
\$25,000- 34,999	258	24,580	214	83.2	77.5-88.9	44	16.8	11.1-22.5
\$35,000- 49,999	273	29,206	244	88.2	83.5-92.9	29	11.8	7.1-16.5
\$50,000- 99,999	698	70,691	628	87.1	83.4-90.8	70	12.9	9.2-16.6
\$100,000 - 199,999	478	50,438	436	91.3	88.2-94.4	42	8.7	5.6-11.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 7: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5407	560,619	5152	92.4	91.4-93.4	255	7.6	6.6- 8.6
Male	2790	290,440	2637	91.7	90.3-93.1	153	8.3	6.9- 9.7
Female	2617	270,178	2515	93.1	91.5-94.7	102	6.9	5.3- 8.5
Native	154	22,465	139	85.2	76.8-93.6	15	14.8	6.4-23.2
Non-Native	5176	530,482	4936	92.6	91.6-93.6	240	7.4	6.4- 8.4
18-24	309	87,175	252	82.1	77.6-86.6	57	17.9	13.4-22.4
25-34	569	98,343	480	85.0	81.9-88.1	89	15.0	11.9-18.1
35-44	649	94,739	610	93.5	91.3-95.7	39	6.5	4.3- 8.7
45-54	684	73,304	654	95.3	93.1-97.5	30	4.7	2.5- 6.9
55-64	917	77,750	891	97.2	96.0-98.4	26	2.8	1.6- 4.0
65+	2279	129,306	2265	99.5	99.3-99.7	14	0.5	0.3- 0.7
Less Than H.S.	181	37,073	167	86.6	79.5-93.7	14	13.4	6.3-20.5
H.S. or G.E.D.	1418	143,488	1302	87.5	85.1-89.9	116	12.5	10.1-14.9
Some Post-H.S.	1635	213,662	1563	93.2	91.4-95.0	72	6.8	5.0- 8.6
College Graduate	2160	164,661	2107	96.7	95.7-97.7	53	3.3	2.3- 4.3
Less than \$15,000	164	18,640	145	82.5	74.3-90.7	19	17.5	9.3-25.7
\$15,000- 24,999	294	30,457	284	93.4	88.9-97.9	10	6.6	2.1-11.1
\$25,000- 34,999	464	45,476	439	89.3	84.8-93.8	25	10.7	6.2-15.2
\$35,000- 49,999	556	56,711	523	92.0	89.1-94.9	33	8.0	5.1-10.9
\$50,000- 99,999	1590	162,409	1498	90.1	87.9-92.3	92	9.9	7.7-12.1
\$100,000 - 199,999	1117	121,936	1068	94.1	92.3-95.9	49	5.9	4.1- 7.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 8: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2790	290,440	2637	91.7	90.3-93.1	153	8.3	6.9- 9.7
Native	82	12,744	74	84.6	73.6-95.6	8	15.4	4.4-26.4
Non-Native	2660	273,078	2515	91.9	90.5-93.3	145	8.1	6.7- 9.5
18-24	188	45,494	155	82.2	76.3-88.1	33	17.8	11.9-23.7
25-34	333	53,266	272	81.8	77.3-86.3	61	18.2	13.7-22.7
35-44	356	50,819	337	94.4	91.9-96.9	19	5.6	3.1- 8.1
45-54	384	39,517	366	95.5	93.1-97.9	18	4.5	2.1- 6.9
55-64	495	40,887	481	96.6	94.6-98.6	14	3.4	1.4- 5.4
65+	1034	60,457	1026	99.4	99.0-99.8	8	0.6	0.2- 1.0
Less Than H.S.	105	20,713	96	85.0	75.8-94.2	9	15.0	5.8-24.2
H.S. or G.E.D.	813	82,162	733	85.8	82.7-88.9	80	14.2	11.1-17.3
Some Post-H.S.	830	110,993	787	92.9	90.7-95.1	43	7.1	4.9- 9.3
College Graduate	1035	75,424	1014	97.9	96.9-98.9	21	2.1	1.1- 3.1
Less than \$15,000	73	8,393	65	82.0	69.5-94.5	8	18.0	5.5-30.5
\$15,000- 24,999	125	12,266	121	94.2	88.1- 100	4	5.8	0.0-11.9
\$25,000- 34,999	206	20,908	195	91.5	86.2-96.8	11	8.5	3.2-13.8
\$35,000- 49,999	283	27,359	265	91.5	87.4-95.6	18	8.5	4.4-12.6
\$50,000- 99,999	890	91,722	829	88.6	85.7-91.5	61	11.4	8.5-14.3
\$100,000 - 199,999	638	71,431	604	93.3	90.9-95.7	34	6.7	4.3- 9.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 9: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2617	270,178	2515	93.1	91.5-94.7	102	6.9	5.3- 8.5
Native	72	9,721	65	85.9	73.0-98.8	7	14.1	1.2-27.0
Non-Native	2516	257,404	2421	93.3	91.7-94.9	95	6.7	5.1- 8.3
18-24	121	41,681	97	82.0	74.7-89.3	24	18.0	10.7-25.3
25-34	236	45,077	208	88.8	84.5-93.1	28	11.2	6.9-15.5
35-44	293	43,920	273	92.5	89.0-96.0	20	7.5	4.0-11.0
45-54	300	33,787	288	95.0	91.3-98.7	12	5.0	1.3- 8.7
55-64	422	36,863	410	97.8	96.4-99.2	12	2.2	0.8- 3.6
65+	1245	68,850	1239	99.6	99.2- 100	6	0.4	0.0- 0.8
Less Than H.S.	76	16,359	71	88.7	77.7-99.7	5	11.3	0.3-22.3
H.S. or G.E.D.	605	61,326	569	89.7	86.2-93.2	36	10.3	6.8-13.8
Some Post-H.S.	805	102,669	776	93.5	91.0-96.0	29	6.5	4.0- 9.0
College Graduate	1125	89,237	1093	95.7	94.1-97.3	32	4.3	2.7- 5.9
Less than \$15,000	91	10,247	80	83.0	71.8-94.2	11	17.0	5.8-28.2
\$15,000- 24,999	169	18,192	163	92.9	86.4-99.4	6	7.1	0.6-13.6
\$25,000- 34,999	258	24,568	244	87.3	80.4-94.2	14	12.7	5.8-19.6
\$35,000- 49,999	273	29,352	258	92.5	88.2-96.8	15	7.5	3.2-11.8
\$50,000- 99,999	700	70,687	669	92.0	88.7-95.3	31	8.0	4.7-11.3
\$100,000 - 199,999	479	50,504	464	95.2	92.7-97.7	15	4.8	2.3- 7.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 12: LUNG CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
LCS SMOKING GROUP (_LCSSMKG)	
1 MALES AND FEMALES	154
2 MALES ONLY	155
3 FEMALES ONLY	156
USPSTF ELIGIBILITY FOR SCREENING (_LCSEELIG)	
4 MALES AND FEMALES	157
5 MALES ONLY	158
6 FEMALES ONLY	159
HAD CHEST CT SCAN FOR LUNG CANCER (_LCSCTSN)	
7 MALES AND FEMALES	160
8 MALES ONLY	161
9 FEMALES ONLY	162
MEET USPSTF LUNG CANCER SCREENING GUIDELINES (_LCSPSTF)	
10 MALES AND FEMALES	163
11 MALES ONLY	164
12 FEMALES ONLY	165

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 1: LCS SMOKING GROUP (_LCSSMKG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current Smoker 20+ years			Former smoker 20+years quit <15 years			Current Smoker <20+ years			Former smoker 20+years quit ≥15 years			Former smoker 20+years			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5158	540,446	308	5.0	4.4- 5.6	210	3.4	2.8- 4.0	282	7.0	6.0- 8.0	258	3.1	2.7- 3.5	877	16.5	15.3-17.7	3223	65.1	63.5-66.7
Male	2670	280,273	188	5.5	4.5- 6.5	136	4.3	3.5- 5.1	145	7.2	5.8- 8.6	178	4.3	3.5- 5.1	477	17.7	15.9-19.5	1546	61.1	58.9-63.3
Female	2488	260,173	120	4.4	3.4- 5.4	74	2.4	1.8- 3.0	137	6.9	5.5- 8.3	80	1.8	1.4- 2.2	400	15.3	13.5-17.1	1677	69.3	66.9-71.7
Native	145	21,799	16	11.9	4.5-19.3	4	1.2	0.0- 2.6	31	19.8	11.8-27.8	6	1.2	0.0- 2.4	27	18.1	10.7-25.5	61	47.8	37.4-58.2
Non-Native	4949	512,348	285	4.6	4.0- 5.2	203	3.4	2.8- 4.0	247	6.5	5.5- 7.5	249	3.2	2.8- 3.6	835	16.4	15.0-17.8	3130	65.9	64.3-67.5
18-24	303	86,690							16	5.2	2.5- 7.9				22	8.1	4.6-11.6	265	86.6	82.3-90.9
25-34	554	96,075	2	0.3	0.0- 0.7	2	0.3	0.0- 0.7	62	12.0	8.9-15.1				99	18.2	14.7-21.7	389	69.1	64.8-73.4
35-44	630	91,981	28	4.6	2.8- 6.4	9	1.3	0.3- 2.3	59	10.8	7.9-13.7				135	21.5	18.0-25.0	399	61.8	57.5-66.1
45-54	649	69,445	52	9.6	6.5-12.7	42	7.4	5.0- 9.8	41	6.8	4.6- 9.0	11	1.6	0.6- 2.6	99	16.0	12.9-19.1	404	58.5	54.2-62.8
55-64	872	73,909	92	11.0	8.5-13.5	49	6.2	4.2- 8.2	48	5.0	3.4- 6.6	30	3.3	2.1- 4.5	122	14.5	11.8-17.2	531	60.0	56.3-63.7
65+	2150	122,347	134	6.1	4.9- 7.3	108	5.6	4.4- 6.8	56	2.9	1.9- 3.9	217	10.7	9.1-12.3	400	18.7	16.7-20.7	1235	55.9	53.4-58.4
Less Than H.S.	170	36,761	21	9.4	4.3-14.5	17	6.6	3.1-10.1	22	14.1	7.4-20.8	13	4.1	1.4- 6.8	29	16.4	9.3-23.5	68	49.4	39.8-59.0
H.S. or G.E.D.	1345	137,621	122	6.0	4.8- 7.2	71	3.6	2.6- 4.6	111	10.1	7.9-12.3	83	3.5	2.7- 4.3	240	16.9	14.5-19.3	718	59.9	56.8-63.0
Some Post-H.S.	1554	206,004	108	5.6	4.4- 6.8	77	4.0	3.0- 5.0	93	7.2	5.6- 8.8	85	3.4	2.6- 4.2	311	19.0	16.6-21.4	880	60.8	57.9-63.7
College Graduate	2080	158,912	55	2.1	1.5- 2.7	45	1.6	1.0- 2.2	56	2.6	1.8- 3.4	77	2.1	1.5- 2.7	297	13.1	11.3-14.9	1550	78.5	76.5-80.5
Less than \$15,000	158	18,367	31	12.6	7.3-17.9	9	2.9	0.5- 5.3	21	14.3	6.9-21.7	6	2.9	0.4- 5.4	22	19.6	10.0-29.2	69	47.6	37.0-58.2
\$15,000- 24,999	275	28,885	36	9.3	5.8-12.8	17	4.6	1.9- 7.3	15	6.6	2.5-10.7	17	3.3	1.3- 5.3	43	18.7	12.0-25.4	147	57.5	49.7-65.3
\$25,000- 34,999	432	43,090	39	6.7	4.2- 9.2	23	3.9	2.1- 5.7	36	10.1	6.2-14.0	33	5.3	2.9- 7.7	77	18.4	13.3-23.5	224	55.6	49.3-61.9
\$35,000- 49,999	544	55,470	36	5.2	3.2- 7.2	32	4.1	2.3- 5.9	33	8.9	5.6-12.2	35	3.5	2.1- 4.9	86	14.7	11.0-18.4	322	63.6	58.5-68.7
\$50,000- 99,999	1532	156,591	90	5.6	4.0- 7.2	42	2.4	1.6- 3.2	89	7.8	5.8- 9.8	82	3.5	2.7- 4.3	268	15.5	13.3-17.7	961	65.2	62.3-68.1
\$100,000 - 199,999	1076	118,270	38	3.2	2.0- 4.4	42	4.0	2.6- 5.4	49	5.7	3.9- 7.5	39	2.3	1.5- 3.1	191	18.7	16.0-21.4	717	66.2	62.9-69.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 2: LCS SMOKING GROUP (_LCSSMKG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current Smoker 20+ years			Former smoker 20+years quit <15 years			Current Smoker <20+ years			Former smoker 20+years quit >=15 years			Former smoker 20+years			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2670	280,273	188	5.5	4.5- 6.5	136	4.3	3.5- 5.1	145	7.2	5.8- 8.6	178	4.3	3.5- 5.1	477	17.7	15.9-19.5	1546	61.1	58.9-63.3
Native	80	12,686	8	7.1	1.6-12.6	2	1.3	0.0- 3.1	13	13.7	5.5-21.9	3	1.2	0.0- 2.8	16	20.4	10.0-30.8	38	56.4	43.5-69.3
Non-Native	2549	263,841	174	5.3	4.3- 6.3	132	4.4	3.6- 5.2	129	6.8	5.4- 8.2	172	4.5	3.7- 5.3	452	17.5	15.7-19.3	1490	61.5	59.1-63.9
18-24	183	45,234							14	8.2	3.7-12.7				13	8.9	4.0-13.8	156	82.9	76.6-89.2
25-34	323	51,700	2	0.6	0.0- 1.4	2	0.6	0.0- 1.6	40	12.6	8.7-16.5				64	20.0	15.3-24.7	215	66.2	60.7-71.7
35-44	345	49,121	21	6.2	3.5- 8.9	8	2.0	0.6- 3.4	30	10.1	6.4-13.8				80	24.6	19.5-29.7	206	57.1	51.2-63.0
45-54	365	37,396	36	10.3	6.8-13.8	31	10.0	6.3-13.7	19	5.9	3.0- 8.8	8	2.3	0.7- 3.9	63	17.8	13.5-22.1	208	53.6	47.9-59.3
55-64	474	39,408	54	10.8	7.9-13.7	31	7.5	4.8-10.2	20	3.8	1.8- 5.8	20	4.1	2.1- 6.1	60	12.7	9.4-16.0	289	61.1	56.2-66.0
65+	980	57,415	75	7.0	5.2- 8.8	64	6.8	5.0- 8.6	22	2.2	1.2- 3.2	150	16.6	13.7-19.5	197	19.8	17.1-22.5	472	47.7	44.0-51.4
Less Than H.S.	100	20,931	13	8.3	3.4-13.2	13	9.6	4.1-15.1	12	12.2	4.2-20.2	8	5.6	1.1-10.1	21	21.4	11.4-31.4	33	42.9	30.6-55.2
H.S. or G.E.D.	773	78,889	80	6.6	5.0- 8.2	51	4.6	3.2- 6.0	60	10.1	7.4-12.8	55	4.3	2.9- 5.7	140	17.8	14.7-20.9	387	56.5	52.4-60.6
Some Post-H.S.	794	106,885	63	6.0	4.2- 7.8	43	4.3	2.9- 5.7	47	7.5	5.1- 9.9	60	4.7	3.3- 6.1	164	19.6	16.5-22.7	417	57.9	54.0-61.8
College Graduate	997	72,604	31	2.6	1.6- 3.6	29	2.3	1.3- 3.3	26	2.3	1.3- 3.3	55	3.3	2.3- 4.3	152	13.8	11.4-16.2	704	75.7	72.8-78.6
Less than \$15,000	71	8,302	19	18.7	9.3-28.1	5	3.2	0.0- 6.5	6	9.0	0.4-17.6	2	1.7	0.0- 4.8	6	14.1	2.3-25.9	33	53.3	38.2-68.4
\$15,000- 24,999	116	11,399	18	11.3	5.6-17.0	7	4.4	0.9- 7.9	5	3.6	0.3- 6.9	8	4.4	0.7- 8.1	18	13.3	6.2-20.4	60	63.0	52.6-73.4
\$25,000- 34,999	191	19,688	17	6.0	2.5- 9.5	10	3.9	1.0- 6.8	16	10.8	4.7-16.9	17	7.4	2.9-11.9	36	19.4	11.4-27.4	95	52.5	43.3-61.7
\$35,000- 49,999	280	26,894	28	8.8	5.3-12.3	19	4.6	2.1- 7.1	14	8.2	3.5-12.9	23	4.9	2.5- 7.3	52	19.8	13.7-25.9	144	53.8	46.5-61.1
\$50,000- 99,999	861	88,695	59	5.4	3.8- 7.0	28	2.8	1.6- 4.0	60	9.1	6.6-11.6	69	5.1	3.7- 6.5	153	16.7	13.8-19.6	492	60.8	56.9-64.7
\$100,000 - 199,999	616	69,401	23	3.5	1.9- 5.1	37	5.9	3.7- 8.1	24	5.6	3.2- 8.0	31	3.3	1.9- 4.7	120	21.0	17.1-24.9	381	60.7	56.2-65.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 3: LCS SMOKING GROUP (_LCSSMKG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current Smoker 20+ years			Former smoker 20+years quit <15 years			Current Smoker <20+ years			Former smoker 20+years quit ≥15 years			Former smoker 20+years			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2488	260,173	120	4.4	3.4- 5.4	74	2.4	1.8- 3.0	137	6.9	5.5- 8.3	80	1.8	1.4- 2.2	400	15.3	13.5-17.1	1677	69.3	66.9-71.7
Native	65	9,113	8	18.6	3.5-33.7	2	1.1	0.0- 2.9	18	28.2	13.5-42.9	3	1.3	0.0- 2.9	11	14.8	4.4-25.2	23	35.9	20.6-51.2
Non-Native	2400	248,507	111	3.9	3.1- 4.7	71	2.4	1.8- 3.0	118	6.1	4.7- 7.5	77	1.8	1.4- 2.2	383	15.3	13.5-17.1	1640	70.6	68.2-73.0
18-24	120	41,457							2	1.9	0.0- 4.6				9	7.4	2.5-12.3	109	90.8	85.3-96.3
25-34	231	44,374							22	11.3	6.6-16.0				35	16.2	10.9-21.5	174	72.5	66.0-79.0
35-44	285	42,859	7	2.8	0.6- 5.0	1	0.5	0.0- 1.5	29	11.6	6.9-16.3				55	18.0	13.3-22.7	193	67.1	61.0-73.2
45-54	284	32,050	16	8.7	3.6-13.8	11	4.5	1.8- 7.2	22	8.0	4.5-11.5	3	0.7	0.0- 1.5	36	13.9	9.2-18.6	196	64.2	57.5-70.9
55-64	398	34,501	38	11.2	7.1-15.3	18	4.8	2.4- 7.2	28	6.4	3.9- 8.9	10	2.4	0.8- 4.0	62	16.6	12.3-20.9	242	58.7	53.0-64.4
65+	1170	64,932	59	5.4	3.8- 7.0	44	4.5	2.9- 6.1	34	3.6	2.0- 5.2	67	5.5	3.9- 7.1	203	17.8	15.1-20.5	763	63.2	59.9-66.5
Less Than H.S.	70	15,831	8	10.8	1.2-20.4	4	2.6	0.0- 5.9	10	16.7	5.5-27.9	5	2.0	0.0- 4.2	8	9.8	0.8-18.8	35	57.9	42.8-73.0
H.S. or G.E.D.	572	58,732	42	5.1	3.3- 6.9	20	2.2	1.0- 3.4	51	10.2	6.9-13.5	28	2.4	1.4- 3.4	100	15.6	11.9-19.3	331	64.4	59.3-69.5
Some Post-H.S.	760	99,119	45	5.2	3.4- 7.0	34	3.6	2.2- 5.0	46	6.9	4.5- 9.3	25	1.9	1.1- 2.7	147	18.4	15.1-21.7	463	64.0	59.9-68.1
College Graduate	1083	86,307	24	1.7	0.9- 2.5	16	1.0	0.4- 1.6	30	2.8	1.6- 4.0	22	1.1	0.5- 1.7	145	12.4	10.0-14.8	846	80.9	78.2-83.6
Less than \$15,000	87	10,065	12	7.6	2.1-13.1	4	2.7	0.0- 5.8	15	18.8	7.4-30.2	4	3.9	0.0- 8.0	16	24.1	9.8-38.4	36	43.0	28.5-57.5
\$15,000- 24,999	159	17,486	18	7.9	3.4-12.4	10	4.8	1.1- 8.5	10	8.5	2.0-15.0	9	2.6	0.6- 4.6	25	22.2	12.4-32.0	87	53.9	42.9-64.9
\$25,000- 34,999	241	23,402	22	7.4	3.9-10.9	13	3.9	1.5- 6.3	20	9.5	4.6-14.4	16	3.5	1.5- 5.5	41	17.5	11.0-24.0	129	58.2	50.0-66.4
\$35,000- 49,999	264	28,576	8	1.8	0.4- 3.2	13	3.6	1.4- 5.8	19	9.6	4.9-14.3	12	2.2	0.8- 3.6	34	9.9	5.8-14.0	178	72.8	66.1-79.5
\$50,000- 99,999	671	67,896	31	6.0	3.3- 8.7	14	1.9	0.7- 3.1	29	6.0	3.3- 8.7	13	1.4	0.6- 2.2	115	13.9	11.0-16.8	469	71.0	66.5-75.5
\$100,000 - 199,999	460	48,870	15	2.8	1.2- 4.4	5	1.2	0.0- 2.4	25	5.9	3.2- 8.6	8	0.8	0.2- 1.4	71	15.3	11.6-19.0	336	73.9	69.2-78.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 4: USPSTF ELIGIBILITY FOR SCREENING (_LCSELIG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF Criteria			Do not meet USPSTF Criteria		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5158	540,446	405	5.9	5.3- 6.5	4753	94.1	93.5-94.7
Male	2670	280,273	250	6.7	5.7- 7.7	2420	93.3	92.3-94.3
Female	2488	260,173	155	5.0	4.0- 6.0	2333	95.0	94.0-96.0
Native	145	21,799	17	9.5	3.6-15.4	128	90.5	84.6-96.4
Non-Native	4949	512,348	379	5.7	5.1- 6.3	4570	94.3	93.7-94.9
18-24	303	86,690				303	100.0	100.0- 100
25-34	554	96,075				554	100.0	100.0- 100
35-44	630	91,981				630	100.0	100.0- 100
45-54	649	69,445	52	9.0	6.3-11.7	597	91.0	88.3-93.7
55-64	872	73,909	141	17.2	14.3-20.1	731	82.8	79.9-85.7
65+	2150	122,347	212	10.5	8.9-12.1	1938	89.5	87.9-91.1
Less Than H.S.	170	36,761	31	11.7	6.8-16.6	139	88.3	83.4-93.2
H.S. or G.E.D.	1345	137,621	155	7.0	5.8- 8.2	1190	93.0	91.8-94.2
Some Post-H.S.	1554	206,004	146	6.8	5.6- 8.0	1408	93.2	92.0-94.4
College Graduate	2080	158,912	72	2.4	1.8- 3.0	2008	97.6	97.0-98.2
Less than \$15,000	158	18,367	32	10.7	6.2-15.2	126	89.3	84.8-93.8
\$15,000- 24,999	275	28,885	42	11.0	7.1-14.9	233	89.0	85.1-92.9
\$25,000- 34,999	432	43,090	52	7.6	5.2-10.0	380	92.4	90.0-94.8
\$35,000- 49,999	544	55,470	57	7.6	5.2-10.0	487	92.4	90.0-94.8
\$50,000- 99,999	1532	156,591	98	5.4	4.0- 6.8	1434	94.6	93.2-96.0
\$100,000 - 199,999	1076	118,270	57	4.5	3.1- 5.9	1019	95.5	94.1-96.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 5: USPSTF ELIGIBILITY FOR SCREENING (_LCSELIG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF Criteria			Do not meet USPSTF Criteria		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2670	280,273	250	6.7	5.7- 7.7	2420	93.3	92.3-94.3
Native	80	12,686	9	7.6	2.1-13.1	71	92.4	86.9-97.9
Non-Native	2549	263,841	234	6.5	5.5- 7.5	2315	93.5	92.5-94.5
18-24	183	45,234				183	100.0	100.0- 100
25-34	323	51,700				323	100.0	100.0- 100
35-44	345	49,121				345	100.0	100.0- 100
45-54	365	37,396	41	12.0	8.3-15.7	324	88.0	84.3-91.7
55-64	474	39,408	85	18.3	14.4-22.2	389	81.7	77.8-85.6
65+	980	57,415	124	12.5	10.1-14.9	856	87.5	85.1-89.9
Less Than H.S.	100	20,931	21	13.4	7.3-19.5	79	86.6	80.5-92.7
H.S. or G.E.D.	773	78,889	102	7.7	5.9- 9.5	671	92.3	90.5-94.1
Some Post-H.S.	794	106,885	84	7.3	5.5- 9.1	710	92.7	90.9-94.5
College Graduate	997	72,604	43	3.0	2.0- 4.0	954	97.0	96.0-98.0
Less than \$15,000	71	8,302	18	13.8	6.5-21.1	53	86.2	78.9-93.5
\$15,000- 24,999	116	11,399	20	12.7	6.6-18.8	96	87.3	81.2-93.4
\$25,000- 34,999	191	19,688	22	6.4	3.3- 9.5	169	93.6	90.5-96.7
\$35,000- 49,999	280	26,894	38	10.5	6.6-14.4	242	89.5	85.6-93.4
\$50,000- 99,999	861	88,695	65	5.4	3.8- 7.0	796	94.6	93.0-96.2
\$100,000 - 199,999	616	69,401	45	6.2	4.2- 8.2	571	93.8	91.8-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 6: USPSTF ELIGIBILITY FOR SCREENING (_LCSELIG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF Criteria			Do not meet USPSTF Criteria		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2488	260,173	155	5.0	4.0- 6.0	2333	95.0	94.0-96.0
Native	65	9,113	8	12.1	0.5-23.7	57	87.9	76.3-99.5
Non-Native	2400	248,507	145	4.7	3.7- 5.7	2255	95.3	94.3-96.3
18-24	120	41,457				120	100.0	100.0- 100
25-34	231	44,374				231	100.0	100.0- 100
35-44	285	42,859				285	100.0	100.0- 100
45-54	284	32,050	11	5.6	1.7- 9.5	273	94.4	90.5-98.3
55-64	398	34,501	56	15.9	11.4-20.4	342	84.1	79.6-88.6
65+	1170	64,932	88	8.7	6.5-10.9	1082	91.3	89.1-93.5
Less Than H.S.	70	15,831	10	9.5	1.7-17.3	60	90.5	82.7-98.3
H.S. or G.E.D.	572	58,732	53	6.0	4.0- 8.0	519	94.0	92.0-96.0
Some Post-H.S.	760	99,119	62	6.3	4.5- 8.1	698	93.7	91.9-95.5
College Graduate	1083	86,307	29	1.9	1.1- 2.7	1054	98.1	97.3-98.9
Less than \$15,000	87	10,065	14	8.2	2.5-13.9	73	91.8	86.1-97.5
\$15,000- 24,999	159	17,486	22	9.8	4.5-15.1	137	90.2	84.9-95.5
\$25,000- 34,999	241	23,402	30	8.7	5.2-12.2	211	91.3	87.8-94.8
\$35,000- 49,999	264	28,576	19	4.8	2.4- 7.2	245	95.2	92.8-97.6
\$50,000- 99,999	671	67,896	33	5.4	3.0- 7.8	638	94.6	92.2-97.0
\$100,000 - 199,999	460	48,870	12	2.2	0.8- 3.6	448	97.8	96.4-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 7. HAD CHEST CT SCAN FOR LUNG CANCER (_LCSCTSN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had CT Scan for Lung Cancer <1 Year			Had CT Scan for Lung Cancer >1 Year			Had Chest CT Scan for Other Reason			Have not had a Chest CT Scan		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5012	525,656	230	3.0	2.6- 3.4	222	3.1	2.5- 3.7	1681	28.8	27.2-30.4	2879	65.1	63.5-66.7
Male	2619	274,823	130	3.2	2.6- 3.8	133	3.5	2.7- 4.3	926	30.2	28.2-32.2	1430	63.0	60.8-65.2
Female	2393	250,833	100	2.8	2.2- 3.4	89	2.8	2.0- 3.6	755	27.2	25.0-29.4	1449	67.3	64.9-69.7
Native	144	21,356	6	1.5	0.1- 2.9	6	3.4	0.0- 7.1	57	32.1	22.9-41.3	75	63.0	53.4-72.6
Non-Native	4798	497,477	216	3.1	2.7- 3.5	210	3.1	2.5- 3.7	1593	28.5	26.9-30.1	2779	65.3	63.7-66.9
18-24	302	85,289				3	1.5	0.0- 3.5	41	13.1	9.0-17.2	258	85.4	81.1-89.7
25-34	553	95,311	1	0.3	0.0- 0.9	2	0.4	0.0- 1.0	112	19.5	16.0-23.0	438	79.8	76.3-83.3
35-44	618	89,308	6	1.0	0.2- 1.8	6	1.4	0.0- 2.8	164	27.4	23.5-31.3	442	70.2	66.1-74.3
45-54	644	68,928	13	1.8	0.8- 2.8	21	2.9	1.5- 4.3	195	31.2	27.3-35.1	415	64.1	60.0-68.2
55-64	852	71,827	44	5.2	3.4- 7.0	39	4.5	2.9- 6.1	314	37.0	33.3-40.7	455	53.3	49.4-57.2
65+	2043	114,992	166	8.5	7.1- 9.9	151	7.2	5.8- 8.6	855	42.6	40.1-45.1	871	41.6	39.1-44.1
Less Than H.S.	161	34,297	12	3.3	1.1- 5.5	9	3.5	0.8- 6.2	49	24.5	16.5-32.5	91	68.7	60.1-77.3
H.S. or G.E.D.	1317	136,013	65	2.8	2.0- 3.6	57	2.7	1.9- 3.5	450	27.4	24.7-30.1	745	67.2	64.3-70.1
Some Post-H.S.	1482	195,958	85	3.8	2.8- 4.8	71	3.7	2.5- 4.9	560	32.7	30.0-35.4	766	59.7	56.8-62.6
College Graduate	2040	157,888	66	2.0	1.4- 2.6	85	2.8	2.0- 3.6	616	25.8	23.6-28.0	1273	69.4	67.0-71.8
Less than \$15,000	147	16,617	9	4.0	0.9- 7.1	13	6.0	1.5-10.5	54	30.9	21.9-39.9	71	59.1	49.1-69.1
\$15,000- 24,999	275	28,546	17	2.8	1.2- 4.4	22	5.8	2.9- 8.7	120	40.0	32.2-47.8	116	51.4	43.4-59.4
\$25,000- 34,999	425	41,839	36	5.0	3.0- 7.0	28	5.4	2.7- 8.1	167	31.6	26.3-36.9	194	58.0	52.1-63.9
\$35,000- 49,999	513	53,029	33	3.6	2.2- 5.0	25	3.5	1.9- 5.1	185	29.6	24.7-34.5	270	63.3	58.0-68.6
\$50,000- 99,999	1499	153,936	61	2.8	2.0- 3.6	63	2.7	1.9- 3.5	487	28.6	25.9-31.3	888	65.8	62.9-68.7
\$100,000 - 199,999	1067	117,065	29	2.2	1.2- 3.2	29	1.9	0.9- 2.9	290	24.4	21.5-27.3	719	71.5	68.4-74.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 8: HAD CHEST CT SCAN FOR LUNG CANCER (_LCSCTSN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had CT Scan for Lung Cancer <1 Year			Had CT Scan for Lung Cancer >1 Year			Had Chest CT Scan for Other Reason			Have not had a Chest CT Scan		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2619	274,823	130	3.2	2.6- 3.8	133	3.5	2.7- 4.3	926	30.2	28.2-32.2	1430	63.0	60.8-65.2
Native	79	12,266	3	1.5	0.0- 3.3	4	4.5	0.0-10.8	33	30.2	19.0-41.4	39	63.8	51.6-76.0
Non-Native	2496	258,584	123	3.3	2.5- 4.1	124	3.4	2.6- 4.2	870	30.0	27.8-32.2	1379	63.3	61.1-65.5
18-24	184	45,221				1	0.7	0.0- 2.1	23	12.3	7.2-17.4	160	87.0	81.9-92.1
25-34	326	52,014	1	0.5	0.0- 1.5	1	0.4	0.0- 1.2	71	21.5	16.8-26.2	253	77.5	72.6-82.4
35-44	342	48,583	4	1.0	0.0- 2.2	5	2.3	0.0- 4.7	98	28.6	23.5-33.7	235	68.0	62.5-73.5
45-54	360	37,032	9	2.2	0.6- 3.8	12	3.0	1.2- 4.8	126	34.4	29.1-39.7	213	60.5	55.0-66.0
55-64	462	38,031	26	5.7	3.3- 8.1	20	4.3	2.1- 6.5	193	42.1	37.0-47.2	223	47.9	42.8-53.0
65+	945	53,942	90	9.5	7.3-11.7	94	9.6	7.4-11.8	415	43.9	40.2-47.6	346	36.9	33.4-40.4
Less Than H.S.	96	19,824	8	5.0	1.5- 8.5	6	4.2	0.1- 8.3	26	19.7	11.1-28.3	56	71.1	61.1-81.1
H.S. or G.E.D.	769	79,094	38	2.6	1.6- 3.6	34	3.0	1.8- 4.2	255	26.9	23.4-30.4	442	67.5	63.8-71.2
Some Post-H.S.	754	102,083	43	3.7	2.5- 4.9	40	4.0	2.4- 5.6	314	35.2	31.5-38.9	357	57.1	53.2-61.0
College Graduate	993	72,876	40	2.7	1.7- 3.7	53	3.2	2.2- 4.2	328	29.6	26.5-32.7	572	64.5	61.2-67.8
Less than \$15,000	68	8,001	6	5.0	0.1- 9.9	4	5.4	0.0-13.0	21	22.2	11.2-33.2	37	67.4	54.1-80.7
\$15,000- 24,999	114	11,054	6	2.5	0.1- 4.9	12	7.5	2.6-12.4	46	34.5	23.9-45.1	50	55.4	43.8-67.0
\$25,000- 34,999	191	19,270	12	3.1	1.1- 5.1	15	6.5	2.0-11.0	70	28.2	20.8-35.6	94	62.3	53.9-70.7
\$35,000- 49,999	266	26,030	17	3.7	1.7- 5.7	16	3.7	1.7- 5.7	105	33.8	26.9-40.7	128	58.9	51.8-66.0
\$50,000- 99,999	838	86,916	41	3.1	1.9- 4.3	43	3.4	2.2- 4.6	296	32.0	28.3-35.7	458	61.5	57.6-65.4
\$100,000 - 199,999	611	68,684	24	3.3	1.7- 4.9	19	2.1	0.7- 3.5	187	26.9	23.0-30.8	381	67.7	63.6-71.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 9: HAD CHEST CT SCAN FOR LUNG CANCER (_LCSCTSN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Had CT Scan for Lung Cancer <1 Year			Had CT Scan for Lung Cancer >1 Year			Had Chest CT Scan for Other Reason			Have not had a Chest CT Scan		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2393	250,833	100	2.8	2.2- 3.4	89	2.8	2.0- 3.6	755	27.2	25.0-29.4	1449	67.3	64.9-69.7
Native	65	9,090	3	1.5	0.0- 3.3	2	2.0	0.0- 4.7	24	34.8	19.5-50.1	36	61.8	46.3-77.3
Non-Native	2302	238,892	93	2.8	2.2- 3.4	86	2.8	2.0- 3.6	723	26.9	24.5-29.3	1400	67.5	65.1-69.9
18-24	118	40,068				2	2.5	0.0- 6.2	18	13.9	7.4-20.4	98	83.5	76.2-90.8
25-34	227	43,297				1	0.4	0.0- 1.2	41	17.0	11.7-22.3	185	82.6	77.3-87.9
35-44	276	40,725	2	0.9	0.0- 2.3	1	0.4	0.0- 1.2	66	25.9	19.8-32.0	207	72.8	66.7-78.9
45-54	284	31,896	4	1.4	0.0- 2.8	9	2.8	1.0- 4.6	69	27.5	21.4-33.6	202	68.4	62.1-74.7
55-64	390	33,796	18	4.5	2.1- 6.9	19	4.8	2.4- 7.2	121	31.4	26.1-36.7	232	59.3	53.6-65.0
65+	1098	61,050	76	7.6	5.6- 9.6	57	5.1	3.5- 6.7	440	41.4	37.9-44.9	525	45.8	42.3-49.3
Less Than H.S.	65	14,472	4	1.0	0.0- 2.2	3	2.5	0.0- 6.0	23	31.0	16.3-45.7	35	65.4	50.3-80.5
H.S. or G.E.D.	548	56,919	27	3.1	1.7- 4.5	23	2.3	1.1- 3.5	195	28.0	23.3-32.7	303	66.6	61.7-71.5
Some Post-H.S.	728	93,875	42	4.0	2.6- 5.4	31	3.5	1.7- 5.3	246	30.0	26.1-33.9	409	62.6	58.3-66.9
College Graduate	1047	85,012	26	1.5	0.9- 2.1	32	2.4	1.4- 3.4	288	22.6	19.7-25.5	701	73.5	70.4-76.6
Less than \$15,000	79	8,616	3	3.1	0.0- 7.2	9	6.5	1.6-11.4	33	39.0	25.3-52.7	34	51.3	36.6-66.0
\$15,000- 24,999	161	17,492	11	3.0	1.0- 5.0	10	4.6	1.1- 8.1	74	43.5	32.9-54.1	66	48.8	37.8-59.8
\$25,000- 34,999	234	22,569	24	6.6	3.5- 9.7	13	4.6	1.5- 7.7	97	34.6	27.0-42.2	100	54.3	45.9-62.7
\$35,000- 49,999	247	26,999	16	3.6	1.6- 5.6	9	3.3	0.9- 5.7	80	25.6	18.7-32.5	142	67.6	60.2-75.0
\$50,000- 99,999	661	67,020	20	2.5	1.3- 3.7	20	1.9	0.9- 2.9	191	24.4	20.3-28.5	430	71.3	67.0-75.6
\$100,000 - 199,999	456	48,381	5	0.8	0.0- 1.6	10	1.5	0.3- 2.7	103	20.7	16.4-25.0	338	77.0	72.5-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING
TABLE 10: MEET USPSTF LUNG CANCER SCREENING GUIDELINES (_LCSPSTF)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF Criteria			Do not meet USPSTF Criteria		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	405	31,786	83	18.0	13.7-22.3	322	82.0	77.7-86.3
Male	250	18,873	55	19.1	13.8-24.4	195	80.9	75.6-86.2
Female	155	12,913	28	16.4	9.5-23.3	127	83.6	76.7-90.5
Non-Native	379	29,026	77	18.7	14.2-23.2	302	81.3	76.8-85.8
45-54	52	6,277	2	4.5	0.0-10.8	50	95.5	89.2- 100
55-64	141	12,708	22	15.9	9.0-22.8	119	84.1	77.2-91.0
65+	212	12,801	59	26.8	19.9-33.7	153	73.2	66.3-80.1
H.S. or G.E.D.	155	9,629	30	18.5	11.4-25.6	125	81.5	74.4-88.6
Some Post-H.S.	146	14,031	30	18.1	11.2-25.0	116	81.9	75.0-88.8
College Graduate	72	3,787	17	19.5	10.5-28.5	55	80.5	71.5-89.5
\$25,000- 34,999	52	3,291	13	22.0	9.1-34.9	39	78.0	65.1-90.9
\$35,000- 49,999	57	4,199	13	18.0	7.8-28.2	44	82.0	71.8-92.2
\$50,000- 99,999	98	8,470	25	21.7	12.3-31.1	73	78.3	68.9-87.7
\$100,000 - 199,999	57	5,358	14	25.6	12.7-38.5	43	74.4	61.5-87.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 11: MEET USPSTF LUNG CANCER SCREENING GUIDELINES (_LCSPSTF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF Criteria			Do not meet USPSTF Criteria		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	250	18,873	55	19.1	13.8-24.4	195	80.9	75.6-86.2
Non-Native	234	17,277	53	20.2	14.5-25.9	181	79.8	74.1-85.5
55-64	85	7,217	15	18.6	9.4-27.8	70	81.4	72.2-90.6
65+	124	7,162	39	30.1	20.9-39.3	85	69.9	60.7-79.1
H.S. or G.E.D.	102	6,090	20	18.1	10.1-26.1	82	81.9	73.9-89.9
Some Post-H.S.	84	7,802	19	18.2	9.8-26.6	65	81.8	73.4-90.2
\$50,000- 99,999	65	4,817	16	19.2	9.4-29.0	49	80.8	71.0-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 12: MEET USPSTF LUNG CANCER SCREENING GUIDELINES (_LCSPSTF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet USPSTF Criteria			Do not meet USPSTF Criteria		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	155	12,913	28	16.4	9.5-23.3	127	83.6	76.7-90.5
Non-Native	145	11,749	24	16.6	9.3-23.9	121	83.4	76.1-90.7
55-64	56	5,492	7	12.4	2.4-22.4	49	87.6	77.6-97.6
65+	88	5,639	20	22.5	12.3-32.7	68	77.5	67.3-87.7
H.S. or G.E.D.	53	3,539	10	19.2	6.1-32.3	43	80.8	67.7-93.9
Some Post-H.S.	62	6,229	11	17.9	6.9-28.9	51	82.1	71.1-93.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)	
1 MALES AND FEMALES	167
2 MALES ONLY	168
3 FEMALES ONLY	169
DRINK-OCCASIONS-PER-DAY (DROCDY4_)	
4 MALES AND FEMALES	170
5 MALES ONLY	171
6 FEMALES ONLY	172
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)	
7 MALES AND FEMALES	173
8 MALES ONLY	174
9 FEMALES ONLY	175
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK3)	
10 MALES AND FEMALES	176
11 MALES ONLY	177
12 FEMALES ONLY	178
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV9)	
13 MALES AND FEMALES	179
14 MALES ONLY	180
15 FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5263	543,756	2935	56.1	54.3-57.9	2328	43.9	42.1-45.7
Male	2719	283,203	1676	61.3	58.9-63.7	1043	38.7	36.3-41.1
Female	2544	260,553	1259	50.6	48.1-53.1	1285	49.4	46.9-51.9
Native	150	21,832	52	34.6	24.8-44.4	98	65.4	55.6-75.2
Non-Native	5038	514,507	2847	57.2	55.4-59.0	2191	42.8	41.0-44.6
18-24	296	83,830	155	49.3	43.0-55.6	141	50.7	44.4-57.0
25-34	553	95,306	366	65.7	61.4-70.0	187	34.3	30.0-38.6
35-44	630	91,857	385	58.7	54.4-63.0	245	41.3	37.0-45.6
45-54	664	71,314	401	58.9	54.6-63.2	263	41.1	36.8-45.4
55-64	888	75,173	528	58.1	54.4-61.8	360	41.9	38.2-45.6
65+	2232	126,276	1100	48.9	46.4-51.4	1132	51.1	48.6-53.6
Less Than H.S.	179	37,002	63	34.1	25.3-42.9	116	65.9	57.1-74.7
H.S. or G.E.D.	1375	138,709	656	49.5	46.2-52.8	719	50.5	47.2-53.8
Some Post-H.S.	1583	205,745	894	58.3	55.4-61.2	689	41.7	38.8-44.6
College Graduate	2114	160,749	1317	64.5	62.1-66.9	797	35.5	33.1-37.9
Less than \$15,000	162	18,525	51	36.7	26.5-46.9	111	63.3	53.1-73.5
\$15,000- 24,999	292	30,199	103	42.0	34.2-49.8	189	58.0	50.2-65.8
\$25,000- 34,999	455	44,959	202	44.8	38.7-50.9	253	55.2	49.1-61.3
\$35,000- 49,999	548	55,181	274	49.6	43.9-55.3	274	50.4	44.7-56.1
\$50,000- 99,999	1544	156,737	928	60.2	57.1-63.3	616	39.8	36.7-42.9
\$100,000 - 199,999	1098	120,072	756	69.3	66.0-72.6	342	30.7	27.4-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2719	283,203	1676	61.3	58.9-63.7	1043	38.7	36.3-41.1
Native	80	12,346	29	36.3	23.2-49.4	51	63.7	50.6-76.8
Non-Native	2593	266,493	1621	62.5	60.1-64.9	972	37.5	35.1-39.9
18-24	181	44,403	93	48.2	40.4-56.0	88	51.8	44.0-59.6
25-34	325	52,230	228	70.8	65.5-76.1	97	29.2	23.9-34.5
35-44	348	49,915	233	66.4	60.9-71.9	115	33.6	28.1-39.1
45-54	372	38,144	234	62.9	57.4-68.4	138	37.1	31.6-42.6
55-64	478	39,518	306	63.4	58.5-68.3	172	36.6	31.7-41.5
65+	1015	58,993	582	55.8	52.3-59.3	433	44.2	40.7-47.7
Less Than H.S.	106	21,597	42	37.2	26.0-48.4	64	62.8	51.6-74.0
H.S. or G.E.D.	788	79,478	428	56.1	52.0-60.2	360	43.9	39.8-48.0
Some Post-H.S.	804	107,476	514	65.2	61.5-68.9	290	34.8	31.1-38.5
College Graduate	1015	73,688	689	68.7	65.4-72.0	326	31.3	28.0-34.6
Less than \$15,000	73	8,409	27	44.2	29.1-59.3	46	55.8	40.7-70.9
\$15,000- 24,999	122	11,975	52	45.0	33.4-56.6	70	55.0	43.4-66.6
\$25,000- 34,999	202	20,564	103	51.8	43.0-60.6	99	48.2	39.4-57.0
\$35,000- 49,999	281	27,082	163	56.2	48.9-63.5	118	43.8	36.5-51.1
\$50,000- 99,999	866	89,373	551	63.7	59.8-67.6	315	36.3	32.4-40.2
\$100,000 - 199,999	628	70,554	441	70.4	66.1-74.7	187	29.6	25.3-33.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2544	260,553	1259	50.6	48.1-53.1	1285	49.4	46.9-51.9
Native	70	9,486	23	32.4	17.7-47.1	47	67.6	52.9-82.3
Non-Native	2445	248,014	1226	51.4	48.9-53.9	1219	48.6	46.1-51.1
18-24	115	39,427	62	50.5	40.7-60.3	53	49.5	39.7-59.3
25-34	228	43,076	138	59.5	52.4-66.6	90	40.5	33.4-47.6
35-44	282	41,943	152	49.6	43.1-56.1	130	50.4	43.9-56.9
45-54	292	33,170	167	54.4	47.9-60.9	125	45.6	39.1-52.1
55-64	410	35,655	222	52.3	46.6-58.0	188	47.7	42.0-53.4
65+	1217	67,282	518	42.8	39.5-46.1	699	57.2	53.9-60.5
Less Than H.S.	73	15,405	21	29.7	15.2-44.2	52	70.3	55.8-84.8
H.S. or G.E.D.	587	59,231	228	40.6	35.1-46.1	359	59.4	53.9-64.9
Some Post-H.S.	779	98,269	380	50.7	46.2-55.2	399	49.3	44.8-53.8
College Graduate	1099	87,061	628	60.9	57.4-64.4	471	39.1	35.6-42.6
Less than \$15,000	89	10,116	24	30.4	17.1-43.7	65	69.6	56.3-82.9
\$15,000- 24,999	170	18,224	51	40.1	29.3-50.9	119	59.9	49.1-70.7
\$25,000- 34,999	253	24,395	99	38.9	30.9-46.9	154	61.1	53.1-69.1
\$35,000- 49,999	267	28,098	111	43.2	34.6-51.8	156	56.8	48.2-65.4
\$50,000- 99,999	678	67,364	377	55.5	50.6-60.4	301	44.5	39.6-49.4
\$100,000 - 199,999	470	49,518	315	67.8	62.7-72.9	155	32.2	27.1-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY4_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5263	543,756	1820	35.4	33.8-37.0	610	12.2	11.0-13.4	201	3.5	2.9- 4.1	304	5.1	4.3- 5.9	2328	43.9	42.1-45.7
Male	2719	283,203	929	34.5	32.3-36.7	385	14.7	13.1-16.3	140	4.6	3.6- 5.6	222	7.5	6.3- 8.7	1043	38.7	36.3-41.1
Female	2544	260,553	891	36.4	33.9-38.9	225	9.5	7.9-11.1	61	2.2	1.6- 2.8	82	2.5	1.7- 3.3	1285	49.4	46.9-51.9
Native	150	21,832	36	21.7	13.7-29.7	9	7.6	1.3-13.9				7	5.3	0.2-10.4	98	65.4	55.6-75.2
Non-Native	5038	514,507	1761	36.0	34.2-37.8	592	12.4	11.2-13.6	201	3.7	3.1- 4.3	293	5.1	4.3- 5.9	2191	42.8	41.0-44.6
18-24	296	83,830	101	32.0	26.3-37.7	43	13.4	9.5-17.3	4	1.6	0.0- 3.2	7	2.3	0.3- 4.3	141	50.7	44.4-57.0
25-34	553	95,306	219	40.5	36.0-45.0	100	17.1	13.8-20.4	21	3.4	1.8- 5.0	26	4.7	2.7- 6.7	187	34.3	30.0-38.6
35-44	630	91,857	239	37.1	33.0-41.2	83	12.2	9.5-14.9	28	4.1	2.5- 5.7	35	5.3	3.3- 7.3	245	41.3	37.0-45.6
45-54	664	71,314	240	35.3	31.4-39.2	91	12.6	9.9-15.3	30	4.7	2.9- 6.5	40	6.4	4.2- 8.6	263	41.1	36.8-45.4
55-64	888	75,173	332	38.1	34.4-41.8	103	10.5	8.3-12.7	37	3.6	2.4- 4.8	56	5.9	4.1- 7.7	360	41.9	38.2-45.6
65+	2232	126,276	689	30.9	28.5-33.3	190	8.5	7.1- 9.9	81	3.5	2.7- 4.3	140	6.0	4.8- 7.2	1132	51.1	48.6-53.6
Less Than H.S.	179	37,002	36	17.8	10.7-24.9	10	5.2	1.1- 9.3	4	2.0	0.0- 4.4	13	9.0	3.5-14.5	116	65.9	57.1-74.7
H.S. or G.E.D.	1375	138,709	403	30.6	27.5-33.7	135	11.4	9.2-13.6	40	2.4	1.6- 3.2	78	5.1	3.7- 6.5	719	50.5	47.2-53.8
Some Post-H.S.	1583	205,745	569	37.6	34.7-40.5	176	11.8	9.8-13.8	64	4.2	3.0- 5.4	85	4.7	3.5- 5.9	689	41.7	38.8-44.6
College Graduate	2114	160,749	807	40.8	38.3-43.3	289	15.1	13.1-17.1	93	3.8	3.0- 4.6	128	4.8	3.8- 5.8	797	35.5	33.1-37.9
Less than \$15,000	162	18,525	32	21.7	13.7-29.7	8	7.5	0.8-14.2	1	0.2	0.0- 0.6	10	7.3	1.2-13.4	111	63.3	53.1-73.5
\$15,000- 24,999	292	30,199	68	30.8	23.2-38.4	19	6.6	2.5-10.7	6	1.7	0.1- 3.3	10	2.9	0.9- 4.9	189	58.0	50.2-65.8
\$25,000- 34,999	455	44,959	134	26.2	21.3-31.1	35	11.6	6.9-16.3	12	2.1	0.5- 3.7	21	4.9	2.0- 7.8	253	55.2	49.1-61.3
\$35,000- 49,999	548	55,181	177	32.7	27.4-38.0	52	9.8	6.7-12.9	14	1.9	0.7- 3.1	31	5.1	2.9- 7.3	274	50.4	44.7-56.1
\$50,000- 99,999	1544	156,737	567	37.6	34.7-40.5	194	13.4	11.2-15.6	74	3.6	2.6- 4.6	93	5.6	4.2- 7.0	616	39.8	36.7-42.9
\$100,000 - 199,999	1098	120,072	456	42.9	39.4-46.4	169	15.5	13.0-18.0	55	5.4	3.8- 7.0	76	5.5	4.1- 6.9	342	30.7	27.4-34.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY4_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
			>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2719	283,203	929	34.5	32.3-36.7	385	14.7	13.1-16.3	140	4.6	3.6- 5.6	222	7.5	6.3- 8.7	1043	38.7	36.3-41.1
Native	80	12,346	19	21.9	11.3-32.5	7	11.4	1.2-21.6				3	2.9	0.0- 6.4	51	63.7	50.6-76.8
Non-Native	2593	266,493	896	35.1	32.9-37.3	370	14.8	13.2-16.4	140	4.9	3.9- 5.9	215	7.7	6.5- 8.9	972	37.5	35.1-39.9
18-24	181	44,403	55	26.5	20.0-33.0	29	15.8	10.1-21.5	3	2.1	0.0- 4.6	6	3.8	0.5- 7.1	88	51.8	44.0-59.6
25-34	325	52,230	122	38.2	32.5-43.9	67	20.7	16.0-25.4	17	5.2	2.7- 7.7	22	6.6	3.7- 9.5	97	29.2	23.9-34.5
35-44	348	49,915	132	39.4	33.7-45.1	50	12.7	9.2-16.2	21	5.8	3.3- 8.3	30	8.5	5.2-11.8	115	33.6	28.1-39.1
45-54	372	38,144	125	33.0	27.7-38.3	63	16.2	12.1-20.3	15	4.2	2.0- 6.4	31	9.4	5.9-12.9	138	37.1	31.6-42.6
55-64	478	39,518	179	37.9	33.0-42.8	65	13.1	9.8-16.4	22	4.1	2.3- 5.9	40	8.3	5.6-11.0	172	36.6	31.7-41.5
65+	1015	58,993	316	31.6	28.3-34.9	111	10.2	8.2-12.2	62	5.5	3.9- 7.1	93	8.5	6.5-10.5	433	44.2	40.7-47.7
Less Than H.S.	106	21,597	22	15.3	8.0-22.6	7	6.6	0.5-12.7	3	3.0	0.0- 6.9	10	12.3	4.3-20.3	64	62.8	51.6-74.0
H.S. or G.E.D.	788	79,478	248	32.8	28.9-36.7	90	13.1	10.0-16.2	27	2.7	1.5- 3.9	63	7.4	5.4- 9.4	360	43.9	39.8-48.0
Some Post-H.S.	804	107,476	289	37.1	33.2-41.0	116	15.1	12.2-18.0	47	5.9	4.1- 7.7	62	7.1	5.1- 9.1	290	34.8	31.1-38.5
College Graduate	1015	73,688	367	38.1	34.6-41.6	172	18.3	15.6-21.0	63	5.3	3.9- 6.7	87	7.0	5.4- 8.6	326	31.3	28.0-34.6
Less than \$15,000	73	8,409	13	19.7	8.7-30.7	6	15.0	1.3-28.7				8	9.5	2.2-16.8	46	55.8	40.7-70.9
\$15,000- 24,999	122	11,975	30	30.2	19.0-41.4	11	6.0	2.1- 9.9	4	3.1	0.0- 6.6	7	5.6	1.3- 9.9	70	55.0	43.4-66.6
\$25,000- 34,999	202	20,564	67	28.6	21.0-36.2	16	12.3	5.2-19.4	7	2.8	0.1- 5.5	13	8.1	2.2-14.0	99	48.2	39.4-57.0
\$35,000- 49,999	281	27,082	92	31.3	24.8-37.8	32	12.5	7.6-17.4	11	2.8	1.0- 4.6	28	9.6	5.3-13.9	118	43.8	36.5-51.1
\$50,000- 99,999	866	89,373	298	36.0	32.1-39.9	126	15.4	12.5-18.3	51	4.4	3.0- 5.8	76	8.0	5.8-10.2	315	36.3	32.4-40.2
\$100,000 - 199,999	628	70,554	238	39.4	34.9-43.9	104	16.1	13.0-19.2	43	7.6	5.1-10.1	56	7.3	5.1- 9.5	187	29.6	25.3-33.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY4_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Data was weighted using _LLCPWT.														
			>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2544	260,553	891	36.4	33.9-38.9	225	9.5	7.9-11.1	61	2.2	1.6- 2.8	82	2.5	1.7- 3.3	1285	49.4	46.9-51.9
Native	70	9,486	17	21.4	9.1-33.7	2	2.6	0.0- 6.3				4	8.5	0.0-18.9	47	67.6	52.9-82.3
Non-Native	2445	248,014	865	37.0	34.5-39.5	222	9.8	8.2-11.4	61	2.4	1.6- 3.2	78	2.3	1.7- 2.9	1219	48.6	46.1-51.1
18-24	115	39,427	46	38.2	28.8-47.6	14	10.7	5.2-16.2	1	1.0	0.0- 3.0	1	0.6	0.0- 1.8	53	49.5	39.7-59.3
25-34	228	43,076	97	43.2	36.1-50.3	33	12.7	8.4-17.0	4	1.3	0.0- 2.7	4	2.4	0.0- 5.1	90	40.5	33.4-47.6
35-44	282	41,943	107	34.4	28.5-40.3	33	11.6	7.5-15.7	7	2.1	0.5- 3.7	5	1.4	0.0- 2.8	130	50.4	43.9-56.9
45-54	292	33,170	115	38.0	31.9-44.1	28	8.3	5.0-11.6	15	5.2	2.5- 7.9	9	2.8	0.8- 4.8	125	45.6	39.1-52.1
55-64	410	35,655	153	38.2	32.7-43.7	38	7.6	5.1-10.1	15	3.1	1.3- 4.9	16	3.3	1.3- 5.3	188	47.7	42.0-53.4
65+	1217	67,282	373	30.4	27.3-33.5	79	6.9	5.1- 8.7	19	1.7	0.7- 2.7	47	3.8	2.6- 5.0	699	57.2	53.9-60.5
Less Than H.S.	73	15,405	14	21.3	8.0-34.6	3	3.3	0.0- 8.4	1	0.7	0.0- 2.1	3	4.4	0.0-10.9	52	70.3	55.8-84.8
H.S. or G.E.D.	587	59,231	155	27.5	22.4-32.6	45	9.1	6.0-12.2	13	2.0	0.8- 3.2	15	2.1	0.9- 3.3	359	59.4	53.9-64.9
Some Post-H.S.	779	98,269	280	38.1	33.8-42.4	60	8.2	5.8-10.6	17	2.4	1.0- 3.8	23	2.0	1.0- 3.0	399	49.3	44.8-53.8
College Graduate	1099	87,061	440	43.0	39.5-46.5	117	12.3	9.8-14.8	30	2.6	1.6- 3.6	41	3.0	2.0- 4.0	471	39.1	35.6-42.6
Less than \$15,000	89	10,116	19	23.3	11.9-34.7	2	1.2	0.0- 3.0	1	0.3	0.0- 0.9	2	5.6	0.0-15.0	65	69.6	56.3-82.9
\$15,000- 24,999	170	18,224	38	31.1	20.7-41.5	8	7.1	1.0-13.2	2	0.7	0.0- 1.7	3	1.2	0.0- 2.6	119	59.9	49.1-70.7
\$25,000- 34,999	253	24,395	67	24.1	17.6-30.6	19	11.1	4.8-17.4	5	1.5	0.0- 3.1	8	2.2	0.4- 4.0	154	61.1	53.1-69.1
\$35,000- 49,999	267	28,098	85	34.1	25.7-42.5	20	7.2	3.1-11.3	3	1.2	0.0- 2.6	3	0.7	0.0- 1.5	156	56.8	48.2-65.4
\$50,000- 99,999	678	67,364	269	39.9	35.2-44.6	68	10.7	7.8-13.6	23	2.5	1.3- 3.7	17	2.4	1.0- 3.8	301	44.5	39.6-49.4
\$100,000 - 199,999	470	49,518	218	47.8	42.3-53.3	65	14.7	10.8-18.6	12	2.3	0.9- 3.7	20	2.9	1.3- 4.5	155	32.2	27.1-37.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION

TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5214	537,670	4382	80.6	79.2-82.0	832	19.4	18.0-20.8
Male	2683	279,628	2105	74.4	72.2-76.6	578	25.6	23.4-27.8
Female	2531	258,042	2277	87.4	85.6-89.2	254	12.6	10.8-14.4
Native	147	20,849	123	84.4	77.0-91.8	24	15.6	8.2-23.0
Non-Native	4994	509,487	4194	80.4	79.0-81.8	800	19.6	18.2-21.0
18-24	294	83,361	214	76.2	71.3-81.1	80	23.8	18.9-28.7
25-34	545	93,299	374	69.4	65.3-73.5	171	30.6	26.5-34.7
35-44	621	90,389	473	77.6	74.1-81.1	148	22.4	18.9-25.9
45-54	657	70,708	500	76.6	73.1-80.1	157	23.4	19.9-26.9
55-64	884	74,752	736	84.9	82.4-87.4	148	15.1	12.6-17.6
65+	2213	125,162	2085	93.8	92.6-95.0	128	6.2	5.0- 7.4
Less Than H.S.	174	36,189	150	84.0	77.1-90.9	24	16.0	9.1-22.9
H.S. or G.E.D.	1361	136,714	1141	80.3	77.6-83.0	220	19.7	17.0-22.4
Some Post-H.S.	1566	203,511	1296	79.5	77.0-82.0	270	20.5	18.0-23.0
College Graduate	2101	159,705	1784	81.4	79.2-83.6	317	18.6	16.4-20.8
Less than \$15,000	160	17,954	140	82.3	73.7-90.9	20	17.7	9.1-26.3
\$15,000- 24,999	288	29,588	250	81.8	74.9-88.7	38	18.2	11.3-25.1
\$25,000- 34,999	446	43,776	397	84.7	79.8-89.6	49	15.3	10.4-20.2
\$35,000- 49,999	543	54,596	477	85.5	81.6-89.4	66	14.5	10.6-18.4
\$50,000- 99,999	1535	155,692	1254	78.5	76.0-81.0	281	21.5	19.0-24.0
\$100,000 - 199,999	1092	119,433	848	74.0	70.9-77.1	244	26.0	22.9-29.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2683	279,628	2105	74.4	72.2-76.6	578	25.6	23.4-27.8
Native	80	12,346	67	81.9	70.9-92.9	13	18.1	7.1-29.1
Non-Native	2559	263,000	1999	73.9	71.7-76.1	560	26.1	23.9-28.3
18-24	180	44,209	121	69.1	62.0-76.2	59	30.9	23.8-38.0
25-34	322	51,707	199	61.3	55.6-67.0	123	38.7	33.0-44.4
35-44	341	48,773	242	72.4	67.3-77.5	99	27.6	22.5-32.7
45-54	366	37,610	254	69.1	63.8-74.4	112	30.9	25.6-36.2
55-64	474	39,097	373	80.2	76.3-84.1	101	19.8	15.9-23.7
65+	1000	58,232	916	91.2	89.2-93.2	84	8.8	6.8-10.8
Less Than H.S.	104	21,454	85	78.3	68.5-88.1	19	21.7	11.9-31.5
H.S. or G.E.D.	779	78,416	614	75.0	71.3-78.7	165	25.0	21.3-28.7
Some Post-H.S.	790	105,904	594	71.7	68.0-75.4	196	28.3	24.6-32.0
College Graduate	1004	72,890	806	76.2	73.1-79.3	198	23.8	20.7-26.9
Less than \$15,000	72	8,342	57	68.9	53.6-84.2	15	31.1	15.8-46.4
\$15,000- 24,999	119	11,758	99	82.1	73.3-90.9	20	17.9	9.1-26.7
\$25,000- 34,999	198	20,158	171	81.3	73.7-88.9	27	18.7	11.1-26.3
\$35,000- 49,999	278	26,835	232	80.0	73.9-86.1	46	20.0	13.9-26.1
\$50,000- 99,999	858	88,427	657	72.7	69.0-76.4	201	27.3	23.6-31.0
\$100,000 - 199,999	623	69,988	445	67.5	63.2-71.8	178	32.5	28.2-36.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2531	258,042	2277	87.4	85.6-89.2	254	12.6	10.8-14.4
Native	67	8,503	56	87.9	80.1-95.7	11	12.1	4.3-19.9
Non-Native	2435	246,486	2195	87.4	85.6-89.2	240	12.6	10.8-14.4
18-24	114	39,152	93	84.2	77.5-90.9	21	15.8	9.1-22.5
25-34	223	41,592	175	79.4	73.7-85.1	48	20.6	14.9-26.3
35-44	280	41,616	231	83.8	79.3-88.3	49	16.2	11.7-20.7
45-54	291	33,097	246	85.1	80.6-89.6	45	14.9	10.4-19.4
55-64	410	35,655	363	90.1	87.2-93.0	47	9.9	7.0-12.8
65+	1213	66,930	1169	96.0	94.6-97.4	44	4.0	2.6- 5.4
Less Than H.S.	70	14,736	65	92.2	84.8-99.6	5	7.8	0.4-15.2
H.S. or G.E.D.	582	58,298	527	87.5	83.8-91.2	55	12.5	8.8-16.2
Some Post-H.S.	776	97,607	702	88.1	85.0-91.2	74	11.9	8.8-15.0
College Graduate	1097	86,815	978	85.7	83.0-88.4	119	14.3	11.6-17.0
Less than \$15,000	88	9,612	83	93.9	87.6- 100	5	6.1	0.0-12.4
\$15,000- 24,999	169	17,829	151	81.6	72.0-91.2	18	18.4	8.8-28.0
\$25,000- 34,999	248	23,618	226	87.6	81.3-93.9	22	12.4	6.1-18.7
\$35,000- 49,999	265	27,762	245	90.8	86.3-95.3	20	9.2	4.7-13.7
\$50,000- 99,999	677	67,265	597	86.1	82.8-89.4	80	13.9	10.6-17.2
\$100,000 - 199,999	469	49,445	403	83.4	79.3-87.5	66	16.6	12.5-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5224	539,034	1091	19.5	18.1-20.9	409	8.3	7.3- 9.3	581	11.7	10.5-12.9	389	7.1	6.3- 7.9	425	9.1	8.1-10.1	2329	44.3	42.5-46.1
Male	2689	280,231	473	16.4	14.8-18.0	218	8.1	6.9- 9.3	343	12.8	11.2-14.4	270	9.4	8.0-10.8	342	14.2	12.4-16.0	1043	39.2	36.8-41.6
Female	2535	258,803	618	22.9	20.7-25.1	191	8.5	7.1- 9.9	238	10.5	8.9-12.1	119	4.7	3.7- 5.7	83	3.6	2.6- 4.6	1286	49.8	47.3-52.3
Native	150	21,832	14	7.9	3.0-12.8	8	8.2	2.1-14.3	12	5.4	1.9- 8.9	5	1.9	0.0- 3.9	13	11.2	3.8-18.6	98	65.4	55.6-75.2
Non-Native	5003	510,385	1061	20.0	18.6-21.4	398	8.3	7.3- 9.3	563	12.0	10.8-13.2	380	7.3	6.5- 8.1	409	9.1	8.1-10.1	2192	43.2	41.4-45.0
18-24	295	83,621	41	14.1	9.8-18.4	25	7.6	4.5-10.7	39	12.4	8.5-16.3	21	6.4	3.7- 9.1	28	8.7	5.4-12.0	141	50.8	44.5-57.1
25-34	543	93,185	78	15.1	11.8-18.4	72	13.3	10.2-16.4	84	15.0	11.9-18.1	55	9.3	6.8-11.8	67	12.2	9.1-15.3	187	35.1	30.8-39.4
35-44	625	91,138	130	20.4	17.1-23.7	49	7.9	5.5-10.3	81	12.4	9.7-15.1	46	6.3	4.5- 8.1	74	11.5	8.8-14.2	245	41.6	37.3-45.9
45-54	658	70,709	128	19.7	16.4-23.0	56	8.4	6.0-10.8	79	10.6	8.1-13.1	68	9.4	7.0-11.8	64	10.5	7.8-13.2	263	41.4	37.1-45.7
55-64	882	74,728	200	23.5	20.4-26.6	70	7.9	5.9- 9.9	127	13.2	10.8-15.6	49	5.2	3.6- 6.8	76	8.1	6.1-10.1	360	42.1	38.4-45.8
65+	2221	125,653	514	23.4	21.2-25.6	137	5.4	4.4- 6.4	171	7.9	6.5- 9.3	150	6.5	5.3- 7.7	116	5.3	4.3- 6.3	1133	51.5	49.0-54.0
Less Than H.S.	174	36,341	20	10.1	4.4-15.8	6	3.4	0.3- 6.5	11	5.5	1.0-10.0	5	1.7	0.1- 3.3	16	12.3	5.8-18.8	116	67.1	58.1-76.1
H.S. or G.E.D.	1362	137,075	237	16.8	14.3-19.3	75	5.7	4.1- 7.3	111	9.1	7.1-11.1	87	6.2	4.6- 7.8	133	11.0	8.8-13.2	719	51.1	47.8-54.4
Some Post-H.S.	1575	204,203	344	20.5	18.1-22.9	120	9.1	7.3-10.9	172	11.7	9.7-13.7	115	7.3	5.9- 8.7	135	9.4	7.6-11.2	689	42.0	39.1-44.9
College Graduate	2102	159,959	488	22.9	20.7-25.1	207	10.6	9.0-12.2	287	15.3	13.3-17.3	181	8.9	7.5-10.3	141	6.5	5.3- 7.7	798	35.8	33.4-38.2
Less than \$15,000	159	18,282	16	9.6	4.5-14.7	5	3.0	0.3- 5.7	10	7.1	1.8-12.4	6	4.8	0.1- 9.5	11	11.3	3.1-19.5	111	64.2	53.8-74.6
\$15,000- 24,999	286	28,873	37	13.1	8.0-18.2	16	8.0	3.1-12.9	15	8.8	3.3-14.3	11	3.2	1.0- 5.4	18	6.3	2.6-10.0	189	60.6	52.8-68.4
\$25,000- 34,999	449	44,034	86	16.0	12.1-19.9	26	4.9	2.5- 7.3	34	8.4	4.7-12.1	22	5.9	2.8- 9.0	28	8.4	4.5-12.3	253	56.4	50.3-62.5
\$35,000- 49,999	548	55,181	104	16.2	12.3-20.1	45	8.1	5.0-11.2	52	11.6	7.9-15.3	30	4.8	2.4- 7.2	43	8.8	5.9-11.7	274	50.4	44.7-56.1
\$50,000- 99,999	1532	155,600	337	20.6	18.2-23.0	125	9.2	7.2-11.2	190	12.8	10.8-14.8	125	7.2	5.8- 8.6	139	10.1	8.1-12.1	616	40.1	37.0-43.2
\$100,000 - 199,999	1095	119,552	247	22.2	19.3-25.1	113	10.8	8.4-13.2	171	15.3	12.9-17.7	108	9.7	7.7-11.7	113	10.9	8.7-13.1	343	30.9	27.6-34.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2689	280,231	473	16.4	14.8-18.0	218	8.1	6.9- 9.3	343	12.8	11.2-14.4	270	9.4	8.0-10.8	342	14.2	12.4-16.0	1043	39.2	36.8-41.6
Native	80	12,346	9	10.8	2.8-18.8	3	4.8	0.0-10.9	6	5.7	0.4-11.0	3	2.4	0.0- 5.5	8	12.5	2.1-22.9	51	63.7	50.6-76.8
Non-Native	2565	263,737	455	16.6	14.8-18.4	212	8.2	6.8- 9.6	332	13.2	11.6-14.8	263	9.7	8.3-11.1	331	14.4	12.6-16.2	972	37.9	35.5-40.3
18-24	180	44,194	16	7.7	3.8-11.6	13	6.2	2.7- 9.7	25	13.2	8.1-18.3	15	8.0	3.9-12.1	23	12.9	7.6-18.2	88	52.0	44.2-59.8
25-34	319	51,324	40	13.4	9.3-17.5	36	11.1	7.4-14.8	49	15.1	11.0-19.2	35	11.0	7.3-14.7	62	19.7	15.0-24.4	97	29.8	24.3-35.3
35-44	346	49,624	64	19.3	14.8-23.8	27	8.2	4.9-11.5	46	13.4	9.5-17.3	36	9.2	6.1-12.3	58	16.1	12.0-20.2	115	33.8	28.3-39.3
45-54	367	37,634	56	16.2	11.9-20.5	26	7.0	4.3- 9.7	47	10.7	7.6-13.8	48	12.0	8.5-15.5	52	16.5	12.0-21.0	138	37.6	32.1-43.1
55-64	473	39,085	92	19.6	15.7-23.5	39	9.0	5.9-12.1	76	15.0	11.5-18.5	35	7.4	4.9- 9.9	59	12.0	8.9-15.1	172	37.0	32.1-41.9
65+	1004	58,370	205	21.3	18.4-24.2	77	6.6	5.0- 8.2	100	9.8	7.8-11.8	101	8.9	6.9-10.9	88	8.8	6.8-10.8	433	44.7	41.2-48.2
Less Than H.S.	102	21,224	10	6.5	2.0-11.0	6	5.8	0.7-10.9	6	5.5	0.0-11.2	4	2.5	0.0- 5.0	12	15.9	6.7-25.1	64	63.9	52.5-75.3
H.S. or G.E.D.	778	78,467	127	16.4	13.5-19.3	47	5.7	3.7- 7.7	75	10.5	8.0-13.0	59	7.1	4.9- 9.3	110	15.7	12.6-18.8	360	44.5	40.4-48.6
Some Post-H.S.	798	106,521	148	17.5	14.6-20.4	66	8.9	6.5-11.3	100	13.0	10.3-15.7	81	10.3	7.9-12.7	113	15.2	12.3-18.1	290	35.1	31.4-38.8
College Graduate	1005	73,055	187	17.8	15.1-20.5	98	10.0	7.8-12.2	162	17.2	14.5-19.9	125	12.5	10.1-14.9	107	10.8	8.6-13.0	326	31.6	28.3-34.9
Less than \$15,000	70	8,166	5	6.5	0.6-12.4	3	5.1	0.0-11.0	3	3.9	0.0- 8.4	4	8.6	0.0-18.2	9	18.4	4.3-32.5	46	57.5	42.0-73.0
\$15,000- 24,999	120	11,837	17	15.9	7.1-24.7	6	5.1	0.0-11.2	8	9.4	2.0-16.8	8	6.5	1.8-11.2	11	7.5	2.6-12.4	70	55.7	44.1-67.3
\$25,000- 34,999	198	19,948	40	16.7	10.8-22.6	16	6.3	2.4-10.2	14	9.0	2.7-15.3	11	6.1	1.4-10.8	18	12.3	5.4-19.2	99	49.7	40.7-58.7
\$35,000- 49,999	281	27,082	44	13.5	9.0-18.0	28	8.6	4.9-12.3	30	11.7	7.2-16.2	25	7.3	4.0-10.6	36	15.1	9.8-20.4	118	43.8	36.5-51.1
\$50,000- 99,999	854	88,236	150	16.9	14.0-19.8	68	8.5	6.1-10.9	114	13.6	10.9-16.3	88	8.8	6.6-11.0	119	15.5	12.4-18.6	315	36.7	32.8-40.6
\$100,000 - 199,999	625	70,034	107	16.9	13.6-20.2	56	9.8	6.9-12.7	103	15.8	12.7-18.9	79	12.0	9.3-14.7	93	15.7	12.4-19.0	187	29.9	25.6-34.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																		
			>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2535	258,803	618	22.9	20.7-25.1	191	8.5	7.1- 9.9	238	10.5	8.9-12.1	119	4.7	3.7- 5.7	83	3.6	2.6- 4.6	1286	49.8	47.3-52.3	
Native	70	9,486	5	4.0	0.1- 7.9	5	12.7	1.1-24.3	6	5.0	0.5- 9.5	2	1.3	0.0- 3.5	5	9.4	0.0-20.0	47	67.6	52.9-82.3	
Non-Native	2438	246,647	606	23.6	21.4-25.8	186	8.4	7.0- 9.8	231	10.7	9.1-12.3	117	4.8	3.8- 5.8	78	3.5	2.5- 4.5	1220	48.9	46.4-51.4	
18-24	115	39,427	25	21.2	13.2-29.2	12	9.3	4.0-14.6	14	11.5	5.4-17.6	6	4.6	0.9- 8.3	5	3.9	0.4- 7.4	53	49.5	39.7-59.3	
25-34	224	41,861	38	17.2	11.9-22.5	36	15.9	10.8-21.0	35	14.9	9.8-20.0	20	7.2	4.1-10.3	5	3.1	0.2- 6.0	90	41.6	34.5-48.7	
35-44	279	41,513	66	21.7	16.6-26.8	22	7.5	4.4-10.6	35	11.1	7.4-14.8	10	2.7	0.9- 4.5	16	6.0	2.9- 9.1	130	50.9	44.4-57.4	
45-54	291	33,075	72	23.7	18.4-29.0	30	10.0	6.3-13.7	32	10.5	6.6-14.4	20	6.4	3.5- 9.3	12	3.7	1.5- 5.9	125	45.7	39.2-52.2	
55-64	409	35,644	108	27.8	22.7-32.9	31	6.7	4.2- 9.2	51	11.2	8.1-14.3	14	2.7	0.9- 4.5	17	3.9	1.7- 6.1	188	47.8	42.1-53.5	
65+	1217	67,282	309	25.3	22.4-28.2	60	4.4	3.2- 5.6	71	6.4	4.6- 8.2	49	4.4	3.0- 5.8	28	2.3	1.3- 3.3	700	57.3	54.0-60.6	
Less Than H.S.	72	15,117	10	15.3	3.3-27.3				5	5.4	0.0-12.7	1	0.5	0.0- 1.5	4	7.2	0.0-15.4	52	71.6	57.1-86.1	
H.S. or G.E.D.	584	58,608	110	17.3	13.0-21.6	28	5.7	3.2- 8.2	36	7.2	4.5- 9.9	28	5.1	2.7- 7.5	23	4.7	2.5- 6.9	359	60.0	54.5-65.5	
Some Post-H.S.	777	97,683	196	23.7	20.2-27.2	54	9.2	6.5-11.9	72	10.4	7.7-13.1	34	4.0	2.4- 5.6	22	3.2	1.6- 4.8	399	49.5	45.0-54.0	
College Graduate	1097	86,904	301	27.1	24.0-30.2	109	11.1	8.7-13.5	125	13.8	11.3-16.3	56	5.8	4.0- 7.6	34	2.9	1.7- 4.1	472	39.2	35.7-42.7	
Less than \$15,000	89	10,116	11	12.1	4.3-19.9	2	1.3	0.0- 3.1	7	9.7	0.9-18.5	2	1.7	0.0- 4.4	2	5.6	0.0-15.0	65	69.6	56.3-82.9	
\$15,000- 24,999	166	17,036	20	11.1	5.0-17.2	10	10.1	3.0-17.2	7	8.4	0.8-16.0	3	0.9	0.0- 2.1	7	5.4	0.1-10.7	119	64.1	53.5-74.7	
\$25,000- 34,999	251	24,086	46	15.5	10.2-20.8	10	3.8	0.7- 6.9	20	8.0	3.3-12.7	11	5.7	1.6- 9.8	10	5.1	0.8- 9.4	154	61.9	53.9-69.9	
\$35,000- 49,999	267	28,098	60	18.8	12.3-25.3	17	7.6	2.5-12.7	22	11.5	5.4-17.6	5	2.4	0.0- 5.5	7	2.8	0.6- 5.0	156	56.8	48.2-65.4	
\$50,000- 99,999	678	67,364	187	25.5	21.4-29.6	57	10.1	7.0-13.2	76	11.8	8.9-14.7	37	5.1	3.1- 7.1	20	3.0	1.4- 4.6	301	44.5	39.6-49.4	
\$100,000 - 199,999	470	49,518	140	29.8	24.7-34.9	57	12.3	8.8-15.8	68	14.7	11.0-18.4	29	6.6	4.1- 9.1	20	4.1	1.9- 6.3	156	32.4	27.3-37.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV9)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5224	539,034	4901	92.8	91.8-93.8	323	7.2	6.2- 8.2
Male	2689	280,231	2489	91.1	89.7-92.5	200	8.9	7.5-10.3
Female	2535	258,803	2412	94.5	93.3-95.7	123	5.5	4.3- 6.7
Native	150	21,832	137	89.0	81.6-96.4	13	11.0	3.6-18.4
Non-Native	5003	510,385	4695	92.9	91.9-93.9	308	7.1	6.1- 8.1
18-24	295	83,621	274	92.7	89.6-95.8	21	7.3	4.2-10.4
25-34	543	93,185	489	89.6	86.7-92.5	54	10.4	7.5-13.3
35-44	625	91,138	565	90.8	88.3-93.3	60	9.2	6.7-11.7
45-54	658	70,709	606	91.6	89.2-94.0	52	8.4	6.0-10.8
55-64	882	74,728	829	94.4	92.6-96.2	53	5.6	3.8- 7.4
65+	2221	125,653	2138	96.3	95.5-97.1	83	3.7	2.9- 4.5
Less Than H.S.	174	36,341	160	89.1	83.0-95.2	14	10.9	4.8-17.0
H.S. or G.E.D.	1362	137,075	1258	91.6	89.6-93.6	104	8.4	6.4-10.4
Some Post-H.S.	1575	204,203	1481	92.9	91.3-94.5	94	7.1	5.5- 8.7
College Graduate	2102	159,959	1991	94.4	93.2-95.6	111	5.6	4.4- 6.8
Less than \$15,000	159	18,282	149	90.2	82.2-98.2	10	9.8	1.8-17.8
\$15,000- 24,999	286	28,873	271	94.6	91.1-98.1	15	5.4	1.9- 8.9
\$25,000- 34,999	449	44,034	420	90.9	87.0-94.8	29	9.1	5.2-13.0
\$35,000- 49,999	548	55,181	517	94.1	91.6-96.6	31	5.9	3.4- 8.4
\$50,000- 99,999	1532	155,600	1429	92.4	90.6-94.2	103	7.6	5.8- 9.4
\$100,000 - 199,999	1095	119,552	1020	92.3	90.3-94.3	75	7.7	5.7- 9.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV9)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2689	280,231	2489	91.1	89.7-92.5	200	8.9	7.5-10.3
Native	80	12,346	74	88.8	78.6-99.0	6	11.2	1.0-21.4
Non-Native	2565	263,737	2373	91.2	89.8-92.6	192	8.8	7.4-10.2
18-24	180	44,194	166	91.3	86.6-96.0	14	8.7	4.0-13.4
25-34	319	51,324	280	86.6	82.3-90.9	39	13.4	9.1-17.7
35-44	346	49,624	307	89.3	85.8-92.8	39	10.7	7.2-14.2
45-54	367	37,634	334	89.7	86.0-93.4	33	10.3	6.6-14.0
55-64	473	39,085	441	93.6	91.2-96.0	32	6.4	4.0- 8.8
65+	1004	58,370	961	95.9	94.5-97.3	43	4.1	2.7- 5.5
Less Than H.S.	102	21,224	92	86.5	77.9-95.1	10	13.5	4.9-22.1
H.S. or G.E.D.	778	78,467	712	90.7	88.2-93.2	66	9.3	6.8-11.8
Some Post-H.S.	798	106,521	735	90.6	88.2-93.0	63	9.4	7.0-11.8
College Graduate	1005	73,055	944	93.6	91.8-95.4	61	6.4	4.6- 8.2
Less than \$15,000	70	8,166	63	85.3	71.8-98.8	7	14.7	1.2-28.2
\$15,000- 24,999	120	11,837	113	94.7	90.4-99.0	7	5.3	1.0- 9.6
\$25,000- 34,999	198	19,948	184	88.6	81.9-95.3	14	11.4	4.7-18.1
\$35,000- 49,999	281	27,082	259	92.5	89.0-96.0	22	7.5	4.0-11.0
\$50,000- 99,999	854	88,236	785	90.5	88.0-93.0	69	9.5	7.0-12.0
\$100,000 - 199,999	625	70,034	578	91.2	88.5-93.9	47	8.8	6.1-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV9)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2535	258,803	2412	94.5	93.3-95.7	123	5.5	4.3- 6.7
Native	70	9,486	63	89.3	78.5- 100	7	10.7	0.0-21.5
Non-Native	2438	246,647	2322	94.7	93.5-95.9	116	5.3	4.1- 6.5
18-24	115	39,427	108	94.3	90.0-98.6	7	5.7	1.4-10.0
25-34	224	41,861	209	93.3	89.6-97.0	15	6.7	3.0-10.4
35-44	279	41,513	258	92.7	89.4-96.0	21	7.3	4.0-10.6
45-54	291	33,075	272	93.8	90.9-96.7	19	6.2	3.3- 9.1
55-64	409	35,644	388	95.3	92.9-97.7	21	4.7	2.3- 7.1
65+	1217	67,282	1177	96.6	95.4-97.8	40	3.4	2.2- 4.6
Less Than H.S.	72	15,117	68	92.8	84.6- 100	4	7.2	0.0-15.4
H.S. or G.E.D.	584	58,608	546	92.8	90.1-95.5	38	7.2	4.5- 9.9
Some Post-H.S.	777	97,683	746	95.4	93.4-97.4	31	4.6	2.6- 6.6
College Graduate	1097	86,904	1047	95.1	93.5-96.7	50	4.9	3.3- 6.5
Less than \$15,000	89	10,116	86	94.1	84.7- 100	3	5.9	0.0-15.3
\$15,000- 24,999	166	17,036	158	94.5	89.2-99.8	8	5.5	0.2-10.8
\$25,000- 34,999	251	24,086	236	92.9	88.2-97.6	15	7.1	2.4-11.8
\$35,000- 49,999	267	28,098	258	95.6	92.1-99.1	9	4.4	0.9- 7.9
\$50,000- 99,999	678	67,364	644	95.0	93.0-97.0	34	5.0	3.0- 7.0
\$100,000 - 199,999	470	49,518	442	93.8	91.3-96.3	28	6.2	3.7- 8.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 14: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	183
2	MALES ONLY	184
3	FEMALES ONLY	185
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	186
5	MALES ONLY	187
6	FEMALES ONLY	188

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2208	125,225	1372	61.2	58.8-63.6	836	38.8	36.4-41.2
Male	1005	58,547	610	60.4	56.9-63.9	395	39.6	36.1-43.1
Female	1203	66,679	762	61.9	58.6-65.2	441	38.1	34.8-41.4
Non-Native	2143	121,339	1334	61.2	58.7-63.7	809	38.8	36.3-41.3
65+	2208	125,225	1372	61.2	58.8-63.6	836	38.8	36.4-41.2
Less Than H.S.	85	8,293	40	48.4	35.9-60.9	45	51.6	39.1-64.1
H.S. or G.E.D.	572	28,486	300	52.5	47.8-57.2	272	47.5	42.8-52.2
Some Post-H.S.	703	52,930	436	62.4	58.5-66.3	267	37.6	33.7-41.5
College Graduate	843	35,181	594	69.5	66.0-73.0	249	30.5	27.0-34.0
Less than \$15,000	58	3,135	22	40.6	25.1-56.1	36	59.4	43.9-74.9
\$15,000- 24,999	154	8,421	82	58.5	49.3-67.7	72	41.5	32.3-50.7
\$25,000- 34,999	267	15,861	144	54.4	47.1-61.7	123	45.6	38.3-52.9
\$35,000- 49,999	284	15,447	187	61.9	54.8-69.0	97	38.1	31.0-45.2
\$50,000- 99,999	651	36,810	417	62.5	58.2-66.8	234	37.5	33.2-41.8
\$100,000 - 199,999	256	14,107	180	67.6	60.9-74.3	76	32.4	25.7-39.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1005	58,547	610	60.4	56.9-63.9	395	39.6	36.1-43.1
Non-Native	972	56,626	592	60.4	56.9-63.9	380	39.6	36.1-43.1
65+	1005	58,547	610	60.4	56.9-63.9	395	39.6	36.1-43.1
H.S. or G.E.D.	267	13,728	130	48.8	41.9-55.7	137	51.2	44.3-58.1
Some Post-H.S.	295	22,931	192	65.0	59.1-70.9	103	35.0	29.1-40.9
College Graduate	396	17,228	267	67.3	62.2-72.4	129	32.7	27.6-37.8
\$15,000- 24,999	60	3,227	25	40.2	25.9-54.5	35	59.8	45.5-74.1
\$25,000- 34,999	104	6,238	59	52.1	39.9-64.3	45	47.9	35.7-60.1
\$35,000- 49,999	128	6,800	77	58.4	48.6-68.2	51	41.6	31.8-51.4
\$50,000- 99,999	341	20,260	204	61.2	55.3-67.1	137	38.8	32.9-44.7
\$100,000 - 199,999	138	8,086	98	67.0	57.8-76.2	40	33.0	23.8-42.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1203	66,679	762	61.9	58.6-65.2	441	38.1	34.8-41.4
Non-Native	1171	64,712	742	61.9	58.6-65.2	429	38.1	34.8-41.4
65+	1203	66,679	762	61.9	58.6-65.2	441	38.1	34.8-41.4
H.S. or G.E.D.	305	14,759	170	55.9	49.2-62.6	135	44.1	37.4-50.8
Some Post-H.S.	408	29,998	244	60.4	54.9-65.9	164	39.6	34.1-45.1
College Graduate	447	17,953	327	71.6	66.7-76.5	120	28.4	23.5-33.3
\$15,000- 24,999	94	5,195	57	69.8	59.2-80.4	37	30.2	19.6-40.8
\$25,000- 34,999	163	9,623	85	55.9	46.7-65.1	78	44.1	34.9-53.3
\$35,000- 49,999	156	8,647	110	64.6	54.4-74.8	46	35.4	25.2-45.6
\$50,000- 99,999	310	16,550	213	64.2	57.7-70.7	97	35.8	29.3-42.3
\$100,000 - 199,999	118	6,021	82	68.3	58.3-78.3	36	31.7	21.7-41.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2147	121,968	1537	70.2	67.8-72.6	610	29.8	27.4-32.2
Male	964	56,200	615	62.7	59.2-66.2	349	37.3	33.8-40.8
Female	1183	65,769	922	76.6	73.7-79.5	261	23.4	20.5-26.3
Non-Native	2084	118,210	1490	69.9	67.5-72.3	594	30.1	27.7-32.5
65+	2147	121,968	1537	70.2	67.8-72.6	610	29.8	27.4-32.2
Less Than H.S.	87	8,665	54	54.3	41.8-66.8	33	45.7	33.2-58.2
H.S. or G.E.D.	553	27,524	364	64.8	60.1-69.5	189	35.2	30.5-39.9
Some Post-H.S.	684	51,279	492	71.8	68.1-75.5	192	28.2	24.5-31.9
College Graduate	818	34,165	623	76.0	72.7-79.3	195	24.0	20.7-27.3
Less than \$15,000	54	2,921	27	56.5	41.0-72.0	27	43.5	28.0-59.0
\$15,000- 24,999	155	8,439	104	70.0	61.2-78.8	51	30.0	21.2-38.8
\$25,000- 34,999	260	15,436	181	66.3	59.0-73.6	79	33.7	26.4-41.0
\$35,000- 49,999	280	15,132	208	66.2	58.9-73.5	72	33.8	26.5-41.1
\$50,000- 99,999	635	35,967	454	70.2	66.1-74.3	181	29.8	25.7-33.9
\$100,000 - 199,999	245	13,489	184	78.1	72.4-83.8	61	21.9	16.2-27.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	964	56,200	615	62.7	59.2-66.2	349	37.3	33.8-40.8
Non-Native	933	54,390	595	62.5	58.8-66.2	338	37.5	33.8-41.2
65+	964	56,200	615	62.7	59.2-66.2	349	37.3	33.8-40.8
H.S. or G.E.D.	254	12,923	139	54.8	47.9-61.7	115	45.2	38.3-52.1
Some Post-H.S.	284	22,134	182	63.9	57.8-70.0	102	36.1	30.0-42.2
College Graduate	380	16,608	268	70.2	65.1-75.3	112	29.8	24.7-34.9
\$15,000- 24,999	58	3,015	29	54.7	40.2-69.2	29	45.3	30.8-59.8
\$25,000- 34,999	99	6,032	56	51.2	38.9-63.5	43	48.8	36.5-61.1
\$35,000- 49,999	126	6,616	84	56.0	45.8-66.2	42	44.0	33.8-54.2
\$50,000- 99,999	330	19,760	214	64.6	58.7-70.5	116	35.4	29.5-41.3
\$100,000 - 199,999	130	7,586	88	71.0	62.4-79.6	42	29.0	20.4-37.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1183	65,769	922	76.6	73.7-79.5	261	23.4	20.5-26.3
Non-Native	1151	63,820	895	76.3	73.2-79.4	256	23.7	20.6-26.8
65+	1183	65,769	922	76.6	73.7-79.5	261	23.4	20.5-26.3
H.S. or G.E.D.	299	14,601	225	73.7	67.6-79.8	74	26.3	20.2-32.4
Some Post-H.S.	400	29,145	310	77.7	73.0-82.4	90	22.3	17.6-27.0
College Graduate	438	17,558	355	81.6	77.3-85.9	83	18.4	14.1-22.7
\$15,000- 24,999	97	5,425	75	78.5	67.5-89.5	22	21.5	10.5-32.5
\$25,000- 34,999	161	9,405	125	76.0	67.8-84.2	36	24.0	15.8-32.2
\$35,000- 49,999	154	8,515	124	74.0	64.0-84.0	30	26.0	16.0-36.0
\$50,000- 99,999	305	16,207	240	77.0	71.1-82.9	65	23.0	17.1-28.9
\$100,000 - 199,999	115	5,902	96	87.3	81.4-93.2	19	12.7	6.8-18.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

SECTION 15: HIV/AIDS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	190
2	MALES ONLY	191
3	FEMALES ONLY	192

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 15: HIV/AIDS

TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4988	516,322	1377	31.7	29.9-33.5	3611	68.3	66.5-70.1
Male	2586	269,871	761	31.9	29.7-34.1	1825	68.1	65.9-70.3
Female	2402	246,451	616	31.6	29.1-34.1	1786	68.4	65.9-70.9
Native	141	20,862	75	56.9	46.5-67.3	66	43.1	32.7-53.5
Non-Native	4773	487,785	1278	30.6	28.8-32.4	3495	69.4	67.6-71.2
18-24	282	79,476	62	23.9	18.2-29.6	220	76.1	70.4-81.8
25-34	527	91,135	207	41.2	36.5-45.9	320	58.8	54.1-63.5
35-44	600	87,610	284	47.3	42.8-51.8	316	52.7	48.2-57.2
45-54	624	66,751	260	40.5	36.2-44.8	364	59.5	55.2-63.8
55-64	854	72,378	274	31.4	27.9-34.9	580	68.6	65.1-72.1
65+	2101	118,972	290	13.6	11.8-15.4	1811	86.4	84.6-88.2
Less Than H.S.	167	35,034	51	35.3	25.9-44.7	116	64.7	55.3-74.1
H.S. or G.E.D.	1288	130,948	336	30.0	26.9-33.1	952	70.0	66.9-73.1
Some Post-H.S.	1502	194,732	410	30.7	27.8-33.6	1092	69.3	66.4-72.2
College Graduate	2019	153,860	577	33.7	31.2-36.2	1442	66.3	63.8-68.8
Less than \$15,000	155	17,227	57	42.4	31.8-53.0	98	57.6	47.0-68.2
\$15,000- 24,999	277	28,827	77	29.6	22.3-36.9	200	70.4	63.1-77.7
\$25,000- 34,999	433	42,866	109	31.2	25.1-37.3	324	68.8	62.7-74.9
\$35,000- 49,999	524	53,579	128	30.2	24.7-35.7	396	69.8	64.3-75.3
\$50,000- 99,999	1464	148,389	409	32.6	29.5-35.7	1055	67.4	64.3-70.5
\$100,000 - 199,999	1037	113,108	317	32.0	28.7-35.3	720	68.0	64.7-71.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 15: HIV/AIDS

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2586	269,871	761	31.9	29.7-34.1	1825	68.1	65.9-70.3
Native	76	11,786	36	50.6	36.9-64.3	40	49.4	35.7-63.1
Non-Native	2463	253,419	709	30.9	28.7-33.1	1754	69.1	66.9-71.3
18-24	176	43,068	42	25.2	18.1-32.3	134	74.8	67.7-81.9
25-34	307	49,397	107	34.2	28.5-39.9	200	65.8	60.1-71.5
35-44	336	48,103	151	45.3	39.4-51.2	185	54.7	48.8-60.6
45-54	351	35,661	146	41.6	35.9-47.3	205	58.4	52.7-64.1
55-64	467	38,808	161	34.0	29.1-38.9	306	66.0	61.1-70.9
65+	949	54,833	154	15.4	12.9-17.9	795	84.6	82.1-87.1
Less Than H.S.	98	20,382	31	33.3	21.9-44.7	67	66.7	55.3-78.1
H.S. or G.E.D.	743	75,182	208	30.4	26.3-34.5	535	69.6	65.5-73.7
Some Post-H.S.	767	101,791	235	32.2	28.5-35.9	532	67.8	64.1-71.5
College Graduate	971	71,274	285	32.3	28.8-35.8	686	67.7	64.2-71.2
Less than \$15,000	69	7,892	25	44.0	28.1-59.9	44	56.0	40.1-71.9
\$15,000- 24,999	118	11,746	32	24.1	15.1-33.1	86	75.9	66.9-84.9
\$25,000- 34,999	190	19,365	51	25.6	18.0-33.2	139	74.4	66.8-82.0
\$35,000- 49,999	269	26,304	75	30.8	23.7-37.9	194	69.2	62.1-76.3
\$50,000- 99,999	820	84,589	237	33.5	29.4-37.6	583	66.5	62.4-70.6
\$100,000 - 199,999	601	67,022	188	31.3	27.0-35.6	413	68.7	64.4-73.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024
SECTION 15: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2402	246,451	616	31.6	29.1-34.1	1786	68.4	65.9-70.9
Native	65	9,076	39	65.2	49.5-80.9	26	34.8	19.1-50.5
Non-Native	2310	234,366	569	30.3	27.8-32.8	1741	69.7	67.2-72.2
18-24	106	36,408	20	22.3	13.3-31.3	86	77.7	68.7-86.7
25-34	220	41,738	100	49.5	42.2-56.8	120	50.5	43.2-57.8
35-44	264	39,507	133	49.8	43.1-56.5	131	50.2	43.5-56.9
45-54	273	31,090	114	39.2	32.7-45.7	159	60.8	54.3-67.3
55-64	387	33,570	113	28.4	23.1-33.7	274	71.6	66.3-76.9
65+	1152	64,139	136	12.1	9.9-14.3	1016	87.9	85.7-90.1
Less Than H.S.	69	14,652	20	38.0	22.1-53.9	49	62.0	46.1-77.9
H.S. or G.E.D.	545	55,766	128	29.4	24.1-34.7	417	70.6	65.3-75.9
Some Post-H.S.	735	92,940	175	29.2	24.9-33.5	560	70.8	66.5-75.1
College Graduate	1048	82,585	292	34.8	31.1-38.5	756	65.2	61.5-68.9
Less than \$15,000	86	9,335	32	41.0	27.1-54.9	54	59.0	45.1-72.9
\$15,000- 24,999	159	17,082	45	33.3	23.1-43.5	114	66.7	56.5-76.9
\$25,000- 34,999	243	23,502	58	35.9	27.1-44.7	185	64.1	55.3-72.9
\$35,000- 49,999	255	27,274	53	29.5	20.9-38.1	202	70.5	61.9-79.1
\$50,000- 99,999	644	63,800	172	31.3	26.6-36.0	472	68.7	64.0-73.4
\$100,000 - 199,999	436	46,086	129	33.2	27.9-38.5	307	66.8	61.5-72.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2024

End of Calculated Variable Data Report