

NORTH DAKOTA

2024 Core Variables Report

Behavioral Risk Factor Surveillance System

August 21, 2025



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 1: HEALTH STATUS**

TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5842	607,948	752	14.8	13.6-16.0	2053	35.2	33.6-36.8	2054	34.9	33.3-36.5	752	11.8	10.8-12.8	231	3.4	2.8- 4.0
Male	2988	312,428	423	15.7	14.1-17.3	1011	33.9	31.7-36.1	1049	35.3	33.1-37.5	402	12.4	11.0-13.8	103	2.7	2.1- 3.3
Female	2854	295,520	329	13.8	12.0-15.6	1042	36.5	34.1-38.9	1005	34.4	32.0-36.8	350	11.2	9.6-12.8	128	4.1	3.1- 5.1
Native	168	24,765	18	11.4	5.3-17.5	36	26.0	17.4-34.6	63	35.4	26.2-44.6	43	24.0	16.0-32.0	8	3.2	0.5- 5.9
Non-Native	5581	573,791	723	15.0	13.8-16.2	1991	35.6	34.0-37.2	1958	34.8	33.2-36.4	696	11.3	10.3-12.3	213	3.3	2.7- 3.9
18-24	326	92,099	61	17.6	13.3-21.9	125	36.2	30.5-41.9	102	32.6	26.9-38.3	34	12.1	8.0-16.2	4	1.6	0.0- 3.4
25-34	613	107,121	124	20.0	16.7-23.3	237	37.5	33.4-41.6	182	31.1	27.0-35.2	58	9.5	7.0-12.0	12	1.9	0.7- 3.1
35-44	703	103,405	127	18.5	15.2-21.8	270	37.4	33.5-41.3	245	35.3	31.4-39.2	53	7.3	5.1- 9.5	8	1.4	0.2- 2.6
45-54	756	81,652	120	14.9	12.2-17.6	278	36.6	32.7-40.5	259	34.6	30.9-38.3	75	10.0	7.5-12.5	24	3.9	2.1- 5.7
55-64	993	84,179	132	12.6	10.2-15.0	341	33.7	30.4-37.0	343	35.4	32.1-38.7	129	13.1	10.7-15.5	48	5.2	3.6- 6.8
65+	2451	139,493	188	7.4	6.2- 8.6	802	31.1	28.9-33.3	923	38.7	36.3-41.1	403	17.1	15.3-18.9	135	5.7	4.5- 6.9
Less Than H.S.	205	41,373	21	11.6	5.9-17.3	31	16.7	10.0-23.4	72	37.5	28.9-46.1	55	24.6	17.2-32.0	26	9.6	4.9-14.3
H.S. or G.E.D.	1559	157,171	162	13.9	11.5-16.3	483	32.7	29.8-35.6	572	36.5	33.4-39.6	265	13.5	11.5-15.5	77	3.4	2.4- 4.4
Some Post-H.S.	1769	231,635	201	13.5	11.5-15.5	601	34.4	31.7-37.1	661	36.8	34.1-39.5	234	11.9	10.1-13.7	72	3.3	2.3- 4.3
College Graduate	2290	175,448	364	17.8	15.8-19.8	932	42.7	40.3-45.1	745	30.4	28.2-32.6	194	7.1	5.9- 8.3	55	2.0	1.4- 2.6
Less than \$15,000	168	19,447	16	11.7	5.2-18.2	31	20.3	11.9-28.7	50	31.8	22.0-41.6	46	19.9	12.8-27.0	25	16.4	8.2-24.6
\$15,000- 24,999	312	32,269	18	7.9	3.6-12.2	57	19.9	13.6-26.2	115	35.0	27.7-42.3	87	26.3	19.8-32.8	35	10.9	6.4-15.4
\$25,000- 34,999	489	48,024	43	10.6	6.7-14.5	126	27.6	22.3-32.9	190	39.5	33.8-45.2	94	17.8	13.5-22.1	36	4.6	2.6- 6.6
\$35,000- 49,999	590	59,800	60	12.0	8.3-15.7	181	29.5	24.6-34.4	228	41.0	35.5-46.5	90	14.1	10.2-18.0	31	3.5	2.1- 4.9
\$50,000- 99,999	1644	167,993	214	14.9	12.5-17.3	626	37.5	34.6-40.4	567	34.2	31.3-37.1	196	11.6	9.6-13.6	41	1.8	1.2- 2.4
\$100,000 - 199,999	1154	126,567	188	18.2	15.5-20.9	500	43.0	39.7-46.3	371	31.2	28.1-34.3	81	6.4	4.8- 8.0	14	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2988	312,428	423	15.7	14.1-17.3	1011	33.9	31.7-36.1	1049	35.3	33.1-37.5	402	12.4	11.0-13.8	103	2.7	2.1- 3.3
Native	87	13,408	15	16.9	7.3-26.5	17	23.6	12.8-34.4	29	32.9	20.4-45.4	23	23.7	12.9-34.5	3	3.0	0.0- 6.9
Non-Native	2842	293,373	400	15.7	13.9-17.5	979	34.5	32.3-36.7	999	35.4	33.2-37.6	371	11.9	10.5-13.3	93	2.6	2.0- 3.2
18-24	198	48,472	39	17.7	12.4-23.0	79	37.9	30.6-45.2	60	32.9	25.5-40.3	19	11.0	6.1-15.9	1	0.5	0.0- 1.5
25-34	354	56,999	83	23.5	18.6-28.4	131	35.5	30.2-40.8	98	28.9	23.6-34.2	32	9.1	6.0-12.2	10	2.9	0.9- 4.9
35-44	383	55,082	65	15.9	12.0-19.8	149	36.9	31.6-42.2	134	37.8	32.3-43.3	32	8.9	5.8-12.0	3	0.6	0.0- 1.2
45-54	418	43,057	71	16.1	12.2-20.0	144	34.7	29.6-39.8	143	35.5	30.4-40.6	51	11.4	8.3-14.5	9	2.3	0.5- 4.1
55-64	527	43,508	71	13.1	10.0-16.2	172	30.5	26.2-34.8	192	37.9	33.2-42.6	69	13.9	10.4-17.4	23	4.7	2.5- 6.9
65+	1108	65,311	94	8.6	6.6-10.6	336	28.8	25.9-31.7	422	38.7	35.4-42.0	199	18.9	16.0-21.8	57	5.0	3.4- 6.6
Less Than H.S.	116	23,301	14	12.0	4.9-19.1	18	13.1	5.8-20.4	44	45.3	33.9-56.7	31	24.4	15.2-33.6	9	5.3	1.6- 9.0
H.S. or G.E.D.	879	88,595	109	15.3	12.4-18.2	280	33.7	30.0-37.4	305	35.2	31.5-38.9	144	12.6	10.2-15.0	41	3.2	2.0- 4.4
Some Post-H.S.	892	119,429	108	14.0	11.3-16.7	285	33.0	29.5-36.5	345	37.9	34.2-41.6	126	12.8	10.3-15.3	28	2.2	1.2- 3.2
College Graduate	1089	79,459	189	19.4	16.7-22.1	424	41.4	38.1-44.7	354	29.2	26.3-32.1	98	7.9	6.1- 9.7	24	2.1	0.9- 3.3
Less than \$15,000	75	8,620	10	17.2	5.6-28.8	13	18.0	5.8-30.2	23	28.8	15.1-42.5	19	22.9	11.3-34.5	10	13.1	4.3-21.9
\$15,000- 24,999	128	12,442	6	6.6	0.0-13.9	27	28.3	17.9-38.7	45	31.4	21.4-41.4	40	28.3	18.1-38.5	10	5.4	1.9- 8.9
\$25,000- 34,999	219	21,850	24	14.1	8.0-20.2	58	27.9	20.1-35.7	83	35.0	26.8-43.2	39	18.0	11.7-24.3	15	5.0	1.5- 8.5
\$35,000- 49,999	297	28,368	31	12.6	7.7-17.5	90	30.3	23.8-36.8	113	39.1	32.2-46.0	49	15.3	10.0-20.6	14	2.8	1.0- 4.6
\$50,000- 99,999	918	94,479	128	15.1	12.2-18.0	317	33.2	29.5-36.9	329	37.0	33.1-40.9	118	12.3	9.8-14.8	26	2.4	1.4- 3.4
\$100,000 - 199,999	658	73,888	120	19.4	15.9-22.9	270	40.7	36.4-45.0	207	32.1	28.0-36.2	53	6.7	4.7- 8.7	8	1.1	0.1- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2854	295,520	329	13.8	12.0-15.6	1042	36.5	34.1-38.9	1005	34.4	32.0-36.8	350	11.2	9.6-12.8	128	4.1	3.1- 5.1
Native	81	11,357	3	5.0	0.0-11.1	19	28.8	14.9-42.7	34	38.3	24.6-52.0	20	24.5	12.2-36.8	5	3.4	0.0- 7.1
Non-Native	2739	280,418	323	14.2	12.4-16.0	1012	36.9	34.5-39.3	959	34.1	31.7-36.5	325	10.8	9.2-12.4	120	4.1	3.1- 5.1
18-24	128	43,627	22	17.4	10.3-24.5	46	34.4	25.6-43.2	42	32.2	23.6-40.8	15	13.3	6.6-20.0	3	2.7	0.0- 6.0
25-34	259	50,122	41	16.0	11.3-20.7	106	39.7	33.2-46.2	84	33.6	27.1-40.1	26	9.9	6.0-13.8	2	0.8	0.0- 2.0
35-44	320	48,323	62	21.4	16.1-26.7	121	38.1	32.2-44.0	111	32.5	27.0-38.0	21	5.5	3.0- 8.0	5	2.4	0.0- 4.8
45-54	338	38,595	49	13.6	9.7-17.5	134	38.8	32.9-44.7	116	33.6	28.1-39.1	24	8.4	4.5-12.3	15	5.6	2.5- 8.7
55-64	466	40,671	61	12.1	9.0-15.2	169	37.1	32.0-42.2	151	32.8	27.9-37.7	60	12.3	9.0-15.6	25	5.8	3.3- 8.3
65+	1343	74,182	94	6.3	4.7- 7.9	466	33.1	30.2-36.0	501	38.7	35.6-41.8	204	15.5	13.1-17.9	78	6.4	4.8- 8.0
Less Than H.S.	89	18,072	7	11.1	1.7-20.5	13	21.2	9.4-33.0	28	27.5	15.3-39.7	24	24.8	12.3-37.3	17	15.3	5.9-24.7
H.S. or G.E.D.	680	68,576	53	12.1	8.6-15.6	203	31.4	26.5-36.3	267	38.2	33.3-43.1	121	14.6	11.3-17.9	36	3.7	1.9- 5.5
Some Post-H.S.	877	112,206	93	13.1	10.0-16.2	316	35.9	32.0-39.8	316	35.7	31.6-39.8	108	11.0	8.5-13.5	44	4.4	2.8- 6.0
College Graduate	1201	95,989	175	16.4	13.7-19.1	508	43.7	40.4-47.0	391	31.4	28.3-34.5	96	6.5	4.9- 8.1	31	1.9	1.1- 2.7
Less than \$15,000	93	10,828	6	7.3	0.4-14.2	18	22.1	10.3-33.9	27	34.2	20.5-47.9	27	17.4	9.0-25.8	15	18.9	6.2-31.6
\$15,000- 24,999	184	19,826	12	8.7	3.2-14.2	30	14.6	6.8-22.4	70	37.3	27.5-47.1	47	25.0	16.6-33.4	25	14.4	7.5-21.3
\$25,000- 34,999	270	26,173	19	7.7	2.8-12.6	68	27.3	19.9-34.7	107	43.3	35.3-51.3	55	17.6	11.7-23.5	21	4.2	2.0- 6.4
\$35,000- 49,999	293	31,431	29	11.4	5.9-16.9	91	28.8	21.7-35.9	115	42.7	34.5-50.9	41	13.0	7.5-18.5	17	4.1	1.9- 6.3
\$50,000- 99,999	726	73,514	86	14.5	10.8-18.2	309	43.1	38.4-47.8	238	30.6	26.5-34.7	78	10.7	7.6-13.8	15	1.1	0.5- 1.7
\$100,000 - 199,999	496	52,679	68	16.6	12.5-20.7	230	46.3	41.0-51.6	164	30.0	25.3-34.7	28	5.9	3.5- 8.3	6	1.1	0.0- 2.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5745	596,945	3728	64.5	62.9-66.1	589	10.8	9.8-11.8	580	11.2	10.0-12.4	463	8.1	7.1- 9.1	385	5.5	4.7- 6.3
Male	2940	307,281	1994	68.3	66.1-70.5	301	10.6	9.2-12.0	270	9.6	8.2-11.0	201	6.7	5.5- 7.9	174	4.8	3.8- 5.8
Female	2805	289,664	1734	60.4	58.0-62.8	288	11.0	9.4-12.6	310	12.9	11.1-14.7	262	9.5	7.9-11.1	211	6.2	5.0- 7.4
Native	165	23,810	103	59.4	49.8-69.0	16	10.3	4.0-16.6	17	13.4	6.1-20.7	17	8.5	3.8-13.2	12	8.4	2.5-14.3
Non-Native	5491	564,093	3571	64.6	63.0-66.2	566	10.9	9.9-11.9	555	11.1	9.9-12.3	434	8.0	7.0- 9.0	365	5.4	4.6- 6.2
18-24	319	89,924	189	56.7	50.6-62.8	50	14.4	10.3-18.5	52	17.2	12.7-21.7	24	10.1	6.0-14.2	4	1.7	0.0- 3.5
25-34	609	106,027	399	65.6	61.5-69.7	79	12.2	9.5-14.9	78	12.9	10.0-15.8	42	7.2	4.8- 9.6	11	2.2	0.6- 3.8
35-44	694	101,690	469	67.6	63.7-71.5	76	10.4	7.9-12.9	72	10.8	8.1-13.5	48	6.6	4.6- 8.6	29	4.6	2.8- 6.4
45-54	746	80,724	501	67.9	64.2-71.6	89	11.3	8.9-13.7	60	7.7	5.3-10.1	50	6.5	4.5- 8.5	46	6.7	4.7- 8.7
55-64	982	83,263	623	64.1	60.8-67.4	95	9.3	7.3-11.3	88	8.7	6.7-10.7	91	9.4	7.2-11.6	85	8.5	6.5-10.5
65+	2395	135,316	1547	64.6	62.2-67.0	200	8.3	6.9- 9.7	230	9.7	8.3-11.1	208	8.6	7.2-10.0	210	8.8	7.4-10.2
Less Than H.S.	194	39,437	111	54.9	45.7-64.1	16	8.4	3.3-13.5	24	10.8	5.3-16.3	23	16.9	8.9-24.9	20	8.9	4.2-13.6
H.S. or G.E.D.	1519	152,736	980	66.5	63.4-69.6	115	8.4	6.6-10.2	167	12.3	9.9-14.7	131	7.3	5.7- 8.9	126	5.5	4.1- 6.9
Some Post-H.S.	1739	227,738	1111	63.3	60.6-66.0	179	11.3	9.5-13.1	169	11.1	9.1-13.1	146	8.1	6.5- 9.7	134	6.3	5.1- 7.5
College Graduate	2275	174,791	1514	66.5	64.1-68.9	277	12.8	11.2-14.4	218	10.4	8.8-12.0	162	6.7	5.5- 7.9	104	3.7	2.9- 4.5
Less than \$15,000	163	18,688	64	40.0	30.0-50.0	14	7.3	2.8-11.8	20	14.4	7.1-21.7	30	21.7	12.5-30.9	35	16.6	9.0-24.2
\$15,000- 24,999	300	30,694	150	53.3	45.7-60.9	30	8.5	4.6-12.4	36	12.8	7.5-18.1	44	13.1	8.4-17.8	40	12.4	7.1-17.7
\$25,000- 34,999	484	47,534	268	59.2	53.5-64.9	47	9.3	5.8-12.8	66	13.9	9.8-18.0	51	9.9	6.4-13.4	52	7.6	5.1-10.1
\$35,000- 49,999	582	58,859	349	59.4	53.9-64.9	69	12.5	9.0-16.0	61	13.3	9.2-17.4	56	9.1	6.0-12.2	47	5.7	3.7- 7.7
\$50,000- 99,999	1626	166,106	1100	66.7	63.8-69.6	181	12.0	10.0-14.0	155	10.3	8.3-12.3	117	7.2	5.6- 8.8	73	3.7	2.7- 4.7
\$100,000 - 199,999	1148	126,080	806	69.6	66.5-72.7	127	12.0	9.8-14.2	112	10.1	7.9-12.3	66	5.6	4.0- 7.2	37	2.7	1.7- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE
TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2940	307,281	1994	68.3	66.1-70.5	301	10.6	9.2-12.0	270	9.6	8.2-11.0	201	6.7	5.5- 7.9	174	4.8	3.8- 5.8
Native	86	13,024	56	59.4	46.3-72.5	6	9.9	0.9-18.9	9	13.0	3.8-22.2	8	6.7	1.4-12.0	7	11.1	1.3-20.9
Non-Native	2797	288,832	1902	68.7	66.5-70.9	290	10.7	9.3-12.1	256	9.4	8.0-10.8	186	6.6	5.2- 8.0	163	4.6	3.8- 5.4
18-24	194	47,247	122	60.5	52.9-68.1	30	14.7	9.4-20.0	25	13.0	8.1-17.9	15	10.7	5.0-16.4	2	1.2	0.0- 2.8
25-34	352	56,631	242	68.5	63.2-73.8	46	12.6	8.9-16.3	41	11.4	7.9-14.9	18	5.1	2.7- 7.5	5	2.4	0.0- 4.8
35-44	378	54,287	270	73.3	68.6-78.0	38	8.4	5.7-11.1	39	9.5	6.4-12.6	19	5.4	2.9- 7.9	12	3.3	1.3- 5.3
45-54	411	42,394	287	71.7	67.0-76.4	50	11.6	8.3-14.9	22	4.6	2.4- 6.8	24	5.0	2.8- 7.2	28	7.1	4.4- 9.8
55-64	523	43,123	354	68.9	64.4-73.4	47	8.8	6.1-11.5	48	8.7	6.0-11.4	34	6.2	3.8- 8.6	40	7.4	4.9- 9.9
65+	1082	63,599	719	66.8	63.5-70.1	90	8.2	6.2-10.2	95	9.3	7.1-11.5	91	7.9	6.1- 9.7	87	7.7	5.9- 9.5
Less Than H.S.	113	22,857	73	60.3	48.7-71.9	8	8.6	1.5-15.7	11	8.7	3.0-14.4	12	16.6	6.2-27.0	9	5.8	1.7- 9.9
H.S. or G.E.D.	858	86,463	590	70.8	67.1-74.5	63	8.5	6.1-10.9	81	9.4	7.0-11.8	61	6.1	4.3- 7.9	63	5.2	3.4- 7.0
Some Post-H.S.	876	117,155	594	67.9	64.4-71.4	91	11.0	8.6-13.4	77	9.9	7.5-12.3	55	5.6	3.8- 7.4	59	5.6	4.0- 7.2
College Graduate	1081	79,162	729	68.5	65.4-71.6	137	12.7	10.3-15.1	100	9.6	7.6-11.6	72	6.1	4.3- 7.9	43	3.1	2.1- 4.1
Less than \$15,000	72	8,432	28	39.9	25.4-54.4	4	3.6	0.0- 7.3	12	18.7	6.5-30.9	14	21.1	9.3-32.9	14	16.8	4.1-29.5
\$15,000- 24,999	124	11,889	69	61.0	50.2-71.8	11	8.2	2.1-14.3	17	14.6	6.6-22.6	17	10.5	4.8-16.2	10	5.7	1.8- 9.6
\$25,000- 34,999	215	21,576	131	66.4	58.6-74.2	20	9.6	4.3-14.9	25	10.4	5.7-15.1	16	5.1	2.0- 8.2	23	8.5	4.4-12.6
\$35,000- 49,999	292	27,713	181	63.1	56.0-70.2	42	14.0	9.1-18.9	20	8.0	4.1-11.9	28	9.9	5.0-14.8	21	5.0	2.3- 7.7
\$50,000- 99,999	907	93,368	621	68.0	64.3-71.7	107	12.3	9.6-15.0	82	9.0	6.6-11.4	54	6.2	4.0- 8.4	43	4.5	2.9- 6.1
\$100,000 - 199,999	655	73,597	472	72.1	68.0-76.2	71	11.8	8.9-14.7	57	8.7	6.2-11.2	33	5.0	2.8- 7.2	22	2.5	1.3- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		N	1-2 days		N	3-7 days		N	8-29 days		N	30 days	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	2805	289,664	1734	60.4	58.0-62.8	288	11.0	9.4-12.6	310	12.9	11.1-14.7	262	9.5	7.9-11.1	211	6.2	5.0- 7.4
Native	79	10,785	47	59.4	45.1-73.7	10	10.9	2.5-19.3	8	14.0	2.4-25.6	9	10.6	2.4-18.8	5	5.1	0.0-10.4
Non-Native	2694	275,261	1669	60.4	57.9-62.9	276	11.0	9.4-12.6	299	12.9	11.1-14.7	248	9.4	7.8-11.0	202	6.2	5.0- 7.4
18-24	125	42,677	67	52.5	43.1-61.9	20	14.1	8.0-20.2	27	21.8	14.0-29.6	9	9.4	3.3-15.5	2	2.2	0.0- 5.3
25-34	257	49,397	157	62.2	55.7-68.7	33	11.7	7.8-15.6	37	14.6	9.9-19.3	24	9.6	5.7-13.5	6	1.9	0.3- 3.5
35-44	316	47,403	199	61.0	54.9-67.1	38	12.7	8.4-17.0	33	12.3	8.0-16.6	29	8.0	4.9-11.1	17	6.0	2.9- 9.1
45-54	335	38,330	214	63.6	57.7-69.5	39	11.0	7.5-14.5	38	11.1	7.0-15.2	26	8.1	4.8-11.4	18	6.2	3.3- 9.1
55-64	459	40,141	269	58.9	53.6-64.2	48	9.9	6.8-13.0	40	8.7	5.8-11.6	57	13.0	9.3-16.7	45	9.5	6.4-12.6
65+	1313	71,717	828	62.6	59.5-65.7	110	8.4	6.6-10.2	135	10.0	8.0-12.0	117	9.2	7.2-11.2	123	9.8	7.6-12.0
Less Than H.S.	81	16,580	38	47.5	32.8-62.2	8	8.2	1.3-15.1	13	13.6	3.0-24.2	11	17.5	5.0-30.0	11	13.2	3.8-22.6
H.S. or G.E.D.	661	66,273	390	60.9	55.8-66.0	52	8.3	5.6-11.0	86	16.0	11.7-20.3	70	8.9	6.4-11.4	63	5.9	3.9- 7.9
Some Post-H.S.	863	110,583	517	58.3	54.2-62.4	88	11.6	8.7-14.5	92	12.4	9.5-15.3	91	10.7	8.2-13.2	75	6.9	4.9- 8.9
College Graduate	1194	95,629	785	64.8	61.5-68.1	140	12.9	10.5-15.3	118	11.0	8.8-13.2	90	7.1	5.3- 8.9	61	4.3	3.1- 5.5
Less than \$15,000	91	10,256	36	40.1	26.2-54.0	10	10.4	3.1-17.7	8	10.9	2.5-19.3	16	22.3	8.8-35.8	21	16.4	7.6-25.2
\$15,000- 24,999	176	18,806	81	48.4	38.0-58.8	19	8.7	3.4-14.0	19	11.6	4.7-18.5	27	14.7	8.0-21.4	30	16.6	8.6-24.6
\$25,000- 34,999	269	25,957	137	53.2	45.2-61.2	27	9.1	4.2-14.0	41	16.9	10.6-23.2	35	13.9	8.2-19.6	29	6.9	3.8-10.0
\$35,000- 49,999	290	31,146	168	56.2	48.2-64.2	27	11.2	5.9-16.5	41	18.0	11.1-24.9	28	8.3	4.2-12.4	26	6.2	3.3- 9.1
\$50,000- 99,999	719	72,739	479	65.0	60.5-69.5	74	11.7	8.6-14.8	73	11.9	8.6-15.2	63	8.6	6.1-11.1	30	2.7	1.5- 3.9
\$100,000 - 199,999	493	52,482	334	66.2	61.1-71.3	56	12.3	8.8-15.8	55	12.0	8.5-15.5	33	6.5	4.0- 9.0	15	3.0	1.4- 4.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5777	599,977	3820	59.3	57.7-60.9	546	10.1	9.1-11.1	641	13.6	12.4-14.8	517	11.8	10.6-13.0	253	5.3	4.5- 6.1
Male	2955	308,420	2093	65.2	63.0-67.4	236	8.8	7.4-10.2	282	12.0	10.4-13.6	233	9.5	8.1-10.9	111	4.5	3.5- 5.5
Female	2822	291,557	1727	53.1	50.6-55.6	310	11.4	9.8-13.0	359	15.2	13.4-17.0	284	14.1	12.1-16.1	142	6.2	5.0- 7.4
Native	164	23,964	90	42.9	33.7-52.1	12	7.3	2.6-12.0	25	20.9	12.1-29.7	25	19.8	11.0-28.6	12	9.1	3.8-14.4
Non-Native	5522	566,866	3668	59.8	58.0-61.6	526	10.2	9.2-11.2	608	13.4	12.2-14.6	483	11.5	10.3-12.7	237	5.2	4.4- 6.0
18-24	321	90,471	130	39.6	33.7-45.5	38	12.2	8.3-16.1	73	21.9	17.0-26.8	66	21.9	16.8-27.0	14	4.3	1.9- 6.7
25-34	607	105,790	290	47.6	43.3-51.9	76	12.1	9.4-14.8	103	16.3	13.2-19.4	98	16.6	13.3-19.9	40	7.5	5.1- 9.9
35-44	694	102,081	376	53.8	49.7-57.9	66	10.0	7.5-12.5	124	17.7	14.6-20.8	87	12.2	9.5-14.9	41	6.4	4.2- 8.6
45-54	750	80,870	446	59.8	55.9-63.7	82	10.6	8.2-13.0	100	12.9	10.2-15.6	83	10.7	8.2-13.2	39	5.9	3.9- 7.9
55-64	990	83,963	679	69.0	65.7-72.3	99	9.4	7.4-11.4	89	8.7	6.7-10.7	82	8.4	6.4-10.4	41	4.5	2.9- 6.1
65+	2415	136,801	1899	79.2	77.2-81.2	185	7.1	5.9- 8.3	152	6.4	5.2- 7.6	101	3.7	2.9- 4.5	78	3.6	2.6- 4.6
Less Than H.S.	196	40,087	119	48.7	39.7-57.7	16	10.6	4.7-16.5	23	14.7	8.0-21.4	17	15.5	7.7-23.3	21	10.5	5.6-15.4
H.S. or G.E.D.	1539	154,678	1044	61.5	58.4-64.6	113	7.5	5.9- 9.1	133	11.1	8.9-13.3	163	13.2	10.8-15.6	86	6.7	4.9- 8.5
Some Post-H.S.	1740	227,882	1162	59.7	56.8-62.6	158	9.9	8.1-11.7	191	13.7	11.5-15.9	150	11.6	9.6-13.6	79	5.1	3.7- 6.5
College Graduate	2283	175,008	1481	59.0	56.6-61.4	257	12.4	10.6-14.2	292	15.5	13.5-17.5	186	9.9	8.3-11.5	67	3.2	2.2- 4.2
Less than \$15,000	165	19,225	75	36.1	26.7-45.5	10	6.9	1.0-12.8	12	13.3	4.9-21.7	36	24.9	15.3-34.5	32	18.8	11.5-26.1
\$15,000- 24,999	305	31,343	168	48.6	41.0-56.2	26	5.7	2.6- 8.8	36	13.2	8.3-18.1	46	20.4	13.7-27.1	29	12.2	7.1-17.3
\$25,000- 34,999	479	46,951	288	52.5	46.4-58.6	37	6.4	3.5- 9.3	62	15.3	11.0-19.6	54	15.6	10.9-20.3	38	10.1	6.2-14.0
\$35,000- 49,999	582	58,928	387	55.7	50.2-61.2	49	9.4	5.9-12.9	69	15.2	11.3-19.1	59	15.3	10.8-19.8	18	4.5	2.1- 6.9
\$50,000- 99,999	1633	166,291	1064	56.9	53.8-60.0	172	11.3	9.3-13.3	202	16.0	13.5-18.5	135	11.9	9.5-14.3	60	3.9	2.7- 5.1
\$100,000 - 199,999	1148	125,832	765	62.9	59.6-66.2	117	10.6	8.4-12.8	147	14.5	12.0-17.0	93	9.0	7.0-11.0	26	3.1	1.7- 4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2955	308,420	2093	65.2	63.0-67.4	236	8.8	7.4-10.2	282	12.0	10.4-13.6	233	9.5	8.1-10.9	111	4.5	3.5- 5.5
Native	84	12,674	52	50.2	37.1-63.3	7	7.7	1.0-14.4	13	20.7	9.3-32.1	7	14.3	2.9-25.7	5	7.2	0.9-13.5
Non-Native	2813	290,288	1999	65.7	63.5-67.9	225	8.8	7.4-10.2	264	11.7	10.1-13.3	221	9.4	8.0-10.8	104	4.4	3.4- 5.4
18-24	194	47,180	90	45.6	38.0-53.2	23	12.2	7.3-17.1	45	23.2	16.7-29.7	30	16.2	10.5-21.9	6	2.7	0.5- 4.9
25-34	350	56,355	185	53.6	47.9-59.3	42	11.4	7.9-14.9	56	14.9	11.0-18.8	44	13.0	9.1-16.9	23	7.1	4.2-10.0
35-44	379	54,617	237	63.0	57.7-68.3	29	7.4	4.7-10.1	52	13.5	9.8-17.2	39	9.9	6.6-13.2	22	6.2	3.5- 8.9
45-54	416	42,870	269	65.1	60.0-70.2	39	9.6	6.5-12.7	49	10.6	7.5-13.7	40	9.4	6.5-12.3	19	5.3	2.8- 7.8
55-64	525	43,378	405	77.0	73.1-80.9	38	7.2	4.7- 9.7	34	6.9	4.5- 9.3	36	6.7	4.3- 9.1	12	2.3	0.9- 3.7
65+	1091	64,019	907	83.7	81.2-86.2	65	5.6	4.0- 7.2	46	4.4	3.0- 5.8	44	3.3	2.1- 4.5	29	2.9	1.7- 4.1
Less Than H.S.	113	22,582	74	57.3	45.9-68.7	7	6.7	1.0-12.4	15	18.2	8.6-27.8	5	7.5	0.4-14.6	12	10.2	4.3-16.1
H.S. or G.E.D.	870	87,346	621	65.8	61.9-69.7	51	6.9	4.7- 9.1	72	10.7	8.2-13.2	86	11.5	8.8-14.2	40	5.0	3.2- 6.8
Some Post-H.S.	875	117,596	619	65.1	61.4-68.8	69	8.9	6.5-11.3	82	11.5	9.0-14.0	72	10.4	7.9-12.9	33	4.0	2.4- 5.6
College Graduate	1085	79,251	770	66.5	63.2-69.8	109	11.4	9.0-13.8	111	12.5	10.1-14.9	69	6.6	4.8- 8.4	26	3.0	1.6- 4.4
Less than \$15,000	73	8,465	35	37.0	23.3-50.7	1	0.7	0.0- 2.1	6	17.2	3.5-30.9	15	26.2	11.7-40.7	16	18.9	9.1-28.7
\$15,000- 24,999	126	12,235	80	56.2	44.8-67.6	8	6.0	0.0-12.3	15	16.9	8.1-25.7	14	14.7	6.3-23.1	9	6.2	1.5-10.9
\$25,000- 34,999	212	21,136	143	64.0	55.6-72.4	17	6.5	2.2-10.8	21	12.1	6.4-17.8	19	9.6	4.5-14.7	12	7.8	3.1-12.5
\$35,000- 49,999	292	27,793	206	61.6	54.3-68.9	13	4.3	1.6- 7.0	35	15.9	10.4-21.4	28	12.9	7.4-18.4	10	5.3	1.8- 8.8
\$50,000- 99,999	912	93,439	633	61.8	57.7-65.9	89	10.5	8.1-12.9	96	13.8	10.7-16.9	66	10.0	7.3-12.7	28	3.9	2.3- 5.5
\$100,000 - 199,999	653	73,188	481	70.6	66.5-74.7	49	7.9	5.5-10.3	64	11.5	8.6-14.4	46	7.5	5.1- 9.9	13	2.6	0.8- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2822	291,557	1727	53.1	50.6-55.6	310	11.4	9.8-13.0	359	15.2	13.4-17.0	284	14.1	12.1-16.1	142	6.2	5.0- 7.4
Native	80	11,290	38	34.7	22.0-47.4	5	6.9	0.2-13.6	12	21.2	7.5-34.9	18	25.9	12.6-39.2	7	11.3	2.5-20.1
Non-Native	2709	276,578	1669	53.6	51.1-56.1	301	11.6	10.0-13.2	344	15.1	13.3-16.9	262	13.7	11.7-15.7	133	6.0	4.8- 7.2
18-24	127	43,291	40	33.1	24.1-42.1	15	12.2	6.1-18.3	28	20.4	13.1-27.7	36	28.2	19.8-36.6	8	6.1	2.0-10.2
25-34	257	49,435	105	40.7	34.0-47.4	34	12.9	8.6-17.2	47	17.9	12.8-23.0	54	20.6	15.3-25.9	17	7.9	4.0-11.8
35-44	315	47,464	139	43.2	37.1-49.3	37	13.0	8.5-17.5	72	22.5	17.6-27.4	48	14.8	10.5-19.1	19	6.5	3.2- 9.8
45-54	334	38,000	177	53.7	47.6-59.8	43	11.8	8.1-15.5	51	15.6	10.9-20.3	43	12.3	8.2-16.4	20	6.6	3.7- 9.5
55-64	465	40,585	274	60.5	55.4-65.6	61	11.8	8.7-14.9	55	10.7	7.8-13.6	46	10.3	7.2-13.4	29	6.8	3.9- 9.7
65+	1324	72,782	992	75.3	72.6-78.0	120	8.5	6.7-10.3	106	8.0	6.2- 9.8	57	4.1	2.9- 5.3	49	4.2	2.8- 5.6
Less Than H.S.	83	17,505	45	37.5	24.4-50.6	9	15.7	4.5-26.9	8	10.2	1.4-19.0	12	25.9	11.6-40.2	9	10.8	2.6-19.0
H.S. or G.E.D.	669	67,332	423	55.8	50.7-60.9	62	8.4	5.7-11.1	61	11.6	8.1-15.1	77	15.4	11.7-19.1	46	8.8	5.7-11.9
Some Post-H.S.	865	110,286	543	54.1	49.8-58.4	89	10.9	8.2-13.6	109	16.0	12.7-19.3	78	12.9	9.8-16.0	46	6.2	4.0- 8.4
College Graduate	1198	95,757	711	52.7	49.2-56.2	148	13.2	10.8-15.6	181	18.0	15.3-20.7	117	12.6	10.2-15.0	41	3.5	2.3- 4.7
Less than \$15,000	92	10,760	40	35.4	22.5-48.3	9	11.7	1.7-21.7	6	10.2	0.0-20.4	21	24.0	11.1-36.9	16	18.7	8.1-29.3
\$15,000- 24,999	179	19,107	88	43.7	33.9-53.5	18	5.5	2.0- 9.0	21	10.8	5.1-16.5	32	24.0	14.6-33.4	20	16.0	8.2-23.8
\$25,000- 34,999	267	25,815	145	43.1	35.3-50.9	20	6.4	2.1-10.7	41	17.9	11.6-24.2	35	20.5	13.4-27.6	26	12.1	6.0-18.2
\$35,000- 49,999	290	31,135	181	50.3	42.1-58.5	36	14.0	8.1-19.9	34	14.5	8.8-20.2	31	17.3	10.2-24.4	8	3.8	0.5- 7.1
\$50,000- 99,999	721	72,851	431	50.7	46.0-55.4	83	12.3	9.0-15.6	106	18.7	14.8-22.6	69	14.3	10.6-18.0	32	4.0	2.2- 5.8
\$100,000 - 199,999	495	52,644	284	52.2	46.9-57.5	68	14.3	10.6-18.0	83	18.6	14.5-22.7	47	11.1	7.8-14.4	13	3.8	1.4- 6.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2974	330,799	1712	55.6	53.2-58.0	320	11.2	9.8-12.6	399	14.9	13.1-16.7	336	12.8	11.2-14.4	207	5.5	4.5- 6.5
Male	1397	154,792	852	59.6	56.5-62.7	142	11.1	9.1-13.1	169	13.4	11.0-15.8	136	9.9	7.9-11.9	98	6.0	4.6- 7.4
Female	1577	176,007	860	52.1	48.8-55.4	178	11.2	9.2-13.2	230	16.1	13.6-18.6	200	15.4	12.9-17.9	109	5.2	4.0- 6.4
Native	106	18,079	49	45.5	33.5-57.5	15	10.2	2.9-17.5	15	16.9	7.1-26.7	23	22.3	12.3-32.3	4	5.1	0.0-10.2
Non-Native	2816	308,081	1636	56.3	53.9-58.7	304	11.4	9.8-13.0	374	14.6	12.8-16.4	308	12.3	10.5-14.1	194	5.5	4.5- 6.5
18-24	220	63,466	119	51.9	44.6-59.2	24	9.4	5.5-13.3	45	21.7	15.6-27.8	29	15.3	9.8-20.8	3	1.6	0.0- 3.4
25-34	369	64,514	206	55.9	50.4-61.4	53	13.3	9.6-17.0	54	14.1	10.2-18.0	41	12.4	8.7-16.1	15	4.4	2.0- 6.8
35-44	396	58,070	221	56.2	50.7-61.7	55	14.0	10.1-17.9	60	15.8	11.7-19.9	40	9.4	6.3-12.5	20	4.5	2.3- 6.7
45-54	393	42,119	213	52.6	46.9-58.3	44	12.2	8.1-16.3	62	14.1	10.4-17.8	43	12.7	8.4-17.0	31	8.4	5.3-11.5
55-64	490	40,532	278	55.1	50.0-60.2	52	10.3	7.4-13.2	58	10.5	7.6-13.4	64	16.4	12.3-20.5	38	7.7	5.2-10.2
65+	1106	62,098	675	61.1	57.8-64.4	92	7.9	5.9- 9.9	120	11.0	8.8-13.2	119	11.6	9.2-14.0	100	8.4	6.4-10.4
Less Than H.S.	119	27,246	65	49.0	37.4-60.6	10	7.1	1.4-12.8	19	23.4	12.6-34.2	16	14.3	6.1-22.5	9	6.2	1.5-10.9
H.S. or G.E.D.	778	80,821	456	56.2	51.7-60.7	61	8.5	6.1-10.9	92	14.4	11.3-17.5	107	15.4	11.9-18.9	62	5.6	3.8- 7.4
Some Post-H.S.	897	126,469	507	55.6	51.7-59.5	88	10.9	8.4-13.4	114	13.1	10.4-15.8	119	14.4	11.5-17.3	69	6.0	4.4- 7.6
College Graduate	1171	95,114	678	57.0	53.7-60.3	160	14.8	12.3-17.3	172	15.2	12.7-17.7	94	8.2	6.2-10.2	67	4.8	3.4- 6.2
Less than \$15,000	120	14,793	42	37.7	25.9-49.5	6	5.8	0.0-12.3	18	15.1	6.1-24.1	32	28.2	17.0-39.4	22	13.2	6.5-19.9
\$15,000- 24,999	213	22,073	99	44.7	35.5-53.9	22	9.6	4.5-14.7	24	12.5	6.6-18.4	42	22.4	14.8-30.0	26	10.7	6.0-15.4
\$25,000- 34,999	287	29,039	143	44.8	37.4-52.2	28	10.8	5.7-15.9	43	17.1	11.2-23.0	43	19.2	12.7-25.7	30	8.0	4.5-11.5
\$35,000- 49,999	326	35,491	190	51.8	44.5-59.1	31	11.5	6.6-16.4	44	17.8	11.5-24.1	37	14.2	8.9-19.5	24	4.7	2.3- 7.1
\$50,000- 99,999	810	91,153	475	58.0	53.7-62.3	97	12.2	9.5-14.9	116	15.4	12.1-18.7	80	11.0	8.1-13.9	42	3.3	1.9- 4.7
\$100,000 - 199,999	546	63,255	333	60.0	55.1-64.9	79	14.4	11.1-17.7	73	13.8	10.3-17.3	43	8.4	5.7-11.1	18	3.3	1.5- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1397	154,792	852	59.6	56.5-62.7	142	11.1	9.1-13.1	169	13.4	11.0-15.8	136	9.9	7.9-11.9	98	6.0	4.6- 7.4
Native	52	9,303	25	48.0	31.3-64.7	7	9.0	1.2-16.8	6	14.7	2.0-27.4	11	20.5	7.4-33.6	3	7.9	0.0-16.7
Non-Native	1311	142,510	808	60.6	57.3-63.9	135	11.5	9.3-13.7	158	13.2	10.7-15.7	122	9.1	7.1-11.1	88	5.6	4.2- 7.0
18-24	125	31,980	74	56.8	47.2-66.4	17	11.9	6.2-17.6	23	21.3	12.7-29.9	9	7.7	2.4-13.0	2	2.3	0.0- 5.4
25-34	198	31,727	111	56.2	48.8-63.6	30	13.9	8.8-19.0	27	12.2	7.7-16.7	18	10.7	5.6-15.8	12	7.0	3.1-10.9
35-44	190	26,443	115	61.1	53.5-68.7	23	11.9	7.0-16.8	24	12.2	7.1-17.3	18	10.0	5.1-14.9	10	4.8	1.7- 7.9
45-54	199	19,944	125	62.9	55.5-70.3	18	9.8	5.1-14.5	25	11.6	6.9-16.3	15	6.7	3.4-10.0	16	9.0	4.3-13.7
55-64	223	18,000	141	63.3	56.2-70.4	24	10.0	5.7-14.3	20	7.6	4.1-11.1	26	13.7	8.2-19.2	12	5.5	2.2- 8.8
65+	462	26,698	286	60.7	55.4-66.0	30	7.7	4.6-10.8	50	12.0	8.5-15.5	50	11.2	7.9-14.5	46	8.4	5.7-11.1
Less Than H.S.	60	14,213	35	51.8	36.1-67.5	4	4.5	0.0- 9.0	7	21.8	6.5-37.1	8	12.5	2.7-22.3	6	9.4	1.2-17.6
H.S. or G.E.D.	402	41,733	256	63.3	57.8-68.8	28	9.0	5.5-12.5	40	12.2	8.3-16.1	47	10.5	7.2-13.8	31	5.1	2.9- 7.3
Some Post-H.S.	415	59,519	250	60.0	54.5-65.5	43	11.4	7.9-14.9	51	11.8	8.3-15.3	41	10.5	7.0-14.0	30	6.4	3.9- 8.9
College Graduate	515	38,590	308	58.3	53.4-63.2	66	14.7	11.0-18.4	70	14.3	10.6-18.0	40	7.6	4.9-10.3	31	5.1	2.9- 7.3
Less than \$15,000	52	6,469	18	41.1	22.7-59.5	2	3.9	0.0-10.0	7	13.1	0.6-25.6	15	26.3	12.2-40.4	10	15.7	5.1-26.3
\$15,000- 24,999	83	7,776	43	46.6	33.1-60.1	7	10.1	1.1-19.1	8	13.4	4.0-22.8	15	19.6	7.8-31.4	10	10.3	2.9-17.7
\$25,000- 34,999	113	11,003	64	52.3	40.7-63.9	8	4.4	1.1- 7.7	16	17.5	8.5-26.5	12	14.0	4.8-23.2	13	11.9	4.3-19.5
\$35,000- 49,999	153	15,100	93	58.7	48.7-68.7	14	10.3	4.4-16.2	15	9.5	4.2-14.8	17	14.3	6.1-22.5	14	7.2	2.7-11.7
\$50,000- 99,999	431	48,765	262	60.4	54.7-66.1	52	13.0	9.3-16.7	57	14.6	10.1-19.1	37	8.5	5.4-11.6	23	3.6	1.6- 5.6
\$100,000 - 199,999	274	32,083	171	60.7	53.8-67.6	41	16.1	11.0-21.2	32	11.5	7.0-16.0	19	7.0	3.1-10.9	11	4.7	1.4- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1577	176,007	860	52.1	48.8-55.4		178	11.2	9.2-13.2	230	16.1	13.6-18.6	200	15.4	12.9-17.9	109	5.2	4.0- 6.4
Native	54	8,777	24	42.9	26.2-59.6		8	11.5	0.0-23.7	9	19.2	4.3-34.1	12	24.2	9.3-39.1	1	2.2	0.0- 6.5
Non-Native	1505	165,571	828	52.6	49.3-55.9		169	11.3	9.1-13.5	216	15.7	13.2-18.2	186	15.0	12.5-17.5	106	5.4	4.2- 6.6
18-24	95	31,487	45	46.8	36.0-57.6		7	6.9	1.6-12.2	22	22.2	13.4-31.0	20	23.0	13.4-32.6	1	1.0	0.0- 3.0
25-34	171	32,788	95	55.6	47.4-63.8		23	12.7	7.4-18.0	27	16.0	9.7-22.3	23	13.9	8.2-19.6	3	1.9	0.0- 4.1
35-44	206	31,627	106	52.1	44.5-59.7		32	15.7	10.0-21.4	36	18.9	12.6-25.2	22	8.9	5.0-12.8	10	4.3	1.4- 7.2
45-54	194	22,175	88	43.3	35.5-51.1		26	14.3	8.0-20.6	37	16.4	10.9-21.9	28	18.1	11.0-25.2	15	7.9	3.8-12.0
55-64	267	22,531	137	48.5	41.6-55.4		28	10.6	6.3-14.9	38	12.8	8.5-17.1	38	18.7	12.6-24.8	26	9.4	5.5-13.3
65+	644	35,400	389	61.4	56.9-65.9		62	8.0	5.6-10.4	70	10.3	7.6-13.0	69	11.9	8.8-15.0	54	8.3	5.8-10.8
Less Than H.S.	59	13,033	30	45.8	28.6-63.0		6	9.9	0.0-20.3	12	25.1	9.8-40.4	8	16.3	2.6-30.0	3	2.7	0.0- 6.4
H.S. or G.E.D.	376	39,088	200	48.7	41.8-55.6		33	7.9	4.6-11.2	52	16.7	11.6-21.8	60	20.7	14.6-26.8	31	6.0	3.3- 8.7
Some Post-H.S.	482	66,950	257	51.8	46.1-57.5		45	10.4	6.9-13.9	63	14.2	10.1-18.3	78	17.9	13.4-22.4	39	5.7	3.5- 7.9
College Graduate	656	56,524	370	56.1	51.6-60.6		94	14.9	11.6-18.2	102	15.9	12.6-19.2	54	8.6	6.1-11.1	36	4.6	2.8- 6.4
Less than \$15,000	68	8,324	24	35.0	20.1-49.9		4	7.3	0.0-17.7	11	16.6	4.1-29.1	17	29.7	13.4-46.0	12	11.3	3.1-19.5
\$15,000- 24,999	130	14,297	56	43.7	31.4-56.0		15	9.4	3.1-15.7	16	12.0	4.6-19.4	27	24.0	14.0-34.0	16	10.9	4.8-17.0
\$25,000- 34,999	174	18,036	79	40.3	30.7-49.9		20	14.8	7.0-22.6	27	16.9	9.3-24.5	31	22.5	13.7-31.3	17	5.6	2.5- 8.7
\$35,000- 49,999	173	20,391	97	46.7	36.5-56.9		17	12.4	5.3-19.5	29	23.9	14.3-33.5	20	14.1	7.0-21.2	10	2.9	0.7- 5.1
\$50,000- 99,999	379	42,387	213	55.2	48.5-61.9		45	11.3	7.2-15.4	59	16.5	11.6-21.4	43	14.0	8.9-19.1	19	3.0	1.2- 4.8
\$100,000 - 199,999	272	31,172	162	59.3	52.4-66.2		38	12.7	8.4-17.0	41	16.2	10.9-21.5	24	9.9	5.8-14.0	7	1.9	0.3- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? (PRIMINS2)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON OR A GROUP OF DOCTORS THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? (PRIMINS2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Private Plan Purchased by you or family member			Medicare, Medigap, Medicaid, CHIP or State Prgm			Military and Other Government Related Health Care			Indian Health Service			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5637	578,036	1994	43.7	42.1-45.3	666	13.3	12.1-14.5	2359	29.3	27.9-30.7	386	7.3	6.3- 8.3	28	0.6	0.4- 0.8	204	5.8	4.8- 6.8
Male	2882	296,619	1109	45.5	43.3-47.7	338	13.1	11.5-14.7	1011	24.5	22.7-26.3	277	9.4	8.0-10.8	13	0.6	0.2- 1.0	134	6.8	5.4- 8.2
Female	2755	281,417	885	41.9	39.4-44.4	328	13.5	11.7-15.3	1348	34.3	32.1-36.5	109	5.1	3.9- 6.3	15	0.5	0.1- 0.9	70	4.7	3.3- 6.1
Native	163	24,350	44	28.6	20.2-37.0	12	7.3	2.2-12.4	62	35.0	25.6-44.4	9	6.4	1.5-11.3	25	12.8	7.1-18.5	11	10.0	3.1-16.9
Non-Native	5394	545,836	1933	44.7	42.9-46.5	645	13.6	12.4-14.8	2255	28.8	27.4-30.2	369	7.3	6.3- 8.3	3	0.0	0.0- 0.0	189	5.6	4.6- 6.6
18-24	275	76,598	129	43.1	36.8-49.4	59	21.7	16.4-27.0	33	14.3	9.4-19.2	30	11.2	7.1-15.3	2	0.7	0.0- 1.7	22	9.0	5.1-12.9
25-34	598	103,809	385	62.1	57.8-66.4	59	10.2	7.7-12.7	76	13.8	10.7-16.9	32	5.2	3.2- 7.2	2	0.4	0.0- 1.0	44	8.3	5.6-11.0
35-44	690	101,559	426	60.2	56.1-64.3	95	13.2	10.5-15.9	66	10.4	7.9-12.9	50	7.2	5.2- 9.2	5	0.4	0.0- 0.8	48	8.7	6.2-11.2
45-54	735	79,319	442	58.1	54.0-62.2	112	14.3	11.6-17.0	91	13.4	10.5-16.3	52	8.0	5.6-10.4	6	1.0	0.2- 1.8	32	5.2	3.0- 7.4
55-64	966	81,986	478	48.8	45.3-52.3	209	21.8	18.9-24.7	146	14.5	12.0-17.0	83	8.4	6.4-10.4	8	1.1	0.1- 2.1	42	5.4	3.6- 7.2
65+	2373	134,764	134	6.0	4.8- 7.2	132	5.4	4.4- 6.4	1947	82.2	80.4-84.0	139	5.7	4.5- 6.9	5	0.2	0.0- 0.4	16	0.6	0.2- 1.0
Less Than H.S.	190	37,895	26	17.6	10.5-24.7	16	9.2	3.5-14.9	108	46.5	37.5-55.5	12	5.5	1.6- 9.4				28	21.3	13.7-28.9
H.S. or G.E.D.	1482	145,989	450	40.8	37.5-44.1	155	11.9	9.7-14.1	661	31.3	28.6-34.0	118	7.6	5.8- 9.4	10	0.7	0.1- 1.3	88	7.8	5.8- 9.8
Some Post-H.S.	1700	219,989	533	40.5	37.6-43.4	218	15.0	12.8-17.2	757	30.4	28.0-32.8	126	8.3	6.5-10.1	12	0.9	0.3- 1.5	54	4.8	3.4- 6.2
College Graduate	2248	171,973	980	56.3	53.9-58.7	274	13.2	11.4-15.0	825	22.2	20.4-24.0	130	6.2	5.0- 7.4	6	0.3	0.1- 0.5	33	1.8	1.2- 2.4
Less than \$15,000	156	17,784	2	1.9	0.0- 4.4	9	8.1	2.0-14.2	123	71.5	61.5-81.5	7	3.8	0.0- 7.7	1	1.3	0.0- 3.8	14	13.4	5.6-21.2
\$15,000- 24,999	296	30,115	13	8.1	2.6-13.6	28	10.1	5.4-14.8	208	59.8	51.8-67.8	20	7.7	3.0-12.4	5	1.8	0.0- 3.6	22	12.6	6.5-18.7
\$25,000- 34,999	467	45,371	72	24.8	19.1-30.5	43	10.2	6.7-13.7	288	48.5	42.4-54.6	34	7.9	4.4-11.4	7	1.2	0.0- 2.4	23	7.5	4.2-10.8
\$35,000- 49,999	568	56,906	140	34.1	28.8-39.4	65	15.0	10.5-19.5	294	36.0	31.1-40.9	36	5.4	3.0- 7.8	5	1.3	0.1- 2.5	28	8.1	4.8-11.4
\$50,000- 99,999	1624	164,571	624	47.5	44.4-50.6	196	13.9	11.7-16.1	609	24.0	21.6-26.4	128	8.6	6.8-10.4	8	0.5	0.1- 0.9	59	5.5	3.7- 7.3
\$100,000 - 199,999	1132	123,242	674	67.0	63.9-70.1	150	14.1	11.7-16.5	222	10.9	9.1-12.7	76	6.5	4.9- 8.1				10	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? (PRIMINS2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Private Plan Purchased by you or family member			Medicare, Medigap, Medicaid, CHIP or State Prgm			Military and Other Government Related Health Care			Indian Health Service			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2882	296,619	1109	45.5	43.3-47.7	338	13.1	11.5-14.7	1011	24.5	22.7-26.3	277	9.4	8.0-10.8	13	0.6	0.2- 1.0	134	6.8	5.4- 8.2
Native	86	13,287	29	34.3	22.3-46.3	6	6.5	0.0-13.2	26	30.0	17.5-42.5	5	5.3	0.0-10.6	11	13.4	5.0-21.8	9	10.6	2.6-18.6
Non-Native	2745	278,420	1071	46.5	44.1-48.9	328	13.6	12.0-15.2	955	23.7	21.9-25.5	265	9.4	8.0-10.8	2	0.0	0.0- 0.0	124	6.7	5.3- 8.1
18-24	167	39,718	75	39.0	31.4-46.6	34	21.2	14.5-27.9	18	13.5	7.2-19.8	22	13.8	8.3-19.3	2	1.4	0.0- 3.4	16	11.2	5.7-16.7
25-34	344	55,060	223	63.3	57.8-68.8	33	10.5	7.0-14.0	36	10.1	6.6-13.6	24	6.8	3.9- 9.7	1	0.4	0.0- 1.2	27	9.0	5.5-12.5
35-44	374	53,853	232	61.2	55.7-66.7	56	13.7	10.0-17.4	24	6.4	3.7- 9.1	30	8.3	5.4-11.2	1	0.3	0.0- 0.9	31	10.1	6.4-13.8
45-54	407	42,082	242	59.3	54.0-64.6	58	13.8	10.1-17.5	48	11.2	7.9-14.5	31	8.0	5.1-10.9	3	1.1	0.0- 2.3	25	6.6	3.9- 9.3
55-64	512	42,330	262	51.9	47.0-56.8	109	20.8	16.9-24.7	60	11.0	8.1-13.9	53	10.3	7.4-13.2	3	0.8	0.0- 1.8	25	5.3	3.1- 7.5
65+	1078	63,576	75	7.4	5.4- 9.4	48	4.4	3.0- 5.8	825	77.1	74.2-80.0	117	10.2	8.0-12.4	3	0.2	0.0- 0.4	10	0.7	0.3- 1.1
Less Than H.S.	108	20,472	18	18.3	10.1-26.5	8	7.7	1.0-14.4	51	40.3	29.1-51.5	10	6.1	1.4-10.8				21	27.6	16.8-38.4
H.S. or G.E.D.	837	82,570	300	44.5	40.4-48.6	90	12.0	9.3-14.7	290	24.8	21.5-28.1	89	9.5	7.1-11.9	6	0.7	0.1- 1.3	62	8.5	6.1-10.9
Some Post-H.S.	861	114,496	314	45.0	41.1-48.9	119	15.6	12.7-18.5	294	22.5	19.8-25.2	95	11.1	8.7-13.5	7	1.1	0.1- 2.1	32	4.8	3.0- 6.6
College Graduate	1066	77,569	474	54.8	51.5-58.1	119	12.0	9.6-14.4	372	23.0	20.5-25.5	83	7.9	5.9- 9.9				18	2.2	1.0- 3.4
Less than \$15,000	72	8,313	1	2.3	0.0- 6.8	7	15.8	3.6-28.0	50	60.4	45.3-75.5	5	6.3	0.0-14.1	1	2.8	0.0- 8.3	8	12.3	3.1-21.5
\$15,000- 24,999	118	11,026	3	2.2	0.0- 4.7	12	16.0	5.8-26.2	74	49.9	38.1-61.7	14	11.6	4.0-19.2	4	4.3	0.0- 9.0	11	16.0	5.2-26.8
\$25,000- 34,999	207	20,778	31	22.2	14.4-30.0	24	11.9	6.6-17.2	111	42.3	33.7-50.9	22	10.3	5.2-15.4	2	0.5	0.0- 1.3	17	12.8	6.3-19.3
\$35,000- 49,999	284	26,998	74	34.2	27.1-41.3	31	12.0	7.5-16.5	126	33.5	26.8-40.2	32	8.4	4.9-11.9	3	1.8	0.0- 4.0	18	10.1	5.0-15.2
\$50,000- 99,999	902	91,682	353	46.0	42.1-49.9	101	12.3	9.6-15.0	301	22.8	19.7-25.9	99	11.3	8.8-13.8	1	0.1	0.0- 0.3	47	7.5	5.0-10.0
\$100,000 - 199,999	641	71,319	397	68.7	64.6-72.8	82	13.5	10.4-16.6	109	9.4	7.4-11.4	47	7.0	4.8- 9.2				6	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: WHAT IS THE CURRENT PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? (PRIMINS2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Private Plan Purchased by you or family member			Medicare, Medigap, Medicaid, CHIP or State Prgm			Military and Other Government Related Health Care			Indian Health Service			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2755	281,417	885	41.9	39.5-44.3	328	13.5	11.7-15.3	1348	34.3	32.1-36.5	109	5.1	3.9- 6.3	15	0.5	0.1- 0.9	70	4.7	3.3- 6.1
Native	77	11,063	15	21.7	10.3-33.1	6	8.2	0.2-16.2	36	41.0	26.7-55.3	4	7.8	0.0-16.6	14	12.0	4.6-19.4	2	9.3	0.0-21.3
Non-Native	2649	267,416	862	42.8	40.3-45.3	317	13.7	11.9-15.5	1300	34.0	31.8-36.2	104	5.0	3.8- 6.2	1	0.1	0.0- 0.3	65	4.5	3.1- 5.9
18-24	108	36,880	54	47.4	37.2-57.6	25	22.3	13.9-30.7	15	15.1	7.5-22.7	8	8.5	2.4-14.6				6	6.7	1.0-12.4
25-34	254	48,749	162	60.7	54.0-67.4	26	9.9	6.2-13.6	40	18.0	12.5-23.5	8	3.5	0.8- 6.2	1	0.4	0.0- 1.2	17	7.5	3.4-11.6
35-44	316	47,706	194	59.0	52.9-65.1	39	12.6	8.5-16.7	42	14.9	10.2-19.6	20	5.9	3.2- 8.6	4	0.5	0.0- 1.1	17	7.1	3.6-10.6
45-54	328	37,237	200	56.8	50.5-63.1	54	14.8	10.7-18.9	43	15.8	10.7-20.9	21	8.0	4.5-11.5	3	1.0	0.0- 2.2	7	3.6	0.3- 6.9
55-64	454	39,656	216	45.5	40.2-50.8	100	22.9	18.4-27.4	86	18.3	14.2-22.4	30	6.4	3.7- 9.1	5	1.5	0.0- 3.1	17	5.5	2.6- 8.4
65+	1295	71,188	59	4.7	3.3- 6.1	84	6.3	4.7- 7.9	1122	86.8	84.6-89.0	22	1.6	0.8- 2.4	2	0.1	0.0- 0.3	6	0.5	0.1- 0.9
Less Than H.S.	82	17,422	8	16.7	4.9-28.5	8	10.9	1.5-20.3	57	53.7	39.0-68.4	2	4.8	0.0-11.3				7	13.9	3.3-24.5
H.S. or G.E.D.	645	63,419	150	35.9	30.6-41.2	65	11.7	8.2-15.2	371	39.7	34.8-44.6	29	5.2	2.7- 7.7	4	0.7	0.0- 1.5	26	6.9	3.6-10.2
Some Post-H.S.	839	105,493	219	35.7	31.4-40.0	99	14.4	11.3-17.5	463	39.0	35.1-42.9	31	5.4	3.0- 7.8	5	0.6	0.0- 1.2	22	4.9	2.7- 7.1
College Graduate	1182	94,405	506	57.5	54.2-60.8	155	14.2	11.8-16.6	453	21.6	19.2-24.0	47	4.7	3.1- 6.3	6	0.5	0.1- 0.9	15	1.5	0.7- 2.3
Less than \$15,000	84	9,471	1	1.5	0.0- 4.4	2	1.2	0.0- 3.0	73	81.3	68.6-94.0	2	1.7	0.0- 4.2				6	14.3	2.0-26.6
\$15,000- 24,999	178	19,089	10	11.6	3.4-19.8	16	6.7	2.4-11.0	134	65.4	54.8-76.0	6	5.4	0.0-11.3	1	0.3	0.0- 0.9	11	10.6	3.5-17.7
\$25,000- 34,999	260	24,593	41	27.0	19.0-35.0	19	8.7	3.8-13.6	177	53.6	45.2-62.0	12	5.8	1.1-10.5	5	1.9	0.0- 3.9	6	3.0	0.1- 5.9
\$35,000- 49,999	284	29,908	66	34.0	26.0-42.0	34	17.7	10.4-25.0	168	38.3	30.9-45.7	4	2.8	0.0- 5.7	2	0.9	0.0- 2.3	10	6.2	1.7-10.7
\$50,000- 99,999	722	72,889	271	49.4	44.7-54.1	95	15.9	12.2-19.6	308	25.5	22.0-29.0	29	5.2	2.8- 7.6	7	1.0	0.2- 1.8	12	3.0	0.8- 5.2
\$100,000 - 199,999	491	51,924	277	64.6	59.7-69.5	68	14.9	11.2-18.6	113	12.9	10.0-15.8	29	5.9	3.5- 8.3				4	1.7	0.0- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON OR A GROUP OF DOCTORS THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5796	601,132	3356	55.5	53.9-57.1	1795	28.7	27.3-30.1	645	15.8	14.4-17.2
Male	2958	308,846	1700	54.6	52.4-56.8	799	24.1	22.3-25.9	459	21.2	19.2-23.2
Female	2838	292,286	1656	56.5	54.1-58.9	996	33.5	31.3-35.7	186	10.0	8.2-11.8
Native	167	24,715	86	47.1	37.5-56.7	48	27.8	19.4-36.2	33	25.1	16.7-33.5
Non-Native	5538	567,592	3221	56.0	54.2-57.8	1719	28.7	27.1-30.3	598	15.3	13.9-16.7
18-24	320	90,268	157	50.1	44.0-56.2	57	17.4	13.1-21.7	106	32.5	26.8-38.2
25-34	601	105,296	302	50.1	45.8-54.4	157	27.0	23.1-30.9	142	22.8	19.3-26.3
35-44	701	103,076	392	54.3	50.2-58.4	190	28.0	24.3-31.7	119	17.7	14.6-20.8
45-54	747	80,482	431	58.5	54.6-62.4	220	29.1	25.6-32.6	96	12.4	9.9-14.9
55-64	987	83,397	595	60.2	56.7-63.7	316	31.5	28.2-34.8	76	8.2	6.0-10.4
65+	2440	138,612	1479	59.5	57.1-61.9	855	35.8	33.4-38.2	106	4.7	3.7- 5.7
Less Than H.S.	202	40,849	108	47.0	38.2-55.8	50	24.2	16.8-31.6	44	28.8	20.4-37.2
H.S. or G.E.D.	1537	154,502	876	55.6	52.5-58.7	420	24.0	21.5-26.5	241	20.3	17.6-23.0
Some Post-H.S.	1753	228,756	1032	56.8	54.1-59.5	546	29.0	26.5-31.5	175	14.2	12.0-16.4
College Graduate	2285	174,703	1329	55.9	53.5-58.3	773	33.4	31.0-35.8	183	10.7	9.1-12.3
Less than \$15,000	166	19,316	73	39.4	29.4-49.4	66	39.0	28.8-49.2	27	21.5	12.7-30.3
\$15,000- 24,999	307	31,516	176	52.5	44.9-60.1	96	31.1	24.2-38.0	35	16.4	9.9-22.9
\$25,000- 34,999	486	47,501	284	55.6	49.7-61.5	136	25.3	20.2-30.4	66	19.1	14.0-24.2
\$35,000- 49,999	588	59,207	339	56.5	51.2-61.8	171	23.8	19.5-28.1	78	19.8	15.1-24.5
\$50,000- 99,999	1641	167,190	953	55.2	52.1-58.3	508	28.6	25.9-31.3	180	16.3	13.8-18.8
\$100,000 - 199,999	1147	125,875	672	57.4	54.1-60.7	365	29.4	26.3-32.5	110	13.1	10.6-15.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON OR A GROUP OF DOCTORS THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2958	308,846	1700	54.6	52.4-56.8	799	24.1	22.3-25.9	459	21.2	19.2-23.2
Native	87	13,408	38	41.7	28.8-54.6	26	27.4	16.4-38.4	23	30.9	19.1-42.7
Non-Native	2812	290,010	1631	55.5	53.1-57.9	755	23.9	22.1-25.7	426	20.7	18.7-22.7
18-24	194	47,575	90	46.3	38.7-53.9	29	15.6	10.1-21.1	75	38.1	30.7-45.5
25-34	345	55,657	163	45.8	40.1-51.5	72	21.1	16.4-25.8	110	33.1	27.8-38.4
35-44	382	54,912	210	54.7	49.2-60.2	82	20.4	16.1-24.7	90	24.9	20.0-29.8
45-54	415	42,746	240	58.8	53.5-64.1	101	23.4	18.9-27.9	74	17.7	13.6-21.8
55-64	524	43,204	322	61.2	56.5-65.9	150	28.7	24.4-33.0	52	10.1	7.2-13.0
65+	1098	64,751	675	61.2	57.9-64.5	365	33.6	30.3-36.9	58	5.2	3.6- 6.8
Less Than H.S.	114	22,949	59	43.4	32.2-54.6	24	19.7	11.3-28.1	31	36.9	25.3-48.5
H.S. or G.E.D.	866	87,240	472	53.4	49.5-57.3	212	21.7	18.6-24.8	182	24.9	21.4-28.4
Some Post-H.S.	884	118,279	525	56.1	52.4-59.8	232	24.5	21.4-27.6	127	19.4	16.1-22.7
College Graduate	1082	78,734	637	57.2	53.7-60.7	327	27.5	24.6-30.4	118	15.3	12.6-18.0
Less than \$15,000	74	8,569	33	46.1	31.0-61.2	27	34.3	20.8-47.8	14	19.7	8.7-30.7
\$15,000- 24,999	124	11,741	77	49.5	37.9-61.1	26	21.2	12.0-30.4	21	29.3	17.1-41.5
\$25,000- 34,999	217	21,690	122	53.4	44.8-62.0	54	20.8	14.1-27.5	41	25.8	17.6-34.0
\$35,000- 49,999	296	28,352	171	53.8	46.7-60.9	66	17.7	12.4-23.0	59	28.5	21.8-35.2
\$50,000- 99,999	916	94,000	527	54.9	51.0-58.8	243	22.7	19.6-25.8	146	22.4	18.9-25.9
\$100,000 - 199,999	652	73,293	385	58.4	53.9-62.9	179	24.6	20.9-28.3	88	17.1	13.4-20.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON OR A GROUP OF DOCTORS THAT YOU THINK OF AS YOUR PERSONAL HEALTH CARE PROVIDER? (PERSDOC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2838	292,286	1656	56.5	54.1-58.9	996	33.5	31.3-35.7	186	10.0	8.2-11.8
Native	80	11,307	48	53.4	38.9-67.9	22	28.3	15.4-41.2	10	18.3	6.5-30.1
Non-Native	2726	277,582	1590	56.5	54.0-59.0	964	33.8	31.4-36.2	172	9.7	7.9-11.5
18-24	126	42,694	67	54.4	45.0-63.8	28	19.3	12.2-26.4	31	26.3	17.9-34.7
25-34	256	49,640	139	55.0	48.3-61.7	85	33.7	27.2-40.2	32	11.3	7.2-15.4
35-44	319	48,164	182	53.8	47.7-59.9	108	36.7	30.6-42.8	29	9.5	5.8-13.2
45-54	332	37,735	191	58.1	52.2-64.0	119	35.5	29.8-41.2	22	6.4	3.7- 9.1
55-64	463	40,193	273	59.2	54.1-64.3	166	34.6	29.7-39.5	24	6.2	3.1- 9.3
65+	1342	73,860	804	58.0	54.9-61.1	490	37.8	34.7-40.9	48	4.1	2.7- 5.5
Less Than H.S.	88	17,900	49	51.6	37.5-65.7	26	29.9	17.0-42.8	13	18.5	6.9-30.1
H.S. or G.E.D.	671	67,262	404	58.6	53.5-63.7	208	27.0	22.7-31.3	59	14.4	10.3-18.5
Some Post-H.S.	869	110,477	507	57.5	53.4-61.6	314	33.9	30.0-37.8	48	8.6	5.7-11.5
College Graduate	1203	95,969	692	54.8	51.3-58.3	446	38.2	34.9-41.5	65	7.0	5.2- 8.8
Less than \$15,000	92	10,747	40	34.2	21.5-46.9	39	42.8	28.5-57.1	13	23.0	10.1-35.9
\$15,000- 24,999	183	19,776	99	54.3	44.3-64.3	70	37.0	27.6-46.4	14	8.7	2.2-15.2
\$25,000- 34,999	269	25,811	162	57.4	49.4-65.4	82	29.1	21.8-36.4	25	13.6	7.7-19.5
\$35,000- 49,999	292	30,855	168	58.9	51.1-66.7	105	29.4	22.7-36.1	19	11.8	5.3-18.3
\$50,000- 99,999	725	73,190	426	55.5	50.8-60.2	265	36.1	31.6-40.6	34	8.4	5.1-11.7
\$100,000 - 199,999	495	52,582	287	56.2	50.9-61.5	186	36.1	31.0-41.2	22	7.7	4.2-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5841	606,585	346	8.2	7.2- 9.2	5495	91.8	90.8-92.8
Male	2987	312,124	166	7.3	6.1- 8.5	2821	92.7	91.5-93.9
Female	2854	294,460	180	9.3	7.7-10.9	2674	90.7	89.1-92.3
Native	167	24,635	25	18.8	10.8-26.8	142	81.2	73.2-89.2
Non-Native	5582	572,877	312	7.7	6.7- 8.7	5270	92.3	91.3-93.3
18-24	324	91,485	30	11.1	7.2-15.0	294	88.9	85.0-92.8
25-34	611	106,804	74	12.8	9.9-15.7	537	87.2	84.3-90.1
35-44	701	103,153	68	10.4	7.9-12.9	633	89.6	87.1-92.1
45-54	754	81,397	58	8.5	6.1-10.9	696	91.5	89.1-93.9
55-64	996	84,393	56	6.3	4.5- 8.1	940	93.7	91.9-95.5
65+	2455	139,353	60	2.3	1.7- 2.9	2395	97.7	97.1-98.3
Less Than H.S.	205	41,373	24	17.1	9.7-24.5	181	82.9	75.5-90.3
H.S. or G.E.D.	1560	157,060	131	10.8	8.8-12.8	1429	89.2	87.2-91.2
Some Post-H.S.	1766	230,660	110	7.9	6.3- 9.5	1656	92.1	90.5-93.7
College Graduate	2292	175,328	79	4.3	3.1- 5.5	2213	95.7	94.5-96.9
Less than \$15,000	166	19,194	42	29.1	19.9-38.3	124	70.9	61.7-80.1
\$15,000- 24,999	309	31,927	58	23.7	17.2-30.2	251	76.3	69.8-82.8
\$25,000- 34,999	491	48,066	50	12.9	9.0-16.8	441	87.1	83.2-91.0
\$35,000- 49,999	590	59,879	55	15.0	10.5-19.5	535	85.0	80.5-89.5
\$50,000- 99,999	1647	167,803	58	5.4	3.8- 7.0	1589	94.6	93.0-96.2
\$100,000 - 199,999	1154	126,567	23	2.2	1.2- 3.2	1131	97.8	96.8-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2987	312,124	166	7.3	6.1- 8.5	2821	92.7	91.5-93.9
Native	86	13,278	14	19.6	9.4-29.8	72	80.4	70.2-90.6
Non-Native	2842	293,345	147	6.6	5.4- 7.8	2695	93.4	92.2-94.6
18-24	197	48,313	16	10.1	5.2-15.0	181	89.9	85.0-94.8
25-34	353	56,869	44	13.0	9.3-16.7	309	87.0	83.3-90.7
35-44	383	55,090	28	7.0	4.3- 9.7	355	93.0	90.3-95.7
45-54	418	43,092	32	7.8	5.1-10.5	386	92.2	89.5-94.9
55-64	528	43,552	18	4.0	2.0- 6.0	510	96.0	94.0-98.0
65+	1108	65,209	28	2.1	1.1- 3.1	1080	97.9	96.9-98.9
Less Than H.S.	116	23,301	14	14.9	6.7-23.1	102	85.1	76.9-93.3
H.S. or G.E.D.	879	88,611	69	9.6	7.2-12.0	810	90.4	88.0-92.8
Some Post-H.S.	891	119,208	49	6.4	4.4- 8.4	842	93.6	91.6-95.6
College Graduate	1089	79,360	34	3.7	2.3- 5.1	1055	96.3	94.9-97.7
Less than \$15,000	73	8,366	22	31.0	17.7-44.3	51	69.0	55.7-82.3
\$15,000- 24,999	127	12,361	23	27.2	16.2-38.2	104	72.8	61.8-83.8
\$25,000- 34,999	219	21,850	21	12.9	7.0-18.8	198	87.1	81.2-93.0
\$35,000- 49,999	296	28,359	22	9.8	5.1-14.5	274	90.2	85.5-94.9
\$50,000- 99,999	921	94,699	37	6.0	3.6- 8.4	884	94.0	91.6-96.4
\$100,000 - 199,999	658	73,888	11	1.9	0.7- 3.1	647	98.1	96.9-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE YOU COULD NOT AFFORD IT? (MEDCOST1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2854	294,460	180	9.3	7.7-10.9	2674	90.7	89.1-92.3
Native	81	11,357	11	17.9	5.4-30.4	70	82.1	69.6-94.6
Non-Native	2740	279,533	165	8.9	7.3-10.5	2575	91.1	89.5-92.7
18-24	127	43,172	14	12.2	5.7-18.7	113	87.8	81.3-94.3
25-34	258	49,935	30	12.6	7.9-17.3	228	87.4	82.7-92.1
35-44	318	48,063	40	14.3	9.8-18.8	278	85.7	81.2-90.2
45-54	336	38,305	26	9.2	5.3-13.1	310	90.8	86.9-94.7
55-64	468	40,841	38	8.7	5.8-11.6	430	91.3	88.4-94.2
65+	1347	74,144	32	2.5	1.5- 3.5	1315	97.5	96.5-98.5
Less Than H.S.	89	18,072	10	20.0	7.1-32.9	79	80.0	67.1-92.9
H.S. or G.E.D.	681	68,449	62	12.4	9.1-15.7	619	87.6	84.3-90.9
Some Post-H.S.	875	111,452	61	9.5	7.0-12.0	814	90.5	88.0-93.0
College Graduate	1203	95,968	45	4.7	3.1- 6.3	1158	95.3	93.7-96.9
Less than \$15,000	93	10,828	20	27.6	14.7-40.5	73	72.4	59.5-85.3
\$15,000- 24,999	182	19,566	35	21.4	13.8-29.0	147	78.6	71.0-86.2
\$25,000- 34,999	272	26,216	29	12.9	7.6-18.2	243	87.1	81.8-92.4
\$35,000- 49,999	294	31,520	33	19.7	12.4-27.0	261	80.3	73.0-87.6
\$50,000- 99,999	726	73,104	21	4.6	2.2- 7.0	705	95.4	93.0-97.8
\$100,000 - 199,999	496	52,679	12	2.7	0.9- 4.5	484	97.3	95.5-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5789	600,013	4674	75.2	73.6-76.8	495	10.4	9.2-11.6	291	6.9	5.9- 7.9	295	6.7	5.9- 7.5	34	0.8	0.4- 1.2
Male	2960	308,784	2233	68.6	66.4-70.8	275	11.3	9.7-12.9	196	8.8	7.4-10.2	230	10.1	8.7-11.5	26	1.2	0.6- 1.8
Female	2829	291,229	2441	82.2	80.2-84.2	220	9.5	7.9-11.1	95	4.9	3.7- 6.1	65	3.0	2.0- 4.0	8	0.3	0.1- 0.5
Native	166	24,423	126	74.0	65.4-82.6	13	12.2	4.9-19.5	10	5.0	1.5- 8.5	17	8.8	4.1-13.5			
Non-Native	5535	567,294	4477	75.2	73.6-76.8	473	10.3	9.1-11.5	276	7.0	6.0- 8.0	275	6.6	5.6- 7.6	34	0.8	0.4- 1.2
18-24	321	90,546	192	60.5	54.6-66.4	53	16.1	11.6-20.6	47	13.9	10.0-17.8	27	8.6	5.3-11.9	2	0.8	0.0- 2.0
25-34	602	105,028	376	63.8	59.7-67.9	86	14.5	11.4-17.6	66	10.1	7.6-12.6	66	10.2	7.7-12.7	8	1.4	0.4- 2.4
35-44	692	101,615	493	71.9	68.2-75.6	74	10.0	7.6-12.4	49	7.2	5.0- 9.4	71	10.1	7.7-12.5	5	0.8	0.0- 1.6
45-54	747	80,419	576	76.2	72.7-79.7	70	10.6	7.9-13.3	46	5.5	3.7- 7.3	46	6.4	4.4- 8.4	9	1.3	0.3- 2.3
55-64	982	83,145	814	83.3	80.6-86.0	78	7.7	5.7- 9.7	45	4.4	2.8- 6.0	41	4.1	2.7- 5.5	4	0.5	0.0- 1.1
65+	2445	139,261	2223	90.3	88.7-91.9	134	5.5	4.3- 6.7	38	2.0	1.2- 2.8	44	2.0	1.4- 2.6	6	0.3	0.1- 0.5
Less Than H.S.	200	39,976	146	61.8	52.8-70.8	21	14.2	7.1-21.3	15	10.8	4.9-16.7	13	9.4	4.1-14.7	5	3.9	0.2- 7.6
H.S. or G.E.D.	1539	154,631	1198	72.6	69.7-75.5	148	11.5	9.3-13.7	85	7.4	5.6- 9.2	101	8.0	6.2- 9.8	7	0.5	0.1- 0.9
Some Post-H.S.	1753	228,990	1413	75.4	72.9-77.9	150	10.4	8.6-12.2	82	6.6	5.0- 8.2	101	7.2	5.6- 8.8	7	0.3	0.1- 0.5
College Graduate	2279	174,228	1905	80.4	78.4-82.4	172	8.4	7.0- 9.8	107	5.9	4.7- 7.1	80	4.3	3.3- 5.3	15	1.0	0.4- 1.6
Less than \$15,000	165	19,072	121	66.2	56.2-76.2	21	16.4	8.6-24.2	10	9.1	2.2-16.0	12	7.7	2.8-12.6	1	0.6	0.0- 1.8
\$15,000- 24,999	303	31,371	254	79.7	73.4-86.0	24	9.4	4.9-13.9	10	5.7	1.6- 9.8	13	4.3	1.4- 7.2	2	0.9	0.0- 2.3
\$25,000- 34,999	485	47,286	394	75.4	70.1-80.7	40	9.6	6.1-13.1	22	7.1	3.8-10.4	26	7.2	4.1-10.3	3	0.7	0.0- 1.7
\$35,000- 49,999	590	59,804	472	70.3	65.0-75.6	46	10.0	6.5-13.5	38	11.2	7.3-15.1	31	7.7	4.4-11.0	3	0.8	0.0- 1.8
\$50,000- 99,999	1634	166,366	1320	74.6	71.7-77.5	128	9.7	7.7-11.7	92	7.8	5.8- 9.8	84	6.6	5.0- 8.2	10	1.3	0.3- 2.3
\$100,000 - 199,999	1147	125,702	925	76.3	73.2-79.4	98	10.6	8.2-13.0	55	5.6	4.0- 7.2	65	7.3	5.3- 9.3	4	0.3	0.1- 0.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2960	308,784	2233	68.6	66.4-70.8	275	11.3	9.7-12.9	196	8.8	7.4-10.2	230	10.1	8.7-11.5	26	1.2	0.6- 1.8
Native	87	13,408	61	71.6	60.4-82.8	8	11.1	3.1-19.1	5	4.2	0.0- 8.7	13	13.1	5.3-20.9			
Non-Native	2816	290,380	2128	68.2	66.0-70.4	261	11.4	9.8-13.0	187	9.0	7.6-10.4	214	10.0	8.6-11.4	26	1.3	0.7- 1.9
18-24	195	47,679	104	52.8	45.2-60.4	35	18.2	12.1-24.3	33	16.8	11.1-22.5	21	10.7	6.0-15.4	2	1.6	0.0- 4.0
25-34	350	56,364	178	50.4	44.7-56.1	59	17.1	13.0-21.2	51	14.4	10.5-18.3	57	16.4	12.3-20.5	5	1.6	0.0- 3.2
35-44	376	54,046	246	65.2	59.9-70.5	37	9.6	6.5-12.7	32	8.4	5.3-11.5	56	15.2	11.3-19.1	5	1.6	0.2- 3.0
45-54	414	42,575	292	69.4	64.5-74.3	45	11.8	8.3-15.3	29	6.2	3.8- 8.6	41	10.8	7.3-14.3	7	1.8	0.2- 3.4
55-64	520	42,897	422	81.9	78.2-85.6	41	7.1	4.7- 9.5	28	5.0	3.0- 7.0	25	5.2	2.8- 7.6	4	0.9	0.0- 2.1
65+	1105	65,224	991	89.2	87.0-91.4	58	5.2	3.6- 6.8	23	2.6	1.2- 4.0	30	2.7	1.5- 3.9	3	0.3	0.0- 0.7
Less Than H.S.	114	22,688	78	58.4	46.8-70.0	8	8.7	0.3-17.1	13	14.7	6.3-23.1	11	11.9	5.0-18.8	4	6.3	0.0-12.6
H.S. or G.E.D.	870	87,850	622	65.5	61.6-69.4	97	14.0	11.1-16.9	59	8.6	6.2-11.0	85	11.1	8.6-13.6	7	0.8	0.2- 1.4
Some Post-H.S.	885	118,263	665	68.7	65.0-72.4	85	11.6	9.1-14.1	52	8.2	5.8-10.6	77	11.0	8.5-13.5	6	0.5	0.1- 0.9
College Graduate	1080	78,473	860	74.6	71.5-77.7	83	8.4	6.4-10.4	71	8.3	6.3-10.3	57	7.3	5.3- 9.3	9	1.4	0.4- 2.4
Less than \$15,000	74	8,506	54	63.2	48.5-77.9	10	17.6	6.4-28.8	4	9.0	0.0-19.6	6	10.2	1.4-19.0			
\$15,000- 24,999	124	12,001	97	67.5	55.5-79.5	10	12.1	3.9-20.3	6	11.0	1.4-20.6	10	8.7	1.6-15.8	1	0.6	0.0- 1.8
\$25,000- 34,999	216	21,534	168	70.9	62.7-79.1	18	8.4	3.7-13.1	12	9.5	3.6-15.4	15	9.6	4.1-15.1	3	1.6	0.0- 3.6
\$35,000- 49,999	296	28,284	218	61.3	54.0-68.6	26	12.2	7.3-17.1	24	12.6	7.3-17.9	25	12.2	7.1-17.3	3	1.6	0.0- 3.6
\$50,000- 99,999	912	93,660	681	67.6	63.7-71.5	80	10.4	7.9-12.9	71	9.9	7.4-12.4	72	10.1	7.6-12.6	8	2.0	0.4- 3.6
\$100,000 - 199,999	654	73,385	494	71.4	67.3-75.5	60	10.6	7.7-13.5	40	7.1	4.7- 9.5	56	10.4	7.7-13.1	4	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (CHECKUP1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2829	291,229	2441	82.2	80.2-84.2	220	9.5	7.9-11.1	95	4.9	3.7- 6.1	65	3.0	2.0- 4.0	8	0.3	0.1- 0.5
Native	79	11,015	65	76.8	63.3-90.3	5	13.6	0.9-26.3	5	5.9	0.0-11.8	4	3.6	0.0- 7.3			
Non-Native	2719	276,914	2349	82.5	80.3-84.7	212	9.3	7.7-10.9	89	4.9	3.7- 6.1	61	3.1	2.1- 4.1	8	0.3	0.1- 0.5
18-24	126	42,867	88	69.2	60.6-77.8	18	13.9	7.6-20.2	14	10.7	5.0-16.4	6	6.2	1.1-11.3			
25-34	252	48,664	198	79.3	74.0-84.6	27	11.5	7.0-16.0	15	5.2	2.5- 7.9	9	2.9	0.9- 4.9	3	1.1	0.0- 2.3
35-44	316	47,569	247	79.4	74.5-84.3	37	10.4	6.7-14.1	17	5.8	2.9- 8.7	15	4.4	2.0- 6.8			
45-54	333	37,844	284	83.9	79.0-88.8	25	9.2	5.1-13.3	17	4.8	2.3- 7.3	5	1.5	0.1- 2.9	2	0.7	0.0- 1.7
55-64	462	40,249	392	84.9	81.0-88.8	37	8.4	5.3-11.5	17	3.7	1.5- 5.9	16	2.9	1.3- 4.5			
65+	1340	74,037	1232	91.2	89.2-93.2	76	5.8	4.2- 7.4	15	1.4	0.6- 2.2	14	1.3	0.5- 2.1	3	0.3	0.0- 0.7
Less Than H.S.	86	17,288	68	66.2	51.9-80.5	13	21.5	9.2-33.8	2	5.6	0.0-13.0	2	6.1	0.0-14.3	1	0.6	0.0- 1.8
H.S. or G.E.D.	669	66,781	576	81.8	77.7-85.9	51	8.3	5.4-11.2	26	5.9	3.4- 8.4	16	3.9	1.4- 6.4			
Some Post-H.S.	868	110,727	748	82.6	79.3-85.9	65	9.2	6.7-11.7	30	5.0	2.8- 7.2	24	3.1	1.7- 4.5	1	0.2	0.0- 0.6
College Graduate	1199	95,756	1045	85.2	82.7-87.7	89	8.4	6.4-10.4	36	3.9	2.5- 5.3	23	1.9	1.1- 2.7	6	0.7	0.1- 1.3
Less than \$15,000	91	10,566	67	68.7	55.2-82.2	11	15.5	4.3-26.7	6	9.2	0.2-18.2	6	5.6	0.3-10.9	1	1.0	0.0- 3.0
\$15,000- 24,999	179	19,370	157	87.2	81.1-93.3	14	7.8	2.9-12.7	4	2.4	0.0- 5.1	3	1.5	0.0- 3.3	1	1.1	0.0- 3.1
\$25,000- 34,999	269	25,752	226	79.1	72.4-85.8	22	10.6	5.3-15.9	10	5.0	1.7- 8.3	11	5.2	1.5- 8.9			
\$35,000- 49,999	294	31,520	254	78.3	70.7-85.9	20	8.1	3.0-13.2	14	9.9	4.4-15.4	6	3.7	0.0- 7.8			
\$50,000- 99,999	722	72,706	639	83.7	79.6-87.8	48	8.8	5.7-11.9	21	5.1	2.4- 7.8	12	2.1	0.5- 3.7	2	0.3	0.0- 0.9
\$100,000 - 199,999	493	52,317	431	83.2	78.7-87.7	38	10.5	7.0-14.0	15	3.5	1.5- 5.5	9	2.8	0.3- 5.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 4: EXERCISE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	30
2 MALES ONLY	31
3 FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	5838	606,002	4460	78.3	76.9-79.7	1378	21.7	20.3-23.1
Male	2986	312,256	2343	80.9	79.1-82.7	643	19.1	17.3-20.9
Female	2852	293,746	2117	75.6	73.4-77.8	735	24.4	22.2-26.6
Native	168	24,765	117	73.8	65.4-82.2	51	26.2	17.8-34.6
Non-Native	5577	572,108	4274	78.5	77.1-79.9	1303	21.5	20.1-22.9
18-24	324	91,072	281	85.2	80.9-89.5	43	14.8	10.5-19.1
25-34	611	106,612	513	82.6	79.1-86.1	98	17.4	13.9-20.9
35-44	704	103,507	569	79.6	76.3-82.9	135	20.4	17.1-23.7
45-54	757	81,687	613	79.6	76.3-82.9	144	20.4	17.1-23.7
55-64	992	83,835	739	74.8	71.7-77.9	253	25.2	22.1-28.3
65+	2450	139,289	1745	70.9	68.7-73.1	705	29.1	26.9-31.3
Less Than H.S.	204	40,721	122	63.5	55.3-71.7	82	36.5	28.3-44.7
H.S. or G.E.D.	1557	156,377	1075	73.9	71.2-76.6	482	26.1	23.4-28.8
Some Post-H.S.	1765	231,044	1345	79.1	76.9-81.3	420	20.9	18.7-23.1
College Graduate	2294	175,658	1904	84.6	82.8-86.4	390	15.4	13.6-17.2
Less than \$15,000	167	18,795	98	61.7	52.1-71.3	69	38.3	28.7-47.9
\$15,000- 24,999	309	31,666	197	68.1	61.2-75.0	112	31.9	25.0-38.8
\$25,000- 34,999	489	47,906	323	69.1	63.8-74.4	166	30.9	25.6-36.2
\$35,000- 49,999	588	59,760	417	73.8	69.1-78.5	171	26.2	21.5-30.9
\$50,000- 99,999	1646	167,923	1275	78.9	76.4-81.4	371	21.1	18.6-23.6
\$100,000 - 199,999	1154	126,567	991	87.0	84.6-89.4	163	13.0	10.6-15.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2986	312,256	2343	80.9	79.1-82.7	643	19.1	17.3-20.9
Native	87	13,408	64	77.1	66.7-87.5	23	22.9	12.5-33.3
Non-Native	2839	293,196	2232	81.1	79.3-82.9	607	18.9	17.1-20.7
18-24	198	48,472	177	88.2	83.3-93.1	21	11.8	6.9-16.7
25-34	353	56,911	303	85.4	81.3-89.5	50	14.6	10.5-18.7
35-44	384	55,184	327	84.5	80.4-88.6	57	15.5	11.4-19.6
45-54	420	43,196	347	81.6	77.3-85.9	73	18.4	14.1-22.7
55-64	526	43,391	391	74.2	69.9-78.5	135	25.8	21.5-30.1
65+	1105	65,102	798	72.5	69.4-75.6	307	27.5	24.4-30.6
Less Than H.S.	116	23,301	70	63.9	53.5-74.3	46	36.1	25.7-46.5
H.S. or G.E.D.	878	88,598	640	79.5	76.6-82.4	238	20.5	17.6-23.4
Some Post-H.S.	890	119,221	703	81.2	78.3-84.1	187	18.8	15.9-21.7
College Graduate	1090	79,532	919	86.8	84.6-89.0	171	13.2	11.0-15.4
Less than \$15,000	75	8,620	45	66.5	53.6-79.4	30	33.5	20.6-46.4
\$15,000- 24,999	128	12,442	85	72.0	62.6-81.4	43	28.0	18.6-37.4
\$25,000- 34,999	217	21,690	154	71.6	63.8-79.4	63	28.4	20.6-36.2
\$35,000- 49,999	295	28,265	209	74.7	68.8-80.6	86	25.3	19.4-31.2
\$50,000- 99,999	919	94,578	714	80.3	77.2-83.4	205	19.7	16.6-22.8
\$100,000 - 199,999	658	73,888	571	88.5	85.8-91.2	87	11.5	8.8-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	293,746	2117	75.6	73.4-77.8	735	24.4	22.2-26.6
Native	81	11,357	53	70.0	56.7-83.3	28	30.0	16.7-43.3
Non-Native	2738	278,912	2042	75.7	73.5-77.9	696	24.3	22.1-26.5
18-24	126	42,600	104	81.7	74.3-89.1	22	18.3	10.9-25.7
25-34	258	49,701	210	79.4	73.7-85.1	48	20.6	14.9-26.3
35-44	320	48,323	242	74.1	68.6-79.6	78	25.9	20.4-31.4
45-54	337	38,491	266	77.3	72.0-82.6	71	22.7	17.4-28.0
55-64	466	40,443	348	75.5	71.0-80.0	118	24.5	20.0-29.0
65+	1345	74,187	947	69.5	66.6-72.4	398	30.5	27.6-33.4
Less Than H.S.	88	17,420	52	62.9	49.6-76.2	36	37.1	23.8-50.4
H.S. or G.E.D.	679	67,779	435	66.5	61.6-71.4	244	33.5	28.6-38.4
Some Post-H.S.	875	111,823	642	77.0	73.7-80.3	233	23.0	19.7-26.3
College Graduate	1204	96,125	985	82.8	80.3-85.3	219	17.2	14.7-19.7
Less than \$15,000	92	10,176	53	57.7	44.0-71.4	39	42.3	28.6-56.0
\$15,000- 24,999	181	19,223	112	65.5	56.1-74.9	69	34.5	25.1-43.9
\$25,000- 34,999	272	26,216	169	67.0	59.9-74.1	103	33.0	25.9-40.1
\$35,000- 49,999	293	31,495	208	73.0	65.7-80.3	85	27.0	19.7-34.3
\$50,000- 99,999	727	73,345	561	77.1	73.0-81.2	166	22.9	18.8-27.0
\$100,000 - 199,999	496	52,679	420	84.9	81.2-88.6	76	15.1	11.4-18.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 5: ORAL HEALTH CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)	
1 MALES AND FEMALES	34
2 MALES ONLY	35
3 FEMALES ONLY	36
NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? (RMVTETH4)	
4 MALES AND FEMALES	37
5 MALES ONLY	38
6 FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 1: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5781	600,073	4083	68.4	66.8-70.0	587	11.6	10.4-12.8	511	9.4	8.4-10.4	569	9.9	8.9-10.9	31	0.7	0.5- 0.9
Male	2965	309,751	1988	65.2	63.0-67.4	319	11.7	10.1-13.3	294	10.4	9.0-11.8	342	11.5	10.1-12.9	22	1.0	0.6- 1.4
Female	2816	290,322	2095	71.7	69.3-74.1	268	11.5	9.7-13.3	217	8.3	6.9- 9.7	227	8.2	6.8- 9.6	9	0.3	0.1- 0.5
Native	160	22,820	81	53.5	43.7-63.3	26	19.7	11.3-28.1	26	13.6	7.5-19.7	26	12.8	7.3-18.3	1	0.3	0.0- 0.9
Non-Native	5531	568,240	3941	69.0	67.4-70.6	553	11.4	10.2-12.6	473	9.1	8.1-10.1	535	9.8	8.8-10.8	29	0.7	0.5- 0.9
18-24	321	90,879	226	69.5	63.8-75.2	46	15.3	10.8-19.8	33	9.7	6.2-13.2	15	5.3	2.4- 8.2	1	0.2	0.0- 0.6
25-34	606	105,602	367	58.9	54.6-63.2	82	14.6	11.5-17.7	61	10.4	7.7-13.1	85	14.1	11.2-17.0	11	2.0	0.8- 3.2
35-44	696	102,203	479	68.2	64.3-72.1	72	11.1	8.4-13.8	67	9.7	7.2-12.2	76	10.7	8.2-13.2	2	0.3	0.0- 0.7
45-54	751	80,636	531	70.4	66.7-74.1	86	11.4	8.7-14.1	70	9.2	6.8-11.6	58	7.9	5.7-10.1	6	1.1	0.1- 2.1
55-64	985	83,418	708	71.3	68.2-74.4	82	8.3	6.3-10.3	91	9.4	7.2-11.6	100	10.5	8.3-12.7	4	0.6	0.0- 1.2
65+	2422	137,335	1772	72.0	69.8-74.2	219	9.4	8.0-10.8	189	8.4	7.0- 9.8	235	10.0	8.6-11.4	7	0.2	0.0- 0.4
Less Than H.S.	199	39,749	84	42.6	33.8-51.4	32	20.7	12.7-28.7	41	20.7	13.4-28.0	38	13.8	8.5-19.1	4	2.1	0.0- 4.3
H.S. or G.E.D.	1538	154,813	948	63.2	60.1-66.3	174	12.1	9.9-14.3	175	10.7	8.9-12.5	228	13.0	10.8-15.2	13	1.0	0.4- 1.6
Some Post-H.S.	1745	228,865	1190	67.8	65.1-70.5	198	11.9	9.9-13.9	159	8.9	7.3-10.5	193	11.1	9.3-12.9	5	0.4	0.0- 0.8
College Graduate	2282	174,497	1849	79.5	77.5-81.5	182	8.8	7.2-10.4	135	6.3	5.1- 7.5	107	4.8	3.8- 5.8	9	0.6	0.2- 1.0
Less than \$15,000	161	18,122	63	40.9	30.7-51.1	19	14.8	6.8-22.8	25	17.5	8.3-26.7	50	24.2	16.4-32.0	4	2.5	0.0- 5.2
\$15,000- 24,999	305	31,926	130	48.8	41.2-56.4	37	11.6	6.7-16.5	61	17.2	11.9-22.5	71	19.5	14.0-25.0	6	2.8	0.3- 5.3
\$25,000- 34,999	483	47,088	282	55.3	49.4-61.2	76	19.4	14.3-24.5	57	11.2	7.7-14.7	64	12.9	9.2-16.6	4	1.1	0.0- 2.5
\$35,000- 49,999	587	59,595	373	60.4	54.9-65.9	75	13.0	9.5-16.5	71	16.1	11.6-20.6	67	10.2	7.5-12.9	1	0.3	0.0- 0.9
\$50,000- 99,999	1632	166,410	1208	70.3	67.4-73.2	157	11.4	9.2-13.6	127	8.1	6.5- 9.7	135	9.9	7.9-11.9	5	0.4	0.0- 0.8
\$100,000 - 199,999	1151	126,197	927	77.8	74.9-80.7	90	9.2	7.0-11.4	64	6.2	4.6- 7.8	69	6.8	5.0- 8.6	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 2: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2965	309,751	1988	65.2	63.0-67.4	319	11.7	10.1-13.3	294	10.4	9.0-11.8	342	11.5	10.1-12.9	22	1.0	0.6- 1.4
Native	84	12,871	40	51.2	38.1-64.3	14	19.8	8.6-31.0	17	18.0	8.4-27.6	12	10.4	3.5-17.3	1	0.6	0.0- 1.8
Non-Native	2823	291,417	1909	65.8	63.6-68.0	298	11.4	9.8-13.0	270	10.0	8.6-11.4	326	11.7	10.3-13.1	20	1.0	0.6- 1.4
18-24	195	47,864	130	65.0	57.6-72.4	29	16.8	10.5-23.1	24	12.0	7.1-16.9	11	5.8	2.1- 9.5	1	0.4	0.0- 1.2
25-34	352	56,727	206	56.4	50.7-62.1	39	12.1	8.0-16.2	41	11.7	8.2-15.2	58	17.2	12.9-21.5	8	2.7	0.7- 4.7
35-44	382	54,818	250	65.4	60.1-70.7	43	12.1	8.4-15.8	40	9.8	6.7-12.9	47	12.2	8.7-15.7	2	0.5	0.0- 1.3
45-54	417	42,966	281	67.8	62.9-72.7	45	10.6	7.3-13.9	44	10.1	7.0-13.2	43	10.1	7.0-13.2	4	1.3	0.0- 2.9
55-64	523	43,123	357	68.1	63.6-72.6	56	10.2	7.5-12.9	50	10.2	7.3-13.1	56	10.3	7.6-13.0	4	1.1	0.0- 2.3
65+	1096	64,254	764	69.5	66.4-72.6	107	9.2	7.2-11.2	95	9.0	6.8-11.2	127	12.0	9.6-14.4	3	0.2	0.0- 0.4
Less Than H.S.	115	23,036	45	38.6	27.6-49.6	17	22.0	11.2-32.8	23	16.9	9.3-24.5	26	18.9	10.7-27.1	4	3.7	0.0- 7.6
H.S. or G.E.D.	875	88,028	520	61.7	57.8-65.6	97	11.3	8.6-14.0	107	11.4	9.0-13.8	141	14.3	11.8-16.8	10	1.3	0.3- 2.3
Some Post-H.S.	879	118,063	567	66.0	62.5-69.5	106	11.3	8.9-13.7	90	10.2	7.8-12.6	114	12.2	9.8-14.6	2	0.3	0.0- 0.9
College Graduate	1085	79,074	848	75.8	72.7-78.9	98	9.8	7.6-12.0	74	8.0	6.0-10.0	59	5.5	3.9- 7.1	6	1.0	0.0- 2.0
Less than \$15,000	74	8,355	28	43.6	28.7-58.5	6	12.2	0.0-24.9	14	15.4	5.2-25.6	23	25.8	14.0-37.6	3	2.9	0.0- 6.4
\$15,000- 24,999	127	12,365	44	41.5	29.9-53.1	20	15.1	7.1-23.1	22	15.6	7.6-23.6	38	24.0	15.6-32.4	3	3.9	0.0- 8.6
\$25,000- 34,999	217	21,591	115	51.8	43.2-60.4	36	15.6	8.9-22.3	32	15.0	9.1-20.9	31	15.2	9.1-21.3	3	2.4	0.0- 5.5
\$35,000- 49,999	295	28,198	165	50.9	43.6-58.2	42	15.3	9.8-20.8	43	19.6	13.1-26.1	44	13.5	9.2-17.8	1	0.7	0.0- 2.1
\$50,000- 99,999	912	93,881	641	67.4	63.7-71.1	91	11.2	8.5-13.9	80	8.7	6.5-10.9	95	11.9	9.2-14.6	5	0.7	0.0- 1.5
\$100,000 - 199,999	657	73,835	497	72.5	68.4-76.6	64	10.8	7.9-13.7	46	8.0	5.6-10.4	49	8.6	6.1-11.1	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

TABLE 3: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2816	290,322	2095	71.7	69.3-74.1	268	11.5	9.7-13.3	217	8.3	6.9- 9.7	227	8.2	6.8- 9.6	9	0.3	0.1- 0.5
Native	76	9,948	41	56.4	42.1-70.7	12	19.7	6.6-32.8	9	8.0	2.1-13.9	14	15.9	6.9-24.9			
Non-Native	2708	276,823	2032	72.3	69.9-74.7	255	11.3	9.5-13.1	203	8.2	6.6- 9.8	209	7.8	6.4- 9.2	9	0.4	0.2- 0.6
18-24	126	43,015	96	74.5	66.1-82.9	17	13.8	7.3-20.3	9	7.1	2.0-12.2	4	4.7	0.0- 9.6			
25-34	254	48,875	161	61.8	55.1-68.5	43	17.6	12.5-22.7	20	8.9	4.6-13.2	27	10.6	6.5-14.7	3	1.2	0.0- 2.6
35-44	314	47,385	229	71.5	65.6-77.4	29	10.0	5.9-14.1	27	9.6	5.5-13.7	29	8.9	5.4-12.4			
45-54	334	37,670	250	73.5	68.0-79.0	41	12.4	8.1-16.7	26	8.1	4.8-11.4	15	5.3	2.6- 8.0	2	0.7	0.0- 1.7
55-64	462	40,295	351	74.6	69.9-79.3	26	6.2	3.7- 8.7	41	8.5	5.6-11.4	44	10.7	7.2-14.2			
65+	1326	73,081	1008	74.3	71.4-77.2	112	9.6	7.4-11.8	94	7.8	6.0- 9.6	108	8.1	6.3- 9.9	4	0.1	0.0- 0.3
Less Than H.S.	84	16,713	39	48.2	33.7-62.7	15	19.0	7.4-30.6	18	26.1	13.0-39.2	12	6.8	2.3-11.3			
H.S. or G.E.D.	663	66,785	428	65.3	60.4-70.2	77	13.1	9.6-16.6	68	9.8	7.1-12.5	87	11.4	8.1-14.7	3	0.5	0.0- 1.3
Some Post-H.S.	866	110,803	623	69.8	65.9-73.7	92	12.5	9.6-15.4	69	7.6	5.2-10.0	79	9.8	7.3-12.3	3	0.4	0.0- 0.8
College Graduate	1197	95,423	1001	82.5	79.8-85.2	84	8.0	6.0-10.0	61	4.9	3.5- 6.3	48	4.2	2.8- 5.6	3	0.3	0.0- 0.7
Less than \$15,000	87	9,767	35	38.5	24.4-52.6	13	17.1	6.5-27.7	11	19.3	5.0-33.6	27	22.9	12.5-33.3	1	2.2	0.0- 6.5
\$15,000- 24,999	178	19,561	86	53.4	43.4-63.4	17	9.5	3.6-15.4	39	18.3	11.4-25.2	33	16.6	9.2-24.0	3	2.1	0.0- 5.0
\$25,000- 34,999	266	25,497	167	58.3	50.3-66.3	40	22.6	15.2-30.0	25	8.0	4.1-11.9	33	11.0	6.5-15.5	1	0.1	0.0- 0.3
\$35,000- 49,999	292	31,398	208	69.0	61.4-76.6	33	10.8	6.1-15.5	28	13.0	6.7-19.3	23	7.2	3.7-10.7			
\$50,000- 99,999	720	72,529	567	74.0	69.5-78.5	66	11.6	8.3-14.9	47	7.2	4.7- 9.7	40	7.2	4.3-10.1			
\$100,000 - 199,999	494	52,363	430	85.3	81.4-89.2	26	6.9	3.8-10.0	18	3.6	1.6- 5.6	20	4.2	2.2- 6.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

**TABLE 4: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2608	218,818	1630	66.6	64.4-68.8	633	22.7	20.7-24.7	345	10.7	9.3-12.1
Male	1350	116,439	837	66.2	63.1-69.3	342	23.4	20.7-26.1	171	10.5	8.7-12.3
Female	1258	102,378	793	67.1	63.8-70.4	291	22.0	19.1-24.9	174	10.9	8.9-12.9
Native	102	13,176	56	62.9	51.1-74.7	34	29.7	18.3-41.1	12	7.5	2.6-12.4
Non-Native	2454	201,664	1544	66.8	64.4-69.2	585	22.3	20.3-24.3	325	10.9	9.5-12.3
25-34	110	21,848	96	87.6	80.3-94.9	12	11.1	4.0-18.2	2	1.3	0.0- 3.3
35-44	195	29,620	151	77.2	70.5-83.9	36	19.2	12.9-25.5	8	3.5	1.0- 6.0
45-54	277	31,332	190	67.9	61.8-74.0	63	23.2	17.5-28.9	24	8.8	5.3-12.3
55-64	461	39,181	303	65.8	60.9-70.7	100	22.3	18.0-26.6	58	11.8	8.5-15.1
65+	1541	89,056	867	55.5	52.6-58.4	421	28.0	25.3-30.7	253	16.5	14.3-18.7
Less Than H.S.	128	19,153	46	41.4	30.6-52.2	56	43.2	32.6-53.8	26	15.4	8.7-22.1
H.S. or G.E.D.	837	61,915	455	62.1	58.2-66.0	226	24.0	20.5-27.5	156	13.9	11.4-16.4
Some Post-H.S.	839	89,567	525	68.2	64.7-71.7	195	21.0	17.9-24.1	119	10.8	8.6-13.0
College Graduate	800	47,610	602	79.6	76.5-82.7	154	15.9	13.2-18.6	44	4.5	2.9- 6.1
Less than \$15,000	102	9,856	31	43.6	30.3-56.9	40	39.4	26.5-52.3	31	17.0	9.9-24.1
\$15,000- 24,999	196	14,943	80	42.5	33.3-51.7	68	34.6	26.0-43.2	48	23.0	15.6-30.4
\$25,000- 34,999	301	24,568	147	54.8	47.5-62.1	106	33.9	27.0-40.8	48	11.3	7.6-15.0
\$35,000- 49,999	319	26,514	188	63.5	56.8-70.2	84	23.2	17.5-28.9	47	13.3	8.8-17.8
\$50,000- 99,999	744	61,794	513	71.7	67.8-75.6	162	19.7	16.0-23.4	69	8.6	6.4-10.8
\$100,000 - 199,999	351	32,699	275	80.7	76.0-85.4	53	13.6	9.5-17.7	23	5.7	3.2- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

**TABLE 5: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1350	116,439	837	66.2	63.1-69.3	342	23.4	20.7-26.1	171	10.5	8.7-12.3
Non-Native	1268	107,319	792	66.5	63.4-69.6	316	22.9	20.2-25.6	160	10.6	8.8-12.4
25-34	64	12,022	58	89.5	79.7-99.3	4	8.1	0.0-17.5	2	2.4	0.0- 5.9
35-44	112	16,886	85	76.5	67.7-85.3	24	21.5	12.9-30.1	3	2.0	0.0- 4.4
45-54	165	17,521	114	67.5	59.5-75.5	37	23.9	16.5-31.3	14	8.6	4.1-13.1
55-64	267	22,070	174	67.2	61.1-73.3	59	20.5	15.4-25.6	34	12.3	8.2-16.4
65+	727	43,556	392	52.6	48.3-56.9	217	30.5	26.6-34.4	118	16.9	13.6-20.2
Less Than H.S.	80	12,832	25	35.8	22.9-48.7	38	47.9	34.8-61.0	17	16.3	7.9-24.7
H.S. or G.E.D.	461	35,439	258	63.1	57.8-68.4	127	25.3	20.4-30.2	76	11.6	8.7-14.5
Some Post-H.S.	410	44,928	266	71.3	66.6-76.0	88	17.7	14.0-21.4	56	11.0	7.9-14.1
College Graduate	396	22,826	286	77.5	73.2-81.8	88	18.0	14.1-21.9	22	4.5	2.3- 6.7
\$15,000- 24,999	82	5,747	30	38.1	24.4-51.8	38	45.7	32.6-58.8	14	16.2	6.8-25.6
\$25,000- 34,999	135	12,034	66	57.5	46.9-68.1	49	33.1	22.9-43.3	20	9.4	4.5-14.3
\$35,000- 49,999	171	13,822	94	57.4	48.2-66.6	47	26.2	18.0-34.4	30	16.3	9.2-23.4
\$50,000- 99,999	447	39,009	303	71.5	66.4-76.6	102	20.2	15.5-24.9	42	8.3	5.6-11.0
\$100,000 - 199,999	210	20,374	159	79.3	73.2-85.4	34	14.0	8.9-19.1	17	6.7	3.2-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 5: ORAL HEALTH**

**TABLE 6: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1258	102,378	793	67.1	63.8-70.4	291	22.0	19.1-24.9	174	10.9	8.9-12.9
Native	57	6,922	33	67.5	53.0-82.0	20	27.6	14.1-41.1	4	4.8	0.0-10.3
Non-Native	1186	94,345	752	67.1	63.8-70.4	269	21.5	18.6-24.4	165	11.4	9.4-13.4
35-44	83	12,734	66	78.2	68.2-88.2	12	16.2	6.8-25.6	5	5.6	0.7-10.5
45-54	112	13,811	76	68.5	59.1-77.9	26	22.4	14.0-30.8	10	9.1	3.6-14.6
55-64	194	17,112	129	64.0	56.2-71.8	41	24.7	17.6-31.8	24	11.3	6.0-16.6
65+	814	45,499	475	58.4	54.3-62.5	204	25.6	21.9-29.3	135	16.1	13.2-19.0
H.S. or G.E.D.	376	26,475	197	60.8	54.7-66.9	99	22.2	16.9-27.5	80	17.0	12.9-21.1
Some Post-H.S.	429	44,640	259	65.1	59.6-70.6	107	24.3	19.4-29.2	63	10.6	7.5-13.7
College Graduate	404	24,784	316	81.5	77.2-85.8	66	14.1	10.2-18.0	22	4.4	2.2- 6.6
Less than \$15,000	60	5,905	20	55.1	39.0-71.2	21	31.3	17.2-45.4	19	13.7	6.3-21.1
\$15,000- 24,999	114	9,195	50	45.2	32.9-57.5	30	27.6	16.2-39.0	34	27.2	16.8-37.6
\$25,000- 34,999	166	12,533	81	52.3	42.7-61.9	57	34.7	25.5-43.9	28	13.0	7.3-18.7
\$35,000- 49,999	148	12,692	94	70.1	60.7-79.5	37	19.9	11.9-27.9	17	10.0	4.5-15.5
\$50,000- 99,999	297	22,785	210	72.1	65.8-78.4	60	18.8	13.3-24.3	27	9.1	5.2-13.0
\$100,000 - 199,999	141	12,324	116	83.1	76.0-90.2	19	12.9	6.4-19.4	6	4.0	0.5- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	42
2 MALES ONLY	43
3 FEMALES ONLY	44
(EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	45
5 MALES ONLY	46
6 FEMALES ONLY	47
(EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	48
8 MALES ONLY	49
9 FEMALES ONLY	50
(EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)	
10 MALES AND FEMALES	51
11 MALES ONLY	52
12 FEMALES ONLY	53
DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13 MALES AND FEMALES	54
14 MALES ONLY	55
15 FEMALES ONLY	56
(EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)	
16 MALES AND FEMALES	57
17 MALES ONLY	58
18 FEMALES ONLY	59
(EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)	
19 MALES AND FEMALES	60
20 MALES ONLY	61
21 FEMALES ONLY	62
(EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
22 MALES AND FEMALES	63
23 MALES ONLY	64
24 FEMALES ONLY	65
(EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	
25 MALES AND FEMALES	66
26 MALES ONLY	67
27 FEMALES ONLY	68
NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	
28 MALES AND FEMALES	69
29 MALES ONLY	70
30 FEMALES ONLY	71
(EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)	
31 MALES AND FEMALES	72
32 MALES ONLY	73
33 FEMALES ONLY	74
(EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	
34 MALES AND FEMALES	75
35 MALES ONLY	76
36 FEMALES ONLY	77
HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)	
37 MALES AND FEMALES	78
38 MALES ONLY	79
39 FEMALES ONLY	80

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5817	603,787	383	4.5	3.9- 5.1	5434	95.5	94.9-96.1
Male	2970	309,469	241	5.6	4.8- 6.4	2729	94.4	93.6-95.2
Female	2847	294,318	142	3.4	2.6- 4.2	2705	96.6	95.8-97.4
Native	167	24,595	19	7.1	2.4-11.8	148	92.9	88.2-97.6
Non-Native	5559	569,911	351	4.3	3.7- 4.9	5208	95.7	95.1-96.3
18-24	324	91,173	1	0.6	0.0- 1.8	323	99.4	98.2- 100
25-34	609	106,192	6	0.9	0.1- 1.7	603	99.1	98.3-99.9
35-44	701	102,992	11	1.6	0.6- 2.6	690	98.4	97.4-99.4
45-54	753	81,138	26	4.0	2.0- 6.0	727	96.0	94.0-98.0
55-64	990	83,865	49	5.1	3.5- 6.7	941	94.9	93.3-96.5
65+	2440	138,426	290	12.0	10.4-13.6	2150	88.0	86.4-89.6
Less Than H.S.	200	40,237	19	7.3	3.0-11.6	181	92.7	88.4-97.0
H.S. or G.E.D.	1548	155,770	123	4.5	3.5- 5.5	1425	95.5	94.5-96.5
Some Post-H.S.	1760	230,307	132	5.1	4.1- 6.1	1628	94.9	93.9-95.9
College Graduate	2291	175,245	105	3.0	2.4- 3.6	2186	97.0	96.4-97.6
Less than \$15,000	165	19,156	21	6.4	3.3- 9.5	144	93.6	90.5-96.7
\$15,000- 24,999	306	31,674	28	5.8	3.4- 8.2	278	94.2	91.8-96.6
\$25,000- 34,999	486	47,763	48	7.1	4.2-10.0	438	92.9	90.0-95.8
\$35,000- 49,999	588	59,721	52	4.6	3.0- 6.2	536	95.4	93.8-97.0
\$50,000- 99,999	1644	167,137	105	4.7	3.5- 5.9	1539	95.3	94.1-96.5
\$100,000 - 199,999	1150	125,906	26	1.7	0.9- 2.5	1124	98.3	97.5-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2970	309,469	241	5.6	4.8- 6.4	2729	94.4	93.6-95.2
Native	87	13,408	8	4.1	1.0- 7.2	79	95.9	92.8-99.0
Non-Native	2826	290,526	226	5.6	4.8- 6.4	2600	94.4	93.6-95.2
18-24	196	47,546				196	100.0	100.0- 100
25-34	351	56,240	5	1.5	0.0- 3.1	346	98.5	96.9- 100
35-44	383	55,065	8	2.0	0.4- 3.6	375	98.0	96.4-99.6
45-54	417	42,809	19	4.8	2.4- 7.2	398	95.2	92.8-97.6
55-64	523	43,123	36	7.3	4.8- 9.8	487	92.7	90.2-95.2
65+	1100	64,685	173	15.9	13.4-18.4	927	84.1	81.6-86.6
Less Than H.S.	111	22,165	11	6.4	2.3-10.5	100	93.6	89.5-97.7
H.S. or G.E.D.	875	88,105	76	5.1	3.7- 6.5	799	94.9	93.5-96.3
Some Post-H.S.	885	118,481	86	6.9	5.3- 8.5	799	93.1	91.5-94.7
College Graduate	1088	79,167	66	4.0	2.8- 5.2	1022	96.0	94.8-97.2
Less than \$15,000	73	8,376	13	10.2	3.9-16.5	60	89.8	83.5-96.1
\$15,000- 24,999	126	12,181	16	9.3	4.4-14.2	110	90.7	85.8-95.6
\$25,000- 34,999	215	21,563	22	6.7	3.2-10.2	193	93.3	89.8-96.8
\$35,000- 49,999	296	28,329	35	6.2	3.7- 8.7	261	93.8	91.3-96.3
\$50,000- 99,999	918	93,957	74	5.8	4.2- 7.4	844	94.2	92.6-95.8
\$100,000 - 199,999	654	73,228	23	2.5	1.3- 3.7	631	97.5	96.3-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2847	294,318	142	3.4	2.6- 4.2	2705	96.6	95.8-97.4
Native	80	11,187	11	10.7	1.1-20.3	69	89.3	79.7-98.9
Non-Native	2733	279,386	125	2.9	2.3- 3.5	2608	97.1	96.5-97.7
18-24	128	43,627	1	1.2	0.0- 3.6	127	98.8	96.4- 100
25-34	258	49,952	1	0.2	0.0- 0.6	257	99.8	99.4- 100
35-44	318	47,927	3	1.0	0.0- 2.2	315	99.0	97.8- 100
45-54	336	38,329	7	3.2	0.3- 6.1	329	96.8	93.9-99.7
55-64	467	40,742	13	2.8	1.0- 4.6	454	97.2	95.4-99.0
65+	1340	73,741	117	8.7	6.9-10.5	1223	91.3	89.5-93.1
Less Than H.S.	89	18,072	8	8.4	0.4-16.4	81	91.6	83.6-99.6
H.S. or G.E.D.	673	67,665	47	3.6	2.2- 5.0	626	96.4	95.0-97.8
Some Post-H.S.	875	111,826	46	3.2	2.2- 4.2	829	96.8	95.8-97.8
College Graduate	1203	96,078	39	2.2	1.4- 3.0	1164	97.8	97.0-98.6
Less than \$15,000	92	10,780	8	3.5	0.8- 6.2	84	96.5	93.8-99.2
\$15,000- 24,999	180	19,493	12	3.6	1.2- 6.0	168	96.4	94.0-98.8
\$25,000- 34,999	271	26,200	26	7.3	2.8-11.8	245	92.7	88.2-97.2
\$35,000- 49,999	292	31,393	17	3.3	1.3- 5.3	275	96.7	94.7-98.7
\$50,000- 99,999	726	73,180	31	3.3	1.5- 5.1	695	96.7	94.9-98.5
\$100,000 - 199,999	496	52,679	3	0.6	0.0- 1.4	493	99.4	98.6- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 4: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5790	601,464	385	4.0	3.6- 4.4	5405	96.0	95.6-96.4
Male	2961	309,904	236	4.8	4.0- 5.6	2725	95.2	94.4-96.0
Female	2829	291,560	149	3.2	2.6- 3.8	2680	96.8	96.2-97.4
Native	167	24,239	11	2.9	0.9- 4.9	156	97.1	95.1-99.1
Non-Native	5536	568,237	364	4.0	3.4- 4.6	5172	96.0	95.4-96.6
18-24	324	90,898				324	100.0	100.0- 100
25-34	611	106,651	4	0.6	0.0- 1.2	607	99.4	98.8- 100
35-44	698	102,315	4	0.5	0.0- 1.1	694	99.5	98.9- 100
45-54	752	80,761	24	3.0	1.8- 4.2	728	97.0	95.8-98.2
55-64	987	83,408	49	4.6	3.2- 6.0	938	95.4	94.0-96.8
65+	2418	137,431	304	12.3	10.7-13.9	2114	87.7	86.1-89.3
Less Than H.S.	201	39,471	17	5.5	2.6- 8.4	184	94.5	91.6-97.4
H.S. or G.E.D.	1541	155,648	109	3.7	2.9- 4.5	1432	96.3	95.5-97.1
Some Post-H.S.	1751	229,324	114	4.1	3.3- 4.9	1637	95.9	95.1-96.7
College Graduate	2280	174,831	144	3.9	3.1- 4.7	2136	96.1	95.3-96.9
Less than \$15,000	164	18,991	20	7.2	3.3-11.1	144	92.8	88.9-96.7
\$15,000- 24,999	308	31,953	28	4.4	2.4- 6.4	280	95.6	93.6-97.6
\$25,000- 34,999	484	47,073	40	5.8	3.4- 8.2	444	94.2	91.8-96.6
\$35,000- 49,999	582	59,296	50	3.9	2.5- 5.3	532	96.1	94.7-97.5
\$50,000- 99,999	1641	167,054	122	4.6	3.6- 5.6	1519	95.4	94.4-96.4
\$100,000 - 199,999	1149	126,132	38	2.2	1.4- 3.0	1111	97.8	97.0-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2961	309,904	236	4.8	4.0- 5.6	2725	95.2	94.4-96.0
Native	87	13,408	6	2.8	0.1- 5.5	81	97.2	94.5-99.9
Non-Native	2818	291,042	222	4.8	4.0- 5.6	2596	95.2	94.4-96.0
18-24	198	48,472				198	100.0	100.0- 100
25-34	352	56,529	3	0.8	0.0- 1.8	349	99.2	98.2- 100
35-44	382	54,920	2	0.6	0.0- 1.4	380	99.4	98.6- 100
45-54	417	42,897	16	3.6	1.6- 5.6	401	96.4	94.4-98.4
55-64	522	42,922	32	5.6	3.6- 7.6	490	94.4	92.4-96.4
65+	1090	64,165	183	15.9	13.4-18.4	907	84.1	81.6-86.6
Less Than H.S.	115	23,126	11	6.8	2.3-11.3	104	93.2	88.7-97.7
H.S. or G.E.D.	869	87,878	66	4.0	2.8- 5.2	803	96.0	94.8-97.2
Some Post-H.S.	883	118,441	68	4.7	3.5- 5.9	815	95.3	94.1-96.5
College Graduate	1084	78,945	90	5.2	4.0- 6.4	994	94.8	93.6-96.0
Less than \$15,000	73	8,390	9	6.4	1.5-11.3	64	93.6	88.7-98.5
\$15,000- 24,999	127	12,324	10	4.3	1.2- 7.4	117	95.7	92.6-98.8
\$25,000- 34,999	219	21,850	23	8.0	3.9-12.1	196	92.0	87.9-96.1
\$35,000- 49,999	292	28,067	34	5.2	3.0- 7.4	258	94.8	92.6-97.0
\$50,000- 99,999	917	94,412	83	5.7	4.3- 7.1	834	94.3	92.9-95.7
\$100,000 - 199,999	654	73,467	31	2.8	1.6- 4.0	623	97.2	96.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2829	291,560	149	3.2	2.6- 3.8	2680	96.8	96.2-97.4
Native	80	10,831	5	3.0	0.0- 6.1	75	97.0	93.9- 100
Non-Native	2718	277,195	142	3.2	2.6- 3.8	2576	96.8	96.2-97.4
18-24	126	42,426				126	100.0	100.0- 100
25-34	259	50,122	1	0.3	0.0- 0.9	258	99.7	99.1- 100
35-44	316	47,396	2	0.4	0.0- 1.0	314	99.6	99.0- 100
45-54	335	37,864	8	2.2	0.6- 3.8	327	97.8	96.2-99.4
55-64	465	40,485	17	3.5	1.5- 5.5	448	96.5	94.5-98.5
65+	1328	73,267	121	9.1	7.3-10.9	1207	90.9	89.1-92.7
Less Than H.S.	86	16,345	6	3.6	0.1- 7.1	80	96.4	92.9-99.9
H.S. or G.E.D.	672	67,769	43	3.2	2.0- 4.4	629	96.8	95.6-98.0
Some Post-H.S.	868	110,883	46	3.4	2.2- 4.6	822	96.6	95.4-97.8
College Graduate	1196	95,886	54	2.8	2.0- 3.6	1142	97.2	96.4-98.0
Less than \$15,000	91	10,601	11	7.9	2.0-13.8	80	92.1	86.2-98.0
\$15,000- 24,999	181	19,629	18	4.5	2.0- 7.0	163	95.5	93.0-98.0
\$25,000- 34,999	265	25,223	17	4.0	1.8- 6.2	248	96.0	93.8-98.2
\$35,000- 49,999	290	31,229	16	2.8	1.0- 4.6	274	97.2	95.4-99.0
\$50,000- 99,999	724	72,642	39	3.2	2.0- 4.4	685	96.8	95.6-98.0
\$100,000 - 199,999	495	52,665	7	1.2	0.2- 2.2	488	98.8	97.8-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5844	607,283	252	3.0	2.6- 3.4	5592	97.0	96.6-97.4
Male	2986	311,855	131	2.8	2.2- 3.4	2855	97.2	96.6-97.8
Female	2858	295,429	121	3.2	2.4- 4.0	2737	96.8	96.0-97.6
Native	168	24,765	10	3.3	1.1- 5.5	158	96.7	94.5-98.9
Non-Native	5585	573,270	237	2.9	2.5- 3.3	5348	97.1	96.7-97.5
18-24	326	92,099				326	100.0	100.0- 100
25-34	611	106,541	7	1.1	0.1- 2.1	604	98.9	97.9-99.9
35-44	703	103,388	7	0.8	0.0- 1.6	696	99.2	98.4- 100
45-54	757	81,754	24	3.4	2.0- 4.8	733	96.6	95.2-98.0
55-64	993	84,057	44	4.3	2.9- 5.7	949	95.7	94.3-97.1
65+	2454	139,443	170	7.0	5.8- 8.2	2284	93.0	91.8-94.2
Less Than H.S.	205	41,373	12	3.2	1.2- 5.2	193	96.8	94.8-98.8
H.S. or G.E.D.	1562	157,407	76	3.1	2.3- 3.9	1486	96.9	96.1-97.7
Some Post-H.S.	1766	230,969	90	3.5	2.7- 4.3	1676	96.5	95.7-97.3
College Graduate	2293	175,307	73	2.1	1.5- 2.7	2220	97.9	97.3-98.5
Less than \$15,000	168	19,447	19	7.5	3.8-11.2	149	92.5	88.8-96.2
\$15,000- 24,999	311	32,150	34	9.0	5.1-12.9	277	91.0	87.1-94.9
\$25,000- 34,999	488	47,834	34	4.5	2.7- 6.3	454	95.5	93.7-97.3
\$35,000- 49,999	587	59,715	33	4.6	2.8- 6.4	554	95.4	93.6-97.2
\$50,000- 99,999	1649	168,312	59	2.2	1.6- 2.8	1590	97.8	97.2-98.4
\$100,000 - 199,999	1153	126,239	33	1.9	1.1- 2.7	1120	98.1	97.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2986	311,855	131	2.8	2.2- 3.4	2855	97.2	96.6-97.8
Native	87	13,408	4	2.3	0.0- 4.8	83	97.7	95.2- 100
Non-Native	2841	292,882	125	2.8	2.2- 3.4	2716	97.2	96.6-97.8
18-24	198	48,472				198	100.0	100.0- 100
25-34	352	56,419	4	0.8	0.0- 1.6	348	99.2	98.4- 100
35-44	383	55,065	3	0.5	0.0- 1.1	380	99.5	98.9- 100
45-54	419	43,159	15	3.5	1.7- 5.3	404	96.5	94.7-98.3
55-64	526	43,385	20	3.7	1.9- 5.5	506	96.3	94.5-98.1
65+	1108	65,353	89	7.6	5.8- 9.4	1019	92.4	90.6-94.2
Less Than H.S.	116	23,301	5	2.9	0.4- 5.4	111	97.1	94.6-99.6
H.S. or G.E.D.	880	88,778	43	3.1	2.1- 4.1	837	96.9	95.9-97.9
Some Post-H.S.	889	118,983	47	3.0	2.0- 4.0	842	97.0	96.0-98.0
College Graduate	1090	79,243	35	2.2	1.4- 3.0	1055	97.8	97.0-98.6
Less than \$15,000	75	8,620	8	5.5	1.4- 9.6	67	94.5	90.4-98.6
\$15,000- 24,999	127	12,324	15	7.2	2.9-11.5	112	92.8	88.5-97.1
\$25,000- 34,999	218	21,797	19	6.1	3.0- 9.2	199	93.9	90.8-97.0
\$35,000- 49,999	294	28,256	15	4.4	2.0- 6.8	279	95.6	93.2-98.0
\$50,000- 99,999	921	94,699	37	2.5	1.5- 3.5	884	97.5	96.5-98.5
\$100,000 - 199,999	657	73,560	20	1.9	0.9- 2.9	637	98.1	97.1-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2858	295,429	121	3.2	2.4- 4.0	2737	96.8	96.0-97.6
Native	81	11,357	6	4.5	0.6- 8.4	75	95.5	91.6-99.4
Non-Native	2744	280,388	112	3.1	2.3- 3.9	2632	96.9	96.1-97.7
18-24	128	43,627				128	100.0	100.0- 100
25-34	259	50,122	3	1.5	0.0- 3.3	256	98.5	96.7- 100
35-44	320	48,323	4	1.2	0.0- 2.6	316	98.8	97.4- 100
45-54	338	38,595	9	3.3	1.1- 5.5	329	96.7	94.5-98.9
55-64	467	40,672	24	4.9	2.7- 7.1	443	95.1	92.9-97.3
65+	1346	74,090	81	6.4	4.8- 8.0	1265	93.6	92.0-95.2
Less Than H.S.	89	18,072	7	3.7	0.8- 6.6	82	96.3	93.4-99.2
H.S. or G.E.D.	682	68,629	33	3.1	1.7- 4.5	649	96.9	95.5-98.3
Some Post-H.S.	877	111,986	43	4.1	2.5- 5.7	834	95.9	94.3-97.5
College Graduate	1203	96,064	38	2.0	1.2- 2.8	1165	98.0	97.2-98.8
Less than \$15,000	93	10,828	11	9.1	3.2-15.0	82	90.9	85.0-96.8
\$15,000- 24,999	184	19,826	19	10.0	4.3-15.7	165	90.0	84.3-95.7
\$25,000- 34,999	270	26,037	15	3.1	1.1- 5.1	255	96.9	94.9-98.9
\$35,000- 49,999	293	31,459	18	4.7	2.2- 7.2	275	95.3	92.8-97.8
\$50,000- 99,999	728	73,613	22	1.8	1.0- 2.6	706	98.2	97.4-99.0
\$100,000 - 199,999	496	52,679	13	1.7	0.5- 2.9	483	98.3	97.1-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5836	606,295	753	13.7	12.5-14.9	5083	86.3	85.1-87.5
Male	2984	311,374	332	11.5	10.1-12.9	2652	88.5	87.1-89.9
Female	2852	294,920	421	16.1	14.3-17.9	2431	83.9	82.1-85.7
Native	167	24,496	31	19.6	11.4-27.8	136	80.4	72.2-88.6
Non-Native	5578	572,766	711	13.5	12.3-14.7	4867	86.5	85.3-87.7
18-24	326	92,099	45	13.2	9.3-17.1	281	86.8	82.9-90.7
25-34	608	105,983	99	15.9	12.8-19.0	509	84.1	81.0-87.2
35-44	703	103,377	112	15.4	12.5-18.3	591	84.6	81.7-87.5
45-54	756	81,613	108	16.0	12.9-19.1	648	84.0	80.9-87.1
55-64	992	84,016	119	11.9	9.5-14.3	873	88.1	85.7-90.5
65+	2451	139,206	270	11.0	9.4-12.6	2181	89.0	87.4-90.6
Less Than H.S.	204	41,109	32	17.4	10.7-24.1	172	82.6	75.9-89.3
H.S. or G.E.D.	1556	156,867	195	14.0	11.6-16.4	1361	86.0	83.6-88.4
Some Post-H.S.	1769	231,123	219	12.6	10.8-14.4	1550	87.4	85.6-89.2
College Graduate	2290	175,001	306	14.1	12.3-15.9	1984	85.9	84.1-87.7
Less than \$15,000	167	19,317	35	21.5	13.5-29.5	132	78.5	70.5-86.5
\$15,000- 24,999	310	31,979	53	19.0	12.9-25.1	257	81.0	74.9-87.1
\$25,000- 34,999	491	48,066	63	17.4	12.3-22.5	428	82.6	77.5-87.7
\$35,000- 49,999	588	59,510	82	15.6	11.7-19.5	506	84.4	80.5-88.3
\$50,000- 99,999	1644	167,498	201	12.2	10.2-14.2	1443	87.8	85.8-89.8
\$100,000 - 199,999	1153	126,239	137	12.6	10.4-14.8	1016	87.4	85.2-89.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2984	311,374	332	11.5	10.1-12.9	2652	88.5	87.1-89.9
Native	87	13,408	11	8.0	2.7-13.3	76	92.0	86.7-97.3
Non-Native	2840	292,678	314	11.7	10.1-13.3	2526	88.3	86.7-89.9
18-24	198	48,472	26	13.8	8.5-19.1	172	86.2	80.9-91.5
25-34	351	56,286	48	13.2	9.5-16.9	303	86.8	83.1-90.5
35-44	383	55,054	50	12.2	8.7-15.7	333	87.8	84.3-91.3
45-54	418	43,018	39	9.7	6.6-12.8	379	90.3	87.2-93.4
55-64	526	43,366	56	10.2	7.3-13.1	470	89.8	86.9-92.7
65+	1108	65,178	113	9.9	7.7-12.1	995	90.1	87.9-92.3
Less Than H.S.	115	23,037	13	12.7	5.1-20.3	102	87.3	79.7-94.9
H.S. or G.E.D.	878	88,442	99	11.9	9.2-14.6	779	88.1	85.4-90.8
Some Post-H.S.	892	119,289	98	11.0	8.6-13.4	794	89.0	86.6-91.4
College Graduate	1088	79,056	121	11.4	9.2-13.6	967	88.6	86.4-90.8
Less than \$15,000	74	8,490	15	20.3	8.3-32.3	59	79.7	67.7-91.7
\$15,000- 24,999	127	12,178	14	10.4	3.7-17.1	113	89.6	82.9-96.3
\$25,000- 34,999	219	21,850	17	12.4	5.3-19.5	202	87.6	80.5-94.7
\$35,000- 49,999	296	28,179	45	17.4	11.5-23.3	251	82.6	76.7-88.5
\$50,000- 99,999	919	94,465	93	9.6	7.4-11.8	826	90.4	88.2-92.6
\$100,000 - 199,999	657	73,560	72	12.2	9.3-15.1	585	87.8	84.9-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2852	294,920	421	16.1	14.3-17.9	2431	83.9	82.1-85.7
Native	80	11,088	20	33.5	18.6-48.4	60	66.5	51.6-81.4
Non-Native	2738	280,088	397	15.5	13.7-17.3	2341	84.5	82.7-86.3
18-24	128	43,627	19	12.5	6.8-18.2	109	87.5	81.8-93.2
25-34	257	49,697	51	18.9	13.8-24.0	206	81.1	76.0-86.2
35-44	320	48,323	62	19.0	14.3-23.7	258	81.0	76.3-85.7
45-54	338	38,595	69	23.0	17.3-28.7	269	77.0	71.3-82.7
55-64	466	40,650	63	13.6	10.1-17.1	403	86.4	82.9-89.9
65+	1343	74,028	157	12.0	9.8-14.2	1186	88.0	85.8-90.2
Less Than H.S.	89	18,072	19	23.4	11.8-35.0	70	76.6	65.0-88.2
H.S. or G.E.D.	678	68,425	96	16.7	12.8-20.6	582	83.3	79.4-87.2
Some Post-H.S.	877	111,834	121	14.3	11.4-17.2	756	85.7	82.8-88.6
College Graduate	1202	95,945	185	16.3	13.8-18.8	1017	83.7	81.2-86.2
Less than \$15,000	93	10,828	20	22.5	11.5-33.5	73	77.5	66.5-88.5
\$15,000- 24,999	183	19,801	39	24.2	15.6-32.8	144	75.8	67.2-84.4
\$25,000- 34,999	272	26,216	46	21.6	14.3-28.9	226	78.4	71.1-85.7
\$35,000- 49,999	292	31,332	37	14.1	8.6-19.6	255	85.9	80.4-91.4
\$50,000- 99,999	725	73,033	108	15.7	12.2-19.2	617	84.3	80.8-87.8
\$100,000 - 199,999	496	52,679	65	13.2	9.7-16.7	431	86.8	83.3-90.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	732	80,757	544	72.4	68.3-76.5	188	27.6	23.5-31.7
Male	315	33,709	220	63.1	56.2-70.0	95	36.9	30.0-43.8
Female	417	47,048	324	78.9	74.0-83.8	93	21.1	16.2-26.0
Non-Native	693	75,329	514	71.9	67.6-76.2	179	28.1	23.8-32.4
25-34	94	15,991	57	62.0	51.4-72.6	37	38.0	27.4-48.6
35-44	107	15,111	69	65.1	55.1-75.1	38	34.9	24.9-44.9
45-54	105	12,669	82	80.0	71.8-88.2	23	20.0	11.8-28.2
55-64	115	9,698	88	78.4	69.8-87.0	27	21.6	13.0-30.2
65+	266	15,123	216	83.1	77.6-88.6	50	16.9	11.4-22.4
H.S. or G.E.D.	189	21,269	142	75.7	68.3-83.1	47	24.3	16.9-31.7
Some Post-H.S.	213	28,152	160	70.0	62.4-77.6	53	30.0	22.4-37.6
College Graduate	297	23,836	216	70.9	64.8-77.0	81	29.1	23.0-35.2
\$15,000- 24,999	53	6,067	46	83.5	68.6-98.4	7	16.5	1.6-31.4
\$25,000- 34,999	61	8,094	44	66.7	49.8-83.6	17	33.3	16.4-50.2
\$35,000- 49,999	80	9,066	64	82.5	72.3-92.7	16	17.5	7.3-27.7
\$50,000- 99,999	193	19,464	134	69.7	61.5-77.9	59	30.3	22.1-38.5
\$100,000 - 199,999	133	15,435	91	63.7	54.3-73.1	42	36.3	26.9-45.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	315	33,709	220	63.1	56.2-70.0	95	36.9	30.0-43.8
Non-Native	300	32,326	207	62.1	55.0-69.2	93	37.9	30.8-45.0
55-64	52	4,169	41	77.5	63.0-92.0	11	22.5	8.0-37.0
65+	111	6,314	89	78.6	68.4-88.8	22	21.4	11.2-31.6
H.S. or G.E.D.	94	9,850	65	63.8	51.5-76.1	29	36.2	23.9-48.5
Some Post-H.S.	92	12,133	61	59.1	47.1-71.1	31	40.9	28.9-52.9
College Graduate	115	8,457	84	67.6	57.8-77.4	31	32.4	22.6-42.2
\$50,000- 99,999	87	8,176	57	61.9	49.4-74.4	30	38.1	25.6-50.6
\$100,000 - 199,999	68	8,462	41	52.9	39.6-66.2	27	47.1	33.8-60.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	417	47,048	324	78.9	74.0-83.8	93	21.1	16.2-26.0
Non-Native	393	43,003	307	79.2	74.3-84.1	86	20.8	15.9-25.7
25-34	50	9,279	33	68.5	54.6-82.4	17	31.5	17.6-45.4
35-44	62	9,170	42	68.8	55.9-81.7	20	31.2	18.3-44.1
45-54	68	8,796	57	85.0	76.0-94.0	11	15.0	6.0-24.0
55-64	63	5,529	47	79.0	68.6-89.4	16	21.0	10.6-31.4
65+	155	8,808	127	86.4	80.7-92.1	28	13.6	7.9-19.3
H.S. or G.E.D.	95	11,420	77	86.0	78.7-93.3	18	14.0	6.7-21.3
Some Post-H.S.	121	16,019	99	78.3	68.5-88.1	22	21.7	11.9-31.5
College Graduate	182	15,380	132	72.6	65.2-80.0	50	27.4	20.0-34.8
\$50,000- 99,999	106	11,289	77	75.3	65.1-85.5	29	24.7	14.5-34.9
\$100,000 - 199,999	65	6,973	50	76.7	65.1-88.3	15	23.3	11.7-34.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5828	606,413	446	4.8	4.2- 5.4	5382	95.2	94.6-95.8
Male	2977	311,307	228	4.8	4.0- 5.6	2749	95.2	94.4-96.0
Female	2851	295,107	218	4.8	4.0- 5.6	2633	95.2	94.4-96.0
Native	168	24,765	6	1.6	0.2- 3.0	162	98.4	97.0-99.8
Non-Native	5568	572,352	430	4.9	4.3- 5.5	5138	95.1	94.5-95.7
18-24	326	92,099	2	0.5	0.0- 1.3	324	99.5	98.7- 100
25-34	612	106,793	4	0.5	0.0- 1.1	608	99.5	98.9- 100
35-44	704	103,507	6	0.9	0.1- 1.7	698	99.1	98.3-99.9
45-54	756	81,674	29	3.7	2.3- 5.1	727	96.3	94.9-97.7
55-64	991	83,881	67	6.1	4.5- 7.7	924	93.9	92.3-95.5
65+	2439	138,460	338	13.8	12.2-15.4	2101	86.2	84.6-87.8
Less Than H.S.	204	41,099	13	3.9	1.5- 6.3	191	96.1	93.7-98.5
H.S. or G.E.D.	1556	156,863	115	4.6	3.6- 5.6	1441	95.4	94.4-96.4
Some Post-H.S.	1765	231,239	107	4.0	3.2- 4.8	1658	96.0	95.2-96.8
College Graduate	2286	175,064	210	6.2	5.2- 7.2	2076	93.8	92.8-94.8
Less than \$15,000	167	19,388	9	3.5	1.0- 6.0	158	96.5	94.0-99.0
\$15,000- 24,999	307	31,945	19	4.1	1.9- 6.3	288	95.9	93.7-98.1
\$25,000- 34,999	488	47,707	42	6.2	3.8- 8.6	446	93.8	91.4-96.2
\$35,000- 49,999	588	59,770	42	3.4	2.2- 4.6	546	96.6	95.4-97.8
\$50,000- 99,999	1644	168,101	136	5.1	4.1- 6.1	1508	94.9	93.9-95.9
\$100,000 - 199,999	1152	126,159	75	4.5	3.3- 5.7	1077	95.5	94.3-96.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2977	311,307	228	4.8	4.0- 5.6	2749	95.2	94.4-96.0
Native	87	13,408	1	0.8	0.0- 2.4	86	99.2	97.6- 100
Non-Native	2831	292,301	219	4.9	4.1- 5.7	2612	95.1	94.3-95.9
18-24	198	48,472	1	0.4	0.0- 1.0	197	99.6	99.0- 100
25-34	353	56,671	1	0.3	0.0- 0.9	352	99.7	99.1- 100
35-44	384	55,184	3	0.6	0.0- 1.2	381	99.4	98.8- 100
45-54	419	43,159	15	3.9	1.7- 6.1	404	96.1	93.9-98.3
55-64	525	43,234	30	5.3	3.3- 7.3	495	94.7	92.7-96.7
65+	1098	64,587	178	16.2	13.7-18.7	920	83.8	81.3-86.3
Less Than H.S.	115	23,027	9	5.3	1.4- 9.2	106	94.7	90.8-98.6
H.S. or G.E.D.	878	88,466	60	4.5	3.3- 5.7	818	95.5	94.3-96.7
Some Post-H.S.	888	119,196	58	4.1	2.9- 5.3	830	95.9	94.7-97.1
College Graduate	1085	79,068	100	6.1	4.7- 7.5	985	93.9	92.5-95.3
Less than \$15,000	75	8,620	2	2.3	0.0- 5.6	73	97.7	94.4- 100
\$15,000- 24,999	127	12,352	7	3.9	0.8- 7.0	120	96.1	93.0-99.2
\$25,000- 34,999	217	21,555	22	7.0	3.3-10.7	195	93.0	89.3-96.7
\$35,000- 49,999	294	28,250	20	3.6	1.8- 5.4	274	96.4	94.6-98.2
\$50,000- 99,999	917	94,535	77	5.3	3.9- 6.7	840	94.7	93.3-96.1
\$100,000 - 199,999	657	73,560	41	4.1	2.7- 5.5	616	95.9	94.5-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) (YOU HAD) SKIN CANCER THAT IS NOT MELANOMA? (CHCSCNC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2851	295,107	218	4.8	4.0- 5.6	2633	95.2	94.4-96.0
Native	81	11,357	5	2.5	0.0- 5.0	76	97.5	95.0- 100
Non-Native	2737	280,051	211	4.9	4.1- 5.7	2526	95.1	94.3-95.9
18-24	128	43,627	1	0.7	0.0- 2.1	127	99.3	97.9- 100
25-34	259	50,122	3	0.8	0.0- 1.8	256	99.2	98.2- 100
35-44	320	48,323	3	1.2	0.0- 2.8	317	98.8	97.2- 100
45-54	337	38,515	14	3.4	1.6- 5.2	323	96.6	94.8-98.4
55-64	466	40,647	37	7.1	4.6- 9.6	429	92.9	90.4-95.4
65+	1341	73,873	160	11.8	9.8-13.8	1181	88.2	86.2-90.2
Less Than H.S.	89	18,072	4	2.0	0.0- 4.0	85	98.0	96.0- 100
H.S. or G.E.D.	678	68,397	55	4.9	3.3- 6.5	623	95.1	93.5-96.7
Some Post-H.S.	877	112,042	49	4.0	2.6- 5.4	828	96.0	94.6-97.4
College Graduate	1201	95,997	110	6.3	4.9- 7.7	1091	93.7	92.3-95.1
Less than \$15,000	92	10,768	7	4.5	0.6- 8.4	85	95.5	91.6-99.4
\$15,000- 24,999	180	19,594	12	4.2	1.5- 6.9	168	95.8	93.1-98.5
\$25,000- 34,999	271	26,152	20	5.6	2.9- 8.3	251	94.4	91.7-97.1
\$35,000- 49,999	294	31,520	22	3.2	1.6- 4.8	272	96.8	95.2-98.4
\$50,000- 99,999	727	73,566	59	4.8	3.2- 6.4	668	95.2	93.6-96.8
\$100,000 - 199,999	495	52,598	34	5.2	3.0- 7.4	461	94.8	92.6-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 19: (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5838	607,045	737	8.6	7.8- 9.4	5101	91.4	90.6-92.2
Male	2985	311,866	351	8.1	7.1- 9.1	2634	91.9	90.9-92.9
Female	2853	295,179	386	9.0	7.8-10.2	2467	91.0	89.8-92.2
Native	166	24,648	11	4.9	1.0- 8.8	155	95.1	91.2-99.0
Non-Native	5579	573,055	710	8.7	7.9- 9.5	4869	91.3	90.5-92.1
18-24	325	91,905	3	0.9	0.0- 2.1	322	99.1	97.9- 100
25-34	613	107,121	11	1.8	0.8- 2.8	602	98.2	97.2-99.2
35-44	703	103,276	25	4.4	2.4- 6.4	678	95.6	93.6-97.6
45-54	757	81,754	56	7.5	5.3- 9.7	701	92.5	90.3-94.7
55-64	993	83,947	99	9.6	7.6-11.6	894	90.4	88.4-92.4
65+	2447	139,041	543	21.9	19.9-23.9	1904	78.1	76.1-80.1
Less Than H.S.	205	41,373	28	9.9	5.4-14.4	177	90.1	85.6-94.6
H.S. or G.E.D.	1559	156,826	187	7.5	6.1- 8.9	1372	92.5	91.1-93.9
Some Post-H.S.	1765	231,079	240	9.2	7.8-10.6	1525	90.8	89.4-92.2
College Graduate	2291	175,540	279	8.2	7.0- 9.4	2012	91.8	90.6-93.0
Less than \$15,000	166	19,330	26	12.0	6.7-17.3	140	88.0	82.7-93.3
\$15,000- 24,999	310	32,136	58	13.1	8.8-17.4	252	86.9	82.6-91.2
\$25,000- 34,999	490	48,045	68	9.6	6.7-12.5	422	90.4	87.5-93.3
\$35,000- 49,999	589	59,599	85	7.8	5.6-10.0	504	92.2	90.0-94.4
\$50,000- 99,999	1647	168,073	207	8.8	7.2-10.4	1440	91.2	89.6-92.8
\$100,000 - 199,999	1153	126,459	111	7.0	5.4- 8.6	1042	93.0	91.4-94.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2985	311,866	351	8.1	7.1- 9.1	2634	91.9	90.9-92.9
Native	87	13,408	4	5.2	0.0-11.5	83	94.8	88.5- 100
Non-Native	2839	292,860	337	8.2	7.2- 9.2	2502	91.8	90.8-92.8
18-24	197	48,278	2	0.7	0.0- 1.7	195	99.3	98.3- 100
25-34	354	56,999	4	1.4	0.0- 2.8	350	98.6	97.2- 100
35-44	383	54,953	8	2.2	0.4- 4.0	375	97.8	96.0-99.6
45-54	419	43,159	28	7.3	4.4-10.2	391	92.7	89.8-95.6
55-64	525	43,158	45	9.4	6.5-12.3	480	90.6	87.7-93.5
65+	1107	65,319	264	24.0	21.1-26.9	843	76.0	73.1-78.9
Less Than H.S.	116	23,301	17	10.3	5.0-15.6	99	89.7	84.4-95.0
H.S. or G.E.D.	879	88,398	89	6.4	4.8- 8.0	790	93.6	92.0-95.2
Some Post-H.S.	890	119,077	112	8.7	6.9-10.5	778	91.3	89.5-93.1
College Graduate	1089	79,540	131	8.2	6.6- 9.8	958	91.8	90.2-93.4
Less than \$15,000	75	8,620	6	6.1	0.8-11.4	69	93.9	88.6-99.2
\$15,000- 24,999	128	12,442	20	12.4	6.1-18.7	108	87.6	81.3-93.9
\$25,000- 34,999	218	21,829	26	9.9	5.0-14.8	192	90.1	85.2-95.0
\$35,000- 49,999	295	28,079	39	7.8	4.9-10.7	256	92.2	89.3-95.1
\$50,000- 99,999	919	94,460	115	8.2	6.4-10.0	804	91.8	90.0-93.6
\$100,000 - 199,999	658	73,888	62	7.0	4.8- 9.2	596	93.0	90.8-95.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) (YOU HAD) MELANOMA OR ANY OTHER TYPES OF CANCER? (CHCOCNC1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2853	295,179	386	9.0	7.8-10.2	2467	91.0	89.8-92.2
Native	79	11,240	7	4.6	0.1- 9.1	72	95.4	90.9-99.9
Non-Native	2740	280,194	373	9.2	8.0-10.4	2367	90.8	89.6-92.0
18-24	128	43,627	1	1.0	0.0- 3.0	127	99.0	97.0- 100
25-34	259	50,122	7	2.2	0.6- 3.8	252	97.8	96.2-99.4
35-44	320	48,323	17	6.9	3.4-10.4	303	93.1	89.6-96.6
45-54	338	38,595	28	7.7	4.6-10.8	310	92.3	89.2-95.4
55-64	468	40,789	54	9.8	7.1-12.5	414	90.2	87.5-92.9
65+	1340	73,723	279	20.1	17.6-22.6	1061	79.9	77.4-82.4
Less Than H.S.	89	18,072	11	9.5	1.9-17.1	78	90.5	82.9-98.1
H.S. or G.E.D.	680	68,428	98	8.9	6.7-11.1	582	91.1	88.9-93.3
Some Post-H.S.	875	112,002	128	9.7	7.5-11.9	747	90.3	88.1-92.5
College Graduate	1202	96,000	148	8.1	6.5- 9.7	1054	91.9	90.3-93.5
Less than \$15,000	91	10,710	20	16.7	8.1-25.3	71	83.3	74.7-91.9
\$15,000- 24,999	182	19,693	38	13.5	7.8-19.2	144	86.5	80.8-92.2
\$25,000- 34,999	272	26,216	42	9.3	5.8-12.8	230	90.7	87.2-94.2
\$35,000- 49,999	294	31,520	46	7.8	4.9-10.7	248	92.2	89.3-95.1
\$50,000- 99,999	728	73,613	92	9.6	6.9-12.3	636	90.4	87.7-93.1
\$100,000 - 199,999	495	52,570	49	7.1	4.7- 9.5	446	92.9	90.5-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 22: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5828	605,926	421	5.5	4.9- 6.1	5407	94.5	93.9-95.1
Male	2975	310,928	183	4.2	3.4- 5.0	2792	95.8	95.0-96.6
Female	2853	294,998	238	6.8	5.8- 7.8	2615	93.2	92.2-94.2
Native	168	24,765	16	5.4	2.3- 8.5	152	94.6	91.5-97.7
Non-Native	5568	572,009	396	5.5	4.9- 6.1	5172	94.5	93.9-95.1
18-24	326	92,099	4	1.2	0.0- 2.4	322	98.8	97.6- 100
25-34	608	106,209	7	1.2	0.2- 2.2	601	98.8	97.8-99.8
35-44	703	103,394	13	2.1	0.9- 3.3	690	97.9	96.7-99.1
45-54	755	81,464	33	4.8	3.0- 6.6	722	95.2	93.4-97.0
55-64	991	83,919	77	8.1	6.1-10.1	914	91.9	89.9-93.9
65+	2445	138,842	287	12.9	11.1-14.7	2158	87.1	85.3-88.9
Less Than H.S.	203	41,105	32	9.5	5.6-13.4	171	90.5	86.6-94.4
H.S. or G.E.D.	1553	156,408	129	5.5	4.3- 6.7	1424	94.5	93.3-95.7
Some Post-H.S.	1764	230,906	146	6.1	4.9- 7.3	1618	93.9	92.7-95.1
College Graduate	2290	175,281	111	3.5	2.7- 4.3	2179	96.5	95.7-97.3
Less than \$15,000	166	19,281	27	10.0	5.3-14.7	139	90.0	85.3-94.7
\$15,000- 24,999	311	32,155	61	14.2	9.7-18.7	250	85.8	81.3-90.3
\$25,000- 34,999	489	47,940	61	9.2	6.5-11.9	428	90.8	88.1-93.5
\$35,000- 49,999	590	59,738	52	7.8	5.1-10.5	538	92.2	89.5-94.9
\$50,000- 99,999	1645	167,849	90	4.0	3.0- 5.0	1555	96.0	95.0-97.0
\$100,000 - 199,999	1154	126,567	35	2.6	1.6- 3.6	1119	97.4	96.4-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2975	310,928	183	4.2	3.4- 5.0	2792	95.8	95.0-96.6
Native	87	13,408	8	4.7	1.0- 8.4	79	95.3	91.6-99.0
Non-Native	2830	292,112	168	4.2	3.4- 5.0	2662	95.8	95.0-96.6
18-24	198	48,472	3	1.4	0.0- 3.0	195	98.6	97.0- 100
25-34	352	56,667	3	1.0	0.0- 2.2	349	99.0	97.8- 100
35-44	383	55,071	7	1.8	0.4- 3.2	376	98.2	96.8-99.6
45-54	417	42,869	16	4.1	1.9- 6.3	401	95.9	93.7-98.1
55-64	523	43,130	31	5.6	3.6- 7.6	492	94.4	92.4-96.4
65+	1102	64,720	123	10.4	8.2-12.6	979	89.6	87.4-91.8
Less Than H.S.	114	23,033	16	7.7	3.4-12.0	98	92.3	88.0-96.6
H.S. or G.E.D.	874	88,190	58	4.0	2.8- 5.2	816	96.0	94.8-97.2
Some Post-H.S.	887	118,742	59	4.5	3.1- 5.9	828	95.5	94.1-96.9
College Graduate	1089	79,413	50	3.0	2.0- 4.0	1039	97.0	96.0-98.0
Less than \$15,000	73	8,453	9	9.3	2.0-16.6	64	90.7	83.4-98.0
\$15,000- 24,999	127	12,329	21	10.3	5.2-15.4	106	89.7	84.6-94.8
\$25,000- 34,999	218	21,757	22	6.4	2.9- 9.9	196	93.6	90.1-97.1
\$35,000- 49,999	297	28,368	23	5.4	2.7- 8.1	274	94.6	91.9-97.3
\$50,000- 99,999	919	94,440	50	3.5	2.3- 4.7	869	96.5	95.3-97.7
\$100,000 - 199,999	658	73,888	22	3.0	1.6- 4.4	636	97.0	95.6-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) (YOU HAD) C.O.P.D. (CHRONIC OBSTRUCTIVE PULMONARY DISEASE), EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2853	294,998	238	6.8	5.8- 7.8	2615	93.2	92.2-94.2
Native	81	11,357	8	6.3	1.4-11.2	73	93.7	88.8-98.6
Non-Native	2738	279,896	228	6.8	5.6- 8.0	2510	93.2	92.0-94.4
18-24	128	43,627	1	1.0	0.0- 3.0	127	99.0	97.0- 100
25-34	256	49,542	4	1.5	0.0- 3.1	252	98.5	96.9- 100
35-44	320	48,323	6	2.4	0.4- 4.4	314	97.6	95.6-99.6
45-54	338	38,595	17	5.7	2.8- 8.6	321	94.3	91.4-97.2
55-64	468	40,789	46	10.7	7.4-14.0	422	89.3	86.0-92.6
65+	1343	74,122	164	15.1	12.6-17.6	1179	84.9	82.4-87.4
Less Than H.S.	89	18,072	16	11.9	4.8-19.0	73	88.1	81.0-95.2
H.S. or G.E.D.	679	68,218	71	7.4	5.2- 9.6	608	92.6	90.4-94.8
Some Post-H.S.	877	112,164	87	7.9	5.9- 9.9	790	92.1	90.1-94.1
College Graduate	1201	95,868	61	3.9	2.7- 5.1	1140	96.1	94.9-97.3
Less than \$15,000	93	10,828	18	10.4	4.1-16.7	75	89.6	83.3-95.9
\$15,000- 24,999	184	19,826	40	16.7	10.2-23.2	144	83.3	76.8-89.8
\$25,000- 34,999	271	26,183	39	11.4	7.5-15.3	232	88.6	84.7-92.5
\$35,000- 49,999	293	31,370	29	10.0	5.5-14.5	264	90.0	85.5-94.5
\$50,000- 99,999	726	73,409	40	4.7	3.1- 6.3	686	95.3	93.7-96.9
\$100,000 - 199,999	496	52,679	13	2.0	0.6- 3.4	483	98.0	96.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 25: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5828	606,277	1093	21.6	20.2-23.0	4735	78.4	77.0-79.8
Male	2975	311,503	366	13.6	12.0-15.2	2609	86.4	84.8-88.0
Female	2853	294,775	727	30.1	27.7-32.5	2126	69.9	67.5-72.3
Native	168	24,765	47	33.3	23.9-42.7	121	66.7	57.3-76.1
Non-Native	5568	572,192	1032	21.2	19.8-22.6	4536	78.8	77.4-80.2
18-24	326	92,099	86	27.8	22.5-33.1	240	72.2	66.9-77.5
25-34	609	106,316	162	27.7	23.8-31.6	447	72.3	68.4-76.2
35-44	703	103,419	166	23.4	19.9-26.9	537	76.6	73.1-80.1
45-54	755	81,556	173	23.1	19.8-26.4	582	76.9	73.6-80.2
55-64	989	83,771	182	18.6	15.9-21.3	807	81.4	78.7-84.1
65+	2446	139,115	324	12.6	11.0-14.2	2122	87.4	85.8-89.0
Less Than H.S.	205	41,373	47	30.6	22.0-39.2	158	69.4	60.8-78.0
H.S. or G.E.D.	1553	156,332	293	22.2	19.5-24.9	1260	77.8	75.1-80.5
Some Post-H.S.	1758	230,704	311	19.7	17.3-22.1	1447	80.3	77.9-82.7
College Graduate	2294	175,641	441	21.7	19.5-23.9	1853	78.3	76.1-80.5
Less than \$15,000	166	19,295	67	47.0	36.6-57.4	99	53.0	42.6-63.4
\$15,000- 24,999	311	32,178	92	34.8	27.4-42.2	219	65.2	57.8-72.6
\$25,000- 34,999	486	47,656	133	32.2	26.5-37.9	353	67.8	62.1-73.5
\$35,000- 49,999	589	59,607	132	28.2	22.9-33.5	457	71.8	66.5-77.1
\$50,000- 99,999	1646	167,932	286	20.5	18.0-23.0	1360	79.5	77.0-82.0
\$100,000 - 199,999	1153	126,544	188	17.4	14.9-19.9	965	82.6	80.1-85.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2975	311,503	366	13.6	12.0-15.2	2609	86.4	84.8-88.0
Native	87	13,408	16	19.9	9.3-30.5	71	80.1	69.5-90.7
Non-Native	2830	292,520	342	13.3	11.7-14.9	2488	86.7	85.1-88.3
18-24	198	48,472	34	17.7	11.8-23.6	164	82.3	76.4-88.2
25-34	352	56,708	65	17.2	13.1-21.3	287	82.8	78.7-86.9
35-44	384	55,184	60	15.7	11.8-19.6	324	84.3	80.4-88.2
45-54	418	43,083	63	14.4	10.9-17.9	355	85.6	82.1-89.1
55-64	525	43,277	57	10.5	7.6-13.4	468	89.5	86.6-92.4
65+	1098	64,779	87	7.2	5.4- 9.0	1011	92.8	91.0-94.6
Less Than H.S.	116	23,301	18	19.9	10.7-29.1	98	80.1	70.9-89.3
H.S. or G.E.D.	873	88,065	114	13.9	11.2-16.6	759	86.1	83.4-88.8
Some Post-H.S.	885	119,072	101	12.5	10.0-15.0	784	87.5	85.0-90.0
College Graduate	1090	79,516	132	13.4	11.0-15.8	958	86.6	84.2-89.0
Less than \$15,000	75	8,620	23	34.5	20.6-48.4	52	65.5	51.6-79.4
\$15,000- 24,999	127	12,352	24	21.6	12.2-31.0	103	78.4	69.0-87.8
\$25,000- 34,999	216	21,614	38	18.8	12.1-25.5	178	81.2	74.5-87.9
\$35,000- 49,999	296	28,339	53	21.8	15.5-28.1	243	78.2	71.9-84.5
\$50,000- 99,999	919	94,580	108	13.4	10.5-16.3	811	86.6	83.7-89.5
\$100,000 - 199,999	657	73,866	59	9.9	7.2-12.6	598	90.1	87.4-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2853	294,775	727	30.1	27.7-32.5	2126	69.9	67.5-72.3
Native	81	11,357	31	49.1	34.6-63.6	50	50.9	36.4-65.4
Non-Native	2738	279,672	690	29.6	27.2-32.0	2048	70.4	68.0-72.8
18-24	128	43,627	52	38.9	29.9-47.9	76	61.1	52.1-70.1
25-34	257	49,608	97	39.6	32.9-46.3	160	60.4	53.7-67.1
35-44	319	48,235	106	32.2	26.5-37.9	213	67.8	62.1-73.5
45-54	337	38,473	110	32.9	27.2-38.6	227	67.1	61.4-72.8
55-64	464	40,494	125	27.3	22.6-32.0	339	72.7	68.0-77.4
65+	1348	74,337	237	17.2	14.8-19.6	1111	82.8	80.4-85.2
Less Than H.S.	89	18,072	29	44.6	30.3-58.9	60	55.4	41.1-69.7
H.S. or G.E.D.	680	68,267	179	32.9	28.0-37.8	501	67.1	62.2-72.0
Some Post-H.S.	873	111,633	210	27.4	23.5-31.3	663	72.6	68.7-76.5
College Graduate	1204	96,125	309	28.7	25.6-31.8	895	71.3	68.2-74.4
Less than \$15,000	91	10,675	44	57.0	43.3-70.7	47	43.0	29.3-56.7
\$15,000- 24,999	184	19,826	68	43.0	33.0-53.0	116	57.0	47.0-67.0
\$25,000- 34,999	270	26,042	95	43.3	35.1-51.5	175	56.7	48.5-64.9
\$35,000- 49,999	293	31,268	79	34.1	26.1-42.1	214	65.9	57.9-73.9
\$50,000- 99,999	727	73,351	178	29.7	25.2-34.2	549	70.3	65.8-74.8
\$100,000 - 199,999	496	52,679	129	27.9	23.2-32.6	367	72.1	67.4-76.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 28: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5843	607,604	290	3.4	3.0- 3.8	5553	96.6	96.2-97.0
Male	2987	312,038	132	3.0	2.4- 3.6	2855	97.0	96.4-97.6
Female	2856	295,566	158	3.9	3.1- 4.7	2698	96.1	95.3-96.9
Native	168	24,765	10	3.2	1.0- 5.4	158	96.8	94.6-99.0
Non-Native	5582	573,496	272	3.4	3.0- 3.8	5310	96.6	96.2-97.0
18-24	326	92,099				326	100.0	100.0- 100
25-34	612	106,969	4	0.4	0.0- 0.8	608	99.6	99.2- 100
35-44	703	103,276	9	0.9	0.3- 1.5	694	99.1	98.5-99.7
45-54	757	81,754	24	3.6	2.0- 5.2	733	96.4	94.8-98.0
55-64	995	84,247	51	5.1	3.5- 6.7	944	94.9	93.3-96.5
65+	2450	139,258	202	8.8	7.4-10.2	2248	91.2	89.8-92.6
Less Than H.S.	205	41,373	14	4.0	1.3- 6.7	191	96.0	93.3-98.7
H.S. or G.E.D.	1563	157,206	65	2.5	1.9- 3.1	1498	97.5	96.9-98.1
Some Post-H.S.	1765	231,216	98	3.9	3.1- 4.7	1667	96.1	95.3-96.9
College Graduate	2292	175,582	113	3.6	2.8- 4.4	2179	96.4	95.6-97.2
Less than \$15,000	168	19,447	18	6.9	3.0-10.8	150	93.1	89.2-97.0
\$15,000- 24,999	310	32,098	25	5.6	3.1- 8.1	285	94.4	91.9-96.9
\$25,000- 34,999	490	48,045	32	5.4	3.0- 7.8	458	94.6	92.2-97.0
\$35,000- 49,999	590	59,817	25	2.4	1.2- 3.6	565	97.6	96.4-98.8
\$50,000- 99,999	1649	168,312	88	3.4	2.6- 4.2	1561	96.6	95.8-97.4
\$100,000 - 199,999	1154	126,567	28	1.7	0.9- 2.5	1126	98.3	97.5-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2987	312,038	132	3.0	2.4- 3.6	2855	97.0	96.4-97.6
Native	87	13,408	4	2.2	0.0- 4.4	83	97.8	95.6- 100
Non-Native	2841	293,032	125	3.0	2.4- 3.6	2716	97.0	96.4-97.6
18-24	198	48,472				198	100.0	100.0- 100
25-34	353	56,847	2	0.3	0.0- 0.7	351	99.7	99.3- 100
35-44	383	54,953	4	0.6	0.0- 1.2	379	99.4	98.8- 100
45-54	419	43,159	8	2.4	0.4- 4.4	411	97.6	95.6-99.6
55-64	527	43,458	27	4.7	2.7- 6.7	500	95.3	93.3-97.3
65+	1107	65,149	91	8.8	6.6-11.0	1016	91.2	89.0-93.4
Less Than H.S.	116	23,301	6	4.2	0.1- 8.3	110	95.8	91.7-99.9
H.S. or G.E.D.	881	88,587	33	2.1	1.3- 2.9	848	97.9	97.1-98.7
Some Post-H.S.	890	119,123	49	3.4	2.4- 4.4	841	96.6	95.6-97.6
College Graduate	1089	79,477	44	3.0	2.0- 4.0	1045	97.0	96.0-98.0
Less than \$15,000	75	8,620	8	5.1	1.0- 9.2	67	94.9	90.8-99.0
\$15,000- 24,999	127	12,339	13	7.1	2.6-11.6	114	92.9	88.4-97.4
\$25,000- 34,999	219	21,850	17	7.5	3.0-12.0	202	92.5	88.0-97.0
\$35,000- 49,999	297	28,368	8	1.3	0.3- 2.3	289	98.7	97.7-99.7
\$50,000- 99,999	921	94,699	43	3.0	2.0- 4.0	878	97.0	96.0-98.0
\$100,000 - 199,999	658	73,888	17	1.6	0.8- 2.4	641	98.4	97.6-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2856	295,566	158	3.9	3.1- 4.7	2698	96.1	95.3-96.9
Native	81	11,357	6	4.3	0.2- 8.4	75	95.7	91.6-99.8
Non-Native	2741	280,464	147	3.8	3.0- 4.6	2594	96.2	95.4-97.0
18-24	128	43,627				128	100.0	100.0- 100
25-34	259	50,122	2	0.5	0.0- 1.3	257	99.5	98.7- 100
35-44	320	48,323	5	1.2	0.0- 2.4	315	98.8	97.6- 100
45-54	338	38,595	16	5.0	2.3- 7.7	322	95.0	92.3-97.7
55-64	468	40,789	24	5.4	2.9- 7.9	444	94.6	92.1-97.1
65+	1343	74,109	111	8.8	7.0-10.6	1232	91.2	89.4-93.0
Less Than H.S.	89	18,072	8	3.9	0.6- 7.2	81	96.1	92.8-99.4
H.S. or G.E.D.	682	68,619	32	2.9	1.7- 4.1	650	97.1	95.9-98.3
Some Post-H.S.	875	112,093	49	4.3	2.9- 5.7	826	95.7	94.3-97.1
College Graduate	1203	96,105	69	4.2	3.0- 5.4	1134	95.8	94.6-97.0
Less than \$15,000	93	10,828	10	8.4	2.1-14.7	83	91.6	85.3-97.9
\$15,000- 24,999	183	19,760	12	4.7	1.8- 7.6	171	95.3	92.4-98.2
\$25,000- 34,999	271	26,195	15	3.7	1.5- 5.9	256	96.3	94.1-98.5
\$35,000- 49,999	293	31,449	17	3.5	1.5- 5.5	276	96.5	94.5-98.5
\$50,000- 99,999	728	73,613	45	3.9	2.5- 5.3	683	96.1	94.7-97.5
\$100,000 - 199,999	496	52,679	11	1.9	0.5- 3.3	485	98.1	96.7-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 31: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5830	606,454	2076	26.4	25.0-27.8	3754	73.6	72.2-75.0
Male	2981	311,769	890	22.2	20.6-23.8	2091	77.8	76.2-79.4
Female	2849	294,686	1186	30.7	28.7-32.7	1663	69.3	67.3-71.3
Native	168	24,765	60	22.7	15.6-29.8	108	77.3	70.2-84.4
Non-Native	5570	572,444	1984	26.5	25.1-27.9	3586	73.5	72.1-74.9
18-24	324	91,377	9	3.2	1.0- 5.4	315	96.8	94.6-99.0
25-34	611	106,762	45	7.3	4.9- 9.7	566	92.7	90.3-95.1
35-44	704	103,507	110	16.3	13.2-19.4	594	83.7	80.6-86.8
45-54	754	81,462	213	29.7	26.0-33.4	541	70.3	66.6-74.0
55-64	992	84,117	422	42.0	38.5-45.5	570	58.0	54.5-61.5
65+	2445	139,230	1277	52.3	49.9-54.7	1168	47.7	45.3-50.1
Less Than H.S.	204	40,859	87	26.9	20.0-33.8	117	73.1	66.2-80.0
H.S. or G.E.D.	1562	157,283	582	24.7	22.3-27.1	980	75.3	72.9-77.7
Some Post-H.S.	1762	230,862	682	29.9	27.5-32.3	1080	70.1	67.7-72.5
College Graduate	2284	175,223	721	23.2	21.2-25.2	1563	76.8	74.8-78.8
Less than \$15,000	168	19,447	71	27.6	20.0-35.2	97	72.4	64.8-80.0
\$15,000- 24,999	311	32,251	154	39.1	32.0-46.2	157	60.9	53.8-68.0
\$25,000- 34,999	488	47,357	225	34.0	28.9-39.1	263	66.0	60.9-71.1
\$35,000- 49,999	589	59,762	235	28.6	24.1-33.1	354	71.4	66.9-75.9
\$50,000- 99,999	1644	167,948	555	23.9	21.5-26.3	1089	76.1	73.7-78.5
\$100,000 - 199,999	1152	126,421	341	23.9	21.2-26.6	811	76.1	73.4-78.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2981	311,769	890	22.2	20.6-23.8	2091	77.8	76.2-79.4
Native	87	13,408	23	15.6	8.2-23.0	64	84.4	77.0-91.8
Non-Native	2836	292,860	849	22.6	20.8-24.4	1987	77.4	75.6-79.2
18-24	197	48,263	2	1.7	0.0- 4.1	195	98.3	95.9- 100
25-34	353	56,841	20	5.5	3.0- 8.0	333	94.5	92.0-97.0
35-44	384	55,184	45	13.3	9.2-17.4	339	86.7	82.6-90.8
45-54	418	43,004	107	27.4	22.5-32.3	311	72.6	67.7-77.5
55-64	526	43,408	211	38.5	33.8-43.2	315	61.5	56.8-66.2
65+	1103	65,070	505	45.5	42.2-48.8	598	54.5	51.2-57.8
Less Than H.S.	116	23,301	39	23.3	14.9-31.7	77	76.7	68.3-85.1
H.S. or G.E.D.	880	88,642	262	19.8	17.1-22.5	618	80.2	77.5-82.9
Some Post-H.S.	889	118,999	287	25.2	22.3-28.1	602	74.8	71.9-77.7
College Graduate	1085	79,276	301	20.3	17.9-22.7	784	79.7	77.3-82.1
Less than \$15,000	75	8,620	20	16.1	7.9-24.3	55	83.9	75.7-92.1
\$15,000- 24,999	127	12,425	46	25.6	17.4-33.8	81	74.4	66.2-82.6
\$25,000- 34,999	217	21,655	82	26.7	20.0-33.4	135	73.3	66.6-80.0
\$35,000- 49,999	296	28,314	107	25.8	19.9-31.7	189	74.2	68.3-80.1
\$50,000- 99,999	919	94,415	272	21.8	18.9-24.7	647	78.2	75.3-81.1
\$100,000 - 199,999	657	73,834	177	21.9	18.4-25.4	480	78.1	74.6-81.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2849	294,686	1186	30.7	28.7-32.7	1663	69.3	67.3-71.3
Native	81	11,357	37	31.1	18.6-43.6	44	68.9	56.4-81.4
Non-Native	2734	279,583	1135	30.6	28.4-32.8	1599	69.4	67.2-71.6
18-24	127	43,114	7	5.0	1.3- 8.7	120	95.0	91.3-98.7
25-34	258	49,921	25	9.5	5.6-13.4	233	90.5	86.6-94.4
35-44	320	48,323	65	19.7	14.8-24.6	255	80.3	75.4-85.2
45-54	336	38,458	106	32.2	26.5-37.9	230	67.8	62.1-73.5
55-64	466	40,709	211	45.7	40.4-51.0	255	54.3	49.0-59.6
65+	1342	74,160	772	58.3	55.2-61.4	570	41.7	38.6-44.8
Less Than H.S.	88	17,559	48	31.6	20.0-43.2	40	68.4	56.8-80.0
H.S. or G.E.D.	682	68,640	320	31.0	26.9-35.1	362	69.0	64.9-73.1
Some Post-H.S.	873	111,863	395	34.8	31.1-38.5	478	65.2	61.5-68.9
College Graduate	1199	95,947	420	25.5	22.8-28.2	779	74.5	71.8-77.2
Less than \$15,000	93	10,828	51	36.9	24.6-49.2	42	63.1	50.8-75.4
\$15,000- 24,999	184	19,826	108	47.5	37.5-57.5	76	52.5	42.5-62.5
\$25,000- 34,999	271	25,703	143	40.1	32.8-47.4	128	59.9	52.6-67.2
\$35,000- 49,999	293	31,448	128	31.1	24.4-37.8	165	68.9	62.2-75.6
\$50,000- 99,999	725	73,533	283	26.6	22.9-30.3	442	73.4	69.7-77.1
\$100,000 - 199,999	495	52,586	164	26.8	22.3-31.3	331	73.2	68.7-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 34: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		Yes, during pregnancy			N	No		No, pre or borderline diabetes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5848	607,924	826	10.6	9.6-11.6	32	0.7	0.3- 1.1	4880	86.9	85.9-87.9	110	1.7	1.3- 2.1
Male	2990	312,467	456	11.8	10.6-13.0				2480	86.9	85.5-88.3	54	1.4	1.0- 1.8
Female	2858	295,457	370	9.4	8.2-10.6	32	1.5	0.9- 2.1	2400	87.0	85.4-88.6	56	2.0	1.2- 2.8
Native	168	24,765	49	20.2	13.7-26.7	1	0.1	0.0- 0.3	117	78.5	71.6-85.4	1	1.3	0.0- 3.7
Non-Native	5587	573,817	758	10.1	9.1-11.1	30	0.8	0.4- 1.2	4693	87.4	86.4-88.4	106	1.7	1.3- 2.1
18-24	326	92,099	3	1.7	0.0- 3.9				319	96.7	94.2-99.2	4	1.7	0.0- 3.5
25-34	613	107,121	12	2.2	0.8- 3.6	7	1.7	0.3- 3.1	588	95.1	93.1-97.1	6	1.0	0.2- 1.8
35-44	703	103,296	44	6.1	4.1- 8.1	6	0.9	0.1- 1.7	647	91.5	89.0-94.0	6	1.4	0.0- 2.8
45-54	756	81,682	89	12.4	9.7-15.1	9	1.2	0.4- 2.0	649	85.3	82.6-88.0	9	1.1	0.3- 1.9
55-64	995	84,247	168	17.2	14.5-19.9	5	0.6	0.0- 1.2	797	79.6	76.7-82.5	25	2.7	1.5- 3.9
65+	2455	139,480	510	21.3	19.3-23.3	5	0.2	0.0- 0.4	1880	76.2	74.2-78.2	60	2.2	1.6- 2.8
Less Than H.S.	204	41,215	41	14.3	9.0-19.6				153	79.3	72.6-86.0	10	6.4	1.7-11.1
H.S. or G.E.D.	1562	157,313	228	9.2	7.8-10.6	9	0.7	0.1- 1.3	1296	88.6	87.0-90.2	29	1.5	0.7- 2.3
Some Post-H.S.	1770	231,496	259	11.4	9.8-13.0	6	0.6	0.0- 1.2	1470	86.7	84.9-88.5	35	1.4	0.8- 2.0
College Graduate	2294	175,674	294	9.9	8.5-11.3	17	1.2	0.6- 1.8	1948	87.8	86.2-89.4	35	1.1	0.7- 1.5
Less than \$15,000	168	19,447	43	17.8	11.1-24.5	1	0.5	0.0- 1.5	115	77.6	70.2-85.0	9	4.1	0.6- 7.6
\$15,000- 24,999	312	32,269	65	14.6	9.9-19.3	2	0.8	0.0- 2.2	238	82.3	77.2-87.4	7	2.3	0.5- 4.1
\$25,000- 34,999	491	48,066	87	12.8	9.5-16.1				396	86.3	83.0-89.6	8	0.8	0.0- 1.6
\$35,000- 49,999	591	59,888	107	12.4	9.5-15.3	4	1.2	0.0- 2.4	466	84.0	80.5-87.5	14	2.5	0.3- 4.7
\$50,000- 99,999	1648	168,101	222	10.0	8.4-11.6	8	0.8	0.2- 1.4	1381	87.4	85.4-89.4	37	1.9	0.9- 2.9
\$100,000 - 199,999	1153	126,494	113	8.2	6.4-10.0	9	1.0	0.2- 1.8	1019	89.6	87.6-91.6	12	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 35: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2990	312,467	456	11.8	10.6-13.0	2480	86.9	85.5-88.3	54	1.4	1.0- 1.8
Native	87	13,408	23	19.9	10.7-29.1	64	80.1	70.9-89.3			
Non-Native	2844	293,462	422	11.3	10.1-12.5	2370	87.4	86.0-88.8	52	1.4	1.0- 1.8
18-24	198	48,472	1	1.2	0.0- 3.6	196	97.9	95.0- 100	1	0.8	0.0- 2.4
25-34	354	56,999	7	2.5	0.5- 4.5	345	97.1	95.1-99.1	2	0.4	0.0- 1.0
35-44	384	55,184	26	6.8	4.1- 9.5	355	92.5	89.6-95.4	3	0.7	0.0- 1.5
45-54	419	43,159	48	13.3	9.4-17.2	365	85.2	81.3-89.1	6	1.6	0.2- 3.0
55-64	527	43,458	108	21.6	17.7-25.5	408	76.2	72.1-80.3	11	2.2	0.6- 3.8
65+	1108	65,195	266	24.4	21.5-27.3	811	73.2	70.3-76.1	31	2.5	1.5- 3.5
Less Than H.S.	115	23,143	19	14.6	7.2-22.0	93	82.6	74.4-90.8	3	2.8	0.0- 6.7
H.S. or G.E.D.	881	88,747	135	9.9	7.9-11.9	730	89.1	87.1-91.1	16	1.0	0.4- 1.6
Some Post-H.S.	893	119,479	148	12.6	10.4-14.8	726	86.0	83.6-88.4	19	1.4	0.6- 2.2
College Graduate	1090	79,548	151	11.6	9.4-13.8	924	87.3	85.1-89.5	15	1.0	0.4- 1.6
Less than \$15,000	75	8,620	17	15.1	6.7-23.5	56	84.2	75.8-92.6	2	0.7	0.0- 1.9
\$15,000- 24,999	128	12,442	32	16.7	9.6-23.8	93	80.9	73.5-88.3	3	2.4	0.0- 5.1
\$25,000- 34,999	219	21,850	44	14.5	9.2-19.8	171	85.0	79.7-90.3	4	0.6	0.0- 1.4
\$35,000- 49,999	297	28,368	60	15.8	11.1-20.5	231	83.0	78.1-87.9	6	1.2	0.0- 2.4
\$50,000- 99,999	921	94,699	140	11.8	9.4-14.2	761	87.0	84.6-89.4	20	1.3	0.7- 1.9
\$100,000 - 199,999	658	73,888	68	9.0	6.6-11.4	583	89.7	87.0-92.4	7	1.3	0.1- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		Yes, during pregnancy			N	No		No, pre or borderline diabetes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
Female	2858	295,457	370	9.4	8.2-10.6	32	1.5	0.9- 2.1	2400	87.0	85.4-88.6	56	2.0	1.2- 2.8
Native	81	11,357	26	20.5	11.3-29.7	1	0.2	0.0- 0.6	53	76.6	66.2-87.0	1	2.7	0.0- 8.0
Non-Native	2743	280,355	336	9.0	7.8-10.2	30	1.5	0.9- 2.1	2323	87.5	85.9-89.1	54	2.0	1.2- 2.8
18-24	128	43,627	2	2.2	0.0- 5.7				123	95.2	90.7-99.7	3	2.6	0.0- 5.5
25-34	259	50,122	5	1.9	0.1- 3.7	7	3.7	1.0- 6.4	243	92.8	89.3-96.3	4	1.7	0.0- 3.5
35-44	319	48,112	18	5.4	2.7- 8.1	6	2.0	0.2- 3.8	292	90.4	86.3-94.5	3	2.3	0.0- 5.0
45-54	337	38,522	41	11.5	8.0-15.0	9	2.5	0.7- 4.3	284	85.4	81.5-89.3	3	0.5	0.0- 1.1
55-64	468	40,789	60	12.5	9.2-15.8	5	1.1	0.0- 2.3	389	83.2	79.3-87.1	14	3.2	1.4- 5.0
65+	1347	74,285	244	18.7	16.2-21.2	5	0.4	0.0- 0.8	1069	78.9	76.4-81.4	29	2.0	1.2- 2.8
Less Than H.S.	89	18,072	22	13.8	6.4-21.2				60	75.0	63.6-86.4	7	11.1	1.7-20.5
H.S. or G.E.D.	681	68,566	93	8.4	6.2-10.6	9	1.7	0.3- 3.1	566	87.9	85.2-90.6	13	2.0	0.6- 3.4
Some Post-H.S.	877	112,017	111	10.1	7.7-12.5	6	1.2	0.2- 2.2	744	87.4	84.9-89.9	16	1.3	0.5- 2.1
College Graduate	1204	96,125	143	8.5	6.9-10.1	17	2.2	1.0- 3.4	1024	88.1	85.9-90.3	20	1.2	0.6- 1.8
Less than \$15,000	93	10,828	26	20.0	10.2-29.8	1	0.8	0.0- 2.4	59	72.4	61.0-83.8	7	6.7	0.4-13.0
\$15,000- 24,999	184	19,826	33	13.3	7.2-19.4	2	1.3	0.0- 3.7	145	83.2	76.3-90.1	4	2.2	0.0- 4.6
\$25,000- 34,999	272	26,216	43	11.4	7.3-15.5				225	87.5	83.2-91.8	4	1.0	0.0- 2.2
\$35,000- 49,999	294	31,520	47	9.3	6.0-12.6	4	2.2	0.0- 4.4	235	84.9	79.6-90.2	8	3.6	0.0- 7.5
\$50,000- 99,999	727	73,402	82	7.7	5.7- 9.7	8	1.7	0.3- 3.1	620	87.9	85.0-90.8	17	2.7	0.7- 4.7
\$100,000 - 199,999	495	52,606	45	7.1	4.7- 9.5	9	2.5	0.5- 4.5	436	89.4	86.3-92.5	5	1.0	0.0- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 37: HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	779	61,330	13	3.6	1.1- 6.1		51	11.2	7.5-14.9	193	28.1	24.2-32.0	311	36.9	32.8-41.0	211	20.1	17.2-23.0
Male	429	34,532	5	3.9	0.0- 7.8		21	8.2	4.3-12.1	114	29.9	24.6-35.2	169	38.0	32.5-43.5	120	20.0	16.1-23.9
Female	350	26,798	8	3.3	0.8- 5.8		30	15.1	8.4-21.8	79	25.8	19.9-31.7	142	35.5	29.4-41.6	91	20.2	15.5-24.9
Non-Native	714	55,305	12	3.8	1.1- 6.5		43	10.6	6.7-14.5	173	27.4	23.3-31.5	286	37.3	33.0-41.6	200	20.9	17.8-24.0
45-54	84	9,603	2	2.4	0.0- 5.7		13	19.8	9.4-30.2	41	42.2	31.0-53.4	28	35.6	24.2-47.0			
55-64	162	13,969					8	4.7	1.2- 8.2	55	34.7	26.5-42.9	90	55.4	46.8-64.0	9	5.2	1.5- 8.9
65+	477	28,051	5	1.2	0.0- 2.4		10	2.3	0.5- 4.1	67	14.2	10.7-17.7	193	41.0	35.7-46.3	202	41.4	36.1-46.7
H.S. or G.E.D.	212	13,778	1	0.4	0.0- 1.2		15	10.7	4.2-17.2	50	29.1	21.7-36.5	81	36.9	29.5-44.3	65	22.8	16.9-28.7
Some Post-H.S.	250	25,515	5	3.6	0.3- 6.9		14	11.2	4.5-17.9	61	26.7	20.2-33.2	104	38.5	31.4-45.6	66	20.0	14.7-25.3
College Graduate	277	16,375	6	3.9	0.4- 7.4		17	10.7	5.2-16.2	76	33.0	26.1-39.9	108	33.1	26.8-39.4	70	19.3	14.4-24.2
\$15,000- 24,999	60	4,255	1	5.2	0.0-15.0		4	12.6	0.8-24.4	16	36.1	18.5-53.7	15	15.0	6.2-23.8	24	31.2	16.9-45.5
\$25,000- 34,999	81	5,913	1	4.4	0.0-12.6		7	18.7	5.8-31.6	11	12.9	4.5-21.3	32	35.9	23.6-48.2	30	28.2	17.0-39.4
\$35,000- 49,999	105	7,264	3	3.7	0.0- 8.0		7	8.1	1.2-15.0	25	29.0	17.8-40.2	40	38.0	26.0-50.0	30	21.2	12.8-29.6
\$50,000- 99,999	215	16,239	4	5.6	0.0-12.9		7	6.4	1.3-11.5	63	29.9	22.6-37.2	87	36.6	29.2-44.0	54	21.4	15.3-27.5
\$100,000 - 199,999	110	10,203	2	1.8	0.0- 4.7		12	14.0	5.6-22.4	31	34.5	23.5-45.5	47	39.7	29.1-50.3	18	10.0	4.9-15.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	429	34,532	5	3.9	0.0- 7.8	21	8.2	4.3-12.1	114	29.9	24.6-35.2	169	38.0	32.5-43.5	120	20.0	16.1-23.9
Non-Native	397	31,194	5	4.3	0.0- 8.6	19	8.3	4.2-12.4	103	28.4	23.1-33.7	155	37.8	32.1-43.5	115	21.2	16.9-25.5
55-64	105	9,193				4	3.0	0.0- 6.3	39	36.2	26.0-46.4	54	53.4	42.8-64.0	8	7.5	2.2-12.8
65+	250	14,969	1	0.4	0.0- 1.2	3	2.0	0.0- 4.5	33	14.3	9.4-19.2	101	41.8	34.5-49.1	112	41.6	34.5-48.7
H.S. or G.E.D.	127	8,321	1	0.7	0.0- 2.1	8	8.3	1.6-15.0	32	32.8	23.0-42.6	42	34.0	24.6-43.4	44	24.1	16.7-31.5
Some Post-H.S.	142	14,481	3	4.8	0.0-10.1	3	3.3	0.0- 7.0	41	30.6	21.8-39.4	60	41.9	32.7-51.1	35	19.5	12.8-26.2
College Graduate	140	8,417				7	11.6	2.6-20.6	38	32.8	23.4-42.2	56	33.4	24.8-42.0	39	22.3	14.9-29.7
\$35,000- 49,999	59	4,413	1	1.4	0.0- 4.1	3	6.1	0.0-13.9	16	34.5	19.2-49.8	19	37.6	21.1-54.1	20	20.5	10.3-30.7
\$50,000- 99,999	134	10,713	1	5.6	0.0-16.0	4	5.6	0.0-11.5	43	31.6	22.4-40.8	55	36.7	27.1-46.3	31	20.5	12.9-28.1
\$100,000 - 199,999	65	6,452	1	2.4	0.0- 6.9	5	11.5	0.5-22.5	20	36.2	21.9-50.5	27	39.1	25.6-52.6	12	10.8	4.3-17.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD YOU HAD DIABETES? (DIABAGE4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	350	26,798	8	3.3	0.8- 5.8	30	15.1	8.4-21.8	79	25.8	19.9-31.7	142	35.5	29.4-41.6	91	20.2	15.5-24.9
Non-Native	317	24,111	7	3.1	0.6- 5.6	24	13.6	6.5-20.7	70	26.2	19.9-32.5	131	36.6	30.1-43.1	85	20.5	15.6-25.4
55-64	57	4,775				4	7.9	0.0-16.3	16	31.8	17.3-46.3	36	59.3	44.4-74.2	1	1.0	0.0- 3.0
65+	227	13,082	4	2.1	0.0- 4.5	7	2.5	0.3- 4.7	34	14.2	8.9-19.5	92	40.0	32.4-47.6	90	41.1	33.3-48.9
H.S. or G.E.D.	85	5,457				7	14.4	2.1-26.7	18	23.4	12.2-34.6	39	41.4	28.9-53.9	21	20.8	11.2-30.4
Some Post-H.S.	108	11,035	2	2.1	0.0- 5.0	11	21.6	8.3-34.9	20	21.5	12.1-30.9	44	34.1	23.7-44.5	31	20.7	12.5-28.9
College Graduate	137	7,959	6	8.1	1.0-15.2	10	9.8	3.7-15.9	38	33.3	23.7-42.9	52	32.8	23.8-41.8	31	16.0	9.9-22.1
\$50,000- 99,999	81	5,526	3	5.8	0.0-12.7	3	8.1	0.0-17.5	20	26.7	14.7-38.7	32	36.3	24.5-48.1	23	23.2	13.4-33.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	84
2 MALES ONLY	85
3 FEMALES ONLY	86
ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? (HISPANC3)	
4 MALES AND FEMALES	87
5 MALES ONLY	88
6 FEMALES ONLY	89
THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE2)	
7 MALES AND FEMALES	90
8 MALES ONLY	91
9 FEMALES ONLY	92
ARE YOU: (MARITAL STATUS) (MARITAL)	
10 MALES AND FEMALES	93
11 MALES ONLY	94
12 FEMALES ONLY	95
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
13 MALES AND FEMALES	96
14 MALES ONLY	97
15 FEMALES ONLY	98
DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
16 MALES AND FEMALES	99
17 MALES ONLY	100
18 FEMALES ONLY	101
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
19 MALES AND FEMALES	102
20 MALES ONLY	103
21 FEMALES ONLY	104

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
22 MALES AND FEMALES	105
23 MALES ONLY	106
24 FEMALES ONLY	107
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)	
25 MALES AND FEMALES	108
26 MALES ONLY	109
27 FEMALES ONLY	110
HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)	
28 MALES AND FEMALES	111
29 MALES ONLY	112
30 FEMALES ONLY	113
HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)	
31 MALES AND FEMALES	114
32 MALES ONLY	115
33 FEMALES ONLY	116
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
34 MALES AND FEMALES	117

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
35 MALES ONLY	118
36 FEMALES ONLY	119
ARE YOU CURRENTLY...? (EMPLOY1)	
37 MALES AND FEMALES	120
38 MALES ONLY	121
39 FEMALES ONLY	122
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
40 MALES AND FEMALES	123
41 MALES ONLY	124
42 FEMALES ONLY	125
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)	
43 MALES AND FEMALES	126
44 MALES ONLY	127
45 FEMALES ONLY	128
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
46 MALES AND FEMALES	129
47 MALES ONLY	130
48 FEMALES ONLY	131
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
49 MALES AND FEMALES	132
50 MALES ONLY	133
51 FEMALES ONLY	134
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
52 MALES AND FEMALES	135
53 MALES ONLY	136
54 FEMALES ONLY	137

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																			
			18-24			25-34			35-44			45-54			55-64			65+				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	5860	609,046	326	15.1	13.5-16.7	613	17.6	16.2-19.0	704	17.0	15.8-18.2	760	13.5	12.5-14.5	997	13.9	12.9-14.9	2460	23.0	22.0-24.0		
Male	2997	313,117	198	15.5	13.5-17.5	354	18.2	16.4-20.0	384	17.6	15.8-19.4	422	13.9	12.5-15.3	528	13.9	12.5-15.3	1111	20.9	19.5-22.3		
Female	2863	295,929	128	14.7	12.3-17.1	259	16.9	14.9-18.9	320	16.3	14.5-18.1	338	13.0	11.4-14.6	469	13.8	12.4-15.2	1349	25.1	23.5-26.7		
Native	168	24,765	23	24.8	15.8-33.8	29	25.6	16.6-34.6	18	11.5	5.4-17.6	28	16.1	8.8-23.4	36	13.9	8.6-19.2	34	8.1	4.8-11.4		
Non-Native	5596	574,617	300	14.8	13.2-16.4	581	17.4	16.0-18.8	677	17.3	15.9-18.7	710	13.2	12.2-14.2	944	13.8	12.8-14.8	2384	23.6	22.4-24.8		
Less Than H.S.	205	41,373	27	31.6	22.2-41.0	15	13.0	6.7-19.3	14	10.7	5.0-16.4	16	9.4	4.5-14.3	28	9.3	5.6-13.0	105	26.0	19.9-32.1		
H.S. or G.E.D.	1565	157,508	154	24.4	21.1-27.7	188	19.9	17.2-22.6	151	13.3	11.1-15.5	153	9.6	8.0-11.2	258	12.0	10.4-13.6	661	20.7	18.7-22.7		
Some Post-H.S.	1772	231,737	86	12.7	10.2-15.2	149	14.9	12.5-17.3	191	16.3	14.1-18.5	232	14.5	12.7-16.3	336	16.6	14.8-18.4	778	25.0	23.0-27.0		
College Graduate	2297	175,879	58	6.3	4.7- 7.9	260	20.2	18.0-22.4	347	22.8	20.6-25.0	350	16.1	14.3-17.9	373	13.0	11.6-14.4	909	21.5	19.9-23.1		
Less than \$15,000	168	19,447	13	19.4	9.6-29.2	18	23.6	13.2-34.0	17	14.0	7.1-20.9	25	13.0	7.5-18.5	37	13.8	8.5-19.1	58	16.1	10.8-21.4		
\$15,000- 24,999	312	32,269	22	19.9	12.3-27.5	30	20.2	13.3-27.1	23	10.4	5.7-15.1	27	9.6	5.7-13.5	43	11.0	7.3-14.7	167	28.9	23.4-34.4		
\$25,000- 34,999	491	48,066	25	15.9	10.2-21.6	51	18.7	13.8-23.6	35	11.8	7.7-15.9	35	8.5	5.4-11.6	60	9.6	6.9-12.3	285	35.4	30.5-40.3		
\$35,000- 49,999	591	59,888	48	22.4	16.7-28.1	58	15.8	11.7-19.9	56	13.8	10.1-17.5	47	8.5	6.0-11.0	77	12.0	9.1-14.9	305	27.5	23.6-31.4		
\$50,000- 99,999	1649	168,312	100	15.5	12.6-18.4	201	19.3	16.8-21.8	192	15.7	13.3-18.1	174	11.5	9.5-13.5	284	14.5	12.7-16.3	698	23.6	21.6-25.6		
\$100,000 - 199,999	1154	126,567	29	6.0	3.8- 8.2	145	20.2	17.3-23.1	228	26.6	23.5-29.7	252	20.4	17.9-22.9	229	15.1	12.9-17.3	271	11.7	10.1-13.3		

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2997	313,117	198	15.5	13.5-17.5	354	18.2	16.4-20.0	384	17.6	15.8-19.4	422	13.9	12.5-15.3	528	13.9	12.5-15.3	1111	20.9	19.5-22.3
Native	87	13,408	20	39.7	26.6-52.8	16	22.5	11.1-33.9	8	10.7	2.7-18.7	12	8.9	3.2-14.6	19	12.9	6.4-19.4	12	5.3	2.0- 8.6
Non-Native	2848	293,790	175	14.4	12.4-16.4	337	18.3	16.5-20.1	369	17.9	16.1-19.7	396	13.9	12.5-15.3	500	14.0	12.6-15.4	1071	21.5	20.1-22.9
Less Than H.S.	116	23,301	17	32.3	20.1-44.5	7	9.8	2.7-16.9	10	11.6	4.3-18.9	12	10.7	4.6-16.8	16	10.0	4.7-15.3	54	25.6	17.6-33.6
H.S. or G.E.D.	882	88,818	100	24.0	20.1-27.9	120	20.3	17.0-23.6	91	13.9	11.2-16.6	107	11.5	9.3-13.7	160	12.9	10.7-15.1	304	17.4	15.2-19.6
Some Post-H.S.	893	119,479	49	11.9	8.8-15.0	97	17.4	14.3-20.5	119	18.7	15.6-21.8	133	14.8	12.3-17.3	171	16.0	13.6-18.4	324	21.0	18.5-23.5
College Graduate	1092	79,648	31	6.6	4.2- 9.0	129	19.5	16.4-22.6	163	21.9	18.8-25.0	164	15.5	13.1-17.9	180	13.1	11.1-15.1	425	23.4	21.0-25.8
Less than \$15,000	75	8,620	9	25.8	11.5-40.1	9	22.5	7.6-37.4	8	12.6	3.6-21.6	14	15.5	6.9-24.1	14	11.4	4.7-18.1	21	12.2	5.7-18.7
\$15,000- 24,999	128	12,442	11	24.8	12.8-36.8	12	14.6	6.6-22.6	10	12.2	4.0-20.4	13	8.2	3.3-13.1	19	12.8	6.7-18.9	63	27.4	19.4-35.4
\$25,000- 34,999	219	21,850	11	13.6	6.0-21.2	25	19.9	12.5-27.3	20	13.8	7.5-20.1	21	11.3	6.0-16.6	30	9.7	5.8-13.6	112	31.8	24.7-38.9
\$35,000- 49,999	297	28,368	31	23.9	16.6-31.2	31	15.2	9.9-20.5	30	13.7	8.8-18.6	24	8.3	4.8-11.8	42	12.5	8.4-16.6	139	26.4	21.1-31.7
\$50,000- 99,999	921	94,699	62	15.5	11.8-19.2	130	21.5	18.0-25.0	106	15.2	12.3-18.1	97	10.4	8.2-12.6	163	14.6	12.2-17.0	363	22.8	20.1-25.5
\$100,000 - 199,999	658	73,888	18	5.6	3.1- 8.1	88	20.4	16.5-24.3	135	27.4	23.1-31.7	147	21.1	17.8-24.4	124	14.0	11.5-16.5	146	11.5	9.3-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2863	295,929	128	14.7	12.3-17.1	259	16.9	14.9-18.9	320	16.3	14.5-18.1	338	13.0	11.4-14.6	469	13.8	12.4-15.2	1349	25.1	23.5-26.7
Native	81	11,357	3	7.1	0.0-14.9	13	29.3	15.2-43.4	10	12.4	3.2-21.6	16	24.7	11.4-38.0	17	15.0	6.4-23.6	22	11.5	5.4-17.6
Non-Native	2748	280,827	125	15.2	12.7-17.7	244	16.5	14.5-18.5	308	16.6	14.8-18.4	314	12.4	11.0-13.8	444	13.6	12.2-15.0	1313	25.7	23.9-27.5
Less Than H.S.	89	18,072	10	30.7	16.0-45.4	8	17.1	6.1-28.1	4	9.6	0.8-18.4	4	7.8	0.0-16.0	12	8.4	3.1-13.7	51	26.4	16.8-36.0
H.S. or G.E.D.	683	68,690	54	25.0	19.3-30.7	68	19.3	15.0-23.6	60	12.5	9.2-15.8	46	7.3	5.1- 9.5	98	10.9	8.5-13.3	357	25.0	21.7-28.3
Some Post-H.S.	879	112,258	37	13.5	9.6-17.4	52	12.3	9.0-15.6	72	13.7	10.6-16.8	99	14.1	11.4-16.8	165	17.2	14.5-19.9	454	29.3	26.2-32.4
College Graduate	1205	96,231	27	6.0	3.8- 8.2	131	20.8	17.7-23.9	184	23.5	20.4-26.6	186	16.7	14.3-19.1	193	13.0	11.0-15.0	484	20.0	17.8-22.2
Less than \$15,000	93	10,828	4	14.4	0.9-27.9	9	24.4	10.1-38.7	9	15.2	5.4-25.0	11	11.0	4.1-17.9	23	15.8	8.0-23.6	37	19.2	11.2-27.2
\$15,000- 24,999	184	19,826	11	16.8	7.2-26.4	18	23.7	13.9-33.5	13	9.2	3.5-14.9	14	10.5	4.8-16.2	24	9.9	5.0-14.8	104	29.9	22.5-37.3
\$25,000- 34,999	272	26,216	14	17.9	9.7-26.1	26	17.8	11.1-24.5	15	10.2	4.7-15.7	14	6.2	2.7- 9.7	30	9.6	5.9-13.3	173	38.5	31.4-45.6
\$35,000- 49,999	294	31,520	17	21.0	12.4-29.6	27	16.3	9.8-22.8	26	14.0	8.5-19.5	23	8.6	4.9-12.3	35	11.6	7.1-16.1	166	28.5	22.6-34.4
\$50,000- 99,999	728	73,613	38	15.4	10.9-19.9	71	16.5	12.8-20.2	86	16.4	12.9-19.9	77	12.8	9.7-15.9	121	14.4	11.5-17.3	335	24.5	21.4-27.6
\$100,000 - 199,999	496	52,679	11	6.5	2.6-10.4	57	19.9	15.2-24.6	93	25.5	20.8-30.2	105	19.4	15.7-23.1	105	16.5	13.2-19.8	125	12.1	9.6-14.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5803	603,129	76	2.9	2.1- 3.7	9	0.3	0.1- 0.5	3	0.1	0.0- 0.3	28	0.9	0.5- 1.3	3	0.1	0.0- 0.3	5684	95.6	94.8-96.4
Male	2962	309,599	50	3.2	2.2- 4.2	4	0.1	0.0- 0.3	2	0.2	0.0- 0.6	16	1.0	0.4- 1.6	2	0.2	0.0- 0.4	2888	95.3	94.1-96.5
Female	2841	293,529	26	2.5	1.5- 3.5	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3	12	0.9	0.3- 1.5	1	0.1	0.0- 0.3	2796	96.0	94.8-97.2
18-24	323	91,220	12	4.5	1.8- 7.2				1	0.6	0.0- 1.8	4	1.8	0.0- 3.6				306	93.1	89.8-96.4
25-34	610	106,430	26	5.9	3.5- 8.3	4	1.0	0.0- 2.0				9	2.1	0.7- 3.5	1	0.1	0.0- 0.3	570	90.9	88.0-93.8
35-44	700	102,897	13	3.2	1.2- 5.2	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6	5	0.7	0.0- 1.5	2	0.7	0.0- 1.7	677	94.8	92.4-97.2
45-54	748	80,834	13	2.4	1.0- 3.8				1	0.1	0.0- 0.3	4	0.8	0.0- 1.6				730	96.7	95.1-98.3
55-64	986	83,306	8	1.5	0.3- 2.7	2	0.2	0.0- 0.4				5	0.5	0.0- 1.1				971	97.8	96.6-99.0
65+	2436	138,442	4	0.2	0.0- 0.4	1	0.0	0.0- 0.0				1	0.1	0.0- 0.3				2430	99.7	99.5-99.9
Less Than H.S.	202	40,674	11	9.3	3.8-14.8	1	1.1	0.0- 3.3	1	1.3	0.0- 3.8	3	2.1	0.0- 5.0	1	1.1	0.0- 3.3	185	85.0	77.9-92.1
H.S. or G.E.D.	1551	156,117	29	4.0	2.4- 5.6	3	0.4	0.0- 0.8	1	0.1	0.0- 0.3	10	1.5	0.5- 2.5	1	0.1	0.0- 0.3	1507	94.0	92.0-96.0
Some Post-H.S.	1757	230,132	20	2.3	1.3- 3.3	1	0.0	0.0- 0.0				6	0.4	0.0- 0.8	1	0.1	0.0- 0.3	1729	97.2	96.0-98.4
College Graduate	2279	174,480	16	1.2	0.6- 1.8	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	9	0.9	0.1- 1.7				2249	97.5	96.5-98.5
Less than \$15,000	167	19,432	1	1.2	0.0- 3.4	1	0.6	0.0- 1.8				3	2.2	0.0- 5.1				162	96.0	92.3-99.7
\$15,000- 24,999	306	31,285	6	4.2	0.7- 7.7							2	2.3	0.0- 5.8	1	1.4	0.0- 4.1	297	92.1	86.6-97.6
\$25,000- 34,999	486	47,618	10	3.8	1.3- 6.3	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6	3	1.8	0.0- 4.3				471	93.7	90.0-97.4
\$35,000- 49,999	585	59,423	9	4.1	1.4- 6.8	1	0.2	0.0- 0.6				2	0.5	0.0- 1.3	1	0.2	0.0- 0.6	572	95.1	92.2-98.0
\$50,000- 99,999	1644	167,811	25	3.6	2.0- 5.2	2	0.3	0.0- 0.9	1	0.3	0.0- 0.9	5	0.4	0.0- 0.8				1611	95.3	93.5-97.1
\$100,000 - 199,999	1150	126,192	12	2.0	0.8- 3.2	2	0.1	0.0- 0.3	1	0.2	0.0- 0.6	6	1.1	0.1- 2.1				1129	96.6	95.0-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? (HISPANC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2962	309,599	50	3.2	2.2- 4.2	4	0.1	0.0- 0.3	2	0.2	0.0- 0.6	16	1.0	0.4- 1.6	2	0.2	0.0- 0.4	2888	95.3	94.1-96.5
18-24	195	47,593	8	5.4	1.5- 9.3				1	1.1	0.0- 3.3	3	2.3	0.0- 5.0				183	91.2	86.1-96.3
25-34	353	56,735	14	5.3	2.6- 8.0	1	0.2	0.0- 0.6				6	2.2	0.4- 4.0	1	0.2	0.0- 0.6	331	92.1	88.8-95.4
35-44	380	54,574	9	3.7	1.2- 6.2							2	0.3	0.0- 0.7	1	0.8	0.0- 2.4	368	95.2	92.3-98.1
45-54	415	42,771	10	3.4	1.0- 5.8				1	0.2	0.0- 0.6	2	0.8	0.0- 2.2				402	95.5	92.8-98.2
55-64	523	43,187	5	1.5	0.1- 2.9	2	0.4	0.0- 1.0				2	0.5	0.0- 1.3				514	97.6	95.8-99.4
65+	1096	64,739	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3				1	0.1	0.0- 0.3				1090	99.4	98.8- 100
Less Than H.S.	114	22,890	7	9.7	2.4-17.0				1	2.4	0.0- 6.9	3	3.8	0.0- 8.9	1	1.9	0.0- 5.6	102	82.2	72.4-92.0
H.S. or G.E.D.	872	87,719	20	4.2	2.2- 6.2	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	7	1.6	0.4- 2.8	1	0.1	0.0- 0.3	842	93.9	91.5-96.3
Some Post-H.S.	886	118,821	13	2.5	1.1- 3.9							1	0.2	0.0- 0.6				872	97.3	95.7-98.9
College Graduate	1080	78,803	10	1.4	0.4- 2.4	3	0.3	0.0- 0.7				5	1.0	0.0- 2.0				1062	97.4	96.0-98.8
Less than \$15,000	75	8,620	1	2.6	0.0- 7.7	1	1.3	0.0- 3.8				1	1.5	0.0- 4.4				72	94.6	88.3- 100
\$15,000- 24,999	124	11,768	4	6.9	0.0-14.2										1	3.7	0.0-10.8	119	89.4	79.8-99.0
\$25,000- 34,999	217	21,680	7	4.7	0.8- 8.6				1	0.4	0.0- 1.2	3	4.1	0.0- 9.6				206	90.8	84.3-97.3
\$35,000- 49,999	293	28,182	6	5.3	1.0- 9.6	1	0.3	0.0- 0.9				2	1.0	0.0- 2.4	1	0.5	0.0- 1.5	283	92.9	88.2-97.6
\$50,000- 99,999	918	94,444	17	3.7	1.7- 5.7	1	0.1	0.0- 0.3	1	0.6	0.0- 1.8	3	0.5	0.0- 1.1				896	95.2	92.8-97.6
\$100,000 - 199,999	654	73,514	7	1.8	0.2- 3.4	1	0.1	0.0- 0.3				4	1.2	0.0- 2.4				642	96.9	94.9-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano~a			Puerto Rican			Cuban			Another Hispanic, Latino~a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2841	293,529	26	2.5	1.5- 3.5	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3	12	0.9	0.3- 1.5	1	0.1	0.0- 0.3	2796	96.0	94.8-97.2
18-24	128	43,627	4	3.6	0.1- 7.1							1	1.2	0.0- 3.6				123	95.1	90.8-99.4
25-34	257	49,695	12	6.7	3.0-10.4	3	1.9	0.0- 4.1				3	1.9	0.0- 4.1				239	89.4	84.7-94.1
35-44	320	48,323	4	2.7	0.0- 5.4	2	0.7	0.0- 1.7	1	0.5	0.0- 1.5	3	1.2	0.0- 2.6	1	0.6	0.0- 1.8	309	94.3	90.8-97.8
45-54	333	38,063	3	1.3	0.0- 2.9							2	0.7	0.0- 1.7				328	98.0	96.2-99.8
55-64	463	40,118	3	1.5	0.0- 3.3							3	0.5	0.0- 1.1				457	98.1	96.3-99.9
65+	1340	73,703																1340	100.0	100.0- 100
Less Than H.S.	88	17,784	4	8.8	0.4-17.2	1	2.6	0.0- 7.5										83	88.7	79.1-98.3
H.S. or G.E.D.	679	68,398	9	3.8	1.3- 6.3	2	0.7	0.0- 1.7				3	1.4	0.0- 3.2				665	94.2	91.1-97.3
Some Post-H.S.	871	111,311	7	2.0	0.4- 3.6	1	0.1	0.0- 0.3				5	0.6	0.0- 1.2	1	0.3	0.0- 0.9	857	97.0	95.2-98.8
College Graduate	1199	95,677	6	1.0	0.2- 1.8	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6	4	0.9	0.0- 1.9				1187	97.6	96.0-99.2
Less than \$15,000	92	10,813										2	2.8	0.0- 7.5				90	97.2	92.5- 100
\$15,000- 24,999	182	19,518	2	2.6	0.0- 6.1							2	3.6	0.0- 9.1				178	93.8	87.3- 100
\$25,000- 34,999	269	25,939	3	3.1	0.0- 6.4	1	0.8	0.0- 2.4										265	96.1	92.4-99.8
\$35,000- 49,999	292	31,241	3	3.0	0.0- 6.5													289	97.0	93.5- 100
\$50,000- 99,999	726	73,367	8	3.5	1.0- 6.0	1	0.6	0.0- 1.8				2	0.4	0.0- 1.0				715	95.5	92.8-98.2
\$100,000 - 199,999	496	52,679	5	2.3	0.1- 4.5	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	2	1.0	0.0- 2.6				487	96.1	93.4-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Data was weighted using _LLCPWT.																	
			One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5783	600,142	5271	85.4	84.0-86.8	115	4.1	3.3- 4.9	182	4.5	3.7- 5.3	54	1.7	1.1- 2.3	5	0.1	0.0- 0.3	156	4.2	3.4- 5.0
Male	2946	307,810	2668	85.1	83.3-86.9	70	4.1	3.1- 5.1	98	4.9	3.7- 6.1	26	1.6	1.0- 2.2	2	0.1	0.0- 0.3	82	4.2	3.2- 5.2
Female	2837	292,333	2603	85.7	83.5-87.9	45	4.1	2.7- 5.5	84	4.1	2.9- 5.3	28	1.8	1.0- 2.6	3	0.1	0.0- 0.3	74	4.2	3.0- 5.4
18-24	323	91,220	268	81.4	76.5-86.3	14	6.4	2.9- 9.9	24	7.1	4.2-10.0	4	0.9	0.1- 1.7	1	0.2	0.0- 0.6	12	3.9	1.5- 6.3
25-34	610	106,480	498	76.0	71.9-80.1	33	7.1	4.6- 9.6	33	6.9	4.4- 9.4	11	2.4	0.8- 4.0	2	0.3	0.0- 0.7	33	7.4	4.9- 9.9
35-44	696	102,053	602	82.4	78.9-85.9	30	6.1	3.7- 8.5	19	3.0	1.4- 4.6	24	4.7	2.7- 6.7				21	3.8	2.0- 5.6
45-54	741	79,698	657	85.2	81.9-88.5	22	3.9	2.1- 5.7	32	5.5	3.1- 7.9	10	1.6	0.6- 2.6				20	3.7	1.9- 5.5
55-64	984	82,781	907	89.7	87.2-92.2	8	1.6	0.4- 2.8	37	4.3	2.7- 5.9	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3	28	3.9	2.3- 5.5
65+	2429	137,911	2339	94.9	93.7-96.1	8	0.4	0.0- 0.8	37	1.6	1.0- 2.2	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	42	2.7	1.7- 3.7
Less Than H.S.	199	40,024	158	68.2	59.6-76.8	7	7.9	2.2-13.6	20	14.3	7.6-21.0	3	2.4	0.0- 5.3				11	7.2	2.7-11.7
H.S. or G.E.D.	1552	156,107	1392	83.8	81.1-86.5	39	4.9	3.1- 6.7	65	5.5	3.9- 7.1	6	0.8	0.0- 1.6	3	0.4	0.0- 0.8	47	4.6	3.0- 6.2
Some Post-H.S.	1745	228,131	1609	87.7	85.5-89.9	30	3.6	2.2- 5.0	55	4.0	2.8- 5.2	11	1.3	0.5- 2.1	1	0.0	0.0- 0.0	39	3.4	2.2- 4.6
College Graduate	2274	174,106	2100	87.7	85.7-89.7	39	3.3	2.1- 4.5	41	2.0	1.2- 2.8	34	2.7	1.7- 3.7	1	0.0	0.0- 0.0	59	4.3	3.1- 5.5
Less than \$15,000	166	19,389	129	64.4	53.8-75.0	9	7.9	2.6-13.2	20	19.1	9.7-28.5				1	1.2	0.0- 3.4	7	7.4	0.9-13.9
\$15,000- 24,999	306	31,225	262	73.9	66.3-81.5	6	3.4	0.7- 6.1	19	8.9	4.0-13.8	5	4.5	0.4- 8.6	1	0.4	0.0- 1.2	13	8.9	3.4-14.4
\$25,000- 34,999	489	47,869	426	76.1	70.2-82.0	19	8.8	4.5-13.1	19	5.3	2.4- 8.2				1	0.2	0.0- 0.6	24	9.6	5.5-13.7
\$35,000- 49,999	583	59,199	525	83.2	78.5-87.9	12	4.3	1.6- 7.0	25	6.7	3.8- 9.6	7	2.9	0.4- 5.4	1	0.4	0.0- 1.2	13	2.5	0.9- 4.1
\$50,000- 99,999	1636	166,476	1490	85.6	83.1-88.1	27	3.3	1.9- 4.7	56	5.2	3.4- 7.0	18	1.8	1.0- 2.6	1	0.0	0.0- 0.0	44	4.1	2.7- 5.5
\$100,000 - 199,999	1148	126,162	1102	94.0	92.0-96.0	8	1.2	0.2- 2.2	13	1.5	0.5- 2.5	3	0.5	0.0- 1.1				22	2.9	1.5- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2946	307,810	2668	85.1	83.3-86.9	70	4.1	3.1- 5.1	98	4.9	3.7- 6.1	26	1.6	1.0- 2.2	2	0.1	0.0- 0.3	82	4.2	3.2- 5.2
18-24	195	47,593	152	75.7	69.0-82.4	8	5.4	1.5- 9.3	21	11.9	6.8-17.0	4	1.7	0.1- 3.3	1	0.5	0.0- 1.5	9	4.8	1.7- 7.9
25-34	353	56,735	294	79.6	74.7-84.5	16	5.4	2.7- 8.1	18	6.2	3.1- 9.3	6	1.9	0.3- 3.5				19	6.9	3.6-10.2
35-44	379	54,460	328	82.6	77.9-87.3	20	6.8	3.7- 9.9	9	3.0	0.8- 5.2	12	4.3	1.8- 6.8				10	3.2	1.0- 5.4
45-54	409	42,016	364	86.3	82.2-90.4	17	5.5	2.8- 8.2	15	3.5	1.5- 5.5	2	0.8	0.0- 2.0				11	4.0	1.5- 6.5
55-64	522	43,001	485	91.1	88.2-94.0	4	1.2	0.0- 2.6	20	4.3	2.3- 6.3	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9	11	2.9	1.1- 4.7
65+	1088	64,006	1045	94.4	92.4-96.4	5	0.6	0.0- 1.2	15	1.5	0.7- 2.3	1	0.2	0.0- 0.6				22	3.3	1.7- 4.9
Less Than H.S.	112	22,454	89	72.0	61.2-82.8	4	7.6	0.2-15.0	10	10.8	3.5-18.1	2	2.6	0.0- 6.5				7	7.1	1.6-12.6
H.S. or G.E.D.	874	88,019	773	83.8	80.5-87.1	23	4.0	2.2- 5.8	43	6.6	4.2- 9.0	3	0.7	0.0- 1.5	2	0.4	0.0- 1.0	30	4.6	2.8- 6.4
Some Post-H.S.	876	117,661	807	87.8	84.9-90.7	16	3.1	1.5- 4.7	29	4.7	2.7- 6.7	5	1.0	0.0- 2.0				19	3.5	1.7- 5.3
College Graduate	1076	78,356	991	86.2	83.3-89.1	27	4.7	2.7- 6.7	16	1.8	0.8- 2.8	16	3.2	1.6- 4.8				26	4.2	2.4- 6.0
Less than \$15,000	75	8,620	56	53.6	38.3-68.9	6	11.2	1.8-20.6	8	22.4	6.9-37.9				1	2.6	0.0- 7.7	4	10.2	0.0-20.6
\$15,000- 24,999	123	11,671	104	77.6	66.8-88.4	2	2.7	0.0- 6.4	10	9.8	2.0-17.6	3	6.4	0.0-14.2	1	1.0	0.0- 3.0	3	2.5	0.0- 5.4
\$25,000- 34,999	218	21,699	185	71.7	62.9-80.5	13	12.8	5.5-20.1	7	3.8	0.7- 6.9							13	11.7	5.0-18.4
\$35,000- 49,999	292	27,981	260	85.0	79.7-90.3	6	2.5	0.5- 4.5	16	8.7	4.2-13.2	2	1.0	0.0- 2.4				8	2.8	0.4- 5.2
\$50,000- 99,999	914	93,991	824	83.4	79.9-86.9	23	4.9	2.5- 7.3	32	5.6	3.4- 7.8	10	1.7	0.5- 2.9				25	4.5	2.5- 6.5
\$100,000 - 199,999	652	73,483	620	92.7	90.0-95.4	6	1.3	0.1- 2.5	12	2.4	0.8- 4.0	2	0.7	0.0- 1.7				12	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2837	292,333	2603	85.7	83.5-87.9	45	4.1	2.7- 5.5	84	4.1	2.9- 5.3	28	1.8	1.0- 2.6	3	0.1	0.0- 0.3	74	4.2	3.0- 5.4
18-24	128	43,627	116	87.7	80.8-94.6	6	7.4	1.5-13.3	3	1.9	0.0- 4.1							3	3.0	0.0- 6.3
25-34	257	49,745	204	71.8	65.1-78.5	17	9.0	4.5-13.5	15	7.7	3.6-11.8	5	2.8	0.0- 5.7	2	0.7	0.0- 1.7	14	7.9	3.6-12.2
35-44	317	47,593	274	82.2	76.9-87.5	10	5.2	1.9- 8.5	10	3.0	0.6- 5.4	12	5.1	2.0- 8.2				11	4.5	1.6- 7.4
45-54	332	37,683	293	84.1	78.8-89.4	5	2.1	0.1- 4.1	17	7.7	3.2-12.2	8	2.6	0.6- 4.6				9	3.5	1.1- 5.9
55-64	462	39,781	422	88.2	84.3-92.1	4	2.1	0.0- 4.3	17	4.3	1.8- 6.8	2	0.4	0.0- 1.0				17	5.0	2.5- 7.5
65+	1341	73,905	1294	95.4	93.8-97.0	3	0.3	0.0- 0.7	22	1.8	1.0- 2.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	20	2.2	1.0- 3.4
Less Than H.S.	87	17,570	69	63.4	49.3-77.5	3	8.3	0.0-17.1	10	18.8	7.0-30.6	1	2.3	0.0- 6.8				4	7.3	0.0-14.7
H.S. or G.E.D.	678	68,087	619	83.9	79.4-88.4	16	6.0	2.7- 9.3	22	4.2	2.2- 6.2	3	1.0	0.0- 2.2	1	0.4	0.0- 1.2	17	4.5	2.0- 7.0
Some Post-H.S.	869	110,470	802	87.5	84.2-90.8	14	4.0	1.6- 6.4	26	3.3	1.7- 4.9	6	1.6	0.0- 3.2	1	0.1	0.0- 0.3	20	3.4	1.6- 5.2
College Graduate	1198	95,750	1109	88.9	86.4-91.4	12	2.1	0.7- 3.5	25	2.2	1.0- 3.4	18	2.3	1.1- 3.5	1	0.1	0.0- 0.3	33	4.4	2.8- 6.0
Less than \$15,000	91	10,770	73	73.1	59.8-86.4	3	5.3	0.0-11.4	12	16.4	5.2-27.6							3	5.2	0.0-13.2
\$15,000- 24,999	183	19,553	158	71.8	61.6-82.0	4	3.8	0.1- 7.5	9	8.4	2.3-14.5	2	3.3	0.0- 7.8				10	12.8	4.6-21.0
\$25,000- 34,999	271	26,170	241	79.7	72.1-87.3	6	5.5	0.8-10.2	12	6.5	1.8-11.2				1	0.4	0.0- 1.2	11	7.9	2.6-13.2
\$35,000- 49,999	291	31,219	265	81.6	74.2-89.0	6	5.9	1.0-10.8	9	4.9	1.4- 8.4	5	4.5	0.0- 9.2	1	0.8	0.0- 2.4	5	2.3	0.1- 4.5
\$50,000- 99,999	722	72,486	666	88.6	85.1-92.1	4	1.2	0.0- 2.6	24	4.7	2.2- 7.2	8	1.8	0.4- 3.2	1	0.1	0.0- 0.3	19	3.6	1.6- 5.6
\$100,000 - 199,999	496	52,679	482	95.7	93.3-98.1	2	1.0	0.0- 2.6	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6				10	2.9	0.9- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 10: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	Married			Divorced			Widowed			Separated			Never married			Unmarried couple	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5808	603,079	3281	54.3	52.7-55.9	621	9.0	8.2- 9.8	685	6.9	6.3- 7.5	42	0.9	0.5- 1.3	982	24.3	22.7-25.9	197	4.7	3.9- 5.5
Male	2965	309,055	1706	53.5	51.3-55.7	343	9.7	8.5-10.9	164	3.4	2.8- 4.0	22	0.9	0.3- 1.5	622	27.2	25.0-29.4	108	5.2	4.0- 6.4
Female	2843	294,024	1575	55.0	52.5-57.5	278	8.2	7.0- 9.4	521	10.5	9.3-11.7	20	0.9	0.3- 1.5	360	21.2	18.8-23.6	89	4.2	3.2- 5.2
Native	166	24,648	47	25.2	17.2-33.2	28	11.6	6.7-16.5	12	5.1	0.2-10.0	5	1.8	0.0- 3.8	58	42.4	32.6-52.2	16	13.9	7.0-20.8
Non-Native	5558	570,324	3183	55.4	53.6-57.2	581	8.8	8.0- 9.6	663	6.9	6.3- 7.5	36	0.9	0.5- 1.3	917	23.6	22.0-25.2	178	4.3	3.5- 5.1
18-24	319	90,278	27	11.1	6.8-15.4	1	0.2	0.0- 0.6							250	77.2	72.1-82.3	41	11.4	7.9-14.9
25-34	610	106,716	267	47.4	43.1-51.7	21	3.9	2.1- 5.7	1	0.2	0.0- 0.6	5	1.0	0.0- 2.0	260	38.9	34.8-43.0	56	8.8	6.4-11.2
35-44	702	103,271	460	67.7	64.0-71.4	76	11.7	9.0-14.4	6	1.1	0.1- 2.1	6	1.4	0.2- 2.6	121	13.8	11.3-16.3	33	4.2	2.6- 5.8
45-54	742	80,001	493	67.6	63.9-71.3	99	13.5	10.8-16.2	17	3.2	1.2- 5.2	16	2.6	1.0- 4.2	98	10.9	8.7-13.1	19	2.2	1.0- 3.4
55-64	990	83,891	644	69.2	66.1-72.3	153	15.3	12.8-17.8	55	5.4	3.6- 7.2	6	0.6	0.0- 1.2	109	7.7	6.1- 9.3	23	1.8	1.0- 2.6
65+	2445	138,922	1390	60.8	58.4-63.2	271	10.2	8.8-11.6	606	23.7	21.7-25.7	9	0.3	0.1- 0.5	144	4.2	3.4- 5.0	25	0.8	0.4- 1.2
Less Than H.S.	203	41,127	63	27.0	19.6-34.4	22	7.0	3.7-10.3	50	13.9	9.0-18.8	6	3.5	0.6- 6.4	53	43.7	34.7-52.7	9	5.0	1.3- 8.7
H.S. or G.E.D.	1553	155,774	701	42.8	39.7-45.9	188	9.2	7.6-10.8	235	7.4	6.2- 8.6	11	0.7	0.1- 1.3	357	33.7	30.6-36.8	61	6.2	4.6- 7.8
Some Post-H.S.	1761	229,957	1006	56.5	53.8-59.2	211	10.3	8.7-11.9	230	7.4	6.2- 8.6	14	0.9	0.3- 1.5	243	20.4	17.9-22.9	57	4.6	3.2- 6.0
College Graduate	2278	174,628	1504	68.0	65.6-70.4	198	7.5	6.3- 8.7	168	4.0	3.2- 4.8	11	0.6	0.2- 1.0	328	16.6	14.6-18.6	69	3.4	2.4- 4.4
Less than \$15,000	167	19,042	17	9.2	4.5-13.9	37	15.3	9.2-21.4	29	11.6	6.7-16.5	8	5.2	1.1- 9.3	69	53.6	43.6-63.6	7	5.2	0.9- 9.5
\$15,000- 24,999	310	31,925	60	19.2	13.5-24.9	73	18.7	13.4-24.0	78	13.8	9.9-17.7	4	1.9	0.0- 4.6	82	39.4	31.6-47.2	13	7.0	2.7-11.3
\$25,000- 34,999	490	47,936	168	32.0	26.7-37.3	83	12.6	9.3-15.9	102	14.4	10.9-17.9	7	2.3	0.3- 4.3	110	30.7	25.0-36.4	20	8.1	4.2-12.0
\$35,000- 49,999	588	59,331	242	37.6	32.3-42.9	84	12.1	9.2-15.0	105	10.2	7.7-12.7	4	1.4	0.0- 3.0	135	34.9	29.4-40.4	18	3.8	1.8- 5.8
\$50,000- 99,999	1643	167,690	973	56.1	53.0-59.2	157	8.5	6.9-10.1	147	4.9	3.7- 6.1	8	0.6	0.2- 1.0	290	23.8	20.9-26.7	68	6.1	4.5- 7.7
\$100,000 - 199,999	1150	126,206	929	79.4	76.5-82.3	74	5.6	4.2- 7.0	28	1.6	0.8- 2.4	3	0.2	0.0- 0.6	82	9.9	7.5-12.3	34	3.3	2.1- 4.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 11: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2965	309,055	1706	53.5	51.3-55.7	343	9.7	8.5-10.9	164	3.4	2.8- 4.0	22	0.9	0.3- 1.5	622	27.2	25.0-29.4	108	5.2	4.0- 6.4
Native	87	13,408	25	20.1	11.5-28.7	12	9.2	3.3-15.1	1	0.1	0.0- 0.3	2	0.7	0.0- 1.7	38	54.0	41.3-66.7	9	16.0	6.0-26.0
Non-Native	2823	290,447	1645	55.0	52.8-57.2	325	9.8	8.6-11.0	158	3.5	2.7- 4.3	19	0.9	0.3- 1.5	579	26.1	23.9-28.3	97	4.7	3.7- 5.7
18-24	191	46,651	9	6.3	2.0-10.6	1	0.5	0.0- 1.5							154	79.9	73.6-86.2	27	13.4	8.5-18.3
25-34	353	56,940	133	41.5	36.0-47.0	12	4.2	1.8- 6.6				2	0.7	0.0- 1.7	173	44.0	38.5-49.5	33	9.6	6.3-12.9
35-44	383	55,006	240	65.5	60.2-70.8	46	13.0	9.3-16.7	3	1.2	0.0- 2.8	2	1.0	0.0- 2.6	74	15.1	11.6-18.6	18	4.2	2.2- 6.2
45-54	409	42,082	262	66.3	61.2-71.4	60	14.5	10.8-18.2	4	0.8	0.0- 1.6	9	3.4	1.0- 5.8	65	12.9	9.6-16.2	9	2.1	0.5- 3.7
55-64	526	43,353	349	70.2	65.9-74.5	82	15.6	12.1-19.1	10	2.3	0.7- 3.9	4	0.7	0.0- 1.5	72	10.0	7.5-12.5	9	1.2	0.2- 2.2
65+	1103	65,024	713	68.5	65.4-71.6	142	11.5	9.3-13.7	147	13.1	10.7-15.5	5	0.4	0.0- 0.8	84	5.6	4.2- 7.0	12	1.0	0.4- 1.6
Less Than H.S.	114	23,055	42	31.5	21.5-41.5	13	7.6	3.1-12.1	16	8.2	3.1-13.3	5	5.8	0.5-11.1	32	40.6	28.8-52.4	6	6.2	1.1-11.3
H.S. or G.E.D.	873	87,385	404	42.8	38.9-46.7	114	9.0	7.0-11.0	55	3.2	2.2- 4.2	8	0.7	0.1- 1.3	254	38.1	34.2-42.0	38	6.2	4.0- 8.4
Some Post-H.S.	886	118,366	529	57.1	53.4-60.8	116	11.5	9.1-13.9	49	3.4	2.2- 4.6	6	0.5	0.1- 0.9	152	21.6	18.3-24.9	34	5.8	3.8- 7.8
College Graduate	1085	79,185	726	66.3	63.0-69.6	99	8.2	6.4-10.0	44	2.3	1.5- 3.1	3	0.4	0.0- 1.0	183	19.9	17.0-22.8	30	2.9	1.7- 4.1
Less than \$15,000	74	8,214	9	11.4	4.0-18.8	15	12.6	5.3-19.9	2	2.3	0.0- 5.6	4	5.3	0.0-11.2	40	59.1	45.4-72.8	4	9.3	0.3-18.3
\$15,000- 24,999	127	12,306	30	20.5	12.5-28.5	31	15.6	9.3-21.9	17	8.0	3.5-12.5	2	3.7	0.0-10.4	41	43.6	32.0-55.2	6	8.7	0.9-16.5
\$25,000- 34,999	218	21,720	84	34.3	26.5-42.1	40	12.3	7.6-17.0	17	8.0	2.7-13.3	3	2.5	0.0- 5.2	66	36.5	28.1-44.9	8	6.5	1.2-11.8
\$35,000- 49,999	296	28,038	120	35.5	28.6-42.4	49	13.9	9.4-18.4	27	5.6	3.1- 8.1	2	1.0	0.0- 2.6	88	39.3	32.2-46.4	10	4.7	1.6- 7.8
\$50,000- 99,999	916	94,231	516	51.3	47.4-55.2	103	10.3	8.1-12.5	53	3.2	2.2- 4.2	5	0.6	0.0- 1.2	201	28.2	24.3-32.1	38	6.4	4.2- 8.6
\$100,000 - 199,999	655	73,578	516	77.1	73.2-81.0	48	6.7	4.5- 8.9	12	1.0	0.2- 1.8	1	0.2	0.0- 0.6	55	11.1	8.0-14.2	23	3.9	2.1- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 12: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2843	294,024	1575	55.0	52.6-57.4	278	8.2	7.0- 9.4	521	10.5	9.3-11.7	20	0.9	0.3- 1.5	360	21.2	18.8-23.6	89	4.2	3.2- 5.2
Native	79	11,240	22	31.4	17.5-45.3	16	14.4	6.4-22.4	11	11.0	0.8-21.2	3	3.1	0.0- 7.2	20	28.7	15.4-42.0	7	11.4	2.2-20.6
Non-Native	2735	279,877	1538	55.9	53.4-58.4	256	7.8	6.6- 9.0	505	10.5	9.3-11.7	17	0.8	0.2- 1.4	338	21.0	18.6-23.4	81	3.9	2.9- 4.9
18-24	128	43,627	18	16.3	8.9-23.7										96	74.4	66.2-82.6	14	9.2	4.3-14.1
25-34	257	49,777	134	54.1	47.4-60.8	9	3.5	1.1- 5.9	1	0.3	0.0- 0.9	3	1.3	0.0- 2.9	87	32.9	26.4-39.4	23	7.9	4.6-11.2
35-44	319	48,265	220	70.3	64.8-75.8	30	10.3	6.4-14.2	3	1.0	0.0- 2.2	4	1.9	0.0- 3.9	47	12.3	8.6-16.0	15	4.2	1.8- 6.6
45-54	333	37,919	231	69.1	63.4-74.8	39	12.2	8.3-16.1	13	5.8	2.1- 9.5	7	1.8	0.2- 3.4	33	8.6	5.5-11.7	10	2.4	0.8- 4.0
55-64	464	40,538	295	68.1	63.2-73.0	71	15.0	11.3-18.7	45	8.8	5.7-11.9	2	0.6	0.0- 1.6	37	5.2	3.2- 7.2	14	2.4	0.8- 4.0
65+	1342	73,898	677	54.1	51.0-57.2	129	9.1	7.3-10.9	459	33.0	29.9-36.1	4	0.3	0.0- 0.7	60	2.9	2.1- 3.7	13	0.6	0.2- 1.0
Less Than H.S.	89	18,072	21	21.2	10.4-32.0	9	6.1	1.0-11.2	34	21.2	11.8-30.6	1	0.5	0.0- 1.5	21	47.5	33.4-61.6	3	3.6	0.0- 9.1
H.S. or G.E.D.	680	68,390	297	42.8	37.7-47.9	74	9.4	6.9-11.9	180	12.8	10.4-15.2	3	0.8	0.0- 1.8	103	28.1	23.0-33.2	23	6.1	3.6- 8.6
Some Post-H.S.	875	111,590	477	55.8	51.7-59.9	95	8.9	6.7-11.1	181	11.6	9.4-13.8	8	1.2	0.2- 2.2	91	19.1	15.2-23.0	23	3.4	1.8- 5.0
College Graduate	1193	95,443	778	69.4	66.3-72.5	99	6.9	5.3- 8.5	124	5.4	4.2- 6.6	8	0.7	0.1- 1.3	145	13.9	11.4-16.4	39	3.8	2.4- 5.2
Less than \$15,000	93	10,828	8	7.5	1.4-13.6	22	17.4	8.4-26.4	27	18.6	10.2-27.0	4	5.1	0.0-10.6	29	49.4	35.1-63.7	3	2.1	0.0- 4.6
\$15,000- 24,999	183	19,619	30	18.5	10.7-26.3	42	20.6	13.0-28.2	61	17.4	11.7-23.1	2	0.8	0.0- 1.8	41	36.8	26.2-47.4	7	6.0	0.9-11.1
\$25,000- 34,999	272	26,216	84	30.1	22.8-37.4	43	12.8	8.1-17.5	85	19.6	14.5-24.7	4	2.1	0.0- 4.8	44	26.0	18.2-33.8	12	9.4	3.5-15.3
\$35,000- 49,999	292	31,293	122	39.4	31.6-47.2	35	10.4	6.3-14.5	78	14.4	10.1-18.7	2	1.8	0.0- 4.3	47	31.0	22.4-39.6	8	3.0	0.5- 5.5
\$50,000- 99,999	727	73,459	457	62.3	57.6-67.0	54	6.1	4.3- 7.9	94	7.1	4.9- 9.3	3	0.5	0.0- 1.3	89	18.2	14.1-22.3	30	5.7	3.3- 8.1
\$100,000 - 199,999	495	52,627	413	82.6	78.1-87.1	26	4.1	2.3- 5.9	16	2.3	0.9- 3.7	2	0.3	0.0- 0.7	27	8.2	4.3-12.1	11	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 13: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5839	606,498	2	0.1	0.0- 0.3	60	1.7	1.1- 2.3	143	5.1	4.1- 6.1	1565	26.0	24.6-27.4	1772	38.2	36.6-39.8	2297	29.0	27.6-30.4
Male	2983	311,246	1	0.0	0.0- 0.0	35	1.8	1.0- 2.6	80	5.6	4.2- 7.0	882	28.5	26.5-30.5	893	38.4	36.2-40.6	1092	25.6	24.0-27.2
Female	2856	295,252	1	0.2	0.0- 0.6	25	1.5	0.7- 2.3	63	4.5	3.1- 5.9	683	23.3	21.1-25.5	879	38.0	35.6-40.4	1205	32.6	30.4-34.8
Native	168	24,765				3	2.1	0.0- 5.2	16	19.8	10.6-29.0	58	30.2	21.8-38.6	51	34.1	25.1-43.1	40	13.8	8.5-19.1
Non-Native	5585	573,122	2	0.1	0.0- 0.3	55	1.6	1.0- 2.2	124	4.4	3.4- 5.4	1487	25.9	24.5-27.3	1690	38.3	36.5-40.1	2227	29.7	28.3-31.1
18-24	325	91,988				3	2.1	0.0- 4.6	24	12.1	7.6-16.6	154	41.8	36.1-47.5	86	31.9	26.2-37.6	58	12.0	8.9-15.1
25-34	612	106,784	1	0.4	0.0- 1.2	4	1.1	0.0- 2.3	10	3.5	1.3- 5.7	188	29.3	25.4-33.2	149	32.4	28.1-36.7	260	33.3	29.6-37.0
35-44	703	103,171				4	1.4	0.0- 2.8	10	2.9	1.1- 4.7	151	20.3	17.2-23.4	191	36.5	32.4-40.6	347	38.9	35.2-42.6
45-54	751	80,991				5	1.2	0.0- 2.4	11	3.6	1.2- 6.0	153	18.8	15.9-21.7	232	41.4	37.3-45.5	350	35.0	31.5-38.5
55-64	995	84,274				4	0.5	0.0- 1.1	24	4.1	2.3- 5.9	258	22.5	19.8-25.2	336	45.7	42.2-49.2	373	27.2	24.5-29.9
65+	2453	139,288	1	0.1	0.0- 0.3	40	2.9	1.7- 4.1	64	4.7	3.3- 6.1	661	23.5	21.5-25.5	778	41.6	39.2-44.0	909	27.2	25.4-29.0
Less than \$15,000	168	19,447				7	7.7	0.3-15.1	14	15.5	6.7-24.3	72	33.8	24.6-43.0	48	32.5	23.1-41.9	27	10.5	6.0-15.0
\$15,000- 24,999	311	32,190				11	4.1	1.0- 7.2	16	9.6	3.9-15.3	129	32.9	26.0-39.8	105	38.8	31.4-46.2	50	14.6	9.9-19.3
\$25,000- 34,999	491	48,066				14	3.1	1.1- 5.1	25	10.1	5.4-14.8	186	35.6	30.1-41.1	165	38.5	32.8-44.2	101	12.6	9.7-15.5
\$35,000- 49,999	591	59,888				6	2.2	0.2- 4.2	20	8.0	3.7-12.3	206	35.1	30.0-40.2	168	35.7	30.4-41.0	191	19.0	15.7-22.3
\$50,000- 99,999	1647	168,205	2	0.4	0.0- 1.0	8	1.1	0.1- 2.1	29	5.1	3.1- 7.1	372	21.5	19.1-23.9	539	40.4	37.5-43.3	697	31.6	29.1-34.1
\$100,000 - 199,999	1152	126,082				3	0.4	0.0- 1.0	9	1.4	0.4- 2.4	186	17.4	14.7-20.1	291	36.2	32.7-39.7	663	44.7	41.4-48.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 14: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2983	311,246	1	0.0	0.0- 0.0	35	1.8	1.0- 2.6	80	5.6	4.2- 7.0	882	28.5	26.5-30.5	893	38.4	36.2-40.6	1092	25.6	24.0-27.2
Native	87	13,408				2	3.6	0.0- 9.5	8	14.4	4.2-24.6	37	36.3	24.1-48.5	25	35.7	23.2-48.2	15	10.0	4.1-15.9
Non-Native	2841	292,655	1	0.0	0.0- 0.0	31	1.6	0.8- 2.4	71	5.3	3.9- 6.7	832	28.3	26.3-30.3	850	38.6	36.4-40.8	1056	26.2	24.4-28.0
18-24	197	48,361				1	1.9	0.0- 5.6	16	13.7	7.4-20.0	100	44.1	36.8-51.4	49	29.5	22.4-36.6	31	10.9	7.0-14.8
25-34	353	56,662				3	1.6	0.0- 3.4	4	2.4	0.0- 4.8	120	31.8	26.7-36.9	97	36.8	31.1-42.5	129	27.4	22.9-31.9
35-44	383	54,848				1	0.3	0.0- 0.9	9	4.7	1.6- 7.8	91	22.5	18.2-26.8	119	40.7	35.0-46.4	163	31.9	27.2-36.6
45-54	416	42,714				5	2.3	0.1- 4.5	7	3.5	1.0- 6.0	107	23.8	19.5-28.1	133	41.5	36.2-46.8	164	28.8	24.5-33.1
55-64	527	43,458							16	5.4	2.7- 8.1	160	26.4	22.5-30.3	171	44.1	39.2-49.0	180	24.1	20.6-27.6
65+	1107	65,203	1	0.2	0.0- 0.6	25	4.1	2.3- 5.9	28	4.8	2.8- 6.8	304	23.7	21.0-26.4	324	38.6	35.1-42.1	425	28.5	25.8-31.2
Less than \$15,000	75	8,620				4	8.8	0.0-18.4	5	8.5	0.0-17.3	37	45.0	30.3-59.7	15	25.8	12.3-39.3	14	12.0	4.9-19.1
\$15,000- 24,999	128	12,442				7	5.9	0.6-11.2	9	11.7	2.9-20.5	53	29.0	19.8-38.2	41	41.0	29.6-52.4	18	12.4	5.9-18.9
\$25,000- 34,999	219	21,850				9	5.2	1.1- 9.3	13	12.5	5.1-19.9	86	34.3	26.7-41.9	63	36.2	27.8-44.6	48	11.9	8.0-15.8
\$35,000- 49,999	297	28,368				3	2.4	0.0- 5.1	12	7.9	2.8-13.0	117	42.1	35.0-49.2	70	26.7	20.6-32.8	95	20.9	16.0-25.8
\$50,000- 99,999	919	94,592	1	0.1	0.0- 0.3	5	0.6	0.0- 1.2	21	6.8	3.7- 9.9	251	25.8	22.5-29.1	309	41.1	37.2-45.0	332	25.6	22.5-28.7
\$100,000 - 199,999	656	73,404				1	0.2	0.0- 0.6	8	2.1	0.5- 3.7	136	20.7	17.2-24.2	196	43.2	38.7-47.7	315	33.8	29.9-37.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 15: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2856	295,252	1	0.2	0.0- 0.6	25	1.5	0.7- 2.3	63	4.5	3.1- 5.9	683	23.3	21.1-25.5	879	38.0	35.6-40.4	1205	32.6	30.6-34.6
Native	81	11,357				1	0.3	0.0- 0.9	8	26.2	10.7-41.7	21	23.1	12.3-33.9	26	32.2	19.3-45.1	25	18.2	9.0-27.4
Non-Native	2744	280,467	1	0.2	0.0- 0.6	24	1.6	0.8- 2.4	53	3.5	2.1- 4.9	655	23.4	21.2-25.6	840	38.0	35.5-40.5	1171	33.3	31.1-35.5
18-24	128	43,627				2	2.4	0.0- 5.7	8	10.3	3.6-17.0	54	39.3	30.3-48.3	37	34.7	25.7-43.7	27	13.3	8.4-18.2
25-34	259	50,122	1	0.9	0.0- 2.7	1	0.5	0.0- 1.5	6	4.7	1.0- 8.4	68	26.4	20.7-32.1	52	27.5	21.0-34.0	131	39.9	33.6-46.2
35-44	320	48,323				3	2.7	0.0- 5.6	1	0.9	0.0- 2.5	60	17.8	13.3-22.3	72	31.8	25.7-37.9	184	46.8	40.7-52.9
45-54	335	38,278							4	3.7	0.0- 7.6	46	13.1	9.4-16.8	99	41.2	35.1-47.3	186	42.0	36.3-47.7
55-64	468	40,817				4	1.0	0.0- 2.2	8	2.7	0.7- 4.7	98	18.3	14.6-22.0	165	47.4	42.1-52.7	193	30.6	26.3-34.9
65+	1346	74,086				15	1.9	0.7- 3.1	36	4.6	2.8- 6.4	357	23.2	20.7-25.7	454	44.4	41.1-47.7	484	26.0	23.5-28.5
Less than \$15,000	93	10,828				3	6.7	0.0-17.9	9	21.2	7.3-35.1	35	25.0	14.2-35.8	33	37.8	24.7-50.9	13	9.3	3.4-15.2
\$15,000- 24,999	183	19,748				4	2.9	0.0- 7.0	7	8.4	1.1-15.7	76	35.2	25.8-44.6	64	37.5	27.7-47.3	32	16.0	9.3-22.7
\$25,000- 34,999	272	26,216				5	1.5	0.1- 2.9	12	8.1	2.4-13.8	100	36.7	28.9-44.5	102	40.5	32.7-48.3	53	13.2	8.9-17.5
\$35,000- 49,999	294	31,520				3	2.0	0.0- 4.5	8	8.1	1.4-14.8	89	28.9	22.0-35.8	98	43.8	35.6-52.0	96	17.3	12.8-21.8
\$50,000- 99,999	728	73,613	1	0.6	0.0- 1.8	3	1.8	0.0- 3.8	8	2.8	0.4- 5.2	121	16.0	12.7-19.3	230	39.5	34.8-44.2	365	39.3	35.0-43.6
\$100,000 - 199,999	496	52,679				2	0.7	0.0- 1.7	1	0.3	0.0- 0.9	50	12.7	8.6-16.8	95	26.4	21.3-31.5	348	59.9	54.4-65.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 16: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5821	603,677	4425	67.6	66.0-69.2	1238	28.1	26.5-29.7	158	4.3	3.5- 5.1
Male	2975	309,943	2221	67.0	64.8-69.2	663	28.1	25.9-30.3	91	4.9	3.7- 6.1
Female	2846	293,734	2204	68.1	65.6-70.6	575	28.1	25.7-30.5	67	3.7	2.5- 4.9
Native	166	24,386	91	48.5	38.9-58.1	68	46.8	37.2-56.4	7	4.7	0.8- 8.6
Non-Native	5569	571,179	4271	68.4	66.8-70.0	1149	27.3	25.7-28.9	149	4.3	3.5- 5.1
18-24	319	89,939	46	16.4	11.7-21.1	210	64.6	58.9-70.3	63	19.0	14.5-23.5
25-34	611	106,810	313	54.7	50.4-59.0	280	43.0	38.7-47.3	18	2.3	1.1- 3.5
35-44	702	103,172	496	73.1	69.6-76.6	192	25.1	21.6-28.6	14	1.8	0.8- 2.8
45-54	747	80,532	599	80.1	76.8-83.4	136	18.2	15.1-21.3	12	1.7	0.7- 2.7
55-64	994	84,296	855	87.2	84.8-89.6	124	11.2	9.0-13.4	15	1.6	0.6- 2.6
65+	2448	138,930	2116	87.3	85.7-88.9	296	11.3	9.9-12.7	36	1.4	0.8- 2.0
Less Than H.S.	205	41,373	114	43.1	34.7-51.5	82	50.6	41.8-59.4	9	6.3	1.8-10.8
H.S. or G.E.D.	1551	155,764	1042	57.1	54.0-60.2	442	35.7	32.6-38.8	67	7.2	5.2- 9.2
Some Post-H.S.	1761	229,424	1384	71.1	68.4-73.8	332	25.0	22.3-27.7	45	3.9	2.5- 5.3
College Graduate	2291	175,518	1878	78.0	75.8-80.2	378	20.2	18.0-22.4	35	1.8	1.0- 2.6
Less than \$15,000	168	19,447	64	30.9	21.9-39.9	95	62.0	52.2-71.8	9	7.1	1.4-12.8
\$15,000- 24,999	312	32,269	173	43.9	36.5-51.3	125	51.4	44.0-58.8	14	4.7	1.6- 7.8
\$25,000- 34,999	491	48,066	322	53.3	47.4-59.2	157	43.1	37.2-49.0	12	3.7	1.2- 6.2
\$35,000- 49,999	591	59,888	394	52.7	47.2-58.2	185	44.6	39.1-50.1	12	2.7	0.7- 4.7
\$50,000- 99,999	1647	167,947	1283	69.0	66.1-71.9	330	27.9	25.0-30.8	34	3.2	1.8- 4.6
\$100,000 - 199,999	1152	126,174	1024	86.7	84.2-89.2	107	10.9	8.5-13.3	21	2.4	1.2- 3.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 17: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2975	309,943	2221	67.0	64.8-69.2	663	28.1	25.9-30.3	91	4.9	3.7- 6.1
Native	86	13,084	46	46.6	33.7-59.5	36	46.9	34.0-59.8	4	6.5	0.0-13.2
Non-Native	2834	291,865	2131	67.9	65.7-70.1	617	27.4	25.2-29.6	86	4.8	3.6- 6.0
18-24	193	47,034	25	15.4	9.3-21.5	125	63.0	55.6-70.4	43	21.6	15.5-27.7
25-34	353	56,875	172	54.2	48.7-59.7	171	43.4	37.9-48.9	10	2.4	0.8- 4.0
35-44	382	54,849	258	70.5	65.6-75.4	115	26.9	22.2-31.6	9	2.6	0.8- 4.4
45-54	412	42,461	325	79.7	75.4-84.0	82	19.0	14.9-23.1	5	1.3	0.1- 2.5
55-64	528	43,552	455	87.8	84.9-90.7	65	10.7	8.0-13.4	8	1.5	0.3- 2.7
65+	1107	65,174	986	90.4	88.6-92.2	105	8.2	6.4-10.0	16	1.4	0.6- 2.2
Less Than H.S.	116	23,301	73	47.9	36.7-59.1	35	42.7	31.3-54.1	8	9.4	2.3-16.5
H.S. or G.E.D.	874	87,797	577	57.1	53.2-61.0	255	34.8	30.9-38.7	42	8.1	5.6-10.6
Some Post-H.S.	887	118,191	699	73.4	69.9-76.9	165	23.2	19.9-26.5	23	3.4	1.8- 5.0
College Graduate	1090	79,484	866	73.9	70.8-77.0	207	24.1	21.0-27.2	17	2.0	0.8- 3.2
Less than \$15,000	75	8,620	27	29.9	16.2-43.6	44	62.4	47.9-76.9	4	7.7	0.0-15.9
\$15,000- 24,999	128	12,442	77	44.5	33.7-55.3	46	49.9	38.7-61.1	5	5.6	0.0-11.5
\$25,000- 34,999	219	21,850	134	49.1	40.7-57.5	78	46.6	38.0-55.2	7	4.3	0.8- 7.8
\$35,000- 49,999	297	28,368	182	49.9	42.8-57.0	109	46.8	39.7-53.9	6	3.2	0.5- 5.9
\$50,000- 99,999	919	94,334	684	64.7	60.6-68.8	215	32.0	28.1-35.9	20	3.3	1.5- 5.1
\$100,000 - 199,999	656	73,495	569	85.2	81.9-88.5	72	12.0	9.1-14.9	15	2.8	1.2- 4.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 18: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2846	293,734	2204	68.1	65.6-70.6	575	28.1	25.7-30.5	67	3.7	2.5- 4.9
Native	80	11,302	45	50.6	36.1-65.1	32	46.7	32.2-61.2	3	2.7	0.0- 6.2
Non-Native	2735	279,315	2140	68.9	66.4-71.4	532	27.3	24.8-29.8	63	3.8	2.6- 5.0
18-24	126	42,905	21	17.4	10.1-24.7	85	66.4	57.6-75.2	20	16.2	9.3-23.1
25-34	258	49,935	141	55.2	48.5-61.9	109	42.6	35.9-49.3	8	2.2	0.4- 4.0
35-44	320	48,323	238	76.0	70.7-81.3	77	23.2	18.1-28.3	5	0.9	0.1- 1.7
45-54	335	38,071	274	80.6	75.7-85.5	54	17.3	12.6-22.0	7	2.1	0.3- 3.9
55-64	466	40,744	400	86.5	83.0-90.0	59	11.8	8.5-15.1	7	1.6	0.0- 3.4
65+	1341	73,756	1130	84.6	82.2-87.0	191	14.0	11.6-16.4	20	1.4	0.6- 2.2
Less Than H.S.	89	18,072	41	36.9	24.0-49.8	47	60.9	47.8-74.0	1	2.3	0.0- 6.8
H.S. or G.E.D.	677	67,967	465	57.0	51.7-62.3	187	36.9	31.8-42.0	25	6.1	3.0- 9.2
Some Post-H.S.	874	111,233	685	68.6	64.3-72.9	167	27.0	22.9-31.1	22	4.4	2.2- 6.6
College Graduate	1201	96,034	1012	81.5	78.8-84.2	171	16.9	14.2-19.6	18	1.5	0.7- 2.3
Less than \$15,000	93	10,828	37	31.6	19.4-43.8	51	61.7	48.4-75.0	5	6.7	0.0-14.7
\$15,000- 24,999	184	19,826	96	43.6	33.8-53.4	79	52.3	42.3-62.3	9	4.1	0.6- 7.6
\$25,000- 34,999	272	26,216	188	56.7	48.5-64.9	79	40.1	31.9-48.3	5	3.1	0.0- 6.6
\$35,000- 49,999	294	31,520	212	55.2	46.8-63.6	76	42.6	34.2-51.0	6	2.2	0.0- 4.9
\$50,000- 99,999	728	73,613	599	74.4	69.9-78.9	115	22.6	18.3-26.9	14	3.0	1.0- 5.0
\$100,000 - 199,999	496	52,679	455	88.8	85.1-92.5	35	9.3	5.8-12.8	6	1.8	0.2- 3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 19: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5676	579,578	5399	93.8	92.8-94.8	121	3.2	2.4- 4.0	156	3.0	2.4- 3.6
Male	2889	297,307	2745	93.8	92.6-95.0	68	3.2	2.4- 4.0	76	3.0	2.2- 3.8
Female	2787	282,271	2654	93.9	92.5-95.3	53	3.2	2.0- 4.4	80	3.0	2.2- 3.8
Native	162	23,956	152	93.4	88.7-98.1	6	4.6	0.5- 8.7	4	2.0	0.0- 4.4
Non-Native	5423	546,573	5176	94.2	93.2-95.2	111	3.1	2.3- 3.9	136	2.7	2.1- 3.3
18-24	279	79,364	240	85.8	81.3-90.3	27	9.9	6.0-13.8	12	4.3	1.8- 6.8
25-34	569	99,901	535	93.7	91.5-95.9	22	4.2	2.4- 6.0	12	2.1	0.9- 3.3
35-44	688	100,867	658	95.9	94.3-97.5	11	1.5	0.5- 2.5	19	2.7	1.3- 4.1
45-54	743	79,590	695	93.8	91.8-95.8	6	0.7	0.1- 1.3	42	5.5	3.7- 7.3
55-64	978	82,736	946	96.3	94.7-97.9	16	2.3	0.9- 3.7	16	1.4	0.6- 2.2
65+	2419	137,121	2325	95.6	94.6-96.6	39	1.8	1.2- 2.4	55	2.6	1.8- 3.4
Less Than H.S.	191	36,991	182	94.5	90.2-98.8	6	3.9	0.0- 7.8	3	1.6	0.0- 3.6
H.S. or G.E.D.	1511	148,823	1413	91.6	89.6-93.6	49	5.1	3.5- 6.7	49	3.3	2.1- 4.5
Some Post-H.S.	1721	222,073	1637	94.1	92.5-95.7	31	2.5	1.3- 3.7	53	3.4	2.2- 4.6
College Graduate	2232	169,143	2156	95.8	94.6-97.0	34	2.3	1.3- 3.3	42	1.9	1.1- 2.7
Less than \$15,000	156	17,265	147	93.3	88.4-98.2	7	5.7	0.8-10.6	2	0.9	0.0- 2.3
\$15,000- 24,999	296	29,035	280	89.8	83.9-95.7	11	7.5	2.2-12.8	5	2.7	0.0- 5.4
\$25,000- 34,999	478	46,189	460	94.9	92.0-97.8	10	3.5	0.8- 6.2	8	1.7	0.3- 3.1
\$35,000- 49,999	566	55,849	544	94.6	91.9-97.3	11	2.3	0.5- 4.1	11	3.1	0.9- 5.3
\$50,000- 99,999	1601	160,812	1562	97.1	96.1-98.1	19	1.6	0.8- 2.4	20	1.3	0.7- 1.9
\$100,000 - 199,999	1120	121,607	1094	97.0	95.6-98.4	11	1.5	0.5- 2.5	15	1.4	0.6- 2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 20: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2889	297,307	2745	93.8	92.6-95.0	68	3.2	2.4- 4.0	76	3.0	2.2- 3.8
Native	83	12,917	78	92.5	86.0-99.0	4	5.9	0.0-11.8	1	1.6	0.0- 4.5
Non-Native	2747	278,849	2622	94.3	93.1-95.5	61	3.0	2.2- 3.8	64	2.7	1.9- 3.5
18-24	171	41,993	147	87.3	82.2-92.4	18	9.0	4.9-13.1	6	3.7	0.6- 6.8
25-34	327	52,826	303	91.8	88.5-95.1	14	4.8	2.3- 7.3	10	3.4	1.2- 5.6
35-44	375	53,794	359	95.7	93.5-97.9	7	1.7	0.3- 3.1	9	2.5	0.7- 4.3
45-54	412	42,035	378	92.4	89.7-95.1	4	0.9	0.0- 1.9	30	6.7	4.2- 9.2
55-64	516	42,636	503	97.3	95.7-98.9	7	1.4	0.2- 2.6	6	1.3	0.1- 2.5
65+	1088	64,023	1055	96.7	95.3-98.1	18	1.8	0.8- 2.8	15	1.5	0.7- 2.3
Less Than H.S.	106	19,777	102	95.5	91.0- 100	1	1.4	0.0- 4.1	3	3.0	0.0- 6.7
H.S. or G.E.D.	846	84,366	790	91.6	89.2-94.0	33	5.5	3.5- 7.5	23	2.8	1.4- 4.2
Some Post-H.S.	868	115,131	830	94.8	93.0-96.6	14	1.8	0.8- 2.8	24	3.4	1.8- 5.0
College Graduate	1055	76,161	1015	94.8	92.8-96.8	19	3.1	1.5- 4.7	21	2.1	0.9- 3.3
Less than \$15,000	70	7,765	65	93.1	86.6-99.6	3	4.8	0.0-10.5	2	2.1	0.0- 5.2
\$15,000- 24,999	122	10,990	112	85.1	75.7-94.5	7	10.5	2.5-18.5	3	4.4	0.0-10.5
\$25,000- 34,999	213	20,924	206	95.9	92.4-99.4	4	2.7	0.0- 5.8	3	1.4	0.0- 3.4
\$35,000- 49,999	282	26,620	269	93.0	88.9-97.1	7	3.6	0.7- 6.5	6	3.4	0.7- 6.1
\$50,000- 99,999	884	89,495	860	96.8	95.4-98.2	13	2.2	0.8- 3.6	11	1.1	0.3- 1.9
\$100,000 - 199,999	641	71,771	626	97.0	95.2-98.8	7	1.6	0.2- 3.0	8	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 21: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2787	282,271	2654	93.9	92.5-95.3	53	3.2	2.0- 4.4	80	3.0	2.2- 3.8
Native	79	11,039	74	94.5	88.0- 100	2	3.0	0.0- 8.5	3	2.5	0.0- 6.2
Non-Native	2676	267,724	2554	94.1	92.7-95.5	50	3.2	2.0- 4.4	72	2.8	2.0- 3.6
18-24	108	37,371	93	84.2	76.4-92.0	9	10.8	3.7-17.9	6	5.0	0.7- 9.3
25-34	242	47,075	232	95.9	93.4-98.4	8	3.4	1.0- 5.8	2	0.7	0.0- 1.7
35-44	313	47,073	299	96.0	93.8-98.2	4	1.1	0.0- 2.3	10	2.9	0.9- 4.9
45-54	331	37,554	317	95.3	92.8-97.8	2	0.4	0.0- 1.0	12	4.2	1.7- 6.7
55-64	462	40,100	443	95.2	92.5-97.9	9	3.2	0.7- 5.7	10	1.6	0.4- 2.8
65+	1331	73,097	1270	94.7	93.1-96.3	21	1.8	1.0- 2.6	40	3.5	2.3- 4.7
Less Than H.S.	85	17,213	80	93.3	85.5- 100	5	6.7	0.0-14.5			
H.S. or G.E.D.	665	64,457	623	91.6	88.3-94.9	16	4.5	1.8- 7.2	26	3.9	1.9- 5.9
Some Post-H.S.	853	106,942	807	93.4	90.9-95.9	17	3.2	1.2- 5.2	29	3.5	1.9- 5.1
College Graduate	1177	92,982	1141	96.6	95.2-98.0	15	1.6	0.6- 2.6	21	1.8	0.8- 2.8
Less than \$15,000	86	9,500	82	93.6	86.2- 100	4	6.4	0.0-13.8			
\$15,000- 24,999	174	18,045	168	92.7	85.4- 100	4	5.7	0.0-12.8	2	1.6	0.0- 3.8
\$25,000- 34,999	265	25,265	254	94.0	89.5-98.5	6	4.2	0.1- 8.3	5	1.8	0.0- 3.8
\$35,000- 49,999	284	29,230	275	96.0	92.3-99.7	4	1.1	0.0- 2.9	5	2.9	0.0- 6.2
\$50,000- 99,999	717	71,318	702	97.4	96.0-98.8	6	1.0	0.0- 2.0	9	1.6	0.4- 2.8
\$100,000 - 199,999	479	49,836	468	97.1	94.9-99.3	4	1.5	0.0- 3.3	7	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 22: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
			0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5860	609,046	5486	92.5	91.5-93.5	1	0.0	0.0- 0.0	58	1.5	0.9- 2.1	315	6.0	5.2- 6.8
Male	2997	313,117	2813	92.5	91.1-93.9				35	1.9	1.1- 2.7	149	5.5	4.5- 6.5
Female	2863	295,929	2673	92.4	91.0-93.8	1	0.1	0.0- 0.3	23	1.1	0.5- 1.7	166	6.4	5.0- 7.8
Native	168	24,765	152	91.6	86.5-96.7				4	2.6	0.0- 5.5	12	5.8	1.5-10.1
Non-Native	5596	574,617	5265	92.9	91.9-93.9	1	0.0	0.0- 0.0	53	1.5	0.9- 2.1	277	5.5	4.7- 6.3
18-24	326	92,099	281	84.8	80.3-89.3				15	5.5	2.4- 8.6	30	9.7	6.0-13.4
25-34	613	107,121	577	94.1	92.1-96.1				7	1.2	0.2- 2.2	29	4.7	2.9- 6.5
35-44	704	103,507	667	94.7	92.7-96.7				5	0.5	0.0- 1.1	32	4.8	3.0- 6.6
45-54	760	82,058	693	90.9	88.5-93.3	1	0.3	0.0- 0.9	7	0.9	0.3- 1.5	59	7.9	5.7-10.1
55-64	997	84,447	939	94.6	93.0-96.2				10	0.7	0.1- 1.3	48	4.7	3.1- 6.3
65+	2460	139,814	2329	94.2	93.0-95.4				14	0.8	0.2- 1.4	117	5.0	4.0- 6.0
Less Than H.S.	205	41,373	184	85.2	77.9-92.5				10	8.8	2.5-15.1	11	5.9	1.6-10.2
H.S. or G.E.D.	1565	157,508	1458	91.8	89.8-93.8				22	1.6	0.8- 2.4	85	6.6	4.8- 8.4
Some Post-H.S.	1772	231,737	1655	92.7	91.1-94.3	1	0.1	0.0- 0.3	12	0.9	0.3- 1.5	104	6.3	4.9- 7.7
College Graduate	2297	175,879	2180	95.0	94.0-96.0				13	0.6	0.2- 1.0	104	4.4	3.4- 5.4
Less than \$15,000	168	19,447	162	95.7	91.8-99.6				4	2.6	0.0- 5.9	2	1.7	0.0- 4.1
\$15,000- 24,999	312	32,269	299	92.7	87.8-97.6				3	1.3	0.0- 2.7	10	6.1	1.4-10.8
\$25,000- 34,999	491	48,066	470	94.2	91.3-97.1				6	2.2	0.2- 4.2	15	3.5	1.3- 5.7
\$35,000- 49,999	591	59,888	568	92.0	88.1-95.9				5	2.2	0.0- 4.6	18	5.8	2.7- 8.9
\$50,000- 99,999	1649	168,312	1581	94.7	93.1-96.3				12	1.4	0.4- 2.4	56	3.8	2.4- 5.2
\$100,000 - 199,999	1154	126,567	1119	96.7	95.5-97.9				4	0.4	0.0- 0.8	31	2.9	1.7- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 23: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2997	313,117	2813	92.5	91.1-93.9	35	1.9	1.1- 2.7	149	5.5	4.5- 6.5
Native	87	13,408	82	94.3	88.8-99.8	3	2.5	0.0- 5.8	2	3.2	0.0- 7.5
Non-Native	2848	293,790	2684	92.8	91.4-94.2	31	1.9	0.9- 2.9	133	5.3	4.3- 6.3
18-24	198	48,472	170	84.8	78.9-90.7	11	7.0	2.1-11.9	17	8.2	4.3-12.1
25-34	354	56,999	330	92.9	90.0-95.8	5	1.5	0.1- 2.9	19	5.6	3.1- 8.1
35-44	384	55,184	365	94.4	91.5-97.3	4	0.8	0.0- 1.8	15	4.8	2.1- 7.5
45-54	422	43,463	385	91.8	89.1-94.5	5	1.1	0.1- 2.1	32	7.1	4.6- 9.6
55-64	528	43,552	502	95.0	92.8-97.2	6	0.9	0.1- 1.7	20	4.2	2.2- 6.2
65+	1111	65,447	1061	95.2	93.6-96.8	4	0.7	0.0- 1.7	46	4.1	2.7- 5.5
Less Than H.S.	116	23,301	106	85.8	76.0-95.6	4	8.7	0.0-17.5	6	5.5	0.6-10.4
H.S. or G.E.D.	882	88,818	822	91.6	89.2-94.0	14	2.0	0.8- 3.2	46	6.4	4.2- 8.6
Some Post-H.S.	893	119,479	834	93.2	91.2-95.2	9	1.3	0.3- 2.3	50	5.5	3.7- 7.3
College Graduate	1092	79,648	1045	95.4	93.8-97.0	7	0.8	0.2- 1.4	40	3.8	2.4- 5.2
Less than \$15,000	75	8,620	73	96.9	92.4- 100	1	1.0	0.0- 3.0	1	2.1	0.0- 6.2
\$15,000- 24,999	128	12,442	121	89.7	80.9-98.5	2	1.9	0.0- 4.6	5	8.4	0.0-16.8
\$25,000- 34,999	219	21,850	209	94.1	89.8-98.4	4	3.1	0.0- 6.6	6	2.8	0.4- 5.2
\$35,000- 49,999	297	28,368	285	92.6	88.3-96.9	2	1.0	0.0- 2.6	10	6.4	2.3-10.5
\$50,000- 99,999	921	94,699	883	94.7	92.5-96.9	9	1.9	0.3- 3.5	29	3.4	2.0- 4.8
\$100,000 - 199,999	658	73,888	635	96.2	94.4-98.0	4	0.7	0.0- 1.5	19	3.1	1.5- 4.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 24: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
			0001-77776			77778-99950			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2863	295,929	2673	92.4	91.0-93.8	1	0.1	0.0- 0.3	23	1.1	0.5- 1.7	166	6.4	5.0- 7.8
Native	81	11,357	70	88.4	79.4-97.4				1	2.7	0.0- 8.0	10	8.9	1.3-16.5
Non-Native	2748	280,827	2581	93.0	91.6-94.4	1	0.1	0.0- 0.3	22	1.1	0.5- 1.7	144	5.8	4.4- 7.2
18-24	128	43,627	111	84.8	77.7-91.9				4	3.8	0.0- 7.7	13	11.4	5.1-17.7
25-34	259	50,122	247	95.5	92.8-98.2				2	0.9	0.0- 2.3	10	3.5	1.1- 5.9
35-44	320	48,323	302	95.0	92.6-97.4				1	0.2	0.0- 0.6	17	4.7	2.3- 7.1
45-54	338	38,595	308	89.8	86.1-93.5	1	0.6	0.0- 1.8	2	0.6	0.0- 1.6	27	8.9	5.4-12.4
55-64	469	40,895	437	94.2	91.8-96.6				4	0.5	0.0- 1.1	28	5.2	2.8- 7.6
65+	1349	74,367	1268	93.3	91.7-94.9				10	0.9	0.3- 1.5	71	5.8	4.2- 7.4
Less Than H.S.	89	18,072	78	84.5	73.5-95.5				6	9.0	0.4-17.6	5	6.5	0.0-14.3
H.S. or G.E.D.	683	68,690	636	92.1	89.2-95.0				8	1.0	0.0- 2.0	39	6.8	3.9- 9.7
Some Post-H.S.	879	112,258	821	92.2	89.8-94.6	1	0.2	0.0- 0.6	3	0.5	0.0- 1.1	54	7.1	4.7- 9.5
College Graduate	1205	96,231	1135	94.7	93.1-96.3				6	0.5	0.1- 0.9	64	4.9	3.5- 6.3
Less than \$15,000	93	10,828	89	94.8	88.5- 100				3	3.9	0.0- 9.6	1	1.4	0.0- 4.1
\$15,000- 24,999	184	19,826	178	94.5	88.6- 100				1	0.8	0.0- 2.4	5	4.6	0.0-10.3
\$25,000- 34,999	272	26,216	261	94.3	90.2-98.4				2	1.5	0.0- 3.7	9	4.2	0.7- 7.7
\$35,000- 49,999	294	31,520	283	91.5	85.2-97.8				3	3.2	0.0- 7.5	8	5.2	0.3-10.1
\$50,000- 99,999	728	73,613	698	94.8	92.3-97.3				3	0.7	0.0- 1.9	27	4.5	2.1- 6.9
\$100,000 - 199,999	496	52,679	484	97.5	95.7-99.3							12	2.5	0.7- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 25: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	1197	58,603	88	5.1	3.5- 6.7	1109	94.9	93.3-96.5
Male	438	20,882	33	6.0	3.3- 8.7	405	94.0	91.3-96.7
Female	759	37,721	55	4.6	2.8- 6.4	704	95.4	93.6-97.2
Non-Native	1139	53,083	84	5.3	3.5- 7.1	1055	94.7	92.9-96.5
45-54	51	4,387	4	3.9	0.0- 7.8	47	96.1	92.2- 100
55-64	153	9,227	10	4.3	1.0- 7.6	143	95.7	92.4-99.0
65+	946	38,603	73	6.1	3.9- 8.3	873	93.9	91.7-96.1
Less Than H.S.	61	6,871	6	6.6	0.0-14.2	55	93.4	85.8- 100
H.S. or G.E.D.	370	16,374	27	4.0	2.2- 5.8	343	96.0	94.2-97.8
Some Post-H.S.	372	21,929	29	6.0	3.3- 8.7	343	94.0	91.3-96.7
College Graduate	392	13,180	26	4.4	2.0- 6.8	366	95.6	93.2-98.0
\$15,000- 24,999	94	4,366	7	8.5	0.0-18.9	87	91.5	81.1- 100
\$25,000- 34,999	141	6,834	11	5.1	1.0- 9.2	130	94.9	90.8-99.0
\$35,000- 49,999	149	6,830	16	7.3	2.8-11.8	133	92.7	88.2-97.2
\$50,000- 99,999	321	15,106	21	4.7	2.2- 7.2	300	95.3	92.8-97.8
\$100,000 - 199,999	105	5,199	4	1.5	0.0- 3.5	101	98.5	96.5- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 26: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	438	20,882	33	6.0	3.3- 8.7	405	94.0	91.3-96.7
Non-Native	414	19,051	32	6.4	3.5- 9.3	382	93.6	90.7-96.5
55-64	67	3,793	4	3.2	0.0- 6.7	63	96.8	93.3- 100
65+	335	13,959	28	7.9	4.0-11.8	307	92.1	88.2-96.0
H.S. or G.E.D.	138	5,982	9	3.7	0.8- 6.6	129	96.3	93.4-99.2
Some Post-H.S.	127	7,834	10	8.4	2.3-14.5	117	91.6	85.5-97.7
College Graduate	152	5,035	12	6.6	1.3-11.9	140	93.4	88.1-98.7
\$35,000- 49,999	52	2,010	4	7.0	0.0-17.0	48	93.0	83.0- 100
\$50,000- 99,999	142	6,454	11	7.3	2.0-12.6	131	92.7	87.4-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 27: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE LANDLINE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	759	37,721	55	4.6	2.6- 6.6	704	95.4	93.4-97.4
Non-Native	725	34,031	52	4.7	2.7- 6.7	673	95.3	93.3-97.3
55-64	86	5,433	6	5.0	0.0-10.1	80	95.0	89.9- 100
65+	611	24,644	45	5.1	2.7- 7.5	566	94.9	92.5-97.3
H.S. or G.E.D.	232	10,392	18	4.2	1.8- 6.6	214	95.8	93.4-98.2
Some Post-H.S.	245	14,094	19	4.6	2.1- 7.1	226	95.4	92.9-97.9
College Graduate	240	8,145	14	3.1	1.1- 5.1	226	96.9	94.9-98.9
\$15,000- 24,999	60	2,796	6	12.4	0.0-28.1	54	87.6	71.9- 100
\$25,000- 34,999	95	4,391	6	3.5	0.2- 6.8	89	96.5	93.2-99.8
\$35,000- 49,999	97	4,819	12	7.5	2.6-12.4	85	92.5	87.6-97.4
\$50,000- 99,999	179	8,652	10	2.8	0.8- 4.8	169	97.2	95.2-99.2
\$100,000 - 199,999	57	2,787	3	2.4	0.0- 5.7	54	97.6	94.3- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS

TABLE 28: HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
			One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	83	2,807	56	83.2	75.4-91.0	19	13.2	5.9-20.5	4	1.7	0.0- 3.7	3	1.3	0.0- 2.9	1	0.5	0.0- 1.5
Female	50	1,553	36	85.1	75.9-94.3	9	10.6	2.8-18.4	3	2.5	0.0- 5.8	2	1.8	0.0- 4.3			
Non-Native	80	2,655	53	82.2	74.0-90.4	19	14.0	6.4-21.6	4	1.8	0.0- 3.8	3	1.4	0.0- 3.0	1	0.6	0.0- 1.8
65+	68	2,168	43	79.6	69.4-89.8	17	15.8	6.4-25.2	4	2.2	0.0- 4.7	3	1.7	0.0- 3.7	1	0.7	0.0- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

111 of 269

August 21, 2025

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 7: DEMOGRAPHICS

TABLE 29: HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 7: DEMOGRAPHICS

TABLE 30: HOW MANY OF THESE LANDLINE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON4)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	Data was weighted using _LLCPWT.													
	RESPONDENT NUMBER		N	One Number		N	Two Numbers		N	Three Numbers		N	Four Numbers	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	50	1,553	36	85.1	76.7-93.5	9	10.6	3.3-17.9	3	2.5	0.0- 5.6	2	1.8	0.0- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

113 of 269

August 21, 2025

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 31: HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5646	586,178	5281	93.6	92.8-94.4	312	5.2	4.4- 6.0	33	0.8	0.4- 1.2	20	0.4	0.2- 0.6
Male	2896	302,334	2673	92.0	90.8-93.2	189	6.4	5.4- 7.4	20	1.0	0.4- 1.6	14	0.6	0.2- 1.0
Female	2750	283,844	2608	95.2	94.2-96.2	123	4.0	3.0- 5.0	13	0.5	0.1- 0.9	6	0.2	0.0- 0.4
Native	156	22,921	150	95.4	90.7- 100	6	4.6	0.0- 9.3						
Non-Native	5404	555,085	5047	93.4	92.6-94.2	304	5.3	4.5- 6.1	33	0.8	0.4- 1.2	20	0.4	0.2- 0.6
18-24	324	91,556	309	95.2	92.5-97.9	10	3.3	0.9- 5.7	3	1.1	0.0- 2.5	2	0.5	0.0- 1.1
25-34	609	105,585	572	93.1	90.9-95.3	32	5.9	3.7- 8.1	2	0.5	0.0- 1.1	3	0.6	0.0- 1.2
35-44	694	102,109	652	94.2	92.2-96.2	32	4.3	2.7- 5.9	5	0.8	0.0- 1.8	5	0.7	0.1- 1.3
45-54	736	79,338	683	92.7	90.5-94.9	40	5.3	3.5- 7.1	10	1.6	0.4- 2.8	3	0.4	0.0- 0.8
55-64	972	81,660	922	94.0	92.2-95.8	45	5.2	3.4- 7.0	4	0.6	0.0- 1.2	1	0.2	0.0- 0.6
65+	2311	125,930	2143	92.5	91.1-93.9	153	6.9	5.7- 8.1	9	0.3	0.1- 0.5	6	0.2	0.0- 0.4
Less Than H.S.	186	37,747	170	89.5	83.4-95.6	13	7.1	2.2-12.0	3	3.4	0.0- 7.3			
H.S. or G.E.D.	1485	150,196	1378	93.4	91.8-95.0	91	5.4	4.0- 6.8	8	0.4	0.0- 0.8	8	0.7	0.1- 1.3
Some Post-H.S.	1720	225,026	1609	93.9	92.5-95.3	95	5.2	4.0- 6.4	12	0.7	0.3- 1.1	4	0.2	0.0- 0.4
College Graduate	2241	171,427	2110	94.2	93.0-95.4	113	4.8	3.8- 5.8	10	0.6	0.2- 1.0	8	0.5	0.1- 0.9
Less than \$15,000	149	17,084	141	92.5	84.9- 100	7	6.6	0.0-14.0	1	0.9	0.0- 2.7			
\$15,000- 24,999	280	29,842	257	92.9	89.0-96.8	16	3.4	1.2- 5.6	3	1.9	0.0- 4.6	4	1.8	0.0- 3.6
\$25,000- 34,999	464	44,995	433	91.3	87.6-95.0	24	6.3	3.0- 9.6	3	1.1	0.0- 2.5	4	1.3	0.0- 2.9
\$35,000- 49,999	577	58,155	540	94.7	92.3-97.1	32	4.9	2.5- 7.3	3	0.3	0.0- 0.7	2	0.2	0.0- 0.4
\$50,000- 99,999	1621	165,377	1518	93.9	92.5-95.3	91	5.0	3.8- 6.2	6	0.6	0.0- 1.4	6	0.4	0.0- 0.8
\$100,000 - 199,999	1146	125,745	1067	92.9	91.1-94.7	68	6.0	4.4- 7.6	10	1.1	0.3- 1.9	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 32: HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2896	302,334	2673	92.0	90.8-93.2	189	6.4	5.4- 7.4	20	1.0	0.4- 1.6	14	0.6	0.2- 1.0
Native	83	12,634	79	95.5	89.2- 100	4	4.5	0.0-10.8						
Non-Native	2759	284,814	2541	91.7	90.3-93.1	184	6.6	5.4- 7.8	20	1.1	0.5- 1.7	14	0.6	0.2- 1.0
18-24	196	47,929	186	94.7	91.0-98.4	6	2.9	0.4- 5.4	3	2.1	0.0- 4.8	1	0.3	0.0- 0.9
25-34	353	56,440	326	91.0	87.7-94.3	23	7.3	4.4-10.2	1	0.6	0.0- 1.8	3	1.0	0.0- 2.2
35-44	377	54,117	347	91.9	88.8-95.0	24	6.5	3.8- 9.2	3	0.7	0.0- 1.5	3	0.9	0.0- 2.1
45-54	403	41,458	367	90.3	87.0-93.6	26	6.8	4.1- 9.5	8	2.6	0.6- 4.6	2	0.3	0.0- 0.7
55-64	519	42,684	485	93.0	90.5-95.5	31	6.3	3.9- 8.7	2	0.4	0.0- 1.0	1	0.4	0.0- 1.2
65+	1048	59,706	962	91.3	89.1-93.5	79	8.0	6.0-10.0	3	0.3	0.0- 0.7	4	0.3	0.0- 0.7
Less Than H.S.	109	21,992	101	90.8	83.4-98.2	6	5.2	0.1-10.3	2	4.0	0.0- 9.7			
H.S. or G.E.D.	849	85,742	783	92.8	90.8-94.8	57	5.9	4.1- 7.7	5	0.7	0.1- 1.3	4	0.7	0.0- 1.5
Some Post-H.S.	865	115,857	802	92.5	90.5-94.5	53	6.3	4.5- 8.1	7	0.8	0.2- 1.4	3	0.4	0.0- 1.0
College Graduate	1064	77,389	978	90.6	88.2-93.0	73	7.5	5.5- 9.5	6	1.0	0.0- 2.0	7	0.9	0.1- 1.7
Less than \$15,000	65	7,649	62	96.2	91.7- 100	3	3.8	0.0- 8.3						
\$15,000- 24,999	112	11,295	100	91.8	86.3-97.3	8	3.6	0.7- 6.5	1	1.3	0.0- 3.8	3	3.3	0.0- 7.2
\$25,000- 34,999	211	20,722	197	92.4	87.9-96.9	10	4.6	1.3- 7.9	1	1.4	0.0- 4.1	3	1.6	0.0- 3.6
\$35,000- 49,999	291	27,620	273	94.0	89.9-98.1	16	5.6	1.5- 9.7	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6
\$50,000- 99,999	903	92,825	838	92.2	89.8-94.6	56	6.0	4.2- 7.8	4	1.0	0.0- 2.4	5	0.7	0.0- 1.5
\$100,000 - 199,999	651	73,120	590	89.8	87.1-92.5	52	8.6	6.1-11.1	8	1.5	0.3- 2.7	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 33: HOW MANY CELL PHONES DO YOU HAVE FOR YOUR PERSONAL USE? (CPDEMO1C)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2750	283,844	2608	95.2	94.2-96.2	123	4.0	3.0- 5.0	13	0.5	0.1- 0.9	6	0.2	0.0- 0.4
Native	73	10,287	71	95.2	87.9- 100	2	4.8	0.0-12.1						
Non-Native	2645	270,271	2506	95.2	94.0-96.4	120	4.0	3.0- 5.0	13	0.5	0.1- 0.9	6	0.3	0.1- 0.5
18-24	128	43,627	123	95.7	91.8-99.6	4	3.6	0.0- 7.3				1	0.6	0.0- 1.8
25-34	256	49,145	246	95.4	92.5-98.3	9	4.2	1.3- 7.1	1	0.3	0.0- 0.9			
35-44	317	47,992	305	96.8	94.6-99.0	8	1.8	0.4- 3.2	2	1.0	0.0- 2.6	2	0.4	0.0- 1.0
45-54	333	37,880	316	95.4	93.0-97.8	14	3.6	1.6- 5.6	2	0.5	0.0- 1.3	1	0.4	0.0- 1.2
55-64	453	38,976	437	95.1	92.6-97.6	14	4.1	1.7- 6.5	2	0.8	0.0- 2.0			
65+	1263	66,223	1181	93.6	92.0-95.2	74	5.9	4.3- 7.5	6	0.3	0.0- 0.7	2	0.1	0.0- 0.3
Less Than H.S.	77	15,755	69	87.7	77.3-98.1	7	9.7	0.3-19.1	1	2.6	0.0- 7.5			
H.S. or G.E.D.	636	64,454	595	94.2	91.8-96.6	34	4.8	2.6- 7.0	3	0.2	0.0- 0.4	4	0.9	0.0- 1.9
Some Post-H.S.	855	109,169	807	95.3	93.7-96.9	42	4.1	2.7- 5.5	5	0.5	0.0- 1.1	1	0.0	0.0- 0.0
College Graduate	1177	94,038	1132	97.1	96.1-98.1	40	2.5	1.5- 3.5	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3
Less than \$15,000	84	9,435	79	89.5	76.6- 100	4	9.0	0.0-21.7	1	1.6	0.0- 4.7			
\$15,000- 24,999	168	18,547	157	93.6	88.3-98.9	8	3.3	0.4- 6.2	2	2.2	0.0- 6.3	1	0.8	0.0- 2.4
\$25,000- 34,999	253	24,272	236	90.3	84.6-96.0	14	7.8	2.5-13.1	2	0.8	0.0- 2.2	1	1.1	0.0- 3.3
\$35,000- 49,999	286	30,536	267	95.2	92.7-97.7	16	4.3	1.8- 6.8	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6
\$50,000- 99,999	718	72,553	680	96.1	94.5-97.7	35	3.7	2.1- 5.3	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3
\$100,000 - 199,999	495	52,625	477	97.2	95.6-98.8	16	2.3	0.9- 3.7	2	0.4	0.0- 1.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

**TABLE 34: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	5825	605,914	771	10.9	9.9-11.9	5054	89.1	88.1-90.1
Male	2974	311,220	710	18.8	17.2-20.4	2264	81.2	79.6-82.8
Female	2851	294,694	61	2.6	1.8- 3.4	2790	97.4	96.6-98.2
Native	168	24,765	20	8.9	4.4-13.4	148	91.1	86.6-95.6
Non-Native	5569	572,272	730	10.9	9.9-11.9	4839	89.1	88.1-90.1
18-24	326	92,099	21	6.3	3.6- 9.0	305	93.7	91.0-96.4
25-34	612	106,969	45	7.0	4.8- 9.2	567	93.0	90.8-95.2
35-44	701	103,059	67	9.1	6.9-11.3	634	90.9	88.7-93.1
45-54	748	80,900	79	10.4	8.0-12.8	669	89.6	87.2-92.0
55-64	992	84,030	130	12.1	9.9-14.3	862	87.9	85.7-90.1
65+	2446	138,857	429	17.9	16.1-19.7	2017	82.1	80.3-83.9
Less Than H.S.	203	41,175	21	7.1	3.4-10.8	182	92.9	89.2-96.6
H.S. or G.E.D.	1557	156,933	226	11.2	9.4-13.0	1331	88.8	87.0-90.6
Some Post-H.S.	1761	230,488	247	12.3	10.5-14.1	1514	87.7	85.9-89.5
College Graduate	2286	175,054	274	9.7	8.3-11.1	2012	90.3	88.9-91.7
Less than \$15,000	168	19,447	15	5.8	2.1- 9.5	153	94.2	90.5-97.9
\$15,000- 24,999	312	32,269	34	6.7	4.0- 9.4	278	93.3	90.6-96.0
\$25,000- 34,999	490	47,823	70	13.0	9.1-16.9	420	87.0	83.1-90.9
\$35,000- 49,999	590	59,800	91	10.3	7.8-12.8	499	89.7	87.2-92.2
\$50,000- 99,999	1646	168,081	230	11.8	10.0-13.6	1416	88.2	86.4-90.0
\$100,000 - 199,999	1152	126,346	162	12.0	10.0-14.0	990	88.0	86.0-90.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

**TABLE 35: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2974	311,220	710	18.8	17.2-20.4	2264	81.2	79.6-82.8
Native	87	13,408	18	15.6	7.6-23.6	69	84.4	76.4-92.4
Non-Native	2830	292,314	672	18.8	17.2-20.4	2158	81.2	79.6-82.8
18-24	198	48,472	17	8.7	4.6-12.8	181	91.3	87.2-95.4
25-34	353	56,847	38	10.5	7.2-13.8	315	89.5	86.2-92.8
35-44	382	54,978	57	14.9	11.2-18.6	325	85.1	81.4-88.8
45-54	413	42,646	65	15.4	11.7-19.1	348	84.6	80.9-88.3
55-64	526	43,408	121	21.9	18.0-25.8	405	78.1	74.2-82.0
65+	1102	64,869	412	37.2	33.9-40.5	690	62.8	59.5-66.1
Less Than H.S.	114	23,103	20	10.6	5.3-15.9	94	89.4	84.1-94.7
H.S. or G.E.D.	878	88,615	210	17.4	14.7-20.1	668	82.6	79.9-85.3
Some Post-H.S.	885	118,666	234	22.0	19.1-24.9	651	78.0	75.1-80.9
College Graduate	1086	79,250	243	18.1	15.7-20.5	843	81.9	79.5-84.3
Less than \$15,000	75	8,620	14	12.2	4.0-20.4	61	87.8	79.6-96.0
\$15,000- 24,999	128	12,442	31	14.6	8.5-20.7	97	85.4	79.3-91.5
\$25,000- 34,999	219	21,850	64	22.8	16.3-29.3	155	77.2	70.7-83.7
\$35,000- 49,999	297	28,368	87	20.5	15.4-25.6	210	79.5	74.4-84.6
\$50,000- 99,999	918	94,468	216	19.0	16.3-21.7	702	81.0	78.3-83.7
\$100,000 - 199,999	656	73,668	148	18.6	15.3-21.9	508	81.4	78.1-84.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

**TABLE 36: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	2851	294,694	61	2.6	1.8- 3.4	2790	97.4	96.6-98.2
Native	81	11,357	2	0.9	0.0- 2.3	79	99.1	97.7- 100
Non-Native	2739	279,958	58	2.6	1.8- 3.4	2681	97.4	96.6-98.2
18-24	128	43,627	4	3.5	0.0- 7.0	124	96.5	93.0- 100
25-34	259	50,122	7	3.0	0.5- 5.5	252	97.0	94.5-99.5
35-44	319	48,080	10	2.5	0.7- 4.3	309	97.5	95.7-99.3
45-54	335	38,254	14	4.8	2.3- 7.3	321	95.2	92.7-97.7
55-64	466	40,623	9	1.7	0.5- 2.9	457	98.3	97.1-99.5
65+	1344	73,988	17	1.0	0.4- 1.6	1327	99.0	98.4-99.6
Less Than H.S.	89	18,072	1	2.5	0.0- 7.4	88	97.5	92.6- 100
H.S. or G.E.D.	679	68,318	16	3.1	0.9- 5.3	663	96.9	94.7-99.1
Some Post-H.S.	876	111,823	13	2.1	0.9- 3.3	863	97.9	96.7-99.1
College Graduate	1200	95,804	31	2.7	1.5- 3.9	1169	97.3	96.1-98.5
Less than \$15,000	93	10,828	1	0.6	0.0- 1.8	92	99.4	98.2- 100
\$15,000- 24,999	184	19,826	3	1.7	0.0- 3.9	181	98.3	96.1- 100
\$25,000- 34,999	271	25,973	6	4.7	0.0- 9.4	265	95.3	90.6- 100
\$35,000- 49,999	293	31,431	4	1.0	0.0- 2.2	289	99.0	97.8- 100
\$50,000- 99,999	728	73,613	14	2.4	0.6- 4.2	714	97.6	95.8-99.4
\$100,000 - 199,999	496	52,679	14	2.8	1.2- 4.4	482	97.2	95.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 37: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5776	598,647	3059	64.4	62.8-66.0	153	4.1	3.3- 4.9	171	3.4	2.8- 4.0	99	3.9	3.1- 4.7	2090	20.9	19.9-21.9	204	3.4	2.8- 4.0
Male	2952	307,525	1796	71.3	69.3-73.3	92	4.2	3.0- 5.4	5	0.2	0.0- 0.4	48	3.1	2.1- 4.1	929	18.7	17.3-20.1	82	2.6	2.0- 3.2
Female	2824	291,122	1263	57.2	54.8-59.6	61	3.9	2.7- 5.1	166	6.7	5.5- 7.9	51	4.7	3.3- 6.1	1161	23.2	21.6-24.8	122	4.2	3.2- 5.2
Native	164	23,871	95	61.0	51.4-70.6	15	15.3	6.9-23.7	3	3.1	0.0- 6.6	6	3.9	0.2- 7.6	26	6.7	3.6- 9.8	19	10.0	4.1-15.9
Non-Native	5528	566,644	2931	64.9	63.3-66.5	136	3.6	2.8- 4.4	164	3.4	2.8- 4.0	92	3.9	3.1- 4.7	2025	21.3	20.1-22.5	180	3.0	2.4- 3.6
18-24	321	90,468	230	68.5	62.8-74.2	21	8.1	4.6-11.6	3	1.0	0.0- 2.2	63	20.4	15.7-25.1	1	0.7	0.0- 2.1	3	1.3	0.0- 2.9
25-34	606	105,713	525	85.0	81.7-88.3	26	5.6	3.2- 8.0	24	4.3	2.5- 6.1	20	3.0	1.6- 4.4				11	2.1	0.7- 3.5
35-44	695	101,690	612	87.7	85.0-90.4	22	3.5	1.7- 5.3	37	5.4	3.6- 7.2	8	1.0	0.2- 1.8	3	0.3	0.0- 0.7	13	2.0	0.8- 3.2
45-54	736	79,298	612	81.0	77.5-84.5	29	4.6	2.6- 6.6	22	2.9	1.7- 4.1	4	0.5	0.0- 1.1	31	4.9	3.1- 6.7	38	6.1	3.7- 8.5
55-64	982	83,141	663	66.1	62.8-69.4	31	3.2	1.8- 4.6	24	3.4	1.8- 5.0	2	0.1	0.0- 0.3	176	18.4	15.7-21.1	86	8.6	6.6-10.6
65+	2436	138,338	417	18.5	16.7-20.3	24	0.8	0.4- 1.2	61	2.9	1.9- 3.9	2	0.1	0.1- 0.1	1879	75.8	73.8-77.8	53	2.0	1.4- 2.6
Less Than H.S.	199	40,302	74	49.8	40.8-58.8	14	13.9	6.8-21.0	10	4.2	0.9- 7.5	2	2.3	0.0- 5.4	78	20.1	14.4-25.8	21	9.7	4.4-15.0
H.S. or G.E.D.	1541	154,843	773	63.3	60.4-66.2	55	4.8	3.2- 6.4	53	3.8	2.6- 5.0	37	5.7	3.7- 7.7	543	18.2	16.4-20.0	80	4.1	2.9- 5.3
Some Post-H.S.	1746	227,649	883	62.4	59.9-64.9	51	3.9	2.5- 5.3	47	2.8	1.8- 3.8	33	4.2	2.6- 5.8	668	23.7	21.7-25.7	64	3.0	2.2- 3.8
College Graduate	2275	174,066	1321	71.5	69.5-73.5	33	1.3	0.9- 1.7	61	3.6	2.6- 4.6	26	2.1	1.3- 2.9	795	19.9	18.3-21.5	39	1.7	1.1- 2.3
Less than \$15,000	168	19,447	28	22.9	14.1-31.7	26	24.0	14.2-33.8	5	3.2	0.1- 6.3	11	11.8	4.7-18.9	52	15.9	10.6-21.2	46	22.2	14.0-30.4
\$15,000- 24,999	310	31,804	94	45.9	38.1-53.7	21	7.3	3.6-11.0	13	5.3	1.8- 8.8	9	5.6	1.9- 9.3	127	22.7	17.8-27.6	46	13.2	8.7-17.7
\$25,000- 34,999	490	47,895	190	52.8	46.9-58.7	14	6.6	2.7-10.5	15	2.3	0.9- 3.7	7	2.6	0.4- 4.8	234	30.1	25.4-34.8	30	5.6	3.1- 8.1
\$35,000- 49,999	588	59,387	264	62.4	57.5-67.3	12	1.4	0.4- 2.4	15	3.5	1.3- 5.7	10	4.2	1.3- 7.1	266	25.5	21.6-29.4	21	2.9	1.5- 4.3
\$50,000- 99,999	1642	166,992	926	68.1	65.4-70.8	28	2.7	1.3- 4.1	41	3.0	1.8- 4.2	21	2.9	1.5- 4.3	599	21.4	19.4-23.4	27	1.9	0.9- 2.9
\$100,000 - 199,999	1150	126,302	855	81.0	78.5-83.5	8	1.0	0.2- 1.8	24	2.7	1.5- 3.9	12	2.9	1.1- 4.7	244	11.8	10.0-13.6	7	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 38: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2952	307,525	1796	71.3	69.3-73.3	92	4.2	3.0- 5.4	5	0.2	0.0- 0.4	48	3.1	2.1- 4.1	929	18.7	17.3-20.1	82	2.6	2.0- 3.2
Native	85	12,621	51	64.3	51.6-77.0	10	17.4	5.8-29.0	1	1.6	0.0- 4.7	3	4.6	0.0-10.7	15	8.2	3.1-13.3	5	3.9	0.2- 7.6
Non-Native	2814	290,026	1723	71.9	69.9-73.9	81	3.6	2.6- 4.6	3	0.1	0.0- 0.3	45	3.1	2.1- 4.1	889	19.0	17.6-20.4	73	2.3	1.7- 2.9
18-24	193	46,841	144	72.0	64.9-79.1	14	8.8	4.1-13.5	1	0.4	0.0- 1.2	31	16.3	10.6-22.0	1	1.3	0.0- 3.8	2	1.1	0.0- 2.7
25-34	350	56,510	320	90.3	86.6-94.0	15	5.8	2.5- 9.1				9	2.0	0.6- 3.4				6	2.0	0.4- 3.6
35-44	378	54,289	353	93.8	91.3-96.3	13	3.2	1.2- 5.2				3	0.7	0.0- 1.5	2	0.5	0.0- 1.3	7	1.8	0.2- 3.4
45-54	408	42,015	347	84.5	80.6-88.4	19	4.8	2.4- 7.2	3	0.6	0.0- 1.4	2	0.4	0.0- 0.8	19	5.2	2.8- 7.6	18	4.6	2.2- 7.0
55-64	522	43,054	387	74.4	70.3-78.5	16	2.5	1.1- 3.9	1	0.2	0.0- 0.6	2	0.3	0.0- 0.7	87	17.4	13.7-21.1	29	5.4	3.2- 7.6
65+	1101	64,815	245	24.9	22.0-27.8	15	1.0	0.4- 1.6				1	0.1	0.0- 0.3	820	72.4	69.3-75.5	20	1.7	0.7- 2.7
Less Than H.S.	113	22,604	51	53.5	42.1-64.9	8	12.6	4.0-21.2				2	4.1	0.0- 9.8	41	22.0	13.8-30.2	11	7.8	2.7-12.9
H.S. or G.E.D.	868	87,229	524	71.5	68.0-75.0	36	5.4	3.2- 7.6	2	0.4	0.0- 1.0	17	3.7	1.7- 5.7	253	15.4	13.2-17.6	36	3.5	2.1- 4.9
Some Post-H.S.	880	117,721	542	72.6	69.5-75.7	25	3.2	1.8- 4.6				14	2.8	1.2- 4.4	279	19.8	17.3-22.3	20	1.7	0.9- 2.5
College Graduate	1082	78,702	673	74.0	71.3-76.7	23	1.9	1.1- 2.7	3	0.2	0.0- 0.4	15	2.6	1.2- 4.0	353	19.8	17.4-22.2	15	1.5	0.5- 2.5
Less than \$15,000	75	8,620	7	11.8	2.8-20.8	15	30.8	15.5-46.1				9	22.5	9.0-36.0	23	15.9	8.1-23.7	21	19.1	10.1-28.1
\$15,000- 24,999	127	12,369	39	45.6	34.0-57.2	13	12.1	4.5-19.7	1	0.3	0.0- 0.9	4	5.8	0.0-11.7	52	22.7	15.3-30.1	18	13.6	6.3-20.9
\$25,000- 34,999	219	21,850	97	54.4	46.0-62.8	7	7.6	1.1-14.1				3	2.8	0.0- 5.9	99	28.1	21.4-34.8	13	7.2	2.5-11.9
\$35,000- 49,999	295	27,913	149	66.2	59.9-72.5	10	2.6	0.6- 4.6	1	0.7	0.0- 2.1	5	3.4	0.0- 6.9	119	23.9	18.8-29.0	11	3.2	0.8- 5.6
\$50,000- 99,999	915	93,485	566	72.1	68.8-75.4	19	2.8	1.2- 4.4	1	0.2	0.0- 0.6	15	3.4	1.4- 5.4	304	20.5	17.8-23.2	10	1.1	0.3- 1.9
\$100,000 - 199,999	655	73,655	524	87.0	84.3-89.7	6	1.1	0.0- 2.3				3	1.0	0.0- 2.2	122	10.9	8.7-13.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 39: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2824	291,122	1263	57.2	54.8-59.6	61	3.9	2.7- 5.1	166	6.7	5.5- 7.9	51	4.7	3.3- 6.1	1161	23.2	21.6-24.8	122	4.2	3.2- 5.2
Native	79	11,251	44	57.4	42.7-72.1	5	12.9	0.6-25.2	2	4.8	0.0-11.5	3	3.0	0.0- 7.1	11	4.9	1.4- 8.4	14	16.9	5.7-28.1
Non-Native	2714	276,618	1208	57.5	55.1-59.9	55	3.5	2.3- 4.7	161	6.8	5.6- 8.0	47	4.8	3.4- 6.2	1136	23.7	22.1-25.3	107	3.7	2.7- 4.7
18-24	128	43,627	86	64.7	55.7-73.7	7	7.4	1.9-12.9	2	1.7	0.0- 4.1	32	24.7	16.9-32.5				1	1.5	0.0- 4.4
25-34	256	49,202	205	79.0	73.5-84.5	11	5.3	2.0- 8.6	24	9.3	5.6-13.0	11	4.1	1.6- 6.6				5	2.3	0.1- 4.5
35-44	317	47,400	259	80.8	75.9-85.7	9	3.9	1.0- 6.8	37	11.6	7.7-15.5	5	1.4	0.0- 2.8	1	0.1	0.0- 0.3	6	2.3	0.3- 4.3
45-54	328	37,284	265	77.0	71.3-82.7	10	4.4	0.9- 7.9	19	5.4	2.9- 7.9	2	0.7	0.0- 1.7	12	4.6	1.9- 7.3	20	7.8	3.9-11.7
55-64	460	40,087	276	57.3	52.0-62.6	15	4.0	1.6- 6.4	23	7.0	3.9-10.1				89	19.6	15.5-23.7	57	12.1	8.8-15.4
65+	1335	73,522	172	12.9	10.7-15.1	9	0.7	0.3- 1.1	61	5.4	3.6- 7.2	1	0.0	0.0- 0.0	1059	78.9	76.2-81.6	33	2.2	1.4- 3.0
Less Than H.S.	86	17,698	23	45.0	30.5-59.5	6	15.4	4.0-26.8	10	9.6	2.3-16.9				37	17.7	10.4-25.0	10	12.2	2.4-22.0
H.S. or G.E.D.	673	67,614	249	52.7	47.6-57.8	19	4.1	1.7- 6.5	51	8.2	5.5-10.9	20	8.3	4.6-12.0	290	21.8	18.7-24.9	44	4.9	3.1- 6.7
Some Post-H.S.	866	109,928	341	51.5	47.4-55.6	26	4.7	2.5- 6.9	47	5.7	3.7- 7.7	19	5.7	3.2- 8.2	389	27.8	24.7-30.9	44	4.5	2.9- 6.1
College Graduate	1193	95,364	648	69.4	66.5-72.3	10	0.8	0.2- 1.4	58	6.3	4.5- 8.1	11	1.8	0.6- 3.0	442	19.9	17.7-22.1	24	1.8	1.0- 2.6
Less than \$15,000	93	10,828	21	31.8	18.3-45.3	11	18.6	6.3-30.9	5	5.7	0.0-11.4	2	3.3	0.0- 8.0	29	16.0	8.7-23.3	25	24.6	11.7-37.5
\$15,000- 24,999	183	19,435	55	46.1	35.7-56.5	8	4.2	0.7- 7.7	12	8.4	2.5-14.3	5	5.5	0.6-10.4	75	22.7	16.2-29.2	28	13.0	7.3-18.7
\$25,000- 34,999	271	26,044	93	51.5	43.5-59.5	7	5.7	0.8-10.6	15	4.2	1.8- 6.6	4	2.6	0.0- 5.5	135	31.7	25.2-38.2	17	4.3	1.9- 6.7
\$35,000- 49,999	293	31,474	115	59.0	51.6-66.4	2	0.4	0.0- 1.2	14	6.1	2.2-10.0	5	5.0	0.5- 9.5	147	26.9	21.2-32.6	10	2.6	0.8- 4.4
\$50,000- 99,999	727	73,507	360	63.0	58.5-67.5	9	2.6	0.4- 4.8	40	6.7	4.3- 9.1	6	2.2	0.2- 4.2	295	22.5	19.4-25.6	17	2.9	1.1- 4.7
\$100,000 - 199,999	495	52,647	331	72.7	67.8-77.6	2	0.7	0.0- 1.7	24	6.5	3.8- 9.2	9	5.5	1.8- 9.2	122	13.1	10.4-15.8	7	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 40: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																			
	TOTAL	WEIGHTED	One Child			Two Children			Three Children			Four Children			Five or More Children			No Children				
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	5709	590,651	459	11.6	10.4-12.8	421	10.5	9.3-11.7	226	5.8	5.0- 6.6	81	2.3	1.7- 2.9	42	1.3	0.9- 1.7	4480	68.5	66.9-70.1		
Male	2913	303,121	225	10.5	8.9-12.1	225	11.1	9.5-12.7	120	5.6	4.6- 6.6	46	2.3	1.5- 3.1	25	1.6	0.8- 2.4	2272	69.0	66.8-71.2		
Female	2796	287,530	234	12.8	11.0-14.6	196	10.0	8.4-11.6	106	6.0	4.8- 7.2	35	2.2	1.4- 3.0	17	1.0	0.4- 1.6	2208	68.0	65.6-70.4		
Native	164	23,913	23	15.2	7.9-22.5	21	14.2	7.5-20.9	8	4.0	0.7- 7.3	6	4.5	0.0- 9.2	3	2.1	0.0- 5.4	103	59.8	50.2-69.4		
Non-Native	5465	558,883	431	11.4	10.2-12.6	400	10.5	9.3-11.7	213	5.8	5.0- 6.6	73	2.2	1.6- 2.8	39	1.3	0.9- 1.7	4309	68.7	67.1-70.3		
18-24	320	90,873	43	14.4	10.1-18.7	22	7.7	4.2-11.2	4	1.6	0.0- 3.2	1	0.6	0.0- 1.8	4	1.4	0.0- 3.0	246	74.3	68.8-79.8		
25-34	592	102,466	99	18.8	15.3-22.3	95	16.8	13.5-20.1	43	7.8	5.4-10.2	18	4.1	2.1- 6.1	9	2.2	0.6- 3.8	328	50.2	45.9-54.5		
35-44	673	98,910	88	14.6	11.5-17.7	165	24.8	21.1-28.5	127	19.2	15.9-22.5	43	6.6	4.4- 8.8	17	2.6	1.2- 4.0	233	32.1	28.2-36.0		
45-54	725	78,220	147	19.5	16.4-22.6	100	13.3	10.6-16.0	39	5.6	3.6- 7.6	10	1.6	0.4- 2.8	9	1.7	0.3- 3.1	420	58.3	54.4-62.2		
55-64	970	82,215	47	5.4	3.8- 7.0	28	2.8	1.6- 4.0	6	0.8	0.0- 1.6	6	0.7	0.1- 1.3				883	90.3	88.1-92.5		
65+	2429	137,968	35	1.5	0.9- 2.1	11	0.5	0.1- 0.9	7	0.5	0.0- 1.1	3	0.1	0.0- 0.3	3	0.1	0.0- 0.3	2370	97.2	96.2-98.2		
Less Than H.S.	197	40,087	17	13.1	6.8-19.4	12	11.5	4.8-18.2	5	2.5	0.1- 4.9	2	1.7	0.0- 4.2	2	2.1	0.0- 5.2	159	69.1	60.3-77.9		
H.S. or G.E.D.	1527	153,108	129	13.5	11.1-15.9	94	9.6	7.6-11.6	56	5.5	3.9- 7.1	17	1.8	0.8- 2.8	11	1.2	0.4- 2.0	1220	68.5	65.4-71.6		
Some Post-H.S.	1727	225,199	125	10.6	8.6-12.6	101	8.5	6.7-10.3	59	5.5	4.1- 6.9	26	2.6	1.6- 3.6	13	1.4	0.6- 2.2	1403	71.5	68.8-74.2		
College Graduate	2246	170,670	186	10.9	9.3-12.5	214	13.9	11.9-15.9	105	7.1	5.7- 8.5	36	2.4	1.6- 3.2	16	1.2	0.6- 1.8	1689	64.4	61.9-66.9		
Less than \$15,000	168	19,447	10	11.8	3.6-20.0	6	4.1	0.4- 7.8	5	4.4	0.3- 8.5	4	4.4	0.0- 9.9	2	1.7	0.0- 4.1	141	73.7	63.7-83.7		
\$15,000- 24,999	311	32,005	21	15.2	8.5-21.9	11	5.3	1.8- 8.8	8	3.8	1.1- 6.5	3	1.1	0.0- 2.3	2	2.5	0.0- 6.0	266	72.0	64.4-79.6		
\$25,000- 34,999	490	47,688	26	10.3	6.0-14.6	20	7.7	3.8-11.6	7	1.7	0.3- 3.1	3	0.6	0.0- 1.4	4	1.6	0.0- 3.4	430	78.0	72.3-83.7		
\$35,000- 49,999	590	59,800	38	10.7	7.0-14.4	23	6.8	3.9- 9.7	13	3.5	1.3- 5.7	6	1.6	0.2- 3.0	1	0.3	0.0- 0.9	509	77.1	72.2-82.0		
\$50,000- 99,999	1644	167,824	115	9.2	7.4-11.0	98	8.3	6.5-10.1	61	5.4	4.0- 6.8	20	2.0	1.0- 3.0	16	1.5	0.5- 2.5	1334	73.7	71.0-76.4		
\$100,000 - 199,999	1148	125,790	154	15.5	13.0-18.0	157	17.7	15.0-20.4	81	9.6	7.4-11.8	26	3.6	2.0- 5.2	8	1.4	0.2- 2.6	722	52.1	48.6-55.6		

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 41: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2913	303,121	225	10.5	8.9-12.1	225	11.1	9.5-12.7	120	5.6	4.6- 6.6	46	2.3	1.5- 3.1	25	1.6	0.8- 2.4	2272	69.0	66.8-71.2
Native	86	13,199	12	16.6	6.0-27.2	11	15.3	6.3-24.3	3	3.6	0.0- 8.7							60	64.5	51.8-77.2
Non-Native	2778	285,434	211	10.2	8.6-11.8	214	11.1	9.5-12.7	112	5.5	4.3- 6.7	45	2.4	1.6- 3.2	25	1.6	0.8- 2.4	2171	69.1	66.9-71.3
18-24	193	47,429	25	13.9	8.6-19.2	14	9.6	4.1-15.1	3	2.0	0.0- 4.4				3	1.9	0.0- 4.4	148	72.6	65.3-79.9
25-34	342	54,810	42	13.7	9.6-17.8	49	15.5	11.4-19.6	19	5.9	3.2- 8.6	12	4.6	1.9- 7.3	4	1.4	0.0- 2.8	216	58.9	53.2-64.6
35-44	367	52,844	44	13.5	9.6-17.4	78	23.2	18.3-28.1	66	17.7	13.4-22.0	22	6.2	3.5- 8.9	10	3.2	0.8- 5.6	147	36.1	30.8-41.4
45-54	401	41,190	70	17.0	13.1-20.9	62	16.0	12.1-19.9	27	7.0	4.1- 9.9	8	2.6	0.6- 4.6	7	2.9	0.5- 5.3	227	54.5	49.0-60.0
55-64	514	42,416	29	6.0	3.6- 8.4	17	3.2	1.4- 5.0	2	0.4	0.0- 1.0	2	0.3	0.0- 0.7				464	90.1	87.2-93.0
65+	1096	64,431	15	1.4	0.6- 2.2	5	0.5	0.1- 0.9	3	0.4	0.0- 0.8	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6	1070	97.4	96.2-98.6
Less Than H.S.	112	22,717	8	12.0	4.0-20.0	8	14.4	4.4-24.4	4	2.9	0.0- 5.8	1	0.7	0.0- 2.1	2	3.8	0.0- 9.1	89	66.3	54.5-78.1
H.S. or G.E.D.	863	86,588	70	12.0	9.1-14.9	59	10.1	7.6-12.6	32	5.5	3.5- 7.5	9	1.2	0.4- 2.0	9	1.4	0.4- 2.4	684	69.8	65.9-73.7
Some Post-H.S.	864	115,578	64	9.4	7.0-11.8	67	11.2	8.5-13.9	32	5.3	3.3- 7.3	15	3.0	1.4- 4.6	7	1.4	0.2- 2.6	679	69.7	66.0-73.4
College Graduate	1067	77,090	83	10.1	7.9-12.3	91	11.2	8.8-13.6	51	6.4	4.6- 8.2	21	3.1	1.7- 4.5	7	1.3	0.3- 2.3	814	67.9	64.6-71.2
Less than \$15,000	75	8,620	4	11.9	0.0-24.8	1	1.1	0.0- 3.3							2	3.8	0.0- 9.1	68	83.2	69.7-96.7
\$15,000- 24,999	127	12,178	7	14.7	3.5-25.9	6	5.9	1.0-10.8	2	1.4	0.0- 3.6							112	78.0	66.6-89.4
\$25,000- 34,999	219	21,850	8	6.3	1.4-11.2	9	9.5	2.8-16.2	4	1.6	0.0- 3.4	2	1.2	0.0- 3.0	4	3.5	0.0- 7.4	192	77.8	69.4-86.2
\$35,000- 49,999	297	28,368	17	10.8	5.1-16.5	11	6.1	2.4- 9.8	4	1.3	0.0- 2.7	3	1.5	0.0- 3.3	1	0.6	0.0- 1.8	261	79.6	72.9-86.3
\$50,000- 99,999	917	94,396	60	8.1	5.9-10.3	47	7.3	5.1- 9.5	31	4.7	2.9- 6.5	15	2.7	1.1- 4.3	9	1.9	0.3- 3.5	755	75.3	71.8-78.8
\$100,000 - 199,999	653	73,268	88	15.5	12.2-18.8	91	17.9	14.2-21.6	48	9.5	6.6-12.4	15	3.2	1.4- 5.0	5	1.5	0.0- 3.1	406	52.4	47.9-56.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 42: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2796	287,530	234	12.8	11.0-14.6	196	10.0	8.4-11.6	106	6.0	4.8- 7.2	35	2.2	1.4- 3.0	17	1.0	0.4- 1.6	2208	68.0	65.6-70.4
Native	78	10,714	11	13.5	3.9-23.1	10	12.9	3.3-22.5	5	4.5	0.4- 8.6	6	10.2	0.0-20.4	3	4.7	0.0-12.0	43	54.1	39.4-68.8
Non-Native	2687	273,450	220	12.7	10.9-14.5	186	10.0	8.4-11.6	101	6.2	4.8- 7.6	28	1.9	1.1- 2.7	14	0.9	0.3- 1.5	2138	68.4	66.0-70.8
18-24	127	43,444	18	15.0	8.1-21.9	8	5.7	1.8- 9.6	1	1.0	0.0- 3.0	1	1.3	0.0- 3.8	1	0.9	0.0- 2.7	98	76.1	68.1-84.1
25-34	250	47,655	57	24.7	18.8-30.6	46	18.4	13.3-23.5	24	10.0	5.9-14.1	6	3.5	0.6- 6.4	5	3.1	0.2- 6.0	112	40.3	33.6-47.0
35-44	306	46,067	44	15.8	11.1-20.5	87	26.7	21.2-32.2	61	20.9	15.8-26.0	21	7.2	3.9-10.5	7	1.8	0.2- 3.4	86	27.6	22.1-33.1
45-54	324	37,029	77	22.3	17.4-27.2	38	10.2	6.9-13.5	12	4.0	1.6- 6.4	2	0.6	0.0- 1.6	2	0.4	0.0- 1.0	193	62.5	56.6-68.4
55-64	456	39,799	18	4.7	2.3- 7.1	11	2.4	0.6- 4.2	4	1.3	0.0- 2.7	4	1.2	0.0- 2.6				419	90.5	87.2-93.8
65+	1333	73,537	20	1.5	0.7- 2.3	6	0.6	0.0- 1.2	4	0.7	0.0- 1.7	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3	1300	97.0	95.6-98.4
Less Than H.S.	85	17,371	9	14.6	4.4-24.8	4	7.8	0.2-15.4	1	2.0	0.0- 5.9	1	2.9	0.0- 8.6				70	72.7	59.8-85.6
H.S. or G.E.D.	664	66,521	59	15.4	11.5-19.3	35	8.9	5.8-12.0	24	5.5	3.1- 7.9	8	2.5	0.3- 4.7	2	0.8	0.0- 2.2	536	66.9	61.8-72.0
Some Post-H.S.	863	109,621	61	11.9	8.8-15.0	34	5.7	3.5- 7.9	27	5.6	3.4- 7.8	11	2.1	0.7- 3.5	6	1.3	0.1- 2.5	724	73.3	69.2-77.4
College Graduate	1179	93,579	103	11.6	9.2-14.0	123	16.2	13.5-18.9	54	7.7	5.5- 9.9	15	1.9	0.7- 3.1	9	1.0	0.2- 1.8	875	61.6	58.1-65.1
Less than \$15,000	93	10,828	6	11.7	1.1-22.3	5	6.5	0.0-13.0	5	7.9	0.6-15.2	4	7.8	0.0-17.4				73	66.1	52.0-80.2
\$15,000- 24,999	184	19,826	14	15.5	7.3-23.7	5	4.9	0.2- 9.6	6	5.4	1.1- 9.7	3	1.8	0.0- 3.8	2	4.1	0.0- 9.6	154	68.4	58.2-78.6
\$25,000- 34,999	271	25,838	18	13.7	7.0-20.4	11	6.2	2.1-10.3	3	1.8	0.0- 4.0	1	0.1	0.0- 0.3				238	78.2	70.6-85.8
\$35,000- 49,999	293	31,431	21	10.5	5.4-15.6	12	7.4	3.1-11.7	9	5.5	1.4- 9.6	3	1.7	0.0- 3.9				248	74.9	67.6-82.2
\$50,000- 99,999	727	73,428	55	10.5	7.4-13.6	51	9.6	6.7-12.5	30	6.3	3.9- 8.7	5	1.3	0.1- 2.5	7	0.8	0.2- 1.4	579	71.6	67.3-75.9
\$100,000 - 199,999	495	52,522	66	15.6	11.7-19.5	66	17.3	13.2-21.4	33	9.7	6.4-13.0	11	4.2	1.7- 6.7	3	1.4	0.0- 3.2	316	51.8	46.5-57.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

**TABLE 43: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Less than \$25,000			\$25,000- 34,999			\$35,000- 49,999			\$50,000- 99,999			\$100,000 - 199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4701	488,381	480	10.6	9.4-11.8	491	9.8	8.6-11.0	591	12.3	11.1-13.5	1649	34.5	32.7-36.3	1154	25.9	24.3-27.5	336	6.9	6.1- 7.7
Male	2504	259,649	203	8.1	6.7- 9.5	219	8.4	7.0- 9.8	297	10.9	9.5-12.3	921	36.5	34.1-38.9	658	28.5	26.3-30.7	206	7.6	6.4- 8.8
Female	2197	228,732	277	13.4	11.4-15.4	272	11.5	9.7-13.3	294	13.8	11.8-15.8	728	32.2	29.7-34.7	496	23.0	20.8-25.2	130	6.1	4.9- 7.3
Native	143	21,658	37	27.5	17.7-37.3	17	10.2	4.1-16.3	22	15.9	8.8-23.0	52	36.6	26.4-46.8	12	8.1	2.8-13.4	3	1.7	0.0- 3.7
Non-Native	4510	462,059	434	9.7	8.5-10.9	468	9.8	8.6-11.0	558	12.0	10.8-13.2	1584	34.4	32.6-36.2	1134	26.9	25.3-28.5	332	7.2	6.4- 8.0
18-24	242	65,805	35	15.5	10.4-20.6	25	11.6	7.1-16.1	48	20.4	14.7-26.1	100	39.6	32.9-46.3	29	11.5	7.2-15.8	5	1.4	0.0- 2.8
25-34	534	92,764	48	12.0	8.5-15.5	51	9.7	7.0-12.4	58	10.2	7.5-12.9	201	35.0	30.7-39.3	145	27.6	23.5-31.7	31	5.5	3.5- 7.5
35-44	616	89,454	40	6.8	4.4- 9.2	35	6.3	3.9- 8.7	56	9.3	6.8-11.8	192	29.6	25.7-33.5	228	37.6	33.3-41.9	65	10.4	7.9-12.9
45-54	634	67,123	52	8.4	6.0-10.8	35	6.1	3.9- 8.3	47	7.5	5.1- 9.9	174	28.8	24.7-32.9	252	38.5	34.4-42.6	74	10.7	8.2-13.2
55-64	820	69,017	80	9.0	6.8-11.2	60	6.7	4.9- 8.5	77	10.4	7.9-12.9	284	35.4	31.7-39.1	229	27.6	24.1-31.1	90	10.9	8.5-13.3
65+	1855	104,217	225	12.0	10.2-13.8	285	16.3	14.1-18.5	305	15.8	13.8-17.8	698	38.0	35.5-40.5	271	14.3	12.5-16.1	71	3.6	2.6- 4.6
Less Than H.S.	167	35,109	48	25.4	17.2-33.6	39	18.1	11.2-25.0	26	17.4	9.8-25.0	39	31.3	22.1-40.5	12	6.4	2.5-10.3	3	1.4	0.0- 3.0
H.S. or G.E.D.	1202	118,695	201	14.5	12.0-17.0	186	14.4	11.9-16.9	206	17.7	15.0-20.4	372	30.4	27.3-33.5	186	18.4	15.7-21.1	51	4.5	3.1- 5.9
Some Post-H.S.	1381	181,204	153	10.4	8.4-12.4	165	10.2	8.2-12.2	168	11.8	9.6-14.0	539	37.5	34.6-40.4	291	25.2	22.5-27.9	65	4.9	3.7- 6.1
College Graduate	1945	152,367	77	4.4	3.2- 5.6	101	4.0	3.0- 5.0	191	7.5	6.3- 8.7	697	34.9	32.4-37.4	663	37.0	34.5-39.5	216	12.3	10.5-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 44: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less than \$25,000			\$25,000- 34,999			\$35,000- 49,999			\$50,000- 99,999			\$100,000 - 199,999			\$200,000+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2504	259,649	203	8.1	6.7- 9.5	219	8.4	7.0- 9.8	297	10.9	9.5-12.3	921	36.5	34.1-38.9	658	28.5	26.3-30.7	206	7.6	6.4- 8.8
Native	77	11,927	18	25.8	12.7-38.9	5	4.2	0.3- 8.1	13	16.2	7.2-25.2	28	38.1	24.8-51.4	11	13.8	4.6-23.0	2	1.9	0.0- 4.6
Non-Native	2395	244,717	180	7.0	5.8- 8.2	212	8.7	7.3-10.1	276	10.6	9.0-12.2	885	36.5	34.1-38.9	639	29.2	27.0-31.4	203	8.0	6.8- 9.2
18-24	147	34,865	20	15.2	8.9-21.5	11	8.5	3.4-13.6	31	19.5	12.8-26.2	62	42.2	33.6-50.8	18	11.9	6.4-17.4	5	2.7	0.3- 5.1
25-34	311	50,284	21	7.5	4.0-11.0	25	8.6	5.1-12.1	31	8.6	5.5-11.7	130	40.5	34.6-46.4	88	30.0	24.5-35.5	16	4.8	2.4- 7.2
35-44	350	50,146	18	5.2	2.5- 7.9	20	6.0	3.1- 8.9	30	7.7	4.8-10.6	106	28.7	23.6-33.8	135	40.3	34.6-46.0	41	12.0	8.3-15.7
45-54	356	36,018	27	6.6	4.1- 9.1	21	6.8	3.5-10.1	24	6.5	3.8- 9.2	97	27.4	22.3-32.5	147	43.4	37.7-49.1	40	9.3	6.4-12.2
55-64	449	37,048	33	6.9	4.4- 9.4	30	5.7	3.5- 7.9	42	9.6	6.5-12.7	163	37.2	32.1-42.3	124	27.9	23.2-32.6	57	12.6	9.1-16.1
65+	891	51,288	84	8.7	6.7-10.7	112	13.5	10.6-16.4	139	14.6	11.9-17.3	363	42.1	38.4-45.8	146	16.5	13.8-19.2	47	4.6	3.2- 6.0
Less Than H.S.	100	19,713	25	18.7	10.1-27.3	22	19.6	10.4-28.8	15	14.8	6.6-23.0	27	36.3	24.3-48.3	9	8.8	2.7-14.9	2	1.9	0.0- 4.4
H.S. or G.E.D.	715	70,557	90	10.6	7.9-13.3	86	10.6	8.1-13.1	117	16.9	13.6-20.2	251	34.5	30.4-38.6	136	21.5	18.0-25.0	35	5.8	3.6- 8.0
Some Post-H.S.	733	98,678	56	7.4	5.0- 9.8	63	8.0	5.6-10.4	70	7.7	5.7- 9.7	309	39.4	35.5-43.3	196	32.1	28.2-36.0	39	5.4	3.6- 7.2
College Graduate	951	69,773	32	3.7	2.3- 5.1	48	3.7	2.5- 4.9	95	8.5	6.5-10.5	332	34.7	31.2-38.2	315	35.6	32.1-39.1	129	13.9	11.4-16.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 45: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Less than \$25,000			\$25,000- 34,999			\$35,000- 49,999			\$50,000- 99,999			\$100,000 - 199,999			\$200,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2197	228,732	277	13.4	11.4-15.4	272	11.5	9.7-13.3	294	13.8	11.8-15.8	728	32.2	29.7-34.7	496	23.0	20.8-25.2	130	6.1	4.9- 7.3
Native	66	9,731	19	29.6	15.1-44.1	12	17.5	5.5-29.5	9	15.6	4.6-26.6	24	34.7	19.0-50.4	1	1.0	0.0- 3.0	1	1.4	0.0- 4.1
Non-Native	2115	217,342	254	12.6	10.6-14.6	256	11.1	9.3-12.9	282	13.7	11.5-15.9	699	32.0	29.5-34.5	495	24.2	21.8-26.6	129	6.4	5.2- 7.6
18-24	95	30,940	15	15.8	7.8-23.8	14	15.1	7.5-22.7	17	21.4	12.0-30.8	38	36.6	26.4-46.8	11	11.1	4.4-17.8			
25-34	223	42,479	27	17.3	11.0-23.6	26	11.0	6.7-15.3	27	12.1	7.2-17.0	71	28.5	22.2-34.8	57	24.7	18.6-30.8	15	6.4	3.3- 9.5
35-44	266	39,308	22	8.8	4.9-12.7	15	6.8	3.1-10.5	26	11.2	6.7-15.7	86	30.6	24.5-36.7	93	34.2	28.1-40.3	24	8.3	5.0-11.6
45-54	278	31,106	25	10.5	6.2-14.8	14	5.2	2.3- 8.1	23	8.7	5.0-12.4	77	30.4	23.9-36.9	105	32.9	27.0-38.8	34	12.3	8.0-16.6
55-64	371	31,969	47	11.5	7.8-15.2	30	7.8	4.9-10.7	35	11.4	7.3-15.5	121	33.2	27.7-38.7	105	27.2	22.1-32.3	33	8.8	5.5-12.1
65+	964	52,929	141	15.1	12.4-17.8	173	19.1	16.0-22.2	166	17.0	14.1-19.9	335	34.1	30.6-37.6	125	12.1	9.7-14.5	24	2.6	1.4- 3.8
Less Than H.S.	67	15,396	23	34.1	19.4-48.8	17	16.3	6.1-26.5	11	20.6	7.1-34.1	12	24.9	11.0-38.8	3	3.3	0.0- 7.2	1	0.7	0.0- 2.1
H.S. or G.E.D.	487	48,138	111	20.1	15.4-24.8	100	20.0	15.3-24.7	89	18.9	14.2-23.6	121	24.4	19.3-29.5	50	13.9	9.4-18.4	16	2.7	1.1- 4.3
Some Post-H.S.	648	82,525	97	13.9	10.6-17.2	102	12.9	9.8-16.0	98	16.7	12.8-20.6	230	35.3	30.8-39.8	95	16.9	13.4-20.4	26	4.3	2.5- 6.1
College Graduate	994	82,594	45	5.0	3.2- 6.8	53	4.2	2.8- 5.6	96	6.6	5.0- 8.2	365	35.0	31.5-38.5	348	38.2	34.5-41.9	87	11.0	8.6-13.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 46: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	803	150,389	28	5.4	3.0- 7.8	775	94.6	92.2-97.0
Non-Native	768	142,997	28	5.7	3.3- 8.1	740	94.3	91.9-96.7
18-24	124	42,541	5	6.2	0.5-11.9	119	93.8	88.1-99.5
25-34	248	47,401	17	9.6	4.7-14.5	231	90.4	85.5-95.3
35-44	299	45,165	6	2.1	0.1- 4.1	293	97.9	95.9-99.9
45-54	132	15,282				132	100.0	100.0- 100
H.S. or G.E.D.	187	38,426	7	6.8	1.3-12.3	180	93.2	87.7-98.7
Some Post-H.S.	192	48,310	8	6.5	1.6-11.4	184	93.5	88.6-98.4
College Graduate	401	52,729	12	3.7	1.3- 6.1	389	96.3	93.9-98.7
\$25,000- 34,999	58	11,989	3	7.8	0.0-16.8	55	92.2	83.2- 100
\$35,000- 49,999	77	17,046	4	7.0	0.0-14.8	73	93.0	85.2- 100
\$50,000- 99,999	224	39,000	9	5.0	1.3- 8.7	215	95.0	91.3-98.7
\$100,000 - 199,999	204	31,279	5	3.1	0.0- 6.2	199	96.9	93.8- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 47: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5284	549,450	31	0.7	0.3- 1.1	1177	23.0	21.4-24.6	2316	42.8	41.0-44.6	1274	23.4	22.0-24.8	466	9.6	8.6-10.6	20	0.5	0.3- 0.7
Male	2817	292,950	4	0.2	0.0- 0.4	206	8.9	7.5-10.3	1266	44.8	42.4-47.2	942	30.9	28.9-32.9	385	14.5	12.9-16.1	14	0.6	0.2- 1.0
Female	2467	256,500	27	1.3	0.5- 2.1	971	39.1	36.6-41.6	1050	40.4	37.9-42.9	332	14.9	12.9-16.9	81	3.9	2.9- 4.9	6	0.4	0.0- 0.8
Native	157	23,081	1	0.7	0.0- 2.1	26	14.4	7.7-21.1	65	41.0	31.2-50.8	41	27.7	18.3-37.1	24	16.2	9.1-23.3			
Non-Native	5058	519,920	29	0.7	0.3- 1.1	1136	23.4	21.8-25.0	2223	42.9	41.1-44.7	1212	23.2	21.8-24.6	438	9.3	8.3-10.3	20	0.6	0.4- 0.8
18-24	301	84,846	2	1.1	0.0- 2.7	91	32.9	27.0-38.8	142	45.1	39.0-51.2	46	14.4	10.1-18.7	18	6.1	3.2- 9.0	2	0.4	0.0- 1.0
25-34	567	98,269	4	0.6	0.0- 1.2	123	23.0	19.1-26.9	229	39.1	34.8-43.4	140	24.2	20.3-28.1	65	12.0	9.1-14.9	6	1.1	0.1- 2.1
35-44	636	93,186	3	0.7	0.0- 1.5	118	18.7	15.4-22.0	272	42.5	38.2-46.8	160	24.8	21.1-28.5	76	12.3	9.4-15.2	7	1.0	0.2- 1.8
45-54	665	71,595	2	0.3	0.0- 0.9	113	18.7	15.4-22.0	270	41.1	37.0-45.2	184	26.5	22.8-30.2	93	12.9	10.2-15.6	3	0.4	0.0- 1.0
55-64	897	76,077	3	0.7	0.0- 1.7	163	17.9	15.0-20.8	368	39.8	36.1-43.5	269	30.7	27.2-34.2	92	10.6	8.2-13.0	2	0.2	0.0- 0.6
65+	2218	125,476	17	0.8	0.4- 1.2	569	25.1	22.9-27.3	1035	47.0	44.5-49.5	475	21.7	19.7-23.7	122	5.4	4.4- 6.4			
Less Than H.S.	184	37,855	2	1.7	0.0- 4.4	51	28.2	19.6-36.8	79	41.3	32.1-50.5	36	18.2	11.3-25.1	15	9.8	4.1-15.5	1	0.6	0.0- 1.8
H.S. or G.E.D.	1399	141,392	9	0.7	0.1- 1.3	311	24.6	21.5-27.7	624	42.9	39.6-46.2	328	22.2	19.5-24.9	124	9.2	7.4-11.0	3	0.3	0.0- 0.7
Some Post-H.S.	1598	209,457	9	0.6	0.0- 1.2	348	21.3	18.8-23.8	665	41.8	38.9-44.7	412	25.1	22.6-27.6	160	10.9	8.9-12.9	4	0.3	0.0- 0.7
College Graduate	2094	159,450	10	0.6	0.2- 1.0	466	22.7	20.5-24.9	942	44.0	41.5-46.5	497	23.6	21.4-25.8	167	8.1	6.7- 9.5	12	1.0	0.4- 1.6
Less than \$15,000	164	19,252	4	3.0	0.0- 6.3	39	20.9	11.9-29.9	65	38.6	28.8-48.4	44	29.8	19.8-39.8	11	7.1	2.2-12.0	1	0.7	0.0- 2.1
\$15,000- 24,999	293	30,767	2	0.9	0.0- 2.3	72	29.2	21.6-36.8	127	40.9	33.3-48.5	59	17.7	12.2-23.2	30	9.5	5.2-13.8	3	1.8	0.0- 4.0
\$25,000- 34,999	455	44,662	2	1.4	0.0- 3.8	125	30.0	24.1-35.9	202	42.8	36.7-48.9	88	16.4	12.3-20.5	37	9.2	5.5-12.9	1	0.3	0.0- 0.9
\$35,000- 49,999	557	55,800	1	0.1	0.0- 0.3	136	25.5	20.6-30.4	235	43.1	37.6-48.6	128	21.8	17.3-26.3	50	8.0	5.5-10.5	7	1.6	0.2- 3.0
\$50,000- 99,999	1586	162,510	7	0.3	0.1- 0.5	308	21.0	18.3-23.7	712	42.6	39.5-45.7	392	24.2	21.7-26.7	161	11.3	9.3-13.3	6	0.5	0.1- 0.9
\$100,000 - 199,999	1113	122,377	2	0.3	0.0- 0.7	200	17.7	15.0-20.4	482	43.3	39.8-46.8	319	27.8	24.7-30.9	110	10.8	8.4-13.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 47: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2817	292,950	4	0.2	0.0- 0.4	206	8.9	7.5-10.3	1266	44.8	42.4-47.2	942	30.9	28.9-32.9	385	14.5	12.9-16.1	14	0.6	0.2- 1.0
Native	85	12,873	1	1.3	0.0- 3.8	7	10.1	1.1-19.1	33	39.7	27.0-52.4	25	26.2	14.4-38.0	19	22.8	12.2-33.4			
Non-Native	2683	275,529	2	0.1	0.0- 0.3	192	8.7	7.3-10.1	1213	45.2	42.8-47.6	900	31.1	28.9-33.3	362	14.3	12.7-15.9	14	0.7	0.3- 1.1
18-24	188	45,986				40	21.0	14.7-27.3	100	53.9	46.3-61.5	31	15.4	9.9-20.9	15	8.9	4.2-13.6	2	0.8	0.0- 2.0
25-34	332	53,166	1	0.3	0.0- 0.9	37	10.9	7.4-14.4	150	44.5	38.8-50.2	96	28.3	23.0-33.6	46	15.2	10.9-19.5	2	0.7	0.0- 1.7
35-44	358	51,503				20	5.8	2.9- 8.7	161	44.3	38.6-50.0	111	30.4	25.3-35.5	61	18.3	13.6-23.0	5	1.2	0.2- 2.2
45-54	384	39,486	1	0.4	0.0- 1.2	18	5.8	2.9- 8.7	140	37.7	32.4-43.0	139	34.0	28.9-39.1	83	21.3	16.8-25.8	3	0.8	0.0- 1.8
55-64	501	41,210	1	0.2	0.0- 0.6	18	2.6	1.2- 4.0	190	35.6	30.9-40.3	216	44.9	40.0-49.8	74	16.2	12.3-20.1	2	0.4	0.0- 1.0
65+	1054	61,599	1	0.1	0.0- 0.3	73	7.0	5.0- 9.0	525	49.6	46.1-53.1	349	33.8	30.5-37.1	106	9.6	7.6-11.6			
Less Than H.S.	106	21,711				15	17.9	8.3-27.5	51	45.3	33.5-57.1	28	22.9	13.5-32.3	11	12.8	4.6-21.0	1	1.1	0.0- 3.3
H.S. or G.E.D.	827	83,219	1	0.2	0.0- 0.6	88	13.1	10.2-16.0	376	46.4	42.3-50.5	251	27.3	23.8-30.8	108	12.5	10.0-15.0	3	0.5	0.0- 1.1
Some Post-H.S.	839	112,096	2	0.2	0.0- 0.6	47	6.8	4.6- 9.0	350	42.9	39.0-46.8	305	32.7	29.2-36.2	133	17.1	14.0-20.2	2	0.2	0.0- 0.6
College Graduate	1038	74,866	1	0.1	0.0- 0.3	55	4.8	3.4- 6.2	484	45.3	41.8-48.8	357	34.7	31.4-38.0	133	13.8	11.3-16.3	8	1.3	0.3- 2.3
Less than \$15,000	74	8,574	1	2.1	0.0- 6.2	13	14.8	5.6-24.0	29	41.2	26.9-55.5	24	34.3	18.8-49.8	6	6.1	0.0-12.2	1	1.5	0.0- 4.4
\$15,000- 24,999	126	12,342				10	10.5	3.2-17.8	57	47.6	36.2-59.0	36	25.9	16.7-35.1	21	13.2	6.9-19.5	2	2.9	0.0- 7.0
\$25,000- 34,999	208	20,847				23	14.5	7.2-21.8	104	49.6	40.8-58.4	52	19.4	13.3-25.5	28	16.0	8.9-23.1	1	0.5	0.0- 1.5
\$35,000- 49,999	285	27,018				24	11.7	6.8-16.6	127	46.4	39.1-53.7	90	26.8	20.3-33.3	39	12.9	8.4-17.4	5	2.3	0.1- 4.5
\$50,000- 99,999	906	93,176	2	0.2	0.0- 0.6	70	10.0	7.3-12.7	398	42.2	38.3-46.1	298	30.8	27.3-34.3	133	16.0	12.9-19.1	5	0.7	0.1- 1.3
\$100,000 - 199,999	647	72,746				29	5.1	2.9- 7.3	267	41.2	36.7-45.7	251	36.6	32.3-40.9	100	17.1	13.6-20.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 47: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2467	256,500	27	1.3	0.5- 2.1	971	39.1	36.6-41.6	1050	40.4	37.9-42.9	332	14.9	12.9-16.9	81	3.9	2.9- 4.9	6	0.4	0.0- 0.8
Native	72	10,209				19	19.8	9.8-29.8	32	42.8	27.7-57.9	16	29.6	14.5-44.7	5	7.9	0.0-15.9			
Non-Native	2375	244,391	27	1.4	0.6- 2.2	944	39.9	37.2-42.6	1010	40.4	37.9-42.9	312	14.2	12.2-16.2	76	3.7	2.7- 4.7	6	0.4	0.0- 0.8
18-24	113	38,860	2	2.4	0.0- 5.7	51	47.0	37.0-57.0	42	34.7	25.5-43.9	15	13.1	6.2-20.0	3	2.8	0.0- 5.9			
25-34	235	45,104	3	0.9	0.0- 1.9	86	37.2	30.3-44.1	79	32.8	26.1-39.5	44	19.3	13.8-24.8	19	8.2	4.3-12.1	4	1.6	0.0- 3.2
35-44	278	41,683	3	1.5	0.0- 3.3	98	34.7	28.6-40.8	111	40.3	33.8-46.8	49	17.9	12.8-23.0	15	4.9	2.2- 7.6	2	0.8	0.0- 2.0
45-54	281	32,110	1	0.2	0.0- 0.6	95	34.4	28.1-40.7	130	45.2	38.5-51.9	45	17.4	12.1-22.7	10	2.7	0.9- 4.5			
55-64	396	34,867	2	1.3	0.0- 3.3	145	36.0	30.5-41.5	178	44.8	39.1-50.5	53	14.0	10.1-17.9	18	3.9	1.7- 6.1			
65+	1164	63,877	16	1.4	0.6- 2.2	496	42.6	39.1-46.1	510	44.6	41.1-48.1	126	10.1	8.1-12.1	16	1.3	0.5- 2.1			
Less Than H.S.	78	16,144	2	4.0	0.0-10.3	36	42.1	27.2-57.0	28	36.0	21.9-50.1	8	12.0	2.0-22.0	4	5.9	0.0-12.6			
H.S. or G.E.D.	572	58,173	8	1.3	0.1- 2.5	223	41.2	35.5-46.9	248	37.9	32.6-43.2	77	14.9	10.8-19.0	16	4.6	2.1- 7.1			
Some Post-H.S.	759	97,361	7	1.0	0.0- 2.2	301	38.0	33.7-42.3	315	40.4	36.1-44.7	107	16.4	12.9-19.9	27	3.8	2.0- 5.6	2	0.4	0.0- 1.0
College Graduate	1056	84,584	9	1.0	0.2- 1.8	411	38.5	35.0-42.0	458	42.9	39.2-46.6	140	13.8	11.3-16.3	34	3.0	1.8- 4.2	4	0.8	0.0- 1.6
Less than \$15,000	90	10,677	3	3.8	0.0- 8.7	26	25.7	12.0-39.4	36	36.5	23.2-49.8	20	26.2	13.3-39.1	5	7.8	0.5-15.1			
\$15,000- 24,999	167	18,425	2	1.5	0.0- 3.7	62	41.8	31.0-52.6	70	36.4	26.6-46.2	23	12.2	5.7-18.7	9	7.0	0.9-13.1	1	1.1	0.0- 3.3
\$25,000- 34,999	247	23,815	2	2.7	0.0- 7.0	102	43.5	35.1-51.9	98	36.9	28.7-45.1	36	13.7	8.0-19.4	9	3.2	0.8- 5.6			
\$35,000- 49,999	272	28,781	1	0.1	0.0- 0.3	112	38.4	30.4-46.4	108	40.0	31.6-48.4	38	17.2	10.9-23.5	11	3.3	0.9- 5.7	2	0.9	0.0- 2.3
\$50,000- 99,999	680	69,334	5	0.5	0.1- 0.9	238	35.7	31.0-40.4	314	43.2	38.3-48.1	94	15.3	11.8-18.8	28	5.0	2.6- 7.4	1	0.3	0.0- 0.9
\$100,000 - 199,999	466	49,632	2	0.8	0.0- 2.0	171	36.1	30.8-41.4	215	46.5	41.0-52.0	68	15.0	10.9-19.1	10	1.6	0.6- 2.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

**TABLE 48: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5525	571,720	239	4.3	3.5- 5.1	2094	35.7	34.1-37.3	2553	46.8	45.0-48.6	609	12.3	11.1-13.5	17	0.6	0.2- 1.0	13	0.4	0.2- 0.6
Male	2855	296,707	7	0.3	0.0- 0.7	223	7.2	6.0- 8.4	2000	67.5	65.3-69.7	601	23.5	21.5-25.5	16	0.9	0.3- 1.5	8	0.6	0.2- 1.0
Female	2670	275,013	232	8.5	7.1- 9.9	1871	66.5	64.0-69.0	553	24.4	22.0-26.8	8	0.2	0.0- 0.4	1	0.2	0.0- 0.6	5	0.2	0.0- 0.4
Native	161	23,543	6	2.6	0.1- 5.1	56	30.7	21.7-39.7	86	56.2	46.4-66.0	13	10.5	3.8-17.2						
Non-Native	5289	540,842	230	4.3	3.5- 5.1	2014	36.0	34.4-37.6	2429	46.4	44.6-48.2	588	12.4	11.2-13.6	16	0.5	0.1- 0.9	12	0.4	0.2- 0.6
18-24	308	87,385	8	3.4	1.0- 5.8	84	31.0	25.1-36.9	165	51.9	45.8-58.0	50	13.4	9.7-17.1	1	0.3	0.0- 0.9			
25-34	582	100,727	17	3.8	1.8- 5.8	184	33.9	29.6-38.2	275	44.5	40.2-48.8	95	15.2	12.1-18.3	7	1.8	0.4- 3.2	4	0.8	0.0- 1.6
35-44	656	96,142	22	4.7	2.5- 6.9	206	30.6	26.7-34.5	324	48.6	44.3-52.9	97	14.5	11.6-17.4	2	0.5	0.0- 1.3	5	1.0	0.0- 2.0
45-54	697	75,039	8	1.2	0.2- 2.2	227	34.7	30.8-38.6	361	50.2	46.1-54.3	96	13.1	10.4-15.8	1	0.2	0.0- 0.6	4	0.7	0.0- 1.5
55-64	934	79,190	28	4.2	2.4- 6.0	336	35.2	31.7-38.7	467	48.9	45.2-52.6	99	11.1	8.7-13.5	4	0.7	0.1- 1.3			
65+	2348	133,236	156	6.7	5.5- 7.9	1057	44.7	42.3-47.1	961	40.6	38.2-43.0	172	8.0	6.6- 9.4	2	0.0	0.0- 0.0			
Less Than H.S.	188	38,698	18	8.3	3.2-13.4	61	33.9	25.1-42.7	89	46.7	37.5-55.9	14	6.5	2.6-10.4	2	1.6	0.0- 4.0	4	3.1	0.0- 6.2
H.S. or G.E.D.	1470	148,048	63	4.2	2.8- 5.6	540	35.4	32.3-38.5	724	48.3	45.0-51.6	140	11.8	9.6-14.0	2	0.2	0.0- 0.6	1	0.1	0.0- 0.3
Some Post-H.S.	1679	218,321	86	4.5	3.3- 5.7	636	33.6	30.9-36.3	743	47.3	44.4-50.2	205	13.8	11.8-15.8	7	0.6	0.0- 1.2	2	0.1	0.0- 0.3
College Graduate	2177	165,250	70	2.9	1.9- 3.9	855	39.4	36.9-41.9	990	44.5	42.0-47.0	250	12.1	10.5-13.7	6	0.6	0.0- 1.2	6	0.4	0.0- 0.8
Less than \$15,000	167	19,137	10	4.9	1.2- 8.6	65	37.2	27.0-47.4	72	43.0	32.8-53.2	19	14.3	6.3-22.3				1	0.7	0.0- 2.1
\$15,000- 24,999	299	31,032	24	6.1	2.6- 9.6	122	43.9	36.1-51.7	133	39.6	32.2-47.0	17	7.6	3.5-11.7				3	2.8	0.0- 6.1
\$25,000- 34,999	475	46,786	37	9.9	6.0-13.8	210	40.4	34.5-46.3	185	39.4	33.5-45.3	40	9.8	6.3-13.3	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3
\$35,000- 49,999	581	58,436	27	5.3	2.4- 8.2	237	39.2	33.9-44.5	258	45.4	40.1-50.7	54	8.9	6.2-11.6	1	0.2	0.0- 0.6	4	1.0	0.0- 2.0
\$50,000- 99,999	1628	166,140	49	3.6	2.2- 5.0	566	31.9	29.2-34.6	812	50.4	47.3-53.5	194	13.3	11.3-15.3	6	0.9	0.1- 1.7	1	0.1	0.0- 0.3
\$100,000 - 199,999	1135	124,307	22	1.9	0.9- 2.9	390	31.2	28.1-34.3	552	50.3	46.8-53.8	165	15.7	13.2-18.2	5	0.8	0.0- 1.6	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 49: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2855	296,707	7	0.3	0.0- 0.7	223	7.2	6.0- 8.4	2000	67.5	65.3-69.7	601	23.5	21.5-25.5	16	0.9	0.3- 1.5	8	0.6	0.2- 1.0
Native	85	12,873				4	2.3	0.0- 4.8	68	78.6	67.2-90.0	13	19.2	7.8-30.6						
Non-Native	2721	279,183	7	0.3	0.0- 0.7	212	7.4	6.2- 8.6	1900	67.2	65.0-69.4	580	23.7	21.7-25.7	15	0.9	0.3- 1.5	7	0.5	0.1- 0.9
18-24	189	46,399	1	0.6	0.0- 1.8	11	6.2	2.3-10.1	126	67.2	60.1-74.3	50	25.3	18.8-31.8	1	0.6	0.0- 1.8			
25-34	338	54,065				17	4.5	2.3- 6.7	218	63.8	58.3-69.3	95	28.4	23.1-33.7	6	2.4	0.2- 4.6	2	0.9	0.0- 2.3
35-44	362	52,043	2	0.8	0.0- 2.0	28	7.7	4.6-10.8	229	62.2	56.7-67.7	97	26.9	21.8-32.0	2	0.9	0.0- 2.3	4	1.6	0.0- 3.4
45-54	389	39,926				22	6.5	3.6- 9.4	268	67.8	62.7-72.9	96	24.5	19.8-29.2	1	0.3	0.0- 0.9	2	0.8	0.0- 2.2
55-64	507	41,721	1	0.2	0.0- 0.6	41	7.2	4.8- 9.6	367	71.4	66.9-75.9	94	20.0	15.9-24.1	4	1.3	0.1- 2.5			
65+	1070	62,553	3	0.3	0.0- 0.7	104	10.4	8.2-12.6	792	72.5	69.4-75.6	169	16.7	14.2-19.2	2	0.1	0.0- 0.3			
Less Than H.S.	108	22,288	1	0.5	0.0- 1.5	11	10.2	3.3-17.1	78	72.2	62.2-82.2	13	11.1	4.6-17.6	1	0.6	0.0- 1.8	4	5.5	0.2-10.8
H.S. or G.E.D.	838	84,108	5	1.0	0.0- 2.0	79	8.3	6.1-10.5	612	69.5	65.6-73.4	139	20.7	17.2-24.2	2	0.3	0.0- 0.9	1	0.2	0.0- 0.6
Some Post-H.S.	849	113,047	1	0.0	0.0- 0.0	63	6.4	4.4- 8.4	576	65.9	62.2-69.6	202	26.4	22.9-29.9	7	1.2	0.2- 2.2			
College Graduate	1053	76,206				69	6.3	4.7- 7.9	728	65.9	62.6-69.2	247	26.1	23.0-29.2	6	1.3	0.1- 2.5	3	0.4	0.0- 1.0
Less than \$15,000	75	8,620				6	6.9	0.6-13.2	50	61.2	46.1-76.3	18	30.4	15.3-45.5				1	1.5	0.0- 4.4
\$15,000- 24,999	126	12,342	1	0.9	0.0- 2.7	6	4.4	0.3- 8.5	100	70.0	58.8-81.2	17	19.1	9.7-28.5				2	5.7	0.0-13.5
\$25,000- 34,999	210	21,148	1	0.5	0.0- 1.5	29	12.7	7.2-18.2	137	64.0	55.8-72.2	40	21.8	14.5-29.1	2	0.8	0.0- 2.2	1	0.3	0.0- 0.9
\$35,000- 49,999	293	27,872				33	9.9	6.0-13.8	205	70.4	64.1-76.7	53	18.5	13.2-23.8	1	0.3	0.0- 0.9	1	0.9	0.0- 2.7
\$50,000- 99,999	911	93,865	2	0.1	0.0- 0.3	61	6.9	4.7- 9.1	649	68.4	64.7-72.1	193	23.4	20.1-26.7	5	1.1	0.1- 2.1	1	0.1	0.0- 0.3
\$100,000 - 199,999	649	72,841	1	0.1	0.0- 0.3	39	4.9	3.1- 6.7	440	66.8	62.5-71.1	163	26.7	22.8-30.6	5	1.3	0.0- 2.7	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 7: DEMOGRAPHICS**

TABLE 50: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2670	275,013	232	8.5	7.1- 9.9	1871	66.5	64.0-69.0	553	24.4	22.0-26.8	8	0.2	0.0- 0.4	1	0.2	0.0- 0.6	5	0.2	0.0- 0.4
Native	76	10,670	6	5.8	0.1-11.5	52	65.0	50.5-79.5	18	29.2	15.1-43.3									
Non-Native	2568	261,659	223	8.5	6.9-10.1	1802	66.6	64.1-69.1	529	24.3	21.9-26.7	8	0.2	0.0- 0.4	1	0.2	0.0- 0.6	5	0.2	0.0- 0.4
18-24	119	40,986	7	6.5	1.8-11.2	73	59.0	49.4-68.6	39	34.6	25.4-43.8									
25-34	244	46,662	17	8.3	4.0-12.6	167	68.0	61.5-74.5	57	22.2	16.7-27.7				1	1.0	0.0- 3.0	2	0.6	0.0- 1.4
35-44	294	44,100	20	9.4	5.1-13.7	178	57.7	51.4-64.0	95	32.6	26.7-38.5							1	0.3	0.0- 0.9
45-54	308	35,113	8	2.5	0.5- 4.5	205	66.8	60.7-72.9	93	30.1	24.2-36.0							2	0.6	0.0- 1.6
55-64	427	37,468	27	8.6	5.1-12.1	295	66.3	61.0-71.6	100	23.9	19.0-28.8	5	1.2	0.0- 2.4						
65+	1278	70,683	153	12.3	10.1-14.5	953	75.2	72.5-77.9	169	12.3	10.1-14.5	3	0.2	0.0- 0.6						
Less Than H.S.	80	16,410	17	18.9	7.5-30.3	50	66.0	52.3-79.7	11	12.0	2.8-21.2	1	0.3	0.0- 0.9	1	2.8	0.0- 8.1			
H.S. or G.E.D.	632	63,941	58	8.5	5.8-11.2	461	71.1	66.2-76.0	112	20.3	15.8-24.8	1	0.1	0.0- 0.3						
Some Post-H.S.	830	105,275	85	9.4	6.9-11.9	573	62.7	58.4-67.0	167	27.3	23.0-31.6	3	0.3	0.0- 0.7				2	0.3	0.0- 0.7
College Graduate	1124	89,045	70	5.4	3.8- 7.0	786	67.8	64.5-71.1	262	26.2	23.1-29.3	3	0.2	0.0- 0.4				3	0.3	0.0- 0.7
Less than \$15,000	92	10,518	10	9.0	2.3-15.7	59	61.9	48.2-75.6	22	28.0	15.1-40.9	1	1.1	0.0- 3.3						
\$15,000- 24,999	173	18,690	23	9.5	3.8-15.2	116	70.1	60.9-79.3	33	19.5	11.7-27.3							1	0.9	0.0- 2.7
\$25,000- 34,999	265	25,638	36	17.6	10.9-24.3	181	63.3	55.1-71.5	48	19.1	12.4-25.8									
\$35,000- 49,999	288	30,564	27	10.2	4.9-15.5	204	66.0	58.2-73.8	53	22.6	15.7-29.5	1	0.2	0.0- 0.6				3	1.0	0.0- 2.2
\$50,000- 99,999	717	72,275	47	8.0	4.9-11.1	505	64.2	59.3-69.1	163	27.0	22.5-31.5	1	0.2	0.0- 0.6	1	0.6	0.0- 1.8			
\$100,000 - 199,999	486	51,466	21	4.5	2.1- 6.9	351	68.4	63.1-73.7	112	26.8	21.7-31.9	2	0.2	0.0- 0.6						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 8: DISABILITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
1 MALES AND FEMALES	137
2 MALES ONLY	138
3 FEMALES ONLY	139
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
4 MALES AND FEMALES	140
5 MALES ONLY	141
6 FEMALES ONLY	142
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
7 MALES AND FEMALES	143
8 MALES ONLY	144
9 FEMALES ONLY	145
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
10 MALES AND FEMALES	146
11 MALES ONLY	147
12 FEMALES ONLY	148
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
13 MALES AND FEMALES	149
14 MALES ONLY	150
15 FEMALES ONLY	151
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
16 MALES AND FEMALES	152
17 MALES ONLY	153
18 FEMALES ONLY	154

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024**

SECTION 8: DISABILITY

TABLE 1: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5605	580,448	642	7.8	7.0- 8.6	4963	92.2	91.4-93.0
Male	2870	298,801	410	10.3	9.1-11.5	2460	89.7	88.5-90.9
Female	2735	281,647	232	5.3	4.5- 6.1	2503	94.7	93.9-95.5
Native	158	22,876	16	4.0	1.8- 6.2	142	96.0	93.8-98.2
Non-Native	5365	549,433	612	7.9	7.1- 8.7	4753	92.1	91.3-92.9
18-24	313	89,116	5	1.6	0.2- 3.0	308	98.4	97.0-99.8
25-34	584	100,748	16	3.0	1.4- 4.6	568	97.0	95.4-98.6
35-44	666	97,978	17	2.2	1.0- 3.4	649	97.8	96.6-99.0
45-54	715	77,558	40	5.7	3.9- 7.5	675	94.3	92.5-96.1
55-64	952	80,669	95	10.0	7.8-12.2	857	90.0	87.8-92.2
65+	2375	134,378	469	19.8	17.8-21.8	1906	80.2	78.2-82.2
Less Than H.S.	187	38,598	25	5.9	3.2- 8.6	162	94.1	91.4-96.8
H.S. or G.E.D.	1484	149,298	171	7.6	6.2- 9.0	1313	92.4	91.0-93.8
Some Post-H.S.	1702	221,932	235	9.5	8.1-10.9	1467	90.5	89.1-91.9
College Graduate	2216	168,556	210	6.4	5.4- 7.4	2006	93.6	92.6-94.6
Less than \$15,000	166	19,024	19	7.0	3.5-10.5	147	93.0	89.5-96.5
\$15,000- 24,999	295	30,186	53	12.4	8.3-16.5	242	87.6	83.5-91.7
\$25,000- 34,999	482	46,988	76	9.9	7.2-12.6	406	90.1	87.4-92.8
\$35,000- 49,999	582	59,041	62	6.5	4.5- 8.5	520	93.5	91.5-95.5
\$50,000- 99,999	1632	166,700	173	7.8	6.4- 9.2	1459	92.2	90.8-93.6
\$100,000 - 199,999	1143	125,444	87	5.6	4.2- 7.0	1056	94.4	93.0-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 2: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2870	298,801	410	10.3	9.1-11.5	2460	89.7	88.5-90.9
Native	84	12,802	11	5.6	2.1- 9.1	73	94.4	90.9-97.9
Non-Native	2734	281,196	389	10.4	9.2-11.6	2345	89.6	88.4-90.8
18-24	188	46,173	4	2.6	0.1- 5.1	184	97.4	94.9-99.9
25-34	341	54,671	11	3.5	1.3- 5.7	330	96.5	94.3-98.7
35-44	365	52,473	12	3.2	1.2- 5.2	353	96.8	94.8-98.8
45-54	395	40,854	27	7.1	4.4- 9.8	368	92.9	90.2-95.6
55-64	509	41,909	65	13.9	10.4-17.4	444	86.1	82.6-89.6
65+	1072	62,720	291	27.3	24.2-30.4	781	72.7	69.6-75.8
Less Than H.S.	107	21,930	18	8.4	3.9-12.9	89	91.6	87.1-96.1
H.S. or G.E.D.	841	84,550	111	8.9	6.9-10.9	730	91.1	89.1-93.1
Some Post-H.S.	853	114,124	156	13.1	10.7-15.5	697	86.9	84.5-89.3
College Graduate	1059	76,722	125	8.2	6.6- 9.8	934	91.8	90.2-93.4
Less than \$15,000	74	8,506	7	7.8	1.7-13.9	67	92.2	86.1-98.3
\$15,000- 24,999	122	11,830	32	18.0	10.9-25.1	90	82.0	74.9-89.1
\$25,000- 34,999	212	21,265	37	9.9	6.2-13.6	175	90.1	86.4-93.8
\$35,000- 49,999	293	27,931	41	10.3	6.6-14.0	252	89.7	86.0-93.4
\$50,000- 99,999	911	93,927	122	9.9	7.9-11.9	789	90.1	88.1-92.1
\$100,000 - 199,999	651	73,244	71	8.3	5.9-10.7	580	91.7	89.3-94.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 3: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2735	281,647	232	5.3	4.5- 6.1	2503	94.7	93.9-95.5
Native	74	10,073	5	1.9	0.0- 3.9	69	98.1	96.1- 100
Non-Native	2631	268,237	223	5.4	4.4- 6.4	2408	94.6	93.6-95.6
18-24	125	42,943	1	0.4	0.0- 1.2	124	99.6	98.8- 100
25-34	243	46,077	5	2.5	0.1- 4.9	238	97.5	95.1-99.9
35-44	301	45,505	5	1.0	0.0- 2.0	296	99.0	98.0- 100
45-54	320	36,704	13	4.0	1.6- 6.4	307	96.0	93.6-98.4
55-64	443	38,760	30	5.7	3.5- 7.9	413	94.3	92.1-96.5
65+	1303	71,658	178	13.2	11.0-15.4	1125	86.8	84.6-89.0
Less Than H.S.	80	16,668	7	2.6	0.4- 4.8	73	97.4	95.2-99.6
H.S. or G.E.D.	643	64,749	60	5.9	3.9- 7.9	583	94.1	92.1-96.1
Some Post-H.S.	849	107,808	79	5.6	4.0- 7.2	770	94.4	92.8-96.0
College Graduate	1157	91,835	85	5.0	3.8- 6.2	1072	95.0	93.8-96.2
Less than \$15,000	92	10,518	12	6.3	2.4-10.2	80	93.7	89.8-97.6
\$15,000- 24,999	173	18,356	21	8.8	3.9-13.7	152	91.2	86.3-96.1
\$25,000- 34,999	270	25,724	39	9.9	5.8-14.0	231	90.1	86.0-94.2
\$35,000- 49,999	289	31,110	21	3.0	1.4- 4.6	268	97.0	95.4-98.6
\$50,000- 99,999	721	72,773	51	5.1	3.5- 6.7	670	94.9	93.3-96.5
\$100,000 - 199,999	492	52,200	16	1.8	0.6- 3.0	476	98.2	97.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 4: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5590	579,244	237	3.9	3.3- 4.5	5353	96.1	95.5-96.7
Male	2868	298,730	111	3.2	2.4- 4.0	2757	96.8	96.0-97.6
Female	2722	280,514	126	4.6	3.4- 5.8	2596	95.4	94.2-96.6
Native	157	22,808	14	8.6	3.3-13.9	143	91.4	86.1-96.7
Non-Native	5351	548,077	218	3.7	3.1- 4.3	5133	96.3	95.7-96.9
18-24	314	89,109	9	3.2	0.8- 5.6	305	96.8	94.4-99.2
25-34	584	101,163	13	3.0	1.2- 4.8	571	97.0	95.2-98.8
35-44	664	97,512	10	2.0	0.6- 3.4	654	98.0	96.6-99.4
45-54	717	77,551	22	3.4	1.8- 5.0	695	96.6	95.0-98.2
55-64	949	80,292	49	4.9	3.3- 6.5	900	95.1	93.5-96.7
65+	2362	133,616	134	6.0	4.8- 7.2	2228	94.0	92.8-95.2
Less Than H.S.	188	38,864	17	10.0	4.1-15.9	171	90.0	84.1-95.9
H.S. or G.E.D.	1474	148,069	82	4.7	3.5- 5.9	1392	95.3	94.1-96.5
Some Post-H.S.	1696	221,601	66	3.3	2.3- 4.3	1630	96.7	95.7-97.7
College Graduate	2216	168,647	71	2.4	1.8- 3.0	2145	97.6	97.0-98.2
Less than \$15,000	161	18,401	25	14.3	6.3-22.3	136	85.7	77.7-93.7
\$15,000- 24,999	299	31,029	35	12.3	7.0-17.6	264	87.7	82.4-93.0
\$25,000- 34,999	476	46,600	29	5.6	3.1- 8.1	447	94.4	91.9-96.9
\$35,000- 49,999	577	58,202	29	4.5	2.3- 6.7	548	95.5	93.3-97.7
\$50,000- 99,999	1635	166,920	41	2.3	1.1- 3.5	1594	97.7	96.5-98.9
\$100,000 - 199,999	1141	125,148	25	1.9	1.1- 2.7	1116	98.1	97.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 5: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2868	298,730	111	3.2	2.4- 4.0	2757	96.8	96.0-97.6
Native	84	12,802	6	5.6	0.5-10.7	78	94.4	89.3-99.5
Non-Native	2732	280,906	103	3.0	2.2- 3.8	2629	97.0	96.2-97.8
18-24	190	46,597	5	3.2	0.1- 6.3	185	96.8	93.7-99.9
25-34	340	54,694	4	1.1	0.1- 2.1	336	98.9	97.9-99.9
35-44	365	52,367	5	1.7	0.1- 3.3	360	98.3	96.7-99.9
45-54	397	40,847	7	2.1	0.5- 3.7	390	97.9	96.3-99.5
55-64	508	41,855	23	4.3	2.5- 6.1	485	95.7	93.9-97.5
65+	1068	62,369	67	6.1	4.3- 7.9	1001	93.9	92.1-95.7
Less Than H.S.	108	22,196	8	6.6	0.5-12.7	100	93.4	87.3-99.5
H.S. or G.E.D.	836	84,162	45	4.3	2.7- 5.9	791	95.7	94.1-97.3
Some Post-H.S.	852	113,850	28	2.4	1.4- 3.4	824	97.6	96.6-98.6
College Graduate	1062	77,046	30	2.0	1.2- 2.8	1032	98.0	97.2-98.8
Less than \$15,000	71	8,129	6	5.8	0.7-10.9	65	94.2	89.1-99.3
\$15,000- 24,999	126	12,342	16	10.5	4.8-16.2	110	89.5	83.8-95.2
\$25,000- 34,999	211	21,244	13	5.1	1.8- 8.4	198	94.9	91.6-98.2
\$35,000- 49,999	291	27,628	17	4.2	1.3- 7.1	274	95.8	92.9-98.7
\$50,000- 99,999	912	93,974	22	2.4	0.8- 4.0	890	97.6	96.0-99.2
\$100,000 - 199,999	651	73,129	14	1.6	0.6- 2.6	637	98.4	97.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024**

SECTION 8: DISABILITY

TABLE 6: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2722	280,514	126	4.6	3.4- 5.8	2596	95.4	94.2-96.6
Native	73	10,006	8	12.3	2.3-22.3	65	87.7	77.7-97.7
Non-Native	2619	267,171	115	4.3	3.1- 5.5	2504	95.7	94.5-96.9
18-24	124	42,512	4	3.3	0.0- 6.8	120	96.7	93.2- 100
25-34	244	46,469	9	5.3	1.6- 9.0	235	94.7	91.0-98.4
35-44	299	45,146	5	2.3	0.0- 4.7	294	97.7	95.3- 100
45-54	320	36,704	15	4.9	2.4- 7.4	305	95.1	92.6-97.6
55-64	441	38,437	26	5.6	3.2- 8.0	415	94.4	92.0-96.8
65+	1294	71,247	67	5.9	4.1- 7.7	1227	94.1	92.3-95.9
Less Than H.S.	80	16,668	9	14.5	3.7-25.3	71	85.5	74.7-96.3
H.S. or G.E.D.	638	63,907	37	5.3	3.1- 7.5	601	94.7	92.5-96.9
Some Post-H.S.	844	107,750	38	4.2	2.4- 6.0	806	95.8	94.0-97.6
College Graduate	1154	91,602	41	2.7	1.7- 3.7	1113	97.3	96.3-98.3
Less than \$15,000	90	10,271	19	21.1	8.2-34.0	71	78.9	66.0-91.8
\$15,000- 24,999	173	18,687	19	13.5	5.7-21.3	154	86.5	78.7-94.3
\$25,000- 34,999	265	25,356	16	6.0	2.1- 9.9	249	94.0	90.1-97.9
\$35,000- 49,999	286	30,574	12	4.8	1.7- 7.9	274	95.2	92.1-98.3
\$50,000- 99,999	723	72,945	19	2.3	0.7- 3.9	704	97.7	96.1-99.3
\$100,000 - 199,999	490	52,019	11	2.3	0.7- 3.9	479	97.7	96.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 7: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5575	576,429	533	11.8	10.6-13.0	5042	88.2	87.0-89.4
Male	2862	297,537	241	9.4	8.0-10.8	2621	90.6	89.2-92.0
Female	2713	278,893	292	14.3	12.3-16.3	2421	85.7	83.7-87.7
Native	154	22,164	26	20.7	12.3-29.1	128	79.3	70.9-87.7
Non-Native	5337	545,764	494	11.4	10.2-12.6	4843	88.6	87.4-89.8
18-24	312	88,398	55	19.0	14.1-23.9	257	81.0	76.1-85.9
25-34	580	100,226	81	15.4	12.1-18.7	499	84.6	81.3-87.9
35-44	661	96,938	63	9.9	7.4-12.4	598	90.1	87.6-92.6
45-54	714	77,276	66	10.9	8.2-13.6	648	89.1	86.4-91.8
55-64	945	79,891	95	10.2	8.0-12.4	850	89.8	87.6-92.0
65+	2363	133,701	173	7.1	5.9- 8.3	2190	92.9	91.7-94.1
Less Than H.S.	186	38,654	43	26.8	18.2-35.4	143	73.2	64.6-81.8
H.S. or G.E.D.	1470	147,061	202	15.9	13.4-18.4	1268	84.1	81.6-86.6
Some Post-H.S.	1688	220,145	160	10.8	8.8-12.8	1528	89.2	87.2-91.2
College Graduate	2215	168,507	127	6.1	4.9- 7.3	2088	93.9	92.7-95.1
Less than \$15,000	165	18,995	53	34.1	24.3-43.9	112	65.9	56.1-75.7
\$15,000- 24,999	297	30,691	62	25.1	18.0-32.2	235	74.9	67.8-82.0
\$25,000- 34,999	477	46,843	76	17.6	12.9-22.3	401	82.4	77.7-87.1
\$35,000- 49,999	581	58,346	60	16.0	11.3-20.7	521	84.0	79.3-88.7
\$50,000- 99,999	1628	166,149	119	9.5	7.5-11.5	1509	90.5	88.5-92.5
\$100,000 - 199,999	1138	124,589	53	5.6	3.8- 7.4	1085	94.4	92.6-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 8: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2862	297,537	241	9.4	8.0-10.8	2621	90.6	89.2-92.0
Native	83	12,413	14	16.8	7.6-26.0	69	83.2	74.0-92.4
Non-Native	2726	280,057	218	8.9	7.5-10.3	2508	91.1	89.7-92.5
18-24	190	46,597	29	15.5	9.8-21.2	161	84.5	78.8-90.2
25-34	339	54,328	41	11.9	8.2-15.6	298	88.1	84.4-91.8
35-44	363	51,739	30	7.9	5.0-10.8	333	92.1	89.2-95.0
45-54	395	40,744	26	7.2	4.3-10.1	369	92.8	89.9-95.7
55-64	508	41,865	41	8.3	5.6-11.0	467	91.7	89.0-94.4
65+	1067	62,264	74	6.1	4.5- 7.7	993	93.9	92.3-95.5
Less Than H.S.	106	21,986	18	16.2	7.6-24.8	88	83.8	75.2-92.4
H.S. or G.E.D.	835	83,801	102	13.1	10.4-15.8	733	86.9	84.2-89.6
Some Post-H.S.	848	113,096	69	8.6	6.4-10.8	779	91.4	89.2-93.6
College Graduate	1063	77,178	51	4.8	3.2- 6.4	1012	95.2	93.6-96.8
Less than \$15,000	73	8,478	22	31.6	18.5-44.7	51	68.4	55.3-81.5
\$15,000- 24,999	123	11,944	24	19.9	10.9-28.9	99	80.1	71.1-89.1
\$25,000- 34,999	210	21,244	35	15.4	9.7-21.1	175	84.6	78.9-90.3
\$35,000- 49,999	293	27,751	30	11.7	6.8-16.6	263	88.3	83.4-93.2
\$50,000- 99,999	911	93,766	65	9.2	6.7-11.7	846	90.8	88.3-93.3
\$100,000 - 199,999	650	72,699	20	4.4	2.2- 6.6	630	95.6	93.4-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 9: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2713	278,893	292	14.3	12.3-16.3	2421	85.7	83.7-87.7
Native	71	9,752	12	25.6	10.7-40.5	59	74.4	59.5-89.3
Non-Native	2611	265,706	276	14.0	12.0-16.0	2335	86.0	84.0-88.0
18-24	122	41,801	26	23.0	14.8-31.2	96	77.0	68.8-85.2
25-34	241	45,898	40	19.6	13.7-25.5	201	80.4	74.5-86.3
35-44	298	45,199	33	12.2	7.7-16.7	265	87.8	83.3-92.3
45-54	319	36,532	40	14.9	10.0-19.8	279	85.1	80.2-90.0
55-64	437	38,026	54	12.3	8.8-15.8	383	87.7	84.2-91.2
65+	1296	71,437	99	7.9	6.1- 9.7	1197	92.1	90.3-93.9
Less Than H.S.	80	16,668	25	40.7	25.6-55.8	55	59.3	44.2-74.4
H.S. or G.E.D.	635	63,261	100	19.4	15.1-23.7	535	80.6	76.3-84.9
Some Post-H.S.	840	107,048	91	13.2	10.1-16.3	749	86.8	83.7-89.9
College Graduate	1152	91,329	76	7.3	5.3- 9.3	1076	92.7	90.7-94.7
Less than \$15,000	92	10,518	31	36.0	21.9-50.1	61	64.0	49.9-78.1
\$15,000- 24,999	174	18,747	38	28.4	18.6-38.2	136	71.6	61.8-81.4
\$25,000- 34,999	267	25,599	41	19.4	12.1-26.7	226	80.6	73.3-87.9
\$35,000- 49,999	288	30,596	30	19.9	12.3-27.5	258	80.1	72.5-87.7
\$50,000- 99,999	717	72,383	54	10.0	6.7-13.3	663	90.0	86.7-93.3
\$100,000 - 199,999	488	51,890	33	7.3	4.6-10.0	455	92.7	90.0-95.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 10: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5562	575,943	738	10.0	9.0-11.0	4824	90.0	89.0-91.0
Male	2858	297,385	301	7.6	6.6- 8.6	2557	92.4	91.4-93.4
Female	2704	278,559	437	12.7	11.1-14.3	2267	87.3	85.7-88.9
Native	156	22,676	32	16.6	9.0-24.2	124	83.4	75.8-91.0
Non-Native	5323	544,900	690	9.7	8.7-10.7	4633	90.3	89.3-91.3
18-24	312	88,263	8	3.1	0.7- 5.5	304	96.9	94.5-99.3
25-34	582	100,693	14	3.0	1.4- 4.6	568	97.0	95.4-98.6
35-44	663	97,200	27	4.1	2.3- 5.9	636	95.9	94.1-97.7
45-54	711	76,795	67	11.7	8.6-14.8	644	88.3	85.2-91.4
55-64	946	80,021	118	12.5	10.1-14.9	828	87.5	85.1-89.9
65+	2348	132,971	504	21.9	19.9-23.9	1844	78.1	76.1-80.1
Less Than H.S.	186	37,858	47	21.0	13.7-28.3	139	79.0	71.7-86.3
H.S. or G.E.D.	1466	147,117	263	11.2	9.6-12.8	1203	88.8	87.2-90.4
Some Post-H.S.	1681	220,278	245	10.8	9.2-12.4	1436	89.2	87.6-90.8
College Graduate	2213	168,627	183	5.6	4.6- 6.6	2030	94.4	93.4-95.4
Less than \$15,000	165	18,388	61	25.2	17.8-32.6	104	74.8	67.4-82.2
\$15,000- 24,999	298	30,944	100	26.1	20.0-32.2	198	73.9	67.8-80.0
\$25,000- 34,999	476	46,761	108	17.8	13.7-21.9	368	82.2	78.1-86.3
\$35,000- 49,999	575	58,173	92	11.2	8.5-13.9	483	88.8	86.1-91.5
\$50,000- 99,999	1625	165,796	148	7.6	5.8- 9.4	1477	92.4	90.6-94.2
\$100,000 - 199,999	1138	124,734	58	3.9	2.7- 5.1	1080	96.1	94.9-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 11: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2858	297,385	301	7.6	6.6- 8.6	2557	92.4	91.4-93.4
Native	83	12,775	13	10.3	3.8-16.8	70	89.7	83.2-96.2
Non-Native	2723	279,678	278	7.3	6.3- 8.3	2445	92.7	91.7-93.7
18-24	189	46,403	4	3.0	0.0- 6.1	185	97.0	93.9- 100
25-34	340	54,585	4	1.6	0.0- 3.2	336	98.4	96.8- 100
35-44	364	51,903	12	2.8	1.0- 4.6	352	97.2	95.4-99.0
45-54	393	40,444	29	8.1	5.0-11.2	364	91.9	88.8-95.0
55-64	509	41,909	56	10.7	7.8-13.6	453	89.3	86.4-92.2
65+	1063	62,140	196	17.9	15.4-20.4	867	82.1	79.6-84.6
Less Than H.S.	108	21,957	21	14.3	6.7-21.9	87	85.7	78.1-93.3
H.S. or G.E.D.	834	83,762	108	7.8	6.0- 9.6	726	92.2	90.4-94.0
Some Post-H.S.	845	113,053	91	7.7	5.9- 9.5	754	92.3	90.5-94.1
College Graduate	1061	77,137	81	5.4	4.0- 6.8	980	94.6	93.2-96.0
Less than \$15,000	74	8,522	25	23.0	12.6-33.4	49	77.0	66.6-87.4
\$15,000- 24,999	125	12,266	39	20.5	12.9-28.1	86	79.5	71.9-87.1
\$25,000- 34,999	210	21,294	36	12.9	8.0-17.8	174	87.1	82.2-92.0
\$35,000- 49,999	290	27,674	43	9.2	5.7-12.7	247	90.8	87.3-94.3
\$50,000- 99,999	909	93,369	71	6.3	4.3- 8.3	838	93.7	91.7-95.7
\$100,000 - 199,999	650	72,824	29	3.4	1.8- 5.0	621	96.6	95.0-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 12: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2704	278,559	437	12.7	11.1-14.3	2267	87.3	85.7-88.9
Native	73	9,901	19	24.6	10.1-39.1	54	75.4	60.9-89.9
Non-Native	2600	265,223	412	12.2	10.8-13.6	2188	87.8	86.4-89.2
18-24	123	41,860	4	3.2	0.1- 6.3	119	96.8	93.7-99.9
25-34	242	46,108	10	4.6	1.5- 7.7	232	95.4	92.3-98.5
35-44	299	45,297	15	5.6	2.5- 8.7	284	94.4	91.3-97.5
45-54	318	36,351	38	15.7	10.2-21.2	280	84.3	78.8-89.8
55-64	437	38,112	62	14.5	10.6-18.4	375	85.5	81.6-89.4
65+	1285	70,831	308	25.4	22.5-28.3	977	74.6	71.7-77.5
Less Than H.S.	78	15,901	26	30.3	17.0-43.6	52	69.7	56.4-83.0
H.S. or G.E.D.	632	63,355	155	15.7	12.6-18.8	477	84.3	81.2-87.4
Some Post-H.S.	836	107,225	154	14.1	11.6-16.6	682	85.9	83.4-88.4
College Graduate	1152	91,490	102	5.8	4.4- 7.2	1050	94.2	92.8-95.6
Less than \$15,000	91	9,866	36	27.0	16.4-37.6	55	73.0	62.4-83.6
\$15,000- 24,999	173	18,679	61	29.8	21.0-38.6	112	70.2	61.4-79.0
\$25,000- 34,999	266	25,466	72	21.8	15.5-28.1	194	78.2	71.9-84.5
\$35,000- 49,999	285	30,499	49	12.9	8.4-17.4	236	87.1	82.6-91.6
\$50,000- 99,999	716	72,427	77	9.2	6.3-12.1	639	90.8	87.9-93.7
\$100,000 - 199,999	488	51,911	29	4.6	2.8- 6.4	459	95.4	93.6-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 13: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5571	576,792	141	2.3	1.7- 2.9	5430	97.7	97.1-98.3
Male	2861	297,723	70	2.2	1.6- 2.8	2791	97.8	97.2-98.4
Female	2710	279,069	71	2.4	1.6- 3.2	2639	97.6	96.8-98.4
Native	155	22,496	3	1.3	0.0- 3.1	152	98.7	96.9- 100
Non-Native	5332	545,795	137	2.3	1.7- 2.9	5195	97.7	97.1-98.3
18-24	313	88,692	3	1.7	0.0- 3.7	310	98.3	96.3- 100
25-34	583	100,913	8	1.6	0.2- 3.0	575	98.4	97.0-99.8
35-44	662	97,022	7	1.1	0.1- 2.1	655	98.9	97.9-99.9
45-54	710	76,631	18	2.7	1.3- 4.1	692	97.3	95.9-98.7
55-64	947	80,107	34	3.6	2.2- 5.0	913	96.4	95.0-97.8
65+	2356	133,425	71	3.1	2.3- 3.9	2285	96.9	96.1-97.7
Less Than H.S.	188	38,625	14	8.2	2.7-13.7	174	91.8	86.3-97.3
H.S. or G.E.D.	1469	147,643	49	2.5	1.7- 3.3	1420	97.5	96.7-98.3
Some Post-H.S.	1687	220,159	38	1.9	1.3- 2.5	1649	98.1	97.5-98.7
College Graduate	2212	168,403	40	1.4	0.8- 2.0	2172	98.6	98.0-99.2
Less than \$15,000	166	19,040	21	12.4	5.0-19.8	145	87.6	80.2-95.0
\$15,000- 24,999	298	30,944	23	6.1	3.2- 9.0	275	93.9	91.0-96.8
\$25,000- 34,999	480	46,981	22	4.0	2.0- 6.0	458	96.0	94.0-98.0
\$35,000- 49,999	575	58,032	16	2.0	0.8- 3.2	559	98.0	96.8-99.2
\$50,000- 99,999	1627	165,918	28	1.8	0.8- 2.8	1599	98.2	97.2-99.2
\$100,000 - 199,999	1137	124,313	6	0.5	0.1- 0.9	1131	99.5	99.1-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 14: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2861	297,723	70	2.2	1.6- 2.8	2791	97.8	97.2-98.4
Native	83	12,775	1	0.8	0.0- 2.4	82	99.2	97.6- 100
Non-Native	2725	279,881	68	2.2	1.4- 3.0	2657	97.8	97.0-98.6
18-24	190	46,597	2	1.8	0.0- 4.3	188	98.2	95.7- 100
25-34	340	54,585	4	1.3	0.0- 2.7	336	98.7	97.3- 100
35-44	364	51,903	4	0.8	0.0- 1.6	360	99.2	98.4- 100
45-54	394	40,525	11	3.2	1.0- 5.4	383	96.8	94.6-99.0
55-64	509	41,909	16	3.2	1.4- 5.0	493	96.8	95.0-98.6
65+	1064	62,203	33	3.1	1.9- 4.3	1031	96.9	95.7-98.1
Less Than H.S.	108	21,957	7	6.6	0.3-12.9	101	93.4	87.1-99.7
H.S. or G.E.D.	834	83,921	30	2.7	1.5- 3.9	804	97.3	96.1-98.5
Some Post-H.S.	849	113,390	15	1.4	0.6- 2.2	834	98.6	97.8-99.4
College Graduate	1061	77,078	18	1.4	0.6- 2.2	1043	98.6	97.8-99.4
Less than \$15,000	74	8,522	10	9.8	2.7-16.9	64	90.2	83.1-97.3
\$15,000- 24,999	125	12,266	11	7.4	1.9-12.9	114	92.6	87.1-98.1
\$25,000- 34,999	212	21,365	12	5.2	1.7- 8.7	200	94.8	91.3-98.3
\$35,000- 49,999	290	27,668	8	1.9	0.3- 3.5	282	98.1	96.5-99.7
\$50,000- 99,999	908	93,309	17	2.1	0.5- 3.7	891	97.9	96.3-99.5
\$100,000 - 199,999	650	72,824	1	0.0	0.0- 0.0	649	100.0	100.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

TABLE 15: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2710	279,069	71	2.4	1.6- 3.2	2639	97.6	96.8-98.4
Native	72	9,721	2	1.9	0.0- 5.4	70	98.1	94.6- 100
Non-Native	2607	265,914	69	2.5	1.7- 3.3	2538	97.5	96.7-98.3
18-24	123	42,095	1	1.5	0.0- 4.4	122	98.5	95.6- 100
25-34	243	46,328	4	2.1	0.0- 4.5	239	97.9	95.5- 100
35-44	298	45,119	3	1.5	0.0- 3.3	295	98.5	96.7- 100
45-54	316	36,106	7	2.0	0.4- 3.6	309	98.0	96.4-99.6
55-64	438	38,198	18	4.0	1.8- 6.2	420	96.0	93.8-98.2
65+	1292	71,222	38	3.1	1.9- 4.3	1254	96.9	95.7-98.1
Less Than H.S.	80	16,668	7	10.2	0.8-19.6	73	89.8	80.4-99.2
H.S. or G.E.D.	635	63,722	19	2.1	0.9- 3.3	616	97.9	96.7-99.1
Some Post-H.S.	838	106,768	23	2.3	1.1- 3.5	815	97.7	96.5-98.9
College Graduate	1151	91,324	22	1.4	0.6- 2.2	1129	98.6	97.8-99.4
Less than \$15,000	92	10,518	11	14.5	2.3-26.7	81	85.5	73.3-97.7
\$15,000- 24,999	173	18,679	12	5.2	1.9- 8.5	161	94.8	91.5-98.1
\$25,000- 34,999	268	25,617	10	3.0	0.8- 5.2	258	97.0	94.8-99.2
\$35,000- 49,999	285	30,365	8	2.0	0.2- 3.8	277	98.0	96.2-99.8
\$50,000- 99,999	719	72,609	11	1.5	0.1- 2.9	708	98.5	97.1-99.9
\$100,000 - 199,999	487	51,489	5	1.1	0.1- 2.1	482	98.9	97.9-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

**TABLE 16: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5551	574,959	302	5.8	5.0- 6.6	5249	94.2	93.4-95.0
Male	2849	296,736	98	3.5	2.7- 4.3	2751	96.5	95.7-97.3
Female	2702	278,223	204	8.3	6.7- 9.9	2498	91.7	90.1-93.3
Native	155	22,496	16	12.7	5.3-20.1	139	87.3	79.9-94.7
Non-Native	5314	544,183	284	5.5	4.7- 6.3	5030	94.5	93.7-95.3
18-24	313	88,692	20	7.2	4.1-10.3	293	92.8	89.7-95.9
25-34	581	100,527	31	6.1	3.7- 8.5	550	93.9	91.5-96.3
35-44	662	97,022	29	4.8	2.8- 6.8	633	95.2	93.2-97.2
45-54	703	75,830	34	5.8	3.4- 8.2	669	94.2	91.8-96.6
55-64	945	79,955	51	4.8	3.2- 6.4	894	95.2	93.6-96.8
65+	2347	132,932	137	6.0	4.8- 7.2	2210	94.0	92.8-95.2
Less Than H.S.	187	38,555	17	10.7	4.6-16.8	170	89.3	83.2-95.4
H.S. or G.E.D.	1464	147,147	119	8.0	6.2- 9.8	1345	92.0	90.2-93.8
Some Post-H.S.	1680	219,240	102	6.0	4.6- 7.4	1578	94.0	92.6-95.4
College Graduate	2205	168,054	63	2.5	1.7- 3.3	2142	97.5	96.7-98.3
Less than \$15,000	166	19,040	47	26.5	17.3-35.7	119	73.5	64.3-82.7
\$15,000- 24,999	298	30,944	48	15.6	10.1-21.1	250	84.4	78.9-89.9
\$25,000- 34,999	480	46,981	48	11.4	7.5-15.3	432	88.6	84.7-92.5
\$35,000- 49,999	572	57,917	41	8.3	5.2-11.4	531	91.7	88.6-94.8
\$50,000- 99,999	1622	165,492	44	3.0	1.8- 4.2	1578	97.0	95.8-98.2
\$100,000 - 199,999	1135	124,179	11	0.9	0.3- 1.5	1124	99.1	98.5-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

**TABLE 17: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2849	296,736	98	3.5	2.7- 4.3	2751	96.5	95.7-97.3
Native	83	12,775	3	5.7	0.0-13.0	80	94.3	87.0- 100
Non-Native	2714	278,996	94	3.3	2.5- 4.1	2620	96.7	95.9-97.5
18-24	190	46,597	6	3.7	0.8- 6.6	184	96.3	93.4-99.2
25-34	338	54,198	14	4.6	2.1- 7.1	324	95.4	92.9-97.9
35-44	364	51,903	14	3.6	1.6- 5.6	350	96.4	94.4-98.4
45-54	390	40,146	11	2.8	0.8- 4.8	379	97.2	95.2-99.2
55-64	508	41,846	20	3.2	1.6- 4.8	488	96.8	95.2-98.4
65+	1059	62,046	33	2.8	1.8- 3.8	1026	97.2	96.2-98.2
Less Than H.S.	108	21,957	7	5.7	1.0-10.4	101	94.3	89.6-99.0
H.S. or G.E.D.	830	83,608	42	4.7	2.9- 6.5	788	95.3	93.5-97.1
Some Post-H.S.	846	112,963	30	3.5	1.9- 5.1	816	96.5	94.9-98.1
College Graduate	1056	76,833	19	1.5	0.7- 2.3	1037	98.5	97.7-99.3
Less than \$15,000	74	8,522	20	20.3	10.3-30.3	54	79.7	69.7-89.7
\$15,000- 24,999	125	12,266	11	12.0	3.6-20.4	114	88.0	79.6-96.4
\$25,000- 34,999	212	21,365	15	7.5	2.8-12.2	197	92.5	87.8-97.2
\$35,000- 49,999	287	27,552	16	6.1	2.8- 9.4	271	93.9	90.6-97.2
\$50,000- 99,999	906	93,158	16	2.0	0.8- 3.2	890	98.0	96.8-99.2
\$100,000 - 199,999	649	72,740	1	0.1	0.0- 0.3	648	99.9	99.7- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 8: DISABILITY**

**TABLE 18: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2702	278,223	204	8.3	6.7- 9.9	2498	91.7	90.1-93.3
Native	72	9,721	13	22.0	8.1-35.9	59	78.0	64.1-91.9
Non-Native	2600	265,187	190	7.9	6.5- 9.3	2410	92.1	90.7-93.5
18-24	123	42,095	14	11.0	5.1-16.9	109	89.0	83.1-94.9
25-34	243	46,328	17	7.8	3.9-11.7	226	92.2	88.3-96.1
35-44	298	45,119	15	6.1	2.8- 9.4	283	93.9	90.6-97.2
45-54	313	35,684	23	9.3	5.0-13.6	290	90.7	86.4-95.0
55-64	437	38,109	31	6.6	4.1- 9.1	406	93.4	90.9-95.9
65+	1288	70,886	104	8.7	6.7-10.7	1184	91.3	89.3-93.3
Less Than H.S.	79	16,598	10	17.4	5.4-29.4	69	82.6	70.6-94.6
H.S. or G.E.D.	634	63,539	77	12.2	8.9-15.5	557	87.8	84.5-91.1
Some Post-H.S.	834	106,278	72	8.6	6.1-11.1	762	91.4	88.9-93.9
College Graduate	1149	91,221	44	3.3	2.1- 4.5	1105	96.7	95.5-97.9
Less than \$15,000	92	10,518	27	31.5	17.6-45.4	65	68.5	54.6-82.4
\$15,000- 24,999	173	18,679	37	17.9	10.6-25.2	136	82.1	74.8-89.4
\$25,000- 34,999	268	25,617	33	14.6	8.5-20.7	235	85.4	79.3-91.5
\$35,000- 49,999	285	30,365	25	10.4	5.3-15.5	260	89.6	84.5-94.7
\$50,000- 99,999	716	72,334	28	4.2	1.8- 6.6	688	95.8	93.4-98.2
\$100,000 - 199,999	486	51,439	10	2.1	0.5- 3.7	476	97.9	96.3-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 9: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)	
1 FEMALES ONLY	156
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)	
2 FEMALES ONLY	157
HAVE YOU EVER HAD A CERVICAL CANCER SCREENING TEST? (CERVSCRN)	
3 FEMALES ONLY	158
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST CERVICAL CANCER SCREENING TEST? (CRVCLCNC)	
4 FEMALES ONLY	159
AT YOUR MOST RECENT CERVICAL CANCER SCREENING, DID YOU HAVE A PAP TEST? (CRVCLPAP)	
5 FEMALES ONLY	160
AT YOUR MOST RECENT CERVICAL CANCER SCREENING, DID YOU HAVE AN H.P.V. TEST? (CRVCLHPV)	
6 FEMALES ONLY	161
HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)	
7 FEMALES ONLY	162

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING
TABLE 1: HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2679	274,923	2138	62.0	59.3-64.7	541	38.0	35.3-40.7
Native	72	9,721	50	57.6	41.7-73.5	22	42.4	26.5-58.3
Non-Native	2577	261,888	2062	61.9	59.2-64.6	515	38.1	35.4-40.8
18-24	121	41,445	11	8.9	3.6-14.2	110	91.1	85.8-96.4
25-34	239	45,577	35	13.1	8.6-17.6	204	86.9	82.4-91.4
35-44	294	44,379	165	59.1	53.0-65.2	129	40.9	34.8-47.0
45-54	311	35,302	279	88.7	84.2-93.2	32	11.3	6.8-15.8
55-64	431	37,585	409	94.1	91.2-97.0	22	5.9	3.0- 8.8
65+	1283	70,636	1239	96.2	94.8-97.6	44	3.8	2.4- 5.2
Less Than H.S.	80	16,668	61	51.0	36.1-65.9	19	49.0	34.1-63.9
H.S. or G.E.D.	625	62,447	477	51.9	46.4-57.4	148	48.1	42.6-53.6
Some Post-H.S.	825	104,858	678	65.7	61.0-70.4	147	34.3	29.6-39.0
College Graduate	1143	90,363	918	66.8	63.3-70.3	225	33.2	29.7-36.7
Less than \$15,000	92	10,518	73	64.6	50.1-79.1	19	35.4	20.9-49.9
\$15,000- 24,999	172	18,357	136	55.1	44.1-66.1	36	44.9	33.9-55.9
\$25,000- 34,999	265	25,088	213	60.3	51.7-68.9	52	39.7	31.1-48.3
\$35,000- 49,999	281	30,028	225	57.2	48.4-66.0	56	42.8	34.0-51.6
\$50,000- 99,999	708	71,347	556	62.1	57.0-67.2	152	37.9	32.8-43.0
\$100,000 - 199,999	484	51,062	376	64.2	58.7-69.7	108	35.8	30.3-41.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2106	167,389	1364	61.8	59.1-64.5	301	14.5	12.5-16.5	130	7.9	6.1- 9.7	83	4.6	3.4- 5.8	228	11.2	9.4-13.0
Native	50	5,600	26	45.9	27.7-64.1	6	7.1	0.8-13.4	6	24.6	4.6-44.6	2	2.3	0.0- 5.6	10	20.0	5.5-34.5
Non-Native	2031	159,377	1323	62.5	59.8-65.2	291	14.6	12.6-16.6	123	7.4	5.8- 9.0	80	4.7	3.5- 5.9	214	10.8	9.0-12.6
35-44	163	25,757	98	57.0	48.4-65.6	24	14.1	8.2-20.0	13	11.3	4.8-17.8	12	8.8	3.7-13.9	16	8.8	4.3-13.3
45-54	274	30,744	190	68.7	62.4-75.0	49	17.7	12.8-22.6	16	6.3	2.2-10.4	11	3.8	1.4- 6.2	8	3.6	1.1- 6.1
55-64	404	34,600	265	63.2	57.7-68.7	60	15.9	11.8-20.0	31	8.2	5.1-11.3	18	4.6	2.1- 7.1	30	8.2	4.7-11.7
65+	1219	66,648	791	62.4	59.1-65.7	165	13.3	10.9-15.7	65	6.5	4.7- 8.3	38	3.1	1.9- 4.3	160	14.7	12.2-17.2
Less Than H.S.	60	8,324	21	26.9	11.2-42.6	7	16.6	2.7-30.5	10	29.4	11.4-47.4	7	7.5	1.2-13.8	15	19.6	8.0-31.2
H.S. or G.E.D.	466	31,533	271	57.2	51.5-62.9	78	13.2	9.9-16.5	33	10.2	6.1-14.3	16	3.9	1.4- 6.4	68	15.6	11.5-19.7
Some Post-H.S.	668	67,628	418	61.2	56.7-65.7	98	15.3	12.2-18.4	48	7.2	5.0- 9.4	25	4.9	2.7- 7.1	79	11.3	8.4-14.2
College Graduate	909	59,697	653	69.9	66.2-73.6	117	13.8	11.1-16.5	39	4.5	2.9- 6.1	34	4.3	2.7- 5.9	66	7.7	5.3-10.1
Less than \$15,000	73	6,792	24	37.8	20.7-54.9	13	18.5	4.8-32.2	7	8.8	1.7-15.9	4	6.9	0.0-15.5	25	28.0	15.7-40.3
\$15,000- 24,999	134	10,010	65	46.1	35.1-57.1	27	20.8	11.0-30.6	6	4.3	0.2- 8.4	5	4.9	0.0-10.6	31	23.8	15.0-32.6
\$25,000- 34,999	211	14,903	128	55.9	47.5-64.3	27	14.8	8.5-21.1	21	12.1	5.6-18.6	6	3.5	0.6- 6.4	29	13.7	8.2-19.2
\$35,000- 49,999	222	16,763	130	52.3	43.7-60.9	35	15.9	10.2-21.6	21	12.3	6.4-18.2	9	4.2	1.1- 7.3	27	15.4	7.8-23.0
\$50,000- 99,999	551	43,623	401	68.7	63.4-74.0	67	10.8	7.9-13.7	30	9.7	5.2-14.2	19	4.2	1.8- 6.6	34	6.6	3.9- 9.3
\$100,000 - 199,999	373	32,557	264	67.4	61.5-73.3	58	16.1	11.6-20.6	13	3.2	1.2- 5.2	17	5.4	2.5- 8.3	21	7.9	4.0-11.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: HAVE YOU EVER HAD A CERVICAL CANCER SCREENING TEST? (CERVSCRN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2587	266,739	2100	76.1	73.6-78.6	487	23.9	21.4-26.4
Native	71	9,659	52	67.6	52.1-83.1	19	32.4	16.9-47.9
Non-Native	2489	254,139	2030	76.4	73.9-78.9	459	23.6	21.1-26.1
18-24	118	40,436	38	30.0	21.4-38.6	80	70.0	61.4-78.6
25-34	234	44,790	199	82.3	76.4-88.2	35	17.7	11.8-23.6
35-44	291	43,889	270	91.9	88.2-95.6	21	8.1	4.4-11.8
45-54	298	33,778	266	87.4	82.5-92.3	32	12.6	7.7-17.5
55-64	418	36,337	370	87.5	83.6-91.4	48	12.5	8.6-16.4
65+	1228	67,508	957	77.5	74.6-80.4	271	22.5	19.6-25.4
Less Than H.S.	75	15,575	45	48.7	33.6-63.8	30	51.3	36.2-66.4
H.S. or G.E.D.	588	59,351	410	61.5	55.8-67.2	178	38.5	32.8-44.2
Some Post-H.S.	808	103,233	645	76.2	72.1-80.3	163	23.8	19.7-27.9
College Graduate	1111	88,026	999	91.1	89.1-93.1	112	8.9	6.9-10.9
Less than \$15,000	89	9,793	59	67.6	54.1-81.1	30	32.4	18.9-45.9
\$15,000- 24,999	167	18,020	123	68.7	58.1-79.3	44	31.3	20.7-41.9
\$25,000- 34,999	255	24,045	189	66.9	58.5-75.3	66	33.1	24.7-41.5
\$35,000- 49,999	272	28,988	209	65.6	56.6-74.6	63	34.4	25.4-43.4
\$50,000- 99,999	689	69,717	595	80.6	75.9-85.3	94	19.4	14.7-24.1
\$100,000 - 199,999	470	49,848	432	89.1	85.0-93.2	38	10.9	6.8-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST CERVICAL CANCER SCREENING TEST? (CRVCLCNC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1997	195,933	464	29.2	26.5-31.9	309	18.5	16.3-20.7	251	14.2	12.2-16.2	249	12.1	10.3-13.9	724	26.1	23.9-28.3
Native	51	6,487	18	40.8	22.6-59.0	10	18.8	5.1-32.5	4	13.5	0.0-29.0	3	5.2	0.0-12.3	16	21.7	9.5-33.9
Non-Native	1930	187,515	444	28.8	26.1-31.5	293	18.2	15.8-20.6	246	14.3	12.3-16.3	246	12.5	10.7-14.3	701	26.2	24.0-28.4
25-34	197	36,563	82	41.0	33.6-48.4	59	30.6	23.5-37.7	28	14.9	9.4-20.4	21	9.9	5.6-14.2	7	3.5	0.6- 6.4
35-44	267	40,022	83	34.1	27.6-40.6	61	21.3	16.0-26.6	50	17.8	12.9-22.7	42	15.0	10.5-19.5	31	11.8	7.5-16.1
45-54	259	28,635	77	30.2	24.1-36.3	43	16.0	11.3-20.7	46	17.7	12.2-23.2	39	15.1	10.2-20.0	54	21.1	15.6-26.6
55-64	357	30,644	92	24.6	19.5-29.7	55	15.5	11.2-19.8	54	13.9	10.0-17.8	42	11.6	7.9-15.3	114	34.5	28.6-40.4
65+	879	47,919	110	12.4	9.9-14.9	81	8.8	6.6-11.0	67	7.8	5.6-10.0	103	11.6	9.1-14.1	518	59.5	55.6-63.4
H.S. or G.E.D.	377	34,342	80	28.4	22.3-34.5	61	21.1	15.4-26.8	44	14.3	9.4-19.2	52	12.7	8.8-16.6	140	23.6	18.7-28.5
Some Post-H.S.	612	75,525	134	26.7	22.0-31.4	73	12.9	9.6-16.2	68	13.1	9.6-16.6	78	13.6	10.3-16.9	259	33.6	29.3-37.9
College Graduate	964	78,508	241	31.4	27.7-35.1	167	22.1	18.8-25.4	135	15.2	12.5-17.9	118	11.4	9.0-13.8	303	19.9	17.4-22.4
Less than \$15,000	56	6,492	7	11.9	2.3-21.5	11	33.9	16.5-51.3	5	7.3	0.0-15.3	3	3.3	0.0- 7.6	30	43.6	27.7-59.5
\$15,000- 24,999	119	12,205	21	27.2	15.4-39.0	13	14.8	5.4-24.2	15	12.7	5.6-19.8	15	12.1	3.9-20.3	55	33.1	22.3-43.9
\$25,000- 34,999	180	15,328	34	24.6	15.4-33.8	26	16.2	8.8-23.6	17	12.9	5.5-20.3	21	9.6	4.5-14.7	82	36.6	28.0-45.2
\$35,000- 49,999	202	18,679	43	32.0	22.8-41.2	31	18.5	11.2-25.8	19	10.6	5.3-15.9	25	12.2	6.7-17.7	84	26.7	19.8-33.6
\$50,000- 99,999	573	54,697	146	32.3	27.2-37.4	86	17.6	13.5-21.7	80	15.9	12.0-19.8	63	10.5	7.6-13.4	198	23.7	20.0-27.4
\$100,000 - 199,999	421	43,729	111	28.8	23.5-34.1	71	18.4	13.9-22.9	67	17.2	12.9-21.5	65	15.1	11.4-18.8	107	20.4	16.1-24.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

TABLE 5: AT YOUR MOST RECENT CERVICAL CANCER SCREENING, DID YOU HAVE A PAP TEST? (CRVCLPAP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.								
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2014	195,737	1857	93.4	92.0-94.8	157	6.6	5.2- 8.0
Native	51	6,329	47	95.2	89.7- 100	4	4.8	0.0-10.3
Non-Native	1948	187,332	1797	93.4	92.0-94.8	151	6.6	5.2- 8.0
25-34	195	35,685	189	95.6	91.9-99.3	6	4.4	0.7- 8.1
35-44	265	39,495	258	96.6	93.9-99.3	7	3.4	0.7- 6.1
45-54	259	28,593	243	94.0	90.9-97.1	16	6.0	2.9- 9.1
55-64	357	30,601	333	93.2	90.3-96.1	24	6.8	3.9- 9.7
65+	900	49,213	796	87.2	84.5-89.9	104	12.8	10.1-15.5
H.S. or G.E.D.	393	34,911	351	93.6	91.1-96.1	42	6.4	3.9- 8.9
Some Post-H.S.	609	74,811	548	92.1	89.9-94.3	61	7.9	5.7-10.1
College Graduate	969	78,747	919	95.4	93.8-97.0	50	4.6	3.0- 6.2
Less than \$15,000	54	5,934	43	90.0	82.9-97.1	11	10.0	2.9-17.1
\$15,000- 24,999	114	11,299	99	86.6	77.2-96.0	15	13.4	4.0-22.8
\$25,000- 34,999	181	15,561	160	89.0	83.7-94.3	21	11.0	5.7-16.3
\$35,000- 49,999	203	18,574	195	94.4	89.1-99.7	8	5.6	0.3-10.9
\$50,000- 99,999	580	54,917	543	94.9	92.9-96.9	37	5.1	3.1- 7.1
\$100,000 - 199,999	422	43,656	399	95.4	93.2-97.6	23	4.6	2.4- 6.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: AT YOUR MOST RECENT CERVICAL CANCER SCREENING, DID YOU HAVE AN H.P.V. TEST? (CRVCLHPV)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1546	151,255	448	38.7	35.6-41.8	1098	61.3	58.2-64.4
Non-Native	1501	145,212	424	37.8	34.7-40.9	1077	62.2	59.1-65.3
25-34	160	29,648	90	57.4	49.2-65.6	70	42.6	34.4-50.8
35-44	206	31,037	117	56.6	49.0-64.2	89	43.4	35.8-51.0
45-54	192	20,514	88	45.8	38.0-53.6	104	54.2	46.4-62.0
55-64	257	22,228	74	26.9	20.8-33.0	183	73.1	67.0-79.2
65+	699	37,645	62	8.5	6.1-10.9	637	91.5	89.1-93.9
H.S. or G.E.D.	298	27,363	83	40.9	33.5-48.3	215	59.1	51.7-66.5
Some Post-H.S.	460	56,650	127	37.2	31.5-42.9	333	62.8	57.1-68.5
College Graduate	755	60,871	229	38.7	34.4-43.0	526	61.3	57.0-65.6
\$15,000- 24,999	90	9,442	25	44.3	30.2-58.4	65	55.7	41.6-69.8
\$25,000- 34,999	147	12,602	40	37.2	26.2-48.2	107	62.8	51.8-73.8
\$35,000- 49,999	163	14,644	39	36.8	26.6-47.0	124	63.2	53.0-73.4
\$50,000- 99,999	436	41,908	119	35.0	29.1-40.9	317	65.0	59.1-70.9
\$100,000 - 199,999	326	33,370	113	40.8	34.3-47.3	213	59.2	52.7-65.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 9: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2620	263,952	786	21.7	19.9-23.5	1834	78.3	76.5-80.1
Native	72	9,721	17	17.8	7.6-28.0	55	82.2	72.0-92.4
Non-Native	2520	251,319	763	22.0	20.2-23.8	1757	78.0	76.2-79.8
18-24	117	39,306				117	100.0	100.0- 100
25-34	220	40,671	9	4.9	1.6- 8.2	211	95.1	91.8-98.4
35-44	287	43,037	32	9.9	6.4-13.4	255	90.1	86.6-93.6
45-54	304	34,163	79	27.9	22.2-33.6	225	72.1	66.4-77.8
55-64	427	37,131	149	35.5	30.2-40.8	278	64.5	59.2-69.8
65+	1265	69,643	517	40.9	37.6-44.2	748	59.1	55.8-62.4
Less Than H.S.	75	15,816	24	14.0	6.9-21.1	51	86.0	78.9-93.1
H.S. or G.E.D.	609	59,213	207	21.3	17.8-24.8	402	78.7	75.2-82.2
Some Post-H.S.	807	100,568	265	26.5	23.2-29.8	542	73.5	70.2-76.8
College Graduate	1123	87,769	289	18.0	15.6-20.4	834	82.0	79.6-84.4
Less than \$15,000	92	10,518	32	22.7	13.1-32.3	60	77.3	67.7-86.9
\$15,000- 24,999	168	17,407	66	28.2	20.0-36.4	102	71.8	63.6-80.0
\$25,000- 34,999	258	23,637	91	24.2	18.3-30.1	167	75.8	69.9-81.7
\$35,000- 49,999	273	28,182	70	17.0	11.9-22.1	203	83.0	77.9-88.1
\$50,000- 99,999	693	69,017	197	20.7	17.4-24.0	496	79.3	76.0-82.6
\$100,000 - 199,999	474	49,463	115	19.2	15.3-23.1	359	80.8	76.9-84.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 10: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
COLONOSCOPY AND SIGMOIDOSCOPY ARE EXAMS TO CHECK FOR COLON CANCER. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM4)	
1 MALES AND FEMALES	165
2 MALES ONLY	166
3 FEMALES ONLY	167
HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)	
4 MALES AND FEMALES	168
5 MALES ONLY	169
6 FEMALES ONLY	170
HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY? (COLNTES1)	
7 MALES AND FEMALES	171
8 MALES ONLY	172
9 FEMALES ONLY	173
HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT SIGMOIDOSCOPY? (SIGMTES1)	
10 MALES AND FEMALES	174
11 MALES ONLY	175
12 FEMALES ONLY	176
HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY OR SIGMOIDOSCOPY? (LASTSIG4)	
13 MALES AND FEMALES	177
14 MALES ONLY	178
15 FEMALES ONLY	179
HAVE YOU EVER HAD ANY OTHER KIND OF TEST FOR COLORECTAL CANCER, SUCH AS VIRTUAL COLONOSCOPY, CT COLONOGRAPHY, BLOOD STOOL TEST, FIT DNA, OR COLOGUARD TEST? (COLNCNCR)	
16 MALES AND FEMALES	180
17 MALES ONLY	181
18 FEMALES ONLY	182
A VIRTUAL COLONOSCOPY USES A SERIES OF X-RAYS TO TAKE PICTURES OF INSIDE THE COLON. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLO1)	
19 MALES AND FEMALES	183
20 MALES ONLY	184
21 FEMALES ONLY	185
WHEN WAS YOUR MOST RECENT CT COLONOGRAPHY OR VIRTUAL COLONOSCOPY? (VCLNTES2)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 10: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
22 MALES AND FEMALES	186
23 MALES ONLY	187
24 FEMALES ONLY	188
ONE STOOL TEST USES A SPECIAL KIT TO OBTAIN A SMALL AMOUNT OF STOOL AT HOME AND RETURNS THE KIT TO THE DOCTOR OR THE LAB. HAVE YOU EVER HAD THIS TEST? (SMALSTOL)	
25 MALES AND FEMALES	189
26 MALES ONLY	190
27 FEMALES ONLY	191
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (STOLTEST)	
28 MALES AND FEMALES	192
29 MALES ONLY	193
30 FEMALES ONLY	194
ANOTHER STOOL TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDN2)	
31 MALES AND FEMALES	195
32 MALES ONLY	196
33 FEMALES ONLY	197
WAS THE BLOOD STOOL OR FIT (YOU REPORTED EARLIER) CONDUCTED AS PART OF A COLOGUARD TEST? (BLDSTFIT)	
34 MALES AND FEMALES	198
35 MALES ONLY	199
36 FEMALES ONLY	200
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATES1)	
37 MALES AND FEMALES	201
38 MALES ONLY	202
39 FEMALES ONLY	203

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 1: COLONOSCOPY AND SIGMOIDOSCOPY ARE EXAMS TO CHECK FOR COLON CANCER. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3934	283,412	3008	72.7	70.9-74.5	926	27.3	25.5-29.1
Male	1947	142,866	1438	69.9	67.4-72.4	509	30.1	27.6-32.6
Female	1987	140,546	1570	75.4	73.0-77.8	417	24.6	22.2-27.0
Native	91	8,821	63	69.5	56.2-82.8	28	30.5	17.2-43.8
Non-Native	3777	269,360	2894	72.7	70.9-74.5	883	27.3	25.5-29.1
45-54	685	73,317	343	49.4	45.3-53.5	342	50.6	46.5-54.7
55-64	933	79,053	716	76.3	73.2-79.4	217	23.7	20.6-26.8
65+	2316	131,042	1949	83.5	81.7-85.3	367	16.5	14.7-18.3
Less Than H.S.	131	16,279	84	57.7	47.3-68.1	47	42.3	31.9-52.7
H.S. or G.E.D.	976	60,012	709	69.1	65.8-72.4	267	30.9	27.6-34.2
Some Post-H.S.	1256	121,078	943	72.6	69.7-75.5	313	27.4	24.5-30.3
College Graduate	1560	84,953	1267	78.4	76.0-80.8	293	21.6	19.2-24.0
Less than \$15,000	117	8,089	68	53.6	43.0-64.2	49	46.4	35.8-57.0
\$15,000- 24,999	224	14,852	166	70.6	63.2-78.0	58	29.4	22.0-36.8
\$25,000- 34,999	369	24,974	277	71.7	65.8-77.6	92	28.3	22.4-34.2
\$35,000- 49,999	410	27,016	314	72.6	67.1-78.1	96	27.4	21.9-32.9
\$50,000- 99,999	1120	80,720	889	75.8	72.7-78.9	231	24.2	21.1-27.3
\$100,000 - 199,999	731	57,685	553	71.7	67.8-75.6	178	28.3	24.4-32.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 2: COLONOSCOPY AND SIGMOIDOSCOPY ARE EXAMS TO CHECK FOR COLON CANCER. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1947	142,866	1438	69.9	67.4-72.4	509	30.1	27.6-32.6
Non-Native	1865	136,459	1373	69.4	66.9-71.9	492	30.6	28.1-33.1
45-54	383	39,259	178	44.2	38.7-49.7	205	55.8	50.3-61.3
55-64	505	41,690	377	74.3	70.0-78.6	128	25.7	21.4-30.0
65+	1059	61,917	883	83.4	80.9-85.9	176	16.6	14.1-19.1
Less Than H.S.	75	9,821	47	57.6	44.7-70.5	28	42.4	29.5-55.3
H.S. or G.E.D.	530	34,240	364	65.4	60.7-70.1	166	34.6	29.9-39.3
Some Post-H.S.	591	58,333	425	69.5	65.4-73.6	166	30.5	26.4-34.6
College Graduate	746	39,969	598	77.3	73.8-80.8	148	22.7	19.2-26.2
\$15,000- 24,999	92	5,843	61	61.9	50.3-73.5	31	38.1	26.5-49.7
\$25,000- 34,999	158	11,237	112	64.9	55.1-74.7	46	35.1	25.3-44.9
\$35,000- 49,999	198	12,835	150	74.0	66.9-81.1	48	26.0	18.9-33.1
\$50,000- 99,999	609	44,352	464	73.5	69.2-77.8	145	26.5	22.2-30.8
\$100,000 - 199,999	409	33,540	301	67.8	62.5-73.1	108	32.2	26.9-37.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 3: COLONOSCOPY AND SIGMOIDOSCOPY ARE EXAMS TO CHECK FOR COLON CANCER. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1987	140,546	1570	75.4	73.0-77.8	417	24.6	22.2-27.0
Native	50	5,288	31	62.6	43.0-82.2	19	37.4	17.8-57.0
Non-Native	1912	132,902	1521	76.1	73.7-78.5	391	23.9	21.5-26.3
45-54	302	34,058	165	55.4	49.1-61.7	137	44.6	38.3-50.9
55-64	428	37,363	339	78.6	74.1-83.1	89	21.4	16.9-25.9
65+	1257	69,125	1066	83.6	81.1-86.1	191	16.4	13.9-18.9
Less Than H.S.	56	6,459	37	57.9	40.3-75.5	19	42.1	24.5-59.7
H.S. or G.E.D.	446	25,772	345	74.1	69.2-79.0	101	25.9	21.0-30.8
Some Post-H.S.	665	62,744	518	75.6	71.7-79.5	147	24.4	20.5-28.3
College Graduate	814	44,984	669	79.3	76.0-82.6	145	20.7	17.4-24.0
Less than \$15,000	70	4,859	43	58.2	44.3-72.1	27	41.8	27.9-55.7
\$15,000- 24,999	132	9,009	105	76.3	66.9-85.7	27	23.7	14.3-33.1
\$25,000- 34,999	211	13,737	165	77.3	70.6-84.0	46	22.7	16.0-29.4
\$35,000- 49,999	212	14,181	164	71.4	63.4-79.4	48	28.6	20.6-36.6
\$50,000- 99,999	511	36,368	425	78.7	73.8-83.6	86	21.3	16.4-26.2
\$100,000 - 199,999	322	24,145	252	77.2	71.9-82.5	70	22.8	17.5-28.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 4: HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy			Sigmoidoscopy			Both		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2967	202,837	2602	88.9	87.5-90.3	14	0.5	0.1- 0.9	351	10.6	9.4-11.8
Male	1414	98,413	1251	89.4	87.6-91.2	7	0.5	0.1- 0.9	156	10.1	8.3-11.9
Female	1553	104,424	1351	88.5	86.7-90.3	7	0.5	0.1- 0.9	195	11.0	9.2-12.8
Native	62	6,106	57	90.5	81.5-99.5				5	9.5	0.5-18.5
Non-Native	2857	193,113	2506	89.1	87.7-90.5	14	0.5	0.1- 0.9	337	10.4	9.2-11.6
45-54	339	35,538	307	90.9	87.8-94.0	4	1.1	0.0- 2.3	28	8.0	5.1-10.9
55-64	704	59,277	644	91.7	89.5-93.9	2	0.2	0.0- 0.4	58	8.1	5.9-10.3
65+	1924	108,022	1651	86.7	84.9-88.5	8	0.5	0.1- 0.9	265	12.8	11.0-14.6
Less Than H.S.	82	9,215	77	95.4	91.1-99.7				5	4.6	0.3- 8.9
H.S. or G.E.D.	698	40,758	611	88.5	85.8-91.2	4	0.4	0.0- 0.8	83	11.1	8.4-13.8
Some Post-H.S.	933	86,805	819	89.3	87.1-91.5	3	0.3	0.0- 0.7	111	10.4	8.2-12.6
College Graduate	1250	65,697	1091	87.7	85.5-89.9	7	0.9	0.1- 1.7	152	11.5	9.5-13.5
Less than \$15,000	66	4,223	60	87.7	77.5-97.9	1	1.4	0.0- 4.1	5	10.8	0.8-20.8
\$15,000- 24,999	163	10,267	135	84.7	78.4-91.0				28	15.3	9.0-21.6
\$25,000- 34,999	274	17,555	222	82.9	77.8-88.0	4	1.3	0.0- 3.3	48	15.7	10.8-20.6
\$35,000- 49,999	306	19,008	269	88.5	84.0-93.0				37	11.5	7.0-16.0
\$50,000- 99,999	882	60,722	799	90.8	88.6-93.0	3	0.5	0.0- 1.1	80	8.7	6.5-10.9
\$100,000 - 199,999	550	41,209	480	89.2	86.5-91.9	3	0.4	0.0- 0.8	67	10.4	7.7-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 5: HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy			Sigmoidoscopy			Both		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1414	98,413	1251	89.4	87.6-91.2	7	0.5	0.1- 0.9	156	10.1	8.3-11.9
Non-Native	1352	93,504	1201	89.9	88.1-91.7	7	0.5	0.1- 0.9	144	9.6	7.8-11.4
45-54	176	17,004	158	89.6	84.7-94.5	1	0.8	0.0- 2.4	17	9.6	5.1-14.1
55-64	368	30,298	336	91.1	87.8-94.4	2	0.4	0.0- 1.0	30	8.6	5.3-11.9
65+	870	51,111	757	88.3	85.9-90.7	4	0.5	0.0- 1.1	109	11.2	8.8-13.6
H.S. or G.E.D.	356	22,051	313	89.4	85.9-92.9	2	0.2	0.0- 0.6	41	10.4	7.1-13.7
Some Post-H.S.	421	40,052	376	89.5	86.4-92.6	1	0.3	0.0- 0.9	44	10.2	7.1-13.3
College Graduate	588	30,465	516	88.3	85.4-91.2	4	1.1	0.0- 2.3	68	10.7	8.0-13.4
\$15,000- 24,999	60	3,520	50	81.8	70.4-93.2				10	18.2	6.8-29.6
\$25,000- 34,999	111	7,267	93	85.2	77.9-92.5	1	0.1	0.0- 0.3	17	14.6	7.3-21.9
\$35,000- 49,999	145	9,291	133	90.4	83.9-96.9				12	9.6	3.1-16.1
\$50,000- 99,999	461	32,341	415	89.7	86.6-92.8	2	0.8	0.0- 2.0	44	9.5	6.4-12.6
\$100,000 - 199,999	298	22,573	261	89.9	86.4-93.4	3	0.7	0.0- 1.5	34	9.4	6.1-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 6: HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Colonoscopy			Sigmoidoscopy			Both		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1553	104,424	1351	88.5	86.7-90.3	7	0.5	0.1- 0.9	195	11.0	9.2-12.8
Non-Native	1505	99,608	1305	88.3	86.5-90.1	7	0.5	0.1- 0.9	193	11.2	9.4-13.0
45-54	163	18,534	149	92.0	87.7-96.3	3	1.4	0.0- 3.0	11	6.6	2.7-10.5
55-64	336	28,978	308	92.4	89.5-95.3				28	7.6	4.7-10.5
65+	1054	56,911	894	85.3	82.8-87.8	4	0.5	0.0- 1.1	156	14.2	11.7-16.7
H.S. or G.E.D.	342	18,707	298	87.5	83.2-91.8	2	0.5	0.0- 1.3	42	11.9	7.8-16.0
Some Post-H.S.	512	46,753	443	89.1	86.4-91.8	2	0.4	0.0- 1.0	67	10.5	7.8-13.2
College Graduate	662	35,232	575	87.1	84.0-90.2	3	0.7	0.0- 1.5	84	12.2	9.3-15.1
\$15,000- 24,999	103	6,747	85	86.2	78.8-93.6				18	13.8	6.4-21.2
\$25,000- 34,999	163	10,288	129	81.3	74.4-88.2	3	2.2	0.0- 5.3	31	16.5	10.0-23.0
\$35,000- 49,999	161	9,717	136	86.7	80.6-92.8				25	13.3	7.2-19.4
\$50,000- 99,999	421	28,381	384	92.0	89.1-94.9	1	0.2	0.0- 0.6	36	7.8	4.9-10.7
\$100,000 - 199,999	252	18,635	219	88.3	84.2-92.4				33	11.7	7.6-15.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 7: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY? (COLNTES1)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2891	197,633	594	20.8	19.0-22.6	468	16.4	14.8-18.0	986	34.3	32.3-36.3	547	18.8	17.0-20.6	296	9.6	8.4-10.8
Male	1387	96,557	297	21.8	19.3-24.3	253	18.8	16.4-21.2	469	34.0	31.1-36.9	244	17.3	14.9-19.7	124	8.1	6.5- 9.7
Female	1504	101,077	297	19.8	17.4-22.2	215	14.2	12.0-16.4	517	34.5	31.6-37.4	303	20.3	17.8-22.8	172	11.1	9.1-13.1
Native	59	5,384	18	27.4	14.5-40.3	11	24.2	10.5-37.9	15	23.4	11.1-35.7	10	17.9	4.8-31.0	5	7.1	0.6-13.6
Non-Native	2786	188,918	562	20.6	18.8-22.4	450	16.2	14.6-17.8	955	34.6	32.4-36.8	531	18.9	17.1-20.7	288	9.7	8.3-11.1
45-54	330	34,223	101	29.8	24.5-35.1	79	23.6	18.7-28.5	96	28.4	23.1-33.7	34	11.4	7.7-15.1	20	6.7	3.6- 9.8
55-64	688	57,900	138	18.2	15.1-21.3	103	15.1	12.2-18.0	252	37.5	33.4-41.6	144	21.3	17.8-24.8	51	7.9	5.5-10.3
65+	1873	105,510	355	19.3	17.1-21.5	286	14.9	13.1-16.7	638	34.4	31.9-36.9	369	19.9	17.7-22.1	225	11.5	9.7-13.3
Less Than H.S.	78	8,329	8	10.4	3.1-17.7	9	8.7	2.0-15.4	24	41.5	28.6-54.4	20	22.1	12.3-31.9	17	17.3	8.5-26.1
H.S. or G.E.D.	672	39,478	139	21.6	18.1-25.1	108	15.3	12.4-18.2	226	33.5	29.4-37.6	118	17.8	14.5-21.1	81	11.8	9.1-14.5
Some Post-H.S.	915	85,426	177	19.4	16.5-22.3	154	17.5	14.8-20.2	307	33.8	30.3-37.3	181	19.8	16.9-22.7	96	9.4	7.2-11.6
College Graduate	1223	64,134	268	23.4	20.7-26.1	197	16.8	14.4-19.2	428	34.4	31.5-37.3	228	17.8	15.4-20.2	102	7.6	5.8- 9.4
Less than \$15,000	63	4,144	9	10.1	2.8-17.4	9	17.3	5.5-29.1	21	35.4	21.7-49.1	13	20.4	8.4-32.4	11	16.7	5.9-27.5
\$15,000- 24,999	160	10,100	31	17.1	10.6-23.6	30	16.9	10.4-23.4	41	29.1	20.1-38.1	31	19.2	11.8-26.6	27	17.7	10.1-25.3
\$25,000- 34,999	267	17,269	54	20.6	14.9-26.3	40	15.1	10.2-20.0	89	31.3	24.6-38.0	54	21.1	15.2-27.0	30	12.0	7.3-16.7
\$35,000- 49,999	301	18,684	58	19.5	14.2-24.8	48	17.8	12.3-23.3	93	29.9	23.6-36.2	66	23.9	17.6-30.2	36	8.9	5.8-12.0
\$50,000- 99,999	870	59,582	184	21.8	18.7-24.9	126	14.4	11.7-17.1	323	37.0	33.3-40.7	165	18.6	15.7-21.5	72	8.2	6.0-10.4
\$100,000 - 199,999	542	40,695	120	23.2	19.1-27.3	95	17.5	13.8-21.2	196	37.0	32.3-41.7	94	16.6	13.1-20.1	37	5.7	3.5- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 8: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY? (COLNTES1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1387	96,557	297	21.8	19.3-24.3	253	18.8	16.4-21.2	469	34.0	31.1-36.9	244	17.3	14.9-19.7	124	8.1	6.5- 9.7
Non-Native	1327	91,866	281	21.6	19.1-24.1	242	18.6	16.2-21.0	447	34.0	31.1-36.9	238	17.6	15.2-20.0	119	8.2	6.6- 9.8
45-54	172	16,635	55	31.1	23.7-38.5	41	23.0	16.3-29.7	51	30.2	22.6-37.8	18	11.7	6.4-17.0	7	3.9	1.0- 6.8
55-64	362	29,750	76	20.0	15.5-24.5	61	18.1	13.4-22.8	134	36.8	31.1-42.5	66	17.8	13.3-22.3	25	7.2	4.3-10.1
65+	853	50,173	166	19.8	16.7-22.9	151	17.7	14.8-20.6	284	33.6	29.9-37.3	160	18.9	16.0-21.8	92	10.0	7.6-12.4
H.S. or G.E.D.	348	21,684	73	22.0	17.1-26.9	60	16.4	12.1-20.7	114	33.2	27.7-38.7	60	17.9	13.4-22.4	41	10.6	7.1-14.1
Some Post-H.S.	414	39,407	82	19.7	15.4-24.0	87	22.6	18.1-27.1	142	33.9	28.8-39.0	68	15.9	12.0-19.8	35	7.9	5.2-10.6
College Graduate	577	29,716	134	25.7	21.6-29.8	102	17.3	14.0-20.6	196	33.2	28.9-37.5	104	17.6	14.3-20.9	41	6.2	4.0- 8.4
\$15,000- 24,999	59	3,471	13	21.8	10.0-33.6	13	20.5	9.5-31.5	12	21.3	9.1-33.5	10	20.1	7.4-32.8	11	16.3	5.7-26.9
\$25,000- 34,999	109	7,242	22	22.0	13.2-30.8	16	13.9	6.5-21.3	40	35.6	24.4-46.8	21	18.8	10.6-27.0	10	9.7	3.0-16.4
\$35,000- 49,999	144	9,232	28	21.2	13.4-29.0	22	18.4	10.0-26.8	47	29.8	21.0-38.6	35	24.8	16.8-32.8	12	5.7	2.0- 9.4
\$50,000- 99,999	457	32,002	98	22.3	18.0-26.6	74	15.7	12.0-19.4	169	37.1	32.0-42.2	79	17.5	13.4-21.6	37	7.3	4.8- 9.8
\$100,000 - 199,999	292	22,168	64	23.0	17.5-28.5	54	19.3	14.0-24.6	101	35.3	29.0-41.6	51	15.9	11.4-20.4	22	6.5	3.4- 9.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 9: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY? (COLNTES1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1504	101,077	297	19.8	17.4-22.2	215	14.2	12.0-16.4	517	34.5	31.6-37.4	303	20.3	17.8-22.8	172	11.1	9.1-13.1
Non-Native	1459	97,052	281	19.6	17.1-22.1	208	13.9	11.7-16.1	508	35.1	32.2-38.0	293	20.1	17.6-22.6	169	11.2	9.2-13.2
45-54	158	17,588	46	28.6	21.0-36.2	38	24.2	16.9-31.5	45	26.8	19.5-34.1	16	11.2	5.7-16.7	13	9.3	4.2-14.4
55-64	326	28,150	62	16.3	12.0-20.6	42	11.9	8.2-15.6	118	38.3	32.2-44.4	78	25.0	19.5-30.5	26	8.5	4.8-12.2
65+	1020	55,338	189	18.9	16.2-21.6	135	12.3	9.9-14.7	354	35.1	31.6-38.6	209	20.8	17.9-23.7	133	13.0	10.6-15.4
H.S. or G.E.D.	324	17,793	66	21.1	15.8-26.4	48	13.9	9.6-18.2	112	33.9	27.8-40.0	58	17.8	12.7-22.9	40	13.4	8.9-17.9
Some Post-H.S.	501	46,019	95	19.2	15.3-23.1	67	13.3	10.0-16.6	165	33.8	29.1-38.5	113	23.1	18.8-27.4	61	10.7	7.6-13.8
College Graduate	646	34,418	134	21.3	17.6-25.0	95	16.4	12.9-19.9	232	35.5	31.2-39.8	124	18.0	14.7-21.3	61	8.9	6.4-11.4
\$15,000- 24,999	101	6,629	18	14.6	6.8-22.4	17	15.1	7.3-22.9	29	33.1	21.1-45.1	21	18.7	9.5-27.9	16	18.5	8.1-28.9
\$25,000- 34,999	158	10,027	32	19.5	12.2-26.8	24	15.9	9.2-22.6	49	28.2	20.0-36.4	33	22.7	14.5-30.9	20	13.7	7.2-20.2
\$35,000- 49,999	157	9,452	30	17.7	10.6-24.8	26	17.3	10.0-24.6	46	30.0	21.0-39.0	31	23.0	13.2-32.8	24	12.0	6.9-17.1
\$50,000- 99,999	413	27,580	86	21.2	16.5-25.9	52	12.9	9.0-16.8	154	36.9	31.4-42.4	86	19.8	15.3-24.3	35	9.2	5.7-12.7
\$100,000 - 199,999	250	18,528	56	23.4	17.3-29.5	41	15.5	10.4-20.6	95	39.0	31.9-46.1	43	17.4	12.1-22.7	15	4.6	1.9- 7.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 10: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT SIGMOIDOSCOPY? (SIGMTES1)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	324	20,022	44	15.8	10.9-20.7	27	10.0	5.7-14.3	69	21.7	16.6-26.8	37	12.3	8.0-16.6	147	40.1	34.0-46.2
Male	150	9,661	23	15.6	8.9-22.3	15	14.7	6.9-22.5	37	24.8	17.0-32.6	20	14.1	7.4-20.8	55	30.6	22.4-38.8
Female	174	10,361	21	16.0	8.7-23.3	12	5.6	2.1- 9.1	32	18.8	11.9-25.7	17	10.5	5.0-16.0	92	49.0	40.4-57.6
Non-Native	312	18,936	42	15.8	10.7-20.9	24	8.2	4.7-11.7	66	22.1	16.8-27.4	36	12.2	7.9-16.5	144	41.6	35.5-47.7
55-64	55	4,556	11	20.7	8.7-32.7	6	12.8	1.4-24.2	13	24.3	11.8-36.8	10	19.9	7.7-32.1	15	22.4	10.8-34.0
65+	239	12,388	26	11.5	6.6-16.4	19	10.1	5.0-15.2	49	20.8	14.7-26.9	24	9.7	5.4-14.0	121	47.8	40.5-55.1
H.S. or G.E.D.	72	3,896	14	27.1	14.2-40.0	7	8.8	1.5-16.1	14	18.8	8.4-29.2	9	11.0	3.2-18.8	28	34.4	21.5-47.3
Some Post-H.S.	101	8,101	13	12.7	5.4-20.0	13	15.6	6.8-24.4	26	25.5	16.1-34.9	14	15.0	6.8-23.2	35	31.3	21.3-41.3
College Graduate	147	7,646	16	13.1	5.7-20.5	6	3.6	0.7- 6.5	28	18.7	11.4-26.0	13	10.2	4.3-16.1	84	54.5	44.9-64.1
\$50,000- 99,999	75	4,952	9	13.3	3.5-23.1	7	8.3	2.0-14.6	15	17.8	8.4-27.2	5	8.8	0.6-17.0	39	51.8	38.5-65.1
\$100,000 - 199,999	67	4,264	5	10.2	1.6-18.8	4	4.7	0.0- 9.4	18	29.8	17.5-42.1	7	12.5	2.7-22.3	33	42.8	30.1-55.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT SIGMOIDOSCOPY? (SIGMTES1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	150	9,661	23	15.6	8.9-22.3	15	14.7	6.9-22.5	37	24.8	17.0-32.6	20	14.1	7.4-20.8	55	30.6	22.4-38.8
Non-Native	139	8,730	21	15.4	8.5-22.3	12	11.2	4.7-17.7	34	25.6	17.2-34.0	20	15.7	8.4-23.0	52	32.2	23.6-40.8
65+	104	5,468	13	11.7	5.2-18.2	11	17.3	7.3-27.3	24	23.8	14.4-33.2	12	10.7	4.4-17.0	44	36.5	26.3-46.7
College Graduate	66	3,290	9	19.1	6.4-31.8	4	5.2	0.1-10.3	14	20.6	10.0-31.2	8	10.5	3.1-17.9	31	44.5	30.6-58.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT SIGMOIDOSCOPY? (SIGMTES1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	174	10,361	21	16.0	8.9-23.1	12	5.6	2.1- 9.1	32	18.8	11.9-25.7	17	10.5	5.0-16.0	92	49.0	40.6-57.4
Non-Native	173	10,206	21	16.2	8.9-23.5	12	5.7	2.2- 9.2	32	19.1	12.0-26.2	16	9.2	4.3-14.1	92	49.8	41.4-58.2
65+	135	6,920	13	11.4	4.1-18.7	8	4.5	1.0- 8.0	25	18.5	10.7-26.3	12	8.9	3.2-14.6	77	56.7	46.9-66.5
Some Post-H.S.	58	4,066	11	23.7	10.6-36.8	4	5.1	0.0-10.4	13	23.9	11.0-36.8	7	10.0	1.2-18.8	23	37.3	23.0-51.6
College Graduate	81	4,356	7	8.5	0.0-17.1	2	2.3	0.0- 5.6	14	17.3	7.5-27.1	5	9.9	1.3-18.5	53	62.0	49.1-74.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 13: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY OR SIGMOIDOSCOPY? (LASTSIG4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 14: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY OR SIGMOIDOSCOPY? (LASTSIG4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

There is not enough data (less than 50 total observations) to print this table.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 15: HOW LONG HAS IT BEEN SINCE YOUR MOST RECENT COLONOSCOPY OR SIGMOIDOSCOPY? (LASTSIG4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 16: HAVE YOU EVER HAD ANY OTHER KIND OF TEST FOR COLORECTAL CANCER, SUCH AS VIRTUAL COLONOSCOPY, CT COLONOGRAPHY, BLOOD STOOL TEST, FIT DNA, OR COLOGUARD TEST? (COLNCNCR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3828	276,713	861	21.7	20.1-23.3	2967	78.3	76.7-79.9
Male	1890	139,201	397	19.9	17.9-21.9	1493	80.1	78.1-82.1
Female	1938	137,512	464	23.6	21.2-26.0	1474	76.4	74.0-78.8
Native	89	8,714	24	30.2	16.7-43.7	65	69.8	56.3-83.3
Non-Native	3682	263,749	828	21.5	19.9-23.1	2854	78.5	76.9-80.1
45-54	683	72,901	148	21.9	18.4-25.4	535	78.1	74.6-81.6
55-64	906	76,808	192	20.4	17.5-23.3	714	79.6	76.7-82.5
65+	2239	127,003	521	22.5	20.5-24.5	1718	77.5	75.5-79.5
Less Than H.S.	127	15,858	22	15.3	7.3-23.3	105	84.7	76.7-92.7
H.S. or G.E.D.	943	58,413	185	20.0	17.1-22.9	758	80.0	77.1-82.9
Some Post-H.S.	1225	118,468	288	22.6	20.1-25.1	937	77.4	74.9-79.9
College Graduate	1524	83,127	366	23.1	20.7-25.5	1158	76.9	74.5-79.3
Less than \$15,000	112	7,678	30	26.8	17.2-36.4	82	73.2	63.6-82.8
\$15,000- 24,999	215	14,451	44	22.4	15.5-29.3	171	77.6	70.7-84.5
\$25,000- 34,999	352	24,015	83	19.7	15.2-24.2	269	80.3	75.8-84.8
\$35,000- 49,999	398	26,430	80	21.3	16.2-26.4	318	78.7	73.6-83.8
\$50,000- 99,999	1098	79,054	257	22.3	19.4-25.2	841	77.7	74.8-80.6
\$100,000 - 199,999	727	57,412	183	23.5	20.2-26.8	544	76.5	73.2-79.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 17: HAVE YOU EVER HAD ANY OTHER KIND OF TEST FOR COLORECTAL CANCER, SUCH AS VIRTUAL COLONOSCOPY, CT COLONOGRAPHY, BLOOD STOOL TEST, FIT DNA, OR COLOGUARD TEST? (COLNCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1890	139,201	397	19.9	17.9-21.9	1493	80.1	78.1-82.1
Non-Native	1814	133,470	380	19.6	17.6-21.6	1434	80.4	78.4-82.4
45-54	383	39,314	74	18.8	14.7-22.9	309	81.2	77.1-85.3
55-64	490	40,380	97	18.9	15.2-22.6	393	81.1	77.4-84.8
65+	1017	59,507	226	21.3	18.4-24.2	791	78.7	75.8-81.6
Less Than H.S.	73	9,486	8	9.4	2.5-16.3	65	90.6	83.7-97.5
H.S. or G.E.D.	517	33,723	96	19.1	15.2-23.0	421	80.9	77.0-84.8
Some Post-H.S.	575	56,933	128	21.2	17.5-24.9	447	78.8	75.1-82.5
College Graduate	721	38,766	165	21.3	18.0-24.6	556	78.7	75.4-82.0
\$15,000- 24,999	88	5,642	22	25.6	15.4-35.8	66	74.4	64.2-84.6
\$25,000- 34,999	153	10,993	36	16.5	10.4-22.6	117	83.5	77.4-89.6
\$35,000- 49,999	191	12,536	41	25.3	17.5-33.1	150	74.7	66.9-82.5
\$50,000- 99,999	593	43,104	119	18.6	15.1-22.1	474	81.4	77.9-84.9
\$100,000 - 199,999	404	33,153	88	21.1	16.8-25.4	316	78.9	74.6-83.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 18: HAVE YOU EVER HAD ANY OTHER KIND OF TEST FOR COLORECTAL CANCER, SUCH AS VIRTUAL COLONOSCOPY, CT COLONOGRAPHY, BLOOD STOOL TEST, FIT DNA, OR COLOGUARD TEST? (COLNCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1938	137,512	464	23.6	21.2-26.0	1474	76.4	74.0-78.8
Non-Native	1868	130,279	448	23.4	21.0-25.8	1420	76.6	74.2-79.0
45-54	300	33,587	74	25.6	19.9-31.3	226	74.4	68.7-80.1
55-64	416	36,429	95	22.0	17.5-26.5	321	78.0	73.5-82.5
65+	1222	67,496	295	23.5	20.8-26.2	927	76.5	73.8-79.2
Less Than H.S.	54	6,372	14	24.2	7.9-40.5	40	75.8	59.5-92.1
H.S. or G.E.D.	426	24,690	89	21.2	16.5-25.9	337	78.8	74.1-83.5
Some Post-H.S.	650	61,535	160	23.9	20.2-27.6	490	76.1	72.4-79.8
College Graduate	803	44,361	201	24.7	21.2-28.2	602	75.3	71.8-78.8
Less than \$15,000	66	4,579	19	31.1	17.6-44.6	47	68.9	55.4-82.4
\$15,000- 24,999	127	8,809	22	20.4	11.2-29.6	105	79.6	70.4-88.8
\$25,000- 34,999	199	13,022	47	22.3	15.6-29.0	152	77.7	71.0-84.4
\$35,000- 49,999	207	13,895	39	17.7	11.2-24.2	168	82.3	75.8-88.8
\$50,000- 99,999	505	35,950	138	26.7	21.8-31.6	367	73.3	68.4-78.2
\$100,000 - 199,999	323	24,260	95	26.7	21.4-32.0	228	73.3	68.0-78.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 19: A VIRTUAL COLONOSCOPY USES A SERIES OF X-RAYS TO TAKE PICTURES OF INSIDE THE COLON. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLO1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	797	55,739	89	9.8	7.4-12.2	708	90.2	87.8-92.6
Male	371	25,677	35	7.0	4.5- 9.5	336	93.0	90.5-95.5
Female	426	30,062	54	12.3	8.4-16.2	372	87.7	83.8-91.6
Non-Native	766	52,279	81	8.8	6.6-11.0	685	91.2	89.0-93.4
45-54	145	15,480	5	3.5	0.4- 6.6	140	96.5	93.4-99.6
55-64	179	14,542	17	10.8	5.1-16.5	162	89.2	83.5-94.9
65+	473	25,716	67	13.1	9.6-16.6	406	86.9	83.4-90.4
H.S. or G.E.D.	169	10,664	24	15.5	8.2-22.8	145	84.5	77.2-91.8
Some Post-H.S.	266	24,628	29	8.3	5.0-11.6	237	91.7	88.4-95.0
College Graduate	342	18,156	30	6.6	4.1- 9.1	312	93.4	90.9-95.9
\$25,000- 34,999	79	4,381	10	12.4	4.4-20.4	69	87.6	79.6-95.6
\$35,000- 49,999	72	5,065	10	13.7	2.5-24.9	62	86.3	75.1-97.5
\$50,000- 99,999	243	16,606	29	9.3	5.4-13.2	214	90.7	86.8-94.6
\$100,000 - 199,999	176	13,029	8	3.8	0.9- 6.7	168	96.2	93.3-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 20: A VIRTUAL COLONOSCOPY USES A SERIES OF X-RAYS TO TAKE PICTURES OF INSIDE THE COLON. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	371	25,677	35	7.0	4.5- 9.5	336	93.0	90.5-95.5
Non-Native	354	24,089	32	6.3	3.8- 8.8	322	93.7	91.2-96.2
45-54	73	7,318	2	2.6	0.0- 6.1	71	97.4	93.9- 100
55-64	90	7,045	7	8.4	2.1-14.7	83	91.6	85.3-97.9
65+	208	11,315	26	9.0	5.3-12.7	182	91.0	87.3-94.7
H.S. or G.E.D.	89	6,017	9	7.7	1.8-13.6	80	92.3	86.4-98.2
Some Post-H.S.	119	11,111	9	4.6	1.5- 7.7	110	95.4	92.3-98.5
College Graduate	156	7,773	14	7.5	3.4-11.6	142	92.5	88.4-96.6
\$50,000- 99,999	113	7,558	12	8.6	3.3-13.9	101	91.4	86.1-96.7
\$100,000 - 199,999	82	6,718	3	2.4	0.0- 5.1	79	97.6	94.9- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 21: A VIRTUAL COLONOSCOPY USES A SERIES OF X-RAYS TO TAKE PICTURES OF INSIDE THE COLON. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	426	30,062	54	12.3	8.4-16.2	372	87.7	83.8-91.6
Non-Native	412	28,190	49	10.9	7.4-14.4	363	89.1	85.6-92.6
45-54	72	8,163	3	4.3	0.0- 9.2	69	95.7	90.8- 100
55-64	89	7,497	10	13.1	3.9-22.3	79	86.9	77.7-96.1
65+	265	14,402	41	16.3	10.8-21.8	224	83.7	78.2-89.2
H.S. or G.E.D.	80	4,647	15	25.7	12.2-39.2	65	74.3	60.8-87.8
Some Post-H.S.	147	13,517	20	11.4	5.9-16.9	127	88.6	83.1-94.1
College Graduate	186	10,383	16	5.9	2.8- 9.0	170	94.1	91.0-97.2
\$50,000- 99,999	130	9,047	17	9.9	4.2-15.6	113	90.1	84.4-95.8
\$100,000 - 199,999	94	6,311	5	5.3	0.0-10.6	89	94.7	89.4- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 22: WHEN WAS YOUR MOST RECENT CT COLONOGRAPHY OR VIRTUAL COLONOSCOPY? (VCLNTES2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	89	5,488	27	29.8	18.6-41.0	8	7.0	1.3-12.7	27	33.3	20.4-46.2	12	12.5	4.1-20.9	15	17.4	7.2-27.6
Female	54	3,692	15	26.9	13.0-40.8	4	5.6	0.0-12.5	18	40.0	23.3-56.7	8	11.1	1.3-20.9	9	16.4	3.5-29.3
Non-Native	81	4,594	25	32.2	19.9-44.5	8	8.3	1.4-15.2	25	35.0	21.3-48.7	11	11.8	3.6-20.0	12	12.7	3.9-21.5
65+	67	3,371	20	33.3	19.4-47.2	5	5.1	0.6- 9.6	21	32.1	17.8-46.4	10	12.2	3.6-20.8	11	17.3	5.1-29.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 23: WHEN WAS YOUR MOST RECENT CT COLONOGRAPHY OR VIRTUAL COLONOSCOPY? (VCLNTES2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

There is not enough data (less than 50 total observations) to print this table.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING

TABLE 24: WHEN WAS YOUR MOST RECENT CT COLONOGRAPHY OR VIRTUAL COLONOSCOPY? (VCLNTES2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	54	3,692	15	26.9	13.2-40.6	4	5.6	0.0-12.7	18	40.0	23.7-56.3	8	11.1	1.3-20.9	9	16.4	3.3-29.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

188 of 269

August 21, 2025

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

**TABLE 25: ONE STOOL TEST USES A SPECIAL KIT TO OBTAIN A SMALL AMOUNT OF STOOL AT HOME AND RETURNS THE KIT TO THE DOCTOR OR THE LAB. HAVE YOU EVER HAD THIS TEST?
(SMALSTOL)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	845	59,270	673	79.5	76.4-82.6	172	20.5	17.4-23.6
Male	390	27,250	306	79.0	74.5-83.5	84	21.0	16.5-25.5
Female	455	32,020	367	80.0	75.5-84.5	88	20.0	15.5-24.5
Non-Native	813	55,752	650	79.6	76.3-82.9	163	20.4	17.1-23.7
45-54	147	15,868	113	79.5	72.6-86.4	34	20.5	13.6-27.4
55-64	190	15,456	151	78.7	72.0-85.4	39	21.3	14.6-28.0
65+	508	27,946	409	80.0	75.7-84.3	99	20.0	15.7-24.3
H.S. or G.E.D.	181	11,460	143	75.8	68.0-83.6	38	24.2	16.4-32.0
Some Post-H.S.	283	26,501	226	81.2	76.3-86.1	57	18.8	13.9-23.7
College Graduate	359	18,878	294	82.1	77.6-86.6	65	17.9	13.4-22.4
\$25,000- 34,999	82	4,694	63	74.4	63.4-85.4	19	25.6	14.6-36.6
\$35,000- 49,999	79	5,554	63	74.2	61.5-86.9	16	25.8	13.1-38.5
\$50,000- 99,999	251	17,390	207	85.6	80.7-90.5	44	14.4	9.5-19.3
\$100,000 - 199,999	181	13,285	147	81.7	75.4-88.0	34	18.3	12.0-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

**TABLE 26: ONE STOOL TEST USES A SPECIAL KIT TO OBTAIN A SMALL AMOUNT OF STOOL AT HOME AND RETURNS THE KIT TO THE DOCTOR OR THE LAB. HAVE YOU EVER HAD THIS TEST?
(SMALSTOL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	390	27,250	306	79.0	74.5-83.5	84	21.0	16.5-25.5
Non-Native	373	25,662	293	79.1	74.6-83.6	80	20.9	16.4-25.4
45-54	73	7,277	57	80.8	71.6-90.0	16	19.2	10.0-28.4
55-64	96	7,544	77	79.1	70.1-88.1	19	20.9	11.9-29.9
65+	221	12,429	172	77.9	71.6-84.2	49	22.1	15.8-28.4
H.S. or G.E.D.	93	6,250	71	75.6	65.8-85.4	22	24.4	14.6-34.2
Some Post-H.S.	127	11,974	100	80.1	72.8-87.4	27	19.9	12.6-27.2
College Graduate	162	8,134	130	81.0	74.5-87.5	32	19.0	12.5-25.5
\$50,000- 99,999	117	7,931	96	85.6	78.7-92.5	21	14.4	7.5-21.3
\$100,000 - 199,999	87	6,924	68	79.4	70.2-88.6	19	20.6	11.4-29.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

**TABLE 27: ONE STOOL TEST USES A SPECIAL KIT TO OBTAIN A SMALL AMOUNT OF STOOL AT HOME AND RETURNS THE KIT TO THE DOCTOR OR THE LAB. HAVE YOU EVER HAD THIS TEST?
(SMALSTOL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	455	32,020	367	80.0	75.5-84.5	88	20.0	15.5-24.5
Non-Native	440	30,090	357	80.0	75.3-84.7	83	20.0	15.3-24.7
45-54	74	8,591	56	78.4	68.4-88.4	18	21.6	11.6-31.6
55-64	94	7,912	74	78.2	68.2-88.2	20	21.8	11.8-31.8
65+	287	15,517	237	81.7	76.0-87.4	50	18.3	12.6-24.0
H.S. or G.E.D.	88	5,209	72	76.1	63.6-88.6	16	23.9	11.4-36.4
Some Post-H.S.	156	14,526	126	82.1	75.2-89.0	30	17.9	11.0-24.8
College Graduate	197	10,745	164	82.9	76.6-89.2	33	17.1	10.8-23.4
\$50,000- 99,999	134	9,459	111	85.7	79.0-92.4	23	14.3	7.6-21.0
\$100,000 - 199,999	94	6,361	79	84.1	75.7-92.5	15	15.9	7.5-24.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 28: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (STOLTEST)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	655	45,834	216	34.4	30.1-38.7	125	19.5	16.0-23.0	74	11.3	8.6-14.0	57	10.3	7.0-13.6	183	24.5	20.8-28.2
Male	296	20,711	99	34.2	27.9-40.5	54	20.2	14.7-25.7	38	13.2	8.7-17.7	26	9.5	5.4-13.6	79	22.9	17.6-28.2
Female	359	25,123	117	34.6	28.5-40.7	71	18.9	14.0-23.8	36	9.7	6.4-13.0	31	11.0	6.1-15.9	104	25.7	20.4-31.0
Non-Native	634	43,305	206	34.0	29.7-38.3	122	20.1	16.4-23.8	71	11.0	8.3-13.7	54	9.4	6.7-12.1	181	25.6	21.7-29.5
45-54	112	12,484	53	46.1	35.7-56.5	33	27.4	18.4-36.4	9	8.0	2.9-13.1	9	11.3	2.3-20.3	8	7.2	1.9-12.5
55-64	149	11,955	47	31.5	23.1-39.9	31	21.6	14.2-29.0	22	14.2	7.9-20.5	15	10.3	5.0-15.6	34	22.4	15.1-29.7
65+	394	21,395	116	29.3	24.0-34.6	61	13.7	10.0-17.4	43	11.6	7.9-15.3	33	9.7	6.0-13.4	141	35.7	30.0-41.4
H.S. or G.E.D.	141	8,603	50	35.1	26.3-43.9	23	15.7	9.2-22.2	18	16.4	8.8-24.0	17	11.9	5.6-18.2	33	20.9	13.3-28.5
Some Post-H.S.	219	20,930	68	33.9	26.6-41.2	48	21.1	15.0-27.2	22	9.2	5.1-13.3	21	10.2	5.7-14.7	60	25.6	19.3-31.9
College Graduate	285	14,887	95	35.6	29.1-42.1	54	21.3	15.6-27.0	33	11.8	7.7-15.9	16	5.3	2.6- 8.0	87	26.0	20.5-31.5
\$25,000- 34,999	63	3,491	18	31.0	17.3-44.7	6	6.9	0.2-13.6	13	24.4	11.5-37.3	7	11.3	2.9-19.7	19	26.4	14.2-38.6
\$35,000- 49,999	60	3,815	22	36.0	20.7-51.3	6	11.3	1.1-21.5	13	25.0	10.9-39.1	3	4.1	0.0- 8.8	16	23.6	10.5-36.7
\$50,000- 99,999	203	14,597	67	33.3	25.3-41.3	40	20.8	13.9-27.7	21	9.0	4.9-13.1	21	13.3	5.7-20.9	54	23.6	16.9-30.3
\$100,000 - 199,999	147	10,851	48	36.1	27.3-44.9	32	22.7	14.9-30.5	14	10.5	4.8-16.2	12	10.4	4.3-16.5	41	20.3	13.6-27.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 29: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (STOLTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	296	20,711	99	34.2	27.9-40.5	54	20.2	14.9-25.5	38	13.2	8.7-17.7	26	9.5	5.4-13.6	79	22.9	17.6-28.2
Non-Native	283	19,492	94	33.9	27.6-40.2	52	20.7	15.0-26.4	36	12.3	8.0-16.6	24	9.3	5.2-13.4	77	23.7	18.2-29.2
45-54	56	5,746	27	48.4	34.1-62.7	17	29.0	16.5-41.5	3	6.9	0.0-14.5	6	11.1	2.1-20.1	3	4.7	0.0-10.0
55-64	76	5,900	24	27.7	17.1-38.3	15	21.2	10.6-31.8	15	20.2	9.6-30.8	9	11.7	3.7-19.7	13	19.2	9.2-29.2
65+	164	9,065	48	29.4	21.6-37.2	22	14.0	7.7-20.3	20	12.6	6.7-18.5	11	7.1	1.8-12.4	63	36.9	28.3-45.5
H.S. or G.E.D.	69	4,641	28	36.8	24.6-49.0	11	15.4	6.0-24.8	9	17.5	6.5-28.5	7	10.4	1.4-19.4	14	19.9	8.9-30.9
Some Post-H.S.	96	9,179	31	33.7	23.1-44.3	24	25.6	16.0-35.2	8	9.2	2.3-16.1	10	11.2	4.1-18.3	23	20.3	12.1-28.5
College Graduate	126	6,278	38	31.8	22.8-40.8	19	17.8	9.8-25.8	20	16.0	8.7-23.3	8	5.2	1.5- 8.9	41	29.3	20.7-37.9
\$50,000- 99,999	93	6,511	33	33.7	22.7-44.7	16	20.2	10.4-30.0	12	11.5	4.6-18.4	9	10.8	2.8-18.8	23	23.8	14.2-33.4
\$100,000 - 199,999	68	5,499	20	32.4	19.9-44.9	15	24.6	12.6-36.6	6	8.9	0.9-16.9	7	12.1	2.9-21.3	20	22.0	11.8-32.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 30: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (STOLTEST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	359	25,123	117	34.6	28.5-40.7	71	18.9	14.0-23.8	36	9.7	6.4-13.0	31	11.0	6.1-15.9	104	25.7	20.4-31.0
Non-Native	351	23,813	112	34.0	27.9-40.1	70	19.5	14.6-24.4	35	10.0	6.5-13.5	30	9.4	5.9-12.9	104	27.2	21.7-32.7
45-54	56	6,738	26	44.2	29.3-59.1	16	26.0	13.5-38.5	6	8.9	1.8-16.0	3	11.5	0.0-26.2	5	9.4	0.6-18.2
55-64	73	6,055	23	35.2	22.5-47.9	16	22.1	11.3-32.9	7	8.4	2.1-14.7	6	8.9	1.8-16.0	21	25.5	14.7-36.3
65+	230	12,330	68	29.2	22.3-36.1	39	13.5	9.0-18.0	23	10.8	6.1-15.5	22	11.7	6.6-16.8	78	34.8	27.4-42.2
H.S. or G.E.D.	72	3,962	22	33.1	20.2-46.0	12	16.0	7.0-25.0	9	15.2	5.0-25.4	10	13.7	5.3-22.1	19	22.0	11.2-32.8
Some Post-H.S.	123	11,751	37	34.1	24.3-43.9	24	17.6	10.0-25.2	14	9.2	4.1-14.3	11	9.4	3.7-15.1	37	29.8	20.6-39.0
College Graduate	159	8,609	57	38.4	29.6-47.2	35	23.8	15.8-31.8	13	8.8	3.9-13.7	8	5.4	1.7- 9.1	46	23.6	16.5-30.7
\$50,000- 99,999	110	8,085	34	32.9	21.3-44.5	24	21.2	12.0-30.4	9	7.0	1.9-12.1	12	15.4	3.2-27.6	31	23.5	14.5-32.5
\$100,000 - 199,999	79	5,352	28	39.9	27.6-52.2	17	20.7	10.5-30.9	8	12.2	3.8-20.6	5	8.6	1.0-16.2	21	18.5	10.1-26.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

**TABLE 31: ANOTHER STOOL TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST?
(STOOLDN2)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	829	57,850	236	27.6	24.1-31.1	593	72.4	68.9-75.9
Male	380	26,597	98	24.6	19.7-29.5	282	75.4	70.5-80.3
Female	449	31,253	138	30.1	25.0-35.2	311	69.9	64.8-75.0
Non-Native	798	54,406	232	28.8	25.1-32.5	566	71.2	67.5-74.9
45-54	143	15,510	54	35.3	26.7-43.9	89	64.7	56.1-73.3
55-64	187	14,952	58	29.6	22.5-36.7	129	70.4	63.3-77.5
65+	499	27,388	124	22.1	18.0-26.2	375	77.9	73.8-82.0
H.S. or G.E.D.	176	11,060	63	35.2	27.2-43.2	113	64.8	56.8-72.8
Some Post-H.S.	277	25,968	71	25.1	19.4-30.8	206	74.9	69.2-80.6
College Graduate	355	18,525	97	28.0	22.7-33.3	258	72.0	66.7-77.3
\$25,000- 34,999	80	4,541	30	32.5	20.7-44.3	50	67.5	55.7-79.3
\$35,000- 49,999	77	5,221	21	24.5	13.7-35.3	56	75.5	64.7-86.3
\$50,000- 99,999	245	16,727	62	26.9	20.0-33.8	183	73.1	66.2-80.0
\$100,000 - 199,999	181	13,326	57	35.5	27.5-43.5	124	64.5	56.5-72.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

**TABLE 32: ANOTHER STOOL TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST?
(STOOLDN2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	380	26,597	98	24.6	19.7-29.5	282	75.4	70.5-80.3
Non-Native	364	25,040	97	25.8	20.7-30.9	267	74.2	69.1-79.3
45-54	72	7,145	21	29.8	18.2-41.4	51	70.2	58.6-81.8
55-64	96	7,566	31	30.0	20.2-39.8	65	70.0	60.2-79.8
65+	212	11,885	46	17.9	12.4-23.4	166	82.1	76.6-87.6
H.S. or G.E.D.	92	6,243	32	34.3	23.3-45.3	60	65.7	54.7-76.7
Some Post-H.S.	122	11,665	28	21.4	13.6-29.2	94	78.6	70.8-86.4
College Graduate	159	7,933	38	23.9	16.6-31.2	121	76.1	68.8-83.4
\$50,000- 99,999	110	7,412	20	18.5	10.1-26.9	90	81.5	73.1-89.9
\$100,000 - 199,999	88	7,003	24	32.6	21.2-44.0	64	67.4	56.0-78.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

**TABLE 33: ANOTHER STOOL TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST?
(STOOLDN2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	449	31,253	138	30.1	25.0-35.2	311	69.9	64.8-75.0
Non-Native	434	29,366	135	31.3	26.0-36.6	299	68.7	63.4-74.0
45-54	71	8,365	33	40.0	27.3-52.7	38	60.0	47.3-72.7
55-64	91	7,385	27	29.2	18.8-39.6	64	70.8	60.4-81.2
65+	287	15,503	78	25.3	19.4-31.2	209	74.7	68.8-80.6
H.S. or G.E.D.	84	4,817	31	36.5	24.3-48.7	53	63.5	51.3-75.7
Some Post-H.S.	155	14,303	43	28.2	20.0-36.4	112	71.8	63.6-80.0
College Graduate	196	10,592	59	31.1	23.5-38.7	137	68.9	61.3-76.5
\$50,000- 99,999	135	9,315	42	33.7	23.3-44.1	93	66.3	55.9-76.7
\$100,000 - 199,999	93	6,324	33	38.7	27.3-50.1	60	61.3	49.9-72.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 34: WAS THE BLOOD STOOL OR FIT (YOU REPORTED EARLIER) CONDUCTED AS PART OF A COLOGUARD TEST? (BLDSTFIT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	219	14,741	186	86.7	81.6-91.8	33	13.3	8.2-18.4
Male	92	6,112	80	89.7	83.0-96.4	12	10.3	3.6-17.0
Female	127	8,629	106	84.6	77.2-92.0	21	15.4	8.0-22.8
Non-Native	215	14,461	182	86.4	81.1-91.7	33	13.6	8.3-18.9
45-54	53	5,395	44	84.1	73.3-94.9	9	15.9	5.1-26.7
55-64	54	4,033	51	96.0	91.5- 100	3	4.0	0.0- 8.5
65+	112	5,313	91	82.2	74.0-90.4	21	17.8	9.6-26.0
H.S. or G.E.D.	57	3,439	50	87.6	78.0-97.2	7	12.4	2.8-22.0
Some Post-H.S.	63	5,917	55	87.9	78.7-97.1	8	12.1	2.9-21.3
College Graduate	95	5,080	78	84.2	76.0-92.4	17	15.8	7.6-24.0
\$50,000- 99,999	58	4,252	49	87.8	78.6-97.0	9	12.2	3.0-21.4
\$100,000 - 199,999	55	4,533	49	91.3	83.9-98.7	6	8.7	1.3-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 35: HAVE YOU HAD A COLONOSCOPY, A SIGMOIDOSCOPY, OR BOTH? (COLNSIGM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	92	6,112	80	89.7	83.0-96.4	12	10.3	3.6-17.0
Non-Native	91	6,044	79	89.6	82.9-96.3	12	10.4	3.7-17.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 36: WAS THE BLOOD STOOL OR FIT (YOU REPORTED EARLIER) CONDUCTED AS PART OF A COLOGUARD TEST? (BLDSTFIT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	127	8,629	106	84.6	77.2-92.0	21	15.4	8.0-22.8
Non-Native	124	8,417	103	84.2	76.8-91.6	21	15.8	8.4-23.2
65+	70	3,407	57	81.4	70.6-92.2	13	18.6	7.8-29.4
College Graduate	57	3,185	47	84.0	73.4-94.6	10	16.0	5.4-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING
TABLE 37: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATES1)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	231	15,724	117	53.1	45.5-60.7	45	17.4	11.7-23.1	25	12.4	7.3-17.5	19	7.7	4.0-11.4	25	9.4	5.3-13.5
Male	95	6,419	49	51.6	40.0-63.2	14	14.1	6.5-21.7	12	15.2	6.6-23.8	8	7.8	1.7-13.9	12	11.4	4.0-18.8
Female	136	9,305	68	54.1	44.1-64.1	31	19.7	11.7-27.7	13	10.5	4.0-17.0	11	7.6	2.9-12.3	13	8.0	3.1-12.9
Non-Native	227	15,443	115	53.1	45.5-60.7	43	16.8	11.1-22.5	25	12.6	7.3-17.9	19	7.8	4.1-11.5	25	9.6	5.3-13.9
45-54	54	5,476	30	57.1	42.8-71.4	12	21.5	9.5-33.5	7	13.5	3.7-23.3	4	6.1	0.0-12.2	1	1.8	0.0- 5.3
55-64	57	4,404	23	40.2	26.3-54.1	12	17.6	7.0-28.2	9	15.6	5.4-25.8	6	10.5	2.1-18.9	7	16.2	4.6-27.8
65+	120	5,843	64	59.1	48.7-69.5	21	13.4	6.7-20.1	9	9.0	2.1-15.9	9	7.1	1.8-12.4	17	11.4	5.5-17.3
H.S. or G.E.D.	61	3,800	33	50.0	35.3-64.7	7	7.0	0.7-13.3	9	22.6	8.9-36.3	7	12.0	3.0-21.0	5	8.4	0.0-16.8
Some Post-H.S.	70	6,463	38	56.3	43.2-69.4	15	18.7	8.3-29.1	6	8.6	1.3-15.9	5	7.1	0.8-13.4	6	9.3	1.9-16.7
College Graduate	95	5,122	44	51.2	39.6-62.8	22	22.8	13.0-32.6	10	10.5	3.8-17.2	7	5.7	1.0-10.4	12	9.8	3.9-15.7
\$50,000- 99,999	60	4,405	21	42.3	27.2-57.4	16	23.5	11.0-36.0	6	9.9	1.7-18.1	10	14.4	4.6-24.2	7	9.8	1.6-18.0
\$100,000 - 199,999	57	4,733	27	53.3	39.0-67.6	13	18.1	7.5-28.7	6	12.5	2.5-22.5	5	5.9	0.6-11.2	6	10.2	1.4-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 38: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATES1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	95	6,419	49	51.6	40.0-63.2	14	14.1	6.5-21.7	12	15.2	6.6-23.8	8	7.8	1.7-13.9	12	11.4	4.0-18.8
Non-Native	94	6,350	49	52.2	40.4-64.0	13	13.1	5.5-20.7	12	15.3	6.7-23.9	8	7.8	1.7-13.9	12	11.5	3.9-19.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 10: COLORECTAL CANCER SCREENING**

TABLE 39: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATES1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 45 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	136	9,305	68	54.1	44.1-64.1	31	19.7	11.5-27.9	13	10.5	4.0-17.0	11	7.6	2.9-12.3	13	8.0	3.1-12.9
Non-Native	133	9,093	66	53.8	43.6-64.0	30	19.4	11.2-27.6	13	10.8	4.3-17.3	11	7.8	2.9-12.7	13	8.2	3.3-13.1
65+	76	3,802	39	58.9	45.8-72.0	17	15.4	6.8-24.0	6	8.5	0.3-16.7	6	8.9	1.3-16.5	8	8.3	2.2-14.4
College Graduate	59	3,292	26	53.4	38.5-68.3	16	22.7	10.4-35.0	5	7.6	0.5-14.7	4	5.0	0.0-10.3	8	11.3	3.3-19.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 11: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	205
2 MALES ONLY	206
3 FEMALES ONLY	207
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	208
5 MALES ONLY	209
6 FEMALES ONLY	210
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)	
7 MALES AND FEMALES	211
8 MALES ONLY	212
9 FEMALES ONLY	213
WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW3)	
10 MALES AND FEMALES	214
11 MALES ONLY	215
12 FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5419	562,762	2196	37.5	35.9-39.1	3223	62.5	60.9-64.1
Male	2801	292,084	1255	41.4	39.2-43.6	1546	58.6	56.4-60.8
Female	2618	270,678	941	33.3	30.9-35.7	1677	66.7	64.3-69.1
Native	151	22,328	90	53.3	43.1-63.5	61	46.7	36.5-56.9
Non-Native	5194	533,073	2064	36.7	35.1-38.3	3130	63.3	61.7-64.9
18-24	309	87,972	44	14.6	10.3-18.9	265	85.4	81.1-89.7
25-34	570	98,336	181	32.5	28.2-36.8	389	67.5	63.2-71.8
35-44	655	95,549	256	40.5	36.4-44.6	399	59.5	55.4-63.6
45-54	683	73,264	279	44.6	40.5-48.7	404	55.4	51.3-59.5
55-64	919	77,926	388	43.1	39.4-46.8	531	56.9	53.2-60.6
65+	2283	129,714	1048	47.3	44.9-49.7	1235	52.7	50.3-55.1
Less Than H.S.	184	38,316	116	52.6	43.2-62.0	68	47.4	38.0-56.8
H.S. or G.E.D.	1427	144,036	709	42.8	39.7-45.9	718	57.2	54.1-60.3
Some Post-H.S.	1637	214,386	757	41.5	38.8-44.2	880	58.5	55.8-61.2
College Graduate	2159	164,384	609	24.1	22.1-26.1	1550	75.9	73.9-77.9
Less than \$15,000	165	19,006	96	54.0	43.6-64.4	69	46.0	35.6-56.4
\$15,000- 24,999	293	30,368	146	45.3	37.7-52.9	147	54.7	47.1-62.3
\$25,000- 34,999	467	45,822	243	47.7	41.6-53.8	224	52.3	46.2-58.4
\$35,000- 49,999	560	56,787	238	37.9	32.8-43.0	322	62.1	57.0-67.2
\$50,000- 99,999	1590	162,188	629	37.0	34.1-39.9	961	63.0	60.1-65.9
\$100,000 - 199,999	1121	122,303	404	36.0	32.7-39.3	717	64.0	60.7-67.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2801	292,084	1255	41.4	39.2-43.6	1546	58.6	56.4-60.8
Native	80	12,686	42	43.6	30.7-56.5	38	56.4	43.5-69.3
Non-Native	2674	274,948	1184	41.0	38.6-43.4	1490	59.0	56.6-61.4
18-24	188	46,240	32	18.9	12.6-25.2	156	81.1	74.8-87.4
25-34	334	53,257	119	35.7	30.2-41.2	215	64.3	58.8-69.8
35-44	361	51,328	155	45.4	39.7-51.1	206	54.6	48.9-60.3
45-54	383	39,408	175	49.1	43.6-54.6	208	50.9	45.4-56.4
55-64	497	41,058	208	41.4	36.5-46.3	289	58.6	53.7-63.5
65+	1038	60,792	566	55.0	51.5-58.5	472	45.0	41.5-48.5
Less Than H.S.	108	21,957	75	59.1	47.1-71.1	33	40.9	28.9-52.9
H.S. or G.E.D.	818	82,491	431	45.9	41.8-50.0	387	54.1	50.0-58.2
Some Post-H.S.	830	110,964	413	44.2	40.3-48.1	417	55.8	51.9-59.7
College Graduate	1038	75,523	334	27.2	24.3-30.1	704	72.8	69.9-75.7
Less than \$15,000	73	8,488	40	47.9	33.0-62.8	33	52.1	37.2-67.0
\$15,000- 24,999	125	12,266	65	41.5	30.9-52.1	60	58.5	47.9-69.1
\$25,000- 34,999	209	21,242	114	51.4	42.6-60.2	95	48.6	39.8-57.4
\$35,000- 49,999	287	27,581	143	47.5	40.2-54.8	144	52.5	45.2-59.8
\$50,000- 99,999	891	91,439	399	41.0	37.1-44.9	492	59.0	55.1-62.9
\$100,000 - 199,999	643	71,865	262	41.4	36.9-45.9	381	58.6	54.1-63.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2618	270,678	941	33.3	30.9-35.7	1677	66.7	64.3-69.1
Native	71	9,642	48	66.1	51.6-80.6	23	33.9	19.4-48.4
Non-Native	2520	258,125	880	32.1	29.7-34.5	1640	67.9	65.5-70.3
18-24	121	41,732	12	9.8	4.1-15.5	109	90.2	84.5-95.9
25-34	236	45,079	62	28.6	22.1-35.1	174	71.4	64.9-77.9
35-44	294	44,221	101	34.9	28.8-41.0	193	65.1	59.0-71.2
45-54	300	33,856	104	39.3	32.8-45.8	196	60.7	54.2-67.2
55-64	422	36,868	180	45.1	39.6-50.6	242	54.9	49.4-60.4
65+	1245	68,922	482	40.5	37.2-43.8	763	59.5	56.2-62.8
Less Than H.S.	76	16,359	41	44.0	29.3-58.7	35	56.0	41.3-70.7
H.S. or G.E.D.	609	61,545	278	38.5	33.4-43.6	331	61.5	56.4-66.6
Some Post-H.S.	807	103,421	344	38.7	34.6-42.8	463	61.3	57.2-65.4
College Graduate	1121	88,861	275	21.4	18.7-24.1	846	78.6	75.9-81.3
Less than \$15,000	92	10,518	56	58.9	44.8-73.0	36	41.1	27.0-55.2
\$15,000- 24,999	168	18,102	81	47.9	37.3-58.5	87	52.1	41.5-62.7
\$25,000- 34,999	258	24,580	129	44.6	36.6-52.6	129	55.4	47.4-63.4
\$35,000- 49,999	273	29,206	95	28.7	22.0-35.4	178	71.3	64.6-78.0
\$50,000- 99,999	699	70,750	230	31.9	27.4-36.4	469	68.1	63.6-72.6
\$100,000 - 199,999	478	50,438	142	28.4	23.7-33.1	336	71.6	66.9-76.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2188	210,295	452	23.1	20.7-25.5	186	9.9	8.3-11.5	1550	67.0	64.5-69.5
Male	1251	120,343	257	21.8	18.9-24.7	99	9.8	7.6-12.0	895	68.5	65.2-71.8
Female	937	89,951	195	25.0	21.1-28.9	87	10.0	7.5-12.5	655	65.0	60.9-69.1
Native	89	11,839	34	45.5	31.8-59.2	15	15.0	6.0-24.0	40	39.5	26.8-52.2
Non-Native	2057	194,758	410	21.7	19.3-24.1	167	9.6	8.0-11.2	1480	68.7	66.2-71.2
25-34	181	31,940	42	24.6	17.5-31.7	30	15.5	9.8-21.2	109	60.0	52.2-67.8
35-44	255	38,607	70	29.1	22.6-35.6	22	9.2	5.3-13.1	163	61.7	55.0-68.4
45-54	279	32,642	70	28.2	21.7-34.7	32	9.7	6.2-13.2	177	62.1	55.4-68.8
55-64	388	33,603	116	29.3	24.0-34.6	32	7.6	4.9-10.3	240	63.2	57.7-68.7
65+	1042	60,855	148	13.6	11.2-16.0	58	6.3	4.3- 8.3	836	80.0	77.1-82.9
Less Than H.S.	116	20,167	34	37.0	25.4-48.6	12	8.4	2.9-13.9	70	54.6	43.0-66.2
H.S. or G.E.D.	707	61,488	186	26.9	23.0-30.8	65	11.8	8.5-15.1	456	61.3	56.8-65.8
Some Post-H.S.	751	88,401	156	22.6	18.9-26.3	58	8.6	6.2-11.0	537	68.8	64.7-72.9
College Graduate	609	39,568	75	11.8	8.9-14.7	50	10.1	7.2-13.0	484	78.1	74.2-82.0
Less than \$15,000	95	10,190	41	40.4	27.1-53.7	12	9.2	2.9-15.5	42	50.4	36.5-64.3
\$15,000- 24,999	146	13,755	39	25.0	16.4-33.6	16	11.1	4.2-18.0	91	63.9	53.9-73.9
\$25,000- 34,999	243	21,871	57	25.1	18.0-32.2	26	12.0	6.5-17.5	160	62.8	54.8-70.8
\$35,000- 49,999	237	21,438	52	25.6	18.7-32.5	20	12.4	6.5-18.3	165	62.0	54.2-69.8
\$50,000- 99,999	626	59,790	143	27.4	22.5-32.3	51	10.2	7.1-13.3	432	62.4	57.3-67.5
\$100,000 - 199,999	404	44,043	58	16.2	11.7-20.7	32	8.5	5.4-11.6	314	75.3	70.2-80.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1251	120,343	257	21.8	18.9-24.7	99	9.8	7.6-12.0	895	68.5	65.2-71.8
Non-Native	1180	112,222	237	21.2	18.3-24.1	88	9.5	7.3-11.7	855	69.3	66.0-72.6
25-34	119	19,036	26	22.9	14.5-31.3	21	15.8	9.1-22.5	72	61.4	52.0-70.8
35-44	154	23,153	42	27.8	20.0-35.6	13	9.1	4.0-14.2	99	63.1	54.7-71.5
45-54	175	19,353	37	22.2	15.1-29.3	21	11.5	6.6-16.4	117	66.4	58.6-74.2
55-64	208	16,989	63	28.4	21.7-35.1	15	7.1	3.4-10.8	130	64.5	57.4-71.6
65+	564	33,274	84	13.7	10.6-16.8	19	3.2	1.6- 4.8	461	83.1	79.8-86.4
Less Than H.S.	75	12,976	22	30.3	17.6-43.0	6	6.6	0.7-12.5	47	63.1	49.8-76.4
H.S. or G.E.D.	430	37,825	110	24.4	19.7-29.1	38	11.9	7.8-16.0	282	63.7	58.2-69.2
Some Post-H.S.	410	48,643	86	22.4	17.5-27.3	30	8.6	5.5-11.7	294	69.0	63.7-74.3
College Graduate	334	20,568	39	10.4	6.9-13.9	24	10.1	6.0-14.2	271	79.5	74.4-84.6
\$15,000- 24,999	65	5,087	18	25.5	13.7-37.3	8	13.8	4.2-23.4	39	60.7	47.0-74.4
\$25,000- 34,999	114	10,912	28	27.2	16.2-38.2	11	9.4	3.1-15.7	75	63.4	51.6-75.2
\$35,000- 49,999	142	13,045	33	26.4	17.4-35.4	10	9.7	2.8-16.6	99	63.9	53.7-74.1
\$50,000- 99,999	397	37,281	94	25.7	20.0-31.4	30	10.1	6.4-13.8	273	64.2	58.3-70.1
\$100,000 - 199,999	262	29,733	28	13.0	7.7-18.3	20	8.8	4.9-12.7	214	78.3	72.2-84.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	937	89,951	195	25.0	21.1-28.9	87	10.0	7.5-12.5	655	65.0	60.9-69.1
Non-Native	877	82,537	173	22.5	18.8-26.2	79	9.7	7.2-12.2	625	67.8	63.7-71.9
25-34	62	12,904	16	27.1	14.8-39.4	9	15.0	5.2-24.8	37	57.9	44.4-71.4
35-44	101	15,454	28	31.0	20.4-41.6	9	9.3	2.6-16.0	64	59.7	48.7-70.7
45-54	104	13,289	33	37.1	25.5-48.7	11	7.1	2.6-11.6	60	55.9	44.5-67.3
55-64	180	16,614	53	30.2	22.2-38.2	17	8.0	4.1-11.9	110	61.8	53.6-70.0
65+	478	27,581	64	13.5	10.0-17.0	39	10.1	6.2-14.0	375	76.4	71.5-81.3
H.S. or G.E.D.	277	23,663	76	30.8	23.9-37.7	27	11.7	6.4-17.0	174	57.5	50.1-64.9
Some Post-H.S.	341	39,758	70	22.9	17.2-28.6	28	8.6	4.9-12.3	243	68.4	62.3-74.5
College Graduate	275	18,999	36	13.2	8.3-18.1	26	10.2	5.7-14.7	213	76.6	70.5-82.7
Less than \$15,000	55	6,124	17	33.2	15.4-51.0	10	10.0	2.7-17.3	28	56.8	38.2-75.4
\$15,000- 24,999	81	8,669	21	24.7	12.7-36.7	8	9.6	0.4-18.8	52	65.8	51.9-79.7
\$25,000- 34,999	129	10,959	29	23.1	14.3-31.9	15	14.6	5.8-23.4	85	62.3	51.5-73.1
\$35,000- 49,999	95	8,393	19	24.5	13.7-35.3	10	16.5	5.9-27.1	66	59.0	46.5-71.5
\$50,000- 99,999	229	22,509	49	30.2	21.4-39.0	21	10.4	5.1-15.7	159	59.5	50.7-68.3
\$100,000 - 199,999	142	14,309	30	22.9	14.3-31.5	12	7.9	3.0-12.8	100	69.2	60.0-78.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 7: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5430	563,679	170	4.0	3.2- 4.8	88	2.1	1.5- 2.7	5172	93.9	93.1-94.7
Male	2808	292,856	158	6.9	5.7- 8.1	75	3.3	2.5- 4.1	2575	89.8	88.4-91.2
Female	2622	270,823	12	0.7	0.1- 1.3	13	0.9	0.3- 1.5	2597	98.4	97.6-99.2
Native	154	22,465	8	5.3	1.0- 9.6	5	8.8	1.0-16.6	141	85.8	77.4-94.2
Non-Native	5198	533,481	160	3.9	3.1- 4.7	81	1.8	1.4- 2.2	4957	94.3	93.5-95.1
18-24	312	88,549	10	2.9	0.9- 4.9	5	1.2	0.2- 2.2	297	95.9	93.5-98.3
25-34	572	98,721	27	4.7	2.9- 6.5	22	4.1	2.1- 6.1	523	91.2	88.7-93.7
35-44	651	94,995	39	7.1	4.7- 9.5	19	2.9	1.5- 4.3	593	90.0	87.3-92.7
45-54	686	73,514	26	3.9	2.3- 5.5	13	2.6	0.8- 4.4	647	93.5	91.1-95.9
55-64	916	77,600	40	4.5	2.9- 6.1	13	1.6	0.6- 2.6	863	93.9	92.1-95.7
65+	2293	130,299	28	1.4	0.8- 2.0	16	0.8	0.4- 1.2	2249	97.8	97.0-98.6
Less Than H.S.	184	38,316	7	5.5	1.0-10.0	5	3.3	0.0- 6.8	172	91.2	85.7-96.7
H.S. or G.E.D.	1429	144,298	60	4.2	3.0- 5.4	30	3.0	1.6- 4.4	1339	92.8	91.0-94.6
Some Post-H.S.	1637	214,231	70	5.2	3.8- 6.6	32	2.1	1.3- 2.9	1535	92.8	91.2-94.4
College Graduate	2166	164,966	33	1.9	1.1- 2.7	21	1.2	0.6- 1.8	2112	96.9	95.9-97.9
Less than \$15,000	166	19,040	7	4.8	0.9- 8.7	4	6.9	0.0-13.8	155	88.3	80.7-95.9
\$15,000- 24,999	294	30,436	8	3.2	0.1- 6.3	3	1.8	0.0- 4.3	283	95.0	90.9-99.1
\$25,000- 34,999	469	45,889	5	1.1	0.1- 2.1	3	0.5	0.0- 1.1	461	98.4	97.2-99.6
\$35,000- 49,999	560	56,864	11	2.7	0.7- 4.7	14	2.9	1.1- 4.7	535	94.4	91.9-96.9
\$50,000- 99,999	1592	162,486	52	4.0	2.8- 5.2	26	2.0	1.0- 3.0	1514	94.1	92.5-95.7
\$100,000 - 199,999	1119	122,265	47	5.8	4.0- 7.6	19	2.0	1.0- 3.0	1053	92.3	90.3-94.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 8: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2808	292,856	158	6.9	5.7- 8.1	75	3.3	2.5- 4.1	2575	89.8	88.4-91.2
Native	82	12,744	5	5.5	0.2-10.8	2	5.5	0.0-13.9	75	89.0	79.4-98.6
Non-Native	2677	275,432	152	7.1	5.9- 8.3	71	3.1	2.3- 3.9	2454	89.8	88.2-91.4
18-24	190	46,597	10	5.6	1.9- 9.3	5	2.3	0.3- 4.3	175	92.2	88.1-96.3
25-34	336	53,700	25	7.7	4.6-10.8	18	5.6	2.7- 8.5	293	86.8	82.7-90.9
35-44	357	50,775	36	12.0	8.1-15.9	17	4.7	2.2- 7.2	304	83.3	78.8-87.8
45-54	385	39,655	24	6.8	4.1- 9.5	10	3.0	0.8- 5.2	351	90.2	86.9-93.5
55-64	497	41,015	37	7.3	4.8- 9.8	13	2.9	1.1- 4.7	447	89.7	86.8-92.6
65+	1043	61,114	26	2.9	1.7- 4.1	12	1.3	0.5- 2.1	1005	95.8	94.4-97.2
Less Than H.S.	108	21,957	5	6.4	0.1-12.7	4	3.3	0.0- 6.8	99	90.3	83.2-97.4
H.S. or G.E.D.	821	82,869	56	6.7	4.7- 8.7	29	4.8	2.6- 7.0	736	88.4	85.7-91.1
Some Post-H.S.	831	111,036	64	9.2	6.8-11.6	26	3.1	1.7- 4.5	741	87.7	85.2-90.2
College Graduate	1040	75,712	33	4.1	2.5- 5.7	16	1.8	0.8- 2.8	991	94.1	92.3-95.9
Less than \$15,000	74	8,522	4	6.9	0.0-14.2	3	12.0	0.0-25.5	67	81.1	66.8-95.4
\$15,000- 24,999	125	12,266	5	1.8	0.2- 3.4	2	1.2	0.0- 3.0	118	97.0	94.6-99.4
\$25,000- 34,999	209	21,206	5	2.3	0.1- 4.5	2	1.0	0.0- 2.4	202	96.8	94.3-99.3
\$35,000- 49,999	286	27,494	8	3.3	0.8- 5.8	14	6.1	2.6- 9.6	264	90.6	86.3-94.9
\$50,000- 99,999	893	91,723	52	7.0	4.8- 9.2	22	2.7	1.5- 3.9	819	90.3	87.8-92.8
\$100,000 - 199,999	641	71,780	47	9.8	6.7-12.9	16	2.8	1.2- 4.4	578	87.4	84.1-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 9: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2622	270,823	12	0.7	0.1- 1.3	13	0.9	0.3- 1.5	2597	98.4	97.6-99.2
Native	72	9,721	3	5.2	0.0-12.3	3	13.2	0.0-26.9	66	81.6	67.1-96.1
Non-Native	2521	258,049	8	0.5	0.1- 0.9	10	0.4	0.0- 0.8	2503	99.1	98.5-99.7
18-24	122	41,952							122	100.0	100.0- 100
25-34	236	45,021	2	1.2	0.0- 2.8	4	2.4	0.0- 4.9	230	96.4	93.5-99.3
35-44	294	44,221	3	1.5	0.0- 3.5	2	0.8	0.0- 2.2	289	97.7	95.3- 100
45-54	301	33,860	2	0.6	0.0- 1.4	3	2.1	0.0- 5.2	296	97.3	94.0- 100
55-64	419	36,585	3	1.4	0.0- 3.4				416	98.6	96.6- 100
65+	1250	69,185	2	0.1	0.0- 0.3	4	0.4	0.0- 0.8	1244	99.5	99.1-99.9
Less Than H.S.	76	16,359	2	4.2	0.0-10.1	1	3.4	0.0- 9.9	73	92.4	83.8- 100
H.S. or G.E.D.	608	61,429	4	0.8	0.0- 1.8	1	0.5	0.0- 1.5	603	98.8	97.6- 100
Some Post-H.S.	806	103,195	6	0.8	0.0- 1.6	6	0.9	0.0- 1.9	794	98.2	97.0-99.4
College Graduate	1126	89,254				5	0.7	0.0- 1.5	1121	99.3	98.5- 100
Less than \$15,000	92	10,518	3	3.2	0.0- 6.9	1	2.7	0.0- 7.8	88	94.1	87.8- 100
\$15,000- 24,999	169	18,171	3	4.2	0.0- 9.5	1	2.2	0.0- 6.3	165	93.7	87.2- 100
\$25,000- 34,999	260	24,682				1	0.2	0.0- 0.6	259	99.8	99.4- 100
\$35,000- 49,999	274	29,370	3	2.1	0.0- 4.8				271	97.9	95.2- 100
\$50,000- 99,999	699	70,764				4	1.0	0.0- 2.6	695	99.0	97.4- 100
\$100,000 - 199,999	478	50,485				3	0.8	0.0- 1.8	475	99.2	98.2- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 10: WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked e-cigs			Every day			Some days			Not at all(right now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5407	560,619	4522	76.0	74.4-77.6	142	4.7	3.9- 5.5	113	3.0	2.4- 3.6	630	16.3	14.9-17.7
Male	2790	290,440	2238	72.3	70.1-74.5	86	5.0	3.8- 6.2	67	3.4	2.4- 4.4	399	19.3	17.3-21.3
Female	2617	270,178	2284	80.0	77.6-82.4	56	4.3	2.9- 5.7	46	2.6	1.6- 3.6	231	13.1	11.1-15.1
Native	154	22,465	109	59.7	49.3-70.1	9	9.2	2.3-16.1	6	5.6	0.1-11.1	30	25.5	16.3-34.7
Non-Native	5176	530,482	4345	76.7	75.1-78.3	133	4.5	3.7- 5.3	107	2.9	2.3- 3.5	591	15.9	14.5-17.3
18-24	309	87,175	164	54.2	48.1-60.3	35	11.3	7.4-15.2	22	6.6	3.7- 9.5	88	27.9	22.4-33.4
25-34	569	98,343	334	58.5	54.0-63.0	50	8.8	6.3-11.3	39	6.2	4.2- 8.2	146	26.5	22.4-30.6
35-44	649	94,739	488	74.0	70.3-77.7	24	4.3	2.5- 6.1	15	2.3	1.1- 3.5	122	19.5	16.0-23.0
45-54	684	73,304	576	82.9	79.6-86.2	12	2.3	0.5- 4.1	18	2.4	1.2- 3.6	78	12.3	9.6-15.0
55-64	917	77,750	815	89.0	86.6-91.4	16	2.0	0.8- 3.2	10	0.8	0.2- 1.4	76	8.2	6.2-10.2
65+	2279	129,306	2145	94.0	92.8-95.2	5	0.2	0.0- 0.4	9	0.3	0.1- 0.5	120	5.5	4.3- 6.7
Less Than H.S.	181	37,073	128	57.6	48.2-67.0	10	10.7	4.0-17.4	4	2.6	0.0- 5.7	39	29.1	20.3-37.9
H.S. or G.E.D.	1418	143,488	1094	68.1	65.0-71.2	65	7.2	5.2- 9.2	51	5.3	3.7- 6.9	208	19.4	16.7-22.1
Some Post-H.S.	1635	213,662	1364	76.9	74.2-79.6	42	4.1	2.7- 5.5	30	2.7	1.7- 3.7	199	16.3	13.9-18.7
College Graduate	2160	164,661	1924	86.0	84.0-88.0	25	1.8	1.0- 2.6	28	1.5	0.9- 2.1	183	10.7	8.9-12.5
Less than \$15,000	164	18,640	110	52.0	41.4-62.6	12	12.2	4.6-19.8	7	5.3	1.2- 9.4	35	30.6	19.6-41.6
\$15,000- 24,999	294	30,457	236	67.6	59.8-75.4	4	3.4	0.0- 6.9	6	3.2	0.3- 6.1	48	25.8	18.4-33.2
\$25,000- 34,999	464	45,476	377	69.3	63.2-75.4	17	7.5	3.8-11.2	8	3.2	0.5- 5.9	62	19.9	14.4-25.4
\$35,000- 49,999	556	56,711	441	70.2	64.9-75.5	16	3.9	1.9- 5.9	17	4.1	1.7- 6.5	82	21.9	16.8-27.0
\$50,000- 99,999	1590	162,409	1311	74.4	71.5-77.3	54	6.5	4.5- 8.5	38	3.4	2.0- 4.8	187	15.7	13.3-18.1
\$100,000 - 199,999	1117	121,936	949	80.4	77.5-83.3	24	3.1	1.7- 4.5	25	2.8	1.6- 4.0	119	13.7	11.2-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 11: WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked e-cigs			Every day			Some days			Not at all(right now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2790	290,440	2238	72.3	70.1-74.5	86	5.0	3.8- 6.2	67	3.4	2.4- 4.4	399	19.3	17.3-21.3
Native	82	12,744	58	59.3	45.8-72.8	5	9.8	1.2-18.4	3	5.6	0.0-13.2	16	25.3	13.0-37.6
Non-Native	2660	273,078	2139	73.0	70.8-75.2	81	4.8	3.6- 6.0	64	3.3	2.3- 4.3	376	18.9	16.9-20.9
18-24	188	45,494	94	49.5	41.9-57.1	19	10.2	5.7-14.7	14	7.5	3.4-11.6	61	32.7	25.4-40.0
25-34	333	53,266	174	51.0	45.1-56.9	32	10.2	6.5-13.9	29	8.1	5.2-11.0	98	30.7	25.2-36.2
35-44	356	50,819	253	70.1	64.8-75.4	16	4.8	2.3- 7.3	3	0.9	0.0- 1.9	84	24.3	19.2-29.4
45-54	384	39,517	316	81.4	77.1-85.7	8	1.9	0.5- 3.3	10	2.5	0.7- 4.3	50	14.1	10.2-18.0
55-64	495	40,887	443	89.2	86.1-92.3	8	2.4	0.6- 4.2	6	0.9	0.1- 1.7	38	7.5	5.0-10.0
65+	1034	60,457	958	92.9	91.1-94.7	3	0.2	0.0- 0.4	5	0.4	0.0- 0.8	68	6.5	4.7- 8.3
Less Than H.S.	105	20,713	74	59.9	48.1-71.7	7	11.2	3.2-19.2	2	3.7	0.0- 9.0	22	25.2	14.8-35.6
H.S. or G.E.D.	813	82,162	596	64.4	60.3-68.5	43	7.9	5.5-10.3	37	6.3	4.1- 8.5	137	21.3	17.6-25.0
Some Post-H.S.	830	110,993	663	72.8	69.1-76.5	24	4.1	2.3- 5.9	19	3.0	1.6- 4.4	124	20.1	16.6-23.6
College Graduate	1035	75,424	899	83.7	81.0-86.4	12	1.4	0.6- 2.2	9	0.7	0.1- 1.3	115	14.2	11.5-16.9
Less than \$15,000	73	8,393	48	55.2	39.9-70.5	3	9.2	0.0-20.0	5	8.8	0.8-16.8	17	26.8	12.3-41.3
\$15,000- 24,999	125	12,266	97	60.9	48.9-72.9	3	5.1	0.0-11.2	1	0.7	0.0- 2.1	24	33.3	21.3-45.3
\$25,000- 34,999	206	20,908	169	72.1	63.3-80.9	8	6.5	1.6-11.4	3	1.9	0.0- 4.1	26	19.5	11.5-27.5
\$35,000- 49,999	283	27,359	209	64.2	56.9-71.5	10	4.8	1.7- 7.9	8	3.7	1.2- 6.2	56	27.3	20.2-34.4
\$50,000- 99,999	890	91,722	692	69.1	65.2-73.0	34	6.8	4.4- 9.2	27	4.5	2.5- 6.5	137	19.5	16.2-22.8
\$100,000 - 199,999	638	71,431	525	76.9	72.8-81.0	18	3.6	1.8- 5.4	16	3.1	1.3- 4.9	79	16.4	12.7-20.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 11: TOBACCO USE**

TABLE 12: WOULD YOU SAY YOU HAVE NEVER USED E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS IN YOUR ENTIRE LIFE OR NOW USE THEM EVERY DAY, USE THEM SOME DAYS, OR USED THEM IN THE PAST BUT DO NOT CURRENTLY USE THEM AT ALL? (ECIGNOW3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked e-cigs			Every day			Some days			Not at all(right now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2617	270,178	2284	80.0	77.6-82.4	56	4.3	2.9- 5.7	46	2.6	1.6- 3.6	231	13.1	11.1-15.1
Native	72	9,721	51	60.1	44.2-76.0	4	8.4	0.0-19.4	3	5.7	0.0-13.7	14	25.8	11.7-39.9
Non-Native	2516	257,404	2206	80.6	78.2-83.0	52	4.2	2.8- 5.6	43	2.5	1.5- 3.5	215	12.7	10.7-14.7
18-24	121	41,681	70	59.3	49.9-68.7	16	12.5	6.2-18.8	8	5.5	1.6- 9.4	27	22.7	14.7-30.7
25-34	236	45,077	160	67.2	60.5-73.9	18	7.2	3.7-10.7	10	4.0	1.3- 6.7	48	21.5	15.6-27.4
35-44	293	43,920	235	78.5	73.2-83.8	8	3.7	1.0- 6.4	12	3.8	1.4- 6.2	38	14.0	9.5-18.5
45-54	300	33,787	260	84.7	79.6-89.8	4	2.8	0.0- 6.1	8	2.2	0.6- 3.8	28	10.2	6.3-14.1
55-64	422	36,863	372	88.8	85.5-92.1	8	1.5	0.3- 2.7	4	0.7	0.0- 1.5	38	9.0	5.9-12.1
65+	1245	68,850	1187	94.9	93.1-96.7	2	0.2	0.0- 0.4	4	0.2	0.0- 0.4	52	4.7	2.9- 6.5
Less Than H.S.	76	16,359	54	54.7	39.4-70.0	3	10.1	0.0-21.1	2	1.2	0.0- 3.4	17	34.0	19.3-48.7
H.S. or G.E.D.	605	61,326	498	72.9	67.8-78.0	22	6.3	3.4- 9.2	14	4.0	1.6- 6.4	71	16.8	12.7-20.9
Some Post-H.S.	805	102,669	701	81.3	77.4-85.2	18	4.2	2.0- 6.4	11	2.3	0.7- 3.9	75	12.2	9.1-15.3
College Graduate	1125	89,237	1025	88.0	85.5-90.5	13	2.1	0.9- 3.3	19	2.2	1.0- 3.4	68	7.7	5.5- 9.9
Less than \$15,000	91	10,247	62	49.3	34.8-63.8	9	14.6	3.8-25.4	2	2.4	0.0- 5.7	18	33.6	17.9-49.3
\$15,000- 24,999	169	18,192	139	72.2	62.0-82.4	1	2.3	0.0- 6.8	5	4.8	0.0- 9.7	24	20.7	11.5-29.9
\$25,000- 34,999	258	24,568	208	67.0	58.4-75.6	9	8.3	2.8-13.8	5	4.3	0.0- 8.8	36	20.3	13.0-27.6
\$35,000- 49,999	273	29,352	232	75.7	67.9-83.5	6	2.9	0.4- 5.4	9	4.5	0.8- 8.2	26	16.8	9.7-23.9
\$50,000- 99,999	700	70,687	619	81.4	77.1-85.7	20	6.0	2.9- 9.1	11	2.0	0.4- 3.6	50	10.6	7.3-13.9
\$100,000 - 199,999	479	50,504	424	85.4	81.5-89.3	6	2.4	0.4- 4.4	9	2.4	0.8- 4.0	40	9.8	6.5-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 12: LUNG CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)	
1 MALES AND FEMALES	218
2 MALES ONLY	219
3 FEMALES ONLY	220
HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)	
4 MALES AND FEMALES	221
5 MALES ONLY	222
6 FEMALES ONLY	223
ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)	
7 MALES AND FEMALES	224
8 MALES ONLY	225
9 FEMALES ONLY	226
THE NEXT QUESTION IS ABOUT CT OR CAT SCANS OF YOUR CHEST AREA. DURING THIS TEST, YOU LIE FLAT ON YOUR BACK AND ARE MOVED THROUGH AN OPEN, DONUT SHAPED X-RAY MACHINE. HAVE YOU EVER HAD A CT OR CAT SCAN OF YOUR CHEST AREA? (LCSCTSC1)	
10 MALES AND FEMALES	227
11 MALES ONLY	228
12 FEMALES ONLY	229
WERE ANY OF THE CT OR CAT SCANS OF YOUR CHEST AREA DONE MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSSCNCR)	
13 MALES AND FEMALES	230
14 MALES ONLY	231
15 FEMALES ONLY	232
WHEN DID YOU HAVE YOUR MOST RECENT CT OR CAT SCAN OF YOUR CHEST AREA MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSCTWHN)	
16 MALES AND FEMALES	233
17 MALES ONLY	234
18 FEMALES ONLY	235

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 1: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
			Never smoked cigarettes			<18 yrs.			18-44 yrs.			45-54 yrs.			55-64 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2118	203,511	76	3.4	2.4- 4.4	971	49.9	47.2-52.6	1057	46.3	43.6-49.0	8	0.2	0.0- 0.4	6	0.2	0.0- 0.4
Male	1218	117,121	51	4.1	2.7- 5.5	562	47.7	44.2-51.2	600	48.0	44.5-51.5	4	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Female	900	86,389	25	2.6	1.4- 3.8	409	52.9	48.8-57.0	457	43.9	39.8-48.0	4	0.2	0.0- 0.4	5	0.4	0.0- 0.8
Native	87	11,747	1	0.6	0.0- 2.0	38	50.0	36.5-63.5	48	49.4	35.9-62.9						
Non-Native	1992	188,443	72	3.5	2.5- 4.5	918	49.8	47.1-52.5	989	46.3	43.6-49.0	7	0.2	0.0- 0.4	6	0.2	0.0- 0.4
25-34	177	31,392	6	2.8	0.4- 5.2	87	50.6	42.6-58.6	84	46.6	38.6-54.6						
35-44	247	37,403	9	2.9	0.9- 4.9	132	51.1	44.2-58.0	106	46.0	39.1-52.9						
45-54	269	31,213	14	4.5	2.0- 7.0	141	55.4	48.7-62.1	113	39.8	33.3-46.3	1	0.3	0.0- 0.9			
55-64	373	32,304	16	4.3	1.9- 6.7	182	52.8	47.1-58.5	173	42.7	37.0-48.4	2	0.2	0.0- 0.4			
65+	1010	58,826	27	2.5	1.3- 3.7	406	42.8	39.1-46.5	566	53.6	49.9-57.3	5	0.4	0.0- 0.8	6	0.7	0.1- 1.3
Less Than H.S.	113	19,639	1	0.1	0.0- 0.5	78	68.7	57.7-79.7	33	30.5	19.5-41.5				1	0.6	0.0- 1.8
H.S. or G.E.D.	685	59,696	17	2.7	1.1- 4.3	346	53.9	49.4-58.4	319	43.1	38.6-47.6	3	0.3	0.0- 0.7			
Some Post-H.S.	724	85,325	19	2.8	1.4- 4.2	332	47.5	43.2-51.8	369	49.4	45.1-53.7	1	0.1	0.0- 0.3	3	0.3	0.0- 0.7
College Graduate	593	38,511	39	7.8	5.1-10.5	213	39.2	34.5-43.9	335	52.6	47.7-57.5	4	0.2	0.0- 0.4	2	0.2	0.0- 0.4
Less than \$15,000	95	10,190	1	1.0	0.0- 3.0	53	65.3	53.1-77.5	39	32.2	20.2-44.2	1	1.0	0.0- 3.0	1	0.5	0.0- 1.5
\$15,000- 24,999	146	13,755	5	3.1	0.2- 6.0	77	58.4	47.8-69.0	64	38.4	27.8-49.0						
\$25,000- 34,999	231	20,625	7	2.4	0.0- 4.8	108	50.4	41.8-59.0	109	45.2	36.6-53.8	5	1.0	0.0- 2.0	2	1.0	0.0- 2.4
\$35,000- 49,999	234	21,263	4	2.2	0.0- 4.6	125	60.2	52.4-68.0	105	37.6	30.0-45.2						
\$50,000- 99,999	611	58,222	21	3.5	1.7- 5.3	251	43.9	39.0-48.8	338	52.5	47.6-57.4	1	0.0	0.0- 0.0			
\$100,000 - 199,999	395	43,280	25	5.8	3.3- 8.3	181	48.4	42.7-54.1	185	45.3	39.6-51.0	1	0.1	0.0- 0.3	3	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 2: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes			<18 yrs.			18-44 yrs.			45-54 yrs.			55-64 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1218	117,121	51	4.1	2.7- 5.5	562	47.7	44.2-51.2	600	48.0	44.5-51.5	4	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Non-Native	1149	109,228	50	4.2	2.8- 5.6	535	48.0	44.5-51.5	559	47.5	44.0-51.0	4	0.1	0.0- 0.3	1	0.1	0.0- 0.3
25-34	117	18,764	5	3.8	0.3- 7.3	50	43.3	33.7-52.9	62	52.9	43.3-62.5						
35-44	149	22,511	6	3.3	0.6- 6.0	78	49.3	40.5-58.1	65	47.4	38.6-56.2						
45-54	170	18,577	11	6.0	2.1- 9.9	86	53.6	45.4-61.8	73	40.4	32.4-48.4						
55-64	201	16,488	9	3.7	1.2- 6.2	90	46.5	38.9-54.1	100	49.5	41.9-57.1	2	0.3	0.0- 0.7			
65+	550	32,243	16	2.5	1.1- 3.9	244	47.3	42.4-52.2	287	49.7	44.8-54.6	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6
Less Than H.S.	72	12,448	1	0.2	0.0- 0.6	53	70.4	57.1-83.7	18	29.4	16.1-42.7						
H.S. or G.E.D.	420	37,210	13	3.8	1.4- 6.2	208	50.9	45.2-56.6	197	45.0	39.3-50.7	2	0.3	0.0- 0.7			
Some Post-H.S.	399	47,350	11	3.2	1.2- 5.2	187	45.2	39.5-50.9	200	51.5	45.8-57.2				1	0.2	0.0- 0.6
College Graduate	326	19,966	26	9.0	5.1-12.9	113	33.3	27.4-39.2	185	57.4	51.1-63.7	2	0.2	0.0- 0.6			
\$15,000- 24,999	65	5,087	3	4.6	0.0-10.7	34	54.0	39.7-68.3	28	41.4	27.3-55.5						
\$25,000- 34,999	108	10,089	5	3.2	0.0- 6.9	47	45.2	32.3-58.1	52	49.4	36.3-62.5	3	1.4	0.0- 3.0	1	0.7	0.0- 2.1
\$35,000- 49,999	141	13,013	2	2.4	0.0- 5.7	77	56.7	46.3-67.1	62	40.9	30.7-51.1						
\$50,000- 99,999	390	36,713	17	4.3	1.8- 6.8	163	43.9	37.8-50.0	209	51.8	45.7-57.9	1	0.0	0.0- 0.0			
\$100,000 - 199,999	258	29,459	18	5.9	2.8- 9.0	121	48.2	41.1-55.3	119	45.9	38.8-53.0						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 3: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes			<18 yrs.			18-44 yrs.			45-54 yrs.			55-64 yrs.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	900	86,389	25	2.6	1.4- 3.8	409	52.9	48.6-57.2	457	43.9	39.8-48.0	4	0.2	0.0- 0.4	5	0.4	0.0- 0.8
Non-Native	843	79,215	22	2.5	1.3- 3.7	383	52.2	47.9-56.5	430	44.6	40.3-48.9	3	0.2	0.0- 0.4	5	0.4	0.0- 0.8
25-34	60	12,628	1	1.3	0.0- 3.8	37	61.5	48.0-75.0	22	37.2	23.7-50.7						
35-44	98	14,892	3	2.3	0.0- 4.8	54	53.9	42.7-65.1	41	43.8	32.6-55.0						
45-54	99	12,637	3	2.3	0.0- 5.2	55	57.9	46.7-69.1	40	38.9	27.9-49.9	1	0.8	0.0- 2.4			
55-64	172	15,816	7	5.0	1.3- 8.7	92	59.3	51.1-67.5	73	35.6	27.6-43.6						
65+	460	26,583	11	2.5	0.7- 4.3	162	37.5	32.0-43.0	279	58.4	52.9-63.9	3	0.4	0.0- 1.0	5	1.3	0.1- 2.5
H.S. or G.E.D.	265	22,486	4	0.9	0.0- 1.9	138	58.9	51.5-66.3	122	39.9	32.5-47.3	1	0.3	0.0- 0.9			
Some Post-H.S.	325	37,975	8	2.3	0.5- 4.1	145	50.3	43.6-57.0	169	46.7	40.2-53.2	1	0.3	0.0- 0.9	2	0.4	0.0- 1.0
College Graduate	267	18,546	13	6.4	2.9- 9.9	100	45.5	38.1-52.9	150	47.5	40.2-54.8	2	0.2	0.0- 0.6	2	0.4	0.0- 1.0
Less than \$15,000	55	6,124				30	69.6	54.5-84.7	23	27.9	13.4-42.4	1	1.7	0.0- 5.0	1	0.8	0.0- 2.4
\$15,000- 24,999	81	8,669	2	2.3	0.0- 5.4	43	61.1	46.6-75.6	36	36.7	22.2-51.2						
\$25,000- 34,999	123	10,536	2	1.6	0.0- 4.5	61	55.4	44.2-66.6	57	41.1	30.1-52.1	2	0.7	0.0- 1.9	1	1.2	0.0- 3.6
\$35,000- 49,999	93	8,250	2	1.9	0.0- 5.2	48	65.7	54.3-77.1	43	32.4	21.2-43.6						
\$50,000- 99,999	221	21,509	4	2.1	0.0- 4.5	88	44.0	35.2-52.8	129	53.8	45.0-62.6						
\$100,000 - 199,999	137	13,821	7	5.4	1.3- 9.5	60	49.0	39.2-58.8	66	44.2	34.4-54.0	1	0.2	0.0- 0.6	3	1.2	0.0- 2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 7. ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	1-20			21-40			41-80.			81-120			161-300	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2002	193,992	1770	90.1	88.5-91.7	190	8.1	6.7- 9.5	39	1.6	1.0- 2.2	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
Male	1152	111,263	977	86.5	84.1-88.9	142	11.1	8.9-13.3	31	2.2	1.4- 3.0				2	0.2	0.0- 0.6
Female	850	82,729	793	95.0	93.4-96.6	48	4.0	2.6- 5.4	8	0.9	0.1- 1.7	1	0.1	0.0- 0.3			
Native	87	11,582	83	96.5	93.0- 100	4	3.5	0.0- 7.0									
Non-Native	1881	179,581	1655	89.6	88.0-91.2	185	8.5	6.9-10.1	38	1.7	1.1- 2.3	1	0.0	0.0- 0.0	2	0.1	0.0- 0.3
25-34	166	29,789	157	95.9	93.2-98.6	6	2.6	0.4- 4.8	2	1.0	0.0- 2.4				1	0.5	0.0- 1.5
35-44	237	36,178	221	94.0	90.9-97.1	14	5.2	2.3- 8.1	2	0.7	0.0- 1.7						
45-54	253	29,673	226	89.4	85.3-93.5	23	9.2	5.5-12.9	4	1.3	0.0- 2.7						
55-64	352	30,709	308	87.1	83.2-91.0	39	10.7	7.2-14.2	5	2.2	0.0- 4.4						
65+	956	56,067	821	85.6	82.9-88.3	107	11.5	9.0-14.0	26	2.7	1.5- 3.9	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
Less Than H.S.	108	19,084	96	88.9	81.1-96.7	9	8.4	1.1-15.7	3	2.7	0.0- 5.8						
H.S. or G.E.D.	650	56,938	560	87.8	85.1-90.5	71	9.5	7.0-12.0	18	2.4	1.2- 3.6				1	0.3	0.0- 0.9
Some Post-H.S.	696	82,675	613	90.7	88.5-92.9	69	7.9	5.9- 9.9	12	1.2	0.4- 2.0	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
College Graduate	545	34,965	499	93.1	90.7-95.5	40	6.1	3.9- 8.3	6	0.8	0.0- 1.6						
Less than \$15,000	91	9,989	76	89.4	82.7-96.1	13	7.4	2.7-12.1	1	2.3	0.0- 6.8	1	0.8	0.0- 2.4			
\$15,000- 24,999	133	12,522	115	90.1	84.8-95.4	15	8.8	3.7-13.9	3	1.1	0.0- 2.3						
\$25,000- 34,999	223	20,207	205	92.0	87.3-96.7	13	5.3	1.4- 9.2	5	2.7	0.2- 5.2						
\$35,000- 49,999	227	20,533	194	87.7	83.2-92.2	25	9.6	5.5-13.7	7	2.0	0.4- 3.6				1	0.8	0.0- 2.4
\$50,000- 99,999	583	55,581	516	90.0	86.9-93.1	60	9.1	6.0-12.2	6	0.8	0.0- 1.6				1	0.1	0.0- 0.3
\$100,000 - 199,999	364	40,400	324	89.7	86.4-93.0	30	7.9	5.0-10.8	10	2.4	0.8- 4.0						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 8: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	N	1-20			21-40			41-80.			161-300	
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1152	111,263	977	86.5	84.1-88.9	142	11.1	8.9-13.3	31	2.2	1.4- 3.0	2	0.2	0.0- 0.6
Non-Native	1086	103,800	915	85.8	83.3-88.3	139	11.7	9.3-14.1	30	2.3	1.3- 3.3	2	0.2	0.0- 0.6
25-34	108	17,479	99	92.9	88.2-97.6	6	4.4	0.9- 7.9	2	1.7	0.0- 4.1	1	0.9	0.0- 2.7
35-44	143	21,720	129	91.4	86.7-96.1	12	7.4	3.1-11.7	2	1.2	0.0- 2.8			
45-54	161	17,707	139	85.9	80.0-91.8	19	12.5	7.0-18.0	3	1.7	0.0- 3.9			
55-64	189	15,649	158	81.9	75.8-88.0	27	15.3	9.6-21.0	4	2.9	0.0- 5.8			
65+	524	30,967	426	80.6	76.3-84.9	77	15.6	11.7-19.5	20	3.5	1.7- 5.3	1	0.2	0.0- 0.6
Less Than H.S.	70	12,217	59	84.6	73.4-95.8	9	13.1	2.1-24.1	2	2.3	0.0- 5.4			
H.S. or G.E.D.	397	34,957	326	83.5	79.4-87.6	54	12.6	8.9-16.3	16	3.4	1.4- 5.4	1	0.5	0.0- 1.5
Some Post-H.S.	387	45,908	328	87.8	84.5-91.1	50	10.6	7.5-13.7	8	1.5	0.3- 2.7	1	0.2	0.0- 0.6
College Graduate	297	18,033	263	90.1	86.4-93.8	29	8.6	5.1-12.1	5	1.3	0.0- 2.7			
\$15,000- 24,999	58	4,292	46	78.4	66.6-90.2	9	18.5	7.1-29.9	3	3.1	0.0- 6.6			
\$25,000- 34,999	102	9,851	90	87.9	79.3-96.5	9	7.5	0.2-14.8	3	4.6	0.0- 9.7			
\$35,000- 49,999	136	12,422	110	83.0	76.1-89.9	18	12.4	6.3-18.5	7	3.2	0.7- 5.7	1	1.3	0.0- 3.8
\$50,000- 99,999	373	35,247	320	87.6	83.1-92.1	48	11.4	7.1-15.7	4	0.7	0.0- 1.5	1	0.2	0.0- 0.6
\$100,000 - 199,999	236	27,333	201	86.1	81.4-90.8	26	10.7	6.4-15.0	9	3.3	0.9- 5.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 9: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	N	1-20		21-40			41-80.			81-120		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	850	82,729	793	95.0	93.4-96.6	48	4.0	2.6- 5.4	8	0.9	0.1- 1.7	1	0.1	0.0- 0.3
Non-Native	795	75,781	740	94.8	93.2-96.4	46	4.1	2.7- 5.5	8	1.0	0.2- 1.8	1	0.1	0.0- 0.3
25-34	58	12,310	58	100.0	100.0- 100									
35-44	94	14,458	92	98.0	94.9- 100	2	2.0	0.0- 5.1						
45-54	92	11,966	87	94.7	89.8-99.6	4	4.4	0.0- 8.9	1	0.9	0.0- 2.7			
55-64	163	15,060	150	92.6	87.9-97.3	12	5.9	2.2- 9.6	1	1.6	0.0- 4.5			
65+	432	25,100	395	91.8	88.9-94.7	30	6.3	3.8- 8.8	6	1.6	0.2- 3.0	1	0.3	0.0- 0.9
H.S. or G.E.D.	253	21,981	234	94.7	92.0-97.4	17	4.6	2.1- 7.1	2	0.8	0.0- 1.8			
Some Post-H.S.	309	36,767	285	94.4	91.9-96.9	19	4.5	2.1- 6.9	4	0.8	0.0- 1.6	1	0.2	0.0- 0.6
College Graduate	248	16,932	236	96.3	93.9-98.7	11	3.5	1.1- 5.9	1	0.2	0.0- 0.6			
Less than \$15,000	52	6,022	43	88.0	78.2-97.8	7	6.8	0.9-12.7	1	3.9	0.0-11.3	1	1.3	0.0- 4.0
\$15,000- 24,999	75	8,230	69	96.3	92.2- 100	6	3.7	0.0- 7.8						
\$25,000- 34,999	121	10,356	115	95.9	92.2-99.6	4	3.2	0.0- 6.7	2	0.9	0.0- 2.3			
\$35,000- 49,999	91	8,111	84	94.8	90.7-98.9	7	5.2	1.1- 9.3						
\$50,000- 99,999	210	20,334	196	94.2	90.7-97.7	12	5.0	1.7- 8.3	2	0.9	0.0- 2.1			
\$100,000 - 199,999	128	13,067	123	97.2	94.7-99.7	4	2.0	0.0- 4.2	1	0.7	0.0- 2.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 10: THE NEXT QUESTION IS ABOUT CT OR CAT SCANS OF YOUR CHEST AREA. DURING THIS TEST, YOU LIE FLAT ON YOUR BACK AND ARE MOVED THROUGH AN OPEN, DONUT SHAPED X-RAY MACHINE. HAVE YOU EVER HAD A CT OR CAT SCAN OF YOUR CHEST AREA? (LCSTSC1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5168	536,852	2289	36.3	34.7-37.9	2879	63.7	62.1-65.3
Male	2690	280,590	1260	38.2	36.0-40.4	1430	61.8	59.6-64.0
Female	2478	256,261	1029	34.2	31.8-36.6	1449	65.8	63.4-68.2
Native	149	21,653	74	37.9	28.3-47.5	75	62.1	52.5-71.7
Non-Native	4944	507,869	2165	36.0	34.4-37.6	2779	64.0	62.4-65.6
18-24	302	85,289	44	14.6	10.3-18.9	258	85.4	81.1-89.7
25-34	554	95,475	116	20.3	16.8-23.8	438	79.7	76.2-83.2
35-44	619	89,403	177	29.9	25.8-34.0	442	70.1	66.0-74.2
45-54	655	70,172	240	37.0	32.9-41.1	415	63.0	58.9-67.1
55-64	870	73,360	415	47.8	44.1-51.5	455	52.2	48.5-55.9
65+	2168	123,153	1297	61.1	58.7-63.5	871	38.9	36.5-41.3
Less Than H.S.	172	35,939	81	34.4	25.8-43.0	91	65.6	57.0-74.2
H.S. or G.E.D.	1364	138,513	619	34.1	31.2-37.0	745	65.9	63.0-68.8
Some Post-H.S.	1542	201,343	776	41.9	39.0-44.8	766	58.1	55.2-61.0
College Graduate	2077	159,524	804	31.4	29.0-33.8	1273	68.6	66.2-71.0
Less than \$15,000	158	17,323	87	43.3	33.3-53.3	71	56.7	46.7-66.7
\$15,000- 24,999	286	29,363	170	50.0	42.0-58.0	116	50.0	42.0-58.0
\$25,000- 34,999	445	43,481	251	44.2	38.3-50.1	194	55.8	49.9-61.7
\$35,000- 49,999	534	54,439	264	38.3	33.0-43.6	270	61.7	56.4-67.0
\$50,000- 99,999	1525	155,494	637	34.9	32.0-37.8	888	65.1	62.2-68.0
\$100,000 - 199,999	1073	117,389	354	28.7	25.6-31.8	719	71.3	68.2-74.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 11: THE NEXT QUESTION IS ABOUT CT OR CAT SCANS OF YOUR CHEST AREA. DURING THIS TEST, YOU LIE FLAT ON YOUR BACK AND ARE MOVED THROUGH AN OPEN, DONUT SHAPED X-RAY MACHINE. HAVE YOU EVER HAD A CT OR CAT SCAN OF YOUR CHEST AREA? (LCSCTSC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2690	280,590	1260	38.2	36.0-40.4	1430	61.8	59.6-64.0
Native	80	12,370	41	36.7	24.5-48.9	39	63.3	51.1-75.5
Non-Native	2563	263,921	1184	38.0	35.8-40.2	1379	62.0	59.8-64.2
18-24	184	45,221	24	13.0	7.9-18.1	160	87.0	81.9-92.1
25-34	326	52,014	73	22.5	17.6-27.4	253	77.5	72.6-82.4
35-44	342	48,583	107	32.0	26.5-37.5	235	68.0	62.5-73.5
45-54	369	38,053	156	41.1	35.6-46.6	213	58.9	53.4-64.4
55-64	473	38,983	250	53.3	48.2-58.4	223	46.7	41.6-51.8
65+	996	57,735	650	65.5	62.0-69.0	346	34.5	31.0-38.0
Less Than H.S.	100	20,575	44	31.5	21.3-41.7	56	68.5	58.3-78.7
H.S. or G.E.D.	790	80,257	348	33.4	29.7-37.1	442	66.6	62.9-70.3
Some Post-H.S.	786	105,238	429	44.6	40.7-48.5	357	55.4	51.5-59.3
College Graduate	1007	73,574	435	36.1	32.8-39.4	572	63.9	60.6-67.2
Less than \$15,000	72	8,294	35	35.0	21.7-48.3	37	65.0	51.7-78.3
\$15,000- 24,999	119	11,435	69	46.4	35.0-57.8	50	53.6	42.2-65.0
\$25,000- 34,999	199	20,199	105	40.6	32.2-49.0	94	59.4	51.0-67.8
\$35,000- 49,999	277	26,764	149	42.7	35.6-49.8	128	57.3	50.2-64.4
\$50,000- 99,999	854	87,997	396	39.2	35.3-43.1	458	60.8	56.9-64.7
\$100,000 - 199,999	614	68,930	233	32.6	28.5-36.7	381	67.4	63.3-71.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 12: THE NEXT QUESTION IS ABOUT CT OR CAT SCANS OF YOUR CHEST AREA. DURING THIS TEST, YOU LIE FLAT ON YOUR BACK AND ARE MOVED THROUGH AN OPEN, DONUT SHAPED X-RAY MACHINE. HAVE YOU EVER HAD A CT OR CAT SCAN OF YOUR CHEST AREA? (LCSCTSC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2478	256,261	1029	34.2	31.8-36.6	1449	65.8	63.4-68.2
Native	69	9,283	33	39.5	24.2-54.8	36	60.5	45.2-75.8
Non-Native	2381	243,947	981	33.9	31.5-36.3	1400	66.1	63.7-68.5
18-24	118	40,068	20	16.5	9.2-23.8	98	83.5	76.2-90.8
25-34	228	43,461	43	17.7	12.4-23.0	185	82.3	77.0-87.6
35-44	277	40,820	70	27.3	21.2-33.4	207	72.7	66.6-78.8
45-54	286	32,119	84	32.1	25.8-38.4	202	67.9	61.6-74.2
55-64	397	34,377	165	41.7	36.0-47.4	232	58.3	52.6-64.0
65+	1172	65,417	647	57.2	53.9-60.5	525	42.8	39.5-46.1
Less Than H.S.	72	15,364	37	38.4	23.7-53.1	35	61.6	46.9-76.3
H.S. or G.E.D.	574	58,256	271	34.9	30.0-39.8	303	65.1	60.2-70.0
Some Post-H.S.	756	96,105	347	38.8	34.5-43.1	409	61.2	56.9-65.5
College Graduate	1070	85,950	369	27.3	24.2-30.4	701	72.7	69.6-75.8
Less than \$15,000	86	9,029	52	51.0	36.7-65.3	34	49.0	34.7-63.3
\$15,000- 24,999	167	17,929	101	52.3	41.5-63.1	66	47.7	36.9-58.5
\$25,000- 34,999	246	23,282	146	47.4	39.0-55.8	100	52.6	44.2-61.0
\$35,000- 49,999	257	27,675	115	34.1	26.7-41.5	142	65.9	58.5-73.3
\$50,000- 99,999	671	67,497	241	29.2	24.9-33.5	430	70.8	66.5-75.1
\$100,000 - 199,999	459	48,459	121	23.1	18.6-27.6	338	76.9	72.4-81.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 13: WERE ANY OF THE CT OR CAT SCANS OF YOUR CHEST AREA DONE MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSSCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2154	185,417	473	18.4	16.4-20.4	1681	81.6	79.6-83.6
Male	1198	102,472	272	18.9	16.4-21.4	926	81.1	78.6-83.6
Female	956	82,945	201	17.8	14.7-20.9	755	82.2	79.1-85.3
Native	71	7,975	14	13.9	3.7-24.1	57	86.1	75.9-96.3
Non-Native	2038	174,245	445	18.6	16.6-20.6	1593	81.4	79.4-83.4
25-34	115	19,216	3	3.5	0.0- 7.4	112	96.5	92.6- 100
35-44	176	26,594	12	8.0	3.1-12.9	164	92.0	87.1-96.9
45-54	230	24,844	35	13.5	9.0-18.0	195	86.5	82.0-91.0
55-64	400	33,720	86	21.1	16.6-25.6	314	78.9	74.4-83.4
65+	1189	68,568	334	28.5	25.4-31.6	855	71.5	68.4-74.6
Less Than H.S.	71	11,073	22	24.2	12.6-35.8	49	75.8	64.2-87.4
H.S. or G.E.D.	578	44,890	128	17.1	13.8-20.4	450	82.9	79.6-86.2
Some Post-H.S.	725	79,830	165	19.7	16.2-23.2	560	80.3	76.8-83.8
College Graduate	772	48,642	156	16.1	13.2-19.0	616	83.9	81.0-86.8
Less than \$15,000	77	6,813	23	24.6	12.8-36.4	54	75.4	63.6-87.2
\$15,000- 24,999	159	13,874	39	17.7	11.2-24.2	120	82.3	75.8-88.8
\$25,000- 34,999	233	17,977	66	26.4	19.1-33.7	167	73.6	66.3-80.9
\$35,000- 49,999	245	19,561	60	19.7	14.2-25.2	185	80.3	74.8-85.8
\$50,000- 99,999	613	52,828	126	16.5	13.2-19.8	487	83.5	80.2-86.8
\$100,000 - 199,999	348	33,311	58	14.4	10.1-18.7	290	85.6	81.3-89.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 14: WERE ANY OF THE CT OR CAT SCANS OF YOUR CHEST AREA DONE MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSSCNCR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1198	102,472	272	18.9	16.4-21.4	926	81.1	78.6-83.6
Non-Native	1126	95,846	256	19.0	16.5-21.5	870	81.0	78.5-83.5
25-34	73	11,678	2	4.2	0.0- 9.9	71	95.8	90.1- 100
35-44	107	15,531	9	10.4	3.0-17.8	98	89.6	82.2-97.0
45-54	147	14,619	21	12.9	7.2-18.6	126	87.1	81.4-92.8
55-64	241	19,946	48	19.8	14.1-25.5	193	80.2	74.5-85.9
65+	606	34,817	191	31.9	27.6-36.2	415	68.1	63.8-72.4
H.S. or G.E.D.	329	25,754	74	17.3	13.0-21.6	255	82.7	78.4-87.0
Some Post-H.S.	401	44,217	87	18.7	14.4-23.0	314	81.3	77.0-85.6
College Graduate	423	25,934	95	16.8	13.1-20.5	328	83.2	79.5-86.9
\$15,000- 24,999	64	4,926	18	22.5	11.3-33.7	46	77.5	66.3-88.7
\$25,000- 34,999	98	7,612	28	28.7	16.4-41.0	70	71.3	59.0-83.6
\$35,000- 49,999	140	10,809	35	18.6	11.9-25.3	105	81.4	74.7-88.1
\$50,000- 99,999	381	33,559	85	17.2	13.1-21.3	296	82.8	78.7-86.9
\$100,000 - 199,999	230	22,203	43	16.7	10.8-22.6	187	83.3	77.4-89.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 15: WERE ANY OF THE CT OR CAT SCANS OF YOUR CHEST AREA DONE MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSSCNCR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	956	82,945	201	17.8	14.7-20.9	755	82.2	79.1-85.3
Non-Native	912	78,399	189	18.1	15.0-21.2	723	81.9	78.8-85.0
35-44	69	11,063	3	4.6	0.0- 9.9	66	95.4	90.1- 100
45-54	83	10,226	14	14.3	6.9-21.7	69	85.7	78.3-93.1
55-64	159	13,773	38	23.0	15.7-30.3	121	77.0	69.7-84.3
65+	583	33,752	143	25.0	20.7-29.3	440	75.0	70.7-79.3
H.S. or G.E.D.	249	19,136	54	16.8	11.7-21.9	195	83.2	78.1-88.3
Some Post-H.S.	324	35,613	78	21.0	15.5-26.5	246	79.0	73.5-84.5
College Graduate	349	22,708	61	15.3	10.8-19.8	288	84.7	80.2-89.2
\$15,000- 24,999	95	8,948	21	15.0	7.2-22.8	74	85.0	77.2-92.8
\$25,000- 34,999	135	10,365	38	24.6	16.0-33.2	97	75.4	66.8-84.0
\$35,000- 49,999	105	8,752	25	21.1	12.3-29.9	80	78.9	70.1-87.7
\$50,000- 99,999	232	19,269	41	15.3	10.0-20.6	191	84.7	79.4-90.0
\$100,000 - 199,999	118	11,107	15	9.9	4.2-15.6	103	90.1	84.4-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 16: WHEN DID YOU HAVE YOUR MOST RECENT CT OR CAT SCAN OF YOUR CHEST AREA MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSCTWHN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	452	32,400	230	49.1	43.0-55.2	67	14.4	10.7-18.1	27	7.7	3.0-12.4	45	11.3	7.0-15.6	43	9.3	6.0-12.6	40	8.2	5.1-11.3
Male	263	18,451	130	48.2	40.8-55.6	39	13.8	9.1-18.5	16	6.0	2.7- 9.3	24	11.6	5.5-17.7	27	10.6	5.7-15.5	27	9.9	5.4-14.4
Female	189	13,949	100	50.3	40.5-60.1	28	15.2	8.9-21.5	11	10.0	0.0-20.0	21	11.0	5.1-16.9	16	7.6	3.5-11.7	13	5.9	1.6-10.2
Non-Native	426	30,724	216	49.7	43.6-55.8	63	14.3	10.4-18.2	27	8.2	3.1-13.3	40	9.9	6.0-13.8	42	9.7	6.2-13.2	38	8.2	4.9-11.5
55-64	83	6,945	44	53.4	41.2-65.6	15	17.8	8.8-26.8	6	7.3	1.2-13.4	4	7.9	0.1-15.7	6	5.5	0.6-10.4	8	8.0	1.5-14.5
65+	317	18,101	166	54.1	47.6-60.6	43	13.1	8.8-17.4	17	5.3	2.4- 8.2	35	11.0	6.7-15.3	29	9.3	5.6-13.0	27	7.2	4.3-10.1
H.S. or G.E.D.	122	7,458	65	50.8	40.4-61.2	17	16.6	8.8-24.4	10	7.2	2.5-11.9	9	6.0	1.9-10.1	12	12.6	4.8-20.4	9	6.9	2.2-11.6
Some Post-H.S.	156	14,807	85	50.8	40.6-61.0	24	14.7	8.6-20.8	8	9.5	0.0-19.1	13	8.7	2.4-15.0	12	7.5	2.4-12.6	14	8.7	3.6-13.8
College Graduate	151	7,576	66	42.6	33.2-52.0	24	14.0	7.5-20.5	9	7.3	1.8-12.8	17	12.8	5.9-19.7	19	12.5	6.6-18.4	16	10.7	3.4-18.0
\$25,000- 34,999	64	4,350	36	47.7	31.8-63.6	9	14.1	3.9-24.3	3	3.7	0.0- 8.4	9	19.4	3.7-35.1	2	4.5	0.0-12.3	5	10.5	0.0-22.3
\$35,000- 49,999	58	3,753	33	50.9	36.2-65.6	10	18.7	7.1-30.3	3	6.1	0.0-13.7	6	12.1	0.7-23.5	3	5.8	0.0-12.3	3	6.3	0.0-13.4
\$50,000- 99,999	124	8,548	61	51.0	40.4-61.6	19	16.5	8.7-24.3	9	9.3	2.8-15.8	12	8.9	3.4-14.4	11	6.6	2.3-10.9	12	7.6	1.7-13.5
\$100,000 - 199,999	58	4,795	29	54.8	38.3-71.3	9	10.3	2.3-18.3	3	3.9	0.0- 8.4	7	16.9	1.0-32.8	6	8.2	1.1-15.3	4	5.8	0.0-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 17: WHEN DID YOU HAVE YOUR MOST RECENT CT OR CAT SCAN OF YOUR CHEST AREA MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSCTWHN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	263	18,451	130	48.2	40.8-55.6	39	13.8	9.1-18.5	16	6.0	2.7- 9.3	24	11.6	5.5-17.7	27	10.6	5.7-15.5	27	9.9	5.4-14.4
Non-Native	247	17,292	123	49.6	42.0-57.2	37	13.8	9.1-18.5	16	6.4	2.9- 9.9	19	8.8	3.9-13.7	26	11.1	6.0-16.2	26	10.3	5.6-15.0
65+	184	10,336	90	49.6	41.2-58.0	27	14.0	8.5-19.5	11	5.8	1.9- 9.7	18	10.5	5.6-15.4	17	9.8	4.5-15.1	21	10.3	5.6-15.0
H.S. or G.E.D.	72	4,369	38	46.4	33.1-59.7	10	15.8	5.8-25.8	6	8.6	1.7-15.5	5	7.3	1.0-13.6	7	14.7	2.9-26.5	6	7.1	0.8-13.4
Some Post-H.S.	83	7,836	43	48.4	35.5-61.3	13	14.6	6.6-22.6	4	5.0	0.0-10.5	6	8.9	0.0-18.7	6	8.6	0.2-17.0	11	14.5	5.5-23.5
College Graduate	93	4,286	40	45.1	33.3-56.9	15	14.2	6.6-21.8	6	8.1	0.3-15.9	8	9.0	2.3-15.7	14	14.8	7.0-22.6	10	8.7	2.8-14.6
\$50,000- 99,999	84	5,659	41	48.1	35.4-60.8	13	15.9	6.9-24.9	7	12.3	3.1-21.5	5	5.4	0.5-10.3	9	8.0	2.3-13.7	9	10.3	1.7-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 12: LUNG CANCER SCREENING**

TABLE 18: WHEN DID YOU HAVE YOUR MOST RECENT CT OR CAT SCAN OF YOUR CHEST AREA MAINLY TO CHECK OR SCREEN FOR LUNG CANCER? (LCSCTWHN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	189	13,949	100	50.3	40.5-60.1	28	15.2	8.9-21.5	11	10.0	0.0-20.0	21	11.0	4.9-17.1	16	7.6	3.5-11.7	13	5.9	1.6-10.2
Non-Native	179	13,432	93	49.8	39.8-59.8	26	14.9	8.6-21.2	11	10.4	0.0-20.8	21	11.5	5.2-17.8	16	7.8	3.5-12.1	12	5.6	1.3- 9.9
65+	133	7,765	76	60.0	50.0-70.0	16	11.9	5.0-18.8	6	4.6	0.3- 8.9	17	11.8	4.4-19.2	12	8.6	3.1-14.1	6	3.0	0.3- 5.7
H.S. or G.E.D.	50	3,089	27	57.0	40.7-73.3	7	17.6	4.7-30.5	4	5.2	0.0-11.1	4	4.1	0.0- 8.8	5	9.6	0.2-19.0	3	6.6	0.0-14.0
Some Post-H.S.	73	6,971	42	53.5	37.4-69.6	11	14.7	5.3-24.1	4	14.7	0.0-33.3	7	8.5	1.1-15.9	6	6.4	0.9-11.9	3	2.2	0.0- 5.1
College Graduate	58	3,291	26	39.3	24.4-54.2	9	13.9	2.9-24.9	3	6.3	0.0-13.6	9	17.7	4.4-31.0	5	9.5	0.5-18.5	6	13.3	0.0-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
1	MALES AND FEMALES	237
2	MALES ONLY	238
3	FEMALES ONLY	239
	DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK4)	
4	MALES AND FEMALES	240
5	MALES ONLY	241
6	FEMALES ONLY	242
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	243
8	MALES ONLY	244
9	FEMALES ONLY	245
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10	MALES AND FEMALES	246
11	MALES ONLY	247
12	FEMALES ONLY	248

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11+ days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5263	543,756	789	14.5	13.3-15.7	63	1.1	0.7- 1.5	1637	32.5	30.9-34.1	446	8.1	7.1- 9.1	2328	43.9	42.1-45.7
Male	2719	283,203	454	15.7	14.1-17.3	41	1.3	0.9- 1.7	856	32.6	30.4-34.8	325	11.7	10.1-13.3	1043	38.7	36.3-41.1
Female	2544	260,553	335	13.2	11.6-14.8	22	0.8	0.2- 1.4	781	32.4	30.0-34.8	121	4.2	3.2- 5.2	1285	49.4	46.9-51.9
Native	150	21,832	14	7.8	3.1-12.5	1	2.3	0.0- 6.8	29	18.5	10.9-26.1	8	6.0	0.5-11.5	98	65.4	55.6-75.2
Non-Native	5038	514,507	764	14.9	13.7-16.1	61	1.0	0.8- 1.2	1588	33.1	31.5-34.7	434	8.2	7.2- 9.2	2191	42.8	41.0-44.6
18-24	296	83,830	31	9.1	5.8-12.4				108	34.7	28.8-40.6	16	5.5	2.8- 8.2	141	50.7	44.4-57.0
25-34	553	95,306	104	17.0	13.9-20.1	6	1.3	0.1- 2.5	202	37.7	33.2-42.2	54	9.6	6.9-12.3	187	34.3	30.0-38.6
35-44	630	91,857	112	16.4	13.3-19.5	5	0.8	0.0- 1.6	208	32.5	28.6-36.4	60	9.1	6.7-11.5	245	41.3	37.0-45.6
45-54	664	71,314	121	17.5	14.4-20.6	11	1.6	0.6- 2.6	207	30.5	26.6-34.4	62	9.3	6.8-11.8	263	41.1	36.8-45.4
55-64	888	75,173	144	14.9	12.4-17.4	9	1.0	0.4- 1.6	298	34.3	30.8-37.8	77	8.0	6.0-10.0	360	41.9	38.2-45.6
65+	2232	126,276	277	12.9	11.3-14.5	32	1.5	0.9- 2.1	614	27.3	25.1-29.5	177	7.2	6.0- 8.4	1132	51.1	48.6-53.6
Less Than H.S.	179	37,002	17	7.2	3.3-11.1	3	2.1	0.0- 5.0	30	16.1	9.0-23.2	13	8.7	3.4-14.0	116	65.9	57.1-74.7
H.S. or G.E.D.	1375	138,709	164	12.1	9.9-14.3	17	1.2	0.6- 1.8	358	27.7	24.8-30.6	117	8.4	6.6-10.2	719	50.5	47.2-53.8
Some Post-H.S.	1583	205,745	218	13.6	11.6-15.6	16	0.8	0.4- 1.2	530	35.9	33.0-38.8	130	7.9	6.3- 9.5	689	41.7	38.8-44.6
College Graduate	2114	160,749	389	19.4	17.4-21.4	27	1.1	0.7- 1.5	715	36.1	33.6-38.6	186	7.9	6.5- 9.3	797	35.5	33.1-37.9
Less than \$15,000	162	18,525	11	4.9	1.6- 8.2	3	3.7	0.0- 9.0	29	21.4	13.4-29.4	8	6.7	0.2-13.2	111	63.3	53.1-73.5
\$15,000- 24,999	292	30,199	25	6.9	3.2-10.6	1	0.3	0.0- 0.9	57	29.2	21.4-37.0	20	5.7	3.0- 8.4	189	58.0	50.2-65.8
\$25,000- 34,999	455	44,959	45	12.4	8.3-16.5	5	0.7	0.0- 1.5	126	25.5	20.2-30.8	26	6.1	3.0- 9.2	253	55.2	49.1-61.3
\$35,000- 49,999	548	55,181	61	9.9	7.0-12.8	6	0.7	0.1- 1.3	162	30.8	25.5-36.1	45	8.2	5.3-11.1	274	50.4	44.7-56.1
\$50,000- 99,999	1544	156,737	249	15.6	13.4-17.8	19	1.0	0.4- 1.6	516	35.2	32.3-38.1	144	8.4	6.6-10.2	616	39.8	36.7-42.9
\$100,000 - 199,999	1098	120,072	212	18.7	16.2-21.2	12	0.9	0.3- 1.5	413	39.4	35.9-42.9	119	10.2	8.0-12.4	342	30.7	27.4-34.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11+ days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2719	283,203	454	15.7	14.1-17.3	41	1.3	0.9- 1.7	856	32.6	30.4-34.8	325	11.7	10.1-13.3	1043	38.7	36.3-41.1
Native	80	12,346	7	6.9	1.2-12.6				17	21.1	10.3-31.9	5	8.3	0.0-17.5	51	63.7	50.6-76.8
Non-Native	2593	266,493	439	16.2	14.6-17.8	40	1.3	0.9- 1.7	826	33.1	30.9-35.3	316	11.9	10.3-13.5	972	37.5	35.1-39.9
18-24	181	44,403	17	7.9	4.2-11.6				63	31.5	24.4-38.6	13	8.8	3.9-13.7	88	51.8	44.0-59.6
25-34	325	52,230	59	17.1	12.8-21.4	4	1.0	0.0- 2.0	121	38.7	33.0-44.4	44	14.0	9.7-18.3	97	29.2	23.9-34.5
35-44	348	49,915	64	16.9	12.8-21.0	5	1.4	0.0- 2.8	118	35.0	29.5-40.5	46	13.1	9.2-17.0	115	33.6	28.1-39.1
45-54	372	38,144	79	20.8	16.3-25.3	7	1.8	0.4- 3.2	104	27.9	22.8-33.0	44	12.3	8.6-16.0	138	37.1	31.6-42.6
55-64	478	39,518	80	16.5	12.8-20.2	6	1.4	0.2- 2.6	164	34.3	29.6-39.0	56	11.3	8.2-14.4	172	36.6	31.7-41.5
65+	1015	58,993	155	15.5	13.0-18.0	19	1.8	1.0- 2.6	286	28.0	24.9-31.1	122	10.5	8.5-12.5	433	44.2	40.7-47.7
Less Than H.S.	106	21,597	12	8.0	2.9-13.1	2	1.2	0.0- 3.0	17	13.9	6.1-21.7	11	14.1	5.5-22.7	64	62.8	51.6-74.0
H.S. or G.E.D.	788	79,478	102	12.8	10.1-15.5	11	1.3	0.5- 2.1	222	30.2	26.3-34.1	93	11.8	8.9-14.7	360	43.9	39.8-48.0
Some Post-H.S.	804	107,476	137	17.0	14.1-19.9	10	1.0	0.4- 1.6	275	35.6	31.7-39.5	92	11.6	9.1-14.1	290	34.8	31.1-38.5
College Graduate	1015	73,688	202	19.3	16.6-22.0	18	1.6	0.8- 2.4	340	36.5	33.0-40.0	129	11.2	9.0-13.4	326	31.3	28.0-34.6
Less than \$15,000	73	8,409	6	8.1	1.2-15.0	2	2.1	0.0- 5.0	12	19.9	8.3-31.5	7	14.0	0.9-27.1	46	55.8	40.7-70.9
\$15,000- 24,999	122	11,975	11	6.4	2.3-10.5				28	29.3	18.1-40.5	13	9.2	3.7-14.7	70	55.0	43.4-66.6
\$25,000- 34,999	202	20,564	25	14.5	8.2-20.8	3	1.2	0.0- 2.8	59	27.1	19.1-35.1	16	8.9	3.0-14.8	99	48.2	39.4-57.0
\$35,000- 49,999	281	27,082	38	11.9	7.8-16.0	5	1.2	0.2- 2.2	82	29.1	22.6-35.6	38	14.0	8.7-19.3	118	43.8	36.5-51.1
\$50,000- 99,999	866	89,373	148	16.4	13.5-19.3	13	1.2	0.4- 2.0	277	34.4	30.5-38.3	113	11.7	9.2-14.2	315	36.3	32.4-40.2
\$100,000 - 199,999	628	70,554	120	17.8	14.5-21.1	10	1.4	0.4- 2.4	222	37.7	33.2-42.2	89	13.4	10.3-16.5	187	29.6	25.3-33.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11+ days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2544	260,553	335	13.2	11.6-14.8	22	0.8	0.2- 1.4	781	32.4	30.0-34.8	121	4.2	3.2- 5.2	1285	49.4	46.9-51.9
Native	70	9,486	7	8.9	0.9-16.9	1	5.3	0.0-15.3	12	15.0	4.4-25.6	3	3.2	0.0- 6.9	47	67.6	52.9-82.3
Non-Native	2445	248,014	325	13.4	11.6-15.2	21	0.7	0.3- 1.1	762	33.1	30.6-35.6	118	4.2	3.2- 5.2	1219	48.6	46.1-51.1
18-24	115	39,427	14	10.4	4.9-15.9				45	38.2	28.8-47.6	3	1.8	0.0- 4.0	53	49.5	39.7-59.3
25-34	228	43,076	45	16.9	12.0-21.8	2	1.7	0.0- 4.2	81	36.6	29.7-43.5	10	4.3	1.6- 7.0	90	40.5	33.4-47.6
35-44	282	41,943	48	15.7	11.2-20.2				90	29.6	23.9-35.3	14	4.3	1.9- 6.7	130	50.4	43.9-56.9
45-54	292	33,170	42	13.6	9.5-17.7	4	1.4	0.0- 2.8	103	33.5	27.6-39.4	18	5.9	3.0- 8.8	125	45.6	39.1-52.1
55-64	410	35,655	64	13.1	9.8-16.4	3	0.5	0.0- 1.1	134	34.3	29.0-39.6	21	4.4	2.2- 6.6	188	47.7	42.0-53.4
65+	1217	67,282	122	10.6	8.4-12.8	13	1.2	0.4- 2.0	328	26.7	23.8-29.6	55	4.3	3.1- 5.5	699	57.2	53.9-60.5
Less Than H.S.	73	15,405	5	6.0	0.0-12.3	1	3.3	0.0- 9.6	13	19.2	6.1-32.3	2	1.2	0.0- 2.8	52	70.3	55.8-84.8
H.S. or G.E.D.	587	59,231	62	11.2	7.9-14.5	6	1.0	0.0- 2.0	136	24.5	19.6-29.4	24	3.9	1.9- 5.9	359	59.4	53.9-64.9
Some Post-H.S.	779	98,269	81	9.9	7.4-12.4	6	0.6	0.0- 1.2	255	36.3	32.0-40.6	38	3.9	2.5- 5.3	399	49.3	44.8-53.8
College Graduate	1099	87,061	187	19.5	16.6-22.4	9	0.6	0.2- 1.0	375	35.8	32.3-39.3	57	5.1	3.5- 6.7	471	39.1	35.6-42.6
Less than \$15,000	89	10,116	5	2.3	0.1- 4.5	1	5.0	0.0-14.4	17	22.5	11.1-33.9	1	0.6	0.0- 1.8	65	69.6	56.3-82.9
\$15,000- 24,999	170	18,224	14	7.2	1.7-12.7	1	0.4	0.0- 1.2	29	29.1	18.5-39.7	7	3.4	0.5- 6.3	119	59.9	49.1-70.7
\$25,000- 34,999	253	24,395	20	10.6	5.1-16.1	2	0.3	0.0- 0.7	67	24.2	17.3-31.1	10	3.8	0.9- 6.7	154	61.1	53.1-69.1
\$35,000- 49,999	267	28,098	23	7.9	3.6-12.2	1	0.3	0.0- 0.9	80	32.4	24.0-40.8	7	2.7	0.5- 4.9	156	56.8	48.2-65.4
\$50,000- 99,999	678	67,364	101	14.4	11.3-17.5	6	0.9	0.1- 1.7	239	36.2	31.5-40.9	31	4.1	2.3- 5.9	301	44.5	39.6-49.4
\$100,000 - 199,999	470	49,518	92	20.0	15.7-24.3	2	0.2	0.0- 0.6	191	41.8	36.3-47.3	30	5.8	3.3- 8.3	155	32.2	27.1-37.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 4. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																			
			One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	2896	300,576	1234	36.1	33.9-38.3	823	29.0	26.8-31.2	364	14.2	12.6-15.8	171	6.5	5.3- 7.7	303	14.1	12.3-15.9	1	0.0	0.0- 0.0		
Male	1646	170,511	539	27.9	25.4-30.4	478	27.5	25.0-30.0	259	17.0	14.8-19.2	127	7.9	6.3- 9.5	243	19.7	17.2-22.2					
Female	1250	130,065	695	47.0	43.5-50.5	345	31.0	27.5-34.5	105	10.5	8.1-12.9	44	4.7	2.9- 6.5	60	6.7	4.7- 8.7	1	0.1	0.0- 0.3		
Native	52	7,552	11	21.8	7.9-35.7	8	13.5	2.9-24.1	8	14.2	2.4-26.0	7	9.8	0.0-20.2	18	40.8	23.0-58.6					
Non-Native	2812	289,973	1206	36.3	34.1-38.5	806	29.5	27.3-31.7	352	14.2	12.6-15.8	164	6.5	5.3- 7.7	283	13.5	11.7-15.3	1	0.0	0.0- 0.0		
18-24	154	41,102	30	20.9	14.0-27.8	41	29.9	21.7-38.1	26	15.6	9.7-21.5	17	9.3	4.8-13.8	40	24.3	17.2-31.4					
25-34	356	60,483	89	25.0	20.3-29.7	100	28.4	23.3-33.5	69	18.3	14.2-22.4	30	8.2	4.9-11.5	68	20.1	15.4-24.8					
35-44	380	53,218	115	29.9	25.0-34.8	112	29.4	24.5-34.3	62	17.8	13.5-22.1	33	7.6	4.9-10.3	58	15.3	11.2-19.4					
45-54	395	41,419	130	33.9	28.6-39.2	118	28.8	23.9-33.7	64	15.5	11.8-19.2	25	6.2	3.7- 8.7	58	15.5	11.4-19.6					
55-64	522	43,254	223	44.1	39.2-49.0	159	31.2	26.7-35.7	64	11.3	8.4-14.2	29	4.6	2.8- 6.4	47	8.7	6.2-11.2					
65+	1089	61,101	647	58.7	55.4-62.0	293	27.4	24.3-30.5	79	7.4	5.6- 9.2	37	3.4	2.2- 4.6	32	3.0	1.8- 4.2	1	0.2	0.0- 0.6		
Less Than H.S.	58	11,946	20	23.7	11.2-36.2	13	28.4	12.3-44.5	6	8.5	1.1-15.9	4	4.6	0.0-11.1	15	34.8	18.9-50.7					
H.S. or G.E.D.	643	66,999	235	31.8	27.5-36.1	152	22.1	18.0-26.2	98	16.7	13.2-20.2	57	9.6	6.9-12.3	101	19.8	15.9-23.7					
Some Post-H.S.	886	118,376	365	36.2	32.5-39.9	260	29.8	26.3-33.3	109	13.3	10.6-16.0	47	6.1	4.1- 8.1	105	14.6	11.7-17.5					
College Graduate	1305	102,851	613	40.3	37.2-43.4	396	32.8	29.7-35.9	151	14.4	12.0-16.8	62	5.0	3.6- 6.4	82	7.4	5.6- 9.2	1	0.1	0.0- 0.3		
\$15,000- 24,999	97	11,363	42	38.4	25.7-51.1	19	21.4	11.0-31.8	9	10.4	2.6-18.2	10	12.0	1.2-22.8	17	17.8	7.8-27.8					
\$25,000- 34,999	196	19,212	90	37.8	29.0-46.6	50	24.0	16.4-31.6	25	17.3	9.7-24.9	9	3.7	1.0- 6.4	22	17.2	9.2-25.2					
\$35,000- 49,999	274	27,346	115	31.9	25.0-38.8	73	29.4	21.8-37.0	37	15.9	10.0-21.8	20	9.4	4.9-13.9	29	13.4	7.9-18.9					
\$50,000- 99,999	916	93,227	384	37.1	33.4-40.8	261	28.2	24.7-31.7	116	13.3	10.6-16.0	50	5.9	4.1- 7.7	105	15.5	12.4-18.6					
\$100,000 - 199,999	753	82,670	289	33.0	29.1-36.9	239	32.5	28.6-36.4	113	16.8	13.7-19.9	43	6.1	4.1- 8.1	68	11.5	8.6-14.4	1	0.1	0.0- 0.3		

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	One Drink		Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1646	170,511	539	27.9	25.4-30.4	478	27.5	25.0-30.0	259	17.0	14.8-19.2	127	7.9	6.3- 9.5	243	19.7	17.2-22.2
Non-Native	1593	163,813	522	27.6	25.1-30.1	467	28.2	25.7-30.7	250	17.0	14.8-19.2	124	8.1	6.5- 9.7	230	19.2	16.7-21.7
18-24	92	21,211	15	19.1	10.1-28.1	15	14.8	7.4-22.2	15	15.8	8.2-23.4	13	12.9	6.0-19.8	34	37.4	26.8-48.0
25-34	222	36,052	39	17.1	12.0-22.2	60	27.8	21.5-34.1	43	17.9	12.6-23.2	21	8.4	4.7-12.1	59	28.7	22.0-35.4
35-44	231	32,852	59	25.7	19.6-31.8	62	26.9	20.8-33.0	47	22.5	16.4-28.6	17	5.9	3.0- 8.8	46	19.0	13.5-24.5
45-54	229	23,473	50	22.0	16.1-27.9	65	27.3	21.0-33.6	49	20.5	15.0-26.0	22	9.5	5.4-13.6	43	20.8	14.7-26.9
55-64	301	24,633	90	31.2	25.3-37.1	107	36.6	30.5-42.7	45	14.4	10.1-18.7	25	6.8	4.1- 9.5	34	11.0	7.1-14.9
65+	571	32,289	286	49.6	44.9-54.3	169	29.6	25.3-33.9	60	10.8	7.9-13.7	29	5.5	3.3- 7.7	27	4.5	2.7- 6.3
H.S. or G.E.D.	418	43,547	125	26.6	21.9-31.3	96	21.2	16.7-25.7	71	16.5	12.4-20.6	44	10.8	7.3-14.3	82	24.9	19.6-30.2
Some Post-H.S.	508	69,092	151	26.9	22.6-31.2	153	29.1	24.6-33.6	88	18.0	14.1-21.9	33	6.4	4.0- 8.8	83	19.6	15.5-23.7
College Graduate	679	49,956	252	31.1	27.2-35.0	219	32.3	28.2-36.4	96	17.3	13.8-20.8	46	7.2	5.0- 9.4	66	12.2	9.1-15.3
\$15,000- 24,999	50	5,245	18	38.1	20.3-55.9	9	14.5	4.5-24.5	6	18.3	3.4-33.2	7	7.0	1.3-12.7	10	22.1	8.0-36.2
\$25,000- 34,999	99	10,033	43	37.6	24.9-50.3	24	22.8	12.6-33.0	13	16.6	6.0-27.2	5	3.8	0.0- 7.9	14	19.2	8.0-30.4
\$35,000- 49,999	163	15,218	53	25.6	18.2-33.0	45	26.3	18.1-34.5	25	17.4	10.5-24.3	14	11.5	4.8-18.2	26	19.2	11.8-26.6
\$50,000- 99,999	539	55,837	171	27.0	22.7-31.3	161	28.6	24.1-33.1	83	14.7	11.2-18.2	38	7.4	4.7-10.1	86	22.2	17.5-26.9
\$100,000 - 199,999	438	49,120	125	24.1	19.6-28.6	141	31.7	26.6-36.8	82	20.4	16.1-24.7	33	7.2	4.7- 9.7	57	16.5	12.2-20.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1250	130,065	695	47.0	43.5-50.5	345	31.0	27.5-34.5	105	10.5	8.1-12.9	44	4.7	2.9- 6.5	60	6.7	4.7- 8.7	1	0.1	0.0- 0.3
Non-Native	1219	126,160	684	47.6	44.1-51.1	339	31.3	27.8-34.8	102	10.6	8.2-13.0	40	4.4	2.8- 6.0	53	6.1	4.1- 8.1	1	0.1	0.0- 0.3
18-24	62	19,891	15	22.8	12.2-33.4	26	45.9	32.6-59.2	11	15.5	6.5-24.5	4	5.5	0.0-11.0	6	10.3	2.3-18.3			
25-34	134	24,431	50	36.7	27.9-45.5	40	29.2	20.8-37.6	26	18.9	12.0-25.8	9	7.8	1.9-13.7	9	7.4	2.1-12.7			
35-44	149	20,366	56	36.7	28.5-44.9	50	33.4	25.4-41.4	15	10.1	4.8-15.4	16	10.4	5.3-15.5	12	9.4	3.5-15.3			
45-54	166	17,945	80	49.5	41.1-57.9	53	30.9	23.3-38.5	15	9.0	4.3-13.7	3	1.9	0.0- 4.1	15	8.7	4.2-13.2			
55-64	221	18,621	133	61.2	53.9-68.5	52	24.2	17.7-30.7	19	7.3	3.8-10.8	4	1.8	0.0- 3.6	13	5.6	2.3- 8.9			
65+	518	28,811	361	68.9	64.2-73.6	124	24.9	20.4-29.4	19	3.5	1.7- 5.3	8	1.1	0.3- 1.9	5	1.3	0.1- 2.5	1	0.3	0.0- 0.9
H.S. or G.E.D.	225	23,452	110	41.5	33.3-49.7	56	23.8	15.8-31.8	27	17.2	10.3-24.1	13	7.2	3.1-11.3	19	10.3	5.0-15.6			
Some Post-H.S.	378	49,285	214	49.2	42.9-55.5	107	30.7	24.8-36.6	21	6.7	3.4-10.0	14	5.8	2.3- 9.3	22	7.7	4.2-11.2			
College Graduate	626	52,894	361	49.1	44.4-53.8	177	33.2	28.7-37.7	55	11.7	8.4-15.0	16	2.9	1.3- 4.5	16	2.9	1.3- 4.5	1	0.2	0.0- 0.6
\$25,000- 34,999	97	9,179	47	37.9	25.9-49.9	26	25.4	13.8-37.0	12	18.1	7.1-29.1	4	3.5	0.0- 7.4	8	15.1	3.7-26.5			
\$35,000- 49,999	111	12,127	62	39.8	27.5-52.1	28	33.3	19.6-47.0	12	14.1	4.3-23.9	6	6.8	1.3-12.3	3	6.0	0.0-13.4			
\$50,000- 99,999	377	37,390	213	52.1	45.8-58.4	100	27.7	22.0-33.4	33	11.3	7.2-15.4	12	3.5	1.1- 5.9	19	5.4	2.9- 7.9			
\$100,000 - 199,999	315	33,550	164	45.9	39.2-52.6	98	33.7	27.2-40.2	31	11.6	7.3-15.9	10	4.5	1.6- 7.4	11	4.0	1.5- 6.5	1	0.3	0.0- 0.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.																				
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2886	299,212	273	11.0	9.6-12.4	166	6.5	5.3- 7.7	68	3.0	2.2- 3.8	86	3.5	2.7- 4.3	239	10.8	9.2-12.4	2054	65.2	63.0-67.4
Male	1640	169,907	176	12.2	10.2-14.2	109	7.3	5.7- 8.9	51	3.8	2.6- 5.0	62	4.2	3.0- 5.4	180	14.7	12.3-17.1	1062	57.9	55.0-60.8
Female	1246	129,305	97	9.6	7.4-11.8	57	5.5	3.9- 7.1	17	2.0	0.8- 3.2	24	2.6	1.2- 4.0	59	5.6	3.8- 7.4	992	74.8	71.7-77.9
Non-Native	2803	289,075	260	10.9	9.5-12.3	163	6.6	5.4- 7.8	66	2.9	2.1- 3.7	81	3.5	2.5- 4.5	230	10.6	9.0-12.2	2003	65.5	63.3-67.7
18-24	153	40,842	25	14.4	8.9-19.9	14	8.4	3.9-12.9	8	5.3	1.6- 9.0	10	4.9	1.8- 8.0	23	15.5	9.2-21.8	73	51.5	42.9-60.1
25-34	358	60,597	54	14.9	11.0-18.8	39	9.6	6.7-12.5	16	4.7	2.3- 7.1	19	4.9	2.4- 7.4	43	12.9	9.0-16.8	187	52.8	47.1-58.5
35-44	376	52,469	50	12.7	9.2-16.2	22	5.9	3.4- 8.4	13	2.8	1.2- 4.4	12	3.7	1.3- 6.1	51	13.5	9.8-17.2	228	61.5	56.2-66.8
45-54	394	41,418	49	11.9	8.4-15.4	37	8.8	5.9-11.7	11	2.4	0.8- 4.0	12	3.2	1.4- 5.0	48	13.7	9.8-17.6	237	60.0	54.7-65.3
55-64	524	43,277	52	9.6	6.9-12.3	31	4.5	2.7- 6.3	8	1.5	0.3- 2.7	20	3.3	1.7- 4.9	37	7.2	4.7- 9.7	376	74.0	69.9-78.1
65+	1081	60,610	43	4.0	2.6- 5.4	23	2.5	1.3- 3.7	12	1.4	0.6- 2.2	13	1.3	0.5- 2.1	37	3.6	2.4- 4.8	953	87.2	84.8-89.6
Less Than H.S.	58	11,794	7	10.6	1.6-19.6				1	2.4	0.0- 7.1	2	5.5	0.0-13.1	14	30.7	15.6-45.8	34	50.8	34.5-67.1
H.S. or G.E.D.	642	66,638	62	11.0	7.9-14.1	49	9.8	6.9-12.7	14	2.7	1.1- 4.3	20	3.2	1.6- 4.8	75	13.7	10.4-17.0	422	59.7	55.0-64.4
Some Post-H.S.	877	117,684	78	10.5	8.1-12.9	52	6.1	4.3- 7.9	32	4.1	2.5- 5.7	26	3.2	1.6- 4.8	82	11.6	9.1-14.1	607	64.6	60.9-68.3
College Graduate	1304	102,597	126	11.9	9.7-14.1	65	5.6	4.2- 7.0	21	2.0	1.0- 3.0	37	3.8	2.4- 5.2	68	5.8	4.2- 7.4	987	71.0	68.1-73.9
\$15,000- 24,999	99	12,078	11	16.4	5.6-27.2	3	2.3	0.0- 4.8	4	4.0	0.0- 9.1	5	10.4	0.0-21.0	15	11.5	5.0-18.0	61	55.5	42.2-68.8
\$25,000- 34,999	193	18,955	14	11.4	4.5-18.3	9	3.6	1.1- 6.1	4	3.3	0.0- 6.6	4	1.8	0.0- 4.2	18	15.2	7.4-23.0	144	64.7	55.3-74.1
\$35,000- 49,999	269	26,762	23	9.4	4.9-13.9	13	4.5	1.8- 7.2	3	1.5	0.0- 3.3	5	2.7	0.2- 5.2	22	11.5	6.2-16.8	203	70.4	63.3-77.5
\$50,000- 99,999	919	93,319	91	11.1	8.6-13.6	55	7.0	4.8- 9.2	25	3.8	2.0- 5.6	31	3.7	2.3- 5.1	79	10.4	7.9-12.9	638	64.1	60.2-68.0
\$100,000 - 199,999	750	82,551	93	13.5	10.6-16.4	54	8.0	5.8-10.2	18	2.8	1.4- 4.2	20	2.9	1.5- 4.3	59	10.3	7.6-13.0	506	62.5	58.4-66.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1640	169,907	176	12.2	10.2-14.2	109	7.3	5.7- 8.9	51	3.8	2.6- 5.0	62	4.2	3.0- 5.4	180	14.7	12.3-17.1	1062	57.9	55.0-60.8
Non-Native	1587	163,077	167	12.0	10.0-14.0	107	7.5	5.9- 9.1	50	3.8	2.6- 5.0	61	4.3	3.1- 5.5	175	14.5	12.1-16.9	1027	57.9	55.0-60.8
18-24	92	21,226	17	17.9	9.9-25.9	9	9.2	3.1-15.3	5	5.8	0.9-10.7	9	8.4	2.9-13.9	19	22.9	13.3-32.5	33	35.7	25.3-46.1
25-34	225	36,435	33	14.5	9.6-19.4	25	10.6	6.5-14.7	12	5.6	2.3- 8.9	15	5.6	2.7- 8.5	38	18.6	12.7-24.5	102	45.1	38.0-52.2
35-44	226	32,000	30	12.7	8.0-17.4	14	6.0	2.9- 9.1	10	3.6	1.2- 6.0	8	3.1	0.7- 5.5	37	16.7	11.4-22.0	127	57.9	50.8-65.0
45-54	228	23,449	36	14.4	9.5-19.3	23	9.6	5.7-13.5	9	3.6	1.1- 6.1	8	3.8	1.1- 6.5	36	18.2	12.3-24.1	116	50.4	43.1-57.7
55-64	302	24,645	34	10.8	7.1-14.5	22	5.4	3.0- 7.8	7	2.5	0.5- 4.5	13	3.5	1.5- 5.5	25	9.2	5.5-12.9	201	68.6	62.9-74.3
65+	567	32,151	26	4.5	2.5- 6.5	16	3.4	1.6- 5.2	8	1.6	0.4- 2.8	9	1.6	0.4- 2.8	25	4.8	2.8- 6.8	483	84.1	80.8-87.4
H.S. or G.E.D.	419	43,496	45	11.4	7.7-15.1	36	10.4	6.7-14.1	10	2.4	0.8- 4.0	15	3.7	1.7- 5.7	59	17.1	12.4-21.8	254	55.0	49.3-60.7
Some Post-H.S.	500	68,475	55	12.5	9.2-15.8	36	7.4	4.9- 9.9	28	6.0	3.6- 8.4	17	3.4	1.6- 5.2	60	14.5	10.8-18.2	304	56.2	51.3-61.1
College Graduate	678	49,791	71	12.6	9.7-15.5	37	5.6	3.6- 7.6	13	2.4	1.0- 3.8	29	5.9	3.7- 8.1	48	8.4	5.9-10.9	480	65.2	60.9-69.5
\$25,000- 34,999	99	10,243	8	11.0	2.6-19.4	3	1.9	0.0- 4.1	3	4.8	0.0-10.5	2	0.9	0.0- 2.3	11	18.3	6.7-29.9	72	63.1	50.0-76.2
\$35,000- 49,999	160	14,971	15	11.3	4.6-18.0	8	4.9	1.4- 8.4	2	2.3	0.0- 5.4	4	3.7	0.0- 7.6	17	13.8	6.7-20.9	114	64.1	54.9-73.3
\$50,000- 99,999	543	56,029	54	10.9	7.6-14.2	38	7.4	4.9- 9.9	20	5.0	2.5- 7.5	25	5.0	2.8- 7.2	64	14.8	10.9-18.7	342	56.9	51.8-62.0
\$100,000 - 199,999	436	49,073	64	15.8	11.9-19.7	38	9.1	6.2-12.0	15	3.7	1.7- 5.7	16	3.9	1.9- 5.9	45	13.9	9.8-18.0	258	53.6	48.1-59.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1246	129,305	97	9.6	7.4-11.8	57	5.5	3.9- 7.1	17	2.0	0.8- 3.2	24	2.6	1.2- 4.0	59	5.6	3.8- 7.4	992	74.8	71.7-77.9
Non-Native	1216	125,999	93	9.4	7.2-11.6	56	5.5	3.9- 7.1	16	1.8	0.6- 3.0	20	2.4	1.0- 3.8	55	5.4	3.6- 7.2	976	75.4	72.3-78.5
18-24	61	19,616	8	10.6	3.2-18.0	5	7.5	0.8-14.2	3	4.8	0.0-10.3	1	1.2	0.0- 3.4	4	7.4	0.1-14.7	40	68.6	56.6-80.6
25-34	133	24,162	21	15.5	8.8-22.2	14	8.2	3.9-12.5	4	3.4	0.1- 6.7	4	3.9	0.0- 8.6	5	4.4	0.5- 8.3	85	64.6	55.8-73.4
35-44	150	20,469	20	12.6	6.9-18.3	8	5.7	1.8- 9.6	3	1.5	0.0- 3.3	4	4.5	0.0- 9.2	14	8.6	4.1-13.1	101	67.1	58.9-75.3
45-54	166	17,968	13	8.6	3.7-13.5	14	7.9	3.6-12.2	2	0.7	0.0- 1.9	4	2.4	0.0- 4.8	12	7.8	3.3-12.3	121	72.5	65.1-79.9
55-64	222	18,631	18	7.9	4.0-11.8	9	3.2	0.8- 5.6	1	0.3	0.0- 0.9	7	3.0	0.5- 5.5	12	4.5	1.8- 7.2	175	81.1	75.6-86.6
65+	514	28,459	17	3.4	1.6- 5.2	7	1.6	0.2- 3.0	4	1.1	0.0- 2.3	4	0.9	0.0- 1.9	12	2.4	1.0- 3.8	470	90.6	87.7-93.5
H.S. or G.E.D.	223	23,142	17	10.1	4.4-15.8	13	8.8	3.7-13.9	4	3.2	0.0- 6.5	5	2.4	0.0- 4.8	16	7.1	3.2-11.0	168	68.4	60.2-76.6
Some Post-H.S.	377	49,209	23	7.7	4.2-11.2	16	4.3	1.8- 6.8	4	1.4	0.0- 3.2	9	2.8	0.4- 5.2	22	7.5	4.0-11.0	303	76.4	70.7-82.1
College Graduate	626	52,805	55	11.3	8.2-14.4	28	5.5	3.3- 7.7	8	1.6	0.2- 3.0	8	1.8	0.4- 3.2	20	3.4	1.6- 5.2	507	76.5	72.4-80.6
\$15,000- 24,999	50	6,912	4	16.4	0.7-32.1	3	3.9	0.0- 8.6	1	4.2	0.0-12.2	4	15.0	0.0-32.1	6	7.9	0.5-15.3	32	52.6	33.8-71.4
\$25,000- 34,999	94	8,711	6	12.0	0.6-23.4	6	5.5	0.6-10.4	1	1.6	0.0- 4.7	2	2.8	0.0- 7.5	7	11.6	1.4-21.8	72	66.5	52.6-80.4
\$35,000- 49,999	109	11,791	8	7.0	1.7-12.3	5	4.1	0.2- 8.0	1	0.6	0.0- 1.8	1	1.4	0.0- 3.9	5	8.6	0.4-16.8	89	78.4	68.0-88.8
\$50,000- 99,999	376	37,290	37	11.3	7.4-15.2	17	6.5	2.8-10.2	5	2.0	0.0- 4.0	6	1.7	0.1- 3.3	15	3.6	1.6- 5.6	296	74.8	69.3-80.3
\$100,000 - 199,999	314	33,478	29	10.1	6.2-14.0	16	6.4	3.1- 9.7	3	1.5	0.0- 3.5	4	1.5	0.0- 3.1	14	5.0	2.1- 7.9	248	75.4	69.7-81.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2841	294,418	757	22.4	20.6-24.2	711	23.5	21.5-25.5	425	14.9	13.3-16.5	235	8.3	7.1- 9.5	713	30.9	28.7-33.1
Male	1609	166,391	320	16.7	14.7-18.7	316	17.5	15.3-19.7	273	15.6	13.6-17.6	149	8.7	7.1-10.3	551	41.5	38.6-44.4
Female	1232	128,028	437	29.8	26.7-32.9	395	31.2	27.9-34.5	152	14.1	11.4-16.8	86	7.9	5.9- 9.9	162	17.1	14.4-19.8
Non-Native	2762	284,418	737	22.4	20.6-24.2	701	23.7	21.7-25.7	410	14.9	13.1-16.7	229	8.4	7.2- 9.6	685	30.5	28.3-32.7
18-24	151	40,512	11	7.9	3.2-12.6	28	21.6	14.0-29.2	28	19.4	12.5-26.3	10	6.0	2.3- 9.7	74	45.1	36.7-53.5
25-34	349	59,222	50	15.0	10.9-19.1	62	18.7	14.2-23.2	51	13.8	10.1-17.5	36	10.7	7.0-14.4	150	41.8	36.3-47.3
35-44	372	51,815	73	20.0	15.7-24.3	76	21.5	17.0-26.0	58	15.5	11.6-19.4	30	7.4	4.7-10.1	135	35.5	30.2-40.8
45-54	385	40,404	69	18.9	14.4-23.4	93	24.2	19.5-28.9	54	13.4	9.9-16.9	31	7.6	4.9-10.3	138	36.0	30.7-41.3
55-64	514	42,644	140	30.5	25.8-35.2	129	25.4	21.1-29.7	74	12.7	9.6-15.8	52	10.2	7.3-13.1	119	21.1	17.4-24.8
65+	1070	59,822	414	38.2	34.9-41.5	323	29.2	26.1-32.3	160	15.0	12.6-17.4	76	7.6	5.8- 9.4	97	10.0	8.0-12.0
Less Than H.S.	55	10,871	14	11.3	4.2-18.4	8	22.1	5.2-39.0	7	13.3	1.9-24.7	5	6.2	0.1-12.3	21	47.0	29.9-64.1
H.S. or G.E.D.	618	64,693	142	20.0	16.3-23.7	160	22.5	18.4-26.6	76	11.7	8.6-14.8	50	8.2	5.7-10.7	190	37.7	33.0-42.4
Some Post-H.S.	869	116,629	245	24.2	21.1-27.3	204	22.5	19.4-25.6	113	13.7	10.8-16.6	75	8.6	6.2-11.0	232	31.0	27.3-34.7
College Graduate	1295	101,821	355	23.1	20.6-25.6	337	25.4	22.7-28.1	229	18.5	16.0-21.0	104	8.2	6.4-10.0	270	24.8	21.9-27.7
\$15,000- 24,999	93	11,056	30	26.8	15.6-38.0	20	22.9	11.1-34.7	7	6.8	0.7-12.9	11	17.2	5.2-29.2	25	26.3	14.7-37.9
\$25,000- 34,999	190	18,758	59	21.7	15.0-28.4	48	22.3	14.3-30.3	25	14.6	8.1-21.1	13	5.2	1.7- 8.7	45	36.2	26.6-45.8
\$35,000- 49,999	269	26,861	69	19.0	13.5-24.5	80	26.4	19.3-33.5	44	20.1	12.8-27.4	21	9.2	4.9-13.5	55	25.3	18.4-32.2
\$50,000- 99,999	909	92,418	229	22.6	19.5-25.7	224	21.6	18.5-24.7	135	14.6	11.7-17.5	76	8.8	6.4-11.2	245	32.3	28.6-36.0
\$100,000 - 199,999	742	81,548	162	19.8	16.5-23.1	176	22.9	19.2-26.6	121	15.2	12.3-18.1	65	8.0	5.8-10.2	218	34.1	30.0-38.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1609	166,391	320	16.7	14.7-18.7	316	17.5	15.3-19.7	273	15.6	13.6-17.6	149	8.7	7.1-10.3	551	41.5	38.6-44.4
Non-Native	1559	159,951	307	16.4	14.4-18.4	310	17.7	15.5-19.9	262	15.6	13.4-17.8	146	9.0	7.4-10.6	534	41.4	38.5-44.3
18-24	90	20,892	3	3.9	0.0- 8.4	10	12.1	4.5-19.7	15	15.8	8.2-23.4	5	4.8	0.7- 8.9	57	63.4	52.8-74.0
25-34	216	34,989	20	9.4	5.3-13.5	32	16.1	10.8-21.4	28	11.3	7.0-15.6	18	8.3	4.4-12.2	118	54.9	47.8-62.0
35-44	226	32,091	36	17.1	11.6-22.6	33	15.5	10.2-20.8	37	16.4	11.1-21.7	20	8.7	4.8-12.6	100	42.3	35.2-49.4
45-54	222	22,755	26	12.4	7.5-17.3	37	15.9	10.8-21.0	31	13.2	8.5-17.9	19	8.3	4.4-12.2	109	50.2	42.9-57.5
55-64	295	24,155	60	21.8	16.5-27.1	55	20.2	14.9-25.5	58	18.6	13.7-23.5	30	10.6	6.7-14.5	92	28.9	23.4-34.4
65+	560	31,509	175	32.2	27.7-36.7	149	23.9	20.0-27.8	104	18.6	14.9-22.3	57	10.7	7.8-13.6	75	14.5	11.2-17.8
H.S. or G.E.D.	398	41,771	73	15.7	11.8-19.6	90	19.5	15.2-23.8	48	11.1	7.6-14.6	38	9.1	6.0-12.2	149	44.6	38.7-50.5
Some Post-H.S.	496	67,594	101	17.7	14.0-21.4	86	16.6	12.9-20.3	75	14.4	10.9-17.9	48	9.1	6.4-11.8	186	42.1	37.2-47.0
College Graduate	676	49,567	140	17.6	14.5-20.7	133	17.5	14.2-20.8	144	21.4	17.9-24.9	60	8.5	6.1-10.9	199	35.1	30.8-39.4
\$25,000- 34,999	94	9,634	27	18.1	10.3-25.9	24	24.8	12.3-37.3	13	14.8	5.6-24.0	4	4.3	0.0- 9.6	26	38.0	24.5-51.5
\$35,000- 49,999	158	14,733	27	13.1	7.4-18.8	42	22.0	14.6-29.4	30	19.0	11.7-26.3	15	10.9	5.0-16.8	44	34.9	25.5-44.3
\$50,000- 99,999	533	55,090	101	16.9	13.2-20.6	102	16.1	12.6-19.6	91	15.5	12.0-19.0	47	8.7	6.0-11.4	192	42.9	37.8-48.0
\$100,000 - 199,999	434	48,590	70	14.8	11.1-18.5	73	16.5	12.4-20.6	72	14.4	10.7-18.1	44	8.9	6.0-11.8	175	45.5	40.0-51.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1232	128,028	437	29.8	26.7-32.9	395	31.2	27.9-34.5	152	14.1	11.4-16.8	86	7.9	5.9- 9.9	162	17.1	14.4-19.8
Non-Native	1203	124,467	430	30.1	27.0-33.2	391	31.5	28.2-34.8	148	14.1	11.4-16.8	83	7.7	5.7- 9.7	151	16.6	13.9-19.3
18-24	61	19,620	8	12.2	4.0-20.4	18	31.7	18.8-44.6	13	23.2	11.6-34.8	5	7.2	0.7-13.7	17	25.6	14.4-36.8
25-34	133	24,233	30	23.1	15.5-30.7	30	22.5	14.7-30.3	23	17.4	10.3-24.5	18	14.2	7.3-21.1	32	22.7	15.3-30.1
35-44	146	19,724	37	24.8	17.5-32.1	43	31.4	23.4-39.4	21	14.0	8.1-19.9	10	5.2	1.7- 8.7	35	24.6	17.2-32.0
45-54	163	17,648	43	27.2	19.6-34.8	56	34.9	26.9-42.9	23	13.6	7.9-19.3	12	6.7	2.8-10.6	29	17.6	11.3-23.9
55-64	219	18,489	80	41.9	34.3-49.5	74	32.2	25.3-39.1	16	5.1	2.4- 7.8	22	9.8	5.3-14.3	27	11.0	6.7-15.3
65+	510	28,313	239	44.8	39.7-49.9	174	35.1	30.2-40.0	56	11.0	7.9-14.1	19	4.2	2.0- 6.4	22	5.0	2.8- 7.2
H.S. or G.E.D.	220	22,922	69	27.7	20.3-35.1	70	27.9	19.7-36.1	28	12.7	6.6-18.8	12	6.7	2.4-11.0	41	25.1	17.5-32.7
Some Post-H.S.	373	49,035	144	33.0	27.5-38.5	118	30.5	24.8-36.2	38	12.8	8.1-17.5	27	8.0	4.3-11.7	46	15.8	10.9-20.7
College Graduate	619	52,255	215	28.2	24.1-32.3	204	32.9	28.4-37.4	85	15.9	12.4-19.4	44	7.9	5.4-10.4	71	15.1	11.6-18.6
\$25,000- 34,999	96	9,124	32	25.5	15.1-35.9	24	19.7	10.3-29.1	12	14.3	4.9-23.7	9	6.2	1.3-11.1	19	34.3	20.4-48.2
\$35,000- 49,999	111	12,127	42	26.3	16.1-36.5	38	31.6	19.1-44.1	14	21.4	8.1-34.7	6	7.1	1.2-13.0	11	13.7	4.7-22.7
\$50,000- 99,999	376	37,329	128	31.1	25.4-36.8	122	29.8	24.3-35.3	44	13.4	8.7-18.1	29	9.0	5.1-12.9	53	16.6	11.9-21.3
\$100,000 - 199,999	308	32,958	92	27.3	21.6-33.0	103	32.3	25.8-38.8	49	16.3	11.4-21.2	21	6.8	3.7- 9.9	43	17.3	12.2-22.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 14: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR A FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1 MALES AND FEMALES	250
2 MALES ONLY	251
3 FEMALES ONLY	252
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4 MALES AND FEMALES	253
5 MALES ONLY	254
6 FEMALES ONLY	255
AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA5)	
7 MALES AND FEMALES	256
8 MALES ONLY	257
9 FEMALES ONLY	258
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10 MALES AND FEMALES	259
11 MALES ONLY	260
12 FEMALES ONLY	261

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR A FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5259	542,530	2489	40.7	38.9-42.5	2770	59.3	57.5-61.1
Male	2714	282,778	1130	34.3	32.1-36.5	1584	65.7	63.5-67.9
Female	2545	259,752	1359	47.6	45.1-50.1	1186	52.4	49.9-54.9
Native	146	21,552	48	35.3	25.3-45.3	98	64.7	54.7-74.7
Non-Native	5036	513,232	2402	40.8	39.0-42.6	2634	59.2	57.4-61.0
18-24	295	83,141	89	32.6	26.5-38.7	206	67.4	61.3-73.5
25-34	555	95,748	174	30.7	26.6-34.8	381	69.3	65.2-73.4
35-44	628	91,621	224	33.5	29.6-37.4	404	66.5	62.6-70.4
45-54	659	70,730	236	34.5	30.6-38.4	423	65.5	61.6-69.4
55-64	889	75,123	377	42.3	38.6-46.0	512	57.7	54.0-61.4
65+	2233	126,167	1389	61.2	58.8-63.6	844	38.8	36.4-41.2
Less Than H.S.	175	36,015	58	27.2	19.0-35.4	117	72.8	64.6-81.0
H.S. or G.E.D.	1369	138,305	508	32.5	29.4-35.6	861	67.5	64.4-70.6
Some Post-H.S.	1588	205,607	724	39.9	37.0-42.8	864	60.1	57.2-63.0
College Graduate	2113	160,734	1192	51.7	49.2-54.2	921	48.3	45.8-50.8
Less than \$15,000	163	18,068	54	28.8	19.4-38.2	109	71.2	61.8-80.6
\$15,000- 24,999	288	29,614	134	46.8	39.0-54.6	154	53.2	45.4-61.0
\$25,000- 34,999	454	44,157	197	36.2	30.5-41.9	257	63.8	58.1-69.5
\$35,000- 49,999	545	55,015	270	40.6	35.1-46.1	275	59.4	53.9-64.9
\$50,000- 99,999	1543	156,805	734	40.0	37.1-42.9	809	60.0	57.1-62.9
\$100,000 - 199,999	1094	119,458	508	40.6	37.3-43.9	586	59.4	56.1-62.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR A FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2714	282,778	1130	34.3	32.1-36.5	1584	65.7	63.5-67.9
Native	78	12,165	23	34.7	21.2-48.2	55	65.3	51.8-78.8
Non-Native	2587	265,861	1088	34.4	32.2-36.6	1499	65.6	63.4-67.8
18-24	183	44,878	42	22.0	15.7-28.3	141	78.0	71.7-84.3
25-34	325	52,190	78	23.5	18.4-28.6	247	76.5	71.4-81.6
35-44	346	49,522	103	27.7	22.6-32.8	243	72.3	67.2-77.4
45-54	367	37,714	106	27.3	22.4-32.2	261	72.7	67.8-77.6
55-64	476	39,323	183	38.7	33.8-43.6	293	61.3	56.4-66.2
65+	1017	59,152	618	60.4	56.9-63.9	399	39.6	36.1-43.1
Less Than H.S.	104	21,245	27	16.5	9.4-23.6	77	83.5	76.4-90.6
H.S. or G.E.D.	783	78,965	251	27.6	23.9-31.3	532	72.4	68.7-76.1
Some Post-H.S.	808	107,638	328	34.1	30.4-37.8	480	65.9	62.2-69.6
College Graduate	1011	73,647	521	47.2	43.7-50.7	490	52.8	49.3-56.3
Less than \$15,000	74	8,522	26	30.3	16.2-44.4	48	69.7	55.6-83.8
\$15,000- 24,999	122	12,011	41	30.2	20.0-40.4	81	69.8	59.6-80.0
\$25,000- 34,999	200	20,209	77	25.4	18.7-32.1	123	74.6	67.9-81.3
\$35,000- 49,999	279	27,053	120	34.2	27.5-40.9	159	65.8	59.1-72.5
\$50,000- 99,999	862	88,846	356	34.1	30.4-37.8	506	65.9	62.2-69.6
\$100,000 - 199,999	625	70,069	253	35.0	30.7-39.3	372	65.0	60.7-69.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR A FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2545	259,752	1359	47.6	45.1-50.1	1186	52.4	49.9-54.9
Native	68	9,386	25	35.9	20.6-51.2	43	64.1	48.8-79.4
Non-Native	2449	247,370	1314	47.7	45.2-50.2	1135	52.3	49.8-54.8
18-24	112	38,263	47	44.9	34.9-54.9	65	55.1	45.1-65.1
25-34	230	43,558	96	39.5	32.6-46.4	134	60.5	53.6-67.4
35-44	282	42,098	121	40.2	33.9-46.5	161	59.8	53.5-66.1
45-54	292	33,016	130	42.8	36.5-49.1	162	57.2	50.9-63.5
55-64	413	35,801	194	46.3	40.6-52.0	219	53.7	48.0-59.4
65+	1216	67,016	771	62.0	58.7-65.3	445	38.0	34.7-41.3
Less Than H.S.	71	14,770	31	42.5	26.8-58.2	40	57.5	41.8-73.2
H.S. or G.E.D.	586	59,339	257	39.0	33.5-44.5	329	61.0	55.5-66.5
Some Post-H.S.	780	97,969	396	46.3	42.0-50.6	384	53.7	49.4-58.0
College Graduate	1102	87,087	671	55.5	52.0-59.0	431	44.5	41.0-48.0
Less than \$15,000	89	9,546	28	27.5	15.2-39.8	61	72.5	60.2-84.8
\$15,000- 24,999	166	17,602	93	58.1	47.5-68.7	73	41.9	31.3-52.5
\$25,000- 34,999	254	23,948	120	45.3	37.1-53.5	134	54.7	46.5-62.9
\$35,000- 49,999	266	27,962	150	46.7	38.3-55.1	116	53.3	44.9-61.7
\$50,000- 99,999	681	67,958	378	47.7	42.8-52.6	303	52.3	47.4-57.2
\$100,000 - 199,999	469	49,389	255	48.5	43.0-54.0	214	51.5	46.0-57.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Jan-Apr 2023			May-Aug 2023			Sep-Dec 2023			Jan-Apr 2024			May-Aug 2024			Sep-Dec 2024		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2286	199,024	8	0.3	0.1- 0.5	29	1.5	0.9- 2.1	1448	62.4	59.9-64.9	177	8.6	7.0-10.2	39	2.1	1.1- 3.1	585	25.1	22.7-27.5
Male	1027	86,576	7	0.6	0.2- 1.0	17	1.8	0.8- 2.8	614	59.5	55.8-63.2	96	10.1	7.7-12.5	22	2.1	0.9- 3.3	271	26.0	22.7-29.3
Female	1259	112,449	1	0.0	0.0- 0.0	12	1.3	0.3- 2.3	834	64.6	60.9-68.3	81	7.5	5.3- 9.7	17	2.1	0.5- 3.7	314	24.4	21.3-27.5
Non-Native	2216	190,047	8	0.3	0.1- 0.5	29	1.6	0.8- 2.4	1410	62.9	60.4-65.4	167	8.4	6.8-10.0	33	1.7	0.7- 2.7	569	25.1	22.7-27.5
18-24	73	21,806				1	1.6	0.0- 4.7	43	55.3	42.6-68.0	10	14.7	5.7-23.7	4	7.3	0.0-15.1	15	21.1	10.7-31.5
25-34	159	27,217				5	3.0	0.3- 5.7	98	61.1	52.9-69.3	18	10.0	5.3-14.7	4	2.4	0.0- 4.9	34	23.5	16.1-30.9
35-44	205	26,945							139	67.3	60.4-74.2	14	6.6	3.1-10.1	3	1.6	0.0- 3.4	49	24.5	18.0-31.0
45-54	211	21,597	1	0.7	0.0- 2.1	4	2.2	0.0- 4.6	130	62.3	55.2-69.4	13	6.8	3.1-10.5	2	0.9	0.0- 2.3	61	27.1	20.8-33.4
55-64	361	30,436	2	0.5	0.0- 1.3	7	2.0	0.4- 3.6	219	61.1	55.2-67.0	32	9.9	6.0-13.8	4	1.2	0.0- 2.4	97	25.2	20.1-30.3
65+	1277	71,024	5	0.3	0.1- 0.5	12	1.1	0.3- 1.9	819	63.6	60.5-66.7	90	7.0	5.4- 8.6	22	1.4	0.8- 2.0	329	26.6	23.7-29.5
Less Than H.S.	50	8,455							27	44.9	26.1-63.7	4	10.5	0.0-24.6	1	3.4	0.0-10.1	18	41.2	22.2-60.2
H.S. or G.E.D.	452	39,550	2	0.5	0.0- 1.1	7	2.1	0.1- 4.1	289	62.1	55.6-68.6	37	9.0	5.5-12.5	11	4.3	0.0- 8.6	106	22.1	17.0-27.2
Some Post-H.S.	653	72,118	1	0.2	0.0- 0.6	7	1.4	0.2- 2.6	420	61.8	57.3-66.3	58	10.4	7.3-13.5	10	1.5	0.3- 2.7	157	24.7	20.8-28.6
College Graduate	1127	78,462	5	0.2	0.0- 0.4	15	1.5	0.5- 2.5	711	65.1	61.8-68.4	76	6.5	4.9- 8.1	17	1.5	0.5- 2.5	303	25.2	22.3-28.1
\$15,000- 24,999	124	12,699	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	76	52.6	40.3-64.9	10	13.6	4.2-23.0	3	4.7	0.0-10.2	33	28.6	17.2-40.0
\$25,000- 34,999	173	13,898				5	2.7	0.0- 5.4	110	62.1	52.1-72.1	9	3.7	1.0- 6.4	5	2.4	0.0- 4.8	44	29.1	19.3-38.9
\$35,000- 49,999	242	19,213	2	0.5	0.0- 1.3	3	1.3	0.0- 2.9	147	56.3	47.5-65.1	19	14.7	6.5-22.9	6	3.2	0.0- 6.9	65	24.1	17.4-30.8
\$50,000- 99,999	699	58,875	1	0.1	0.0- 0.3	10	2.4	0.6- 4.2	452	64.9	60.6-69.2	49	7.1	4.7- 9.5	12	1.2	0.4- 2.0	175	24.4	20.5-28.3
\$100,000 - 199,999	490	46,007	3	0.7	0.0- 1.5	5	1.0	0.0- 2.0	328	66.4	61.3-71.5	32	7.5	4.4-10.6	5	1.0	0.0- 2.0	117	23.4	18.9-27.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Jan-Apr 2023			May-Aug 2023			Sep-Dec 2023			Jan-Apr 2024			May-Aug 2024			Sep-Dec 2024		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1027	86,576	7	0.6	0.2- 1.0	17	1.8	0.8- 2.8	614	59.5	55.8-63.2	96	10.1	7.7-12.5	22	2.1	0.9- 3.3	271	26.0	22.7-29.3
Non-Native	997	82,760	7	0.6	0.0- 1.2	17	1.9	0.9- 2.9	598	59.7	56.0-63.4	93	9.9	7.5-12.3	21	2.1	0.9- 3.3	261	25.8	22.5-29.1
25-34	67	10,588				3	3.8	0.0- 8.1	38	58.4	45.5-71.3	12	18.1	7.9-28.3	3	3.4	0.0- 7.3	11	16.3	6.5-26.1
35-44	96	12,173							61	59.8	49.2-70.4	8	7.9	2.2-13.6	2	2.0	0.0- 4.7	25	30.3	20.1-40.5
45-54	92	8,911	1	1.6	0.0- 4.7	4	5.3	0.0-10.8	51	53.4	42.2-64.6	5	6.1	0.6-11.6	2	2.3	0.0- 5.4	29	31.4	21.0-41.8
55-64	173	14,248	2	1.1	0.0- 2.9	5	3.1	0.2- 6.0	114	65.5	57.5-73.5	16	9.6	4.5-14.7	2	1.1	0.0- 2.7	34	19.6	12.9-26.3
65+	565	32,762	4	0.6	0.0- 1.2	5	0.8	0.0- 1.6	330	59.2	54.5-63.9	51	8.6	5.9-11.3	11	1.3	0.5- 2.1	164	29.6	25.3-33.9
H.S. or G.E.D.	225	19,141	2	0.9	0.0- 2.3	5	2.1	0.0- 4.3	141	66.9	59.5-74.3	18	7.6	3.5-11.7	5	1.8	0.0- 3.6	54	20.6	14.5-26.7
Some Post-H.S.	292	32,222	1	0.5	0.0- 1.3	4	1.4	0.0- 2.8	172	54.7	48.0-61.4	30	12.9	8.0-17.8	6	1.8	0.0- 3.6	79	28.8	22.7-34.9
College Graduate	486	32,231	4	0.5	0.0- 1.1	8	2.2	0.4- 4.0	289	60.3	55.2-65.4	44	8.4	5.7-11.1	11	2.9	0.9- 4.9	130	25.8	21.3-30.3
\$25,000- 34,999	66	4,339				3	3.5	0.0- 7.6	37	53.5	38.8-68.2	4	4.0	0.0- 8.1	2	2.4	0.0- 5.7	20	36.6	21.7-51.5
\$35,000- 49,999	108	7,698	1	0.8	0.0- 2.4	1	0.8	0.0- 2.4	56	48.4	37.0-59.8	10	11.2	3.6-18.8	2	1.8	0.0- 4.9	38	37.0	25.6-48.4
\$50,000- 99,999	335	28,156	1	0.1	0.0- 0.3	6	2.1	0.1- 4.1	205	62.1	56.0-68.2	30	9.8	5.7-13.9	10	2.3	0.7- 3.9	83	23.6	18.3-28.9
\$100,000 - 199,999	242	23,038	3	1.4	0.0- 3.0	5	2.0	0.0- 4.0	157	60.5	53.1-67.9	22	11.1	5.8-16.4	4	1.1	0.0- 2.5	51	23.9	17.2-30.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			Jan-Apr 2023			May-Aug 2023			Sep-Dec 2023			Jan-Apr 2024			May-Aug 2024			Sep-Dec 2024		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1259	112,449	1	0.0	0.0- 0.0	12	1.3	0.3- 2.3	834	64.6	60.9-68.3	81	7.5	5.3- 9.7	17	2.1	0.5- 3.7	314	24.4	21.3-27.5
Non-Native	1219	107,287	1	0.0	0.0- 0.0	12	1.3	0.3- 2.3	812	65.4	61.7-69.1	74	7.2	5.0- 9.4	12	1.5	0.0- 3.1	308	24.6	21.3-27.9
25-34	92	16,629				2	2.5	0.0- 6.0	60	62.8	52.0-73.6	6	4.9	1.0- 8.8	1	1.7	0.0- 5.0	23	28.0	17.6-38.4
35-44	109	14,772							78	73.5	64.9-82.1	6	5.5	1.0-10.0	1	1.2	0.0- 3.6	24	19.7	12.1-27.3
45-54	119	12,686							79	68.6	59.8-77.4	8	7.3	2.0-12.6				32	24.0	16.2-31.8
55-64	188	16,188				2	1.0	0.0- 2.6	105	57.2	48.8-65.6	16	10.2	4.1-16.3	2	1.3	0.0- 3.3	63	30.2	22.8-37.6
65+	712	38,262	1	0.1	0.0- 0.3	7	1.3	0.1- 2.5	489	67.5	63.4-71.6	39	5.6	3.6- 7.6	11	1.6	0.6- 2.6	165	24.0	20.3-27.7
H.S. or G.E.D.	227	20,409				2	2.2	0.0- 5.5	148	57.5	47.5-67.5	19	10.2	4.7-15.7	6	6.6	0.0-14.4	52	23.5	15.5-31.5
Some Post-H.S.	361	39,897				3	1.3	0.0- 2.9	248	67.6	61.5-73.7	28	8.4	4.7-12.1	4	1.3	0.0- 2.7	78	21.4	16.3-26.5
College Graduate	641	46,232	1	0.1	0.0- 0.3	7	1.0	0.2- 1.8	422	68.5	64.2-72.8	32	5.1	3.1- 7.1	6	0.6	0.2- 1.0	173	24.8	20.9-28.7
\$15,000- 24,999	89	9,430				1	0.5	0.0- 1.5	57	53.3	38.4-68.2	5	11.3	1.1-21.5	2	4.0	0.0-10.1	24	30.8	16.7-44.9
\$25,000- 34,999	107	9,559				2	2.3	0.0- 6.0	73	66.0	53.3-78.7	5	3.6	0.3- 6.9	3	2.4	0.0- 5.3	24	25.7	13.2-38.2
\$35,000- 49,999	134	11,516	1	0.3	0.0- 0.9	2	1.7	0.0- 4.1	91	61.5	48.8-74.2	9	17.0	4.5-29.5	4	4.1	0.0- 9.8	27	15.4	8.1-22.7
\$50,000- 99,999	364	30,719				4	2.6	0.0- 5.5	247	67.4	61.1-73.7	19	4.7	2.3- 7.1	2	0.2	0.0- 0.4	92	25.1	19.6-30.6
\$100,000 - 199,999	248	22,969							171	72.3	65.8-78.8	10	4.0	1.1- 6.9	1	0.8	0.0- 2.4	66	22.9	17.0-28.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 7. AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA5)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2465	218,730	681	31.0	28.5-33.5	843	31.6	29.2-34.0	34	1.1	0.5- 1.7	581	19.1	17.3-20.9	325	17.2	15.0-19.4	1	0.1	0.0- 0.3
Male	1115	95,649	326	32.0	28.7-35.3	387	33.0	29.7-36.3	17	1.2	0.6- 1.8	252	18.3	15.8-20.8	133	15.5	12.8-18.2			
Female	1350	123,081	355	30.2	26.7-33.7	456	30.6	27.3-33.9	17	1.0	0.0- 2.0	329	19.7	17.2-22.2	192	18.5	15.6-21.4	1	0.1	0.0- 0.3
Non-Native	2380	207,796	653	30.9	28.4-33.4	813	31.3	28.9-33.7	34	1.1	0.5- 1.7	566	19.7	17.7-21.7	313	17.0	14.8-19.2	1	0.1	0.0- 0.3
18-24	88	26,852	29	36.1	24.7-47.5	25	26.0	16.0-36.0	1	2.0	0.0- 5.7	7	7.2	1.7-12.7	26	28.7	18.5-38.9			
25-34	172	29,091	62	36.1	28.3-43.9	49	29.1	21.7-36.5				21	12.2	7.1-17.3	40	22.6	15.9-29.3			
35-44	220	30,067	67	32.6	25.5-39.7	64	30.0	23.1-36.9	1	0.7	0.0- 2.1	36	14.9	10.0-19.8	52	21.8	16.1-27.5			
45-54	234	24,302	78	34.4	27.7-41.1	69	27.0	21.1-32.9				24	11.4	6.9-15.9	63	27.2	20.9-33.5			
55-64	376	31,761	105	28.0	22.7-33.3	114	32.0	26.5-37.5	4	0.8	0.0- 1.6	90	22.5	17.6-27.4	63	16.8	12.5-21.1			
65+	1375	76,656	340	26.8	24.1-29.5	522	36.5	33.6-39.4	28	1.8	1.0- 2.6	403	28.5	25.8-31.2	81	6.2	4.6- 7.8	1	0.2	0.0- 0.6
Less Than H.S.	58	9,789	28	59.0	42.3-75.7	18	27.0	11.7-42.3	1	0.6	0.0- 1.8	8	9.8	2.2-17.4	3	3.6	0.0- 8.1			
H.S. or G.E.D.	498	44,238	159	35.7	29.6-41.8	189	35.2	29.3-41.1	11	1.7	0.5- 2.9	83	13.6	9.9-17.3	56	13.8	9.7-17.9			
Some Post-H.S.	721	81,479	193	27.8	23.9-31.7	269	33.7	29.6-37.8	8	1.3	0.0- 2.7	154	17.8	14.7-20.9	96	19.2	15.1-23.3	1	0.2	0.0- 0.6
College Graduate	1181	82,374	297	27.9	24.8-31.0	366	28.5	25.6-31.4	13	0.5	0.1- 0.9	335	24.4	21.7-27.1	170	18.8	16.1-21.5			
Less than \$15,000	53	5,098	23	43.9	24.7-63.1	25	48.5	28.9-68.1				3	4.9	0.0-12.0	2	2.7	0.0- 6.6			
\$15,000- 24,999	133	13,847	55	46.0	34.2-57.8	40	26.3	16.1-36.5	1	0.1	0.0- 0.3	26	15.7	8.6-22.8	11	11.8	3.2-20.4			
\$25,000- 34,999	196	15,983	55	31.0	22.0-40.0	77	36.0	27.2-44.8	5	1.6	0.2- 3.0	36	13.9	8.8-19.0	23	17.6	10.0-25.2			
\$35,000- 49,999	269	22,108	80	30.0	22.6-37.4	96	35.7	27.5-43.9	3	0.7	0.0- 1.5	63	16.1	11.2-21.0	27	17.4	10.0-24.8			
\$50,000- 99,999	727	62,321	194	29.3	25.0-33.6	243	30.4	26.3-34.5	9	1.7	0.0- 3.5	174	19.0	15.7-22.3	106	19.4	15.5-23.3	1	0.2	0.0- 0.6
\$100,000 - 199,999	504	48,100	121	27.9	22.8-33.0	152	28.5	23.8-33.2	4	0.4	0.0- 0.8	133	22.1	18.0-26.2	94	21.1	16.8-25.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 8: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1115	95,649	326	32.0	28.7-35.3	387	33.0	29.7-36.3	17	1.2	0.6- 1.8	252	18.3	15.8-20.8	133	15.5	12.8-18.2
Non-Native	1075	90,323	314	32.3	28.8-35.8	374	32.9	29.6-36.2	17	1.2	0.4- 2.0	246	19.0	16.3-21.7	124	14.6	11.9-17.3
25-34	76	11,904	28	33.4	22.2-44.6	22	33.4	21.1-45.7				8	10.7	3.3-18.1	18	22.6	12.8-32.4
35-44	101	13,411	30	35.9	25.1-46.7	24	22.0	13.6-30.4	1	1.5	0.0- 4.4	20	17.3	9.9-24.7	26	23.4	15.0-31.8
45-54	105	10,214	33	33.9	23.9-43.9	39	34.1	24.5-43.7				9	10.7	4.0-17.4	24	21.3	12.9-29.7
55-64	183	15,199	58	32.4	24.8-40.0	62	35.3	27.3-43.3	3	1.0	0.0- 2.2	41	20.2	13.7-26.7	19	11.2	6.1-16.3
65+	609	35,254	167	31.5	27.0-36.0	226	36.0	31.5-40.5	13	2.1	0.7- 3.5	170	25.1	21.4-28.8	33	5.3	3.3- 7.3
H.S. or G.E.D.	244	21,179	72	29.5	22.4-36.6	98	39.7	31.7-47.7	4	1.5	0.0- 3.1	37	11.9	7.2-16.6	33	17.5	11.2-23.8
Some Post-H.S.	325	36,159	103	33.0	26.9-39.1	117	35.1	29.0-41.2	3	1.0	0.0- 2.4	66	16.1	11.8-20.4	36	14.8	9.7-19.9
College Graduate	516	34,432	133	28.6	23.9-33.3	166	28.5	24.2-32.8	8	0.9	0.3- 1.5	146	25.4	21.1-29.7	63	16.5	12.4-20.6
\$25,000- 34,999	77	5,142	18	24.6	13.2-36.0	34	43.3	29.8-56.8	4	3.7	0.0- 7.4	13	14.7	6.5-22.9	8	13.6	2.8-24.4
\$35,000- 49,999	119	9,052	42	37.2	26.2-48.2	43	31.0	21.0-41.0				22	12.9	6.4-19.4	12	19.0	9.0-29.0
\$50,000- 99,999	352	30,065	106	33.9	27.8-40.0	118	32.6	26.9-38.3	5	1.4	0.0- 3.0	82	17.7	13.4-22.0	41	14.3	9.6-19.0
\$100,000 - 199,999	251	24,345	59	28.3	21.0-35.6	83	32.1	25.2-39.0	3	0.4	0.0- 1.0	63	20.2	14.7-25.7	43	19.0	13.1-24.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 9: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT OR VACCINE? (IMFVPLA5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Medical Pros (1,6,7)			Health Dept. Clinic (2,3)			Senior, Rec. or Comm Ctr (4)			A store or drugstore (5)			At work, school or some other place (8,9,11)			Vaccinated in Canada Mexico (10)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1350	123,081	355	30.2	26.7-33.7	456	30.6	27.3-33.9	17	1.0	0.0- 2.0	329	19.7	17.2-22.2	192	18.5	15.6-21.4	1	0.1	0.0- 0.3
Non-Native	1305	117,474	339	29.8	26.3-33.3	439	30.0	26.7-33.3	17	1.1	0.1- 2.1	320	20.2	17.7-22.7	189	18.8	15.9-21.7	1	0.1	0.0- 0.3
25-34	96	17,187	34	38.0	27.4-48.6	27	26.2	17.0-35.4				13	13.3	6.2-20.4	22	22.6	13.6-31.6			
35-44	119	16,656	37	29.9	20.9-38.9	40	36.5	26.5-46.5				16	13.0	6.7-19.3	26	20.6	13.0-28.2			
45-54	129	14,088	45	34.8	26.0-43.6	30	21.9	14.5-29.3				15	12.0	5.7-18.3	39	31.4	22.6-40.2			
55-64	193	16,562	47	24.0	16.7-31.3	52	28.9	21.3-36.5	1	0.6	0.0- 1.8	49	24.7	17.4-32.0	44	21.9	15.2-28.6			
65+	766	41,401	173	22.8	19.3-26.3	296	37.0	32.9-41.1	15	1.5	0.5- 2.5	233	31.4	27.5-35.3	48	7.0	4.8- 9.2	1	0.3	0.0- 0.9
H.S. or G.E.D.	254	23,059	87	41.5	32.3-50.7	91	31.1	23.1-39.1	7	1.9	0.3- 3.5	46	15.2	9.3-21.1	23	10.4	5.1-15.7			
Some Post-H.S.	396	45,320	90	23.8	18.5-29.1	152	32.5	26.6-38.4	5	1.6	0.0- 4.0	88	19.2	14.9-23.5	60	22.6	16.5-28.7	1	0.3	0.0- 0.9
College Graduate	665	47,942	164	27.5	23.2-31.8	200	28.4	24.3-32.5	5	0.2	0.0- 0.4	189	23.6	19.9-27.3	107	20.4	16.5-24.3			
\$15,000- 24,999	92	10,215	37	48.1	33.8-62.4	29	28.0	15.5-40.5	1	0.2	0.0- 0.6	17	13.9	5.7-22.1	8	9.8	1.2-18.4			
\$25,000- 34,999	119	10,841	37	34.0	22.0-46.0	43	32.6	21.6-43.6	1	0.5	0.0- 1.5	23	13.4	7.1-19.7	15	19.5	9.3-29.7			
\$35,000- 49,999	150	13,056	38	25.0	15.4-34.6	53	38.9	26.9-50.9	3	1.3	0.0- 2.7	41	18.4	11.1-25.7	15	16.3	5.5-27.1			
\$50,000- 99,999	375	32,256	88	25.1	19.2-31.0	125	28.3	22.6-34.0	4	1.9	0.0- 5.0	92	20.2	15.3-25.1	65	24.0	17.9-30.1	1	0.4	0.0- 1.2
\$100,000 - 199,999	253	23,756	62	27.5	20.2-34.8	69	24.8	18.3-31.3	1	0.4	0.0- 1.2	70	24.1	18.0-30.2	51	23.2	16.9-29.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4845	478,079	2237	36.1	34.5-37.7	2608	63.9	62.3-65.5
Male	2455	245,468	970	31.5	29.3-33.7	1485	68.5	66.3-70.7
Female	2390	232,611	1267	41.0	38.5-43.5	1123	59.0	56.5-61.5
Native	132	18,849	58	38.8	28.2-49.4	74	61.2	50.6-71.8
Non-Native	4638	451,841	2146	36.1	34.3-37.9	2492	63.9	62.1-65.7
18-24	217	61,353	60	26.0	19.7-32.3	157	74.0	67.7-80.3
25-34	445	76,347	108	23.5	19.2-27.8	337	76.5	72.2-80.8
35-44	553	80,337	90	16.0	12.7-19.3	463	84.0	80.7-87.3
45-54	603	64,850	139	24.4	20.5-28.3	464	75.6	71.7-79.5
55-64	856	72,326	289	33.4	29.9-36.9	567	66.6	63.1-70.1
65+	2171	122,866	1551	70.0	67.6-72.4	620	30.0	27.6-32.4
Less Than H.S.	162	31,682	68	28.0	19.6-36.4	94	72.0	63.6-80.4
H.S. or G.E.D.	1252	119,566	546	33.4	30.3-36.5	706	66.6	63.5-69.7
Some Post-H.S.	1470	181,908	719	40.2	37.3-43.1	751	59.8	56.9-62.7
College Graduate	1948	143,134	899	35.2	32.8-37.6	1049	64.8	62.4-67.2
Less than \$15,000	146	15,773	62	42.2	31.4-53.0	84	57.8	47.0-68.6
\$15,000- 24,999	277	27,463	137	36.3	29.2-43.4	140	63.7	56.6-70.8
\$25,000- 34,999	428	40,261	230	40.8	34.9-46.7	198	59.2	53.3-65.1
\$35,000- 49,999	514	49,450	272	37.8	32.5-43.1	242	62.2	56.9-67.5
\$50,000- 99,999	1417	137,452	679	39.0	35.9-42.1	738	61.0	57.9-64.1
\$100,000 - 199,999	1001	106,504	352	29.0	25.9-32.1	649	71.0	67.9-74.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2455	245,468	970	31.5	29.3-33.7	1485	68.5	66.3-70.7
Native	68	10,342	22	26.4	14.2-38.6	46	73.6	61.4-85.8
Non-Native	2341	230,790	930	31.8	29.6-34.0	1411	68.2	66.0-70.4
18-24	137	33,421	37	25.4	17.8-33.0	100	74.6	67.0-82.2
25-34	254	40,885	50	19.2	14.1-24.3	204	80.8	75.7-85.9
35-44	299	42,518	49	16.6	11.9-21.3	250	83.4	78.7-88.1
45-54	335	34,396	63	19.1	14.4-23.8	272	80.9	76.2-85.6
55-64	455	37,488	150	31.9	27.2-36.6	305	68.1	63.4-72.8
65+	975	56,761	621	62.5	59.0-66.0	354	37.5	34.0-41.0
Less Than H.S.	90	17,219	30	22.6	12.8-32.4	60	77.4	67.6-87.2
H.S. or G.E.D.	704	67,221	241	27.3	23.6-31.0	463	72.7	69.0-76.4
Some Post-H.S.	740	95,215	303	34.5	30.6-38.4	437	65.5	61.6-69.4
College Graduate	913	64,532	393	34.1	30.8-37.4	520	65.9	62.6-69.2
Less than \$15,000	66	7,071	24	34.4	19.7-49.1	42	65.6	50.9-80.3
\$15,000- 24,999	114	10,829	43	30.1	20.3-39.9	71	69.9	60.1-79.7
\$25,000- 34,999	186	18,645	76	30.6	22.6-38.6	110	69.4	61.4-77.4
\$35,000- 49,999	258	23,519	118	33.3	26.6-40.0	140	66.7	60.0-73.4
\$50,000- 99,999	783	77,376	338	35.9	32.0-39.8	445	64.1	60.2-68.0
\$100,000 - 199,999	563	61,463	175	26.3	22.2-30.4	388	73.7	69.6-77.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 14: IMMUNIZATION**

TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2390	232,611	1267	41.0	38.5-43.5	1123	59.0	56.5-61.5
Native	64	8,507	36	53.9	37.2-70.6	28	46.1	29.4-62.8
Non-Native	2297	221,051	1216	40.5	38.0-43.0	1081	59.5	57.0-62.0
18-24	80	27,932	23	26.8	16.8-36.8	57	73.2	63.2-83.2
25-34	191	35,462	58	28.4	21.5-35.3	133	71.6	64.7-78.5
35-44	254	37,820	41	15.3	10.6-20.0	213	84.7	80.0-89.4
45-54	268	30,454	76	30.4	23.9-36.9	192	69.6	63.1-76.1
55-64	401	34,838	139	35.1	29.6-40.6	262	64.9	59.4-70.4
65+	1196	66,106	930	76.5	73.6-79.4	266	23.5	20.6-26.4
Less Than H.S.	72	14,463	38	34.4	20.5-48.3	34	65.6	51.7-79.5
H.S. or G.E.D.	548	52,345	305	41.3	35.8-46.8	243	58.7	53.2-64.2
Some Post-H.S.	730	86,692	416	46.4	41.9-50.9	314	53.6	49.1-58.1
College Graduate	1035	78,602	506	36.1	32.8-39.4	529	63.9	60.6-67.2
Less than \$15,000	80	8,703	38	48.5	33.6-63.4	42	51.5	36.6-66.4
\$15,000- 24,999	163	16,634	94	40.3	30.3-50.3	69	59.7	49.7-69.7
\$25,000- 34,999	242	21,616	154	49.7	41.3-58.1	88	50.3	41.9-58.7
\$35,000- 49,999	256	25,931	154	41.8	33.6-50.0	102	58.2	50.0-66.4
\$50,000- 99,999	634	60,076	341	43.1	38.2-48.0	293	56.9	52.0-61.8
\$100,000 - 199,999	438	45,042	177	32.6	27.5-37.7	261	67.4	62.3-72.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024

SECTION 15: HIV/AIDS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)	
1	MALES AND FEMALES	263
2	MALES ONLY	264
3	FEMALES ONLY	265
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4	MALES AND FEMALES	266
5	MALES ONLY	267
6	FEMALES ONLY	268
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7	MALES AND FEMALES	269
8	MALES ONLY	270
9	FEMALES ONLY	271

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 15: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4988	516,322	1377	31.7	29.9-33.5	3611	68.3	66.5-70.1
Male	2586	269,871	761	31.9	29.7-34.1	1825	68.1	65.9-70.3
Female	2402	246,451	616	31.6	29.1-34.1	1786	68.4	65.9-70.9
Native	141	20,862	75	56.9	46.5-67.3	66	43.1	32.7-53.5
Non-Native	4773	487,785	1278	30.6	28.8-32.4	3495	69.4	67.6-71.2
18-24	282	79,476	62	23.9	18.2-29.6	220	76.1	70.4-81.8
25-34	527	91,135	207	41.2	36.5-45.9	320	58.8	54.1-63.5
35-44	600	87,610	284	47.3	42.8-51.8	316	52.7	48.2-57.2
45-54	624	66,751	260	40.5	36.2-44.8	364	59.5	55.2-63.8
55-64	854	72,378	274	31.4	27.9-34.9	580	68.6	65.1-72.1
65+	2101	118,972	290	13.6	11.8-15.4	1811	86.4	84.6-88.2
Less Than H.S.	167	35,034	51	35.3	25.9-44.7	116	64.7	55.3-74.1
H.S. or G.E.D.	1288	130,948	336	30.0	26.9-33.1	952	70.0	66.9-73.1
Some Post-H.S.	1502	194,732	410	30.7	27.8-33.6	1092	69.3	66.4-72.2
College Graduate	2019	153,860	577	33.7	31.2-36.2	1442	66.3	63.8-68.8
Less than \$15,000	155	17,227	57	42.4	31.8-53.0	98	57.6	47.0-68.2
\$15,000- 24,999	277	28,827	77	29.6	22.3-36.9	200	70.4	63.1-77.7
\$25,000- 34,999	433	42,866	109	31.2	25.1-37.3	324	68.8	62.7-74.9
\$35,000- 49,999	524	53,579	128	30.2	24.7-35.7	396	69.8	64.3-75.3
\$50,000- 99,999	1464	148,389	409	32.6	29.5-35.7	1055	67.4	64.3-70.5
\$100,000 - 199,999	1037	113,108	317	32.0	28.7-35.3	720	68.0	64.7-71.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 15: HIV/AIDS**

TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2586	269,871	761	31.9	29.7-34.1	1825	68.1	65.9-70.3
Native	76	11,786	36	50.6	36.9-64.3	40	49.4	35.7-63.1
Non-Native	2463	253,419	709	30.9	28.7-33.1	1754	69.1	66.9-71.3
18-24	176	43,068	42	25.2	18.1-32.3	134	74.8	67.7-81.9
25-34	307	49,397	107	34.2	28.5-39.9	200	65.8	60.1-71.5
35-44	336	48,103	151	45.3	39.4-51.2	185	54.7	48.8-60.6
45-54	351	35,661	146	41.6	35.9-47.3	205	58.4	52.7-64.1
55-64	467	38,808	161	34.0	29.1-38.9	306	66.0	61.1-70.9
65+	949	54,833	154	15.4	12.9-17.9	795	84.6	82.1-87.1
Less Than H.S.	98	20,382	31	33.3	21.9-44.7	67	66.7	55.3-78.1
H.S. or G.E.D.	743	75,182	208	30.4	26.3-34.5	535	69.6	65.5-73.7
Some Post-H.S.	767	101,791	235	32.2	28.5-35.9	532	67.8	64.1-71.5
College Graduate	971	71,274	285	32.3	28.8-35.8	686	67.7	64.2-71.2
Less than \$15,000	69	7,892	25	44.0	28.1-59.9	44	56.0	40.1-71.9
\$15,000- 24,999	118	11,746	32	24.1	15.1-33.1	86	75.9	66.9-84.9
\$25,000- 34,999	190	19,365	51	25.6	18.0-33.2	139	74.4	66.8-82.0
\$35,000- 49,999	269	26,304	75	30.8	23.7-37.9	194	69.2	62.1-76.3
\$50,000- 99,999	820	84,589	237	33.5	29.4-37.6	583	66.5	62.4-70.6
\$100,000 - 199,999	601	67,022	188	31.3	27.0-35.6	413	68.7	64.4-73.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 15: HIV/AIDS**

TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2402	246,451	616	31.6	29.1-34.1	1786	68.4	65.9-70.9
Native	65	9,076	39	65.2	49.5-80.9	26	34.8	19.1-50.5
Non-Native	2310	234,366	569	30.3	27.8-32.8	1741	69.7	67.2-72.2
18-24	106	36,408	20	22.3	13.3-31.3	86	77.7	68.7-86.7
25-34	220	41,738	100	49.5	42.2-56.8	120	50.5	43.2-57.8
35-44	264	39,507	133	49.8	43.1-56.5	131	50.2	43.5-56.9
45-54	273	31,090	114	39.2	32.7-45.7	159	60.8	54.3-67.3
55-64	387	33,570	113	28.4	23.1-33.7	274	71.6	66.3-76.9
65+	1152	64,139	136	12.1	9.9-14.3	1016	87.9	85.7-90.1
Less Than H.S.	69	14,652	20	38.0	22.1-53.9	49	62.0	46.1-77.9
H.S. or G.E.D.	545	55,766	128	29.4	24.1-34.7	417	70.6	65.3-75.9
Some Post-H.S.	735	92,940	175	29.2	24.9-33.5	560	70.8	66.5-75.1
College Graduate	1048	82,585	292	34.8	31.1-38.5	756	65.2	61.5-68.9
Less than \$15,000	86	9,335	32	41.0	27.1-54.9	54	59.0	45.1-72.9
\$15,000- 24,999	159	17,082	45	33.3	23.1-43.5	114	66.7	56.5-76.9
\$25,000- 34,999	243	23,502	58	35.9	27.1-44.7	185	64.1	55.3-72.9
\$35,000- 49,999	255	27,274	53	29.5	20.9-38.1	202	70.5	61.9-79.1
\$50,000- 99,999	644	63,800	172	31.3	26.6-36.0	472	68.7	64.0-73.4
\$100,000 - 199,999	436	46,086	129	33.2	27.9-38.5	307	66.8	61.5-72.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 15: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			1990 and before			1991-2000			2001-2009			2010-2016			2017-2023			2024		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1022	128,280	44	2.5	1.7- 3.3	112	7.2	5.6- 8.8	126	10.2	8.2-12.2	148	13.2	10.8-15.6	438	47.8	44.1-51.5	154	19.2	15.9-22.5
Male	557	64,839	23	2.6	1.4- 3.8	48	5.6	3.8- 7.4	71	11.6	8.7-14.5	76	12.7	9.6-15.8	243	47.0	42.1-51.9	96	20.5	16.2-24.8
Female	465	63,441	21	2.4	1.2- 3.6	64	8.7	6.2-11.2	55	8.8	6.3-11.3	72	13.7	10.4-17.0	195	48.6	42.9-54.3	58	17.9	13.0-22.8
Native	59	9,240	1	0.6	0.0- 1.8	4	6.7	0.0-14.5	3	2.6	0.0- 5.9	10	14.1	3.9-24.3	32	54.1	38.2-70.0	9	21.9	7.2-36.6
Non-Native	949	117,525	42	2.6	1.6- 3.6	105	7.2	5.6- 8.8	121	10.8	8.6-13.0	138	13.2	10.8-15.6	401	47.3	43.4-51.2	142	18.9	15.6-22.2
18-24	50	15,713										20	9.8	5.5-14.1	29	54.1	38.8-69.4	21	45.9	30.6-61.2
25-34	185	33,770	1	0.4	0.0- 1.2							50	21.7	16.0-27.4	123	68.0	60.7-75.3	41	21.8	15.3-28.3
35-44	234	33,515	1	0.5	0.0- 1.5	3	0.9	0.0- 1.9	36	15.6	10.5-20.7	28	14.3	9.0-19.6	104	45.4	38.3-52.5	40	15.9	10.8-21.0
45-54	193	19,639	5	2.6	0.2- 5.0	40	20.7	14.4-27.0	36	19.6	13.5-25.7	28	14.3	9.0-19.6	69	34.2	26.9-41.5	15	8.6	4.1-13.1
55-64	195	16,519	22	10.1	5.8-14.4	38	20.1	13.4-26.8	32	17.6	11.3-23.9	30	14.0	8.3-19.7	50	26.6	19.5-33.7	23	11.6	6.5-16.7
65+	165	9,125	15	7.6	3.3-11.9	31	16.7	10.6-22.8	22	12.0	6.5-17.5	20	13.0	7.1-18.9	63	38.3	29.9-46.7	14	12.4	5.7-19.1
H.S. or G.E.D.	239	29,718	12	2.3	0.7- 3.9	20	4.3	2.1- 6.5	26	8.5	4.8-12.2	26	9.0	5.1-12.9	104	47.3	39.9-54.7	51	28.6	21.3-35.9
Some Post-H.S.	302	46,728	11	2.1	0.7- 3.5	34	8.4	5.3-11.5	37	10.9	7.2-14.6	34	10.1	6.6-13.6	141	50.9	44.2-57.6	45	17.6	12.1-23.1
College Graduate	447	42,270	19	3.0	1.4- 4.6	56	8.7	6.2-11.2	60	11.4	8.3-14.5	84	20.2	15.9-24.5	176	43.7	38.4-49.0	52	13.0	9.5-16.5
\$15,000- 24,999	54	7,007	4	5.9	0.0-12.0	1	1.2	0.0- 3.6	6	4.8	0.5- 9.1	5	9.7	0.5-18.9	26	54.3	38.0-70.6	12	24.1	9.6-38.6
\$25,000- 34,999	78	10,617	2	0.4	0.0- 1.2	10	5.4	1.5- 9.3	5	3.0	0.3- 5.7	12	10.5	3.6-17.4	37	54.6	40.3-68.9	12	26.1	12.0-40.2
\$35,000- 49,999	92	12,630	8	4.2	0.9- 7.5	9	6.2	0.5-11.9	8	8.5	1.8-15.2	6	4.4	0.7- 8.1	43	55.0	42.3-67.7	18	21.8	10.8-32.8
\$50,000- 99,999	313	38,311	14	2.2	0.8- 3.6	30	6.2	3.7- 8.7	31	8.2	4.9-11.5	49	12.7	8.8-16.6	139	50.9	44.2-57.6	50	19.8	14.1-25.5
\$100,000 - 199,999	246	29,071	9	2.7	0.7- 4.7	32	9.0	5.7-12.3	41	16.3	11.0-21.6	39	17.4	11.9-22.9	96	43.0	35.7-50.3	29	11.6	7.1-16.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 15: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			1990 and before			1991-2000			2001-2009			2010-2016			2017-2023			2024		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	557	64,839	23	2.6	1.4- 3.8	48	5.6	3.8- 7.4	71	11.6	8.7-14.5	76	12.7	9.6-15.8	243	47.0	42.1-51.9	96	20.5	16.2-24.8
Non-Native	517	59,011	21	2.5	1.3- 3.7	46	6.1	4.1- 8.1	68	12.4	9.3-15.5	71	12.8	9.5-16.1	225	47.1	42.0-52.2	86	19.1	15.0-23.2
25-34	93	14,435										12	13.8	6.2-21.4	56	60.5	49.7-71.3	25	25.7	16.1-35.3
35-44	118	16,552				1	0.6	0.0- 1.8	21	18.9	10.9-26.9	21	18.2	10.6-25.8	49	43.9	33.9-53.9	26	18.4	11.3-25.5
45-54	111	11,423	2	2.1	0.0- 5.0	19	14.8	8.1-21.5	19	19.2	11.0-27.4	17	15.3	7.9-22.7	43	37.4	27.6-47.2	11	11.1	4.4-17.8
55-64	113	9,132	14	11.9	5.6-18.2	14	13.2	6.1-20.3	21	18.4	10.2-26.6	15	10.3	4.6-16.0	35	33.0	23.0-43.0	14	13.3	5.9-20.7
65+	90	4,814	7	6.9	1.4-12.4	14	13.6	6.0-21.2	10	11.1	3.3-18.9	11	11.0	3.7-18.3	39	42.1	30.5-53.7	9	15.3	5.1-25.5
H.S. or G.E.D.	143	16,002	9	3.2	0.8- 5.6	9	3.1	0.9- 5.3	18	10.4	4.9-15.9	17	11.2	5.1-17.3	59	44.0	34.6-53.4	31	28.1	18.9-37.3
Some Post-H.S.	172	24,789	5	1.4	0.2- 2.6	16	6.4	3.1- 9.7	19	11.7	6.4-17.0	18	9.4	4.9-13.9	87	55.1	46.9-63.3	27	16.0	9.9-22.1
College Graduate	220	18,375	7	3.1	0.7- 5.5	22	7.5	4.2-10.8	31	12.7	8.2-17.2	38	17.5	11.8-23.2	87	40.6	33.3-47.9	35	18.7	12.8-24.6
\$35,000- 49,999	54	6,389	4	4.2	0.0- 8.5	6	5.9	0.8-11.0	3	8.2	0.0-18.8	2	3.0	0.0- 7.3	27	55.0	38.3-71.7	12	23.7	8.0-39.4
\$50,000- 99,999	177	22,210	8	2.4	0.4- 4.4	9	3.2	0.8- 5.6	15	7.7	3.4-12.0	28	13.4	7.9-18.9	82	51.3	42.5-60.1	35	22.1	14.7-29.5
\$100,000 - 199,999	145	16,775	4	1.7	0.0- 3.5	15	8.3	4.0-12.6	27	18.2	11.1-25.3	20	14.0	7.5-20.5	57	42.5	33.3-51.7	22	15.4	8.9-21.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024**

SECTION 15: HIV/AIDS

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			1990 and before			1991-2000			2001-2009			2010-2016			2017-2023			2024		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	465	63,441	21	2.4	1.2- 3.6	64	8.7	6.2-11.2	55	8.8	6.3-11.3	72	13.7	10.4-17.0	195	48.6	42.9-54.3	58	17.9	13.0-22.8
Non-Native	432	58,514	21	2.6	1.2- 4.0	59	8.3	5.8-10.8	53	9.2	6.5-11.9	67	13.7	10.2-17.2	176	47.4	41.5-53.3	56	18.7	13.4-24.0
25-34	92	19,335	1	0.7	0.0- 2.1							8	6.8	1.9-11.7	67	73.6	63.8-83.4	16	18.9	10.1-27.7
35-44	116	16,962	1	1.1	0.0- 3.3	2	1.1	0.0- 2.7	15	12.5	6.0-19.0	29	25.1	16.7-33.5	55	46.8	36.8-56.8	14	13.5	6.2-20.8
45-54	82	8,216	3	3.4	0.0- 7.3	21	28.8	17.2-40.4	17	20.1	11.1-29.1	11	12.9	5.5-20.3	26	29.7	18.9-40.5	4	5.1	0.0-10.6
55-64	82	7,387	8	7.8	2.1-13.5	24	28.6	16.8-40.4	11	16.8	7.0-26.6	15	18.7	8.3-29.1	15	18.6	9.0-28.2	9	9.6	2.9-16.3
65+	75	4,311	8	8.4	1.7-15.1	17	20.2	10.6-29.8	12	13.0	5.2-20.8	9	15.2	5.4-25.0	24	34.1	21.8-46.4	5	9.1	1.3-16.9
H.S. or G.E.D.	96	13,717	3	1.3	0.0- 3.3	11	5.8	2.1-9.5	8	6.3	1.4-11.2	9	6.4	1.7-11.1	45	51.1	39.1-63.1	20	29.1	17.5-40.7
Some Post-H.S.	130	21,939	6	2.9	0.4- 5.4	18	10.8	5.1-16.5	18	10.1	5.0-15.2	16	10.7	5.0-16.4	54	46.1	35.7-56.5	18	19.4	9.8-29.0
College Graduate	227	23,895	12	3.0	1.0- 5.0	34	9.6	6.1-13.1	29	10.4	6.3-14.5	46	22.3	16.0-28.6	89	46.1	38.5-53.7	17	8.6	4.3-12.9
\$50,000- 99,999	136	16,101	6	1.9	0.1- 3.7	21	10.4	5.5-15.3	16	8.9	4.0-13.8	21	11.8	6.3-17.3	57	50.4	40.2-60.6	15	16.7	7.5-25.9
\$100,000 - 199,999	101	12,296	5	4.0	0.3- 7.7	17	10.0	4.9-15.1	14	13.7	5.9-21.5	19	22.0	12.8-31.2	39	43.8	32.4-55.2	7	6.5	1.0-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 15: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5219	538,114	165	4.8	4.0- 5.6	5054	95.2	94.4-96.0
Male	2690	279,865	108	5.5	4.3- 6.7	2582	94.5	93.3-95.7
Female	2529	258,249	57	4.0	2.6- 5.4	2472	96.0	94.6-97.4
Native	144	21,118	7	6.4	0.9-11.9	137	93.6	88.1-99.1
Non-Native	4998	509,311	155	4.7	3.9- 5.5	4843	95.3	94.5-96.1
18-24	294	83,474	26	9.2	5.5-12.9	268	90.8	87.1-94.5
25-34	549	94,625	51	9.5	6.8-12.2	498	90.5	87.8-93.2
35-44	616	89,715	35	5.6	3.6- 7.6	581	94.4	92.4-96.4
45-54	651	69,754	25	3.8	2.2- 5.4	626	96.2	94.6-97.8
55-64	881	74,614	14	1.4	0.6- 2.2	867	98.6	97.8-99.4
65+	2228	125,933	14	0.5	0.1- 0.9	2214	99.5	99.1-99.9
Less Than H.S.	180	37,241	11	11.2	4.5-17.9	169	88.8	82.1-95.5
H.S. or G.E.D.	1365	137,457	57	5.9	4.1- 7.7	1308	94.1	92.3-95.9
Some Post-H.S.	1574	203,399	44	3.9	2.5- 5.3	1530	96.1	94.7-97.5
College Graduate	2087	158,308	52	3.4	2.4- 4.4	2035	96.6	95.6-97.6
Less than \$15,000	162	18,399	14	17.2	7.4-27.0	148	82.8	73.0-92.6
\$15,000- 24,999	291	29,703	11	4.1	1.2- 7.0	280	95.9	93.0-98.8
\$25,000- 34,999	451	44,361	15	7.2	3.3-11.1	436	92.8	88.9-96.7
\$35,000- 49,999	543	54,215	18	5.3	2.2- 8.4	525	94.7	91.6-97.8
\$50,000- 99,999	1529	154,879	51	4.6	3.2- 6.0	1478	95.4	94.0-96.8
\$100,000 - 199,999	1081	118,161	28	3.1	1.9- 4.3	1053	96.9	95.7-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 15: HIV/AIDS

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2690	279,865	108	5.5	4.3- 6.7	2582	94.5	93.3-95.7
Native	76	11,732	3	3.7	0.0- 8.0	73	96.3	92.0- 100
Non-Native	2565	263,383	102	5.6	4.4- 6.8	2463	94.4	93.2-95.6
18-24	181	44,406	17	9.0	4.7-13.3	164	91.0	86.7-95.3
25-34	321	51,595	32	9.7	6.4-13.0	289	90.3	87.0-93.6
35-44	340	48,740	23	6.9	3.8-10.0	317	93.1	90.0-96.2
45-54	364	37,213	15	4.7	2.2- 7.2	349	95.3	92.8-97.8
55-64	475	39,221	12	2.4	0.8- 4.0	463	97.6	96.0-99.2
65+	1009	58,690	9	0.7	0.1- 1.3	1000	99.3	98.7-99.9
Less Than H.S.	105	21,323	7	9.6	2.3-16.9	98	90.4	83.1-97.7
H.S. or G.E.D.	778	78,367	39	6.8	4.4- 9.2	739	93.2	90.8-95.6
Some Post-H.S.	802	106,601	31	4.6	2.8- 6.4	771	95.4	93.6-97.2
College Graduate	997	72,293	30	4.0	2.4- 5.6	967	96.0	94.4-97.6
Less than \$15,000	72	8,201	7	12.5	3.1-21.9	65	87.5	78.1-96.9
\$15,000- 24,999	123	12,051	7	7.3	1.0-13.6	116	92.7	86.4-99.0
\$25,000- 34,999	199	20,186	6	4.6	0.7- 8.5	193	95.4	91.5-99.3
\$35,000- 49,999	278	26,779	13	6.8	2.1-11.5	265	93.2	88.5-97.9
\$50,000- 99,999	852	87,591	37	5.5	3.5- 7.5	815	94.5	92.5-96.5
\$100,000 - 199,999	621	69,707	18	3.6	1.8- 5.4	603	96.4	94.6-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024
SECTION 15: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2529	258,249	57	4.0	2.6- 5.4	2472	96.0	94.6-97.4
Native	68	9,386	4	9.7	0.0-20.7	64	90.3	79.3- 100
Non-Native	2433	245,928	53	3.9	2.5- 5.3	2380	96.1	94.7-97.5
18-24	113	39,067	9	9.5	3.4-15.6	104	90.5	84.4-96.6
25-34	228	43,030	19	9.1	4.8-13.4	209	90.9	86.6-95.2
35-44	276	40,976	12	3.9	1.5- 6.3	264	96.1	93.7-98.5
45-54	287	32,541	10	2.7	0.9- 4.5	277	97.3	95.5-99.1
55-64	406	35,393	2	0.2	0.0- 0.6	404	99.8	99.4- 100
65+	1219	67,243	5	0.3	0.0- 0.7	1214	99.7	99.3- 100
Less Than H.S.	75	15,918	4	13.3	1.3-25.3	71	86.7	74.7-98.7
H.S. or G.E.D.	587	59,090	18	4.8	2.3- 7.3	569	95.2	92.7-97.7
Some Post-H.S.	772	96,797	13	3.0	1.0- 5.0	759	97.0	95.0-99.0
College Graduate	1090	86,015	22	3.0	1.6- 4.4	1068	97.0	95.6-98.4
Less than \$15,000	90	10,198	7	20.9	5.4-36.4	83	79.1	63.6-94.6
\$15,000- 24,999	168	17,652	4	2.0	0.0- 4.0	164	98.0	96.0- 100
\$25,000- 34,999	252	24,175	9	9.5	3.0-16.0	243	90.5	84.0-97.0
\$35,000- 49,999	265	27,436	5	3.7	0.0- 7.8	260	96.3	92.2- 100
\$50,000- 99,999	677	67,288	14	3.5	1.3- 5.7	663	96.5	94.3-98.7
\$100,000 - 199,999	460	48,454	10	2.3	0.7- 3.9	450	97.7	96.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2024**

End of Core Data Report