

NORTH DAKOTA

2024 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 21, 2025



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024

MODULE 01: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 01: PRE-DIABETES**

TABLE 1: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4576	475,044	3182	60.5	58.7-62.3	416	10.1	08.9-11.3	165	4.5	03.7-05.3	143	4.3	03.5-05.1	121	3.3	02.7-03.9	549	17.4	15.8-19.0
Male	2293	240,830	1516	57.2	54.7-59.7	204	9.9	08.3-11.5	86	4.2	03.2-05.2	80	4.5	03.3-05.7	75	4.2	03.2-05.2	332	20.0	17.8-22.2
Female	2283	234,214	1666	63.9	61.2-66.6	212	10.2	08.6-11.8	79	4.8	03.6-06.0	63	4.0	02.8-05.2	46	2.4	01.6-03.2	217	14.7	12.5-16.9
Native	108	17,612	65	59.7	48.3-71.1	9	8.2	01.1-15.3	6	4.3	00.6-08.0	5	6.0	00.7-11.3	8	7.5	01.8-13.2	15	14.2	06.6-21.8
Non-Native	4398	449,924	3070	60.5	58.5-62.5	399	10.1	08.9-11.3	157	4.5	03.7-05.3	136	4.2	03.4-05.0	112	3.2	02.6-03.8	524	17.5	15.9-19.1
18-24	224	61,942	66	30.6	23.9-37.3	17	6.5	03.4-09.6	12	4.7	02.0-07.4	20	9.0	04.9-13.1	6	2.6	00.4-04.8	103	46.6	39.5-53.7
25-34	501	89,107	207	42.3	37.6-47.0	68	14.5	11.0-18.0	35	7.0	04.6-09.4	30	5.9	03.7-08.1	26	4.9	02.9-06.9	135	25.3	21.4-29.2
35-44	608	89,091	317	53.2	48.9-57.5	79	12.0	09.3-14.7	31	5.9	03.5-08.3	33	5.4	03.4-07.4	42	6.5	04.5-08.5	106	16.9	13.8-20.0
45-54	616	65,200	433	70.1	66.0-74.2	59	10.7	07.8-13.6	27	4.1	02.5-05.7	16	2.7	01.3-04.1	16	2.4	01.2-03.6	65	10.1	07.6-12.6
55-64	791	66,759	603	75.8	72.3-79.3	70	9.4	07.0-11.8	28	3.4	01.8-05.0	15	1.7	00.7-02.7	18	2.1	00.9-03.3	57	7.6	05.4-09.8
65+	1836	102,944	1556	84.6	82.6-86.6	123	6.6	05.2-08.0	32	1.9	01.1-02.7	29	1.7	00.9-02.5	13	0.9	00.3-01.5	83	4.4	03.4-05.4
Less Than H.S.	138	27,211	99	61.9	51.3-72.5	9	7.0	01.3-12.7	6	6.2	00.7-11.7	4	3.5	00.0-07.8	3	1.5	00.0-03.7	17	19.9	10.7-29.1
H.S. or G.E.D.	1194	122,226	775	54.0	50.5-57.5	100	9.6	07.4-11.8	43	4.8	03.2-06.4	47	5.5	03.5-07.5	37	3.8	02.4-05.2	192	22.3	19.2-25.4
Some Post-H.S.	1383	180,816	962	61.3	58.2-64.4	138	10.4	08.4-12.4	49	3.9	02.7-05.1	37	3.9	02.5-05.3	38	3.7	02.5-04.9	159	16.8	14.1-19.5
College Graduate	1847	143,056	1335	64.6	61.9-67.3	167	10.4	08.6-12.2	67	4.7	03.5-05.9	54	3.8	02.6-05.0	43	2.8	01.8-03.8	181	13.6	11.6-15.6
Less than \$15,000	105	12,295	67	58.3	45.8-70.8	12	14.4	04.6-24.2	5	3.8	00.0-07.7	3	4.6	00.0-09.9	3	3.5	00.0-08.0	15	15.4	07.2-23.6
\$15,000- 24,999	215	21,982	152	60.3	51.1-69.5	17	6.0	02.5-09.5	7	4.2	00.7-07.7	5	4.7	00.0-09.6	2	1.3	00.0-03.3	32	23.6	15.0-32.2
\$25,000- 34,999	368	35,869	263	60.9	54.2-67.6	31	11.9	07.2-16.6	11	4.2	01.5-06.9	17	6.6	02.7-10.5	5	2.4	00.0-04.8	41	13.9	09.2-18.6
\$35,000- 49,999	435	44,760	293	56.4	50.1-62.7	43	9.1	05.8-12.4	12	4.3	01.6-07.0	11	3.7	00.8-06.6	11	2.6	01.0-04.2	65	23.9	17.8-30.0
\$50,000- 99,999	1316	134,377	908	59.3	56.0-62.6	118	10.1	07.9-12.3	55	5.1	03.5-06.7	39	3.6	02.4-04.8	38	3.3	02.1-04.5	158	18.6	15.7-21.5
\$100,000- 199,999	957	104,499	658	61.0	57.3-64.7	89	10.9	08.5-13.3	35	4.1	02.5-05.7	32	4.6	02.8-06.4	28	3.5	02.1-04.9	115	15.9	12.8-19.0
\$200,000+	285	29,596	202	67.6	61.3-73.9	22	7.9	04.4-11.4	14	5.4	02.5-08.3	11	3.9	01.4-06.4	6	2.8	00.6-05.0	30	12.5	08.0-17.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 01: PRE-DIABETES**

TABLE 2: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2293	240,830	1516	57.2	54.7-59.7	204	9.9	08.3-11.5	86	4.2	03.2-05.2	80	4.5	03.3-05.7	75	4.2	03.2-05.2	332	20.0	17.8-22.2
Native	56	9,072	30	51.2	35.3-67.1	5	7.0	00.0-14.1	4	4.5	00.0-09.0	3	8.3	00.0-17.3	7	13.8	03.2-24.4	7	15.2	03.4-27.0
Non-Native	2190	227,162	1458	57.6	55.1-60.1	192	9.9	08.3-11.5	81	4.2	03.2-05.2	76	4.4	03.2-05.6	68	3.9	02.9-04.9	315	20.0	17.8-22.2
18-24	142	34,447	42	31.9	23.7-40.1	15	9.5	04.6-14.4	8	5.0	01.5-08.5	14	8.6	04.1-13.1	5	4.2	00.5-07.9	58	40.8	32.2-49.4
25-34	290	47,133	100	32.3	26.4-38.2	40	15.1	10.6-19.6	15	5.1	02.4-07.8	17	5.9	03.0-08.8	19	6.6	03.7-09.5	99	35.0	29.1-40.9
35-44	323	46,083	171	54.1	48.2-60.0	34	9.6	06.3-12.9	15	5.1	02.4-07.8	18	5.6	02.9-08.3	18	5.6	02.9-08.3	67	20.0	15.3-24.7
45-54	344	34,357	227	65.9	60.4-71.4	36	10.6	07.1-14.1	18	4.9	02.5-07.3	8	2.6	00.6-04.6	13	3.6	01.6-05.6	42	12.5	08.6-16.4
55-64	397	32,357	296	74.8	69.9-79.7	35	8.7	05.6-11.8	13	3.3	01.1-05.5	10	2.6	00.6-04.6	12	3.3	01.1-05.5	31	7.3	04.6-10.0
65+	797	46,454	680	85.4	82.7-88.1	44	5.6	03.8-07.4	17	1.8	00.8-02.8	13	1.7	00.5-02.9	8	1.5	00.3-02.7	35	4.0	02.6-05.4
Less Than H.S.	81	14,826	52	59.5	46.6-72.4	6	5.4	00.3-10.5	4	5.3	00.0-11.0	3	2.7	00.0-06.2	3	2.8	00.0-06.5	13	24.4	12.2-36.6
H.S. or G.E.D.	662	69,280	402	50.9	46.4-55.4	50	9.7	06.8-12.6	29	4.6	02.8-06.4	29	5.5	03.3-07.7	24	4.2	02.4-06.0	128	25.1	21.0-29.2
Some Post-H.S.	678	92,178	438	56.3	52.0-60.6	69	10.2	07.7-12.7	24	3.9	02.1-05.7	24	4.9	02.9-06.9	27	5.2	03.0-07.4	96	19.4	15.7-23.1
College Graduate	864	63,330	618	64.5	60.8-68.2	77	10.2	07.8-12.6	29	4.0	02.4-05.6	24	3.5	01.9-05.1	21	3.1	01.7-04.5	95	14.7	11.8-17.6
\$15,000- 24,999	87	8,454	61	59.4	46.1-72.7	6	5.8	00.7-10.9	3	6.2	00.0-13.3	2	1.9	00.0-04.6	1	2.5	00.0-07.2	14	24.3	11.6-37.0
\$25,000- 34,999	159	16,178	107	58.8	49.0-68.6	16	11.5	04.4-18.6	3	2.4	00.0-05.5	9	6.9	01.4-12.4	3	2.2	00.0-04.9	21	18.1	10.3-25.9
\$35,000- 49,999	209	20,311	130	49.7	41.3-58.1	21	10.8	05.1-16.5	7	4.8	01.3-08.3	5	2.9	00.2-05.6	8	4.0	01.1-06.9	38	27.8	19.6-36.0
\$50,000- 99,999	706	72,690	449	54.0	49.5-58.5	68	10.8	08.1-13.5	35	5.0	03.0-07.0	28	4.9	02.9-06.9	23	4.0	02.2-05.8	103	21.3	17.2-25.4
\$100,000- 199,999	540	60,530	359	59.5	54.6-64.4	45	10.1	07.0-13.2	20	3.5	01.7-05.3	20	5.3	02.8-07.8	20	4.0	02.2-05.8	76	17.6	13.7-21.5
\$200,000+	169	16,751	119	65.1	56.7-73.5	15	10.7	05.2-16.2	5	3.4	00.1-06.7	3	1.5	00.0-03.3	5	3.8	00.5-07.1	22	15.5	09.0-22.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 01: PRE-DIABETES**

TABLE 3: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2283	234,214	1666	63.9	61.2-66.6	212	10.2	08.6-11.8	79	4.8	03.6-06.0	63	4.0	02.8-05.2	46	2.4	01.6-03.2	217	14.7	12.5-16.9
Native	52	8,540	35	68.8	52.9-84.7	4	9.4	00.0-21.7	2	4.1	00.0-10.0	2	3.6	00.0-08.5	1	0.9	00.0-02.7	8	13.2	03.6-22.8
Non-Native	2208	222,763	1612	63.5	60.8-66.2	207	10.3	08.7-11.9	76	4.8	03.6-06.0	60	4.0	02.6-05.4	44	2.4	01.6-03.2	209	14.9	12.5-17.3
18-24	82	27,496	24	29.1	18.5-39.7	2	2.6	00.0-06.3	4	4.4	00.1-08.7	6	9.5	02.1-16.9	1	0.6	00.0-01.8	45	53.8	42.2-65.4
25-34	211	41,974	107	53.5	46.2-60.8	28	13.9	08.6-19.2	20	9.1	05.2-13.0	13	6.0	02.5-09.5	7	3.1	00.7-05.5	36	14.5	09.8-19.2
35-44	285	43,009	146	52.2	45.7-58.7	45	14.7	10.4-19.0	16	6.8	03.1-10.5	15	5.3	02.4-08.2	24	7.5	04.4-10.6	39	13.6	09.3-17.9
45-54	272	30,844	206	74.8	68.7-80.9	23	10.9	06.0-15.8	9	3.2	01.0-05.4	8	2.8	00.8-04.8	3	1.0	00.0-02.2	23	7.4	04.3-10.5
55-64	394	34,402	307	76.8	71.9-81.7	35	10.0	06.5-13.5	15	3.6	01.4-05.8	5	0.8	00.0-01.6	6	1.0	00.2-01.8	26	7.9	04.4-11.4
65+	1039	56,490	876	83.9	81.2-86.6	79	7.5	05.5-09.5	15	2.0	00.8-03.2	16	1.6	00.6-02.6	5	0.3	00.0-00.7	48	4.7	03.1-06.3
Less Than H.S.	57	12,385	47	64.8	47.2-82.4	3	8.8	00.0-19.6	2	7.4	00.0-17.2	1	4.4	00.0-12.8				4	14.5	00.4-28.6
H.S. or G.E.D.	532	52,946	373	58.1	52.2-64.0	50	9.5	06.2-12.8	14	5.1	02.4-07.8	18	5.6	02.3-08.9	13	3.2	01.2-05.2	64	18.6	13.7-23.5
Some Post-H.S.	705	88,638	524	66.5	61.8-71.2	69	10.6	07.9-13.3	25	3.9	02.1-05.7	13	2.9	00.9-04.9	11	2.0	00.6-03.4	63	14.1	10.2-18.0
College Graduate	983	79,726	717	64.8	61.1-68.5	90	10.6	08.1-13.1	38	5.3	03.5-07.1	30	4.0	02.2-05.8	22	2.5	01.3-03.7	86	12.8	09.9-15.7
Less than \$15,000	57	6,574	37	59.9	42.7-77.1	7	19.4	03.3-35.5	4	4.1	00.0-08.4	2	5.9	00.0-14.1	1	1.1	00.0-03.3	6	9.6	01.4-17.8
\$15,000- 24,999	128	13,528	91	60.8	48.5-73.1	11	6.2	01.3-11.1	4	2.9	00.0-06.2	3	6.4	00.0-14.0	1	0.6	00.0-01.8	18	23.1	11.7-34.5
\$25,000- 34,999	209	19,690	156	62.7	53.5-71.9	15	12.3	05.8-18.8	8	5.7	01.4-10.0	8	6.3	01.0-11.6	2	2.6	00.0-06.1	20	10.4	04.7-16.1
\$35,000- 49,999	226	24,449	163	62.0	52.8-71.2	22	7.6	03.5-11.7	5	3.9	00.0-07.8	6	4.4	00.0-09.3	3	1.4	00.0-03.2	27	20.8	12.2-29.4
\$50,000- 99,999	610	61,687	459	65.5	60.2-70.8	50	9.3	06.2-12.4	20	5.2	02.5-07.9	11	2.0	00.6-03.4	15	2.6	01.2-04.0	55	15.5	11.2-19.8
\$100,000- 199,999	417	43,969	299	63.0	57.1-68.9	44	11.9	08.0-15.8	15	5.0	02.3-07.7	12	3.5	01.3-05.7	8	2.9	00.7-05.1	39	13.7	08.8-18.6
\$200,000+	116	12,845	83	70.9	61.5-80.3	7	4.2	00.5-07.9	9	8.0	02.5-13.5	8	7.0	01.5-12.5	1	1.4	00.0-04.1	8	8.5	02.4-14.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 01: PRE-DIABETES**

TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4854	516,027	664	11.1	10.1-12.1	31	0.8	00.4-01.2	4159	88.1	86.9-89.3
Male	2439	261,576	344	10.8	09.4-12.2				2095	89.2	87.8-90.6
Female	2415	254,452	320	11.5	09.9-13.1	31	1.7	01.1-02.3	2064	86.8	85.0-88.6
Native	114	19,037	16	16.3	06.9-25.7	1	0.6	00.0-01.8	97	83.1	73.7-92.5
Non-Native	4671	489,448	635	10.8	09.8-11.8	30	0.9	00.5-01.3	4006	88.3	87.1-89.5
18-24	277	77,827	9	4.1	01.4-06.8				268	95.9	93.2-98.6
25-34	561	98,137	25	4.8	02.8-06.8	6	1.1	00.1-02.1	530	94.1	91.9-96.3
35-44	647	94,938	43	8.0	05.5-10.5	10	1.9	00.5-03.3	594	90.1	87.2-93.0
45-54	654	69,749	77	12.7	09.6-15.8	3	0.7	00.0-01.7	574	86.6	83.5-89.7
55-64	810	68,238	146	19.3	16.2-22.4	5	0.4	00.0-00.8	659	80.3	77.2-83.4
65+	1905	107,139	364	18.5	16.5-20.5	7	0.6	00.2-01.0	1534	80.9	78.7-83.1
Less Than H.S.	150	31,389	32	19.7	11.5-27.9	2	0.6	00.0-01.4	116	79.7	71.5-87.9
H.S. or G.E.D.	1288	135,020	165	9.3	07.5-11.1	9	1.0	00.2-01.8	1114	89.8	88.0-91.6
Some Post-H.S.	1465	196,279	211	11.8	10.0-13.6	9	0.9	00.3-01.5	1245	87.3	85.3-89.3
College Graduate	1937	151,588	255	10.1	08.7-11.5	11	0.7	00.3-01.1	1671	89.2	87.6-90.8
Less than \$15,000	115	14,122	19	11.4	04.9-17.9				96	88.6	82.1-95.1
\$15,000- 24,999	234	24,815	37	11.2	06.9-15.5	5	2.8	00.3-05.3	192	86.1	81.2-91.0
\$25,000- 34,999	395	40,497	61	12.5	08.4-16.6	1	0.6	00.0-01.8	333	86.9	82.8-91.0
\$35,000- 49,999	467	49,175	61	9.3	06.2-12.4	2	0.4	00.0-01.0	404	90.2	86.9-93.5
\$50,000- 99,999	1376	143,823	205	12.6	10.4-14.8	9	0.9	00.3-01.5	1162	86.5	84.1-88.9
\$100,000- 199,999	1009	111,656	117	9.7	07.7-11.7	5	0.4	00.0-00.8	887	89.8	87.8-91.8
\$200,000+	295	30,779	28	8.5	05.0-12.0	2	1.2	00.0-03.0	265	90.3	86.4-94.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 01: PRE-DIABETES**

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2439	261,576	344	10.8	09.4-12.2	2095	89.2	87.8-90.6
Native	61	10,324	7	11.7	00.7-22.7	54	88.3	77.3-99.3
Non-Native	2333	246,795	329	10.6	09.2-12.0	2004	89.4	88.0-90.8
18-24	171	41,606	5	3.9	00.4-07.4	166	96.1	92.6-99.6
25-34	324	51,998	9	2.9	00.7-05.1	315	97.1	94.9-99.3
35-44	350	50,141	23	6.8	03.9-09.7	327	93.2	90.3-96.1
45-54	363	36,415	42	11.8	08.1-15.5	321	88.2	84.5-91.9
55-64	409	33,313	84	22.9	18.0-27.8	325	77.1	72.2-82.0
65+	822	48,103	181	20.2	17.1-23.3	641	79.8	76.7-82.9
Less Than H.S.	88	16,797	19	17.4	07.6-27.2	69	82.6	72.8-92.4
H.S. or G.E.D.	716	75,967	87	8.7	06.5-10.9	629	91.3	89.1-93.5
Some Post-H.S.	723	100,623	101	10.9	08.5-13.3	622	89.1	86.7-91.5
College Graduate	904	66,957	136	11.2	09.0-13.4	768	88.8	86.6-91.0
Less than \$15,000	54	6,551	8	6.7	01.0-12.4	46	93.3	87.6-99.0
\$15,000- 24,999	92	9,254	19	13.4	06.7-20.1	73	86.6	79.9-93.3
\$25,000- 34,999	172	18,200	25	9.8	04.5-15.1	147	90.2	84.9-95.5
\$35,000- 49,999	229	22,735	28	8.6	04.9-12.3	201	91.4	87.7-95.1
\$50,000- 99,999	744	78,306	114	11.7	09.0-14.4	630	88.3	85.6-91.0
\$100,000- 199,999	573	65,247	68	9.5	07.0-12.0	505	90.5	88.0-93.0
\$200,000+	174	17,455	18	9.1	04.2-14.0	156	90.9	86.0-95.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 01: PRE-DIABETES**

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2415	254,452	320	11.5	09.9-13.1	31	1.7	01.1-02.3	2064	86.8	85.0-88.6
Native	53	8,713	9	21.6	05.9-37.3	1	1.4	00.0-04.1	43	77.0	61.3-92.7
Non-Native	2338	242,653	306	11.0	09.4-12.6	30	1.7	00.9-02.5	2002	87.3	85.5-89.1
18-24	106	36,220	4	4.2	00.1-08.3				102	95.8	91.7-99.9
25-34	237	46,140	16	6.9	03.4-10.4	6	2.4	00.4-04.4	215	90.7	86.8-94.6
35-44	297	44,797	20	9.5	05.0-14.0	10	4.0	01.3-06.7	267	86.6	81.5-91.7
45-54	291	33,334	35	13.7	08.6-18.8	3	1.5	00.0-03.3	253	84.8	79.5-90.1
55-64	401	34,925	62	15.8	11.7-19.9	5	0.8	00.0-01.6	334	83.3	79.2-87.4
65+	1083	59,035	183	17.2	14.5-19.9	7	1.1	00.3-01.9	893	81.7	79.0-84.4
Less Than H.S.	62	14,593	13	22.4	08.7-36.1	2	1.2	00.0-03.0	47	76.4	62.7-90.1
H.S. or G.E.D.	572	59,054	78	10.0	07.3-12.7	9	2.3	00.7-03.9	485	87.7	84.6-90.8
Some Post-H.S.	742	95,656	110	12.8	10.1-15.5	9	1.8	00.4-03.2	623	85.4	82.5-88.3
College Graduate	1033	84,631	119	9.2	07.2-11.2	11	1.2	00.4-02.0	903	89.5	87.5-91.5
Less than \$15,000	61	7,571	11	15.5	04.7-26.3				50	84.5	73.7-95.3
\$15,000- 24,999	142	15,560	18	9.9	04.4-15.4	5	4.4	00.3-08.5	119	85.7	79.0-92.4
\$25,000- 34,999	223	22,297	36	14.7	08.8-20.6	1	1.1	00.0-03.3	186	84.2	78.1-90.3
\$35,000- 49,999	238	26,440	33	10.0	04.9-15.1	2	0.8	00.0-02.0	203	89.3	84.2-94.4
\$50,000- 99,999	632	65,517	91	13.8	10.1-17.5	9	2.0	00.4-03.6	532	84.2	80.3-88.1
\$100,000- 199,999	436	46,409	49	10.0	06.9-13.1	5	1.0	00.0-02.0	382	89.0	85.7-92.3
\$200,000+	121	13,323	10	7.7	02.4-13.0	2	2.8	00.0-06.9	109	89.5	83.0-96.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024

MODULE 2: DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ARE YOU NOW TAKING INSULIN? (INSULIN1)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
10	MALES AND FEMALES	20
11	MALES ONLY	21
12	FEMALES ONLY	22
	WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)	
13	MALES AND FEMALES	23
14	MALES ONLY	24
15	FEMALES ONLY	25
	WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)	
16	MALES AND FEMALES	26
17	MALES ONLY	27
18	FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024

MODULE 2: DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 1: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Type 1		N	Type 2	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	747	56,827	52	9.7	06.6-12.8	695	90.3	87.2-93.4
Male	400	31,508	30	9.9	06.0-13.8	370	90.1	86.2-94.0
Female	347	25,319	22	9.5	04.6-14.4	325	90.5	85.6-95.4
Non-Native	691	51,924	48	9.9	06.6-13.2	643	90.1	86.8-93.4
45-54	77	8,492	8	12.6	04.2-21.0	69	87.4	79.0-95.8
55-64	153	12,979	11	6.7	02.6-10.8	142	93.3	89.2-97.4
65+	469	27,221	21	3.9	01.9-05.9	448	96.1	94.1-98.1
H.S. or G.E.D.	201	12,535	13	10.0	03.5-16.5	188	90.0	83.5-96.5
Some Post-H.S.	232	22,703	16	9.0	04.3-13.7	216	91.0	86.3-95.7
College Graduate	276	16,187	21	10.3	05.2-15.4	255	89.7	84.6-94.8
\$15,000- 24,999	59	4,191	6	22.2	03.2-41.2	53	77.8	58.8-96.8
\$25,000- 34,999	78	5,260	3	10.0	00.0-21.4	75	90.0	78.6-0100
\$35,000- 49,999	93	6,352	10	11.0	03.7-18.3	83	89.0	81.7-96.3
\$50,000- 99,999	204	14,950	10	6.4	02.3-10.5	194	93.6	89.5-97.7
\$100,000- 199,999	106	9,763	10	10.7	03.6-17.8	96	89.3	82.2-96.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 2: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Type 1		N	Type 2	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	400	31,508	30	9.9	06.0-13.8	370	90.1	86.2-94.0
Non-Native	375	29,080	28	10.0	05.9-14.1	347	90.0	85.9-94.1
55-64	98	8,448	9	9.1	03.2-15.0	89	90.9	85.0-96.8
65+	239	14,251	10	3.9	01.4-06.4	229	96.1	93.6-98.6
H.S. or G.E.D.	113	7,189	9	10.8	03.2-18.4	104	89.2	81.6-96.8
Some Post-H.S.	130	12,952	11	11.0	03.9-18.1	119	89.0	81.9-96.1
College Graduate	138	8,359	9	9.1	02.4-15.8	129	90.9	84.2-97.6
\$50,000- 99,999	125	9,660	5	4.8	00.3-09.3	120	95.2	90.7-99.7
\$100,000- 199,999	62	6,094	7	14.9	04.1-25.7	55	85.1	74.3-95.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 3: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Type 1		N	Type 2	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	347	25,319	22	9.5	04.6-14.4	325	90.5	85.6-95.4
Non-Native	316	22,844	20	9.8	04.5-15.1	296	90.2	84.9-95.5
55-64	55	4,531	2	2.2	00.0-05.3	53	97.8	94.7-0100
65+	230	12,970	11	4.0	01.3-06.7	219	96.0	93.3-98.7
H.S. or G.E.D.	88	5,346	4	9.0	00.0-20.4	84	91.0	79.6-0100
Some Post-H.S.	102	9,751	5	6.2	00.3-12.1	97	93.8	87.9-99.7
College Graduate	138	7,828	12	11.6	04.0-19.2	126	88.4	80.8-96.0
\$50,000- 99,999	79	5,290	5	9.4	01.0-17.8	74	90.6	82.2-99.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	803	62,437	279	35.5	31.4-39.6	524	64.5	60.4-68.6
Male	438	35,004	152	35.9	30.2-41.6	286	64.1	58.4-69.8
Female	365	27,433	127	35.1	28.8-41.4	238	64.9	58.6-71.2
Non-Native	737	56,377	249	34.6	30.3-38.9	488	65.4	61.1-69.7
45-54	84	9,479	26	32.8	21.8-43.8	58	67.2	56.2-78.2
55-64	164	14,133	53	31.4	23.4-39.4	111	68.6	60.6-76.6
65+	501	29,259	178	36.7	31.8-41.6	323	63.3	58.4-68.2
H.S. or G.E.D.	222	14,051	79	35.6	28.0-43.2	143	64.4	56.8-72.0
Some Post-H.S.	253	25,653	92	36.2	29.3-43.1	161	63.8	56.9-70.7
College Graduate	285	16,934	96	36.3	29.4-43.2	189	63.7	56.8-70.6
\$15,000- 24,999	63	4,375	24	33.2	18.3-48.1	39	66.8	51.9-81.7
\$25,000- 34,999	83	5,692	28	36.8	23.7-49.9	55	63.2	50.1-76.3
\$35,000- 49,999	101	6,989	42	37.2	25.8-48.6	59	62.8	51.4-74.2
\$50,000- 99,999	219	16,579	82	40.9	32.7-49.1	137	59.1	50.9-67.3
\$100,000- 199,999	110	10,106	31	29.1	18.9-39.3	79	70.9	60.7-81.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	438	35,004	152	35.9	30.2-41.6	286	64.1	58.4-69.8
Non-Native	406	31,694	139	35.6	29.7-41.5	267	64.4	58.5-70.3
55-64	105	9,184	36	32.9	23.1-42.7	69	67.1	57.3-76.9
65+	259	15,485	92	37.2	30.3-44.1	167	62.8	55.9-69.7
H.S. or G.E.D.	129	8,306	44	31.7	22.7-40.7	85	68.3	59.3-77.3
Some Post-H.S.	145	14,718	52	37.5	28.5-46.5	93	62.5	53.5-71.5
College Graduate	144	8,839	50	37.3	27.5-47.1	94	62.7	52.9-72.5
\$35,000- 49,999	55	4,199	23	34.2	19.3-49.1	32	65.8	50.9-80.7
\$50,000- 99,999	137	10,941	46	37.1	26.1-48.1	91	62.9	51.9-73.9
\$100,000- 199,999	66	6,437	22	36.5	22.4-50.6	44	63.5	49.4-77.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	365	27,433	127	35.1	28.8-41.4	238	64.9	58.6-71.2
Non-Native	331	24,684	110	33.4	26.9-39.9	221	66.6	60.1-73.1
55-64	59	4,949	17	28.6	15.1-42.1	42	71.4	57.9-84.9
65+	242	13,774	86	36.3	29.0-43.6	156	63.7	56.4-71.0
H.S. or G.E.D.	93	5,745	35	41.2	28.5-53.9	58	58.8	46.1-71.5
Some Post-H.S.	108	10,934	40	34.6	23.8-45.4	68	65.4	54.6-76.2
College Graduate	141	8,096	46	35.2	25.6-44.8	95	64.8	55.2-74.4
\$50,000- 99,999	82	5,638	36	48.1	35.4-60.8	46	51.9	39.2-64.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	771	59,544	481	57.6	53.1-62.1	215	30.4	26.1-34.7	21	3.1	01.7-04.5	16	2.2	01.0-03.4	32	5.8	02.9-08.7	6	0.9	00.0-01.9
Male	425	33,955	262	56.5	50.6-62.4	115	30.2	24.3-36.1	14	4.1	01.9-06.3	9	2.5	00.7-04.3	20	5.3	02.6-08.0	5	1.5	00.0-03.1
Female	346	25,588	219	59.0	51.9-66.1	100	30.6	24.5-36.7	7	1.9	00.3-03.5	7	1.9	00.3-03.5	12	6.4	00.5-12.3	1	0.2	00.0-00.6
Non-Native	711	54,010	453	59.5	54.8-64.2	190	28.0	23.7-32.3	21	3.4	01.8-05.0	14	2.2	00.8-03.6	27	5.8	02.7-08.9	6	1.0	00.0-02.0
45-54	81	9,169	49	57.5	45.7-69.3	26	36.7	24.9-48.5	2	1.4	00.0-03.4				4	4.4	00.1-08.7			
55-64	157	13,584	97	59.9	51.1-68.7	42	28.2	20.0-36.4	5	3.9	00.4-07.4	6	4.2	00.7-07.7	6	3.3	00.6-06.0	1	0.4	00.0-01.2
65+	482	27,818	310	61.0	55.7-66.3	132	28.7	23.8-33.6	12	3.2	01.2-05.2	7	1.3	00.3-02.3	17	4.7	01.8-07.6	4	1.1	00.0-02.3
H.S. or G.E.D.	207	12,917	121	56.9	48.9-64.9	58	28.2	20.9-35.5	6	3.7	00.4-07.0	5	2.8	00.0-05.7	13	6.7	02.8-10.6	4	1.7	00.0-03.5
Some Post-H.S.	246	24,867	153	56.8	49.2-64.4	68	31.5	24.4-38.6	10	3.7	01.3-06.1	3	0.9	00.0-01.9	10	5.7	00.0-11.6	2	1.4	00.0-03.4
College Graduate	279	16,554	188	63.3	56.2-70.4	77	28.5	22.0-35.0	3	1.5	00.0-03.5	6	3.3	00.6-06.0	5	3.4	00.3-06.5			
\$15,000- 24,999	60	4,138	39	52.7	35.5-69.9	14	31.4	15.1-47.7	2	6.2	00.0-14.4	1	2.5	00.0-07.4	4	7.2	00.0-14.6			
\$25,000- 34,999	78	5,312	48	57.0	43.5-70.5	19	24.0	11.8-36.2	4	7.9	00.5-15.3	2	3.3	00.0-08.0	4	6.6	00.0-13.7	1	1.2	00.0-03.6
\$35,000- 49,999	97	6,746	59	51.2	38.7-63.7	28	33.7	21.5-45.9	3	4.4	00.0-09.7	2	2.6	00.0-07.1	5	8.2	00.0-17.6			
\$50,000- 99,999	213	16,105	140	60.6	52.0-69.2	55	29.1	20.7-37.5	5	2.7	00.2-05.2	5	2.7	00.2-05.2	6	3.3	00.4-06.2	2	1.6	00.0-04.1
\$100,000- 199,999	109	9,965	70	63.1	52.1-74.1	35	33.8	22.8-44.8	1	0.3	00.0-00.9				3	2.8	00.0-05.9			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									NONE			Never Heard of		
	TOTAL	WEIGHTED	N	1-2 per yr		N	3-4 per yr		N	5-9 per yr		N	%	C.I. (95%)	N	%	C.I. (95%)
Male	425	33,955	262	56.5	50.6-62.4	115	30.2	24.3-36.1	14	4.1	01.9-06.3	9	2.5	00.7-04.3	20	5.3	02.6-08.0
Non-Native	398	31,058	252	59.2	53.1-65.3	101	27.3	21.4-33.2	14	4.4	01.9-06.9	8	2.4	00.6-04.2	18	5.1	02.2-08.0
55-64	101	8,817	62	59.7	48.9-70.5	25	26.1	16.1-36.1	5	6.0	00.5-11.5	3	3.2	00.0-06.7	5	4.5	00.4-08.6
65+	253	15,197	161	60.4	53.1-67.7	69	27.7	21.2-34.2	6	3.1	00.6-05.6	3	1.1	00.0-02.5	11	6.0	01.3-10.7
H.S. or G.E.D.	122	7,790	67	51.2	41.0-61.4	34	28.9	19.3-38.5	4	4.5	00.0-09.2	3	3.5	00.0-08.0	11	9.8	03.5-16.1
Some Post-H.S.	142	14,447	85	55.0	45.4-64.6	41	33.8	24.4-43.2	7	5.0	01.3-08.7	2	0.9	00.0-02.3	5	3.0	00.1-05.9
College Graduate	142	8,744	101	68.6	59.2-78.0	34	23.0	14.6-31.4	2	2.4	00.0-05.9	3	3.2	00.0-06.7	2	2.7	00.0-06.8
\$35,000- 49,999	54	4,140	33	54.2	37.0-71.4	13	24.6	09.7-39.5	1	3.7	00.0-10.8	2	4.2	00.0-11.6	5	13.3	00.0-28.0
\$50,000- 99,999	133	10,609	85	57.5	46.3-68.7	35	30.4	19.2-41.6	4	3.6	00.0-07.3	2	1.6	00.0-04.0	5	4.4	00.1-08.7
\$100,000- 199,999	65	6,296	45	68.8	54.5-83.1	18	28.3	14.2-42.4				2	2.9	00.0-07.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
			1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	346	25,588	219	59.0	52.1-65.9	100	30.6	24.5-36.7	7	1.9	00.3-03.5	7	1.9	00.3-03.5	12	6.4	00.5-12.3	1	0.2	00.0-00.6
Non-Native	313	22,951	201	60.1	52.7-67.5	89	29.0	22.7-35.3	7	2.1	00.5-03.7	6	1.9	00.1-03.7	9	6.7	00.2-13.2	1	0.3	00.0-00.9
55-64	56	4,767	35	60.5	45.8-75.2	17	32.3	18.0-46.6				3	6.2	00.0-13.8	1	1.1	00.0-03.3			
65+	229	12,621	149	61.7	54.1-69.3	63	29.9	22.6-37.2	6	3.3	00.4-06.2	4	1.5	00.0-03.1	6	3.1	00.4-05.8	1	0.5	00.0-01.5
H.S. or G.E.D.	85	5,126	54	65.5	53.5-77.5	24	27.2	16.0-38.4	2	2.6	00.0-06.3	2	1.8	00.0-04.2	2	1.8	00.0-04.3	1	1.1	00.0-03.3
Some Post-H.S.	104	10,420	68	59.4	46.7-72.1	27	28.3	17.9-38.7	3	1.9	00.0-04.1	1	0.9	00.0-02.7	5	9.6	00.0-22.7			
College Graduate	137	7,810	87	57.3	47.3-67.3	43	34.7	24.9-44.5	1	0.4	00.0-01.2	3	3.3	00.0-07.8	3	4.2	00.0-08.9			
\$50,000- 99,999	80	5,496	55	66.6	54.3-78.9	20	26.5	14.9-38.1	1	0.8	00.0-02.4	3	4.8	00.0-11.1	1	1.3	00.0-03.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 10: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
TOTAL	784	60,837	219	27.6	23.5-31.7	352	42.9	38.6-47.2	93	13.1	10.2-16.0	94	12.8	09.9-15.7	26	3.6
Male	426	33,919	130	29.3	24.2-34.4	183	41.4	35.5-47.3	48	13.0	08.9-17.1	47	11.7	07.8-15.6	18	4.5
Female	358	26,918	89	25.5	18.8-32.2	169	44.7	38.0-51.4	45	13.3	09.0-17.6	47	14.1	09.6-18.6	8	2.4
Non-Native	722	55,091	198	27.4	23.1-31.7	329	43.4	38.9-47.9	80	12.1	09.2-15.0	91	13.5	10.4-16.6	24	3.7
45-54	80	8,996	21	27.5	16.7-38.3	31	38.3	26.7-49.9	11	16.6	07.0-26.2	7	5.8	01.5-10.1	10	11.8
55-64	160	13,815	35	22.2	14.8-29.6	71	40.7	32.3-49.1	29	20.1	12.8-27.4	21	14.5	08.0-21.0	4	2.4
65+	493	28,823	153	31.7	26.8-36.6	233	46.3	41.0-51.6	45	9.0	06.1-11.9	53	11.6	07.9-15.3	9	1.4
H.S. or G.E.D.	213	13,572	57	25.1	18.2-32.0	92	44.1	36.1-52.1	21	9.6	04.7-14.5	34	15.8	10.1-21.5	9	5.4
Some Post-H.S.	250	25,277	75	31.7	24.4-39.0	104	38.9	31.8-46.0	35	16.0	10.5-21.5	27	9.9	05.6-14.2	9	3.6
College Graduate	280	16,392	78	27.7	21.2-34.2	140	47.7	40.6-54.8	31	11.5	07.2-15.8	25	10.8	06.3-15.3	6	2.3
\$15,000- 24,999	62	4,340	21	28.0	14.7-41.3	21	39.8	22.2-57.4	5	5.0	00.3-09.7	13	25.4	11.5-39.3	2	1.7
\$25,000- 34,999	81	5,519	16	16.7	07.5-25.9	39	48.7	35.4-62.0	9	15.1	04.3-25.9	12	12.9	04.3-21.5	5	6.7
\$35,000- 49,999	98	6,833	28	25.5	15.1-35.9	41	43.3	31.0-55.6	12	9.8	02.4-17.2	14	17.7	07.1-28.3	3	3.7
\$50,000- 99,999	215	16,148	72	32.7	25.3-40.1	101	44.3	36.1-52.5	22	13.2	07.3-19.1	18	8.2	04.3-12.1	2	1.5
\$100,000- 199,999	109	9,988	33	30.8	20.4-41.2	47	38.5	27.9-49.1	17	18.5	09.7-27.3	7	6.5	01.2-11.8	5	5.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 11: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
Male	426	33,919	130	29.3	24.2-34.4	183	41.4	35.5-47.3	48	13.0	08.9-17.1	47	11.7	07.8-15.6	18	4.5
Non-Native	398	30,921	122	30.1	24.6-35.6	171	40.9	35.0-46.8	42	11.9	07.8-16.0	46	12.5	08.4-16.6	17	4.5
55-64	102	8,957	23	24.5	14.7-34.3	42	37.7	27.5-47.9	19	19.9	10.9-28.9	14	14.2	06.8-21.6	4	3.8
65+	256	15,356	90	35.9	29.2-42.6	117	45.0	37.9-52.1	20	8.1	04.2-12.0	22	8.8	03.9-13.7	7	2.2
H.S. or G.E.D.	123	7,932	37	29.9	20.3-39.5	46	35.0	25.6-44.4	8	5.8	01.3-10.3	24	20.6	12.0-29.2	8	8.7
Some Post-H.S.	143	14,434	47	31.0	22.6-39.4	60	41.0	31.8-50.2	20	16.6	09.3-23.9	10	7.3	02.0-12.6	6	4.1
College Graduate	140	8,412	43	33.2	23.2-43.2	68	44.7	34.9-54.5	17	12.2	06.1-18.3	10	8.9	03.2-14.6	2	1.0
\$35,000- 49,999	54	4,185	16	25.6	11.9-39.3	22	38.9	23.0-54.8	4	7.5	00.0-17.5	10	22.8	07.1-38.5	2	5.2
\$50,000- 99,999	133	10,511	53	36.5	26.7-46.3	57	42.7	31.7-53.7	13	12.9	05.3-20.5	8	5.5	01.4-09.6	2	2.4
\$100,000- 199,999	65	6,319	20	31.5	17.8-45.2	28	41.1	26.8-55.4	11	17.2	07.0-27.4	4	6.6	00.0-13.7	2	3.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 12: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
Female	358	26,918	89	25.5	18.8-32.2	169	44.7	38.0-51.4	45	13.3	09.0-17.6	47	14.1	09.6-18.6	8	2.4
Non-Native	324	24,169	76	23.8	16.7-30.9	158	46.5	39.4-53.6	38	12.4	08.1-16.7	45	14.7	09.8-19.6	7	2.6
55-64	58	4,858	12	18.1	07.1-29.1	29	46.4	31.7-61.1	10	20.4	07.7-33.1	7	15.2	03.0-27.4		
65+	237	13,466	63	26.8	19.7-33.9	116	47.8	40.0-55.6	25	10.0	05.7-14.3	31	14.8	09.1-20.5	2	0.6
H.S. or G.E.D.	90	5,640	20	18.3	09.3-27.3	46	56.9	44.6-69.2	13	15.0	05.6-24.4	10	9.1	03.2-15.0	1	0.6
Some Post-H.S.	107	10,843	28	32.6	19.9-45.3	44	36.0	25.2-46.8	15	15.3	07.3-23.3	17	13.2	06.1-20.3	3	2.9
College Graduate	140	7,980	35	22.0	14.0-30.0	72	50.9	40.9-60.9	14	10.7	04.6-16.8	15	12.7	05.6-19.8	4	3.6
\$50,000- 99,999	82	5,638	19	25.7	14.1-37.3	44	47.3	34.8-59.8	9	13.8	04.0-23.6	10	13.3	04.9-21.7		

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 13: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
TOTAL	733	57,087	194	25.0	21.1-28.9	290	38.8	34.3-43.3	86	12.6	09.7-15.5	83	13.6	09.9-17.3	80	10.0
Male	397	31,594	113	26.7	21.6-31.8	148	36.8	30.9-42.7	49	13.3	09.2-17.4	41	11.9	07.6-16.2	46	11.2
Female	336	25,494	81	22.8	16.9-28.7	142	41.3	34.6-48.0	37	11.7	07.4-16.0	42	15.6	09.1-22.1	34	8.6
Non-Native	677	51,737	179	25.0	21.1-28.9	266	38.2	33.5-42.9	80	12.4	09.3-15.5	78	14.1	10.2-18.0	74	10.3
45-54	72	7,985	20	29.1	17.5-40.7	28	38.9	26.6-51.2	10	13.5	05.1-21.9	3	2.6	00.0-05.5	11	16.0
55-64	149	12,850	26	17.3	10.2-24.4	60	38.0	29.4-46.6	21	16.0	08.9-23.1	22	15.5	08.8-22.2	20	13.2
65+	463	27,310	139	29.9	25.0-34.8	185	39.7	34.4-45.0	47	10.6	07.3-13.9	47	11.6	07.7-15.5	45	8.2
H.S. or G.E.D.	199	12,341	46	19.3	13.2-25.4	74	41.0	32.8-49.2	20	10.7	05.2-16.2	30	13.7	08.4-19.0	29	15.3
Some Post-H.S.	235	24,063	65	26.7	20.2-33.2	86	35.7	28.4-43.0	29	13.3	08.2-18.4	28	14.3	07.2-21.4	27	10.1
College Graduate	261	15,529	74	27.9	21.4-34.4	119	44.3	37.0-51.6	34	14.7	09.0-20.4	18	8.8	04.5-13.1	16	4.3
\$15,000- 24,999	57	3,991	18	32.6	14.6-50.6	17	28.4	12.7-44.1	3	3.1	00.0-07.0	9	19.0	05.9-32.1	10	16.9
\$25,000- 34,999	76	5,303	17	19.5	09.5-29.5	29	41.3	27.6-55.0	9	11.4	03.4-19.4	10	15.5	04.3-26.7	11	12.3
\$35,000- 49,999	98	6,879	24	18.8	09.8-27.8	36	41.8	29.5-54.1	10	10.0	02.4-17.6	15	17.8	07.0-28.6	13	11.6
\$50,000- 99,999	200	15,104	62	31.1	23.5-38.7	81	39.3	30.7-47.9	23	12.7	07.0-18.4	18	8.8	04.5-13.1	16	8.2
\$100,000- 199,999	98	8,988	29	28.9	18.5-39.3	40	35.5	24.3-46.7	16	20.6	10.2-31.0	5	4.9	00.0-09.8	8	10.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 14: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	397	31,594	113	26.7	21.6-31.8	148	36.8	30.9-42.7	49	13.3	09.2-17.4	41	11.9	07.6-16.2	46	11.2	07.7-14.7
Non-Native	371	28,853	105	26.8	21.5-32.1	136	35.7	29.6-41.8	46	13.1	08.8-17.4	41	13.1	08.4-17.8	43	11.3	07.6-15.0
55-64	97	8,424	18	19.5	10.3-28.7	37	36.8	26.4-47.2	15	16.5	07.9-25.1	13	12.9	05.6-20.2	14	14.2	06.6-21.8
65+	241	14,663	80	33.2	26.3-40.1	90	36.7	29.8-43.6	28	12.9	07.8-18.0	20	9.2	03.9-14.5	23	8.0	04.5-11.5
H.S. or G.E.D.	114	7,039	30	24.6	15.6-33.6	37	32.2	22.8-41.6	11	9.1	03.2-15.0	18	15.6	07.8-23.4	18	18.4	09.6-27.2
Some Post-H.S.	136	13,842	40	28.2	19.6-36.8	47	34.4	25.2-43.6	20	15.3	08.4-22.2	13	11.1	04.4-17.8	16	11.0	05.3-16.7
College Graduate	129	7,986	40	31.3	21.9-40.7	57	41.5	31.5-51.5	16	14.6	05.6-23.6	7	7.9	01.8-14.0	9	4.7	01.4-08.0
\$35,000- 49,999	53	4,134	14	22.2	09.1-35.3	14	29.5	14.4-44.6	5	11.1	00.0-22.7	12	25.0	08.9-41.1	8	12.2	02.6-21.8
\$50,000- 99,999	124	9,892	42	30.8	21.2-40.4	49	40.5	29.3-51.7	14	11.8	05.1-18.5	9	7.4	01.9-12.9	10	9.4	03.1-15.7
\$100,000- 199,999	59	5,570	17	27.0	14.1-39.9	24	39.1	23.8-54.4	11	21.7	08.0-35.4	3	5.7	00.0-13.0	4	6.5	00.0-13.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 15: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never	
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%
Female	336	25,494	81	22.8	16.9-28.7	142	41.3	34.4-48.2	37	11.7	07.4-16.0	42	15.6	09.1-22.1	34	8.6
Non-Native	306	22,885	74	22.7	16.6-28.8	130	41.3	34.0-48.6	34	11.5	07.2-15.8	37	15.5	08.6-22.4	31	9.0
55-64	52	4,426	8	13.2	02.8-23.6	23	40.3	25.2-55.4	6	14.9	02.4-27.4	9	20.3	06.8-33.8	6	11.3
65+	222	12,648	59	26.2	18.9-33.5	95	43.3	35.3-51.3	19	8.0	03.9-12.1	27	14.3	08.6-20.0	22	8.3
H.S. or G.E.D.	85	5,302	16	12.1	05.2-19.0	37	52.5	39.4-65.6	9	12.9	03.1-22.7	12	11.2	04.5-17.9	11	11.3
Some Post-H.S.	99	10,221	25	24.6	14.6-34.6	39	37.4	25.8-49.0	9	10.5	03.2-17.8	15	18.6	05.3-31.9	11	8.9
College Graduate	132	7,543	34	24.3	15.7-32.9	62	47.3	37.1-57.5	18	14.7	07.6-21.8	11	9.8	03.7-15.9	7	3.9
\$50,000- 99,999	76	5,212	20	31.5	18.8-44.2	32	37.0	24.5-49.5	9	14.3	03.9-24.7	9	11.3	03.9-18.7	6	5.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 16: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	766	59,712	125	18.3	14.4-22.2	39	5.0	03.2-06.8	32	3.7	02.3-05.1	56	7.1	05.1-09.1	55	8.1	05.4-10.8	459	57.9	53.4-62.4
Male	419	33,676	63	15.6	11.3-19.9	19	4.1	02.1-06.1	19	4.4	02.2-06.6	30	6.5	04.0-09.0	34	10.2	05.7-14.7	254	59.2	53.3-65.1
Female	347	26,036	62	21.7	14.8-28.6	20	6.1	03.0-09.2	13	2.7	01.1-04.3	26	7.9	04.6-11.2	21	5.4	02.7-08.1	205	56.1	49.0-63.2
Non-Native	700	53,652	115	18.0	13.9-22.1	35	5.0	03.0-07.0	30	3.8	02.2-05.4	50	7.2	05.0-09.4	52	8.3	05.4-11.2	418	57.7	53.0-62.4
45-54	81	9,165	17	21.4	11.6-31.2	3	4.3	00.0-09.4	2	1.6	00.0-03.8	6	7.4	01.5-13.3	6	7.2	00.9-13.5	47	58.2	46.4-70.0
55-64	157	13,609	24	17.9	10.6-25.2	11	7.9	02.8-13.0	9	4.2	01.5-06.9	15	9.7	04.8-14.6	17	10.4	05.1-15.7	81	49.8	41.0-58.6
65+	477	28,011	73	13.9	10.4-17.4	24	5.0	02.6-07.4	17	3.7	01.7-05.7	30	5.9	03.5-08.3	29	6.5	04.0-09.0	304	65.0	60.1-69.9
H.S. or G.E.D.	208	12,996	29	13.9	08.4-19.4	13	5.8	02.3-09.3	9	4.3	01.6-07.0	18	9.6	05.1-14.1	10	4.8	01.7-07.9	129	61.6	54.2-69.0
Some Post-H.S.	240	24,579	39	20.2	12.9-27.5	12	5.4	02.3-08.5	9	3.0	01.0-05.0	15	6.1	02.8-09.4	21	8.4	04.5-12.3	144	56.9	49.3-64.5
College Graduate	276	16,361	52	20.2	14.1-26.3	12	3.3	01.1-05.5	14	5.5	02.4-08.6	20	7.2	03.7-10.7	23	9.6	05.1-14.1	155	54.2	47.1-61.3
\$15,000- 24,999	60	4,207	8	21.7	03.5-39.9	3	4.7	00.0-10.6	3	4.2	00.0-09.5	4	5.7	00.0-12.0	2	2.7	00.0-06.6	40	61.0	43.4-78.6
\$25,000- 34,999	80	5,542	7	7.6	01.5-13.7	7	8.0	00.9-15.1	1	1.2	00.0-03.6	6	7.3	00.6-14.0	2	2.2	00.0-05.9	57	73.5	62.3-84.7
\$35,000- 49,999	97	6,830	19	16.4	07.6-25.2	5	4.8	00.0-10.1	3	3.1	00.0-06.6	7	8.0	01.5-14.5	8	10.7	02.3-19.1	55	57.0	44.7-69.3
\$50,000- 99,999	208	15,734	32	17.9	11.4-24.4	9	4.0	01.3-06.7	11	4.8	01.9-07.7	18	7.4	03.7-11.1	14	9.9	02.3-17.5	124	55.9	47.3-64.5
\$100,000- 199,999	107	9,711	10	12.6	04.0-21.2	6	6.0	00.7-11.3	9	6.8	01.9-11.7	7	6.8	01.7-11.9	17	15.6	07.8-23.4	58	52.3	41.1-63.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 17: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	419	33,676	63	15.6	11.3-19.9	19	4.1	02.1-06.1	19	4.4	02.2-06.6	30	6.5	04.0-09.0	34	10.2	05.7-14.7	254	59.2	53.3-65.1
Non-Native	387	30,366	59	15.8	11.3-20.3	18	4.2	02.0-06.4	19	4.9	02.5-07.3	28	6.8	04.1-09.5	32	10.2	05.5-14.9	231	58.1	52.0-64.2
55-64	101	8,857	15	17.4	08.4-26.4	6	6.5	01.2-11.8	4	2.9	00.0-05.8	9	8.6	02.9-14.3	15	14.7	07.1-22.3	52	49.9	38.9-60.9
65+	247	14,813	34	11.8	07.7-15.9	12	4.7	01.8-07.6	10	5.0	01.9-08.1	15	5.2	02.3-08.1	14	6.2	02.7-09.7	162	67.1	60.6-73.6
H.S. or G.E.D.	122	7,953	17	15.5	07.7-23.3	8	6.4	01.7-11.1	5	3.9	00.4-07.4	10	7.6	02.7-12.5	8	7.1	02.2-12.0	74	59.5	49.5-69.5
Some Post-H.S.	138	14,043	20	15.8	08.5-23.1	6	4.1	00.6-07.6	7	4.5	01.2-07.8	8	5.5	01.6-09.4	15	11.0	05.1-16.9	82	59.1	49.7-68.5
College Graduate	139	8,539	25	19.6	10.8-28.4	5	3.5	00.2-06.8	7	6.2	01.1-11.3	11	7.6	02.7-12.5	10	8.8	02.3-15.3	81	54.3	44.1-64.5
\$35,000- 49,999	52	4,099	10	15.4	03.4-27.4	1	4.0	00.0-11.6	3	5.2	00.0-11.3	5	10.3	00.7-19.9	3	8.7	00.0-19.7	30	56.4	39.5-73.3
\$50,000- 99,999	130	10,425	18	15.3	07.9-22.7	6	3.9	00.6-07.2	8	5.8	01.7-09.9	12	7.9	03.0-12.8	8	10.0	00.0-20.8	78	57.1	45.9-68.3
\$100,000- 199,999	64	6,261	6	14.8	02.5-27.1	3	3.8	00.0-08.1	4	6.4	00.0-13.1	6	9.0	01.7-16.3	11	18.7	07.5-29.9	34	47.3	32.8-61.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 18: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	347	26,036	62	21.7	14.8-28.6	20	6.1	03.0-09.2	13	2.7	01.1-04.3	26	7.9	04.6-11.2	21	5.4	02.7-08.1	205	56.1	49.0-63.2
Non-Native	313	23,287	56	20.8	13.5-28.1	17	6.1	02.6-09.6	11	2.5	00.9-04.1	22	7.7	04.2-11.2	20	5.7	02.8-08.6	187	57.2	49.8-64.6
55-64	56	4,752	9	18.9	06.6-31.2	5	10.6	00.0-21.2	5	6.7	00.6-12.8	6	11.6	02.2-21.0	2	2.4	00.0-05.7	29	49.7	34.6-64.8
65+	230	13,198	39	16.4	10.7-22.1	12	5.3	01.8-08.8	7	2.3	00.5-04.1	15	6.6	02.9-10.3	15	6.9	02.8-11.0	142	62.6	55.2-70.0
H.S. or G.E.D.	86	5,042	12	11.3	04.4-18.2	5	4.9	00.2-09.6	4	4.8	00.0-09.7	8	12.8	04.2-21.4	2	1.3	00.0-03.1	55	65.0	53.6-76.4
Some Post-H.S.	102	10,536	19	26.0	12.7-39.3	6	7.1	01.4-12.8	2	0.9	00.0-02.5	7	6.9	01.2-12.6	6	5.1	00.6-09.6	62	54.0	41.3-66.7
College Graduate	137	7,822	27	20.9	12.7-29.1	7	3.1	00.4-05.8	7	4.7	01.2-08.2	9	6.9	01.6-12.2	13	10.4	04.1-16.7	74	54.1	44.1-64.1
\$50,000- 99,999	78	5,309	14	23.1	10.9-35.3	3	4.3	00.0-09.8	3	2.9	00.0-06.2	6	6.4	00.9-11.9	6	9.6	01.6-17.6	46	53.7	40.6-66.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 19: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	803	62,388	62	9.3	06.4-12.2	741	90.7	87.8-93.6
Male	439	35,079	38	11.9	07.2-16.6	401	88.1	83.4-92.8
Female	364	27,308	24	5.9	03.2-08.6	340	94.1	91.4-96.8
Non-Native	737	56,328	54	9.4	06.3-12.5	683	90.6	87.5-93.7
45-54	84	9,479	5	6.5	00.6-12.4	79	93.5	87.6-99.4
55-64	164	14,133	19	11.9	05.8-18.0	145	88.1	82.0-94.2
65+	501	29,210	28	5.9	03.5-08.3	473	94.1	91.7-96.5
H.S. or G.E.D.	222	14,051	20	10.6	05.7-15.5	202	89.4	84.5-94.3
Some Post-H.S.	254	25,728	19	9.3	05.0-13.6	235	90.7	86.4-95.0
College Graduate	285	16,934	21	6.3	03.2-09.4	264	93.7	90.6-96.8
\$15,000- 24,999	63	4,375	8	13.1	03.5-22.7	55	86.9	77.3-96.5
\$25,000- 34,999	82	5,567	7	9.9	02.3-17.5	75	90.1	82.5-97.7
\$35,000- 49,999	101	6,989	8	6.9	01.6-12.2	93	93.1	87.8-98.4
\$50,000- 99,999	220	16,654	17	12.6	04.8-20.4	203	87.4	79.6-95.2
\$100,000- 199,999	110	10,106	3	2.1	00.0-04.6	107	97.9	95.4-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 20: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	439	35,079	38	11.9	07.2-16.6	401	88.1	83.4-92.8
Non-Native	407	31,769	35	12.4	07.3-17.5	372	87.6	82.5-92.7
55-64	105	9,184	11	11.3	04.0-18.6	94	88.7	81.4-96.0
65+	260	15,560	17	7.5	03.6-11.4	243	92.5	88.6-96.4
H.S. or G.E.D.	129	8,306	12	11.6	04.7-18.5	117	88.4	81.5-95.3
Some Post-H.S.	146	14,793	14	12.9	06.0-19.8	132	87.1	80.2-94.0
College Graduate	144	8,839	11	7.9	02.6-13.2	133	92.1	86.8-97.4
\$35,000- 49,999	55	4,199	6	6.9	00.6-13.2	49	93.1	86.8-99.4
\$50,000- 99,999	138	11,017	13	18.1	06.9-29.3	125	81.9	70.7-93.1
\$100,000- 199,999	66	6,437	3	3.2	00.0-07.3	63	96.8	92.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 2: DIABETES**

TABLE 21: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	364	27,308	24	5.9	03.0-08.8	340	94.1	91.2-97.0
Non-Native	330	24,559	19	5.4	02.5-08.3	311	94.6	91.7-97.5
55-64	59	4,949	8	13.0	02.2-23.8	51	87.0	76.2-97.8
65+	241	13,650	11	4.0	01.3-06.7	230	96.0	93.3-98.7
H.S. or G.E.D.	93	5,745	8	9.1	02.2-16.0	85	90.9	84.0-97.8
Some Post-H.S.	108	10,934	5	4.3	00.4-08.2	103	95.7	91.8-99.6
College Graduate	141	8,096	10	4.7	01.4-08.0	131	95.3	92.0-98.6
\$50,000- 99,999	82	5,638	4	2.0	00.0-04.4	78	98.0	95.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024

MODULE 13: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)	
1 MALES AND FEMALES	34
2 MALES ONLY	35
3 FEMALES ONLY	36
DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)	
4 MALES AND FEMALES	37
5 MALES ONLY	38
6 FEMALES ONLY	39
DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)	
7 MALES AND FEMALES	40
8 MALES ONLY	41
9 FEMALES ONLY	42
DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)	
10 MALES AND FEMALES	43
11 MALES ONLY	44
12 FEMALES ONLY	45
WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)	
13 MALES AND FEMALES	46
14 MALES ONLY	47
15 FEMALES ONLY	48
HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? WAS IT- (ACEPUNCH)	
16 MALES AND FEMALES	49
17 MALES ONLY	50
18 FEMALES ONLY	51
NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT- (ACEHURT1)	
19 MALES AND FEMALES	52
20 MALES ONLY	53
21 FEMALES ONLY	54
HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? WAS IT- (ACESWEAR)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024

MODULE 13: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
22 MALES AND FEMALES	55
23 MALES ONLY	56
24 FEMALES ONLY	57
HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? WAS IT- (ACETOUCH)	
25 MALES AND FEMALES	58
26 MALES ONLY	59
27 FEMALES ONLY	60
HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? WAS IT- (ACETTHEM)	
28 MALES AND FEMALES	61
29 MALES ONLY	62
30 FEMALES ONLY	63
HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? WAS IT- (ACEHVSEX)	
31 MALES AND FEMALES	64
32 MALES ONLY	65
33 FEMALES ONLY	66
FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)	
34 MALES AND FEMALES	67
35 MALES ONLY	68
36 FEMALES ONLY	69
FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADNED)	
37 MALES AND FEMALES	70
38 MALES ONLY	71
39 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 1: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4882	492,720	753	20.5	18.9-22.1	4129	79.5	77.9-81.1
Male	2490	254,033	297	15.5	13.5-17.5	2193	84.5	82.5-86.5
Female	2392	238,687	456	25.7	23.2-28.2	1936	74.3	71.8-76.8
Native	135	19,996	32	31.8	21.2-42.4	103	68.2	57.6-78.8
Non-Native	4677	466,090	712	20.1	18.5-21.7	3965	79.9	78.3-81.5
18-24	243	69,503	75	32.3	25.8-38.8	168	67.7	61.2-74.2
25-34	487	83,961	153	32.8	28.3-37.3	334	67.2	62.7-71.7
35-44	581	83,972	148	25.5	21.6-29.4	433	74.5	70.6-78.4
45-54	614	65,012	108	17.3	14.0-20.6	506	82.7	79.4-86.0
55-64	838	71,112	116	13.5	11.0-16.0	722	86.5	84.0-89.0
65+	2119	119,160	153	7.3	06.1-08.5	1966	92.7	91.5-93.9
Less Than H.S.	154	31,078	25	26.6	16.6-36.6	129	73.4	63.4-83.4
H.S. or G.E.D.	1267	124,318	196	22.5	19.4-25.6	1071	77.5	74.4-80.6
Some Post-H.S.	1479	188,463	221	19.0	16.5-21.5	1258	81.0	78.5-83.5
College Graduate	1970	147,335	310	19.6	17.4-21.8	1660	80.4	78.2-82.6
Less than \$15,000	146	16,576	40	30.7	19.9-41.5	106	69.3	58.5-80.1
\$15,000- 24,999	267	25,599	51	26.7	19.1-34.3	216	73.3	65.7-80.9
\$25,000- 34,999	425	41,564	70	25.8	19.5-32.1	355	74.2	67.9-80.5
\$35,000- 49,999	511	49,836	88	27.5	21.6-33.4	423	72.5	66.6-78.4
\$50,000- 99,999	1438	142,843	213	19.2	16.5-21.9	1225	80.8	78.1-83.5
\$100,000- 199,999	1019	109,548	164	19.3	16.2-22.4	855	80.7	77.6-83.8
\$200,000+	291	29,077	37	12.9	08.6-17.2	254	87.1	82.8-91.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 2: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2490	254,033	297	15.5	13.5-17.5	2193	84.5	82.5-86.5
Native	70	11,010	15	29.9	16.0-43.8	55	70.1	56.2-84.0
Non-Native	2375	238,799	275	14.8	13.0-16.6	2100	85.2	83.4-87.0
18-24	150	37,105	41	27.2	19.6-34.8	109	72.8	65.2-80.4
25-34	284	45,494	67	23.1	18.0-28.2	217	76.9	71.8-82.0
35-44	316	44,886	62	19.5	14.8-24.2	254	80.5	75.8-85.2
45-54	343	34,378	43	11.7	08.2-15.2	300	88.3	84.8-91.8
55-64	448	37,178	44	9.2	06.3-12.1	404	90.8	87.9-93.7
65+	949	54,992	40	4.8	03.2-06.4	909	95.2	93.6-96.8
Less Than H.S.	88	16,691	13	20.3	09.3-31.3	75	79.7	68.7-90.7
H.S. or G.E.D.	714	71,220	86	16.7	13.2-20.2	628	83.3	79.8-86.8
Some Post-H.S.	747	98,208	90	15.1	12.0-18.2	657	84.9	81.8-88.0
College Graduate	934	66,817	108	14.1	11.4-16.8	826	85.9	83.2-88.6
Less than \$15,000	63	7,310	13	20.9	08.9-32.9	50	79.1	67.1-91.1
\$15,000- 24,999	112	10,149	15	20.0	09.0-31.0	97	80.0	69.0-91.0
\$25,000- 34,999	188	19,010	22	15.8	08.5-23.1	166	84.2	76.9-91.5
\$35,000- 49,999	256	24,491	44	25.9	18.5-33.3	212	74.1	66.7-81.5
\$50,000- 99,999	789	79,043	93	16.1	12.8-19.4	696	83.9	80.6-87.2
\$100,000- 199,999	587	64,959	72	14.1	10.8-17.4	515	85.9	82.6-89.2
\$200,000+	177	16,781	11	7.4	02.7-12.1	166	92.6	87.9-97.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 3: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2392	238,687	456	25.7	23.2-28.2	1936	74.3	71.8-76.8
Native	65	8,986	17	34.0	17.7-50.3	48	66.0	49.7-82.3
Non-Native	2302	227,291	437	25.6	23.1-28.1	1865	74.4	71.9-76.9
18-24	93	32,399	34	38.2	27.4-49.0	59	61.8	51.0-72.6
25-34	203	38,467	86	44.3	36.9-51.7	117	55.7	48.3-63.1
35-44	265	39,085	86	32.3	26.0-38.6	179	67.7	61.4-74.0
45-54	271	30,635	65	23.6	18.1-29.1	206	76.4	70.9-81.9
55-64	390	33,933	72	18.1	13.8-22.4	318	81.9	77.6-86.2
65+	1170	64,168	113	9.3	07.3-11.3	1057	90.7	88.7-92.7
Less Than H.S.	66	14,387	12	34.0	17.1-50.9	54	66.0	49.1-82.9
H.S. or G.E.D.	553	53,098	110	30.4	24.9-35.9	443	69.6	64.1-75.1
Some Post-H.S.	732	90,255	131	23.2	19.1-27.3	601	76.8	72.7-80.9
College Graduate	1036	80,518	202	24.1	20.8-27.4	834	75.9	72.6-79.2
Less than \$15,000	83	9,267	27	38.5	22.8-54.2	56	61.5	45.8-77.2
\$15,000- 24,999	155	15,450	36	31.1	20.5-41.7	119	68.9	58.3-79.5
\$25,000- 34,999	237	22,554	48	34.2	25.0-43.4	189	65.8	56.6-75.0
\$35,000- 49,999	255	25,345	44	29.0	20.0-38.0	211	71.0	62.0-80.0
\$50,000- 99,999	649	63,800	120	23.1	18.8-27.4	529	76.9	72.6-81.2
\$100,000- 199,999	432	44,589	92	27.0	21.5-32.5	340	73.0	67.5-78.5
\$200,000+	114	12,296	26	20.5	12.5-28.5	88	79.5	71.5-87.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 4: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4904	495,259	1073	24.4	22.8-26.0	3831	75.6	74.0-77.2
Male	2506	256,046	483	21.4	19.2-23.6	2023	78.6	76.4-80.8
Female	2398	239,213	590	27.6	25.2-30.0	1808	72.4	70.0-74.8
Native	134	20,031	73	55.2	44.4-66.0	61	44.8	34.0-55.6
Non-Native	4701	468,802	983	23.1	21.5-24.7	3718	76.9	75.3-78.5
18-24	245	69,892	59	24.9	18.8-31.0	186	75.1	69.0-81.2
25-34	492	84,852	133	30.2	25.7-34.7	359	69.8	65.3-74.3
35-44	582	84,218	147	27.1	23.0-31.2	435	72.9	68.8-77.0
45-54	618	65,579	157	26.3	22.4-30.2	461	73.7	69.8-77.6
55-64	840	71,055	213	24.3	21.0-27.6	627	75.7	72.4-79.0
65+	2127	119,663	364	17.1	15.1-19.1	1763	82.9	80.9-84.9
Less Than H.S.	156	31,437	51	37.8	27.8-47.8	105	62.2	52.2-72.2
H.S. or G.E.D.	1277	125,177	321	27.7	24.6-30.8	956	72.3	69.2-75.4
Some Post-H.S.	1483	188,974	343	24.8	22.1-27.5	1140	75.2	72.5-77.9
College Graduate	1975	147,960	358	18.6	16.6-20.6	1617	81.4	79.4-83.4
Less than \$15,000	147	16,612	55	44.1	32.7-55.5	92	55.9	44.5-67.3
\$15,000- 24,999	268	25,633	74	30.5	23.1-37.9	194	69.5	62.1-76.9
\$25,000- 34,999	427	41,600	110	29.8	23.7-35.9	317	70.2	64.1-76.3
\$35,000- 49,999	511	49,944	105	24.7	19.4-30.0	406	75.3	70.0-80.6
\$50,000- 99,999	1443	143,468	324	25.1	22.2-28.0	1119	74.9	72.0-77.8
\$100,000- 199,999	1022	110,070	221	23.7	20.6-26.8	801	76.3	73.2-79.4
\$200,000+	290	28,834	44	16.4	11.3-21.5	246	83.6	78.5-88.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 5: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2506	256,046	483	21.4	19.2-23.6	2023	78.6	76.4-80.8
Native	71	11,131	37	55.2	41.3-69.1	34	44.8	30.9-58.7
Non-Native	2389	240,507	434	19.7	17.7-21.7	1955	80.3	78.3-82.3
18-24	152	37,493	31	20.9	13.8-28.0	121	79.1	72.0-86.2
25-34	287	46,091	68	26.7	20.8-32.6	219	73.3	67.4-79.2
35-44	318	45,105	73	25.4	19.9-30.9	245	74.6	69.1-80.1
45-54	344	34,564	74	21.9	17.2-26.6	270	78.1	73.4-82.8
55-64	450	37,428	89	19.2	15.1-23.3	361	80.8	76.7-84.9
65+	955	55,366	148	15.3	12.8-17.8	807	84.7	82.2-87.2
Less Than H.S.	89	16,896	33	42.4	29.7-55.1	56	57.6	44.9-70.3
H.S. or G.E.D.	720	71,863	162	23.2	19.5-26.9	558	76.8	73.1-80.5
Some Post-H.S.	753	98,981	148	21.2	17.7-24.7	605	78.8	75.3-82.3
College Graduate	936	67,026	140	14.9	12.4-17.4	796	85.1	82.6-87.6
Less than \$15,000	65	7,413	24	43.3	26.8-59.8	41	56.7	40.2-73.2
\$15,000- 24,999	113	10,183	31	29.4	18.6-40.2	82	70.6	59.8-81.4
\$25,000- 34,999	190	19,113	40	22.2	14.2-30.2	150	77.8	69.8-85.8
\$35,000- 49,999	256	24,625	44	21.0	14.3-27.7	212	79.0	72.3-85.7
\$50,000- 99,999	793	79,719	154	21.8	18.1-25.5	639	78.2	74.5-81.9
\$100,000- 199,999	589	65,409	116	22.2	18.1-26.3	473	77.8	73.7-81.9
\$200,000+	176	16,538	24	12.8	07.1-18.5	152	87.2	81.5-92.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 6: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2398	239,213	590	27.6	25.2-30.0	1808	72.4	70.0-74.8
Native	63	8,900	36	55.2	38.5-71.9	27	44.8	28.1-61.5
Non-Native	2312	228,295	549	26.7	24.2-29.2	1763	73.3	70.8-75.8
18-24	93	32,399	28	29.4	19.4-39.4	65	70.6	60.6-80.6
25-34	205	38,762	65	34.5	27.2-41.8	140	65.5	58.2-72.8
35-44	264	39,113	74	29.1	22.8-35.4	190	70.9	64.6-77.2
45-54	274	31,015	83	31.1	25.0-37.2	191	68.9	62.8-75.0
55-64	390	33,627	124	29.9	24.8-35.0	266	70.1	65.0-75.2
65+	1172	64,298	216	18.7	16.0-21.4	956	81.3	78.6-84.0
Less Than H.S.	67	14,541	18	32.5	16.8-48.2	49	67.5	51.8-83.2
H.S. or G.E.D.	557	53,315	159	33.8	28.3-39.3	398	66.2	60.7-71.7
Some Post-H.S.	730	89,993	195	28.7	24.6-32.8	535	71.3	67.2-75.4
College Graduate	1039	80,935	218	21.6	18.7-24.5	821	78.4	75.5-81.3
Less than \$15,000	82	9,199	31	44.8	29.3-60.3	51	55.2	39.7-70.7
\$15,000- 24,999	155	15,450	43	31.3	21.1-41.5	112	68.7	58.5-78.9
\$25,000- 34,999	237	22,487	70	36.3	27.7-44.9	167	63.7	55.1-72.3
\$35,000- 49,999	255	25,319	61	28.3	20.1-36.5	194	71.7	63.5-79.9
\$50,000- 99,999	650	63,749	170	29.2	24.5-33.9	480	70.8	66.1-75.5
\$100,000- 199,999	433	44,662	105	25.8	20.7-30.9	328	74.2	69.1-79.3
\$200,000+	114	12,296	20	21.2	12.0-30.4	94	78.8	69.6-88.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 7: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4905	494,096	354	10.6	09.4-11.8	4551	89.4	88.2-90.6
Male	2504	255,244	185	11.0	09.2-12.8	2319	89.0	87.2-90.8
Female	2401	238,851	169	10.1	08.3-11.9	2232	89.9	88.1-91.7
Native	134	19,709	34	35.1	24.1-46.1	100	64.9	53.9-75.9
Non-Native	4702	467,961	317	9.6	08.4-10.8	4385	90.4	89.2-91.6
18-24	244	69,626	41	16.1	11.2-21.0	203	83.9	79.0-88.8
25-34	492	84,523	85	19.9	15.8-24.0	407	80.1	76.0-84.2
35-44	581	83,650	74	13.2	10.1-16.3	507	86.8	83.7-89.9
45-54	618	65,603	51	9.0	06.5-11.5	567	91.0	88.5-93.5
55-64	839	71,017	57	6.4	04.4-08.4	782	93.6	91.6-95.6
65+	2131	119,677	46	2.2	01.4-03.0	2085	97.8	97.0-98.6
Less Than H.S.	152	30,472	23	22.4	13.4-31.4	129	77.6	68.6-86.6
H.S. or G.E.D.	1280	125,493	122	13.2	10.7-15.7	1158	86.8	84.3-89.3
Some Post-H.S.	1482	188,229	111	10.1	08.1-12.1	1371	89.9	87.9-91.9
College Graduate	1979	148,270	98	6.6	05.2-08.0	1881	93.4	92.0-94.8
Less than \$15,000	147	16,465	26	25.7	14.9-36.5	121	74.3	63.5-85.1
\$15,000- 24,999	266	25,478	28	17.3	10.4-24.2	238	82.7	75.8-89.6
\$25,000- 34,999	430	41,871	41	15.3	10.0-20.6	389	84.7	79.4-90.0
\$35,000- 49,999	514	50,314	41	12.4	08.3-16.5	473	87.6	83.5-91.7
\$50,000- 99,999	1441	143,029	100	10.8	08.4-13.2	1341	89.2	86.8-91.6
\$100,000- 199,999	1022	109,663	72	9.3	06.9-11.7	950	90.7	88.3-93.1
\$200,000+	289	28,647	16	6.1	02.8-09.4	273	93.9	90.6-97.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 8: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2504	255,244	185	11.0	09.2-12.8	2319	89.0	87.2-90.8
Native	70	10,741	20	39.8	24.9-54.7	50	60.2	45.3-75.1
Non-Native	2388	240,095	162	9.7	08.1-11.3	2226	90.3	88.7-91.9
18-24	151	37,181	29	21.0	13.7-28.3	122	79.0	71.7-86.3
25-34	288	46,182	43	17.8	12.5-23.1	245	82.2	76.9-87.5
35-44	317	44,719	39	12.7	08.6-16.8	278	87.3	83.2-91.4
45-54	345	34,636	27	8.5	05.2-11.8	318	91.5	88.2-94.8
55-64	449	37,378	28	5.9	03.4-08.4	421	94.1	91.6-96.6
65+	954	55,148	19	2.2	01.2-03.2	935	97.8	96.8-98.8
Less Than H.S.	86	16,389	15	28.6	15.9-41.3	71	71.4	58.7-84.1
H.S. or G.E.D.	721	71,919	75	14.4	10.9-17.9	646	85.6	82.1-89.1
Some Post-H.S.	752	98,611	57	9.8	07.1-12.5	695	90.2	87.5-92.9
College Graduate	937	67,044	38	5.0	03.2-06.8	899	95.0	93.2-96.8
Less than \$15,000	65	7,413	13	30.4	13.7-47.1	52	69.6	52.9-86.3
\$15,000- 24,999	112	10,107	14	19.4	08.4-30.4	98	80.6	69.6-91.6
\$25,000- 34,999	191	19,180	14	10.1	03.8-16.4	177	89.9	83.6-96.2
\$35,000- 49,999	257	24,698	26	17.5	10.6-24.4	231	82.5	75.6-89.4
\$50,000- 99,999	794	79,856	60	12.5	09.0-16.0	734	87.5	84.0-91.0
\$100,000- 199,999	587	64,780	39	8.5	05.8-11.2	548	91.5	88.8-94.2
\$200,000+	175	16,351	6	3.4	00.5-06.3	169	96.6	93.7-99.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 9: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2401	238,851	169	10.1	08.3-11.9	2232	89.9	88.1-91.7
Native	64	8,968	14	29.5	13.4-45.6	50	70.5	54.4-86.6
Non-Native	2314	227,867	155	9.5	07.7-11.3	2159	90.5	88.7-92.3
18-24	93	32,445	12	10.6	04.5-16.7	81	89.4	83.3-95.5
25-34	204	38,341	42	22.5	16.0-29.0	162	77.5	71.0-84.0
35-44	264	38,931	35	13.8	09.1-18.5	229	86.2	81.5-90.9
45-54	273	30,967	24	9.6	05.5-13.7	249	90.4	86.3-94.5
55-64	390	33,639	29	7.0	04.1-09.9	361	93.0	90.1-95.9
65+	1177	64,529	27	2.3	01.1-03.5	1150	97.7	96.5-98.9
Less Than H.S.	66	14,083	8	15.1	03.5-26.7	58	84.9	73.3-96.5
H.S. or G.E.D.	559	53,574	47	11.6	07.9-15.3	512	88.4	84.7-92.1
Some Post-H.S.	730	89,618	54	10.4	07.5-13.3	676	89.6	86.7-92.5
College Graduate	1042	81,226	60	8.0	05.8-10.2	982	92.0	89.8-94.2
Less than \$15,000	82	9,051	13	21.8	08.3-35.3	69	78.2	64.7-91.7
\$15,000- 24,999	154	15,372	14	16.0	07.0-25.0	140	84.0	75.0-93.0
\$25,000- 34,999	239	22,691	27	19.7	11.7-27.7	212	80.3	72.3-88.3
\$35,000- 49,999	257	25,617	15	7.5	03.2-11.8	242	92.5	88.2-96.8
\$50,000- 99,999	647	63,173	40	8.7	05.8-11.6	607	91.3	88.4-94.2
\$100,000- 199,999	435	44,882	33	10.5	06.8-14.2	402	89.5	85.8-93.2
\$200,000+	114	12,296	10	9.7	03.0-16.4	104	90.3	83.6-97.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 10: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4903	494,317	277	9.1	07.9-10.3	4626	90.9	89.7-92.1
Male	2506	255,775	152	9.4	07.8-11.0	2354	90.6	89.0-92.2
Female	2397	238,542	125	8.9	07.1-10.7	2272	91.1	89.3-92.9
Native	134	19,965	33	34.7	23.9-45.5	101	65.3	54.5-76.1
Non-Native	4698	467,534	239	8.0	06.8-09.2	4459	92.0	90.8-93.2
18-24	244	69,598	42	18.0	12.7-23.3	202	82.0	76.7-87.3
25-34	491	84,405	76	17.4	13.5-21.3	415	82.6	78.7-86.5
35-44	580	83,622	56	10.9	08.0-13.8	524	89.1	86.2-92.0
45-54	617	65,429	31	5.7	03.5-07.9	586	94.3	92.1-96.5
55-64	840	71,442	34	3.9	02.3-05.5	806	96.1	94.5-97.7
65+	2131	119,821	38	2.0	01.2-02.8	2093	98.0	97.2-98.8
Less Than H.S.	156	31,110	26	27.3	17.5-37.1	130	72.7	62.9-82.5
H.S. or G.E.D.	1277	124,876	108	12.9	10.4-15.4	1169	87.1	84.6-89.6
Some Post-H.S.	1482	188,577	78	7.3	05.5-09.1	1404	92.7	90.9-94.5
College Graduate	1976	148,077	65	4.7	03.3-06.1	1911	95.3	93.9-96.7
Less than \$15,000	147	16,543	27	26.2	15.2-37.2	120	73.8	62.8-84.8
\$15,000- 24,999	267	25,542	17	11.5	05.6-17.4	250	88.5	82.6-94.4
\$25,000- 34,999	428	41,664	40	15.5	10.2-20.8	388	84.5	79.2-89.8
\$35,000- 49,999	512	49,933	32	12.3	07.8-16.8	480	87.7	83.2-92.2
\$50,000- 99,999	1445	143,166	65	7.6	05.4-09.8	1380	92.4	90.2-94.6
\$100,000- 199,999	1022	110,080	58	8.1	05.7-10.5	964	91.9	89.5-94.3
\$200,000+	290	28,834	12	4.8	01.9-07.7	278	95.2	92.3-98.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 11: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2506	255,775	152	9.4	07.8-11.0	2354	90.6	89.0-92.2
Native	70	10,997	22	44.6	30.1-59.1	48	55.4	40.9-69.9
Non-Native	2390	240,370	126	7.7	06.1-09.3	2264	92.3	90.7-93.9
18-24	152	37,428	27	19.7	12.6-26.8	125	80.3	73.2-87.4
25-34	286	45,849	39	15.5	10.6-20.4	247	84.5	79.6-89.4
35-44	316	44,882	26	9.9	06.0-13.8	290	90.1	86.2-94.0
45-54	345	34,636	19	6.3	03.4-09.2	326	93.7	90.8-96.6
55-64	449	37,382	17	3.8	01.8-05.8	432	96.2	94.2-98.2
65+	958	55,597	24	2.6	01.4-03.8	934	97.4	96.2-98.6
Less Than H.S.	90	17,027	16	27.6	15.3-39.9	74	72.4	60.1-84.7
H.S. or G.E.D.	719	71,543	64	12.9	09.8-16.0	655	87.1	84.0-90.2
Some Post-H.S.	753	98,868	45	7.9	05.4-10.4	708	92.1	89.6-94.6
College Graduate	936	67,055	27	3.4	01.8-05.0	909	96.6	95.0-98.2
Less than \$15,000	65	7,413	12	25.6	11.1-40.1	53	74.4	59.9-88.9
\$15,000- 24,999	112	10,092	10	15.9	05.5-26.3	102	84.1	73.7-94.5
\$25,000- 34,999	190	19,046	15	10.1	03.8-16.4	175	89.9	83.6-96.2
\$35,000- 49,999	256	24,632	22	14.6	08.1-21.1	234	85.4	78.9-91.9
\$50,000- 99,999	795	79,702	39	8.6	05.7-11.5	756	91.4	88.5-94.3
\$100,000- 199,999	590	65,450	33	7.9	05.0-10.8	557	92.1	89.2-95.0
\$200,000+	176	16,538	6	3.4	00.5-06.3	170	96.6	93.7-99.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 12: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2397	238,542	125	8.9	07.1-10.7	2272	91.1	89.3-92.9
Native	64	8,968	11	22.6	07.5-37.7	53	77.4	62.3-92.5
Non-Native	2308	227,165	113	8.4	06.6-10.2	2195	91.6	89.8-93.4
18-24	92	32,170	15	15.9	07.9-23.9	77	84.1	76.1-92.1
25-34	205	38,556	37	19.5	13.4-25.6	168	80.5	74.4-86.6
35-44	264	38,740	30	12.1	07.4-16.8	234	87.9	83.2-92.6
45-54	272	30,793	12	5.0	02.1-07.9	260	95.0	92.1-97.9
55-64	391	34,059	17	4.0	01.8-06.2	374	96.0	93.8-98.2
65+	1173	64,224	14	1.4	00.4-02.4	1159	98.6	97.6-99.6
Less Than H.S.	66	14,083	10	26.9	11.2-42.6	56	73.1	57.4-88.8
H.S. or G.E.D.	558	53,332	44	12.9	08.8-17.0	514	87.1	83.0-91.2
Some Post-H.S.	729	89,709	33	6.5	04.1-08.9	696	93.5	91.1-95.9
College Graduate	1040	81,022	38	5.7	03.7-07.7	1002	94.3	92.3-96.3
Less than \$15,000	82	9,130	15	26.6	10.7-42.5	67	73.4	57.5-89.3
\$15,000- 24,999	155	15,450	7	8.7	01.8-15.6	148	91.3	84.4-98.2
\$25,000- 34,999	238	22,618	25	20.0	11.8-28.2	213	80.0	71.8-88.2
\$35,000- 49,999	256	25,301	10	10.0	03.5-16.5	246	90.0	83.5-96.5
\$50,000- 99,999	650	63,463	26	6.4	03.7-09.1	624	93.6	90.9-96.3
\$100,000- 199,999	432	44,630	25	8.5	04.8-12.2	407	91.5	87.8-95.2
\$200,000+	114	12,296	6	6.8	00.9-12.7	108	93.2	87.3-99.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE
TABLE 13: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4897	493,398	920	25.8	24.0-27.6	3930	72.7	70.9-74.5	47	1.5	00.9-02.1
Male	2494	254,349	485	25.6	23.4-27.8	1988	73.1	70.7-75.5	21	1.3	00.5-02.1
Female	2403	239,049	435	26.1	23.6-28.6	1942	72.2	69.7-74.7	26	1.8	01.0-02.6
Native	131	19,576	61	50.3	39.3-61.3	65	47.0	36.0-58.0	5	2.7	00.2-05.2
Non-Native	4696	467,137	843	24.7	22.9-26.5	3811	73.8	72.0-75.6	42	1.5	00.9-02.1
18-24	244	69,506	101	40.7	34.0-47.4	138	56.4	49.5-63.3	5	2.9	00.2-05.6
25-34	492	84,317	176	38.0	33.3-42.7	305	59.2	54.5-63.9	11	2.8	01.0-04.6
35-44	578	83,327	189	35.1	30.6-39.6	380	63.3	58.8-67.8	9	1.6	00.4-02.8
45-54	615	65,213	136	22.8	19.1-26.5	477	76.8	73.1-80.5	2	0.4	00.0-01.0
55-64	840	71,332	158	19.1	16.2-22.0	675	80.0	76.9-83.1	7	0.9	00.1-01.7
65+	2128	119,704	160	7.8	06.4-09.2	1955	91.6	90.2-93.0	13	0.7	00.3-01.1
Less Than H.S.	154	30,895	44	40.1	29.9-50.3	106	54.0	43.6-64.4	4	5.9	00.2-11.6
H.S. or G.E.D.	1271	123,952	327	34.4	31.1-37.7	928	64.0	60.5-67.5	16	1.6	00.6-02.6
Some Post-H.S.	1483	189,172	274	24.7	21.8-27.6	1194	73.9	71.0-76.8	15	1.4	00.6-02.2
College Graduate	1977	147,802	274	17.2	15.0-19.4	1691	82.1	79.9-84.3	12	0.7	00.3-01.1
Less than \$15,000	149	16,712	37	34.9	23.7-46.1	108	62.5	51.3-73.7	4	2.7	00.0-05.6
\$15,000- 24,999	265	25,011	68	38.7	30.1-47.3	191	58.0	49.4-66.6	6	3.3	00.2-06.4
\$25,000- 34,999	425	41,034	87	31.3	24.8-37.8	330	67.0	60.5-73.5	8	1.7	00.3-03.1
\$35,000- 49,999	510	49,635	110	32.2	26.3-38.1	392	64.0	57.9-70.1	8	3.8	00.5-07.1
\$50,000- 99,999	1440	143,004	251	24.4	21.5-27.3	1180	74.4	71.3-77.5	9	1.2	00.2-02.2
\$100,000- 199,999	1022	110,200	194	23.1	20.0-26.2	823	76.0	72.9-79.1	5	0.9	00.1-01.7
\$200,000+	290	28,834	48	20.2	14.7-25.7	241	79.7	74.2-85.2	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 14: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2494	254,349	485	25.6	23.4-27.8	1988	73.1	70.7-75.5	21	1.3	00.5-02.1
Native	68	10,728	41	62.8	48.9-76.7	25	34.6	20.7-48.5	2	2.6	00.0-06.5
Non-Native	2381	239,346	431	23.7	21.5-25.9	1931	75.1	72.7-77.5	19	1.2	00.4-02.0
18-24	151	37,061	64	41.5	33.1-49.9	84	55.3	46.9-63.7	3	3.2	00.0-06.9
25-34	288	46,182	105	38.2	32.1-44.3	179	60.1	54.0-66.2	4	1.7	00.0-03.5
35-44	314	44,378	95	32.4	26.7-38.1	215	66.4	60.5-72.3	4	1.2	00.0-02.4
45-54	341	34,198	67	20.1	15.4-24.8	273	79.5	74.8-84.2	1	0.4	00.0-01.2
55-64	447	37,184	78	17.3	13.4-21.2	365	82.1	78.2-86.0	4	0.6	00.0-01.2
65+	953	55,347	76	7.9	05.9-09.9	872	91.5	89.5-93.5	5	0.6	00.0-01.2
Less Than H.S.	88	16,812	28	41.7	28.8-54.6	57	50.7	37.8-63.6	3	7.6	00.0-16.0
H.S. or G.E.D.	712	70,799	196	35.9	31.6-40.2	510	63.3	59.0-67.6	6	0.7	00.0-01.5
Some Post-H.S.	751	98,746	138	22.4	18.9-25.9	606	76.5	72.8-80.2	7	1.1	00.3-01.9
College Graduate	936	66,844	123	15.8	12.9-18.7	808	83.7	80.8-86.6	5	0.5	00.1-00.9
Less than \$15,000	65	7,413	16	32.4	17.1-47.7	49	67.6	52.3-82.9			
\$15,000- 24,999	113	10,183	31	35.2	23.2-47.2	80	62.7	50.7-74.7	2	2.1	00.0-05.0
\$25,000- 34,999	187	18,586	39	29.1	20.1-38.1	145	69.7	60.7-78.7	3	1.2	00.0-02.8
\$35,000- 49,999	253	24,018	61	35.4	27.8-43.0	189	61.3	53.5-69.1	3	3.3	00.0-07.8
\$50,000- 99,999	790	79,321	134	23.8	19.9-27.7	650	74.9	70.8-79.0	6	1.3	00.0-02.7
\$100,000- 199,999	589	65,533	118	24.1	20.0-28.2	467	74.8	70.5-79.1	4	1.1	00.0-02.3
\$200,000+	176	16,538	31	20.5	13.4-27.6	144	79.3	72.2-86.4	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 15: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2403	239,049	435	26.1	23.6-28.6	1942	72.2	69.7-74.7	26	1.8	01.0-02.6
Native	63	8,848	20	35.1	19.2-51.0	40	62.1	46.0-78.2	3	2.8	00.0-06.1
Non-Native	2315	227,791	412	25.8	23.3-28.3	1880	72.4	69.9-74.9	23	1.7	00.9-02.5
18-24	93	32,445	37	39.7	29.1-50.3	54	57.7	46.9-68.5	2	2.6	00.0-06.3
25-34	204	38,135	71	37.7	30.4-45.0	126	58.1	50.7-65.5	7	4.2	01.1-07.3
35-44	264	38,949	94	38.3	31.6-45.0	165	59.7	52.8-66.6	5	2.0	00.0-04.0
45-54	274	31,015	69	25.9	20.0-31.8	204	73.8	67.9-79.7	1	0.3	00.0-00.9
55-64	393	34,148	80	21.0	16.3-25.7	310	77.8	72.9-82.7	3	1.2	00.0-02.8
65+	1175	64,357	84	7.6	05.8-09.4	1083	91.6	89.6-93.6	8	0.7	00.1-01.3
Less Than H.S.	66	14,083	16	38.2	21.7-54.7	49	57.9	41.2-74.6	1	3.9	00.0-11.3
H.S. or G.E.D.	559	53,154	131	32.5	27.2-37.8	418	64.8	59.3-70.3	10	2.7	00.7-04.7
Some Post-H.S.	732	90,426	136	27.3	22.8-31.8	588	71.0	66.5-75.5	8	1.7	00.3-03.1
College Graduate	1041	80,958	151	18.4	15.3-21.5	883	80.8	77.7-83.9	7	0.8	00.2-01.4
Less than \$15,000	84	9,299	21	36.8	21.1-52.5	59	58.4	42.9-73.9	4	4.8	00.0-10.3
\$15,000- 24,999	152	14,829	37	41.1	29.1-53.1	111	54.8	43.0-66.6	4	4.2	00.0-09.1
\$25,000- 34,999	238	22,448	48	33.1	24.1-42.1	185	64.7	55.7-73.7	5	2.1	00.1-04.1
\$35,000- 49,999	257	25,617	49	29.2	20.6-37.8	203	66.6	57.6-75.6	5	4.2	00.0-08.9
\$50,000- 99,999	650	63,683	117	25.1	20.6-29.6	530	73.8	69.1-78.5	3	1.1	00.0-02.5
\$100,000- 199,999	433	44,667	76	21.7	16.8-26.6	356	77.7	72.8-82.6	1	0.7	00.0-02.1
\$200,000+	114	12,296	17	19.8	10.8-28.8	97	80.2	71.2-89.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 16: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? WAS IT— (ACEPUNCH)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4835	487,689	4202	85.0	83.6-86.4	151	3.5	02.7-04.3	482	11.5	10.3-12.7
Male	2471	252,386	2183	87.0	85.2-88.8	67	2.9	02.1-03.7	221	10.1	08.5-11.7
Female	2364	235,304	2019	82.8	80.6-85.0	84	4.3	03.1-05.5	261	12.9	11.1-14.7
Native	131	19,800	74	55.6	44.8-66.4	10	10.7	03.3-18.1	47	33.7	23.7-43.7
Non-Native	4636	461,270	4074	86.4	85.0-87.8	137	3.2	02.6-03.8	425	10.4	09.2-11.6
18-24	243	69,387	208	86.3	81.8-90.8	6	2.5	00.5-04.5	29	11.2	07.1-15.3
25-34	485	83,034	399	79.8	75.7-83.9	22	5.5	03.0-08.0	64	14.6	11.1-18.1
35-44	573	82,681	471	81.2	77.7-84.7	23	4.7	02.7-06.7	79	14.1	11.0-17.2
45-54	604	64,084	509	83.0	79.5-86.5	20	3.2	01.6-04.8	75	13.9	10.8-17.0
55-64	831	70,697	713	85.9	83.2-88.6	22	2.5	01.3-03.7	96	11.5	09.0-14.0
65+	2099	117,805	1902	90.9	89.5-92.3	58	2.8	02.0-03.6	139	6.3	05.1-07.5
Less Than H.S.	154	30,867	119	76.5	67.9-85.1	8	4.9	00.4-09.4	27	18.6	10.8-26.4
H.S. or G.E.D.	1247	122,254	1053	82.6	79.9-85.3	39	3.4	02.0-04.8	155	14.0	11.5-16.5
Some Post-H.S.	1458	186,057	1259	84.9	82.7-87.1	50	3.8	02.6-05.0	149	11.3	09.3-13.3
College Graduate	1964	146,833	1760	88.7	86.9-90.5	54	3.1	02.1-04.1	150	8.2	06.6-09.8
Less than \$15,000	144	16,211	99	63.6	52.6-74.6	6	6.7	00.0-13.6	39	29.7	19.7-39.7
\$15,000- 24,999	260	24,374	209	71.4	63.4-79.4	10	7.6	02.1-13.1	41	21.0	13.9-28.1
\$25,000- 34,999	424	41,336	351	79.6	74.1-85.1	20	7.1	03.2-11.0	53	13.3	08.8-17.8
\$35,000- 49,999	502	48,858	441	84.2	79.5-88.9	17	2.8	01.2-04.4	44	13.0	08.3-17.7
\$50,000- 99,999	1428	142,020	1244	85.5	83.1-87.9	46	3.0	02.0-04.0	138	11.5	09.3-13.7
\$100,000- 199,999	1012	109,082	885	86.5	84.0-89.0	29	3.2	02.0-04.4	98	10.3	08.1-12.5
\$200,000+	287	28,610	258	89.8	85.7-93.9	6	1.6	00.2-03.0	23	8.6	04.7-12.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 17: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? WAS IT— (ACEPUNCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2471	252,386	2183	87.0	85.2-88.8	67	2.9	02.1-03.7	221	10.1	08.5-11.7
Native	69	10,965	39	58.1	44.2-72.0	5	8.3	00.7-15.9	25	33.7	20.6-46.8
Non-Native	2356	237,012	2109	88.7	87.1-90.3	59	2.5	01.7-03.3	188	8.7	07.3-10.1
18-24	150	36,943	127	85.3	79.4-91.2	4	2.9	00.2-05.6	19	11.9	06.4-17.4
25-34	285	45,806	250	87.3	83.0-91.6	10	3.4	01.0-05.8	25	9.3	05.6-13.0
35-44	313	44,246	261	82.7	78.0-87.4	12	4.0	01.6-06.4	40	13.3	09.2-17.4
45-54	340	34,067	294	85.2	80.9-89.5	11	3.0	01.0-05.0	35	11.8	07.9-15.7
55-64	444	36,979	391	87.8	84.3-91.3	9	1.7	00.5-02.9	44	10.4	07.1-13.7
65+	939	54,344	860	91.9	89.9-93.9	21	2.2	01.2-03.2	58	5.9	04.3-07.5
Less Than H.S.	88	16,784	66	74.6	63.6-85.6	5	3.4	00.0-07.5	17	22.1	11.5-32.7
H.S. or G.E.D.	704	70,118	608	85.3	82.2-88.4	16	2.0	00.8-03.2	80	12.6	09.7-15.5
Some Post-H.S.	739	97,588	645	87.1	84.4-89.8	24	3.9	02.1-05.7	70	9.0	06.6-11.4
College Graduate	932	66,614	857	91.7	89.7-93.7	22	2.2	01.2-03.2	53	6.2	04.4-08.0
Less than \$15,000	63	7,155	43	64.1	48.4-79.8	2	1.6	00.0-04.0	18	34.2	18.5-49.9
\$15,000- 24,999	111	10,026	92	78.6	68.6-88.6	4	4.7	00.0-09.4	15	16.7	07.5-25.9
\$25,000- 34,999	188	18,838	161	85.1	78.0-92.2	7	3.1	00.0-06.4	20	11.8	05.3-18.3
\$35,000- 49,999	253	24,339	219	82.6	76.1-89.1	9	3.4	01.0-05.8	25	14.0	07.7-20.3
\$50,000- 99,999	787	79,321	703	87.4	84.5-90.3	22	3.0	01.4-04.6	62	9.6	07.1-12.1
\$100,000- 199,999	585	64,858	520	89.0	86.1-91.9	13	2.3	00.9-03.7	52	8.7	06.2-11.2
\$200,000+	173	16,313	158	91.0	86.1-95.9	4	2.3	00.0-04.7	11	6.6	02.3-10.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 18: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? WAS IT— (ACEPUNCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2364	235,304	2019	82.8	80.6-85.0	84	4.3	03.1-05.5	261	12.9	11.1-14.7
Native	62	8,835	35	52.6	35.9-69.3	5	13.8	00.3-27.3	22	33.6	18.5-48.7
Non-Native	2280	224,257	1965	83.8	81.6-86.0	78	3.9	02.7-05.1	237	12.2	10.4-14.0
18-24	93	32,445	81	87.5	80.4-94.6	2	2.0	00.0-04.7	10	10.5	03.8-17.2
25-34	200	37,227	149	70.6	63.3-77.9	12	8.2	03.5-12.9	39	21.2	14.9-27.5
35-44	260	38,435	210	79.5	73.8-85.2	11	5.5	02.0-09.0	39	15.0	10.1-19.9
45-54	264	30,017	215	80.4	74.9-85.9	9	3.4	01.0-05.8	40	16.2	11.1-21.3
55-64	387	33,718	322	83.8	79.7-87.9	13	3.4	01.4-05.4	52	12.7	09.0-16.4
65+	1160	63,461	1042	90.0	88.0-92.0	37	3.3	02.1-04.5	81	6.7	05.1-08.3
Less Than H.S.	66	14,083	53	78.8	65.5-92.1	3	6.7	00.0-15.3	10	14.5	03.3-25.7
H.S. or G.E.D.	543	52,137	445	78.9	74.2-83.6	23	5.2	02.5-07.9	75	15.9	11.8-20.0
Some Post-H.S.	719	88,469	614	82.5	79.0-86.0	26	3.7	01.9-05.5	79	13.8	10.5-17.1
College Graduate	1032	80,219	903	86.2	83.5-88.9	32	3.9	02.3-05.5	97	9.9	07.7-12.1
Less than \$15,000	81	9,056	56	63.2	48.1-78.3	4	10.6	00.0-22.4	21	26.2	13.5-38.9
\$15,000- 24,999	149	14,348	117	66.4	55.0-77.8	6	9.7	01.1-18.3	26	23.9	13.9-33.9
\$25,000- 34,999	236	22,498	190	75.0	67.0-83.0	13	10.4	04.1-16.7	33	14.6	08.5-20.7
\$35,000- 49,999	249	24,519	222	85.7	78.6-92.8	8	2.3	00.5-04.1	19	12.0	05.1-18.9
\$50,000- 99,999	641	62,699	541	83.1	79.4-86.8	24	3.0	01.6-04.4	76	13.9	10.2-17.6
\$100,000- 199,999	427	44,224	365	82.9	78.4-87.4	16	4.5	02.1-06.9	46	12.6	08.7-16.5
\$200,000+	114	12,296	100	88.1	81.0-95.2	2	0.8	00.0-02.0	12	11.1	04.0-18.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 19: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—
(ACEHURT1)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4845	487,724	3737	75.6	74.0-77.2	327	6.9	05.9-07.9	781	17.4	16.0-18.8
Male	2475	252,455	1917	77.3	75.3-79.3	159	6.2	05.0-07.4	399	16.5	14.7-18.3
Female	2370	235,269	1820	73.9	71.5-76.3	168	7.7	06.1-09.3	382	18.4	16.2-20.6
Native	130	19,752	82	58.7	47.7-69.7	11	11.5	02.9-20.1	37	29.8	20.0-39.6
Non-Native	4648	461,613	3606	76.4	74.8-78.0	312	6.8	05.8-07.8	730	16.8	15.4-18.2
18-24	242	68,707	191	78.1	72.4-83.8	17	7.7	04.0-11.4	34	14.2	09.3-19.1
25-34	486	83,295	373	75.3	71.0-79.6	26	6.2	03.7-08.7	87	18.5	14.8-22.2
35-44	571	82,443	428	73.6	69.5-77.7	38	6.3	04.1-08.5	105	20.1	16.4-23.8
45-54	610	64,582	464	74.2	70.1-78.3	31	6.2	03.7-08.7	115	19.6	16.1-23.1
55-64	828	70,364	615	73.3	69.8-76.8	56	7.0	05.0-09.0	157	19.7	16.6-22.8
65+	2108	118,333	1666	78.0	75.8-80.2	159	7.8	06.4-09.2	283	14.2	12.4-16.0
Less Than H.S.	151	30,541	95	62.3	52.3-72.3	21	15.4	07.8-23.0	35	22.2	13.8-30.6
H.S. or G.E.D.	1255	122,841	938	74.2	71.3-77.1	83	5.8	04.2-07.4	234	20.0	17.3-22.7
Some Post-H.S.	1465	185,996	1097	74.1	71.4-76.8	105	7.1	05.5-08.7	263	18.7	16.3-21.1
College Graduate	1961	146,636	1598	81.5	79.5-83.5	117	5.9	04.7-07.1	246	12.6	10.8-14.4
Less than \$15,000	146	16,183	83	47.0	35.8-58.2	9	11.0	01.4-20.6	54	42.0	31.0-53.0
\$15,000- 24,999	264	25,306	185	66.8	58.8-74.8	25	10.2	04.9-15.5	54	23.0	15.7-30.3
\$25,000- 34,999	420	40,757	294	67.0	60.7-73.3	36	10.1	05.8-14.4	90	22.8	17.3-28.3
\$35,000- 49,999	511	49,996	371	65.9	60.0-71.8	46	8.7	05.4-12.0	94	25.5	20.0-31.0
\$50,000- 99,999	1427	141,788	1117	77.9	75.2-80.6	97	6.9	05.3-08.5	213	15.2	12.8-17.6
\$100,000- 199,999	1013	108,621	814	80.6	77.7-83.5	54	5.6	03.8-07.4	145	13.8	11.3-16.3
\$200,000+	289	28,743	233	78.8	73.1-84.5	13	4.2	01.7-06.7	43	17.0	11.7-22.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 20: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—
(ACEHURT1)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2475	252,455	1917	77.3	75.3-79.3	159	6.2	05.0-07.4	399	16.5	14.7-18.3
Native	69	10,954	43	61.1	47.0-75.2	5	6.1	00.0-13.4	21	32.8	19.3-46.3
Non-Native	2362	237,330	1842	78.1	76.1-80.1	150	6.2	05.0-07.4	370	15.6	13.8-17.4
18-24	151	37,282	122	81.3	74.8-87.8	7	4.8	01.3-08.3	22	14.0	08.3-19.7
25-34	284	45,547	235	82.6	77.9-87.3	12	4.4	01.9-06.9	37	13.0	08.7-17.3
35-44	311	43,937	237	75.2	69.7-80.7	19	5.8	02.9-08.7	55	19.0	14.1-23.9
45-54	340	34,030	264	76.2	71.1-81.3	15	5.1	02.2-08.0	61	18.7	14.2-23.2
55-64	443	36,904	327	72.1	67.2-77.0	33	8.4	05.3-11.5	83	19.5	15.4-23.6
65+	946	54,755	732	76.0	72.9-79.1	73	8.2	06.0-10.4	141	15.8	13.1-18.5
Less Than H.S.	86	16,495	46	62.8	50.8-74.8	16	14.5	06.5-22.5	24	22.7	12.5-32.9
H.S. or G.E.D.	706	70,543	546	77.9	74.2-81.6	43	4.7	03.1-06.3	117	17.4	14.1-20.7
Some Post-H.S.	747	98,047	554	75.3	71.8-78.8	49	6.6	04.4-08.8	144	18.2	15.1-21.3
College Graduate	928	66,089	765	83.0	80.3-85.7	50	5.3	03.5-07.1	113	11.7	09.3-14.1
Less than \$15,000	64	7,205	36	53.6	37.3-69.9	5	5.6	00.1-11.1	23	40.9	25.0-56.8
\$15,000- 24,999	111	9,932	81	69.7	58.3-81.1	9	10.0	01.6-18.4	21	20.3	10.9-29.7
\$25,000- 34,999	187	18,801	137	74.5	66.5-82.5	17	9.5	03.6-15.4	33	16.0	09.5-22.5
\$35,000- 49,999	256	24,653	185	66.2	58.8-73.6	21	7.2	03.7-10.7	50	26.6	19.3-33.9
\$50,000- 99,999	786	78,958	616	78.9	75.6-82.2	44	5.4	03.6-07.2	126	15.7	12.8-18.6
\$100,000- 199,999	583	64,436	466	81.3	77.8-84.8	32	5.6	03.4-07.8	85	13.1	10.0-16.2
\$200,000+	175	16,447	144	78.6	71.2-86.0	7	3.7	00.6-06.8	24	17.7	10.4-25.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 21: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—
(ACEHURT1)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2370	235,269	1820	73.9	71.5-76.3	168	7.7	06.1-09.3	382	18.4	16.2-20.6
Native	61	8,798	39	55.7	38.6-72.8	6	18.3	02.2-34.4	16	26.0	11.7-40.3
Non-Native	2286	224,283	1764	74.5	72.1-76.9	162	7.4	05.8-09.0	360	18.2	16.0-20.4
18-24	91	31,425	69	74.3	64.5-84.1	10	11.3	04.2-18.4	12	14.4	06.4-22.4
25-34	202	37,747	138	66.5	59.2-73.8	14	8.3	03.8-12.8	50	25.2	18.7-31.7
35-44	260	38,506	191	71.8	65.5-78.1	19	6.8	03.7-09.9	50	21.3	15.4-27.2
45-54	270	30,552	200	72.0	65.7-78.3	16	7.4	03.1-11.7	54	20.6	15.1-26.1
55-64	385	33,461	288	74.6	69.5-79.7	23	5.5	03.1-07.9	74	19.9	15.0-24.8
65+	1162	63,579	934	79.8	77.1-82.5	86	7.4	05.6-09.2	142	12.8	10.4-15.2
Less Than H.S.	65	14,046	49	61.8	45.1-78.5	5	16.6	02.7-30.5	11	21.6	07.5-35.7
H.S. or G.E.D.	549	52,298	392	69.2	64.1-74.3	40	7.3	04.4-10.2	117	23.5	18.8-28.2
Some Post-H.S.	718	87,949	543	72.8	68.7-76.9	56	7.8	05.3-10.3	119	19.4	15.7-23.1
College Graduate	1033	80,548	833	80.2	77.3-83.1	67	6.4	04.6-08.2	133	13.4	10.9-15.9
Less than \$15,000	82	8,978	47	41.8	27.3-56.3	4	15.3	00.0-31.4	31	43.0	28.1-57.9
\$15,000- 24,999	153	15,374	104	64.9	53.9-75.9	16	10.4	03.3-17.5	33	24.8	14.8-34.8
\$25,000- 34,999	233	21,955	157	60.6	51.8-69.4	19	10.7	04.4-17.0	57	28.7	20.5-36.9
\$35,000- 49,999	255	25,343	186	65.5	56.7-74.3	25	10.1	04.8-15.4	44	24.4	16.2-32.6
\$50,000- 99,999	641	62,830	501	76.7	72.4-81.0	53	8.7	05.8-11.6	87	14.6	10.9-18.3
\$100,000- 199,999	430	44,185	348	79.6	74.9-84.3	22	5.6	02.9-08.3	60	14.7	10.6-18.8
\$200,000+	114	12,296	89	79.1	70.5-87.7	6	4.9	00.4-09.4	19	16.1	08.3-23.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 22: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? WAS IT— (ACESWEAR)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4830	487,323	3252	62.3	60.5-64.1	262	6.2	05.2-07.2	1316	31.4	29.6-33.2
Male	2462	251,271	1645	63.4	61.0-65.8	154	6.8	05.4-08.2	663	29.8	27.4-32.2
Female	2368	236,052	1607	61.2	58.5-63.9	108	5.7	04.3-07.1	653	33.1	30.6-35.6
Native	132	19,887	67	45.9	35.1-56.7	5	4.3	00.0-08.8	60	49.8	38.8-60.8
Non-Native	4631	460,940	3141	63.0	61.2-64.8	255	6.4	05.4-07.4	1235	30.6	28.8-32.4
18-24	242	68,525	130	53.7	46.8-60.6	30	12.0	07.7-16.3	82	34.3	27.8-40.8
25-34	485	83,049	266	52.7	47.8-57.6	35	7.3	04.8-09.8	184	40.0	35.1-44.9
35-44	579	83,769	330	57.4	52.9-61.9	31	5.5	03.3-07.7	218	37.1	32.8-41.4
45-54	609	64,470	391	62.8	58.5-67.1	22	3.3	01.9-04.7	196	33.9	29.6-38.2
55-64	828	70,248	548	66.0	62.3-69.7	38	4.6	02.8-06.4	242	29.4	25.9-32.9
65+	2087	117,263	1587	75.2	73.0-77.4	106	5.3	04.1-06.5	394	19.6	17.6-21.6
Less Than H.S.	150	30,244	86	52.9	42.5-63.3	10	5.3	00.4-10.2	54	41.8	31.4-52.2
H.S. or G.E.D.	1253	122,649	827	59.9	56.4-63.4	70	6.7	04.9-08.5	356	33.5	30.2-36.8
Some Post-H.S.	1462	186,267	980	62.0	58.9-65.1	82	6.4	04.8-08.0	400	31.6	28.7-34.5
College Graduate	1952	146,453	1348	66.4	63.9-68.9	100	6.0	04.6-07.4	504	27.6	25.2-30.0
Less than \$15,000	146	16,270	68	33.9	24.3-43.5	10	7.4	01.5-13.3	68	58.7	48.1-69.3
\$15,000- 24,999	262	25,338	160	52.3	43.9-60.7	13	6.4	01.9-10.9	89	41.3	33.1-49.5
\$25,000- 34,999	422	40,688	272	58.7	52.4-65.0	29	8.3	04.6-12.0	121	33.0	26.9-39.1
\$35,000- 49,999	509	49,822	328	56.1	50.2-62.0	31	6.5	03.6-09.4	150	37.4	31.5-43.3
\$50,000- 99,999	1427	141,711	958	62.8	59.7-65.9	77	5.8	04.2-07.4	392	31.4	28.3-34.5
\$100,000- 199,999	1014	108,989	690	66.2	62.7-69.7	48	5.0	03.2-06.8	276	28.7	25.4-32.0
\$200,000+	289	28,800	199	66.1	59.6-72.6	13	4.4	01.7-07.1	77	29.5	23.2-35.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 23: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? WAS IT— (ACESWEAR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2462	251,271	1645	63.4	61.0-65.8	154	6.8	05.4-08.2	663	29.8	27.4-32.2
Native	70	11,030	35	47.3	33.0-61.6	2	1.8	00.0-04.3	33	50.9	36.6-65.2
Non-Native	2346	235,833	1583	64.4	62.0-66.8	150	7.0	05.6-08.4	613	28.5	26.1-30.9
18-24	151	37,101	83	55.4	47.0-63.8	18	11.8	06.5-17.1	50	32.9	24.9-40.9
25-34	281	44,693	166	57.9	51.6-64.2	20	7.2	03.9-10.5	95	35.0	28.9-41.1
35-44	317	44,954	193	60.9	55.0-66.8	16	5.3	02.4-08.2	108	33.9	28.2-39.6
45-54	338	33,787	215	62.2	56.5-67.9	14	4.1	01.9-06.3	109	33.7	28.2-39.2
55-64	443	36,828	298	67.0	62.1-71.9	25	5.7	03.2-08.2	120	27.2	22.5-31.9
65+	932	53,909	690	73.8	70.5-77.1	61	6.6	04.6-08.6	181	19.5	16.6-22.4
Less Than H.S.	86	16,295	46	54.7	41.8-67.6	6	3.7	00.4-07.0	34	41.6	28.9-54.3
H.S. or G.E.D.	703	70,200	467	61.9	57.4-66.4	45	7.2	04.8-09.6	191	30.9	26.6-35.2
Some Post-H.S.	740	97,431	479	62.2	58.1-66.3	51	7.8	05.3-10.3	210	30.0	26.1-33.9
College Graduate	925	66,064	646	68.4	64.9-71.9	52	5.6	03.8-07.4	227	26.0	22.7-29.3
Less than \$15,000	63	7,093	29	33.8	19.7-47.9	6	12.2	00.0-24.4	28	54.0	37.7-70.3
\$15,000- 24,999	110	10,027	70	59.1	47.1-71.1	5	2.8	00.1-05.5	35	38.1	26.1-50.1
\$25,000- 34,999	188	18,565	120	63.6	54.8-72.4	22	12.9	06.2-19.6	46	23.5	15.9-31.1
\$35,000- 49,999	255	24,502	156	55.7	48.1-63.3	15	6.7	02.6-10.8	84	37.6	30.2-45.0
\$50,000- 99,999	785	78,890	529	64.1	60.0-68.2	51	6.8	04.6-09.0	205	29.1	25.2-33.0
\$100,000- 199,999	580	64,175	396	66.8	62.3-71.3	24	4.2	02.0-06.4	160	29.1	24.8-33.4
\$200,000+	175	16,503	117	61.7	53.1-70.3	10	6.5	02.0-11.0	48	31.9	23.7-40.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 24: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? WAS IT— (ACESWEAR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2368	236,052	1607	61.2	58.5-63.9	108	5.7	04.3-07.1	653	33.1	30.6-35.6
Native	62	8,857	32	44.2	27.9-60.5	3	7.4	00.0-16.8	27	48.5	31.6-65.4
Non-Native	2285	225,107	1558	61.6	58.9-64.3	105	5.7	04.3-07.1	622	32.8	30.3-35.3
18-24	91	31,425	47	51.8	40.8-62.8	12	12.3	05.2-19.4	32	36.0	25.4-46.6
25-34	204	38,356	100	46.7	39.3-54.1	15	7.4	03.5-11.3	89	45.8	38.4-53.2
35-44	262	38,815	137	53.4	46.7-60.1	15	5.7	02.8-08.6	110	40.9	34.2-47.6
45-54	271	30,683	176	63.5	56.8-70.2	8	2.4	00.6-04.2	87	34.1	27.6-40.6
55-64	385	33,420	250	64.9	59.4-70.4	13	3.4	01.2-05.6	122	31.7	26.2-37.2
65+	1155	63,354	897	76.3	73.4-79.2	45	4.1	02.5-05.7	213	19.6	16.9-22.3
Less Than H.S.	64	13,950	40	50.8	34.1-67.5	4	7.1	00.0-16.9	20	42.1	25.4-58.8
H.S. or G.E.D.	550	52,450	360	57.2	51.5-62.9	25	5.9	03.2-08.6	165	37.0	31.5-42.5
Some Post-H.S.	722	88,836	501	61.8	57.3-66.3	31	4.8	02.6-07.0	190	33.4	28.9-37.9
College Graduate	1027	80,388	702	64.8	61.3-68.3	48	6.3	04.1-08.5	277	28.9	25.6-32.2
Less than \$15,000	83	9,177	39	34.1	21.0-47.2	4	3.6	00.0-07.5	40	62.3	48.8-75.8
\$15,000- 24,999	152	15,312	90	47.8	36.6-59.0	8	8.8	01.5-16.1	54	43.3	32.1-54.5
\$25,000- 34,999	234	22,123	152	54.6	45.8-63.4	7	4.4	00.7-08.1	75	41.0	32.2-49.8
\$35,000- 49,999	254	25,319	172	56.5	47.7-65.3	16	6.4	02.3-10.5	66	37.1	28.1-46.1
\$50,000- 99,999	642	62,821	429	61.1	56.2-66.0	26	4.7	02.5-06.9	187	34.2	29.3-39.1
\$100,000- 199,999	434	44,814	294	65.5	60.0-71.0	24	6.3	03.2-09.4	116	28.2	23.1-33.3
\$200,000+	114	12,296	82	72.0	62.6-81.4	3	1.5	00.0-03.3	29	26.5	17.1-35.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 25: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? WAS IT— (ACETOUCH)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4868	491,195	4411	89.1	87.9-90.3	172	3.9	03.1-04.7	285	7.0	06.0-08.0
Male	2493	254,388	2378	95.0	93.8-96.2	53	2.4	01.6-03.2	62	2.7	01.9-03.5
Female	2375	236,807	2033	82.8	80.6-85.0	119	5.5	04.1-06.9	223	11.7	09.9-13.5
Native	131	19,809	110	78.2	68.2-88.2	4	4.2	00.0-09.1	17	17.6	08.4-26.8
Non-Native	4668	464,685	4240	89.6	88.4-90.8	167	3.9	03.1-04.7	261	6.5	05.5-07.5
18-24	246	70,132	228	90.9	86.8-95.0	10	5.3	02.0-08.6	8	3.8	01.1-06.5
25-34	489	84,071	426	85.0	81.3-88.7	21	4.2	02.2-06.2	42	10.8	07.5-14.1
35-44	578	83,295	504	86.4	83.3-89.5	26	4.5	02.5-06.5	48	9.0	06.5-11.5
45-54	610	64,605	537	86.9	83.8-90.0	25	4.0	02.4-05.6	48	9.1	06.2-12.0
55-64	832	70,516	734	88.1	85.6-90.6	35	4.0	02.6-05.4	63	7.9	05.7-10.1
65+	2113	118,576	1982	94.5	93.3-95.7	55	2.2	01.6-02.8	76	3.3	02.5-04.1
Less Than H.S.	153	30,830	135	84.7	76.9-92.5	9	6.9	01.2-12.6	9	8.4	02.3-14.5
H.S. or G.E.D.	1267	124,167	1142	87.7	85.2-90.2	48	4.5	02.9-06.1	77	7.7	05.7-09.7
Some Post-H.S.	1468	187,365	1327	89.3	87.3-91.3	45	3.1	01.9-04.3	96	7.6	05.8-09.4
College Graduate	1968	147,458	1795	90.7	89.1-92.3	70	3.8	02.8-04.8	103	5.5	04.1-06.9
Less than \$15,000	146	16,269	109	74.7	65.3-84.1	6	2.0	00.0-04.0	31	23.2	14.0-32.4
\$15,000- 24,999	264	25,412	225	80.9	73.8-88.0	15	8.1	02.8-13.4	24	11.1	05.6-16.6
\$25,000- 34,999	420	40,924	365	82.2	76.7-87.7	19	5.8	02.7-08.9	36	12.0	07.1-16.9
\$35,000- 49,999	513	50,219	457	86.7	82.2-91.2	26	6.7	03.0-10.4	30	6.6	03.9-09.3
\$50,000- 99,999	1432	142,014	1327	91.3	89.3-93.3	41	3.2	02.0-04.4	64	5.5	03.9-07.1
\$100,000- 199,999	1018	109,639	938	91.6	89.4-93.8	31	3.1	01.7-04.5	49	5.3	03.5-07.1
\$200,000+	288	28,360	261	90.3	86.2-94.4	13	3.6	01.4-05.8	14	6.2	02.7-09.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 26: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? WAS IT— (ACETOUCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2493	254,388	2378	95.0	93.8-96.2	53	2.4	01.6-03.2	62	2.7	01.9-03.5
Native	71	11,131	65	87.3	76.5-98.1	3	6.8	00.0-15.2	3	5.9	00.0-13.3
Non-Native	2376	238,849	2274	95.6	94.6-96.6	49	2.2	01.4-03.0	53	2.2	01.4-03.0
18-24	153	37,687	149	97.3	94.6-0100	3	2.1	00.0-04.6	1	0.6	00.0-01.8
25-34	285	45,730	269	94.0	90.9-97.1	7	2.3	00.5-04.1	9	3.7	01.0-06.4
35-44	317	44,771	293	92.0	88.5-95.5	11	3.7	01.2-06.2	13	4.3	01.9-06.7
45-54	340	34,130	321	94.3	91.8-96.8	8	2.4	00.6-04.2	11	3.3	01.3-05.3
55-64	446	37,094	415	93.3	90.8-95.8	14	3.2	01.4-05.0	17	3.5	01.5-05.5
65+	952	54,976	931	98.1	97.1-99.1	10	0.9	00.3-01.5	11	1.0	00.2-01.8
Less Than H.S.	88	16,784	82	92.8	86.3-99.3	3	2.8	00.0-06.7	3	4.4	00.0-09.7
H.S. or G.E.D.	715	71,370	685	94.9	92.9-96.9	11	1.9	00.7-03.1	19	3.2	01.6-04.8
Some Post-H.S.	748	98,332	716	95.5	93.7-97.3	14	2.3	00.9-03.7	18	2.2	01.0-03.4
College Graduate	935	66,957	888	94.7	92.9-96.5	25	3.0	01.8-04.2	22	2.4	01.0-03.8
Less than \$15,000	63	7,185	53	82.8	70.1-95.5	2	2.0	00.0-05.1	8	15.2	02.7-27.7
\$15,000- 24,999	113	10,183	106	92.8	86.9-98.7	4	3.4	00.0-06.9	3	3.8	00.0-08.7
\$25,000- 34,999	189	18,960	180	95.2	91.5-98.9	4	2.8	00.0-05.9	5	2.0	00.0-04.4
\$35,000- 49,999	257	24,676	242	94.2	91.1-97.3	7	2.5	00.5-04.5	8	3.3	00.8-05.8
\$50,000- 99,999	790	79,428	761	95.9	94.3-97.5	16	2.3	00.9-03.7	13	1.8	00.8-02.8
\$100,000- 199,999	586	64,976	557	94.1	91.6-96.6	13	2.7	00.9-04.5	16	3.2	01.4-05.0
\$200,000+	175	16,202	168	96.4	93.7-99.1	4	2.4	00.0-04.9	3	1.2	00.0-02.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 27: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? WAS IT— (ACETOUCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2375	236,807	2033	82.8	80.6-85.0	119	5.5	04.1-06.9	223	11.7	09.9-13.5
Native	60	8,678	45	66.5	49.6-83.4	1	0.8	00.0-02.4	14	32.7	15.8-49.6
Non-Native	2292	225,836	1966	83.2	81.0-85.4	118	5.7	04.3-07.1	208	11.0	09.2-12.8
18-24	93	32,445	79	83.4	75.2-91.6	7	8.9	02.4-15.4	7	7.6	01.9-13.3
25-34	204	38,341	157	74.4	67.7-81.1	14	6.4	02.9-09.9	33	19.2	13.1-25.3
35-44	261	38,524	211	80.0	74.5-85.5	15	5.5	02.6-08.4	35	14.5	09.6-19.4
45-54	270	30,475	216	78.6	72.7-84.5	17	5.9	03.0-08.8	37	15.5	10.0-21.0
55-64	386	33,421	319	82.4	77.9-86.9	21	4.9	02.5-07.3	46	12.7	08.6-16.8
65+	1161	63,600	1051	91.4	89.6-93.2	45	3.4	02.2-04.6	65	5.3	03.7-06.9
Less Than H.S.	65	14,046	53	74.9	60.2-89.6	6	12.0	00.6-23.4	6	13.1	01.7-24.5
H.S. or G.E.D.	552	52,797	457	78.1	73.2-83.0	37	8.1	04.8-11.4	58	13.8	09.7-17.9
Some Post-H.S.	720	89,033	611	82.4	78.9-85.9	31	4.0	02.2-05.8	78	13.6	10.5-16.7
College Graduate	1033	80,502	907	87.5	85.0-90.0	45	4.4	03.0-05.8	81	8.1	05.9-10.3
Less than \$15,000	83	9,084	56	68.4	55.1-81.7	4	2.1	00.0-04.5	23	29.6	16.5-42.7
\$15,000- 24,999	151	15,229	119	72.9	62.3-83.5	11	11.2	03.0-19.4	21	15.9	07.5-24.3
\$25,000- 34,999	231	21,964	185	70.9	62.1-79.7	15	8.4	03.3-13.5	31	20.7	12.5-28.9
\$35,000- 49,999	256	25,543	215	79.4	71.6-87.2	19	10.8	03.9-17.7	22	9.7	04.8-14.6
\$50,000- 99,999	642	62,587	566	85.5	81.8-89.2	25	4.3	02.3-06.3	51	10.3	07.0-13.6
\$100,000- 199,999	432	44,664	381	88.0	84.3-91.7	18	3.6	01.8-05.4	33	8.4	05.1-11.7
\$200,000+	113	12,158	93	82.1	73.9-90.3	9	5.1	01.6-08.6	11	12.8	05.2-20.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 28: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? WAS IT— (ACETTHEM)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4865	490,180	4543	91.8	90.8-92.8	118	2.8	02.2-03.4	204	5.4	04.4-06.4
Male	2492	254,061	2398	95.8	94.8-96.8	45	1.9	01.1-02.7	49	2.2	01.4-03.0
Female	2373	236,119	2145	87.4	85.4-89.4	73	3.7	02.7-04.7	155	8.9	07.1-10.7
Native	131	19,478	110	78.8	69.0-88.6	3	2.4	00.0-05.7	18	18.9	09.5-28.3
Non-Native	4665	464,000	4371	92.3	91.3-93.3	113	2.8	02.2-03.4	181	4.8	04.0-05.6
18-24	245	69,938	232	93.3	89.6-97.0	7	3.2	00.7-05.7	6	3.4	00.5-06.3
25-34	488	83,377	440	88.5	85.2-91.8	17	3.5	01.7-05.3	31	8.0	05.1-10.9
35-44	580	83,561	522	88.9	86.0-91.8	16	3.2	01.4-05.0	42	7.9	05.4-10.4
45-54	611	64,582	554	89.9	87.0-92.8	18	2.8	01.4-04.2	39	7.3	04.6-10.0
55-64	829	70,090	753	90.9	88.5-93.3	28	3.4	02.0-04.8	48	5.6	03.6-07.6
65+	2112	118,632	2042	96.7	95.7-97.7	32	1.4	00.8-02.0	38	1.9	01.1-02.7
Less Than H.S.	152	30,742	136	85.2	77.4-93.0	6	4.3	00.0-08.6	10	10.5	03.4-17.6
H.S. or G.E.D.	1267	123,952	1189	92.0	90.0-94.0	22	2.4	01.2-03.6	56	5.6	03.8-07.4
Some Post-H.S.	1462	186,133	1359	91.8	90.0-93.6	33	2.5	01.5-03.5	70	5.7	04.1-07.3
College Graduate	1971	147,644	1847	93.0	91.6-94.4	56	3.0	02.0-04.0	68	3.9	02.7-05.1
Less than \$15,000	144	15,973	114	73.5	62.7-84.3	4	2.6	00.0-05.9	26	23.8	13.2-34.4
\$15,000- 24,999	264	25,014	235	84.2	77.7-90.7	9	5.1	01.0-09.2	20	10.7	05.2-16.2
\$25,000- 34,999	420	41,043	380	85.6	80.5-90.7	12	3.7	01.5-05.9	28	10.7	06.0-15.4
\$35,000- 49,999	511	50,095	476	91.0	87.5-94.5	14	3.7	01.0-06.4	21	5.2	02.7-07.7
\$50,000- 99,999	1433	142,118	1353	93.5	91.7-95.3	33	2.6	01.6-03.6	47	3.9	02.5-05.3
\$100,000- 199,999	1016	108,676	963	94.2	92.4-96.0	22	2.3	01.1-03.5	31	3.5	02.1-04.9
\$200,000+	288	28,584	269	93.0	89.3-96.7	8	2.6	00.1-05.1	11	4.4	01.5-07.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 29: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? WAS IT— (ACETTHEM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2492	254,061	2398	95.8	94.8-96.8	45	1.9	01.1-02.7	49	2.2	01.4-03.0
Native	70	10,741	65	89.3	79.5-99.1	1	2.9	00.0-08.4	4	7.8	00.0-16.2
Non-Native	2376	238,912	2293	96.3	95.3-97.3	42	1.9	01.1-02.7	41	1.8	01.2-02.4
18-24	152	37,493	149	97.9	95.4-0100	3	2.1	00.0-04.6			
25-34	286	45,850	273	94.6	91.5-97.7	4	1.4	00.0-02.8	9	4.0	01.3-06.7
35-44	316	44,626	299	93.6	90.5-96.7	5	2.5	00.1-04.9	12	3.9	01.5-06.3
45-54	340	33,976	326	95.8	93.4-98.2	7	2.2	00.4-04.0	7	2.1	00.5-03.7
55-64	446	37,035	421	94.6	92.2-97.0	11	2.4	01.0-03.8	14	2.9	01.1-04.7
65+	952	55,081	930	98.0	97.0-99.0	15	1.4	00.6-02.2	7	0.7	00.1-01.3
Less Than H.S.	87	16,696	80	91.6	84.7-98.5	4	3.9	00.0-08.2	3	4.4	00.0-09.7
H.S. or G.E.D.	714	71,275	691	96.2	94.4-98.0	9	1.6	00.4-02.8	14	2.2	01.0-03.4
Some Post-H.S.	748	97,890	720	96.2	94.6-97.8	13	1.7	00.7-02.7	15	2.1	00.9-03.3
College Graduate	935	66,920	900	96.3	94.7-97.9	18	1.8	00.8-02.8	17	1.9	00.7-03.1
Less than \$15,000	61	6,889	55	88.3	76.3-0100	1	0.4	00.0-01.2	5	11.3	00.0-23.3
\$15,000- 24,999	113	10,183	106	92.6	86.5-98.7	4	3.6	00.0-07.3	3	3.8	00.0-08.7
\$25,000- 34,999	189	18,886	181	94.9	91.0-98.8	4	3.3	00.0-06.6	4	1.9	00.0-04.3
\$35,000- 49,999	256	24,585	244	95.4	92.7-98.1	7	2.7	00.7-04.7	5	1.9	00.1-03.7
\$50,000- 99,999	791	79,500	768	96.8	95.2-98.4	13	1.5	00.5-02.5	10	1.7	00.5-02.9
\$100,000- 199,999	586	64,573	562	95.4	93.2-97.6	11	2.0	00.6-03.4	13	2.5	00.9-04.1
\$200,000+	176	16,538	170	96.2	92.1-0100	3	2.6	00.0-06.5	3	1.2	00.0-02.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 30: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? WAS IT— (ACETTHEM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2373	236,119	2145	87.4	85.4-89.4	73	3.7	02.7-04.7	155	8.9	07.1-10.7
Native	61	8,737	45	65.8	48.9-82.7	2	1.7	00.0-04.1	14	32.5	15.6-49.4
Non-Native	2289	225,088	2078	88.1	86.1-90.1	71	3.8	02.6-05.0	140	8.0	06.4-09.6
18-24	93	32,445	83	88.1	80.8-95.4	4	4.5	00.0-09.0	6	7.4	01.3-13.5
25-34	202	37,527	167	81.1	75.2-87.0	13	5.9	02.6-09.2	22	13.0	07.7-18.3
35-44	264	38,935	223	83.4	78.3-88.5	11	4.0	01.6-06.4	30	12.6	07.9-17.3
45-54	271	30,606	228	83.4	77.9-88.9	11	3.5	01.3-05.7	32	13.1	08.0-18.2
55-64	383	33,055	332	86.8	82.7-90.9	17	4.6	02.1-07.1	34	8.6	05.1-12.1
65+	1160	63,551	1112	95.5	94.1-96.9	17	1.5	00.7-02.3	31	3.0	01.8-04.2
Less Than H.S.	65	14,046	56	77.5	62.8-92.2	2	4.7	00.0-12.3	7	17.8	04.3-31.3
H.S. or G.E.D.	553	52,677	498	86.2	82.1-90.3	13	3.6	01.4-05.8	42	10.2	06.7-13.7
Some Post-H.S.	714	88,243	639	86.9	83.8-90.0	20	3.4	01.6-05.2	55	9.7	07.0-12.4
College Graduate	1036	80,725	947	90.4	88.2-92.6	38	4.0	02.6-05.4	51	5.6	03.8-07.4
Less than \$15,000	83	9,084	59	62.3	46.8-77.8	3	4.3	00.0-10.2	21	33.3	17.8-48.8
\$15,000- 24,999	151	14,832	129	78.4	68.6-88.2	5	6.2	00.0-12.5	17	15.4	07.0-23.8
\$25,000- 34,999	231	22,157	199	77.7	69.5-85.9	8	4.0	01.1-06.9	24	18.2	10.2-26.2
\$35,000- 49,999	255	25,510	232	86.8	80.3-93.3	7	4.7	00.0-09.4	16	8.5	03.8-13.2
\$50,000- 99,999	642	62,618	585	89.2	85.9-92.5	20	4.1	02.1-06.1	37	6.7	04.0-09.4
\$100,000- 199,999	430	44,103	401	92.3	89.4-95.2	11	2.7	00.9-04.5	18	5.0	02.5-07.5
\$200,000+	112	12,046	99	88.6	81.7-95.5	5	2.6	00.2-05.0	8	8.8	02.1-15.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 31: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? WAS IT— (ACEHVSEX)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4865	490,722	4672	94.7	93.7-95.7	64	1.7	01.1-02.3	129	3.6	02.8-04.4
Male	2493	254,384	2446	97.7	96.9-98.5	18	0.9	00.3-01.5	29	1.4	00.8-02.0
Female	2372	236,338	2226	91.4	89.6-93.2	46	2.6	01.6-03.6	100	6.0	04.4-07.6
Native	129	19,463	114	84.3	75.3-93.3	3	1.0	00.0-02.2	12	14.7	05.7-23.7
Non-Native	4667	464,610	4491	95.1	94.1-96.1	61	1.8	01.2-02.4	115	3.2	02.4-04.0
18-24	245	69,938	233	93.9	90.4-97.4	5	2.4	00.2-04.6	7	3.7	00.8-06.6
25-34	486	83,549	449	90.6	87.5-93.7	14	3.1	01.3-04.9	23	6.3	03.6-09.0
35-44	582	84,202	556	94.4	92.0-96.8	6	1.5	00.1-02.9	20	4.2	02.2-06.2
45-54	610	64,362	585	95.3	93.1-97.5	5	0.9	00.1-01.7	20	3.8	01.6-06.0
55-64	829	70,050	786	95.1	93.5-96.7	13	1.7	00.7-02.7	30	3.2	01.8-04.6
65+	2113	118,621	2063	97.6	96.8-98.4	21	1.0	00.6-01.4	29	1.4	00.8-02.0
Less Than H.S.	152	30,734	144	88.8	81.2-96.4	1	1.8	00.0-05.3	7	9.4	02.3-16.5
H.S. or G.E.D.	1266	124,110	1208	93.7	91.7-95.7	22	2.5	01.3-03.7	36	3.8	02.2-05.4
Some Post-H.S.	1466	186,882	1403	95.3	93.9-96.7	20	1.3	00.7-01.9	43	3.4	02.2-04.6
College Graduate	1969	147,434	1906	96.1	94.9-97.3	20	1.4	00.6-02.2	43	2.5	01.5-03.5
Less than \$15,000	144	15,980	118	79.2	68.8-89.6	6	1.7	00.3-03.1	20	19.1	08.7-29.5
\$15,000- 24,999	265	25,435	239	86.8	80.9-92.7	8	3.4	00.5-06.3	18	9.7	04.4-15.0
\$25,000- 34,999	417	40,582	391	89.5	84.8-94.2	8	2.8	00.6-05.0	18	7.6	03.3-11.9
\$35,000- 49,999	513	50,132	494	95.0	92.1-97.9	5	2.1	00.0-04.5	14	2.9	01.1-04.7
\$50,000- 99,999	1434	142,222	1392	96.3	94.9-97.7	14	1.1	00.5-01.7	28	2.6	01.4-03.8
\$100,000- 199,999	1020	109,719	994	96.8	95.4-98.2	13	1.7	00.5-02.9	13	1.5	00.5-02.5
\$200,000+	288	28,584	285	97.7	94.8-0100	1	1.2	00.0-03.6	2	1.1	00.0-02.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 32: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? WAS IT— (ACEHVSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2493	254,384	2446	97.7	96.9-98.5	18	0.9	0.3-01.5	29	1.4	0.8-02.0
Native	70	11,053	66	92.5	84.5-0100	1	0.6	0.0-01.8	3	6.9	0.0-14.9
Non-Native	2377	238,923	2335	97.9	97.1-98.7	17	0.9	0.3-01.5	25	1.1	0.5-01.7
18-24	152	37,493	150	99.1	97.9-0100	1	0.5	0.0-01.5	1	0.4	0.0-01.2
25-34	285	45,618	274	95.2	92.3-98.1	3	1.1	0.0-02.5	8	3.7	01.0-06.4
35-44	318	45,107	311	97.1	94.7-99.5	4	2.2	0.0-04.6	3	0.7	00.0-01.5
45-54	341	34,070	337	98.8	97.6-0100	1	0.2	0.0-00.6	3	1.0	00.0-02.2
55-64	446	37,088	433	97.0	95.2-98.8	5	1.1	0.1-02.1	8	1.9	00.5-03.3
65+	951	55,007	941	99.0	98.2-99.8	4	0.3	0.0-00.7	6	0.7	00.1-01.3
Less Than H.S.	88	16,784	86	96.6	91.7-0100				2	3.4	00.0-08.3
H.S. or G.E.D.	713	71,043	700	97.8	96.4-99.2	8	1.2	0.2-02.2	5	1.0	00.0-02.0
Some Post-H.S.	750	98,356	735	97.9	96.7-99.1	4	0.8	0.0-01.6	11	1.4	00.6-02.2
College Graduate	934	66,919	918	98.0	96.6-99.4	5	0.6	0.0-01.2	11	1.5	00.3-02.7
Less than \$15,000	62	6,977	56	90.2	79.0-0100	3	1.7	0.0-03.9	3	8.0	00.0-19.0
\$15,000- 24,999	113	10,183	107	93.4	87.7-99.1	2	1.9	0.0-04.6	4	4.7	00.0-09.8
\$25,000- 34,999	189	18,886	185	96.9	93.6-0100	1	1.3	0.0-03.8	3	1.7	00.0-04.1
\$35,000- 49,999	258	24,771	252	97.4	95.0-99.8	2	1.0	0.0-02.6	4	1.5	00.0-03.3
\$50,000- 99,999	790	79,268	783	98.8	98.0-99.6	2	0.3	0.0-00.7	5	0.9	00.1-01.7
\$100,000- 199,999	587	65,017	574	97.2	95.4-99.0	6	1.3	0.1-02.5	7	1.5	00.1-02.9
\$200,000+	176	16,538	174	97.5	93.6-0100	1	2.0	0.0-05.9	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 33: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? WAS IT— (ACEHVSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2372	236,338	2226	91.4	89.6-93.2	46	2.6	01.6-03.6	100	6.0	04.4-07.6
Native	59	8,410	48	73.6	56.9-90.3	2	1.4	00.0-03.4	9	25.0	08.3-41.7
Non-Native	2290	225,687	2156	92.0	90.4-93.6	44	2.6	01.6-03.6	90	5.3	03.9-06.7
18-24	93	32,445	83	87.9	80.5-95.3	4	4.5	00.0-09.0	6	7.6	01.5-13.7
25-34	201	37,930	175	85.1	79.4-90.8	11	5.6	02.3-08.9	15	9.4	04.7-14.1
35-44	264	39,095	245	91.3	87.2-95.4	2	0.6	00.0-01.4	17	8.2	04.1-12.3
45-54	269	30,291	248	91.3	86.8-95.8	4	1.7	00.0-03.5	17	7.0	02.9-11.1
55-64	383	32,962	353	92.9	90.0-95.8	8	2.3	00.3-04.3	22	4.8	02.6-07.0
65+	1162	63,615	1122	96.5	95.3-97.7	17	1.6	00.8-02.4	23	2.0	01.0-03.0
Less Than H.S.	64	13,950	58	79.5	64.8-94.2	1	4.0	00.0-11.6	5	16.5	02.8-30.2
H.S. or G.E.D.	553	53,067	508	88.3	84.4-92.2	14	4.2	01.7-06.7	31	7.5	04.4-10.6
Some Post-H.S.	716	88,526	668	92.5	90.1-94.9	16	1.8	00.8-02.8	32	5.7	03.5-07.9
College Graduate	1035	80,515	988	94.5	92.5-96.5	15	2.1	00.7-03.5	32	3.4	01.8-05.0
Less than \$15,000	82	9,003	62	70.6	55.1-86.1	3	1.7	00.0-03.7	17	27.8	12.3-43.3
\$15,000- 24,999	152	15,252	132	82.4	73.4-91.4	6	4.5	00.0-09.0	14	13.1	05.1-21.1
\$25,000- 34,999	228	21,695	206	83.1	75.1-91.1	7	4.2	00.9-07.5	15	12.8	05.2-20.4
\$35,000- 49,999	255	25,361	242	92.6	87.3-97.9	3	3.2	00.0-07.5	10	4.2	01.1-07.3
\$50,000- 99,999	644	62,955	609	93.1	90.4-95.8	12	2.1	00.7-03.5	23	4.8	02.3-07.3
\$100,000- 199,999	433	44,703	420	96.3	93.9-98.7	7	2.3	00.3-04.3	6	1.5	00.1-02.9
\$200,000+	112	12,046	111	98.0	94.1-0100				1	2.0	00.0-05.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 34: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4855	490,294	189	4.2	03.4-05.0	96	2.4	01.8-03.0	213	5.9	04.9-06.9	760	16.8	15.4-18.2	3597	70.7	68.9-72.5
Male	2482	253,451	99	4.3	03.1-05.5	33	1.5	00.9-02.1	78	4.1	03.1-05.1	391	16.5	14.7-18.3	1881	73.5	71.3-75.7
Female	2373	236,844	90	4.1	02.9-05.3	63	3.4	02.4-04.4	135	7.8	06.0-09.6	369	17.0	15.0-19.0	1716	67.6	65.1-70.1
Native	132	19,787	8	8.1	01.4-14.8	3	2.6	00.0-05.7	15	10.1	03.8-16.4	38	33.6	23.0-44.2	68	45.6	34.8-56.4
Non-Native	4656	464,091	177	4.0	03.2-04.8	92	2.5	01.9-03.1	193	5.7	04.7-06.7	711	16.1	14.7-17.5	3483	71.7	69.9-73.5
18-24	244	69,541	10	5.1	01.8-08.4	10	3.8	01.4-06.2	19	9.6	05.1-14.1	45	18.4	13.1-23.7	160	63.2	56.5-69.9
25-34	486	83,162	20	4.3	02.3-06.3	16	3.5	01.7-05.3	36	8.5	05.6-11.4	91	18.4	14.7-22.1	323	65.3	60.6-70.0
35-44	579	83,745	21	4.4	02.4-06.4	18	3.0	01.4-04.6	35	6.3	04.1-08.5	101	17.6	14.1-21.1	404	68.7	64.6-72.8
45-54	612	64,633	21	3.4	01.8-05.0	11	1.9	00.7-03.1	32	5.4	03.4-07.4	105	17.8	14.3-21.3	443	71.5	67.4-75.6
55-64	832	70,613	31	4.0	02.4-05.6	11	1.1	00.5-01.7	33	4.6	02.8-06.4	138	16.7	13.8-19.6	619	73.7	70.2-77.2
65+	2102	118,599	86	4.1	03.1-05.1	30	1.6	00.8-02.4	58	2.6	01.8-03.4	280	13.6	11.8-15.4	1648	78.0	75.8-80.2
Less Than H.S.	151	30,495	15	10.1	03.6-16.6	4	2.2	00.0-04.9	14	15.0	06.4-23.6	30	18.5	11.1-25.9	88	54.2	43.8-64.6
H.S. or G.E.D.	1264	123,861	77	5.4	04.0-06.8	43	4.5	02.9-06.1	72	6.9	05.1-08.7	215	17.1	14.6-19.6	857	66.0	62.7-69.3
Some Post-H.S.	1465	186,983	54	3.9	02.7-05.1	24	1.9	01.1-02.7	65	5.4	03.8-07.0	226	16.6	14.2-19.0	1096	72.2	69.3-75.1
College Graduate	1964	147,428	42	2.3	01.5-03.1	25	1.4	00.8-02.0	62	3.8	02.8-04.8	287	16.2	14.2-18.2	1548	76.2	73.8-78.6
Less than \$15,000	145	16,261	11	6.3	01.8-10.8	16	14.7	07.3-22.1	21	17.1	07.3-26.9	25	11.1	05.4-16.8	72	50.8	39.6-62.0
\$15,000- 24,999	263	25,135	26	9.9	05.2-14.6	7	3.3	00.2-06.4	21	11.6	05.5-17.7	51	20.7	13.8-27.6	158	54.4	46.0-62.8
\$25,000- 34,999	423	41,375	25	6.0	03.3-08.7	13	3.4	01.0-05.8	23	8.1	03.8-12.4	74	18.4	13.3-23.5	288	64.2	57.9-70.5
\$35,000- 49,999	512	50,081	21	4.4	01.5-07.3	14	3.8	01.4-06.2	37	12.0	07.5-16.5	99	19.6	15.3-23.9	341	60.2	54.3-66.1
\$50,000- 99,999	1433	141,814	40	3.8	02.2-05.4	21	1.8	00.8-02.8	46	3.9	02.5-05.3	228	17.3	14.8-19.8	1098	73.2	70.3-76.1
\$100,000- 199,999	1018	109,595	25	2.6	01.4-03.8	13	1.5	00.5-02.5	28	3.2	02.0-04.4	142	15.3	12.6-18.0	810	77.5	74.4-80.6
\$200,000+	289	28,722	6	2.7	00.2-05.2				11	4.4	01.5-07.3	36	13.5	08.8-18.2	236	79.4	73.7-85.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 35: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2482	253,451	99	4.3	03.1-05.5	33	1.5	00.9-02.1	78	4.1	03.1-05.1	391	16.5	14.7-18.3	1881	73.5	71.3-75.7
Native	71	11,131	7	13.8	02.6-25.0	2	3.5	00.0-08.6	6	10.2	01.2-19.2	22	30.8	17.7-43.9	34	41.8	28.1-55.5
Non-Native	2366	238,065	89	3.8	02.8-04.8	31	1.4	00.8-02.0	69	3.8	02.8-04.8	360	15.8	14.0-17.6	1817	75.1	72.9-77.3
18-24	152	37,504	9	7.7	02.6-12.8	5	2.9	00.2-05.6	9	5.7	01.6-09.8	27	18.9	12.2-25.6	102	64.8	56.6-73.0
25-34	283	45,060	10	3.6	01.2-06.0	6	2.1	00.3-03.9	9	3.8	01.1-06.5	56	19.1	14.2-24.0	202	71.4	65.7-77.1
35-44	314	44,519	9	3.6	01.2-06.0	5	1.7	00.1-03.3	19	6.8	03.7-09.9	53	16.4	11.9-20.9	228	71.5	66.0-77.0
45-54	343	34,308	12	3.7	01.3-06.1	4	1.2	00.0-02.4	12	3.7	01.5-05.9	56	16.8	12.3-21.3	259	74.6	69.5-79.7
55-64	447	37,174	13	3.0	01.2-04.8	4	0.6	00.0-01.2	12	3.2	01.2-05.2	71	15.1	11.6-18.6	347	78.1	73.8-82.4
65+	943	54,886	46	4.5	02.9-06.1	9	0.7	00.1-01.3	17	2.0	01.0-03.0	128	13.8	11.3-16.3	743	79.0	76.1-81.9
Less Than H.S.	86	16,449	10	11.7	02.5-20.9	2	1.9	00.0-05.0	10	12.7	03.7-21.7	22	25.3	14.5-36.1	42	48.5	35.6-61.4
H.S. or G.E.D.	709	70,724	41	5.0	03.2-06.8	20	3.5	01.7-05.3	25	4.6	02.6-06.6	120	16.4	13.3-19.5	503	70.4	66.3-74.5
Some Post-H.S.	748	98,201	24	3.8	02.0-05.6	5	0.7	00.1-01.3	26	3.7	02.1-05.3	126	16.4	13.3-19.5	567	75.5	71.8-79.2
College Graduate	931	66,796	23	2.4	01.2-03.6	6	0.5	00.1-00.9	17	2.1	01.1-03.1	121	14.6	11.9-17.3	764	80.3	77.2-83.4
Less than \$15,000	62	7,068	3	5.6	00.0-13.0	7	14.6	03.4-25.8	7	13.3	01.5-25.1	15	14.9	05.1-24.7	30	51.6	35.1-68.1
\$15,000- 24,999	113	10,183	15	13.8	05.4-22.2	1	0.5	00.0-01.5	8	7.4	02.1-12.7	24	23.9	12.9-34.9	65	54.4	42.4-66.4
\$25,000- 34,999	188	18,851	14	8.4	03.3-13.5	2	0.4	00.0-01.0	6	4.7	00.2-09.2	39	20.4	12.6-28.2	127	66.1	57.1-75.1
\$35,000- 49,999	257	24,656	13	2.2	00.6-03.8	7	3.8	00.5-07.1	18	12.7	06.4-19.0	50	19.2	13.5-24.9	169	62.1	54.5-69.7
\$50,000- 99,999	787	78,680	24	4.4	02.0-06.8	8	1.2	00.2-02.2	17	2.5	01.3-03.7	123	16.3	13.2-19.4	615	75.7	71.8-79.6
\$100,000- 199,999	586	65,004	14	2.4	00.8-04.0	4	0.7	00.0-01.5	14	2.8	01.2-04.4	75	14.6	11.1-18.1	479	79.5	75.6-83.4
\$200,000+	176	16,538	1	0.6	00.0-01.8				4	2.7	00.0-05.4	24	15.8	09.1-22.5	147	80.9	73.8-88.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 36: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2373	236,844	90	4.1	02.9-05.3	63	3.4	02.4-04.4	135	7.8	06.0-09.6	369	17.0	15.0-19.0	1716	67.6	65.1-70.1
Native	61	8,656	1	0.9	00.0-02.7	1	1.5	00.0-04.4	9	9.9	01.9-17.9	16	37.3	20.2-54.4	34	50.4	33.3-67.5
Non-Native	2290	226,026	88	4.2	03.0-05.4	61	3.5	02.5-04.5	124	7.8	06.0-09.6	351	16.4	14.4-18.4	1666	68.1	65.6-70.6
18-24	92	32,037	1	2.0	00.0-05.9	5	4.8	00.5-09.1	10	14.1	05.7-22.5	18	17.8	09.6-26.0	58	61.4	50.6-72.2
25-34	203	38,102	10	5.1	02.0-08.2	10	5.1	02.0-08.2	27	14.1	08.6-19.6	35	17.6	11.9-23.3	121	58.1	50.7-65.5
35-44	265	39,227	12	5.3	02.2-08.4	13	4.6	01.9-07.3	16	5.8	02.9-08.7	48	18.9	13.6-24.2	176	65.4	59.1-71.7
45-54	269	30,325	9	3.1	00.9-05.3	7	2.8	00.6-05.0	20	7.4	03.9-10.9	49	18.9	13.4-24.4	184	67.9	61.4-74.4
55-64	385	33,439	18	5.1	02.6-07.6	7	1.7	00.5-02.9	21	6.1	03.0-09.2	67	18.4	13.7-23.1	272	68.7	63.2-74.2
65+	1159	63,714	40	3.8	02.4-05.2	21	2.3	00.9-03.7	41	3.2	02.0-04.4	152	13.5	11.1-15.9	905	77.2	74.3-80.1
Less Than H.S.	65	14,046	5	8.2	00.0-17.4	2	2.6	00.0-07.5	4	17.7	02.6-32.8	8	10.6	01.2-20.0	46	60.9	44.2-77.6
H.S. or G.E.D.	555	53,137	36	5.8	03.4-08.2	23	5.8	02.9-08.7	47	10.1	06.8-13.4	95	18.2	13.9-22.5	354	60.2	54.7-65.7
Some Post-H.S.	717	88,781	30	4.1	02.3-05.9	19	3.3	01.7-04.9	39	7.2	04.5-09.9	100	16.9	13.2-20.6	529	68.4	63.9-72.9
College Graduate	1033	80,632	19	2.3	01.1-03.5	19	2.2	01.2-03.2	45	5.2	03.4-07.0	166	17.6	14.7-20.5	784	72.8	69.5-76.1
Less than \$15,000	83	9,193	8	6.8	01.1-12.5	9	14.7	04.5-24.9	14	20.1	05.6-34.6	10	8.2	01.3-15.1	42	50.2	34.9-65.5
\$15,000- 24,999	150	14,953	11	7.3	02.0-12.6	6	5.3	00.0-10.6	13	14.5	04.9-24.1	27	18.5	09.7-27.3	93	54.5	42.9-66.1
\$25,000- 34,999	235	22,524	11	4.0	01.3-06.7	11	5.9	01.6-10.2	17	10.9	04.2-17.6	35	16.7	10.2-23.2	161	62.5	53.9-71.1
\$35,000- 49,999	255	25,426	8	6.6	00.9-12.3	7	3.8	00.3-07.3	19	11.3	05.0-17.6	49	20.0	13.3-26.7	172	58.4	49.6-67.2
\$50,000- 99,999	646	63,135	16	2.9	01.3-04.5	13	2.5	00.9-04.1	29	5.8	03.1-08.5	105	18.7	14.8-22.6	483	70.1	65.4-74.8
\$100,000- 199,999	432	44,591	11	2.9	00.7-05.1	9	2.5	00.5-04.5	14	3.8	01.6-06.0	67	16.4	12.1-20.7	331	74.5	69.4-79.6
\$200,000+	113	12,184	5	5.6	00.1-11.1				7	6.7	00.6-12.8	12	10.5	04.6-16.4	89	77.2	68.0-86.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 37: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4868	491,092	73	1.8	01.2-02.4	55	1.6	01.0-02.2	120	3.2	02.4-04.0	504	11.5	10.3-12.7	4116	81.9	80.3-83.5
Male	2484	253,072	43	1.9	01.3-02.5	20	1.1	00.5-01.7	48	2.4	01.6-03.2	236	9.7	08.1-11.3	2137	85.0	83.2-86.8
Female	2384	238,020	30	1.8	01.0-02.6	35	2.0	01.2-02.8	72	4.1	02.9-05.3	268	13.5	11.5-15.5	1979	78.6	76.2-81.0
Native	131	19,653	4	3.3	00.0-06.8	6	2.6	00.4-04.8	11	10.2	03.3-17.1	26	21.7	12.3-31.1	84	62.2	51.4-73.0
Non-Native	4668	464,794	68	1.8	01.2-02.4	49	1.5	00.9-02.1	107	2.9	02.1-03.7	465	11.0	09.8-12.2	3979	82.7	81.1-84.3
18-24	246	70,132	5	1.9	00.1-03.7	5	2.6	00.1-05.1	14	6.1	02.8-09.4	28	13.6	08.5-18.7	194	75.7	69.6-81.8
25-34	486	83,278	8	1.5	00.3-02.7	11	2.7	01.1-04.3	17	4.2	02.0-06.4	56	11.9	08.8-15.0	394	79.7	75.8-83.6
35-44	577	83,357	11	2.8	01.0-04.6	13	2.4	01.0-03.8	16	3.0	01.4-04.6	65	12.7	09.6-15.8	472	79.1	75.2-83.0
45-54	612	64,643	9	2.0	00.6-03.4	5	0.6	00.0-01.2	16	3.0	01.4-04.6	60	9.9	07.0-12.8	522	84.5	81.2-87.8
55-64	835	70,813	7	0.9	00.1-01.7	5	0.3	00.0-00.7	19	2.3	01.1-03.5	93	12.3	09.6-15.0	711	84.2	81.3-87.1
65+	2112	118,869	33	1.8	01.0-02.6	16	0.7	00.3-01.1	38	1.7	01.1-02.3	202	9.6	08.0-11.2	1823	86.2	84.4-88.0
Less Than H.S.	153	30,639	9	3.8	00.7-06.9	4	4.4	00.0-09.7	14	9.2	03.3-15.1	30	23.5	14.1-32.9	96	59.1	48.7-69.5
H.S. or G.E.D.	1262	123,368	33	3.0	01.6-04.4	26	2.5	01.3-03.7	46	5.1	03.3-06.9	178	12.5	10.3-14.7	979	76.9	74.0-79.8
Some Post-H.S.	1470	187,819	19	1.6	00.8-02.4	12	1.0	00.4-01.6	35	2.5	01.5-03.5	145	11.0	09.0-13.0	1259	83.9	81.5-86.3
College Graduate	1970	147,556	12	0.8	00.2-01.4	13	0.9	00.3-01.5	24	1.4	00.8-02.0	150	9.0	07.4-10.6	1771	88.0	86.2-89.8
Less than \$15,000	145	16,162	7	5.7	00.4-11.0	8	7.2	01.7-12.7	13	11.1	03.7-18.5	31	19.3	10.1-28.5	86	56.7	45.5-67.9
\$15,000- 24,999	263	25,150	12	5.3	01.4-09.2	6	2.5	00.0-05.0	16	7.1	02.6-11.6	37	13.8	08.1-19.5	192	71.2	63.6-78.8
\$25,000- 34,999	420	40,952	6	1.7	00.0-03.5	6	1.3	00.0-02.7	19	7.6	03.3-11.9	64	15.4	10.5-20.3	325	74.0	67.9-80.1
\$35,000- 49,999	512	50,075	9	1.9	00.3-03.5	8	3.3	00.0-06.6	15	5.7	02.2-09.2	67	14.5	10.2-18.8	413	74.6	68.9-80.3
\$50,000- 99,999	1437	142,355	13	1.3	00.5-02.1	9	0.7	00.3-01.1	21	1.6	00.8-02.4	121	10.1	07.9-12.3	1273	86.3	83.9-88.7
\$100,000- 199,999	1017	109,465	6	0.6	00.0-01.2	11	1.6	00.4-02.8	16	1.8	00.8-02.8	68	7.3	05.3-09.3	916	88.7	86.3-91.1
\$200,000+	288	28,563	2	1.4	00.0-03.4	1	0.1	00.0-00.3	6	1.8	00.2-03.4	23	9.6	05.5-13.7	256	87.1	82.4-91.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 38: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2484	253,072	43	1.9	01.3-02.5	20	1.1	00.5-01.7	48	2.4	01.6-03.2	236	9.7	08.1-11.3	2137	85.0	83.2-86.8
Native	70	10,997	4	5.8	00.0-11.9	1	0.7	00.0-02.1	7	12.0	02.6-21.4	15	18.9	07.5-30.3	43	62.5	48.6-76.4
Non-Native	2369	237,821	39	1.7	01.1-02.3	19	1.1	00.5-01.7	40	1.9	01.1-02.7	216	9.2	07.8-10.6	2055	86.0	84.2-87.8
18-24	153	37,687	4	2.5	00.1-04.9	3	2.4	00.0-05.3	6	3.9	00.8-07.0	14	10.8	04.9-16.7	126	80.5	73.4-87.6
25-34	282	44,961	5	1.5	00.0-03.1	4	1.8	00.0-03.6	8	3.4	00.9-05.9	26	9.8	06.1-13.5	239	83.6	78.7-88.5
35-44	311	44,019	6	2.4	00.4-04.4	4	1.4	00.0-02.8	4	1.6	00.0-03.2	27	8.9	05.4-12.4	270	85.7	81.4-90.0
45-54	341	34,106	6	2.2	00.4-04.0	2	0.5	00.0-01.3	5	1.7	00.1-03.3	28	7.5	04.6-10.4	300	88.1	84.4-91.8
55-64	449	37,268	4	1.0	00.0-02.0	2	0.2	00.0-00.4	7	2.0	00.4-03.6	50	11.8	08.3-15.3	386	85.1	81.4-88.8
65+	948	55,031	18	1.7	00.7-02.7	5	0.5	00.1-00.9	18	1.8	00.8-02.8	91	9.5	07.3-11.7	816	86.6	84.2-89.0
Less Than H.S.	88	16,593	4	2.2	00.0-04.6	3	4.4	00.0-10.7	10	8.5	02.0-15.0	16	17.7	07.3-28.1	55	67.2	55.0-79.4
H.S. or G.E.D.	707	70,279	21	3.1	01.5-04.7	13	1.9	00.7-03.1	16	2.8	01.2-04.4	91	11.9	09.2-14.6	566	80.3	76.8-83.8
Some Post-H.S.	748	98,277	8	1.3	00.3-02.3	2	0.4	00.0-01.0	15	1.9	00.7-03.1	73	9.3	06.9-11.7	650	87.1	84.4-89.8
College Graduate	933	66,642	10	1.3	00.3-02.3	2	0.5	00.0-01.5	7	1.1	00.3-01.9	55	6.1	04.3-07.9	859	91.0	88.6-93.4
Less than \$15,000	62	6,985	3	4.5	00.0-10.0	4	6.5	00.0-13.4	4	14.4	00.7-28.1	13	15.2	06.0-24.4	38	59.4	43.3-75.5
\$15,000- 24,999	113	10,183	6	4.6	00.5-08.7	1	0.8	00.0-02.4	8	6.1	01.2-11.0	18	15.2	06.0-24.4	80	73.3	62.9-83.7
\$25,000- 34,999	185	18,428	5	3.8	00.1-07.5	2	1.1	00.0-02.9	7	5.1	00.4-09.8	27	14.4	07.1-21.7	144	75.7	67.1-84.3
\$35,000- 49,999	257	24,676	5	1.3	00.0-02.9	5	3.4	00.0-07.7	9	6.1	01.8-10.4	35	12.3	07.6-17.0	203	77.0	70.1-83.9
\$50,000- 99,999	790	79,005	11	1.8	00.6-03.0	2	0.4	00.0-01.0	11	1.3	00.5-02.1	65	8.9	06.4-11.4	701	87.6	84.7-90.5
\$100,000- 199,999	584	64,762	6	1.1	00.1-02.1	6	1.5	00.1-02.9	5	0.8	00.0-01.6	35	6.6	04.1-09.1	532	90.1	87.2-93.0
\$200,000+	175	16,379							2	1.3	00.0-03.3	13	8.6	03.7-13.5	160	90.1	84.8-95.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 13: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 39: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2384	238,020	30	1.8	01.0-02.6		35	2.0	01.2-02.8	72	4.1	02.9-05.3	268	13.5	11.5-15.5	1979	78.6	76.2-81.0
Native	61	8,656					5	5.0	00.3-09.7	4	7.9	00.0-17.9	11	25.4	09.5-41.3	41	61.7	44.8-78.6
Non-Native	2299	226,974	29	1.9	01.1-02.7		30	1.9	00.9-02.9	67	4.0	02.8-05.2	249	12.9	10.9-14.9	1924	79.3	76.9-81.7
18-24	93	32,445	1	1.3	00.0-03.8		2	2.9	00.0-07.0	8	8.7	02.6-14.8	14	16.9	08.3-25.5	68	70.1	59.9-80.3
25-34	204	38,317	3	1.6	00.0-03.8		7	3.7	00.8-06.6	9	5.2	01.7-08.7	30	14.3	09.4-19.2	155	75.1	68.6-81.6
35-44	266	39,338	5	3.3	00.2-06.4		9	3.5	01.0-06.0	12	4.4	01.5-07.3	38	17.0	11.5-22.5	202	71.7	65.2-78.2
45-54	271	30,537	3	1.7	00.0-03.9		3	0.8	00.0-01.8	11	4.4	01.5-07.3	32	12.5	07.4-17.6	222	80.6	74.7-86.5
55-64	386	33,545	3	0.8	00.0-01.8		3	0.5	00.0-01.1	12	2.6	00.8-04.4	43	12.9	08.6-17.2	325	83.2	78.5-87.9
65+	1164	63,838	15	1.8	00.6-03.0		11	1.0	00.4-01.6	20	1.6	00.6-02.6	111	9.7	07.5-11.9	1007	85.8	83.3-88.3
Less Than H.S.	65	14,046	5	5.6	00.0-11.9		1	4.5	00.0-13.1	4	10.0	00.0-20.6	14	30.4	14.3-46.5	41	49.4	32.9-65.9
H.S. or G.E.D.	555	53,089	12	2.8	00.6-05.0		13	3.2	01.0-05.4	30	8.1	04.6-11.6	87	13.4	09.9-16.9	413	72.5	67.4-77.6
Some Post-H.S.	722	89,541	11	2.0	00.6-03.4		10	1.7	00.5-02.9	20	3.1	01.3-04.9	72	12.8	09.5-16.1	609	80.4	76.5-84.3
College Graduate	1037	80,915	2	0.3	00.0-00.7		11	1.2	00.4-02.0	17	1.6	00.6-02.6	95	11.3	08.8-13.8	912	85.6	82.9-88.3
Less than \$15,000	83	9,177	4	6.5	00.0-14.5		4	7.8	00.0-16.0	9	8.7	01.1-16.3	18	22.4	08.3-36.5	48	54.6	39.3-69.9
\$15,000- 24,999	150	14,967	6	5.9	00.0-11.8		5	3.8	00.0-08.1	8	7.8	01.1-14.5	19	12.8	05.5-20.1	112	69.8	59.2-80.4
\$25,000- 34,999	235	22,524	1	0.1	00.0-00.3		4	1.6	00.0-03.4	12	9.7	03.0-16.4	37	16.1	09.6-22.6	181	72.6	64.2-81.0
\$35,000- 49,999	255	25,399	4	2.5	00.0-05.2		3	3.2	00.0-08.1	6	5.3	00.0-10.8	32	16.7	09.6-23.8	210	72.3	63.3-81.3
\$50,000- 99,999	647	63,350	2	0.6	00.0-01.6		7	1.1	00.1-02.1	10	1.9	00.3-03.5	56	11.6	07.9-15.3	572	84.7	80.8-88.6
\$100,000- 199,999	433	44,703					5	1.8	00.0-03.6	11	3.3	00.9-05.7	33	8.3	05.2-11.4	384	86.7	82.8-90.6
\$200,000+	113	12,184	2	3.4	00.0-08.1		1	0.2	00.0-00.6	4	2.5	00.0-05.0	10	10.9	03.6-18.2	96	83.0	74.4-91.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024

MODULE 14: SOCIAL DETERMINANTS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
1 MALES AND FEMALES	75
2 MALES ONLY	76
3 FEMALES ONLY	77
HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
4 MALES AND FEMALES	78
5 MALES ONLY	79
6 FEMALES ONLY	80
HOW OFTEN DO YOU FEEL LONELY? IS IT... (SDLONELY)	
7 MALES AND FEMALES	81
8 MALES ONLY	82
9 FEMALES ONLY	83
IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLOY)	
10 MALES AND FEMALES	84
11 MALES ONLY	85
12 FEMALES ONLY	86
DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD? (FOODSTMP)	
13 MALES AND FEMALES	87
14 MALES ONLY	88
15 FEMALES ONLY	89
DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)	
16 MALES AND FEMALES	90
17 MALES ONLY	91
18 FEMALES ONLY	92

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024

MODULE 14: SOCIAL DETERMINANTS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)	
19	MALES AND FEMALES	93
20	MALES ONLY	94
21	FEMALES ONLY	95
	DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)	
22	MALES AND FEMALES	96
23	MALES ONLY	97
24	FEMALES ONLY	98
	DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)	
25	MALES AND FEMALES	99
26	MALES ONLY	100
27	FEMALES ONLY	101
	HOW SAFE FROM CRIME DO YOU CONSIDER YOUR NEIGHBORHOOD TO BE? WOULD YOU SAY... (HOWSAFE1)	
28	MALES AND FEMALES	102
29	MALES ONLY	103
30	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 1: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4841	489,263	2424	46.5	44.7-48.3	2193	47.6	45.8-49.4	165	4.3	03.5-05.1	59	1.6	01.0-02.2
Male	2476	252,794	1176	44.6	42.2-47.0	1173	48.8	46.4-51.2	91	4.9	03.7-06.1	36	1.7	01.1-02.3
Female	2365	236,469	1248	48.5	45.8-51.2	1020	46.3	43.6-49.0	74	3.7	02.5-04.9	23	1.5	00.7-02.3
Native	132	19,787	56	38.2	27.8-48.6	63	47.2	36.2-58.2	12	14.0	05.4-22.6	1	0.7	00.0-02.1
Non-Native	4640	462,775	2327	46.6	44.8-48.4	2105	47.8	46.0-49.6	150	3.9	03.1-04.7	58	1.6	01.0-02.2
18-24	245	69,912	76	30.2	24.1-36.3	152	61.2	54.5-67.9	14	6.7	03.0-10.4	3	1.9	00.0-04.1
25-34	484	83,174	205	42.6	37.9-47.3	239	48.9	44.0-53.8	29	5.8	03.6-08.0	11	2.7	00.9-04.5
35-44	577	83,398	259	43.4	38.9-47.9	283	50.6	46.1-55.1	24	4.2	02.4-06.0	11	1.8	00.6-03.0
45-54	611	64,660	304	50.0	45.5-54.5	274	43.9	39.6-48.2	25	4.7	02.5-06.9	8	1.4	00.4-02.4
55-64	831	70,460	424	52.8	48.9-56.7	368	42.2	38.5-45.9	25	3.2	01.6-04.8	14	1.7	00.7-02.7
65+	2093	117,659	1156	55.4	52.9-57.9	877	41.7	39.2-44.2	48	2.3	01.5-03.1	12	0.6	00.2-01.0
Less Than H.S.	152	30,968	54	27.6	19.0-36.2	83	54.6	44.4-64.8	10	13.0	05.0-21.0	5	4.7	00.0-09.4
H.S. or G.E.D.	1263	124,034	539	39.8	36.5-43.1	661	54.5	51.0-58.0	44	4.0	02.6-05.4	19	1.7	00.7-02.7
Some Post-H.S.	1451	185,793	704	46.6	43.5-49.7	668	47.7	44.6-50.8	57	4.1	02.9-05.3	22	1.6	00.8-02.4
College Graduate	1963	146,838	1120	55.8	53.3-58.3	776	40.3	37.8-42.8	54	3.0	02.0-04.0	13	0.8	00.2-01.4
Less than \$15,000	145	16,040	38	22.9	13.7-32.1	78	56.3	45.1-67.5	17	12.6	04.0-21.2	12	8.3	03.0-13.6
\$15,000- 24,999	257	24,713	85	29.2	21.9-36.5	146	59.7	51.7-67.7	19	8.4	03.7-13.1	7	2.7	00.0-05.4
\$25,000- 34,999	417	41,002	174	36.6	30.5-42.7	215	54.0	47.5-60.5	19	6.9	03.0-10.8	9	2.5	00.7-04.3
\$35,000- 49,999	505	49,551	200	36.0	30.5-41.5	276	56.0	50.1-61.9	23	5.6	03.1-08.1	6	2.3	00.0-05.0
\$50,000- 99,999	1430	142,076	720	45.6	42.5-48.7	648	48.0	44.7-51.3	54	5.7	03.7-07.7	8	0.8	00.2-01.4
\$100,000- 199,999	1018	109,525	611	58.1	54.6-61.6	390	40.0	36.5-43.5	12	1.0	00.4-01.6	5	0.9	00.1-01.7
\$200,000+	288	28,633	204	69.7	63.6-75.8	80	28.6	22.5-34.7	3	1.6	00.0-03.6	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 2: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
			Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2476	252,794	1176	44.6	42.2-47.0	1173	48.8	46.4-51.2	91	4.9	03.7-06.1	36	1.7	01.1-02.3
Native	71	11,131	28	33.4	20.9-45.9	35	48.7	34.4-63.0	7	16.7	04.4-29.0	1	1.2	00.0-03.6
Non-Native	2359	237,255	1121	44.9	42.5-47.3	1120	49.0	46.5-51.5	83	4.3	03.1-05.5	35	1.7	01.1-02.3
18-24	152	37,467	47	31.0	23.2-38.8	94	59.6	51.2-68.0	11	9.4	03.7-15.1			
25-34	282	44,895	118	40.8	34.7-46.9	136	48.9	42.6-55.2	19	6.3	03.4-09.2	9	4.0	01.3-06.7
35-44	314	44,602	127	39.0	33.1-44.9	160	52.4	46.3-58.5	18	6.2	03.1-09.3	9	2.4	00.8-04.0
45-54	340	34,138	163	49.1	43.2-55.0	161	46.1	40.2-52.0	12	3.5	01.5-05.5	4	1.3	00.0-02.7
55-64	448	37,222	223	52.3	47.2-57.4	208	44.0	38.9-49.1	11	2.4	00.8-04.0	6	1.4	00.2-02.6
65+	940	54,470	498	53.8	50.1-57.5	414	43.3	39.6-47.0	20	2.1	01.1-03.1	8	0.8	00.0-01.6
Less Than H.S.	86	16,464	32	32.9	20.9-44.9	45	50.0	37.1-62.9	6	13.5	02.9-24.1	3	3.6	00.0-07.9
H.S. or G.E.D.	713	71,207	278	38.0	33.7-42.3	394	55.8	51.5-60.1	27	4.4	02.6-06.2	14	1.7	00.7-02.7
Some Post-H.S.	742	97,598	337	43.9	39.8-48.0	366	49.9	45.8-54.0	28	4.6	02.6-06.6	11	1.6	00.6-02.6
College Graduate	927	66,244	524	55.4	51.7-59.1	365	39.7	36.0-43.4	30	3.7	02.3-05.1	8	1.3	00.1-02.5
Less than \$15,000	63	7,093	13	21.4	07.3-35.5	34	54.6	38.3-70.9	8	10.6	02.4-18.8	8	13.4	03.8-23.0
\$15,000- 24,999	110	9,863	27	21.0	11.8-30.2	74	67.2	55.6-78.8	7	10.7	01.7-19.7	2	1.1	00.0-03.1
\$25,000- 34,999	185	18,770	77	35.9	27.5-44.3	92	52.1	42.7-61.5	10	8.3	01.4-15.2	6	3.7	00.2-07.2
\$35,000- 49,999	253	24,467	88	32.8	25.5-40.1	148	58.3	50.7-65.9	13	7.1	03.2-11.0	4	1.7	00.0-03.7
\$50,000- 99,999	784	78,519	358	42.6	38.5-46.7	386	49.8	45.5-54.1	32	6.2	03.7-08.7	8	1.4	00.2-02.6
\$100,000- 199,999	586	64,860	337	54.5	49.8-59.2	239	43.7	39.0-48.4	7	0.9	00.1-01.7	3	0.9	00.0-02.1
\$200,000+	176	16,538	126	70.3	62.5-78.1	47	28.0	20.2-35.8	2	1.5	00.0-03.9	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 3: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
			Very Satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2365	236,469	1248	48.5	45.8-51.2	1020	46.3	43.6-49.0	74	3.7	02.5-04.9	23	1.5	00.7-02.3
Native	61	8,656	28	44.3	27.4-61.2	28	45.3	28.6-62.0	5	10.4	00.0-22.2			
Non-Native	2281	225,520	1206	48.5	45.8-51.2	985	46.5	43.8-49.2	67	3.4	02.2-04.6	23	1.6	00.8-02.4
18-24	93	32,445	29	29.2	19.6-38.8	58	63.0	52.6-73.4	3	3.7	00.0-08.2	3	4.0	00.0-08.7
25-34	202	38,278	87	44.8	37.4-52.2	103	48.9	41.5-56.3	10	5.2	01.7-08.7	2	1.1	00.0-02.7
35-44	263	38,796	132	48.5	41.8-55.2	123	48.6	41.7-55.5	6	1.9	00.3-03.5	2	1.0	00.0-02.6
45-54	271	30,522	141	51.1	44.4-57.8	113	41.4	34.9-47.9	13	6.1	02.0-10.2	4	1.4	00.0-03.0
55-64	383	33,238	201	53.5	47.6-59.4	160	40.2	34.5-45.9	14	4.2	01.7-06.7	8	2.1	00.3-03.9
65+	1153	63,189	658	56.8	53.3-60.3	463	40.4	36.9-43.9	28	2.4	01.2-03.6	4	0.4	00.0-00.8
Less Than H.S.	66	14,504	22	21.6	09.8-33.4	38	59.9	44.0-75.8	4	12.5	00.3-24.7	2	6.0	00.0-14.8
H.S. or G.E.D.	550	52,827	261	42.2	36.7-47.7	267	52.7	47.0-58.4	17	3.4	01.4-05.4	5	1.7	00.0-03.5
Some Post-H.S.	709	88,194	367	49.6	44.9-54.3	302	45.4	40.7-50.1	29	3.5	02.1-04.9	11	1.5	00.3-02.7
College Graduate	1036	80,594	596	56.2	52.5-59.9	411	40.8	37.1-44.5	24	2.5	01.3-03.7	5	0.5	00.1-00.9
Less than \$15,000	82	8,947	25	24.0	12.0-36.0	44	57.6	42.1-73.1	9	14.2	00.5-27.9	4	4.2	00.0-09.5
\$15,000- 24,999	147	14,850	58	34.7	24.5-44.9	72	54.7	43.5-65.9	12	6.8	02.1-11.5	5	3.8	00.0-08.1
\$25,000- 34,999	232	22,232	97	37.2	28.8-45.6	123	55.6	46.8-64.4	9	5.8	01.9-09.7	3	1.4	00.0-03.0
\$35,000- 49,999	252	25,084	112	39.2	30.8-47.6	128	53.8	45.0-62.6	10	4.1	01.0-07.2	2	2.9	00.0-07.8
\$50,000- 99,999	646	63,557	362	49.3	44.2-54.4	262	45.7	40.6-50.8	22	4.9	02.2-07.6			
\$100,000- 199,999	432	44,666	274	63.4	57.9-68.9	151	34.7	29.2-40.2	5	1.0	00.0-02.0	2	0.8	00.0-02.2
\$200,000+	112	12,095	78	69.0	59.4-78.6	33	29.3	19.9-38.7	1	1.7	00.0-05.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 4: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	4816	486,519	2429	48.0	46.2-49.8	1599	32.3	30.5-34.1	515	12.7	11.3-14.1	142	3.8	03.0-04.6	131	3.1	02.3-03.9
Male	2452	250,151	1246	48.0	45.6-50.4	730	29.3	27.1-31.5	286	13.8	12.0-15.6	90	4.9	03.7-06.1	100	3.9	02.9-04.9
Female	2364	236,368	1183	48.1	45.4-50.8	869	35.4	32.9-37.9	229	11.5	09.5-13.5	52	2.6	01.6-03.6	31	2.3	01.1-03.5
Native	131	19,666	50	35.7	25.7-45.7	37	23.9	15.1-32.7	27	20.7	11.7-29.7	8	11.3	02.7-19.9	9	8.4	01.5-15.3
Non-Native	4619	460,420	2338	48.3	46.5-50.1	1549	32.9	31.1-34.7	479	12.3	10.9-13.7	133	3.5	02.7-04.3	120	2.9	02.1-03.7
18-24	243	69,597	95	37.8	31.1-44.5	70	29.0	22.7-35.3	51	21.9	16.2-27.6	19	7.0	03.7-10.3	8	4.3	01.2-07.4
25-34	484	83,147	211	42.8	38.1-47.5	174	36.0	31.3-40.7	63	13.1	09.8-16.4	24	5.5	03.1-07.9	12	2.6	00.8-04.4
35-44	574	82,750	246	43.0	38.5-47.5	218	36.0	31.7-40.3	71	13.7	10.6-16.8	27	4.5	02.5-06.5	12	2.8	01.0-04.6
45-54	612	64,797	287	48.7	44.2-53.2	209	31.7	27.8-35.6	77	11.9	09.2-14.6	18	3.0	01.4-04.6	21	4.7	02.3-07.1
55-64	824	69,827	426	54.1	50.2-58.0	278	31.3	27.8-34.8	82	10.1	07.6-12.6	24	2.4	01.4-03.4	14	2.1	00.9-03.3
65+	2079	116,401	1164	57.6	55.1-60.1	650	29.9	27.5-32.3	171	8.2	06.8-09.6	30	1.5	00.9-02.1	64	2.9	02.1-03.7
Less Than H.S.	152	30,969	65	34.7	25.5-43.9	27	20.5	11.7-29.3	36	23.7	14.9-32.5	6	6.4	00.9-11.9	18	14.7	07.1-22.3
H.S. or G.E.D.	1247	122,159	610	46.4	42.9-49.9	374	29.3	26.2-32.4	160	15.3	12.6-18.0	55	5.2	03.6-06.8	48	3.9	02.5-05.3
Some Post-H.S.	1446	185,446	745	48.9	45.8-52.0	458	32.4	29.5-35.3	168	12.9	10.7-15.1	45	3.8	02.6-05.0	30	2.0	01.2-02.8
College Graduate	1958	146,235	1001	51.0	48.3-53.7	737	37.2	34.7-39.7	150	8.0	06.6-09.4	36	2.1	01.3-02.9	34	1.6	00.8-02.4
Less than \$15,000	144	16,007	53	27.4	18.4-36.4	35	24.7	15.1-34.3	28	23.7	12.9-34.5	17	14.9	06.5-23.3	11	9.3	03.2-15.4
\$15,000- 24,999	258	24,775	91	31.9	24.6-39.2	80	32.1	23.9-40.3	53	23.4	16.1-30.7	20	7.4	03.3-11.5	14	5.2	01.3-09.1
\$25,000- 34,999	418	40,963	190	36.9	31.0-42.8	136	35.0	28.7-41.3	61	17.6	12.7-22.5	10	4.4	01.1-07.7	21	6.1	03.2-09.0
\$35,000- 49,999	505	49,474	236	43.2	37.5-48.9	161	29.4	24.1-34.7	71	19.0	14.1-23.9	18	4.8	02.3-07.3	19	3.6	00.9-06.3
\$50,000- 99,999	1427	141,715	714	48.7	45.4-52.0	511	33.9	31.0-36.8	137	11.1	08.9-13.3	37	3.5	02.1-04.9	28	2.8	01.2-04.4
\$100,000- 199,999	1012	108,869	535	52.2	48.5-55.9	379	37.1	33.6-40.6	66	7.3	05.3-09.3	18	2.2	01.0-03.4	14	1.2	00.4-02.0
\$200,000+	286	28,383	183	64.4	57.9-70.9	87	29.2	23.1-35.3	13	4.7	01.8-07.6	3	1.7	00.0-03.7			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 5: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2452	250,151	1246	48.0	45.6-50.4	730	29.3	27.1-31.5	286	13.8	12.0-15.6	90	4.9	03.7-06.1	100	3.9	02.9-04.9
Native	70	11,010	26	29.0	17.4-40.6	16	21.0	09.6-32.4	17	28.0	14.5-41.5	6	14.5	02.2-26.8	5	7.4	00.0-14.8
Non-Native	2338	234,883	1191	48.5	46.0-51.0	706	30.0	27.6-32.4	264	13.1	11.3-14.9	83	4.6	03.4-05.8	94	3.8	02.8-04.8
18-24	150	37,152	58	37.5	29.3-45.7	38	25.0	17.6-32.4	34	23.9	16.6-31.2	17	11.0	05.7-16.3	3	2.5	00.0-05.4
25-34	281	44,654	118	41.1	35.0-47.2	91	31.8	25.9-37.7	46	17.4	12.3-22.5	18	6.7	03.6-09.8	8	2.9	00.7-05.1
35-44	311	43,997	136	42.0	35.9-48.1	114	36.0	30.1-41.9	35	12.7	08.4-17.0	15	5.0	02.1-07.9	11	4.3	01.6-07.0
45-54	342	34,265	166	49.6	43.7-55.5	100	28.0	22.9-33.1	46	12.3	08.8-15.8	13	3.9	01.5-06.3	17	6.2	03.1-09.3
55-64	442	36,707	241	56.9	51.8-62.0	140	28.8	24.3-33.3	42	9.4	06.3-12.5	9	1.9	00.5-03.3	10	3.0	01.0-05.0
65+	926	53,376	527	58.8	55.1-62.5	247	26.0	22.7-29.3	83	8.6	06.6-10.6	18	2.0	01.0-03.0	51	4.6	03.0-06.2
Less Than H.S.	87	16,500	37	38.7	26.5-50.9	14	19.1	08.1-30.1	21	24.7	13.3-36.1	4	5.8	00.0-12.3	11	11.7	03.9-19.5
H.S. or G.E.D.	696	69,560	334	45.8	41.3-50.3	191	26.4	22.5-30.3	93	16.3	12.6-20.0	41	7.1	04.7-09.5	37	4.4	02.6-06.2
Some Post-H.S.	734	96,666	364	46.9	42.8-51.0	227	31.7	27.8-35.6	93	13.5	10.6-16.4	27	4.9	02.7-07.1	23	3.0	01.6-04.4
College Graduate	927	66,144	506	53.9	50.2-57.6	297	31.5	28.2-34.8	78	9.1	06.9-11.3	18	2.6	01.2-04.0	28	2.8	01.4-04.2
Less than \$15,000	61	6,954	24	24.9	13.3-36.5	13	25.1	09.2-41.0	8	16.8	01.5-32.1	9	17.5	05.3-29.7	7	15.7	03.5-27.9
\$15,000- 24,999	109	9,884	30	28.1	17.1-39.1	33	30.1	19.1-41.1	26	25.8	15.2-36.4	10	9.6	01.4-17.8	10	6.4	01.7-11.1
\$25,000- 34,999	185	18,621	81	36.8	28.2-45.4	51	29.7	20.7-38.7	33	20.0	12.2-27.8	3	2.9	00.0-06.4	17	10.6	04.9-16.3
\$35,000- 49,999	252	24,319	110	39.5	32.1-46.9	68	25.7	18.8-32.6	43	22.0	15.1-28.9	16	8.8	04.1-13.5	15	4.0	01.6-06.4
\$50,000- 99,999	781	78,128	391	49.1	44.8-53.4	249	28.9	25.2-32.6	91	14.0	10.7-17.3	26	4.8	02.6-07.0	24	3.2	01.4-05.0
\$100,000- 199,999	581	64,370	319	51.1	46.4-55.8	197	35.5	31.0-40.0	40	8.5	05.6-11.4	12	3.0	01.0-05.0	13	2.0	00.6-03.4
\$200,000+	174	16,288	117	64.8	56.4-73.2	49	29.5	21.5-37.5	6	3.5	00.6-06.4	2	2.1	00.0-05.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 6: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	2364	236,368	1183	48.1	45.4-50.8	869	35.4	32.9-37.9	229	11.5	09.5-13.5	52	2.6	01.6-03.6	31	2.3	01.1-03.5
Native	61	8,656	24	44.2	27.3-61.1	21	27.6	13.5-41.7	10	11.3	01.3-21.3	2	7.2	00.0-18.4	4	9.7	00.0-22.0
Non-Native	2281	225,537	1147	48.0	45.3-50.7	843	35.9	33.4-38.4	215	11.5	09.5-13.5	50	2.5	01.7-03.3	26	2.1	01.1-03.1
18-24	93	32,445	37	38.1	27.7-48.5	32	33.5	23.3-43.7	17	19.6	10.6-28.6	2	2.3	00.0-05.6	5	6.4	00.7-12.1
25-34	203	38,493	93	44.8	37.4-52.2	83	40.8	33.5-48.1	17	8.1	04.2-12.0	6	4.1	00.6-07.6	4	2.2	00.0-04.7
35-44	263	38,753	110	44.0	37.3-50.7	104	36.1	29.6-42.6	36	14.9	10.0-19.8	12	3.9	01.5-06.3	1	1.0	00.0-03.0
45-54	270	30,531	121	47.6	40.9-54.3	109	35.9	29.6-42.2	31	11.4	07.3-15.5	5	2.1	00.1-04.1	4	3.0	00.0-06.7
55-64	382	33,120	185	51.0	45.1-56.9	138	34.1	28.6-39.6	40	10.9	07.0-14.8	15	2.9	01.3-04.5	4	1.1	00.0-02.3
65+	1153	63,026	637	56.5	53.0-60.0	403	33.2	29.9-36.5	88	7.8	05.8-09.8	12	1.2	00.4-02.0	13	1.4	00.6-02.2
Less Than H.S.	65	14,469	28	30.1	16.4-43.8	13	22.1	08.2-36.0	15	22.6	08.7-36.5	2	7.0	00.0-16.4	7	18.1	04.6-31.6
H.S. or G.E.D.	551	52,600	276	47.2	41.5-52.9	183	33.1	27.8-38.4	67	13.9	10.0-17.8	14	2.7	01.1-04.3	11	3.2	00.8-05.6
Some Post-H.S.	712	88,780	381	51.0	46.3-55.7	231	33.2	28.9-37.5	75	12.3	09.0-15.6	18	2.7	01.3-04.1	7	0.8	00.2-01.4
College Graduate	1031	80,090	495	48.6	44.9-52.3	440	42.0	38.3-45.7	72	7.1	05.1-09.1	18	1.7	00.7-02.7	6	0.6	00.0-01.2
Less than \$15,000	83	9,053	29	29.3	16.2-42.4	22	24.5	12.5-36.5	20	28.9	13.8-44.0	8	12.9	01.3-24.5	4	4.4	00.0-08.9
\$15,000- 24,999	149	14,890	61	34.4	24.4-44.4	47	33.4	21.8-45.0	27	21.9	12.1-31.7	10	5.9	02.0-09.8	4	4.4	00.0-10.1
\$25,000- 34,999	233	22,342	109	37.0	29.0-45.0	85	39.4	30.6-48.2	28	15.6	09.3-21.9	7	5.7	00.4-11.0	4	2.4	00.0-05.1
\$35,000- 49,999	253	25,155	126	46.7	37.9-55.5	93	33.0	24.8-41.2	28	16.1	09.2-23.0	2	0.9	00.0-02.1	4	3.3	00.0-08.2
\$50,000- 99,999	646	63,587	323	48.1	43.0-53.2	262	40.0	35.1-44.9	46	7.7	04.8-10.6	11	1.9	00.7-03.1	4	2.3	00.0-04.8
\$100,000- 199,999	431	44,499	216	53.7	48.0-59.4	182	39.4	33.9-44.9	26	5.6	03.1-08.1	6	1.1	00.0-02.3	1	0.2	00.0-00.6
\$200,000+	112	12,095	66	63.9	53.9-73.9	38	28.8	19.8-37.8	7	6.3	00.6-12.0	1	1.0	00.0-03.0			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 7: HOW OFTEN DO YOU FEEL LONELY? IS IT... (SDLONELY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4842	488,790	102	2.3	01.7-02.9	147	3.8	03.0-04.6	1051	22.7	21.1-24.3	1636	33.4	31.6-35.2	1906	37.6	35.8-39.4
Male	2480	252,803	56	2.5	01.7-03.3	89	4.5	03.3-05.7	483	20.6	18.6-22.6	723	29.6	27.4-31.8	1129	42.8	40.4-45.2
Female	2362	235,987	46	2.2	01.2-03.2	58	3.1	02.1-04.1	568	25.0	22.6-27.4	913	37.5	35.0-40.0	777	32.1	29.6-34.6
Native	129	19,028	9	6.1	01.6-10.6	7	7.2	01.3-13.1	41	29.6	19.6-39.6	36	28.7	18.5-38.9	36	28.4	18.4-38.4
Non-Native	4643	462,964	91	2.2	01.6-02.8	138	3.8	03.0-04.6	994	22.5	20.9-24.1	1581	33.7	31.9-35.5	1839	37.9	36.1-39.7
18-24	243	69,455	7	2.8	00.6-05.0	20	7.8	04.1-11.5	79	34.5	28.0-41.0	73	28.0	21.9-34.1	64	26.9	20.8-33.0
25-34	484	83,243	13	3.1	01.1-05.1	28	6.1	03.7-08.5	113	22.7	18.8-26.6	177	35.7	31.0-40.4	153	32.4	27.9-36.9
35-44	578	83,410	15	2.6	01.2-04.0	22	4.2	02.2-06.2	123	20.7	17.2-24.2	217	36.7	32.4-41.0	201	35.9	31.6-40.2
45-54	615	64,593	19	3.3	01.7-04.9	15	1.9	00.9-02.9	123	19.4	16.1-22.7	214	33.4	29.3-37.5	244	42.0	37.7-46.3
55-64	830	70,437	14	1.2	00.4-02.0	19	2.0	01.0-03.0	162	19.5	16.4-22.6	282	33.1	29.4-36.8	353	44.1	40.2-48.0
65+	2092	117,653	34	1.5	00.9-02.1	43	1.9	01.1-02.7	451	21.0	18.8-23.2	673	32.9	30.5-35.3	891	42.7	40.2-45.2
Less Than H.S.	152	30,475	7	6.3	01.0-11.6	5	6.3	00.4-12.2	46	28.2	18.8-37.6	36	24.9	15.9-33.9	58	34.4	25.0-43.8
H.S. or G.E.D.	1256	123,245	38	3.7	02.3-05.1	53	4.9	03.3-06.5	311	26.2	23.1-29.3	362	29.7	26.6-32.8	492	35.5	32.2-38.8
Some Post-H.S.	1459	186,685	24	1.4	00.8-02.0	47	4.0	02.6-05.4	341	23.7	21.0-26.4	475	32.4	29.5-35.3	572	38.5	35.6-41.4
College Graduate	1962	146,675	33	1.7	01.1-02.3	42	2.2	01.4-03.0	350	17.6	15.6-19.6	761	39.7	37.2-42.2	776	38.7	36.2-41.2
Less than \$15,000	146	16,362	18	11.9	05.8-18.0	15	16.2	06.4-26.0	47	32.0	21.6-42.4	29	19.0	10.0-28.0	37	21.0	12.6-29.4
\$15,000- 24,999	259	24,840	13	5.6	01.7-09.5	18	7.2	03.1-11.3	83	32.7	25.1-40.3	67	27.9	20.1-35.7	78	26.5	19.2-33.8
\$25,000- 34,999	421	41,288	18	5.1	01.8-08.4	12	4.0	01.3-06.7	116	30.2	24.3-36.1	139	31.4	25.5-37.3	136	29.2	23.5-34.9
\$35,000- 49,999	508	49,759	8	1.3	00.3-02.3	28	8.0	04.5-11.5	125	25.9	20.6-31.2	175	34.1	28.6-39.6	172	30.7	25.4-36.0
\$50,000- 99,999	1430	141,648	17	1.4	00.6-02.2	44	3.7	02.3-05.1	307	23.4	20.5-26.3	511	33.8	30.9-36.7	551	37.7	34.6-40.8
\$100,000- 199,999	1018	109,355	8	0.8	00.2-01.4	12	1.5	00.5-02.5	138	13.3	10.9-15.7	396	39.0	35.5-42.5	464	45.5	41.8-49.2
\$200,000+	287	28,464	2	0.4	00.0-01.0	3	1.4	00.0-03.0	35	10.6	06.7-14.5	102	38.4	31.9-44.9	145	49.3	42.6-56.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 8: HOW OFTEN DO YOU FEEL LONELY? IS IT... (SDLONELY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	2480	252,803	56	2.5	01.7-03.3	89	4.5	03.3-05.7	483	20.6	18.6-22.6	723	29.6	27.4-31.8	1129	42.8	40.4-45.2
Native	70	11,010	3	5.2	00.0-11.3	6	11.7	01.9-21.5	20	29.4	15.7-43.1	18	23.5	11.9-35.1	23	30.1	17.2-43.0
Non-Native	2364	237,384	51	2.4	01.6-03.2	83	4.3	03.1-05.5	455	20.2	18.2-22.2	692	29.9	27.7-32.1	1083	43.3	40.9-45.7
18-24	151	37,346	4	2.2	00.0-04.4	13	8.7	04.0-13.4	48	34.0	25.8-42.2	44	25.8	18.7-32.9	42	29.2	21.4-37.0
25-34	281	44,750	8	2.6	00.8-04.4	18	6.6	03.5-09.7	60	20.7	15.4-26.0	97	33.6	27.7-39.5	98	36.6	30.5-42.7
35-44	315	44,579	10	3.5	01.1-05.9	15	5.5	02.4-08.6	67	20.3	15.6-25.0	98	29.9	24.4-35.4	125	40.7	34.6-46.8
45-54	344	34,459	11	3.8	01.4-06.2	8	1.9	00.5-03.3	64	16.1	12.2-20.0	107	31.2	25.9-36.5	154	47.1	41.2-53.0
55-64	447	37,168	4	0.8	00.0-01.8	10	2.3	00.7-03.9	73	15.5	11.8-19.2	137	30.1	25.2-35.0	223	51.3	46.0-56.6
65+	942	54,500	19	2.0	01.0-03.0	25	2.3	01.1-03.5	171	17.7	15.0-20.4	240	27.5	24.2-30.8	487	50.5	46.8-54.2
Less Than H.S.	88	16,593	5	5.6	00.1-11.1	4	7.7	00.1-15.3	25	26.4	14.6-38.2	17	22.3	11.5-33.1	37	37.9	25.7-50.1
H.S. or G.E.D.	707	70,545	22	3.2	01.6-04.8	36	5.7	03.5-07.9	159	24.4	20.5-28.3	183	28.2	24.3-32.1	307	38.5	34.2-42.8
Some Post-H.S.	746	97,856	10	1.5	00.5-02.5	25	4.0	02.2-05.8	150	20.9	17.4-24.4	227	30.3	26.6-34.0	334	43.3	39.2-47.4
College Graduate	931	66,527	19	2.4	01.2-03.6	24	3.2	01.6-04.8	147	14.9	12.4-17.4	295	32.1	28.6-35.6	446	47.4	43.7-51.1
Less than \$15,000	63	7,093	10	17.3	05.9-28.7	9	16.5	04.3-28.7	18	34.7	17.6-51.8	9	15.1	02.8-27.4	17	16.4	07.4-25.4
\$15,000- 24,999	111	9,988	1	0.5	00.0-01.5	10	9.8	02.5-17.1	39	41.1	28.9-53.3	22	21.6	11.8-31.4	39	26.9	17.1-36.7
\$25,000- 34,999	188	18,846	8	4.2	00.1-08.3	5	4.0	00.0-08.3	50	30.1	21.3-38.9	48	22.8	15.4-30.2	77	38.9	29.9-47.9
\$35,000- 49,999	255	24,530	5	1.9	00.1-03.7	16	9.6	04.5-14.7	62	25.0	18.5-31.5	70	26.2	19.5-32.9	102	37.3	30.0-44.6
\$50,000- 99,999	784	78,539	12	1.7	00.7-02.7	33	5.4	03.2-07.6	159	21.4	17.7-25.1	245	29.9	26.2-33.6	335	41.7	37.6-45.8
\$100,000- 199,999	586	64,819	5	0.9	00.0-01.9	6	1.4	00.0-02.8	69	12.4	09.3-15.5	195	34.4	29.9-38.9	311	50.9	46.2-55.6
\$200,000+	176	16,538	1	0.4	00.0-01.2	2	1.7	00.0-04.1	19	9.3	04.8-13.8	56	35.7	27.3-44.1	98	53.0	44.4-61.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 9: HOW OFTEN DO YOU FEEL LONELY? IS IT... (SDLONELY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	2362	235,987	46	2.2	01.2-03.2	58	3.1	02.1-04.1	568	25.0	22.6-27.4	913	37.5	35.0-40.0	777	32.1	29.6-34.6
Native	59	8,018	6	7.2	00.5-13.9	1	0.9	00.0-02.7	21	30.0	15.7-44.3	18	35.8	18.6-53.0	13	26.0	10.3-41.7
Non-Native	2279	225,580	40	2.1	01.1-03.1	55	3.2	02.0-04.4	539	24.9	22.5-27.3	889	37.6	35.1-40.1	756	32.1	29.6-34.6
18-24	92	32,109	3	3.4	00.0-07.3	7	6.7	01.2-12.2	31	35.0	24.6-45.4	29	30.7	20.7-40.7	22	24.2	14.8-33.6
25-34	203	38,493	5	3.7	00.2-07.2	10	5.4	01.9-08.9	53	25.0	18.7-31.3	80	38.3	31.0-45.6	55	27.6	20.7-34.5
35-44	263	38,830	5	1.5	00.1-02.9	7	2.6	00.6-04.6	56	21.2	15.7-26.7	119	44.4	37.7-51.1	76	30.3	24.0-36.6
45-54	271	30,133	8	2.8	00.6-05.0	7	2.0	00.4-03.6	59	23.2	17.5-28.9	107	35.9	29.8-42.0	90	36.1	29.4-42.8
55-64	383	33,268	10	1.7	00.5-02.9	9	1.8	00.4-03.2	89	23.9	18.8-29.0	145	36.6	30.9-42.3	130	36.1	30.4-41.8
65+	1150	63,153	15	1.1	00.5-01.7	18	1.6	00.6-02.6	280	23.9	21.0-26.8	433	37.5	34.2-40.8	404	35.9	32.6-39.2
Less Than H.S.	64	13,882	2	7.0	00.0-16.2	1	4.7	00.0-13.5	21	30.2	14.9-45.5	19	28.0	13.1-42.9	21	30.1	15.6-44.6
H.S. or G.E.D.	549	52,700	16	4.3	01.6-07.0	17	3.9	01.7-06.1	152	28.6	23.3-33.9	179	31.8	26.7-36.9	185	31.4	26.1-36.7
Some Post-H.S.	713	88,829	14	1.3	00.5-02.1	22	4.0	02.0-06.0	191	26.8	22.7-30.9	248	34.6	30.1-39.1	238	33.3	29.0-37.6
College Graduate	1031	80,148	14	1.0	00.4-01.6	18	1.5	00.7-02.3	203	19.9	17.0-22.8	466	46.1	42.4-49.8	330	31.5	28.0-35.0
Less than \$15,000	83	9,269	8	7.7	01.4-14.0	6	15.9	01.4-30.4	29	29.9	17.6-42.2	20	22.0	09.3-34.7	20	24.5	11.6-37.4
\$15,000- 24,999	148	14,852	12	9.0	02.5-15.5	8	5.5	00.6-10.4	44	27.1	17.5-36.7	45	32.1	20.9-43.3	39	26.3	16.1-36.5
\$25,000- 34,999	233	22,441	10	5.9	00.6-11.2	7	4.0	00.5-07.5	66	30.3	22.3-38.3	91	38.7	30.1-47.3	59	21.1	14.2-28.0
\$35,000- 49,999	253	25,229	3	0.7	00.0-01.7	12	6.4	01.7-11.1	63	26.8	18.8-34.8	105	41.8	33.2-50.4	70	24.3	17.0-31.6
\$50,000- 99,999	646	63,109	5	1.0	00.0-02.4	11	1.7	00.5-02.9	148	25.8	21.3-30.3	266	38.7	34.0-43.4	216	32.8	28.1-37.5
\$100,000- 199,999	432	44,536	3	0.6	00.0-01.4	6	1.6	00.2-03.0	69	14.6	10.9-18.3	201	45.5	39.8-51.2	153	37.6	31.9-43.3
\$200,000+	111	11,926	1	0.3	00.0-00.9	1	1.0	00.0-03.0	16	12.4	05.3-19.5	46	42.1	31.7-52.5	47	44.2	33.6-54.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 10: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4842	488,663	299	8.3	07.1-09.5	4543	91.7	90.5-92.9
Male	2475	251,980	174	9.3	07.7-10.9	2301	90.7	89.1-92.3
Female	2367	236,683	125	7.3	05.7-08.9	2242	92.7	91.1-94.3
Native	129	19,574	13	9.7	03.2-16.2	116	90.3	83.8-96.8
Non-Native	4644	462,424	280	8.2	07.0-09.4	4364	91.8	90.6-93.0
18-24	242	69,317	29	12.9	08.2-17.6	213	87.1	82.4-91.8
25-34	483	83,046	51	12.1	08.8-15.4	432	87.9	84.6-91.2
35-44	577	83,165	56	9.6	06.9-12.3	521	90.4	87.7-93.1
45-54	614	64,897	61	9.2	06.8-11.6	553	90.8	88.4-93.2
55-64	832	70,672	63	7.7	05.5-09.9	769	92.3	90.1-94.5
65+	2094	117,566	39	1.8	01.2-02.4	2055	98.2	97.6-98.8
Less Than H.S.	150	30,656	21	22.2	12.8-31.6	129	77.8	68.4-87.2
H.S. or G.E.D.	1258	122,814	90	9.3	07.1-11.5	1168	90.7	88.5-92.9
Some Post-H.S.	1460	186,936	94	7.6	06.0-09.2	1366	92.4	90.8-94.0
College Graduate	1962	146,680	94	5.6	04.2-07.0	1868	94.4	93.0-95.8
Less than \$15,000	146	16,146	32	26.8	17.2-36.4	114	73.2	63.6-82.8
\$15,000- 24,999	259	24,681	30	16.3	10.0-22.6	229	83.7	77.4-90.0
\$25,000- 34,999	418	40,975	44	16.4	10.9-21.9	374	83.6	78.1-89.1
\$35,000- 49,999	508	49,738	37	11.0	06.5-15.5	471	89.0	84.5-93.5
\$50,000- 99,999	1427	141,777	76	7.6	05.6-09.6	1351	92.4	90.4-94.4
\$100,000- 199,999	1016	109,258	37	3.7	02.3-05.1	979	96.3	94.9-97.7
\$200,000+	288	28,633	8	2.8	00.6-05.0	280	97.2	95.0-99.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 11: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLOY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2475	251,980	174	9.3	07.7-10.9	2301	90.7	89.1-92.3
Native	68	10,918	7	10.3	01.7-18.9	61	89.7	81.1-98.3
Non-Native	2362	236,787	163	9.2	07.6-10.8	2199	90.8	89.2-92.4
18-24	149	36,872	22	17.2	10.1-24.3	127	82.8	75.7-89.9
25-34	281	44,750	29	11.5	07.2-15.8	252	88.5	84.2-92.8
35-44	314	44,412	32	9.6	06.3-12.9	282	90.4	87.1-93.7
45-54	343	34,326	40	11.0	07.5-14.5	303	89.0	85.5-92.5
55-64	447	37,213	31	7.4	04.7-10.1	416	92.6	89.9-95.3
65+	941	54,407	20	2.1	01.1-03.1	921	97.9	96.9-98.9
Less Than H.S.	85	16,265	15	27.6	14.7-40.5	70	72.4	59.5-85.3
H.S. or G.E.D.	708	70,406	52	9.0	06.5-11.5	656	91.0	88.5-93.5
Some Post-H.S.	745	97,843	54	8.3	05.9-10.7	691	91.7	89.3-94.1
College Graduate	930	66,317	53	6.8	04.8-08.8	877	93.2	91.2-95.2
Less than \$15,000	63	7,093	13	24.9	11.0-38.8	50	75.1	61.2-89.0
\$15,000- 24,999	111	9,850	20	28.2	16.6-39.8	91	71.8	60.2-83.4
\$25,000- 34,999	186	18,649	19	15.0	07.0-23.0	167	85.0	77.0-93.0
\$35,000- 49,999	256	24,575	24	12.9	06.8-19.0	232	87.1	81.0-93.2
\$50,000- 99,999	782	78,272	53	9.9	07.0-12.8	729	90.1	87.2-93.0
\$100,000- 199,999	585	64,754	23	3.6	02.0-05.2	562	96.4	94.8-98.0
\$200,000+	176	16,538	3	1.9	00.0-04.3	173	98.1	95.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 12: IN THE PAST 12 MONTHS HAVE YOU LOST EMPLOYMENT OR HAD HOURS REDUCED? (SDHEMPLOY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2367	236,683	125	7.3	05.7-08.9	2242	92.7	91.1-94.3
Native	61	8,656	6	9.0	00.0-18.8	55	91.0	81.2-0100
Non-Native	2282	225,637	117	7.2	05.6-08.8	2165	92.8	91.2-94.4
18-24	93	32,445	7	8.0	01.9-14.1	86	92.0	85.9-98.1
25-34	202	38,296	22	12.8	07.5-18.1	180	87.2	81.9-92.5
35-44	263	38,753	24	9.7	05.6-13.8	239	90.3	86.2-94.4
45-54	271	30,571	21	7.2	04.1-10.3	250	92.8	89.7-95.9
55-64	385	33,459	32	8.0	04.9-11.1	353	92.0	88.9-95.1
65+	1153	63,158	19	1.6	00.8-02.4	1134	98.4	97.6-99.2
Less Than H.S.	65	14,390	6	16.2	03.3-29.1	59	83.8	70.9-96.7
H.S. or G.E.D.	550	52,408	38	9.6	06.1-13.1	512	90.4	86.9-93.9
Some Post-H.S.	715	89,093	40	6.8	04.4-09.2	675	93.2	90.8-95.6
College Graduate	1032	80,363	41	4.6	02.8-06.4	991	95.4	93.6-97.2
Less than \$15,000	83	9,053	19	28.4	15.3-41.5	64	71.6	58.5-84.7
\$15,000- 24,999	148	14,831	10	8.4	02.1-14.7	138	91.6	85.3-97.9
\$25,000- 34,999	232	22,326	25	17.6	10.3-24.9	207	82.4	75.1-89.7
\$35,000- 49,999	252	25,163	13	9.2	02.3-16.1	239	90.8	83.9-97.7
\$50,000- 99,999	645	63,504	23	4.7	02.3-07.1	622	95.3	92.9-97.7
\$100,000- 199,999	431	44,504	14	3.8	01.3-06.3	417	96.2	93.7-98.7
\$200,000+	112	12,095	5	4.0	00.3-07.7	107	96.0	92.3-99.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

**TABLE 13: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?
(FOODSTMP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4857	489,483	216	5.9	04.9-06.9	4641	94.1	93.1-95.1
Male	2479	252,055	83	3.9	02.9-04.9	2396	96.1	95.1-97.1
Female	2378	237,427	133	8.0	06.2-09.8	2245	92.0	90.2-93.8
Native	129	18,903	22	18.9	09.3-28.5	107	81.1	71.5-90.7
Non-Native	4658	463,782	190	5.4	04.4-06.4	4468	94.6	93.6-95.6
18-24	240	68,377	12	7.2	03.1-11.3	228	92.8	88.7-96.9
25-34	486	83,587	37	10.6	07.1-14.1	449	89.4	85.9-92.9
35-44	579	83,578	33	6.1	03.7-08.5	546	93.9	91.5-96.3
45-54	614	64,917	33	5.1	03.3-06.9	581	94.9	93.1-96.7
55-64	834	70,738	36	4.2	02.6-05.8	798	95.8	94.2-97.4
65+	2104	118,286	65	3.1	02.3-03.9	2039	96.9	96.1-97.7
Less Than H.S.	151	30,220	25	21.4	12.0-30.8	126	78.6	69.2-88.0
H.S. or G.E.D.	1261	123,102	98	9.0	06.8-11.2	1163	91.0	88.8-93.2
Some Post-H.S.	1465	187,325	70	5.2	03.8-06.6	1395	94.8	93.4-96.2
College Graduate	1967	147,126	22	1.0	00.4-01.6	1945	99.0	98.4-99.6
Less than \$15,000	146	16,128	76	54.7	43.7-65.7	70	45.3	34.3-56.3
\$15,000- 24,999	261	24,941	56	28.4	20.6-36.2	205	71.6	63.8-79.4
\$25,000- 34,999	419	40,961	28	8.2	04.5-11.9	391	91.8	88.1-95.5
\$35,000- 49,999	510	49,824	15	6.8	02.9-10.7	495	93.2	89.3-97.1
\$50,000- 99,999	1430	141,676	12	1.5	00.5-02.5	1418	98.5	97.5-99.5
\$100,000- 199,999	1017	109,292	1	0.0	00.0-00.0	1016	100.0	0100-0100
\$200,000+	287	28,500				287	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

**TABLE 14: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?
(FOODSTMP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	2479	252,055	83	3.9	02.9-04.9	2396	96.1	95.1-97.1
Native	68	10,247	9	16.7	04.0-29.4	59	83.3	70.6-96.0
Non-Native	2365	237,400	72	3.3	02.3-04.3	2293	96.7	95.7-97.7
18-24	148	36,229	5	5.0	00.3-09.7	143	95.0	90.3-99.7
25-34	282	44,962	12	5.3	02.0-08.6	270	94.7	91.4-98.0
35-44	315	44,579	13	3.5	01.5-05.5	302	96.5	94.5-98.5
45-54	342	34,257	17	4.5	02.3-06.7	325	95.5	93.3-97.7
55-64	448	37,238	14	3.4	01.4-05.4	434	96.6	94.6-98.6
65+	944	54,790	22	2.3	01.3-03.3	922	97.7	96.7-98.7
Less Than H.S.	86	15,830	9	12.5	02.9-22.1	77	87.5	77.9-97.1
H.S. or G.E.D.	708	70,444	40	6.0	03.6-08.4	668	94.0	91.6-96.4
Some Post-H.S.	748	98,076	26	3.2	01.8-04.6	722	96.8	95.4-98.2
College Graduate	929	66,424	8	0.8	00.2-01.4	921	99.2	98.6-99.8
Less than \$15,000	62	6,829	27	39.1	22.6-55.6	35	60.9	44.4-77.4
\$15,000- 24,999	112	10,065	23	24.6	14.2-35.0	89	75.4	65.0-85.8
\$25,000- 34,999	186	18,781	12	8.6	02.1-15.1	174	91.4	84.9-97.9
\$35,000- 49,999	256	24,575	8	6.1	01.2-11.0	248	93.9	89.0-98.8
\$50,000- 99,999	783	78,041	6	1.1	00.1-02.1	777	98.9	97.9-99.9
\$100,000- 199,999	585	64,756				585	100.0	0100-0100
\$200,000+	175	16,405				175	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

**TABLE 15: DURING THE PAST 12 MONTHS, HAVE YOU RECEIVED FOOD STAMPS, ALSO CALLED SNAP, THE SUPPLEMENTAL NUTRITION ASSISTANCE PROGRAM ON AN EBT CARD?
(FOODSTMP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2378	237,427	133	8.0	06.2-09.8	2245	92.0	90.2-93.8
Native	61	8,656	13	21.4	07.1-35.7	48	78.6	64.3-92.9
Non-Native	2293	226,381	118	7.5	05.7-09.3	2175	92.5	90.7-94.3
18-24	92	32,147	7	9.7	02.4-17.0	85	90.3	83.0-97.6
25-34	204	38,625	25	16.7	10.4-23.0	179	83.3	77.0-89.6
35-44	264	38,999	20	9.1	04.8-13.4	244	90.9	86.6-95.2
45-54	272	30,659	16	5.8	02.9-08.7	256	94.2	91.3-97.1
55-64	386	33,500	22	5.2	02.7-07.7	364	94.8	92.3-97.3
65+	1160	63,496	43	3.8	02.4-05.2	1117	96.2	94.8-97.6
Less Than H.S.	65	14,390	16	31.2	15.3-47.1	49	68.8	52.9-84.7
H.S. or G.E.D.	553	52,658	58	13.0	09.1-16.9	495	87.0	83.1-90.9
Some Post-H.S.	717	89,249	44	7.4	04.9-09.9	673	92.6	90.1-95.1
College Graduate	1038	80,703	14	1.3	00.3-02.3	1024	98.7	97.7-99.7
Less than \$15,000	84	9,299	49	66.2	53.1-79.3	35	33.8	20.7-46.9
\$15,000- 24,999	149	14,876	33	31.0	19.8-42.2	116	69.0	57.8-80.2
\$25,000- 34,999	233	22,179	16	8.0	03.5-12.5	217	92.0	87.5-96.5
\$35,000- 49,999	254	25,249	7	7.5	01.6-13.4	247	92.5	86.6-98.4
\$50,000- 99,999	647	63,635	6	2.1	00.1-04.1	641	97.9	95.9-99.9
\$100,000- 199,999	432	44,536	1	0.1	00.0-00.3	431	99.9	99.7-0100
\$200,000+	112	12,095				112	100.0	0100-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 16: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	4844	487,945	78	1.8	01.2-02.4	59	1.7	01.1-02.3	202	5.6	04.6-06.6	291	7.9	06.7-09.1	4214	83.0	81.4-84.6
Male	2473	251,776	40	1.6	01.0-02.2	30	1.7	00.9-02.5	102	5.5	04.1-06.9	138	6.9	05.5-08.3	2163	84.2	82.2-86.2
Female	2371	236,169	38	2.0	01.2-02.8	29	1.6	00.8-02.4	100	5.7	04.3-07.1	153	9.0	07.2-10.8	2051	81.8	79.4-84.2
Native	129	19,210	3	2.3	00.0-05.4	6	7.1	00.8-13.4	18	17.5	08.3-26.7	17	15.0	06.8-23.2	85	58.1	46.9-69.3
Non-Native	4646	461,982	72	1.7	01.1-02.3	53	1.5	00.9-02.1	180	5.1	04.1-06.1	270	7.6	06.4-08.8	4071	84.1	82.5-85.7
18-24	241	68,876	3	1.6	00.0-03.6	5	2.5	00.1-04.9	20	9.6	05.3-13.9	35	15.4	10.3-20.5	178	70.9	64.4-77.4
25-34	485	83,284	6	1.4	00.0-02.8	10	2.9	00.9-04.9	31	7.5	04.8-10.2	51	11.5	08.4-14.6	387	76.8	72.5-81.1
35-44	575	82,789	12	2.2	00.8-03.6	10	1.8	00.6-03.0	33	6.7	04.2-09.2	50	8.6	06.1-11.1	470	80.7	77.0-84.4
45-54	613	64,725	13	2.0	00.8-03.2	9	1.5	00.5-02.5	27	4.6	02.6-06.6	39	5.6	03.8-07.4	525	86.2	83.3-89.1
55-64	830	70,414	16	2.0	00.8-03.2	9	1.1	00.3-01.9	30	3.7	02.1-05.3	39	4.5	02.7-06.3	736	88.7	86.2-91.2
65+	2100	117,857	28	1.6	01.0-02.2	16	0.6	00.2-01.0	61	2.9	02.1-03.7	77	3.8	02.8-04.8	1918	91.1	89.7-92.5
Less Than H.S.	150	30,350	11	7.7	02.0-13.4	5	5.4	00.1-10.7	24	20.8	11.8-29.8	16	17.2	08.2-26.2	94	48.9	38.5-59.3
H.S. or G.E.D.	1258	122,749	35	2.6	01.6-03.6	28	2.6	01.4-03.8	84	8.3	06.1-10.5	113	12.3	09.8-14.8	998	74.2	71.1-77.3
Some Post-H.S.	1460	186,265	20	1.2	00.6-01.8	21	1.4	00.6-02.2	57	4.1	02.9-05.3	87	6.4	04.8-08.0	1275	86.8	84.6-89.0
College Graduate	1963	146,871	12	0.6	00.2-01.0	5	0.4	00.0-01.0	36	2.1	01.3-02.9	74	4.2	03.0-05.4	1836	92.6	91.0-94.2
Less than \$15,000	144	15,842	25	15.9	08.8-23.0	12	8.7	01.8-15.6	31	22.8	12.6-33.0	18	18.0	07.8-28.2	58	34.6	24.4-44.8
\$15,000- 24,999	259	24,853	6	2.5	00.3-04.7	15	8.5	03.4-13.6	38	15.1	09.6-20.6	42	19.9	12.3-27.5	158	54.0	45.6-62.4
\$25,000- 34,999	419	40,707	11	2.6	00.6-04.6	12	5.0	01.5-08.5	40	11.7	07.6-15.8	41	13.2	08.3-18.1	315	67.5	61.2-73.8
\$35,000- 49,999	508	49,487	10	2.8	00.1-05.5	5	1.3	00.1-02.5	33	11.0	06.5-15.5	58	16.1	11.4-20.8	402	68.9	63.0-74.8
\$50,000- 99,999	1430	142,143	11	1.1	00.3-01.9	6	0.6	00.0-01.2	33	4.3	02.5-06.1	65	6.6	04.8-08.4	1315	87.4	84.9-89.9
\$100,000- 199,999	1017	109,292	5	0.3	00.0-00.7	2	0.3	00.0-00.7	9	0.8	00.2-01.4	27	2.8	01.6-04.0	974	95.8	94.4-97.2
\$200,000+	285	28,133	1	0.3	00.0-00.9							4	1.8	00.0-03.8	280	97.9	95.7-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 17: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	2473	251,776	40	1.6	01.0-02.2	30	1.7	00.9-02.5	102	5.5	04.1-06.9	138	6.9	05.5-08.3	2163	84.2	82.2-86.2
Native	69	10,746	3	4.0	00.0-09.5	2	4.4	00.0-10.5	12	27.2	12.7-41.7	9	13.1	02.7-23.5	43	51.2	36.5-65.9
Non-Native	2359	236,667	34	1.3	00.7-01.9	28	1.7	00.9-02.5	89	4.6	03.4-05.8	128	6.7	05.3-08.1	2080	85.7	83.7-87.7
18-24	149	36,728	2	1.2	00.0-02.8	4	3.9	00.0-07.8	11	9.2	03.7-14.7	22	15.2	08.9-21.5	110	70.6	62.4-78.8
25-34	282	44,962	3	0.7	00.0-01.5	5	2.1	00.1-04.1	18	8.3	04.2-12.4	27	9.7	06.0-13.4	229	79.1	73.6-84.6
35-44	313	44,186	8	2.8	00.8-04.8	6	2.2	00.4-04.0	15	4.5	02.1-06.9	21	5.9	03.4-08.4	263	84.6	80.5-88.7
45-54	342	34,257	6	1.7	00.3-03.1	4	1.0	00.0-02.0	17	5.2	02.5-07.9	22	6.0	03.5-08.5	293	86.1	82.2-90.0
55-64	445	37,010	6	1.1	00.1-02.1	4	1.0	00.0-02.0	17	4.4	02.0-06.8	16	2.9	01.3-04.5	402	90.6	87.7-93.5
65+	942	54,633	15	1.9	00.7-03.1	7	0.6	00.0-01.2	24	2.6	01.4-03.8	30	3.2	01.8-04.6	866	91.7	89.5-93.9
Less Than H.S.	86	16,231	6	5.4	00.7-10.1	3	6.2	00.0-13.8	13	19.7	08.3-31.1	7	10.4	01.6-19.2	57	58.2	45.1-71.3
H.S. or G.E.D.	707	70,189	21	2.6	01.2-04.0	16	2.8	01.2-04.4	36	6.3	03.8-08.8	59	11.6	08.5-14.7	575	76.7	72.6-80.8
Some Post-H.S.	746	97,825	7	0.8	00.2-01.4	9	1.4	00.4-02.4	33	4.7	02.9-06.5	43	5.5	03.5-07.5	654	87.6	84.9-90.3
College Graduate	926	66,249	6	0.8	00.2-01.4	2	0.1	00.0-00.3	19	2.3	01.1-03.5	29	3.4	02.0-04.8	870	93.3	91.3-95.3
Less than \$15,000	61	6,734	11	16.6	05.4-27.8	6	6.8	00.7-12.9	11	26.4	08.8-44.0	8	13.2	03.2-23.2	25	36.9	20.8-53.0
\$15,000- 24,999	111	9,967	2	1.7	00.0-04.1	5	7.9	00.1-15.7	19	16.9	08.9-24.9	19	19.0	09.2-28.8	66	54.5	42.5-66.5
\$25,000- 34,999	187	18,830	7	3.5	00.4-06.6	6	6.7	00.2-13.2	18	11.5	05.6-17.4	14	8.1	03.6-12.6	142	70.2	61.4-79.0
\$35,000- 49,999	255	24,553	7	2.4	00.4-04.4	3	1.3	00.0-03.1	20	12.4	06.1-18.7	28	14.5	08.8-20.2	197	69.4	61.8-77.0
\$50,000- 99,999	783	78,507	6	0.7	00.1-01.3	5	1.0	00.0-02.0	23	5.4	02.9-07.9	38	7.0	04.5-09.5	711	85.8	82.3-89.3
\$100,000- 199,999	585	64,756	2	0.4	00.0-01.0	2	0.5	00.0-01.1	5	0.6	00.0-01.2	12	2.3	00.9-03.7	564	96.3	94.5-98.1
\$200,000+	173	16,038										2	1.2	00.0-03.2	171	98.8	96.8-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 18: DURING THE PAST 12 MONTHS HOW OFTEN DID THE FOOD THAT YOU BOUGHT NOT LAST, AND YOU DIDN'T HAVE MONEY TO GET MORE? WAS THAT... (SDHFOOD1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	2371	236,169	38	2.0	01.2-02.8	29	1.6	00.8-02.4	100	5.7	04.3-07.1	153	9.0	07.2-10.8	2051	81.8	79.4-84.2
Native	60	8,465	4	10.5	00.0-22.5	6	5.1	00.8-09.4	8	17.4	03.9-30.9	42	67.0	50.7-83.3			
Non-Native	2287	225,315	38	2.0	01.0-03.0	25	1.3	00.7-01.9	91	5.7	04.1-07.3	142	8.6	06.8-10.4	1991	82.4	80.0-84.8
18-24	92	32,147	1	2.0	00.0-05.9	1	1.0	00.0-03.0	9	10.2	03.3-17.1	13	15.7	07.3-24.1	68	71.2	60.8-81.6
25-34	203	38,323	3	2.1	00.0-04.8	5	3.8	00.3-07.3	13	6.5	02.8-10.2	24	13.6	08.1-19.1	158	74.0	66.9-81.1
35-44	262	38,603	4	1.5	00.0-03.1	4	1.4	00.0-02.8	18	9.2	04.3-14.1	29	11.6	07.3-15.9	207	76.3	70.2-82.4
45-54	271	30,468	7	2.4	00.4-04.4	5	2.0	00.2-03.8	10	4.0	01.5-06.5	17	5.2	02.7-07.7	232	86.4	82.1-90.7
55-64	385	33,404	10	3.0	00.8-05.2	5	1.2	00.0-02.4	13	2.9	01.1-04.7	23	6.4	03.1-09.7	334	86.5	82.2-90.8
65+	1158	63,224	13	1.3	00.5-02.1	9	0.7	00.1-01.3	37	3.1	01.9-04.3	47	4.3	02.9-05.7	1052	90.6	88.6-92.6
Less Than H.S.	64	14,119	5	10.4	00.0-21.2	2	4.4	00.0-11.5	11	21.9	07.6-36.2	9	25.1	09.2-41.0	37	38.2	23.3-53.1
H.S. or G.E.D.	551	52,560	14	2.5	00.9-04.1	12	2.3	00.7-03.9	48	11.0	07.3-14.7	54	13.3	09.2-17.4	423	70.9	65.6-76.2
Some Post-H.S.	714	88,440	13	1.7	00.7-02.7	12	1.5	00.5-02.5	24	3.4	01.6-05.2	44	7.5	05.0-10.0	621	85.9	82.8-89.0
College Graduate	1037	80,622	6	0.5	00.1-00.9	3	0.7	00.0-01.7	17	2.0	00.8-03.2	45	4.9	03.3-06.5	966	92.0	89.8-94.2
Less than \$15,000	83	9,107	14	15.4	06.2-24.6	6	10.1	00.0-21.1	20	20.1	08.7-31.5	10	21.5	06.0-37.0	33	32.9	19.8-46.0
\$15,000- 24,999	148	14,886	4	3.1	00.0-06.2	10	8.9	02.2-15.6	19	13.9	06.3-21.5	23	20.5	09.7-31.3	92	53.6	42.0-65.2
\$25,000- 34,999	232	21,877	4	1.9	00.0-04.3	6	3.5	00.0-07.0	22	12.0	06.1-17.9	27	17.6	09.6-25.6	173	65.2	56.2-74.2
\$35,000- 49,999	253	24,934	3	3.2	00.0-08.1	2	1.2	00.0-03.0	13	9.6	03.3-15.9	30	17.6	10.3-24.9	205	68.4	59.2-77.6
\$50,000- 99,999	647	63,635	5	1.5	00.0-03.1	1	0.1	00.0-00.3	10	3.0	00.6-05.4	27	6.1	03.6-08.6	604	89.3	85.8-92.8
\$100,000- 199,999	432	44,536	3	0.2	00.0-00.6				4	1.1	00.0-02.3	15	3.5	01.5-05.5	410	95.2	93.0-97.4
\$200,000+	112	12,095	1	0.7	00.0-02.1							2	2.7	00.0-06.4	109	96.6	92.5-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 19: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4845	487,877	273	7.7	06.7-08.7	4572	92.3	91.3-93.3
Male	2471	251,062	142	7.8	06.4-09.2	2329	92.2	90.8-93.6
Female	2374	236,814	131	7.6	06.0-09.2	2243	92.4	90.8-94.0
Native	129	19,210	16	16.2	07.0-25.4	113	83.8	74.6-93.0
Non-Native	4647	461,914	251	7.4	06.4-08.4	4396	92.6	91.6-93.6
18-24	239	68,089	14	6.8	03.1-10.5	225	93.2	89.5-96.9
25-34	486	83,587	60	14.1	10.4-17.8	426	85.9	82.2-89.6
35-44	577	82,964	58	10.7	07.8-13.6	519	89.3	86.4-92.2
45-54	610	64,413	58	9.2	06.7-11.7	552	90.8	88.3-93.3
55-64	831	70,510	48	6.3	04.3-08.3	783	93.7	91.7-95.7
65+	2102	118,314	35	1.6	01.0-02.2	2067	98.4	97.8-99.0
Less Than H.S.	152	30,484	22	19.5	10.9-28.1	130	80.5	71.9-89.1
H.S. or G.E.D.	1260	122,850	101	11.2	08.8-13.6	1159	88.8	86.4-91.2
Some Post-H.S.	1458	186,122	84	6.3	04.7-07.9	1374	93.7	92.1-95.3
College Graduate	1962	146,711	65	4.0	02.8-05.2	1897	96.0	94.8-97.2
Less than \$15,000	145	15,936	48	37.7	26.5-48.9	97	62.3	51.1-73.5
\$15,000- 24,999	262	25,055	49	23.1	16.2-30.0	213	76.9	70.0-83.8
\$25,000- 34,999	420	41,010	40	14.0	09.1-18.9	380	86.0	81.1-90.9
\$35,000- 49,999	508	49,487	40	13.4	08.7-18.1	468	86.6	81.9-91.3
\$50,000- 99,999	1430	142,121	55	5.9	04.1-07.7	1375	94.1	92.3-95.9
\$100,000- 199,999	1011	108,775	18	1.8	01.0-02.6	993	98.2	97.4-99.0
\$200,000+	285	28,133	4	2.8	00.0-05.7	281	97.2	94.3-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 20: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2471	251,062	142	7.8	06.4-09.2	2329	92.2	90.8-93.6
Native	69	10,746	7	18.2	04.9-31.5	62	81.8	68.5-95.1
Non-Native	2357	235,954	133	7.4	06.0-08.8	2224	92.6	91.2-94.0
18-24	147	35,942	9	7.5	02.4-12.6	138	92.5	87.4-97.6
25-34	282	44,962	35	14.0	09.1-18.9	247	86.0	81.1-90.9
35-44	314	44,280	30	10.0	06.3-13.7	284	90.0	86.3-93.7
45-54	341	34,132	34	10.1	06.6-13.6	307	89.9	86.4-93.4
55-64	445	37,010	20	5.3	02.8-07.8	425	94.7	92.2-97.2
65+	942	54,737	14	1.3	00.5-02.1	928	98.7	97.9-99.5
Less Than H.S.	86	15,980	12	19.8	08.4-31.2	74	80.2	68.8-91.6
H.S. or G.E.D.	707	70,192	50	9.9	07.0-12.8	657	90.1	87.2-93.0
Some Post-H.S.	744	97,413	48	6.5	04.5-08.5	696	93.5	91.5-95.5
College Graduate	926	66,196	31	4.0	02.4-05.6	895	96.0	94.4-97.6
Less than \$15,000	62	6,829	21	44.1	27.0-61.2	41	55.9	38.8-73.0
\$15,000- 24,999	112	10,065	21	20.8	11.8-29.8	91	79.2	70.2-88.2
\$25,000- 34,999	187	18,830	20	17.7	09.3-26.1	167	82.3	73.9-90.7
\$35,000- 49,999	255	24,553	24	13.4	07.3-19.5	231	86.6	80.5-92.7
\$50,000- 99,999	783	78,486	35	6.5	04.3-08.7	748	93.5	91.3-95.7
\$100,000- 199,999	581	64,426	11	1.9	00.7-03.1	570	98.1	96.9-99.3
\$200,000+	173	16,038	2	2.9	00.0-07.2	171	97.1	92.8-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 21: DURING THE LAST 12 MONTHS, WAS THERE A TIME WHEN YOU WERE NOT ABLE TO PAY YOUR MORTGAGE, RENT OR UTILITY BILLS? (SDHBILLS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2374	236,814	131	7.6	06.0-09.2	2243	92.4	90.8-94.0
Native	60	8,465	9	13.7	01.5-25.9	51	86.3	74.1-98.5
Non-Native	2290	225,960	118	7.4	05.8-09.0	2172	92.6	91.0-94.2
18-24	92	32,147	5	6.0	00.5-11.5	87	94.0	88.5-99.5
25-34	204	38,625	25	14.3	08.6-20.0	179	85.7	80.0-91.4
35-44	263	38,684	28	11.4	06.9-15.9	235	88.6	84.1-93.1
45-54	269	30,281	24	8.2	04.9-11.5	245	91.8	88.5-95.1
55-64	386	33,500	28	7.5	04.4-10.6	358	92.5	89.4-95.6
65+	1160	63,577	21	2.0	01.0-03.0	1139	98.0	97.0-99.0
Less Than H.S.	66	14,504	10	19.2	06.1-32.3	56	80.8	67.7-93.9
H.S. or G.E.D.	553	52,658	51	12.8	09.1-16.5	502	87.2	83.5-90.9
Some Post-H.S.	714	88,709	36	6.1	03.7-08.5	678	93.9	91.5-96.3
College Graduate	1036	80,516	34	3.9	02.3-05.5	1002	96.1	94.5-97.7
Less than \$15,000	83	9,107	27	32.9	18.8-47.0	56	67.1	53.0-81.2
\$15,000- 24,999	150	14,990	28	24.6	15.0-34.2	122	75.4	65.8-85.0
\$25,000- 34,999	233	22,179	20	10.9	05.6-16.2	213	89.1	83.8-94.4
\$35,000- 49,999	253	24,934	16	13.4	06.1-20.7	237	86.6	79.3-93.9
\$50,000- 99,999	647	63,635	20	5.2	02.5-07.9	627	94.8	92.1-97.5
\$100,000- 199,999	430	44,349	7	1.6	00.4-02.8	423	98.4	97.2-99.6
\$200,000+	112	12,095	2	2.7	00.0-06.4	110	97.3	93.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 22: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4841	486,438	181	4.8	04.0-05.6	4660	95.2	94.4-96.0
Male	2469	250,233	97	5.5	04.1-06.9	2372	94.5	93.1-95.9
Female	2372	236,204	84	4.0	03.0-05.0	2288	96.0	95.0-97.0
Native	129	19,210	14	11.2	03.8-18.6	115	88.8	81.4-96.2
Non-Native	4643	460,583	164	4.5	03.7-05.3	4479	95.5	94.7-96.3
18-24	236	67,167	9	4.0	01.3-06.7	227	96.0	93.3-98.7
25-34	486	83,587	35	7.5	04.8-10.2	451	92.5	89.8-95.2
35-44	574	82,581	40	7.6	05.1-10.1	534	92.4	89.9-94.9
45-54	611	64,469	34	5.7	03.7-07.7	577	94.3	92.3-96.3
55-64	831	70,510	35	3.7	02.3-05.1	796	96.3	94.9-97.7
65+	2103	118,124	28	1.4	00.8-02.0	2075	98.6	98.0-99.2
Less Than H.S.	150	29,960	15	11.7	05.0-18.4	135	88.3	81.6-95.0
H.S. or G.E.D.	1258	122,261	70	6.8	05.0-08.6	1188	93.2	91.4-95.0
Some Post-H.S.	1457	185,831	48	3.7	02.5-04.9	1409	96.3	95.1-97.5
College Graduate	1963	146,675	47	2.9	01.9-03.9	1916	97.1	96.1-98.1
Less than \$15,000	145	15,936	24	19.6	10.6-28.6	121	80.4	71.4-89.4
\$15,000- 24,999	262	25,055	33	11.1	07.0-15.2	229	88.9	84.8-93.0
\$25,000- 34,999	419	40,927	28	9.7	05.4-14.0	391	90.3	86.0-94.6
\$35,000- 49,999	509	49,509	23	7.0	03.7-10.3	486	93.0	89.7-96.3
\$50,000- 99,999	1430	142,130	38	4.2	02.6-05.8	1392	95.8	94.2-97.4
\$100,000- 199,999	1010	108,473	14	1.6	00.6-02.6	996	98.4	97.4-99.4
\$200,000+	284	27,986	5	2.9	00.0-05.8	279	97.1	94.2-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 23: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.								
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2469	250,233	97	5.5	04.1-06.9	2372	94.5	93.1-95.9
Native	69	10,746	8	15.8	03.5-28.1	61	84.2	71.9-96.5
Non-Native	2355	235,233	87	5.1	03.9-06.3	2268	94.9	93.7-96.1
18-24	145	35,394	7	6.3	01.4-11.2	138	93.7	88.8-98.6
25-34	282	44,962	23	9.0	04.9-13.1	259	91.0	86.9-95.1
35-44	313	44,127	20	7.9	04.2-11.6	293	92.1	88.4-95.8
45-54	341	34,132	18	5.8	02.9-08.7	323	94.2	91.3-97.1
55-64	445	37,010	15	3.1	01.3-04.9	430	96.9	95.1-98.7
65+	943	54,609	14	1.6	00.6-02.6	929	98.4	97.4-99.4
Less Than H.S.	84	15,455	10	16.0	05.2-26.8	74	84.0	73.2-94.8
H.S. or G.E.D.	707	70,061	35	6.0	03.6-08.4	672	94.0	91.6-96.4
Some Post-H.S.	743	97,185	30	4.9	02.9-06.9	713	95.1	93.1-97.1
College Graduate	927	66,250	21	3.1	01.5-04.7	906	96.9	95.3-98.5
Less than \$15,000	62	6,829	12	24.0	08.1-39.9	50	76.0	60.1-91.9
\$15,000- 24,999	112	10,065	16	13.6	06.5-20.7	96	86.4	79.3-93.5
\$25,000- 34,999	187	18,830	16	13.6	05.6-21.6	171	86.4	78.4-94.4
\$35,000- 49,999	256	24,575	15	10.4	04.5-16.3	241	89.6	83.7-95.5
\$50,000- 99,999	783	78,495	23	4.6	02.6-06.6	760	95.4	93.4-97.4
\$100,000- 199,999	579	64,067	5	1.4	00.0-02.8	574	98.6	97.2-0100
\$200,000+	173	16,038	2	2.7	00.0-06.8	171	97.3	93.2-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 24: DURING THE LAST 12 MONTHS WAS THERE A TIME WHEN AN ELECTRIC, GAS, OIL, OR WATER COMPANY THREATENED TO SHUT OFF SERVICES? (SDHUTILS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.								
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2372	236,204	84	4.0	03.0-05.0	2288	96.0	95.0-97.0
Native	60	8,465	6	5.3	00.6-10.0	54	94.7	90.0-99.4
Non-Native	2288	225,350	77	3.9	02.9-04.9	2211	96.1	95.1-97.1
18-24	91	31,772	2	1.5	00.0-03.5	89	98.5	96.5-100
25-34	204	38,625	12	5.8	02.3-09.3	192	94.2	90.7-97.7
35-44	261	38,455	20	7.3	04.0-10.6	241	92.7	89.4-96.0
45-54	270	30,337	16	5.5	02.8-08.2	254	94.5	91.8-97.2
55-64	386	33,500	20	4.3	02.1-06.5	366	95.7	93.5-97.9
65+	1160	63,515	14	1.3	00.5-02.1	1146	98.7	97.9-99.5
Less Than H.S.	66	14,504	5	7.0	00.0-14.3	61	93.0	85.7-100
H.S. or G.E.D.	551	52,200	35	7.8	04.9-10.7	516	92.2	89.3-95.1
Some Post-H.S.	714	88,646	18	2.5	01.3-03.7	696	97.5	96.3-98.7
College Graduate	1036	80,425	26	2.7	01.5-03.9	1010	97.3	96.1-98.5
Less than \$15,000	83	9,107	12	16.3	06.1-26.5	71	83.7	73.5-93.9
\$15,000- 24,999	150	14,990	17	9.4	04.3-14.5	133	90.6	85.5-95.7
\$25,000- 34,999	232	22,097	12	6.4	02.3-10.5	220	93.6	89.5-97.7
\$35,000- 49,999	253	24,934	8	3.6	01.1-06.1	245	96.4	93.9-98.9
\$50,000- 99,999	647	63,635	15	3.7	01.5-05.9	632	96.3	94.1-98.5
\$100,000- 199,999	431	44,405	9	1.7	00.5-02.9	422	98.3	97.1-99.5
\$200,000+	111	11,948	3	3.1	00.0-07.0	108	96.9	93.0-100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 25: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4834	486,687	166	4.6	03.6-05.6	4668	95.4	94.4-96.4
Male	2469	250,921	82	4.7	03.5-05.9	2387	95.3	94.1-96.5
Female	2365	235,766	84	4.4	03.0-05.8	2281	95.6	94.2-97.0
Native	129	19,210	20	19.8	10.2-29.4	109	80.2	70.6-89.8
Non-Native	4636	460,832	145	4.0	03.2-04.8	4491	96.0	95.2-96.8
18-24	238	67,930	13	6.6	02.9-10.3	225	93.4	89.7-97.1
25-34	486	83,587	35	9.0	05.9-12.1	451	91.0	87.9-94.1
35-44	575	82,664	26	4.2	02.4-06.0	549	95.8	94.0-97.6
45-54	610	64,355	22	3.2	01.8-04.6	588	96.8	95.4-98.2
55-64	825	70,145	31	3.6	02.2-05.0	794	96.4	95.0-97.8
65+	2100	118,007	39	1.8	01.2-02.4	2061	98.2	97.6-98.8
Less Than H.S.	152	30,719	16	16.6	08.2-25.0	136	83.4	75.0-91.8
H.S. or G.E.D.	1257	122,166	61	6.2	04.4-08.0	1196	93.8	92.0-95.6
Some Post-H.S.	1453	185,671	52	3.5	02.3-04.7	1401	96.5	95.3-97.7
College Graduate	1960	146,500	37	2.1	01.3-02.9	1923	97.9	97.1-98.7
Less than \$15,000	144	15,891	44	36.3	24.7-47.9	100	63.7	52.1-75.3
\$15,000- 24,999	258	24,667	31	12.1	07.4-16.8	227	87.9	83.2-92.6
\$25,000- 34,999	420	41,010	25	9.4	04.9-13.9	395	90.6	86.1-95.1
\$35,000- 49,999	507	49,092	14	4.9	01.8-08.0	493	95.1	92.0-98.2
\$50,000- 99,999	1428	142,040	20	2.2	01.0-03.4	1408	97.8	96.6-99.0
\$100,000- 199,999	1011	108,678	9	1.0	00.2-01.8	1002	99.0	98.2-99.8
\$200,000+	284	27,986	2	0.8	00.0-02.0	282	99.2	98.0-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 26: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2469	250,921	82	4.7	03.5-05.9	2387	95.3	94.1-96.5
Native	69	10,746	12	23.7	10.0-37.4	57	76.3	62.6-90.0
Non-Native	2355	235,921	69	3.8	02.6-05.0	2286	96.2	95.0-97.4
18-24	147	36,097	9	7.5	02.6-12.4	138	92.5	87.6-97.4
25-34	282	44,962	25	10.8	06.3-15.3	257	89.2	84.7-93.7
35-44	313	44,127	13	3.8	01.6-06.0	300	96.2	94.0-98.4
45-54	340	34,018	7	1.8	00.4-03.2	333	98.2	96.8-99.6
55-64	443	36,904	11	2.7	00.9-04.5	432	97.3	95.5-99.1
65+	944	54,814	17	1.6	00.8-02.4	927	98.4	97.6-99.2
Less Than H.S.	87	16,329	10	14.9	04.9-24.9	77	85.1	75.1-95.1
H.S. or G.E.D.	705	69,822	30	6.0	03.5-08.5	675	94.0	91.5-96.5
Some Post-H.S.	742	97,238	23	3.4	01.8-05.0	719	96.6	95.0-98.2
College Graduate	927	66,250	19	2.7	01.3-04.1	908	97.3	95.9-98.7
Less than \$15,000	61	6,784	17	34.9	17.7-52.1	44	65.1	47.9-82.3
\$15,000- 24,999	111	9,950	14	13.9	06.3-21.5	97	86.1	78.5-93.7
\$25,000- 34,999	187	18,830	11	10.5	03.1-17.9	176	89.5	82.1-96.9
\$35,000- 49,999	256	24,575	9	5.5	01.8-09.2	247	94.5	90.8-98.2
\$50,000- 99,999	782	78,434	10	1.9	00.5-03.3	772	98.1	96.7-99.5
\$100,000- 199,999	580	64,272	7	1.5	00.3-02.7	573	98.5	97.3-99.7
\$200,000+	173	16,038	1	1.0	00.0-03.0	172	99.0	97.0-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 27: DURING THE PAST 12 MONTHS HAS A LACK OF RELIABLE TRANSPORTATION KEPT YOU FROM MEDICAL APPOINTMENTS, MEETINGS, WORK, OR FROM GETTING THINGS NEEDED FOR DAILY LIVING? (SDHTRNSP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2365	235,766	84	4.4	03.0-05.8	2281	95.6	94.2-97.0
Native	60	8,465	8	14.8	01.9-27.7	52	85.2	72.3-98.1
Non-Native	2281	224,912	76	4.1	02.9-05.3	2205	95.9	94.7-97.1
18-24	91	31,833	4	5.5	00.0-11.2	87	94.5	88.8-0100
25-34	204	38,625	10	7.0	02.5-11.5	194	93.0	88.5-97.5
35-44	262	38,537	13	4.6	01.9-07.3	249	95.4	92.7-98.1
45-54	270	30,337	15	4.9	02.4-07.4	255	95.1	92.6-97.6
55-64	382	33,241	20	4.6	02.2-07.0	362	95.4	93.0-97.8
65+	1156	63,193	22	1.9	00.9-02.9	1134	98.1	97.1-99.1
Less Than H.S.	65	14,390	6	18.5	04.4-32.6	59	81.5	67.4-95.6
H.S. or G.E.D.	552	52,344	31	6.4	03.7-09.1	521	93.6	90.9-96.3
Some Post-H.S.	711	88,433	29	3.6	02.0-05.2	682	96.4	94.8-98.0
College Graduate	1033	80,250	18	1.6	00.8-02.4	1015	98.4	97.6-99.2
Less than \$15,000	83	9,107	27	37.3	21.6-53.0	56	62.7	47.0-78.4
\$15,000- 24,999	147	14,717	17	10.9	04.8-17.0	130	89.1	83.0-95.2
\$25,000- 34,999	233	22,179	14	8.5	03.4-13.6	219	91.5	86.4-96.6
\$35,000- 49,999	251	24,517	5	4.3	00.0-09.6	246	95.7	90.4-0100
\$50,000- 99,999	646	63,606	10	2.6	00.6-04.6	636	97.4	95.4-99.4
\$100,000- 199,999	431	44,405	2	0.2	00.0-00.6	429	99.8	99.4-0100
\$200,000+	111	11,948	1	0.6	00.0-01.8	110	99.4	98.2-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 28: HOW SAFE FROM CRIME DO YOU CONSIDER YOUR NEIGHBORHOOD TO BE? WOULD YOU SAY... (HOWSAFE1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Extremely unsafe		
	TOTAL	WEIGHTED	Extremely safe			Safe			Unsafe					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4808	484,159	2327	45.0	43.2-46.8	2368	51.5	49.7-53.3	100	3.2	02.4-04.0	13	0.4	00.2-00.6
Male	2451	249,286	1180	45.0	42.6-47.4	1203	51.2	48.8-53.6	60	3.4	02.4-04.4	8	0.4	00.0-00.8
Female	2357	234,872	1147	45.0	42.3-47.7	1165	51.7	49.0-54.4	40	2.9	01.7-04.1	5	0.4	00.0-00.8
Native	129	19,210	37	29.0	18.8-39.2	81	62.1	51.1-73.1	10	8.6	01.9-15.3	1	0.3	00.0-00.9
Non-Native	4614	458,563	2262	45.7	43.9-47.5	2252	51.0	49.2-52.8	88	2.9	02.1-03.7	12	0.4	00.2-00.6
18-24	238	67,965	83	34.9	28.2-41.6	140	57.1	50.2-64.0	15	8.0	03.9-12.1			
25-34	481	82,541	179	36.1	31.6-40.6	273	57.2	52.5-61.9	24	5.3	02.9-07.7	5	1.4	00.0-02.8
35-44	572	82,196	273	48.1	43.6-52.6	279	48.3	43.8-52.8	17	3.1	01.5-04.7	3	0.6	00.0-01.4
45-54	607	64,129	282	46.9	42.4-51.4	312	51.4	46.9-55.9	13	1.7	00.7-02.7			
55-64	826	70,210	392	48.4	44.5-52.3	421	50.3	46.4-54.2	11	1.2	00.4-02.0	2	0.1	00.0-00.3
65+	2084	117,118	1118	51.8	49.3-54.3	943	47.0	44.5-49.5	20	0.9	00.5-01.3	3	0.2	00.0-00.4
Less Than H.S.	150	30,501	59	38.7	28.7-48.7	83	51.6	41.2-62.0	6	8.0	01.3-14.7	2	1.7	00.0-04.6
H.S. or G.E.D.	1246	120,922	535	40.4	36.9-43.9	676	56.3	52.8-59.8	31	2.8	01.6-04.0	4	0.5	00.0-01.1
Some Post-H.S.	1448	185,034	690	44.5	41.4-47.6	723	51.9	48.8-55.0	32	3.3	01.9-04.7	3	0.3	00.0-00.7
College Graduate	1951	145,992	1037	50.7	48.0-53.4	880	47.0	44.3-49.7	30	2.1	01.3-02.9	4	0.2	00.0-00.4
Less than \$15,000	144	15,848	44	24.7	16.1-33.3	82	61.0	50.4-71.6	16	12.6	05.2-20.0	2	1.6	00.0-04.1
\$15,000- 24,999	262	25,055	89	26.5	20.0-33.0	162	64.7	56.9-72.5	11	8.8	02.7-14.9			
\$25,000- 34,999	417	40,840	163	32.7	26.8-38.6	234	60.0	53.7-66.3	17	5.9	02.4-09.4	3	1.4	00.0-03.2
\$35,000- 49,999	505	48,932	219	34.6	29.3-39.9	272	60.0	54.3-65.7	13	5.3	01.4-09.2	1	0.1	00.0-00.3
\$50,000- 99,999	1421	141,464	717	47.9	44.6-51.2	679	49.6	46.3-52.9	22	1.9	00.9-02.9	3	0.5	00.0-01.1
\$100,000- 199,999	1006	108,195	552	53.6	49.9-57.3	443	44.9	41.2-48.6	10	1.4	00.4-02.4	1	0.1	00.0-00.3
\$200,000+	282	27,622	179	62.2	55.7-68.7	100	35.6	29.1-42.1	3	2.2	00.0-04.9			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 29: HOW SAFE FROM CRIME DO YOU CONSIDER YOUR NEIGHBORHOOD TO BE? WOULD YOU SAY... (HOWSAFE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
			Extremely safe			Safe			Unsafe			Extremely unsafe		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2451	249,286	1180	45.0	42.6-47.4	1203	51.2	48.8-53.6	60	3.4	02.4-04.4	8	0.4	00.0-00.8
Native	69	10,746	21	27.3	15.0-39.6	42	59.9	45.6-74.2	5	12.3	01.3-23.3	1	0.5	00.0-01.5
Non-Native	2341	234,545	1142	46.0	43.6-48.4	1139	50.8	48.3-53.3	53	2.9	01.9-03.9	7	0.4	00.0-00.8
18-24	147	36,132	51	33.5	25.5-41.5	90	61.4	53.0-69.8	6	5.0	00.9-09.1			
25-34	280	44,532	106	37.6	31.5-43.7	154	55.7	49.4-62.0	18	6.1	03.0-09.2	2	0.6	00.0-01.6
35-44	312	43,980	146	47.3	41.2-53.4	150	46.6	40.5-52.7	13	5.0	02.1-07.9	3	1.1	00.0-02.5
45-54	338	33,853	159	47.3	41.4-53.2	171	50.6	44.7-56.5	8	2.1	00.5-03.7			
55-64	442	36,852	219	50.5	45.2-55.8	215	47.9	42.6-53.2	6	1.3	00.0-02.7	2	0.3	00.0-00.7
65+	932	53,937	499	51.8	48.1-55.5	423	47.1	43.4-50.8	9	0.9	00.1-01.7	1	0.2	00.0-00.6
Less Than H.S.	85	16,094	31	37.1	24.6-49.6	49	55.4	42.5-68.3	4	7.2	00.0-14.6	1	0.3	00.0-00.9
H.S. or G.E.D.	698	69,228	282	39.2	34.9-43.5	392	56.9	52.4-61.4	21	3.5	01.7-05.3	3	0.4	00.0-00.8
Some Post-H.S.	737	96,600	364	46.0	41.9-50.1	354	50.4	46.3-54.5	17	3.1	01.5-04.7	2	0.5	00.0-01.1
College Graduate	923	66,083	499	51.5	47.8-55.2	405	45.9	42.2-49.6	17	2.3	01.1-03.5	2	0.2	00.0-00.6
Less than \$15,000	61	6,740	13	12.5	04.7-20.3	39	64.8	48.7-80.9	7	18.9	04.0-33.8	2	3.9	00.0-09.8
\$15,000- 24,999	112	10,065	33	21.2	13.2-29.2	73	67.6	56.4-78.8	6	11.2	01.4-21.0			
\$25,000- 34,999	187	18,830	72	34.9	25.9-43.9	103	57.1	47.9-66.3	10	6.5	02.0-11.0	2	1.5	00.0-04.0
\$35,000- 49,999	254	24,415	100	32.2	25.3-39.1	145	63.6	56.5-70.7	8	3.9	00.8-07.0	1	0.2	00.0-00.6
\$50,000- 99,999	775	77,875	384	47.1	42.8-51.4	373	50.2	45.9-54.5	16	2.4	01.2-03.6	2	0.3	00.0-00.7
\$100,000- 199,999	576	63,942	321	53.7	49.0-58.4	245	43.9	39.2-48.6	10	2.4	00.6-04.2			
\$200,000+	172	15,820	116	67.2	59.2-75.2	55	30.7	23.1-38.3	1	2.1	00.0-06.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 14: SOCIAL DETERMINANTS**

TABLE 30: HOW SAFE FROM CRIME DO YOU CONSIDER YOUR NEIGHBORHOOD TO BE? WOULD YOU SAY... (HOWSAFE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Extremely safe			Safe			Unsafe			Extremely unsafe		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2357	234,872	1147	45.0	42.3-47.7	1165	51.7	49.0-54.4	40	2.9	01.7-04.1	5	0.4	00.0-00.8
Native	60	8,465	16	31.2	14.3-48.1	39	64.9	48.0-81.8	5	3.9	00.0-07.8			
Non-Native	2273	224,018	1120	45.4	42.7-48.1	1113	51.2	48.5-53.9	35	2.9	01.5-04.3	5	0.5	00.0-01.1
18-24	91	31,833	32	36.4	25.8-47.0	50	52.3	41.3-63.3	9	11.3	03.9-18.7			
25-34	201	38,008	73	34.4	27.3-41.5	119	59.0	51.6-66.4	6	4.2	00.5-07.9	3	2.4	00.0-05.3
35-44	260	38,216	127	49.0	42.1-55.9	129	50.2	43.3-57.1	4	0.8	00.0-01.6			
45-54	269	30,276	123	46.4	39.5-53.3	141	52.3	45.4-59.2	5	1.2	00.0-02.4			
55-64	384	33,358	173	46.0	40.1-51.9	206	52.9	47.0-58.8	5	1.1	00.1-02.1			
65+	1152	63,180	619	51.9	48.4-55.4	520	47.0	43.5-50.5	11	1.0	00.4-01.6	2	0.2	00.0-00.6
Less Than H.S.	65	14,408	28	40.6	24.7-56.5	34	47.4	31.1-63.7	2	8.8	00.0-20.4	1	3.2	00.0-09.3
H.S. or G.E.D.	548	51,693	253	42.1	36.6-47.6	284	55.4	49.7-61.1	10	2.0	00.4-03.6	1	0.6	00.0-01.8
Some Post-H.S.	711	88,435	326	42.9	38.4-47.4	369	53.5	48.8-58.2	15	3.5	01.3-05.7	1	0.1	00.0-00.3
College Graduate	1028	79,908	538	50.0	46.3-53.7	475	47.9	44.2-51.6	13	1.9	00.7-03.1	2	0.2	00.0-00.6
Less than \$15,000	83	9,107	31	33.7	20.2-47.2	43	58.3	44.0-72.6	9	8.0	02.3-13.7			
\$15,000- 24,999	150	14,990	56	30.0	20.8-39.2	89	62.8	52.2-73.4	5	7.2	00.0-15.0			
\$25,000- 34,999	230	22,010	91	30.8	23.0-38.6	131	62.4	54.0-70.8	7	5.5	00.4-10.6	1	1.3	00.0-03.8
\$35,000- 49,999	251	24,517	119	37.0	29.0-45.0	127	56.3	47.5-65.1	5	6.7	00.0-13.8			
\$50,000- 99,999	646	63,589	333	48.9	43.8-54.0	306	49.0	43.9-54.1	6	1.4	00.2-02.6	1	0.7	00.0-02.1
\$100,000- 199,999	430	44,253	231	53.4	47.7-59.1	198	46.3	40.6-52.0				1	0.3	00.0-00.9
\$200,000+	110	11,801	63	55.6	45.0-66.2	45	42.1	31.5-52.7	2	2.3	00.0-05.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024

MODULE 17: OTHER TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111
	BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)	
7	MALES AND FEMALES	112
8	MALES ONLY	113
9	FEMALES ONLY	114

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 17: OTHER TOBACCO USE**

TABLE 1: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	611	65,920	149	27.9	23.2-32.6	462	72.1	67.4-76.8
Male	339	35,764	74	28.4	21.9-34.9	265	71.6	65.1-78.1
Female	272	30,157	75	27.3	20.4-34.2	197	72.7	65.8-79.6
Non-Native	553	57,813	137	29.0	23.9-34.1	416	71.0	65.9-76.1
25-34	62	11,070	23	37.1	23.8-50.4	39	62.9	49.6-76.2
35-44	87	14,125	23	24.9	15.1-34.7	64	75.1	65.3-84.9
45-54	99	11,871	19	17.8	09.8-25.8	80	82.2	74.2-90.2
55-64	142	11,884	26	20.5	11.9-29.1	116	79.5	70.9-88.1
65+	203	12,039	48	24.7	17.4-32.0	155	75.3	68.0-82.6
H.S. or G.E.D.	242	22,752	61	28.5	21.2-35.8	181	71.5	64.2-78.8
Some Post-H.S.	204	26,135	49	29.3	21.5-37.1	155	70.7	62.9-78.5
College Graduate	118	7,875	32	30.9	20.7-41.1	86	69.1	58.9-79.3
Less than \$15,000	52	5,001	15	30.8	14.9-46.7	37	69.2	53.3-85.1
\$15,000- 24,999	54	4,884	8	14.8	03.8-25.8	46	85.2	74.2-96.2
\$25,000- 34,999	82	8,022	27	39.3	25.6-53.0	55	60.7	47.0-74.4
\$35,000- 49,999	69	7,809	9	12.5	04.1-20.9	60	87.5	79.1-95.9
\$50,000- 99,999	183	21,087	45	26.0	17.6-34.4	138	74.0	65.6-82.4
\$100,000- 199,999	87	10,302	23	30.1	18.1-42.1	64	69.9	57.9-81.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 17: OTHER TOBACCO USE**

TABLE 2: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	339	35,764	74	28.4	21.9-34.9	265	71.6	65.1-78.1
Non-Native	310	32,373	66	28.0	21.1-34.9	244	72.0	65.1-78.9
35-44	52	8,221	14	29.0	15.3-42.7	38	71.0	57.3-84.7
45-54	57	6,332	7	11.4	03.0-19.8	50	88.6	80.2-97.0
55-64	75	5,835	12	15.3	06.5-24.1	63	84.7	75.9-93.5
65+	101	5,552	18	20.2	11.0-29.4	83	79.8	70.6-89.0
H.S. or G.E.D.	142	13,065	28	25.8	16.4-35.2	114	74.2	64.8-83.6
Some Post-H.S.	111	14,180	25	28.9	18.5-39.3	86	71.1	60.7-81.5
College Graduate	58	3,759	16	33.0	18.9-47.1	42	67.0	52.9-81.1
\$50,000- 99,999	115	12,250	27	30.8	19.0-42.6	88	69.2	57.4-81.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 17: OTHER TOBACCO USE**

TABLE 3: CURRENTLY, WHEN YOU SMOKE CIGARETTES, DO YOU USUALLY SMOKE MENTHOL CIGARETTES? (MENTCIGS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	272	30,157	75	27.3	20.6-34.0	197	72.7	66.0-79.4
Non-Native	243	25,440	71	30.1	22.7-37.5	172	69.9	62.5-77.3
55-64	67	6,049	14	25.4	11.3-39.5	53	74.6	60.5-88.7
65+	102	6,487	30	28.5	17.7-39.3	72	71.5	60.7-82.3
H.S. or G.E.D.	100	9,686	33	32.2	21.0-43.4	67	67.8	56.6-79.0
Some Post-H.S.	93	11,955	24	29.7	17.5-41.9	69	70.3	58.1-82.5
College Graduate	60	4,116	16	29.1	14.4-43.8	44	70.9	56.2-85.6
\$50,000- 99,999	68	8,837	18	19.4	08.4-30.4	50	80.6	69.6-91.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 17: OTHER TOBACCO USE**

TABLE 4: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	235	39,213	60	28.2	21.3-35.1	175	71.8	64.9-78.7
Male	142	22,274	33	26.1	17.7-34.5	109	73.9	65.5-82.3
Female	93	16,939	27	30.9	19.1-42.7	66	69.1	57.3-80.9
Non-Native	220	35,884	58	30.2	22.9-37.5	162	69.8	62.5-77.1
18-24	52	14,419	17	32.9	19.0-46.8	35	67.1	53.2-81.0
25-34	79	13,149	22	25.8	15.8-35.8	57	74.2	64.2-84.2
H.S. or G.E.D.	107	16,731	24	24.4	15.4-33.4	83	75.6	66.6-84.6
Some Post-H.S.	66	13,134	20	30.7	18.4-43.0	46	69.3	57.0-81.6
\$50,000- 99,999	87	15,254	19	20.1	10.9-29.3	68	79.9	70.7-89.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 17: OTHER TOBACCO USE**

TABLE 5: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	142	22,274	33	26.1	17.7-34.5	109	73.9	65.5-82.3
Non-Native	134	20,314	33	28.6	19.8-37.4	101	71.4	62.6-80.2
25-34	53	8,350	13	24.4	12.4-36.4	40	75.6	63.6-87.6
H.S. or G.E.D.	74	10,850	15	23.1	12.3-33.9	59	76.9	66.1-87.7
\$50,000- 99,999	56	9,589	10	19.1	07.5-30.7	46	80.9	69.3-92.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 17: OTHER TOBACCO USE**

TABLE 6: CURRENTLY, WHEN YOU USE E-CIGARETTES, DO YOU USUALLY USE MENTHOL E-CIGARETTES? (MENTECIG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	93	16,939	27	30.9	19.3-42.5	66	69.1	57.5-80.7
Non-Native	86	15,570	25	32.3	20.1-44.5	61	67.7	55.5-79.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 17: OTHER TOBACCO USE**

TABLE 7: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5202	530,916	680	11.7	10.7-12.7	4522	88.3	87.3-89.3
Male	2674	274,769	392	13.2	11.6-14.8	2282	86.8	85.2-88.4
Female	2528	256,147	288	10.1	08.5-11.7	2240	89.9	88.3-91.5
Native	147	21,582	14	12.2	04.2-20.2	133	87.8	79.8-95.8
Non-Native	4980	502,056	658	11.8	10.6-13.0	4322	88.2	87.0-89.4
18-24	264	75,737	22	8.5	04.8-12.2	242	91.5	87.8-95.2
25-34	527	91,379	64	12.0	08.9-15.1	463	88.0	84.9-91.1
35-44	627	91,411	74	11.9	09.2-14.6	553	88.1	85.4-90.8
45-54	668	70,981	86	12.1	09.6-14.6	582	87.9	85.4-90.4
55-64	890	75,530	115	11.9	09.5-14.3	775	88.1	85.7-90.5
65+	2226	125,878	319	13.1	11.5-14.7	1907	86.9	85.3-88.5
Less Than H.S.	167	33,648	17	11.4	04.9-17.9	150	88.6	82.1-95.1
H.S. or G.E.D.	1360	135,049	170	10.9	08.9-12.9	1190	89.1	87.1-91.1
Some Post-H.S.	1574	203,294	199	11.0	09.2-12.8	1375	89.0	87.2-90.8
College Graduate	2087	157,057	294	13.5	11.7-15.3	1793	86.5	84.7-88.3
Less than \$15,000	155	17,098	23	14.3	06.5-22.1	132	85.7	77.9-93.5
\$15,000- 24,999	275	26,876	41	14.8	08.1-21.5	234	85.2	78.5-91.9
\$25,000- 34,999	451	43,696	64	10.5	07.2-13.8	387	89.5	86.2-92.8
\$35,000- 49,999	533	52,642	77	14.0	10.1-17.9	456	86.0	82.1-89.9
\$50,000- 99,999	1529	153,992	188	11.1	09.1-13.1	1341	88.9	86.9-90.9
\$100,000- 199,999	1078	116,643	145	12.2	10.0-14.4	933	87.8	85.6-90.0
\$200,000+	312	31,711	49	14.5	10.2-18.8	263	85.5	81.2-89.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 17: OTHER TOBACCO USE**

TABLE 8: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2674	274,769	392	13.2	11.6-14.8	2282	86.8	85.2-88.4
Native	77	12,182	7	12.7	01.1-24.3	70	87.3	75.7-98.9
Non-Native	2549	258,127	380	13.4	11.8-15.0	2169	86.6	85.0-88.2
18-24	161	39,799	14	8.6	03.9-13.3	147	91.4	86.7-96.1
25-34	308	49,349	42	13.9	09.6-18.2	266	86.1	81.8-90.4
35-44	344	49,028	42	11.1	07.6-14.6	302	88.9	85.4-92.4
45-54	374	38,049	61	16.0	12.1-19.9	313	84.0	80.1-87.9
55-64	479	39,875	70	13.8	10.5-17.1	409	86.2	82.9-89.5
65+	1008	58,668	163	15.4	12.9-17.9	845	84.6	82.1-87.1
Less Than H.S.	96	18,202	11	13.4	04.6-22.2	85	86.6	77.8-95.4
H.S. or G.E.D.	776	77,859	110	13.5	10.6-16.4	666	86.5	83.6-89.4
Some Post-H.S.	798	105,839	110	12.0	09.6-14.4	688	88.0	85.6-90.4
College Graduate	996	71,587	161	14.9	12.5-17.3	835	85.1	82.7-87.5
Less than \$15,000	69	7,668	11	17.6	03.5-31.7	58	82.4	68.3-96.5
\$15,000- 24,999	117	10,591	22	13.9	06.8-21.0	95	86.1	79.0-93.2
\$25,000- 34,999	201	20,058	34	13.1	08.0-18.2	167	86.9	81.8-92.0
\$35,000- 49,999	272	25,995	42	18.1	11.8-24.4	230	81.9	75.6-88.2
\$50,000- 99,999	843	85,617	109	11.6	09.1-14.1	734	88.4	85.9-90.9
\$100,000- 199,999	617	68,992	92	13.0	10.1-15.9	525	87.0	84.1-89.9
\$200,000+	192	18,651	36	17.5	11.4-23.6	156	82.5	76.4-88.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 17: OTHER TOBACCO USE**

TABLE 9: BEFORE TODAY, HAVE YOU HEARD OF HEATED TOBACCO PRODUCTS? (HEATTBCO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2528	256,147	288	10.1	08.5-11.7	2240	89.9	88.3-91.5
Native	70	9,400	7	11.5	00.9-22.1	63	88.5	77.9-99.1
Non-Native	2431	243,930	278	10.1	08.5-11.7	2153	89.9	88.3-91.5
18-24	103	35,937	8	8.3	02.6-14.0	95	91.7	86.0-97.4
25-34	219	42,030	22	9.8	05.5-14.1	197	90.2	85.9-94.5
35-44	283	42,382	32	12.7	08.2-17.2	251	87.3	82.8-91.8
45-54	294	32,932	25	7.5	04.4-10.6	269	92.5	89.4-95.6
55-64	411	35,655	45	9.7	06.6-12.8	366	90.3	87.2-93.4
65+	1218	67,210	156	11.0	09.0-13.0	1062	89.0	87.0-91.0
Less Than H.S.	71	15,446	6	9.1	00.0-18.5	65	90.9	81.5-0100
H.S. or G.E.D.	584	57,190	60	7.4	04.9-09.9	524	92.6	90.1-95.1
Some Post-H.S.	776	97,454	89	9.9	07.4-12.4	687	90.1	87.6-92.6
College Graduate	1091	85,470	133	12.4	09.9-14.9	958	87.6	85.1-90.1
Less than \$15,000	86	9,430	12	11.7	03.9-19.5	74	88.3	80.5-96.1
\$15,000- 24,999	158	16,286	19	15.4	05.6-25.2	139	84.6	74.8-94.4
\$25,000- 34,999	250	23,638	30	8.2	04.1-12.3	220	91.8	87.7-95.9
\$35,000- 49,999	261	26,647	35	10.0	05.9-14.1	226	90.0	85.9-94.1
\$50,000- 99,999	686	68,375	79	10.4	07.5-13.3	607	89.6	86.7-92.5
\$100,000- 199,999	461	47,651	53	10.9	07.4-14.4	408	89.1	85.6-92.6
\$200,000+	120	13,060	13	10.2	04.1-16.3	107	89.8	83.7-95.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024

MODULE 24: SEXUAL ORIENTATION) CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
M24.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1 MALES AND FEMALES	116
2 MALES ONLY	117
3 FEMALES ONLY	118
M24.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4 MALES AND FEMALES	119
5 MALES ONLY	120
6 FEMALES ONLY	121
	9
7 MALES AND FEMALES	122
8 MALES ONLY	123
9 FEMALES ONLY	124

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 24: SEXUAL ORIENTATION)**

TABLE 1: M24.01.a Which of the following best represents how you think of yourself? (SOMALE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Gay		Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2825	291,403	43	1.6	01.0-02.2	2701	94.6	93.4-95.8	47	2.4	01.6-03.2	34	1.4	00.8-02.0
Native	83	12,917	2	2.2	00.0-05.5	79	95.5	90.8-0100	1	1.6	00.0-04.5	1	0.7	00.0-02.1
Non-Native	2698	274,369	40	1.6	01.0-02.2	2583	94.5	93.3-95.7	46	2.4	01.6-03.2	29	1.4	00.8-02.0
18-24	171	42,091	5	2.2	00.2-04.2	151	87.9	82.4-93.4	11	7.0	02.7-11.3	4	2.8	00.0-05.7
25-34	325	52,382	10	2.9	01.1-04.7	294	90.8	87.5-94.1	15	4.3	01.9-06.7	6	2.0	00.2-03.8
35-44	369	52,892	9	1.6	00.4-02.8	351	96.0	94.0-98.0	5	1.2	00.0-02.4	4	1.1	00.0-02.3
45-54	400	40,612	5	1.2	00.0-02.4	390	97.5	95.9-99.1	3	0.8	00.0-01.8	2	0.5	00.0-01.3
55-64	507	41,790	6	1.2	00.0-02.4	489	96.7	94.9-98.5	7	1.1	00.3-01.9	5	0.9	00.0-01.9
65+	1053	61,636	8	0.8	00.0-01.6	1026	97.6	96.4-98.8	6	0.3	00.0-00.7	13	1.3	00.5-02.1
Less Than H.S.	103	19,572	2	1.0	00.0-02.8	95	90.0	81.8-98.2	1	3.0	00.0-08.9	5	6.0	00.0-12.1
H.S. or G.E.D.	827	82,726	11	1.7	00.5-02.9	790	94.1	91.9-96.3	16	3.0	01.4-04.6	10	1.2	00.4-02.0
Some Post-H.S.	846	112,862	9	1.2	00.4-02.0	815	95.5	93.9-97.1	16	2.3	01.1-03.5	6	0.9	00.1-01.7
College Graduate	1041	75,025	21	2.4	01.2-03.6	994	94.7	92.9-96.5	14	1.5	00.5-02.5	12	1.4	00.4-02.4
Less than \$15,000	69	7,557	5	7.8	00.0-15.8	60	85.0	74.2-95.8	2	3.4	00.0-08.7	2	3.7	00.0-09.6
\$15,000- 24,999	117	10,740	1	0.2	00.0-00.6	109	92.2	86.1-98.3	3	3.8	00.0-08.7	4	3.8	00.0-07.7
\$25,000- 34,999	208	20,393	7	4.0	00.9-07.1	193	90.2	84.7-95.7	5	3.3	00.0-07.0	3	2.4	00.0-05.5
\$35,000- 49,999	279	26,576	4	1.3	00.0-02.9	261	90.5	85.4-95.6	7	4.3	01.2-07.4	7	3.9	00.0-08.0
\$50,000- 99,999	877	88,660	13	1.7	00.7-02.7	838	94.4	92.2-96.6	16	2.8	01.0-04.6	10	1.1	00.3-01.9
\$100,000- 199,999	635	71,021	7	1.0	00.2-01.8	618	97.3	95.7-98.9	6	1.0	00.2-01.8	4	0.7	00.0-01.7
\$200,000+	197	18,988				194	99.5	98.9-0100	2	0.4	00.0-01.0	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024
MODULE 24: SEXUAL ORIENTATION)**

TABLE 2: M24.01.b Which of the following best represents how you think of yourself? (SOFEMALE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Male respondents

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2685	272,884	28	1.6	00.8-02.4	2524	90.3	88.5-92.1	77	5.0	03.6-06.4	56	3.1	01.9-04.3
Native	75	10,786	3	6.6	00.0-16.4	65	80.3	67.0-93.6	5	8.1	00.3-15.9	2	5.1	00.0-12.7
Non-Native	2582	259,160	24	1.4	00.6-02.2	2434	90.6	88.8-92.4	71	4.9	03.5-06.3	53	3.0	01.8-04.2
18-24	106	36,669	2	2.9	00.0-07.0	79	72.4	63.0-81.8	17	16.1	08.5-23.7	8	8.5	02.6-14.4
25-34	236	45,487	4	1.9	00.0-03.9	200	86.0	81.5-90.5	23	8.7	05.2-12.2	9	3.4	01.0-05.8
35-44	309	46,496	3	1.1	00.0-02.3	284	90.4	86.5-94.3	14	4.5	02.0-07.0	8	4.0	01.1-06.9
45-54	319	36,253	8	3.4	00.1-06.7	301	93.3	89.6-97.0	4	1.3	00.0-02.7	6	2.0	00.4-03.6
55-64	448	38,755	3	0.6	00.0-01.4	431	97.0	95.4-98.6	9	1.4	00.4-02.4	5	1.0	00.2-01.8
65+	1267	69,223	8	0.5	00.1-00.9	1229	97.1	95.7-98.5	10	1.1	00.1-02.1	20	1.2	00.6-01.8
Less Than H.S.	78	15,993	3	8.2	00.0-18.0	65	70.4	55.5-85.3	4	11.9	00.7-23.1	6	9.6	00.4-18.8
H.S. or G.E.D.	639	61,979	7	1.0	00.2-01.8	586	85.3	81.0-89.6	28	8.7	05.2-12.2	18	5.0	02.1-07.9
Some Post-H.S.	817	103,502	8	1.5	00.3-02.7	780	93.5	91.0-96.0	15	2.9	01.1-04.7	14	2.1	00.5-03.7
College Graduate	1146	90,884	10	0.9	00.3-01.5	1088	93.5	91.7-95.3	30	3.8	02.2-05.4	18	1.8	00.8-02.8
Less than \$15,000	82	9,070	2	1.1	00.0-02.7	72	84.1	72.5-95.7	6	13.3	01.9-24.7	2	1.5	00.0-04.2
\$15,000- 24,999	162	17,119	2	0.8	00.0-02.2	153	94.2	89.7-98.7	5	4.6	00.3-08.9	2	0.4	00.0-01.0
\$25,000- 34,999	261	24,844	4	4.6	00.0-09.3	243	84.3	76.7-91.9	7	4.7	00.6-08.8	7	6.4	00.7-12.1
\$35,000- 49,999	275	28,372	2	2.6	00.0-06.9	256	84.8	77.2-92.4	8	7.2	01.7-12.7	9	5.4	00.9-09.9
\$50,000- 99,999	699	69,176	7	1.7	00.0-03.5	658	90.0	86.5-93.5	20	5.4	02.7-08.1	14	3.0	01.0-05.0
\$100,000- 199,999	478	49,837	4	0.5	00.0-01.1	450	93.0	89.7-96.3	16	4.2	02.0-06.4	8	2.3	00.0-04.8
\$200,000+	127	13,752	3	1.9	00.0-04.6	123	97.8	95.1-0100	1	0.4	00.0-01.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2024**

End of Module Data Report