

# Richland County Community Health Profile

NORTH  
**Dakota** | Health  
Be Legendary.™

August 2019

Authors:

Tracy K. Miller, PhD, MPH  
State Epidemiologist

Kodi Pinks, MPH  
Epidemiologist

Tara Haugen  
Epidemiologist



# TABLE OF CONTENTS

Data Sources .....	1
Photograph Credits .....	1
<b>POPULATION DATA</b>	
Table 1: Population by Age Group .....	2
Table 2: Female Population and Percentage Female by Age .....	2
Table 3: Race .....	2
Table 4: Household Populations .....	3
Table 5: Population Change .....	3
Table 6: Marital Status of Persons Age 15 and Older .....	3
Table 7: Educational Attainment Among Persons 25+ .....	3
Table 8: Persons with Disability .....	4
Table 9: Income and Poverty Status by Age Group .....	4
Table 10: Family Poverty and Childhood and Elderly Poverty .....	4
Table 11: Age of Housing .....	4
<b>VITAL STATISTICS DATA</b>	
Birth and Deaths Definitions .....	5
Table 12: Births .....	6
Table 13: Child Deaths .....	6
Table 14: Deaths and Age Adjusted Death Rate by Cause .....	6
Table 15: Top Three Cancer Types for County .....	6
Table 16: Leading Causes of Death by Age Group for County .....	7
Table 17: Leading Causes of Death by Age Group for North Dakota .....	7
<b>ADULT BEHAVIORAL RISK FACTORS</b>	
Table 18:	
• Adult Behavioral Risk Factors Definition .....	8
• Alcohol .....	9
• Arthritis .....	9
• Asthma .....	9
• Body Weight .....	9
• Cancer .....	9
• Cardiovascular .....	9
Table 19:	
• Cholesterol .....	10
• Chronic Lung Disease .....	10
• Colorectal Cancer .....	10
• Diabetes .....	10
• Fruits and Vegetables .....	10
• General Health .....	10
Table 20:	
• Health Care Access .....	11
• Hypertension .....	11
• Immunization .....	11
• Injury .....	11
• Oral Health .....	11
• Physical Activity .....	11
• Tobacco .....	11
• Women’s Health .....	11
<b>CRIME</b>	
Table 21: County .....	12
Table 22: North Dakota .....	12
<b>CHILD RISK</b>	
Table 23: Child Indicators—Education .....	13
Child Indicators—Economic Health .....	13
Child Indicators—Families and Child Care .....	13
Child Indicators—Juvenile Justice .....	13

## Data Sources

The Demographic Section of this report comes from the US Census Bureau ([census.gov](https://www.census.gov)). Most tables are derived either from the census estimates for 2017 or from the Community Population Survey aggregated over a several year period. The table header describes the specific years from which the data is derived. The tables present the number of persons and percentages which in almost all circumstances represent the category specific percentage of all persons referenced by the table (e.g., percentage of persons age 15 and older who are married). Age specific poverty rates represent the percentage of each age group in poverty (e.g., percentage of children under five years in poverty).

The **Vital Statistics** section of this report comes from the birth and death records collected by the North Dakota Department of Health Vital Records. This data is aggregated over a five year period. All births and deaths represent the county of residence not the county of occurrence. In order to maintain a person's confidentiality, the number of events is blocked if fewer than six.

The **Adult Behavioral Risk Factor** section of this report is derived from the North Dakota Department of Health's Behavioral Risk Factor Surveillance Survey. The aggregated data (the number of years specified in the table) is continuously collected by telephone survey from persons 18 years and older residing in North Dakota. All data is self-reported data.

Data presented in the **Crime** section of this report is collected from the North Dakota Attorney General website located at: [attorneygeneral.nd.gov/public-safety/crime-data](https://attorneygeneral.nd.gov/public-safety/crime-data).

Data presented in the **Child Health Indicators** section of this report is collected from the Kids Count Data Center website located at: [datacenter.kidscount.org](https://datacenter.kidscount.org).

## Photography Credits

Permission to use cover photos granted by:

- Scott Thomas Photography - Theodore Roosevelt National Park in Winter  
[stthomasphotos.com](https://stthomasphotos.com)
- Jerry Blank – Lightening Storm north of Williston and sunset over Little Missouri river  
[jerryblank.us/gallery-nd.html](https://jerryblank.us/gallery-nd.html)
- ND Department of Commerce – Oil wells  
[commerce.nd.gov/news/MediaGallery](https://commerce.nd.gov/news/MediaGallery)
- ND Tourism Division – All other photos  
[ndtourism.com](https://ndtourism.com)

## POPULATION DATA

Table 1

Population by Age Group, 2017 Census Estimates				
Age Group	Richland County		North Dakota	
	Number	Percent	Number	Percent
0-9	1,991	12.2%	103,467	13.7%
10-19	2,295	14.0%	93,853	12.4%
20-29	2,501	15.3%	125,485	16.6%
30-39	1,776	10.9%	102,161	13.5%
40-49	1,545	9.4%	79,080	10.5%
50-59	2,206	13.5%	92,294	12.2%
60-69	2,052	12.5%	81,859	10.8%
70-79	1,048	6.4%	43,942	5.8%
80+	937	5.7%	33,252	4.4%
Total	16,351	100.0%	755,393	100.0%
0-17	3,513	21.5%	175,772	23.3%
65+	2,802	17.1%	113,208	15.0%



Table 2

Female Population and Percentage Female by Age, 2017 Census Estimates				
Age Group	Richland County		North Dakota	
	Number	Percent	Number	Percent
0-9	1,000	12.6%	50,715	13.8%
10-19	1,063	13.4%	45,292	12.3%
20-29	1,108	14.0%	57,676	15.7%
30-39	870	11.0%	47,260	12.8%
40-49	714	9.0%	37,656	10.2%
50-59	1,081	13.7%	45,390	12.3%
60-69	977	12.3%	40,271	10.9%
70-79	533	6.7%	23,044	6.3%
80+	566	7.2%	20,790	5.6%
Total	7,912	100.0%	368,094	100.0%
0-17	1,733	21.9%	85,917	23.3%
65+	1,471	18.6%	61,469	16.7%

Table 3

Race, 5-Year Estimates (2013-2017)				
Race	Richland County		North Dakota	
	Number	Percent	Number	Percent
Total	16,333	100.0%	745,475	100%
White	15,201	93.1%	654,024	87.7%
Black	76	0.5%	17,365	2.3%
American Indian	437	2.7%	39,507	5.3%
Asian	65	0.4%	10,197	1.4%
Pacific Islander	5	0.0%	341	0.0%
Other	233	1.4%	6,600	0.9%
Multi-race	316	1.9%	17,441	2.3%

## POPULATION DATA

Table 4

Household Populations, 2011 ACS Five Year Estimates				
	Richland County		North Dakota	
	Number	Percent	Number	Percent
Total	16,382	100.0%	666,783	100.0%
In Family Households	12,437	75.9%	509,097	76.4%
In Non-Family Households	2,776	16.9%	132,651	19.9%
Total In Households	15,213	92.9%	641,748	96.2%
Institutionalized*	147	0.9%	9,675	1.5%
Non-institutionalized*	1022	6.2%	15,360	2.3%
Total in Group Quarters	1169	7.1%	25,035	3.8%

\*2011 is the most recent data

Table 5

Population Change 2000-2015				
Census	Richland County	5 Year Change (%)	North Dakota	5 Year Change (%)
2000	17,998		642,200	
2005	17,159	-4.7%	635,365	-1.1%
2010	16,321	-4.9%	672,591	5.9%
2015	16,390	0.4%	754,859	12.2%



Table 6

Marital Status of Persons Age 15 and Older, 2017 ACS 5 Year Estimate				
Marital Status	Richland County		North Dakota	
	Number	Percent	Number	Percent
Total Age 15+	13,444	100.0%	600,828	100.0%
Never Married	4,141	30.8%	191,063	31.8%
Now Married	7,488	55.7%	314,233	52.3%
Separated	54	0.4%	4,807	0.8%
Widowed	739	5.5%	33,646	5.6%
Divorced	1,008	7.5%	56,478	9.4%

Table 7

Educational Attainment Among Persons 25+, 2017 ACS 5 Year Estimate				
Education	Richland County		North Dakota	
	Number	Percent	Number	Percent
Total	10,565	100.0%	485,490	100.0%
Less than 9th Grade	431	4.1%	15,927	3.3%
Some High School	519	4.9%	21,535	4.4%
High school or GRE	3,043	24.4%	131,653	27.1%
Some College / Assoc. Degree	4,230	40.0%	176,105	36.2%
Bachelor's degree	1,763	16.7%	102,497	21.1%
Post Graduate Degree	579	5.5%	37,773	7.8%

## POPULATION DATA

Persons with Disability, 2017 ACS Five Year Estimate				
Group	Richland County		North Dakota	
	Number	Percent	Number	Percent
Total	16,177	100.0%	729,279	100.0%
Any Disability	1,630	10.1%	78,060	10.7%
No Disability	14,547	89.9%	651,219	89.3%
Self Care Disability	251	1.6%	11,586	1.7%
0-17 with any disability	95	5.8%	5,660	7.3%
18-64 with any disability	701	43.0%	38,516	49.3%
65+ with any disability	834	51.2%	33,884	43.4%

Table 8

Table 9

Income and Poverty Status by Age Group, 2017 ACS Five Year Estimate				
	Richland County		North Dakota	
	Number	Percent	Number	Percent
Median Household Income	\$60,551		\$61,285	
Per Capita Income	\$29,818		\$34,256	
	Number	Percent	Number	Percent
Below Poverty Level	1,461	9.7%	79,374	11.0%
Under 5 years	82	5.6%	7,367	9.3%
5 to 11 years	156	10.7%	8,330	10.5%
12 to 17 years	99	6.8%	5,092	6.4%
18 to 64 years	901	61.7%	49,573	62.5%
65 to 74 years	40	2.7%	3,790	4.8%
75 years and over	183	12.5%	5,222	6.6%

Table 10

Family Poverty and Childhood and Elderly Poverty, 2017 ACS Five Year Estimates				
	Richland County		North Dakota	
	Number	Percent	Number	Percent
Total Families	4,292	100.0%	187,057	100.00%
Families in Poverty	219	5.1%	12,720	6.80%
Families with Own Children	1,861	43.4%	86,220	46.09%
Families with Own Children in Poverty	171	4.0%	9,657	5.16%
Families with Own Children and Female Parent Only	298	6.9%	23,457	27.21%
Families with Own Children and Female Parent Only in Poverty	103	2.4%	8,374	4.48%
Total Known Children in Poverty	337	9.6%	20,789	11.8%
Total Known Age 65+ in Poverty	223	8.0%	9,012	8.0%

Table 11

Age of Housing, 2017 ACS Five Year Estimates				
	Richland County		North Dakota	
	Number	Percent	Number	Percent
Housing units: Total	7,718	100.0%	360,660	100.0%
1980 and Later	2,442	31.6%	161,476	44.8%
1970 to 1979	1,529	19.8%	66,696	18.5%
Prior to 1970	3,747	48.5%	132,488	36.7%

\* Percent family poverty is percent of total families

# Vital Statistics Data

## BIRTHS AND DEATHS DEFINITIONS

Formulas for calculating rates and ratios are as follows:

**Birth Rate** = Resident live births divided by the total resident population x 1,000.

**Pregnancies** = Live births + Fetal deaths + Induced termination of pregnancy.

**Pregnancy Rate** = Total pregnancies divided by the total resident population x 1,000.

**Fertility Rate** = Resident live births divided by female population (age 15-44) x 1,000.

**Teenage Birth Rate** = Teenage births (age <20) divided by female teen population x 1,000.

**Teenage Pregnancy Rate** = Teenage pregnancies (age <20) divided by female teen population x 1,000.

**Out of Wedlock (OOW) Live Birth Ratio** = Resident OOW live births divided by total resident live births x 1,000.

**Out of Wedlock Pregnancy Ratio** = Resident OOW pregnancies divided by total pregnancies x 1,000.

**Low Weight Ratio** = Low weight births (birth weight < 2,500 grams) divided by total resident live births x 1,000.

**Infant Death Ratio** = Number of infant deaths divided by the total resident live births x 1,000.

**Childhood & Adolescent Deaths** = Deaths to individuals 1 - 19 years of age.

**Childhood and Adolescent Death Rate** = Number of resident deaths (age 1 - 19) divided by population (age 1 - 19) x 100,000.

**Crude Death Rate** = Death events divided by population x 100,000.

**Age-Adjusted Death Rate** = Death events with age specific adjustments x 100,000 population.



# Vital Statistics Data

## BIRTHS AND DEATHS

Births, 2013-2017				
	Richland County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Live Births and Rate	963	11.8	55,310	16.5
Pregnancies and Rate	1,026	12.6	59,796	17.8
Fertility Rate		67.6		85.7
Teen Births and Rate	17	5.1	2,482	21.7
Teen Pregnancies and Rate	22	8.5	2,988	25.5
Out of Wedlock Births and Ratio	342	354.5	17,629	318.8
Out of Wedlock Pregnancies and Ratio	392	385.9	21,295	361.9
Low Birth Weight Birth and Ratio	62	64.9	3,553	64.3

Table 12

Table 13

Child Deaths, 2013-2017				
	Richland County		North Dakota	
	Number	Rate or Ratio	Number	Rate or Ratio
Infant Deaths and Ratio	7	7.3	291	5.3
Child and Adolescent Deaths and Rate	NR	14.2	223	27.4
Total Deaths and Crude Rate	709	834.5	30,758	910.1

NR=Not Reportable

Table 14

Deaths and Age Adjusted Death Rate by Cause, 2013-2017				
	Richland County		North Dakota	
	Number	Adj. Rate	Number	Adj. Rate
All Causes	709	513.8	30,758	760.2
Heart Disease	148	103.3	6,545	115.5
Cancer	151	103.1	6,284	161.1
Stroke	44	27.4	1,535	35.2
Alzheimer's Disease	36	22.6	2,118	44.9
COPD	22	15.9	1,674	39.8
Unintentional Injury	38	37.7	1,695	47.6
Diabetes	8	6.7	911	22.8
Pneumonia and Influenza	16	11.6	823	19.0
Cirrhosis	10	9.2	429	13.2
Suicide	11	12.3	671	20.9
Hypertension	9	5.5	483	11.05

Table 15

2013-2017 Resident Deaths Due to Cancer by Top Three Reported Types	
Richland County	North Dakota
Lung	Lung
Colorectal	Colorectal
Pancreas	Pancreas



# Vital Statistics Data

## BIRTHS AND DEATHS

Table 16

Leading Causes of Death by Age Group for Richland County, 2013-2017			
Age	1	2	3
0-4	Perinatal Condition*	Congenital Anomaly*	Nervous Condition*
5-14	No Reported Deaths		
15-24	Unintentional Injury*	Suicide*	No Reported Deaths
25-34	Unintentional Injury*	Heart*	Suicide*
35-44	Cancer 6	Unintentional Injury*	Suicide*
45-54	Cancer 6	Cirrhosis*	Unintentional Injury*
55-64	Cancer 36	Heart 14	COPD*
65-74	Cancer 30	Heart 24	COPD 7
75-84	Cancer 46	Heart 28	Cerebrovascular 11
85+	Heart 72	Alzheimer's Disease 30	Cancer 27

\*Numbers less than six are not listed.

Table 17

Leading Causes of Death by Age Group for North Dakota, 2013-2017			
Age	1	2	3
0-4	Perinatal Conditions 138	Congenital Anomaly 73	Sudden Infant Death 42
5-14	Unintentional Injury 26	Suicide 6	Congenital Anomaly*
15-24	Unintentional Injury 189	Suicide 134	Cancer 16
25-34	Unintentional Injury 216	Suicide 156	Heart 44
35-44	Unintentional Injury 171	Suicide 101	Cancer 88
45-54	Cancer 335	Heart 279	Unintentional Injury 188
55-64	Cancer 1,107	Heart 627	Unintentional Injury 194
65-74	Cancer 1,613	Heart 915	COPD 372
75-84	Cancer 1,788	Heart 1,426	COPD 554
85+	Heart 3,148	Alzheimer's Disease 1,569	Cancer 1,288

## ADULT BEHAVIORAL RISK FACTORS DEFINITION

The following three pages represent data received from the Adult Behavioral Risk Factor Surveillance Survey. Numbers given are point estimate percentages followed by 95% confidence intervals. Statistical significance can be determined by comparing confidence intervals between two geographic areas.

To be statistically significant, confidence may not overlap. For example the confidence intervals 9.3 (8.3-10.2) and 10.8 (10.0-11.6) overlap so the difference between the two numbers is not statistically significant. That means that substantial uncertainty remains whether the apparent difference is due to chance alone (due to sampling variation) rather than representing a true difference in the prevalence of the condition in the two populations. The less they overlap, the more likely it is that the point estimates represent truly different prevalence's in the two populations.



## ADULT BEHAVIORAL RISK FACTORS, 2013-2017

Table 18

		<b>ALCOHOL</b>	<b>Richland 2013-2017</b>	<b>North Dakota 2013-2017</b>
<b>Binge Drinking</b>	Respondents who reported binge drinking (5 drinks for men, 4 drinks for women) one or more times in the past 30 days.		26.3 (21.3-31.4)	24.0 (23.3-24.7)
<b>Heavy Drinking</b>	Respondents who reported heavy drinking (more than 2 drinks per day for men, more than 1 drink per day for women) during the past 30 days.		6.9 (4.3-9.6)	7.1 (6.6-7.5)
<b>Drunk Driving</b>	Respondents who reported driving when they had too much to drink one or more times during the past 30 days.		1.0 (0.1-2.0)	3.7 (3.2-4.3)
<b>ARTHRITIS</b>				
<b>Doctor Diagnosed Arthritis</b>	Respondents who reported ever have been told by a doctor or other health professional that they had some form of arthritis.		22.5 (19.0-26.1)	24.3 (23.7-24.9)
<b>Activity Limitation Due to Arthritis</b>	Respondents who reported being limited in any usual activities because of arthritis or joint symptoms.		52.1 (41.5-62.8)	46.7 (45.0-48.5)
<b>ASTHMA</b>				
<b>Ever Asthma</b>	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma.		9.0 (6.0-12.0)	12.6 (12.1-13.1)
<b>Current Asthma</b>	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had asthma and who still have asthma.		6.0 (3.3-8.6)	8.7 (8.3-9.2)
<b>BODY WEIGHT</b>				
<b>Overweight, Not Obese</b>	Respondents with a body mass index greater than or equal to 25 but less than 30 (overweight).		35.9 (31.0-40.7)	36.3 (35.5-37.1)
<b>Obese</b>	Respondents with a body mass index greater than or equal to 30 (obese).		35.4 (30.5-40.2)	31.9 (31.1-32.6)
<b>Overweight or Obese</b>	Respondents with a body mass index greater than or equal to 25 (overweight or obese).		71.2 (66.3-76.2)	68.2 (67.4-68.9)
<b>CANCER</b>				
<b>Any Cancer</b>	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had cancer (excluding skin cancer).		11.0 (8.6-13.5)	10.0 (9.7-10.4)
<b>CARDIOVASCULAR</b>				
<b>Heart Attack</b>	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a heart attack.		4.0 (2.5-5.5)	4.2 (4.0-4.5)
<b>Angina</b>	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had angina.		2.6 (1.3-3.8)	3.9 (3.7-4.2)
<b>Stroke</b>	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had a stroke.		2.7 (1.2-4.1)	2.6 (2.4-2.8)
<b>Cardiovascular Disease</b>	Respondents who reported ever having been told by a doctor, nurse or other health care professional that they had any of the following: heart attack, angina or stroke.		7.7 (5.4-9.9)	7.7 (7.4-8.1)

## ADULT BEHAVIORAL RISK FACTORS, 2013-2017

Table 19

<b>CHOLESTEROL</b>		<b>Richland 2013-2017</b>	<b>North Dakota 2013-2017</b>
<b>Never Cholesterol Test</b>	Respondents who reported never having a cholesterol test.	36.9 (30.7-43.2)	37.5 (36.6-38.5)
<b>No Cholesterol Test in Past 5 Years</b>	Respondents who reported never having a cholesterol test in the past five years.	23.7 (17.2-30.1)	24.6 (23.6-25.5)
<b>High Cholesterol</b>	Respondents who reported that they had ever been told by a doctor, nurse or other health professional that they had high cholesterol.	32.9 (27.0-38.9)	34.0 (33.1-35.0)
<b>CHRONIC LUNG DISEASE</b>			
<b>COPD</b>	Respondents who have ever been told by a doctor, nurse or other health professional ever told you that they have COPD (chronic obstructive pulmonary disease), emphysema, or chronic bronchitis.	4.3 (2.5-6.2)	4.9 (4.6-5.2)
<b>COLORECTAL CANCER</b>			
<b>No Colorectal Cancer Screening within Recommended Timeframe</b>	Respondents age 50 and older who reported not having a fecal occult blood test in the past two years.	33.2 (24.0-42.4)	36.7 (35.2-38.3)
<b>DIABETES</b>			
<b>Diabetes Diagnosis</b>	Respondents who reported ever having been told by a doctor that they had diabetes.	8.4 (6.1-10.6)	8.8 (8.4-9.1)
<b>FRUITS AND VEGETABLES</b>			
<b>Five Fruits and Vegetables</b>	Respondents who reported that they do not usually eat 5 fruits and vegetables per day.	13.9 (9.9-18.0)	15.0 (14.3-15.7)
<b>GENERAL HEALTH</b>			
<b>Fair or Poor Health</b>	Respondents who reported that their general health was fair or poor.	16.1 (12.3-19.9)	14.6 (14.0-15.1)
<b>Poor Physical Health</b>	Respondents who reported they had 8 or more days in the last 30 when their physical health was not good.	11.1 (8.0-14.1)	11.4 (11.0-11.9)
<b>Poor Mental Health</b>	Respondents who reported they had 8 or more days in the last 30 when their mental health was not good.	11.8 (8.0-15.6)	12.4 (11.8-12.9)
<b>Activity Limitation Due to Poor Health</b>	Respondents who reported they had 8 or more days in the last 30 when poor physical or mental health kept them from doing their usual activities.	16.5 (10.8-22.3)	14.3 (13.5-15.1)
<b>Any Activity Limitation</b>	Respondents who reported being limited in any way due to physical, mental or emotional problem.	46.5 (40.6-52.3)	49.7 (48.8-50.6)



## ADULT BEHAVIORAL RISK FACTORS, 2013-2017

Table 20

<b>HEALTH CARE ACCESS</b>		<b>Richland 2013-2017</b>	<b>North Dakota 2013-2017</b>
<b>Health Insurance</b>	Respondents who reported not having any form or health care coverage.	5.8 (3.4-8.2)	8.8 (8.3-9.3)
<b>Access Limited by Cost</b>	Respondents who reported needing to see a doctor during the past 12 months but could not due to cost.	7.6 (4.4-10.7)	7.6 ( 7.1-8.1)
<b>No Personal Provider</b>	Respondents who reported that they did not have one person they consider to be their personal doctor or health care provider.	23.9 (19.2-28.5)	27.5 (26.7-28.2)
<b>HYPERTENSION</b>			
<b>High Blood Pressure</b>	Respondents who reported ever having been told by a doctor, nurse or other health professional that they had high blood pressure.	24.2 (19.5-28.9)	29.9 (29.1-30.7)
<b>IMMUNIZATION</b>			
<b>Influenza Vaccine</b>	Respondents age 65 and older who reported that they did not have a flu shot in the past year.	40.5 (33.0-48.1)	40.4 (39.2-41.6)
<b>Pneumococcal Vaccine</b>	Respondents age 65 or older who reported never having had a pneumonia shot.	26.6 (19.5-33.6)	26.3 (25.2-27.4)
<b>INJURY</b>			
<b>Falls</b>	Respondents 45 years and older who reported that they had fallen in the past 12 months.	22.9 (16.2-29.6)	28.8 (27.6-30.0)
<b>Seatbelt Use</b>	Respondents who reported not always wearing their seatbelt.	69.7 (64.4-75.0)	70.7 (69.9-71.5)
<b>ORAL HEALTH</b>			
<b>Dental Visit</b>	Respondents who reported that they have not had a dental visit in the past year.	34.6 (27.1-42.2)	34.2 (33.0-35.4)
<b>Tooth Loss</b>	Respondents who reported they ever had a permanent tooth extracted.	14.2 (9.4-19.0)	13.5 (12.8-14.2)
<b>PHYSICAL ACTIVITY</b>			
<b>No Leisure Physical Activity</b>	Respondents who reported that they did not get the recommended amount of physical activity.	29.1 (24.4-33.8)	25.0 (24.3-25.7)
<b>TOBACCO</b>			
<b>Current Smoking</b>	Respondents who reported that they smoked every day or some days.	20.1 (15.5-24.8)	19.6 (18.9-20.2)
<b>WOMEN'S HEALTH</b>			
<b>Pap Smear</b>	Women 18 and older who reported that they have not had a pap smear in the past three years.	39.2 (24.7-53.6)	28.7 (26.7-30.8)
<b>Mammogram Age 40+</b>	Women 40 and older who reported that they have not had a mammogram in the past two years.	31.8 (21.5-42.2)	28.1 (26.5-29.6)

## CRIME

Data presented on the North Dakota Attorney General website changed from previous years. In an effort to continue to provide this data, the 2016 variables are defined as follows which differs slightly from the 2010-2013 data:

- Rape: includes statutory rape and forcible rape
- Assault: only includes aggravated assault
- Theft: all other crimes against property

Table 21

Richland County							
	2013	2014	2015	2016	2017	5 year	5-Year Rate
<b>Murder</b>	0	0	0	0	0	0	0.0
<b>Rape</b>	4	8	10	7	5	34	41.7
<b>Robbery</b>	1	2	0	1	0	4	4.9
<b>Aggravated Assault</b>	8	15	11	15	15	64	78.4
<b>Violent Crimes</b>	13	25	21	23	20	102	125.0
<b>Burglary</b>	43	42	38	52	59	234	286.8
<b>Theft</b>	205	224	245	265	238	1,177	1,442.5
<b>Motor Vehicle Theft</b>	13	9	9	18	13	62	76.0
<b>Property Crimes</b>	261	275	292	335	310	1,473	1,805.3
<b>Drug/Narcotic Violations</b>	24	25	26	30	46	151	185.1
<b>Drug Equipment Violations</b>	16	18	23	29	37	123	150.7
<b>Drug Crimes</b>	40	43	49	59	83	274	335.8
<b>Total</b>	314	343	362	417	413	1,849	2,266.1

Table 22

North Dakota							
	2013	2014	2015	2016	2017	5 year	5-Year Rate
<b>Murder</b>	14	19	21	17	12	83	2.2
<b>Rape</b>	394	420	454	390	434	2,092	55.4
<b>Robbery</b>	151	168	157	180	184	840	22.3
<b>Aggravated Assault</b>	1,164	1,164	1,199	1,134	1,217	5,878	155.7
<b>Violent Crimes</b>	1,723	1,771	1,831	1,721	1,847	8,893	235.6
<b>Burglary</b>	2,723	2,553	3,240	3,090	2,703	14,309	379.1
<b>Theft</b>	10,809	11,622	12,932	12,400	12,001	59,764	1583.4
<b>Motor Vehicle Theft</b>	1,307	1,513	1,724	1,890	1,670	8,104	214.7
<b>Property Crimes</b>	14,839	15,688	17,896	17,380	16,374	82,177	2177.3
<b>Drug/Narcotic Violations</b>	4,067	5,223	5,671	6,111	6,476	27,548	729.9
<b>Drug Equipment Violations</b>	3,838	4,712	5,143	5,495	5,995	25,183	667.2
<b>Drug Crimes</b>	7,905	9,935	10,814	11,606	12,471	52,731	1397.1
<b>Total</b>	24,467	27,394	30,541	30,707	30,692	143,801	3810.0

## CHILD HEALTH INDICATORS

The following information is no longer available on the website:

- High school dropouts (dropouts per 1000 persons Grades 9-12)
- Children Ages 0-17 Impacted by Domestic Violence (Percentage of all children ages 0-17)
- Offenses Against Person—Juvenile Court Referrals (Percentage of total juvenile court referrals)
- Alcohol-Related Juvenile Court Referrals (Percentage of juvenile court referrals)

Table 23

Child Indicators: Education 2017	Richland County		North Dakota	
	Count	Percent	Count	Percent
Children ages 3 to 21 enrolled in special education in public schools	314	14.0%	15,175	13.6%
Four-Year High School Cohort Graduation Rate	87.2%		87.0%	
Average Expenditures per Student in Public Schools	\$11,359		\$11,715	
Child Indicators: Economic Health 2017	Richland County		North Dakota	
	Count	Percent	Count	Percent
TANF Recipients Ages 0-19	80	1.9%	4,528	2.3%
SNAP Recipients Ages 0-18	885	23.3%	37,427	20.1%
Eligible recipients of free or reduced price lunch	862	35.5%	37,597	31.8%
Medicaid Recipients Ages 0-20	1,344	27.8%	59,899	28.3%
Median Income for Families with Children Ages 0-17	\$75,793		\$79,077	
Children ages 0 to 17 living in low-income families (<200% of poverty)	1,042	30.5%	50,602	30.3%
Child Indicators: Families and Child Care 2017	Richland County		North Dakota	
	Count	Percent	Count	Percent
Women in the labor force, by age of children (ages 0-17)	1,429	82.2%	60,526	79.6%
Children Ages 0-17 Living in Single Parent Families	688	19.7%	38,264	22.5%
Children in Foster Care	39	1.0%	2,471	1.3%
Victims of child abuse and neglect - services required (percent of suspected victims)	30	24.0%	1,981	29.4%
Births to mothers receiving prenatal care beginning after first trimester or not at all	14	7.3%	1,338	12.5%
Child Indicators: Juvenile Justice 2017	Richland County		North Dakota	
	Count	Percent	Count	Percent
Children Ages 10-17 Referred to Juvenile Court	102	6.5%	3,591	5.0%

