


EMPLOYEE ILLNESS DECISION GUIDE



Do you have vomiting, diarrhea, or jaundice?



DO NOT WORK

- Go home. Do not return to work for at least 24 hours after vomiting and diarrhea symptoms end (72 hours recommended during an outbreak investigation)
- Report symptoms to person in charge
- Person in charge records symptoms on Employee Illness Log
- Person in charge notifies regulatory authority of any employee jaundiced or diagnosed with Salmonella, Shigella, E. coli, norovirus or hepatitis A virus



Does someone in your household have vomiting and/or diarrhea?



WORK WITH PRECAUTIONS

- Reinforce proper handwashing
- Avoid bare-hand contact with ready-to-eat foods or clean dishes
- Go home at first sign of vomiting and/or diarrhea



Do you have a cough, sore throat, fever, runny nose, or infected wound?



WORK WITH PRECAUTIONS

- Notify person in charge of sore throat, fever, and/or infected wound
- Reinforce proper handwashing and protect wound with an impermeable cover or single-use glove
- Avoid bare-hand contact with ready-to-eat foods or clean dishes
- Go home at first sign of vomiting and/or diarrhea



NO RESTRICTION FROM NORMAL WORK DUTIES

- Contact your state or local health department with concerns about other symptoms or conditions

REPORT A FOODBORNE ILLNESS: 1-800-472-2180