

Memo

Please share as appropriate

To: North Dakota Clinical Laboratories
 From: Christie Massen (clmassen@nd.gov)
 Section Chief Officer, Laboratory Services
 Date: 8/16/2021
 Re: Updated Tests

The 2021 Directory of Services was sent out earlier this year. The Directory of Services is a resource meant to guide you from specimen collection through the processing and reporting of tests offered by our laboratory. We have updated the following tests and changes are highlighted in yellow.

<p><i>Chlamydia trachomatis and Neisseria gonorrhoeae</i> PCR CPT CODE: 87491 - Chlamydia 87591 - Gonorrhoeae</p>	<p>Acceptable Specimen: Endocervical, oral, rectal, urine, throat, vaginal, or male urethral specimen in Hologic multi specimen collection kit</p> <p>Contact the Laboratory Services for collection kits. Refer to Specimen Collection and Handling Section for instructions.</p> <p>Stability: Ambient: 60 days; Refrigerated: 60 days</p> <p>Normal Value: Negative</p> <p>Turn Around Time: 1 day</p> <p>*Correctional and Rehabilitation facilities, and Safety Net facilities will be charged \$10</p>	<p>\$20*</p>
<p>Hepatitis A IgM Antibody CLIA CPT CODE: 86709</p>	<p>Acceptable Specimen: 2 ml acute phase serum</p> <p>Stability: Ambient: 2 days; Refrigerated: 7 days; Frozen: >7 days</p> <p>Normal Value: Negative</p> <p>Turn Around Time: 1 day</p>	<p>\$26</p>
<p>Hepatitis B Core Antibody, Total Ig CLIA CPT CODE: 86704 - Total Ig</p>	<p>Acceptable Specimen: 2 ml serum</p> <p>Stability: Ambient: 4 days; Refrigerated: 4 days; Frozen: >4 days</p> <p>Normal Value: Nonreactive</p>	<p>\$26</p>

	Turn Around Time: 1 day	
Hepatitis B Core Antibody, IgM CLIA CPT CODE: 867058	Acceptable Specimen: 2 ml acute phase serum Stability: Ambient: 4 days; Refrigerated: 7 days; Frozen: >7 days Normal Value: Nonreactive Turn Around Time: 1 day	\$26
Hepatitis B Surface Antibody Immune Status (Anti-HBs) CLIA CPT CODE: 86706	Acceptable Specimen: 2 ml serum Stability: Ambient: 1 day; Refrigerated: 7 days; Frozen: >7 days Normal Value: Positive Turn Around Time: 1 day	\$26
Hepatitis B Surface Antigen (HBsAg) CLIA CPT CODE: 87340	Acceptable Specimen: 2 ml serum Stability: Ambient: 3 days; Refrigerated: 7 days; Frozen: >7 days Normal Value: Nonreactive *Confirmatory testing will be performed, at no additional charge, on all reactive specimens Turn Around Time: 1 day	\$26
Hepatitis C Virus Antibody, Total Ig (Anti-HCV) CLIA CPT CODE: 86803	Acceptable Specimen: 2 ml serum Stability: Ambient: 4 days; Refrigerated: 7 days; Frozen: >7 days Normal Value: Nonreactive *Positive tests will reflex to Hepatitis C Virus RNA Turn Around Time: 1 day	\$26

<p>HIV-1, 2 Antibody/HIV-1 p24Antigen Combo CLIA CPT CODE: 87389 - Screen 86689 - Confirmation</p>	<p>Acceptable Specimen: 3 ml serum</p> <p>Stability: Ambient: 3 days; Refrigerated: 7 days; Frozen: >7 days</p> <p>Normal Value: Nonreactive *Confirmatory testing will be performed, at no additional charge, on all reactive specimens following current CDC and CLSI guidelines for 4th Generation HIV Ab/Ag Combo tests.</p> <p>Turn Around Time: 1 day</p>	<p style="text-align: center;">\$10</p>
<p>Lyme Antibody IgG, IgM, and Total Ig CLIA CPT CODE: 86618 - Total 86617 - IgG, IgM Confirmation</p>	<p>Acceptable Specimen: 2 ml of serum</p> <p>Stability: Ambient: 8 hours; Refrigerated: 7 days; Frozen: >7 days</p> <p>Normal Value: Negative</p> <p>*Confirmatory testing will be performed on all positive or equivocal specimens for an additional \$60 charge</p> <p>Turn Around Time: 2 days</p>	<p style="text-align: center;">\$30*</p>
<p>Measles Virus (Rubeola) Antibody, IgG CLIA CPT CODE: 86765</p>	<p>Acceptable Specimen: 2 ml serum</p> <p>Stability: Refrigerated: 9 days; Frozen: >9 days</p> <p>Normal Value: Positive</p> <p>Turn Around Time: 1 day</p>	<p style="text-align: center;">\$30</p>
<p>Mumps Virus Antibody, IgG CLIA CPT CODE: 86735</p>	<p>Acceptable Specimen: 2 ml serum</p> <p>Stability: Refrigerated: 9 days; Frozen: >9 days</p> <p>Normal Value: Positive</p> <p>Turn Around Time: 1 day</p>	<p style="text-align: center;">\$30</p>
<p>Rubella (German Measles) Virus IgM Antibody CLIA CPT CODE: 86762</p>	<p>Acceptable Specimen: 2 ml acute phase serum</p> <p>Stability: Refrigerated: 7 days; Frozen: >7 days</p> <p>Normal Value: Negative</p> <p>Turn Around Time: 1 day</p>	<p style="text-align: center;">\$75</p>

Rubella Virus Antibody, IgG Immune Screen CLIA CPT CODE: 86762	Acceptable Specimen: 2 ml serum Stability: Refrigerated: 7 days; Frozen: >7 days Normal Value: Positive Turn Around Time: 1 day	\$26
SARS-CoV-2 TrimericS IgG CLIA CPT CODE: 86769	Acceptable Specimen: 2 ml serum or plasma Stability: Ambient: 2 days; Refrigerated: 21 days; Frozen: >21 days Normal Value: Negative Turn Around Time: 3 days	No Charge
Varicella zoster Virus Antibody, IgG CLIA CPT CODE: 86787	Acceptable Specimen: 2 ml serum Stability: Refrigerated: 7 days; Frozen: >7 days Normal Value: Positive Turn Around Time: 1 day	\$30

For the updated Directory of Services and/or Test Request Form, please refer to our website:
<http://www.ndhealth.gov/microlab/>

If you have any questions, please contact our facility for the recommended guidance.
We are here to serve you!