

# NORTH DAKOTA

## 2022 ADULT LandLine Cellphone Module Variables Report

### Behavioral Risk Factor Surveillance System

May 31, 2023



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 01: PRE-DIABETES CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 1: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3237	467,740	2209	60.3	58.1-62.5	330	11.6	10.2-13.0	100	3.4	02.6-04.2	109	4.1	03.3-04.9	57	2.1	01.5-02.7	432	18.6	16.8-20.4
Male	1604	231,195	1044	57.0	54.1-59.9	159	11.8	09.8-13.8	53	3.1	02.1-04.1	56	3.5	02.5-04.5	30	2.1	01.3-02.9	262	22.5	19.8-25.2
Female	1633	236,545	1165	63.5	60.6-66.4	171	11.3	09.3-13.3	47	3.6	02.4-04.8	53	4.7	03.3-06.1	27	2.1	01.1-03.1	170	14.8	12.4-17.2
Native	96	18,487	58	55.2	43.4-67.0	10	13.5	05.3-21.7	5	3.4	00.1-06.7	3	3.9	00.0-09.4	4	2.2	00.0-04.4	16	21.8	11.4-32.2
Non-Native	3088	442,585	2120	60.6	58.4-62.8	313	11.4	10.0-12.8	95	3.4	02.6-04.2	104	4.2	03.2-05.2	51	2.0	01.4-02.6	405	18.4	16.4-20.4
18-24	207	57,217	70	32.2	25.3-39.1	23	12.3	07.2-17.4	6	2.9	00.4-05.4	11	4.4	01.7-07.1	5	2.8	00.3-05.3	92	45.4	38.0-52.8
25-34	358	89,516	156	45.0	39.3-50.7	48	13.5	09.6-17.4	20	5.3	02.9-07.7	20	5.3	02.9-07.7	6	1.8	00.2-03.4	108	29.2	24.1-34.3
35-44	409	83,291	218	51.5	46.0-57.0	60	14.6	10.9-18.3	20	4.6	02.4-06.8	28	6.8	04.1-09.5	18	3.5	01.7-05.3	65	18.9	14.2-23.6
45-54	434	64,139	278	64.0	59.1-68.9	49	10.6	07.5-13.7	18	4.1	01.9-06.3	20	5.8	03.1-08.5	11	2.5	00.9-04.1	58	13.2	09.9-16.5
55-64	596	72,244	449	75.1	71.2-79.0	75	13.3	10.2-16.4	17	2.2	01.0-03.4	15	2.1	00.9-03.3	6	1.4	00.0-03.0	34	6.0	03.8-08.2
65+	1233	101,333	1038	83.9	81.5-86.3	75	6.3	04.5-08.1	19	1.3	00.7-01.9	15	1.2	00.6-01.8	11	0.9	00.3-01.5	75	6.3	04.7-07.9
Less Than H.S.	127	32,222	88	57.8	46.6-69.0	9	8.7	02.8-14.6	3	3.7	00.0-07.8	3	2.8	00.0-06.3	1	1.6	00.0-04.7	23	25.3	14.7-35.9
H.S. or G.E.D.	827	125,278	537	56.1	52.0-60.2	74	10.7	08.0-13.4	32	4.1	02.5-05.7	30	4.7	02.7-06.7	12	1.8	00.6-03.0	142	22.8	19.3-26.3
Some Post-H.S.	1000	175,827	688	61.2	57.5-64.9	104	12.1	09.6-14.6	25	2.4	01.2-03.6	27	3.3	01.9-04.7	19	2.3	01.1-03.5	137	18.6	15.5-21.7
College Graduate	1279	133,393	894	63.8	60.7-66.9	142	12.1	09.9-14.3	39	3.7	02.3-05.1	49	5.1	03.5-06.7	25	2.1	01.1-03.1	130	13.2	10.8-15.6
Less than \$15,000	92	13,432	64	60.4	46.7-74.1	5	4.3	00.6-08.0	3	1.4	00.0-03.2	2	4.4	00.0-11.7				18	29.5	15.8-43.2
\$15,000- 24,999	193	25,472	139	60.0	50.6-69.4	7	2.9	00.2-05.6	6	4.9	00.8-09.0	6	3.6	00.3-06.9	3	3.4	00.0-07.9	32	25.2	16.2-34.2
\$25,000- 34,999	273	40,371	192	61.1	53.3-68.9	20	9.7	04.6-14.8	9	2.7	00.5-04.9	9	4.7	01.2-08.2	3	1.5	00.0-03.5	40	20.3	13.4-27.2
\$35,000- 49,999	382	50,861	275	62.1	55.8-68.4	40	12.3	08.2-16.4	7	2.3	00.3-04.3	9	4.4	01.1-07.7	5	2.0	00.0-04.4	46	17.0	11.9-22.1
\$50,000- 99,999	983	139,643	663	60.2	56.5-63.9	108	12.8	10.1-15.5	34	4.1	02.5-05.7	33	3.9	02.3-05.5	16	1.4	00.6-02.2	129	17.6	14.5-20.7
\$100,000- 199,999	584	88,311	382	61.6	57.1-66.1	73	12.7	09.6-15.8	24	4.7	02.5-06.9	29	5.2	03.2-07.2	13	2.6	00.8-04.4	63	13.2	09.9-16.5
\$200,000+	144	21,335	90	57.8	48.4-67.2	25	21.2	13.0-29.4	1	0.5	00.0-01.5	8	4.4	01.1-07.7	4	2.1	00.0-04.3	16	14.0	06.7-21.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 2: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1604	231,195	1044	57.0	54.1-59.9	159	11.8	09.8-13.8	53	3.1	02.1-04.1	56	3.5	02.5-04.5	30	2.1	01.3-02.9	262	22.5	19.8-25.2
Non-Native	1529	218,447	1001	56.9	53.8-60.0	151	11.7	09.7-13.7	51	3.2	02.2-04.2	54	3.7	02.5-04.9	26	2.0	01.0-03.0	246	22.5	19.8-25.2
18-24	104	27,346	35	34.3	24.5-44.1	13	13.8	06.4-21.2	3	2.6	00.0-05.5	3	2.0	00.0-04.4	2	2.2	00.0-05.1	48	45.2	34.8-55.6
25-34	209	47,716	82	38.6	31.3-45.9	29	14.2	08.9-19.5	10	4.4	01.7-07.1	8	3.0	00.8-05.2	4	2.2	00.0-04.7	76	37.5	30.2-44.8
35-44	208	42,089	102	46.5	39.1-53.9	36	17.4	11.7-23.1	8	3.2	00.8-05.6	14	5.7	02.4-09.0	6	2.7	00.5-04.9	42	24.5	17.2-31.8
45-54	216	32,236	132	61.6	54.5-68.7	22	9.4	05.3-13.5	8	3.5	00.6-06.4	9	5.2	01.3-09.1	8	3.4	01.0-05.8	37	16.8	11.5-22.1
55-64	308	36,525	224	72.2	66.5-77.9	31	12.0	07.3-16.7	12	3.0	01.2-04.8	12	3.5	01.5-05.5	4	1.0	00.0-02.0	25	8.3	04.8-11.8
65+	559	45,284	469	84.1	80.6-87.6	28	4.5	02.5-06.5	12	1.7	00.7-02.7	10	1.9	00.7-03.1	6	1.2	00.0-02.4	34	6.5	04.1-08.9
Less Than H.S.	70	17,338	47	50.4	35.9-64.9	5	8.9	01.3-16.5	1	2.1	00.0-06.2	1	2.6	00.0-07.7				16	35.9	20.6-51.2
H.S. or G.E.D.	450	68,733	269	50.8	45.5-56.1	39	10.7	07.0-14.4	21	4.4	02.4-06.4	17	3.8	01.8-05.8	8	2.3	00.7-03.9	96	28.1	23.0-33.2
Some Post-H.S.	487	86,936	310	57.2	52.1-62.3	56	13.9	10.2-17.6	15	2.6	01.0-04.2	14	2.9	01.3-04.5	13	2.9	01.1-04.7	79	20.5	16.2-24.8
College Graduate	594	57,517	416	66.2	61.9-70.5	58	10.3	07.6-13.0	16	2.6	01.2-04.0	24	4.6	02.6-06.6	9	1.3	00.3-02.3	71	15.0	11.5-18.5
\$15,000- 24,999	81	11,135	57	60.0	45.5-74.5	4	4.1	00.0-09.4	1	3.3	00.0-09.6	3	3.9	00.0-08.4	1	2.8	00.0-08.1	15	26.0	11.9-40.1
\$25,000- 34,999	119	17,275	79	54.0	42.0-66.0	6	8.4	00.2-16.6	5	3.7	00.0-07.4	6	7.0	00.3-13.7	2	1.4	00.0-03.4	21	25.4	13.6-37.2
\$35,000- 49,999	184	23,202	127	59.1	50.5-67.7	19	13.1	06.8-19.4	6	4.0	00.5-07.5	2	0.9	00.0-02.3	3	2.0	00.0-04.7	27	20.9	13.3-28.5
\$50,000- 99,999	507	73,496	329	58.0	52.7-63.3	55	12.9	09.2-16.6	18	3.1	01.5-04.7	15	2.9	01.1-04.7	9	1.7	00.5-02.9	81	21.6	16.9-26.3
\$100,000- 199,999	328	47,031	205	56.2	49.9-62.5	35	12.7	08.4-17.0	11	3.1	01.1-05.1	19	5.4	02.9-07.9	6	2.5	00.0-05.0	52	20.1	15.0-25.2
\$200,000+	95	13,178	59	57.4	46.0-68.8	17	22.9	12.1-33.7	1	0.8	00.0-02.4	5	3.5	00.4-06.6	3	2.7	00.0-05.8	10	12.6	04.8-20.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 3: WHEN WAS THE LAST TIME YOU HAD A BLOOD TEST FOR HIGH BLOOD SUGAR OR DIABETES BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL? (PDIABTS1)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past yr (LT 12 months ago)			Within past 2 yrs (1 yr but LT 2 yrs)			Within past 3 yrs (2 yrs but LT 3 yrs)			Within past 5 yrs (3 yrs but LT 5 yrs)			Within past 10 yrs (5 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1633	236,545	1165	63.5	60.6-66.4	171	11.3	09.3-13.3	47	3.6	02.4-04.8	53	4.7	03.3-06.1	27	2.1	01.1-03.1	170	14.8	12.4-17.2
Native	52	9,810	34	54.1	38.2-70.0	5	11.1	01.3-20.9	3	5.0	00.0-10.9	1	5.1	00.0-14.7	1	0.9	00.0-02.7	8	23.8	09.3-38.3
Non-Native	1559	224,137	1119	64.2	61.1-67.3	162	11.2	09.2-13.2	44	3.6	02.4-04.8	50	4.7	03.3-06.1	25	2.0	01.0-03.0	159	14.3	11.9-16.7
18-24	103	29,871	35	30.3	21.1-39.5	10	10.9	04.2-17.6	3	3.1	00.0-07.0	8	6.7	02.0-11.4	3	3.4	00.0-07.5	44	45.6	35.0-56.2
25-34	149	41,800	74	52.2	43.6-60.8	19	12.6	06.9-18.3	10	6.2	02.3-10.1	12	7.9	03.4-12.4	2	1.4	00.0-03.4	32	19.8	13.1-26.5
35-44	201	41,202	116	56.7	48.9-64.5	24	11.8	06.9-16.7	12	6.1	02.4-09.8	14	7.9	03.4-12.4	12	4.3	01.8-06.8	23	13.2	07.3-19.1
45-54	218	31,903	146	66.4	59.5-73.3	27	11.7	07.2-16.2	10	4.6	01.5-07.7	11	6.3	02.4-10.2	3	1.5	00.0-03.5	21	9.5	05.4-13.6
55-64	288	35,720	225	78.0	72.5-83.5	44	14.6	10.1-19.1	5	1.5	00.1-02.9	3	0.6	00.0-01.4	2	1.7	00.0-04.6	9	3.6	01.1-06.1
65+	674	56,049	569	83.7	80.4-87.0	47	7.8	05.3-10.3	7	1.0	00.2-01.8	5	0.6	00.0-01.2	5	0.7	00.0-01.5	41	6.2	04.0-08.4
Less Than H.S.	57	14,883	41	66.4	50.3-82.5	4	8.5	00.0-17.5	2	5.7	00.0-13.3	2	3.0	00.0-07.7	1	3.5	00.0-10.2	7	12.9	00.4-25.4
H.S. or G.E.D.	377	56,545	268	62.5	56.2-68.8	35	10.6	06.7-14.5	11	3.6	01.1-06.1	13	5.8	02.3-09.3	4	1.2	00.0-02.6	46	16.4	11.5-21.3
Some Post-H.S.	513	88,890	378	65.2	59.9-70.5	48	10.4	07.3-13.5	10	2.1	00.5-03.7	13	3.7	01.5-05.9	6	1.8	00.2-03.4	58	16.8	12.3-21.3
College Graduate	685	75,876	478	62.0	57.7-66.3	84	13.5	10.4-16.6	23	4.5	02.5-06.5	25	5.5	03.1-07.9	16	2.8	01.2-04.4	59	11.8	08.7-14.9
Less than \$15,000	56	8,203	41	65.1	48.8-81.4	2	2.9	00.0-07.0	2	1.8	00.0-04.3	2	7.2	00.0-18.8				9	22.9	08.6-37.2
\$15,000- 24,999	112	14,337	82	59.9	47.6-72.2	3	2.0	00.0-04.5	5	6.2	00.7-11.7	3	3.3	00.0-07.8	2	4.0	00.0-10.9	17	24.5	12.9-36.1
\$25,000- 34,999	154	23,095	113	66.4	56.6-76.2	14	10.6	04.3-16.9	4	2.0	00.0-04.4	3	2.9	00.0-06.4	1	1.6	00.0-04.7	19	16.4	08.6-24.2
\$35,000- 49,999	198	27,659	148	64.6	55.6-73.6	21	11.6	06.1-17.1	1	0.9	00.0-02.7	7	7.3	01.4-13.2	2	2.0	00.0-05.5	19	13.7	06.8-20.6
\$50,000- 99,999	476	66,147	334	62.8	57.3-68.3	53	12.6	08.7-16.5	16	5.3	02.4-08.2	18	5.0	02.5-07.5	7	1.1	00.3-01.9	48	13.2	09.3-17.1
\$100,000- 199,999	256	41,280	177	67.7	61.0-74.4	38	12.6	08.3-16.9	13	6.6	02.7-10.5	10	4.9	01.8-08.0	7	2.7	00.5-04.9	11	5.4	01.9-08.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3492	513,701	412	9.7	08.5-10.9	28	1.0	00.6-01.4	3052	89.3	88.1-90.5
Male	1749	258,859	208	9.5	07.9-11.1				1541	90.5	88.9-92.1
Female	1743	254,841	204	10.0	08.4-11.6	28	2.0	01.2-02.8	1511	88.0	86.2-89.8
Native	100	18,932	15	11.3	05.0-17.6	1	1.3	00.0-03.8	84	87.4	80.7-94.1
Non-Native	3331	486,746	389	9.7	08.5-10.9	26	1.0	00.6-01.4	2916	89.4	88.2-90.6
18-24	257	71,857	4	1.5	00.0-03.1	1	0.3	00.0-00.9	252	98.2	96.6-99.8
25-34	402	100,346	17	4.6	02.4-06.8	7	2.1	00.3-03.9	378	93.3	90.6-96.0
35-44	451	90,763	29	7.1	04.4-09.8	6	1.2	00.2-02.2	416	91.7	88.8-94.6
45-54	472	69,338	51	10.9	08.0-13.8	6	1.3	00.1-02.5	415	87.8	84.7-90.9
55-64	622	75,576	86	13.8	10.7-16.9	4	0.7	00.0-01.5	532	85.5	82.4-88.6
65+	1288	105,820	225	18.8	16.3-21.3	4	0.2	00.0-00.4	1059	81.0	78.5-83.5
Less Than H.S.	139	36,539	23	12.1	06.4-17.8				116	87.9	82.2-93.6
H.S. or G.E.D.	887	137,622	81	7.6	05.6-09.6	10	1.5	00.3-02.7	796	90.9	88.7-93.1
Some Post-H.S.	1085	193,025	143	11.0	09.0-13.0	10	1.1	00.3-01.9	932	88.0	85.8-90.2
College Graduate	1375	145,097	165	9.6	08.0-11.2	8	0.6	00.2-01.0	1202	89.8	88.2-91.4
Less than \$15,000	104	16,021	9	4.9	01.4-08.4	5	6.6	00.0-13.7	90	88.6	81.0-96.2
\$15,000- 24,999	213	29,938	23	9.8	04.7-14.9	1	0.8	00.0-02.4	189	89.4	84.1-94.7
\$25,000- 34,999	294	44,598	38	9.7	06.0-13.4	1	0.4	00.0-01.2	255	89.9	86.2-93.6
\$35,000- 49,999	404	54,721	56	13.3	09.4-17.2	3	1.2	00.0-02.6	345	85.6	81.5-89.7
\$50,000- 99,999	1056	153,385	134	10.5	08.5-12.5	11	1.2	00.4-02.0	911	88.3	86.1-90.5
\$100,000- 199,999	616	93,676	60	8.9	06.4-11.4	6	1.1	00.1-02.1	550	90.1	87.4-92.8
\$200,000+	149	22,171	17	9.9	04.8-15.0	1	0.8	00.0-02.4	131	89.3	84.0-94.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1749	258,859	208	9.5	07.9-11.1	1541	90.5	88.9-92.1
Non-Native	1665	244,499	199	9.6	08.0-11.2	1466	90.4	88.8-92.0
18-24	138	37,059	2	1.5	00.0-03.7	136	98.5	96.3-0100
25-34	239	54,397	11	6.0	02.5-09.5	228	94.0	90.5-97.5
35-44	240	48,008	14	6.2	02.9-09.5	226	93.8	90.5-97.1
45-54	237	34,946	21	8.7	05.0-12.4	216	91.3	87.6-95.0
55-64	316	37,321	42	13.1	09.0-17.2	274	86.9	82.8-91.0
65+	579	47,130	118	20.7	16.8-24.6	461	79.3	75.4-83.2
Less Than H.S.	79	20,428	8	5.7	01.4-10.0	71	94.3	90.0-98.6
H.S. or G.E.D.	488	77,178	49	7.5	05.0-10.0	439	92.5	90.0-95.0
Some Post-H.S.	537	97,124	73	11.7	08.8-14.6	464	88.3	85.4-91.2
College Graduate	640	63,062	78	9.8	07.4-12.2	562	90.2	87.8-92.6
\$15,000- 24,999	93	13,797	9	5.3	01.4-09.2	84	94.7	90.8-98.6
\$25,000- 34,999	131	19,778	21	10.2	05.1-15.3	110	89.8	84.7-94.9
\$35,000- 49,999	198	26,032	28	11.6	06.7-16.5	170	88.4	83.5-93.3
\$50,000- 99,999	553	82,963	80	12.0	08.9-15.1	473	88.0	84.9-91.1
\$100,000- 199,999	343	49,589	30	8.0	04.7-11.3	313	92.0	88.7-95.3
\$200,000+	98	13,661	9	8.0	02.7-13.3	89	92.0	86.7-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 01: PRE-DIABETES**

**TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD PREDIABETES OR BORDERLINE DIABETES? (PREDIAB2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1743	254,841	204	10.0	08.4-11.6	28	2.0	01.2-02.8	1511	88.0	86.2-89.8
Native	55	9,997	11	16.4	06.4-26.4	1	2.4	00.0-07.1	43	81.1	70.3-91.9
Non-Native	1666	242,247	190	9.7	08.1-11.3	26	2.0	01.2-02.8	1450	88.3	86.5-90.1
18-24	119	34,798	2	1.5	00.0-03.7	1	0.6	00.0-01.8	116	97.9	95.4-0100
25-34	163	45,949	6	2.9	00.5-05.3	7	4.7	01.2-08.2	150	92.4	88.1-96.7
35-44	211	42,755	15	8.1	03.8-12.4	6	2.6	00.4-04.8	190	89.2	84.3-94.1
45-54	235	34,393	30	13.1	08.4-17.8	6	2.6	00.4-04.8	199	84.4	79.3-89.5
55-64	306	38,255	44	14.4	09.7-19.1	4	1.4	00.0-02.8	258	84.1	79.4-88.8
65+	709	58,691	107	17.2	13.7-20.7	4	0.4	00.0-00.8	598	82.4	78.9-85.9
Less Than H.S.	60	16,111	15	20.1	08.7-31.5				45	79.9	68.5-91.3
H.S. or G.E.D.	399	60,444	32	7.7	04.6-10.8	10	3.5	01.0-06.0	357	88.8	84.9-92.7
Some Post-H.S.	548	95,901	70	10.2	07.7-12.7	10	2.1	00.7-03.5	468	87.7	84.8-90.6
College Graduate	735	82,035	87	9.4	07.2-11.6	8	1.1	00.3-01.9	640	89.4	87.0-91.8
Less than \$15,000	62	9,544	6	5.5	00.6-10.4	5	11.0	00.0-22.4	51	83.5	71.5-95.5
\$15,000- 24,999	120	16,141	14	13.6	05.0-22.2	1	1.5	00.0-04.4	105	84.9	76.1-93.7
\$25,000- 34,999	163	24,820	17	9.3	04.0-14.6	1	0.8	00.0-02.4	145	89.9	84.4-95.4
\$35,000- 49,999	206	28,689	28	14.7	08.8-20.6	3	2.2	00.0-04.7	175	83.1	76.8-89.4
\$50,000- 99,999	503	70,423	54	8.7	06.2-11.2	11	2.6	00.8-04.4	438	88.7	85.8-91.6
\$100,000- 199,999	273	44,087	30	9.9	06.0-13.8	6	2.3	00.1-04.5	237	87.9	83.6-92.2
\$200,000+	51	8,510	8	13.0	03.0-23.0	1	2.0	00.0-05.9	42	85.0	74.4-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN1)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022

MODULE 2: DIABETES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 1: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Type 1		N	Type 2	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	313	35,569	31	11.6	07.3-15.9	282	88.4	84.1-92.7
Male	167	18,505	18	11.5	06.0-17.0	149	88.5	83.0-94.0
Female	146	17,064	13	11.7	04.8-18.6	133	88.3	81.4-95.2
Non-Native	287	32,136	29	11.9	07.2-16.6	258	88.1	83.4-92.8
55-64	58	6,802	6	9.8	02.2-17.4	52	90.2	82.6-97.8
65+	187	16,035	9	4.1	01.4-06.8	178	95.9	93.2-98.6
H.S. or G.E.D.	83	9,186	6	7.2	01.1-13.3	77	92.8	86.7-98.9
Some Post-H.S.	111	14,683	10	10.6	03.2-18.0	101	89.4	82.0-96.8
College Graduate	102	8,557	15	22.2	12.0-32.4	87	77.8	67.6-88.0
\$50,000- 99,999	89	10,374	5	7.5	00.0-15.1	84	92.5	84.9-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 2: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Type 1			Type 2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	167	18,505	18	11.5	06.0-17.0	149	88.5	83.0-94.0	
Non-Native	154	16,625	18	12.8	06.7-18.9	136	87.2	81.1-93.3	
65+	99	8,387	5	4.5	00.4-08.6	94	95.5	91.4-99.6	
Some Post-H.S.	52	6,664	7	11.8	02.8-20.8	45	88.2	79.2-97.2	
College Graduate	55	4,204	8	24.1	09.2-39.0	47	75.9	61.0-90.8	
\$50,000- 99,999	53	5,796	4	7.4	00.0-15.2	49	92.6	84.8-0100	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 3: ACCORDING TO YOUR DOCTOR OR OTHER HEALTH PROFESSIONAL, WHAT TYPE OF DIABETES DO YOU HAVE? (DIABTYPE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Type 1		N	Type 2	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	146	17,064	13	11.7	04.8-18.6	133	88.3	81.4-95.2
Non-Native	133	15,511	11	11.0	03.7-18.3	122	89.0	81.7-96.3
65+	88	7,648	4	3.7	00.0-07.4	84	96.3	92.6-0100
Some Post-H.S.	59	8,019	3	9.6	00.0-21.0	56	90.4	79.0-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	341	39,594	135	41.7	35.2-48.2	206	58.3	51.8-64.8
Male	186	21,368	81	47.2	38.4-56.0	105	52.8	44.0-61.6
Female	155	18,226	54	35.4	26.4-44.4	101	64.6	55.6-73.6
Non-Native	311	35,748	122	40.9	34.2-47.6	189	59.1	52.4-65.8
55-64	68	8,177	32	47.0	34.3-59.7	36	53.0	40.3-65.7
65+	200	17,308	74	36.8	29.2-44.4	126	63.2	55.6-70.8
H.S. or G.E.D.	95	11,051	31	38.4	26.2-50.6	64	61.6	49.4-73.8
Some Post-H.S.	121	16,024	48	41.5	31.3-51.7	73	58.5	48.3-68.7
College Graduate	105	8,741	49	45.5	34.5-56.5	56	54.5	43.5-65.5
\$50,000- 99,999	96	11,087	32	35.5	23.0-48.0	64	64.5	52.0-77.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	186	21,368	81	47.2	38.4-56.0	105	52.8	44.0-61.6
Non-Native	170	19,205	74	46.4	37.2-55.6	96	53.6	44.4-62.8
65+	108	9,453	44	40.2	29.6-50.8	64	59.8	49.2-70.4
H.S. or G.E.D.	57	6,595	21	45.6	29.5-61.7	36	54.4	38.3-70.5
Some Post-H.S.	56	7,255	26	47.9	33.4-62.4	30	52.1	37.6-66.6
College Graduate	58	4,387	28	48.1	33.4-62.8	30	51.9	37.2-66.6
\$50,000- 99,999	59	6,408	20	38.0	21.1-54.9	39	62.0	45.1-78.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	155	18,226	54	35.4	26.2-44.6	101	64.6	55.4-73.8
Non-Native	141	16,544	48	34.5	24.9-44.1	93	65.5	55.9-75.1
65+	92	7,855	30	32.7	22.1-43.3	62	67.3	56.7-77.9
Some Post-H.S.	65	8,769	22	36.2	22.1-50.3	43	63.8	49.7-77.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 7: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	321	37,156	186	58.2	51.7-64.7	99	29.3	23.4-35.2	6	2.1	00.3-03.9	10	3.0	00.8-05.2	17	6.2	02.3-10.1	3	1.2	00.0-02.6
Male	173	20,138	103	59.3	50.3-68.3	50	26.6	19.0-34.2	6	3.8	00.7-06.9	6	3.3	00.4-06.2	7	6.0	00.0-12.3	1	0.9	00.0-02.7
Female	148	17,018	83	56.9	47.7-66.1	49	32.6	23.8-41.4				4	2.7	00.0-05.8	10	6.3	02.0-10.6	2	1.5	00.0-03.7
Non-Native	294	33,644	175	60.9	54.2-67.6	88	27.4	21.5-33.3	4	1.5	00.1-02.9	9	3.0	00.6-05.4	15	5.9	01.8-10.0	3	1.3	00.0-02.9
55-64	63	7,702	32	50.4	37.1-63.7	22	35.3	22.6-48.0	3	5.2	00.0-11.1	1	1.3	00.0-03.8	4	6.3	00.2-12.4	1	1.4	00.0-04.1
65+	190	16,613	107	55.9	47.9-63.9	62	31.7	24.3-39.1	2	1.4	00.0-03.4	8	4.7	01.0-08.4	11	6.3	02.2-10.4			
H.S. or G.E.D.	83	9,843	43	55.0	42.5-67.5	27	31.3	19.7-42.9	3	3.3	00.0-07.0	3	2.6	00.0-05.5	5	5.0	00.5-09.5	2	2.9	00.0-07.0
Some Post-H.S.	117	15,134	75	64.6	54.8-74.4	31	26.7	17.5-35.9	2	2.0	00.0-04.7	4	3.3	00.0-07.0	4	2.4	00.0-04.9	1	1.0	00.0-03.0
College Graduate	101	8,401	60	61.2	50.2-72.2	32	27.4	17.8-37.0	1	1.7	00.0-05.0	3	4.4	00.0-10.1	5	5.3	00.2-10.4			
\$50,000- 99,999	94	10,886	56	56.6	43.9-69.3	28	30.2	18.8-41.6	1	1.2	00.0-03.6	3	2.5	00.0-05.4	5	7.9	00.0-18.5	1	1.6	00.0-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 8: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	173	20,138	103	59.3	50.3-68.3	50	26.6	19.0-34.2	6	3.8	00.7-06.9	6	3.3	00.4-06.2	7	6.0	00.0-12.3	1	0.9	00.0-02.7
Non-Native	158	18,048	97	62.9	53.7-72.1	45	24.4	16.8-32.0	4	2.8	00.1-05.5	5	3.1	00.0-06.2	6	5.8	00.0-12.5	1	1.0	00.0-03.0
65+	101	8,901	55	54.7	43.5-65.9	34	32.4	21.8-43.0	2	2.5	00.0-06.0	4	3.6	00.1-07.1	6	6.8	00.9-12.7			
H.S. or G.E.D.	50	6,018	25	53.4	36.9-69.9	19	34.9	19.4-50.4	3	5.4	00.0-11.5	1	1.7	00.0-05.0	1	1.6	00.0-04.7	1	3.0	00.0-08.9
Some Post-H.S.	53	6,880	36	67.9	54.0-81.8	10	18.6	07.2-30.0	2	4.4	00.0-10.5	3	6.2	00.0-13.8	2	2.9	00.0-07.4			
College Graduate	55	4,108	36	71.1	58.4-83.8	14	18.6	08.6-28.6	1	3.5	00.0-10.4	2	3.4	00.0-08.1	2	3.4	00.0-08.1			
\$50,000- 99,999	57	6,207	32	50.7	33.8-67.6	17	27.9	13.8-42.0	1	2.1	00.0-06.2	3	4.4	00.0-09.5	3	12.0	00.0-29.4	1	2.9	00.0-08.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 9: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	148	17,018	83	56.9	47.9-65.9	49	32.6	23.6-41.6	4	2.7	00.0-05.8	10	6.3	02.0-10.6	2	1.5	00.0-03.7
Non-Native	136	15,597	78	58.6	49.2-68.0	43	30.9	21.7-40.1	4	2.9	00.0-06.2	9	6.0	01.7-10.3	2	1.7	00.0-04.1
65+	89	7,712	52	57.4	45.6-69.2	28	30.9	20.3-41.5	4	5.9	00.0-12.6	5	5.8	00.0-11.9			
Some Post-H.S.	64	8,254	39	61.8	48.1-75.5	21	33.5	20.0-47.0	1	0.9	00.0-02.7	2	2.0	00.0-04.7	1	1.9	00.0-05.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 10: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	336	38,493	94	23.6	18.7-28.5	151	46.6	40.3-52.9	42	12.6	08.3-16.9	39	13.4	08.9-17.9	10	3.9	00.8-07.0
Male	183	20,527	48	20.5	14.4-26.6	84	48.0	39.6-56.4	24	12.7	07.0-18.4	21	15.4	08.7-22.1	6	3.5	00.4-06.6
Female	153	17,966	46	27.0	19.0-35.0	67	44.9	35.5-54.3	18	12.6	06.1-19.1	18	11.1	05.4-16.8	4	4.3	00.0-10.0
Non-Native	307	34,789	87	23.8	18.5-29.1	136	46.7	40.0-53.4	40	13.1	08.6-17.6	36	12.9	08.4-17.4	8	3.5	00.2-06.8
55-64	66	7,945	18	25.7	14.3-37.1	31	49.0	36.1-61.9	8	10.7	02.7-18.7	7	10.1	02.7-17.5	2	4.5	00.0-10.8
65+	200	17,308	67	31.5	24.2-38.8	91	49.8	42.0-57.6	19	7.0	03.7-10.3	18	9.5	04.8-14.2	5	2.1	00.1-04.1
H.S. or G.E.D.	94	10,933	27	24.0	14.6-33.4	36	40.5	28.5-52.5	13	16.2	06.8-25.6	14	15.1	06.5-23.7	4	4.2	00.1-08.3
Some Post-H.S.	121	16,024	31	21.0	13.2-28.8	59	46.8	36.6-57.0	13	11.4	04.9-17.9	15	16.3	08.3-24.3	3	4.4	00.0-10.7
College Graduate	102	8,366	33	31.1	20.9-41.3	44	45.8	34.6-57.0	16	15.0	07.0-23.0	7	6.8	01.3-12.3	2	1.3	00.0-03.1
\$50,000- 99,999	94	10,364	26	24.7	15.3-34.1	39	40.6	29.0-52.2	14	14.3	06.5-22.1	14	19.3	09.3-29.3	1	1.1	00.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 11: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	183	20,527	48	20.5	14.4-26.6	84	48.0	39.6-56.4	24	12.7	07.0-18.4	21	15.4	08.7-22.1	6	3.5	00.4-06.6
Non-Native	167	18,363	46	22.0	15.5-28.5	75	47.9	39.1-56.7	24	14.2	07.9-20.5	18	13.6	07.3-19.9	4	2.4	00.0-05.1
65+	108	9,453	33	28.4	19.0-37.8	55	55.6	45.0-66.2	12	8.0	03.1-12.9	6	6.8	00.9-12.7	2	1.1	00.0-02.7
H.S. or G.E.D.	57	6,595	10	14.2	05.0-23.4	26	45.6	29.9-61.3	10	18.9	06.7-31.1	9	17.5	05.2-29.8	2	3.8	00.0-09.1
Some Post-H.S.	56	7,255	15	21.3	10.5-32.1	27	46.7	32.2-61.2	5	9.2	00.8-17.6	8	21.0	07.7-34.3	1	1.9	00.0-05.6
College Graduate	56	4,155	21	35.3	21.6-49.0	21	37.4	22.9-51.9	9	16.7	04.7-28.7	3	8.1	00.0-17.1	2	2.6	00.0-06.1
\$50,000- 99,999	57	5,685	15	23.3	11.3-35.3	27	48.5	33.6-63.4	7	10.2	02.6-17.8	7	16.0	04.2-27.8	1	2.0	00.0-05.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 12: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	153	17,966	46	27.0	18.8-35.2	67	44.9	35.3-54.5	18	12.6	06.1-19.1	18	11.1	05.4-16.8	4	4.3	00.0-10.0
Non-Native	140	16,426	41	25.9	17.5-34.3	61	45.3	35.1-55.5	16	11.9	05.2-18.6	18	12.2	05.9-18.5	4	4.7	00.0-11.0
65+	92	7,855	34	35.3	24.7-45.9	36	42.8	31.6-54.0	7	5.9	01.2-10.6	12	12.7	05.3-20.1	3	3.4	00.0-07.3
Some Post-H.S.	65	8,769	16	20.8	09.6-32.0	32	46.8	32.3-61.3	8	13.3	03.9-22.7	7	12.5	02.7-22.3	2	6.5	00.0-17.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 13: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	302	33,850	73	20.7	15.8-25.6	129	41.9	35.4-48.4	35	11.7	07.4-16.0	33	11.2	06.9-15.5	32	14.5	08.6-20.4
Male	166	18,895	39	19.1	12.8-25.4	68	39.5	30.9-48.1	20	12.9	06.8-19.0	18	11.0	05.3-16.7	21	17.4	08.6-26.2
Female	136	14,954	34	22.7	14.7-30.7	61	45.0	35.2-54.8	15	10.1	04.4-15.8	15	11.4	04.9-17.9	11	10.7	04.0-17.4
Non-Native	276	30,604	68	21.3	16.0-26.6	118	42.0	35.1-48.9	34	12.3	07.8-16.8	30	11.2	06.7-15.7	26	13.1	07.0-19.2
55-64	60	7,150	11	18.0	07.2-28.8	28	46.7	33.0-60.4	7	9.8	02.2-17.4	10	17.0	06.8-27.2	4	8.4	00.2-16.6
65+	182	15,636	54	29.9	22.3-37.5	79	45.8	37.6-54.0	18	8.8	04.1-13.5	15	7.5	03.4-11.6	16	7.9	03.8-12.0
H.S. or G.E.D.	85	9,737	19	19.8	10.6-29.0	34	37.2	25.6-48.8	8	9.7	02.3-17.1	12	10.2	03.9-16.5	12	23.2	10.5-35.9
Some Post-H.S.	108	13,489	21	15.4	08.5-22.3	53	48.0	37.4-58.6	13	13.8	06.4-21.2	12	15.3	06.7-23.9	9	7.5	02.0-13.0
College Graduate	92	7,400	29	31.3	20.5-42.1	35	40.3	28.5-52.1	13	12.0	04.7-19.3	6	5.8	01.1-10.5	9	10.7	02.9-18.5
\$50,000- 99,999	89	10,273	16	16.2	07.6-24.8	34	35.8	23.8-47.8	15	16.8	08.0-25.6	12	15.0	05.6-24.4	12	16.2	04.4-28.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 14: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	166	18,895	39	19.1	12.8-25.4	68	39.5	30.9-48.1	20	12.9	06.8-19.0	18	11.0	05.3-16.7	21	17.4	08.6-26.2
Non-Native	153	17,190	37	20.1	13.2-27.0	62	38.5	29.5-47.5	20	14.2	07.5-20.9	16	10.3	04.6-16.0	18	17.0	07.6-26.4
65+	97	8,497	28	29.0	18.6-39.4	42	44.7	33.5-55.9	10	10.3	02.9-17.7	6	6.2	00.3-12.1	11	9.8	03.5-16.1
H.S. or G.E.D.	52	5,831	8	13.9	03.9-23.9	23	40.3	25.0-55.6	5	10.0	00.0-20.0	8	10.8	02.8-18.8	8	25.0	08.1-41.9
Some Post-H.S.	52	6,754	11	15.7	06.1-25.3	23	41.5	26.8-56.2	8	17.3	05.5-29.1	5	15.2	02.9-27.5	5	10.2	00.8-19.6
\$50,000- 99,999	55	5,994	11	16.4	05.8-27.0	21	35.8	20.7-50.9	8	14.9	04.1-25.7	6	10.9	01.1-20.7	9	22.0	04.0-40.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 15: WHEN WAS THE LAST TIME A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TOOK A PHOTO OF THE BACK OF YOUR EYE WITH A SPECIALIZED CAMERA? (DIABEYE1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	136	14,954	34	22.7	14.7-30.7	61	45.0	35.0-55.0	15	10.1	04.4-15.8	15	11.4	04.9-17.9	11	10.7	04.0-17.4
Non-Native	123	13,414	31	23.0	14.4-31.6	56	46.4	35.6-57.2	14	10.0	04.1-15.9	14	12.4	05.1-19.7	8	8.2	01.7-14.7
65+	85	7,139	26	31.0	19.8-42.2	37	47.1	35.3-58.9	8	7.1	01.8-12.4	9	9.1	03.0-15.2	5	5.7	00.4-11.0
Some Post-H.S.	56	6,735	10	15.0	05.6-24.4	30	54.5	39.6-69.4	5	10.3	01.1-19.5	7	15.3	03.1-27.5	4	4.9	00.0-10.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 16: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	324	38,219	42	12.5	08.4-16.6	24	5.6	03.2-08.0	19	6.1	03.0-09.2	25	7.5	04.2-10.8	15	5.4	02.1-08.7	199	62.9	56.6-69.2
Male	179	20,932	18	8.2	04.1-12.3	15	6.4	02.9-09.9	11	6.5	02.2-10.8	12	6.6	02.7-10.5	8	5.4	01.7-09.1	115	66.8	59.0-74.6
Female	145	17,287	24	17.7	10.1-25.3	9	4.6	01.3-07.9	8	5.5	01.0-10.0	13	8.7	03.0-14.4	7	5.3	00.0-11.2	84	58.2	48.4-68.0
Non-Native	295	34,494	38	12.4	07.9-16.9	21	5.4	02.9-07.9	18	6.5	03.2-09.8	25	8.4	04.7-12.1	15	5.9	02.2-09.6	178	61.4	54.7-68.1
55-64	66	8,080	13	19.3	09.3-29.3	4	2.9	00.0-06.4	6	9.3	01.5-17.1	6	8.7	01.8-15.6	1	1.8	00.0-05.3	36	58.0	45.3-70.7
65+	189	16,546	22	10.5	06.0-15.0	14	7.6	03.3-11.9	9	4.5	00.8-08.2	12	5.0	01.9-08.1	10	5.2	01.7-08.7	122	67.2	59.8-74.6
H.S. or G.E.D.	91	10,662	13	11.9	04.6-19.2	6	4.8	00.7-08.9	6	8.0	01.3-14.7	6	6.0	00.7-11.3	3	1.9	00.0-04.1	57	67.4	56.6-78.2
Some Post-H.S.	118	15,735	14	13.3	05.9-20.7	6	4.9	00.8-09.0	4	4.2	00.0-08.5	13	11.4	04.5-18.3	9	9.1	01.8-16.4	72	57.0	46.4-67.6
College Graduate	95	8,044	15	17.6	08.8-26.4	12	10.5	04.0-17.0	8	6.8	01.3-12.3	6	5.5	00.8-10.2	2	3.0	00.0-07.5	52	56.6	45.2-68.0
\$50,000- 99,999	93	10,814	12	14.0	05.0-23.0	9	6.1	01.8-10.4	3	4.4	00.0-09.9	10	12.3	04.7-19.9	2	1.6	00.0-03.8	57	61.7	49.7-73.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 17: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	179	20,932	18	8.2	03.9-12.5	15	6.4	02.9-09.9	11	6.5	02.2-10.8	12	6.6	02.5-10.7	8	5.4	01.7-09.1	115	66.8	59.0-74.6
Non-Native	163	18,768	18	9.2	04.5-13.9	12	5.6	02.1-09.1	11	7.3	02.6-12.0	12	7.4	02.9-11.9	8	6.0	01.9-10.1	102	64.5	56.1-72.9
65+	102	9,077	14	11.8	05.3-18.3	7	6.7	01.2-12.2	6	6.6	00.3-12.9	3	2.3	00.0-05.2	4	5.1	00.0-10.4	68	67.5	57.1-77.9
H.S. or G.E.D.	54	6,327	6	6.3	00.6-12.0	2	3.5	00.0-08.6	4	9.4	00.4-18.4	2	3.8	00.0-09.3	1	1.3	00.0-03.8	39	75.6	63.1-88.1
Some Post-H.S.	55	7,176	9	15.8	05.6-26.0	2	4.0	00.0-09.7	2	4.1	00.0-10.2	6	11.8	02.4-21.2	4	8.6	00.4-16.8	32	55.8	41.3-70.3
College Graduate	55	4,299	3	4.6	00.0-09.7	11	19.3	07.9-30.7	4	5.3	00.0-10.6	4	7.0	00.0-14.3	2	5.6	00.0-13.8	31	58.2	43.7-72.7
\$50,000- 99,999	57	6,218	5	5.8	00.1-11.5	7	8.8	01.7-15.9	2	4.0	00.0-10.3	6	14.8	03.4-26.2	1	1.1	00.0-03.3	36	65.6	50.7-80.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 18: WHEN WAS THE LAST TIME YOU TOOK A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within past year (LT 12 months ago)			Within last 2 yrs (1 yr but LT 2 yrs)			Within last 3 yrs (2 yrs LT 3 yrs)			Within last 5 yrs (3 to 4 yrs but LT 5 yrs)			Within last 10 yrs (5 to 9 yrs but LT 10 yrs)			10+ yrs ago or Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	145	17,287	24	17.7	10.1-25.3	9	4.6	01.3-07.9	8	5.5	01.0-10.0	13	8.7	03.0-14.4	7	5.3	00.0-11.2	84	58.2	48.2-68.2
Non-Native	132	15,726	20	16.2	08.2-24.2	9	5.1	01.4-08.8	7	5.6	00.7-10.5	13	9.5	03.4-15.6	7	5.8	00.0-12.3	76	57.7	47.1-68.3
65+	87	7,470	8	8.8	02.5-15.1	7	8.7	02.0-15.4	3	2.0	00.0-04.4	9	8.3	02.4-14.2	6	5.4	00.9-09.9	54	66.8	56.2-77.4
Some Post-H.S.	63	8,559	5	11.3	00.9-21.7	4	5.7	00.0-11.4	2	4.4	00.0-10.5	7	11.2	01.6-20.8	5	9.4	00.0-21.0	40	58.1	43.0-73.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 19: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	339	38,977	31	9.3	05.8-12.8	308	90.7	87.2-94.2
Male	185	20,871	22	11.2	06.3-16.1	163	88.8	83.9-93.7
Female	154	18,105	9	7.1	01.8-12.4	145	92.9	87.6-98.2
Non-Native	310	35,252	28	9.2	05.5-12.9	282	90.8	87.1-94.5
55-64	68	8,177	9	12.1	04.5-19.7	59	87.9	80.3-95.5
65+	200	17,308	15	6.9	03.0-10.8	185	93.1	89.2-97.0
H.S. or G.E.D.	93	10,434	8	10.5	03.2-17.8	85	89.5	82.2-96.8
Some Post-H.S.	121	16,024	13	11.5	04.8-18.2	108	88.5	81.8-95.2
College Graduate	105	8,741	10	7.7	02.0-13.4	95	92.3	86.6-98.0
\$50,000- 99,999	96	11,087	9	8.0	02.1-13.9	87	92.0	86.1-97.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 20: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	185	20,871	22	11.2	06.3-16.1	163	88.8	83.9-93.7
Non-Native	169	18,708	21	11.9	06.6-17.2	148	88.1	82.8-93.4
65+	108	9,453	12	10.6	04.1-17.1	96	89.4	82.9-95.9
H.S. or G.E.D.	56	6,098	7	15.7	04.5-26.9	49	84.3	73.1-95.5
Some Post-H.S.	56	7,255	9	13.8	05.0-22.6	47	86.2	77.4-95.0
College Graduate	58	4,387	6	8.5	00.3-16.7	52	91.5	83.3-99.7
\$50,000- 99,999	59	6,408	7	10.3	02.1-18.5	52	89.7	81.5-97.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 2: DIABETES**

**TABLE 21: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	154	18,105	9	7.1	01.8-12.4	145	92.9	87.6-98.2
Non-Native	141	16,544	7	6.1	00.6-11.6	134	93.9	88.4-99.4
65+	92	7,855	3	2.5	00.0-06.0	89	97.5	94.0-0100
Some Post-H.S.	65	8,769	4	9.6	00.0-19.2	61	90.4	80.8-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 7: COVID Vaccination CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
HAVE YOU RECEIVED AT LEAST ONE DOSE OF A COVID-19 VACCINATION? (COVIDVA1)	
1 MALES AND FEMALES	33
2 MALES ONLY	34
3 FEMALES ONLY	35
WOULD YOU SAY YOU WOULD DEFINITELY GET A VACCINE, PROBABLY GET A VACCINE, PROBABLY NOT GET A VACCINE, DEFINITELY NOT GET A VACCINE, OR ARE NOT SURE? (COVACGET)	
4 MALES AND FEMALES	36
5 MALES ONLY	37
6 FEMALES ONLY	38
HOW MANY COVID-19 VACCINATIONS HAVE YOU RECEIVED? (COVIDNU1)	
7 MALES AND FEMALES	39
8 MALES ONLY	40
9 FEMALES ONLY	41
WHICH OF THE FOLLOWING BEST DESCRIBES YOUR INTENT TO TAKE THE RECOMMENDED COVID VACCINATIONS... WOULD YOU SAY YOU HAVE ALREADY RECEIVED ALL RECOMMENDED DOSES, PLAN TO RECEIVE ALL RECOMMENDED DOSES OR DO NOT PLAN TO RECEIVE ALL RECOMMENDED DOSES? (COVIDINT)	
10 MALES AND FEMALES	42
11 MALES ONLY	43
12 FEMALES ONLY	44
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR (FIRST) COVID-19 VACCINATION? (COVIDFS1)	
13 MALES AND FEMALES	45
14 MALES ONLY	46
15 FEMALES ONLY	47
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR SECOND COVID-19 VACCINATION? (COVIDSE1)	
16 MALES AND FEMALES	48
17 MALES ONLY	49
18 FEMALES ONLY	50



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 1: HAVE YOU RECEIVED AT LEAST ONE DOSE OF A COVID-19 VACCINATION? (COVIDVA1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3754	531,895	2819	70.6	68.8-72.4	935	29.4	27.6-31.2
Male	1877	267,907	1343	66.6	64.1-69.1	534	33.4	30.9-35.9
Female	1877	263,988	1476	74.8	72.3-77.3	401	25.2	22.7-27.7
Native	118	21,191	95	79.0	69.8-88.2	23	21.0	11.8-30.2
Non-Native	3575	502,999	2683	70.4	68.4-72.4	892	29.6	27.6-31.6
18-24	241	68,595	150	64.3	57.6-71.0	91	35.7	29.0-42.4
25-34	391	97,789	260	64.4	59.1-69.7	131	35.6	30.3-40.9
35-44	450	90,414	273	60.2	55.1-65.3	177	39.8	34.7-44.9
45-54	471	68,978	326	68.3	63.6-73.0	145	31.7	27.0-36.4
55-64	687	81,349	508	73.7	70.0-77.4	179	26.3	22.6-30.0
65+	1514	124,771	1302	85.9	83.9-87.9	212	14.1	12.1-16.1
Less Than H.S.	156	38,815	107	60.6	50.8-70.4	49	39.4	29.6-49.2
H.S. or G.E.D.	943	139,718	645	62.9	59.2-66.6	298	37.1	33.4-40.8
Some Post-H.S.	1184	202,601	848	68.6	65.5-71.7	336	31.4	28.3-34.5
College Graduate	1469	150,311	1217	83.1	80.9-85.3	252	16.9	14.7-19.1
Less than \$15,000	129	18,189	97	75.2	66.0-84.4	32	24.8	15.6-34.0
\$15,000- 24,999	254	32,836	197	75.1	67.8-82.4	57	24.9	17.6-32.2
\$25,000- 34,999	338	49,203	253	68.3	61.4-75.2	85	31.7	24.8-38.6
\$35,000- 49,999	450	58,924	360	74.7	69.6-79.8	90	25.3	20.2-30.4
\$50,000- 99,999	1155	163,659	864	70.1	66.8-73.4	291	29.9	26.6-33.2
\$100,000- 199,999	644	96,183	471	69.8	65.7-73.9	173	30.2	26.1-34.3
\$200,000+	155	22,964	116	69.3	60.5-78.1	39	30.7	21.9-39.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 2: HAVE YOU RECEIVED AT LEAST ONE DOSE OF A COVID-19 VACCINATION? (COVIDVA1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1877	267,907	1343	66.6	64.1-69.1	534	33.4	30.9-35.9
Native	57	10,910	43	76.4	63.1-89.7	14	23.6	10.3-36.9
Non-Native	1787	252,648	1277	66.1	63.4-68.8	510	33.9	31.2-36.6
18-24	128	35,312	71	56.1	46.7-65.5	57	43.9	34.5-53.3
25-34	230	52,301	151	65.2	58.5-71.9	79	34.8	28.1-41.5
35-44	233	46,903	125	53.2	46.1-60.3	108	46.8	39.7-53.9
45-54	241	35,436	151	60.4	53.5-67.3	90	39.6	32.7-46.5
55-64	351	40,679	254	71.8	66.5-77.1	97	28.2	22.9-33.5
65+	694	57,277	591	85.2	82.3-88.1	103	14.8	11.9-17.7
Less Than H.S.	95	23,916	62	55.5	43.2-67.8	33	44.5	32.2-56.8
H.S. or G.E.D.	516	78,630	328	59.4	54.5-64.3	188	40.6	35.7-45.5
Some Post-H.S.	576	99,793	385	64.8	60.3-69.3	191	35.2	30.7-39.7
College Graduate	689	65,469	567	81.9	78.6-85.2	122	18.1	14.8-21.4
Less than \$15,000	52	7,437	41	82.1	70.1-94.1	11	17.9	05.9-29.9
\$15,000- 24,999	108	15,383	84	80.4	72.4-88.4	24	19.6	11.6-27.6
\$25,000- 34,999	156	23,037	113	65.4	55.2-75.6	43	34.6	24.4-44.8
\$35,000- 49,999	226	29,378	172	70.2	62.9-77.5	54	29.8	22.5-37.1
\$50,000- 99,999	609	88,078	427	65.0	60.3-69.7	182	35.0	30.3-39.7
\$100,000- 199,999	360	51,018	248	63.3	57.4-69.2	112	36.7	30.8-42.6
\$200,000+	101	13,807	73	64.1	52.9-75.3	28	35.9	24.7-47.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 3: HAVE YOU RECEIVED AT LEAST ONE DOSE OF A COVID-19 VACCINATION? (COVIDVA1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1877	263,988	1476	74.8	72.3-77.3	401	25.2	22.7-27.7
Native	61	10,282	52	81.8	69.3-94.3	9	18.2	05.7-30.7
Non-Native	1788	250,351	1406	74.8	72.3-77.3	382	25.2	22.7-27.7
18-24	113	33,283	79	72.9	64.1-81.7	34	27.1	18.3-35.9
25-34	161	45,488	109	63.4	55.2-71.6	52	36.6	28.4-44.8
35-44	217	43,511	148	67.8	60.9-74.7	69	32.2	25.3-39.1
45-54	230	33,542	175	76.6	70.7-82.5	55	23.4	17.5-29.3
55-64	336	40,670	254	75.6	70.5-80.7	82	24.4	19.3-29.5
65+	820	67,494	711	86.5	83.8-89.2	109	13.5	10.8-16.2
Less Than H.S.	61	14,899	45	68.8	52.9-84.7	16	31.2	15.3-47.1
H.S. or G.E.D.	427	61,088	317	67.4	61.7-73.1	110	32.6	26.9-38.3
Some Post-H.S.	608	102,808	463	72.3	68.0-76.6	145	27.7	23.4-32.0
College Graduate	780	84,842	650	84.1	81.4-86.8	130	15.9	13.2-18.6
Less than \$15,000	77	10,753	56	70.5	57.8-83.2	21	29.5	16.8-42.2
\$15,000- 24,999	146	17,453	113	70.4	59.2-81.6	33	29.6	18.4-40.8
\$25,000- 34,999	182	26,167	140	70.8	61.6-80.0	42	29.2	20.0-38.4
\$35,000- 49,999	224	29,546	188	79.2	72.1-86.3	36	20.8	13.7-27.9
\$50,000- 99,999	546	75,581	437	76.1	71.6-80.6	109	23.9	19.4-28.4
\$100,000- 199,999	284	45,164	223	77.3	71.4-83.2	61	22.7	16.8-28.6
\$200,000+	54	9,156	43	76.9	63.0-90.8	11	23.1	09.2-37.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 4: WOULD YOU SAY YOU WOULD DEFINITELY GET A VACCINE, PROBABLY GET A VACCINE, PROBABLY NOT GET A VACCINE, DEFINITELY NOT GET A VACCINE, OR ARE NOT SURE?  
(COVACGET)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1						2			3			4		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	830	135,136	12	1.7	00.5-02.9	20	2.9	01.5-04.3	197	24.3	21.0-27.6	601	71.1	67.4-74.8			
Male	483	79,602	6	1.0	00.0-02.0	9	2.1	00.5-03.7	102	22.6	18.3-26.9	366	74.3	69.8-78.8			
Female	347	55,535	6	2.9	00.2-05.6	11	3.9	01.2-06.6	95	26.8	21.3-32.3	235	66.4	60.3-72.5			
Non-Native	792	129,250	12	1.8	00.4-03.2	19	2.7	01.3-04.1	193	24.7	21.2-28.2	568	70.7	67.0-74.4			
18-24	76	20,151	1	1.3	00.0-03.8	3	4.8	00.0-10.1	30	39.3	27.5-51.1	42	54.7	42.7-66.7			
25-34	114	29,423	3	2.9	00.0-06.6	6	6.1	01.2-11.0	30	23.6	15.4-31.8	75	67.5	58.3-76.7			
35-44	153	29,958	1	0.6	00.0-01.8	3	1.9	00.0-04.1	37	22.7	15.8-29.6	112	74.9	67.6-82.2			
45-54	135	20,104	2	1.3	00.0-03.3	1	1.1	00.0-03.3	28	20.5	13.1-27.9	104	77.1	69.3-84.9			
55-64	164	19,594	3	3.5	00.0-08.8	1	0.1	00.0-00.3	27	17.2	10.5-23.9	133	79.2	71.4-87.0			
65+	188	15,907	2	0.8	00.0-02.0	6	1.9	00.1-03.7	45	23.6	16.5-30.7	135	73.6	66.5-80.7			
H.S. or G.E.D.	268	46,309	3	1.4	00.0-03.0	10	5.4	01.9-08.9	66	25.5	19.6-31.4	189	67.7	61.2-74.2			
Some Post-H.S.	298	56,047	6	1.9	00.0-03.9	6	2.0	00.2-03.8	65	22.3	17.0-27.6	221	73.9	68.2-79.6			
College Graduate	226	22,098	2	0.6	00.0-01.4	3	0.8	00.0-02.0	55	25.7	19.2-32.2	166	72.9	66.2-79.6			
\$25,000- 34,999	68	11,619	2	4.0	00.0-09.5	3	4.2	00.0-09.3	16	25.4	12.9-37.9	47	66.4	52.9-79.9			
\$35,000- 49,999	79	13,003				3	5.2	00.0-11.9	15	19.1	09.5-28.7	61	75.7	64.9-86.5			
\$50,000- 99,999	274	45,556	4	0.8	00.0-01.8	8	3.7	00.8-06.6	67	26.4	20.1-32.7	195	69.2	62.5-75.9			
\$100,000- 199,999	159	25,808	1	0.3	00.0-00.9	1	1.3	00.0-03.8	32	21.5	14.2-28.8	125	76.9	69.3-84.5			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 5: WOULD YOU SAY YOU WOULD DEFINITELY GET A VACCINE, PROBABLY GET A VACCINE, PROBABLY NOT GET A VACCINE, DEFINITELY NOT GET A VACCINE, OR ARE NOT SURE?  
(COVACGET)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1						2			3			4		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	483	79,602	6	1.0	00.0-02.0	9	2.1	00.5-03.7	102	22.6	18.3-26.9	366	74.3	69.8-78.8			
Non-Native	461	76,161	6	1.0	00.0-02.0	8	1.7	00.3-03.1	100	22.8	18.3-27.3	347	74.5	69.8-79.2			
25-34	73	16,827	2	2.0	00.0-04.9	2	2.9	00.0-07.0	17	22.5	12.3-32.7	52	72.5	61.7-83.3			
35-44	95	18,676				1	1.1	00.0-03.3	18	17.7	09.9-25.5	76	81.3	73.3-89.3			
45-54	84	12,830				1	1.8	00.0-05.3	15	18.6	09.2-28.0	68	79.7	69.9-89.5			
55-64	89	10,529	1	0.4	00.0-01.2	1	0.2	00.0-00.6	18	23.6	13.2-34.0	69	75.9	65.5-86.3			
65+	93	7,723	2	1.7	00.0-04.2	2	1.1	00.0-02.7	16	16.6	08.0-25.2	73	80.6	71.8-89.4			
H.S. or G.E.D.	170	28,721	2	1.6	00.0-04.0	5	3.9	00.2-07.6	36	22.0	15.1-28.9	127	72.5	64.9-80.1			
Some Post-H.S.	172	31,986	3	0.8	00.0-01.8	3	1.7	00.0-03.9	36	21.9	14.8-29.0	130	75.6	68.3-82.9			
College Graduate	114	10,722	1	0.4	00.0-01.2	1	0.2	00.0-00.6	21	18.4	10.6-26.2	91	81.0	73.2-88.8			
\$50,000- 99,999	171	28,557	2	0.3	00.0-00.7	4	2.6	00.0-05.5	42	26.6	18.6-34.6	123	70.5	62.3-78.7			
\$100,000- 199,999	108	17,774				1	2.0	00.0-05.7	19	18.9	10.3-27.5	88	79.1	70.1-88.1			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 6: WOULD YOU SAY YOU WOULD DEFINITELY GET A VACCINE, PROBABLY GET A VACCINE, PROBABLY NOT GET A VACCINE, DEFINITELY NOT GET A VACCINE, OR ARE NOT SURE?  
(COVACGET)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1						2			3			4		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	347	55,535	6	2.9	00.2-05.6	11	3.9	01.2-06.6	95	26.8	21.3-32.3	235	66.4	60.3-72.5			
Non-Native	331	53,089	6	3.0	00.1-05.9	11	4.1	01.2-07.0	93	27.5	21.8-33.2	221	65.4	59.1-71.7			
35-44	58	11,283	1	1.5	00.0-04.4	2	3.3	00.0-08.0	19	31.0	18.5-43.5	36	64.3	51.2-77.4			
45-54	51	7,273	2	3.6	00.0-08.7				13	23.9	11.6-36.2	36	72.5	59.6-85.4			
55-64	75	9,065	2	7.1	00.0-18.1				9	9.9	03.4-16.4	64	83.0	71.2-94.8			
65+	95	8,184				4	2.7	00.0-05.6	29	30.3	19.3-41.3	62	67.0	56.0-78.0			
H.S. or G.E.D.	98	17,587	1	0.9	00.0-02.7	5	7.7	00.6-14.8	30	31.4	20.8-42.0	62	60.0	48.6-71.4			
Some Post-H.S.	126	24,060	3	3.4	00.0-07.9	3	2.4	00.0-05.5	29	22.7	14.3-31.1	91	71.5	62.3-80.7			
College Graduate	112	11,375	1	0.7	00.0-02.1	2	1.4	00.0-03.8	34	32.7	22.7-42.7	75	65.2	55.2-75.2			
\$50,000- 99,999	103	16,999	2	1.7	00.0-04.1	4	5.4	00.0-11.7	25	26.0	15.6-36.4	72	66.9	55.7-78.1			
\$100,000- 199,999	51	8,034	1	1.0	00.0-03.0				13	27.2	13.3-41.1	37	71.8	57.7-85.9			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 7: HOW MANY COVID-19 VACCINATIONS HAVE YOU RECEIVED? (COVIDNU1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2804	374,173	180	7.6	06.2-09.0	857	36.5	34.3-38.7	1294	42.6	40.4-44.8	473	13.2	11.8-14.6
Male	1333	177,205	108	10.4	08.2-12.6	430	38.6	35.3-41.9	587	38.6	35.5-41.7	208	12.5	10.5-14.5
Female	1471	196,968	72	5.1	03.7-06.5	427	34.7	31.6-37.8	707	46.2	43.1-49.3	265	13.9	11.9-15.9
Native	95	16,740	9	13.9	04.1-23.7	29	31.7	20.7-42.7	48	47.1	35.3-58.9	9	7.4	01.7-13.1
Non-Native	2668	352,556	165	7.1	05.9-08.3	816	36.8	34.4-39.2	1230	42.5	40.1-44.9	457	13.5	12.1-14.9
18-24	149	43,837	20	12.6	07.1-18.1	74	48.8	40.0-57.6	50	33.5	25.3-41.7	5	5.2	00.7-09.7
25-34	258	62,661	30	11.8	07.3-16.3	125	49.6	42.9-56.3	88	33.0	26.7-39.3	15	5.6	02.7-08.5
35-44	273	54,465	23	7.4	04.3-10.5	123	48.4	41.7-55.1	114	39.9	33.4-46.4	13	4.3	01.9-06.7
45-54	325	47,046	19	6.2	03.3-09.1	119	37.5	31.8-43.2	148	44.4	38.5-50.3	39	11.9	08.2-15.6
55-64	505	59,647	32	6.2	03.8-08.6	162	31.3	26.8-35.8	230	46.8	41.9-51.7	81	15.7	12.2-19.2
65+	1294	106,516	56	4.6	03.2-06.0	254	20.3	17.8-22.8	664	50.2	47.1-53.3	320	24.9	22.2-27.6
Less Than H.S.	107	23,516	9	7.9	01.2-14.6	31	34.8	22.5-47.1	55	43.1	31.1-55.1	12	14.1	05.7-22.5
H.S. or G.E.D.	639	87,329	55	10.6	07.5-13.7	203	39.5	34.8-44.2	293	40.0	35.5-44.5	88	9.9	07.5-12.3
Some Post-H.S.	844	138,373	51	7.0	04.8-09.2	280	38.8	34.9-42.7	374	41.0	37.1-44.9	139	13.2	10.8-15.6
College Graduate	1212	124,505	65	6.2	04.4-08.0	342	32.3	29.2-35.4	571	45.9	42.6-49.2	234	15.5	13.3-17.7
Less than \$15,000	97	13,684	8	7.6	01.7-13.5	27	39.1	25.6-52.6	48	45.3	32.6-58.0	14	8.0	02.5-13.5
\$15,000- 24,999	195	24,531	11	7.6	02.7-12.5	53	37.6	28.2-47.0	97	41.3	32.5-50.1	34	13.5	08.0-19.0
\$25,000- 34,999	253	33,604	22	9.3	04.6-14.0	67	31.4	24.1-38.7	120	44.7	37.1-52.3	44	14.5	09.6-19.4
\$35,000- 49,999	357	43,760	21	7.9	04.0-11.8	107	34.6	28.3-40.9	166	42.8	36.3-49.3	63	14.7	10.6-18.8
\$50,000- 99,999	860	114,359	44	6.1	03.9-08.3	271	39.4	35.3-43.5	392	40.1	36.2-44.0	153	14.4	11.7-17.1
\$100,000- 199,999	471	67,179	34	7.9	05.0-10.8	150	36.1	31.0-41.2	205	42.8	37.7-47.9	82	13.3	10.2-16.4
\$200,000+	115	15,758	10	10.8	03.9-17.7	41	33.9	24.5-43.3	51	45.5	35.3-55.7	13	9.8	04.1-15.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 8: HOW MANY COVID-19 VACCINATIONS HAVE YOU RECEIVED? (COVIDNU1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1333	177,205	108	10.4	08.2-12.6	430	38.6	35.3-41.9	587	38.6	35.5-41.7	208	12.5	10.5-14.5
Non-Native	1267	165,885	97	9.4	07.4-11.4	407	38.8	35.5-42.1	561	38.8	35.7-41.9	202	13.0	10.8-15.2
18-24	71	19,825	16	20.5	10.7-30.3	36	50.0	37.3-62.7	18	25.9	14.9-36.9	1	3.6	00.0-10.5
25-34	149	33,801	22	15.7	09.0-22.4	77	51.4	42.6-60.2	41	26.3	18.5-34.1	9	6.6	02.3-10.9
35-44	125	24,952	14	10.5	05.0-16.0	67	58.0	48.6-67.4	40	28.3	19.9-36.7	4	3.2	00.0-06.5
45-54	150	21,339	13	10.3	04.8-15.8	53	36.0	27.6-44.4	69	43.9	35.3-52.5	15	9.8	04.7-14.9
55-64	251	28,919	17	6.2	02.9-09.5	85	33.0	26.7-39.3	112	44.5	37.6-51.4	37	16.3	10.8-21.8
65+	587	48,369	26	5.0	02.8-07.2	112	19.5	15.8-23.2	307	51.6	46.9-56.3	142	23.9	20.0-27.8
Less Than H.S.	62	13,269	4	9.1	00.0-19.9	17	35.1	19.0-51.2	33	38.6	24.5-52.7	8	17.3	04.8-29.8
H.S. or G.E.D.	324	46,252	39	14.8	09.9-19.7	103	37.7	31.2-44.2	139	38.2	31.9-44.5	43	9.3	06.2-12.4
Some Post-H.S.	383	64,378	29	9.2	05.7-12.7	146	44.3	38.4-50.2	153	34.8	29.3-40.3	55	11.7	08.4-15.0
College Graduate	563	53,206	36	8.3	05.6-11.0	163	33.3	28.8-37.8	262	43.4	38.7-48.1	102	15.0	11.9-18.1
\$15,000- 24,999	83	12,307	6	8.9	01.5-16.3	24	42.5	28.4-56.6	40	39.8	26.9-52.7	13	8.8	03.5-14.1
\$25,000- 34,999	113	15,070	11	11.1	03.8-18.4	33	39.7	28.1-51.3	56	41.6	30.6-52.6	13	7.6	02.9-12.3
\$35,000- 49,999	171	20,470	15	11.5	05.2-17.8	53	34.8	26.0-43.6	78	39.9	31.1-48.7	25	13.8	07.7-19.9
\$50,000- 99,999	423	56,872	29	9.1	05.6-12.6	131	39.2	33.3-45.1	191	37.6	32.1-43.1	72	14.1	10.0-18.2
\$100,000- 199,999	248	32,273	23	11.4	06.7-16.1	85	39.0	31.9-46.1	99	36.0	29.3-42.7	41	13.6	08.9-18.3
\$200,000+	72	8,712	7	12.8	03.2-22.4	27	38.1	25.9-50.3	30	39.4	27.2-51.6	8	9.7	02.8-16.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 9: HOW MANY COVID-19 VACCINATIONS HAVE YOU RECEIVED? (COVIDNU1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One			Two			Three			Four or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1471	196,968	72	5.1	03.7-06.5	427	34.7	31.6-37.8	707	46.2	43.1-49.3	265	13.9	11.9-15.9
Native	52	8,406	3	5.1	00.0-11.6	13	25.7	12.0-39.4	30	57.8	42.1-73.5	6	11.4	01.2-21.6
Non-Native	1401	186,671	68	5.1	03.7-06.5	409	35.1	32.0-38.2	669	45.8	42.7-48.9	255	14.0	12.0-16.0
18-24	78	24,013	4	6.1	00.0-12.2	38	47.8	35.8-59.8	32	39.7	27.7-51.7	4	6.5	00.2-12.8
25-34	109	28,860	8	7.3	02.0-12.6	48	47.5	37.3-57.7	47	40.8	31.0-50.6	6	4.5	01.0-08.0
35-44	148	29,513	9	4.8	01.5-08.1	56	40.2	31.2-49.2	74	49.8	40.8-58.8	9	5.3	01.8-08.8
45-54	175	25,707	6	2.9	00.4-05.4	66	38.8	31.0-46.6	79	44.8	36.8-52.8	24	13.6	08.3-18.9
55-64	254	30,728	15	6.2	02.7-09.7	77	29.8	23.3-36.3	118	48.9	42.0-55.8	44	15.1	10.4-19.8
65+	707	58,147	30	4.3	02.5-06.1	142	21.0	17.5-24.5	357	49.0	44.7-53.3	178	25.6	21.9-29.3
H.S. or G.E.D.	315	41,077	16	5.8	02.5-09.1	100	41.6	34.7-48.5	154	42.0	35.3-48.7	45	10.6	07.3-13.9
Some Post-H.S.	461	73,995	22	5.0	02.6-07.4	134	34.0	28.7-39.3	221	46.4	40.9-51.9	84	14.5	11.0-18.0
College Graduate	649	71,299	29	4.7	02.5-06.9	179	31.6	27.3-35.9	309	47.8	43.3-52.3	132	15.9	13.0-18.8
Less than \$15,000	56	7,579	5	6.8	00.1-13.5	15	37.0	20.3-53.7	28	49.7	33.0-66.4	8	6.4	00.1-12.7
\$15,000- 24,999	112	12,225	5	6.2	00.0-12.7	29	32.8	20.8-44.8	57	42.8	30.6-55.0	21	18.2	08.8-27.6
\$25,000- 34,999	140	18,534	11	7.9	02.0-13.8	34	24.7	15.7-33.7	64	47.2	36.8-57.6	31	20.1	12.3-27.9
\$35,000- 49,999	186	23,290	6	4.8	00.0-09.7	54	34.4	25.4-43.4	88	45.4	36.2-54.6	38	15.4	09.7-21.1
\$50,000- 99,999	437	57,488	15	3.2	01.2-05.2	140	39.7	33.8-45.6	201	42.5	37.0-48.0	81	14.6	10.9-18.3
\$100,000- 199,999	223	34,905	11	4.7	01.4-08.0	65	33.4	26.1-40.7	106	49.0	41.4-56.6	41	12.9	08.6-17.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 10: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR INTENT TO TAKE THE RECOMMENDED COVID VACCINATIONS... WOULD YOU SAY YOU HAVE ALREADY RECEIVED ALL RECOMMENDED DOSES, PLAN TO RECEIVE ALL RECOMMENDED DOSES OR DO NOT PLAN TO RECEIVE ALL RECOMMENDED DOSES? (COVIDINT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Already received all recommended doses			Plan to receive all recommended doses			Do not plan to receive all recommended doses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	176	26,802	42	25.4	17.4-33.4	18	12.2	05.9-18.5	116	62.4	53.6-71.2
Male	106	17,380	26	28.6	17.8-39.4	13	13.0	05.7-20.3	67	58.4	47.0-69.8
Female	70	9,422	16	19.4	08.6-30.2	5	10.7	00.0-22.5	49	69.8	55.7-83.9
Non-Native	162	23,738	39	25.4	17.2-33.6	14	11.1	04.6-17.6	109	63.5	54.3-72.7
65+	60	5,140	13	24.7	10.8-38.6	3	3.0	00.0-06.7	44	72.3	58.2-86.4
H.S. or G.E.D.	53	8,336	13	27.7	12.2-43.2	4	8.6	00.0-17.8	36	63.7	47.4-80.0
Some Post-H.S.	52	9,450	12	23.9	10.4-37.4	7	14.0	03.6-24.4	33	62.1	46.8-77.4
College Graduate	63	7,291	14	21.0	10.0-32.0	7	16.9	02.6-31.2	42	62.1	47.0-77.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 11: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR INTENT TO TAKE THE RECOMMENDED COVID VACCINATIONS... WOULD YOU SAY YOU HAVE ALREADY RECEIVED ALL RECOMMENDED DOSES, PLAN TO RECEIVE ALL RECOMMENDED DOSES OR DO NOT PLAN TO RECEIVE ALL RECOMMENDED DOSES? (COVIDINT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Already received all recommended doses			Plan to receive all recommended doses			Do not plan to receive all recommended doses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	106	17,380	26	28.6	17.8-39.4	13	13.0	05.6-20.4	67	58.4	47.0-69.8
Non-Native	95	14,632	24	29.6	18.2-41.0	10	11.6	04.0-19.2	61	58.8	46.8-70.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 12: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR INTENT TO TAKE THE RECOMMENDED COVID VACCINATIONS... WOULD YOU SAY YOU HAVE ALREADY RECEIVED ALL RECOMMENDED DOSES, PLAN TO RECEIVE ALL RECOMMENDED DOSES OR DO NOT PLAN TO RECEIVE ALL RECOMMENDED DOSES? (COVIDINT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Already received all recommended doses			Plan to receive all recommended doses			Do not plan to receive all recommended doses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	70	9,422	16	19.4	08.4-30.4	5	10.7	00.0-22.7	49	69.8	55.7-83.9
Non-Native	67	9,106	15	18.6	07.6-29.6	4	10.4	00.0-22.7	48	71.1	56.6-85.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 13: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR (FIRST) COVID-19 VACCINATION? (COVIDFS1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1st COVID-VAX Jan-Dec 2020			1st COVID-VAX Jan-Jun 2021			1st COVID-VAX Jul-Dec 2021			1st COVID-VAX Jan-Jun 2022			1st COVID-VAX Jul-Dec 2022			1st COVID-VAX Unknown Month known year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2077	281,256	212	9.2	07.8-10.6	1410	65.5	63.0-68.0	285	15.7	13.7-17.7	83	4.8	03.6-06.0	9	0.7	00.1-01.3	78	4.1	02.9-05.3
Male	955	127,588	102	9.2	07.2-11.2	623	63.9	60.2-67.6	149	17.8	14.7-20.9	39	3.8	02.2-05.4	4	0.6	00.0-01.2	38	4.6	02.8-06.4
Female	1122	153,667	110	9.2	07.2-11.2	787	66.7	63.2-70.2	136	13.9	11.2-16.6	44	5.6	03.6-07.6	5	0.7	00.0-01.5	40	3.8	02.4-05.2
Native	69	12,203	4	4.5	00.0-09.2	36	53.7	40.2-67.2	16	24.2	12.6-35.8	7	9.4	01.2-17.6	1	1.8	00.0-05.3	5	6.5	00.4-12.6
Non-Native	1982	266,086	203	9.3	07.9-10.7	1361	66.3	63.8-68.8	261	15.0	13.0-17.0	76	4.7	03.5-05.9	8	0.6	00.0-01.2	73	4.1	02.9-05.3
18-24	123	35,361	9	7.2	02.5-11.9	62	49.7	40.1-59.3	37	30.0	21.2-38.8	7	6.9	01.8-12.0	2	2.2	00.0-05.5	6	4.0	00.7-07.3
25-34	194	46,334	10	5.3	02.0-08.6	121	59.6	52.0-67.2	35	18.0	12.1-23.9	15	9.3	04.6-14.0	3	1.7	00.0-03.7	10	6.1	02.0-10.2
35-44	222	44,270	17	6.6	03.3-09.9	155	70.9	64.4-77.4	35	17.1	11.6-22.6	7	2.2	00.4-04.0				8	3.3	00.9-05.7
45-54	257	36,932	39	14.3	09.8-18.8	167	65.0	58.5-71.5	35	12.5	08.2-16.8	5	3.5	00.4-06.6	2	0.5	00.0-01.1	9	4.2	01.3-07.1
55-64	383	45,030	40	9.4	06.3-12.5	274	73.8	68.9-78.7	42	10.4	06.9-13.9	14	3.9	01.5-06.3				13	2.5	01.1-03.9
65+	898	73,329	97	11.6	09.1-14.1	631	68.5	65.0-72.0	101	11.3	08.9-13.7	35	3.8	02.2-05.4	2	0.3	00.0-00.7	32	4.5	02.5-06.5
Less Than H.S.	63	13,619	4	4.6	00.0-09.3	38	63.5	49.2-77.8	9	13.8	03.4-24.2	4	6.1	00.0-13.0	2	1.5	00.0-03.7	6	10.4	01.4-19.4
H.S. or G.E.D.	439	62,714	34	7.8	04.7-10.9	279	59.2	53.5-64.9	79	20.3	15.4-25.2	26	7.8	04.5-11.1	2	0.8	00.0-02.0	19	4.1	01.9-06.3
Some Post-H.S.	625	105,020	67	9.0	06.6-11.4	410	63.8	59.3-68.3	93	16.8	13.3-20.3	32	5.6	03.2-08.0	2	0.5	00.0-01.1	21	4.3	02.1-06.5
College Graduate	949	99,553	107	11.0	08.8-13.2	682	71.3	68.0-74.6	104	11.9	09.4-14.4	21	2.0	01.0-03.0	3	0.7	00.0-01.9	32	3.2	02.0-04.4
Less than \$15,000	78	11,741	8	8.5	01.2-15.8	44	58.9	45.2-72.6	13	15.1	06.5-23.7	8	12.0	02.2-21.8	1	0.8	00.0-02.4	4	4.7	00.0-09.8
\$15,000- 24,999	123	15,869	12	6.4	02.3-10.5	76	65.7	55.3-76.1	23	17.8	09.4-26.2	5	4.0	00.0-08.1				7	6.0	01.1-10.9
\$25,000- 34,999	171	23,884	17	7.9	03.2-12.6	100	54.7	45.3-64.1	26	16.1	08.7-23.5	16	10.7	04.8-16.6	1	1.2	00.0-03.6	11	9.4	03.5-15.3
\$35,000- 49,999	258	31,743	25	9.6	05.3-13.9	181	64.4	56.6-72.2	31	13.6	07.7-19.5	10	5.7	01.4-10.0	3	3.2	00.0-07.1	8	3.6	00.7-06.5
\$50,000- 99,999	684	91,115	63	8.6	06.2-11.0	480	67.5	63.2-71.8	93	15.3	12.0-18.6	22	4.3	02.1-06.5	2	0.4	00.0-01.0	24	3.9	01.7-06.1
\$100,000- 199,999	389	55,308	46	10.2	07.1-13.3	268	67.5	62.0-73.0	49	15.8	11.3-20.3	11	2.8	00.8-04.8	1	0.2	00.0-00.6	14	3.5	01.3-05.7
\$200,000+	91	12,488	10	10.1	03.8-16.4	63	69.0	58.4-79.6	13	17.3	07.9-26.7	2	0.9	00.0-02.3				3	2.6	00.0-05.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 14: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR (FIRST) COVID-19 VACCINATION? (COVIDFS1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1st COVID-VAX Jan-Dec 2020			1st COVID-VAX Jan-Jun 2021			1st COVID-VAX Jul-Dec 2021			1st COVID-VAX Jan-Jun 2022			1st COVID-VAX Jul-Dec 2022			1st COVID-VAX Unknown Month known year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	955	127,588	102	9.2	07.2-11.2	623	63.9	60.2-67.6	149	17.8	14.7-20.9	39	3.8	02.2-05.4	4	0.6	00.0-01.2	38	4.6	02.8-06.4
Non-Native	911	120,322	98	9.4	07.2-11.6	601	64.9	61.0-68.8	137	17.1	14.0-20.2	35	3.5	02.1-04.9	3	0.5	00.0-01.1	37	4.6	02.6-06.6
18-24	53	14,659	1	2.0	00.0-05.9	23	47.8	32.9-62.7	23	40.2	25.9-54.5				1	1.5	00.0-04.4	5	8.4	01.1-15.7
25-34	111	24,532	4	3.5	00.0-07.2	66	58.4	48.2-68.6	26	21.5	13.5-29.5	7	7.5	02.0-13.0	2	1.9	00.0-04.6	6	7.2	00.7-13.7
35-44	91	18,349	7	7.0	01.3-12.7	61	65.6	54.8-76.4	16	20.5	11.1-29.9	5	3.9	00.2-07.6				2	3.0	00.0-07.1
45-54	118	16,764	19	16.0	08.7-23.3	78	67.4	58.2-76.6	14	9.4	04.5-14.3	1	1.9	00.0-05.6	1	0.6	00.0-01.8	5	4.7	00.4-09.0
55-64	187	21,751	18	8.2	04.1-12.3	134	75.9	69.4-82.4	23	10.9	06.0-15.8	7	2.9	00.5-05.3				5	2.1	00.1-04.1
65+	395	31,534	53	15.4	11.1-19.7	261	64.7	59.0-70.4	47	12.3	08.6-16.0	19	4.5	01.8-07.2				15	3.2	01.4-05.0
H.S. or G.E.D.	229	33,272	13	5.4	02.1-08.7	148	62.2	54.6-69.8	46	23.1	16.0-30.2	13	5.3	02.0-08.6	1	0.7	00.0-02.1	8	3.3	00.9-05.7
Some Post-H.S.	271	46,187	33	10.0	06.1-13.9	173	62.6	55.7-69.5	40	16.8	11.5-22.1	11	3.4	00.9-05.9	2	1.0	00.0-02.4	12	6.2	02.3-10.1
College Graduate	421	40,431	52	11.6	08.3-14.9	284	66.6	61.5-71.7	57	16.1	11.8-20.4	12	2.4	00.4-04.4	1	0.3	00.0-00.9	15	3.0	01.2-04.8
\$15,000- 24,999	53	7,904	8	9.3	01.9-16.7	30	63.4	47.5-79.3	11	19.2	06.7-31.7	2	2.5	00.0-06.6				2	5.5	00.0-12.9
\$25,000- 34,999	69	9,498	5	5.3	00.0-10.8	38	47.8	33.3-62.3	14	22.1	08.2-36.0	8	15.6	04.4-26.8				4	9.2	00.0-18.6
\$35,000- 49,999	114	13,393	9	6.6	01.5-11.7	80	68.7	57.9-79.5	14	13.7	04.9-22.5	4	2.9	00.0-06.8	2	3.4	00.0-08.1	5	4.7	00.0-09.4
\$50,000- 99,999	332	45,228	30	8.4	04.9-11.9	223	65.2	58.7-71.7	54	17.6	12.5-22.7	9	2.8	00.4-05.2	1	0.5	00.0-01.5	15	5.5	01.6-09.4
\$100,000- 199,999	196	25,153	22	8.7	04.8-12.6	126	61.0	53.2-68.8	33	22.8	15.5-30.1	8	4.1	00.6-07.6	1	0.4	00.0-01.2	6	3.1	00.6-05.6
\$200,000+	54	6,226	9	19.0	07.4-30.6	34	61.0	46.9-75.1	7	15.3	04.5-26.1	2	1.8	00.0-04.5				2	2.9	00.0-07.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 15: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR (FIRST) COVID-19 VACCINATION? (COVIDFS1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1st COVID-VAX Jan-Dec 2020			1st COVID-VAX Jan-Jun 2021			1st COVID-VAX Jul-Dec 2021			1st COVID-VAX Jan-Jun 2022			1st COVID-VAX Jul-Dec 2022			1st COVID-VAX Unknown Month known year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1122	153,667	110	9.2	07.2-11.2	787	66.7	63.2-70.2	136	13.9	11.2-16.6	44	5.6	03.6-07.6	5	0.7	00.0-01.5	40	3.8	02.4-05.2
Non-Native	1071	145,764	105	9.3	07.3-11.3	760	67.4	63.9-70.9	124	13.3	10.6-16.0	41	5.6	03.6-07.6	5	0.8	00.0-01.6	36	3.7	02.3-05.1
18-24	70	20,702	8	10.8	03.4-18.2	39	51.1	38.6-63.6	14	22.8	11.8-33.8	7	11.8	03.4-20.2	1	2.7	00.0-07.8	1	0.9	00.0-02.7
25-34	83	21,802	6	7.3	01.4-13.2	55	61.0	49.6-72.4	9	14.1	05.5-22.7	8	11.3	03.7-18.9	1	1.4	00.0-03.9	4	4.9	00.0-09.8
35-44	131	25,921	10	6.3	02.4-10.2	94	74.6	66.6-82.6	19	14.7	07.8-21.6	2	0.9	00.0-02.3				6	3.5	00.8-06.2
45-54	139	20,167	20	12.8	07.1-18.5	89	63.1	54.1-72.1	21	15.1	08.4-21.8	4	4.8	00.0-09.7	1	0.4	00.0-01.2	4	3.8	00.0-07.9
55-64	196	23,279	22	10.5	05.8-15.2	140	71.9	64.6-79.2	19	9.9	05.0-14.8	7	4.8	00.9-08.7				8	2.9	00.7-05.1
65+	503	41,796	44	8.8	06.1-11.5	370	71.4	66.7-76.1	54	10.5	07.6-13.4	16	3.4	01.6-05.2	2	0.5	00.0-01.1	17	5.4	02.5-08.3
H.S. or G.E.D.	210	29,442	21	10.4	05.1-15.7	131	55.9	47.5-64.3	33	17.3	10.8-23.8	13	10.5	04.4-16.6	1	1.0	00.0-03.0	11	5.0	01.7-08.3
Some Post-H.S.	354	58,833	34	8.3	05.2-11.4	237	64.7	58.6-70.8	53	16.8	11.9-21.7	21	7.2	03.7-10.7				9	2.9	00.7-05.1
College Graduate	528	59,122	55	10.6	07.7-13.5	398	74.5	70.0-79.0	47	9.0	06.1-11.9	9	1.7	00.5-02.9	2	1.1	00.0-02.9	17	3.2	01.6-04.8
\$15,000- 24,999	70	7,966	4	3.5	00.0-07.6	46	68.0	54.1-81.9	12	16.5	05.1-27.9	3	5.5	00.0-12.6				5	6.5	00.0-13.0
\$25,000- 34,999	102	14,386	12	9.6	02.7-16.5	62	59.2	47.2-71.2	12	12.2	04.2-20.2	8	7.4	01.3-13.5	1	2.1	00.0-06.0	7	9.6	02.2-17.0
\$35,000- 49,999	144	18,350	16	11.8	05.3-18.3	101	61.2	50.4-72.0	17	13.5	05.9-21.1	6	7.8	01.1-14.5	1	3.0	00.0-08.7	3	2.8	00.0-06.3
\$50,000- 99,999	352	45,887	33	8.9	05.6-12.2	257	69.8	63.7-75.9	39	13.0	08.5-17.5	13	5.8	02.3-09.3	1	0.2	00.0-00.6	9	2.3	00.7-03.9
\$100,000- 199,999	193	30,154	24	11.5	06.6-16.4	142	72.9	65.6-80.2	16	10.0	04.7-15.3	3	1.7	00.0-03.9				8	3.9	00.6-07.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 16: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR SECOND COVID-19 VACCINATION? (COVIDSE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2nd COVID-VAX Jan-Dec 2020			2nd COVID-VAX Jan-Jun 2021			2nd COVID-VAX Jul-Dec 2021			2nd COVID-VAX Jan-Jun 2022			2nd COVID-VAX Jul-Dec 2022			2nd COVID-VAX Unknown Month known year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1811	244,700	78	3.7	02.7-04.7	1122	59.3	56.6-62.0	359	21.1	18.7-23.5	157	10.1	08.3-11.9	17	1.3	00.5-02.1	78	4.5	03.3-05.7
Male	821	107,780	44	4.5	02.9-06.1	470	55.9	51.8-60.0	185	23.2	19.7-26.7	75	9.8	07.3-12.3	9	1.4	00.4-02.4	38	5.3	03.1-07.5
Female	990	136,920	34	3.0	01.8-04.2	652	62.1	58.4-65.8	174	19.4	16.3-22.5	82	10.4	07.9-12.9	8	1.2	00.2-02.2	40	3.9	02.5-05.3
Native	60	10,223	1	0.7	00.0-02.1	29	48.9	34.0-63.8	11	19.0	07.2-30.8	12	18.1	06.9-29.3	1	3.3	00.0-09.6	6	10.1	01.9-18.3
Non-Native	1730	232,221	77	3.8	02.8-04.8	1077	59.7	56.8-62.6	347	21.4	19.0-23.8	141	9.6	07.8-11.4	16	1.2	00.4-02.0	72	4.3	03.1-05.5
18-24	104	30,463	5	4.1	00.6-07.6	45	44.1	33.7-54.5	32	31.2	21.6-40.8	15	14.6	07.5-21.7	1	1.4	00.0-04.1	6	4.6	00.9-08.3
25-34	165	39,376	3	1.2	00.0-02.6	88	49.6	41.4-57.8	42	26.6	19.2-34.0	18	12.3	06.8-17.8	6	4.3	00.8-07.8	8	5.9	01.4-10.4
35-44	189	38,455	1	1.0	00.0-03.0	124	64.8	57.2-72.4	33	17.2	11.3-23.1	23	13.3	07.6-19.0	1	0.7	00.0-01.9	7	3.0	00.6-05.4
45-54	225	32,158	7	2.7	00.5-04.9	140	61.0	53.9-68.1	47	20.6	14.7-26.5	19	9.5	05.0-14.0	2	0.8	00.0-02.0	10	5.4	01.7-09.1
55-64	341	39,950	19	5.0	02.6-07.4	211	65.1	59.6-70.6	74	21.4	16.7-26.1	27	6.5	03.8-09.2	1	0.1	00.0-00.3	9	2.0	00.6-03.4
65+	787	64,299	43	6.3	04.3-08.3	514	64.9	61.0-68.8	131	15.2	12.5-17.9	55	7.3	05.1-09.5	6	0.7	00.1-01.3	38	5.6	03.4-07.8
Less Than H.S.	54	12,514				32	58.0	41.7-74.3	9	14.6	03.2-26.0	6	15.0	02.8-27.2	1	0.9	00.0-02.7	6	11.4	01.6-21.2
H.S. or G.E.D.	373	52,595	17	4.3	01.9-06.7	209	53.6	47.3-59.9	82	22.4	16.9-27.9	39	11.7	07.6-15.8	7	3.5	00.8-06.2	19	4.5	02.1-06.9
Some Post-H.S.	540	90,870	26	3.7	02.1-05.3	324	57.3	52.4-62.2	114	23.2	18.9-27.5	51	10.5	07.4-13.6	3	0.6	00.0-01.4	22	4.6	02.2-07.0
College Graduate	843	88,370	35	3.8	02.4-05.2	556	64.8	61.1-68.5	154	19.1	16.0-22.2	61	8.1	05.9-10.3	6	0.7	00.0-01.5	31	3.5	02.1-04.9
Less than \$15,000	66	10,162	6	7.5	00.2-14.8	31	49.3	33.4-65.2	15	16.6	07.6-25.6	9	17.1	05.3-28.9	1	4.0	00.0-11.6	4	5.5	00.0-11.4
\$15,000- 24,999	113	14,605	4	2.6	00.1-05.1	65	58.9	47.1-70.7	27	25.6	15.2-36.0	11	9.2	02.7-15.7				6	3.7	00.2-07.2
\$25,000- 34,999	150	21,209	8	3.2	00.7-05.7	79	47.3	37.3-57.3	34	23.7	14.5-32.9	15	12.8	05.7-19.9	2	2.1	00.0-05.2	12	10.9	04.2-17.6
\$35,000- 49,999	229	28,250	9	2.8	00.6-05.0	148	61.8	53.6-70.0	39	18.0	11.1-24.9	21	10.3	05.0-15.6	2	2.4	00.0-05.7	10	4.5	01.2-07.8
\$50,000- 99,999	607	79,120	19	3.0	01.4-04.6	385	60.4	55.5-65.3	125	21.8	17.7-25.9	46	9.2	06.3-12.1	8	1.4	00.2-02.6	24	4.3	01.9-06.7
\$100,000- 199,999	335	47,833	17	4.6	02.2-07.0	217	62.1	56.0-68.2	65	22.2	16.7-27.7	22	7.3	03.8-10.8	2	0.8	00.0-02.0	12	2.9	01.1-04.7
\$200,000+	80	10,978	3	3.0	00.0-06.5	45	56.9	44.9-68.9	19	25.4	14.6-36.2	10	11.7	04.3-19.1				3	3.0	00.0-06.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 17: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR SECOND COVID-19 VACCINATION? (COVIDSE1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2nd COVID-VAX Jan-Dec 2020			2nd COVID-VAX Jan-Jun 2021			2nd COVID-VAX Jul-Dec 2021			2nd COVID-VAX Jan-Jun 2022			2nd COVID-VAX Jul-Dec 2022			2nd COVID-VAX Unknown Month known year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	821	107,780	44	4.5	02.9-06.1	470	55.9	51.8-60.0	185	23.2	19.7-26.7	75	9.8	07.3-12.3	9	1.4	00.4-02.4	38	5.3	03.1-07.5
Non-Native	787	102,549	44	4.7	03.1-06.3	454	56.4	52.1-60.7	178	23.6	19.9-27.3	67	9.1	06.6-11.6	8	1.1	00.1-02.1	36	5.1	02.9-07.3
25-34	93	20,569	2	1.3	00.0-03.1	48	49.5	38.3-60.7	26	26.6	17.0-36.2	8	9.7	03.0-16.4	4	4.9	00.0-09.8	5	8.0	00.6-15.4
35-44	75	15,227	1	2.5	00.0-07.2	48	63.5	51.3-75.7	12	14.9	06.5-23.3	10	13.2	04.8-21.6	1	1.6	00.0-04.7	3	4.3	00.0-09.2
45-54	97	13,247	4	3.8	00.0-07.7	55	54.7	43.7-65.7	25	25.2	15.6-34.8	8	9.6	02.7-16.5				5	6.7	00.4-13.0
55-64	167	19,576	12	6.4	02.5-10.3	92	59.4	51.2-67.6	45	26.2	18.9-33.5	13	6.1	02.6-09.6	1	0.2	00.0-00.6	4	1.6	00.0-03.2
65+	350	27,936	25	8.7	05.2-12.2	213	60.8	54.7-66.9	62	17.1	12.6-21.6	31	9.0	05.1-12.9	3	0.8	00.0-01.6	16	3.6	01.6-05.6
H.S. or G.E.D.	190	26,919	6	2.6	00.4-04.8	102	53.7	45.1-62.3	47	24.5	16.9-32.1	26	14.6	08.5-20.7	2	1.6	00.0-04.0	7	3.0	00.6-05.4
Some Post-H.S.	226	37,961	16	5.9	02.6-09.2	125	54.5	46.9-62.1	50	22.6	16.3-28.9	18	7.4	03.5-11.3	3	1.5	00.0-03.3	14	8.1	03.2-13.0
College Graduate	376	35,880	22	5.2	02.8-07.6	227	57.9	52.2-63.6	82	24.2	19.1-29.3	27	7.9	04.6-11.2	4	1.4	00.0-03.4	14	3.4	01.4-05.4
\$25,000- 34,999	62	8,671	3	3.7	00.0-08.8	29	39.2	24.7-53.7	18	29.3	13.8-44.8	6	15.1	02.8-27.4	1	1.8	00.0-05.3	5	10.8	00.4-21.2
\$35,000- 49,999	97	11,339	3	2.3	00.0-05.2	58	60.3	48.0-72.6	18	18.0	08.4-27.6	11	10.8	02.6-19.0	1	2.2	00.0-06.5	6	6.3	00.6-12.0
\$50,000- 99,999	285	37,342	11	3.9	01.2-06.6	163	54.2	47.1-61.3	71	25.4	19.3-31.5	21	8.5	04.4-12.6	5	2.0	00.0-04.2	14	6.2	01.7-10.7
\$100,000- 199,999	166	20,935	11	5.9	02.2-09.6	101	56.1	47.5-64.7	36	25.2	17.4-33.0	11	7.9	02.8-13.0	2	1.8	00.0-04.5	5	3.1	00.4-05.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 7: COVID Vaccination**

**TABLE 18: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR SECOND COVID-19 VACCINATION? (COVIDSE1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		2nd COVID-VAX Jan-Dec 2020			2nd COVID-VAX Jan-Jun 2021			2nd COVID-VAX Jul-Dec 2021			2nd COVID-VAX Jan-Jun 2022			2nd COVID-VAX Jul-Dec 2022			2nd COVID-VAX Unknown Month known year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	990	136,920	34	3.0	01.8-04.2	652	62.1	58.4-65.8	174	19.4	16.3-22.5	82	10.4	07.9-12.9	8	1.2	00.2-02.2	40	3.9	02.5-05.3
Non-Native	943	129,672	33	3.1	01.9-04.3	623	62.3	58.4-66.2	169	19.6	16.3-22.9	74	10.0	07.5-12.5	8	1.3	00.3-02.3	36	3.7	02.3-05.1
18-24	65	19,238	5	6.4	00.7-12.1	31	46.5	33.8-59.2	17	28.8	16.8-40.8	10	15.1	05.9-24.3	1	2.3	00.0-06.6	1	0.9	00.0-02.7
25-34	72	18,806	1	1.1	00.0-03.3	40	49.6	37.4-61.8	16	26.7	15.1-38.3	10	15.2	06.2-24.2	2	3.7	00.0-08.8	3	3.7	00.0-08.0
35-44	114	23,228				76	65.7	55.9-75.5	21	18.7	10.7-26.7	13	13.4	06.0-20.8				4	2.2	00.0-04.4
45-54	128	18,911	3	2.0	00.0-04.4	85	65.4	56.2-74.6	22	17.4	10.1-24.7	11	9.4	03.5-15.3	2	1.4	00.0-03.6	5	4.5	00.0-09.0
55-64	174	20,374	7	3.6	00.9-06.3	119	70.5	63.1-77.9	29	16.8	10.7-22.9	14	6.8	02.5-11.1				5	2.3	00.3-04.3
65+	437	36,363	18	4.4	02.2-06.6	301	68.0	62.7-73.3	69	13.8	10.3-17.3	24	6.0	03.5-08.5	3	0.7	00.0-01.5	22	7.1	03.6-10.6
H.S. or G.E.D.	183	25,676	11	6.0	01.9-10.1	107	53.6	44.6-62.6	35	20.2	12.8-27.6	13	8.7	03.2-14.2	5	5.4	00.3-10.5	12	6.0	02.1-09.9
Some Post-H.S.	314	52,909	10	2.2	00.6-03.8	199	59.3	52.6-66.0	64	23.6	17.7-29.5	33	12.7	08.0-17.4				8	2.1	00.3-03.9
College Graduate	467	52,489	13	2.8	01.0-04.6	329	69.6	64.7-74.5	72	15.7	11.8-19.6	34	8.2	05.3-11.1	2	0.3	00.0-00.7	17	3.5	01.7-05.3
\$15,000- 24,999	65	7,410	2	3.0	00.0-07.1	39	62.2	47.1-77.3	14	22.7	09.4-36.0	5	7.5	00.0-15.3				5	4.6	00.0-09.3
\$25,000- 34,999	88	12,538	5	2.8	00.1-05.5	50	52.9	39.8-66.0	16	19.8	09.0-30.6	9	11.2	03.0-19.4	1	2.4	00.0-06.9	7	11.0	02.6-19.4
\$35,000- 49,999	132	16,911	6	3.2	00.3-06.1	90	62.9	51.9-73.9	21	18.0	08.8-27.2	10	10.0	03.1-16.9	1	2.6	00.0-07.5	4	3.3	00.0-07.2
\$50,000- 99,999	322	41,778	8	2.2	00.6-03.8	222	65.9	59.4-72.4	54	18.6	13.1-24.1	25	9.8	05.5-14.1	3	0.9	00.0-02.1	10	2.6	00.8-04.4
\$100,000- 199,999	169	26,897	6	3.6	00.5-06.7	116	66.8	58.4-75.2	29	19.9	12.5-27.3	11	6.8	02.1-11.5				7	2.8	00.4-05.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 15: ADVERSE CHILDHOOD EXPERIENCE CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

TABLE		PAGE
	DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)	
1	MALES AND FEMALES	53
2	MALES ONLY	54
3	FEMALES ONLY	55
	DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)	
4	MALES AND FEMALES	56
5	MALES ONLY	57
6	FEMALES ONLY	58
	DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)	
7	MALES AND FEMALES	59
8	MALES ONLY	60
9	FEMALES ONLY	61
	DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)	
10	MALES AND FEMALES	62
11	MALES ONLY	63
12	FEMALES ONLY	64
	WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)	
13	MALES AND FEMALES	65
14	MALES ONLY	66
15	FEMALES ONLY	67
	HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)	
16	MALES AND FEMALES	68
17	MALES ONLY	69
18	FEMALES ONLY	70
	NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT- (ACEHURT1)	
19	MALES AND FEMALES	71
20	MALES ONLY	72
21	FEMALES ONLY	73
	HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)	
22	MALES AND FEMALES	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 15: ADVERSE CHILDHOOD EXPERIENCE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
23 MALES ONLY	75
24 FEMALES ONLY	76
HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)	
25 MALES AND FEMALES	77
26 MALES ONLY	78
27 FEMALES ONLY	79
HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETHEM)	
28 MALES AND FEMALES	80
29 MALES ONLY	81
30 FEMALES ONLY	82
HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)	
31 MALES AND FEMALES	83
32 MALES ONLY	84
33 FEMALES ONLY	85
FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)	
34 MALES AND FEMALES	86
35 MALES ONLY	87
36 FEMALES ONLY	88
FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADNED)	
37 MALES AND FEMALES	89
38 MALES ONLY	90
39 FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 1: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3629	511,907	572	20.9	19.1-22.7	3057	79.1	77.3-80.9
Male	1814	256,640	214	15.3	13.1-17.5	1600	84.7	82.5-86.9
Female	1815	255,266	358	26.5	23.8-29.2	1457	73.5	70.8-76.2
Native	113	19,749	25	21.8	12.8-30.8	88	78.2	69.2-87.2
Non-Native	3459	484,656	540	20.9	19.1-22.7	2919	79.1	77.3-80.9
18-24	235	67,248	87	38.0	31.1-44.9	148	62.0	55.1-68.9
25-34	368	91,499	108	31.1	25.8-36.4	260	68.9	63.6-74.2
35-44	434	86,048	116	27.2	22.5-31.9	318	72.8	68.1-77.5
45-54	458	66,900	67	14.5	11.0-18.0	391	85.5	82.0-89.0
55-64	664	79,275	93	14.1	11.2-17.0	571	85.9	83.0-88.8
65+	1470	120,938	101	7.0	05.4-08.6	1369	93.0	91.4-94.6
Less Than H.S.	149	36,243	22	26.7	16.9-36.5	127	73.3	63.5-83.1
H.S. or G.E.D.	900	133,950	147	23.1	19.6-26.6	753	76.9	73.4-80.4
Some Post-H.S.	1147	195,492	183	19.8	16.9-22.7	964	80.2	77.3-83.1
College Graduate	1431	145,772	220	18.9	16.4-21.4	1211	81.1	78.6-83.6
Less than \$15,000	127	17,979	28	24.4	14.8-34.0	99	75.6	66.0-85.2
\$15,000- 24,999	246	30,965	40	24.5	16.7-32.3	206	75.5	67.7-83.3
\$25,000- 34,999	326	47,009	51	21.5	15.2-27.8	275	78.5	72.2-84.8
\$35,000- 49,999	433	55,964	65	23.1	17.6-28.6	368	76.9	71.4-82.4
\$50,000- 99,999	1126	160,486	184	20.5	17.6-23.4	942	79.5	76.6-82.4
\$100,000- 199,999	625	92,426	104	20.0	16.1-23.9	521	80.0	76.1-83.9
\$200,000+	152	22,216	27	19.3	12.0-26.6	125	80.7	73.4-88.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 2: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1814	256,640	214	15.3	13.1-17.5	1600	84.7	82.5-86.9
Native	53	9,744	11	21.3	08.4-34.2	42	78.7	65.8-91.6
Non-Native	1731	242,630	202	15.2	13.0-17.4	1529	84.8	82.6-87.0
18-24	126	35,112	37	29.5	20.9-38.1	89	70.5	61.9-79.1
25-34	216	48,314	50	23.1	17.0-29.2	166	76.9	70.8-83.0
35-44	223	44,062	41	16.9	11.8-22.0	182	83.1	78.0-88.2
45-54	238	34,834	30	13.1	08.4-17.8	208	86.9	82.2-91.6
55-64	339	39,493	30	8.7	05.6-11.8	309	91.3	88.2-94.4
65+	672	54,826	26	4.1	02.3-05.9	646	95.9	94.1-97.7
Less Than H.S.	88	21,322	11	19.0	08.6-29.4	77	81.0	70.6-91.4
H.S. or G.E.D.	494	76,026	72	19.4	15.1-23.7	422	80.6	76.3-84.9
Some Post-H.S.	557	95,786	65	13.2	09.9-16.5	492	86.8	83.5-90.1
College Graduate	674	63,408	66	12.2	09.3-15.1	608	87.8	84.9-90.7
Less than \$15,000	50	7,227	7	10.0	01.2-18.8	43	90.0	81.2-98.8
\$15,000- 24,999	106	14,197	16	19.6	10.4-28.8	90	80.4	71.2-89.6
\$25,000- 34,999	151	21,859	14	12.4	05.5-19.3	137	87.6	80.7-94.5
\$35,000- 49,999	217	27,666	17	11.4	05.9-16.9	200	88.6	83.1-94.1
\$50,000- 99,999	595	86,360	74	15.9	12.2-19.6	521	84.1	80.4-87.8
\$100,000- 199,999	351	49,028	43	14.6	10.1-19.1	308	85.4	80.9-89.9
\$200,000+	98	13,059	13	15.7	07.1-24.3	85	84.3	75.7-92.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 3: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1815	255,266	358	26.5	23.8-29.2	1457	73.5	70.8-76.2
Native	60	10,005	14	22.2	09.9-34.5	46	77.8	65.5-90.1
Non-Native	1728	242,026	338	26.7	24.0-29.4	1390	73.3	70.6-76.0
18-24	109	32,136	50	47.3	37.1-57.5	59	52.7	42.5-62.9
25-34	152	43,185	58	40.2	31.8-48.6	94	59.8	51.4-68.2
35-44	211	41,986	75	37.9	30.6-45.2	136	62.1	54.8-69.4
45-54	220	32,067	37	16.1	11.0-21.2	183	83.9	78.8-89.0
55-64	325	39,782	63	19.5	14.6-24.4	262	80.5	75.6-85.4
65+	798	66,112	75	9.5	07.1-11.9	723	90.5	88.1-92.9
Less Than H.S.	61	14,921	11	37.7	20.5-54.9	50	62.3	45.1-79.5
H.S. or G.E.D.	406	57,924	75	27.9	22.2-33.6	331	72.1	66.4-77.8
Some Post-H.S.	590	99,706	118	26.1	21.6-30.6	472	73.9	69.4-78.4
College Graduate	757	82,364	154	24.0	20.3-27.7	603	76.0	72.3-79.7
Less than \$15,000	77	10,753	21	34.1	20.4-47.8	56	65.9	52.2-79.6
\$15,000- 24,999	140	16,768	24	28.7	16.7-40.7	116	71.3	59.3-83.3
\$25,000- 34,999	175	25,150	37	29.4	20.0-38.8	138	70.6	61.2-80.0
\$35,000- 49,999	216	28,298	48	34.6	26.0-43.2	168	65.4	56.8-74.0
\$50,000- 99,999	531	74,127	110	25.8	21.1-30.5	421	74.2	69.5-78.9
\$100,000- 199,999	274	43,398	61	26.1	19.6-32.6	213	73.9	67.4-80.4
\$200,000+	54	9,156	14	24.4	11.7-37.1	40	75.6	62.9-88.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 4: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3663	518,137	815	24.7	22.9-26.5	2848	75.3	73.5-77.1
Male	1831	260,258	355	21.5	19.1-23.9	1476	78.5	76.1-80.9
Female	1832	257,879	460	28.0	25.5-30.5	1372	72.0	69.5-74.5
Native	113	19,809	50	45.5	34.7-56.3	63	54.5	43.7-65.3
Non-Native	3494	491,065	751	23.9	22.1-25.7	2743	76.1	74.3-77.9
18-24	236	67,549	62	27.3	21.0-33.6	174	72.7	66.4-79.0
25-34	378	94,063	101	28.3	23.2-33.4	277	71.7	66.6-76.8
35-44	440	87,498	125	29.1	24.4-33.8	315	70.9	66.2-75.6
45-54	459	67,190	114	24.8	20.5-29.1	345	75.2	70.9-79.5
55-64	671	79,984	163	24.0	20.5-27.5	508	76.0	72.5-79.5
65+	1479	121,853	250	17.9	15.5-20.3	1229	82.1	79.7-84.5
Less Than H.S.	150	36,692	36	28.3	19.1-37.5	114	71.7	62.5-80.9
H.S. or G.E.D.	903	134,594	225	27.5	24.0-31.0	678	72.5	69.0-76.0
Some Post-H.S.	1164	199,399	271	25.2	22.3-28.1	893	74.8	71.9-77.7
College Graduate	1444	147,001	283	20.8	18.3-23.3	1161	79.2	76.7-81.7
Less than \$15,000	127	17,832	37	30.4	20.4-40.4	90	69.6	59.6-79.6
\$15,000- 24,999	247	31,103	52	24.9	18.0-31.8	195	75.1	68.2-82.0
\$25,000- 34,999	331	48,275	89	26.8	20.9-32.7	242	73.2	67.3-79.1
\$35,000- 49,999	438	57,095	99	25.2	20.1-30.3	339	74.8	69.7-79.9
\$50,000- 99,999	1129	160,828	244	23.6	20.5-26.7	885	76.4	73.3-79.5
\$100,000- 199,999	629	93,461	142	24.1	20.2-28.0	487	75.9	72.0-79.8
\$200,000+	153	22,571	37	26.8	18.8-34.8	116	73.2	65.2-81.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 5: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1831	260,258	355	21.5	19.1-23.9	1476	78.5	76.1-80.9
Native	53	9,804	23	47.3	31.6-63.0	30	52.7	37.0-68.4
Non-Native	1748	246,187	326	20.6	18.2-23.0	1422	79.4	77.0-81.8
18-24	126	34,911	32	25.9	17.5-34.3	94	74.1	65.7-82.5
25-34	224	50,236	57	27.2	20.7-33.7	167	72.8	66.3-79.3
35-44	226	44,790	48	20.4	14.7-26.1	178	79.6	73.9-85.3
45-54	239	35,112	50	20.6	15.1-26.1	189	79.4	73.9-84.9
55-64	342	39,904	71	20.9	16.0-25.8	271	79.1	74.2-84.0
65+	674	55,306	97	15.5	12.2-18.8	577	84.5	81.2-87.8
Less Than H.S.	89	21,771	25	32.7	20.7-44.7	64	67.3	55.3-79.3
H.S. or G.E.D.	495	76,156	107	23.8	19.3-28.3	388	76.2	71.7-80.7
Some Post-H.S.	567	98,288	119	21.2	17.3-25.1	448	78.8	74.9-82.7
College Graduate	679	63,944	104	15.4	12.5-18.3	575	84.6	81.7-87.5
Less than \$15,000	51	7,319	13	24.6	10.5-38.7	38	75.4	61.3-89.5
\$15,000- 24,999	106	14,148	23	22.7	13.3-32.1	83	77.3	67.9-86.7
\$25,000- 34,999	155	22,786	38	23.2	15.0-31.4	117	76.8	68.6-85.0
\$35,000- 49,999	221	28,658	44	21.6	14.9-28.3	177	78.4	71.7-85.1
\$50,000- 99,999	595	86,532	108	19.9	16.0-23.8	487	80.1	76.2-84.0
\$100,000- 199,999	352	49,445	63	19.4	14.5-24.3	289	80.6	75.7-85.5
\$200,000+	99	13,415	19	21.8	12.2-31.4	80	78.2	68.6-87.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 6: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1832	257,879	460	28.0	25.5-30.5	1372	72.0	69.5-74.5
Native	60	10,005	27	43.8	29.1-58.5	33	56.2	41.5-70.9
Non-Native	1746	244,878	425	27.3	24.8-29.8	1321	72.7	70.2-75.2
18-24	110	32,638	30	28.8	19.4-38.2	80	71.2	61.8-80.6
25-34	154	43,827	44	29.7	21.9-37.5	110	70.3	62.5-78.1
35-44	214	42,708	77	38.2	30.9-45.5	137	61.8	54.5-69.1
45-54	220	32,078	64	29.4	22.9-35.9	156	70.6	64.1-77.1
55-64	329	40,080	92	27.1	21.8-32.4	237	72.9	67.6-78.2
65+	805	66,548	153	19.8	16.7-22.9	652	80.2	77.1-83.3
Less Than H.S.	61	14,921	11	21.9	07.4-36.4	50	78.1	63.6-92.6
H.S. or G.E.D.	408	58,438	118	32.3	26.6-38.0	290	67.7	62.0-73.4
Some Post-H.S.	597	101,111	152	29.1	24.6-33.6	445	70.9	66.4-75.4
College Graduate	765	83,058	179	24.9	21.2-28.6	586	75.1	71.4-78.8
Less than \$15,000	76	10,513	24	34.4	20.7-48.1	52	65.6	51.9-79.3
\$15,000- 24,999	141	16,955	29	26.9	16.9-36.9	112	73.1	63.1-83.1
\$25,000- 34,999	176	25,488	51	30.0	21.6-38.4	125	70.0	61.6-78.4
\$35,000- 49,999	217	28,437	55	28.9	21.1-36.7	162	71.1	63.3-78.9
\$50,000- 99,999	534	74,296	136	27.8	23.1-32.5	398	72.2	67.5-76.9
\$100,000- 199,999	277	44,015	79	29.4	22.9-35.9	198	70.6	64.1-77.1
\$200,000+	54	9,156	18	34.1	20.2-48.0	36	65.9	52.0-79.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 7: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3654	515,877	280	11.0	09.6-12.4	3374	89.0	87.6-90.4
Male	1828	259,218	130	9.2	07.4-11.0	1698	90.8	89.0-92.6
Female	1826	256,659	150	12.7	10.5-14.9	1676	87.3	85.1-89.5
Native	113	19,870	16	19.6	10.0-29.2	97	80.4	70.8-90.0
Non-Native	3484	488,506	259	10.6	09.2-12.0	3225	89.4	88.0-90.8
18-24	234	67,139	38	19.0	13.1-24.9	196	81.0	75.1-86.9
25-34	376	93,576	48	14.1	10.2-18.0	328	85.9	82.0-89.8
35-44	436	86,439	73	18.6	14.5-22.7	363	81.4	77.3-85.5
45-54	461	67,369	36	8.0	05.3-10.7	425	92.0	89.3-94.7
55-64	669	79,733	59	8.8	06.4-11.2	610	91.2	88.8-93.6
65+	1478	121,621	26	1.7	00.9-02.5	1452	98.3	97.5-99.1
Less Than H.S.	151	36,813	20	21.5	12.5-30.5	131	78.5	69.5-87.5
H.S. or G.E.D.	901	134,200	69	11.3	08.6-14.0	832	88.7	86.0-91.4
Some Post-H.S.	1158	197,801	103	11.6	09.2-14.0	1055	88.4	86.0-90.8
College Graduate	1442	146,614	88	7.1	05.5-08.7	1354	92.9	91.3-94.5
Less than \$15,000	127	17,996	13	11.4	04.1-18.7	114	88.6	81.3-95.9
\$15,000- 24,999	246	31,005	25	15.4	08.3-22.5	221	84.6	77.5-91.7
\$25,000- 34,999	327	47,555	24	10.8	06.3-15.3	303	89.2	84.7-93.7
\$35,000- 49,999	437	56,874	32	12.1	07.6-16.6	405	87.9	83.4-92.4
\$50,000- 99,999	1132	160,841	80	9.4	07.2-11.6	1052	90.6	88.4-92.8
\$100,000- 199,999	627	93,090	51	10.8	07.7-13.9	576	89.2	86.1-92.3
\$200,000+	152	22,258	15	13.4	06.5-20.3	137	86.6	79.7-93.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 8: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1828	259,218	130	9.2	07.4-11.0	1698	90.8	89.0-92.6
Native	54	9,925	10	22.1	08.4-35.8	44	77.9	64.2-91.6
Non-Native	1744	245,027	119	8.8	07.0-10.6	1625	91.2	89.4-93.0
18-24	125	34,806	18	14.9	08.0-21.8	107	85.1	78.2-92.0
25-34	222	49,688	22	10.9	06.2-15.6	200	89.1	84.4-93.8
35-44	225	44,505	32	14.6	09.5-19.7	193	85.4	80.3-90.5
45-54	240	35,219	13	5.3	02.4-08.2	227	94.7	91.8-97.6
55-64	341	39,768	35	10.3	06.8-13.8	306	89.7	86.2-93.2
65+	675	55,233	10	1.5	00.3-02.7	665	98.5	97.3-99.7
Less Than H.S.	90	21,892	11	16.7	06.7-26.7	79	83.3	73.3-93.3
H.S. or G.E.D.	494	75,960	40	10.4	07.1-13.7	454	89.6	86.3-92.9
Some Post-H.S.	565	97,396	41	8.4	05.7-11.1	524	91.6	88.9-94.3
College Graduate	678	63,870	38	6.5	04.3-08.7	640	93.5	91.3-95.7
Less than \$15,000	50	7,244	7	10.9	01.7-20.1	43	89.1	79.9-98.3
\$15,000- 24,999	106	14,111	10	8.8	02.7-14.9	96	91.2	85.1-97.3
\$25,000- 34,999	154	22,640	6	3.3	00.4-06.2	148	96.7	93.8-99.6
\$35,000- 49,999	220	28,436	10	6.8	02.5-11.1	210	93.2	88.9-97.5
\$50,000- 99,999	598	86,737	43	9.4	06.3-12.5	555	90.6	87.5-93.7
\$100,000- 199,999	351	49,100	24	8.9	05.2-12.6	327	91.1	87.4-94.8
\$200,000+	98	13,101	10	15.2	05.8-24.6	88	84.8	75.4-94.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 9: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1826	256,659	150	12.7	10.5-14.9	1676	87.3	85.1-89.5
Native	59	9,945	6	17.2	03.9-30.5	53	82.8	69.5-96.1
Non-Native	1740	243,479	140	12.4	10.2-14.6	1600	87.6	85.4-89.8
18-24	109	32,333	20	23.3	13.7-32.9	89	76.7	67.1-86.3
25-34	154	43,888	26	17.8	11.3-24.3	128	82.2	75.7-88.7
35-44	211	41,933	41	22.8	16.3-29.3	170	77.2	70.7-83.7
45-54	221	32,150	23	11.1	06.6-15.6	198	88.9	84.4-93.4
55-64	328	39,966	24	7.4	04.3-10.5	304	92.6	89.5-95.7
65+	803	66,388	16	1.8	00.8-02.8	787	98.2	97.2-99.2
Less Than H.S.	61	14,921	9	28.5	12.0-45.0	52	71.5	55.0-88.0
H.S. or G.E.D.	407	58,239	29	12.6	08.1-17.1	378	87.4	82.9-91.9
Some Post-H.S.	593	100,405	62	14.7	11.0-18.4	531	85.3	81.6-89.0
College Graduate	764	82,743	50	7.6	05.2-10.0	714	92.4	90.0-94.8
Less than \$15,000	77	10,753	6	11.7	01.3-22.1	71	88.3	77.9-98.7
\$15,000- 24,999	140	16,894	15	20.9	09.5-32.3	125	79.1	67.7-90.5
\$25,000- 34,999	173	24,915	18	17.6	09.6-25.6	155	82.4	74.4-90.4
\$35,000- 49,999	217	28,437	22	17.4	10.0-24.8	195	82.6	75.2-90.0
\$50,000- 99,999	534	74,105	37	9.4	06.3-12.5	497	90.6	87.5-93.7
\$100,000- 199,999	276	43,990	27	12.9	07.8-18.0	249	87.1	82.0-92.2
\$200,000+	54	9,156	5	10.9	01.1-20.7	49	89.1	79.3-98.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 10: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3660	517,031	203	8.9	07.5-10.3	3457	91.1	89.7-92.5
Male	1832	260,184	105	8.9	07.1-10.7	1727	91.1	89.3-92.9
Female	1828	256,847	98	8.9	06.9-10.9	1730	91.1	89.1-93.1
Native	114	19,930	21	21.1	11.9-30.3	93	78.9	69.7-88.1
Non-Native	3489	489,599	179	8.4	07.0-09.8	3310	91.6	90.2-93.0
18-24	234	66,856	44	21.8	15.5-28.1	190	78.2	71.9-84.5
25-34	378	94,195	44	11.8	08.3-15.3	334	88.2	84.7-91.7
35-44	438	87,060	51	13.4	09.7-17.1	387	86.6	82.9-90.3
45-54	460	67,182	21	5.5	03.1-07.9	439	94.5	92.1-96.9
55-64	670	79,828	27	4.3	02.5-06.1	643	95.7	93.9-97.5
65+	1480	121,910	16	1.3	00.5-02.1	1464	98.7	97.9-99.5
Less Than H.S.	151	36,813	19	21.6	12.4-30.8	132	78.4	69.2-87.6
H.S. or G.E.D.	901	134,296	71	12.5	09.6-15.4	830	87.5	84.6-90.4
Some Post-H.S.	1163	198,585	69	7.6	05.6-09.6	1094	92.4	90.4-94.4
College Graduate	1443	146,887	44	4.3	02.9-05.7	1399	95.7	94.3-97.1
Less than \$15,000	126	17,842	12	12.4	02.8-22.0	114	87.6	78.0-97.2
\$15,000- 24,999	247	31,185	21	14.2	07.5-20.9	226	85.8	79.1-92.5
\$25,000- 34,999	328	47,715	14	7.6	03.7-11.5	314	92.4	88.5-96.3
\$35,000- 49,999	438	57,050	31	12.4	07.9-16.9	407	87.6	83.1-92.1
\$50,000- 99,999	1133	161,105	48	6.5	04.5-08.5	1085	93.5	91.5-95.5
\$100,000- 199,999	629	93,450	32	7.9	05.0-10.8	597	92.1	89.2-95.0
\$200,000+	153	22,571	8	8.4	02.7-14.1	145	91.6	85.9-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 11: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)**  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1832	260,184	105	8.9	07.1-10.7	1727	91.1	89.3-92.9
Native	54	9,925	10	27.5	12.2-42.8	44	72.5	57.2-87.8
Non-Native	1748	245,992	94	8.3	06.5-10.1	1654	91.7	89.9-93.5
18-24	126	34,911	25	22.0	13.6-30.4	101	78.0	69.6-86.4
25-34	223	50,129	24	11.4	06.9-15.9	199	88.6	84.1-93.1
35-44	225	44,656	23	11.8	06.9-16.7	202	88.2	83.3-93.1
45-54	240	35,219	12	6.5	02.8-10.2	228	93.5	89.8-97.2
55-64	342	39,868	13	4.1	01.7-06.5	329	95.9	93.5-98.3
65+	676	55,401	8	1.2	00.2-02.2	668	98.8	97.8-99.8
Less Than H.S.	90	21,892	13	22.4	10.8-34.0	77	77.6	66.0-89.2
H.S. or G.E.D.	495	76,035	47	14.0	10.1-17.9	448	86.0	82.1-89.9
Some Post-H.S.	568	98,280	28	5.9	03.5-08.3	540	94.1	91.7-96.5
College Graduate	678	63,878	17	3.0	01.4-04.6	661	97.0	95.4-98.6
Less than \$15,000	51	7,319	8	22.0	02.0-42.0	43	78.0	58.0-98.0
\$15,000- 24,999	106	14,230	11	12.7	05.1-20.3	95	87.3	79.7-94.9
\$25,000- 34,999	153	22,531	8	8.5	02.6-14.4	145	91.5	85.6-97.4
\$35,000- 49,999	221	28,612	14	10.2	04.7-15.7	207	89.8	84.3-95.3
\$50,000- 99,999	598	86,737	26	7.2	04.3-10.1	572	92.8	89.9-95.7
\$100,000- 199,999	353	49,519	16	6.9	03.4-10.4	337	93.1	89.6-96.6
\$200,000+	99	13,415	7	12.1	03.5-20.7	92	87.9	79.3-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 12: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1828	256,847	98	8.9	06.9-10.9	1730	91.1	89.1-93.1
Native	60	10,005	11	14.8	05.6-24.0	49	85.2	76.0-94.4
Non-Native	1741	243,607	85	8.6	06.6-10.6	1656	91.4	89.4-93.4
18-24	108	31,944	19	21.7	12.3-31.1	89	78.3	68.9-87.7
25-34	155	44,067	20	12.3	07.0-17.6	135	87.7	82.4-93.0
35-44	213	42,404	28	14.9	09.4-20.4	185	85.1	79.6-90.6
45-54	220	31,963	9	4.4	01.5-07.3	211	95.6	92.7-98.5
55-64	328	39,959	14	4.5	02.0-07.0	314	95.5	93.0-98.0
65+	804	66,509	8	1.4	00.4-02.4	796	98.6	97.6-99.6
Less Than H.S.	61	14,921	6	20.4	04.9-35.9	55	79.6	64.1-95.1
H.S. or G.E.D.	406	58,261	24	10.5	06.4-14.6	382	89.5	85.4-93.6
Some Post-H.S.	595	100,305	41	9.1	06.2-12.0	554	90.9	88.0-93.8
College Graduate	765	83,009	27	5.3	03.1-07.5	738	94.7	92.5-96.9
Less than \$15,000	75	10,523	4	5.7	00.0-11.4	71	94.3	88.6-0100
\$15,000- 24,999	141	16,955	10	15.5	04.9-26.1	131	84.5	73.9-95.1
\$25,000- 34,999	175	25,184	6	6.8	01.3-12.3	169	93.2	87.7-98.7
\$35,000- 49,999	217	28,437	17	14.7	07.6-21.8	200	85.3	78.2-92.4
\$50,000- 99,999	535	74,368	22	5.7	03.0-08.4	513	94.3	91.6-97.0
\$100,000- 199,999	276	43,931	16	9.0	04.3-13.7	260	91.0	86.3-95.7
\$200,000+	54	9,156	1	2.9	00.0-08.6	53	97.1	91.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE  
TABLE 13: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3650	515,768	623	23.5	21.7-25.3	2983	74.4	72.4-76.4	44	2.0	01.2-02.8
Male	1825	258,897	319	23.5	21.0-26.0	1481	74.5	72.0-77.0	25	2.0	01.0-03.0
Female	1825	256,871	304	23.6	20.9-26.3	1502	74.3	71.6-77.0	19	2.1	00.9-03.3
Native	113	19,736	46	40.5	29.9-51.1	61	52.0	41.2-62.8	6	7.4	00.7-14.1
Non-Native	3482	488,955	570	22.9	20.9-24.9	2875	75.3	73.3-77.3	37	1.8	01.0-02.6
18-24	234	66,956	87	39.0	31.9-46.1	138	56.5	49.4-63.6	9	4.5	01.0-08.0
25-34	378	94,163	127	37.5	32.0-43.0	238	58.7	53.2-64.2	13	3.8	01.4-06.2
35-44	436	86,660	112	26.8	22.3-31.3	313	70.5	65.8-75.2	11	2.7	00.9-04.5
45-54	458	66,792	114	24.7	20.4-29.0	342	74.8	70.5-79.1	2	0.5	00.0-01.3
55-64	668	79,581	98	15.8	12.5-19.1	567	83.4	80.1-86.7	3	0.8	00.0-01.8
65+	1476	121,616	85	6.4	04.8-08.0	1385	93.1	91.5-94.7	6	0.4	00.0-00.8
Less Than H.S.	150	36,515	33	33.9	23.7-44.1	114	61.6	51.2-72.0	3	4.5	00.0-10.0
H.S. or G.E.D.	897	133,672	184	28.0	24.3-31.7	696	68.9	65.2-72.6	17	3.2	01.6-04.8
Some Post-H.S.	1158	198,229	207	23.8	20.7-26.9	934	74.3	71.2-77.4	17	1.9	00.9-02.9
College Graduate	1443	146,901	199	16.7	14.3-19.1	1237	82.7	80.3-85.1	7	0.6	00.0-01.2
Less than \$15,000	127	17,864	39	41.4	29.8-53.0	85	57.2	45.8-68.6	3	1.3	00.0-03.1
\$15,000- 24,999	243	30,601	40	23.8	16.0-31.6	199	73.7	65.9-81.5	4	2.6	00.1-05.1
\$25,000- 34,999	328	47,771	61	31.1	24.0-38.2	259	65.5	58.4-72.6	8	3.5	01.0-06.0
\$35,000- 49,999	437	56,756	56	20.2	14.9-25.5	375	77.2	71.7-82.7	6	2.6	00.4-04.8
\$50,000- 99,999	1127	160,396	198	23.6	20.3-26.9	916	74.9	71.6-78.2	13	1.5	00.5-02.5
\$100,000- 199,999	628	93,098	110	21.4	17.5-25.3	514	77.7	73.6-81.8	4	1.0	00.0-02.0
\$200,000+	152	22,486	30	24.4	16.4-32.4	122	75.6	67.6-83.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 14: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1825	258,897	319	23.5	21.0-26.0	1481	74.5	72.0-77.0	25	2.0	01.0-03.0
Native	53	9,731	27	48.8	33.1-64.5	23	40.7	25.4-56.0	3	10.5	00.0-22.7
Non-Native	1743	245,184	290	22.7	20.2-25.2	1432	75.7	73.2-78.2	21	1.6	00.8-02.4
18-24	124	34,318	48	40.6	31.0-50.2	72	57.1	47.5-66.7	4	2.3	00.0-04.7
25-34	223	50,096	75	35.1	28.2-42.0	139	59.9	52.8-67.0	9	5.0	01.5-08.5
35-44	225	44,698	49	23.1	17.0-29.2	171	74.7	68.6-80.8	5	2.1	00.1-04.1
45-54	237	34,642	59	25.5	19.4-31.6	177	73.8	67.5-80.1	1	0.7	00.0-02.1
55-64	342	39,911	53	16.7	12.2-21.2	287	82.4	77.7-87.1	2	0.9	00.0-02.3
65+	674	55,230	35	6.3	03.9-08.7	635	93.1	90.7-95.5	4	0.6	00.0-01.4
Less Than H.S.	89	21,594	21	33.1	20.6-45.6	67	65.2	52.7-77.7	1	1.6	00.0-04.7
H.S. or G.E.D.	495	75,836	105	27.2	22.5-31.9	378	68.9	64.0-73.8	12	3.9	01.5-06.3
Some Post-H.S.	563	97,559	105	23.7	19.4-28.0	448	74.6	70.3-78.9	10	1.7	00.5-02.9
College Graduate	677	63,808	88	15.6	12.3-18.9	587	84.1	80.8-87.4	2	0.3	00.0-00.9
Less than \$15,000	51	7,319	16	42.6	23.6-61.6	34	56.9	37.9-75.9	1	0.5	00.0-01.5
\$15,000- 24,999	105	13,920	16	19.6	10.2-29.0	89	80.4	71.0-89.8			
\$25,000- 34,999	153	22,587	25	25.7	16.1-35.3	123	70.7	60.9-80.5	5	3.6	00.3-06.9
\$35,000- 49,999	220	28,319	26	17.1	10.4-23.8	191	80.8	73.9-87.7	3	2.0	00.0-04.4
\$50,000- 99,999	595	86,386	108	24.0	19.5-28.5	476	73.5	69.0-78.0	11	2.5	00.7-04.3
\$100,000- 199,999	351	49,082	68	23.6	18.1-29.1	281	75.6	70.1-81.1	2	0.8	00.0-02.0
\$200,000+	98	13,329	18	25.9	15.1-36.7	80	74.1	63.3-84.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 15: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1825	256,871	304	23.6	20.9-26.3	1502	74.3	71.6-77.0	19	2.1	00.9-03.3
Native	60	10,005	19	32.5	18.2-46.8	38	63.0	48.3-77.7	3	4.5	00.0-10.2
Non-Native	1739	243,771	280	23.2	20.5-25.9	1443	74.8	72.1-77.5	16	2.0	00.8-03.2
18-24	110	32,638	39	37.3	27.3-47.3	66	55.9	45.5-66.3	5	6.8	00.3-13.3
25-34	155	44,067	52	40.3	31.7-48.9	99	57.2	48.6-65.8	4	2.5	00.0-05.2
35-44	211	41,961	63	30.7	23.8-37.6	142	66.1	59.0-73.2	6	3.2	00.5-05.9
45-54	221	32,150	55	23.8	17.7-29.9	165	75.9	69.8-82.0	1	0.3	00.0-00.9
55-64	326	39,670	45	14.8	10.1-19.5	280	84.4	79.5-89.3	1	0.8	00.0-02.2
65+	802	66,386	50	6.5	04.5-08.5	750	93.2	91.2-95.2	2	0.3	00.0-00.7
Less Than H.S.	61	14,921	12	35.1	18.0-52.2	47	56.3	39.1-73.5	2	8.6	00.0-20.6
H.S. or G.E.D.	402	57,836	79	29.0	23.1-34.9	318	68.8	62.9-74.7	5	2.3	00.3-04.3
Some Post-H.S.	595	100,670	102	23.9	19.4-28.4	486	74.1	69.6-78.6	7	2.0	00.4-03.6
College Graduate	766	83,093	111	17.5	14.2-20.8	650	81.6	78.3-84.9	5	0.8	00.0-01.6
Less than \$15,000	76	10,545	23	40.6	26.3-54.9	51	57.5	43.4-71.6	2	1.9	00.0-04.6
\$15,000- 24,999	138	16,681	24	27.2	15.4-39.0	110	68.1	56.3-79.9	4	4.7	00.0-09.4
\$25,000- 34,999	175	25,184	36	35.9	25.9-45.9	136	60.8	50.8-70.8	3	3.3	00.0-07.0
\$35,000- 49,999	217	28,437	30	23.3	15.1-31.5	184	73.5	65.1-81.9	3	3.2	00.0-06.7
\$50,000- 99,999	532	74,011	90	23.3	18.4-28.2	440	76.5	71.6-81.4	2	0.2	00.0-00.6
\$100,000- 199,999	277	44,015	42	18.9	12.8-25.0	233	80.0	73.9-86.1	2	1.1	00.0-02.9
\$200,000+	54	9,156	12	22.2	10.0-34.4	42	77.8	65.6-90.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 16: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)**  
Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3593	506,519	3127	84.8	83.2-86.4	130	3.8	03.0-04.6	336	11.5	10.1-12.9
Male	1792	253,824	1580	86.7	84.7-88.7	63	3.1	02.3-03.9	149	10.2	08.4-12.0
Female	1801	252,695	1547	82.9	80.5-85.3	67	4.4	03.2-05.6	187	12.7	10.7-14.7
Native	112	19,768	75	64.7	54.1-75.3	7	6.8	01.1-12.5	30	28.6	18.4-38.8
Non-Native	3425	479,489	2999	85.4	83.8-87.0	122	3.7	02.9-04.5	304	10.9	09.5-12.3
18-24	229	65,215	198	85.3	80.0-90.6	8	3.1	00.7-05.5	23	11.6	06.9-16.3
25-34	373	92,804	306	81.4	77.1-85.7	14	3.3	01.5-05.1	53	15.3	11.2-19.4
35-44	427	84,749	347	79.3	75.0-83.6	15	3.6	01.6-05.6	65	17.1	13.0-21.2
45-54	450	65,746	383	85.0	81.5-88.5	20	4.7	02.5-06.9	47	10.3	07.2-13.4
55-64	657	78,261	551	82.8	79.5-86.1	29	5.0	03.0-07.0	77	12.2	09.5-14.9
65+	1457	119,745	1342	92.2	90.6-93.8	44	3.2	02.2-04.2	71	4.6	03.4-05.8
Less Than H.S.	144	35,445	125	84.2	76.8-91.6	4	2.7	00.0-06.0	15	13.1	06.2-20.0
H.S. or G.E.D.	879	131,049	750	83.2	80.3-86.1	35	4.0	02.4-05.6	94	12.8	10.1-15.5
Some Post-H.S.	1140	194,714	980	84.0	81.5-86.5	50	4.3	02.9-05.7	110	11.7	09.3-14.1
College Graduate	1428	144,861	1270	87.2	85.0-89.4	41	3.1	02.1-04.1	117	9.7	07.7-11.7
Less than \$15,000	121	17,063	96	77.8	68.2-87.4	4	2.8	00.0-05.9	21	19.4	10.0-28.8
\$15,000- 24,999	243	30,563	206	83.7	77.8-89.6	8	3.5	00.4-06.6	29	12.8	07.5-18.1
\$25,000- 34,999	321	46,412	271	80.9	75.4-86.4	19	5.4	02.7-08.1	31	13.7	08.6-18.8
\$35,000- 49,999	434	56,369	378	81.6	76.5-86.7	18	5.2	02.3-08.1	38	13.2	08.7-17.7
\$50,000- 99,999	1119	159,251	979	85.9	83.4-88.4	38	3.3	02.1-04.5	102	10.8	08.4-13.2
\$100,000- 199,999	620	91,657	543	86.6	83.5-89.7	23	3.3	01.9-04.7	54	10.1	07.2-13.0
\$200,000+	151	22,263	130	85.2	78.7-91.7	2	0.9	00.0-02.3	19	13.9	07.6-20.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 17: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	253,824	1580	86.7	84.7-88.7	63	3.1	02.3-03.9	149	10.2	08.4-12.0
Native	53	9,835	34	64.0	48.7-79.3	2	1.1	00.0-02.7	17	35.0	19.7-50.3
Non-Native	1709	239,722	1516	87.3	85.3-89.3	61	3.3	02.3-04.3	132	9.4	07.6-11.2
18-24	121	33,334	107	89.2	82.9-95.5	3	1.2	00.0-02.8	11	9.6	03.5-15.7
25-34	220	49,415	185	84.1	78.8-89.4	10	4.1	01.4-06.8	25	11.8	07.1-16.5
35-44	220	43,686	189	83.8	78.1-89.5	2	0.7	00.0-01.7	29	15.5	10.0-21.0
45-54	233	34,337	203	85.8	80.7-90.9	10	4.0	01.5-06.5	20	10.2	05.5-14.9
55-64	332	38,510	279	82.5	77.8-87.2	15	5.2	02.5-07.9	38	12.3	08.4-16.2
65+	666	54,541	617	93.2	91.0-95.4	23	3.4	01.8-05.0	26	3.4	01.8-05.0
Less Than H.S.	86	21,014	73	83.1	73.5-92.7	2	1.3	00.0-03.1	11	15.7	06.3-25.1
H.S. or G.E.D.	481	73,590	412	85.1	81.4-88.8	20	3.6	01.8-05.4	49	11.3	07.8-14.8
Some Post-H.S.	556	96,480	484	86.9	83.6-90.2	19	2.8	01.4-04.2	53	10.3	07.4-13.2
College Graduate	668	62,639	610	89.3	86.4-92.2	22	3.8	02.0-05.6	36	6.9	04.5-09.3
\$15,000- 24,999	104	13,713	90	88.9	82.2-95.6	3	2.7	00.0-06.2	11	8.4	02.7-14.1
\$25,000- 34,999	147	21,294	127	86.2	79.1-93.3	8	3.6	00.7-06.5	12	10.2	03.7-16.7
\$35,000- 49,999	218	27,995	191	83.7	77.2-90.2	11	5.8	01.9-09.7	16	10.5	05.0-16.0
\$50,000- 99,999	591	86,004	523	86.6	83.1-90.1	16	2.2	01.0-03.4	52	11.2	07.9-14.5
\$100,000- 199,999	347	48,421	308	87.6	83.7-91.5	14	3.8	01.6-06.0	25	8.6	05.1-12.1
\$200,000+	97	13,106	87	87.8	80.0-95.6	2	1.6	00.0-04.0	8	10.6	03.0-18.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 18: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1801	252,695	1547	82.9	80.7-85.1	67	4.4	03.2-05.6	187	12.7	10.7-14.7
Native	59	9,933	41	65.4	50.7-80.1	5	12.4	01.8-23.0	13	22.2	09.3-35.1
Non-Native	1716	239,767	1483	83.5	81.1-85.9	61	4.0	02.8-05.2	172	12.4	10.2-14.6
18-24	108	31,880	91	81.3	72.9-89.7	5	5.0	00.5-09.5	12	13.7	06.3-21.1
25-34	153	43,389	121	78.3	71.2-85.4	4	2.5	00.0-05.0	28	19.2	12.3-26.1
35-44	207	41,063	158	74.4	67.5-81.3	13	6.7	02.6-10.8	36	18.9	12.8-25.0
45-54	217	31,408	180	84.1	79.0-89.2	10	5.5	02.0-09.0	27	10.4	06.5-14.3
55-64	325	39,751	272	83.0	78.5-87.5	14	4.9	02.2-07.6	39	12.1	08.2-16.0
65+	791	65,204	725	91.3	89.1-93.5	21	3.1	01.7-04.5	45	5.6	03.8-07.4
Less Than H.S.	58	14,431	52	85.9	74.3-97.5	2	4.7	00.0-12.3	4	9.4	00.0-18.8
H.S. or G.E.D.	398	57,459	338	80.9	76.0-85.8	15	4.5	02.0-07.0	45	14.6	10.1-19.1
Some Post-H.S.	584	98,234	496	81.2	77.3-85.1	31	5.8	03.6-08.0	57	13.0	09.5-16.5
College Graduate	760	82,221	660	85.6	82.7-88.5	19	2.6	01.4-03.8	81	11.8	09.1-14.5
Less than \$15,000	74	10,101	60	74.9	61.2-88.6	3	4.1	00.0-09.2	11	21.0	07.7-34.3
\$15,000- 24,999	139	16,850	116	79.5	70.3-88.7	5	4.2	00.0-09.1	18	16.3	07.9-24.7
\$25,000- 34,999	174	25,119	144	76.4	68.2-84.6	11	7.0	02.5-11.5	19	16.7	09.1-24.3
\$35,000- 49,999	216	28,374	187	79.6	71.8-87.4	7	4.6	00.5-08.7	22	15.9	08.6-23.2
\$50,000- 99,999	528	73,247	456	85.1	81.4-88.8	22	4.7	02.5-06.9	50	10.2	06.9-13.5
\$100,000- 199,999	273	43,236	235	85.4	80.5-90.3	9	2.7	00.9-04.5	29	11.8	07.3-16.3
\$200,000+	54	9,156	43	81.4	70.4-92.4				11	18.6	07.6-29.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 19: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—  
(ACEHURT1)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3609	510,462	2865	76.5	74.7-78.3	210	6.3	05.3-07.3	534	17.2	15.6-18.8
Male	1793	254,910	1409	76.5	74.1-78.9	99	6.3	04.7-07.9	285	17.2	15.0-19.4
Female	1816	255,552	1456	76.6	74.1-79.1	111	6.3	04.9-07.7	249	17.1	14.7-19.5
Native	112	19,472	73	61.9	51.1-72.7	7	5.4	00.9-09.9	32	32.7	22.1-43.3
Non-Native	3440	483,488	2751	77.2	75.4-79.0	196	6.2	05.2-07.2	493	16.5	14.9-18.1
18-24	229	65,529	180	77.4	71.3-83.5	14	7.0	03.1-10.9	35	15.6	10.3-20.9
25-34	377	93,714	279	71.8	66.7-76.9	31	8.9	05.6-12.2	67	19.3	14.8-23.8
35-44	433	85,905	319	70.3	65.4-75.2	23	5.8	03.4-08.2	91	23.9	19.4-28.4
45-54	455	66,546	344	74.5	70.2-78.8	26	5.9	03.5-08.3	85	19.6	15.5-23.7
55-64	661	78,882	507	77.3	73.8-80.8	41	5.5	03.7-07.3	113	17.2	14.1-20.3
65+	1454	119,885	1236	84.8	82.6-87.0	75	5.0	03.8-06.2	143	10.2	08.4-12.0
Less Than H.S.	146	35,707	122	78.5	69.7-87.3	4	3.2	00.0-06.9	20	18.3	10.1-26.5
H.S. or G.E.D.	884	131,559	665	72.7	69.2-76.2	52	6.4	04.2-08.6	167	20.9	17.6-24.2
Some Post-H.S.	1146	196,930	892	74.7	71.8-77.6	78	7.5	05.5-09.5	176	17.7	15.0-20.4
College Graduate	1431	145,816	1184	81.8	79.4-84.2	76	5.3	03.9-06.7	171	12.9	10.9-14.9
Less than \$15,000	125	17,582	90	69.0	58.4-79.6	5	3.0	00.1-05.9	30	28.0	17.6-38.4
\$15,000- 24,999	242	30,133	183	73.2	66.1-80.3	16	7.6	03.3-11.9	43	19.2	12.9-25.5
\$25,000- 34,999	320	46,511	242	71.3	64.8-77.8	21	7.9	03.8-12.0	57	20.8	15.1-26.5
\$35,000- 49,999	435	56,210	353	75.9	70.6-81.2	25	7.5	04.2-10.8	57	16.6	11.9-21.3
\$50,000- 99,999	1125	160,469	893	77.5	74.4-80.6	78	7.2	05.2-09.2	154	15.3	12.6-18.0
\$100,000- 199,999	624	92,936	502	78.9	75.2-82.6	28	4.2	02.4-06.0	94	16.9	13.4-20.4
\$200,000+	151	22,289	115	75.5	67.9-83.1	3	2.0	00.0-04.4	33	22.5	15.1-29.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 20: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—  
(ACEHURT1)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1793	254,910	1409	76.5	74.1-78.9	99	6.3	04.7-07.9	285	17.2	15.0-19.4
Native	52	9,467	32	57.6	41.7-73.5	3	7.6	00.0-16.0	17	34.7	19.2-50.2
Non-Native	1711	241,176	1355	77.3	74.8-79.8	95	6.3	04.7-07.9	261	16.4	14.2-18.6
18-24	123	34,022	98	78.3	70.1-86.5	7	8.1	02.0-14.2	18	13.6	07.1-20.1
25-34	222	49,647	167	73.4	66.9-79.9	18	8.4	04.3-12.5	37	18.2	12.5-23.9
35-44	222	43,878	167	72.9	66.4-79.4	11	5.8	02.3-09.3	44	21.2	15.3-27.1
45-54	234	34,396	174	73.4	67.1-79.7	13	5.7	02.6-08.8	47	20.8	15.1-26.5
55-64	333	38,889	249	74.8	69.7-79.9	19	5.8	03.1-08.5	65	19.4	14.7-24.1
65+	659	54,076	554	84.2	80.9-87.5	31	4.4	02.6-06.2	74	11.4	08.5-14.3
Less Than H.S.	87	20,978	71	76.9	65.9-87.9	3	5.1	00.0-11.4	13	18.0	08.2-27.8
H.S. or G.E.D.	486	74,359	356	72.6	67.9-77.3	29	6.8	03.9-09.7	101	20.6	16.5-24.7
Some Post-H.S.	552	96,507	428	76.0	71.9-80.1	36	7.4	04.9-09.9	88	16.6	13.1-20.1
College Graduate	667	62,965	553	81.6	78.1-85.1	31	4.5	02.7-06.3	83	13.9	10.8-17.0
Less than \$15,000	50	7,229	37	78.8	65.5-92.1	2	1.6	00.0-04.0	11	19.5	06.4-32.6
\$15,000- 24,999	105	13,928	75	71.2	61.0-81.4	8	9.0	02.3-15.7	22	19.8	11.2-28.4
\$25,000- 34,999	145	21,327	99	65.9	55.9-75.9	11	10.9	03.1-18.7	35	23.2	15.2-31.2
\$35,000- 49,999	220	28,109	179	80.0	73.7-86.3	13	7.8	03.3-12.3	28	12.2	07.3-17.1
\$50,000- 99,999	592	86,216	470	78.0	73.9-82.1	33	5.7	03.5-07.9	89	16.3	12.6-20.0
\$100,000- 199,999	348	49,091	277	76.4	71.1-81.7	17	4.8	02.4-07.2	54	18.8	13.9-23.7
\$200,000+	97	13,132	73	74.1	64.3-83.9	2	2.0	00.0-04.7	22	23.9	14.3-33.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 21: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—  
(ACEHURT1)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1816	255,552	1456	76.6	74.1-79.1	111	6.3	04.9-07.7	249	17.1	14.7-19.5
Native	60	10,005	41	65.9	51.6-80.2	4	3.4	00.0-06.9	15	30.7	16.4-45.0
Non-Native	1729	242,312	1396	77.1	74.6-79.6	101	6.2	04.8-07.6	232	16.7	14.3-19.1
18-24	106	31,507	82	76.5	67.3-85.7	7	5.7	01.2-10.2	17	17.8	09.2-26.4
25-34	155	44,067	112	70.0	62.2-77.8	13	9.5	04.2-14.8	30	20.5	13.6-27.4
35-44	211	42,026	152	67.5	60.2-74.8	12	5.7	02.4-09.0	47	26.7	19.8-33.6
45-54	221	32,150	170	75.6	69.3-81.9	13	6.1	02.6-09.6	38	18.3	12.6-24.0
55-64	328	39,993	258	79.7	75.0-84.4	22	5.3	02.9-07.7	48	15.1	10.8-19.4
65+	795	65,809	682	85.4	82.7-88.1	44	5.4	03.6-07.2	69	9.2	06.8-11.6
Less Than H.S.	59	14,729	51	80.8	66.5-95.1	1	0.5	00.0-01.5	7	18.7	04.4-33.0
H.S. or G.E.D.	398	57,200	309	72.9	67.4-78.4	23	5.9	03.2-08.6	66	21.2	16.1-26.3
Some Post-H.S.	594	100,422	464	73.6	69.1-78.1	42	7.6	04.9-10.3	88	18.8	14.9-22.7
College Graduate	764	82,850	631	81.9	78.8-85.0	45	5.9	03.7-08.1	88	12.1	09.4-14.8
Less than \$15,000	75	10,354	53	62.1	47.8-76.4	3	4.0	00.0-08.7	19	34.0	19.7-48.3
\$15,000- 24,999	137	16,205	108	75.0	65.0-85.0	8	6.3	00.4-12.2	21	18.7	09.7-27.7
\$25,000- 34,999	175	25,184	143	75.9	67.7-84.1	10	5.3	01.8-08.8	22	18.8	11.0-26.6
\$35,000- 49,999	215	28,101	174	71.7	63.1-80.3	12	7.3	02.2-12.4	29	21.0	13.2-28.8
\$50,000- 99,999	533	74,253	423	77.0	72.5-81.5	45	8.9	05.8-12.0	65	14.2	10.5-17.9
\$100,000- 199,999	276	43,845	225	81.8	76.5-87.1	11	3.4	00.9-05.9	40	14.8	09.9-19.7
\$200,000+	54	9,156	42	77.5	65.5-89.5	1	2.0	00.0-05.9	11	20.5	08.9-32.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 22: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3573	506,275	2435	62.9	60.9-64.9	210	6.2	05.2-07.2	928	31.0	29.0-33.0
Male	1783	253,272	1214	63.8	61.1-66.5	104	5.8	04.4-07.2	465	30.4	27.9-32.9
Female	1790	253,003	1221	61.9	59.0-64.8	106	6.5	05.1-07.9	463	31.5	28.8-34.2
Native	113	19,749	65	51.0	40.2-61.8	3	2.5	00.0-05.4	45	46.5	35.5-57.5
Non-Native	3405	479,252	2333	63.3	61.3-65.3	206	6.4	05.4-07.4	866	30.3	28.3-32.3
18-24	231	66,038	117	49.4	42.3-56.5	23	10.0	05.9-14.1	91	40.6	33.5-47.7
25-34	372	92,280	210	55.7	50.2-61.2	22	5.5	03.1-07.9	140	38.8	33.3-44.3
35-44	432	85,804	246	55.1	50.0-60.2	29	6.5	04.0-09.0	157	38.5	33.4-43.6
45-54	450	65,821	286	63.1	58.2-68.0	20	4.4	02.2-06.6	144	32.5	27.8-37.2
55-64	657	78,339	424	64.5	60.4-68.6	43	6.5	04.5-08.5	190	29.0	25.1-32.9
65+	1431	117,994	1152	80.5	78.1-82.9	73	5.0	03.6-06.4	206	14.4	12.2-16.6
Less Than H.S.	143	35,592	100	63.3	53.1-73.5	5	4.0	00.1-07.9	38	32.7	22.7-42.7
H.S. or G.E.D.	882	131,531	568	58.2	54.3-62.1	55	7.1	04.9-09.3	259	34.7	30.8-38.6
Some Post-H.S.	1134	194,972	766	62.3	59.0-65.6	64	5.9	04.3-07.5	304	31.9	28.6-35.2
College Graduate	1412	143,730	999	67.8	64.9-70.7	86	6.2	04.8-07.6	327	26.0	23.3-28.7
Less than \$15,000	123	17,294	76	52.1	40.5-63.7	5	4.5	00.0-09.4	42	43.4	31.8-55.0
\$15,000- 24,999	242	30,785	162	62.0	54.0-70.0	14	7.5	03.0-12.0	66	30.6	22.8-38.4
\$25,000- 34,999	316	45,844	212	63.6	56.9-70.3	23	7.1	03.8-10.4	81	29.3	23.0-35.6
\$35,000- 49,999	435	56,458	306	62.7	56.8-68.6	21	5.5	03.0-08.0	108	31.8	26.1-37.5
\$50,000- 99,999	1109	158,117	738	63.0	59.5-66.5	82	7.5	05.5-09.5	289	29.5	26.2-32.8
\$100,000- 199,999	625	92,997	429	64.0	59.5-68.5	32	5.4	03.4-07.4	164	30.7	26.4-35.0
\$200,000+	148	21,742	94	59.8	50.8-68.8	4	1.9	00.0-03.9	50	38.4	29.4-47.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 23: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1783	253,272	1214	63.8	61.1-66.5	104	5.8	04.4-07.2	465	30.4	27.9-32.9
Native	53	9,744	35	56.0	39.9-72.1	1	2.6	00.0-07.7	17	41.4	25.3-57.5
Non-Native	1700	239,261	1159	64.1	61.4-66.8	102	6.0	04.6-07.4	439	29.9	27.2-32.6
18-24	123	33,846	70	55.9	46.3-65.5	9	7.9	02.6-13.2	44	36.2	26.8-45.6
25-34	220	49,083	131	58.4	51.3-65.5	10	3.7	01.2-06.2	79	37.8	30.7-44.9
35-44	224	44,202	131	57.8	50.7-64.9	19	7.9	04.2-11.6	74	34.3	27.4-41.2
45-54	230	33,814	146	64.1	57.4-70.8	10	3.4	01.2-05.6	74	32.4	25.7-39.1
55-64	333	38,915	210	61.9	56.0-67.8	19	6.0	03.1-08.9	104	32.1	26.4-37.8
65+	653	53,413	526	79.9	76.2-83.6	37	5.9	03.7-08.1	90	14.2	11.1-17.3
Less Than H.S.	86	21,011	56	61.1	48.6-73.6	4	4.1	00.0-08.4	26	34.8	22.5-47.1
H.S. or G.E.D.	486	74,384	305	58.7	53.6-63.8	30	6.9	04.0-09.8	151	34.4	29.5-39.3
Some Post-H.S.	548	95,353	370	64.2	59.5-68.9	28	5.1	03.1-07.1	150	30.7	26.2-35.2
College Graduate	662	62,425	482	70.1	66.0-74.2	42	6.2	04.2-08.2	138	23.7	20.0-27.4
Less than \$15,000	50	7,062	29	45.5	27.7-63.3	3	5.8	00.0-13.4	18	48.7	29.9-67.5
\$15,000- 24,999	106	14,176	71	66.2	55.6-76.8	8	11.4	03.6-19.2	27	22.4	13.4-31.4
\$25,000- 34,999	146	21,328	98	67.1	57.7-76.5	13	7.8	02.7-12.9	35	25.0	16.4-33.6
\$35,000- 49,999	220	28,126	160	69.7	62.4-77.0	9	4.8	01.3-08.3	51	25.5	18.6-32.4
\$50,000- 99,999	583	84,919	394	64.3	59.6-69.0	36	5.9	03.7-08.1	153	29.8	25.3-34.3
\$100,000- 199,999	349	49,152	241	65.0	59.1-70.9	20	5.6	03.1-08.1	88	29.4	23.7-35.1
\$200,000+	95	12,729	56	51.8	40.4-63.2	4	3.2	00.0-06.5	35	45.0	33.6-56.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 24: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1790	253,003	1221	61.9	59.0-64.8	106	6.5	05.1-07.9	463	31.5	28.8-34.2
Native	60	10,005	30	46.1	31.4-60.8	2	2.4	00.0-05.7	28	51.5	36.6-66.4
Non-Native	1705	239,991	1174	62.5	59.6-65.4	104	6.8	05.2-08.4	427	30.7	28.0-33.4
18-24	108	32,191	47	42.5	32.5-52.5	14	12.3	05.8-18.8	47	45.3	34.9-55.7
25-34	152	43,198	79	52.5	43.9-61.1	12	7.5	03.2-11.8	61	40.0	31.6-48.4
35-44	208	41,602	115	52.2	44.6-59.8	10	4.9	01.6-08.2	83	42.9	35.5-50.3
45-54	220	32,007	140	62.0	54.9-69.1	10	5.4	01.7-09.1	70	32.6	25.7-39.5
55-64	324	39,424	214	67.1	61.4-72.8	24	7.0	04.1-09.9	86	26.0	20.7-31.3
65+	778	64,581	626	81.1	78.0-84.2	36	4.3	02.7-05.9	116	14.6	11.9-17.3
Less Than H.S.	57	14,582	44	66.4	49.5-83.3	1	3.9	00.0-11.3	12	29.7	13.2-46.2
H.S. or G.E.D.	396	57,147	263	57.5	51.4-63.6	25	7.5	04.2-10.8	108	35.0	28.9-41.1
Some Post-H.S.	586	99,619	396	60.4	55.5-65.3	36	6.6	04.2-09.0	154	33.0	28.3-37.7
College Graduate	750	81,305	517	66.0	61.9-70.1	44	6.3	04.3-08.3	189	27.8	24.1-31.5
Less than \$15,000	73	10,232	47	56.7	42.2-71.2	2	3.6	00.0-10.3	24	39.7	25.2-54.2
\$15,000- 24,999	136	16,610	91	58.4	46.6-70.2	6	4.1	00.0-08.8	39	37.5	25.7-49.3
\$25,000- 34,999	170	24,516	114	60.6	51.2-70.0	10	6.4	01.9-10.9	46	33.0	23.8-42.2
\$35,000- 49,999	215	28,332	146	55.8	47.2-64.4	12	6.2	02.7-09.7	57	38.0	29.2-46.8
\$50,000- 99,999	526	73,198	344	61.5	56.4-66.6	46	9.4	06.3-12.5	136	29.1	24.4-33.8
\$100,000- 199,999	276	43,845	188	62.8	55.9-69.7	12	5.2	02.1-08.3	76	32.0	25.1-38.9
\$200,000+	53	9,013	38	71.0	57.3-84.7				15	29.0	15.3-42.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 25: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3616	509,176	3287	89.4	88.0-90.8	125	3.4	02.6-04.2	204	7.2	06.0-08.4
Male	1808	256,242	1718	94.1	92.7-95.5	39	2.4	01.4-03.4	51	3.5	02.3-04.7
Female	1808	252,934	1569	84.6	82.4-86.8	86	4.5	03.3-05.7	153	10.9	08.9-12.9
Native	112	19,738	95	85.0	76.8-93.2	4	1.9	00.0-03.9	13	13.0	05.0-21.0
Non-Native	3447	481,937	3141	89.6	88.2-91.0	119	3.5	02.7-04.3	187	6.9	05.7-08.1
18-24	233	66,709	206	86.9	81.8-92.0	9	4.1	01.4-06.8	18	9.1	04.6-13.6
25-34	374	92,650	342	89.2	85.3-93.1	7	2.3	00.5-04.1	25	8.5	05.0-12.0
35-44	426	83,961	370	86.0	82.3-89.7	15	3.4	01.6-05.2	41	10.7	07.4-14.0
45-54	456	66,690	410	89.9	87.0-92.8	15	3.8	01.8-05.8	31	6.3	03.9-08.7
55-64	663	79,060	592	89.6	87.1-92.1	25	3.7	02.1-05.3	46	6.7	04.5-08.9
65+	1464	120,105	1367	93.0	91.4-94.6	54	3.6	02.6-04.6	43	3.4	02.2-04.6
Less Than H.S.	147	35,448	135	85.9	77.7-94.1	8	6.4	01.5-11.3	4	7.7	00.4-15.0
H.S. or G.E.D.	893	132,826	815	88.9	86.4-91.4	30	3.9	02.3-05.5	48	7.1	04.9-09.3
Some Post-H.S.	1145	195,171	1017	88.1	85.7-90.5	42	3.1	01.9-04.3	86	8.8	06.8-10.8
College Graduate	1429	145,282	1318	92.5	90.9-94.1	45	2.6	01.8-03.4	66	4.9	03.5-06.3
Less than \$15,000	125	17,678	98	74.2	64.2-84.2	10	7.1	01.8-12.4	17	18.8	09.6-28.0
\$15,000- 24,999	246	30,828	221	88.9	83.0-94.8	9	2.6	00.8-04.4	16	8.5	02.8-14.2
\$25,000- 34,999	320	45,983	285	85.5	80.0-91.0	9	1.8	00.2-03.4	26	12.6	07.3-17.9
\$35,000- 49,999	434	56,052	385	86.6	82.5-90.7	19	5.2	02.5-07.9	30	8.2	04.9-11.5
\$50,000- 99,999	1123	159,993	1024	90.4	88.2-92.6	41	3.4	02.2-04.6	58	6.2	04.2-08.2
\$100,000- 199,999	626	92,521	587	93.9	91.7-96.1	12	1.8	00.6-03.0	27	4.4	02.4-06.4
\$200,000+	149	21,786	140	94.9	91.2-98.6	1	0.5	00.0-01.5	8	4.7	01.2-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 26: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1808	256,242	1718	94.1	92.7-95.5	39	2.4	01.4-03.4	51	3.5	02.3-04.7
Native	54	9,925	49	89.9	79.7-0100	1	1.3	00.0-03.8	4	8.7	00.0-18.7
Non-Native	1724	242,051	1641	94.3	92.9-95.7	38	2.5	01.5-03.5	45	3.2	02.0-04.4
18-24	124	34,390	119	94.7	89.6-99.8	3	2.6	00.0-06.1	2	2.7	00.0-06.4
25-34	222	49,486	209	93.5	89.8-97.2	5	2.6	00.2-05.0	8	3.9	01.0-06.8
35-44	222	43,632	204	91.8	87.9-95.7	7	2.8	00.6-05.0	11	5.4	02.1-08.7
45-54	236	34,887	223	93.6	90.1-97.1	5	2.9	00.4-05.4	8	3.5	01.0-06.0
55-64	338	39,434	317	93.7	90.6-96.8	8	2.0	00.4-03.6	13	4.2	01.5-06.9
65+	666	54,413	646	96.8	95.2-98.4	11	1.7	00.5-02.9	9	1.4	00.4-02.4
Less Than H.S.	88	21,333	83	91.2	83.4-99.0	4	5.9	00.0-11.8	1	2.9	00.0-08.4
H.S. or G.E.D.	489	74,753	467	94.4	91.9-96.9	10	2.3	00.7-03.9	12	3.2	01.2-05.2
Some Post-H.S.	558	96,712	523	93.7	91.3-96.1	11	1.9	00.5-03.3	24	4.5	02.5-06.5
College Graduate	672	63,343	644	95.5	93.5-97.5	14	2.1	00.9-03.3	14	2.4	01.0-03.8
Less than \$15,000	50	7,198	47	95.0	89.3-0100				3	5.0	00.0-10.7
\$15,000- 24,999	107	14,269	98	93.6	89.3-97.9	5	3.6	00.3-06.9	4	2.8	00.0-05.7
\$25,000- 34,999	148	21,464	139	93.0	88.3-97.7	3	2.0	00.0-04.5	6	5.0	00.9-09.1
\$35,000- 49,999	220	28,097	207	91.3	86.4-96.2	6	4.2	00.5-07.9	7	4.5	01.2-07.8
\$50,000- 99,999	592	86,171	560	93.8	91.3-96.3	16	2.5	01.1-03.9	16	3.7	01.5-05.9
\$100,000- 199,999	353	49,519	343	97.2	95.2-99.2	5	1.5	00.1-02.9	5	1.3	00.0-02.7
\$200,000+	95	12,630	90	96.2	92.7-99.7	1	0.8	00.0-02.4	4	2.9	00.0-06.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 27: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)**  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1808	252,934	1569	84.6	82.4-86.8	86	4.5	03.3-05.7	153	10.9	08.9-12.9
Native	58	9,813	46	80.0	67.5-92.5	3	2.6	00.0-05.5	9	17.4	05.1-29.7
Non-Native	1723	239,886	1500	84.8	82.6-87.0	81	4.5	03.3-05.7	142	10.6	08.6-12.6
18-24	109	32,319	87	78.6	70.0-87.2	6	5.6	01.1-10.1	16	15.8	08.0-23.6
25-34	152	43,164	133	84.3	77.4-91.2	2	1.9	00.0-04.4	17	13.8	07.3-20.3
35-44	204	40,329	166	79.7	73.4-86.0	8	4.0	00.9-07.1	30	16.3	10.4-22.2
45-54	220	31,803	187	85.7	80.8-90.6	10	4.8	01.7-07.9	23	9.4	05.5-13.3
55-64	325	39,626	275	85.4	81.3-89.5	17	5.4	02.7-08.1	33	9.3	06.0-12.6
65+	798	65,693	721	89.8	87.4-92.2	43	5.2	03.4-07.0	34	5.0	03.2-06.8
Less Than H.S.	59	14,114	52	77.8	61.7-93.9	4	7.2	00.0-15.4	3	15.0	00.0-30.3
H.S. or G.E.D.	404	58,073	348	81.8	76.9-86.7	20	6.0	03.1-08.9	36	12.1	07.8-16.4
Some Post-H.S.	587	98,458	494	82.6	78.9-86.3	31	4.4	02.6-06.2	62	13.1	09.8-16.4
College Graduate	757	81,938	674	90.2	87.8-92.6	31	3.0	01.8-04.2	52	6.8	04.8-08.8
Less than \$15,000	75	10,480	51	59.9	45.8-74.0	10	11.9	03.3-20.5	14	28.2	14.5-41.9
\$15,000- 24,999	139	16,558	123	84.9	74.9-94.9	4	1.7	00.0-03.7	12	13.4	03.4-23.4
\$25,000- 34,999	172	24,518	146	79.0	70.0-88.0	6	1.7	00.0-03.5	20	19.3	10.5-28.1
\$35,000- 49,999	214	27,955	178	81.9	75.2-88.6	13	6.3	02.0-10.6	23	11.8	06.1-17.5
\$50,000- 99,999	531	73,823	464	86.4	82.7-90.1	25	4.5	02.5-06.5	42	9.1	06.0-12.2
\$100,000- 199,999	273	43,002	244	90.1	86.0-94.2	7	2.0	00.2-03.8	22	8.0	04.1-11.9
\$200,000+	54	9,156	50	92.9	85.8-0100				4	7.1	00.0-14.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 28: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3622	510,135	3397	92.2	91.0-93.4	95	3.1	02.3-03.9	130	4.7	03.7-05.7
Male	1808	255,934	1731	95.0	93.6-96.4	39	2.4	01.4-03.4	38	2.6	01.6-03.6
Female	1814	254,201	1666	89.4	87.4-91.4	56	3.8	02.6-05.0	92	6.9	05.3-08.5
Native	113	19,803	102	90.9	84.6-97.2	2	1.0	00.0-02.6	9	8.1	01.8-14.4
Non-Native	3454	482,926	3245	92.3	91.1-93.5	89	3.1	02.3-03.9	120	4.6	03.6-05.6
18-24	232	66,405	213	90.6	86.1-95.1	9	3.9	01.2-06.6	10	5.5	01.8-09.2
25-34	375	92,866	344	90.4	86.9-93.9	11	3.4	01.2-05.6	20	6.2	03.3-09.1
35-44	430	84,988	386	88.4	84.9-91.9	15	3.5	01.7-05.3	29	8.1	05.0-11.2
45-54	455	66,474	426	93.4	90.9-95.9	13	3.5	01.5-05.5	16	3.2	01.6-04.8
55-64	661	78,637	608	92.4	90.2-94.6	22	3.2	01.8-04.6	31	4.4	02.6-06.2
65+	1469	120,764	1420	96.3	95.1-97.5	25	1.8	01.0-02.6	24	1.9	01.1-02.7
Less Than H.S.	148	36,061	141	90.4	83.1-97.7	4	3.6	00.0-07.3	3	6.0	00.0-12.5
H.S. or G.E.D.	891	132,467	835	91.2	88.8-93.6	21	3.1	01.7-04.5	35	5.6	03.4-07.8
Some Post-H.S.	1151	195,672	1058	91.3	89.3-93.3	40	3.6	02.2-05.0	53	5.1	03.5-06.7
College Graduate	1430	145,485	1361	94.7	93.3-96.1	30	2.2	01.4-03.0	39	3.1	01.9-04.3
Less than \$15,000	126	17,743	112	87.8	80.9-94.7	5	4.0	00.3-07.7	9	8.2	02.3-14.1
\$15,000- 24,999	247	30,874	227	90.5	84.8-96.2	7	2.5	00.5-04.5	13	7.0	01.5-12.5
\$25,000- 34,999	323	46,572	296	88.1	83.0-93.2	8	2.5	00.3-04.7	19	9.5	04.6-14.4
\$35,000- 49,999	435	56,042	399	88.9	85.0-92.8	16	4.5	02.0-07.0	20	6.5	03.4-09.6
\$50,000- 99,999	1123	160,033	1058	93.3	91.3-95.3	28	2.5	01.5-03.5	37	4.2	02.6-05.8
\$100,000- 199,999	629	93,394	607	95.9	93.9-97.9	10	1.7	00.5-02.9	12	2.3	00.7-03.9
\$200,000+	151	22,131	143	95.7	92.4-99.0	1	0.4	00.0-01.2	7	3.9	00.6-07.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 29: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1808	255,934	1731	95.0	93.6-96.4	39	2.4	01.4-03.4	38	2.6	01.6-03.6
Native	54	9,925	49	89.9	79.7-0100	1	1.3	00.0-03.8	4	8.7	00.0-18.7
Non-Native	1725	241,808	1655	95.2	93.8-96.6	37	2.4	01.4-03.4	33	2.4	01.4-03.4
18-24	124	34,390	119	94.7	89.6-99.8	3	2.6	00.0-06.1	2	2.7	00.0-06.4
25-34	222	49,486	210	94.4	91.1-97.7	5	2.1	00.1-04.1	7	3.5	00.6-06.4
35-44	223	43,895	208	92.5	88.6-96.4	8	3.6	01.1-06.1	7	3.9	00.8-07.0
45-54	236	34,794	226	94.9	91.6-98.2	5	2.7	00.2-05.2	5	2.4	00.2-04.6
55-64	337	39,029	316	94.6	92.2-97.0	9	2.5	00.7-04.3	12	2.9	01.1-04.7
65+	666	54,339	652	97.9	96.7-99.1	9	1.4	00.4-02.4	5	0.7	00.1-01.3
Less Than H.S.	87	21,139	83	93.2	86.1-0100	3	4.0	00.0-08.7	1	2.9	00.0-08.4
H.S. or G.E.D.	488	74,687	468	95.0	92.6-97.4	9	2.2	00.6-03.8	11	2.8	00.8-04.8
Some Post-H.S.	561	96,812	529	94.2	91.8-96.6	15	2.7	01.1-04.3	17	3.1	01.3-04.9
College Graduate	671	63,195	650	96.6	95.0-98.2	12	1.8	00.6-03.0	9	1.6	00.4-02.8
Less than \$15,000	50	7,198	47	95.0	89.3-0100	3	5.0	00.0-10.7	3	5.0	00.0-10.7
\$15,000- 24,999	107	14,269	99	94.5	90.6-98.4	3	2.3	00.0-05.0	5	3.2	00.3-06.1
\$25,000- 34,999	149	21,514	141	93.5	88.8-98.2	3	2.0	00.0-04.5	5	4.5	00.6-08.4
\$35,000- 49,999	220	28,050	208	93.2	89.1-97.3	9	4.7	01.6-07.8	3	2.2	00.0-04.7
\$50,000- 99,999	592	86,171	567	94.7	92.2-97.2	11	2.0	00.6-03.4	14	3.3	01.1-05.5
\$100,000- 199,999	353	49,519	348	98.2	96.6-99.8	4	1.3	00.0-02.7	1	0.4	00.0-01.2
\$200,000+	97	12,974	92	96.5	93.2-99.8	1	0.6	00.0-01.8	4	2.8	00.0-05.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 30: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1814	254,201	1666	89.4	87.4-91.4	56	3.8	02.6-05.0	92	6.9	05.3-08.5
Native	59	9,878	53	91.8	84.4-99.2	1	0.7	00.0-02.1	5	7.5	00.2-14.8
Non-Native	1729	241,118	1590	89.4	87.4-91.4	52	3.7	02.5-04.9	87	6.9	05.1-08.7
18-24	108	32,015	94	86.1	78.7-93.5	6	5.3	01.0-09.6	8	8.5	02.0-15.0
25-34	153	43,380	134	85.8	79.3-92.3	6	5.0	00.9-09.1	13	9.2	03.9-14.5
35-44	207	41,093	178	84.0	78.3-89.7	7	3.4	00.9-05.9	22	12.6	07.3-17.9
45-54	219	31,679	200	91.8	88.1-95.5	8	4.3	01.4-07.2	11	3.9	01.5-06.3
55-64	324	39,608	292	90.2	86.7-93.7	13	3.9	01.7-06.1	19	5.9	03.0-08.8
65+	803	66,426	768	95.0	93.2-96.8	16	2.0	00.8-03.2	19	2.9	01.5-04.3
Less Than H.S.	61	14,921	58	86.6	72.5-0100	1	3.0	00.0-08.9	2	10.4	00.0-23.7
H.S. or G.E.D.	403	57,780	367	86.4	81.9-90.9	12	4.3	01.8-06.8	24	9.3	05.4-13.2
Some Post-H.S.	590	98,860	529	88.4	85.3-91.5	25	4.5	02.3-06.7	36	7.0	04.5-09.5
College Graduate	759	82,290	711	93.2	91.2-95.2	18	2.5	01.3-03.7	30	4.3	02.5-06.1
Less than \$15,000	76	10,545	65	82.9	72.3-93.5	5	6.8	00.5-13.1	6	10.3	01.3-19.3
\$15,000- 24,999	140	16,605	128	87.0	77.2-96.8	4	2.7	00.0-05.6	8	10.3	00.7-19.9
\$25,000- 34,999	174	25,057	155	83.4	75.0-91.8	5	2.9	00.0-06.2	14	13.8	05.8-21.8
\$35,000- 49,999	215	27,993	191	84.6	78.1-91.1	7	4.4	00.5-08.3	17	10.9	05.2-16.6
\$50,000- 99,999	531	73,862	491	91.7	88.8-94.6	17	3.0	01.4-04.6	23	5.3	02.9-07.7
\$100,000- 199,999	276	43,875	259	93.4	89.7-97.1	6	2.1	00.3-03.9	11	4.5	01.2-07.8
\$200,000+	54	9,156	51	94.5	88.0-0100				3	5.5	00.0-12.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 31: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)  
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3621	510,820	3483	95.0	94.0-96.0	49	1.8	01.2-02.4	89	3.2	02.4-04.0
Male	1806	256,371	1769	97.7	96.7-98.7	14	0.8	00.4-01.2	23	1.5	00.7-02.3
Female	1815	254,448	1714	92.3	90.5-94.1	35	2.9	01.7-04.1	66	4.9	03.5-06.3
Native	113	19,803	105	93.7	88.0-99.4	3	1.2	00.0-02.6	5	5.1	00.0-10.6
Non-Native	3452	483,581	3323	95.0	94.0-96.0	45	1.8	01.2-02.4	84	3.2	02.4-04.0
18-24	234	66,969	219	92.2	88.1-96.3	6	3.5	00.4-06.6	9	4.3	01.4-07.2
25-34	375	92,866	353	92.8	89.7-95.9	11	3.3	01.1-05.5	11	3.9	01.4-06.4
35-44	429	84,830	409	94.0	91.3-96.7	1	0.5	00.0-01.5	19	5.6	03.1-08.1
45-54	455	66,608	440	96.6	94.8-98.4	6	1.8	00.4-03.2	9	1.6	00.4-02.8
55-64	662	79,022	629	95.7	94.1-97.3	7	0.9	00.1-01.7	26	3.4	02.0-04.8
65+	1466	120,525	1433	97.6	96.6-98.6	18	1.3	00.7-01.9	15	1.2	00.6-01.8
Less Than H.S.	147	36,020	141	90.4	83.0-97.8	3	4.6	00.0-09.9	3	5.0	00.0-10.5
H.S. or G.E.D.	893	132,942	860	94.8	92.8-96.8	12	2.0	00.8-03.2	21	3.2	01.6-04.8
Some Post-H.S.	1149	195,874	1087	94.4	92.8-96.0	20	1.8	00.8-02.8	42	3.8	02.4-05.2
College Graduate	1430	145,533	1393	97.1	96.1-98.1	14	0.9	00.3-01.5	23	1.9	00.9-02.9
Less than \$15,000	126	17,743	111	88.2	81.5-94.9	5	4.0	00.0-08.1	10	7.8	02.3-13.3
\$15,000- 24,999	246	30,791	232	92.9	87.4-98.4	3	3.1	00.0-08.2	11	4.0	01.3-06.7
\$25,000- 34,999	324	46,831	307	91.2	86.5-95.9	4	2.0	00.0-04.2	13	6.8	02.5-11.1
\$35,000- 49,999	436	56,215	417	93.6	90.5-96.7	9	2.8	00.6-05.0	10	3.6	01.1-06.1
\$50,000- 99,999	1124	160,016	1086	96.2	94.6-97.8	13	0.9	00.3-01.5	25	2.9	01.5-04.3
\$100,000- 199,999	628	93,332	614	97.1	95.3-98.9	6	1.6	00.0-03.2	8	1.2	00.2-02.2
\$200,000+	151	22,131	148	97.7	95.0-0100	3	2.3	00.0-05.0	3	2.3	00.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 32: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)  
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1806	256,371	1769	97.7	96.7-98.7	14	0.8	00.4-01.2	23	1.5	00.7-02.3
Native	54	9,925	53	95.0	85.6-0100				1	5.0	00.0-14.4
Non-Native	1723	242,246	1687	97.8	96.8-98.8	14	0.8	00.4-01.2	22	1.4	00.6-02.2
18-24	125	34,649	124	98.2	94.9-0100				1	1.8	00.0-05.1
25-34	222	49,486	214	96.5	93.8-99.2	6	2.0	00.4-03.6	2	1.6	00.0-03.8
35-44	222	43,737	217	97.4	95.0-99.8				5	2.6	00.2-05.0
45-54	236	34,897	232	97.9	95.7-0100	3	1.7	00.0-03.7	1	0.4	00.0-01.2
55-64	337	39,365	326	97.2	95.4-99.0	2	0.5	00.0-01.1	9	2.3	00.7-03.9
65+	664	54,237	656	98.9	98.1-99.7	3	0.4	00.0-01.0	5	0.7	00.1-01.3
Less Than H.S.	86	21,099	85	97.1	91.6-0100				1	2.9	00.0-08.4
H.S. or G.E.D.	487	74,705	478	97.6	95.8-99.4	4	1.1	00.0-02.3	5	1.3	00.0-02.7
Some Post-H.S.	562	97,232	546	97.6	96.2-99.0	5	0.7	00.1-01.3	11	1.6	00.4-02.8
College Graduate	670	63,236	659	98.0	96.6-99.4	5	0.7	00.1-01.3	6	1.3	00.1-02.5
Less than \$15,000	50	7,198	47	96.1	91.4-0100				3	3.9	00.0-08.6
\$15,000- 24,999	106	14,185	102	98.0	95.8-0100				4	2.0	00.0-04.2
\$25,000- 34,999	150	21,774	145	95.6	91.7-99.5	1	1.1	00.0-03.3	4	3.3	00.0-06.6
\$35,000- 49,999	221	28,223	216	97.3	94.9-99.7	5	2.7	00.3-05.1			
\$50,000- 99,999	591	86,013	580	98.0	96.2-99.8	5	0.5	00.1-00.9	6	1.5	00.0-03.1
\$100,000- 199,999	352	49,457	349	98.9	97.5-0100	2	0.7	00.0-01.7	1	0.4	00.0-01.2
\$200,000+	97	12,974	96	99.1	97.3-0100				1	0.9	00.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 33: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)  
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1815	254,448	1714	92.3	90.5-94.1	35	2.9	01.7-04.1	66	4.9	03.5-06.3
Native	59	9,878	52	92.3	85.8-98.8	3	2.5	00.0-05.4	4	5.1	00.0-11.0
Non-Native	1729	241,335	1636	92.2	90.4-94.0	31	2.9	01.7-04.1	62	4.9	03.5-06.3
18-24	109	32,319	95	85.7	78.1-93.3	6	7.4	01.1-13.7	8	7.0	02.1-11.9
25-34	153	43,380	139	88.7	82.6-94.8	5	4.8	00.7-08.9	9	6.5	01.8-11.2
35-44	207	41,093	192	90.3	85.4-95.2	1	1.0	00.0-03.0	14	8.7	04.0-13.4
45-54	219	31,711	208	95.1	92.2-98.0	3	1.9	00.0-04.1	8	3.0	00.8-05.2
55-64	325	39,657	303	94.2	91.7-96.7	5	1.4	00.2-02.6	17	4.4	02.0-06.8
65+	802	66,288	777	96.5	94.9-98.1	15	1.9	00.9-02.9	10	1.6	00.6-02.6
Less Than H.S.	61	14,921	56	80.9	65.8-96.0	3	11.1	00.0-23.3	2	8.0	00.0-18.8
H.S. or G.E.D.	406	58,237	382	91.1	87.4-94.8	8	3.2	00.8-05.6	16	5.7	02.8-08.6
Some Post-H.S.	587	98,642	541	91.1	88.2-94.0	15	2.9	01.1-04.7	31	6.0	03.6-08.4
College Graduate	760	82,297	734	96.5	94.9-98.1	9	1.1	00.3-01.9	17	2.4	01.0-03.8
Less than \$15,000	76	10,545	64	82.8	72.2-93.4	5	6.7	00.0-13.6	7	10.5	01.9-19.1
\$15,000- 24,999	140	16,605	130	88.6	78.8-98.4	3	5.8	00.0-15.0	7	5.6	00.9-10.3
\$25,000- 34,999	174	25,057	162	87.4	79.4-95.4	3	2.8	00.0-06.5	9	9.8	02.5-17.1
\$35,000- 49,999	215	27,993	201	89.9	84.0-95.8	4	2.9	00.0-06.2	10	7.3	02.4-12.2
\$50,000- 99,999	533	74,003	506	94.2	91.7-96.7	8	1.3	00.3-02.3	19	4.5	02.1-06.9
\$100,000- 199,999	276	43,875	265	95.1	91.8-98.4	4	2.7	00.0-05.6	7	2.2	00.4-04.0
\$200,000+	54	9,156	52	95.5	89.4-0100				2	4.5	00.0-10.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 34: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3624	511,727	95	3.0	02.2-03.8	60	2.5	01.7-03.3	126	4.9	03.9-05.9	616	18.2	16.6-19.8	2727	71.5	69.7-73.3	
Male	1807	256,512	58	3.5	02.5-04.5	26	2.1	01.1-03.1	46	3.1	02.1-04.1	298	17.7	15.5-19.9	1379	73.6	71.1-76.1	
Female	1817	255,215	37	2.4	01.4-03.4	34	2.9	01.9-03.9	80	6.7	04.9-08.5	318	18.7	16.3-21.1	1348	69.3	66.6-72.0	
Native	113	19,803	7	8.1	01.2-15.0	1	1.7	00.0-05.0	3	5.5	00.0-11.8	24	20.0	11.4-28.6	78	64.7	53.9-75.5	
Non-Native	3456	484,686	85	2.7	02.1-03.3	58	2.5	01.7-03.3	122	4.9	03.9-05.9	583	18.1	16.5-19.7	2608	71.8	69.8-73.8	
18-24	235	67,287	5	2.1	00.1-04.1	9	4.3	01.4-07.2	15	7.4	03.3-11.5	50	21.4	15.7-27.1	156	64.8	58.1-71.5	
25-34	377	93,660	8	2.5	00.5-04.5	16	4.5	02.1-06.9	22	7.7	04.4-11.0	76	19.5	15.2-23.8	255	65.8	60.5-71.1	
35-44	428	84,861	18	4.9	02.4-07.4	11	3.4	01.2-05.6	25	6.4	03.9-08.9	83	19.3	15.2-23.4	291	66.0	60.9-71.1	
45-54	457	66,882	10	2.6	00.8-04.4	7	1.6	00.2-03.0	17	3.7	01.9-05.5	89	20.3	16.2-24.4	334	71.8	67.3-76.3	
55-64	665	79,146	14	1.9	00.9-02.9	11	1.7	00.7-02.7	24	3.6	02.0-05.2	116	16.7	13.6-19.8	500	76.1	72.6-79.6	
65+	1462	119,891	40	3.3	02.1-04.5	6	0.4	00.0-00.8	23	1.8	00.8-02.8	202	14.3	12.1-16.5	1191	80.2	77.7-82.7	
Less Than H.S.	143	35,059	12	6.4	01.7-11.1	2	2.6	00.0-06.3	6	8.9	01.6-16.2	28	18.6	11.0-26.2	95	63.5	53.3-73.7	
H.S. or G.E.D.	890	132,744	25	2.9	01.5-04.3	21	3.6	02.0-05.2	44	6.6	04.4-08.8	170	19.4	16.3-22.5	630	67.4	63.7-71.1	
Some Post-H.S.	1158	198,235	28	2.5	01.5-03.5	23	2.7	01.5-03.9	46	5.0	03.4-06.6	207	19.3	16.6-22.0	854	70.6	67.5-73.7	
College Graduate	1431	145,238	30	2.7	01.7-03.7	14	1.3	00.5-02.1	30	2.3	01.5-03.1	210	15.4	13.2-17.6	1147	78.3	75.8-80.8	
Less than \$15,000	125	17,715	9	6.7	02.0-11.4	4	5.1	00.0-10.6	9	11.2	03.2-19.2	21	14.5	07.4-21.6	82	62.4	51.6-73.2	
\$15,000- 24,999	246	31,056	13	5.2	01.9-08.5	8	5.2	01.1-09.3	10	4.9	01.4-08.4	55	25.5	18.1-32.9	160	59.2	51.2-67.2	
\$25,000- 34,999	322	46,724	11	2.9	00.9-04.9	8	4.5	01.4-07.6	14	7.0	02.5-11.5	70	22.1	16.4-27.8	219	63.5	56.6-70.4	
\$35,000- 49,999	439	56,651	12	3.9	01.4-06.4	5	1.4	00.0-02.8	17	5.4	02.5-08.3	84	20.7	15.8-25.6	321	68.5	63.0-74.0	
\$50,000- 99,999	1125	160,024	22	1.8	00.8-02.8	20	2.6	01.2-04.0	39	4.7	03.1-06.3	189	17.5	15.0-20.0	855	73.5	70.4-76.6	
\$100,000- 199,999	626	92,671	10	1.5	00.5-02.5	8	2.2	00.6-03.8	10	1.9	00.5-03.3	98	17.2	13.5-20.9	500	77.1	73.0-81.2	
\$200,000+	152	22,486	3	1.9	00.0-04.3	3	1.9	00.0-04.3	4	3.7	00.0-07.6	18	12.4	06.3-18.5	127	82.0	74.7-89.3	

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 35: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1807	256,512	58	3.5	02.5-04.5	26	2.1	01.1-03.1	46	3.1	02.1-04.1	298	17.7	15.5-19.9	1379	73.6	71.1-76.1
Native	54	9,925	4	11.6	00.0-23.8				1	3.4	00.0-10.1	13	22.0	09.3-34.7	36	62.9	47.2-78.6
Non-Native	1724	242,387	52	3.1	02.1-04.1	26	2.3	01.3-03.3	44	3.0	02.0-04.0	282	17.6	15.4-19.8	1320	74.0	71.5-76.5
18-24	125	34,649	5	4.1	00.4-07.8	5	5.0	00.5-09.5	7	5.9	01.2-10.6	20	14.8	08.5-21.1	88	70.2	61.6-78.8
25-34	223	49,841	6	3.2	00.5-05.9	6	2.9	00.4-05.4	5	2.3	00.0-04.7	48	21.5	15.8-27.2	158	70.1	63.6-76.6
35-44	220	43,490	8	4.1	01.2-07.0	4	2.3	00.0-04.7	7	3.5	00.8-06.2	44	18.8	13.3-24.3	157	71.2	64.7-77.7
45-54	237	34,929	6	3.5	00.6-06.4	3	1.5	00.0-03.5	7	3.1	00.7-05.5	44	20.1	14.2-26.0	177	71.7	65.2-78.2
55-64	338	39,382	5	1.4	00.2-02.6	6	1.5	00.1-02.9	9	2.4	00.6-04.2	56	16.5	12.0-21.0	262	78.3	73.4-83.2
65+	664	54,221	28	4.5	02.5-06.5	2	0.3	00.0-00.9	11	2.3	00.5-04.1	86	14.3	11.0-17.6	537	78.7	74.8-82.6
Less Than H.S.	84	20,852	8	6.0	00.5-11.5	2	4.3	00.0-10.6	3	4.9	00.0-10.4	16	17.5	08.7-26.3	55	67.1	55.3-78.9
H.S. or G.E.D.	489	74,843	14	3.0	01.0-05.0	11	3.2	01.2-05.2	20	4.2	02.2-06.2	94	18.4	14.5-22.3	350	71.2	66.5-75.9
Some Post-H.S.	564	97,658	17	3.2	01.6-04.8	11	2.1	00.7-03.5	15	3.0	01.2-04.8	105	19.4	15.7-23.1	416	72.3	68.0-76.6
College Graduate	669	63,060	19	3.8	01.8-05.8	2	0.2	00.0-00.6	8	1.4	00.2-02.6	82	13.9	10.8-17.0	558	80.7	77.2-84.2
Less than \$15,000	50	7,198	3	6.9	00.0-14.7	1	1.0	00.0-03.0	2	4.2	00.0-10.9	10	19.6	06.1-33.1	34	68.3	52.2-84.4
\$15,000- 24,999	105	14,102	10	9.4	02.7-16.1	3	3.9	00.0-08.8	6	5.2	00.1-10.3	26	25.5	15.9-35.1	60	56.0	44.8-67.2
\$25,000- 34,999	149	21,732	7	3.2	00.5-05.9	2	1.7	00.0-04.1	6	5.4	00.5-10.3	34	20.0	12.2-27.8	100	69.6	60.6-78.6
\$35,000- 49,999	221	28,223	10	5.8	01.7-09.9	3	1.8	00.0-04.0	6	2.9	00.4-05.4	45	21.2	14.7-27.7	157	68.4	61.0-75.8
\$50,000- 99,999	591	85,790	13	1.9	00.5-03.3	13	3.6	01.2-06.0	13	2.9	01.1-04.7	88	16.5	13.0-20.0	464	75.1	70.8-79.4
\$100,000- 199,999	351	49,221	6	1.9	00.3-03.5	2	1.1	00.0-02.7	4	1.0	00.0-02.2	49	16.1	11.6-20.6	290	79.9	75.0-84.8
\$200,000+	98	13,329				1	0.6	00.0-01.8	2	3.7	00.0-09.0	11	12.0	04.4-19.6	84	83.7	74.9-92.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 36: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO MADE YOU FEEL SAFE AND PROTECTED? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADSAF)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1817	255,215	37	2.4	01.4-03.4	34	2.9	01.9-03.9	80	6.7	04.9-08.5	318	18.7	16.3-21.1	1348	69.3	66.6-72.0
Native	59	9,878	3	4.5	00.0-09.6	1	3.5	00.0-10.2	2	7.5	00.0-17.9	11	17.9	06.1-29.7	42	66.6	51.7-81.5
Non-Native	1732	242,299	33	2.3	01.3-03.3	32	2.8	01.8-03.8	78	6.8	05.0-08.6	301	18.6	16.2-21.0	1288	69.5	66.8-72.2
18-24	110	32,638				4	3.5	00.0-07.0	8	8.9	02.2-15.6	30	28.5	19.1-37.9	68	59.1	48.9-69.3
25-34	154	43,819	2	1.8	00.0-04.3	10	6.3	02.4-10.2	17	13.8	07.5-20.1	28	17.2	10.9-23.5	97	60.9	52.5-69.3
35-44	208	41,371	10	5.8	01.7-09.9	7	4.4	00.9-07.9	18	9.4	05.1-13.7	39	19.8	13.5-26.1	134	60.6	53.2-68.0
45-54	220	31,953	4	1.6	00.0-03.4	4	1.8	00.0-03.8	10	4.3	01.6-07.0	45	20.5	14.8-26.2	157	71.9	65.4-78.4
55-64	327	39,765	9	2.5	00.9-04.1	5	1.8	00.2-03.4	15	4.9	02.2-07.6	60	16.9	12.6-21.2	238	74.0	68.7-79.3
65+	798	65,670	12	2.3	00.9-03.7	4	0.5	00.0-01.1	12	1.5	00.5-02.5	116	14.3	11.4-17.2	654	81.5	78.4-84.6
Less Than H.S.	59	14,207	4	7.0	00.0-15.2				3	14.7	00.0-30.0	12	20.1	06.4-33.8	40	58.2	40.8-75.6
H.S. or G.E.D.	401	57,901	11	2.9	00.9-04.9	10	4.2	01.7-06.7	24	9.8	05.7-13.9	76	20.6	15.7-25.5	280	62.6	56.5-68.7
Some Post-H.S.	594	100,577	11	1.9	00.5-03.3	12	3.2	01.2-05.2	31	6.9	04.4-09.4	102	19.1	15.2-23.0	438	68.9	64.4-73.4
College Graduate	762	82,179	11	1.9	00.7-03.1	12	2.1	00.7-03.5	22	3.0	01.6-04.4	128	16.6	13.5-19.7	589	76.4	72.9-79.9
Less than \$15,000	75	10,517	6	6.6	00.9-12.3	3	7.9	00.0-16.7	7	15.9	03.6-28.2	11	11.1	03.5-18.7	48	58.4	44.3-72.5
\$15,000- 24,999	141	16,955	3	1.7	00.0-03.9	5	6.3	00.0-12.6	4	4.6	00.0-09.3	29	25.6	14.4-36.8	100	61.8	50.2-73.4
\$25,000- 34,999	173	24,992	4	2.7	00.0-05.4	6	6.8	01.5-12.1	8	8.4	01.3-15.5	36	24.0	15.8-32.2	119	58.2	48.4-68.0
\$35,000- 49,999	218	28,428	2	2.1	00.0-05.2	2	1.0	00.0-02.6	11	8.0	02.7-13.3	39	20.2	13.1-27.3	164	68.7	60.5-76.9
\$50,000- 99,999	534	74,234	9	1.6	00.4-02.8	7	1.4	00.2-02.6	26	6.8	04.1-09.5	101	18.5	14.6-22.4	391	71.7	67.2-76.2
\$100,000- 199,999	275	43,450	4	1.1	00.0-02.3	6	3.4	00.5-06.3	6	3.0	00.5-05.5	49	18.5	12.8-24.2	210	73.9	67.4-80.4
\$200,000+	54	9,156				2	3.9	00.0-09.2	2	3.7	00.0-09.2	7	12.9	02.5-23.3	43	79.5	67.3-91.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 37: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3629	512,213	38	1.4	00.8-02.0	31	1.2	00.8-01.6	83	3.2	02.4-04.0	358	11.3	09.9-12.7	3119	82.9	81.3-84.5
Male	1806	255,987	21	1.7	00.9-02.5	15	1.0	00.4-01.6	39	2.6	01.6-03.6	175	10.9	09.1-12.7	1556	83.7	81.5-85.9
Female	1823	256,226	17	1.1	00.5-01.7	16	1.3	00.5-02.1	44	3.8	02.4-05.2	183	11.7	09.7-13.7	1563	82.1	79.7-84.5
Native	113	19,803	4	5.0	00.0-10.3	3	3.4	00.0-08.3	7	10.0	02.2-17.8	12	9.3	03.0-15.6	87	72.2	61.6-82.8
Non-Native	3462	485,202	30	1.1	00.7-01.5	28	1.1	00.7-01.5	75	2.9	02.1-03.7	341	11.4	10.0-12.8	2988	83.5	81.9-85.1
18-24	235	67,287	4	2.2	00.0-04.6	2	1.0	00.0-02.4	8	4.3	01.0-07.6	28	14.2	09.1-19.3	193	78.3	72.0-84.6
25-34	377	93,660	4	1.2	00.0-02.4	5	1.5	00.1-02.9	16	4.7	02.3-07.1	42	13.3	09.4-17.2	310	79.3	74.6-84.0
35-44	428	85,084	6	1.5	00.1-02.9	7	2.3	00.5-04.1	17	4.7	02.5-06.9	43	10.8	07.3-14.3	355	80.7	76.2-85.2
45-54	458	66,719	3	1.0	00.0-02.4	4	1.1	00.0-02.3	10	2.0	00.6-03.4	57	13.0	09.7-16.3	384	82.9	79.2-86.6
55-64	666	79,227	6	1.1	00.1-02.1	8	0.8	00.2-01.4	14	2.3	00.9-03.7	59	8.4	06.0-10.8	579	87.4	84.7-90.1
65+	1465	120,237	15	1.3	00.5-02.1	5	0.4	00.0-00.8	18	1.6	00.6-02.6	129	9.5	07.7-11.3	1298	87.1	84.9-89.3
Less Than H.S.	143	35,033	7	4.7	00.4-09.0	2	1.2	00.0-03.0	4	5.2	00.0-10.9	28	22.6	13.6-31.6	102	66.4	56.2-76.6
H.S. or G.E.D.	894	133,006	11	1.0	00.2-01.8	11	1.9	00.5-03.3	31	4.1	02.5-05.7	121	12.9	10.4-15.4	720	80.1	77.0-83.2
Some Post-H.S.	1158	198,275	12	1.4	00.6-02.2	10	1.0	00.2-01.8	33	3.8	02.4-05.2	115	11.3	09.1-13.5	988	82.5	79.8-85.2
College Graduate	1432	145,448	8	0.9	00.3-01.5	8	0.7	00.1-01.3	15	1.2	00.6-01.8	94	7.2	05.6-08.8	1307	90.0	88.0-92.0
Less than \$15,000	126	17,743	4	3.4	00.1-06.7	1	1.4	00.0-03.9	9	10.9	03.3-18.5	17	16.3	07.7-24.9	95	68.1	57.3-78.9
\$15,000- 24,999	247	31,095	7	5.5	01.0-10.0	5	1.3	00.1-02.5	10	4.9	01.6-08.2	30	12.6	06.3-18.9	195	75.6	68.0-83.2
\$25,000- 34,999	320	46,091	4	1.5	00.0-03.1	2	1.2	00.0-03.0	9	4.0	01.1-06.9	39	16.0	09.9-22.1	266	77.3	70.6-84.0
\$35,000- 49,999	438	56,336	3	1.2	00.0-02.8	4	1.7	00.0-03.7	11	3.3	01.1-05.5	44	11.8	07.9-15.7	376	82.0	77.3-86.7
\$50,000- 99,999	1126	160,319	3	0.6	00.0-01.4	9	0.8	00.2-01.4	25	2.9	01.5-04.3	109	10.5	08.3-12.7	980	85.2	82.7-87.7
\$100,000- 199,999	628	93,309	5	0.8	00.0-01.6	4	1.2	00.0-02.6	5	1.2	00.0-02.4	39	6.9	04.4-09.4	575	89.8	86.9-92.7
\$200,000+	151	22,207	1	0.4	00.0-01.2	1	0.8	00.0-02.4	5	2.7	00.3-05.1	12	9.1	03.4-14.8	132	87.0	80.7-93.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 38: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1806	255,987	21	1.7	00.9-02.5	15	1.0	00.4-01.6	39	2.6	01.6-03.6	175	10.9	09.1-12.7	1556	83.7	81.5-85.9
Native	54	9,925	1	1.4	00.0-04.1	1	5.0	00.0-14.4	4	9.5	00.0-19.9	8	15.2	03.8-26.6	40	68.9	53.4-84.4
Non-Native	1723	241,862	18	1.5	00.7-02.3	14	0.8	00.2-01.4	35	2.4	01.4-03.4	165	10.8	08.8-12.8	1491	84.4	82.2-86.6
18-24	125	34,649	3	3.2	00.0-07.1	1	1.0	00.0-03.0	4	3.7	00.0-07.4	12	10.6	04.7-16.5	105	81.5	73.9-89.1
25-34	223	49,841	3	1.5	00.0-03.5	2	1.4	00.0-03.6	5	2.0	00.2-03.8	25	13.6	08.3-18.9	188	81.4	75.5-87.3
35-44	220	43,496	1	0.7	00.0-02.1	2	0.9	00.0-02.3	8	4.5	01.4-07.6	20	10.0	04.9-15.1	189	84.0	78.1-89.9
45-54	237	34,568	2	1.6	00.0-04.0	2	1.4	00.0-03.4	4	1.4	00.0-02.8	30	12.5	08.0-17.0	199	83.1	77.8-88.4
55-64	338	39,382	3	1.2	00.0-02.6	5	0.9	00.1-01.7	6	1.8	00.2-03.4	34	9.7	06.0-13.4	290	86.4	82.3-90.5
65+	663	54,050	9	2.1	00.5-03.7	3	0.5	00.0-01.1	12	2.5	00.5-04.5	54	9.3	06.6-12.0	585	85.6	82.1-89.1
Less Than H.S.	83	20,295	5	6.9	00.0-14.2	2	2.0	00.0-04.9	2	3.9	00.0-09.2	15	18.1	07.9-28.3	59	69.2	56.9-81.5
H.S. or G.E.D.	490	74,931	5	1.1	00.0-02.3	6	1.7	00.1-03.3	19	3.9	01.9-05.9	66	12.8	09.5-16.1	394	80.5	76.4-84.6
Some Post-H.S.	564	97,642	7	1.3	00.3-02.3	4	0.6	00.0-01.4	14	2.7	01.1-04.3	54	11.0	07.9-14.1	485	84.3	80.8-87.8
College Graduate	668	63,018	4	1.3	00.0-02.7	3	0.4	00.0-01.0	4	0.7	00.0-01.5	40	6.3	04.1-08.5	617	91.4	88.7-94.1
Less than \$15,000	50	7,198	2	4.7	00.0-11.2	1	3.3	00.0-09.8	1	1.0	00.0-03.0	6	14.7	02.2-27.2	40	76.3	61.4-91.2
\$15,000- 24,999	106	14,141	4	4.6	00.0-10.3	2	1.2	00.0-03.0	6	6.9	00.8-13.0	13	9.5	03.4-15.6	81	77.8	68.4-87.2
\$25,000- 34,999	148	21,283	3	2.6	00.0-05.9				5	3.9	00.0-08.0	22	18.8	09.6-28.0	118	74.7	64.9-84.5
\$35,000- 49,999	220	27,997	3	2.4	00.0-05.5	2	0.8	00.0-02.0	8	4.5	01.2-07.8	25	11.6	06.7-16.5	182	80.6	74.3-86.9
\$50,000- 99,999	592	86,084	2	1.0	00.0-02.6	8	1.3	00.3-02.3	10	1.9	00.5-03.3	56	10.4	07.3-13.5	516	85.5	81.8-89.2
\$100,000- 199,999	351	49,294	4	1.3	00.0-02.7	1	0.6	00.0-01.8	3	1.6	00.0-03.6	18	5.9	02.8-09.0	325	90.5	86.6-94.4
\$200,000+	97	13,050							2	1.7	00.0-04.2	11	14.8	05.8-23.8	84	83.5	74.3-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 15: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 39: FOR HOW MUCH OF YOUR CHILDHOOD WAS THERE AN ADULT IN YOUR HOUSEHOLD WHO TRIED HARD TO MAKE SURE YOUR BASIC NEEDS WERE MET? WOULD YOU SAY NEVER, A LITTLE OF THE TIME, SOME OF THE TIME, MOST OF THE TIME, OR ALL OF THE TIME? (ACEADND)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			A little of the time			Some of the time			Most of the time			All of the time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1823	256,226	17	1.1	00.5-01.7	16	1.3	00.5-02.1	44	3.8	02.4-05.2	183	11.7	09.7-13.7	1563	82.1	79.7-84.5
Native	59	9,878	3	8.7	00.0-18.7	2	1.8	00.0-04.5	3	10.5	00.0-22.1	4	3.5	00.0-07.2	47	75.5	61.4-89.6
Non-Native	1739	243,341	12	0.7	00.3-01.1	14	1.3	00.5-02.1	40	3.5	02.1-04.9	176	12.1	09.9-14.3	1497	82.5	80.1-84.9
18-24	110	32,638	1	1.2	00.0-03.6	1	0.9	00.0-02.7	4	5.1	00.0-11.0	16	18.0	09.6-26.4	88	74.8	65.2-84.4
25-34	154	43,819	1	0.8	00.0-02.4	3	1.6	00.0-03.4	11	7.8	03.1-12.5	17	12.8	06.7-18.9	122	77.0	69.6-84.4
35-44	208	41,587	5	2.4	00.0-04.8	5	3.8	00.3-07.3	9	4.9	01.8-08.0	23	11.7	06.6-16.8	166	77.2	70.5-83.9
45-54	221	32,150	1	0.4	00.0-01.2	2	0.8	00.0-02.0	6	2.7	00.3-05.1	27	13.5	08.6-18.4	185	82.6	77.1-88.1
55-64	328	39,846	3	1.1	00.0-02.3	3	0.6	00.0-01.4	8	2.9	00.7-05.1	25	7.1	04.2-10.0	289	88.4	84.7-92.1
65+	802	66,187	6	0.7	00.1-01.3	2	0.4	00.0-01.0	6	0.9	00.1-01.7	75	9.7	07.3-12.1	713	88.3	85.8-90.8
Less Than H.S.	60	14,738	2	1.7	00.0-04.1				2	6.9	00.0-18.3	13	28.8	12.9-44.7	43	62.7	45.6-79.8
H.S. or G.E.D.	404	58,075	6	0.9	00.1-01.7	5	2.1	00.1-04.1	12	4.4	01.9-06.9	55	13.1	09.2-17.0	326	79.6	74.7-84.5
Some Post-H.S.	594	100,633	5	1.5	00.1-02.9	6	1.3	00.1-02.5	19	4.8	02.4-07.2	61	11.6	08.5-14.7	503	80.8	76.9-84.7
College Graduate	764	82,430	4	0.6	00.0-01.2	5	1.0	00.0-02.0	11	1.6	00.6-02.6	54	7.9	05.5-10.3	690	89.0	86.3-91.7
Less than \$15,000	76	10,545	2	2.5	00.0-06.0				8	17.6	05.4-29.8	11	17.5	05.7-29.3	55	62.5	48.2-76.8
\$15,000- 24,999	141	16,955	3	6.4	00.0-13.3	3	1.5	00.0-03.3	4	3.3	00.0-07.0	17	15.1	04.9-25.3	114	73.7	62.3-85.1
\$25,000- 34,999	172	24,809	1	0.5	00.0-01.5	2	2.3	00.0-05.4	4	4.1	00.0-08.2	17	13.6	05.8-21.4	148	79.4	70.6-88.2
\$35,000- 49,999	218	28,339				2	2.5	00.0-06.0	3	2.0	00.0-04.4	19	12.0	05.7-18.3	194	83.5	76.4-90.6
\$50,000- 99,999	534	74,234	1	0.2	00.0-00.6	1	0.2	00.0-00.6	15	4.2	01.8-06.6	53	10.6	07.5-13.7	464	84.8	81.1-88.5
\$100,000- 199,999	277	44,015	1	0.3	00.0-00.9	3	1.9	00.0-04.3	2	0.7	00.0-01.7	21	8.1	04.2-12.0	250	89.0	84.3-93.7
\$200,000+	54	9,156	1	1.0	00.0-03.0	1	2.0	00.0-05.9	3	4.0	00.0-08.7	1	0.9	00.0-02.7	48	92.0	85.3-98.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 17: MARIJUANA USE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1	MALES AND FEMALES	93
2	MALES ONLY	94
3	FEMALES ONLY	95
	DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)	
4	MALES AND FEMALES	96
5	MALES ONLY	97
6	FEMALES ONLY	98
	...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)	
7	MALES AND FEMALES	99
8	MALES ONLY	100
9	FEMALES ONLY	101
	...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)	
10	MALES AND FEMALES	102
11	MALES ONLY	103
12	FEMALES ONLY	104
	...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)	
13	MALES AND FEMALES	105
14	MALES ONLY	106
15	FEMALES ONLY	107
	...USE IT IN SOME OTHER WAY? (MARJOTHR)	
16	MALES AND FEMALES	108
17	MALES ONLY	109
18	FEMALES ONLY	110
	DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN4)	
19	MALES AND FEMALES	111
20	MALES ONLY	112
21	FEMALES ONLY	113

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3654	514,771	3396	90.2	88.8-91.6	39	1.5	00.9-02.1	68	2.5	01.9-03.1	21	0.8	00.4-01.2	29	1.1	00.7-01.5	101	3.8	03.0-04.6	
Male	1818	257,186	1675	90.5	88.7-92.3	21	1.1	00.5-01.7	34	2.1	01.3-02.9	15	1.0	00.4-01.6	16	1.2	00.4-02.0	57	4.0	02.8-05.2	
Female	1836	257,585	1721	89.9	87.9-91.9	18	1.8	00.8-02.8	34	2.9	01.7-04.1	6	0.7	00.1-01.3	13	1.1	00.5-01.7	44	3.6	02.4-04.8	
Native	113	19,803	92	79.4	70.2-88.6	1	0.2	00.0-00.6	7	7.1	00.8-13.4	1	0.6	00.0-01.8	2	2.4	00.0-05.9	10	10.4	03.5-17.3	
Non-Native	3480	487,055	3247	90.6	89.2-92.0	38	1.6	01.0-02.2	59	2.3	01.7-02.9	20	0.9	00.5-01.3	27	1.1	00.7-01.5	89	3.5	02.7-04.3	
18-24	231	65,758	177	77.9	72.0-83.8	8	4.1	00.8-07.4	16	5.6	02.9-08.3	4	2.7	00.0-05.4	7	2.8	00.6-05.0	19	7.0	03.9-10.1	
25-34	380	94,684	319	83.5	79.4-87.6	13	2.9	01.3-04.5	14	4.4	02.0-06.8	3	0.9	00.0-01.9	9	2.1	00.3-03.9	22	6.1	03.6-08.6	
35-44	431	85,406	389	89.2	85.9-92.5	5	1.3	00.1-02.5	9	2.4	00.8-04.0	3	0.6	00.0-01.4	6	1.5	00.1-02.9	19	5.1	02.7-07.5	
45-54	466	68,007	436	94.4	92.2-96.6	5	0.8	00.0-01.6	8	1.3	00.3-02.3	1	0.2	00.0-00.6	1	0.3	00.0-00.9	15	3.1	01.3-04.9	
55-64	665	79,144	618	93.4	91.4-95.4	3	0.3	00.0-00.7	16	2.2	01.0-03.4	7	1.0	00.2-01.8	4	0.5	00.0-01.1	17	2.6	01.2-04.0	
65+	1481	121,772	1457	98.3	97.5-99.1	5	0.3	00.1-00.5	5	0.3	00.1-00.5	3	0.2	00.0-00.4	2	0.2	00.0-00.4	9	0.7	00.1-01.3	
Less Than H.S.	148	36,222	131	83.7	75.9-91.5	2	3.8	00.0-08.9	5	4.6	00.5-08.7	4	3.5	00.0-07.4	2	2.2	00.0-05.1	4	2.2	00.0-04.6	
H.S. or G.E.D.	906	133,907	822	87.0	84.1-89.9	7	1.3	00.1-02.5	20	2.7	01.3-04.1	8	1.0	00.2-01.8	12	1.9	00.7-03.1	37	6.1	04.1-08.1	
Some Post-H.S.	1163	198,414	1083	91.1	88.9-93.3	12	1.2	00.4-02.0	21	2.4	01.2-03.6	6	0.7	00.1-01.3	4	0.5	00.0-01.1	37	4.1	02.7-05.5	
College Graduate	1433	145,380	1356	93.5	91.9-95.1	18	1.4	00.6-02.2	22	2.0	01.0-03.0	3	0.2	00.0-00.4	11	1.1	00.3-01.9	23	1.8	01.0-02.6	
Less than \$15,000	123	17,256	99	76.5	66.7-86.3	1	0.2	00.0-00.6	9	9.4	02.0-16.8				3	2.9	00.0-06.8	11	11.0	04.3-17.7	
\$15,000- 24,999	244	30,643	219	82.7	75.4-90.0	4	3.8	00.0-09.1	7	4.8	01.1-08.5	1	0.5	00.0-01.5				13	8.2	03.7-12.7	
\$25,000- 34,999	328	46,985	303	88.7	84.0-93.4	3	1.5	00.0-03.3	5	2.4	00.0-04.8	4	1.2	00.0-02.4				13	6.2	02.5-09.9	
\$35,000- 49,999	438	56,340	406	90.8	87.3-94.3	5	1.3	00.0-02.9	8	2.1	00.5-03.7	2	0.5	00.0-01.3	5	1.6	00.0-03.2	12	3.6	01.4-05.8	
\$50,000- 99,999	1136	161,635	1062	91.4	89.2-93.6	13	1.6	00.6-02.6	19	2.1	00.9-03.3	8	1.1	00.1-02.1	11	1.2	00.4-02.0	23	2.6	01.4-03.8	
\$100,000- 199,999	624	92,761	591	92.7	90.0-95.4	8	1.1	00.3-01.9	10	2.3	00.7-03.9				4	1.6	00.0-03.2	11	2.3	00.7-03.9	
\$200,000+	151	22,013	145	95.8	92.3-99.3				4	3.1	00.0-06.4				2	1.0	00.0-02.4				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1818	257,186	1675	90.5	88.7-92.3	21	1.1	00.5-01.7	34	2.1	01.3-02.9	15	1.0	00.4-01.6	16	1.2	00.4-02.0	57	4.0	02.8-05.2
Native	54	9,925	44	83.7	71.5-95.9	1	0.4	00.0-01.2	4	4.3	00.0-09.2	1	1.2	00.0-03.6	1	3.5	00.0-10.2	3	6.9	00.0-16.5
Non-Native	1730	242,507	1598	90.7	88.9-92.5	20	1.2	00.6-01.8	30	2.1	01.3-02.9	14	1.0	00.4-01.6	15	1.2	00.4-02.0	53	3.9	02.7-05.1
18-24	125	34,143	98	81.0	73.7-88.3	4	1.9	00.0-03.9	8	5.6	01.7-09.5	1	1.8	00.0-05.3	5	3.5	00.2-06.8	9	6.2	02.1-10.3
25-34	224	50,317	192	85.9	80.8-91.0	9	3.0	01.0-05.0	5	2.5	00.3-04.7	2	1.0	00.0-02.4	6	2.8	00.1-05.5	10	4.8	01.7-07.9
35-44	221	43,366	200	90.4	86.1-94.7	2	0.7	00.0-01.7	4	1.9	00.0-03.9	2	0.6	00.0-01.4	1	0.4	00.0-01.2	12	6.0	02.5-09.5
45-54	241	35,302	223	94.0	90.9-97.1	2	0.3	00.0-00.9	6	1.8	00.2-03.4	1	0.3	00.0-00.9				9	3.6	01.1-06.1
55-64	334	38,864	303	91.8	88.9-94.7	2	0.5	00.0-01.3	9	2.0	00.6-03.4	6	1.8	00.2-03.4	2	0.5	00.0-01.1	12	3.4	01.2-05.6
65+	673	55,194	659	97.7	96.3-99.1	2	0.2	00.0-00.4	2	0.2	00.0-00.4	3	0.5	00.0-01.1	2	0.4	00.0-01.0	5	1.0	00.0-02.0
Less Than H.S.	87	21,300	77	86.2	77.4-95.0				3	4.6	00.0-09.7	3	4.2	00.0-09.9	1	1.9	00.0-05.6	3	3.1	00.0-06.8
H.S. or G.E.D.	494	74,957	443	87.5	84.0-91.0	4	0.8	00.0-01.6	11	2.4	00.8-04.0	5	1.0	00.0-02.0	7	1.7	00.1-03.3	24	6.5	03.8-09.2
Some Post-H.S.	563	97,237	522	92.2	89.7-94.7	5	0.9	00.1-01.7	10	1.7	00.5-02.9	4	0.6	00.0-01.2	3	0.8	00.0-02.0	19	3.9	02.1-05.7
College Graduate	671	63,195	630	93.0	90.8-95.2	12	2.1	00.7-03.5	10	1.6	00.4-02.8	3	0.5	00.0-01.1	5	1.1	00.1-02.1	11	1.7	00.5-02.9
\$15,000- 24,999	103	13,844	90	86.5	78.9-94.1	3	2.6	00.0-06.1	1	0.6	00.0-01.8	1	1.1	00.0-03.3				8	9.2	02.5-15.9
\$25,000- 34,999	152	21,736	141	92.3	87.6-97.0	2	1.8	00.0-04.2	2	2.1	00.0-05.2	2	1.2	00.0-02.8				5	2.7	00.2-05.2
\$35,000- 49,999	219	27,818	200	88.6	83.1-94.1	2	0.7	00.0-01.7	6	3.5	00.4-06.6	2	1.1	00.0-02.9	4	2.7	00.0-05.8	5	3.5	00.4-06.6
\$50,000- 99,999	600	87,082	556	91.2	88.3-94.1	5	0.8	00.0-01.6	10	2.1	00.7-03.5	7	1.8	00.2-03.4	4	0.6	00.0-01.2	18	3.6	01.6-05.6
\$100,000- 199,999	348	48,945	326	90.9	86.8-95.0	5	1.4	00.0-02.8	6	1.7	00.3-03.1	4	3.0	00.1-05.9	4	3.0	00.1-05.9	7	3.1	00.6-05.6
\$200,000+	97	12,856	95	98.4	96.2-0100				1	0.7	00.0-02.1				1	0.9	00.0-02.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1836	257,585	1721	89.9	87.9-91.9	18	1.8	00.8-02.8	34	2.9	01.7-04.1	6	0.7	00.1-01.3	13	1.1	00.5-01.7	44	3.6	02.4-04.8
Native	59	9,878	48	75.2	61.5-88.9				3	9.8	00.0-21.0				1	1.2	00.0-03.6	7	13.8	03.8-23.8
Non-Native	1750	244,548	1649	90.6	88.6-92.6	18	1.9	00.7-03.1	29	2.5	01.5-03.5	6	0.7	00.1-01.3	12	1.1	00.5-01.7	36	3.2	02.0-04.4
18-24	106	31,614	79	74.5	65.3-83.7	4	6.4	00.0-12.9	8	5.6	01.7-09.5	3	3.7	00.0-07.8	2	2.0	00.0-04.7	10	7.8	02.9-12.7
25-34	156	44,367	127	80.9	74.2-87.6	4	2.7	00.0-05.4	9	6.7	02.2-11.2	1	0.7	00.0-02.1	3	1.4	00.0-03.2	12	7.6	03.3-11.9
35-44	210	42,039	189	87.9	82.8-93.0	3	1.8	00.0-04.0	5	2.9	00.2-05.6	1	0.6	00.0-01.8	5	2.6	00.1-05.1	7	4.2	01.1-07.3
45-54	225	32,706	213	94.9	92.0-97.8	3	1.2	00.0-02.8	2	0.7	00.0-01.7				1	0.6	00.0-01.8	6	2.6	00.4-04.8
55-64	331	40,280	315	94.9	92.2-97.6	1	0.1	00.0-00.3	7	2.5	00.3-04.7	1	0.2	00.0-00.6	2	0.6	00.0-01.4	5	1.8	00.2-03.4
65+	808	66,577	798	98.8	98.0-99.6	3	0.4	00.0-00.8	3	0.4	00.0-00.8							4	0.3	00.0-00.7
Less Than H.S.	61	14,921	54	80.1	65.8-94.4	2	9.2	00.0-21.4	2	4.7	00.0-11.4	1	2.4	00.0-07.1	1	2.6	00.0-07.7	1	1.0	00.0-03.0
H.S. or G.E.D.	412	58,950	379	86.2	81.5-90.9	3	1.9	00.0-04.1	9	3.1	00.9-05.3	3	1.1	00.0-02.5	5	2.2	00.2-04.2	13	5.5	02.6-08.4
Some Post-H.S.	600	101,177	561	90.1	87.0-93.2	7	1.5	00.3-02.7	11	3.1	01.1-05.1	2	0.8	00.0-02.0	1	0.1	00.0-00.3	18	4.4	02.2-06.6
College Graduate	762	82,185	726	93.9	91.7-96.1	6	0.8	00.0-01.6	12	2.2	00.8-03.6				6	1.2	00.2-02.2	12	1.9	00.7-03.1
Less than \$15,000	75	10,354	62	73.0	59.3-86.7				5	11.1	00.1-22.1				1	3.1	00.0-09.0	7	12.7	03.3-22.1
\$15,000- 24,999	141	16,799	129	79.6	68.4-90.8	1	4.8	00.0-13.8	6	8.3	01.8-14.8							5	7.3	01.0-13.6
\$25,000- 34,999	176	25,248	162	85.6	78.2-93.0	1	1.3	00.0-03.8	3	2.6	00.0-05.9	2	1.2	00.0-03.2				8	9.3	03.0-15.6
\$35,000- 49,999	219	28,522	206	92.9	88.4-97.4	3	2.0	00.0-04.9	2	0.8	00.0-02.0				1	0.5	00.0-01.5	7	3.8	00.7-06.9
\$50,000- 99,999	536	74,553	506	91.6	88.3-94.9	8	2.5	00.5-04.5	9	2.2	00.4-04.0	1	0.4	00.0-01.2	7	1.9	00.3-03.5	5	1.4	00.0-02.8
\$100,000- 199,999	276	43,816	265	94.8	91.5-98.1	3	0.8	00.0-01.8	4	3.0	00.1-05.9							4	1.4	00.0-03.0
\$200,000+	54	9,156	50	92.2	84.4-0100				3	6.6	00.0-14.0				1	1.2	00.0-03.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	259	50,701	204	81.0	75.9-86.1	55	19.0	13.9-24.1
Male	143	24,328	119	83.0	76.1-89.9	24	17.0	10.1-23.9
Female	116	26,373	85	79.1	71.5-86.7	31	20.9	13.3-28.5
Non-Native	234	45,800	184	81.1	75.6-86.6	50	18.9	13.4-24.4
18-24	54	14,541	45	86.4	77.4-95.4	9	13.6	04.6-22.6
25-34	61	15,599	45	76.3	65.3-87.3	16	23.7	12.7-34.7
H.S. or G.E.D.	84	17,456	67	78.4	68.6-88.2	17	21.6	11.8-31.4
Some Post-H.S.	81	17,916	72	90.0	83.3-96.7	9	10.0	03.3-16.7
College Graduate	77	9,422	50	62.1	49.9-74.3	27	37.9	25.7-50.1
\$50,000- 99,999	74	13,924	59	79.3	68.7-89.9	15	20.7	10.1-31.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	143	24,328	119	83.0	76.1-89.9	24	17.0	10.1-23.9
Non-Native	132	22,557	109	82.2	74.8-89.6	23	17.8	10.4-25.2
H.S. or G.E.D.	51	9,339	44	83.9	72.3-95.5	7	16.1	04.5-27.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, DID YOU SMOKE IT (FOR EXAMPLE, IN A JOINT, BONG, PIPE, OR BLUNT)? (MARJSMOK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	116	26,373	85	79.1	71.5-86.7	31	20.9	13.3-28.5
Non-Native	102	23,243	75	80.1	72.3-87.9	27	19.9	12.1-27.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 7: ...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	259	50,701	86	32.1	25.4-38.8	173	67.9	61.2-74.6
Male	143	24,328	50	38.2	28.6-47.8	93	61.8	52.2-71.4
Female	116	26,373	36	26.5	17.7-35.3	80	73.5	64.7-82.3
Non-Native	234	45,800	77	31.2	24.3-38.1	157	68.8	61.9-75.7
18-24	54	14,541	13	24.0	11.3-36.7	41	76.0	63.3-88.7
25-34	61	15,599	26	41.1	27.8-54.4	35	58.9	45.6-72.2
H.S. or G.E.D.	84	17,456	20	27.0	16.0-38.0	64	73.0	62.0-84.0
Some Post-H.S.	81	17,916	26	31.7	20.5-42.9	55	68.3	57.1-79.5
College Graduate	77	9,422	37	47.4	35.1-59.7	40	52.6	40.3-64.9
\$50,000- 99,999	74	13,924	31	42.8	29.5-56.1	43	57.2	43.9-70.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 8: ...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	143	24,328	50	38.2	28.6-47.8	93	61.8	52.2-71.4
Non-Native	132	22,557	44	35.0	25.4-44.6	88	65.0	55.4-74.6
H.S. or G.E.D.	51	9,339	13	31.2	15.5-46.9	38	68.8	53.1-84.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 9: ...EAT IT OR DRINK IT (FOR EXAMPLE, IN BROWNIES, CAKES, COOKIES, OR CANDY, OR IN TEA, COLA, OR ALCOHOL)? (MARJEAT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	116	26,373	36	26.5	17.9-35.1	80	73.5	64.9-82.1
Non-Native	102	23,243	33	27.5	18.1-36.9	69	72.5	63.1-81.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 10: ...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	259	50,701	87	38.8	31.7-45.9	172	61.2	54.1-68.3
Male	143	24,328	48	37.1	27.9-46.3	95	62.9	53.7-72.1
Female	116	26,373	39	40.3	29.9-50.7	77	59.7	49.3-70.1
Non-Native	234	45,800	79	39.0	31.6-46.4	155	61.0	53.6-68.4
18-24	54	14,541	23	44.5	29.8-59.2	31	55.5	40.8-70.2
25-34	61	15,599	27	42.1	28.8-55.4	34	57.9	44.6-71.2
H.S. or G.E.D.	84	17,456	33	42.2	30.6-53.8	51	57.8	46.2-69.4
Some Post-H.S.	81	17,916	29	40.1	28.1-52.1	52	59.9	47.9-71.9
College Graduate	77	9,422	19	28.6	16.6-40.6	58	71.4	59.4-83.4
\$50,000- 99,999	74	13,924	24	35.6	22.7-48.5	50	64.4	51.5-77.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 11: ...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	143	24,328	48	37.1	28.1-46.1	95	62.9	53.9-71.9
Non-Native	132	22,557	47	38.5	29.1-47.9	85	61.5	52.1-70.9
H.S. or G.E.D.	51	9,339	17	36.2	21.7-50.7	34	63.8	49.3-78.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 12: ...VAPORIZE IT (FOR EXAMPLE, IN AN E-CIGARETTE-LIKE VAPORIZER OR ANOTHER VAPORIZING DEVICE) (MARJVAPE)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	116	26,373	39	40.3	29.9-50.7	77	59.7	49.3-70.1
Non-Native	102	23,243	32	39.6	28.4-50.8	70	60.4	49.2-71.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 17: MARIJUANA USE**

**TABLE 13: ...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	259	50,701	87	38.8	31.7-45.9	172	61.2	54.1-68.3
Male	143	24,328	48	37.1	27.9-46.3	95	62.9	53.7-72.1
Female	116	26,373	39	40.3	29.9-50.7	77	59.7	49.3-70.1
Non-Native	234	45,800	79	39.0	31.6-46.4	155	61.0	53.6-68.4
18-24	54	14,541	23	44.5	29.8-59.2	31	55.5	40.8-70.2
25-34	61	15,599	27	42.1	28.8-55.4	34	57.9	44.6-71.2
H.S. or G.E.D.	84	17,456	33	42.2	30.6-53.8	51	57.8	46.2-69.4
Some Post-H.S.	81	17,916	29	40.1	28.1-52.1	52	59.9	47.9-71.9
College Graduate	77	9,422	19	28.6	16.6-40.6	58	71.4	59.4-83.4
\$50,000- 99,999	74	13,924	24	35.6	22.7-48.5	50	64.4	51.5-77.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 14: ...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	143	24,328	48	37.1	28.1-46.1	95	62.9	53.9-71.9
Non-Native	132	22,557	47	38.5	29.1-47.9	85	61.5	52.1-70.9
H.S. or G.E.D.	51	9,339	17	36.2	21.7-50.7	34	63.8	49.3-78.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 15: ...DAB IT (FOR EXAMPLE, USING A DABBING RIG, KNIFE, OR DAB PEN)? (MARJDAB)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	116	26,373	39	40.3	29.9-50.7	77	59.7	49.3-70.1
Non-Native	102	23,243	32	39.6	28.4-50.8	70	60.4	49.2-71.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 16: ...USE IT IN SOME OTHER WAY? (MARJOTHR)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	259	50,701	87	38.8	31.7-45.9	172	61.2	54.1-68.3
Male	143	24,328	48	37.1	27.9-46.3	95	62.9	53.7-72.1
Female	116	26,373	39	40.3	29.9-50.7	77	59.7	49.3-70.1
Non-Native	234	45,800	79	39.0	31.6-46.4	155	61.0	53.6-68.4
18-24	54	14,541	23	44.5	29.8-59.2	31	55.5	40.8-70.2
25-34	61	15,599	27	42.1	28.8-55.4	34	57.9	44.6-71.2
H.S. or G.E.D.	84	17,456	33	42.2	30.6-53.8	51	57.8	46.2-69.4
Some Post-H.S.	81	17,916	29	40.1	28.1-52.1	52	59.9	47.9-71.9
College Graduate	77	9,422	19	28.6	16.6-40.6	58	71.4	59.4-83.4
\$50,000- 99,999	74	13,924	24	35.6	22.7-48.5	50	64.4	51.5-77.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 17: ...USE IT IN SOME OTHER WAY? (MARJOTHR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	143	24,328	48	37.1	28.1-46.1	95	62.9	53.9-71.9
Non-Native	132	22,557	47	38.5	29.1-47.9	85	61.5	52.1-70.9
H.S. or G.E.D.	51	9,339	17	36.2	21.7-50.7	34	63.8	49.3-78.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 18: ...USE IT IN SOME OTHER WAY? (MARJOTHR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	116	26,373	39	40.3	29.9-50.7	77	59.7	49.3-70.1
Non-Native	102	23,243	32	39.6	28.4-50.8	70	60.4	49.2-71.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 19: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN4)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	115	26,342	66	54.9	44.5-65.3	11	8.0	02.3-13.7	19	19.7	10.9-28.5	16	16.4	08.8-24.0	3	1.0	00.0-02.2
Male	68	13,725	41	57.3	44.4-70.2	7	8.8	01.7-15.9	9	12.7	04.1-21.3	10	20.5	08.9-32.1	1	0.7	00.0-02.1
Non-Native	104	23,523	57	51.9	40.9-62.9	10	8.0	01.9-14.1	19	22.1	12.3-31.9	15	16.8	08.6-25.0	3	1.1	00.0-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE**

**TABLE 20: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It Drink It			Vaporize it			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	68	13,725	41	57.3	44.4-70.2	7	8.8	01.7-15.9	9	12.7	04.1-21.3	10	20.5	08.9-32.1	1	0.7	00.0-02.1
Non-Native	63	12,438	38	57.5	43.6-71.4	6	7.9	00.6-15.2	9	14.1	04.7-23.5	9	19.8	07.6-32.0	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 17: MARIJUANA USE

TABLE 21: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...  
(USEMRJN4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI) CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

TABLE	PAGE
M20.01.a Which of the following best represents how you think of yourself? (SOMALE)	
1 MALES AND FEMALES	115
2 MALES ONLY	116
3 FEMALES ONLY	117
M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)	
4 MALES AND FEMALES	118
5 MALES ONLY	119
6 FEMALES ONLY	120
M20.02 Do you consider yourself to be transgender? (TRNSGNDR)	
7 MALES AND FEMALES	121
8 MALES ONLY	122
9 FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)**

**TABLE 1: M20.01.a Which of the following best represents how you think of yourself? (SOMALE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Gay		Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1973	284,106	29	1.6	00.8-02.4	1890	95.1	93.9-96.3	25	1.6	00.8-02.4	29	1.7	00.9-02.5
Native	61	11,404	2	3.2	00.0-07.9	58	92.5	83.3-0100	1	4.3	00.0-12.5			
Non-Native	1880	268,404	27	1.6	00.8-02.4	1803	95.3	94.1-96.5	22	1.4	00.8-02.0	28	1.8	01.0-02.6
18-24	141	38,712	2	2.4	00.0-05.7	132	91.7	86.2-97.2	6	4.5	00.8-08.2	1	1.5	00.0-04.2
25-34	248	56,380	9	2.7	00.9-04.5	228	92.1	88.4-95.8	5	2.2	00.0-04.4	6	3.0	00.5-05.5
35-44	251	50,547	4	1.4	00.0-02.8	240	95.7	93.2-98.2	2	0.6	00.0-01.6	5	2.3	00.1-04.5
45-54	258	37,858	2	0.8	00.0-02.0	253	98.2	96.6-99.8	2	0.7	00.0-01.7	1	0.2	00.0-00.6
55-64	370	43,215	4	1.0	00.0-02.0	359	96.7	94.7-98.7	5	1.6	00.2-03.0	2	0.7	00.0-01.7
65+	705	57,393	8	1.2	00.2-02.2	678	96.3	94.7-97.9	5	0.4	00.0-00.8	14	2.0	00.8-03.2
Less Than H.S.	93	23,334	2	3.3	00.0-08.4	88	93.2	86.7-99.7	1	1.4	00.0-04.1	2	2.1	00.0-05.2
H.S. or G.E.D.	547	84,253	7	1.6	00.2-03.0	527	95.6	93.4-97.8	6	1.9	00.3-03.5	7	0.9	00.1-01.7
Some Post-H.S.	617	107,400	9	1.1	00.3-01.9	587	94.9	92.7-97.1	9	1.5	00.3-02.7	12	2.5	00.7-04.3
College Graduate	712	68,177	11	1.8	00.6-03.0	684	95.2	93.2-97.2	9	1.5	00.5-02.5	8	1.5	00.3-02.7
Less than \$15,000	53	7,608	2	3.1	00.0-07.4	48	91.3	83.1-99.5	1	0.5	00.0-01.5	2	5.1	00.0-12.0
\$15,000- 24,999	109	15,395	3	1.7	00.0-03.9	101	94.8	90.5-99.1	2	1.5	00.0-04.0	3	2.0	00.0-04.7
\$25,000- 34,999	159	22,762	5	2.9	00.2-05.6	147	92.5	87.8-97.2	5	4.1	00.2-08.0	2	0.5	00.0-01.3
\$35,000- 49,999	232	30,131	8	3.6	00.9-06.3	218	93.0	89.3-96.7	4	2.1	00.1-04.1	2	1.3	00.0-03.1
\$50,000- 99,999	629	91,083	6	1.6	00.0-03.2	610	95.5	93.1-97.9	7	1.2	00.2-02.2	6	1.7	00.1-03.3
\$100,000- 199,999	376	53,953				369	98.0	96.2-99.8	1	0.6	00.0-01.8	6	1.4	00.0-02.8
\$200,000+	104	14,391	1	1.2	00.0-03.6	102	98.0	95.3-0100	1	0.8	00.0-02.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)**

**TABLE 2: M20.01.b Which of the following best represents how you think of yourself? (SOFEMALE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Lesbian or Gay			Straight, that is, not gay			Bisexual			Something else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1902	272,993	21	1.5	00.7-02.3	1787	91.5	89.7-93.3	71	5.9	04.5-07.3	23	1.1	00.5-01.7
Native	66	11,279				63	94.1	87.2-0100	1	2.4	00.0-06.9	2	3.6	00.0-08.9
Non-Native	1818	259,482	20	1.5	00.7-02.3	1709	91.4	89.6-93.2	69	6.0	04.4-07.6	20	1.0	00.4-01.6
18-24	121	35,179	2	1.5	00.0-03.7	96	81.6	74.5-88.7	22	15.9	09.4-22.4	1	1.0	00.0-02.8
25-34	168	47,663	6	4.0	00.3-07.7	135	80.9	74.4-87.4	27	15.1	09.6-20.6			
35-44	223	45,422	2	1.1	00.0-02.7	210	93.7	90.2-97.2	8	3.6	01.1-06.1	3	1.7	00.0-03.7
45-54	244	35,666	4	1.3	00.0-02.7	235	97.2	95.2-99.2	4	1.3	00.0-02.7	1	0.2	00.0-00.6
55-64	345	42,385	5	1.1	00.1-02.1	332	96.7	94.7-98.7	4	1.3	00.0-02.7	4	0.9	00.0-01.9
65+	801	66,677	2	0.3	00.0-00.7	779	96.5	94.7-98.3	6	0.9	00.1-01.7	14	2.3	00.9-03.7
Less Than H.S.	60	15,883	1	4.7	00.0-13.7	54	88.3	77.7-98.9	2	3.0	00.0-07.5	3	4.0	00.0-08.7
H.S. or G.E.D.	438	64,908	5	1.0	00.0-02.0	404	89.2	85.5-92.9	23	8.9	05.4-12.4	6	0.8	00.0-01.6
Some Post-H.S.	616	105,454	4	1.1	00.0-02.3	583	92.6	89.9-95.3	18	4.8	02.4-07.2	11	1.5	00.5-02.5
College Graduate	787	86,397	11	1.6	00.4-02.8	745	92.5	90.1-94.9	28	5.5	03.3-07.7	3	0.4	00.0-01.0
Less than \$15,000	78	11,999	2	1.2	00.0-03.0	69	85.7	75.5-95.9	6	12.9	02.9-22.9	1	0.2	00.0-00.6
\$15,000- 24,999	143	17,199	2	2.5	00.0-06.6	126	82.2	73.6-90.8	11	13.0	05.6-20.4	4	2.3	00.0-05.0
\$25,000- 34,999	186	27,279	5	5.9	00.0-11.8	169	82.5	74.3-90.7	9	10.2	03.7-16.7	3	1.5	00.0-03.3
\$35,000- 49,999	227	30,766	2	1.3	00.0-03.1	211	90.2	85.3-95.1	13	8.1	03.6-12.6	1	0.4	00.0-01.2
\$50,000- 99,999	544	75,538	3	0.8	00.0-02.0	518	92.9	90.0-95.8	16	4.8	02.3-07.3	7	1.5	00.3-02.7
\$100,000- 199,999	289	46,100	2	0.3	00.0-00.7	282	98.5	97.3-99.7	4	0.9	00.0-01.9	1	0.3	00.0-00.9
\$200,000+	54	9,112				53	97.1	91.4-0100	1	2.9	00.0-08.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**  
**MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)**  
**TABLE 3: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3942	565,276	6	0.2	00.0-00.4	6	0.2	00.0-00.4	5	0.2	00.0-00.4	3925	99.4	99.0-99.8
Male	2003	288,519	5	0.3	00.0-00.7	4	0.4	00.0-00.8	2	0.3	00.0-00.7	1992	99.1	98.3-99.9
Female	1939	276,758	1	0.0	00.0-00.0	2	0.1	00.0-00.3	3	0.1	00.0-00.3	1933	99.8	99.6-0100
Native	130	23,166							1	0.1	00.0-00.3	129	99.9	99.7-0100
Non-Native	3754	534,527	6	0.2	00.0-00.4	6	0.2	00.0-00.4	4	0.2	00.0-00.4	3738	99.4	99.0-99.8
18-24	262	73,911	1	0.5	00.0-01.5	2	1.1	00.0-02.7	1	0.8	00.0-02.4	258	97.6	95.1-0100
25-34	418	104,395	1	0.2	00.0-00.6				2	0.4	00.0-01.0	415	99.4	98.6-0100
35-44	477	96,631				1	0.2	00.0-00.6				476	99.8	99.4-0100
45-54	510	75,062										510	100.0	0100-0100
55-64	719	85,933				1	0.2	00.0-00.6				718	99.8	99.4-0100
65+	1556	129,344	4	0.2	00.0-00.4	2	0.1	00.0-00.3	2	0.1	00.1-00.1	1548	99.7	99.5-99.9
Less Than H.S.	166	41,349							1	1.5	00.0-04.4	165	98.5	95.6-0100
H.S. or G.E.D.	1000	150,733	3	0.5	00.0-01.1	2	0.3	00.0-00.7	1	0.0	00.0-00.0	994	99.3	98.5-0100
Some Post-H.S.	1253	215,688	2	0.1	00.1-00.1	2	0.3	00.0-00.9	1	0.1	00.0-00.3	1248	99.5	98.9-0100
College Graduate	1518	156,215	1	0.0	00.0-00.0	2	0.2	00.0-00.6	2	0.2	00.0-00.4	1513	99.6	99.2-0100
Less than \$15,000	137	20,240	1	1.1	00.0-03.3	1	0.3	00.0-00.9				135	98.6	96.4-0100
\$15,000- 24,999	265	34,600	1	0.1	00.0-00.3				1	0.1	00.0-00.3	263	99.8	99.6-0100
\$25,000- 34,999	352	51,049	1	0.2	00.0-00.6							351	99.8	99.4-0100
\$35,000- 49,999	464	61,272							2	0.7	00.0-01.7	462	99.3	98.3-0100
\$50,000- 99,999	1180	167,194	2	0.1	00.0-00.3	2	0.3	00.0-00.7	1	0.4	00.0-01.2	1175	99.3	98.5-0100
\$100,000- 199,999	672	100,764				2	0.3	00.0-00.7				670	99.7	99.3-0100
\$200,000+	158	23,503										158	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)**

**TABLE 5: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	288,519	5	0.3	00.0-00.7	4	0.4	00.0-00.8	2	0.3	00.0-00.7	1992	99.1	98.3-99.9
Native	62	11,510										62	100.0	0100-0100
Non-Native	1903	271,864	5	0.3	00.0-00.7	4	0.4	00.0-00.8	2	0.3	00.0-00.7	1892	99.0	98.2-99.8
18-24	141	38,630	1	1.0	00.0-03.0	1	1.5	00.0-04.2	1	1.6	00.0-04.7	138	96.0	91.5-0100
25-34	249	56,507	1	0.4	00.0-01.2				1	0.4	00.0-01.2	247	99.2	98.0-0100
35-44	253	51,002				1	0.4	00.0-01.2				252	99.6	98.8-0100
45-54	263	38,943										263	100.0	0100-0100
55-64	371	43,275				1	0.4	00.0-01.2				370	99.6	98.8-0100
65+	726	60,162	3	0.4	00.0-00.8	1	0.1	00.0-00.3				722	99.6	99.2-0100
Less Than H.S.	99	24,542							1	2.5	00.0-07.2	98	97.5	92.8-0100
H.S. or G.E.D.	554	85,102	3	0.8	00.0-01.8	2	0.5	00.0-01.1				549	98.7	97.5-99.9
Some Post-H.S.	625	108,780	1	0.1	00.0-00.3	1	0.5	00.0-01.5	1	0.2	00.0-00.6	622	99.2	98.0-0100
College Graduate	721	69,153	1	0.1	00.0-00.3	1	0.1	00.0-00.3				719	99.8	99.6-0100
Less than \$15,000	53	7,608	1	2.8	00.0-08.3							52	97.2	91.7-0100
\$15,000- 24,999	113	16,037										113	100.0	0100-0100
\$25,000- 34,999	162	23,432	1	0.3	00.0-00.9							161	99.7	99.1-0100
\$35,000- 49,999	236	30,623							1	0.8	00.0-02.4	235	99.2	97.6-0100
\$50,000- 99,999	631	91,308	2	0.2	00.0-00.4	1	0.2	00.0-00.6	1	0.7	00.0-02.1	627	99.0	97.6-0100
\$100,000- 199,999	382	54,514				2	0.5	00.0-01.3				380	99.5	98.7-0100
\$200,000+	104	14,391										104	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 26: SEXUAL ORIENTATION AND GENDER IDENTITY (SOGI)  
TABLE 6: M20.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, Transgender, male-to-female			Yes, Transgender, female to male			Yes, Transgender, gender nonconforming			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1939	276,758	1	0.0	00.0-00.0	2	0.1	00.0-00.3	3	0.1	00.0-00.3	1933	99.8	99.6-0100
Native	68	11,656							1	0.3	00.0-00.9	67	99.7	99.1-0100
Non-Native	1851	262,663	1	0.0	00.0-00.0	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1846	99.8	99.6-0100
18-24	121	35,281				1	0.7	00.0-02.1				120	99.3	97.9-0100
25-34	169	47,888							1	0.5	00.0-01.5	168	99.5	98.5-0100
35-44	224	45,629										224	100.0	0100-0100
45-54	247	36,119										247	100.0	0100-0100
55-64	348	42,658										348	100.0	0100-0100
65+	830	69,181	1	0.0	00.0-00.0	1	0.1	00.0-00.3	2	0.1	00.0-00.3	826	99.7	99.5-99.9
Less Than H.S.	67	16,806										67	100.0	0100-0100
H.S. or G.E.D.	446	65,631							1	0.0	00.0-00.0	445	100.0	0100-0100
Some Post-H.S.	628	106,907	1	0.0	00.0-00.0	1	0.1	00.0-00.3				626	99.9	99.7-0100
College Graduate	797	87,062				1	0.3	00.0-00.9	2	0.3	00.0-00.9	794	99.4	98.6-0100
Less than \$15,000	84	12,631				1	0.5	00.0-01.5				83	99.5	98.5-0100
\$15,000- 24,999	152	18,563	1	0.2	00.0-00.6				1	0.2	00.0-00.6	150	99.6	99.0-0100
\$25,000- 34,999	190	27,617										190	100.0	0100-0100
\$35,000- 49,999	228	30,649							1	0.7	00.0-02.1	227	99.3	97.9-0100
\$50,000- 99,999	549	75,886				1	0.3	00.0-00.9				548	99.7	99.1-0100
\$100,000- 199,999	290	46,250										290	100.0	0100-0100
\$200,000+	54	9,112										54	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

**MODULE 28: REACTIONS TO RACE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY? (RRCOGNT2)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130
	WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)	
7	MALES AND FEMALES	131
8	MALES ONLY	132
9	FEMALES ONLY	133
	WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)	
10	MALES AND FEMALES	134
11	MALES ONLY	135
12	FEMALES ONLY	136
	WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)	
13	MALES AND FEMALES	137
14	MALES ONLY	138
15	FEMALES ONLY	139
	WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)	
16	MALES AND FEMALES	140
17	MALES ONLY	141
18	FEMALES ONLY	142



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 1: HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Hispanic or Latino			Asian			Native Hawaiian or Other Pacific Islander			Amer. Indian or Alaska Native, Mixed or Some Other Group		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3579	506,276	3300	86.7	85.1-88.3	72	3.6	02.6-04.6	38	2.3	01.5-03.1	33	1.9	01.1-02.7	2	0.2	00.0-00.4	134	5.3	04.3-06.3
Male	1777	252,591	1626	85.8	83.4-88.2	44	4.2	02.8-05.6	21	2.7	01.5-03.9	17	2.0	01.0-03.0				69	5.4	04.0-06.8
Female	1802	253,685	1674	87.7	85.3-90.1	28	3.0	01.8-04.2	17	1.9	00.9-02.9	16	1.8	00.8-02.8	2	0.3	00.0-00.7	65	5.3	03.7-06.9
Native	109	19,679	20	17.5	09.7-25.3				3	3.6	00.0-08.1	1	1.5	00.0-04.4				85	77.5	68.5-86.5
Non-Native	3434	481,696	3254	89.7	88.1-91.3	71	3.7	02.7-04.7	35	2.3	01.5-03.1	31	1.9	01.1-02.7	2	0.2	00.0-00.4	41	2.2	01.4-03.0
18-24	235	67,374	186	74.8	68.3-81.3	12	6.5	02.6-10.4	9	5.1	01.6-08.6	9	4.8	01.7-07.9				19	8.8	04.9-12.7
25-34	376	94,264	311	78.0	72.9-83.1	23	6.5	03.6-09.4	10	4.5	01.8-07.2	9	2.9	00.9-04.9				23	8.2	04.7-11.7
35-44	419	82,957	369	83.6	79.1-88.1	15	5.3	02.4-08.2	6	1.8	00.2-03.4	8	3.2	00.8-05.6	2	1.0	00.0-02.4	19	5.1	02.7-07.5
45-54	450	65,635	404	88.4	85.1-91.7	14	3.6	01.6-05.6	5	1.7	00.1-03.3	5	1.3	00.1-02.5				22	5.0	02.6-07.4
55-64	657	78,086	629	94.9	92.7-97.1	3	0.3	00.0-00.7	3	0.8	00.0-01.8							22	4.0	02.0-06.0
65+	1442	117,960	1401	96.5	95.3-97.7	5	0.6	00.0-01.2	5	0.6	00.0-01.2	2	0.2	00.0-00.4				29	2.3	01.3-03.3
Less Than H.S.	143	36,129	123	75.2	65.0-85.4	5	9.9	01.7-18.1	3	4.9	00.0-10.4	1	0.2	00.0-00.6				11	9.8	03.3-16.3
H.S. or G.E.D.	887	132,300	819	87.4	84.3-90.5	16	2.6	01.2-04.0	16	3.1	01.5-04.7	5	1.5	00.1-02.9	2	0.6	00.0-01.6	29	4.8	02.8-06.8
Some Post-H.S.	1137	194,477	1038	86.4	83.7-89.1	26	3.7	02.1-05.3	13	2.3	00.9-03.7	9	1.8	00.6-03.0				51	5.7	03.9-07.5
College Graduate	1409	142,794	1317	89.5	87.3-91.7	25	2.7	01.5-03.9	6	0.8	00.0-01.6	18	2.8	01.4-04.2				43	4.2	02.8-05.6
Less than \$15,000	120	16,920	100	73.8	61.8-85.8	6	11.0	00.8-21.2	4	4.3	00.0-09.4							10	10.9	03.3-18.5
\$15,000- 24,999	241	30,219	216	81.7	74.4-89.0	6	4.1	00.8-07.4	3	2.4	00.0-05.3	4	3.9	00.0-07.8				12	7.9	02.6-13.2
\$25,000- 34,999	325	47,500	297	84.0	77.5-90.5	8	6.0	01.1-10.9	4	2.7	00.0-05.4							16	7.3	03.2-11.4
\$35,000- 49,999	432	56,396	392	82.5	77.2-87.8	8	4.0	01.1-06.9	3	1.1	00.0-02.5	9	5.0	01.5-08.5	1	0.8	00.0-02.4	19	6.7	03.6-09.8
\$50,000- 99,999	1117	158,246	1044	89.2	86.5-91.9	21	2.6	01.2-04.0	12	2.7	00.9-04.5	5	1.2	00.0-02.4				35	4.2	02.6-05.8
\$100,000- 199,999	623	92,474	592	92.4	89.5-95.3	8	1.7	00.5-02.9	6	2.1	00.1-04.1	3	0.9	00.0-02.1	1	0.4	00.0-01.2	13	2.4	00.8-04.0
\$200,000+	149	21,841	139	91.6	86.3-96.9	1	1.6	00.0-04.7				3	2.8	00.0-05.9				6	4.0	00.7-07.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 2: HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Hispanic or Latino			Asian			Amer. Indian or Alaska Native, Mixed or Some Other Group		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1777	252,591	1626	85.8	83.4-88.2	44	4.2	02.8-05.6	21	2.7	01.5-03.9	17	2.0	01.0-03.0	69	5.4	04.0-06.8
Native	54	10,439	10	18.4	06.6-30.2										44	81.6	69.8-93.4
Non-Native	1701	238,833	1599	88.9	86.5-91.3	44	4.4	02.8-06.0	21	2.9	01.5-04.3	16	2.0	01.0-03.0	21	1.9	00.9-02.9
18-24	126	34,940	97	70.9	61.5-80.3	8	8.7	02.2-15.2	5	6.5	00.6-12.4	6	5.7	01.2-10.2	10	8.2	03.1-13.3
25-34	221	50,009	185	78.5	71.8-85.2	12	5.2	02.3-08.1	4	3.5	00.2-06.8	6	3.9	00.6-07.2	14	9.0	04.1-13.9
35-44	214	42,026	191	84.9	78.6-91.2	9	6.4	01.5-11.3	4	2.9	00.0-05.8	1	1.2	00.0-03.6	9	4.6	01.5-07.7
45-54	232	33,835	201	85.3	80.0-90.6	10	4.9	01.8-08.0	4	2.7	00.0-05.6	3	1.5	00.0-03.3	14	5.7	02.6-08.8
55-64	333	38,578	320	95.8	93.3-98.3	2	0.2	00.0-00.4	1	0.6	00.0-01.8				10	3.4	01.0-05.8
65+	651	53,203	632	96.1	94.1-98.1	3	1.0	00.0-02.2	3	0.8	00.0-01.8	1	0.1	00.0-00.3	12	1.9	00.7-03.1
Less Than H.S.	87	22,031	72	68.4	54.9-81.9	3	10.3	00.0-21.3	3	8.0	00.0-16.6	1	0.3	00.0-00.9	8	12.9	03.7-22.1
H.S. or G.E.D.	482	74,008	439	86.4	82.3-90.5	12	3.4	01.4-05.4	8	2.8	00.8-04.8	4	2.2	00.0-04.4	19	5.1	02.6-07.6
Some Post-H.S.	545	94,296	493	86.6	82.9-90.3	16	4.0	02.0-06.0	8	2.9	00.7-05.1	4	1.8	00.0-03.6	24	4.7	02.5-06.9
College Graduate	661	62,030	620	89.9	86.8-93.0	13	3.1	01.3-04.9	2	0.4	00.0-01.0	8	2.6	00.8-04.4	18	4.0	02.0-06.0
\$15,000- 24,999	99	13,086	85	78.9	68.3-89.5	5	6.7	00.8-12.6				4	9.0	00.2-17.8	5	5.3	00.0-10.6
\$25,000- 34,999	153	22,661	137	82.0	72.6-91.4	4	6.7	00.0-14.3	3	4.5	00.0-09.6				9	6.9	02.0-11.8
\$35,000- 49,999	215	27,925	191	80.0	72.4-87.6	6	5.2	00.9-09.5	2	1.1	00.0-02.7	6	6.9	01.2-12.6	10	6.7	02.4-11.0
\$50,000- 99,999	587	84,979	546	87.8	83.9-91.7	14	3.5	01.3-05.7	10	4.5	01.6-07.4	1	0.4	00.0-01.2	16	3.8	01.6-06.0
\$100,000- 199,999	346	48,444	327	91.7	87.6-95.8	6	2.6	00.4-04.8	3	1.8	00.0-04.0	2	1.5	00.0-03.9	8	2.4	00.6-04.2
\$200,000+	96	12,775	88	89.2	81.6-96.8	1	2.8	00.0-08.1				2	2.7	00.0-06.4	5	5.3	00.4-10.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 3: HOW DO OTHER PEOPLE USUALLY CLASSIFY YOU IN THIS COUNTRY? WOULD YOU SAY WHITE, BLACK OR AFRICAN AMERICAN, HISPANIC OR LATINO, ASIAN, NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER, AMERICAN INDIAN OR ALASKA NATIVE, OR SOME OTHER GROUP? (RRCLASS3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Hispanic or Latino			Asian			Native Hawaiian or Other Pacific Islander			Amer. Indian or Alaska Native, Mixed or Some Other Group		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1802	253,685	1674	87.7	85.5-89.9	28	3.0	01.8-04.2	17	1.9	00.9-02.9	16	1.8	00.8-02.8	2	0.3	00.0-00.7	65	5.3	03.7-06.9
Native	55	9,239	10	16.4	06.0-26.8				3	7.6	00.0-17.0	1	3.2	00.0-09.3				41	72.8	59.1-86.5
Non-Native	1733	242,864	1655	90.6	88.4-92.8	27	3.1	01.7-04.5	14	1.7	00.7-02.7	15	1.8	00.8-02.8	2	0.3	00.0-00.7	20	2.5	01.3-03.7
18-24	109	32,435	89	79.1	70.7-87.5	4	4.1	00.0-08.2	4	3.6	00.1-07.1	3	3.8	00.0-07.9				9	9.5	03.2-15.8
25-34	155	44,254	126	77.4	69.8-85.0	11	8.0	02.9-13.1	6	5.6	01.1-10.1	3	1.7	00.0-03.7				9	7.3	02.6-12.0
35-44	205	40,931	178	82.3	75.8-88.8	6	4.1	00.6-07.6	2	0.7	00.0-01.9	7	5.3	01.2-09.4	2	2.1	00.0-04.8	10	5.6	01.9-09.3
45-54	218	31,800	203	91.8	87.5-96.1	4	2.3	00.0-04.7	1	0.6	00.0-01.8	2	1.0	00.0-02.4				8	4.2	01.1-07.3
55-64	324	39,508	309	94.0	90.5-97.5	1	0.4	00.0-01.2	2	1.1	00.0-02.7							12	4.6	01.5-07.7
65+	791	64,758	769	96.7	95.1-98.3	2	0.2	00.0-00.6	2	0.3	00.0-00.7	1	0.2	00.0-00.6				17	2.5	01.1-03.9
Less Than H.S.	56	14,098	51	85.8	72.3-99.3	2	9.3	00.0-21.5										3	4.9	00.0-12.2
H.S. or G.E.D.	405	58,292	380	88.7	84.2-93.2	4	1.5	00.0-03.1	8	3.4	00.9-05.9	1	0.7	00.0-02.1	2	1.5	00.0-03.5	10	4.3	01.4-07.2
Some Post-H.S.	592	100,180	545	86.2	82.3-90.1	10	3.4	01.2-05.6	5	1.8	00.0-03.6	5	1.9	00.1-03.7				27	6.7	04.0-09.4
College Graduate	748	80,764	697	89.2	86.1-92.3	12	2.5	01.1-03.9	4	1.2	00.0-02.4	10	2.9	00.9-04.9				25	4.3	02.3-06.3
Less than \$15,000	73	10,176	63	78.0	64.7-91.3	2	3.7	00.0-08.8	3	5.8	00.0-13.6							5	12.6	01.2-24.0
\$15,000- 24,999	142	17,133	131	83.8	74.0-93.6	1	2.0	00.0-05.9	3	4.3	00.0-09.4							7	9.9	01.7-18.1
\$25,000- 34,999	172	24,838	160	85.8	77.2-94.4	4	5.4	00.0-11.9	1	1.1	00.0-03.3							7	7.8	01.5-14.1
\$35,000- 49,999	217	28,471	201	84.9	77.5-92.3	2	2.8	00.0-06.7	1	1.0	00.0-03.0	3	3.1	00.0-06.8	1	1.6	00.0-04.5	9	6.6	01.7-11.5
\$50,000- 99,999	530	73,268	498	91.0	87.5-94.5	7	1.6	00.2-03.0	2	0.7	00.0-01.7	4	2.2	00.0-04.4				19	4.6	02.2-07.0
\$100,000- 199,999	277	44,030	265	93.1	88.6-97.6	2	0.7	00.0-01.9	3	2.4	00.0-05.5	1	0.4	00.0-01.2	1	0.9	00.0-02.7	5	2.4	00.0-04.9
\$200,000+	53	9,066	51	94.9	88.0-0100							1	2.9	00.0-08.6				1	2.2	00.0-06.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 4: HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY?  
(RRCOGNT2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once a Year			Once a Month			Once a Week			Once a Day			Once an Hour, Constantly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3482	494,184	2331	63.0	61.0-65.0	328	9.4	08.2-10.6	350	11.0	09.6-12.4	240	8.4	07.2-09.6	117	3.9	03.1-04.7	116	4.3	03.3-05.3
Male	1730	247,323	1177	65.3	62.6-68.0	148	8.3	06.7-09.9	170	10.1	08.3-11.9	118	8.1	06.5-09.7	55	3.7	02.5-04.9	62	4.4	03.0-05.8
Female	1752	246,861	1154	60.7	57.8-63.6	180	10.4	08.6-12.2	180	11.9	09.9-13.9	122	8.7	06.9-10.5	62	4.1	02.9-05.3	54	4.1	02.7-05.5
Native	105	18,549	30	28.1	17.9-38.3	7	5.8	00.9-10.7	14	13.3	06.0-20.6	6	5.1	00.6-09.6	17	19.6	09.2-30.0	31	28.1	18.3-37.9
Non-Native	3331	469,415	2273	64.4	62.4-66.4	318	9.5	08.3-10.7	328	10.8	09.4-12.2	231	8.5	07.3-09.7	99	3.3	02.5-04.1	82	3.3	02.3-04.3
18-24	227	64,641	130	54.8	47.7-61.9	18	7.3	03.8-10.8	33	15.5	10.4-20.6	28	12.6	07.9-17.3	9	4.4	01.5-07.3	9	5.4	01.5-09.3
25-34	370	92,160	192	51.4	45.7-57.1	34	9.5	06.4-12.6	52	13.7	10.0-17.4	50	13.3	09.6-17.0	18	5.2	02.7-07.7	24	6.8	04.1-09.5
35-44	419	83,025	239	58.8	53.7-63.9	59	12.9	09.6-16.2	48	10.6	07.5-13.7	39	9.6	06.5-12.7	19	3.9	01.9-05.9	15	4.1	01.9-06.3
45-54	439	63,911	286	65.3	60.4-70.2	37	8.3	05.6-11.0	54	12.4	08.9-15.9	27	5.9	03.5-08.3	18	3.7	01.9-05.5	17	4.4	02.0-06.8
55-64	634	75,823	429	68.0	63.9-72.1	61	9.6	06.9-12.3	63	9.4	07.0-11.8	45	6.9	04.7-09.1	21	3.6	01.6-05.6	15	2.5	01.1-03.9
65+	1393	114,625	1055	75.5	73.0-78.0	119	8.3	06.7-09.9	100	6.7	05.3-08.1	51	3.8	02.6-05.0	32	2.9	01.7-04.1	36	2.9	01.9-03.9
Less Than H.S.	142	35,581	109	69.6	59.6-79.6	10	6.7	01.8-11.6	9	7.1	01.8-12.4	4	3.4	00.0-06.9	4	6.1	00.2-12.0	6	7.1	00.4-13.8
H.S. or G.E.D.	864	128,696	611	64.4	60.5-68.3	76	9.4	07.0-11.8	73	11.1	08.4-13.8	44	7.3	04.9-09.7	27	3.4	02.0-04.8	33	4.5	02.7-06.3
Some Post-H.S.	1106	189,499	770	66.1	62.8-69.4	98	8.3	06.5-10.1	96	10.0	07.8-12.2	69	8.1	05.9-10.3	29	3.2	01.8-04.6	44	4.3	02.9-05.7
College Graduate	1367	139,832	840	56.2	53.1-59.3	143	11.3	09.3-13.3	172	13.3	11.1-15.5	122	11.0	08.8-13.2	57	4.8	03.4-06.2	33	3.4	02.2-04.6
Less than \$15,000	119	17,042	76	55.0	43.2-66.8	9	9.4	02.5-16.3	14	12.8	05.2-20.4	5	4.3	00.0-08.6	3	5.9	00.0-12.8	12	12.5	02.5-22.5
\$15,000- 24,999	237	29,959	165	61.7	53.3-70.1	20	8.4	03.5-13.3	18	7.3	03.4-11.2	15	10.0	04.7-15.3	11	5.9	01.6-10.2	8	6.8	00.9-12.7
\$25,000- 34,999	313	45,802	216	65.5	58.8-72.2	27	7.3	04.0-10.6	24	10.1	05.6-14.6	13	4.7	02.0-07.4	16	5.8	02.5-09.1	17	6.6	03.1-10.1
\$35,000- 49,999	428	55,485	275	55.1	49.2-61.0	46	11.8	07.9-15.7	52	14.4	09.9-18.9	30	9.8	06.1-13.5	12	4.0	01.6-06.4	13	4.8	01.9-07.7
\$50,000- 99,999	1085	154,805	700	62.8	59.3-66.3	110	10.3	08.1-12.5	116	10.8	08.4-13.2	93	9.5	07.3-11.7	39	3.5	02.3-04.7	27	3.1	01.7-04.5
\$100,000- 199,999	605	90,639	399	63.2	58.7-67.7	62	9.4	06.9-11.9	66	12.7	09.4-16.0	45	9.0	06.1-11.9	20	3.1	01.5-04.7	13	2.6	01.0-04.2
\$200,000+	147	21,587	95	65.5	56.9-74.1	18	12.9	06.6-19.2	18	9.6	05.1-14.1	8	5.6	01.3-09.9	5	3.4	00.3-06.5	3	3.0	00.0-06.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 5: HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY?  
(RRCOGNT2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once a Year			Once a Month			Once a Week			Once a Day			Once an Hour, Constantly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1730	247,323	1177	65.3	62.6-68.0	148	8.3	06.7-09.9	170	10.1	08.3-11.9	118	8.1	06.5-09.7	55	3.7	02.5-04.9	62	4.4	03.0-05.8
Native	53	10,007	18	35.9	20.4-51.4	4	7.5	00.0-15.7	7	15.0	03.6-26.4	4	7.2	00.0-14.8	5	11.1	00.0-24.2	15	23.4	11.2-35.6
Non-Native	1650	233,398	1142	66.6	63.9-69.3	142	8.4	06.8-10.0	158	9.8	08.0-11.6	112	8.1	06.3-09.9	50	3.5	02.3-04.7	46	3.6	02.2-05.0
18-24	123	33,789	79	61.0	51.4-70.6	9	6.8	01.7-11.9	14	12.5	06.0-19.0	13	11.4	05.1-17.7	5	3.9	00.4-07.4	3	4.3	00.0-09.8
25-34	219	49,446	125	56.4	49.1-63.7	15	7.2	03.5-10.9	28	11.9	07.4-16.4	30	13.9	09.0-18.8	8	4.5	01.0-08.0	13	6.1	02.6-09.6
35-44	215	42,534	134	65.0	58.1-71.9	30	12.7	08.0-17.4	20	7.7	04.2-11.2	16	7.8	03.7-11.9	6	3.0	00.3-05.7	9	3.6	01.1-06.1
45-54	226	32,917	147	65.0	58.1-71.9	14	5.8	02.5-09.1	29	13.4	08.3-18.5	12	4.1	01.7-06.5	12	4.9	02.0-07.8	12	6.8	02.7-10.9
55-64	319	37,325	211	67.6	61.9-73.3	29	8.6	05.1-12.1	35	10.0	06.5-13.5	29	8.6	05.3-11.9	7	2.3	00.3-04.3	8	2.8	00.8-04.8
65+	628	51,312	481	75.5	71.6-79.4	51	8.1	05.6-10.6	44	6.7	04.5-08.9	18	2.8	01.2-04.4	17	3.8	01.6-06.0	17	3.2	01.4-05.0
Less Than H.S.	84	21,420	63	68.7	56.0-81.4	9	10.5	02.7-18.3	4	6.3	00.0-13.0	2	1.9	00.0-04.6	2	5.0	00.0-12.1	4	7.6	00.0-16.2
H.S. or G.E.D.	473	72,813	317	61.8	56.5-67.1	44	9.4	06.3-12.5	40	10.5	07.2-13.8	31	9.4	05.9-12.9	23	4.9	02.5-07.3	18	4.0	01.8-06.2
Some Post-H.S.	537	92,978	383	70.6	66.1-75.1	37	5.8	03.6-08.0	48	8.9	06.2-11.6	34	7.5	04.8-10.2	13	3.1	01.3-04.9	22	4.1	02.1-06.1
College Graduate	634	59,886	413	60.2	55.7-64.7	57	9.8	07.1-12.5	78	13.0	10.1-15.9	51	9.7	06.8-12.6	17	2.8	01.4-04.2	18	4.3	02.1-06.5
\$15,000- 24,999	102	13,574	67	56.2	44.4-68.0	7	9.5	01.3-17.7	11	12.9	05.1-20.7	9	13.4	04.6-22.2	3	2.3	00.0-05.0	5	5.7	00.6-10.8
\$25,000- 34,999	150	22,244	101	65.7	56.3-75.1	15	8.6	03.3-13.9	10	8.3	02.6-14.0	7	4.6	01.1-08.1	10	6.7	01.8-11.6	7	6.1	01.0-11.2
\$35,000- 49,999	214	27,713	134	56.0	48.0-64.0	25	12.0	06.7-17.3	26	11.5	06.6-16.4	16	10.5	05.2-15.8	5	4.0	00.3-07.7	8	6.0	01.5-10.5
\$50,000- 99,999	570	82,967	394	68.5	63.8-73.2	42	6.9	04.4-09.4	55	9.6	06.7-12.5	47	8.8	05.9-11.7	18	3.3	01.5-05.1	14	3.0	01.2-04.8
\$100,000- 199,999	338	47,821	243	69.4	63.5-75.3	28	8.0	04.9-11.1	30	10.0	06.1-13.9	21	7.4	03.9-10.9	9	2.8	00.8-04.8	7	2.4	00.4-04.4
\$200,000+	94	12,573	62	67.2	56.6-77.8	11	11.5	04.1-18.9	14	12.7	06.0-19.4	1	0.8	00.0-02.4	3	2.6	00.0-05.7	3	5.2	00.0-11.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 6: HOW OFTEN DO YOU THINK ABOUT YOUR RACE? WOULD YOU SAY NEVER, ONCE A YEAR, ONCE A MONTH, ONCE A WEEK, ONCE A DAY, ONCE AN HOUR, OR CONSTANTLY?  
(RRCOGNT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once a Year			Once a Month			Once a Week			Once a Day			Once an Hour, Constantly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1752	246,861	1154	60.7	57.8-63.6	180	10.4	08.6-12.2	180	11.9	09.9-13.9	122	8.7	06.9-10.5	62	4.1	02.9-05.3	54	4.1	02.7-05.5
Native	52	8,542	12	19.1	06.9-31.3	3	3.7	00.0-08.0	7	11.3	02.9-19.7	2	2.6	00.0-06.3	12	29.6	13.7-45.5	16	33.7	18.4-49.0
Non-Native	1681	236,017	1131	62.3	59.4-65.2	176	10.7	08.9-12.5	170	11.8	09.8-13.8	119	9.0	07.2-10.8	49	3.2	02.2-04.2	36	3.0	01.8-04.2
18-24	104	30,852	51	48.0	37.4-58.6	9	7.8	02.7-12.9	19	18.9	10.7-27.1	15	13.9	06.8-21.0	4	4.9	00.0-10.0	6	6.5	00.4-12.6
25-34	151	42,714	67	45.7	36.9-54.5	19	12.2	06.7-17.7	24	15.9	09.6-22.2	20	12.5	06.8-18.2	10	6.0	02.1-09.9	11	7.7	03.2-12.2
35-44	204	40,491	105	52.2	44.6-59.8	29	13.2	08.3-18.1	28	13.7	08.4-19.0	23	11.5	06.8-16.2	13	4.9	02.2-07.6	6	4.6	00.9-08.3
45-54	213	30,994	139	65.5	58.4-72.6	23	10.9	06.4-15.4	25	11.4	06.5-16.3	15	7.7	03.6-11.8	6	2.5	00.3-04.7	5	1.9	00.1-03.7
55-64	315	38,498	218	68.4	62.5-74.3	32	10.6	06.7-14.5	28	8.8	05.5-12.1	16	5.2	02.5-07.9	14	4.9	01.6-08.2	7	2.1	00.5-03.7
65+	765	63,313	574	75.5	72.0-79.0	68	8.4	06.2-10.6	56	6.6	04.6-08.6	33	4.6	02.8-06.4	15	2.2	01.0-03.4	19	2.7	01.3-04.1
Less Than H.S.	58	14,161	46	70.8	54.7-86.9	1	1.1	00.0-03.3	5	8.3	00.0-16.9	2	5.7	00.0-13.3	2	7.7	00.0-17.9	2	6.4	00.0-17.2
H.S. or G.E.D.	391	55,883	294	67.7	61.6-73.8	32	9.5	05.8-13.2	33	11.9	07.4-16.4	13	4.5	01.8-07.2	4	1.5	00.1-02.9	15	5.1	02.2-08.0
Some Post-H.S.	569	96,521	387	61.8	56.9-66.7	61	10.7	07.8-13.6	48	11.1	07.8-14.4	35	8.7	05.6-11.8	16	3.3	01.5-05.1	22	4.4	02.2-06.6
College Graduate	733	79,946	427	53.1	48.8-57.4	86	12.4	09.5-15.3	94	13.5	10.6-16.4	71	11.9	09.0-14.8	40	6.3	04.1-08.5	15	2.8	01.2-04.4
Less than \$15,000	72	10,009	51	59.7	44.8-74.6	5	10.2	00.4-20.0	6	11.7	01.3-22.1	3	5.4	00.0-12.3	2	7.4	00.0-17.8	5	5.6	00.0-11.3
\$15,000- 24,999	135	16,384	98	66.2	54.2-78.2	13	7.6	01.9-13.3	7	2.6	00.2-05.0	6	7.1	00.8-13.4	8	8.8	01.4-16.2	3	7.6	00.0-17.4
\$25,000- 34,999	163	23,558	115	65.4	56.0-74.8	12	6.1	02.0-10.2	14	11.8	05.1-18.5	6	4.9	00.6-09.2	6	4.9	00.2-09.6	10	7.1	02.2-12.0
\$35,000- 49,999	214	27,773	141	54.3	45.7-62.9	21	11.7	06.2-17.2	26	17.4	09.8-25.0	14	9.1	03.6-14.6	7	3.9	00.8-07.0	5	3.7	00.0-07.6
\$50,000- 99,999	515	71,837	306	56.3	51.0-61.6	68	14.2	10.5-17.9	61	12.2	08.7-15.7	46	10.3	07.0-13.6	21	3.7	01.9-05.5	13	3.2	01.2-05.2
\$100,000- 199,999	267	42,818	156	56.2	49.1-63.3	34	11.0	07.1-14.9	36	15.8	10.3-21.3	24	10.7	06.0-15.4	11	3.5	01.1-05.9	6	2.8	00.3-05.3
\$200,000+	53	9,013	33	63.1	48.6-77.6	7	14.7	03.7-25.7	4	5.4	00.0-11.1	7	12.4	02.6-22.2	2	4.4	00.0-10.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 7: WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3332	475,325	140	5.4	04.4-06.4	2481	75.2	73.4-77.0	626	17.3	15.7-18.9	22	0.7	00.3-01.1	63	1.5	01.1-01.9
Male	1659	238,139	76	5.6	04.0-07.2	1289	79.3	76.9-81.7	253	12.7	10.9-14.5	13	0.8	00.2-01.4	28	1.5	00.7-02.3
Female	1673	237,185	64	5.2	03.6-06.8	1192	71.0	68.3-73.7	373	21.8	19.4-24.2	9	0.6	00.2-01.0	35	1.4	00.8-02.0
Native	101	18,219	23	20.1	11.5-28.7	62	63.5	52.3-74.7	9	8.8	02.5-15.1	5	6.1	00.0-13.5	2	1.4	00.0-03.6
Non-Native	3186	450,917	115	4.8	03.8-05.8	2381	75.5	73.7-77.3	615	17.8	16.2-19.4	17	0.5	00.3-00.7	58	1.4	01.0-01.8
18-24	230	65,758	15	9.1	04.2-14.0	175	74.2	67.7-80.7	35	15.0	09.9-20.1	1	0.4	00.0-01.2	4	1.4	00.0-02.8
25-34	359	88,435	21	6.2	03.5-08.9	249	71.0	65.9-76.1	80	19.8	15.5-24.1	2	1.1	00.0-02.7	7	1.8	00.4-03.2
35-44	403	80,210	27	7.2	04.5-09.9	290	72.9	68.2-77.6	83	19.0	14.9-23.1	1	0.3	00.0-00.9	2	0.5	00.0-01.3
45-54	426	61,720	21	4.4	02.4-06.4	329	78.8	74.7-82.9	69	14.9	11.4-18.4	3	0.5	00.0-01.3	4	1.3	00.0-02.7
55-64	614	73,107	23	3.1	01.7-04.5	474	78.7	75.2-82.2	105	16.7	13.4-20.0	7	1.1	00.3-01.9	5	0.4	00.0-00.8
65+	1300	106,095	33	3.1	01.9-04.3	964	76.4	73.9-78.9	254	16.9	14.7-19.1	8	0.7	00.1-01.3	41	2.8	01.6-04.0
Less Than H.S.	127	33,228	6	8.7	01.1-16.3	97	72.1	61.7-82.5	17	14.2	06.2-22.2	2	2.5	00.0-06.6	5	2.6	00.0-05.3
H.S. or G.E.D.	804	121,011	36	5.7	03.7-07.7	652	81.1	78.0-84.2	95	11.1	08.6-13.6	5	0.5	00.0-01.1	16	1.6	00.6-02.6
Some Post-H.S.	1054	182,981	48	5.2	03.6-06.8	844	80.8	78.1-83.5	141	12.2	10.0-14.4	7	0.5	00.1-00.9	14	1.2	00.4-02.0
College Graduate	1343	137,257	49	4.4	03.0-05.8	887	63.4	60.3-66.5	372	30.0	27.1-32.9	8	0.7	00.1-01.3	27	1.4	00.6-02.2
Less than \$15,000	105	15,103	12	16.6	04.6-28.6	71	67.2	54.7-79.7	15	12.5	04.9-20.1	4	2.1	00.0-04.6	3	1.6	00.0-03.4
\$15,000- 24,999	221	28,113	13	11.7	04.4-19.0	168	73.2	65.2-81.2	35	13.8	08.5-19.1	2	0.7	00.0-01.7	3	0.6	00.0-01.4
\$25,000- 34,999	298	43,483	15	4.5	01.8-07.2	229	81.7	76.6-86.8	43	10.8	07.1-14.5	3	1.1	00.0-02.5	8	1.8	00.0-03.8
\$35,000- 49,999	411	53,391	13	4.2	01.5-06.9	295	71.4	65.9-76.9	92	21.8	16.9-26.7	3	0.7	00.0-01.5	8	1.8	00.0-03.6
\$50,000- 99,999	1057	151,650	40	4.6	02.8-06.4	790	76.0	72.9-79.1	206	17.8	15.3-20.3	6	0.6	00.0-01.2	15	1.0	00.4-01.6
\$100,000- 199,999	586	87,436	24	4.8	02.6-07.0	417	72.8	68.7-76.9	136	21.6	17.9-25.3	2	0.3	00.0-00.9	7	0.5	00.1-00.9
\$200,000+	141	20,692	4	2.0	00.0-04.0	102	73.7	65.5-81.9	31	20.6	13.2-28.0	1	0.3	00.0-00.9	3	3.4	00.0-07.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 8: WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1659	238,139	76	5.6	04.0-07.2	1289	79.3	76.9-81.7	253	12.7	10.9-14.5	13	0.8	00.2-01.4	28	1.5	00.7-02.3
Non-Native	1584	225,040	65	5.2	03.6-06.8	1234	79.7	77.3-82.1	248	13.0	11.2-14.8	11	0.6	00.2-01.0	26	1.5	00.7-02.3
18-24	121	33,664	7	9.0	02.1-15.9	100	81.4	73.4-89.4	11	7.4	02.7-12.1				3	2.2	00.0-04.7
25-34	214	47,723	9	4.1	01.4-06.8	167	78.9	72.8-85.0	32	13.5	08.6-18.4	1	1.5	00.0-04.2	5	2.1	00.1-04.1
35-44	207	40,958	15	7.2	03.5-10.9	163	80.3	74.6-86.0	29	12.6	07.9-17.3						
45-54	215	31,673	13	5.7	02.4-09.0	172	80.6	74.9-86.3	24	10.7	06.4-15.0	3	1.0	00.0-02.4	3	2.0	00.0-04.4
55-64	307	35,555	12	3.8	01.4-06.2	236	78.3	73.4-83.2	52	16.1	11.8-20.4	5	1.6	00.0-03.2	2	0.2	00.0-00.4
65+	595	48,566	20	4.5	02.3-06.7	451	77.3	73.4-81.2	105	14.7	11.6-17.8	4	0.9	00.1-01.7	15	2.6	00.6-04.6
Less Than H.S.	79	20,318	5	10.2	00.2-20.2	60	71.8	58.9-84.7	10	11.2	03.2-19.2	2	4.0	00.0-10.7	2	2.7	00.0-06.6
H.S. or G.E.D.	445	68,821	27	6.3	03.8-08.8	362	82.3	78.2-86.4	47	9.7	06.8-12.6	3	0.4	00.0-01.0	6	1.3	00.0-02.7
Some Post-H.S.	514	90,042	23	4.7	02.5-06.9	423	83.9	80.4-87.4	56	9.2	06.7-11.7	6	0.9	00.1-01.7	6	1.3	00.1-02.5
College Graduate	618	58,461	20	4.0	02.2-05.8	443	71.7	67.6-75.8	140	22.4	18.7-26.1	2	0.2	00.0-00.6	13	1.7	00.5-02.9
\$15,000- 24,999	95	12,445	5	6.8	00.3-13.3	71	75.4	65.2-85.6	16	15.5	07.1-23.9	2	1.6	00.0-04.0	1	0.7	00.0-02.1
\$25,000- 34,999	143	21,321	8	5.1	00.8-09.4	112	82.1	74.7-89.5	18	9.1	04.0-14.2	1	0.8	00.0-02.4	4	3.0	00.0-06.7
\$35,000- 49,999	206	26,572	7	4.3	01.0-07.6	159	77.8	71.1-84.5	36	15.1	09.6-20.6	2	0.9	00.0-02.1	2	1.9	00.0-04.6
\$50,000- 99,999	558	82,103	23	5.1	02.6-07.6	441	81.8	78.1-85.5	85	12.0	09.3-14.7	2	0.3	00.0-00.7	7	0.7	00.1-01.3
\$100,000- 199,999	321	45,727	16	6.2	03.1-09.3	240	76.9	71.8-82.0	58	15.7	11.4-20.0	2	0.7	00.0-01.7	5	0.6	00.0-01.2
\$200,000+	90	12,123	4	3.5	00.0-07.0	69	78.9	69.5-88.3	14	13.0	05.7-20.3	1	0.5	00.0-01.5	2	4.1	00.0-10.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 9: WITHIN THE PAST 12 MONTHS, DO YOU FEEL THAT IN GENERAL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRTREAT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1673	237,185	64	5.2	03.6-06.8	1192	71.0	68.3-73.7	373	21.8	19.4-24.2	9	0.6	00.2-01.0	35	1.4	00.8-02.0
Native	53	9,023	14	26.2	12.5-39.9	30	62.1	47.2-77.0	5	6.7	00.6-12.8	3	4.2	00.0-09.1	1	0.7	00.0-02.1
Non-Native	1602	225,877	50	4.4	02.8-06.0	1147	71.2	68.5-73.9	367	22.5	20.0-25.0	6	0.4	00.0-00.8	32	1.4	00.8-02.0
18-24	109	32,093	8	9.1	02.4-15.8	75	66.6	56.6-76.6	24	22.9	13.9-31.9	1	0.8	00.0-02.4	1	0.6	00.0-01.8
25-34	145	40,712	12	8.8	03.7-13.9	82	61.8	53.6-70.0	48	27.2	19.9-34.5	1	0.7	00.0-02.1	2	1.6	00.0-03.8
35-44	196	39,252	12	7.2	03.1-11.3	127	65.3	58.0-72.6	54	25.8	19.3-32.3	1	0.7	00.0-02.1	2	1.1	00.0-02.7
45-54	211	30,046	8	3.0	00.8-05.2	157	77.0	70.9-83.1	45	19.3	13.6-25.0				1	0.7	00.0-02.1
55-64	307	37,553	11	2.5	00.9-04.1	238	79.0	74.1-83.9	53	17.3	12.6-22.0	2	0.5	00.0-01.3	3	0.6	00.0-01.2
65+	705	57,529	13	2.0	00.8-03.2	513	75.6	72.1-79.1	149	18.8	15.7-21.9	4	0.6	00.0-01.4	26	3.0	01.6-04.4
H.S. or G.E.D.	359	52,190	9	4.9	01.8-08.0	290	79.6	74.5-84.7	48	12.9	08.8-17.0	2	0.6	00.0-01.6	10	1.9	00.3-03.5
Some Post-H.S.	540	92,939	25	5.7	03.2-08.2	421	77.9	73.8-82.0	85	15.1	11.6-18.6	1	0.2	00.0-00.6	8	1.1	00.1-02.1
College Graduate	725	78,796	29	4.7	02.7-06.7	444	57.3	53.0-61.6	232	35.6	31.3-39.9	6	1.1	00.1-02.1	14	1.3	00.3-02.3
Less than \$15,000	63	9,213	7	13.7	02.7-24.7	43	70.8	56.9-84.7	8	10.6	00.8-20.4	2	2.3	00.0-06.0	3	2.6	00.0-05.5
\$15,000- 24,999	126	15,669	8	15.7	04.1-27.3	97	71.4	59.4-83.4	19	12.4	05.9-18.9				2	0.5	00.0-01.3
\$25,000- 34,999	155	22,162	7	3.9	00.6-07.2	117	81.3	74.4-88.2	25	12.6	07.1-18.1	2	1.5	00.0-03.9	4	0.7	00.0-01.5
\$35,000- 49,999	205	26,819	6	4.2	00.1-08.3	136	65.2	56.8-73.6	56	28.5	20.7-36.3	1	0.5	00.0-01.5	6	1.7	00.0-03.9
\$50,000- 99,999	499	69,547	17	4.1	01.9-06.3	349	69.2	64.3-74.1	121	24.5	20.0-29.0	4	1.0	00.0-02.0	8	1.3	00.1-02.5
\$100,000- 199,999	265	41,708	8	3.2	00.5-05.9	177	68.3	61.8-74.8	78	28.1	22.0-34.2				2	0.3	00.0-00.7
\$200,000+	51	8,569				33	66.3	52.0-80.6	17	31.4	17.3-45.5				1	2.3	00.0-06.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 10: WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1556	271,239	41	3.1	02.1-04.1	1385	88.9	87.1-90.7	95	6.2	04.8-07.6	4	0.2	00.0-00.4	31	1.5	00.9-02.1
Male	817	140,737	19	2.7	01.3-04.1	752	91.9	89.7-94.1	36	4.5	02.9-06.1	1	0.0	00.0-00.0	9	0.8	00.2-01.4
Female	739	130,501	22	3.4	01.8-05.0	633	85.7	83.0-88.4	59	8.1	05.9-10.3	3	0.5	00.0-01.1	22	2.3	01.3-03.3
Native	58	11,028	5	7.9	00.1-15.7	48	86.1	76.7-95.5	3	3.6	00.0-08.1	1	0.6	00.0-02.0	1	1.8	00.0-05.1
Non-Native	1489	258,848	36	2.9	01.9-03.9	1329	89.0	87.2-90.8	91	6.3	04.9-07.7	3	0.2	00.0-00.4	30	1.5	00.9-02.1
18-24	148	41,564	7	3.9	01.0-06.8	131	89.4	84.3-94.5	8	5.7	01.8-09.6	1	0.6	00.0-01.8	1	0.4	00.0-01.2
25-34	278	67,160	10	3.7	01.3-06.1	234	85.3	81.0-89.6	30	9.6	06.3-12.9	1	0.4	00.0-01.2	3	1.1	00.0-02.3
35-44	304	60,226	12	4.6	01.9-07.3	269	88.6	84.7-92.5	19	5.7	03.0-08.4				4	1.1	00.0-02.3
45-54	331	47,735	4	1.1	00.0-02.3	300	91.8	88.7-94.9	14	3.9	01.5-06.3	1	0.1	00.0-00.3	12	3.0	01.2-04.8
55-64	356	42,462	7	2.0	00.2-03.8	325	91.2	87.9-94.5	17	5.0	02.5-07.5	1	0.2	00.0-00.6	6	1.7	00.1-03.3
65+	139	12,091	1	0.7	00.0-02.1	126	89.9	84.0-95.8	7	5.7	01.0-10.4				5	3.7	00.0-07.4
H.S. or G.E.D.	337	68,774	14	5.2	02.3-08.1	303	88.7	84.8-92.6	15	4.8	02.3-07.3	1	0.4	00.0-01.2	4	0.9	00.0-01.9
Some Post-H.S.	468	99,035	9	2.0	00.6-03.4	432	91.9	89.2-94.6	22	5.2	03.0-07.4				5	0.8	00.0-01.6
College Graduate	709	88,442	17	2.6	01.2-04.0	611	84.7	81.6-87.8	57	9.3	06.8-11.8	3	0.4	00.0-01.0	21	2.9	01.5-04.3
\$25,000- 34,999	98	20,170	2	3.3	00.0-07.8	88	89.2	82.1-96.3	5	5.2	00.3-10.1	1	1.3	00.0-03.8	2	1.0	00.0-02.6
\$35,000- 49,999	156	28,506	3	3.3	00.0-07.2	133	83.5	76.6-90.4	18	12.0	06.3-17.7				2	1.3	00.0-03.1
\$50,000- 99,999	584	98,918	19	3.0	01.4-04.6	514	88.6	85.7-91.5	39	6.7	04.3-09.1	2	0.3	00.0-00.9	10	1.3	00.3-02.3
\$100,000- 199,999	404	64,823	7	2.2	00.4-04.0	363	90.1	86.8-93.4	22	5.2	02.8-07.6				12	2.5	00.9-04.1
\$200,000+	81	13,410	2	3.0	00.0-07.1	74	90.5	83.2-97.8	3	5.3	00.0-11.2	1	0.5	00.0-01.5	1	0.7	00.0-02.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 11: WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	817	140,737	19	2.7	01.3-04.1	752	91.9	89.7-94.1	36	4.5	02.9-06.1	1	0.0	00.0-00.0	9	0.8	00.2-01.4
Non-Native	781	133,713	18	2.8	01.4-04.2	720	91.9	89.7-94.1	34	4.5	02.9-06.1	1	0.0	00.0-00.0	8	0.7	00.1-01.3
18-24	77	20,975	2	2.5	00.0-06.0	72	94.0	88.5-99.5	2	2.7	00.0-06.6				1	0.7	00.0-02.1
25-34	165	37,275	4	2.8	00.0-05.7	146	88.8	83.7-93.9	14	8.0	03.9-12.1				1	0.5	00.0-01.5
35-44	158	32,286	6	4.4	00.5-08.3	147	92.3	87.4-97.2	5	3.3	00.4-06.2						
45-54	165	23,583	2	1.0	00.0-02.6	154	94.8	91.7-97.9	4	1.7	00.0-03.5	1	0.3	00.0-00.9	4	2.2	00.0-04.4
55-64	183	20,964	4	2.6	00.0-05.5	168	91.0	86.1-95.9	8	4.9	01.4-08.4				3	1.5	00.0-03.5
65+	69	5,654	1	1.5	00.0-04.4	65	93.6	86.9-0100	3	4.9	00.0-11.0						
H.S. or G.E.D.	214	42,114	6	3.8	00.5-07.1	198	91.8	87.5-96.1	8	3.9	01.0-06.8				2	0.6	00.0-01.4
Some Post-H.S.	248	51,467	6	2.4	00.4-04.4	232	93.4	90.1-96.7	9	3.8	01.3-06.3				1	0.4	00.0-01.2
College Graduate	324	37,522	6	1.7	00.1-03.3	294	89.7	86.0-93.4	18	6.8	03.5-10.1	1	0.2	00.0-00.6	5	1.7	00.1-03.3
\$25,000- 34,999	53	10,895	1	3.6	00.0-10.5	50	94.0	86.4-0100	1	0.9	00.0-02.7				1	1.4	00.0-04.1
\$35,000- 49,999	78	14,218	2	5.0	00.0-12.3	66	82.5	72.5-92.5	8	9.9	02.6-17.2				2	2.6	00.0-06.1
\$50,000- 99,999	309	53,579	11	3.5	01.1-05.9	279	90.8	87.3-94.3	15	4.9	02.2-07.6				4	0.7	00.1-01.3
\$100,000- 199,999	217	33,793	4	1.8	00.0-03.8	205	94.3	90.8-97.8	8	3.9	00.8-07.0						
\$200,000+	50	7,707	1	2.9	00.0-08.6	46	90.0	80.0-0100	2	6.3	00.0-14.7	1	0.8	00.0-02.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 12: WITHIN THE PAST 12 MONTHS AT WORK, DO YOU FEEL YOU WERE TREATED WORSE THAN, THE SAME AS, OR BETTER THAN PEOPLE OF OTHER RACES? (RRATWRK2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	739	130,501	22	3.4	01.8-05.0	633	85.7	83.0-88.4	59	8.1	05.9-10.3	3	0.5	00.0-01.1	22	2.3	01.3-03.3
Non-Native	708	125,135	18	3.0	01.6-04.4	609	86.0	83.1-88.9	57	8.3	05.9-10.7	2	0.4	00.0-01.0	22	2.4	01.2-03.6
18-24	71	20,589	5	5.3	00.8-09.8	59	84.8	76.4-93.2	6	8.7	01.8-15.6	1	1.2	00.0-03.6			
25-34	113	29,885	6	4.9	00.8-09.0	88	80.9	73.6-88.2	16	11.5	06.0-17.0	1	0.9	00.0-02.7	2	1.8	00.0-04.3
35-44	146	27,941	6	4.8	00.9-08.7	122	84.2	77.9-90.5	14	8.5	03.8-13.2				4	2.5	00.1-04.9
45-54	166	24,152	2	1.2	00.0-03.0	146	89.0	83.7-94.3	10	6.0	01.7-10.3				8	3.8	01.1-06.5
55-64	173	21,497	3	1.4	00.0-03.0	157	91.4	86.9-95.9	9	5.1	01.6-08.6	1	0.3	00.0-00.9	3	1.8	00.0-04.2
65+	70	6,436				61	86.6	77.4-95.8	4	6.5	00.0-13.4				5	6.9	00.2-13.6
H.S. or G.E.D.	123	26,660	8	7.5	02.2-12.8	105	83.8	76.5-91.1	7	6.3	01.4-11.2	1	1.0	00.0-03.0	2	1.4	00.0-03.4
Some Post-H.S.	220	47,568	3	1.6	00.0-03.6	200	90.3	86.0-94.6	13	6.7	03.0-10.4				4	1.3	00.0-02.7
College Graduate	385	50,921	11	3.3	01.1-05.5	317	81.0	76.5-85.5	39	11.2	07.7-14.7	2	0.6	00.0-01.6	16	3.9	01.7-06.1
\$35,000- 49,999	78	14,288	1	1.5	00.0-04.4	67	84.4	75.4-93.4	10	14.1	05.5-22.7						
\$50,000- 99,999	275	45,340	8	2.4	00.6-04.2	235	86.0	81.3-90.7	24	8.8	04.9-12.7	2	0.7	00.0-01.9	6	2.1	00.1-04.1
\$100,000- 199,999	187	31,030	3	2.6	00.0-05.7	158	85.4	79.9-90.9	14	6.7	03.0-10.4				12	5.3	02.2-08.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 13: WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race			No Health Care in Past 12 Months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3197	460,988	64	2.6	01.8-03.4	2619	82.9	81.3-84.5	419	11.4	10.0-12.8	9	0.3	00.1-00.5	39	0.8	00.4-01.2	47	2.0	01.4-02.6
Male	1618	234,236	22	1.4	00.6-02.2	1383	86.7	84.7-88.7	162	8.5	06.9-10.1	4	0.2	00.0-00.4	16	0.7	00.3-01.1	31	2.5	01.3-03.7
Female	1579	226,752	42	3.8	02.4-05.2	1236	79.0	76.5-81.5	257	14.5	12.5-16.5	5	0.3	00.0-00.7	23	1.0	00.6-01.4	16	1.4	00.6-02.2
Native	106	19,048	12	11.3	04.2-18.4	80	77.5	68.5-86.5	8	6.5	01.4-11.6	3	2.0	00.0-04.4	2	1.4	00.0-03.6	1	1.4	00.0-04.1
Non-Native	3049	436,030	51	2.2	01.4-03.0	2504	83.1	81.5-84.7	407	11.7	10.3-13.1	6	0.2	00.0-00.4	37	0.8	00.4-01.2	44	2.0	01.2-02.8
18-24	232	66,310	9	4.8	01.3-08.3	191	81.1	75.4-86.8	26	11.5	07.0-16.0	1	0.3	00.0-00.9	1	0.2	00.0-00.6	4	2.1	00.0-04.3
25-34	355	88,575	7	2.3	00.3-04.3	292	83.7	79.8-87.6	45	10.9	07.8-14.0				2	0.4	00.0-01.0	9	2.6	00.8-04.4
35-44	382	75,332	12	3.4	01.2-05.6	305	79.8	75.3-84.3	55	13.5	10.0-17.0	1	0.3	00.0-00.9	2	0.4	00.0-01.2	7	2.5	00.1-04.9
45-54	419	61,474	11	2.4	00.8-04.0	353	85.1	81.4-88.8	39	8.0	05.3-10.7				4	1.3	00.0-02.7	12	3.1	01.3-04.9
55-64	590	69,657	13	1.9	00.7-03.1	507	86.6	83.5-89.7	54	9.0	06.3-11.7	5	0.8	00.2-01.4	3	0.5	00.0-01.3	8	1.2	00.2-02.2
65+	1219	99,641	12	1.3	00.5-02.1	971	81.7	79.3-84.1	200	14.2	12.0-16.4	2	0.3	00.0-00.7	27	1.8	01.0-02.6	7	0.7	00.1-01.3
Less Than H.S.	120	31,772	1	2.5	00.0-07.4	102	83.7	74.9-92.5	12	9.0	02.9-15.1				3	1.3	00.0-02.9	2	3.5	00.0-08.8
H.S. or G.E.D.	783	119,647	22	3.8	02.0-05.6	661	86.3	83.6-89.0	75	7.1	05.1-09.1	3	0.4	00.0-00.8	9	0.6	00.0-01.2	13	1.8	00.8-02.8
Some Post-H.S.	1024	177,648	19	2.1	00.9-03.3	872	85.9	83.4-88.4	101	8.6	06.6-10.6	3	0.2	00.0-00.4	10	0.8	00.2-01.4	19	2.4	01.2-03.6
College Graduate	1268	131,445	22	2.1	01.1-03.1	983	75.8	72.9-78.7	230	19.6	16.9-22.3	3	0.4	00.0-00.8	17	1.0	00.4-01.6	13	1.1	00.3-01.9
Less than \$15,000	103	15,178	7	6.9	01.6-12.2	71	72.3	61.9-82.7	17	15.1	06.7-23.5	2	1.9	00.0-04.6	2	1.0	00.0-02.4	4	2.9	00.0-06.0
\$15,000- 24,999	211	27,202	9	7.6	01.1-14.1	166	76.0	67.8-84.2	28	12.5	06.8-18.2	3	1.6	00.0-03.6	3	0.5	00.0-01.1	2	1.8	00.0-04.3
\$25,000- 34,999	293	43,029	6	3.0	00.0-06.1	236	83.4	77.7-89.1	40	9.1	05.8-12.4				6	0.9	00.1-01.7	5	3.6	00.0-07.7
\$35,000- 49,999	400	52,311	8	3.5	00.8-06.2	322	79.5	74.2-84.8	57	12.8	08.7-16.9	1	0.3	00.0-00.9	7	0.9	00.1-01.7	5	3.0	00.3-05.7
\$50,000- 99,999	1014	146,420	16	1.5	00.7-02.3	834	83.8	81.3-86.3	141	12.2	09.8-14.6	2	0.2	00.0-00.6	6	0.3	00.1-00.5	15	1.9	00.9-02.9
\$100,000- 199,999	573	86,603	4	0.7	00.0-01.5	476	84.0	80.7-87.3	81	13.2	10.1-16.3				4	0.6	00.0-01.4	8	1.4	00.4-02.4
\$200,000+	135	19,941				114	86.4	80.1-92.7	17	12.1	06.0-18.2							4	1.5	00.0-03.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 14: WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race			No Health Care in Past 12 Months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1618	234,236	22	1.4	00.6-02.2	1383	86.7	84.7-88.7	162	8.5	06.9-10.1	4	0.2	00.0-00.4	16	0.7	00.3-01.1	31	2.5	01.3-03.7
Native	53	10,092	4	4.3	00.0-08.8	42	83.0	72.0-94.0	5	8.1	00.0-16.5				1	1.9	00.0-05.6	1	2.7	00.0-07.8
Non-Native	1542	220,676	18	1.3	00.5-02.1	1319	86.7	84.5-88.9	156	8.6	07.0-10.2	4	0.2	00.0-00.4	15	0.7	00.3-01.1	30	2.5	01.3-03.7
18-24	123	33,875	1	0.5	00.0-01.5	108	87.7	81.2-94.2	11	9.7	03.6-15.8	1	0.7	00.0-02.1	1	0.5	00.0-01.5	1	0.9	00.0-02.7
25-34	210	47,750	1	0.4	00.0-01.2	187	89.7	85.4-94.0	15	6.5	03.2-09.8				1	0.4	00.0-01.2	6	3.1	00.6-05.6
35-44	199	39,548	7	4.1	00.8-07.4	172	84.5	78.2-90.8	14	7.0	03.3-10.7							6	4.4	00.0-08.9
45-54	214	31,415	5	1.9	00.1-03.7	188	87.1	82.2-92.0	13	5.8	02.5-09.1				2	1.7	00.0-04.1	6	3.5	00.6-06.4
55-64	307	35,512	6	1.8	00.0-03.6	265	86.8	82.5-91.1	26	8.9	05.2-12.6	3	0.9	00.0-01.9	1	0.1	00.0-00.3	6	1.5	00.1-02.9
65+	565	46,135	2	0.3	00.0-00.7	463	84.1	80.8-87.4	83	12.5	09.6-15.4				11	1.7	00.5-02.9	6	1.4	00.2-02.6
Less Than H.S.	79	20,539				68	84.3	73.7-94.9	8	9.4	01.8-17.0				1	0.9	00.0-02.7	2	5.4	00.0-13.6
H.S. or G.E.D.	440	68,461	10	2.6	00.6-04.6	382	88.9	85.6-92.2	31	5.1	02.9-07.3	2	0.5	00.0-01.3	4	0.3	00.0-00.7	11	2.6	01.0-04.2
Some Post-H.S.	503	87,658	6	0.7	00.1-01.3	439	88.0	84.9-91.1	40	7.6	04.9-10.3	2	0.2	00.0-00.6	5	0.9	00.0-01.9	11	2.6	01.0-04.2
College Graduate	595	57,452	6	1.7	00.3-03.1	493	82.8	79.3-86.3	83	13.5	10.4-16.6				6	0.9	00.1-01.7	7	1.1	00.3-01.9
\$15,000- 24,999	89	12,035	5	4.0	00.1-07.9	68	79.4	69.8-89.0	9	8.0	01.7-14.3	3	3.6	00.0-07.9	2	0.9	00.0-02.3	2	4.1	00.0-09.8
\$25,000- 34,999	141	21,088	2	0.8	00.0-02.0	121	86.0	77.4-94.6	12	5.9	02.0-09.8				3	1.4	00.0-03.2	3	5.8	00.0-13.6
\$35,000- 49,999	202	26,337	2	2.5	00.0-06.2	171	84.7	78.4-91.0	24	9.2	04.7-13.7				2	0.9	00.0-02.3	3	2.7	00.0-05.8
\$50,000- 99,999	544	80,419	8	1.6	00.4-02.8	465	86.5	83.2-89.8	59	9.8	06.9-12.7				3	0.2	00.0-00.4	9	1.9	00.5-03.3
\$100,000- 199,999	319	45,785	2	1.0	00.0-02.4	280	88.7	84.8-92.6	29	7.7	04.6-10.8				1	0.0	00.0-00.0	7	2.5	00.5-04.5
\$200,000+	89	12,115				75	87.5	80.6-94.4	11	10.8	04.1-17.5							3	1.7	00.0-03.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 15: WITHIN THE PAST 12 MONTHS WHEN SEEKING HEALTH CARE, DO YOU FEEL YOUR EXPERIENCES WERE WORSE THAN, THE SAME AS, OR BETTER THAN FOR PEOPLE OF OTHER RACES? (RRHCARE4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Worse than Other Races			Same as Other Races			Better than Other Races			Worse than Some Races, Better than Others			Only Encountered People of the Same Race			No Health Care in Past 12 Months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1579	226,752	42	3.8	02.4-05.2	1236	79.0	76.5-81.5	257	14.5	12.5-16.5	5	0.3	00.0-00.7	23	1.0	00.6-01.4	16	1.4	00.6-02.2
Native	53	8,956	8	19.3	05.8-32.8	38	71.2	56.9-85.5	3	4.6	00.0-09.9	3	4.2	00.0-09.1	1	0.7	00.0-02.1			
Non-Native	1507	215,354	33	3.1	01.7-04.5	1185	79.4	76.9-81.9	251	14.9	12.7-17.1	2	0.2	00.0-00.4	22	1.0	00.4-01.6	14	1.4	00.6-02.2
18-24	109	32,435	8	9.2	02.5-15.9	83	74.2	65.0-83.4	15	13.3	06.6-20.0							3	3.3	00.0-07.2
25-34	145	40,825	6	4.6	00.7-08.5	105	76.6	69.7-83.5	30	16.1	10.4-21.8				1	0.5	00.0-01.5	3	2.1	00.0-04.6
35-44	183	35,784	5	2.7	00.3-05.1	133	74.6	67.9-81.3	41	20.6	14.5-26.7	1	0.7	00.0-02.1	2	0.9	00.0-02.3	1	0.5	00.0-01.5
45-54	205	30,059	6	3.0	00.6-05.4	165	83.1	77.8-88.4	26	10.2	06.1-14.3				2	1.0	00.0-02.4	6	2.6	00.4-04.8
55-64	283	34,144	7	2.0	00.4-03.6	242	86.4	81.7-91.1	28	9.0	04.9-13.1	2	0.6	00.0-01.4	2	1.0	00.0-02.4	2	0.9	00.0-02.1
65+	654	53,506	10	2.1	00.7-03.5	508	79.7	76.2-83.2	117	15.7	12.6-18.8	2	0.5	00.0-01.3	16	1.9	00.7-03.1	1	0.1	00.0-00.3
H.S. or G.E.D.	343	51,186	12	5.5	02.2-08.8	279	82.8	78.1-87.5	44	9.8	06.3-13.3	1	0.2	00.0-00.6	5	1.0	00.0-02.2	2	0.7	00.0-01.9
Some Post-H.S.	521	89,990	13	3.5	01.3-05.7	433	83.8	80.1-87.5	61	9.5	06.8-12.2	1	0.2	00.0-00.6	5	0.7	00.0-01.5	8	2.3	00.5-04.1
College Graduate	673	73,993	16	2.5	01.1-03.9	490	70.3	66.0-74.6	147	24.3	20.2-28.4	3	0.6	00.0-01.4	11	1.1	00.3-01.9	6	1.2	00.2-02.2
Less than \$15,000	61	9,031	7	11.6	02.8-20.4	37	62.3	47.4-77.2	12	19.6	06.9-32.3	1	1.9	00.0-05.6	2	1.7	00.0-04.2	2	2.9	00.0-07.4
\$15,000- 24,999	122	15,166	4	10.4	00.0-21.4	98	73.3	60.8-85.8	19	16.1	07.1-25.1				1	0.1	00.0-00.3			
\$25,000- 34,999	152	21,941	4	5.1	00.0-11.0	115	80.8	73.2-88.4	28	12.2	06.9-17.5				3	0.4	00.0-00.8	2	1.5	00.0-03.7
\$35,000- 49,999	198	25,974	6	4.5	00.4-08.6	151	74.3	66.1-82.5	33	16.5	09.8-23.2	1	0.5	00.0-01.5	5	1.0	00.0-02.0	2	3.2	00.0-07.7
\$50,000- 99,999	470	66,001	8	1.5	00.5-02.5	369	80.6	76.5-84.7	82	15.0	11.3-18.7	2	0.5	00.0-01.3	3	0.4	00.0-01.0	6	1.9	00.3-03.5
\$100,000- 199,999	254	40,819	2	0.4	00.0-01.0	196	78.7	73.2-84.2	52	19.4	13.9-24.9				3	1.2	00.0-02.8	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 16: WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3584	507,838	41	1.5	00.9-02.1	3543	98.5	97.9-99.1
Male	1785	254,442	11	0.6	00.2-01.0	1774	99.4	99.0-99.8
Female	1799	253,396	30	2.5	01.5-03.5	1769	97.5	96.5-98.5
Native	113	20,004	12	10.7	03.8-17.6	101	89.3	82.4-96.2
Non-Native	3425	481,420	28	1.1	00.7-01.5	3397	98.9	98.5-99.3
18-24	234	67,183	9	3.6	01.2-06.0	225	96.4	94.0-98.8
25-34	376	93,762	6	2.1	00.3-03.9	370	97.9	96.1-99.7
35-44	425	83,860	9	1.7	00.5-02.9	416	98.3	97.1-99.5
45-54	458	67,222	6	1.2	00.2-02.2	452	98.8	97.8-99.8
55-64	656	78,275	6	0.8	00.0-01.6	650	99.2	98.4-0100
65+	1435	117,536	5	0.3	00.0-00.7	1430	99.7	99.3-0100
Less Than H.S.	144	35,691				144	100.0	0100-0100
H.S. or G.E.D.	887	132,026	13	1.9	00.7-03.1	874	98.1	96.9-99.3
Some Post-H.S.	1140	196,026	16	1.9	00.9-02.9	1124	98.1	97.1-99.1
College Graduate	1411	143,618	12	1.1	00.3-01.9	1399	98.9	98.1-99.7
Less than \$15,000	121	17,144	5	5.8	00.7-10.9	116	94.2	89.1-99.3
\$15,000- 24,999	241	30,516	6	2.5	00.1-04.9	235	97.5	95.1-99.9
\$25,000- 34,999	323	47,310	5	2.8	00.0-05.7	318	97.2	94.3-0100
\$35,000- 49,999	434	55,661	2	0.3	00.0-00.9	432	99.7	99.1-0100
\$50,000- 99,999	1120	159,685	11	1.1	00.5-01.7	1109	98.9	98.3-99.5
\$100,000- 199,999	623	92,807	3	0.8	00.0-01.8	620	99.2	98.2-0100
\$200,000+	150	21,983	1	0.3	00.0-00.9	149	99.7	99.1-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 17: WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1785	254,442	11	0.6	00.2-01.0	1774	99.4	99.0-99.8
Native	55	10,319	2	2.1	00.0-05.0	53	97.9	95.0-0100
Non-Native	1702	240,009	9	0.5	00.1-00.9	1693	99.5	99.1-99.9
18-24	126	34,940	1	0.8	00.0-02.4	125	99.2	97.6-0100
25-34	222	49,893	1	0.2	00.0-00.6	221	99.8	99.4-0100
35-44	218	42,822	2	0.6	00.0-01.6	216	99.4	98.4-0100
45-54	235	34,693	3	1.2	00.0-02.6	232	98.8	97.4-0100
55-64	331	38,578	3	0.6	00.0-01.4	328	99.4	98.6-0100
65+	653	53,516	1	0.2	00.0-00.6	652	99.8	99.4-0100
Less Than H.S.	88	22,110				88	100.0	0100-0100
H.S. or G.E.D.	485	74,096	5	0.8	00.0-01.6	480	99.2	98.4-0100
Some Post-H.S.	550	95,659	4	0.7	00.0-01.5	546	99.3	98.5-0100
College Graduate	661	62,451	2	0.3	00.0-00.7	659	99.7	99.3-0100
\$15,000- 24,999	102	13,704	2	0.9	00.0-02.3	100	99.1	97.7-0100
\$25,000- 34,999	152	22,552	1	0.5	00.0-01.5	151	99.5	98.5-0100
\$35,000- 49,999	218	27,800	1	0.6	00.0-01.8	217	99.4	98.2-0100
\$50,000- 99,999	589	85,722	5	1.0	00.0-02.0	584	99.0	98.0-0100
\$100,000- 199,999	347	48,755				347	100.0	0100-0100
\$200,000+	96	12,827	1	0.5	00.0-01.5	95	99.5	98.5-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022  
MODULE 28: REACTIONS TO RACE**

**TABLE 18: WITHIN THE PAST 30 DAYS, HAVE YOU EXPERIENCED ANY PHYSICAL SYMPTOMS, FOR EXAMPLE, A HEADACHE, AN UPSET STOMACH, TENSING OF YOUR MUSCLES, OR A POUNDING HEART, AS A RESULT OF HOW YOU WERE TREATED BASED ON YOUR RACE? (RRPHYSM2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1799	253,396	30	2.5	01.5-03.5	1769	97.5	96.5-98.5
Native	58	9,685	10	19.9	07.2-32.6	48	80.1	67.4-92.8
Non-Native	1723	241,411	19	1.7	00.7-02.7	1704	98.3	97.3-99.3
18-24	108	32,243	8	6.7	02.0-11.4	100	93.3	88.6-98.0
25-34	154	43,868	5	4.3	00.6-08.0	149	95.7	92.0-99.4
35-44	207	41,039	7	2.8	00.4-05.2	200	97.2	94.8-99.6
45-54	223	32,528	3	1.2	00.0-02.6	220	98.8	97.4-0100
55-64	325	39,697	3	1.1	00.0-02.5	322	98.9	97.5-0100
65+	782	64,020	4	0.5	00.0-01.1	778	99.5	98.9-0100
Less Than H.S.	56	13,582				56	100.0	0100-0100
H.S. or G.E.D.	402	57,930	8	3.4	01.0-05.8	394	96.6	94.2-99.0
Some Post-H.S.	590	100,368	12	3.0	01.0-05.0	578	97.0	95.0-99.0
College Graduate	750	81,167	10	1.7	00.5-02.9	740	98.3	97.1-99.5
Less than \$15,000	73	10,142	5	9.8	01.6-18.0	68	90.2	82.0-98.4
\$15,000- 24,999	139	16,812	4	3.8	00.0-07.9	135	96.2	92.1-0100
\$25,000- 34,999	171	24,757	4	4.9	00.0-10.4	167	95.1	89.6-0100
\$35,000- 49,999	216	27,862	1	0.1	00.0-00.3	215	99.9	99.7-0100
\$50,000- 99,999	531	73,962	6	1.2	00.2-02.2	525	98.8	97.8-99.8
\$100,000- 199,999	276	44,052	3	1.8	00.0-04.0	273	98.2	96.0-0100
\$200,000+	54	9,156				54	100.0	0100-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2022**

End of Module Data Report