

		_	
	Measles Outbreak Ove	ty Man pryfew 2025	
• As of June 6, 2025, 34	Lest Updated 5/14/2025 12:00:00 AM	MEASLES CASES BY REPORT DATE	Hover over a value and of the icon for more information.
cases of measles in ND	County	1 1	CASE VACCINI
Williams County: 16	Al ·	8 2	STATUS
*	CASES	DIA	UNIVACCINATED 12
• Grand Forks County: 10			
Cass County: 7	TOTAL CASES	2 200 No 2005 No 2005 Apr 2005 May 2005	PARTIALLY WACCINATED
Burke County: 1	TOTAL HOSPITALIZATIONS	CASES BY AGE	PULDY VACCINATED
100% unvaccinated	1	B	0
	TOTAL DEATHS	• • • • • • • • • • • • • • • • • • •	UNKNOWN VACCINATIO
 Two hospitalizations 	0	ž .	- SIAIUS

Measles 2025, North Dakota • Members of the public who were present at these locations during these times may have been exposed. • These individuals are encouraged to monitor for symptoms and contact a healthcare provider if symptoms develop. Exposure Location Address Lot and Time (if known), includes two hours after case plate expires (21 days after last left location Lindsey's Grocery Store 211 Main 5c. 5c, Crosby, M.D. 3 - 3-530 p.m. Dollar General - Crosby 1108 Fourth 5c. 5E, Crosby, N.D. 3- 250 p.m. Wall-Mart (Williston) 4001 2nd Ave W, Williston, May 24th 430pm-8pm June 14, 2025 Chatter Circic 221 Williston ND 58801 May 24th 430pm-8pm June 17, 2025 May 27th 10um -1:15pm June 17, 2025


5


Measles 2025, North Dakota

- There is concern about potential community transmission in Williams County.
 - As a precaution, HHS recommends that all residents of and travelers to Williams County ensure they are vaccinated against measles.
 - This includes consideration of early MMR vaccination for infants aged 6 through 11 months.
 Note: Infants under six months are not eligible for the MMR vaccine.
 - Note: intants under six mortis are not eigipile for the Mink vaccine.
 A ccelerated MINK vaccination is recommended for older children visiting or residing in Williams County as well. Children ages 12 months and older should receive their first dose of MIMR if they have not already, followed by a second dose at least 28 days later. Children who have already received two post-12-month doses of MMR are considered fully vaccinated.
- There is not concern about potential community transmission in Grand Forks, Cass, or Burke County.
 - HHS is not recommending early (starting at six months) measles vaccination for infants residing in or traveling to these counties.

Measles









Measles 2025, North Dakota And remember: Report Suspected Measles Cases IMMEDIATELY! Call the HHS Immunization Unit at 701-328-2378. • Measles is a highly contagious, airborne disease. • A person who enters an airspace within two hours of someone with measles being in that airspace is considered exposed to measles. • Anywhere with a shared ventilation system is considered the same airspace. • Of those who catch measles, 1-2 persons per 1,000 will die – even with access to healthcare.

11





How to Use Today's Presentation

- First, a question commonly asked of the Immunization Program will be presented.
- Next, answer choices will be shown.
- A poll will appear on your screen
 - \bullet Discuss the question amongst your group and choose an answer.
 - All participants will have 1 minute to answer.
- The correct answer and the results will be shown after 1 minute.
 - Individual responses will not be displayed.

Dakota | Health & Human Service

14

A 13-year-old patient received a Men B vaccine instead of MCV4. Should they finish the series now or wait until they are 16 years old?

Dakota | Health & Human Services

Should they finish the series now or wait until they are 16 years old?

- A) Since they started the series they should just finish now.
- B) They need to wait until they are 16 years old for the second dose, unless they are high risk.
- C) They will need to two doses at 16 years old to complete the series.

Dakota | Health & Human Services

16

Should they finish the series now or wait until they are 16 years old?

- A) Since they started the series they should just finish now.
- B) They need to wait until they are 16 years old for the second dose, unless they are high risk.
- C) They will need to two doses at 16 years old to complete the series.

Dakota | Health & Human Services

17

Do adolescents need a third dose of Bexsero if their previous doses were only one month apart and administered prior to the updated ACIP recommendation?

Is another dose needed?

- A) No, another dose is not needed since the series was completed prior to the updated recommendation.
- B) Yes, another dose is needed to complete the series if there was not 6 months between the two doses of Bexsero®.
- C) The decision is up to the provider if they would recommend the patient to receive another dose.

Dakota | Health & Human Services

19

Is another dose needed?

- A) No, another dose is not needed since the series was completed prior to the updated recommendation.
- B) Yes, another dose is needed to complete the series if there was not 6 months between the two doses of Bexsero®.
- C) The decision is up to the provider if they would recommend the patient to receive another dose.

Dakota | Health & Human Services

20

Meningococcal B

- The Meningococcal B vaccine series should be administered to persons 16 – 23 years of age with a preferred age of vaccination of 16 – 18 years of age
- A shared clinical decision-making recommendation enables coverage of meningococcal B vaccines by the VFC program and most insurance plans (previously called permissive or Category B)

Meningococcal B

- Trumenba® (Pfizer) 2-dose series:
 - Doses at 0 and 6 months
 - Patients who are immunocompromised or involved in an outbreak will need three doses given at 0 , 1-2 and 6 months
- Bexsero® (GlaxoSmithKline) 2-dose series:
 - Doses at 0 and 6 month New change
- *Lack of interchangeability

Dakota | Health & Human Service

22

Bexero® Schedule Change

- In August 2024, the Food and Drug Administration (FDA) revised the schedule for Bexsero® from 1 month to 6 months between doses.
 - This was addressed by ACIP on October 25, 2024, so any doses after this date must follow the new guideline.
- No additional doses are recommended for people who completed the 2-dose Bexsero series using a 1-month interval, as licensed and recommended at the time.

Dakota | Health & Human Service

23

Meningococcal B

The Meningococcal B vaccine is recommended for high-risk individuals ages 10+.

Those that are considered high-risk:

- Functional or anatomic asplenia
- Persistent complement component deficiencies
- Meningococcal B outbreak settings
- Microbiologists working with bacteria

For persons aged ≥10 years with complement component deficiency, compliment inhibitor use, asplenia, or who are microbiologists:

- MenB booster dose 1 year following completion of a MenB primary series
- Followed by a MenB booster dose every 2-3 years thereafter, for as long as increased risk remains

You have a 16 year old patient in your clinic today. Can this patient receive a dose of Penbraya™?	
Dakota Hooth & Himan Services	

Can this patient receive a dose of Penbraya™?

- A) No, the patient would need to receive MCV4 and Men B separately
- B) Yes, as long as patient is due for both MCV4 and Men B
- C) Penbraya[™] may be used when a patient is due for any meningococcal vaccine as it reduces injections and combination vaccines are always preferred.

Dakota | Health & Human Services

26

Can this patient receive a dose of Penbraya™?

- A) No, the patient would need to receive MCV4 and Men B separately
- B) Yes, as long as patient is due for both MCV4 and Men B
- C) Penbraya[™] may be used when a patient is due for any meningococcal vaccine as it reduces injections and combination vaccines are always preferred.


Dakota | Health & Human Services

Penbraya™

- The MCV4 and Meningococcal B combination vaccine is for active immunization to prevent invasive disease caused by *Neisseria meningitidis* serogroups A, B, C, W, and Y.
- PENBRAYATM is approved for use in individuals 10 through 25 years of age.
- May be considered at age 16 for those children who are immunocompetent.
- Contains Trumenba® and not interchangeable with Bexsero®



28



29

Penmenvy

- The FDA approved Penmenvy in February 2025.
- Penmenvy is a combination Menveo® and Bexsero®
- ACIP has not made any recommendations for this vaccine at this time
- The Immunization Unit will provide updates when this vaccine will be added to VFC ordering.



Should children traveling to areas with measles outbreaks be vaccinated with MMR vaccine earlier than recommended?	
Octobra Neoth & Human Services	

Should children traveling to areas with measles outbreaks be vaccinated with MMR vaccine earlier than recommended?

- A) No, early MMR vaccination is never recommended.
- B) No, early MMR vaccination is only recommended for measles exposures.
- C) Yes, early vaccination is recommended when traveling to areas with measles outbreaks.

Dakota | Health & Human Service

32

Should children traveling to areas with measles outbreaks be vaccinated with MMR vaccine earlier than recommended?

- \bullet A) No, early MMR vaccination is never recommended.
- B) No, early MMR vaccination is only recommended for measles exposures.
- C) Yes, early vaccination is recommended when traveling to areas with measles outbreaks.

Dakota | Health & Human Services

MMR Vaccine for Travel

- Young children 6-11 months old who will be traveling internationally or domestically to areas experiencing measles outbreaks should be vaccinated early.
- Children over 12 months who have received their first MMR dose who will be traveling internationally or domestically to areas experiencing measles outbreaks should get their second MMR dose on an accelerated schedule at least 28 days following the first dose.

Dakota | Health & Human Services

34

You have a patient who has received an adult dose of Recombivax® and a dose of Heplisav-B®. Is their series complete?

Dakota | Health & Human Services

35

Is their series complete?

- \bullet A) Yes, because they received a dose of Heplisav-B $^{\circledast}$ the series would be complete.
- B) No, because they received a dose of Heplisav-B® they would need two more doses because the vaccines are not interchangeable.
- \bullet C) No, the patient would need to receive one more dose of hepatitis B vaccine.

Dakota | Health & Human Services

Is their series complete?

- \bullet A) Yes, because they received a dose of Heplisav-B $^{\circledast}$ the series would be complete.
- B) No, because they received a dose of Heplisav-B® they would need two more doses because the vaccines are not interchangeable.
- C) No, the patient would need to receive one more dose of hepatitis

Dakota | Health & Human Service

37

Hepatitis B Vaccine

- Hepatitis B vaccines are interchangeable, however, when possible, the series should be completed with the vaccine product that they started with.
- Heplisav-B®
 - Two dose series administered at least 1 month apart
- All other brands are a 3 dose series

Dakota | Health & Human Service

38

Hepatitis B Vaccine

	Dose 1	Dose 2 (at least 4 weeks after dose 1)	Dose 3 (at least 8 weeks after dose 2 and 16 weeks after dose 1)
Routine, single product schedule	H*	Н	-
	E, P, R, or T*	Same product as dose 1	Same product as dose 2
If different products are used	E, P, R, or T	E, P, R, or T	E, P, R, or T
	Н	E, P, R, or T	E, P, R, or T
	E, P, R, or T	Н	E, P, R, or T
	E, P, R, or T	E, P, R, or T	Н
	Н	E, P, R, or T	Н
	E, P, R, or T	H	H**

H = Herilsan-8; E = Engerix-8; P = Pre-Hevbrio (no longer available); R = Recombhax HB: T = Twinctx

If two doses of H are used to complete a series started with E, P, R, or T, the final dose may be administered 4 weeks after dose 2 (for a complete H series). A 3-dose series

If two doses of H are used to complete a series started with E, P, R, or T, the final dose may be administered 4 weeks after dose 2 (for a complete H series). A 3-dose series

Is COVID-19 vaccine going to be available	
for healthy children this upcoming season?	
Discrete Health & Human Services	

Is COVID-19 vaccine going to be available for healthy children this upcoming season?

- A) Yes, COVID-19 vaccine for children will still be available for shared clinical decision making.
- B) Yes, COVID-19 vaccine but for high-risk children only.
- C) No, COVID-19 vaccine is no longer recommended for children.

Dakota | Health & Human Service

41

Is COVID-19 vaccine going to be available for healthy children this upcoming season?

- A) Yes, COVID-19 vaccine for children will still be available for shared clinical decision making.
- B) Yes, COVID-19 vaccine but for high-risk children only.
- C) No, COVID-19 vaccine is no longer recommended for children.

Dakota | Health & Human Services

COVID-19 Vaccine

- A shared clinical decision recommendation was added for COVID-19 vaccine for children aged 6 months – 17 years who are not moderately or severely immunocompromised.
- The current CDC vaccine schedule has been updated to reflect the current recommendation
- https://www.cdc.gov/vaccines/hcp/imz-schedules/child-adolescentage.html

Dakota | Health & Human Services

43

Is there a list of what recall letters ND HHS is sending out?

Dakota | Health & Human Services

44

Is there a list of what recall letters ND HHS is sending out?

- A) Reminder/recall letters being sent out are shared in the NDIIS monthly update emails.
- B) No, ND HHS does not post when letters are being sent out.
- C) Yes, a list of when reminder/recall letters are being sent out can be found on the ND HHS website.

Is there a list of what recall letters ND HHS is sending out?

- A) Reminder/recall letters being sent out are shared in the NDIIS monthly update emails.
- \bullet B) No, ND HHS does not post when letters are being sent out.
- C) Yes, a list of when reminder/recall letters are being sent out can be found on the ND HHS website.

Dakota | Health & Human Service


46

ND HHS Reminder/Recall Letters

- The schedule for the reminder/recall letters can be found on the ND HHS website.
- The NDIIS team does publish the entire calendar each year.
- https://www.hhs.nd.gov/health/diseases-conditions-andimmunization/immunizations/ndiis/reminder-recall

Dakota | Health & Human Service

47



I am looking for my vaccine record. Is there a way for me to access my record without submitting a record request?

49

A way for me to access my record without submitting a record request?

- A) The only way to receive a copy of your immunization record is by submitting a record request to the Immunization Unit.
- B) You can call the Immunization Unit and request your immunization record over the phone.
- C) Docket® can be used to access your own immunization record.

Dakota | Health & Human Services

50

A way for me to access my record without submitting a record request?

- A) The only way to receive a copy of your immunization record is by submitting a record request to the Immunization Unit.
- B) You can call the Immunization Unit and request your immunization record over the phone.
- C) Docket® can be used to access your own immunization record.

Docket®

- Docket® is an application that is securely updated with information from NDIIS using basic information (name, date of birth, legal sex, phone number and email) to display immunization record information on a mobile device or on your web browser.
- https://www.hhs.nd.gov/IRR



Dakota | Health & Human Services

52

Docket® CONT.

Patients may **OPT IN** and use Docket® to:

- View personal vaccination records
- View your child's vaccination records (under 18 years of age)
- \bullet Show vaccinations that are due, overdue, and complete
- Send reminders when vaccines are due
- Export a PDF of your or your child's official Certificate of Immunization by clicking "share" then "download PDF"



53

Docket® CONT.

- If the information provided to Docket® does not match what is in NDIIS, a 'No Match Found' or 'Review and Try Again' notification will appear.
- If you receive one of these notifications, you must update your patient information in NDIIS using the NDIIS Request for Demographic Changes Form.
 - This information will include phone number and email address. All other demographic changes must be completed through your health care provider or local public health unit.



Our clinic submitted a vaccine return and we have not received the packing slip. How do we get the packing slip?

Dakota | Health & Human Services

55

How do we get the packing slip?

- A) The return has not been submitted to the CDC yet.
- B) The return is showing in the In-Process tab and has not been submitted to ND HHS.
- C) There is an issue with the NDIIS packing slips and ND HHS will have to create a packing slip for you.
- D) A & B
- E) All of the above

Dakota | Health & Human Service

56

How do we get the packing slip?

- A) The return has not been submitted to the CDC yet.
- B) The return is showing in the In-Process tab and has not been submitted to ND HHS.
- C) There is an issue with the NDIIS packing slips and ND HHS will have to create a packing slip for you.
- D) A & B
- E) All of the above

Your clinic's vaccine order has not processed. Is there an issue with the order?	
Dakota Hoolth & Human Services	

Is there an issue with the order?

- A) The order has been processed but the NDIIS dose not update the status.
- B) Vaccine orders have not been processed yet by ND HHS.
- C) The vaccine order is in-process as saved by the provider and has not been submitted to ND HHS.
- D) A & B
- E) B & C

Dakota | Health & Human Services

59

Is there an issue with the order?

- A) The order has been processed but the NDIIS dose not update the status.
- B) Vaccine orders have not been processed yet by ND HHS.
- C) The vaccine order is in-process as saved by the provider and has not been submitted to ND HHS.
- D) A & B
- E) B & C

Dakota | Health & Human Services

Vaccine Returns and Wastages

- Vaccine return removes available doses from provider inventory that is no longer viable and needs to be returned to McKesson. These doses include expired inventory, doses spoiled because of a temperature excursion or because of a vaccine recall.
 - The doses for returns and wastages that have been submitted will not decrement from provider inventory until the return or wastage has been submitted to CDC
- Multi-dose vials (MDV) can only be returned if no doses have been drawn
- Vaccine returns should be entered and vaccine sent back to McKesson within 6 months of expiring. Vaccines that expired more than 12 months ago will not appear in the NDIIS return or wastage modules.

 Doctor

 D

61

Vaccine Returns and Wastages

- Users must review and validate their provider site's contact information before they can complete the return or wastage.
- If the information is correct, the user can select the enabled button and complete their return or wastage.
- If changes are needed, the user should select Edit Provider Information and they will be taken to their provider site's program enrollment information where updates can be made. The in-progress order will be saved while the edits are made.




Dakota | Health & Human Service

62

Vaccine Returns and Wastages

- The return shipping label will be sent to the primary vaccine contact in NDIIS. The label will come from UPS.
- If you have not received your return shipping label within 2 days of the vaccine return being submitted to CDC please check your junk and span folders and if nothing contact the Immunization Unit at
- An email will be sent to both the primary and back up contacts in NDIIS when the packing slip is ready in NDIIS.





Packing Slips and Return Labels

- Shipping labels are only good for 30 days and cannot be saved to use on future returns as they each have an unique identifier that corresponds to the packing slip.
- Multiple returns can be sent back in one box, all packing slips and return label need to be placed in the box as well.

Dakota | Health & Human Service

65

VFC/VFA Vaccine Orders

- Before a user can place a public vaccine order in the NDIIS, the provider site must have submitted temperature logs for the previous month and must have completed their Inventory Reconciliation within the last 7 days.
- Providers should be adjusting the inventory in the vaccine Reconciliation and should not be entering the correct inventory in the comment box when ordering.
- Tip Sheets are available. There is a link in the NDIIS Help menu or https://www.hhs.nd.gov/ndiis/trainings



Vaccine Orders

- Users must review and validate their provider site's contact information before they can complete the vaccine order.
- If the information is correct, the user can select the enabled button and complete their vaccine order.
- If changes are needed, the user should select Edit Provider Information and they will be taken to their provider site's program enrollment information where updates can be made. The in-progress order will be saved while the edits are made.





67

Common Ordering, Returns and Wastage Issues

- Common Ordering Issues
 - Vaccine reconciliation not completed
 - The order, return or wastage is in Saved status and has not been submitted
 - The provider information has not been verified and the submit button is still greyed out



68

Post-Test

- Successfully complete the five-question post-test to receive your certificate for nursing credit using the link below: https://ndhealth.co1.qualtrics.com/jfe/form/SV_81Ur1uUv6c3S6CW
- Credit for this session will be available until July 8, 2025.
- This presentation will be posted to our website at: www.hhs.nd.gov/immunizations



Immunizati	on Unit Staff	Members	
For general immunization qu	uestions: <u>vaccine@nd.gov</u>	For NDIIS-specific quest	ions: NDIIS@nd.gov
Immunization Unit			
Molly Howell, MPH	Phone: 701-328-4556	Mary Woinarowicz, MA	Phone: 701-328-2404
Director	Email: mahowell@nd.gov	NDIIS Manager	Email: mary.woinarowicz@nd.gov
Abbi Berg, MPH	Phone: 701-328-3324	Allison Dykstra, MS	Phone: 701-328-2420
VFC/Quality Improvement Manager	Email: alberg@nd.gov	NDIIS Coordinator	Email: adykstra@nd.gov
Miranda Baumgartner	Phone: 701-328-2035	Ronda Kercher	Phone: 701-226-1379
VFC/QI Coordinator (West)	Email: mlbaumgartner@nd.gov	NDIIS Data Admin	Email: <u>rkercher@nd.gov</u>
Rachel Flores	Phone: 701-328-9016	Melissa Marto	Phone: 701-328-4169
VFC/QI Coordinator (East)	Email: rflores@nd.gov	NDIIS Data Quality Coordinator	Email: mmarto@nd.gov
Jenny Galbraith	Phone: 701-328-2335	Lynde Monson	Phone:
Adult Immunization Manager	Email: jgalbraith@nd.gov	CDC Public Health Advisor	Email: lyndemonson@nd.gov
Kristen Vetter	Phone: 701-328-8672	Danni Pinnick, MPH	Phone: 701-239-7169 Email: dpinnick@nd.gov No.11# DUKOTU In temple: No.11# No.1
Adult Immunization Coordinator	Email: <u>kristenvetter@nd.gov</u>	Immunization Surveillance Coordinator	