

NORTH DAKOTA

2004 Module Variables Report

Behavioral Risk Factor Surveillance System

April 21, 2005



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004**

MODULE 2: SEXUAL BEHAVIOR CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST TWELVE MONTHS, WITH HOW MANY PEOPLE HAVE YOU HAD SEXUAL INTERCOURSE? (SEXINTMN)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	WAS A CONDOM USED THE LAST TIME YOU HAD SEXUAL INTERCOURSE? (SEXCONDM)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8
	THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WAS THE CONDOM USED... (CONDLAST)	
7	MALES AND FEMALES	9
8	MALES ONLY	10
9	FEMALES ONLY	11
	SOME PEOPLE USE CONDOMS TO KEEP FROM GETTING INFECTED WITH HIV THROUGH SEXUAL ACTIVITY. HOW EFFECTIVE DO YOU THINK A PROPERLY USE CONDOM IS FOR THIS PURPOSE? (CONEFF2)	
10	MALES AND FEMALES	12
11	MALES ONLY	13
12	FEMALES ONLY	14
	HOW MANY NEW SEX PARTNERS DID YOU HAVE DURING THE PAST TWELVE MONTHS? (NEWPARTN)	
13	MALES AND FEMALES	15
14	MALES ONLY	16
15	FEMALES ONLY	17
	IN THE PAST FIVE YEARS, HAVE YOU BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE? (STD TREAT)	
16	MALES AND FEMALES	18
17	MALES ONLY	19
18	FEMALES ONLY	20
	WERE YOU TREATED AT A HEALTH DEPARTMENT STD CLINIC? (STDCLIN)	
19	MALES AND FEMALES	21
20	MALES ONLY	22
21	FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 1: DURING THE PAST TWELVE MONTHS, WITH HOW MANY PEOPLE HAVE YOU HAD SEXUAL INTERCOURSE? (SEXINTMN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being 50 years old or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 person			2 people			3 people			4 people			5 or more people			none		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1420	267880	1111	77.7	74.9-80.5	53	3.9	2.6-5.2	24	1.4	0.7-2.1	7	0.8	0.1-1.5	16	1.2	0.5-1.8	209	15.0	12.5-17.5
SEX																				
Male	630	138795	464	72.4	68.0-76.8	29	5.2	3.0-7.5	14	1.5	0.6-2.4	4	0.7	0.0-1.5	13	1.8	0.7-2.9	106	18.3	14.3-22.4
Female	790	129086	647	83.4	80.1-86.7	24	2.5	1.2-3.8	10	1.3	0.2-2.4	3	1.0	0.0-2.1	3	0.5	0.0-1.1	103	11.3	8.6-14.1
RACE																				
Native	52	11871	44	81.6	66.8-96.5	3	5.6	0.0-12.4	1	1.0	0.0-3.0	0		0.0-0.0	0		0.0-0.0	4	11.7	0.0-25.7
Non-Native	1365	255511	1066	77.6	74.7-80.5	49	3.8	2.4-5.1	23	1.4	0.7-2.2	7	0.8	0.1-1.6	16	1.2	0.6-1.9	204	15.1	12.6-17.7
AGE																				
18-24	183	69705	100	52.9	44.9-61.0	18	8.6	4.3-13.0	7	2.5	0.4-4.6	4	2.6	0.0-5.1	5	2.1	0.2-4.1	49	31.3	23.5-39.1
25-34	400	72288	327	85.2	81.6-88.8	19	3.3	1.5-5.0	7	1.4	0.2-2.5	2	0.4	0.0-0.9	7	1.8	0.4-3.2	38	8.1	5.3-10.9
35-44	537	83529	434	85.8	83.0-88.7	12	2.2	0.8-3.6	9	1.2	0.4-1.9	0		0.0-0.0	2	0.3	0.0-0.7	80	10.5	8.1-13.0
45-49	300	42358	250	89.7	86.7-92.8	4	0.7	0.0-1.5	1	0.2	0.0-0.5	1	0.3	0.0-0.8	2	0.4	0.0-0.9	42	8.7	5.9-11.6
EDUCATION																				
Less Than H.S.	35	8003	22	63.0	44.8-81.1	4	11.3	0.0-22.7	1	1.6	0.0-4.9	1	6.6	0.0-19.0	0		0.0-0.0	7	17.4	3.9-30.9
H.S. or G.E.D.	378	75757	281	72.7	66.9-78.6	13	3.8	1.2-6.4	10	2.1	0.7-3.6	2	1.0	0.0-2.6	6	1.2	0.2-2.2	66	19.2	13.8-24.6
Some Post-H.S.	525	100151	407	75.3	70.3-80.4	20	4.4	1.9-6.8	11	1.8	0.4-3.3	3	0.8	0.0-1.7	6	1.5	0.2-2.8	78	16.2	11.6-20.7
College Graduate	482	83969	401	86.4	83.1-89.7	16	2.8	1.3-4.4	2	0.2	0.0-0.5	1	0.1	0.0-0.4	4	0.9	0.0-1.9	58	9.5	6.7-12.3
HOUSEHOLD INCOME																				
Less than \$15,000	100	21888	45	46.1	33.4-58.8	10	11.9	3.3-20.5	5	5.4	0.0-11.3	2	5.1	0.0-12.0	3	3.6	0.0-8.1	35	27.9	17.3-38.5
\$15,000- 24,999	210	38766	130	66.8	59.1-74.5	14	5.7	2.1-9.4	5	1.9	0.1-3.7	1	0.4	0.0-1.2	2	0.6	0.0-1.5	58	24.5	17.3-31.7
\$25,000- 34,999	208	40599	146	72.0	64.5-79.5	15	6.4	2.5-10.4	3	0.8	0.0-1.7	0		0.0-0.0	4	2.5	0.0-5.2	40	18.2	11.5-24.9
\$35,000- 49,999	307	52781	253	86.8	82.7-91.0	7	2.0	0.0-4.1	5	1.4	0.0-2.9	3	0.9	0.0-2.1	3	0.8	0.0-1.8	36	8.0	4.9-11.1
\$50,000- 74,999	293	53747	268	89.1	84.3-93.9	6	2.7	0.4-5.0	0		0.0-0.0	1	0.7	0.0-2.2	3	0.8	0.0-1.8	15	6.7	2.6-10.8
\$75,000+	214	39210	202	91.2	84.6-97.7	0		0.0-0.0	3	0.7	0.0-1.4	0		0.0-0.0	1	0.7	0.0-2.0	8	7.5	1.0-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 2: DURING THE PAST TWELVE MONTHS, WITH HOW MANY PEOPLE HAVE YOU HAD SEXUAL INTERCOURSE? (SEXINTMN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 person			2 people			3 people			4 people			5 or more people			none		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	630	138795	464	72.4	68.0-76.8	29	5.2	3.0-7.5	14	1.5	0.6-2.4	4	0.7	0.0-1.5	13	1.8	0.7-2.9	106	18.3	14.3-22.4
RACE																				
Native	20	6256	15	71.7	46.4-96.9	2	8.2	0.0-20.1	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	20.1	0.0-44.8
Non-Native	609	132445	449	72.5	68.0-77.0	27	5.1	2.8-7.4	14	1.6	0.7-2.5	4	0.7	0.0-1.5	13	1.9	0.8-3.1	102	18.2	14.1-22.3
AGE																				
18-24	81	36846	36	43.3	31.5-55.0	10	11.3	4.1-18.5	3	1.7	0.0-3.6	1	1.4	0.0-4.2	3	2.6	0.0-5.6	28	39.7	27.7-51.6
25-34	176	37612	136	81.2	75.3-87.1	8	3.4	0.6-6.1	3	1.7	0.0-3.7	2	0.7	0.0-1.7	7	3.4	0.7-6.1	20	9.6	5.1-14.0
35-44	238	41902	179	80.9	76.0-85.8	9	3.9	1.2-6.6	7	1.9	0.5-3.3	0		0.0-0.0	1	0.3	0.0-1.0	42	13.0	8.9-17.1
45-49	135	22435	113	89.6	85.0-94.2	2	0.9	0.0-2.1	1	0.3	0.0-1.0	1	0.5	0.0-1.5	2	0.7	0.0-1.7	16	8.0	3.8-12.1
EDUCATION																				
Less Than H.S.	16	4254	8	45.8	20.0-71.5	2	12.1	0.0-28.9	0		0.0-0.0	1	12.5	0.0-34.7	0		0.0-0.0	5	29.7	6.4-52.9
H.S. or G.E.D.	202	46958	139	69.0	61.2-76.8	7	3.6	0.3-6.9	7	2.4	0.4-4.4	1	0.3	0.0-1.0	4	1.4	0.0-2.9	44	23.2	15.8-30.6
Some Post-H.S.	226	49356	165	67.9	59.7-76.2	14	7.8	3.0-12.5	5	1.6	0.2-3.1	1	0.2	0.0-0.6	5	2.3	0.1-4.5	36	20.2	12.4-28.0
College Graduate	186	38227	152	85.3	80.1-90.6	6	3.2	0.5-5.9	2	0.5	0.0-1.2	1	0.3	0.0-0.9	4	2.0	0.0-4.2	21	8.7	4.6-12.8
HOUSEHOLD INCOME																				
Less than \$15,000	26	6945	9	31.0	9.3-52.8	2	17.8	0.0-39.7	0		0.0-0.0	1	7.6	0.0-22.0	3	11.3	0.0-25.0	11	32.2	10.9-53.4
\$15,000- 24,999	94	20680	52	59.1	47.1-71.0	7	7.8	1.4-14.2	4	3.2	0.0-6.4	1	0.8	0.0-2.3	0		0.0-0.0	30	29.2	18.0-40.4
\$25,000- 34,999	94	22049	63	68.6	57.7-79.6	10	9.8	2.8-16.7	1	0.6	0.0-1.9	0		0.0-0.0	3	2.9	0.0-6.4	17	18.1	8.8-27.3
\$35,000- 49,999	142	27684	107	81.3	74.4-88.3	4	3.0	0.0-6.8	4	2.5	0.0-5.2	2	0.8	0.0-1.9	3	1.5	0.0-3.4	22	10.8	5.5-16.2
\$50,000- 74,999	137	27899	121	86.1	78.8-93.4	6	5.1	0.8-9.5	0		0.0-0.0	0		0.0-0.0	3	1.5	0.0-3.4	7	7.3	1.2-13.3
\$75,000+	103	22312	91	84.5	73.5-95.4	0		0.0-0.0	3	1.2	0.0-2.5	0		0.0-0.0	1	1.2	0.0-3.5	8	13.2	2.3-24.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 3: DURING THE PAST TWELVE MONTHS, WITH HOW MANY PEOPLE HAVE YOU HAD SEXUAL INTERCOURSE? (SEXINTMN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 person			2 people			3 people			4 people			5 or more people			none		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	790	129086	647	83.4	80.1-86.7	24	2.5	1.2-3.8	10	1.3	0.2-2.4	3	1.0	0.0-2.1	3	0.5	0.0-1.1	103	11.3	8.6-14.1
RACE																				
Native	32	5615	29	92.8	84.6-100.0	1	2.8	0.0-8.2	1	2.1	0.0-6.2	0		0.0-0.0	0		0.0-0.0	1	2.3	0.0-6.9
Non-Native	756	123066	617	83.1	79.7-86.5	22	2.3	1.0-3.6	9	1.2	0.1-2.4	3	1.0	0.0-2.2	3	0.5	0.0-1.2	102	11.8	8.9-14.7
AGE																				
18-24	102	32859	64	63.7	53.4-74.1	8	5.6	1.1-10.1	4	3.4	0.0-7.4	3	3.8	0.0-8.2	2	1.6	0.0-4.1	21	21.8	12.8-30.9
25-34	224	34676	191	89.4	85.6-93.3	11	3.1	1.1-5.1	4	1.0	0.0-2.0	0		0.0-0.0	0		0.0-0.0	18	6.4	3.3-9.6
35-44	299	41627	255	90.8	88.0-93.7	3	0.5	0.0-1.1	2	0.4	0.0-1.0	0		0.0-0.0	1	0.3	0.0-0.7	38	8.0	5.3-10.6
45-49	165	19923	137	89.9	85.9-93.8	2	0.6	0.0-1.4	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	26	9.5	5.7-13.4
EDUCATION																				
Less Than H.S.	19	3749	14	82.5	65.6-99.4	2	10.5	0.0-25.3	1	3.5	0.0-10.4	0		0.0-0.0	0		0.0-0.0	2	3.5	0.0-8.5
H.S. or G.E.D.	176	28799	142	78.9	70.2-87.5	6	4.0	0.0-8.3	3	1.6	0.0-3.7	1	2.1	0.0-6.0	2	0.8	0.0-2.0	22	12.6	5.3-19.9
Some Post-H.S.	299	50795	242	82.5	77.2-87.9	6	1.1	0.1-2.1	6	2.1	0.0-4.5	2	1.3	0.0-3.1	1	0.8	0.0-2.3	42	12.2	7.7-16.7
College Graduate	296	45742	249	87.3	83.2-91.4	10	2.5	0.7-4.3	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	37	10.2	6.4-14.0
HOUSEHOLD INCOME																				
Less than \$15,000	74	14943	36	53.1	38.4-67.8	8	9.1	2.4-15.9	5	7.9	0.0-16.4	1	4.0	0.0-11.5	0		0.0-0.0	24	25.9	13.9-37.8
\$15,000- 24,999	116	18086	78	75.7	66.9-84.5	7	3.4	0.7-6.0	1	0.4	0.0-1.3	0		0.0-0.0	2	1.3	0.0-3.2	28	19.2	10.8-27.6
\$25,000- 34,999	114	18550	83	76.0	65.9-86.2	5	2.5	0.2-4.8	2	1.0	0.0-2.4	0		0.0-0.0	1	2.1	0.0-6.2	23	18.4	8.7-28.0
\$35,000- 49,999	165	25098	146	92.9	89.3-96.6	3	0.9	0.0-1.9	1	0.3	0.0-0.8	1	1.0	0.0-3.1	0		0.0-0.0	14	4.8	2.0-7.7
\$50,000- 74,999	156	25848	147	92.4	86.3-98.5	0		0.0-0.0	0		0.0-0.0	1	1.5	0.0-4.5	0		0.0-0.0	8	6.1	0.6-11.5
\$75,000+	111	16898	111	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 4: WAS A CONDOM USED THE LAST TIME YOU HAD SEXUAL INTERCOURSE? (SEXCONDM)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported being 50 years old or older  
Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1153	215933	206	20.6	17.8-23.4	947	79.4	76.4-82.4
SEX								
Male	496	105708	101	21.2	17.0-25.4	395	78.8	74.2-83.4
Female	657	110226	105	20.0	16.3-23.8	552	80.0	76.1-83.8
RACE								
Native	45	9810	5	16.4	2.6-30.3	40	83.6	61.9-100.0
Non-Native	1107	205982	201	20.8	18.0-23.7	906	79.2	76.2-82.1
AGE								
18-24	115	41643	50	46.1	36.2-56.0	65	53.9	43.9-63.9
25-34	342	64013	75	21.6	17.0-26.2	267	78.4	73.8-83.1
35-44	439	71608	53	10.9	8.0-13.8	386	89.1	85.8-92.4
45-49	257	38670	28	9.5	5.9-13.2	229	90.4	86.2-94.7
EDUCATION								
Less Than H.S.	24	5702	4	28.1	7.4-48.7	20	71.9	43.9-100.0
H.S. or G.E.D.	300	58091	59	24.1	18.0-30.3	241	75.9	69.7-82.0
Some Post-H.S.	424	79006	73	19.5	14.9-24.1	351	80.5	75.8-85.2
College Graduate	405	73135	70	18.4	14.2-22.6	335	81.6	77.2-86.0
HOUSEHOLD INCOME								
Less than \$15,000	55	13188	23	44.7	28.1-61.3	32	55.3	38.7-71.9
\$15,000- 24,999	137	26857	29	26.1	17.2-35.0	108	73.9	64.9-82.9
\$25,000- 34,999	154	30657	29	19.0	11.5-26.4	125	81.0	73.5-88.5
\$35,000- 49,999	263	47132	45	16.2	11.5-21.0	218	83.8	78.9-88.7
\$50,000- 74,999	272	48616	45	17.9	12.9-22.9	227	82.1	77.0-87.1
\$75,000+	205	36033	20	13.2	7.2-19.2	185	86.8	80.6-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 5: WAS A CONDOM USED THE LAST TIME YOU HAD SEXUAL INTERCOURSE? (SEXCONDM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	496	105708	101	21.2	17.0-25.4	395	78.8	74.2-83.4
RACE								
Native	15	4484	2	14.2	0.0-31.7	13	85.8	50.9-100.0
Non-Native	481	101224	99	21.5	17.2-25.8	382	78.5	74.1-82.9
AGE								
18-24	43	18069	18	44.6	28.5-60.7	25	55.4	38.8-71.9
25-34	148	32731	36	22.5	15.6-29.4	112	77.5	70.5-84.5
35-44	186	34258	28	12.8	8.0-17.5	158	87.2	82.0-92.4
45-49	119	20650	19	12.6	6.6-18.6	100	87.4	81.0-93.8
EDUCATION								
Less Than H.S.	9	2478	2	32.7	3.3-62.1	7	67.3	29.4-100.0
H.S. or G.E.D.	153	34431	39	29.4	20.4-38.4	114	70.6	61.6-79.5
Some Post-H.S.	176	35374	31	16.6	10.7-22.6	145	83.4	77.3-89.5
College Graduate	158	33425	29	16.8	10.6-22.9	129	83.2	76.7-89.7
HOUSEHOLD INCOME								
Less than \$15,000	13	3472	7	58.8	28.2-89.5	6	41.2	11.2-71.2
\$15,000- 24,999	56	12853	13	24.2	11.1-37.3	43	75.8	62.4-89.2
\$25,000- 34,999	69	16084	17	21.6	9.9-33.3	52	78.4	66.7-90.2
\$35,000- 49,999	117	23763	26	20.0	12.4-27.5	91	80.0	72.2-87.8
\$50,000- 74,999	124	24404	19	14.6	8.2-20.9	105	85.4	79.0-91.9
\$75,000+	94	19158	9	12.1	3.6-20.6	85	87.9	79.2-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 6: WAS A CONDOM USED THE LAST TIME YOU HAD SEXUAL INTERCOURSE? (SEXCONDM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being 50 years old or older  
Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	657	110226	105	20.0	16.3-23.8	552	80.0	76.1-83.8
RACE								
Native	30	5326	3	18.3	0.0-39.2	27	81.7	60.8-100.0
Non-Native	626	104758	102	20.1	16.3-24.0	524	79.8	75.9-83.8
AGE								
18-24	72	23574	32	47.2	35.0-59.5	40	52.8	40.5-65.1
25-34	194	31281	39	20.6	14.6-26.6	155	79.4	73.3-85.5
35-44	253	37350	25	9.2	5.6-12.7	228	90.8	86.7-94.9
45-49	138	18020	9	6.1	2.2-9.9	129	93.9	88.5-99.4
EDUCATION								
Less Than H.S.	15	3224	2	24.5	0.0-52.7	13	75.5	47.3-100.0
H.S. or G.E.D.	147	23660	20	16.5	9.6-23.3	127	83.5	76.2-90.9
Some Post-H.S.	248	43632	42	21.9	15.2-28.5	206	78.1	71.4-84.9
College Graduate	247	39710	41	19.8	14.1-25.4	206	80.2	74.4-86.1
HOUSEHOLD INCOME								
Less than \$15,000	42	9716	16	39.7	20.8-58.6	26	60.3	41.3-79.4
\$15,000- 24,999	81	14003	16	27.8	15.7-39.8	65	72.2	60.2-84.3
\$25,000- 34,999	85	14573	12	16.1	7.2-25.0	73	83.9	74.6-93.2
\$35,000- 49,999	146	23369	19	12.4	6.9-18.0	127	87.6	81.8-93.4
\$50,000- 74,999	148	24212	26	21.3	13.7-28.9	122	78.7	71.0-86.4
\$75,000+	111	16875	11	14.5	6.1-22.9	100	85.5	76.7-94.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 7: THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WAS THE CONDOM USED... (CONDLAST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

Denominator excludes: Respondents that did not report using a condom the last time they had sexual intercourse

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		TO PREVENT PREGNANCY			TO PREVENT STDs			FOR BOTH PREGNANCY AND DISEASES			FOR SOME OTHER REASON		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	204	43911	120	60.0	52.0-68.1	5	1.4	0.1-2.7	66	33.8	25.8-41.7	13	4.8	1.9-7.6
SEX														
Male	100	21884	50	55.3	43.5-67.1	3	1.7	0.0-3.8	38	35.4	23.7-47.0	9	7.6	2.3-12.9
Female	104	22027	70	64.8	53.7-75.8	2	1.1	0.0-2.7	28	32.1	21.1-43.2	4	2.0	0.0-4.0
RACE														
Native	5	1611	3	60.4	9.5-100.0	0		0.0-0.0	2	39.6	0.0-90.5	0		0.0-0.0
Non-Native	199	42300	117	60.0	52.0-68.1	5	1.5	0.1-2.8	64	33.5	25.6-41.5	13	5.0	2.0-7.9
AGE														
18-24	49	18657	22	44.3	29.3-59.2	1	0.7	0.0-2.1	25	53.6	38.6-68.6	1	1.4	0.0-4.2
25-34	75	13810	56	78.3	68.4-88.1	2	2.4	0.0-5.8	15	15.5	7.2-23.9	2	3.8	0.0-9.2
35-44	53	7810	31	68.6	56.2-81.0	0		0.0-0.0	19	25.4	14.3-36.6	3	6.0	0.0-12.7
45-49	27	3633	11	53.6	32.9-74.2	2	4.3	0.0-10.1	7	19.1	5.0-33.1	7	23.1	6.4-39.8
EDUCATION														
Less Than H.S.	4	1601	1	17.5	0.0-50.4	0		0.0-0.0	3	82.5	49.6-100.0	0		0.0-0.0
H.S. or G.E.D.	59	14025	27	53.1	37.5-68.7	1	0.5	0.0-1.6	27	40.8	25.3-56.2	4	5.6	0.1-11.1
Some Post-H.S.	72	15363	35	49.6	36.0-63.2	4	3.5	0.0-7.2	26	39.6	25.8-53.4	7	7.3	1.2-13.4
College Graduate	69	12923	57	85.3	76.4-94.3	0		0.0-0.0	10	13.1	4.4-21.9	2	1.5	0.0-3.7
HOUSEHOLD INCOME														
Less than \$15,000	22	5839	7	31.8	8.9-54.7	2	3.6	0.0-8.8	12	63.3	39.7-86.9	1	1.3	0.0-4.0
\$15,000- 24,999	28	6471	13	46.9	26.0-67.8	2	5.1	0.0-12.4	13	48.0	26.9-69.1	0		0.0-0.0
\$25,000- 34,999	29	5820	14	47.6	25.5-69.8	1	1.3	0.0-4.0	13	48.3	25.8-70.9	1	2.7	0.0-7.9
\$35,000- 49,999	45	7652	30	75.2	62.4-88.0	0		0.0-0.0	9	12.7	4.2-21.2	6	12.1	1.6-22.6
\$50,000- 74,999	45	8715	32	70.7	56.0-85.5	0		0.0-0.0	9	19.8	6.4-33.1	4	9.5	0.4-18.6
\$75,000+	20	4763	14	72.2	49.3-95.2	0		0.0-0.0	5	25.3	2.6-48.0	1	2.5	0.0-7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 8: THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WAS THE CONDOM USED... (CONDLAST)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

Denominator excludes: Respondents that did not report using a condom the last time they had sexual intercourse

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		TO PREVENT PREGNANCY			TO PREVENT STDs			FOR BOTH PREGNANCY AND DISEASES			FOR SOME OTHER REASON		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	100	21884	50	55.3	43.5-67.1	3	1.7	0.0-3.8	38	35.4	23.7-47.0	9	7.6	2.3-13.0
RACE														
Native	2	638	0		0.0-0.0	0		0.0-0.0	2	100.0	100.0-100.0	0		0.0-0.0
Non-Native	98	21247	50	57.0	45.2-68.8	3	1.7	0.0-3.9	36	33.4	21.9-45.0	9	7.8	2.4-13.3
AGE														
18-24	17	7529	7	42.3	16.8-67.9	0		0.0-0.0	9	54.1	28.4-79.8	1	3.5	0.0-10.5
25-34	36	7374	22	66.2	49.7-82.7	1	2.9	0.0-8.5	11	23.7	9.4-38.0	2	7.2	0.0-17.1
35-44	28	4381	13	58.5	39.5-77.5	0		0.0-0.0	13	34.0	16.5-51.6	2	7.4	0.0-17.6
45-49	19	2601	8	56.7	31.9-81.5	2	6.0	0.0-14.4	5	16.4	1.7-31.2	4	20.9	0.4-41.4
EDUCATION														
Less Than H.S.	2	811	1	34.5	0.0-98.7	0		0.0-0.0	1	65.5	1.3-100.0	0		0.0-0.0
H.S. or G.E.D.	39	10127	15	51.9	32.2-71.6	1	0.8	0.0-2.3	19	39.5	20.1-58.9	4	7.8	0.1-15.5
Some Post-H.S.	31	5877	13	45.4	25.7-65.0	2	4.9	0.0-12.4	12	36.0	16.3-55.8	4	13.6	0.0-27.5
College Graduate	28	5070	21	77.0	59.1-94.9	0		0.0-0.0	6	21.5	3.7-39.3	1	1.5	0.0-4.6
HOUSEHOLD INCOME														
Less than \$15,000	7	2042	1	9.1	0.0-27.6	1	3.8	0.0-11.9	4	83.3	60.0-100.0	1	3.8	0.0-11.9
\$15,000- 24,999	12	2582	5	45.9	13.0-78.9	1	8.2	0.0-24.0	6	45.8	12.6-79.1	0		0.0-0.0
\$25,000- 34,999	17	3473	6	34.6	7.4-61.9	1	2.2	0.0-6.8	9	58.6	30.0-87.2	1	4.5	0.0-13.3
\$35,000- 49,999	26	4749	15	66.8	47.7-85.8	0		0.0-0.0	7	17.5	4.3-30.7	4	15.8	0.0-31.7
\$50,000- 74,999	19	3556	10	59.5	36.5-82.5	0		0.0-0.0	6	21.3	3.9-38.6	3	19.3	0.0-38.9
\$75,000+	9	2314	6	77.5	50.1-100.0	0		0.0-0.0	3	22.5	0.0-49.9	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 9: THE LAST TIME YOU HAD SEXUAL INTERCOURSE, WAS THE CONDOM USED... (CONDLAST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being 50 years old or older  
Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months  
Denominator excludes: Respondents that did not report using a condom the last time they had sexual intercourse

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		TO PREVENT PREGNANCY			TO PREVENT STDs			FOR BOTH PREGNANCY AND DISEASES			FOR SOME OTHER REASON		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	104	22027	70	64.8	53.7-75.8	2	1.1	0.0-2.7	28	32.1	21.2-43.1	4	2.0	0.0-4.0
RACE														
Native	3	974	3	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0
Non-Native	101	21053	67	63.1	51.9-74.3	2	1.2	0.0-2.8	28	33.6	22.5-44.8	4	2.1	0.0-4.2
AGE														
18-24	32	11129	15	45.6	27.2-63.9	1	1.2	0.0-3.5	16	53.3	34.9-71.6	0		0.0-0.0
25-34	39	6437	34	92.1	84.8-99.3	1	1.8	0.0-5.4	4	6.1	0.0-12.4	0		0.0-0.0
35-44	25	3429	18	81.4	67.6-95.3	0		0.0-0.0	6	14.4	2.7-26.1	1	4.1	0.0-12.1
45-49	8	1032	3	45.7	10.3-81.2	0		0.0-0.0	2	25.7	0.0-56.4	3	28.6	0.0-57.4
EDUCATION														
Less Than H.S.	2	790	0		0.0-0.0	0		0.0-0.0	2	100.0	100.0-100.0	0		0.0-0.0
H.S. or G.E.D.	20	3898	12	56.0	31.8-80.3	0		0.0-0.0	8	44.0	19.7-68.2	0		0.0-0.0
Some Post-H.S.	41	9486	22	52.2	33.8-70.6	2	2.6	0.0-6.3	14	41.8	23.2-60.4	3	3.4	0.0-7.4
College Graduate	41	7853	36	90.7	82.4-99.1	0		0.0-0.0	4	7.8	0.0-15.6	1	1.5	0.0-4.5
HOUSEHOLD INCOME														
Less than \$15,000	15	3797	6	44.0	13.8-74.2	1	3.5	0.0-10.3	8	52.5	22.1-82.9	0		0.0-0.0
\$15,000- 24,999	16	3888	8	47.5	20.5-74.6	1	3.0	0.0-9.1	7	49.4	22.1-76.8	0		0.0-0.0
\$25,000- 34,999	12	2346	8	66.9	36.3-97.4	0		0.0-0.0	4	33.1	2.6-63.7	0		0.0-0.0
\$35,000- 49,999	19	2903	15	89.0	77.8-100.0	0		0.0-0.0	2	4.9	0.0-11.7	2	6.1	0.0-15.0
\$50,000- 74,999	26	5160	22	78.5	59.0-98.0	0		0.0-0.0	3	18.8	0.0-38.1	1	2.7	0.0-8.1
\$75,000+	11	2450	8	67.3	32.7-100.0	0		0.0-0.0	2	27.9	0.0-62.8	1	4.8	0.0-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 10: SOME PEOPLE USE CONDOMS TO KEEP FROM GETTING INFECTED WITH HIV THROUGH SEXUAL ACTIVITY. HOW EFFECTIVE DO YOU THINK A PROPERLY USE CONDOM IS FOR THIS PURPOSE? (CONEFF2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		VERY EFFECTIVE			SOMEWHAT EFFECTIVE			NOT AT ALL EFFECTIVE			DON'T KNOW HOW EFFECTIVE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1187	221530	535	45.1	41.9-48.3	541	44.6	41.4-47.8	71	7.1	5.1-9.1	40	3.2	2.1-4.3
SEX														
Male	505	108028	219	42.4	37.6-47.3	242	47.4	42.5-52.3	26	6.8	3.6-10.0	18	3.4	1.7-5.1
Female	682	113502	316	47.6	43.4-51.8	299	41.9	37.9-46.0	45	7.4	4.9-9.9	22	3.1	1.7-4.5
RACE														
Native	45	11021	22	37.3	20.1-54.6	20	47.5	28.5-66.5	1	12.0	0.0-33.0	2	3.1	0.0-7.4
Non-Native	1140	210279	513	45.5	42.3-48.8	519	44.4	41.2-47.6	70	6.8	5.1-8.6	38	3.2	2.1-4.4
AGE														
18-24	118	43078	51	44.6	34.6-54.6	52	39.5	30.0-49.1	14	14.6	6.4-22.9	1	1.2	0.0-3.6
25-34	348	64818	179	51.5	45.9-57.0	156	45.0	39.5-50.6	11	3.0	1.2-4.8	2	0.5	0.0-1.1
35-44	454	73756	201	45.0	40.1-49.8	213	45.6	40.7-50.4	21	4.6	2.6-6.5	19	4.9	2.6-7.1
45-49	267	39878	104	35.4	29.3-41.5	120	47.5	41.0-54.0	25	10.3	6.3-14.3	18	6.9	3.4-10.3
EDUCATION														
Less Than H.S.	25	7030	8	25.8	5.8-45.9	13	44.4	19.6-69.2	3	25.8	0.0-55.9	1	4.0	0.0-11.8
H.S. or G.E.D.	309	59279	133	43.2	37.0-49.5	134	43.3	37.0-49.6	23	7.4	4.1-10.6	19	6.1	3.1-9.1
Some Post-H.S.	431	80228	198	46.4	41.1-51.7	187	42.3	37.1-47.5	32	8.6	5.2-12.0	14	2.7	1.2-4.1
College Graduate	422	74993	196	46.9	41.6-52.2	207	48.1	42.8-53.3	13	3.5	1.5-5.5	6	1.5	0.1-2.9
HOUSEHOLD INCOME														
Less than \$15,000	56	13440	30	57.9	41.9-74.0	22	33.5	19.2-47.7	3	8.1	0.0-19.4	1	0.4	0.0-1.3
\$15,000- 24,999	139	26864	58	43.9	34.2-53.7	71	50.6	40.9-60.3	8	4.2	1.2-7.1	2	1.3	0.0-3.0
\$25,000- 34,999	160	31277	70	43.6	34.8-52.4	77	47.0	38.1-55.8	8	6.1	1.7-10.5	5	3.4	0.2-6.5
\$35,000- 49,999	267	47859	126	45.8	39.3-52.3	115	43.8	37.3-50.4	19	7.9	4.2-11.5	7	2.5	0.5-4.6
\$50,000- 74,999	276	49180	124	44.5	38.3-50.8	131	47.5	41.3-53.8	16	5.8	2.8-8.7	5	2.2	0.0-4.3
\$75,000+	212	37021	92	44.4	37.2-51.7	95	42.4	35.2-49.7	11	7.0	2.4-11.6	14	6.2	2.9-9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 11: SOME PEOPLE USE CONDOMS TO KEEP FROM GETTING INFECTED WITH HIV THROUGH SEXUAL ACTIVITY. HOW EFFECTIVE DO YOU THINK A PROPERLY USE CONDOM IS FOR THIS PURPOSE? (CONEFF2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		VERY EFFECTIVE			SOMEWHAT EFFECTIVE			NOT AT ALL EFFECTIVE			DON'T KNOW HOW EFFECTIVE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	505	108028	219	42.4	37.6-47.3	242	47.4	42.5-52.3	26	6.8	3.5-10.0	18	3.4	1.7-5.1
RACE														
Native	16	5812	6	27.4	3.8-51.1	8	46.5	15.8-77.1	1	22.8	0.0-58.9	1	3.2	0.0-9.6
Non-Native	489	102215	213	43.3	38.4-48.2	234	47.4	42.5-52.4	25	5.8	3.4-8.3	17	3.4	1.6-5.2
AGE														
18-24	44	19043	19	41.4	25.1-57.7	20	41.4	25.3-57.5	4	14.4	0.0-28.9	1	2.8	0.0-8.2
25-34	152	33262	81	51.4	43.0-59.7	67	46.1	37.8-54.4	4	2.5	0.0-5.2	0		0.0-0.0
35-44	189	34957	77	40.7	33.3-48.0	95	49.1	41.6-56.5	9	5.1	1.8-8.3	8	5.2	1.6-8.8
45-49	120	20766	42	32.1	23.3-41.0	60	52.1	42.6-61.7	9	9.3	3.5-15.2	9	6.4	2.2-10.5
EDUCATION														
Less Than H.S.	10	3806	2	20.1	0.0-48.6	6	37.7	3.1-72.3	1	34.9	0.0-82.4	1	7.3	0.0-22.0
H.S. or G.E.D.	156	34805	67	42.0	33.3-50.7	70	45.0	36.1-53.9	9	6.6	2.1-11.2	10	6.3	2.0-10.7
Some Post-H.S.	177	35654	72	38.3	30.5-46.1	86	50.6	42.5-58.7	13	8.3	3.6-12.9	6	2.8	0.5-5.1
College Graduate	162	33763	78	49.8	41.3-58.3	80	47.5	39.1-56.0	3	2.1	0.0-4.6	1	0.5	0.0-1.6
HOUSEHOLD INCOME														
Less than \$15,000	14	3578	8	60.4	30.5-90.3	5	34.4	5.7-63.1	1	5.2	0.0-15.4	0		0.0-0.0
\$15,000- 24,999	56	12592	22	39.2	23.6-54.8	29	54.1	38.7-69.6	4	5.2	0.1-10.2	1	1.5	0.0-4.4
\$25,000- 34,999	70	16162	32	44.9	31.5-58.4	32	46.3	32.9-59.8	3	4.0	0.0-8.9	3	4.7	0.0-10.2
\$35,000- 49,999	118	24066	55	44.9	35.2-54.6	55	47.3	37.4-57.1	6	6.3	1.3-11.3	2	1.5	0.0-3.8
\$50,000- 74,999	125	24559	53	43.1	34.0-52.3	65	51.1	41.8-60.3	5	4.5	0.6-8.4	2	1.3	0.0-3.2
\$75,000+	96	19451	38	40.8	30.2-51.5	46	45.8	34.9-56.6	4	6.1	0.0-12.3	8	7.3	2.3-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 12: SOME PEOPLE USE CONDOMS TO KEEP FROM GETTING INFECTED WITH HIV THROUGH SEXUAL ACTIVITY. HOW EFFECTIVE DO YOU THINK A PROPERLY USE CONDOM IS FOR THIS PURPOSE? (CONEFF2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		VERY EFFECTIVE			SOMEWHAT EFFECTIVE			NOT AT ALL EFFECTIVE			DON'T KNOW HOW EFFECTIVE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	682	113502	316	47.6	43.4-51.8	299	41.9	37.9-46.0	45	7.4	4.9-9.9	22	3.1	1.7-4.5
RACE														
Native	29	5209	16	48.4	27.0-69.8	12	48.6	27.3-69.9	0		0.0-0.0	1	3.0	0.0-8.8
Non-Native	651	108064	300	47.6	43.4-51.9	285	41.5	37.4-45.6	45	7.8	5.1-10.4	21	3.1	1.6-4.6
AGE														
18-24	74	24035	32	47.1	34.9-59.4	32	38.1	26.6-49.5	10	14.8	5.4-24.1	0		0.0-0.0
25-34	196	31556	98	51.6	44.3-58.9	89	43.9	36.7-51.1	7	3.5	1.0-6.0	2	1.0	0.0-2.4
35-44	265	38799	124	48.9	42.5-55.2	118	42.5	36.2-48.7	12	4.1	1.7-6.5	11	4.6	1.8-7.4
45-49	147	19112	62	38.9	30.6-47.2	60	42.4	33.8-51.0	16	11.3	5.9-16.6	9	7.4	1.9-12.9
EDUCATION														
Less Than H.S.	15	3224	6	32.6	6.4-58.9	7	52.3	23.0-81.7	2	15.0	0.0-37.4	0		0.0-0.0
H.S. or G.E.D.	153	24474	66	44.9	36.2-53.6	64	40.9	32.4-49.3	14	8.4	4.0-12.8	9	5.8	2.0-9.6
Some Post-H.S.	254	44575	126	52.9	45.9-59.9	101	35.7	29.2-42.1	19	8.9	4.0-13.7	8	2.6	0.6-4.5
College Graduate	260	41229	118	44.6	38.1-51.2	127	48.5	41.9-55.1	10	4.6	1.6-7.6	5	2.3	0.0-4.6
HOUSEHOLD INCOME														
Less than \$15,000	42	9862	22	57.1	38.1-76.0	17	33.1	16.7-49.5	2	9.2	0.0-23.9	1	0.6	0.0-1.8
\$15,000- 24,999	83	14272	36	48.1	35.9-60.4	42	47.5	35.3-59.7	4	3.3	0.0-6.7	1	1.1	0.0-3.2
\$25,000- 34,999	90	15115	38	42.1	31.0-53.2	45	47.6	36.5-58.8	5	8.3	1.0-15.6	2	1.9	0.0-4.7
\$35,000- 49,999	149	23794	71	46.6	37.9-55.4	60	40.4	31.9-48.9	13	9.4	4.1-14.7	5	3.6	0.2-6.9
\$50,000- 74,999	151	24620	71	45.9	37.5-54.4	66	44.0	35.5-52.4	11	7.1	2.6-11.6	3	3.0	0.0-6.9
\$75,000+	116	17571	54	48.5	38.8-58.2	49	38.7	29.4-48.0	7	8.0	1.2-14.7	6	4.8	1.0-8.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 13: HOW MANY NEW SEX PARTNERS DID YOU HAVE DURING THE PAST TWELVE MONTHS? (NEWPARTN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 new partner			2 new partners			3 new partners			4 new partners			5 or more new partners			none		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1155	215504	155	14.8	12.3-17.3	9	1.0	0.2-1.8	16	1.5	0.6-2.4	6	0.5	0.0-1.0			0.0-0.0	969	82.2	79.5-84.9
SEX																				
Male	488	104074	77	16.6	12.8-20.5	5	1.2	0.0-2.4	9	1.3	0.4-2.2	4	0.5	0.0-1.1			0.0-0.0	393	80.3	76.3-84.3
Female	667	111430	78	13.1	9.8-16.4	4	0.8	0.0-1.8	7	1.7	0.1-3.2	2	0.5	0.0-1.2			0.0-0.0	576	84.0	80.3-87.7
RACE																				
Native	45	9810	10	29.3	12.1-46.6	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	35	70.6	53.4-87.9
Non-Native	1109	205552	145	14.1	11.6-16.6	9	1.0	0.2-1.9	16	1.6	0.6-2.5	6	0.5	0.0-1.0			0.0-0.0	933	82.8	80.1-85.5
AGE																				
18-24	112	40183	26	25.3	16.2-34.4	2	2.8	0.0-6.6	7	5.1	0.7-9.6	2	1.3	0.0-3.3			0.0-0.0	75	65.4	55.6-75.3
25-34	339	63321	44	12.6	8.7-16.5	2	0.6	0.0-1.6	5	1.1	0.1-2.1	3	0.8	0.0-1.6			0.0-0.0	285	84.9	80.7-89.1
35-44	445	72957	58	12.8	9.5-16.2	4	0.6	0.0-1.1	3	0.5	0.0-1.1	0		0.0-0.0			0.0-0.0	380	86.1	82.7-89.5
45-49	259	39043	27	11.1	6.8-15.5	1	0.4	0.0-1.2	1	0.3	0.0-0.9	1	0.2	0.0-0.6			0.0-0.0	229	88.0	83.5-92.4
EDUCATION																				
Less Than H.S.	24	5702	9	36.7	15.0-58.3	1	9.3	0.0-26.4	1	2.3	0.0-6.9	0		0.0-0.0			0.0-0.0	13	51.7	29.1-74.3
H.S. or G.E.D.	296	57848	50	18.3	12.9-23.6	2	0.7	0.0-1.8	4	1.7	0.0-3.9	3	0.9	0.0-1.9			0.0-0.0	237	78.4	72.8-84.1
Some Post-H.S.	425	78553	56	15.1	10.7-19.5	4	1.2	0.0-2.7	8	2.1	0.3-4.0	3	0.7	0.0-1.8			0.0-0.0	354	80.9	76.0-85.7
College Graduate	410	73401	40	10.0	6.8-13.3	2	0.3	0.0-0.8	3	0.6	0.0-1.3	0		0.0-0.0			0.0-0.0	365	89.0	85.7-92.4
HOUSEHOLD INCOME																				
Less than \$15,000	54	12743	14	28.3	12.1-44.5	2	8.8	0.0-20.3	4	10.9	0.0-23.1	1	0.6	0.0-1.8			0.0-0.0	33	51.3	34.0-68.6
\$15,000- 24,999	135	26384	24	13.8	7.8-19.7	0		0.0-0.0	4	2.4	0.0-4.9	2	1.1	0.0-2.6			0.0-0.0	105	82.7	76.2-89.2
\$25,000- 34,999	154	30216	23	16.9	9.4-24.5	2	0.6	0.0-1.5	1	0.5	0.0-1.4	1	0.7	0.0-2.1			0.0-0.0	127	81.3	73.6-88.9
\$35,000- 49,999	265	47670	28	11.9	7.2-16.6	3	1.1	0.0-2.6	5	1.7	0.1-3.3	1	0.2	0.0-0.7			0.0-0.0	228	85.0	80.0-90.0
\$50,000- 74,999	272	48632	28	11.5	7.3-15.7	0		0.0-0.0	0		0.0-0.0	1	0.8	0.0-2.4			0.0-0.0	243	87.7	83.3-92.1
\$75,000+	206	36188	23	11.7	6.7-16.7	2	0.7	0.0-1.7	0		0.0-0.0	0		0.0-0.0			0.0-0.0	181	87.6	82.6-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 14: HOW MANY NEW SEX PARTNERS DID YOU HAVE DURING THE PAST TWELVE MONTHS? (NEWPARTN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being 50 years old or older  
Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 new partner			2 new partners			3 new partners			4 new partners			5 or more new partners			none		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	488	104074	77	16.6	12.8-20.5	5	1.2	0.0-2.4	9	1.3	0.4-2.2	4	0.5	0.0-1.1			0.0-0.0	393	80.3	76.3-84.3
RACE																				
Native	15	4484	2	19.4	0.0-45.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	13	80.6	55.0-100.0
Non-Native	473	99590	75	16.5	12.7-20.3	5	1.2	0.0-2.5	9	1.4	0.4-2.3	4	0.6	0.0-1.1			0.0-0.0	380	80.3	76.3-84.3
AGE																				
18-24	40	16740	8	20.6	6.8-34.4	1	3.2	0.0-9.3	2	2.1	0.0-5.1	0		0.0-0.0			0.0-0.0	29	74.1	59.4-88.8
25-34	143	31882	24	17.0	10.2-23.7	1	1.0	0.0-2.9	3	1.7	0.0-3.6	3	1.5	0.0-3.2			0.0-0.0	112	78.9	71.7-86.1
35-44	186	34724	30	16.5	10.8-22.2	2	0.7	0.0-1.6	3	1.1	0.0-2.3	0		0.0-0.0			0.0-0.0	151	81.8	75.9-87.6
45-49	119	20727	15	13.1	6.5-19.7	1	0.8	0.0-2.2	1	0.6	0.0-1.7	1	0.4	0.0-1.1			0.0-0.0	101	85.2	78.4-92.0
EDUCATION																				
Less Than H.S.	9	2478	2	20.7	0.0-47.1	1	21.4	0.0-56.7	0		0.0-0.0	0		0.0-0.0			0.0-0.0	6	57.9	22.2-93.6
H.S. or G.E.D.	148	33964	29	21.1	13.3-29.0	1	0.9	0.0-2.8	2	0.8	0.0-2.0	2	1.1	0.0-2.6			0.0-0.0	114	76.0	68.0-84.1
Some Post-H.S.	173	34609	24	15.3	8.9-21.7	1	0.4	0.0-1.2	4	1.9	0.0-3.9	2	0.5	0.0-1.3			0.0-0.0	142	81.8	75.2-88.4
College Graduate	158	33023	22	13.1	7.7-18.5	2	0.8	0.0-1.8	3	1.3	0.0-2.8	0		0.0-0.0			0.0-0.0	131	84.9	79.2-90.6
HOUSEHOLD INCOME																				
Less than \$15,000	11	2763	1	9.6	0.0-28.1	1	19.2	0.0-52.2	0		0.0-0.0	1	2.8	0.0-8.6			0.0-0.0	8	68.3	33.4-100.0
\$15,000- 24,999	56	12592	8	10.6	2.9-18.3	0		0.0-0.0	3	4.5	0.0-9.6	1	1.3	0.0-3.7			0.0-0.0	44	83.6	74.2-93.0
\$25,000- 34,999	66	15566	13	21.6	9.3-33.8	0		0.0-0.0	1	0.9	0.0-2.7	1	1.4	0.0-4.0			0.0-0.0	51	76.2	63.7-88.6
\$35,000- 49,999	116	23877	16	15.5	7.8-23.2	2	1.9	0.0-4.7	4	2.3	0.0-4.8	1	0.4	0.0-1.3			0.0-0.0	93	79.8	71.6-88.1
\$50,000- 74,999	122	24130	20	16.4	9.5-23.2	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	102	83.6	76.8-90.5
\$75,000+	94	19172	10	10.5	4.2-16.8	2	1.3	0.0-3.1	0		0.0-0.0	0		0.0-0.0			0.0-0.0	82	88.2	81.7-94.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 15: HOW MANY NEW SEX PARTNERS DID YOU HAVE DURING THE PAST TWELVE MONTHS? (NEWPARTN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being 50 years old or older  
Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 new partner			2 new partners			3 new partners			4 new partners			5 or more new partners			none		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	667	111430	78	13.1	9.8-16.4	4	0.8	0.0-1.8	7	1.7	0.1-3.2	2	0.5	0.0-1.2			0.0-0.0	576	84.0	80.3-87.7
RACE																				
Native	30	5326	8	37.7	15.4-60.1	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	22	62.3	39.9-84.6
Non-Native	636	105962	70	11.8	8.6-15.1	4	0.8	0.0-1.9	7	1.8	0.1-3.4	2	0.5	0.0-1.3			0.0-0.0	553	85.1	81.4-88.8
AGE																				
18-24	72	23443	18	28.6	16.7-40.6	1	2.5	0.0-7.4	5	7.3	0.1-14.5	2	2.3	0.0-5.7			0.0-0.0	46	59.3	46.6-72.0
25-34	196	31438	20	8.2	4.6-11.9	1	0.3	0.0-0.7	2	0.5	0.0-1.2	0		0.0-0.0			0.0-0.0	173	91.0	87.2-94.8
35-44	259	38234	28	9.5	5.9-13.1	2	0.5	0.0-1.1	0		0.0-0.0	0		0.0-0.0			0.0-0.0	229	90.0	86.3-93.7
45-49	140	18315	12	8.9	3.4-14.3	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	128	91.1	85.7-96.6
EDUCATION																				
Less Than H.S.	15	3224	7	48.9	19.4-78.5	0		0.0-0.0	1	4.1	0.0-12.1	0		0.0-0.0			0.0-0.0	7	47.0	17.5-76.4
H.S. or G.E.D.	148	23884	21	14.2	7.9-20.5	1	0.3	0.0-1.0	2	3.0	0.0-7.9	1	0.5	0.0-1.6			0.0-0.0	123	81.9	74.4-89.4
Some Post-H.S.	252	43944	32	14.9	8.8-21.0	3	1.8	0.0-4.4	4	2.3	0.0-5.2	1	0.9	0.0-2.6			0.0-0.0	212	80.1	73.2-87.0
College Graduate	252	40378	18	7.5	3.5-11.6	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	234	92.5	88.4-96.5
HOUSEHOLD INCOME																				
Less than \$15,000	43	9980	13	33.5	14.3-52.6	1	5.9	0.0-17.2	4	14.0	0.0-29.2	0		0.0-0.0			0.0-0.0	25	46.6	27.6-65.6
\$15,000- 24,999	79	13791	16	16.6	7.7-25.5	0		0.0-0.0	1	0.6	0.0-1.7	1	1.0	0.0-2.8			0.0-0.0	61	81.8	72.8-90.9
\$25,000- 34,999	88	14650	10	12.0	3.8-20.3	2	1.3	0.0-3.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	76	86.7	78.4-95.1
\$35,000- 49,999	149	23794	12	8.3	3.2-13.4	1	0.3	0.0-0.9	1	1.1	0.0-3.3	0		0.0-0.0			0.0-0.0	135	90.3	84.8-95.7
\$50,000- 74,999	150	24503	8	6.7	1.9-11.5	0		0.0-0.0	0		0.0-0.0	1	1.6	0.0-4.7			0.0-0.0	141	91.7	86.1-97.3
\$75,000+	112	17016	13	13.1	5.3-20.8	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	99	86.9	79.2-94.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 16: IN THE PAST FIVE YEARS, HAVE YOU BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE? (STD/TREAT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1193	222388	31	3.2	1.9-4.6	1162	96.8	95.4-98.1
SEX								
Male	509	108602	10	2.3	0.7-3.9	499	97.7	96.1-99.3
Female	684	113785	21	4.1	2.1-6.2	663	95.8	93.7-98.0
RACE								
Native	46	11139	2	4.5	0.0-11.6	44	95.5	88.4-100.0
Non-Native	1145	211019	29	3.2	1.8-4.5	1116	96.8	95.5-98.2
AGE								
18-24	118	43078	11	9.9	4.0-15.8	107	90.1	84.1-96.1
25-34	349	64936	13	3.4	1.5-5.4	336	96.5	94.6-98.5
35-44	454	73872	5	0.7	0.0-1.4	449	99.3	98.6-100.0
45-49	272	40502	2	0.4	0.0-1.0	270	99.6	99.0-100.0
EDUCATION								
Less Than H.S.	25	7030	1	1.9	0.0-5.6	24	98.1	94.4-100.0
H.S. or G.E.D.	309	59394	10	4.4	1.5-7.2	299	95.6	92.6-98.6
Some Post-H.S.	435	80737	13	4.1	1.4-6.8	422	95.9	93.2-98.6
College Graduate	424	75226	7	1.5	0.2-2.8	417	98.5	97.2-99.8
HOUSEHOLD INCOME								
Less than \$15,000	57	13558	10	19.8	6.3-33.3	47	80.2	66.7-93.7
\$15,000- 24,999	140	26923	10	8.6	3.1-14.1	130	91.4	85.8-96.9
\$25,000- 34,999	160	31277	0		0.0-0.0	160	100.0	100.0-100.0
\$35,000- 49,999	268	47976	6	2.0	0.1-4.0	262	97.9	96.0-99.9
\$50,000- 74,999	276	49180	3	1.0	0.0-2.3	273	99.0	97.7-100.0
\$75,000+	213	37208	2	1.8	0.0-4.7	211	98.1	95.3-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 17: IN THE PAST FIVE YEARS, HAVE YOU BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE? (STD/TREAT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	509	108602	10	2.3	0.7-3.9	499	97.7	96.1-99.3
RACE								
Native	16	5812	1	1.8	0.0-5.5	15	98.2	94.5-100.0
Non-Native	493	102790	9	2.3	0.6-4.0	484	97.7	96.0-99.4
AGE								
18-24	44	19043	3	6.5	0.0-13.8	41	93.5	86.2-100.0
25-34	152	33262	5	3.2	0.3-6.1	147	96.8	93.9-99.7
35-44	190	35143	1	0.3	0.0-0.8	189	99.7	99.0-100.0
45-49	123	21154	1	0.4	0.0-1.1	122	99.6	98.9-100.0
EDUCATION								
Less Than H.S.	10	3806	0		0.0-0.0	10	100.0	100.0-100.0
H.S. or G.E.D.	157	34991	2	1.3	0.0-3.4	155	98.7	96.6-100.0
Some Post-H.S.	178	35809	6	4.4	0.5-8.3	172	95.6	91.7-99.5
College Graduate	164	33996	2	1.3	0.0-3.3	162	98.7	96.7-100.0
HOUSEHOLD INCOME								
Less than \$15,000	14	3578	2	12.9	0.0-32.2	12	87.1	67.8-100.0
\$15,000- 24,999	56	12592	4	8.7	0.3-17.1	52	91.3	82.8-99.8
\$25,000- 34,999	70	16162	0		0.0-0.0	70	100.0	100.0-100.0
\$35,000- 49,999	119	24182	2	1.2	0.0-3.0	117	98.8	97.0-100.0
\$50,000- 74,999	125	24559	1	0.4	0.0-1.1	124	99.6	98.9-100.0
\$75,000+	97	19637	1	2.7	0.0-7.9	96	97.3	92.1-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 18: IN THE PAST FIVE YEARS, HAVE YOU BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE? (STD/TREAT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	684	113785	21	4.1	2.1-6.2	663	95.8	93.7-98.0
RACE								
Native	30	5326	1	7.4	0.0-21.2	29	92.6	78.8-100.0
Non-Native	652	108229	20	4.0	1.9-6.1	632	96.0	93.9-98.1
AGE								
18-24	74	24035	8	12.6	4.0-21.2	66	87.4	78.6-96.2
25-34	197	31674	8	3.7	1.1-6.4	189	96.3	93.6-98.9
35-44	264	38729	4	1.1	0.0-2.3	260	98.9	97.7-100.0
45-49	149	19348	1	0.5	0.0-1.4	148	99.5	98.6-100.0
EDUCATION								
Less Than H.S.	15	3224	1	4.1	0.0-12.1	14	95.9	87.9-100.0
H.S. or G.E.D.	152	24403	8	8.8	2.7-14.8	144	91.2	84.9-97.6
Some Post-H.S.	257	44928	7	3.8	0.1-7.6	250	96.2	92.4-99.9
College Graduate	260	41229	5	1.7	0.1-3.4	255	98.3	96.6-99.9
HOUSEHOLD INCOME								
Less than \$15,000	43	9980	8	22.3	5.4-39.1	35	77.8	60.9-94.6
\$15,000- 24,999	84	14331	6	8.6	1.3-15.8	78	91.4	84.2-98.7
\$25,000- 34,999	90	15115	0		0.0-0.0	90	100.0	100.0-100.0
\$35,000- 49,999	149	23794	4	2.9	0.0-6.4	145	97.1	93.6-100.0
\$50,000- 74,999	151	24620	2	1.7	0.0-4.1	149	98.3	95.9-100.0
\$75,000+	116	17571	1	0.9	0.0-2.6	115	99.1	97.4-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 19: WERE YOU TREATED AT A HEALTH DEPARTMENT STD CLINIC? (STDCLIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

Denominator excludes: Respondents that did not report having been treated for a sexually transmitted disease in the past 5 years

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	30	7120	17	61.3	39.6-83.0	13	38.7	17.1-60.4
SEX								
Male	10	2472	6	70.2	39.3-100.0	4	29.8	0.0-60.7
Female	20	4648	11	56.5	28.9-84.2	9	43.4	15.8-71.1
RACE								
Native	2	501	2	100.0	100.0-100.0	0		0.0-0.0
Non-Native	28	6619	15	58.3	35.8-80.9	13	41.6	19.2-64.1
AGE								
18-24	11	4269	8	63.9	31.4-96.5	3	36.1	3.5-68.6
25-34	13	2238	9	73.0	48.4-97.6	4	27.0	2.4-51.6
35-44	4	447	0		0.0-0.0	4	100.0	73.0-100.0
45-49	2	166	0		0.0-0.0	2	100.0	100.0-100.0
EDUCATION								
Less Than H.S.	1	132	1	100.0	100.0-100.0	0		0.0-0.0
H.S. or G.E.D.	10	2602	7	74.8	45.8-100.0	3	25.2	0.0-54.2
Some Post-H.S.	12	3236	7	51.5	17.8-85.2	5	48.5	14.7-82.3
College Graduate	7	1151	2	53.7	10.8-96.6	5	46.3	3.4-89.2
HOUSEHOLD INCOME								
Less than \$15,000	10	2681	6	49.6	11.5-87.7	4	50.4	12.3-88.5
\$15,000- 24,999	10	2324	6	63.5	31.1-95.8	4	36.5	4.2-68.9
\$35,000- 49,999	5	913	2	66.5	24.3-100.0	3	33.5	0.0-71.9
\$50,000- 74,999	3	514	2	81.8	45.0-100.0	1	18.1	0.0-55.0
\$75,000+	2	688	1	77.2	27.3-100.0	1	22.8	0.0-72.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 20: WERE YOU TREATED AT A HEALTH DEPARTMENT STD CLINIC? (STDCLIN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

Denominator excludes: Respondents that did not report having been treated for a sexually transmitted disease in the past 5 years

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	10	2472	6	70.2	39.2-100.0	4	29.8	0.0-60.8
RACE								
Native	1	106	1	100.0	100.0-100.0	0		0.0-0.0
Non-Native	9	2366	5	68.8	36.5-100.0	4	31.2	0.0-63.5
AGE								
18-24	3	1240	2	71.4	19.1-100.0	1	28.6	0.0-80.9
25-34	5	1061	4	80.0	44.7-100.0	1	20.0	0.0-55.3
35-44	1	93	0		0.0-0.0	1	100.0	100.0-100.0
45-49	1	78	0		0.0-0.0	1	100.0	100.0-100.0
EDUCATION								
H.S. or G.E.D.	2	460	1	23.0	0.0-75.2	1	76.9	24.8-100.0
Some Post-H.S.	6	1580	4	80.7	51.7-100.0	2	19.3	0.0-48.3
College Graduate	2	432	1	82.0	38.7-100.0	1	18.0	0.0-61.3
HOUSEHOLD INCOME								
Less than \$15,000	2	460	2	100.0	100.0-100.0	0		0.0-0.0
\$15,000- 24,999	4	1097	2	48.3	6.4-90.3	2	51.6	9.7-93.6
\$35,000- 49,999	2	290	1	73.2	15.6-100.0	1	26.8	0.0-84.4
\$50,000- 74,999	1	93	0		0.0-0.0	1	100.0	100.0-100.0
\$75,000+	1	531	1	100.0	100.0-100.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 2: SEXUAL BEHAVIOR**

**TABLE 21: WERE YOU TREATED AT A HEALTH DEPARTMENT STD CLINIC? (STDCLIN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being 50 years old or older

Denominator excludes: Respondents that reported having no sexual intercourse in the past 12 months

Denominator excludes: Respondents that did not report having been treated for a sexually transmitted disease in the past 5 years

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	20	4648	11	56.5	28.7-84.4	9	43.4	15.6-71.3
RACE								
Native	1	395	1	100.0	100.0-100.0	0		0.0-0.0
Non-Native	19	4253	10	52.5	24.1-80.9	9	47.5	19.1-75.9
AGE								
18-24	8	3029	6	60.9	20.5-100.0	2	39.1	0.0-79.5
25-34	8	1177	5	66.7	32.6-100.0	3	33.3	0.0-67.4
35-44	3	353	0		0.0-0.0	3	100.0	66.7-100.0
45-49	1	88	0		0.0-0.0	1	100.0	100.0-100.0
EDUCATION								
Less Than H.S.	1	132	1	100.0	100.0-100.0	0		0.0-0.0
H.S. or G.E.D.	8	2142	6	86.0	64.0-100.0	2	14.0	0.0-36.0
Some Post-H.S.	6	1656	3	23.7	0.0-51.9	3	76.3	46.2-100.0
College Graduate	5	719	1	36.6	0.0-90.4	4	63.3	9.6-100.0
HOUSEHOLD INCOME								
Less than \$15,000	8	2221	4	39.1	0.0-79.9	4	60.9	20.1-100.0
\$15,000- 24,999	6	1227	4	77.0	41.5-100.0	2	23.0	0.0-58.5
\$35,000- 49,999	3	623	1	63.4	7.8-100.0	2	36.6	0.0-85.9
\$50,000- 74,999	2	420	2	100.0	100.0-100.0	0		0.0-0.0
\$75,000+	1	157	0		0.0-0.0	1	100.0	100.0-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004**

MODULE 13: FOLIC ACID CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DO YOU CURRENTLY TAKE ANY VITAMIN PILLS OR SUPPLEMENTS? (VITAMINS)	
1	MALES AND FEMALES	25
2	MALES ONLY	26
3	FEMALES ONLY	27
	ARE ANY OF THESE A MULTIVITAMIN? (MULTIVIT)	
4	MALES AND FEMALES	28
5	MALES ONLY	29
6	FEMALES ONLY	30
	DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID? (FOLICACD)	
7	MALES AND FEMALES	31
8	MALES ONLY	32
9	FEMALES ONLY	33
	HOW OFTEN DO YOU TAKE THIS VITAMIN PILL OR SUPPLEMENT? (TAKEVIT)	
10	MALES AND FEMALES	34
11	MALES ONLY	35
12	FEMALES ONLY	36
	SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B VITAMIN FOLIC ACID, FOR WHICH ONE OF THE FOLLOWING REASONS...? (RECOMMEN)	
13	MALES AND FEMALES	37
14	MALES ONLY	38
15	FEMALES ONLY	39



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 1: DO YOU CURRENTLY TAKE ANY VITAMIN PILLS OR SUPPLEMENTS? (VITAMINS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2949	470777	1962	62.5	60.4-64.6	987	37.5	35.4-39.6
SEX								
Male	1263	232743	668	49.5	46.3-52.8	595	50.5	47.2-53.7
Female	1686	238034	1294	75.2	72.7-77.6	392	24.8	22.4-27.3
RACE								
Native	78	17134	31	32.7	20.2-45.1	47	67.3	54.9-79.8
Non-Native	2847	450673	1918	63.7	61.6-65.8	929	36.3	34.2-38.4
AGE								
18-24	189	72244	88	43.3	35.4-51.1	101	56.8	48.9-64.6
25-34	409	73765	224	53.6	48.4-58.9	185	46.3	41.1-51.6
35-44	555	85618	325	58.4	54.0-62.8	230	41.6	37.2-46.0
45-54	644	86804	426	63.7	59.6-67.8	218	36.3	32.2-40.4
55-64	445	57883	335	74.6	70.3-79.0	110	25.4	21.0-29.7
65+	697	93308	557	79.3	76.0-82.5	140	20.7	17.5-24.0
EDUCATION								
Less Than H.S.	249	38634	166	61.5	53.6-69.4	83	38.5	30.6-46.4
H.S. or G.E.D.	870	138640	538	55.8	51.8-59.8	332	44.2	40.2-48.2
Some Post-H.S.	968	159280	666	65.1	61.4-68.8	302	34.9	31.2-38.6
College Graduate	857	133646	588	66.4	62.9-70.0	269	33.6	30.0-37.1
HOUSEHOLD INCOME								
Less than \$15,000	254	38659	162	55.8	47.6-64.1	92	44.2	35.9-52.4
\$15,000- 24,999	481	73408	301	57.2	51.9-62.5	180	42.8	37.5-48.1
\$25,000- 34,999	438	69694	300	63.6	58.0-69.1	138	36.4	30.9-42.0
\$35,000- 49,999	559	87797	371	63.8	59.3-68.3	188	36.2	31.7-40.7
\$50,000- 74,999	491	81835	328	65.3	60.6-69.9	163	34.7	30.1-39.4
\$75,000+	381	63052	253	62.0	56.2-67.7	128	38.0	32.3-43.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 2: DO YOU CURRENTLY TAKE ANY VITAMIN PILLS OR SUPPLEMENTS? (VITAMINS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY									
SEX									
Male	1263	232743	668	49.5	46.3-52.8	595	50.5	47.2-53.7	
RACE									
Native	34	9729	9	16.9	4.7-29.1	25	83.1	70.9-95.3	
Non-Native	1217	221635	655	51.0	47.8-54.3	562	48.9	45.7-52.2	
AGE									
18-24	84	38528	25	28.3	17.6-38.9	59	71.7	61.1-82.4	
25-34	181	38461	80	44.3	36.6-52.0	101	55.7	48.0-63.4	
35-44	245	42647	109	45.8	39.1-52.5	136	54.2	47.5-60.9	
45-54	287	44600	141	47.5	41.3-53.8	146	52.5	46.2-58.7	
55-64	210	28498	134	63.9	57.1-70.8	76	36.1	29.2-42.9	
65+	254	39621	177	70.7	64.8-76.6	77	29.3	23.5-35.1	
EDUCATION									
Less Than H.S.	107	19775	54	45.5	34.0-57.0	53	54.5	43.0-66.0	
H.S. or G.E.D.	396	74057	178	39.5	34.0-44.9	218	60.5	55.1-66.0	
Some Post-H.S.	396	75036	221	53.2	47.3-59.1	175	46.8	40.9-52.7	
College Graduate	363	63718	214	58.0	52.3-63.7	149	42.0	36.3-47.7	
HOUSEHOLD INCOME									
Less than \$15,000	65	11506	28	33.4	19.9-46.9	37	66.6	53.0-80.2	
\$15,000- 24,999	198	35548	97	43.9	35.7-52.0	101	56.1	48.0-64.3	
\$25,000- 34,999	187	35497	104	52.6	44.2-61.0	83	47.4	39.0-55.8	
\$35,000- 49,999	282	48915	153	52.1	45.6-58.5	129	47.9	41.5-54.4	
\$50,000- 74,999	245	43893	137	54.4	47.6-61.2	108	45.6	38.8-52.4	
\$75,000+	181	34269	93	47.3	39.0-55.7	88	52.7	44.3-61.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 3: DO YOU CURRENTLY TAKE ANY VITAMIN PILLS OR SUPPLEMENTS? (VITAMINS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1686	238034	1294	75.2	72.7-77.6	392	24.8	22.4-27.3
RACE								
Native	44	7405	22	53.4	36.3-70.6	22	46.6	29.4-63.7
Non-Native	1630	229038	1263	75.9	73.5-78.4	367	24.1	21.7-26.6
AGE								
18-24	105	33715	63	60.3	50.1-70.6	42	39.6	29.4-49.9
25-34	228	35305	144	63.9	57.3-70.4	84	36.1	29.6-42.7
35-44	310	42971	216	71.0	65.6-76.3	94	29.0	23.7-34.4
45-54	357	42205	285	80.8	76.5-85.1	72	19.2	14.9-23.5
55-64	235	29384	201	85.0	80.0-90.0	34	15.0	10.0-20.0
65+	443	53687	380	85.6	82.0-89.2	63	14.4	10.9-18.0
EDUCATION								
Less Than H.S.	142	18859	112	78.3	70.4-86.1	30	21.7	13.9-29.5
H.S. or G.E.D.	474	64583	360	74.6	69.9-79.3	114	25.4	20.7-30.1
Some Post-H.S.	572	84244	445	75.8	71.5-80.0	127	24.2	20.0-28.5
College Graduate	494	69928	374	74.1	69.7-78.4	120	25.9	21.6-30.3
HOUSEHOLD INCOME								
Less than \$15,000	189	27153	134	65.3	56.2-74.5	55	34.6	25.5-43.8
\$15,000- 24,999	283	37860	204	69.7	63.4-76.1	79	30.3	23.9-36.6
\$25,000- 34,999	251	34197	196	74.9	68.1-81.8	55	25.0	18.2-31.9
\$35,000- 49,999	277	38882	218	78.6	73.3-83.9	59	21.4	16.1-26.7
\$50,000- 74,999	246	37942	191	77.8	72.3-83.4	55	22.2	16.6-27.7
\$75,000+	200	28783	160	79.4	73.4-85.3	40	20.6	14.7-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 4: ARE ANY OF THESE A MULTIVITAMIN? (MULTIVIT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1941	291110	1638	85.1	83.3-86.9	303	14.9	13.2-16.7
SEX								
Male	657	113420	535	82.7	79.4-86.0	122	17.3	14.2-20.4
Female	1284	177690	1103	86.6	84.5-88.6	181	13.4	11.4-15.5
RACE								
Native	30	5243	24	81.0	63.6-98.4	6	19.0	4.7-33.4
Non-Native	1899	284476	1603	85.1	83.3-86.9	296	14.9	13.1-16.7
AGE								
18-24	88	31243	72	81.1	72.3-89.9	16	18.9	10.1-27.7
25-34	222	39206	210	95.3	92.2-98.4	12	4.7	1.9-7.5
35-44	323	49622	293	91.9	88.8-94.9	30	8.1	5.2-11.1
45-54	426	55288	377	88.6	85.4-91.9	49	11.4	8.1-14.6
55-64	332	42856	271	81.3	76.7-85.8	61	18.8	14.3-23.2
65+	543	71977	410	76.1	72.2-80.0	133	23.9	20.1-27.7
EDUCATION								
Less Than H.S.	160	22762	118	74.4	66.5-82.4	42	25.6	18.0-33.1
H.S. or G.E.D.	532	76601	426	81.1	77.4-84.8	106	18.9	15.3-22.5
Some Post-H.S.	659	102684	576	86.9	83.8-90.0	83	13.1	10.1-16.2
College Graduate	587	88612	515	89.0	86.5-91.6	72	11.0	8.4-13.5
HOUSEHOLD INCOME								
Less than \$15,000	160	21373	131	78.2	69.9-86.4	29	21.8	13.6-30.0
\$15,000- 24,999	298	41690	234	79.8	74.8-84.9	64	20.1	15.1-25.2
\$25,000- 34,999	298	43915	253	86.7	82.3-91.0	45	13.3	9.1-17.5
\$35,000- 49,999	370	55945	317	87.3	83.9-90.8	53	12.7	9.3-16.1
\$50,000- 74,999	326	53059	290	90.6	87.4-93.9	36	9.3	6.2-12.5
\$75,000+	251	38741	224	89.0	84.4-93.5	27	11.0	6.6-15.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 5: ARE ANY OF THESE A MULTIVITAMIN? (MULTIVIT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	657	113420	535	82.7	79.4-86.0	122	17.3	14.2-20.4
RACE								
Native	8	1288	5	71.2	35.9-100.0	3	28.8	4.0-53.6
Non-Native	645	111660	526	82.8	79.5-86.0	119	17.2	14.1-20.4
AGE								
18-24	25	10894	18	74.8	57.0-92.6	7	25.2	7.4-43.0
25-34	78	16657	71	92.7	86.4-99.0	7	7.3	1.7-12.9
35-44	108	19342	98	93.0	88.3-97.8	10	7.0	2.6-11.4
45-54	141	21194	127	89.0	83.2-94.8	14	11.0	5.2-16.8
55-64	131	17880	95	73.6	65.6-81.5	36	26.4	18.7-34.2
65+	172	27064	124	73.2	66.0-80.4	48	26.8	20.0-33.6
EDUCATION								
Less Than H.S.	53	8638	35	68.1	53.9-82.3	18	31.9	18.5-45.3
H.S. or G.E.D.	175	28752	136	79.2	72.8-85.7	39	20.8	14.5-27.0
Some Post-H.S.	215	39063	182	83.3	77.2-89.4	33	16.7	10.8-22.7
College Graduate	213	36809	181	88.1	83.9-92.4	32	11.9	7.7-16.0
HOUSEHOLD INCOME								
Less than \$15,000	28	3843	21	73.1	54.3-91.9	7	26.9	8.1-45.7
\$15,000- 24,999	95	15397	67	74.5	64.9-84.0	28	25.5	16.1-34.9
\$25,000- 34,999	102	18285	85	83.4	74.9-91.9	17	16.6	8.4-24.7
\$35,000- 49,999	152	25400	125	84.0	78.0-90.0	27	16.0	10.0-22.0
\$50,000- 74,999	135	23526	118	89.4	84.0-94.8	17	10.6	5.5-15.6
\$75,000+	91	15898	80	87.3	78.7-95.8	11	12.8	4.5-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 6: ARE ANY OF THESE A MULTIVITAMIN? (MULTIVIT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1284	177690	1103	86.6	84.5-88.6	181	13.4	11.4-15.5
RACE								
Native	22	3956	19	84.2	66.5-100.0	3	15.8	0.0-33.5
Non-Native	1254	172816	1077	86.6	84.5-88.7	177	13.4	11.3-15.4
AGE								
18-24	63	20349	54	84.5	74.9-94.0	9	15.5	6.0-25.1
25-34	144	22549	139	97.2	94.7-99.7	5	2.8	0.3-5.3
35-44	215	30279	195	91.1	87.1-95.2	20	8.9	5.0-12.7
45-54	285	34094	250	88.4	84.6-92.2	35	11.6	7.8-15.4
55-64	201	24976	176	86.8	81.5-92.0	25	13.3	8.0-18.5
65+	371	44913	286	77.8	73.3-82.4	85	22.1	17.7-26.6
EDUCATION								
Less Than H.S.	107	14124	83	78.3	68.9-87.7	24	21.7	12.8-30.6
H.S. or G.E.D.	357	47848	290	82.2	77.8-86.6	67	17.8	13.4-22.2
Some Post-H.S.	444	63621	394	89.1	85.8-92.4	50	10.9	7.7-14.1
College Graduate	374	51802	334	89.7	86.5-92.9	40	10.3	7.1-13.5
HOUSEHOLD INCOME								
Less than \$15,000	132	17531	110	79.3	70.1-88.5	22	20.7	11.6-29.8
\$15,000- 24,999	203	26293	167	83.0	77.1-88.9	36	17.0	11.2-22.8
\$25,000- 34,999	196	25629	168	89.0	84.9-93.2	28	11.0	6.8-15.1
\$35,000- 49,999	218	30545	192	90.1	86.3-93.9	26	9.9	6.1-13.7
\$50,000- 74,999	191	29533	172	91.6	87.8-95.4	19	8.4	4.6-12.2
\$75,000+	160	22843	144	90.2	85.5-94.9	16	9.8	5.1-14.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 7: DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID? (FOLICACD)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	229	33530	68	30.6	25.4-35.8	161	69.4	63.3-75.6
SEX								
Male	76	12953	22	26.5	19.7-33.3	54	73.5	63.8-83.2
Female	153	20577	46	33.2	25.7-40.7	107	66.8	58.9-74.8
RACE								
Native	4	743	1	15.9	0.0-32.9	3	84.1	42.9-100.0
Non-Native	223	32467	66	30.6	25.3-35.9	157	69.4	63.2-75.7
AGE								
18-24	12	4537	4	31.9	10.4-53.5	8	68.1	42.6-93.5
25-34	9	1477	2	15.9	1.0-30.9	7	84.0	56.4-100.0
35-44	24	3360	6	26.5	11.6-41.4	18	73.5	55.4-91.5
45-54	39	5120	6	16.4	5.1-27.7	33	83.6	69.5-97.7
55-64	47	6162	20	46.1	33.5-58.8	27	53.9	41.1-66.6
65+	96	12696	30	31.5	24.3-38.7	66	68.5	59.8-77.3
EDUCATION								
Less Than H.S.	31	4629	8	31.1	15.6-46.7	23	68.9	52.5-85.3
H.S. or G.E.D.	79	10797	24	27.6	19.7-35.5	55	72.4	62.0-82.7
Some Post-H.S.	67	11036	17	27.8	17.9-37.6	50	72.3	60.2-84.3
College Graduate	51	7001	19	39.5	28.5-50.6	32	60.4	48.6-72.3
HOUSEHOLD INCOME								
Less than \$15,000	22	3725	8	30.8	13.0-48.7	14	69.1	48.4-89.9
\$15,000- 24,999	41	5614	13	33.7	21.5-45.8	28	66.3	53.1-79.6
\$25,000- 34,999	38	5170	11	29.0	14.9-43.0	27	71.0	55.1-87.0
\$35,000- 49,999	39	5204	13	32.4	20.4-44.4	26	67.6	53.4-81.8
\$50,000- 74,999	28	3937	4	15.9	4.9-27.0	24	84.1	67.8-100.0
\$75,000+	24	3568	7	25.9	11.4-40.4	17	74.1	53.2-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 8: DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID? (FOLICACD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no vitamin or supplement use  
Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	76	12953	22	26.5	19.7-33.3	54	73.5	63.8-83.2
RACE								
Native	1	116	0		0.0-0.0	1	100.0	67.5-100.0
Non-Native	75	12836	22	26.7	19.7-33.7	53	73.3	63.4-83.1
AGE								
18-24	4	1771	0		0.0-0.0	4	100.0	63.0-100.0
25-34	4	849	0		0.0-0.0	4	100.0	65.0-100.0
35-44	6	886	2	36.8	10.7-63.0	4	63.2	33.2-93.2
45-54	9	1669	1	18.6	0.0-42.3	8	81.4	53.6-100.0
55-64	24	3049	10	43.8	28.6-59.1	14	56.2	40.8-71.5
65+	29	4729	9	30.9	19.7-42.1	20	69.1	54.9-83.3
EDUCATION								
Less Than H.S.	10	1791	0		0.0-0.0	10	100.0	75.1-100.0
H.S. or G.E.D.	24	3824	6	23.4	12.1-34.6	18	76.6	60.4-92.9
Some Post-H.S.	25	4920	6	23.6	10.9-36.3	19	76.4	58.0-94.9
College Graduate	17	2418	10	57.0	40.2-73.9	7	42.9	27.4-58.5
HOUSEHOLD INCOME								
Less than \$15,000	4	599	0		0.0-0.0	4	100.0	60.0-100.0
\$15,000- 24,999	15	2161	5	31.6	17.1-46.2	10	68.3	49.7-87.0
\$25,000- 34,999	14	2802	3	23.9	3.5-44.2	11	76.1	52.4-99.9
\$35,000- 49,999	16	2485	8	44.4	27.1-61.8	8	55.6	36.1-75.0
\$50,000- 74,999	10	1547	2	17.7	4.7-30.7	8	82.3	57.9-100.0
\$75,000+	9	1439	3	27.3	7.5-47.0	6	72.8	41.4-100.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 9: DO ANY OF THE VITAMIN PILLS OR SUPPLEMENTS YOU TAKE CONTAIN FOLIC ACID? (FOLICACD)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no vitamin or supplement use  
Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	153	20577	46	33.2	25.6-40.7	107	66.8	58.8-74.8
RACE								
Native	3	626	1	18.8	0.0-55.7	2	81.2	44.3-100.0
Non-Native	148	19631	44	33.1	25.4-40.7	104	66.9	58.9-75.0
AGE								
18-24	8	2766	4	52.4	18.7-86.0	4	47.6	14.9-80.3
25-34	5	628	2	37.5	0.0-81.6	3	62.5	18.4-100.0
35-44	18	2475	4	22.9	4.6-41.1	14	77.1	55.6-98.6
45-54	30	3451	5	15.4	4.0-26.7	25	84.6	69.9-99.3
55-64	23	3114	10	48.4	27.0-69.9	13	51.6	30.1-73.1
65+	67	7967	21	31.8	22.4-41.3	46	68.2	57.3-79.0
EDUCATION								
Less Than H.S.	21	2838	8	50.8	27.6-73.9	13	49.3	29.5-69.0
H.S. or G.E.D.	55	6973	18	30.0	19.1-40.9	37	70.0	56.7-83.3
Some Post-H.S.	42	6117	11	31.1	16.6-45.6	31	68.9	53.8-84.0
College Graduate	34	4583	9	30.3	15.6-45.0	25	69.7	53.6-85.8
HOUSEHOLD INCOME								
Less than \$15,000	18	3127	8	36.8	14.6-58.9	10	63.2	38.9-87.6
\$15,000- 24,999	26	3453	8	34.9	16.3-53.5	18	65.1	46.3-83.8
\$25,000- 34,999	24	2368	8	35.0	16.5-53.4	16	65.0	45.3-84.7
\$35,000- 49,999	23	2719	5	21.4	5.9-36.9	18	78.6	60.6-96.5
\$50,000- 74,999	18	2390	2	14.8	0.0-33.0	16	85.2	66.2-100.0
\$75,000+	15	2129	4	25.0	4.3-45.7	11	75.0	53.0-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 10: HOW OFTEN DO YOU TAKE THIS VITAMIN PILL OR SUPPLEMENT? (TAKEVIT)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

Denominator excludes: Respondents reporting using multivitamins not containing Folic Acid

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	68	10257	62	89.4	80.0-98.8	5	9.5	0.3-18.8	1	1.0	0.0-3.1
SEX											
Male	22	3433	22	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
Female	46	6824	40	84.1	70.5-97.7	5	14.3	0.9-27.8	1	1.6	0.0-4.6
RACE											
Native	1	118	1	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
Non-Native	66	9926	60	89.1	79.4-98.7	5	9.9	0.3-19.4	1	1.1	0.0-3.2
AGE											
18-24	4	1449	3	72.7	28.2-100.0	1	27.3	0.0-71.8	0		0.0-0.0
25-34	2	236	2	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
35-44	6	892	6	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
45-54	6	841	6	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
55-64	20	2844	19	93.1	79.9-100.0	1	6.9	0.0-20.1	0		0.0-0.0
65+	30	3996	26	87.6	75.1-100.0	3	9.7	0.0-21.3	1	2.7	0.0-7.9
EDUCATION											
Less Than H.S.	8	1441	5	60.5	17.6-100.0	3	39.5	0.0-82.4	0		0.0-0.0
H.S. or G.E.D.	24	2985	24	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
Some Post-H.S.	17	3063	14	83.1	64.2-100.0	2	13.4	0.0-31.2	1	3.5	0.0-10.4
College Graduate	19	2769	19	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
HOUSEHOLD INCOME											
Less than \$15,000	8	1149	6	84.9	63.3-100.0	1	5.8	0.0-17.6	1	9.3	0.0-27.4
\$15,000- 24,999	13	1890	12	94.3	83.2-100.0	1	5.6	0.0-16.8	0		0.0-0.0
\$25,000- 34,999	11	1497	10	85.7	60.0-100.0	1	14.3	0.0-40.0	0		0.0-0.0
\$35,000- 49,999	13	1686	13	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
\$50,000- 74,999	4	628	4	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
\$75,000+	7	924	7	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 11: HOW OFTEN DO YOU TAKE THIS VITAMIN PILL OR SUPPLEMENT? (TAKEVIT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

Denominator excludes: Respondents reporting using multivitamins not containing Folic Acid

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY											
SEX											
Male	22	3433	22	100.0	100.0-100.0			0.0-0.0			0.0-0.0
RACE											
Non-Native	22	3433	22	100.0	100.0-100.0			0.0-0.0			0.0-0.0
AGE											
35-44	2	326	2	100.0	100.0-100.0			0.0-0.0			0.0-0.0
45-54	1	311	1	100.0	100.0-100.0			0.0-0.0			0.0-0.0
55-64	10	1336	10	100.0	100.0-100.0			0.0-0.0			0.0-0.0
65+	9	1460	9	100.0	100.0-100.0			0.0-0.0			0.0-0.0
EDUCATION											
H.S. or G.E.D.	6	893	6	100.0	100.0-100.0			0.0-0.0			0.0-0.0
Some Post-H.S.	6	1160	6	100.0	100.0-100.0			0.0-0.0			0.0-0.0
College Graduate	10	1379	10	100.0	100.0-100.0			0.0-0.0			0.0-0.0
HOUSEHOLD INCOME											
\$15,000- 24,999	5	684	5	100.0	100.0-100.0			0.0-0.0			0.0-0.0
\$25,000- 34,999	3	668	3	100.0	100.0-100.0			0.0-0.0			0.0-0.0
\$35,000- 49,999	8	1104	8	100.0	100.0-100.0			0.0-0.0			0.0-0.0
\$50,000- 74,999	2	274	2	100.0	100.0-100.0			0.0-0.0			0.0-0.0
\$75,000+	3	392	3	100.0	100.0-100.0			0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 12: HOW OFTEN DO YOU TAKE THIS VITAMIN PILL OR SUPPLEMENT? (TAKEVIT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no vitamin or supplement use

Denominator excludes: Respondents reporting they did not use, did not know or refused to say if they used a multivitamin

Denominator excludes: Respondents reporting using multivitamins not containing Folic Acid

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY											
SEX											
Female	46	6824	40	84.1	70.3-97.9	5	14.3	0.8-27.9	1	1.6	0.0-4.6
RACE											
Native	1	118	1	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
Non-Native	44	6493	38	83.3	68.9-97.7	5	15.1	0.9-29.3	1	1.6	0.0-4.9
AGE											
18-24	4	1449	3	72.7	28.6-100.0	1	27.3	0.0-71.4	0		0.0-0.0
25-34	2	236	2	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
35-44	4	566	4	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
45-54	5	531	5	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
55-64	10	1508	9	87.0	62.8-100.0	1	13.0	0.0-37.2	0		0.0-0.0
65+	21	2536	17	80.5	61.6-99.5	3	15.3	0.0-33.0	1	4.2	0.0-12.5
EDUCATION											
Less Than H.S.	8	1441	5	60.5	17.6-100.0	3	39.5	0.0-82.4	0		0.0-0.0
H.S. or G.E.D.	18	2091	18	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
Some Post-H.S.	11	1903	8	72.8	43.1-100.0	2	21.5	0.0-49.9	1	5.6	0.0-16.6
College Graduate	9	1389	9	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
HOUSEHOLD INCOME											
Less than \$15,000	8	1149	6	84.9	64.0-100.0	1	5.8	0.0-17.4	1	9.3	0.0-27.1
\$15,000- 24,999	8	1206	7	91.1	73.5-100.0	1	8.8	0.0-26.5	0		0.0-0.0
\$25,000- 34,999	8	829	7	74.2	33.3-100.0	1	25.8	0.0-66.7	0		0.0-0.0
\$35,000- 49,999	5	582	5	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
\$50,000- 74,999	2	354	2	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
\$75,000+	4	532	4	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 13: SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B VITAMIN FOLIC ACID, FOR WHICH ONE OF THE FOLLOWING REASONS...?  
(RECOMMEN)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents older than 44

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Make strong bones			Prevent birth defects			Prevent high bp			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	783	158286	104	14.7	12.4-17.1	524	64.3	60.9-67.7	34	5.4	4.1-6.8	121	15.5	13.4-17.7
SEX														
Male	272	68556	51	21.3	17.3-25.3	143	49.9	45.4-54.5	19	7.5	5.4-9.5	59	21.3	17.9-24.7
Female	511	89730	53	9.7	7.5-12.0	381	75.2	70.9-79.6	15	3.9	2.0-5.8	62	11.1	8.7-13.6
RACE														
Native	31	9007	7	29.5	9.5-49.6	17	42.5	25.0-59.9	1	6.6	0.0-16.2	6	21.4	7.1-35.7
Non-Native	750	148874	97	13.9	11.7-16.1	506	65.7	62.3-69.1	33	5.4	4.0-6.8	114	15.0	13.0-17.1
AGE														
18-24	138	51440	23	19.2	13.0-25.4	81	57.6	49.8-65.4	10	7.5	4.0-11.0	24	15.7	10.9-20.6
25-34	294	53092	26	8.2	5.8-10.7	221	74.1	68.9-79.3	13	5.3	3.1-7.4	34	12.4	9.2-15.6
35-44	351	53754	55	16.9	14.1-19.7	222	61.0	56.7-65.3	11	3.7	2.2-5.1	63	18.5	15.5-21.4
EDUCATION														
Less Than H.S.	20	5704	5	41.5	15.7-67.2	9	36.0	19.0-53.0	0		0.0-0.0	6	22.6	9.3-35.9
H.S. or G.E.D.	164	35268	36	20.2	16.5-24.0	72	42.6	37.0-48.1	13	10.8	7.4-14.1	43	26.4	21.4-31.4
Some Post-H.S.	291	60828	36	12.1	8.6-15.5	195	67.1	61.3-72.8	14	5.9	3.5-8.4	46	14.9	11.6-18.2
College Graduate	308	56487	27	11.4	7.4-15.5	248	77.7	72.2-83.1	7	2.1	0.8-3.5	26	8.7	6.0-11.5
HOUSEHOLD INCOME														
Less than \$15,000	65	16025	6	9.1	3.0-15.2	40	64.9	51.6-78.3	2	1.8	0.0-3.9	17	24.1	14.2-34.0
\$15,000- 24,999	111	22197	17	17.2	10.5-23.9	61	54.5	46.4-62.7	9	9.1	4.8-13.4	24	19.2	13.8-24.6
\$25,000- 34,999	132	26985	21	16.4	10.7-22.0	84	61.1	52.5-69.7	5	4.6	1.5-7.8	22	17.9	11.3-24.4
\$35,000- 49,999	157	28830	16	10.1	6.8-13.4	117	72.5	65.6-79.4	6	5.1	2.2-8.0	18	12.3	8.3-16.3
\$50,000- 74,999	162	31445	22	12.9	8.9-16.9	114	67.6	60.6-74.6	6	5.5	2.0-9.0	20	13.9	9.5-18.3
\$75,000+	109	20971	11	16.0	8.0-24.0	83	71.3	62.2-80.5	3	3.5	0.7-6.4	12	9.1	5.2-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 14: SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B VITAMIN FOLIC ACID, FOR WHICH ONE OF THE FOLLOWING REASONS...?  
(RECOMMEN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents older than 44

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Make strong bones			Prevent birth defects			Prevent high bp			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	272	68556	51	21.3	17.3-25.3	143	49.9	45.4-54.5	19	7.5	5.4-9.5	59	21.3	17.9-24.7
RACE														
Native	10	4958	4	44.6	14.0-75.2	1	17.9	0.0-40.6	0		0.0-0.0	5	37.5	13.8-61.2
Non-Native	262	63598	47	19.4	15.8-23.1	142	52.4	47.8-57.1	19	8.0	5.8-10.2	54	20.1	16.8-23.4
AGE														
18-24	51	23914	17	34.1	23.5-44.6	20	40.7	30.6-50.9	4	7.0	2.7-11.4	10	18.1	10.8-25.5
25-34	104	23342	11	10.0	6.3-13.7	65	61.6	54.1-69.1	9	9.3	5.6-13.1	19	19.1	13.7-24.5
35-44	117	21300	23	19.3	15.3-23.2	58	47.5	41.9-53.1	6	5.9	3.4-8.4	30	27.3	22.5-32.2
EDUCATION														
Less Than H.S.	9	3348	4	66.4	31.7-100.0	2	16.9	1.5-32.4	0		0.0-0.0	3	16.7	3.7-29.6
H.S. or G.E.D.	66	18200	17	20.2	15.8-24.7	18	29.6	23.0-36.2	8	13.3	9.0-17.6	23	36.8	29.5-44.2
Some Post-H.S.	104	25723	16	17.0	10.8-23.3	60	58.1	49.7-66.5	9	9.0	5.1-12.8	19	15.9	11.2-20.5
College Graduate	93	21285	14	20.2	12.0-28.3	63	62.6	53.8-71.5	2	1.8	0.0-3.7	14	15.4	10.0-20.8
HOUSEHOLD INCOME														
Less than \$15,000	12	4217	1	8.4	0.0-19.3	6	57.7	31.5-83.8	1	2.2	0.0-5.2	4	31.7	9.7-53.8
\$15,000- 24,999	38	9565	8	26.2	14.7-37.7	13	33.2	23.9-42.6	5	15.3	7.9-22.8	12	25.2	17.3-33.1
\$25,000- 34,999	52	13690	9	17.9	9.6-26.2	24	44.0	32.7-55.3	4	7.4	2.3-12.5	15	30.7	19.8-41.5
\$35,000- 49,999	56	12174	9	14.9	9.6-20.3	35	59.7	50.1-69.4	3	7.8	2.9-12.8	9	17.5	10.9-24.1
\$50,000- 74,999	61	13908	12	18.0	11.8-24.2	34	55.8	45.8-65.9	4	7.2	2.8-11.5	11	19.0	12.2-25.8
\$75,000+	39	9768	9	30.7	17.6-43.9	22	50.9	39.3-62.5	2	6.0	1.3-10.7	6	12.4	6.3-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 13: FOLIC ACID**

**TABLE 15: SOME HEALTH EXPERTS RECOMMEND THAT WOMEN TAKE 400 MICROGRAMS OF THE B VITAMIN FOLIC ACID, FOR WHICH ONE OF THE FOLLOWING REASONS...?  
(RECOMMEN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents older than 44

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Make strong bones			Prevent birth defects			Prevent high bp			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	511	89730	53	9.7	7.5-12.0	381	75.2	70.9-79.6	15	3.9	2.0-5.8	62	11.1	8.7-13.6
RACE														
Native	21	4049	3	11.0	0.1-22.0	16	72.6	49.4-95.7	1	14.6	0.0-36.7	1	1.8	0.0-4.7
Non-Native	488	85275	50	9.7	7.4-12.0	364	75.6	71.1-80.0	14	3.4	1.8-5.0	60	11.3	8.8-13.8
AGE														
18-24	87	27526	6	6.2	2.0-10.4	61	72.3	61.9-82.6	6	7.9	2.4-13.4	14	13.6	7.5-19.7
25-34	190	29751	15	6.9	3.9-9.9	156	83.9	77.8-90.0	4	2.1	0.3-4.0	15	7.1	4.0-10.3
35-44	234	32453	32	15.4	11.4-19.3	164	69.8	63.9-75.8	5	2.2	0.7-3.7	33	12.6	9.3-16.0
EDUCATION														
Less Than H.S.	11	2356	1	6.0	0.0-14.7	7	63.0	34.0-92.1	0		0.0-0.0	3	30.9	5.5-56.4
H.S. or G.E.D.	98	17068	19	20.2	13.8-26.7	54	56.4	47.0-65.8	5	8.0	2.5-13.5	20	15.3	10.2-20.5
Some Post-H.S.	187	35104	20	8.4	5.4-11.5	135	73.7	66.4-80.9	5	3.7	0.6-6.9	27	14.1	9.5-18.8
College Graduate	215	35202	13	6.2	3.0-9.3	185	86.8	81.1-92.4	5	2.4	0.5-4.3	12	4.7	2.2-7.2
HOUSEHOLD INCOME														
Less than \$15,000	53	11808	5	9.4	2.1-16.7	34	67.5	52.5-82.6	1	1.7	0.0-4.4	13	21.4	11.0-31.8
\$15,000- 24,999	73	12632	9	10.3	4.9-15.8	48	70.6	59.2-82.1	4	4.4	0.7-8.1	12	14.6	7.3-21.9
\$25,000- 34,999	80	13295	12	14.8	7.7-21.9	60	78.7	67.1-90.4	1	1.8	0.0-4.7	7	4.7	1.5-7.9
\$35,000- 49,999	101	16656	7	6.5	2.8-10.3	82	81.8	73.1-90.6	3	3.1	0.4-5.7	9	8.5	4.3-12.8
\$50,000- 74,999	101	17537	10	8.9	3.9-13.9	80	77.0	67.6-86.3	2	4.2	0.0-9.7	9	9.9	4.4-15.4
\$75,000+	70	11203	2	3.2	0.0-6.9	61	89.1	79.5-98.8	1	1.4	0.0-3.7	6	6.3	1.9-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004**

**MODULE 15: SMOKING CESSATION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)	
1	MALES AND FEMALES	41
2	MALES ONLY	42
3	FEMALES ONLY	43
	IN THE LAST 12 MONTHS, HOW MANY TIMES HAVE YOU SEEN A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TO GET ANY KIND OF CARE FOR YOURSELF? (SCGETCAR)	
4	MALES AND FEMALES	44
5	MALES ONLY	45
6	FEMALES ONLY	46
	IN THE LAST 12 MONTHS, ON HOW MANY VISITS WERE YOU ADVISED TO QUIT SMOKING BY A DOCTOR OR OTHER HEALTH PROVIDER? (SCQITSMK)	
7	MALES AND FEMALES	47
8	MALES ONLY	48
9	FEMALES ONLY	49
	ON HOW MANY VISITS DID YOUR DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL RECOMMEND OR DISCUSS MEDICATION TO ASSIST YOU WITH QUITTING SMOKING, SUCH AS NICOTINE GUM, PATCH, NASAL SPRAY, INHALER, LOZENGE, OR PRESCRIPTION MEDICATION SUCH AS WELLBUTRIN/ZYBAN/BUPROPION? (SCDSCMED)	
10	MALES AND FEMALES	50
11	MALES ONLY	51
12	FEMALES ONLY	52
	ON HOW MANY VISITS DID YOUR DOCTOR OR HEALTH PROVIDER RECOMMEND OR DISCUSS METHODS AND STRATEGIES OTHER THAN MEDICATION TO ASSIST YOU WITH QUITTING SMOKING? (SCDSCMTH)	
13	MALES AND FEMALES	53
14	MALES ONLY	54
15	FEMALES ONLY	55



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 1: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported smoking every day or some days

DEMOGRAPHIC	RESPONDENT NUMBER		Within the past month (anytime less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)			10 or more years ago		
	TOTAL	WEIGHTED D	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	760	111338	25	4.1	2.3-6.0	2	0.3	0.0-0.8	12	1.6	0.6-2.6	12	1.9	0.7-3.0	111	15.5	12.6-18.4	89	11.3	9.0-13.7	509	65.3	61.5-69.0
SEX																							
Male	409	66125	11	3.9	1.3-6.4	1	0.2	0.0-0.6	7	1.9	0.4-3.4	8	2.3	0.5-4.0	48	12.5	8.8-16.1	53	12.7	9.3-16.1	281	66.6	61.5-71.7
Female	351	45212	14	4.6	2.0-7.1	1	0.5	0.0-1.4	5	1.2	0.1-2.3	4	1.3	0.0-2.7	63	19.9	15.1-24.6	36	9.3	6.2-12.4	228	63.3	57.8-68.8
RACE																							
Native	22	3761	1	1.8	0.0-5.4	0		0.0-0.0	0		0.0-0.0	1	4.2	0.0-12.4	6	31.9	10.0-53.9	2	6.0	0.0-14.9	12	56.0	33.7-78.3
Non-Native	726	105873	23	4.0	2.2-5.9	2	0.3	0.0-0.8	12	1.7	0.7-2.7	11	1.8	0.6-3.0	104	15.0	12.1-17.9	86	11.6	9.1-14.1	488	65.5	61.7-69.4
AGE																							
18-24	14	3772	5	40.9	12.1-69.8	0		0.0-0.0	1	4.7	0.0-13.9	0		0.0-0.0	8	54.4	25.5-83.2	0		0.0-0.0	0		0.0-0.0
25-34	61	11362	10	16.3	6.3-26.4	0		0.0-0.0	2	4.7	0.0-11.1	3	7.0	0.0-14.9	27	42.2	29.1-55.4	11	17.7	7.6-27.8	8	12.0	3.9-20.2
35-44	87	13427	1	2.1	0.0-6.1	1	1.6	0.0-4.7	2	1.5	0.0-3.5	3	3.8	0.0-8.3	16	18.2	9.5-26.9	17	20.4	11.2-29.5	47	52.4	41.2-63.7
45-54	168	23730	3	1.4	0.0-3.1	0		0.0-0.0	3	2.0	0.0-4.4	2	0.9	0.0-2.3	31	18.1	11.7-24.5	16	9.3	4.8-13.8	113	68.2	60.7-75.7
55-64	179	23849	4	2.0	0.0-4.1	1	0.6	0.0-1.7	2	1.1	0.0-2.7	2	0.9	0.0-2.1	14	6.6	3.0-10.2	21	10.1	5.7-14.4	135	78.7	72.7-84.8
65+	250	34964	2	0.4	0.0-0.9	0		0.0-0.0	2	0.4	0.0-0.9	2	1.0	0.0-2.4	15	5.9	2.7-9.0	24	9.3	5.6-13.1	205	83.1	78.1-88.0
EDUCATION																							
Less Than H.S.	74	11728	5	11.2	0.6-21.7	0		0.0-0.0	1	0.6	0.0-1.7	2	2.0	0.0-4.8	7	9.0	1.5-16.6	5	6.7	0.8-12.6	54	70.5	58.1-82.9
H.S. or G.E.D.	238	34620	4	2.0	0.0-4.3	1	0.4	0.0-1.2	1	0.2	0.0-0.6	3	2.1	0.0-4.6	35	17.1	11.4-22.8	32	13.6	8.9-18.3	162	64.5	57.7-71.4
Some Post-H.S.	242	35142	7	3.1	0.6-5.6	1	0.6	0.0-1.8	5	2.1	0.3-4.0	5	2.6	0.1-5.1	39	17.9	12.5-23.4	26	9.3	5.7-13.0	159	64.2	57.7-70.7
College Graduate	204	29573	9	5.2	1.6-8.7	0		0.0-0.0	5	3.1	0.2-6.0	2	0.5	0.0-1.3	30	13.3	8.5-18.2	26	13.0	7.9-18.0	132	64.9	57.8-72.1
HOUSEHOLD INCOME																							
Less than \$15,000	68	8314	4	13.5	0.0-27.0	0		0.0-0.0	1	0.8	0.0-2.4	2	1.9	0.0-4.7	9	15.6	4.9-26.2	8	8.8	2.2-15.4	44	59.4	44.9-74.0
\$15,000- 24,999	125	18022	8	7.6	1.7-13.5	0		0.0-0.0	4	3.9	0.1-7.7	4	3.3	0.0-6.7	21	17.4	9.9-24.8	12	10.3	4.4-16.2	76	57.5	48.2-66.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 1: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported smoking every day or some days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within the past month (anytime less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
\$25,000- 34,999	109	16497	2	2.2	0.0-5.3	0		0.0-0.0	2	1.2	0.0-2.9	0		0.0-0.0	21	23.4	13.8-33.1	14	11.8	5.5-18.0	70	61.3	51.0-71.7
\$35,000- 49,999	150	22372	6	3.4	0.3-6.6	2	1.6	0.0-3.8	1	0.6	0.0-1.7	3	2.3	0.0-5.1	23	16.3	9.8-22.9	17	10.8	5.5-16.0	98	65.0	56.7-73.3
\$50,000- 74,999	122	18582	0		0.0-0.0	0		0.0-0.0	2	2.5	0.0-6.2	1	0.8	0.0-2.5	19	16.2	9.4-23.1	20	16.8	9.8-23.7	80	63.6	54.6-72.6
\$75,000+	97	14841	5	6.7	0.5-12.8	0		0.0-0.0	0		0.0-0.0	2	4.3	0.0-10.1	9	8.5	2.9-14.1	6	6.0	1.1-10.9	75	74.6	64.8-84.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 2: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported smoking every day or some days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within the past month (anytime less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)			10 or more years ago			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY																								
SEX																								
Male	409	66125	11	3.9	1.3-6.4	1	0.2	0.0-0.6	7	1.9	0.4-3.4	8	2.3	0.5-4.0	48	12.5	8.8-16.1	53	12.7	9.3-16.2	281	66.6	61.5-71.7	
RACE																								
Native	10	1566	1	4.4	0.0-13.0	0		0.0-0.0	0		0.0-0.0	1	10.2	0.0-29.1	1	7.5	0.0-21.9	0		0.0-0.0	7	78.0	53.9-100.0	
Non-Native	392	63616	10	3.9	1.3-6.5	1	0.2	0.0-0.6	7	2.0	0.4-3.5	7	2.1	0.4-3.8	46	12.5	8.8-16.3	52	13.0	9.5-16.6	269	66.3	61.1-71.5	
AGE																								
18-24	6	2126	2	41.7	0.0-85.0	0		0.0-0.0	1	8.3	0.0-24.9	0		0.0-0.0	3	50.0	6.9-93.1	0		0.0-0.0	0		0.0-0.0	
25-34	28	6260	4	15.3	0.7-29.8	0		0.0-0.0	2	8.5	0.0-19.9	3	12.7	0.0-26.6	8	27.1	10.1-44.2	8	27.1	10.3-44.0	3	9.3	0.0-19.6	
35-44	40	6852	1	4.1	0.0-11.9	0		0.0-0.0	1	1.4	0.0-4.0	1	1.4	0.0-4.0	6	15.0	3.2-26.8	11	26.5	11.9-41.2	20	51.7	35.0-68.4	
45-54	78	12538	1	1.2	0.0-3.7	0		0.0-0.0	2	2.5	0.0-5.9	1	1.2	0.0-3.7	14	17.3	8.5-26.2	9	10.5	3.7-17.4	51	67.2	56.4-78.0	
55-64	109	15311	3	1.8	0.0-3.9	1	0.9	0.0-2.6	1	0.9	0.0-2.6	2	1.3	0.0-3.3	8	6.7	2.0-11.5	14	11.9	5.8-17.9	80	76.5	68.5-84.5	
65+	147	22807	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	1.0	0.0-3.0	9	5.5	1.9-9.1	11	7.8	3.2-12.3	126	85.7	79.7-91.7	
EDUCATION																								
Less Than H.S.	47	8240	2	10.3	0.0-23.7	0		0.0-0.0	0		0.0-0.0	1	1.7	0.0-4.9	3	5.2	0.0-11.7	5	9.6	1.2-17.9	36	73.2	58.2-88.3	
H.S. or G.E.D.	124	19981	3	2.9	0.0-6.7	1	0.7	0.0-2.0	0		0.0-0.0	1	1.6	0.0-4.6	16	15.8	7.9-23.6	16	13.3	6.9-19.8	87	65.7	56.2-75.2	
Some Post-H.S.	128	20347	1	1.6	0.0-4.6	0		0.0-0.0	3	2.2	0.0-4.7	4	4.3	0.0-8.5	19	16.2	9.1-23.2	17	11.1	5.8-16.4	84	64.7	55.8-73.6	
College Graduate	109	17400	5	4.6	0.2-9.0	0		0.0-0.0	4	4.6	0.0-9.3	2	0.9	0.0-2.2	10	7.8	2.9-12.8	15	15.6	8.0-23.1	73	66.4	56.9-76.0	
HOUSEHOLD INCOME																								
Less than \$15,000	23	3427	1	15.5	0.0-42.1	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	16.9	0.0-35.8	2	4.3	0.0-10.3	17	63.3	36.9-89.8	
\$15,000- 24,999	74	11397	4	8.6	0.0-17.2	0		0.0-0.0	3	4.6	0.0-9.8	3	3.4	0.0-7.3	9	10.4	3.3-17.6	7	10.7	2.7-18.7	48	62.2	50.1-74.3	
\$25,000- 34,999	54	9404	1	2.3	0.0-6.6	0		0.0-0.0	1	1.0	0.0-2.9	0		0.0-0.0	5	14.2	1.6-26.8	5	9.4	1.1-17.8	42	73.1	58.9-87.3	
\$35,000- 49,999	96	15587	1	0.4	0.0-1.3	1	0.9	0.0-2.6	0		0.0-0.0	2	1.9	0.0-5.0	14	15.6	7.5-23.6	15	14.6	7.3-21.9	63	66.6	56.5-76.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 2: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported smoking every day or some days

DEMOGRAPHIC	RESPONDENT NUMBER		Within the past month (anytime less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)			10 or more years ago			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
GROUPS																								
\$50,000- 74,999	72	11260	0		0.0-0.0	0		0.0-0.0	2	4.2	0.0-10.2	1	1.4	0.0-4.1		15.6	6.8-24.4		23.6	13.2-34.0		55.2	43.1-67.4	
\$75,000+	52	8991	4	8.4	0.0-17.1	0		0.0-0.0	0		0.0-0.0	2	7.1	0.0-16.4	11	7.6	0.2-14.9	4	7.2	0.0-14.4	16			
																					42	69.8	55.9-83.6	
																					38			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 3: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported smoking every day or some days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within the past month (anytime less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)			10 or more years ago			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY																								
SEX																								
Female	351	45212	14	4.6	2.0-7.1	1	0.5	0.0-1.4	5	1.2	0.1-2.3	4	1.3	0.0-2.7	63	19.9	15.1-24.6	36	9.3	6.2-12.4	228	63.3	57.8-68.8	
RACE																								
Native	12	2195	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	5	49.4	18.3-80.5	2	10.3	0.0-25.5	5	40.3	10.3-70.4	
Non-Native	334	42257	13	4.3	1.8-6.8	1	0.5	0.0-1.5	5	1.3	0.1-2.5	4	1.4	0.0-2.9	58	18.7	14.0-23.4	34	9.4	6.2-12.6	219	64.5	58.9-70.0	
AGE																								
18-24	8	1646	3	40.0	4.5-75.5	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	5	60.0	24.5-95.5	0		0.0-0.0	0		0.0-0.0	
25-34	33	5102	6	17.7	4.1-31.3	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	19	60.8	43.3-78.2	3	6.1	0.0-13.4	5	15.4	2.4-28.3	
35-44	47	6575	0		0.0-0.0	1	3.2	0.0-9.4	1	1.6	0.0-4.8	2	6.4	0.0-15.0	10	21.5	8.9-34.1	6	14.0	3.5-24.4	27	53.2	38.2-68.3	
45-54	90	11193	2	1.6	0.0-3.9	0		0.0-0.0	1	1.6	0.0-4.7	1	0.5	0.0-1.6	17	19.0	9.8-28.2	7	7.9	2.2-13.7	62	69.4	59.1-79.8	
55-64	70	8538	1	2.3	0.0-6.7	0		0.0-0.0	1	1.5	0.0-4.5	0		0.0-0.0	6	6.5	1.2-11.9	7	6.9	1.7-12.2	55	82.7	74.0-91.5	
65+	103	12158	2	1.1	0.0-2.6	0		0.0-0.0	2	1.1	0.0-2.6	1	0.8	0.0-2.4	6	6.6	0.5-12.6	13	12.2	5.5-19.0	79	78.2	69.4-86.9	
EDUCATION																								
Less Than H.S.	27	3488	3	13.2	0.0-28.9	0		0.0-0.0	1	1.9	0.0-5.7	1	2.9	0.0-8.5	4	17.9	0.0-37.1	0		0.0-0.0	18	64.0	42.2-85.9	
H.S. or G.E.D.	114	14638	1	0.8	0.0-2.4	0		0.0-0.0	1	0.5	0.0-1.4	2	2.9	0.0-6.8	19	18.9	10.7-27.1	16	14.0	7.2-20.7	75	63.0	53.3-72.6	
Some Post-H.S.	114	14795	6	5.2	0.8-9.5	1	1.4	0.0-4.2	2	2.1	0.0-5.0	1	0.4	0.0-1.2	20	20.4	12.0-28.8	9	6.9	2.3-11.5	75	63.6	54.1-73.1	
College Graduate	95	12173	4	5.9	0.0-12.0	0		0.0-0.0	1	0.9	0.0-2.6	0		0.0-0.0	20	21.1	12.1-30.1	11	9.3	3.7-14.8	59	62.8	52.2-73.4	
HOUSEHOLD INCOME																								
Less than \$15,000	45	4886	3	12.1	0.0-25.2	0		0.0-0.0	1	1.4	0.0-4.1	2	3.3	0.0-7.9	6	14.6	2.2-27.1	6	12.0	1.9-22.0	27	56.7	40.0-73.3	
\$15,000- 24,999	51	6625	4	5.8	0.0-11.5	0		0.0-0.0	1	2.7	0.0-7.8	1	3.2	0.0-9.4	12	29.3	14.5-44.1	5	9.6	1.2-18.0	28	49.5	34.8-64.1	
\$25,000- 34,999	55	7093	1	2.2	0.0-6.5	0		0.0-0.0	1	1.5	0.0-4.4	0		0.0-0.0	16	35.6	21.1-50.1	9	14.9	5.6-24.2	28	45.8	31.5-60.0	
\$35,000- 49,999	54	6784	5	10.4	0.7-20.0	1	3.1	0.0-9.1	1	1.9	0.0-5.7	1	3.1	0.0-9.1	9	18.1	6.7-29.5	2	1.9	0.0-4.7	35	61.4	46.9-75.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 3: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (SCLSTSMK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported smoking every day or some days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Within the past month (anytime less than 1 month ago)			Within the past 3 months (1 month but less than 3 months ago)			Within the past 6 months (3 months but less than 6 months ago)			Within the past year (6 months but less than 1 year ago)			Within the past 5 years (1 year but less than 5 years ago)			Within the past 10 years (5 years but less than 10 years ago)			10 or more years ago					
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
\$50,000- 74,999	50	7322	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	8	17.2	6.2-28.2	4	6.3	0.1-12.5				38	76.5	64.5-88.5
\$75,000+	45	5849	1	4.0	0.0-11.7	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	5	9.9	1.4-18.5	2	4.0	0.0-9.5				37	82.0	70.1-93.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 4: IN THE LAST 12 MONTHS, HOW MANY TIMES HAVE YOU SEEN A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TO GET ANY KIND OF CARE FOR YOURSELF?  
(SCGETCAR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported not smoking at all  
Denominator excludes: Respondents that reported not having smoked in past 12 months or more

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	602	100834	145	24.1	20.1-28.1	116	17.6	14.1-21.1	53	8.4	5.8-11.0	40	7.4	4.8-10.0	103	17.3	13.7-20.9	145	25.2	20.9-29.4
SEX																				
Male	308	59670	77	25.9	20.1-31.6	49	15.6	10.9-20.4	21	6.1	3.1-9.1	13	5.2	1.8-8.6	38	12.7	8.4-17.0	110	34.5	28.2-40.8
Female	294	41164	68	21.4	16.3-26.6	67	20.5	15.4-25.7	32	11.8	7.2-16.4	27	10.6	6.5-14.8	65	24.0	17.9-30.1	35	11.6	7.2-16.1
RACE																				
Native	33	6993	6	13.4	1.0-25.9	7	18.9	2.7-35.2	1	1.7	0.0-5.0	5	18.4	0.5-36.2	11	34.7	14.8-54.6	3	12.9	0.0-28.3
Non-Native	566	93416	139	25.0	20.8-29.2	108	17.5	14.0-21.1	52	8.9	6.2-11.7	35	6.6	4.2-9.1	91	15.8	12.3-19.3	141	26.1	21.6-30.5
AGE																				
18-24	59	22496	15	24.4	12.6-36.1	8	13.9	4.5-23.4	7	10.3	2.2-18.4	7	9.5	2.2-16.9	10	16.2	6.2-26.3	12	25.7	12.6-38.7
25-34	118	21786	24	18.6	11.4-25.7	26	19.8	12.4-27.2	4	2.8	0.0-5.6	12	11.6	4.2-19.0	22	18.8	11.1-26.5	30	28.4	19.5-37.4
35-44	132	18699	36	27.9	19.6-36.2	23	16.8	9.6-23.9	14	12.1	5.7-18.5	4	3.1	0.0-6.3	22	15.9	9.3-22.5	33	24.2	16.4-32.0
45-54	146	18923	42	30.5	22.0-39.1	27	19.8	12.3-27.3	11	6.0	2.0-9.9	7	4.1	1.0-7.2	24	16.4	9.5-23.4	35	23.1	15.8-30.5
55-64	84	10895	17	22.5	12.7-32.4	21	20.8	12.3-29.3	10	12.0	4.5-19.6	4	4.9	0.0-10.0	10	12.3	4.2-20.3	22	27.4	17.1-37.8
65+	60	7621	9	13.2	4.5-21.8	11	15.4	6.1-24.8	7	11.3	3.0-19.6	5	10.2	1.5-19.0	15	30.1	16.2-44.0	13	19.8	9.2-30.3
EDUCATION																				
Less Than H.S.	48	7729	10	20.3	7.5-33.2	4	8.4	0.0-18.6	2	3.0	0.0-7.2	4	12.7	0.0-26.3	11	24.0	9.7-38.3	17	31.6	16.8-46.4
H.S. or G.E.D.	209	34770	51	22.6	16.1-29.1	44	19.4	13.2-25.6	13	5.1	2.0-8.3	9	4.8	1.6-8.0	29	15.2	9.2-21.1	63	32.8	24.6-41.1
Some Post-H.S.	231	41103	61	28.9	21.8-36.0	38	14.0	9.1-18.9	26	11.7	6.6-16.8	22	10.0	5.2-14.9	40	15.9	10.5-21.4	44	19.4	13.4-25.5
College Graduate	113	17055	22	16.3	9.3-23.3	30	27.2	17.4-37.0	12	9.8	3.9-15.6	5	4.0	0.3-7.8	23	22.1	12.9-31.4	21	20.6	12.1-29.1
HOUSEHOLD INCOME																				
Less than \$15,000	74	12244	13	16.6	4.3-28.8	11	12.6	2.9-22.4	9	13.6	2.8-24.5	6	11.8	1.2-22.5	19	21.6	9.8-33.5	16	23.7	9.8-37.5
\$15,000- 24,999	128	19778	24	17.5	10.2-24.7	31	22.5	13.9-31.2	7	4.2	0.6-7.9	7	5.5	1.1-10.0	20	14.3	7.3-21.2	39	36.0	25.7-46.3
\$25,000- 34,999	89	15346	22	25.2	14.6-35.8	18	21.0	10.7-31.3	8	7.5	1.8-13.1	6	5.9	0.9-10.9	19	23.3	12.7-34.0	16	17.1	6.7-27.4
\$35,000- 49,999	123	20265	28	20.3	12.9-27.8	22	15.7	9.1-22.4	11	10.7	3.9-17.5	10	11.5	3.9-19.2	18	15.3	8.2-22.4	34	26.5	18.1-34.9
\$50,000- 74,999	87	15135	26	29.2	18.9-39.6	17	20.6	11.0-30.2	8	7.7	2.3-13.0	4	6.1	0.0-12.5	10	13.1	4.8-21.4	22	23.3	14.1-32.5
\$75,000+	55	10017	19	37.1	22.2-52.0	8	12.4	3.3-21.4	8	13.0	2.9-23.1	3	3.1	0.0-6.8	8	14.2	4.2-24.1	9	20.2	5.8-34.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 5: IN THE LAST 12 MONTHS, HOW MANY TIMES HAVE YOU SEEN A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TO GET ANY KIND OF CARE FOR YOURSELF?  
(SCGETCAR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	308	59670	77	25.9	20.2-31.6	49	15.6	10.9-20.4	21	6.1	3.1-9.1	13	5.2	1.8-8.6	38	12.7	8.4-17.0	110	34.5	28.2-40.8
RACE																				
Native	14	3971	3	16.5	0.0-36.6	3	23.3	0.0-49.3	0		0.0-0.0	2	19.5	0.0-47.4	3	18.1	0.0-38.7	3	22.7	0.0-48.4
Non-Native	292	55537	74	26.6	20.7-32.6	45	15.0	10.3-19.7	21	6.5	3.3-9.7	11	4.2	1.3-7.1	35	12.4	8.0-16.7	106	35.3	28.8-41.8
AGE																				
18-24	34	14792	11	29.9	13.9-45.9	6	16.8	3.8-29.8	3	7.2	0.0-15.8	2	6.0	0.0-14.2	2	6.0	0.0-14.2	10	34.1	16.5-51.7
25-34	63	13740	13	17.8	8.4-27.1	14	19.7	9.9-29.5	1	1.5	0.0-4.6	2	6.9	0.0-16.5	8	14.7	4.9-24.4	25	39.4	26.5-52.2
35-44	56	8996	15	28.5	15.6-41.4	8	16.6	5.1-28.0	4	8.3	0.0-16.5	1	1.0	0.0-3.1	5	9.8	1.2-18.5	23	35.8	22.8-48.7
45-54	77	11373	26	37.5	25.4-49.7	9	11.9	4.2-19.7	3	2.4	0.0-5.2	3	2.7	0.0-6.0	10	15.7	5.9-25.5	26	29.7	19.0-40.4
55-64	49	6405	10	23.0	9.8-36.1	8	12.8	3.9-21.8	6	11.8	2.3-21.2	2	5.3	0.0-12.7	5	8.6	0.5-16.7	18	38.5	23.7-53.3
65+	29	4365	2	6.3	0.0-14.9	4	10.8	0.0-21.5	4	13.4	0.9-26.0	3	11.8	0.0-24.8	8	33.4	13.7-53.2	8	24.3	8.3-40.3
EDUCATION																				
Less Than H.S.	26	4623	4	19.3	1.1-37.5	2	3.2	0.0-7.7	0		0.0-0.0	2	14.9	0.0-35.8	6	22.4	4.0-40.9	12	40.2	18.6-61.8
H.S. or G.E.D.	108	21442	25	23.3	14.1-32.5	21	19.6	10.9-28.3	6	4.9	0.6-9.2	2	2.1	0.0-4.9	10	9.7	3.3-16.1	44	40.4	29.1-51.7
Some Post-H.S.	116	23826	36	33.1	22.9-43.3	15	12.8	5.9-19.7	10	8.0	2.2-13.7	6	6.9	0.4-13.3	12	9.7	3.8-15.6	37	29.5	19.9-39.2
College Graduate	58	9779	12	17.1	7.3-27.0	11	19.7	7.0-32.4	5	7.0	0.8-13.2	3	3.4	0.0-7.3	10	21.9	8.6-35.2	17	30.9	17.5-44.3
HOUSEHOLD INCOME																				
Less than \$15,000	21	5268	5	25.8	0.1-51.4	2	11.4	0.0-30.1	1	1.5	0.0-4.4	3	18.3	0.0-40.1	3	5.2	0.0-11.6	7	37.9	10.1-65.6
\$15,000- 24,999	62	12025	7	12.8	3.5-22.1	11	18.5	7.1-30.0	3	4.6	0.0-10.1	3	4.7	0.0-10.6	5	5.5	0.3-10.8	33	53.8	39.5-68.2
\$25,000- 34,999	46	9647	11	23.1	9.4-36.9	10	23.6	8.8-38.4	2	3.3	0.0-8.2	1	1.2	0.0-3.7	10	25.0	10.0-40.0	12	23.8	8.2-39.3
\$35,000- 49,999	72	12467	17	21.4	11.3-31.5	11	12.8	5.1-20.5	5	9.2	0.1-18.3	4	9.9	0.0-20.5	7	11.3	2.5-20.1	28	35.4	23.4-47.4
\$50,000- 74,999	50	8737	18	35.1	21.0-49.2	9	19.1	7.0-31.2	5	8.7	1.0-16.5	1	1.6	0.0-4.6	3	9.6	0.0-20.0	14	25.9	13.3-38.6
\$75,000+	37	7394	15	41.8	23.2-60.4	3	7.8	0.0-17.3	4	8.6	0.0-18.7	1	1.0	0.0-3.1	5	13.3	1.6-24.9	9	27.4	8.9-46.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 6: IN THE LAST 12 MONTHS, HOW MANY TIMES HAVE YOU SEEN A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TO GET ANY KIND OF CARE FOR YOURSELF?  
(SCGETCAR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	294	41164	68	21.4	16.2-26.6	67	20.5	15.4-25.7	32	11.8	7.2-16.4	27	10.6	6.5-14.8	65	24.0	17.9-30.1	35	11.6	7.2-16.1
RACE																				
Native	19	3022	3	9.4	0.0-20.6	4	13.2	0.0-27.3	1	3.9	0.0-11.6	3	16.9	0.0-35.5	8	56.6	30.4-82.9	0		0.0-0.0
Non-Native	274	37879	65	22.5	17.0-28.1	63	21.3	15.8-26.7	31	12.5	7.5-17.4	24	10.2	5.9-14.4	56	20.9	15.1-26.7	35	12.6	7.9-17.4
AGE																				
18-24	25	7704	4	13.7	0.0-27.8	2	8.5	0.0-20.2	4	16.2	0.0-32.8	5	16.2	2.0-30.5	8	35.9	14.4-57.4	2	9.4	0.0-24.0
25-34	55	8046	11	20.0	9.2-30.8	12	20.0	9.1-30.9	3	4.9	0.0-10.5	10	19.5	8.0-31.1	14	25.8	13.5-38.2	5	9.8	1.2-18.3
35-44	76	9704	21	27.3	16.6-38.1	15	16.9	8.2-25.7	10	15.7	6.0-25.3	3	5.1	0.0-10.8	17	21.5	11.7-31.3	10	13.5	4.6-22.3
45-54	69	7550	16	19.9	10.0-29.9	18	31.6	18.1-45.2	8	11.3	2.6-20.0	4	6.3	0.3-12.2	14	17.6	8.4-26.8	9	13.3	4.8-21.8
55-64	35	4490	7	21.9	6.9-36.9	13	32.1	16.5-47.7	4	12.4	0.1-24.7	2	4.4	0.0-10.7	5	17.5	2.2-32.8	4	11.7	0.2-23.1
65+	31	3257	7	22.3	6.6-38.1	7	21.7	5.8-37.6	3	8.4	0.0-17.9	2	8.2	0.0-19.1	7	25.6	6.7-44.5	5	13.7	1.9-25.5
EDUCATION																				
Less Than H.S.	22	3106	6	21.8	4.5-39.1	2	16.1	0.0-38.9	2	7.5	0.0-17.8	2	9.3	0.0-21.9	5	26.3	3.7-48.9	5	18.9	1.4-36.3
H.S. or G.E.D.	101	13328	26	21.6	13.2-30.0	23	19.1	11.1-27.0	7	5.5	1.1-9.9	7	9.3	2.4-16.1	19	23.9	12.8-34.9	19	20.7	10.2-31.1
Some Post-H.S.	115	17277	25	23.1	14.1-32.1	23	15.6	9.0-22.3	16	16.8	7.9-25.8	16	14.4	7.0-21.8	28	24.5	14.9-34.2	7	5.5	1.5-9.6
College Graduate	55	7276	10	15.2	5.7-24.6	19	37.3	22.2-52.3	7	13.4	2.7-24.2	2	4.9	0.0-11.8	13	22.5	10.2-34.7	4	6.8	0.0-13.7
HOUSEHOLD INCOME																				
Less than \$15,000	53	6976	8	9.6	2.4-16.9	9	13.6	4.0-23.2	8	22.8	5.9-39.8	3	7.0	0.0-15.2	16	34.0	16.7-51.2	9	12.9	4.2-21.6
\$15,000- 24,999	66	7753	17	24.7	13.2-36.2	20	28.8	15.9-41.6	4	3.6	0.0-7.3	4	6.8	0.2-13.4	15	27.8	13.9-41.7	6	8.3	1.6-15.1
\$25,000- 34,999	43	5699	11	28.6	12.7-44.6	8	16.7	5.2-28.1	6	14.5	2.3-26.6	5	13.8	1.8-25.8	9	20.6	7.4-33.9	4	5.8	0.0-12.0
\$35,000- 49,999	51	7798	11	18.6	7.8-29.4	11	20.4	8.5-32.2	6	13.0	2.9-23.2	6	14.1	3.3-24.9	11	21.6	9.7-33.5	6	12.2	1.9-22.6
\$50,000- 74,999	37	6399	8	21.3	6.3-36.3	8	22.5	6.9-38.2	3	6.3	0.0-13.3	3	12.3	0.0-26.2	7	17.9	4.3-31.5	8	19.7	6.7-32.7
\$75,000+	18	2623	4	23.9	2.9-44.8	5	25.2	4.5-45.9	4	25.3	1.5-49.1	2	9.0	0.0-21.2	3	16.6	0.0-35.8	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 7: IN THE LAST 12 MONTHS, ON HOW MANY VISITS WERE YOU ADVISED TO QUIT SMOKING BY A DOCTOR OR OTHER HEALTH PROVIDER? (SCQITSMK)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported not smoking at all  
Denominator excludes: Respondents that reported not having smoked in past 12 months or more  
Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	463	76441	116	24.0	19.6-28.5	83	16.9	13.0-20.9	28	5.5	3.2-7.7	20	3.8	2.0-5.7	40	8.2	5.3-11.2	176	41.4	36.0-46.9
SEX																				
Male	201	39655	51	20.6	14.9-26.3	35	17.1	11.1-23.2	11	4.7	1.7-7.8	2	0.6	0.0-1.5	14	6.6	2.8-10.4	88	50.3	42.3-58.4
Female	262	36785	65	27.8	21.1-34.4	48	16.8	11.8-21.7	17	6.3	3.0-9.6	18	7.3	3.8-10.9	26	10.0	5.4-14.5	88	31.9	25.5-38.3
RACE																				
Native	31	6468	3	6.3	0.0-14.3	7	26.5	6.4-46.7	3	8.2	0.0-19.3	4	9.3	0.0-18.8	5	20.6	1.8-39.5	9	29.1	9.5-48.7
Non-Native	430	69641	113	25.8	21.0-30.6	76	16.1	12.3-20.0	25	5.2	3.0-7.5	16	3.4	1.6-5.2	35	7.1	4.5-9.7	165	42.3	36.7-47.9
AGE																				
18-24	48	16987	6	15.0	3.5-26.5	4	8.8	0.5-17.2	1	1.5	0.0-4.6	3	3.9	0.0-8.4	3	7.1	0.0-15.3	31	63.6	48.9-78.3
25-34	91	16173	23	23.6	14.7-32.6	18	19.6	9.8-29.3	2	2.8	0.0-6.6	6	5.8	0.9-10.7	9	9.1	2.8-15.4	33	39.1	28.0-50.2
35-44	103	14645	25	26.6	17.1-36.1	20	19.0	10.6-27.5	9	8.2	2.4-14.0	4	3.3	0.0-6.8	10	9.9	3.7-16.0	35	33.0	23.3-42.7
45-54	111	14543	30	25.8	16.9-34.6	25	23.5	14.5-32.5	8	6.1	1.4-10.9	4	3.3	0.0-6.6	9	8.7	2.2-15.2	35	32.6	22.4-42.8
55-64	61	7699	21	37.5	24.1-50.8	12	18.2	8.4-28.0	4	8.3	0.3-16.3	1	1.7	0.0-5.0	2	1.7	0.0-4.2	21	32.6	19.9-45.2
65+	46	5981	9	19.9	7.2-32.7	4	11.4	0.7-22.2	4	12.3	0.0-25.1	1	2.2	0.0-6.6	7	12.7	3.2-22.2	21	41.4	25.7-57.1
EDUCATION																				
Less Than H.S.	31	5470	4	11.2	0.0-22.5	4	19.8	1.7-37.9	1	6.5	0.0-18.8	0		0.0-0.0	3	4.3	0.0-9.4	19	58.1	37.5-78.8
H.S. or G.E.D.	149	23749	40	25.3	17.3-33.3	27	17.5	10.7-24.2	9	4.7	1.3-8.1	6	4.5	0.8-8.2	15	10.5	4.7-16.3	52	37.5	28.3-46.8
Some Post-H.S.	191	33708	45	24.2	17.1-31.3	35	16.3	10.1-22.4	10	4.8	1.7-7.9	11	4.1	1.5-6.6	15	7.8	3.0-12.5	75	42.9	34.4-51.4
College Graduate	91	13337	26	25.7	15.9-35.5	17	16.8	8.9-24.8	8	8.2	1.9-14.5	3	3.8	0.0-8.3	7	7.0	1.6-12.3	30	38.4	26.1-50.8
HOUSEHOLD INCOME																				
Less than \$15,000	59	9417	8	18.1	2.3-33.9	11	13.0	4.6-21.5	3	5.7	0.0-12.7	3	4.0	0.0-9.1	7	5.8	1.2-10.4	27	53.3	36.1-70.5
\$15,000- 24,999	91	13047	21	21.3	12.0-30.5	21	28.0	16.6-39.4	5	4.5	0.0-9.2	4	3.3	0.0-6.6	7	5.4	1.0-9.9	33	37.6	25.6-49.6
\$25,000- 34,999	76	13253	18	19.8	10.3-29.3	15	18.8	9.2-28.5	5	6.3	0.3-12.3	1	2.0	0.0-5.9	7	8.9	1.8-16.0	30	44.2	31.0-57.4
\$35,000- 49,999	88	14691	26	25.9	16.3-35.5	11	11.8	2.7-20.9	6	6.1	1.2-11.1	6	6.9	1.3-12.4	8	11.3	3.4-19.2	31	37.9	26.3-49.6
\$50,000- 74,999	66	11798	20	30.7	18.3-43.2	13	18.4	8.1-28.7	4	5.2	0.1-10.3	1	2.2	0.0-6.6	2	3.1	0.0-7.5	26	40.3	27.3-53.4
\$75,000+	46	7989	16	33.7	19.0-48.3	6	9.2	1.8-16.6	2	1.9	0.0-4.5	3	4.9	0.0-10.5	4	9.4	0.0-18.8	15	41.0	24.1-57.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 8: IN THE LAST 12 MONTHS, ON HOW MANY VISITS WERE YOU ADVISED TO QUIT SMOKING BY A DOCTOR OR OTHER HEALTH PROVIDER? (SCQITSMK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	201	39655	51	20.6	14.9-26.3	35	17.1	11.1-23.2	11	4.7	1.6-7.8	2	0.6	0.0-1.5	14	6.6	2.8-10.4	88	50.3	42.2-58.4
RACE																				
Native	11	3183	2	9.5	0.0-24.6	4	41.6	7.3-76.0	1	11.2	0.0-32.2	0		0.0-0.0	1	4.9	0.0-14.5	3	32.8	0.5-65.2
Non-Native	189	36404	49	21.6	15.6-27.6	31	15.0	9.5-20.6	10	4.1	1.4-6.9	2	0.7	0.0-1.7	13	6.8	2.7-10.8	84	51.8	43.5-60.0
AGE																				
18-24	24	9743	1	1.8	0.0-5.4	2	7.3	0.0-17.1	0		0.0-0.0	0		0.0-0.0	1	3.6	0.0-10.7	20	87.3	75.0-99.6
25-34	41	8912	11	22.6	10.2-35.0	8	21.4	6.1-36.8	1	2.4	0.0-7.0	0		0.0-0.0	2	5.9	0.0-14.2	19	47.6	30.8-64.4
35-44	34	5966	8	27.3	10.7-44.0	7	21.9	6.0-37.8	2	6.3	0.0-15.6	1	1.6	0.0-4.6	3	7.0	0.0-15.1	13	35.9	19.4-52.5
45-54	51	7996	16	27.7	14.9-40.4	10	21.4	8.6-34.2	3	3.4	0.0-7.3	1	1.9	0.0-5.7	4	10.7	0.0-21.4	17	34.9	20.5-49.4
55-64	30	3734	11	41.3	21.9-60.6	5	16.5	2.8-30.2	2	9.2	0.0-21.4	0		0.0-0.0	1	1.8	0.0-5.4	11	31.2	13.9-48.5
65+	21	3305	4	17.9	0.6-35.2	3	16.7	0.0-34.2	3	20.3	0.0-41.7	0		0.0-0.0	3	11.8	0.0-25.2	8	33.3	12.4-54.2
EDUCATION																				
Less Than H.S.	15	3083	1	7.5	0.0-22.0	2	18.0	0.0-41.1	1	11.6	0.0-32.8	0		0.0-0.0	1	2.2	0.0-6.7	10	60.6	31.5-89.8
H.S. or G.E.D.	65	12965	18	21.9	11.8-32.1	14	20.4	9.8-31.0	4	4.5	0.0-9.0	0		0.0-0.0	7	11.9	2.8-21.0	22	41.3	27.3-55.2
Some Post-H.S.	81	17051	18	17.0	9.0-25.1	15	17.3	7.4-27.3	3	3.8	0.0-8.1	2	1.5	0.0-3.5	4	3.7	0.0-7.9	39	56.7	44.2-69.2
College Graduate	40	6556	14	33.4	17.0-49.9	4	9.8	0.0-19.8	3	4.5	0.0-9.7	0		0.0-0.0	2	5.6	0.0-13.4	17	46.7	28.2-65.3
HOUSEHOLD INCOME																				
Less than \$15,000	14	3273	3	7.9	0.0-17.9	0		0.0-0.0	1	2.4	0.0-7.2	0		0.0-0.0	2	4.8	0.0-11.9	8	85.0	70.3-99.7
\$15,000- 24,999	30	5869	8	23.8	8.0-39.5	7	26.5	8.8-44.2	2	6.3	0.0-16.0	1	1.6	0.0-4.7	0		0.0-0.0	12	41.8	21.4-62.1
\$25,000- 34,999	36	7621	4	7.3	0.0-14.7	9	21.8	7.2-36.3	1	2.7	0.0-8.0	0		0.0-0.0	3	7.4	0.0-16.6	19	60.8	43.2-78.5
\$35,000- 49,999	43	7848	12	22.9	9.9-35.9	5	14.3	0.0-29.7	3	5.5	0.0-11.7	1	2.0	0.0-5.9	2	8.5	0.0-19.6	20	46.9	29.3-64.5
\$50,000- 74,999	37	6658	13	32.1	16.2-48.1	7	21.6	6.1-37.1	1	3.2	0.0-9.3	0		0.0-0.0	1	3.2	0.0-9.3	15	39.9	23.2-56.6
\$75,000+	28	5366	10	32.5	14.1-50.9	4	8.9	0.0-17.8	1	1.4	0.0-4.3	0		0.0-0.0	3	11.3	0.0-24.3	10	45.8	24.3-67.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 9: IN THE LAST 12 MONTHS, ON HOW MANY VISITS WERE YOU ADVISED TO QUIT SMOKING BY A DOCTOR OR OTHER HEALTH PROVIDER? (SCQITSMK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	262	36785	65	27.8	21.1-34.4	48	16.8	11.8-21.7	17	6.3	3.0-9.6	18	7.3	3.8-10.9	26	10.0	5.4-14.5	88	31.9	25.5-38.3
RACE																				
Native	20	3285	1	3.2	0.0-9.6	3	11.9	0.0-25.6	2	5.2	0.0-13.1	4	18.2	0.2-36.3	4	35.9	6.5-65.4	6	25.5	3.9-47.0
Non-Native	241	33237	64	30.4	23.3-37.5	45	17.4	12.1-22.7	15	6.4	2.9-10.0	14	6.3	2.8-9.8	22	7.5	4.2-10.8	81	32.0	25.3-38.7
AGE																				
18-24	24	7244	5	32.7	10.3-55.1	2	10.9	0.0-25.1	1	3.6	0.0-10.7	3	9.1	0.0-19.5	2	11.8	0.0-28.1	11	31.8	13.8-49.9
25-34	50	7261	12	24.9	12.2-37.5	10	17.3	7.0-27.6	1	3.2	0.0-9.5	6	13.0	2.6-23.4	7	13.0	3.2-22.7	14	28.6	15.3-42.0
35-44	69	8679	17	26.1	14.8-37.4	13	17.1	7.9-26.3	7	9.6	2.1-17.0	3	4.5	0.0-9.9	7	11.8	3.2-20.4	22	31.0	19.1-42.8
45-54	60	6547	14	23.4	11.5-35.4	15	26.1	14.0-38.2	5	9.5	0.2-18.7	3	5.0	0.0-10.5	5	6.3	0.6-12.0	18	29.7	15.4-44.1
55-64	31	3966	10	33.9	15.6-52.2	7	19.8	5.9-33.8	2	7.4	0.0-17.8	1	3.3	0.0-9.7	1	1.6	0.0-4.9	10	33.9	15.5-52.3
65+	25	2676	5	22.4	3.6-41.3	1	5.0	0.0-14.5	1	2.5	0.0-7.4	1	5.0	0.0-14.5	4	13.7	0.3-27.2	13	51.4	29.3-73.4
EDUCATION																				
Less Than H.S.	16	2386	3	15.9	0.0-33.8	2	22.1	0.0-50.8	0		0.0-0.0	0		0.0-0.0	2	7.0	0.0-17.0	9	54.9	26.2-83.7
H.S. or G.E.D.	84	10784	22	29.3	17.0-41.5	13	13.9	6.3-21.5	5	5.0	0.0-10.1	6	9.9	2.0-17.8	8	8.9	2.3-15.5	30	33.0	21.9-44.1
Some Post-H.S.	110	16657	27	31.6	20.6-42.5	20	15.2	7.9-22.4	7	5.8	1.3-10.3	9	6.7	2.0-11.4	11	11.9	3.6-20.3	36	28.8	19.5-38.2
College Graduate	51	6781	12	18.3	7.6-28.9	13	23.7	11.6-35.8	5	11.8	0.7-22.9	3	7.5	0.0-16.1	5	8.3	0.9-15.6	13	30.4	14.5-46.3
HOUSEHOLD INCOME																				
Less than \$15,000	45	6144	5	23.5	1.7-45.3	11	20.0	7.6-32.4	2	7.5	0.0-17.7	3	6.2	0.0-13.8	5	6.4	0.5-12.3	19	36.4	19.8-53.0
\$15,000- 24,999	61	7177	13	19.2	8.4-30.0	14	29.1	14.3-44.0	3	2.9	0.0-6.4	3	4.6	0.0-10.1	7	9.8	1.9-17.8	21	34.2	20.4-48.0
\$25,000- 34,999	40	5632	14	36.7	19.7-53.7	6	14.9	3.4-26.4	4	11.2	0.0-23.1	1	4.7	0.0-13.6	4	10.9	0.0-22.0	11	21.7	9.0-34.3
\$35,000- 49,999	45	6843	14	29.4	15.5-43.3	6	9.0	1.5-16.6	3	6.9	0.0-14.7	5	12.5	1.8-23.2	6	14.6	3.4-25.7	11	27.6	13.1-42.1
\$50,000- 74,999	29	5140	7	28.9	8.9-48.9	6	14.2	2.8-25.6	3	7.8	0.0-16.5	1	5.1	0.0-14.9	1	3.0	0.0-9.0	11	40.9	20.3-61.5
\$75,000+	18	2623	6	36.0	12.1-59.9	2	9.9	0.0-23.2	1	2.7	0.0-8.0	3	15.0	0.0-31.1	1	5.4	0.0-15.7	5	31.0	6.0-56.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 10: ON HOW MANY VISITS DID YOUR DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL RECOMMEND OR DISCUSS MEDICATION TO ASSIST YOU WITH QUITTING SMOKING, SUCH AS NICOTINE GUM, PATCH, NASAL SPRAY, INHALER, LOZENGE, OR PRESCRIPTION MEDICATION SUCH AS WELLBUTRIN/ZYBAN/BUPROPRION? (SCDSCMED)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported not smoking at all  
Denominator excludes: Respondents that reported not having smoked in past 12 months or more  
Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	464	76448	72	14.1	10.6-17.6	34	6.4	3.9-8.9	10	2.1	0.7-3.5	7	1.6	0.2-2.9	17	3.7	1.7-5.6	324	72.2	67.5-76.8
SEX																				
Male	202	39723	30	11.9	7.5-16.2	14	6.8	2.8-10.8	2	1.1	0.0-2.7	1	0.9	0.0-2.6	7	3.6	0.6-6.6	148	75.7	69.2-82.2
Female	262	36725	42	16.4	11.0-21.9	20	6.0	3.2-8.8	8	3.2	0.9-5.6	6	2.3	0.3-4.3	10	3.7	1.3-6.2	176	68.3	61.8-74.8
RACE																				
Native	32	6673	2	2.4	0.0-5.9	5	18.7	1.7-35.8	0		0.0-0.0	2	7.1	0.0-17.8	2	5.3	0.0-13.3	21	66.5	46.8-86.2
Non-Native	430	69443	69	14.9	11.1-18.7	29	5.2	3.1-7.3	10	2.3	0.8-3.9	5	1.0	0.1-2.0	15	3.5	1.6-5.5	302	72.9	68.2-77.7
AGE																				
18-24	48	16987	4	8.1	0.0-16.7	2	3.9	0.0-10.1	0		0.0-0.0	1	1.5	0.0-4.6	2	3.6	0.0-8.7	39	82.8	71.4-94.2
25-34	89	15802	12	11.6	5.1-18.1	5	3.5	0.0-6.9	1	1.5	0.0-4.4	1	1.0	0.0-2.9	3	2.5	0.0-5.4	67	80.0	71.7-88.3
35-44	104	14715	20	19.9	11.4-28.4	8	6.5	1.8-11.1	4	4.8	0.0-9.8	0		0.0-0.0	3	3.2	0.0-6.8	69	65.7	55.7-75.6
45-54	112	14698	15	12.2	5.8-18.6	14	13.1	5.9-20.3	2	1.4	0.0-3.4	3	2.0	0.0-4.4	5	6.2	0.1-12.2	73	65.1	55.0-75.1
55-64	61	7774	12	18.1	8.0-28.3	3	5.2	0.0-11.4	1	2.5	0.0-7.4	1	1.7	0.0-5.0	1	0.9	0.0-2.6	43	71.6	59.5-83.7
65+	47	6059	8	21.3	7.5-35.1	2	6.5	0.0-15.2	1	2.6	0.0-7.6	1	5.9	0.0-16.9	3	6.1	0.0-12.8	32	57.7	41.4-74.0
EDUCATION																				
Less Than H.S.	32	5536	3	10.5	0.0-22.7	0		0.0-0.0	0		0.0-0.0	1	6.4	0.0-18.6	3	5.5	0.0-11.9	25	77.6	60.6-94.7
H.S. or G.E.D.	150	23770	32	20.4	12.9-27.9	13	9.5	3.7-15.4	2	1.5	0.0-3.6	1	0.5	0.0-1.5	6	5.2	0.8-9.7	96	62.9	53.8-72.0
Some Post-H.S.	190	33553	23	11.0	6.3-15.7	16	6.2	2.8-9.6	6	3.3	0.6-6.0	3	1.3	0.0-3.1	7	3.3	0.6-6.1	135	74.8	68.1-81.6
College Graduate	91	13411	14	12.3	5.6-18.9	5	4.0	0.4-7.7	2	1.2	0.0-2.9	2	2.0	0.0-4.9	1	1.2	0.0-3.5	67	79.3	70.9-87.6
HOUSEHOLD INCOME																				
Less than \$15,000	60	9431	9	15.6	2.4-28.8	3	4.9	0.0-10.6	1	2.1	0.0-6.2	0		0.0-0.0	3	2.8	0.0-6.1	44	74.6	60.1-89.1
\$15,000- 24,999	90	12913	14	13.2	5.7-20.7	10	8.5	2.8-14.2	1	2.2	0.0-6.4	1	0.5	0.0-1.4	1	0.6	0.0-1.8	63	75.0	65.2-84.8
\$25,000- 34,999	74	13028	9	10.3	3.5-17.1	4	7.4	0.0-16.0	4	4.1	0.0-8.5	0		0.0-0.0	1	2.0	0.0-5.9	56	76.1	64.9-87.4
\$35,000- 49,999	90	15052	14	14.8	7.1-22.4	8	6.6	1.5-11.6	2	2.4	0.0-5.9	2	1.6	0.0-3.9	5	7.1	0.6-13.7	59	67.4	56.8-78.1
\$50,000- 74,999	66	11657	9	12.7	3.8-21.7	5	7.1	0.2-14.1	1	1.0	0.0-3.0	1	2.3	0.0-6.6	1	1.3	0.0-4.0	49	75.5	64.0-87.0
\$75,000+	46	7989	9	15.8	5.4-26.1	2	3.4	0.0-8.2	1	1.5	0.0-4.4	2	3.4	0.0-8.2	3	7.4	0.0-16.1	29	68.5	54.3-82.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 11: ON HOW MANY VISITS DID YOUR DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL RECOMMEND OR DISCUSS MEDICATION TO ASSIST YOU WITH QUITTING SMOKING, SUCH AS NICOTINE GUM, PATCH, NASAL SPRAY, INHALER, LOZENGE, OR PRESCRIPTION MEDICATION SUCH AS WELLBUTRIN/ZYBAN/BUPROPION? (SCDSCMED)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	202	39723	30	11.9	7.6-16.2	14	6.8	2.8-10.8	2	1.1	0.0-2.7	1	0.9	0.0-2.7	7	3.6	0.6-6.6	148	75.7	69.2-82.2
RACE																				
Native	12	3388	0		0.0-0.0	2	22.6	0.0-51.5	0		0.0-0.0	1	10.5	0.0-30.3	0		0.0-0.0	9	66.9	35.2-98.6
Non-Native	189	36266	30	13.0	8.3-17.7	12	5.3	2.1-8.5	2	1.2	0.0-2.9	0		0.0-0.0	7	4.0	0.7-7.3	138	76.5	70.0-82.9
AGE																				
18-24	24	9743	0		0.0-0.0	1	5.5	0.0-15.8	0		0.0-0.0	0		0.0-0.0	1	3.6	0.0-10.7	22	90.9	78.7-100.0
25-34	39	8541	6	11.8	2.3-21.3	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	33	88.2	78.7-97.7
35-44	34	5966	5	15.6	2.5-28.8	2	4.7	0.0-11.1	1	4.7	0.0-13.6	0		0.0-0.0	2	5.5	0.0-13.0	24	69.5	52.9-86.1
45-54	52	8151	7	11.9	3.0-20.8	8	15.7	4.6-26.8	0		0.0-0.0	0		0.0-0.0	3	8.6	0.0-18.7	34	63.8	49.1-78.5
55-64	31	3939	6	20.0	4.9-35.1	1	5.2	0.0-15.1	0		0.0-0.0	0		0.0-0.0	1	1.7	0.0-5.2	23	73.0	56.0-90.1
65+	22	3383	6	30.3	9.2-51.3	2	11.6	0.0-26.9	1	4.6	0.0-13.5	1	10.5	0.0-29.5	0		0.0-0.0	12	43.0	21.3-64.7
EDUCATION																				
Less Than H.S.	15	3083	2	10.3	0.0-25.7	0		0.0-0.0	0		0.0-0.0	1	11.6	0.0-32.8	1	2.2	0.0-6.7	11	76.0	50.9-100.0
H.S. or G.E.D.	66	12986	13	17.3	8.0-26.5	7	11.7	2.3-21.1	0		0.0-0.0	0		0.0-0.0	4	7.6	0.0-15.3	42	63.4	50.3-76.4
Some Post-H.S.	80	16892	9	9.2	3.2-15.3	5	5.3	0.0-10.6	2	2.6	0.0-6.3	0		0.0-0.0	2	2.3	0.0-6.0	62	80.6	71.4-89.8
College Graduate	41	6762	6	8.9	1.5-16.4	2	4.0	0.0-9.7	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	33	87.0	77.7-96.3
HOUSEHOLD INCOME																				
Less than \$15,000	15	3351	2	5.4	0.0-13.5	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	2.3	0.0-7.0	12	92.3	82.5-100.0
\$15,000- 24,999	30	5869	4	10.5	0.0-21.2	2	6.3	0.0-15.2	1	4.8	0.0-13.9	0		0.0-0.0	0		0.0-0.0	23	78.4	62.7-94.1
\$25,000- 34,999	35	7462	3	6.7	0.0-14.3	3	12.0	0.0-26.3	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	29	81.3	65.8-96.8
\$35,000- 49,999	45	8209	4	9.4	0.4-18.5	5	7.6	0.3-14.9	1	1.9	0.0-5.7	0		0.0-0.0	2	8.1	0.0-18.8	33	73.0	58.3-87.7
\$50,000- 74,999	36	6446	5	10.9	1.0-20.7	3	10.0	0.0-21.6	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	28	79.1	64.7-93.5
\$75,000+	28	5366	7	18.4	4.8-32.0	1	2.9	0.0-8.6	0		0.0-0.0	0		0.0-0.0	2	8.4	0.0-20.3	18	70.3	52.5-88.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 12: ON HOW MANY VISITS DID YOUR DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL RECOMMEND OR DISCUSS MEDICATION TO ASSIST YOU WITH QUITTING SMOKING, SUCH AS NICOTINE GUM, PATCH, NASAL SPRAY, INHALER, LOZENGE, OR PRESCRIPTION MEDICATION SUCH AS WELLBUTRIN/ZYBAN/BUPROPRION? (SCDSCMED)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	262	36725	42	16.4	11.0-21.9	20	6.0	3.2-8.8	8	3.2	0.9-5.6	6	2.3	0.3-4.3	10	3.7	1.3-6.2	176	68.3	61.8-74.8
RACE																				
Native	20	3285	2	4.8	0.0-12.1	3	14.8	0.0-31.4	0		0.0-0.0	1	3.6	0.0-10.6	2	10.7	0.0-26.5	12	66.1	42.6-89.6
Non-Native	241	33176	39	16.9	11.2-22.7	17	5.2	2.6-7.7	8	3.6	1.0-6.2	5	2.2	0.1-4.3	8	3.1	0.9-5.2	164	69.1	62.3-75.8
AGE																				
18-24	24	7244	4	19.1	0.6-37.6	1	1.8	0.0-5.4	0		0.0-0.0	1	3.6	0.0-10.7	1	3.6	0.0-10.7	17	71.8	51.8-91.8
25-34	50	7261	6	11.3	2.5-20.2	5	7.6	0.2-15.0	1	3.2	0.0-9.5	1	2.2	0.0-6.4	3	5.4	0.0-11.6	34	70.3	57.0-83.5
35-44	70	8749	15	22.8	11.9-33.8	6	7.7	1.1-14.2	3	4.8	0.0-10.7	0		0.0-0.0	1	1.6	0.0-4.8	45	63.0	50.7-75.4
45-54	60	6547	8	12.6	3.5-21.7	6	9.9	2.1-17.7	2	3.1	0.0-7.5	3	4.5	0.0-9.7	2	3.1	0.0-7.5	39	66.7	53.6-79.7
55-64	30	3835	6	16.2	2.9-29.6	2	5.1	0.0-12.5	1	5.1	0.0-14.9	1	3.4	0.0-10.0	0		0.0-0.0	20	70.1	52.8-87.4
65+	25	2676	2	10.0	0.0-24.6	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	13.7	0.0-28.4	20	76.3	57.2-95.5
EDUCATION																				
Less Than H.S.	17	2453	1	10.7	0.0-30.3	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	2	9.5	0.0-22.7	14	79.7	57.4-100.0
H.S. or G.E.D.	84	10784	19	24.1	12.3-35.9	6	6.9	1.0-12.8	2	3.3	0.0-8.0	1	1.1	0.0-3.2	2	2.3	0.0-5.5	54	62.3	50.0-74.6
Some Post-H.S.	110	16661	14	12.8	5.6-20.0	11	7.1	2.7-11.6	4	4.0	0.0-8.0	3	2.7	0.0-6.2	5	4.4	0.2-8.5	73	69.0	59.2-78.7
College Graduate	50	6650	8	15.7	4.9-26.5	3	4.0	0.0-8.7	2	2.4	0.0-5.7	2	4.1	0.0-9.8	1	2.4	0.0-6.9	34	71.4	58.1-84.8
HOUSEHOLD INCOME																				
Less than \$15,000	45	6080	7	21.2	2.6-39.8	3	7.6	0.0-16.4	1	3.2	0.0-9.5	0		0.0-0.0	2	3.1	0.0-7.5	32	64.9	45.7-84.1
\$15,000- 24,999	60	7044	10	15.5	5.3-25.8	8	10.3	3.1-17.6	0		0.0-0.0	1	0.8	0.0-2.5	1	1.1	0.0-3.3	40	72.2	59.9-84.5
\$25,000- 34,999	39	5566	6	15.0	3.2-26.9	1	1.4	0.0-4.2	4	9.6	0.0-19.6	0		0.0-0.0	1	4.7	0.0-13.7	27	69.2	53.2-85.2
\$35,000- 49,999	45	6843	10	21.1	8.7-33.5	3	5.3	0.0-12.4	1	3.1	0.0-9.1	2	3.6	0.0-8.6	3	6.0	0.0-12.6	26	60.8	45.8-75.9
\$50,000- 74,999	30	5211	4	15.0	0.0-30.7	2	3.6	0.0-8.8	1	2.3	0.0-6.7	1	5.1	0.0-14.7	1	3.0	0.0-8.9	21	71.0	52.5-89.5
\$75,000+	18	2623	2	10.3	0.0-25.4	1	4.5	0.0-13.2	1	4.5	0.0-13.2	2	10.5	0.0-24.5	1	5.4	0.0-15.7	11	64.8	41.8-87.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 13: ON HOW MANY VISITS DID YOUR DOCTOR OR HEALTH PROVIDER RECOMMEND OR DISCUSS METHODS AND STRATEGIES OTHER THAN MEDICATION TO ASSIST YOU WITH QUITTING SMOKING? (SCDSCMTH)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not smoking at least 100 cigarettes  
Denominator excludes: Respondents that reported not smoking at all  
Denominator excludes: Respondents that reported not having smoked in past 12 months or more  
Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	460	75162	40	8.7	5.8-11.6	31	5.8	3.6-8.0	7	1.4	0.3-2.5	4	0.9	0.0-1.8	10	2.3	0.7-3.9	368	81.0	77.0-85.0
SEX																				
Male	199	38474	13	5.6	2.4-8.9	11	4.5	1.6-7.4	4	1.7	0.0-3.6	0		0.0-0.0	5	2.6	0.1-5.1	166	85.5	80.4-90.7
Female	261	36689	27	11.9	7.2-16.6	20	7.1	3.8-10.4	3	1.0	0.0-2.3	4	1.8	0.0-3.6	5	2.0	0.1-3.9	202	76.2	70.3-82.2
RACE																				
Native	29	5971	2	4.0	0.0-9.6	3	9.9	0.0-21.1	1	1.5	0.0-4.4	1	2.0	0.0-5.9	2	5.9	0.0-14.8	20	76.8	61.0-92.6
Non-Native	429	68859	38	9.1	6.0-12.2	28	5.4	3.2-7.6	6	1.4	0.2-2.6	3	0.8	0.0-1.7	8	2.0	0.5-3.6	346	81.3	77.1-85.4
AGE																				
18-24	46	15924	6	10.5	1.8-19.2	1	2.2	0.0-6.5	0		0.0-0.0	1	1.6	0.0-4.9	1	1.6	0.0-4.9	37	84.0	73.6-94.4
25-34	88	15684	8	8.6	2.7-14.6	8	8.0	2.1-14.0	0		0.0-0.0	1	1.0	0.0-3.0	2	2.3	0.0-5.6	69	80.0	71.2-88.7
35-44	102	14476	8	8.9	2.7-15.0	9	8.0	2.7-13.4	3	3.9	0.0-8.6	0		0.0-0.0	1	0.6	0.0-1.9	81	78.6	69.9-87.2
45-54	112	14698	9	7.5	2.4-12.5	10	7.4	2.7-12.0	1	0.6	0.0-1.8	2	1.6	0.0-3.8	3	4.8	0.0-10.6	87	78.1	69.6-86.7
55-64	60	7708	8	12.8	3.7-21.9	3	6.1	0.0-13.0	0		0.0-0.0	0		0.0-0.0	1	0.9	0.0-2.6	48	80.2	69.3-91.1
65+	49	6259	1	2.1	0.0-6.3	0		0.0-0.0	3	6.3	0.0-13.4	0		0.0-0.0	2	3.7	0.0-8.9	43	87.9	78.4-97.3
EDUCATION																				
Less Than H.S.	33	5670	1	1.6	0.0-4.6	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	5.3	0.0-11.6	29	93.1	86.1-100.0
H.S. or G.E.D.	146	22933	17	12.5	6.5-18.6	8	5.0	1.4-8.7	1	0.3	0.0-1.0	1	0.5	0.0-1.5	1	1.3	0.0-4.0	118	80.2	73.0-87.5
Some Post-H.S.	189	32971	15	8.0	3.6-12.4	16	6.9	3.2-10.7	4	2.2	0.0-4.5	1	0.8	0.0-2.4	5	2.8	0.1-5.4	148	79.3	72.7-85.8
College Graduate	91	13411	7	6.8	1.3-12.3	7	6.7	1.5-12.0	2	1.7	0.0-4.2	2	2.0	0.0-4.9	1	1.6	0.0-4.7	72	81.1	72.5-89.7
HOUSEHOLD INCOME																				
Less than \$15,000	59	9313	5	6.8	0.3-13.3	2	3.5	0.0-8.6	2	1.8	0.0-4.3	0		0.0-0.0	2	2.0	0.0-4.9	48	85.8	76.7-95.0
\$15,000- 24,999	89	12928	11	10.3	3.8-16.7	6	4.1	0.7-7.5	1	2.2	0.0-6.4	0		0.0-0.0	0		0.0-0.0	71	83.5	75.3-91.6
\$25,000- 34,999	74	12563	8	13.0	4.1-21.9	4	6.4	0.0-13.1	1	0.6	0.0-1.7	0		0.0-0.0	3	4.1	0.0-9.0	58	76.0	64.7-87.2
\$35,000- 49,999	90	15052	6	6.7	1.4-11.9	10	9.6	3.2-16.1	2	2.4	0.0-5.9	1	0.8	0.0-2.3	1	2.1	0.0-6.1	70	78.4	69.2-87.6
\$50,000- 74,999	66	11657	5	10.1	0.5-19.7	7	8.4	2.3-14.5	0		0.0-0.0	1	2.3	0.0-6.6	1	1.8	0.0-5.4	52	77.5	65.9-89.0
\$75,000+	46	7989	4	7.8	0.1-15.4	2	3.1	0.0-7.4	1	2.0	0.0-5.8	2	3.4	0.0-8.2	1	3.9	0.0-11.3	36	79.8	67.7-92.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 14: ON HOW MANY VISITS DID YOUR DOCTOR OR HEALTH PROVIDER RECOMMEND OR DISCUSS METHODS AND STRATEGIES OTHER THAN MEDICATION TO ASSIST YOU WITH QUITTING SMOKING? (SCDSCMTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	199	38474	13	5.6	2.4-8.9	11	4.5	1.6-7.4	4	1.7	0.0-3.6		0.0-0.0	5	2.6	0.1-5.1	166	85.5	80.4-90.7	
RACE																				
Native	11	2857	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0		0.0-0.0	0		0.0-0.0	11	100.0	100.0-100.0	
Non-Native	187	35548	13	6.1	2.6-9.6	11	4.9	1.7-8.0	4	1.9	0.0-3.9		0.0-0.0	5	2.8	0.1-5.5	154	84.3	78.8-89.9	
AGE																				
18-24	22	8680	1	4.1	0.0-12.0	1	4.1	0.0-12.0	0		0.0-0.0		0.0-0.0	0		0.0-0.0	20	91.8	80.9-100.0	
25-34	39	8541	3	6.2	0.0-13.3	2	3.7	0.0-9.1	0		0.0-0.0		0.0-0.0	1	2.5	0.0-7.3	33	87.6	77.7-97.4	
35-44	33	5779	1	3.2	0.0-9.5	1	2.4	0.0-7.1	1	4.8	0.0-14.1		0.0-0.0	1	1.6	0.0-4.8	29	87.9	75.9-99.9	
45-54	52	8151	2	3.3	0.0-8.0	5	7.1	0.7-13.6	0		0.0-0.0		0.0-0.0	2	7.6	0.0-17.6	43	81.9	70.0-93.8	
55-64	31	3939	6	20.9	5.0-36.7	2	8.7	0.0-20.4	0		0.0-0.0		0.0-0.0	1	1.7	0.0-5.2	22	68.7	50.6-86.8	
65+	22	3383	0		0.0-0.0	0		0.0-0.0	3	11.6	0.0-24.6		0.0-0.0	0		0.0-0.0	19	88.4	75.4-100.0	
EDUCATION																				
Less Than H.S.	15	3083	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0		0.0-0.0	1	2.2	0.0-6.7	14	97.8	93.3-100.0	
H.S. or G.E.D.	64	12268	7	10.8	2.6-19.1	4	5.0	0.1-10.0	1	0.6	0.0-1.9		0.0-0.0	1	2.5	0.0-7.4	51	81.0	70.6-91.3	
Some Post-H.S.	79	16360	3	3.2	0.0-6.9	6	6.2	0.7-11.7	2	2.7	0.0-6.5		0.0-0.0	2	2.5	0.0-6.3	66	85.4	77.2-93.7	
College Graduate	41	6762	3	4.6	0.0-10.0	1	1.6	0.0-4.6	1	2.3	0.0-6.8		0.0-0.0	1	3.1	0.0-9.2	35	88.4	78.8-97.9	
HOUSEHOLD INCOME																				
Less than \$15,000	15	3351	0		0.0-0.0	0		0.0-0.0	1	2.3	0.0-7.1		0.0-0.0	0		0.0-0.0	14	97.7	92.9-100.0	
\$15,000- 24,999	30	5869	3	6.5	0.0-14.4	0		0.0-0.0	1	4.8	0.0-13.9		0.0-0.0	0		0.0-0.0	26	88.8	76.9-100.0	
\$25,000- 34,999	34	6930	2	8.1	0.0-19.1	3	10.3	0.0-22.1	0		0.0-0.0		0.0-0.0	1	1.3	0.0-4.0	28	80.3	64.9-95.6	
\$35,000- 49,999	45	8209	2	3.9	0.0-9.4	4	5.9	0.0-12.2	1	1.9	0.0-5.7		0.0-0.0	1	3.8	0.0-11.1	37	84.5	73.3-95.6	
\$50,000- 74,999	36	6446	2	4.4	0.0-11.0	3	6.7	0.0-14.2	0		0.0-0.0		0.0-0.0	1	3.3	0.0-9.6	30	85.6	74.2-97.1	
\$75,000+	28	5366	4	11.6	0.2-22.9	1	2.0	0.0-5.9	1	2.9	0.0-8.6		0.0-0.0	1	5.8	0.0-16.8	21	77.8	61.6-93.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 15: SMOKING CESSATION**

**TABLE 15: ON HOW MANY VISITS DID YOUR DOCTOR OR HEALTH PROVIDER RECOMMEND OR DISCUSS METHODS AND STRATEGIES OTHER THAN MEDICATION TO ASSIST YOU WITH QUITTING SMOKING? (SCDSCMTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not smoking at least 100 cigarettes

Denominator excludes: Respondents that reported not smoking at all

Denominator excludes: Respondents that reported not having smoked in past 12 months or more

Denominator excludes: Respondents that have not received medical care within the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	261	36689	27	11.9	7.1-16.6	20	7.1	3.8-10.4	3	1.0	0.0-2.3	4	1.8	0.0-3.6	5	2.0	0.1-3.9	202	76.2	70.2-82.2
RACE																				
Native	18	3114	2	7.6	0.0-18.4	3	18.9	0.0-39.5	1	2.8	0.0-8.5	1	3.8	0.0-11.2	2	11.3	0.0-28.0	9	55.5	28.2-82.9
Non-Native	242	33311	25	12.4	7.3-17.5	17	6.0	3.0-9.1	2	0.8	0.0-2.2	3	1.6	0.0-3.5	3	1.2	0.0-2.5	192	77.9	71.9-84.0
AGE																				
18-24	24	7244	5	18.2	2.1-34.3	0		0.0-0.0	0		0.0-0.0	1	3.6	0.0-10.7	1	3.6	0.0-10.7	17	74.5	56.5-92.6
25-34	49	7143	5	11.5	1.8-21.3	6	13.2	2.3-24.0	0		0.0-0.0	1	2.2	0.0-6.5	1	2.2	0.0-6.5	36	70.9	57.0-84.8
35-44	69	8696	7	12.6	3.5-21.7	8	11.8	3.6-19.9	2	3.3	0.0-8.2	0		0.0-0.0	0		0.0-0.0	52	72.4	60.7-84.1
45-54	60	6547	7	12.6	3.0-22.2	5	7.7	0.9-14.4	1	1.3	0.0-4.0	2	3.6	0.0-8.5	1	1.3	0.0-4.0	44	73.4	61.2-85.7
55-64	29	3769	2	4.3	0.0-10.5	1	3.5	0.0-10.2	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	26	92.2	83.2-100.0
65+	27	2876	1	4.6	0.0-13.5	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	2	8.1	0.0-19.1	24	87.2	73.5-100.0
EDUCATION																				
Less Than H.S.	18	2587	1	3.4	0.0-10.2	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	2	9.0	0.0-21.5	15	87.5	73.4-100.0
H.S. or G.E.D.	82	10665	10	14.5	5.8-23.2	4	5.0	0.0-10.4	0		0.0-0.0	1	1.1	0.0-3.3	0		0.0-0.0	67	79.3	69.4-89.3
Some Post-H.S.	110	16610	12	12.8	5.0-20.5	10	7.6	2.5-12.7	2	1.8	0.0-4.5	1	1.6	0.0-4.7	3	3.1	0.0-6.8	82	73.2	63.4-82.9
College Graduate	50	6650	4	9.1	0.0-18.6	6	12.0	2.2-21.8	1	1.1	0.0-3.2	2	4.1	0.0-9.8	0		0.0-0.0	37	73.7	60.1-87.4
HOUSEHOLD INCOME																				
Less than \$15,000	44	5962	5	10.6	0.7-20.5	2	5.5	0.0-13.4	1	1.5	0.0-4.4	0		0.0-0.0	2	3.2	0.0-7.6	34	79.2	65.8-92.6
\$15,000- 24,999	59	7059	8	13.4	3.8-23.1	6	7.5	1.4-13.6	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	45	79.1	68.0-90.2
\$25,000- 34,999	40	5632	6	19.0	4.8-33.3	1	1.6	0.0-4.6	1	1.3	0.0-3.7	0		0.0-0.0	2	7.5	0.0-17.7	30	70.7	54.4-86.9
\$35,000- 49,999	45	6843	4	9.9	0.5-19.3	6	14.1	2.6-25.7	1	3.1	0.0-9.1	1	1.7	0.0-5.1	0		0.0-0.0	33	71.1	56.7-85.5
\$50,000- 74,999	30	5211	3	17.2	0.0-36.0	4	10.4	0.4-20.4	0		0.0-0.0	1	5.1	0.0-14.7	0		0.0-0.0	22	67.3	47.1-87.6
\$75,000+	18	2623	0		0.0-0.0	1	5.4	0.0-15.7	0		0.0-0.0	2	10.5	0.0-24.5	0		0.0-0.0	15	84.1	67.2-100.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004**

MODULE 16: SECOND HAND SMOKE POLICY CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)	
1	MALES AND FEMALES	57
2	MALES ONLY	58
3	FEMALES ONLY	59
	WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)	
4	MALES AND FEMALES	60
5	MALES ONLY	61
6	FEMALES ONLY	62
	WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)	
7	MALES AND FEMALES	63
8	MALES ONLY	64
9	FEMALES ONLY	65
	WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)	
10	MALES AND FEMALES	66
11	MALES ONLY	67
12	FEMALES ONLY	68

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 1: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2935	469062	2098	73.4	71.5-75.3	259	9.0	7.7-10.3	62	2.2	1.5-2.8	516	15.5	14.0-16.9
SEX														
Male	1254	231541	870	70.9	67.9-73.9	99	8.6	6.6-10.7	32	2.8	1.6-3.9	253	17.8	15.4-20.1
Female	1681	237521	1228	75.8	73.6-78.1	160	9.3	7.7-10.9	30	1.6	1.0-2.2	263	13.3	11.6-14.9
RACE														
Native	78	17134	46	59.3	44.5-74.1	12	11.4	4.2-18.6	4	5.9	0.0-12.6	16	23.4	8.9-37.8
Non-Native	2834	449035	2037	74.0	72.1-75.8	245	8.9	7.6-10.2	57	2.0	1.4-2.6	495	15.2	13.7-16.6
AGE														
18-24	189	72244	149	76.6	69.3-83.9	20	12.4	6.7-18.1	5	3.4	0.4-6.5	15	7.6	2.8-12.4
25-34	409	73765	337	83.5	79.7-87.3	31	7.2	4.6-9.9	5	0.9	0.1-1.7	36	8.4	5.6-11.2
35-44	552	85245	412	76.2	72.4-80.1	52	8.4	6.0-10.8	16	2.6	1.2-3.9	72	12.8	9.7-15.8
45-54	642	86668	442	70.6	66.8-74.4	73	10.8	8.3-13.4	15	2.4	1.1-3.6	112	16.2	13.2-19.2
55-64	443	57643	301	68.5	64.0-73.1	38	8.3	5.7-11.0	10	2.2	0.6-3.7	94	20.9	16.9-25.0
65+	690	92342	450	65.7	61.9-69.6	45	7.0	4.8-9.2	11	1.6	0.6-2.6	184	25.6	22.2-29.1
EDUCATION														
Less Than H.S.	247	38400	143	56.7	48.9-64.4	26	12.4	7.2-17.5	9	3.9	1.0-6.8	69	27.1	19.6-34.5
H.S. or G.E.D.	868	138428	563	66.9	63.3-70.6	95	11.4	8.7-14.1	26	3.2	1.5-4.8	184	18.5	15.7-21.2
Some Post-H.S.	961	158433	701	75.5	72.4-78.5	85	8.5	6.5-10.6	20	2.0	1.1-2.9	155	14.0	11.7-16.4
College Graduate	854	133224	687	82.4	79.4-85.3	53	6.1	4.0-8.2	7	0.8	0.2-1.4	107	10.8	8.6-12.9
HOUSEHOLD INCOME														
Less than \$15,000	256	38885	165	67.7	60.2-75.2	26	9.4	4.7-14.1	7	4.0	0.0-8.1	58	18.8	12.9-24.7
\$15,000- 24,999	477	73005	298	63.2	58.0-68.4	68	15.6	11.1-20.1	15	3.6	1.5-5.7	96	17.6	13.9-21.2
\$25,000- 34,999	433	69092	288	69.2	64.2-74.2	40	8.6	5.4-11.7	12	3.1	1.0-5.2	93	19.1	15.2-23.1
\$35,000- 49,999	557	87373	412	76.1	72.4-79.9	39	6.6	4.4-8.7	13	1.9	0.8-3.0	93	15.4	12.3-18.5
\$50,000- 74,999	491	81835	379	78.3	74.4-82.2	40	8.6	5.8-11.4	5	0.9	0.1-1.7	67	12.2	9.2-15.2
\$75,000+	380	62959	319	86.1	82.3-89.9	18	4.7	1.9-7.4	3	0.5	0.0-1.0	40	8.7	6.0-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 2: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	1254	231541	870	70.9	67.9-73.9	99	8.6	6.6-10.7	32	2.8	1.6-3.9	253	17.8	15.4-20.1
RACE														
Native	34	9729	18	50.6	28.4-72.9	5	11.5	0.8-22.1	2	7.6	0.0-18.7	9	30.3	7.4-53.2
Non-Native	1209	220510	846	71.8	68.9-74.8	93	8.5	6.4-10.6	30	2.5	1.4-3.7	240	17.1	14.9-19.4
AGE														
18-24	84	38528	60	68.0	56.4-79.7	10	14.5	5.5-23.5	5	6.4	0.8-12.1	9	11.0	2.7-19.4
25-34	181	38461	144	81.5	75.7-87.3	14	7.0	3.2-10.8	2	0.7	0.0-1.7	21	10.8	6.1-15.4
35-44	242	42274	180	76.2	70.5-81.9	22	7.8	4.4-11.3	6	2.3	0.4-4.3	34	13.7	9.0-18.3
45-54	286	44522	194	69.2	63.5-74.9	26	9.8	5.9-13.8	9	2.7	0.8-4.6	57	18.2	13.5-22.9
55-64	208	28259	138	67.4	60.6-74.1	10	4.1	1.5-6.7	7	3.5	0.6-6.4	53	25.0	18.8-31.1
65+	251	39109	152	61.5	55.1-68.0	17	7.2	3.7-10.8	3	1.1	0.0-2.5	79	30.1	24.2-36.0
EDUCATION														
Less Than H.S.	105	19501	54	48.8	37.0-60.6	11	13.7	5.4-22.0	5	4.9	0.0-9.8	35	32.6	20.3-44.9
H.S. or G.E.D.	394	73845	248	63.8	58.2-69.5	42	11.7	7.6-15.8	14	4.2	1.3-7.1	90	20.2	15.9-24.5
Some Post-H.S.	393	74635	286	75.6	70.8-80.4	26	6.5	3.6-9.4	9	2.1	0.7-3.6	72	15.7	11.8-19.6
College Graduate	361	63403	281	80.2	75.3-85.0	20	6.0	2.3-9.7	4	1.1	0.0-2.2	56	12.8	9.3-16.2
HOUSEHOLD INCOME														
Less than \$15,000	66	11625	42	56.0	39.5-72.4	7	11.3	1.1-21.4	2	9.1	0.0-21.6	15	23.6	9.0-38.2
\$15,000- 24,999	195	35211	110	56.0	47.6-64.4	31	19.0	11.1-26.9	7	4.4	0.7-8.2	47	20.6	14.6-26.5
\$25,000- 34,999	184	35167	114	65.2	57.4-73.1	13	8.0	2.8-13.2	8	4.7	0.9-8.6	49	22.0	15.8-28.2
\$35,000- 49,999	280	48491	200	74.3	68.9-79.7	13	4.6	2.0-7.2	8	2.2	0.6-3.8	59	18.9	14.2-23.6
\$50,000- 74,999	245	43893	186	77.8	72.3-83.3	16	6.9	3.3-10.4	2	0.6	0.0-1.5	41	14.7	10.2-19.2
\$75,000+	180	34176	148	85.3	79.5-91.0	11	6.0	1.4-10.7	1	0.2	0.0-0.7	20	8.4	4.7-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 3: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	1681	237521	1228	75.8	73.6-78.1	160	9.3	7.7-10.9	30	1.6	1.0-2.2	263	13.3	11.6-14.9
RACE														
Native	44	7405	28	70.6	56.2-85.1	7	11.4	2.3-20.4	2	3.8	0.0-9.0	7	14.2	3.0-25.5
Non-Native	1625	228525	1191	76.0	73.7-78.3	152	9.3	7.7-10.9	27	1.4	0.9-2.0	255	13.3	11.6-15.0
AGE														
18-24	105	33715	89	86.3	79.3-93.4	10	10.0	3.5-16.4	0		0.0-0.0	6	3.7	0.5-7.0
25-34	228	35305	193	85.7	81.0-90.4	17	7.4	3.8-11.1	3	1.1	0.0-2.4	15	5.8	2.8-8.8
35-44	310	42971	232	76.3	71.2-81.4	30	9.0	5.7-12.4	10	2.8	1.0-4.6	38	11.9	7.9-15.9
45-54	356	42146	248	72.1	67.2-77.0	47	11.9	8.5-15.3	6	2.0	0.4-3.7	55	14.0	10.3-17.7
55-64	235	29384	163	69.7	63.4-75.9	28	12.4	7.9-16.9	3	0.9	0.0-2.0	41	17.1	12.0-22.2
65+	439	53234	298	68.8	64.1-73.5	28	6.9	4.2-9.5	8	2.0	0.6-3.4	105	22.3	18.3-26.4
EDUCATION														
Less Than H.S.	142	18899	89	64.8	55.9-73.7	15	11.0	5.0-17.1	4	2.8	0.0-5.7	34	21.4	14.0-28.7
H.S. or G.E.D.	474	64583	315	70.5	66.0-75.0	53	11.0	7.7-14.3	12	2.0	0.8-3.2	94	16.5	13.1-19.8
Some Post-H.S.	568	83798	415	75.3	71.4-79.2	59	10.3	7.4-13.2	11	1.8	0.7-3.0	83	12.5	9.7-15.4
College Graduate	493	69821	406	84.4	80.9-87.8	33	6.2	4.0-8.4	3	0.6	0.0-1.2	51	8.9	6.2-11.6
HOUSEHOLD INCOME														
Less than \$15,000	190	27259	123	72.7	65.4-80.0	19	8.6	3.5-13.7	5	1.9	0.1-3.6	43	16.8	11.4-22.2
\$15,000- 24,999	282	37793	188	69.9	64.0-75.9	37	12.5	8.1-16.9	8	2.8	0.8-4.8	49	14.8	10.3-19.2
\$25,000- 34,999	249	33925	174	73.3	67.3-79.3	27	9.2	5.6-12.8	4	1.4	0.0-2.8	44	16.1	11.2-21.1
\$35,000- 49,999	277	38882	212	78.4	73.3-83.4	26	9.0	5.4-12.6	5	1.5	0.1-2.9	34	11.1	7.3-14.9
\$50,000- 74,999	246	37942	193	78.8	73.4-84.3	24	10.6	6.3-14.9	3	1.2	0.0-2.6	26	9.3	5.6-13.1
\$75,000+	200	28783	171	87.1	82.4-91.8	7	3.1	0.7-5.4	2	0.7	0.0-1.8	20	9.1	5.0-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 4: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1953	318360	1453	72.9	70.6-75.2	500	27.1	24.8-29.4
SEX								
Male	928	174012	497	55.8	52.1-59.4	431	44.3	40.6-47.9
Female	1025	144347	956	93.5	91.9-95.1	69	6.5	4.9-8.1
RACE								
Native	46	8334	38	82.8	71.3-94.4	8	17.1	5.8-28.5
Non-Native	1898	309192	1409	72.6	70.2-75.0	489	27.4	25.1-29.7
AGE								
18-24	121	45012	93	74.5	65.7-83.4	28	25.5	16.6-34.3
25-34	345	62760	274	78.5	73.8-83.2	71	21.5	16.8-26.2
35-44	491	76203	377	75.3	71.2-79.5	114	24.6	20.5-28.8
45-54	557	75903	413	71.4	67.3-75.6	144	28.6	24.4-32.7
55-64	327	43420	224	66.3	60.8-71.9	103	33.7	28.2-39.2
65+	109	14614	71	58.1	47.7-68.5	38	41.9	31.5-52.3
EDUCATION								
Less Than H.S.	70	11847	41	54.1	40.7-67.6	29	45.9	32.4-59.3
H.S. or G.E.D.	545	92555	348	61.4	56.6-66.2	197	38.6	33.8-43.4
Some Post-H.S.	678	110144	501	72.0	68.0-76.1	177	28.0	23.9-32.0
College Graduate	659	103696	562	86.1	83.2-88.9	97	13.9	11.1-16.7
HOUSEHOLD INCOME								
Less than \$15,000	80	14466	69	88.6	80.5-96.7	11	11.4	4.2-18.7
\$15,000- 24,999	266	41973	195	69.3	62.6-76.1	71	30.7	24.0-37.4
\$25,000- 34,999	268	44134	191	69.0	62.4-75.6	77	31.0	24.4-37.6
\$35,000- 49,999	441	68682	320	70.4	65.6-75.2	121	29.6	24.8-34.4
\$50,000- 74,999	420	68869	318	76.0	71.7-80.4	102	24.0	19.6-28.3
\$75,000+	323	54045	242	72.5	66.4-78.6	81	27.5	21.4-33.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 5: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	928	174012	497	55.8	52.1-59.4	431	44.3	40.6-47.9
RACE								
Native	21	4609	14	73.6	54.8-92.3	7	26.4	8.1-44.7
Non-Native	903	169008	482	55.3	51.6-59.0	421	44.7	41.0-48.4
AGE								
18-24	60	26837	34	59.7	46.3-73.1	26	40.3	26.9-53.6
25-34	165	34853	102	64.8	57.3-72.4	63	35.2	27.6-42.7
35-44	234	41062	138	59.9	53.3-66.6	96	40.1	33.4-46.7
45-54	258	40718	132	51.5	44.9-58.0	126	48.5	42.0-55.1
55-64	162	22607	76	45.9	37.8-54.0	86	54.1	46.0-62.2
65+	47	7546	14	29.1	15.2-43.0	33	70.9	56.8-85.0
EDUCATION								
Less Than H.S.	36	7041	13	41.1	22.3-59.8	23	58.9	40.2-77.7
H.S. or G.E.D.	295	57951	116	42.9	36.2-49.7	179	57.1	50.4-63.8
Some Post-H.S.	305	56768	149	50.5	44.0-56.9	156	49.5	43.1-56.0
College Graduate	292	52253	219	77.7	72.7-82.7	73	22.3	17.3-27.3
HOUSEHOLD INCOME								
Less than \$15,000	21	5002	13	74.9	54.0-95.8	8	25.1	6.8-43.5
\$15,000- 24,999	114	22324	57	51.7	40.7-62.7	57	48.3	37.3-59.2
\$25,000- 34,999	122	24390	53	47.7	37.2-58.3	69	52.3	41.7-62.8
\$35,000- 49,999	223	38529	112	50.5	43.3-57.8	111	49.4	42.2-56.7
\$50,000- 74,999	219	38875	131	62.0	55.2-68.9	88	37.9	31.2-44.7
\$75,000+	170	32054	102	58.9	50.0-67.7	68	41.1	32.3-50.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 6: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1025	144347	956	93.5	91.9-95.1	69	6.5	4.9-8.1
RACE								
Native	25	3724	24	94.3	83.5-100.0	1	5.7	0.0-16.5
Non-Native	995	140184	927	93.4	91.8-95.1	68	6.5	4.9-8.2
AGE								
18-24	61	18175	59	96.4	91.4-100.0	2	3.6	0.0-8.6
25-34	180	27906	172	95.5	92.4-98.6	8	4.5	1.4-7.6
35-44	257	35140	239	93.4	90.1-96.6	18	6.6	3.4-9.9
45-54	299	35186	281	94.5	92.0-97.1	18	5.4	2.9-8.0
55-64	165	20813	148	88.5	83.0-94.0	17	11.5	6.0-17.0
65+	62	7068	57	89.0	79.6-98.5	5	10.9	1.5-20.4
EDUCATION								
Less Than H.S.	34	4806	28	73.3	53.9-92.6	6	26.7	7.4-46.1
H.S. or G.E.D.	250	34605	232	92.3	88.6-96.0	18	7.7	4.0-11.3
Some Post-H.S.	373	53376	352	95.0	92.8-97.2	21	5.0	2.8-7.2
College Graduate	367	51443	343	94.6	92.3-96.9	24	5.4	3.2-7.6
HOUSEHOLD INCOME								
Less than \$15,000	59	9465	56	95.8	90.7-100.0	3	4.2	0.0-9.3
\$15,000- 24,999	152	19649	138	89.3	83.3-95.3	14	10.7	4.8-16.6
\$25,000- 34,999	146	19744	138	95.3	92.0-98.6	8	4.7	1.4-8.0
\$35,000- 49,999	218	30153	208	95.8	93.0-98.5	10	4.2	1.5-7.0
\$50,000- 74,999	201	29994	187	94.2	91.1-97.2	14	5.8	2.8-8.9
\$75,000+	153	21991	140	92.3	88.2-96.5	13	7.6	3.5-11.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 7: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported being unemployed  
Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1436	229730	1154	78.3	75.8-80.9	154	12.0	10.0-14.1	34	2.5	1.6-3.4	94	7.1	5.6-8.7
SEX														
Male	493	96522	351	70.1	65.4-74.8	74	16.9	12.8-21.0	17	3.1	1.6-4.7	51	9.8	7.0-12.7
Female	943	133208	803	84.3	81.6-87.1	80	8.5	6.5-10.5	17	2.0	0.9-3.1	43	5.2	3.4-6.9
RACE														
Native	38	6904	26	65.7	48.9-82.6	5	12.9	1.1-24.8	3	8.8	0.0-18.4	4	12.6	0.9-24.2
Non-Native	1393	222387	1123	78.7	76.1-81.3	149	12.0	9.9-14.2	31	2.3	1.4-3.2	90	7.0	5.4-8.5
AGE														
18-24	93	33548	62	65.3	54.4-76.1	17	20.1	10.6-29.7	2	2.4	0.0-5.6	12	12.2	5.2-19.2
25-34	271	48829	218	79.2	74.0-84.4	32	12.8	8.5-17.1	8	3.0	0.9-5.1	13	5.0	2.3-7.7
35-44	375	57133	309	81.7	77.4-85.9	35	9.4	6.3-12.6	10	3.0	1.1-5.0	21	5.9	3.4-8.4
45-54	408	53779	333	80.3	76.1-84.6	45	11.5	8.1-15.0	7	1.8	0.4-3.2	23	6.3	3.7-8.9
55-64	220	28141	177	81.8	76.2-87.3	21	9.2	5.4-13.0	3	0.8	0.0-1.8	19	8.2	4.5-11.9
65+	68	8067	54	78.2	67.0-89.4	4	6.4	0.2-12.7	4	5.9	0.4-11.4	6	9.5	2.0-16.9
EDUCATION														
Less Than H.S.	41	6413	22	58.5	40.9-76.1	10	24.2	9.0-39.4	4	7.3	0.0-14.7	5	9.9	0.7-19.2
H.S. or G.E.D.	344	56208	244	66.3	60.1-72.6	48	16.6	11.4-21.8	17	4.6	2.2-7.0	35	12.5	8.1-17.0
Some Post-H.S.	494	78503	382	75.5	71.1-80.0	66	15.0	11.1-18.9	6	1.5	0.3-2.7	40	7.9	5.4-10.5
College Graduate	556	88488	505	89.9	87.0-92.8	30	5.7	3.5-7.8	7	1.6	0.3-3.0	14	2.8	1.3-4.3
HOUSEHOLD INCOME														
Less than \$15,000	66	12564	48	65.5	49.4-81.7	11	24.7	8.9-40.5	2	4.0	0.0-10.2	5	5.8	0.2-11.4
\$15,000- 24,999	194	29038	140	68.7	60.5-77.0	29	18.8	11.3-26.2	4	1.4	0.0-2.7	21	11.2	6.2-16.2
\$25,000- 34,999	189	30216	149	75.9	68.4-83.3	22	13.0	7.3-18.7	6	3.6	0.4-6.9	12	7.4	2.7-12.2
\$35,000- 49,999	319	48195	255	78.1	72.9-83.4	38	12.5	8.3-16.7	8	2.9	0.8-4.9	18	6.5	3.4-9.5
\$50,000- 74,999	314	51864	258	81.9	77.4-86.4	27	8.1	5.1-11.2	9	3.1	1.1-5.1	20	6.9	3.9-9.9
\$75,000+	240	38922	210	87.2	82.6-91.7	16	7.6	3.9-11.2	3	1.3	0.0-2.9	11	4.0	1.6-6.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 8: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	493	96522	351	70.1	65.4-74.8	74	16.9	12.8-21.0	17	3.1	1.6-4.7	51	9.8	7.0-12.7
RACE														
Native	14	3392	9	65.7	39.7-91.8	1	9.4	0.0-26.8	1	6.3	0.0-18.3	3	18.6	0.0-38.4
Non-Native	479	93130	342	70.3	65.5-75.1	73	17.2	13.0-21.4	16	3.0	1.5-4.6	48	9.5	6.7-12.4
AGE														
18-24	34	16031	19	58.6	40.7-76.4	11	31.5	14.6-48.4	0		0.0-0.0	4	9.9	0.0-19.9
25-34	101	22493	71	71.5	62.4-80.5	17	16.7	9.2-24.3	4	3.8	0.1-7.4	9	8.0	2.9-13.1
35-44	138	24609	102	73.1	65.3-80.9	18	12.7	6.9-18.5	6	5.1	1.0-9.2	12	9.1	4.2-14.0
45-54	131	20805	92	68.8	60.3-77.4	23	18.1	11.0-25.2	4	3.0	0.0-6.0	12	10.1	4.4-15.8
55-64	75	10310	58	80.4	71.3-89.5	5	6.0	0.8-11.2	1	0.7	0.0-2.0	11	13.0	5.3-20.7
65+	13	2040	8	67.4	40.4-94.4	0		0.0-0.0	2	11.5	0.0-26.7	3	21.1	0.0-43.2
EDUCATION														
Less Than H.S.	13	2891	3	43.0	9.7-76.2	5	36.9	7.3-66.5	1	2.7	0.0-8.2	4	17.4	0.0-36.4
H.S. or G.E.D.	115	24774	66	53.5	42.5-64.5	22	24.3	14.1-34.5	7	4.5	0.9-8.1	20	17.7	9.6-25.8
Some Post-H.S.	148	28497	90	60.3	51.5-69.2	36	26.0	17.7-34.2	4	3.0	0.1-5.8	18	10.7	5.8-15.6
College Graduate	217	40360	192	89.1	84.8-93.5	11	4.5	1.7-7.4	5	2.4	0.3-4.6	9	3.9	1.3-6.5
HOUSEHOLD INCOME														
Less than \$15,000	13	3746	8	52.8	17.1-88.6	4	45.3	9.3-81.4	0		0.0-0.0	1	1.8	0.0-5.6
\$15,000- 24,999	57	11547	27	47.6	31.0-64.3	14	30.0	14.5-45.5	3	2.6	0.0-5.6	13	19.8	8.7-30.9
\$25,000- 34,999	52	11533	39	70.4	55.7-85.1	9	20.7	8.1-33.3	0		0.0-0.0	4	8.9	0.0-18.7
\$35,000- 49,999	112	19477	75	65.0	55.0-74.9	20	18.5	10.2-26.9	6	5.7	1.0-10.5	11	10.8	4.4-17.1
\$50,000- 74,999	130	24052	96	75.1	67.5-82.7	13	9.0	4.1-13.9	6	4.9	1.1-8.8	15	11.0	5.6-16.3
\$75,000+	102	18865	83	82.6	75.2-90.1	11	10.5	4.4-16.7	2	2.3	0.0-5.6	6	4.5	0.9-8.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 9: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	943	133208	803	84.3	81.6-87.1	80	8.5	6.5-10.5	17	2.0	0.9-3.1	43	5.2	3.4-6.9
RACE														
Native	24	3512	17	65.7	44.2-87.3	4	16.4	0.3-32.5	2	11.2	0.0-26.0	1	6.7	0.0-19.3
Non-Native	914	129257	781	84.8	82.0-87.6	76	8.3	6.3-10.4	15	1.7	0.7-2.8	42	5.1	3.4-6.9
AGE														
18-24	59	17517	43	71.4	58.6-84.2	6	9.8	1.2-18.3	2	4.5	0.0-10.6	8	14.3	4.5-24.1
25-34	170	26336	147	85.8	80.1-91.6	15	9.4	4.7-14.1	4	2.4	0.0-4.8	4	2.4	0.0-4.8
35-44	237	32524	207	88.1	83.8-92.5	17	7.0	3.6-10.4	4	1.4	0.0-2.8	9	3.5	1.1-5.9
45-54	277	32973	241	87.6	83.5-91.7	22	7.4	4.1-10.7	3	1.1	0.0-2.3	11	3.9	1.6-6.3
55-64	145	17831	119	82.5	75.5-89.6	16	11.0	5.8-16.2	2	0.9	0.0-2.2	8	5.5	1.7-9.3
65+	55	6027	46	81.8	70.0-93.6	4	8.6	0.3-17.0	2	4.0	0.0-9.2	3	5.5	0.0-11.6
EDUCATION														
Less Than H.S.	28	3522	19	71.2	53.8-88.6	5	13.8	1.7-26.0	3	11.2	0.0-23.3	1	3.8	0.0-11.1
H.S. or G.E.D.	229	31434	178	76.4	69.9-83.0	26	10.5	6.5-14.5	10	4.6	1.4-7.8	15	8.5	3.6-13.4
Some Post-H.S.	346	50006	292	84.2	79.6-88.8	30	8.8	5.2-12.4	2	0.7	0.0-1.7	22	6.3	3.4-9.2
College Graduate	339	48128	313	90.5	86.6-94.4	19	6.6	3.5-9.8	2	1.0	0.0-2.6	5	1.9	0.2-3.6
HOUSEHOLD INCOME														
Less than \$15,000	53	8819	40	70.9	54.6-87.3	7	15.9	2.2-29.7	2	5.7	0.0-14.3	4	7.5	0.0-15.2
\$15,000- 24,999	137	17491	113	82.6	75.3-90.0	15	11.3	4.9-17.7	1	0.6	0.0-1.7	8	5.5	1.4-9.6
\$25,000- 34,999	137	18683	110	79.3	71.4-87.1	13	8.3	3.5-13.0	6	5.9	0.7-11.1	8	6.6	1.8-11.3
\$35,000- 49,999	207	28718	180	87.1	82.0-92.1	18	8.5	4.4-12.5	2	0.9	0.0-2.2	7	3.5	0.7-6.4
\$50,000- 74,999	184	27811	162	87.8	82.5-93.0	14	7.4	3.6-11.2	3	1.4	0.0-3.0	5	3.4	0.1-6.7
\$75,000+	138	20057	127	91.4	86.2-96.7	5	4.8	0.7-8.9	1	0.3	0.0-1.0	5	3.4	0.4-6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 10: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1437	229954	1191	81.3	79.0-83.7	134	9.9	8.2-11.7	33	3.0	1.9-4.1	79	5.7	4.3-7.1
SEX														
Male	492	96183	359	73.6	69.3-77.9	69	13.4	10.2-16.5	22	5.0	2.9-7.2	42	8.0	5.4-10.6
Female	945	133771	832	86.9	84.3-89.5	65	7.5	5.5-9.4	11	1.6	0.5-2.6	37	4.1	2.5-5.7
RACE														
Native	38	6904	29	73.5	57.9-89.1	5	15.4	2.3-28.4	2	5.3	0.0-12.7	2	5.8	0.0-13.6
Non-Native	1394	222611	1157	81.5	79.1-83.9	129	9.8	8.0-11.5	31	3.0	1.9-4.1	77	5.7	4.3-7.2
AGE														
18-24	93	33548	68	75.1	65.8-84.4	14	11.5	5.3-17.8	6	5.8	1.1-10.5	5	7.5	1.0-14.0
25-34	273	49093	221	78.7	73.4-84.0	31	13.1	8.6-17.5	12	4.9	2.1-7.7	9	3.3	1.1-5.5
35-44	373	56783	316	83.6	79.5-87.8	32	9.0	5.9-12.2	8	2.6	0.7-4.4	17	4.7	2.5-7.0
45-54	406	53506	342	83.3	79.2-87.3	35	8.7	5.8-11.7	4	1.4	0.0-2.8	25	6.6	4.0-9.2
55-64	222	28537	187	84.9	79.9-89.8	17	7.4	3.9-10.9	2	1.1	0.0-2.6	16	6.7	3.3-10.0
65+	69	8255	56	80.8	70.5-91.2	5	7.5	1.1-13.9	1	0.9	0.0-2.8	7	10.7	2.8-18.6
EDUCATION														
Less Than H.S.	40	6334	23	53.7	35.2-72.3	10	25.8	9.9-41.8	2	4.1	0.0-9.7	5	16.3	0.1-32.6
H.S. or G.E.D.	344	56292	262	74.1	68.6-79.6	37	11.0	7.3-14.8	17	6.2	3.1-9.3	28	8.7	5.0-12.4
Some Post-H.S.	495	78623	399	79.4	75.4-83.5	50	10.8	7.8-13.9	10	2.7	1.0-4.4	36	7.0	4.5-9.5
College Graduate	557	88587	506	89.6	86.6-92.5	37	7.3	4.8-9.8	4	1.2	0.0-2.4	10	1.9	0.7-3.2
HOUSEHOLD INCOME														
Less than \$15,000	66	12564	49	73.3	59.3-87.3	9	10.1	3.0-17.1	3	5.6	0.0-12.4	5	11.0	0.0-22.6
\$15,000- 24,999	193	28959	150	76.9	69.8-83.9	29	16.3	10.1-22.6	6	3.8	0.5-7.1	8	3.1	0.8-5.3
\$25,000- 34,999	189	30326	156	78.6	71.4-85.9	17	11.0	5.7-16.3	6	4.5	0.6-8.4	10	5.9	1.6-10.2
\$35,000- 49,999	318	48018	259	79.1	74.1-84.2	28	10.3	6.5-14.2	8	3.2	1.0-5.4	23	7.4	4.2-10.5
\$50,000- 74,999	315	51934	267	83.9	79.5-88.3	23	7.1	4.2-10.0	9	3.8	1.3-6.3	16	5.1	2.6-7.7
\$75,000+	242	39174	212	87.3	82.7-91.8	18	7.9	4.1-11.7	1	0.7	0.0-2.1	11	4.1	1.6-6.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 11: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
<b>MALES ONLY</b>														
<b>SEX</b>														
Male	492	96183	359	73.6	69.3-77.9	69	13.4	10.2-16.6	22	5.0	2.9-7.2	42	8.0	5.4-10.6
<b>RACE</b>														
Native	14	3392	9	65.7	39.7-91.8	2	16.3	0.0-37.2	1	6.3	0.0-18.3	2	11.8	0.0-27.5
Non-Native	478	92791	350	73.9	69.6-78.3	67	13.3	10.0-16.5	21	5.0	2.8-7.2	40	7.8	5.2-10.5
<b>AGE</b>														
18-24	34	16031	25	79.6	66.5-92.6	5	9.4	1.0-17.7	2	4.4	0.0-10.5	2	6.6	0.0-15.5
25-34	102	22599	71	68.5	59.1-78.0	15	16.4	8.7-24.2	9	8.9	3.3-14.6	7	6.1	1.6-10.6
35-44	137	24330	106	76.0	68.4-83.7	15	11.7	6.0-17.4	6	5.0	1.0-9.0	10	7.3	2.9-11.6
45-54	130	20650	91	70.1	61.6-78.6	23	16.3	9.8-22.9	3	3.0	0.0-6.6	13	10.5	4.8-16.3
55-64	76	10379	59	79.9	70.7-89.1	9	10.6	3.8-17.3	1	2.0	0.0-5.8	7	7.6	1.7-13.5
65+	12	1962	6	54.1	24.9-83.3	2	16.0	0.0-34.6	1	4.0	0.0-11.0	3	25.9	1.9-50.0
<b>EDUCATION</b>														
Less Than H.S.	12	2813	3	29.5	0.6-58.4	5	36.1	6.5-65.7	0		0.0-0.0	4	34.4	2.7-66.1
H.S. or G.E.D.	115	24601	75	67.3	57.5-77.1	15	11.4	5.4-17.4	11	10.1	4.0-16.1	14	11.2	4.9-17.5
Some Post-H.S.	147	28342	97	67.4	59.2-75.6	25	16.8	10.5-23.2	8	5.9	1.8-10.0	17	9.8	5.2-14.5
College Graduate	218	40428	184	84.9	79.8-90.0	24	10.5	6.2-14.9	3	1.7	0.0-3.6	7	2.9	0.6-5.2
<b>HOUSEHOLD INCOME</b>														
Less than \$15,000	13	3746	9	76.5	48.8-100.0	3	9.3	0.0-22.2	0		0.0-0.0	1	14.2	0.0-39.8
\$15,000- 24,999	56	11468	37	69.0	55.2-82.7	12	19.8	8.6-31.0	5	8.6	0.6-16.7	2	2.6	0.0-6.4
\$25,000- 34,999	53	11639	36	66.4	51.4-81.4	10	19.2	7.4-30.9	1	3.0	0.0-8.9	6	11.4	1.0-21.8
\$35,000- 49,999	112	19477	77	67.6	58.1-77.2	15	14.1	7.0-21.2	7	7.0	1.8-12.2	13	11.2	5.0-17.5
\$50,000- 74,999	130	23966	96	74.6	66.8-82.4	13	8.1	3.7-12.5	8	7.7	2.5-13.0	13	9.5	4.4-14.7
\$75,000+	102	18865	82	80.9	72.9-88.9	12	12.0	5.3-18.8	1	1.5	0.0-4.4	7	5.6	1.4-9.7

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 16: SECOND HAND SMOKE POLICY**

**TABLE 12: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
<b>FEMALES ONLY</b>														
<b>SEX</b>														
Female	945	133771	832	86.9	84.3-89.5	65	7.5	5.5-9.4	11	1.6	0.5-2.6	37	4.1	2.5-5.7
<b>RACE</b>														
Native	24	3512	20	81.0	63.6-98.4	3	14.5	0.0-30.3	1	4.5	0.0-13.1	0		0.0-0.0
Non-Native	916	129820	807	87.0	84.3-89.6	62	7.3	5.4-9.3	10	1.5	0.4-2.6	37	4.2	2.5-5.9
<b>AGE</b>														
18-24	59	17517	43	71.0	58.2-83.9	9	13.5	4.5-22.5	4	7.1	0.1-14.2	3	8.3	0.0-17.6
25-34	171	26493	150	87.4	82.1-92.8	16	10.2	5.3-15.1	3	1.5	0.0-3.2	2	0.9	0.0-2.2
35-44	236	32454	210	89.3	85.2-93.4	17	7.1	3.7-10.5	2	0.8	0.0-1.8	7	2.8	0.7-5.0
45-54	276	32856	251	91.6	88.1-95.0	12	3.9	1.6-6.3	1	0.4	0.0-1.0	12	4.1	1.8-6.4
55-64	146	18158	128	87.7	81.9-93.5	8	5.6	1.6-9.6	1	0.5	0.0-1.6	9	6.1	2.1-10.2
65+	57	6293	50	89.2	81.2-97.2	3	4.9	0.0-10.5	0		0.0-0.0	4	5.9	0.0-11.9
<b>EDUCATION</b>														
Less Than H.S.	28	3522	20	73.1	55.2-91.0	5	17.7	1.9-33.4	2	7.4	0.0-17.3	1	1.9	0.0-5.6
H.S. or G.E.D.	229	31691	187	79.4	73.0-85.8	22	10.8	6.1-15.4	6	3.1	0.2-6.0	14	6.7	2.4-11.1
Some Post-H.S.	348	50281	302	86.2	81.9-90.5	25	7.5	4.3-10.6	2	0.9	0.0-2.2	19	5.4	2.4-8.4
College Graduate	339	48159	322	93.5	90.1-96.9	13	4.6	1.9-7.3	1	0.8	0.0-2.4	3	1.1	0.0-2.4
<b>HOUSEHOLD INCOME</b>														
Less than \$15,000	53	8819	40	72.0	55.9-88.0	6	10.4	2.0-18.8	3	7.9	0.0-17.4	4	9.7	0.0-22.2
\$15,000- 24,999	137	17491	113	82.0	74.2-89.9	17	14.1	6.6-21.5	1	0.6	0.0-1.7	6	3.3	0.5-6.1
\$25,000- 34,999	136	18687	120	86.2	79.2-93.2	7	5.9	1.4-10.4	5	5.4	0.2-10.6	4	2.4	0.0-4.9
\$35,000- 49,999	206	28541	182	87.0	81.6-92.4	13	7.7	3.4-12.1	1	0.5	0.0-1.6	10	4.7	1.7-7.8
\$50,000- 74,999	185	27968	171	91.8	87.6-96.1	10	6.3	2.5-10.1	1	0.5	0.0-1.5	3	1.3	0.0-2.9
\$75,000+	140	20309	130	93.2	88.8-97.6	6	4.1	0.6-7.7	0		0.0-0.0	4	2.7	0.0-5.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004**

**MODULE 19: BINGE DRINKING CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE MOST RECENT OCCASION WHEN YOU HAD 5 OR MORE ALCOHOLIC BEVERAGES, ABOUT HOW MANY BEERS, INCLUDING MALT LIQUOR, DID YOU DRINK? (DRNKBEER)	
1	MALES AND FEMALES	70
2	MALES ONLY	71
3	FEMALES ONLY	72
	DURING THE SAME OCCASION, ABOUT HOW MANY GLASSES OF WINE, INCLUDING WINE COOLERS, HARD LEMONADE, OR HARD CIDER, DID YOU DRINK? (DRNKWINE)	
4	MALES AND FEMALES	73
5	MALES ONLY	74
6	FEMALES ONLY	75
	DURING THE SAME OCCASION, ABOUT HOW MANY DRINKS OF LIQUOR, INCLUDING COCKTAILS, DID YOU HAVE? (DRNKLIQR)	
7	MALES AND FEMALES	76
8	MALES ONLY	77
9	FEMALES ONLY	78
	DURING THIS MOST RECENT OCCASION, WHERE WERE YOU WHEN YOU DID MOST OF YOUR DRINKING? (DRNKLOC)	
10	MALES AND FEMALES	79
11	MALES ONLY	80
12	FEMALES ONLY	81
	DURING THIS MOST RECENT OCCASION, HOW DID YOU GET MOST OF THE ALCOHOL? (BUYALCH)	
13	MALES AND FEMALES	82
14	MALES ONLY	83
15	FEMALES ONLY	84
	DID YOU DRIVE A MOTOR VEHICLE, SUCH AS A CAR, TRUCK, OR MOTORCYCLE DURING OR WITHIN A COUPLE OF HOURS AFTER THIS OCCASION? (BINGEDRV)	
16	MALES AND FEMALES	85
17	MALES ONLY	86
18	FEMALES ONLY	87



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 1: DURING THE MOST RECENT OCCASION WHEN YOU HAD 5 OR MORE ALCOHOLIC BEVERAGES, ABOUT HOW MANY BEERS, INCLUDING MALT LIQUOR, DID YOU DRINK?  
(DRNKBEER)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Beer			Two Beers			Three Beers			Four Beers			Five or More Beers			No Beer		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	468	93416	6	1.0	0.2-1.8	10	1.9	0.6-3.1	17	2.3	1.2-3.5	24	5.6	3.0-8.2	356	77.8	73.3-82.3	55	11.4	7.8-15.0
SEX																				
Male	318	67618	4	1.1	0.0-2.1	9	2.4	0.7-4.1	9	1.9	0.6-3.2	8	3.5	0.7-6.3	259	81.0	75.6-86.5	29	10.1	5.6-14.6
Female	150	25797	2	0.8	0.0-1.8	1	0.5	0.0-1.5	8	3.7	1.0-6.3	16	11.1	5.0-17.1	97	69.3	61.0-77.6	26	14.7	8.9-20.6
RACE																				
Native	19	4857	0		0.0-0.0	0		0.0-0.0	3	11.1	0.0-23.9	1	2.4	0.0-7.2	15	86.5	72.7-100.0	0		0.0-0.0
Non-Native	449	88559	6	1.0	0.2-1.9	10	2.0	0.7-3.3	14	1.9	0.8-2.9	23	5.8	3.0-8.5	341	77.3	72.6-82.0	55	12.0	8.2-15.8
AGE																				
18-24	72	28850	0		0.0-0.0	1	0.5	0.0-1.4	0		0.0-0.0	6	7.3	0.7-13.8	59	82.2	71.7-92.7	6	10.1	1.2-19.0
25-34	125	23500	2	1.2	0.0-3.1	7	5.2	1.1-9.3	3	1.5	0.0-3.3	6	4.6	0.4-8.9	93	77.0	69.0-85.0	14	10.4	4.6-16.3
35-44	120	19843	2	1.9	0.0-4.5	0		0.0-0.0	2	1.9	0.0-4.5	7	6.3	1.4-11.2	97	79.3	71.5-87.2	12	10.6	4.7-16.4
45-54	95	13995	1	0.8	0.0-2.5	1	1.1	0.0-3.3	11	10.0	3.9-16.1	4	4.8	0.0-9.5	63	68.4	58.4-78.3	15	14.9	7.4-22.4
55-64	42	5403	1	2.5	0.0-7.5	0		0.0-0.0	1	1.3	0.0-3.8	1	2.4	0.0-7.1	34	82.0	69.9-94.0	5	11.8	1.4-22.2
65+	14	1825	0		0.0-0.0	1	13.0	0.0-36.2	0		0.0-0.0	0		0.0-0.0	10	62.5	34.2-90.7	3	24.5	0.3-48.6
EDUCATION																				
Less Than H.S.	19	3734	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	2	7.1	0.0-16.8	14	81.0	64.5-97.4	3	12.0	0.0-25.3
H.S. or G.E.D.	143	28651	2	0.9	0.0-2.1	2	0.7	0.0-1.8	8	3.9	1.1-6.8	8	6.6	1.0-12.2	108	79.7	72.3-87.1	15	8.2	3.7-12.7
Some Post-H.S.	172	35242	2	1.1	0.0-2.7	6	3.3	0.5-6.1	5	1.8	0.1-3.5	9	5.3	1.4-9.2	127	72.5	63.9-81.0	23	16.0	8.2-23.9
College Graduate	134	25790	2	1.0	0.0-2.6	2	1.4	0.0-3.4	4	1.8	0.0-3.6	5	4.7	0.1-9.3	107	82.6	75.6-89.5	14	8.5	3.9-13.2
HOUSEHOLD INCOME																				
Less than \$15,000	36	9451	0		0.0-0.0	1	1.4	0.0-4.2	1	1.3	0.0-3.7	4	6.0	0.0-12.2	25	78.5	62.4-94.5	5	12.9	0.0-27.7
\$15,000- 24,999	72	14822	1	0.5	0.0-1.6	1	0.7	0.0-2.1	6	6.2	0.9-11.5	4	5.5	0.0-11.6	51	78.2	68.1-88.4	9	8.8	2.4-15.2
\$25,000- 34,999	70	13843	1	1.5	0.0-4.5	3	3.6	0.0-7.9	2	1.6	0.0-4.0	6	8.5	1.6-15.4	51	76.1	65.8-86.5	7	8.6	2.1-15.1
\$35,000- 49,999	107	18932	0		0.0-0.0	3	3.4	0.0-7.4	4	2.1	0.0-4.1	4	4.8	0.0-10.1	85	80.7	72.3-89.1	11	9.0	3.3-14.8
\$50,000- 74,999	100	18375	2	1.8	0.0-4.2	1	1.1	0.0-3.4	3	2.1	0.0-4.6	2	1.7	0.0-4.0	78	78.0	69.4-86.7	14	15.2	7.5-23.0
\$75,000+	60	12318	1	1.5	0.0-4.5	1	1.3	0.0-3.7	1	1.3	0.0-3.7	4	11.8	0.0-24.7	49	79.2	65.6-92.8	4	5.0	0.0-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 2: DURING THE MOST RECENT OCCASION WHEN YOU HAD 5 OR MORE ALCOHOLIC BEVERAGES, ABOUT HOW MANY BEERS, INCLUDING MALT LIQUOR, DID YOU DRINK?  
(DRNKBEER)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Beer			Two Beers			Three Beers			Four Beers			Five or More Beers			No Beer		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	318	67618	4	1.1	0.0-2.1	9	2.4	0.7-4.1	9	1.9	0.5-3.2	8	3.5	0.7-6.3	259	81.0	75.6-86.5	29	10.1	5.6-14.6
RACE																				
Native	11	3467	0		0.0-0.0	0		0.0-0.0	2	12.1	0.0-28.8	0		0.0-0.0	9	87.9	71.2-100.0	0		0.0-0.0
Non-Native	307	64152	4	1.1	0.0-2.2	9	2.5	0.8-4.3	7	1.3	0.3-2.3	8	3.7	0.8-6.6	250	80.7	75.1-86.3	29	10.7	5.9-15.4
AGE																				
18-24	41	18512	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	3.8	0.0-11.2	36	83.3	68.9-97.6	4	12.9	0.0-26.0
25-34	82	17612	1	1.2	0.0-3.6	7	6.9	1.5-12.4	0		0.0-0.0	1	2.4	0.0-7.1	66	80.4	70.9-89.9	7	9.0	2.0-16.1
35-44	82	14682	2	2.5	0.0-6.0	0		0.0-0.0	2	2.5	0.0-6.0	4	6.3	0.2-12.5	70	84.1	75.6-92.6	4	4.4	0.0-8.9
45-54	69	10869	0		0.0-0.0	1	1.4	0.0-4.2	6	7.5	1.2-13.8	2	2.9	0.0-7.2	50	73.9	63.0-84.9	10	14.3	5.6-23.0
55-64	34	4453	1	3.1	0.0-9.0	0		0.0-0.0	1	1.5	0.0-4.6	0		0.0-0.0	30	87.7	75.8-99.6	2	7.7	0.0-18.1
65+	10	1491	0		0.0-0.0	1	15.9	0.0-43.8	0		0.0-0.0	0		0.0-0.0	7	63.0	30.7-95.4	2	21.0	0.0-47.0
EDUCATION																				
Less Than H.S.	12	2616	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	10	88.0	71.6-100.0	2	12.0	0.0-28.4
H.S. or G.E.D.	106	22743	1	0.6	0.0-1.8	2	0.9	0.0-2.2	5	3.5	0.3-6.8	4	6.2	0.0-12.9	87	82.9	74.5-91.3	7	5.8	1.3-10.4
Some Post-H.S.	114	24819	2	1.6	0.0-3.8	5	4.2	0.3-8.0	3	1.3	0.0-3.0	2	1.9	0.0-4.5	89	74.6	63.9-85.2	13	16.4	6.1-26.7
College Graduate	86	17440	1	1.1	0.0-3.2	2	2.1	0.0-5.1	1	0.7	0.0-2.0	2	2.9	0.0-7.6	73	86.8	79.2-94.4	7	6.5	1.5-11.4
HOUSEHOLD INCOME																				
Less than \$15,000	12	4529	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	10	78.5	50.0-100.0	2	21.5	0.0-50.0
\$15,000- 24,999	44	10620	0		0.0-0.0	1	1.0	0.0-3.0	3	5.7	0.0-12.1	1	1.8	0.0-5.2	34	83.1	72.2-94.0	5	8.4	0.4-16.4
\$25,000- 34,999	50	10161	1	2.1	0.0-6.1	3	4.9	0.0-10.8	2	2.2	0.0-5.5	3	7.3	0.0-15.5	37	76.7	64.4-89.0	4	6.8	0.1-13.4
\$35,000- 49,999	80	14636	0		0.0-0.0	3	4.3	0.0-9.6	3	1.9	0.0-4.0	3	5.0	0.0-11.4	64	80.5	70.6-90.5	7	8.3	1.7-14.8
\$50,000- 74,999	70	13437	2	2.4	0.0-5.8	1	1.6	0.0-4.7	0		0.0-0.0	0		0.0-0.0	61	85.6	76.4-94.8	6	10.4	2.0-18.8
\$75,000+	46	10089	1	1.8	0.0-5.5	1	1.5	0.0-4.6	1	1.5	0.0-4.6	1	7.0	0.0-20.0	38	81.9	67.6-96.2	4	6.2	0.0-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 3: DURING THE MOST RECENT OCCASION WHEN YOU HAD 5 OR MORE ALCOHOLIC BEVERAGES, ABOUT HOW MANY BEERS, INCLUDING MALT LIQUOR, DID YOU DRINK?  
(DRNKBEER)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Beer			Two Beers			Three Beers			Four Beers			Five or More Beers			No Beer		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	150	25797	2	0.8	0.0-1.8	1	0.5	0.0-1.5	8	3.7	1.0-6.3	16	11.1	5.0-17.2	97	69.3	61.1-77.5	26	14.7	8.9-20.6
RACE																				
Native	8	1390	0		0.0-0.0	0		0.0-0.0	1	8.5	0.0-25.2	1	8.5	0.0-25.2	6	83.1	59.5-100.0	0		0.0-0.0
Non-Native	142	24407	2	0.8	0.0-1.9	1	0.5	0.0-1.6	7	3.4	0.7-6.0	15	11.2	4.8-17.6	91	68.5	59.9-77.1	26	15.6	9.4-21.7
AGE																				
18-24	31	10338	0		0.0-0.0	1	1.3	0.0-3.8	0		0.0-0.0	5	13.4	0.6-26.1	23	80.3	66.1-94.4	2	5.1	0.0-12.0
25-34	43	5887	1	1.3	0.0-4.0	0		0.0-0.0	3	6.0	0.0-12.9	5	11.3	1.6-21.1	27	66.7	52.2-81.1	7	14.7	4.1-25.3
35-44	38	5161	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	6.2	0.0-13.3	27	65.8	49.1-82.4	8	28.1	11.8-44.4
45-54	26	3126	1	3.8	0.0-11.1	0		0.0-0.0	5	18.9	3.0-34.8	2	11.3	0.0-25.9	13	49.1	28.1-70.1	5	17.0	2.2-31.8
55-64	8	950	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	13.8	0.0-39.0	4	55.2	19.0-91.3	3	31.0	0.0-63.2
65+	4	334	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	60.0	5.4-100.0	1	40.0	0.0-94.6
EDUCATION																				
Less Than H.S.	7	1118	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	2	23.6	0.0-54.9	4	64.5	26.9-100.0	1	11.9	0.0-34.9
H.S. or G.E.D.	37	5907	1	2.0	0.0-5.9	0		0.0-0.0	3	5.3	0.0-11.5	4	8.2	0.0-16.7	21	67.3	50.5-84.0	8	17.2	4.5-30.0
Some Post-H.S.	58	10423	0		0.0-0.0	1	1.3	0.0-3.7	2	2.8	0.0-6.8	7	13.4	2.3-24.4	38	67.4	53.2-81.6	10	15.1	5.4-24.8
College Graduate	48	8350	1	0.9	0.0-2.8	0		0.0-0.0	3	4.0	0.0-8.8	3	8.5	0.0-18.6	34	73.7	60.0-87.4	7	12.8	3.1-22.6
HOUSEHOLD INCOME																				
Less than \$15,000	24	4922	0		0.0-0.0	1	2.7	0.0-8.0	1	2.4	0.0-7.2	4	11.5	0.0-23.6	15	78.4	62.2-94.7	3	5.0	0.0-11.0
\$15,000- 24,999	28	4201	1	1.9	0.0-5.6	0		0.0-0.0	3	7.5	0.0-16.9	3	15.0	0.0-33.4	17	65.8	45.0-86.7	4	9.8	0.0-19.8
\$25,000- 34,999	20	3683	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	11.7	0.0-24.9	14	74.7	55.1-94.3	3	13.5	0.0-29.4
\$35,000- 49,999	27	4296	0		0.0-0.0	0		0.0-0.0	1	2.8	0.0-8.1	1	4.1	0.0-12.1	21	81.5	66.4-96.5	4	11.7	0.0-23.9
\$50,000- 74,999	30	4937	0		0.0-0.0	0		0.0-0.0	3	8.0	0.0-16.9	2	6.2	0.0-14.8	17	57.4	38.7-76.1	8	28.4	11.3-45.6
\$75,000+	14	2229	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	33.1	0.0-68.4	11	66.8	31.6-100.0	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 4: DURING THE SAME OCCASION, ABOUT HOW MANY GLASSES OF WINE, INCLUDING WINE COOLERS, HARD LEMONADE, OR HARD CIDER, DID YOU DRINK? (DRNKWINE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Glasses of Wine			Two Glasses of Wines			Three Glasses of Wines			Four Glasses of Wines			Five or More Glasses of Wines			No Glasses of Wine		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	474	95091	20	4.9	2.5-7.4	20	3.5	1.8-5.1	9	1.4	0.4-2.4	7	1.3	0.2-2.3	10	1.8	0.6-3.0	408	87.1	83.7-90.5
SEX																				
Male	322	68841	13	4.8	2.0-7.6	8	1.8	0.5-3.1	5	0.9	0.0-1.8	3	0.9	0.0-1.9	5	1.7	0.2-3.2	288	90.0	86.4-93.6
Female	152	26250	7	5.3	0.3-10.2	12	7.9	3.0-12.8	4	2.8	0.0-5.5	4	2.4	0.0-5.0	5	2.2	0.2-4.2	120	79.4	71.9-87.0
RACE																				
Native	19	4857	1	3.2	0.0-9.6	1	8.1	0.0-23.4	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	17	88.6	72.4-100.0
Non-Native	455	90234	19	5.0	2.5-7.6	19	3.2	1.7-4.8	9	1.5	0.5-2.5	7	1.3	0.2-2.5	10	1.9	0.6-3.2	391	87.0	83.5-90.4
AGE																				
18-24	75	30110	4	5.3	0.0-11.0	1	1.3	0.0-3.9	0		0.0-0.0	1	0.9	0.0-2.6	2	1.6	0.0-4.1	67	90.8	84.1-97.6
25-34	126	23606	7	6.8	1.5-12.2	4	2.2	0.0-4.4	4	3.0	0.0-6.0	2	1.7	0.0-4.4	4	3.4	0.1-6.6	105	82.9	75.6-90.2
35-44	119	19702	4	3.1	0.0-6.3	6	5.2	1.0-9.4	1	0.5	0.0-1.4	2	1.4	0.0-3.7	1	0.7	0.0-2.1	105	89.1	83.3-94.9
45-54	96	14073	4	5.0	0.1-9.8	6	7.7	1.4-14.0	0		0.0-0.0	0		0.0-0.0	3	2.1	0.0-4.8	83	85.2	77.3-93.1
55-64	42	5497	0		0.0-0.0	2	3.7	0.0-9.0	1	1.3	0.0-3.7	2	5.0	0.0-11.8	0		0.0-0.0	37	90.1	81.3-98.8
65+	16	2103	1	7.4	0.0-21.5	1	3.2	0.0-9.4	3	23.3	0.2-46.4	0		0.0-0.0	0		0.0-0.0	11	66.1	41.0-91.1
EDUCATION																				
Less Than H.S.	19	3734	1	9.5	0.0-27.0	0		0.0-0.0	2	7.8	0.0-18.5	0		0.0-0.0	0		0.0-0.0	16	82.7	63.2-100.0
H.S. or G.E.D.	147	29267	3	2.0	0.0-4.2	9	5.2	1.4-9.0	1	0.4	0.0-1.1	1	0.5	0.0-1.4	5	3.6	0.3-6.9	128	88.4	82.9-93.9
Some Post-H.S.	173	36100	9	6.5	1.6-11.4	6	2.6	0.4-4.8	3	1.0	0.0-2.4	4	2.4	0.0-4.9	2	0.7	0.0-1.7	149	86.8	80.9-92.7
College Graduate	135	25990	7	5.5	1.1-9.9	5	3.2	0.2-6.2	3	2.3	0.0-4.9	2	0.8	0.0-2.0	3	1.6	0.0-3.7	115	86.6	80.4-92.7
HOUSEHOLD INCOME																				
Less than \$15,000	38	9727	3	8.3	0.0-20.1	2	3.4	0.0-8.9	0		0.0-0.0	0		0.0-0.0	1	0.9	0.0-2.7	32	87.4	74.5-100.0
\$15,000- 24,999	72	14822	1	0.5	0.0-1.4	3	2.5	0.0-5.4	1	1.1	0.0-3.1	2	2.7	0.0-7.0	2	1.8	0.0-4.4	63	91.5	85.2-97.7
\$25,000- 34,999	73	15012	3	3.5	0.0-7.5	1	0.4	0.0-1.3	3	2.5	0.0-5.6	0		0.0-0.0	1	1.4	0.0-4.2	65	92.1	86.4-97.9
\$35,000- 49,999	106	18884	2	2.9	0.0-7.0	5	4.9	0.1-9.9	1	0.6	0.0-1.7	0		0.0-0.0	5	5.3	0.3-10.2	93	86.3	78.6-94.0
\$50,000- 74,999	100	18375	4	3.9	0.1-7.8	7	6.8	1.8-11.9	2	2.1	0.0-5.1	2	1.5	0.0-3.5	1	0.8	0.0-2.5	84	84.8	77.6-91.9
\$75,000+	61	12518	6	13.3	2.3-24.3	1	1.9	0.0-5.5	1	1.6	0.0-4.7	1	0.6	0.0-1.7	0		0.0-0.0	52	82.7	71.0-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 5: DURING THE SAME OCCASION, ABOUT HOW MANY GLASSES OF WINE, INCLUDING WINE COOLERS, HARD LEMONADE, OR HARD CIDER, DID YOU DRINK? (DRNKWINE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Glasses of Wine			Two Glasses of Wines			Three Glasses of Wines			Four Glasses of Wines			Five or More Glasses of Wines			No Glasses of Wine		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	322	68841	13	4.8	2.0-7.6	8	1.8	0.5-3.1	5	0.9	0.0-1.8	3	0.9	0.0-1.9	5	1.7	0.2-3.2	288	90.0	86.4-93.6
RACE																				
Native	11	3467	1	4.5	0.0-13.5	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	10	95.5	86.5-100.0
Non-Native	311	65374	12	4.8	1.9-7.7	8	1.8	0.5-3.2	5	1.0	0.0-1.9	3	0.9	0.0-2.0	5	1.8	0.2-3.3	278	89.7	85.9-93.5
AGE																				
18-24	43	19575	2	4.5	0.0-10.8	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	1.8	0.0-5.3	40	93.7	86.5-100.0
25-34	83	17719	5	7.8	0.9-14.6	2	1.2	0.0-2.9	2	1.8	0.0-4.4	1	1.8	0.0-5.3	3	3.6	0.0-7.6	70	83.8	75.1-92.5
35-44	82	14682	1	1.3	0.0-3.7	2	1.9	0.0-4.7	1	0.6	0.0-1.9	0		0.0-0.0	0		0.0-0.0	78	96.2	92.3-100.0
45-54	70	10946	4	6.4	0.2-12.6	3	5.3	0.0-11.4	0		0.0-0.0	0		0.0-0.0	1	1.4	0.0-4.2	62	86.9	78.2-95.6
55-64	33	4350	0		0.0-0.0	1	3.1	0.0-9.2	1	1.6	0.0-4.7	2	6.3	0.0-14.8	0		0.0-0.0	29	89.0	78.4-99.6
65+	11	1569	1	10.0	0.0-28.6	0		0.0-0.0	1	10.0	0.0-28.6	0		0.0-0.0	0		0.0-0.0	9	80.0	55.2-100.0
EDUCATION																				
Less Than H.S.	12	2616	1	13.5	0.0-37.8	0		0.0-0.0	1	6.0	0.0-17.7	0		0.0-0.0	0		0.0-0.0	10	80.5	54.6-100.0
H.S. or G.E.D.	110	23360	3	2.5	0.0-5.3	2	1.3	0.0-3.1	1	0.4	0.0-1.4	1	0.6	0.0-1.7	3	3.3	0.0-7.2	100	91.9	86.7-97.1
Some Post-H.S.	114	25425	5	5.4	0.2-10.6	3	1.8	0.0-4.0	3	1.5	0.0-3.3	1	1.3	0.0-3.7	1	0.6	0.0-1.8	101	89.4	83.1-95.8
College Graduate	86	17440	4	5.8	0.0-11.7	3	2.6	0.0-5.8	0		0.0-0.0	1	0.8	0.0-2.3	1	1.2	0.0-3.6	77	89.6	82.5-96.7
HOUSEHOLD INCOME																				
Less than \$15,000	13	4607	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	13	100.0	100.0-100.0
\$15,000- 24,999	44	10620	0		0.0-0.0	1	1.0	0.0-3.0	1	1.5	0.0-4.4	1	3.0	0.0-8.8	0		0.0-0.0	41	94.5	87.7-100.0
\$25,000- 34,999	53	11330	2	3.3	0.0-7.8	0		0.0-0.0	3	3.3	0.0-7.5	0		0.0-0.0	1	1.9	0.0-5.5	47	91.6	84.5-98.6
\$35,000- 49,999	79	14533	2	3.8	0.0-9.0	2	1.4	0.0-3.5	1	0.7	0.0-2.2	0		0.0-0.0	4	6.4	0.0-12.8	70	87.6	79.3-95.9
\$50,000- 74,999	70	13437	2	2.7	0.0-6.5	3	4.1	0.0-8.8	0		0.0-0.0	2	2.0	0.0-4.9	0		0.0-0.0	63	91.1	84.6-97.6
\$75,000+	46	10089	6	16.5	3.1-29.9	1	2.3	0.0-6.8	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	39	81.2	67.4-95.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 6: DURING THE SAME OCCASION, ABOUT HOW MANY GLASSES OF WINE, INCLUDING WINE COOLERS, HARD LEMONADE, OR HARD CIDER, DID YOU DRINK? (DRNKWINE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Glasses of Wine			Two Glasses of Wines			Three Glasses of Wines			Four Glasses of Wines			Five or More Glasses of Wines			No Glasses of Wine		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	152	26250	7	5.3	0.3-10.3	12	7.9	3.0-12.8	4	2.8	0.0-5.5	4	2.4	0.0-5.0	5	2.2	0.2-4.2	120	79.4	71.8-87.1
RACE																				
Native	8	1390	0		0.0-0.0	1	28.4	0.0-71.8	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	7	71.6	28.2-100.0
Non-Native	144	24860	7	5.6	0.3-10.8	11	6.8	2.5-11.1	4	2.9	0.0-5.8	4	2.5	0.0-5.3	5	2.3	0.2-4.5	113	79.9	72.3-87.5
AGE																				
18-24	32	10536	2	6.9	0.0-17.8	1	3.8	0.0-11.0	0		0.0-0.0	1	2.5	0.0-7.4	1	1.3	0.0-3.7	27	85.6	72.0-99.2
25-34	43	5887	2	4.0	0.0-9.8	2	5.3	0.0-12.5	2	6.7	0.0-15.8	1	1.3	0.0-4.0	1	2.7	0.0-7.8	35	80.0	67.0-93.0
35-44	37	5020	3	8.4	0.0-18.3	4	14.8	1.4-28.2	0		0.0-0.0	2	5.6	0.0-14.1	1	2.8	0.0-8.3	27	68.3	51.6-85.0
45-54	26	3126	0		0.0-0.0	3	16.0	0.0-33.6	0		0.0-0.0	0		0.0-0.0	2	4.7	0.0-11.4	21	79.3	61.2-97.3
55-64	9	1147	0		0.0-0.0	1	5.7	0.0-17.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	8	94.3	83.0-100.0
65+	5	534	0		0.0-0.0	1	12.5	0.0-37.1	2	62.5	20.0-100.0	0		0.0-0.0	0		0.0-0.0	2	25.0	0.0-59.7
EDUCATION																				
Less Than H.S.	7	1118	0		0.0-0.0	0		0.0-0.0	1	11.9	0.0-34.9	0		0.0-0.0	0		0.0-0.0	6	88.1	65.1-100.0
H.S. or G.E.D.	37	5907	0		0.0-0.0	7	20.8	4.5-37.0	0		0.0-0.0	0		0.0-0.0	2	4.6	0.0-11.0	28	74.6	57.5-91.7
Some Post-H.S.	59	10675	4	9.0	0.0-20.0	3	4.6	0.0-9.9	0		0.0-0.0	3	5.1	0.0-11.3	1	0.8	0.0-2.5	48	80.5	67.6-93.4
College Graduate	49	8550	3	5.0	0.0-10.9	2	4.3	0.0-10.7	3	6.9	0.0-14.7	1	0.9	0.0-2.7	2	2.5	0.0-6.4	38	80.3	68.6-92.0
HOUSEHOLD INCOME																				
Less than \$15,000	25	5120	3	15.7	0.0-37.0	2	6.5	0.0-16.9	0		0.0-0.0	0		0.0-0.0	1	1.7	0.0-5.2	19	76.1	53.3-98.9
\$15,000- 24,999	28	4201	1	1.7	0.0-5.0	2	6.3	0.0-15.1	0		0.0-0.0	1	1.9	0.0-5.6	2	6.5	0.0-15.4	22	83.7	70.5-96.9
\$25,000- 34,999	20	3683	1	4.3	0.0-12.6	1	1.8	0.0-5.4	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	18	93.9	84.9-100.0
\$35,000- 49,999	27	4351	0		0.0-0.0	3	16.7	0.0-35.2	0		0.0-0.0	0		0.0-0.0	1	1.4	0.0-4.0	23	82.0	63.4-100.0
\$50,000- 74,999	30	4937	2	7.2	0.0-17.0	4	14.2	0.9-27.4	2	7.9	0.0-18.7	0		0.0-0.0	1	3.2	0.0-9.4	21	67.5	49.6-85.5
\$75,000+	15	2429	0		0.0-0.0	0		0.0-0.0	1	8.2	0.0-23.8	1	2.9	0.0-8.8	0		0.0-0.0	13	88.8	72.3-100.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 7: DURING THE SAME OCCASION, ABOUT HOW MANY DRINKS OF LIQUOR, INCLUDING COCKTAILS, DID YOU HAVE? (DRNKLIQR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drinks of Liquor			Two Drinks of Liquors			Three Drinks of Liquors			Four Drinks of Liquors			Five or More Drinks of Liquors			No Drinks of Liquors		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	472	94519	28	6.8	3.9-9.6	30	8.1	4.9-11.3	17	2.9	1.4-4.4	11	2.9	0.8-5.1	53	11.0	7.5-14.5	333	68.3	63.1-73.4
SEX																				
Male	320	68324	14	5.8	2.4-9.1	18	7.3	3.6-11.0	11	2.6	1.0-4.3	6	2.6	0.1-5.2	41	12.9	8.3-17.4	230	68.8	62.5-75.1
Female	152	26194	14	9.4	3.9-14.9	12	10.1	3.9-16.3	6	3.6	0.6-6.7	5	3.8	0.0-7.5	12	6.2	2.4-10.0	103	66.9	58.0-75.8
RACE																				
Native	19	4857	4	15.7	0.0-32.8	2	13.4	0.0-33.4	0		0.0-0.0	1	3.2	0.0-9.6	0		0.0-0.0	12	67.7	43.4-92.1
Non-Native	453	89662	24	6.3	3.4-9.2	28	7.8	4.6-10.9	17	3.1	1.5-4.6	10	2.9	0.7-5.1	53	11.6	8.0-15.3	321	68.3	63.0-73.6
AGE																				
18-24	74	29913	8	9.2	2.2-16.2	10	13.6	5.2-21.9	1	0.6	0.0-1.7	4	4.8	0.0-10.2	7	10.3	1.9-18.8	44	61.5	49.2-73.8
25-34	125	23181	8	7.9	2.4-13.4	9	7.8	2.6-13.0	4	3.2	0.0-6.4	1	1.8	0.0-5.4	16	10.5	5.1-15.9	87	68.8	59.8-77.8
35-44	120	19843	2	2.5	0.0-5.9	6	5.0	1.0-9.0	3	2.8	0.0-6.1	3	2.6	0.0-5.8	7	6.2	1.7-10.8	99	80.8	73.2-88.5
45-54	95	13956	7	7.1	1.3-12.8	2	2.8	0.0-6.8	6	6.4	1.0-11.8	0		0.0-0.0	16	17.7	9.4-26.0	64	66.1	55.6-76.6
55-64	43	5600	2	4.9	0.0-11.5	1	1.2	0.0-3.6	2	3.0	0.0-7.3	1	3.5	0.0-10.3	5	15.7	2.3-29.1	32	71.6	56.5-86.8
65+	15	2025	1	3.3	0.0-9.8	2	15.6	0.0-37.4	1	9.9	0.0-28.0	2	11.0	0.0-26.8	2	15.5	0.0-35.2	7	44.7	18.0-71.4
EDUCATION																				
Less Than H.S.	19	3734	1	3.5	0.0-10.4	1	9.5	0.0-27.0	1	2.8	0.0-8.2	1	1.8	0.0-5.4	3	16.1	0.0-34.4	12	66.3	42.1-90.5
H.S. or G.E.D.	146	29189	8	6.8	1.0-12.7	4	5.2	0.0-10.6	7	3.0	0.5-5.4	1	0.5	0.0-1.4	19	11.6	6.1-17.1	107	73.0	64.2-81.7
Some Post-H.S.	173	35723	13	8.8	3.6-13.9	15	10.7	4.8-16.6	5	2.7	0.3-5.1	6	4.4	0.0-8.8	20	11.5	4.9-18.1	114	61.9	52.8-71.0
College Graduate	134	25873	6	4.4	0.8-8.0	10	7.5	2.5-12.5	4	3.1	0.1-6.1	3	3.9	0.0-8.5	11	9.0	3.2-14.9	100	72.0	63.2-80.9
HOUSEHOLD INCOME																				
Less than \$15,000	36	9451	3	4.0	0.0-8.7	5	16.1	0.7-31.6	0		0.0-0.0	3	11.0	0.0-25.4	4	5.3	0.0-11.6	21	63.6	43.7-83.4
\$15,000- 24,999	72	14822	3	5.1	0.0-11.0	3	2.9	0.0-6.2	1	0.4	0.0-1.3	2	3.1	0.0-8.4	8	11.3	2.9-19.7	55	77.2	65.9-88.5
\$25,000- 34,999	73	15012	6	8.4	1.2-15.7	6	12.7	2.7-22.7	2	2.1	0.0-5.2	2	2.9	0.0-7.1	8	11.4	2.7-20.2	49	62.4	49.3-75.5
\$35,000- 49,999	107	19012	6	7.3	1.0-13.6	5	6.4	0.1-12.7	6	4.9	0.8-9.1	3	3.8	0.0-8.6	11	8.9	3.4-14.3	76	68.7	58.4-79.1
\$50,000- 74,999	99	17950	5	4.3	0.4-8.2	4	2.9	0.0-6.0	2	2.5	0.0-5.9	1	0.8	0.0-2.3	13	14.0	6.7-21.2	74	75.5	66.7-84.3
\$75,000+	61	12518	3	11.1	0.0-24.0	4	8.7	0.0-18.0	5	7.3	0.9-13.6	0		0.0-0.0	6	7.9	1.4-14.5	43	64.9	50.1-79.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 8: DURING THE SAME OCCASION, ABOUT HOW MANY DRINKS OF LIQUOR, INCLUDING COCKTAILS, DID YOU HAVE? (DRNKLIQR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drinks of Liquor			Two Drinks of Liquors			Three Drinks of Liquors			Four Drinks of Liquors			Five or More Drinks of Liquors			No Drinks of Liquors		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	320	68324	14	5.8	2.4-9.1	18	7.3	3.6-11.0	11	2.6	1.0-4.3	6	2.6	0.1-5.2	41	12.9	8.3-17.5	230	68.8	62.5-75.1
RACE																				
Native	11	3467	0		0.0-0.0	1	15.3	0.0-42.3	0		0.0-0.0	1	4.5	0.0-13.5	0		0.0-0.0	9	80.1	52.5-100.0
Non-Native	309	64857	14	6.1	2.5-9.6	17	6.9	3.3-10.5	11	2.8	1.0-4.5	5	2.5	0.0-5.2	41	13.6	8.8-18.4	221	68.2	61.7-74.6
AGE																				
18-24	43	19575	2	6.3	0.0-14.9	5	12.7	2.1-23.2	1	0.9	0.0-2.7	1	3.6	0.0-10.6	6	14.5	2.2-26.7	28	62.0	45.9-78.1
25-34	82	17294	6	9.2	2.1-16.3	6	8.0	1.5-14.4	4	4.3	0.0-8.5	1	2.4	0.0-7.2	10	10.4	3.9-17.0	55	65.6	54.4-76.9
35-44	82	14682	1	1.9	0.0-5.6	4	5.1	0.2-9.9	0		0.0-0.0	3	3.5	0.0-7.7	6	7.0	1.5-12.5	68	82.5	73.9-91.2
45-54	69	10830	3	5.0	0.0-11.3	0		0.0-0.0	5	7.2	0.5-13.8	0		0.0-0.0	14	20.1	10.1-30.1	47	67.7	55.7-79.7
55-64	34	4453	2	6.1	0.0-14.4	1	1.5	0.0-4.6	1	2.3	0.0-6.8	0		0.0-0.0	3	14.6	0.0-30.2	27	75.4	58.5-92.3
65+	10	1491	0		0.0-0.0	2	21.2	0.0-49.7	0		0.0-0.0	1	10.5	0.0-30.1	2	21.0	0.0-47.0	5	47.3	15.2-79.4
EDUCATION																				
Less Than H.S.	12	2616	0		0.0-0.0	1	13.5	0.0-37.8	1	3.9	0.0-11.8	0		0.0-0.0	3	23.0	0.0-48.6	7	59.5	27.8-91.3
H.S. or G.E.D.	109	23281	4	5.8	0.0-12.3	3	5.9	0.0-12.5	3	1.1	0.0-2.4	1	0.6	0.0-1.8	15	12.8	6.2-19.5	83	73.7	63.6-83.8
Some Post-H.S.	114	25103	8	8.9	2.4-15.3	9	9.8	2.9-16.7	4	3.3	0.1-6.6	4	4.9	0.0-10.8	15	13.6	4.7-22.5	74	59.5	48.3-70.7
College Graduate	85	17323	2	2.0	0.0-4.9	5	4.6	0.4-8.8	3	3.5	0.0-7.4	1	2.4	0.0-7.2	8	10.3	2.4-18.3	66	77.1	66.8-87.5
HOUSEHOLD INCOME																				
Less than \$15,000	12	4529	0		0.0-0.0	3	25.2	0.0-53.7	0		0.0-0.0	1	15.6	0.0-43.1	1	5.9	0.0-17.4	7	53.3	20.4-86.1
\$15,000- 24,999	44	10620	1	3.0	0.0-8.8	1	1.8	0.0-5.2	0		0.0-0.0	0		0.0-0.0	7	14.8	3.3-26.3	35	80.4	67.4-93.5
\$25,000- 34,999	53	11330	2	4.3	0.0-10.3	3	9.6	0.0-20.4	2	2.8	0.0-6.9	2	3.8	0.0-9.3	5	10.7	0.3-21.2	39	68.7	53.6-83.7
\$35,000- 49,999	79	14519	3	5.8	0.0-12.3	5	8.4	0.3-16.6	4	4.2	0.0-8.5	2	3.6	0.0-9.3	11	11.6	4.6-18.7	54	66.4	54.2-78.6
\$50,000- 74,999	69	13013	4	4.3	0.0-8.8	2	2.0	0.0-4.9	1	1.8	0.0-5.3	1	1.1	0.0-3.2	9	14.2	5.4-23.0	52	76.7	66.3-87.0
\$75,000+	46	10089	3	13.8	0.0-29.4	2	4.2	0.0-10.0	3	5.6	0.0-12.0	0		0.0-0.0	6	9.9	1.7-18.0	32	66.5	50.0-83.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 9: DURING THE SAME OCCASION, ABOUT HOW MANY DRINKS OF LIQUOR, INCLUDING COCKTAILS, DID YOU HAVE? (DRNKLIQR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drinks of Liquor			Two Drinks of Liquors			Three Drinks of Liquors			Four Drinks of Liquors			Five or More Drinks of Liquors			No Drinks of Liquors		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	152	26194	14	9.4	3.9-14.9	12	10.1	3.9-16.3	6	3.6	0.6-6.7	5	3.8	0.0-7.5	12	6.2	2.4-10.0	103	66.9	57.9-75.8
RACE																				
Native	8	1390	4	54.8	16.2-93.5	1	8.5	0.0-25.2	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	36.7	0.0-73.5
Non-Native	144	24804	10	6.9	2.1-11.7	11	10.2	3.7-16.7	6	3.8	0.6-7.1	5	4.0	0.0-7.9	12	6.6	2.6-10.5	100	68.6	59.5-77.6
AGE																				
18-24	31	10338	6	14.6	2.4-26.9	5	15.3	1.8-28.8	0		0.0-0.0	3	7.0	0.0-15.6	1	2.5	0.0-7.5	16	60.5	42.1-78.9
25-34	43	5887	2	4.0	0.0-9.4	3	7.3	0.0-15.5	0		0.0-0.0	0		0.0-0.0	6	10.7	2.0-19.4	32	78.0	65.6-90.4
35-44	38	5161	1	4.1	0.0-12.0	2	4.8	0.0-11.4	3	11.0	0.0-22.8	0		0.0-0.0	1	4.1	0.0-12.0	31	76.0	60.6-91.5
45-54	26	3126	4	14.1	0.2-28.1	2	12.3	0.0-28.9	1	3.8	0.0-11.1	0		0.0-0.0	2	9.4	0.0-22.1	17	60.4	39.6-81.1
55-64	9	1147	0		0.0-0.0	0		0.0-0.0	1	5.7	0.0-17.0	1	17.1	0.0-47.0	2	20.0	0.0-45.9	5	57.1	22.7-91.6
65+	5	534	1	12.5	0.0-37.1	0		0.0-0.0	1	37.5	0.0-89.3	1	12.5	0.0-37.1	0		0.0-0.0	2	37.5	0.0-83.4
EDUCATION																				
Less Than H.S.	7	1118	1	11.8	0.0-34.5	0		0.0-0.0	0		0.0-0.0	1	6.0	0.0-18.1	0		0.0-0.0	5	82.3	56.3-100.0
H.S. or G.E.D.	37	5907	4	10.8	0.0-24.1	1	2.2	0.0-6.6	4	10.3	0.0-21.0	0		0.0-0.0	4	6.5	0.0-13.3	24	70.1	52.6-87.6
Some Post-H.S.	59	10619	5	8.6	0.2-17.0	6	12.8	1.7-24.0	1	1.3	0.0-3.9	2	3.1	0.0-7.4	5	6.6	0.4-12.8	40	67.5	53.0-82.1
College Graduate	49	8550	4	9.3	0.3-18.2	5	13.4	1.5-25.3	1	2.3	0.0-6.9	2	6.9	0.0-16.6	3	6.3	0.0-13.6	34	61.8	46.2-77.3
HOUSEHOLD INCOME																				
Less than \$15,000	24	4922	3	7.7	0.0-16.9	2	7.8	0.0-19.3	0		0.0-0.0	2	6.7	0.0-16.3	3	4.8	0.0-10.5	14	73.0	53.7-92.3
\$15,000- 24,999	28	4201	2	10.5	0.0-24.6	2	5.7	0.0-13.6	1	1.6	0.0-4.7	2	11.0	0.0-28.4	1	2.3	0.0-7.0	20	69.0	47.7-90.2
\$25,000- 34,999	20	3683	4	21.1	0.0-42.2	3	22.1	0.0-45.0	0		0.0-0.0	0		0.0-0.0	3	13.5	0.0-29.4	10	43.2	19.9-66.5
\$35,000- 49,999	28	4493	3	12.1	0.0-28.5	0		0.0-0.0	2	7.3	0.0-17.7	1	4.4	0.0-12.8	0		0.0-0.0	22	76.2	57.0-95.4
\$50,000- 74,999	30	4937	1	4.3	0.0-12.6	2	5.6	0.0-13.3	1	4.3	0.0-12.6	0		0.0-0.0	4	13.4	0.8-26.1	22	72.4	55.5-89.3
\$75,000+	15	2429	0		0.0-0.0	2	27.5	0.0-61.5	2	14.1	0.0-32.9	0		0.0-0.0	0		0.0-0.0	11	58.4	26.2-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 10: DURING THIS MOST RECENT OCCASION, WHERE WERE YOU WHEN YOU DID MOST OF YOUR DRINKING? (DRNKLOC)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Your Residence			Another Persons Home			Restaurant or Banquet Hall			Bar or Club			Public Place			Other Place		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	476	95495	119	24.8	20.0-29.5	47	11.3	7.8-14.8	33	7.0	4.0-10.0	216	43.6	38.3-48.9	19	3.7	1.8-5.5	42	9.6	6.4-12.8
SEX																				
Male	323	69103	88	27.8	21.9-33.8	28	9.2	5.5-12.9	18	6.4	2.6-10.1	145	42.7	36.3-49.1	12	3.2	1.3-5.0	32	10.7	6.6-14.7
Female	153	26392	31	16.6	10.4-22.9	19	16.7	8.7-24.7	15	8.5	3.7-13.3	71	46.1	36.5-55.7	7	5.0	0.5-9.6	10	6.9	2.3-11.6
RACE																				
Native	19	4857	2	10.8	0.0-25.5	2	13.6	0.0-33.8	0		0.0-0.0	10	39.7	15.4-63.9	1	3.8	0.0-11.3	4	32.1	4.9-59.2
Non-Native	457	90638	117	25.5	20.6-30.4	45	11.2	7.6-14.7	33	7.3	4.2-10.5	206	43.8	38.4-49.3	18	3.7	1.8-5.6	38	8.4	5.6-11.3
AGE																				
18-24	75	30110	16	24.1	13.0-35.3	15	18.5	9.3-27.7	2	4.8	0.0-12.0	34	43.1	30.8-55.4	2	2.2	0.0-5.7	6	7.3	1.2-13.4
25-34	126	23606	22	17.7	10.5-24.9	14	9.6	4.4-14.8	14	12.3	5.7-18.9	62	46.5	36.9-56.0	5	4.3	0.4-8.2	9	9.6	2.7-16.6
35-44	120	19843	27	24.6	16.3-32.9	11	8.5	3.4-13.6	9	6.5	2.2-10.9	52	42.8	33.3-52.3	6	4.3	0.7-8.0	15	13.2	6.7-19.7
45-54	96	14073	34	32.5	22.6-42.5	5	6.8	0.6-12.9	3	2.8	0.0-5.9	40	40.0	29.3-50.8	5	6.1	0.8-11.4	9	11.7	4.1-19.4
55-64	43	5600	13	28.5	14.4-42.5	1	2.4	0.0-7.2	5	11.0	1.1-20.8	22	53.3	37.5-69.1	1	2.3	0.0-6.9	1	2.4	0.0-7.2
65+	16	2263	7	50.6	24.4-76.9	1	8.8	0.0-25.2	0		0.0-0.0	6	26.7	5.6-47.7	0		0.0-0.0	2	13.8	0.0-31.7
EDUCATION																				
Less Than H.S.	20	3972	11	60.6	36.5-84.8	0		0.0-0.0	0		0.0-0.0	7	27.1	6.7-47.5	1	3.3	0.0-9.8	1	8.9	0.0-25.4
H.S. or G.E.D.	146	29189	40	29.4	20.5-38.3	9	10.4	3.5-17.3	3	1.2	0.0-2.5	72	45.0	35.4-54.6	8	4.1	1.2-7.0	14	9.9	4.4-15.4
Some Post-H.S.	175	36345	40	22.2	14.3-30.0	18	12.3	6.2-18.4	16	7.3	3.6-11.0	81	46.6	37.5-55.7	6	3.7	0.2-7.2	14	7.9	3.1-12.7
College Graduate	135	25990	28	17.6	10.9-24.4	20	12.6	6.8-18.4	14	14.2	5.1-23.2	56	40.4	30.9-49.9	4	3.3	0.1-6.4	13	11.9	5.0-18.8
HOUSEHOLD INCOME																				
Less than \$15,000	38	9727	9	28.0	8.9-47.1	6	22.5	4.5-40.6	2	1.5	0.0-3.6	18	44.3	23.9-64.7	2	2.3	0.0-5.6	1	1.3	0.0-4.0
\$15,000- 24,999	73	15059	23	30.0	17.6-42.4	6	10.7	1.4-19.9	3	9.9	0.0-23.2	32	38.4	24.8-51.9	2	2.2	0.0-5.2	7	8.9	2.0-15.8
\$25,000- 34,999	73	15012	13	19.4	8.7-30.1	8	9.2	2.4-16.0	5	7.0	0.4-13.6	40	52.4	39.1-65.8	0		0.0-0.0	7	12.0	2.1-22.0
\$35,000- 49,999	107	19050	31	25.6	16.7-34.5	6	5.1	0.6-9.6	10	8.8	2.8-14.8	49	47.8	36.9-58.7	2	1.7	0.0-4.2	9	11.0	2.9-19.1
\$50,000- 74,999	100	18375	21	20.7	12.4-29.0	8	9.9	2.9-17.0	10	10.3	3.9-16.7	45	43.2	32.8-53.5	5	4.6	0.5-8.7	11	11.3	4.7-17.8
\$75,000+	61	12518	14	19.9	9.7-30.1	9	16.1	5.9-26.4	3	3.4	0.0-7.5	24	41.4	26.6-56.2	6	10.5	1.0-20.0	5	8.7	0.6-16.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 11: DURING THIS MOST RECENT OCCASION, WHERE WERE YOU WHEN YOU DID MOST OF YOUR DRINKING? (DRNKLOC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Your Residence			Another Persons Home			Restaurant or Banquet Hall			Bar or Club			Public Place			Other Place		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	323	69103	88	27.8	21.9-33.8	28	9.2	5.5-12.9	18	6.4	2.6-10.1	145	42.7	36.3-49.1	12	3.2	1.3-5.0	32	10.7	6.6-14.7
RACE																				
Native	11	3467	2	15.1	0.0-35.6	1	15.3	0.0-42.3	0		0.0-0.0	3	19.3	0.0-40.9	1	5.4	0.0-16.0	4	44.9	11.0-78.8
Non-Native	312	65636	86	28.5	22.4-34.7	27	8.9	5.3-12.5	18	6.7	2.8-10.7	142	43.9	37.4-50.4	11	3.0	1.2-4.9	28	8.9	5.4-12.4
AGE																				
18-24	43	19575	14	34.4	18.7-50.1	9	16.3	5.7-26.9	1	5.4	0.0-15.7	16	36.6	21.2-52.1	0		0.0-0.0	3	7.2	0.0-15.3
25-34	83	17719	16	18.3	9.5-27.0	6	6.6	1.1-12.0	7	10.2	2.6-17.8	41	47.3	35.7-59.0	5	5.7	0.5-10.9	8	12.0	2.9-21.0
35-44	82	14682	21	27.0	16.7-37.3	8	7.6	2.2-13.0	5	5.7	0.7-10.7	32	41.3	29.8-52.8	5	5.4	0.6-10.2	11	13.0	5.4-20.6
45-54	70	10946	21	28.4	17.4-39.4	4	7.1	0.0-14.4	1	1.4	0.0-4.2	35	46.1	33.4-58.8	2	3.5	0.0-8.5	7	13.5	4.0-23.0
55-64	34	4453	11	28.5	13.0-44.0	1	3.1	0.0-9.0	4	12.3	0.3-24.3	17	53.1	35.3-70.9	0		0.0-0.0	1	3.1	0.0-9.0
65+	11	1729	5	54.7	24.4-85.0	0		0.0-0.0	0		0.0-0.0	4	27.2	1.8-52.6	0		0.0-0.0	2	18.1	0.0-41.1
EDUCATION																				
Less Than H.S.	13	2854	8	60.9	30.9-90.9	0		0.0-0.0	0		0.0-0.0	4	26.7	1.3-52.1	0		0.0-0.0	1	12.4	0.0-34.9
H.S. or G.E.D.	109	23281	35	34.6	24.0-45.2	7	9.8	2.5-17.0	2	1.2	0.0-2.8	49	41.4	30.7-52.2	5	3.3	0.4-6.3	11	9.7	3.5-15.9
Some Post-H.S.	115	25528	27	25.4	15.1-35.8	11	10.3	3.7-16.8	10	7.2	2.6-11.9	53	44.9	33.9-55.9	3	2.2	0.0-5.0	11	9.9	3.4-16.5
College Graduate	86	17440	18	17.0	8.8-25.2	10	8.6	3.1-14.1	6	13.1	0.9-25.4	39	43.7	31.3-56.0	4	4.8	0.2-9.5	9	12.8	3.9-21.7
HOUSEHOLD INCOME																				
Less than \$15,000	13	4607	5	48.4	16.2-80.7	2	17.3	0.0-40.5	0		0.0-0.0	5	32.2	2.4-62.1	1	2.0	0.0-6.1	0		0.0-0.0
\$15,000- 24,999	45	10858	17	32.4	16.9-47.9	3	8.5	0.0-18.8	2	12.7	0.0-30.6	17	35.4	18.8-52.0	2	3.0	0.0-7.2	4	8.0	0.0-15.9
\$25,000- 34,999	53	11330	11	23.7	10.1-37.2	6	9.2	1.2-17.3	0		0.0-0.0	29	51.1	35.4-66.9	0		0.0-0.0	7	16.0	3.1-28.8
\$35,000- 49,999	79	14557	26	29.5	18.6-40.4	4	3.9	0.0-8.5	7	9.1	1.7-16.4	36	48.1	35.4-60.9	1	1.1	0.0-3.2	5	8.3	0.0-17.2
\$50,000- 74,999	70	13437	13	19.1	9.3-28.8	4	6.9	0.1-13.8	8	11.2	3.4-18.9	34	46.7	34.2-59.2	2	3.2	0.0-7.5	9	13.0	4.7-21.2
\$75,000+	46	10089	10	18.7	7.4-30.1	6	15.1	3.5-26.7	1	2.0	0.0-6.0	20	46.3	29.4-63.1	4	7.1	0.0-14.1	5	10.8	0.8-20.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 12: DURING THIS MOST RECENT OCCASION, WHERE WERE YOU WHEN YOU DID MOST OF YOUR DRINKING? (DRNKLOC)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report consuming five or more alcoholic beverages on an occasion

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Your Residence			Another Persons Home			Restaurant or Banquet Hall			Bar or Club			Public Place			Other Place		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	153	26392	31	16.6	10.3-22.9	19	16.7	8.7-24.7	15	8.5	3.7-13.4	71	46.1	36.5-55.7	7	5.0	0.6-9.5	10	6.9	2.3-11.6
RACE																				
Native	8	1390	0		0.0-0.0	1	9.5	0.0-27.7	0		0.0-0.0	7	90.5	72.3-100.0	0		0.0-0.0	0		0.0-0.0
Non-Native	145	25002	31	17.6	11.0-24.2	18	17.1	8.8-25.5	15	9.0	3.9-14.1	64	43.6	33.8-53.5	7	5.3	0.6-10.1	10	7.3	2.4-12.2
AGE																				
18-24	32	10536	2	5.0	0.0-12.7	6	22.5	5.5-39.5	1	3.8	0.0-11.0	18	55.0	35.7-74.3	2	6.3	0.0-16.0	3	7.5	0.0-16.5
25-34	43	5887	6	16.0	3.5-28.5	8	18.7	6.1-31.2	7	18.7	5.4-31.9	21	44.0	28.2-59.8	0		0.0-0.0	1	2.7	0.0-7.8
35-44	38	5161	6	17.8	4.7-30.9	3	11.0	0.0-22.8	4	8.9	0.2-17.6	20	47.3	30.5-64.0	1	1.4	0.0-4.1	4	13.7	1.1-26.3
45-54	26	3126	13	47.2	26.6-67.8	1	5.7	0.0-16.4	2	7.5	0.0-17.7	5	18.9	3.1-34.7	3	15.1	0.0-30.9	2	5.7	0.0-13.8
55-64	9	1147	2	28.6	0.0-61.7	0		0.0-0.0	1	5.7	0.0-17.0	5	54.3	19.5-89.1	1	11.4	0.0-32.7	0		0.0-0.0
65+	5	534	2	37.5	0.0-83.4	1	37.5	0.0-89.3	0		0.0-0.0	2	25.0	0.0-59.7	0		0.0-0.0	0		0.0-0.0
EDUCATION																				
Less Than H.S.	7	1118	3	59.9	20.4-99.5	0		0.0-0.0	0		0.0-0.0	3	28.3	0.0-61.5	1	11.8	0.0-34.5	0		0.0-0.0
H.S. or G.E.D.	37	5907	5	8.9	0.7-17.2	2	13.0	0.0-31.6	1	1.1	0.0-3.3	23	59.0	38.6-79.4	3	7.2	0.0-15.4	3	10.7	0.0-22.6
Some Post-H.S.	60	10817	13	14.5	6.1-22.8	7	17.2	3.8-30.5	6	7.4	1.4-13.4	28	50.7	35.0-66.4	3	7.2	0.0-16.8	3	3.1	0.0-6.7
College Graduate	49	8550	10	19.0	7.3-30.7	10	20.9	8.0-33.8	8	16.2	4.3-28.2	17	33.8	19.6-47.9	0		0.0-0.0	4	10.1	0.0-20.6
HOUSEHOLD INCOME																				
Less than \$15,000	25	5120	4	9.6	0.0-21.1	4	27.3	0.7-53.8	2	2.8	0.0-6.8	13	55.2	28.7-81.7	1	2.6	0.0-7.6	1	2.6	0.0-7.6
\$15,000- 24,999	28	4201	6	23.8	3.9-43.6	3	16.3	0.0-35.3	1	2.5	0.0-7.5	15	46.0	23.8-68.2	0		0.0-0.0	3	11.4	0.0-25.1
\$25,000- 34,999	20	3683	2	6.1	0.0-15.1	2	9.1	0.0-21.3	5	28.4	5.3-51.5	11	56.4	32.1-80.8	0		0.0-0.0	0		0.0-0.0
\$35,000- 49,999	28	4493	5	13.0	0.3-25.6	2	8.7	0.0-20.7	3	7.7	0.0-16.6	13	46.8	25.6-68.0	1	3.9	0.0-11.5	4	19.8	1.1-38.5
\$50,000- 74,999	30	4937	8	25.1	9.2-41.0	4	18.1	0.6-35.6	2	7.9	0.0-18.7	11	33.5	16.1-51.0	3	8.6	0.0-18.3	2	6.7	0.0-16.1
\$75,000+	15	2429	4	24.8	1.1-48.5	3	20.5	0.0-42.5	2	9.0	0.0-22.1	4	21.0	0.3-41.7	2	24.6	0.0-58.7	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 13: DURING THIS MOST RECENT OCCASION, HOW DID YOU GET MOST OF THE ALCOHOL? (BUYALCH)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Someone Else Bought It			I Bought it at a Store			I bought it at a Restaurant or Bar			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	475	95355	62	17.5	12.8-22.1	154	28.8	24.3-33.3	247	51.3	45.9-56.7	12	2.5	0.9-4.1
SEX														
Male	322	68963	37	15.5	10.0-21.0	109	29.8	24.3-35.3	168	51.9	45.4-58.4	8	2.8	0.7-4.9
Female	153	26392	25	22.5	13.5-31.6	45	26.2	18.3-34.1	79	49.6	40.1-59.1	4	1.6	0.0-3.3
RACE														
Native	19	4857	1	13.1	0.0-36.3	3	14.1	0.0-30.1	13	64.2	38.4-90.0	2	8.6	0.0-20.4
Non-Native	456	90498	61	17.7	12.9-22.5	151	29.6	24.9-34.2	234	50.6	45.1-56.1	10	2.1	0.6-3.7
AGE														
18-24	75	30110	23	33.1	21.2-45.1	17	18.5	9.7-27.2	34	47.2	34.7-59.8	1	1.2	0.0-3.5
25-34	126	23606	9	10.0	2.8-17.2	36	26.6	18.4-34.8	78	59.9	50.3-69.5	3	3.5	0.0-7.8
35-44	119	19704	15	13.1	6.6-19.7	35	30.0	21.3-38.7	62	52.0	42.5-61.6	7	4.9	1.2-8.5
45-54	96	14073	9	7.5	2.5-12.5	42	45.2	34.3-56.2	44	45.6	34.7-56.6	1	1.7	0.0-4.9
55-64	43	5600	5	10.9	1.1-20.7	13	28.5	14.6-42.4	25	60.6	45.3-75.9	0		0.0-0.0
65+	16	2263	1	2.9	0.0-8.8	11	76.3	55.9-96.7	4	20.8	1.0-40.5	0		0.0-0.0
EDUCATION														
Less Than H.S.	20	3972	3	25.0	0.0-51.5	9	35.9	13.0-58.8	7	30.1	8.6-51.6	1	8.9	0.0-25.4
H.S. or G.E.D.	145	29049	17	17.2	8.6-25.8	45	28.3	20.2-36.4	78	52.1	42.4-61.7	5	2.4	0.1-4.8
Some Post-H.S.	175	36345	22	19.2	10.7-27.6	51	26.4	19.0-33.9	98	52.4	43.3-61.5	4	2.0	0.0-4.2
College Graduate	135	25990	20	14.2	7.6-20.8	49	31.5	23.0-40.1	64	52.1	42.3-61.9	2	2.2	0.0-5.5
HOUSEHOLD INCOME														
Less than \$15,000	38	9727	9	42.3	21.2-63.4	11	21.5	6.6-36.4	18	36.2	17.0-55.4	0		0.0-0.0
\$15,000- 24,999	72	14920	9	15.9	5.2-26.6	27	31.6	19.5-43.7	33	48.7	34.2-63.2	3	3.8	0.0-8.0
\$25,000- 34,999	73	15012	11	17.0	6.7-27.2	16	18.0	8.9-27.2	44	63.3	50.7-75.8	2	1.8	0.0-4.4
\$35,000- 49,999	107	19050	8	8.5	0.9-16.2	37	30.4	20.9-39.9	58	57.0	46.1-67.8	4	4.1	0.0-8.8
\$50,000- 74,999	100	18375	12	13.4	5.6-21.1	31	30.6	21.2-40.1	56	55.5	45.0-65.9	1	0.5	0.0-1.5
\$75,000+	61	12518	9	14.6	4.8-24.4	22	36.9	23.1-50.7	30	48.5	33.9-63.2	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 14: DURING THIS MOST RECENT OCCASION, HOW DID YOU GET MOST OF THE ALCOHOL? (BUYALCH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Someone Else Bought It			I Bought it at a Store			I bought it at a Restaurant or Bar			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	322	68963	37	15.5	10.0-21.0	109	29.8	24.3-35.3	168	51.9	45.4-58.4	8	2.8	0.7-4.9
RACE														
Native	11	3467	1	18.4	0.0-49.6	2	15.9	0.0-37.1	6	53.6	20.6-86.7	2	12.1	0.0-28.8
Non-Native	311	65496	36	15.4	9.8-20.9	107	30.5	24.9-36.1	162	51.8	45.2-58.4	6	2.3	0.3-4.4
AGE														
18-24	43	19575	13	30.8	15.5-46.1	10	19.0	7.6-30.4	19	48.4	32.1-64.8	1	1.8	0.0-5.3
25-34	83	17719	7	12.0	2.7-21.3	23	24.8	15.2-34.5	51	59.0	47.2-70.7	2	4.2	0.0-9.9
35-44	81	14542	8	10.3	3.2-17.4	29	34.3	23.5-45.1	40	51.3	39.8-62.8	4	4.2	0.1-8.3
45-54	70	10946	5	5.3	0.5-10.1	29	44.7	31.9-57.4	35	47.9	35.1-60.6	1	2.1	0.0-6.2
55-64	34	4453	4	10.8	0.0-21.9	11	28.5	13.2-43.7	19	60.8	43.7-77.9	0		0.0-0.0
65+	11	1729	0		0.0-0.0	7	72.8	47.4-98.2	4	27.2	1.8-52.6	0		0.0-0.0
EDUCATION														
Less Than H.S.	13	2854	2	21.0	0.0-52.1	5	33.4	5.5-61.2	5	33.2	5.8-60.6	1	12.4	0.0-34.9
H.S. or G.E.D.	108	23142	12	17.1	7.4-26.8	38	31.5	22.0-41.0	55	48.9	38.0-59.8	3	2.4	0.0-5.2
Some Post-H.S.	115	25528	13	16.8	6.7-26.8	35	28.3	19.0-37.7	64	52.6	41.5-63.6	3	2.3	0.0-5.3
College Graduate	86	17440	10	10.6	3.4-17.9	31	28.9	18.8-39.0	44	58.0	46.2-69.8	1	2.4	0.0-7.1
HOUSEHOLD INCOME														
Less than \$15,000	13	4607	4	46.1	13.8-78.5	4	27.3	0.6-54.0	5	26.6	0.0-54.8	0		0.0-0.0
\$15,000- 24,999	44	10718	5	11.8	0.7-23.0	17	30.3	15.8-44.8	19	52.7	35.0-70.3	3	5.2	0.0-11.2
\$25,000- 34,999	53	11330	6	15.0	3.0-27.1	13	20.5	9.1-31.9	33	62.8	47.8-77.8	1	1.6	0.0-4.9
\$35,000- 49,999	79	14557	5	7.4	0.0-16.1	31	33.7	22.3-45.1	42	56.0	43.4-68.6	1	2.9	0.0-8.5
\$50,000- 74,999	70	13437	7	11.1	2.7-19.5	20	28.9	17.8-40.0	42	59.3	47.0-71.5	1	0.7	0.0-2.1
\$75,000+	46	10089	7	15.4	3.9-27.0	16	32.3	17.7-46.9	23	52.3	35.8-68.7	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 15: DURING THIS MOST RECENT OCCASION, HOW DID YOU GET MOST OF THE ALCOHOL? (BUYALCH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Someone Else Bought It			I Bought it at a Store			I bought it at a Restaurant or Bar			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	153	26392	25	22.5	13.5-31.6	45	26.2	18.3-34.1	79	49.6	40.0-59.2	4	1.6	0.0-3.3
RACE														
Native	8	1390	0		0.0-0.0	1	9.5	0.0-27.7	7	90.5	72.3-100.0	0		0.0-0.0
Non-Native	145	25002	25	23.8	14.4-33.2	44	27.1	18.8-35.5	72	47.3	37.6-57.1	4	1.7	0.0-3.5
AGE														
18-24	32	10536	10	37.5	18.5-56.5	7	17.5	4.0-31.0	15	45.0	25.9-64.1	0		0.0-0.0
25-34	43	5887	2	4.0	0.0-9.8	13	32.0	16.7-47.3	27	62.7	47.0-78.4	1	1.3	0.0-4.0
35-44	38	5161	7	21.2	6.7-35.8	6	17.8	4.7-30.9	22	54.1	37.2-71.0	3	6.8	0.0-14.7
45-54	26	3126	4	15.1	0.6-29.6	13	47.2	26.4-68.0	9	37.7	17.6-57.9	0		0.0-0.0
55-64	9	1147	1	11.4	0.0-32.7	2	28.6	0.0-61.7	6	60.0	25.3-94.7	0		0.0-0.0
65+	5	534	1	12.5	0.0-37.1	4	87.5	62.9-100.0	0		0.0-0.0	0		0.0-0.0
EDUCATION														
Less Than H.S.	7	1118	1	35.3	0.0-83.9	4	42.3	2.1-82.6	2	22.3	0.0-52.7	0		0.0-0.0
H.S. or G.E.D.	37	5907	5	17.5	0.0-36.1	7	15.6	3.4-27.8	23	64.4	44.5-84.3	2	2.5	0.0-6.1
Some Post-H.S.	60	10817	9	24.9	9.2-40.6	16	21.9	9.8-34.0	34	51.9	36.0-67.8	1	1.3	0.0-3.9
College Graduate	49	8550	10	21.4	8.4-34.5	18	36.8	21.9-51.8	20	40.0	24.9-55.2	1	1.6	0.0-4.9
HOUSEHOLD INCOME														
Less than \$15,000	25	5120	5	38.8	10.9-66.8	7	16.3	2.1-30.5	13	44.9	18.9-70.8	0		0.0-0.0
\$15,000- 24,999	28	4201	4	26.4	3.9-48.9	10	34.9	13.4-56.4	14	38.7	18.6-58.8	0		0.0-0.0
\$25,000- 34,999	20	3683	5	23.0	3.4-42.6	3	10.3	0.0-22.5	11	64.5	42.4-86.7	1	2.1	0.0-6.4
\$35,000- 49,999	28	4493	3	12.3	0.0-28.8	6	19.8	3.6-35.9	16	60.0	39.2-80.9	3	7.9	0.0-17.0
\$50,000- 74,999	30	4937	5	19.7	2.5-36.8	11	35.3	17.3-53.3	14	45.0	26.1-64.0	0		0.0-0.0
\$75,000+	15	2429	2	11.2	0.0-26.6	6	55.8	27.1-84.5	7	33.0	8.0-58.0	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 16: DID YOU DRIVE A MOTOR VEHICLE, SUCH AS A CAR, TRUCK, OR MOTORCYCLE DURING OR WITHIN A COUPLE OF HOURS AFTER THIS OCCASION? (BINGEDRV)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	473	95060	85	16.4	12.6-20.2	388	83.6	79.7-87.5
SEX								
Male	320	68668	66	18.7	13.9-23.5	254	81.3	76.5-86.2
Female	153	26392	19	10.4	4.6-16.1	134	89.6	83.9-95.4
RACE								
Native	19	4857	2	16.3	0.0-39.7	17	83.7	60.3-100.0
Non-Native	454	90203	83	16.4	12.6-20.2	371	83.6	79.7-87.5
AGE								
18-24	75	30110	10	12.8	5.0-20.5	65	87.2	79.5-95.0
25-34	126	23606	28	21.4	13.1-29.7	98	78.6	70.3-86.9
35-44	118	19564	18	16.9	9.3-24.6	100	83.1	75.3-90.8
45-54	95	13917	19	16.3	9.1-23.5	76	83.7	76.2-91.1
55-64	43	5600	10	19.5	7.9-31.1	33	80.5	68.9-92.1
65+	16	2263	0		0.0-0.0	16	100.0	100.0-100.0
EDUCATION								
Less Than H.S.	20	3972	1	4.0	0.0-11.9	19	96.0	88.2-100.0
H.S. or G.E.D.	143	28754	26	16.1	9.6-22.5	117	83.9	77.3-90.6
Some Post-H.S.	175	36345	31	16.7	9.9-23.5	144	83.3	76.5-90.1
College Graduate	135	25990	27	18.2	10.9-25.4	108	81.8	74.6-89.1
HOUSEHOLD INCOME								
Less than \$15,000	38	9727	4	5.8	0.0-12.4	34	94.2	87.6-100.0
\$15,000- 24,999	72	14920	10	11.1	3.5-18.7	62	88.9	81.1-96.7
\$25,000- 34,999	73	15012	20	26.0	14.6-37.4	53	74.0	62.6-85.4
\$35,000- 49,999	107	19050	21	20.3	10.9-29.6	86	79.7	70.4-89.1
\$50,000- 74,999	99	18235	16	16.4	8.0-24.7	83	83.6	75.3-92.0
\$75,000+	60	12363	10	15.0	4.9-25.1	50	85.0	74.7-95.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 17: DID YOU DRIVE A MOTOR VEHICLE, SUCH AS A CAR, TRUCK, OR MOTORCYCLE DURING OR WITHIN A COUPLE OF HOURS AFTER THIS OCCASION? (BINGEDRV)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	320	68668	66	18.7	13.9-23.5	254	81.3	76.5-86.2
RACE								
Native	11	3467	2	22.8	0.0-54.2	9	77.2	45.8-100.0
Non-Native	309	65201	64	18.5	13.7-23.2	245	81.5	76.7-86.4
AGE								
18-24	43	19575	7	13.6	3.6-23.5	36	86.4	76.5-96.4
25-34	83	17719	20	24.5	14.0-35.1	63	75.4	64.9-86.0
35-44	80	14402	14	20.1	10.3-29.8	66	79.9	70.0-89.9
45-54	69	10791	16	18.3	9.6-27.1	53	81.6	72.6-90.7
55-64	34	4453	9	21.5	8.0-35.0	25	78.5	65.0-92.0
65+	11	1729	0		0.0-0.0	11	100.0	100.0-100.0
EDUCATION								
Less Than H.S.	13	2854	1	5.6	0.0-16.5	12	94.4	83.5-100.0
H.S. or G.E.D.	106	22847	20	17.9	10.0-25.7	86	82.1	74.1-90.2
Some Post-H.S.	115	25528	24	18.3	10.0-26.6	91	81.7	73.4-90.1
College Graduate	86	17440	21	22.5	12.5-32.5	65	77.5	67.5-87.5
HOUSEHOLD INCOME								
Less than \$15,000	13	4607	1	5.8	0.0-17.1	12	94.2	82.9-100.0
\$15,000- 24,999	44	10718	7	10.3	2.3-18.2	37	89.7	81.4-98.1
\$25,000- 34,999	53	11330	17	30.3	16.3-44.4	36	69.7	55.6-83.7
\$35,000- 49,999	79	14557	16	23.5	11.9-35.1	63	76.5	64.9-88.1
\$50,000- 74,999	69	13297	15	21.4	10.6-32.3	54	78.5	67.6-89.5
\$75,000+	45	9933	7	10.8	2.8-18.7	38	89.2	80.7-97.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004  
MODULE 19: BINGE DRINKING**

**TABLE 18: DID YOU DRIVE A MOTOR VEHICLE, SUCH AS A CAR, TRUCK, OR MOTORCYCLE DURING OR WITHIN A COUPLE OF HOURS AFTER THIS OCCASION? (BINGEDRV)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	153	26392	19	10.4	4.7-16.1	134	89.6	83.9-95.3	
RACE									
Native	8	1390	0		0.0-0.0	8	100.0	100.0-100.0	
Non-Native	145	25002	19	11.0	4.9-17.0	126	89.0	83.0-95.1	
AGE									
18-24	32	10536	3	11.3	0.0-23.7	29	88.8	76.3-100.0	
25-34	43	5887	8	12.0	3.6-20.4	35	88.0	79.6-96.4	
35-44	38	5161	4	8.2	0.0-16.5	34	91.8	83.5-100.0	
45-54	26	3126	3	9.4	0.0-20.2	23	90.6	79.8-100.0	
55-64	9	1147	1	11.4	0.0-32.7	8	88.6	67.3-100.0	
65+	5	534	0		0.0-0.0	5	100.0	100.0-100.0	
EDUCATION									
Less Than H.S.	7	1118	0		0.0-0.0	7	100.0	100.0-100.0	
H.S. or G.E.D.	37	5907	6	9.1	1.3-16.8	31	90.9	83.2-98.7	
Some Post-H.S.	60	10817	7	13.0	1.3-24.7	53	87.0	75.3-98.7	
College Graduate	49	8550	6	9.3	1.3-17.3	43	90.7	82.7-98.7	
HOUSEHOLD INCOME									
Less than \$15,000	25	5120	3	5.8	0.0-12.9	22	94.2	87.1-100.0	
\$15,000- 24,999	28	4201	3	13.1	0.0-30.8	25	86.9	69.2-100.0	
\$25,000- 34,999	20	3683	3	12.5	0.0-27.6	17	87.5	72.4-100.0	
\$35,000- 49,999	28	4493	5	9.7	0.6-18.8	23	90.3	81.2-99.4	
\$50,000- 74,999	30	4937	1	2.7	0.0-7.9	29	97.3	92.1-100.0	
\$75,000+	15	2429	3	32.4	0.0-65.6	12	67.6	34.4-100.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2004**

End of Module Data Report