

NORTH DAKOTA

2006 Module Variables Report

Behavioral Risk Factor Surveillance System

March 3, 2007



MODULE 1: RANDOM CHILD SELECTION CONTENTS

*** NOTE *** *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	IS THE CHILD A BOY OR A GIRL? (RCSGENDR)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8
	IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)	
7	MALES AND FEMALES	9
8	MALES ONLY	10
9	FEMALES ONLY	11
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)	
10	MALES AND FEMALES	12
11	MALES ONLY	13
12	FEMALES ONLY	14
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)	
13	MALES AND FEMALES	15
14	MALES ONLY	16
15	FEMALES ONLY	17
	HOW ARE YOU RELATED TO THE CHILD? (RCSRELN1)	
16	MALES AND FEMALES	18
17	MALES ONLY	19
18	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 1: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1243	164,990	272	19.6	16.9-22.3	336	26.0	23.1-28.9	287	22.1	19.4-24.8	314	28.6	25.5-31.7	34	3.6	02.2-05.0
Male	471	76,650	98	20.1	15.6-24.6	132	27.4	22.5-32.3	103	20.4	16.3-24.5	126	29.0	24.1-33.9	12	3.1	01.1-05.1
Female	772	88,340	174	19.2	15.9-22.5	204	24.8	21.1-28.5	184	23.6	19.9-27.3	188	28.3	24.2-32.4	22	4.1	02.1-06.1
Non-Native	1189	156,372	266	20.2	17.5-22.9	324	26.3	23.2-29.4	268	21.5	18.8-24.2	300	28.6	25.5-31.7	31	3.4	02.0-04.8
18-24	76	27,512							9	13.5	04.9-22.1				6	6.3	01.0-11.6
25-34	323	47,174	3	0.8	00.0-01.8	40	10.7	07.2-14.2	70	21.3	16.2-26.4	185	58.9	52.8-65.0	25	8.3	04.8-11.8
35-44	482	54,217	105	20.7	16.6-24.8	151	31.6	26.9-36.3	144	30.7	26.0-35.4	79	16.3	12.6-20.0	3	0.6	00.0-01.4
45-54	308	31,245	133	44.1	37.6-50.6	110	36.2	30.1-42.3	52	15.9	11.4-20.4	13	3.8	01.3-06.3			
H.S. or G.E.D.	290	41,604	78	23.8	17.5-30.1	72	26.3	19.2-33.4	61	17.4	12.3-22.5	75	30.7	23.8-37.6	4	1.7	00.0-03.5
Some Post-H.S.	437	55,793	101	20.2	15.5-24.9	132	29.1	23.8-34.4	93	21.0	16.3-25.7	103	27.2	21.9-32.5	8	2.5	00.3-04.7
College Graduate	476	59,224	87	17.0	13.3-20.7	123	23.5	19.4-27.6	121	25.1	20.8-29.4	126	29.3	24.6-34.0	19	5.1	02.6-07.6
Less than \$15,000	52	8,627				5	6.8	00.5-13.1							2	6.0	00.0-14.6
\$15,000- 24,999	119	14,077	23	14.8	07.4-22.2	38	23.7	15.1-32.3							3	6.4	00.0-13.8
\$25,000- 34,999	140	17,522	31	13.9	07.6-20.2	38	25.4	15.8-35.0	21	13.2	06.1-20.3				3	2.5	00.0-05.2
\$35,000- 49,999	270	33,836	60	20.2	14.5-25.9	73	27.6	20.9-34.3	64	23.1	17.2-29.0	67	27.1	20.6-33.6	6	2.0	00.0-04.0
\$50,000- 74,999	283	36,724	58	17.6	12.5-22.7	75	24.6	18.9-30.3	70	24.4	18.5-30.3	70	28.2	21.9-34.5	10	5.2	01.9-08.5
\$75,000+	287	40,370	64	21.9	16.2-27.6	77	26.4	20.5-32.3	74	23.9	18.6-29.2	65	25.1	19.2-31.0	7	2.7	00.3-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 2: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	471	76,650	98	20.1	15.6-24.6	132	27.4	22.5-32.3	103	20.4	16.3-24.5	126	29.0	24.1-33.9	12	3.1	01.1-05.1
Non-Native	460	74,370	96	20.2	15.7-24.7	130	27.9	23.0-32.8	99	20.2	16.1-24.3	124	29.1	24.2-34.0	11	2.7	00.9-04.5
25-34	105	20,652				7	6.8	01.9-11.7	20	22.0	13.0-31.0				9	8.1	02.4-13.8
35-44	192	27,293	38	20.5	14.2-26.8	57	29.9	22.6-37.2	54	27.4	20.7-34.1	41	21.0	14.7-27.3	2	1.2	00.0-02.8
45-54	124	14,730	46	39.1	29.1-49.1	48	38.8	29.0-48.6	22	16.1	09.2-23.0	8	6.0	01.3-10.7			
H.S. or G.E.D.	123	20,558	32	23.3	14.1-32.5				27	19.2	10.8-27.6	35	31.1	21.3-40.9	3	3.1	00.0-06.6
Some Post-H.S.	159	24,423	33	21.7	13.1-30.3	54	34.0	24.8-43.2	27	16.2	09.7-22.7	43	27.2	19.0-35.4	2	0.9	00.0-02.7
College Graduate	173	27,224	31	17.0	11.1-22.9	47	24.9	18.0-31.8	45	24.9	18.0-31.8	44	29.0	21.4-36.6	6	4.2	00.7-07.7
\$35,000- 49,999	113	17,434	22	17.8	09.4-26.2				26	21.7	12.9-30.5	32	29.9	19.9-39.9	1	1.2	00.0-03.6
\$50,000- 74,999	124	19,574	23	17.3	09.3-25.3	32	23.2	14.6-31.8	29	24.0	15.2-32.8	35	29.8	20.6-39.0	5	5.8	00.7-10.9
\$75,000+	124	20,526	30	26.0	16.8-35.2	37	29.3	20.1-38.5	31	23.4	15.6-31.2	23	19.8	12.0-27.6	3	1.4	00.0-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 3: WHAT IS THE BIRTH MONTH AND YEAR OF THE "XTH" CHILD? (RCSBIRTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1988-1990			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	772	88,340	174	19.2	15.9-22.5	204	24.8	21.1-28.5	184	23.6	19.9-27.3	188	28.3	24.2-32.4	22	4.1	02.1-06.1
Non-Native	729	82,002	170	20.3	16.8-23.8	194	24.8	20.9-28.7	169	22.7	19.0-26.4	176	28.1	24.0-32.2	20	4.1	02.1-06.1
18-24	50	15,775													5	8.7	00.7-16.7
25-34	218	26,522	3	1.5	00.0-03.3	33	13.7	08.8-18.6	50	20.8	14.9-26.7	116	55.6	48.2-63.0	16	8.4	04.1-12.7
35-44	290	26,924	67	20.9	15.6-26.2	94	33.2	27.1-39.3	90	34.2	27.9-40.5	38	11.6	07.5-15.7	1	0.1	00.0-00.3
45-54	184	16,515	87	48.6	40.6-56.6	62	33.9	26.3-41.5	30	15.7	10.0-21.4	5	1.8	00.0-04.0			
H.S. or G.E.D.	167	21,046	46	24.4	15.8-33.0	46	29.4	19.4-39.4	34	15.6	09.5-21.7	40	30.3	20.5-40.1	1	0.3	00.0-00.9
Some Post-H.S.	278	31,370	68	19.0	13.7-24.3	78	25.3	19.4-31.2	66	24.6	17.9-31.3	60	27.2	20.3-34.1	6	3.8	00.5-07.1
College Graduate	303	32,000	56	16.9	12.4-21.4	76	22.3	17.4-27.2	76	25.2	19.7-30.7	82	29.6	23.7-35.5	13	6.0	02.3-09.7
\$15,000- 24,999	85	9,350	18	15.4	06.2-24.6										2	8.0	00.0-18.8
\$25,000- 34,999	96	10,201	19	11.8	05.5-18.1				17	14.0	06.4-21.6				3	4.3	00.0-09.0
\$35,000- 49,999	157	16,402	38	22.6	15.3-29.9	41	25.8	17.6-34.0	38	24.7	16.9-32.5	35	24.0	15.8-32.2	5	2.9	00.0-05.8
\$50,000- 74,999	159	17,150	35	17.9	11.6-24.2	43	26.3	18.9-33.7	41	24.9	17.6-32.2	35	26.4	18.4-34.4	5	4.5	00.2-08.8
\$75,000+	163	19,844	34	17.7	11.6-23.8	40	23.3	16.0-30.6	43	24.4	17.3-31.5	42	30.5	22.1-38.9	4	4.1	00.0-08.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 4: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1320	178,080	669	49.6	46.3-52.9	651	50.4	47.1-53.7
Male	516	85,836	264	48.1	43.0-53.2	252	51.9	46.8-57.0
Female	804	92,244	405	51.0	46.7-55.3	399	49.0	44.7-53.3
Non-Native	1260	168,480	638	49.7	46.2-53.2	622	50.3	46.8-53.8
25-34	340	50,557	169	50.4	44.3-56.5	171	49.6	43.5-55.7
35-44	507	57,037	263	52.2	47.3-57.1	244	47.8	42.9-52.7
45-54	329	33,885	169	52.0	45.9-58.1	160	48.0	41.9-54.1
H.S. or G.E.D.	315	45,358	165	52.3	45.2-59.4	150	47.7	40.6-54.8
Some Post-H.S.	457	60,038	237	49.0	43.1-54.9	220	51.0	45.1-56.9
College Graduate	501	63,175	244	48.1	43.2-53.0	257	51.9	47.0-56.8
\$25,000- 34,999	148	19,085	68	38.6	28.6-48.6			
\$35,000- 49,999	277	34,701	146	51.9	44.6-59.2	131	48.1	40.8-55.4
\$50,000- 74,999	296	38,241	150	51.5	44.8-58.2	146	48.5	41.8-55.2
\$75,000+	303	42,988	152	50.3	43.8-56.8	151	49.7	43.2-56.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 5: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	516	85,836	264	48.1	42.8-53.4	252	51.9	46.6-57.2
Non-Native	503	83,250	256	47.8	42.5-53.1	247	52.2	46.9-57.5
25-34	114	22,907	61	49.2	39.2-59.2	53	50.8	40.8-60.8
35-44	205	29,045	109	54.7	47.3-62.1	96	45.3	37.9-52.7
45-54	139	16,785	66	49.5	40.1-58.9	73	50.5	41.1-59.9
H.S. or G.E.D.	138	23,273	73	47.7	37.7-57.7	65	52.3	42.3-62.3
Some Post-H.S.	172	27,637	82	42.7	33.7-51.7	90	57.3	48.3-66.3
College Graduate	186	29,549	98	51.8	44.0-59.6	88	48.2	40.4-56.0
\$50,000- 74,999	130	20,333	70	53.5	43.5-63.5	60	46.5	36.5-56.5
\$75,000+	134	22,245	74	54.0	44.4-63.6	60	46.0	36.4-55.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 6: IS THE CHILD A BOY OR A GIRL? (RCSGENDR)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Boy Male		Girl Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	804	92,244	405	51.0	46.7-55.3	399	49.0	44.7-53.3
Non-Native	757	85,230	382	51.7	47.2-56.2	375	48.3	43.8-52.8
25-34	226	27,650	108	51.4	44.1-58.7	118	48.6	41.3-55.9
35-44	302	27,992	154	49.6	43.1-56.1	148	50.4	43.9-56.9
45-54	190	17,100	103	54.4	46.6-62.2	87	45.6	37.8-53.4
H.S. or G.E.D.	177	22,085	92	57.1	47.3-66.9	85	42.9	33.1-52.7
Some Post-H.S.	285	32,401	155	54.3	47.0-61.6	130	45.7	38.4-53.0
College Graduate	315	33,626	146	44.8	38.7-50.9	169	55.2	49.1-61.3
\$35,000- 49,999	161	16,847	91	57.5	48.7-66.3	70	42.5	33.7-51.3
\$50,000- 74,999	166	17,908	80	49.2	40.8-57.6	86	50.8	42.4-59.2
\$75,000+	169	20,743	78	46.3	37.9-54.7	91	53.7	45.3-62.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 7. IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1320	177,765	23	1.7	00.9-02.5	1297	98.3	97.5-99.1
Male	514	85,603	12	2.1	00.7-03.5	502	97.9	96.5-99.3
Female	806	92,162	11	1.4	00.4-02.4	795	98.6	97.6-99.6
Native	53	8,260	3	4.8	00.0-10.5	50	95.2	89.5-0100
Non-Native	1263	168,537	20	1.6	00.8-02.4	1243	98.4	97.6-99.2
18-24	86	31,382	1	0.1	00.0-00.3	85	99.9	99.7-0100
25-34	339	50,412	10	2.9	00.7-05.1	329	97.1	94.9-99.3
35-44	509	57,023	11	2.6	01.0-04.2	498	97.4	95.8-99.0
45-54	329	33,950	1	0.4	00.0-01.2	328	99.6	98.8-0100
H.S. or G.E.D.	319	45,667	7	2.0	00.4-03.6	312	98.0	96.4-99.6
Some Post-H.S.	454	59,591	7	1.8	00.2-03.4	447	98.2	96.6-99.8
College Graduate	500	62,997	6	1.3	00.1-02.5	494	98.7	97.5-99.9
Less than \$15,000	55	8,991	1	0.4	00.0-01.2	54	99.6	98.8-0100
\$15,000- 24,999	128	15,910	5	5.0	00.5-09.5	123	95.0	90.5-99.5
\$25,000- 34,999	149	19,113	4	3.2	00.0-06.9	145	96.8	93.1-0100
\$35,000- 49,999	277	34,701	2	0.6	00.0-01.4	275	99.4	98.6-0100
\$50,000- 74,999	296	38,241	4	1.4	00.0-02.8	292	98.6	97.2-0100
\$75,000+	303	42,988	6	2.1	00.3-03.9	297	97.9	96.1-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 8: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	514	85,603	12	2.1	00.7-03.5	502	97.9	96.5-99.3
Non-Native	502	83,155	10	1.8	00.6-03.0	492	98.2	97.0-99.4
25-34	114	22,907	3	3.0	00.0-06.5	111	97.0	93.5-0100
35-44	204	28,884	7	3.3	00.8-05.8	197	96.7	94.2-99.2
45-54	139	16,850	1	0.8	00.0-02.4	138	99.2	97.6-0100
H.S. or G.E.D.	139	23,402	3	1.6	00.0-03.6	136	98.4	96.4-0100
Some Post-H.S.	169	27,274	3	2.4	00.0-05.1	166	97.6	94.9-0100
College Graduate	186	29,549	3	1.7	00.0-03.7	183	98.3	96.3-0100
\$25,000- 34,999	51	8,739	2	5.5	00.0-13.3	49	94.5	86.7-0100
\$35,000- 49,999	116	17,854	2	1.1	00.0-02.7	114	98.9	97.3-0100
\$50,000- 74,999	130	20,333	2	1.6	00.0-03.8	128	98.4	96.2-0100
\$75,000+	134	22,245	2	1.7	00.0-04.1	132	98.3	95.9-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 9: IS THE CHILD HISPANIC OR LATINO? (RCHISLAT)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	806	92,162	11	1.4	00.4-02.4	795	98.6	97.6-99.6
Non-Native	761	85,383	10	1.4	00.4-02.4	751	98.6	97.6-99.6
18-24	53	16,658				53	100.0	0100-0100
25-34	225	27,505	7	2.9	00.5-05.3	218	97.1	94.7-99.5
35-44	305	28,138	4	1.8	00.0-03.6	301	98.2	96.4-0100
45-54	190	17,100				190	100.0	0100-0100
H.S. or G.E.D.	180	22,264	4	2.3	00.0-04.8	176	97.7	95.2-0100
Some Post-H.S.	285	32,317	4	1.4	00.0-03.0	281	98.6	97.0-0100
College Graduate	314	33,448	3	1.0	00.0-02.2	311	99.0	97.8-0100
\$15,000- 24,999	89	9,876	2	4.0	00.0-09.5	87	96.0	90.5-0100
\$25,000- 34,999	98	10,374	2	1.3	00.0-03.5	96	98.7	96.5-0100
\$35,000- 49,999	161	16,847				161	100.0	0100-0100
\$50,000- 74,999	166	17,908	2	1.2	00.0-03.0	164	98.8	97.0-0100
\$75,000+	169	20,743	4	2.5	00.0-05.0	165	97.5	95.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 10: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1322	177,952	1194	88.8	86.6-91.0	16	1.4	00.6-02.2	4	0.4	00.0-00.8	4	0.4	00.0-01.0	60	5.6	03.8-07.4	44	3.3	02.1-04.5
Male	515	85,802	478	92.4	89.7-95.1	5	1.0	00.2-01.8	1	0.4	00.0-01.2				13	3.1	01.1-05.1	18	3.2	01.6-04.8
Female	807	92,150	716	85.5	82.2-88.8	11	1.8	00.4-03.2	3	0.4	00.0-01.0	4	0.8	00.0-01.8	47	8.0	05.3-10.7	26	3.4	01.8-05.0
Native	53	8,260	2	3.7	00.0-08.8							1	1.0	00.0-03.2				7	12.9	02.9-22.9
Non-Native	1264	168,715	1189	93.1	91.1-95.1	15	1.4	00.6-02.2	4	0.4	00.0-00.8	3	0.4	00.0-01.0	17	1.9	00.7-03.1	36	2.8	01.6-04.0
18-24	86	31,382	73	84.5	76.3-92.7	2	2.4	00.0-05.7				1	1.5	00.0-04.2	7	8.9	02.2-15.6	3	2.7	00.0-06.0
25-34	339	50,516	302	89.5	85.6-93.4	2	0.4	00.0-01.0	1	0.3	00.0-00.9				20	6.4	03.1-09.7	14	3.4	01.2-05.6
35-44	510	57,138	465	89.3	86.2-92.4	6	1.5	00.3-02.7	2	0.8	00.0-02.0	2	0.5	00.0-01.1	17	4.2	02.0-06.4	18	3.8	01.8-05.8
45-54	328	33,690	306	92.6	89.3-95.9	5	1.8	00.0-03.6	1	0.4	00.0-01.2				9	2.4	00.8-04.0	7	2.8	00.4-05.2
H.S. or G.E.D.	318	45,641	280	86.8	82.1-91.5	4	1.2	00.0-02.8	1	0.3	00.0-00.9	2	1.1	00.0-03.1	19	6.7	03.4-10.0	12	4.0	01.3-06.7
Some Post-H.S.	457	59,908	421	90.7	87.0-94.4	3	1.2	00.0-02.8				2	0.4	00.0-01.0	19	5.3	02.2-08.4	12	2.4	00.8-04.0
College Graduate	500	62,892	463	92.2	89.5-94.9	6	1.4	00.2-02.6	3	0.9	00.0-02.1				13	2.5	00.9-04.1	15	2.9	01.3-04.5
Less than \$15,000	55	8,991				1	1.0	00.0-03.0				1	1.0	00.0-03.0						
\$15,000- 24,999	128	15,910				4	2.0	00.0-04.4				2	1.4	00.0-03.6				8	7.3	01.6-13.0
\$25,000- 34,999	150	19,435	139	86.2	77.6-94.8	1	1.6	00.0-04.5				1	2.3	00.0-06.8	4	6.7	00.0-13.6	5	3.2	00.1-06.3
\$35,000- 49,999	277	34,701	259	93.8	90.7-96.9	2	1.1	00.0-02.5	2	0.8	00.0-01.8				9	3.3	00.8-05.8	5	1.0	00.0-02.0
\$50,000- 74,999	296	38,241	279	94.7	92.2-97.2	2	0.7	00.0-01.7	1	0.4	00.0-01.2				5	1.5	00.1-02.9	9	2.7	00.7-04.7
\$75,000+	302	42,770	282	92.8	89.5-96.1	4	1.5	00.0-03.1	1	0.8	00.0-02.2				6	1.8	00.4-03.2	9	3.1	00.9-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 11: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Asian		Am. Indian or Alaskan Native			Other			
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	515	85,802	478	92.4	89.9-94.9	5	1.0	00.2-01.8	1	0.4	00.0-01.2	13	3.1	01.1-05.1	18	3.2	01.6-04.8
Non-Native	502	83,217	475	94.3	91.9-96.7	5	1.0	00.0-02.0	1	0.4	00.0-01.2	4	1.2	00.0-02.6	17	3.1	01.5-04.7
25-34	115	23,229	108	92.2	86.1-98.3							3	4.2	00.0-09.1	4	3.6	00.0-07.5
35-44	204	28,884	185	89.6	84.9-94.3	2	1.1	00.0-02.7	1	1.1	00.0-03.3	5	3.2	00.5-05.9	11	5.0	01.9-08.1
45-54	138	16,591	130	93.2	88.1-98.3	3	3.1	00.0-06.6				2	0.8	00.0-02.0	3	2.9	00.0-06.6
H.S. or G.E.D.	139	23,595	130	94.2	90.3-98.1							5	3.3	00.2-06.4	4	2.5	00.0-05.0
Some Post-H.S.	171	27,476	161	94.5	90.6-98.4							3	2.0	00.0-04.5	7	3.5	00.6-06.4
College Graduate	185	29,354	173	93.0	88.9-97.1	4	2.2	00.0-04.4	1	1.1	00.0-03.3	2	1.0	00.0-02.4	5	2.7	00.2-05.2
\$25,000- 34,999	52	9,061													1	1.8	00.0-05.3
\$35,000- 49,999	116	17,854	109	95.5	91.6-99.4	1	1.1	00.0-03.3				2	1.7	00.0-04.4	4	1.7	00.0-03.5
\$50,000- 74,999	130	20,333	124	96.3	93.2-99.4							1	0.6	00.0-01.8	5	3.1	00.2-06.0
\$75,000+	134	22,245	124	91.6	86.3-96.9	4	2.9	00.0-05.8	1	1.4	00.0-04.1	2	1.4	00.0-03.4	3	2.6	00.0-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 12: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS THE RACE OF THE CHILD? (RCSRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	807	92,150	716	85.5	82.2-88.8	11	1.8	00.4-03.2	3	0.4	00.0-01.0	4	0.8	00.0-01.8	47	8.0	05.3-10.7	26	3.4	01.8-05.0
Non-Native	762	85,498	714	91.9	89.0-94.8	10	1.8	00.4-03.2	3	0.5	00.0-01.1	3	0.8	00.0-02.0	13	2.6	00.6-04.6	19	2.4	01.0-03.8
18-24	53	16,658				2	4.6	00.0-10.9				1	2.7	00.0-08.0				3	5.0	00.0-11.1
25-34	224	27,287	194	87.1	82.0-92.2	2	0.8	00.0-02.0	1	0.5	00.0-01.5				17	8.3	03.8-12.8	10	3.3	00.9-05.7
35-44	306	28,254	280	89.0	84.9-93.1	4	1.8	00.0-03.8	1	0.4	00.0-01.2	2	0.9	00.0-02.3	12	5.2	02.3-08.1	7	2.6	00.4-04.8
45-54	190	17,100	176	92.1	87.8-96.4	2	0.4	00.0-01.0	1	0.8	00.0-02.4				7	4.0	01.1-06.9	4	2.6	00.0-05.5
H.S. or G.E.D.	179	22,046	150	78.8	70.4-87.2	4	2.5	00.0-05.6	1	0.7	00.0-02.1	2	2.3	00.0-06.2	14	10.2	04.1-16.3	8	5.6	00.7-10.5
Some Post-H.S.	286	32,432	260	87.5	81.6-93.4	3	2.2	00.0-05.1				2	0.8	00.0-02.0	16	8.2	02.9-13.5	5	1.4	00.0-02.8
College Graduate	315	33,538	290	91.5	88.0-95.0	2	0.8	00.0-02.0	2	0.8	00.0-01.8				11	3.8	01.3-06.3	10	3.2	01.0-05.4
\$15,000- 24,999	89	9,876				4	3.2	00.0-07.1				2	2.2	00.0-05.7				4	4.0	00.0-08.9
\$25,000- 34,999	98	10,374				1	2.9	00.0-08.6				1	4.4	00.0-12.6	2	4.8	00.0-12.8	4	4.4	00.0-09.3
\$35,000- 49,999	161	16,847	150	92.1	87.2-97.0	1	1.0	00.0-03.0	2	1.5	00.0-03.7				7	5.1	01.0-09.2	1	0.2	00.0-00.6
\$50,000- 74,999	166	17,908	155	92.9	88.8-97.0	2	1.5	00.0-03.5	1	0.8	00.0-02.4				4	2.6	00.1-05.1	4	2.3	00.0-04.7
\$75,000+	168	20,525	158	94.2	90.5-97.9										4	2.1	00.0-04.3	6	3.7	00.6-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION

TABLE 14: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION

TABLE 15: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS THE CHILD'S RACE? (RCSBRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting multiple race groups

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

**TABLE 16: HOW ARE YOU RELATED TO THE CHILD? (RCSRELN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1326	178,608	1235	85.5	82.2-88.8	21	1.4	00.6-02.2	9	0.7	00.3-01.1	40	9.6	06.7-12.5	9	1.7	00.5-02.9	12	1.2	00.4-02.0
Male	518	86,287	476	82.7	77.6-87.8	4	0.8	00.0-01.8	3	0.7	00.0-01.5	23	12.9	08.0-17.8	3	0.9	00.0-02.1	9	2.1	00.5-03.7
Female	808	92,320	759	88.1	84.2-92.0	17	1.9	00.9-02.9	6	0.7	00.1-01.3	17	6.6	03.3-09.9	6	2.5	00.3-04.7	3	0.3	00.0-00.7
Native	53	8,260				5	6.2	00.3-12.1	2	1.9	00.0-04.6	2	8.4	00.0-20.0	2	6.1	00.0-16.1			
Non-Native	1267	169,225	1188	85.8	82.5-89.1	16	1.1	00.5-01.7	7	0.6	00.2-01.0	38	9.7	06.6-12.8	7	1.5	00.3-02.7	11	1.2	00.4-02.0
18-24	86	31,382													2	3.6	00.0-08.7			
25-34	340	50,661	327	93.3	89.6-97.0				2	0.5	00.0-01.3				4	3.0	00.1-05.9	7	3.2	00.7-05.7
35-44	512	57,414	498	96.0	93.8-98.2	4	1.3	00.0-02.7	4	1.3	00.1-02.5	1	0.4	00.0-01.2	2	0.6	00.0-01.4	3	0.5	00.0-01.1
45-54	330	34,015	320	97.1	94.9-99.3	6	1.8	00.0-03.6	1	0.3	00.0-00.9	1	0.3	00.0-00.9	1	0.2	00.0-00.6	1	0.4	00.0-01.2
H.S. or G.E.D.	318	45,681	285	77.9	70.6-85.2	5	2.1	00.1-04.1	3	0.5	00.0-01.1	20	17.8	10.5-25.1	2	1.1	00.0-02.7	3	0.7	00.0-01.7
Some Post-H.S.	459	60,184	432	84.0	77.9-90.1	4	0.5	00.0-01.1	3	0.9	00.0-01.9	12	10.1	04.6-15.6	3	2.6	00.0-05.5	5	1.9	00.1-03.7
College Graduate	502	63,232	487	96.8	95.0-98.6	8	1.4	00.2-02.6	2	0.5	00.0-01.3	1	0.2	00.0-00.6	2	0.4	00.0-01.0	2	0.8	00.0-02.0
Less than \$15,000	55	8,991				1	3.6	00.0-10.5	1	1.2	00.0-03.6				2	5.9	00.0-15.5	2	1.6	00.0-04.0
\$15,000- 24,999	128	15,910				3	1.6	00.0-04.0	3	1.7	00.0-03.9	1	4.6	00.0-13.2	2	6.1	00.0-14.7	1	1.3	00.0-03.8
\$25,000- 34,999	151	19,580	141	84.5	74.9-94.1	2	1.1	00.0-02.7				2	5.1	00.0-12.0	2	4.7	00.0-11.0	4	4.6	00.0-09.5
\$35,000- 49,999	277	34,701	268	90.7	84.4-97.0	1	0.3	00.0-00.9	2	1.0	00.0-02.4	5	7.1	01.2-13.0	1	0.9	00.0-02.7			
\$50,000- 74,999	295	38,151	281	93.3	89.0-97.6	3	0.6	00.0-01.4	2	0.8	00.0-02.0	3	3.1	00.0-07.0	2	0.8	00.0-02.0	4	1.3	00.0-02.7
\$75,000+	303	42,886	290	91.7	86.6-96.8	5	1.7	00.1-03.3	1	0.4	00.0-01.2	6	5.5	00.8-10.2				1	0.8	00.0-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 17: HOW ARE YOU RELATED TO THE CHILD? (RCSRELN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	518	86,287	476	82.7	77.4-88.0	4	0.8	00.0-01.8	3	0.7	00.0-01.5	23	12.9	08.0-17.8	3	0.9	00.0-02.1	9	2.1	00.5-03.7
Non-Native	505	83,702	464	82.4	77.1-87.7	4	0.8	00.0-01.8	3	0.7	00.0-01.5	22	13.0	07.9-18.1	3	1.0	00.0-02.2	9	2.1	00.5-03.7
25-34	115	23,229	108	91.7	85.4-98.0										1	2.1	00.0-06.2	6	6.3	01.0-11.6
35-44	205	29,045	196	94.3	90.4-98.2	1	1.1	00.0-03.3	3	1.9	00.0-04.1	1	0.8	00.0-02.4	2	1.1	00.0-02.7	2	0.7	00.0-01.9
45-54	140	16,915	138	97.7	94.4-0100	1	1.5	00.0-04.4										1	0.8	00.0-02.4
H.S. or G.E.D.	140	23,724				1	1.4	00.0-03.9							1	0.7	00.0-02.1	3	1.3	00.0-03.3
Some Post-H.S.	172	27,637							3	2.0	00.0-04.4	8	16.5	06.5-26.5				4	3.6	00.1-07.1
College Graduate	186	29,549	181	96.6	93.5-99.7	2	1.3	00.0-03.3							1	0.5	00.0-01.5	2	1.6	00.0-04.0
\$25,000- 34,999	52	9,061										1	6.1	00.0-17.5	1	5.3	00.0-15.3			
\$35,000- 49,999	116	17,854							1	1.3	00.0-03.8									
\$50,000- 74,999	130	20,333	123	91.3	83.9-98.7							2	5.4	00.0-12.5	2	1.6	00.0-03.8	3	1.7	00.0-03.9
\$75,000+	134	22,245	127	88.8	80.4-97.2	2	1.7	00.0-04.2	1	0.7	00.0-02.1	3	7.4	00.0-15.2				1	1.4	00.0-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 1: RANDOM CHILD SELECTION**

TABLE 18: HOW ARE YOU RELATED TO THE CHILD? (RCSRELN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes respondents not reporting children

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent			Grandparent			Foster parent guardian			Sibling			Other relative			Not related		
	N	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	808	92,320	759	88.1	84.2-92.0	17	1.9	00.9-02.9	6	0.7	00.1-01.3	17	6.6	03.3-09.9	6	2.5	00.3-04.7	3	0.3	00.0-00.7
Non-Native	762	85,523	724	89.1	85.2-93.0	12	1.4	00.4-02.4	4	0.6	00.0-01.2	16	6.6	03.1-10.1	4	2.1	00.0-04.3	2	0.2	00.0-00.6
18-24	53	16,658													2	6.8	00.0-16.0			
25-34	225	27,432	219	94.7	90.2-99.2				2	0.9	00.0-02.3				3	3.8	00.0-08.1	1	0.5	00.0-01.5
35-44	307	28,369	302	97.8	95.6-0100	3	1.4	00.0-03.2	1	0.6	00.0-01.8							1	0.2	00.0-00.6
45-54	190	17,100	182	96.5	94.0-99.0	5	2.0	00.0-04.0	1	0.6	00.0-01.8	1	0.6	00.0-01.8	1	0.4	00.0-01.2			
H.S. or G.E.D.	178	21,956				4	2.8	00.1-05.5	3	1.1	00.0-02.5	9	15.7	05.7-25.7	1	1.5	00.0-04.4			
Some Post-H.S.	287	32,548	275	89.1	82.2-96.0	4	1.0	00.0-02.0				4	4.6	00.0-09.3	3	4.8	00.0-10.1	1	0.4	00.0-01.2
College Graduate	316	33,684	306	97.0	95.0-99.0	6	1.6	00.2-03.0	2	0.9	00.0-02.3	1	0.3	00.0-00.9	1	0.2	00.0-00.6			
\$15,000- 24,999	89	9,876				3	2.6	00.0-06.3	2	1.1	00.0-02.7									
\$25,000- 34,999	99	10,520				2	2.1	00.0-05.0				1	4.3	00.0-12.5	1	4.1	00.0-11.9			
\$35,000- 49,999	161	16,847	157	94.2	87.7-0100	1	0.6	00.0-01.8	1	0.6	00.0-01.8	1	2.7	00.0-07.8	1	1.9	00.0-05.6			
\$50,000- 74,999	165	17,817	158	95.5	92.0-99.0	3	1.3	00.0-02.9	2	1.8	00.0-04.3	1	0.5	00.0-01.5				1	0.8	00.0-02.4
\$75,000+	169	20,640	163	94.9	90.0-99.8	3	1.7	00.0-03.7				3	3.4	00.0-07.9						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 4: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	23
2 MALES ONLY	24
3 FEMALES ONLY	25
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	26
5 MALES ONLY	27
6 FEMALES ONLY	28
ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7 MALES AND FEMALES	29
8 MALES ONLY	30
9 FEMALES ONLY	31
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10 MALES AND FEMALES	32
11 MALES ONLY	33
12 FEMALES ONLY	34
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13 MALES AND FEMALES	35
14 MALES ONLY	36
15 FEMALES ONLY	37
HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
16 MALES AND FEMALES	38
17 MALES ONLY	39
18 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 4: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19	MALES AND FEMALES	41
20	MALES ONLY	42
21	FEMALES ONLY	43
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)	
22	MALES AND FEMALES	44
23	MALES ONLY	45
24	FEMALES ONLY	46
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25	MALES AND FEMALES	47
26	MALES ONLY	48
27	FEMALES ONLY	49
	WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
28	MALES AND FEMALES	50
29	MALES ONLY	51
30	FEMALES ONLY	52
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31	MALES AND FEMALES	53
32	MALES ONLY	54
33	FEMALES ONLY	55
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34	MALES AND FEMALES	56
35	MALES ONLY	57
36	FEMALES ONLY	58

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	375	32,213	8	1.9	00.1-03.7	27	10.3	05.0-15.6	64	19.6	14.5-24.7	160	41.1	34.8-47.4	116	27.1	21.8-32.4
Male	182	17,974	3	1.7	00.0-04.2	11	6.5	02.2-10.8	34	21.3	14.0-28.6	84	44.9	36.5-53.3	50	25.6	18.2-33.0
Female	193	14,239	5	2.2	00.0-04.4				30	17.5	10.8-24.2	76	36.4	27.6-45.2	66	28.9	21.5-36.3
Non-Native	348	29,511	8	2.1	00.3-03.9	23	10.0	04.3-15.7	58	18.8	13.7-23.9	148	40.4	34.1-46.7	111	28.6	22.9-34.3
45-54	63	6,220	2	2.3	00.0-05.6	6	8.9	01.5-16.3									
55-64	88	6,972				4	4.6	00.0-09.5	12	11.7	04.1-19.3	64	79.1	69.5-88.7	8	4.7	00.8-08.6
65+	191	14,452	3	0.4	00.0-01.0	4	2.0	00.0-04.0	14	8.6	03.9-13.3	63	30.9	23.5-38.3	107	58.1	50.1-66.1
Less Than H.S.	60	4,907				1	2.5	00.0-07.2	5	6.6	00.5-12.7						
H.S. or G.E.D.	120	9,839	2	0.5	00.0-01.5	5	5.9	00.6-11.2							39	30.8	21.0-40.6
Some Post-H.S.	118	9,842	4	3.1	00.0-06.4	11	8.8	02.7-14.9	21	22.0	12.8-31.2				29	21.1	13.3-28.9
College Graduate	76	7,580	2	3.5	00.0-09.2				14	16.7	07.1-26.3						
Less than \$15,000	56	3,261	1	0.4	00.0-01.2	4	5.4	00.0-11.3									
\$15,000- 24,999	64	5,297	2	1.1	00.0-02.9	4	9.3	00.0-18.7									
\$25,000- 34,999	53	4,794	1	2.4	00.0-07.1	3	4.2	00.0-09.1									
\$35,000- 49,999	57	5,194	2	5.7	00.0-14.1	5	6.7	00.4-13.0							12	15.9	05.9-25.9
\$50,000- 74,999	58	5,572	1	1.7	00.0-05.0												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	182	17,974	3	1.7	00.0-04.2	11	6.5	02.2-10.8	34	21.3	14.0-28.6	84	44.9	36.3-53.5	50	25.6	18.2-33.0
Non-Native	172	17,062	3	1.8	00.0-04.3	10	6.7	02.2-11.2	32	20.4	13.1-27.7	80	45.0	36.2-53.8	47	26.1	18.5-33.7
65+	83	7,350	1	0.1	00.0-00.3	1	1.2	00.0-03.6	8	9.8	02.5-17.1						
H.S. or G.E.D.	64	6,413	1	0.2	00.0-00.6	3	6.1	00.0-13.2									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	193	14,239	5	2.2	00.0-04.4				30	17.5	10.8-24.2	76	36.4	27.6-45.2	66	28.9	21.5-36.3
Non-Native	176	12,449	5	2.5	00.0-05.0				26	16.6	09.7-23.5	68	34.2	25.4-43.0	64	32.0	23.6-40.4
65+	108	7,102	2	0.8	00.0-02.0	3	2.8	00.0-06.1	6	7.3	01.2-13.4	38	34.6	24.6-44.6			
H.S. or G.E.D.	56	3,426	1	1.3	00.0-03.8	2	5.7	00.0-13.3									
Some Post-H.S.	74	5,402	3	4.1	00.0-09.4	6	6.6	01.1-12.1									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	392	33,126	106	26.4	21.3-31.5	286	73.6	68.5-78.7
Male	186	18,325	47	26.4	19.0-33.8	139	73.6	66.2-81.0
Female	206	14,801	59	26.3	19.0-33.6	147	73.7	66.4-81.0
Non-Native	365	30,424	99	26.8	21.3-32.3	266	73.2	67.7-78.7
45-54	63	6,220	9	10.2	02.6-17.8	54	89.8	82.2-97.4
65+	204	15,067	59	32.7	25.1-40.3	145	67.3	59.7-74.9
H.S. or G.E.D.	128	10,412	29	21.5	13.1-29.9	99	78.5	70.1-86.9
Some Post-H.S.	118	9,842	40	31.8	22.2-41.4	78	68.2	58.6-77.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	186	18,325	47	26.4	19.1-33.7	139	73.6	66.3-80.9		
Non-Native	176	17,413	43	25.5	18.1-32.9	133	74.5	67.1-81.9		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	206	14,801	59	26.3	19.2-33.4	147	73.7	66.6-80.8		
Non-Native	189	13,011	56	28.4	20.6-36.2	133	71.6	63.8-79.4		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	392	33,126	275	70.9	65.4-76.4	117	29.1	23.6-34.6
Male	186	18,325	135	72.9	65.3-80.5	51	27.1	19.5-34.7
Female	206	14,801	140	68.4	60.6-76.2	66	31.6	23.8-39.4
Non-Native	365	30,424	259	70.8	65.1-76.5	106	29.2	23.5-34.9
55-64	90	7,246	69	81.4	72.4-90.4	21	18.6	09.6-27.6
65+	204	15,067	146	71.7	64.4-79.0	58	28.3	21.0-35.6
H.S. or G.E.D.	128	10,412	95	79.1	71.5-86.7	33	20.9	13.3-28.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	186	18,325	135	72.9	65.3-80.5	51	27.1	19.5-34.7
Non-Native	176	17,413	131	73.3	65.5-81.1	45	26.7	18.9-34.5
H.S. or G.E.D.	65	6,550	51	85.4	76.6-94.2	14	14.6	05.8-23.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	206	14,801	140	68.4	60.6-76.2	66	31.6	23.8-39.4
Non-Native	189	13,011	128	67.4	59.0-75.8	61	32.6	24.2-41.0
65+	119	7,640	83	69.5	59.9-79.1	36	30.5	20.9-40.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	389	32,934	37	9.7	06.4-13.0	90	25.3	19.2-31.4	258	64.1	57.8-70.4	4	0.9	00.0-01.9
Male	185	18,195	21	11.3	06.2-16.4	49	23.8	16.7-30.9	113	63.7	55.7-71.7	2	1.1	00.0-02.9
Female	204	14,739	16	7.7	03.6-11.8				145	64.6	54.6-74.6	2	0.5	00.0-01.3
Non-Native	362	30,232	34	9.5	06.0-13.0	86	25.6	19.3-31.9	238	64.0	57.5-70.5	4	0.9	00.0-02.1
45-54	62	6,091	8	13.7	04.3-23.1									
55-64	90	7,246	9	10.3	02.9-17.7									
65+	202	15,005	17	9.2	04.5-13.9	42	20.1	13.6-26.6	141	70.3	63.0-77.6	2	0.5	00.0-01.3
Less Than H.S.	64	4,927	4	7.4	00.0-15.6									
H.S. or G.E.D.	127	10,393	12	8.8	03.1-14.5	30	21.9	13.7-30.1	83	67.3	57.7-76.9	2	2.0	00.0-05.1
Some Post-H.S.	118	9,842	13	11.7	05.2-18.2	26	23.3	14.7-31.9	78	64.6	54.8-74.4	1	0.4	00.0-01.2
College Graduate	79	7,727	8	9.8	02.4-17.2							1	0.4	00.0-01.4
Less than \$15,000	58	3,343	5	9.1	01.3-16.9	9	13.8	04.6-23.0						
\$15,000- 24,999	65	5,295	3	5.7	00.0-12.4									
\$25,000- 34,999	53	4,794	2	2.4	00.0-05.7									
\$35,000- 49,999	59	5,468										1	0.8	00.0-02.4
\$50,000- 74,999	58	5,572	7	8.8	01.4-16.2							2	3.5	00.0-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	185	18,195	21	11.3	06.2-16.4	49	23.8	16.7-30.9	113	63.7	55.7-71.7	2	1.1	00.0-02.9
Non-Native	175	17,283	21	11.9	06.6-17.2	48	24.9	17.5-32.3	104	62.0	53.6-70.4	2	1.2	00.0-03.2
65+	85	7,427	9	12.2	04.0-20.4									
H.S. or G.E.D.	65	6,550	6	8.7	01.1-16.3							1	2.5	00.0-07.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	204	14,739	16	7.7	03.6-11.8				145	64.6	54.6-74.6	2	0.5	00.0-01.3
Non-Native	187	12,949	13	6.2	02.5-09.9							2	0.6	00.0-01.4
65+	117	7,578	8	6.2	01.7-10.7	15	13.0	06.1-19.9	92	79.8	72.0-87.6	2	1.0	00.0-02.4
H.S. or G.E.D.	62	3,843	6	9.0	01.4-16.6	9	10.7	02.7-18.7				1	1.1	00.0-03.3
Some Post-H.S.	74	5,402	6	8.9	01.8-16.0									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	383	32,404	239	60.9	54.6-67.2	79	18.8	14.3-23.3	23	8.8	03.7-13.9	8	2.2	00.6-03.8	32	8.8	05.3-12.3	2	0.6	00.0-01.6
Male	181	17,767	109	60.3	52.1-68.5	38	18.8	12.5-25.1	13	7.6	03.3-11.9	4	2.0	00.0-04.0	16	10.3	04.6-16.0	1	1.0	00.0-03.0
Female	202	14,638	130	61.6	51.8-71.4	41	18.8	12.3-25.3	10	10.2	00.4-20.0	4	2.4	00.0-04.9	16	7.1	03.0-11.2	1	0.1	00.0-00.3
Non-Native	356	29,702	222	61.1	54.4-67.8	76	19.5	14.8-24.2	20	8.8	03.3-14.3	7	1.9	00.5-03.3	29	8.0	04.5-11.5	2	0.6	00.0-01.8
45-54	62	6,125				8	11.3	03.3-19.3	5	9.0	00.8-17.2	2	3.4	00.0-08.3	6	10.1	02.1-18.1			
55-64	89	7,239				20	20.6	10.6-30.6	6	6.7	01.0-12.4	1	0.9	00.0-02.7	6	6.3	00.6-12.0			
65+	197	14,447	124	60.9	52.9-68.9	42	20.7	14.2-27.2	9	5.7	01.8-09.6	5	3.0	00.3-05.7	15	8.5	03.2-13.8	2	1.3	00.0-03.7
Less Than H.S.	63	4,950				12	14.9	05.1-24.7	2	2.6	00.0-06.5	1	2.3	00.0-06.8	4	5.2	00.0-11.7			
H.S. or G.E.D.	126	10,312	78	64.2	54.2-74.2	27	15.6	08.7-22.5	11	10.6	04.1-17.1	1	0.7	00.0-02.1	9	8.9	02.4-15.4			
Some Post-H.S.	116	9,740				23	20.8	12.4-29.2	6	6.0	01.1-10.9	4	2.8	00.1-05.5	8	7.5	01.0-14.0	2	1.9	00.0-05.2
College Graduate	77	7,357										2	3.5	00.0-08.4	11	13.0	04.0-22.0			
Less than \$15,000	57	3,294							4	6.1	00.0-12.8				7	8.5	01.2-15.8	1	0.4	00.0-01.2
\$15,000- 24,999	66	5,314							2	2.2	00.0-05.3	2	2.6	00.0-06.3						
\$25,000- 34,999	52	4,752				6	10.1	01.3-18.9	4	7.5	00.0-15.7	2	2.9	00.0-07.0	1	0.9	00.0-02.7			
\$35,000- 49,999	58	5,411				8	12.6	03.2-22.0				1	2.1	00.0-06.2	3	1.4	00.0-03.2	1	3.2	00.0-09.3
\$50,000- 74,999	57	5,477							3	6.9	00.0-14.5	1	2.1	00.0-06.2						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	181	17,767	109	60.3	51.9-68.7	38	18.8	12.5-25.1	13	7.6	03.3-11.9	4	2.0	00.0-04.0	16	10.3	04.6-16.0	1	1.0	00.0-03.0
Non-Native	171	16,855	103	61.4	53.0-69.8	37	19.1	12.6-25.6	12	7.8	03.3-12.3	4	2.1	00.0-04.3	14	8.6	03.5-13.7	1	1.0	00.0-03.0
65+	80	6,869							6	8.5	01.4-15.6	2	3.3	00.0-07.8	8	11.5	01.7-21.3	1	2.5	00.0-07.4
H.S. or G.E.D.	64	6,493				12	14.8	05.8-23.8	8	12.4	03.4-21.4	1	1.1	00.0-03.3	5	10.6	00.8-20.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	202	14,638	130	61.6	51.8-71.4	41	18.8	12.3-25.3	10	10.2	00.4-20.0	4	2.4	00.0-04.9	16	7.1	03.0-11.2	1	0.1	00.0-00.3
Non-Native	185	12,848				39	20.0	12.9-27.1				3	1.6	00.0-03.4	15	7.4	02.9-11.9	1	0.1	00.0-00.3
65+	117	7,578	79	69.1	59.7-78.5	24	19.2	11.0-27.4	3	3.1	00.0-06.8	3	2.8	00.0-05.9	7	5.7	01.4-10.0	1	0.2	00.0-00.6
H.S. or G.E.D.	62	3,819							3	7.5	00.0-15.7				4	6.0	00.0-12.1			
Some Post-H.S.	72	5,300							4	6.5	00.0-13.2	3	4.0	00.0-08.5	2	1.5	00.0-03.7	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	392	33,126	37	9.7	06.2-13.2	355	90.3	86.8-93.8
Male	186	18,325	21	11.6	06.1-17.1	165	88.4	82.9-93.9
Female	206	14,801	16	7.3	03.4-11.2	190	92.7	88.8-96.6
Non-Native	365	30,424	32	9.6	05.9-13.3	333	90.4	86.7-94.1
55-64	90	7,246	8	11.0	03.2-18.8	82	89.0	81.2-96.8
65+	204	15,067	19	9.8	05.1-14.5	185	90.2	85.5-94.9
Less Than H.S.	66	5,100	5	8.8	00.8-16.8	61	91.2	83.2-99.2
H.S. or G.E.D.	128	10,412	11	10.6	03.3-17.9	117	89.4	82.1-96.7
Some Post-H.S.	118	9,842	14	11.9	05.4-18.4	104	88.1	81.6-94.6
College Graduate	79	7,727	7	6.4	00.7-12.1	72	93.6	87.9-99.3
Less than \$15,000	59	3,386	8	12.3	03.3-21.3	51	87.7	78.7-96.7
\$15,000- 24,999	66	5,314	6	5.2	00.1-10.3	60	94.8	89.7-99.9
\$35,000- 49,999	59	5,468	6	10.2	01.8-18.6	53	89.8	81.4-98.2
\$50,000- 74,999	58	5,572	4	8.7	00.5-16.9	54	91.3	83.1-99.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	186	18,325	21	11.6	06.1-17.1	165	88.4	82.9-93.9		
Non-Native	176	17,413	19	11.5	05.8-17.2	157	88.5	82.8-94.2		
65+	85	7,427	10	13.1	04.9-21.3	75	86.9	78.7-95.1		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	206	14,801	16	7.3	03.4-11.2	190	92.7	88.8-96.6
Non-Native	189	13,011	13	7.1	03.0-11.2	176	92.9	88.8-97.0
65+	119	7,640	9	6.7	02.4-11.0	110	93.3	89.0-97.6
H.S. or G.E.D.	63	3,862	2	4.2	00.0-09.9	61	95.8	90.1-0100
Some Post-H.S.	74	5,402	10	12.9	04.7-21.1	64	87.1	78.9-95.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	381	32,409	73	20.1	15.2-25.0	93	26.0	19.7-32.3	51	15.2	10.5-19.9	91	21.9	17.0-26.8	43	8.8	05.7-11.9	30	8.1	04.8-11.4
Male	182	18,114	38	21.1	14.4-27.8	47	24.1	17.2-31.0	25	17.3	10.2-24.4	42	21.8	14.5-29.1	17	7.8	03.3-12.3	13	7.8	03.1-12.5
Female	199	14,295	35	18.7	11.8-25.6				26	12.4	07.1-17.7	49	22.0	15.3-28.7	26	9.9	05.6-14.2	17	8.5	04.2-12.8
Non-Native	354	29,707	68	19.6	14.7-24.5	87	25.5	19.2-31.8	49	16.0	11.1-20.9	86	22.4	17.1-27.7	40	8.9	05.6-12.2	24	7.5	04.2-10.8
45-54	61	6,043				12	17.0	07.2-26.8							5	5.2	00.0-10.5			
55-64	90	7,246	16	14.7	06.3-23.1				11	12.6	04.6-20.6				8	5.9	01.0-10.8	3	4.1	00.0-09.2
65+	195	14,528	35	19.6	12.9-26.3	45	22.0	15.1-28.9	27	15.6	09.3-21.9	48	23.4	16.3-30.5	26	12.4	07.3-17.5	14	7.0	02.5-11.5
Less Than H.S.	57	4,501													9	12.6	03.2-22.0	1	1.6	00.0-04.7
H.S. or G.E.D.	127	10,342	33	24.5	15.9-33.1	26	20.9	12.5-29.3	17	18.6	09.8-27.4	27	17.1	09.5-24.7	13	8.8	02.5-15.1	11	10.2	03.3-17.1
Some Post-H.S.	117	9,794	20	19.4	10.8-28.0	32	22.9	14.7-31.1	15	13.5	06.1-20.9	30	26.8	17.2-36.4	13	10.1	04.4-15.8	7	7.3	01.8-12.8
College Graduate	79	7,727							9	9.0	01.4-16.6	18	15.3	06.7-23.9	7	4.3	00.6-08.0	11	10.2	02.9-17.5
Less than \$15,000	57	3,189							6	10.9	02.1-19.7				11	15.3	05.5-25.1	2	2.4	00.0-06.7
\$15,000- 24,999	65	5,310													7	7.5	02.0-13.0	3	2.6	00.0-06.1
\$25,000- 34,999	53	4,794													4	8.5	00.0-18.5	1	1.5	00.0-04.4
\$35,000- 49,999	58	5,421													4	5.9	00.0-12.6			
\$50,000- 74,999	58	5,572							6	10.0	01.4-18.6				6	9.8	01.4-18.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	182	18,114	38	21.1	14.4-27.8	47	24.1	17.0-31.2	25	17.3	10.2-24.4	42	21.8	14.5-29.1	17	7.8	03.5-12.1	13	7.8	03.1-12.5
Non-Native	172	17,202	37	20.9	14.2-27.6	44	23.8	16.7-30.9	24	18.2	10.9-25.5	40	21.5	14.1-28.9	17	8.3	03.6-13.0	10	7.5	02.6-12.4
65+	82	7,346							11	15.1	05.9-24.3				10	12.6	04.8-20.4	6	7.1	00.0-14.5
H.S. or G.E.D.	65	6,550										12	13.7	04.1-23.3	6	8.9	00.0-17.9	6	11.5	01.7-21.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	199	14,295	35	18.7	11.8-25.6				26	12.4	07.1-17.7	49	22.0	15.3-28.7	26	9.9	05.6-14.2	17	8.5	04.2-12.8
Non-Native	182	12,505	31	17.8	10.7-24.9				25	13.1	07.4-18.8	46	23.6	16.2-31.0	23	9.9	05.4-14.4	14	7.6	03.3-11.9
65+	113	7,181	19	16.4	08.4-24.4	26	22.0	13.4-30.6	16	16.2	08.2-24.2	28	26.2	17.0-35.4	16	12.2	05.9-18.5	8	6.9	02.2-11.6
H.S. or G.E.D.	62	3,792													7	8.5	01.8-15.2	5	8.0	00.2-15.8
Some Post-H.S.	73	5,354							11	15.7	06.3-25.1	17	22.3	12.3-32.3	9	11.7	04.1-19.3	5	8.4	01.1-15.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	366	31,030	171	53.3	46.8-59.8	128	31.5	25.8-37.2	8	1.8	00.4-03.2	10	1.9	00.1-03.7	33	7.2	04.3-10.1	16	4.3	01.8-06.8
Male	175	17,272	90	56.6	48.0-65.2	48	26.4	18.8-34.0	4	2.1	00.0-04.5	5	2.4	00.0-05.3	20	8.2	04.1-12.3	8	4.4	00.9-07.9
Female	191	13,758	81	49.2	39.2-59.2	80	38.0	29.2-46.8	4	1.5	00.0-03.1	5	1.2	00.0-02.8	13	5.9	02.2-09.6	8	4.3	01.0-07.6
Non-Native	339	28,328	162	53.2	46.5-59.9	117	31.6	25.5-37.7	8	2.0	00.4-03.6	9	1.9	00.0-03.9	28	6.8	03.9-09.7	15	4.4	01.9-06.9
45-54	63	6,220							2	3.1	00.0-07.6	1	0.3	00.0-00.9	9	13.2	04.6-21.8	1	1.1	00.0-03.5
55-64	87	6,905							1	0.7	00.0-02.1	2	3.1	00.0-08.8	4	4.3	00.0-08.6	1	1.0	00.0-03.0
65+	181	13,313	73	43.3	34.7-51.9	70	38.9	30.5-47.3	4	2.3	00.0-04.8	6	2.6	00.0-05.3	17	6.9	02.6-11.2	11	6.1	02.2-10.0
Less Than H.S.	57	4,560							1	0.9	00.0-02.7	4	5.4	00.0-14.0	4	6.5	00.0-13.8	5	9.3	00.5-18.1
H.S. or G.E.D.	122	9,930				36	29.1	19.3-38.9	5	3.3	00.0-06.6	6	3.3	00.0-07.0	12	9.2	03.3-15.1	7	6.0	00.5-11.5
Some Post-H.S.	110	9,209				40	32.3	22.7-41.9							6	4.8	00.3-09.3	1	0.9	00.0-02.7
College Graduate	76	7,287							2	2.6	00.0-06.7				10	7.4	01.7-13.1	3	3.2	00.0-07.1
Less than \$15,000	52	2,928							2	3.0	00.0-07.1	3	2.8	00.0-06.5	3	4.8	00.0-11.3			
\$15,000- 24,999	61	4,957							3	7.0	00.0-15.0	2	4.3	00.0-12.1	10	9.2	02.3-16.1	3	3.9	00.0-09.4
\$25,000- 34,999	53	4,866													2	2.2	00.0-05.9	2	6.4	00.0-16.0
\$35,000- 49,999	56	5,202							1	1.2	00.0-03.7	1	2.8	00.0-08.3	6	9.9	01.3-18.5	1	1.1	00.0-03.3
\$50,000- 74,999	58	5,572							1	0.4	00.0-01.2				4	6.4	00.0-12.9	3	3.6	00.0-07.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	175	17,272	90	56.6	48.0-65.2	48	26.4	18.8-34.0	4	2.1	00.0-04.5	5	2.4	00.0-05.3	20	8.2	04.1-12.3	8	4.4	00.9-07.9
Non-Native	165	16,360	87	56.7	47.9-65.5	45	26.2	18.2-34.2	4	2.2	00.0-04.7	4	2.3	00.0-05.2	17	7.9	03.6-12.2	8	4.6	00.9-08.3
65+	76	6,648							1	2.2	00.0-06.5	3	2.9	00.0-07.4	13	11.2	03.6-18.8	5	4.8	00.1-09.5
H.S. or G.E.D.	64	6,413							3	3.4	00.0-07.9	3	2.7	00.0-07.2	8	12.0	03.6-20.4	4	5.8	00.0-13.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	191	13,758	81	49.2	39.2-59.2	80	38.0	29.2-46.8	4	1.5	00.0-03.1	5	1.2	00.0-02.8	13	5.9	02.2-09.6	8	4.3	01.0-07.6
Non-Native	174	11,968				72	39.1	29.7-48.5	4	1.7	00.0-03.5	5	1.3	00.0-03.3	11	5.3	01.6-09.0	7	4.2	00.7-07.7
65+	105	6,665							3	2.3	00.0-05.0	3	2.3	00.0-05.6	4	2.6	00.0-06.5	6	7.3	01.2-13.4
H.S. or G.E.D.	58	3,517							2	3.2	00.0-07.7	3	4.4	00.0-10.7	4	4.1	00.0-10.2	3	6.5	00.0-13.8
Some Post-H.S.	70	5,092												2	2.2	00.0-05.9	1	1.7	00.0-05.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	388	32,808	95	30.5	24.2-36.8	86	23.3	18.0-28.6	34	9.0	05.7-12.3	53	11.0	07.5-14.5	38	8.7	05.2-12.2	82	17.4	13.1-21.7
Male	185	18,154	52	33.1	24.9-41.3	43	24.8	17.5-32.1	15	8.7	04.0-13.4	22	8.8	04.3-13.3	19	9.7	04.2-15.2	34	14.9	09.4-20.4
Female	203	14,655				43	21.4	14.0-28.8	19	9.4	04.9-13.9	31	13.9	08.6-19.2	19	7.5	03.6-11.4	48	20.6	13.9-27.3
Non-Native	361	30,106	91	31.3	24.6-38.0	80	22.4	17.3-27.5	33	9.5	06.0-13.0	50	11.5	07.8-15.2	33	8.4	04.7-12.1	74	17.0	12.7-21.3
45-54	63	6,220							4	5.1	00.0-10.4	3	2.9	00.0-07.2						
55-64	90	7,246							7	9.8	02.2-17.4	14	12.8	05.0-20.6	3	4.4	00.0-09.7	14	10.8	03.7-17.9
65+	200	14,750	41	24.3	16.7-31.9	37	20.0	13.7-26.3	19	9.7	05.0-14.4	34	16.1	10.2-22.0	27	12.1	07.0-17.2	42	17.8	11.7-23.9
Less Than H.S.	66	5,100							8	11.5	03.1-19.9							7	7.9	00.6-15.2
H.S. or G.E.D.	127	10,347	29	26.6	16.8-36.4	28	22.9	14.1-31.7	12	10.7	04.4-17.0	14	8.5	03.2-13.8	14	11.2	03.9-18.5	30	20.1	12.3-27.9
Some Post-H.S.	115	9,589				21	15.9	08.8-23.0	11	10.0	03.3-16.7	16	12.6	05.9-19.3	7	4.9	01.0-08.8	27	21.8	13.6-30.0
College Graduate	79	7,727							3	3.9	00.0-08.6	10	5.6	00.7-10.5	6	5.4	00.3-10.5	18	14.9	05.7-24.1
Less than \$15,000	58	3,374							5	9.9	01.5-18.3							10	13.1	04.1-22.1
\$15,000- 24,999	65	5,244							6	11.2	01.4-21.0	7	9.5	01.9-17.1				16	13.8	04.8-22.8
\$25,000- 34,999	54	4,923							4	6.0	00.0-12.7	8	8.6	01.3-15.9				8	11.5	03.1-19.9
\$35,000- 49,999	58	5,297							4	4.9	00.0-10.8	7	9.0	01.0-17.0	2	2.4	00.0-05.7			
\$50,000- 74,999	58	5,572							6	12.4	02.8-22.0	10	13.4	04.0-22.8	5	6.3	00.2-12.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	185	18,154	52	33.1	25.1-41.1	43	24.8	17.5-32.1	15	8.7	04.0-13.4	22	8.8	04.3-13.3	19	9.7	04.4-15.0	34	14.9	09.4-20.4
Non-Native	175	17,242	51	33.5	25.1-41.9	41	24.7	17.3-32.1	15	9.2	04.3-14.1	22	9.2	04.5-13.9	16	9.2	03.7-14.7	30	14.2	08.7-19.7
65+	84	7,256				13	17.3	08.1-26.5	9	10.4	03.0-17.8	14	13.0	04.6-21.4	11	11.3	04.0-18.6	16	15.7	06.9-24.5
H.S. or G.E.D.	65	6,550							5	10.1	01.7-18.5	5	3.9	00.0-08.8	8	10.5	00.5-20.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	203	14,655				43	21.4	14.0-28.8	19	9.4	04.9-13.9	31	13.9	08.6-19.2	19	7.5	03.6-11.4	48	20.6	13.9-27.3
Non-Native	186	12,865				39	19.3	12.8-25.8	18	10.0	05.1-14.9	28	14.6	08.7-20.5	17	7.2	03.1-11.3	44	20.7	13.6-27.8
65+	116	7,494	20	16.6	08.4-24.8	24	22.6	14.0-31.2	10	9.1	03.6-14.6	20	19.1	10.9-27.3	16	12.8	05.9-19.7	26	19.7	11.7-27.7
H.S. or G.E.D.	62	3,798				11	16.0	06.0-26.0	7	11.7	02.9-20.5									
Some Post-H.S.	72	5,320				13	16.2	07.2-25.2	8	11.6	03.4-19.8	11	15.0	06.2-23.8	5	6.8	00.7-12.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 28: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	386	32,645	73	19.1	14.2-24.0	212	55.0	48.9-61.1	55	14.3	10.0-18.6	36	9.6	06.1-13.1	10	2.0	00.4-03.6
Male	183	17,934	35	19.3	12.6-26.0	91	50.8	42.4-59.2	29	16.0	09.5-22.5	20	10.7	05.6-15.8	8	3.1	00.6-05.6
Female	203	14,711	38	18.9	11.6-26.2	121	60.0	51.2-68.8	26	12.3	07.0-17.6	16	8.1	03.4-12.8	2	0.7	00.0-01.9
Non-Native	359	29,943	64	17.8	13.1-22.5	202	57.2	50.9-63.5	49	13.3	09.0-17.6	34	9.5	06.0-13.0	10	2.2	00.4-04.0
45-54	62	6,091										9	14.7	05.3-24.1	4	5.0	00.0-10.5
55-64	90	7,246							14	10.8	03.5-18.1	14	16.8	07.6-26.0			
65+	199	14,716	39	19.8	13.3-26.3	130	65.9	58.3-73.5	17	8.3	04.0-12.6	9	3.9	00.8-07.0	4	2.1	00.0-04.5
Less Than H.S.	64	5,025							6	7.8	00.9-14.7	5	7.4	00.0-15.0	2	4.4	00.0-10.7
H.S. or G.E.D.	126	10,393	28	20.9	12.9-28.9				16	14.4	06.0-22.8	11	8.5	03.0-14.0	3	0.9	00.0-02.3
Some Post-H.S.	117	9,712	15	14.3	06.7-21.9				18	17.7	09.5-25.9	11	10.6	03.9-17.3	3	2.6	00.0-05.9
College Graduate	78	7,471							15	14.4	06.0-22.8	9	11.1	02.9-19.3	2	1.3	00.0-03.7
Less than \$15,000	59	3,386										2	3.2	00.0-07.7	2	1.0	00.0-02.8
\$15,000- 24,999	65	5,310										8	10.7	02.5-18.9	3	4.4	00.0-10.3
\$25,000- 34,999	54	4,923	8	12.2	03.0-21.4							5	6.8	00.0-13.9	1	1.3	00.0-03.8
\$35,000- 49,999	59	5,468							11	12.9	04.3-21.5				1	1.7	00.0-05.0
\$50,000- 74,999	57	5,442										4	5.7	00.0-11.6	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 29: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	183	17,934	35	19.3	12.6-26.0	91	50.8	42.2-59.4	29	16.0	09.5-22.5	20	10.7	05.6-15.8	8	3.1	00.6-05.6
Non-Native	173	17,022	32	19.4	12.5-26.3	87	51.3	42.5-60.1	27	15.4	08.9-21.9	19	10.5	05.4-15.6	8	3.3	00.6-06.0
65+	83	7,167	17	19.4	09.6-29.2				10	10.2	03.1-17.3	2	2.7	00.0-07.4	3	4.3	00.0-09.4
H.S. or G.E.D.	64	6,546										7	11.2	03.0-19.4	2	1.3	00.0-03.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 30: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	203	14,711	38	18.9	11.6-26.2	121	60.0	51.4-68.6	26	12.3	07.0-17.6	16	8.1	03.6-12.6	2	0.7	00.0-01.9
Non-Native	186	12,921	32	15.6	09.5-21.7	115	64.9	56.3-73.5	22	10.6	05.5-15.7	15	8.1	03.4-12.8	2	0.8	00.0-02.2
65+	116	7,550	22	20.2	11.8-28.6	79	68.1	58.5-77.7	7	6.6	01.3-11.9	7	5.0	00.7-09.3	1	0.1	00.0-00.3
H.S. or G.E.D.	62	3,847							7	10.1	00.7-19.5	4	4.0	00.0-09.1	1	0.2	00.0-00.6
Some Post-H.S.	74	5,402	10	13.3	04.7-21.9				8	13.1	03.9-22.3	6	9.4	02.0-16.8	1	1.8	00.0-05.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	387	32,685	59	14.0	10.1-17.9	328	86.0	82.1-89.9
Male	184	18,041	29	14.1	08.4-19.8	155	85.9	80.2-91.6
Female	203	14,644	30	13.9	08.4-19.4	173	86.1	80.6-91.6
Non-Native	361	30,130	53	13.9	09.8-18.0	308	86.1	82.0-90.2
45-54	62	6,149	7	9.1	01.3-16.9	55	90.9	83.1-98.7
55-64	89	7,109	12	12.5	04.9-20.1	77	87.5	79.9-95.1
65+	201	14,834	36	18.1	12.0-24.2	165	81.9	75.8-88.0
H.S. or G.E.D.	126	10,298	13	8.3	02.8-13.8	113	91.7	86.2-97.2
Some Post-H.S.	117	9,705	18	15.0	07.6-22.4	99	85.0	77.6-92.4
College Graduate	79	7,727	9	9.8	02.7-16.9	70	90.2	83.1-97.3
\$25,000- 34,999	54	4,923	7	10.6	02.2-19.0	47	89.4	81.0-97.8
\$35,000- 49,999	58	5,331	6	9.0	01.0-17.0	52	91.0	83.0-99.0
\$50,000- 74,999	58	5,572	7	11.7	02.7-20.7	51	88.3	79.3-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	184	18,041	29	14.1	08.4-19.8	155	85.9	80.2-91.6
Non-Native	175	17,276	28	14.7	08.8-20.6	147	85.3	79.4-91.2
65+	84	7,280	16	19.1	09.5-28.7	68	80.9	71.3-90.5
H.S. or G.E.D.	65	6,550	5	4.9	00.0-11.0	60	95.1	89.0-100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	203	14,644	30	13.9	08.4-19.4	173	86.1	80.6-91.6		
Non-Native	186	12,854	25	13.0	07.5-18.5	161	87.0	81.5-92.5		
65+	117	7,554	20	17.1	09.7-24.5	97	82.9	75.5-90.3		
Some Post-H.S.	74	5,402	12	14.7	06.3-23.1	62	85.3	76.9-93.7		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	390	32,992	216	57.2	51.1-63.3	174	42.8	36.7-48.9
Male	186	18,325	98	53.8	45.4-62.2	88	46.2	37.8-54.6
Female	204	14,668	118	61.4	52.8-70.0	86	38.6	30.0-47.2
Non-Native	363	30,290	205	58.0	51.7-64.3	158	42.0	35.7-48.3
65+	203	15,024	109	54.4	46.4-62.4	94	45.6	37.6-53.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	186	18,325	98	53.8	45.6-62.0	88	46.2	38.0-54.4	
Non-Native	176	17,413	94	54.4	46.0-62.8	82	45.6	37.2-54.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	204	14,668	118	61.4	52.8-70.0	86	38.6	30.0-47.2	
Non-Native	187	12,878	111	63.0	54.0-72.0	76	37.0	28.0-46.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 10: SECOND HAND SMOKE POLICY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)	
1	MALES AND FEMALES	60
2	MALES ONLY	61
3	FEMALES ONLY	62
	WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)	
4	MALES AND FEMALES	63
5	MALES ONLY	64
6	FEMALES ONLY	65
	WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)	
7	MALES AND FEMALES	66
8	MALES ONLY	67
9	FEMALES ONLY	68
	WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)	
10	MALES AND FEMALES	69
11	MALES ONLY	70
12	FEMALES ONLY	71

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

**TABLE 1: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4620	476,536	3539	78.3	76.7-79.9	335	7.2	06.2-08.2	82	1.9	01.3-02.5	664	12.7	11.3-14.1
Male	1850	234,134	1358	75.9	73.2-78.6	121	6.9	05.3-08.5	44	2.4	01.4-03.4	327	14.8	12.6-17.0
Female	2770	242,402	2181	80.5	78.5-82.5	214	7.4	06.0-08.8	38	1.3	00.7-01.9	337	10.7	09.1-12.3
Native	102	15,137				16	15.5	06.3-24.7	1	0.7	00.0-02.1			
Non-Native	4466	456,530	3437	78.9	77.3-80.5	318	6.9	05.9-07.9	81	1.9	01.3-02.5	630	12.3	10.9-13.7
18-24	193	74,207	158	78.6	71.3-85.9	14	7.5	03.6-11.4	6	3.6	00.7-06.5	15	10.4	04.1-16.7
25-34	502	73,000	438	89.1	86.0-92.2	30	5.1	02.7-07.5	2	0.3	00.0-00.9	32	5.4	03.2-07.6
35-44	723	79,199	577	80.3	77.0-83.6	67	9.7	07.2-12.2	10	1.0	00.4-01.6	69	9.1	06.7-11.5
45-54	1044	94,248	796	77.3	74.4-80.2	88	8.4	06.4-10.4	18	1.6	00.8-02.4	142	12.7	10.3-15.1
55-64	798	62,797	583	73.4	69.7-77.1	54	5.9	03.9-07.9	22	2.9	01.3-04.5	139	17.8	14.7-20.9
65+	1317	90,333	956	71.9	69.0-74.8	79	6.1	04.5-07.7	22	1.9	00.9-02.9	260	20.1	17.6-22.6
Less Than H.S.	407	35,629	281	66.6	59.7-73.5	32	11.4	06.5-16.3	11	3.2	00.5-05.9	83	18.9	13.6-24.2
H.S. or G.E.D.	1381	136,623	964	68.8	65.3-72.3	120	9.9	07.5-12.3	38	3.4	01.8-05.0	259	17.9	15.0-20.8
Some Post-H.S.	1445	154,340	1115	79.8	76.9-82.7	125	7.5	05.7-09.3	21	1.2	00.4-02.0	184	11.5	09.0-14.0
College Graduate	1380	149,384	1175	88.2	86.4-90.0	58	3.4	02.4-04.4	12	0.7	00.1-01.3	135	7.6	06.0-09.2
Less than \$15,000	384	33,622	244	63.2	55.9-70.5	41	14.5	08.6-20.4	15	4.8	00.9-08.7	84	17.6	13.1-22.1
\$15,000- 24,999	696	62,294	469	70.1	64.4-75.8	62	8.7	05.8-11.6	18	2.2	01.0-03.4	147	19.0	13.5-24.5
\$25,000- 34,999	594	59,644	427	74.2	69.1-79.3	64	9.7	06.6-12.8	8	1.8	00.0-03.8	95	14.3	10.2-18.4
\$35,000- 49,999	808	83,280	627	79.4	75.9-82.9	58	7.5	05.3-09.7	13	1.2	00.4-02.0	110	11.9	09.0-14.8
\$50,000- 74,999	775	87,557	650	85.0	82.1-87.9	39	4.0	02.4-05.6	10	1.8	00.4-03.2	76	9.2	07.0-11.4
\$75,000+	713	87,335	619	88.2	85.7-90.7	34	4.0	02.4-05.6	6	0.7	00.1-01.3	54	7.0	05.0-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 2: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1850	234,134	1358	75.9	73.2-78.6	121	6.9	05.3-08.5	44	2.4	01.4-03.4	327	14.8	12.6-17.0
Non-Native	1798	226,764	1331	76.9	74.4-79.4	116	6.7	05.1-08.3	44	2.5	01.5-03.5	307	14.0	12.0-16.0
18-24	85	39,147				8	8.5	02.4-14.6	5	5.6	00.7-10.5	10	13.5	03.7-23.3
25-34	207	37,674	176	87.9	83.0-92.8	10	5.1	01.4-08.8	1	0.1	00.0-00.3	20	6.9	03.4-10.4
35-44	313	39,899	244	80.2	75.3-85.1	24	8.4	04.7-12.1	7	1.2	00.2-02.2	38	10.2	06.7-13.7
45-54	454	47,039	328	74.7	70.2-79.2	40	9.5	06.4-12.6	10	1.7	00.5-02.9	76	14.0	10.5-17.5
55-64	333	32,713	231	70.6	64.9-76.3	17	4.2	01.7-06.7	8	3.1	00.6-05.6	77	22.1	17.0-27.2
65+	449	36,969	311	69.1	63.8-74.4	21	4.5	02.3-06.7	12	2.7	00.9-04.5	105	23.8	18.9-28.7
Less Than H.S.	187	20,314				15	13.2	05.9-20.5	5	4.1	00.0-08.6	47	21.3	13.7-28.9
H.S. or G.E.D.	562	69,605	384	67.2	61.5-72.9	41	8.5	05.2-11.8	24	4.6	02.1-07.1	113	19.8	14.7-24.9
Some Post-H.S.	530	67,902	385	76.4	71.3-81.5	46	8.1	05.2-11.0	6	1.1	00.0-02.7	93	14.4	10.1-18.7
College Graduate	567	75,958	467	87.5	84.6-90.4	19	2.7	01.3-04.1	9	1.1	00.3-01.9	72	8.7	06.3-11.1
Less than \$15,000	105	12,292				10	12.0	02.0-22.0				24	16.4	08.4-24.4
\$15,000- 24,999	256	27,939	153	63.3	53.7-72.9	23	11.2	05.5-16.9	8	2.6	00.2-05.0	72	22.9	13.7-32.1
\$25,000- 34,999	242	30,552	160	70.1	61.9-78.3	23	8.6	03.9-13.3	7	3.4	00.0-07.1	52	17.8	10.7-24.9
\$35,000- 49,999	363	43,110	265	76.9	71.2-82.6	22	6.9	03.6-10.2	6	0.7	00.1-01.3	70	15.5	10.4-20.6
\$50,000- 74,999	370	48,890	301	83.6	79.3-87.9	14	2.8	00.8-04.8	7	2.5	00.3-04.7	48	11.1	07.8-14.4
\$75,000+	344	47,948	288	86.7	83.0-90.4	21	4.7	02.5-06.9	4	0.8	00.0-01.8	31	7.7	04.8-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 3: WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME? (HOUSESMK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Smoking in House			Some Smoking in House			Smoke Anywhere in House			No Smoking Rules		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2770	242,402	2181	80.5	78.5-82.5	214	7.4	06.0-08.8	38	1.3	00.7-01.9	337	10.7	09.1-12.3
Native	75	9,953							1	1.1	00.0-03.3	12	11.3	04.0-18.6
Non-Native	2668	229,765	2106	80.8	78.8-82.8	202	7.1	05.9-08.3	37	1.4	00.8-02.0	323	10.7	09.1-12.3
18-24	108	35,060	96	85.5	76.9-94.1	6	6.3	01.2-11.4	1	1.3	00.0-03.8	5	6.9	00.0-14.0
25-34	295	35,326	262	90.4	86.7-94.1	20	5.1	02.6-07.6	1	0.6	00.0-01.8	12	3.9	01.2-06.6
35-44	410	39,300	333	80.4	75.9-84.9	43	11.0	07.3-14.7	3	0.7	00.0-01.5	31	7.9	05.0-10.8
45-54	590	47,209	468	79.9	76.2-83.6	48	7.3	04.9-09.7	8	1.4	00.4-02.4	66	11.3	08.4-14.2
55-64	465	30,085	352	76.5	72.2-80.8	37	7.7	05.0-10.4	14	2.7	01.1-04.3	62	13.0	09.5-16.5
65+	868	53,364	645	73.9	70.6-77.2	58	7.2	05.0-09.4	10	1.3	00.3-02.3	155	17.6	14.7-20.5
Less Than H.S.	220	15,315	161	73.5	64.9-82.1	17	8.9	03.2-14.6	6	2.0	00.2-03.8	36	15.7	08.4-23.0
H.S. or G.E.D.	819	67,018	580	70.4	66.1-74.7	79	11.4	08.1-14.7	14	2.3	00.7-03.9	146	15.9	12.8-19.0
Some Post-H.S.	915	86,438	730	82.5	79.2-85.8	79	6.9	05.1-08.7	15	1.3	00.5-02.1	91	9.3	06.4-12.2
College Graduate	813	73,426	708	88.9	86.5-91.3	39	4.1	02.7-05.5	3	0.4	00.0-00.8	63	6.5	04.7-08.3
Less than \$15,000	279	21,329	182	64.6	56.6-72.6	31	15.9	08.6-23.2	6	1.2	00.2-02.2	60	18.3	13.0-23.6
\$15,000- 24,999	440	34,355	316	75.6	68.9-82.3	39	6.7	04.2-09.2	10	1.8	00.6-03.0	75	15.9	09.4-22.4
\$25,000- 34,999	352	29,092	267	78.4	72.7-84.1	41	10.8	06.5-15.1	1	0.2	00.0-00.6	43	10.6	06.3-14.9
\$35,000- 49,999	445	40,171	362	82.2	78.1-86.3	36	8.0	05.1-10.9	7	1.7	00.3-03.1	40	8.1	05.2-11.0
\$50,000- 74,999	405	38,668	349	86.7	83.0-90.4	25	5.6	03.1-08.1	3	0.9	00.0-02.1	28	6.8	04.1-09.5
\$75,000+	369	39,387	331	90.1	86.8-93.4	13	3.1	01.1-05.1	2	0.6	00.0-01.4	23	6.2	03.5-08.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 4: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2900	316,608	2151	72.8	70.6-75.0	749	27.2	25.0-29.4
Male	1321	173,352	698	56.1	52.6-59.6	623	43.9	40.4-47.4
Female	1579	143,256	1453	93.0	91.6-94.4	126	7.0	05.6-08.4
Non-Native	2826	306,666	2098	72.6	70.4-74.8	728	27.4	25.2-29.6
18-24	113	39,888	85	71.7	61.7-81.7	28	28.3	18.3-38.3
25-34	413	59,643	317	75.1	70.2-80.0	96	24.9	20.0-29.8
35-44	640	70,029	483	73.4	69.3-77.5	157	26.6	22.5-30.7
45-54	910	83,844	688	75.1	71.8-78.4	222	24.9	21.6-28.2
55-64	559	45,456	410	70.3	65.8-74.8	149	29.7	25.2-34.2
65+	234	15,640	144	59.3	51.5-67.1	90	40.7	32.9-48.5
H.S. or G.E.D.	795	85,487	514	64.4	59.9-68.9	281	35.6	31.1-40.1
Some Post-H.S.	958	102,944	709	71.5	67.6-75.4	249	28.5	24.6-32.4
College Graduate	1033	116,670	858	80.3	77.2-83.4	175	19.7	16.6-22.8
\$15,000- 24,999	309	27,635	231	76.9	70.2-83.6	78	23.1	16.4-29.8
\$25,000- 34,999	369	38,841	262	66.9	60.0-73.8	107	33.1	26.2-40.0
\$35,000- 49,999	609	64,165	434	68.8	63.5-74.1	175	31.2	25.9-36.5
\$50,000- 74,999	638	72,755	472	70.9	66.6-75.2	166	29.1	24.8-33.4
\$75,000+	596	72,374	468	79.0	75.3-82.7	128	21.0	17.3-24.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 5: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1321	173,352	698	56.1	52.6-59.6	623	43.9	40.4-47.4
Non-Native	1289	168,961	681	55.7	52.2-59.2	608	44.3	40.8-47.8
25-34	191	33,802	115	63.1	55.5-70.7	76	36.9	29.3-44.5
35-44	295	37,813	163	56.5	50.2-62.8	132	43.5	37.2-49.8
45-54	411	43,042	222	57.5	52.0-63.0	189	42.5	37.0-48.0
55-64	257	26,031	135	55.2	48.3-62.1	122	44.8	37.9-51.7
H.S. or G.E.D.	398	50,542	165	47.2	40.7-53.7	233	52.8	46.3-59.3
Some Post-H.S.	404	51,867	190	48.9	42.4-55.4	214	51.1	44.6-57.6
College Graduate	457	63,572	323	69.2	63.9-74.5	134	30.8	25.5-36.1
\$35,000- 49,999	291	35,240	146	50.9	42.9-58.9	145	49.1	41.1-57.1
\$50,000- 74,999	309	41,683	161	53.4	46.9-59.9	148	46.6	40.1-53.1
\$75,000+	313	42,728	209	69.6	63.9-75.3	104	30.4	24.7-36.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 6: WHILE WORKING AT YOUR JOB, ARE YOU INDOORS MOST OF THE TIME? (INDOORS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being unemployed

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1579	143,256	1453	93.0	91.6-94.4	126	7.0	05.6-08.4
Non-Native	1537	137,705	1417	93.4	92.0-94.8	120	6.6	05.2-08.0
18-24	57	16,040	57	100.0	0100-0100			
25-34	222	25,841	202	90.9	86.6-95.2	20	9.1	04.8-13.4
35-44	345	32,216	320	93.2	90.3-96.1	25	6.8	03.9-09.7
45-54	499	40,802	466	93.7	91.3-96.1	33	6.3	03.9-08.7
55-64	302	19,425	275	90.5	86.6-94.4	27	9.5	05.6-13.4
65+	130	7,443	113	89.5	83.6-95.4	17	10.5	04.6-16.4
Less Than H.S.	52	4,136	50	98.4	95.7-0100	2	1.6	00.0-04.3
H.S. or G.E.D.	397	34,945	349	89.3	85.8-92.8	48	10.7	07.2-14.2
Some Post-H.S.	554	51,077	519	94.5	92.5-96.5	35	5.5	03.5-07.5
College Graduate	576	53,098	535	93.7	91.3-96.1	41	6.3	03.9-08.7
Less than \$15,000	74	7,065	66	93.7	88.8-98.6	8	6.3	01.4-11.2
\$15,000- 24,999	194	15,126	181	95.5	91.6-99.4	13	4.5	00.6-08.4
\$25,000- 34,999	200	15,511	190	95.2	91.7-98.7	10	4.8	01.3-08.3
\$35,000- 49,999	318	28,925	288	90.7	87.0-94.4	30	9.3	05.6-13.0
\$50,000- 74,999	329	31,072	311	94.4	91.7-97.1	18	5.6	02.9-08.3
\$75,000+	283	29,646	259	92.6	89.3-95.9	24	7.4	04.1-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 7: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported being unemployed
Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2129	227,996	1903	88.6	86.6-90.6	128	7.0	05.4-08.6	19	1.2	00.6-01.8	79	3.2	02.2-04.2
Male	691	96,290	597	85.9	82.4-89.4	51	8.2	05.3-11.1	6	1.0	00.0-02.0	37	4.9	02.9-06.9
Female	1438	131,706	1306	90.6	88.4-92.8	77	6.1	04.3-07.9	13	1.3	00.3-02.3	42	2.0	01.2-02.8
Non-Native	2079	220,634	1862	88.9	86.9-90.9	121	6.7	05.1-08.3	17	1.0	00.4-01.6	79	3.4	02.4-04.4
18-24	84	28,234				7	11.5	02.7-20.3	4	4.5	00.0-09.2	1	1.9	00.0-05.6
25-34	314	44,399	272	87.2	82.7-91.7	30	9.5	05.4-13.6	2	0.5	00.0-01.3	10	2.8	00.8-04.8
35-44	476	50,431	430	89.8	86.7-92.9	28	6.1	03.7-08.5	5	1.4	00.0-02.8	13	2.7	00.9-04.5
45-54	686	62,759	625	90.8	88.1-93.5	32	5.4	03.2-07.6	3	0.3	00.0-00.7	26	3.5	01.9-05.1
55-64	403	31,546	359	90.2	86.9-93.5	25	5.1	02.7-07.5	4	0.6	00.0-01.4	15	4.1	01.7-06.5
65+	142	9,114	121	86.3	79.8-92.8	6	4.4	00.3-08.5	1	0.6	00.0-01.8	14	8.7	03.4-14.0
Less Than H.S.	65	7,738	53	89.7	81.9-97.5	5	2.8	00.0-06.3				7	7.5	00.6-14.4
H.S. or G.E.D.	506	54,120	425	82.7	78.0-87.4	40	8.8	05.3-12.3	8	2.4	00.0-04.8	33	6.1	03.2-09.0
Some Post-H.S.	702	72,991	629	88.9	85.6-92.2	46	7.9	04.8-11.0	9	1.4	00.2-02.6	18	1.9	00.9-02.9
College Graduate	853	92,938	793	91.7	89.2-94.2	37	5.6	03.2-08.0	2	0.3	00.0-00.7	21	2.3	01.1-03.5
Less than \$15,000	78	9,695							3	2.2	00.0-05.5	1	0.0	00.0-00.0
\$15,000- 24,999	229	21,177	189	80.3	73.0-87.6	20	8.8	04.5-13.1	5	1.8	00.0-03.6	15	9.1	02.8-15.4
\$25,000- 34,999	261	25,904	223	82.7	74.7-90.7	23	11.8	04.4-19.2	4	3.0	00.0-06.7	11	2.5	00.7-04.3
\$35,000- 49,999	431	43,913	389	88.1	83.6-92.6	21	6.5	02.6-10.4	2	0.7	00.0-01.9	19	4.6	02.2-07.0
\$50,000- 74,999	469	51,157	437	93.5	91.0-96.0	16	3.6	01.6-05.6	1	0.2	00.0-00.6	15	2.6	01.0-04.2
\$75,000+	465	56,707	430	92.8	90.1-95.5	22	4.6	02.4-06.8	3	0.9	00.0-02.1	10	1.7	00.5-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 8: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	691	96,290	597	85.9	82.4-89.4	51	8.2	05.3-11.1	6	1.0	00.0-02.0	37	4.9	02.9-06.9
Non-Native	675	93,320	587	86.8	83.3-90.3	46	7.4	04.5-10.3	5	0.8	00.0-01.6	37	5.1	03.1-07.1
25-34	114	21,155	97	84.0	75.8-92.2	13	12.5	04.7-20.3				4	3.6	00.1-07.1
35-44	161	21,142	141	86.7	80.8-92.6	12	7.2	02.9-11.5	3	2.3	00.0-05.0	5	3.8	00.5-07.1
45-54	222	24,739	193	87.3	82.2-92.4	14	6.2	02.5-09.9				15	6.5	03.0-10.0
55-64	132	14,154	112	87.2	81.1-93.3	9	5.5	01.6-09.4	1	0.5	00.0-01.5	10	6.9	02.0-11.8
H.S. or G.E.D.	160	23,114	123	75.7	67.1-84.3	17	10.7	05.0-16.4	4	3.2	00.0-06.9	16	10.4	04.1-16.7
Some Post-H.S.	189	25,278	164	85.9	78.1-93.7	17	10.9	03.3-18.5	2	0.9	00.0-02.3	6	2.2	00.0-04.4
College Graduate	322	43,803	295	91.1	87.0-95.2	15	5.6	02.1-09.1				12	3.3	01.1-05.5
\$15,000- 24,999	50	6,802				8	12.4	03.0-21.8	1	1.2	00.0-03.6			
\$25,000- 34,999	72	11,229							1	0.5	00.0-01.5	4	1.7	00.0-03.7
\$35,000- 49,999	144	17,863	122	79.5	69.9-89.1	9	10.9	02.3-19.5	2	1.7	00.0-04.4	11	7.8	02.7-12.9
\$50,000- 74,999	159	21,938	142	91.7	87.4-96.0	9	4.5	01.2-07.8				8	3.7	00.6-06.8
\$75,000+	209	29,742	193	92.7	88.8-96.6	9	4.3	01.2-07.4	1	0.5	00.0-01.5	6	2.5	00.3-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 9: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR INDOOR PUBLIC OR COMMON AREAS, SUCH AS LOBBIES, REST ROOMS, AND LUNCH ROOMS? (SMKPUBLIC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Public Areas			Allowed in Some Public Areas			Allowed in All Public Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1438	131,706	1306	90.6	88.4-92.8	77	6.1	04.3-07.9	13	1.3	00.3-02.3	42	2.0	01.2-02.8
Non-Native	1404	127,314	1275	90.4	88.2-92.6	75	6.2	04.2-08.2	12	1.2	00.2-02.2	42	2.1	01.3-02.9
18-24	57	16,040							3	5.7	00.0-12.6			
25-34	200	23,244	175	90.2	86.1-94.3	17	6.8	03.3-10.3	2	0.9	00.0-02.3	6	2.1	00.1-04.1
35-44	315	29,289	289	92.1	88.8-95.4	16	5.3	02.4-08.2	2	0.8	00.0-02.0	8	1.8	00.2-03.4
45-54	464	38,020	432	93.1	90.2-96.0	18	4.9	02.4-07.4	3	0.5	00.0-01.1	11	1.5	00.3-02.7
55-64	271	17,392	247	92.6	89.3-95.9	16	4.8	02.1-07.5	3	0.7	00.0-01.7	5	1.8	00.0-03.6
65+	111	6,502	94	84.2	76.2-92.2	5	4.4	00.0-08.9				12	11.4	04.3-18.5
H.S. or G.E.D.	346	31,006	302	88.0	82.7-93.3	23	7.3	02.8-11.8	4	1.8	00.0-04.7	17	2.9	01.1-04.7
Some Post-H.S.	513	47,713	465	90.4	87.3-93.5	29	6.2	03.7-08.7	7	1.7	00.1-03.3	12	1.7	00.7-02.7
College Graduate	531	49,135	498	92.3	89.0-95.6	22	5.7	02.6-08.8	2	0.6	00.0-01.6	9	1.4	00.2-02.6
Less than \$15,000	61	6,204							3	3.4	00.0-08.5	1	0.1	00.0-00.3
\$15,000- 24,999	179	14,375	156	88.4	82.9-93.9	12	7.1	02.6-11.6	4	2.0	00.0-04.4	7	2.5	00.3-04.7
\$25,000- 34,999	189	14,675	166	84.0	76.2-91.8	13	8.0	02.9-13.1	3	4.9	00.0-11.2	7	3.1	00.4-05.8
\$35,000- 49,999	287	26,051	267	94.1	91.2-97.0	12	3.5	01.1-05.9				8	2.5	00.5-04.5
\$50,000- 74,999	310	29,219	295	94.9	92.0-97.8	7	3.0	00.6-05.4	1	0.3	00.0-00.9	7	1.8	00.2-03.4
\$75,000+	256	26,965	237	92.8	89.1-96.5	13	5.0	02.1-07.9	2	1.3	00.0-03.5	4	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 10: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2132	228,518	1955	90.4	88.4-92.4	84	5.5	03.7-07.3	15	0.8	00.2-01.4	78	3.3	02.5-04.1
Male	695	96,817	617	86.7	83.2-90.2	37	7.6	04.5-10.7	6	1.3	00.1-02.5	35	4.5	02.9-06.1
Female	1437	131,702	1338	93.1	91.1-95.1	47	3.9	02.3-05.5	9	0.5	00.1-00.9	43	2.4	01.4-03.4
Non-Native	2081	220,959	1911	90.6	88.6-92.6	78	5.2	03.4-07.0	15	0.9	00.3-01.5	77	3.3	02.3-04.3
18-24	85	28,600	74	82.9	72.9-92.9	9	14.8	05.0-24.6	1	1.3	00.0-03.8	1	1.1	00.0-03.3
25-34	315	44,669	283	89.6	85.1-94.1	18	6.8	02.7-10.9	5	1.7	00.1-03.3	9	1.9	00.3-03.5
35-44	478	50,589	432	89.2	85.9-92.5	17	4.2	02.0-06.4	6	1.4	00.2-02.6	23	5.3	02.9-07.7
45-54	684	62,581	643	94.0	91.8-96.2	19	3.5	01.7-05.3	1	0.1	00.0-00.3	21	2.4	01.0-03.8
55-64	406	31,678	372	92.5	89.6-95.4	16	2.3	00.9-03.7	1	0.0	00.0-00.0	17	5.2	02.5-07.9
65+	140	8,888	128	92.1	87.4-96.8	4	1.7	00.0-03.7	1	0.6	00.0-01.8	7	5.6	01.3-09.9
Less Than H.S.	64	7,598				3	7.3	00.0-19.3	1	0.4	00.0-01.2	4	4.9	00.0-10.8
H.S. or G.E.D.	508	54,492	437	85.5	81.4-89.6	32	7.2	03.9-10.5	8	1.9	00.1-03.7	31	5.4	03.0-07.8
Some Post-H.S.	703	73,063	646	91.0	87.7-94.3	32	6.0	02.9-09.1	5	0.9	00.1-01.7	20	2.2	01.0-03.4
College Graduate	854	93,158	813	93.1	90.4-95.8	17	3.9	01.4-06.4	1	0.2	00.0-00.6	23	2.8	01.4-04.2
Less than \$15,000	81	9,918	67	87.9	79.7-96.1	6	4.1	00.6-07.6	3	1.8	00.0-04.3	5	6.2	00.0-13.1
\$15,000- 24,999	227	20,931	197	83.7	76.1-91.3	16	8.7	02.0-15.4	3	1.6	00.0-03.8	11	5.9	02.0-09.8
\$25,000- 34,999	261	25,904	235	84.4	76.0-92.8	13	10.8	02.6-19.0	5	2.7	00.0-05.4	8	2.1	00.3-03.9
\$35,000- 49,999	432	43,923	392	87.6	82.7-92.5	21	8.1	03.6-12.6	1	0.4	00.0-01.2	18	3.9	01.7-06.1
\$50,000- 74,999	470	51,348	442	93.6	91.1-96.1	14	3.6	01.6-05.6				14	2.8	01.0-04.6
\$75,000+	466	56,897	440	94.4	92.0-96.8	11	2.3	00.7-03.9	1	0.3	00.0-00.9	14	3.0	01.2-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 11: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	695	96,817	617	86.7	83.2-90.2	37	7.6	04.5-10.7	6	1.3	00.1-02.5	35	4.5	02.9-06.1
Non-Native	678	93,686	606	87.5	84.0-91.0	32	6.7	03.6-09.8	6	1.3	00.1-02.5	34	4.4	02.8-06.0
25-34	115	21,316	102	85.6	77.2-94.0	8	9.6	01.8-17.4	3	3.0	00.0-06.3	2	1.8	00.0-04.3
35-44	162	21,185	140	83.9	77.4-90.4	9	6.6	02.3-10.9	1	0.8	00.0-02.4	12	8.7	03.8-13.6
45-54	221	24,609	200	91.0	86.7-95.3	11	5.3	02.0-08.6				10	3.7	01.0-06.4
55-64	134	14,241	119	90.3	84.8-95.8	4	1.5	00.0-03.1				11	8.3	03.0-13.6
H.S. or G.E.D.	163	23,573	130	78.7	70.7-86.7	13	9.6	03.5-15.7	4	3.6	00.0-07.5	16	8.1	03.6-12.6
Some Post-H.S.	190	25,347	166	86.0	78.2-93.8	16	10.2	02.6-17.8	2	1.5	00.0-03.7	6	2.4	00.2-04.6
College Graduate	322	43,803	305	92.0	87.5-96.5	6	4.5	00.4-08.6				11	3.5	01.3-05.7
\$15,000- 24,999	50	6,802							1	3.2	00.0-09.3			
\$25,000- 34,999	72	11,229							3	4.3	00.0-09.6	2	1.2	00.0-03.0
\$35,000- 49,999	145	17,794				12	15.2	05.2-25.2				10	6.5	02.0-11.0
\$50,000- 74,999	160	22,099	145	90.4	85.3-95.5	9	6.1	01.8-10.4				6	3.5	00.4-06.6
\$75,000+	209	29,742	192	92.2	88.3-96.1	7	2.8	00.4-05.2	1	0.5	00.0-01.5	9	4.4	01.5-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 10: SECOND HAND SMOKE POLICY**

TABLE 12: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR PLACE OF WORKS OFFICIAL SMOKING POLICY FOR WORK AREAS? (SMKWORK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being unemployed

Denominator excludes: Respondents that reported not being indoors most of the time

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Allowed in Any Work Areas			Allowed in Some Work Areas			Allowed in All Work Areas			No Official Policy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1437	131,702	1338	93.1	91.1-95.1	47	3.9	02.3-05.5	9	0.5	00.1-00.9	43	2.4	01.4-03.4
Non-Native	1403	127,274	1305	92.9	90.9-94.9	46	4.0	02.2-05.8	9	0.5	00.1-00.9	43	2.5	01.5-03.5
18-24	57	16,040										1	1.9	00.0-05.6
25-34	200	23,353	181	93.2	89.7-96.7	10	4.3	01.4-07.2	2	0.4	00.0-01.0	7	2.1	00.1-04.1
35-44	316	29,404	292	92.9	89.6-96.2	8	2.4	00.4-04.4	5	1.8	00.0-03.6	11	2.9	00.9-04.9
45-54	463	37,972	443	95.9	93.7-98.1	8	2.3	00.5-04.1	1	0.1	00.0-00.3	11	1.6	00.2-03.0
55-64	272	17,437	253	94.3	91.2-97.4	12	3.1	01.1-05.1	1	0.1	00.0-00.3	6	2.6	00.2-05.0
65+	109	6,276	98	89.7	83.2-96.2	4	2.4	00.0-05.1				7	7.9	02.0-13.8
H.S. or G.E.D.	345	30,920	307	90.6	86.5-94.7	19	5.3	01.8-08.8	4	0.7	00.0-01.5	15	3.4	01.2-05.6
Some Post-H.S.	513	47,716	480	93.6	91.1-96.1	16	3.7	01.5-05.9	3	0.6	00.0-01.4	14	2.1	00.9-03.3
College Graduate	532	49,355	508	94.1	90.6-97.6	11	3.4	00.3-06.5	1	0.4	00.0-01.2	12	2.1	00.5-03.7
Less than \$15,000	63	6,358				4	3.7	00.0-07.4	3	2.8	00.0-06.7	3	6.6	00.0-16.2
\$15,000- 24,999	177	14,130	155	87.0	79.7-94.3	14	8.6	01.7-15.5	2	0.9	00.0-02.3	6	3.5	00.4-06.6
\$25,000- 34,999	189	14,675	173	88.1	80.7-95.5	8	7.6	00.5-14.7	2	1.4	00.0-03.8	6	2.8	00.1-05.5
\$35,000- 49,999	287	26,129	269	93.9	90.8-97.0	9	3.3	00.8-05.8	1	0.7	00.0-02.1	8	2.1	00.3-03.9
\$50,000- 74,999	310	29,249	297	96.1	93.6-98.6	5	1.6	00.0-03.2				8	2.3	00.3-04.3
\$75,000+	257	27,155	248	96.9	94.2-99.6	4	1.8	00.0-04.2				5	1.4	00.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 14: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)	
1	MALES AND FEMALES	74
2	MALES ONLY	75
3	FEMALES ONLY	76
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDOWN)	
4	MALES AND FEMALES	77
5	MALES ONLY	78
6	FEMALES ONLY	79
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)	
7	MALES AND FEMALES	80
8	MALES ONLY	81
9	FEMALES ONLY	82
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)	
10	MALES AND FEMALES	83
11	MALES ONLY	84
12	FEMALES ONLY	85
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR ATE TOO MUCH? (ADEAT)	
13	MALES AND FEMALES	86
14	MALES ONLY	87
15	FEMALES ONLY	88
	OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)	
16	MALES AND FEMALES	89
17	MALES ONLY	90
18	FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006**

MODULE 14: ANXIETY AND DEPRESSION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)	
19 MALES AND FEMALES	92
20 MALES ONLY	93
21 FEMALES ONLY	94
OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE - BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)	
22 MALES AND FEMALES	95
23 MALES ONLY	96
24 FEMALES ONLY	97
HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)	
25 MALES AND FEMALES	98
26 MALES ONLY	99
27 FEMALES ONLY	100
HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)	
28 MALES AND FEMALES	101
29 MALES ONLY	102
30 FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 1: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4422	458,355	882	20.4	18.8-22.0	212	4.5	03.7-05.3	153	3.7	02.9-04.5	133	3.0	02.4-03.6	3042	68.4	66.4-70.4
Male	1766	225,128	357	20.2	17.8-22.6	82	4.8	03.2-06.4	68	3.8	02.6-05.0	70	3.3	02.3-04.3	1189	67.8	64.9-70.7
Female	2656	233,227	525	20.6	18.4-22.8	130	4.2	03.4-05.0	85	3.6	02.4-04.8	63	2.7	01.7-03.7	1853	68.9	66.5-71.3
Native	94	12,896				6	6.7	00.6-12.8	12	12.1	04.5-19.7	6	8.9	00.5-17.3			
Non-Native	4281	440,841	854	20.3	18.7-21.9	205	4.4	03.6-05.2	139	3.4	02.6-04.2	127	2.8	02.2-03.4	2956	69.0	67.0-71.0
18-24	190	71,832	49	22.9	16.4-29.4	10	5.4	01.7-09.1	10	5.8	01.9-09.7	2	1.3	00.0-03.1	119	64.7	57.1-72.3
25-34	491	71,757	117	23.3	19.0-27.6	29	6.1	03.6-08.6	17	3.3	01.5-05.1	6	1.5	00.1-02.9	322	65.7	60.8-70.6
35-44	700	76,780	174	23.7	20.2-27.2	31	3.4	02.0-04.8	38	5.2	03.2-07.2	21	4.2	02.2-06.2	436	63.5	59.4-67.6
45-54	1000	90,555	206	21.0	18.1-23.9	42	3.4	02.2-04.6	32	2.5	01.5-03.5	44	4.3	02.7-05.9	676	68.7	65.4-72.0
55-64	767	59,944	134	17.8	14.5-21.1	37	4.8	03.0-06.6	18	2.4	01.2-03.6	24	3.4	01.6-05.2	554	71.5	67.6-75.4
65+	1235	85,026	195	14.4	12.0-16.8	61	4.4	03.0-05.8	37	3.2	02.0-04.4	36	2.9	01.7-04.1	906	75.2	72.3-78.1
Less Than H.S.	362	32,725	70	15.4	10.1-20.7	32	11.2	05.9-16.5	21	8.9	03.2-14.6	26	8.6	04.5-12.7	213	55.9	48.1-63.7
H.S. or G.E.D.	1317	129,658	269	23.2	19.9-26.5	70	4.6	03.0-06.2	57	5.1	03.1-07.1	41	2.9	01.7-04.1	880	64.2	60.5-67.9
Some Post-H.S.	1380	148,565	294	21.1	18.4-23.8	67	4.8	03.0-06.6	48	3.3	02.3-04.3	38	3.0	01.6-04.4	933	67.7	64.4-71.0
College Graduate	1356	146,847	247	18.4	15.7-21.1	43	2.6	01.6-03.6	27	1.7	00.9-02.5	28	1.8	01.0-02.6	1011	75.4	72.5-78.3
Less than \$15,000	346	30,249	76	23.9	16.8-31.0	28	8.6	03.9-13.3	26	7.1	03.6-10.6	19	7.9	03.2-12.6	197	52.6	44.6-60.6
\$15,000- 24,999	664	59,139	130	18.2	13.9-22.5	38	4.6	02.8-06.4	45	8.4	04.9-11.9	42	7.3	04.6-10.0	409	61.5	56.0-67.0
\$25,000- 34,999	569	57,925	125	22.4	17.5-27.3	31	5.1	02.6-07.6	21	3.7	01.3-06.1	17	3.4	01.2-05.6	375	65.3	59.8-70.8
\$35,000- 49,999	789	81,459	170	22.0	18.3-25.7	42	4.9	02.9-06.9	23	3.0	01.6-04.4	11	1.7	00.5-02.9	543	68.5	64.2-72.8
\$50,000- 74,999	756	85,758	163	21.2	17.9-24.5	26	3.9	01.9-05.9	18	2.3	01.1-03.5	11	1.1	00.3-01.9	538	71.6	67.9-75.3
\$75,000+	694	85,339	121	19.2	15.5-22.9	15	1.5	00.5-02.5	10	1.5	00.5-02.5	19	2.0	00.8-03.2	529	75.8	71.9-79.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 2: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1766	225,128	357	20.2	17.8-22.6	82	4.8	03.2-06.4	68	3.8	02.6-05.0	70	3.3	02.3-04.3	1189	67.8	64.9-70.7
Non-Native	1717	219,259	350	20.2	17.8-22.6	82	4.9	03.3-06.5	62	3.5	02.3-04.7	67	3.3	02.3-04.3	1156	68.1	65.2-71.0
18-24	83	37,228	22	21.6	12.4-30.8	6	8.6	01.7-15.5	4	5.0	00.0-10.1						
25-34	202	37,197	52	23.4	16.9-29.9	14	7.3	03.0-11.6	8	3.5	01.0-06.0	1	0.4	00.0-01.2	127	65.3	57.9-72.7
35-44	301	38,630	74	23.4	18.1-28.7	7	1.3	00.1-02.5	18	5.7	03.0-08.4	12	4.7	01.6-07.8	190	64.8	58.7-70.9
45-54	433	45,313	105	23.0	18.3-27.7	18	3.0	01.2-04.8	14	2.6	01.0-04.2	24	5.7	03.0-08.4	272	65.7	60.4-71.0
55-64	318	31,085	48	15.3	10.6-20.0	17	5.6	02.7-08.5	10	2.9	00.9-04.9	14	4.1	01.4-06.8	229	72.0	66.3-77.7
65+	421	35,048	55	12.8	08.9-16.7	19	3.6	01.6-05.6	14	3.3	01.3-05.3	19	4.6	02.2-07.0	314	75.7	70.8-80.6
Less Than H.S.	164	19,173	28	13.8	06.9-20.7	11	10.6	02.6-18.6	12	10.3	02.1-18.5	15	9.4	03.7-15.1			
H.S. or G.E.D.	536	65,968	117	23.6	18.7-28.5	25	4.5	02.1-06.9	27	5.0	02.6-07.4	22	3.9	02.1-05.7	345	63.1	57.6-68.6
Some Post-H.S.	504	64,899	124	23.5	18.8-28.2	25	5.9	02.4-09.4	17	3.1	01.5-04.7	22	3.0	01.4-04.6	316	64.5	59.0-70.0
College Graduate	558	74,733	88	16.2	12.5-19.9	21	2.7	01.3-04.1	12	1.8	00.6-03.0	11	1.6	00.4-02.8	426	77.7	73.6-81.8
Less than \$15,000	96	11,193							7	7.2	00.1-14.3	8	8.8	01.5-16.1			
\$15,000- 24,999	242	26,008	51	21.2	13.8-28.6	14	3.8	01.3-06.3	19	11.1	04.6-17.6	20	9.9	05.0-14.8	138	53.9	45.1-62.7
\$25,000- 34,999	228	29,643	49	22.0	14.7-29.3	17	7.2	02.7-11.7	9	4.6	00.5-08.7	12	4.0	01.3-06.7	141	62.2	53.4-71.0
\$35,000- 49,999	350	41,866	85	23.9	18.0-29.8	14	4.3	01.0-07.6	14	3.2	01.2-05.2	9	2.7	00.7-04.7	228	66.0	59.3-72.7
\$50,000- 74,999	355	47,318	70	19.9	15.2-24.6	8	3.4	00.5-06.3	10	2.3	00.5-04.1	8	1.1	00.1-02.1	259	73.3	67.8-78.8
\$75,000+	336	47,110	60	18.5	13.4-23.6	10	1.8	00.4-03.2	6	1.8	00.4-03.2	10	1.7	00.1-03.3	250	76.2	70.7-81.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 3: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD LITTLE INTEREST OR PLEASURE IN DOING THINGS? (ADPLEASR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2656	233,227	525	20.6	18.4-22.8	130	4.2	03.4-05.0	85	3.6	02.4-04.8	63	2.7	01.7-03.7	1853	68.9	66.5-71.3
Native	68	9,126				6	9.5	01.1-17.9	6	6.2	00.7-11.7						
Non-Native	2564	221,582	504	20.4	18.2-22.6	123	4.0	03.2-04.8	77	3.4	02.2-04.6	60	2.4	01.6-03.2	1800	69.9	67.5-72.3
18-24	107	34,604	27	24.3	15.1-33.5	4	1.9	00.0-03.9	6	6.6	00.7-12.5	2	2.6	00.0-06.1			
25-34	289	34,561	65	23.2	17.7-28.7	15	4.7	02.2-07.2	9	3.1	00.9-05.3	5	2.7	00.0-05.4	195	66.2	60.1-72.3
35-44	399	38,151	100	23.9	19.2-28.6	24	5.4	03.0-07.8	20	4.8	02.3-07.3	9	3.7	01.2-06.2	246	62.2	56.7-67.7
45-54	567	45,242	101	19.1	15.2-23.0	24	3.8	02.0-05.6	18	2.3	01.1-03.5	20	2.9	01.3-04.5	404	71.8	67.5-76.1
55-64	449	28,859	86	20.4	15.7-25.1	20	4.0	02.0-06.0	8	1.9	00.5-03.3	10	2.7	00.7-04.7	325	71.0	65.9-76.1
65+	814	49,978	140	15.5	12.6-18.4	42	5.0	03.2-06.8	23	3.1	01.5-04.7	17	1.7	00.7-02.7	592	74.8	71.3-78.3
Less Than H.S.	198	13,552	42	17.8	09.8-25.8	21	12.0	05.9-18.1	9	6.9	00.0-13.8	11	7.4	01.5-13.3			
H.S. or G.E.D.	781	63,690	152	22.9	18.6-27.2	45	4.7	02.9-06.5	30	5.1	02.0-08.2	19	1.9	00.7-03.1	535	65.5	60.8-70.2
Some Post-H.S.	876	83,665	170	19.2	15.9-22.5	42	4.0	02.6-05.4	31	3.6	02.2-05.0	16	3.0	01.0-05.0	617	70.2	66.3-74.1
College Graduate	798	72,115	159	20.7	17.0-24.4	22	2.5	01.3-03.7	15	1.7	00.7-02.7	17	2.1	00.9-03.3	585	73.1	69.2-77.0
Less than \$15,000	250	19,056	54	22.4	14.8-30.0	19	6.8	03.1-10.5	19	7.0	03.3-10.7	11	7.3	01.2-13.4	147	56.5	47.5-65.5
\$15,000- 24,999	422	33,131	79	15.8	11.1-20.5	24	5.2	02.8-07.6	26	6.3	02.8-09.8	22	5.3	02.0-08.6	271	67.4	60.9-73.9
\$25,000- 34,999	341	28,282	76	22.9	16.6-29.2	14	3.0	01.2-04.8	12	2.8	00.8-04.8	5	2.7	00.0-06.0	234	68.6	61.7-75.5
\$35,000- 49,999	439	39,593	85	19.9	15.4-24.4	28	5.6	03.2-08.0	9	2.7	00.7-04.7	2	0.7	00.0-01.7	315	71.1	66.0-76.2
\$50,000- 74,999	401	38,440	93	22.8	18.1-27.5	18	4.4	02.2-06.6	8	2.2	00.4-04.0	3	1.1	00.0-02.3	279	69.4	64.1-74.7
\$75,000+	358	38,228	61	19.9	14.4-25.4	5	1.1	00.1-02.1	4	1.1	00.1-02.1	9	2.4	00.6-04.2	279	75.4	69.7-81.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 4: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4559	470,165	739	15.9	14.5-17.3	141	2.8	02.2-03.4	99	2.3	01.5-03.1	84	1.9	01.3-02.5	3496	77.2	75.6-78.8
Male	1828	231,588	242	12.6	10.6-14.6	46	2.3	01.5-03.1	40	2.2	01.0-03.4	37	2.0	01.2-02.8	1463	80.9	78.5-83.3
Female	2731	238,576	497	19.1	16.9-21.3	95	3.2	02.4-04.0	59	2.3	01.3-03.3	47	1.8	01.0-02.6	2033	73.6	71.2-76.0
Native	100	14,774				8	7.4	01.5-13.3	1	0.7	00.0-02.1	7	6.7	00.8-12.6			
Non-Native	4413	450,825	709	15.7	14.3-17.1	132	2.6	02.0-03.2	97	2.3	01.5-03.1	76	1.7	01.1-02.3	3399	77.7	75.9-79.5
18-24	191	73,203	31	14.1	08.4-19.8	2	1.1	00.0-02.7	9	5.7	01.6-09.8	3	1.1	00.0-02.7	146	78.0	71.1-84.9
25-34	500	72,656	101	21.1	16.8-25.4	18	2.6	01.2-04.0	13	1.6	00.6-02.6	5	1.2	00.0-02.4	363	73.5	69.0-78.0
35-44	715	78,240	139	18.2	15.1-21.3	28	4.1	02.3-05.9	15	1.5	00.5-02.5	15	2.7	01.1-04.3	518	73.4	69.7-77.1
45-54	1030	92,906	175	16.0	13.5-18.5	37	3.3	02.1-04.5	31	2.0	01.2-02.8	25	2.5	01.3-03.7	762	76.1	73.2-79.0
55-64	789	61,776	116	14.7	11.8-17.6	23	2.4	01.2-03.6	8	1.4	00.4-02.4	18	2.7	01.3-04.1	624	78.8	75.3-82.3
65+	1291	88,633	174	12.1	10.1-14.1	31	2.7	01.7-03.7	23	1.8	01.0-02.6	18	1.1	00.5-01.7	1045	82.3	79.9-84.7
Less Than H.S.	389	34,298	47	10.3	05.8-14.8	18	4.7	02.0-07.4	12	3.7	01.0-06.4	17	7.0	02.9-11.1	295	74.3	67.8-80.8
H.S. or G.E.D.	1367	134,867	232	17.0	14.3-19.7	44	3.2	02.0-04.4	37	2.9	01.3-04.5	27	1.7	00.9-02.5	1027	75.2	72.1-78.3
Some Post-H.S.	1429	152,524	245	16.9	14.2-19.6	52	3.0	02.0-04.0	30	2.8	01.2-04.4	17	1.5	00.7-02.3	1085	75.8	72.7-78.9
College Graduate	1367	147,915	215	15.2	12.8-17.6	27	1.7	00.9-02.5	20	0.9	00.5-01.3	23	1.3	00.7-01.9	1082	80.9	78.4-83.4
Less than \$15,000	372	32,142	77	20.6	14.7-26.5	20	5.8	01.9-09.7	16	4.5	01.6-07.4	21	5.8	02.7-08.9	238	63.4	56.1-70.7
\$15,000- 24,999	688	61,693	134	18.8	14.1-23.5	26	3.2	01.6-04.8	21	2.7	01.1-04.3	22	3.8	01.8-05.8	485	71.4	66.1-76.7
\$25,000- 34,999	593	59,395	105	17.5	13.2-21.8	19	2.2	01.0-03.4	21	4.3	01.0-07.6	9	2.1	00.5-03.7	439	73.8	68.7-78.9
\$35,000- 49,999	807	83,168	136	16.6	13.5-19.7	28	3.2	01.8-04.6	16	1.9	00.5-03.3	11	1.5	00.3-02.7	616	76.8	73.1-80.5
\$50,000- 74,999	767	86,421	103	13.6	10.9-16.3	20	2.6	01.2-04.0	12	2.3	00.5-04.1	3	0.4	00.0-00.8	629	81.2	77.9-84.5
\$75,000+	708	86,789	97	13.3	10.2-16.4	9	1.3	00.5-02.1	5	0.2	00.0-00.6	7	0.6	00.0-01.2	590	84.6	81.5-87.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 5: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1828	231,588	242	12.6	10.6-14.6	46	2.3	01.5-03.1	40	2.2	01.0-03.4	37	2.0	01.2-02.8	1463	80.9	78.5-83.3
Non-Native	1778	224,336	237	12.7	10.7-14.7	45	2.3	01.5-03.1	40	2.3	01.1-03.5	32	1.8	01.0-02.6	1424	80.9	78.5-83.3
18-24	84	38,599	10	9.0	03.1-14.9	1	1.4	00.0-04.1	4	6.2	00.1-12.3	2	1.0	00.0-02.8	67	82.5	73.9-91.1
25-34	207	37,620	38	19.8	13.3-26.3	5	1.9	00.0-03.9	5	0.6	00.0-01.4	2	0.9	00.0-02.1	157	76.8	70.1-83.5
35-44	309	39,417	43	12.7	08.6-16.8	9	3.0	00.8-05.2	5	1.3	00.1-02.5	8	2.9	00.7-05.1	244	80.2	75.3-85.1
45-54	448	46,325	62	12.2	08.7-15.7	15	2.9	01.1-04.7	14	2.2	00.8-03.6	9	2.8	00.8-04.8	348	80.0	75.7-84.3
55-64	328	32,097	40	12.8	08.7-16.9	7	1.9	00.1-03.7	4	1.6	00.0-03.4	11	3.5	01.3-05.7	266	80.2	75.3-85.1
65+	443	36,837	49	9.3	06.4-12.2	8	2.3	00.5-04.1	8	1.5	00.1-02.9	5	0.9	00.1-01.7	373	86.0	82.5-89.5
Less Than H.S.	179	20,018	18	8.1	02.4-13.8	9	4.1	01.0-07.2	6	4.0	00.0-08.1	7	5.3	01.0-09.6	139	78.5	70.3-86.7
H.S. or G.E.D.	558	69,095	78	14.2	10.3-18.1	15	3.6	01.4-05.8	13	1.9	00.1-03.7	13	1.6	00.6-02.6	439	78.7	74.0-83.4
Some Post-H.S.	526	67,079	78	14.0	10.3-17.7	15	1.8	00.6-03.0	14	3.9	00.6-07.2	7	2.0	00.4-03.6	412	78.2	73.3-83.1
College Graduate	561	75,042	68	11.1	08.2-14.0	7	1.0	00.2-01.8	7	0.5	00.0-01.1	10	1.4	00.4-02.4	469	86.0	82.7-89.3
Less than \$15,000	101	11,599	24	18.9	09.5-28.3	5	7.3	00.0-16.5	5	5.5	00.0-12.0	7	6.3	01.2-11.4			
\$15,000- 24,999	255	28,150	40	13.1	07.2-19.0	11	3.5	01.0-06.0	6	1.9	00.0-03.9	9	5.2	01.7-08.7	189	76.3	69.0-83.6
\$25,000- 34,999	240	30,354	32	15.5	08.8-22.2	8	1.9	00.3-03.5	12	7.0	00.9-13.1	7	3.6	00.5-06.7	181	72.0	63.6-80.4
\$35,000- 49,999	362	42,988	59	15.0	10.7-19.3	4	1.4	00.0-03.0	8	2.4	00.0-05.1	6	1.5	00.1-02.9	285	79.7	74.6-84.8
\$50,000- 74,999	363	47,843	36	10.3	06.6-14.0	8	2.1	00.5-03.7	4	1.7	00.0-04.1	1	0.1	00.0-00.3	314	85.8	81.3-90.3
\$75,000+	343	47,834	32	7.7	04.6-10.8	5	1.4	00.2-02.6	4	0.1	00.0-00.3	5	0.8	00.0-01.8	297	90.1	86.6-93.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 6: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT DOWN, DEPRESSED OR HOPELESS? (ADDDOWN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2731	238,576	497	19.1	16.9-21.3	95	3.2	02.4-04.0	59	2.3	01.3-03.3	47	1.8	01.0-02.6	2033	73.6	71.2-76.0
Native	73	9,634				7	8.9	01.5-16.3	1	1.1	00.0-03.3	3	5.2	00.0-12.5			
Non-Native	2635	226,489	472	18.7	16.5-20.9	87	3.0	02.2-03.8	57	2.3	01.3-03.3	44	1.7	01.1-02.3	1975	74.4	72.0-76.8
18-24	107	34,604	21	19.8	10.4-29.2	1	0.7	00.0-02.1	5	5.2	00.0-10.5	1	1.3	00.0-03.8			
25-34	293	35,035	63	22.5	17.0-28.0	13	3.4	01.2-05.6	8	2.6	00.8-04.4	3	1.6	00.0-03.6	206	70.0	64.1-75.9
35-44	406	38,823	96	23.9	19.2-28.6	19	5.3	02.8-07.8	10	1.7	00.1-03.3	7	2.6	00.4-04.8	274	66.5	61.2-71.8
45-54	582	46,581	113	19.8	16.1-23.5	22	3.7	01.9-05.5	17	1.9	00.7-03.1	16	2.3	01.1-03.5	414	72.4	68.3-76.5
55-64	461	29,678	76	16.8	12.5-21.1	16	3.0	01.2-04.8	4	1.1	00.0-02.3	7	1.8	00.2-03.4	358	77.4	72.7-82.1
65+	848	51,796	125	14.0	11.3-16.7	23	3.0	01.6-04.4	15	2.0	00.8-03.2	13	1.3	00.3-02.3	672	79.7	76.6-82.8
Less Than H.S.	210	14,280	29	13.5	06.4-20.6	9	5.5	01.0-10.0	6	3.2	00.5-05.9	10	9.4	01.6-17.2			
H.S. or G.E.D.	809	65,773	154	19.9	16.2-23.6	29	2.8	01.6-04.0	24	3.9	01.2-06.6	14	1.7	00.3-03.1	588	71.7	67.4-76.0
Some Post-H.S.	903	85,445	167	19.2	15.5-22.9	37	3.8	02.4-05.2	16	1.9	00.5-03.3	10	1.1	00.3-01.9	673	74.0	69.9-78.1
College Graduate	806	72,873	147	19.5	15.8-23.2	20	2.3	01.1-03.5	13	1.3	00.5-02.1	13	1.2	00.4-02.0	613	75.7	71.8-79.6
Less than \$15,000	271	20,543	53	21.5	14.1-28.9	15	4.9	01.8-08.0	11	3.9	01.2-06.6	14	5.5	01.6-09.4	178	64.2	55.8-72.6
\$15,000- 24,999	433	33,543	94	23.6	16.5-30.7	15	3.0	01.0-05.0	15	3.4	01.2-05.6	13	2.7	00.9-04.5	296	67.3	60.0-74.6
\$25,000- 34,999	353	29,041	73	19.6	14.3-24.9	11	2.6	00.8-04.4	9	1.6	00.4-02.8	2	0.6	00.0-01.6	258	75.7	70.0-81.4
\$35,000- 49,999	445	40,179	77	18.3	13.8-22.8	24	5.1	02.7-07.5	8	1.3	00.3-02.3	5	1.6	00.0-03.4	331	73.8	68.7-78.9
\$50,000- 74,999	404	38,577	67	17.6	13.3-21.9	12	3.2	01.2-05.2	8	3.0	00.3-05.7	2	0.7	00.0-01.7	315	75.5	70.4-80.6
\$75,000+	365	38,955	65	20.1	14.6-25.6	4	1.1	00.0-02.3	1	0.3	00.0-00.9	2	0.5	00.0-01.1	293	78.0	72.5-83.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 7: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4519	466,552	1070	24.0	22.2-25.8	418	9.0	07.8-10.2	323	6.8	05.8-07.8	339	6.9	05.9-07.9	2369	53.2	51.2-55.2
Male	1813	229,713	359	20.5	18.0-23.0	150	8.7	06.9-10.5	127	6.7	05.3-08.1	129	6.6	05.0-08.2	1048	57.6	54.5-60.7
Female	2706	236,839	711	27.4	25.0-29.8	268	9.4	07.8-11.0	196	7.0	05.6-08.4	210	7.3	06.1-08.5	1321	49.0	46.5-51.5
Native	98	14,292	18	18.8	09.0-28.6	17	17.3	08.1-26.5	11	12.2	03.0-21.4						
Non-Native	4374	447,808	1039	24.1	22.3-25.9	398	8.8	07.6-10.0	309	6.6	05.6-07.6	324	6.7	05.7-07.7	2304	53.9	51.9-55.9
18-24	186	72,219	47	28.1	20.7-35.5	17	10.2	04.7-15.7	14	6.9	03.0-10.8	11	6.6	01.9-11.3	97	48.3	40.1-56.5
25-34	497	72,428	112	22.5	18.4-26.6	55	10.4	07.3-13.5	41	8.0	05.3-10.7	39	5.7	03.5-07.9	250	53.4	48.3-58.5
35-44	714	77,678	195	28.4	24.7-32.1	63	8.0	05.8-10.2	55	6.8	04.8-08.8	43	5.8	03.8-07.8	358	50.9	46.8-55.0
45-54	1027	92,856	246	23.5	20.6-26.4	88	7.8	05.8-09.8	76	6.7	04.9-08.5	78	7.4	05.4-09.4	539	54.6	51.1-58.1
55-64	782	61,098	169	20.3	17.0-23.6	71	9.9	07.2-12.6	43	5.0	03.2-06.8	78	10.4	07.9-12.9	421	54.4	50.3-58.5
65+	1272	87,703	292	21.2	18.7-23.7	120	8.5	06.7-10.3	90	7.1	05.3-08.9	88	6.4	04.8-08.0	682	56.7	53.6-59.8
Less Than H.S.	382	33,108	81	15.7	10.8-20.6	39	11.7	06.0-17.4	31	9.9	04.8-15.0	48	16.0	10.5-21.5	183	46.7	39.3-54.1
H.S. or G.E.D.	1353	134,462	308	23.0	19.9-26.1	141	10.6	08.2-13.0	99	6.1	04.5-07.7	108	8.0	05.5-10.5	697	52.3	48.6-56.0
Some Post-H.S.	1413	150,502	338	24.6	21.5-27.7	125	8.9	06.5-11.3	105	7.1	05.3-08.9	107	6.8	05.2-08.4	738	52.6	49.1-56.1
College Graduate	1364	147,920	341	26.0	22.9-29.1	113	7.2	05.6-08.8	88	6.6	04.8-08.4	75	4.0	03.0-05.0	747	56.1	52.8-59.4
Less than \$15,000	369	31,665	79	21.8	15.1-28.5	47	13.8	08.3-19.3	47	13.0	07.1-18.9	52	11.4	07.9-14.9	144	40.0	32.6-47.4
\$15,000- 24,999	678	61,084	138	21.4	16.5-26.3	65	11.4	06.7-16.1	61	8.4	05.7-11.1	83	13.5	08.6-18.4	331	45.3	39.6-51.0
\$25,000- 34,999	589	58,844	136	24.1	18.8-29.4	61	8.7	05.8-11.6	36	6.4	03.7-09.1	47	7.7	05.0-10.4	309	53.1	47.2-59.0
\$35,000- 49,999	795	82,052	182	20.7	17.2-24.2	83	10.5	07.8-13.2	45	6.0	03.8-08.2	49	5.4	03.6-07.2	436	57.5	53.0-62.0
\$50,000- 74,999	764	86,212	202	26.8	23.1-30.5	59	7.0	05.0-09.0	45	5.9	03.9-07.9	43	5.2	03.2-07.2	415	55.1	50.8-59.4
\$75,000+	707	86,932	187	27.1	22.8-31.4	54	6.6	04.4-08.8	41	5.5	03.5-07.5	28	3.1	01.7-04.5	397	57.6	53.1-62.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 8: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1813	229,713	359	20.5	18.0-23.0	150	8.7	06.9-10.5	127	6.7	05.3-08.1	129	6.6	05.0-08.2	1048	57.6	54.5-60.7
Non-Native	1763	222,582	348	20.4	17.9-22.9	146	8.7	06.9-10.5	124	6.8	05.2-08.4	121	5.9	04.7-07.1	1024	58.2	55.1-61.3
18-24	81	37,647				7	10.1	02.5-17.7	7	6.7	01.2-12.2	3	6.1	00.0-13.7			
25-34	207	37,620	44	19.7	13.6-25.8	26	10.8	06.1-15.5	15	7.0	03.3-10.7	11	3.7	01.2-06.2	111	58.9	51.3-66.5
35-44	309	39,417	69	24.0	18.5-29.5	28	8.5	05.2-11.8	31	8.5	05.4-11.6	15	4.9	02.4-07.4	166	54.2	47.9-60.5
45-54	445	46,187	94	18.7	14.6-22.8	33	7.7	04.8-10.6	28	6.2	03.7-08.7	33	7.5	04.8-10.2	257	59.9	54.6-65.2
55-64	326	31,874	53	16.1	11.6-20.6	26	8.7	05.2-12.2	14	4.3	01.6-07.0	34	11.4	07.3-15.5	199	59.5	53.2-65.8
65+	436	36,276	76	17.2	13.1-21.3	30	6.6	03.9-09.3	32	7.4	04.5-10.3	32	6.4	03.9-08.9	266	62.4	57.1-67.7
Less Than H.S.	173	19,152	29	13.8	06.9-20.7	13	12.1	03.1-21.1	18	11.2	03.9-18.5	22	13.6	07.1-20.1			
H.S. or G.E.D.	554	68,727	100	19.8	14.9-24.7	50	10.5	06.8-14.2	42	6.6	04.1-09.1	51	8.3	04.2-12.4	311	54.8	48.9-60.7
Some Post-H.S.	519	66,170	112	21.0	16.1-25.9	48	9.9	06.2-13.6	31	5.2	02.8-07.6	31	6.5	03.8-09.2	297	57.5	51.6-63.4
College Graduate	563	75,309	117	22.3	17.6-27.0	39	5.2	03.2-07.2	36	6.9	04.4-09.4	25	3.3	01.7-04.9	346	62.3	57.2-67.4
Less than \$15,000	99	11,247				10	10.3	00.5-20.1				17	10.8	04.7-16.9			
\$15,000- 24,999	248	27,538	38	16.9	10.0-23.8	24	10.3	04.4-16.2	29	10.8	06.3-15.3	33	16.8	07.4-26.2	124	45.2	35.8-54.6
\$25,000- 34,999	240	30,365	51	23.0	14.4-31.6	22	7.3	03.0-11.6	12	3.9	01.2-06.6	22	8.8	04.5-13.1	133	57.0	48.0-66.0
\$35,000- 49,999	358	42,648	69	16.5	11.4-21.6	32	10.6	06.3-14.9	15	4.8	01.7-07.9	23	5.7	03.2-08.2	219	62.4	55.5-69.3
\$50,000- 74,999	363	47,963	83	22.0	17.1-26.9	25	6.7	04.0-09.4	22	6.3	03.4-09.2	17	4.7	01.8-07.6	216	60.4	54.5-66.3
\$75,000+	343	47,938	72	22.5	16.6-28.4	26	7.3	04.0-10.6	23	5.8	03.1-08.5	10	2.1	00.5-03.7	212	62.3	55.8-68.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 9: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE FALLING ASLEEP OR STAYING ASLEEP OR SLEEPING TOO MUCH? (ADSLEEP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	236,839	711	27.4	25.0-29.8	268	9.4	07.8-11.0	196	7.0	05.6-08.4	210	7.3	06.1-08.5	1321	49.0	46.5-51.5
Native	71	9,153										7	6.8	00.7-12.9			
Non-Native	2611	225,227	691	27.6	25.2-30.0	252	8.9	07.3-10.5	185	6.5	05.3-07.7	203	7.4	06.0-08.8	1280	49.6	47.1-52.1
18-24	105	34,572	27	29.4	19.4-39.4	10	10.3	02.5-18.1	7	7.1	01.4-12.8	8	7.1	01.8-12.4			
25-34	290	34,807	68	25.5	19.8-31.2	29	10.0	06.1-13.9	26	9.2	05.1-13.3	28	7.9	04.4-11.4	139	47.5	41.0-54.0
35-44	405	38,261	126	32.9	27.6-38.2	35	7.5	04.8-10.2	24	5.2	02.7-07.7	28	6.9	04.2-09.6	192	47.6	42.1-53.1
45-54	582	46,669	152	28.3	24.0-32.6	55	7.9	05.5-10.3	48	7.2	04.8-09.6	45	7.2	04.8-09.6	282	49.4	44.7-54.1
55-64	456	29,224	116	24.7	20.0-29.4	45	11.1	07.0-15.2	29	5.7	03.3-08.1	44	9.4	06.3-12.5	222	49.0	43.5-54.5
65+	836	51,427	216	24.0	20.7-27.3	90	9.9	07.5-12.3	58	6.9	04.7-09.1	56	6.4	04.6-08.2	416	52.8	48.9-56.7
Less Than H.S.	209	13,956	52	18.2	11.3-25.1	26	11.2	06.1-16.3	13	8.1	01.2-15.0	26	19.3	09.9-28.7	92	43.1	33.3-52.9
H.S. or G.E.D.	799	65,734	208	26.4	22.3-30.5	91	10.7	07.8-13.6	57	5.5	03.5-07.5	57	7.6	04.9-10.3	386	49.7	45.0-54.4
Some Post-H.S.	894	84,332	226	27.4	23.3-31.5	77	8.1	05.2-11.0	74	8.5	06.1-10.9	76	7.1	05.3-08.9	441	48.8	44.3-53.3
College Graduate	801	72,611	224	29.9	25.8-34.0	74	9.3	06.8-11.8	52	6.3	03.9-08.7	50	4.8	03.2-06.4	401	49.7	45.4-54.0
Less than \$15,000	270	20,419	66	24.3	16.7-31.9	37	15.8	09.3-22.3	32	10.3	03.8-16.8	35	11.8	07.3-16.3	100	37.9	29.3-46.5
\$15,000- 24,999	430	33,547	100	25.1	18.4-31.8	41	12.3	05.4-19.2	32	6.5	03.0-10.0	50	10.8	06.9-14.7	207	45.3	38.2-52.4
\$25,000- 34,999	349	28,479	85	25.2	18.9-31.5	39	10.2	06.3-14.1	24	9.1	04.2-14.0	25	6.5	03.4-09.6	176	49.0	41.9-56.1
\$35,000- 49,999	437	39,404	113	25.3	20.6-30.0	51	10.3	06.8-13.8	30	7.2	04.5-09.9	26	5.0	02.5-07.5	217	52.1	46.4-57.8
\$50,000- 74,999	401	38,250	119	32.8	27.1-38.5	34	7.5	04.6-10.4	23	5.5	03.0-08.0	26	5.8	03.3-08.3	199	48.4	42.5-54.3
\$75,000+	364	38,994	115	32.7	26.6-38.8	28	5.8	03.3-08.3	18	5.3	02.6-08.0	18	4.4	02.2-06.6	185	51.8	45.5-58.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 10: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4506	465,325	1547	35.7	33.7-37.7	495	11.4	10.0-12.8	359	7.4	06.4-08.4	423	9.5	08.3-10.7	1682	35.9	33.9-37.9
Male	1811	228,703	546	32.8	29.9-35.7	183	10.9	08.9-12.9	130	6.8	05.2-08.4	147	8.5	06.5-10.5	805	41.0	38.1-43.9
Female	2695	236,623	1001	38.6	36.1-41.1	312	11.9	10.3-13.5	229	7.9	06.5-09.3	276	10.5	08.9-12.1	877	31.1	28.7-33.5
Native	100	14,573				9	9.3	02.4-16.2	13	10.8	03.4-18.2						
Non-Native	4360	446,119	1499	35.9	33.9-37.9	481	11.5	10.1-12.9	342	7.3	06.3-08.3	409	9.2	08.0-10.4	1629	36.2	34.2-38.2
18-24	189	72,105	76	40.2	32.0-48.4	24	13.4	07.7-19.1	20	8.4	04.3-12.5	18	9.9	04.6-15.2	51	28.0	20.7-35.3
25-34	498	72,402	169	35.5	30.6-40.4	84	17.5	13.6-21.4	47	8.3	05.6-11.0	50	9.9	06.8-13.0	148	28.7	24.2-33.2
35-44	714	77,845	314	43.5	39.4-47.6	70	9.7	07.2-12.2	63	7.5	05.5-09.5	60	8.0	05.8-10.2	207	31.3	27.4-35.2
45-54	1031	92,799	366	35.1	31.8-38.4	109	9.8	07.6-12.0	91	8.2	06.2-10.2	88	8.2	06.2-10.2	377	38.7	35.2-42.2
55-64	783	61,094	238	30.4	26.5-34.3	70	8.4	06.0-10.8	50	5.7	03.9-07.5	75	10.2	07.7-12.7	350	45.3	41.2-49.4
65+	1248	86,328	369	29.8	26.7-32.9	131	9.9	07.9-11.9	85	5.9	04.5-07.3	130	11.4	09.2-13.6	533	43.0	39.7-46.3
Less Than H.S.	375	33,015	97	25.3	18.4-32.2	44	10.9	06.6-15.2	29	10.4	05.3-15.5	55	17.3	11.4-23.2	150	36.1	29.2-43.0
H.S. or G.E.D.	1349	133,641	424	33.2	29.7-36.7	165	13.7	11.0-16.4	107	6.5	04.7-08.3	143	11.3	08.6-14.0	510	35.4	31.9-38.9
Some Post-H.S.	1411	150,402	492	36.9	33.4-40.4	162	10.7	08.7-12.7	122	7.9	06.1-09.7	124	9.6	07.4-11.8	511	34.9	31.6-38.2
College Graduate	1364	147,707	532	39.2	35.9-42.5	124	10.3	07.9-12.7	101	7.0	05.4-08.6	99	6.0	04.6-07.4	508	37.5	34.4-40.6
Less than \$15,000	367	31,824	91	29.9	22.5-37.3	45	10.6	05.9-15.3	53	15.1	09.4-20.8	68	18.1	12.8-23.4	110	26.3	19.6-33.0
\$15,000- 24,999	676	61,458	205	33.0	27.1-38.9	82	12.3	08.8-15.8	73	9.8	06.9-12.7	87	14.4	09.5-19.3	229	30.5	25.6-35.4
\$25,000- 34,999	587	58,952	200	37.9	32.0-43.8	71	11.6	07.9-15.3	47	8.1	05.2-11.0	65	11.1	07.8-14.4	204	31.2	25.9-36.5
\$35,000- 49,999	799	82,348	299	38.8	34.1-43.5	97	14.2	10.9-17.5	61	7.3	04.8-09.8	57	7.5	05.1-09.9	285	32.1	28.0-36.2
\$50,000- 74,999	762	85,816	289	36.3	32.2-40.4	76	10.6	08.1-13.1	51	6.4	04.2-08.6	49	6.5	04.3-08.7	297	40.3	36.2-44.4
\$75,000+	705	86,536	265	37.2	32.9-41.5	69	10.7	07.4-14.0	37	5.0	03.2-06.8	37	5.3	03.1-07.5	297	41.8	37.3-46.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 11: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1811	228,703	546	32.8	29.9-35.7	183	10.9	08.9-12.9	130	6.8	05.2-08.4	147	8.5	06.5-10.5	805	41.0	38.1-43.9
Non-Native	1761	221,398	535	33.1	30.2-36.0	179	11.0	08.8-13.2	126	6.9	05.3-08.5	142	7.9	06.3-09.5	779	41.2	38.3-44.1
18-24	81	37,045				14	16.9	07.7-26.1	8	7.3	01.4-13.2	5	8.1	00.1-16.1			
25-34	206	37,406	74	37.3	29.9-44.7	30	15.4	09.7-21.1	15	7.0	02.9-11.1	16	7.5	03.4-11.6	71	32.8	25.5-40.1
35-44	311	39,658	117	39.1	33.0-45.2	31	8.8	05.5-12.1	25	6.7	04.0-09.4	23	7.3	04.2-10.4	115	38.1	32.0-44.2
45-54	448	46,196	147	30.2	25.3-35.1	41	8.2	05.3-11.1	34	8.2	05.3-11.1	35	8.7	05.4-12.0	191	44.8	39.3-50.3
55-64	325	31,687	79	24.3	19.0-29.6	24	7.2	04.1-10.3	23	6.6	03.7-09.5	28	10.0	06.1-13.9	171	51.8	45.5-58.1
65+	431	36,019	99	25.8	20.7-30.9	40	9.0	05.9-12.1	24	4.7	02.5-06.9	39	9.5	06.2-12.8	229	51.0	45.5-56.5
Less Than H.S.	171	19,092				18	11.8	05.1-18.5	14	8.9	02.8-15.0	20	12.7	06.0-19.4			
H.S. or G.E.D.	552	68,247	161	32.8	27.3-38.3	63	13.1	09.0-17.2	43	6.1	03.7-08.5	56	11.2	06.7-15.7	229	36.7	31.2-42.2
Some Post-H.S.	522	65,877	155	31.9	26.2-37.6	56	10.1	07.0-13.2	42	8.9	05.6-12.2	42	9.0	05.7-12.3	227	40.1	34.4-45.8
College Graduate	562	75,133	192	36.0	30.9-41.1	46	9.5	05.8-13.2	31	5.2	03.0-07.4	28	4.4	02.4-06.4	265	44.9	39.8-50.0
Less than \$15,000	102	11,551							12	13.0	03.0-23.0	19	16.8	07.6-26.0			
\$15,000- 24,999	247	27,818	66	28.8	20.0-37.6	22	8.5	03.4-13.6	30	9.5	05.6-13.4	29	17.6	08.2-27.0	100	35.6	27.2-44.0
\$25,000- 34,999	242	30,552	75	37.2	28.0-46.4	27	11.2	05.5-16.9	20	8.8	03.9-13.7	29	11.3	06.6-16.0	91	31.5	23.5-39.5
\$35,000- 49,999	360	42,579	118	37.5	30.2-44.8	48	15.9	10.6-21.2	25	7.6	03.5-11.7	17	5.2	02.5-07.9	152	33.9	27.6-40.2
\$50,000- 74,999	361	47,589	120	33.7	28.0-39.4	28	8.1	04.8-11.4	17	5.4	02.3-08.5	22	5.3	02.6-08.0	174	47.6	41.5-53.7
\$75,000+	342	47,750	111	30.3	24.6-36.0	33	12.1	06.6-17.6	18	4.3	01.9-06.7	16	5.2	01.9-08.5	164	48.1	41.6-54.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 12: OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT TIRED OR HAD LITTLE ENERGY? (ADENERGY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2695	236,623	1001	38.6	36.1-41.1	312	11.9	10.3-13.5	229	7.9	06.5-09.3	276	10.5	08.9-12.1	877	31.1	28.7-33.5
Native	73	9,433				7	9.1	02.0-16.2									
Non-Native	2599	224,721	964	38.6	36.1-41.1	302	12.0	10.2-13.8	216	7.7	06.3-09.1	267	10.5	08.9-12.1	850	31.3	28.9-33.7
18-24	108	35,060				10	9.8	03.3-16.3	12	9.6	03.7-15.5	13	11.8	05.1-18.5	27	27.7	18.1-37.3
25-34	292	34,996	95	33.6	27.5-39.7	54	19.7	14.6-24.8	32	9.7	06.0-13.4	34	12.6	07.9-17.3	77	24.4	19.1-29.7
35-44	403	38,188	197	48.1	42.6-53.6	39	10.6	06.9-14.3	38	8.3	05.4-11.2	37	8.8	05.7-11.9	92	24.3	19.6-29.0
45-54	583	46,603	219	39.9	35.4-44.4	68	11.5	08.6-14.4	57	8.3	05.9-10.7	53	7.7	05.3-10.1	186	32.7	28.4-37.0
55-64	458	29,408	159	37.0	31.7-42.3	46	9.7	06.4-13.0	27	4.6	02.6-06.6	47	10.3	07.2-13.4	179	38.4	33.1-43.7
65+	817	50,310	270	32.7	29.0-36.4	91	10.5	08.1-12.9	61	6.7	04.7-08.7	91	12.7	10.0-15.4	304	37.3	33.4-41.2
Less Than H.S.	204	13,923	60	28.7	20.3-37.1	26	9.6	04.9-14.3	15	12.4	03.6-21.2	35	23.7	14.1-33.3	68	25.6	17.8-33.4
H.S. or G.E.D.	797	65,395	263	33.5	29.2-37.8	102	14.2	10.5-17.9	64	6.9	04.4-09.4	87	11.4	08.3-14.5	281	33.9	29.6-38.2
Some Post-H.S.	889	84,526	337	40.8	36.3-45.3	106	11.2	08.7-13.7	80	7.1	05.1-09.1	82	10.1	07.4-12.8	284	30.8	26.7-34.9
College Graduate	802	72,575	340	42.5	38.2-46.8	78	11.2	08.5-13.9	70	8.8	06.4-11.2	71	7.7	05.7-09.7	243	29.8	25.9-33.7
Less than \$15,000	265	20,273	72	32.0	23.4-40.6	32	8.2	04.7-11.7	41	16.4	09.5-23.3	49	18.8	12.3-25.3	71	24.6	16.8-32.4
\$15,000- 24,999	429	33,640	139	36.4	28.8-44.0	60	15.4	10.5-20.3	43	10.1	05.8-14.4	58	11.9	08.0-15.8	129	26.2	20.5-31.9
\$25,000- 34,999	345	28,400	125	38.5	31.4-45.6	44	12.1	07.4-16.8	27	7.4	03.9-10.9	36	11.0	06.5-15.5	113	30.9	24.2-37.6
\$35,000- 49,999	439	39,768	181	40.1	34.4-45.8	49	12.5	08.8-16.2	36	7.1	04.0-10.2	40	10.1	06.6-13.6	133	30.2	24.9-35.5
\$50,000- 74,999	401	38,226	169	39.5	33.8-45.2	48	13.7	09.6-17.8	34	7.7	04.8-10.6	27	7.8	04.3-11.3	123	31.3	25.8-36.8
\$75,000+	363	38,786	154	45.6	39.3-51.9	36	9.1	06.0-12.2	19	5.8	03.1-08.5	21	5.5	03.0-08.0	133	34.0	28.1-39.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 13. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR ATE TOO MUCH? (ADEAT)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4511	465,656	888	18.8	17.4-20.2	313	6.7	05.7-07.7	236	5.1	04.3-05.9	216	4.5	03.5-05.5	2858	64.9	62.9-66.9
Male	1805	228,274	329	17.0	14.8-19.2	116	7.1	05.5-08.7	78	3.9	02.9-04.9	66	4.2	02.6-05.8	1216	67.8	64.9-70.7
Female	2706	237,381	559	20.5	18.5-22.5	197	6.3	05.1-07.5	158	6.1	04.7-07.5	150	4.8	03.8-05.8	1642	62.2	59.8-64.6
Native	100	14,573	20	18.1	08.3-27.9	8	7.2	01.7-12.7	16	15.9	06.9-24.9						
Non-Native	4366	446,648	857	18.8	17.4-20.2	304	6.7	05.7-07.7	218	4.7	03.9-05.5	206	4.2	03.4-05.0	2781	65.6	63.8-67.4
18-24	187	72,098	32	12.2	07.5-16.9	9	5.7	01.8-09.6	9	4.8	01.5-08.1	7	4.6	00.1-09.1	130	72.6	65.3-79.9
25-34	498	72,152	95	20.2	16.1-24.3	47	8.2	05.7-10.7	31	6.3	03.8-08.8	19	3.3	01.5-05.1	306	62.0	57.1-66.9
35-44	707	77,298	161	23.0	19.5-26.5	52	7.7	05.3-10.1	42	5.5	03.5-07.5	35	5.6	03.6-07.6	417	58.2	54.1-62.3
45-54	1027	92,599	228	21.3	18.4-24.2	82	7.5	05.7-09.3	54	4.7	03.1-06.3	44	3.5	02.1-04.9	619	63.0	59.5-66.5
55-64	778	60,867	138	18.5	15.2-21.8	46	5.6	03.6-07.6	40	4.8	03.0-06.6	47	6.3	04.1-08.5	507	64.7	60.6-68.8
65+	1273	88,016	226	17.1	14.7-19.5	75	5.3	03.9-06.7	59	4.4	03.0-05.8	63	4.3	03.1-05.5	850	68.9	66.0-71.8
Less Than H.S.	377	32,802	73	15.4	10.9-19.9	30	8.4	03.5-13.3	27	9.3	04.6-14.0	36	12.6	07.1-18.1	211	54.2	46.8-61.6
H.S. or G.E.D.	1343	132,325	250	17.6	15.1-20.1	96	6.9	05.1-08.7	74	5.1	03.5-06.7	64	4.6	02.4-06.8	859	65.8	62.3-69.3
Some Post-H.S.	1418	151,925	295	20.1	17.6-22.6	94	5.6	04.0-07.2	73	5.2	03.6-06.8	68	4.5	03.1-05.9	888	64.7	61.4-68.0
College Graduate	1366	148,043	268	19.3	16.8-21.8	93	7.2	05.4-09.0	62	3.9	02.7-05.1	48	2.7	01.7-03.7	895	66.8	63.7-69.9
Less than \$15,000	368	31,594	69	19.0	12.9-25.1	31	8.3	04.0-12.6	42	10.9	06.4-15.4	27	6.3	03.2-09.4	199	55.5	47.9-63.1
\$15,000- 24,999	683	61,645	127	18.9	14.6-23.2	47	6.3	03.4-09.2	52	8.6	05.1-12.1	52	9.7	05.0-14.4	405	56.4	50.5-62.3
\$25,000- 34,999	585	58,863	109	15.8	12.1-19.5	57	7.6	05.2-10.0	28	5.0	02.3-07.7	29	4.5	02.5-06.5	362	67.1	62.0-72.2
\$35,000- 49,999	802	82,881	158	19.1	15.8-22.4	70	10.1	07.2-13.0	33	4.1	02.5-05.7	26	1.9	00.9-02.9	515	64.8	60.5-69.1
\$50,000- 74,999	758	85,326	169	22.0	18.5-25.5	43	6.1	03.9-08.3	31	3.7	02.1-05.3	24	3.1	01.7-04.5	491	65.2	61.1-69.3
\$75,000+	707	86,685	159	21.0	17.5-24.5	38	5.2	03.4-07.0	28	3.7	02.1-05.3	25	3.2	01.8-04.6	457	66.8	62.7-70.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 14. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR ATE TOO MUCH? (ADEAT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	228,274	329	17.0	14.8-19.2	116	7.1	05.5-08.7	78	3.9	02.9-04.9	66	4.2	02.6-05.8	1216	67.8	64.9-70.7
Non-Native	1756	221,168	320	17.2	15.0-19.4	113	7.1	05.5-08.7	76	4.0	02.8-05.2	61	3.5	02.3-04.7	1186	68.2	65.5-70.9
18-24	80	37,191	12	10.6	03.7-17.5	7	9.3	02.4-16.2	1	1.0	00.0-03.0	2	5.7	00.0-13.5			
25-34	205	36,976	32	17.1	11.0-23.2	18	7.6	03.9-11.3	13	6.6	02.7-10.5	4	1.8	00.0-04.0	138	66.9	59.6-74.2
35-44	307	39,176	63	21.0	15.9-26.1	21	7.6	04.1-11.1	12	3.3	01.1-05.5	14	5.3	02.4-08.2	197	62.7	56.6-68.8
45-54	445	46,191	93	19.3	15.0-23.6	31	6.7	04.0-09.4	21	4.5	02.3-06.7	13	3.3	01.3-05.3	287	66.2	61.1-71.3
55-64	323	31,619	58	17.2	12.5-21.9	14	4.4	01.9-06.9	14	4.5	02.0-07.0	15	5.7	02.6-08.8	222	68.2	62.3-74.1
65+	436	36,429	71	16.5	12.4-20.6	25	6.5	03.8-09.2	16	3.7	01.5-05.9	18	3.7	01.5-05.9	306	69.6	64.5-74.7
Less Than H.S.	174	19,159	31	15.2	08.9-21.5	14	10.5	02.7-18.3	11	6.9	01.2-12.6	14	9.8	03.5-16.1			
H.S. or G.E.D.	544	66,759	93	15.3	11.6-19.0	38	7.5	04.8-10.2	26	3.8	02.0-05.6	20	5.0	00.9-09.1	367	68.4	62.9-73.9
Some Post-H.S.	520	66,636	102	18.1	14.0-22.2	31	6.1	03.2-09.0	25	5.2	02.8-07.6	22	4.5	01.8-07.2	340	66.1	60.6-71.6
College Graduate	563	75,366	102	18.2	14.3-22.1	33	6.7	04.0-09.4	16	2.3	01.1-03.5	10	1.7	00.5-02.9	402	71.2	66.5-75.9
Less than \$15,000	101	11,617				9	5.8	01.5-10.1	8	4.4	01.1-07.7	7	6.0	00.0-12.1			
\$15,000- 24,999	248	27,580	52	23.3	15.7-30.9	18	8.3	02.4-14.2	13	4.5	01.4-07.6	16	12.2	02.6-21.8	149	51.7	42.1-61.3
\$25,000- 34,999	239	30,321	39	12.2	07.7-16.7	23	7.2	03.5-10.9	13	7.2	02.3-12.1	12	5.0	01.9-08.1	152	68.4	60.8-76.0
\$35,000- 49,999	359	42,704	67	16.6	11.9-21.3	30	12.3	07.4-17.2	13	3.3	01.3-05.3	8	1.8	00.4-03.2	241	66.1	59.6-72.6
\$50,000- 74,999	357	47,040	63	18.4	13.7-23.1	18	6.0	02.7-09.3	13	3.7	01.5-05.9	10	2.4	00.6-04.2	253	69.4	63.7-75.1
\$75,000+	342	47,658	66	17.8	13.1-22.5	12	4.2	01.7-06.7	10	2.4	00.6-04.2	7	2.1	00.5-03.7	247	73.5	68.0-79.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 15. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD A POOR APPETITE OR ATE TOO MUCH? (ADEAT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	237,381	559	20.5	18.5-22.5	197	6.3	05.1-07.5	158	6.1	04.7-07.5	150	4.8	03.8-05.8	1642	62.2	59.8-64.6
Native	73	9,433				6	7.5	01.0-14.0				5	5.0	00.0-10.3			
Non-Native	2610	225,479	537	20.4	18.4-22.4	191	6.3	05.1-07.5	142	5.4	04.2-06.6	145	4.9	03.9-05.9	1595	63.1	60.7-65.5
18-24	107	34,908	20	14.0	07.3-20.7	2	1.8	00.0-05.1	8	8.9	02.6-15.2	5	3.5	00.0-07.2	72	71.8	62.4-81.2
25-34	293	35,176	63	23.4	17.9-28.9	29	8.8	05.5-12.1	18	6.1	03.2-09.0	15	4.9	02.2-07.6	168	56.9	50.6-63.2
35-44	400	38,122	98	24.9	20.0-29.8	31	7.7	04.8-10.6	30	7.8	04.7-10.9	21	5.9	03.2-08.6	220	53.7	48.2-59.2
45-54	582	46,408	135	23.3	19.4-27.2	51	8.3	05.8-10.8	33	4.9	02.9-06.9	31	3.7	02.1-05.3	332	59.7	55.2-64.2
55-64	455	29,249	80	20.0	15.3-24.7	32	6.9	04.2-09.6	26	5.2	02.8-07.6	32	7.0	04.3-09.7	285	61.0	55.5-66.5
65+	837	51,587	155	17.5	14.6-20.4	50	4.4	02.8-06.0	43	5.0	03.4-06.6	45	4.7	03.1-06.3	544	68.4	64.9-71.9
Less Than H.S.	203	13,643	42	15.8	09.7-21.9	16	5.5	01.8-09.2	16	12.8	05.0-20.6	22	16.5	07.1-25.9			
H.S. or G.E.D.	799	65,566	157	20.0	16.5-23.5	58	6.2	04.2-08.2	48	6.5	03.8-09.2	44	4.1	02.5-05.7	492	63.2	58.7-67.7
Some Post-H.S.	898	85,289	193	21.7	18.4-25.0	63	5.2	03.6-06.8	48	5.2	03.0-07.4	46	4.4	02.8-06.0	548	63.5	59.4-67.6
College Graduate	803	72,677	166	20.5	17.2-23.8	60	7.8	05.3-10.3	46	5.7	03.9-07.5	38	3.8	02.4-05.2	493	62.2	58.1-66.3
Less than \$15,000	267	19,978	47	14.6	09.7-19.5	22	9.7	03.4-16.0	34	14.6	08.1-21.1	20	6.5	03.0-10.0	144	54.5	45.7-63.3
\$15,000- 24,999	435	34,064	75	15.4	11.1-19.7	29	4.7	02.5-06.9	39	11.9	06.2-17.6	36	7.8	04.9-10.7	256	60.2	53.3-67.1
\$25,000- 34,999	346	28,542	70	19.7	13.8-25.6	34	7.9	04.8-11.0	15	2.8	01.0-04.6	17	4.1	01.9-06.3	210	65.6	58.9-72.3
\$35,000- 49,999	443	40,176	91	21.8	17.1-26.5	40	7.8	04.9-10.7	20	5.0	02.6-07.4	18	2.0	00.8-03.2	274	63.4	57.9-68.9
\$50,000- 74,999	401	38,286	106	26.5	21.4-31.6	25	6.1	03.6-08.6	18	3.5	01.5-05.5	14	3.8	01.4-06.2	-93.8		54.3-65.7
\$75,000+	365	39,028	93	24.9	19.8-30.0	26	6.5	03.8-09.2	18	5.3	02.8-07.8	18	4.6	02.4-06.8	210	58.7	52.8-64.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 16. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4555	469,631	467	10.7	09.3-12.1	101	2.0	01.4-02.6	93	2.2	01.6-02.8	67	1.5	01.1-01.9	3827	83.6	82.0-85.2
Male	1826	230,546	149	8.4	06.6-10.2	28	1.5	00.7-02.3	32	1.7	00.9-02.5	27	1.7	00.9-02.5	1590	86.7	84.5-88.9
Female	2729	239,084	318	12.9	11.1-14.7	73	2.5	01.7-03.3	61	2.7	01.7-03.7	40	1.3	00.7-01.9	2237	80.6	78.4-82.8
Native	101	14,919	14	11.1	04.4-17.8	4	2.7	00.0-05.6	4	4.3	00.0-09.4	6	4.0	00.1-07.9	73	77.9	68.3-87.5
Non-Native	4404	449,943	447	10.7	09.3-12.1	94	1.9	01.3-02.5	89	2.1	01.5-02.7	60	1.4	01.0-01.8	3714	84.0	82.4-85.6
18-24	191	73,110	23	13.2	07.5-18.9	4	2.0	00.0-04.4	4	2.6	00.1-05.1	5	2.0	00.0-04.0	155	80.2	73.5-86.9
25-34	499	72,441	85	15.9	12.4-19.4	10	2.3	00.5-04.1	16	2.9	01.3-04.5	10	1.6	00.4-02.8	378	77.3	73.2-81.4
35-44	718	78,596	96	12.5	10.0-15.0	20	2.1	00.9-03.3	16	2.6	01.0-04.2	9	1.6	00.4-02.8	577	81.1	77.8-84.4
45-54	1031	93,034	113	10.4	08.2-12.6	32	2.5	01.3-03.7	20	1.7	00.9-02.5	27	2.2	01.2-03.2	839	83.2	80.7-85.7
55-64	789	61,707	52	5.9	04.1-07.7	14	1.5	00.5-02.5	15	2.3	00.9-03.7	7	0.6	00.0-01.2	701	89.6	87.2-92.0
65+	1285	88,081	95	6.7	05.1-08.3	19	1.4	00.6-02.2	22	1.5	00.7-02.3	9	0.7	00.1-01.3	1140	89.7	87.7-91.7
Less Than H.S.	391	34,033	40	8.4	04.9-11.9	10	3.8	00.5-07.1	10	5.5	01.2-09.8	10	3.6	01.1-06.1	321	78.8	72.5-85.1
H.S. or G.E.D.	1362	134,480	119	9.2	07.0-11.4	40	2.4	01.0-03.8	38	2.9	01.5-04.3	21	1.1	00.5-01.7	1144	84.4	81.7-87.1
Some Post-H.S.	1427	152,342	155	12.7	10.0-15.4	35	2.1	01.1-03.1	29	2.0	01.2-02.8	19	2.0	00.8-03.2	1189	81.2	78.3-84.1
College Graduate	1368	148,216	152	10.6	08.6-12.6	16	1.1	00.5-01.7	16	1.0	00.4-01.6	17	0.9	00.5-01.3	1167	86.4	84.2-88.6
Less than \$15,000	374	32,274	47	11.4	06.9-15.9	13	3.6	01.2-06.0	17	7.8	02.9-12.7	19	3.5	01.3-05.7	278	73.8	67.1-80.5
\$15,000- 24,999	687	61,744	68	11.4	06.9-15.9	24	2.6	01.2-04.0	27	3.9	02.1-05.7	15	2.5	00.9-04.1	553	79.5	74.6-84.4
\$25,000- 34,999	593	59,485	70	11.8	08.3-15.3	14	2.2	00.2-04.2	12	2.5	00.9-04.1	10	2.1	00.5-03.7	487	81.4	77.1-85.7
\$35,000- 49,999	806	83,060	98	12.7	09.8-15.6	20	2.3	00.9-03.7	10	0.9	00.3-01.5	3	0.5	00.0-01.1	675	83.5	80.2-86.8
\$50,000- 74,999	765	86,139	68	8.9	06.5-11.3	15	1.6	00.6-02.6	9	1.3	00.3-02.3	9	1.7	00.3-03.1	664	86.5	83.6-89.4
\$75,000+	708	86,806	57	7.5	05.3-09.7	6	0.7	00.1-01.3	8	0.9	00.3-01.5	4	0.5	00.0-01.1	633	90.4	88.0-92.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 17. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1826	230,546	149	8.4	06.6-10.2	28	1.5	00.7-02.3	32	1.7	00.9-02.5	27	1.7	00.9-02.5	1590	86.7	84.5-88.9
Non-Native	1775	223,237	145	8.4	06.6-10.2	26	1.4	00.6-02.2	31	1.6	00.8-02.4	25	1.7	00.9-02.5	1548	86.9	84.7-89.1
18-24	83	38,050	8	11.3	03.7-18.9	2	1.1	00.0-03.1	1	1.4	00.0-04.1	2	2.4	00.0-05.7	70	83.8	75.0-92.6
25-34	206	37,406	29	12.9	08.0-17.8	6	3.5	00.2-06.8	6	2.3	00.3-04.3	4	1.5	00.0-03.1	161	79.8	73.7-85.9
35-44	311	39,658	28	8.0	04.9-11.1	1	0.2	00.0-00.6	5	1.6	00.0-03.2	6	2.4	00.4-04.4	271	87.7	83.8-91.6
45-54	448	46,196	44	8.6	05.9-11.3	8	1.7	00.1-03.3	8	1.7	00.3-03.1	9	2.2	00.4-04.0	379	85.8	82.1-89.5
55-64	328	32,029	16	4.0	01.8-06.2	5	1.3	00.0-02.9	5	2.1	00.1-04.1	3	0.7	00.0-01.7	299	91.9	88.6-95.2
65+	441	36,516	24	5.0	02.6-07.4	5	1.1	00.1-02.1	7	0.9	00.1-01.7	3	0.9	00.0-01.9	402	92.0	89.3-94.7
Less Than H.S.	180	19,465	12	6.5	01.8-11.2	6	5.4	00.0-10.9	2	0.7	00.0-01.7	6	5.3	00.8-09.8	154	82.1	74.1-90.1
H.S. or G.E.D.	554	68,473	33	5.2	02.7-07.7	12	1.5	00.5-02.5	12	2.2	00.4-04.0	9	1.1	00.3-01.9	488	90.0	86.7-93.3
Some Post-H.S.	525	66,937	57	13.9	09.4-18.4	7	1.5	00.0-03.1	12	2.2	00.8-03.6	8	2.7	00.5-04.9	441	79.8	74.7-84.9
College Graduate	563	75,316	47	7.1	04.7-09.5	3	0.5	00.0-01.1	6	0.9	00.1-01.7	4	0.5	00.0-01.1	503	91.0	88.5-93.5
Less than \$15,000	103	11,733	11	9.4	02.1-16.7	4	2.6	00.0-05.5	4	6.7	00.0-15.7	4	2.0	00.0-04.2			
\$15,000- 24,999	250	27,604	23	8.2	04.1-12.3	9	2.6	00.4-04.8	8	3.1	00.6-05.6	5	3.6	00.3-06.9	205	82.5	76.4-88.6
\$25,000- 34,999	241	30,479	31	10.7	05.6-15.8	5	3.2	00.0-06.9	6	2.9	00.5-05.3	7	3.3	00.4-06.2	192	80.0	73.1-86.9
\$35,000- 49,999	361	42,774	37	11.3	07.0-15.6	6	1.8	00.0-03.8	5	1.0	00.0-02.0	2	0.7	00.0-01.7	0-00.9	85.3	80.4-90.2
\$50,000- 74,999	362	47,706	15	4.3	01.9-06.7	2	0.9	00.0-02.1	3	0.8	00.0-01.8	5	2.1	00.0-04.5	337	91.9	88.2-95.6
\$75,000+	343	47,753	19	5.2	02.7-07.7				3	0.5	00.0-01.3	3	0.7	00.0-01.7	318	93.5	90.6-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 18. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU FELT BAD ABOUT YOURSELF OR THAT YOU WERE A FAILURE OR HAD LET YOURSELF OR YOUR FAMILY DOWN? (ADFAIL)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	239,084	318	12.9	11.1-14.7	73	2.5	01.7-03.3	61	2.7	01.7-03.7	40	1.3	00.7-01.9	2237	80.6	78.4-82.8
Native	74	9,780	11	11.8	04.2-19.4	4	4.2	00.0-08.7	3	5.1	00.0-12.2	4	3.8	00.0-08.7			
Non-Native	2629	226,706	302	12.9	10.9-14.9	68	2.4	01.4-03.4	58	2.6	01.6-03.6	35	1.0	00.6-01.4	2166	81.1	78.9-83.3
18-24	108	35,060	15	15.2	06.6-23.8	2	3.0	00.0-07.5	3	3.9	00.0-08.2	3	1.6	00.0-03.8	85	76.3	66.5-86.1
25-34	293	35,035	56	19.2	14.1-24.3	4	1.0	00.0-02.2	10	3.5	01.3-05.7	6	1.7	00.1-03.3	217	74.6	69.1-80.1
35-44	407	38,938	68	17.1	13.0-21.2	19	4.1	01.9-06.3	11	3.6	00.9-06.3	3	0.8	00.0-01.8	306	74.4	69.5-79.3
45-54	583	46,839	69	12.1	09.0-15.2	24	3.3	01.7-04.9	12	1.7	00.7-02.7	18	2.3	01.1-03.5	460	80.6	77.1-84.1
55-64	461	29,678	36	8.0	05.3-10.7	9	1.7	00.3-03.1	10	2.5	00.7-04.3	4	0.6	00.0-01.4	402	87.2	83.7-90.7
65+	844	51,565	71	7.9	05.7-10.1	14	1.5	00.5-02.5	15	1.9	00.7-03.1	6	0.6	00.0-01.2	738	88.1	85.6-90.6
Less Than H.S.	211	14,568	28	10.9	05.6-16.2	4	1.7	00.0-03.5	8	11.9	02.5-21.3	4	1.2	00.0-02.6	167	74.3	64.5-84.1
H.S. or G.E.D.	808	66,007	86	13.4	09.9-16.9	28	3.4	01.0-05.8	26	3.5	01.5-05.5	12	1.0	00.0-02.0	656	78.7	74.4-83.0
Some Post-H.S.	902	85,405	98	11.8	08.5-15.1	28	2.5	01.5-03.5	17	1.9	00.9-02.9	11	1.5	00.5-02.5	748	82.3	78.8-85.8
College Graduate	805	72,899	105	14.3	11.4-17.2	13	1.7	00.5-02.9	10	1.1	00.3-01.9	13	1.2	00.4-02.0	664	81.7	78.4-85.0
Less than \$15,000	271	20,540	36	12.5	06.8-18.2	9	4.1	00.8-07.4	13	8.4	02.5-14.3	15	4.3	01.4-07.2	198	70.7	62.5-78.9
\$15,000- 24,999	437	34,140	45	14.1	07.0-21.2	15	2.7	01.1-04.3	19	4.6	02.1-07.1	10	1.6	00.4-02.8	348	77.1	69.8-84.4
\$25,000- 34,999	352	29,006	39	13.0	08.1-17.9	9	1.1	00.1-02.1	6	2.1	00.1-04.1	3	0.9	00.0-02.1	295	82.9	77.6-88.2
\$35,000- 49,999	445	40,286	61	14.2	10.3-18.1	14	2.9	01.1-04.7	5	0.8	00.0-01.8	1	0.3	00.0-00.9	364	81.7	77.4-86.0
\$50,000- 74,999	403	38,432	53	14.7	10.6-18.8	13	2.5	00.9-04.1	6	1.8	00.0-03.6	4	1.3	00.1-02.5	327	79.7	75.0-84.4
\$75,000+	365	39,052	38	10.3	06.8-13.8	6	1.7	00.3-03.1	5	1.3	00.1-02.5	1	0.2	00.0-00.6	315	86.5	82.6-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 19. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4548	468,916	367	8.5	07.3-09.7	133	2.6	02.0-03.2	77	1.7	01.1-02.3	93	2.3	01.7-02.9	3878	84.9	83.5-86.3
Male	1823	230,262	132	8.2	06.2-10.2	48	2.3	01.5-03.1	30	1.6	01.0-02.2	42	2.6	01.6-03.6	1571	85.4	83.0-87.8
Female	2725	238,654	235	8.9	07.5-10.3	85	3.0	02.2-03.8	47	1.8	01.0-02.6	51	2.0	01.2-02.8	2307	84.4	82.6-86.2
Native	101	14,919				8	6.9	01.8-12.0	4	6.1	00.0-13.4	7	5.9	00.8-11.0			
Non-Native	4397	449,083	349	8.1	07.1-09.1	123	2.5	01.9-03.1	73	1.5	01.1-01.9	85	2.1	01.5-02.7	3767	85.7	84.3-87.1
18-24	191	73,110	15	9.3	04.0-14.6	3	0.7	00.0-01.9	4	2.0	00.0-04.0	7	3.8	00.9-06.7	162	84.3	78.2-90.4
25-34	500	72,586	57	12.1	08.8-15.4	17	3.7	01.7-05.7	12	1.7	00.5-02.9	16	2.8	01.2-04.4	398	79.7	75.8-83.6
35-44	715	78,292	61	8.0	05.8-10.2	25	3.3	01.9-04.7	20	2.7	01.1-04.3	14	2.2	01.0-03.4	595	83.8	80.7-86.9
45-54	1029	92,569	94	8.5	06.5-10.5	28	2.6	01.4-03.8	16	1.4	00.4-02.4	26	2.1	01.1-03.1	865	85.3	82.8-87.8
55-64	785	61,448	61	8.3	05.9-10.7	24	2.7	01.3-04.1	7	0.7	00.1-01.3	13	2.1	00.7-03.5	680	86.2	83.3-89.1
65+	1285	88,159	77	5.7	04.1-07.3	36	2.9	01.9-03.9	18	1.4	00.6-02.2	17	1.1	00.3-01.9	1137	88.9	86.9-90.9
Less Than H.S.	390	33,853	28	5.9	03.2-08.6	13	1.9	00.5-03.3	12	6.6	02.1-11.1	14	5.4	01.5-09.3	323	80.3	74.2-86.4
H.S. or G.E.D.	1358	134,065	119	9.9	07.2-12.6	47	3.4	02.0-04.8	27	1.3	00.7-01.9	33	3.2	01.8-04.6	1132	82.2	79.1-85.3
Some Post-H.S.	1423	152,203	109	8.6	06.6-10.6	43	2.7	01.7-03.7	24	1.5	00.7-02.3	27	2.1	01.1-03.1	1220	85.0	82.5-87.5
College Graduate	1370	148,236	111	7.9	06.1-09.7	30	2.1	01.3-02.9	14	1.0	00.4-01.6	19	1.0	00.4-01.6	1196	88.1	86.1-90.1
Less than \$15,000	371	32,078	37	10.4	05.7-15.1	17	4.0	00.9-07.1	18	4.7	01.8-07.6	21	5.6	02.5-08.7	278	75.2	68.7-81.7
\$15,000- 24,999	689	61,862	59	11.9	06.8-17.0	23	2.8	01.2-04.4	18	3.2	01.0-05.4	24	4.0	02.0-06.0	565	78.1	72.6-83.6
\$25,000- 34,999	592	59,355	54	8.3	05.6-11.0	23	3.6	01.6-05.6	8	2.0	00.4-03.6	16	3.6	01.2-06.0	491	82.5	78.4-86.6
\$35,000- 49,999	802	82,756	74	10.3	07.4-13.2	27	3.2	01.8-04.6	9	1.0	00.2-01.8	10	1.3	00.3-02.3	682	84.2	80.9-87.5
\$50,000- 74,999	764	86,001	51	6.2	04.2-08.2	15	2.4	01.0-03.8	3	0.2	00.0-00.4	6	1.0	00.2-01.8	689	90.2	87.7-92.7
\$75,000+	709	86,806	55	7.9	05.5-10.3	11	1.3	00.5-02.1	9	1.1	00.3-01.9	5	1.2	00.0-02.6	629	88.5	85.8-91.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 20. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1823	230,262	132	8.2	06.2-10.2	48	2.3	01.5-03.1	30	1.6	01.0-02.2	42	2.6	01.6-03.6	1571	85.4	83.0-87.8
Non-Native	1773	222,957	129	7.7	06.1-09.3	44	2.2	01.4-03.0	30	1.6	00.8-02.4	39	2.5	01.5-03.5	1531	85.9	83.7-88.1
18-24	83	38,050	6	10.1	01.5-18.7	2	0.1	00.0-00.3	1	1.0	00.0-03.0	3	3.8	00.0-08.1	71	85.0	75.6-94.4
25-34	206	37,406	26	13.5	08.4-18.6	8	4.3	01.2-07.4	5	1.3	00.0-02.7	6	2.5	00.3-04.7	161	78.4	72.3-84.5
35-44	311	39,658	19	5.6	02.9-08.3	7	1.9	00.3-03.5	9	2.9	00.7-05.1	11	3.6	01.4-05.8	265	86.0	81.9-90.1
45-54	446	46,001	33	6.8	04.1-09.5	12	2.8	00.8-04.8	8	1.9	00.3-03.5	12	2.7	00.9-04.5	381	85.7	81.8-89.6
55-64	328	32,029	24	9.2	05.5-12.9	9	2.3	00.5-04.1	3	1.0	00.0-02.2	5	2.0	00.0-04.0	287	85.6	81.1-90.1
65+	440	36,426	24	4.4	02.2-06.6	10	2.2	00.6-03.8	4	1.2	00.0-02.4	5	0.9	00.0-02.1	397	91.3	88.4-94.2
Less Than H.S.	179	19,408	10	5.2	01.5-08.9	5	1.5	00.1-02.9	3	2.7	00.0-06.0	8	4.6	00.0-09.3	153	86.0	79.3-92.7
H.S. or G.E.D.	553	68,435	42	9.3	04.6-14.0	21	3.3	01.7-04.9	11	1.6	00.4-02.8	17	3.8	01.6-06.0	462	82.0	76.9-87.1
Some Post-H.S.	524	66,748	40	8.9	05.8-12.0	12	2.4	00.8-04.0	8	1.6	00.2-03.0	13	3.0	00.8-05.2	451	84.2	80.1-88.3
College Graduate	563	75,316	40	7.3	04.8-09.8	10	1.5	00.5-02.5	8	1.2	00.2-02.2	4	0.7	00.1-01.3	501	89.3	86.4-92.2
Less than \$15,000	100	11,391				4	2.3	00.0-04.7	4	2.2	00.0-04.6	8	7.9	00.6-15.2			
\$15,000- 24,999	253	27,870	24	16.0	06.2-25.8	7	2.0	00.2-03.8	6	3.4	00.5-06.3	9	4.3	01.2-07.4	207	74.3	64.5-84.1
\$25,000- 34,999	240	30,349	16	5.2	02.3-08.1	8	3.4	00.3-06.5	7	3.4	00.3-06.5	13	6.4	01.9-10.9	196	81.6	75.1-88.1
\$35,000- 49,999	360	42,700	37	12.3	07.4-17.2	13	3.1	01.3-04.9	3	0.9	00.0-02.1	2	0.6	00.0-01.6	305	83.0	77.7-88.3
\$50,000- 74,999	362	47,706	19	5.4	02.7-08.1	8	2.9	00.9-04.9	1	0.1	00.0-00.3	3	1.0	00.0-02.2	331	90.6	87.1-94.1
\$75,000+	343	47,753	20	6.3	03.4-09.2	6	1.1	00.1-02.1	6	1.3	00.1-02.5	3	1.8	00.0-04.2	308	89.4	85.5-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 21. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU HAD TROUBLE CONCENTRATING ON THINGS, SUCH AS READING THE NEWSPAPER OR WATCHING THE TV? (ADTHINK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2725	238,654	235	8.9	07.5-10.3	85	3.0	02.2-03.8	47	1.8	01.0-02.6	51	2.0	01.2-02.8	2307	84.4	82.6-86.2
Native	74	9,780	10	13.8	05.2-22.4	6	8.1	01.2-15.0				4	5.5	00.0-11.8			
Non-Native	2624	226,125	220	8.6	07.2-10.0	79	2.8	02.0-03.6	43	1.5	00.9-02.1	46	1.7	01.1-02.3	2236	85.4	83.6-87.2
18-24	108	35,060	9	8.5	02.6-14.4	1	1.3	00.0-03.8	3	3.0	00.0-06.7	4	3.7	00.0-07.4	91	83.5	75.9-91.1
25-34	294	35,181	31	10.6	06.7-14.5	9	3.1	00.9-05.3	7	2.2	00.4-04.0	10	3.1	00.9-05.3	237	81.0	76.1-85.9
35-44	404	38,634	42	10.6	07.1-14.1	18	4.6	02.2-07.0	11	2.5	00.3-04.7	3	0.8	00.0-01.8	330	81.5	77.0-86.0
45-54	583	46,568	61	10.1	07.4-12.8	16	2.4	01.0-03.8	8	1.0	00.2-01.8	14	1.5	00.5-02.5	484	84.9	81.6-88.2
55-64	457	29,419	37	7.3	04.8-09.8	15	3.2	01.2-05.2	4	0.4	00.0-00.8	8	2.3	00.5-04.1	393	86.8	83.3-90.3
65+	845	51,733	53	6.6	04.6-08.6	26	3.3	01.9-04.7	14	1.6	00.6-02.6	12	1.3	00.3-02.3	740	87.2	84.5-89.9
Less Than H.S.	211	14,445	18	6.8	03.1-10.5	8	2.4	00.0-04.8	9	11.9	02.5-21.3	6	6.4	00.0-13.1			
H.S. or G.E.D.	805	65,629	77	10.5	07.6-13.4	26	3.5	01.5-05.5	16	1.1	00.5-01.7	16	2.5	00.9-04.1	670	82.4	78.7-86.1
Some Post-H.S.	899	85,455	69	8.4	05.9-10.9	31	3.0	01.8-04.2	16	1.5	00.5-02.5	14	1.5	00.5-02.5	769	85.6	82.7-88.5
College Graduate	807	72,919	71	8.4	06.0-10.8	20	2.7	01.3-04.1	6	0.7	00.1-01.3	15	1.3	00.5-02.1	695	86.9	84.2-89.6
Less than \$15,000	271	20,687	29	10.1	05.4-14.8	13	5.0	00.5-09.5	14	6.1	01.8-10.4	13	4.4	01.5-07.3	202	74.4	67.0-81.8
\$15,000- 24,999	436	33,992	35	8.6	04.9-12.3	16	3.4	01.0-05.8	12	3.0	00.3-05.7	15	3.8	01.4-06.2	358	81.3	76.0-86.6
\$25,000- 34,999	352	29,006	38	11.6	06.9-16.3	15	3.8	01.4-06.2	1	0.5	00.0-01.5	3	0.6	00.0-01.6	295	83.5	78.2-88.8
\$35,000- 49,999	442	40,056	37	8.1	05.2-11.0	14	3.4	01.4-05.4	6	1.0	00.0-02.0	8	2.0	00.2-03.8	377	85.6	81.7-89.5
\$50,000- 74,999	402	38,295	32	7.2	04.3-10.1	7	1.9	00.3-03.5	2	0.3	00.0-00.7	3	1.0	00.0-02.2	358	89.6	86.1-93.1
\$75,000+	366	39,052	35	9.8	06.3-13.3	5	1.6	00.2-03.0	3	0.9	00.0-01.9	2	0.5	00.0-01.1	321	87.4	83.5-91.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 22. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4507	465,574	199	5.2	04.2-06.2	52	1.1	00.7-01.5	37	1.0	00.6-01.4	45	1.0	00.6-01.4	4174	91.7	90.5-92.9
Male	1802	227,747	88	6.1	04.3-07.9	25	1.3	00.7-01.9	16	1.1	00.3-01.9	18	0.9	00.5-01.3	1655	90.5	88.5-92.5
Female	2705	237,827	111	4.3	03.3-05.3	27	0.9	00.5-01.3	21	0.8	00.4-01.2	27	1.1	00.5-01.7	2519	92.9	91.5-94.3
Native	97	13,323	12	13.6	05.8-21.4	2	1.2	00.0-03.0	1	1.1	00.0-03.3	3	1.9	00.0-04.3	79	82.1	73.7-90.5
Non-Native	4363	447,678	183	4.9	03.9-05.9	50	1.1	00.7-01.5	35	0.9	00.5-01.3	40	1.0	00.6-01.4	4055	92.1	90.9-93.3
18-24	190	71,740	19	9.5	04.8-14.2	1	0.6	00.0-01.8	3	1.8	00.0-04.2				167	88.1	82.8-93.4
25-34	496	72,046	30	6.0	03.3-08.7	6	1.5	00.3-02.7	5	1.0	00.0-02.0	9	1.6	00.4-02.8	446	89.9	86.6-93.2
35-44	715	78,334	45	5.8	03.8-07.8	6	0.7	00.1-01.3	10	1.5	00.3-02.7	6	0.9	00.1-01.7	648	91.1	88.7-93.5
45-54	1021	92,102	41	4.2	02.6-05.8	20	1.7	00.7-02.7	8	0.6	00.2-01.0	10	1.2	00.4-02.0	942	92.2	90.2-94.2
55-64	781	61,342	24	3.3	01.7-04.9	10	1.3	00.3-02.3	1	0.1	00.0-00.3	9	1.6	00.4-02.8	737	93.8	91.8-95.8
65+	1262	87,348	39	3.0	01.8-04.2	9	0.7	00.1-01.3	10	0.8	00.2-01.4	11	0.9	00.3-01.5	1193	94.7	93.1-96.3
Less Than H.S.	375	33,281	24	5.3	02.0-08.6	8	3.7	00.4-07.0	4	0.9	00.0-01.9	5	1.7	00.0-03.5	334	88.4	83.5-93.3
H.S. or G.E.D.	1344	132,164	67	6.9	04.7-09.1	22	1.2	00.6-01.8	14	1.7	00.3-03.1	16	1.3	00.5-02.1	1225	88.9	86.2-91.6
Some Post-H.S.	1419	151,757	67	5.4	03.6-07.2	13	0.9	00.3-01.5	10	0.5	00.1-00.9	14	0.8	00.2-01.4	1315	92.3	90.3-94.3
College Graduate	1362	147,812	40	3.5	02.1-04.9	9	0.6	00.2-01.0	9	0.7	00.1-01.3	10	0.7	00.1-01.3	1294	94.5	92.9-96.1
Less than \$15,000	357	31,265	26	8.2	03.7-12.7	12	2.1	00.7-03.5	6	1.2	00.0-02.4	8	2.0	00.4-03.6	305	86.4	81.3-91.5
\$15,000- 24,999	678	60,129	22	2.5	01.1-03.9	13	2.5	00.7-04.3	8	1.3	00.1-02.5	10	1.5	00.3-02.7	625	92.2	89.7-94.7
\$25,000- 34,999	590	59,101	31	5.4	02.5-08.3	12	1.7	00.7-02.7	6	1.2	00.2-02.2	11	2.2	00.6-03.8	530	89.5	86.0-93.0
\$35,000- 49,999	799	82,337	43	7.9	04.8-11.0	4	0.5	00.1-00.9	5	1.4	00.0-03.4	6	1.1	00.1-02.1	741	89.1	85.4-92.8
\$50,000- 74,999	763	86,098	31	4.7	02.9-06.5	3	0.5	00.0-01.1	5	0.7	00.0-01.5	1	0.1	00.0-00.3	723	94.0	92.0-96.0
\$75,000+	707	86,799	21	3.1	01.7-04.5	2	0.3	00.0-00.7	3	0.5	00.0-01.1	2	0.3	00.0-00.7	679	95.9	94.3-97.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 23. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1802	227,747	88	6.1	04.3-07.9	25	1.3	00.7-01.9	16	1.1	00.3-01.9	18	0.9	00.5-01.3	1655	90.5	88.5-92.5
Non-Native	1754	221,920	85	6.1	04.3-07.9	25	1.3	00.7-01.9	15	1.1	00.3-01.9	16	0.9	00.5-01.3	1613	90.6	88.6-92.6
18-24	82	36,680	12	13.4	05.6-21.2				1	2.2	00.0-06.5				69	84.3	75.5-93.1
25-34	204	37,083	11	6.4	01.9-10.9	4	2.2	00.0-04.6	3	1.6	00.0-03.4	2	0.5	00.0-01.3	184	89.3	84.0-94.6
35-44	309	39,454	19	5.2	02.5-07.9	4	1.0	00.0-02.0	4	1.2	00.0-02.4	4	1.1	00.0-02.3	278	91.5	88.2-94.8
45-54	444	45,950	17	4.1	01.7-06.5	9	2.3	00.5-04.1	3	0.6	00.0-01.2	7	1.9	00.3-03.5	408	91.2	87.9-94.5
55-64	325	31,956	13	3.8	01.4-06.2	6	1.6	00.2-03.0				4	1.7	00.0-03.5	302	92.9	89.8-96.0
65+	429	35,930	16	4.3	01.8-06.8	2	0.5	00.0-01.3	5	1.3	00.1-02.5	1	0.2	00.0-00.6	405	93.8	91.1-96.5
Less Than H.S.	173	19,142	9	3.6	00.7-06.5	5	3.3	00.0-06.8	3	1.5	00.0-03.3	1	1.0	00.0-03.0	155	90.6	85.3-95.9
H.S. or G.E.D.	543	66,319	34	8.9	05.0-12.8	10	1.3	00.3-02.3	6	2.2	00.0-04.7	8	1.4	00.4-02.4	485	86.1	81.6-90.6
Some Post-H.S.	522	66,760	25	5.7	02.8-08.6	5	1.2	00.0-02.4	2	0.3	00.0-00.9	6	0.9	00.0-01.9	484	91.8	88.5-95.1
College Graduate	560	75,171	19	4.6	02.1-07.1	5	0.8	00.0-01.6	5	0.9	00.1-01.7	3	0.5	00.0-01.1	528	93.2	90.3-96.1
Less than \$15,000	97	11,320				5	2.8	00.3-05.3	2	1.1	00.0-02.7	3	1.5	00.0-03.5			
\$15,000- 24,999	246	26,244	8	2.8	00.6-05.0	7	4.3	00.8-07.8	2	0.8	00.0-02.0	3	1.2	00.0-02.6	226	90.9	86.4-95.4
\$25,000- 34,999	238	30,161	17	6.2	01.7-10.7	7	2.1	00.5-03.7	5	2.0	00.0-04.0	7	3.2	00.7-05.7	202	86.5	80.8-92.2
\$35,000- 49,999	357	42,374	23	10.4	05.1-15.7	2	0.6	00.0-01.4	1	1.9	00.0-05.6	3	1.0	00.0-02.0	328	86.1	79.8-92.4
\$50,000- 74,999	360	47,615	14	4.8	02.1-07.5	2	0.7	00.0-01.7	2	0.8	00.0-02.0	1	0.1	00.0-00.3	341	93.6	90.5-96.7
\$75,000+	342	47,735	8	2.4	00.6-04.2	2	0.6	00.0-01.4	3	0.8	00.0-01.8				329	96.2	94.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 24. OVER THE LAST 2 WEEKS, HOW MANY DAYS HAVE YOU MOVED OR SPOKEN SO SLOWLY THAT OTHER PEOPLE COULD HAVE NOTICED? OR THE OPPOSITE – BEING SO FIDGETY OR RESTLESS THAT YOU WERE MOVING AROUND A LOT MORE THAN USUAL? (ADMOVE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-03 Days			04-06 Days			07-10 Days			11-14 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2705	237,827	111	4.3	03.3-05.3	27	0.9	00.5-01.3	21	0.8	00.4-01.2	27	1.1	00.5-01.7	2519	92.9	91.5-94.3
Native	72	9,661	10	14.9	05.3-24.5	2	1.6	00.0-04.0				1	0.8	00.0-02.4	59	82.7	72.7-92.7
Non-Native	2609	225,758	98	3.8	02.8-04.8	25	0.9	00.3-01.5	20	0.7	00.3-01.1	24	1.0	00.4-01.6	2442	93.6	92.4-94.8
18-24	108	35,060	7	5.4	00.7-10.1	1	1.3	00.0-03.8	2	1.3	00.0-03.3				98	92.0	86.5-97.5
25-34	292	34,963	19	5.5	02.8-08.2	2	0.7	00.0-01.7	2	0.4	00.0-01.2	7	2.7	00.3-05.1	262	90.6	86.9-94.3
35-44	406	38,880	26	6.5	03.8-09.2	2	0.3	00.0-00.7	6	1.8	00.0-03.6	2	0.7	00.0-01.7	370	90.7	87.4-94.0
45-54	577	46,152	24	4.4	02.4-06.4	11	1.1	00.3-01.9	5	0.7	00.1-01.3	3	0.5	00.0-01.1	534	93.2	90.8-95.6
55-64	456	29,387	11	2.6	01.0-04.2	4	1.0	00.0-02.2	1	0.2	00.0-00.6	5	1.4	00.0-02.8	435	94.8	92.3-97.3
65+	833	51,417	23	2.1	00.9-03.3	7	0.9	00.3-01.5	5	0.4	00.0-00.8	10	1.3	00.3-02.3	788	95.3	93.7-96.9
Less Than H.S.	202	14,139	15	7.6	00.9-14.3	3	4.2	00.0-10.5	1	0.1	00.0-00.3	4	2.7	00.0-05.6	179	85.4	76.6-94.2
H.S. or G.E.D.	801	65,845	33	4.8	02.6-07.0	12	1.1	00.3-01.9	8	1.2	00.0-02.4	8	1.3	00.1-02.5	740	91.6	88.7-94.5
Some Post-H.S.	897	84,997	42	5.2	03.2-07.2	8	0.6	00.2-01.0	8	0.7	00.1-01.3	8	0.8	00.2-01.4	831	92.7	90.5-94.9
College Graduate	802	72,640	21	2.3	01.1-03.5	4	0.4	00.0-00.8	4	0.6	00.0-01.2	7	1.0	00.2-01.8	766	95.8	94.2-97.4
Less than \$15,000	260	19,944	17	6.2	02.5-09.9	7	1.8	00.2-03.4	4	1.3	00.0-02.9	5	2.3	00.1-04.5	227	88.5	83.8-93.2
\$15,000- 24,999	432	33,885	14	2.3	00.9-03.7	6	1.1	00.1-02.1	6	1.6	00.0-03.4	7	1.7	00.1-03.3	399	93.2	90.3-96.1
\$25,000- 34,999	352	28,940	14	4.6	01.1-08.1	5	1.3	00.0-02.7	1	0.2	00.0-00.6	4	1.2	00.0-02.6	328	92.6	88.7-96.5
\$35,000- 49,999	442	39,963	20	5.3	02.2-08.4	2	0.3	00.0-00.7	4	0.8	00.0-01.8	3	1.4	00.0-03.2	413	92.2	88.7-95.7
\$50,000- 74,999	403	38,482	17	4.5	02.1-06.9	1	0.2	00.0-00.6	3	0.7	00.0-01.7				382	94.6	92.1-97.1
\$75,000+	365	39,063	13	3.9	01.5-06.3							2	0.7	00.0-01.7	350	95.4	92.9-97.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

**TABLE 25. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4564	470,089	457	10.2	08.8-11.6	4107	89.8	88.4-91.2
Male	1819	229,870	128	7.9	05.9-09.9	1691	92.1	90.1-94.1
Female	2745	240,220	329	12.4	10.6-14.2	2416	87.6	85.8-89.4
Non-Native	4414	450,501	428	9.5	08.3-10.7	3986	90.5	89.3-91.7
18-24	191	73,110	21	11.7	06.0-17.4	170	88.3	82.6-94.0
25-34	497	72,270	68	13.3	09.8-16.8	429	86.7	83.2-90.2
35-44	715	78,130	77	10.3	07.8-12.8	638	89.7	87.2-92.2
45-54	1031	92,941	119	10.6	08.4-12.8	912	89.4	87.2-91.6
55-64	787	61,640	73	9.6	07.2-12.0	714	90.4	88.0-92.8
65+	1302	89,349	97	6.5	04.9-08.1	1205	93.5	91.9-95.1
Less Than H.S.	394	34,085	42	12.0	07.1-16.9	352	88.0	83.1-92.9
H.S. or G.E.D.	1364	134,812	152	11.7	08.8-14.6	1212	88.3	85.4-91.2
Some Post-H.S.	1431	152,595	145	10.5	08.3-12.7	1286	89.5	87.3-91.7
College Graduate	1369	148,106	118	8.2	06.4-10.0	1251	91.8	90.0-93.6
Less than \$15,000	377	32,665	63	16.8	11.3-22.3	314	83.2	77.7-88.7
\$15,000- 24,999	688	61,772	85	15.1	10.0-20.2	603	84.9	79.8-90.0
\$25,000- 34,999	596	59,605	58	9.4	06.1-12.7	538	90.6	87.3-93.9
\$35,000- 49,999	801	82,449	72	9.0	06.3-11.7	729	91.0	88.3-93.7
\$50,000- 74,999	766	86,392	56	7.0	04.8-09.2	710	93.0	90.8-95.2
\$75,000+	710	86,921	59	8.3	06.1-10.5	651	91.7	89.5-93.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 26. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	229,870	128	7.9	05.9-09.9	1691	92.1	90.1-94.1
Non-Native	1769	222,630	122	7.3	05.7-08.9	1647	92.7	91.1-94.3
18-24	83	38,050	7	10.6	02.0-19.2	76	89.4	80.8-98.0
25-34	204	37,162	20	10.1	04.8-15.4	184	89.9	84.6-95.2
35-44	307	39,176	19	6.7	03.6-09.8	288	93.3	90.2-96.4
45-54	448	46,196	35	7.5	04.8-10.2	413	92.5	89.8-95.2
55-64	326	31,882	27	8.6	05.1-12.1	299	91.4	87.9-94.9
65+	442	36,710	20	4.1	01.9-06.3	422	95.9	93.7-98.1
Less Than H.S.	176	19,088	14	8.3	02.6-14.0	162	91.7	86.0-97.4
H.S. or G.E.D.	553	68,478	38	9.3	04.8-13.8	515	90.7	86.2-95.2
Some Post-H.S.	526	66,919	38	7.7	04.4-11.0	488	92.3	89.0-95.6
College Graduate	561	75,099	38	6.7	04.2-09.2	523	93.3	90.8-95.8
Less than \$15,000	102	11,740	13	13.6	04.4-22.8	89	86.4	77.2-95.6
\$15,000- 24,999	250	27,577	24	14.9	05.3-24.5	226	85.1	75.5-94.7
\$25,000- 34,999	241	30,479	21	7.3	02.8-11.8	220	92.7	88.2-97.2
\$35,000- 49,999	359	42,445	20	6.4	02.5-10.3	339	93.6	89.7-97.5
\$50,000- 74,999	362	47,814	15	5.0	02.3-07.7	347	95.0	92.3-97.7
\$75,000+	343	47,753	25	6.7	03.8-09.6	318	93.3	90.4-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 27. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAD AN ANXIETY DISORDER (INCLUDING ACUTE STRESS DISORDER, ANXIETY, GENERALIZED ANXIETY DISORDER, OBSESSIVE-COMPLUSIVE DISORDER, PANIC DISORDER, PHOBIA, POSTTRAUMATIC STRESS DISORDER, OR SOCIAL ANXIETY DISORDER)? (ADANXEV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2745	240,220	329	12.4	10.6-14.2	2416	87.6	85.8-89.4
Non-Native	2645	227,872	306	11.7	10.1-13.3	2339	88.3	86.7-89.9
18-24	108	35,060	14	13.0	05.7-20.3	94	87.0	79.7-94.3
25-34	293	35,108	48	16.8	12.1-21.5	245	83.2	78.5-87.9
35-44	408	38,954	58	14.0	10.1-17.9	350	86.0	82.1-89.9
45-54	583	46,745	84	13.7	10.6-16.8	499	86.3	83.2-89.4
55-64	461	29,757	46	10.7	07.4-14.0	415	89.3	86.0-92.6
65+	860	52,639	77	8.1	05.9-10.3	783	91.9	89.7-94.1
Less Than H.S.	218	14,997	28	16.7	08.3-25.1	190	83.3	74.9-91.7
H.S. or G.E.D.	811	66,333	114	14.2	10.7-17.7	697	85.8	82.3-89.3
Some Post-H.S.	905	85,677	107	12.6	09.9-15.3	798	87.4	84.7-90.1
College Graduate	808	73,008	80	9.7	07.2-12.2	728	90.3	87.8-92.8
Less than \$15,000	275	20,925	50	18.6	11.7-25.5	225	81.4	74.5-88.3
\$15,000- 24,999	438	34,194	61	15.3	10.2-20.4	377	84.7	79.6-89.8
\$25,000- 34,999	355	29,126	37	11.6	06.9-16.3	318	88.4	83.7-93.1
\$35,000- 49,999	442	40,004	52	11.9	08.2-15.6	390	88.1	84.4-91.8
\$50,000- 74,999	404	38,577	41	9.6	06.3-12.9	363	90.4	87.1-93.7
\$75,000+	367	39,168	34	10.2	06.7-13.7	333	89.8	86.3-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 28. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4566	470,292	798	16.8	15.2-18.4	3768	83.2	81.6-84.8
Male	1821	229,988	211	11.6	09.4-13.8	1610	88.4	86.2-90.6
Female	2745	240,304	587	21.9	19.7-24.1	2158	78.1	75.9-80.3
Non-Native	4415	450,624	768	16.5	14.9-18.1	3647	83.5	81.9-85.1
18-24	191	73,110	26	15.5	08.8-22.2	165	84.5	77.8-91.2
25-34	499	72,372	107	20.4	16.3-24.5	392	79.6	75.5-83.7
35-44	716	78,255	135	17.3	14.2-20.4	581	82.7	79.6-85.8
45-54	1030	92,846	231	20.0	17.3-22.7	799	80.0	77.3-82.7
55-64	787	61,457	135	17.2	14.3-20.1	652	82.8	79.9-85.7
65+	1303	89,694	159	11.4	09.4-13.4	1144	88.6	86.6-90.6
Less Than H.S.	396	34,012	74	22.8	16.3-29.3	322	77.2	70.7-83.7
H.S. or G.E.D.	1366	135,107	233	16.4	13.3-19.5	1133	83.6	80.5-86.7
Some Post-H.S.	1429	152,496	263	17.9	15.0-20.8	1166	82.1	79.2-85.0
College Graduate	1369	148,186	227	14.7	12.5-16.9	1142	85.3	83.1-87.5
Less than \$15,000	379	32,795	95	20.9	15.6-26.2	284	79.1	73.8-84.4
\$15,000- 24,999	688	61,628	147	24.7	18.8-30.6	541	75.3	69.4-81.2
\$25,000- 34,999	594	59,485	106	15.8	11.7-19.9	488	84.2	80.1-88.3
\$35,000- 49,999	799	82,268	142	17.6	13.9-21.3	657	82.4	78.7-86.1
\$50,000- 74,999	767	86,421	113	13.7	11.0-16.4	654	86.3	83.6-89.0
\$75,000+	710	86,921	102	13.8	10.9-16.7	608	86.2	83.3-89.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 29. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1821	229,988	211	11.6	09.4-13.8	1610	88.4	86.2-90.6
Non-Native	1770	222,668	203	11.1	09.1-13.1	1567	88.9	86.9-90.9
18-24	83	38,050	6	11.3	01.9-20.7	77	88.7	79.3-98.1
25-34	205	37,191	29	13.2	07.7-18.7	176	86.8	81.3-92.3
35-44	309	39,417	26	9.2	05.5-12.9	283	90.8	87.1-94.5
45-54	448	46,196	69	13.7	10.0-17.4	379	86.3	82.6-90.0
55-64	325	31,609	40	12.5	08.6-16.4	285	87.5	83.6-91.4
65+	442	36,833	40	9.3	06.2-12.4	402	90.7	87.6-93.8
Less Than H.S.	177	18,945	29	17.2	09.2-25.2	148	82.8	74.8-90.8
H.S. or G.E.D.	553	68,526	62	12.5	07.8-17.2	491	87.5	82.8-92.2
Some Post-H.S.	525	66,915	62	11.6	07.5-15.7	463	88.4	84.3-92.5
College Graduate	563	75,316	58	9.3	06.6-12.0	505	90.7	88.0-93.4
Less than \$15,000	103	11,797	17	9.7	04.4-15.0	86	90.3	85.0-95.6
\$15,000- 24,999	250	27,454	47	21.9	12.5-31.3	203	78.1	68.7-87.5
\$25,000- 34,999	240	30,475	33	15.0	08.3-21.7	207	85.0	78.3-91.7
\$35,000- 49,999	359	42,445	40	12.3	06.6-18.0	319	87.7	82.0-93.4
\$50,000- 74,999	363	47,843	29	6.7	04.0-09.4	334	93.3	90.6-96.0
\$75,000+	343	47,753	31	9.3	05.8-12.8	312	90.7	87.2-94.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006
MODULE 14: ANXIETY AND DEPRESSION**

TABLE 30. HAS A DOCTOR OR OTHER HEALTHCARE PROVIDER EVER TOLD YOU THAT YOU HAVE A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2745	240,304	587	21.9	19.7-24.1	2158	78.1	75.9-80.3
Non-Native	2645	227,955	565	21.7	19.5-23.9	2080	78.3	76.1-80.5
18-24	108	35,060	20	20.0	10.6-29.4	88	80.0	70.6-89.4
25-34	294	35,181	78	27.9	22.0-33.8	216	72.1	66.2-78.0
35-44	407	38,838	109	25.6	20.7-30.5	298	74.4	69.5-79.3
45-54	582	46,650	162	26.2	22.1-30.3	420	73.8	69.7-77.9
55-64	462	29,848	95	22.1	17.6-26.6	367	77.9	73.4-82.4
65+	861	52,861	119	12.8	10.3-15.3	742	87.2	84.7-89.7
Less Than H.S.	219	15,067	45	29.9	20.1-39.7	174	70.1	60.3-79.9
H.S. or G.E.D.	813	66,580	171	20.5	16.4-24.6	642	79.5	75.4-83.6
Some Post-H.S.	904	85,581	201	22.9	19.0-26.8	703	77.1	73.2-81.0
College Graduate	806	72,870	169	20.3	17.0-23.6	637	79.7	76.4-83.0
Less than \$15,000	276	20,998	78	27.1	19.7-34.5	198	72.9	65.5-80.3
\$15,000- 24,999	438	34,174	100	26.9	19.6-34.2	338	73.1	65.8-80.4
\$25,000- 34,999	354	29,011	73	16.6	12.1-21.1	281	83.4	78.9-87.9
\$35,000- 49,999	440	39,823	102	23.2	18.5-27.9	338	76.8	72.1-81.5
\$50,000- 74,999	404	38,577	84	22.4	17.5-27.3	320	77.6	72.7-82.5
\$75,000+	367	39,168	71	19.4	14.9-23.9	296	80.6	76.1-85.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2006**

End of Module Data Report