

# NORTH DAKOTA

## 2007 Core Variables Report

### Behavioral Risk Factor Surveillance System

March 6, 2008



**SECTION 1: HEALTH STATUS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4738	501,571	784	18.8	17.2-20.4	1649	36.9	35.1-38.7	1534	31.8	30.0-33.6	580	9.7	08.7-10.7	191	2.8	02.2-03.4
Male	1931	248,753	336	19.2	16.8-21.6	650	35.9	33.2-38.6	634	32.6	29.9-35.3	229	9.7	08.3-11.1	82	2.7	02.1-03.3
Female	2807	252,818	448	18.4	16.4-20.4	999	38.0	35.6-40.4	900	30.9	28.5-33.3	351	9.8	08.4-11.2	109	2.9	02.1-03.7
Native	352	23,033	41	19.4	09.8-29.0	77	21.1	13.7-28.5				62	11.3	06.0-16.6	37	5.9	02.6-09.2
Non-Native	4341	474,351	734	18.7	17.1-20.3	1558	37.8	35.8-39.8	1388	31.3	29.5-33.1	512	9.6	08.6-10.6	149	2.6	02.0-03.2
18-24	191	74,726	37	20.0	13.3-26.7	81	44.0	35.8-52.2	63	31.3	23.7-38.9	9	4.0	01.1-06.9	1	0.7	00.0-02.1
25-34	514	84,584	145	29.1	24.6-33.6	189	35.4	30.7-40.1	145	29.2	24.5-33.9	30	6.0	03.5-08.5	5	0.4	00.0-00.8
35-44	722	78,966	153	22.5	19.2-25.8	287	41.4	37.5-45.3	214	29.3	25.6-33.0	56	5.5	03.7-07.3	12	1.3	00.5-02.1
45-54	1090	94,472	186	17.7	15.2-20.2	442	40.0	36.7-43.3	323	30.8	27.7-33.9	93	8.2	06.4-10.0	46	3.3	02.1-04.5
55-64	925	70,843	140	15.6	13.1-18.1	295	35.0	31.5-38.5	303	31.9	28.6-35.2	132	12.5	10.1-14.9	55	5.1	03.5-06.7
65+	1253	94,690	116	9.0	07.2-10.8	340	27.4	24.7-30.1	467	37.1	34.2-40.0	258	20.9	18.4-23.4	72	5.6	04.2-07.0
Less Than H.S.	381	36,889	34	13.6	07.5-19.7	76	24.3	17.6-31.0	125	31.5	25.0-38.0	107	22.1	17.2-27.0	39	8.6	04.7-12.5
H.S. or G.E.D.	1426	147,756	183	15.3	12.6-18.0	446	33.1	29.8-36.4	505	35.7	32.2-39.2	218	12.6	10.6-14.6	74	3.3	02.3-04.3
Some Post-H.S.	1509	163,280	245	16.7	14.2-19.2	537	38.1	34.8-41.4	510	33.9	30.6-37.2	163	8.8	07.0-10.6	54	2.4	01.6-03.2
College Graduate	1418	153,363	321	25.6	22.7-28.5	589	42.5	39.4-45.6	393	25.8	23.1-28.5	91	4.9	03.7-06.1	24	1.3	00.7-01.9
Less than \$15,000	394	36,600	33	10.7	05.4-16.0	67	19.4	13.1-25.7	139	41.7	33.3-50.1	83	16.3	11.8-20.8	72	11.9	07.6-16.2
\$15,000- 24,999	696	63,632	59	9.3	06.2-12.4	186	29.2	24.1-34.3	258	36.2	31.3-41.1	142	19.2	15.5-22.9	51	6.1	04.3-07.9
\$25,000- 34,999	578	57,920	71	12.0	08.3-15.7	192	37.2	31.5-42.9	211	36.5	31.0-42.0	87	12.6	09.3-15.9	17	1.7	00.7-02.7
\$35,000- 49,999	740	74,025	125	18.6	15.3-21.9	282	39.0	34.7-43.3	234	31.4	27.3-35.5	86	9.4	07.0-11.8	13	1.6	00.6-02.6
\$50,000- 74,999	787	92,620	185	27.4	23.3-31.5	312	38.2	34.1-42.3	238	28.8	25.1-32.5	44	4.6	03.0-06.2	8	1.0	00.2-01.8
\$75,000+	897	109,321	234	26.6	22.9-30.3	394	44.2	40.1-48.3	224	24.8	21.3-28.3	43	4.2	02.6-05.8	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1931	248,753	336	19.2	16.8-21.6	650	35.9	33.2-38.6	634	32.6	29.9-35.3	229	9.7	08.1-11.3	82	2.7	02.1-03.3
Native	125	10,529										20	9.0	01.6-16.4	12	2.7	00.0-05.4
Non-Native	1779	235,365	313	19.1	16.7-21.5	611	36.4	33.5-39.3	581	32.1	29.4-34.8	206	9.7	08.1-11.3	68	2.6	01.8-03.4
18-24	94	39,398	20	20.9	11.5-30.3							2	1.9	00.0-04.6			
25-34	210	44,546	59	28.9	22.0-35.8	69	32.2	25.3-39.1	64	30.3	23.0-37.6	17	8.4	04.1-12.7	1	0.3	00.0-00.9
35-44	301	40,154	61	21.5	16.6-26.4	123	42.6	36.5-48.7	88	28.7	23.0-34.4	25	6.3	03.6-09.0	4	0.8	00.0-01.8
45-54	472	47,704	77	16.5	12.6-20.4	189	39.3	34.4-44.2	153	34.4	29.5-39.3	37	7.1	04.6-09.6	16	2.7	01.1-04.3
55-64	404	35,820	66	16.2	12.3-20.1	116	31.9	26.8-37.0	134	33.3	28.2-38.4	59	13.3	09.6-17.0	29	5.3	02.9-07.7
65+	434	39,674	50	10.2	07.3-13.1	106	24.5	20.2-28.8	157	35.3	30.4-40.2	89	22.5	18.0-27.0	32	7.4	04.7-10.1
Less Than H.S.	179	19,828	25	18.5	09.3-27.7	33	22.2	13.2-31.2	50	29.6	20.2-39.0	49	20.9	14.2-27.6	22	8.8	04.5-13.1
H.S. or G.E.D.	577	74,937	77	16.7	12.2-21.2	176	31.9	26.8-37.0	210	35.8	30.5-41.1	86	12.8	09.7-15.9	28	2.9	01.7-04.1
Some Post-H.S.	582	77,634	95	15.2	11.5-18.9	209	39.1	33.8-44.4	200	34.8	29.5-40.1	58	8.6	06.1-11.1	20	2.2	01.0-03.4
College Graduate	592	76,306	139	25.9	21.6-30.2	232	40.1	35.4-44.8	173	27.9	23.6-32.2	36	4.8	03.0-06.6	12	1.3	00.5-02.1
Less than \$15,000	129	14,490	12	9.4	00.0-19.0	20	16.2	07.0-25.4				24	14.4	07.0-21.8	30	11.9	06.0-17.8
\$15,000- 24,999	232	24,979	20	10.1	05.0-15.2	50	27.3	19.1-35.5	78	32.3	24.3-40.3	58	22.4	16.3-28.5	26	7.9	04.6-11.2
\$25,000- 34,999	246	29,941	36	14.2	07.9-20.5	76	31.1	23.3-38.9	94	39.3	30.7-47.9	35	13.9	08.6-19.2	5	1.5	00.0-03.1
\$35,000- 49,999	328	40,274	59	19.4	14.3-24.5	111	35.9	29.6-42.2	108	32.0	25.9-38.1	44	11.0	07.3-14.7	6	1.7	00.3-03.1
\$50,000- 74,999	351	48,631	78	28.0	21.7-34.3	126	34.2	28.1-40.3	119	31.6	25.7-37.5	24	5.2	02.8-07.6	4	0.9	00.0-01.9
\$75,000+	465	63,712	108	22.1	17.6-26.6	207	45.4	39.7-51.1	129	27.9	23.0-32.8	20	4.3	02.1-06.5	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	252,818	448	18.4	16.4-20.4	999	38.0	35.6-40.4	900	30.9	28.5-33.3	351	9.8	08.4-11.2	109	2.9	02.1-03.7
Native	227	12,504				46	18.0	10.4-25.6				42	13.3	06.0-20.6	25	8.7	03.2-14.2
Non-Native	2562	238,986	421	18.3	16.3-20.3	947	39.1	36.6-41.6	807	30.5	28.1-32.9	306	9.6	08.2-11.0	81	2.6	01.8-03.4
18-24	97	35,328	17	19.0	09.8-28.2							7	6.4	01.1-11.7	1	1.6	00.0-04.5
25-34	304	40,038	86	29.3	23.8-34.8	120	38.9	33.0-44.8	81	27.9	22.2-33.6	13	3.3	01.1-05.5	4	0.6	00.0-01.4
35-44	421	38,812	92	23.5	19.0-28.0	164	40.1	34.8-45.4	126	29.9	25.0-34.8	31	4.7	02.7-06.7	8	1.8	00.4-03.2
45-54	618	46,768	109	19.0	15.5-22.5	253	40.7	36.4-45.0	170	27.1	23.2-31.0	56	9.2	06.7-11.7	30	4.0	02.4-05.6
55-64	521	35,023	74	14.9	11.4-18.4	179	38.1	33.4-42.8	169	30.5	26.0-35.0	73	11.7	08.8-14.6	26	4.8	02.6-07.0
65+	819	55,016	66	8.0	06.0-10.0	234	29.5	26.0-33.0	310	38.5	34.8-42.2	169	19.6	16.7-22.5	40	4.3	02.7-05.9
Less Than H.S.	202	17,061	9	7.9	01.0-14.8	43	26.7	16.9-36.5	75	33.7	24.7-42.7	58	23.5	16.2-30.8	17	8.2	01.5-14.9
H.S. or G.E.D.	849	72,819	106	13.8	10.7-16.9	270	34.3	29.8-38.8	295	35.6	31.1-40.1	132	12.5	10.1-14.9	46	3.8	02.6-05.0
Some Post-H.S.	927	85,646	150	18.1	14.6-21.6	328	37.2	32.9-41.5	310	33.1	28.8-37.4	105	9.0	06.6-11.4	34	2.6	01.6-03.6
College Graduate	826	77,057	182	25.2	21.3-29.1	357	44.8	40.7-48.9	220	23.7	20.4-27.0	55	5.0	03.4-06.6	12	1.3	00.5-02.1
Less than \$15,000	265	22,110	21	11.6	05.1-18.1	47	21.5	13.1-29.9				59	17.6	11.9-23.3	42	11.9	06.0-17.8
\$15,000- 24,999	464	38,653	39	8.8	04.7-12.9	136	30.4	23.9-36.9	180	38.7	32.2-45.2	84	17.2	12.5-21.9	25	4.9	02.7-07.1
\$25,000- 34,999	332	27,980	35	9.7	05.8-13.6	116	43.7	35.9-51.5	117	33.6	26.9-40.3	52	11.2	07.7-14.7	12	1.9	00.5-03.3
\$35,000- 49,999	412	33,751	66	17.6	13.1-22.1	171	42.7	37.0-48.4	126	30.6	25.3-35.9	42	7.6	04.9-10.3	7	1.5	00.3-02.7
\$50,000- 74,999	436	43,989	107	26.7	21.4-32.0	186	42.6	37.1-48.1	119	25.7	21.0-30.4	20	3.8	02.0-05.6	4	1.1	00.1-02.1
\$75,000+	432	45,609	126	32.8	27.1-38.5	187	42.5	36.8-48.2	95	20.4	15.9-24.9	23	4.0	02.2-05.8	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4639	492,320	3087	67.9	66.1-69.7	555	13.2	11.8-14.6	434	9.1	07.9-10.3	324	5.8	05.0-06.6	239	4.0	03.4-04.6
Male	1897	244,067	1328	70.7	68.0-73.4	225	13.2	11.0-15.4	158	8.5	06.7-10.3	105	4.2	03.2-05.2	81	3.3	02.5-04.1
Female	2742	248,253	1759	65.1	62.7-67.5	330	13.2	11.4-15.0	276	9.6	08.0-11.2	219	7.3	06.1-08.5	158	4.8	03.8-05.8
Native	343	21,878	212	69.4	60.8-78.0	40	8.7	04.0-13.4	31	6.0	02.7-09.3	36	10.1	03.8-16.4	24	5.7	02.2-09.2
Non-Native	4256	466,815	2846	67.7	65.9-69.5	513	13.5	12.1-14.9	401	9.3	08.1-10.5	285	5.6	04.8-06.4	211	3.9	03.3-04.5
18-24	189	73,819	129	64.6	56.6-72.6	28	17.3	10.8-23.8	25	13.3	07.6-19.0	5	3.6	00.5-06.7	2	1.2	00.0-03.0
25-34	510	83,923	372	74.0	69.9-78.1	68	14.1	10.8-17.4	38	6.5	04.1-08.9	24	4.1	02.3-05.9	8	1.3	00.3-02.3
35-44	716	78,438	476	67.2	63.5-70.9	110	16.9	13.8-20.0	71	9.0	06.8-11.2	36	4.2	02.6-05.8	23	2.8	01.4-04.2
45-54	1075	93,186	727	68.5	65.4-71.6	145	13.0	10.6-15.4	81	7.5	05.7-09.3	68	6.1	04.5-07.7	54	4.9	03.5-06.3
55-64	919	70,593	602	68.5	65.2-71.8	97	9.8	07.6-12.0	84	8.0	06.0-10.0	78	7.1	05.3-08.9	58	6.5	04.7-08.3
65+	1186	89,015	750	63.8	60.7-66.9	101	8.7	06.7-10.7	132	10.9	08.9-12.9	111	9.3	07.5-11.1	92	7.3	05.7-08.9
Less Than H.S.	361	34,949	212	58.9	51.6-66.2	26	9.2	04.5-13.9	50	15.2	09.3-21.1	45	11.1	07.0-15.2	28	5.7	03.2-08.2
H.S. or G.E.D.	1395	144,638	908	67.7	64.4-71.0	155	11.7	09.3-14.1	131	8.7	06.7-10.7	125	7.5	05.7-09.3	76	4.4	03.2-05.6
Some Post-H.S.	1471	159,953	1000	68.9	65.6-72.2	166	12.8	10.1-15.5	134	9.4	07.2-11.6	84	4.3	03.3-05.3	87	4.7	03.5-05.9
College Graduate	1409	152,561	965	69.0	66.1-71.9	207	16.0	13.6-18.4	119	7.7	05.9-09.5	70	4.6	03.2-06.0	48	2.7	01.9-03.5
Less than \$15,000	371	34,959	187	52.6	44.2-61.0	28	13.1	05.8-20.4	39	11.7	06.2-17.2	50	8.9	05.0-12.8	67	13.8	09.1-18.5
\$15,000- 24,999	677	61,832	390	59.0	53.9-64.1	62	8.8	05.7-11.9	86	13.4	09.5-17.3	80	11.1	08.2-14.0	59	7.7	05.5-09.9
\$25,000- 34,999	565	56,948	368	65.2	59.7-70.7	72	14.0	09.9-18.1	60	11.1	07.4-14.8	42	6.1	03.9-08.3	23	3.6	01.6-05.6
\$35,000- 49,999	728	73,011	492	65.9	61.6-70.2	104	15.9	12.6-19.2	62	9.4	06.5-12.3	46	5.8	03.8-07.8	24	2.9	01.7-04.1
\$50,000- 74,999	784	92,202	548	69.6	65.5-73.7	118	16.6	13.1-20.1	69	8.5	06.0-11.0	27	3.0	01.8-04.2	22	2.3	01.3-03.3
\$75,000+	892	108,895	690	78.3	75.0-81.6	96	11.5	08.8-14.2	65	6.5	04.5-08.5	27	2.3	01.3-03.3	14	1.4	00.6-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1897	244,067	1328	70.7	68.0-73.4	225	13.2	11.0-15.4	158	8.5	06.7-10.3	105	4.2	03.2-05.2	81	3.3	02.5-04.1
Native	123	9,666				17	5.1	01.2-09.0	10	6.3	00.6-12.0	12	8.0	00.0-18.2	7	5.0	00.0-10.9
Non-Native	1750	231,936	1231	70.3	67.6-73.0	207	13.6	11.4-15.8	147	8.7	06.9-10.5	93	4.1	03.1-05.1	72	3.2	02.4-04.0
18-24	93	38,546				14	17.8	08.8-26.8	14	14.9	06.5-23.3	2	3.1	00.0-07.4			
25-34	209	44,200	160	78.8	72.9-84.7	31	14.4	09.3-19.5	13	4.7	01.8-07.6	2	1.0	00.0-02.4	3	1.0	00.0-02.2
35-44	299	39,927	208	69.8	64.1-75.5	46	17.3	12.6-22.0	29	8.2	05.1-11.3	9	2.6	00.6-04.6	7	2.1	00.3-03.9
45-54	464	46,909	336	72.1	67.4-76.8	60	12.2	08.9-15.5	29	7.3	04.4-10.2	21	4.4	02.2-06.6	18	4.0	02.0-06.0
55-64	402	35,656	278	72.6	67.7-77.5	38	8.7	05.8-11.6	29	6.4	03.9-08.9	33	6.2	03.7-08.7	24	6.1	03.4-08.8
65+	413	37,317	269	64.7	59.6-69.8	34	8.4	05.5-11.3	44	10.8	07.5-14.1	38	9.0	06.1-11.9	28	7.2	04.5-09.9
Less Than H.S.	170	18,789				11	7.9	01.2-14.6	18	13.9	05.9-21.9	22	10.8	04.3-17.3	15	7.4	03.3-11.5
H.S. or G.E.D.	565	72,904	397	72.9	68.0-77.8	61	10.7	07.4-14.0	46	7.9	04.8-11.0	40	5.6	03.1-08.1	21	2.9	01.5-04.3
Some Post-H.S.	572	76,360	411	71.6	66.5-76.7	58	11.9	07.8-16.0	50	9.2	05.9-12.5	24	3.2	01.8-04.6	29	4.0	02.2-05.8
College Graduate	589	75,967	415	70.3	65.8-74.8	95	18.3	14.4-22.2	44	7.1	04.4-09.8	19	2.3	01.1-03.5	16	2.1	00.9-03.3
Less than \$15,000	125	14,170				8	6.9	00.0-15.9	12	8.5	02.8-14.2	14	6.8	00.0-14.1	25	14.1	07.0-21.2
\$15,000- 24,999	226	24,091	135	62.3	53.9-70.7	18	7.0	02.9-11.1	24	12.9	05.6-20.2	29	9.1	05.2-13.0	20	8.7	04.6-12.8
\$25,000- 34,999	239	29,225	167	67.7	59.3-76.1	29	13.4	06.7-20.1	25	12.2	05.9-18.5	12	4.3	01.8-06.8	6	2.4	00.0-04.8
\$35,000- 49,999	325	39,786	232	69.3	63.2-75.4	40	13.4	08.9-17.9	28	10.0	05.5-14.5	20	5.9	03.2-08.6	5	1.4	00.2-02.6
\$50,000- 74,999	348	48,295	250	72.0	66.1-77.9	51	16.7	11.6-21.8	30	7.8	04.3-11.3	7	1.5	00.3-02.7	10	2.0	00.6-03.4
\$75,000+	462	63,338	365	77.9	73.0-82.8	53	13.5	09.2-17.8	30	6.4	03.5-09.3	8	0.9	00.1-01.7	6	1.2	00.2-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2742	248,253	1759	65.1	62.7-67.5	330	13.2	11.4-15.0	276	9.6	08.0-11.2	219	7.3	06.1-08.5	158	4.8	03.8-05.8
Native	220	12,212				23	11.6	04.0-19.2	21	5.9	02.0-09.8	24	11.8	03.8-19.8	17	6.3	01.8-10.8
Non-Native	2506	234,879	1615	65.1	62.6-67.6	306	13.3	11.3-15.3	254	9.8	08.2-11.4	192	7.1	05.9-08.3	139	4.6	03.6-05.6
18-24	96	35,273				14	16.8	07.8-25.8	11	11.5	04.2-18.8	3	4.2	00.0-09.1	2	2.6	00.0-06.1
25-34	301	39,723	212	68.7	62.8-74.6	37	13.8	09.5-18.1	25	8.5	05.0-12.0	22	7.5	04.2-10.8	5	1.5	00.1-02.9
35-44	417	38,511	268	64.4	59.3-69.5	64	16.4	12.5-20.3	42	9.8	06.7-12.9	27	5.8	03.4-08.2	16	3.5	01.5-05.5
45-54	611	46,277	391	64.8	60.7-68.9	85	13.9	10.8-17.0	52	7.7	05.5-09.9	47	7.9	05.5-10.3	36	5.8	03.6-08.0
55-64	517	34,937	324	64.3	59.6-69.0	59	11.0	08.1-13.9	55	9.6	06.9-12.3	45	8.2	05.7-10.7	34	6.9	04.4-09.4
65+	773	51,698	481	63.3	59.6-67.0	67	8.9	06.5-11.3	88	11.0	08.6-13.4	73	9.6	07.2-12.0	64	7.3	05.3-09.3
Less Than H.S.	191	16,161				15	10.7	04.2-17.2	32	16.8	08.6-25.0	23	11.3	06.0-16.6	13	3.7	01.3-06.1
H.S. or G.E.D.	830	71,735	511	62.4	58.1-66.7	94	12.8	09.5-16.1	85	9.5	07.1-11.9	85	9.3	06.9-11.7	55	5.9	04.1-07.7
Some Post-H.S.	899	83,592	589	66.4	61.9-70.9	108	13.6	10.1-17.1	84	9.5	06.6-12.4	60	5.2	03.8-06.6	58	5.4	03.6-07.2
College Graduate	820	76,594	550	67.8	63.9-71.7	112	13.7	11.0-16.4	75	8.4	06.2-10.6	51	6.9	04.4-09.4	32	3.2	02.0-04.4
Less than \$15,000	246	20,789				27	13.8	05.4-22.2	36	10.2	05.9-14.5	42	13.5	07.2-19.8			
\$15,000- 24,999	451	37,741	255	56.9	50.2-63.6	44	9.9	05.4-14.4	62	13.7	09.2-18.2	51	12.3	08.2-16.4	39	7.1	04.6-09.6
\$25,000- 34,999	326	27,724	201	62.5	55.4-69.6	43	14.6	09.5-19.7	35	10.0	06.1-13.9	30	8.0	04.7-11.3	17	4.9	01.8-08.0
\$35,000- 49,999	403	33,224	260	61.9	56.2-67.6	64	18.9	13.8-24.0	34	8.7	05.6-11.8	26	5.8	03.3-08.3	19	4.7	02.3-07.1
\$50,000- 74,999	436	43,907	298	67.0	61.5-72.5	67	16.5	12.0-21.0	39	9.2	05.9-12.5	20	4.8	02.6-07.0	12	2.6	01.0-04.2
\$75,000+	430	45,556	325	78.8	74.7-82.9	43	8.7	06.0-11.4	35	6.7	04.3-09.1	19	4.3	02.3-06.3	8	1.6	00.4-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4656	494,664	3338	70.1	68.3-71.9	447	10.3	09.1-11.5	421	10.2	08.8-11.6	300	6.6	05.6-07.6	150	2.8	02.2-03.4
Male	1906	245,612	1468	75.0	72.3-77.7	160	8.9	07.1-10.7	126	8.3	06.5-10.1	100	5.2	03.8-06.6	52	2.6	01.6-03.6
Female	2750	249,052	1870	65.3	62.8-67.8	287	11.8	10.0-13.6	295	12.1	10.3-13.9	200	7.9	06.5-09.3	98	3.0	02.2-03.8
Native	343	22,764	217	63.1	53.1-73.1	27	8.6	02.1-15.1	46	12.6	06.3-18.9	36	5.8	02.5-09.1	17	9.9	02.6-17.2
Non-Native	4270	467,986	3087	70.3	68.3-72.3	418	10.5	09.3-11.7	371	10.1	08.7-11.5	263	6.6	05.6-07.6	131	2.5	01.9-03.1
18-24	190	74,671	107	55.8	47.6-64.0	27	13.9	08.2-19.6	31	17.8	11.5-24.1	18	9.3	04.6-14.0	7	3.2	00.7-05.7
25-34	508	83,611	331	67.5	63.0-72.0	65	12.1	09.0-15.2	58	11.3	08.2-14.4	44	7.4	05.0-09.8	10	1.7	00.5-02.9
35-44	713	78,110	439	64.0	60.1-67.9	99	13.4	10.7-16.1	93	12.3	09.8-14.8	58	7.3	05.1-09.5	24	3.0	01.8-04.2
45-54	1080	93,652	748	69.8	66.7-72.9	106	10.0	07.8-12.2	98	9.2	07.2-11.2	83	6.9	05.3-08.5	45	4.0	02.6-05.4
55-64	916	70,342	669	76.2	73.1-79.3	81	8.2	06.2-10.2	74	6.7	04.9-08.5	56	6.0	04.2-07.8	36	2.9	01.7-04.1
65+	1206	90,997	1007	84.6	82.4-86.8	66	5.2	03.8-06.6	65	5.0	03.6-06.4	41	3.3	02.1-04.5	27	2.0	01.2-02.8
Less Than H.S.	366	35,452	260	68.5	61.1-75.9	28	7.8	03.7-11.9	31	10.0	04.7-15.3	30	8.2	03.5-12.9	17	5.6	01.5-09.7
H.S. or G.E.D.	1396	145,853	1031	71.6	68.3-74.9	107	8.8	06.4-11.2	103	8.8	06.6-11.0	103	7.0	05.2-08.8	52	3.8	02.4-05.2
Some Post-H.S.	1485	160,798	1043	69.7	66.4-73.0	147	9.9	07.7-12.1	156	11.2	08.8-13.6	90	6.8	04.8-08.8	49	2.3	01.5-03.1
College Graduate	1405	152,279	1000	69.5	66.4-72.6	165	12.8	10.6-15.0	131	10.5	08.1-12.9	77	5.5	03.9-07.1	32	1.6	01.0-02.2
Less than \$15,000	384	35,871	230	53.6	45.2-62.0	27	6.8	02.7-10.9	36	14.5	07.1-21.9	47	12.8	06.9-18.7	44	12.2	06.9-17.5
\$15,000- 24,999	669	61,094	448	65.2	59.9-70.5	60	9.5	06.0-13.0	58	8.8	05.9-11.7	70	12.5	08.4-16.6	33	4.0	02.4-05.6
\$25,000- 34,999	565	57,253	402	74.4	69.7-79.1	51	8.5	05.2-11.8	60	8.7	06.2-11.2	36	6.2	03.5-08.9	16	2.1	00.9-03.3
\$35,000- 49,999	733	73,204	537	70.7	66.6-74.8	68	10.2	07.5-12.9	65	9.4	06.9-11.9	45	6.8	04.4-09.2	18	2.8	01.0-04.6
\$50,000- 74,999	783	92,249	561	70.6	66.7-74.5	100	13.5	10.6-16.4	72	10.1	07.4-12.8	35	4.5	02.9-06.1	15	1.3	00.5-02.1
\$75,000+	894	109,016	686	74.1	70.4-77.8	87	10.6	08.1-13.1	78	10.3	07.4-13.2	31	3.7	02.1-05.3	12	1.3	00.5-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1906	245,612	1468	75.0	72.3-77.7	160	8.9	07.1-10.7	126	8.3	06.5-10.1	100	5.2	03.8-06.6	52	2.6	01.6-03.6
Native	124	10,494				10	7.4	00.0-16.8				11	2.5	00.0-05.4			
Non-Native	1756	232,371	1358	75.1	72.4-77.8	149	9.0	07.2-10.8	113	8.2	06.2-10.2	89	5.4	04.0-06.8	47	2.2	01.4-03.0
18-24	94	39,398				13	11.7	04.4-19.0	14	16.3	07.9-24.7	7	7.3	01.4-13.2	3	3.5	00.0-07.4
25-34	206	43,818	153	74.4	67.7-81.1	19	9.3	05.0-13.6	18	9.5	04.8-14.2	13	5.5	02.2-08.8	3	1.3	00.0-02.9
35-44	299	39,852	206	69.4	63.7-75.1	33	11.2	07.3-15.1	25	8.5	05.0-12.0	25	7.9	04.6-11.2	10	2.9	00.9-04.9
45-54	467	47,144	354	75.9	71.6-80.2	41	9.0	05.9-12.1	33	7.3	04.6-10.0	23	3.9	02.1-05.7	16	4.0	01.8-06.2
55-64	399	35,409	314	81.8	77.7-85.9	31	6.5	04.0-09.0	16	3.7	01.7-05.7	26	5.8	03.3-08.3	12	2.2	00.8-03.6
65+	424	38,479	367	87.5	84.2-90.8	23	5.4	03.0-07.8	20	4.2	02.2-06.2	6	1.4	00.2-02.6	8	1.4	00.2-02.6
Less Than H.S.	172	18,805				13	5.0	01.7-08.3	9	9.4	00.8-18.0	9	3.2	00.5-05.9	8	7.4	00.0-14.8
H.S. or G.E.D.	569	74,305	444	75.2	70.3-80.1	39	8.2	04.7-11.7	31	7.9	04.4-11.4	37	5.5	03.3-07.7	18	3.3	01.5-05.1
Some Post-H.S.	576	76,522	417	72.9	68.0-77.8	58	9.3	06.2-12.4	50	8.7	05.6-11.8	34	6.8	03.9-09.7	17	2.3	01.1-03.5
College Graduate	588	75,933	473	77.0	72.5-81.5	50	10.0	06.9-13.1	36	7.9	04.8-11.0	20	4.0	01.6-06.4	9	1.0	00.2-01.8
Less than \$15,000	128	14,415				14	6.5	02.2-10.8				14	10.4	00.8-20.0	19	16.6	06.8-26.4
\$15,000- 24,999	225	23,845	156	69.3	60.7-77.9	18	8.5	02.8-14.2	17	6.7	02.8-10.6	24	11.6	04.7-18.5	10	3.9	01.2-06.6
\$25,000- 34,999	241	29,483	187	78.6	71.9-85.3	21	8.7	03.8-13.6	16	6.1	02.6-09.6	14	5.7	02.4-09.0	3	0.8	00.0-01.8
\$35,000- 49,999	325	39,708	256	74.5	68.6-80.4	21	7.4	03.9-10.9	23	7.8	04.3-11.3	17	6.6	03.1-10.1	8	3.6	00.7-06.5
\$50,000- 74,999	348	48,399	277	76.5	71.0-82.0	33	9.9	06.2-13.6	21	9.1	04.8-13.4	13	3.4	01.4-05.4	4	1.0	00.0-02.0
\$75,000+	463	63,451	381	78.4	73.3-83.5	38	9.6	05.9-13.3	31	9.4	05.3-13.5	11	2.1	00.5-03.7	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2750	249,052	1870	65.3	62.8-67.8	287	11.8	10.0-13.6	295	12.1	10.3-13.9	200	7.9	06.5-09.3	98	3.0	02.2-03.8
Native	219	12,270				17	9.6	00.8-18.4	34	14.2	06.8-21.6	25	8.7	03.2-14.2	13	8.7	00.0-17.5
Non-Native	2514	235,615	1729	65.6	63.1-68.1	269	11.9	10.1-13.7	258	12.0	10.0-14.0	174	7.8	06.2-09.4	84	2.7	02.1-03.3
18-24	96	35,273				14	16.4	07.8-25.0	17	19.6	10.2-29.0	11	11.4	04.0-18.8	4	2.8	00.0-06.1
25-34	302	39,793	178	60.0	53.9-66.1	46	15.2	10.9-19.5	40	13.2	09.1-17.3	31	9.5	06.0-13.0	7	2.1	00.3-03.9
35-44	414	38,258	233	58.3	53.0-63.6	66	15.7	11.8-19.6	68	16.3	12.4-20.2	33	6.7	04.2-09.2	14	3.0	01.2-04.8
45-54	613	46,507	394	63.7	59.4-68.0	65	11.0	08.3-13.7	65	11.1	08.2-14.0	60	10.0	07.3-12.7	29	4.1	02.5-05.7
55-64	517	34,933	355	70.5	66.0-75.0	50	9.9	07.2-12.6	58	9.8	07.1-12.5	30	6.1	03.4-08.8	24	3.7	01.9-05.5
65+	782	52,518	640	82.4	79.5-85.3	43	5.1	03.5-06.7	45	5.6	03.8-07.4	35	4.6	02.8-06.4	19	2.3	01.1-03.5
Less Than H.S.	194	16,647				15	10.9	03.1-18.7	22	10.7	04.6-16.8	21	13.8	04.8-22.8	9	3.5	00.8-06.2
H.S. or G.E.D.	827	71,548	587	67.9	63.4-72.4	68	9.4	06.3-12.5	72	9.8	07.1-12.5	66	8.6	05.9-11.3	34	4.4	02.4-06.4
Some Post-H.S.	909	84,276	626	66.8	62.3-71.3	89	10.5	07.6-13.4	106	13.4	09.9-16.9	56	6.9	04.5-09.3	32	2.4	01.4-03.4
College Graduate	817	76,345	527	62.0	57.7-66.3	115	15.7	12.6-18.8	95	13.1	09.8-16.4	57	7.0	04.8-09.2	23	2.2	01.2-03.2
Less than \$15,000	256	21,456				13	7.1	01.0-13.2	27	16.7	06.7-26.7	33	14.5	06.9-22.1	25	9.2	03.5-14.9
\$15,000- 24,999	444	37,250	292	62.6	55.9-69.3	42	10.1	05.8-14.4	41	10.1	06.0-14.2	46	13.0	08.1-17.9	23	4.2	02.2-06.2
\$25,000- 34,999	324	27,771	215	69.9	63.2-76.6	30	8.4	03.9-12.9	44	11.5	07.8-15.2	22	6.7	02.4-11.0	13	3.5	01.5-05.5
\$35,000- 49,999	408	33,496	281	66.1	60.4-71.8	47	13.5	09.4-17.6	42	11.3	07.4-15.2	28	7.1	04.0-10.2	10	2.0	00.6-03.4
\$50,000- 74,999	435	43,851	284	64.2	58.7-69.7	67	17.4	12.7-22.1	51	11.2	07.9-14.5	22	5.7	03.2-08.2	11	1.5	00.5-02.5
\$75,000+	431	45,566	305	68.1	62.8-73.4	49	11.9	08.6-15.2	47	11.6	07.9-15.3	20	5.8	02.7-08.9	10	2.6	00.8-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2281	245,361	1467	67.0	64.5-69.5	240	11.2	09.4-13.0	237	9.9	08.1-11.7	225	7.8	06.4-09.2	112	4.1	03.1-05.1
Male	818	109,317	544	67.9	63.6-72.2	88	11.1	08.4-13.8	78	9.7	06.8-12.6	61	6.3	03.9-08.7	47	5.0	03.2-06.8
Female	1463	136,044	923	66.2	63.1-69.3	152	11.3	09.1-13.5	159	10.1	08.1-12.1	164	9.1	07.3-10.9	65	3.3	02.3-04.3
Native	188	11,942				22	11.6	02.6-20.6				30	8.3	02.6-14.0	16	9.8	02.4-17.2
Non-Native	2076	232,063	1366	67.7	65.2-70.2	218	11.2	09.4-13.0	205	9.5	07.9-11.1	194	7.9	06.5-09.3	93	3.7	02.7-04.7
18-24	115	47,956	85	72.2	63.0-81.4	13	11.4	05.1-17.7	11	11.4	04.7-18.1	3	3.1	00.0-07.0	3	1.9	00.0-04.4
25-34	246	38,591	155	66.2	59.5-72.9	36	13.0	08.5-17.5	33	12.2	07.9-16.5	18	6.7	02.4-11.0	4	1.8	00.0-03.8
35-44	383	40,302	256	70.2	65.1-75.3	55	14.8	10.9-18.7	37	8.1	05.2-11.0	24	4.8	02.6-07.0	11	2.1	00.5-03.7
45-54	532	45,572	315	60.9	56.2-65.6	65	12.6	09.3-15.9	56	9.7	07.0-12.4	67	11.9	08.8-15.0	29	4.9	02.9-06.9
55-64	428	30,084	272	65.1	59.8-70.4	33	8.0	05.1-10.9	43	7.9	05.2-10.6	45	9.8	06.5-13.1	35	9.1	05.8-12.4
65+	560	41,812	370	65.9	61.4-70.4	37	6.8	04.4-09.2	56	9.6	06.9-12.3	67	11.6	08.7-14.5	30	6.1	03.7-08.5
Less Than H.S.	197	20,407				15	12.2	03.8-20.6	25	10.5	05.0-16.0	27	15.6	07.0-24.2	12	6.3	01.0-11.6
H.S. or G.E.D.	671	71,608	424	65.6	60.5-70.7	58	10.1	06.8-13.4	72	11.3	07.6-15.0	80	8.4	06.2-10.6	37	4.6	02.8-06.4
Some Post-H.S.	742	78,890	491	68.1	63.6-72.6	73	10.6	07.7-13.5	70	10.4	07.1-13.7	72	6.9	04.9-08.9	36	3.9	02.3-05.5
College Graduate	669	74,306	432	70.2	66.1-74.3	94	12.6	09.9-15.3	70	7.9	05.7-10.1	46	6.2	03.7-08.7	27	3.2	01.8-04.6
Less than \$15,000	248	24,192				11	3.0	00.8-05.2	26	10.5	04.2-16.8	45	14.8	07.4-22.2	44	13.7	08.4-19.0
\$15,000- 24,999	380	35,493	230	65.1	58.6-71.6	30	6.2	03.5-08.9	41	10.7	06.8-14.6	57	13.5	08.4-18.6	22	4.5	02.3-06.7
\$25,000- 34,999	290	28,117	195	68.9	61.6-76.2	33	12.9	07.4-18.4	29	9.8	04.7-14.9	24	5.7	03.0-08.4	9	2.8	00.8-04.8
\$35,000- 49,999	348	36,448	220	61.4	54.9-67.9	45	14.0	09.3-18.7	42	12.3	07.8-16.8	30	8.1	04.8-11.4	11	4.1	01.0-07.2
\$50,000- 74,999	375	45,221	264	73.4	68.1-78.7	51	13.6	09.3-17.9	36	7.4	04.9-09.9	18	4.2	02.2-06.2	6	1.3	00.1-02.5
\$75,000+	334	41,913	224	69.9	63.8-76.0	49	13.5	09.2-17.8	34	9.9	05.2-14.6	21	4.6	02.4-06.8	6	2.1	00.1-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	818	109,317	544	67.9	63.6-72.2	88	11.1	08.2-14.0	78	9.7	06.8-12.6	61	6.3	03.9-08.7	47	5.0	03.2-06.8
Non-Native	747	103,455	509	69.0	64.7-73.3	80	11.0	08.1-13.9	68	9.2	06.3-12.1	49	6.1	03.7-08.5	41	4.7	02.9-06.5
18-24	56	24,384				6	10.7	01.9-19.5				2	3.8	00.0-09.9	2	3.5	00.0-08.4
25-34	85	17,177				12	12.0	04.7-19.3	11	8.8	02.7-14.9	1	4.0	00.0-11.6	2	2.7	00.0-06.8
35-44	142	18,823	105	76.5	69.1-83.9	20	14.9	08.6-21.2	9	4.2	00.7-07.7	2	1.6	00.0-03.8	6	2.8	00.3-05.3
45-54	195	19,926	128	65.3	57.7-72.9	24	13.1	07.6-18.6	17	8.1	04.0-12.2	15	7.9	03.4-12.4	11	5.6	02.1-09.1
55-64	161	12,694	99	63.8	55.2-72.4	11	5.5	01.4-09.6	17	9.0	04.1-13.9	19	11.4	05.5-17.3	15	10.3	04.8-15.8
65+	176	16,089	112	61.7	53.7-69.7	14	7.8	03.7-11.9	17	10.8	05.7-15.9	22	12.1	06.8-17.4	11	7.6	03.1-12.1
Less Than H.S.	88	10,527				7	8.2	00.0-17.6	9	6.6	01.3-11.9				6	9.6	00.0-19.4
H.S. or G.E.D.	236	32,084	150	65.5	56.9-74.1	24	11.2	05.3-17.1	24	12.2	05.1-19.3	21	5.3	02.6-08.0	17	5.8	02.5-09.1
Some Post-H.S.	258	33,773	183	69.9	62.3-77.5	21	8.7	04.2-13.2	23	11.2	05.1-17.3	17	5.4	02.5-08.3	14	4.9	01.8-08.0
College Graduate	236	32,932	158	71.1	64.0-78.2	36	14.3	09.4-19.2	22	6.9	03.6-10.2	10	4.8	00.1-09.5	10	3.0	01.0-05.0
Less than \$15,000	77	7,937				4	3.3	00.0-07.0	9	8.6	00.6-16.6						
\$15,000- 24,999	123	12,975				6	2.6	00.2-05.0	10	5.9	01.6-10.2				8	4.2	00.9-07.5
\$25,000- 34,999	106	12,982				11	10.6	02.2-19.0	8	11.1	02.1-20.1	5	4.1	00.4-07.8	3	2.4	00.0-05.3
\$35,000- 49,999	132	18,168				18	14.0	06.9-21.1	14	12.9	05.5-20.3	12	7.6	03.1-12.1	6	5.9	00.0-11.8
\$50,000- 74,999	145	21,370	111	81.2	74.3-88.1	18	13.0	06.7-19.3	12	3.9	01.4-06.4	1	0.5	00.0-01.5	3	1.5	00.0-03.5
\$75,000+	150	22,500	106	73.1	64.1-82.1	17	9.1	04.4-13.8	17	11.9	04.1-19.7	6	2.9	00.4-05.4	4	3.0	00.0-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1463	136,044	923	66.2	63.1-69.3	152	11.3	09.1-13.5	159	10.1	08.1-12.1	164	9.1	07.3-10.9	65	3.3	02.3-04.3
Native	125	6,917				14	9.3	02.4-16.2				18	6.6	00.9-12.3	11	8.8	01.0-16.6
Non-Native	1329	128,608	857	66.7	63.4-70.0	138	11.5	09.1-13.9	137	9.6	07.6-11.6	145	9.3	07.5-11.1	52	3.0	02.2-03.8
18-24	59	23,572				7	12.1	03.3-20.9	4	7.0	00.1-13.9	1	2.3	00.0-06.8	1	0.4	00.0-01.2
25-34	161	21,414	96	61.1	52.9-69.3	24	13.8	08.3-19.3	22	15.0	08.9-21.1	17	8.9	04.0-13.8	2	1.1	00.0-02.7
35-44	241	21,478	151	64.6	57.9-71.3	35	14.8	09.7-19.9	28	11.5	07.0-16.0	22	7.5	04.0-11.0	5	1.6	00.0-03.2
45-54	337	25,646	187	57.6	51.7-63.5	41	12.2	08.3-16.1	39	11.0	07.3-14.7	52	15.0	10.7-19.3	18	4.3	02.1-06.5
55-64	267	17,391	173	66.1	59.6-72.6	22	9.8	05.7-13.9	26	7.1	04.0-10.2	26	8.7	05.0-12.4	20	8.3	04.2-12.4
65+	384	25,723	258	68.6	63.3-73.9	23	6.1	03.4-08.8	39	8.9	05.8-12.0	45	11.2	07.7-14.7	19	5.2	02.8-07.6
Less Than H.S.	109	9,879							16	14.8	05.2-24.4				6	2.8	00.1-05.5
H.S. or G.E.D.	435	39,523	274	65.7	59.8-71.6	34	9.1	05.6-12.6	48	10.6	07.1-14.1	59	10.9	07.6-14.2	20	3.6	01.8-05.4
Some Post-H.S.	484	45,117	308	66.8	61.1-72.5	52	12.1	08.2-16.0	47	9.8	06.1-13.5	55	8.1	05.6-10.6	22	3.2	01.6-04.8
College Graduate	433	41,374	274	69.4	64.5-74.3	58	11.3	08.2-14.4	48	8.7	05.8-11.6	36	7.2	04.5-09.9	17	3.3	01.5-05.1
Less than \$15,000	171	16,255				7	2.9	00.4-05.4	17	11.4	03.0-19.8	30	12.4	05.0-19.8	27	9.6	05.1-14.1
\$15,000- 24,999	257	22,518	147	61.2	53.2-69.2	24	8.2	04.3-12.1	31	13.5	07.8-19.2	41	12.3	08.0-16.6	14	4.7	02.0-07.4
\$25,000- 34,999	184	15,135	116	66.2	57.2-75.2	22	14.8	07.7-21.9	21	8.7	03.2-14.2	19	7.0	03.1-10.9	6	3.1	00.4-05.8
\$35,000- 49,999	216	18,280	138	63.3	55.5-71.1	27	14.0	08.1-19.9	28	11.6	06.9-16.3	18	8.6	03.7-13.5	5	2.4	00.0-04.8
\$50,000- 74,999	230	23,851	153	66.5	59.1-73.9	33	14.2	08.3-20.1	24	10.6	06.3-14.9	17	7.5	03.8-11.2	3	1.2	00.0-02.6
\$75,000+	184	19,413	118	66.1	58.1-74.1	32	18.6	11.5-25.7	17	7.5	03.4-11.6	15	6.7	03.2-10.2	2	1.1	00.0-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?  
(HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4731	497,097	4224	88.2	86.8-89.6	507	11.8	10.4-13.2	
Male	1925	245,842	1704	86.9	84.5-89.3	221	13.1	10.7-15.5	
Female	2806	251,256	2520	89.6	87.8-91.4	286	10.4	08.6-12.2	
Non-Native	4337	470,625	3987	89.9	88.5-91.3	350	10.1	08.7-11.5	
18-24	183	70,417	126	72.2	64.8-79.6	57	27.8	20.4-35.2	
25-34	513	84,237	434	84.4	80.3-88.5	79	15.6	11.5-19.7	
35-44	722	78,966	633	91.0	88.6-93.4	89	9.0	06.6-11.4	
45-54	1091	94,525	972	91.2	89.4-93.0	119	8.8	07.0-10.6	
55-64	927	70,985	796	88.4	86.2-90.6	131	11.6	09.4-13.8	
65+	1253	94,715	1224	98.1	97.3-98.9	29	1.9	01.1-02.7	
Less Than H.S.	379	35,954	315	75.6	68.2-83.0	64	24.4	17.0-31.8	
H.S. or G.E.D.	1419	144,735	1220	85.0	82.3-87.7	199	15.0	12.3-17.7	
Some Post-H.S.	1509	162,631	1341	86.7	83.8-89.6	168	13.3	10.4-16.2	
College Graduate	1420	153,495	1344	95.9	94.5-97.3	76	4.1	02.7-05.5	
Less than \$15,000	390	35,916	289	65.5	56.9-74.1	101	34.5	25.9-43.1	
\$15,000- 24,999	697	63,639	567	80.0	75.7-84.3	130	20.0	15.7-24.3	
\$25,000- 34,999	576	57,858	493	82.7	77.6-87.8	83	17.3	12.2-22.4	
\$35,000- 49,999	740	74,025	680	92.8	90.3-95.3	60	7.2	04.7-09.7	
\$50,000- 74,999	789	92,306	759	96.7	95.1-98.3	30	3.3	01.7-04.9	
\$75,000+	895	108,038	853	95.6	93.8-97.4	42	4.4	02.6-06.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?  
(HLTHPLAN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1925	245,842	1704	86.9	84.5-89.3	221	13.1	10.7-15.5
Non-Native	1775	233,107	1616	88.9	86.7-91.1	159	11.1	08.9-13.3
25-34	209	44,199	170	81.1	74.2-88.0	39	18.9	12.0-25.8
35-44	301	40,154	266	91.1	87.6-94.6	35	8.9	05.4-12.4
45-54	473	47,757	423	91.9	89.4-94.4	50	8.1	05.6-10.6
55-64	403	35,765	349	88.1	84.8-91.4	54	11.9	08.6-15.2
65+	432	39,439	425	98.3	96.9-99.7	7	1.7	00.3-03.1
H.S. or G.E.D.	572	72,620	485	84.0	79.7-88.3	87	16.0	11.7-20.3
Some Post-H.S.	582	77,549	509	84.4	79.7-89.1	73	15.6	10.9-20.3
College Graduate	592	76,306	560	95.3	93.1-97.5	32	4.7	02.5-06.9
\$15,000- 24,999	233	24,986	184	77.1	69.8-84.4	49	22.9	15.6-30.2
\$25,000- 34,999	244	29,879	203	81.5	74.2-88.8	41	18.5	11.2-25.8
\$35,000- 49,999	328	40,274	302	92.1	88.2-96.0	26	7.9	04.0-11.8
\$50,000- 74,999	350	48,120	334	95.7	93.0-98.4	16	4.3	01.6-07.0
\$75,000+	465	63,712	440	94.7	92.2-97.2	25	5.3	02.8-07.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2806	251,256	2520	89.6	87.8-91.4	286	10.4	08.6-12.2
Non-Native	2562	237,518	2371	91.0	89.2-92.8	191	9.0	07.2-10.8
25-34	304	40,038	264	88.0	83.9-92.1	40	12.0	07.9-16.1
35-44	421	38,812	367	90.9	88.0-93.8	54	9.1	06.2-12.0
45-54	618	46,768	549	90.5	88.0-93.0	69	9.5	07.0-12.0
55-64	524	35,220	447	88.6	85.7-91.5	77	11.4	08.5-14.3
65+	821	55,276	799	97.9	96.9-98.9	22	2.1	01.1-03.1
Less Than H.S.	201	16,635	166	77.1	67.1-87.1	35	22.9	12.9-32.9
H.S. or G.E.D.	847	72,115	735	86.0	82.5-89.5	112	14.0	10.5-17.5
Some Post-H.S.	927	85,082	832	88.8	85.3-92.3	95	11.2	07.7-14.7
College Graduate	828	77,188	784	96.5	95.1-97.9	44	3.5	02.1-04.9
Less than \$15,000	262	21,888	199	73.0	63.4-82.6	63	27.0	17.4-36.6
\$15,000- 24,999	464	38,653	383	81.8	76.5-87.1	81	18.2	12.9-23.5
\$25,000- 34,999	332	27,980	290	83.9	77.0-90.8	42	16.1	09.2-23.0
\$35,000- 49,999	412	33,751	378	93.6	90.7-96.5	34	6.4	03.5-09.3
\$50,000- 74,999	439	44,186	425	97.8	96.4-99.2	14	2.2	00.8-03.6
\$75,000+	430	44,325	413	96.9	95.1-98.7	17	3.1	01.3-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4731	499,420	3235	66.2	64.2-68.2	507	10.5	09.3-11.7	989	23.4	21.6-25.2
Male	1926	246,922	1131	56.7	53.8-59.6	225	11.4	09.4-13.4	570	31.9	29.2-34.6
Female	2805	252,498	2104	75.4	73.0-77.8	282	9.5	07.9-11.1	419	15.1	13.1-17.1
Native	352	22,993	135	38.1	28.5-47.7	70	16.2	09.7-22.7			
Non-Native	4336	472,542	3074	67.6	65.6-69.6	432	10.2	08.8-11.6	830	22.2	20.4-24.0
18-24	189	73,534	86	49.0	40.8-57.2	23	12.5	06.8-18.2	80	38.6	30.6-46.6
25-34	511	84,351	288	54.9	50.0-59.8	51	10.2	06.9-13.5	172	34.9	30.2-39.6
35-44	721	78,805	459	64.4	60.5-68.3	74	10.4	07.9-12.9	188	25.2	21.7-28.7
45-54	1090	94,280	724	69.8	66.7-72.9	120	10.0	08.0-12.0	246	20.2	17.5-22.9
55-64	926	70,941	659	74.6	71.5-77.7	93	9.0	06.8-11.2	174	16.4	13.7-19.1
65+	1251	94,172	989	81.2	78.8-83.6	141	10.6	08.6-12.6	121	8.2	06.6-09.8
Less Than H.S.	381	36,691	235	59.9	52.6-67.2	58	14.4	09.3-19.5	88	25.7	19.0-32.4
H.S. or G.E.D.	1419	145,951	950	64.2	60.7-67.7	165	10.9	08.7-13.1	304	25.0	21.7-28.3
Some Post-H.S.	1507	163,076	1038		62.9-69.9	152	10.2	07.7-12.7	317	23.5	20.4-26.6
College Graduate	1420	153,419	1011	69.4	66.3-72.5	129	9.3	07.3-11.3	280	21.3	18.4-24.2
Less than \$15,000	391	36,245	239	56.5	48.1-64.9	58	14.5	07.8-21.2	94	29.0	21.4-36.6
\$15,000- 24,999	692	63,178	464	65.3	60.0-70.6	79	10.5	07.0-14.0	149	24.2	19.3-29.1
\$25,000- 34,999	576	57,696	372	58.8	52.9-64.7	57	10.6	06.5-14.7	147	30.6	24.9-36.3
\$35,000- 49,999	739	74,002	506	67.6	63.3-71.9	77	9.9	07.2-12.6	156	22.4	18.5-26.3
\$50,000- 74,999	789	92,677	563	68.7	64.6-72.8	78	10.6	07.7-13.5	148	20.7	17.0-24.4
\$75,000+	894	108,556	628	68.0	63.9-72.1	85	9.4	06.9-11.9	181	22.6	18.9-26.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1926	246,922	1131	56.7	53.8-59.6	225	11.4	09.4-13.4	570	31.9	29.2-34.6
Native	126	10,535				23	13.4	04.0-22.8			
Non-Native	1774	233,669	1090	58.6	55.7-61.5	201	11.4	09.4-13.4	483	30.0	27.3-32.7
18-24	92	38,206				9	10.8	03.4-18.2			
25-34	209	44,523	73	37.9	30.5-45.3	28	13.5	07.8-19.2	108	48.7	41.1-56.3
35-44	301	40,154	150	52.9	46.8-59.0	35	12.1	07.8-16.4	116	35.0	29.3-40.7
45-54	473	47,598	281	64.2	59.5-68.9	51	9.6	06.7-12.5	141	26.3	22.0-30.6
55-64	403	35,765	254	67.9	62.8-73.0	49	11.3	07.8-14.8	100	20.8	16.5-25.1
65+	431	39,164	331	79.6	75.5-83.7	51	11.4	08.1-14.7	49	9.0	06.1-11.9
Less Than H.S.	179	19,695				24	9.5	05.2-13.8			
H.S. or G.E.D.	573	73,301	330	55.1	49.6-60.6	71	13.3	09.6-17.0	172	31.7	26.4-37.0
Some Post-H.S.	581	77,573	318	52.6	47.1-58.1	75	12.0	08.1-15.9	188	35.4	30.1-40.7
College Graduate	592	76,306	382	62.8	57.9-67.7	55	9.5	06.6-12.4	155	27.6	22.9-32.3
\$15,000- 24,999	231	24,790	143	63.8	55.8-71.8	23	7.5	04.0-11.0	65	28.7	20.9-36.5
\$25,000- 34,999	245	29,846	130	44.3	36.1-52.5	27	14.2	07.1-21.3	88	41.6	33.0-50.2
\$35,000- 49,999	327	40,251	188	58.9	52.6-65.2	39	10.5	06.6-14.4	100	30.6	24.7-36.5
\$50,000- 74,999	351	48,631	212	57.6	51.1-64.1	40	12.4	07.9-16.9	99	30.0	23.9-36.1
\$75,000+	463	63,033	287	59.6	53.9-65.3	52	10.6	07.3-13.9	124	29.8	24.1-35.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2805	252,498	2104	75.4	73.0-77.8	282	9.5	07.9-11.1	419	15.1	13.1-17.1
Native	226	12,458				47	18.5	09.7-27.3			
Non-Native	2562	238,873	1984	76.5	74.1-78.9	231	9.0	07.4-10.6	347	14.6	12.6-16.6
18-24	97	35,328				14	14.3	05.7-22.9	29	26.6	16.6-36.6
25-34	302	39,828	215	74.0	68.7-79.3	23	6.5	03.6-09.4	64	19.5	14.6-24.4
35-44	420	38,651	309	76.3	71.8-80.8	39	8.7	05.6-11.8	72	15.1	11.2-19.0
45-54	617	46,682	443	75.6	71.9-79.3	69	10.4	07.7-13.1	105	14.0	11.1-16.9
55-64	523	35,176	405	81.4	77.7-85.1	44	6.6	04.2-09.0	74	11.9	08.8-15.0
65+	820	55,008	658	82.3	79.6-85.0	90	10.0	07.8-12.2	72	7.6	05.6-09.6
Less Than H.S.	202	16,997	135	65.1	55.1-75.1	34	20.1	10.9-29.3	33	14.9	08.0-21.8
H.S. or G.E.D.	846	72,650	620	73.3	69.0-77.6	94	8.5	06.3-10.7	132	18.2	14.1-22.3
Some Post-H.S.	926	85,503	720	78.9	74.8-83.0	77	8.5	05.4-11.6	129	12.7	09.8-15.6
College Graduate	828	77,113	629	76.0	72.1-79.9	74	9.1	06.6-11.6	125	15.0	11.7-18.3
Less than \$15,000	262	21,840	175	65.8	56.0-75.6	35	13.0	05.0-21.0	52	21.2	13.4-29.0
\$15,000- 24,999	461	38,388	321	66.3	59.2-73.4	56	12.5	07.2-17.8	84	21.2	15.1-27.3
\$25,000- 34,999	331	27,850	242	74.3	67.4-81.2	30	6.8	03.9-09.7	59	18.9	12.4-25.4
\$35,000- 49,999	412	33,751	318	78.1	72.8-83.4	38	9.2	05.7-12.7	56	12.7	08.2-17.2
\$50,000- 74,999	438	44,046	351	80.9	76.4-85.4	38	8.6	05.3-11.9	49	10.5	07.2-13.8
\$75,000+	431	45,523	341	79.6	74.3-84.9	33	7.8	04.1-11.5	57	12.6	08.5-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4746	501,920	324	6.9	05.9-07.9	4422	93.1	92.1-94.1
Male	1934	248,808	118	6.1	04.7-07.5	1816	93.9	92.5-95.3
Female	2812	253,113	206	7.7	06.3-09.1	2606	92.3	90.9-93.7
Native	353	23,035	53	15.6	08.5-22.7	300	84.4	77.3-91.5
Non-Native	4348	474,699	267	6.5	05.5-07.5	4081	93.5	92.5-94.5
18-24	191	74,726	22	10.8	06.1-15.5	169	89.2	84.5-93.9
25-34	511	84,329	42	8.0	05.3-10.7	469	92.0	89.3-94.7
35-44	721	78,858	66	7.7	05.5-09.9	655	92.3	90.1-94.5
45-54	1092	94,534	84	6.7	04.9-08.5	1008	93.3	91.5-95.1
55-64	928	71,040	63	5.7	04.1-07.3	865	94.3	92.7-95.9
65+	1259	95,088	47	3.5	02.3-04.7	1212	96.5	95.3-97.7
Less Than H.S.	384	37,049	33	13.5	07.6-19.4	351	86.5	80.6-92.4
H.S. or G.E.D.	1429	147,947	109	8.2	06.0-10.4	1320	91.8	89.6-94.0
Some Post-H.S.	1509	163,152	113	6.7	05.1-08.3	1396	93.3	91.7-94.9
College Graduate	1420	153,489	69	4.3	03.1-05.5	1351	95.7	94.5-96.9
Less than \$15,000	395	36,656	77	18.2	12.5-23.9	318	81.8	76.1-87.5
\$15,000- 24,999	697	63,639	99	17.7	13.4-22.0	598	82.3	78.0-86.6
\$25,000- 34,999	578	57,920	40	8.1	04.8-11.4	538	91.9	88.6-95.2
\$35,000- 49,999	740	74,025	37	5.3	02.9-07.7	703	94.7	92.3-97.1
\$50,000- 74,999	789	92,747	26	3.1	01.7-04.5	763	96.9	95.5-98.3
\$75,000+	896	109,181	12	1.3	00.3-02.3	884	98.7	97.7-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1934	248,808	118	6.1	04.7-07.5	1816	93.9	92.5-95.3	
Native	126	10,535	14	9.3	00.0-19.1	112	90.7	80.9-0100	
Non-Native	1781	235,414	103	6.0	04.4-07.6	1678	94.0	92.4-95.6	
18-24	94	39,398	11	9.1	03.2-15.0	83	90.9	85.0-96.8	
25-34	210	44,546	15	6.9	02.6-11.2	195	93.1	88.8-97.4	
35-44	301	40,154	16	4.7	02.0-07.4	285	95.3	92.6-98.0	
45-54	474	47,766	27	5.5	03.0-08.0	447	94.5	92.0-97.0	
55-64	404	35,820	29	6.5	03.8-09.2	375	93.5	90.8-96.2	
65+	434	39,611	20	4.3	02.1-06.5	414	95.7	93.5-97.9	
Less Than H.S.	180	19,836	13	15.2	05.6-24.8	167	84.8	75.2-94.4	
H.S. or G.E.D.	579	74,999	46	7.8	04.7-10.9	533	92.2	89.1-95.3	
Some Post-H.S.	583	77,690	36	4.8	03.0-06.6	547	95.2	93.4-97.0	
College Graduate	591	76,236	23	3.4	01.6-05.2	568	96.6	94.8-98.4	
\$15,000- 24,999	233	24,986	32	15.0	09.3-20.7	201	85.0	79.3-90.7	
\$25,000- 34,999	246	29,941	12	6.6	02.1-11.1	234	93.4	88.9-97.9	
\$35,000- 49,999	328	40,274	16	5.9	02.2-09.6	312	94.1	90.4-97.8	
\$50,000- 74,999	350	48,561	9	1.7	00.3-03.1	341	98.3	96.9-99.7	
\$75,000+	465	63,712	9	1.7	00.3-03.1	456	98.3	96.9-99.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2812	253,113	206	7.7	06.3-09.1	2606	92.3	90.9-93.7
Native	227	12,500	39	20.9	11.3-30.5	188	79.1	69.5-88.7
Non-Native	2567	239,285	164	6.9	05.5-08.3	2403	93.1	91.7-94.5
18-24	97	35,328	11	12.7	05.1-20.3	86	87.3	79.7-94.9
25-34	301	39,783	27	9.1	05.6-12.6	274	90.9	87.4-94.4
35-44	420	38,704	50	10.7	07.6-13.8	370	89.3	86.2-92.4
45-54	618	46,768	57	8.0	05.6-10.4	561	92.0	89.6-94.4
55-64	524	35,220	34	4.9	02.9-06.9	490	95.1	93.1-97.1
65+	825	55,477	27	3.0	01.6-04.4	798	97.0	95.6-98.4
Less Than H.S.	204	17,213	20	11.6	05.7-17.5	184	88.4	82.5-94.3
H.S. or G.E.D.	850	72,949	63	8.6	05.5-11.7	787	91.4	88.3-94.5
Some Post-H.S.	926	85,462	77	8.5	06.0-11.0	849	91.5	89.0-94.0
College Graduate	829	77,253	46	5.1	03.3-06.9	783	94.9	93.1-96.7
Less than \$15,000	265	22,110	47	14.4	09.3-19.5	218	85.6	80.5-90.7
\$15,000- 24,999	464	38,653	67	19.4	13.3-25.5	397	80.6	74.5-86.7
\$25,000- 34,999	332	27,980	28	9.6	04.5-14.7	304	90.4	85.3-95.5
\$35,000- 49,999	412	33,751	21	4.6	02.2-07.0	391	95.4	93.0-97.8
\$50,000- 74,999	439	44,186	17	4.7	02.2-07.2	422	95.3	92.8-97.8
\$75,000+	431	45,469	3	0.7	00.0-01.5	428	99.3	98.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4718	499,194	3158	62.9	60.9-64.9	639	14.1	12.7-15.5	378	9.9	08.7-11.1	509	12.3	10.9-13.7	34	0.8	00.4-01.2
Male	1921	246,970	1072	51.8	48.9-54.7	318	16.4	14.2-18.6	206	13.5	11.3-15.7	305	17.2	15.0-19.4	20	1.1	00.5-01.7
Female	2797	252,224	2086	73.7	71.5-75.9	321	11.9	10.3-13.5	172	6.4	05.2-07.6	204	7.5	06.1-08.9	14	0.5	00.1-00.9
Native	350	22,873	216	58.6	48.6-68.6	60	17.8	10.7-24.9	28	13.4	05.6-21.2	44	8.5	04.4-12.6	2	1.6	00.0-04.7
Non-Native	4324	472,275	2913	63.1	61.1-65.1	576	14.0	12.6-15.4	345	9.8	08.6-11.0	458	12.4	11.0-13.8	32	0.7	00.3-01.1
18-24	190	74,215	101	55.3	47.1-63.5	33	13.8	08.3-19.3	26	14.5	08.8-20.2	27	14.9	08.8-21.0	3	1.5	00.0-03.3
25-34	510	83,725	292	53.6	48.7-58.5	77	15.1	11.6-18.6	57	14.2	10.5-17.9	81	16.5	12.8-20.2	3	0.5	00.0-01.1
35-44	718	78,743	406	54.3	50.2-58.4	128	18.8	15.5-22.1	82	11.9	09.2-14.6	97	14.2	11.3-17.1	5	0.9	00.1-01.7
45-54	1087	94,306	687	62.1	58.8-65.4	170	16.0	13.5-18.5	92	9.0	07.0-11.0	130	12.4	10.0-14.8	8	0.6	00.2-01.0
55-64	924	70,859	641	68.5	65.0-72.0	107	12.0	09.6-14.4	66	6.9	05.1-08.7	102	11.7	09.2-14.2	8	0.7	00.1-01.3
65+	1245	94,000	1007	81.2	78.8-83.6	117	9.5	07.5-11.5	50	4.0	02.8-05.2	65	4.9	03.5-06.3	6	0.4	00.0-00.8
Less Than H.S.	382	37,021	270	70.5	64.0-77.0	39	9.8	05.9-13.7	30	9.9	05.4-14.4	38	9.1	05.2-13.0	5	0.7	00.0-01.5
H.S. or G.E.D.	1415	146,533	927	61.0	57.5-64.5	177	13.5	11.1-15.9	114	9.0	06.8-11.2	185	15.5	12.8-18.2	12	0.9	00.3-01.5
Some Post-H.S.	1502	162,260	1025	63.1	59.6-66.6	220	14.9	12.5-17.3	103	9.8	07.3-12.3	146	11.7	09.3-14.1	8	0.5	00.1-00.9
College Graduate	1415	153,098	933	62.6	59.5-65.7	203	15.0	12.6-17.4	131	10.9	08.7-13.1	139	10.6	08.4-12.8	9	0.9	00.1-01.7
Less than \$15,000	393	36,552	262	62.5	54.5-70.5	47	13.6	08.3-18.9	34	12.7	06.4-19.0	44	10.6	05.3-15.9	6	0.6	00.0-01.2
\$15,000- 24,999	694	63,288	454	62.2	57.1-67.3	88	12.1	09.0-15.2	60	10.5	07.4-13.6	87	14.3	10.4-18.2	5	0.8	00.0-01.8
\$25,000- 34,999	575	57,830	375	60.5	54.8-66.2	76	14.3	10.4-18.2	52	10.8	07.3-14.3	68	12.6	08.7-16.5	4	1.8	00.0-04.0
\$35,000- 49,999	734	73,531	480	61.5	57.2-65.8	110	15.2	12.1-18.3	50	8.3	05.6-11.0	92	14.6	11.3-17.9	2	0.4	00.0-01.0
\$50,000- 74,999	790	92,817	519	62.9	58.8-67.0	121	15.0	12.1-17.9	65	9.2	06.7-11.7	78	11.9	08.8-15.0	7	1.0	00.2-01.8
\$75,000+	896	109,209	601	61.6	57.5-65.7	128	15.8	12.7-18.9	71	10.4	07.5-13.3	91	11.7	09.0-14.4	5	0.5	00.1-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1))**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1921	246,970	1072	51.8	48.9-54.7	318	16.4	14.2-18.6	206	13.5	11.3-15.7	305	17.2	15.0-19.4	20	1.1	00.5-01.7
Native	124	10,521				25	17.0	07.2-26.8				19	9.0	02.5-15.5	1	0.1	00.0-00.3
Non-Native	1771	233,731	993	51.9	49.0-54.8	290	16.4	14.2-18.6	188	13.2	11.0-15.4	281	17.4	15.0-19.8	19	1.1	00.5-01.7
18-24	93	38,887				17	14.0	06.4-21.6	20	23.0	13.4-32.6	18	19.1	10.1-28.1	2	2.0	00.0-04.9
25-34	208	43,967	86	40.5	32.9-48.1	36	16.1	10.8-21.4	33	19.4	13.1-25.7	52	23.4	17.1-29.7	1	0.5	00.0-01.5
35-44	300	40,146	119	39.0	33.1-44.9	64	22.1	17.0-27.2	45	15.2	10.7-19.7	67	22.0	16.9-27.1	5	1.7	00.1-03.3
45-54	471	47,643	243	51.2	46.1-56.3	89	19.3	15.4-23.2	52	11.7	08.4-15.0	81	16.9	13.0-20.8	6	1.0	00.2-01.8
55-64	403	35,814	249	62.1	56.8-67.4	61	15.4	11.5-19.3	34	7.7	05.0-10.4	55	13.9	10.2-17.6	4	0.9	00.0-01.9
65+	429	39,000	331	79.5	75.4-83.6	49	10.9	07.6-14.2	20	3.5	01.7-05.3	28	6.0	03.6-08.4	1	0.2	00.0-00.6
Less Than H.S.	179	19,830	122	70.6	62.0-79.2	20	8.9	04.6-13.2	14	10.0	03.3-16.7	21	10.1	05.2-15.0	2	0.5	00.0-01.5
H.S. or G.E.D.	572	74,074	300	49.7	44.2-55.2	89	16.1	12.2-20.0	58	11.5	07.8-15.2	117	21.3	16.8-25.8	8	1.5	00.3-02.7
Some Post-H.S.	580	77,103	329	50.6	45.1-56.1	106	17.7	13.6-21.8	56	14.1	09.6-18.6	86	17.3	13.2-21.4	3	0.3	00.0-00.7
College Graduate	589	75,916	320	50.2	45.3-55.1	103	17.5	14.0-21.0	78	15.8	12.1-19.5	81	14.8	10.9-18.7	7	1.6	00.0-03.2
Less than \$15,000	130	14,546				17	11.6	04.5-18.7				15	7.5	02.4-12.6	3	0.5	00.0-01.3
\$15,000- 24,999	232	24,916	133	53.7	45.3-62.1	32	11.8	06.3-17.3	23	13.3	06.8-19.8	41	19.5	12.8-26.2	3	1.8	00.0-04.0
\$25,000- 34,999	245	29,935	137	51.3	42.7-59.9	36	15.4	09.5-21.3	23	12.3	06.4-18.2	46	18.8	11.9-25.7	3	2.2	00.0-05.5
\$35,000- 49,999	326	40,035	185	52.4	45.9-58.9	61	18.6	13.7-23.5	24	9.1	05.0-13.2	54	19.2	13.9-24.5	2	0.8	00.0-01.8
\$50,000- 74,999	351	48,631	188	51.5	45.0-58.0	62	16.8	12.5-21.1	45	13.7	09.2-18.2	51	16.6	11.5-21.7	5	1.4	00.0-02.8
\$75,000+	464	63,600	257	48.3	42.8-53.8	80	19.1	14.4-23.8	51	14.9	10.2-19.6	73	17.1	12.6-21.6	3	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2797	252,224	2086	73.7	71.5-75.9	321	11.9	10.3-13.5	172	6.4	05.2-07.6	204	7.5	06.1-08.9	14	0.5	00.1-00.9
Native	226	12,351				35	18.6	08.8-28.4	14	5.6	01.3-09.9	25	8.1	03.0-13.2	1	3.0	00.0-08.7
Non-Native	2553	238,545	1920	74.1	71.7-76.5	286	11.6	10.0-13.2	157	6.4	05.2-07.6	177	7.5	05.9-09.1	13	0.3	00.1-00.5
18-24	97	35,328				16	13.5	05.7-21.3	6	5.1	00.6-09.6	9	10.3	02.7-17.9	1	1.0	00.0-03.0
25-34	302	39,758	206	68.1	62.4-73.8	41	14.0	09.9-18.1	24	8.4	04.9-11.9	29	8.9	05.6-12.2	2	0.5	00.0-01.3
35-44	418	38,597	287	70.1	65.2-75.0	64	15.4	11.5-19.3	37	8.4	05.5-11.3	30	6.1	03.6-08.6			
45-54	616	46,663	444	73.2	69.3-77.1	81	12.6	09.7-15.5	40	6.2	04.0-08.4	49	7.7	05.3-10.1	2	0.3	00.0-00.7
55-64	521	35,045	392	75.1	70.8-79.4	46	8.6	05.9-11.3	32	6.2	03.8-08.6	47	9.6	06.5-12.7	4	0.5	00.0-01.1
65+	816	55,000	676	82.5	79.6-85.4	68	8.5	06.3-10.7	30	4.4	02.6-06.2	37	4.2	02.8-05.6	5	0.5	00.1-00.9
Less Than H.S.	203	17,191	148	70.3	60.5-80.1	19	10.9	04.0-17.8	16	9.8	03.7-15.9	17	8.1	01.6-14.6	3	0.9	00.0-01.9
H.S. or G.E.D.	843	72,458	627	72.6	68.5-76.7	88	10.9	08.0-13.8	56	6.5	04.5-08.5	68	9.6	06.5-12.7	4	0.4	00.0-00.8
Some Post-H.S.	922	85,156	696	74.3	70.4-78.2	114	12.4	09.7-15.1	47	5.9	03.7-08.1	60	6.7	04.2-09.2	5	0.6	00.0-01.4
College Graduate	826	77,182	613	74.8	71.1-78.5	100	12.5	09.6-15.4	53	6.1	04.3-07.9	58	6.3	04.3-08.3	2	0.3	00.0-00.7
Less than \$15,000	263	22,005	188	67.0	57.0-77.0	30	14.8	07.4-22.2	13	4.8	00.9-08.7	29	12.7	04.7-20.7	3	0.7	00.0-01.5
\$15,000- 24,999	462	38,372	321	67.8	61.7-73.9	56	12.3	08.4-16.2	37	8.6	05.5-11.7	46	11.0	06.5-15.5	2	0.2	00.0-00.6
\$25,000- 34,999	330	27,895	238	70.4	63.5-77.3	40	13.0	07.5-18.5	29	9.3	05.2-13.4	22	6.0	03.1-08.9	1	1.3	00.0-03.8
\$35,000- 49,999	408	33,496	295	72.4	67.1-77.7	49	11.2	07.3-15.1	26	7.4	04.1-10.7	38	9.0	05.7-12.3			
\$50,000- 74,999	439	44,186	331	75.5	70.6-80.4	59	13.1	09.2-17.0	20	4.3	02.3-06.3	27	6.7	03.6-09.8	2	0.5	00.0-01.3
\$75,000+	432	45,609	344	80.1	75.8-84.4	48	11.3	08.0-14.6	20	4.2	02.0-06.4	18	4.2	02.0-06.4	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 4: EXERCISE CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 4: EXERCISE**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4735	501,060	3501	77.5	75.9-79.1	1234	22.5	20.9-24.1	
Male	1923	247,939	1458	79.7	77.5-81.9	465	20.3	18.1-22.5	
Female	2812	253,121	2043	75.4	73.2-77.6	769	24.6	22.4-26.8	
Native	353	23,038	230	70.5	61.1-79.9	123	29.5	20.1-38.9	
Non-Native	4340	474,187	3250	78.0	76.4-79.6	1090	22.0	20.4-23.6	
18-24	191	74,726	158	82.7	76.4-89.0	33	17.3	11.0-23.6	
25-34	513	84,444	429	85.6	82.5-88.7	84	14.4	11.3-17.5	
35-44	720	78,807	583	82.0	78.9-85.1	137	18.0	14.9-21.1	
45-54	1091	94,448	837	78.3	75.6-81.0	254	21.7	19.0-24.4	
55-64	927	70,985	665	73.6	70.5-76.7	262	26.4	23.3-29.5	
65+	1250	94,359	796	64.7	61.8-67.6	454	35.3	32.4-38.2	
Less Than H.S.	380	36,634	224	66.9	60.8-73.0	156	33.1	27.0-39.2	
H.S. or G.E.D.	1424	147,618	940	70.4	67.3-73.5	484	29.6	26.5-32.7	
Some Post-H.S.	1509	163,124	1129	77.5	74.6-80.4	380	22.5	19.6-25.4	
College Graduate	1418	153,400	1205	86.9	84.9-88.9	213	13.1	11.1-15.1	
Less than \$15,000	391	36,418	218	64.7	57.4-72.0	173	35.3	28.0-42.6	
\$15,000- 24,999	695	63,443	433	65.1	60.2-70.0	262	34.9	30.0-39.8	
\$25,000- 34,999	576	57,699	425	74.2	69.1-79.3	151	25.8	20.7-30.9	
\$35,000- 49,999	737	73,885	565	77.6	74.1-81.1	172	22.4	18.9-25.9	
\$50,000- 74,999	789	92,677	648	84.6	81.9-87.3	141	15.4	12.7-18.1	
\$75,000+	897	109,321	767	86.8	84.3-89.3	130	13.2	10.7-15.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 4: EXERCISE**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1923	247,939	1458	79.7	77.5-81.9	465	20.3	18.1-22.5
Non-Native	1774	234,905	1352	80.0	77.8-82.2	422	20.0	17.8-22.2
18-24	94	39,398	81	86.3	78.5-94.1	13	13.7	05.9-21.5
25-34	210	44,546	180	88.3	83.8-92.8	30	11.7	07.2-16.2
35-44	299	39,995	247	84.4	80.1-88.7	52	15.6	11.3-19.9
45-54	474	47,766	356	76.3	72.0-80.6	118	23.7	19.4-28.0
55-64	403	35,765	288	73.1	68.4-77.8	115	26.9	22.2-31.6
65+	427	39,012	294	68.4	63.5-73.3	133	31.6	26.7-36.5
Less Than H.S.	176	19,378	105	71.3	63.5-79.1	71	28.7	20.9-36.5
H.S. or G.E.D.	575	74,810	389	71.2	66.5-75.9	186	28.8	24.1-33.5
Some Post-H.S.	581	77,492	449	80.4	76.5-84.3	132	19.6	15.7-23.5
College Graduate	590	76,212	515	89.4	86.7-92.1	75	10.6	07.9-13.3
\$15,000- 24,999	231	24,791	153	72.3	65.6-79.0	78	27.7	21.0-34.4
\$25,000- 34,999	244	29,719	186	77.1	69.8-84.4	58	22.9	15.6-30.2
\$35,000- 49,999	326	40,219	251	77.1	71.8-82.4	75	22.9	17.6-28.2
\$50,000- 74,999	351	48,631	282	84.0	79.9-88.1	69	16.0	11.9-20.1
\$75,000+	465	63,712	401	87.5	84.2-90.8	64	12.5	09.2-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 4: EXERCISE**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2812	253,121	2043	75.4	73.2-77.6	769	24.6	22.4-26.8
Non-Native	2566	239,282	1898	76.2	74.0-78.4	668	23.8	21.6-26.0
18-24	97	35,328	77	78.7	68.9-88.5	20	21.3	11.5-31.1
25-34	303	39,898	249	82.6	77.9-87.3	54	17.4	12.7-22.1
35-44	421	38,812	336	79.4	74.9-83.9	85	20.6	16.1-25.1
45-54	617	46,682	481	80.2	76.7-83.7	136	19.8	16.3-23.3
55-64	524	35,220	377	74.1	70.0-78.2	147	25.9	21.8-30.0
65+	823	55,347	502	62.0	58.3-65.7	321	38.0	34.3-41.7
Less Than H.S.	204	17,256	119	62.0	52.8-71.2	85	38.0	28.8-47.2
H.S. or G.E.D.	849	72,809	551	69.6	65.7-73.5	298	30.4	26.5-34.3
Some Post-H.S.	928	85,632	680	74.8	70.7-78.9	248	25.2	21.1-29.3
College Graduate	828	77,188	690	84.4	81.5-87.3	138	15.6	12.7-18.5
Less than \$15,000	264	22,045	153	63.2	53.8-72.6	111	36.8	27.4-46.2
\$15,000- 24,999	464	38,653	280	60.5	53.8-67.2	184	39.5	32.8-46.2
\$25,000- 34,999	332	27,980	239	71.1	64.0-78.2	93	28.9	21.8-36.0
\$35,000- 49,999	411	33,665	314	78.2	73.5-82.9	97	21.8	17.1-26.5
\$50,000- 74,999	438	44,046	366	85.3	81.8-88.8	72	14.7	11.2-18.2
\$75,000+	432	45,609	366	85.8	82.1-89.5	66	14.2	10.5-17.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 5: DIABETES CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 5: DIABETES**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4749	502,137	437	6.3	05.5-07.1	35	0.7	00.3-01.1	4222	92.1	91.3-92.9	55	0.9	00.7-01.1
Male	1935	248,878	185	6.2	05.2-07.2				1732	93.0	91.8-94.2	18	0.7	00.3-01.1
Female	2814	253,259	252	6.3	05.3-07.3	35	1.4	00.8-02.0	2490	91.3	90.1-92.5	37	1.0	00.6-01.4
Native	354	23,046	69	9.1	05.2-13.0	8	2.5	00.0-05.6	274	87.6	82.5-92.7	3	0.8	00.0-02.2
Non-Native	4350	474,904	365	6.1	05.3-06.9	27	0.6	00.2-01.0	3907	92.4	91.6-93.2	51	0.9	00.7-01.1
18-24	191	74,726	2	0.8	00.0-02.2	3	1.3	00.0-03.1	185	97.8	95.6-0100	1	0.0	00.0-00.0
25-34	514	84,584	12	1.4	00.4-02.4	8	0.9	00.1-01.7	492	97.5	96.3-98.7	2	0.2	00.0-00.6
35-44	722	78,966	24	2.5	01.3-03.7	7	0.8	00.2-01.4	689	96.4	95.0-97.8	2	0.3	00.0-00.7
45-54	1092	94,534	75	5.6	04.0-07.2	7	0.6	00.2-01.0	1005	93.5	91.9-95.1	5	0.3	00.0-00.7
55-64	927	70,952	117	11.9	09.5-14.3	2	0.1	00.0-00.3	793	85.9	83.4-88.4	15	2.0	00.8-03.2
65+	1259	95,028	207	14.7	12.5-16.9	8	0.7	00.3-01.1	1015	82.4	80.0-84.8	29	2.2	01.2-03.2
Less Than H.S.	385	37,157	53	9.6	06.5-12.7	5	2.5	00.0-05.4	320	86.3	82.0-90.6	7	1.5	00.3-02.7
H.S. or G.E.D.	1428	147,860	148	7.4	05.8-09.0	7	0.4	00.0-00.8	1246	90.8	89.2-92.4	27	1.4	00.8-02.0
Some Post-H.S.	1512	163,407	144	6.0	04.8-07.2	11	0.7	00.1-01.3	1345	92.7	91.3-94.1	12	0.6	00.2-01.0
College Graduate	1420	153,430	92	4.6	03.4-05.8	12	0.7	00.3-01.1	1307	94.2	93.0-95.4	9	0.5	00.1-00.9
Less than \$15,000	395	36,656	61	10.3	07.0-13.6	5	0.7	00.0-01.5	322	87.9	84.4-91.4	7	1.1	00.1-02.1
\$15,000- 24,999	697	63,639	106	11.0	08.5-13.5	6	1.1	00.1-02.1	567	85.8	82.9-88.7	18	2.0	01.0-03.0
\$25,000- 34,999	578	57,920	60	7.8	05.6-10.0	5	1.0	00.0-02.4	510	90.6	88.1-93.1	3	0.5	00.0-01.1
\$35,000- 49,999	740	74,025	66	6.9	04.7-09.1	4	0.5	00.1-00.9	666	92.3	90.1-94.5	4	0.4	00.0-00.8
\$50,000- 74,999	790	92,817	45	4.2	02.8-05.6	6	0.4	00.0-00.8	733	94.7	93.1-96.3	6	0.7	00.1-01.3
\$75,000+	896	109,191	33	2.5	01.5-03.5	4	0.4	00.0-00.8	855	96.8	95.6-98.0	4	0.3	00.1-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 5: DIABETES**

**TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1935	248,878	185	6.2	05.2-07.2	1732	93.0	91.8-94.2	18	0.7	00.3-01.1
Native	126	10,535	29	7.0	02.9-11.1	97	93.0	88.9-97.1			
Non-Native	1782	235,484	155	6.3	05.1-07.5	1610	93.0	91.8-94.2	17	0.7	00.3-01.1
18-24	94	39,398	1	1.3	00.0-03.8	93	98.7	96.2-0100			
25-34	210	44,546	5	0.9	00.0-01.9	205	99.1	98.1-0100			
35-44	301	40,154	7	1.8	00.2-03.4	294	98.2	96.6-99.8			
45-54	474	47,766	42	6.9	04.4-09.4	431	93.0	90.5-95.5	1	0.1	00.0-00.3
55-64	404	35,820	59	13.3	09.6-17.0	338	84.4	80.5-88.3	7	2.4	00.6-04.2
65+	435	39,681	71	14.6	11.1-18.1	355	83.1	79.4-86.8	9	2.2	00.6-03.8
Less Than H.S.	180	19,836	25	10.2	05.7-14.7	151	87.8	82.9-92.7	4	2.0	00.0-04.2
H.S. or G.E.D.	579	74,999	57	6.2	04.0-08.4	513	92.6	90.2-95.0	9	1.2	00.4-02.0
Some Post-H.S.	583	77,690	61	6.3	04.5-08.1	520	93.4	91.4-95.4	2	0.3	00.0-00.7
College Graduate	592	76,306	42	5.1	03.3-06.9	547	94.5	92.7-96.3	3	0.5	00.0-01.1
Less than \$15,000	130	14,546	24	10.8	05.3-16.3	106	89.2	83.7-94.7			
\$15,000- 24,999	233	24,986	44	13.3	08.6-18.0	185	85.1	80.0-90.2	4	1.6	00.0-03.2
\$25,000- 34,999	246	29,941	28	8.4	05.1-11.7	217	91.2	87.9-94.5	1	0.4	00.0-01.2
\$35,000- 49,999	328	40,274	29	7.1	03.8-10.4	298	92.7	89.2-96.2	1	0.2	00.0-00.6
\$50,000- 74,999	351	48,631	24	4.7	02.7-06.7	323	94.4	92.0-96.8	4	0.9	00.0-01.9
\$75,000+	465	63,712	21	2.9	01.5-04.3	442	96.9	95.5-98.3	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 5: DIABETES**

**TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2814	253,259	252	6.3	05.3-07.3	35	1.4	00.8-02.0	2490	91.3	90.1-92.5	37	1.0	00.6-01.4
Native	228	12,511	40	10.9	05.0-16.8	8	4.6	00.0-10.5	177	83.0	74.8-91.2	3	1.5	00.0-04.0
Non-Native	2568	239,420	210	6.0	05.0-07.0	27	1.3	00.7-01.9	2297	91.7	90.5-92.9	34	1.0	00.6-01.4
18-24	97	35,328	1	0.2	00.0-00.6	3	2.8	00.0-06.5	92	96.9	93.2-0100	1	0.1	00.0-00.3
25-34	304	40,038	7	1.9	00.3-03.5	8	1.9	00.1-03.7	287	95.7	93.2-98.2	2	0.5	00.0-01.3
35-44	421	38,812	17	3.3	01.5-05.1	7	1.7	00.3-03.1	395	94.5	92.1-96.9	2	0.6	00.0-01.4
45-54	618	46,768	33	4.2	02.4-06.0	7	1.1	00.3-01.9	574	94.1	92.1-96.1	4	0.6	00.0-01.2
55-64	523	35,132	58	10.6	07.5-13.7	2	0.2	00.0-00.6	455	87.6	84.3-90.9	8	1.6	00.4-02.8
65+	824	55,347	136	14.7	12.0-17.4	8	1.1	00.3-01.9	660	81.9	79.0-84.8	20	2.3	01.3-03.3
Less Than H.S.	205	17,321	28	9.0	04.9-13.1	5	5.3	00.0-11.6	169	84.7	77.4-92.0	3	1.0	00.0-02.4
H.S. or G.E.D.	849	72,861	91	8.5	06.5-10.5	7	0.8	00.0-01.6	733	89.0	86.6-91.4	18	1.7	00.9-02.5
Some Post-H.S.	929	85,717	83	5.8	04.2-07.4	11	1.3	00.3-02.3	825	92.1	90.1-94.1	10	0.8	00.2-01.4
College Graduate	828	77,123	50	4.2	02.8-05.6	12	1.3	00.3-02.3	760	93.9	92.1-95.7	6	0.5	00.1-00.9
Less than \$15,000	265	22,110	37	9.9	05.8-14.0	5	1.1	00.0-02.3	216	87.1	82.6-91.6	7	1.9	00.3-03.5
\$15,000- 24,999	464	38,653	62	9.6	06.7-12.5	6	1.9	00.3-03.5	382	86.2	82.7-89.7	14	2.3	00.9-03.7
\$25,000- 34,999	332	27,980	32	7.3	04.4-10.2	5	2.1	00.0-04.8	293	90.0	86.1-93.9	2	0.7	00.0-01.7
\$35,000- 49,999	412	33,751	37	6.6	04.2-09.0	4	1.0	00.0-02.0	368	91.9	89.2-94.6	3	0.5	00.0-01.1
\$50,000- 74,999	439	44,186	21	3.6	01.8-05.4	6	0.9	00.0-01.9	410	95.0	93.0-97.0	2	0.5	00.0-01.3
\$75,000+	431	45,479	12	2.0	00.6-03.4	4	1.0	00.0-02.2	413	96.7	94.9-98.5	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 6: HYPERTENSION AWARENESS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	41
5	MALES ONLY	42
6	FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	501,085	1599	26.0	24.6-27.4	30	0.7	00.3-01.1	3045	72.0	70.4-73.6	66	1.3	00.9-01.7
Male	1927	247,782	643	26.0	23.8-28.2				1250	72.4	70.0-74.8	34	1.6	01.0-02.2
Female	2813	253,303	956	25.9	24.1-27.7	30	1.4	00.6-02.2	1795	71.6	69.6-73.6	32	1.1	00.7-01.5
Native	352	22,927	126	30.1	20.5-39.7	3	0.4	00.0-01.2	221	69.0	59.4-78.6	2	0.5	00.0-01.5
Non-Native	4343	473,971	1453	25.7	24.3-27.1	27	0.7	00.3-01.1	2800	72.2	70.6-73.8	63	1.4	01.0-01.8
18-24	190	74,215	12	5.3	01.6-09.0	1	1.0	00.0-03.0	177	93.7	89.6-97.8			
25-34	513	84,549	41	7.4	04.9-09.9	11	1.5	00.5-02.5	459	90.6	87.9-93.3	2	0.5	00.0-01.3
35-44	720	78,837	115	15.1	12.2-18.0	6	0.7	00.1-01.3	595	83.7	80.8-86.6	4	0.6	00.0-01.2
45-54	1091	94,450	280	25.3	22.4-28.2	5	0.5	00.1-00.9	786	72.0	69.1-74.9	20	2.3	01.3-03.3
55-64	926	70,766	400	40.9	37.4-44.4	2	0.1	00.0-00.3	505	56.5	52.8-60.2	19	2.5	01.3-03.7
65+	1256	94,921	737	57.4	54.3-60.5	5	0.4	00.0-00.8	494	40.3	37.2-43.4	20	1.9	01.1-02.7
Less Than H.S.	383	36,482	200	40.4	33.9-46.9	4	0.9	00.0-01.9	175	57.6	50.9-64.3	4	1.2	00.0-02.4
H.S. or G.E.D.	1424	147,676	541	28.9	26.0-31.8	8	0.8	00.0-01.8	853	68.8	65.9-71.7	22	1.4	00.8-02.0
Some Post-H.S.	1509	163,194	492	24.7	22.2-27.2	11	0.7	00.3-01.1	993	73.8	71.3-76.3	13	0.7	00.3-01.1
College Graduate	1420	153,450	365	21.0	18.6-23.4	7	0.6	00.2-01.0	1021	76.5	74.0-79.0	27	1.9	01.1-02.7
Less than \$15,000	393	36,497	177	34.2	27.3-41.1	4	0.4	00.0-00.8	211	65.4	58.5-72.3	1	0.0	00.0-00.0
\$15,000- 24,999	695	63,546	321	38.1	33.4-42.8	4	1.6	00.0-04.0	356	58.2	53.3-63.1	14	2.1	00.9-03.3
\$25,000- 34,999	576	57,677	236	33.8	28.7-38.9	5	0.7	00.0-01.5	330	64.6	59.5-69.7	5	1.0	00.0-02.0
\$35,000- 49,999	740	74,025	244	27.5	23.8-31.2	4	0.6	00.0-01.2	483	70.9	67.2-74.6	9	1.0	00.2-01.8
\$50,000- 74,999	790	92,817	183	18.7	15.8-21.6	4	0.6	00.0-01.2	593	79.5	76.6-82.4	10	1.2	00.4-02.0
\$75,000+	896	109,211	193	16.4	13.9-18.9	6	0.6	00.0-01.2	680	81.2	78.5-83.9	17	1.7	00.7-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1927	247,782	643	26.0	23.8-28.2	1250	72.4	70.0-74.8	34	1.6	01.0-02.2
Native	124	10,416							1	1.1	00.0-03.3
Non-Native	1776	234,507	583	25.7	23.5-27.9	1161	72.7	70.3-75.1	32	1.6	01.0-02.2
18-24	93	38,887	6	6.8	00.9-12.7	87	93.2	87.3-99.1			
25-34	209	44,511	20	8.9	04.8-13.0	187	90.0	85.7-94.3	2	1.0	00.0-02.4
35-44	300	40,078	57	17.9	13.2-22.6	241	81.5	76.8-86.2	2	0.6	00.0-01.4
45-54	473	47,682	137	28.4	23.9-32.9	324	68.6	63.9-73.3	12	3.1	01.3-04.9
55-64	402	35,546	175	41.9	36.4-47.4	218	55.7	50.2-61.2	9	2.4	00.6-04.2
65+	433	39,563	244	55.9	50.8-61.0	181	42.0	36.9-47.1	8	2.1	00.5-03.7
Less Than H.S.	178	19,161	93	43.8	34.0-53.6	82	54.4	44.6-64.2	3	1.7	00.0-03.7
H.S. or G.E.D.	576	74,846	193	25.3	21.2-29.4	372	73.2	68.9-77.5	11	1.5	00.5-02.5
Some Post-H.S.	581	77,531	187	24.7	20.8-28.6	389	74.7	70.6-78.8	5	0.6	00.0-01.2
College Graduate	591	76,197	170	23.7	20.0-27.4	406	73.6	69.7-77.5	15	2.7	01.3-04.1
\$15,000- 24,999	233	24,986	111	41.2	33.4-49.0	116	56.3	48.3-64.3	6	2.5	00.3-04.7
\$25,000- 34,999	245	29,777	98	35.0	27.2-42.8	144	63.7	55.9-71.5	3	1.3	00.0-02.9
\$35,000- 49,999	328	40,274	110	27.8	22.3-33.3	214	71.3	65.8-76.8	4	0.9	00.0-01.9
\$50,000- 74,999	351	48,631	95	20.7	16.2-25.2	251	77.9	73.4-82.4	5	1.4	00.0-02.8
\$75,000+	464	63,603	111	17.6	14.1-21.1	341	80.1	76.4-83.8	12	2.3	00.9-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)**  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2813	253,303	956	25.9	24.1-27.7	30	1.4	00.6-02.2	1795	71.6	69.6-73.6	32	1.1	00.7-01.5
Native	228	12,511				3	0.8	00.0-02.0				1	0.1	00.0-00.3
Non-Native	2567	239,465	870	25.7	23.7-27.7	27	1.4	00.6-02.2	1639	71.8	69.8-73.8	31	1.1	00.7-01.5
18-24	97	35,328	6	3.6	00.0-07.9	1	2.1	00.0-06.0	90	94.3	88.6-0100			
25-34	304	40,038	21	5.6	03.1-08.1	11	3.2	01.0-05.4	272	91.2	88.1-94.3			
35-44	420	38,758	58	12.1	08.8-15.4	6	1.5	00.1-02.9	354	85.9	82.4-89.4	2	0.6	00.0-01.4
45-54	618	46,768	143	22.1	18.6-25.6	5	1.0	00.0-02.0	462	75.4	71.7-79.1	8	1.4	00.2-02.6
55-64	524	35,220	225	40.0	35.3-44.7	2	0.2	00.0-00.6	287	57.3	52.6-62.0	10	2.5	00.9-04.1
65+	823	55,358	493	58.6	54.9-62.3	5	0.7	00.1-01.3	313	39.0	35.3-42.7	12	1.7	00.7-02.7
Less Than H.S.	205	17,321	107	36.6	28.2-45.0	4	1.8	00.0-03.8	93	61.0	52.4-69.6	1	0.5	00.0-01.5
H.S. or G.E.D.	848	72,830	348	32.6	28.7-36.5	8	1.6	00.0-03.6	481	64.3	60.2-68.4	11	1.4	00.4-02.4
Some Post-H.S.	928	85,663	305	24.8	21.7-27.9	11	1.3	00.5-02.1	604	73.0	69.7-76.3	8	0.9	00.3-01.5
College Graduate	829	77,253	195	18.3	15.6-21.0	7	1.2	00.2-02.2	615	79.4	76.5-82.3	12	1.1	00.3-01.9
Less than \$15,000	265	22,110	117	31.8	24.0-39.6	4	0.6	00.0-01.4	143	67.5	59.5-75.5	1	0.1	00.0-00.3
\$15,000- 24,999	462	38,559	210	36.0	30.1-41.9	4	2.7	00.0-06.4	240	59.4	53.1-65.7	8	1.9	00.5-03.3
\$25,000- 34,999	331	27,900	138	32.6	26.5-38.7	5	1.3	00.0-02.7	186	65.5	59.2-71.8	2	0.6	00.0-01.4
\$35,000- 49,999	412	33,751	134	27.2	22.5-31.9	4	1.3	00.0-02.7	269	70.4	65.5-75.3	5	1.1	00.1-02.1
\$50,000- 74,999	439	44,186	88	16.4	12.9-19.9	4	1.2	00.0-02.4	342	81.3	77.6-85.0	5	1.0	00.0-02.0
\$75,000+	432	45,609	82	14.7	11.4-18.0	6	1.5	00.1-02.9	339	82.7	79.0-86.4	5	1.0	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)**

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1594	129,683	1331	78.1	75.2-81.0	263	21.9	19.0-24.8
Male	643	64,513	494	70.0	65.3-74.7	149	30.0	25.3-34.7
Female	951	65,170	837	86.0	82.9-89.1	114	14.0	10.9-17.1
Non-Native	1448	121,399	1209	79.2	76.5-81.9	239	20.8	18.1-23.5
45-54	280	23,863	213	75.5	69.6-81.4	67	24.5	18.6-30.4
55-64	399	28,925	342	84.3	80.0-88.6	57	15.7	11.4-20.0
65+	733	54,132	685	92.7	90.5-94.9	48	7.3	05.1-09.5
Less Than H.S.	199	14,613	173	82.8	75.0-90.6	26	17.2	09.4-25.0
H.S. or G.E.D.	539	42,630	462	78.3	72.8-83.8	77	21.7	16.2-27.2
Some Post-H.S.	491	40,247	405	78.3	73.4-83.2	86	21.7	16.8-26.6
College Graduate	364	32,108	290	75.1	69.4-80.8	74	24.9	19.2-30.6
\$15,000- 24,999	320	24,143	273	81.1	74.8-87.4	47	18.9	12.6-25.2
\$25,000- 34,999	236	19,516	202	78.0	68.8-87.2	34	22.0	12.8-31.2
\$35,000- 49,999	244	20,369	192	72.0	64.4-79.6	52	28.0	20.4-35.6
\$50,000- 74,999	183	17,349	143	71.9	64.3-79.5	40	28.1	20.5-35.7
\$75,000+	193	17,923	158	79.9	73.4-86.4	35	20.1	13.6-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)**

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	643	64,513	494	70.0	65.3-74.7	149	30.0	25.3-34.7
Non-Native	583	60,359	447	71.7	67.2-76.2	136	28.3	23.8-32.8
45-54	137	13,518	93	68.7	59.9-77.5	44	31.3	22.5-40.1
55-64	175	14,885	145	80.3	73.6-87.0	30	19.7	13.0-26.4
65+	244	22,099	219	89.7	85.6-93.8	25	10.3	06.2-14.4
H.S. or G.E.D.	193	18,962	157	71.2	61.8-80.6	36	28.8	19.4-38.2
Some Post-H.S.	187	19,113	138	67.4	58.8-76.0	49	32.6	24.0-41.2
College Graduate	170	18,043	122	67.5	59.1-75.9	48	32.5	24.1-40.9
\$15,000- 24,999	111	10,291	89	76.3	66.3-86.3			
\$75,000+	111	11,203	87	76.3	67.3-85.3	24	23.7	14.7-32.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 6: HYPERTENSION AWARENESS**

**TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)**

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	951	65,170	837	86.0	82.9-89.1	114	14.0	10.9-17.1
Non-Native	865	61,039	762	86.8	83.9-89.7	103	13.2	10.3-16.1
45-54	143	10,345	120	84.4	77.9-90.9	23	15.6	09.1-22.1
55-64	224	14,039	197	88.4	83.3-93.5	27	11.6	06.5-16.7
65+	489	32,033	466	94.8	92.4-97.2	23	5.2	02.8-07.6
Less Than H.S.	106	6,217	96	88.5	81.6-95.4	10	11.5	04.6-18.4
H.S. or G.E.D.	346	23,668	305	84.1	77.6-90.6	41	15.9	09.4-22.4
Some Post-H.S.	304	21,134	267	88.2	83.9-92.5	37	11.8	07.5-16.1
College Graduate	194	14,065	168	84.9	78.6-91.2	26	15.1	08.8-21.4
\$15,000- 24,999	209	13,852	184	84.8	76.6-93.0	25	15.2	07.0-23.4
\$25,000- 34,999	138	9,085	130	94.9	90.8-99.0	8	5.1	01.0-09.2
\$35,000- 49,999	134	9,190	113	84.2	77.1-91.3	21	15.8	08.7-22.9
\$50,000- 74,999	88	7,264	73	80.8	71.6-90.0	15	19.2	10.0-28.4
\$75,000+	82	6,720	71	85.9	77.5-94.3	11	14.1	05.7-22.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 7: CHOLESTEROL AWARENESS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
 \*

TABLE		PAGE
	BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1	MALES AND FEMALES	45
2	MALES ONLY	46
3	FEMALES ONLY	47
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4	MALES AND FEMALES	48
5	MALES ONLY	49
6	FEMALES ONLY	50
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7	MALES AND FEMALES	51
8	MALES ONLY	52
9	FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4642	484,513	3968	77.5	75.5-79.5	674	22.5	20.5-24.5
Male	1886	240,919	1533	72.7	69.6-75.8	353	27.3	24.2-30.4
Female	2756	243,594	2435	82.2	79.8-84.6	321	17.8	15.4-20.2
Non-Native	4255	458,360	3681	78.0	76.0-80.0	574	22.0	20.0-24.0
18-24	172	66,633	67	34.7	26.5-42.9	105	65.3	57.1-73.5
25-34	488	80,409	305	60.6	55.5-65.7	183	39.4	34.3-44.5
35-44	709	77,262	546	78.0	74.7-81.3	163	22.0	18.7-25.3
45-54	1077	93,448	960	89.3	87.3-91.3	117	10.7	08.7-12.7
55-64	917	70,148	865	94.7	93.1-96.3	52	5.3	03.7-06.9
65+	1236	93,322	1188	96.9	95.9-97.9	48	3.1	02.1-04.1
Less Than H.S.	374	35,254	313	71.9	64.1-79.7	61	28.1	20.3-35.9
H.S. or G.E.D.	1392	142,507	1155	75.6	72.1-79.1	237	24.4	20.9-27.9
Some Post-H.S.	1476	156,387	1250	73.8	70.1-77.5	226	26.2	22.5-29.9
College Graduate	1396	150,082	1246	84.3	81.4-87.2	150	15.7	12.8-18.6
Less than \$15,000	380	34,014	303	66.2	57.4-75.0	77	33.8	25.0-42.6
\$15,000- 24,999	680	60,732	568	76.0	70.7-81.3	112	24.0	18.7-29.3
\$25,000- 34,999	566	56,225	458	71.6	65.5-77.7	108	28.4	22.3-34.5
\$35,000- 49,999	725	72,286	624	80.2	76.3-84.1	101	19.8	15.9-23.7
\$50,000- 74,999	775	90,508	674	79.1	74.8-83.4	101	20.9	16.6-25.2
\$75,000+	884	105,817	788	83.2	79.3-87.1	96	16.8	12.9-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1886	240,919	1533	72.7	69.6-75.8	353	27.3	24.2-30.4
Non-Native	1740	227,994	1427	73.2	70.1-76.3	313	26.8	23.7-29.9
25-34	202	42,925	117	57.1	49.3-64.9	85	42.9	35.1-50.7
35-44	293	39,095	207	73.0	67.5-78.5	86	27.0	21.5-32.5
45-54	465	46,970	394	86.6	83.3-89.9	71	13.4	10.1-16.7
55-64	396	35,108	365	92.1	89.2-95.0	31	7.9	05.0-10.8
65+	429	39,023	408	96.1	94.3-97.9	21	3.9	02.1-05.7
H.S. or G.E.D.	559	71,599	426	68.4	62.7-74.1	133	31.6	25.9-37.3
Some Post-H.S.	568	75,199	448	66.8	60.9-72.7	120	33.2	27.3-39.1
College Graduate	582	74,775	516	84.1	79.8-88.4	66	15.9	11.6-20.2
\$15,000- 24,999	226	23,876	178	71.9	63.5-80.3	48	28.1	19.7-36.5
\$25,000- 34,999	240	29,286	174	64.6	55.8-73.4	66	35.4	26.6-44.2
\$35,000- 49,999	321	39,334	264	78.8	73.1-84.5	57	21.2	15.5-26.9
\$50,000- 74,999	345	47,898	281	70.5	63.4-77.6	64	29.5	22.4-36.6
\$75,000+	457	61,360	400	80.9	75.4-86.4	57	19.1	13.6-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2756	243,594	2435	82.2	79.8-84.6	321	17.8	15.4-20.2	
Non-Native	2515	230,366	2254	82.8	80.3-85.3	261	17.2	14.7-19.7	
25-34	286	37,484	188	64.7	58.6-70.8	98	35.3	29.2-41.4	
35-44	416	38,167	339	83.1	79.0-87.2	77	16.9	12.8-21.0	
45-54	612	46,477	566	92.0	89.6-94.4	46	8.0	05.6-10.4	
55-64	521	35,040	500	97.4	96.0-98.8	21	2.6	01.2-04.0	
65+	807	54,299	780	97.4	96.4-98.4	27	2.6	01.6-03.6	
H.S. or G.E.D.	833	70,908	729	82.9	78.8-87.0	104	17.1	13.0-21.2	
Some Post-H.S.	908	81,188	802	80.4	75.7-85.1	106	19.6	14.9-24.3	
College Graduate	814	75,307	730	84.4	80.3-88.5	84	15.6	11.5-19.7	
Less than \$15,000	256	19,885	209	73.4	64.0-82.8	47	26.6	17.2-36.0	
\$15,000- 24,999	454	36,856	390	78.7	71.6-85.8	64	21.3	14.2-28.4	
\$25,000- 34,999	326	26,939	284	79.2	71.4-87.0	42	20.8	13.0-28.6	
\$35,000- 49,999	404	32,953	360	81.9	76.2-87.6	44	18.1	12.4-23.8	
\$50,000- 74,999	430	42,611	393	88.8	84.9-92.7	37	11.2	07.3-15.1	
\$75,000+	427	44,456	388	86.3	81.0-91.6	39	13.7	08.4-19.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3926	371,431	2828	69.0	67.2-70.8	520	14.9	13.5-16.3	357	10.1	08.9-11.3	221	5.9	04.9-06.9
Male	1518	173,333	1043	65.3	62.4-68.2	219	16.9	14.5-19.3	149	11.0	09.0-13.0	107	6.8	05.2-08.4
Female	2408	198,098	1785	72.3	69.9-74.7	301	13.1	11.5-14.7	208	9.4	08.0-10.8	114	5.2	03.8-06.6
Native	249	14,175				36	16.6	09.0-24.2	24	14.1	04.7-23.5	17	2.6	00.6-04.6
Non-Native	3642	353,981	2628	69.1	67.1-71.1	483	14.9	13.3-16.5	330	10.0	08.8-11.2	201	6.0	05.0-07.0
18-24	67	23,090				8	12.0	03.0-21.0	5	8.1	00.0-16.5			
25-34	303	48,390	158	50.0	43.7-56.3	74	26.2	20.5-31.9	48	16.6	11.9-21.3	23	7.2	04.1-10.3
35-44	541	59,776	319	57.3	52.6-62.0	98	18.4	14.9-21.9	79	16.0	12.5-19.5	45	8.3	05.6-11.0
45-54	956	83,046	624	66.1	62.8-69.4	159	16.8	14.1-19.5	103	10.6	08.4-12.8	70	6.5	04.7-08.3
55-64	858	65,987	651	76.2	73.1-79.3	87	10.1	07.7-12.5	73	7.9	05.9-09.9	47	5.8	04.0-07.6
65+	1167	88,456	1015	87.1	84.9-89.3	83	7.2	05.4-09.0	41	3.3	02.1-04.5	28	2.4	01.4-03.4
Less Than H.S.	308	24,829	248	78.8	72.7-84.9	28	8.7	05.2-12.2	22	10.0	04.9-15.1	10	2.4	00.4-04.4
H.S. or G.E.D.	1141	106,333	861	71.6	68.1-75.1	123	12.5	09.8-15.2	88	8.7	06.7-10.7	69	7.2	04.8-09.6
Some Post-H.S.	1240	114,794	885	69.0	65.7-72.3	166	14.9	12.4-17.4	118	10.5	08.1-12.9	71	5.7	04.1-07.3
College Graduate	1233	125,191	831	65.0	61.9-68.1	202	18.2	15.5-20.9	129	11.1	08.9-13.3	71	5.8	04.2-07.4
Less than \$15,000	298	22,259	224	73.1	65.7-80.5	26	8.0	04.5-11.5	31	14.5	07.8-21.2	17	4.3	01.6-07.0
\$15,000- 24,999	560	45,554	425	74.3	69.2-79.4	60	11.1	07.8-14.4	47	9.5	06.4-12.6	28	5.1	01.8-08.4
\$25,000- 34,999	454	39,937	333	71.8	66.3-77.3	47	12.7	08.0-17.4	40	8.8	05.9-11.7	34	6.6	03.9-09.3
\$35,000- 49,999	622	57,874	437	67.1	62.4-71.8	86	15.5	11.8-19.2	70	12.7	09.4-16.0	29	4.6	02.6-06.6
\$50,000- 74,999	670	71,108	457	66.2	62.1-70.3	107	17.7	14.2-21.2	71	11.1	08.4-13.8	35	5.0	03.2-06.8
\$75,000+	784	87,589	530	64.3	60.4-68.2	132	18.3	15.0-21.6	65	9.5	06.8-12.2	57	7.9	05.7-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)**  
Denominator excludes: Respondents who reported not having their blood cholesterol checked  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1518	173,333	1043	65.3	62.4-68.2	219	16.9	14.5-19.3	149	11.0	09.0-13.0	107	6.8	05.2-08.4
Native	83	5,739										5	2.8	00.0-05.7
Non-Native	1414	165,305	972	65.8	62.9-68.7	204	16.9	14.4-19.4	139	10.5	08.5-12.5	99	6.7	05.1-08.3
25-34	116	24,143	51	42.5	32.7-52.3	37	32.1	22.9-41.3	21	19.5	11.7-27.3	7	6.0	01.3-10.7
35-44	206	28,406	117	55.7	48.4-63.0	45	21.0	15.1-26.9	28	15.1	09.6-20.6	16	8.1	04.0-12.2
45-54	393	40,524	247	63.5	58.2-68.8	61	16.5	12.2-20.8	44	10.8	07.5-14.1	41	9.1	06.2-12.0
55-64	360	31,996	264	74.3	69.4-79.2	38	10.3	06.8-13.8	32	7.2	04.5-09.9	26	8.2	05.1-11.3
65+	401	36,702	342	86.7	83.2-90.2	31	7.5	04.6-10.4	17	3.5	01.7-05.3	11	2.3	00.9-03.7
Less Than H.S.	140	12,793	105	73.4	63.8-83.0	19	13.1	06.8-19.4	12	11.3	02.9-19.7	4	2.2	00.0-05.1
H.S. or G.E.D.	421	48,179	303	68.8	63.1-74.5	46	13.6	09.1-18.1	32	8.4	05.1-11.7	40	9.2	06.1-12.3
Some Post-H.S.	445	50,014	293	62.5	57.0-68.0	71	18.2	13.7-22.7	43	11.4	07.3-15.5	38	7.9	04.8-11.0
College Graduate	511	62,301	342	63.2	58.3-68.1	82	19.2	14.9-23.5	62	12.6	09.3-15.9	25	5.1	02.9-07.3
Less than \$15,000	93	7,897				11	10.7	03.4-18.0				8	8.0	01.1-14.9
\$15,000- 24,999	176	16,923	132	75.9	67.9-83.9	21	12.7	06.2-19.2	11	7.7	02.4-13.0	12	3.7	01.2-06.2
\$25,000- 34,999	174	18,913	123	69.4	60.4-78.4	16	13.6	06.2-21.0	17	8.6	04.1-13.1	18	8.3	03.4-13.2
\$35,000- 49,999	264	30,995	180	64.5	57.4-71.6	44	18.4	12.3-24.5	31	13.7	08.4-19.0	9	3.4	01.0-05.8
\$50,000- 74,999	279	33,484	188	62.6	56.1-69.1	43	19.5	13.8-25.2	32	12.6	08.1-17.1	16	5.4	02.7-08.1
\$75,000+	398	49,400	260	60.6	54.9-66.3	69	20.1	15.2-25.0	34	10.0	06.1-13.9	35	9.3	06.2-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2408	198,098	1785	72.3	69.9-74.7	301	13.1	11.5-14.7	208	9.4	08.0-10.8	114	5.2	03.8-06.6
Native	166	8,436	116	77.1	67.3-86.9	22	13.9	06.5-21.3	16	6.6	00.7-12.5	12	2.4	00.0-04.9
Non-Native	2228	188,676	1656	72.0	69.6-74.4	279	13.2	11.4-15.0	191	9.5	07.9-11.1	102	5.3	03.9-06.7
25-34	187	24,247	107	57.4	49.8-65.0	37	20.5	14.2-26.8	27	13.7	08.4-19.0	16	8.4	04.3-12.5
35-44	335	31,370	202	58.8	52.9-64.7	53	16.0	11.7-20.3	51	16.8	12.1-21.5	29	8.4	05.1-11.7
45-54	563	42,522	377	68.5	64.2-72.8	98	17.1	13.6-20.6	59	10.4	07.7-13.1	29	4.1	02.3-05.9
55-64	498	33,991	387	78.0	73.9-82.1	49	9.9	06.8-13.0	41	8.5	05.8-11.2	21	3.6	01.8-05.4
65+	766	51,753	673	87.3	84.6-90.0	52	7.0	04.8-09.2	24	3.2	01.8-04.6	17	2.5	01.1-03.9
Less Than H.S.	168	12,036	143	84.6	77.7-91.5	9	4.1	01.2-07.0	10	8.7	02.8-14.6	6	2.6	00.0-05.3
H.S. or G.E.D.	720	58,154	558	73.9	69.4-78.4	77	11.6	08.5-14.7	56	8.9	06.4-11.4	29	5.6	02.3-08.9
Some Post-H.S.	795	64,781	592	74.0	70.3-77.7	95	12.4	09.7-15.1	75	9.7	07.0-12.4	33	4.0	02.4-05.6
College Graduate	722	62,891	489	66.8	62.9-70.7	120	17.2	14.1-20.3	67	9.6	07.1-12.1	46	6.5	04.3-08.7
Less than \$15,000	205	14,362	162	80.5	73.6-87.4	15	6.5	02.8-10.2	19	10.6	04.9-16.3	9	2.3	00.3-04.3
\$15,000- 24,999	384	28,631	293	73.4	66.9-79.9	39	10.1	06.4-13.8	36	10.6	06.7-14.5	16	6.0	00.9-11.1
\$25,000- 34,999	280	21,023	210	74.0	67.1-80.9	31	11.9	06.0-17.8	23	9.1	05.0-13.2	16	5.1	02.4-07.8
\$35,000- 49,999	358	26,879	257	70.2	64.5-75.9	42	12.1	07.8-16.4	39	11.7	07.8-15.6	20	6.0	03.1-08.9
\$50,000- 74,999	391	37,624	269	69.5	64.4-74.6	64	16.0	12.1-19.9	39	9.7	06.4-13.0	19	4.7	02.3-07.1
\$75,000+	386	38,189	270	69.1	64.0-74.2	63	16.0	12.1-19.9	31	8.8	05.7-11.9	22	6.0	03.3-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3933	371,260	1603	37.1	35.3-38.9	2330	62.9	61.1-64.7
Male	1513	172,181	633	37.3	34.6-40.0	880	62.7	60.0-65.4
Female	2420	199,079	970	37.0	34.6-39.4	1450	63.0	60.6-65.4
Non-Native	3647	353,703	1504	37.5	35.7-39.3	2143	62.5	60.7-64.3
18-24	66	22,409	3	7.5	00.0-15.9	63	92.5	84.1-0100
25-34	303	48,261	55	17.7	12.8-22.6	248	82.3	77.4-87.2
35-44	543	59,894	123	23.1	19.2-27.0	420	76.9	73.0-80.8
45-54	953	82,675	373	40.9	37.4-44.4	580	59.1	55.6-62.6
55-64	858	65,860	422	49.1	45.4-52.8	436	50.9	47.2-54.6
65+	1173	89,261	615	52.5	49.4-55.6	558	47.5	44.4-50.6
Less Than H.S.	312	25,215	138	40.7	33.8-47.6	174	59.3	52.4-66.2
H.S. or G.E.D.	1138	105,485	488	38.4	34.9-41.9	650	61.6	58.1-65.1
Some Post-H.S.	1238	114,292	514	38.0	34.9-41.1	724	62.0	58.9-65.1
College Graduate	1242	126,032	461	34.5	31.6-37.4	781	65.5	62.6-68.4
Less than \$15,000	301	22,465	137	40.9	33.1-48.7	164	59.1	51.3-66.9
\$15,000- 24,999	559	45,238	243	38.5	33.4-43.6	316	61.5	56.4-66.6
\$25,000- 34,999	453	39,790	194	42.5	36.6-48.4	259	57.5	51.6-63.4
\$35,000- 49,999	618	57,405	248	35.8	31.5-40.1	370	64.2	59.9-68.5
\$50,000- 74,999	669	70,917	277	38.6	34.5-42.7	392	61.4	57.3-65.5
\$75,000+	787	87,958	275	31.7	28.2-35.2	512	68.3	64.8-71.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1513	172,181	633	37.3	34.6-40.0	880	62.7	60.0-65.4
Non-Native	1408	164,056	596	37.7	34.8-40.6	812	62.3	59.4-65.2
25-34	116	24,143	23	16.4	09.1-23.7	93	83.6	76.3-90.9
35-44	205	28,255	59	27.0	20.5-33.5	146	73.0	66.5-79.5
45-54	390	40,132	165	43.4	37.9-48.9	225	56.6	51.1-62.1
55-64	361	32,001	185	50.1	44.2-56.0	176	49.9	44.0-55.8
65+	400	36,770	197	49.4	44.1-54.7	203	50.6	45.3-55.9
Less Than H.S.	141	12,898	60	39.8	30.0-49.6	81	60.2	50.4-70.0
H.S. or G.E.D.	417	47,257	177	38.5	32.8-44.2	240	61.5	55.8-67.2
Some Post-H.S.	441	49,357	181	36.0	30.9-41.1	260	64.0	58.9-69.1
College Graduate	514	62,668	215	37.0	32.3-41.7	299	63.0	58.3-67.7
\$15,000- 24,999	174	16,653	76	38.5	29.5-47.5	98	61.5	52.5-70.5
\$25,000- 34,999	170	18,531	80	45.0	35.2-54.8	90	55.0	45.2-64.8
\$35,000- 49,999	258	30,430	100	32.0	25.7-38.3	158	68.0	61.7-74.3
\$50,000- 74,999	279	33,413	140	46.2	39.7-52.7	139	53.8	47.3-60.3
\$75,000+	400	49,661	151	33.1	28.0-38.2	249	66.9	61.8-72.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 7: CHOLESTEROL AWARENESS**

**TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2420	199,079	970	37.0	34.6-39.4	1450	63.0	60.6-65.4
Native	167	8,447	54	24.0	14.2-33.8	113	76.0	66.2-85.8
Non-Native	2239	189,647	908	37.4	35.0-39.8	1331	62.6	60.2-65.0
25-34	187	24,118	32	18.9	12.4-25.4	155	81.1	74.6-87.6
35-44	338	31,640	64	19.5	14.8-24.2	274	80.5	75.8-85.2
45-54	563	42,543	208	38.5	34.0-43.0	355	61.5	57.0-66.0
55-64	497	33,860	237	48.2	43.3-53.1	260	51.8	46.9-56.7
65+	773	52,491	418	54.7	50.8-58.6	355	45.3	41.4-49.2
Less Than H.S.	171	12,316	78	41.7	32.3-51.1	93	58.3	48.9-67.7
H.S. or G.E.D.	721	58,228	311	38.4	33.9-42.9	410	61.6	57.1-66.1
Some Post-H.S.	797	64,934	333	39.5	35.4-43.6	464	60.5	56.4-64.6
College Graduate	728	63,364	246	32.1	28.2-36.0	482	67.9	64.0-71.8
Less than \$15,000	207	14,557	100	43.4	33.6-53.2	107	56.6	46.8-66.4
\$15,000- 24,999	385	28,585	167	38.5	32.4-44.6	218	61.5	55.4-67.6
\$25,000- 34,999	283	21,259	114	40.4	33.3-47.5	169	59.6	52.5-66.7
\$35,000- 49,999	360	26,975	148	40.1	34.2-46.0	212	59.9	54.0-65.8
\$50,000- 74,999	390	37,504	137	31.9	26.8-37.0	253	68.1	63.0-73.2
\$75,000+	387	38,297	124	29.8	24.9-34.7	263	70.2	65.3-75.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	55
2	MALES ONLY	56
3	FEMALES ONLY	57
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	58
5	MALES ONLY	59
6	FEMALES ONLY	60
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	61
8	MALES ONLY	62
9	FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4722	500,342	243	3.9	03.3-04.5	4479	96.1	95.5-96.7	
Male	1921	247,706	142	5.2	04.2-06.2	1779	94.8	93.8-95.8	
Female	2801	252,636	101	2.6	02.0-03.2	2700	97.4	96.8-98.0	
Native	352	22,845	16	2.8	01.0-04.6	336	97.2	95.4-99.0	
Non-Native	4327	473,475	218	3.9	03.3-04.5	4109	96.1	95.5-96.7	
18-24	191	74,726				191	100.0	0100-0100	
25-34	514	84,584				514	100.0	0100-0100	
35-44	721	78,815	3	0.4	00.0-00.8	718	99.6	99.2-0100	
45-54	1086	94,059	21	2.0	01.0-03.0	1065	98.0	97.0-99.0	
55-64	925	70,946	61	6.3	04.5-08.1	864	93.7	91.9-95.5	
65+	1241	93,867	157	13.7	11.5-15.9	1084	86.3	84.1-88.5	
Less Than H.S.	376	36,351	42	9.3	06.0-12.6	334	90.7	87.4-94.0	
H.S. or G.E.D.	1414	147,012	91	4.9	03.7-06.1	1323	95.1	93.9-96.3	
Some Post-H.S.	1511	163,360	63	3.0	02.2-03.8	1448	97.0	96.2-97.8	
College Graduate	1417	153,336	47	2.7	01.9-03.5	1370	97.3	96.5-98.1	
Less than \$15,000	387	36,134	37	6.9	04.2-09.6	350	93.1	90.4-95.8	
\$15,000- 24,999	694	63,394	56	7.5	05.3-09.7	638	92.5	90.3-94.7	
\$25,000- 34,999	574	57,691	32	5.2	03.2-07.2	542	94.8	92.8-96.8	
\$35,000- 49,999	738	73,865	33	3.8	02.4-05.2	705	96.2	94.8-97.6	
\$50,000- 74,999	788	92,661	21	2.2	01.2-03.2	767	97.8	96.8-98.8	
\$75,000+	895	109,220	16	1.3	00.5-02.1	879	98.7	97.9-99.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1921	247,706	142	5.2	04.2-06.2	1779	94.8	93.8-95.8
Native	125	10,526	6	3.5	00.2-06.8	119	96.5	93.2-99.8
Non-Native	1771	234,486	130	5.2	04.2-06.2	1641	94.8	93.8-95.8
18-24	94	39,398				94	100.0	0100-0100
25-34	210	44,546				210	100.0	0100-0100
35-44	300	40,003	3	0.8	00.0-01.8	297	99.2	98.2-0100
45-54	471	47,589	13	3.1	01.3-04.9	458	96.9	95.1-98.7
55-64	404	35,820	41	9.4	06.3-12.5	363	90.6	87.5-93.7
65+	425	38,837	84	20.2	16.1-24.3	341	79.8	75.7-83.9
Less Than H.S.	175	19,415	23	11.8	06.5-17.1	152	88.2	82.9-93.5
H.S. or G.E.D.	572	74,350	51	6.4	04.4-08.4	521	93.6	91.6-95.6
Some Post-H.S.	582	77,643	32	3.6	02.2-05.0	550	96.4	95.0-97.8
College Graduate	591	76,250	36	4.2	02.6-05.8	555	95.8	94.2-97.4
Less than \$15,000	128	14,452	14	7.2	02.3-12.1	114	92.8	87.9-97.7
\$15,000- 24,999	232	24,846	32	12.2	07.7-16.7	200	87.8	83.3-92.3
\$25,000- 34,999	243	29,720	24	8.4	04.9-11.9	219	91.6	88.1-95.1
\$35,000- 49,999	326	40,114	25	5.7	03.3-08.1	301	94.3	91.9-96.7
\$50,000- 74,999	350	48,519	19	4.0	02.0-06.0	331	96.0	94.0-98.0
\$75,000+	464	63,618	12	1.7	00.7-02.7	452	98.3	97.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2801	252,636	101	2.6	02.0-03.2	2700	97.4	96.8-98.0
Native	227	12,319	10	2.2	00.4-04.0	217	97.8	96.0-99.6
Non-Native	2556	238,989	88	2.6	02.0-03.2	2468	97.4	96.8-98.0
18-24	97	35,328				97	100.0	0100-0100
25-34	304	40,038				304	100.0	0100-0100
35-44	421	38,812				421	100.0	0100-0100
45-54	615	46,469	8	1.0	00.2-01.8	607	99.0	98.2-99.8
55-64	521	35,126	20	3.3	01.7-04.9	501	96.7	95.1-98.3
65+	816	55,030	73	9.1	06.9-11.3	743	90.9	88.7-93.1
Less Than H.S.	201	16,936	19	6.5	03.2-09.8	182	93.5	90.2-96.8
H.S. or G.E.D.	842	72,661	40	3.3	02.1-04.5	802	96.7	95.5-97.9
Some Post-H.S.	929	85,717	31	2.5	01.5-03.5	898	97.5	96.5-98.5
College Graduate	826	77,086	11	1.2	00.4-02.0	815	98.8	98.0-99.6
Less than \$15,000	259	21,682	23	6.8	03.7-09.9	236	93.2	90.1-96.3
\$15,000- 24,999	462	38,548	24	4.5	02.5-06.5	438	95.5	93.5-97.5
\$25,000- 34,999	331	27,972	8	1.9	00.5-03.3	323	98.1	96.7-99.5
\$35,000- 49,999	412	33,751	8	1.4	00.4-02.4	404	98.6	97.6-99.6
\$50,000- 74,999	438	44,142	2	0.3	00.0-00.7	436	99.7	99.3-0100
\$75,000+	431	45,602	4	0.9	00.0-01.9	427	99.1	98.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 4: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4693	497,874	247	4.1	03.5-04.7	4446	95.9	95.3-96.5
Male	1911	246,870	139	5.2	04.2-06.2	1772	94.8	93.8-95.8
Female	2782	251,004	108	2.9	02.3-03.5	2674	97.1	96.5-97.7
Native	350	22,705	14	1.9	00.5-03.3	336	98.1	96.7-99.5
Non-Native	4298	470,982	225	4.1	03.5-04.7	4073	95.9	95.3-96.5
18-24	191	74,726				191	100.0	0100-0100
25-34	513	84,552	2	0.2	00.0-00.6	511	99.8	99.4-0100
35-44	719	78,723	2	0.2	00.0-00.4	717	99.8	99.6-0100
45-54	1087	94,053	22	2.2	01.0-03.4	1065	97.8	96.6-99.0
55-64	916	70,010	67	7.0	05.0-09.0	849	93.0	91.0-95.0
65+	1224	92,519	153	13.9	11.7-16.1	1071	86.1	83.9-88.3
Less Than H.S.	374	36,184	33	7.6	04.7-10.5	341	92.4	89.5-95.3
H.S. or G.E.D.	1402	145,928	79	4.6	03.4-05.8	1323	95.4	94.2-96.6
Some Post-H.S.	1498	162,492	69	3.3	02.3-04.3	1429	96.7	95.7-97.7
College Graduate	1416	153,051	66	3.5	02.5-04.5	1350	96.5	95.5-97.5
Less than \$15,000	382	35,789	38	5.9	03.5-08.3	344	94.1	91.7-96.5
\$15,000- 24,999	685	62,761	50	7.1	04.9-09.3	635	92.9	90.7-95.1
\$25,000- 34,999	571	57,419	37	5.3	03.3-07.3	534	94.7	92.7-96.7
\$35,000- 49,999	737	73,844	37	4.3	02.7-05.9	700	95.7	94.1-97.3
\$50,000- 74,999	785	92,299	23	2.1	01.1-03.1	762	97.9	96.9-98.9
\$75,000+	893	108,885	24	2.3	01.3-03.3	869	97.7	96.7-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 5: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1911	246,870	139	5.2	04.2-06.2	1772	94.8	93.8-95.8
Native	124	10,430	6	1.4	00.0-03.0	118	98.6	97.0-0100
Non-Native	1760	233,581	130	5.4	04.4-06.4	1630	94.6	93.6-95.6
18-24	94	39,398				94	100.0	0100-0100
25-34	210	44,546				210	100.0	0100-0100
35-44	299	39,927				299	100.0	0100-0100
45-54	472	47,626	13	3.1	01.1-05.1	459	96.9	94.9-98.9
55-64	397	35,053	41	9.4	06.1-12.7	356	90.6	87.3-93.9
65+	423	38,863	84	20.9	16.6-25.2	339	79.1	74.8-83.4
Less Than H.S.	179	19,814	21	9.6	04.9-14.3	158	90.4	85.7-95.1
H.S. or G.E.D.	566	73,863	44	5.9	03.9-07.9	522	94.1	92.1-96.1
Some Post-H.S.	577	77,304	29	3.7	02.1-05.3	548	96.3	94.7-97.9
College Graduate	588	75,842	45	5.0	03.4-06.6	543	95.0	93.4-96.6
Less than \$15,000	126	14,316	10	3.5	00.4-06.6	116	96.5	93.4-99.6
\$15,000- 24,999	229	24,711	28	11.2	06.5-15.9	201	88.8	84.1-93.5
\$25,000- 34,999	241	29,544	21	7.0	03.9-10.1	220	93.0	89.9-96.1
\$35,000- 49,999	326	40,172	29	6.8	04.1-09.5	297	93.2	90.5-95.9
\$50,000- 74,999	346	48,113	16	3.2	01.6-04.8	330	96.8	95.2-98.4
\$75,000+	463	63,439	17	2.9	01.3-04.5	446	97.1	95.5-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 6: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2782	251,004	108	2.9	02.3-03.5	2674	97.1	96.5-97.7
Native	226	12,275	8	2.4	00.0-04.8	218	97.6	95.2-0100
Non-Native	2538	237,401	95	2.8	02.2-03.4	2443	97.2	96.6-97.8
18-24	97	35,328				97	100.0	0100-0100
25-34	303	40,006	2	0.5	00.0-01.3	301	99.5	98.7-0100
35-44	420	38,796	2	0.3	00.0-00.7	418	99.7	99.3-0100
45-54	615	46,427	9	1.2	00.2-02.2	606	98.8	97.8-99.8
55-64	519	34,957	26	4.6	02.6-06.6	493	95.4	93.4-97.4
65+	801	53,656	69	8.9	06.7-11.1	732	91.1	88.9-93.3
Less Than H.S.	195	16,370	12	5.1	02.0-08.2	183	94.9	91.8-98.0
H.S. or G.E.D.	836	72,065	35	3.2	02.0-04.4	801	96.8	95.6-98.0
Some Post-H.S.	921	85,188	40	3.0	02.0-04.0	881	97.0	96.0-98.0
College Graduate	828	77,209	21	2.0	01.0-03.0	807	98.0	97.0-99.0
Less than \$15,000	256	21,473	28	7.4	04.3-10.5	228	92.6	89.5-95.7
\$15,000- 24,999	456	38,050	22	4.4	02.4-06.4	434	95.6	93.6-97.6
\$25,000- 34,999	330	27,876	16	3.5	01.5-05.5	314	96.5	94.5-98.5
\$35,000- 49,999	411	33,672	8	1.3	00.3-02.3	403	98.7	97.7-99.7
\$50,000- 74,999	439	44,186	7	0.9	00.1-01.7	432	99.1	98.3-99.9
\$75,000+	430	45,446	7	1.4	00.2-02.6	423	98.6	97.4-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 7: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	501,436	149	2.3	01.9-02.7	4591	97.7	97.3-98.1
Male	1929	248,253	57	2.0	01.4-02.6	1872	98.0	97.4-98.6
Female	2811	253,183	92	2.5	01.9-03.1	2719	97.5	96.9-98.1
Native	354	23,046	13	2.0	00.2-03.8	341	98.0	96.2-99.8
Non-Native	4341	474,204	130	2.2	01.8-02.6	4211	97.8	97.4-98.2
18-24	191	74,726				191	100.0	0100-0100
25-34	514	84,584	3	0.5	00.0-01.1	511	99.5	98.9-0100
35-44	722	78,966	4	0.4	00.0-00.8	718	99.6	99.2-0100
45-54	1089	94,254	22	2.0	01.0-03.0	1067	98.0	97.0-99.0
55-64	926	70,887	28	2.9	01.7-04.1	898	97.1	95.9-98.3
65+	1254	94,674	91	7.1	05.5-08.7	1163	92.9	91.3-94.5
Less Than H.S.	384	37,047	29	5.5	03.3-07.7	355	94.5	92.3-96.7
H.S. or G.E.D.	1424	147,575	57	2.9	02.1-03.7	1367	97.1	96.3-97.9
Some Post-H.S.	1511	163,343	40	2.0	01.2-02.8	1471	98.0	97.2-98.8
College Graduate	1417	153,189	23	1.2	00.6-01.8	1394	98.8	98.2-99.4
Less than \$15,000	392	36,376	31	4.9	02.7-07.1	361	95.1	92.9-97.3
\$15,000- 24,999	697	63,639	36	4.1	02.5-05.7	661	95.9	94.3-97.5
\$25,000- 34,999	577	57,855	16	2.6	01.2-04.0	561	97.4	96.0-98.8
\$35,000- 49,999	740	74,025	16	1.9	00.9-02.9	724	98.1	97.1-99.1
\$50,000- 74,999	789	92,723	11	1.1	00.5-01.7	778	98.9	98.3-99.5
\$75,000+	897	109,321	8	0.7	00.1-01.3	889	99.3	98.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 8: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1929	248,253	57	2.0	01.4-02.6	1872	98.0	97.4-98.6
Native	126	10,535	4	2.0	00.0-04.5	122	98.0	95.5-0100
Non-Native	1776	234,859	50	1.9	01.3-02.5	1726	98.1	97.5-98.7
18-24	94	39,398				94	100.0	0100-0100
25-34	210	44,546				210	100.0	0100-0100
35-44	301	40,154	1	0.2	00.0-00.6	300	99.8	99.4-0100
45-54	471	47,486	9	2.1	00.7-03.5	462	97.9	96.5-99.3
55-64	403	35,710	12	2.3	00.7-03.9	391	97.7	96.1-99.3
65+	433	39,446	34	7.8	05.1-10.5	399	92.2	89.5-94.9
Less Than H.S.	179	19,726	10	4.1	01.4-06.8	169	95.9	93.2-98.6
H.S. or G.E.D.	577	74,774	18	2.0	00.8-03.2	559	98.0	96.8-99.2
Some Post-H.S.	583	77,690	19	2.2	01.0-03.4	564	97.8	96.6-99.0
College Graduate	589	76,015	10	1.3	00.5-02.1	579	98.7	97.9-99.5
Less than \$15,000	127	14,266	11	5.6	01.7-09.5	116	94.4	90.5-98.3
\$15,000- 24,999	233	24,986	10	3.0	00.8-05.2	223	97.0	94.8-99.2
\$25,000- 34,999	246	29,941	8	3.0	00.8-05.2	238	97.0	94.8-99.2
\$35,000- 49,999	328	40,274	8	2.0	00.6-03.4	320	98.0	96.6-99.4
\$50,000- 74,999	350	48,537	8	1.4	00.4-02.4	342	98.6	97.6-99.6
\$75,000+	465	63,712	5	0.7	00.0-01.5	460	99.3	98.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 9: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2811	253,183	92	2.5	01.9-03.1	2719	97.5	96.9-98.1
Native	228	12,511	9	2.1	00.0-04.5	219	97.9	95.5-0100
Non-Native	2565	239,345	80	2.5	01.9-03.1	2485	97.5	96.9-98.1
18-24	97	35,328				97	100.0	0100-0100
25-34	304	40,038	3	1.0	00.0-02.2	301	99.0	97.8-0100
35-44	421	38,812	3	0.6	00.0-01.2	418	99.4	98.8-0100
45-54	618	46,768	13	2.0	00.6-03.4	605	98.0	96.6-99.4
55-64	523	35,176	16	3.5	01.7-05.3	507	96.5	94.7-98.3
65+	821	55,228	57	6.6	04.8-08.4	764	93.4	91.6-95.2
Less Than H.S.	205	17,321	19	7.1	03.6-10.6	186	92.9	89.4-96.4
H.S. or G.E.D.	847	72,800	39	3.8	02.4-05.2	808	96.2	94.8-97.6
Some Post-H.S.	928	85,652	21	1.8	01.0-02.6	907	98.2	97.4-99.0
College Graduate	828	77,174	13	1.1	00.5-01.7	815	98.9	98.3-99.5
Less than \$15,000	265	22,110	20	4.4	02.2-06.6	245	95.6	93.4-97.8
\$15,000- 24,999	464	38,653	26	4.8	02.6-07.0	438	95.2	93.0-97.4
\$25,000- 34,999	331	27,915	8	2.2	00.4-04.0	323	97.8	96.0-99.6
\$35,000- 49,999	412	33,751	8	1.7	00.3-03.1	404	98.3	96.9-99.7
\$50,000- 74,999	439	44,186	3	0.6	00.0-01.4	436	99.4	98.6-0100
\$75,000+	432	45,609	3	0.7	00.0-01.5	429	99.3	98.5-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 9: ASTHMA CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	65
2	MALES ONLY	66
3	FEMALES ONLY	67
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	68
5	MALES ONLY	69
6	FEMALES ONLY	70



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4738	501,364	524	11.2	10.0-12.4	4214	88.8	87.6-90.0
Male	1931	248,648	170	9.4	07.6-11.2	1761	90.6	88.8-92.4
Female	2807	252,716	354	12.9	11.1-14.7	2453	87.1	85.3-88.9
Native	353	23,041	52	7.9	03.6-12.2	301	92.1	87.8-96.4
Non-Native	4340	474,136	468	11.4	10.0-12.8	3872	88.6	87.2-90.0
18-24	191	74,726	25	12.7	07.0-18.4	166	87.3	81.6-93.0
25-34	513	84,444	73	14.2	10.9-17.5	440	85.8	82.5-89.1
35-44	721	78,751	69	9.5	07.1-11.9	652	90.5	88.1-92.9
45-54	1088	94,131	120	10.6	08.6-12.6	968	89.4	87.4-91.4
55-64	924	70,893	100	10.2	08.0-12.4	824	89.8	87.6-92.0
65+	1257	95,073	134	10.3	08.3-12.3	1123	89.7	87.7-91.7
Less Than H.S.	384	37,150	51	11.3	07.6-15.0	333	88.7	85.0-92.4
H.S. or G.E.D.	1422	147,405	157	10.9	08.5-13.3	1265	89.1	86.7-91.5
Some Post-H.S.	1509	163,294	180	12.8	10.3-15.3	1329	87.2	84.7-89.7
College Graduate	1419	153,232	136	9.7	07.7-11.7	1283	90.3	88.3-92.3
Less than \$15,000	393	36,399	76	17.5	11.4-23.6	317	82.5	76.4-88.6
\$15,000- 24,999	692	63,476	102	15.1	11.6-18.6	590	84.9	81.4-88.4
\$25,000- 34,999	577	57,876	51	10.0	06.1-13.9	526	90.0	86.1-93.9
\$35,000- 49,999	738	73,880	81	11.6	08.7-14.5	657	88.4	85.5-91.3
\$50,000- 74,999	789	92,705	81	11.6	08.7-14.5	708	88.4	85.5-91.3
\$75,000+	896	109,106	82	9.2	06.7-11.7	814	90.8	88.3-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1931	248,648	170	9.4	07.6-11.2	1761	90.6	88.8-92.4
Native	126	10,535	13	3.1	00.4-05.8	113	96.9	94.2-99.6
Non-Native	1778	235,254	155	9.8	08.0-11.6	1623	90.2	88.4-92.0
18-24	94	39,398	12	10.3	03.2-17.4	82	89.7	82.6-96.8
25-34	210	44,546	24	12.0	07.3-16.7	186	88.0	83.3-92.7
35-44	301	40,154	27	9.7	06.0-13.4	274	90.3	86.6-94.0
45-54	472	47,598	35	8.0	05.1-10.9	437	92.0	89.1-94.9
55-64	403	35,765	34	7.8	04.9-10.7	369	92.2	89.3-95.1
65+	434	39,674	38	8.7	05.8-11.6	396	91.3	88.4-94.2
Less Than H.S.	179	19,828	30	14.3	08.4-20.2	149	85.7	79.8-91.6
H.S. or G.E.D.	577	74,888	47	8.4	05.3-11.5	530	91.6	88.5-94.7
Some Post-H.S.	583	77,690	61	12.8	08.9-16.7	522	87.2	83.3-91.1
College Graduate	591	76,194	32	5.7	03.5-07.9	559	94.3	92.1-96.5
Less than \$15,000	130	14,546	27	14.4	07.3-21.5	103	85.6	78.5-92.7
\$15,000- 24,999	231	24,923	27	11.0	06.5-15.5	204	89.0	84.5-93.5
\$25,000- 34,999	246	29,941	17	11.1	04.4-17.8	229	88.9	82.2-95.6
\$35,000- 49,999	328	40,274	33	12.4	07.9-16.9	295	87.6	83.1-92.1
\$50,000- 74,999	350	48,519	27	9.9	05.8-14.0	323	90.1	86.0-94.2
\$75,000+	465	63,712	29	6.7	03.6-09.8	436	93.3	90.2-96.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	252,716	354	12.9	11.1-14.7	2453	87.1	85.3-88.9
Native	227	12,506	39	12.0	04.7-19.3	188	88.0	80.7-95.3
Non-Native	2562	238,882	313	13.0	11.2-14.8	2249	87.0	85.2-88.8
18-24	97	35,328	13	15.4	06.6-24.2	84	84.6	75.8-93.4
25-34	303	39,898	49	16.6	11.9-21.3	254	83.4	78.7-88.1
35-44	420	38,597	42	9.3	06.2-12.4	378	90.7	87.6-93.8
45-54	616	46,533	85	13.2	10.3-16.1	531	86.8	83.9-89.7
55-64	521	35,128	66	12.6	09.5-15.7	455	87.4	84.3-90.5
65+	823	55,399	96	11.4	09.0-13.8	727	88.6	86.2-91.0
Less Than H.S.	205	17,321	21	8.0	03.7-12.3	184	92.0	87.7-96.3
H.S. or G.E.D.	845	72,517	110	13.5	10.2-16.8	735	86.5	83.2-89.8
Some Post-H.S.	926	85,604	119	12.8	09.7-15.9	807	87.2	84.1-90.3
College Graduate	828	77,038	104	13.7	10.4-17.0	724	86.3	83.0-89.6
Less than \$15,000	263	21,853	49	19.5	10.9-28.1	214	80.5	71.9-89.1
\$15,000- 24,999	461	38,553	75	17.7	12.6-22.8	386	82.3	77.2-87.4
\$25,000- 34,999	331	27,936	34	8.8	05.5-12.1	297	91.2	87.9-94.5
\$35,000- 49,999	410	33,606	48	10.7	07.4-14.0	362	89.3	86.0-92.6
\$50,000- 74,999	439	44,186	54	13.5	09.4-17.6	385	86.5	82.4-90.6
\$75,000+	431	45,393	53	12.7	08.4-17.0	378	87.3	83.0-91.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	502	53,143	374	72.1	66.4-77.8	128	27.9	22.2-33.6
Male	161	21,765	116	70.7	61.3-80.1	45	29.3	19.9-38.7
Female	341	31,378	258	73.1	66.0-80.2	83	26.9	19.8-34.0
Non-Native	449	51,225	332	72.5	66.8-78.2	117	27.5	21.8-33.2
45-54	116	9,609	91	80.0	71.8-88.2	25	20.0	11.8-28.2
65+	129	9,500	106	84.0	76.7-91.3	23	16.0	08.7-23.3
H.S. or G.E.D.	150	15,484	108	73.6	64.2-83.0	42	26.4	17.0-35.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	161	21,765	116	70.7	61.5-79.9	45	29.3	20.1-38.5
Non-Native	146	21,317	105	70.6	61.2-80.0	41	29.4	20.0-38.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 9: ASTHMA**

**TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	341	31,378	258	73.1	66.0-80.2	83	26.9	19.8-34.0
Non-Native	303	29,908	227	73.8	66.7-80.9	76	26.2	19.1-33.3
45-54	82	5,852	64	79.0	69.0-89.0	18	21.0	11.0-31.0
65+	92	6,128	76	86.3	78.7-93.9	16	13.7	06.1-21.3
H.S. or G.E.D.	104	9,386	78	79.9	71.3-88.5	26	20.1	11.5-28.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 10: IMMUNIZATION CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)	
1	MALES AND FEMALES	72
2	MALES ONLY	73
3	FEMALES ONLY	74
	DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)	
4	MALES AND FEMALES	75
5	MALES ONLY	76
6	FEMALES ONLY	77
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7	MALES AND FEMALES	78
8	MALES ONLY	79
9	FEMALES ONLY	80
	HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE? THE HEPATITIS B VACCINE IS COMPLETED AFTER THE THIRD SHOT IS GIVEN. (HEPBVAC)	
10	MALES AND FEMALES	81
11	MALES ONLY	82
12	FEMALES ONLY	83
	PLEASE TELL ME IF ANY OF THESE STATEMENTS IS TRUE FOR YOU. DO NOT TELL ME WHICH STATEMENT OR STATEMENTS ARE TRUE FOR YOU, JUST IF ANY OF THEM ARE: YOU HAVE HEMOPHILIA AND HAVE RECEIVED CLOTTING FACTOR CONCENTRATE: YOU HAVE HAD SEX WITH A MAN WHO HAS HAD SEX WITH OTHER MEN, EVEN JUST ONE TIME: YOU HAVE TAKEN STREET DRUGS BY NEEDLE, EVEN JUST ONE TIME: YOU TRADED SEX FOR MONEY OR DRUGS, EVEN JUST ONE TIME: YOU HAVE TESTED POSITIVE FOR HIV: YOU HAVE HAD SEX (EVEN JUST ONE TIME) WITH SOMEONE WHO WOULD ANSWER "YES" TO ANY OF THESE STATEMENTS: YOU HAD MORE THAN TWO SEX PARTNERS IN THE PAST YEAR ARE ANY OF THESE STATEMENTS TRUE FOR YOU? (HEPBRSN2)	
13	MALES AND FEMALES	84
14	MALES ONLY	85
15	FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 1: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4736	500,978	2193	40.7	38.9-42.5	2543	59.3	57.5-61.1	
Male	1928	248,221	796	36.3	33.6-39.0	1132	63.7	61.0-66.4	
Female	2808	252,757	1397	45.1	42.7-47.5	1411	54.9	52.5-57.3	
Native	350	22,828	130	30.6	21.8-39.4	220	69.4	60.6-78.2	
Non-Native	4342	474,073	2043	41.2	39.4-43.0	2299	58.8	57.0-60.6	
18-24	190	74,692	42	19.3	13.0-25.6	148	80.7	74.4-87.0	
25-34	512	84,327	162	31.1	26.4-35.8	350	68.9	64.2-73.6	
35-44	720	78,664	222	31.3	27.6-35.0	498	68.7	65.0-72.4	
45-54	1087	94,183	395	37.2	33.9-40.5	692	62.8	59.5-66.1	
55-64	925	70,766	455	47.1	43.4-50.8	470	52.9	49.2-56.6	
65+	1258	95,000	898	72.4	69.7-75.1	360	27.6	24.9-30.3	
Less Than H.S.	384	37,047	206	46.9	39.8-54.0	178	53.1	46.0-60.2	
H.S. or G.E.D.	1426	147,745	631	36.3	33.2-39.4	795	63.7	60.6-66.8	
Some Post-H.S.	1505	162,899	652	37.6	34.5-40.7	853	62.4	59.3-65.5	
College Graduate	1417	153,003	701	46.6	43.5-49.7	716	53.4	50.3-56.5	
Less than \$15,000	394	36,601	184	37.2	29.6-44.8	210	62.8	55.2-70.4	
\$15,000- 24,999	697	63,639	346	43.5	38.6-48.4	351	56.5	51.6-61.4	
\$25,000- 34,999	576	57,676	249	37.7	32.4-43.0	327	62.3	57.0-67.6	
\$35,000- 49,999	739	74,016	323	39.2	35.1-43.3	416	60.8	56.7-64.9	
\$50,000- 74,999	785	92,301	330	39.1	35.0-43.2	455	60.9	56.8-65.0	
\$75,000+	895	109,083	401	39.6	35.9-43.3	494	60.4	56.7-64.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 2: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1928	248,221	796	36.3	33.6-39.0	1132	63.7	61.0-66.4
Non-Native	1778	235,017	748	36.7	34.0-39.4	1030	63.3	60.6-66.0
18-24	93	39,364	16	16.9	08.7-25.1	77	83.1	74.9-91.3
25-34	209	44,500	49	25.0	17.9-32.1	160	75.0	67.9-82.1
35-44	299	39,852	77	28.5	23.0-34.0	222	71.5	66.0-77.0
45-54	474	47,766	156	34.6	29.7-39.5	318	65.4	60.5-70.3
55-64	401	35,546	179	41.5	36.0-47.0	222	58.5	53.0-64.0
65+	435	39,681	312	72.8	68.3-77.3	123	27.2	22.7-31.7
H.S. or G.E.D.	578	74,964	211	29.4	24.7-34.1	367	70.6	65.9-75.3
Some Post-H.S.	580	77,438	210	32.1	27.2-37.0	370	67.9	63.0-72.8
College Graduate	590	76,045	279	43.4	38.7-48.1	311	56.6	51.9-61.3
\$15,000- 24,999	233	24,986	112	43.2	35.2-51.2	121	56.8	48.8-64.8
\$25,000- 34,999	245	29,906	92	33.9	26.3-41.5	153	66.1	58.5-73.7
\$35,000- 49,999	328	40,274	125	32.4	26.7-38.1	203	67.6	61.9-73.3
\$50,000- 74,999	349	48,329	136	34.4	28.5-40.3	213	65.6	59.7-71.5
\$75,000+	464	63,603	192	36.3	31.2-41.4	272	63.7	58.6-68.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 3: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2808	252,757	1397	45.1	42.7-47.5	1411	54.9	52.5-57.3
Non-Native	2564	239,055	1295	45.6	43.1-48.1	1269	54.4	51.9-56.9
18-24	97	35,328	26	22.0	12.8-31.2	71	78.0	68.8-87.2
25-34	303	39,828	113	38.0	32.1-43.9	190	62.0	56.1-67.9
35-44	421	38,812	145	34.2	29.1-39.3	276	65.8	60.7-70.9
45-54	613	46,417	239	39.8	35.5-44.1	374	60.2	55.9-64.5
55-64	524	35,220	276	52.7	47.8-57.6	248	47.3	42.4-52.2
65+	823	55,319	586	72.0	68.7-75.3	237	28.0	24.7-31.3
Less Than H.S.	205	17,321	111	42.0	32.6-51.4	94	58.0	48.6-67.4
H.S. or G.E.D.	848	72,781	420	43.5	39.2-47.8	428	56.5	52.2-60.8
Some Post-H.S.	925	85,462	442	42.7	38.4-47.0	483	57.3	53.0-61.6
College Graduate	827	76,958	422	49.7	45.6-53.8	405	50.3	46.2-54.4
Less than \$15,000	265	22,110	128	33.3	25.7-40.9	137	66.7	59.1-74.3
\$15,000- 24,999	464	38,653	234	43.7	37.4-50.0	230	56.3	50.0-62.6
\$25,000- 34,999	331	27,769	157	41.9	34.6-49.2	174	58.1	50.8-65.4
\$35,000- 49,999	411	33,742	198	47.3	41.6-53.0	213	52.7	47.0-58.4
\$50,000- 74,999	436	43,972	194	44.2	38.5-49.9	242	55.8	50.1-61.5
\$75,000+	431	45,480	209	44.1	38.6-49.6	222	55.9	50.4-61.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.  
(FLUSPRY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	500,263	44	1.0	00.6-01.4	4696	99.0	98.6-99.4
Male	1929	248,405	26	1.4	00.8-02.0	1903	98.6	98.0-99.2
Female	2811	251,858	18	0.5	00.1-00.9	2793	99.5	99.1-99.9
Native	354	23,046				354	100.0	0100-0100
Non-Native	4341	473,031	43	1.0	00.6-01.4	4298	99.0	98.6-99.4
18-24	189	73,444				189	100.0	0100-0100
25-34	514	84,584	10	2.2	00.8-03.6	504	97.8	96.4-99.2
35-44	722	78,966	10	1.5	00.5-02.5	712	98.5	97.5-99.5
45-54	1091	94,422	8	0.6	00.2-01.0	1083	99.4	99.0-99.8
55-64	926	70,898				926	100.0	0100-0100
65+	1254	94,604	15	1.2	00.4-02.0	1239	98.8	98.0-99.6
Less Than H.S.	385	37,157	4	0.8	00.0-01.8	381	99.2	98.2-0100
H.S. or G.E.D.	1423	146,986	8	0.4	00.0-00.8	1415	99.6	99.2-0100
Some Post-H.S.	1510	162,555	9	0.8	00.2-01.4	1501	99.2	98.6-99.8
College Graduate	1418	153,283	23	1.8	01.0-02.6	1395	98.2	97.4-99.0
Less than \$15,000	393	36,061	3	0.7	00.0-01.7	390	99.3	98.3-0100
\$15,000- 24,999	696	63,584	7	0.6	00.2-01.0	689	99.4	99.0-99.8
\$25,000- 34,999	577	57,850	5	0.6	00.0-01.2	572	99.4	98.8-0100
\$35,000- 49,999	738	73,807	9	1.5	00.3-02.7	729	98.5	97.3-99.7
\$50,000- 74,999	788	91,990	6	0.7	00.1-01.3	782	99.3	98.7-99.9
\$75,000+	895	109,115	11	1.5	00.5-02.5	884	98.5	97.5-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.  
(FLUSPRY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1929	248,405	26	1.4	00.8-02.0	1903	98.6	98.0-99.2
Native	126	10,535				126	100.0	0100-0100
Non-Native	1776	235,012	26	1.5	00.9-02.1	1750	98.5	97.9-99.1
18-24	94	39,398				94	100.0	0100-0100
25-34	210	44,546	8	3.5	01.0-06.0	202	96.5	94.0-99.0
35-44	301	40,154	6	2.2	00.4-04.0	295	97.8	96.0-99.6
45-54	473	47,654	5	0.8	00.0-01.6	468	99.2	98.4-0100
55-64	403	35,765				403	100.0	0100-0100
65+	431	39,375	6	1.4	00.2-02.6	425	98.6	97.4-99.8
Less Than H.S.	180	19,836	1	0.7	00.0-02.1	179	99.3	97.9-0100
H.S. or G.E.D.	576	74,803	3	0.4	00.0-00.8	573	99.6	99.2-0100
Some Post-H.S.	583	77,690	8	1.5	00.3-02.7	575	98.5	97.3-99.7
College Graduate	589	76,030	14	2.5	01.1-03.9	575	97.5	96.1-98.9
Less than \$15,000	129	14,499	2	1.4	00.0-03.4	127	98.6	96.6-0100
\$15,000- 24,999	232	24,932	3	0.8	00.0-01.8	229	99.2	98.2-0100
\$25,000- 34,999	245	29,870	2	0.7	00.0-01.7	243	99.3	98.3-0100
\$35,000- 49,999	328	40,274	7	2.5	00.3-04.7	321	97.5	95.3-99.7
\$50,000- 74,999	350	48,537	3	0.7	00.0-01.7	347	99.3	98.3-0100
\$75,000+	463	63,506	8	2.0	00.4-03.6	455	98.0	96.4-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.  
(FLUSPRY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2811	251,858	18	0.5	00.1-00.9	2793	99.5	99.1-99.9
Native	228	12,511				228	100.0	0100-0100
Non-Native	2565	238,020	17	0.6	00.2-01.0	2548	99.4	99.0-99.8
18-24	95	34,046				95	100.0	0100-0100
25-34	304	40,038	2	0.7	00.0-01.7	302	99.3	98.3-0100
35-44	421	38,812	4	0.8	00.0-01.6	417	99.2	98.4-0100
45-54	618	46,768	3	0.5	00.0-01.1	615	99.5	98.9-0100
55-64	523	35,132				523	100.0	0100-0100
65+	823	55,229	9	1.0	00.2-01.8	814	99.0	98.2-99.8
Less Than H.S.	205	17,321	3	1.0	00.0-02.2	202	99.0	97.8-0100
H.S. or G.E.D.	847	72,183	5	0.4	00.0-00.8	842	99.6	99.2-0100
Some Post-H.S.	927	84,865	1	0.1	00.0-00.3	926	99.9	99.7-0100
College Graduate	829	77,253	9	1.1	00.3-01.9	820	98.9	98.1-99.7
Less than \$15,000	264	21,562	1	0.3	00.0-00.9	263	99.7	99.1-0100
\$15,000- 24,999	464	38,653	4	0.4	00.0-00.8	460	99.6	99.2-0100
\$25,000- 34,999	332	27,980	3	0.4	00.0-01.0	329	99.6	99.0-0100
\$35,000- 49,999	410	33,534	2	0.4	00.0-01.0	408	99.6	99.0-0100
\$50,000- 74,999	438	43,453	3	0.5	00.0-01.1	435	99.5	98.9-0100
\$75,000+	432	45,609	3	0.9	00.0-01.9	429	99.1	98.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4315	439,333	1371	26.9	25.3-28.5	2944	73.1	71.5-74.7
Male	1697	210,393	519	27.1	24.4-29.8	1178	72.9	70.2-75.6
Female	2618	228,940	852	26.7	24.7-28.7	1766	73.3	71.3-75.3
Native	322	21,017	96	21.3	12.5-30.1	226	78.7	69.9-87.5
Non-Native	3953	414,590	1266	27.2	25.4-29.0	2687	72.8	71.0-74.6
18-24	147	57,256	24	16.5	09.4-23.6	123	83.5	76.4-90.6
25-34	409	65,688	46	11.5	08.0-15.0	363	88.5	85.0-92.0
35-44	615	66,673	59	9.1	06.6-11.6	556	90.9	88.4-93.4
45-54	1014	88,052	150	13.8	11.4-16.2	864	86.2	83.8-88.6
55-64	879	66,980	235	26.3	23.0-29.6	644	73.7	70.4-77.0
65+	1208	91,450	844	70.5	67.6-73.4	364	29.5	26.6-32.4
Less Than H.S.	367	35,073	175	43.3	36.2-50.4	192	56.7	49.6-63.8
H.S. or G.E.D.	1322	130,625	485	29.6	26.5-32.7	837	70.4	67.3-73.5
Some Post-H.S.	1349	140,714	398	24.3	21.6-27.0	951	75.7	73.0-78.4
College Graduate	1273	132,639	311	22.6	19.9-25.3	962	77.4	74.7-80.1
Less than \$15,000	360	31,360	163	33.1	26.4-39.8	197	66.9	60.2-73.6
\$15,000- 24,999	652	58,014	295	40.8	35.7-45.9	357	59.2	54.1-64.3
\$25,000- 34,999	529	51,688	191	31.5	26.4-36.6	338	68.5	63.4-73.6
\$35,000- 49,999	675	66,124	181	24.5	20.8-28.2	494	75.5	71.8-79.2
\$50,000- 74,999	700	78,370	137	17.1	13.8-20.4	563	82.9	79.6-86.2
\$75,000+	803	93,876	139	16.1	13.0-19.2	664	83.9	80.8-87.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1697	210,393	519	27.1	24.4-29.8	1178	72.9	70.2-75.6
Non-Native	1564	199,074	480	27.5	24.8-30.2	1084	72.5	69.8-75.2
25-34	155	31,912	26	15.6	09.3-21.9	129	84.4	78.1-90.7
35-44	240	32,032	28	11.1	06.8-15.4	212	88.9	84.6-93.2
45-54	426	43,555	61	14.2	10.5-17.9	365	85.8	82.1-89.5
55-64	367	32,686	92	24.4	19.5-29.3	275	75.6	70.7-80.5
65+	420	38,674	291	70.1	65.4-74.8	129	29.9	25.2-34.6
Less Than H.S.	174	18,867	86	46.2	36.2-56.2	88	53.8	43.8-63.8
H.S. or G.E.D.	514	63,470	165	27.1	22.0-32.2	349	72.9	67.8-78.0
Some Post-H.S.	493	63,658	122	22.2	17.7-26.7	371	77.8	73.3-82.3
College Graduate	515	64,351	145	26.4	21.9-30.9	370	73.6	69.1-78.1
\$15,000- 24,999	213	22,185	105	50.0	41.2-58.8	108	50.0	41.2-58.8
\$25,000- 34,999	219	25,924	73	31.2	23.4-39.0	146	68.8	61.0-76.6
\$35,000- 49,999	290	34,895	75	21.6	16.5-26.7	215	78.4	73.3-83.5
\$50,000- 74,999	293	38,148	64	19.3	13.8-24.8	229	80.7	75.2-86.2
\$75,000+	405	53,698	78	18.3	13.6-23.0	327	81.7	77.0-86.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2618	228,940	852	26.7	24.7-28.7	1766	73.3	71.3-75.3
Native	214	12,213	63	21.1	12.7-29.5	151	78.9	70.5-87.3
Non-Native	2389	215,516	786	27.0	25.0-29.0	1603	73.0	71.0-75.0
18-24	74	27,123	8	9.5	02.2-16.8	66	90.5	83.2-97.8
25-34	254	33,776	20	7.5	04.0-11.0	234	92.5	89.0-96.0
35-44	375	34,642	31	7.2	04.3-10.1	344	92.8	89.9-95.7
45-54	588	44,497	89	13.4	10.5-16.3	499	86.6	83.7-89.5
55-64	512	34,294	143	28.0	23.7-32.3	369	72.0	67.7-76.3
65+	788	52,776	553	70.8	67.3-74.3	235	29.2	25.7-32.7
Less Than H.S.	193	16,206	89	39.8	30.2-49.4	104	60.2	50.6-69.8
H.S. or G.E.D.	808	67,155	320	31.9	28.2-35.6	488	68.1	64.4-71.8
Some Post-H.S.	856	77,056	276	26.1	22.6-29.6	580	73.9	70.4-77.4
College Graduate	758	68,288	166	19.0	15.9-22.1	592	81.0	77.9-84.1
Less than \$15,000	248	19,299	112	32.8	25.2-40.4	136	67.2	59.6-74.8
\$15,000- 24,999	439	35,829	190	35.2	29.5-40.9	249	64.8	59.1-70.5
\$25,000- 34,999	310	25,765	118	31.7	25.0-38.4	192	68.3	61.6-75.0
\$35,000- 49,999	385	31,229	106	27.8	22.3-33.3	279	72.2	66.7-77.7
\$50,000- 74,999	407	40,222	73	15.0	11.3-18.7	334	85.0	81.3-88.7
\$75,000+	398	40,179	61	13.1	09.6-16.6	337	86.9	83.4-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 10: HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE? THE HEPATITIS B VACCINE IS COMPLETED AFTER THE THIRD SHOT IS GIVEN. (HEPBVAC)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3961	410,398	1094	34.5	32.3-36.7	2867	65.5	63.3-67.7	
Male	1560	196,704	371	32.4	29.1-35.7	1189	67.6	64.3-70.9	
Female	2401	213,693	723	36.3	33.6-39.0	1678	63.7	61.0-66.4	
Non-Native	3642	388,783	980	34.0	31.8-36.2	2662	66.0	63.8-68.2	
18-24	151	58,597	109	71.1	62.7-79.5	42	28.9	20.5-37.3	
25-34	379	62,360	191	48.3	42.6-54.0	188	51.7	46.0-57.4	
35-44	548	60,693	220	40.0	35.5-44.5	328	60.0	55.5-64.5	
45-54	940	81,222	282	29.4	26.1-32.7	658	70.6	67.3-73.9	
55-64	813	62,684	181	22.2	18.9-25.5	632	77.8	74.5-81.1	
65+	1094	82,080	105	8.5	06.7-10.3	989	91.5	89.7-93.3	
Less Than H.S.	324	30,324	51	24.0	16.0-32.0	273	76.0	68.0-84.0	
H.S. or G.E.D.	1202	120,917	226	26.1	22.2-30.0	976	73.9	70.0-77.8	
Some Post-H.S.	1249	131,934	369	36.5	32.6-40.4	880	63.5	59.6-67.4	
College Graduate	1183	127,025	448	42.8	39.3-46.3	735	57.2	53.7-60.7	
Less than \$15,000	333	30,820	88	36.2	27.0-45.4	245	63.8	54.6-73.0	
\$15,000- 24,999	602	54,734	142	30.2	24.3-36.1	460	69.8	63.9-75.7	
\$25,000- 34,999	494	48,406	129	34.8	28.1-41.5	365	65.2	58.5-71.9	
\$35,000- 49,999	615	61,219	175	32.0	27.3-36.7	440	68.0	63.3-72.7	
\$50,000- 74,999	654	74,268	204	37.9	33.0-42.8	450	62.1	57.2-67.0	
\$75,000+	742	88,562	263	40.3	35.8-44.8	479	59.7	55.2-64.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 11: HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE? THE HEPATITIS B VACCINE IS COMPLETED AFTER THE THIRD SHOT IS GIVEN. (HEPBVAC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1560	196,704	371	32.4	29.1-35.7	1189	67.6	64.3-70.9
Non-Native	1445	186,695	336	32.1	28.8-35.4	1109	67.9	64.6-71.2
25-34	151	31,952	62	40.4	31.6-49.2	89	59.6	50.8-68.4
35-44	220	30,102	80	38.4	31.3-45.5	140	61.6	54.5-68.7
45-54	392	39,586	93	24.7	19.8-29.6	299	75.3	70.4-80.2
55-64	346	31,003	48	15.9	11.4-20.4	298	84.1	79.6-88.6
65+	368	32,849	34	8.9	05.8-12.0	334	91.1	88.0-94.2
H.S. or G.E.D.	471	58,084	81	26.1	19.8-32.4	390	73.9	67.6-80.2
Some Post-H.S.	460	60,702	127	36.7	30.4-43.0	333	63.3	57.0-69.6
College Graduate	478	61,703	143	37.3	31.8-42.8	335	62.7	57.2-68.2
\$15,000- 24,999	196	20,380	30	19.1	10.3-27.9	166	80.9	72.1-89.7
\$35,000- 49,999	264	32,545	62	29.1	22.2-36.0	202	70.9	64.0-77.8
\$50,000- 74,999	278	36,750	67	34.1	26.7-41.5	211	65.9	58.5-73.3
\$75,000+	380	51,153	119	37.8	31.3-44.3	261	62.2	55.7-68.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER RECEIVED THE HEPATITIS B VACCINE? THE HEPATITIS B VACCINE IS COMPLETED AFTER THE THIRD SHOT IS GIVEN. (HEPBVAC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2401	213,693	723	36.3	33.6-39.0	1678	63.7	61.0-66.4	
Non-Native	2197	202,089	644	35.7	33.0-38.4	1553	64.3	61.6-67.0	
25-34	228	30,408	129	56.7	49.6-63.8	99	43.3	36.2-50.4	
35-44	328	30,592	140	41.5	35.6-47.4	188	58.5	52.6-64.4	
45-54	548	41,636	189	33.9	29.6-38.2	359	66.1	61.8-70.4	
55-64	467	31,681	133	28.4	23.7-33.1	334	71.6	66.9-76.3	
65+	726	49,231	71	8.2	06.0-10.4	655	91.8	89.6-94.0	
H.S. or G.E.D.	731	62,833	145	26.2	21.3-31.1	586	73.8	68.9-78.7	
Some Post-H.S.	789	71,232	242	36.3	31.2-41.4	547	63.7	58.6-68.8	
College Graduate	705	65,323	305	47.9	43.2-52.6	400	52.1	47.4-56.8	
\$15,000- 24,999	406	34,354	112	36.9	29.3-44.5	294	63.1	55.5-70.7	
\$25,000- 34,999	286	23,154	78	29.8	21.8-37.8	208	70.2	62.2-78.2	
\$35,000- 49,999	351	28,674	113	35.3	29.0-41.6	238	64.7	58.4-71.0	
\$50,000- 74,999	376	37,518	137	41.6	35.3-47.9	239	58.4	52.1-64.7	
\$75,000+	362	37,409	144	43.7	37.4-50.0	218	56.3	50.0-62.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 13: PLEASE TELL ME IF ANY OF THESE STATEMENTS IS TRUE FOR YOU. DO NOT TELL ME WHICH STATEMENT OR STATEMENTS ARE TRUE FOR YOU, JUST IF ANY OF THEM ARE: YOU HAVE HEMOPHILIA AND HAVE RECEIVED CLOTTING FACTOR CONCENTRATE: YOU HAVE HAD SEX WITH A MAN WHO HAS HAD SEX WITH OTHER MEN, EVEN JUST ONE TIME: YOU HAVE TAKEN STREET DRUGS BY NEEDLE, EVEN JUST ONE TIME: YOU TRADED SEX FOR MONEY OR DRUGS, EVEN JUST ONE TIME: YOU HAVE TESTED POSITIVE FOR HIV: YOU HAVE HAD SEX (EVEN JUST ONE TIME) WITH SOMEONE WHO WOULD ANSWER "YES" TO ANY OF THESE STATEMENTS: YOU HAD MORE THAN TWO SEX PARTNERS IN THE PAST YEAR ARE ANY OF THESE STATEMENTS TRUE FOR YOU? (HEPBRN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4732	500,642	130	4.2	03.2-05.2	4602	95.8	94.8-96.8
Male	1923	247,805	65	4.9	03.1-06.7	1858	95.1	93.3-96.9
Female	2809	252,837	65	3.5	02.1-04.9	2744	96.5	95.1-97.9
Native	354	23,046	23	10.2	02.4-18.0	331	89.8	82.0-97.6
Non-Native	4334	473,522	107	4.0	03.0-05.0	4227	96.0	95.0-97.0
18-24	191	74,726	27	16.5	10.2-22.8	164	83.5	77.2-89.8
25-34	513	84,374	26	3.7	01.9-05.5	487	96.3	94.5-98.1
35-44	722	78,966	32	3.2	02.0-04.4	690	96.8	95.6-98.0
45-54	1088	94,195	26	2.2	01.2-03.2	1062	97.8	96.8-98.8
55-64	925	70,810	12	0.9	00.3-01.5	913	99.1	98.5-99.7
65+	1251	94,393	7	0.4	00.0-00.8	1244	99.6	99.2-0100
Less Than H.S.	381	36,783	9	5.5	00.6-10.4	372	94.5	89.6-99.4
H.S. or G.E.D.	1422	147,336	38	5.0	02.8-07.2	1384	95.0	92.8-97.2
Some Post-H.S.	1507	162,963	50	4.5	02.5-06.5	1457	95.5	93.5-97.5
College Graduate	1418	153,277	33	2.8	01.2-04.4	1385	97.2	95.6-98.8
Less than \$15,000	393	36,515	19	12.0	04.9-19.1	374	88.0	80.9-95.1
\$15,000- 24,999	696	63,498	29	5.5	02.6-08.4	667	94.5	91.6-97.4
\$25,000- 34,999	578	57,920	24	7.1	03.2-11.0	554	92.9	89.0-96.8
\$35,000- 49,999	739	73,937	19	2.9	00.9-04.9	720	97.1	95.1-99.1
\$50,000- 74,999	787	92,573	12	2.5	00.5-04.5	775	97.5	95.5-99.5
\$75,000+	895	109,124	20	3.5	01.3-05.7	875	96.5	94.3-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 14: PLEASE TELL ME IF ANY OF THESE STATEMENTS IS TRUE FOR YOU. DO NOT TELL ME WHICH STATEMENT OR STATEMENTS ARE TRUE FOR YOU, JUST IF ANY OF THEM ARE: YOU HAVE HEMOPHILIA AND HAVE RECEIVED CLOTTING FACTOR CONCENTRATE: YOU HAVE HAD SEX WITH A MAN WHO HAS HAD SEX WITH OTHER MEN, EVEN JUST ONE TIME: YOU HAVE TAKEN STREET DRUGS BY NEEDLE, EVEN JUST ONE TIME: YOU TRADED SEX FOR MONEY OR DRUGS, EVEN JUST ONE TIME: YOU HAVE TESTED POSITIVE FOR HIV: YOU HAVE HAD SEX (EVEN JUST ONE TIME) WITH SOMEONE WHO WOULD ANSWER "YES" TO ANY OF THESE STATEMENTS: YOU HAD MORE THAN TWO SEX PARTNERS IN THE PAST YEAR ARE ANY OF THESE STATEMENTS TRUE FOR YOU? (HEPBRSN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1923	247,805	65	4.9	03.1-06.7	1858	95.1	93.3-96.9	
Non-Native	1771	234,524	55	4.5	02.9-06.1	1716	95.5	93.9-97.1	
18-24	94	39,398	15	19.1	09.9-28.3	79	80.9	71.7-90.1	
25-34	210	44,546	11	3.5	01.0-06.0	199	96.5	94.0-99.0	
35-44	301	40,154	12	2.5	00.9-04.1	289	97.5	95.9-99.1	
45-54	472	47,598	13	2.5	00.9-04.1	459	97.5	95.9-99.1	
55-64	403	35,765	7	1.3	00.3-02.3	396	98.7	97.7-99.7	
65+	428	38,999	7	1.0	00.2-01.8	421	99.0	98.2-99.8	
Less Than H.S.	178	19,554	7	7.2	00.0-14.5	171	92.8	85.5-0100	
H.S. or G.E.D.	575	74,761	24	6.6	02.9-10.3	551	93.4	89.7-97.1	
Some Post-H.S.	580	77,419	18	3.9	01.4-06.4	562	96.1	93.6-98.6	
College Graduate	589	76,024	16	3.7	01.2-06.2	573	96.3	93.8-98.8	
\$15,000- 24,999	232	24,846	11	6.3	01.2-11.4	221	93.7	88.6-98.8	
\$25,000- 34,999	246	29,941	11	7.7	01.4-14.0	235	92.3	86.0-98.6	
\$35,000- 49,999	328	40,274	12	3.2	00.5-05.9	316	96.8	94.1-99.5	
\$50,000- 74,999	348	48,387	8	4.1	00.6-07.6	340	95.9	92.4-99.4	
\$75,000+	464	63,600	16	4.6	01.3-07.9	448	95.4	92.1-98.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 10: IMMUNIZATION**

**TABLE 15: PLEASE TELL ME IF ANY OF THESE STATEMENTS IS TRUE FOR YOU. DO NOT TELL ME WHICH STATEMENT OR STATEMENTS ARE TRUE FOR YOU, JUST IF ANY OF THEM ARE: YOU HAVE HEMOPHILIA AND HAVE RECEIVED CLOTTING FACTOR CONCENTRATE: YOU HAVE HAD SEX WITH A MAN WHO HAS HAD SEX WITH OTHER MEN, EVEN JUST ONE TIME: YOU HAVE TAKEN STREET DRUGS BY NEEDLE, EVEN JUST ONE TIME: YOU TRADED SEX FOR MONEY OR DRUGS, EVEN JUST ONE TIME: YOU HAVE TESTED POSITIVE FOR HIV: YOU HAVE HAD SEX (EVEN JUST ONE TIME) WITH SOMEONE WHO WOULD ANSWER "YES" TO ANY OF THESE STATEMENTS: YOU HAD MORE THAN TWO SEX PARTNERS IN THE PAST YEAR ARE ANY OF THESE STATEMENTS TRUE FOR YOU? (HEPBRSN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2809	252,837	65	3.5	02.1-04.9	2744	96.5	95.1-97.9	
Native	228	12,511	13	5.4	01.5-09.3	215	94.6	90.7-98.5	
Non-Native	2563	238,998	52	3.4	02.0-04.8	2511	96.6	95.2-98.0	
18-24	97	35,328	12	13.6	05.6-21.6	85	86.4	78.4-94.4	
25-34	303	39,828	15	3.9	01.4-06.4	288	96.1	93.6-98.6	
35-44	421	38,812	20	3.9	01.9-05.9	401	96.1	94.1-98.1	
45-54	616	46,597	13	1.9	00.7-03.1	603	98.1	96.9-99.3	
55-64	522	35,045	5	0.5	00.0-01.1	517	99.5	98.9-100.0	
65+	823	55,394				823	100.0	0100-0100	
Less Than H.S.	203	17,230	2	3.6	00.0-09.7	201	96.4	90.3-100.0	
H.S. or G.E.D.	847	72,575	14	3.3	01.1-05.5	833	96.7	94.5-98.9	
Some Post-H.S.	927	85,544	32	5.1	02.4-07.8	895	94.9	92.2-97.6	
College Graduate	829	77,253	17	2.0	00.4-03.6	812	98.0	96.4-99.6	
Less than \$15,000	264	22,024	14	12.8	03.6-22.0	250	87.2	78.0-96.4	
\$15,000- 24,999	464	38,653	18	5.0	01.7-08.3	446	95.0	91.7-98.3	
\$25,000- 34,999	332	27,980	13	6.4	01.5-11.3	319	93.6	88.7-98.5	
\$35,000- 49,999	411	33,663	7	2.7	00.2-05.2	404	97.3	94.8-99.8	
\$50,000- 74,999	439	44,186	4	0.7	00.0-01.5	435	99.3	98.5-100.0	
\$75,000+	431	45,523	4	1.8	00.0-04.2	427	98.2	95.8-100.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 11: TOBACCO USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	88
2	MALES ONLY	89
3	FEMALES ONLY	90
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	91
5	MALES ONLY	92
6	FEMALES ONLY	93
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	94
8	MALES ONLY	95
9	FEMALES ONLY	96

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4742	501,811	2283	46.3	44.3-48.3	2459	53.7	51.7-55.7
Male	1932	248,722	1074	51.7	48.8-54.6	858	48.3	45.4-51.2
Female	2810	253,089	1209	40.9	38.5-43.3	1601	59.1	56.7-61.5
Native	353	23,011	240	72.6	63.4-81.8	113	27.4	18.2-36.6
Non-Native	4345	474,726	2023	45.0	43.0-47.0	2322	55.0	53.0-57.0
18-24	191	74,726	87	41.5	33.5-49.5	104	58.5	50.5-66.5
25-34	513	84,549	215	43.1	38.2-48.0	298	56.9	52.0-61.8
35-44	721	78,858	308	41.2	37.3-45.1	413	58.8	54.9-62.7
45-54	1092	94,534	513	45.1	41.8-48.4	579	54.9	51.6-58.2
55-64	926	70,931	519	56.1	52.4-59.8	407	43.9	40.2-47.6
65+	1256	94,979	621	50.9	47.8-54.0	635	49.1	46.0-52.2
Less Than H.S.	384	37,147	207	55.5	48.4-62.6	177	44.5	37.4-51.6
H.S. or G.E.D.	1428	147,883	831	56.3	52.8-59.8	597	43.7	40.2-47.2
Some Post-H.S.	1506	162,978	751	48.5	45.0-52.0	755	51.5	48.0-55.0
College Graduate	1420	153,520	494	32.1	29.2-35.0	926	67.9	65.0-70.8
Less than \$15,000	394	36,621	234	61.7	54.1-69.3	160	38.3	30.7-45.9
\$15,000- 24,999	695	63,565	393	57.0	51.9-62.1	302	43.0	37.9-48.1
\$25,000- 34,999	577	57,898	302	52.2	46.5-57.9	275	47.8	42.1-53.5
\$35,000- 49,999	739	73,917	369	48.4	44.1-52.7	370	51.6	47.3-55.9
\$50,000- 74,999	789	92,730	342	40.9	36.8-45.0	447	59.1	55.0-63.2
\$75,000+	897	109,321	361	38.1	34.2-42.0	536	61.9	58.0-65.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1932	248,722	1074	51.7	48.8-54.6	858	48.3	45.4-51.2
Non-Native	1781	235,475	977	50.9	48.0-53.8	804	49.1	46.2-52.0
25-34	209	44,511	96	48.0	40.4-55.6	113	52.0	44.4-59.6
35-44	301	40,154	132	43.9	37.8-50.0	169	56.1	50.0-62.2
45-54	474	47,766	235	48.1	43.0-53.2	239	51.9	46.8-57.0
55-64	404	35,820	251	63.6	58.3-68.9	153	36.4	31.1-41.7
65+	434	39,672	314	71.2	66.5-75.9	120	28.8	24.1-33.5
Less Than H.S.	179	19,826	122	67.3	57.9-76.7	57	32.7	23.3-42.1
H.S. or G.E.D.	579	74,999	381	59.1	53.6-64.6	198	40.9	35.4-46.4
Some Post-H.S.	581	77,543	326	54.2	48.7-59.7	255	45.8	40.3-51.3
College Graduate	592	76,306	245	37.9	33.2-42.6	347	62.1	57.4-66.8
\$15,000- 24,999	232	24,977	154	64.8	56.8-72.8	78	35.2	27.2-43.2
\$25,000- 34,999	246	29,941	152	55.0	46.4-63.6	94	45.0	36.4-53.6
\$35,000- 49,999	328	40,274	192	54.8	48.3-61.3	136	45.2	38.7-51.7
\$50,000- 74,999	351	48,631	184	48.6	42.1-55.1	167	51.4	44.9-57.9
\$75,000+	465	63,712	209	42.4	36.9-47.9	256	57.6	52.1-63.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2810	253,089	1209	40.9	38.5-43.3	1601	59.1	56.7-61.5
Native	228	12,511	158	74.3	64.9-83.7	70	25.7	16.3-35.1
Non-Native	2564	239,251	1046	39.3	36.8-41.8	1518	60.7	58.2-63.2
25-34	304	40,038	119	37.7	31.8-43.6	185	62.3	56.4-68.2
35-44	420	38,704	176	38.3	33.2-43.4	244	61.7	56.6-66.8
45-54	618	46,768	278	42.0	37.7-46.3	340	58.0	53.7-62.3
55-64	522	35,111	268	48.4	43.5-53.3	254	51.6	46.7-56.5
65+	822	55,308	307	36.2	32.5-39.9	515	63.8	60.1-67.5
Less Than H.S.	205	17,321	85	42.0	32.2-51.8	120	58.0	48.2-67.8
H.S. or G.E.D.	849	72,884	450	53.4	48.9-57.9	399	46.6	42.1-51.1
Some Post-H.S.	925	85,435	425	43.3	38.8-47.8	500	56.7	52.2-61.2
College Graduate	828	77,213	249	26.4	22.9-29.9	579	73.6	70.1-77.1
Less than \$15,000	265	22,110	157	59.5	49.9-69.1	108	40.5	30.9-50.1
\$15,000- 24,999	463	38,588	239	51.9	45.2-58.6	224	48.1	41.4-54.8
\$25,000- 34,999	331	27,958	150	49.2	41.8-56.6	181	50.8	43.4-58.2
\$35,000- 49,999	411	33,643	177	40.8	35.1-46.5	234	59.2	53.5-64.9
\$50,000- 74,999	438	44,098	158	32.5	27.2-37.8	280	67.5	62.2-72.8
\$75,000+	432	45,609	152	32.1	27.0-37.2	280	67.9	62.8-73.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2281	231,544	713	32.6	29.9-35.3	256	12.7	10.5-14.9	1312	54.7	52.0-57.4
Male	1072	128,033	294	30.1	26.4-33.8	110	12.8	09.9-15.7	668	57.1	53.2-61.0
Female	1209	103,510	419	35.7	31.8-39.6	146	12.5	09.8-15.2	644	51.8	47.9-55.7
Non-Native	2021	213,232	582	31.6	28.9-34.3	209	11.7	09.7-13.7	1230	56.7	53.8-59.6
18-24	86	30,507				15	18.1	08.1-28.1			
25-34	215	36,467	89	38.9	31.3-46.5	47	23.5	16.2-30.8	79	37.7	30.3-45.1
35-44	308	32,474	125	36.2	30.1-42.3	43	12.5	08.4-16.6	140	51.3	45.0-57.6
45-54	512	42,516	195	36.4	31.7-41.1	68	12.5	09.4-15.6	249	51.1	46.2-56.0
55-64	519	39,768	150	26.3	22.0-30.6	51	9.9	07.0-12.8	318	63.8	59.1-68.5
65+	621	48,297	100	13.2	10.5-15.9	31	4.1	02.5-05.7	490	82.7	79.6-85.8
Less Than H.S.	207	20,632				16	8.2	02.5-13.9	119	46.7	37.3-56.1
H.S. or G.E.D.	831	83,221	274	37.0	32.5-41.5	94	11.6	08.5-14.7	463	51.4	46.9-55.9
Some Post-H.S.	749	78,397	261	33.7	29.0-38.4	94	15.5	11.4-19.6	394	50.7	45.8-55.6
College Graduate	494	49,294	106	18.3	14.0-22.6	52	11.7	07.6-15.8	336	70.0	64.7-75.3
Less than \$15,000	234	22,605				35	16.0	07.0-25.0	99	30.4	22.0-38.8
\$15,000- 24,999	393	36,215	152	41.1	34.0-48.2	51	14.1	09.0-19.2	190	44.8	38.1-51.5
\$25,000- 34,999	302	30,245	96	32.7	25.3-40.1	33	12.6	06.7-18.5	173	54.6	46.6-62.6
\$35,000- 49,999	369	35,775	106	30.6	24.7-36.5	31	9.1	05.4-12.8	232	60.2	53.9-66.5
\$50,000- 74,999	342	37,947	86	26.9	21.2-32.6	35	10.7	06.8-14.6	221	62.4	56.1-68.7
\$75,000+	360	41,544	90	22.9	17.6-28.2	47	15.3	10.4-20.2	223	61.8	55.7-67.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1072	128,033	294	30.1	26.4-33.8	110	12.8	09.9-15.7	668	57.1	53.2-61.0
Non-Native	975	119,245	253	29.3	25.6-33.0	96	11.9	09.0-14.8	626	58.8	54.9-62.7
35-44	132	17,632	45	30.6	22.2-39.0	22	14.6	08.5-20.7	65	54.8	45.6-64.0
45-54	234	22,866	82	35.0	28.3-41.7	28	10.9	06.6-15.2	124	54.1	47.0-61.2
55-64	251	22,788	65	23.7	17.8-29.6	20	8.9	04.8-13.0	166	67.4	60.9-73.9
65+	314	28,258	39	10.1	06.6-13.6	9	2.6	00.8-04.4	266	87.3	83.4-91.2
Less Than H.S.	122	13,350				7	6.5	00.0-14.1			
H.S. or G.E.D.	381	44,315	121	35.0	28.7-41.3	39	12.5	07.4-17.6	221	52.5	46.0-59.0
Some Post-H.S.	324	41,437	99	31.4	24.9-37.9	43	17.2	11.1-23.3	182	51.4	44.3-58.5
College Graduate	245	28,931	39	15.9	09.6-22.2	21	10.0	04.9-15.1	185	74.2	66.8-81.6
\$15,000- 24,999	154	16,182				16	12.2	04.8-19.6			
\$25,000- 34,999	152	16,479	38	25.5	16.1-34.9	15	11.0	04.7-17.3			
\$35,000- 49,999	192	22,061	55	33.9	25.5-42.3	16	8.5	03.8-13.2	121	57.6	49.2-66.0
\$50,000- 74,999	184	23,631	45	27.7	19.9-35.5	17	10.8	05.3-16.3	122	61.5	53.1-69.9
\$75,000+	208	26,894	47	22.1	15.0-29.2	26	15.7	08.8-22.6	135	62.2	54.0-70.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1209	103,510	419	35.7	31.8-39.6	146	12.5	09.8-15.2	644	51.8	47.9-55.7
Non-Native	1046	93,988	329	34.6	30.7-38.5	113	11.4	08.7-14.1	604	54.0	49.9-58.1
25-34	119	15,087	51	40.5	30.5-50.5	23	18.5	10.5-26.5	45	41.0	31.0-51.0
35-44	176	14,842	80	43.0	34.6-51.4	21	10.0	04.9-15.1	75	47.0	38.6-55.4
45-54	278	19,650	113	37.9	31.2-44.6	40	14.4	09.5-19.3	125	47.7	41.0-54.4
55-64	268	16,981	85	29.9	23.6-36.2	31	11.2	07.1-15.3	152	59.0	52.1-65.9
65+	307	20,039	61	17.6	12.9-22.3	22	6.2	03.5-08.9	224	76.2	71.1-81.3
Less Than H.S.	85	7,282				9	11.5	02.9-20.1			
H.S. or G.E.D.	450	38,905	153	39.1	32.6-45.6	55	10.7	07.2-14.2	242	50.2	43.9-56.5
Some Post-H.S.	425	36,960	162	36.3	29.6-43.0	51	13.7	08.2-19.2	212	49.9	43.0-56.8
College Graduate	249	20,363	67	21.7	15.8-27.6	31	14.3	07.6-21.0	151	64.0	56.4-71.6
Less than \$15,000	157	13,149				26	14.4	05.2-23.6			
\$15,000- 24,999	239	20,033	98	43.3	33.9-52.7	35	15.7	08.6-22.8	106	41.0	32.2-49.8
\$35,000- 49,999	177	13,714	51	25.4	18.0-32.8	15	10.2	04.1-16.3	111	64.5	56.1-72.9
\$50,000- 74,999	158	14,316	41	25.7	17.9-33.5	18	10.5	05.4-15.6	99	63.8	55.0-72.6
\$75,000+	152	14,650	43	24.2	16.9-31.5	21	14.7	08.2-21.2	88	61.1	52.7-69.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	965	104,659	477	52.8	48.3-57.3	488	47.2	42.7-51.7
Male	403	54,949	192	55.0	48.5-61.5	211	45.0	38.5-51.5
Female	562	49,710	285	50.4	44.3-56.5	277	49.6	43.5-55.7
Non-Native	788	92,141	393	52.5	47.8-57.2	395	47.5	42.8-52.2
35-44	167	15,797	87	51.7	42.9-60.5	80	48.3	39.5-57.1
45-54	262	20,694	105	38.5	31.8-45.2	157	61.5	54.8-68.2
55-64	199	14,304	101	50.5	42.3-58.7	98	49.5	41.3-57.7
65+	131	8,343	65	47.6	37.8-57.4	66	52.4	42.6-62.2
H.S. or G.E.D.	368	40,447	189	51.8	44.7-58.9	179	48.2	41.1-55.3
Some Post-H.S.	354	38,545	173	54.5	47.1-61.9	181	45.5	38.1-52.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	403	54,949	192	55.0	48.5-61.5	211	45.0	38.5-51.5
Non-Native	349	49,106	165	52.8	45.9-59.7	184	47.2	40.3-54.1
45-54	110	10,503	37	35.8	26.0-45.6	73	64.2	54.4-74.0
H.S. or G.E.D.	160	21,071	84	56.6	46.6-66.6	76	43.4	33.4-53.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 11: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	562	49,710	285	50.4	44.3-56.5	277	49.6	43.5-55.7
Non-Native	439	43,035	228	52.0	45.5-58.5	211	48.0	41.5-54.5
45-54	152	10,191	68	41.4	32.2-50.6	84	58.6	49.4-67.8
H.S. or G.E.D.	208	19,376	105	46.7	37.3-56.1	103	53.3	43.9-62.7
Some Post-H.S.	212	18,417	111	58.2	48.2-68.2	101	41.8	31.8-51.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	100
2 MALES ONLY	101
3 FEMALES ONLY	102
ARE YOU HISPANIC OR LATINO? (HISpanic2)	
4 MALES AND FEMALES	103
5 MALES ONLY	104
6 FEMALES ONLY	105
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	106
8 MALES ONLY	107
9 FEMALES ONLY	108
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	109
11 MALES ONLY	110
12 FEMALES ONLY	111
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN1)	
13 MALES AND FEMALES	112
14 MALES ONLY	113
15 FEMALES ONLY	114
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	115
17 MALES ONLY	116
18 FEMALES ONLY	117
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	118
20 MALES ONLY	119
21 FEMALES ONLY	120

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	121
23 MALES ONLY	122
24 FEMALES ONLY	123
ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25 MALES AND FEMALES	124
26 MALES ONLY	125
27 FEMALES ONLY	126
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	127
29 MALES ONLY	128
30 FEMALES ONLY	129
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	130
32 MALES ONLY	131
33 FEMALES ONLY	132
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	133
35 MALES ONLY	134
36 FEMALES ONLY	135
HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)	
37 MALES AND FEMALES	136
38 MALES ONLY	137
39 FEMALES ONLY	138
WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)	
40 MALES AND FEMALES	139
41 MALES ONLY	140
42 FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
43	MALES AND FEMALES	142
44	MALES ONLY	143
45	FEMALES ONLY	144
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
46	MALES AND FEMALES	145
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
47	FEMALES ONLY	146
	HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
52	MALES AND FEMALES	151
53	MALES ONLY	152
54	FEMALES ONLY	153
	DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)	
55	MALES AND FEMALES	154
56	MALES ONLY	155
57	FEMALES ONLY	156
	INDICATE SEX OF RESPONDENT. (SEX)	
58	MALES AND FEMALES	157
59	MALES ONLY	158
60	FEMALES ONLY	159
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61	MALES AND FEMALES	160
62	MALES ONLY	161
63	FEMALES ONLY	162

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 1: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4707	499,008	191	15.0	12.8-17.2	514	17.0	15.4-18.6	722	15.8	14.6-17.0	1092	18.9	17.7-20.1	928	14.2	13.2-15.2	1260	19.1	17.9-20.3
Male	1918	247,365	94	15.9	12.8-19.0	210	18.0	15.6-20.4	301	16.2	14.2-18.2	474	19.3	17.3-21.3	404	14.5	12.9-16.1	435	16.0	14.4-17.6
Female	2789	251,643	97	14.0	11.1-16.9	304	15.9	14.1-17.7	421	15.4	13.8-17.0	618	18.6	17.0-20.2	524	14.0	12.6-15.4	825	22.0	20.4-23.6
Native	353	23,037				60	24.0	15.6-32.4	62	10.5	06.2-14.8	85	15.1	09.6-20.6	57	7.8	04.3-11.3	45	5.6	03.1-08.1
Non-Native	4315	472,321	146	14.0	11.8-16.2	452	16.6	15.0-18.2	656	16.1	14.9-17.3	1004	19.2	18.0-20.4	860	14.5	13.5-15.5	1197	19.5	18.3-20.7
Less Than H.S.	381	36,860	24	22.5	14.1-30.9	15	7.5	02.8-12.2	19	5.2	02.7-07.7	33	6.0	03.5-08.5	67	10.6	07.5-13.7	223	48.2	41.1-55.3
H.S. or G.E.D.	1413	146,759	72	17.8	13.7-21.9	112	13.4	10.9-15.9	148	12.0	09.8-14.2	330	19.6	17.2-22.0	255	13.4	11.6-15.2	496	23.8	21.4-26.2
Some Post-H.S.	1500	162,477	72	18.0	13.9-22.1	167	16.4	13.7-19.1	271	17.3	15.1-19.5	385	20.0	17.8-22.2	274	12.7	10.9-14.5	331	15.7	13.7-17.7
College Graduate	1410	152,713	23	7.2	04.3-10.1	220	23.3	20.4-26.2	284	20.6	18.2-23.0	343	20.3	17.9-22.7	332	17.6	15.4-19.8	208	11.0	09.4-12.6
Less than \$15,000	390	36,360	33	28.0	18.8-37.2	30	16.4	09.0-23.8	37	6.6	03.9-09.3	72	14.2	10.1-18.3	70	9.1	06.2-12.0	148	25.8	20.5-31.1
\$15,000- 24,999	693	63,447	36	18.5	12.4-24.6	66	13.6	09.9-17.3	76	11.0	08.3-13.7	93	10.3	07.8-12.8	114	11.4	08.9-13.9	308	35.2	30.9-39.5
\$25,000- 34,999	576	57,792	29	20.5	13.6-27.4	65	14.4	10.5-18.3	75	11.3	08.4-14.2	114	14.6	11.5-17.7	109	14.3	11.2-17.4	184	25.0	20.9-29.1
\$35,000- 49,999	735	73,561	11	5.3	02.2-08.4	88	21.4	17.3-25.5	134	18.8	15.5-22.1	186	20.6	17.5-23.7	156	16.3	13.6-19.0	160	17.6	14.9-20.3
\$50,000- 74,999	787	92,561	19	10.2	05.7-14.7	116	21.7	18.0-25.4	165	20.9	17.8-24.0	232	23.1	20.0-26.2	170	16.3	13.8-18.8	85	7.7	05.9-09.5
\$75,000+	893	108,929	23	11.3	07.0-15.6	108	17.5	14.4-20.6	192	22.7	19.6-25.8	314	28.6	25.3-31.9	199	15.9	13.5-18.3	57	4.2	03.0-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1918	247,365	94	15.9	12.8-19.0	210	18.0	15.6-20.4	301	16.2	14.2-18.2	474	19.3	17.3-21.3	404	14.5	12.9-16.1	435	16.0	14.4-17.6
Native	126	10,535							22	11.3	03.7-18.9	32	12.7	04.7-20.7	16	3.9	00.6-07.2	13	3.5	00.6-06.4
Non-Native	1768	234,252	73	14.9	11.8-18.0	186	17.7	15.3-20.1	278	16.6	14.6-18.6	441	19.8	17.8-21.8	382	14.9	13.3-16.5	408	16.2	14.4-18.0
Less Than H.S.	178	19,667				9	9.1	01.3-16.9	5	2.4	00.0-04.8	16	5.0	02.1-07.9	36	12.7	07.6-17.8			
H.S. or G.E.D.	573	74,439	38	20.4	14.1-26.7	63	17.3	13.0-21.6	75	13.6	10.3-16.9	151	20.4	16.9-23.9	100	11.5	09.0-14.0	146	16.7	13.6-19.8
Some Post-H.S.	580	77,410	34	19.0	13.1-24.9	64	18.2	13.7-22.7	119	18.8	15.3-22.3	172	21.6	18.1-25.1	109	12.6	10.1-15.1	82	9.8	07.4-12.2
College Graduate	586	75,802	10	7.1	02.8-11.4	74	20.8	16.3-25.3	102	19.7	16.0-23.4	135	19.6	16.1-23.1	159	19.9	16.6-23.2	106	13.0	10.5-15.5
Less than \$15,000	128	14,378							10	3.6	00.7-06.5	32	17.2	09.6-24.8	29	10.1	05.0-15.2	35	19.3	11.5-27.1
\$15,000- 24,999	233	24,986	14	15.3	06.5-24.1	21	14.8	08.1-21.5	26	11.1	06.6-15.6	31	10.7	06.2-15.2	38	11.3	07.2-15.4	103	36.8	29.5-44.1
\$25,000- 34,999	246	29,941	18	23.0	13.0-33.0	26	15.6	09.3-21.9	27	10.8	06.5-15.1	52	13.9	09.6-18.2	51	13.9	09.6-18.2	72	22.8	16.9-28.7
\$35,000- 49,999	325	39,938	7	6.1	01.4-10.8	46	24.1	17.8-30.4	61	19.5	14.6-24.4	81	19.9	15.2-24.6	58	13.8	10.1-17.5	72	16.6	12.7-20.5
\$50,000- 74,999	351	48,631	11	12.1	05.4-18.8	43	20.4	14.9-25.9	68	20.2	15.5-24.9	97	20.7	16.4-25.0	83	17.5	13.6-21.4	49	9.0	06.3-11.7
\$75,000+	461	63,320	16	13.5	07.6-19.4	47	15.3	11.0-19.6	91	21.1	17.0-25.2	157	28.0	23.5-32.5	110	16.9	13.6-20.2	40	5.3	03.5-07.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2789	251,643	97	14.0	11.1-16.9	304	15.9	14.1-17.7	421	15.4	13.8-17.0	618	18.6	17.0-20.2	524	14.0	12.6-15.4	825	22.0	20.4-23.6
Native	227	12,502				38	22.4	13.2-31.6	40	9.8	04.9-14.7	53	17.2	09.8-24.6	41	11.1	05.2-17.0	32	7.4	03.5-11.3
Non-Native	2547	238,069	73	13.2	10.3-16.1	266	15.6	13.8-17.4	378	15.7	14.1-17.3	563	18.7	17.1-20.3	478	14.1	12.7-15.5	789	22.8	21.0-24.6
Less Than H.S.	203	17,193				6	5.7	01.0-10.4	14	8.4	03.5-13.3	17	7.2	02.9-11.5	31	8.2	04.5-11.9	123	46.2	36.6-55.8
H.S. or G.E.D.	840	72,321	34	15.1	09.8-20.4	49	9.3	06.6-12.0	73	10.3	07.8-12.8	179	18.7	15.8-21.6	155	15.4	12.9-17.9	350	31.1	27.6-34.6
Some Post-H.S.	920	85,067	38	17.1	11.6-22.6	103	14.7	11.8-17.6	152	15.8	13.1-18.5	213	18.5	15.8-21.2	165	12.7	10.5-14.9	249	21.1	18.2-24.0
College Graduate	824	76,912	13	7.4	03.3-11.5	146	25.7	22.0-29.4	182	21.4	18.3-24.5	208	21.0	18.1-23.9	173	15.4	12.9-17.9	102	9.1	07.1-11.1
Less than \$15,000	262	21,982				16	7.7	02.4-13.0	27	8.5	04.4-12.6	40	12.1	07.4-16.8	41	8.4	05.1-11.7	113	30.0	22.9-37.1
\$15,000- 24,999	460	38,460	22	20.5	12.3-28.7	45	12.9	08.8-17.0	50	10.9	07.6-14.2	62	10.0	07.1-12.9	76	11.5	08.4-14.6	205	34.2	28.7-39.7
\$25,000- 34,999	330	27,851	11	17.7	08.7-26.7	39	13.1	08.4-17.8	48	11.9	08.0-15.8	62	15.4	11.1-19.7	58	14.6	10.3-18.9	112	27.3	21.6-33.0
\$35,000- 49,999	410	33,623	4	4.4	00.3-08.5	42	18.2	13.1-23.3	73	18.0	13.7-22.3	105	21.4	17.1-25.7	98	19.2	15.1-23.3	88	18.7	14.6-22.8
\$50,000- 74,999	436	43,930	8	8.1	02.4-13.8	73	23.1	18.4-27.8	97	21.7	17.4-26.0	135	25.7	21.4-30.0	87	15.0	11.7-18.3	36	6.3	04.1-08.5
\$75,000+	432	45,609	7	8.2	02.1-14.3	61	20.5	15.8-25.2	101	24.9	20.2-29.6	157	29.3	24.6-34.0	89	14.5	11.4-17.6	17	2.6	01.2-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4727	500,353	57	1.4	01.0-01.8	4670	98.6	98.2-99.0	
Male	1923	247,675	28	1.7	00.9-02.5	1895	98.3	97.5-99.1	
Female	2804	252,678	29	1.1	00.7-01.5	2775	98.9	98.5-99.3	
18-24	190	74,708	3	2.1	00.0-04.5	187	97.9	95.5-0100	
25-34	513	84,352	7	1.3	00.1-02.5	506	98.7	97.5-99.9	
35-44	721	78,955	10	1.5	00.5-02.5	711	98.5	97.5-99.5	
45-54	1090	94,294	9	0.9	00.3-01.5	1081	99.1	98.5-99.7	
55-64	923	70,838	14	1.7	00.7-02.7	909	98.3	97.3-99.3	
65+	1249	94,185	12	0.9	00.3-01.5	1237	99.1	98.5-99.7	
Less Than H.S.	377	36,462	10	3.1	00.2-06.0	367	96.9	94.0-99.8	
H.S. or G.E.D.	1423	147,650	17	1.0	00.4-01.6	1406	99.0	98.4-99.6	
Some Post-H.S.	1503	162,483	19	1.7	00.7-02.7	1484	98.3	97.3-99.3	
College Graduate	1421	153,559	11	1.0	00.4-01.6	1410	99.0	98.4-99.6	
Less than \$15,000	390	36,295	5	0.9	00.1-01.7	385	99.1	98.3-99.9	
\$15,000- 24,999	692	63,180	15	1.8	00.6-03.0	677	98.2	97.0-99.4	
\$25,000- 34,999	577	57,850	6	1.4	00.0-02.8	571	98.6	97.2-0100	
\$35,000- 49,999	739	73,954	6	0.9	00.1-01.7	733	99.1	98.3-99.9	
\$50,000- 74,999	789	92,705	9	1.4	00.4-02.4	780	98.6	97.6-99.6	
\$75,000+	897	109,321	10	1.6	00.2-03.0	887	98.4	97.0-99.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1923	247,675	28	1.7	00.9-02.5	1895	98.3	97.5-99.1	
18-24	94	39,398	2	3.0	00.0-07.1	92	97.0	92.9-0100	
25-34	209	44,314	2	1.0	00.0-02.6	207	99.0	97.4-0100	
35-44	301	40,154	5	1.8	00.2-03.4	296	98.2	96.6-99.8	
45-54	473	47,654	5	1.0	00.0-02.0	468	99.0	98.0-0100	
55-64	402	35,754	9	2.5	00.7-04.3	393	97.5	95.7-99.3	
65+	428	39,000	5	1.0	00.0-02.0	423	99.0	98.0-0100	
Less Than H.S.	174	19,217	6	4.7	00.0-10.2	168	95.3	89.8-0100	
H.S. or G.E.D.	577	74,917	6	0.9	00.1-01.7	571	99.1	98.3-99.9	
Some Post-H.S.	579	77,188	9	2.0	00.0-04.0	570	98.0	96.0-0100	
College Graduate	592	76,306	7	1.3	00.1-02.5	585	98.7	97.5-99.9	
Less than \$15,000	127	14,233	5	2.2	00.0-04.4	122	97.8	95.6-0100	
\$15,000- 24,999	230	24,657	6	2.6	00.2-05.0	224	97.4	95.0-99.8	
\$25,000- 34,999	245	29,870	4	1.3	00.0-02.7	241	98.7	97.3-0100	
\$35,000- 49,999	327	40,203	3	0.9	00.0-02.1	324	99.1	97.9-0100	
\$50,000- 74,999	350	48,519	2	1.0	00.0-02.6	348	99.0	97.4-0100	
\$75,000+	465	63,712	6	2.0	00.0-04.2	459	98.0	95.8-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2804	252,678	29	1.1	00.7-01.5	2775	98.9	98.5-99.3	
18-24	96	35,310	1	1.0	00.0-03.0	95	99.0	97.0-0100	
25-34	304	40,038	5	1.7	00.3-03.1	299	98.3	96.9-99.7	
35-44	420	38,801	5	1.2	00.0-02.4	415	98.8	97.6-0100	
45-54	617	46,640	4	0.7	00.0-01.5	613	99.3	98.5-0100	
55-64	521	35,084	5	0.9	00.1-01.7	516	99.1	98.3-99.9	
65+	821	55,185	7	0.8	00.2-01.4	814	99.2	98.6-99.8	
Less Than H.S.	203	17,245	4	1.5	00.0-03.3	199	98.5	96.7-0100	
H.S. or G.E.D.	846	72,733	11	1.1	00.3-01.9	835	98.9	98.1-99.7	
Some Post-H.S.	924	85,295	10	1.5	00.3-02.7	914	98.5	97.3-99.7	
College Graduate	829	77,253	4	0.6	00.0-01.2	825	99.4	98.8-0100	
Less than \$15,000	263	22,062				263	100.0	0100-0100	
\$15,000- 24,999	462	38,523	9	1.4	00.4-02.4	453	98.6	97.6-99.6	
\$25,000- 34,999	332	27,980	2	1.5	00.0-04.0	330	98.5	96.0-0100	
\$35,000- 49,999	412	33,751	3	0.8	00.0-01.8	409	99.2	98.2-0100	
\$50,000- 74,999	439	44,186	7	1.7	00.3-03.1	432	98.3	96.9-99.7	
\$75,000+	432	45,609	4	0.9	00.0-01.9	428	99.1	98.1-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4751	502,354	4715	99.4	99.0-99.8	36	0.6	00.2-01.0
Male	1935	248,878	1917	99.2	98.6-99.8	18	0.8	00.2-01.4
Female	2816	253,476	2798	99.6	99.4-99.8	18	0.4	00.2-00.6
18-24	191	74,726	187	99.1	97.7-0100	4	0.9	00.0-02.3
25-34	514	84,584	509	99.2	98.2-0100	5	0.8	00.0-01.8
35-44	722	78,966	717	99.4	98.6-0100	5	0.6	00.0-01.4
45-54	1092	94,534	1085	99.6	99.2-0100	7	0.4	00.0-00.8
55-64	928	71,040	922	99.6	99.2-0100	6	0.4	00.0-00.8
65+	1260	95,158	1251	99.5	99.1-99.9	9	0.5	00.1-00.9
Less Than H.S.	385	37,157	380	98.9	97.7-0100	5	1.1	00.0-02.3
H.S. or G.E.D.	1429	147,947	1419	99.4	98.8-0100	10	0.6	00.0-01.2
Some Post-H.S.	1512	163,407	1496	99.1	98.3-99.9	16	0.9	00.1-01.7
College Graduate	1421	153,559	1416	99.8	99.6-0100	5	0.2	00.0-00.4
Less than \$15,000	395	36,656	389	98.7	97.5-99.9	6	1.3	00.1-02.5
\$15,000- 24,999	697	63,639	689	99.3	98.7-99.9	8	0.7	00.1-01.3
\$25,000- 34,999	578	57,920	575	99.6	99.2-0100	3	0.4	00.0-00.8
\$35,000- 49,999	740	74,025	737	99.0	97.6-0100	3	1.0	00.0-02.4
\$50,000- 74,999	790	92,817	784	99.7	99.5-99.9	6	0.3	00.1-00.5
\$75,000+	897	109,321	894	99.8	99.4-0100	3	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1935	248,878	1917	99.2	98.6-99.8	18	0.8	00.2-01.4
18-24	94	39,398	91	98.4	95.9-0100	3	1.6	00.0-04.1
25-34	210	44,546	207	98.8	97.0-0100	3	1.2	00.0-03.0
35-44	301	40,154	296	98.8	97.4-0100	5	1.2	00.0-02.6
45-54	474	47,766	473	100.0	0100-0100	1	0.0	00.0-00.0
55-64	404	35,820	402	99.9	99.9-99.9	2	0.1	00.1-00.1
65+	435	39,681	431	99.4	98.6-0100	4	0.6	00.0-01.4
Less Than H.S.	180	19,836	178	98.7	96.7-0100	2	1.3	00.0-03.3
H.S. or G.E.D.	579	74,999	573	98.9	97.7-0100	6	1.1	00.0-02.3
Some Post-H.S.	583	77,690	575	98.9	97.5-0100	8	1.1	00.0-02.5
College Graduate	592	76,306	590	100.0	0100-0100	2	0.0	00.0-00.0
Less than \$15,000	130	14,546	128	98.6	96.2-0100	2	1.4	00.0-03.8
\$15,000- 24,999	233	24,986	231	99.4	98.2-0100	2	0.6	00.0-01.8
\$25,000- 34,999	246	29,941	245	99.7	99.1-0100	1	0.3	00.0-00.9
\$35,000- 49,999	328	40,274	325	98.1	95.4-0100	3	1.9	00.0-04.6
\$50,000- 74,999	351	48,631	348	99.9	99.7-0100	3	0.1	00.0-00.3
\$75,000+	465	63,712	462	99.6	99.0-0100	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2816	253,476	2798	99.6	99.4-99.8	18	0.4	00.2-00.6
18-24	97	35,328	96	99.9	99.7-0100	1	0.1	00.0-00.3
25-34	304	40,038	302	99.7	99.1-0100	2	0.3	00.0-00.9
35-44	421	38,812	421	100.0	0100-0100			
45-54	618	46,768	612	99.2	98.4-0100	6	0.8	00.0-01.6
55-64	524	35,220	520	99.2	98.2-0100	4	0.8	00.0-01.8
65+	825	55,477	820	99.6	99.2-0100	5	0.4	00.0-00.8
Less Than H.S.	205	17,321	202	99.2	98.0-0100	3	0.8	00.0-02.0
H.S. or G.E.D.	850	72,949	846	99.9	99.7-0100	4	0.1	00.0-00.3
Some Post-H.S.	929	85,717	921	99.4	99.0-99.8	8	0.6	00.2-01.0
College Graduate	829	77,253	826	99.7	99.3-0100	3	0.3	00.0-00.7
Less than \$15,000	265	22,110	261	98.9	97.7-0100	4	1.1	00.0-02.3
\$15,000- 24,999	464	38,653	458	99.2	98.4-0100	6	0.8	00.0-01.6
\$25,000- 34,999	332	27,980	330	99.6	99.0-0100	2	0.4	00.0-01.0
\$35,000- 49,999	412	33,751	412	100.0	0100-0100			
\$50,000- 74,999	439	44,186	436	99.6	99.0-0100	3	0.4	00.0-01.0
\$75,000+	432	45,609	432	100.0	0100-0100			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)  
Denominator Excludes: Respondents reporting only one race  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN1)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4749	502,101	590	12.3	11.1-13.5	4159	87.7	86.5-88.9
Male	1933	248,625	540	22.9	20.7-25.1	1393	77.1	74.9-79.3
Female	2816	253,476	50	2.0	0.1-2.0	2766	98.0	97.2-98.8
18-24	191	74,726	5	2.7	0.3-05.1	186	97.3	94.9-99.7
25-34	514	84,584	35	8.4	05.5-11.3	479	91.6	88.7-94.5
35-44	722	78,966	66	11.2	08.5-13.9	656	88.8	86.1-91.5
45-54	1091	94,422	74	7.1	05.3-08.9	1017	92.9	91.1-94.7
55-64	928	71,040	157	19.6	16.7-22.5	771	80.4	77.5-83.3
65+	1259	95,017	247	24.1	21.4-26.8	1012	75.9	73.2-78.6
Less Than H.S.	385	37,157	43	11.7	08.0-15.4	342	88.3	84.6-92.0
H.S. or G.E.D.	1428	147,807	177	11.4	09.4-13.4	1251	88.6	86.6-90.6
Some Post-H.S.	1511	163,295	178	11.5	09.5-13.5	1333	88.5	86.5-90.5
College Graduate	1421	153,559	192	14.4	12.2-16.6	1229	85.6	83.4-87.8
Less than \$15,000	395	36,656	33	6.5	03.4-09.6	362	93.5	90.4-96.6
\$15,000- 24,999	697	63,639	81	12.2	09.3-15.1	616	87.8	84.9-90.7
\$25,000- 34,999	578	57,920	89	15.3	11.6-19.0	489	84.7	81.0-88.4
\$35,000- 49,999	740	74,025	98	15.4	12.3-18.5	642	84.6	81.5-87.7
\$50,000- 74,999	790	92,817	103	12.7	10.0-15.4	687	87.3	84.6-90.0
\$75,000+	897	109,321	109	11.4	09.0-13.8	788	88.6	86.2-91.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1933	248,625	540	22.9	20.7-25.1	1393	77.1	74.9-79.3
18-24	94	39,398	3	3.0	00.0-06.5	91	97.0	93.5-0100
25-34	210	44,546	29	13.3	08.2-18.4	181	86.7	81.6-91.8
35-44	301	40,154	54	19.4	14.5-24.3	247	80.6	75.7-85.5
45-54	473	47,654	60	12.1	08.8-15.4	413	87.9	84.6-91.2
55-64	404	35,820	154	38.3	33.0-43.6	250	61.7	56.4-67.0
65+	434	39,540	234	55.5	50.4-60.6	200	44.5	39.4-49.6
Less Than H.S.	180	19,836	43	21.9	14.8-29.0	137	78.1	71.0-85.2
H.S. or G.E.D.	578	74,858	167	20.9	17.4-24.4	411	79.1	75.6-82.6
Some Post-H.S.	582	77,578	162	22.6	18.7-26.5	420	77.4	73.5-81.3
College Graduate	592	76,306	168	25.3	21.4-29.2	424	74.7	70.8-78.6
Less than \$15,000	130	14,546	29	12.7	06.8-18.6	101	87.3	81.4-93.2
\$15,000- 24,999	233	24,986	73	27.2	20.5-33.9	160	72.8	66.1-79.5
\$25,000- 34,999	246	29,941	83	28.6	21.7-35.5	163	71.4	64.5-78.3
\$35,000- 49,999	328	40,274	92	26.5	21.0-32.0	236	73.5	68.0-79.0
\$50,000- 74,999	351	48,631	93	21.7	17.0-26.4	258	78.3	73.6-83.0
\$75,000+	465	63,712	104	18.7	15.0-22.4	361	81.3	77.6-85.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2816	253,476	50	2.0	01.2-02.8	2766	98.0	97.2-98.8
18-24	97	35,328	2	2.3	00.0-05.6	95	97.7	94.4-0100
25-34	304	40,038	6	3.0	00.5-05.5	298	97.0	94.5-99.5
35-44	421	38,812	12	2.6	01.0-04.2	409	97.4	95.8-99.0
45-54	618	46,768	14	2.1	00.9-03.3	604	97.9	96.7-99.1
55-64	524	35,220	3	0.5	00.0-01.3	521	99.5	98.7-0100
65+	825	55,477	13	1.8	00.8-02.8	812	98.2	97.2-99.2
Less Than H.S.	205	17,321				205	100.0	0100-0100
H.S. or G.E.D.	850	72,949	10	1.6	00.2-03.0	840	98.4	97.0-99.8
Some Post-H.S.	929	85,717	16	1.4	00.6-02.2	913	98.6	97.8-99.4
College Graduate	829	77,253	24	3.6	01.8-05.4	805	96.4	94.6-98.2
Less than \$15,000	265	22,110	4	2.4	00.0-06.1	261	97.6	93.9-0100
\$15,000- 24,999	464	38,653	8	2.5	00.5-04.5	456	97.5	95.5-99.5
\$25,000- 34,999	332	27,980	6	1.2	00.0-02.4	326	98.8	97.6-0100
\$35,000- 49,999	412	33,751	6	2.2	00.4-04.0	406	97.8	96.0-99.6
\$50,000- 74,999	439	44,186	10	2.9	00.4-05.4	429	97.1	94.6-99.6
\$75,000+	432	45,609	5	1.2	00.0-02.4	427	98.8	97.6-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4740	501,605	2856	65.2	63.2-67.2	567	6.8	06.0-07.6	617	7.1	06.5-07.7	53	0.7	00.5-00.9	564	17.5	15.5-19.5	83	2.6	01.8-03.4
Male	1928	248,344	1266	67.7	64.8-70.6	217	5.9	04.9-06.9	95	2.6	02.0-03.2	18	0.6	00.2-01.0	295	20.6	17.7-23.5	37	2.5	01.5-03.5
Female	2812	253,261	1590	62.7	60.2-65.2	350	7.7	06.5-08.9	522	11.6	10.4-12.8	35	0.8	00.4-01.2	269	14.4	11.9-16.9	46	2.7	01.5-03.9
Native	354	23,046				82	12.4	06.1-18.7	32	6.4	02.7-10.1	9	1.1	00.0-02.7	88	30.9	21.3-40.5	22	9.5	03.4-15.6
Non-Native	4342	474,483	2713	66.4	64.4-68.4	479	6.5	05.7-07.3	577	7.1	06.5-07.7	43	0.7	00.5-00.9	470	16.9	14.9-18.9	60	2.3	01.5-03.1
18-24	191	74,726	27	16.5	10.4-22.6	4	1.9	00.0-04.1	1	0.7	00.0-02.1	1	0.2	00.0-00.6	139	73.0	65.7-80.3	19	7.7	03.4-12.0
25-34	514	84,584	342	73.5	69.0-78.0	35	5.7	03.3-08.1	2	0.0	00.0-00.0	8	1.3	00.3-02.3	105	14.8	11.3-18.3	22	4.7	02.5-06.9
35-44	722	78,966	513	80.5	77.6-83.4	88	7.6	05.8-09.4	3	0.3	00.0-00.7	13	1.3	00.5-02.1	91	8.8	06.8-10.8	14	1.6	00.6-02.6
45-54	1088	94,252	736	77.6	75.1-80.1	172	10.2	08.4-12.0	33	2.5	01.5-03.5	15	0.8	00.4-01.2	112	7.2	05.6-08.8	20	1.6	00.8-02.4
55-64	925	70,832	615	78.6	76.1-81.1	151	9.6	07.8-11.4	85	6.1	04.5-07.7	6	0.3	00.1-00.5	63	4.9	03.5-06.3	5	0.5	00.1-00.9
65+	1258	95,040	603	61.4	58.5-64.3	108	5.3	04.1-06.5	486	29.5	27.0-32.0	10	0.5	00.1-00.9	48	3.0	02.0-04.0	3	0.4	00.0-00.8
Less Than H.S.	385	37,157	159	47.1	40.0-54.2	48	7.2	04.7-09.7	112	16.7	13.0-20.4	10	2.6	00.4-04.8	52	24.9	16.9-32.9	4	1.5	00.0-03.3
H.S. or G.E.D.	1427	147,781	787	58.7	55.0-62.4	170	7.5	05.9-09.1	254	9.3	07.9-10.7	16	0.8	00.4-01.2	167	19.6	15.9-23.3	33	4.0	02.2-05.8
Some Post-H.S.	1508	163,125	903	63.2	59.5-66.9	198	7.7	06.1-09.3	177	6.3	05.1-07.5	15	0.5	00.1-00.9	187	20.0	16.3-23.7	28	2.3	01.1-03.5
College Graduate	1416	153,260	1005	78.0	75.1-80.9	150	5.1	04.1-06.1	73	3.6	02.4-04.8	12	0.4	00.0-00.8	158	10.9	08.4-13.4	18	1.9	00.7-03.1
Less than \$15,000	394	36,601	64	21.3	14.8-27.8	95	15.3	10.4-20.2	107	16.7	12.8-20.6	18	3.3	01.3-05.3	98	39.5	30.9-48.1	12	4.0	00.5-07.5
\$15,000- 24,999	697	63,639	237	41.1	36.2-46.0	125	13.2	09.9-16.5	187	17.3	14.4-20.2	10	1.1	00.3-01.9	119	23.0	17.7-28.3	19	4.4	01.5-07.3
\$25,000- 34,999	577	57,877	275	54.5	48.8-60.2	94	8.6	06.4-10.8	75	8.0	05.8-10.2	6	0.4	00.0-00.8	114	23.7	18.0-29.4	13	4.8	01.7-07.9
\$35,000- 49,999	738	73,898	491	75.4	71.7-79.1	99	7.7	05.9-09.5	50	3.7	02.5-04.9	9	1.2	00.2-02.2	74	9.5	06.6-12.4	15	2.5	01.1-03.9
\$50,000- 74,999	789	92,747	657	83.4	79.3-87.5	52	3.4	02.4-04.4	26	2.1	00.9-03.3	2	0.1	00.0-00.3	43	9.9	05.8-14.0	9	1.2	00.4-02.0
\$75,000+	896	109,211	786	82.2	77.9-86.5	40	2.6	01.6-03.6	10	0.4	00.2-00.6	2	0.1	00.0-00.3	47	12.2	08.1-16.3	11	2.6	00.6-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1928	248,344	1266	67.7	64.8-70.6	217	5.9	04.9-06.9	95	2.6	02.0-03.2	18	0.6	00.2-01.0	295	20.6	17.7-23.5	37	2.5	01.5-03.5
Native	126	10,535							5	3.9	00.0-09.0	3	2.0	00.0-05.3				8	8.9	00.7-17.1
Non-Native	1776	235,060	1203	68.6	65.5-71.7	186	5.6	04.6-06.6	87	2.5	01.9-03.1	15	0.6	00.2-01.0	256	20.4	17.3-23.5	29	2.3	01.3-03.3
18-24	94	39,398	10	13.6	05.6-21.6	1	0.4	00.0-01.2	1	1.3	00.0-03.8				75	80.4	71.4-89.4	7	4.2	00.3-08.1
25-34	210	44,546	136	71.7	64.8-78.6	13	5.9	02.2-09.6				5	1.6	00.0-03.2	42	13.9	08.4-19.4	14	6.9	03.0-10.8
35-44	301	40,154	218	81.1	76.8-85.4	27	5.0	02.8-07.2	1	0.4	00.0-01.2	5	1.1	00.1-02.1	46	10.9	07.6-14.2	4	1.5	00.1-02.9
45-54	472	47,570	313	77.8	74.1-81.5	76	9.8	07.3-12.3	7	1.2	00.0-02.4	4	0.6	00.0-01.2	63	9.3	06.8-11.8	9	1.3	00.3-02.3
55-64	402	35,656	285	81.3	77.6-85.0	67	10.0	07.3-12.7	12	2.1	00.7-03.5	2	0.2	00.0-00.6	35	6.2	03.8-08.6	1	0.3	00.0-00.9
65+	433	39,563	296	79.6	76.1-83.1	31	3.8	02.2-05.4	72	11.1	08.4-13.8	2	0.2	00.0-00.6	30	4.6	02.8-06.4	2	0.6	00.0-01.4
Less Than H.S.	180	19,836				25	6.7	03.6-09.8	17	4.8	02.3-07.3	2	1.4	00.0-03.4				2	2.3	00.0-05.4
H.S. or G.E.D.	577	74,832	344	61.0	55.3-66.7	66	6.0	04.0-08.0	41	3.0	02.0-04.0	6	0.9	00.1-01.7	104	24.8	19.1-30.5	16	4.2	01.7-06.7
Some Post-H.S.	581	77,536	362	62.4	56.7-68.1	76	7.6	05.2-10.0	24	2.3	01.1-03.5	5	0.6	00.0-01.2	101	25.3	19.4-31.2	13	1.8	00.6-03.0
College Graduate	589	76,094	457	81.8	77.5-86.1	49	3.8	02.6-05.0	13	2.0	00.4-03.6	5	0.2	00.0-00.4	59	10.6	06.7-14.5	6	1.7	00.1-03.3
Less than \$15,000	129	14,491				32	16.5	06.9-26.1	18	8.9	03.8-14.0	3	2.3	00.0-05.2				5	3.3	00.0-08.0
\$15,000- 24,999	233	24,986	109	54.3	45.9-62.7	35	9.8	05.9-13.7	26	5.9	03.4-08.4	2	0.6	00.0-01.6	56	26.1	17.7-34.5	5	3.3	00.0-06.8
\$25,000- 34,999	246	29,941	130	56.5	47.9-65.1	40	8.1	05.2-11.0	14	3.8	01.6-06.0	2	0.3	00.0-00.9	53	26.1	17.5-34.7	7	5.3	00.8-09.8
\$35,000- 49,999	327	40,190	220	74.1	68.4-79.8	39	7.0	04.5-09.5	10	1.6	00.6-02.6	8	0.6	00.4-04.0	42	12.4	07.5-17.3	8	2.7	00.3-05.1
\$50,000- 74,999	350	48,561	286	80.2	73.7-86.7	21	3.0	01.4-04.6	8	1.8	00.0-04.0				31	13.7	07.4-20.0	4	1.2	00.0-02.6
\$75,000+	464	63,603	386	78.4	72.5-84.3	30	3.1	01.7-04.5	5	0.4	00.0-00.8	2	0.1	00.0-00.3	35	16.0	10.1-21.9	6	2.0	00.2-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2812	253,261	1590	62.7	60.2-65.2	350	7.7	06.5-08.9	522	11.6	10.4-12.8	35	0.8	00.4-01.2	269	14.4	11.9-16.9	46	2.7	01.5-03.9
Native	228	12,511				55	13.2	06.5-19.9	27	8.5	03.2-13.8	6	0.3	00.1-00.5				14	10.0	01.2-18.8
Non-Native	2566	239,423	1510	64.3	61.8-66.8	293	7.4	06.2-08.6	490	11.7	10.5-12.9	28	0.8	00.4-01.2	214	13.4	10.9-15.9	31	2.3	01.1-03.5
18-24	97	35,328	17	19.7	10.7-28.7	3	3.6	00.0-07.9				1	0.5	00.0-01.5				12	11.5	03.7-19.3
25-34	304	40,038	206	75.5	70.2-80.8	22	5.4	02.9-07.9	2	0.1	00.1-00.1	3	0.9	00.0-02.3	63	15.9	11.4-20.4	8	2.2	00.6-03.8
35-44	421	38,812	295	79.8	75.9-83.7	61	10.3	07.4-13.2	2	0.2	00.0-00.4	8	1.5	00.3-02.7	45	6.6	04.4-08.8	10	1.6	00.4-02.8
45-54	616	46,682	423	77.4	73.9-80.9	96	10.7	08.2-13.2	26	3.9	02.1-05.7	11	1.0	00.4-01.6	49	5.1	03.5-06.7	11	2.0	00.6-03.4
55-64	523	35,176	330	75.9	72.2-79.6	84	9.2	07.0-11.4	73	10.2	07.5-12.9	4	0.4	00.0-00.8	28	3.7	02.3-05.1	4	0.7	00.0-01.5
65+	825	55,477	307	48.4	44.5-52.3	77	6.3	04.7-07.9	414	42.5	38.8-46.2	8	0.7	00.1-01.3	18	1.8	00.8-02.8	1	0.2	00.0-00.6
Less Than H.S.	205	17,321	56	32.5	23.7-41.3	23	7.7	03.6-11.8	95	30.4	23.0-37.8	8	3.9	00.0-07.8				2	0.5	00.0-01.3
H.S. or G.E.D.	850	72,949	443	56.3	51.6-61.0	104	9.0	06.6-11.4	213	15.7	13.3-18.1	10	0.7	00.3-01.1	63	14.4	09.7-19.1	17	3.9	01.2-06.6
Some Post-H.S.	927	85,589	541	63.9	59.2-68.6	122	7.8	05.8-09.8	153	9.9	08.1-11.7	10	0.5	00.1-00.9	86	15.2	10.5-19.9	15	2.8	00.8-04.8
College Graduate	827	77,167	548	74.2	70.3-78.1	101	6.5	05.1-07.9	60	5.2	03.6-06.8	7	0.6	00.0-01.2	99	11.3	08.2-14.4	12	2.1	00.1-04.1
Less than \$15,000	265	22,110	33	14.0	08.3-19.7	63	14.5	09.6-19.4	89	21.9	16.2-27.6	15	3.9	01.4-06.4				7	4.4	00.0-09.5
\$15,000- 24,999	464	38,653	128	32.6	26.7-38.5	90	15.4	10.7-20.1	161	24.6	20.1-29.1	8	1.4	00.2-02.6	63	21.0	14.1-27.9	14	5.0	00.7-09.3
\$25,000- 34,999	331	27,937	145	52.4	45.0-59.8	54	9.2	06.3-12.1	61	12.6	09.1-16.1	4	0.4	00.0-00.8	61	21.2	14.1-28.3	6	4.3	00.0-08.8
\$35,000- 49,999	411	33,708	271	77.0	72.5-81.5	60	8.5	06.0-11.0	40	6.2	04.0-08.4	1	0.0	00.0-00.0	32	6.1	03.2-09.0	7	2.1	00.5-03.7
\$50,000- 74,999	439	44,186	371	86.9	82.0-91.8	31	3.7	02.3-05.1	18	2.4	01.0-03.8	2	0.3	00.0-00.7	12	5.7	00.8-10.6	5	1.1	00.1-02.1
\$75,000+	432	45,609	400	87.5	81.4-93.6	10	1.9	00.5-03.3	5	0.4	00.0-00.8				12	6.9	01.8-12.0	5	3.3	00.0-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4745	501,032	535	14.1	12.5-15.7	579	15.4	14.0-16.8	251	6.7	05.7-07.7	71	1.8	01.2-02.4	37	1.1	00.7-01.5	3272	60.8	58.8-62.8
Male	1932	247,770	229	14.1	11.9-16.3	231	15.0	12.8-17.2	97	6.4	05.0-07.8	34	2.2	01.4-03.0	16	1.3	00.5-02.1	1325	61.0	58.1-63.9
Female	2813	253,262	306	14.1	12.1-16.1	348	15.7	13.9-17.5	154	7.0	05.8-08.2	37	1.5	00.9-02.1	21	1.0	00.4-01.6	1947	60.6	58.1-63.1
Native	354	23,046	68	16.6	10.3-22.9	60	22.4	13.4-31.4	28	11.4	04.5-18.3	16	5.9	00.8-11.0	8	6.2	00.3-12.1	174	37.6	27.6-47.6
Non-Native	4346	473,800	465	14.1	12.5-15.7	516	15.1	13.7-16.5	220	6.4	05.4-07.4	55	1.7	01.1-02.3	28	0.9	00.5-01.3	3062	61.8	59.8-63.8
18-24	190	73,962	53	25.8	18.5-33.1	33	13.2	07.9-18.5	6	3.5	00.6-06.4	2	1.2	00.0-03.0	2	1.4	00.0-03.4	94	54.9	46.7-63.1
25-34	513	84,352	94	17.4	13.7-21.1	163	29.9	25.4-34.4	77	15.7	12.2-19.2	19	4.1	01.9-06.3	15	2.9	01.1-04.7	145	29.9	25.2-34.6
35-44	722	78,966	131	17.4	14.3-20.5	254	38.2	34.3-42.1	119	16.7	13.8-19.6	36	4.7	02.9-06.5	15	2.2	01.0-03.4	167	20.8	17.7-23.9
45-54	1090	94,379	210	20.8	18.1-23.5	105	10.3	08.1-12.5	40	4.3	02.7-05.9	10	1.0	00.2-01.8	4	0.4	00.0-00.8	721	63.2	59.9-66.5
55-64	928	71,040	34	3.7	02.3-05.1	16	2.1	00.9-03.3	6	0.5	00.0-01.1	2	0.1	00.0-00.3				870	93.7	91.9-95.5
65+	1260	95,158	9	0.7	00.1-01.3	6	0.5	00.0-01.1	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1	0.0	00.0-00.0	1242	98.7	97.9-99.5
Less Than H.S.	385	37,157	30	14.8	07.9-21.7	22	8.8	04.5-13.1	11	4.5	01.2-07.8	2	0.4	00.0-01.0	1	0.0	00.0-00.0	319	71.5	63.9-79.1
H.S. or G.E.D.	1429	147,947	147	14.0	11.3-16.7	114	11.3	08.9-13.7	56	6.0	04.2-07.8	18	2.2	01.0-03.4	10	1.6	00.4-02.8	1084	64.9	61.4-68.4
Some Post-H.S.	1509	163,194	195	15.8	13.1-18.5	207	16.5	14.0-19.0	84	6.8	05.0-08.6	29	2.1	01.1-03.1	13	1.1	00.3-01.9	981	57.7	54.2-61.2
College Graduate	1418	152,451	163	12.2	10.0-14.4	236	19.8	17.3-22.3	100	7.9	06.3-09.5	22	1.6	00.8-02.4	13	1.0	00.4-01.6	884	57.5	54.4-60.6
Less than \$15,000	395	36,656	27	12.8	06.3-19.3	27	11.0	05.1-16.9	15	5.0	01.5-08.5	4	0.6	00.0-01.4	3	2.5	00.0-05.8	319	68.0	59.6-76.4
\$15,000- 24,999	696	62,875	52	7.5	05.0-10.0	62	12.8	09.1-16.5	25	5.9	03.2-08.6	11	1.7	00.3-03.1	7	1.4	00.0-02.8	539	70.7	65.8-75.6
\$25,000- 34,999	578	57,920	59	9.6	06.5-12.7	53	13.1	08.8-17.4	22	4.7	02.3-07.1	4	1.4	00.0-03.4	3	0.7	00.0-01.7	437	70.6	65.1-76.1
\$35,000- 49,999	739	73,982	93	13.5	10.4-16.6	79	12.9	10.0-15.8	46	8.0	05.3-10.7	9	1.9	00.3-03.5	10	1.6	00.4-02.8	502	62.0	57.7-66.3
\$50,000- 74,999	789	92,705	116	19.0	14.9-23.1	154	22.6	19.1-26.1	61	8.5	06.1-10.9	12	1.5	00.5-02.5	4	0.5	00.1-00.9	442	47.9	43.6-52.2
\$75,000+	896	109,090	135	17.0	13.7-20.3	164	20.4	17.3-23.5	66	7.9	05.9-09.9	24	2.9	01.7-04.1	7	1.3	00.1-02.5	500	50.6	46.5-54.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1932	247,770	229	14.1	11.9-16.3	231	15.0	12.8-17.2	97	6.4	05.0-07.8	34	2.2	01.4-03.0	16	1.3	00.5-02.1	1325	61.0	58.1-63.9
Native	126	10,535	18	9.5	01.3-17.7							7	7.5	00.0-16.3	3	5.7	00.0-13.3			
Non-Native	1779	234,376	211	14.5	12.1-16.9	210	14.7	12.5-16.9	84	6.0	04.6-07.4	27	1.9	01.1-02.7	13	1.1	00.3-01.9	1234	61.7	58.8-64.6
18-24	93	38,634	22	22.2	12.6-31.8	11	10.4	03.7-17.1	2	2.6	00.0-06.1				1	1.3	00.0-03.8			
25-34	209	44,314	32	14.5	09.4-19.6	54	25.1	18.6-31.6	25	13.6	08.3-18.9	9	5.3	01.8-08.8	6	3.0	00.3-05.7	83	38.5	31.1-45.9
35-44	301	40,154	51	16.2	11.7-20.7	102	37.9	31.8-44.0	44	14.8	10.5-19.1	17	5.4	02.7-08.1	7	3.0	00.8-05.2	80	22.7	17.8-27.6
45-54	473	47,654	97	22.8	18.5-27.1	53	12.4	09.1-15.7	23	5.5	03.0-08.0	7	1.5	00.3-02.7	2	0.5	00.0-01.1	291	57.4	52.3-62.5
55-64	404	35,820	21	5.6	03.1-08.1	8	2.1	00.7-03.5	1	0.3	00.0-00.9							374	92.0	89.1-94.9
65+	435	39,681	4	0.7	00.0-01.5	2	0.4	00.0-01.2	1	0.1	00.0-00.3							428	98.8	97.8-99.8
Less Than H.S.	180	19,836	14	10.0	02.7-17.3	10	8.4	01.5-15.3	5	4.7	00.0-10.0							151	76.9	66.9-86.9
H.S. or G.E.D.	579	74,999	64	15.6	11.1-20.1	51	11.5	08.0-15.0	32	7.5	04.6-10.4	9	2.7	00.7-04.7	6	1.8	00.2-03.4	417	61.0	55.5-66.5
Some Post-H.S.	583	77,690	80	14.8	10.9-18.7	80	16.9	13.0-20.8	28	5.6	03.2-08.0	13	2.3	00.9-03.7	7	2.0	00.2-03.8	375	58.4	53.1-63.7
College Graduate	589	75,198	71	12.9	09.8-16.0	90	18.4	14.7-22.1	32	6.5	04.1-08.9	12	2.1	00.7-03.5	3	0.5	00.0-01.3	381	59.5	54.8-64.2
Less than \$15,000	130	14,546	6	6.1	00.0-12.4	2	7.5	00.0-17.3	8	7.6	00.0-15.2	1	1.0	00.0-03.0	1	2.4	00.0-07.1			
\$15,000- 24,999	232	24,222	14	5.3	01.6-09.0	18	13.1	06.2-20.0	7	5.0	01.1-08.9	4	1.3	00.0-02.9	2	2.1	00.0-05.0	187	73.2	65.2-81.2
\$25,000- 34,999	246	29,941	23	8.1	04.0-12.2	17	11.7	05.6-17.8	10	4.5	01.4-07.6	1	0.8	00.0-02.4	2	0.8	00.0-02.4	193	74.1	66.7-81.5
\$35,000- 49,999	328	40,274	36	13.2	08.5-17.9	37	13.3	08.8-17.8	21	9.6	05.3-13.9	6	2.1	00.0-04.3	3	1.0	00.0-02.4	225	60.6	54.1-67.1
\$50,000- 74,999	350	48,519	59	22.2	15.9-28.5	62	20.4	15.3-25.5	15	6.1	03.0-09.2	6	1.8	00.2-03.4				208	49.6	43.1-56.1
\$75,000+	464	63,481	72	16.0	11.9-20.1	81	19.0	14.7-23.3	33	7.1	04.6-09.6	11	2.9	01.1-04.7	6	2.0	00.0-04.0	261	53.0	47.3-58.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2813	253,262	306	14.1	12.1-16.1	348	15.7	13.9-17.5	154	7.0	05.8-08.2	37	1.5	00.9-02.1	21	1.0	00.4-01.6	1947	60.6	58.1-63.1
Native	228	12,511	50	22.6	13.6-31.6				16	9.2	02.7-15.7	9	4.5	00.0-10.4	5	6.6	00.0-15.4			
Non-Native	2567	239,424	254	13.7	11.5-15.9	306	15.4	13.6-17.2	136	6.9	05.5-08.3	28	1.4	00.8-02.0	15	0.7	00.3-01.1	1828	62.0	59.5-64.5
18-24	97	35,328				22	16.2	08.0-24.4	4	4.4	00.0-09.1	2	2.6	00.0-06.1	1	1.6	00.0-04.5			
25-34	304	40,038	62	20.6	15.5-25.7	109	35.3	29.4-41.2	52	18.1	13.4-22.8	10	2.9	00.7-05.1	9	2.9	00.9-04.9	62	20.3	15.4-25.2
35-44	421	38,812	80	18.7	14.4-23.0	152	38.5	33.4-43.6	75	18.6	14.5-22.7	19	3.9	01.9-05.9	8	1.4	00.2-02.6	87	18.8	14.7-22.9
45-54	617	46,725	113	18.7	15.4-22.0	52	8.2	05.8-10.6	17	3.0	01.4-04.6	3	0.5	00.0-01.1	2	0.4	00.0-01.0	430	69.2	65.1-73.3
55-64	524	35,220	13	1.7	00.5-02.9	8	2.1	00.3-03.9	5	0.8	00.0-01.8	2	0.1	00.0-00.3				496	95.3	93.1-97.5
65+	825	55,477	5	0.7	00.0-01.5	4	0.6	00.0-01.4				1	0.0	00.0-00.0	1	0.1	00.0-00.3	814	98.6	97.4-99.8
Less Than H.S.	205	17,321				12	9.1	03.8-14.4	6	4.3	00.8-07.8	2	0.9	00.0-02.1	1	0.1	00.0-00.3			
H.S. or G.E.D.	850	72,949	83	12.5	09.4-15.6	63	11.1	07.8-14.4	24	4.4	02.2-06.6	9	1.7	00.1-03.3	4	1.4	00.0-03.0	667	68.9	64.4-73.4
Some Post-H.S.	926	85,503	115	16.7	12.8-20.6	127	16.2	12.9-19.5	56	7.9	05.5-10.3	16	1.9	00.7-03.1	6	0.4	00.0-00.8	606	57.0	52.5-61.5
College Graduate	829	77,253	92	11.5	08.8-14.2	146	21.2	17.9-24.5	68	9.2	07.0-11.4	10	1.2	00.2-02.2	10	1.4	00.4-02.4	503	55.5	51.4-59.6
Less than \$15,000	265	22,110	21	17.3	07.7-26.9	25	13.3	05.9-20.7	7	3.3	00.6-06.0	3	0.3	00.0-00.9	2	2.7	00.0-07.4			
\$15,000- 24,999	464	38,653	38	8.9	05.6-12.2	44	12.7	08.2-17.2	18	6.4	02.7-10.1	7	2.0	00.0-04.0	5	1.0	00.0-02.2	352	69.0	62.9-75.1
\$25,000- 34,999	332	27,980	36	11.1	06.4-15.8	36	14.6	08.1-21.1	12	4.9	01.4-08.4	3	2.1	00.0-05.8	1	0.5	00.0-01.5	244	66.9	59.1-74.7
\$35,000- 49,999	411	33,708	57	13.9	10.0-17.8	42	12.4	08.5-16.3	25	6.2	03.5-08.9	3	1.6	00.0-03.6	7	2.3	00.5-04.1	277	63.7	58.0-69.4
\$50,000- 74,999	439	44,186	57	15.6	10.9-20.3	92	25.1	20.0-30.2	46	11.1	07.8-14.4	6	1.2	00.0-02.4	4	0.9	00.0-01.9	234	46.1	40.6-51.6
\$75,000+	432	45,609	63	18.4	13.1-23.7	83	22.2	17.7-26.7	33	8.9	05.8-12.0	13	2.9	01.3-04.5	1	0.3	00.0-00.9	239	47.3	41.6-53.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4747	502,071	185	2.9	02.5-03.3	200	4.5	03.5-05.5	1429	29.5	27.7-31.3	1512	32.5	30.7-34.3	1421	30.6	28.8-32.4
Male	1934	248,831	90	3.3	02.5-04.1	90	4.7	03.3-06.1	579	30.1	27.4-32.8	583	31.2	28.5-33.9	592	30.7	28.2-33.2
Female	2813	253,240	95	2.6	02.0-03.2	110	4.3	03.1-05.5	850	28.8	26.6-31.0	929	33.8	31.4-36.2	829	30.5	28.3-32.7
Native	354	23,046	8	1.6	00.0-03.4	40	12.6	05.7-19.5				129	31.9	22.7-41.1	70	14.3	08.6-20.0
Non-Native	4349	474,924	169	2.9	02.5-03.3	157	4.1	03.1-05.1	1308	29.0	27.2-30.8	1371	32.6	30.6-34.6	1344	31.5	29.7-33.3
18-24	191	74,726				24	11.1	06.2-16.0	72	35.0	27.2-42.8	72	39.1	31.1-47.1	23	14.8	08.9-20.7
25-34	514	84,584	1	0.2	00.0-00.6	14	3.1	00.9-05.3	112	23.2	18.9-27.5	167	31.5	26.8-36.2	220	42.1	37.2-47.0
35-44	722	78,966	5	0.6	00.0-01.2	14	1.8	00.8-02.8	148	22.3	18.8-25.8	271	35.5	31.6-39.4	284	39.8	35.9-43.7
45-54	1091	94,448	7	0.4	00.0-00.8	26	1.9	01.1-02.7	330	30.4	27.3-33.5	385	34.4	31.3-37.5	343	32.8	29.7-35.9
55-64	928	71,040	17	1.3	00.5-02.1	50	4.2	02.8-05.6	255	27.7	24.4-31.0	274	29.0	25.7-32.3	332	37.9	34.4-41.4
65+	1258	95,046	152	13.2	11.0-15.4	71	5.5	04.1-06.9	496	36.7	33.8-39.6	331	26.9	24.2-29.6	208	17.7	15.3-20.1
Less than \$15,000	395	36,656	50	9.7	06.6-12.8	39	15.3	08.4-22.2	151	32.3	25.2-39.4	115	32.5	24.1-40.9	40	10.2	06.1-14.3
\$15,000- 24,999	697	63,639	47	6.3	04.3-08.3	64	8.7	06.2-11.2	288	40.7	35.6-45.8	200	28.8	23.9-33.7	98	15.5	11.6-19.4
\$25,000- 34,999	578	57,920	21	3.0	01.6-04.4	24	3.1	01.5-04.7	198	36.3	30.8-41.8	221	39.0	33.3-44.7	114	18.6	14.1-23.1
\$35,000- 49,999	740	74,025	10	1.1	00.3-01.9	17	1.9	00.3-03.5	225	32.4	28.3-36.5	262	34.8	30.7-38.9	226	29.9	26.0-33.8
\$50,000- 74,999	790	92,817	3	0.5	00.0-01.1	8	1.2	00.0-02.4	175	23.1	19.4-26.8	254	32.9	28.8-37.0	350	42.3	38.2-46.4
\$75,000+	897	109,321	5	0.4	00.0-00.8	13	2.5	00.7-04.3	149	16.9	13.8-20.0	261	30.1	26.2-34.0	469	50.0	45.9-54.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1934	248,831	90	3.3	02.5-04.1	90	4.7	03.3-06.1	579	30.1	27.4-32.8	583	31.2	28.5-33.9	592	30.7	28.2-33.2
Native	126	10,535	3	0.8	00.0-02.0										15	6.4	00.7-12.1
Non-Native	1781	235,437	80	3.1	02.3-03.9	71	4.2	02.8-05.6	522	29.5	26.8-32.2	535	31.2	28.5-33.9	573	32.0	29.3-34.7
18-24	94	39,398				12	10.4	03.7-17.1							10	13.6	05.6-21.6
25-34	210	44,546				9	4.0	00.5-07.5	63	28.9	22.2-35.6	64	31.6	24.3-38.9	74	35.4	28.1-42.7
35-44	301	40,154	1	0.2	00.0-00.6	4	1.0	00.0-02.2	75	25.3	19.8-30.8	119	36.3	30.4-42.2	102	37.3	31.4-43.2
45-54	474	47,766	4	0.3	00.0-00.7	12	1.7	00.5-02.9	151	31.8	27.1-36.5	172	35.1	30.4-39.8	135	31.0	26.3-35.7
55-64	404	35,820	12	1.9	00.5-03.3	24	5.1	02.7-07.5	100	23.8	19.1-28.5	109	27.2	22.3-32.1	159	42.0	36.5-47.5
65+	434	39,634	72	18.0	13.9-22.1	28	6.8	04.1-09.5	146	31.4	26.7-36.1	82	19.1	15.0-23.2	106	24.8	20.5-29.1
Less than \$15,000	130	14,546	19	10.9	05.2-16.6										11	7.7	01.6-13.8
\$15,000- 24,999	233	24,986	25	10.1	05.8-14.4	29	11.6	06.7-16.5	86	33.9	26.1-41.7	63	27.2	19.9-34.5	30	17.1	09.5-24.7
\$25,000- 34,999	246	29,941	17	4.6	02.1-07.1	14	3.9	01.4-06.4	85	36.6	28.4-44.8	86	35.6	27.4-43.8	44	19.2	12.1-26.3
\$35,000- 49,999	328	40,274	7	1.5	00.3-02.7	8	2.4	00.0-04.9	116	35.7	29.6-41.8	111	34.1	28.0-40.2	86	26.4	20.7-32.1
\$50,000- 74,999	351	48,631	1	0.3	00.0-00.9	4	0.7	00.0-01.5	97	28.8	22.7-34.9	106	30.5	24.4-36.6	143	39.8	33.7-45.9
\$75,000+	465	63,712	5	0.8	00.0-01.6	8	2.2	00.2-04.2	92	19.5	15.2-23.8	125	30.4	24.9-35.9	235	47.2	41.7-52.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2813	253,240	95	2.6	02.0-03.2	110	4.3	03.1-05.5	850	28.8	26.6-31.0	929	33.8	31.4-36.2	829	30.5	28.3-32.7
Native	228	12,511	5	2.2	00.0-05.3	23	11.3	04.6-18.0							55	20.9	12.3-29.5
Non-Native	2568	239,487	89	2.6	02.0-03.2	86	3.9	02.7-05.1	786	28.5	26.3-30.7	836	33.9	31.4-36.4	771	31.1	28.7-33.5
18-24	97	35,328				12	11.9	04.6-19.2							13	16.1	07.5-24.7
25-34	304	40,038	1	0.3	00.0-00.9	5	2.1	00.1-04.1	49	16.9	12.0-21.8	103	31.2	25.5-36.9	146	49.4	43.3-55.5
35-44	421	38,812	4	1.0	00.0-02.2	10	2.7	00.9-04.5	73	19.3	15.0-23.6	152	34.7	29.6-39.8	182	42.3	37.0-47.6
45-54	617	46,682	3	0.5	00.0-01.3	14	2.1	00.7-03.5	179	29.0	25.1-32.9	213	33.8	29.7-37.9	208	34.6	30.5-38.7
55-64	524	35,220	5	0.8	00.0-01.6	26	3.2	01.6-04.8	155	31.6	27.1-36.1	165	30.7	26.2-35.2	173	33.7	29.0-38.4
65+	824	55,412	80	9.7	07.5-11.9	43	4.6	03.0-06.2	350	40.6	36.9-44.3	249	32.4	28.7-36.1	102	12.6	10.1-15.1
Less than \$15,000	265	22,110	31	8.9	05.2-12.6	23	11.9	05.2-18.6	106	36.0	26.8-45.2				29	11.9	06.4-17.4
\$15,000- 24,999	464	38,653	22	3.8	02.0-05.6	35	6.9	04.4-09.4	202	45.1	38.4-51.8	137	29.8	23.3-36.3	68	14.5	10.4-18.6
\$25,000- 34,999	332	27,980	4	1.2	00.0-02.4	10	2.2	00.6-03.8	113	36.0	28.7-43.3	135	42.7	35.3-50.1	70	18.0	12.5-23.5
\$35,000- 49,999	412	33,751	3	0.7	00.0-01.7	9	1.3	00.1-02.5	109	28.5	23.4-33.6	151	35.5	30.0-41.0	140	34.0	28.5-39.5
\$50,000- 74,999	439	44,186	2	0.7	00.0-01.7	4	1.7	00.0-04.2	78	16.8	12.9-20.7	148	35.7	30.2-41.2	207	45.1	39.6-50.6
\$75,000+	432	45,609				5	3.0	00.0-06.3	57	13.2	08.9-17.5	136	29.7	24.6-34.8	234	54.1	48.4-59.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4735	500,768	3004	68.2	66.4-70.0	112	3.3	02.3-04.3	303	5.9	05.1-06.7	84	4.1	02.9-05.3	1031	15.9	14.9-16.9	201	2.6	02.2-03.0
Male	1928	247,925	1372	74.5	72.0-77.0	55	4.1	02.5-05.7	4	0.2	00.0-00.4	29	4.3	02.3-06.3	396	14.6	13.0-16.2	72	2.3	01.7-02.9
Female	2807	252,843	1632	62.0	59.6-64.4	57	2.5	01.5-03.5	299	11.5	09.9-13.1	55	3.8	02.2-05.4	635	17.2	15.8-18.6	129	2.9	02.3-03.5
Native	352	22,951							14	4.8	01.3-08.3	31	6.8	03.1-10.5	35	5.4	02.3-08.5	37	5.6	02.7-08.5
Non-Native	4340	473,762	2784	69.0	67.2-70.8	77	2.3	01.5-03.1	288	6.0	05.2-06.8	53	4.0	02.8-05.2	982	16.3	15.1-17.5	156	2.4	02.0-02.8
18-24	191	74,726	127	67.8	60.2-75.4	20	9.0	04.5-13.5	2	1.7	00.0-04.1	40	21.3	14.4-28.2				2	0.1	00.0-00.3
25-34	511	83,866	415	81.8	77.7-85.9	20	5.3	02.6-08.0	41	7.6	05.2-10.0	26	4.1	01.6-06.6				9	1.2	00.2-02.2
35-44	722	78,966	650	91.4	89.2-93.6	11	1.5	00.5-02.5	32	4.2	02.6-05.8	10	0.7	00.1-01.3	2	0.3	00.0-00.7	17	1.9	00.9-02.9
45-54	1090	94,363	931	87.0	84.8-89.2	33	2.4	01.4-03.4	52	5.1	03.7-06.5	4	0.3	00.0-00.7	17	1.6	00.6-02.6	53	3.6	02.4-04.8
55-64	927	71,034	631	70.1	66.8-73.4	18	1.5	00.7-02.3	47	5.0	03.4-06.6	2	0.2	00.0-00.6	156	16.6	14.1-19.1	73	6.6	04.8-08.4
65+	1254	94,673	225	17.1	14.7-19.5	10	0.8	00.2-01.4	125	10.5	08.5-12.5	1	0.0	00.0-00.0	847	69.1	66.4-71.8	46	2.5	01.7-03.3
Less Than H.S.	385	37,157	128	32.3	26.0-38.6	21	13.2	06.3-20.1	39	8.9	05.8-12.0	9	9.1	02.6-15.6	155	32.9	27.0-38.8	33	3.7	01.9-05.5
H.S. or G.E.D.	1424	147,754	813	65.3	62.0-68.6	33	3.2	01.6-04.8	113	6.3	04.9-07.7	16	3.3	01.1-05.5	368	18.2	16.0-20.4	81	3.7	02.7-04.7
Some Post-H.S.	1507	162,960	1017	70.5	67.4-73.6	37	3.0	01.6-04.4	83	5.7	04.1-07.3	42	5.9	03.4-08.4	268	12.5	10.7-14.3	60	2.4	01.6-03.2
College Graduate	1416	152,700	1045	77.3	74.8-79.8	21	1.4	00.6-02.2	68	5.0	03.8-06.2	17	1.8	00.4-03.2	238	13.1	11.3-14.9	27	1.5	00.9-02.1
Less than \$15,000	391	36,471	100	28.4	20.8-36.0	42	20.4	12.6-28.2	23	5.5	02.8-08.2	29	13.1	06.0-20.2	114	19.7	15.2-24.2	83	13.0	09.3-16.7
\$15,000- 24,999	694	63,387	338	57.7	52.8-62.6	17	2.3	00.7-03.9	44	6.0	04.0-08.0	14	1.4	00.2-02.6	240	28.0	24.1-31.9	41	4.6	03.0-06.2
\$25,000- 34,999	578	57,920	354	65.9	60.8-71.0	12	3.0	00.6-05.4	32	5.0	03.0-07.0	6	2.3	00.0-04.7	154	21.1	17.4-24.8	20	2.8	01.4-04.2
\$35,000- 49,999	740	74,025	545	76.5	73.0-80.0	14	2.3	00.5-04.1	37	4.4	02.8-06.0	2	0.6	00.0-01.6	133	15.2	12.5-17.9	9	1.0	00.4-01.6
\$50,000- 74,999	789	92,471	636	81.7	78.2-85.2	7	0.7	00.1-01.3	35	3.8	02.4-05.2	9	4.0	00.9-07.1	94	8.9	06.9-10.9	8	0.9	00.3-01.5
\$75,000+	896	109,316	761	83.3	79.6-87.0	6	1.3	00.1-02.5	47	4.7	03.3-06.1	13	5.6	02.3-08.9	64	4.8	03.4-06.2	5	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1928	247,925	1372	74.5	72.0-77.0	55	4.1	02.5-05.7	4	0.2	00.0-00.4	29	4.3	02.3-06.3	396	14.6	13.0-16.2	72	2.3	01.7-02.9
Native	126	10,535										6	4.3	00.0-09.2	14	5.4	00.0-10.9	11	3.7	00.4-07.0
Non-Native	1776	234,578	1286	75.9	73.4-78.4	33	2.7	01.5-03.9	3	0.1	00.0-00.3	23	4.4	02.4-06.4	371	14.7	13.1-16.3	60	2.2	01.6-02.8
18-24	94	39,398				13	11.3	04.2-18.4				17	21.7	11.9-31.5						
25-34	208	43,968	184	86.7	80.4-93.0	12	7.3	02.4-12.2	1	0.5	00.0-01.5	7	4.0	00.0-08.3				4	1.3	00.0-02.9
35-44	301	40,154	283	95.3	92.8-97.8	5	1.6	00.0-03.2	2	0.4	00.0-01.2	3	0.5	00.0-01.1	1	0.4	00.0-01.2	7	1.8	00.2-03.4
45-54	474	47,766	433	92.7	90.0-95.4	14	2.2	00.6-03.8							8	2.1	00.5-03.7	19	3.0	01.4-04.6
55-64	403	35,814	295	77.3	72.8-81.8	8	1.3	00.1-02.5				1	0.3	00.0-00.9	69	14.9	11.2-18.6	30	6.2	03.7-08.7
65+	433	39,423	103	22.7	18.4-27.0	3	1.0	00.0-02.2	1	0.0	00.0-00.0				314	74.5	70.0-79.0	12	1.9	00.7-03.1
Less Than H.S.	180	19,836	71	33.8	25.2-42.4							5	8.7	00.5-16.9	76	36.2	27.4-45.0	16	3.6	01.2-06.0
H.S. or G.E.D.	578	74,943	397	75.0	70.5-79.5	15	3.3	00.9-05.7	1	0.0	00.0-00.0	6	3.6	00.5-06.7	129	14.6	11.7-17.5	30	3.6	02.0-05.2
Some Post-H.S.	580	77,427	451	77.3	72.2-82.4	20	4.4	01.7-07.1	1	0.3	00.0-00.9	14	6.9	02.6-11.2	76	9.1	06.9-11.3	18	2.0	01.0-03.0
College Graduate	589	75,672	453	81.9	78.6-85.2	8	1.1	00.1-02.1	2	0.2	00.0-00.6	4	1.3	00.0-02.9	114	14.4	11.7-17.1	8	1.0	00.2-01.8
Less than \$15,000	129	14,490	33	17.5	09.7-25.3				1	1.6	00.0-04.7				32	15.6	08.7-22.5	33	15.9	08.6-23.2
\$15,000- 24,999	232	24,939	118	59.6	52.0-67.2	7	2.1	00.1-04.1	1	0.0	00.0-00.0	4	2.0	00.0-04.2	85	31.5	24.6-38.4	17	4.8	02.1-07.5
\$25,000- 34,999	246	29,941	155	68.8	61.5-76.1	7	4.9	00.6-09.2	1	0.5	00.0-01.5	1	0.8	00.0-02.4	76	22.5	16.8-28.2	6	2.4	00.2-04.6
\$35,000- 49,999	328	40,274	254	80.7	75.8-85.6	7	2.5	00.0-05.2				1	0.8	00.0-02.4	61	14.8	10.9-18.7	5	1.1	00.1-02.1
\$50,000- 74,999	350	48,285	295	85.3	80.0-90.6	3	0.5	00.0-01.3	1	0.0	00.0-00.0	3	4.4	00.0-09.3	45	9.0	06.3-11.7	3	0.6	00.0-01.4
\$75,000+	464	63,707	419	88.2	83.5-92.9	1	0.5	00.0-01.5				8	6.2	01.9-10.5	35	4.8	03.0-06.6	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	252,843	1632	62.0	59.6-64.4	57	2.5	01.5-03.5	299	11.5	09.9-13.1	55	3.8	02.2-05.4	635	17.2	15.8-18.6	129	2.9	02.3-03.5
Native	226	12,417							14	8.8	02.5-15.1	25	9.0	03.5-14.5	21	5.4	01.5-09.3	26	7.3	02.6-12.0
Non-Native	2564	239,184	1498	62.3	59.9-64.7	44	2.0	01.2-02.8	285	11.7	10.1-13.3	30	3.6	02.0-05.2	611	17.8	16.2-19.4	96	2.6	02.0-03.2
18-24	97	35,328				7	6.5	00.8-12.2	2	3.6	00.0-08.5	23	20.9	11.3-30.5				2	0.2	00.0-00.6
25-34	303	39,898	231	76.3	71.0-81.6	8	3.1	00.7-05.5	40	15.4	10.9-19.9	19	4.2	01.5-06.9				5	1.0	00.0-02.0
35-44	421	38,812	367	87.3	83.8-90.8	6	1.4	00.2-02.6	30	8.1	05.2-11.0	7	1.0	00.2-01.8	1	0.1	00.0-00.3	10	2.1	00.7-03.5
45-54	616	46,597	498	81.1	77.6-84.6	19	2.5	01.1-03.9	52	10.4	07.7-13.1	4	0.7	00.0-01.5	9	1.2	00.2-02.2	34	4.2	02.6-05.8
55-64	524	35,220	336	62.7	58.0-67.4	10	1.8	00.6-03.0	47	10.1	07.2-13.0	1	0.0	00.0-00.0	87	18.4	14.7-22.1	43	7.0	04.5-09.5
65+	821	55,249	122	13.1	10.7-15.5	7	0.7	00.1-01.3	124	18.0	14.9-21.1	1	0.0	00.0-00.0	533	65.2	61.5-68.9	34	2.9	01.7-04.1
Less Than H.S.	205	17,321	57	30.5	21.1-39.9	9	7.9	00.8-15.0	39	19.1	12.4-25.8	4	9.6	00.0-19.4	79	29.0	21.6-36.4	17	3.9	01.5-06.3
H.S. or G.E.D.	846	72,811	416	55.4	50.9-59.9	18	3.0	00.8-05.2	112	12.8	10.1-15.5	10	3.0	00.3-05.7	239	21.9	18.8-25.0	51	3.9	02.7-05.1
Some Post-H.S.	927	85,533	566	64.4	60.3-68.5	17	1.7	00.7-02.7	82	10.6	07.9-13.3	28	5.0	02.3-07.7	192	15.6	13.1-18.1	42	2.7	01.7-03.7
College Graduate	827	77,028	592	72.7	69.0-76.4	13	1.6	00.4-02.8	66	9.8	07.4-12.2	13	2.2	00.2-04.2	124	11.8	09.6-14.0	19	2.0	01.0-03.0
Less than \$15,000	262	21,981				19	10.2	03.1-17.3	22	8.1	04.0-12.2	22	12.8	04.8-20.8	82	22.3	16.4-28.2	50	11.1	07.2-15.0
\$15,000- 24,999	462	38,448	220	56.5	50.2-62.8	10	2.4	00.2-04.6	43	9.9	06.6-13.2	10	1.1	00.0-02.3	155	25.8	21.1-30.5	24	4.4	02.4-06.4
\$25,000- 34,999	332	27,980	199	62.7	55.8-69.6	5	0.9	00.0-01.9	31	9.8	06.1-13.5	5	3.8	00.0-08.3	78	19.5	14.6-24.4	14	3.2	01.2-05.2
\$35,000- 49,999	412	33,751	291	71.5	66.6-76.4	7	2.0	00.4-03.6	37	9.6	06.5-12.7	1	0.4	00.0-01.2	72	15.7	12.0-19.4	4	0.8	00.0-01.6
\$50,000- 74,999	439	44,186	341	77.7	73.0-82.4	4	0.8	00.0-01.6	34	8.0	05.3-10.7	6	3.5	00.0-07.0	49	8.8	06.3-11.3	5	1.1	00.1-02.1
\$75,000+	432	45,609	342	76.3	70.6-82.0	5	2.4	00.0-04.9	47	11.2	07.9-14.5	5	4.8	00.0-09.7	29	4.8	03.0-06.6	4	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4097	434,379	206	4.4	03.4-05.4	189	4.1	03.1-05.1	318	6.2	05.2-07.2	379	8.4	07.2-09.6	578	13.3	11.9-14.7	2427	63.6	61.6-65.6
Male	1753	222,091	70	3.8	02.4-05.2	60	2.8	01.8-03.8	93	4.1	03.1-05.1	140	7.2	05.6-08.8	246	13.5	11.3-15.7	1144	68.7	66.0-71.4
Female	2344	212,288	136	5.0	03.8-06.2	129	5.5	03.9-07.1	225	8.4	06.8-10.0	239	9.8	08.0-11.6	332	13.2	11.4-15.0	1283	58.2	55.5-60.9
Native	312	19,748	49	20.5	10.9-30.1	27	12.8	04.6-21.0	49	18.4	10.2-26.6	30	9.8	04.3-15.3	55	17.2	08.4-26.0	102	21.4	14.3-28.5
Non-Native	3760	412,390	153	3.6	02.8-04.4	158	3.6	02.8-04.4	264	5.6	04.8-06.4	347	8.4	07.2-09.6	522	13.2	11.8-14.6	2316	65.7	63.7-67.7
18-24	151	59,320	16	8.2	03.5-12.9	17	9.0	03.7-14.3	21	9.7	05.0-14.4	15	10.1	04.4-15.8	29	19.9	12.6-27.2	53	43.1	34.1-52.1
25-34	473	77,757	16	4.6	01.3-07.9	14	3.0	01.0-05.0	21	3.4	01.8-05.0	45	7.7	05.0-10.4	65	10.7	07.8-13.6	312	70.5	65.6-75.4
35-44	679	73,834	22	1.9	00.9-02.9	15	1.3	00.5-02.1	35	3.8	02.4-05.2	41	5.7	03.7-07.7	75	8.8	06.4-11.2	491	78.5	75.2-81.8
45-54	1011	87,761	45	3.7	02.3-05.1	27	2.1	01.1-03.1	38	2.6	01.6-03.6	55	4.9	03.3-06.5	114	9.6	07.6-11.6	732	77.1	74.4-79.8
55-64	818	63,173	40	2.8	01.6-04.0	30	2.5	01.5-03.5	53	5.2	03.6-06.8	61	6.3	04.5-08.1	109	13.1	10.6-15.6	525	70.2	66.7-73.7
65+	942	70,804	65	5.4	04.0-06.8	83	7.8	06.0-09.6	148	14.4	11.9-16.9	160	17.2	14.5-19.9	184	20.4	17.5-23.3	302	34.8	31.3-38.3
Less Than H.S.	301	29,260	53	20.0	12.6-27.4	36	11.4	06.3-16.5	58	16.7	11.6-21.8	53	15.9	11.2-20.6	45	12.0	07.9-16.1	56	24.0	16.4-31.6
H.S. or G.E.D.	1186	122,643	77	5.0	03.2-06.8	74	4.6	03.0-06.2	126	8.4	06.4-10.4	162	12.7	10.2-15.2	198	17.1	14.2-20.0	549	52.1	48.4-55.8
Some Post-H.S.	1313	142,006	58	3.9	02.1-05.7	57	4.5	02.3-06.7	93	6.0	04.2-07.8	107	6.9	05.1-08.7	221	15.9	13.2-18.6	777	62.8	59.1-66.5
College Graduate	1297	140,471	18	1.0	00.4-01.6	22	1.7	00.7-02.7	41	2.3	01.3-03.3	57	4.7	02.9-06.5	114	7.7	05.7-09.7	1045	82.6	79.9-85.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1753	222,091	70	3.8	02.4-05.2	60	2.8	01.8-03.8	93	4.1	03.1-05.1	140	7.2	05.6-08.8	246	13.5	11.3-15.7	1144	68.7	66.0-71.4
Native	113	8,338							15	7.4	00.5-14.3	9	7.2	00.1-14.3						
Non-Native	1624	212,131	52	3.0	01.6-04.4	48	2.2	01.2-03.2	76	3.9	02.9-04.9	130	7.2	05.6-08.8	224	13.2	11.0-15.4	1094	70.6	67.9-73.3
18-24	74	30,407	4	5.3	00.0-10.6	4	4.2	00.0-09.5	7	4.9	00.4-09.4	7	7.7	01.0-14.4						
25-34	197	41,833	10	7.7	01.8-13.6	4	2.5	00.0-05.0	9	3.0	00.8-05.2	12	5.9	02.2-09.6	26	11.1	06.6-15.6	136	69.8	62.2-77.4
35-44	283	37,493	7	1.0	00.0-02.0	3	0.4	00.0-01.0	10	2.1	00.5-03.7	16	5.2	02.5-07.9	27	8.6	05.1-12.1	220	82.6	78.1-87.1
45-54	450	45,098	18	3.3	01.3-05.3	14	2.1	00.9-03.3	13	2.0	00.8-03.2	18	4.0	01.8-06.2	52	9.2	06.5-11.9	335	79.4	75.3-83.5
55-64	369	33,158	17	2.1	00.7-03.5	12	2.3	00.7-03.9	15	3.4	01.4-05.4	23	5.1	02.7-07.5	51	12.6	08.9-16.3	251	74.5	69.8-79.2
65+	371	33,206	13	2.6	01.0-04.2	22	5.8	03.1-08.5	39	10.6	07.1-14.1	64	17.1	12.8-21.4	72	20.5	15.8-25.2	161	43.4	37.9-48.9
Less Than H.S.	153	16,478				16	9.5	02.6-16.4	25	15.8	08.7-22.9	29	17.2	10.3-24.1	31	15.6	09.1-22.1	33	23.7	14.1-33.3
H.S. or G.E.D.	521	64,090	26	3.7	01.7-05.7	19	2.4	01.2-03.6	32	4.4	02.6-06.2	54	8.8	05.7-11.9	85	17.1	12.8-21.4	305	63.6	58.3-68.9
Some Post-H.S.	530	70,347	20	3.8	00.9-06.7	19	3.3	00.9-05.7	25	3.7	01.7-05.7	38	6.0	03.8-08.2	86	15.2	11.1-19.3	342	68.1	62.8-73.4
College Graduate	549	71,175	5	0.5	00.0-01.1	6	1.1	00.0-02.3	11	1.5	00.5-02.5	19	4.5	01.8-07.2	44	8.1	05.0-11.2	464	84.3	80.2-88.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2344	212,288	136	5.0	03.8-06.2	129	5.5	03.9-07.1	225	8.4	06.8-10.0	239	9.8	08.0-11.6	332	13.2	11.4-15.0	1283	58.2	55.5-60.9
Native	199	11,409				18	12.1	02.1-22.1				21	11.7	03.9-19.5	34	12.5	04.7-20.3	60	19.7	11.7-27.7
Non-Native	2136	200,259	101	4.1	02.9-05.3	110	5.1	03.5-06.7	188	7.3	05.9-08.7	217	9.6	07.8-11.4	298	13.3	11.3-15.3	1222	60.5	57.8-63.2
18-24	77	28,913	12	11.2	03.6-18.8	13	14.1	04.9-23.3	14	14.7	06.5-22.9	8	12.6	03.2-22.0	11	17.1	07.5-26.7			
25-34	276	35,924	6	1.0	00.0-02.2	10	3.6	00.5-06.7	12	3.8	01.4-06.2	33	9.9	06.2-13.6	39	10.2	06.5-13.9	176	71.4	65.7-77.1
35-44	396	36,341	15	3.0	01.2-04.8	12	2.2	00.6-03.8	25	5.5	03.1-07.9	25	6.1	03.4-08.8	48	9.1	06.2-12.0	271	74.2	69.5-78.9
45-54	561	42,663	27	4.1	02.3-05.9	13	2.1	00.7-03.5	25	3.2	01.6-04.8	37	5.8	03.8-07.8	62	10.0	07.3-12.7	397	74.7	70.8-78.6
55-64	449	30,015	23	3.5	01.5-05.5	18	2.6	01.2-04.0	38	7.2	04.7-09.7	38	7.6	04.9-10.3	58	13.6	09.9-17.3	274	65.5	60.6-70.4
65+	571	37,599	52	7.9	05.7-10.1	61	9.6	07.1-12.1	109	17.7	14.2-21.2	96	17.3	13.8-20.8	112	20.2	16.5-23.9	141	27.3	23.2-31.4
Less Than H.S.	148	12,781	34	22.1	12.3-31.9	20	13.8	06.2-21.4	33	17.9	10.8-25.0	24	14.3	08.0-20.6	14	7.5	03.2-11.8			
H.S. or G.E.D.	665	58,552	51	6.5	03.6-09.4	55	7.1	04.4-09.8	94	12.8	09.5-16.1	108	17.0	12.7-21.3	113	17.2	13.3-21.1	244	39.5	34.6-44.4
Some Post-H.S.	783	71,659	38	4.0	02.0-06.0	38	5.7	02.4-09.0	68	8.2	05.5-10.9	69	7.8	04.9-10.7	135	16.7	13.0-20.4	435	57.6	52.7-62.5
College Graduate	748	69,295	13	1.6	00.6-02.6	16	2.2	00.6-03.8	30	3.2	01.6-04.8	38	4.9	03.1-06.7	70	7.2	04.8-09.6	581	80.9	77.4-84.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4527	481,485	38	0.9	00.3-01.5	1328	28.0	26.2-29.8	2168	46.9	44.9-48.9	792	18.6	17.0-20.2	201	5.5	04.5-06.5
Male	1914	246,152	2	0.3	00.0-00.9	137	7.4	05.8-09.0	1057	54.0	51.1-56.9	571	29.4	26.9-31.9	147	8.9	06.9-10.9
Female	2613	235,333	36	1.5	00.7-02.3	1191	49.6	47.1-52.1	1111	39.6	37.2-42.0	221	7.3	06.1-08.5	54	2.0	01.4-02.6
Native	345	22,683	1	0.0	00.0-00.0	79	19.5	12.4-26.6				86	25.4	16.4-34.4	22	10.0	02.4-17.6
Non-Native	4144	455,235	36	0.9	00.3-01.5	1237	28.4	26.6-30.2	1997	47.1	45.1-49.1	695	18.2	16.6-19.8	179	5.4	04.4-06.4
18-24	183	71,887	4	3.1	00.0-06.2	69	35.1	27.3-42.9	69	41.7	33.5-49.9	30	12.6	07.5-17.7	11	7.5	02.8-12.2
25-34	495	81,720	2	0.3	00.0-00.7	151	26.6	22.5-30.7	218	43.9	39.0-48.8	87	20.1	15.8-24.4	37	9.1	05.8-12.4
35-44	691	75,444	1	0.1	00.0-00.3	197	26.3	22.8-29.8	313	45.3	41.2-49.4	147	23.9	20.2-27.6	33	4.4	02.6-06.2
45-54	1034	90,294	5	0.3	00.0-00.7	259	23.2	20.5-25.9	493	47.2	43.7-50.7	215	23.1	20.0-26.2	62	6.2	04.4-08.0
55-64	883	67,859	6	0.5	00.1-00.9	227	24.1	21.0-27.2	442	49.3	45.6-53.0	174	22.0	18.7-25.3	34	4.1	02.5-05.7
65+	1218	92,295	20	1.4	00.6-02.2	421	32.8	29.9-35.7	619	52.8	49.7-55.9	135	10.8	08.8-12.8	23	2.1	01.1-03.1
Less Than H.S.	371	35,995	4	0.7	00.0-01.5	114	34.9	27.5-42.3	199	49.2	41.9-56.5	42	12.0	07.1-16.9	12	3.2	00.3-06.1
H.S. or G.E.D.	1362	142,363	18	0.9	00.3-01.5	398	27.4	24.3-30.5	647	47.3	43.6-51.0	235	17.9	15.2-20.6	64	6.5	04.3-08.7
Some Post-H.S.	1435	155,491	10	1.2	00.2-02.2	413	26.3	23.4-29.2	680	46.4	42.9-49.9	260	19.4	16.7-22.1	72	6.6	04.4-08.8
College Graduate	1357	147,524	6	0.6	00.0-01.6	402	28.7	25.8-31.6	642	46.6	43.3-49.9	254	20.1	17.6-22.6	53	4.0	02.6-05.4
Less than \$15,000	369	34,028	9	2.9	00.0-06.2	109	28.7	21.4-36.0	176	44.9	36.5-53.3	53	16.0	09.5-22.5	22	7.5	01.2-13.8
\$15,000- 24,999	669	60,868	11	3.2	00.1-06.3	229	32.7	27.8-37.6	305	45.0	39.9-50.1	94	14.6	10.7-18.5	30	4.5	02.3-06.7
\$25,000- 34,999	550	55,299	2	0.7	00.0-02.1	152	26.7	21.6-31.8	266	47.9	42.0-53.8	105	17.8	13.5-22.1	25	6.9	02.8-11.0
\$35,000- 49,999	709	71,458	1	0.1	00.0-00.3	169	22.6	18.9-26.3	369	50.6	46.1-55.1	139	21.6	17.7-25.5	31	5.0	02.8-07.2
\$50,000- 74,999	766	90,670	1	0.2	00.0-00.6	198	24.3	20.6-28.0	376	47.8	43.5-52.1	156	22.4	18.7-26.1	35	5.3	03.1-07.5
\$75,000+	878	107,237	1	0.0	00.0-00.0	245	27.7	24.0-31.4	401	44.7	40.6-48.8	192	22.4	19.1-25.7	39	5.2	03.2-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1914	246,152	2	0.3	00.0-00.9	137	7.4	05.8-09.0	1057	54.0	51.1-56.9	571	29.4	26.9-31.9	147	8.9	06.9-10.9
Native	125	10,451				12	8.4	01.7-15.1									
Non-Native	1765	233,119	2	0.3	00.0-00.9	120	7.2	05.6-08.8	997	54.6	51.7-57.5	514	29.1	26.6-31.6	132	8.7	06.7-10.7
18-24	94	39,398	1	1.9	00.0-05.6	15	10.6	03.9-17.3				23	18.9	10.5-27.3	10	12.7	04.5-20.9
25-34	207	43,737				18	8.2	04.3-12.1	106	49.0	41.4-56.6	60	29.8	22.5-37.1	23	13.0	07.1-18.9
35-44	296	39,398				11	3.4	01.4-05.4	153	50.6	44.5-56.7	109	39.3	33.2-45.4	23	6.8	03.9-09.7
45-54	471	47,458				24	4.5	02.5-06.5	250	51.7	46.6-56.8	150	34.2	29.3-39.1	47	9.6	06.7-12.5
55-64	396	35,135				32	8.0	05.1-10.9	211	51.5	46.0-57.0	127	33.8	28.5-39.1	26	6.6	03.9-09.3
65+	435	39,681	1	0.1	00.0-00.3	36	10.1	06.8-13.4	282	65.5	60.6-70.4	98	20.2	16.3-24.1	18	4.1	02.1-06.1
Less Than H.S.	176	19,507				28	19.5	10.9-28.1				30	16.2	08.4-24.0	10	5.5	00.0-11.0
H.S. or G.E.D.	574	74,231	1	0.1	00.0-00.3	44	8.2	05.1-11.3	313	53.1	47.6-58.6	164	27.6	22.9-32.3	52	11.0	07.3-14.7
Some Post-H.S.	578	77,189				40	6.5	04.1-08.9	297	51.0	45.5-56.5	192	32.2	27.3-37.1	49	10.3	06.2-14.4
College Graduate	585	75,178	1	1.0	00.0-03.0	25	4.4	02.0-06.8	339	56.5	51.6-61.4	184	31.8	27.3-36.3	36	6.3	03.9-08.7
Less than \$15,000	124	13,672				11	10.2	01.8-18.6									
\$15,000- 24,999	233	24,986	1	3.1	00.0-09.0	27	11.5	06.4-16.6	135	56.3	47.9-64.7	50	21.5	14.6-28.4	20	7.7	03.2-12.2
\$25,000- 34,999	243	29,582				28	12.0	06.5-17.5	131	52.5	43.9-61.1	66	25.4	18.1-32.7	18	10.1	03.0-17.2
\$35,000- 49,999	326	39,938				16	4.7	02.2-07.2	183	55.2	48.7-61.7	108	33.5	27.4-39.6	19	6.6	03.1-10.1
\$50,000- 74,999	350	48,577				11	3.2	01.2-05.2	188	53.0	46.5-59.5	123	35.4	29.3-41.5	28	8.4	04.5-12.3
\$75,000+	463	63,493				23	6.1	03.0-09.2	239	51.3	45.6-57.0	165	34.1	28.8-39.4	36	8.5	05.4-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2613	235,333	36	1.5	00.7-02.3	1191	49.6	47.1-52.1	1111	39.6	37.2-42.0	221	7.3	06.1-08.5	54	2.0	01.4-02.6
Native	220	12,232	1	0.0	00.0-00.0										7	5.9	00.0-12.4
Non-Native	2379	222,116	34	1.6	00.8-02.4	1117	50.7	48.2-53.2	1000	39.2	36.7-41.7	181	6.7	05.5-07.9	47	1.8	01.2-02.4
18-24	89	32,489	3	4.5	00.0-09.6							7	5.0	00.3-09.7	1	1.1	00.0-03.3
25-34	288	37,983	2	0.6	00.0-01.4	133	47.8	41.5-54.1	112	38.1	32.0-44.2	27	8.9	05.0-12.8	14	4.6	02.1-07.1
35-44	395	36,045	1	0.1	00.0-00.3	186	51.4	45.9-56.9	160	39.5	34.2-44.8	38	7.1	04.4-09.8	10	1.8	00.4-03.2
45-54	563	42,836	5	0.7	00.1-01.3	235	44.0	39.5-48.5	243	42.2	37.7-46.7	65	10.7	07.8-13.6	15	2.4	01.0-03.8
55-64	487	32,724	6	1.0	00.0-02.0	195	41.4	36.5-46.3	231	46.8	41.7-51.9	47	9.4	06.3-12.5	8	1.5	00.3-02.7
65+	783	52,614	19	2.3	01.1-03.5	385	49.9	46.0-53.8	337	43.3	39.4-47.2	37	3.8	02.4-05.2	5	0.7	00.1-01.3
Less Than H.S.	195	16,488	4	1.5	00.0-03.1				91	37.9	28.7-47.1	12	7.0	02.1-11.9	2	0.6	00.0-01.4
H.S. or G.E.D.	788	68,132	17	1.8	00.6-03.0	354	48.4	43.7-53.1	334	40.9	36.4-45.4	71	7.3	05.1-09.5	12	1.6	00.6-02.6
Some Post-H.S.	857	78,303	10	2.4	00.4-04.4	373	45.9	41.4-50.4	383	41.9	37.4-46.4	68	6.8	04.4-09.2	23	3.0	01.4-04.6
College Graduate	772	72,346	5	0.2	00.0-00.4	377	53.9	49.6-58.2	303	36.2	32.1-40.3	70	8.0	05.8-10.2	17	1.7	00.7-02.7
Less than \$15,000	245	20,356	9	4.8	00.0-10.1							26	9.3	04.0-14.6	7	1.3	00.1-02.5
\$15,000- 24,999	436	35,881	10	3.3	00.0-06.6	202	47.5	40.8-54.2	170	37.2	30.9-43.5	44	9.7	05.4-14.0	10	2.3	00.7-03.9
\$25,000- 34,999	307	25,717	2	1.6	00.0-04.3	124	43.6	35.8-51.4	135	42.7	35.1-50.3	39	9.1	05.6-12.6	7	3.1	00.0-06.2
\$35,000- 49,999	383	31,520	1	0.3	00.0-00.9	153	45.4	39.3-51.5	186	44.8	38.9-50.7	31	6.5	04.0-09.0	12	3.1	00.9-05.3
\$50,000- 74,999	416	42,094	1	0.3	00.0-00.9	187	48.7	42.8-54.6	188	41.7	36.0-47.4	33	7.4	04.5-10.3	7	1.8	00.4-03.2
\$75,000+	415	43,743	1	0.0	00.0-00.0	222	59.0	53.5-64.5	162	35.2	29.9-40.5	27	5.4	03.2-07.6	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			Height in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4726	499,559	230	3.5	02.9-04.1	2197	38.9	37.1-40.7	1964	47.6	45.6-49.6	332	9.9	08.5-11.3	2	0.1	00.1-00.1	1	0.1	00.0-00.3
Male	1930	247,674	2	0.1	00.0-00.3	168	7.2	05.8-08.6	1431	72.7	70.0-75.4	326	19.8	17.3-22.3	2	0.1	00.0-00.3	1	0.1	00.0-00.3
Female	2796	251,885	228	7.0	06.0-08.0	2029	70.0	67.6-72.4	533	22.8	20.4-25.2	6	0.2	00.0-00.4						
Native	354	23,046	20	3.2	00.7-05.7	177	39.7	30.1-49.3				22	7.3	00.6-14.0						
Non-Native	4329	472,520	208	3.6	03.0-04.2	2005	38.9	37.1-40.7	1808	47.4	45.4-49.4	305	10.0	08.6-11.4	2	0.1	00.1-00.1	1	0.1	00.0-00.3
18-24	190	74,045	2	0.9	00.0-02.1	73	33.9	26.3-41.5	85	47.5	39.3-55.7	30	17.8	11.3-24.3						
25-34	513	84,352	18	2.7	01.3-04.1	201	31.8	27.5-36.1	235	52.1	47.2-57.0	58	13.1	09.6-16.6				1	0.4	00.0-01.2
35-44	721	78,912	18	2.1	01.1-03.1	299	34.7	31.0-38.4	344	53.4	49.3-57.5	59	9.6	07.1-12.1	1	0.2	00.0-00.6			
45-54	1090	94,363	33	2.3	01.3-03.3	485	39.3	36.2-42.4	489	49.5	46.2-52.8	82	8.8	06.8-10.8	1	0.1	00.0-00.3			
55-64	925	70,821	51	4.6	03.0-06.2	438	42.5	39.0-46.0	377	45.1	41.4-48.8	59	7.8	05.6-10.0						
65+	1249	94,169	106	8.0	06.2-09.8	681	49.1	46.0-52.2	420	38.7	35.6-41.8	42	4.2	02.8-05.6						
Less Than H.S.	381	36,789	32	5.4	03.2-07.6	171	40.1	33.2-47.0	167	51.6	44.3-58.9	11	3.0	01.0-05.0						
H.S. or G.E.D.	1424	146,747	91	5.1	03.9-06.3	693	40.4	37.1-43.7	534	44.0	40.5-47.5	105	10.4	07.9-12.9	1	0.1	00.0-00.3			
Some Post-H.S.	1500	162,537	67	3.1	02.3-03.9	722	39.9	36.6-43.2	615	47.5	44.0-51.0	95	9.4	07.0-11.8	1	0.1	00.0-00.3			
College Graduate	1417	153,203	39	2.1	01.3-02.9	609	35.9	33.0-38.8	647	50.1	47.0-53.2	121	11.7	09.3-14.1				1	0.2	00.0-00.6
Less than \$15,000	392	36,342	25	4.2	02.2-06.2	217	51.7	43.5-59.9	133	39.7	31.5-47.9	16	3.4	00.0-07.1				1	1.0	00.0-02.8
\$15,000- 24,999	692	63,206	57	7.2	05.0-09.4	371	46.8	41.5-52.1	233	39.0	33.9-44.1	31	7.0	03.7-10.3						
\$25,000- 34,999	576	57,747	18	2.2	01.0-03.4	276	40.3	34.8-45.8	238	44.1	38.4-49.8	44	13.3	08.2-18.4						
\$35,000- 49,999	740	74,025	39	4.2	02.4-06.0	322	35.5	31.6-39.4	333	52.8	48.5-57.1	46	7.6	05.1-10.1						
\$50,000- 74,999	788	92,638	20	2.1	01.1-03.1	328	35.1	31.2-39.0	371	51.6	47.3-55.9	69	11.2	08.3-14.1						
\$75,000+	897	109,321	14	1.1	00.5-01.7	318	29.5	26.2-32.8	463	55.3	51.4-59.2	101	13.9	10.8-17.0	1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			Height in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1930	247,674	2	0.1	00.0-00.3	168	7.2	05.8-08.6	1431	72.7	70.0-75.4	326	19.8	17.3-22.3	2	0.1	00.0-00.3	1	0.1	00.0-00.3
Native	126	10,535				12	7.8	00.0-17.2												
Non-Native	1777	234,280	2	0.1	00.0-00.3	151	7.1	05.7-08.5	1322	72.6	69.9-75.3	299	20.0	17.5-22.5	2	0.1	00.0-00.3	1	0.1	00.0-00.3
18-24	93	38,717				7	6.4	00.7-12.1												
25-34	209	44,314	1	0.3	00.0-00.9	8	2.5	00.3-04.7	142	72.1	65.4-78.8	57	24.4	17.9-30.9				1	0.8	00.0-02.4
35-44	301	40,154				17	5.6	02.7-08.5	226	75.5	70.2-80.8	57	18.5	13.8-23.2	1	0.4	00.0-01.2			
45-54	474	47,766				37	6.8	04.4-09.2	356	75.9	71.6-80.2	80	17.1	13.4-20.8	1	0.2	00.0-00.6			
55-64	404	35,820	1	0.2	00.0-00.6	42	9.2	06.3-12.1	302	75.2	70.5-79.9	59	15.4	11.5-19.3						
65+	433	39,446				54	13.0	09.5-16.5	338	77.2	72.9-81.5	41	9.8	06.9-12.7						
Less Than H.S.	180	19,836				30	17.7	09.7-25.7	140	77.2	68.8-85.6	10	5.2	01.5-08.9						
H.S. or G.E.D.	576	73,992				57	8.0	05.3-10.7	416	71.6	66.5-76.7	102	20.2	15.7-24.7	1	0.2	00.0-00.6			
Some Post-H.S.	582	77,549				43	6.2	03.8-08.6	443	73.9	69.0-78.8	95	19.8	15.1-24.5	1	0.1	00.0-00.3			
College Graduate	591	76,250	2	0.2	00.0-00.6	38	4.7	03.1-06.3	431	71.3	66.6-76.0	119	23.3	18.8-27.8				1	0.5	00.0-01.5
Less than \$15,000	129	14,315	1	0.8	00.0-02.4	18	11.6	03.6-19.6				14	7.9	00.0-16.9				1	2.4	00.0-07.1
\$15,000- 24,999	232	24,846	1	0.2	00.0-00.6	32	10.4	06.3-14.5	170	72.6	64.6-80.6	29	16.7	09.1-24.3						
\$25,000- 34,999	246	29,941				26	9.7	05.0-14.4	177	64.7	55.9-73.5	43	25.6	16.8-34.4						
\$35,000- 49,999	328	40,274				23	5.6	03.1-08.1	260	80.6	75.7-85.5	45	13.8	09.5-18.1						
\$50,000- 74,999	350	48,537				20	5.8	02.3-09.3	261	72.8	66.9-78.7	69	21.4	16.1-26.7						
\$75,000+	465	63,712				25	4.7	02.7-06.7	338	71.2	66.1-76.3	101	23.9	18.8-29.0	1	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2796	251,885	228	7.0	06.0-08.0	2029	70.0	67.6-72.4	533	22.8	20.4-25.2	6	0.2	00.0-00.4
Native	228	12,511	20	6.0	01.3-10.7									
Non-Native	2552	238,240	206	7.0	05.8-08.2	1854	70.3	67.9-72.7	486	22.5	20.1-24.9	6	0.2	00.0-00.4
18-24	97	35,328	2	1.8	00.0-04.3									
25-34	304	40,038	17	5.4	02.7-08.1	193	64.1	58.2-70.0	93	30.0	24.5-35.5	1	0.5	00.0-01.5
35-44	420	38,758	18	4.2	02.0-06.4	282	64.9	59.8-70.0	118	30.6	25.7-35.5	2	0.3	00.0-00.7
45-54	616	46,597	33	4.7	02.9-06.5	448	72.6	68.7-76.5	133	22.5	18.8-26.2	2	0.2	00.0-00.6
55-64	521	35,001	50	9.1	06.2-12.0	396	76.6	72.5-80.7	75	14.3	11.0-17.6			
65+	816	54,723	106	13.8	11.1-16.5	627	75.2	71.9-78.5	82	10.8	08.4-13.2	1	0.1	00.0-00.3
Less Than H.S.	201	16,954	32	11.6	06.9-16.3							1	0.4	00.0-01.2
H.S. or G.E.D.	848	72,756	91	10.3	07.9-12.7	636	73.4	69.3-77.5	118	15.9	12.2-19.6	3	0.4	00.0-01.0
Some Post-H.S.	918	84,988	67	5.9	04.3-07.5	679	70.8	66.5-75.1	172	23.4	19.1-27.7			
College Graduate	826	76,952	37	3.9	02.3-05.5	571	66.8	62.7-70.9	216	29.1	25.2-33.0	2	0.2	00.0-00.4
Less than \$15,000	263	22,028	24	6.5	03.6-09.4	199	77.7	69.5-85.9	38	15.3	07.5-23.1	2	0.5	00.0-01.3
\$15,000- 24,999	460	38,360	56	11.8	08.3-15.3	339	70.4	64.3-76.5	63	17.2	11.5-22.9	2	0.7	00.0-01.9
\$25,000- 34,999	330	27,806	18	4.6	02.2-07.0	250	73.3	66.4-80.2	61	21.9	15.0-28.8	1	0.2	00.0-00.6
\$35,000- 49,999	412	33,751	39	9.1	05.4-12.8	299	71.1	65.6-76.6	73	19.6	14.7-24.5	1	0.2	00.0-00.6
\$50,000- 74,999	438	44,101	20	4.4	02.4-06.4	308	67.3	61.8-72.8	110	28.3	23.0-33.6			
\$75,000+	432	45,609	14	2.6	01.0-04.2	293	64.2	58.3-70.1	125	33.2	27.3-39.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 37: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			Weight in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4451	474,128	40	0.8	00.4-01.2	1327	29.2	27.4-31.0	2036	44.8	42.8-46.8	815	19.0	17.4-20.6	193	5.2	04.2-06.2	40	0.9	00.5-01.3
Male	1881	241,945	2	0.4	00.0-01.0	144	8.7	06.9-10.5	1004	52.2	49.3-55.1	570	29.1	26.6-31.6	132	8.2	06.4-10.0	29	1.5	00.7-02.3
Female	2570	232,183	38	1.3	00.7-01.9	1183	50.6	48.1-53.1	1032	37.1	34.7-39.5	245	8.5	07.1-09.9	61	2.1	01.5-02.7	11	0.3	00.1-00.5
Native	341	22,546	2	0.1	00.0-00.3	89	25.5	17.1-33.9				78	25.0	15.6-34.4	19	3.8	00.5-07.1	9	5.3	00.0-12.0
Non-Native	4075	448,316	38	0.9	00.5-01.3	1224	29.4	27.6-31.2	1880	45.1	43.1-47.1	728	18.6	17.0-20.2	174	5.3	04.3-06.3	31	0.7	00.3-01.1
18-24	181	71,358	3	2.1	00.0-04.6	77	39.0	31.0-47.0	67	38.6	30.4-46.8	26	13.9	08.2-19.6	5	4.4	00.7-08.1	3	1.9	00.0-04.4
25-34	492	81,117	5	0.7	00.0-01.5	158	29.1	24.8-33.4	215	42.9	38.0-47.8	71	17.0	12.9-21.1	37	9.1	05.6-12.6	6	1.3	00.1-02.5
35-44	673	73,556	5	0.5	00.1-00.9	195	27.0	23.5-30.5	282	42.5	38.4-46.6	147	24.3	20.6-28.0	35	4.7	02.9-06.5	9	1.0	00.2-01.8
45-54	1020	89,169	5	0.3	00.0-00.7	260	23.6	20.9-26.3	457	44.5	41.0-48.0	230	24.1	21.0-27.2	55	6.6	04.6-08.6	13	1.0	00.4-01.6
55-64	874	66,885	6	0.5	00.1-00.9	229	24.1	21.0-27.2	407	46.4	42.7-50.1	192	24.6	21.3-27.9	33	3.9	02.3-05.5	7	0.5	00.1-00.9
65+	1188	90,058	16	1.0	00.4-01.6	403	32.7	29.8-35.6	594	52.1	49.0-55.2	146	11.6	09.6-13.6	27	2.5	01.5-03.5	2	0.1	00.0-00.3
Less Than H.S.	363	35,446	4	1.1	00.0-02.3	113	36.1	28.7-43.5	192	50.6	43.2-58.0	41	10.2	06.5-13.9	9	1.6	00.2-03.0	4	0.4	00.0-01.0
H.S. or G.E.D.	1323	138,094	20	0.8	00.4-01.2	401	29.8	26.3-33.3	598	45.4	41.7-49.1	240	17.5	15.0-20.0	52	4.9	03.1-06.7	12	1.5	00.1-02.9
Some Post-H.S.	1421	154,146	8	0.8	00.0-01.6	415	27.5	24.4-30.6	650	43.7	40.2-47.2	263	21.0	18.1-23.9	73	6.2	04.0-08.4	12	0.8	00.2-01.4
College Graduate	1342	146,330	8	0.8	00.0-01.8	397	28.8	25.9-31.7	596	44.0	40.7-47.3	270	20.4	17.9-22.9	59	5.4	03.8-07.0	12	0.6	00.2-01.0
Less than \$15,000	365	33,760	12	2.2	00.8-03.6	118	35.2	27.4-43.0	153	40.3	31.9-48.7	58	14.1	08.0-20.2	16	6.9	00.6-13.2	8	1.3	00.3-02.3
\$15,000- 24,999	653	59,574	10	3.2	00.1-06.3	218	32.6	27.7-37.5	290	43.7	38.6-48.8	96	15.2	11.3-19.1	32	4.7	02.3-07.1	7	0.7	00.1-01.3
\$25,000- 34,999	533	53,171	1	0.2	00.0-00.6	148	28.4	22.9-33.9	254	46.7	40.8-52.6	98	16.3	12.2-20.4	26	6.1	02.6-09.6	6	2.3	00.0-05.2
\$35,000- 49,999	700	70,720	2	0.2	00.0-00.4	171	23.3	19.6-27.0	348	48.1	43.6-52.6	139	21.8	17.9-25.7	36	6.0	03.6-08.4	4	0.6	00.0-01.4
\$50,000- 74,999	762	90,362				206	25.0	21.3-28.7	347	45.3	41.0-49.6	170	24.3	20.6-28.0	29	4.3	02.3-06.3	10	1.1	00.3-01.9
\$75,000+	875	106,833	2	0.2	00.0-00.6	242	26.9	23.2-30.6	388	43.5	39.4-47.6	200	23.3	19.8-26.8	40	5.8	03.8-07.8	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 38: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			Weight in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1881	241,945	2	0.4	00.0-01.0	144	8.7	06.9-10.5	1004	52.2	49.3-55.1	570	29.1	26.6-31.6	132	8.2	06.4-10.0	29	1.5	00.7-02.3
Native	122	10,322													9	5.0	00.0-11.7			
Non-Native	1737	229,323	2	0.4	00.0-01.0	126	8.3	06.5-10.1	945	52.7	49.8-55.6	519	29.0	26.5-31.5	123	8.4	06.4-10.4	22	1.2	00.6-01.8
18-24	93	38,887	1	2.0	00.0-05.7	19	16.0	07.8-24.2				18	16.9	08.7-25.1	5	8.1	01.2-15.0	3	3.4	00.0-07.9
25-34	205	43,274	1	0.3	00.0-00.9	16	8.8	04.5-13.1	108	48.9	41.3-56.5	54	27.4	20.5-34.3	22	12.7	06.8-18.6	4	1.9	00.0-03.9
35-44	293	38,682				13	4.4	01.9-06.9	149	50.2	43.9-56.5	103	37.8	31.7-43.9	23	6.2	03.3-09.1	5	1.3	00.0-02.7
45-54	461	46,760				25	4.8	02.8-06.8	231	48.8	43.7-53.9	156	34.8	29.9-39.7	39	10.2	06.7-13.7	10	1.4	00.4-02.4
55-64	391	34,642				32	8.1	05.2-11.0	195	48.1	42.6-53.6	137	37.2	31.7-42.7	21	5.8	03.1-08.5	6	0.8	00.0-01.6
65+	423	38,356				37	10.5	07.2-13.8	264	63.8	58.9-68.7	99	20.6	16.5-24.7	22	4.9	02.7-07.1	1	0.2	00.0-00.6
Less Than H.S.	171	19,148				25	20.9	11.5-30.3	108	64.5	54.5-74.5	27	11.7	06.6-16.8	8	2.3	00.1-04.5	3	0.6	00.0-01.6
H.S. or G.E.D.	557	71,635				49	10.4	06.7-14.1	294	51.7	46.2-57.2	166	27.2	22.5-31.9	38	7.8	04.7-10.9	10	2.8	00.3-05.3
Some Post-H.S.	572	76,421				47	8.1	05.4-10.8	283	48.5	43.0-54.0	188	32.7	27.8-37.6	46	9.4	05.5-13.3	8	1.2	00.2-02.2
College Graduate	580	74,694	2	1.2	00.0-03.2	23	4.5	02.1-06.9	319	53.3	48.4-58.2	188	31.6	27.1-36.1	40	8.7	05.8-11.6	8	0.8	00.0-01.6
Less than \$15,000	121	13,444	1	0.9	00.0-02.7										4	1.7	00.0-03.7			
\$15,000- 24,999	227	24,320	1	3.1	00.0-09.2	25	11.0	05.9-16.1	129	56.1	47.5-64.7	51	21.1	14.2-28.0	16	7.9	02.8-13.0	5	0.7	00.0-01.5
\$25,000- 34,999	235	28,075				31	14.4	08.3-20.5	125	53.2	44.4-62.0	56	18.8	13.1-24.5	19	9.7	03.2-16.2	4	3.9	00.0-09.4
\$35,000- 49,999	321	39,518				17	5.1	02.6-07.6	177	53.2	46.7-59.7	102	33.5	27.2-39.8	22	7.3	03.8-10.8	3	1.0	00.0-02.4
\$50,000- 74,999	349	48,436				11	2.5	00.9-04.1	178	51.5	45.0-58.0	131	37.8	31.7-43.9	21	6.4	02.9-09.9	8	1.8	00.4-03.2
\$75,000+	460	63,090				24	6.5	03.4-09.6	231	49.0	43.3-54.7	167	35.0	29.7-40.3	35	9.1	06.0-12.2	3	0.5	00.0-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 39: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			Weight in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2570	232,183	38	1.3	00.7-01.9	1183	50.6	48.1-53.1	1032	37.1	34.7-39.5	245	8.5	07.1-09.9	61	2.1	01.5-02.7	11	0.3	00.1-00.5
Native	219	12,224	2	0.2	00.0-00.4										10	2.8	00.1-05.5	2	2.0	00.0-04.7
Non-Native	2338	218,993	36	1.4	00.8-02.0	1098	51.4	48.9-53.9	935	37.1	34.6-39.6	209	7.8	06.4-09.2	51	2.1	01.5-02.7	9	0.2	00.0-00.4
18-24	88	32,471	2	2.3	00.0-05.8				20	20.7	10.7-30.7	8	10.4	03.0-17.8						
25-34	287	37,843	4	1.1	00.0-02.5	142	52.4	46.1-58.7	107	35.9	29.8-42.0	17	5.0	02.3-07.7	15	4.9	02.2-07.6	2	0.6	00.0-01.6
35-44	380	34,874	5	1.1	00.1-02.1	182	52.1	46.4-57.8	133	33.9	28.6-39.2	44	9.4	06.5-12.3	12	3.0	01.0-05.0	4	0.6	00.0-01.2
45-54	559	42,409	5	0.7	00.1-01.3	235	44.3	39.6-49.0	226	39.7	35.2-44.2	74	12.3	09.4-15.2	16	2.6	01.0-04.2	3	0.5	00.0-01.1
55-64	483	32,242	6	1.0	00.0-02.0	197	41.3	36.4-46.2	212	44.6	39.5-49.7	55	11.1	08.0-14.2	12	1.9	00.5-03.3	1	0.1	00.0-00.3
65+	765	51,702	16	1.8	00.8-02.8	366	49.2	45.3-53.1	330	43.4	39.5-47.3	47	4.9	03.3-06.5	5	0.6	00.0-01.2	1	0.1	00.0-00.3
Less Than H.S.	192	16,298	4	2.3	00.0-04.8				84	34.2	25.0-43.4	14	8.5	03.2-13.8	1	0.8	00.0-02.4	1	0.2	00.0-00.6
H.S. or G.E.D.	766	66,459	20	1.7	00.9-02.5	352	50.7	46.0-55.4	304	38.6	34.1-43.1	74	7.1	05.3-08.9	14	1.8	00.6-03.0	2	0.1	00.0-00.3
Some Post-H.S.	849	77,725	8	1.6	00.0-03.2	368	46.6	42.1-51.1	367	39.0	34.7-43.3	75	9.5	06.2-12.8	27	2.9	01.5-04.3	4	0.4	00.0-00.8
College Graduate	762	71,636	6	0.4	00.0-00.8	374	54.1	49.8-58.4	277	34.3	30.2-38.4	82	8.9	06.7-11.1	19	1.9	00.9-02.9	4	0.5	00.1-00.9
Less than \$15,000	244	20,316	11	3.0	01.0-05.0							28	10.0	02.7-17.3	6	1.7	00.0-03.7	4	1.0	00.0-02.0
\$15,000- 24,999	426	35,254	9	3.2	00.0-06.5	193	47.5	40.8-54.2	161	35.1	29.0-41.2	45	11.1	06.4-15.8	16	2.5	01.1-03.9	2	0.6	00.0-01.6
\$25,000- 34,999	298	25,096	1	0.4	00.0-01.2	117	44.0	36.0-52.0	129	39.5	32.1-46.9	42	13.5	07.6-19.4	7	2.1	00.3-03.9	2	0.5	00.0-01.3
\$35,000- 49,999	379	31,202	2	0.4	00.0-01.0	154	46.4	40.3-52.5	171	41.7	35.8-47.6	37	7.0	04.5-09.5	14	4.4	01.7-07.1	1	0.1	00.0-00.3
\$50,000- 74,999	413	41,927				195	51.0	45.1-56.9	169	38.1	32.6-43.6	39	8.7	05.6-11.8	8	1.9	00.5-03.3	2	0.3	00.0-00.7
\$75,000+	415	43,743	2	0.5	00.0-01.5	218	56.5	50.8-62.2	157	35.5	30.0-41.0	33	6.5	04.1-08.9	5	1.0	00.0-02.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 40: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1872	213,026	732	36.8	33.9-39.7	1140	63.2	60.3-66.1
Male	707	102,655	289	37.1	32.4-41.8	418	62.9	58.2-67.6
Female	1165	110,371	443	36.4	32.7-40.1	722	63.6	59.9-67.3
Native	217	15,621	84	29.6	20.0-39.2	133	70.4	60.8-80.0
Non-Native	1638	195,884	642	37.4	34.3-40.5	996	62.6	59.5-65.7
18-24	125	48,821	34	27.3	18.3-36.3	91	72.7	63.7-81.7
25-34	255	41,127	106	40.2	33.1-47.3	149	59.8	52.7-66.9
35-44	297	31,284	122	41.9	35.6-48.2	175	58.1	51.8-64.4
45-54	414	33,797	176	41.6	36.3-46.9	238	58.4	53.1-63.7
55-64	336	24,455	149	44.7	38.6-50.8	187	55.3	49.2-61.4
65+	435	32,586	144	31.4	26.5-36.3	291	68.6	63.7-73.5
H.S. or G.E.D.	528	62,030	186	32.8	27.1-38.5	342	67.2	61.5-72.9
Some Post-H.S.	620	72,055	235	34.6	29.5-39.7	385	65.4	60.3-70.5
College Graduate	561	61,232	261	46.1	41.0-51.2	300	53.9	48.8-59.0
Less than \$15,000	178	20,746	55	22.7	13.1-32.3	123	77.3	67.7-86.9
\$15,000- 24,999	326	30,988	118	31.4	24.5-38.3	208	68.6	61.7-75.5
\$25,000- 34,999	214	21,475	87	35.4	26.4-44.4	127	64.6	55.6-73.6
\$35,000- 49,999	269	27,904	106	37.3	30.2-44.4	163	62.7	55.6-69.8
\$50,000- 74,999	315	40,703	131	39.7	33.0-46.4	184	60.3	53.6-67.0
\$75,000+	357	45,421	165	43.0	36.5-49.5	192	57.0	50.5-63.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 41: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	707	102,655	289	37.1	32.4-41.8	418	62.9	58.2-67.6
Non-Native	625	95,019	257	38.2	33.3-43.1	368	61.8	56.9-66.7
35-44	115	15,596	45	39.9	30.3-49.5	70	60.1	50.5-69.7
45-54	148	14,066	62	39.8	31.0-48.6	86	60.2	51.4-69.0
55-64	130	11,411	66	48.9	39.1-58.7	64	51.1	41.3-60.9
65+	155	14,414	61	37.5	29.3-45.7	94	62.5	54.3-70.7
H.S. or G.E.D.	203	31,365	80	35.5	26.3-44.7	123	64.5	55.3-73.7
Some Post-H.S.	221	33,299	83	32.6	24.4-40.8	138	67.4	59.2-75.6
College Graduate	215	28,514	107	47.2	39.0-55.4	108	52.8	44.6-61.0
\$75,000+	169	26,314	75	39.4	30.2-48.6	94	60.6	51.4-69.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 42: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1165	110,371	443	36.4	32.7-40.1	722	63.6	59.9-67.3
Non-Native	1013	100,865	385	36.6	32.7-40.5	628	63.4	59.5-67.3
25-34	169	22,551	70	42.1	33.9-50.3	99	57.9	49.7-66.1
35-44	182	15,688	77	43.9	35.7-52.1	105	56.1	47.9-64.3
45-54	266	19,731	114	42.9	36.2-49.6	152	57.1	50.4-63.8
55-64	206	13,044	83	41.0	33.4-48.6	123	59.0	51.4-66.6
65+	280	18,172	83	26.6	20.9-32.3	197	73.4	67.7-79.1
H.S. or G.E.D.	325	30,664	106	30.0	23.1-36.9	219	70.0	63.1-76.9
Some Post-H.S.	399	38,756	152	36.3	29.8-42.8	247	63.7	57.2-70.2
College Graduate	346	32,718	154	45.0	38.3-51.7	192	55.0	48.3-61.7
\$15,000- 24,999	231	19,722	80	30.9	22.5-39.3	151	69.1	60.7-77.5
\$35,000- 49,999	162	13,618	62	38.4	29.8-47.0	100	61.6	53.0-70.2
\$50,000- 74,999	181	19,923	76	39.5	31.3-47.7	105	60.5	52.3-68.7
\$75,000+	188	19,107	90	48.0	39.6-56.4	98	52.0	43.6-60.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 43: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4751	502,354	4685	98.4	98.0-98.8	41	1.2	00.8-01.6	25	0.4	00.2-00.6
Male	1935	248,878	1909	98.3	97.5-99.1	17	1.4	00.6-02.2	9	0.3	00.1-00.5
Female	2816	253,476	2776	98.5	97.9-99.1	24	0.9	00.5-01.3	16	0.5	00.3-00.7
Native	354	23,046	352	98.7	96.7-0100	2	1.3	00.0-03.3			
Non-Native	4352	475,122	4290	98.5	97.9-99.1	39	1.2	00.8-01.6	23	0.4	00.2-00.6
18-24	191	74,726	187	97.9	95.7-0100	4	2.1	00.0-04.3			
25-34	514	84,584	506	98.0	96.6-99.4	8	2.0	00.6-03.4			
35-44	722	78,966	717	99.1	98.3-99.9	4	0.7	00.1-01.3	1	0.2	00.0-00.6
45-54	1092	94,534	1082	99.2	98.6-99.8	6	0.5	00.1-00.9	4	0.3	00.0-00.7
55-64	928	71,040	919	98.9	98.1-99.7	4	0.6	00.0-01.4	5	0.5	00.0-01.1
65+	1260	95,158	1235	98.1	97.3-98.9	15	1.2	00.6-01.8	10	0.7	00.3-01.1
Less Than H.S.	385	37,157	374	96.6	93.7-99.5	10	3.3	00.4-06.2	1	0.1	00.0-00.3
H.S. or G.E.D.	1429	147,947	1419	99.4	99.0-99.8	3	0.3	00.0-00.7	7	0.4	00.0-00.8
Some Post-H.S.	1512	163,407	1482	97.7	96.7-98.7	17	1.6	00.6-02.6	13	0.7	00.3-01.1
College Graduate	1421	153,559	1406	98.8	98.0-99.6	11	1.0	00.2-01.8	4	0.2	00.0-00.4
Less than \$15,000	395	36,656	387	96.0	92.5-99.5	7	3.8	00.3-07.3	1	0.2	00.0-00.6
\$15,000- 24,999	697	63,639	687	98.7	97.7-99.7	5	0.9	00.0-01.9	5	0.4	00.0-00.8
\$25,000- 34,999	578	57,920	572	99.1	98.3-99.9	4	0.7	00.0-01.5	2	0.3	00.0-00.7
\$35,000- 49,999	740	74,025	728	97.9	96.5-99.3	9	1.8	00.4-03.2	3	0.3	00.0-00.7
\$50,000- 74,999	790	92,817	783	99.3	98.7-99.9	5	0.5	00.1-00.9	2	0.2	00.0-00.4
\$75,000+	897	109,321	890	99.1	98.1-0100	4	0.6	00.0-01.6	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 44: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1935	248,878	1909	98.3	97.5-99.1	17	1.4	00.6-02.2	9	0.3	00.1-00.5
Native	126	10,535	126	100.0	0100-0100						
Non-Native	1782	235,484	1757	98.3	97.5-99.1	17	1.5	00.7-02.3	8	0.2	00.0-00.4
18-24	94	39,398	91	96.5	92.6-0100	3	3.5	00.0-07.4			
25-34	210	44,546	206	97.7	95.3-0100	4	2.3	00.0-04.7			
35-44	301	40,154	297	98.7	97.3-0100	4	1.3	00.0-02.7			
45-54	474	47,766	472	99.8	99.4-0100	2	0.2	00.0-00.6			
55-64	404	35,820	401	99.1	97.9-0100	1	0.5	00.0-01.5	2	0.5	00.0-01.1
65+	435	39,681	426	98.2	96.8-99.6	3	0.7	00.0-01.7	6	1.0	00.0-02.0
Less Than H.S.	180	19,836	178	96.7	91.6-0100	2	3.3	00.0-08.4			
H.S. or G.E.D.	579	74,999	574	99.5	98.9-0100	1	0.2	00.0-00.6	4	0.4	00.0-00.8
Some Post-H.S.	583	77,690	571	97.2	95.2-99.2	8	2.4	00.4-04.4	4	0.4	00.0-00.8
College Graduate	592	76,306	585	98.8	97.6-0100	6	1.1	00.0-02.3	1	0.1	00.0-00.3
Less than \$15,000	130	14,546	126	92.5	84.3-0100	3	7.0	00.0-15.2	1	0.5	00.0-01.5
\$15,000- 24,999	233	24,986	229	98.5	96.7-0100	2	1.1	00.0-02.7	2	0.4	00.0-01.2
\$25,000- 34,999	246	29,941	242	98.7	97.3-0100	3	0.9	00.0-02.1	1	0.4	00.0-01.2
\$35,000- 49,999	328	40,274	323	97.5	95.1-99.9	4	2.4	00.0-04.8	1	0.2	00.0-00.6
\$50,000- 74,999	351	48,631	348	99.4	98.6-0100	1	0.3	00.0-00.9	2	0.3	00.0-00.7
\$75,000+	465	63,712	461	99.0	97.4-0100	3	0.9	00.0-02.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 45: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2816	253,476	2776	98.5	97.9-99.1	24	0.9	00.5-01.3	16	0.5	00.3-00.7
Native	228	12,511	226	97.6	94.1-0100	2	2.4	00.0-05.9			
Non-Native	2570	239,637	2533	98.6	98.0-99.2	22	0.9	00.5-01.3	15	0.5	00.3-00.7
18-24	97	35,328	96	99.5	98.5-0100	1	0.5	00.0-01.5			
25-34	304	40,038	300	98.3	96.5-0100	4	1.7	00.0-03.5			
35-44	421	38,812	420	99.6	98.8-0100				1	0.4	00.0-01.2
45-54	618	46,768	610	98.6	97.6-99.6	4	0.8	00.0-01.6	4	0.6	00.0-01.2
55-64	524	35,220	518	98.7	97.3-0100	3	0.7	00.0-01.9	3	0.6	00.0-01.4
65+	825	55,477	809	98.0	97.0-99.0	12	1.6	00.6-02.6	4	0.4	00.0-00.8
Less Than H.S.	205	17,321	196	96.4	93.9-98.9	8	3.3	00.9-05.7	1	0.2	00.0-00.6
H.S. or G.E.D.	850	72,949	845	99.2	98.4-0100	2	0.4	00.0-01.0	3	0.4	00.0-00.8
Some Post-H.S.	929	85,717	911	98.1	97.1-99.1	9	1.0	00.2-01.8	9	0.9	00.3-01.5
College Graduate	829	77,253	821	98.9	97.9-99.9	5	0.9	00.1-01.7	3	0.3	00.0-00.7
Less than \$15,000	265	22,110	261	98.3	96.3-0100	4	1.7	00.0-03.7			
\$15,000- 24,999	464	38,653	458	98.8	97.6-0100	3	0.8	00.0-01.8	3	0.4	00.0-01.0
\$25,000- 34,999	332	27,980	330	99.5	98.7-0100	1	0.4	00.0-01.2	1	0.2	00.0-00.6
\$35,000- 49,999	412	33,751	405	98.3	96.9-99.7	5	1.1	00.0-02.3	2	0.5	00.0-01.3
\$50,000- 74,999	439	44,186	435	99.3	98.5-0100	4	0.7	00.0-01.5			
\$75,000+	432	45,609	429	99.2	98.2-0100	1	0.3	00.0-00.9	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 46: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid Zipcode			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4751	502,354	4623	97.3	96.7-97.9	63	1.2	00.8-01.6	65	1.4	01.0-01.8
Male	1935	248,878	1873	96.7	95.5-97.9	34	1.6	00.8-02.4	28	1.7	00.9-02.5
Female	2816	253,476	2750	98.0	97.4-98.6	29	0.9	00.3-01.5	37	1.1	00.7-01.5
Native	354	23,046	345	94.9	87.8-0100	4	4.1	00.0-11.2	5	1.0	00.0-02.6
Non-Native	4352	475,122	4240	97.6	97.0-98.2	56	1.0	00.6-01.4	56	1.4	01.0-01.8
18-24	191	74,726	188	97.1	93.8-0100	2	1.9	00.0-04.4	1	1.0	00.0-03.0
25-34	514	84,584	508	98.4	97.0-99.8	2	0.4	00.0-01.0	4	1.2	00.0-02.4
35-44	722	78,966	709	98.0	96.8-99.2	3	0.5	00.0-01.1	10	1.5	00.5-02.5
45-54	1092	94,534	1069	97.9	96.9-98.9	8	0.7	00.1-01.3	15	1.5	00.7-02.3
55-64	928	71,040	915	98.3	97.3-99.3	5	0.8	00.0-01.6	8	0.9	00.3-01.5
65+	1260	95,158	1202	95.6	94.4-96.8	42	3.0	02.0-04.0	16	1.3	00.5-02.1
Less Than H.S.	385	37,157	362	93.3	89.6-97.0	20	5.5	02.0-09.0	3	1.2	00.0-02.6
H.S. or G.E.D.	1429	147,947	1391	97.3	95.9-98.7	24	1.8	00.6-03.0	14	0.9	00.3-01.5
Some Post-H.S.	1512	163,407	1470	97.3	96.1-98.5	12	0.6	00.2-01.0	30	2.1	00.9-03.3
College Graduate	1421	153,559	1397	98.4	97.6-99.2	7	0.4	00.0-00.8	17	1.2	00.6-01.8
Less than \$15,000	395	36,656	383	97.2	95.2-99.2	9	2.1	00.5-03.7	3	0.6	00.0-01.6
\$15,000- 24,999	697	63,639	685	98.1	96.9-99.3	8	1.3	00.3-02.3	4	0.6	00.0-01.2
\$25,000- 34,999	578	57,920	565	97.5	94.8-0100	7	0.7	00.1-01.3	6	1.8	00.0-04.3
\$35,000- 49,999	740	74,025	733	99.2	98.6-99.8	1	0.2	00.0-00.6	6	0.7	00.1-01.3
\$50,000- 74,999	790	92,817	773	97.9	96.9-98.9	5	0.6	00.0-01.2	12	1.4	00.6-02.2
\$75,000+	897	109,321	880	98.1	96.9-99.3	7	0.9	00.0-01.9	10	0.9	00.3-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 47: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid Zipcode			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1935	248,878	1873	96.7	95.5-97.9	34	1.6	00.8-02.4	28	1.7	00.9-02.5
Non-Native	1782	235,484	1727	97.1	96.1-98.1	29	1.2	00.8-01.6	26	1.7	00.9-02.5
18-24	94	39,398	92	95.9	90.4-0100	1	2.2	00.0-06.3	1	1.9	00.0-05.6
25-34	210	44,546	205	97.3	94.9-99.7	1	0.4	00.0-01.2	4	2.3	00.0-04.7
35-44	301	40,154	294	97.6	95.8-99.4	3	1.0	00.0-02.2	4	1.4	00.0-02.8
45-54	474	47,766	464	97.8	96.2-99.4	6	1.3	00.1-02.5	4	0.9	00.0-01.9
55-64	404	35,820	397	97.9	96.1-99.7	4	1.2	00.0-02.6	3	0.8	00.0-01.8
65+	435	39,681	408	94.1	91.7-96.5	18	3.7	01.7-05.7	9	2.2	00.6-03.8
Less Than H.S.	180	19,836	167	93.9	90.2-97.6	12	5.4	01.9-08.9	1	0.7	00.0-02.1
H.S. or G.E.D.	579	74,999	561	96.1	93.6-98.6	13	2.8	00.4-05.2	5	1.1	00.0-02.3
Some Post-H.S.	583	77,690	564	96.7	94.5-98.9	6	0.8	00.2-01.4	13	2.5	00.3-04.7
College Graduate	592	76,306	580	97.9	96.5-99.3	3	0.4	00.0-00.8	9	1.8	00.6-03.0
Less than \$15,000	130	14,546	124	95.8	91.9-99.7	6	4.2	00.3-08.1			
\$15,000- 24,999	233	24,986	225	96.2	93.5-98.9	6	2.7	00.5-04.9	2	1.2	00.0-02.8
\$25,000- 34,999	246	29,941	238	95.9	90.8-0100	4	0.8	00.0-01.8	4	3.3	00.0-08.2
\$35,000- 49,999	328	40,274	326	99.5	98.9-0100				2	0.5	00.0-01.1
\$50,000- 74,999	351	48,631	340	97.1	95.3-98.9	3	0.8	00.0-01.8	8	2.1	00.5-03.7
\$75,000+	465	63,712	455	98.4	97.2-99.6	5	0.7	00.0-01.5	5	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 48: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid Zipcode			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2816	253,476	2750	98.0	97.4-98.6	29	0.9	00.3-01.5	37	1.1	00.7-01.5
Native	228	12,511	221	98.0	95.1-0100	2	0.1	00.0-00.3	5	1.8	00.0-04.7
Non-Native	2570	239,637	2513	98.0	97.4-98.6	27	0.9	00.3-01.5	30	1.0	00.6-01.4
18-24	97	35,328	96	98.4	95.5-0100	1	1.6	00.0-04.5			
25-34	304	40,038	303	99.7	99.1-0100	1	0.3	00.0-00.9			
35-44	421	38,812	415	98.4	97.0-99.8				6	1.6	00.2-03.0
45-54	618	46,768	605	98.0	96.6-99.4	2	0.0	00.0-00.0	11	2.0	00.6-03.4
55-64	524	35,220	518	98.7	97.5-99.9	1	0.4	00.0-01.2	5	0.9	00.1-01.7
65+	825	55,477	794	96.7	95.5-97.9	24	2.5	01.5-03.5	7	0.7	00.1-01.3
Less Than H.S.	205	17,321	195	92.6	85.9-99.3	8	5.5	00.0-11.8	2	1.9	00.0-04.4
H.S. or G.E.D.	850	72,949	830	98.4	97.6-99.2	11	0.8	00.2-01.4	9	0.7	00.1-01.3
Some Post-H.S.	929	85,717	906	97.8	96.8-98.8	6	0.4	00.0-00.8	17	1.8	00.8-02.8
College Graduate	829	77,253	817	99.0	98.4-99.6	4	0.4	00.0-00.8	8	0.6	00.2-01.0
Less than \$15,000	265	22,110	259	98.2	96.2-0100	3	0.8	00.0-01.8	3	1.1	00.0-02.9
\$15,000- 24,999	464	38,653	460	99.4	98.8-0100	2	0.4	00.0-01.0	2	0.2	00.0-00.6
\$25,000- 34,999	332	27,980	327	99.3	98.7-99.9	3	0.5	00.0-01.1	2	0.2	00.0-00.6
\$35,000- 49,999	412	33,751	407	98.7	97.5-99.9	1	0.4	00.0-01.2	4	0.9	00.0-01.9
\$50,000- 74,999	439	44,186	433	98.8	97.8-99.8	2	0.5	00.0-01.1	4	0.7	00.0-01.5
\$75,000+	432	45,609	425	97.8	95.3-0100	2	1.2	00.0-03.6	5	1.0	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 49: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4739	501,317	197	3.1	02.5-03.7	4542	96.9	96.3-97.5
Male	1929	248,335	94	3.6	02.6-04.6	1835	96.4	95.4-97.4
Female	2810	252,982	103	2.7	01.9-03.5	2707	97.3	96.5-98.1
Native	354	23,046	21	2.8	01.0-04.6	333	97.2	95.4-99.0
Non-Native	4340	474,085	173	3.1	02.5-03.7	4167	96.9	96.3-97.5
18-24	191	74,726	6	2.0	00.0-04.0	185	98.0	96.0-0100
25-34	514	84,584	12	2.0	00.6-03.4	502	98.0	96.6-99.4
35-44	721	78,858	32	3.1	01.9-04.3	689	96.9	95.7-98.1
45-54	1087	94,112	50	3.9	02.7-05.1	1037	96.1	94.9-97.3
55-64	928	71,040	41	3.6	02.4-04.8	887	96.4	95.2-97.6
65+	1257	94,934	51	3.5	02.3-04.7	1206	96.5	95.3-97.7
Less Than H.S.	385	37,157	12	3.1	01.1-05.1	373	96.9	94.9-98.9
H.S. or G.E.D.	1423	147,418	51	2.8	01.8-03.8	1372	97.2	96.2-98.2
Some Post-H.S.	1508	163,124	55	2.6	01.6-03.6	1453	97.4	96.4-98.4
College Graduate	1419	153,335	79	4.0	03.0-05.0	1340	96.0	95.0-97.0
Less than \$15,000	394	36,591	9	1.0	00.2-01.8	385	99.0	98.2-99.8
\$15,000- 24,999	696	63,574	21	2.2	01.0-03.4	675	97.8	96.6-99.0
\$25,000- 34,999	577	57,864	22	2.3	01.1-03.5	555	97.7	96.5-98.9
\$35,000- 49,999	740	74,025	18	2.0	00.6-03.4	722	98.0	96.6-99.4
\$50,000- 74,999	790	92,817	36	3.7	02.3-05.1	754	96.3	94.9-97.7
\$75,000+	893	108,929	64	4.9	03.3-06.5	829	95.1	93.5-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 50: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1929	248,335	94	3.6	02.6-04.6	1835	96.4	95.4-97.4
Native	126	10,535	8	2.1	00.0-04.3	118	97.9	95.7-0100
Non-Native	1776	234,942	84	3.6	02.6-04.6	1692	96.4	95.4-97.4
18-24	94	39,398	4	2.3	00.0-05.0	90	97.7	95.0-0100
25-34	210	44,546	6	2.3	00.1-04.5	204	97.7	95.5-99.9
35-44	301	40,154	10	1.8	00.4-03.2	291	98.2	96.8-99.6
45-54	470	47,430	26	4.9	02.9-06.9	444	95.1	93.1-97.1
55-64	404	35,820	21	4.6	02.4-06.8	383	95.4	93.2-97.6
65+	434	39,587	24	5.3	02.9-07.7	410	94.7	92.3-97.1
Less Than H.S.	180	19,836	9	4.3	01.0-07.6	171	95.7	92.4-99.0
H.S. or G.E.D.	577	74,792	27	3.8	01.8-05.8	550	96.2	94.2-98.2
Some Post-H.S.	581	77,578	21	2.5	01.1-03.9	560	97.5	96.1-98.9
College Graduate	590	76,082	37	4.3	02.7-05.9	553	95.7	94.1-97.3
Less than \$15,000	130	14,546	3	0.9	00.0-02.1	127	99.1	97.9-0100
\$15,000- 24,999	233	24,986	6	2.5	00.1-04.9	227	97.5	95.1-99.9
\$25,000- 34,999	245	29,885	9	2.1	00.3-03.9	236	97.9	96.1-99.7
\$35,000- 49,999	328	40,274	6	1.9	00.0-03.9	322	98.1	96.1-0100
\$50,000- 74,999	351	48,631	19	4.2	02.0-06.4	332	95.8	93.6-98.0
\$75,000+	461	63,320	38	5.9	03.5-08.3	423	94.1	91.7-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 51: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2810	252,982	103	2.7	01.9-03.5	2707	97.3	96.5-98.1
Native	228	12,511	13	3.3	00.8-05.8	215	96.7	94.2-99.2
Non-Native	2564	239,144	89	2.6	01.8-03.4	2475	97.4	96.6-98.2
18-24	97	35,328	2	1.6	00.0-04.5	95	98.4	95.5-0100
25-34	304	40,038	6	1.8	00.0-03.6	298	98.2	96.4-0100
35-44	420	38,704	22	4.5	02.3-06.7	398	95.5	93.3-97.7
45-54	617	46,682	24	2.9	01.5-04.3	593	97.1	95.7-98.5
55-64	524	35,220	20	2.7	01.3-04.1	504	97.3	95.9-98.7
65+	823	55,347	27	2.2	01.2-03.2	796	97.8	96.8-98.8
Less Than H.S.	205	17,321	3	1.8	00.0-04.0	202	98.2	96.0-0100
H.S. or G.E.D.	846	72,626	24	1.8	01.0-02.6	822	98.2	97.4-99.0
Some Post-H.S.	927	85,546	34	2.8	01.2-04.4	893	97.2	95.6-98.8
College Graduate	829	77,253	42	3.6	02.2-05.0	787	96.4	95.0-97.8
Less than \$15,000	264	22,045	6	1.0	00.0-02.0	258	99.0	98.0-0100
\$15,000- 24,999	463	38,588	15	1.9	00.5-03.3	448	98.1	96.7-99.5
\$25,000- 34,999	332	27,980	13	2.4	00.8-04.0	319	97.6	96.0-99.2
\$35,000- 49,999	412	33,751	12	2.2	00.2-04.2	400	97.8	95.8-99.8
\$50,000- 74,999	439	44,186	17	3.1	01.5-04.7	422	96.9	95.3-98.5
\$75,000+	432	45,609	26	3.5	01.9-05.1	406	96.5	94.9-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 52: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)**  
Denominator excludes: Respondents reporting only one phone number in the household  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	193	15,300	87	65.7	57.7-73.7	98	32.5	24.7-40.3	8	1.8	00.4-03.2
Male	91	8,691				38	27.1	17.3-36.9	5	2.0	00.0-04.0
Female	102	6,609							3	1.6	00.0-03.6
Non-Native	170	14,485	80	66.4	58.2-74.6	82	31.7	23.7-39.7	8	1.9	00.3-03.5
65+	50	3,223							3	1.9	00.0-04.1
Some Post-H.S.	55	4,291							2	1.7	00.0-04.1
College Graduate	77	5,840							2	1.6	00.0-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 53: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)**  
Denominator excludes: Respondents reporting only one phone number in the household  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	91	8,691	38	27.1	17.3-36.9	5	2.0	00.0-04.0	
Non-Native	82	8,356	31	25.8	15.8-35.8	5	2.1	00.1-04.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 54: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)**  
Denominator excludes: Respondents reporting only one phone number in the household  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Three Numbers %	C.I. (95%)
	TOTAL	WEIGHTED			
Female	102	6,609	3	1.6	00.0-03.6
Non-Native	88	6,129	3	1.7	00.0-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 55: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4728	500,296	101	2.1	01.5-02.7	4627	97.9	97.3-98.5
Male	1923	247,614	41	2.0	01.2-02.8	1882	98.0	97.2-98.8
Female	2805	252,682	60	2.3	01.5-03.1	2745	97.7	96.9-98.5
Native	351	22,851	19	9.6	02.5-16.7	332	90.4	83.3-97.5
Non-Native	4332	473,258	78	1.7	01.3-02.1	4254	98.3	97.9-98.7
18-24	189	74,616	6	2.8	00.3-05.3	183	97.2	94.7-99.7
25-34	512	84,028	18	3.3	01.5-05.1	494	96.7	94.9-98.5
35-44	721	78,858	21	2.3	01.1-03.5	700	97.7	96.5-98.9
45-54	1086	94,125	26	1.6	00.8-02.4	1060	98.4	97.6-99.2
55-64	926	70,872	11	1.1	00.3-01.9	915	98.9	98.1-99.7
65+	1255	94,846	18	1.7	00.9-02.5	1237	98.3	97.5-99.1
Less Than H.S.	383	36,988	12	5.2	01.5-08.9	371	94.8	91.1-98.5
H.S. or G.E.D.	1424	147,699	38	3.0	01.8-04.2	1386	97.0	95.8-98.2
Some Post-H.S.	1504	162,691	29	1.2	00.6-01.8	1475	98.8	98.2-99.4
College Graduate	1413	152,635	22	1.5	00.7-02.3	1391	98.5	97.7-99.3
Less than \$15,000	393	36,226	29	8.6	03.9-13.3	364	91.4	86.7-96.1
\$15,000- 24,999	696	63,430	29	4.9	02.5-07.3	667	95.1	92.7-97.5
\$25,000- 34,999	575	57,593	7	0.9	00.1-01.7	568	99.1	98.3-99.9
\$35,000- 49,999	737	73,787	13	1.9	00.5-03.3	724	98.1	96.7-99.5
\$50,000- 74,999	787	92,618	6	0.8	00.0-01.6	781	99.2	98.4-0100
\$75,000+	894	109,116	5	0.5	00.0-01.1	889	99.5	98.9-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 56: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1923	247,614	41	2.0	01.2-02.8	1882	98.0	97.2-98.8
Native	125	10,451	6	6.3	00.0-15.7	119	93.7	84.3-0100
Non-Native	1771	234,305	33	1.7	01.1-02.3	1738	98.3	97.7-98.9
18-24	94	39,398	2	1.4	00.0-03.9	92	98.6	96.1-0100
25-34	209	44,200	8	3.5	00.8-06.2	201	96.5	93.8-99.2
35-44	301	40,154	5	0.9	00.0-01.9	296	99.1	98.1-0100
45-54	470	47,430	8	1.1	00.1-02.1	462	98.9	97.9-99.9
55-64	403	35,656	6	1.6	00.0-03.2	397	98.4	96.8-0100
65+	432	39,488	11	3.0	01.2-04.8	421	97.0	95.2-98.8
Less Than H.S.	179	19,672	7	5.6	00.1-11.1	172	94.4	88.9-99.9
H.S. or G.E.D.	577	74,900	14	2.5	00.9-04.1	563	97.5	95.9-99.1
Some Post-H.S.	581	77,550	13	1.4	00.4-02.4	568	98.6	97.6-99.6
College Graduate	585	75,445	7	1.1	00.1-02.1	578	98.9	97.9-99.9
Less than \$15,000	128	14,116	9	8.7	00.9-16.5	119	91.3	83.5-99.1
\$15,000- 24,999	233	24,986	10	4.9	01.6-08.2	223	95.1	91.8-98.4
\$25,000- 34,999	244	29,721	3	1.0	00.0-02.2	241	99.0	97.8-0100
\$35,000- 49,999	327	40,180	7	2.5	00.1-04.9	320	97.5	95.1-99.9
\$50,000- 74,999	349	48,514	4	1.1	00.0-02.3	345	98.9	97.7-0100
\$75,000+	463	63,516	3	0.4	00.0-00.8	460	99.6	99.2-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 57: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF PHONE SERVICE DUE TO WEATHER OR NATURAL DISASTERS. (TELSERV2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2805	252,682	60	2.3	01.5-03.1	2745	97.7	96.9-98.5
Non-Native	2561	238,953	45	1.7	01.1-02.3	2516	98.3	97.7-98.9
18-24	95	35,218	4	4.4	00.1-08.7	91	95.6	91.3-99.9
25-34	303	39,828	10	3.0	00.8-05.2	293	97.0	94.8-99.2
35-44	420	38,704	16	3.7	01.7-05.7	404	96.3	94.3-98.3
45-54	616	46,695	18	2.1	00.9-03.3	598	97.9	96.7-99.1
55-64	523	35,216	5	0.5	00.1-00.9	518	99.5	99.1-99.9
65+	823	55,358	7	0.7	00.1-01.3	816	99.3	98.7-99.9
Less Than H.S.	204	17,317	5	4.7	00.0-09.6	199	95.3	90.4-0100
H.S. or G.E.D.	847	72,799	24	3.5	01.5-05.5	823	96.5	94.5-98.5
Some Post-H.S.	923	85,141	16	1.0	00.4-01.6	907	99.0	98.4-99.6
College Graduate	828	77,189	15	2.0	00.6-03.4	813	98.0	96.6-99.4
Less than \$15,000	265	22,110	20	8.5	02.4-14.6	245	91.5	85.4-97.6
\$15,000- 24,999	463	38,443	19	5.0	02.1-07.9	444	95.0	92.1-97.9
\$25,000- 34,999	331	27,872	4	0.8	00.0-01.8	327	99.2	98.2-0100
\$35,000- 49,999	410	33,608	6	1.2	00.0-02.4	404	98.8	97.6-0100
\$50,000- 74,999	438	44,103	2	0.5	00.0-01.3	436	99.5	98.7-0100
\$75,000+	431	45,600	2	0.8	00.0-02.0	429	99.2	98.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4751	502,354	1935	49.5	47.5-51.5	2816	50.5	48.5-52.5	
Non-Native	4352	475,122	1782	49.6	47.6-51.6	2570	50.4	48.4-52.4	
18-24	191	74,726	94	52.7	44.5-60.9	97	47.3	39.1-55.5	
25-34	514	84,584	210	52.7	47.8-57.6	304	47.3	42.4-52.2	
35-44	722	78,966	301	50.8	46.7-54.9	421	49.2	45.1-53.3	
45-54	1092	94,534	474	50.5	47.2-53.8	618	49.5	46.2-52.8	
55-64	928	71,040	404	50.4	46.7-54.1	524	49.6	45.9-53.3	
65+	1260	95,158	435	41.7	38.6-44.8	825	58.3	55.2-61.4	
Less Than H.S.	385	37,157	180	53.4	46.3-60.5	205	46.6	39.5-53.7	
H.S. or G.E.D.	1429	147,947	579	50.7	47.2-54.2	850	49.3	45.8-52.8	
Some Post-H.S.	1512	163,407	583	47.5	44.0-51.0	929	52.5	49.0-56.0	
College Graduate	1421	153,559	592	49.7	46.6-52.8	829	50.3	47.2-53.4	
Less than \$15,000	395	36,656	130	39.7	31.5-47.9	265	60.3	52.1-68.5	
\$15,000- 24,999	697	63,639	233	39.3	34.2-44.4	464	60.7	55.6-65.8	
\$25,000- 34,999	578	57,920	246	51.7	46.0-57.4	332	48.3	42.6-54.0	
\$35,000- 49,999	740	74,025	328	54.4	50.1-58.7	412	45.6	41.3-49.9	
\$50,000- 74,999	790	92,817	351	52.4	48.1-56.7	439	47.6	43.3-51.9	
\$75,000+	897	109,321	465	58.3	54.4-62.2	432	41.7	37.8-45.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 12: DEMOGRAPHICS**

**TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	819	113,974	43	6.6	04.1-09.1	776	93.4	90.9-95.9
Non-Native	715	105,653	34	6.1	03.6-08.6	681	93.9	91.4-96.4
18-24	97	35,328	8	7.6	01.1-14.1	89	92.4	85.9-98.9
25-34	302	39,887	30	11.0	07.1-14.9	272	89.0	85.1-92.9
35-44	420	38,758	5	1.1	00.0-02.3	415	98.9	97.7-0100
H.S. or G.E.D.	155	25,028	12	7.7	02.2-13.2	143	92.3	86.8-97.8
Some Post-H.S.	291	40,429	11	5.0	00.3-09.7	280	95.0	90.3-99.7
College Graduate	341	41,911	16	6.2	03.1-09.3	325	93.8	90.7-96.9
Less than \$15,000	67	10,865	4	2.2	00.0-05.1	63	97.8	94.9-0100
\$25,000- 34,999	98	11,891	4	3.7	00.0-07.6	94	96.3	92.4-0100
\$35,000- 49,999	118	13,605	6	6.7	01.4-12.0	112	93.3	88.0-98.6
\$50,000- 74,999	178	23,277	9	5.6	01.9-09.3	169	94.4	90.7-98.1
\$75,000+	169	24,447	6	3.8	00.7-06.9	163	96.2	93.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 13: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)	
1 MALES AND FEMALES	160
2 MALES ONLY	161
3 FEMALES ONLY	162
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
4 MALES AND FEMALES	163
5 MALES ONLY	164
6 FEMALES ONLY	165
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
7 MALES AND FEMALES	166
8 MALES ONLY	167
9 FEMALES ONLY	168
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
10 MALES AND FEMALES	169
11 MALES ONLY	170
12 FEMALES ONLY	171
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
13 MALES AND FEMALES	172
14 MALES ONLY	173
15 FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4728	499,586	2680	62.0	60.2-63.8	2048	38.0	36.2-39.8
Male	1923	246,862	1274	68.9	66.2-71.6	649	31.1	28.4-33.8
Female	2805	252,724	1406	55.3	52.9-57.7	1399	44.7	42.3-47.1
Non-Native	4332	472,536	2511	62.8	61.0-64.6	1821	37.2	35.4-39.0
18-24	190	74,698	131	69.6	62.0-77.2	59	30.4	22.8-38.0
25-34	512	83,660	351	70.9	66.4-75.4	161	29.1	24.6-33.6
35-44	721	78,740	489	71.2	67.5-74.9	232	28.8	25.1-32.5
45-54	1090	94,406	680	64.1	61.0-67.2	410	35.9	32.8-39.0
55-64	924	70,678	532	59.7	56.2-63.2	392	40.3	36.8-43.8
65+	1253	94,525	475	40.2	37.1-43.3	778	59.8	56.7-62.9
Less Than H.S.	383	36,323	128	37.5	30.4-44.6	255	62.5	55.4-69.6
H.S. or G.E.D.	1418	147,139	738	57.1	53.6-60.6	680	42.9	39.4-46.4
Some Post-H.S.	1508	162,891	882	64.7	61.6-67.8	626	35.3	32.2-38.4
College Graduate	1415	152,950	930	69.7	66.8-72.6	485	30.3	27.4-33.2
Less than \$15,000	393	35,921	145	44.9	36.7-53.1	248	55.1	46.9-63.3
\$15,000- 24,999	694	63,413	306	48.0	42.7-53.3	388	52.0	46.7-57.3
\$25,000- 34,999	576	57,738	290	57.5	52.0-63.0	286	42.5	37.0-48.0
\$35,000- 49,999	738	73,891	450	66.5	62.6-70.4	288	33.5	29.6-37.4
\$50,000- 74,999	786	92,278	522	68.8	64.9-72.7	264	31.2	27.3-35.1
\$75,000+	896	109,090	687	76.9	73.4-80.4	209	23.1	19.6-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1923	246,862	1274	68.9	66.2-71.6	649	31.1	28.4-33.8	
Non-Native	1771	233,580	1197	69.7	67.0-72.4	574	30.3	27.6-33.0	
25-34	208	43,622	165	79.7	73.2-86.2	43	20.3	13.8-26.8	
35-44	300	39,928	233	77.7	72.4-83.0	67	22.3	17.0-27.6	
45-54	474	47,766	312	65.2	60.3-70.1	162	34.8	29.9-39.7	
55-64	401	35,546	258	65.9	60.8-71.0	143	34.1	29.0-39.2	
65+	431	39,258	228	52.4	47.3-57.5	203	47.6	42.5-52.7	
Less Than H.S.	178	19,002	75	45.6	35.6-55.6				
H.S. or G.E.D.	575	74,661	362	64.7	59.4-70.0	213	35.3	30.0-40.6	
Some Post-H.S.	581	77,347	399	71.7	67.0-76.4	182	28.3	23.6-33.0	
College Graduate	588	75,805	438	76.1	72.0-80.2	150	23.9	19.8-28.0	
\$15,000- 24,999	232	24,846	123	55.4	47.0-63.8	109	44.6	36.2-53.0	
\$25,000- 34,999	245	29,846	136	59.8	51.6-68.0	109	40.2	32.0-48.4	
\$35,000- 49,999	327	40,219	229	73.5	68.0-79.0	98	26.5	21.0-32.0	
\$50,000- 74,999	347	48,092	255	74.0	68.1-79.9	92	26.0	20.1-31.9	
\$75,000+	464	63,481	368	80.2	75.9-84.5	96	19.8	15.5-24.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2805	252,724	1406	55.3	52.9-57.7	1399	44.7	42.3-47.1	
Non-Native	2561	238,956	1314	56.0	53.5-58.5	1247	44.0	41.5-46.5	
25-34	304	40,038	186	61.2	55.3-67.1	118	38.8	32.9-44.7	
35-44	421	38,812	256	64.6	59.5-69.7	165	35.4	30.3-40.5	
45-54	616	46,640	368	63.0	58.9-67.1	248	37.0	32.9-41.1	
55-64	523	35,132	274	53.3	48.4-58.2	249	46.7	41.8-51.6	
65+	822	55,268	247	31.5	28.0-35.0	575	68.5	65.0-72.0	
Less Than H.S.	205	17,321	53	28.7	19.3-38.1	152	71.3	61.9-80.7	
H.S. or G.E.D.	843	72,478	376	49.3	44.8-53.8	467	50.7	46.2-55.2	
Some Post-H.S.	927	85,544	483	58.4	54.1-62.7	444	41.6	37.3-45.9	
College Graduate	827	77,145	492	63.4	59.5-67.3	335	36.6	32.7-40.5	
\$15,000- 24,999	462	38,567	183	43.2	36.5-49.9	279	56.8	50.1-63.5	
\$25,000- 34,999	331	27,892	154	55.1	47.8-62.4	177	44.9	37.6-52.2	
\$35,000- 49,999	411	33,672	221	58.2	52.5-63.9	190	41.8	36.1-47.5	
\$50,000- 74,999	439	44,186	267	63.1	57.8-68.4	172	36.9	31.6-42.2	
\$75,000+	432	45,609	319	72.3	66.6-78.0	113	27.7	22.0-33.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2612	304,343	741	29.3	26.9-31.7	64	2.1	0.15-02.7	1544	59.8	57.4-62.2	234	7.9	06.5-09.3	29	0.9	00.5-01.3
Male	1242	167,131	396	33.0	29.7-36.3	40	2.4	0.16-03.2	637	53.6	50.1-57.1	161	10.2	08.2-12.2	8	0.7	00.1-01.3
Female	1370	137,212	345	24.8	21.9-27.7	24	1.7	00.9-02.5	907	67.3	64.2-70.4	73	5.0	03.4-06.6	21	1.2	00.6-01.8
Native	146	10,743				3	1.8	00.0-04.3				9	1.8	00.0-03.6	2	0.3	00.0-00.7
Non-Native	2449	291,621	703	29.6	27.2-32.0	61	2.1	0.15-02.7	1437	59.3	56.8-61.8	221	8.1	06.7-09.5	27	1.0	00.6-01.4
18-24	130	51,888	38	29.4	20.6-38.2	1	0.4	00.0-01.2	85	64.7	55.5-73.9	6	5.6	00.9-10.3			
25-34	347	58,813	101	29.3	24.0-34.6	4	1.0	00.0-02.2	230	65.6	59.9-71.3	11	3.5	01.1-05.9	1	0.6	00.0-01.8
35-44	484	55,559	159	33.6	29.1-38.1	4	1.2	00.0-02.4	283	57.0	52.1-61.9	37	7.8	05.1-10.5	1	0.4	00.0-01.2
45-54	665	59,217	169	27.1	23.4-30.8	14	2.6	0.10-04.2	424	61.7	57.6-65.8	52	7.5	05.3-09.7	6	1.0	00.0-02.0
55-64	515	40,914	148	28.9	24.6-33.2	17	3.8	0.18-05.8	287	55.4	50.5-60.3	55	10.2	07.3-13.1	8	1.6	00.2-03.0
65+	451	36,278	121	26.8	22.3-31.3	24	4.8	02.6-07.0	226	50.2	45.1-55.3	70	16.0	12.3-19.7	10	2.2	00.6-03.8
Less Than H.S.	122	13,312				5	4.0	00.0-08.1				15	11.5	05.0-18.0	6	3.4	00.5-06.3
H.S. or G.E.D.	711	82,045	184	27.5	22.8-32.2	19	2.0	0.10-03.0	429	60.7	55.8-65.6	73	8.9	06.5-11.3	6	0.8	00.0-01.6
Some Post-H.S.	858	103,330	231	27.0	23.1-30.9	20	1.9	00.9-02.9	539	63.8	59.5-68.1	57	6.2	03.8-08.6	11	1.1	00.3-01.9
College Graduate	921	105,656	293	33.6	29.9-37.3	20	2.0	0.10-03.0	513	55.5	51.6-59.4	89	8.3	06.3-10.3	6	0.6	00.0-01.2
Less than \$15,000	139	15,783				2	1.4	00.0-03.8							2	1.5	00.0-03.9
\$15,000- 24,999	301	30,030	78	23.6	16.9-30.3	8	2.5	00.7-04.3	172	62.1	54.7-69.5	33	9.4	05.5-13.3	10	2.4	00.6-04.2
\$25,000- 34,999	285	32,951	75	27.0	19.7-34.3	8	1.8	00.0-03.6	173	60.8	52.8-68.8	27	9.0	04.5-13.5	2	1.3	00.0-03.5
\$35,000- 49,999	439	48,012	114	27.3	22.2-32.4	7	1.4	00.4-02.4	280	64.0	58.7-69.3	36	7.0	04.5-09.5	2	0.3	00.0-00.7
\$50,000- 74,999	515	62,760	149	30.9	26.0-35.8	15	2.9	0.11-04.7	310	59.5	54.2-64.8	35	5.3	02.9-07.7	6	1.3	00.1-02.5
\$75,000+	678	83,188	225	34.4	29.9-38.9	15	1.8	00.8-02.8	367	54.6	50.1-59.1	69	9.0	06.6-11.4	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 5: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1242	167,131	396	33.0	29.7-36.3	40	2.4	0.16-03.2	637	53.6	50.1-57.1	161	10.2	08.2-12.2	8	0.7	00.1-01.3
Native	62	5,465				2	2.3	00.0-06.4				6	1.7	00.0-03.7			
Non-Native	1167	160,108	378	33.2	29.7-36.7	38	2.4	0.16-03.2	591	53.0	49.5-56.5	152	10.5	08.5-12.5	8	0.8	00.2-01.4
18-24	69	28,321										3	5.1	00.0-11.2			
25-34	162	34,323	51	30.9	23.3-38.5	4	1.7	00.0-03.7	98	61.5	53.3-69.7	8	4.9	01.2-08.6	1	1.0	00.0-03.0
35-44	232	30,864	77	33.0	26.5-39.5	4	2.2	00.0-04.4	126	53.8	46.9-60.7	24	10.3	06.2-14.4	1	0.7	00.0-02.1
45-54	304	30,446	94	32.3	26.4-38.2	8	2.6	00.6-04.6	161	53.2	46.9-59.5	39	11.1	07.4-14.8	2	0.7	00.0-01.9
55-64	245	22,438	85	33.3	26.8-39.8	11	4.4	01.5-07.3	111	47.0	39.9-54.1	37	14.8	09.7-19.9	1	0.5	00.0-01.5
65+	221	19,899	60	27.1	20.6-33.6	13	4.7	01.8-07.6	99	47.2	39.9-54.5	47	19.5	14.0-25.0	2	1.4	00.0-03.4
Less Than H.S.	71	8,416				3	3.4	00.0-08.1							2	2.3	00.0-05.8
H.S. or G.E.D.	349	47,154	100	31.3	24.6-38.0	13	2.6	00.8-04.4	184	54.3	47.4-61.2	49	10.9	07.2-14.6	3	0.8	00.0-01.8
Some Post-H.S.	390	54,560	128	33.8	27.5-40.1	11	2.1	00.7-03.5	216	57.0	50.5-63.5	33	6.2	03.1-09.3	2	0.9	00.0-02.3
College Graduate	432	57,001	146	35.2	29.7-40.7	13	2.4	01.0-03.8	207	49.8	44.1-55.5	65	12.4	09.1-15.7	1	0.2	00.0-00.6
\$15,000- 24,999	120	13,556	31	20.4	12.4-28.4	5	3.7	00.4-07.0				18	14.0	06.6-21.4	2	2.3	00.0-05.4
\$25,000- 34,999	135	17,808				5	2.0	00.0-04.7				17	8.3	03.4-13.2	1	1.9	00.0-05.6
\$35,000- 49,999	222	28,842	68	31.0	23.7-38.3	3	1.3	00.0-02.7	125	59.4	51.8-67.0	25	8.2	04.7-11.7	1	0.2	00.0-00.6
\$50,000- 74,999	249	35,006	79	34.2	26.9-41.5	13	4.3	01.6-07.0	131	53.2	45.8-60.6	24	7.2	03.3-11.1	2	1.0	00.0-02.6
\$75,000+	364	50,553	129	38.0	31.7-44.3	11	2.2	00.8-03.6	167	47.1	40.6-53.6	56	12.6	09.1-16.1	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 6: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1370	137,212	345	24.8	21.9-27.7	24	1.7	00.9-02.5	907	67.3	64.2-70.4	73	5.0	03.4-06.6	21	1.2	00.6-01.8
Native	84	5,278				1	1.2	00.0-03.7				3	1.9	00.0-05.0	2	0.6	00.0-01.6
Non-Native	1282	131,513	325	25.1	22.2-28.0	23	1.7	00.9-02.5	846	66.9	63.6-70.2	69	5.1	03.3-06.9	19	1.2	00.6-01.8
18-24	61	23,567				1	0.8	00.0-02.4				3	6.2	00.0-13.6			
25-34	185	24,490	50	27.2	20.3-34.1				132	71.3	64.2-78.4	3	1.5	00.0-03.5			
35-44	252	24,695	82	34.3	27.8-40.8				157	60.9	54.2-67.6	13	4.8	02.1-07.5			
45-54	361	28,771	75	21.6	16.9-26.3	6	2.7	00.3-05.1	263	70.8	65.5-76.1	13	3.7	01.5-05.9	4	1.3	00.0-02.9
55-64	270	18,476	63	23.6	18.1-29.1	6	3.0	00.6-05.4	176	65.6	59.3-71.9	18	4.8	02.3-07.3	7	3.0	00.3-05.7
65+	230	16,379	61	26.4	19.9-32.9	11	4.9	02.0-07.8	127	53.8	46.7-60.9	23	11.8	06.9-16.7	8	3.1	00.7-05.5
Less Than H.S.	51	4,896				2	5.1	00.0-12.7				1	0.8	00.0-02.4	4	5.2	00.0-10.7
H.S. or G.E.D.	362	34,891	84	22.3	16.2-28.4	6	1.2	00.2-02.2	245	69.4	62.9-75.9	24	6.3	03.6-09.0	3	0.8	00.0-02.0
Some Post-H.S.	468	48,770	103	19.4	15.3-23.5	9	1.8	00.4-03.2	323	71.5	66.2-76.8	24	6.1	02.2-10.0	9	1.2	00.2-02.2
College Graduate	489	48,655	147	31.8	26.9-36.7	7	1.6	00.4-02.8	306	62.2	57.1-67.3	24	3.5	01.7-05.3	5	0.9	00.0-01.9
Less than \$15,000	85	9,850				2	2.3	00.0-06.0							2	2.4	00.0-06.3
\$15,000- 24,999	181	16,473				3	1.5	00.0-03.3				15	5.5	02.2-08.8	8	2.6	00.4-04.8
\$25,000- 34,999	150	15,143	31	21.5	11.9-31.1	3	1.6	00.0-03.6				10	9.9	01.9-17.9	1	0.6	00.0-01.8
\$35,000- 49,999	217	19,170	46	21.7	15.4-28.0	4	1.5	00.0-03.1	155	71.1	64.2-78.0	11	5.2	02.1-08.3	1	0.5	00.0-01.5
\$50,000- 74,999	266	27,754	70	26.8	20.7-32.9	2	1.2	00.0-03.2	179	67.4	60.9-73.9	11	2.9	00.9-04.9	4	1.6	00.0-03.4
\$75,000+	314	32,635	96	28.9	23.4-34.4	4	1.1	00.0-02.3	200	66.3	60.6-72.0	13	3.4	01.4-05.4	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 7. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNC2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2581	299,311	1024	33.6	31.4-35.8	724	27.2	25.0-29.4	360	15.2	13.2-17.2	179	8.4	06.8-10.0	294	15.6	13.4-17.8
Male	1224	163,944	357	25.2	22.3-28.1	358	28.4	25.3-31.5	208	16.4	13.9-18.9	102	10.0	07.6-12.4	199	19.9	16.6-23.2
Female	1357	135,367	667	43.7	40.4-47.0	366	25.8	22.9-28.7	152	13.8	10.9-16.7	77	6.4	04.4-08.4	95	10.4	07.5-13.3
Native	139	10,085	25	14.6	06.4-22.8	20	10.0	03.1-16.9									
Non-Native	2425	287,199	996	34.3	31.9-36.7	693	27.6	25.4-29.8	336	15.1	13.1-17.1	160	8.1	06.5-09.7	240	14.8	12.6-17.0
18-24	125	50,545	17	13.7	07.0-20.4	16	13.3	06.6-20.0	20	17.8	10.0-25.6	19	14.4	07.3-21.5	53	40.8	31.2-50.4
25-34	340	57,382	73	19.5	15.0-24.0	108	33.0	27.5-38.5	53	15.7	11.2-20.2	37	12.1	08.2-16.0	69	19.7	14.8-24.6
35-44	480	54,880	137	27.5	23.2-31.8	150	32.9	28.2-37.6	88	20.0	16.1-23.9	34	6.8	04.4-09.2	71	12.8	09.5-16.1
45-54	659	58,690	247	38.5	34.4-42.6	189	28.7	24.8-32.6	109	16.0	12.9-19.1	54	8.3	05.9-10.7	60	8.5	06.1-10.9
55-64	511	40,464	251	49.8	44.9-54.7	148	30.7	26.2-35.2	60	11.8	08.7-14.9	24	3.4	01.6-05.2	28	4.3	02.3-06.3
65+	449	35,931	291	66.9	62.2-71.6	109	22.6	18.5-26.7	27	6.0	03.6-08.4	9	1.7	00.5-02.9	13	2.8	01.2-04.4
Less Than H.S.	113	12,417				20	13.5	04.7-22.3				11	12.1	02.9-21.3	18	17.0	07.0-27.0
H.S. or G.E.D.	703	80,159	261	30.7	26.4-35.0	184	25.9	21.8-30.0	118	15.4	12.3-18.5	45	7.5	04.8-10.2	95	20.5	15.8-25.2
Some Post-H.S.	850	101,716	303	28.6	24.9-32.3	238	25.8	22.1-29.5	112	16.0	12.3-19.7	73	11.0	07.7-14.3	124	18.6	14.5-22.7
College Graduate	914	104,933	407	39.6	35.9-43.3	282	31.2	27.7-34.7	118	14.4	11.5-17.3	50	6.0	04.0-08.0	57	8.8	05.9-11.7
Less than \$15,000	134	15,266	43	18.4	11.0-25.8	28	17.9	09.1-26.7									
\$15,000- 24,999	285	28,684	118	34.9	27.8-42.0	60	19.4	13.5-25.3	39	13.1	07.8-18.4	25	8.2	03.5-12.9	43	24.4	15.8-33.0
\$25,000- 34,999	285	32,296	110	32.2	25.1-39.3	81	30.0	22.2-37.8	32	10.7	05.8-15.6	20	7.4	03.1-11.7	42	19.8	12.4-27.2
\$35,000- 49,999	441	48,227	163	30.7	25.8-35.6	138	32.6	27.3-37.9	67	16.5	12.2-20.8	24	7.3	04.2-10.4	49	12.9	08.6-17.2
\$50,000- 74,999	506	61,339	213	36.5	31.6-41.4	145	26.8	22.5-31.1	66	15.0	10.7-19.3	39	9.5	06.0-13.0	43	12.2	07.9-16.5
\$75,000+	680	83,277	240	31.1	27.2-35.0	219	30.7	26.6-34.8	112	16.8	13.3-20.3	47	8.4	05.5-11.3	62	13.0	09.1-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 8: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNC2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1224	163,944	357	25.2	22.3-28.1	358	28.4	25.3-31.5	208	16.4	13.9-18.9	102	10.0	07.6-12.4	199	19.9	16.8-23.0
Native	59	4,934	9	5.2	00.1-10.3												
Non-Native	1151	157,341	346	26.0	23.1-28.9	340	28.6	25.5-31.7	196	16.0	13.5-18.5	97	10.1	07.7-12.5	172	19.3	16.0-22.6
18-24	66	27,691	8	12.1	03.1-21.1				6	9.4	01.2-17.6	9	15.5	05.5-25.5			
25-34	159	33,283	18	11.5	06.2-16.8	44	27.4	20.0-34.8	30	19.2	12.5-25.9	23	16.0	09.9-22.1	44	25.8	18.2-33.4
35-44	228	30,184	38	16.7	11.6-21.8	74	34.8	28.1-41.5	49	22.6	16.7-28.5	20	8.6	04.7-12.5	47	17.3	12.2-22.4
45-54	301	30,110	86	29.2	23.5-34.9	85	30.6	24.7-36.5	60	18.5	13.8-23.2	28	8.8	05.5-12.1	42	12.8	08.7-16.9
55-64	247	22,504	86	37.8	30.9-44.7	83	34.9	28.2-41.6	42	16.2	11.1-21.3	13	4.3	01.6-07.0	23	6.7	03.4-10.0
65+	216	19,499	120	60.3	53.2-67.4	58	23.9	17.8-30.0	19	8.6	04.7-12.5	8	2.4	00.4-04.4	11	4.7	01.8-07.6
Less Than H.S.	67	7,979							8	6.4	00.9-11.9						
H.S. or G.E.D.	343	46,095	94	23.1	17.6-28.6	87	24.9	19.2-30.6	66	16.5	12.0-21.0	32	9.5	05.6-13.4	64	26.0	19.3-32.7
Some Post-H.S.	386	53,309	87	18.9	14.4-23.4	112	26.2	20.7-31.7	64	17.2	12.3-22.1	34	12.3	07.2-17.4	89	25.4	19.3-31.5
College Graduate	428	56,561	148	30.1	25.2-35.0	147	35.1	29.6-40.6	70	17.0	12.5-21.5	30	7.9	04.8-11.0	33	9.9	05.6-14.2
\$15,000- 24,999	114	12,800				20	19.1	09.7-28.5	16	12.7	05.3-20.1	9	4.8	01.5-08.1			
\$25,000- 34,999	133	17,111	37	25.5	16.1-34.9				18	10.5	04.6-16.4	13	8.1	03.0-13.2			
\$35,000- 49,999	222	28,801	58	22.2	16.3-28.1	68	33.3	25.9-40.7	43	18.4	12.5-24.3	17	9.9	04.8-15.0	36	16.3	10.0-22.6
\$50,000- 74,999	245	34,159	73	24.6	18.7-30.5	75	28.3	21.8-34.8	39	15.2	10.3-20.1	23	12.1	06.6-17.6	35	19.8	12.5-27.1
\$75,000+	363	50,498	97	22.9	18.2-27.6	117	30.0	24.3-35.7	70	19.3	14.2-24.4	29	10.6	06.1-15.1	50	17.2	11.7-22.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 9: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1357	135,367	667	43.7	40.4-47.0	366	25.8	22.9-28.7	152	13.8	10.9-16.7	77	6.4	04.4-08.4	95	10.4	07.5-13.3
Native	80	5,152				12	10.2	02.0-18.4	12	10.5	02.1-18.9						
Non-Native	1274	129,859	650	44.5	41.0-48.0	353	26.4	23.5-29.3	140	14.0	11.1-16.9	63	5.8	03.8-07.8	68	9.3	06.4-12.2
18-24	59	22,854	9	15.6	05.6-25.6	5	8.0	00.6-15.4				10	13.1	03.1-23.1			
25-34	181	24,098	55	30.5	23.2-37.8	64	40.6	32.8-48.4	23	10.9	06.2-15.6	14	6.8	03.1-10.5	25	11.3	06.2-16.4
35-44	252	24,696	99	40.7	34.0-47.4	76	30.6	24.3-36.9	39	16.8	11.5-22.1	14	4.7	02.2-07.2	24	7.2	03.9-10.5
45-54	358	28,579	161	48.2	42.5-53.9	104	26.6	21.7-31.5	49	13.4	09.5-17.3	26	7.8	04.5-11.1	18	3.9	01.7-06.1
55-64	264	17,960	165	64.8	58.5-71.1	65	25.4	19.7-31.1	18	6.2	03.1-09.3	11	2.3	00.5-04.1	5	1.3	00.0-02.7
65+	233	16,432	171	74.8	68.7-80.9	51	21.1	15.4-26.8	8	2.9	00.5-05.3	1	0.7	00.0-02.1	2	0.5	00.0-01.5
H.S. or G.E.D.	360	34,064	167	41.0	34.3-47.7	97	27.2	21.1-33.3	52	13.9	09.6-18.2	13	4.9	01.2-08.6	31	13.0	06.5-19.5
Some Post-H.S.	464	48,408	216	39.2	33.5-44.9	126	25.4	20.5-30.3	48	14.7	08.8-20.6	39	9.6	05.1-14.1	35	11.1	06.0-16.2
College Graduate	486	48,371	259	50.6	45.1-56.1	135	26.6	22.1-31.1	48	11.3	07.4-15.2	20	3.9	01.9-05.9	24	7.6	03.3-11.9
Less than \$15,000	81	9,380										6	3.3	00.0-07.4			
\$15,000- 24,999	171	15,884	75	35.5	25.9-45.1	40	19.6	12.0-27.2	23	13.5	06.1-20.9	16	11.0	03.2-18.8			
\$25,000- 34,999	152	15,185				39	24.4	15.0-33.8	14	10.9	02.9-18.9	7	6.5	00.0-13.8			
\$35,000- 49,999	219	19,426	105	43.3	35.7-50.9	70	31.6	24.5-38.7	24	13.8	07.7-19.9	7	3.4	00.7-06.1	13	7.8	02.1-13.5
\$50,000- 74,999	261	27,181	140	51.4	44.0-58.8	70	25.0	19.1-30.9	27	14.8	07.4-22.2	16	6.2	02.9-09.5	8	2.5	00.5-04.5
\$75,000+	317	32,779	143	43.8	37.5-50.1	102	31.8	26.1-37.5	42	12.9	08.8-17.0	18	5.1	02.6-07.6	12	6.4	01.5-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 10: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2576	299,838	339	15.2	13.2-17.2	177	9.0	07.2-10.8	70	3.7	02.5-04.9	71	3.1	02.1-04.1	151	7.2	05.6-08.8	1768	61.8	59.3-64.3
Male	1224	164,404	180	15.8	13.1-18.5	108	11.2	08.7-13.7	39	3.8	02.2-05.4	43	4.0	02.4-05.6	109	9.7	07.3-12.1	745	55.5	51.8-59.2
Female	1352	135,434	159	14.4	11.5-17.3	69	6.4	04.4-08.4	31	3.6	01.8-05.4	28	1.9	00.9-02.9	42	4.2	02.2-06.2	1023	69.5	65.8-73.2
Native	139	10,013							8	9.3	00.0-19.1	8	4.1	00.2-08.0	13	3.4	00.3-06.5			
Non-Native	2420	287,799	308	15.0	12.8-17.2	148	8.4	06.6-10.2	61	3.5	02.3-04.7	63	3.0	02.0-04.0	137	7.4	05.8-09.0	1703	62.7	60.0-65.4
18-24	127	51,516	29	24.9	16.1-33.7	22	17.2	09.8-24.6	12	10.1	04.2-16.0	7	4.6	00.7-08.5	19	15.6	08.5-22.7	38	27.5	18.9-36.1
25-34	342	57,579	69	19.2	14.7-23.7	36	11.8	07.7-15.9	13	4.0	01.5-06.5	18	4.7	02.3-07.1	23	7.0	03.9-10.1	183	53.2	47.3-59.1
35-44	484	55,387	74	14.0	10.7-17.3	45	9.5	06.6-12.4	14	2.3	00.9-03.7	14	3.0	01.4-04.6	41	8.5	05.8-11.2	296	62.6	57.9-67.3
45-54	650	57,816	98	14.7	11.8-17.6	34	5.3	03.3-07.3	19	2.5	01.3-03.7	23	3.3	01.7-04.9	38	5.3	03.3-07.3	438	68.9	65.0-72.8
55-64	510	40,278	45	8.1	05.6-10.6	24	4.7	02.5-06.9	8	1.5	00.3-02.7	7	0.7	00.1-01.3	25	4.0	02.0-06.0	401	81.0	77.3-84.7
65+	448	36,013	23	5.2	02.8-07.6	15	3.1	01.3-04.9	2	0.1	00.0-00.3	2	0.5	00.0-01.3	5	0.6	00.0-01.2	401	90.4	87.5-93.3
Less Than H.S.	114	12,562	16	13.0	03.8-22.2	11	10.5	03.4-17.6	3	5.1	00.0-13.5	4	2.3	00.0-04.8	5	4.0	00.0-08.5			
H.S. or G.E.D.	701	80,333	102	18.8	14.1-23.5	53	8.0	05.3-10.7	24	4.1	01.9-06.3	19	3.5	01.3-05.7	47	8.1	05.4-10.8	456	57.5	52.4-62.6
Some Post-H.S.	849	102,535	116	15.5	12.0-19.0	59	9.9	06.6-13.2	28	4.6	02.4-06.8	31	4.0	02.2-05.8	62	9.8	06.3-13.3	553	56.1	51.4-60.8
College Graduate	911	104,323	105	12.3	09.6-15.0	54	8.8	05.9-11.7	15	2.3	00.5-04.1	17	1.8	00.8-02.8	37	4.4	02.4-06.4	683	70.4	66.3-74.5
Less than \$15,000	134	15,344	24	14.9	06.1-23.7				4	4.2	00.0-11.1	4	1.7	00.0-03.5						
\$15,000- 24,999	286	28,681	40	21.1	12.9-29.3	25	9.6	04.7-14.5	9	2.7	00.0-05.4	8	1.7	00.3-03.1	19	9.1	03.8-14.4	185	56.0	47.6-64.4
\$25,000- 34,999	282	32,310	36	11.3	06.6-16.0	22	11.4	04.9-17.9	10	6.1	01.6-10.6	7	4.2	00.1-08.3	15	8.4	02.9-13.9	192	58.7	50.1-67.3
\$35,000- 49,999	437	47,607	56	14.1	10.0-18.2	31	7.9	04.8-11.0	10	2.1	00.7-03.5	13	4.3	01.4-07.2	22	6.3	03.4-09.2	305	65.4	59.7-71.1
\$50,000- 74,999	509	62,051	67	17.0	12.1-21.9	34	8.7	05.4-12.0	11	2.3	00.7-03.9	13	3.0	01.2-04.8	33	7.5	04.2-10.8	351	61.5	56.0-67.0
\$75,000+	672	82,465	95	15.5	11.8-19.2	47	9.1	06.0-12.2	17	4.2	01.5-06.9	21	2.8	01.4-04.2	35	5.9	03.4-08.4	457	62.5	57.6-67.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 11: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1224	164,404	180	15.8	13.1-18.5	108	11.2	08.7-13.7	39	3.8	02.2-05.4	43	4.0	02.4-05.6	109	9.7	07.3-12.1	745	55.5	51.8-59.2
Native	59	4,998							2	1.7	00.0-04.8	3	5.0	00.0-11.9	8	4.7	00.0-10.0			
Non-Native	1151	157,736	169	15.8	12.9-18.7	92	10.5	08.0-13.0	36	3.9	02.3-05.5	40	4.0	02.4-05.6	100	10.0	07.6-12.4	714	55.8	52.1-59.5
18-24	68	28,151							6	8.1	01.0-15.2	3	5.4	00.0-11.5	12	18.0	08.0-28.0			
25-34	160	33,515	32	19.8	13.1-26.5	21	13.1	07.2-19.0	10	5.5	01.6-09.4	11	6.0	02.3-09.7	19	10.9	05.6-16.2	67	44.7	36.3-53.1
35-44	231	30,638	34	13.2	08.7-17.7	27	11.9	07.4-16.4	8	2.8	00.6-05.0	8	3.7	01.2-06.2	29	11.6	07.1-16.1	125	56.8	49.9-63.7
45-54	295	29,575	56	17.8	13.1-22.5	22	7.0	04.1-09.9	7	2.3	00.5-04.1	14	4.8	02.3-07.3	26	7.4	04.3-10.5	170	60.8	54.7-66.9
55-64	248	22,449	28	10.7	06.6-14.8	11	4.6	01.7-07.5	6	2.3	00.1-04.5	5	1.2	00.0-02.4	19	5.9	02.8-09.0	179	75.3	69.4-81.2
65+	215	19,405	17	7.1	03.6-10.6	11	4.5	01.6-07.4	1	0.0	00.0-00.0	2	1.0	00.0-02.4	4	1.0	00.0-02.0	180	86.4	81.7-91.1
Less Than H.S.	69	8,203	9	8.5	02.2-14.8	7	10.1	01.7-18.5	1	0.1	00.0-00.3	3	2.7	00.0-06.0	4	6.0	00.0-12.9			
H.S. or G.E.D.	341	45,906	57	19.2	12.9-25.5	32	10.3	06.0-14.6	16	4.5	01.8-07.2	15	5.6	02.1-09.1	29	10.5	06.2-14.8	192	49.8	42.9-56.7
Some Post-H.S.	386	53,931	63	17.1	12.0-22.2	39	13.5	08.4-18.6	16	5.5	02.0-09.0	15	4.4	01.7-07.1	47	12.9	08.0-17.8	206	46.5	40.0-53.0
College Graduate	428	56,365	51	12.9	09.0-16.8	30	9.9	05.6-14.2	6	2.1	00.0-04.3	10	2.4	00.6-04.2	29	6.6	03.5-09.7	302	66.2	60.3-72.1
Less than \$15,000	51	5,759	9	8.0	01.5-14.5				1	0.1	00.0-00.3	3	4.2	00.0-09.1						
\$15,000- 24,999	116	13,045	14	10.9	04.0-17.8	12	13.7	04.3-23.1	5	1.7	00.0-03.7	4	2.5	00.0-05.0						
\$25,000- 34,999	131	17,164	19	11.8	05.9-17.7	12	12.3	02.7-21.9	6	6.4	00.0-12.9	5	5.6	00.0-11.9	11	8.0	02.3-13.7			
\$35,000- 49,999	222	28,625	32	14.2	08.7-19.7	21	9.9	05.2-14.6	7	2.4	00.6-04.2	7	4.8	00.7-08.9	18	8.2	03.9-12.5	137	60.5	52.9-68.1
\$50,000- 74,999	247	34,732	42	19.0	12.3-25.7	23	12.0	06.7-17.3	6	2.9	00.5-05.3	10	4.4	01.5-07.3	23	10.6	05.3-15.9	143	51.3	43.7-58.9
\$75,000+	359	50,027	52	17.6	11.9-23.3	34	11.8	06.9-16.7	9	4.2	00.9-07.5	12	3.1	01.1-05.1	31	8.9	05.0-12.8	221	54.3	47.6-61.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 12: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1352	135,434	159	14.4	11.5-17.3	69	6.4	04.4-08.4	31	3.6	01.8-05.4	28	1.9	00.9-02.9	42	4.2	02.2-06.2	1023	69.5	65.8-73.2
Native	80	5,014										5	3.2	00.0-06.9	5	2.1	00.0-05.4			
Non-Native	1269	130,064	139	13.9	11.0-16.8	56	5.9	03.9-07.9	25	3.1	01.3-04.9	23	1.9	00.9-02.9	37	4.3	02.3-06.3	989	71.0	67.3-74.7
18-24	59	23,366				7	10.8	01.8-19.8	6	12.5	02.7-22.3	4	3.7	00.0-08.0	7	12.8	03.0-22.6			
25-34	182	24,064	37	18.4	12.3-24.5	15	10.1	05.0-15.2	3	2.0	00.0-04.4	7	3.0	00.6-05.4	4	1.5	00.0-03.5	116	65.0	57.4-72.6
35-44	253	24,749	40	15.2	10.5-19.9	18	6.5	03.2-09.8	6	1.7	00.1-03.3	6	2.2	00.2-04.2	12	4.6	01.9-07.3	171	69.8	63.7-75.9
45-54	355	28,242	42	11.4	07.9-14.9	12	3.5	01.3-05.7	12	2.8	01.0-04.6	9	1.8	00.4-03.2	12	3.1	00.7-05.5	268	77.4	72.5-82.3
55-64	262	17,829	17	4.9	02.2-07.6	13	4.8	01.9-07.7	2	0.5	00.0-01.1	2	0.1	00.0-00.3	6	1.5	00.0-03.1	222	88.2	84.1-92.3
65+	233	16,608	6	3.0	00.5-05.5	4	1.5	00.0-03.1	1	0.2	00.0-00.6				1	0.2	00.0-00.6	221	95.1	92.0-98.2
H.S. or G.E.D.	360	34,427	45	18.2	11.3-25.1	21	5.0	02.5-07.5	8	3.6	00.0-07.3	4	0.7	00.0-01.5	18	4.8	02.3-07.3	264	67.7	60.4-75.0
Some Post-H.S.	463	48,604	53	13.6	08.7-18.5	20	5.9	02.0-09.8	12	3.6	01.1-06.1	16	3.6	01.2-06.0	15	6.4	01.7-11.1	347	66.8	60.1-73.5
College Graduate	483	47,958	54	11.7	08.0-15.4	24	7.5	04.0-11.0	9	2.5	00.0-05.6	7	1.1	00.1-02.1	8	1.9	00.1-03.7	381	75.3	69.8-80.8
Less than \$15,000	83	9,585							3	6.6	00.0-17.4	1	0.1	00.0-00.3						
\$15,000- 24,999	170	15,636				13	6.2	01.9-10.5	4	3.4	00.0-08.1	4	1.0	00.0-02.4	6	2.8	00.0-05.7			
\$25,000- 34,999	151	15,146	17	10.7	03.1-18.3	10	10.4	01.6-19.2	4	5.7	00.0-12.2	2	2.5	00.0-07.2	4	8.9	00.0-18.5			
\$35,000- 49,999	215	18,982	24	13.9	08.2-19.6	10	4.8	01.1-08.5	3	1.7	00.0-03.9	6	3.6	00.0-07.7	4	3.4	00.0-07.5	168	72.6	64.8-80.4
\$50,000- 74,999	262	27,319	25	14.5	07.1-21.9	11	4.5	01.8-07.2	5	1.5	00.1-02.9	3	1.3	00.0-02.9	10	3.7	01.0-06.4	208	74.5	66.9-82.1
\$75,000+	313	32,438	43	12.3	08.4-16.2	13	5.0	02.3-07.7	8	4.1	00.0-08.6	9	2.2	00.6-03.8	4	1.4	00.0-02.8	236	75.0	68.9-81.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2518	291,565	630	20.4	18.6-22.2	614	21.8	19.8-23.8	428	17.1	15.3-18.9	201	8.3	06.7-09.9	645	32.5	30.0-35.0
Male	1190	159,213	190	14.3	11.9-16.7	227	16.1	13.7-18.5	240	19.8	17.1-22.5	94	7.4	05.6-09.2	439	42.4	38.7-46.1
Female	1328	132,352	440	27.7	25.0-30.4	387	28.7	25.6-31.8	188	13.8	11.4-16.2	107	9.4	06.9-11.9	206	20.5	17.0-24.0
Native	137	9,892	21	11.7	04.1-19.3	12	4.7	00.8-08.6	13	10.2	01.6-18.8						
Non-Native	2367	279,976	607	20.7	18.9-22.5	597	22.4	20.4-24.4	413	17.3	15.5-19.1	183	8.1	06.5-09.7	567	31.6	28.9-34.3
18-24	120	49,361	7	5.7	01.0-10.4	12	10.9	04.4-17.4	13	9.1	04.0-14.2	14	10.1	03.8-16.4	74	64.1	54.5-73.7
25-34	329	55,615	50	14.3	10.4-18.2	65	19.4	14.7-24.1	50	16.1	11.6-20.6	30	8.7	05.4-12.0	134	41.6	35.5-47.7
35-44	462	53,165	81	16.1	12.6-19.6	92	20.0	16.1-23.9	100	23.4	19.1-27.7	41	9.3	06.4-12.2	148	31.3	26.6-36.0
45-54	644	56,881	148	23.3	19.6-27.0	165	24.6	20.9-28.3	112	19.5	16.0-23.0	47	6.9	04.7-09.1	172	25.7	22.0-29.4
55-64	503	39,796	157	29.8	25.3-34.3	131	27.4	23.1-31.7	88	18.6	14.9-22.3	45	9.4	06.3-12.5	82	14.9	11.4-18.4
65+	444	35,385	180	41.1	36.0-46.2	148	33.3	28.4-38.2	62	14.3	10.8-17.8	23	5.0	02.8-07.2	31	6.4	04.0-08.8
Less Than H.S.	108	11,243							13	10.7	04.0-17.4	9	8.6	00.0-17.6			
H.S. or G.E.D.	679	78,022	171	18.8	15.5-22.1	148	19.7	16.0-23.4	110	15.8	12.5-19.1	58	9.3	06.2-12.4	192	36.4	31.3-41.5
Some Post-H.S.	829	99,450	186	17.1	14.4-19.8	202	21.3	17.8-24.8	136	16.1	13.0-19.2	59	7.9	05.2-10.6	246	37.7	32.8-42.6
College Graduate	901	102,764	239	23.6	20.5-26.7	238	23.9	20.8-27.0	169	19.7	16.6-22.8	75	8.0	05.8-10.2	180	24.8	20.9-28.7
Less than \$15,000	131	14,905	31	11.8	06.3-17.3	25	14.9	06.9-22.9	16	13.1	05.3-20.9						
\$15,000- 24,999	277	27,379	81	23.7	17.8-29.6	61	21.5	15.0-28.0	42	14.6	09.1-20.1	21	9.8	03.1-16.5	72	30.4	22.2-38.6
\$25,000- 34,999	278	31,838	71	18.9	13.8-24.0	64	19.0	12.3-25.7	42	16.0	09.9-22.1	27	9.0	05.1-12.9	74	37.2	28.4-46.0
\$35,000- 49,999	425	46,172	109	20.4	16.3-24.5	111	23.9	19.2-28.6	76	20.5	15.6-25.4	30	7.7	04.6-10.8	99	27.5	22.0-33.0
\$50,000- 74,999	498	60,617	114	19.4	15.7-23.1	127	21.9	18.0-25.8	90	17.5	13.8-21.2	39	7.6	04.9-10.3	128	33.6	27.9-39.3
\$75,000+	658	80,321	123	17.1	13.8-20.4	162	21.9	18.4-25.4	138	19.7	16.4-23.0	54	7.7	05.5-09.9	181	33.6	28.7-38.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 14: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1190	159,213	190	14.3	11.9-16.7	227	16.1	13.7-18.5	240	19.8	17.1-22.5	94	7.4	05.6-09.2	439	42.4	38.7-46.1
Native	58	4,924	5	1.5	00.0-03.3	4	1.1	00.0-02.7									
Non-Native	1120	152,787	184	14.7	12.3-17.1	219	16.5	14.0-19.0	231	19.9	17.2-22.6	89	7.2	05.4-09.0	397	41.7	38.0-45.4
18-24	65	27,130	4	6.4	00.0-13.3	4	6.7	00.0-14.0	6	8.2	01.5-14.9	5	3.3	00.0-07.4			
25-34	154	32,356	15	10.5	05.2-15.8	14	9.4	04.3-14.5	25	18.7	11.8-25.6	13	8.3	03.6-13.0	87	53.1	44.5-61.7
35-44	216	28,975	21	9.5	05.4-13.6	30	14.9	09.8-20.0	53	25.4	19.1-31.7	18	9.4	04.9-13.9	94	40.8	33.7-47.9
45-54	289	28,810	45	16.1	11.4-20.8	52	17.6	12.7-22.5	60	23.4	17.7-29.1	14	5.3	02.6-08.0	118	37.7	31.6-43.8
55-64	246	22,230	42	17.8	12.3-23.3	62	25.5	19.4-31.6	50	21.5	15.8-27.2	29	12.7	07.8-17.6	63	22.4	16.7-28.1
65+	214	19,096	62	32.0	25.1-38.9	65	30.0	23.3-36.7	43	21.0	15.1-26.9	14	5.7	02.6-08.8	30	11.4	07.1-15.7
Less Than H.S.	63	7,124							10	12.3	03.9-20.7						
H.S. or G.E.D.	332	44,966	54	12.9	08.4-17.4	53	13.1	09.2-17.0	60	17.7	12.8-22.6	28	7.8	04.5-11.1	137	48.4	41.3-55.5
Some Post-H.S.	373	51,779	42	10.4	06.9-13.9	71	14.2	09.7-18.7	70	18.4	13.7-23.1	24	5.8	03.3-08.3	166	51.2	44.5-57.9
College Graduate	422	55,343	77	16.7	12.8-20.6	90	19.4	15.3-23.5	100	23.7	19.0-28.4	36	8.1	05.2-11.0	119	32.1	26.4-37.8
Less than \$15,000	54	5,933	7	7.7	00.0-15.5												
\$15,000- 24,999	111	12,078	24	18.4	10.4-26.4				18	17.7	08.5-26.9	4	2.8	00.1-05.5			
\$25,000- 34,999	128	16,838	18	10.9	05.2-16.6	23	14.4	05.0-23.8	22	20.8	10.8-30.8	16	11.2	04.9-17.5			
\$35,000- 49,999	212	27,308	37	15.7	10.2-21.2	44	18.6	12.5-24.7	45	24.2	17.1-31.3	13	6.2	02.3-10.1	73	35.3	27.5-43.1
\$50,000- 74,999	240	33,942	34	12.7	08.2-17.2	43	14.6	10.1-19.1	49	18.7	13.2-24.2	18	6.4	03.1-09.7	96	47.6	40.0-55.2
\$75,000+	348	48,185	43	11.4	07.7-15.1	64	15.1	11.2-19.0	81	21.1	16.4-25.8	30	8.4	05.1-11.7	130	44.0	37.3-50.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 15: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1328	132,352	440	27.7	25.0-30.4	387	28.7	25.6-31.8	188	13.8	11.4-16.2	107	9.4	06.9-11.9	206	20.5	17.0-24.0
Native	79	4,968				8	8.3	00.9-15.7	6	4.0	00.0-09.7						
Non-Native	1247	127,189	423	27.9	25.0-30.8	378	29.4	26.3-32.5	182	14.2	11.8-16.6	94	9.0	06.5-11.5	170	19.4	15.9-22.9
18-24	55	22,231	3	4.9	00.0-10.8				7	10.3	02.5-18.1						
25-34	175	23,259	35	19.5	13.4-25.6	51	33.3	25.5-41.1	25	12.5	07.4-17.6	17	9.2	04.5-13.9	47	25.6	18.5-32.7
35-44	246	24,189	60	24.0	18.3-29.7	62	26.1	20.2-32.0	47	20.9	15.2-26.6	23	9.1	05.4-12.8	54	20.0	14.5-25.5
45-54	355	28,072	103	30.6	25.3-35.9	113	31.8	26.5-37.1	52	15.4	11.1-19.7	33	8.7	05.6-11.8	54	13.5	09.8-17.2
55-64	257	17,566	115	44.9	38.2-51.6	69	29.8	23.5-36.1	38	14.8	10.1-19.5	16	5.1	02.2-08.0	19	5.3	02.4-08.2
65+	230	16,289	118	51.8	44.7-58.9	83	37.0	30.1-43.9	19	6.5	03.2-09.8	9	4.2	01.3-07.1	1	0.5	00.0-01.5
H.S. or G.E.D.	347	33,056	117	26.9	21.6-32.2	95	28.8	22.3-35.3	50	13.2	09.1-17.3	30	11.2	05.5-16.9	55	20.0	13.5-26.5
Some Post-H.S.	456	47,671	144	24.3	19.8-28.8	131	29.0	23.3-34.7	66	13.5	09.6-17.4	35	10.1	05.2-15.0	80	23.0	16.7-29.3
College Graduate	479	47,421	162	31.6	26.7-36.5	148	29.2	24.5-33.9	69	15.0	11.3-18.7	39	7.9	04.8-11.0	61	16.3	11.2-21.4
Less than \$15,000	77	8,972	24	14.5	06.9-22.1				7	10.1	01.3-18.9						
\$15,000- 24,999	166	15,301	57	27.9	19.3-36.5	37	18.1	10.8-25.4	24	12.0	05.5-18.5						
\$25,000- 34,999	150	15,000	53	27.8	19.4-36.2	41	24.1	14.7-33.5	20	10.5	05.2-15.8	11	6.5	01.8-11.2			
\$35,000- 49,999	213	18,865	72	27.2	20.7-33.7	67	31.6	24.3-38.9	31	15.2	09.3-21.1	17	10.0	04.9-15.1	26	16.1	09.2-23.0
\$50,000- 74,999	258	26,675	80	27.9	21.6-34.2	84	31.1	24.6-37.6	41	16.0	10.9-21.1	21	9.1	04.2-14.0	32	15.9	08.8-23.0
\$75,000+	310	32,136	80	25.8	20.1-31.5	98	32.0	26.1-37.9	57	17.7	13.0-22.4	24	6.6	03.9-09.3	51	17.9	12.0-23.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 14: DISABILITY CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	176
2	MALES ONLY	177
3	FEMALES ONLY	178
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	179
5	MALES ONLY	180
6	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 14: DISABILITY**

**TABLE 1: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4687	496,555	895	15.0	13.8-16.2	3792	85.0	83.8-86.2
Male	1911	246,111	333	14.3	12.5-16.1	1578	85.7	83.9-87.5
Female	2776	250,444	562	15.7	14.1-17.3	2214	84.3	82.7-85.9
Native	352	22,953	76	12.4	07.5-17.3	276	87.6	82.7-92.5
Non-Native	4294	469,751	810	15.2	14.0-16.4	3484	84.8	83.6-86.0
18-24	191	74,726	12	3.4	00.9-05.9	179	96.6	94.1-99.1
25-34	511	84,075	40	6.6	04.2-09.0	471	93.4	91.0-95.8
35-44	719	78,729	81	9.9	07.5-12.3	638	90.1	87.7-92.5
45-54	1080	93,416	208	18.4	15.7-21.1	872	81.6	78.9-84.3
55-64	913	69,735	204	20.6	17.7-23.5	709	79.4	76.5-82.3
65+	1235	92,998	345	28.8	25.9-31.7	890	71.2	68.3-74.1
Less Than H.S.	373	35,854	85	21.9	16.2-27.6	288	78.1	72.4-83.8
H.S. or G.E.D.	1410	146,407	295	15.3	13.1-17.5	1115	84.7	82.5-86.9
Some Post-H.S.	1492	161,470	302	16.0	13.8-18.2	1190	84.0	81.8-86.2
College Graduate	1408	152,541	212	12.1	10.3-13.9	1196	87.9	86.1-89.7
Less than \$15,000	387	36,233	161	28.1	22.0-34.2	226	71.9	65.8-78.0
\$15,000- 24,999	684	62,486	182	23.1	19.2-27.0	502	76.9	73.0-80.8
\$25,000- 34,999	571	57,364	123	18.5	14.6-22.4	448	81.5	77.6-85.4
\$35,000- 49,999	736	73,722	123	14.1	11.4-16.8	613	85.9	83.2-88.6
\$50,000- 74,999	783	92,106	94	10.2	08.0-12.4	689	89.8	87.6-92.0
\$75,000+	891	108,546	85	8.2	06.2-10.2	806	91.8	89.8-93.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 14: DISABILITY**

**TABLE 2: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1911	246,111	333	14.3	12.5-16.1	1578	85.7	83.9-87.5
Native	126	10,535	21	9.1	02.4-15.8	105	90.9	84.2-97.6
Non-Native	1761	233,011	310	14.6	12.8-16.4	1451	85.4	83.6-87.2
18-24	94	39,398	4	2.9	00.0-06.4	90	97.1	93.6-0100
25-34	208	44,141	14	7.1	03.2-11.0	194	92.9	89.0-96.8
35-44	300	40,078	31	9.2	05.7-12.7	269	90.8	87.3-94.3
45-54	469	47,290	75	16.7	12.8-20.6	394	83.3	79.4-87.2
55-64	397	35,091	83	20.3	16.0-24.6	314	79.7	75.4-84.0
65+	426	38,600	124	31.4	26.5-36.3	302	68.6	63.7-73.5
Less Than H.S.	173	18,920	48	25.7	17.5-33.9	125	74.3	66.1-82.5
H.S. or G.E.D.	571	74,298	89	11.7	08.8-14.6	482	88.3	85.4-91.2
Some Post-H.S.	577	76,856	109	15.8	12.5-19.1	468	84.2	80.9-87.5
College Graduate	589	75,990	87	12.6	09.9-15.3	502	87.4	84.7-90.1
Less than \$15,000	127	14,454	52	27.9	18.1-37.7	75	72.1	62.3-81.9
\$15,000- 24,999	228	24,353	71	27.6	20.7-34.5	157	72.4	65.5-79.3
\$25,000- 34,999	244	29,683	41	17.1	11.2-23.0	203	82.9	77.0-88.8
\$35,000- 49,999	327	40,164	47	12.4	08.3-16.5	280	87.6	83.5-91.7
\$50,000- 74,999	348	48,371	39	9.4	06.1-12.7	309	90.6	87.3-93.9
\$75,000+	461	63,110	43	8.2	05.7-10.7	418	91.8	89.3-94.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 14: DISABILITY**

**TABLE 3: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2776	250,444	562	15.7	14.1-17.3	2214	84.3	82.7-85.9
Native	226	12,419	55	15.1	08.0-22.2	171	84.9	77.8-92.0
Non-Native	2533	236,740	500	15.7	14.1-17.3	2033	84.3	82.7-85.9
18-24	97	35,328	8	4.0	00.1-07.9	89	96.0	92.1-99.9
25-34	303	39,933	26	6.1	03.4-08.8	277	93.9	91.2-96.6
35-44	419	38,650	50	10.6	07.5-13.7	369	89.4	86.3-92.5
45-54	611	46,127	133	20.1	16.6-23.6	478	79.9	76.4-83.4
55-64	516	34,644	121	20.8	16.9-24.7	395	79.2	75.3-83.1
65+	809	54,398	221	27.0	23.7-30.3	588	73.0	69.7-76.3
Less Than H.S.	200	16,934	37	17.7	10.1-25.3	163	82.3	74.7-89.9
H.S. or G.E.D.	839	72,109	206	19.1	16.2-22.0	633	80.9	78.0-83.8
Some Post-H.S.	915	84,614	193	16.2	13.7-18.7	722	83.8	81.3-86.3
College Graduate	819	76,551	125	11.5	09.1-13.9	694	88.5	86.1-90.9
Less than \$15,000	260	21,779	109	28.2	20.6-35.8	151	71.8	64.2-79.4
\$15,000- 24,999	456	38,133	111	20.3	16.0-24.6	345	79.7	75.4-84.0
\$25,000- 34,999	327	27,682	82	20.1	15.0-25.2	245	79.9	74.8-85.0
\$35,000- 49,999	409	33,558	76	16.1	12.2-20.0	333	83.9	80.0-87.8
\$50,000- 74,999	435	43,734	55	11.1	08.0-14.2	380	88.9	85.8-92.0
\$75,000+	430	45,436	42	8.3	05.6-11.0	388	91.7	89.0-94.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 14: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4712	498,526	302	4.7	04.1-05.3	4410	95.3	94.7-95.9
Male	1917	246,577	110	4.3	03.3-05.3	1807	95.7	94.7-96.7
Female	2795	251,949	192	5.0	04.2-05.8	2603	95.0	94.2-95.8
Native	354	23,046	20	4.0	01.3-06.7	334	96.0	93.3-98.7
Non-Native	4315	471,348	277	4.7	04.1-05.3	4038	95.3	94.7-95.9
18-24	190	74,215	1	0.7	00.0-02.1	189	99.3	97.9-100.0
25-34	513	84,352	7	1.2	00.2-02.2	506	98.8	97.8-99.8
35-44	720	78,707	14	1.8	00.6-03.0	706	98.2	97.0-99.4
45-54	1082	93,676	56	4.4	03.0-05.8	1026	95.6	94.2-97.0
55-64	917	70,120	53	5.1	03.5-06.7	864	94.9	93.3-96.5
65+	1252	94,580	170	13.4	11.2-15.6	1082	86.6	84.4-88.8
Less Than H.S.	383	37,008	48	9.3	06.2-12.4	335	90.7	87.6-93.8
H.S. or G.E.D.	1414	146,322	101	5.3	03.9-06.7	1313	94.7	93.3-96.1
Some Post-H.S.	1498	162,093	92	4.3	03.3-05.3	1406	95.7	94.7-96.7
College Graduate	1414	152,906	60	3.3	02.3-04.3	1354	96.7	95.7-97.7
Less than \$15,000	393	36,602	76	13.9	10.0-17.8	317	86.1	82.2-90.0
\$15,000- 24,999	691	63,265	70	8.1	05.6-10.6	621	91.9	89.4-94.4
\$25,000- 34,999	574	57,673	39	5.9	03.7-08.1	535	94.1	91.9-96.3
\$35,000- 49,999	736	73,669	28	3.0	01.8-04.2	708	97.0	95.8-98.2
\$50,000- 74,999	785	91,945	19	1.8	00.8-02.8	766	98.2	97.2-99.2
\$75,000+	891	108,489	13	1.1	00.5-01.7	878	98.9	98.3-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 14: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1917	246,577	110	4.3	03.3-05.3	1807	95.7	94.7-96.7
Native	126	10,535	3	1.4	00.0-03.2	123	98.6	96.8-0100
Non-Native	1765	233,194	106	4.5	03.5-05.5	1659	95.5	94.5-96.5
18-24	93	38,887	1	1.3	00.0-03.8	92	98.7	96.2-0100
25-34	209	44,314	3	1.0	00.0-02.2	206	99.0	97.8-0100
35-44	300	40,003	6	2.1	00.3-03.9	294	97.9	96.1-99.7
45-54	467	47,122	24	4.5	02.5-06.5	443	95.5	93.5-97.5
55-64	399	35,316	24	4.9	02.7-07.1	375	95.1	92.9-97.3
65+	432	39,422	52	12.7	09.2-16.2	380	87.3	83.8-90.8
Less Than H.S.	178	19,687	23	9.6	05.1-14.1	155	90.4	85.9-94.9
H.S. or G.E.D.	571	73,910	34	4.7	02.7-06.7	537	95.3	93.3-97.3
Some Post-H.S.	578	77,000	29	3.6	02.0-05.2	549	96.4	94.8-98.0
College Graduate	589	75,933	24	3.3	01.9-04.7	565	96.7	95.3-98.1
Less than \$15,000	129	14,535	29	15.8	08.7-22.9	100	84.2	77.1-91.3
\$15,000- 24,999	229	24,698	19	8.0	03.1-12.9	210	92.0	87.1-96.9
\$25,000- 34,999	245	29,846	15	6.0	02.9-09.1	230	94.0	90.9-97.1
\$35,000- 49,999	326	40,091	12	2.4	00.8-04.0	314	97.6	96.0-99.2
\$50,000- 74,999	348	47,955	10	2.0	00.6-03.4	338	98.0	96.6-99.4
\$75,000+	461	63,053	9	1.5	00.5-02.5	452	98.5	97.5-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 14: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2795	251,949	192	5.0	04.2-05.8	2603	95.0	94.2-95.8
Native	228	12,511	17	6.2	01.5-10.9	211	93.8	89.1-98.5
Non-Native	2550	238,154	171	4.8	04.0-05.6	2379	95.2	94.4-96.0
18-24	97	35,328				97	100.0	0100-0100
25-34	304	40,038	4	1.3	00.0-02.7	300	98.7	97.3-0100
35-44	420	38,704	8	1.6	00.2-03.0	412	98.4	97.0-99.8
45-54	615	46,554	32	4.2	02.4-06.0	583	95.8	94.0-97.6
55-64	518	34,804	29	5.2	03.0-07.4	489	94.8	92.6-97.0
65+	820	55,158	118	13.8	11.3-16.3	702	86.2	83.7-88.7
Less Than H.S.	205	17,321	25	9.0	05.1-12.9	180	91.0	87.1-94.9
H.S. or G.E.D.	843	72,412	67	5.9	04.3-07.5	776	94.1	92.5-95.7
Some Post-H.S.	920	85,093	63	5.0	03.6-06.4	857	95.0	93.6-96.4
College Graduate	825	76,973	36	3.2	02.0-04.4	789	96.8	95.6-98.0
Less than \$15,000	264	22,067	47	12.7	08.4-17.0	217	87.3	83.0-91.6
\$15,000- 24,999	462	38,567	51	8.1	05.6-10.6	411	91.9	89.4-94.4
\$25,000- 34,999	329	27,826	24	5.7	03.2-08.2	305	94.3	91.8-96.8
\$35,000- 49,999	410	33,578	16	3.7	01.7-05.7	394	96.3	94.3-98.3
\$50,000- 74,999	437	43,991	9	1.6	00.4-02.8	428	98.4	97.2-99.6
\$75,000+	430	45,436	4	0.6	00.0-01.2	426	99.4	98.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 15: ARTHRITIS BURDEN CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
THE NEXT QUESTIONS REFER TO YOUR JOINTS. PLEASE DO NOT INCLUDE THE BACK OR NECK. DURING THE PAST 30 DAYS, HAVE YOU HAD ANY SYMPTOMS OF PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT? (PAIN30DY)	
1 MALES AND FEMALES	183
2 MALES ONLY	184
3 FEMALES ONLY	185
DID YOUR JOINT SYMPTOMS FIRST BEGIN MORE THAN 3 MONTHS AGO? (JOINTSYM)	
4 MALES AND FEMALES	186
5 MALES ONLY	187
6 FEMALES ONLY	188
HAVE YOU EVER SEEN A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR THESE JOINT SYMPTOMS? (JOINTRT2)	
7 MALES AND FEMALES	189
8 MALES ONLY	190
9 FEMALES ONLY	191
HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)	
10 MALES AND FEMALES	192
11 MALES ONLY	193
12 FEMALES ONLY	194
ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)	
13 MALES AND FEMALES	195
14 MALES ONLY	196
15 FEMALES ONLY	197

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 1: THE NEXT QUESTIONS REFER TO YOUR JOINTS. PLEASE DO NOT INCLUDE THE BACK OR NECK. DURING THE PAST 30 DAYS, HAVE YOU HAD ANY SYMPTOMS OF PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT? (PAIN30DY)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4684	494,915	2093	38.8	37.0-40.6	2591	61.2	59.4-63.0	
Male	1901	243,974	779	35.9	33.2-38.6	1122	64.1	61.4-66.8	
Female	2783	250,941	1314	41.5	39.1-43.9	1469	58.5	56.1-60.9	
Native	350	23,006	148	32.5	23.5-41.5	202	67.5	58.5-76.5	
Non-Native	4295	468,238	1931	39.1	37.3-40.9	2364	60.9	59.1-62.7	
18-24	187	72,834	40	22.0	15.1-28.9	147	78.0	71.1-84.9	
25-34	510	83,863	126	22.8	18.7-26.9	384	77.2	73.1-81.3	
35-44	718	78,588	270	36.2	32.3-40.1	448	63.8	59.9-67.7	
45-54	1075	93,149	491	45.2	41.9-48.5	584	54.8	51.5-58.1	
55-64	914	69,874	471	48.8	45.1-52.5	443	51.2	47.5-54.9	
65+	1242	93,731	678	54.3	51.2-57.4	564	45.7	42.6-48.8	
Less Than H.S.	380	36,708	183	43.7	36.6-50.8	197	56.3	49.2-63.4	
H.S. or G.E.D.	1399	143,856	627	38.9	35.6-42.2	772	61.1	57.8-64.4	
Some Post-H.S.	1492	161,563	686	39.3	36.0-42.6	806	60.7	57.4-64.0	
College Graduate	1410	152,591	594	36.9	34.0-39.8	816	63.1	60.2-66.0	
Less than \$15,000	390	36,515	238	51.6	43.4-59.8	152	48.4	40.2-56.6	
\$15,000- 24,999	689	62,944	342	45.7	40.6-50.8	347	54.3	49.2-59.4	
\$25,000- 34,999	575	57,695	272	41.1	35.6-46.6	303	58.9	53.4-64.4	
\$35,000- 49,999	732	73,368	317	39.1	35.0-43.2	415	60.9	56.8-65.0	
\$50,000- 74,999	782	91,627	309	34.3	30.4-38.2	473	65.7	61.8-69.6	
\$75,000+	886	108,022	314	30.9	27.4-34.4	572	69.1	65.6-72.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 2: THE NEXT QUESTIONS REFER TO YOUR JOINTS. PLEASE DO NOT INCLUDE THE BACK OR NECK. DURING THE PAST 30 DAYS, HAVE YOU HAD ANY SYMPTOMS OF PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT? (PAIN30DY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	243,974	779	35.9	33.2-38.6	1122	64.1	61.4-66.8
Non-Native	1755	231,070	727	36.4	33.7-39.1	1028	63.6	60.9-66.3
18-24	91	37,524	17	17.6	08.8-26.4	74	82.4	73.6-91.2
25-34	209	44,314	56	25.6	19.1-32.1	153	74.4	67.9-80.9
35-44	299	39,991	113	37.3	31.4-43.2	186	62.7	56.8-68.6
45-54	462	46,723	201	42.8	37.7-47.9	261	57.2	52.1-62.3
55-64	397	35,096	171	41.6	36.1-47.1	226	58.4	52.9-63.9
65+	426	38,811	217	51.4	46.1-56.7	209	48.6	43.3-53.9
Less Than H.S.	176	19,451	80	42.4	32.6-52.2	96	57.6	47.8-67.4
H.S. or G.E.D.	563	72,082	213	33.6	28.7-38.5	350	66.4	61.5-71.3
Some Post-H.S.	575	76,693	238	35.1	30.2-40.0	337	64.9	60.0-69.8
College Graduate	586	75,700	247	37.3	32.8-41.8	339	62.7	58.2-67.2
\$15,000- 24,999	228	24,587	107	46.5	38.1-54.9	121	53.5	45.1-61.9
\$25,000- 34,999	245	29,846	104	38.2	30.4-46.0	141	61.8	54.0-69.6
\$35,000- 49,999	324	40,009	128	37.4	31.3-43.5	196	62.6	56.5-68.7
\$50,000- 74,999	345	47,636	121	29.6	24.3-34.9	224	70.4	65.1-75.7
\$75,000+	458	62,737	170	32.6	27.7-37.5	288	67.4	62.5-72.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 3: THE NEXT QUESTIONS REFER TO YOUR JOINTS. PLEASE DO NOT INCLUDE THE BACK OR NECK. DURING THE PAST 30 DAYS, HAVE YOU HAD ANY SYMPTOMS OF PAIN, ACHING, OR STIFFNESS IN OR AROUND A JOINT? (PAIN30DY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2783	250,941	1314	41.5	39.1-43.9	1469	58.5	56.1-60.9
Non-Native	2540	237,168	1204	41.7	39.2-44.2	1336	58.3	55.8-60.8
25-34	301	39,548	70	19.8	14.9-24.7	231	80.2	75.3-85.1
35-44	419	38,597	157	35.0	29.9-40.1	262	65.0	59.9-70.1
45-54	613	46,426	290	47.7	43.4-52.0	323	52.3	48.0-56.6
55-64	517	34,778	300	56.1	51.2-61.0	217	43.9	39.0-48.8
65+	816	54,920	461	56.4	52.7-60.1	355	43.6	39.9-47.3
Less Than H.S.	204	17,256	103	45.3	35.5-55.1	101	54.7	44.9-64.5
H.S. or G.E.D.	836	71,774	414	44.2	39.7-48.7	422	55.8	51.3-60.3
Some Post-H.S.	917	84,870	448	43.0	38.5-47.5	469	57.0	52.5-61.5
College Graduate	824	76,890	347	36.5	32.6-40.4	477	63.5	59.6-67.4
Less than \$15,000	261	21,980	161	54.1	44.1-64.1	100	45.9	35.9-55.9
\$15,000- 24,999	461	38,358	235	45.2	38.7-51.7	226	54.8	48.3-61.3
\$25,000- 34,999	330	27,848	168	44.2	36.9-51.5	162	55.8	48.5-63.1
\$35,000- 49,999	408	33,358	189	41.1	35.4-46.8	219	58.9	53.2-64.6
\$50,000- 74,999	437	43,991	188	39.5	34.0-45.0	249	60.5	55.0-66.0
\$75,000+	428	45,285	144	28.4	23.5-33.3	284	71.6	66.7-76.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 4: DID YOUR JOINT SYMPTOMS FIRST BEGIN MORE THAN 3 MONTHS AGO? (JOINTSYM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2076	190,169	1757	82.3	79.9-84.7	319	17.7	15.3-20.1
Male	774	87,131	646	81.7	78.0-85.4	128	18.3	14.6-22.0
Female	1302	103,038	1111	82.8	79.7-85.9	191	17.2	14.1-20.3
Non-Native	1914	181,334	1624	82.6	80.2-85.0	290	17.4	15.0-19.8
25-34	125	19,013	92	71.1	61.7-80.5	33	28.9	19.5-38.3
35-44	264	27,726	210	78.2	72.5-83.9	54	21.8	16.1-27.5
45-54	489	41,913	423	87.5	84.4-90.6	66	12.5	09.4-15.6
55-64	468	33,889	407	87.8	84.5-91.1	61	12.2	08.9-15.5
65+	673	50,428	586	87.0	84.3-89.7	87	13.0	10.3-15.7
Less Than H.S.	182	15,960	156	79.7	70.9-88.5	26	20.3	11.5-29.1
H.S. or G.E.D.	620	55,182	522	83.0	79.1-86.9	98	17.0	13.1-20.9
Some Post-H.S.	680	62,810	586	82.2	77.7-86.7	94	17.8	13.3-22.3
College Graduate	591	56,020	490	82.4	77.9-86.9	101	17.6	13.1-22.1
\$15,000- 24,999	341	28,708	287	80.2	73.5-86.9	54	19.8	13.1-26.5
\$25,000- 34,999	270	23,557	238	87.7	82.0-93.4	32	12.3	06.6-18.0
\$35,000- 49,999	316	28,519	267	83.4	78.1-88.7	49	16.6	11.3-21.9
\$50,000- 74,999	306	31,197	258	82.9	78.0-87.8	48	17.1	12.2-22.0
\$75,000+	312	33,097	249	81.5	76.8-86.2	63	18.5	13.8-23.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 5: DID YOUR JOINT SYMPTOMS FIRST BEGIN MORE THAN 3 MONTHS AGO? (JOINTSYM)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that have not had joint pain in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	774	87,131	646	81.7	78.0-85.4	128	18.3	14.6-22.0
Non-Native	722	83,665	603	81.9	78.2-85.6	119	18.1	14.4-21.8
35-44	112	14,768	87	77.2	68.8-85.6	25	22.8	14.4-31.2
45-54	201	19,987	176	88.9	84.4-93.4	25	11.1	06.6-15.6
55-64	169	14,464	140	84.6	78.7-90.5	29	15.4	09.5-21.3
65+	215	19,695	190	89.1	84.6-93.6	25	10.9	06.4-15.4
H.S. or G.E.D.	211	23,916	182	84.9	78.8-91.0	29	15.1	09.0-21.2
Some Post-H.S.	237	26,810	191	76.8	69.7-83.9	46	23.2	16.1-30.3
College Graduate	246	28,207	206	84.3	78.0-90.6	40	15.7	09.4-22.0
\$25,000- 34,999	103	11,317	93	92.9	87.6-98.2	10	7.1	01.8-12.4
\$35,000- 49,999	128	14,974	105	81.8	74.0-89.6	23	18.2	10.4-26.0
\$50,000- 74,999	121	14,104	94	75.0	66.0-84.0	27	25.0	16.0-34.0
\$75,000+	169	20,321	134	80.9	74.4-87.4	35	19.1	12.6-25.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 6: DID YOUR JOINT SYMPTOMS FIRST BEGIN MORE THAN 3 MONTHS AGO? (JOINTSYM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that have not had joint pain in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1302	103,038	1111	82.8	79.7-85.9	191	17.2	14.1-20.3
Non-Native	1192	97,669	1021	83.2	80.1-86.3	171	16.8	13.7-19.9
35-44	152	12,958	123	79.3	72.0-86.6	29	20.7	13.4-28.0
45-54	288	21,926	247	86.3	82.0-90.6	41	13.7	09.4-18.0
55-64	299	19,424	267	90.2	86.5-93.9	32	9.8	06.1-13.5
65+	458	30,733	396	85.6	81.9-89.3	62	14.4	10.7-18.1
H.S. or G.E.D.	409	31,266	340	81.5	76.6-86.4	69	18.5	13.6-23.4
Some Post-H.S.	443	36,000	395	86.2	80.5-91.9	48	13.8	08.1-19.5
College Graduate	345	27,812	284	80.5	74.2-86.8	61	19.5	13.2-25.8
\$15,000- 24,999	234	17,268	191	78.2	70.9-85.5	43	21.8	14.5-29.1
\$25,000- 34,999	167	12,241	145	83.0	73.6-92.4	22	17.0	07.6-26.4
\$35,000- 49,999	188	13,545	162	85.1	78.2-92.0	26	14.9	08.0-21.8
\$50,000- 74,999	185	17,093	164	89.5	84.8-94.2	21	10.5	05.8-15.2
\$75,000+	143	12,776	115	82.3	75.6-89.0	28	17.7	11.0-24.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 7. HAVE YOU EVER SEEN A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR THESE JOINT SYMPTOMS? (JOINTRT2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days

Denominator excludes: Respondents whose symptoms did not begin more than 3 months ago

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1755	156,315	1306	72.8	70.1-75.5	449	27.2	24.5-29.9
Male	646	71,169	450	69.5	65.2-73.8	196	30.5	26.2-34.8
Female	1109	85,146	856	75.6	72.1-79.1	253	24.4	20.9-27.9
Non-Native	1622	149,607	1220	73.2	70.5-75.9	402	26.8	24.1-29.5
25-34	92	13,521	62	72.1	62.1-82.1	30	27.9	17.9-37.9
35-44	210	21,681	138	67.0	59.7-74.3	72	33.0	25.7-40.3
45-54	423	36,684	299	69.2	64.1-74.3	124	30.8	25.7-35.9
55-64	407	29,762	293	72.3	67.2-77.4	114	27.7	22.6-32.8
65+	584	43,673	487	81.6	78.1-85.1	97	18.4	14.9-21.9
Less Than H.S.	156	12,724	123	79.9	72.5-87.3	33	20.1	12.7-27.5
H.S. or G.E.D.	521	45,668	392	73.0	67.9-78.1	129	27.0	21.9-32.1
Some Post-H.S.	585	51,550	441	73.8	68.7-78.9	144	26.2	21.1-31.3
College Graduate	490	46,177	347	69.4	64.7-74.1	143	30.6	25.9-35.3
Less than \$15,000	209	15,355	161	79.3	72.2-86.4	48	20.7	13.6-27.8
\$15,000- 24,999	286	22,890	222	77.1	71.2-83.0	64	22.9	17.0-28.8
\$25,000- 34,999	238	20,669	164	67.3	59.5-75.1	74	32.7	24.9-40.5
\$35,000- 49,999	267	23,779	195	72.6	66.3-78.9	72	27.4	21.1-33.7
\$50,000- 74,999	258	25,871	187	69.4	62.3-76.5	71	30.6	23.5-37.7
\$75,000+	249	26,968	170	69.8	63.5-76.1	79	30.2	23.9-36.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 8: HAVE YOU EVER SEEN A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR THESE JOINT SYMPTOMS? (JOINTRT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days

Denominator excludes: Respondents whose symptoms did not begin more than 3 months ago

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	646	71,169	450	69.5	65.2-73.8	196	30.5	26.2-34.8
Non-Native	603	68,493	423	69.6	65.3-73.9	180	30.4	26.1-34.7
45-54	176	17,763	118	65.8	58.0-73.6	58	34.2	26.4-42.0
55-64	140	12,241	90	64.6	56.0-73.2	50	35.4	26.8-44.0
65+	190	17,547	146	76.9	70.4-83.4	44	23.1	16.6-29.6
Less Than H.S.	66	6,421	52	82.2	72.2-92.2	14	17.8	07.8-27.8
H.S. or G.E.D.	182	20,313	116	63.0	53.8-72.2	66	37.0	27.8-46.2
Some Post-H.S.	191	20,596	142	74.0	66.9-81.1	49	26.0	18.9-33.1
College Graduate	206	23,791	139	67.6	60.5-74.7	67	32.4	25.3-39.5
\$35,000- 49,999	105	12,246	70	67.4	57.6-77.2	35	32.6	22.8-42.4
\$75,000+	134	16,448	90	68.8	60.2-77.4	44	31.2	22.6-39.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 9: HAVE YOU EVER SEEN A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR THESE JOINT SYMPTOMS? (JOINTRT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days

Denominator excludes: Respondents whose symptoms did not begin more than 3 months ago

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1109	85,146	856	75.6	72.1-79.1	253	24.4	20.9-27.9
Non-Native	1019	81,114	797	76.2	72.7-79.7	222	23.8	20.3-27.3
35-44	123	10,281	77	65.5	55.9-75.1	46	34.5	24.9-44.1
45-54	247	18,921	181	72.4	65.9-78.9	66	27.6	21.1-34.1
55-64	267	17,521	203	77.7	71.8-83.6	64	22.3	16.4-28.2
65+	394	26,126	341	84.7	80.6-88.8	53	15.3	11.2-19.4
H.S. or G.E.D.	339	25,354	276	81.1	76.2-86.0	63	18.9	14.0-23.8
Some Post-H.S.	394	30,954	299	73.7	66.8-80.6	95	26.3	19.4-33.2
College Graduate	284	22,385	208	71.2	65.1-77.3	76	28.8	22.7-34.9
Less than \$15,000	139	9,358	106	75.9	66.3-85.5	33	24.1	14.5-33.7
\$15,000- 24,999	190	13,372	155	81.7	75.0-88.4	35	18.3	11.6-25.0
\$25,000- 34,999	145	10,159	104	70.6	61.0-80.2	41	29.4	19.8-39.0
\$35,000- 49,999	162	11,532	125	78.1	70.7-85.5	37	21.9	14.5-29.3
\$50,000- 74,999	164	15,291	124	71.8	62.2-81.4	40	28.2	18.6-37.8
\$75,000+	115	10,520	80	71.4	62.0-80.8	35	28.6	19.2-38.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 10: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4684	495,860	1596	26.9	25.3-28.5	3088	73.1	71.5-74.7
Male	1903	245,208	529	22.6	20.4-24.8	1374	77.4	75.2-79.6
Female	2781	250,652	1067	31.1	28.9-33.3	1714	68.9	66.7-71.1
Native	350	22,864	107	18.5	11.6-25.4	243	81.5	74.6-88.4
Non-Native	4291	468,863	1479	27.4	25.8-29.0	2812	72.6	71.0-74.2
18-24	190	74,215	13	5.8	02.3-09.3	177	94.2	90.7-97.7
25-34	507	83,603	50	11.0	07.7-14.3	457	89.0	85.7-92.3
35-44	716	78,276	134	17.4	14.3-20.5	582	82.6	79.5-85.7
45-54	1074	93,028	322	28.7	25.8-31.6	752	71.3	68.4-74.2
55-64	913	69,743	389	41.6	37.9-45.3	524	58.4	54.7-62.1
65+	1246	94,118	677	53.0	49.9-56.1	569	47.0	43.9-50.1
Less Than H.S.	382	36,854	177	35.9	29.8-42.0	205	64.1	58.0-70.2
H.S. or G.E.D.	1404	145,244	529	30.2	27.3-33.1	875	69.8	66.9-72.7
Some Post-H.S.	1487	161,229	515	26.9	24.2-29.6	972	73.1	70.4-75.8
College Graduate	1408	152,335	372	21.5	19.1-23.9	1036	78.5	76.1-80.9
Less than \$15,000	390	36,410	189	34.4	27.5-41.3	201	65.6	58.7-72.5
\$15,000- 24,999	686	62,699	283	35.3	30.6-40.0	403	64.7	60.0-69.4
\$25,000- 34,999	570	57,292	203	30.6	25.7-35.5	367	69.4	64.5-74.3
\$35,000- 49,999	733	73,286	233	26.7	23.0-30.4	500	73.3	69.6-77.0
\$50,000- 74,999	783	91,789	204	21.3	18.2-24.4	579	78.7	75.6-81.8
\$75,000+	886	108,004	212	20.0	17.1-22.9	674	80.0	77.1-82.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 11: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1903	245,208	529	22.6	20.4-24.8	1374	77.4	75.2-79.6
Native	124	10,440	28	8.6	02.1-15.1	96	91.4	84.9-97.9
Non-Native	1753	231,920	497	23.4	21.2-25.6	1256	76.6	74.4-78.8
18-24	93	38,887	5	4.5	00.0-09.0	88	95.5	91.0-0100
25-34	208	44,083	25	13.8	08.5-19.1	183	86.2	80.9-91.5
35-44	298	39,840	50	15.6	11.1-20.1	248	84.4	79.9-88.9
45-54	462	46,645	118	23.7	19.4-28.0	344	76.3	72.0-80.6
55-64	396	35,005	128	32.0	26.9-37.1	268	68.0	62.9-73.1
65+	429	39,234	200	48.3	43.0-53.6	229	51.7	46.4-57.0
Less Than H.S.	178	19,694	73	34.5	25.9-43.1	105	65.5	56.9-74.1
H.S. or G.E.D.	567	73,506	155	21.0	17.1-24.9	412	79.0	75.1-82.9
Some Post-H.S.	572	76,492	163	24.3	20.2-28.4	409	75.7	71.6-79.8
College Graduate	585	75,469	137	19.4	15.9-22.9	448	80.6	77.1-84.1
\$15,000- 24,999	229	24,682	84	31.7	24.6-38.8	145	68.3	61.2-75.4
\$25,000- 34,999	242	29,530	75	28.8	21.5-36.1	167	71.2	63.9-78.5
\$35,000- 49,999	324	39,848	83	23.4	18.1-28.7	241	76.6	71.3-81.9
\$50,000- 74,999	347	47,842	76	17.2	12.9-21.5	271	82.8	78.5-87.1
\$75,000+	458	62,719	101	19.0	15.1-22.9	357	81.0	77.1-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 12: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2781	250,652	1067	31.1	28.9-33.3	1714	68.9	66.7-71.1
Non-Native	2538	236,942	982	31.2	29.0-33.4	1556	68.8	66.6-71.0
18-24	97	35,328	8	7.3	01.6-13.0	89	92.7	87.0-98.4
25-34	299	39,520	25	7.8	04.3-11.3	274	92.2	88.7-95.7
35-44	418	38,436	84	19.3	15.2-23.4	334	80.7	76.6-84.8
45-54	612	46,383	204	33.6	29.5-37.7	408	66.4	62.3-70.5
55-64	517	34,738	261	51.2	46.3-56.1	256	48.8	43.9-53.7
65+	817	54,884	477	56.4	52.7-60.1	340	43.6	39.9-47.3
Less Than H.S.	204	17,160	104	37.5	28.9-46.1	100	62.5	53.9-71.1
H.S. or G.E.D.	837	71,738	374	39.6	35.3-43.9	463	60.4	56.1-64.7
Some Post-H.S.	915	84,737	352	29.3	25.8-32.8	563	70.7	67.2-74.2
College Graduate	823	76,866	235	23.5	20.4-26.6	588	76.5	73.4-79.6
Less than \$15,000	262	21,959	130	37.2	28.4-46.0	132	62.8	54.0-71.6
\$15,000- 24,999	457	38,017	199	37.7	31.6-43.8	258	62.3	56.2-68.4
\$25,000- 34,999	328	27,762	128	32.4	26.1-38.7	200	67.6	61.3-73.9
\$35,000- 49,999	409	33,438	150	30.8	25.7-35.9	259	69.2	64.1-74.3
\$50,000- 74,999	436	43,947	128	25.7	21.2-30.2	308	74.3	69.8-78.8
\$75,000+	428	45,285	111	21.4	17.3-25.5	317	78.6	74.5-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 13: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2248	199,824	680	26.5	24.3-28.7	1568	73.5	71.3-75.7
Male	825	90,675	223	24.7	21.4-28.0	602	75.3	72.0-78.6
Female	1423	109,149	457	27.9	25.2-30.6	966	72.1	69.4-74.8
Non-Native	2074	191,269	612	26.4	24.2-28.6	1462	73.6	71.4-75.8
25-34	116	18,292	20	16.8	08.6-25.0	96	83.2	75.0-91.4
35-44	253	26,201	53	19.8	14.3-25.3	200	80.2	74.7-85.7
45-54	515	44,485	142	24.8	20.7-28.9	373	75.2	71.1-79.3
55-64	511	37,928	172	29.2	24.9-33.5	339	70.8	66.5-75.1
65+	802	59,339	282	35.1	31.4-38.8	520	64.9	61.2-68.6
Less Than H.S.	219	17,506	81	35.7	27.5-43.9	138	64.3	56.1-72.5
H.S. or G.E.D.	710	61,415	226	28.3	24.4-32.2	484	71.7	67.8-75.6
Some Post-H.S.	725	65,169	223	26.9	23.0-30.8	502	73.1	69.2-77.0
College Graduate	591	55,536	148	20.9	17.4-24.4	443	79.1	75.6-82.6
Less than \$15,000	252	18,144	131	43.1	34.7-51.5	121	56.9	48.5-65.3
\$15,000- 24,999	372	30,002	121	31.2	25.7-36.7	251	68.8	63.3-74.3
\$25,000- 34,999	300	26,096	95	30.0	23.5-36.5	205	70.0	63.5-76.5
\$35,000- 49,999	328	29,099	100	25.5	20.0-31.0	228	74.5	69.0-80.0
\$50,000- 74,999	318	32,204	68	20.7	15.6-25.8	250	79.3	74.2-84.4
\$75,000+	330	35,693	56	17.0	11.9-22.1	274	83.0	77.9-88.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 14: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	825	90,675	223	24.7	21.4-28.0	602	75.3	72.0-78.6
Non-Native	773	87,669	207	24.7	21.2-28.2	566	75.3	71.8-78.8
35-44	100	13,082	17	16.1	08.5-23.7	83	83.9	76.3-91.5
45-54	213	21,137	49	21.8	15.5-28.1	164	78.2	71.9-84.5
55-64	187	16,220	53	26.2	19.1-33.3	134	73.8	66.7-80.9
65+	253	23,504	91	37.2	30.5-43.9	162	62.8	56.1-69.5
H.S. or G.E.D.	242	26,281	72	27.8	20.9-34.7	170	72.2	65.3-79.1
Some Post-H.S.	246	27,781	65	24.5	18.0-31.0	181	75.5	69.0-82.0
College Graduate	240	27,432	53	20.0	14.5-25.5	187	80.0	74.5-85.5
\$15,000- 24,999	122	11,986	39	30.5	21.1-39.9	83	69.5	60.1-78.9
\$25,000- 34,999	120	13,502	33	27.9	17.9-37.9	87	72.1	62.1-82.1
\$35,000- 49,999	131	14,928	36	25.3	17.1-33.5	95	74.7	66.5-82.9
\$50,000- 74,999	125	14,316	22	17.1	09.5-24.7	103	82.9	75.3-90.5
\$75,000+	170	20,975	26	16.6	09.9-23.3	144	83.4	76.7-90.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 15: ARTHRITIS BURDEN**

**TABLE 15: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1423	109,149	457	27.9	25.2-30.6	966	72.1	69.4-74.8
Non-Native	1301	103,600	405	27.8	25.1-30.5	896	72.2	69.5-74.9
25-34	65	7,573	11	13.4	04.6-22.2	54	86.6	77.8-95.4
35-44	153	13,119	36	23.5	15.9-31.1	117	76.5	68.9-84.1
45-54	302	23,347	93	27.5	22.0-33.0	209	72.5	67.0-78.0
55-64	324	21,708	119	31.4	25.7-37.1	205	68.6	62.9-74.3
65+	549	35,835	191	33.7	29.4-38.0	358	66.3	62.0-70.6
H.S. or G.E.D.	468	35,134	154	28.8	24.1-33.5	314	71.2	66.5-75.9
Some Post-H.S.	479	37,389	158	28.6	23.7-33.5	321	71.4	66.5-76.3
College Graduate	351	28,104	95	21.7	17.2-26.2	256	78.3	73.8-82.8
\$15,000- 24,999	250	18,016	82	31.6	24.7-38.5	168	68.4	61.5-75.3
\$25,000- 34,999	180	12,594	62	32.2	24.4-40.0	118	67.8	60.0-75.6
\$35,000- 49,999	197	14,171	64	25.8	18.9-32.7	133	74.2	67.3-81.1
\$50,000- 74,999	193	17,888	46	23.6	16.9-30.3	147	76.4	69.7-83.1
\$75,000+	160	14,718	30	17.4	09.4-25.4	130	82.6	74.6-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 16: FRUITS AND VEGETABLES CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE	PAGE
HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)	
1 MALES AND FEMALES	199
2 MALES ONLY	200
3 FEMALES ONLY	201
NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)	
4 MALES AND FEMALES	202
5 MALES ONLY	203
6 FEMALES ONLY	204
HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)	
7 MALES AND FEMALES	205
8 MALES ONLY	206
9 FEMALES ONLY	207
HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)	
10 MALES AND FEMALES	208
11 MALES ONLY	209
12 FEMALES ONLY	210
HOW OFTEN DO YOU EAT CARROTS? (CARROTS)	
13 MALES AND FEMALES	211
14 MALES ONLY	212
15 FEMALES ONLY	213
NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS. (VEGETABL)	
16 MALES AND FEMALES	214
17 MALES ONLY	215
18 FEMALES ONLY	216

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 1: HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4605	487,198	1473	28.9	27.1-30.7	1825	43.2	41.2-45.2	722	15.6	14.2-17.0	101	1.9	01.5-02.3	484	10.3	09.1-11.5
Male	1870	239,776	604	28.4	25.9-30.9	813	47.4	44.5-50.3	283	15.3	13.1-17.5	42	2.2	01.4-03.0	128	6.7	05.3-08.1
Female	2735	247,422	869	29.4	27.2-31.6	1012	39.0	36.5-41.5	439	15.9	14.1-17.7	59	1.7	01.1-02.3	356	13.9	12.1-15.7
Native	346	21,655	88	27.2	17.4-37.0				59	16.3	09.0-23.6	7	2.2	00.0-04.7	26	8.5	04.2-12.8
Non-Native	4218	461,692	1366	28.9	27.1-30.7	1649	43.2	41.2-45.2	658	15.6	14.2-17.0	92	1.9	01.5-02.3	453	10.4	09.2-11.6
18-24	187	72,171	36	21.1	14.2-28.0	112	58.8	50.6-67.0	22	11.1	06.0-16.2	2	0.8	00.0-02.2	15	8.1	03.2-13.0
25-34	503	82,310	118	22.5	18.4-26.6	230	46.6	41.5-51.7	87	17.7	14.0-21.4	7	1.7	00.3-03.1	61	11.5	08.4-14.6
35-44	713	78,027	136	19.2	16.1-22.3	340	49.2	45.1-53.3	144	18.9	15.8-22.0	16	2.0	00.8-03.2	77	10.7	08.2-13.2
45-54	1057	91,650	248	23.2	20.3-26.1	443	41.2	37.9-44.5	210	20.3	17.6-23.0	28	2.9	01.7-04.1	128	12.4	10.2-14.6
55-64	898	68,932	298	31.9	28.6-35.2	332	37.6	33.9-41.3	146	17.1	14.4-19.8	27	2.7	01.5-03.9	95	10.7	08.5-12.9
65+	1213	91,474	625	52.5	49.4-55.6	356	29.0	26.3-31.7	107	8.6	06.8-10.4	19	1.5	00.7-02.3	106	8.4	06.6-10.2
Less Than H.S.	371	36,143	174	44.2	37.1-51.3	102	30.2	22.9-37.5	45	14.1	08.8-19.4	9	1.5	00.3-02.7	41	10.1	05.6-14.6
H.S. or G.E.D.	1366	140,335	448	29.7	26.6-32.8	528	41.9	38.4-45.4	199	15.4	12.9-17.9	33	2.2	01.4-03.0	158	10.9	08.9-12.9
Some Post-H.S.	1471	159,732	417	25.4	22.5-28.3	627	47.3	43.8-50.8	250	15.4	13.2-17.6	29	2.0	01.0-03.0	148	9.9	07.7-12.1
College Graduate	1395	150,839	434	28.4	25.7-31.1	567	43.0	39.9-46.1	228	16.5	14.1-18.9	30	1.8	01.0-02.6	136	10.3	08.1-12.5
Less than \$15,000	382	36,037	136	33.2	25.6-40.8	134	37.6	29.2-46.0	54	14.6	09.3-19.9	9	2.0	00.4-03.6	49	12.6	07.3-17.9
\$15,000- 24,999	671	61,547	255	35.0	30.1-39.9	227	35.8	30.5-41.1	96	15.1	11.4-18.8	9	0.9	00.1-01.7	84	13.2	09.3-17.1
\$25,000- 34,999	569	57,187	199	31.9	26.6-37.2	238	43.6	37.9-49.3	71	12.9	08.8-17.0	12	2.2	00.6-03.8	49	9.4	06.3-12.5
\$35,000- 49,999	724	72,492	196	25.6	21.9-29.3	311	44.6	40.1-49.1	131	18.7	15.2-22.2	19	2.1	00.9-03.3	67	9.1	06.7-11.5
\$50,000- 74,999	769	90,368	211	25.3	21.6-29.0	327	46.9	42.6-51.2	133	16.7	13.8-19.6	22	2.1	01.1-03.1	76	9.1	06.9-11.3
\$75,000+	882	107,208	233	24.5	21.2-27.8	395	49.1	45.0-53.2	150	15.3	12.8-17.8	19	2.1	00.9-03.3	85	9.0	06.8-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 2: HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1870	239,776	604	28.4	25.9-30.9	813	47.4	44.5-50.3	283	15.3	13.1-17.5	42	2.2	01.4-03.0	128	6.7	05.3-08.1
Native	122	9,320										3	4.0	00.0-09.7	7	5.0	00.0-10.5
Non-Native	1724	227,890	562	28.3	25.8-30.8	746	47.7	44.8-50.6	258	15.1	12.9-17.3	38	2.1	01.3-02.9	120	6.8	05.4-08.2
18-24	90	36,843	15	20.9	10.9-30.9				12	12.2	04.6-19.8	1	1.4	00.0-04.1	3	2.4	00.0-05.7
25-34	204	43,042	47	20.9	14.8-27.0	99	50.4	42.6-58.2	31	16.9	11.0-22.8	4	2.1	00.0-04.3	23	9.7	05.0-14.4
35-44	296	39,538	60	19.7	14.8-24.6	159	54.8	48.7-60.9	50	15.5	11.2-19.8	4	1.4	00.0-02.8	23	8.5	05.0-12.0
45-54	456	46,051	120	24.1	19.8-28.4	200	45.0	39.9-50.1	86	19.6	15.5-23.7	10	2.4	00.6-04.2	40	8.8	05.9-11.7
55-64	389	34,592	137	33.2	28.1-38.3	157	41.4	35.9-46.9	60	16.5	12.2-20.8	12	2.9	01.1-04.7	23	6.0	03.3-08.7
65+	419	38,310	218	53.5	48.2-58.8	133	30.2	25.5-34.9	41	9.9	06.8-13.0	11	2.8	01.0-04.6	16	3.7	01.7-05.7
Less Than H.S.	171	19,120				44	24.0	15.0-33.0	24	16.9	08.7-25.1	5	2.0	00.0-04.0	16	8.0	00.7-15.3
H.S. or G.E.D.	551	70,185	174	26.1	21.6-30.6	233	47.5	42.0-53.0	79	15.9	11.8-20.0	19	3.0	01.6-04.4	46	7.5	05.1-09.9
Some Post-H.S.	571	76,175	157	23.8	19.3-28.3	269	52.5	47.0-58.0	96	14.6	11.3-17.9	10	2.1	00.5-03.7	39	7.0	04.5-09.5
College Graduate	577	74,297	191	30.0	25.7-34.3	267	48.2	43.3-53.1	84	15.1	11.6-18.6	8	1.5	00.3-02.7	27	5.2	03.0-07.4
Less than \$15,000	126	14,313										4	3.4	00.0-06.9	14	11.0	01.4-20.6
\$15,000- 24,999	221	24,084	83	32.3	24.9-39.7	82	42.8	34.0-51.6	26	11.3	06.6-16.0	3	1.0	00.0-02.2	27	12.7	06.8-18.6
\$25,000- 34,999	243	29,635	78	31.3	23.1-39.5	105	44.6	36.2-53.0	36	12.4	06.9-17.9	8	3.4	00.5-06.3	16	8.3	03.6-13.0
\$35,000- 49,999	320	39,395	96	26.6	21.1-32.1	143	45.2	38.7-51.7	53	19.1	13.6-24.6	6	2.1	00.3-03.9	22	7.0	03.9-10.1
\$50,000- 74,999	340	47,030	103	26.0	20.3-31.7	160	51.5	45.0-58.0	52	15.1	10.6-19.6	9	2.0	00.6-03.4	16	5.4	02.7-08.1
\$75,000+	456	62,094	133	26.4	21.5-31.3	222	53.7	48.2-59.2	71	13.9	10.6-17.2	7	1.9	00.0-03.9	23	4.1	02.3-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 3: HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2735	247,422	869	29.4	27.2-31.6	1012	39.0	36.5-41.5	439	15.9	14.1-17.7	59	1.7	01.1-02.3	356	13.9	12.1-15.7
Native	224	12,335							38	14.8	07.0-22.6	4	0.8	00.0-02.2	19	11.1	04.8-17.4
Non-Native	2494	233,802	804	29.5	27.1-31.9	903	38.8	36.3-41.3	400	16.0	14.2-17.8	54	1.8	01.2-02.4	333	14.0	12.0-16.0
18-24	97	35,328	21	21.4	12.0-30.8				10	10.0	03.5-16.5	1	0.2	00.0-00.6	12	14.0	05.2-22.8
25-34	299	39,268	71	24.1	18.8-29.4	131	42.4	36.3-48.5	56	18.7	14.0-23.4	3	1.2	00.0-02.6	38	13.5	09.4-17.6
35-44	417	38,489	76	18.6	14.5-22.7	181	43.5	38.2-48.8	94	22.4	17.9-26.9	12	2.6	00.8-04.4	54	13.0	09.5-16.5
45-54	601	45,599	128	22.3	18.6-26.0	243	37.4	33.1-41.7	124	21.0	17.3-24.7	18	3.3	01.7-04.9	88	16.1	12.8-19.4
55-64	509	34,340	161	30.7	26.2-35.2	175	33.7	29.0-38.4	86	17.6	13.9-21.3	15	2.4	00.8-04.0	72	15.5	12.0-19.0
65+	794	53,164	407	51.8	47.9-55.7	223	28.1	24.6-31.6	66	7.7	05.7-09.7	8	0.6	00.0-01.2	90	11.8	09.3-14.3
Less Than H.S.	200	17,023	92	38.7	29.5-47.9				21	10.9	04.8-17.0	4	0.9	00.0-02.1	25	12.3	06.8-17.8
H.S. or G.E.D.	815	70,150	274	33.2	28.7-37.7	295	36.3	31.8-40.8	120	15.0	11.9-18.1	14	1.3	00.5-02.1	112	14.2	11.1-17.3
Some Post-H.S.	900	83,557	260	26.9	23.0-30.8	358	42.6	37.9-47.3	154	16.1	13.2-19.0	19	1.9	00.9-02.9	109	12.5	09.2-15.8
College Graduate	818	76,542	243	26.7	23.2-30.2	300	38.0	33.9-42.1	144	17.8	14.5-21.1	22	2.2	01.2-03.2	109	15.2	11.7-18.7
Less than \$15,000	256	21,724	91	36.2	26.4-46.0				36	12.8	07.3-18.3	5	1.1	00.0-02.3	35	13.6	07.3-19.9
\$15,000- 24,999	450	37,464	172	36.8	30.3-43.3	145	31.2	24.9-37.5	70	17.6	12.3-22.9	6	0.9	00.1-01.7	57	13.5	08.0-19.0
\$25,000- 34,999	326	27,552	121	32.6	25.9-39.3	133	42.5	34.9-50.1	35	13.4	07.3-19.5	4	1.0	00.0-02.2	33	10.5	06.4-14.6
\$35,000- 49,999	404	33,097	100	24.3	19.4-29.2	168	43.9	38.0-49.8	78	18.1	13.8-22.4	13	2.2	00.6-03.8	45	11.5	08.0-15.0
\$50,000- 74,999	429	43,338	108	24.5	19.8-29.2	167	41.8	35.9-47.7	81	18.4	14.3-22.5	13	2.2	00.8-03.6	60	13.1	09.8-16.4
\$75,000+	426	45,114	100	21.8	17.3-26.3	173	42.9	37.0-48.8	79	17.2	13.3-21.1	12	2.5	00.9-04.1	62	15.6	11.1-20.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 4: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4608	487,631	1958	38.3	36.5-40.1	2060	47.8	45.8-49.8	448	10.7	09.5-11.9	42	0.9	00.5-01.3	100	2.3	01.7-02.9
Male	1865	239,784	572	27.5	25.0-30.0	968	55.3	52.4-58.2	252	13.6	11.6-15.6	19	0.8	00.4-01.2	54	2.8	01.8-03.8
Female	2743	247,847	1386	48.8	46.3-51.3	1092	40.5	38.0-43.0	196	7.8	06.2-09.4	23	1.0	00.4-01.6	46	1.9	01.1-02.7
Native	345	22,378	104	24.5	16.1-32.9				55	18.4	10.2-26.6	6	4.2	00.0-08.7	10	5.3	00.0-12.6
Non-Native	4223	461,472	1834	38.9	37.1-40.7	1876	47.8	45.8-49.8	390	10.3	09.1-11.5	34	0.7	00.5-00.9	89	2.2	01.6-02.8
18-24	188	73,670	44	24.5	17.2-31.8	106	57.7	49.5-65.9	30	13.8	08.5-19.1	2	1.0	00.0-02.4	6	3.1	00.0-06.4
25-34	499	81,419	172	33.1	28.6-37.6	245	50.6	45.5-55.7	66	13.0	09.5-16.5	2	0.5	00.0-01.1	14	2.9	01.3-04.5
35-44	710	77,471	222	30.2	26.5-33.9	374	54.5	50.4-58.6	94	12.2	09.5-14.9	5	0.7	00.0-01.5	15	2.4	01.0-03.8
45-54	1059	91,716	417	39.6	36.3-42.9	488	45.7	42.4-49.0	116	11.1	08.9-13.3	14	1.4	00.6-02.2	24	2.2	01.2-03.2
55-64	902	68,927	397	42.4	38.7-46.1	393	45.2	41.5-48.9	77	9.0	06.8-11.2	14	1.5	00.7-02.3	21	1.9	00.9-02.9
65+	1214	91,651	690	56.4	53.3-59.5	439	36.1	33.2-39.0	61	5.4	04.0-06.8	5	0.5	00.0-01.1	19	1.6	00.8-02.4
Less Than H.S.	364	35,404	163	40.4	33.3-47.5	143	41.2	33.8-48.6	39	13.8	08.1-19.5	6	1.2	00.0-02.4	13	3.3	01.1-05.5
H.S. or G.E.D.	1370	141,551	537	34.8	31.5-38.1	629	47.5	43.8-51.2	152	13.3	10.8-15.8	14	0.8	00.4-01.2	38	3.6	01.8-05.4
Some Post-H.S.	1471	159,166	578	34.0	30.9-37.1	684	51.5	48.0-55.0	157	11.0	08.6-13.4	16	1.2	00.4-02.0	36	2.2	01.4-03.0
College Graduate	1401	151,359	678	45.5	42.4-48.6	604	45.8	42.5-49.1	100	7.0	05.2-08.8	6	0.6	00.0-01.2	13	1.0	00.4-01.6
Less than \$15,000	379	35,791	148	34.1	26.3-41.9	160	45.2	36.8-53.6	50	16.7	10.0-23.4	6	0.9	00.1-01.7	15	3.1	01.3-04.9
\$15,000- 24,999	675	61,553	290	37.5	32.6-42.4	295	45.8	40.5-51.1	63	10.8	07.1-14.5	8	1.8	00.2-03.4	19	4.0	01.3-06.7
\$25,000- 34,999	569	57,157	237	34.4	29.3-39.5	252	49.4	43.5-55.3	63	13.2	08.9-17.5	6	1.3	00.0-02.7	11	1.7	00.5-02.9
\$35,000- 49,999	722	72,113	281	34.6	30.5-38.7	343	49.3	44.8-53.8	78	12.2	09.1-15.3	4	0.9	00.0-01.9	16	2.9	01.1-04.7
\$50,000- 74,999	770	90,215	343	41.7	37.4-46.0	338	46.9	42.6-51.2	74	9.7	07.3-12.1	7	0.9	00.3-01.5	8	0.9	00.3-01.5
\$75,000+	881	106,885	354	37.2	33.3-41.1	426	50.9	46.8-55.0	81	10.0	07.5-12.5	4	0.4	00.0-00.8	16	1.5	00.7-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 5: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1865	239,784	572	27.5	25.0-30.0	968	55.3	52.4-58.2	252	13.6	11.6-15.6	19	0.8	00.4-01.2	54	2.8	01.8-03.8
Native	121	9,986	30	12.2	03.0-21.4							2	1.9	00.0-04.6			
Non-Native	1721	227,303	531	27.9	25.4-30.4	893	55.3	52.4-58.2	231	13.5	11.5-15.5	17	0.8	00.4-01.2	49	2.5	01.7-03.3
18-24	91	38,342	13	15.4	06.8-24.0				13	11.5	04.8-18.2				2	2.3	00.0-06.6
25-34	201	42,291	43	20.7	14.6-26.8	109	56.4	48.8-64.0	37	17.9	11.8-24.0	1	0.5	00.0-01.5	11	4.6	01.7-07.5
35-44	294	39,047	53	18.4	13.5-23.3	174	60.6	54.5-66.7	54	16.6	12.1-21.1	4	1.4	00.0-02.8	9	3.0	00.8-05.2
45-54	457	46,107	147	33.1	28.2-38.0	225	49.1	44.0-54.2	66	14.1	10.6-17.6	5	1.0	00.0-02.0	14	2.7	01.1-04.3
55-64	389	34,412	127	31.1	26.0-36.2	202	53.5	48.0-59.0	46	12.2	08.5-15.9	7	1.9	00.5-03.3	7	1.3	00.1-02.5
65+	417	38,129	183	46.1	40.8-51.4	188	43.2	38.1-48.3	34	8.2	05.3-11.1	2	0.4	00.0-01.0	10	2.2	00.8-03.6
Less Than H.S.	168	18,533	68	36.5	26.7-46.3				25	17.8	08.6-27.0	3	1.5	00.0-03.3	8	4.4	00.9-07.9
H.S. or G.E.D.	550	71,160	153	25.1	20.4-29.8	290	54.4	48.9-59.9	82	15.8	12.1-19.5	7	1.0	00.2-01.8	18	3.7	01.2-06.2
Some Post-H.S.	567	75,425	150	23.0	18.7-27.3	302	58.3	53.0-63.6	88	14.6	10.9-18.3	7	1.0	00.2-01.8	20	3.1	01.5-04.7
College Graduate	580	74,665	201	32.1	27.8-36.4	312	57.1	52.4-61.8	57	9.4	06.7-12.1	2	0.3	00.0-00.7	8	1.1	00.1-02.1
Less than \$15,000	124	14,125	38	20.4	10.8-30.0							2	1.0	00.0-02.4	5	3.8	00.3-07.3
\$15,000- 24,999	223	24,128	77	29.7	22.6-36.8	108	53.7	45.3-62.1	24	11.4	05.5-17.3	4	1.4	00.0-02.8	10	3.9	01.2-06.6
\$25,000- 34,999	241	29,507	73	25.4	18.7-32.1	120	58.3	50.3-66.3	38	13.7	08.6-18.8	3	0.7	00.0-01.7	7	1.9	00.3-03.5
\$35,000- 49,999	316	38,817	73	21.0	15.9-26.1	181	55.8	49.3-62.3	47	17.2	12.1-22.3	2	1.0	00.0-02.4	13	5.0	01.9-08.1
\$50,000- 74,999	339	46,741	108	30.4	24.5-36.3	174	54.5	48.0-61.0	49	13.3	09.4-17.2	4	1.1	00.1-02.1	4	0.8	00.0-01.8
\$75,000+	455	61,757	144	29.2	24.3-34.1	235	54.4	48.7-60.1	62	14.3	10.2-18.4	3	0.6	00.0-01.4	11	1.6	00.4-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 6: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2743	247,847	1386	48.8	46.3-51.3	1092	40.5	38.0-43.0	196	7.8	06.2-09.4	23	1.0	00.4-01.6	46	1.9	01.1-02.7
Native	224	12,392										4	6.0	00.0-13.8	6	2.2	00.0-04.4
Non-Native	2502	234,170	1303	49.6	47.1-52.1	983	40.6	38.1-43.1	159	7.3	05.7-08.9	17	0.7	00.3-01.1	40	1.9	00.9-02.9
18-24	97	35,328							17	16.1	07.9-24.3	2	2.1	00.0-05.0	4	3.9	00.0-08.8
25-34	298	39,128	129	46.5	40.2-52.8	136	44.3	38.2-50.4	29	7.8	04.7-10.9	1	0.4	00.0-01.2	3	1.1	00.0-02.5
35-44	416	38,424	169	42.3	37.0-47.6	200	48.3	43.0-53.6	40	7.7	05.0-10.4	1	0.0	00.0-00.0	6	1.7	00.1-03.3
45-54	602	45,610	270	46.1	41.6-50.6	263	42.3	38.0-46.6	50	8.2	05.7-10.7	9	1.8	00.4-03.2	10	1.6	00.4-02.8
55-64	513	34,515	270	53.7	48.8-58.6	191	36.8	32.1-41.5	31	5.8	03.4-08.2	7	1.1	00.1-02.1	14	2.6	01.0-04.2
65+	797	53,522	507	63.7	60.0-67.4	251	31.1	27.6-34.6	27	3.5	02.1-04.9	3	0.6	00.0-01.4	9	1.2	00.4-02.0
Less Than H.S.	196	16,871	95	44.7	34.7-54.7				14	9.4	03.3-15.5	3	1.0	00.0-02.4	5	2.1	00.0-04.3
H.S. or G.E.D.	820	70,391	384	44.7	40.2-49.2	339	40.5	36.0-45.0	70	10.8	07.7-13.9	7	0.5	00.0-01.1	20	3.5	01.0-06.0
Some Post-H.S.	904	83,740	428	44.0	39.5-48.5	382	45.4	40.9-49.9	69	7.8	05.1-10.5	9	1.4	00.2-02.6	16	1.5	00.7-02.3
College Graduate	821	76,694	477	58.7	54.6-62.8	292	34.8	30.7-38.9	43	4.7	02.7-06.7	4	0.9	00.0-01.9	5	0.9	00.1-01.7
Less than \$15,000	255	21,667				102	40.1	30.3-49.9	29	13.3	06.2-20.4	4	0.9	00.0-01.9	10	2.7	00.9-04.5
\$15,000- 24,999	452	37,425	213	42.6	36.1-49.1	187	40.7	34.0-47.4	39	10.5	05.8-15.2	4	2.1	00.0-04.5	9	4.1	00.0-08.2
\$25,000- 34,999	328	27,650	164	44.0	36.7-51.3	132	40.0	32.6-47.4	25	12.8	05.7-19.9	3	1.8	00.0-04.5	4	1.4	00.0-03.0
\$35,000- 49,999	406	33,297	208	50.6	44.7-56.5	162	41.7	35.8-47.6	31	6.5	03.4-09.6	2	0.8	00.0-02.0	3	0.5	00.0-01.1
\$50,000- 74,999	431	43,473	235	53.9	48.2-59.6	164	38.7	33.0-44.4	25	5.8	03.4-08.2	3	0.7	00.0-01.5	4	0.9	00.0-01.9
\$75,000+	426	45,128	210	48.2	42.3-54.1	191	46.2	40.3-52.1	19	4.1	02.1-06.1	1	0.2	00.0-00.6	5	1.3	00.0-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 7: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4596	486,568	732	14.4	13.2-15.6	2965	63.9	61.9-65.9	639	15.1	13.5-16.7	52	0.9	00.5-01.3	208	5.8	04.6-07.0
Male	1866	239,961	230	11.0	09.4-12.6	1190	63.1	60.2-66.0	316	17.4	15.0-19.8	25	1.2	00.6-01.8	105	7.3	05.3-09.3
Female	2730	246,607	502	17.6	15.6-19.6	1775	64.6	62.1-67.1	323	12.8	10.8-14.8	27	0.6	00.4-00.8	103	4.4	03.2-05.6
Native	346	22,335	48	14.4	07.9-20.9				64	13.3	06.6-20.0	8	4.1	00.0-09.0	26	14.7	05.3-24.1
Non-Native	4211	460,524	679	14.4	13.0-15.8	2741	64.3	62.3-66.3	568	15.2	13.6-16.8	43	0.7	00.5-00.9	180	5.4	04.2-06.6
18-24	188	73,193	21	11.0	05.9-16.1	97	51.3	43.1-59.5	41	22.4	15.3-29.5	3	1.1	00.0-02.7	26	14.2	08.3-20.1
25-34	500	81,626	44	8.3	05.6-11.0	330	67.0	62.3-71.7	90	17.4	13.7-21.1	3	0.5	00.0-01.1	33	6.8	04.1-09.5
35-44	713	77,828	91	11.8	09.3-14.3	479	68.8	65.1-72.5	110	15.2	12.3-18.1	10	1.2	00.4-02.0	23	3.0	01.6-04.4
45-54	1056	91,511	168	15.2	12.8-17.6	679	65.4	62.1-68.7	156	14.6	12.2-17.0	11	0.7	00.3-01.1	42	4.2	02.6-05.8
55-64	899	68,964	148	16.3	13.6-19.0	593	66.9	63.4-70.4	115	12.8	10.3-15.3	14	1.1	00.3-01.9	29	3.0	01.8-04.2
65+	1204	90,669	254	22.4	19.7-25.1	763	63.2	60.1-66.3	126	9.5	07.7-11.3	10	0.7	00.3-01.1	51	4.2	03.0-05.4
Less Than H.S.	362	35,331	66	18.3	12.6-24.0	210	52.6	45.2-60.0	55	15.0	09.5-20.5	8	2.9	00.0-05.8	23	11.1	04.8-17.4
H.S. or G.E.D.	1367	140,958	203	13.1	10.7-15.5	864	60.2	56.5-63.9	194	17.3	14.2-20.4	16	0.7	00.3-01.1	90	8.7	06.2-11.2
Some Post-H.S.	1464	158,730	195	12.0	09.8-14.2	968	66.6	63.3-69.9	228	16.0	13.3-18.7	18	0.8	00.4-01.2	55	4.7	03.1-06.3
College Graduate	1402	151,465	268	17.1	14.7-19.5	922	67.1	64.2-70.0	162	12.0	09.8-14.2	10	0.7	00.1-01.3	40	3.1	01.7-04.5
Less than \$15,000	373	35,389	53	11.2	06.7-15.7	207	58.3	50.1-66.5	71	15.7	09.6-21.8	13	3.4	00.5-06.3	29	11.4	05.3-17.5
\$15,000- 24,999	676	61,805	112	16.0	12.1-19.9	409	57.5	52.2-62.8	104	17.9	13.4-22.4	10	1.3	00.3-02.3	41	7.3	04.0-10.6
\$25,000- 34,999	564	55,953	86	13.6	09.9-17.3	367	68.1	62.8-73.4	75	12.2	08.3-16.1	6	0.7	00.1-01.3	30	5.5	03.0-08.0
\$35,000- 49,999	724	72,451	96	11.6	09.1-14.1	502	69.2	65.1-73.3	99	15.3	12.0-18.6	6	0.4	00.0-00.8	21	3.5	01.7-05.3
\$50,000- 74,999	771	90,549	121	13.7	11.2-16.2	526	67.6	63.5-71.7	96	14.2	11.1-17.3	6	0.5	00.1-00.9	22	4.0	01.6-06.4
\$75,000+	881	106,907	148	14.8	12.1-17.5	591	67.4	63.7-71.1	109	13.3	10.6-16.0	5	0.7	00.1-01.3	28	3.8	02.0-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 8: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1866	239,961	230	11.0	09.4-12.6	1190	63.1	60.2-66.0	316	17.4	15.0-19.8	25	1.2	00.6-01.8	105	7.3	05.3-09.3
Native	122	9,932	11	8.9	00.0-18.3				21	6.0	02.1-09.9	4	8.9	00.0-19.9			
Non-Native	1721	227,518	216	11.1	09.3-12.9	1103	63.4	60.5-66.3	291	17.9	15.5-20.3	21	0.8	00.4-01.2	90	6.8	04.8-08.8
18-24	91	37,865	8	6.9	01.4-12.4				23	23.4	13.6-33.2	3	2.2	00.0-05.1	16	19.0	09.6-28.4
25-34	203	42,638	11	5.8	02.1-09.5	130	64.6	57.2-72.0	41	19.4	13.5-25.3	2	0.8	00.0-02.0	19	9.4	04.5-14.3
35-44	296	39,350	17	6.6	03.5-09.7	207	70.4	64.9-75.9	54	17.7	13.0-22.4	6	1.6	00.2-03.0	12	3.7	01.3-06.1
45-54	459	46,393	56	11.3	08.2-14.4	290	65.1	60.2-70.0	88	18.2	14.5-21.9	2	0.2	00.0-00.6	23	5.2	02.7-07.7
55-64	388	34,581	54	14.9	10.8-19.0	257	66.6	61.3-71.9	55	13.8	10.1-17.5	7	1.6	00.4-02.8	15	3.1	01.3-04.9
65+	413	37,678	83	21.6	17.1-26.1	255	63.2	58.1-68.3	54	11.4	08.3-14.5	5	0.9	00.1-01.7	16	3.0	01.2-04.8
Less Than H.S.	169	18,699	28	17.7	09.3-26.1				30	18.4	09.4-27.4	6	4.7	00.0-10.2	14	12.1	03.3-20.9
H.S. or G.E.D.	550	70,845	61	9.4	06.9-11.9	339	59.4	53.7-65.1	100	20.4	15.7-25.1	7	0.6	00.0-01.2	43	10.2	05.9-14.5
Some Post-H.S.	566	75,573	54	8.2	05.5-10.9	361	65.3	60.2-70.4	114	18.5	14.6-22.4	7	0.9	00.1-01.7	30	7.1	04.0-10.2
College Graduate	581	74,845	87	13.7	10.6-16.8	399	68.4	63.7-73.1	72	13.2	09.7-16.7	5	1.0	00.0-02.0	18	3.7	01.3-06.1
Less than \$15,000	122	14,038	17	13.6	04.2-23.0				23	11.3	05.2-17.4	4	5.5	00.0-12.8			
\$15,000- 24,999	224	24,194	36	13.3	08.6-18.0	131	59.6	51.0-68.2	37	15.9	09.8-22.0	4	1.8	00.0-04.0	16	9.4	02.3-16.5
\$25,000- 34,999	238	28,533	35	13.0	07.9-18.1	145	67.4	59.6-75.2	38	13.6	07.1-20.1	5	1.3	00.1-02.5	15	4.6	02.1-07.1
\$35,000- 49,999	320	39,342	31	8.4	05.3-11.5	210	65.5	59.2-71.8	62	20.4	14.9-25.9	4	0.6	00.0-01.4	13	5.1	02.0-08.2
\$50,000- 74,999	341	47,277	42	10.5	07.2-13.8	228	64.7	58.4-71.0	55	18.1	12.8-23.4	3	0.5	00.0-01.3	13	6.1	02.0-10.2
\$75,000+	454	61,761	53	11.9	08.2-15.6	315	68.7	63.4-74.0	72	16.7	12.4-21.0	3	0.9	00.0-01.9	11	1.8	00.4-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 9: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2730	246,607	502	17.6	15.6-19.6	1775	64.6	62.1-67.1	323	12.8	10.8-14.8	27	0.6	00.4-00.8	103	4.4	03.2-05.6
Native	224	12,404	37	18.9	10.1-27.7							4	0.3	00.0-00.7	12	10.3	01.3-19.3
Non-Native	2490	233,006	463	17.6	15.6-19.6	1638	65.2	62.7-67.7	277	12.5	10.5-14.5	22	0.6	00.4-00.8	90	4.1	02.9-05.3
18-24	97	35,328	13	15.3	06.9-23.7				18	21.4	11.4-31.4				10	9.1	02.8-15.4
25-34	297	38,988	33	11.0	07.3-14.7	200	69.6	63.9-75.3	49	15.2	10.9-19.5	1	0.2	00.0-00.6	14	4.0	01.6-06.4
35-44	417	38,478	74	17.2	13.3-21.1	272	67.1	62.2-72.0	56	12.7	09.2-16.2	4	0.7	00.0-01.5	11	2.3	00.7-03.9
45-54	597	45,118	112	19.2	15.7-22.7	389	65.6	61.3-69.9	68	10.8	08.1-13.5	9	1.2	00.4-02.0	19	3.2	01.6-04.8
55-64	511	34,383	94	17.6	13.9-21.3	336	67.1	62.4-71.8	60	11.7	08.4-15.0	7	0.7	00.1-01.3	14	2.9	01.1-04.7
65+	791	52,991	171	23.0	19.7-26.3	508	63.1	59.4-66.8	72	8.1	06.1-10.1	5	0.6	00.0-01.2	35	5.1	03.3-06.9
Less Than H.S.	193	16,632	38	18.9	11.1-26.7				25	11.3	06.0-16.6	2	0.9	00.0-02.3	9	10.0	01.2-18.8
H.S. or G.E.D.	817	70,113	142	16.9	13.4-20.4	525	61.0	56.3-65.7	94	14.2	10.3-18.1	9	0.8	00.2-01.4	47	7.1	04.4-09.8
Some Post-H.S.	898	83,157	141	15.4	12.3-18.5	607	67.7	63.4-72.0	114	13.7	10.0-17.4	11	0.6	00.2-01.0	25	2.6	01.4-03.8
College Graduate	821	76,620	181	20.4	17.1-23.7	523	65.7	61.8-69.6	90	10.9	08.4-13.4	5	0.4	00.0-00.8	22	2.6	01.4-03.8
Less than \$15,000	251	21,351	36	9.7	05.8-13.6	144	63.4	53.6-73.2	48	18.7	09.9-27.5	9	1.9	00.5-03.3	14	6.3	00.8-11.8
\$15,000- 24,999	452	37,612	76	17.7	12.2-23.2	278	56.1	49.2-63.0	67	19.3	13.0-25.6	6	1.0	00.0-02.0	25	5.9	03.2-08.6
\$25,000- 34,999	326	27,420	51	14.1	08.6-19.6	222	68.8	61.5-76.1	37	10.7	06.0-15.4	1	0.0	00.0-00.0	15	6.3	01.8-10.8
\$35,000- 49,999	404	33,110	65	15.3	11.4-19.2	292	73.6	68.5-78.7	37	9.2	05.5-12.9	2	0.1	00.0-00.3	8	1.7	00.3-03.1
\$50,000- 74,999	430	43,272	79	17.2	13.3-21.1	298	70.7	65.8-75.6	41	9.9	06.8-13.0	3	0.5	00.0-01.1	9	1.8	00.4-03.2
\$75,000+	427	45,146	95	18.8	14.9-22.7	276	65.6	60.1-71.1	37	8.7	05.8-11.6	2	0.4	00.0-01.0	17	6.4	02.5-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 10: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4603	487,709	374	7.4	06.4-08.4	3311	71.8	70.0-73.6	750	17.5	15.9-19.1	32	0.6	00.4-00.8	136	2.7	02.1-03.3
Male	1867	240,462	174	8.0	06.6-09.4	1347	72.1	69.6-74.6	286	17.0	14.6-19.4	12	0.6	00.2-01.0	48	2.2	01.4-03.0
Female	2736	247,247	200	6.9	05.7-08.1	1964	71.4	69.0-73.8	464	17.9	15.7-20.1	20	0.6	00.4-00.8	88	3.2	02.2-04.2
Native	343	22,113	42	15.3	06.9-23.7	236	68.0	58.2-77.8	54	14.2	07.3-21.1	3	0.5	00.0-01.3	8	2.1	00.0-04.3
Non-Native	4220	461,815	326	7.0	06.2-07.8	3045	71.9	70.1-73.7	693	17.7	16.1-19.3	28	0.6	00.4-00.8	128	2.8	02.2-03.4
18-24	188	73,194	8	2.4	00.2-04.6	128	68.3	60.5-76.1	43	25.5	18.1-32.9	1	0.1	00.0-00.3	8	3.7	00.6-06.8
25-34	503	82,562	24	5.2	02.7-07.7	353	69.5	64.8-74.2	109	22.2	18.1-26.3	4	1.0	00.0-02.2	13	2.0	00.8-03.2
35-44	710	77,650	32	4.8	03.0-06.6	526	74.5	71.0-78.0	136	18.4	15.3-21.5	3	0.4	00.0-01.0	13	1.8	00.8-02.8
45-54	1057	91,550	49	5.1	03.5-06.7	758	73.3	70.4-76.2	218	19.0	16.5-21.5	7	0.5	00.1-00.9	25	2.1	01.1-03.1
55-64	899	68,728	68	8.2	06.0-10.4	660	73.1	69.8-76.4	131	13.9	11.4-16.4	7	0.7	00.1-01.3	33	4.1	02.5-05.7
65+	1209	91,191	193	17.8	15.3-20.3	854	71.3	68.4-74.2	111	7.4	05.8-09.0	7	0.4	00.0-00.8	44	3.0	02.0-04.0
Less Than H.S.	370	35,436	69	15.9	11.6-20.2	247	68.9	62.6-75.2	41	12.4	07.7-17.1	4	0.9	00.0-01.9	9	2.0	00.6-03.4
H.S. or G.E.D.	1369	142,144	134	9.1	07.1-11.1	997	72.9	69.6-76.2	184	14.7	12.0-17.4	8	0.4	00.0-00.8	46	2.8	01.6-04.0
Some Post-H.S.	1465	158,988	101	6.2	04.6-07.8	1061	71.8	68.5-75.1	246	18.0	15.1-20.9	10	0.4	00.0-00.8	47	3.5	02.1-04.9
College Graduate	1397	150,991	70	5.1	03.7-06.5	1005	71.4	68.5-74.3	278	20.7	18.0-23.4	10	0.9	00.3-01.5	34	2.0	01.2-02.8
Less than \$15,000	376	35,169	45	11.9	06.6-17.2	243	63.3	55.3-71.3	61	19.2	12.1-26.3	6	1.0	00.0-02.0	21	4.6	02.2-07.0
\$15,000- 24,999	677	61,921	84	11.1	08.4-13.8	461	68.0	62.9-73.1	95	16.5	11.8-21.2	8	1.4	00.2-02.6	29	3.0	01.6-04.4
\$25,000- 34,999	569	57,108	46	7.9	05.2-10.6	416	74.6	69.5-79.7	92	15.6	11.1-20.1	2	0.1	00.0-00.3	13	1.8	00.6-03.0
\$35,000- 49,999	717	72,065	52	6.3	04.3-08.3	523	74.0	70.1-77.9	124	17.4	13.9-20.9	3	0.4	00.0-01.0	15	2.0	01.0-03.0
\$50,000- 74,999	771	90,394	33	4.7	02.9-06.5	568	71.4	67.3-75.5	150	21.1	17.4-24.8	4	0.3	00.0-00.7	16	2.5	00.7-04.3
\$75,000+	880	106,721	38	4.8	03.0-06.6	672	75.6	72.1-79.1	145	17.1	14.0-20.2	7	0.9	00.3-01.5	18	1.6	00.8-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 11: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1867	240,462	174	8.0	06.6-09.4	1347	72.1	69.6-74.6	286	17.0	14.6-19.4	12	0.6	00.2-01.0	48	2.2	01.4-03.0
Native	119	9,747							13	7.7	01.6-13.8	1	0.2	00.0-00.6	2	1.1	00.0-02.7
Non-Native	1725	228,220	153	7.6	06.2-09.0	1244	72.0	69.3-74.7	271	17.6	15.2-20.0	11	0.6	00.2-01.0	46	2.3	01.5-03.1
18-24	91	37,866	3	1.5	00.0-04.0	68	76.6	66.8-86.4	18	19.6	10.4-28.8				2	2.2	00.0-05.7
25-34	206	43,504	10	5.4	01.5-09.3	138	65.8	58.5-73.1	52	26.1	19.4-32.8	2	1.3	00.0-03.3	4	1.3	00.0-02.7
35-44	293	39,172	16	6.0	02.9-09.1	216	73.3	67.8-78.8	53	18.3	13.6-23.0	1	0.2	00.0-00.6	7	2.1	00.5-03.7
45-54	457	46,303	30	6.5	04.0-09.0	325	73.2	68.7-77.7	88	17.8	14.1-21.5	5	0.9	00.1-01.7	9	1.6	00.4-02.8
55-64	387	34,264	35	10.6	06.9-14.3	287	71.5	66.4-76.6	51	13.5	09.8-17.2	3	0.8	00.0-01.8	11	3.6	01.2-06.0
65+	416	37,840	80	19.2	14.9-23.5	298	72.6	67.9-77.3	23	5.3	02.9-07.7				15	2.9	01.3-04.5
Less Than H.S.	170	18,316	37	16.7	10.4-23.0	116	70.7	61.9-79.5	15	11.4	04.3-18.5	1	0.6	00.0-01.8	1	0.6	00.0-01.8
H.S. or G.E.D.	554	71,992	64	9.4	06.7-12.1	404	74.2	69.5-78.9	69	13.6	09.7-17.5	3	0.4	00.0-00.8	14	2.5	00.5-04.5
Some Post-H.S.	565	75,700	36	6.3	03.8-08.8	410	72.0	67.1-76.9	98	18.9	14.4-23.4	3	0.2	00.0-00.6	18	2.6	01.2-04.0
College Graduate	578	74,455	37	6.2	04.0-08.4	417	70.7	66.2-75.2	104	19.9	16.0-23.8	5	1.2	00.0-02.4	15	2.1	00.9-03.3
Less than \$15,000	122	13,709	16	11.7	02.7-20.7				16	12.3	04.5-20.1	2	1.2	00.0-03.0	9	5.4	01.5-09.3
\$15,000- 24,999	226	24,383	38	15.6	10.3-20.9	154	67.2	59.4-75.0	25	13.0	06.9-19.1	3	2.0	00.0-04.9	6	2.3	00.3-04.3
\$25,000- 34,999	242	29,529	30	9.7	05.8-13.6	171	75.7	69.2-82.2	35	12.9	07.6-18.2	1	0.1	00.0-00.3	5	1.7	00.1-03.3
\$35,000- 49,999	313	38,873	28	6.9	04.2-09.6	233	73.3	67.4-79.2	47	18.3	12.8-23.8				5	1.5	00.1-02.9
\$50,000- 74,999	340	47,036	20	5.6	03.1-08.1	250	70.0	63.7-76.3	65	22.9	17.0-28.8	1	0.2	00.0-00.6	4	1.3	00.0-02.7
\$75,000+	454	61,663	19	5.1	02.6-07.6	345	74.7	69.8-79.6	76	17.8	13.3-22.3	5	1.1	00.1-02.1	9	1.3	00.3-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 12: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2736	247,247	200	6.9	05.7-08.1	1964	71.4	69.0-73.8	464	17.9	15.7-20.1	20	0.6	00.4-00.8	88	3.2	02.2-04.2
Native	224	12,366										2	0.7	00.0-02.1	6	2.9	00.0-06.4
Non-Native	2495	233,596	173	6.5	05.3-07.7	1801	71.8	69.4-74.2	422	17.9	15.7-20.1	17	0.6	00.2-01.0	82	3.3	02.3-04.3
18-24	97	35,328	5	3.2	00.0-06.9							1	0.2	00.0-00.6	6	5.3	00.0-10.8
25-34	297	39,058	14	5.0	01.9-08.1	215	73.6	68.1-79.1	57	17.9	13.4-22.4	2	0.7	00.0-01.7	9	2.7	00.7-04.7
35-44	417	38,478	16	3.5	01.5-05.5	310	75.7	71.2-80.2	83	18.5	14.6-22.4	2	0.7	00.0-01.7	6	1.5	00.1-02.9
45-54	600	45,247	19	3.6	01.6-05.6	433	73.4	69.5-77.3	130	20.2	16.7-23.7	2	0.2	00.0-00.4	16	2.6	01.2-04.0
55-64	512	34,464	33	5.7	03.3-08.1	373	74.7	70.4-79.0	80	14.3	11.0-17.6	4	0.6	00.0-01.4	22	4.7	02.5-06.9
65+	793	53,351	113	16.8	13.7-19.9	556	70.4	66.9-73.9	88	8.9	06.9-10.9	7	0.8	00.2-01.4	29	3.1	01.9-04.3
Less Than H.S.	200	17,120	32	15.1	09.4-20.8	131	66.9	58.3-75.5	26	13.4	06.9-19.9	3	1.1	00.0-02.5	8	3.5	00.8-06.2
H.S. or G.E.D.	815	70,152	70	8.9	06.2-11.6	593	71.6	67.1-76.1	115	15.9	11.8-20.0	5	0.4	00.0-00.8	32	3.2	02.0-04.4
Some Post-H.S.	900	83,288	65	6.2	04.4-08.0	651	71.6	67.1-76.1	148	17.2	13.3-21.1	7	0.6	00.0-01.2	29	4.4	01.9-06.9
College Graduate	819	76,536	33	4.0	02.4-05.6	588	72.1	68.0-76.2	174	21.4	17.5-25.3	5	0.6	00.0-01.2	19	1.9	00.9-02.9
Less than \$15,000	254	21,460	29	12.0	05.3-18.7				45	23.6	13.6-33.6	4	0.9	00.0-01.9	12	4.1	01.2-07.0
\$15,000- 24,999	451	37,539	46	8.1	05.4-10.8	307	68.6	61.9-75.3	70	18.8	12.1-25.5	5	1.0	00.0-02.0	23	3.5	01.7-05.3
\$25,000- 34,999	327	27,579	16	6.0	02.5-09.5	245	73.4	65.8-81.0	57	18.5	11.2-25.8	1	0.2	00.0-00.6	8	1.9	00.3-03.5
\$35,000- 49,999	404	33,192	24	5.5	03.1-07.9	290	74.8	70.1-79.5	77	16.3	12.4-20.2	3	0.9	00.0-01.9	10	2.5	00.9-04.1
\$50,000- 74,999	431	43,358	13	3.7	01.5-05.9	318	73.0	67.5-78.5	85	19.1	14.6-23.6	3	0.3	00.0-00.7	12	3.9	00.4-07.4
\$75,000+	426	45,058	19	4.5	02.3-06.7	327	76.7	71.8-81.6	69	16.2	11.7-20.7	2	0.6	00.0-01.4	9	2.0	00.4-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 13: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4556	483,433	325	6.3	05.5-07.1	2623	55.1	53.1-57.1	1200	27.7	25.9-29.5	102	2.1	01.5-02.7	306	8.8	07.4-10.2
Male	1855	238,310	99	4.6	03.4-05.8	1001	50.5	47.6-53.4	566	32.4	29.7-35.1	45	2.4	01.4-03.4	144	10.1	07.9-12.3
Female	2701	245,123	226	7.9	06.5-09.3	1622	59.5	57.0-62.0	634	23.1	20.9-25.3	57	1.9	01.3-02.5	162	7.6	06.0-09.2
Native	337	21,525	21	6.9	02.4-11.4				86	24.2	15.2-33.2	9	5.4	00.0-12.5			
Non-Native	4179	458,127	302	6.3	05.5-07.1	2412	55.5	53.5-57.5	1102	27.9	26.1-29.7	93	2.0	01.4-02.6	270	8.3	06.9-09.7
18-24	186	72,396	6	3.6	00.5-06.7	83	43.9	35.7-52.1	55	29.4	22.0-36.8	6	3.0	00.3-05.7	36	20.2	13.5-26.9
25-34	502	82,216	17	3.4	01.6-05.2	253	49.8	44.7-54.9	165	33.6	28.9-38.3	12	2.2	00.8-03.6	55	10.9	07.8-14.0
35-44	707	77,241	45	6.2	04.2-08.2	363	51.6	47.5-55.7	223	31.5	27.6-35.4	21	2.8	01.4-04.2	55	7.9	05.7-10.1
45-54	1048	90,977	69	6.1	04.5-07.7	589	56.0	52.7-59.3	299	28.7	25.6-31.8	26	2.1	01.1-03.1	65	7.0	05.0-09.0
55-64	898	68,356	59	6.0	04.2-07.8	544	61.2	57.7-64.7	220	25.0	21.9-28.1	24	2.3	01.3-03.3	51	5.5	03.7-07.3
65+	1178	89,415	127	11.6	09.4-13.8	774	66.8	63.9-69.7	228	18.4	16.0-20.8	12	0.7	00.3-01.1	37	2.4	01.4-03.4
Less Than H.S.	359	34,638	22	5.6	02.9-08.3	211	52.8	45.4-60.2	83	24.4	17.9-30.9	11	3.5	00.4-06.6	32	13.7	07.2-20.2
H.S. or G.E.D.	1351	140,444	97	7.1	05.1-09.1	750	51.9	48.2-55.6	356	27.3	24.2-30.4	35	2.7	01.3-04.1	113	11.0	08.3-13.7
Some Post-H.S.	1452	158,076	85	4.7	03.5-05.9	809	52.0	48.5-55.5	428	32.2	28.9-35.5	36	2.2	01.2-03.2	94	8.9	06.5-11.3
College Graduate	1392	150,125	120	7.4	05.8-09.0	853	61.8	58.7-64.9	332	24.0	21.3-26.7	20	1.3	00.5-02.1	67	5.6	04.0-07.2
Less than \$15,000	376	35,340	29	6.3	02.8-09.8	190	41.5	33.7-49.3	95	30.3	22.3-38.3	15	2.2	00.8-03.6	47	19.5	11.9-27.1
\$15,000- 24,999	664	60,227	56	8.5	05.4-11.6	387	57.3	52.0-62.6	159	23.6	19.3-27.9	11	2.0	00.6-03.4	51	8.7	05.6-11.8
\$25,000- 34,999	564	56,944	50	7.9	05.4-10.4	315	51.5	45.6-57.4	142	25.9	20.8-31.0	20	4.5	01.4-07.6	37	10.2	05.9-14.5
\$35,000- 49,999	716	71,861	45	4.7	02.9-06.5	411	56.4	51.9-60.9	213	31.5	27.4-35.6	15	1.9	00.7-03.1	32	5.5	03.1-07.9
\$50,000- 74,999	764	89,678	48	5.7	03.9-07.5	432	55.6	51.3-59.9	213	28.6	24.7-32.5	16	1.6	00.6-02.6	55	8.5	05.8-11.2
\$75,000+	878	106,651	51	5.0	03.4-06.6	532	58.9	54.8-63.0	239	29.0	25.3-32.7	14	1.5	00.7-02.3	42	5.6	03.6-07.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 14: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1855	238,310	99	4.6	03.4-05.8	1001	50.5	47.6-53.4	566	32.4	29.7-35.1	45	2.4	01.4-03.4	144	10.1	07.9-12.3
Native	117	9,373	8	6.6	00.0-14.2												
Non-Native	1715	226,442	90	4.5	03.3-05.7	922	50.9	48.0-53.8	528	32.8	29.9-35.7	41	2.1	01.3-02.9	134	9.7	07.7-11.7
18-24	89	37,068	2	2.0	00.0-05.5							3	4.1	00.0-09.0			
25-34	205	43,158	3	1.9	00.0-04.3	91	44.8	37.2-52.4	83	39.7	32.3-47.1	4	2.1	00.0-04.3	24	11.5	06.4-16.6
35-44	293	39,032	15	4.9	02.2-07.6	135	47.2	41.1-53.3	107	36.1	30.2-42.0	11	3.5	01.3-05.7	25	8.4	05.1-11.7
45-54	452	45,799	25	5.0	02.8-07.2	243	54.7	49.6-59.8	140	30.0	25.3-34.7	9	1.7	00.5-02.9	35	8.6	05.5-11.7
55-64	388	34,110	13	3.6	01.2-06.0	226	57.6	52.1-63.1	111	29.6	24.5-34.7	13	2.6	01.0-04.2	25	6.5	03.8-09.2
65+	411	37,631	41	10.7	07.4-14.0	262	65.0	59.9-70.1	91	21.7	17.4-26.0	5	0.6	00.0-01.4	12	2.0	00.6-03.4
Less Than H.S.	167	18,080	11	6.3	02.2-10.4				42	24.6	16.0-33.2	4	3.7	00.0-09.2			
H.S. or G.E.D.	544	70,694	33	5.4	02.9-07.9	282	49.0	43.3-54.7	156	30.3	25.2-35.4	19	3.6	01.2-06.0	54	11.7	07.6-15.8
Some Post-H.S.	563	75,445	23	3.3	01.7-04.9	275	44.2	38.7-49.7	198	38.0	32.5-43.5	13	1.8	00.6-03.0	54	12.7	08.6-16.8
College Graduate	581	74,091	32	4.8	02.8-06.8	347	58.3	53.4-63.2	170	30.5	25.8-35.2	9	1.5	00.1-02.9	23	4.8	02.6-07.0
Less than \$15,000	124	13,775	9	4.0	00.7-07.3							6	2.7	00.2-05.2			
\$15,000- 24,999	218	22,996	18	7.9	04.0-11.8	123	55.1	46.7-63.5	56	25.6	18.3-32.9	5	2.5	00.0-05.0	16	8.8	03.1-14.5
\$25,000- 34,999	242	29,475	16	5.9	02.8-09.0	124	46.8	38.2-55.4	65	27.8	20.0-35.6	14	7.1	01.4-12.8	23	12.4	05.9-18.9
\$35,000- 49,999	314	38,866	13	3.1	00.9-05.3	167	51.0	44.3-57.7	112	37.3	30.8-43.8	4	1.4	00.0-03.0	18	7.2	03.5-10.9
\$50,000- 74,999	338	46,731	17	4.5	02.3-06.7	174	49.7	43.2-56.2	111	33.6	27.3-39.9	8	1.4	00.2-02.6	28	10.8	05.9-15.7
\$75,000+	453	61,599	20	3.9	01.9-05.9	256	54.1	48.4-59.8	148	35.6	29.9-41.3	7	1.6	00.4-02.8	22	4.8	02.3-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 15: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2701	245,123	226	7.9	06.5-09.3	1622	59.5	57.0-62.0	634	23.1	20.9-25.3	57	1.9	01.3-02.5	162	7.6	06.0-09.2
Native	220	12,153	13	7.2	02.1-12.3							5	0.9	00.0-02.3			
Non-Native	2464	231,685	212	8.0	06.6-09.4	1490	60.0	57.5-62.5	574	23.1	20.9-25.3	52	1.9	01.3-02.5	136	7.0	05.4-08.6
18-24	97	35,328	4	5.2	00.0-10.7				25	22.2	12.6-31.8	3	1.8	00.0-04.2	17	17.0	08.4-25.6
25-34	297	39,058	14	5.1	02.4-07.8	162	55.3	49.2-61.4	82	26.9	21.4-32.4	8	2.3	00.5-04.1	31	10.4	06.7-14.1
35-44	414	38,209	30	7.6	04.7-10.5	228	56.0	50.7-61.3	116	26.8	21.9-31.7	10	2.1	00.7-03.5	30	7.5	04.8-10.2
45-54	596	45,178	44	7.2	04.8-09.6	346	57.3	52.8-61.8	159	27.5	23.4-31.6	17	2.5	01.1-03.9	30	5.5	03.3-07.7
55-64	510	34,245	46	8.4	05.9-10.9	318	64.7	60.0-69.4	109	20.4	16.5-24.3	11	2.1	00.7-03.5	26	4.4	02.2-06.6
65+	767	51,785	86	12.4	09.7-15.1	512	68.1	64.4-71.8	137	16.0	13.3-18.7	7	0.7	00.1-01.3	25	2.8	01.6-04.0
Less Than H.S.	192	16,558	11	4.7	01.6-07.8				41	24.2	14.4-34.0	7	3.4	00.5-06.3	19	12.4	04.8-20.0
H.S. or G.E.D.	807	69,750	64	8.8	05.7-11.9	468	54.8	50.1-59.5	200	24.3	20.6-28.0	16	1.7	00.7-02.7	59	10.3	06.8-13.8
Some Post-H.S.	889	82,631	62	6.0	04.4-07.6	534	59.1	54.6-63.6	230	26.9	22.8-31.0	23	2.5	01.1-03.9	40	5.5	02.8-08.2
College Graduate	811	76,034	88	9.8	07.4-12.2	506	65.3	61.4-69.2	162	17.6	14.7-20.5	11	1.1	00.5-01.7	44	6.2	04.0-08.4
Less than \$15,000	252	21,566	20	7.8	02.3-13.3	130	41.9	32.5-51.3				9	2.0	00.4-03.6	27	15.2	06.4-24.0
\$15,000- 24,999	446	37,232	38	8.9	04.6-13.2	264	58.6	51.9-65.3	103	22.3	17.0-27.6	6	1.7	00.3-03.1	35	8.5	05.0-12.0
\$25,000- 34,999	322	27,469	34	10.2	06.5-13.9	191	56.4	48.8-64.0	77	23.9	17.2-30.6	6	1.6	00.2-03.0	14	7.9	02.2-13.6
\$35,000- 49,999	402	32,995	32	6.6	03.9-09.3	244	62.8	57.3-68.3	101	24.7	19.8-29.6	11	2.4	00.8-04.0	14	3.5	01.5-05.5
\$50,000- 74,999	426	42,947	31	7.0	04.3-09.7	258	62.0	56.5-67.5	102	23.2	18.5-27.9	8	1.8	00.4-03.2	27	5.9	03.4-08.4
\$75,000+	425	45,052	31	6.5	04.0-09.0	276	65.5	60.2-70.8	91	19.9	15.8-24.0	7	1.4	00.2-02.6	20	6.6	03.3-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS. (VEGETABL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4541	479,626	2792	58.9	56.9-60.9	1490	34.4	32.4-36.4	185	4.5	03.5-05.5	11	0.3	00.0-00.7	63	1.9	01.3-02.5
Male	1842	235,937	977	50.9	48.0-53.8	721	40.4	37.5-43.3	106	5.6	04.0-07.2	5	0.5	00.0-01.1	33	2.6	01.4-03.8
Female	2699	243,689	1815	66.6	64.2-69.0	769	28.6	26.2-31.0	79	3.4	02.4-04.4	6	0.1	00.0-00.3	30	1.2	00.6-01.8
Native	336	21,763				93	27.2	18.4-36.0	19	8.1	00.5-15.7	2	3.5	00.0-10.2	4	3.2	00.0-08.1
Non-Native	4165	454,037	2557	59.0	57.0-61.0	1380	34.7	32.7-36.7	161	4.3	03.5-05.1	9	0.1	00.0-00.3	58	1.8	01.2-02.4
18-24	182	71,023	84	45.9	37.5-54.3	74	40.9	32.7-49.1	16	7.9	03.2-12.6	1	1.1	00.0-03.3	7	4.1	00.8-07.4
25-34	490	80,064	300	60.5	55.4-65.6	158	32.4	27.7-37.1	21	4.3	02.3-06.3	1	0.1	00.0-00.3	10	2.8	00.6-05.0
35-44	703	76,974	430	59.3	55.2-63.4	237	36.0	32.1-39.9	29	3.9	02.3-05.5	2	0.2	00.0-00.4	5	0.7	00.1-01.3
45-54	1047	91,059	613	58.1	54.8-61.4	378	36.2	32.9-39.5	43	4.2	02.8-05.6	2	0.2	00.0-00.4	11	1.4	00.4-02.4
55-64	900	68,732	546	60.8	57.3-64.3	291	32.8	29.3-36.3	43	4.3	02.9-05.7	3	0.4	00.0-01.0	17	1.7	00.7-02.7
65+	1187	89,331	801	66.7	63.8-69.6	341	29.3	26.4-32.2	31	2.9	01.9-03.9	1	0.0	00.0-00.0	13	1.2	00.4-02.0
Less Than H.S.	363	34,996	221	60.8	53.5-68.1	112	28.9	22.4-35.4	24	7.4	03.3-11.5				6	2.9	00.0-06.8
H.S. or G.E.D.	1336	138,579	795	56.2	52.5-59.9	465	36.9	33.4-40.4	52	4.3	02.5-06.1	7	0.9	00.0-02.1	17	1.6	00.6-02.6
Some Post-H.S.	1450	156,401	846	54.2	50.7-57.7	502	37.4	33.9-40.9	71	5.5	03.7-07.3	3	0.1	00.0-00.3	28	2.8	01.2-04.4
College Graduate	1390	149,501	929	65.8	62.7-68.9	411	30.3	27.4-33.2	37	2.9	01.7-04.1	1	0.0	00.0-00.0	12	1.0	00.4-01.6
Less than \$15,000	372	34,778	203	53.8	45.4-62.2	119	28.9	21.1-36.7	29	8.8	03.7-13.9	2	0.4	00.0-01.0	19	8.2	02.7-13.7
\$15,000- 24,999	664	60,788	412	60.9	55.6-66.2	213	33.8	28.7-38.9	29	4.2	02.4-06.0	2	0.2	00.0-00.6	8	0.9	00.1-01.7
\$25,000- 34,999	561	55,891	351	55.4	49.5-61.3	179	37.2	31.3-43.1	18	4.1	01.0-07.2	4	1.8	00.0-04.5	9	1.6	00.4-02.8
\$35,000- 49,999	714	71,649	438	57.9	53.4-62.4	235	35.2	30.9-39.5	30	4.5	02.5-06.5				11	2.4	00.6-04.2
\$50,000- 74,999	766	89,804	475	60.9	56.6-65.2	258	34.9	30.6-39.2	24	3.1	01.5-04.7	2	0.1	00.0-00.3	7	1.0	00.2-01.8
\$75,000+	874	105,710	529	59.4	55.3-63.5	306	35.7	31.8-39.6	34	3.8	02.4-05.2				5	1.0	00.0-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS. (VEGETABL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1842	235,937	977	50.9	48.0-53.8	721	40.4	37.5-43.3	106	5.6	04.0-07.2	5	0.5	00.0-01.1	33	2.6	01.4-03.8
Native	119	9,790													1	1.0	00.0-03.0
Non-Native	1698	223,440	897	51.1	48.2-54.0	672	40.8	37.9-43.7	94	5.3	03.9-06.7	4	0.1	00.0-00.3	31	2.7	01.5-03.9
18-24	87	36,299							9	9.2	01.9-16.5	1	2.1	00.0-06.2	5	5.5	00.0-11.0
25-34	198	41,809	107	54.3	46.5-62.1	75	36.3	28.7-43.9	9	4.7	01.6-07.8				7	4.7	00.6-08.8
35-44	293	39,032	147	50.8	44.7-56.9	122	42.4	36.3-48.5	18	5.3	02.6-08.0	1	0.2	00.0-00.6	5	1.4	00.2-02.6
45-54	453	45,986	233	51.4	46.3-56.5	190	42.5	37.4-47.6	24	4.5	02.5-06.5	2	0.3	00.0-00.7	4	1.2	00.0-02.6
55-64	391	34,493	201	52.5	47.0-58.0	156	39.5	34.0-45.0	25	5.6	03.2-08.0	1	0.3	00.0-00.9	8	2.1	00.5-03.7
65+	405	36,972	247	61.3	56.2-66.4	133	32.7	27.8-37.6	21	5.1	02.7-07.5				4	0.9	00.0-01.9
Less Than H.S.	166	18,223				55	30.6	21.4-39.8	14	6.1	02.4-09.8				2	3.9	00.0-11.2
H.S. or G.E.D.	539	69,528	274	47.9	42.4-53.4	222	43.5	38.0-49.0	30	5.3	02.4-08.2	5	1.6	00.0-03.8	8	1.7	00.3-03.1
Some Post-H.S.	562	74,750	286	47.5	42.0-53.0	219	40.4	34.9-45.9	41	7.5	04.6-10.4				16	4.5	01.6-07.4
College Graduate	575	73,436	322	55.0	50.1-59.9	225	39.9	35.0-44.8	21	3.9	01.5-06.3				7	1.2	00.2-02.2
Less than \$15,000	122	13,517							13	5.7	02.0-09.4	1	0.6	00.0-01.8			
\$15,000- 24,999	217	23,908	117	52.1	43.5-60.7	85	42.5	33.9-51.1	10	4.1	01.4-06.8	1	0.3	00.0-00.9	4	0.9	00.0-01.9
\$25,000- 34,999	239	28,921	128	46.0	37.6-54.4	90	42.3	33.5-51.1	14	7.1	01.4-12.8	2	2.8	00.0-07.9	5	1.7	00.1-03.3
\$35,000- 49,999	315	38,911	158	47.6	41.1-54.1	129	43.0	36.5-49.5	21	6.6	03.5-09.7				7	2.8	00.4-05.2
\$50,000- 74,999	338	46,664	177	53.2	46.7-59.7	139	41.0	34.5-47.5	15	4.1	01.4-06.8	1	0.2	00.0-00.6	6	1.5	00.1-02.9
\$75,000+	449	60,914	247	54.9	49.2-60.6	176	38.7	33.0-44.4	24	5.0	02.6-07.4				2	1.3	00.0-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 16: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS. (VEGETABLE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2699	243,689	1815	66.6	64.2-69.0	769	28.6	26.2-31.0	79	3.4	02.4-04.4	6	0.1	00.0-00.3	30	1.2	00.6-01.8
Native	217	11,973							10	4.2	00.1-08.3	1	0.1	00.0-00.3	3	4.9	00.0-13.5
Non-Native	2467	230,597	1660	66.7	64.2-69.2	708	28.7	26.3-31.1	67	3.3	02.3-04.3	5	0.1	00.0-00.3	27	1.0	00.4-01.6
18-24	95	34,725							7	6.6	00.9-12.3				2	2.6	00.0-06.3
25-34	292	38,254	193	67.3	61.4-73.2	83	28.1	22.6-33.6	12	3.8	01.4-06.2	1	0.2	00.0-00.6	3	0.7	00.0-01.7
35-44	410	37,942	283	68.0	62.9-73.1	115	29.4	24.5-34.3	11	2.5	00.9-04.1	1	0.1	00.0-00.3			
45-54	594	45,073	380	64.8	60.5-69.1	188	29.7	25.6-33.8	19	3.9	01.9-05.9				7	1.5	00.1-02.9
55-64	509	34,239	345	69.1	64.6-73.6	135	26.0	21.7-30.3	18	3.1	01.5-04.7	2	0.5	00.0-01.3	9	1.2	00.2-02.2
65+	782	52,358	554	70.4	66.9-73.9	208	26.9	23.4-30.4	10	1.3	00.5-02.1	1	0.0	00.0-00.0	9	1.4	00.4-02.4
Less Than H.S.	197	16,773				57	27.1	18.1-36.1	10	8.7	01.1-16.3				4	1.9	00.0-03.9
H.S. or G.E.D.	797	69,051	521	64.5	60.0-69.0	243	30.3	26.0-34.6	22	3.3	01.3-05.3	2	0.3	00.0-00.7	9	1.5	00.0-03.3
Some Post-H.S.	888	81,650	560	60.3	55.6-65.0	283	34.6	29.9-39.3	30	3.6	01.8-05.4	3	0.1	00.0-00.3	12	1.3	00.3-02.3
College Graduate	815	76,065	607	76.2	72.9-79.5	186	21.0	17.9-24.1	16	2.0	01.0-03.0	1	0.1	00.0-00.3	5	0.8	00.0-01.6
Less than \$15,000	250	21,261				73	23.8	15.4-32.2	16	10.8	03.0-18.6	1	0.3	00.0-00.9	13	5.7	00.4-11.0
\$15,000- 24,999	447	36,880	295	66.6	60.1-73.1	128	28.1	21.8-34.4	19	4.2	02.0-06.4	1	0.2	00.0-00.6	4	0.9	00.0-01.9
\$25,000- 34,999	322	26,969	223	65.4	58.0-72.8	89	31.6	24.2-39.0	4	0.9	00.0-01.9	2	0.6	00.0-01.6	4	1.4	00.0-03.0
\$35,000- 49,999	399	32,739	280	70.2	64.9-75.5	106	25.9	20.8-31.0	9	2.1	00.5-03.7				4	1.8	00.0-04.2
\$50,000- 74,999	428	43,140	298	69.2	63.7-74.7	119	28.3	23.0-33.6	9	2.1	00.7-03.5	1	0.0	00.0-00.0	1	0.4	00.0-01.2
\$75,000+	425	44,796	282	65.5	59.8-71.2	130	31.6	26.1-37.1	10	2.2	00.8-03.6				3	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 17: PHYSICAL ACTIVITY CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? (JOBACTIV)	
1	MALES AND FEMALES	219
2	MALES ONLY	220
3	FEMALES ONLY	221
	WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)	
4	MALES AND FEMALES	222
5	MALES ONLY	223
6	FEMALES ONLY	224
	HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)	
7	MALES AND FEMALES	225
8	MALES ONLY	226
9	FEMALES ONLY	227
	ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)	
10	MALES AND FEMALES	228
11	MALES ONLY	229
12	FEMALES ONLY	230
	NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)	
13	MALES AND FEMALES	231
14	MALES ONLY	232
15	FEMALES ONLY	233

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 17: PHYSICAL ACTIVITY CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)	
16	MALES AND FEMALES	234
17	MALES ONLY	235
18	FEMALES ONLY	236
	ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)	
19	MALES AND FEMALES	237
20	MALES ONLY	238
21	FEMALES ONLY	239

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 1: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? (JOBACTIV)**

Denominator excludes: Respondents that are NOT employed,  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2867	327,152	1744	58.2	55.8-60.6	649	22.7	20.7-24.7	474	19.1	17.1-21.1
Male	1302	176,367	676	50.3	47.0-53.6	286	22.0	19.1-24.9	340	27.7	24.6-30.8
Female	1565	150,785	1068	67.3	64.2-70.4	363	23.6	20.7-26.5	134	9.1	07.1-11.1
Non-Native	2661	313,874	1624	58.5	56.1-60.9	598	22.7	20.5-24.9	439	18.9	16.9-20.9
18-24	124	49,365	60	47.0	37.0-57.0	32	26.8	17.8-35.8	32	26.2	17.6-34.8
25-34	402	66,259	246	60.1	54.8-65.4	87	20.8	16.3-25.3	69	19.1	14.8-23.4
35-44	634	70,474	387	59.6	55.3-63.9	142	22.5	18.8-26.2	105	17.8	14.5-21.1
45-54	883	77,566	552	61.3	57.6-65.0	185	20.8	17.9-23.7	146	18.0	15.1-20.9
55-64	589	46,205	366	60.5	56.0-65.0	137	22.9	19.0-26.8	86	16.6	13.1-20.1
65+	213	15,455	117	54.6	47.2-62.0	61	27.5	20.8-34.2	35	17.9	12.0-23.8
Less Than H.S.	123	11,550							29	23.3	14.3-32.3
H.S. or G.E.D.	768	91,738	394	47.1	42.4-51.8	190	25.4	21.1-29.7	184	27.6	23.3-31.9
Some Post-H.S.	966	109,534	582	58.7	54.6-62.8	202	20.8	17.3-24.3	182	20.6	17.3-23.9
College Graduate	1010	114,330	710	67.6	63.9-71.3	221	21.8	18.7-24.9	79	10.6	07.7-13.5
\$15,000- 24,999	316	34,588	161	46.3	38.1-54.5	92	30.0	22.6-37.4	63	23.7	16.6-30.8
\$25,000- 34,999	339	37,057	173	50.0	42.2-57.8	89	23.6	17.3-29.9	77	26.4	19.3-33.5
\$35,000- 49,999	529	55,063	327	55.5	50.2-60.8	104	20.0	15.9-24.1	98	24.5	19.6-29.4
\$50,000- 74,999	608	72,412	391	61.1	56.2-66.0	126	21.2	16.9-25.5	91	17.7	13.8-21.6
\$75,000+	736	87,492	505	67.1	63.0-71.2	147	21.8	18.1-25.5	84	11.0	08.5-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 2: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? (JOBACTIV)**

Denominator excludes: Respondents that are NOT employed,

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1302	176,367	676	50.3	47.0-53.6	286	22.0	19.1-24.9	340	27.7	24.6-30.8
Non-Native	1222	170,327	637	51.0	47.5-54.5	269	21.8	18.9-24.7	316	27.2	24.1-30.3
25-34	179	36,863	89	51.5	43.5-59.5	37	20.5	13.8-27.2	53	28.1	21.0-35.2
35-44	275	37,226	135	49.9	43.6-56.2	57	21.6	16.3-26.9	83	28.6	22.9-34.3
45-54	404	41,285	212	52.3	46.8-57.8	88	21.3	17.0-25.6	104	26.4	21.7-31.1
55-64	273	25,584	161	59.2	52.7-65.7	58	19.9	14.8-25.0	54	20.9	15.6-26.2
65+	98	8,508				29	29.8	19.8-39.8	22	21.6	12.8-30.4
H.S. or G.E.D.	376	53,567	160	39.4	32.9-45.9	89	24.3	18.4-30.2	127	36.3	30.0-42.6
Some Post-H.S.	423	56,818	194	46.7	40.6-52.8	90	20.2	15.3-25.1	139	33.1	27.4-38.8
College Graduate	436	59,716	296	64.9	59.2-70.6	85	20.7	16.0-25.4	55	14.5	09.8-19.2
\$25,000- 34,999	144	19,728				38	24.5	15.3-33.7			
\$35,000- 49,999	246	31,556	115	43.8	36.5-51.1	52	20.3	14.6-26.0	79	35.9	28.6-43.2
\$50,000- 74,999	279	39,385	153	51.7	44.6-58.8	59	23.1	16.8-29.4	67	25.1	19.0-31.2
\$75,000+	401	53,291	255	62.6	56.9-68.3	76	21.5	16.2-26.8	70	15.9	12.0-19.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 3: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? (JOBACTIV)**

Denominator excludes: Respondents that are NOT employed,

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1565	150,785	1068	67.3	64.2-70.4	363	23.6	20.7-26.5	134	9.1	07.1-11.1
Native	121	6,670							11	11.7	02.7-20.7
Non-Native	1439	143,547	987	67.3	64.0-70.6	329	23.7	20.8-26.6	123	9.0	07.0-11.0
18-24	61	23,473							9	13.7	04.7-22.7
25-34	223	29,396	157	70.9	64.4-77.4	50	21.3	15.4-27.2	16	7.9	04.2-11.6
35-44	359	33,248	252	70.6	65.3-75.9	85	23.7	18.6-28.8	22	5.8	03.3-08.3
45-54	479	36,281	340	71.4	66.9-75.9	97	20.1	16.0-24.2	42	8.4	05.7-11.1
55-64	316	20,621	205	62.1	55.8-68.4	79	26.7	20.8-32.6	32	11.2	07.3-15.1
65+	115	6,946	70	61.9	52.3-71.5	32	24.7	16.5-32.9	13	13.3	06.0-20.6
H.S. or G.E.D.	392	38,171	234	57.8	51.1-64.5	101	26.9	20.8-33.0	57	15.3	10.8-19.8
Some Post-H.S.	543	52,716	388	71.6	66.1-77.1	112	21.3	16.0-26.6	43	7.1	04.2-10.0
College Graduate	574	54,615	414	70.5	65.8-75.2	136	23.1	19.0-27.2	24	6.4	03.3-09.5
\$15,000- 24,999	206	20,405							31	14.1	08.2-20.0
\$25,000- 34,999	195	17,329	123	64.8	55.0-74.6	51	22.7	14.5-30.9	21	12.5	05.2-19.8
\$35,000- 49,999	283	23,507	212	71.3	64.4-78.2	52	19.5	13.8-25.2	19	9.2	04.1-14.3
\$50,000- 74,999	329	33,027	238	72.2	65.9-78.5	67	18.9	13.4-24.4	24	8.9	04.8-13.0
\$75,000+	335	34,201	250	74.2	68.7-79.7	71	22.3	17.0-27.6	14	3.5	01.5-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 4: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4599	487,225	4020	88.8	87.6-90.0	579	11.2	10.0-12.4
Male	1867	240,520	1613	87.5	85.5-89.5	254	12.5	10.5-14.5
Female	2732	246,705	2407	90.0	88.6-91.4	325	10.0	08.6-11.4
Non-Native	4216	461,250	3701	89.2	88.0-90.4	515	10.8	09.6-12.0
18-24	187	73,112	170	89.6	84.3-94.9	17	10.4	05.1-15.7
25-34	500	82,433	468	93.7	91.3-96.1	32	6.3	03.9-08.7
35-44	707	77,384	659	94.2	92.4-96.0	48	5.8	04.0-07.6
45-54	1053	91,174	941	89.6	87.4-91.8	112	10.4	08.2-12.6
55-64	904	69,011	790	88.2	85.8-90.6	114	11.8	09.4-14.2
65+	1213	91,532	962	78.9	76.4-81.4	251	21.1	18.6-23.6
Less Than H.S.	370	35,456	276	78.1	72.8-83.4	94	21.9	16.6-27.2
H.S. or G.E.D.	1362	141,827	1158	85.7	83.0-88.4	204	14.3	11.6-17.0
Some Post-H.S.	1468	158,920	1300	90.2	88.2-92.2	168	9.8	07.8-11.8
College Graduate	1397	150,872	1286	92.7	91.1-94.3	111	7.3	05.7-08.9
Less than \$15,000	379	35,326	296	82.7	78.0-87.4	83	17.3	12.6-22.0
\$15,000- 24,999	671	61,399	548	82.2	78.3-86.1	123	17.8	13.9-21.7
\$25,000- 34,999	569	57,079	499	88.5	84.8-92.2	70	11.5	07.8-15.2
\$35,000- 49,999	723	72,470	658	92.1	89.6-94.6	65	7.9	05.4-10.4
\$50,000- 74,999	770	90,410	704	91.0	88.3-93.7	66	9.0	06.3-11.7
\$75,000+	876	106,329	817	93.8	92.0-95.6	59	6.2	04.4-08.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 5: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1867	240,520	1613	87.5	85.5-89.5	254	12.5	10.5-14.5
Non-Native	1722	227,948	1490	88.1	86.1-90.1	232	11.9	09.9-13.9
18-24	91	37,866	80	85.1	76.3-93.9	11	14.9	06.1-23.7
25-34	205	43,655	189	93.2	89.5-96.9	16	6.8	03.1-10.5
35-44	294	39,221	273	93.9	91.2-96.6	21	6.1	03.4-08.8
45-54	452	45,658	396	88.0	84.7-91.3	56	12.0	08.7-15.3
55-64	391	34,494	335	86.4	82.5-90.3	56	13.6	09.7-17.5
65+	419	38,280	327	77.3	72.8-81.8	92	22.7	18.2-27.2
Less Than H.S.	172	18,611	122	75.3	67.3-83.3	50	24.7	16.7-32.7
H.S. or G.E.D.	549	71,990	455	83.6	79.1-88.1	94	16.4	11.9-20.9
Some Post-H.S.	565	75,325	495	88.8	85.7-91.9	70	11.2	08.1-14.3
College Graduate	581	74,594	541	93.0	90.5-95.5	40	7.0	04.5-09.5
\$15,000- 24,999	223	24,183	179	81.7	75.4-88.0	44	18.3	12.0-24.6
\$25,000- 34,999	240	29,350	210	88.4	82.5-94.3	30	11.6	05.7-17.5
\$35,000- 49,999	318	39,256	288	90.4	86.3-94.5	30	9.6	05.5-13.7
\$50,000- 74,999	342	47,266	298	87.3	82.6-92.0	44	12.7	08.0-17.4
\$75,000+	450	61,269	415	92.9	90.2-95.6	35	7.1	04.4-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 6: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2732	246,705	2407	90.0	88.6-91.4	325	10.0	08.6-11.4
Native	221	12,117	184	85.8	78.0-93.6	37	14.2	06.4-22.0
Non-Native	2494	233,303	2211	90.3	88.9-91.7	283	9.7	08.3-11.1
18-24	96	35,245	90	94.4	89.3-99.5	6	5.6	00.5-10.7
25-34	295	38,778	279	94.3	91.4-97.2	16	5.7	02.8-08.6
35-44	413	38,163	386	94.4	91.9-96.9	27	5.6	03.1-08.1
45-54	601	45,515	545	91.2	88.7-93.7	56	8.8	06.3-11.3
55-64	513	34,517	455	89.9	87.0-92.8	58	10.1	07.2-13.0
65+	794	53,252	635	80.0	76.9-83.1	159	20.0	16.9-23.1
Less Than H.S.	198	16,845	154	81.3	74.8-87.8	44	18.7	12.2-25.2
H.S. or G.E.D.	813	69,837	703	87.9	85.2-90.6	110	12.1	09.4-14.8
Some Post-H.S.	903	83,595	805	91.5	89.3-93.7	98	8.5	06.3-10.7
College Graduate	816	76,278	745	92.4	90.4-94.4	71	7.6	05.6-09.6
Less than \$15,000	256	21,696	210	87.4	82.9-91.9	46	12.6	08.1-17.1
\$15,000- 24,999	448	37,215	369	82.5	77.6-87.4	79	17.5	12.6-22.4
\$25,000- 34,999	329	27,729	289	88.6	83.9-93.3	40	11.4	06.7-16.1
\$35,000- 49,999	405	33,214	370	94.0	91.5-96.5	35	6.0	03.5-08.5
\$50,000- 74,999	428	43,144	406	95.0	92.8-97.2	22	5.0	02.8-07.2
\$75,000+	426	45,060	402	94.9	92.5-97.3	24	5.1	02.7-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 7: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)**

Denominator excludes: Respondents reporting no moderate physical activity  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One day			Two days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3988	429,393	125	2.9	02.1-03.7	373	9.0	07.8-10.2	
Male	1606	209,458	50	2.8	01.8-03.8	175	10.6	08.8-12.4	
Female	2382	219,935	75	3.1	01.9-04.3	198	7.5	06.1-08.9	
Native	285	17,620	10	3.6	00.1-07.1	26	6.6	00.3-12.9	
Non-Native	3673	408,861	114	2.9	02.1-03.7	346	9.1	07.9-10.3	
18-24	169	65,291	8	4.8	00.7-08.9	13	6.9	02.8-11.0	
25-34	467	76,888	9	1.4	00.4-02.4	40	9.8	06.7-12.9	
35-44	652	72,099	13	2.0	00.8-03.2	52	7.8	05.4-10.2	
45-54	939	81,459	23	2.0	01.0-03.0	91	9.8	07.6-12.0	
55-64	785	60,544	26	3.6	02.0-05.2	76	9.0	06.8-11.2	
65+	946	70,914	44	4.0	02.6-05.4	97	10.3	08.1-12.5	
Less Than H.S.	270	27,204	14	3.6	01.4-05.8	30	8.3	05.0-11.6	
H.S. or G.E.D.	1145	120,185	47	3.6	02.0-05.2	111	9.5	07.1-11.9	
Some Post-H.S.	1293	142,775	35	2.9	01.3-04.5	127	9.5	07.5-11.5	
College Graduate	1280	139,229	29	2.3	01.1-03.5	105	8.2	06.4-10.0	
Less than \$15,000	290	28,819	14	2.6	01.0-04.2	29	7.4	03.1-11.7	
\$15,000- 24,999	542	49,936	30	6.7	02.6-10.8	59	10.2	06.7-13.7	
\$25,000- 34,999	496	50,318	22	5.1	02.2-08.0	33	7.7	04.4-11.0	
\$35,000- 49,999	656	66,484	24	2.9	01.5-04.3	69	11.1	08.0-14.2	
\$50,000- 74,999	701	82,109	5	0.4	00.0-00.8	64	9.5	06.8-12.2	
\$75,000+	814	99,352	14	1.6	00.8-02.4	71	7.8	05.8-09.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 7: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)**

Denominator excludes: Respondents reporting no moderate physical activity  
Denominator excludes: Respondents with do not know/refused/missing responses

3 or more days			None or <10 mins per week		
N	%	C.I. (95%)	N	%	C.I. (95%)
3487	88.0	86.6-89.4	3	0.0	00.0-00.0
1380	86.6	84.6-88.6	1	0.0	00.0-00.0
2107	89.4	87.6-91.2	2	0.1	00.1-00.1
249	89.7	82.6-96.8			
3210	87.9	86.5-89.3	3	0.0	00.0-00.0
148	88.3	82.6-94.0			
418	88.7	85.4-92.0			
587	90.2	87.7-92.7			
823	88.0	85.6-90.4	2	0.1	00.0-00.3
683	87.4	84.9-89.9			
804	85.5	83.0-88.0	1	0.1	00.0-00.3
226	88.1	84.0-92.2			
986	86.8	84.1-89.5	1	0.1	00.0-00.3
1129	87.6	85.1-90.1	2	0.1	00.0-00.3
1146	89.6	87.4-91.8			
246	89.7	85.0-94.4	1	0.2	00.0-00.6
452	83.0	77.9-88.1	1	0.1	00.0-00.3
441	87.3	83.0-91.6			
562	85.9	82.6-89.2	1	0.1	00.0-00.3
632	90.1	87.4-92.8			
729	90.6	88.4-92.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 8: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	One day		N	Two days	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	1606	209,458	50	2.8	01.8-03.8	175	10.6	08.8-12.4
Native	104	7,409	4	4.7	00.0-11.0	13	5.1	00.8-09.4
Non-Native	1483	199,938	45	2.7	01.7-03.7	162	10.9	08.9-12.9
18-24	80	32,216	4	3.5	00.0-08.0	8	8.2	01.7-14.7
25-34	188	40,328	6	2.1	00.3-03.9	23	13.0	07.7-18.3
35-44	270	36,454	8	2.7	00.7-04.7	30	10.8	06.9-14.7
45-54	395	40,104	11	2.4	00.8-04.0	45	10.9	07.4-14.4
55-64	334	29,694	9	3.3	01.1-05.5	34	9.2	05.9-12.5
65+	326	29,484	10	2.4	00.8-04.0	35	11.0	07.3-14.7
Less Than H.S.	120	13,842	6	3.7	00.4-07.0	15	9.1	03.8-14.4
H.S. or G.E.D.	451	59,482	16	3.9	01.2-06.6	46	8.8	05.7-11.9
Some Post-H.S.	494	66,763	10	1.5	00.3-02.7	60	12.6	08.9-16.3
College Graduate	541	69,371	18	2.8	01.4-04.2	54	10.4	07.3-13.5
Less than \$15,000	86	10,265	3	1.3	00.0-03.1	9	5.8	00.9-10.7
\$15,000- 24,999	177	19,542	9	5.8	01.3-10.3	23	13.5	06.2-20.8
\$25,000- 34,999	210	25,954	6	2.1	00.3-03.9	15	6.9	03.0-10.8
\$35,000- 49,999	287	35,447	13	3.7	01.3-06.1	35	12.9	08.0-17.8
\$50,000- 74,999	297	41,191	1	0.2	00.0-00.6	36	12.3	07.8-16.8
\$75,000+	413	56,678	11	2.2	00.8-03.6	41	9.2	06.1-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 8: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

N	3 or more days		N	None or <10 mins per week	
	%	C.I. (95%)		%	C.I. (95%)
1380	86.6	84.6-88.6	1	0.0	00.0-00.0
87	90.2	82.6-97.8			
1275	86.4	84.2-88.6	1	0.0	00.0-00.0
68	88.3	80.7-95.9			
159	85.0	79.5-90.5			
232	86.5	82.2-90.8			
338	86.5	82.8-90.2	1	0.1	00.0-00.3
291	87.5	83.6-91.4			
281	86.6	82.5-90.7			
99	87.3	81.0-93.6			
389	87.3	83.4-91.2			
423	85.8	81.9-89.7	1	0.1	00.0-00.3
469	86.8	83.5-90.1			
74	92.9	87.6-98.2			
145	80.7	72.5-88.9			
189	90.9	86.6-95.2			
238	83.2	77.9-88.5	1	0.2	00.0-00.6
260	87.4	82.7-92.1			
361	88.6	85.3-91.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 9: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2382	219,935	75	3.1	01.9-04.3	198	7.5	06.1-08.9
Native	181	10,211	6	2.9	00.0-06.8	13	7.7	00.0-17.9
Non-Native	2190	208,924	69	3.1	01.9-04.3	184	7.5	06.1-08.9
18-24	89	33,075	4	6.1	00.0-12.6	5	5.7	00.2-11.2
25-34	279	36,560	3	0.8	00.0-01.8	17	6.4	03.5-09.3
35-44	382	35,645	5	1.3	00.1-02.5	22	4.8	02.4-07.2
45-54	544	41,355	12	1.7	00.7-02.7	46	8.8	06.1-11.5
55-64	451	30,850	17	3.9	01.9-05.9	42	8.7	05.8-11.6
65+	620	41,430	34	5.2	03.2-07.2	62	9.8	07.3-12.3
Less Than H.S.	150	13,362	8	3.6	00.9-06.3	15	7.5	03.4-11.6
H.S. or G.E.D.	694	60,703	31	3.3	01.9-04.7	65	10.2	06.9-13.5
Some Post-H.S.	799	76,011	25	4.0	01.3-06.7	67	6.7	04.7-08.7
College Graduate	739	69,858	11	1.7	00.1-03.3	51	6.0	04.2-07.8
Less than \$15,000	204	18,554	11	3.4	01.0-05.8	20	8.3	02.2-14.4
\$15,000- 24,999	365	30,393	21	7.2	01.3-13.1	36	8.1	04.6-11.6
\$25,000- 34,999	286	24,364	16	8.2	02.7-13.7	18	8.4	02.9-13.9
\$35,000- 49,999	369	31,037	11	2.1	00.7-03.5	34	8.9	05.6-12.2
\$50,000- 74,999	404	40,917	4	0.6	00.0-01.2	28	6.6	04.1-09.1
\$75,000+	401	42,674	3	0.8	00.0-01.8	30	5.9	03.5-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 9: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

N	3 or more days		N	None or <10 mins per week	
	%	C.I. (95%)		%	C.I. (95%)
2107	89.4	87.6-91.2	2	0.1	00.1-00.1
1935	89.4	87.6-91.2	2	0.1	00.1-00.1
80	88.2	80.0-96.4			
259	92.9	89.8-96.0			
355	94.0	91.5-96.5			
485	89.4	86.5-92.3	1	0.2	00.0-00.6
392	87.4	84.1-90.7			
523	84.8	81.7-87.9	1	0.2	00.0-00.6
127	88.9	83.8-94.0			
597	86.3	82.8-89.8	1	0.1	00.0-00.3
706	89.2	86.1-92.3	1	0.1	00.0-00.3
677	92.3	89.9-94.7			
172	87.9	81.2-94.6	1	0.3	00.0-01.1
307	84.4	77.9-90.9	1	0.2	00.0-00.6
252	83.4	76.1-90.7			
324	89.0	85.5-92.5			
372	92.8	90.1-95.5			
368	93.3	90.8-95.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 10: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4017	432,311	469	11.2	10.0-12.4	479	11.0	09.8-12.2	3069	77.7	76.1-79.3
Male	1612	210,387	173	10.7	08.7-12.7	165	9.9	08.1-11.7	1274	79.4	76.9-81.9
Female	2405	221,924	296	11.7	10.1-13.3	314	12.1	10.5-13.7	1795	76.2	74.0-78.4
Native	288	17,804	28	7.8	02.9-12.7	37	10.3	04.6-16.0	223	81.9	74.6-89.2
Non-Native	3698	411,435	437	11.3	09.9-12.7	439	11.1	09.9-12.3	2822	77.6	75.8-79.4
18-24	170	65,475	16	10.0	04.7-15.3	9	4.5	01.2-07.8	145	85.5	79.4-91.6
25-34	468	77,235	44	9.4	06.5-12.3	61	12.2	08.9-15.5	363	78.4	74.3-82.5
35-44	659	72,869	59	9.5	07.0-12.0	88	12.5	09.8-15.2	512	78.0	74.5-81.5
45-54	939	81,566	85	8.9	06.7-11.1	109	12.5	10.0-15.0	745	78.6	75.7-81.5
55-64	790	60,840	96	12.3	09.8-14.8	89	11.1	08.6-13.6	605	76.6	73.3-79.9
65+	961	72,129	165	17.6	14.9-20.3	121	12.7	10.3-15.1	675	69.8	66.5-73.1
Less Than H.S.	276	27,695	42	14.2	08.7-19.7	32	7.2	04.1-10.3	202	78.6	72.3-84.9
H.S. or G.E.D.	1157	121,483	159	14.7	11.8-17.6	126	10.2	08.0-12.4	872	75.1	71.8-78.4
Some Post-H.S.	1298	143,283	147	10.3	08.3-12.3	155	11.3	09.1-13.5	996	78.3	75.4-81.2
College Graduate	1286	139,851	121	8.5	06.7-10.3	166	12.2	10.0-14.4	999	79.3	76.8-81.8
Less than \$15,000	295	29,155	48	13.6	08.5-18.7	29	7.2	03.9-10.5	218	79.2	72.9-85.5
\$15,000- 24,999	547	50,396	82	13.6	09.5-17.7	66	10.8	07.5-14.1	399	75.6	70.7-80.5
\$25,000- 34,999	499	50,527	57	11.0	07.7-14.3	57	10.2	07.3-13.1	385	78.8	74.5-83.1
\$35,000- 49,999	657	66,655	73	10.5	08.0-13.0	93	14.0	10.7-17.3	491	75.5	71.6-79.4
\$50,000- 74,999	704	82,272	69	10.3	07.4-13.2	86	11.3	08.8-13.8	549	78.4	74.7-82.1
\$75,000+	817	99,701	68	7.6	05.6-09.6	96	11.6	08.9-14.3	653	80.8	77.7-83.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 11: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1612	210,387	173	10.7	08.7-12.7	165	9.9	08.1-11.7	1274	79.4	76.9-81.9
Native	104	7,409	7	6.9	00.0-15.9	13	7.8	00.4-15.2			
Non-Native	1489	200,867	164	10.8	08.8-12.8	150	10.1	08.3-11.9	1175	79.1	76.6-81.6
18-24	80	32,216	8	11.2	03.2-19.2	5	5.9	00.0-11.8	67	82.9	73.3-92.5
25-34	189	40,676	18	9.7	05.2-14.2	22	11.3	06.4-16.2	149	79.0	72.7-85.3
35-44	273	36,832	26	9.9	06.2-13.6	22	7.2	03.9-10.5	225	82.9	78.2-87.6
45-54	395	40,104	34	9.1	06.0-12.2	41	11.8	08.1-15.5	320	79.2	74.5-83.9
55-64	335	29,804	36	10.8	07.1-14.5	37	11.9	08.0-15.8	262	77.3	72.2-82.4
65+	327	29,578	50	15.1	11.0-19.2	37	11.1	07.2-15.0	240	73.8	68.5-79.1
Less Than H.S.	122	14,008	19	13.8	05.6-22.0	9	5.8	01.3-10.3	94	80.4	71.2-89.6
H.S. or G.E.D.	455	60,150	54	15.0	10.3-19.7	52	10.8	07.3-14.3	349	74.2	68.7-79.7
Some Post-H.S.	494	66,858	49	8.8	06.1-11.5	47	9.6	06.1-13.1	398	81.6	77.3-85.9
College Graduate	541	69,371	51	8.2	05.7-10.7	57	10.4	07.5-13.3	433	81.4	77.7-85.1
Less than \$15,000	86	10,265	15	13.8	04.8-22.8	5	4.6	00.0-10.1			
\$15,000- 24,999	179	19,769	28	13.8	07.7-19.9	13	7.1	02.2-12.0	138	79.1	71.7-86.5
\$25,000- 34,999	210	25,954	19	9.3	04.4-14.2	23	8.7	04.6-12.8	168	82.0	75.9-88.1
\$35,000- 49,999	287	35,447	35	11.1	07.2-15.0	41	14.3	09.2-19.4	211	74.6	68.7-80.5
\$50,000- 74,999	298	41,285	29	10.5	06.0-15.0	32	9.7	06.2-13.2	237	79.8	74.3-85.3
\$75,000+	415	56,939	31	7.1	04.4-09.8	41	11.1	07.0-15.2	343	81.8	77.1-86.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 12: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)**

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2405	221,924	296	11.7	10.1-13.3	314	12.1	10.5-13.7	1795	76.2	74.0-78.4
Native	184	10,395	21	8.3	02.8-13.8	24	12.1	03.9-20.3	139	79.5	69.9-89.1
Non-Native	2209	210,568	273	11.8	10.0-13.6	289	12.1	10.5-13.7	1647	76.1	73.9-78.3
18-24	90	33,258	8	8.9	02.0-15.8	4	3.1	00.0-06.6	78	88.0	80.6-95.4
25-34	279	36,560	26	9.2	05.3-13.1	39	13.1	09.0-17.2	214	77.7	72.4-83.0
35-44	386	36,037	33	9.2	05.9-12.5	66	17.8	13.5-22.1	287	73.0	68.1-77.9
45-54	544	41,462	51	8.9	06.2-11.6	68	13.1	10.0-16.2	425	78.0	74.1-81.9
55-64	455	31,036	60	13.8	10.1-17.5	52	10.3	07.4-13.2	343	75.9	71.4-80.4
65+	634	42,551	115	19.2	15.7-22.7	84	13.7	10.6-16.8	435	67.0	62.9-71.1
Less Than H.S.	154	13,687	23	14.5	07.2-21.8	23	8.6	04.3-12.9	108	76.8	68.4-85.2
H.S. or G.E.D.	702	61,333	105	14.5	11.0-18.0	74	9.6	07.2-12.0	523	75.9	71.8-80.0
Some Post-H.S.	804	76,425	98	11.7	08.8-14.6	108	12.9	10.2-15.6	598	75.4	71.5-79.3
College Graduate	745	70,480	70	8.8	06.4-11.2	109	14.0	11.1-16.9	566	77.2	73.7-80.7
Less than \$15,000	209	18,890	33	13.5	07.2-19.8	24	8.5	04.2-12.8	152	77.9	70.3-85.5
\$15,000- 24,999	368	30,627	54	13.5	08.0-19.0	53	13.2	08.7-17.7	261	73.3	66.8-79.8
\$25,000- 34,999	289	24,573	38	12.7	08.0-17.4	34	11.8	07.3-16.3	217	75.5	69.2-81.8
\$35,000- 49,999	370	31,208	38	9.9	06.6-13.2	52	13.6	09.7-17.5	280	76.5	71.6-81.4
\$50,000- 74,999	406	40,987	40	10.1	06.4-13.8	54	12.9	09.2-16.6	312	77.0	72.1-81.9
\$75,000+	402	42,762	37	8.2	05.3-11.1	55	12.4	09.1-15.7	310	79.4	75.1-83.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 13: NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4576	484,481	2118	52.6	50.6-54.6	2458	47.4	45.4-49.4
Male	1864	239,228	1036	60.4	57.7-63.1	828	39.6	36.9-42.3
Female	2712	245,253	1082	44.9	42.4-47.4	1630	55.1	52.6-57.6
Non-Native	4195	458,545	1959	53.0	51.0-55.0	2236	47.0	45.0-49.0
18-24	186	72,602	125	68.1	60.3-75.9	61	31.9	24.1-39.7
25-34	496	81,505	308	63.5	58.6-68.4	188	36.5	31.6-41.4
35-44	697	76,225	412	62.3	58.4-66.2	285	37.7	33.8-41.6
45-54	1052	91,155	543	53.1	49.8-56.4	509	46.9	43.6-50.2
55-64	896	68,408	376	44.7	41.0-48.4	520	55.3	51.6-59.0
65+	1213	91,809	338	27.9	25.0-30.8	875	72.1	69.2-75.0
Less Than H.S.	374	35,880	112	41.3	33.7-48.9	262	58.7	51.1-66.3
H.S. or G.E.D.	1358	141,632	570	48.0	44.3-51.7	788	52.0	48.3-55.7
Some Post-H.S.	1461	157,347	697	53.4	49.9-56.9	764	46.6	43.1-50.1
College Graduate	1382	149,537	739	58.7	55.6-61.8	643	41.3	38.2-44.4
Less than \$15,000	377	35,158	136	45.9	37.3-54.5	241	54.1	45.5-62.7
\$15,000- 24,999	667	61,074	227	40.8	35.3-46.3	440	59.2	53.7-64.7
\$25,000- 34,999	568	56,787	252	49.4	43.5-55.3	316	50.6	44.7-56.5
\$35,000- 49,999	721	72,253	333	51.3	46.8-55.8	388	48.7	44.2-53.2
\$50,000- 74,999	764	89,570	406	58.4	54.3-62.5	358	41.6	37.5-45.7
\$75,000+	875	106,437	533	65.3	61.6-69.0	342	34.7	31.0-38.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 14: NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1864	239,228	1036	60.4	57.7-63.1	828	39.6	36.9-42.3
Non-Native	1719	226,671	954	60.6	57.7-63.5	765	39.4	36.5-42.3
25-34	203	43,077	142	69.5	62.2-76.8	61	30.5	23.2-37.8
35-44	290	38,616	202	70.9	65.2-76.6	88	29.1	23.4-34.8
45-54	454	45,939	263	58.4	53.3-63.5	191	41.6	36.5-46.7
55-64	389	34,219	198	53.1	47.6-58.6	191	46.9	41.4-52.4
65+	422	38,563	152	36.8	31.7-41.9	270	63.2	58.1-68.3
H.S. or G.E.D.	553	72,345	288	55.5	50.0-61.0	265	44.5	39.0-50.0
Some Post-H.S.	562	74,263	340	63.8	58.7-68.9	222	36.2	31.1-41.3
College Graduate	576	73,844	353	65.8	61.3-70.3	223	34.2	29.7-38.7
\$15,000- 24,999	221	23,865	91	49.9	41.3-58.5	130	50.1	41.5-58.7
\$25,000- 34,999	239	29,058	138	62.4	54.2-70.6	101	37.6	29.4-45.8
\$35,000- 49,999	317	39,146	174	58.6	52.1-65.1	143	41.4	34.9-47.9
\$50,000- 74,999	338	46,631	201	64.2	58.1-70.3	137	35.8	29.7-41.9
\$75,000+	455	61,810	300	69.6	64.7-74.5	155	30.4	25.5-35.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 15: NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2712	245,253	1082	44.9	42.4-47.4	1630	55.1	52.6-57.6
Non-Native	2476	231,874	1005	45.7	43.2-48.2	1471	54.3	51.8-56.8
25-34	293	38,428	166	56.7	50.4-63.0	127	43.3	37.0-49.6
35-44	407	37,608	210	53.5	48.0-59.0	197	46.5	41.0-52.0
45-54	598	45,217	280	47.7	43.2-52.2	318	52.3	47.8-56.8
55-64	507	34,188	178	36.4	31.7-41.1	329	63.6	58.9-68.3
65+	791	53,246	186	21.5	18.4-24.6	605	78.5	75.4-81.6
H.S. or G.E.D.	805	69,287	282	40.1	35.2-45.0	523	59.9	55.0-64.8
Some Post-H.S.	899	83,084	357	44.1	39.6-48.6	542	55.9	51.4-60.4
College Graduate	806	75,693	386	51.8	47.5-56.1	420	48.2	43.9-52.5
\$15,000- 24,999	446	37,209	136	35.0	28.1-41.9	310	65.0	58.1-71.9
\$25,000- 34,999	329	27,729	114	35.7	28.4-43.0	215	64.3	57.0-71.6
\$35,000- 49,999	404	33,107	159	42.6	36.7-48.5	245	57.4	51.5-63.3
\$50,000- 74,999	426	42,939	205	52.1	46.4-57.8	221	47.9	42.2-53.6
\$75,000+	420	44,627	233	59.3	53.8-64.8	187	40.7	35.2-46.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 16: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)**

Denominator excludes: Respondents reporting no vigorous physical activity  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	One day		N	Two days	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	2097	253,199	381	17.0	15.0-19.0	460	22.8	20.4-25.2
Male	1029	143,944	205	17.8	15.1-20.5	235	24.4	20.9-27.9
Female	1068	109,255	176	15.9	13.2-18.6	225	20.8	17.5-24.1
Native	141	9,625	18	8.5	01.8-15.2			
Non-Native	1940	241,738	363	17.4	15.2-19.6	429	23.0	20.5-25.5
18-24	124	49,227	19	11.6	05.5-17.7	26	24.6	15.8-33.4
25-34	307	51,649	54	19.0	13.9-24.1	75	22.8	17.7-27.9
35-44	411	47,490	77	19.3	15.0-23.6	97	23.8	19.3-28.3
45-54	540	48,097	97	17.3	13.8-20.8	112	21.9	18.0-25.8
55-64	371	30,261	75	20.5	15.8-25.2	81	21.6	17.1-26.1
65+	328	25,073	59	15.3	11.2-19.4	64	20.5	15.4-25.6
Less Than H.S.	107	14,582	23	16.2	07.4-25.0			
H.S. or G.E.D.	566	67,822	101	16.3	12.4-20.2	115	20.6	16.1-25.1
Some Post-H.S.	689	83,454	126	17.4	13.7-21.1	154	22.7	18.4-27.0
College Graduate	735	87,341	131	17.2	14.1-20.3	171	25.1	21.0-29.2
Less than \$15,000	133	15,981	16	7.0	01.9-12.1			
\$15,000- 24,999	223	24,633	42	16.3	10.4-22.2	44	22.6	13.8-31.4
\$25,000- 34,999	251	28,003	55	20.7	14.0-27.4	46	17.1	11.0-23.2
\$35,000- 49,999	331	36,911	69	20.0	14.9-25.1	90	28.4	22.5-34.3
\$50,000- 74,999	406	52,333	70	16.9	12.6-21.2	94	21.9	17.2-26.6
\$75,000+	529	69,135	96	17.7	13.6-21.8	108	22.6	17.9-27.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 16: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)**

Denominator excludes: Respondents reporting no vigorous physical activity  
Denominator excludes: Respondents with do not know/refused/missing responses

N	3 or more days		N	None or <10 mins per week	
	%	C.I. (95%)		%	C.I. (95%)
1251	60.0	57.3-62.7	5	0.2	00.0-00.4
587	57.6	53.7-61.5	2	0.2	00.0-00.4
664	63.1	59.2-67.0	3	0.2	00.0-00.4
1144	59.4	56.5-62.3	1	1.0	00.0-03.0
79	63.8	54.2-73.4	4	0.2	00.0-00.4
178	58.2	51.9-64.5			
237	56.9	51.6-62.2			
329	60.5	55.8-65.2	2	0.4	00.0-01.0
215	57.9	52.2-63.6			
202	63.0	57.1-68.9	3	1.2	00.0-02.6
			1	0.4	00.0-01.2
348	62.7	57.4-68.0	2	0.3	00.0-00.7
408	59.8	54.7-64.9	1	0.1	00.0-00.3
432	57.6	53.1-62.1	1	0.1	00.0-00.3
			2	1.3	00.0-03.3
137	61.2	51.8-70.6			
149	61.8	53.6-70.0	1	0.3	00.0-00.9
171	51.4	44.9-57.9	1	0.2	00.0-00.6
242	61.3	55.4-67.2			
324	59.5	54.2-64.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 17: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)**

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One day		Two days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1029	143,944	205	17.8	15.1-20.5	235	24.4	20.9-27.9
Native	71	5,921	10	8.1	00.0-16.3			
Non-Native	947	136,709	195	18.4	15.5-21.3	219	24.8	21.3-28.3
18-24	69	27,056	11	10.9	02.7-19.1			
25-34	142	29,924	29	21.0	13.7-28.3	34	22.9	15.6-30.2
35-44	202	27,367	41	19.4	13.5-25.3	51	25.1	18.6-31.6
45-54	262	26,716	54	19.4	13.9-24.9	56	22.8	16.9-28.7
55-64	196	17,992	43	21.0	14.5-27.5	37	19.0	13.1-24.9
65+	148	13,880	27	15.5	09.6-21.4	37	25.4	17.6-33.2
H.S. or G.E.D.	288	40,177	51	16.7	11.4-22.0	57	20.6	14.5-26.7
Some Post-H.S.	335	46,988	69	16.9	12.0-21.8	81	25.9	19.4-32.4
College Graduate	351	48,367	74	19.8	15.1-24.5	82	25.5	19.8-31.2
Less than \$15,000	52	7,238	6	3.6	00.0-07.3			
\$15,000- 24,999	89	11,742	16	13.7	06.1-21.3			
\$25,000- 34,999	138	18,142	29	19.6	11.0-28.2	27	18.7	10.1-27.3
\$35,000- 49,999	173	22,853	33	18.3	11.6-25.0	53	31.2	23.0-39.4
\$50,000- 74,999	201	29,957	49	21.1	14.8-27.4	48	21.7	15.2-28.2
\$75,000+	297	42,766	58	19.2	13.5-24.9	67	27.0	20.3-33.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 17: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)**

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

N	3 or more days		N	None or <10 mins per week	
	%	C.I. (95%)		%	C.I. (95%)
587	57.6	53.7-61.5	2	0.2	00.0-00.4
532	56.7	52.8-60.6	1	1.6	00.0-04.7
			1	0.1	00.0-00.3
79	56.2	47.2-65.2			
110	55.4	48.1-62.7			
152	57.8	50.9-64.7			
116	60.0	52.4-67.6			
82	57.4	48.6-66.2	2	1.7	00.0-04.1
179	62.4	55.1-69.7	1	0.4	00.0-01.2
184	56.9	49.8-64.0	1	0.2	00.0-00.6
195	54.7	48.4-61.0			
			1	1.9	00.0-05.8
			1	0.5	00.0-01.5
87	50.5	41.9-59.1			
104	57.2	49.0-65.4			
172	53.8	46.7-60.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 18: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)**

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1068	109,255	176	15.9	13.2-18.6	225	20.8	17.5-24.1
Non-Native	993	105,029	168	16.2	13.3-19.1	210	20.5	17.2-23.8
18-24	55	22,170	8	12.4	03.6-21.2			
25-34	165	21,725	25	16.2	09.7-22.7	41	22.7	16.0-29.4
35-44	209	20,123	36	19.1	13.0-25.2	46	22.0	15.9-28.1
45-54	278	21,381	43	14.6	10.3-18.9	56	20.8	15.5-26.1
55-64	175	12,269	32	19.7	13.0-26.4	44	25.4	18.3-32.5
65+	180	11,194	32	15.0	09.3-20.7	27	14.4	08.7-20.1
Less Than H.S.	52	6,169						
H.S. or G.E.D.	278	27,645	50	15.8	10.5-21.1	58	20.7	13.8-27.6
Some Post-H.S.	354	36,466	57	18.1	12.4-23.8	73	18.5	13.2-23.8
College Graduate	384	38,974	57	14.0	09.9-18.1	89	24.6	18.9-30.3
Less than \$15,000	81	8,743	10	9.9	01.3-18.5			
\$15,000- 24,999	134	12,891	26	18.6	09.6-27.6			
\$25,000- 34,999	113	9,862				19	14.2	06.9-21.5
\$35,000- 49,999	158	14,058	36	22.7	15.1-30.3	37	23.9	16.5-31.3
\$50,000- 74,999	205	22,376	21	11.2	05.3-17.1	46	22.2	15.5-28.9
\$75,000+	232	26,369	38	15.3	10.2-20.4	41	15.6	10.7-20.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 18: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)**

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

N	3 or more days		N	None or <10 mins per week	
	%	C.I. (95%)		%	C.I. (95%)
664	63.1	59.2-67.0	3	0.2	00.0-00.4
612	63.0	59.1-66.9	3	0.2	00.0-00.4
99	61.1	53.1-69.1			
127	58.8	51.5-66.1			
177	63.8	57.7-69.9	2	0.8	00.0-02.0
99	54.9	46.9-62.9			
120	69.9	62.5-77.3	1	0.6	00.0-01.8
			1	1.1	00.0-03.3
169	63.2	55.2-71.2	1	0.3	00.0-00.9
224	63.4	56.5-70.3			
237	61.2	54.9-67.5	1	0.2	00.0-00.6
			1	0.7	00.0-02.1
84	52.8	43.6-62.0	1	0.6	00.0-01.8
138	66.6	58.6-74.6			
152	68.8	61.9-75.7	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 19: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)**

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2113	254,206	234	9.5	07.9-11.1	247	11.7	09.9-13.5	1632	78.8	76.6-81.0
Male	1034	144,315	107	9.5	07.3-11.7	95	9.0	06.8-11.2	832	81.6	78.7-84.5
Female	1079	109,892	127	9.6	07.6-11.6	152	15.3	12.4-18.2	800	75.2	71.9-78.5
Native	142	9,551	14	7.1	02.2-12.0	15	12.1	03.7-20.5	113	80.9	71.3-90.5
Non-Native	1955	242,819	220	9.7	08.1-11.3	232	11.8	10.0-13.6	1503	78.6	76.2-81.0
18-24	125	49,410	8	5.6	01.3-09.9	13	10.5	04.4-16.6	104	83.9	76.6-91.2
25-34	308	51,719	22	6.5	03.8-09.2	44	13.1	09.0-17.2	242	80.4	75.7-85.1
35-44	412	47,506	43	9.5	06.6-12.4	50	12.3	08.8-15.8	319	78.3	74.0-82.6
45-54	541	48,209	56	11.9	08.6-15.2	63	11.2	08.3-14.1	422	76.9	72.8-81.0
55-64	376	30,601	53	14.3	10.4-18.2	50	14.8	10.7-18.9	273	70.8	65.7-75.9
65+	335	25,360	51	13.1	09.2-17.0	24	7.1	04.0-10.2	260	79.8	74.9-84.7
Less Than H.S.	111	14,760	21	14.5	04.7-24.3	14	10.9	02.7-19.1			
H.S. or G.E.D.	568	67,760	74	10.8	07.9-13.7	62	10.8	07.5-14.1	432	78.4	74.1-82.7
Some Post-H.S.	696	83,974	76	9.6	06.9-12.3	85	11.5	08.4-14.6	535	78.9	75.0-82.8
College Graduate	738	87,713	63	7.6	05.6-09.6	86	12.7	09.8-15.6	589	79.7	76.2-83.2
Less than \$15,000	134	15,921	17	6.4	02.3-10.5						
\$15,000- 24,999	227	24,906	26	10.4	04.9-15.9	32	15.0	07.9-22.1	169	74.6	66.4-82.8
\$25,000- 34,999	251	27,949	29	10.5	06.0-15.0	26	10.5	05.4-15.6	196	79.0	72.3-85.7
\$35,000- 49,999	332	36,964	46	13.1	08.8-17.4	36	10.0	06.3-13.7	250	76.8	71.5-82.1
\$50,000- 74,999	406	52,333	34	8.1	05.2-11.0	46	10.0	06.9-13.1	326	81.9	77.8-86.0
\$75,000+	532	69,394	43	6.5	04.3-08.7	69	12.8	09.5-16.1	420	80.6	76.7-84.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 20: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)**

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1034	144,315	107	9.5	07.3-11.7	95	9.0	06.8-11.2	832	81.6	78.7-84.5
Native	70	5,827	5	4.3	00.0-09.8						
Non-Native	953	137,174	102	9.8	07.4-12.2	90	9.0	06.8-11.2	761	81.2	78.3-84.1
18-24	69	27,056	6	8.9	01.5-16.3	5	7.5	00.8-14.2	58	83.5	73.9-93.1
25-34	142	29,924	9	5.6	01.9-09.3	9	5.6	01.5-09.7	124	88.8	83.3-94.3
35-44	202	27,367	16	7.5	03.8-11.2	19	10.1	05.6-14.6	167	82.4	76.7-88.1
45-54	263	26,828	30	12.8	07.9-17.7	29	10.7	06.6-14.8	204	76.5	70.6-82.4
55-64	198	18,157	28	14.0	08.7-19.3	25	14.7	08.8-20.6	145	71.3	64.2-78.4
65+	150	13,974	18	11.1	05.6-16.6	7	6.2	01.7-10.7	125	82.7	75.8-89.6
Less Than H.S.	55	8,413				4	6.6	00.0-13.3			
H.S. or G.E.D.	287	40,036	35	10.3	06.4-14.2	27	7.9	04.6-11.2	225	81.8	76.9-86.7
Some Post-H.S.	339	47,311	37	10.7	06.6-14.8	29	8.8	04.7-12.9	273	80.5	75.0-86.0
College Graduate	353	48,555	27	6.0	03.5-08.5	35	10.4	06.5-14.3	291	83.5	79.0-88.0
Less than \$15,000	51	7,097	8	7.9	00.3-15.5	1	2.0	00.0-05.9	42	90.2	81.6-98.8
\$15,000- 24,999	91	11,901	6	9.4	00.0-19.0	13	13.3	05.3-21.3			
\$25,000- 34,999	137	18,048	13	8.1	02.6-13.6	11	9.8	02.7-16.9	113	82.1	73.5-90.7
\$35,000- 49,999	174	22,947	26	14.4	08.1-20.7	12	6.1	02.2-10.0	136	79.4	72.3-86.5
\$50,000- 74,999	201	29,957	20	8.9	04.8-13.0	19	7.4	03.9-10.9	162	83.7	78.4-89.0
\$75,000+	300	43,025	24	6.7	03.8-09.6	32	11.7	07.0-16.4	244	81.5	76.2-86.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 17: PHYSICAL ACTIVITY**

**TABLE 21: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)**

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1079	109,892	127	9.6	07.6-11.6	152	15.3	12.4-18.2	800	75.2	71.9-78.5
Native	72	3,723	9	11.3	01.9-20.7						
Non-Native	1002	105,645	118	9.5	07.5-11.5	142	15.3	12.2-18.4	742	75.1	71.6-78.6
18-24	56	22,354	2	1.6	00.0-04.0						
25-34	166	21,795	13	7.7	03.6-11.8	35	23.4	16.0-30.8	118	68.9	61.1-76.7
35-44	210	20,139	27	12.1	07.2-17.0	31	15.2	09.9-20.5	152	72.7	66.0-79.4
45-54	278	21,381	26	10.9	06.6-15.2	34	11.9	07.8-16.0	218	77.3	71.8-82.8
55-64	178	12,444	25	14.8	09.1-20.5	25	15.0	09.1-20.9	128	70.2	62.8-77.6
65+	185	11,385	33	15.5	09.6-21.4	17	8.2	04.1-12.3	135	76.3	69.4-83.2
Less Than H.S.	56	6,347	13	9.4	02.7-16.1						
H.S. or G.E.D.	281	27,724	39	11.5	07.2-15.8	35	15.0	08.3-21.7	207	73.5	66.2-80.8
Some Post-H.S.	357	36,662	39	8.2	05.3-11.1	56	15.0	09.9-20.1	262	76.8	71.1-82.5
College Graduate	385	39,158	36	9.5	06.2-12.8	51	15.5	11.0-20.0	298	75.0	69.7-80.3
Less than \$15,000	83	8,824	9	5.3	01.2-09.4						
\$15,000- 24,999	136	13,005	20	11.3	05.6-17.0						
\$25,000- 34,999	114	9,901	16	14.7	06.3-23.1	15	11.8	04.9-18.7			
\$35,000- 49,999	158	14,016	20	10.9	05.6-16.2	24	16.4	09.5-23.3	114	72.6	64.6-80.6
\$50,000- 74,999	205	22,376	14	7.1	03.2-11.0	27	13.4	07.7-19.1	164	79.5	72.8-86.2
\$75,000+	232	26,369	19	6.2	03.3-09.1	37	14.7	10.0-19.4	176	79.1	73.6-84.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

**SECTION 18: HIV/AIDS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)	
1	MALES AND FEMALES	241
2	MALES ONLY	242
3	FEMALES ONLY	243
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD2)	
4	MALES AND FEMALES	244
5	MALES ONLY	245
6	FEMALES ONLY	246
	WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)	
7	MALES AND FEMALES	247
8	MALES ONLY	248
9	FEMALES ONLY	249
	WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)	
10	MALES AND FEMALES	250
11	MALES ONLY	251
12	FEMALES ONLY	252

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3267	384,799	808	26.8	24.6-29.0	2459	73.2	71.0-75.4
Male	1397	196,688	292	22.3	19.4-25.2	1105	77.7	74.8-80.6
Female	1870	188,111	516	31.5	28.6-34.4	1354	68.5	65.6-71.4
Non-Native	2960	362,599	700	25.8	23.6-28.0	2260	74.2	72.0-76.4
18-24	185	72,894	61	30.9	23.3-38.5	124	69.1	61.5-76.7
25-34	488	80,122	214	41.2	36.3-46.1	274	58.8	53.9-63.7
35-44	685	75,078	240	33.7	29.8-37.6	445	66.3	62.4-70.2
45-54	1035	89,802	192	17.1	14.6-19.6	843	82.9	80.4-85.4
55-64	874	66,904	101	10.5	08.1-12.9	773	89.5	87.1-91.9
H.S. or G.E.D.	863	106,238	186	26.4	22.1-30.7	677	73.6	69.3-77.9
Some Post-H.S.	1104	129,876	280	26.5	22.8-30.2	824	73.5	69.8-77.2
College Graduate	1154	130,925	308	27.2	24.1-30.3	846	72.8	69.7-75.9
\$15,000- 24,999	359	38,770	109	35.8	28.4-43.2	250	64.2	56.8-71.6
\$25,000- 34,999	381	42,309	97	27.2	20.3-34.1	284	72.8	65.9-79.7
\$35,000- 49,999	550	58,291	119	25.5	20.8-30.2	431	74.5	69.8-79.2
\$50,000- 74,999	666	81,322	143	23.3	19.2-27.4	523	76.7	72.6-80.8
\$75,000+	801	100,108	181	24.0	20.3-27.7	620	76.0	72.3-79.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1397	196,688	292	22.3	19.6-25.0	1105	77.7	75.0-80.4
Non-Native	1284	186,403	261	21.7	18.8-24.6	1023	78.3	75.4-81.2
18-24	90	37,832	16	17.2	08.4-26.0	74	82.8	74.0-91.6
25-34	201	42,498	71	34.7	27.4-42.0	130	65.3	58.0-72.6
35-44	288	38,314	85	30.5	24.6-36.4	203	69.5	63.6-75.4
45-54	444	44,991	77	15.8	12.1-19.5	367	84.2	80.5-87.9
55-64	374	33,053	43	11.5	07.8-15.2	331	88.5	84.8-92.2
H.S. or G.E.D.	400	58,737	79	21.8	16.3-27.3	321	78.2	72.7-83.7
Some Post-H.S.	470	66,046	111	24.9	19.8-30.0	359	75.1	70.0-80.2
College Graduate	456	63,142	93	21.2	16.7-25.7	363	78.8	74.3-83.3
\$15,000- 24,999	119	14,696	20	21.3	11.3-31.3	99	78.7	68.7-88.7
\$25,000- 34,999	167	22,425	33	22.5	13.1-31.9	134	77.5	68.1-86.9
\$35,000- 49,999	241	32,034	55	27.7	20.8-34.6	186	72.3	65.4-79.2
\$50,000- 74,999	285	41,989	53	21.1	15.0-27.2	232	78.9	72.8-85.0
\$75,000+	401	56,949	87	21.6	16.7-26.5	314	78.4	73.5-83.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1870	188,111	516	31.5	28.6-34.4	1354	68.5	65.6-71.4
Non-Native	1676	176,196	439	30.1	27.0-33.2	1237	69.9	66.8-73.0
25-34	287	37,624	143	48.5	42.2-54.8	144	51.5	45.2-57.8
35-44	397	36,764	155	37.0	31.7-42.3	242	63.0	57.7-68.3
45-54	591	44,810	115	18.4	15.1-21.7	476	81.6	78.3-84.9
55-64	500	33,851	58	9.4	06.7-12.1	442	90.6	87.9-93.3
H.S. or G.E.D.	463	47,501	107	32.1	25.6-38.6	356	67.9	61.4-74.4
Some Post-H.S.	634	63,830	169	28.3	23.0-33.6	465	71.7	66.4-77.0
College Graduate	698	67,783	215	32.8	28.3-37.3	483	67.2	62.7-71.7
\$15,000- 24,999	240	24,074	89	44.6	35.0-54.2	151	55.4	45.8-65.0
\$25,000- 34,999	214	19,885	64	32.4	22.8-42.0	150	67.6	58.0-77.2
\$35,000- 49,999	309	26,257	64	22.8	16.9-28.7	245	77.2	71.3-83.1
\$50,000- 74,999	381	39,333	90	25.6	20.3-30.9	291	74.4	69.1-79.7
\$75,000+	400	43,159	94	27.1	21.6-32.6	306	72.9	67.4-78.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	598	74,282	39	5.2	03.4-07.0	80	10.8	08.1-13.5	136	19.7	15.8-23.6	222	38.8	33.5-44.1	121	25.6	20.3-30.9
Male	204	29,894	13	5.1	02.2-08.0	25	10.3	05.6-15.0	40	18.0	11.9-24.1	87	42.4	33.8-51.0	39	24.2	15.8-32.6
Female	394	44,388	26	5.2	03.0-07.4	55	11.1	08.0-14.2	96	20.9	15.8-26.0	135	36.3	29.8-42.8	82	26.5	19.6-33.4
Native	75	4,679	3	8.3	00.0-17.5												
Non-Native	523	69,603	36	5.0	03.2-06.8	72	10.6	07.9-13.3	123	20.1	16.0-24.2	194	38.9	33.4-44.4	98	25.5	19.8-31.2
25-34	170	24,798				10	5.7	01.6-09.8	35	20.1	13.0-27.2	82	51.3	42.7-59.9	43	22.9	15.8-30.0
35-44	178	18,552	15	10.3	05.0-15.6	31	20.2	13.5-26.9	44	23.5	16.6-30.4	58	30.8	23.2-38.4	30	15.2	08.9-21.5
45-54	150	11,613	15	11.2	05.5-16.9	29	19.0	11.7-26.3	43	30.8	22.4-39.2	49	29.4	21.6-37.2	14	9.5	04.4-14.6
55-64	61	4,214	9	14.8	05.0-24.6										12	12.6	04.4-20.8
H.S. or G.E.D.	136	19,160	8	4.3	01.0-07.6	18	9.3	04.6-14.0	34	23.4	13.6-33.2						
Some Post-H.S.	202	24,836	16	7.4	03.5-11.3	21	9.7	05.0-14.4	47	16.5	11.0-22.0	73	40.4	30.6-50.2	45	26.0	17.0-35.0
College Graduate	237	26,656	12	3.1	01.1-05.1	41	14.3	09.4-19.2	51	20.6	14.5-26.7	92	41.6	33.8-49.4	41	20.4	12.8-28.0
Less than \$15,000	56	5,650	1	1.0	00.0-03.0	2	1.7	00.0-04.2									
\$15,000- 24,999	76	8,874	7	7.0	01.3-12.7	8	6.3	01.2-11.4									
\$25,000- 34,999	73	8,113	3	3.1	00.0-07.2	5	5.3	00.2-10.4	21	15.0	06.6-23.4						
\$35,000- 49,999	85	10,368	3	2.3	00.0-05.0				16	15.8	07.4-24.2				15	13.6	05.0-22.2
\$50,000- 74,999	113	15,118	9	7.1	02.0-12.2	17	12.8	06.3-19.3	29	24.5	15.5-33.5						
\$75,000+	148	19,747	14	6.8	03.1-10.5	21	10.0	05.3-14.7	36	23.2	15.6-30.8	56	39.3	29.3-49.3	21	20.7	11.1-30.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older  
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	204	29,894	13	5.1	02.2-08.0	25	10.3	05.6-15.0	40	18.0	11.9-24.1	87	42.4	33.8-51.0	39	24.2	15.8-32.6
Non-Native	179	27,838	11	4.6	01.7-07.5	21	9.5	04.8-14.2	38	18.4	11.9-24.9	77	43.6	34.6-52.6	32	24.0	15.2-32.8
25-34	53	10,642				5	7.6	00.0-15.6									
35-44	58	7,712	7	12.7	03.3-22.1				8	12.0	03.4-20.6						
45-54	57	4,961	3	5.6	00.0-12.1										7	12.4	03.4-21.4
H.S. or G.E.D.	60	9,035	3	3.1	00.0-07.0	7	8.8	01.5-16.1									
Some Post-H.S.	74	10,615	10	11.8	04.2-19.4	7	10.9	02.1-19.7	11	10.5	03.6-17.4						
College Graduate	64	9,048				11	12.5	03.7-21.3									
\$75,000+	65	9,246	4	5.3	00.0-10.6	8	6.9	01.4-12.4									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older  
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2005			2006		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	394	44,388	26	5.2	03.0-07.4	55	11.1	07.8-14.4	96	20.9	15.8-26.0	135	36.3	29.6-43.0	82	26.5	19.6-33.4
Native	50	2,622	1	4.9	00.0-14.3	4	8.4	00.0-18.2									
Non-Native	344	41,766	25	5.2	02.8-07.6	51	11.3	08.0-14.6	85	21.2	15.9-26.5	117	35.7	28.8-42.6	66	26.6	19.3-33.9
25-34	117	14,156				5	4.2	00.5-07.9	23	18.1	10.5-25.7	55	51.0	41.0-61.0	34	26.7	17.9-35.5
35-44	120	10,839	8	8.5	02.2-14.8	23	23.1	14.5-31.7	36	31.7	22.1-41.3	35	26.3	17.7-34.9	18	10.3	04.6-16.0
45-54	93	6,652	12	15.4	07.2-23.6	20	21.4	12.2-30.6				26	25.2	15.8-34.6	7	7.4	01.7-13.1
H.S. or G.E.D.	76	10,125	5	5.4	00.1-10.7	11	9.7	03.4-16.0									
Some Post-H.S.	128	14,221	6	4.2	00.7-07.7	14	8.8	03.7-13.9	36	21.0	13.0-29.0						
College Graduate	173	17,608	12	4.7	01.8-07.6	30	15.3	09.4-21.2	37	20.2	13.3-27.1	65	39.8	30.8-48.8	29	20.1	10.3-29.9
\$15,000- 24,999	62	6,686	4	5.6	00.0-11.7	8	8.3	01.4-15.2									
\$25,000- 34,999	51	5,382	1	0.8	00.0-02.4	4	7.0	00.0-14.3									
\$50,000- 74,999	77	8,535	6	6.8	00.9-12.7	12	14.5	06.3-22.7							12	16.2	07.4-25.0
\$75,000+	83	10,500	10	8.1	02.6-13.6	13	12.7	05.4-20.0	21	24.5	14.5-34.5						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	799	101,986	155	18.4	15.1-21.7	16	1.8	00.6-03.0	496	61.7	57.2-66.2	9	2.3	00.5-04.1	36	3.8	02.4-05.2	87	12.0	09.1-14.9
Male	291	43,847	32	10.5	06.0-15.0	2	0.5	00.0-01.3	177	58.8	51.5-66.1	8	4.9	01.0-08.8	16	4.8	02.3-07.3	56	20.5	14.6-26.4
Female	508	58,140	123	24.4	19.7-29.1	14	2.7	00.5-04.9	319	63.8	58.3-69.3	1	0.3	00.0-00.9	20	3.1	01.5-04.7	31	5.7	03.2-08.2
Native	105	9,356				2	6.7	00.0-17.7				1	1.2	00.0-03.6	1	0.1	00.0-00.3	9	9.9	02.5-17.3
Non-Native	692	92,371	146	19.0	15.5-22.5	13	1.1	00.5-01.7	412	61.0	56.3-65.7	8	2.4	00.4-04.4	35	4.2	02.6-05.8	78	12.3	09.2-15.4
18-24	60	22,526	7	11.6	02.6-20.6	1	2.4	00.0-07.1				3	5.3	00.0-11.6	1	1.2	00.0-03.6	4	6.2	00.0-14.0
25-34	212	32,470	41	19.1	13.4-24.8	2	0.9	00.0-02.1	146	66.2	58.9-73.5	4	2.5	00.0-05.2	3	1.9	00.0-04.3	16	9.5	04.6-14.4
35-44	235	24,682	46	22.0	15.9-28.1	5	1.9	00.1-03.7	134	51.4	44.1-58.7	1	0.9	00.0-02.7	15	6.4	02.9-09.9	34	17.4	11.7-23.1
45-54	192	15,341	43	23.0	16.3-29.7	5	2.1	00.1-04.1	110	52.5	44.5-60.5	1	0.7	00.0-02.1	13	7.3	03.2-11.4	20	14.4	08.1-20.7
55-64	100	6,968	18	14.4	06.8-22.0	3	2.5	00.0-05.4				4	4.1	00.0-08.4	13	19.2	09.2-29.2			
H.S. or G.E.D.	185	27,651	33	13.3	08.0-18.6	1	0.2	00.0-00.6	119	62.2	52.6-71.8	5	5.8	00.3-11.3	9	4.5	01.0-08.0	18	14.1	06.5-21.7
Some Post-H.S.	276	34,171	44	17.2	11.1-23.3	8	3.4	00.1-06.7	175	62.8	55.2-70.4	2	0.9	00.0-02.1	14	3.5	01.3-05.7	33	12.3	07.8-16.8
College Graduate	304	35,116	69	23.4	17.7-29.1	7	1.7	00.3-03.1	180	58.9	52.0-65.8	1	0.6	00.0-01.8	13	4.2	01.8-06.6	34	11.2	06.9-15.5
Less than \$15,000	87	9,329	7	4.8	00.0-09.7	2	1.3	00.0-03.3				1	2.0	00.0-05.9	4	2.4	00.0-04.9	6	8.9	00.3-17.5
\$15,000- 24,999	109	13,868	20	16.7	08.1-25.3	3	4.9	00.0-12.5						5	6.4	00.0-12.9	11	12.1	04.5-19.7	
\$25,000- 34,999	96	11,444	19	19.2	09.2-29.2	3	1.6	00.0-03.6				4	8.5	00.0-17.9	3	1.9	00.0-04.6			
\$35,000- 49,999	117	14,684	30	23.8	14.8-32.8	4	1.7	00.0-03.5				1	0.8	00.0-02.4	4	2.2	00.0-04.6	19	19.8	11.0-28.6
\$50,000- 74,999	142	18,792	27	18.8	11.0-26.6							2	3.9	00.0-09.6	4	2.5	00.0-05.0	15	13.4	04.8-22.0
\$75,000+	180	23,839	38	21.8	14.4-29.2	3	1.7	00.0-03.7	103	57.9	49.3-66.5	1	1.5	00.0-04.2	16	7.5	03.6-11.4	19	9.7	05.2-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	291	43,847	32	10.5	06.0-15.0	2	0.5	00.0-01.3	177	58.8	51.5-66.1	8	4.9	01.0-08.8	16	4.8	02.1-07.5	56	20.5	14.6-26.4
Non-Native	260	40,444	30	10.7	06.0-15.4	1	0.2	00.0-00.6	155	57.8	50.4-65.2	7	5.1	01.0-09.2	16	5.2	02.3-08.1	51	21.0	14.9-27.1
25-34	71	14,730	3	5.5	00.0-11.8							4	5.5	00.0-11.4	1	2.4	00.0-06.9	12	17.0	07.2-26.8
35-44	84	11,681	11	14.0	05.8-22.2	2	1.9	00.0-04.6				1	1.9	00.0-05.6	6	7.8	01.5-14.1	17	23.3	13.3-33.3
45-54	77	7,114	10	14.2	05.0-23.4							1	1.6	00.0-04.7	8	10.4	03.0-17.8			
H.S. or G.E.D.	79	12,830	7	6.0	00.9-11.1										5	5.5	00.0-11.4			
Some Post-H.S.	110	16,427	11	12.2	03.0-21.4	2	1.4	00.0-03.4				1	0.7	00.0-02.1	5	3.7	00.0-07.4	24	20.4	12.2-28.6
College Graduate	93	13,365	13	13.6	05.6-21.6							1	1.7	00.0-05.0	6	5.9	01.2-10.6	16	18.0	08.8-27.2
\$35,000- 49,999	54	8,861										1	1.3	00.0-03.8	1	1.3	00.0-03.8			
\$50,000- 74,999	53	8,865	6	7.7	00.4-15.0							2	8.3	00.0-19.9	3	3.8	00.0-08.1			
\$75,000+	87	12,293										1	2.8	00.0-08.3	8	8.7	02.4-15.0	13	14.2	06.4-22.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WVRTST8)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	508	58,140	123	24.4	19.7-29.1	14	2.7	00.5-04.9	319	63.8	58.3-69.3	1	0.3	00.0-00.9	20	3.1	01.5-04.7	31	5.7	03.2-08.2
Native	75	6,105													1	0.2	00.0-00.6	4	7.2	00.0-15.2
Non-Native	432	51,927	116	25.4	20.5-30.3	12	1.8	00.6-03.0	257	63.5	57.8-69.2	1	0.4	00.0-01.2	19	3.4	01.6-05.2	27	5.5	02.8-08.2
25-34	141	17,740	38	30.3	21.9-38.7	2	1.6	00.0-03.8	95	63.4	54.6-72.2				2	1.6	00.0-03.8	4	3.2	00.0-06.5
35-44	151	13,000	35	29.2	20.8-37.6	3	1.9	00.0-04.1	87	51.7	42.7-60.7				9	5.3	01.4-09.2	17	12.0	06.1-17.9
45-54	115	8,228	33	30.7	21.3-40.1	5	3.9	00.2-07.6							5	4.7	00.6-08.8	7	7.0	01.7-12.3
55-64	57	3,151				3	5.6	00.0-12.1							3	5.6	00.0-12.1	2	1.7	00.0-04.4
H.S. or G.E.D.	106	14,821	26	19.7	11.1-28.3	1	0.3	00.0-00.9							4	3.6	00.0-07.9	4	6.3	00.0-13.9
Some Post-H.S.	166	17,745	33	21.9	13.7-30.1	6	5.2	00.0-11.5				1	1.0	00.0-03.0	9	3.3	00.9-05.7	9	4.8	01.5-08.1
College Graduate	211	21,751	56	29.4	21.6-37.2	7	2.7	00.5-04.9	123	57.7	49.3-66.1				7	3.2	00.8-05.6	18	7.0	03.3-10.7
Less than \$15,000	64	6,702	5	5.4	00.0-11.7	2	1.9	00.0-04.6				1	2.7	00.0-08.0	4	3.3	00.0-06.8	3	4.3	00.0-09.6
\$15,000- 24,999	89	10,741				3	6.3	00.0-16.1							3	4.4	00.0-10.1	7	7.7	01.6-13.8
\$25,000- 34,999	63	6,403				2	1.7	00.0-04.1							1	0.8	00.0-02.6			
\$35,000- 49,999	63	5,823				4	4.3	00.0-08.8							3	3.5	00.0-08.2	3	3.0	00.0-07.1
\$50,000- 74,999	89	9,927													1	1.4	00.0-04.1	6	5.9	00.8-11.0
\$75,000+	93	11,547	27	28.3	18.3-38.3	3	3.5	00.0-07.4							8	6.2	01.7-10.7	6	4.8	00.9-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 10: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	154	24,709	11	5.6	01.7-09.5	143	94.4	90.5-98.3
Male	62	11,330	4	4.6	00.0-10.9	58	95.4	89.1-0100
Female	92	13,379	7	6.5	01.4-11.6	85	93.5	88.4-98.6
Non-Native	121	21,356	8	5.7	01.2-10.2	113	94.3	89.8-98.8
Some Post-H.S.	53	7,516	2	1.2	00.0-03.0	51	98.8	97.0-0100
College Graduate	51	7,105	2	3.0	00.0-07.3	49	97.0	92.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 11: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	62	11,330	4	4.6	00.0-11.1	58	95.4	88.9-0100
Non-Native	53	10,422	2	4.4	00.0-11.3	51	95.6	88.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 18: HIV/AIDS**

**TABLE 12: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	92	13,379	7	6.5	01.4-11.6	85	93.5	88.4-98.6
Non-Native	68	10,934	6	7.1	01.0-13.2	62	92.9	86.8-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	254
2	MALES ONLY	255
3	FEMALES ONLY	256
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	257
5	MALES ONLY	258
6	FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**  
**SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION**  
**TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4497	477,865	2088	48.0	46.0-50.0	1534	35.0	33.0-37.0	544	10.8	09.6-12.0	153	2.9	02.1-03.7	178	3.2	02.6-03.8
Male	1811	235,082	843	48.1	45.2-51.0	579	33.9	31.0-36.8	210	10.5	08.5-12.5	75	3.1	02.3-03.9	104	4.4	03.2-05.6
Female	2686	242,783	1245	47.8	45.3-50.3	955	36.1	33.6-38.6	334	11.1	09.7-12.5	78	2.8	01.6-04.0	74	2.1	01.5-02.7
Native	332	21,681				84	25.8	16.2-35.4	47	12.6	04.6-20.6	22	3.3	00.6-06.0	24	9.7	03.8-15.6
Non-Native	4127	452,507	1917	48.0	46.0-50.0	1445	35.6	33.6-37.6	489	10.6	09.4-11.8	128	2.9	02.1-03.7	148	2.9	02.3-03.5
18-24	183	72,612	85	46.3	38.1-54.5	64	37.8	29.8-45.8	17	9.1	04.2-14.0	9	3.5	00.2-06.8	8	3.4	00.9-05.9
25-34	492	80,875	245	49.5	44.4-54.6	180	37.0	32.1-41.9	43	9.1	06.2-12.0	14	2.3	00.9-03.7	10	2.1	00.5-03.7
35-44	688	75,298	307	46.6	42.5-50.7	263	39.0	34.9-43.1	85	10.4	08.0-12.8	23	3.0	01.6-04.4	10	1.0	00.2-01.8
45-54	1035	89,648	468	47.2	43.7-50.7	377	35.7	32.4-39.0	120	10.8	08.6-13.0	34	3.0	01.8-04.2	36	3.3	02.1-04.5
55-64	880	67,179	413	49.7	46.0-53.4	288	32.9	29.4-36.4	103	10.9	08.5-13.3	36	3.0	01.8-04.2	40	3.5	02.3-04.7
65+	1185	89,575	553	48.4	45.3-51.5	355	29.2	26.3-32.1	169	13.8	11.6-16.0	37	3.0	01.8-04.2	71	5.6	04.2-07.0
Less Than H.S.	354	34,213	127	37.7	30.4-45.0	84	23.3	17.0-29.6	78	22.7	16.0-29.4	19	4.3	01.9-06.7	46	12.0	07.1-16.9
H.S. or G.E.D.	1329	138,520	647	49.8	46.1-53.5	379	30.3	26.8-33.8	189	13.1	10.7-15.5	50	3.3	02.1-04.5	64	3.5	02.3-04.7
Some Post-H.S.	1437	156,056	652	45.9	42.4-49.4	504	36.4	32.9-39.9	177	10.8	08.6-13.0	61	4.0	02.2-05.8	43	2.9	01.7-04.1
College Graduate	1375	148,925	661	50.8	47.5-54.1	566	40.7	37.6-43.8	100	6.0	04.6-07.4	23	1.2	00.6-01.8	25	1.3	00.7-01.9
Less than \$15,000	367	34,102	128	36.3	28.1-44.5	94	28.5	20.3-36.7	68	17.0	11.1-22.9	38	7.7	03.6-11.8	39	10.5	05.8-15.2
\$15,000- 24,999	652	59,793	260	38.6	33.3-43.9	197	31.1	26.2-36.0	110	16.3	12.6-20.0	39	7.9	04.2-11.6	46	6.1	03.7-08.5
\$25,000- 34,999	560	56,320	249	49.2	43.3-55.1	192	33.4	27.9-38.9	75	12.3	09.0-15.6	25	3.2	01.6-04.8	19	1.9	00.9-02.9
\$35,000- 49,999	705	70,753	343	48.6	44.1-53.1	259	37.5	33.2-41.8	71	9.7	07.3-12.1	15	1.4	00.6-02.2	17	2.8	00.8-04.8
\$50,000- 74,999	763	89,624	348	46.1	41.8-50.4	313	40.6	36.3-44.9	72	9.7	06.8-12.6	14	1.7	00.7-02.7	16	1.9	00.7-03.1
\$75,000+	863	105,141	472	55.5	51.4-59.6	311	36.6	32.7-40.5	56	5.7	03.9-07.5	7	0.7	00.1-01.3	17	1.5	00.7-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

**TABLE 2. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1811	235,082	843	48.1	45.2-51.0	579	33.9	31.0-36.8	210	10.5	08.5-12.5	75	3.1	02.3-03.9	104	4.4	03.2-05.6
Native	116	9,619										7	3.9	00.0-09.2	12	11.2	01.6-20.8
Non-Native	1674	223,070	780	48.6	45.5-51.7	547	34.1	31.2-37.0	193	10.3	08.3-12.3	65	3.0	02.2-03.8	89	4.0	02.8-05.2
18-24	89	37,577							10	12.5	04.3-20.7	3	0.6	00.0-01.6	6	5.4	00.7-10.1
25-34	202	43,076	100	50.2	42.4-58.0	72	35.8	28.5-43.1	18	8.4	03.9-12.9	6	2.7	00.3-05.1	6	2.9	00.4-05.4
35-44	287	38,303	130	49.2	42.9-55.5	110	37.2	31.1-43.3	34	9.5	06.0-13.0	12	3.7	01.3-06.1	1	0.4	00.0-01.2
45-54	440	44,641	202	47.6	42.3-52.9	151	34.9	29.8-40.0	45	9.3	06.4-12.2	21	4.2	02.0-06.4	21	4.0	02.2-05.8
55-64	374	33,047	168	47.9	42.2-53.6	113	31.9	26.6-37.2	49	11.4	07.9-14.9	15	3.1	01.3-04.9	29	5.7	03.3-08.1
65+	404	37,036	200	51.4	46.1-56.7	97	24.1	19.6-28.6	51	11.8	08.5-15.1	18	4.3	02.1-06.5	38	8.4	05.7-11.1
Less Than H.S.	160	17,615	59	34.1	24.5-43.7	31	22.5	12.7-32.3	35	22.0	12.8-31.2	11	5.6	01.7-09.5	24	15.8	07.4-24.2
H.S. or G.E.D.	530	70,141	240	47.1	41.4-52.8	147	30.2	24.9-35.5	80	13.8	09.9-17.7	28	4.5	02.5-06.5	35	4.4	02.4-06.4
Some Post-H.S.	554	74,087	248	47.0	41.5-52.5	182	34.9	29.6-40.2	66	10.4	06.9-13.9	28	3.2	01.8-04.6	30	4.5	02.5-06.5
College Graduate	567	73,238	296	53.7	48.8-58.6	219	39.1	34.2-44.0	29	4.5	02.5-06.5	8	1.1	00.3-01.9	15	1.5	00.5-02.5
Less than \$15,000	117	13,256										12	7.7	01.8-13.6			
\$15,000- 24,999	210	22,774	64	31.8	23.2-40.4	60	30.9	22.7-39.1	44	20.9	13.6-28.2	17	7.2	03.3-11.1	25	9.2	04.9-13.5
\$25,000- 34,999	236	28,996	101	50.4	41.6-59.2	81	32.8	24.4-41.2	24	9.0	04.5-13.5	17	4.7	02.0-07.4	13	3.0	01.2-04.8
\$35,000- 49,999	304	37,926	150	47.8	41.1-54.5	97	34.8	28.3-41.3	36	10.7	07.0-14.4	11	2.5	00.9-04.1	10	4.2	00.9-07.5
\$50,000- 74,999	337	46,763	162	45.7	39.2-52.2	122	38.8	32.3-45.3	32	10.7	05.6-15.8	8	1.8	00.4-03.2	13	3.1	00.9-05.3
\$75,000+	446	60,770	251	56.9	51.2-62.6	151	36.1	30.4-41.8	28	4.5	02.5-06.5	4	0.8	00.0-01.6	12	1.7	00.7-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

**TABLE 3. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2686	242,783	1245	47.8	45.3-50.3	955	36.1	33.6-38.6	334	11.1	09.7-12.5	78	2.8	01.6-04.0	74	2.1	01.5-02.7
Native	216	12,062				55	19.4	11.4-27.4	33	12.2	05.7-18.7	15	2.8	00.1-05.5	12	8.4	01.1-15.7
Non-Native	2453	229,437	1137	47.4	44.9-49.9	898	37.1	34.6-39.6	296	11.0	09.4-12.6	63	2.8	01.6-04.0	59	1.7	01.1-02.3
18-24	94	35,034							7	5.4	00.5-10.3	6	6.5	00.0-13.0	2	1.2	00.0-03.4
25-34	290	37,799	145	48.7	42.4-55.0	108	38.3	32.2-44.4	25	9.8	05.9-13.7	8	1.8	00.2-03.4	4	1.3	00.0-02.9
35-44	401	36,995	177	43.8	38.3-49.3	153	40.8	35.5-46.1	51	11.3	08.0-14.6	11	2.4	00.8-04.0	9	1.7	00.5-02.9
45-54	595	45,007	266	46.9	42.4-51.4	226	36.5	32.2-40.8	75	12.2	09.3-15.1	13	1.9	00.7-03.1	15	2.6	01.0-04.2
55-64	506	34,131	245	51.4	46.5-56.3	175	33.8	29.1-38.5	54	10.4	07.5-13.3	21	3.0	01.4-04.6	11	1.4	00.4-02.4
65+	781	52,539	353	46.3	42.4-50.2	258	32.8	29.1-36.5	118	15.2	12.3-18.1	19	2.1	00.9-03.3	33	3.6	02.2-05.0
Less Than H.S.	194	16,598				53	24.2	16.4-32.0	43	23.4	14.0-32.8	8	3.0	00.3-05.7	22	7.9	04.0-11.8
H.S. or G.E.D.	799	68,379	407	52.6	47.9-57.3	232	30.4	25.9-34.9	109	12.4	09.7-15.1	22	2.1	01.1-03.1	29	2.6	01.4-03.8
Some Post-H.S.	883	81,969	404	44.9	40.4-49.4	322	37.8	33.3-42.3	111	11.0	08.6-13.4	33	4.7	01.8-07.6	13	1.5	00.3-02.7
College Graduate	808	75,687	365	48.1	43.8-52.4	347	42.1	38.0-46.2	71	7.5	05.5-09.5	15	1.3	00.5-02.1	10	1.0	00.2-01.8
Less than \$15,000	250	20,846	87	37.5	27.7-47.3				42	14.2	07.7-20.7	26	7.8	02.1-13.5	23	7.3	03.6-11.0
\$15,000- 24,999	442	37,018	196	42.8	36.1-49.5	137	31.3	25.0-37.6	66	13.4	09.7-17.1	22	8.3	02.6-14.0	21	4.2	01.7-06.7
\$25,000- 34,999	324	27,324	148	47.9	40.3-55.5	111	33.9	26.8-41.0	51	15.8	10.9-20.7	8	1.6	00.4-02.8	6	0.8	00.0-01.6
\$35,000- 49,999	401	32,827	193	49.5	43.6-55.4	162	40.7	34.8-46.6	35	8.4	05.5-11.3	4	0.1	00.0-00.3	7	1.2	00.2-02.2
\$50,000- 74,999	426	42,861	186	46.5	40.8-52.2	191	42.7	37.0-48.4	40	8.7	05.8-11.6	6	1.5	00.3-02.7	3	0.6	00.0-01.4
\$75,000+	417	44,371	221	53.7	47.8-59.6	160	37.3	31.8-42.8	28	7.2	03.9-10.5	3	0.6	00.0-01.4	5	1.3	00.1-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**  
**SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION**  
**TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4547	482,375	1983	45.9	43.9-47.9	2392	51.3	49.3-53.3	141	2.3	01.7-02.9	31	0.5	00.3-00.7
Male	1847	238,744	812	46.5	43.6-49.4	964	50.5	47.6-53.4	57	2.4	01.6-03.2	14	0.6	00.2-01.0
Female	2700	243,631	1171	45.2	42.7-47.7	1428	52.1	49.6-54.6	84	2.2	01.6-02.8	17	0.5	00.3-00.7
Native	337	21,863							24	6.4	01.7-11.1	3	0.6	00.0-01.6
Non-Native	4169	456,562	1844	46.1	44.1-48.1	2181	51.2	49.2-53.2	117	2.1	01.5-02.7	27	0.5	00.3-00.7
18-24	184	72,867	79	43.7	35.5-51.9	98	53.3	45.1-61.5	5	2.5	00.1-04.9	2	0.5	00.0-01.1
25-34	493	81,107	227	47.9	42.8-53.0	252	49.7	44.6-54.8	11	1.6	00.6-02.6	3	0.9	00.0-01.9
35-44	691	75,514	303	46.9	42.8-51.0	363	50.5	46.4-54.6	18	2.0	00.8-03.2	7	0.5	00.1-00.9
45-54	1044	90,507	456	45.2	41.9-48.5	544	51.4	47.9-54.9	36	2.7	01.7-03.7	8	0.7	00.1-01.3
55-64	891	68,214	415	50.0	46.3-53.7	428	45.9	42.2-49.6	42	3.7	02.3-05.1	6	0.4	00.0-00.8
65+	1208	91,389	487	42.3	39.2-45.4	687	55.6	52.5-58.7	29	1.8	01.0-02.6	5	0.3	00.1-00.5
Less Than H.S.	364	35,076	116	33.3	26.4-40.2	229	61.9	54.6-69.2	15	4.0	00.9-07.1	4	0.8	00.0-02.0
H.S. or G.E.D.	1350	140,438	520	41.2	37.5-44.9	776	55.6	51.9-59.3	44	2.4	01.4-03.4	10	0.8	00.2-01.4
Some Post-H.S.	1448	156,853	587	42.4	38.9-45.9	789	53.8	50.3-57.3	58	3.1	01.9-04.3	14	0.6	00.2-01.0
College Graduate	1383	149,858	758	56.7	53.6-59.8	598	42.1	39.0-45.2	24	1.0	00.6-01.4	3	0.1	00.0-00.3
Less than \$15,000	366	34,032	90	28.6	20.6-36.6	232	63.3	55.1-71.5	32	6.0	02.9-09.1	12	2.1	00.5-03.7
\$15,000- 24,999	663	60,857	193	26.9	22.6-31.2	421	66.3	61.4-71.2	40	5.4	03.0-07.8	9	1.4	00.4-02.4
\$25,000- 34,999	565	56,768	205	37.4	31.9-42.9	334	59.2	53.5-64.9	23	3.0	01.4-04.6	3	0.3	00.0-00.7
\$35,000- 49,999	716	71,801	315	42.7	38.4-47.0	386	54.5	50.0-59.0	13	2.5	00.7-04.3	2	0.3	00.0-00.7
\$50,000- 74,999	766	89,970	384	53.0	48.7-57.3	374	46.2	41.9-50.5	7	0.6	00.2-01.0	1	0.2	00.0-00.6
\$75,000+	869	105,678	536	63.0	59.1-66.9	328	36.6	32.7-40.5	5	0.3	00.0-00.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

**TABLE 5. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1847	238,744	812	46.5	43.6-49.4	964	50.5	47.6-53.4	57	2.4	01.6-03.2	14	0.6	00.2-01.0
Native	119	9,784							12	10.1	00.5-19.7	2	1.3	00.0-03.7
Non-Native	1703	226,252	763	47.4	44.5-50.3	884	50.0	47.1-52.9	45	2.1	01.3-02.9	11	0.6	00.2-01.0
18-24	90	37,832							4	3.4	00.0-06.9	1	0.5	00.0-01.5
25-34	203	43,308	98	49.9	42.1-57.7	96	46.8	39.2-54.4	6	1.7	00.1-03.3	3	1.6	00.0-03.6
35-44	288	38,454	129	48.2	41.9-54.5	147	49.0	42.7-55.3	10	2.6	00.6-04.6	2	0.2	00.0-00.6
45-54	448	45,350	185	43.7	38.6-48.8	247	53.3	48.0-58.6	14	2.5	00.9-04.1	2	0.5	00.0-01.3
55-64	384	34,039	161	46.6	40.9-52.3	200	48.8	43.1-54.5	18	3.8	01.8-05.8	5	0.8	00.0-01.6
65+	418	38,304	195	48.0	42.7-53.3	217	51.1	45.8-56.4	5	0.7	00.0-01.5	1	0.1	00.0-00.3
Less Than H.S.	168	18,305							7	5.7	00.0-11.6	2	0.3	00.0-00.9
H.S. or G.E.D.	544	71,613	208	41.4	35.7-47.1	314	55.0	49.3-60.7	17	2.4	00.8-04.0	5	1.2	00.0-02.4
Some Post-H.S.	560	74,669	228	45.2	39.7-50.7	302	51.2	45.7-56.7	25	3.0	01.6-04.4	5	0.6	00.0-01.2
College Graduate	575	74,157	319	55.6	50.7-60.5	246	43.3	38.4-48.2	8	0.9	00.1-01.7	2	0.1	00.0-00.3
Less than \$15,000	120	13,419							12	8.7	01.8-15.6	5	1.7	00.0-03.7
\$15,000- 24,999	218	23,753	54	23.6	16.7-30.5	144	68.2	60.6-75.8	17	6.2	02.7-09.7	3	1.9	00.0-04.3
\$25,000- 34,999	238	29,214	75	32.7	24.9-40.5	152	63.8	55.8-71.8	10	3.3	00.9-05.7	1	0.2	00.0-00.6
\$35,000- 49,999	313	38,835	140	43.3	36.8-49.8	163	53.0	46.5-59.5	8	3.3	00.4-06.2	2	0.5	00.0-01.3
\$50,000- 74,999	340	47,109	170	53.5	47.0-60.0	169	46.1	39.6-52.6				1	0.4	00.0-01.2
\$75,000+	450	61,211	275	63.6	58.3-68.9	172	36.1	30.8-41.4	3	0.4	00.0-01.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 19: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

**TABLE 6. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2700	243,631	1171	45.2	42.7-47.7	1428	52.1	49.6-54.6	84	2.2	01.6-02.8	17	0.5	00.3-00.7
Native	218	12,079							12	3.5	00.2-06.8	1	0.0	00.0-00.0
Non-Native	2466	230,310	1081	44.9	42.4-47.4	1297	52.4	49.9-54.9	72	2.2	01.4-03.0	16	0.5	00.3-00.7
18-24	94	35,034							1	1.6	00.0-04.7	1	0.5	00.0-01.5
25-34	290	37,799	129	45.6	39.3-51.9	156	52.9	46.6-59.2	5	1.5	00.0-03.1			
35-44	403	37,060	174	45.6	40.1-51.1	216	52.2	46.7-57.7	8	1.4	00.4-02.4	5	0.9	00.1-01.7
45-54	596	45,157	271	46.8	42.3-51.3	297	49.5	45.0-54.0	22	2.8	01.4-04.2	6	0.9	00.1-01.7
55-64	507	34,175	254	53.4	48.5-58.3	228	43.0	38.1-47.9	24	3.5	01.9-05.1	1	0.0	00.0-00.0
65+	790	53,086	292	38.2	34.5-41.9	470	58.9	55.0-62.8	24	2.5	01.3-03.7	4	0.3	00.0-00.7
Less Than H.S.	196	16,770	59	31.3	21.7-40.9	127	65.4	55.6-75.2	8	2.0	00.2-03.8	2	1.3	00.0-03.5
H.S. or G.E.D.	806	68,825	312	41.0	36.3-45.7	462	56.3	51.6-61.0	27	2.3	01.3-03.3	5	0.4	00.0-00.8
Some Post-H.S.	888	82,184	359	39.8	35.5-44.1	487	56.2	51.7-60.7	33	3.3	01.5-05.1	9	0.7	00.3-01.1
College Graduate	808	75,701	439	57.8	53.7-61.9	352	41.0	36.9-45.1	16	1.1	00.5-01.7	1	0.1	00.0-00.3
Less than \$15,000	246	20,613	60	28.3	18.5-38.1	159	65.1	55.1-75.1	20	4.3	01.9-06.7	7	2.3	00.1-04.5
\$15,000- 24,999	445	37,104	139	29.1	23.4-34.8	277	65.1	58.8-71.4	23	4.9	01.8-08.0	6	1.0	00.2-01.8
\$25,000- 34,999	327	27,554	130	42.4	34.8-50.0	182	54.4	46.8-62.0	13	2.7	00.9-04.5	2	0.5	00.0-01.1
\$35,000- 49,999	403	32,966	175	42.0	36.3-47.7	223	56.4	50.5-62.3	5	1.6	00.0-03.2			
\$50,000- 74,999	426	42,861	214	52.5	46.8-58.2	205	46.2	40.5-51.9	7	1.3	00.3-02.3			
\$75,000+	419	44,467	261	62.2	56.5-67.9	156	37.5	31.8-43.2	2	0.3	00.0-00.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007

SECTION 20: GASTROINTESTINAL DISEASE CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	IN THE PAST 30 DAYS, DID YOU HAVE DIARRHEA THAT BEGAN WITHIN THE 30 DAY PERIOD? DIARRHEA IS DEFINED AS 3 OR MORE LOOSE STOOLS OR BOWEL MOVEMENTS IN A 24-HOUR PERIOD. (DIAR30DY)	
1	MALES AND FEMALES	261
2	MALES ONLY	262
3	FEMALES ONLY	263
	DID YOU VISIT A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR THIS DIARRHEAL ILLNESS? (DIADRVST)	
4	MALES AND FEMALES	264
5	MALES ONLY	265
6	FEMALES ONLY	266
	WHEN YOU VISITED YOUR HEALTH CARE PROFESSIONAL, DID YOU PROVIDE A STOOL SAMPLE FOR TESTING? (DIARSMP)	
7	MALES AND FEMALES	267
8	MALES ONLY	268
9	FEMALES ONLY	269

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 20: GASTROINTESTINAL DISEASE**

**TABLE 1: IN THE PAST 30 DAYS, DID YOU HAVE DIARRHEA THAT BEGAN WITHIN THE 30 DAY PERIOD? DIARRHEA IS DEFINED AS 3 OR MORE LOOSE STOOLS OR BOWEL MOVEMENTS IN A 24-HOUR PERIOD. (DIAR30DY)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4513	476,678	690	14.3	12.9-15.7	3823	85.7	84.3-87.1
Male	1826	234,567	251	12.8	10.8-14.8	1575	87.2	85.2-89.2
Female	2687	242,111	439	15.7	13.9-17.5	2248	84.3	82.5-86.1
Native	336	21,781	61	16.1	07.7-24.5	275	83.9	75.5-92.3
Non-Native	4135	450,877	624	14.2	12.8-15.6	3511	85.8	84.4-87.2
18-24	181	71,382	22	12.2	06.7-17.7	159	87.8	82.3-93.3
25-34	487	79,716	61	12.5	09.2-15.8	426	87.5	84.2-90.8
35-44	687	74,899	110	14.3	11.4-17.2	577	85.7	82.8-88.6
45-54	1043	90,179	186	17.0	14.5-19.5	857	83.0	80.5-85.5
55-64	882	67,447	132	15.1	12.4-17.8	750	84.9	82.2-87.6
65+	1199	90,503	177	14.3	12.1-16.5	1022	85.7	83.5-87.9
Less Than H.S.	362	34,395	46	11.8	07.5-16.1	316	88.2	83.9-92.5
H.S. or G.E.D.	1337	139,326	223	15.8	13.1-18.5	1114	84.2	81.5-86.9
Some Post-H.S.	1440	154,896	230	14.5	12.1-16.9	1210	85.5	83.1-87.9
College Graduate	1372	147,910	191	13.2	11.0-15.4	1181	86.8	84.6-89.0
Less than \$15,000	368	34,170	75	17.4	11.9-22.9	293	82.6	77.1-88.1
\$15,000- 24,999	658	60,264	116	17.9	13.8-22.0	542	82.1	78.0-86.2
\$25,000- 34,999	559	56,255	88	13.0	09.7-16.3	471	87.0	83.7-90.3
\$35,000- 49,999	711	70,861	122	18.1	14.6-21.6	589	81.9	78.4-85.4
\$50,000- 74,999	759	88,298	105	13.5	10.8-16.2	654	86.5	83.8-89.2
\$75,000+	863	104,421	97	10.0	07.8-12.2	766	90.0	87.8-92.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 20: GASTROINTESTINAL DISEASE**

**TABLE 2: IN THE PAST 30 DAYS, DID YOU HAVE DIARRHEA THAT BEGAN WITHIN THE 30 DAY PERIOD? DIARRHEA IS DEFINED AS 3 OR MORE LOOSE STOOLS OR BOWEL MOVEMENTS IN A 24-HOUR PERIOD. (DIAR30DY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1826	234,567	251	12.8	10.8-14.8	1575	87.2	85.2-89.2
Non-Native	1682	222,047	228	12.8	10.8-14.8	1454	87.2	85.2-89.2
18-24	89	36,980	12	11.1	03.7-18.5	77	88.9	81.5-96.3
25-34	199	42,267	20	10.8	06.1-15.5	179	89.2	84.5-93.9
35-44	285	38,000	39	12.7	08.6-16.8	246	87.3	83.2-91.4
45-54	447	45,014	69	14.2	10.7-17.7	378	85.8	82.3-89.3
55-64	378	33,381	48	12.8	09.1-16.5	330	87.2	83.5-90.9
65+	414	37,692	62	15.2	11.5-18.9	352	84.8	81.1-88.5
Less Than H.S.	167	18,250	21	14.3	07.0-21.6	146	85.7	78.4-93.0
H.S. or G.E.D.	541	71,033	77	14.1	10.0-18.2	464	85.9	81.8-90.0
Some Post-H.S.	555	72,947	80	12.6	09.3-15.9	475	87.4	84.1-90.7
College Graduate	563	72,337	73	11.3	08.4-14.2	490	88.7	85.8-91.6
Less than \$15,000	119	13,364	22	13.3	06.2-20.4	97	86.7	79.6-93.8
\$15,000- 24,999	217	23,427	30	13.0	07.7-18.3	187	87.0	81.7-92.3
\$25,000- 34,999	236	29,049	28	9.2	05.1-13.3	208	90.8	86.7-94.9
\$35,000- 49,999	310	37,987	53	18.6	13.1-24.1	257	81.4	75.9-86.9
\$50,000- 74,999	335	45,681	42	12.5	08.4-16.6	293	87.5	83.4-91.6
\$75,000+	445	60,504	54	10.1	07.0-13.2	391	89.9	86.8-93.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 20: GASTROINTESTINAL DISEASE**

**TABLE 3: IN THE PAST 30 DAYS, DID YOU HAVE DIARRHEA THAT BEGAN WITHIN THE 30 DAY PERIOD? DIARRHEA IS DEFINED AS 3 OR MORE LOOSE STOOLS OR BOWEL MOVEMENTS IN A 24-HOUR PERIOD. (DIAR30DY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2687	242,111	439	15.7	13.9-17.5	2248	84.3	82.5-86.1
Native	217	11,996	40	16.5	08.1-24.9	177	83.5	75.1-91.9
Non-Native	2453	228,830	396	15.7	13.9-17.5	2057	84.3	82.5-86.1
18-24	92	34,402	10	13.3	05.1-21.5	82	86.7	78.5-94.9
25-34	288	37,449	41	14.5	10.0-19.0	247	85.5	81.0-90.0
35-44	402	36,899	71	16.1	12.2-20.0	331	83.9	80.0-87.8
45-54	596	45,165	117	19.7	16.2-23.2	479	80.3	76.8-83.8
55-64	504	34,066	84	17.4	13.7-21.1	420	82.6	78.9-86.3
65+	785	52,811	115	13.6	11.1-16.1	670	86.4	83.9-88.9
Less Than H.S.	195	16,145	25	9.0	04.9-13.1	170	91.0	86.9-95.1
H.S. or G.E.D.	796	68,293	146	17.5	14.0-21.0	650	82.5	79.0-86.0
Some Post-H.S.	885	81,949	150	16.2	12.9-19.5	735	83.8	80.5-87.1
College Graduate	809	75,574	118	14.9	12.0-17.8	691	85.1	82.2-88.0
Less than \$15,000	249	20,806	53	20.1	12.5-27.7	196	79.9	72.3-87.5
\$15,000- 24,999	441	36,837	86	21.1	15.2-27.0	355	78.9	73.0-84.8
\$25,000- 34,999	323	27,205	60	17.1	11.8-22.4	263	82.9	77.6-88.2
\$35,000- 49,999	401	32,874	69	17.5	13.0-22.0	332	82.5	78.0-87.0
\$50,000- 74,999	424	42,617	63	14.7	11.0-18.4	361	85.3	81.6-89.0
\$75,000+	418	43,917	43	9.9	07.0-12.8	375	90.1	87.2-93.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 20: GASTROINTESTINAL DISEASE**

**TABLE 4: DID YOU VISIT A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR THIS DIARRHEAL ILLNESS? (DIADRVST)**

Denominator excludes: Respondents who reported not having diarrhea in the past 30 days

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	689	67,928	104	13.5	10.6-16.4	585	86.5	83.6-89.4
Male	251	29,993	26	9.7	05.8-13.6	225	90.3	86.4-94.2
Female	438	37,935	78	16.5	12.6-20.4	360	83.5	79.6-87.4
Non-Native	623	64,077	89	12.9	10.0-15.8	534	87.1	84.2-90.0
25-34	61	9,977	6	6.8	00.7-12.9	55	93.2	87.1-99.3
35-44	110	10,747	9	6.5	01.6-11.4	101	93.5	88.6-98.4
45-54	185	15,213	26	14.8	08.9-20.7	159	85.2	79.3-91.1
55-64	132	10,207	23	19.1	11.3-26.9	109	80.9	73.1-88.7
65+	177	12,928	38	25.4	18.0-32.8	139	74.6	67.2-82.0
H.S. or G.E.D.	223	21,980	39	16.6	10.9-22.3	184	83.4	77.7-89.1
Some Post-H.S.	230	22,519	33	12.3	07.6-17.0	197	87.7	83.0-92.4
College Graduate	190	19,367	22	10.6	05.7-15.5	168	89.4	84.5-94.3
\$15,000- 24,999	116	10,816	25	17.1	09.7-24.5	91	82.9	75.5-90.3
\$25,000- 34,999	88	7,332	13	13.2	05.2-21.2	75	86.8	78.8-94.8
\$35,000- 49,999	122	12,796	14	10.4	04.7-16.1	108	89.6	83.9-95.3
\$50,000- 74,999	105	11,958	12	12.7	05.6-19.8	93	87.3	80.2-94.4
\$75,000+	97	10,450	10	8.1	02.8-13.4	87	91.9	86.6-97.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 20: GASTROINTESTINAL DISEASE**

**TABLE 5: DID YOU VISIT A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR THIS DIARRHEAL ILLNESS? (DIADRVST)**

Denominator excludes: Respondents who reported not having diarrhea in the past 30 days

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	251	29,993	26	9.7	05.8-13.6	225	90.3	86.4-94.2
Non-Native	228	28,317	25	10.1	06.0-14.2	203	89.9	85.8-94.0
45-54	69	6,395	6	9.6	01.8-17.4	63	90.4	82.6-98.2
H.S. or G.E.D.	77	10,020	12	15.5	06.3-24.7	65	84.5	75.3-93.7
Some Post-H.S.	80	9,211	7	7.8	01.5-14.1	73	92.2	85.9-98.5
College Graduate	73	8,154	4	3.5	00.0-07.4	69	96.5	92.6-0100
\$35,000- 49,999	53	7,049	6	10.5	02.1-18.9	47	89.5	81.1-97.9
\$75,000+	54	6,099	4	4.1	00.0-08.8	50	95.9	91.2-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 20: GASTROINTESTINAL DISEASE**

**TABLE 6: DID YOU VISIT A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR THIS DIARRHEAL ILLNESS? (DIADRVST)**

Denominator excludes: Respondents who reported not having diarrhea in the past 30 days

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	438	37,935	78	16.5	12.6-20.4	360	83.5	79.6-87.4
Non-Native	395	35,760	64	15.2	11.3-19.1	331	84.8	80.9-88.7
35-44	71	5,935	9	11.7	03.3-20.1	62	88.3	79.9-96.7
45-54	116	8,818	20	18.6	10.4-26.8	96	81.4	73.2-89.6
65+	115	7,197	25	25.0	15.8-34.2	90	75.0	65.8-84.2
H.S. or G.E.D.	146	11,959	27	17.5	10.4-24.6	119	82.5	75.4-89.6
Some Post-H.S.	150	13,309	26	15.4	08.7-22.1	124	84.6	77.9-91.3
College Graduate	117	11,213	18	15.7	08.1-23.3	99	84.3	76.7-91.9
\$15,000- 24,999	86	7,760	20	18.5	09.3-27.7	66	81.5	72.3-90.7
\$25,000- 34,999	60	4,661	10	12.3	03.5-21.1	50	87.7	78.9-96.5
\$35,000- 49,999	69	5,747	8	10.3	02.9-17.7	61	89.7	82.3-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 20: GASTROINTESTINAL DISEASE

TABLE 7: WHEN YOU VISITED YOUR HEALTH CARE PROFESSIONAL, DID YOU PROVIDE A STOOL SAMPLE FOR TESTING? (DIARSMP)

Denominator excludes: Respondents who reported not having diarrhea in the past 30 days

Denominator excludes: Respondents with do not know/refused/missing responses

All of the Confidence Intervals for this table are too wide  
(half-width greater than 10)  
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 20: GASTROINTESTINAL DISEASE

TABLE 8: WHEN YOU VISITED YOUR HEALTH CARE PROFESSIONAL, DID YOU PROVIDE A STOOL SAMPLE FOR TESTING? (DIARSMP)

Denominator excludes: Respondents who reported not having diarrhea in the past 30 days

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007  
SECTION 20: GASTROINTESTINAL DISEASE

TABLE 9: WHEN YOU VISITED YOUR HEALTH CARE PROFESSIONAL, DID YOU PROVIDE A STOOL SAMPLE FOR TESTING? (DIARSMP)

Denominator excludes: Respondents who reported not having diarrhea in the past 30 days

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide  
(half-width greater than 10)  
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2007**

End of Core Data Report