

NORTH DAKOTA

2008 Core Variables Report

Behavioral Risk Factor Surveillance System

March 4, 2009



**SECTION 1: HEALTH STATUS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5019	489,684	868	19.5	17.9-21.1	1748	36.1	34.3-37.9	1592	31.0	29.2-32.8	619	10.5	09.5-11.5	192	2.9	02.3-03.5
Male	2031	244,496	350	19.1	16.7-21.5	695	34.8	32.1-37.5	666	32.9	30.2-35.6	244	10.8	09.0-12.6	76	2.5	01.9-03.1
Female	2988	245,188	518	20.0	17.8-22.2	1053	37.4	34.9-39.9	926	29.2	27.0-31.4	375	10.2	09.0-11.4	116	3.3	02.3-04.3
Native	129	22,069										21	13.4	03.4-23.4	9	8.3	00.1-16.5
Non-Native	4848	464,038	844	19.8	18.2-21.4	1705	36.9	35.1-38.7	1527	30.5	28.7-32.3	590	10.2	09.2-11.2	182	2.6	02.2-03.0
18-24	163	79,652	44	24.9	17.8-32.0	61	36.9	28.9-44.9	45	29.5	21.7-37.3	11	7.1	02.8-11.4	2	1.7	00.0-04.1
25-34	503	77,593	133	25.6	21.5-29.7	199	38.9	34.4-43.4	139	29.6	25.1-34.1	29	5.3	03.3-07.3	3	0.7	00.0-01.5
35-44	697	75,893	148	21.7	18.4-25.0	285	40.3	36.4-44.2	202	30.2	26.5-33.9	44	6.1	04.3-07.9	18	1.7	00.9-02.5
45-54	1072	91,926	210	19.3	16.8-21.8	426	40.8	37.7-43.9	315	29.2	26.3-32.1	88	8.0	06.2-09.8	33	2.7	01.7-03.7
55-64	995	67,682	170	17.1	14.6-19.6	349	35.2	32.1-38.3	307	30.0	27.1-32.9	127	13.6	11.2-16.0	42	4.1	02.7-05.5
65+	1539	93,649	154	10.2	08.4-12.0	411	25.7	23.3-28.1	570	36.9	34.4-39.4	312	21.2	18.8-23.6	92	5.9	04.5-07.3
Less Than H.S.	381	36,499	33	16.5	08.7-24.3	64	17.3	11.2-23.4	151	38.8	31.4-46.2	105	22.4	16.7-28.1	28	5.1	02.9-07.3
H.S. or G.E.D.	1521	144,381	187	15.2	12.5-17.9	466	32.1	28.8-35.4	565	35.4	32.1-38.7	238	14.5	12.0-17.0	65	3.0	02.2-03.8
Some Post-H.S.	1555	159,372	263	19.0	16.1-21.9	557	37.3	33.8-40.8	486	30.8	27.5-34.1	179	9.2	07.6-10.8	70	3.8	02.4-05.2
College Graduate	1553	148,532	384	25.2	22.7-27.7	660	43.4	40.5-46.3	386	25.0	22.3-27.7	94	5.1	03.9-06.3	29	1.3	00.7-01.9
Less than \$15,000	372	29,733	25	8.3	03.6-13.0	78	21.9	14.6-29.2	117	32.5	23.5-41.5	104	24.8	17.2-32.4	48	12.5	06.6-18.4
\$15,000- 24,999	740	67,814	81	15.6	10.9-20.3	193	26.1	21.2-31.0	270	36.8	31.3-42.3	141	16.0	12.5-19.5	55	5.6	03.8-07.4
\$25,000- 34,999	602	54,155	87	17.3	12.8-21.8	186	31.5	26.0-37.0	224	35.6	30.1-41.1	79	11.8	08.9-14.7	26	3.8	01.6-06.0
\$35,000- 49,999	821	79,856	139	17.7	14.0-21.4	309	40.0	35.3-44.7	259	30.5	26.4-34.6	96	10.3	08.1-12.5	18	1.5	00.7-02.3
\$50,000- 74,999	847	89,557	168	20.4	16.9-23.9	359	40.5	36.6-44.4	263	32.7	28.8-36.6	48	5.5	03.7-07.3	9	0.9	00.3-01.5
\$75,000+	1013	111,636	277	27.1	23.8-30.4	436	42.8	39.1-46.5	237	24.3	21.0-27.6	53	5.1	03.3-06.9	10	0.8	00.2-01.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2031	244,496	350	19.1	16.7-21.5	695	34.8	32.1-37.5	666	32.9	30.2-35.6	244	10.8	09.0-12.6	76	2.5	01.9-03.1
Non-Native	1972	233,534	347	19.5	17.1-21.9	677	35.1	32.4-37.8	642	32.4	29.7-35.1	232	10.5	08.9-12.1	74	2.5	01.9-03.1
18-24	81	42,146	23	24.7	15.1-34.3							8	10.4	03.0-17.8			
25-34	213	41,254	49	24.0	17.5-30.5	83	37.3	30.4-44.2	69	33.6	26.9-40.3	12	5.1	02.2-08.0			
35-44	315	38,756	71	22.2	17.5-26.9	118	37.5	31.8-43.2	102	33.4	27.7-39.1	18	5.4	02.9-07.9	6	1.4	00.2-02.6
45-54	464	45,992	76	15.5	12.0-19.0	185	41.9	37.0-46.8	141	30.6	26.1-35.1	43	8.6	06.1-11.1	19	3.3	01.7-04.9
55-64	436	35,588	71	16.6	12.9-20.3	154	35.0	30.3-39.7	129	28.1	23.8-32.4	63	16.0	12.1-19.9	19	4.3	02.3-06.3
65+	512	39,723	59	11.5	08.6-14.4	126	24.7	20.8-28.6	197	37.5	33.0-42.0	98	20.0	16.3-23.7	32	6.2	04.0-08.4
Less Than H.S.	163	18,801	18	16.9	07.5-26.3	26	15.9	08.3-23.5				43	23.5	14.7-32.3	12	5.6	02.3-08.9
H.S. or G.E.D.	648	79,403	94	15.9	12.0-19.8	190	30.2	25.3-35.1	238	36.8	31.5-42.1	97	14.2	10.3-18.1	29	2.9	01.7-04.1
Some Post-H.S.	559	70,462	94	20.4	15.3-25.5	198	34.6	29.5-39.7	183	33.2	27.9-38.5	60	9.1	06.4-11.8	24	2.8	01.6-04.0
College Graduate	659	75,192	144	22.0	18.3-25.7	281	44.8	40.3-49.3	179	26.6	22.5-30.7	44	5.7	03.9-07.5	11	1.0	00.4-01.6
Less than \$15,000	107	11,601	5	6.8	00.0-13.9										15	9.6	03.9-15.3
\$15,000- 24,999	252	30,707	27	13.2	06.9-19.5	59	27.7	19.3-36.1	99	38.8	30.2-47.4	46	14.7	09.4-20.0	21	5.6	02.9-08.3
\$25,000- 34,999	229	27,724	36	19.0	11.7-26.3	58	30.1	20.9-39.3	88	35.6	26.8-44.4	36	12.1	07.8-16.4	11	3.2	01.2-05.2
\$35,000- 49,999	383	43,050	59	18.3	12.4-24.2	134	34.5	28.6-40.4	123	32.6	26.7-38.5	56	12.7	09.2-16.2	11	1.9	00.7-03.1
\$50,000- 74,999	414	50,222	81	20.6	15.7-25.5	171	38.4	32.9-43.9	133	33.9	28.2-39.6	24	6.2	03.3-09.1	5	0.9	00.1-01.7
\$75,000+	490	59,975	106	21.8	17.1-26.5	212	41.7	36.6-46.8	136	29.0	23.9-34.1	32	6.9	03.8-10.0	4	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2988	245,188	518	20.0	17.8-22.2	1053	37.4	34.9-39.9	926	29.2	27.0-31.4	375	10.2	09.0-11.4	116	3.3	02.3-04.3
Native	87	12,948										13	9.8	03.1-16.5			
Non-Native	2876	230,504	497	20.0	17.8-22.2	1028	38.6	36.1-41.1	885	28.6	26.4-30.8	358	10.0	08.8-11.2	108	2.8	02.2-03.4
18-24	82	37,506										3	3.3	00.0-07.0	2	3.5	00.0-08.4
25-34	290	36,339	84	27.3	22.0-32.6	116	40.7	34.6-46.8	70	25.1	19.6-30.6	17	5.4	02.7-08.1	3	1.4	00.0-03.2
35-44	382	37,137	77	21.1	16.8-25.4	167	43.2	37.9-48.5	100	26.8	21.9-31.7	26	6.9	04.2-09.6	12	2.0	00.8-03.2
45-54	608	45,934	134	23.0	19.5-26.5	241	39.6	35.5-43.7	174	27.9	24.2-31.6	45	7.4	05.0-09.8	14	2.2	01.0-03.4
55-64	559	32,094	99	17.6	14.3-20.9	195	35.4	31.1-39.7	178	32.1	28.0-36.2	64	10.9	08.2-13.6	23	4.0	02.2-05.8
65+	1027	53,926	95	9.3	07.3-11.3	285	26.5	23.6-29.4	373	36.4	33.3-39.5	214	22.1	19.2-25.0	60	5.7	04.1-07.3
Less Than H.S.	218	17,698				38	18.7	09.3-28.1				62	21.2	14.5-27.9	16	4.6	02.1-07.1
H.S. or G.E.D.	873	64,977	93	14.3	10.6-18.0	276	34.3	29.8-38.8	327	33.6	29.7-37.5	141	14.8	11.9-17.7	36	3.0	02.0-04.0
Some Post-H.S.	996	88,910	169	17.8	14.3-21.3	359	39.5	34.8-44.2	303	28.9	24.8-33.0	119	9.3	07.3-11.3	46	4.5	02.1-06.9
College Graduate	894	73,340	240	28.6	25.1-32.1	379	42.0	38.3-45.7	207	23.3	19.8-26.8	50	4.4	03.0-05.8	18	1.7	00.9-02.5
Less than \$15,000	265	18,132	20	9.2	02.9-15.5	59	24.1	15.3-32.9	81	31.3	22.9-39.7	72	21.0	14.9-27.1	33	14.3	05.7-22.9
\$15,000- 24,999	488	37,107	54	17.5	10.6-24.4	134	24.8	19.3-30.3	171	35.1	28.0-42.2	95	17.0	12.5-21.5	34	5.6	03.4-07.8
\$25,000- 34,999	373	26,430	51	15.6	10.3-20.9	128	32.9	26.8-39.0	136	35.5	29.0-42.0	43	11.4	07.7-15.1	15	4.6	00.5-08.7
\$35,000- 49,999	438	36,806	80	17.1	12.8-21.4	175	46.5	39.4-53.6	136	27.9	22.4-33.4	40	7.6	05.1-10.1	7	0.9	00.1-01.7
\$50,000- 74,999	433	39,336	87	20.1	15.4-24.8	188	43.1	37.4-48.8	130	31.3	25.8-36.8	24	4.6	02.6-06.6	4	0.9	00.1-01.7
\$75,000+	523	51,661	171	33.2	28.1-38.3	224	44.0	38.5-49.5	101	18.8	14.5-23.1	21	3.0	01.6-04.4	6	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4911	480,984	3227	66.9	65.1-68.7	545	12.0	10.6-13.4	498	10.5	09.1-11.9	381	6.6	05.8-07.4	260	4.0	03.4-04.6
Male	1996	240,523	1404	70.8	68.1-73.5	201	11.0	09.2-12.8	178	9.1	07.1-11.1	113	5.1	03.9-06.3	100	4.1	03.1-05.1
Female	2915	240,461	1823	63.1	60.6-65.6	344	13.0	11.2-14.8	320	11.9	10.1-13.7	268	8.1	06.9-09.3	160	3.9	03.3-04.5
Native	125	21,061				9	8.6	00.0-18.2				14	7.3	02.6-12.0	9	5.0	01.3-08.7
Non-Native	4751	456,734	3120	67.1	65.3-68.9	532	12.1	10.7-13.5	484	10.2	09.0-11.4	364	6.5	05.7-07.3	251	4.0	03.4-04.6
18-24	159	77,316	104	64.5	56.5-72.5	22	13.9	08.0-19.8	23	15.8	09.3-22.3	8	4.6	01.3-07.9	2	1.2	00.0-02.8
25-34	501	77,268	340	69.2	64.9-73.5	74	14.8	11.5-18.1	47	8.5	06.0-11.0	32	6.1	03.9-08.3	8	1.4	00.4-02.4
35-44	695	75,681	465	68.8	65.3-72.3	94	13.6	10.9-16.3	73	9.6	07.4-11.8	38	4.8	03.2-06.4	25	3.1	01.7-04.5
45-54	1064	91,479	735	70.2	67.3-73.1	131	11.9	09.7-14.1	84	7.8	06.0-09.6	70	6.1	04.5-07.7	44	3.9	02.7-05.1
55-64	985	67,028	648	67.1	64.0-70.2	108	10.7	08.7-12.7	97	9.2	07.2-11.2	77	7.2	05.4-09.0	55	5.8	04.2-07.4
65+	1458	88,954	899	61.8	59.1-64.5	114	7.9	06.3-09.5	172	12.1	10.1-14.1	150	10.0	08.4-11.6	123	8.2	06.6-09.8
Less Than H.S.	359	33,854	214	67.0	60.3-73.7	23	4.7	02.5-06.9	33	7.4	03.7-11.1	53	13.0	08.7-17.3	36	7.9	05.0-10.8
H.S. or G.E.D.	1480	141,995	969	68.1	64.8-71.4	146	10.0	07.8-12.2	146	10.5	07.8-13.2	127	6.4	05.0-07.8	92	4.9	03.5-06.3
Some Post-H.S.	1530	156,929	993	63.8	60.3-67.3	167	12.9	10.2-15.6	160	11.5	09.0-14.0	134	8.1	06.1-10.1	76	3.6	02.6-04.6
College Graduate	1535	147,380	1047	69.1	66.4-71.8	209	14.6	12.4-16.8	159	10.0	08.0-12.0	67	3.7	02.7-04.7	53	2.6	01.8-03.4
Less than \$15,000	362	28,995	184	50.2	41.0-59.4	23	5.6	02.5-08.7				58	13.8	09.3-18.3	44	8.6	05.7-11.5
\$15,000- 24,999	723	66,356	424	62.0	56.7-67.3	78	11.7	07.6-15.8	79	11.0	07.5-14.5	78	8.1	05.9-10.3	64	7.3	04.9-09.7
\$25,000- 34,999	585	52,647	363	63.5	58.0-69.0	71	14.2	09.7-18.7	58	9.3	06.0-12.6	55	8.0	05.5-10.5	38	5.0	03.2-06.8
\$35,000- 49,999	812	79,310	555	69.8	65.7-73.9	87	11.2	08.3-14.1	79	9.2	06.7-11.7	59	6.5	04.3-08.7	32	3.3	01.9-04.7
\$50,000- 74,999	841	89,275	599	70.2	66.3-74.1	104	13.8	10.7-16.9	79	8.9	06.7-11.1	44	5.2	03.2-07.2	15	1.9	00.7-03.1
\$75,000+	1005	110,298	733	71.7	68.2-75.2	128	13.4	10.9-15.9	82	9.1	06.6-11.6	38	3.9	02.3-05.5	24	1.9	01.1-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1996	240,523	1404	70.8	68.1-73.5	201	11.0	09.2-12.8	178	9.1	07.1-11.1	113	5.1	03.9-06.3	100	4.1	03.1-05.1
Non-Native	1941	229,874	1368	70.9	68.4-73.4	196	11.3	09.5-13.1	173	8.7	07.1-10.3	108	5.1	03.9-06.3	96	4.0	03.0-05.0
18-24	79	40,866				8	9.8	02.9-16.7	8	12.3	03.5-21.1	3	4.0	00.0-08.7	2	2.2	00.0-05.3
25-34	213	41,206	151	71.8	65.5-78.1	39	17.6	12.3-22.9	13	5.9	02.4-09.4	8	3.5	01.0-06.0	2	1.2	00.0-02.8
35-44	314	38,693	225	72.1	67.0-77.2	42	13.5	09.6-17.4	24	7.3	04.4-10.2	14	4.3	01.9-06.7	9	2.8	00.8-04.8
45-54	457	45,564	333	73.1	68.8-77.4	40	9.2	06.3-12.1	37	8.2	05.5-10.9	24	4.5	02.5-06.5	23	4.9	02.7-07.1
55-64	431	35,142	299	69.6	64.9-74.3	38	8.4	05.7-11.1	42	9.3	06.6-12.0	26	6.2	03.7-08.7	26	6.5	04.0-09.0
65+	492	38,015	330	65.5	61.0-70.0	34	7.2	04.7-09.7	53	11.5	08.4-14.6	37	8.1	05.6-10.6	38	7.7	05.2-10.2
Less Than H.S.	152	16,810	99	67.9	58.9-76.9	9	4.3	01.2-07.4	10	4.6	01.7-07.5	17	13.0	06.1-19.9	17	10.1	05.0-15.2
H.S. or G.E.D.	636	78,369	443	71.6	66.7-76.5	57	8.5	06.0-11.0	55	9.8	05.7-13.9	47	5.4	03.6-07.2	34	4.6	02.6-06.6
Some Post-H.S.	552	69,935	389	69.9	64.6-75.2	55	11.0	07.5-14.5	52	9.5	06.0-13.0	30	5.7	02.8-08.6	26	3.9	02.1-05.7
College Graduate	654	74,772	471	71.0	66.7-75.3	80	15.1	11.6-18.6	61	8.9	06.2-11.6	19	2.4	01.2-03.6	23	2.6	01.4-03.8
Less than \$15,000	105	11,476				2	3.7	00.0-10.0				16	12.0	04.7-19.3	17	9.2	03.9-14.5
\$15,000- 24,999	251	30,515	154	62.6	54.4-70.8	26	10.3	05.8-14.8	25	12.4	05.9-18.9	22	6.1	03.4-08.8	24	8.6	04.1-13.1
\$25,000- 34,999	224	27,263	149	71.2	63.2-79.2	23	12.3	05.4-19.2	18	4.7	02.3-07.1	20	7.1	03.6-10.6	14	4.7	02.0-07.4
\$35,000- 49,999	376	42,580	276	74.3	68.8-79.8	33	8.6	05.1-12.1	36	8.2	05.3-11.1	17	5.6	02.3-08.9	14	3.4	01.4-05.4
\$50,000- 74,999	413	50,154	305	72.4	67.1-77.7	43	11.3	07.8-14.8	41	9.4	06.3-12.5	14	4.2	01.1-07.3	10	2.6	00.6-04.6
\$75,000+	485	58,887	366	73.2	68.3-78.1	59	14.0	10.1-17.9	33	7.4	04.1-10.7	14	2.9	01.1-04.7	13	2.5	01.1-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2915	240,461	1823	63.1	60.6-65.6	344	13.0	11.2-14.8	320	11.9	10.1-13.7	268	8.1	06.9-09.3	160	3.9	03.3-04.5
Native	85	12,141										10	8.6	01.9-15.3	5	3.3	00.0-06.6
Non-Native	2810	226,860	1752	63.3	60.9-65.7	336	13.0	11.2-14.8	311	11.8	10.0-13.6	256	8.0	06.8-09.2	155	4.0	03.4-04.6
18-24	80	36,450				14	18.4	09.0-27.8	15	19.8	10.4-29.2	5	5.3	00.4-10.2			
25-34	288	36,062	189	66.3	60.6-72.0	35	11.5	07.8-15.2	34	11.5	07.6-15.4	24	9.0	05.3-12.7	6	1.6	00.2-03.0
35-44	381	36,989	240	65.3	60.2-70.4	52	13.7	10.0-17.4	49	12.1	08.8-15.4	24	5.4	03.0-07.8	16	3.5	01.7-05.3
45-54	607	45,915	402	67.4	63.5-71.3	91	14.6	11.7-17.5	47	7.4	05.2-09.6	46	7.7	05.3-10.1	21	3.0	01.6-04.4
55-64	554	31,886	349	64.3	60.0-68.6	70	13.1	10.2-16.0	55	9.1	06.6-11.6	51	8.3	05.9-10.7	29	5.2	03.2-07.2
65+	966	50,938	569	59.0	55.7-62.3	80	8.4	06.4-10.4	119	12.6	10.2-15.0	113	11.5	09.3-13.7	85	8.6	06.6-10.6
Less Than H.S.	207	17,044	115	66.1	56.5-75.7	14	5.1	02.2-08.0	23	10.1	03.4-16.8	36	13.1	07.8-18.4	19	5.6	02.7-08.5
H.S. or G.E.D.	844	63,626	526	63.7	59.4-68.0	89	11.8	08.7-14.9	91	11.4	08.3-14.5	80	7.7	05.7-09.7	58	5.4	03.8-07.0
Some Post-H.S.	978	86,994	604	58.9	54.2-63.6	112	14.5	10.6-18.4	108	13.2	09.7-16.7	104	10.1	07.6-12.6	50	3.4	02.4-04.4
College Graduate	881	72,608	576	67.1	63.6-70.6	129	14.1	11.6-16.6	98	11.2	08.5-13.9	48	5.0	03.4-06.6	30	2.6	01.6-03.6
Less than \$15,000	257	17,519	126	46.4	36.8-56.0	21	6.9	03.6-10.2				42	15.0	09.5-20.5	27	8.3	04.8-11.8
\$15,000- 24,999	472	35,841	270	61.4	54.5-68.3	52	12.9	06.6-19.2	54	9.8	06.3-13.3	56	9.8	06.7-12.9	40	6.2	04.0-08.4
\$25,000- 34,999	361	25,384	214	55.2	48.3-62.1	48	16.3	10.6-22.0	40	14.1	08.2-20.0	35	9.1	05.4-12.8	24	5.3	02.9-07.7
\$35,000- 49,999	436	36,730	279	64.6	58.1-71.1	54	14.2	09.3-19.1	43	10.5	06.4-14.6	42	7.6	04.9-10.3	18	3.2	01.6-04.8
\$50,000- 74,999	428	39,121	294	67.4	61.7-73.1	61	16.9	11.6-22.2	38	8.1	05.4-10.8	30	6.6	04.1-09.1	5	1.0	00.0-02.0
\$75,000+	520	51,411	367	70.0	64.9-75.1	69	12.8	09.5-16.1	49	11.0	07.1-14.9	24	5.1	02.6-07.6	11	1.2	00.4-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4942	483,483	3589	71.8	70.0-73.6	462	10.2	09.0-11.4	429	9.2	08.0-10.4	315	6.4	05.4-07.4	147	2.5	01.9-03.1
Male	2008	242,139	1579	77.2	74.7-79.7	148	9.2	07.2-11.2	123	6.3	04.9-07.7	101	5.2	03.6-06.8	57	2.1	01.5-02.7
Female	2934	241,343	2010	66.3	63.9-68.7	314	11.1	09.3-12.9	306	12.0	10.2-13.8	214	7.7	06.3-09.1	90	2.9	02.1-03.7
Native	128	22,060				10	8.7	00.7-16.7	14	10.4	03.1-17.7				8	4.7	01.0-08.4
Non-Native	4776	458,033	3476	72.1	70.3-73.9	449	10.3	09.1-11.5	414	9.2	08.0-10.4	298	6.1	05.3-06.9	139	2.4	01.8-03.0
18-24	160	78,582	109	67.0	59.2-74.8	19	13.5	07.8-19.2	20	11.7	06.6-16.8	10	6.5	02.0-11.0	2	1.3	00.0-03.1
25-34	498	76,884	324	65.9	61.4-70.4	63	12.8	09.5-16.1	62	11.8	08.7-14.9	37	7.4	04.9-09.9	12	2.0	00.8-03.2
35-44	691	75,492	451	68.3	64.6-72.0	78	10.6	08.2-13.0	81	10.8	08.4-13.2	60	7.8	05.8-09.8	21	2.5	01.3-03.7
45-54	1056	90,779	699	68.7	65.8-71.6	113	10.4	08.4-12.4	112	9.6	07.8-11.4	89	7.8	06.0-09.6	43	3.5	02.3-04.7
55-64	991	67,539	742	76.5	73.8-79.2	82	7.5	05.7-09.3	78	7.3	05.5-09.1	56	5.4	03.8-07.0	33	3.3	02.1-04.5
65+	1497	90,982	1226	82.9	80.7-85.1	103	6.6	05.2-08.0	75	4.7	03.5-05.9	61	3.9	02.9-04.9	32	2.0	01.2-02.8
Less Than H.S.	364	35,288	269	72.2	64.8-79.6	24	8.7	03.4-14.0	31	9.5	04.2-14.8	29	6.0	03.5-08.5	11	3.6	00.3-06.9
H.S. or G.E.D.	1492	142,091	1125	73.9	70.6-77.2	114	8.3	06.1-10.5	121	8.4	06.4-10.4	89	7.0	04.6-09.4	43	2.4	01.6-03.2
Some Post-H.S.	1534	157,343	1068	69.5	66.2-72.8	158	11.0	08.6-13.4	139	9.4	07.2-11.6	116	7.2	05.4-09.0	53	3.0	02.0-04.0
College Graduate	1543	147,860	1118	71.8	69.1-74.5	166	11.5	09.3-13.7	138	9.7	07.9-11.5	81	5.1	03.9-06.3	40	1.8	01.2-02.4
Less than \$15,000	362	29,113	230	57.4	48.0-66.8	26	7.1	01.6-12.6	34	10.4	05.3-15.5	40	17.0	07.8-26.2	32	8.2	04.9-11.5
\$15,000- 24,999	724	66,107	500	67.2	61.9-72.5	71	13.9	09.4-18.4	70	9.8	06.7-12.9	52	6.0	04.0-08.0	31	3.1	01.9-04.3
\$25,000- 34,999	591	53,485	414	69.3	64.0-74.6	59	9.8	06.7-12.9	60	10.5	07.0-14.0	39	7.8	04.3-11.3	19	2.6	01.2-04.0
\$35,000- 49,999	815	79,309	593	75.5	71.8-79.2	88	9.3	06.9-11.7	67	7.7	05.5-09.9	50	5.4	03.6-07.2	17	2.2	00.6-03.8
\$50,000- 74,999	839	88,702	604	70.3	66.4-74.2	90	12.4	09.5-15.3	70	9.3	06.8-11.8	62	6.7	04.9-08.5	13	1.3	00.5-02.1
\$75,000+	1007	110,942	774	75.6	72.1-79.1	84	8.8	06.3-11.3	84	9.1	06.7-11.5	48	4.6	03.0-06.2	17	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2008	242,139	1579	77.2	74.7-79.7	148	9.2	07.2-11.2	123	6.3	04.9-07.7	101	5.2	03.6-06.8	57	2.1	01.5-02.7
Non-Native	1950	231,215	1533	77.3	74.8-79.8	145	9.5	07.5-11.5	121	6.6	05.2-08.0	96	4.6	03.4-05.8	55	2.0	01.4-02.6
18-24	80	41,780				10	14.0	06.0-22.0	6	6.3	01.0-11.6	3	5.0	00.0-11.7			
25-34	210	40,822	145	68.4	61.7-75.1	27	13.8	08.7-18.9	20	9.8	05.3-14.3	15	6.9	03.4-10.4	3	1.2	00.0-02.6
35-44	316	38,947	233	76.1	71.2-81.0	30	9.1	06.0-12.2	33	9.2	06.1-12.3	16	4.5	02.1-06.9	4	1.1	00.0-02.3
45-54	457	45,448	336	75.1	70.8-79.4	38	8.2	05.7-10.7	31	6.0	03.8-08.2	30	6.5	04.0-09.0	22	4.2	02.2-06.2
55-64	434	35,477	364	84.0	80.3-87.7	18	4.4	02.2-06.6	19	3.7	01.9-05.5	17	4.0	02.0-06.0	16	3.9	01.9-05.9
65+	501	38,629	432	86.6	83.3-89.9	25	5.2	03.0-07.4	14	2.8	01.2-04.4	19	3.6	02.0-05.2	11	1.9	00.7-03.1
Less Than H.S.	154	18,008	126	79.1	69.1-89.1	6	5.3	00.0-11.4	8	8.3	00.1-16.5	9	4.6	01.3-07.9	5	2.8	00.1-05.5
H.S. or G.E.D.	641	78,787	507	78.0	73.1-82.9	47	7.8	04.9-10.7	38	6.1	03.6-08.6	32	6.1	02.4-09.8	17	2.0	00.8-03.2
Some Post-H.S.	554	69,672	425	76.0	71.1-80.9	44	11.5	07.2-15.8	35	5.0	02.8-07.2	32	5.0	03.0-07.0	18	2.4	01.2-03.6
College Graduate	657	75,035	519	76.9	73.0-80.8	51	9.5	06.6-12.4	42	7.4	05.0-09.8	28	4.5	02.7-06.3	17	1.7	00.7-02.7
Less than \$15,000	104	11,335				2	1.3	00.0-03.3	12	10.2	01.8-18.6				15	10.3	04.0-16.6
\$15,000- 24,999	246	30,103	175	66.9	58.3-75.5	25	16.3	08.5-24.1	21	9.1	04.0-14.2	14	5.0	01.9-08.1	11	2.7	00.9-04.5
\$25,000- 34,999	223	27,242	167	75.6	68.0-83.2	18	8.3	03.6-13.0	12	5.6	01.5-09.7	16	7.2	02.5-11.9	10	3.2	01.0-05.4
\$35,000- 49,999	383	43,137	310	82.8	78.7-86.9	24	5.9	03.4-08.4	25	5.3	03.1-07.5	16	4.2	01.8-06.6	8	1.7	00.1-03.3
\$50,000- 74,999	412	49,875	323	75.0	69.7-80.3	44	13.4	08.9-17.9	21	6.2	03.3-09.1	22	5.1	02.7-07.5	2	0.3	00.0-00.7
\$75,000+	488	59,565	406	81.9	77.4-86.4	24	5.6	02.7-08.5	29	7.4	04.1-10.7	22	4.0	02.2-05.8	7	1.2	00.2-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2934	241,343	2010	66.3	63.9-68.7	314	11.1	09.3-12.9	306	12.0	10.2-13.8	214	7.7	06.3-09.1	90	2.9	02.1-03.7
Native	86	12,939										11	8.4	02.5-14.3	6	5.4	00.3-10.5
Non-Native	2826	226,818	1943	66.8	64.4-69.2	304	11.0	09.4-12.6	293	11.8	10.0-13.6	202	7.5	06.1-08.9	84	2.8	02.0-03.6
18-24	80	36,802				9	12.9	04.7-21.1	14	17.7	08.9-26.5	7	8.1	02.0-14.2	2	2.9	00.0-06.8
25-34	288	36,062	179	63.1	57.2-69.0	36	11.8	07.7-15.9	42	14.1	10.0-18.2	22	8.0	04.7-11.3	9	3.0	00.8-05.2
35-44	375	36,545	218	60.1	54.8-65.4	48	12.2	08.7-15.7	48	12.4	08.9-15.9	44	11.3	08.0-14.6	17	4.0	02.0-06.0
45-54	599	45,331	363	62.3	58.2-66.4	75	12.6	09.9-15.3	81	13.3	10.6-16.0	59	9.0	06.6-11.4	21	2.8	01.6-04.0
55-64	557	32,062	378	68.2	64.1-72.3	64	10.9	08.2-13.6	59	11.2	08.3-14.1	39	7.0	04.6-09.4	17	2.7	01.3-04.1
65+	996	52,353	794	80.2	77.5-82.9	78	7.6	05.8-09.4	61	6.1	04.5-07.7	42	4.1	02.7-05.5	21	2.0	01.0-03.0
Less Than H.S.	210	17,280				18	12.2	03.8-20.6	23	10.8	04.1-17.5	20	7.5	03.6-11.4	6	4.5	00.0-10.4
H.S. or G.E.D.	851	63,304	618	68.8	64.3-73.3	67	8.8	05.9-11.7	83	11.2	08.1-14.3	57	8.2	05.3-11.1	26	3.0	01.8-04.2
Some Post-H.S.	980	87,672	643	64.3	59.8-68.8	114	10.6	07.9-13.3	104	12.8	09.5-16.1	84	9.0	06.5-11.5	35	3.4	01.8-05.0
College Graduate	886	72,825	599	66.7	62.8-70.6	115	13.6	10.7-16.5	96	12.1	09.4-14.8	53	5.7	03.9-07.5	23	1.9	00.9-02.9
Less than \$15,000	258	17,778	165	56.6	46.6-66.6	24	10.8	02.4-19.2	22	10.5	04.0-17.0	30	15.4	08.0-22.8	17	6.8	02.9-10.7
\$15,000- 24,999	478	36,005	325	67.5	61.0-74.0	46	11.9	06.8-17.0	49	10.4	06.5-14.3	38	6.9	04.4-09.4	20	3.4	01.8-05.0
\$25,000- 34,999	368	26,244	247	62.7	55.8-69.6	41	11.4	07.3-15.5	48	15.5	10.0-21.0	23	8.4	03.5-13.3	9	1.9	00.5-03.3
\$35,000- 49,999	432	36,173	283	66.7	60.6-72.8	64	13.3	09.2-17.4	42	10.5	06.8-14.2	34	6.8	04.3-09.3	9	2.7	00.0-05.6
\$50,000- 74,999	427	38,827	281	64.2	58.5-69.9	46	11.2	07.3-15.1	49	13.2	08.5-17.9	40	8.8	05.9-11.7	11	2.6	01.0-04.2
\$75,000+	519	51,377	368	68.2	62.9-73.5	60	12.7	08.8-16.6	55	11.1	07.6-14.6	26	5.4	02.9-07.9	10	2.7	00.3-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2408	231,343	1559	66.8	64.3-69.3	263	11.5	09.7-13.3	243	9.9	08.1-11.7	217	7.6	06.4-08.8	126	4.1	03.1-05.1
Male	828	100,273	521	64.6	60.3-68.9	93	12.2	09.3-15.1	87	10.5	07.2-13.8	74	7.5	05.5-09.5	53	5.3	03.5-07.1
Female	1580	131,070	1038	68.5	65.4-71.6	170	11.1	08.9-13.3	156	9.4	07.6-11.2	143	7.7	06.1-09.3	73	3.2	02.4-04.0
Native	68	11,519				4	4.1	00.0-08.6				10	7.5	01.2-13.8	3	4.0	00.0-08.7
Non-Native	2325	218,610	1507	67.3	64.8-69.8	258	12.0	10.2-13.8	233	9.2	07.8-10.6	205	7.5	06.3-08.7	122	4.1	03.1-05.1
18-24	79	39,523				9	10.2	03.5-16.9	7	9.8	01.6-18.0	3	3.2	00.0-06.7	1	1.4	00.0-04.1
25-34	255	38,973	172	66.7	60.4-73.0	38	14.7	10.0-19.4	27	10.1	06.2-14.0	12	5.6	02.3-08.9	6	2.8	00.4-05.2
35-44	350	35,666	215	63.2	57.9-68.5	56	16.5	12.4-20.6	39	10.4	07.1-13.7	30	7.0	04.3-09.7	10	2.8	01.0-04.6
45-54	530	43,454	372	69.6	65.3-73.9	43	8.3	05.8-10.8	50	10.4	07.5-13.3	50	9.3	06.6-12.0	15	2.5	01.1-03.9
55-64	461	29,919	264	57.5	52.6-62.4	58	11.9	08.8-15.0	52	10.7	07.8-13.6	50	11.1	08.0-14.2	37	8.8	05.9-11.7
65+	712	42,498	465	65.8	61.9-69.7	57	8.9	06.4-11.4	68	8.8	06.6-11.0	67	9.3	06.9-11.7	55	7.2	05.2-09.2
Less Than H.S.	190	17,600	114	64.8	54.8-74.8	15	10.3	02.1-18.5	19	6.5	03.0-10.0	28	11.9	06.2-17.6	14	6.5	02.2-10.8
H.S. or G.E.D.	710	63,585	483	67.9	62.6-73.2	52	8.0	05.3-10.7	62	10.2	05.7-14.7	68	8.3	05.8-10.8	45	5.6	03.4-07.8
Some Post-H.S.	782	81,084	494	66.0	61.5-70.5	75	9.9	07.0-12.8	89	11.3	08.2-14.4	81	8.8	06.4-11.2	43	4.0	02.6-05.4
College Graduate	722	68,916	467	67.4	63.3-71.5	121	17.0	13.9-20.1	73	9.0	06.6-11.4	39	4.4	02.8-06.0	22	2.2	01.2-03.2
Less than \$15,000	222	18,586				12	4.7	00.6-08.8				35	14.1	08.0-20.2	35	13.7	08.0-19.4
\$15,000- 24,999	401	36,249	246	67.9	61.6-74.2	41	9.2	05.7-12.7	44	8.0	05.3-10.7	50	9.8	06.5-13.1	20	5.2	01.7-08.7
\$25,000- 34,999	317	28,066	213	66.8	59.5-74.1	23	7.1	03.6-10.6	29	12.3	06.6-18.0	34	9.2	04.7-13.7	18	4.6	01.9-07.3
\$35,000- 49,999	382	34,631	253	66.8	61.1-72.5	46	12.0	08.3-15.7	41	11.9	07.8-16.0	26	6.5	03.6-09.4	16	2.8	01.4-04.2
\$50,000- 74,999	382	40,851	261	68.8	63.1-74.5	52	13.6	09.3-17.9	32	9.1	05.0-13.2	28	6.5	04.0-09.0	9	2.0	00.6-03.4
\$75,000+	410	46,551	288	71.5	66.0-77.0	61	15.9	11.2-20.6	30	6.3	03.9-08.7	23	4.7	02.3-07.1	8	1.6	00.4-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	828	100,273	521	64.6	60.3-68.9	93	12.2	09.3-15.1	87	10.5	07.2-13.8	74	7.5	05.5-09.5	53	5.3	03.5-07.1
Non-Native	802	96,220	504	65.6	61.5-69.7	90	12.3	09.4-15.2	85	9.5	07.0-12.0	72	7.5	05.5-09.5	51	5.1	03.3-06.9
25-34	101	20,019	68	66.9	57.1-76.7	17	16.5	09.1-23.9	9	8.2	02.7-13.7	3	3.8	00.0-08.1	4	4.6	00.1-09.1
35-44	132	15,555	84	64.8	56.4-73.2	23	17.2	10.5-23.9	11	8.2	03.3-13.1	10	7.0	02.5-11.5	4	2.9	00.0-05.8
45-54	198	18,938	127	64.1	56.8-71.4	13	7.5	03.4-11.6	31	16.0	10.5-21.5	16	8.4	04.1-12.7	11	4.0	01.6-06.4
55-64	168	13,328	88	52.4	44.4-60.4	19	10.1	05.4-14.8	22	12.9	07.4-18.4	21	12.4	07.1-17.7	18	12.2	06.7-17.7
65+	194	15,562	129	67.7	60.6-74.8	16	8.6	04.3-12.9	12	5.3	02.2-08.4	22	11.9	07.0-16.8	15	6.5	03.0-10.0
Less Than H.S.	74	8,829							3	2.5	00.0-05.6				7	8.2	00.8-15.6
H.S. or G.E.D.	260	29,792	177	66.7	57.9-75.5	20	8.6	04.5-12.7	23	11.6	03.0-20.2	22	6.3	03.4-09.2	18	6.8	02.5-11.1
Some Post-H.S.	233	30,281	132	60.5	52.3-68.7	24	10.3	05.4-15.2	31	13.6	07.5-19.7	28	9.7	05.6-13.8	18	5.9	02.8-09.0
College Graduate	261	31,372	167	67.9	61.4-74.4	42	16.6	11.3-21.9	30	8.9	05.6-12.2	12	4.1	01.6-06.6	10	2.5	00.7-04.3
Less than \$15,000	61	6,556				1	5.6	00.0-16.2				7	9.6	01.0-18.2			
\$15,000- 24,999	127	15,826				14	10.8	04.3-17.3	12	6.3	02.2-10.4	14	9.3	03.8-14.8	11	9.0	01.6-16.4
\$25,000- 34,999	105	11,745				6	4.7	00.4-09.0	9	7.5	01.6-13.4	11	7.2	02.5-11.9	8	7.2	01.3-13.1
\$35,000- 49,999	145	15,327	91	62.7	53.5-71.9	20	13.3	07.2-19.4	18	13.7	07.0-20.4	9	7.3	02.0-12.6	7	2.9	00.5-05.3
\$50,000- 74,999	162	20,971	108	67.2	58.4-76.0	20	12.5	06.6-18.4	17	11.9	04.5-19.3	11	5.4	02.1-08.7	6	2.9	00.5-05.3
\$75,000+	167	21,596	108	65.7	56.7-74.7	26	17.3	09.5-25.1	16	8.0	03.9-12.1	14	7.3	02.8-11.8	3	1.7	00.0-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1580	131,070	1038	68.5	65.4-71.6	170	11.1	08.9-13.3	156	9.4	07.6-11.2	143	7.7	06.1-09.3	73	3.2	02.4-04.0
Non-Native	1523	122,390	1003	68.6	65.7-71.5	168	11.7	09.5-13.9	148	8.9	07.1-10.7	133	7.4	05.8-09.0	71	3.3	02.5-04.1
25-34	154	18,954	104	66.6	58.6-74.6	21	12.8	07.5-18.1	18	12.2	06.5-17.9	9	7.5	02.4-12.6	2	1.0	00.0-02.4
35-44	218	20,111	131	62.0	55.1-68.9	33	16.0	10.7-21.3	28	12.1	07.6-16.6	20	7.1	03.8-10.4	6	2.8	00.4-05.2
45-54	332	24,516	245	73.8	68.7-78.9	30	8.8	05.7-11.9	19	6.0	03.3-08.7	34	10.0	06.5-13.5	4	1.4	00.0-03.0
55-64	293	16,591	176	61.7	55.8-67.6	39	13.4	09.3-17.5	30	8.9	05.6-12.2	29	10.0	06.3-13.7	19	6.1	03.4-08.8
65+	518	26,937	336	64.7	60.2-69.2	41	9.1	06.2-12.0	56	10.8	07.9-13.7	45	7.9	05.5-10.3	40	7.6	05.2-10.0
Less Than H.S.	116	8,772				8	6.0	01.5-10.5	16	10.5	04.4-16.6	16	8.5	03.8-13.2	7	4.8	00.9-08.7
H.S. or G.E.D.	450	33,794	306	68.9	63.0-74.8	32	7.5	03.8-11.2	39	9.0	05.3-12.7	46	10.0	06.1-13.9	27	4.6	02.6-06.6
Some Post-H.S.	549	50,803	362	69.4	64.1-74.7	51	9.7	06.0-13.4	58	9.9	06.8-13.0	53	8.2	05.5-10.9	25	2.9	01.5-04.3
College Graduate	461	37,545	300	66.9	61.8-72.0	79	17.5	13.6-21.4	43	9.0	05.7-12.3	27	4.7	02.7-06.7	12	2.0	00.8-03.2
Less than \$15,000	161	12,030				11	4.3	01.4-07.2	25	12.7	06.6-18.8	28	16.5	08.7-24.3	20	10.1	05.0-15.2
\$15,000- 24,999	274	20,423	170	70.4	63.3-77.5	27	7.9	04.4-11.4	32	9.3	05.6-13.0	36	10.1	06.2-14.0	9	2.3	00.7-03.9
\$25,000- 34,999	212	16,321	142	62.0	52.2-71.8	17	8.9	03.6-14.2	20	15.7	06.9-24.5	23	10.7	04.0-17.4	10	2.8	01.0-04.6
\$35,000- 49,999	237	19,303	162	70.1	62.8-77.4	26	11.0	06.5-15.5	23	10.4	05.3-15.5	17	5.8	02.9-08.7	9	2.7	00.7-04.7
\$50,000- 74,999	220	19,879	153	70.5	63.1-77.9	32	14.8	08.5-21.1	15	6.0	02.7-09.3	17	7.7	04.0-11.4	3	1.0	00.0-02.2
\$75,000+	243	24,955	180	76.5	70.0-83.0	35	14.8	09.1-20.5	14	4.7	02.2-07.2	9	2.5	00.7-04.3	5	1.5	00.0-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 3: HEALTH CARE ACCESS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?  
(HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5010	481,623	4582	88.4	86.8-90.0	428	11.6	10.0-13.2	
Male	2021	237,812	1818	87.4	85.0-89.8	203	12.6	10.2-15.0	
Female	2989	243,811	2764	89.3	87.3-91.3	225	10.7	08.7-12.7	
Non-Native	4842	458,230	4461	90.0	88.6-91.4	381	10.0	08.6-11.4	
18-24	148	70,852	110	72.0	64.0-80.0	38	28.0	20.0-36.0	
25-34	504	77,737	438	86.2	82.9-89.5	66	13.8	10.5-17.1	
35-44	697	75,985	615	88.6	86.1-91.1	82	11.4	08.9-13.9	
45-54	1074	92,227	967	91.2	89.4-93.0	107	8.8	07.0-10.6	
55-64	995	67,641	901	90.7	88.7-92.7	94	9.3	07.3-11.3	
65+	1543	93,955	1507	97.9	97.1-98.7	36	2.1	01.3-02.9	
Less Than H.S.	378	34,560	335	82.5	74.7-90.3	43	17.5	09.7-25.3	
H.S. or G.E.D.	1515	139,331	1343	85.0	82.1-87.9	172	15.0	12.1-17.9	
Some Post-H.S.	1554	158,647	1412	86.6	83.7-89.5	142	13.4	10.5-16.3	
College Graduate	1555	148,731	1485	94.8	93.2-96.4	70	5.2	03.6-06.8	
Less than \$15,000	371	28,252	292	71.9	63.3-80.5	79	28.1	19.5-36.7	
\$15,000- 24,999	742	67,212	616	73.1	67.2-79.0	126	26.9	21.0-32.8	
\$25,000- 34,999	601	52,661	548	87.2	83.1-91.3	53	12.8	08.7-16.9	
\$35,000- 49,999	821	79,530	770	90.8	87.5-94.1	51	9.2	05.9-12.5	
\$50,000- 74,999	848	89,602	808	93.1	90.4-95.8	40	6.9	04.2-09.6	
\$75,000+	1010	110,941	980	96.0	94.0-98.0	30	4.0	02.0-06.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2021	237,812	1818	87.4	85.0-89.8	203	12.6	10.2-15.0
Non-Native	1965	229,136	1776	88.2	86.0-90.4	189	11.8	09.6-14.0
25-34	214	41,398	186	86.7	81.8-91.6	28	13.3	08.4-18.2
35-44	316	38,947	278	88.6	84.9-92.3	38	11.4	07.7-15.1
45-54	463	45,992	415	90.8	88.1-93.5	48	9.2	06.5-11.9
55-64	434	35,388	379	88.6	85.7-91.5	55	11.4	08.5-14.3
65+	515	39,944	501	97.4	96.0-98.8	14	2.6	01.2-04.0
Less Than H.S.	162	18,042	143	83.1	73.3-92.9	19	16.9	07.1-26.7
H.S. or G.E.D.	640	74,212	557	83.2	78.5-87.9	83	16.8	12.1-21.5
Some Post-H.S.	557	70,077	493	85.6	81.1-90.1	64	14.4	09.9-18.9
College Graduate	661	75,392	625	94.3	91.8-96.8	36	5.7	03.2-08.2
\$15,000- 24,999	253	30,059	202	74.9	66.9-82.9	51	25.1	17.1-33.1
\$25,000- 34,999	226	26,103	199	84.7	78.0-91.4	27	15.3	08.6-22.0
\$35,000- 49,999	384	43,241	353	88.5	83.4-93.6	31	11.5	06.4-16.6
\$50,000- 74,999	415	50,266	393	92.2	88.1-96.3	22	7.8	03.7-11.9
\$75,000+	489	59,872	472	94.8	91.3-98.3	17	5.2	01.7-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2989	243,811	2764	89.3	87.3-91.3	225	10.7	08.7-12.7
Non-Native	2877	229,094	2685	91.8	90.2-93.4	192	8.2	06.6-09.8
25-34	290	36,339	252	85.6	80.9-90.3	38	14.4	09.7-19.1
35-44	381	37,038	337	88.6	85.1-92.1	44	11.4	07.9-14.9
45-54	611	46,235	552	91.5	89.1-93.9	59	8.5	06.1-10.9
55-64	561	32,253	522	93.1	90.7-95.5	39	6.9	04.5-09.3
65+	1028	54,011	1006	98.2	97.4-99.0	22	1.8	01.0-02.6
H.S. or G.E.D.	875	65,119	786	87.1	83.8-90.4	89	12.9	09.6-16.2
Some Post-H.S.	997	88,570	919	87.4	83.5-91.3	78	12.6	08.7-16.5
College Graduate	894	73,340	860	95.3	93.3-97.3	34	4.7	02.7-06.7
Less than \$15,000	265	18,132	222	78.9	69.7-88.1	43	21.1	11.9-30.3
\$15,000- 24,999	489	37,153	414	71.6	63.4-79.8	75	28.4	20.2-36.6
\$25,000- 34,999	375	26,558	349	89.6	84.5-94.7	26	10.4	05.3-15.5
\$35,000- 49,999	437	36,290	417	93.5	90.0-97.0	20	6.5	03.0-10.0
\$50,000- 74,999	433	39,336	415	94.2	91.1-97.3	18	5.8	02.7-08.9
\$75,000+	521	51,069	508	97.4	95.8-99.0	13	2.6	01.0-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5009	488,079	3657	68.2	66.2-70.2	425	8.0	07.0-09.0	927	23.8	22.0-25.6
Male	2024	243,037	1275	60.4	57.5-63.3	205	9.0	07.6-10.4	544	30.6	27.9-33.3
Female	2985	245,043	2382	76.0	73.6-78.4	220	7.0	05.8-08.2	383	17.1	14.9-19.3
Native	130	22,145				16	8.1	03.2-13.0			
Non-Native	4840	462,507	3569	69.6	67.8-71.4	401	7.9	06.9-08.9	870	22.5	20.7-24.3
18-24	160	78,291	91	56.5	48.3-64.7	9	5.2	01.7-08.7	60	38.2	30.0-46.4
25-34	503	77,645	306	59.1	54.4-63.8	36	6.8	04.4-09.2	161	34.1	29.4-38.8
35-44	698	76,084	468	66.3	62.6-70.0	54	7.6	05.4-09.8	176	26.1	22.6-29.6
45-54	1071	91,994	773	71.4	68.5-74.3	76	7.4	05.6-09.2	222	21.2	18.5-23.9
55-64	994	67,635	743	73.7	70.8-76.6	85	9.4	07.4-11.4	166	16.9	14.4-19.4
65+	1533	93,142	1239	80.1	77.9-82.3	157	10.8	09.0-12.6	137	9.2	07.6-10.8
Less Than H.S.	380	36,620	280	66.7	58.5-74.9	32	7.3	03.6-11.0	68	25.9	17.7-34.1
H.S. or G.E.D.	1520	143,607	1093	68.0	64.7-71.3	146	9.2	07.4-11.0	281	22.8	19.7-25.9
Some Post-H.S.	1552	158,853	1108	66.1	62.6-69.6	130	7.8	06.0-09.6	314	26.2	22.9-29.5
College Graduate	1548	148,098	1173	71.4	68.5-74.3	114	7.2	05.6-08.8	261	21.4	18.7-24.1
Less than \$15,000	373	29,723	249	63.0	54.2-71.8	50	14.5	09.0-20.0	74	22.5	14.5-30.5
\$15,000- 24,999	741	67,830	522	60.5	54.6-66.4	63	7.8	05.3-10.3	156	31.7	25.8-37.6
\$25,000- 34,999	601	54,031	436	68.1	62.6-73.6	45	5.9	03.9-07.9	120	26.0	20.7-31.3
\$35,000- 49,999	821	79,967	586	67.7	63.2-72.2	62	7.3	05.1-09.5	173	25.0	20.7-29.3
\$50,000- 74,999	846	89,484	648	72.9	69.0-76.8	54	5.9	04.1-07.7	144	21.2	17.5-24.9
\$75,000+	1008	110,564	742	70.5	67.0-74.0	93	9.5	07.3-11.7	173	20.0	16.9-23.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2024	243,037	1275	60.4	57.5-63.3	205	9.0	07.6-10.4	544	30.6	27.9-33.3
Non-Native	1965	232,075	1252	61.6	58.9-64.3	194	9.0	07.6-10.4	519	29.4	26.7-32.1
18-24	79	41,049				3	3.6	00.0-07.7			
25-34	214	41,398	96	46.2	39.1-53.3	21	9.0	05.1-12.9	97	44.8	37.7-51.9
35-44	316	38,947	180	58.0	52.3-63.7	25	6.9	04.2-09.6	111	35.1	29.6-40.6
45-54	460	45,759	291	64.0	59.3-68.7	37	8.7	05.8-11.6	132	27.2	22.9-31.5
55-64	433	35,365	283	65.8	61.1-70.5	49	11.9	08.6-15.2	101	22.2	18.1-26.3
65+	512	39,482	374	73.4	69.3-77.5	68	14.0	10.7-17.3	70	12.6	09.5-15.7
Less Than H.S.	163	18,912				18	10.6	04.1-17.1	39	24.0	14.8-33.2
H.S. or G.E.D.	647	78,566	394	60.2	54.9-65.5	78	10.5	07.8-13.2	175	29.3	24.4-34.2
Some Post-H.S.	557	70,104	332	56.7	51.0-62.4	52	7.1	04.9-09.3	173	36.2	30.7-41.7
College Graduate	655	74,817	443	63.3	58.8-67.8	57	9.0	06.5-11.5	155	27.8	23.3-32.3
Less than \$15,000	109	11,856				21	18.3	08.3-28.3			
\$15,000- 24,999	251	30,578	151	55.6	46.8-64.4	28	10.0	05.3-14.7	72	34.4	25.8-43.0
\$25,000- 34,999	228	27,559	131	56.7	47.7-65.7	22	6.9	03.8-10.0	75	36.4	27.4-45.4
\$35,000- 49,999	382	43,085	234	59.8	53.5-66.1	36	8.0	05.3-10.7	112	32.2	25.9-38.5
\$50,000- 74,999	414	50,191	286	65.0	59.3-70.7	28	6.4	03.9-08.9	100	28.6	22.9-34.3
\$75,000+	486	58,962	325	65.6	60.7-70.5	54	10.7	07.8-13.6	107	23.7	19.2-28.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2985	245,043	2382	76.0	73.6-78.4	220	7.0	05.8-08.2	383	17.1	14.9-19.3
Native	88	13,024				10	8.7	02.2-15.2			
Non-Native	2875	230,432	2317	77.6	75.4-79.8	207	6.9	05.7-08.1	351	15.6	13.6-17.6
18-24	81	37,242				6	7.1	01.4-12.8			
25-34	289	36,247	210	73.9	68.6-79.2	15	4.2	02.0-06.4	64	21.8	16.7-26.9
35-44	382	37,137	288	75.0	70.3-79.7	29	8.4	05.3-11.5	65	16.6	12.7-20.5
45-54	611	46,235	482	78.6	75.1-82.1	39	6.1	04.1-08.1	90	15.3	12.2-18.4
55-64	561	32,269	460	82.3	79.0-85.6	36	6.6	04.4-08.8	65	11.1	08.4-13.8
65+	1021	53,660	865	85.0	82.6-87.4	89	8.3	06.5-10.1	67	6.7	04.9-08.5
Less Than H.S.	217	17,708				14	3.8	01.4-06.2			
H.S. or G.E.D.	873	65,041	699	77.5	73.6-81.4	68	7.5	05.1-09.9	106	15.0	11.5-18.5
Some Post-H.S.	995	88,749	776	73.5	69.2-77.8	78	8.3	05.8-10.8	141	18.2	14.3-22.1
College Graduate	893	73,281	730	79.6	76.3-82.9	57	5.5	03.9-07.1	106	14.9	11.8-18.0
Less than \$15,000	264	17,867	193	71.0	62.0-80.0	29	12.0	05.1-18.9	42	17.0	09.9-24.1
\$15,000- 24,999	490	37,252	371	64.6	56.8-72.4	35	5.9	03.5-08.3	84	29.5	21.3-37.7
\$25,000- 34,999	373	26,473	305	79.9	74.4-85.4	23	5.0	02.8-07.2	45	15.1	10.0-20.2
\$35,000- 49,999	439	36,882	352	77.0	71.3-82.7	26	6.4	03.1-09.7	61	16.6	11.7-21.5
\$50,000- 74,999	432	39,293	362	83.0	78.5-87.5	26	5.2	03.0-07.4	44	11.8	07.7-15.9
\$75,000+	522	51,603	417	76.1	71.0-81.2	39	8.1	04.8-11.4	66	15.8	11.5-20.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5022	489,555	301	6.2	05.2-07.2	4721	93.8	92.8-94.8	
Male	2034	244,367	98	4.9	03.7-06.1	1936	95.1	93.9-96.3	
Female	2988	245,188	203	7.5	06.1-08.9	2785	92.5	91.1-93.9	
Native	130	22,145	30	19.4	09.8-29.0	100	80.6	71.0-90.2	
Non-Native	4851	463,898	268	5.5	04.7-06.3	4583	94.5	93.7-95.3	
18-24	161	78,839	12	6.7	02.8-10.6	149	93.3	89.4-97.2	
25-34	501	77,487	34	6.8	04.3-09.3	467	93.2	90.7-95.7	
35-44	698	76,084	76	10.2	07.8-12.6	622	89.8	87.4-92.2	
45-54	1075	92,345	68	5.8	04.4-07.2	1007	94.2	92.8-95.6	
55-64	999	67,950	64	5.7	04.3-07.1	935	94.3	92.9-95.7	
65+	1538	93,592	44	2.8	01.8-03.8	1494	97.2	96.2-98.2	
Less Than H.S.	381	36,601	33	8.5	04.6-12.4	348	91.5	87.6-95.4	
H.S. or G.E.D.	1523	144,757	96	5.9	04.5-07.3	1427	94.1	92.7-95.5	
Some Post-H.S.	1554	158,565	119	8.3	06.3-10.3	1435	91.7	89.7-93.7	
College Graduate	1555	148,731	51	3.3	02.1-04.5	1504	96.7	95.5-97.9	
Less than \$15,000	370	29,432	53	16.8	10.1-23.5	317	83.2	76.5-89.9	
\$15,000- 24,999	742	68,094	96	14.6	10.9-18.3	646	85.4	81.7-89.1	
\$25,000- 34,999	602	54,143	47	8.7	05.6-11.8	555	91.3	88.2-94.4	
\$35,000- 49,999	822	80,061	33	3.5	02.1-04.9	789	96.5	95.1-97.9	
\$50,000- 74,999	848	89,602	23	2.7	01.5-03.9	825	97.3	96.1-98.5	
\$75,000+	1013	111,636	17	1.7	00.7-02.7	996	98.3	97.3-99.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2034	244,367	98	4.9	03.7-06.1	1936	95.1	93.9-96.3
Non-Native	1975	233,405	88	4.5	03.3-05.7	1887	95.5	94.3-96.7
18-24	80	41,597	3	3.5	00.0-07.4	77	96.5	92.6-0100
25-34	213	41,302	12	6.3	02.6-10.0	201	93.7	90.0-97.4
35-44	316	38,947	27	7.9	04.8-11.0	289	92.1	89.0-95.2
45-54	465	46,147	24	4.9	02.7-07.1	441	95.1	92.9-97.3
55-64	437	35,633	20	4.3	02.3-06.3	417	95.7	93.7-97.7
65+	513	39,703	12	2.7	00.9-04.5	501	97.3	95.5-99.1
Less Than H.S.	163	18,860	14	7.9	03.4-12.4	149	92.1	87.6-96.6
H.S. or G.E.D.	650	79,685	35	4.9	02.9-06.9	615	95.1	93.1-97.1
Some Post-H.S.	558	69,792	34	5.7	03.3-08.1	524	94.3	91.9-96.7
College Graduate	661	75,392	14	2.7	00.9-04.5	647	97.3	95.5-99.1
Less than \$15,000	107	11,594	16	12.0	04.6-19.4	91	88.0	80.6-95.4
\$15,000- 24,999	255	30,973	35	14.4	08.7-20.1	220	85.6	79.9-91.3
\$25,000- 34,999	228	27,649	14	7.4	02.9-11.9	214	92.6	88.1-97.1
\$35,000- 49,999	384	43,241	12	2.8	01.0-04.6	372	97.2	95.4-99.0
\$50,000- 74,999	415	50,266	5	1.1	00.1-02.1	410	98.9	97.9-99.9
\$75,000+	490	59,975	11	2.3	00.7-03.9	479	97.7	96.1-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2988	245,188	203	7.5	06.1-08.9	2785	92.5	91.1-93.9	
Non-Native	2876	230,493	180	6.5	05.3-07.7	2696	93.5	92.3-94.7	
18-24	81	37,242	9	10.2	03.3-17.1	72	89.8	82.9-96.7	
25-34	288	36,185	22	7.3	04.2-10.4	266	92.7	89.6-95.8	
35-44	382	37,137	49	12.6	08.9-16.3	333	87.4	83.7-91.1	
45-54	610	46,197	44	6.7	04.7-08.7	566	93.3	91.3-95.3	
55-64	562	32,317	44	7.3	05.1-09.5	518	92.7	90.5-94.9	
65+	1025	53,889	32	2.9	01.9-03.9	993	97.1	96.1-98.1	
Less Than H.S.	218	17,740	19	9.2	02.7-15.7	199	90.8	84.3-97.3	
H.S. or G.E.D.	873	65,072	61	7.0	05.0-09.0	812	93.0	91.0-95.0	
Some Post-H.S.	996	88,773	85	10.4	07.5-13.3	911	89.6	86.7-92.5	
College Graduate	894	73,340	37	3.9	02.5-05.3	857	96.1	94.7-97.5	
Less than \$15,000	263	17,838	37	19.9	10.7-29.1	226	80.1	70.9-89.3	
\$15,000- 24,999	487	37,121	61	14.8	10.1-19.5	426	85.2	80.5-89.9	
\$25,000- 34,999	374	26,494	33	9.9	05.2-14.6	341	90.1	85.4-94.8	
\$35,000- 49,999	438	36,820	21	4.3	02.3-06.3	417	95.7	93.7-97.7	
\$50,000- 74,999	433	39,336	18	4.8	02.3-07.3	415	95.2	92.7-97.7	
\$75,000+	523	51,661	6	1.1	00.1-02.1	517	98.9	97.9-99.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4990	486,126	3452	63.2	61.2-65.2	637	15.0	13.4-16.6	371	9.3	07.9-10.7	488	11.5	10.3-12.7	42	1.0	00.6-01.4
Male	2023	243,400	1212	55.2	52.3-58.1	297	16.1	13.9-18.3	201	12.3	10.1-14.5	293	15.1	13.1-17.1	20	1.3	00.5-02.1
Female	2967	242,725	2240	71.2	68.7-73.7	340	13.9	11.7-16.1	170	6.4	05.2-07.6	195	7.9	06.5-09.3	22	0.7	00.3-01.1
Native	127	21,482				22	16.4	06.8-26.0				11	7.3	02.4-12.2	2	0.7	00.0-01.9
Non-Native	4821	461,067	3343	63.4	61.4-65.4	611	14.9	13.3-16.5	353	8.9	07.7-10.1	475	11.8	10.4-13.2	39	1.0	00.6-01.4
18-24	158	77,702	75	47.4	39.0-55.8	40	24.1	16.8-31.4	23	15.6	09.3-21.9	17	11.1	05.8-16.4	3	1.8	00.0-03.8
25-34	501	77,072	299	57.9	53.2-62.6	65	12.3	09.4-15.2	47	10.2	07.3-13.1	83	18.3	14.6-22.0	7	1.2	00.2-02.2
35-44	695	75,823	387	54.1	50.2-58.0	125	18.5	15.4-21.6	75	11.1	08.6-13.6	101	15.3	12.4-18.2	7	1.0	00.2-01.8
45-54	1073	92,180	663	61.1	58.0-64.2	173	16.5	14.1-18.9	102	9.6	07.6-11.6	132	12.4	10.2-14.6	3	0.4	00.0-01.0
55-64	991	67,504	714	71.5	68.4-74.6	119	12.5	10.1-14.9	67	6.8	05.0-08.6	81	8.2	06.4-10.0	10	0.9	00.3-01.5
65+	1521	92,524	1275	84.2	82.2-86.2	110	7.1	05.7-08.5	53	3.5	02.5-04.5	71	4.6	03.4-05.8	12	0.7	00.3-01.1
Less Than H.S.	375	35,884	272	63.2	55.0-71.4	48	14.2	08.3-20.1	21	8.4	03.1-13.7	29	10.5	05.0-16.0	5	3.6	00.0-07.7
H.S. or G.E.D.	1517	144,376	1055	62.4	58.7-66.1	184	15.8	12.9-18.7	107	9.2	06.7-11.7	157	11.8	09.4-14.2	14	0.8	00.4-01.2
Some Post-H.S.	1545	157,133	1045	62.0	58.5-65.5	200	15.5	12.6-18.4	121	9.3	07.1-11.5	169	12.7	10.2-15.2	10	0.6	00.2-01.0
College Graduate	1545	147,864	1073	65.4	62.5-68.3	205	13.9	11.7-16.1	121	9.4	07.4-11.4	133	10.3	08.3-12.3	13	0.9	00.3-01.5
Less than \$15,000	369	29,780	256	62.4	53.4-71.4	37	11.4	05.5-17.3	24	11.7	04.1-19.3	46	12.6	07.3-17.9	6	1.9	00.0-03.9
\$15,000- 24,999	740	67,571	504	61.5	56.0-67.0	92	14.7	10.6-18.8	53	7.8	04.5-11.1	87	15.6	11.5-19.7	4	0.4	00.0-00.8
\$25,000- 34,999	596	53,586	419	65.4	59.7-71.1	77	16.2	11.3-21.1	36	6.6	03.5-09.7	60	11.3	08.0-14.6	4	0.4	00.0-00.8
\$35,000- 49,999	820	79,855	548	60.4	55.5-65.3	107	16.0	11.7-20.3	73	10.5	07.6-13.4	85	12.2	08.9-15.5	7	0.9	00.3-01.5
\$50,000- 74,999	845	89,315	571	61.6	57.5-65.7	109	15.2	11.9-18.5	81	10.2	07.5-12.9	76	11.8	08.9-14.7	8	1.1	00.3-01.9
\$75,000+	1009	110,944	700	65.9	62.2-69.6	150	16.4	13.3-19.5	64	7.3	05.3-09.3	89	9.7	07.3-12.1	6	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2023	243,400	1212	55.2	52.3-58.1	297	16.1	13.9-18.3	201	12.3	10.1-14.5	293	15.1	13.1-17.1	20	1.3	00.5-02.1
Non-Native	1966	232,917	1178	55.4	52.5-58.3	286	16.1	13.9-18.3	195	11.7	09.7-13.7	288	15.5	13.3-17.7	19	1.3	00.5-02.1
18-24	80	41,780				19	21.0	11.8-30.2	16	21.7	11.9-31.5	9	11.8	04.4-19.2	2	2.6	00.0-06.1
25-34	212	40,918	84	42.4	35.1-49.7	34	14.5	09.8-19.2	33	15.4	10.3-20.5	56	25.8	19.5-32.1	5	1.9	00.1-03.7
35-44	315	38,883	141	46.3	40.4-52.2	60	19.6	14.9-24.3	45	13.0	09.3-16.7	65	20.0	15.3-24.7	4	1.1	00.0-02.3
45-54	464	46,096	241	53.0	48.1-57.9	82	18.0	14.3-21.7	54	11.5	08.4-14.6	84	16.6	13.1-20.1	3	0.9	00.0-01.9
55-64	434	35,410	287	66.7	62.0-71.4	63	14.9	11.2-18.6	34	7.7	05.0-10.4	48	10.3	07.4-13.2	2	0.4	00.0-01.0
65+	508	39,277	419	82.6	79.1-86.1	36	7.5	05.0-10.0	19	3.8	02.0-05.6	30	5.4	03.4-07.4	4	0.6	00.0-01.2
Less Than H.S.	159	18,250				15	14.0	04.4-23.6	10	11.1	02.7-19.5	13	6.7	02.4-11.0	4	6.8	00.0-14.8
H.S. or G.E.D.	648	79,555	381	54.5	49.0-60.0	101	18.0	13.9-22.1	60	11.3	07.2-15.4	99	15.3	11.6-19.0	7	1.0	00.2-01.8
Some Post-H.S.	557	70,070	313	53.2	47.5-58.9	72	14.3	10.0-18.6	64	13.0	09.1-16.9	103	19.1	14.6-23.6	5	0.5	00.1-00.9
College Graduate	657	74,887	400	56.7	52.2-61.2	109	16.5	13.4-19.6	66	12.5	09.0-16.0	78	13.4	10.3-16.5	4	1.0	00.0-02.0
Less than \$15,000	108	11,811				11	8.6	02.5-14.7				18	13.2	05.0-21.4	3	2.0	00.0-04.5
\$15,000- 24,999	254	30,807	153	54.3	45.5-63.1	36	16.5	10.0-23.0	21	9.9	03.4-16.4	43	19.1	12.0-26.2	1	0.2	00.0-00.6
\$25,000- 34,999	224	27,116	137	57.3	47.9-66.7	38	21.1	12.7-29.5	17	8.7	03.0-14.4	32	12.9	07.8-18.0			
\$35,000- 49,999	384	43,241	230	57.6	51.3-63.9	50	13.8	09.5-18.1	43	11.6	07.7-15.5	56	15.7	10.6-20.8	5	1.3	00.1-02.5
\$50,000- 74,999	415	50,266	235	51.0	45.1-56.9	62	16.2	11.7-20.7	50	13.2	08.9-17.5	62	18.2	13.3-23.1	6	1.4	00.0-02.8
\$75,000+	488	59,827	294	56.9	51.6-62.2	82	18.6	13.9-23.3	46	10.2	07.1-13.3	63	13.6	09.9-17.3	3	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2967	242,725	2240	71.2	68.7-73.7	340	13.9	11.7-16.1	170	6.4	05.2-07.6	195	7.9	06.5-09.3	22	0.7	00.3-01.1
Native	87	12,839							12	11.3	03.5-19.1	7	7.7	01.4-14.0	1	0.2	00.0-00.6
Non-Native	2855	228,150	2165	71.7	69.2-74.2	325	13.6	11.6-15.6	158	6.1	04.7-07.5	187	7.9	06.3-09.5	20	0.7	00.3-01.1
18-24	78	35,921							7	8.6	02.3-14.9	8	10.3	03.2-17.4	1	0.7	00.0-02.1
25-34	289	36,154	215	75.6	70.3-80.9	31	9.8	06.5-13.1	14	4.3	02.1-06.5	27	9.9	06.0-13.8	2	0.5	00.0-01.3
35-44	380	36,940	246	62.3	57.0-67.6	65	17.4	13.3-21.5	30	9.0	05.5-12.5	36	10.4	06.9-13.9	3	0.8	00.0-01.8
45-54	609	46,084	422	69.1	65.2-73.0	91	14.9	12.0-17.8	48	7.8	05.4-10.2	48	8.3	05.8-10.8			
55-64	557	32,094	427	76.8	73.1-80.5	56	9.9	07.4-12.4	33	5.8	03.6-08.0	33	6.0	03.8-08.2	8	1.5	00.3-02.7
65+	1013	53,247	856	85.3	82.9-87.7	74	6.8	05.2-08.4	34	3.2	02.0-04.4	41	4.0	02.6-05.4	8	0.8	00.2-01.4
Less Than H.S.	216	17,634				33	14.5	07.4-21.6	11	5.6	00.0-11.5	16	14.6	04.8-24.4	1	0.2	00.0-00.6
H.S. or G.E.D.	869	64,821	674	72.2	67.7-76.7	83	13.2	09.3-17.1	47	6.7	04.2-09.2	58	7.4	05.0-09.8	7	0.6	00.2-01.0
Some Post-H.S.	988	87,062	732	69.0	64.3-73.7	128	16.4	12.3-20.5	57	6.4	04.0-08.8	66	7.4	04.9-09.9	5	0.7	00.0-01.5
College Graduate	888	72,977	673	74.4	70.9-77.9	96	11.3	08.6-14.0	55	6.2	04.4-08.0	55	7.1	04.9-09.3	9	0.9	00.3-01.5
Less than \$15,000	261	17,969	189	65.3	55.3-75.3	26	13.3	04.7-21.9	15	7.4	02.3-12.5	28	12.2	05.3-19.1	3	1.8	00.0-04.7
\$15,000- 24,999	486	36,763	351	67.5	60.8-74.2	56	13.3	08.4-18.2	32	6.0	03.5-08.5	44	12.8	07.9-17.7	3	0.5	00.0-01.1
\$25,000- 34,999	372	26,470	282	73.8	67.5-80.1	39	11.1	06.4-15.8	19	4.4	02.2-06.6	28	9.7	05.2-14.2	4	0.9	00.0-01.9
\$35,000- 49,999	436	36,615	318	63.8	56.2-71.4	57	18.5	10.9-26.1	30	9.3	05.0-13.6	29	8.0	04.3-11.7	2	0.3	00.0-00.7
\$50,000- 74,999	430	39,048	336	75.4	70.3-80.5	47	13.8	09.3-18.3	31	6.4	04.0-08.8	14	3.7	01.7-05.7	2	0.7	00.0-01.7
\$75,000+	521	51,117	406	76.5	71.8-81.2	68	13.9	10.0-17.8	18	4.0	01.5-06.5	26	5.1	02.9-07.3	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 4: SLEEP CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 4: SLEEP**

**TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day		2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4926	479,825	125	2.4	01.8-03.0	1366	29.7	27.9-31.5	601	13.6	12.2-15.0	589	12.7	11.5-13.9	489	10.5	09.3-11.7	1756	31.1	29.3-32.9
Male	2000	240,941	54	2.3	01.5-03.1	522	28.6	25.9-31.3	235	13.3	11.3-15.3	233	13.2	11.2-15.2	196	9.5	07.9-11.1	760	33.0	30.3-35.7
Female	2926	238,884	71	2.4	01.6-03.2	844	30.8	28.4-33.2	366	13.8	12.0-15.6	356	12.1	10.5-13.7	293	11.6	09.8-13.4	996	29.2	27.0-31.4
Native	123	20,251	5	2.6	00.0-06.3				14	6.4	02.7-10.1	18	11.5	04.4-18.6	17	10.0	04.5-15.5			
Non-Native	4764	456,147	119	2.4	01.8-03.0	1330	29.8	28.0-31.6	586	14.0	12.6-15.4	570	12.8	11.4-14.2	468	10.5	09.3-11.7	1691	30.5	28.7-32.3
18-24	157	76,550	3	1.9	00.0-04.3	46	31.5	23.5-39.5	27	16.5	10.4-22.6	20	12.6	07.3-17.9	18	10.4	05.7-15.1	43	27.1	19.5-34.7
25-34	499	77,014	8	1.6	00.4-02.8	145	30.8	26.3-35.3	88	17.4	13.9-20.9	85	16.8	13.3-20.3	82	15.8	12.3-19.3	91	17.6	14.1-21.1
35-44	688	74,927	16	2.7	01.1-04.3	222	33.5	29.6-37.4	123	17.2	14.3-20.1	119	16.3	13.4-19.2	97	13.7	11.0-16.4	111	16.5	13.6-19.4
45-54	1059	90,760	24	2.3	01.3-03.3	339	32.8	29.7-35.9	141	13.7	11.3-16.1	161	14.4	12.2-16.6	108	9.7	07.7-11.7	286	26.9	24.0-29.8
55-64	985	66,926	31	3.0	01.8-04.2	293	30.1	27.0-33.2	103	10.0	08.0-12.0	110	10.8	08.8-12.8	97	9.9	07.9-11.9	351	36.2	33.1-39.3
65+	1491	90,558	43	3.0	02.0-04.0	309	20.8	18.4-23.2	115	7.4	06.0-08.8	91	6.0	04.6-07.4	82	4.9	03.7-06.1	851	58.0	55.3-60.7
Less Than H.S.	365	35,184	11	2.5	00.9-04.1	71	22.0	14.7-29.3	33	13.9	07.2-20.6	35	11.2	05.7-16.7	41	11.1	06.8-15.4	174	39.3	31.7-46.9
H.S. or G.E.D.	1487	140,935	28	1.5	00.7-02.3	370	27.7	24.2-31.2	156	11.4	09.2-13.6	150	10.7	08.5-12.9	150	10.9	08.7-13.1	633	37.9	34.4-41.4
Some Post-H.S.	1525	155,235	35	2.3	01.3-03.3	426	29.9	26.6-33.2	178	12.8	10.3-15.3	222	14.6	12.2-17.0	167	12.0	09.6-14.4	497	28.3	25.2-31.4
College Graduate	1540	147,570	51	3.3	02.1-04.5	499	33.4	30.5-36.3	232	16.4	14.0-18.8	182	12.9	10.7-15.1	128	8.1	06.5-09.7	448	25.8	23.3-28.3
Less than \$15,000	362	28,887	11	2.9	00.2-05.6	76	22.1	13.9-30.3	30	6.6	03.9-09.3	47	13.6	08.1-19.1	47	14.4	08.7-20.1	151	40.5	31.1-49.9
\$15,000- 24,999	722	64,994	15	2.4	00.6-04.2	170	25.0	20.3-29.7	70	8.3	05.9-10.7	75	12.6	08.5-16.7	85	13.2	09.5-16.9	307	38.4	32.9-43.9
\$25,000- 34,999	595	53,663	10	1.2	00.2-02.2	161	29.0	23.5-34.5	64	14.5	09.8-19.2	77	12.1	08.4-15.8	55	10.6	07.1-14.1	228	32.5	27.4-37.6
\$35,000- 49,999	811	78,691	22	2.4	01.2-03.6	241	32.9	28.2-37.6	108	13.9	10.8-17.0	89	11.6	08.7-14.5	81	9.2	06.7-11.7	270	30.0	25.9-34.1
\$50,000- 74,999	835	88,537	20	3.0	01.0-05.0	259	31.2	27.3-35.1	115	15.5	12.2-18.8	120	14.4	11.9-16.9	71	9.9	07.4-12.4	250	26.1	22.6-29.6
\$75,000+	1006	110,494	28	2.4	01.4-03.4	330	34.7	31.0-38.4	149	15.8	12.9-18.7	130	13.2	10.8-15.6	99	10.1	07.7-12.5	270	23.8	20.9-26.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 4: SLEEP**

**TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2000	240,941	54	2.3	01.5-03.1	522	28.6	25.9-31.3	235	13.3	11.3-15.3	233	13.2	11.2-15.2	196	9.5	07.9-11.1	760	33.0	30.3-35.7
Non-Native	1942	230,092	52	2.4	01.6-03.2	508	28.4	25.7-31.1	229	13.8	11.6-16.0	226	13.5	11.3-15.7	189	9.3	07.7-10.9	738	32.6	30.1-35.1
18-24	80	41,597	1	1.8	00.0-05.1				14	16.5	07.9-25.1	13	16.0	07.8-24.2	6	5.9	01.0-10.8			
25-34	212	41,014	4	1.6	00.0-03.4	67	34.3	27.2-41.4	43	18.7	13.4-24.0	37	17.9	12.4-23.4	23	11.5	06.8-16.2	38	16.0	11.1-20.9
35-44	313	38,629	3	1.1	00.0-02.3	100	33.2	27.5-38.9	54	16.3	12.0-20.6	53	16.9	12.6-21.2	47	14.4	10.3-18.5	56	18.1	13.6-22.6
45-54	453	45,033	13	2.9	01.3-04.5	134	31.0	26.3-35.7	61	14.0	10.7-17.3	64	13.5	10.2-16.8	45	9.1	06.4-11.8	136	29.5	25.0-34.0
55-64	430	35,008	15	3.3	01.5-05.1	116	27.9	23.4-32.4	38	8.9	06.2-11.6	40	9.4	06.5-12.3	42	10.3	07.2-13.4	179	40.2	35.3-45.1
65+	503	38,726	18	3.7	01.9-05.5	84	18.2	14.5-21.9	25	4.9	02.9-06.9	26	5.1	02.9-07.3	31	5.6	03.4-07.8	319	62.6	58.1-67.1
Less Than H.S.	158	18,168	5	2.5	00.1-04.9	22	17.2	07.4-27.0	12	12.6	03.8-21.4	13	12.1	03.7-20.5	18	10.9	05.4-16.4			
H.S. or G.E.D.	634	77,598	9	1.3	00.3-02.3	155	28.0	22.7-33.3	77	12.3	09.2-15.4	62	10.5	07.4-13.6	69	9.1	06.6-11.6	262	38.8	33.3-44.3
Some Post-H.S.	552	69,773	11	1.5	00.5-02.5	155	29.4	24.3-34.5	56	13.4	08.9-17.9	88	16.9	12.8-21.0	52	9.9	06.8-13.0	190	29.0	24.1-33.9
College Graduate	654	74,764	29	4.3	02.1-06.5	190	31.6	27.3-35.9	90	14.7	11.6-17.8	70	13.0	09.5-16.5	55	8.3	05.8-10.8	220	28.2	24.5-31.9
Less than \$15,000	103	11,325	1	0.5	00.0-01.5				7	5.0	00.7-09.3	13	9.5	02.1-16.9	16	11.6	04.2-19.0			
\$15,000- 24,999	248	30,241	5	1.4	00.0-02.8	49	24.9	17.1-32.7	18	5.8	02.9-08.7	24	17.0	09.0-25.0	31	9.8	05.9-13.7	121	41.1	32.5-49.7
\$25,000- 34,999	226	27,433	4	1.4	00.0-02.8	55	29.3	20.3-38.3	23	13.2	05.8-20.6	24	10.7	04.8-16.6	23	11.0	05.5-16.5	97	34.4	26.2-42.6
\$35,000- 49,999	379	42,800	14	2.9	01.1-04.7	96	27.8	21.9-33.7	52	16.0	11.3-20.7	42	11.3	07.8-14.8	37	9.2	05.7-12.7	138	32.9	27.0-38.8
\$50,000- 74,999	408	49,565	15	4.4	01.1-07.7	118	28.6	23.5-33.7	51	15.4	10.7-20.1	57	14.2	10.5-17.9	32	9.3	05.8-12.8	135	28.0	22.9-33.1
\$75,000+	487	59,507	13	2.0	00.8-03.2	149	33.5	28.0-39.0	74	16.1	12.0-20.2	59	13.6	09.9-17.3	47	9.3	06.4-12.2	145	25.5	21.4-29.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 4: SLEEP**

**TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2926	238,884	71	2.4	01.6-03.2	844	30.8	28.4-33.2	366	13.8	12.0-15.6	356	12.1	10.5-13.7	293	11.6	09.8-13.4	996	29.2	27.0-31.4
Native	82	11,243	3	3.9	00.0-10.4				9	7.9	02.2-13.6				13	12.6	04.6-20.6			
Non-Native	2822	226,055	67	2.4	01.6-03.2	822	31.2	28.8-33.6	357	14.2	12.4-16.0	344	12.1	10.5-13.7	279	11.6	09.8-13.4	953	28.4	26.4-30.4
18-24	77	34,953	2	2.0	00.0-05.1				13	16.6	07.8-25.4	7	8.6	02.1-15.1	12	15.6	07.2-24.0	16	19.9	09.9-29.9
25-34	287	36,001	4	1.7	00.0-03.5	78	26.8	21.3-32.3	45	15.9	11.4-20.4	48	15.6	11.3-19.9	59	20.7	15.6-25.8	53	19.3	14.2-24.4
35-44	375	36,298	13	4.4	01.7-07.1	122	33.9	28.8-39.0	69	18.1	14.0-22.2	66	15.8	12.1-19.5	50	13.0	09.5-16.5	55	14.8	10.9-18.7
45-54	606	45,727	11	1.8	00.6-03.0	205	34.6	30.5-38.7	80	13.5	10.6-16.4	97	15.4	12.5-18.3	63	10.3	07.8-12.8	150	24.4	20.9-27.9
55-64	555	31,918	16	2.7	01.3-04.1	177	32.5	28.4-36.6	65	11.2	08.5-13.9	70	12.4	09.5-15.3	55	9.5	07.0-12.0	172	31.8	27.7-35.9
65+	988	51,831	25	2.4	01.4-03.4	225	22.7	20.0-25.4	90	9.2	07.2-11.2	65	6.7	04.9-08.5	51	4.4	03.2-05.6	532	54.6	51.3-57.9
Less Than H.S.	207	17,016	6	2.6	00.4-04.8				21	15.3	05.5-25.1	22	10.2	03.5-16.9	23	11.2	04.3-18.1			
H.S. or G.E.D.	853	63,337	19	1.7	00.7-02.7	215	27.3	23.0-31.6	79	10.2	07.1-13.3	88	10.9	08.0-13.8	81	13.1	09.6-16.6	371	36.7	32.8-40.6
Some Post-H.S.	973	85,462	24	3.0	01.2-04.8	271	30.3	25.8-34.8	122	12.4	09.7-15.1	134	12.8	10.3-15.3	115	13.8	10.5-17.1	307	27.7	23.8-31.6
College Graduate	886	72,806	22	2.4	01.2-03.6	309	35.3	31.6-39.0	142	18.1	14.8-21.4	112	12.9	10.4-15.4	73	7.9	05.9-09.9	228	23.4	20.1-26.7
Less than \$15,000	259	17,561	10	4.5	00.2-08.8	54	16.7	11.4-22.0	23	7.6	04.1-11.1	34	16.2	08.9-23.5	31	16.2	08.4-24.0	107	38.8	28.8-48.8
\$15,000- 24,999	474	34,753	10	3.3	00.2-06.4	121	25.2	19.5-30.9	52	10.5	07.0-14.0	51	8.9	05.8-12.0	54	16.2	10.5-21.9	186	36.0	29.3-42.7
\$25,000- 34,999	369	26,230	6	1.1	00.1-02.1	106	28.8	22.5-35.1	41	15.9	10.0-21.8	53	13.5	09.2-17.8	32	10.2	06.1-14.3	131	30.5	25.0-36.0
\$35,000- 49,999	432	35,891	8	1.8	00.4-03.2	145	39.0	31.7-46.3	56	11.4	07.9-14.9	47	12.0	07.3-16.7	44	9.3	06.0-12.6	132	26.5	21.2-31.8
\$50,000- 74,999	427	38,972	5	1.1	00.1-02.1	141	34.4	28.7-40.1	64	15.6	11.3-19.9	63	14.5	11.0-18.0	39	10.6	07.1-14.1	115	23.7	19.2-28.2
\$75,000+	519	50,987	15	2.8	01.2-04.4	181	36.2	30.9-41.5	75	15.4	11.5-19.3	71	12.6	09.7-15.5	52	11.0	07.3-14.7	125	21.9	17.4-26.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 5: EXERCISE CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 5: EXERCISE**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5020	489,052	3602	74.4	72.8-76.0	1418	25.6	24.0-27.2	
Male	2030	243,763	1476	75.0	72.6-77.4	554	25.0	22.6-27.4	
Female	2990	245,288	2126	73.9	71.7-76.1	864	26.1	23.9-28.3	
Non-Native	4848	463,330	3497	75.4	73.8-77.0	1351	24.6	23.0-26.2	
18-24	162	78,829	133	81.9	75.2-88.6	29	18.1	11.4-24.8	
25-34	504	77,737	402	77.9	73.8-82.0	102	22.1	18.0-26.2	
35-44	696	75,788	529	75.7	72.2-79.2	167	24.3	20.8-27.8	
45-54	1076	92,382	797	75.2	72.5-77.9	279	24.8	22.1-27.5	
55-64	995	67,654	708	72.4	69.5-75.3	287	27.6	24.7-30.5	
65+	1537	93,444	999	65.2	62.7-67.7	538	34.8	32.3-37.3	
Less Than H.S.	383	36,739	217	60.3	52.7-67.9	166	39.7	32.1-47.3	
H.S. or G.E.D.	1521	143,659	975	67.7	64.6-70.8	546	32.3	29.2-35.4	
Some Post-H.S.	1554	159,206	1139	76.4	73.7-79.1	415	23.6	20.9-26.3	
College Graduate	1553	148,546	1266	82.6	80.4-84.8	287	17.4	15.2-19.6	
Less than \$15,000	372	29,777	207	57.4	48.6-66.2	165	42.6	33.8-51.4	
\$15,000- 24,999	742	67,990	457	65.0	59.7-70.3	285	35.0	29.7-40.3	
\$25,000- 34,999	601	53,297	419	71.5	66.8-76.2	182	28.5	23.8-33.2	
\$35,000- 49,999	822	80,019	600	74.7	71.0-78.4	222	25.3	21.6-29.0	
\$50,000- 74,999	846	89,341	665	79.5	76.4-82.6	181	20.5	17.4-23.6	
\$75,000+	1012	111,547	828	82.0	79.1-84.9	184	18.0	15.1-20.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 5: EXERCISE**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2030	243,763	1476	75.0	72.6-77.4	554	25.0	22.6-27.4
Non-Native	1971	232,802	1441	75.5	73.1-77.9	530	24.5	22.1-26.9
18-24	80	41,323	65	81.6	72.6-90.6	15	18.4	09.4-27.4
25-34	214	41,398	167	77.5	71.4-83.6	47	22.5	16.4-28.6
35-44	316	38,947	241	75.5	70.4-80.6	75	24.5	19.4-29.6
45-54	465	46,147	335	73.5	69.2-77.8	130	26.5	22.2-30.8
55-64	434	35,432	312	73.0	68.7-77.3	122	27.0	22.7-31.3
65+	512	39,583	350	68.9	64.6-73.2	162	31.1	26.8-35.4
Less Than H.S.	164	18,956	99	65.1	55.3-74.9	65	34.9	25.1-44.7
H.S. or G.E.D.	645	78,526	428	68.7	63.8-73.6	217	31.3	26.4-36.2
Some Post-H.S.	559	70,341	410	76.9	72.8-81.0	149	23.1	19.0-27.2
College Graduate	660	75,302	538	82.8	79.5-86.1	122	17.2	13.9-20.5
\$15,000- 24,999	254	30,928	164	70.0	62.6-77.4	90	30.0	22.6-37.4
\$25,000- 34,999	227	26,835	151	68.6	60.6-76.6	76	31.4	23.4-39.4
\$35,000- 49,999	383	43,137	269	72.7	67.2-78.2	114	27.3	21.8-32.8
\$50,000- 74,999	414	50,154	329	80.9	76.6-85.2	85	19.1	14.8-23.4
\$75,000+	489	59,886	383	77.5	72.8-82.2	106	22.5	17.8-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 5: EXERCISE**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	245,288	2126	73.9	71.7-76.1	864	26.1	23.9-28.3
Non-Native	2877	230,528	2056	75.4	73.4-77.4	821	24.6	22.6-26.6
18-24	82	37,506	68	82.2	72.6-91.8	14	17.8	08.2-27.4
25-34	290	36,339	235	78.4	73.1-83.7	55	21.6	16.3-26.9
35-44	380	36,841	288	76.0	71.3-80.7	92	24.0	19.3-28.7
45-54	611	46,235	462	76.9	73.4-80.4	149	23.1	19.6-26.6
55-64	561	32,222	396	71.7	67.8-75.6	165	28.3	24.4-32.2
65+	1025	53,861	649	62.6	59.5-65.7	376	37.4	34.3-40.5
H.S. or G.E.D.	876	65,133	547	66.5	62.6-70.4	329	33.5	29.6-37.4
Some Post-H.S.	995	88,865	729	76.1	72.2-80.0	266	23.9	20.0-27.8
College Graduate	893	73,244	728	82.3	79.4-85.2	165	17.7	14.8-20.6
Less than \$15,000	264	18,088	144	55.0	45.4-64.6	120	45.0	35.4-54.6
\$15,000- 24,999	488	37,061	293	60.9	53.6-68.2	195	39.1	31.8-46.4
\$25,000- 34,999	374	26,462	268	74.5	69.4-79.6	106	25.5	20.4-30.6
\$35,000- 49,999	439	36,882	331	76.9	71.6-82.2	108	23.1	17.8-28.4
\$50,000- 74,999	432	39,187	336	77.8	73.3-82.3	96	22.2	17.7-26.7
\$75,000+	523	51,661	445	87.3	84.4-90.2	78	12.7	09.8-15.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 6: DIABETES CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 6: DIABETES**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5033	490,977	502	7.6	06.8-08.4	40	0.8	00.6-01.0	4432	90.9	90.1-91.7	59	0.8	00.6-01.0
Male	2036	245,104	217	7.9	06.7-09.1				1797	91.4	90.2-92.6	22	0.7	00.3-01.1
Female	2997	245,873	285	7.2	06.0-08.4	40	1.5	00.9-02.1	2635	90.4	89.2-91.6	37	0.8	00.6-01.0
Native	130	22,145	33	16.9	08.1-25.7	2	1.5	00.0-03.5	93	81.2	72.2-90.2	2	0.4	00.0-01.0
Non-Native	4861	465,255	462	7.1	06.3-07.9	38	0.7	00.5-00.9	4305	91.4	90.6-92.2	56	0.8	00.6-01.0
18-24	163	79,652	2	1.7	00.0-04.1	1	0.2	00.0-00.6	160	98.1	95.7-0100			
25-34	504	77,737	9	1.5	00.3-02.7	6	1.0	00.2-01.8	489	97.5	96.1-98.9			
35-44	698	76,084	30	4.6	02.8-06.4	14	2.1	00.9-03.3	652	93.2	91.0-95.4	2	0.1	00.0-00.3
45-54	1075	92,279	60	5.2	03.8-06.6	7	0.7	00.1-01.3	1001	93.5	91.9-95.1	7	0.6	00.2-01.0
55-64	998	67,906	125	13.4	11.0-15.8	6	0.4	00.0-00.8	854	85.0	82.5-87.5	13	1.2	00.4-02.0
65+	1544	93,998	273	18.0	15.8-20.2	6	0.3	00.1-00.5	1229	79.4	77.2-81.6	36	2.3	01.5-03.1
Less Than H.S.	382	36,636	70	13.5	09.8-17.2	1	0.3	00.0-00.9	302	84.6	80.7-88.5	9	1.6	00.4-02.8
H.S. or G.E.D.	1529	145,085	184	9.3	07.7-10.9	12	0.5	00.3-00.7	1307	89.1	87.3-90.9	26	1.1	00.7-01.5
Some Post-H.S.	1559	159,669	135	6.5	04.9-08.1	14	1.0	00.4-01.6	1396	91.9	90.3-93.5	14	0.5	00.1-00.9
College Graduate	1554	148,687	112	5.5	04.3-06.7	13	0.9	00.3-01.5	1419	93.2	92.0-94.4	10	0.4	00.2-00.6
Less than \$15,000	374	29,987	74	17.7	11.4-24.0	1	0.3	00.0-00.9	293	80.5	74.0-87.0	6	1.5	00.1-02.9
\$15,000- 24,999	745	68,225	108	9.9	07.7-12.1	5	0.5	00.0-01.1	622	88.8	86.4-91.2	10	0.7	00.3-01.1
\$25,000- 34,999	604	54,282	82	10.3	07.8-12.8	6	0.9	00.1-01.7	504	87.7	85.0-90.4	12	1.1	00.5-01.7
\$35,000- 49,999	822	80,019	84	8.2	06.2-10.2	5	0.7	00.1-01.3	725	90.5	88.3-92.7	8	0.6	00.2-01.0
\$50,000- 74,999	847	89,557	40	4.4	02.6-06.2	5	0.5	00.1-00.9	793	94.3	92.3-96.3	9	0.9	00.3-01.5
\$75,000+	1013	111,636	54	4.5	03.1-05.9	12	1.2	00.4-02.0	939	93.7	92.1-95.3	8	0.6	00.2-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 6: DIABETES**

**TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2036	245,104	217	7.9	06.7-09.1	1797	91.4	90.2-92.6	22	0.7	00.3-01.1
Non-Native	1977	234,142	206	7.7	06.5-08.9	1750	91.6	90.4-92.8	21	0.7	00.3-01.1
18-24	81	42,146	1	1.3	00.0-03.8	80	98.7	96.2-0100			
25-34	214	41,398	2	0.9	00.0-02.3	212	99.1	97.7-0100			
35-44	316	38,947	18	5.6	02.9-08.3	298	94.4	91.7-97.1			
45-54	464	46,044	31	6.4	04.0-08.8	430	93.1	90.7-95.5	3	0.5	00.0-01.1
55-64	436	35,588	59	14.4	10.9-17.9	369	84.0	80.3-87.7	8	1.7	00.5-02.9
65+	515	39,944	105	20.7	17.0-24.4	400	77.4	73.5-81.3	10	1.8	00.6-03.0
Less Than H.S.	163	18,853	30	13.9	08.4-19.4	129	84.8	79.1-90.5	4	1.3	00.0-02.7
H.S. or G.E.D.	651	79,760	83	9.5	07.0-12.0	560	89.7	87.2-92.2	8	0.8	00.2-01.4
Some Post-H.S.	560	70,506	45	5.9	04.1-07.7	509	93.4	91.4-95.4	6	0.7	00.1-01.3
College Graduate	660	75,347	59	6.8	05.0-08.6	597	92.8	90.8-94.8	4	0.4	00.0-00.8
Less than \$15,000	109	11,856	16	10.1	04.2-16.0	90	88.1	81.6-94.6	3	1.8	00.0-04.0
\$15,000- 24,999	255	30,973	39	10.0	06.5-13.5	216	90.0	86.5-93.5			
\$25,000- 34,999	229	27,724	36	10.4	06.7-14.1	190	89.1	85.4-92.8	3	0.5	00.0-01.1
\$35,000- 49,999	383	43,137	47	9.9	07.0-12.8	333	89.6	86.5-92.7	3	0.4	00.0-01.0
\$50,000- 74,999	414	50,222	25	5.8	02.9-08.7	383	93.2	90.3-96.1	6	1.0	00.2-01.8
\$75,000+	490	59,975	39	6.7	04.5-08.9	446	92.6	90.2-95.0	5	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 6: DIABETES**

**TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2997	245,873	285	7.2	06.0-08.4	40	1.5	00.9-02.1	2635	90.4	89.2-91.6	37	0.8	00.6-01.0
Native	88	13,024				2	2.5	00.0-06.0				2	0.7	00.0-01.7
Non-Native	2884	231,113	256	6.4	05.4-07.4	38	1.5	00.9-02.1	2555	91.2	90.2-92.2	35	0.9	00.5-01.3
18-24	82	37,506	1	2.1	00.0-06.2	1	0.5	00.0-01.5	80	97.4	93.3-0100			
25-34	290	36,339	7	2.2	00.2-04.2	6	2.1	00.3-03.9	277	95.7	93.2-98.2			
35-44	382	37,137	12	3.5	01.1-05.9	14	4.4	02.0-06.8	354	91.8	88.7-94.9	2	0.3	00.0-00.7
45-54	611	46,235	29	4.1	02.5-05.7	7	1.3	00.3-02.3	571	93.9	91.9-95.9	4	0.7	00.0-01.5
55-64	562	32,317	66	12.3	09.2-15.4	6	0.9	00.1-01.7	485	86.1	83.0-89.2	5	0.7	00.1-01.3
65+	1029	54,054	168	16.0	13.6-18.4	6	0.6	00.2-01.0	829	80.8	78.3-83.3	26	2.6	01.6-03.6
Less Than H.S.	219	17,783	40	13.1	08.4-17.8	1	0.6	00.0-01.8	173	84.4	78.9-89.9	5	1.9	00.0-03.9
H.S. or G.E.D.	878	65,325	101	9.1	07.1-11.1	12	1.0	00.4-01.6	747	88.3	86.1-90.5	18	1.5	00.7-02.3
Some Post-H.S.	999	89,162	90	7.0	04.8-09.2	14	1.8	00.8-02.8	887	90.7	88.2-93.2	8	0.5	00.1-00.9
College Graduate	894	73,340	53	4.2	03.0-05.4	13	1.9	00.9-02.9	822	93.5	91.9-95.1	6	0.4	00.0-00.8
Less than \$15,000	265	18,132	58	22.7	13.7-31.7	1	0.5	00.0-01.5	203	75.5	66.5-84.5	3	1.2	00.0-02.8
\$15,000- 24,999	490	37,252	69	9.8	07.1-12.5	5	0.9	00.0-01.9	406	87.9	85.0-90.8	10	1.4	00.4-02.4
\$25,000- 34,999	375	26,558	46	10.3	07.2-13.4	6	1.9	00.3-03.5	314	86.2	82.5-89.9	9	1.7	00.5-02.9
\$35,000- 49,999	439	36,882	37	6.2	04.0-08.4	5	1.5	00.1-02.9	392	91.6	88.9-94.3	5	0.7	00.1-01.3
\$50,000- 74,999	433	39,336	15	2.6	01.0-04.2	5	1.1	00.1-02.1	410	95.6	93.6-97.6	3	0.7	00.0-01.5
\$75,000+	523	51,661	15	1.9	00.9-02.9	12	2.6	01.0-04.2	493	95.1	93.1-97.1	3	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 7: ORAL HEALTH CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	45
5	MALES ONLY	46
6	FEMALES ONLY	47
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)	
7	MALES AND FEMALES	48
8	MALES ONLY	49
9	FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5009	488,346	3610	72.9	71.1-74.7	507	10.2	09.0-11.4	406	8.0	06.8-09.2	468	8.4	07.4-09.4	18	0.4	00.2-00.6
Male	2025	243,093	1400	69.5	66.8-72.2	210	11.0	09.2-12.8	179	8.6	06.8-10.4	225	10.4	08.6-12.2	11	0.5	00.1-00.9
Female	2984	245,253	2210	76.3	74.3-78.3	297	9.4	08.0-10.8	227	7.5	06.3-08.7	243	6.5	05.5-07.5	7	0.3	00.0-00.7
Native	128	22,084				14	11.7	03.1-20.3				10	9.2	00.0-18.8			
Non-Native	4840	462,741	3497	73.5	71.9-75.1	489	10.1	08.9-11.3	384	7.6	06.6-08.6	453	8.3	07.3-09.3	17	0.4	00.2-00.6
18-24	162	78,829	126	77.7	70.6-84.8	16	9.7	05.0-14.4	11	7.3	02.4-12.2	7	4.6	00.9-08.3	2	0.7	00.0-01.7
25-34	501	77,257	364	72.1	67.8-76.4	52	10.2	07.3-13.1	40	7.6	05.2-10.0	43	9.5	06.6-12.4	2	0.6	00.0-01.4
35-44	697	76,010	495	70.2	66.5-73.9	85	12.5	09.8-15.2	73	10.8	08.3-13.3	42	6.2	04.2-08.2	2	0.3	00.0-00.7
45-54	1073	92,086	793	74.3	71.6-77.0	113	10.6	08.6-12.6	95	8.6	06.8-10.4	71	6.5	04.9-08.1	1	0.1	00.0-00.3
55-64	995	67,612	768	77.3	74.6-80.0	82	9.0	07.0-11.0	60	5.7	04.1-07.3	83	7.8	06.0-09.6	2	0.2	00.0-00.4
65+	1530	93,230	1027	67.3	64.8-69.8	151	9.1	07.5-10.7	124	8.0	06.4-09.6	220	15.0	13.0-17.0	8	0.6	00.2-01.0
Less Than H.S.	377	36,301	196	61.7	54.4-69.0	54	13.1	07.8-18.4	48	9.3	06.2-12.4	76	15.6	11.1-20.1	3	0.3	00.0-00.7
H.S. or G.E.D.	1520	143,404	1003	65.7	62.2-69.2	175	12.5	10.0-15.0	146	9.2	06.8-11.6	190	12.1	09.7-14.5	6	0.5	00.1-00.9
Some Post-H.S.	1551	159,223	1138	74.9	72.0-77.8	151	9.2	07.4-11.0	127	8.6	06.6-10.6	131	6.7	05.3-08.1	4	0.5	00.0-01.1
College Graduate	1552	148,516	1267	80.4	77.9-82.9	125	8.4	06.6-10.2	85	6.1	04.5-07.7	70	4.9	03.5-06.3	5	0.3	00.1-00.5
Less than \$15,000	370	29,753	172	45.8	37.0-54.6	53	14.4	09.3-19.5	53	18.1	08.7-27.5	87	19.9	12.6-27.2	5	1.8	00.0-03.8
\$15,000- 24,999	741	67,899	455	62.0	56.7-67.3	102	15.4	10.9-19.9	85	11.6	08.5-14.7	98	10.5	08.0-13.0	1	0.4	00.0-01.2
\$25,000- 34,999	599	53,111	419	69.3	64.4-74.2	53	8.5	05.8-11.2	52	8.4	05.3-11.5	74	13.8	10.1-17.5	1	0.1	00.0-00.3
\$35,000- 49,999	822	80,085	598	72.5	68.6-76.4	84	10.2	07.7-12.7	73	9.0	06.6-11.4	65	8.0	05.6-10.4	2	0.3	00.0-00.7
\$50,000- 74,999	846	89,297	656	75.4	71.7-79.1	79	9.7	07.3-12.1	54	7.4	05.0-09.8	52	6.8	04.8-08.8	5	0.7	00.0-01.5
\$75,000+	1011	111,354	861	85.2	82.8-87.6	73	6.9	05.3-08.5	44	4.2	02.8-05.6	32	3.6	02.2-05.0	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2025	243,093	1400	69.5	66.8-72.2	210	11.0	09.2-12.8	179	8.6	06.8-10.4	225	10.4	08.6-12.2	11	0.5	00.1-00.9
Non-Native	1967	232,186	1360	70.4	67.9-72.9	204	10.9	09.1-12.7	174	8.2	06.6-09.8	218	10.0	08.4-11.6	11	0.5	00.1-00.9
18-24	80	41,323				11	13.1	05.5-20.7	4	7.7	00.0-15.5	5	7.1	00.6-13.6			
25-34	211	40,918	141	67.3	60.6-74.0	22	10.7	06.4-15.0	19	8.0	04.5-11.5	27	13.0	08.1-17.9	2	1.1	00.0-02.7
35-44	316	38,947	206	65.9	60.2-71.6	44	14.0	09.9-18.1	36	11.1	07.4-14.8	29	8.7	05.4-12.0	1	0.3	00.0-00.9
45-54	463	45,888	311	68.5	64.0-73.0	49	11.2	08.1-14.3	50	10.2	07.3-13.1	52	10.0	07.3-12.7	1	0.1	00.0-00.3
55-64	436	35,455	323	75.5	71.2-79.8	44	10.3	07.4-13.2	26	5.4	03.2-07.6	42	8.5	05.8-11.2	1	0.3	00.0-00.9
65+	509	39,525	351	68.4	64.1-72.7	40	7.1	04.7-09.5	43	8.7	06.2-11.2	69	14.7	11.2-18.2	6	1.1	00.1-02.1
Less Than H.S.	161	18,633	89	62.0	52.0-72.0	22	11.8	04.9-18.7	20	10.0	05.3-14.7	28	15.8	08.5-23.1	2	0.4	00.0-01.0
H.S. or G.E.D.	646	78,292	407	61.9	56.4-67.4	85	15.4	11.3-19.5	59	8.9	05.2-12.6	92	13.5	09.8-17.2	3	0.4	00.0-00.8
Some Post-H.S.	557	70,290	383	72.0	67.3-76.7	51	8.2	05.7-10.7	60	10.3	07.0-13.6	61	8.9	06.2-11.6	2	0.6	00.0-01.4
College Graduate	659	75,240	519	76.8	72.9-80.7	52	9.0	06.3-11.7	40	6.5	04.0-09.0	44	7.2	04.8-09.6	4	0.5	00.0-01.1
Less than \$15,000	107	11,725				17	15.1	06.1-24.1							4	2.3	00.0-05.0
\$15,000- 24,999	253	30,722	154	59.4	50.6-68.2	36	19.5	11.3-27.7	23	8.6	04.1-13.1	40	12.6	07.7-17.5			
\$25,000- 34,999	226	26,654	139	64.4	56.2-72.6	20	9.2	04.9-13.5	24	8.9	04.0-13.8	43	17.6	11.5-23.7			
\$35,000- 49,999	383	43,203	257	66.0	60.1-71.9	44	12.9	08.8-17.0	42	10.3	06.8-13.8	38	10.2	06.3-14.1	2	0.6	00.0-01.4
\$50,000- 74,999	413	49,962	303	72.1	66.8-77.4	38	9.0	06.1-11.9	35	9.3	05.6-13.0	33	8.5	05.4-11.6	4	1.1	00.0-02.3
\$75,000+	488	59,693	399	82.3	78.6-86.0	37	6.9	04.5-09.3	27	5.3	03.1-07.5	24	5.4	03.0-07.8	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2984	245,253	2210	76.3	74.3-78.3	297	9.4	08.0-10.8	227	7.5	06.3-08.7	243	6.5	05.5-07.5	7	0.3	00.0-00.7
Native	86	12,963				8	8.2	00.9-15.5				4	2.1	00.0-04.5			
Non-Native	2873	230,554	2137	76.6	74.6-78.6	285	9.3	07.9-10.7	210	7.1	05.9-08.3	235	6.6	05.6-07.6	6	0.3	00.0-00.7
18-24	82	37,506	66	83.8	75.8-91.8	5	6.1	00.8-11.4	7	6.8	01.3-12.3	2	1.9	00.0-04.4	2	1.4	00.0-03.4
25-34	290	36,339	223	77.6	72.5-82.7	30	9.7	06.2-13.2	21	7.1	03.8-10.4	16	5.5	02.8-08.2			
35-44	381	37,063	289	74.7	69.8-79.6	41	11.0	07.5-14.5	37	10.5	07.0-14.0	13	3.5	01.5-05.5	1	0.3	00.0-00.9
45-54	610	46,197	482	80.0	76.7-83.3	64	9.9	07.4-12.4	45	7.1	04.9-09.3	19	3.0	01.4-04.6			
55-64	559	32,158	445	79.3	75.8-82.8	38	7.5	05.0-10.0	34	6.1	03.9-08.3	41	7.1	04.9-09.3	1	0.1	00.0-00.3
65+	1021	53,705	676	66.4	63.3-69.5	111	10.7	08.7-12.7	81	7.5	05.7-09.3	151	15.3	12.9-17.7	2	0.2	00.0-00.4
Less Than H.S.	216	17,668				32	14.5	06.3-22.7	28	8.4	04.5-12.3	48	15.5	10.2-20.8	1	0.2	00.0-00.6
H.S. or G.E.D.	874	65,112	596	70.4	66.7-74.1	90	9.0	06.8-11.2	87	9.6	07.4-11.8	98	10.5	08.0-13.0	3	0.5	00.0-01.3
Some Post-H.S.	994	88,933	755	77.2	73.7-80.7	100	10.1	07.7-12.5	67	7.3	04.8-09.8	70	4.9	03.5-06.3	2	0.4	00.0-01.0
College Graduate	893	73,276	748	84.0	81.3-86.7	73	7.8	05.8-09.8	45	5.6	03.6-07.6	26	2.6	01.4-03.8	1	0.1	00.0-00.3
Less than \$15,000	263	18,028	135	54.3	44.7-63.9	36	13.9	07.8-20.0	36	15.7	07.1-24.3	55	14.6	10.1-19.1	1	1.5	00.0-04.4
\$15,000- 24,999	488	37,177	301	64.2	57.9-70.5	66	12.0	08.1-15.9	62	14.2	09.9-18.5	58	8.9	06.2-11.6	1	0.7	00.0-02.1
\$25,000- 34,999	373	26,456	280	74.2	68.3-80.1	33	7.8	04.9-10.7	28	7.9	04.4-11.4	31	9.9	05.6-14.2	1	0.2	00.0-00.6
\$35,000- 49,999	439	36,882	341	80.2	75.9-84.5	40	7.0	04.6-09.4	31	7.4	04.5-10.3	27	5.4	03.2-07.6			
\$50,000- 74,999	433	39,336	353	79.6	74.9-84.3	41	10.7	06.8-14.6	19	4.9	02.5-07.3	19	4.6	02.4-06.8	1	0.3	00.0-00.9
\$75,000+	523	51,661	462	88.5	85.6-91.4	36	6.9	04.5-09.3	17	3.0	01.4-04.6	8	1.6	00.4-02.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4966	486,842	1767	30.9	29.3-32.5	686	9.5	08.7-10.3	402	5.3	04.7-05.9	2111	54.3	52.5-56.1
Male	2015	243,602	744	30.8	28.4-33.2	265	8.9	07.7-10.1	129	4.5	03.7-05.3	877	55.8	53.1-58.5
Female	2951	243,241	1023	30.9	28.7-33.1	421	10.1	08.9-11.3	273	6.1	05.3-06.9	1234	52.8	50.3-55.3
Native	130	22,145				15	7.5	03.0-12.0	12	4.1	01.0-07.2			
Non-Native	4796	461,211	1698	30.4	28.8-32.0	665	9.6	08.8-10.4	384	5.3	04.7-05.9	2049	54.7	52.9-56.5
18-24	163	79,652	21	13.9	07.8-20.0							142	86.1	80.0-92.2
25-34	503	77,614	87	18.6	14.9-22.3	8	1.4	00.4-02.4	4	0.8	00.0-01.6	404	79.2	75.3-83.1
35-44	695	75,759	205	28.7	25.2-32.2	26	3.7	02.1-05.3	8	0.9	00.1-01.7	456	66.7	63.0-70.4
45-54	1068	91,824	450	41.8	38.7-44.9	99	8.8	07.0-10.6	19	1.7	00.7-02.7	500	47.7	44.4-51.0
55-64	991	67,475	446	45.2	41.9-48.5	168	16.3	13.8-18.8	65	6.5	04.9-08.1	312	32.1	29.0-35.2
65+	1498	91,324	544	36.2	33.5-38.9	376	25.2	22.8-27.6	302	20.1	17.9-22.3	276	18.5	16.3-20.7
Less Than H.S.	372	35,928	111	32.4	24.8-40.0	82	16.1	12.0-20.2	113	20.3	15.8-24.8	66	31.2	22.6-39.8
H.S. or G.E.D.	1501	143,484	582	35.1	31.8-38.4	285	13.1	11.3-14.9	165	7.3	05.9-08.7	469	44.5	40.8-48.2
Some Post-H.S.	1534	158,205	568	29.3	26.4-32.2	187	8.2	06.8-09.6	91	3.8	02.8-04.8	688	58.7	55.4-62.0
College Graduate	1551	148,356	504	28.1	25.6-30.6	129	5.9	04.7-07.1	32	1.4	00.8-02.0	886	64.6	61.9-67.3
Less than \$15,000	365	29,460	109	29.4	21.4-37.4	95	19.6	14.3-24.9	86	15.5	11.2-19.8			
\$15,000- 24,999	733	67,436	272	36.1	30.6-41.6	145	12.9	10.4-15.4	103	9.3	07.1-11.5	213	41.8	36.1-47.5
\$25,000- 34,999	599	53,937	228	32.4	27.5-37.3	112	13.7	10.8-16.6	56	6.9	04.9-08.9	203	47.0	41.1-52.9
\$35,000- 49,999	815	79,612	321	34.0	30.1-37.9	111	10.4	08.2-12.6	45	4.6	03.0-06.2	338	51.1	46.4-55.8
\$50,000- 74,999	841	89,100	299	29.5	26.2-32.8	76	7.0	05.2-08.8	26	2.4	01.4-03.4	440	61.1	57.4-64.8
\$75,000+	1010	111,387	328	27.8	24.7-30.9	41	2.7	01.7-03.7	13	1.0	00.4-01.6	628	68.5	65.4-71.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2015	243,602	744	30.8	28.4-33.2	265	8.9	07.7-10.1	129	4.5	03.7-05.3	877	55.8	53.1-58.5
Non-Native	1956	232,640	721	30.6	28.2-33.0	256	9.0	07.8-10.2	125	4.6	03.8-05.4	854	55.9	53.2-58.6
18-24	81	42,146	8	10.2	02.9-17.5							73	89.8	82.5-97.1
25-34	214	41,398	48	22.5	16.4-28.6	1	0.5	00.0-01.5	1	0.5	00.0-01.5	164	76.5	70.4-82.6
35-44	315	38,820	96	29.9	24.4-35.4	9	3.0	01.0-05.0	2	0.5	00.0-01.3	208	66.7	61.2-72.2
45-54	461	45,966	202	42.7	37.8-47.6	47	9.5	06.8-12.2	8	1.9	00.5-03.3	204	45.9	41.0-50.8
55-64	433	35,365	197	44.5	39.6-49.4	76	17.0	13.3-20.7	25	5.8	03.4-08.2	135	32.7	28.0-37.4
65+	501	38,870	191	36.6	32.1-41.1	130	25.4	21.3-29.5	92	19.6	15.7-23.5	88	18.4	14.7-22.1
Less Than H.S.	157	18,331	53	31.4	21.8-41.0	32	15.6	09.7-21.5	40	18.9	12.4-25.4			
H.S. or G.E.D.	645	79,321	271	35.9	31.0-40.8	102	10.1	07.9-12.3	52	5.6	03.8-07.4	220	48.4	42.9-53.9
Some Post-H.S.	551	70,030	196	27.1	23.0-31.2	72	8.5	06.3-10.7	25	3.1	01.7-04.5	258	61.3	56.4-66.2
College Graduate	660	75,281	223	28.8	24.9-32.7	59	6.6	04.8-08.4	12	1.3	00.5-02.1	366	63.4	59.3-67.5
Less than \$15,000	104	11,531				29	17.7	09.3-26.1	19	12.3	05.4-19.2			
\$15,000- 24,999	250	30,619	98	32.4	24.8-40.0	45	11.5	07.6-15.4	32	8.5	05.2-11.8	75	47.6	38.6-56.6
\$25,000- 34,999	228	27,649	84	29.0	21.7-36.3	42	12.5	08.2-16.8	25	7.2	04.1-10.3	77	51.3	42.1-60.5
\$35,000- 49,999	383	43,203	151	34.4	28.7-40.1	57	11.3	08.2-14.4	22	5.2	02.8-07.6	153	49.0	42.7-55.3
\$50,000- 74,999	411	49,965	157	31.9	27.0-36.8	44	8.0	05.5-10.5	12	2.1	00.9-03.3	198	58.0	52.5-63.5
\$75,000+	488	59,839	173	30.4	25.9-34.9	23	3.2	01.8-04.6	9	1.4	00.4-02.4	283	65.1	60.4-69.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2951	243,241	1023	30.9	28.7-33.1	421	10.1	08.9-11.3	273	6.1	05.3-06.9	1234	52.8	50.3-55.3
Native	88	13,024				8	7.3	01.2-13.4	11	6.0	01.3-10.7			
Non-Native	2840	228,572	977	30.2	28.0-32.4	409	10.3	09.1-11.5	259	6.1	05.3-06.9	1195	53.5	51.1-55.9
18-24	82	37,506	13	18.1	08.3-27.9							69	81.9	72.1-91.7
25-34	289	36,216	39	14.2	09.9-18.5	7	2.5	00.5-04.5	3	1.2	00.0-02.8	240	82.2	77.3-87.1
35-44	380	36,940	109	27.6	22.9-32.3	17	4.4	02.0-06.8	6	1.4	00.2-02.6	248	66.6	61.5-71.7
45-54	607	45,858	248	40.9	36.8-45.0	52	8.0	05.6-10.4	11	1.5	00.5-02.5	296	49.6	45.3-53.9
55-64	558	32,110	249	45.9	41.4-50.4	92	15.4	12.3-18.5	40	7.2	04.8-09.6	177	31.4	27.3-35.5
65+	997	52,454	353	35.9	32.8-39.0	246	25.0	22.1-27.9	210	20.5	17.8-23.2	188	18.6	16.1-21.1
Less Than H.S.	215	17,597				50	16.6	10.9-22.3	73	21.7	15.2-28.2			
H.S. or G.E.D.	856	64,162	311	34.1	30.0-38.2	183	16.7	14.0-19.4	113	9.4	07.4-11.4	249	39.8	35.1-44.5
Some Post-H.S.	983	88,175	372	31.1	27.2-35.0	115	8.0	06.2-09.8	66	4.3	03.1-05.5	430	56.6	52.3-60.9
College Graduate	891	73,075	281	27.3	24.0-30.6	70	5.3	03.9-06.7	20	1.6	00.8-02.4	520	65.8	62.3-69.3
Less than \$15,000	261	17,929	81	30.0	22.4-37.6	66	20.7	14.2-27.2	67	17.5	12.2-22.8			
\$15,000- 24,999	483	36,817	174	39.2	31.8-46.6	100	14.0	10.7-17.3	71	9.9	07.2-12.6	138	36.9	30.0-43.8
\$25,000- 34,999	371	26,288	144	35.9	29.6-42.2	70	14.9	11.2-18.6	31	6.7	04.2-09.2	126	42.5	35.6-49.4
\$35,000- 49,999	432	36,409	170	33.4	27.7-39.1	54	9.3	06.6-12.0	23	3.8	02.0-05.6	185	53.5	46.8-60.2
\$50,000- 74,999	430	39,136	142	26.4	22.1-30.7	32	5.6	03.4-07.8	14	2.8	01.2-04.4	242	65.1	60.2-70.0
\$75,000+	522	51,548	155	24.8	20.7-28.9	18	2.2	01.0-03.4	4	0.6	00.0-01.2	345	72.4	68.1-76.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 7: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)**

Denominator excludes: Respondents that have never visited a dentist or dental clinic  
Denominator excludes: Respondents that have had all of their permanent teeth extracted  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4575	458,513	3269	71.4	69.6-73.2	480	10.8	09.6-12.0	340	7.8	06.6-09.0	401	8.3	07.3-09.3	85	1.7	01.3-02.1
Male	1875	229,414	1269	67.6	64.7-70.5	205	12.1	10.1-14.1	146	8.0	06.2-09.8	213	10.4	08.6-12.2	42	2.0	01.2-02.8
Female	2700	229,099	2000	75.2	73.0-77.4	275	9.6	08.2-11.0	194	7.6	06.2-09.0	188	6.2	05.2-07.2	43	1.4	00.8-02.0
Native	116	20,797				15	11.7	02.9-20.5									
Non-Native	4425	434,672	3176	72.1	70.3-73.9	463	10.9	09.7-12.1	319	7.2	06.2-08.2	383	8.1	07.1-09.1	84	1.7	01.3-02.1
18-24	158	77,387	117	74.1	66.7-81.5	17	10.9	05.8-16.0	14	8.8	03.7-13.9	8	5.0	01.3-08.7	2	1.2	00.0-02.8
25-34	492	75,818	349	70.4	66.1-74.7	52	10.5	07.6-13.4	38	7.5	05.0-10.0	44	9.8	06.9-12.7	9	1.8	00.4-03.2
35-44	684	74,687	462	67.0	63.1-70.9	91	13.1	10.4-15.8	71	11.1	08.4-13.8	55	8.0	05.8-10.2	5	0.7	00.1-01.3
45-54	1050	90,400	740	70.9	68.0-73.8	119	11.6	09.4-13.8	80	7.2	05.6-08.8	99	9.2	07.2-11.2	12	1.2	00.4-02.0
55-64	923	62,966	706	76.7	73.8-79.6	81	9.1	07.1-11.1	49	4.8	03.4-06.2	73	7.6	05.8-09.4	14	1.8	00.8-02.8
65+	1221	74,198	861	70.2	67.5-72.9	113	9.2	07.4-11.0	87	7.1	05.5-08.7	119	10.2	08.2-12.2	41	3.3	02.1-04.5
Less Than H.S.	263	28,704	140	59.0	50.0-68.0	34	14.6	07.3-21.9	32	8.3	04.8-11.8	41	13.2	07.9-18.5	16	4.9	01.8-08.0
H.S. or G.E.D.	1335	131,187	876	64.1	60.4-67.8	159	13.5	10.8-16.2	112	8.3	05.8-10.8	147	11.1	08.6-13.6	41	3.1	01.9-04.3
Some Post-H.S.	1456	151,985	1033	72.8	69.7-75.9	152	9.6	07.8-11.4	114	8.9	06.7-11.1	142	8.2	06.6-09.8	15	0.6	00.2-01.0
College Graduate	1513	145,767	1215	79.0	76.5-81.5	134	9.1	07.3-10.9	82	6.0	04.4-07.6	70	5.1	03.7-06.5	12	0.9	00.3-01.5
Less than \$15,000	277	24,430				35	11.8	06.5-17.1				54	19.0	10.2-27.8	14	3.7	01.5-05.9
\$15,000- 24,999	635	61,284	369	58.1	52.2-64.0	86	15.8	10.9-20.7	77	11.9	08.4-15.4	85	11.5	08.4-14.6	18	2.8	00.8-04.8
\$25,000- 34,999	540	49,109	382	69.3	63.8-74.8	49	9.3	06.0-12.6	43	7.7	04.6-10.8	54	10.9	07.2-14.6	12	2.8	00.8-04.8
\$35,000- 49,999	771	75,891	545	70.6	66.5-74.7	85	11.3	08.6-14.0	61	8.3	05.9-10.7	66	8.2	05.8-10.6	14	1.6	00.6-02.6
\$50,000- 74,999	814	86,349	619	74.1	70.4-77.8	85	10.5	08.0-13.0	42	6.7	04.3-09.1	58	7.3	05.3-09.3	10	1.4	00.4-02.4
\$75,000+	998	110,316	828	82.9	80.2-85.6	84	8.1	06.3-09.9	43	4.3	02.9-05.7	40	4.5	02.9-06.1	3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 8: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)**

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1875	229,414	1269	67.6	64.7-70.5	205	12.1	10.1-14.1	146	8.0	06.2-09.8	213	10.4	08.6-12.2	42	2.0	01.2-02.8
Non-Native	1822	219,259	1235	68.5	65.8-71.2	201	12.1	10.1-14.1	139	7.3	05.7-08.9	206	10.1	08.5-11.7	41	2.0	01.2-02.8
18-24	78	40,409				12	15.6	07.2-24.0	6	9.3	01.3-17.3	5	7.2	00.5-13.9	1	0.9	00.0-02.7
25-34	205	39,910	133	65.1	58.2-72.0	23	11.8	07.1-16.5	17	7.7	04.0-11.4	27	12.9	08.2-17.6	5	2.5	00.1-04.9
35-44	312	38,438	198	63.8	58.1-69.5	43	14.0	09.9-18.1	34	11.2	07.3-15.1	33	9.7	06.2-13.2	4	1.3	00.0-02.7
45-54	452	44,955	292	66.3	61.6-71.0	52	12.0	08.9-15.1	39	7.7	05.2-10.2	63	12.6	09.5-15.7	6	1.4	00.2-02.6
55-64	407	33,269	301	75.9	71.6-80.2	37	9.1	06.2-12.0	20	3.9	02.1-05.7	40	8.5	05.8-11.2	9	2.6	00.8-04.4
65+	412	31,500	284	69.0	64.1-73.9	37	8.8	05.9-11.7	30	7.5	04.8-10.2	44	11.2	07.9-14.5	17	3.5	01.7-05.3
Less Than H.S.	120	14,935				15	14.9	04.9-24.9	17	9.7	04.6-14.8	20	17.1	08.1-26.1	11	7.1	01.6-12.6
H.S. or G.E.D.	582	72,874	359	60.2	54.3-66.1	84	17.0	12.5-21.5	41	7.7	03.6-11.8	77	11.9	08.2-15.6	21	3.1	01.5-04.7
Some Post-H.S.	529	67,176	350	69.8	64.9-74.7	52	9.0	06.3-11.7	53	10.3	06.8-13.8	70	10.5	07.6-13.4	4	0.4	00.0-00.8
College Graduate	642	73,792	501	75.9	71.8-80.0	54	9.5	06.6-12.4	35	5.8	03.4-08.2	46	7.6	05.2-10.0	6	1.1	00.1-02.1
Less than \$15,000	82	9,827				11	11.4	02.2-20.6							6	5.0	00.5-09.5
\$15,000- 24,999	221	28,237	128	57.2	47.8-66.6	25	18.3	09.3-27.3	23	8.9	04.0-13.8	39	13.7	08.4-19.0	6	1.9	00.1-03.7
\$25,000- 34,999	199	24,469	127	64.8	55.8-73.8	17	9.9	04.0-15.8	21	8.8	03.5-14.1	28	12.6	06.7-18.5	6	3.9	00.2-07.6
\$35,000- 49,999	356	40,538	231	64.3	58.0-70.6	49	15.1	10.6-19.6	29	8.1	04.8-11.4	40	10.6	06.7-14.5	7	1.9	00.5-03.3
\$50,000- 74,999	397	48,302	286	70.7	65.2-76.2	41	9.7	06.6-12.8	26	8.4	04.5-12.3	37	8.9	05.8-12.0	7	2.2	00.4-04.0
\$75,000+	480	59,050	380	79.5	75.4-83.6	45	8.9	06.2-11.6	25	5.1	02.7-07.5	28	6.5	04.0-09.0	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 7: ORAL HEALTH**

**TABLE 9: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)**

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2700	229,099	2000	75.2	73.0-77.4	275	9.6	08.2-11.0	194	7.6	06.2-09.0	188	6.2	05.2-07.2	43	1.4	00.8-02.0
Native	76	12,169				11	10.2	02.4-18.0				8	5.7	01.2-10.2			
Non-Native	2603	215,413	1941	75.7	73.5-77.9	262	9.6	08.2-11.0	180	7.1	05.7-08.5	177	6.2	05.2-07.2	43	1.5	00.9-02.1
18-24	80	36,978	63	81.9	73.3-90.5	5	5.7	00.6-10.8	8	8.3	02.2-14.4	3	2.6	00.0-05.5	1	1.4	00.0-04.1
25-34	287	35,908	216	76.3	71.2-81.4	29	9.2	05.9-12.5	21	7.2	04.1-10.3	17	6.3	03.2-09.4	4	1.0	00.0-02.0
35-44	372	36,249	264	70.4	65.3-75.5	48	12.3	08.6-16.0	37	11.0	07.3-14.7	22	6.2	03.7-08.7	1	0.1	00.0-00.3
45-54	598	45,444	448	75.4	71.7-79.1	67	11.1	08.4-13.8	41	6.6	04.4-08.8	36	5.9	03.9-07.9	6	1.0	00.2-01.8
55-64	516	29,697	405	77.6	73.7-81.5	44	9.1	06.4-11.8	29	5.8	03.6-08.0	33	6.7	04.3-09.1	5	0.9	00.1-01.7
65+	809	42,698	577	71.0	67.7-74.3	76	9.5	07.3-11.7	57	6.8	05.0-08.6	75	9.5	07.1-11.9	24	3.2	01.8-04.6
Less Than H.S.	143	13,770							15	6.8	02.1-11.5	21	9.0	04.5-13.5	5	2.5	00.1-04.9
H.S. or G.E.D.	753	58,314	517	68.9	64.6-73.2	75	9.0	06.6-11.4	71	9.1	06.7-11.5	70	10.0	07.3-12.7	20	3.0	01.0-05.0
Some Post-H.S.	927	84,809	683	75.1	71.2-79.0	100	10.0	07.6-12.4	61	7.8	05.1-10.5	72	6.3	04.5-08.1	11	0.7	00.3-01.1
College Graduate	871	71,975	714	82.1	79.2-85.0	80	8.7	06.5-10.9	47	6.1	04.1-08.1	24	2.5	01.3-03.7	6	0.6	00.2-01.0
Less than \$15,000	195	14,603				24	12.0	05.5-18.5				27	11.6	05.9-17.3	8	2.9	00.7-05.1
\$15,000- 24,999	414	33,048	241	58.8	51.4-66.2	61	13.6	09.1-18.1	54	14.3	09.4-19.2	46	9.5	06.2-12.8	12	3.7	00.4-07.0
\$25,000- 34,999	341	24,640	255	73.9	67.8-80.0	32	8.8	05.5-12.1	22	6.6	03.1-10.1	26	9.1	04.6-13.6	6	1.6	00.2-03.0
\$35,000- 49,999	415	35,353	314	77.7	72.8-82.6	36	6.9	04.4-09.4	32	8.5	05.2-11.8	26	5.5	03.1-07.9	7	1.3	00.1-02.5
\$50,000- 74,999	417	38,047	333	78.4	73.5-83.3	44	11.5	07.4-15.6	16	4.4	02.0-06.8	21	5.2	02.8-07.6	3	0.4	00.0-01.0
\$75,000+	518	51,266	448	86.9	83.8-90.0	39	7.2	04.8-09.6	18	3.4	01.8-05.0	12	2.3	00.9-03.7	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	52
2	MALES ONLY	53
3	FEMALES ONLY	54
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	55
5	MALES ONLY	56
6	FEMALES ONLY	57
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	58
8	MALES ONLY	59
9	FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5000	488,460	282	4.2	03.6-04.8	4718	95.8	95.2-96.4	
Male	2023	243,820	153	5.5	04.5-06.5	1870	94.5	93.5-95.5	
Female	2977	244,640	129	2.8	02.2-03.4	2848	97.2	96.6-97.8	
Native	128	21,922	9	3.7	00.8-06.6	119	96.3	93.4-99.2	
Non-Native	4832	463,116	270	4.2	03.6-04.8	4562	95.8	95.2-96.4	
18-24	162	79,286				162	100.0	0100-0100	
25-34	504	77,737	4	1.5	00.0-03.1	500	98.5	96.9-0100	
35-44	696	75,872	3	0.5	00.0-01.1	693	99.5	98.9-0100	
45-54	1073	92,088	20	2.2	01.2-03.2	1053	97.8	96.8-98.8	
55-64	995	67,737	47	4.7	03.3-06.1	948	95.3	93.9-96.7	
65+	1519	92,419	206	14.5	12.5-16.5	1313	85.5	83.5-87.5	
Less Than H.S.	371	35,955	51	9.7	06.6-12.8	320	90.3	87.2-93.4	
H.S. or G.E.D.	1516	143,870	109	5.4	04.2-06.6	1407	94.6	93.4-95.8	
Some Post-H.S.	1552	159,249	77	3.6	02.8-04.4	1475	96.4	95.6-97.2	
College Graduate	1553	148,517	45	2.4	01.6-03.2	1508	97.6	96.8-98.4	
Less than \$15,000	369	29,493	46	9.0	05.9-12.1	323	91.0	87.9-94.1	
\$15,000- 24,999	737	67,718	65	6.0	04.4-07.6	672	94.0	92.4-95.6	
\$25,000- 34,999	597	53,903	46	6.7	04.3-09.1	551	93.3	90.9-95.7	
\$35,000- 49,999	822	80,059	41	4.0	02.6-05.4	781	96.0	94.6-97.4	
\$50,000- 74,999	844	89,067	31	3.0	01.8-04.2	813	97.0	95.8-98.2	
\$75,000+	1011	111,458	21	1.9	00.9-02.9	990	98.1	97.1-99.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2023	243,820	153	5.5	04.5-06.5	1870	94.5	93.5-95.5
Non-Native	1966	233,044	149	5.6	04.6-06.6	1817	94.4	93.4-95.4
18-24	80	41,780				80	100.0	0100-0100
25-34	214	41,398	4	2.8	00.0-05.7	210	97.2	94.3-0100
35-44	315	38,883	1	0.5	00.0-01.5	314	99.5	98.5-0100
45-54	463	45,966	17	3.9	01.9-05.9	446	96.1	94.1-98.1
55-64	435	35,499	31	6.6	04.2-09.0	404	93.4	91.0-95.8
65+	506	39,257	99	20.0	16.3-23.7	407	80.0	76.3-83.7
Less Than H.S.	162	18,771	28	12.3	07.2-17.4	134	87.7	82.6-92.8
H.S. or G.E.D.	643	78,939	53	5.9	04.1-07.7	590	94.1	92.3-95.9
Some Post-H.S.	557	70,295	43	5.4	03.6-07.2	514	94.6	92.8-96.4
College Graduate	659	75,178	29	3.6	02.0-05.2	630	96.4	94.8-98.0
Less than \$15,000	107	11,670	16	10.9	04.4-17.4	91	89.1	82.6-95.6
\$15,000- 24,999	252	30,729	32	8.1	05.0-11.2	220	91.9	88.8-95.0
\$25,000- 34,999	226	27,532	25	8.7	04.4-13.0	201	91.3	87.0-95.6
\$35,000- 49,999	383	43,177	31	6.3	03.9-08.7	352	93.7	91.3-96.1
\$50,000- 74,999	412	49,774	26	4.5	02.7-06.3	386	95.5	93.7-97.3
\$75,000+	488	59,796	15	2.8	01.0-04.6	473	97.2	95.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2977	244,640	129	2.8	02.2-03.4	2848	97.2	96.6-97.8
Native	87	12,876	6	3.3	00.4-06.2	81	96.7	93.8-99.6
Non-Native	2866	230,071	121	2.7	02.1-03.3	2745	97.3	96.7-97.9
18-24	82	37,506				82	100.0	0100-0100
25-34	290	36,339				290	100.0	0100-0100
35-44	381	36,989	2	0.5	00.0-01.3	379	99.5	98.7-0100
45-54	610	46,122	3	0.6	00.0-01.2	607	99.4	98.8-0100
55-64	560	32,238	16	2.7	01.3-04.1	544	97.3	95.9-98.7
65+	1013	53,162	107	10.6	08.6-12.6	906	89.4	87.4-91.4
Less Than H.S.	209	17,184	23	6.9	03.6-10.2	186	93.1	89.8-96.4
H.S. or G.E.D.	873	64,931	56	4.7	03.3-06.1	817	95.3	93.9-96.7
Some Post-H.S.	995	88,955	34	2.2	01.4-03.0	961	97.8	97.0-98.6
College Graduate	894	73,340	16	1.1	00.5-01.7	878	98.9	98.3-99.5
Less than \$15,000	262	17,823	30	7.7	04.6-10.8	232	92.3	89.2-95.4
\$15,000- 24,999	485	36,988	33	4.3	02.7-05.9	452	95.7	94.1-97.3
\$25,000- 34,999	371	26,372	21	4.6	02.4-06.8	350	95.4	93.2-97.6
\$35,000- 49,999	439	36,882	10	1.3	00.5-02.1	429	98.7	97.9-99.5
\$50,000- 74,999	432	39,293	5	1.2	00.0-02.4	427	98.8	97.6-0100
\$75,000+	523	51,661	6	0.7	00.1-01.3	517	99.3	98.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 4: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4976	486,787	270	4.0	03.4-04.6	4706	96.0	95.4-96.6
Male	2016	243,039	134	4.8	03.8-05.8	1882	95.2	94.2-96.2
Female	2960	243,748	136	3.2	02.6-03.8	2824	96.8	96.2-97.4
Native	129	22,070	7	2.7	00.3-05.1	122	97.3	94.9-99.7
Non-Native	4806	461,216	258	4.0	03.4-04.6	4548	96.0	95.4-96.6
18-24	162	79,103				162	100.0	0100-0100
25-34	503	77,614	2	0.6	00.0-01.8	501	99.4	98.2-0100
35-44	696	75,985	8	1.3	00.3-02.3	688	98.7	97.7-99.7
45-54	1073	92,157	22	2.2	01.2-03.2	1051	97.8	96.8-98.8
55-64	990	67,331	51	5.1	03.7-06.5	939	94.9	93.5-96.3
65+	1501	91,276	184	13.3	11.3-15.3	1317	86.7	84.7-88.7
Less Than H.S.	365	35,609	38	7.5	04.8-10.2	327	92.5	89.8-95.2
H.S. or G.E.D.	1513	144,089	101	4.7	03.7-05.7	1412	95.3	94.3-96.3
Some Post-H.S.	1540	157,868	68	3.2	02.4-04.0	1472	96.8	96.0-97.6
College Graduate	1550	148,351	63	3.2	02.2-04.2	1487	96.8	95.8-97.8
Less than \$15,000	363	29,412	34	5.8	03.6-08.0	329	94.2	92.0-96.4
\$15,000- 24,999	733	67,444	52	5.2	03.6-06.8	681	94.8	93.2-96.4
\$25,000- 34,999	596	53,671	48	6.6	04.2-09.0	548	93.4	91.0-95.8
\$35,000- 49,999	818	79,745	53	5.0	03.4-06.6	765	95.0	93.4-96.6
\$50,000- 74,999	843	89,212	31	2.8	01.8-03.8	812	97.2	96.2-98.2
\$75,000+	1011	111,518	23	1.9	01.1-02.7	988	98.1	97.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 5: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2016	243,039	134	4.8	03.8-05.8	1882	95.2	94.2-96.2
Non-Native	1959	232,228	129	4.8	03.8-05.8	1830	95.2	94.2-96.2
18-24	80	41,597				80	100.0	0100-0100
25-34	214	41,398	1	1.0	00.0-03.0	213	99.0	97.0-0100
35-44	316	38,947	5	1.5	00.1-02.9	311	98.5	97.1-99.9
45-54	465	46,147	15	3.3	01.5-05.1	450	96.7	94.9-98.5
55-64	434	35,365	31	6.6	04.2-09.0	403	93.4	91.0-95.8
65+	497	38,547	81	17.3	13.8-20.8	416	82.7	79.2-86.2
Less Than H.S.	157	18,395	17	8.2	03.9-12.5	140	91.8	87.5-96.1
H.S. or G.E.D.	645	79,344	52	5.4	03.8-07.0	593	94.6	93.0-96.2
Some Post-H.S.	553	69,456	29	3.8	02.4-05.2	524	96.2	94.8-97.6
College Graduate	659	75,206	36	4.2	02.4-06.0	623	95.8	94.0-97.6
Less than \$15,000	107	11,725	7	3.7	00.6-06.8	100	96.3	93.2-99.4
\$15,000- 24,999	249	30,495	24	6.5	03.8-09.2	225	93.5	90.8-96.2
\$25,000- 34,999	225	27,337	24	8.5	04.2-12.8	201	91.5	87.2-95.8
\$35,000- 49,999	381	43,015	34	7.0	04.5-09.5	347	93.0	90.5-95.5
\$50,000- 74,999	412	50,025	22	3.6	02.0-05.2	390	96.4	94.8-98.0
\$75,000+	489	59,886	16	2.5	01.1-03.9	473	97.5	96.1-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 6: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2960	243,748	136	3.2	02.6-03.8	2824	96.8	96.2-97.4
Native	88	13,024	4	2.1	00.0-04.3	84	97.9	95.7-0100
Non-Native	2847	228,989	129	3.1	02.5-03.7	2718	96.9	96.3-97.5
18-24	82	37,506				82	100.0	0100-0100
25-34	289	36,216	1	0.2	00.0-00.6	288	99.8	99.4-0100
35-44	380	37,038	3	1.1	00.0-02.3	377	98.9	97.7-0100
45-54	608	46,009	7	1.1	00.3-01.9	601	98.9	98.1-99.7
55-64	556	31,966	20	3.5	01.9-05.1	536	96.5	94.9-98.1
65+	1004	52,728	103	10.4	08.2-12.6	901	89.6	87.4-91.8
Less Than H.S.	208	17,214	21	6.8	03.5-10.1	187	93.2	89.9-96.5
H.S. or G.E.D.	868	64,745	49	4.0	02.8-05.2	819	96.0	94.8-97.2
Some Post-H.S.	987	88,412	39	2.8	01.8-03.8	948	97.2	96.2-98.2
College Graduate	891	73,145	27	2.1	01.3-02.9	864	97.9	97.1-98.7
Less than \$15,000	256	17,687	27	7.3	04.4-10.2	229	92.7	89.8-95.6
\$15,000- 24,999	484	36,949	28	4.2	02.4-06.0	456	95.8	94.0-97.6
\$25,000- 34,999	371	26,334	24	4.6	02.6-06.6	347	95.4	93.4-97.4
\$35,000- 49,999	437	36,729	19	2.7	01.3-04.1	418	97.3	95.9-98.7
\$50,000- 74,999	431	39,186	9	1.9	00.5-03.3	422	98.1	96.7-99.5
\$75,000+	522	51,632	7	1.1	00.3-01.9	515	98.9	98.1-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 7: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5023	489,946	170	2.4	02.0-02.8	4853	97.6	97.2-98.0
Male	2035	244,701	71	2.5	01.9-03.1	1964	97.5	96.9-98.1
Female	2988	245,244	99	2.3	01.7-02.9	2889	97.7	97.1-98.3
Native	130	22,145	7	2.8	00.4-05.2	123	97.2	94.8-99.6
Non-Native	4851	464,224	160	2.3	01.9-02.7	4691	97.7	97.3-98.1
18-24	163	79,652				163	100.0	0100-0100
25-34	501	76,997	1	0.1	00.0-00.3	500	99.9	99.7-0100
35-44	697	76,035	6	0.8	00.0-01.6	691	99.2	98.4-0100
45-54	1075	92,331	14	1.4	00.6-02.2	1061	98.6	97.8-99.4
55-64	996	67,804	24	2.4	01.4-03.4	972	97.6	96.6-98.6
65+	1540	93,806	121	8.5	06.9-10.1	1419	91.5	89.9-93.1
Less Than H.S.	381	36,654	36	7.5	04.8-10.2	345	92.5	89.8-95.2
H.S. or G.E.D.	1528	144,900	64	2.8	02.0-03.6	1464	97.2	96.4-98.0
Some Post-H.S.	1554	159,370	48	2.3	01.5-03.1	1506	97.7	96.9-98.5
College Graduate	1551	148,121	20	0.8	00.4-01.2	1531	99.2	98.8-99.6
Less than \$15,000	371	29,833	34	6.6	04.1-09.1	337	93.4	90.9-95.9
\$15,000- 24,999	742	68,018	36	3.6	02.2-05.0	706	96.4	95.0-97.8
\$25,000- 34,999	603	53,850	23	3.1	01.7-04.5	580	96.9	95.5-98.3
\$35,000- 49,999	822	79,938	16	1.4	00.6-02.2	806	98.6	97.8-99.4
\$50,000- 74,999	847	89,552	17	1.5	00.7-02.3	830	98.5	97.7-99.3
\$75,000+	1012	111,569	11	0.9	00.3-01.5	1001	99.1	98.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 8: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2035	244,701	71	2.5	01.9-03.1	1964	97.5	96.9-98.1
Non-Native	1976	233,740	68	2.4	01.8-03.0	1908	97.6	97.0-98.2
18-24	81	42,146				81	100.0	0100-0100
25-34	213	40,966	1	0.2	00.0-00.6	212	99.8	99.4-0100
35-44	316	38,947	2	0.8	00.0-02.0	314	99.2	98.0-0100
45-54	464	46,096	9	2.1	00.7-03.5	455	97.9	96.5-99.3
55-64	436	35,566	12	2.4	01.0-03.8	424	97.6	96.2-99.0
65+	515	39,944	47	9.4	06.7-12.1	468	90.6	87.9-93.3
Less Than H.S.	164	18,956	20	9.5	04.8-14.2	144	90.5	85.8-95.2
H.S. or G.E.D.	651	79,760	28	2.6	01.6-03.6	623	97.4	96.4-98.4
Some Post-H.S.	559	70,454	15	2.1	00.9-03.3	544	97.9	96.7-99.1
College Graduate	659	74,893	8	0.8	00.2-01.4	651	99.2	98.6-99.8
Less than \$15,000	109	11,856	11	6.6	02.1-11.1	98	93.4	88.9-97.9
\$15,000- 24,999	254	30,921	14	4.2	01.7-06.7	240	95.8	93.3-98.3
\$25,000- 34,999	228	27,292	11	3.5	01.1-05.9	217	96.5	94.1-98.9
\$35,000- 49,999	384	43,241	10	1.7	00.5-02.9	374	98.3	97.1-99.5
\$50,000- 74,999	415	50,266	8	1.4	00.4-02.4	407	98.6	97.6-99.6
\$75,000+	489	59,908	10	1.6	00.6-02.6	479	98.4	97.4-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 9: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2988	245,244	99	2.3	01.7-02.9	2889	97.7	97.1-98.3
Native	88	13,024	6	3.4	00.5-06.3	82	96.6	93.7-99.5
Non-Native	2875	230,485	92	2.2	01.8-02.6	2783	97.8	97.4-98.2
18-24	82	37,506				82	100.0	0100-0100
25-34	288	36,031				288	100.0	0100-0100
35-44	381	37,088	4	0.7	00.0-01.5	377	99.3	98.5-0100
45-54	611	46,235	5	0.7	00.1-01.3	606	99.3	98.7-99.9
55-64	560	32,238	12	2.5	00.9-04.1	548	97.5	95.9-99.1
65+	1025	53,862	74	7.7	05.9-09.5	951	92.3	90.5-94.1
Less Than H.S.	217	17,698	16	5.2	02.5-07.9	201	94.8	92.1-97.5
H.S. or G.E.D.	877	65,140	36	3.1	01.9-04.3	841	96.9	95.7-98.1
Some Post-H.S.	995	88,915	33	2.4	01.6-03.2	962	97.6	96.8-98.4
College Graduate	892	73,228	12	0.8	00.2-01.4	880	99.2	98.6-99.8
Less than \$15,000	262	17,977	23	6.6	03.7-09.5	239	93.4	90.5-96.3
\$15,000- 24,999	488	37,097	22	3.1	01.7-04.5	466	96.9	95.5-98.3
\$25,000- 34,999	375	26,558	12	2.6	01.0-04.2	363	97.4	95.8-99.0
\$35,000- 49,999	438	36,697	6	1.2	00.2-02.2	432	98.8	97.8-99.8
\$50,000- 74,999	432	39,286	9	1.5	00.5-02.5	423	98.5	97.5-99.5
\$75,000+	523	51,661	1	0.1	00.0-00.3	522	99.9	99.7-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 9: ASTHMA CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	62
2	MALES ONLY	63
3	FEMALES ONLY	64
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	65
5	MALES ONLY	66
6	FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 9: ASTHMA**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5028	490,675	546	11.6	10.4-12.8	4482	88.4	87.2-89.6
Male	2036	245,090	200	10.9	09.1-12.7	1836	89.1	87.3-90.9
Female	2992	245,585	346	12.3	10.7-13.9	2646	87.7	86.1-89.3
Native	129	22,046	21	14.6	06.4-22.8	108	85.4	77.2-93.6
Non-Native	4857	465,052	524	11.5	10.3-12.7	4333	88.5	87.3-89.7
18-24	163	79,652	26	15.1	09.4-20.8	137	84.9	79.2-90.6
25-34	504	77,737	72	13.7	10.6-16.8	432	86.3	83.2-89.4
35-44	697	75,985	78	10.6	08.2-13.0	619	89.4	87.0-91.8
45-54	1075	92,331	112	9.9	07.9-11.9	963	90.1	88.1-92.1
55-64	999	67,950	104	10.2	08.2-12.2	895	89.8	87.8-91.8
65+	1539	93,699	149	10.3	08.5-12.1	1390	89.7	87.9-91.5
Less Than H.S.	382	36,681	46	13.4	08.1-18.7	336	86.6	81.3-91.9
H.S. or G.E.D.	1528	145,055	159	12.0	09.5-14.5	1369	88.0	85.5-90.5
Some Post-H.S.	1556	159,417	186	12.0	09.8-14.2	1370	88.0	85.8-90.2
College Graduate	1553	148,621	155	10.4	08.4-12.4	1398	89.6	87.6-91.6
Less than \$15,000	372	29,834	58	14.0	09.3-18.7	314	86.0	81.3-90.7
\$15,000- 24,999	743	68,097	89	14.7	10.6-18.8	654	85.3	81.2-89.4
\$25,000- 34,999	603	54,224	61	10.5	07.2-13.8	542	89.5	86.2-92.8
\$35,000- 49,999	823	80,122	86	10.8	08.1-13.5	737	89.2	86.5-91.9
\$50,000- 74,999	847	89,543	91	10.9	08.4-13.4	756	89.1	86.6-91.6
\$75,000+	1013	111,636	98	9.4	07.4-11.4	915	90.6	88.6-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 9: ASTHMA**

**TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2036	245,090	200	10.9	09.1-12.7	1836	89.1	87.3-90.9
Non-Native	1977	234,128	194	11.1	09.1-13.1	1783	88.9	86.9-90.9
18-24	81	42,146	15	16.3	08.3-24.3	66	83.7	75.7-91.7
25-34	214	41,398	26	12.1	07.6-16.6	188	87.9	83.4-92.4
35-44	316	38,947	36	10.4	07.1-13.7	280	89.6	86.3-92.9
45-54	464	46,096	36	7.3	04.8-09.8	428	92.7	90.2-95.2
55-64	437	35,633	40	9.3	06.4-12.2	397	90.7	87.8-93.6
65+	514	39,833	46	10.0	07.1-12.9	468	90.0	87.1-92.9
Less Than H.S.	164	18,956	16	10.9	04.0-17.8	148	89.1	82.2-96.0
H.S. or G.E.D.	651	79,760	72	13.1	09.2-17.0	579	86.9	83.0-90.8
Some Post-H.S.	559	70,396	58	10.1	06.8-13.4	501	89.9	86.6-93.2
College Graduate	660	75,340	54	9.3	06.6-12.0	606	90.7	88.0-93.4
Less than \$15,000	108	11,745	16	9.5	03.8-15.2	92	90.5	84.8-96.2
\$15,000- 24,999	255	30,973	32	14.9	08.4-21.4	223	85.1	78.6-91.6
\$25,000- 34,999	229	27,724	22	9.6	04.5-14.7	207	90.4	85.3-95.5
\$35,000- 49,999	384	43,241	33	8.8	05.5-12.1	351	91.2	87.9-94.5
\$50,000- 74,999	415	50,266	31	8.3	05.0-11.6	384	91.7	88.4-95.0
\$75,000+	490	59,975	49	10.4	07.3-13.5	441	89.6	86.5-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 9: ASTHMA**

**TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2992	245,585	346	12.3	10.7-13.9	2646	87.7	86.1-89.3	
Non-Native	2880	230,924	330	11.9	10.3-13.5	2550	88.1	86.5-89.7	
18-24	82	37,506	11	13.8	06.0-21.6	71	86.2	78.4-94.0	
25-34	290	36,339	46	15.7	11.2-20.2	244	84.3	79.8-88.8	
35-44	381	37,038	42	10.9	07.4-14.4	339	89.1	85.6-92.6	
45-54	611	46,235	76	12.4	09.7-15.1	535	87.6	84.9-90.3	
55-64	562	32,317	64	11.1	08.4-13.8	498	88.9	86.2-91.6	
65+	1025	53,865	103	10.5	08.3-12.7	922	89.5	87.3-91.7	
Less Than H.S.	218	17,724	30	16.0	07.6-24.4	188	84.0	75.6-92.4	
H.S. or G.E.D.	877	65,295	87	10.7	07.8-13.6	790	89.3	86.4-92.2	
Some Post-H.S.	997	89,021	128	13.4	10.5-16.3	869	86.6	83.7-89.5	
College Graduate	893	73,281	101	11.5	09.0-14.0	792	88.5	86.0-91.0	
Less than \$15,000	264	18,089	42	17.0	10.5-23.5	222	83.0	76.5-89.5	
\$15,000- 24,999	488	37,124	57	14.5	09.0-20.0	431	85.5	80.0-91.0	
\$25,000- 34,999	374	26,499	39	11.4	07.1-15.7	335	88.6	84.3-92.9	
\$35,000- 49,999	439	36,882	53	13.1	08.4-17.8	386	86.9	82.2-91.6	
\$50,000- 74,999	432	39,277	60	14.3	10.2-18.4	372	85.7	81.6-89.8	
\$75,000+	523	51,661	49	8.3	05.9-10.7	474	91.7	89.3-94.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 9: ASTHMA**

**TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	533	55,391	381	70.2	64.9-75.5	152	29.8	24.5-35.1
Male	198	26,297	133	65.0	56.2-73.8	65	35.0	26.2-43.8
Female	335	29,094	248	74.9	69.0-80.8	87	25.1	19.2-31.0
Non-Native	511	52,126	363	68.9	63.4-74.4	148	31.1	25.6-36.6
45-54	111	9,046	74	66.0	56.4-75.6	37	34.0	24.4-43.6
55-64	102	6,797	73	70.8	61.2-80.4	29	29.2	19.6-38.8
65+	143	9,275	113	78.7	71.3-86.1	30	21.3	13.9-28.7
H.S. or G.E.D.	154	16,922	116	75.8	66.2-85.4	38	24.2	14.6-33.8
Some Post-H.S.	183	18,966	131	70.2	61.4-79.0	52	29.8	21.0-38.6
College Graduate	152	15,206	99	64.0	54.8-73.2	53	36.0	26.8-45.2
Less than \$15,000	56	4,053	50	91.2	83.8-98.6	6	8.8	01.4-16.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 9: ASTHMA**

**TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	198	26,297	133	65.0	56.2-73.8	65	35.0	26.2-43.8
Non-Native	192	25,707	129	64.9	55.9-73.9	63	35.1	26.1-44.1

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 9: ASTHMA**

**TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	335	29,094	248	74.9	69.0-80.8	87	25.1	19.2-31.0
Non-Native	319	26,419	234	72.8	66.5-79.1	85	27.2	20.9-33.5
65+	97	5,286	77	78.8	69.8-87.8	20	21.2	12.2-30.2
Some Post-H.S.	125	11,850	93	76.6	68.0-85.2	32	23.4	14.8-32.0
College Graduate	99	8,284	69	72.7	63.3-82.1	30	27.3	17.9-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 10: DISABILITY CONTENTS

\* NOTE \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	69
2	MALES ONLY	70
3	FEMALES ONLY	71
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	72
5	MALES ONLY	73
6	FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 10: DISABILITY**

**TABLE 1: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5012	489,371	1071	17.0	15.8-18.2	3941	83.0	81.8-84.2	
Male	2030	244,293	393	15.7	13.9-17.5	1637	84.3	82.5-86.1	
Female	2982	245,079	678	18.3	16.5-20.1	2304	81.7	79.9-83.5	
Native	130	22,145	28	15.9	07.3-24.5	102	84.1	75.5-92.7	
Non-Native	4841	463,735	1035	17.1	15.9-18.3	3806	82.9	81.7-84.1	
18-24	163	79,652	12	7.8	03.3-12.3	151	92.2	87.7-96.7	
25-34	503	77,449	43	8.0	05.5-10.5	460	92.0	89.5-94.5	
35-44	697	76,035	91	11.3	08.9-13.7	606	88.7	86.3-91.1	
45-54	1072	92,100	191	17.2	14.8-19.6	881	82.8	80.4-85.2	
55-64	998	67,902	236	23.3	20.6-26.0	762	76.7	74.0-79.4	
65+	1528	92,912	491	32.4	29.9-34.9	1037	67.6	65.1-70.1	
Less Than H.S.	377	36,135	86	21.6	15.7-27.5	291	78.4	72.5-84.3	
H.S. or G.E.D.	1524	144,711	346	18.0	15.6-20.4	1178	82.0	79.6-84.4	
Some Post-H.S.	1553	159,261	361	17.8	15.4-20.2	1192	82.2	79.8-84.6	
College Graduate	1549	148,363	277	14.2	12.2-16.2	1272	85.8	83.8-87.8	
Less than \$15,000	372	29,770	163	35.9	28.1-43.7	209	64.1	56.3-71.9	
\$15,000- 24,999	741	68,032	209	23.1	19.0-27.2	532	76.9	72.8-81.0	
\$25,000- 34,999	601	53,796	142	19.1	15.6-22.6	459	80.9	77.4-84.4	
\$35,000- 49,999	822	80,019	161	15.2	12.7-17.7	661	84.8	82.3-87.3	
\$50,000- 74,999	846	89,484	131	12.9	10.4-15.4	715	87.1	84.6-89.6	
\$75,000+	1011	111,525	125	10.2	08.2-12.2	886	89.8	87.8-91.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 10: DISABILITY**

**TABLE 2: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2030	244,293	393	15.7	13.9-17.5	1637	84.3	82.5-86.1
Non-Native	1971	233,331	382	16.0	14.0-18.0	1589	84.0	82.0-86.0
18-24	81	42,146	7	9.1	02.6-15.6	74	90.9	84.4-97.4
25-34	213	41,110	11	4.8	01.9-07.7	202	95.2	92.3-98.1
35-44	316	38,947	33	9.3	06.0-12.6	283	90.7	87.4-94.0
45-54	462	45,940	87	17.8	14.1-21.5	375	82.2	78.5-85.9
55-64	437	35,633	106	24.3	20.0-28.6	331	75.7	71.4-80.0
65+	511	39,480	148	30.4	26.1-34.7	363	69.6	65.3-73.9
Less Than H.S.	162	18,565	39	24.4	15.4-33.4	123	75.6	66.6-84.6
H.S. or G.E.D.	650	79,649	130	15.6	12.5-18.7	520	84.4	81.3-87.5
Some Post-H.S.	557	70,214	111	15.6	12.1-19.1	446	84.4	80.9-87.9
College Graduate	659	75,227	113	13.9	11.0-16.8	546	86.1	83.2-89.0
\$15,000- 24,999	255	30,973	63	20.9	14.4-27.4	192	79.1	72.6-85.6
\$25,000- 34,999	227	27,324	52	16.3	11.4-21.2	175	83.7	78.8-88.6
\$35,000- 49,999	383	43,137	66	14.1	10.6-17.6	317	85.9	82.4-89.4
\$50,000- 74,999	414	50,191	64	13.7	09.8-17.6	350	86.3	82.4-90.2
\$75,000+	490	59,975	62	10.7	08.0-13.4	428	89.3	86.6-92.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 10: DISABILITY**

**TABLE 3: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2982	245,079	678	18.3	16.5-20.1	2304	81.7	79.9-83.5
Non-Native	2870	230,404	653	18.1	16.5-19.7	2217	81.9	80.3-83.5
18-24	82	37,506	5	6.3	00.4-12.2	77	93.7	87.8-99.6
25-34	290	36,339	32	11.6	07.5-15.7	258	88.4	84.3-92.5
35-44	381	37,088	58	13.3	09.8-16.8	323	86.7	83.2-90.2
45-54	610	46,160	104	16.6	13.5-19.7	506	83.4	80.3-86.5
55-64	561	32,269	130	22.2	18.7-25.7	431	77.8	74.3-81.3
65+	1017	53,432	343	33.9	30.8-37.0	674	66.1	63.0-69.2
Less Than H.S.	215	17,570	47	18.5	11.1-25.9	168	81.5	74.1-88.9
H.S. or G.E.D.	874	65,062	216	20.9	17.8-24.0	658	79.1	76.0-82.2
Some Post-H.S.	996	89,048	250	19.6	16.5-22.7	746	80.4	77.3-83.5
College Graduate	890	73,136	164	14.5	12.1-16.9	726	85.5	83.1-87.9
Less than \$15,000	265	18,132	114	40.0	30.6-49.4	151	60.0	50.6-69.4
\$15,000- 24,999	486	37,059	146	24.9	19.4-30.4	340	75.1	69.6-80.6
\$25,000- 34,999	374	26,473	90	22.0	16.9-27.1	284	78.0	72.9-83.1
\$35,000- 49,999	439	36,882	95	16.5	12.8-20.2	344	83.5	79.8-87.2
\$50,000- 74,999	432	39,293	67	12.0	08.9-15.1	365	88.0	84.9-91.1
\$75,000+	521	51,549	63	9.5	07.0-12.0	458	90.5	88.0-93.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 10: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5030	490,561	401	5.6	05.0-06.2	4629	94.4	93.8-95.0
Male	2035	244,790	127	4.8	03.8-05.8	1908	95.2	94.2-96.2
Female	2995	245,771	274	6.4	05.6-07.2	2721	93.6	92.8-94.4
Native	130	22,145	13	6.3	02.0-10.6	117	93.7	89.4-98.0
Non-Native	4858	464,840	382	5.5	04.9-06.1	4476	94.5	93.9-95.1
18-24	162	79,286	2	0.9	00.0-02.3	160	99.1	97.7-0100
25-34	504	77,737	9	1.6	00.4-02.8	495	98.4	97.2-99.6
35-44	698	76,084	24	3.3	01.7-04.9	674	96.7	95.1-98.3
45-54	1074	92,293	43	3.7	02.5-04.9	1031	96.3	95.1-97.5
55-64	998	67,906	65	6.0	04.4-07.6	933	94.0	92.4-95.6
65+	1543	93,934	254	16.3	14.3-18.3	1289	83.7	81.7-85.7
Less Than H.S.	382	36,702	56	10.0	06.9-13.1	326	90.0	86.9-93.1
H.S. or G.E.D.	1528	144,719	140	6.9	05.5-08.3	1388	93.1	91.7-94.5
Some Post-H.S.	1556	159,508	109	4.2	03.2-05.2	1447	95.8	94.8-96.8
College Graduate	1555	148,731	94	4.7	03.5-05.9	1461	95.3	94.1-96.5
Less than \$15,000	373	29,942	95	18.8	13.9-23.7	278	81.2	76.3-86.1
\$15,000- 24,999	744	67,859	81	7.5	05.5-09.5	663	92.5	90.5-94.5
\$25,000- 34,999	604	54,282	55	6.6	04.6-08.6	549	93.4	91.4-95.4
\$35,000- 49,999	823	80,122	49	4.3	02.9-05.7	774	95.7	94.3-97.1
\$50,000- 74,999	848	89,602	22	1.9	01.1-02.7	826	98.1	97.3-98.9
\$75,000+	1013	111,636	29	2.6	01.6-03.6	984	97.4	96.4-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 10: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQUIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2035	244,790	127	4.8	03.8-05.8	1908	95.2	94.2-96.2
Non-Native	1976	233,828	123	4.9	03.9-05.9	1853	95.1	94.1-96.1
18-24	80	41,780	1	1.3	00.0-03.8	79	98.7	96.2-0100
25-34	214	41,398	4	2.0	00.0-04.0	210	98.0	96.0-0100
35-44	316	38,947	8	2.5	00.7-04.3	308	97.5	95.7-99.3
45-54	464	46,096	26	5.1	02.9-07.3	438	94.9	92.7-97.1
55-64	436	35,588	26	5.6	03.2-08.0	410	94.4	92.0-96.8
65+	515	39,944	62	12.8	09.7-15.9	453	87.2	84.1-90.3
Less Than H.S.	164	18,956	18	9.2	04.7-13.7	146	90.8	86.3-95.3
H.S. or G.E.D.	650	79,394	43	5.0	03.0-07.0	607	95.0	93.0-97.0
Some Post-H.S.	558	70,410	26	3.3	01.9-04.7	532	96.7	95.3-98.1
College Graduate	661	75,392	40	5.1	03.3-06.9	621	94.9	93.1-96.7
Less than \$15,000	108	11,811	27	16.7	08.7-24.7	81	83.3	75.3-91.3
\$15,000- 24,999	254	30,607	13	4.2	01.5-06.9	241	95.8	93.1-98.5
\$25,000- 34,999	229	27,724	16	5.0	02.3-07.7	213	95.0	92.3-97.7
\$35,000- 49,999	384	43,241	19	3.9	02.1-05.7	365	96.1	94.3-97.9
\$50,000- 74,999	415	50,266	17	2.9	01.5-04.3	398	97.1	95.7-98.5
\$75,000+	490	59,975	18	3.6	01.8-05.4	472	96.4	94.6-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 10: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?  
(USEEQIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2995	245,771	274	6.4	05.6-07.2	2721	93.6	92.8-94.4
Native	88	13,024	10	7.7	01.6-13.8	78	92.3	86.2-98.4
Non-Native	2882	231,012	259	6.2	05.4-07.0	2623	93.8	93.0-94.6
18-24	82	37,506	1	0.5	00.0-01.5	81	99.5	98.5-100.0
25-34	290	36,339	5	1.3	00.1-02.5	285	98.7	97.5-99.9
35-44	382	37,137	16	4.1	01.7-06.5	366	95.9	93.5-98.3
45-54	610	46,197	17	2.2	01.0-03.4	593	97.8	96.6-99.0
55-64	562	32,317	39	6.4	04.2-08.6	523	93.6	91.4-95.8
65+	1028	53,990	192	18.8	16.3-21.3	836	81.2	78.7-83.7
Less Than H.S.	218	17,745	38	10.9	06.8-15.0	180	89.1	85.0-93.2
H.S. or G.E.D.	878	65,325	97	9.3	07.1-11.5	781	90.7	88.5-92.9
Some Post-H.S.	998	89,098	83	5.0	03.8-06.2	915	95.0	93.8-96.2
College Graduate	894	73,340	54	4.3	02.9-05.7	840	95.7	94.3-97.1
Less than \$15,000	265	18,132	68	20.1	14.2-26.0	197	79.9	74.0-85.8
\$15,000- 24,999	490	37,252	68	10.1	07.4-12.8	422	89.9	87.2-92.6
\$25,000- 34,999	375	26,558	39	8.2	05.5-10.9	336	91.8	89.1-94.5
\$35,000- 49,999	439	36,882	30	4.9	02.9-06.9	409	95.1	93.1-97.1
\$50,000- 74,999	433	39,336	5	0.7	00.1-01.3	428	99.3	98.7-99.9
\$75,000+	523	51,661	11	1.4	00.4-02.4	512	98.6	97.6-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 11: TOBACCO USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	76
2	MALES ONLY	77
3	FEMALES ONLY	78
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	79
5	MALES ONLY	80
6	FEMALES ONLY	81
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	82
8	MALES ONLY	83
9	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5016	489,739	2294	43.5	41.5-45.5	2722	56.5	54.5-58.5
Male	2033	244,932	1093	49.4	46.5-52.3	940	50.6	47.7-53.5
Female	2983	244,807	1201	37.6	35.2-40.0	1782	62.4	60.0-64.8
Non-Native	4844	464,017	2179	42.3	40.5-44.1	2665	57.7	55.9-59.5
18-24	163	79,652	53	34.2	26.0-42.4	110	65.8	57.6-74.0
25-34	502	77,491	199	40.1	35.4-44.8	303	59.9	55.2-64.6
35-44	695	75,710	290	41.2	37.3-45.1	405	58.8	54.9-62.7
45-54	1074	92,269	486	44.7	41.6-47.8	588	55.3	52.2-58.4
55-64	996	67,730	533	54.2	50.9-57.5	463	45.8	42.5-49.1
65+	1535	93,565	717	47.6	44.9-50.3	818	52.4	49.7-55.1
Less Than H.S.	379	36,476	200	50.9	43.1-58.7	179	49.1	41.3-56.9
H.S. or G.E.D.	1521	144,518	767	48.9	45.4-52.4	754	51.1	47.6-54.6
Some Post-H.S.	1558	159,626	775	47.7	44.2-51.2	783	52.3	48.8-55.8
College Graduate	1549	148,218	549	31.9	29.2-34.6	1000	68.1	65.4-70.8
Less than \$15,000	372	29,847	201	54.9	46.1-63.7	171	45.1	36.3-53.9
\$15,000- 24,999	741	68,071	410	54.2	48.7-59.7	331	45.8	40.3-51.3
\$25,000- 34,999	603	54,245	296	45.5	39.8-51.2	307	54.5	48.8-60.2
\$35,000- 49,999	821	79,992	411	48.8	44.1-53.5	410	51.2	46.5-55.9
\$50,000- 74,999	846	89,331	372	43.0	38.9-47.1	474	57.0	52.9-61.1
\$75,000+	1009	111,210	382	36.5	32.8-40.2	627	63.5	59.8-67.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2033	244,932	1093	49.4	46.5-52.3	940	50.6	47.7-53.5
Non-Native	1974	233,970	1052	48.6	45.9-51.3	922	51.4	48.7-54.1
25-34	214	41,398	94	44.2	37.1-51.3	120	55.8	48.7-62.9
35-44	315	38,820	128	41.2	35.3-47.1	187	58.8	52.9-64.7
45-54	465	46,147	235	49.3	44.4-54.2	230	50.7	45.8-55.6
55-64	436	35,588	261	59.9	55.0-64.8	175	40.1	35.2-45.0
65+	512	39,796	339	66.1	61.8-70.4	173	33.9	29.6-38.2
H.S. or G.E.D.	647	79,495	378	54.3	48.8-59.8	269	45.7	40.2-51.2
Some Post-H.S.	560	70,506	334	55.7	50.2-61.2	226	44.3	38.8-49.8
College Graduate	661	75,392	272	36.6	32.5-40.7	389	63.4	59.3-67.5
\$15,000- 24,999	253	30,891	162	54.3	45.5-63.1	91	45.7	36.9-54.5
\$25,000- 34,999	229	27,724	145	56.3	46.9-65.7	84	43.7	34.3-53.1
\$35,000- 49,999	383	43,185	223	54.1	47.6-60.6	160	45.9	39.4-52.4
\$50,000- 74,999	415	50,266	211	49.8	43.9-55.7	204	50.2	44.3-56.1
\$75,000+	489	59,848	210	43.4	38.1-48.7	279	56.6	51.3-61.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2983	244,807	1201	37.6	35.2-40.0	1782	62.4	60.0-64.8
Non-Native	2870	230,047	1127	35.9	33.5-38.3	1743	64.1	61.7-66.5
25-34	288	36,093	105	35.5	29.6-41.4	183	64.5	58.6-70.4
35-44	380	36,890	162	41.2	35.9-46.5	218	58.8	53.5-64.1
45-54	609	46,122	251	40.1	36.0-44.2	358	59.9	55.8-64.0
55-64	560	32,142	272	48.0	43.5-52.5	288	52.0	47.5-56.5
65+	1023	53,769	378	33.9	30.8-37.0	645	66.1	63.0-69.2
H.S. or G.E.D.	874	65,023	389	42.3	38.0-46.6	485	57.7	53.4-62.0
Some Post-H.S.	998	89,120	441	41.3	36.8-45.8	557	58.7	54.2-63.2
College Graduate	888	72,826	277	27.0	23.7-30.3	611	73.0	69.7-76.3
Less than \$15,000	264	18,046	135	50.4	40.8-60.0	129	49.6	40.0-59.2
\$15,000- 24,999	488	37,180	248	54.2	47.3-61.1	240	45.8	38.9-52.7
\$25,000- 34,999	374	26,520	151	34.3	28.6-40.0	223	65.7	60.0-71.4
\$35,000- 49,999	438	36,806	188	42.6	35.7-49.5	250	57.4	50.5-64.3
\$50,000- 74,999	431	39,064	161	34.3	29.2-39.4	270	65.7	60.6-70.8
\$75,000+	520	51,362	172	28.4	23.9-32.9	348	71.6	67.1-76.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2291	213,101	616	30.5	27.8-33.2	222	11.1	09.1-13.1	1453	58.4	55.5-61.3
Male	1092	121,043	285	29.0	25.3-32.7	103	12.3	09.2-15.4	704	58.7	54.8-62.6
Female	1199	92,058	331	32.4	28.3-36.5	119	9.6	07.6-11.6	749	58.0	53.9-62.1
Non-Native	2176	196,109	574	29.2	26.7-31.7	199	10.3	08.3-12.3	1403	60.5	57.8-63.2
25-34	199	31,091	76	39.4	32.0-46.8	32	15.0	09.7-20.3	91	45.6	38.2-53.0
35-44	289	31,152	116	37.8	31.7-43.9	32	10.8	06.9-14.7	141	51.4	45.1-57.7
45-54	486	41,251	164	33.0	28.5-37.5	57	11.5	08.4-14.6	265	55.5	50.8-60.2
55-64	532	36,698	129	22.9	19.0-26.8	48	8.9	06.4-11.4	355	68.1	63.8-72.4
65+	716	44,487	101	12.2	09.8-14.6	41	4.6	03.0-06.2	574	83.3	80.4-86.2
Less Than H.S.	200	18,560				16	9.0	03.5-14.5			
H.S. or G.E.D.	765	70,608	234	32.9	28.2-37.6	75	11.0	07.1-14.9	456	56.1	51.0-61.2
Some Post-H.S.	774	76,058	212	31.4	26.5-36.3	87	13.3	09.6-17.0	475	55.3	50.2-60.4
College Graduate	549	47,265	103	20.4	16.1-24.7	44	8.7	05.8-11.6	402	70.9	66.2-75.6
\$15,000- 24,999	409	36,883	141	41.9	34.1-49.7	38	9.1	05.6-12.6	230	49.0	41.6-56.4
\$25,000- 34,999	295	24,663	83	34.4	26.8-42.0	34	11.3	06.6-16.0	178	54.3	46.7-61.9
\$35,000- 49,999	410	38,984	116	29.7	23.8-35.6	37	9.8	05.9-13.7	257	60.5	54.0-67.0
\$50,000- 74,999	372	38,449	80	24.4	19.1-29.7	31	11.3	06.0-16.6	261	64.3	58.0-70.6
\$75,000+	382	40,604	73	22.3	16.6-28.0	39	12.9	07.8-18.0	270	64.7	58.2-71.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1092	121,043	285	29.0	25.3-32.7	103	12.3	09.2-15.4	704	58.7	54.8-62.6
Non-Native	1051	113,680	274	29.3	25.6-33.0	96	11.5	08.6-14.4	681	59.2	55.3-63.1
25-34	94	18,291				18	16.0	08.6-23.4			
35-44	128	16,001	50	37.0	28.0-46.0	17	11.5	06.0-17.0	61	51.5	42.3-60.7
45-54	235	22,761	82	33.2	26.7-39.7	30	12.2	07.9-16.5	123	54.6	47.7-61.5
55-64	260	21,257	66	24.1	18.6-29.6	18	6.5	03.4-09.6	176	69.4	63.5-75.3
65+	339	26,308	34	8.5	05.6-11.4	10	2.8	00.6-05.0	295	88.7	85.2-92.2
Less Than H.S.	108	10,457	27	25.9	16.3-35.5	8	8.6	01.0-16.2			
H.S. or G.E.D.	377	43,129	114	31.7	25.2-38.2	39	13.2	07.1-19.3	224	55.1	47.8-62.4
Some Post-H.S.	334	39,285	92	31.3	24.4-38.2	37	14.9	08.4-21.4	205	53.8	46.5-61.1
College Graduate	272	27,623	51	21.3	15.2-27.4	19	8.9	04.8-13.0	202	69.9	63.2-76.6
\$15,000- 24,999	162	16,775				15	10.1	04.0-16.2			
\$25,000- 34,999	144	15,554				11	8.2	02.3-14.1			
\$35,000- 49,999	223	23,361	62	29.2	21.9-36.5	17	10.0	04.3-15.7	144	60.9	52.9-68.9
\$50,000- 74,999	211	25,041	41	21.9	15.0-28.8	19	13.6	06.0-21.2	151	64.5	56.1-72.9
\$75,000+	210	26,000	39	23.5	15.5-31.5	27	16.1	08.7-23.5	144	60.5	51.7-69.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1199	92,058	331	32.4	28.3-36.5	119	9.6	07.6-11.6	749	58.0	53.9-62.1
Native	64	8,756				15	15.5	05.7-25.3			
Non-Native	1125	82,429	300	29.2	25.5-32.9	103	8.6	06.6-10.6	722	62.2	58.5-65.9
25-34	105	12,800				14	13.5	06.2-20.8			
35-44	161	15,151	66	38.6	30.6-46.6	15	10.1	04.8-15.4	80	51.3	43.1-59.5
45-54	251	18,490	82	32.8	26.5-39.1	27	10.6	06.5-14.7	142	56.6	49.9-63.3
55-64	272	15,441	63	21.3	16.2-26.4	30	12.2	07.9-16.5	179	66.5	60.4-72.6
65+	377	18,179	67	17.4	13.3-21.5	31	7.2	04.7-09.7	279	75.4	70.9-79.9
Less Than H.S.	92	8,102				8	9.6	01.8-17.4			
H.S. or G.E.D.	388	27,479	120	34.8	28.5-41.1	36	7.6	04.9-10.3	232	57.6	51.3-63.9
Some Post-H.S.	440	36,773	120	31.5	24.4-38.6	50	11.7	07.8-15.6	270	56.9	49.6-64.2
College Graduate	277	19,643	52	19.1	13.6-24.6	25	8.5	05.0-12.0	200	72.4	66.3-78.5
Less than \$15,000	135	9,096				17	13.0	05.0-21.0			
\$15,000- 24,999	247	20,109				23	8.4	04.3-12.5			
\$25,000- 34,999	151	9,109	37	26.7	18.5-34.9	23	16.7	09.6-23.8	91	56.5	47.5-65.5
\$35,000- 49,999	187	15,623	54	30.4	20.6-40.2	20	9.5	04.6-14.4			
\$50,000- 74,999	161	13,408	39	29.0	20.6-37.4	12	7.1	03.0-11.2	110	63.9	55.3-72.5
\$75,000+	172	14,604	34	20.3	13.4-27.2	12	7.4	03.1-11.7	126	72.3	64.7-79.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	837	88,591	410	52.2	47.3-57.1	427	47.8	42.9-52.7
Male	388	49,986	185	52.1	45.2-59.0	203	47.9	41.0-54.8
Female	449	38,604	225	52.4	45.5-59.3	224	47.6	40.7-54.5
Non-Native	772	77,502	378	52.1	47.4-56.8	394	47.9	43.2-52.6
35-44	148	15,140	76	50.7	41.9-59.5	72	49.3	40.5-58.1
45-54	221	18,356	101	44.6	37.3-51.9	120	55.4	48.1-62.7
55-64	177	11,690	84	45.2	37.2-53.2	93	54.8	46.8-62.8
65+	141	7,380	62	44.3	35.1-53.5	79	55.7	46.5-64.9
H.S. or G.E.D.	308	30,969	151	51.6	43.6-59.6	157	48.4	40.4-56.4
Some Post-H.S.	299	33,999	145	50.0	41.6-58.4	154	50.0	41.6-58.4
College Graduate	147	13,737	69	50.7	40.9-60.5	78	49.3	39.5-59.1
\$35,000- 49,999	153	15,380	65	40.7	30.9-50.5	88	59.3	49.5-69.1

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	388	49,986	185	52.1	45.2-59.0	203	47.9	41.0-54.8
Non-Native	370	46,362	178	52.0	45.1-58.9	192	48.0	41.1-54.9
45-54	112	10,335	49	43.3	33.3-53.3	63	56.7	46.7-66.7

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 11: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	449	38,604	225	52.4	45.5-59.3	224	47.6	40.7-54.5
Non-Native	402	31,140	200	52.2	45.9-58.5	202	47.8	41.5-54.1

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	88
2 MALES ONLY	89
3 FEMALES ONLY	90
ARE YOU HISPANIC OR LATINO? (HISpanic2)	
4 MALES AND FEMALES	91
5 MALES ONLY	92
6 FEMALES ONLY	93
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	94
8 MALES ONLY	95
9 FEMALES ONLY	96
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	97
11 MALES ONLY	98
12 FEMALES ONLY	99
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN1)	
13 MALES AND FEMALES	100
14 MALES ONLY	101
15 FEMALES ONLY	102
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	103
17 MALES ONLY	104
18 FEMALES ONLY	105
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	106
20 MALES ONLY	107
21 FEMALES ONLY	108

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22	MALES AND FEMALES	109
23	MALES ONLY	110
24	FEMALES ONLY	111
	ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25	MALES AND FEMALES	112
26	MALES ONLY	113
27	FEMALES ONLY	114
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28	MALES AND FEMALES	115
29	MALES ONLY	116
30	FEMALES ONLY	117
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31	MALES AND FEMALES	118
32	MALES ONLY	119
33	FEMALES ONLY	120
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34	MALES AND FEMALES	121
35	MALES ONLY	122
36	FEMALES ONLY	123
	HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)	
37	MALES AND FEMALES	124
38	MALES ONLY	125
39	FEMALES ONLY	126
	WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)	
40	MALES AND FEMALES	127
41	MALES ONLY	128
42	FEMALES ONLY	129

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 12: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
43 MALES AND FEMALES	130
44 MALES ONLY	131
45 FEMALES ONLY	132
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
46 MALES AND FEMALES	133
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
47 FEMALES ONLY	134
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
52 MALES AND FEMALES	139
53 MALES ONLY	140
54 FEMALES ONLY	141
DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)	
55 MALES AND FEMALES	142
56 MALES ONLY	143
57 FEMALES ONLY	144
INDICATE SEX OF RESPONDENT. (SEX)	
58 MALES AND FEMALES	145
59 MALES ONLY	146
60 FEMALES ONLY	147
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61 MALES AND FEMALES	148
62 MALES ONLY	149
63 FEMALES ONLY	150

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 1: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4984	487,804	163	16.3	13.9-18.7	504	15.9	14.5-17.3	698	15.6	14.4-16.8	1076	18.9	17.7-20.1	999	13.9	12.9-14.9	1544	19.3	18.1-20.5
Male	2028	244,215	81	17.3	14.0-20.6	214	17.0	14.8-19.2	316	15.9	14.1-17.7	465	18.9	17.1-20.7	437	14.6	13.0-16.2	515	16.4	14.8-18.0
Female	2956	243,588	82	15.4	12.3-18.5	290	14.9	13.1-16.7	382	15.2	13.6-16.8	611	19.0	17.4-20.6	562	13.3	12.1-14.5	1029	22.2	20.6-23.8
Native	128	21,893				28	20.4	11.8-29.0	35	20.8	12.4-29.2	20	6.5	03.0-10.0	15	5.1	02.0-08.2	17	4.6	01.9-07.3
Non-Native	4821	462,797	148	15.0	12.8-17.2	476	15.8	14.4-17.2	661	15.4	14.2-16.6	1053	19.6	18.4-20.8	978	14.4	13.4-15.4	1505	19.8	18.6-21.0
Less Than H.S.	381	36,675	21	29.3	19.5-39.1	14	5.8	02.5-09.1	16	4.9	02.4-07.4	37	8.8	05.7-11.9	41	7.5	05.0-10.0	252	43.7	36.4-51.0
H.S. or G.E.D.	1511	143,967	53	18.5	14.0-23.0	104	11.7	09.3-14.1	175	13.3	11.1-15.5	323	19.5	17.1-21.9	270	12.7	10.9-14.5	586	24.3	21.9-26.7
Some Post-H.S.	1546	158,782	70	21.5	17.0-26.0	147	14.2	11.8-16.6	241	16.3	14.1-18.5	375	19.8	17.6-22.0	322	13.6	11.8-15.4	391	14.5	12.7-16.3
College Graduate	1541	147,638	18	5.1	02.6-07.6	239	24.5	21.8-27.2	266	19.8	17.4-22.2	341	20.0	17.8-22.2	364	17.1	15.3-18.9	313	13.4	11.8-15.0
Less than \$15,000	369	29,672				27	13.7	08.2-19.2	37	11.3	06.8-15.8	50	11.3	07.6-15.0	54	9.3	06.4-12.2	189	31.4	24.9-37.9
\$15,000- 24,999	739	67,910	39	26.0	19.1-32.9	66	14.7	11.0-18.4	66	8.7	06.3-11.1	116	12.1	09.6-14.6	109	9.8	07.6-12.0	343	28.8	24.9-32.7
\$25,000- 34,999	602	54,218	19	16.6	09.7-23.5	63	18.8	14.1-23.5	66	11.0	08.1-13.9	83	11.8	09.1-14.5	130	14.7	12.0-17.4	241	27.1	23.2-31.0
\$35,000- 49,999	817	79,715	21	13.8	08.3-19.3	85	14.7	11.6-17.8	122	17.3	14.2-20.4	198	21.0	17.9-24.1	175	14.6	12.2-17.0	216	18.5	15.8-21.2
\$50,000- 74,999	846	89,486	19	9.2	05.1-13.3	131	23.4	19.7-27.1	141	18.3	15.4-21.2	220	22.4	19.5-25.3	198	15.9	13.5-18.3	137	10.7	08.7-12.7
\$75,000+	1007	111,002	23	11.1	06.8-15.4	108	15.3	12.6-18.0	221	23.5	20.6-26.4	332	28.5	25.4-31.6	218	15.4	13.2-17.6	105	6.2	05.0-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2028	244,215	81	17.3	14.0-20.6	214	17.0	14.8-19.2	316	15.9	14.1-17.7	465	18.9	17.1-20.7	437	14.6	13.0-16.2	515	16.4	14.8-18.0
Non-Native	1972	233,617	75	15.9	12.6-19.2	209	17.3	15.1-19.5	300	15.7	13.9-17.5	457	19.4	17.4-21.4	430	15.0	13.4-16.6	501	16.6	15.0-18.2
Less Than H.S.	164	18,956				6	6.6	01.3-11.9	8	5.4	01.7-09.1	19	9.8	05.1-14.5	21	8.5	04.6-12.4	99	41.8	32.2-51.4
H.S. or G.E.D.	647	79,345	30	21.5	14.8-28.2	57	13.6	10.1-17.1	98	15.1	12.0-18.2	174	21.7	18.2-25.2	113	11.6	09.2-14.0	175	16.5	13.8-19.2
Some Post-H.S.	559	70,403	29	21.2	14.5-27.9	60	16.5	12.4-20.6	96	16.6	13.1-20.1	145	19.7	16.2-23.2	125	14.6	11.9-17.3	104	11.4	09.0-13.8
College Graduate	656	74,873	10	5.7	02.0-09.4	91	23.7	19.4-28.0	114	19.0	15.7-22.3	127	17.7	14.6-20.8	177	19.3	16.4-22.2	137	14.5	12.0-17.0
Less than \$15,000	108	11,700				9	13.5	04.1-22.9	9	6.3	01.8-10.8	28	16.8	08.6-25.0	20	11.1	05.0-17.2	37	21.1	11.9-30.3
\$15,000- 24,999	253	30,818				24	15.1	09.0-21.2	22	7.3	04.0-10.6	42	11.4	07.5-15.3	45	10.9	07.4-14.4	101	25.2	19.3-31.1
\$25,000- 34,999	229	27,724				28	22.0	14.0-30.0	27	11.0	06.5-15.5	31	10.5	06.4-14.6	49	12.6	08.7-16.5	83	22.9	17.2-28.6
\$35,000- 49,999	383	43,137	9	11.7	04.8-18.6	37	13.9	09.4-18.4	61	18.4	13.7-23.1	101	22.5	18.0-27.0	77	14.3	11.0-17.6	98	19.2	15.3-23.1
\$50,000- 74,999	414	50,214	10	9.1	03.4-14.8	62	24.4	19.1-29.7	67	17.0	12.9-21.1	99	20.8	16.7-24.9	101	16.6	13.3-19.9	75	12.1	09.2-15.0
\$75,000+	487	59,612	11	9.7	04.0-15.4	42	14.1	10.2-18.0	115	24.8	20.5-29.1	139	25.7	21.6-29.8	116	18.0	14.7-21.3	64	7.8	05.8-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2956	243,588	82	15.4	12.3-18.5	290	14.9	13.1-16.7	382	15.2	13.6-16.8	611	19.0	17.4-20.6	562	13.3	12.1-14.5	1029	22.2	20.6-23.8
Native	87	12,928							19	17.9	08.1-27.7	14	6.8	02.3-11.3	10	5.7	01.6-09.8	13	4.9	01.8-08.0
Non-Native	2849	229,180	73	14.1	11.2-17.0	267	14.3	12.5-16.1	361	15.1	13.5-16.7	596	19.8	18.2-21.4	548	13.7	12.5-14.9	1004	23.0	21.4-24.6
Less Than H.S.	217	17,719				8	4.9	01.4-08.4	8	4.3	00.8-07.8	18	7.8	03.7-11.9	20	6.5	03.4-09.6			
H.S. or G.E.D.	864	64,622	23	14.7	09.2-20.2	47	9.4	06.9-11.9	77	11.1	08.6-13.6	149	16.8	14.1-19.5	157	14.0	11.6-16.4	411	33.9	30.2-37.6
Some Post-H.S.	987	88,379	41	21.8	15.9-27.7	87	12.4	09.7-15.1	145	16.0	13.3-18.7	230	20.0	17.3-22.7	197	12.8	10.8-14.8	287	17.0	14.6-19.4
College Graduate	885	72,765	8	4.5	01.4-07.6	148	25.4	21.7-29.1	152	20.6	17.5-23.7	214	22.5	19.6-25.4	187	14.8	12.6-17.0	176	12.3	10.3-14.3
Less than \$15,000	261	17,972				18	13.9	07.2-20.6	28	14.6	08.1-21.1	22	7.8	04.3-11.3	34	8.1	05.0-11.2	152	38.1	30.1-46.1
\$15,000- 24,999	486	37,092	20	22.8	13.8-31.8	42	14.3	09.6-19.0	44	9.8	06.5-13.1	74	12.6	09.3-15.9	64	8.8	06.3-11.3	242	31.7	26.6-36.8
\$25,000- 34,999	373	26,494	8	12.0	04.4-19.6	35	15.4	10.3-20.5	39	10.9	07.4-14.4	52	13.2	09.3-17.1	81	16.9	13.0-20.8	158	31.6	26.3-36.9
\$35,000- 49,999	434	36,578	12	16.4	07.6-25.2	48	15.6	11.1-20.1	61	16.1	11.8-20.4	97	19.1	15.0-23.2	98	15.0	11.7-18.3	118	17.8	14.1-21.5
\$50,000- 74,999	432	39,272	9	9.4	03.5-15.3	69	22.3	17.4-27.2	74	20.0	15.7-24.3	121	24.4	20.1-28.7	97	15.0	11.9-18.1	62	8.9	06.5-11.3
\$75,000+	520	51,390	12	12.7	06.2-19.2	66	16.6	12.9-20.3	106	22.1	18.2-26.0	193	31.8	27.3-36.3	102	12.5	10.0-15.0	41	4.3	02.9-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5009	488,786	61	1.6	01.0-02.2	4948	98.4	97.8-99.0	
Male	2030	244,150	27	1.4	00.8-02.0	2003	98.6	98.0-99.2	
Female	2979	244,637	34	1.8	00.6-03.0	2945	98.2	97.0-99.4	
18-24	161	78,751	6	4.0	00.3-07.7	155	96.0	92.3-99.7	
25-34	504	77,737	5	0.9	00.1-01.7	499	99.1	98.3-99.9	
35-44	698	76,084	11	1.6	00.6-02.6	687	98.4	97.4-99.4	
45-54	1075	92,345	8	1.0	00.4-01.6	1067	99.0	98.4-99.6	
55-64	994	67,612	10	1.0	00.4-01.6	984	99.0	98.4-99.6	
65+	1532	93,367	21	1.5	00.7-02.3	1511	98.5	97.7-99.3	
Less Than H.S.	379	36,569	12	2.5	00.9-04.1	367	97.5	95.9-99.1	
H.S. or G.E.D.	1518	144,496	21	2.2	01.0-03.4	1497	97.8	96.6-99.0	
Some Post-H.S.	1552	158,831	20	2.0	00.2-03.8	1532	98.0	96.2-99.8	
College Graduate	1552	148,537	8	0.5	00.1-00.9	1544	99.5	99.1-99.9	
Less than \$15,000	371	29,859	3	0.7	00.0-01.5	368	99.3	98.5-0100	
\$15,000- 24,999	742	68,008	19	3.8	01.4-06.2	723	96.2	93.8-98.6	
\$25,000- 34,999	601	54,112	10	2.1	00.5-03.7	591	97.9	96.3-99.5	
\$35,000- 49,999	821	80,042	7	2.5	00.0-05.8	814	97.5	94.2-0100	
\$50,000- 74,999	847	89,527	8	1.0	00.2-01.8	839	99.0	98.2-99.8	
\$75,000+	1010	111,385	7	0.6	00.2-01.0	1003	99.4	99.0-99.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2030	244,150	27	1.4	00.8-02.0	2003	98.6	98.0-99.2	
18-24	80	41,597	2	2.2	00.0-05.3	78	97.8	94.7-0100	
25-34	214	41,398	1	0.5	00.0-01.5	213	99.5	98.5-0100	
35-44	316	38,947	4	1.3	00.0-02.7	312	98.7	97.3-0100	
45-54	465	46,147	6	1.5	00.3-02.7	459	98.5	97.3-99.7	
55-64	435	35,455	5	0.9	00.1-01.7	430	99.1	98.3-99.9	
65+	512	39,776	9	2.1	00.7-03.5	503	97.9	96.5-99.3	
Less Than H.S.	163	18,919	3	1.3	00.0-02.9	160	98.7	97.1-0100	
H.S. or G.E.D.	650	79,705	14	2.7	00.9-04.5	636	97.3	95.5-99.1	
Some Post-H.S.	556	70,149	6	0.8	00.0-01.6	550	99.2	98.4-0100	
College Graduate	660	75,288	4	0.6	00.0-01.2	656	99.4	98.8-0100	
Less than \$15,000	108	11,818				108	100.0	0100-0100	
\$15,000- 24,999	254	30,884	7	4.6	00.3-08.9	247	95.4	91.1-99.7	
\$25,000- 34,999	229	27,724	2	0.6	00.0-01.4	227	99.4	98.6-0100	
\$35,000- 49,999	384	43,241	5	1.3	00.1-02.5	379	98.7	97.5-99.9	
\$50,000- 74,999	414	50,191	6	1.5	00.3-02.7	408	98.5	97.3-99.7	
\$75,000+	488	59,782	3	0.4	00.0-00.8	485	99.6	99.2-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2979	244,637	34	1.8	00.6-03.0	2945	98.2	97.0-99.4	
18-24	81	37,154	4	5.9	00.0-13.2	77	94.1	86.8-0100	
25-34	290	36,339	4	1.4	00.0-02.8	286	98.6	97.2-0100	
35-44	382	37,137	7	1.9	00.5-03.3	375	98.1	96.7-99.5	
45-54	610	46,197	2	0.5	00.0-01.1	608	99.5	98.9-0100	
55-64	559	32,158	5	1.0	00.0-02.0	554	99.0	98.0-0100	
65+	1020	53,591	12	1.1	00.5-01.7	1008	98.9	98.3-99.5	
Less Than H.S.	216	17,650	9	3.7	01.0-06.4	207	96.3	93.6-99.0	
H.S. or G.E.D.	868	64,792	7	1.5	00.1-02.9	861	98.5	97.1-99.9	
Some Post-H.S.	996	88,682	14	2.9	00.0-05.8	982	97.1	94.2-0100	
College Graduate	892	73,249	4	0.5	00.0-01.1	888	99.5	98.9-0100	
Less than \$15,000	263	18,041	3	1.1	00.0-02.5	260	98.9	97.5-0100	
\$15,000- 24,999	488	37,124	12	3.1	00.7-05.5	476	96.9	94.5-99.3	
\$25,000- 34,999	372	26,388	8	3.6	00.5-06.7	364	96.4	93.3-99.5	
\$35,000- 49,999	437	36,802	2	3.9	00.0-10.8	435	96.1	89.2-0100	
\$50,000- 74,999	433	39,336	2	0.2	00.0-00.6	431	99.8	99.4-0100	
\$75,000+	522	51,603	4	0.8	00.0-01.6	518	99.2	98.4-0100	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5035	491,125	5003	99.0	98.4-99.6	32	1.0	00.4-01.6
Male	2038	245,252	2023	98.8	97.8-99.8	15	1.2	00.2-02.2
Female	2997	245,873	2980	99.1	98.5-99.7	17	0.9	00.3-01.5
18-24	163	79,652	158	96.6	93.5-99.7	5	3.4	00.3-06.5
25-34	504	77,737	500	99.2	98.4-0100	4	0.8	00.0-01.6
35-44	698	76,084	692	99.4	98.8-0100	6	0.6	00.0-01.2
45-54	1076	92,382	1069	99.4	99.0-99.8	7	0.6	00.2-01.0
55-64	999	67,950	993	99.2	98.6-99.8	6	0.8	00.2-01.4
65+	1544	93,998	1541	99.8	99.6-0100	3	0.2	00.0-00.4
Less Than H.S.	383	36,739	380	98.3	95.6-0100	3	1.7	00.0-04.4
H.S. or G.E.D.	1529	145,085	1518	98.5	97.1-99.9	11	1.5	00.1-02.9
Some Post-H.S.	1559	159,669	1550	99.1	98.3-99.9	9	0.9	00.1-01.7
College Graduate	1555	148,731	1546	99.4	99.0-99.8	9	0.6	00.2-01.0
Less than \$15,000	374	29,987	370	99.3	98.5-0100	4	0.7	00.0-01.5
\$15,000- 24,999	745	68,225	738	97.6	95.2-0100	7	2.4	00.0-04.8
\$25,000- 34,999	604	54,282	602	99.6	99.0-0100	2	0.4	00.0-01.0
\$35,000- 49,999	823	80,122	820	99.7	99.3-0100	3	0.3	00.0-00.7
\$50,000- 74,999	848	89,602	841	99.0	98.2-99.8	7	1.0	00.2-01.8
\$75,000+	1013	111,636	1009	99.7	99.3-0100	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2038	245,252	2023	98.8	97.8-99.8	15	1.2	00.2-02.2
18-24	81	42,146	78	95.4	90.3-0100	3	4.6	00.0-09.7
25-34	214	41,398	213	99.5	98.5-0100	1	0.5	00.0-01.5
35-44	316	38,947	315	99.8	99.4-0100	1	0.2	00.0-00.6
45-54	465	46,147	461	99.3	98.7-99.9	4	0.7	00.1-01.3
55-64	437	35,633	433	98.9	97.9-99.9	4	1.1	00.1-02.1
65+	515	39,944	513	99.7	99.3-0100	2	0.3	00.0-00.7
Less Than H.S.	164	18,956	162	99.4	98.6-0100	2	0.6	00.0-01.4
H.S. or G.E.D.	651	79,760	644	97.8	95.4-0100	7	2.2	00.0-04.6
Some Post-H.S.	560	70,506	558	98.9	97.3-0100	2	1.1	00.0-02.7
College Graduate	661	75,392	657	99.5	99.1-99.9	4	0.5	00.1-00.9
Less than \$15,000	109	11,856	107	99.0	97.6-0100	2	1.0	00.0-02.4
\$15,000- 24,999	255	30,973	253	98.0	94.5-0100	2	2.0	00.0-05.5
\$25,000- 34,999	229	27,724	229	100.0	0100-0100			
\$35,000- 49,999	384	43,241	381	99.4	98.6-0100	3	0.6	00.0-01.4
\$50,000- 74,999	415	50,266	411	99.0	98.0-0100	4	1.0	00.0-02.0
\$75,000+	490	59,975	489	99.9	99.7-0100	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2997	245,873	2980	99.1	98.5-99.7	17	0.9	00.3-01.5
18-24	82	37,506	80	97.9	94.8-0100	2	2.1	00.0-05.2
25-34	290	36,339	287	98.8	97.4-0100	3	1.2	00.0-02.6
35-44	382	37,137	377	99.0	98.0-0100	5	1.0	00.0-02.0
45-54	611	46,235	608	99.5	98.9-0100	3	0.5	00.0-01.1
55-64	562	32,317	560	99.5	98.7-0100	2	0.5	00.0-01.3
65+	1029	54,054	1028	99.9	99.7-0100	1	0.1	00.0-00.3
Less Than H.S.	219	17,783	218	97.0	91.3-0100	1	3.0	00.0-08.7
H.S. or G.E.D.	878	65,325	874	99.3	98.5-0100	4	0.7	00.0-01.5
Some Post-H.S.	999	89,162	992	99.2	98.4-0100	7	0.8	00.0-01.6
College Graduate	894	73,340	889	99.3	98.7-99.9	5	0.7	00.1-01.3
Less than \$15,000	265	18,132	263	99.5	98.7-0100	2	0.5	00.0-01.3
\$15,000- 24,999	490	37,252	485	97.4	94.3-0100	5	2.6	00.0-05.7
\$25,000- 34,999	375	26,558	373	99.3	98.3-0100	2	0.7	00.0-01.7
\$35,000- 49,999	439	36,882	439	100.0	0100-0100			
\$50,000- 74,999	433	39,336	430	99.0	97.8-0100	3	1.0	00.0-02.2
\$75,000+	523	51,661	520	99.4	98.6-0100	3	0.6	00.0-01.4

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS

**TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)**  
Denominator Excludes: Respondents reporting only one race  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN1)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5027	490,544	644	12.6	11.4-13.8	4383	87.4	86.2-88.6
Male	2035	244,900	587	23.2	21.0-25.4	1448	76.8	74.6-79.0
Female	2992	245,644	57	2.1	01.5-02.7	2935	97.9	97.3-98.5
18-24	163	79,652	7	4.2	00.9-07.5	156	95.8	92.5-99.1
25-34	504	77,737	36	8.5	05.6-11.4	468	91.5	88.6-94.4
35-44	698	76,084	64	10.8	08.1-13.5	634	89.2	86.5-91.9
45-54	1075	92,331	77	8.2	06.2-10.2	998	91.8	89.8-93.8
55-64	998	67,886	190	22.3	19.4-25.2	808	77.7	74.8-80.6
65+	1539	93,596	266	22.1	19.7-24.5	1273	77.9	75.5-80.3
Less Than H.S.	383	36,739	31	7.6	04.7-10.5	352	92.4	89.5-95.3
H.S. or G.E.D.	1525	144,920	196	12.9	10.7-15.1	1329	87.1	84.9-89.3
Some Post-H.S.	1558	159,605	201	13.2	11.0-15.4	1357	86.8	84.6-89.0
College Graduate	1552	148,379	215	13.0	11.2-14.8	1337	87.0	85.2-88.8
Less than \$15,000	374	29,987	32	8.5	04.8-12.2	342	91.5	87.8-95.2
\$15,000- 24,999	743	67,936	104	12.7	10.0-15.4	639	87.3	84.6-90.0
\$25,000- 34,999	602	54,178	90	14.9	11.4-18.4	512	85.1	81.6-88.6
\$35,000- 49,999	822	80,093	121	15.0	11.9-18.1	701	85.0	81.9-88.1
\$50,000- 74,999	847	89,538	132	15.9	13.0-18.8	715	84.1	81.2-87.0
\$75,000+	1012	111,585	114	10.1	08.1-12.1	898	89.9	87.9-91.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2035	244,900	587	23.2	21.0-25.4	1448	76.8	74.6-79.0
18-24	81	42,146	6	7.2	01.1-13.3	75	92.8	86.7-98.9
25-34	214	41,398	28	13.3	08.2-18.4	186	86.7	81.6-91.8
35-44	316	38,947	46	16.5	11.8-21.2	270	83.5	78.8-88.2
45-54	464	46,096	65	14.2	10.7-17.7	399	85.8	82.3-89.3
55-64	437	35,633	183	41.6	36.7-46.5	254	58.4	53.5-63.3
65+	513	39,643	255	50.9	46.2-55.6	258	49.1	44.4-53.8
Less Than H.S.	164	18,956	31	14.7	09.0-20.4	133	85.3	79.6-91.0
H.S. or G.E.D.	651	79,760	183	21.8	17.9-25.7	468	78.2	74.3-82.1
Some Post-H.S.	560	70,506	182	27.7	23.2-32.2	378	72.3	67.8-76.8
College Graduate	658	75,039	190	22.6	19.3-25.9	468	77.4	74.1-80.7
Less than \$15,000	109	11,856	29	18.4	09.0-27.8	80	81.6	72.2-91.0
\$15,000- 24,999	254	30,748	91	25.8	19.5-32.1	163	74.2	67.9-80.5
\$25,000- 34,999	228	27,649	83	27.0	19.9-34.1	145	73.0	65.9-80.1
\$35,000- 49,999	384	43,241	111	25.6	20.5-30.7	273	74.4	69.3-79.5
\$50,000- 74,999	415	50,266	120	25.8	20.9-30.7	295	74.2	69.3-79.1
\$75,000+	489	59,923	104	16.9	13.6-20.2	385	83.1	79.8-86.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2992	245,644	57	2.1	01.5-02.7	2935	97.9	97.3-98.5
18-24	82	37,506	1	0.9	00.0-02.7	81	99.1	97.3-0100
25-34	290	36,339	8	3.0	00.8-05.2	282	97.0	94.8-99.2
35-44	382	37,137	18	4.9	02.5-07.3	364	95.1	92.7-97.5
45-54	611	46,235	12	2.2	00.8-03.6	599	97.8	96.4-99.2
55-64	561	32,253	7	0.9	00.1-01.7	554	99.1	98.3-99.9
65+	1026	53,953	11	1.0	00.4-01.6	1015	99.0	98.4-99.6
Less Than H.S.	219	17,783				219	100.0	0100-0100
H.S. or G.E.D.	874	65,160	13	2.0	00.6-03.4	861	98.0	96.6-99.4
Some Post-H.S.	998	89,098	19	1.7	00.7-02.7	979	98.3	97.3-99.3
College Graduate	894	73,340	25	3.1	01.7-04.5	869	96.9	95.5-98.3
Less than \$15,000	265	18,132	3	2.1	00.0-04.6	262	97.9	95.4-0100
\$15,000- 24,999	489	37,188	13	1.8	00.8-02.8	476	98.2	97.2-99.2
\$25,000- 34,999	374	26,529	7	2.2	00.2-04.2	367	97.8	95.8-99.8
\$35,000- 49,999	438	36,853	10	2.6	00.2-05.0	428	97.4	95.0-99.8
\$50,000- 74,999	432	39,272	12	3.1	01.3-04.9	420	96.9	95.1-98.7
\$75,000+	523	51,661	10	2.1	00.7-03.5	513	97.9	96.5-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5025	490,626	3020	63.1	61.1-65.1	589	7.0	06.4-07.6	717	6.6	06.0-07.2	54	0.9	00.5-01.3	589	19.9	17.7-22.1	56	2.4	01.4-03.4
Male	2037	245,200	1306	63.5	60.4-66.6	241	6.5	05.5-07.5	112	2.6	02.0-03.2	15	0.4	00.2-00.6	339	24.6	21.5-27.7	24	2.4	01.0-03.8
Female	2988	245,426	1714	62.8	60.3-65.3	348	7.5	06.5-08.5	605	10.7	09.7-11.7	39	1.3	00.7-01.9	250	15.2	12.7-17.7	32	2.5	01.3-03.7
Native	130	22,145				27	11.0	05.1-16.9	13	3.2	01.0-05.4	3	2.3	00.0-05.0						
Non-Native	4855	465,000	2955	64.7	62.7-66.7	556	6.8	06.2-07.4	689	6.7	06.1-07.3	51	0.8	00.4-01.2	555	19.1	17.1-21.1	49	1.9	01.3-02.5
18-24	163	79,652	28	15.2	09.3-21.1	1	0.2	00.0-00.6				2	1.0	00.0-02.4	118	74.5	67.2-81.8	14	9.1	04.0-14.2
25-34	503	77,675	340	70.6	66.3-74.9	31	4.6	02.6-06.6	2	0.3	00.0-00.9	7	1.1	00.1-02.1	109	20.2	16.3-24.1	14	3.2	01.4-05.0
35-44	698	76,084	490	77.5	74.4-80.6	93	9.4	07.2-11.6	5	0.5	00.1-00.9	13	1.4	00.6-02.2	87	9.9	07.7-12.1	10	1.3	00.3-02.3
45-54	1073	92,218	729	77.1	74.6-79.6	173	10.9	09.1-12.7	21	1.1	00.5-01.7	17	1.1	00.5-01.7	123	9.0	07.2-10.8	10	0.8	00.2-01.4
55-64	999	67,950	662	76.8	74.3-79.3	162	11.6	09.6-13.6	79	5.0	03.8-06.2	8	0.5	00.1-00.9	82	5.4	04.2-06.6	6	0.6	00.2-01.0
65+	1541	93,853	743	61.9	59.4-64.4	124	5.5	04.5-06.5	598	28.9	26.5-31.3	7	0.3	00.1-00.5	67	3.3	02.5-04.1	2	0.1	00.0-00.3
Less Than H.S.	383	36,739	163	42.0	34.7-49.3	43	8.1	05.2-11.0	130	16.8	13.3-20.3	2	0.2	00.0-00.6	42	29.2	20.2-38.2	3	3.7	00.0-09.2
H.S. or G.E.D.	1526	144,940	853	57.8	54.1-61.5	188	7.5	06.3-08.7	274	8.6	07.4-09.8	19	1.0	00.4-01.6	175	22.5	18.4-26.6	17	2.6	00.8-04.4
Some Post-H.S.	1556	159,516	944	60.9	57.2-64.6	191	6.8	05.6-08.0	195	5.4	04.4-06.4	22	1.4	00.6-02.2	182	22.6	18.7-26.5	22	2.9	01.3-04.5
College Graduate	1551	148,530	1057	75.9	73.2-78.6	166	6.5	05.3-07.7	114	3.5	02.7-04.3	11	0.4	00.2-00.6	189	12.2	09.7-14.7	14	1.6	00.6-02.6
Less than \$15,000	374	29,987	50	19.2	12.3-26.1	100	18.5	13.8-23.2	125	18.8	14.3-23.3	15	4.5	01.8-07.2	81	33.9	24.3-43.5	3	5.1	00.0-12.4
\$15,000- 24,999	742	68,061	235	33.8	29.1-38.5	142	13.0	10.3-15.7	193	12.7	10.5-14.9	14	1.5	00.5-02.5	146	34.0	27.9-40.1	12	4.9	01.0-08.8
\$25,000- 34,999	603	54,221	276	50.8	45.1-56.5	87	8.4	06.4-10.4	124	10.2	08.2-12.2	10	1.0	00.4-01.6	95	26.0	19.3-32.7	11	3.6	01.1-06.1
\$35,000- 49,999	823	80,122	520	68.1	63.6-72.6	116	9.0	07.0-11.0	76	4.1	03.1-05.1	7	0.4	00.0-00.8	93	15.8	11.3-20.3	11	2.5	00.7-04.3
\$50,000- 74,999	847	89,550	679	81.5	77.6-85.4	66	4.2	03.0-05.4	34	1.7	01.1-02.3	1	0.1	00.0-00.3	56	10.4	06.5-14.3	11	2.1	00.5-03.7
\$75,000+	1013	111,636	900	85.3	81.2-89.4	31	1.7	00.9-02.5	20	0.9	00.5-01.3	3	0.2	00.0-00.4	55	11.1	07.2-15.0	4	0.8	00.0-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2037	245,200	1306	63.5	60.4-66.6	241	6.5	05.5-07.5	112	2.6	02.0-03.2	15	0.4	00.2-00.6	339	24.6	21.5-27.7	24	2.4	01.0-03.8
Non-Native	1978	234,239	1273	64.5	61.6-67.4	231	6.4	05.4-07.4	108	2.7	02.1-03.3	15	0.4	00.2-00.6	329	24.0	20.9-27.1	22	2.0	01.0-03.0
18-24	81	42,146	9	8.2	02.7-13.7										65	83.3	75.1-91.5	7	8.5	01.8-15.2
25-34	214	41,398	138	68.7	62.0-75.4	9	3.0	00.8-05.2				1	0.3	00.0-00.9	59	24.7	18.4-31.0	7	3.2	00.7-05.7
35-44	316	38,947	227	78.1	73.6-82.6	33	7.5	04.8-10.2				3	0.6	00.0-01.2	47	11.8	08.3-15.3	5	1.6	00.0-03.2
45-54	464	46,096	290	73.6	69.7-77.5	79	11.2	08.7-13.7	3	0.4	00.0-00.8	7	1.0	00.2-01.8	83	13.5	10.4-16.6	2	0.4	00.0-01.0
55-64	437	35,633	295	78.2	74.7-81.7	76	12.5	09.6-15.4	17	2.4	01.2-03.6	2	0.4	00.0-01.0	45	6.1	04.3-07.9	2	0.4	00.0-01.0
65+	515	39,944	339	76.5	73.0-80.0	44	5.1	03.5-06.7	90	13.1	10.4-15.8	2	0.2	00.0-00.4	39	5.0	03.2-06.8	1	0.1	00.0-00.3
Less Than H.S.	164	18,956				22	8.2	04.3-12.1	24	7.5	04.2-10.8							1	1.0	00.0-03.0
H.S. or G.E.D.	651	79,760	379	55.4	49.7-61.1	86	7.0	05.2-08.8	45	3.3	02.3-04.3	6	0.6	00.2-01.0	126	30.7	24.6-36.8	9	2.9	00.0-05.8
Some Post-H.S.	560	70,506	363	62.0	55.9-68.1	69	6.3	04.5-08.1	21	1.6	00.8-02.4	6	0.6	00.0-01.2	94	26.9	20.6-33.2	7	2.6	00.4-04.8
College Graduate	660	75,340	473	76.7	72.4-81.0	64	5.6	04.0-07.2	22	1.6	01.0-02.2	3	0.2	00.0-00.4	91	13.8	09.9-17.7	7	2.1	00.1-04.1
Less than \$15,000	109	11,856	16	15.9	06.9-24.9	34	18.9	10.3-27.5	12	7.3	02.4-12.2	3	2.3	00.0-05.0						
\$15,000- 24,999	255	30,973	96	34.7	27.3-42.1	50	10.5	06.8-14.2	28	5.4	03.2-07.6	4	0.9	00.0-01.9	73	45.1	36.1-54.1	4	3.4	00.0-07.3
\$25,000- 34,999	229	27,724	117	47.7	38.7-56.7	29	6.5	03.8-09.2	22	4.0	02.2-05.8	3	0.7	00.0-01.5				5	3.5	00.2-06.8
\$35,000- 49,999	384	43,241	243	66.8	60.3-73.3	59	9.3	06.6-12.0	19	2.4	01.2-03.6	4	0.5	00.0-01.1	54	18.2	11.9-24.5	5	2.9	00.0-06.0
\$50,000- 74,999	414	50,214	318	78.8	73.1-84.5	36	4.6	02.8-06.4	13	1.2	00.4-02.0				42	13.6	08.1-19.1	5	1.7	00.0-03.5
\$75,000+	490	59,975	426	85.2	79.7-90.7	18	2.2	01.0-03.4	7	0.8	00.2-01.4	1	0.1	00.0-00.3	37	11.6	06.1-17.1	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2988	245,426	1714	62.8	60.3-65.3	348	7.5	06.5-08.5	605	10.7	09.7-11.7	39	1.3	00.7-01.9	250	15.2	12.7-17.7	32	2.5	01.3-03.7
Native	88	13,024				19	13.5	04.9-22.1	12	5.0	01.5-08.5	3	4.0	00.0-08.7						
Non-Native	2877	230,762	1682	65.0	62.5-67.5	325	7.2	06.2-08.2	581	10.7	09.7-11.7	36	1.2	00.6-01.8	226	14.2	11.7-16.7	27	1.8	00.8-02.8
18-24	82	37,506				1	0.5	00.0-01.5				2	2.1	00.0-05.2				7	9.9	02.5-17.3
25-34	289	36,277	202	72.8	67.3-78.3	22	6.4	03.1-09.7	2	0.7	00.0-01.7	6	2.0	00.2-03.8	50	15.1	10.8-19.4	7	3.1	00.7-05.5
35-44	382	37,137	263	76.9	72.6-81.2	60	11.4	08.3-14.5	4	0.7	00.1-01.3	10	2.3	00.7-03.9	40	7.8	05.3-10.3	5	1.0	00.0-02.0
45-54	609	46,122	439	80.6	77.7-83.5	94	10.6	08.2-13.0	18	1.8	00.8-02.8	10	1.2	00.4-02.0	40	4.4	02.8-06.0	8	1.2	00.4-02.0
55-64	562	32,317	367	75.4	71.9-78.9	86	10.7	08.3-13.1	62	7.9	05.7-10.1	6	0.7	00.1-01.3	37	4.6	03.0-06.2	4	0.8	00.0-01.6
65+	1026	53,909	404	51.1	47.8-54.4	80	5.8	04.4-07.2	508	40.7	37.6-43.8	5	0.3	00.1-00.5	28	2.0	01.2-02.8	1	0.1	00.0-00.3
Less Than H.S.	219	17,783	74	34.8	25.2-44.4	21	8.0	03.7-12.3	106	26.7	19.6-33.8	2	0.4	00.0-01.0				2	6.6	00.0-17.6
H.S. or G.E.D.	875	65,180	474	60.8	56.3-65.3	102	8.0	06.2-09.8	229	15.0	12.8-17.2	13	1.5	00.5-02.5	49	12.5	07.8-17.2	8	2.1	00.1-04.1
Some Post-H.S.	996	89,010	581	60.0	55.3-64.7	122	7.2	05.6-08.8	174	8.4	06.8-10.0	16	2.1	00.5-03.7	88	19.3	14.2-24.4	15	3.1	01.1-05.1
College Graduate	891	73,190	584	75.0	71.5-78.5	102	7.4	05.4-09.4	92	5.4	04.2-06.6	8	0.5	00.1-00.9	98	10.6	07.5-13.7	7	1.0	00.2-01.8
Less than \$15,000	265	18,132	34	21.4	12.0-30.8	66	18.2	12.7-23.7	113	26.3	20.0-32.6	12	6.0	02.1-09.9				1	0.3	00.0-00.9
\$15,000- 24,999	487	37,088	139	33.0	26.9-39.1	92	15.2	11.1-19.3	165	18.8	15.3-22.3	10	2.0	00.2-03.8	73	24.7	17.3-32.1	8	6.2	00.0-12.5
\$25,000- 34,999	374	26,496	159	54.0	47.3-60.7	58	10.4	07.5-13.3	102	16.7	13.2-20.2	7	1.4	00.4-02.4	42	13.8	07.7-19.9	6	3.8	00.0-07.9
\$35,000- 49,999	439	36,882	277	69.7	63.2-76.2	57	8.7	06.0-11.4	57	6.2	04.2-08.2	3	0.3	00.0-00.7	39	13.1	07.0-19.2	6	2.1	00.3-03.9
\$50,000- 74,999	433	39,336	361	84.9	79.4-90.4	30	3.7	02.3-05.1	21	2.3	01.1-03.5	1	0.3	00.0-00.9	14	6.2	01.3-11.1	6	2.6	00.1-05.1
\$75,000+	523	51,661	474	85.4	79.5-91.3	13	1.2	00.4-02.0	13	1.0	00.4-01.6	2	0.3	00.0-00.7	18	10.6	04.7-16.5	3	1.5	00.0-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5029	490,244	487	14.2	12.6-15.8	551	14.5	13.1-15.9	238	6.5	05.5-07.5	74	2.0	01.6-02.4	38	1.0	00.6-01.4	3641	61.6	59.6-63.6
Male	2035	244,562	197	14.4	12.0-16.8	239	15.4	13.2-17.6	109	6.6	05.2-08.0	26	1.8	01.0-02.6	16	0.8	00.4-01.2	1448	61.0	58.1-63.9
Female	2994	245,681	290	14.1	12.1-16.1	312	13.7	12.1-15.3	129	6.5	04.9-08.1	48	2.2	01.6-02.8	22	1.2	00.4-02.0	2193	62.3	59.8-64.8
Native	130	22,145	20	12.7	05.3-20.1				14	9.0	03.9-14.1	6	3.8	00.7-06.9	4	2.3	00.0-04.7			
Non-Native	4859	465,103	467	14.4	12.8-16.0	527	14.2	12.8-15.6	222	6.4	05.4-07.4	67	1.9	01.5-02.3	32	0.9	00.5-01.3	3544	62.2	60.2-64.2
18-24	162	79,103	42	26.9	19.6-34.2	15	10.5	05.0-16.0	6	4.4	00.5-08.3				2	1.3	00.0-03.3	97	56.9	48.7-65.1
25-34	504	77,737	106	21.4	17.5-25.3	141	27.3	23.2-31.4	74	14.9	11.6-18.2	32	6.5	04.1-08.9	8	1.4	00.4-02.4	143	28.6	24.1-33.1
35-44	698	76,084	105	14.5	11.8-17.2	256	38.2	34.3-42.1	120	17.6	14.7-20.5	36	5.5	03.7-07.3	19	2.7	01.5-03.9	162	21.5	18.2-24.8
45-54	1075	92,331	194	19.0	16.5-21.5	120	12.0	09.8-14.2	32	3.3	02.1-04.5	4	0.4	00.0-00.8	7	0.8	00.2-01.4	718	64.5	61.4-67.6
55-64	997	67,765	31	3.7	02.3-05.1	12	1.5	00.5-02.5	2	0.3	00.0-00.7	1	0.1	00.0-00.3				951	94.4	92.6-96.2
65+	1544	93,998	6	0.7	00.1-01.3	4	0.3	00.0-00.7	2	0.2	00.0-00.4				1	0.2	00.0-00.6	1531	98.6	97.8-99.4
Less Than H.S.	383	36,739	13	10.7	03.6-17.8	23	8.5	04.4-12.6	8	3.5	00.8-06.2	3	1.4	00.0-03.2	2	0.9	00.0-02.1	334	75.1	67.3-82.9
H.S. or G.E.D.	1528	144,995	114	13.3	10.4-16.2	119	12.1	09.4-14.8	50	4.7	03.1-06.3	16	1.7	00.7-02.7	8	0.6	00.2-01.0	1221	67.6	63.9-71.3
Some Post-H.S.	1559	159,669	179	15.2	12.5-17.9	187	15.0	12.6-17.4	73	6.4	04.2-08.6	25	1.9	01.1-02.7	18	1.7	00.5-02.9	1077	59.8	56.3-63.3
College Graduate	1551	148,488	181	15.0	12.6-17.4	222	18.0	15.6-20.4	107	9.2	07.4-11.0	30	2.5	01.5-03.5	10	0.8	00.2-01.4	1001	54.4	51.5-57.3
Less than \$15,000	374	29,987	11	4.2	01.3-07.1	16	9.4	02.0-16.8	13	5.6	02.3-08.9	3	1.4	00.0-03.0	4	2.9	00.0-07.4	327	76.4	67.6-85.2
\$15,000- 24,999	745	68,225	61	12.7	08.6-16.8	40	9.0	05.3-12.7	17	3.7	01.5-05.9	6	1.1	00.1-02.1	7	1.3	00.3-02.3	614	72.2	66.9-77.5
\$25,000- 34,999	604	54,282	43	12.9	07.8-18.0	53	12.9	08.8-17.0	24	6.2	03.5-08.9	6	1.3	00.1-02.5	4	0.6	00.0-01.2	474	66.1	60.2-72.0
\$35,000- 49,999	823	80,122	87	13.1	09.8-16.4	96	14.8	11.5-18.1	36	6.8	03.3-10.3	14	2.4	01.0-03.8	6	0.9	00.1-01.7	584	62.0	57.3-66.7
\$50,000- 74,999	847	89,550	109	16.2	12.9-19.5	137	19.7	16.4-23.0	60	8.4	06.2-10.6	17	2.4	01.2-03.6	4	0.5	00.0-01.1	520	52.8	48.7-56.9
\$75,000+	1013	111,636	146	18.8	15.5-22.1	171	18.1	15.4-20.8	71	7.9	06.1-09.7	25	3.1	01.7-04.5	12	1.3	00.5-02.1	588	50.8	47.1-54.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2035	244,562	197	14.4	12.0-16.8	239	15.4	13.2-17.6	109	6.6	05.2-08.0	26	1.8	01.0-02.6	16	0.8	00.4-01.2	1448	61.0	58.1-63.9
Non-Native	1977	234,149	191	14.7	12.3-17.1	230	14.5	12.5-16.5	104	6.6	05.2-08.0	24	1.8	01.0-02.6	15	0.8	00.4-01.2	1413	61.6	58.7-64.5
18-24	80	41,597				7	13.0	04.0-22.0	3	2.6	00.0-05.5									
25-34	214	41,398	47	21.9	16.2-27.6	48	23.1	17.0-29.2	26	13.2	08.3-18.1	10	5.6	02.1-09.1	2	0.9	00.0-02.3	81	35.3	28.4-42.2
35-44	316	38,947	33	10.5	07.0-14.0	120	39.8	34.1-45.5	55	17.9	13.6-22.2	12	4.2	01.8-06.6	9	2.8	00.8-04.8	87	24.7	19.6-29.8
45-54	464	46,096	74	17.7	13.8-21.6	54	13.3	09.8-16.8	23	5.1	02.9-07.3	2	0.4	00.0-01.0	4	0.9	00.1-01.7	307	62.6	57.9-67.3
55-64	436	35,544	20	5.1	02.7-07.5	7	2.0	00.4-03.6				1	0.3	00.0-00.9				408	92.7	90.0-95.4
65+	515	39,944	2	0.8	00.0-02.0	2	0.5	00.0-01.1	1	0.3	00.0-00.9				1	0.4	00.0-01.2	509	98.0	96.2-99.8
Less Than H.S.	164	18,956	3	9.6	00.0-19.8	10	8.9	02.2-15.6	5	5.6	00.3-10.9	2	2.0	00.0-05.1	1	0.9	00.0-02.7			
H.S. or G.E.D.	650	79,671	62	16.0	11.3-20.7	70	14.9	10.4-19.4	27	5.0	03.0-07.0	6	1.6	00.2-03.0	2	0.4	00.0-01.0	483	62.2	56.5-67.9
Some Post-H.S.	560	70,506	64	14.0	09.9-18.1	69	15.5	11.6-19.4	27	5.7	03.3-08.1	6	1.3	00.3-02.3	8	1.3	00.3-02.3	386	62.2	56.9-67.5
College Graduate	660	75,340	68	14.4	10.9-17.9	90	17.4	13.7-21.1	50	9.4	06.9-11.9	12	2.4	01.0-03.8	5	0.8	00.0-01.6	435	55.6	51.1-60.1
Less than \$15,000	109	11,856	2	2.9	00.0-07.8				3	4.6	00.0-09.7				1	0.5	00.0-01.5			
\$15,000- 24,999	255	30,973	19	14.9	07.5-22.3	8	7.2	00.7-13.7	6	2.9	00.4-05.4	3	1.8	00.0-04.0	2	1.2	00.0-02.8	217	72.1	63.1-81.1
\$25,000- 34,999	229	27,724	13	11.7	03.5-19.9	23	15.0	07.9-22.1	10	7.8	02.9-12.7	1	0.3	00.0-00.9				182	65.2	55.6-74.8
\$35,000- 49,999	384	43,241	37	13.1	08.0-18.2	39	13.9	08.8-19.0	20	5.7	03.0-08.4	5	2.1	00.3-03.9	4	1.2	00.0-02.4	279	64.0	57.5-70.5
\$50,000- 74,999	414	50,214	52	16.2	11.3-21.1	64	18.4	14.1-22.7	29	8.5	05.4-11.6	4	1.4	00.0-03.0	1	0.2	00.0-00.6	264	55.3	49.4-61.2
\$75,000+	490	59,975	65	16.4	12.3-20.5	85	19.0	15.1-22.9	35	7.6	05.1-10.1	13	3.5	01.3-05.7	8	1.7	00.5-02.9	284	51.7	46.4-57.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2994	245,681	290	14.1	12.1-16.1	312	13.7	12.1-15.3	129	6.5	04.9-08.1	48	2.2	01.6-02.8	22	1.2	00.4-02.0	2193	62.3	59.8-64.8
Native	88	13,024				14	12.6	04.4-20.8	10	10.2	03.3-17.1	5	5.4	00.3-10.5	3	3.0	00.0-06.5			
Non-Native	2882	230,954	276	14.1	12.1-16.1	297	13.8	12.0-15.6	118	6.3	04.7-07.9	43	2.0	01.4-02.6	17	1.0	00.2-01.8	2131	62.7	60.2-65.2
18-24	82	37,506	21	25.4	15.4-35.4	8	7.7	02.0-13.4	3	6.3	00.0-13.9				2	2.8	00.0-06.9			
25-34	290	36,339	59	20.7	15.6-25.8	93	32.1	26.4-37.8	48	16.9	12.4-21.4	22	7.5	04.4-10.6	6	1.9	00.3-03.5	62	20.9	15.8-26.0
35-44	382	37,137	72	18.6	14.5-22.7	136	36.5	31.2-41.8	65	17.3	13.2-21.4	24	6.8	04.1-09.5	10	2.6	01.0-04.2	75	18.1	14.0-22.2
45-54	611	46,235	120	20.3	16.8-23.8	66	10.8	08.3-13.3	9	1.5	00.5-02.5	2	0.3	00.0-00.7	3	0.7	00.0-01.5	411	66.4	62.5-70.3
55-64	561	32,222	11	2.1	00.9-03.3	5	0.9	00.1-01.7	2	0.6	00.0-01.4							543	96.4	94.6-98.2
65+	1029	54,054	4	0.6	00.0-01.2	2	0.1	00.0-00.3	1	0.2	00.0-00.6							1022	99.1	98.3-99.9
Less Than H.S.	219	17,783	10	11.9	02.1-21.7	13	8.0	03.3-12.7	3	1.2	00.0-02.6	1	0.7	00.0-02.1	1	1.0	00.0-03.0			
H.S. or G.E.D.	878	65,325	52	10.0	06.7-13.3	49	8.7	05.8-11.6	23	4.4	02.2-06.6	10	1.8	00.6-03.0	6	0.9	00.1-01.7	738	74.2	69.7-78.7
Some Post-H.S.	999	89,162	115	16.2	12.5-19.9	118	14.6	11.7-17.5	46	7.0	03.7-10.3	19	2.5	01.3-03.7	10	2.0	00.2-03.8	691	57.8	53.1-62.5
College Graduate	891	73,148	113	15.7	12.6-18.8	132	18.6	15.7-21.5	57	9.1	06.7-11.5	18	2.6	01.4-03.8	5	0.8	00.2-01.4	566	53.3	49.4-57.2
Less than \$15,000	265	18,132	9	5.1	01.4-08.8	14	9.1	03.2-15.0	10	6.4	02.1-10.7	3	2.3	00.0-05.0	3	4.5	00.0-11.9	226	72.6	63.2-82.0
\$15,000- 24,999	490	37,252	42	10.9	06.8-15.0	32	10.5	06.0-15.0	11	4.3	01.0-07.6	3	0.6	00.0-01.4	5	1.4	00.0-02.8	397	72.3	66.0-78.6
\$25,000- 34,999	375	26,558	30	14.2	08.1-20.3	30	10.7	06.8-14.6	14	4.5	02.1-06.9	5	2.4	00.2-04.6	4	1.3	00.0-02.7	292	67.0	60.3-73.7
\$35,000- 49,999	439	36,882	50	13.2	08.7-17.7	57	15.8	11.7-19.9	16	8.2	01.3-15.1	9	2.7	00.7-04.7	2	0.5	00.0-01.3	305	59.7	52.6-66.8
\$50,000- 74,999	433	39,336	57	16.3	11.6-21.0	73	21.3	16.4-26.2	31	8.2	05.3-11.1	13	3.7	01.7-05.7	3	0.9	00.0-01.9	256	49.6	43.9-55.3
\$75,000+	523	51,661	81	21.5	16.2-26.8	86	17.0	13.5-20.5	36	8.3	05.6-11.0	12	2.5	01.1-03.9	4	0.9	00.0-01.9	304	49.8	44.3-55.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5026	490,224	179	2.4	02.0-02.8	204	5.1	04.1-06.1	1529	29.6	27.8-31.4	1559	32.6	30.8-34.4	1555	30.3	28.7-31.9
Male	2036	244,614	77	2.6	02.0-03.2	87	5.2	03.6-06.8	651	32.6	29.9-35.3	560	28.8	26.1-31.5	661	30.8	28.3-33.3
Female	2990	245,609	102	2.2	01.8-02.6	117	5.1	03.5-06.7	878	26.6	24.4-28.8	999	36.3	33.8-38.8	894	29.9	27.7-32.1
Native	130	22,145	4	1.8	00.0-04.0										26	12.7	06.0-19.4
Non-Native	4855	465,051	171	2.3	01.9-02.7	188	4.7	03.7-05.7	1458	29.0	27.2-30.8	1519	32.7	30.9-34.5	1519	31.2	29.6-32.8
18-24	162	79,103				21	13.6	07.9-19.3	53	33.6	25.6-41.6	70	43.2	35.0-51.4	18	9.6	05.1-14.1
25-34	504	77,737	1	0.4	00.0-01.2	13	2.3	00.9-03.7	104	21.7	17.8-25.6	147	29.0	24.7-33.3	239	46.6	41.9-51.3
35-44	698	76,084	3	0.6	00.0-01.2	13	1.8	00.8-02.8	175	25.2	21.7-28.7	241	34.0	30.3-37.7	266	38.5	34.6-42.4
45-54	1076	92,382	3	0.3	00.0-00.7	34	3.2	02.0-04.4	323	30.4	27.5-33.3	375	34.1	31.2-37.0	341	32.0	29.1-34.9
55-64	997	67,829	10	1.1	00.3-01.9	31	3.0	01.8-04.2	270	27.0	24.1-29.9	322	31.8	28.7-34.9	364	37.1	33.8-40.4
65+	1542	93,926	161	10.4	08.8-12.0	91	6.7	05.3-08.1	586	37.3	34.8-39.8	391	24.6	22.2-27.0	313	21.1	18.7-23.5
Less than \$15,000	372	29,926	42	7.9	05.2-10.6	30	6.2	03.5-08.9	150	40.2	30.8-49.6	109	34.9	26.3-43.5	41	10.8	06.5-15.1
\$15,000- 24,999	745	68,225	62	5.9	04.3-07.5	54	9.4	05.5-13.3	306	40.4	34.9-45.9	213	30.4	25.1-35.7	110	13.9	10.4-17.4
\$25,000- 34,999	604	54,282	19	2.0	01.0-03.0	31	6.4	03.5-09.3	213	36.2	30.5-41.9	194	32.0	26.7-37.3	147	23.4	18.7-28.1
\$35,000- 49,999	823	80,122	10	0.9	00.3-01.5	22	2.9	01.3-04.5	266	33.2	28.9-37.5	286	37.6	32.9-42.3	239	25.4	21.9-28.9
\$50,000- 74,999	847	89,513	4	0.7	00.0-01.5	11	1.2	00.4-02.0	221	26.3	22.8-29.8	284	35.2	31.1-39.3	327	36.6	32.7-40.5
\$75,000+	1013	111,636	7	0.4	00.0-00.8	15	2.7	00.7-04.7	152	15.4	12.7-18.1	264	27.2	23.5-30.9	575	54.2	50.3-58.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2036	244,614	77	2.6	02.0-03.2	87	5.2	03.6-06.8	651	32.6	29.9-35.3	560	28.8	26.1-31.5	661	30.8	28.3-33.3
Non-Native	1978	234,201	72	2.4	01.8-03.0	82	5.1	03.5-06.7	625	31.5	28.8-34.2	550	29.3	26.6-32.0	649	31.7	29.2-34.2
18-24	80	41,597				11	12.7	05.3-20.1							10	10.3	03.6-17.0
25-34	214	41,398	1	0.7	00.0-02.1	5	2.3	00.1-04.5	57	26.0	19.7-32.3	60	28.1	21.6-34.6	91	42.9	35.8-50.0
35-44	316	38,947	3	1.1	00.0-02.5	5	1.5	00.1-02.9	98	30.7	25.2-36.2	96	30.1	24.8-35.4	114	36.6	30.9-42.3
45-54	465	46,147	1	0.2	00.0-00.6	18	3.8	02.0-05.6	174	37.3	32.6-42.0	145	30.0	25.5-34.5	127	28.7	24.2-33.2
55-64	436	35,544	6	1.3	00.1-02.5	15	3.3	01.5-05.1	113	26.0	21.7-30.3	125	28.9	24.4-33.4	177	40.6	35.7-45.5
65+	515	39,944	66	12.4	09.5-15.3	33	7.4	04.9-09.9	175	32.8	28.5-37.1	104	20.2	16.5-23.9	137	27.2	23.1-31.3
Less than \$15,000	109	11,856	16	10.0	04.1-15.9	5	3.2	00.0-06.5							17	15.6	05.8-25.4
\$15,000- 24,999	255	30,973	27	7.2	04.3-10.1	23	8.5	04.0-13.0	100	42.8	34.0-51.6	64	26.4	18.8-34.0	41	15.1	09.4-20.8
\$25,000- 34,999	229	27,724	8	1.8	00.4-03.2	19	9.7	04.2-15.2	91	39.7	30.5-48.9	61	27.1	18.9-35.3	50	21.6	14.0-29.2
\$35,000- 49,999	384	43,241	7	1.3	00.3-02.3	12	2.8	01.2-04.4	144	37.3	31.2-43.4	124	35.9	29.4-42.4	97	22.7	18.0-27.4
\$50,000- 74,999	414	50,177	4	1.3	00.0-02.7	7	1.5	00.3-02.7	122	29.2	24.1-34.3	124	31.1	25.6-36.6	157	36.9	31.4-42.4
\$75,000+	490	59,975	6	0.8	00.0-01.6	9	3.1	00.4-05.8	99	20.6	16.3-24.9	119	25.0	19.9-30.1	257	50.5	45.2-55.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	245,609	102	2.2	01.8-02.6	117	5.1	03.5-06.7	878	26.6	24.4-28.8	999	36.3	33.8-38.8	894	29.9	27.7-32.1
Native	88	13,024	2	0.7	00.0-01.7										19	16.3	06.5-26.1
Non-Native	2877	230,850	99	2.2	01.8-02.6	106	4.4	03.0-05.8	833	26.4	24.2-28.6	969	36.2	33.7-38.7	870	30.7	28.5-32.9
18-24	82	37,506				10	14.6	05.8-23.4	23	25.4	15.8-35.0				8	8.7	02.4-15.0
25-34	290	36,339				8	2.4	00.6-04.2	47	16.8	12.3-21.3	87	30.1	24.4-35.8	148	50.8	44.7-56.9
35-44	382	37,137				8	2.1	00.5-03.7	77	19.4	15.1-23.7	145	38.1	32.8-43.4	152	40.4	35.1-45.7
45-54	611	46,235	2	0.4	00.0-01.0	16	2.6	01.2-04.0	149	23.5	20.0-27.0	230	38.2	34.1-42.3	214	35.3	31.2-39.4
55-64	561	32,285	4	0.9	00.0-01.9	16	2.7	01.3-04.1	157	28.1	24.2-32.0	197	35.0	30.9-39.1	187	33.3	29.2-37.4
65+	1027	53,982	95	8.9	07.1-10.7	58	6.1	04.5-07.7	411	40.5	37.2-43.8	287	27.9	25.0-30.8	176	16.6	14.2-19.0
Less than \$15,000	263	18,070	26	6.5	03.6-09.4	25	8.2	04.5-11.9	106	35.2	26.6-43.8				24	7.8	04.3-11.3
\$15,000- 24,999	490	37,252	35	4.9	03.1-06.7	31	10.2	04.1-16.3	206	38.3	31.8-44.8	149	33.7	26.6-40.8	69	12.9	08.8-17.0
\$25,000- 34,999	375	26,558	11	2.2	00.8-03.6	12	3.0	01.2-04.8	122	32.5	26.2-38.8	133	37.1	30.4-43.8	97	25.3	19.8-30.8
\$35,000- 49,999	439	36,882	3	0.4	00.0-01.0	10	3.0	00.1-05.9	122	28.4	22.3-34.5	162	39.5	32.4-46.6	142	28.6	23.3-33.9
\$50,000- 74,999	433	39,336				4	0.8	00.0-01.6	99	22.5	18.0-27.0	160	40.5	34.6-46.4	170	36.2	30.9-41.5
\$75,000+	523	51,661	1	0.1	00.0-00.3	6	2.3	00.0-04.7	53	9.2	06.3-12.1	145	29.8	24.5-35.1	318	58.6	53.1-64.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5011	488,756	3087	67.1	65.3-68.9	110	3.4	02.4-04.4	353	6.5	05.5-07.5	68	4.8	03.4-06.2	1213	15.4	14.4-16.4	180	2.8	02.4-03.2
Male	2026	243,501	1434	75.0	72.5-77.5	52	4.2	02.4-06.0	6	0.3	00.1-00.5	23	3.6	01.8-05.4	431	13.9	12.5-15.3	80	3.0	02.2-03.8
Female	2985	245,255	1653	59.3	56.8-61.8	58	2.6	01.6-03.6	347	12.7	10.9-14.5	45	6.0	04.0-08.0	782	16.9	15.5-18.3	100	2.6	02.0-03.2
Native	129	21,779							9	5.6	01.3-09.9				12	3.9	01.2-06.6	13	5.5	02.0-09.0
Non-Native	4845	464,200	3005	68.1	66.3-69.9	94	2.7	01.9-03.5	341	6.6	05.6-07.6	55	4.2	03.0-05.4	1185	15.8	14.8-16.8	165	2.6	02.2-03.0
18-24	161	78,738	100	58.9	50.5-67.3	12	9.7	04.0-15.4	9	5.7	01.4-10.0	39	25.1	17.8-32.4				1	0.7	00.0-02.1
25-34	504	77,737	421	85.0	81.9-88.1	15	2.9	01.3-04.5	44	7.6	05.4-09.8	16	3.2	01.6-04.8				8	1.4	00.4-02.4
35-44	696	75,858	613	88.1	85.4-90.8	15	2.6	01.0-04.2	35	5.2	03.4-07.0	10	1.4	00.4-02.4	1	0.3	00.0-00.9	22	2.5	01.3-03.7
45-54	1074	92,201	947	89.0	87.0-91.0	29	2.4	01.4-03.4	43	4.1	02.9-05.3	3	0.3	00.1-00.5	9	0.7	00.3-01.1	43	3.5	02.3-04.7
55-64	992	67,523	693	70.1	67.0-73.2	25	2.7	01.5-03.9	56	5.3	03.9-06.7				158	15.5	13.1-17.9	60	6.3	04.5-08.1
65+	1533	93,378	286	18.7	16.5-20.9	12	0.6	00.2-01.0	161	10.6	09.0-12.2				1029	67.4	64.9-69.9	45	2.7	01.7-03.7
Less Than H.S.	379	36,244	112	35.9	28.1-43.7	15	8.7	02.4-15.0	53	11.7	07.6-15.8	7	8.9	02.4-15.4	166	29.2	23.7-34.7	26	5.6	03.1-08.1
H.S. or G.E.D.	1521	144,604	843	62.1	58.6-65.6	40	5.0	02.3-07.7	127	7.9	06.1-09.7	11	3.1	01.1-05.1	436	18.5	16.5-20.5	64	3.5	02.3-04.7
Some Post-H.S.	1555	159,328	1011	68.4	64.9-71.9	30	2.7	01.3-04.1	100	5.9	03.9-07.9	33	7.8	04.9-10.7	316	12.1	10.5-13.7	65	3.0	02.2-03.8
College Graduate	1548	148,228	1117	78.3	75.9-80.7	24	1.3	00.7-01.9	73	4.6	03.4-05.8	17	2.2	00.8-03.6	292	12.4	10.8-14.0	25	1.1	00.7-01.5
Less than \$15,000	373	29,945	103	30.4	22.4-38.4				22	6.2	03.1-09.3	11	7.8	01.7-13.9	135	23.1	17.8-28.4	77	17.1	12.4-21.8
\$15,000- 24,999	743	68,138	341	55.4	50.1-60.7	33	5.6	03.2-08.0	54	8.3	05.2-11.4	12	3.1	00.9-05.3	260	22.6	19.3-25.9	43	4.9	02.7-07.1
\$25,000- 34,999	604	54,282	329	62.4	57.1-67.7	13	3.3	00.8-05.8	40	6.3	03.9-08.7	3	2.8	00.0-06.1	204	23.0	19.3-26.7	15	2.2	01.0-03.4
\$35,000- 49,999	822	80,047	555	68.7	64.0-73.4	11	1.3	00.3-02.3	51	7.4	03.9-10.9	16	6.5	02.8-10.2	175	14.8	12.4-17.2	14	1.3	00.5-02.1
\$50,000- 74,999	845	89,385	665	81.3	77.8-84.8	8	0.8	00.2-01.4	38	3.6	02.4-04.8	7	3.8	00.9-06.7	122	9.9	07.9-11.9	5	0.6	00.0-01.2
\$75,000+	1009	111,342	846	84.4	81.3-87.5	8	1.8	00.0-03.6	58	5.1	03.7-06.5	6	2.8	00.4-05.2	84	5.3	04.1-06.5	7	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2026	243,501	1434	75.0	72.5-77.5	52	4.2	02.4-06.0	6	0.3	00.1-00.5	23	3.6	01.8-05.4	431	13.9	12.5-15.3	80	3.0	02.2-03.8
Non-Native	1971	233,604	1402	76.2	73.8-78.6	46	3.2	01.8-04.6	6	0.3	00.1-00.5	19	3.2	01.6-04.8	423	14.3	12.9-15.7	75	2.9	02.1-03.7
18-24	79	41,232				9	14.6	05.0-24.2				14	18.2	09.2-27.2				1	1.3	00.0-03.8
25-34	214	41,398	202	94.8	91.9-97.7	6	2.4	00.4-04.4	1	0.5	00.0-01.5	4	1.9	00.0-03.9				1	0.5	00.0-01.5
35-44	315	38,820	296	94.1	91.4-96.8	5	1.8	00.0-03.6	1	0.3	00.0-00.9	3	1.1	00.0-02.3	1	0.5	00.0-01.5	9	2.2	00.6-03.8
45-54	463	45,966	415	91.2	88.7-93.7	11	2.3	00.7-03.9	2	0.5	00.0-01.1	2	0.3	00.0-00.9	6	1.0	00.2-01.8	27	4.8	02.8-06.8
55-64	433	35,365	317	74.4	70.1-78.7	15	3.3	01.5-05.1							73	15.5	12.0-19.0	28	6.9	04.2-09.6
65+	512	39,683	142	26.7	22.6-30.8	6	0.9	00.1-01.7	2	0.3	00.0-00.7				348	69.5	65.2-73.8	14	2.5	01.1-03.9
Less Than H.S.	162	18,546				7	10.4	00.8-20.0	1	0.4	00.0-01.2	4	9.9	00.5-19.3	75	31.4	23.2-39.6	11	6.3	02.4-10.2
H.S. or G.E.D.	648	79,489	446	73.0	67.9-78.1	18	5.9	01.4-10.4	3	0.5	00.0-01.1	5	2.5	00.1-04.9	144	14.2	11.7-16.7	32	3.8	02.0-05.6
Some Post-H.S.	557	70,224	420	78.0	73.3-82.7	19	4.1	01.6-06.6	1	0.1	00.0-00.3	7	5.0	01.1-08.9	81	9.6	07.2-12.0	29	3.3	01.9-04.7
College Graduate	658	75,152	503	82.4	79.3-85.5	8	1.1	00.3-01.9	1	0.1	00.0-00.3	7	2.1	00.0-04.3	131	13.4	11.0-15.8	8	0.9	00.1-01.7
Less than \$15,000	109	11,856										4	6.3	00.0-13.2	29	16.9	08.9-24.9	33	20.5	11.3-29.7
\$15,000- 24,999	254	30,928	119	60.7	52.9-68.5	14	5.8	02.1-09.5	2	0.9	00.0-02.3	5	2.5	00.1-04.9	94	23.5	18.0-29.0	20	6.7	02.6-10.8
\$25,000- 34,999	229	27,724	139	69.3	61.5-77.1	8	5.4	00.5-10.3	2	0.5	00.0-01.3	1	2.6	00.0-07.7	74	20.4	15.1-25.7	5	1.8	00.0-03.6
\$35,000- 49,999	383	43,165	285	77.0	71.5-82.5	7	1.8	00.2-03.4	1	0.3	00.0-00.9	4	4.3	00.0-09.0	78	15.1	11.6-18.6	8	1.5	00.3-02.7
\$50,000- 74,999	413	50,113	332	82.6	77.7-87.5	4	0.8	00.0-01.6				4	4.4	00.0-08.9	71	11.7	08.8-14.6	2	0.5	00.0-01.1
\$75,000+	489	59,886	441	90.7	87.0-94.4	3	2.7	00.0-06.0	1	0.2	00.0-00.6				40	5.6	03.8-07.4	4	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2985	245,255	1653	59.3	56.8-61.8	58	2.6	01.6-03.6	347	12.7	10.9-14.5	45	6.0	04.0-08.0	782	16.9	15.5-18.3	100	2.6	02.0-03.2
Native	88	13,024				8	9.5	01.7-17.3	9	9.4	02.3-16.5				10	4.9	01.2-08.6	8	5.1	01.0-09.2
Non-Native	2874	230,597	1603	60.0	57.5-62.5	48	2.2	01.2-03.2	335	12.9	11.1-14.7	36	5.1	03.1-07.1	762	17.4	16.0-18.8	90	2.4	01.8-03.0
18-24	82	37,506				3	4.2	00.0-09.1	9	12.0	03.6-20.4									
25-34	290	36,339	219	73.8	68.3-79.3	9	3.5	01.1-05.9	43	15.7	11.2-20.2	12	4.7	02.0-07.4				7	2.4	00.4-04.4
35-44	381	37,038	317	81.7	77.2-86.2	10	3.5	01.0-06.0	34	10.3	06.8-13.8	7	1.7	00.3-03.1				13	2.8	01.2-04.4
45-54	611	46,235	532	86.9	84.0-89.8	18	2.6	01.2-04.0	41	7.7	05.3-10.1	1	0.2	00.0-00.6	3	0.5	00.0-01.1	16	2.2	01.0-03.4
55-64	559	32,158	376	65.5	61.2-69.8	10	2.1	00.7-03.5	56	11.2	08.3-14.1				85	15.6	12.3-18.9	32	5.6	03.6-07.6
65+	1021	53,695	144	12.8	10.6-15.0	6	0.4	00.0-00.8	159	18.1	15.4-20.8				681	65.8	62.7-68.9	31	2.9	01.7-04.1
Less Than H.S.	217	17,698				8	6.8	00.0-14.6	52	23.5	15.3-31.7	3	8.0	00.0-16.6	91	26.9	19.5-34.3	15	4.9	02.0-07.8
H.S. or G.E.D.	873	65,114	397	48.8	44.3-53.3	22	3.8	01.6-06.0	124	16.8	13.3-20.3	6	3.9	00.6-07.2	292	23.7	20.8-26.6	32	3.0	01.8-04.2
Some Post-H.S.	998	89,104	591	60.8	56.1-65.5	11	1.6	00.2-03.0	99	10.6	07.3-13.9	26	10.0	05.7-14.3	235	14.1	11.9-16.3	36	2.8	01.6-04.0
College Graduate	890	73,076	614	74.0	70.9-77.1	16	1.6	00.8-02.4	72	9.1	06.9-11.3	10	2.4	00.8-04.0	161	11.5	09.5-13.5	17	1.3	00.7-01.9
Less than \$15,000	264	18,089	70	30.7	20.9-40.5	15	8.3	02.8-13.8	22	10.2	05.1-15.3	7	8.7	00.0-17.5	106	27.2	20.7-33.7	44	14.9	09.6-20.2
\$15,000- 24,999	489	37,209	222	51.0	43.9-58.1	19	5.5	02.6-08.4	52	14.5	09.0-20.0	7	3.6	00.3-06.9	166	22.0	17.9-26.1	23	3.5	01.9-05.1
\$25,000- 34,999	375	26,558	190	55.2	48.7-61.7	5	1.2	00.0-02.4	38	12.4	07.9-16.9	2	2.9	00.0-07.0	130	25.7	21.0-30.4	10	2.6	00.8-04.4
\$35,000- 49,999	439	36,882	270	58.9	51.6-66.2	4	0.8	00.0-01.6	50	15.8	08.7-22.9	12	9.1	03.4-14.8	97	14.4	11.1-17.7	6	1.0	00.2-01.8
\$50,000- 74,999	432	39,272	333	79.6	74.9-84.3	4	0.8	00.0-01.6	38	8.2	05.5-10.9	3	3.0	00.0-06.9	51	7.6	05.4-09.8	3	0.7	00.0-01.5
\$75,000+	520	51,456	405	77.0	71.9-82.1	5	0.8	00.2-01.4	57	10.8	07.9-13.7	6	6.2	01.5-10.9	44	4.9	03.3-06.5	3	0.4	00.0-00.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4407	433,855	169	3.7	02.7-04.7	205	3.2	02.6-03.8	339	7.0	05.8-08.2	406	8.7	07.5-09.9	604	12.5	11.1-13.9	2684	64.9	62.9-66.9
Male	1882	224,035	54	3.2	01.4-05.0	55	2.1	01.5-02.7	113	5.8	04.4-07.2	142	8.1	06.3-09.9	229	12.4	10.2-14.6	1289	68.5	65.6-71.4
Female	2525	209,820	115	4.4	03.0-05.8	150	4.3	03.3-05.3	226	8.3	06.5-10.1	264	9.5	07.9-11.1	375	12.7	11.1-14.3	1395	60.9	58.2-63.6
Native	124	20,922				13	6.9	02.2-11.6				12	11.2	02.2-20.2	17	10.6	03.9-17.3			
Non-Native	4255	411,041	145	2.6	02.0-03.2	189	3.0	02.4-03.6	314	6.3	05.3-07.3	390	8.6	07.4-09.8	581	12.6	11.2-14.0	2636	67.0	65.0-69.0
18-24	133	65,092	9	9.0	02.7-15.3	3	1.5	00.0-03.3	18	12.9	06.6-19.2	21	14.3	08.2-20.4	19	13.9	07.6-20.2	63	48.5	39.3-57.7
25-34	480	73,890	12	2.2	00.8-03.6	15	3.4	01.6-05.2	20	3.6	01.8-05.4	46	9.9	06.8-13.0	63	13.8	10.3-17.3	324	67.2	62.5-71.9
35-44	653	71,518	20	2.7	01.3-04.1	17	2.0	00.8-03.2	33	4.3	02.7-05.9	33	4.0	02.6-05.4	66	8.3	06.1-10.5	484	78.7	75.4-82.0
45-54	999	86,407	28	2.1	01.3-02.9	22	1.8	01.0-02.6	50	4.0	02.8-05.2	66	5.5	04.1-06.9	83	7.4	05.6-09.2	750	79.2	76.7-81.7
55-64	884	60,350	25	2.0	01.2-02.8	29	2.6	01.6-03.6	37	3.4	02.0-04.8	72	7.6	05.8-09.4	130	13.2	10.8-15.6	591	71.3	68.2-74.4
65+	1231	74,746	72	5.0	03.8-06.2	117	7.5	06.1-08.9	179	14.1	11.9-16.3	164	12.0	10.0-14.0	241	19.7	17.3-22.1	458	41.7	38.6-44.8
Less Than H.S.	307	27,562	33	7.4	04.5-10.3	39	7.9	05.0-10.8	66	19.4	12.0-26.8	50	18.6	12.1-25.1	50	16.6	10.7-22.5	69	30.1	22.1-38.1
H.S. or G.E.D.	1308	126,514	62	5.3	02.6-08.0	88	4.2	03.2-05.2	139	9.6	07.2-12.0	167	12.2	09.5-14.9	213	15.5	12.8-18.2	639	53.2	49.3-57.1
Some Post-H.S.	1350	140,532	51	4.0	02.0-06.0	58	3.4	02.2-04.6	94	7.0	04.8-09.2	119	7.8	05.8-09.8	194	12.4	10.0-14.8	834	65.5	61.8-69.2
College Graduate	1439	139,096	22	1.2	00.4-02.0	19	1.1	00.5-01.7	40	2.2	01.4-03.0	70	4.6	03.0-06.2	147	9.1	07.1-11.1	1141	81.7	79.2-84.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1882	224,035	54	3.2	01.4-05.0	55	2.1	01.5-02.7	113	5.8	04.4-07.2	142	8.1	06.3-09.9	229	12.4	10.2-14.6	1289	68.5	65.6-71.4
Non-Native	1831	214,472	47	2.0	01.2-02.8	52	2.1	01.5-02.7	108	5.7	04.3-07.1	134	7.7	05.9-09.5	223	12.6	10.4-14.8	1267	70.0	67.3-72.7
18-24	65	34,101	5	10.7	00.7-20.7				7	9.7	02.6-16.8	12	17.4	07.8-27.0	11	17.2	07.2-27.2			
25-34	202	38,998	1	0.4	00.0-01.2	8	3.7	01.0-06.4	9	3.9	01.2-06.6	15	8.0	03.9-12.1	28	15.6	09.7-21.5	141	68.4	61.3-75.5
35-44	301	37,293	4	0.9	00.0-01.9	5	1.0	00.0-02.0	9	2.7	00.7-04.7	13	3.3	01.3-05.3	27	8.2	05.1-11.3	243	83.8	79.7-87.9
45-54	440	43,919	16	2.7	01.3-04.1	12	1.8	00.6-03.0	18	3.4	01.6-05.2	24	4.6	02.6-06.6	31	6.6	04.2-09.0	339	80.9	77.2-84.6
55-64	408	33,358	10	1.7	00.5-02.9	10	2.1	00.7-03.5	15	3.5	01.5-05.5	30	6.6	04.2-09.0	49	10.4	07.5-13.3	294	75.6	71.3-79.9
65+	458	35,538	18	3.3	01.7-04.9	19	3.6	01.8-05.4	55	12.4	09.1-15.7	46	9.5	06.6-12.4	83	17.8	14.1-21.5	237	53.3	48.4-58.2
Less Than H.S.	143	15,114	8	4.1	01.0-07.2	13	6.2	02.5-09.9	25	13.2	07.5-18.9	25	18.9	10.3-27.5	27	21.2	11.6-30.8			
H.S. or G.E.D.	600	73,128	21	5.2	00.7-09.7	23	2.5	01.3-03.7	43	7.7	04.4-11.0	57	10.4	06.7-14.1	91	15.1	11.0-19.2	365	59.1	53.2-65.0
Some Post-H.S.	519	64,575	16	2.6	00.6-04.6	11	1.7	00.5-02.9	29	5.3	02.8-07.8	35	7.3	04.0-10.6	61	11.7	08.0-15.4	367	71.4	66.1-76.7
College Graduate	619	71,128	9	1.3	00.1-02.5	8	1.3	00.1-02.5	16	2.6	01.2-04.0	25	4.0	01.8-06.2	50	8.4	05.3-11.5	511	82.4	78.3-86.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2525	209,820	115	4.4	03.0-05.8	150	4.3	03.3-05.3	226	8.3	06.5-10.1	264	9.5	07.9-11.1	375	12.7	11.1-14.3	1395	60.9	58.4-63.4
Native	86	12,437				11	8.8	02.1-15.5				6	7.7	00.0-15.7	13	13.5	03.5-23.5			
Non-Native	2424	196,569	98	3.3	02.3-04.3	137	3.9	02.9-04.9	206	6.9	05.5-08.3	256	9.6	08.0-11.2	358	12.5	10.9-14.1	1369	63.8	61.3-66.3
18-24	68	30,991	4	7.1	00.0-14.4	3	3.1	00.0-07.0				9	10.8	03.5-18.1	8	10.2	03.1-17.3			
25-34	278	34,893	11	4.1	01.4-06.8	7	3.0	00.6-05.4	11	3.2	01.2-05.2	31	12.0	07.5-16.5	35	11.7	07.8-15.6	183	66.0	59.9-72.1
35-44	352	34,225	16	4.5	01.8-07.2	12	3.1	00.9-05.3	24	6.0	03.5-08.5	20	4.7	02.3-07.1	39	8.4	05.7-11.1	241	73.3	68.4-78.2
45-54	559	42,488	12	1.6	00.6-02.6	10	1.7	00.5-02.9	32	4.7	02.9-06.5	42	6.4	04.2-08.6	52	8.2	05.8-10.6	411	77.4	73.9-80.9
55-64	476	26,992	15	2.2	01.0-03.4	19	3.1	01.5-04.7	22	3.4	01.8-05.0	42	8.7	06.0-11.4	81	16.6	13.1-20.1	297	66.0	61.5-70.5
65+	773	39,209	54	6.5	04.7-08.3	98	11.0	08.8-13.2	124	15.6	12.9-18.3	118	14.3	11.8-16.8	158	21.3	18.2-24.4	221	31.2	27.7-34.7
Less Than H.S.	164	12,448	25	11.4	05.9-16.9	26	9.9	05.4-14.4				25	18.2	08.6-27.8	23	11.0	05.9-16.1			
H.S. or G.E.D.	708	53,386	41	5.5	03.0-08.0	65	6.4	04.4-08.4	96	12.1	09.0-15.2	110	14.6	11.1-18.1	122	16.2	12.7-19.7	274	45.2	40.3-50.1
Some Post-H.S.	831	75,957	35	5.3	02.4-08.2	47	4.8	02.8-06.8	65	8.3	04.8-11.8	84	8.2	05.8-10.6	133	13.0	10.1-15.9	467	60.4	55.3-65.5
College Graduate	820	67,968	13	1.1	00.3-01.9	11	0.9	00.3-01.5	24	1.8	01.0-02.6	45	5.3	03.1-07.5	97	9.9	07.5-12.3	630	81.0	77.9-84.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4792	470,768	45	0.9	00.5-01.3	1400	27.2	25.4-29.0	2277	46.5	44.5-48.5	859	20.0	18.4-21.6	207	5.4	04.4-06.4	4	0.2	00.0-00.4
Male	2021	243,132	2	0.3	00.0-00.7	145	7.0	05.4-08.6	1046	51.7	48.8-54.6	656	32.0	29.3-34.7	169	8.7	07.1-10.3	3	0.3	00.0-00.7
Female	2771	227,636	43	1.5	00.9-02.1	1255	48.7	46.2-51.2	1231	40.9	38.5-43.3	203	7.1	05.9-08.3	38	1.7	00.9-02.5	1	0.1	00.0-00.3
Native	121	19,288	2	1.9	00.0-04.6										12	12.4	03.2-21.6			
Non-Native	4634	448,159	42	0.8	00.4-01.2	1365	27.6	25.8-29.4	2202	46.7	44.7-48.7	827	19.6	18.0-21.2	194	5.1	04.1-06.1	4	0.2	00.0-00.4
18-24	158	77,001	4	1.7	00.0-03.5	63	38.8	30.6-47.0	57	37.0	28.8-45.2	24	16.2	09.7-22.7	10	6.3	02.0-10.6			
25-34	487	75,034	2	0.4	00.0-01.0	142	24.1	20.4-27.8	222	46.9	42.0-51.8	91	20.9	16.8-25.0	29	7.2	04.7-09.7	1	0.6	00.0-01.8
35-44	667	73,010	4	0.5	00.0-01.1	152	21.1	18.0-24.2	312	46.0	41.9-50.1	152	24.8	21.1-28.5	45	7.2	05.0-09.4	2	0.5	00.0-01.1
45-54	1016	88,207	8	0.7	00.3-01.1	270	23.8	21.1-26.5	469	47.5	44.2-50.8	224	23.3	20.4-26.2	45	4.7	03.3-06.1			
55-64	942	64,513	5	0.5	00.1-00.9	220	19.7	17.2-22.2	480	51.5	48.0-55.0	186	22.2	19.3-25.1	51	6.1	04.3-07.9			
65+	1494	91,013	22	1.3	00.7-01.9	539	33.0	30.5-35.5	725	49.9	47.2-52.6	181	14.0	12.0-16.0	26	1.7	00.9-02.5	1	0.1	00.0-00.3
Less Than H.S.	372	35,605	2	0.2	00.0-00.6	113	32.1	23.9-40.3	185	48.1	40.3-55.9	63	17.0	12.1-21.9	8	2.4	00.6-04.2	1	0.2	00.0-00.6
H.S. or G.E.D.	1432	137,858	21	1.5	00.5-02.5	404	25.5	22.4-28.6	685	45.5	41.8-49.2	251	20.7	17.4-24.0	71	6.8	04.6-09.0			
Some Post-H.S.	1479	152,299	14	0.7	00.3-01.1	452	29.2	25.7-32.7	677	45.6	42.1-49.1	265	19.1	16.4-21.8	70	5.2	03.6-06.8	1	0.1	00.0-00.3
College Graduate	1503	144,233	8	0.6	00.0-01.2	428	25.5	23.0-28.0	729	48.1	45.2-51.0	278	20.5	18.0-23.0	58	4.9	03.3-06.5	2	0.4	00.0-01.0
Less than \$15,000	355	28,580	6	1.9	00.0-03.9	129	29.1	21.7-36.5	162	41.8	32.8-50.8	47	19.4	10.0-28.8	11	7.8	01.1-14.5			
\$15,000- 24,999	706	63,806	13	1.9	00.5-03.3	235	30.7	25.4-36.0	327	45.0	39.5-50.5	107	19.1	14.2-24.0	24	3.2	01.8-04.6			
\$25,000- 34,999	575	51,913	3	0.5	00.0-01.1	160	24.8	20.1-29.5	281	49.0	43.1-54.9	87	15.5	11.2-19.8	41	9.0	05.1-12.9	3	1.3	00.0-03.1
\$35,000- 49,999	792	77,870	6	0.6	00.0-01.2	188	26.6	21.7-31.5	398	47.0	42.3-51.7	165	20.6	17.3-23.9	35	5.1	02.9-07.3			
\$50,000- 74,999	822	87,102	6	0.5	00.1-00.9	211	23.4	19.9-26.9	387	45.8	41.7-49.9	180	24.1	20.4-27.8	38	6.2	03.8-08.6			
\$75,000+	993	109,890	6	0.4	00.0-00.8	240	22.6	19.5-25.7	490	49.7	45.8-53.6	213	22.5	19.4-25.6	43	4.6	03.0-06.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2021	243,132	2	0.3	00.0-00.7	145	7.0	05.4-08.6	1046	51.7	48.8-54.6	656	32.0	29.3-34.7	169	8.7	07.1-10.3	3	0.3	00.0-00.7
Non-Native	1963	232,321	1	0.2	00.0-00.6	142	7.3	05.7-08.9	1024	52.3	49.4-55.2	631	31.2	28.7-33.7	162	8.7	06.9-10.5	3	0.3	00.0-00.7
18-24	80	41,872	1	1.3	00.0-03.8	11	12.4	05.3-19.5							7	8.5	01.8-15.2			
25-34	210	40,726				7	3.2	00.8-05.6	110	52.2	44.9-59.5	67	31.6	24.9-38.3	25	11.9	07.4-16.4	1	1.1	00.0-03.3
35-44	315	38,883	1	0.5	00.0-01.5	11	3.1	01.3-04.9	146	45.2	39.3-51.1	120	39.5	33.6-45.4	36	11.3	07.6-15.0	1	0.5	00.0-01.5
45-54	460	45,681				29	5.3	03.1-07.5	224	50.4	45.5-55.3	166	35.9	31.2-40.6	41	8.5	05.8-11.2			
55-64	435	35,455				28	5.1	03.1-07.1	219	51.0	46.1-55.9	145	34.2	29.5-38.9	43	9.7	06.8-12.6			
65+	513	39,738				58	12.7	09.4-16.0	300	58.4	53.9-62.9	137	25.8	21.9-29.7	17	2.9	01.5-04.3	1	0.2	00.0-00.6
Less Than H.S.	161	18,753				21	14.4	06.2-22.6				50	27.9	19.5-36.3	7	3.9	01.0-06.8	1	0.4	00.0-01.2
H.S. or G.E.D.	644	78,816	2	0.9	00.0-02.3	47	7.0	04.5-09.5	329	49.3	43.8-54.8	202	31.8	26.5-37.1	64	11.0	07.5-14.5			
Some Post-H.S.	558	70,307				39	7.9	04.6-11.2	271	51.5	46.0-57.0	196	32.0	27.1-36.9	51	8.3	05.6-11.0	1	0.3	00.0-00.9
College Graduate	656	74,619				38	4.4	02.8-06.0	364	54.3	49.8-58.8	206	32.6	28.3-36.9	47	8.1	05.4-10.8	1	0.6	00.0-01.8
Less than \$15,000	108	11,760				22	14.2	06.2-22.2							8	10.9	00.9-20.9			
\$15,000- 24,999	251	30,474	1	0.6	00.0-01.8	32	13.8	07.3-20.3	131	49.4	40.6-58.2	69	30.8	22.2-39.4	18	5.3	02.6-08.0			
\$25,000- 34,999	226	27,454				20	7.4	03.7-11.1	114	54.4	45.2-63.6	62	23.5	16.2-30.8	27	12.2	05.7-18.7	3	2.5	00.0-05.8
\$35,000- 49,999	380	42,848				31	9.3	05.2-13.4	195	51.3	45.0-57.6	125	31.3	25.8-36.8	29	8.2	04.5-11.9			
\$50,000- 74,999	414	49,992				15	3.2	01.2-05.2	217	50.2	44.3-56.1	146	36.3	30.6-42.0	36	10.2	06.1-14.3			
\$75,000+	488	59,730				14	2.1	00.9-03.3	253	53.7	48.4-59.0	182	36.3	31.4-41.2	39	7.9	05.4-10.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2771	227,636	43	1.5	00.9-02.1	1255	48.7	46.2-51.2	1231	40.9	38.5-43.3	203	7.1	05.9-08.3	38	1.7	00.9-02.5	1	0.1	00.0-00.3
Native	80	10,318	1	1.7	00.0-05.0							7	7.5	01.2-13.8						
Non-Native	2671	215,838	41	1.4	00.8-02.0	1223	49.5	47.0-52.0	1178	40.7	38.3-43.1	196	7.1	05.9-08.3	32	1.2	00.6-01.8	1	0.1	00.0-00.3
18-24	78	35,129	3	2.3	00.0-04.8				16	18.8	09.8-27.8	4	5.0	00.1-09.9	3	3.8	00.0-08.7			
25-34	277	34,308	2	0.8	00.0-02.0	135	48.9	42.6-55.2	112	40.5	34.4-46.6	24	8.2	04.9-11.5	4	1.6	00.0-03.2			
35-44	352	34,127	3	0.6	00.0-01.4	141	41.5	36.0-47.0	166	46.9	41.2-52.6	32	8.2	05.3-11.1	9	2.5	00.7-04.3	1	0.4	00.0-01.2
45-54	556	42,526	8	1.4	00.4-02.4	241	43.8	39.5-48.1	245	44.4	40.1-48.7	58	9.7	07.2-12.2	4	0.7	00.0-01.5			
55-64	507	29,058	5	1.1	00.1-02.1	192	37.4	32.9-41.9	261	52.1	47.4-56.8	41	7.7	05.3-10.1	8	1.7	00.5-02.9			
65+	981	51,274	22	2.3	01.3-03.3	481	48.8	45.5-52.1	425	43.3	40.0-46.6	44	4.8	03.2-06.4	9	0.7	00.3-01.1			
Less Than H.S.	211	16,852	2	0.5	00.0-01.3							13	4.9	02.0-07.8	1	0.6	00.0-01.8			
H.S. or G.E.D.	788	59,042	19	2.3	01.1-03.5	357	50.0	45.3-54.7	356	40.4	35.9-44.9	49	6.0	04.0-08.0	7	1.3	00.0-02.7			
Some Post-H.S.	921	81,992	14	1.3	00.5-02.1	413	47.5	42.8-52.2	406	40.6	36.1-45.1	69	8.1	05.6-10.6	19	2.5	00.5-04.5			
College Graduate	847	69,614	8	1.2	00.0-02.4	390	48.1	44.2-52.0	365	41.5	37.6-45.4	72	7.4	05.6-09.2	11	1.5	00.5-02.5	1	0.2	00.0-00.6
Less than \$15,000	247	16,821	6	3.2	00.0-06.5	107	39.4	29.6-49.2	111	38.6	29.6-47.6	20	13.0	05.4-20.6	3	5.7	00.0-14.5			
\$15,000- 24,999	455	33,331	12	3.1	00.6-05.6	203	46.1	39.0-53.2	196	41.0	34.3-47.7	38	8.4	05.1-11.7	6	1.3	00.1-02.5			
\$25,000- 34,999	349	24,460	3	1.0	00.0-02.2	140	44.3	37.4-51.2	167	42.8	36.3-49.3	25	6.6	03.1-10.1	14	5.3	01.8-08.8			
\$35,000- 49,999	412	35,022	6	1.3	00.1-02.5	157	47.8	40.5-55.1	203	41.8	35.3-48.3	40	7.6	05.1-10.1	6	1.4	00.2-02.6			
\$50,000- 74,999	408	37,110	6	1.2	00.2-02.2	196	50.5	44.6-56.4	170	39.7	34.2-45.2	34	7.7	05.0-10.4	2	0.8	00.0-02.0			
\$75,000+	505	50,159	6	0.9	00.1-01.7	226	47.1	41.6-52.6	237	45.0	39.5-50.5	31	6.0	03.3-08.7	4	0.7	00.0-01.5	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5007	488,332	223	3.2	02.6-03.8	2256	38.1	36.3-39.9	2123	47.5	45.5-49.5	394	10.9	09.5-12.3	10	0.3	00.1-00.5	1	0.1	00.0-00.3
Male	2034	244,179	1	0.0	00.0-00.0	165	7.9	06.3-09.5	1468	69.9	67.2-72.6	389	21.3	18.8-23.8	10	0.6	00.2-01.0	1	0.2	00.0-00.6
Female	2973	244,153	222	6.3	05.1-07.5	2091	68.2	65.8-70.6	655	25.0	22.8-27.2	5	0.4	00.0-01.0						
Native	129	21,779	8	7.2	00.0-16.4										1	0.9	00.0-02.7			
Non-Native	4840	463,307	210	3.0	02.4-03.6	2185	38.3	36.5-40.1	2049	47.4	45.4-49.4	386	11.0	09.6-12.4	9	0.3	00.1-00.5	1	0.1	00.0-00.3
18-24	161	78,738	3	2.5	00.0-05.6	59	34.2	26.4-42.0	76	48.6	40.2-57.0	22	14.6	08.3-20.9	1	0.2	00.0-00.6			
25-34	504	77,737	9	1.3	00.3-02.3	184	31.3	27.2-35.4	246	51.1	46.4-55.8	61	14.8	11.3-18.3	3	0.9	00.0-01.9	1	0.6	00.0-01.8
35-44	696	75,887	12	1.6	00.6-02.6	272	36.8	33.1-40.5	336	49.1	45.2-53.0	74	12.0	09.3-14.7	2	0.4	00.0-01.0			
45-54	1072	92,044	23	1.7	00.9-02.5	459	37.3	34.4-40.2	492	51.1	48.0-54.2	97	9.9	07.9-11.9	1	0.1	00.0-00.3			
55-64	993	67,535	32	2.4	01.6-03.2	450	41.0	37.7-44.3	427	45.6	42.3-48.9	82	10.7	08.3-13.1	2	0.3	00.0-00.7			
65+	1537	93,510	142	8.7	07.1-10.3	803	46.0	43.3-48.7	535	40.5	37.8-43.2	56	4.8	03.4-06.2	1	0.1	00.0-00.3			
Less Than H.S.	380	36,276	33	7.6	01.9-13.3	183	41.4	33.8-49.0	143	44.7	36.9-52.5	20	5.7	03.0-08.4	1	0.5	00.0-01.5			
H.S. or G.E.D.	1520	143,918	86	3.8	02.8-04.8	684	36.2	33.1-39.3	639	48.6	45.1-52.1	109	11.1	08.2-14.0	2	0.3	00.0-00.7			
Some Post-H.S.	1552	159,172	60	2.8	01.8-03.8	759	42.7	39.2-46.2	622	44.2	40.7-47.7	109	10.1	07.6-12.6	2	0.2	00.0-00.4			
College Graduate	1547	148,129	44	2.0	01.4-02.6	624	34.1	31.4-36.8	717	50.4	47.5-53.3	156	12.8	10.6-15.0	5	0.5	00.1-00.9	1	0.3	00.0-00.9
Less than \$15,000	374	29,987	34	8.2	03.3-13.1	201	41.8	33.6-50.0	124	38.4	29.6-47.2	15	11.6	02.4-20.8						
\$15,000- 24,999	741	68,025	48	5.0	01.9-08.1	383	43.7	38.2-49.2	270	42.9	37.4-48.4	38	7.7	04.6-10.8	2	0.7	00.0-01.7			
\$25,000- 34,999	603	54,224	26	3.1	01.7-04.5	289	40.7	35.2-46.2	244	44.9	39.0-50.8	41	10.2	06.1-14.3	2	0.3	00.0-00.7	1	0.8	00.0-02.4
\$35,000- 49,999	821	79,971	25	2.5	01.3-03.7	340	38.8	34.1-43.5	387	48.5	43.8-53.2	69	10.1	07.2-13.0						
\$50,000- 74,999	845	89,404	14	1.2	00.6-01.8	344	34.9	31.2-38.6	404	50.5	46.4-54.6	83	13.4	10.1-16.7						
\$75,000+	1012	111,488	19	1.2	00.6-01.8	361	30.6	27.3-33.9	505	53.4	49.7-57.1	122	14.1	11.4-16.8	5	0.7	00.1-01.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2034	244,179	1	0.0	00.0-00.0	165	7.9	06.3-09.5	1468	69.9	67.2-72.6	389	21.3	18.8-23.8	10	0.6	00.2-01.0	1	0.2	00.0-00.6
Non-Native	1976	233,583	1	0.0	00.0-00.0	161	8.0	06.4-09.6	1423	69.8	67.1-72.5	381	21.3	18.9-23.7	9	0.6	00.2-01.0	1	0.2	00.0-00.6
18-24	79	41,232				6	8.4	01.9-14.9							1	0.4	00.0-01.2			
25-34	214	41,398				12	5.8	02.5-09.1	137	63.7	56.8-70.6	61	27.8	21.5-34.1	3	1.6	00.0-03.4	1	1.0	00.0-03.0
35-44	316	38,947				22	7.4	04.3-10.5	220	69.0	63.5-74.5	72	22.9	18.0-27.8	2	0.8	00.0-02.0			
45-54	465	46,147				33	6.3	04.1-08.5	335	74.0	69.9-78.1	96	19.5	15.8-23.2	1	0.2	00.0-00.6			
55-64	437	35,633				37	9.3	06.4-12.2	317	70.0	65.3-74.7	81	20.1	16.0-24.2	2	0.6	00.0-01.4			
65+	514	39,889	1	0.3	00.0-00.9	53	10.4	07.5-13.3	403	78.0	74.1-81.9	56	11.2	08.3-14.1	1	0.2	00.0-00.6			
Less Than H.S.	162	18,535	1	0.6	00.0-01.8	22	15.4	07.0-23.8	118	71.7	62.1-81.3	20	11.2	05.7-16.7	1	1.0	00.0-03.0			
H.S. or G.E.D.	649	79,108				56	7.7	05.3-10.1	483	71.8	66.5-77.1	108	20.1	15.0-25.2	2	0.5	00.0-01.3			
Some Post-H.S.	560	70,506				50	9.4	05.9-12.9	401	68.4	62.9-73.9	107	21.8	16.9-26.7	2	0.4	00.0-01.0			
College Graduate	661	75,392				37	5.0	03.2-06.8	464	68.6	64.5-72.7	154	24.9	21.0-28.8	5	1.0	00.2-01.8	1	0.6	00.0-01.8
Less than \$15,000	109	11,856	1	0.9	00.0-02.7	14	8.6	03.1-14.1												
\$15,000- 24,999	255	30,973				29	12.0	06.3-17.7	186	69.7	61.7-77.7	38	16.8	10.3-23.3	2	1.5	00.0-03.7			
\$25,000- 34,999	229	27,724				21	10.2	04.7-15.7	164	67.6	58.8-76.4	41	19.9	12.3-27.5	2	0.6	00.0-01.6	1	1.6	00.0-04.5
\$35,000- 49,999	383	43,137				35	10.3	06.0-14.6	280	71.1	65.2-77.0	68	18.6	13.5-23.7						
\$50,000- 74,999	415	50,266				33	7.2	04.5-09.9	299	69.0	63.3-74.7	83	23.8	18.3-29.3						
\$75,000+	490	59,975				21	4.6	01.9-07.3	346	69.4	64.5-74.3	118	24.7	20.2-29.2	5	1.3	00.1-02.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2973	244,153	222	6.3	05.1-07.5	2091	68.2	65.8-70.6	655	25.0	22.8-27.2	5	0.4	00.0-01.0
Non-Native	2864	229,724	209	5.9	04.9-06.9	2024	69.0	66.6-71.4	626	24.6	22.4-26.8	5	0.4	00.0-01.0
18-24	82	37,506	3	5.2	00.0-11.7							1	1.9	00.0-05.6
25-34	290	36,339	9	2.9	00.9-04.9	172	60.4	54.3-66.5	109	36.7	30.8-42.6			
35-44	380	36,940	12	3.3	01.3-05.3	250	67.9	63.0-72.8	116	28.3	23.6-33.0	2	0.5	00.0-01.3
45-54	607	45,896	23	3.3	01.9-04.7	426	68.5	64.6-72.4	157	28.1	24.2-32.0	1	0.1	00.0-00.3
55-64	556	31,902	32	5.2	03.4-07.0	413	76.4	72.7-80.1	110	18.3	15.0-21.6	1	0.2	00.0-00.6
65+	1023	53,622	141	14.9	12.5-17.3	750	72.4	69.5-75.3	132	12.7	10.5-14.9			
Less Than H.S.	218	17,740							25	16.4	06.8-26.0			
H.S. or G.E.D.	871	64,811	86	8.4	06.4-10.4	628	71.1	67.0-75.2	156	20.4	16.5-24.3	1	0.2	00.0-00.6
Some Post-H.S.	992	88,665	60	5.0	03.0-07.0	709	69.2	64.9-73.5	221	24.9	21.0-28.8	2	0.9	00.0-02.5
College Graduate	886	72,737	44	4.0	02.6-05.4	587	64.3	60.4-68.2	253	31.4	27.7-35.1	2	0.2	00.0-00.6
Less than \$15,000	265	18,132	33	12.9	05.3-20.5				45	23.5	13.7-33.3			
\$15,000- 24,999	486	37,052	48	9.2	03.7-14.7	354	70.2	63.1-77.3	84	20.6	14.9-26.3			
\$25,000- 34,999	374	26,499	26	6.3	03.8-08.8	268	72.7	67.2-78.2	80	21.0	15.9-26.1			
\$35,000- 49,999	438	36,834	25	5.5	03.1-07.9	305	72.3	66.8-77.8	107	22.0	17.1-26.9	1	0.2	00.0-00.6
\$50,000- 74,999	430	39,138	14	2.7	01.1-04.3	311	70.6	65.3-75.9	105	26.7	21.6-31.8			
\$75,000+	522	51,513	19	2.6	01.4-03.8	340	60.9	55.4-66.4	159	34.7	29.2-40.2	4	1.9	00.0-04.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 37: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4718	463,024	47	1.0	00.6-01.4	1353	27.2	25.4-29.0	2199	45.6	43.6-47.6	868	19.9	18.3-21.5	248	6.2	05.2-07.2	3	0.1	00.0-00.3
Male	1993	239,154	2	0.3	00.0-00.7	137	7.5	05.7-09.3	1021	51.1	48.2-54.0	640	31.1	28.6-33.6	191	9.8	08.0-11.6	2	0.2	00.0-00.6
Female	2725	223,869	45	1.7	01.1-02.3	1216	48.2	45.7-50.7	1178	39.7	37.3-42.1	228	7.9	06.7-09.1	57	2.3	01.3-03.3	1	0.1	00.0-00.3
Native	119	18,859	4	3.8	00.0-07.7															
Non-Native	4563	440,886	43	0.9	00.5-01.3	1314	27.3	25.5-29.1	2127	45.9	43.9-47.9	842	20.0	18.4-21.6	234	5.8	04.8-06.8	3	0.1	00.0-00.3
18-24	152	74,024	6	2.4	00.2-04.6	61	39.7	31.3-48.1	57	38.5	30.1-46.9	21	14.1	08.0-20.2	7	5.3	01.2-09.4			
25-34	481	74,185	4	0.8	00.0-01.6	150	26.2	22.3-30.1	196	42.1	37.2-47.0	91	21.1	17.0-25.2	39	9.2	06.3-12.1	1	0.6	00.0-01.8
35-44	657	72,318	6	0.7	00.1-01.3	152	21.7	18.4-25.0	308	46.1	42.0-50.2	143	23.6	19.9-27.3	47	7.6	05.4-09.8	1	0.2	00.0-00.6
45-54	1006	87,326	7	0.6	00.2-01.0	264	23.3	20.6-26.0	463	47.6	44.3-50.9	213	22.4	19.7-25.1	59	6.1	04.5-07.7			
55-64	931	63,890	5	0.5	00.1-00.9	206	18.8	16.3-21.3	464	49.9	46.4-53.4	195	23.3	20.4-26.2	61	7.6	05.6-09.6			
65+	1464	89,321	18	0.9	00.5-01.3	506	31.4	28.9-33.9	701	49.1	46.4-51.8	204	16.2	14.0-18.4	34	2.3	01.5-03.1	1	0.1	00.0-00.3
Less Than H.S.	358	34,389	2	0.2	00.0-00.6	103	32.7	24.3-41.1	178	47.6	39.6-55.6	59	14.6	10.3-18.9	15	4.7	02.2-07.2	1	0.2	00.0-00.6
H.S. or G.E.D.	1407	135,656	22	1.8	00.8-02.8	393	25.3	22.2-28.4	664	46.9	43.2-50.6	252	18.4	15.7-21.1	76	7.6	05.2-10.0			
Some Post-H.S.	1464	149,344	17	1.0	00.4-01.6	436	29.2	25.7-32.7	663	44.3	40.8-47.8	261	19.6	16.9-22.3	87	6.0	04.4-07.6			
College Graduate	1484	142,893	6	0.4	00.0-01.0	418	25.6	23.1-28.1	694	45.5	42.6-48.4	294	22.6	19.9-25.3	70	5.4	04.0-06.8	2	0.4	00.0-01.0
Less than \$15,000	348	28,249	7	2.8	00.3-05.3	123	30.7	22.9-38.5	148	37.9	28.7-47.1	56	22.3	13.3-31.3	14	6.4	00.7-12.1			
\$15,000- 24,999	693	62,327	14	2.5	00.7-04.3	228	30.4	25.1-35.7	313	44.5	39.0-50.0	100	16.2	12.1-20.3	38	6.4	03.3-09.5			
\$25,000- 34,999	567	50,683	4	0.4	00.0-00.8	162	26.9	22.0-31.8	271	47.4	41.7-53.1	85	14.7	10.6-18.8	43	9.7	05.8-13.6	2	1.0	00.0-02.8
\$35,000- 49,999	782	76,735	4	0.4	00.0-01.0	189	28.0	23.1-32.9	376	43.6	39.1-48.1	163	21.3	17.8-24.8	50	6.7	04.3-09.1			
\$50,000- 74,999	817	86,595	4	0.4	00.0-00.8	195	22.1	18.6-25.6	397	47.3	43.2-51.4	176	23.6	19.9-27.3	45	6.6	04.4-08.8			
\$75,000+	984	108,887	6	0.4	00.0-00.8	236	22.7	19.4-26.0	474	48.4	44.5-52.3	225	23.8	20.7-26.9	42	4.6	03.0-06.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 38: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1993	239,154	2	0.3	00.0-00.7	137	7.5	05.7-09.3	1021	51.1	48.2-54.0	640	31.1	28.6-33.6	191	9.8	08.0-11.6	2	0.2	00.0-00.6
Non-Native	1937	228,772	1	0.2	00.0-00.6	133	7.3	05.5-09.1	998	51.8	48.9-54.7	621	31.1	28.6-33.6	182	9.4	07.8-11.0	2	0.2	00.0-00.6
18-24	76	39,952	1	1.4	00.0-04.1	13	16.5	07.9-25.1				17	22.0	12.0-32.0	6	7.8	01.1-14.5			
25-34	207	40,246				8	4.1	01.2-07.0	102	49.4	42.1-56.7	66	31.3	24.6-38.0	30	14.2	09.3-19.1	1	1.1	00.0-03.3
35-44	309	38,438	1	0.5	00.0-01.5	10	2.8	01.0-04.6	152	48.2	42.3-54.1	110	37.1	31.2-43.0	36	11.4	07.7-15.1			
45-54	455	45,215				32	6.0	03.8-08.2	218	49.7	44.8-54.6	158	34.3	29.6-39.0	47	10.0	07.1-12.9			
55-64	433	35,343				27	5.0	03.0-07.0	215	50.0	44.9-55.1	143	33.4	28.7-38.1	48	11.5	08.2-14.8			
65+	505	39,184				45	9.7	06.8-12.6	290	56.9	52.2-61.6	146	29.2	24.9-33.5	23	4.0	02.2-05.8	1	0.2	00.0-00.6
Less Than H.S.	155	17,918				16	14.9	05.1-24.7				42	22.3	14.9-29.7	11	7.2	02.5-11.9	1	0.4	00.0-01.2
H.S. or G.E.D.	634	77,553	2	1.0	00.0-02.4	52	8.2	05.5-10.9	318	51.0	45.5-56.5	193	27.3	22.6-32.0	69	12.5	08.6-16.4			
Some Post-H.S.	553	68,973				37	8.9	05.0-12.8	264	48.8	43.3-54.3	193	33.1	28.0-38.2	59	9.2	06.7-11.7			
College Graduate	649	74,073				32	3.6	02.2-05.0	354	52.8	48.3-57.3	210	34.8	30.3-39.3	52	8.3	05.9-10.7	1	0.6	00.0-01.8
Less than \$15,000	105	11,607				19	13.7	05.7-21.7						8	6.0	01.3-10.7				
\$15,000- 24,999	245	29,448	1	0.6	00.0-01.8	30	14.1	07.4-20.8	126	49.2	40.4-58.0	63	25.8	18.2-33.4	25	10.3	04.2-16.4			
\$25,000- 34,999	222	26,401				20	9.2	03.9-14.5	113	52.4	43.2-61.6	58	21.9	14.6-29.2	29	14.6	07.5-21.7	2	1.9	00.0-05.0
\$35,000- 49,999	378	42,729				33	11.6	06.3-16.9	186	47.7	41.4-54.0	120	30.6	25.1-36.1	39	10.0	06.3-13.7			
\$50,000- 74,999	413	49,800				13	2.9	00.9-04.9	221	51.8	45.9-57.7	137	34.7	29.0-40.4	42	10.6	07.3-13.9			
\$75,000+	481	58,950				10	1.5	00.5-02.5	248	53.4	48.1-58.7	187	37.5	32.4-42.6	36	7.6	05.1-10.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 39: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2725	223,869	45	1.7	01.1-02.3	1216	48.2	45.7-50.7	1178	39.7	37.3-42.1	228	7.9	06.7-09.1	57	2.3	01.3-03.3	1	0.1	00.0-00.3
Native	80	10,318	3	5.0	00.0-11.1							7	5.8	00.7-10.9						
Non-Native	2626	212,114	42	1.6	01.0-02.2	1181	48.8	46.3-51.3	1129	39.5	37.1-41.9	221	8.1	06.7-09.5	52	1.9	01.3-02.5	1	0.1	00.0-00.3
18-24	76	34,072	5	3.6	00.3-06.9				18	22.2	12.6-31.8	4	4.9	00.0-09.8	1	2.3	00.0-06.8			
25-34	274	33,939	4	1.8	00.0-03.8	142	52.5	46.2-58.8	94	33.4	27.5-39.3	25	9.1	05.6-12.6	9	3.3	01.1-05.5			
35-44	348	33,880	5	1.0	00.0-02.0	142	43.1	37.4-48.8	156	43.8	38.1-49.5	33	8.4	05.5-11.3	11	3.3	01.1-05.5	1	0.4	00.0-01.2
45-54	551	42,111	7	1.3	00.3-02.3	232	41.9	37.6-46.2	245	45.3	40.8-49.8	55	9.6	07.1-12.1	12	2.0	00.8-03.2			
55-64	498	28,547	5	1.0	00.0-02.0	179	35.8	31.3-40.3	249	49.8	45.1-54.5	52	10.6	07.7-13.5	13	2.8	01.2-04.4			
65+	959	50,138	18	1.7	00.9-02.5	461	48.3	45.0-51.6	411	43.0	39.7-46.3	58	6.1	04.5-07.7	11	1.0	00.4-01.6			
Less Than H.S.	203	16,471	2	0.5	00.0-01.3							17	6.3	03.0-09.6	4	1.9	00.0-03.9			
H.S. or G.E.D.	773	58,103	20	2.9	01.3-04.5	341	48.1	43.2-53.0	346	41.4	36.7-46.1	59	6.6	04.8-08.4	7	1.0	00.2-01.8			
Some Post-H.S.	911	80,372	17	1.9	00.7-03.1	399	46.5	41.8-51.2	399	40.5	36.0-45.0	68	7.9	05.4-10.4	28	3.2	01.0-05.4			
College Graduate	835	68,820	6	0.9	00.0-01.9	386	49.3	45.2-53.4	340	37.6	33.9-41.3	84	9.5	07.3-11.7	18	2.4	01.2-03.6	1	0.2	00.0-00.6
Less than \$15,000	243	16,642	7	4.7	00.4-09.0	104	42.5	32.5-52.5	100	33.2	24.8-41.6	26	12.9	05.5-20.3	6	6.7	00.0-15.7			
\$15,000- 24,999	448	32,879	13	4.1	01.2-07.0	198	45.0	37.7-52.3	187	40.3	33.4-47.2	37	7.6	04.5-10.7	13	3.0	01.0-05.0			
\$25,000- 34,999	345	24,282	4	0.9	00.0-01.9	142	46.1	39.2-53.0	158	41.9	35.4-48.4	27	6.8	04.1-09.5	14	4.3	01.8-06.8			
\$35,000- 49,999	404	34,006	4	1.0	00.0-02.2	156	48.6	41.3-55.9	190	38.4	32.1-44.7	43	9.5	06.2-12.8	11	2.6	01.0-04.2			
\$50,000- 74,999	404	36,795	4	0.9	00.1-01.7	182	48.1	42.0-54.2	176	41.1	35.4-46.8	39	8.6	05.9-11.3	3	1.2	00.0-02.6			
\$75,000+	503	49,938	6	0.9	00.1-01.7	226	47.7	42.2-53.2	226	42.5	37.0-48.0	38	7.6	04.7-10.5	6	0.9	00.0-01.9	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 40: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1956	210,899	755	37.5	34.4-40.6	1201	62.5	59.4-65.6
Male	775	106,474	307	38.8	33.9-43.7	468	61.2	56.3-66.1
Female	1181	104,425	448	36.2	32.5-39.9	733	63.8	60.1-67.5
Non-Native	1864	195,713	720	37.6	34.5-40.7	1144	62.4	59.3-65.5
18-24	101	51,022	32	31.7	21.9-41.5	69	68.3	58.5-78.1
25-34	239	35,901	92	38.1	31.4-44.8	147	61.9	55.2-68.6
35-44	299	32,388	122	41.2	35.1-47.3	177	58.8	52.7-64.9
45-54	405	33,569	168	41.5	36.4-46.6	237	58.5	53.4-63.6
55-64	376	25,657	159	43.0	37.5-48.5	217	57.0	51.5-62.5
65+	525	31,380	181	34.4	29.9-38.9	344	65.6	61.1-70.1
H.S. or G.E.D.	565	64,765	181	31.5	25.4-37.6	384	68.5	62.4-74.6
Some Post-H.S.	643	68,809	247	35.1	30.0-40.2	396	64.9	59.8-70.0
College Graduate	589	58,018	273	46.5	41.6-51.4	316	53.5	48.6-58.4
\$15,000- 24,999	318	34,087	109	33.4	25.6-41.2	209	66.6	58.8-74.4
\$25,000- 34,999	253	23,832	93	37.3	28.5-46.1	160	62.7	53.9-71.5
\$35,000- 49,999	316	32,707	137	40.9	33.1-48.7	179	59.1	51.3-66.9
\$50,000- 74,999	327	38,481	141	40.7	34.0-47.4	186	59.3	52.6-66.0
\$75,000+	380	45,097	161	40.2	33.7-46.7	219	59.8	53.3-66.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 41: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	775	106,474	307	38.8	33.9-43.7	468	61.2	56.3-66.1
Non-Native	739	98,461	290	38.2	33.5-42.9	449	61.8	57.1-66.5
35-44	134	16,892	55	40.5	31.7-49.3	79	59.5	50.7-68.3
45-54	166	15,945	61	37.1	29.3-44.9	105	62.9	55.1-70.7
55-64	171	14,052	74	44.8	36.8-52.8	97	55.2	47.2-63.2
65+	157	12,124	66	38.3	30.3-46.3	91	61.7	53.7-69.7
H.S. or G.E.D.	237	36,827	76	31.7	22.3-41.1	161	68.3	58.9-77.7
Some Post-H.S.	225	30,426	89	38.2	29.4-47.0	136	61.8	53.0-70.6
College Graduate	245	28,688	117	44.8	37.4-52.2	128	55.2	47.8-62.6
\$50,000- 74,999	153	21,363	65	39.4	29.8-49.0	88	60.6	51.0-70.2
\$75,000+	172	23,809	72	41.2	31.6-50.8	100	58.8	49.2-68.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 42: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1181	104,425	448	36.2	32.5-39.9	733	63.8	60.1-67.5
Non-Native	1125	97,253	430	37.0	33.1-40.9	695	63.0	59.1-66.9
25-34	149	18,554	62	42.0	33.8-50.2	87	58.0	49.8-66.2
35-44	165	15,496	67	42.0	34.0-50.0	98	58.0	50.0-66.0
45-54	239	17,624	107	45.4	38.7-52.1	132	54.6	47.9-61.3
55-64	205	11,604	85	40.9	33.6-48.2	120	59.1	51.8-66.4
65+	368	19,257	115	31.9	26.6-37.2	253	68.1	62.8-73.4
H.S. or G.E.D.	328	27,938	105	31.1	24.0-38.2	223	68.9	61.8-76.0
Some Post-H.S.	418	38,383	158	32.6	26.5-38.7	260	67.4	61.3-73.5
College Graduate	344	29,330	156	48.1	41.6-54.6	188	51.9	45.4-58.4
Less than \$15,000	125	8,102	34	20.4	12.6-28.2	91	79.6	71.8-87.4
\$25,000- 34,999	158	12,088	57	32.3	23.5-41.1	101	67.7	58.9-76.5
\$50,000- 74,999	174	17,117	76	42.3	33.5-51.1	98	57.7	48.9-66.5
\$75,000+	208	21,288	89	39.1	30.7-47.5	119	60.9	52.5-69.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 43: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5035	491,125	4976	98.6	98.0-99.2	32	0.9	00.5-01.3	27	0.5	00.1-00.9
Male	2038	245,252	2017	98.5	97.5-99.5	15	1.2	00.4-02.0	6	0.3	00.0-00.7
Female	2997	245,873	2959	98.7	98.1-99.3	17	0.6	00.2-01.0	21	0.7	00.3-01.1
Native	130	22,145	129	99.2	97.6-0100	1	0.8	00.0-02.4			
Non-Native	4863	465,404	4814	98.8	98.2-99.4	28	0.8	00.4-01.2	21	0.4	00.2-00.6
18-24	163	79,652	159	97.4	94.7-0100	2	1.5	00.0-03.7	2	1.1	00.0-02.7
25-34	504	77,737	500	98.7	97.3-0100	4	1.3	00.0-02.7			
35-44	698	76,084	692	99.0	98.2-99.8	3	0.6	00.0-01.4	3	0.4	00.0-01.0
45-54	1076	92,382	1066	99.0	98.4-99.6	5	0.5	00.0-01.1	5	0.5	00.1-00.9
55-64	999	67,950	993	99.4	98.8-0100	2	0.3	00.0-00.7	4	0.3	00.0-00.7
65+	1544	93,998	1520	98.6	98.0-99.2	16	1.0	00.4-01.6	8	0.4	00.0-00.8
Less Than H.S.	383	36,739	372	97.9	96.5-99.3	7	1.5	00.1-02.9	4	0.6	00.0-01.2
H.S. or G.E.D.	1529	145,085	1514	99.2	98.6-99.8	5	0.2	00.0-00.4	10	0.6	00.0-01.2
Some Post-H.S.	1559	159,669	1540	98.1	96.9-99.3	12	1.5	00.3-02.7	7	0.4	00.0-00.8
College Graduate	1555	148,731	1542	99.2	98.6-99.8	8	0.6	00.0-01.2	5	0.3	00.1-00.5
Less than \$15,000	374	29,987	366	98.3	96.9-99.7	6	1.3	00.1-02.5	2	0.4	00.0-01.0
\$15,000- 24,999	745	68,225	733	98.5	97.3-99.7	9	1.3	00.1-02.5	3	0.2	00.0-00.4
\$25,000- 34,999	604	54,282	597	95.9	92.2-99.6	5	3.3	00.0-06.8	2	0.8	00.0-02.2
\$35,000- 49,999	823	80,122	820	99.8	99.6-0100	1	0.1	00.0-00.3	2	0.2	00.0-00.4
\$50,000- 74,999	848	89,602	843	99.5	99.1-99.9	4	0.4	00.0-00.8	1	0.1	00.0-00.3
\$75,000+	1013	111,636	1012	99.9	99.7-0100	1	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 44: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2038	245,252	2017	98.5	97.5-99.5	15	1.2	00.4-02.0	6	0.3	00.0-00.7
Non-Native	1979	234,290	1963	98.8	98.0-99.6	13	1.1	00.3-01.9	3	0.1	00.1-00.1
18-24	81	42,146	79	96.7	92.2-0100	1	2.0	00.0-05.7	1	1.3	00.0-03.8
25-34	214	41,398	211	97.9	95.4-0100	3	2.1	00.0-04.6			
35-44	316	38,947	314	99.0	97.6-0100	2	1.0	00.0-02.4			
45-54	465	46,147	461	99.3	98.5-0100	3	0.6	00.0-01.4	1	0.2	00.0-00.6
55-64	437	35,633	434	99.4	98.6-0100	2	0.5	00.0-01.3	1	0.1	00.0-00.3
65+	515	39,944	508	98.7	97.7-99.7	4	0.8	00.0-01.6	3	0.4	00.0-01.0
Less Than H.S.	164	18,956	158	97.7	95.7-99.7	3	1.5	00.0-03.3	3	0.9	00.0-01.9
H.S. or G.E.D.	651	79,760	648	99.7	99.3-0100	3	0.3	00.0-00.7			
Some Post-H.S.	560	70,506	554	97.6	95.1-0100	6	2.4	00.0-04.9			
College Graduate	661	75,392	656	99.0	97.8-0100	3	0.8	00.0-02.0	2	0.2	00.0-00.4
Less than \$15,000	109	11,856	104	97.2	94.3-0100	4	2.5	00.0-05.4	1	0.3	00.0-00.9
\$15,000- 24,999	255	30,973	252	98.5	96.5-0100	3	1.5	00.0-03.5			
\$25,000- 34,999	229	27,724	224	93.5	87.0-0100	5	6.5	00.0-13.0			
\$35,000- 49,999	384	43,241	382	99.7	99.3-0100	1	0.1	00.0-00.3	1	0.2	00.0-00.6
\$50,000- 74,999	415	50,266	413	99.6	99.0-0100	1	0.3	00.0-00.9	1	0.2	00.0-00.6
\$75,000+	490	59,975	489	99.8	99.4-0100	1	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 45: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2997	245,873	2959	98.7	98.1-99.3	17	0.6	00.2-01.0	21	0.7	00.3-01.1
Native	88	13,024	87	98.7	96.2-0100	1	1.3	00.0-03.8			
Non-Native	2884	231,113	2851	98.8	98.2-99.4	15	0.5	00.1-00.9	18	0.7	00.3-01.1
18-24	82	37,506	80	98.1	95.6-0100	1	0.9	00.0-02.7	1	0.9	00.0-02.7
25-34	290	36,339	289	99.7	99.1-0100	1	0.3	00.0-00.9			
35-44	382	37,137	378	99.0	98.0-0100	1	0.1	00.0-00.3	3	0.9	00.0-01.9
45-54	611	46,235	605	98.7	97.7-99.7	2	0.5	00.0-01.3	4	0.7	00.0-01.5
55-64	562	32,317	559	99.5	98.9-0100				3	0.5	00.0-01.1
65+	1029	54,054	1012	98.5	97.7-99.3	12	1.1	00.5-01.7	5	0.4	00.0-00.8
Less Than H.S.	219	17,783	214	98.2	96.0-0100	4	1.6	00.0-03.6	1	0.2	00.0-00.6
H.S. or G.E.D.	878	65,325	866	98.5	97.3-99.7	2	0.2	00.0-00.4	10	1.3	00.1-02.5
Some Post-H.S.	999	89,162	986	98.5	97.5-99.5	6	0.8	00.0-01.6	7	0.7	00.1-01.3
College Graduate	894	73,340	886	99.3	98.7-99.9	5	0.3	00.1-00.5	3	0.4	00.0-00.8
Less than \$15,000	265	18,132	262	99.1	97.9-0100	2	0.5	00.0-01.3	1	0.4	00.0-01.2
\$15,000- 24,999	490	37,252	481	98.4	97.0-99.8	6	1.2	00.0-02.4	3	0.4	00.0-00.8
\$25,000- 34,999	375	26,558	373	98.4	95.9-0100				2	1.6	00.0-04.1
\$35,000- 49,999	439	36,882	438	99.9	99.7-0100				1	0.1	00.0-00.3
\$50,000- 74,999	433	39,336	430	99.5	98.9-0100	3	0.5	00.0-01.1			
\$75,000+	523	51,661	523	100.0	0100-0100						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 46: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5035	491,125	4917	97.8	97.2-98.4	46	0.8	00.4-01.2	72	1.4	01.0-01.8
Male	2038	245,252	1992	98.0	97.2-98.8	21	0.8	00.2-01.4	25	1.1	00.5-01.7
Female	2997	245,873	2925	97.6	96.8-98.4	25	0.8	00.4-01.2	47	1.6	01.0-02.2
Native	130	22,145	129	99.8	99.4-0100				1	0.2	00.0-00.6
Non-Native	4863	465,404	4757	98.0	97.4-98.6	40	0.8	00.4-01.2	66	1.2	00.8-01.6
18-24	163	79,652	159	97.3	94.8-99.8	2	1.4	00.0-03.2	2	1.4	00.0-03.2
25-34	504	77,737	501	99.4	98.6-0100				3	0.6	00.0-01.4
35-44	698	76,084	687	98.3	97.3-99.3	3	0.5	00.0-01.1	8	1.3	00.3-02.3
45-54	1076	92,382	1063	98.8	98.2-99.4	1	0.1	00.0-00.3	12	1.1	00.5-01.7
55-64	999	67,950	977	97.7	96.7-98.7	5	0.5	00.1-00.9	17	1.9	00.9-02.9
65+	1544	93,998	1489	96.4	95.4-97.4	35	2.3	01.5-03.1	20	1.3	00.7-01.9
Less Than H.S.	383	36,739	363	96.2	94.4-98.0	11	2.1	00.7-03.5	9	1.7	00.5-02.9
H.S. or G.E.D.	1529	145,085	1491	98.4	97.8-99.0	15	0.6	00.2-01.0	23	1.0	00.6-01.4
Some Post-H.S.	1559	159,669	1516	96.7	95.3-98.1	15	1.3	00.3-02.3	28	2.1	01.1-03.1
College Graduate	1555	148,731	1540	99.3	98.9-99.7	5	0.2	00.0-00.4	10	0.5	00.1-00.9
Less than \$15,000	374	29,987	360	96.9	95.1-98.7	10	2.2	00.6-03.8	4	0.9	00.0-01.9
\$15,000- 24,999	745	68,225	724	97.9	96.9-98.9	11	0.9	00.3-01.5	10	1.1	00.3-01.9
\$25,000- 34,999	604	54,282	594	97.7	95.5-99.9	7	1.1	00.1-02.1	3	1.2	00.0-03.2
\$35,000- 49,999	823	80,122	815	98.7	97.3-0100	3	0.8	00.0-02.2	5	0.5	00.0-01.1
\$50,000- 74,999	848	89,602	836	98.7	97.9-99.5	1	0.1	00.0-00.3	11	1.2	00.4-02.0
\$75,000+	1013	111,636	1004	98.8	97.8-99.8	3	0.6	00.0-01.6	6	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 47: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2038	245,252	1992	98.0	97.2-98.8	21	0.8	00.2-01.4	25	1.1	00.5-01.7
Non-Native	1979	234,290	1938	98.3	97.7-98.9	19	0.8	00.2-01.4	22	0.9	00.5-01.3
18-24	81	42,146	79	97.4	93.9-0100	1	1.3	00.0-03.8	1	1.3	00.0-03.8
25-34	214	41,398	213	99.5	98.5-0100				1	0.5	00.0-01.5
35-44	316	38,947	311	98.4	97.0-99.8	2	0.7	00.0-01.7	3	0.8	00.0-01.8
45-54	465	46,147	457	98.5	97.3-99.7				8	1.5	00.3-02.7
55-64	437	35,633	428	98.0	96.6-99.4	2	0.4	00.0-01.0	7	1.6	00.4-02.8
65+	515	39,944	494	96.2	94.4-98.0	16	2.6	01.2-04.0	5	1.1	00.1-02.1
Less Than H.S.	164	18,956	151	94.4	91.1-97.7	8	3.1	00.7-05.5	5	2.5	00.3-04.7
H.S. or G.E.D.	651	79,760	639	99.0	98.4-99.6	6	0.5	00.1-00.9	6	0.5	00.1-00.9
Some Post-H.S.	560	70,506	545	97.1	95.1-99.1	6	1.4	00.0-03.0	9	1.4	00.4-02.4
College Graduate	661	75,392	656	99.5	98.9-0100	1	0.1	00.0-00.3	4	0.5	00.1-00.9
Less than \$15,000	109	11,856	100	94.2	89.9-98.5	8	4.9	01.2-08.6	1	0.9	00.0-02.7
\$15,000- 24,999	255	30,973	247	98.2	96.8-99.6	4	0.8	00.0-01.8	4	1.0	00.0-02.0
\$25,000- 34,999	229	27,724	225	98.6	97.0-0100	4	1.4	00.0-03.0			
\$35,000- 49,999	384	43,241	381	98.4	95.9-0100	2	1.4	00.0-03.9	1	0.2	00.0-00.6
\$50,000- 74,999	415	50,266	406	98.1	96.7-99.5	1	0.2	00.0-00.6	8	1.7	00.5-02.9
\$75,000+	490	59,975	485	99.3	98.7-99.9	1	0.1	00.0-00.3	4	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 48: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2997	245,873	2925	97.6	96.8-98.4	25	0.8	00.4-01.2	47	1.6	01.0-02.2
Native	88	13,024	87	99.7	99.1-0100				1	0.3	00.0-00.9
Non-Native	2884	231,113	2819	97.6	96.8-98.4	21	0.7	00.1-01.3	44	1.6	01.0-02.2
18-24	82	37,506	80	97.2	93.3-0100	1	1.4	00.0-04.1	1	1.4	00.0-04.1
25-34	290	36,339	288	99.2	98.0-0100				2	0.8	00.0-02.0
35-44	382	37,137	376	98.1	96.5-99.7	1	0.2	00.0-00.6	5	1.7	00.1-03.3
45-54	611	46,235	606	99.2	98.4-0100	1	0.2	00.0-00.6	4	0.7	00.1-01.3
55-64	562	32,317	549	97.3	95.7-98.9	3	0.5	00.0-01.1	10	2.1	00.5-03.7
65+	1029	54,054	995	96.6	95.4-97.8	19	2.0	01.0-03.0	15	1.4	00.6-02.2
Less Than H.S.	219	17,783	212	98.2	96.6-99.8	3	1.0	00.0-02.2	4	0.9	00.0-01.9
H.S. or G.E.D.	878	65,325	852	97.7	96.7-98.7	9	0.8	00.2-01.4	17	1.5	00.7-02.3
Some Post-H.S.	999	89,162	971	96.3	94.3-98.3	9	1.2	00.0-02.4	19	2.5	00.9-04.1
College Graduate	894	73,340	884	99.1	98.5-99.7	4	0.3	00.1-00.5	6	0.6	00.0-01.2
Less than \$15,000	265	18,132	260	98.6	97.4-99.8	2	0.5	00.0-01.3	3	0.8	00.0-01.8
\$15,000- 24,999	490	37,252	477	97.8	96.4-99.2	7	1.0	00.2-01.8	6	1.2	00.0-02.4
\$25,000- 34,999	375	26,558	369	96.9	93.0-0100	3	0.7	00.0-01.5	3	2.5	00.0-06.4
\$35,000- 49,999	439	36,882	434	99.0	97.8-0100	1	0.2	00.0-00.6	4	0.8	00.0-01.8
\$50,000- 74,999	433	39,336	430	99.5	98.9-0100				3	0.5	00.0-01.1
\$75,000+	523	51,661	519	98.4	96.2-0100	2	1.1	00.0-03.1	2	0.5	00.0-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 49: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5024	490,012	153	2.4	02.0-02.8	4871	97.6	97.2-98.0
Male	2035	244,829	69	2.5	01.7-03.3	1966	97.5	96.7-98.3
Female	2989	245,183	84	2.2	01.6-02.8	2905	97.8	97.2-98.4
Native	130	22,145	1	0.2	00.0-00.6	129	99.8	99.4-0100
Non-Native	4853	464,339	151	2.5	01.9-03.1	4702	97.5	96.9-98.1
18-24	163	79,652	4	1.9	00.0-03.9	159	98.1	96.1-0100
25-34	503	77,545	9	1.4	00.4-02.4	494	98.6	97.6-99.6
35-44	696	75,837	22	2.3	01.3-03.3	674	97.7	96.7-98.7
45-54	1074	92,114	48	3.8	02.6-05.0	1026	96.2	95.0-97.4
55-64	997	67,871	44	3.4	02.4-04.4	953	96.6	95.6-97.6
65+	1542	93,880	23	1.2	00.6-01.8	1519	98.8	98.2-99.4
Less Than H.S.	380	36,590	5	0.8	00.0-01.8	375	99.2	98.2-0100
H.S. or G.E.D.	1525	144,590	32	1.4	00.8-02.0	1493	98.6	98.0-99.2
Some Post-H.S.	1557	159,412	52	2.9	01.7-04.1	1505	97.1	95.9-98.3
College Graduate	1553	148,519	64	3.0	02.0-04.0	1489	97.0	96.0-98.0
Less than \$15,000	373	29,945	3	0.5	00.0-01.1	370	99.5	98.9-0100
\$15,000- 24,999	744	68,126	10	0.8	00.2-01.4	734	99.2	98.6-99.8
\$25,000- 34,999	604	54,282	14	2.5	00.7-04.3	590	97.5	95.7-99.3
\$35,000- 49,999	821	79,817	24	2.4	00.8-04.0	797	97.6	96.0-99.2
\$50,000- 74,999	847	89,454	19	1.4	00.6-02.2	828	98.6	97.8-99.4
\$75,000+	1012	111,481	60	4.1	02.9-05.3	952	95.9	94.7-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 50: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2035	244,829	69	2.5	01.7-03.3	1966	97.5	96.7-98.3
Non-Native	1976	233,868	68	2.6	01.8-03.4	1908	97.4	96.6-98.2
18-24	81	42,146	2	2.0	00.0-04.7	79	98.0	95.3-0100
25-34	213	41,206	6	1.7	00.3-03.1	207	98.3	96.9-99.7
35-44	316	38,947	9	2.2	00.6-03.8	307	97.8	96.2-99.4
45-54	464	45,992	24	4.5	02.5-06.5	440	95.5	93.5-97.5
55-64	437	35,633	17	2.9	01.5-04.3	420	97.1	95.7-98.5
65+	514	39,869	10	1.6	00.4-02.8	504	98.4	97.2-99.6
Less Than H.S.	163	18,881	2	1.0	00.0-02.6	161	99.0	97.4-0100
H.S. or G.E.D.	649	79,412	20	1.9	00.9-02.9	629	98.1	97.1-99.1
Some Post-H.S.	560	70,506	19	3.3	01.3-05.3	541	96.7	94.7-98.7
College Graduate	661	75,392	28	2.9	01.7-04.1	633	97.1	95.9-98.3
Less than \$15,000	109	11,856				109	100.0	0100-0100
\$15,000- 24,999	255	30,973	5	1.0	00.0-02.0	250	99.0	98.0-0100
\$25,000- 34,999	229	27,724	4	1.4	00.0-02.8	225	98.6	97.2-0100
\$35,000- 49,999	383	43,048	15	3.7	01.0-06.4	368	96.3	93.6-99.0
\$50,000- 74,999	415	50,266	9	1.4	00.4-02.4	406	98.6	97.6-99.6
\$75,000+	489	59,820	30	4.4	02.6-06.2	459	95.6	93.8-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 51: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2989	245,183	84	2.2	01.6-02.8	2905	97.8	97.2-98.4
Native	88	13,024	1	0.4	00.0-01.2	87	99.6	98.8-0100
Non-Native	2877	230,471	83	2.3	01.7-02.9	2794	97.7	97.1-98.3
18-24	82	37,506	2	1.9	00.0-04.4	80	98.1	95.6-0100
25-34	290	36,339	3	1.0	00.0-02.2	287	99.0	97.8-0100
35-44	380	36,890	13	2.5	00.9-04.1	367	97.5	95.9-99.1
45-54	610	46,122	24	3.2	01.8-04.6	586	96.8	95.4-98.2
55-64	560	32,238	27	3.9	02.3-05.5	533	96.1	94.5-97.7
65+	1028	54,011	13	1.0	00.4-01.6	1015	99.0	98.4-99.6
Less Than H.S.	217	17,708	3	0.6	00.0-01.4	214	99.4	98.6-0100
H.S. or G.E.D.	876	65,178	12	0.9	00.3-01.5	864	99.1	98.5-99.7
Some Post-H.S.	997	88,905	33	2.7	01.5-03.9	964	97.3	96.1-98.5
College Graduate	892	73,128	36	3.1	01.7-04.5	856	96.9	95.5-98.3
Less than \$15,000	264	18,089	3	0.8	00.0-01.8	261	99.2	98.2-0100
\$15,000- 24,999	489	37,153	5	0.6	00.0-01.2	484	99.4	98.8-0100
\$25,000- 34,999	375	26,558	10	3.7	00.6-06.8	365	96.3	93.2-99.4
\$35,000- 49,999	438	36,769	9	0.8	00.2-01.4	429	99.2	98.6-99.8
\$50,000- 74,999	432	39,187	10	1.5	00.5-02.5	422	98.5	97.5-99.5
\$75,000+	523	51,661	30	3.8	02.2-05.4	493	96.2	94.6-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 52: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Two Numbers			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	151	11,371	76	40.0	30.0-50.0	6	2.2	00.2-04.2	5	0.6	00.0-01.2
Male	68	6,078				5	3.8	00.3-07.3			
Female	83	5,294				1	0.4	00.0-01.2	5	1.3	00.1-02.5
Non-Native	149	11,218	75	40.1	30.1-50.1	6	2.2	00.2-04.2	5	0.6	00.0-01.2
Some Post-H.S.	51	4,604				1	1.4	00.0-04.1	2	0.6	00.0-01.6
College Graduate	63	4,372				3	2.9	00.0-06.2	2	0.7	00.0-01.7
\$75,000+	59	4,508				1	0.9	00.0-02.7	2	0.8	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 53: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Three Numbers %	C.I. (95%)
	TOTAL	WEIGHTED			
Male	68	6,078	5	3.8	00.3-07.3
Non-Native	67	5,974	5	3.8	00.3-07.3

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 54: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**  
Denominator excludes: Respondents reporting only one phone number in the household  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Three Numbers			Four Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	83	5,294	1	0.4	00.0-01.2	5	1.3	00.1-02.5	
Non-Native	82	5,244	1	0.4	00.0-01.2	5	1.3	00.1-02.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 55: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5022	488,824	110	3.3	02.5-04.1	4912	96.7	95.9-97.5
Male	2031	243,275	42	2.9	01.7-04.1	1989	97.1	95.9-98.3
Female	2991	245,548	68	3.7	02.3-05.1	2923	96.3	94.9-97.7
Native	130	22,145	9	9.9	00.3-19.5	121	90.1	80.5-99.7
Non-Native	4852	463,729	101	3.0	02.2-03.8	4751	97.0	96.2-97.8
18-24	161	78,555	11	6.9	02.6-11.2	150	93.1	88.8-97.4
25-34	503	77,305	27	6.7	04.0-09.4	476	93.3	90.6-96.0
35-44	694	75,618	20	3.0	01.4-04.6	674	97.0	95.4-98.6
45-54	1073	92,178	17	1.5	00.7-02.3	1056	98.5	97.7-99.3
55-64	999	67,950	16	1.4	00.6-02.2	983	98.6	97.8-99.4
65+	1541	93,897	18	1.0	00.4-01.6	1523	99.0	98.4-99.6
Less Than H.S.	382	36,710	8	4.0	00.0-09.5	374	96.0	90.5-0100
H.S. or G.E.D.	1527	144,484	32	3.6	02.0-05.2	1495	96.4	94.8-98.0
Some Post-H.S.	1555	159,226	32	2.8	01.4-04.2	1523	97.2	95.8-98.6
College Graduate	1550	148,051	38	3.5	02.1-04.9	1512	96.5	95.1-97.9
Less than \$15,000	373	29,958	15	6.4	01.9-10.9	358	93.6	89.1-98.1
\$15,000- 24,999	744	68,173	25	6.8	02.9-10.7	719	93.2	89.3-97.1
\$25,000- 34,999	602	53,659	14	2.0	00.6-03.4	588	98.0	96.6-99.4
\$35,000- 49,999	821	79,952	17	3.2	01.0-05.4	804	96.8	94.6-99.0
\$50,000- 74,999	847	89,524	17	3.5	01.7-05.3	830	96.5	94.7-98.3
\$75,000+	1013	111,636	13	2.0	00.6-03.4	1000	98.0	96.6-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 56: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2031	243,275	42	2.9	01.7-04.1	1989	97.1	95.9-98.3
Non-Native	1974	232,940	41	3.0	01.8-04.2	1933	97.0	95.8-98.2
18-24	79	41,049	3	4.0	00.0-08.5	76	96.0	91.5-0100
25-34	213	40,966	16	8.4	04.3-12.5	197	91.6	87.5-95.7
35-44	314	38,629	8	2.3	00.5-04.1	306	97.7	95.9-99.5
45-54	463	46,018	6	1.1	00.1-02.1	457	98.9	97.9-99.9
55-64	437	35,633	4	0.9	00.0-01.9	433	99.1	98.1-0100
65+	515	39,944	5	0.7	00.1-01.3	510	99.3	98.7-99.9
Less Than H.S.	164	18,956	2	0.6	00.0-01.6	162	99.4	98.4-0100
H.S. or G.E.D.	649	79,159	12	2.5	00.5-04.5	637	97.5	95.5-99.5
Some Post-H.S.	558	70,188	13	4.1	01.4-06.8	545	95.9	93.2-98.6
College Graduate	659	74,882	15	2.8	01.2-04.4	644	97.2	95.6-98.8
Less than \$15,000	109	11,856	3	2.3	00.0-05.2	106	97.7	94.8-0100
\$15,000- 24,999	254	30,921	8	4.1	00.2-08.0	246	95.9	92.0-99.8
\$25,000- 34,999	227	27,102	9	3.3	00.8-05.8	218	96.7	94.2-99.2
\$35,000- 49,999	383	43,113	6	4.0	00.3-07.7	377	96.0	92.3-99.7
\$50,000- 74,999	414	50,189	11	3.9	01.5-06.3	403	96.1	93.7-98.5
\$75,000+	490	59,975	5	1.7	00.1-03.3	485	98.3	96.7-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 57: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2991	245,548	68	3.7	02.3-05.1	2923	96.3	94.9-97.7
Non-Native	2878	230,789	60	3.1	01.9-04.3	2818	96.9	95.7-98.1
18-24	82	37,506	8	10.1	02.7-17.5	74	89.9	82.5-97.3
25-34	290	36,339	11	4.8	01.7-07.9	279	95.2	92.1-98.3
35-44	380	36,989	12	3.8	01.4-06.2	368	96.2	93.8-98.6
45-54	610	46,160	11	1.9	00.7-03.1	599	98.1	96.9-99.3
55-64	562	32,317	12	1.8	00.6-03.0	550	98.2	97.0-99.4
65+	1026	53,953	13	1.3	00.5-02.1	1013	98.7	97.9-99.5
Less Than H.S.	218	17,754	6	7.6	00.0-18.6	212	92.4	81.4-0100
H.S. or G.E.D.	878	65,325	20	5.0	02.3-07.7	858	95.0	92.3-97.7
Some Post-H.S.	997	89,038	19	1.7	00.7-02.7	978	98.3	97.3-99.3
College Graduate	891	73,169	23	4.2	02.0-06.4	868	95.8	93.6-98.0
Less than \$15,000	264	18,102	12	9.1	02.2-16.0	252	90.9	84.0-97.8
\$15,000- 24,999	490	37,252	17	9.1	02.6-15.6	473	90.9	84.4-97.4
\$25,000- 34,999	375	26,558	5	0.8	00.0-01.6	370	99.2	98.4-0100
\$35,000- 49,999	438	36,839	11	2.2	00.6-03.8	427	97.8	96.2-99.4
\$50,000- 74,999	433	39,336	6	2.9	00.2-05.6	427	97.1	94.4-99.8
\$75,000+	523	51,661	8	2.4	00.2-04.6	515	97.6	95.4-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5035	491,125	2038	49.9	47.9-51.9	2997	50.1	48.1-52.1	
Non-Native	4863	465,404	1979	50.3	48.3-52.3	2884	49.7	47.7-51.7	
18-24	163	79,652	81	52.9	44.7-61.1	82	47.1	38.9-55.3	
25-34	504	77,737	214	53.3	48.6-58.0	290	46.7	42.0-51.4	
35-44	698	76,084	316	51.2	47.3-55.1	382	48.8	44.9-52.7	
45-54	1076	92,382	465	50.0	46.7-53.3	611	50.0	46.7-53.3	
55-64	999	67,950	437	52.4	49.1-55.7	562	47.6	44.3-50.9	
65+	1544	93,998	515	42.5	39.8-45.2	1029	57.5	54.8-60.2	
Less Than H.S.	383	36,739	164	51.6	43.8-59.4	219	48.4	40.6-56.2	
H.S. or G.E.D.	1529	145,085	651	55.0	51.5-58.5	878	45.0	41.5-48.5	
Some Post-H.S.	1559	159,669	560	44.2	40.7-47.7	999	55.8	52.3-59.3	
College Graduate	1555	148,731	661	50.7	47.8-53.6	894	49.3	46.4-52.2	
Less than \$15,000	374	29,987	109	39.5	29.9-49.1	265	60.5	50.9-70.1	
\$15,000- 24,999	745	68,225	255	45.4	39.9-50.9	490	54.6	49.1-60.1	
\$25,000- 34,999	604	54,282	229	51.1	45.4-56.8	375	48.9	43.2-54.6	
\$35,000- 49,999	823	80,122	384	54.0	49.3-58.7	439	46.0	41.3-50.7	
\$50,000- 74,999	848	89,602	415	56.1	52.2-60.0	433	43.9	40.0-47.8	
\$75,000+	1013	111,636	490	53.7	50.0-57.4	523	46.3	42.6-50.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 12: DEMOGRAPHICS**

**TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	752	110,797	33	5.0	03.0-07.0	719	95.0	93.0-97.0
Native	50	10,669	3	4.3	00.0-09.4	47	95.7	90.6-0100
Non-Native	699	99,628	30	5.1	02.9-07.3	669	94.9	92.7-97.1
18-24	82	37,506	5	5.2	00.7-09.7	77	94.8	90.3-99.3
25-34	288	36,154	20	7.3	04.2-10.4	268	92.7	89.6-95.8
35-44	382	37,137	8	2.6	00.6-04.6	374	97.4	95.4-99.4
H.S. or G.E.D.	147	22,806	9	10.1	03.0-17.2	138	89.9	82.8-97.0
Some Post-H.S.	273	44,368	10	3.2	01.0-05.4	263	96.8	94.6-99.0
College Graduate	307	36,599	14	4.9	02.4-07.4	293	95.1	92.6-97.6
Less than \$15,000	53	8,277	4	5.5	00.0-11.6	49	94.5	88.4-0100
\$15,000- 24,999	106	17,396	3	4.5	00.0-10.6	103	95.5	89.4-0100
\$25,000- 34,999	82	10,149	2	4.7	00.0-11.8	80	95.3	88.2-0100
\$35,000- 49,999	120	17,521	7	7.9	01.6-14.2	113	92.1	85.8-98.4
\$50,000- 74,999	151	20,160	10	7.9	02.8-13.0	141	92.1	87.0-97.2
\$75,000+	184	26,420	6	2.8	00.4-05.2	178	97.2	94.8-99.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 13: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)	
1 MALES AND FEMALES	148
2 MALES ONLY	149
3 FEMALES ONLY	150
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
4 MALES AND FEMALES	151
5 MALES ONLY	152
6 FEMALES ONLY	153
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS. (AVEDRNK2)	
7 MALES AND FEMALES	154
8 MALES ONLY	155
9 FEMALES ONLY	156
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
10 MALES AND FEMALES	157
11 MALES ONLY	158
12 FEMALES ONLY	159
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
13 MALES AND FEMALES	160
14 MALES ONLY	161
15 FEMALES ONLY	162

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5012	488,910	2796	57.8	55.8-59.8	2216	42.2	40.2-44.2
Male	2027	243,874	1335	65.1	62.2-68.0	692	34.9	32.0-37.8
Female	2985	245,037	1461	50.6	48.1-53.1	1524	49.4	46.9-51.9
Non-Native	4840	463,189	2725	58.9	56.9-60.9	2115	41.1	39.1-43.1
18-24	162	79,286	83	47.7	39.5-55.9	79	52.3	44.1-60.5
25-34	503	77,545	342	68.5	64.0-73.0	161	31.5	27.0-36.0
35-44	695	75,731	459	66.3	62.6-70.0	236	33.7	30.0-37.4
45-54	1072	92,048	712	67.5	64.6-70.4	360	32.5	29.6-35.4
55-64	993	67,485	582	59.6	56.3-62.9	411	40.4	37.1-43.7
65+	1537	93,558	595	40.0	37.3-42.7	942	60.0	57.3-62.7
Less Than H.S.	379	36,528	122	29.2	22.9-35.5	257	70.8	64.5-77.1
H.S. or G.E.D.	1520	144,420	779	51.7	48.2-55.2	741	48.3	44.8-51.8
Some Post-H.S.	1554	158,968	885	59.9	56.4-63.4	669	40.1	36.6-43.6
College Graduate	1550	148,094	1008	68.8	66.1-71.5	542	31.2	28.5-33.9
Less than \$15,000	374	29,987	127	32.8	25.4-40.2	247	67.2	59.8-74.6
\$15,000- 24,999	739	67,742	316	47.1	41.4-52.8	423	52.9	47.2-58.6
\$25,000- 34,999	602	54,193	320	55.8	50.1-61.5	282	44.2	38.5-49.9
\$35,000- 49,999	822	79,930	477	57.0	52.3-61.7	345	43.0	38.3-47.7
\$50,000- 74,999	847	89,513	565	69.5	65.8-73.2	282	30.5	26.8-34.2
\$75,000+	1010	110,974	733	72.0	68.5-75.5	277	28.0	24.5-31.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2027	243,874	1335	65.1	62.2-68.0	692	34.9	32.0-37.8	
Non-Native	1968	232,912	1301	66.2	63.5-68.9	667	33.8	31.1-36.5	
25-34	213	41,206	167	77.3	71.0-83.6	46	22.7	16.4-29.0	
35-44	314	38,693	236	74.7	69.4-80.0	78	25.3	20.0-30.6	
45-54	464	46,096	331	71.9	67.6-76.2	133	28.1	23.8-32.4	
55-64	433	35,231	288	66.4	61.7-71.1	145	33.6	28.9-38.3	
65+	513	39,831	264	50.9	46.2-55.6	249	49.1	44.4-53.8	
Less Than H.S.	163	18,905	70	35.9	26.5-45.3	93	64.1	54.7-73.5	
H.S. or G.E.D.	647	79,424	416	58.9	53.2-64.6	231	41.1	35.4-46.8	
Some Post-H.S.	556	69,835	373	68.5	63.4-73.6	183	31.5	26.4-36.6	
College Graduate	659	75,072	475	76.2	72.7-79.7	184	23.8	20.3-27.3	
\$15,000- 24,999	252	30,661	131	52.6	43.8-61.4	121	47.4	38.6-56.2	
\$25,000- 34,999	227	27,635	139	59.4	50.0-68.8	88	40.6	31.2-50.0	
\$35,000- 49,999	383	43,048	249	65.5	59.4-71.6	134	34.5	28.4-40.6	
\$50,000- 74,999	414	50,177	300	75.9	71.4-80.4	114	24.1	19.6-28.6	
\$75,000+	488	59,482	378	78.3	73.6-83.0	110	21.7	17.0-26.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2985	245,037	1461	50.6	48.1-53.1	1524	49.4	46.9-51.9
Non-Native	2872	230,277	1424	51.6	49.1-54.1	1448	48.4	45.9-50.9
25-34	290	36,339	175	58.5	52.4-64.6	115	41.5	35.4-47.6
35-44	381	37,038	223	57.6	52.3-62.9	158	42.4	37.1-47.7
45-54	608	45,953	381	63.2	59.1-67.3	227	36.8	32.7-40.9
55-64	560	32,253	294	52.2	47.9-56.5	266	47.8	43.5-52.1
65+	1024	53,727	331	31.9	28.8-35.0	693	68.1	65.0-71.2
Less Than H.S.	216	17,623	52	21.9	13.9-29.9	164	78.1	70.1-86.1
H.S. or G.E.D.	873	64,996	363	42.9	38.4-47.4	510	57.1	52.6-61.6
Some Post-H.S.	998	89,133	512	53.2	48.5-57.9	486	46.8	42.1-51.5
College Graduate	891	73,021	533	61.3	57.6-65.0	358	38.7	35.0-42.4
Less than \$15,000	265	18,132	68	24.5	16.9-32.1	197	75.5	67.9-83.1
\$15,000- 24,999	487	37,081	185	42.6	35.3-49.9	302	57.4	50.1-64.7
\$25,000- 34,999	375	26,558	181	52.0	45.3-58.7	194	48.0	41.3-54.7
\$35,000- 49,999	439	36,882	228	47.0	40.3-53.7	211	53.0	46.3-59.7
\$50,000- 74,999	433	39,336	265	61.4	55.7-67.1	168	38.6	32.9-44.3
\$75,000+	522	51,492	355	64.7	59.2-70.2	167	35.3	29.8-40.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2729	276,448	796	30.2	27.8-32.6	63	1.8	0.1-0.2	1560	57.2	54.8-59.6	294	10.4	0.9-11.8	16	0.4	0.0-0.6
Male	1303	155,317	403	31.6	28.5-34.7	46	2.5	0.1-0.3	653	51.4	48.1-54.7	197	14.3	11.9-16.7	4	0.2	0.0-0.4
Female	1426	121,132	393	28.5	25.4-31.6	17	1.0	0.0-0.1	907	64.6	61.3-67.9	97	5.3	0.4-0.6	12	0.5	0.0-0.9
Native	56	8,155										4	5.3	0.0-10.8	1	0.8	0.0-0.2
Non-Native	2663	267,179	783	30.4	28.0-32.8	62	1.9	0.1-0.2	1514	56.8	54.4-59.2	289	10.5	0.8-12.1	15	0.4	0.0-0.6
18-24	81	36,933										6	8.9	0.2-15.8			
25-34	338	52,428	92	27.2	22.1-32.3	3	1.3	0.0-0.2	225	65.8	60.3-71.3	18	5.7	0.2-0.8			
35-44	450	49,329	143	33.3	28.6-38.0	7	1.1	0.0-0.1	255	56.2	51.3-61.1	44	9.3	0.6-12.0	1	0.2	0.0-0.6
45-54	698	61,040	228	32.0	28.3-35.7	7	1.0	0.0-0.1	398	56.5	52.6-60.4	62	10.0	0.7-12.5	3	0.4	0.0-0.1
55-64	566	39,201	147	25.5	21.6-29.4	19	3.4	0.1-0.5	329	57.6	53.3-61.9	68	13.1	10.0-16.2	3	0.5	0.0-0.1
65+	575	36,029	148	25.9	22.0-29.8	25	4.7	0.2-0.6	299	50.4	45.9-54.9	94	17.6	14.1-21.1	9	1.3	0.0-0.2
Less Than H.S.	117	9,965	36	27.9	18.7-37.1	4	2.5	0.0-0.5				16	14.0	0.6-21.1	2	1.1	0.0-0.2
H.S. or G.E.D.	750	71,795	209	28.8	24.5-33.1	22	2.3	0.1-0.3	424	57.6	53.1-62.1	87	10.6	0.8-13.0	8	0.6	0.0-0.1
Some Post-H.S.	867	93,878	244	31.3	26.8-35.8	18	1.5	0.0-0.2	523	58.8	54.1-63.5	81	8.3	0.5-10.8	1	0.0	0.0-0.0
College Graduate	993	100,657	306	30.5	27.2-33.8	19	1.7	0.0-0.2	553	55.6	51.9-59.3	110	11.7	0.9-14.4	5	0.4	0.0-0.8
Less than \$15,000	121	9,443	36	24.0	15.0-33.0	2	1.0	0.0-0.2				12	9.9	0.1-17.9	1	0.3	0.0-0.9
\$15,000- 24,999	310	31,253	86	30.3	21.7-38.9	8	1.7	0.0-0.2	177	56.7	47.9-65.5	34	10.3	0.5-15.6	5	1.0	0.0-0.2
\$25,000- 34,999	310	29,197	86	28.9	21.8-36.0	6	1.3	0.0-0.2	180	58.3	50.7-65.9	36	11.1	0.6-15.4	2	0.4	0.0-0.1
\$35,000- 49,999	469	45,077	134	30.0	24.7-35.3	9	1.6	0.0-0.2	284	59.3	53.6-65.0	41	9.0	0.5-12.3	1	0.1	0.0-0.3
\$50,000- 74,999	557	61,525	171	31.3	26.4-36.2	15	2.4	0.0-0.4	306	55.7	50.6-60.8	62	10.1	0.7-13.2	3	0.5	0.0-0.1
\$75,000+	724	79,004	224	30.9	27.0-34.8	16	1.8	0.0-0.2	397	56.2	51.9-60.5	86	11.0	0.8-13.4	1	0.0	0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 5: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1303	155,317	403	31.6	28.5-34.7	46	2.5	01.7-03.3	653	51.4	48.1-54.7	197	14.3	11.9-16.7	4	0.2	00.0-00.4
Non-Native	1272	151,066	396	32.0	28.7-35.3	45	2.5	01.7-03.3	634	50.9	47.4-54.4	193	14.4	12.0-16.8	4	0.2	00.0-00.4
25-34	165	31,413	49	29.5	22.2-36.8	1	0.6	00.0-01.8	102	62.4	54.6-70.2	13	7.5	03.0-12.0			
35-44	233	28,577	75	34.0	27.5-40.5	4	1.3	00.0-02.7	118	51.0	44.3-57.7	36	13.7	09.2-18.2			
45-54	322	32,400	123	35.6	30.1-41.1	5	1.4	00.0-02.8	153	49.2	43.3-55.1	39	13.2	09.1-17.3	2	0.5	00.0-01.3
55-64	280	22,785	69	25.0	19.5-30.5	16	5.2	02.7-07.7	148	52.5	46.2-58.8	46	17.0	12.3-21.7	1	0.4	00.0-01.2
65+	256	19,471	68	25.9	20.2-31.6	18	7.2	03.7-10.7	114	44.5	38.0-51.0	55	21.8	16.3-27.3	1	0.6	00.0-01.8
Less Than H.S.	66	6,154				3	3.3	00.0-07.4									
H.S. or G.E.D.	402	45,457	113	28.7	23.0-34.4	20	3.4	01.8-05.0	203	54.1	48.0-60.2	63	13.2	09.7-16.7	3	0.5	00.0-01.1
Some Post-H.S.	366	47,198	122	34.1	27.6-40.6	15	2.7	01.1-04.3	180	50.6	43.7-57.5	49	12.6	08.1-17.1			
College Graduate	468	56,418	147	32.0	27.1-36.9	8	1.4	00.4-02.4	240	50.3	45.0-55.6	72	16.1	11.6-20.6	1	0.2	00.0-00.6
Less than \$15,000	55	5,064				2	1.8	00.0-04.3									
\$15,000- 24,999	128	15,737				7	3.1	00.6-05.6				22	16.5	06.9-26.1	2	1.2	00.0-03.0
\$25,000- 34,999	132	15,534				3	1.3	00.0-02.9				23	14.0	06.7-21.3			
\$35,000- 49,999	244	27,860	73	29.0	22.1-35.9	6	2.0	00.0-04.0	135	56.8	49.0-64.6	30	12.1	06.8-17.4			
\$50,000- 74,999	297	37,775	86	29.4	22.9-35.9	12	2.6	01.0-04.2	154	54.3	47.2-61.4	44	13.4	08.5-18.3	1	0.3	00.0-00.9
\$75,000+	374	46,098	123	33.5	27.8-39.2	11	2.4	01.0-03.8	179	49.5	43.6-55.4	61	14.6	10.9-18.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 6: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1426	121,132	393	28.5	25.4-31.6	17	1.0	00.2-01.8	907	64.6	61.3-67.9	97	5.3	04.1-06.5	12	0.5	00.1-00.9
Non-Native	1391	116,113	387	28.5	25.4-31.6	17	1.1	00.3-01.9	880	64.4	61.3-67.5	96	5.5	04.3-06.7	11	0.5	00.1-00.9
25-34	173	21,016	43	23.7	17.2-30.2	2	2.3	00.0-05.8	123	71.0	63.7-78.3	5	2.9	00.4-05.4			
35-44	217	20,752	68	32.3	25.8-38.8	3	0.7	00.0-01.5	137	63.4	56.7-70.1	8	3.2	00.8-05.6	1	0.4	00.0-01.2
45-54	376	28,639	105	27.9	23.2-32.6	2	0.5	00.0-01.3	245	64.8	59.7-69.9	23	6.3	03.8-08.8	1	0.4	00.0-01.2
55-64	286	16,416	78	26.1	20.8-31.4	3	1.0	00.0-02.2	181	64.7	58.8-70.6	22	7.6	04.5-10.7	2	0.6	00.0-01.4
65+	319	16,558	80	25.9	20.6-31.2	7	1.9	00.3-03.5	185	57.2	51.3-63.1	39	12.7	08.8-16.6	8	2.3	00.5-04.1
Less Than H.S.	51	3,811				1	1.3	00.0-03.8				3	5.2	00.0-11.5	2	3.0	00.0-07.7
H.S. or G.E.D.	348	26,338	96	28.8	22.7-34.9	2	0.5	00.0-01.3	221	63.7	57.2-70.2	24	6.1	03.6-08.6	5	0.8	00.0-01.6
Some Post-H.S.	501	46,680	122	28.5	22.2-34.8	3	0.2	00.0-00.4	343	67.1	60.8-73.4	32	4.0	02.4-05.6	1	0.1	00.0-00.3
College Graduate	525	44,239	159	28.5	24.2-32.8	11	2.2	00.4-04.0	313	62.4	57.7-67.1	38	6.2	04.0-08.4	4	0.6	00.0-01.2
Less than \$15,000	66	4,379										6	5.2	00.7-09.7	1	0.7	00.0-02.1
\$15,000- 24,999	182	15,516				1	0.3	00.0-00.9				12	4.0	01.5-06.5	3	0.7	00.0-01.5
\$25,000- 34,999	178	13,662	45	22.4	14.8-30.0	3	1.3	00.0-02.9	115	67.6	58.8-76.4	13	7.9	03.4-12.4	2	0.8	00.0-02.0
\$35,000- 49,999	225	17,218	61	31.6	23.8-39.4	3	0.8	00.0-01.8	149	63.3	55.5-71.1	11	3.9	01.5-06.3	1	0.3	00.0-00.9
\$50,000- 74,999	260	23,751	85	34.2	26.9-41.5	3	2.2	00.0-05.3	152	57.9	50.5-65.3	18	4.9	02.5-07.3	2	0.7	00.0-01.7
\$75,000+	350	32,907	101	27.3	21.8-32.8	5	0.9	00.1-01.7	218	65.7	60.0-71.4	25	6.1	03.6-08.6	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 7. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS.  
(AVEDRINK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2713	275,411	1159	35.8	33.6-38.0	760	26.2	24.2-28.2	372	15.9	13.9-17.9	143	6.1	04.9-07.3	279	16.0	13.6-18.4
Male	1297	155,839	431	27.4	24.7-30.1	368	25.8	23.1-28.5	210	17.8	15.1-20.5	90	7.8	05.8-09.8	198	21.2	17.9-24.5
Female	1416	119,572	728	46.7	43.4-50.0	392	26.9	24.0-29.8	162	13.4	10.9-15.9	53	3.9	02.7-05.1	81	9.2	06.5-11.9
Native	55	8,110	14	13.3	05.1-21.5	5	9.5	00.3-18.7									
Non-Native	2646	266,040	1140	36.5	34.3-38.7	752	26.8	24.8-28.8	360	15.7	13.7-17.7	137	5.8	04.6-07.0	257	15.2	13.0-17.4
18-24	80	36,242	13	15.1	07.1-23.1	10	10.3	03.6-17.0	17	22.1	12.3-31.9	8	8.3	02.2-14.4			
25-34	337	52,634	85	24.7	19.8-29.6	93	27.2	22.1-32.3	59	16.9	12.6-21.2	33	9.7	06.4-13.0	67	21.5	16.6-26.4
35-44	450	49,269	120	26.7	22.4-31.0	133	29.5	25.0-34.0	87	19.9	16.0-23.8	35	7.0	04.6-09.4	75	16.8	13.1-20.5
45-54	689	60,380	268	37.9	34.0-41.8	221	31.7	28.0-35.4	113	17.9	14.8-21.0	25	3.9	02.3-05.5	62	8.8	06.6-11.0
55-64	560	38,914	269	46.6	42.1-51.1	178	32.7	28.6-36.8	54	9.4	06.9-11.9	27	5.2	03.0-07.4	32	6.1	03.7-08.5
65+	575	36,379	393	68.8	64.7-72.9	120	20.8	17.3-24.3	37	6.0	03.8-08.2	14	2.4	01.0-03.8	11	2.0	00.6-03.4
Less Than H.S.	118	10,430				32	25.0	16.2-33.8	10	10.3	03.2-17.4	9	10.0	02.0-18.0	15	14.2	06.2-22.2
H.S. or G.E.D.	741	71,131	287	32.5	28.4-36.6	202	25.6	21.9-29.3	117	18.8	14.9-22.7	37	5.6	03.6-07.6	98	17.5	13.4-21.6
Some Post-H.S.	864	93,250	367	32.1	28.4-35.8	215	22.1	18.8-25.4	115	15.9	12.4-19.4	52	7.0	04.5-09.5	115	22.9	18.2-27.6
College Graduate	988	100,447	451	41.0	37.5-44.5	311	30.7	27.4-34.0	130	14.4	11.7-17.1	45	5.2	03.4-07.0	51	8.7	06.0-11.4
Less than \$15,000	121	9,497	40	23.4	14.6-32.2	27	21.7	12.1-31.3	19	18.2	09.4-27.0	7	6.1	01.0-11.2			
\$15,000- 24,999	299	30,249	129	35.9	28.1-43.7	74	18.4	13.1-23.7	34	8.8	05.1-12.5	14	5.1	01.8-08.4	48	31.8	22.2-41.4
\$25,000- 34,999	312	29,665	141	37.8	30.5-45.1	87	24.6	18.7-30.5	33	16.1	09.2-23.0	18	5.5	02.4-08.6	33	16.0	09.5-22.5
\$35,000- 49,999	465	44,610	195	35.7	30.6-40.8	120	23.7	19.2-28.2	68	14.6	10.9-18.3	34	10.2	05.7-14.7	48	15.7	10.4-21.0
\$50,000- 74,999	553	61,272	212	30.9	26.6-35.2	160	27.2	23.1-31.3	86	19.3	14.6-24.0	38	7.8	05.1-10.5	57	14.7	10.2-19.2
\$75,000+	726	79,229	300	36.6	32.7-40.5	239	32.2	28.1-36.3	115	17.7	14.2-21.2	24	4.0	02.2-05.8	48	9.5	06.4-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 8: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS.  
(AVEDRNK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1297	155,839	431	27.4	24.7-30.1	368	25.8	23.1-28.5	210	17.8	15.1-20.5	90	7.8	05.8-09.8	198	21.2	17.9-24.5
Non-Native	1265	151,466	423	27.8	25.1-30.5	362	26.1	23.4-28.8	206	18.0	15.3-20.7	87	7.3	05.5-09.1	187	20.9	17.6-24.2
25-34	164	31,557	26	17.3	11.0-23.6	42	26.0	18.9-33.1	29	17.3	11.2-23.4	20	11.5	06.6-16.4	47	27.8	20.5-35.1
35-44	234	28,640	47	20.3	15.0-25.6	76	31.9	25.6-38.2	49	21.8	16.1-27.5	16	6.0	02.9-09.1	46	20.0	14.5-25.5
45-54	316	31,986	92	28.9	23.6-34.2	93	29.7	24.2-35.2	66	22.3	17.2-27.4	18	5.9	03.2-08.6	47	13.2	09.5-16.9
55-64	275	22,562	107	39.1	33.0-45.2	91	33.1	27.2-39.0	29	10.5	06.6-14.4	21	7.9	04.6-11.2	27	9.4	05.7-13.1
65+	259	19,954	154	62.0	55.7-68.3	63	23.8	18.3-29.3	25	7.9	04.6-11.2	9	3.5	01.0-06.0	8	2.8	00.6-05.0
H.S. or G.E.D.	397	45,386	119	24.7	19.8-29.6	114	26.6	21.5-31.7	68	20.2	14.9-25.5	23	5.9	03.4-08.4	73	22.5	16.8-28.2
Some Post-H.S.	364	47,150	103	20.5	16.2-24.8	98	22.2	17.5-26.9	57	16.6	11.5-21.7	31	9.7	05.2-14.2	75	31.0	23.7-38.3
College Graduate	467	56,524	179	34.6	29.7-39.5	141	28.6	23.9-33.3	77	17.3	12.8-21.8	29	6.9	04.2-09.6	41	12.6	08.3-16.9
Less than \$15,000	55	5,118										4	9.0	00.0-18.0			
\$15,000- 24,999	123	15,474				33	17.8	10.4-25.2	12	6.4	02.1-10.7						
\$25,000- 34,999	136	16,193	43	24.8	16.2-33.4	40	25.4	16.6-34.2				10	6.7	01.4-12.0			
\$35,000- 49,999	242	27,663	73	25.1	19.2-31.0	64	23.3	17.4-29.2	42	15.5	10.6-20.4	24	13.6	06.7-20.5	39	22.5	14.7-30.3
\$50,000- 74,999	294	37,623	91	24.3	19.2-29.4	89	27.2	21.5-32.9	49	20.7	14.4-27.0	24	8.5	04.8-12.2	41	19.4	12.5-26.3
\$75,000+	375	46,268	129	29.3	24.4-34.2	111	28.9	23.6-34.2	77	22.7	17.2-28.2	17	5.4	02.7-08.1	41	13.7	09.0-18.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 9: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS.  
(AVEDRNK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1416	119,572	728	46.7	43.4-50.0	392	26.9	24.0-29.8	162	13.4	10.9-15.9	53	3.9	02.7-05.1	81	9.2	06.5-11.9
Non-Native	1381	114,574	717	48.0	44.7-51.3	390	27.7	24.8-30.6	154	12.8	10.3-15.3	50	3.7	02.5-04.9	70	7.7	05.3-10.1
25-34	173	21,077	59	35.6	28.0-43.2	51	28.9	21.8-36.0	30	16.4	10.7-22.1	13	7.0	03.1-10.9	20	12.1	06.8-17.4
35-44	216	20,629	73	35.6	28.9-42.3	57	26.2	20.1-32.3	38	17.3	12.0-22.6	19	8.4	04.7-12.1	29	12.4	07.9-16.9
45-54	373	28,394	176	47.9	42.4-53.4	128	34.0	28.9-39.1	47	12.8	09.1-16.5	7	1.5	00.3-02.7	15	3.8	01.6-06.0
55-64	285	16,352	162	57.0	50.9-63.1	87	32.1	26.2-38.0	25	7.9	04.8-11.0	6	1.6	00.2-03.0	5	1.5	00.1-02.9
65+	316	16,425	239	77.0	72.1-81.9	57	17.2	12.7-21.7	12	3.7	01.3-06.1	5	1.2	00.2-02.2	3	1.0	00.0-02.2
Less Than H.S.	50	3,740							2	3.0	00.0-07.5	2	2.3	00.0-05.8	6	11.0	01.2-20.8
H.S. or G.E.D.	344	25,745	168	46.3	39.6-53.0	88	23.7	18.4-29.0	49	16.3	10.6-22.0	14	5.0	02.1-07.9	25	8.7	04.0-13.4
Some Post-H.S.	500	46,100	264	44.0	38.1-49.9	117	22.0	17.5-26.5	58	15.2	10.3-20.1	21	4.2	02.0-06.4	40	14.6	08.7-20.5
College Graduate	521	43,923	272	49.2	44.1-54.3	170	33.4	28.5-38.3	53	10.7	07.8-13.6	16	3.0	01.4-04.6	10	3.7	01.0-06.4
Less than \$15,000	66	4,379										3	2.7	00.0-05.8			
\$15,000- 24,999	176	14,775				41	19.0	11.6-26.4	22	11.4	05.1-17.7	8	4.8	00.9-08.7			
\$25,000- 34,999	176	13,473				47	23.5	16.1-30.9	16	14.3	05.1-23.5	8	4.0	00.9-07.1	7	4.8	00.9-08.7
\$35,000- 49,999	223	16,947	122	53.2	45.4-61.0	56	24.3	17.6-31.0	26	13.2	07.9-18.5	10	4.7	01.6-07.8	9	4.7	01.4-08.0
\$50,000- 74,999	259	23,649	121	41.4	34.5-48.3	71	27.2	20.9-33.5	37	17.2	10.3-24.1	14	6.8	02.7-10.9	16	7.4	03.9-10.9
\$75,000+	351	32,962	171	46.9	40.6-53.2	128	36.7	30.4-43.0	38	10.6	07.3-13.9	7	2.1	00.5-03.7	7	3.7	00.2-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 10: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2699	273,195	299	13.7	11.9-15.5	146	7.0	05.6-08.4	80	3.6	02.6-04.6	117	5.7	04.3-07.1	141	7.9	06.1-09.7	1916	62.0	59.5-64.5
Male	1285	153,360	155	14.2	11.7-16.7	91	8.2	06.2-10.2	46	3.9	02.5-05.3	77	8.3	05.9-10.7	104	10.9	08.4-13.4	812	54.5	51.0-58.0
Female	1414	119,836	144	13.0	10.3-15.7	55	5.5	03.5-07.5	34	3.3	01.9-04.7	40	2.4	01.6-03.2	37	4.1	01.9-06.3	1104	71.7	68.2-75.2
Native	55	8,185				6	9.1	01.1-17.1	3	5.0	00.0-10.9	2	1.8	00.0-04.5						
Non-Native	2632	263,750	287	13.3	11.5-15.1	139	7.0	05.6-08.4	77	3.6	02.6-04.6	115	5.9	04.5-07.3	133	7.5	05.9-09.1	1881	62.8	60.3-65.3
18-24	78	35,673	21	24.1	14.3-33.9	7	10.6	03.2-18.0	3	3.5	00.0-07.4	6	9.7	01.9-17.5						
25-34	333	51,839	58	17.1	12.8-21.4	32	10.3	06.8-13.8	17	6.3	03.2-09.4	33	10.5	06.8-14.2	19	5.7	03.2-08.2	174	50.1	44.2-56.0
35-44	449	49,191	73	17.2	13.5-20.9	37	8.5	05.8-11.2	27	5.8	03.4-08.2	24	5.2	03.0-07.4	36	8.0	05.3-10.7	252	55.2	50.3-60.1
45-54	685	59,965	79	11.7	09.0-14.4	35	5.5	03.5-07.5	14	1.9	00.9-02.9	32	4.9	03.1-06.7	36	5.7	03.7-07.7	489	70.3	66.6-74.0
55-64	559	38,767	41	7.4	05.0-09.8	18	3.5	01.7-05.3	13	2.5	00.9-04.1	14	2.2	00.8-03.6	21	4.4	02.4-06.4	452	79.9	76.2-83.6
65+	574	36,272	26	4.3	02.5-06.1	16	3.1	01.5-04.7	6	0.9	00.1-01.7	8	1.0	00.2-01.8	11	2.2	00.6-03.8	507	88.5	85.6-91.4
Less Than H.S.	112	9,278	8	7.0	01.7-12.3	4	4.2	00.0-08.9	4	5.3	00.0-11.8	6	6.5	01.0-12.0	4	3.5	00.0-07.2			
H.S. or G.E.D.	736	70,319	67	11.8	08.3-15.3	54	9.0	06.1-11.9	22	3.6	01.8-05.4	34	4.9	02.9-06.9	57	11.3	07.6-15.0	502	59.2	54.3-64.1
Some Post-H.S.	863	93,192	107	16.0	12.3-19.7	38	6.0	03.6-08.4	28	3.9	01.9-05.9	43	6.0	03.5-08.5	55	10.8	06.9-14.7	592	57.2	52.5-61.9
College Graduate	986	100,253	117	13.5	10.8-16.2	50	6.8	04.6-09.0	26	3.1	01.7-04.5	34	5.9	03.4-08.4	25	3.2	01.8-04.6	734	67.4	63.5-71.3
Less than \$15,000	120	9,387				9	7.9	02.2-13.6	6	8.2	00.8-15.6	9	8.2	00.4-16.0	13	10.4	03.9-16.9			
\$15,000- 24,999	295	29,718	34	13.6	08.1-19.1	21	12.2	05.3-19.1	8	3.2	00.7-05.7	9	3.5	00.0-07.2	19	15.2	06.4-24.0	204	52.4	43.4-61.4
\$25,000- 34,999	308	28,917	34	13.0	07.3-18.7	17	8.0	03.1-12.9	9	3.5	01.0-06.0	12	6.9	01.4-12.4	14	4.8	02.1-07.5	222	63.7	55.7-71.7
\$35,000- 49,999	465	44,487	54	13.8	09.1-18.5	23	7.6	04.1-11.1	17	4.3	01.4-07.2	18	3.4	01.6-05.2	29	10.0	05.7-14.3	324	60.9	54.8-67.0
\$50,000- 74,999	553	61,260	54	11.4	07.9-14.9	42	7.6	05.2-10.0	15	4.3	01.8-06.8	33	8.5	05.0-12.0	33	8.8	04.7-12.9	376	59.4	54.1-64.7
\$75,000+	720	78,707	100	16.0	12.7-19.3	25	4.0	02.4-05.6	21	3.0	01.6-04.4	30	5.7	03.2-08.2	25	4.3	02.5-06.1	519	66.9	62.6-71.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 11: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1285	153,360	155	14.2	11.7-16.7	91	8.2	06.2-10.2	46	3.9	02.5-05.3	77	8.3	05.9-10.7	104	10.9	08.4-13.4	812	54.5	51.0-58.0
Non-Native	1253	148,987	150	13.8	11.4-16.2	87	8.1	06.1-10.1	45	3.9	02.5-05.3	76	8.5	06.1-10.9	99	10.8	08.1-13.5	796	55.0	51.5-58.5
25-34	161	30,884	25	16.6	10.3-22.9	19	11.3	06.4-16.2	9	5.9	02.0-09.8	23	14.5	08.6-20.4	16	7.9	04.0-11.8	69	43.7	35.7-51.7
35-44	233	28,513	38	17.5	12.2-22.8	20	8.9	05.0-12.8	18	7.4	03.9-10.9	14	6.2	02.9-09.5	25	10.2	06.1-14.3	118	49.8	43.1-56.5
45-54	314	31,740	39	13.3	09.0-17.6	23	7.5	04.4-10.6	8	2.0	00.6-03.4	23	7.1	04.2-10.0	25	8.1	04.8-11.4	196	62.1	56.2-68.0
55-64	275	22,495	28	9.8	06.3-13.3	14	5.3	02.6-08.0	8	3.2	00.8-05.6	8	2.6	00.6-04.6	17	6.7	03.4-10.0	200	72.5	66.8-78.2
65+	257	19,788	15	5.6	02.5-08.7	10	3.5	01.3-05.7	2	0.6	00.0-01.4	3	0.8	00.0-01.8	7	3.1	00.6-05.6	220	86.4	81.9-90.9
Less Than H.S.	63	5,587	3	4.7	00.0-10.0	3	5.6	00.0-12.7	3	8.1	00.0-18.5	3	6.0	00.0-13.1	3	4.8	00.0-10.5			
H.S. or G.E.D.	392	44,201	40	13.1	08.4-17.8	30	7.6	04.7-10.5	17	4.3	02.1-06.5	23	6.5	03.6-09.4	43	14.9	09.4-20.4	239	53.5	47.2-59.8
Some Post-H.S.	363	47,067	53	16.3	11.0-21.6	17	6.7	02.8-10.6	17	5.3	02.2-08.4	28	9.5	04.8-14.2	39	15.1	09.2-21.0	209	47.1	40.4-53.8
College Graduate	466	56,416	59	14.4	10.5-18.3	41	10.2	06.5-13.9	9	1.9	00.5-03.3	23	8.9	04.6-13.2	19	4.9	02.5-07.3	315	59.7	54.2-65.2
Less than \$15,000	54	5,007				5	7.0	00.5-13.5							6	10.5	01.3-19.7			
\$15,000- 24,999	118	14,397	14	16.5	06.7-26.3				3	3.1	00.0-06.6	4	5.1	00.0-12.5						
\$25,000- 34,999	133	15,487	15	13.6	04.6-22.6	11	11.6	03.2-20.0	5	3.9	00.2-07.6	9	11.4	01.6-21.2	10	7.2	02.3-12.1			
\$35,000- 49,999	242	27,531	34	16.7	09.6-23.8	12	7.8	02.7-12.9	11	5.3	01.0-09.6	11	4.0	01.5-06.5	25	13.5	07.0-20.0	149	52.8	44.8-60.8
\$50,000- 74,999	295	37,675	25	9.6	05.5-13.7	27	8.5	05.2-11.8	9	3.3	00.9-05.7	23	11.4	06.1-16.7	28	13.2	06.9-19.5	183	54.0	46.9-61.1
\$75,000+	371	45,880	55	16.6	12.1-21.1	20	5.7	03.2-08.2	13	3.4	01.4-05.4	23	8.4	04.1-12.7	19	6.0	03.3-08.7	241	59.9	53.8-66.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 12: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1414	119,836	144	13.0	10.3-15.7	55	5.5	03.5-07.5	34	3.3	01.9-04.7	40	2.4	01.6-03.2	37	4.1	01.9-06.3	1104	71.7	68.2-75.2
Non-Native	1379	114,763	137	12.8	10.1-15.5	52	5.5	03.5-07.5	32	3.2	01.8-04.6	39	2.5	01.7-03.3	34	3.2	01.8-04.6	1085	72.9	69.6-76.2
25-34	172	20,954	33	17.8	12.1-23.5	13	8.8	04.1-13.5	8	6.9	01.8-12.0	10	4.7	01.8-07.6	3	2.3	00.0-05.0	105	59.5	51.7-67.3
35-44	216	20,678	35	16.7	11.4-22.0	17	8.0	04.1-11.9	9	3.7	01.2-06.2	10	3.8	01.4-06.2	11	5.0	01.9-08.1	134	62.8	56.1-69.5
45-54	371	28,225	40	10.0	06.9-13.1	12	3.3	01.3-05.3	6	1.9	00.3-03.5	9	2.4	00.8-04.0	11	3.1	01.1-05.1	293	79.4	75.1-83.7
55-64	284	16,272	13	4.1	01.7-06.5	4	1.2	00.0-02.4	5	1.6	00.2-03.0	6	1.8	00.2-03.4	4	1.2	00.0-02.4	252	90.2	86.9-93.5
65+	317	16,484	11	2.8	01.0-04.6	6	2.6	00.4-04.8	4	1.2	00.0-02.4	5	1.2	00.2-02.2	4	1.1	00.0-02.3	287	91.1	87.8-94.4
H.S. or G.E.D.	344	26,119	27	9.7	04.8-14.6	24	11.5	05.4-17.6	5	2.4	00.0-05.1	11	2.3	00.9-03.7	14	5.2	01.9-08.5	263	68.9	61.6-76.2
Some Post-H.S.	500	46,124	54	15.8	10.5-21.1	21	5.4	02.5-08.3	11	2.5	00.5-04.5	15	2.5	01.1-03.9	16	6.4	01.5-11.3	383	67.4	60.9-73.9
College Graduate	520	43,837	58	12.4	08.7-16.1	9	2.5	00.7-04.3	17	4.7	02.2-07.2	11	2.1	00.7-03.5	6	1.1	00.1-02.1	419	77.2	72.7-81.7
Less than \$15,000	66	4,379				4	9.0	00.0-18.4	2	5.9	00.0-14.5	6	7.1	00.4-13.8	7	10.2	01.6-18.8			
\$15,000- 24,999	177	15,321	20	10.8	05.3-16.3	12	12.2	02.8-21.6	5	3.3	00.0-07.0	5	1.9	00.0-03.9						
\$25,000- 34,999	175	13,430	19	12.4	05.7-19.1	6	3.8	00.7-06.9	4	3.0	00.0-06.5	3	1.8	00.0-03.8	4	2.1	00.0-04.3	139	77.0	68.8-85.2
\$35,000- 49,999	223	16,956	20	9.2	04.9-13.5	11	7.3	02.8-11.8	6	2.8	00.4-05.2	7	2.6	00.6-04.6	4	4.3	00.0-09.0	175	73.9	66.6-81.2
\$50,000- 74,999	258	23,585	29	14.4	07.7-21.1	15	6.1	03.0-09.2	6	5.8	00.7-10.9	10	3.8	01.3-06.3	5	1.9	00.1-03.7	193	68.1	60.5-75.7
\$75,000+	349	32,827	45	15.2	09.9-20.5	5	1.7	00.1-03.3	8	2.3	00.7-03.9	7	2.0	00.4-03.6	6	2.0	00.2-03.8	278	76.7	71.0-82.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 13: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2654	270,496	720	21.9	20.1-23.7	669	21.3	19.5-23.1	414	15.4	13.6-17.2	212	7.2	06.0-08.4	639	34.2	31.7-36.7
Male	1262	152,389	241	15.2	13.0-17.4	244	16.2	14.0-18.4	227	17.0	14.5-19.5	97	6.6	05.0-08.2	453	45.0	41.5-48.5
Female	1392	118,107	479	30.5	27.6-33.4	425	27.9	25.0-30.8	187	13.4	11.2-15.6	115	8.0	06.4-09.6	186	20.2	16.7-23.7
Native	54	7,918	13	12.1	04.3-19.9				6	10.2	01.6-18.8	5	9.0	00.8-17.2			
Non-Native	2589	261,360	704	22.2	20.4-24.0	663	21.6	19.8-23.4	404	15.5	13.7-17.3	206	7.2	06.0-08.4	612	33.5	31.0-36.0
18-24	80	36,594	8	10.1	03.2-17.0	7	6.8	01.5-12.1	8	10.3	02.9-17.7	3	2.4	00.0-05.3			
25-34	328	51,289	46	13.5	09.6-17.4	67	18.2	13.9-22.5	47	14.3	10.2-18.4	26	8.0	04.9-11.1	142	46.0	40.1-51.9
35-44	441	48,436	69	15.7	12.2-19.2	87	19.5	15.6-23.4	82	18.1	14.4-21.8	37	7.2	04.8-09.6	166	39.4	34.5-44.3
45-54	672	58,947	156	21.6	18.3-24.9	171	24.4	20.9-27.9	127	19.1	16.0-22.2	68	10.6	08.1-13.1	150	24.3	20.6-28.0
55-64	555	38,506	179	31.3	27.2-35.4	162	28.5	24.6-32.4	86	15.7	12.4-19.0	40	6.8	04.6-09.0	88	17.8	14.3-21.3
65+	557	35,197	255	44.4	39.9-48.9	169	30.4	26.3-34.5	61	12.3	09.2-15.4	35	5.5	03.5-07.5	37	7.4	04.9-09.9
Less Than H.S.	112	9,841				32	22.4	14.2-30.6	11	11.0	04.3-17.7	7	4.9	01.2-08.6			
H.S. or G.E.D.	715	69,192	197	21.0	17.7-24.3	161	19.1	15.8-22.4	105	15.8	12.1-19.5	58	7.1	05.1-09.1	194	37.0	32.1-41.9
Some Post-H.S.	852	92,083	228	20.9	17.6-24.2	206	19.7	16.6-22.8	126	13.6	10.7-16.5	67	7.4	05.4-09.4	225	38.3	33.4-43.2
College Graduate	973	99,226	255	22.2	19.5-24.9	270	24.3	21.4-27.2	172	17.3	14.6-20.0	80	7.4	05.6-09.2	196	28.8	24.9-32.7
Less than \$15,000	117	9,117	26	15.0	08.3-21.7	30	18.8	11.4-26.2	13	9.9	03.8-16.0	8	8.4	01.1-15.7			
\$15,000- 24,999	290	29,768	90	24.8	17.9-31.7	66	14.5	10.0-19.0	37	11.3	06.2-16.4	19	4.2	01.8-06.6	78	45.2	36.0-54.4
\$25,000- 34,999	298	28,379	91	25.7	18.8-32.6	82	24.5	18.2-30.8	34	9.5	06.0-13.0	26	8.1	04.2-12.0	65	32.2	24.0-40.4
\$35,000- 49,999	466	44,695	126	21.6	17.5-25.7	113	21.5	17.2-25.8	63	12.6	09.3-15.9	39	7.6	05.1-10.1	125	36.6	30.5-42.7
\$50,000- 74,999	542	60,160	127	18.5	15.2-21.8	123	18.9	15.4-22.4	104	18.7	15.0-22.4	54	9.4	06.7-12.1	134	34.5	29.0-40.0
\$75,000+	712	78,057	160	19.5	16.4-22.6	190	23.6	20.1-27.1	144	20.9	17.0-24.8	52	6.6	04.8-08.4	166	29.3	25.0-33.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 14: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1262	152,389	241	15.2	13.0-17.4	244	16.2	14.0-18.4	227	17.0	14.5-19.5	97	6.6	05.0-08.2	453	45.0	41.5-48.5
Non-Native	1231	148,208	234	15.3	13.1-17.5	241	16.4	14.2-18.6	222	17.0	14.5-19.5	95	6.6	05.0-08.2	439	44.6	41.1-48.1
25-34	161	30,980	13	9.3	04.2-14.4	20	12.2	06.9-17.5	25	15.5	09.6-21.4	11	7.1	03.0-11.2	92	55.8	47.8-63.8
35-44	228	28,004	28	12.9	08.4-17.4	36	15.4	10.5-20.3	41	17.9	12.8-23.0	12	4.4	01.9-06.9	111	49.3	42.4-56.2
45-54	304	30,910	48	14.6	10.5-18.7	54	18.2	13.5-22.9	61	19.4	14.7-24.1	33	11.2	07.5-14.9	108	36.6	30.7-42.5
55-64	272	22,250	67	25.1	19.6-30.6	61	22.5	17.4-27.6	50	18.0	13.1-22.9	22	7.5	04.4-10.6	72	26.9	21.2-32.6
65+	248	19,104	84	34.0	27.7-40.3	72	30.0	23.9-36.1	44	18.3	13.0-23.6	17	5.5	02.6-08.4	31	12.1	07.6-16.6
Less Than H.S.	63	6,134				13	17.2	07.4-27.0	10	16.2	06.2-26.2	5	6.7	00.8-12.6			
H.S. or G.E.D.	383	43,941	68	13.0	09.7-16.3	75	17.5	13.4-21.6	66	18.0	12.7-23.3	28	6.2	03.7-08.7	146	45.2	38.9-51.5
Some Post-H.S.	359	46,657	59	12.2	08.7-15.7	65	14.6	10.7-18.5	53	13.7	09.2-18.2	30	6.9	04.0-09.8	152	52.6	45.7-59.5
College Graduate	456	55,568	93	18.3	14.6-22.0	91	16.4	12.9-19.9	98	19.0	15.1-22.9	34	6.8	04.3-09.3	140	39.6	33.9-45.3
Less than \$15,000	52	4,796				9	14.3	04.5-24.1	5	6.3	00.4-12.2						
\$15,000- 24,999	120	14,917	30	17.7	10.3-25.1	19	10.7	04.8-16.6	19	12.1	04.1-20.1	7	3.5	00.6-06.4			
\$25,000- 34,999	124	15,312	23	14.7	07.1-22.3	31	19.6	12.2-27.0	17	10.2	04.9-15.5	10	7.7	01.8-13.6			
\$35,000- 49,999	241	27,555	44	14.8	10.3-19.3	42	15.5	10.6-20.4	41	14.7	10.0-19.4	19	6.5	03.4-09.6	95	48.5	40.5-56.5
\$50,000- 74,999	289	37,060	49	13.8	09.7-17.9	53	14.4	10.3-18.5	59	19.7	14.4-25.0	25	7.6	04.3-10.9	103	44.5	37.2-51.8
\$75,000+	365	45,332	64	14.8	11.1-18.5	73	17.5	13.4-21.6	80	22.5	17.0-28.0	23	5.5	03.1-07.9	125	39.6	33.5-45.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 15: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1392	118,107	479	30.5	27.4-33.6	425	27.9	25.0-30.8	187	13.4	11.2-15.6	115	8.0	06.4-09.6	186	20.2	16.7-23.7
Non-Native	1358	113,152	470	31.3	28.2-34.4	422	28.4	25.5-31.3	182	13.5	11.1-15.9	111	7.8	06.2-09.4	173	19.0	15.7-22.3
25-34	167	20,308	33	20.0	13.7-26.3	47	27.3	20.2-34.4	22	12.4	07.3-17.5	15	9.4	04.7-14.1	50	30.9	23.3-38.5
35-44	213	20,432	41	19.6	14.1-25.1	51	25.0	18.9-31.1	41	18.5	13.2-23.8	25	11.1	06.8-15.4	55	25.8	19.7-31.9
45-54	368	28,037	108	29.3	24.4-34.2	117	31.2	26.1-36.3	66	18.8	14.5-23.1	35	9.9	06.6-13.2	42	10.7	07.4-14.0
55-64	283	16,256	112	39.8	33.7-45.9	101	36.8	30.7-42.9	36	12.4	08.3-16.5	18	5.7	03.0-08.4	16	5.4	02.7-08.1
65+	309	16,093	171	56.7	50.8-62.6	97	30.8	25.3-36.3	17	5.1	02.6-07.6	18	5.6	02.9-08.3	6	1.7	00.3-03.1
H.S. or G.E.D.	332	25,252	129	35.0	28.5-41.5	86	21.9	16.6-27.2	39	11.8	07.9-15.7	30	8.5	05.2-11.8	48	22.8	15.2-30.4
Some Post-H.S.	493	45,426	169	29.9	24.6-35.2	141	24.9	20.2-29.6	73	13.5	10.0-17.0	37	8.0	05.1-10.9	73	23.6	16.9-30.3
College Graduate	517	43,658	162	27.2	23.1-31.3	179	34.3	29.4-39.2	74	15.2	11.1-19.3	46	8.2	05.7-10.7	56	15.1	10.8-19.4
Less than \$15,000	65	4,321	15	13.5	05.7-21.3							1	0.7	00.0-02.1			
\$15,000- 24,999	170	14,851				47	18.4	11.7-25.1	18	10.4	04.1-16.7	12	5.0	01.7-08.3			
\$25,000- 34,999	174	13,067				51	30.3	20.3-40.3	17	8.6	03.9-13.3	16	8.7	04.0-13.4	22	13.9	07.8-20.0
\$35,000- 49,999	225	17,140	82	32.5	25.4-39.6	71	31.2	23.9-38.5	22	9.4	05.3-13.5	20	9.4	04.9-13.9	30	17.5	10.8-24.2
\$50,000- 74,999	253	23,100	78	26.1	20.2-32.0	70	26.1	20.0-32.2	45	17.0	12.1-21.9	29	12.2	07.3-17.1	31	18.6	11.2-26.0
\$75,000+	347	32,725	96	26.0	20.7-31.3	117	32.0	26.3-37.7	64	18.7	13.4-24.0	29	8.2	05.3-11.1	41	15.1	09.8-20.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 14: IMMUNIZATION CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE	PAGE
A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)	
1 MALES AND FEMALES	164
2 MALES ONLY	165
3 FEMALES ONLY	166
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)	
4 MALES AND FEMALES	167
5 MALES ONLY	168
6 FEMALES ONLY	169
DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)	
7 MALES AND FEMALES	170
8 MALES ONLY	171
9 FEMALES ONLY	172
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)	
10 MALES AND FEMALES	173
11 MALES ONLY	174
12 FEMALES ONLY	175
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
13 MALES AND FEMALES	176
14 MALES ONLY	177
15 FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 1: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4999	487,915	2435	42.1	40.3-43.9	2564	57.9	56.1-59.7
Male	2023	243,713	833	37.5	34.8-40.2	1190	62.5	59.8-65.2
Female	2976	244,203	1602	46.7	44.2-49.2	1374	53.3	50.8-55.8
Non-Native	4828	462,223	2364	42.4	40.6-44.2	2464	57.6	55.8-59.4
18-24	161	79,036	43	27.9	20.5-35.3	118	72.1	64.7-79.5
25-34	503	77,641	164	30.0	25.7-34.3	339	70.0	65.7-74.3
35-44	693	75,413	205	29.7	26.0-33.4	488	70.3	66.6-74.0
45-54	1067	91,645	403	37.3	34.2-40.4	664	62.7	59.6-65.8
55-64	993	67,491	493	49.7	46.4-53.0	500	50.3	47.0-53.6
65+	1531	93,368	1103	73.2	70.8-75.6	428	26.8	24.4-29.2
Less Than H.S.	380	36,575	207	43.4	36.0-50.8	173	56.6	49.2-64.0
H.S. or G.E.D.	1516	143,850	741	42.6	39.1-46.1	775	57.4	53.9-60.9
Some Post-H.S.	1548	158,515	717	38.3	35.0-41.6	831	61.7	58.4-65.0
College Graduate	1546	148,073	766	45.4	42.5-48.3	780	54.6	51.7-57.5
Less than \$15,000	374	29,987	180	41.6	33.0-50.2	194	58.4	49.8-67.0
\$15,000- 24,999	739	67,531	400	43.8	38.5-49.1	339	56.2	50.9-61.5
\$25,000- 34,999	599	53,899	324	44.7	39.0-50.4	275	55.3	49.6-61.0
\$35,000- 49,999	819	79,800	377	41.4	36.9-45.9	442	58.6	54.1-63.1
\$50,000- 74,999	843	89,148	370	38.8	34.9-42.7	473	61.2	57.3-65.1
\$75,000+	1008	111,215	446	41.5	37.8-45.2	562	58.5	54.8-62.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 2: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2023	243,713	833	37.5	34.8-40.2	1190	62.5	59.8-65.2
Non-Native	1964	232,751	807	37.4	34.7-40.1	1157	62.6	59.9-65.3
25-34	213	41,302	49	21.7	16.0-27.4	164	78.3	72.6-84.0
35-44	312	38,374	78	26.4	21.1-31.7	234	73.6	68.3-78.9
45-54	459	45,655	137	31.7	27.0-36.4	322	68.3	63.6-73.0
55-64	434	35,365	189	45.2	40.3-50.1	245	54.8	49.9-59.7
65+	514	39,833	351	70.4	66.3-74.5	163	29.6	25.5-33.7
Less Than H.S.	163	18,867	78	38.9	28.9-48.9	85	61.1	51.1-71.1
H.S. or G.E.D.	644	79,046	258	38.3	33.0-43.6	386	61.7	56.4-67.0
Some Post-H.S.	556	70,097	214	35.2	29.9-40.5	342	64.8	59.5-70.1
College Graduate	658	75,065	283	38.7	34.4-43.0	375	61.3	57.0-65.6
\$15,000- 24,999	253	30,678	126	42.4	34.0-50.8	127	57.6	49.2-66.0
\$25,000- 34,999	228	27,635	92	32.2	24.2-40.2	136	67.8	59.8-75.8
\$35,000- 49,999	380	42,918	151	39.2	32.9-45.5	229	60.8	54.5-67.1
\$50,000- 74,999	412	49,954	161	36.0	30.5-41.5	251	64.0	58.5-69.5
\$75,000+	488	59,744	190	37.0	31.7-42.3	298	63.0	57.7-68.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 3: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2976	244,203	1602	46.7	44.2-49.2	1374	53.3	50.8-55.8
Non-Native	2864	229,472	1557	47.4	45.0-49.8	1307	52.6	50.2-55.0
18-24	80	36,890	20	24.1	14.3-33.9	60	75.9	66.1-85.7
25-34	290	36,339	115	39.3	33.2-45.4	175	60.7	54.6-66.8
35-44	381	37,038	127	33.0	27.9-38.1	254	67.0	61.9-72.1
45-54	608	45,990	266	42.9	38.8-47.0	342	57.1	53.0-61.2
55-64	559	32,126	304	54.5	50.2-58.8	255	45.5	41.2-49.8
65+	1017	53,535	752	75.2	72.5-77.9	265	24.8	22.1-27.5
H.S. or G.E.D.	872	64,804	483	47.8	43.3-52.3	389	52.2	47.7-56.7
Some Post-H.S.	992	88,418	503	40.8	36.5-45.1	489	59.2	54.9-63.5
College Graduate	888	73,009	483	52.2	48.3-56.1	405	47.8	43.9-51.7
Less than \$15,000	265	18,132	136	44.2	35.0-53.4	129	55.8	46.6-65.0
\$15,000- 24,999	486	36,852	274	45.0	38.1-51.9	212	55.0	48.1-61.9
\$25,000- 34,999	371	26,264	232	57.9	51.2-64.6	139	42.1	35.4-48.8
\$35,000- 49,999	439	36,882	226	43.9	37.4-50.4	213	56.1	49.6-62.6
\$50,000- 74,999	431	39,194	209	42.4	36.9-47.9	222	57.6	52.1-63.1
\$75,000+	520	51,471	256	46.8	41.3-52.3	264	53.2	47.7-58.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2007			May-Aug 2007			Sep-Dec 2007			Jan-Apr 2008			May-Aug 2008			Sep-Dec 2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2311	193,801	2	0.1	00.0-00.3	9	0.6	00.0-01.2	1823	76.2	73.7-78.7	102	6.8	04.8-08.8	9	0.7	00.0-01.5	366	15.6	13.6-17.6
Male	792	86,727	1	0.1	00.0-00.3	3	0.8	00.0-02.0	607	71.4	66.7-76.1	47	10.2	06.3-14.1	6	1.3	00.0-03.1	128	16.1	12.8-19.4
Female	1519	107,074	1	0.1	00.0-00.3	6	0.4	00.0-00.8	1216	80.0	77.5-82.5	55	4.1	02.7-05.5	3	0.2	00.0-00.4	238	15.2	12.8-17.6
Non-Native	2250	185,619	2	0.1	00.0-00.3	9	0.6	00.0-01.2	1777	76.4	73.9-78.9	96	6.2	04.4-08.0	8	0.7	00.0-01.5	358	16.0	14.0-18.0
25-34	149	21,211				1	0.3	00.0-00.9	120	78.8	71.5-86.1	8	5.9	01.6-10.2				20	15.0	08.5-21.5
35-44	194	21,268	1	0.7	00.0-02.1	1	0.6	00.0-01.8	141	71.0	64.1-77.9	22	12.6	07.5-17.7	1	0.5	00.0-01.5	28	14.7	09.2-20.2
45-54	393	33,510				2	0.4	00.0-01.0	320	82.0	77.9-86.1	16	3.8	01.8-05.8	2	0.7	00.0-01.7	53	13.0	09.5-16.5
55-64	471	32,088				1	0.3	00.0-00.9	378	79.7	75.8-83.6	16	3.6	01.6-05.6	2	0.5	00.0-01.1	74	15.9	12.4-19.4
65+	1043	64,872	1	0.1	00.0-00.3	3	0.2	00.0-00.4	824	79.1	76.4-81.8	30	2.8	01.6-04.0	3	0.2	00.0-00.4	182	17.6	15.1-20.1
Less Than H.S.	191	14,258				2	4.7	00.0-12.1				12	13.4	03.4-23.4	1	0.3	00.0-00.9	32	16.3	10.2-22.4
H.S. or G.E.D.	700	57,291	1	0.1	00.0-00.3	1	0.1	00.0-00.3	543	71.5	65.6-77.4	40	11.5	06.2-16.8	3	1.5	00.0-04.0	112	15.3	11.6-19.0
Some Post-H.S.	682	57,392				4	0.4	00.0-00.8	538	79.3	75.4-83.2	24	3.7	01.9-05.5	2	0.4	00.0-01.0	114	16.1	12.6-19.6
College Graduate	735	64,753	1	0.2	00.0-00.6	2	0.2	00.0-00.6	596	79.9	76.2-83.6	26	4.1	02.3-05.9	3	0.3	00.0-00.7	107	15.2	11.9-18.5
Less than \$15,000	165	11,336				3	1.2	00.0-02.6							1	0.7	00.0-02.1	29	14.0	07.5-20.5
\$15,000- 24,999	378	28,023				1	0.2	00.0-00.6	282	71.0	64.1-77.9	22	10.4	04.5-16.3	2	0.3	00.0-00.7	71	18.1	12.8-23.4
\$25,000- 34,999	310	22,166				1	2.5	00.0-07.2	254	77.0	69.2-84.8	13	4.5	01.6-07.4	2	3.7	00.0-10.0	40	12.3	08.2-16.4
\$35,000- 49,999	367	32,015				1	0.2	00.0-00.6	299	81.0	75.9-86.1	16	3.9	01.7-06.1				51	14.9	10.2-19.6
\$50,000- 74,999	358	33,680	1	0.2	00.0-00.6	2	0.6	00.0-01.4	279	75.4	69.7-81.1	13	4.5	01.8-07.2				63	19.3	14.0-24.6
\$75,000+	431	43,534	1	0.3	00.0-00.9	1	0.2	00.0-00.6	351	81.5	76.8-86.2	16	4.0	02.0-06.0				62	14.0	09.7-18.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2007			May-Aug 2007			Sep-Dec 2007			Jan-Apr 2008			May-Aug 2008			Sep-Dec 2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	792	86,727	1	0.1	00.0-00.3	3	0.8	00.0-02.0	607	71.4	66.7-76.1	47	10.2	06.3-14.1	6	1.3	00.0-03.1	128	16.1	12.8-19.4
Non-Native	770	82,734	1	0.1	00.0-00.3	3	0.9	00.0-02.3	593	72.4	67.9-76.9	43	8.8	05.5-12.1	5	1.3	00.0-03.1	125	16.5	13.2-19.8
35-44	73	9,670				1	1.3	00.0-03.8				13	18.4	09.0-27.8				12	16.8	07.8-25.8
45-54	132	14,097							106	81.4	74.3-88.5	7	4.8	01.1-08.5	2	1.7	00.0-04.1	17	12.1	06.2-18.0
55-64	182	15,368							143	78.4	72.1-84.7	8	4.9	01.4-08.4	2	1.0	00.0-02.4	29	15.7	10.2-21.2
65+	334	26,748	1	0.3	00.0-00.9	1	0.2	00.0-00.6	264	78.7	74.0-83.4	8	2.6	00.6-04.6	1	0.1	00.0-00.3	59	18.1	13.6-22.6
Less Than H.S.	70	6,639													1	0.6	00.0-01.8	13	15.3	06.5-24.1
H.S. or G.E.D.	241	27,784	1	0.3	00.0-00.9	1	0.2	00.0-00.6	175	60.0	50.0-70.0	25	19.9	09.9-29.9	2	2.9	00.0-08.0	37	16.6	09.7-23.5
Some Post-H.S.	209	24,354							165	78.2	71.1-85.3	5	3.3	00.2-06.4	1	0.6	00.0-01.8	38	17.8	11.1-24.5
College Graduate	272	27,949							217	79.6	74.1-85.1	13	5.6	02.1-09.1	2	0.6	00.0-01.4	40	14.2	09.7-18.7
\$15,000- 24,999	115	12,028													1	0.3	00.0-00.9			
\$25,000- 34,999	89	8,665				1	6.3	00.0-18.1				5	5.7	00.0-11.4				11	11.4	04.1-18.7
\$35,000- 49,999	147	16,468							114	77.2	68.6-85.8	8	4.6	01.3-07.9				25	18.1	09.9-26.3
\$50,000- 74,999	158	17,705	1	0.4	00.0-01.2	1	0.7	00.0-02.1	126	75.0	66.0-84.0	6	4.5	00.4-08.6				24	19.3	10.7-27.9
\$75,000+	183	20,557							151	83.3	77.4-89.2	8	4.8	01.3-08.3				24	11.9	06.8-17.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2007			May-Aug 2007			Sep-Dec 2007			Jan-Apr 2008			May-Aug 2008			Sep-Dec 2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1519	107,074	1	0.1	00.0-00.3	6	0.4	00.0-00.8	1216	80.0	77.5-82.5	55	4.1	02.7-05.5	3	0.2	00.0-00.4	238	15.2	12.8-17.6
Non-Native	1480	102,885	1	0.1	00.0-00.3	6	0.4	00.0-00.8	1184	79.6	77.1-82.1	53	4.1	02.7-05.5	3	0.2	00.0-00.4	233	15.6	13.2-18.0
25-34	105	12,954				1	0.5	00.0-01.5	84	78.6	70.2-87.0	5	5.2	00.7-09.7				15	15.7	08.1-23.3
35-44	121	11,598	1	1.3	00.0-03.8				94	77.2	69.2-85.2	9	7.7	02.8-12.6	1	0.9	00.0-02.5	16	13.0	06.5-19.5
45-54	261	19,413				2	0.8	00.0-01.8	214	82.4	77.5-87.3	9	3.1	00.9-05.3				36	13.7	09.4-18.0
55-64	289	16,719				1	0.6	00.0-01.8	235	81.0	76.1-85.9	8	2.4	00.6-04.2				45	16.1	11.4-20.8
65+	709	38,125				2	0.2	00.0-00.6	560	79.3	76.2-82.4	22	2.9	01.7-04.1	2	0.2	00.0-00.6	123	17.3	14.4-20.2
Less Than H.S.	121	7,619							368	82.3	78.4-86.2	15	3.5	01.5-05.5	1	0.1	00.0-00.3	75	14.0	10.7-17.3
H.S. or G.E.D.	459	29,507							373	80.1	76.0-84.2	19	4.0	02.0-06.0	1	0.3	00.0-00.9	76	14.8	11.3-18.3
Some Post-H.S.	473	33,037				4	0.7	00.0-01.5	379	80.1	75.2-85.0	13	2.9	01.1-04.7	1	0.1	00.0-00.3	67	16.0	11.3-20.7
College Graduate	463	36,804	1	0.4	00.0-01.2	2	0.4	00.0-01.0												
Less than \$15,000	129	7,526				2	1.1	00.0-02.7	100	80.0	71.4-88.6	4	2.7	00.0-05.6				23	16.2	08.2-24.2
\$15,000- 24,999	263	15,995				1	0.4	00.0-01.2	205	79.8	73.9-85.7	12	4.8	01.7-07.9	1	0.3	00.0-00.9	44	14.8	09.9-19.7
\$25,000- 34,999	221	13,501							183	82.7	76.8-88.6	8	3.8	00.7-06.9	1	0.7	00.0-02.1	29	12.8	07.7-17.9
\$35,000- 49,999	220	15,547				1	0.5	00.0-01.5	185	84.9	79.8-90.0	8	3.1	00.7-05.5				26	11.4	06.9-15.9
\$50,000- 74,999	200	15,975				1	0.5	00.0-01.5	153	75.8	69.1-82.5	7	4.4	01.1-07.7				39	19.3	13.2-25.4
\$75,000+	248	22,977	1	0.6	00.0-01.8	1	0.4	00.0-01.2	200	79.8	72.9-86.7	8	3.2	01.0-05.4				38	15.9	09.2-22.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 7. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.  
(FLUSPRY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5005	488,563	53	1.7	01.1-02.3	4952	98.3	97.7-98.9
Male	2024	243,801	34	2.8	01.6-04.0	1990	97.2	96.0-98.4
Female	2981	244,762	19	0.7	00.3-01.1	2962	99.3	98.9-99.7
Native	130	22,145	2	4.6	00.0-11.9	128	95.4	88.1-0100
Non-Native	4833	462,842	50	1.6	01.0-02.2	4783	98.4	97.8-99.0
18-24	163	79,652	3	2.6	00.0-05.5	160	97.4	94.5-0100
25-34	503	77,641	20	4.3	02.3-06.3	483	95.7	93.7-97.7
35-44	692	75,435	14	2.2	01.0-03.4	678	97.8	96.6-99.0
45-54	1068	91,749	11	1.1	00.5-01.7	1057	98.9	98.3-99.5
55-64	994	67,555	1	0.0	00.0-00.0	993	100.0	0100-0100
65+	1534	93,210	4	0.5	00.0-01.1	1530	99.5	98.9-0100
Less Than H.S.	380	36,505	4	1.4	00.0-03.0	376	98.6	97.0-0100
H.S. or G.E.D.	1521	144,504	8	0.7	00.1-01.3	1513	99.3	98.7-99.9
Some Post-H.S.	1550	158,864	21	2.8	01.2-04.4	1529	97.2	95.6-98.8
College Graduate	1545	147,788	20	1.8	01.0-02.6	1525	98.2	97.4-99.0
Less than \$15,000	372	29,874				372	100.0	0100-0100
\$15,000- 24,999	743	67,900	4	0.8	00.0-01.8	739	99.2	98.2-0100
\$25,000- 34,999	599	53,852	11	2.3	00.7-03.9	588	97.7	96.1-99.3
\$35,000- 49,999	820	79,889	11	3.1	00.6-05.6	809	96.9	94.4-99.4
\$50,000- 74,999	842	88,947	10	2.3	00.3-04.3	832	97.7	95.7-99.7
\$75,000+	1010	111,377	15	1.7	00.7-02.7	995	98.3	97.3-99.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.  
(FLUSPRY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2024	243,801	34	2.8	01.6-04.0	1990	97.2	96.0-98.4
Non-Native	1965	232,839	31	2.4	01.4-03.4	1934	97.6	96.6-98.6
18-24	81	42,146	3	5.0	00.0-10.5	78	95.0	89.5-0100
25-34	213	41,302	13	5.8	02.7-08.9	200	94.2	91.1-97.3
35-44	314	38,693	9	3.1	00.9-05.3	305	96.9	94.7-99.1
45-54	460	45,759	5	1.2	00.0-02.4	455	98.8	97.6-0100
55-64	434	35,365				434	100.0	0100-0100
65+	512	39,500	4	1.2	00.0-02.6	508	98.8	97.4-0100
Less Than H.S.	162	18,754	2	1.4	00.0-03.6	160	98.6	96.4-0100
H.S. or G.E.D.	646	79,386	4	0.9	00.1-01.7	642	99.1	98.3-99.9
Some Post-H.S.	557	70,069	14	5.3	01.8-08.8	543	94.7	91.2-98.2
College Graduate	657	74,954	14	2.8	01.2-04.4	643	97.2	95.6-98.8
Less than \$15,000	109	11,856				109	100.0	0100-0100
\$15,000- 24,999	253	30,648	3	1.5	00.0-03.5	250	98.5	96.5-0100
\$25,000- 34,999	227	27,546	6	3.4	00.5-06.3	221	96.6	93.7-99.5
\$35,000- 49,999	381	43,007	8	5.4	00.7-10.1	373	94.6	89.9-99.3
\$50,000- 74,999	411	49,858	6	3.1	00.0-06.2	405	96.9	93.8-0100
\$75,000+	489	59,848	10	2.3	00.9-03.7	479	97.7	96.3-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.  
(FLUSPRY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2981	244,762	19	0.7	00.3-01.1	2962	99.3	98.9-99.7
Native	88	13,024				88	100.0	0100-0100
Non-Native	2868	230,003	19	0.8	00.4-01.2	2849	99.2	98.8-99.6
18-24	82	37,506				82	100.0	0100-0100
25-34	290	36,339	7	2.5	00.5-04.5	283	97.5	95.5-99.5
35-44	378	36,742	5	1.2	00.0-02.4	373	98.8	97.6-0100
45-54	608	45,990	6	0.9	00.1-01.7	602	99.1	98.3-99.9
55-64	560	32,190	1	0.1	00.0-00.3	559	99.9	99.7-0100
65+	1022	53,711				1022	100.0	0100-0100
Less Than H.S.	218	17,751	2	1.4	00.0-03.6	216	98.6	96.4-0100
H.S. or G.E.D.	875	65,119	4	0.4	00.0-00.8	871	99.6	99.2-0100
Some Post-H.S.	993	88,795	7	0.7	00.1-01.3	986	99.3	98.7-99.9
College Graduate	888	72,834	6	0.8	00.0-01.6	882	99.2	98.4-0100
Less than \$15,000	263	18,018				263	100.0	0100-0100
\$15,000- 24,999	490	37,252	1	0.2	00.0-00.6	489	99.8	99.4-0100
\$25,000- 34,999	372	26,306	5	1.2	00.0-02.4	367	98.8	97.6-0100
\$35,000- 49,999	439	36,882	3	0.4	00.0-01.0	436	99.6	99.0-0100
\$50,000- 74,999	431	39,089	4	1.3	00.1-02.5	427	98.7	97.5-99.9
\$75,000+	521	51,529	5	1.1	00.1-02.1	516	98.9	97.9-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 10: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	%	C.I. (95%)
	TOTAL	WEIGHTED			
TOTAL	51	8,276	7	10.2	02.2-18.2

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION

TABLE 11: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION

TABLE 12: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 13: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4673	440,612	1552	25.5	23.9-27.1	3121	74.5	72.9-76.1
Male	1820	211,857	521	23.6	21.2-26.0	1299	76.4	74.0-78.8
Female	2853	228,756	1031	27.4	25.4-29.4	1822	72.6	70.6-74.6
Native	117	18,766	35	19.9	11.5-28.3	82	80.1	71.7-88.5
Non-Native	4516	418,665	1503	25.8	24.2-27.4	3013	74.2	72.6-75.8
18-24	130	64,272	16	12.1	06.2-18.0	114	87.9	82.0-93.8
25-34	429	64,244	42	9.2	06.5-11.9	387	90.8	88.1-93.5
35-44	626	68,244	66	10.7	08.2-13.2	560	89.3	86.8-91.8
45-54	1001	85,791	127	12.5	10.3-14.7	874	87.5	85.3-89.7
55-64	945	64,010	265	28.2	25.1-31.3	680	71.8	68.7-74.9
65+	1492	90,763	1022	68.4	65.9-70.9	470	31.6	29.1-34.1
Less Than H.S.	353	31,343	177	41.3	33.9-48.7	176	58.7	51.3-66.1
H.S. or G.E.D.	1421	129,010	567	30.9	28.0-33.8	854	69.1	66.2-72.0
Some Post-H.S.	1451	144,058	447	22.8	20.3-25.3	1004	77.2	74.7-79.7
College Graduate	1440	135,333	359	19.8	17.4-22.2	1081	80.2	77.8-82.6
Less than \$15,000	352	26,752	175	40.5	32.7-48.3	177	59.5	51.7-67.3
\$15,000- 24,999	690	62,562	316	33.9	29.0-38.8	374	66.1	61.2-71.0
\$25,000- 34,999	565	50,753	222	28.6	24.1-33.1	343	71.4	66.9-75.9
\$35,000- 49,999	775	73,107	241	25.6	21.9-29.3	534	74.4	70.7-78.1
\$50,000- 74,999	774	78,322	181	19.1	16.2-22.0	593	80.9	78.0-83.8
\$75,000+	938	101,026	164	14.5	12.0-17.0	774	85.5	83.0-88.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 14: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	211,857	521	23.6	21.2-26.0	1299	76.4	74.0-78.8
Non-Native	1766	202,629	505	23.7	21.3-26.1	1261	76.3	73.9-78.7
18-24	64	33,369	11	15.3	06.3-24.3	53	84.7	75.7-93.7
25-34	165	31,413	17	9.0	04.7-13.3	148	91.0	86.7-95.3
35-44	272	33,698	29	11.1	07.2-15.0	243	88.9	85.0-92.8
45-54	418	41,664	53	12.9	09.4-16.4	365	87.1	83.6-90.6
55-64	399	32,555	109	27.9	23.2-32.6	290	72.1	67.4-76.8
65+	492	38,121	299	61.7	57.2-66.2	193	38.3	33.8-42.8
Less Than H.S.	146	15,215	57	32.5	23.7-41.3	89	67.5	58.7-76.3
H.S. or G.E.D.	586	68,826	188	24.9	20.8-29.0	398	75.1	71.0-79.2
Some Post-H.S.	501	61,369	124	21.8	17.1-26.5	377	78.2	73.5-82.9
College Graduate	585	65,809	152	21.9	18.2-25.6	433	78.1	74.4-81.8
\$15,000- 24,999	232	28,457	89	32.0	24.0-40.0	143	68.0	60.0-76.0
\$25,000- 34,999	206	25,442	64	20.3	14.6-26.0	142	79.7	74.0-85.4
\$35,000- 49,999	350	38,694	105	27.4	21.7-33.1	245	72.6	66.9-78.3
\$50,000- 74,999	362	41,926	93	20.9	16.6-25.2	269	79.1	74.8-83.4
\$75,000+	442	52,575	86	17.4	13.3-21.5	356	82.6	78.5-86.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 14: IMMUNIZATION**

**TABLE 15: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2853	228,756	1031	27.4	25.4-29.4	1822	72.6	70.6-74.6
Native	80	11,379	24	18.8	08.8-28.8	56	81.2	71.2-91.2
Non-Native	2750	216,036	998	27.7	25.7-29.7	1752	72.3	70.3-74.3
18-24	66	30,903	5	8.5	01.2-15.8	61	91.5	84.2-98.8
25-34	264	32,831	25	9.4	05.7-13.1	239	90.6	86.9-94.3
35-44	354	34,546	37	10.3	06.8-13.8	317	89.7	86.2-93.2
45-54	583	44,126	74	12.0	09.3-14.7	509	88.0	85.3-90.7
55-64	546	31,455	156	28.4	24.5-32.3	390	71.6	67.7-75.5
65+	1000	52,642	723	73.3	70.4-76.2	277	26.7	23.8-29.6
H.S. or G.E.D.	835	60,184	379	37.8	33.7-41.9	456	62.2	58.1-66.3
Some Post-H.S.	950	82,688	323	23.6	20.5-26.7	627	76.4	73.3-79.5
College Graduate	855	69,524	207	17.7	15.2-20.2	648	82.3	79.8-84.8
Less than \$15,000	254	17,183	135	43.7	34.3-53.1	119	56.3	46.9-65.7
\$15,000- 24,999	458	34,105	227	35.4	29.5-41.3	231	64.6	58.7-70.5
\$25,000- 34,999	359	25,311	158	37.0	30.7-43.3	201	63.0	56.7-69.3
\$35,000- 49,999	425	34,413	136	23.6	18.9-28.3	289	76.4	71.7-81.1
\$50,000- 74,999	412	36,396	88	17.0	13.3-20.7	324	83.0	79.3-86.7
\$75,000+	496	48,451	78	11.3	08.6-14.0	418	88.7	86.0-91.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 15: FALLS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)	
1	MALES AND FEMALES	180
2	MALES ONLY	181
3	FEMALES ONLY	182
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	183
5	MALES ONLY	184
6	FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 15: FALLS**

**TABLE 1: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3578	251,095	345	9.4	08.4-10.4	83	2.3	01.7-02.9	36	1.0	00.6-01.4	10	0.3	00.1-00.5	26	0.9	00.5-01.3	3078	86.0	84.8-87.2
Male	1395	119,726	128	9.3	07.7-10.9	30	2.2	01.4-03.0	19	1.4	00.8-02.0	5	0.3	00.1-00.5	20	1.6	00.8-02.4	1193	85.2	83.2-87.2
Female	2183	131,369	217	9.6	08.2-11.0	53	2.5	01.7-03.3	17	0.6	00.2-01.0	5	0.3	00.1-00.5	6	0.2	00.0-00.4	1885	86.7	85.1-88.3
Native	51	3,520	4	9.1	00.0-18.3	2	2.7	00.0-06.4										45	88.2	78.4-98.0
Non-Native	3497	245,586	338	9.4	08.4-10.4	81	2.3	01.7-02.9	35	1.0	00.6-01.4	10	0.3	00.1-00.5	26	0.9	00.5-01.3	3007	86.0	84.8-87.2
45-54	1060	90,972	97	8.7	06.9-10.5	23	2.1	01.1-03.1	11	1.1	00.5-01.7	6	0.6	00.2-01.0	9	1.1	00.3-01.9	914	86.5	84.3-88.7
55-64	991	67,370	79	7.9	06.1-09.7	23	2.5	01.5-03.5	7	0.6	00.0-01.2	3	0.2	00.0-00.4	8	0.8	00.2-01.4	871	87.9	85.7-90.1
65+	1527	92,753	169	11.3	09.5-13.1	37	2.4	01.6-03.2	18	1.2	00.6-01.8	1	0.0	00.0-00.0	9	0.8	00.2-01.4	1293	84.2	82.2-86.2
Less Than H.S.	321	21,114	35	12.2	08.1-16.3	12	3.6	01.4-05.8	6	2.0	00.2-03.8	1	0.2	00.0-00.6	3	1.3	00.0-02.9	264	80.7	75.8-85.6
H.S. or G.E.D.	1167	80,545	104	8.4	06.6-10.2	23	2.0	01.0-03.0	12	1.0	00.4-01.6	5	0.5	00.1-00.9	11	1.1	00.5-01.7	1012	86.9	84.7-89.1
Some Post-H.S.	1080	75,513	98	8.8	06.8-10.8	30	2.9	01.7-04.1	14	1.3	00.5-02.1	2	0.2	00.0-00.6	7	0.9	00.1-01.7	929	85.9	83.5-88.3
College Graduate	1007	73,762	107	10.4	08.4-12.4	18	1.8	00.8-02.8	4	0.4	00.0-00.8	2	0.1	00.0-00.3	5	0.6	00.0-01.2	871	86.7	84.3-89.1
Less than \$15,000	291	15,202	27	8.9	05.4-12.4	12	3.8	01.6-06.0	7	3.3	00.6-06.0	4	1.3	00.0-02.7	5	2.3	00.1-04.5	236	80.3	75.2-85.4
\$15,000- 24,999	562	33,767	66	12.6	09.3-15.9	12	2.1	00.7-03.5	6	0.9	00.1-01.7	3	0.9	00.0-01.9	7	1.7	00.3-03.1	468	81.8	78.1-85.5
\$25,000- 34,999	448	28,568	38	8.3	05.6-11.0	13	3.6	01.4-05.8	6	1.2	00.2-02.2	1	0.2	00.0-00.6	4	1.3	00.0-02.7	386	85.4	81.7-89.1
\$35,000- 49,999	584	42,806	57	10.5	07.6-13.4	12	1.5	00.5-02.5	7	1.0	00.2-01.8	2	0.3	00.0-00.9	4	0.8	00.0-01.6	502	85.8	82.7-88.9
\$50,000- 74,999	551	43,508	44	7.9	05.5-10.3	12	2.2	00.8-03.6	3	0.7	00.0-01.5	3	0.7	00.0-01.5	3	0.7	00.0-01.5	489	88.5	85.6-91.4
\$75,000+	650	55,193	55	7.9	05.7-10.1	12	2.1	00.7-03.5	4	0.8	00.0-01.6	1	0.2	00.0-00.6	578	89.0	86.5-91.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 15: FALLS**

**TABLE 2: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1395	119,726	128	9.3	07.7-10.9	30	2.2	01.4-03.0	19	1.4	00.8-02.0	5	0.3	00.1-00.5	20	1.6	00.8-02.4	1193	85.2	83.2-87.2
Non-Native	1367	117,417	125	9.2	07.4-11.0	29	2.2	01.4-03.0	19	1.4	00.8-02.0	5	0.3	00.1-00.5	20	1.7	00.9-02.5	1169	85.2	83.2-87.2
45-54	454	45,189	38	7.9	05.4-10.4	13	2.7	00.9-04.5	7	1.5	00.3-02.7	2	0.4	00.0-01.0	8	2.0	00.6-03.4	386	85.5	82.0-89.0
55-64	433	35,276	35	8.1	05.2-11.0	10	2.5	00.9-04.1	3	0.8	00.0-01.6	2	0.3	00.0-00.7	4	1.0	00.0-02.0	379	87.3	84.0-90.6
65+	508	39,261	55	11.9	08.8-15.0	7	1.2	00.2-02.2	9	1.8	00.6-03.0	1	0.1	00.0-00.3	8	1.8	00.6-03.0	428	83.1	79.6-86.6
Less Than H.S.	132	10,597	16	14.5	07.6-21.4	2	1.9	00.0-04.4	4	3.3	00.0-06.6	1	0.4	00.0-01.2	2	2.2	00.0-05.3	107	77.8	69.8-85.8
H.S. or G.E.D.	453	38,936	34	6.8	04.4-09.2	9	2.1	00.3-03.9	7	1.6	00.4-02.8	3	0.6	00.0-01.4	10	2.2	00.8-03.6	390	86.6	83.3-89.9
Some Post-H.S.	371	31,864	30	9.0	05.7-12.3	10	2.3	00.7-03.9	7	1.7	00.3-03.1				4	1.6	00.0-03.2	320	85.3	81.2-89.4
College Graduate	438	38,239	48	10.5	07.4-13.6	9	2.1	00.5-03.7	1	0.4	00.0-01.2	1	0.1	00.0-00.3	4	1.0	00.0-02.0	375	85.8	82.3-89.3
Less than \$15,000	84	5,572	7	7.7	01.8-13.6	3	2.8	00.0-05.9	3	4.3	00.0-09.2	2	2.1	00.0-05.0	4	5.5	00.2-10.8	65	77.6	68.2-87.0
\$15,000- 24,999	183	14,130	24	15.2	08.9-21.5	5	2.1	00.1-04.1	1	0.3	00.0-00.9				5	3.3	00.4-06.2	148	79.0	72.1-85.9
\$25,000- 34,999	160	12,475	15	8.7	04.2-13.2	3	3.0	00.0-06.3	3	1.8	00.0-03.8	1	0.5	00.0-01.5	3	2.8	00.0-05.9	135	83.2	76.7-89.7
\$35,000- 49,999	271	23,811	29	12.0	07.7-16.3	3	0.6	00.0-01.4	4	1.4	00.0-02.8	2	0.6	00.0-01.6	2	0.9	00.0-02.1	231	84.5	79.8-89.2
\$50,000- 74,999	273	24,621	23	8.1	04.8-11.4	8	2.6	00.8-04.4	3	1.3	00.0-02.7				3	1.2	00.0-02.6	236	86.8	82.7-90.9
\$75,000+	317	30,525	22	6.8	03.9-09.7	7	2.7	00.5-04.9	4	1.5	00.0-03.1				1	0.3	00.0-00.9	283	88.7	85.0-92.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 15: FALLS**

**TABLE 3: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2183	131,369	217	9.6	08.2-11.0	53	2.5	01.7-03.3	17	0.6	00.2-01.0	5	0.3	00.1-00.5	6	0.2	00.0-00.4	1885	86.7	85.1-88.3
Non-Native	2130	128,168	213	9.6	08.2-11.0	52	2.5	01.7-03.3	16	0.6	00.2-01.0	5	0.3	00.1-00.5	6	0.3	00.1-00.5	1838	86.7	85.1-88.3
45-54	606	45,783	59	9.5	07.0-12.0	10	1.6	00.4-02.8	4	0.6	00.0-01.4	4	0.7	00.0-01.5	1	0.2	00.0-00.6	528	87.4	84.7-90.1
55-64	558	32,094	44	7.7	05.3-10.1	13	2.4	01.0-03.8	4	0.5	00.0-01.1	1	0.1	00.0-00.3	4	0.6	00.0-01.2	492	88.7	86.0-91.4
65+	1019	53,492	114	10.9	08.9-12.9	30	3.3	02.1-04.5	9	0.8	00.2-01.4				1	0.1	00.0-00.3	865	85.0	82.6-87.4
Less Than H.S.	189	10,517	19	9.8	05.5-14.1	10	5.4	01.9-08.9	2	0.8	00.0-02.0				1	0.5	00.0-01.5	157	83.5	78.0-89.0
H.S. or G.E.D.	714	41,609	70	10.0	07.5-12.5	14	1.8	00.8-02.8	5	0.5	00.1-00.9	2	0.5	00.0-01.1	1	0.1	00.0-00.3	622	87.1	84.4-89.8
Some Post-H.S.	709	43,648	68	8.7	06.5-10.9	20	3.3	01.7-04.9	7	0.9	00.1-01.7	2	0.3	00.0-00.9	3	0.4	00.0-00.8	609	86.4	83.7-89.1
College Graduate	569	35,523	59	10.2	07.7-12.7	9	1.4	00.4-02.4	3	0.4	00.0-01.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3	496	87.7	84.8-90.6
Less than \$15,000	207	9,630	20	9.7	05.4-14.0	9	4.3	01.4-07.2	4	2.7	00.0-06.0	2	0.9	00.0-02.1	1	0.5	00.0-01.5	171	81.9	76.0-87.8
\$15,000- 24,999	379	19,637	42	10.7	07.4-14.0	7	2.1	00.5-03.7	5	1.3	00.1-02.5	3	1.5	00.0-03.3	2	0.5	00.0-01.3	320	83.7	79.6-87.8
\$25,000- 34,999	288	16,094	23	8.0	04.7-11.3	10	4.0	01.5-06.5	3	0.8	00.0-01.8				1	0.2	00.0-00.6	251	87.1	83.0-91.2
\$35,000- 49,999	313	18,995	28	8.7	05.4-12.0	9	2.7	00.9-04.5	3	0.6	00.0-01.2				2	0.7	00.0-01.7	271	87.3	83.4-91.2
\$50,000- 74,999	278	18,887	21	7.6	04.3-10.9	4	1.7	00.0-03.7										253	90.7	86.8-94.6
\$75,000+	333	24,668	33	9.3	06.2-12.4	5	1.4	00.2-02.6										295	89.3	86.0-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 15: FALLS**

**TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	500	35,092	145	26.4	22.3-30.5	11	2.5	00.9-04.1	5	0.9	00.0-01.9	1	0.1	00.0-00.3	1	0.4	00.0-01.2	337	69.6	65.3-73.9
Male	202	17,662	50	23.4	17.1-29.7	2	1.1	00.0-02.7	1	0.4	00.0-01.2				1	0.9	00.0-02.7	148	74.3	67.8-80.8
Female	298	17,429	95	29.5	24.0-35.0	9	4.0	01.3-06.7	4	1.4	00.0-03.2	1	0.2	00.0-00.6				189	64.8	58.9-70.7
Non-Native	490	34,445	143	26.7	22.4-31.0	11	2.6	01.0-04.2	5	0.9	00.0-01.9	1	0.1	00.0-00.3	1	0.5	00.0-01.5	329	69.2	64.7-73.7
45-54	146	12,301	34	20.8	13.9-27.7	5	3.4	00.3-06.5	2	1.5	00.0-04.0	1	0.3	00.0-00.9	1	1.3	00.0-03.8	103	72.7	64.9-80.5
55-64	120	8,137	32	26.5	17.9-35.1	2	2.0	00.0-04.7	3	1.6	00.0-03.6							83	69.9	60.9-78.9
65+	234	14,654	79	31.1	24.6-37.6	4	2.1	00.0-04.3										151	66.8	60.1-73.5
H.S. or G.E.D.	155	10,556	48	26.8	19.5-34.1	4	2.5	00.0-05.0	1	0.6	00.0-01.8							102	70.1	62.5-77.7
Some Post-H.S.	151	10,623	45	26.2	18.6-33.8	5	4.0	00.3-07.7	3	2.1	00.0-05.0	1	0.4	00.0-01.2	1	1.5	00.0-04.2	96	65.9	57.5-74.3
College Graduate	136	9,785	36	27.6	19.2-36.0	2	2.0	00.0-04.7	1	0.3	00.0-00.9							97	70.0	61.4-78.6
Less than \$15,000	55	2,988				2	3.6	00.0-08.9	2	6.3	00.0-15.9	1	1.3	00.0-03.8						
\$15,000- 24,999	94	6,156				4	5.9	00.2-11.6												
\$25,000- 34,999	62	4,178				2	4.2	00.0-10.1	3	3.1	00.0-06.8									
\$35,000- 49,999	82	6,085				1	1.8	00.0-05.3												
\$50,000- 74,999	62	5,003	7	11.4	03.0-19.8													55	88.6	80.2-97.0
\$75,000+	72	6,096				1	1.6	00.0-04.7												

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 15: FALLS**

**TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	202	17,662	50	23.4	17.1-29.7	2	1.1	00.0-02.7	1	0.4	00.0-01.2	1	0.9	00.0-02.7	148	74.3	67.8-80.8
Non-Native	198	17,348	50	23.8	17.3-30.3	2	1.1	00.0-02.7	1	0.4	00.0-01.2	1	0.9	00.0-02.7	144	73.8	67.1-80.5
45-54	68	6,539	14	18.8	09.0-28.6	1	1.2	00.0-03.6				1	2.4	00.0-06.9			
55-64	54	4,495							1	1.5	00.0-04.4						
65+	80	6,629				1	1.7	00.0-05.0									
H.S. or G.E.D.	63	5,204				1	1.5	00.0-04.4	1	1.3	00.0-03.8						
Some Post-H.S.	51	4,678										1	3.3	00.0-09.8			
College Graduate	63	5,427				1	2.0	00.0-05.9									

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 15: FALLS**

**TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	298	17,429	95	29.5	24.0-35.0	9	4.0	01.3-06.7	4	1.4	00.0-03.2	1	0.2	00.0-00.6	189	64.8	58.9-70.7
Non-Native	292	17,097	93	29.6	24.1-35.1	9	4.1	01.4-06.8	4	1.5	00.0-03.3	1	0.2	00.0-00.6	185	64.6	58.7-70.5
45-54	78	5,762	20	23.2	13.6-32.8	4	5.9	00.0-11.8	2	3.3	00.0-08.4	1	0.7	00.0-02.1			
55-64	66	3,643				2	4.4	00.0-10.5	2	1.8	00.0-04.2						
65+	154	8,025	58	34.3	26.5-42.1	3	2.5	00.0-05.4							93	63.1	55.1-71.1
H.S. or G.E.D.	92	5,352	34	31.9	21.9-41.9	3	3.5	00.0-07.8									
Some Post-H.S.	100	5,944	31	28.6	19.4-37.8	5	7.1	00.8-13.4	3	3.7	00.0-08.8	1	0.6	00.0-01.8			
College Graduate	73	4,358				1	2.0	00.0-05.9	1	0.7	00.0-02.1						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 16: SEATBELT USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY- (SEATBELT)	
1	MALES AND FEMALES	187
2	MALES ONLY	188
3	FEMALES ONLY	189

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 16: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4995	487,895	3216	59.2	57.2-61.2	1083	24.1	22.3-25.9	387	9.6	08.2-11.0	154	3.9	03.1-04.7	148	3.2	02.6-03.8	7	0.1	00.1-00.1
Male	2020	243,629	1023	48.5	45.6-51.4	544	27.5	24.8-30.2	240	13.0	10.8-15.2	112	6.5	04.9-08.1	98	4.4	03.4-05.4	3	0.1	00.1-00.1
Female	2975	244,266	2193	69.8	67.3-72.3	539	20.8	18.6-23.0	147	6.2	04.6-07.8	42	1.2	00.8-01.6	50	1.9	01.1-02.7	4	0.1	00.1-00.1
Native	129	22,107										1	0.3	00.0-00.9	2	1.4	00.0-03.8			
Non-Native	4824	462,211	3107	59.3	57.3-61.3	1043	24.0	22.2-25.8	372	9.3	07.9-10.7	152	4.1	03.1-05.1	143	3.2	02.6-03.8	7	0.1	00.1-00.1
18-24	163	79,652	70	42.3	34.1-50.5	47	30.3	22.7-37.9	27	16.9	10.4-23.4	10	6.4	02.3-10.5	9	4.2	01.3-07.1			
25-34	501	77,364	305	59.3	54.6-64.0	110	23.1	19.0-27.2	51	10.0	07.3-12.7	20	4.4	02.4-06.4	15	3.2	01.4-05.0			
35-44	693	75,583	428	60.7	56.8-64.6	160	23.8	20.5-27.1	63	9.6	07.2-12.0	26	3.7	02.1-05.3	16	2.2	01.0-03.4			
45-54	1064	91,311	650	59.0	55.9-62.1	251	24.5	21.8-27.2	86	8.8	06.8-10.8	39	3.9	02.5-05.3	38	3.8	02.4-05.2			
55-64	992	67,402	659	64.8	61.5-68.1	206	22.2	19.3-25.1	68	6.9	05.1-08.7	31	3.1	01.9-04.3	28	2.9	01.7-04.1			
65+	1531	93,262	1068	68.0	65.5-70.5	296	20.9	18.5-23.3	91	5.9	04.7-07.1	28	2.1	01.1-03.1	41	2.7	01.9-03.5	7	0.3	00.1-00.5
Less Than H.S.	376	36,212	219	50.9	43.1-58.7	79	28.1	20.7-35.5	42	10.5	06.4-14.6	18	6.4	02.3-10.5	18	4.0	01.5-06.5			
H.S. or G.E.D.	1516	144,150	909	53.0	49.3-56.7	341	25.7	22.2-29.2	141	12.4	09.7-15.1	55	4.3	02.7-05.9	66	4.5	03.1-05.9	4	0.1	00.0-00.3
Some Post-H.S.	1552	159,007	980	57.8	54.1-61.5	350	24.0	20.9-27.1	126	10.4	07.7-13.1	54	4.5	02.9-06.1	40	3.2	01.8-04.6	2	0.1	00.1-00.1
College Graduate	1542	147,625	1100	68.4	65.5-71.3	312	21.9	19.4-24.4	78	5.8	04.4-07.2	27	2.3	01.1-03.5	24	1.6	00.8-02.4	1	0.0	00.0-00.0
Less than \$15,000	370	29,676	248	56.3	46.9-65.7	60	22.9	13.3-32.5	38	13.2	06.5-19.9	7	2.1	00.3-03.9	15	5.2	01.1-09.3	2	0.3	00.0-00.7
\$15,000- 24,999	739	67,671	482	58.7	53.0-64.4	136	22.7	17.6-27.8	57	8.0	05.3-10.7	28	4.8	02.1-07.5	34	5.7	03.0-08.4	2	0.1	00.0-00.3
\$25,000- 34,999	599	53,886	372	52.6	46.7-58.5	140	29.1	23.2-35.0	49	9.1	06.2-12.0	21	5.9	02.6-09.2	17	3.5	01.5-05.5			
\$35,000- 49,999	819	79,814	498	56.1	51.4-60.8	192	22.5	19.0-26.0	74	14.7	10.0-19.4	31	4.0	02.4-05.6	24	2.7	01.5-03.9			
\$50,000- 74,999	842	89,127	532	58.6	54.5-62.7	203	26.2	22.5-29.9	70	10.5	07.6-13.4	19	2.4	01.0-03.8	18	2.2	01.2-03.2			
\$75,000+	1009	111,208	646	62.6	58.9-66.3	245	24.6	21.5-27.7	70	6.5	04.9-08.1	29	3.9	01.7-06.1	19	2.3	01.1-03.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 16: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2020	243,629	1023	48.5	45.6-51.4	544	27.5	24.8-30.2	240	13.0	10.8-15.2	112	6.5	04.9-08.1	98	4.4	03.4-05.4	3	0.1	00.1-00.1
Non-Native	1961	232,668	992	48.8	45.9-51.7	526	26.9	24.4-29.4	232	12.8	10.6-15.0	111	6.8	05.0-08.6	97	4.6	03.4-05.8	3	0.1	00.1-00.1
18-24	81	42,146							16	20.0	10.8-29.2	10	12.1	04.7-19.5	5	3.9	00.2-07.6			
25-34	213	41,302	104	50.6	43.5-57.7	53	25.0	18.7-31.3	29	12.8	08.3-17.3	15	6.9	03.4-10.4	12	4.8	02.1-07.5			
35-44	314	38,693	154	50.1	44.2-56.0	87	27.6	22.3-32.9	44	13.8	09.9-17.7	16	5.0	02.3-07.7	13	3.5	01.5-05.5			
45-54	459	45,603	213	45.8	40.9-50.7	131	29.3	24.8-33.8	56	12.6	09.3-15.9	32	6.5	04.1-08.9	27	5.8	03.4-08.2			
55-64	433	35,276	237	54.9	50.0-59.8	113	26.8	22.3-31.3	43	9.6	06.7-12.5	21	4.3	02.3-06.3	19	4.4	02.2-06.6			
65+	510	39,573	280	56.1	51.4-60.8	136	27.3	23.2-31.4	51	8.5	06.1-10.9	18	3.8	01.8-05.8	22	4.0	02.2-05.8	3	0.3	00.0-00.7
Less Than H.S.	160	18,546	72	33.9	24.3-43.5				24	13.7	06.6-20.8	12	11.2	03.6-18.8	11	6.3	01.4-11.2			
H.S. or G.E.D.	643	79,166	285	43.1	37.8-48.4	172	27.3	22.2-32.4	92	15.9	11.8-20.0	45	7.1	04.4-09.8	49	6.6	04.2-09.0			
Some Post-H.S.	558	70,290	256	45.1	39.6-50.6	165	28.4	23.3-33.5	75	14.6	10.3-18.9	39	8.2	04.7-11.7	21	3.5	01.7-05.3	2	0.1	00.0-00.3
College Graduate	657	74,990	409	60.8	56.3-65.3	165	25.1	21.2-29.0	49	8.4	05.9-10.9	16	3.2	00.8-05.6	17	2.4	01.2-03.6	1	0.1	00.0-00.3
Less than \$15,000	108	11,700							19	10.0	04.5-15.5	4	3.1	00.0-06.4	7	4.2	00.5-07.9			
\$15,000- 24,999	253	30,814	129	49.5	40.7-58.3	59	25.8	17.6-34.0	22	7.3	02.8-11.8	18	8.9	03.2-14.6	24	8.4	03.9-12.9	1	0.1	00.0-00.3
\$25,000- 34,999	227	27,580	105	40.0	31.2-48.8	63	32.2	22.8-41.6	32	12.2	07.5-16.9	16	10.1	03.6-16.6	11	5.5	01.8-09.2			
\$35,000- 49,999	380	42,932	183	46.8	40.5-53.1	108	24.6	19.9-29.3	49	18.7	12.4-25.0	27	6.4	03.7-09.1	13	3.4	01.4-05.4			
\$50,000- 74,999	412	49,992	209	49.1	43.2-55.0	125	29.3	24.2-34.4	47	14.5	09.6-19.4	15	3.7	01.5-05.9	16	3.4	01.6-05.2			
\$75,000+	489	59,848	257	51.5	46.2-56.8	137	27.9	23.2-32.6	55	10.3	07.4-13.2	22	6.3	02.6-10.0	18	4.0	02.0-06.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 16: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2975	244,266	2193	69.8	67.3-72.3	539	20.8	18.6-23.0	147	6.2	04.6-07.8	42	1.2	00.8-01.6	50	1.9	01.1-02.7	4	0.1	00.1-00.1
Native	87	12,986													1	1.9	00.0-05.6			
Non-Native	2863	229,544	2115	70.0	67.5-72.5	517	21.1	18.9-23.3	140	5.7	04.1-07.3	41	1.3	00.9-01.7	46	1.9	01.1-02.7	4	0.1	00.1-00.1
18-24	82	37,506							11	13.4	04.6-22.2				4	4.5	00.0-09.0			
25-34	288	36,062	201	69.3	63.6-75.0	57	21.0	15.9-26.1	22	6.9	04.0-09.8	5	1.5	00.1-02.9	3	1.4	00.0-03.0			
35-44	379	36,890	274	71.8	66.9-76.7	73	19.9	15.6-24.2	19	5.2	02.7-07.7	10	2.3	00.7-03.9	3	0.9	00.0-01.9			
45-54	605	45,708	437	72.3	68.6-76.0	120	19.6	16.3-22.9	30	5.1	03.1-07.1	7	1.3	00.3-02.3	11	1.8	00.6-03.0			
55-64	559	32,126	422	75.7	72.0-79.4	93	17.2	13.9-20.5	25	4.0	02.4-05.6	10	1.8	00.6-03.0	9	1.4	00.4-02.4			
65+	1021	53,689	788	76.8	74.1-79.5	160	16.2	13.7-18.7	40	4.0	02.6-05.4	10	0.9	00.3-01.5	19	1.7	00.9-02.5	4	0.4	00.0-00.8
Less Than H.S.	216	17,666	147	68.7	58.7-78.7	38	21.0	11.8-30.2	18	7.2	03.1-11.3	6	1.4	00.2-02.6	7	1.6	00.2-03.0			
H.S. or G.E.D.	873	64,984	624	65.2	60.5-69.9	169	23.7	19.2-28.2	49	8.2	05.1-11.3	10	0.8	00.2-01.4	17	1.8	00.6-03.0	4	0.3	00.0-00.7
Some Post-H.S.	994	88,717	724	67.9	63.2-72.6	185	20.6	16.9-24.3	51	7.1	03.6-10.6	15	1.5	00.7-02.3	19	3.0	01.0-05.0			
College Graduate	885	72,635	691	76.3	73.0-79.6	147	18.6	15.5-21.7	29	3.1	01.9-04.3	11	1.3	00.5-02.1	7	0.8	00.2-01.4			
Less than \$15,000	262	17,976				41	17.9	09.7-26.1	19	15.3	05.3-25.3	3	1.4	00.0-03.2	8	5.8	00.0-12.1	2	0.5	00.0-01.1
\$15,000- 24,999	486	36,857	353	66.4	59.5-73.3	77	20.1	14.0-26.2	35	8.5	05.2-11.8	10	1.4	00.4-02.4	10	3.4	00.3-06.5	1	0.2	00.0-00.6
\$25,000- 34,999	372	26,306	267	65.7	58.6-72.8	77	25.8	18.9-32.7	17	5.8	02.3-09.3	5	1.4	00.0-02.8	6	1.3	00.3-02.3			
\$35,000- 49,999	439	36,882	315	66.9	59.5-74.3	84	20.1	14.8-25.4	25	10.0	02.7-17.3	4	1.1	00.0-02.3	11	1.9	00.7-03.1			
\$50,000- 74,999	430	39,135	323	70.8	64.9-76.7	78	22.2	16.5-27.9	23	5.4	02.7-08.1	4	0.9	00.0-01.9	2	0.7	00.0-01.7			
\$75,000+	520	51,360	389	75.7	71.2-80.2	108	20.8	16.5-25.1	15	2.1	00.9-03.3	7	1.1	00.1-02.1	1	0.3	00.0-00.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 17: DRINKING AND DRIVING CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	191
2	MALES ONLY	192
3	FEMALES ONLY	193

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 17: DRINKING AND DRIVING**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days  
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2773	281,597	79	3.9	02.7-05.1	41	2.4	01.4-03.4	8	0.3	00.1-00.5	9	0.3	00.1-00.5	14	1.0	00.2-01.8	2622	92.1	90.5-93.7
Male	1320	158,086	52	4.8	03.0-06.6	32	3.5	01.9-05.1	6	0.5	00.1-00.9	7	0.4	00.0-00.8	14	1.8	00.6-03.0	1209	89.0	86.5-91.5
Female	1453	123,511	27	2.7	01.3-04.1	9	1.0	00.2-01.8	2	0.1	00.0-00.3	2	0.1	00.0-00.3				1413	96.1	94.5-97.7
Native	59	8,469				1	2.3	00.0-06.8				1	0.8	00.0-02.4						
Non-Native	2702	271,868	74	3.5	02.5-04.5	40	2.4	01.4-03.4	8	0.3	00.1-00.5	8	0.3	00.1-00.5	14	1.0	00.2-01.8	2558	92.4	90.8-94.0
18-24	84	38,192	5	7.6	00.9-14.3	7	7.4	01.5-13.3							3	4.3	00.0-09.0	69	80.8	71.4-90.2
25-34	341	53,110	16	4.8	02.4-07.2	7	2.2	00.4-04.0	2	0.7	00.0-01.9	1	0.4	00.0-01.2	2	0.6	00.0-01.6	313	91.3	88.0-94.6
35-44	457	50,063	15	3.2	01.6-04.8	15	3.5	01.5-05.5				3	0.5	00.0-01.1	4	0.6	00.0-01.2	420	92.2	89.7-94.7
45-54	701	61,242	29	4.8	02.8-06.8	5	0.7	00.1-01.3	5	0.7	00.1-01.3	2	0.3	00.0-00.7	2	0.4	00.0-01.0	658	93.1	90.9-95.3
55-64	577	40,049	9	1.6	00.4-02.8	5	1.1	00.1-02.1				2	0.3	00.0-00.7	3	0.7	00.0-01.5	558	96.4	94.6-98.2
65+	590	37,284	5	0.9	00.1-01.7	2	0.4	00.0-01.0	1	0.2	00.0-00.6	1	0.2	00.0-00.6				581	98.3	97.1-99.5
Less Than H.S.	121	10,470	2	1.9	00.0-04.6	4	6.9	00.0-14.0							1	1.5	00.0-04.4	114	89.8	82.0-97.6
H.S. or G.E.D.	771	74,259	21	3.6	01.2-06.0	11	2.6	00.6-04.6	2	0.3	00.0-00.7	5	0.5	00.1-00.9	5	1.9	00.0-04.1	727	91.1	87.6-94.6
Some Post-H.S.	878	95,126	32	5.6	03.1-08.1	14	2.8	00.6-05.0	2	0.1	00.0-00.3	2	0.2	00.0-00.4	7	1.3	00.1-02.5	821	90.0	86.5-93.5
College Graduate	1001	101,588	24	2.7	01.5-03.9	12	1.4	00.6-02.2	4	0.5	00.0-01.1	2	0.3	00.0-00.7	1	0.0	00.0-00.0	958	95.1	93.5-96.7
Less than \$15,000	123	9,637	4	4.9	00.0-10.0													119	95.1	90.0-0100
\$15,000- 24,999	315	31,880	7	1.8	00.2-03.4	4	2.4	00.0-05.7	1	0.2	00.0-00.6	1	0.2	00.0-00.6	1	1.7	00.0-05.0	301	93.7	88.8-98.6
\$25,000- 34,999	317	29,954	15	4.4	01.9-06.9	6	3.3	00.6-06.0	1	0.3	00.0-00.9				1	0.1	00.0-00.3	294	91.9	88.2-95.6
\$35,000- 49,999	474	45,436	14	4.8	00.9-08.7	6	1.3	00.1-02.5	1	0.3	00.0-00.9	3	0.7	00.0-01.7	4	2.0	00.0-04.5	446	90.8	86.1-95.5
\$50,000- 74,999	560	61,799	14	4.1	01.4-06.8	11	3.8	00.9-06.7	4	0.9	00.0-01.9	2	0.2	00.0-00.4	6	1.7	00.0-03.7	523	89.4	85.1-93.7
\$75,000+	731	80,038	22	4.3	01.9-06.7	12	1.8	00.6-03.0	1	0.1	00.0-00.3	2	0.3	00.0-00.7	2	0.4	00.0-01.0	692	93.2	90.7-95.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 17: DRINKING AND DRIVING**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1320	158,086	52	4.8	03.0-06.6	32	3.5	01.9-05.1	6	0.5	00.1-00.9	7	0.4	00.0-00.8	14	1.8	00.6-03.0	1209	89.0	86.5-91.5
Non-Native	1286	153,542	48	4.2	02.6-05.8	31	3.5	01.9-05.1	6	0.5	00.1-00.9	6	0.4	00.0-00.8	14	1.8	00.4-03.2	1181	89.6	87.1-92.1
25-34	167	31,941	9	5.4	01.9-08.9	5	3.3	00.4-06.2	2	1.2	00.0-03.0	1	0.6	00.0-01.8	2	1.1	00.0-02.5	148	88.4	83.3-93.5
35-44	235	28,768	10	3.6	01.2-06.0	13	5.0	02.1-07.9				3	0.9	00.0-01.9	4	1.1	00.0-02.3	205	89.4	85.5-93.3
45-54	323	32,452	18	6.6	03.3-09.9	3	0.8	00.0-01.8	3	1.0	00.0-02.2	2	0.5	00.0-01.3	2	0.8	00.0-02.0	295	90.4	86.7-94.1
55-64	286	23,410	8	2.4	00.6-04.2	4	1.5	00.0-03.1							3	1.1	00.0-02.5	271	94.9	92.2-97.6
65+	259	20,010	4	1.5	00.0-03.1	2	0.8	00.0-01.8	1	0.4	00.0-01.2	1	0.4	00.0-01.2				251	97.0	94.8-99.2
Less Than H.S.	67	6,489	2	3.0	00.0-07.3										1	2.4	00.0-07.1			
H.S. or G.E.D.	409	46,398	13	4.4	00.9-07.9	9	3.2	00.5-05.9	2	0.4	00.0-01.2	4	0.6	00.0-01.2	5	3.1	00.0-06.4	376	88.3	83.0-93.6
Some Post-H.S.	369	47,940	23	7.5	03.4-11.6	12	5.2	01.3-09.1	1	0.2	00.0-00.6	2	0.4	00.0-01.0	7	2.5	00.0-05.0	324	84.1	78.2-90.0
College Graduate	474	57,171	14	3.1	01.3-04.9	7	1.4	00.2-02.6	3	0.8	00.0-01.8	1	0.3	00.0-00.9	1	0.1	00.0-00.3	448	94.2	91.8-96.6
Less than \$15,000	58	5,320	2	2.7	00.0-06.4													56	97.3	93.6-0100
\$15,000- 24,999	129	16,068	3	1.9	00.0-04.3	3	4.4	00.0-11.1	1	0.3	00.0-00.9	1	0.4	00.0-01.2	1	3.4	00.0-09.9	120	89.6	80.4-98.8
\$25,000- 34,999	139	16,386	10	5.1	01.4-08.8	5	4.9	00.2-09.6	1	0.5	00.0-01.5				1	0.3	00.0-00.9	122	89.3	83.2-95.4
\$35,000- 49,999	246	28,115	9	6.5	00.4-12.6	4	1.2	00.0-02.4	1	0.6	00.0-01.8	3	1.1	00.0-02.7	4	3.2	00.0-07.3	225	87.4	80.3-94.5
\$50,000- 74,999	297	37,799	11	3.7	01.3-06.1	9	5.0	00.7-09.3	3	1.3	00.0-02.9	1	0.2	00.0-00.6	6	2.7	00.0-05.6	267	87.1	81.4-92.8
\$75,000+	378	46,857	15	5.9	02.2-09.6	9	2.6	00.8-04.4				2	0.5	00.0-01.1	2	0.6	00.0-01.4	350	90.4	86.3-94.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 17: DRINKING AND DRIVING**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1453	123,511	27	2.7	01.3-04.1	9	1.0	00.2-01.8	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1413	96.1	94.5-97.7
Non-Native	1416	118,327	26	2.7	01.1-04.3	9	1.0	00.2-01.8	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1377	96.1	94.3-97.9
25-34	174	21,170	7	3.8	00.9-06.7	2	0.6	00.0-01.4							165	95.6	92.5-98.7
35-44	222	21,295	5	2.5	00.3-04.7	2	1.5	00.0-03.7							215	95.9	92.8-99.0
45-54	378	28,790	11	2.9	01.1-04.7	2	0.7	00.0-01.7	2	0.4	00.0-01.0				363	96.1	94.1-98.1
55-64	291	16,639	1	0.4	00.0-01.2	1	0.4	00.0-01.2				2	0.8	00.0-01.8	287	98.5	96.9-0100
65+	331	17,274	1	0.2	00.0-00.6										330	99.8	99.4-0100
Less Than H.S.	54	3,982													54	100.0	0100-0100
H.S. or G.E.D.	362	27,861	8	2.4	00.6-04.2	2	1.5	00.0-04.0				1	0.2	00.0-00.6	351	95.8	92.9-98.7
Some Post-H.S.	509	47,187	9	3.6	00.3-06.9	2	0.4	00.0-01.0	1	0.1	00.0-00.3				497	95.9	92.6-99.2
College Graduate	527	44,418	10	2.1	00.7-03.5	5	1.4	00.0-02.8	1	0.2	00.0-00.6	1	0.1	00.0-00.3	510	96.2	94.2-98.2
Less than \$15,000	65	4,316	2	7.7	00.0-17.9										63	92.3	82.1-0100
\$15,000- 24,999	186	15,811	4	1.8	00.0-03.8	1	0.4	00.0-01.2							181	97.8	95.6-0100
\$25,000- 34,999	178	13,568	5	3.7	00.2-07.2	1	1.3	00.0-03.8							172	95.1	90.8-99.4
\$35,000- 49,999	228	17,321	5	2.0	00.2-03.8	2	1.6	00.0-04.1							221	96.4	93.3-99.5
\$50,000- 74,999	263	24,000	3	4.8	00.0-11.1	2	1.8	00.0-04.7	1	0.2	00.0-00.6	1	0.3	00.0-00.9	256	93.0	86.3-99.7
\$75,000+	353	33,181	7	1.9	00.5-03.3	3	0.8	00.0-01.8	1	0.2	00.0-00.6				342	97.1	95.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 18: WOMENS HEALTH CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
1	A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	195
2	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	196
3	A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	197
4	HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	198
5	A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	199
6	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	200
7	HAVE YOU HAD A HYSTERECTOMY? A HYSTERECTOMY IS AN OPERATION TO REMOVE THE UTERUS (WOMB). (HADHYST2) FEMALES ONLY	201

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2968	243,278	2385	65.5	62.8-68.2	583	34.5	31.8-37.2
Non-Native	2858	228,711	2317	66.3	63.6-69.0	541	33.7	31.0-36.4
18-24	81	37,154	16	20.1	10.1-30.1	65	79.9	69.9-89.9
25-34	286	35,816	33	10.9	07.2-14.6	253	89.1	85.4-92.8
35-44	377	36,693	223	57.8	52.5-63.1	154	42.2	36.9-47.5
45-54	604	45,632	558	91.8	89.4-94.2	46	8.2	05.8-10.6
55-64	559	32,126	541	97.2	95.8-98.6	18	2.8	01.4-04.2
65+	1021	53,604	980	96.3	95.1-97.5	41	3.7	02.5-04.9
H.S. or G.E.D.	871	64,428	746	73.2	68.3-78.1	125	26.8	21.9-31.7
Some Post-H.S.	990	88,422	794	61.6	56.5-66.7	196	38.4	33.3-43.5
College Graduate	883	72,455	658	62.8	58.7-66.9	225	37.2	33.1-41.3
\$15,000- 24,999	484	36,611	391	65.1	57.8-72.4	93	34.9	27.6-42.2
\$25,000- 34,999	371	26,257	309	71.7	64.8-78.6	62	28.3	21.4-35.2
\$35,000- 49,999	437	36,454	340	60.0	52.4-67.6	97	40.0	32.4-47.6
\$50,000- 74,999	430	39,135	318	60.9	54.8-67.0	112	39.1	33.0-45.2
\$75,000+	519	51,212	404	63.7	57.6-69.8	115	36.3	30.2-42.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report ever having a mammogram.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2365	158,250	1618	68.3	66.1-70.5	338	14.2	12.6-15.8	130	5.4	04.4-06.4	115	5.0	04.0-06.0	164	7.1	05.7-08.5
Non-Native	2298	150,599	1571	67.6	65.4-69.8	330	14.6	13.0-16.2	128	5.5	04.5-06.5	109	5.0	04.0-06.0	160	7.2	05.8-08.6
35-44	222	21,122	118	54.3	47.2-61.4	43	17.6	12.3-22.9	17	7.5	04.0-11.0	21	10.3	05.8-14.8	23	10.3	06.0-14.6
45-54	558	41,885	362	66.1	62.0-70.2	94	16.4	13.3-19.5	37	6.5	04.3-08.7	32	5.4	03.4-07.4	33	5.6	03.6-07.6
55-64	537	31,087	399	74.5	70.6-78.4	64	12.3	09.4-15.2	20	3.4	01.8-05.0	22	4.3	02.3-06.3	32	5.6	03.4-07.8
65+	967	50,955	688	71.7	68.8-74.6	126	13.0	10.6-15.4	48	4.8	03.4-06.2	38	3.6	02.4-04.8	67	6.9	05.1-08.7
Less Than H.S.	174	11,591				27	11.4	06.5-16.3	9	4.2	01.3-07.1	8	4.8	01.3-08.3	17	11.4	02.4-20.4
H.S. or G.E.D.	737	46,577	517	70.3	66.6-74.0	88	12.1	09.6-14.6	39	5.2	03.4-07.0	43	5.6	03.8-07.4	50	6.8	04.6-09.0
Some Post-H.S.	793	54,433	532	67.5	63.8-71.2	121	15.0	12.3-17.7	47	5.9	04.1-07.7	40	5.3	03.5-07.1	53	6.3	04.5-08.1
College Graduate	655	45,417	451	67.1	63.0-71.2	102	16.2	12.9-19.5	34	5.2	03.2-07.2	24	4.0	02.0-06.0	44	7.4	05.0-09.8
Less than \$15,000	206	11,034	129	66.8	59.2-74.4	25	9.9	05.8-14.0	13	6.0	02.5-09.5	12	4.9	01.8-08.0	27	12.3	07.2-17.4
\$15,000- 24,999	387	23,658	240	61.6	54.0-69.2	67	17.9	12.6-23.2	21	5.2	02.8-07.6	21	4.9	02.5-07.3	38	10.4	05.3-15.5
\$25,000- 34,999	308	18,702	221	72.5	66.6-78.4	35	11.0	07.3-14.7	12	3.9	01.5-06.3	10	3.1	00.7-05.5	30	9.5	06.0-13.0
\$35,000- 49,999	339	21,827	220	62.1	56.2-68.0	59	17.5	13.0-22.0	19	5.9	03.2-08.6	24	8.8	05.1-12.5	17	5.7	02.8-08.6
\$50,000- 74,999	317	23,794	235	72.4	67.1-77.7	42	12.9	09.0-16.8	18	6.0	03.3-08.7	13	5.0	02.3-07.7	9	3.7	01.3-06.1
\$75,000+	403	32,610	282	68.5	63.6-73.4	65	16.8	12.9-20.7	22	5.4	03.0-07.8	14	3.4	01.4-05.4	20	5.9	03.2-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?  
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2963	243,312	2795	90.0	87.8-92.2	168	10.0	07.8-12.2
Native	87	12,986	77	88.2	78.8-97.6	10	11.8	02.4-21.2
Non-Native	2852	228,622	2697	90.1	87.9-92.3	155	9.9	07.7-12.1
25-34	286	35,662	270	94.5	91.8-97.2	16	5.5	02.8-08.2
35-44	376	36,693	364	96.9	95.1-98.7	12	3.1	01.3-04.9
45-54	604	45,632	591	97.3	95.7-98.9	13	2.7	01.1-04.3
55-64	559	32,126	546	97.8	96.4-99.2	13	2.2	00.8-03.6
65+	1017	53,472	936	91.4	89.4-93.4	81	8.6	06.6-10.6
H.S. or G.E.D.	870	64,706	809	88.7	84.8-92.6	61	11.3	07.4-15.2
Some Post-H.S.	988	88,177	943	88.8	84.7-92.9	45	11.2	07.1-15.3
College Graduate	883	72,518	859	96.5	94.5-98.5	24	3.5	01.5-05.5
Less than \$15,000	261	17,925	234	84.7	75.5-93.9	27	15.3	06.1-24.5
\$15,000- 24,999	483	36,408	433	84.5	79.0-90.0	50	15.5	10.0-21.0
\$25,000- 34,999	372	26,306	356	95.0	91.9-98.1	16	5.0	01.9-08.1
\$35,000- 49,999	438	36,806	419	89.7	83.6-95.8	19	10.3	04.2-16.4
\$50,000- 74,999	429	39,037	415	94.1	90.2-98.0	14	5.9	02.0-09.8
\$75,000+	519	51,301	507	92.7	88.0-97.4	12	7.3	02.6-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2753	216,738	1980	73.0	70.8-75.2	372	13.8	12.0-15.6	114	3.7	02.9-04.5	113	3.6	02.8-04.4	174	5.7	04.7-06.7
Native	77	11,452				10	9.6	02.5-16.7	8	7.5	00.2-14.8	3	2.4	00.0-05.5	5	6.6	00.5-12.7
Non-Native	2657	203,822	1916	73.0	70.8-75.2	360	14.1	12.3-15.9	106	3.6	02.8-04.4	108	3.7	02.9-04.5	167	5.7	04.7-06.7
18-24	51	22,979	42	84.7	74.7-94.7	7	13.0	03.4-22.6							2	2.3	00.0-05.6
25-34	267	33,293	206	77.9	72.6-83.2	42	15.7	11.2-20.2	5	1.1	00.1-02.1	5	1.8	00.0-03.6	9	3.4	00.9-05.9
35-44	360	35,262	240	65.0	59.5-70.5	63	17.2	13.1-21.3	19	5.7	02.8-08.6	17	5.1	02.6-07.6	21	7.0	03.9-10.1
45-54	587	44,183	405	69.2	65.3-73.1	83	13.7	10.8-16.6	36	6.5	04.3-08.7	29	4.6	02.8-06.4	34	6.1	03.9-08.3
55-64	542	31,274	405	75.9	72.2-79.6	69	12.5	09.6-15.4	17	2.6	01.2-04.0	15	2.9	01.3-04.5	36	6.2	04.0-08.4
65+	909	47,623	654	71.4	68.3-74.5	105	11.6	09.4-13.8	34	4.1	02.5-05.7	46	5.3	03.7-06.9	70	7.6	05.8-09.4
Less Than H.S.	174	12,901				24	14.0	05.6-22.4	14	6.8	02.9-10.7	10	4.7	01.6-07.8	16	9.8	04.1-15.5
H.S. or G.E.D.	791	56,384	565	72.9	69.2-76.6	100	12.3	09.4-15.2	24	2.7	01.5-03.9	43	4.9	03.3-06.5	59	7.1	05.1-09.1
Some Post-H.S.	935	77,922	667	72.0	68.3-75.7	133	15.1	12.0-18.2	45	4.8	03.2-06.4	31	2.7	01.7-03.7	59	5.4	03.6-07.2
College Graduate	847	69,299	635	75.9	72.6-79.2	114	13.6	10.9-16.3	30	2.9	01.7-04.1	29	3.4	02.0-04.8	39	4.2	02.6-05.8
Less than \$15,000	230	15,038	157	67.7	59.1-76.3	26	11.5	06.2-16.8	10	6.4	00.9-11.9	14	4.7	02.0-07.4	23	9.8	04.5-15.1
\$15,000- 24,999	424	30,274	278	65.5	58.4-72.6	59	15.4	09.7-21.1	22	3.7	01.9-05.5	22	3.9	02.1-05.7	43	11.6	07.3-15.9
\$25,000- 34,999	353	24,837	264	76.8	71.7-81.9	37	9.9	06.4-13.4	17	4.6	02.2-07.0	15	3.9	01.5-06.3	20	4.9	02.5-07.3
\$35,000- 49,999	418	32,986	290	70.5	65.0-76.0	66	14.8	10.9-18.7	18	4.3	02.1-06.5	19	4.8	02.4-07.2	25	5.7	03.2-08.2
\$50,000- 74,999	413	36,606	317	77.7	73.4-82.0	59	14.0	10.3-17.7	11	2.5	00.9-04.1	15	3.6	01.6-05.6	11	2.3	00.9-03.7
\$75,000+	501	47,172	387	78.0	73.9-82.1	70	14.5	10.8-18.2	18	2.9	01.5-04.3	9	1.6	00.4-02.8	17	2.9	01.3-04.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)  
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2960	243,077	2874	94.1	92.3-95.9	86	5.9	04.1-07.7	
Native	87	12,986	85	98.6	96.2-0100	2	1.4	00.0-03.8	
Non-Native	2850	228,451	2770	94.1	92.1-96.1	80	5.9	03.9-07.9	
25-34	286	35,662	284	98.7	96.9-0100	2	1.3	00.0-03.1	
35-44	375	36,643	370	98.7	97.3-0100	5	1.3	00.0-02.7	
45-54	602	45,444	600	99.8	99.4-0100	2	0.2	00.0-00.6	
55-64	558	32,094	551	99.2	98.6-99.8	7	0.8	00.2-01.4	
65+	1017	53,475	969	95.4	94.0-96.8	48	4.6	03.2-06.0	
H.S. or G.E.D.	868	64,624	841	94.3	91.0-97.6	27	5.7	02.4-09.0	
Some Post-H.S.	986	87,984	961	93.4	90.1-96.7	25	6.6	03.3-09.9	
College Graduate	882	72,497	868	98.0	96.2-99.8	14	2.0	00.2-03.8	
Less than \$15,000	261	17,925	252	93.0	85.2-0100	9	7.0	00.0-14.8	
\$15,000- 24,999	482	36,358	458	93.7	90.0-97.4	24	6.3	02.6-10.0	
\$25,000- 34,999	372	26,306	362	96.8	93.9-99.7	10	3.2	00.3-06.1	
\$35,000- 49,999	438	36,806	425	92.7	87.2-98.2	13	7.3	01.8-12.8	
\$50,000- 74,999	428	38,924	423	96.9	93.2-0100	5	3.1	00.0-06.8	
\$75,000+	518	51,242	513	96.1	92.4-99.8	5	3.9	00.2-07.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report ever having a Pap Test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2827	226,118	1526	62.1	59.9-64.3	440	13.9	12.5-15.3	203	6.5	05.5-07.5	200	5.3	04.5-06.1	458	12.1	10.7-13.5
Native	85	12,809				10	6.8	01.5-12.1	11	11.3	02.9-19.7	7	3.3	00.6-06.0	4	3.9	00.0-08.2
Non-Native	2724	212,219	1463	61.3	59.1-63.5	429	14.4	12.8-16.0	191	6.2	05.2-07.2	192	5.5	04.7-06.3	449	12.6	11.2-14.0
18-24	61	27,117	54	91.2	84.3-98.1	2	3.2	00.0-07.7	3	2.9	00.0-06.2				2	2.6	00.0-06.5
25-34	283	35,108	228	82.6	78.1-87.1	40	13.7	09.6-17.8	7	1.9	00.3-03.5	2	0.5	00.0-01.3	6	1.2	00.2-02.2
35-44	365	35,706	237	62.8	57.3-68.3	63	17.6	13.3-21.9	22	7.4	03.9-10.9	22	6.0	03.5-08.5	21	6.3	03.6-09.0
45-54	598	45,256	354	60.1	56.0-64.2	92	15.1	12.2-18.0	53	8.6	06.2-11.0	34	5.5	03.5-07.5	65	10.8	08.1-13.5
55-64	546	31,529	314	59.6	55.3-63.9	89	15.5	12.4-18.6	34	5.7	03.7-07.7	35	6.2	04.0-08.4	74	13.1	10.2-16.0
65+	936	49,245	318	34.3	31.0-37.6	146	14.9	12.5-17.3	82	9.9	07.7-12.1	103	10.6	08.4-12.8	287	30.3	27.2-33.4
Less Than H.S.	189	13,854				30	12.1	07.0-17.2	15	7.2	03.3-11.1	22	9.6	04.9-14.3	53	21.3	14.0-28.6
H.S. or G.E.D.	825	60,027	415	59.1	55.0-63.2	111	10.5	08.3-12.7	60	7.1	05.1-09.1	69	6.8	05.0-08.6	170	16.5	13.8-19.2
Some Post-H.S.	949	81,492	513	62.0	57.9-66.1	148	14.9	12.2-17.6	80	7.5	05.5-09.5	67	4.9	03.7-06.1	141	10.8	08.6-13.0
College Graduate	860	70,588	527	67.2	63.7-70.7	150	15.9	13.2-18.6	48	4.9	03.3-06.5	41	3.7	02.3-05.1	94	8.3	06.5-10.1
Less than \$15,000	246	16,368	104	51.0	41.4-60.6	28	9.4	05.1-13.7	25	12.5	06.0-19.0	24	6.4	03.5-09.3	65	20.7	13.6-27.8
\$15,000- 24,999	456	33,950	191	53.9	46.8-61.0	78	13.8	09.7-17.9	32	6.8	03.7-09.9	45	7.1	04.6-09.6	110	18.4	14.3-22.5
\$25,000- 34,999	355	25,037	171	57.1	50.6-63.6	56	13.5	09.6-17.4	33	8.3	05.2-11.4	21	4.5	02.3-06.7	74	16.6	12.5-20.7
\$35,000- 49,999	420	33,773	235	61.6	55.5-67.7	85	18.1	13.8-22.4	27	6.0	03.6-08.4	28	5.3	03.1-07.5	45	9.0	06.1-11.9
\$50,000- 74,999	420	37,496	270	69.9	65.2-74.6	63	13.3	10.0-16.6	23	4.9	02.7-07.1	26	5.3	03.1-07.5	38	6.6	04.4-08.8
\$75,000+	510	49,051	350	73.4	69.3-77.5	76	13.9	10.8-17.0	31	4.6	02.8-06.4	17	2.7	01.3-04.1	36	5.4	03.4-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 18: WOMENS HEALTH**

**TABLE 7: HAVE YOU HAD A HYSTERECTOMY? A HYSTERECTOMY IS AN OPERATION TO REMOVE THE UTERUS (WOMB). (HADHYST2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2930	237,721	849	21.5	19.9-23.1	2081	78.5	76.9-80.1
Native	84	12,530	14	10.0	03.1-16.9	70	90.0	83.1-96.9
Non-Native	2823	223,518	828	22.1	20.5-23.7	1995	77.9	76.3-79.5
18-24	77	35,569				77	100.0	0100-0100
25-34	266	33,016	9	4.0	01.3-06.7	257	96.0	93.3-98.7
35-44	368	35,730	44	11.9	08.4-15.4	324	88.1	84.6-91.6
45-54	602	45,444	148	23.4	19.9-26.9	454	76.6	73.1-80.1
55-64	558	32,094	180	32.1	28.0-36.2	378	67.9	63.8-72.0
65+	1020	53,647	459	45.1	41.8-48.4	561	54.9	51.6-58.2
Less Than H.S.	217	17,708	81	25.4	18.1-32.7	136	74.6	67.3-81.9
H.S. or G.E.D.	858	62,300	304	28.5	25.2-31.8	554	71.5	68.2-74.8
Some Post-H.S.	979	86,698	280	19.8	17.1-22.5	699	80.2	77.5-82.9
College Graduate	869	70,751	183	16.5	14.0-19.0	686	83.5	81.0-86.0
Less than \$15,000	257	17,470	91	26.3	19.4-33.2	166	73.7	66.8-80.6
\$15,000- 24,999	479	35,601	165	25.2	20.5-29.9	314	74.8	70.1-79.5
\$25,000- 34,999	370	25,831	117	25.3	20.4-30.2	253	74.7	69.8-79.6
\$35,000- 49,999	431	35,425	108	18.6	14.7-22.5	323	81.4	77.5-85.3
\$50,000- 74,999	418	37,339	98	17.9	14.2-21.6	320	82.1	78.4-85.8
\$75,000+	512	50,491	99	14.6	11.7-17.5	413	85.4	82.5-88.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)	
1	MALES ONLY	203
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
2	MALES ONLY	204
	A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)	
3	MALES ONLY	205
	HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)	
4	MALES ONLY	206
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)	
5	MALES ONLY	207

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 19: PROSTATE CANCER SCREENING**

**TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1522	137,167	1024	64.8	62.3-67.3	498	35.2	32.7-37.7
Non-Native	1484	133,296	1003	65.3	62.6-68.0	481	34.7	32.0-37.4
35-44	171	21,250	38	25.0	17.6-32.4	133	75.0	67.6-82.4
45-54	438	43,401	210	49.8	44.7-54.9	228	50.2	45.1-55.3
55-64	419	34,161	338	81.0	77.1-84.9	81	19.0	15.1-22.9
65+	494	38,356	438	89.5	86.8-92.2	56	10.5	07.8-13.2
Less Than H.S.	130	10,771	90	71.2	63.0-79.4	40	28.8	20.6-37.0
H.S. or G.E.D.	500	45,120	313	59.1	54.4-63.8	187	40.9	36.2-45.6
Some Post-H.S.	418	37,967	274	64.2	59.1-69.3	144	35.8	30.7-40.9
College Graduate	473	43,220	346	69.8	65.1-74.5	127	30.2	25.5-34.9
\$15,000- 24,999	194	15,633	132	67.4	60.1-74.7	62	32.6	25.3-39.9
\$25,000- 34,999	170	13,765	121	69.2	61.4-77.0	49	30.8	23.0-38.6
\$35,000- 49,999	302	28,199	194	63.2	57.3-69.1	108	36.8	30.9-42.7
\$50,000- 74,999	303	28,683	212	65.7	59.8-71.6	91	34.3	28.4-40.2
\$75,000+	363	36,645	241	63.0	57.7-68.3	122	37.0	31.7-42.3

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 19: PROSTATE CANCER SCREENING**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1014	88,093	716	69.4	66.3-72.5	148	15.0	12.5-17.5	63	7.0	05.0-09.0	44	4.7	03.3-06.1	43	3.9	02.7-05.1
Non-Native	994	86,195	703	69.7	66.6-72.8	143	14.8	12.3-17.3	63	7.1	05.1-09.1	42	4.5	03.1-05.9	43	4.0	02.6-05.4
45-54	210	21,625	126	61.1	54.0-68.2	39	17.4	12.1-22.7	21	10.9	06.2-15.6	13	6.0	02.7-09.3	11	4.7	01.8-07.6
55-64	336	27,558	231	70.3	65.2-75.4	54	15.9	11.8-20.0	20	5.7	03.2-08.2	15	4.0	01.8-06.2	16	4.0	02.0-06.0
65+	430	33,598	343	78.9	74.6-83.2	41	9.5	06.6-12.4	20	5.1	02.7-07.5	11	3.3	01.3-05.3	15	3.3	01.5-05.1
Less Than H.S.	88	7,446				11	13.2	05.4-21.0	6	7.8	01.3-14.3	3	3.4	00.0-07.3	5	5.9	00.8-11.0
H.S. or G.E.D.	311	26,472	225	70.3	64.8-75.8	41	13.7	09.6-17.8	21	7.0	03.9-10.1	12	4.6	01.9-07.3	12	4.4	01.9-06.9
Some Post-H.S.	271	24,146	190	69.5	63.4-75.6	43	16.0	11.3-20.7	11	5.5	01.6-09.4	14	4.9	02.4-07.4	13	4.0	01.5-06.5
College Graduate	343	29,940	238	68.7	63.2-74.2	53	15.9	11.4-20.4	24	7.7	04.6-10.8	15	5.0	02.3-07.7	13	2.8	01.2-04.4
\$15,000- 24,999	130	10,315	104	76.6	67.8-85.4	10	10.4	03.3-17.5	7	5.2	00.9-09.5	3	2.4	00.0-05.5	6	5.3	00.8-09.8
\$25,000- 34,999	120	9,418	80	65.3	56.1-74.5	23	20.3	12.3-28.3	9	8.9	03.2-14.6	3	2.7	00.0-06.0	5	2.8	00.3-05.3
\$35,000- 49,999	192	17,657	130	67.4	60.0-74.8	35	18.4	11.9-24.9	12	6.2	02.3-10.1	9	5.3	01.8-08.8	6	2.8	00.3-05.3
\$50,000- 74,999	212	18,853	145	66.9	59.8-74.0	33	14.4	09.5-19.3	14	8.8	03.5-14.1	13	6.3	02.8-09.8	7	3.6	00.9-06.3
\$75,000+	240	23,066	172	70.7	64.6-76.8	33	14.7	09.8-19.6	15	6.7	03.2-10.2	12	4.9	02.2-07.6	8	3.0	00.8-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 19: PROSTATE CANCER SCREENING**

**TABLE 3: A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1561	140,926	1166	73.8	71.4-76.2	395	26.2	23.8-28.6
Non-Native	1524	137,062	1144	74.4	72.0-76.8	380	25.6	23.2-28.0
35-44	175	21,822	76	45.6	37.6-53.6	99	54.4	46.4-62.4
45-54	453	45,033	289	66.1	61.4-70.8	164	33.9	29.2-38.6
55-64	432	35,276	368	86.2	82.9-89.5	64	13.8	10.5-17.1
65+	501	38,795	433	87.4	84.5-90.3	68	12.6	09.7-15.5
Less Than H.S.	134	11,190	94	70.8	62.6-79.0	40	29.2	21.0-37.4
H.S. or G.E.D.	512	46,101	363	70.1	65.8-74.4	149	29.9	25.6-34.2
Some Post-H.S.	424	38,600	307	72.2	67.5-76.9	117	27.8	23.1-32.5
College Graduate	490	44,945	402	80.0	75.9-84.1	88	20.0	15.9-24.1
\$15,000- 24,999	198	15,779	148	74.0	67.1-80.9	50	26.0	19.1-32.9
\$25,000- 34,999	177	14,296	129	70.3	62.7-77.9	48	29.7	22.1-37.3
\$35,000- 49,999	306	28,575	226	73.2	67.7-78.7	80	26.8	21.3-32.3
\$50,000- 74,999	310	29,634	232	74.1	68.8-79.4	78	25.9	20.6-31.2
\$75,000+	375	38,012	295	76.5	71.8-81.2	80	23.5	18.8-28.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 19: PROSTATE CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRE) TIME**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a digital rectal exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1154	102,932	652	55.5	52.4-58.6	194	17.4	15.0-19.8	73	6.3	04.7-07.9	91	8.4	06.6-10.2	144	12.4	10.2-14.6
Non-Native	1132	100,949	641	55.7	52.6-58.8	189	17.3	14.9-19.7	73	6.4	04.8-08.0	89	8.3	06.5-10.1	140	12.3	10.1-14.5
35-44	75	9,766							5	7.2	00.7-13.7	10	12.4	04.8-20.0	17	20.5	11.1-29.9
45-54	286	29,524	117	43.3	37.0-49.6	59	20.4	15.5-25.3	23	7.8	04.3-11.3	31	10.5	06.6-14.4	56	18.0	13.3-22.7
55-64	364	30,213	208	59.1	53.8-64.4	66	17.5	13.4-21.6	24	5.8	03.4-08.2	29	8.0	05.1-10.9	37	9.6	06.5-12.7
65+	429	33,430	303	69.5	64.8-74.2	50	12.0	08.5-15.5	21	5.1	02.9-07.3	21	5.7	03.2-08.2	34	7.7	05.0-10.4
Less Than H.S.	90	7,583				18	19.8	10.4-29.2	4	3.8	00.0-07.7	3	4.2	00.0-09.3	14	13.7	06.4-21.0
H.S. or G.E.D.	361	32,044	201	53.1	47.6-58.6	58	17.0	12.7-21.3	22	6.9	03.8-10.0	30	9.1	05.6-12.6	50	14.0	10.1-17.9
Some Post-H.S.	306	27,740	171	57.1	51.0-63.2	52	17.8	13.1-22.5	17	4.6	02.2-07.0	26	8.3	05.2-11.4	40	12.3	08.4-16.2
College Graduate	397	35,566	229	55.8	50.5-61.1	66	16.9	12.8-21.0	30	7.6	04.7-10.5	32	8.9	05.8-12.0	40	10.8	07.3-14.3
Less than \$15,000	51	3,353				6	10.1	02.1-18.1	4	8.2	00.4-16.0	3	5.5	00.0-12.0			
\$15,000- 24,999	146	11,463	83	56.9	47.9-65.9	26	19.0	11.4-26.6	6	3.3	00.6-06.0	13	9.0	03.9-14.1	18	11.8	06.1-17.5
\$25,000- 34,999	126	9,872	65	53.2	43.8-62.6	28	22.0	14.4-29.6	11	8.3	03.2-13.4	8	6.2	01.9-10.5	14	10.3	04.8-15.8
\$35,000- 49,999	226	20,914	125	53.4	46.1-60.7	40	18.8	12.7-24.9	15	5.6	02.5-08.7	18	8.7	04.6-12.8	28	13.4	08.3-18.5
\$50,000- 74,999	232	21,955	131	53.8	46.9-60.7	38	17.3	12.0-22.6	16	7.6	03.7-11.5	22	9.9	05.8-14.0	25	11.5	07.0-16.0
\$75,000+	292	28,883	169	57.3	51.2-63.4	46	16.1	11.6-20.6	18	6.6	03.5-09.7	18	6.9	03.6-10.2	41	13.0	09.1-16.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 19: PROSTATE CANCER SCREENING**

**TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.  
Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1575	141,956	89	5.1	03.9-06.3	1486	94.9	93.7-96.1
Non-Native	1537	138,037	86	5.1	03.9-06.3	1451	94.9	93.7-96.1
35-44	176	21,886				176	100.0	0100-0100
45-54	455	45,189	2	0.2	00.0-00.6	453	99.8	99.4-0100
55-64	435	35,455	16	4.5	02.1-06.9	419	95.5	93.1-97.9
65+	509	39,427	71	14.1	10.8-17.4	438	85.9	82.6-89.2
Less Than H.S.	139	11,448	14	11.6	05.5-17.7	125	88.4	82.3-94.5
H.S. or G.E.D.	518	46,618	28	4.7	02.9-06.5	490	95.3	93.5-97.1
Some Post-H.S.	426	38,811	25	5.1	02.9-07.3	401	94.9	92.7-97.1
College Graduate	491	44,990	22	3.8	02.0-05.6	469	96.2	94.4-98.0
Less than \$15,000	88	5,862	7	10.0	02.7-17.3	81	90.0	82.7-97.3
\$15,000- 24,999	200	15,903	16	9.0	04.3-13.7	184	91.0	86.3-95.7
\$25,000- 34,999	177	14,296	14	7.9	03.8-12.0	163	92.1	88.0-96.2
\$35,000- 49,999	310	28,869	22	6.2	03.5-08.9	288	93.8	91.1-96.5
\$50,000- 74,999	311	29,686	12	2.8	01.2-04.4	299	97.2	95.6-98.8
\$75,000+	375	38,012	10	2.4	00.8-04.0	365	97.6	96.0-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 20: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	209
2	MALES ONLY	210
3	FEMALES ONLY	211
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	212
5	MALES ONLY	213
6	FEMALES ONLY	214
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	215
8	MALES ONLY	216
9	FEMALES ONLY	217
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCO1)	
10	MALES AND FEMALES	218
11	MALES ONLY	219
12	FEMALES ONLY	220
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	221
14	MALES ONLY	222
15	FEMALES ONLY	223



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3072	207,585	1270	39.7	37.7-41.7	1802	60.3	58.3-62.3
Male	1184	98,640	406	34.5	31.6-37.4	778	65.5	62.6-68.4
Female	1888	108,945	864	44.4	42.0-46.8	1024	55.6	53.2-58.0
Non-Native	3008	203,294	1254	40.0	38.0-42.0	1754	60.0	58.0-62.0
45-54	574	48,171	139	23.8	20.1-27.5	435	76.2	72.5-79.9
55-64	989	67,271	402	40.0	36.7-43.3	587	60.0	56.7-63.3
65+	1509	92,143	729	47.8	45.1-50.5	780	52.2	49.5-54.9
Less Than H.S.	302	19,912	107	34.1	28.4-39.8	195	65.9	60.2-71.6
H.S. or G.E.D.	1029	68,360	419	39.1	35.8-42.4	610	60.9	57.6-64.2
Some Post-H.S.	897	60,085	386	41.6	38.1-45.1	511	58.4	54.9-61.9
College Graduate	840	59,035	356	40.3	36.8-43.8	484	59.7	56.2-63.2
Less than \$15,000	268	13,561	106	36.9	30.6-43.2	162	63.1	56.8-69.4
\$15,000- 24,999	502	29,815	216	39.7	35.0-44.4	286	60.3	55.6-65.0
\$25,000- 34,999	412	25,609	171	40.5	35.4-45.6	241	59.5	54.4-64.6
\$35,000- 49,999	490	34,476	198	39.6	34.9-44.3	292	60.4	55.7-65.1
\$50,000- 74,999	454	34,711	183	37.4	32.7-42.1	271	62.6	57.9-67.3
\$75,000+	485	39,644	194	37.9	33.4-42.4	291	62.1	57.6-66.6

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1184	98,640	406	34.5	31.6-37.4	778	65.5	62.6-68.4
Non-Native	1162	96,789	401	34.6	31.7-37.5	761	65.4	62.5-68.3
45-54	248	24,173	63	24.9	19.2-30.6	185	75.1	69.4-80.8
55-64	433	35,321	136	33.5	28.6-38.4	297	66.5	61.6-71.4
65+	503	39,146	207	41.3	36.6-46.0	296	58.7	54.0-63.4
Less Than H.S.	126	10,252	34	26.5	18.3-34.7	92	73.5	65.3-81.7
H.S. or G.E.D.	380	31,535	124	32.2	27.1-37.3	256	67.8	62.7-72.9
Some Post-H.S.	303	25,419	109	37.0	31.1-42.9	194	63.0	57.1-68.9
College Graduate	374	31,344	139	37.4	32.1-42.7	235	62.6	57.3-67.9
\$15,000- 24,999	162	12,541	55	32.5	24.7-40.3	107	67.5	59.7-75.3
\$25,000- 34,999	148	11,118	52	35.5	27.3-43.7	96	64.5	56.3-72.7
\$35,000- 49,999	223	19,133	74	35.5	28.6-42.4	149	64.5	57.6-71.4
\$50,000- 74,999	229	20,138	75	32.0	25.7-38.3	154	68.0	61.7-74.3
\$75,000+	253	23,478	90	35.0	28.9-41.1	163	65.0	58.9-71.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1888	108,945	864	44.4	42.0-46.8	1024	55.6	53.2-58.0
Non-Native	1846	106,505	853	44.8	42.4-47.2	993	55.2	52.8-57.6
45-54	326	23,998	76	22.7	18.0-27.4	250	77.3	72.6-82.0
55-64	556	31,950	266	47.2	42.7-51.7	290	52.8	48.3-57.3
65+	1006	52,997	522	52.6	49.3-55.9	484	47.4	44.1-50.7
Less Than H.S.	176	9,660	73	42.2	34.4-50.0	103	57.8	50.0-65.6
H.S. or G.E.D.	649	36,825	295	45.1	41.0-49.2	354	54.9	50.8-59.0
Some Post-H.S.	594	34,666	277	45.0	40.7-49.3	317	55.0	50.7-59.3
College Graduate	466	27,691	217	43.6	38.7-48.5	249	56.4	51.5-61.3
Less than \$15,000	198	9,037	89	43.9	36.5-51.3	109	56.1	48.7-63.5
\$15,000- 24,999	340	17,274	161	45.0	39.3-50.7	179	55.0	49.3-60.7
\$25,000- 34,999	264	14,491	119	44.4	37.9-50.9	145	55.6	49.1-62.1
\$35,000- 49,999	267	15,343	124	44.7	38.4-51.0	143	55.3	49.0-61.6
\$50,000- 74,999	225	14,573	108	44.9	38.0-51.8	117	55.1	48.2-62.0
\$75,000+	232	16,167	104	42.1	35.4-48.8	128	57.9	51.2-64.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1236	80,355	432	34.5	31.6-37.4	211	17.0	14.6-19.4	148	11.6	09.6-13.6	152	12.9	10.7-15.1	293	24.0	21.5-26.5
Male	398	33,285	145	34.8	29.9-39.7	73	18.1	14.0-22.2	46	11.4	08.3-14.5	52	13.8	10.1-17.5	82	21.9	17.4-26.4
Female	838	47,070	287	34.4	30.9-37.9	138	16.2	13.5-18.9	102	11.7	09.3-14.1	100	12.3	09.9-14.7	211	25.4	22.3-28.5
Non-Native	1220	79,203	426	34.4	31.5-37.3	207	17.0	14.6-19.4	146	11.7	09.7-13.7	149	12.7	10.5-14.9	292	24.3	21.6-27.0
45-54	137	11,194	44	30.9	22.7-39.1	23	17.2	10.3-24.1	21	14.7	08.6-20.8	14	10.2	04.9-15.5	35	27.0	19.0-35.0
55-64	396	26,632	143	36.4	31.3-41.5	77	19.5	15.2-23.8	55	13.2	09.7-16.7	51	12.8	09.3-16.3	70	18.1	14.0-22.2
65+	703	42,528	245	34.3	30.4-38.2	111	15.4	12.5-18.3	72	9.8	07.4-12.2	87	13.6	10.7-16.5	188	26.9	23.2-30.6
Less Than H.S.	106	6,708	40	34.5	24.9-44.1	16	12.6	06.1-19.1	11	10.0	04.1-15.9	10	12.0	04.7-19.3	29	30.9	21.1-40.7
H.S. or G.E.D.	409	26,056	151	37.3	32.2-42.4	75	18.5	14.4-22.6	45	11.0	07.7-14.3	44	11.1	07.8-14.4	94	22.2	17.9-26.5
Some Post-H.S.	371	24,217	123	33.5	28.2-38.8	62	16.4	12.3-20.5	47	12.6	08.9-16.3	53	15.6	11.5-19.7	86	21.9	17.4-26.4
College Graduate	348	23,301	117	32.4	27.1-37.7	58	17.2	12.9-21.5	44	11.7	08.2-15.2	45	12.4	08.7-16.1	84	26.2	20.9-31.5
Less than \$15,000	102	4,707	38	36.4	26.4-46.4	17	16.8	09.0-24.6	16	15.1	07.8-22.4	7	8.5	02.0-15.0	24	23.1	14.3-31.9
\$15,000- 24,999	212	11,564	77	34.0	26.9-41.1	34	16.0	10.5-21.5	20	9.3	05.2-13.4	23	10.8	06.1-15.5	58	29.9	22.8-37.0
\$25,000- 34,999	170	10,344	57	33.4	25.8-41.0	34	19.1	12.8-25.4	19	10.1	05.4-14.8	21	13.7	08.0-19.4	39	23.7	16.6-30.8
\$35,000- 49,999	194	13,437	68	37.8	30.2-45.4	28	14.5	09.0-20.0	27	12.1	07.4-16.8	30	16.8	10.9-22.7	41	18.8	13.1-24.5
\$50,000- 74,999	180	12,860	75	42.2	34.6-49.8	31	15.8	10.3-21.3	16	9.1	04.6-13.6	22	11.6	06.7-16.5	36	21.3	14.8-27.8
\$75,000+	190	14,669	61	30.1	23.2-37.0	32	18.5	12.4-24.6	28	14.6	09.3-19.9	29	14.9	09.6-20.2	40	21.9	15.6-28.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	398	33,285	145	34.8	29.9-39.7	73	18.1	14.0-22.2	46	11.4	08.3-14.5	52	13.8	10.1-17.5	82	21.9	17.4-26.4
Non-Native	393	32,831	144	35.0	29.9-40.1	71	17.9	13.8-22.0	45	11.4	08.1-14.7	51	13.5	09.8-17.2	82	22.3	17.8-26.8
45-54	61	5,753							9	13.5	04.9-22.1	6	9.0	01.7-16.3			
55-64	136	11,822	47	34.2	25.8-42.6	29	21.1	13.7-28.5	19	13.6	07.7-19.5	17	12.8	06.7-18.9	24	18.3	11.4-25.2
65+	201	15,710	79	36.7	29.6-43.8	35	16.1	10.8-21.4	18	9.0	04.9-13.1	29	16.2	10.5-21.9	40	22.0	15.5-28.5
H.S. or G.E.D.	121	9,870	48	37.7	28.5-46.9	28	23.2	15.0-31.4	14	11.5	05.6-17.4	10	9.0	03.5-14.5	21	18.7	10.9-26.5
Some Post-H.S.	105	9,145				15	12.9	06.2-19.6	10	10.5	04.2-16.8	17	16.7	09.1-24.3	17	15.3	08.2-22.4
College Graduate	138	11,554	43	28.3	20.5-36.1	26	19.4	12.3-26.5	19	12.9	07.2-18.6	17	12.7	06.6-18.8	33	26.7	18.7-34.7
\$15,000- 24,999	53	3,885							5	9.6	01.2-18.0	4	7.6	00.0-15.6			
\$25,000- 34,999	52	3,945							6	11.1	02.1-20.1	6	12.1	02.5-21.7			
\$35,000- 49,999	74	6,786				11	14.9	06.3-23.5	8	9.7	03.0-16.4	14	19.6	10.0-29.2	13	17.7	08.5-26.9
\$50,000- 74,999	75	6,449				11	12.2	04.8-19.6	7	10.8	03.2-18.4	10	12.5	05.1-19.9	13	19.6	09.8-29.4
\$75,000+	88	7,954	21	22.5	13.5-31.5	18	22.8	13.2-32.4	15	16.2	08.6-23.8	12	14.2	06.6-21.8	22	24.3	15.1-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	838	47,070	287	34.4	30.9-37.9	138	16.2	13.5-18.9	102	11.7	09.3-14.1	100	12.3	09.9-14.7	211	25.4	22.3-28.5
Non-Native	827	46,372	282	34.0	30.5-37.5	136	16.3	13.6-19.0	101	11.8	09.4-14.2	98	12.1	09.7-14.5	210	25.7	22.4-29.0
45-54	76	5,442				14	17.3	08.5-26.1	12	15.9	07.3-24.5	8	11.4	03.6-19.2			
55-64	260	14,810	96	38.2	31.9-44.5	48	18.1	13.2-23.0	36	12.9	08.8-17.0	34	12.8	08.7-16.9	46	17.9	13.0-22.8
65+	502	26,818	166	33.0	28.5-37.5	76	15.0	11.7-18.3	54	10.2	07.3-13.1	58	12.2	09.1-15.3	148	29.7	25.4-34.0
Less Than H.S.	72	3,993				12	13.5	05.9-21.1	8	11.5	03.7-19.3	2	2.7	00.0-06.4			
H.S. or G.E.D.	288	16,186	103	37.1	31.0-43.2	47	15.6	11.3-19.9	31	10.6	06.5-14.7	34	12.4	08.3-16.5	73	24.3	19.0-29.6
Some Post-H.S.	266	15,072	77	26.8	21.3-32.3	47	18.6	13.5-23.7	37	13.8	09.3-18.3	36	14.9	10.2-19.6	69	25.9	20.2-31.6
College Graduate	210	11,747	74	36.4	29.3-43.5	32	15.1	10.0-20.2	25	10.5	06.4-14.6	28	12.1	07.6-16.6	51	25.8	18.9-32.7
Less than \$15,000	86	3,777				15	18.5	09.5-27.5	16	18.8	10.0-27.6	4	5.1	00.0-10.2	20	22.1	12.9-31.3
\$15,000- 24,999	159	7,678	57	34.4	26.4-42.4	22	12.3	07.2-17.4	15	9.1	04.4-13.8	19	12.4	06.7-18.1	46	31.7	23.7-39.7
\$25,000- 34,999	118	6,399	38	31.5	22.7-40.3	22	18.5	10.9-26.1	13	9.4	04.1-14.7	15	14.7	07.6-21.8	30	25.9	17.5-34.3
\$35,000- 49,999	120	6,652	40	37.5	28.1-46.9	17	14.1	07.6-20.6	19	14.6	07.9-21.3	16	13.9	07.0-20.8	28	19.9	12.8-27.0
\$50,000- 74,999	105	6,412	41	39.4	29.6-49.2	20	19.5	11.5-27.5	9	7.3	02.6-12.0	12	10.7	04.6-16.8	23	23.0	14.4-31.6
\$75,000+	102	6,714				14	13.4	06.5-20.3	13	12.8	05.9-19.7	17	15.6	08.3-22.9	18	18.9	10.3-27.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3087	207,923	1837	57.9	55.9-59.9	1250	42.1	40.1-44.1
Male	1183	98,212	668	56.4	53.5-59.3	515	43.6	40.7-46.5
Female	1904	109,711	1169	59.2	56.8-61.6	735	40.8	38.4-43.2
Non-Native	3021	203,531	1805	58.1	56.1-60.1	1216	41.9	39.9-43.9
45-54	577	48,293	207	36.3	32.0-40.6	370	63.7	59.4-68.0
55-64	991	67,363	573	57.6	54.3-60.9	418	42.4	39.1-45.7
65+	1519	92,267	1057	69.4	66.9-71.9	462	30.6	28.1-33.1
Less Than H.S.	301	19,818	167	56.3	50.2-62.4	134	43.7	37.6-49.8
H.S. or G.E.D.	1034	68,490	625	59.2	55.9-62.5	409	40.8	37.5-44.1
Some Post-H.S.	901	60,161	542	58.1	54.6-61.6	359	41.9	38.4-45.4
College Graduate	847	59,261	500	56.6	52.9-60.3	347	43.4	39.7-47.1
Less than \$15,000	268	13,543	141	52.1	45.4-58.8	127	47.9	41.2-54.6
\$15,000- 24,999	507	30,076	309	59.8	55.1-64.5	198	40.2	35.5-44.9
\$25,000- 34,999	415	25,722	252	59.7	54.6-64.8	163	40.3	35.2-45.4
\$35,000- 49,999	492	34,551	286	55.2	50.3-60.1	206	44.8	39.9-49.7
\$50,000- 74,999	455	34,701	273	59.4	54.5-64.3	182	40.6	35.7-45.5
\$75,000+	485	39,521	279	55.4	50.7-60.1	206	44.6	39.9-49.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HDSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1183	98,212	668	56.4	53.3-59.5	515	43.6	40.5-46.7
Non-Native	1160	96,324	653	56.2	53.1-59.3	507	43.8	40.7-46.9
45-54	247	24,069	84	36.3	29.8-42.8	163	63.7	57.2-70.2
55-64	434	35,365	244	56.4	51.5-61.3	190	43.6	38.7-48.5
65+	502	38,777	340	68.8	64.5-73.1	162	31.2	26.9-35.5
Less Than H.S.	126	10,145	63	51.8	42.4-61.2	63	48.2	38.8-57.6
H.S. or G.E.D.	379	31,394	216	56.7	51.4-62.0	163	43.3	38.0-48.6
Some Post-H.S.	301	25,187	165	55.6	49.5-61.7	136	44.4	38.3-50.5
College Graduate	376	31,396	223	58.1	52.6-63.6	153	41.9	36.4-47.4
\$15,000- 24,999	163	12,523	90	56.7	48.3-65.1	73	43.3	34.9-51.7
\$25,000- 34,999	149	11,172	84	56.1	47.7-64.5	65	43.9	35.5-52.3
\$35,000- 49,999	223	19,133	115	50.3	43.2-57.4	108	49.7	42.6-56.8
\$50,000- 74,999	230	20,117	145	63.4	56.9-69.9	85	36.6	30.1-43.1
\$75,000+	252	23,365	144	56.4	49.9-62.9	108	43.6	37.1-50.1

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1904	109,711	1169	59.2	56.8-61.6	735	40.8	38.4-43.2
Non-Native	1861	107,207	1152	59.8	57.4-62.2	709	40.2	37.8-42.6
45-54	330	24,224	123	36.2	30.7-41.7	207	63.8	58.3-69.3
55-64	557	31,998	329	59.0	54.7-63.3	228	41.0	36.7-45.3
65+	1017	53,490	717	69.8	66.7-72.9	300	30.2	27.1-33.3
Less Than H.S.	175	9,673	104	60.9	53.3-68.5	71	39.1	31.5-46.7
H.S. or G.E.D.	655	37,096	409	61.3	57.2-65.4	246	38.7	34.6-42.8
Some Post-H.S.	600	34,973	377	60.0	55.7-64.3	223	40.0	35.7-44.3
College Graduate	471	27,865	277	54.9	50.0-59.8	194	45.1	40.2-50.0
Less than \$15,000	198	9,037	112	57.3	49.9-64.7	86	42.7	35.3-50.1
\$15,000- 24,999	344	17,553	219	62.0	56.3-67.7	125	38.0	32.3-43.7
\$25,000- 34,999	266	14,550	168	62.5	56.0-69.0	98	37.5	31.0-44.0
\$35,000- 49,999	269	15,418	171	61.3	55.0-67.6	98	38.7	32.4-45.0
\$50,000- 74,999	225	14,584	128	53.8	46.9-60.7	97	46.2	39.3-53.1
\$75,000+	233	16,156	135	53.9	47.0-60.8	98	46.1	39.2-53.0

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1773	116,054	242	13.4	11.6-15.2	1531	86.6	84.8-88.4
Male	637	52,795	83	12.6	09.9-15.3	554	87.4	84.7-90.1
Female	1136	63,259	159	14.1	11.9-16.3	977	85.9	83.7-88.1
Non-Native	1741	113,899	240	13.6	11.8-15.4	1501	86.4	84.6-88.2
45-54	204	17,309	38	18.7	13.0-24.4	166	81.3	75.6-87.0
55-64	564	38,113	100	16.4	13.3-19.5	464	83.6	80.5-86.7
65+	1005	60,632	104	10.0	08.0-12.0	901	90.0	88.0-92.0
Less Than H.S.	157	10,457	12	7.2	02.7-11.7	145	92.8	88.3-97.3
H.S. or G.E.D.	601	38,994	63	11.2	08.5-13.9	538	88.8	86.1-91.5
Some Post-H.S.	524	33,889	73	12.4	09.5-15.3	451	87.6	84.7-90.5
College Graduate	488	32,553	93	19.0	15.3-22.7	395	81.0	77.3-84.7
Less than \$15,000	135	6,664	21	15.0	08.5-21.5	114	85.0	78.5-91.5
\$15,000- 24,999	296	17,133	37	12.3	08.2-16.4	259	87.7	83.6-91.8
\$25,000- 34,999	239	14,549	29	10.8	06.9-14.7	210	89.2	85.3-93.1
\$35,000- 49,999	281	18,769	36	12.0	07.7-16.3	245	88.0	83.7-92.3
\$50,000- 74,999	266	20,041	40	15.2	10.5-19.9	226	84.8	80.1-89.5
\$75,000+	275	21,457	40	14.1	09.8-18.4	235	85.9	81.6-90.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	637	52,795	83	12.6	09.9-15.3	554	87.4	84.7-90.1
Non-Native	622	51,542	83	12.9	10.2-15.6	539	87.1	84.4-89.8
45-54	83	8,629	13	15.6	07.6-23.6	70	84.4	76.4-92.4
55-64	237	19,372	41	16.1	11.4-20.8	196	83.9	79.2-88.6
65+	317	24,794	29	8.8	05.5-12.1	288	91.2	87.9-94.5
Less Than H.S.	57	4,775	3	4.4	00.0-09.7	54	95.6	90.3-0100
H.S. or G.E.D.	204	16,881	19	10.0	05.3-14.7	185	90.0	85.3-94.7
Some Post-H.S.	159	13,505	23	12.5	07.4-17.6	136	87.5	82.4-92.6
College Graduate	216	17,545	38	17.3	12.0-22.6	178	82.7	77.4-88.0
\$15,000- 24,999	84	6,534	9	9.7	03.4-16.0	75	90.3	84.0-96.6
\$25,000- 34,999	77	5,795	7	7.4	01.9-12.9	70	92.6	87.1-98.1
\$35,000- 49,999	113	9,443	12	11.9	05.0-18.8	101	88.1	81.2-95.0
\$50,000- 74,999	141	12,423	23	16.1	09.8-22.4	118	83.9	77.6-90.2
\$75,000+	140	12,753	18	11.7	06.4-17.0	122	88.3	83.0-93.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

**Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1136	63,259	159	14.1	11.9-16.3	977	85.9	83.7-88.1
Non-Native	1119	62,357	157	14.2	12.0-16.4	962	85.8	83.6-88.0
45-54	121	8,680	25	21.7	13.7-29.7	96	78.3	70.3-86.3
55-64	327	18,740	59	16.8	12.7-20.9	268	83.2	79.1-87.3
65+	688	35,838	75	10.9	08.4-13.4	613	89.1	86.6-91.6
Less Than H.S.	100	5,681	9	9.6	02.7-16.5	91	90.4	83.5-97.3
H.S. or G.E.D.	397	22,113	44	12.2	08.7-15.7	353	87.8	84.3-91.3
Some Post-H.S.	365	20,385	50	12.4	08.9-15.9	315	87.6	84.1-91.1
College Graduate	272	15,008	55	20.9	15.6-26.2	217	79.1	73.8-84.4
Less than \$15,000	109	5,012	16	14.8	07.5-22.1	93	85.2	77.9-92.5
\$15,000- 24,999	212	10,598	28	14.0	08.5-19.5	184	86.0	80.5-91.5
\$25,000- 34,999	162	8,755	22	13.1	07.8-18.4	140	86.9	81.6-92.2
\$35,000- 49,999	168	9,326	24	12.2	07.3-17.1	144	87.8	82.9-92.7
\$50,000- 74,999	125	7,618	17	13.8	07.3-20.3	108	86.2	79.7-92.7
\$75,000+	135	8,704	22	17.6	10.5-24.7	113	82.4	75.3-89.5

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1813	118,937	500	27.6	25.4-29.8	372	20.9	18.9-22.9	287	16.1	14.1-18.1	359	18.8	16.8-20.8	207	11.9	10.3-13.5	88	4.7	03.7-05.7
Male	663	54,940	179	25.9	22.4-29.4	147	22.8	19.5-26.1	103	16.3	13.2-19.4	121	17.6	14.5-20.7	79	12.3	09.6-15.0	34	5.0	03.2-06.8
Female	1150	63,997	321	29.0	26.1-31.9	225	19.3	16.9-21.7	184	15.9	13.5-18.3	238	19.8	17.4-22.2	128	11.6	09.6-13.6	54	4.4	03.2-05.6
Non-Native	1781	116,782	486	27.4	25.0-29.8	367	21.1	18.9-23.3	283	16.1	14.1-18.1	351	18.5	16.5-20.5	206	12.1	10.3-13.9	88	4.8	03.8-05.8
45-54	206	17,417	64	30.8	23.9-37.7	41	19.5	13.6-25.4	29	14.1	08.8-19.4	26	12.5	07.6-17.4	27	14.9	09.6-20.2	19	8.2	04.3-12.1
55-64	570	38,613	131	23.9	20.2-27.6	119	20.8	17.3-24.3	101	18.3	14.8-21.8	117	19.7	16.2-23.2	80	13.8	10.9-16.7	22	3.6	02.0-05.2
65+	1037	62,907	305	29.0	26.1-31.9	212	21.4	18.7-24.1	157	15.3	12.9-17.7	216	20.0	17.5-22.5	100	10.0	07.8-12.2	47	4.4	03.0-05.8
Less Than H.S.	163	10,945	46	28.1	20.7-35.5	28	18.5	11.8-25.2	31	19.0	12.3-25.7	32	18.7	12.2-25.2	19	11.1	06.0-16.2	7	4.6	00.9-08.3
H.S. or G.E.D.	616	40,012	182	29.5	25.6-33.4	137	22.3	18.8-25.8	83	13.8	10.9-16.7	120	18.0	14.7-21.3	68	11.9	09.0-14.8	26	4.5	02.7-06.3
Some Post-H.S.	534	34,553	144	26.6	22.5-30.7	114	21.8	17.9-25.7	83	16.2	12.7-19.7	97	17.1	13.6-20.6	64	12.9	09.8-16.0	32	5.3	03.3-07.3
College Graduate	497	33,266	127	26.2	21.9-30.5	93	19.3	15.6-23.0	89	17.6	14.1-21.1	109	21.4	17.5-25.3	56	11.2	08.1-14.3	23	4.3	02.3-06.3
Less than \$15,000	139	6,970	49	37.3	28.5-46.1	24	21.6	13.6-29.6	17	10.2	05.3-15.1	28	17.1	10.8-23.4	17	11.1	05.8-16.4	4	2.7	00.2-05.2
\$15,000- 24,999	306	17,859	93	29.4	23.7-35.1	51	16.5	11.8-21.2	45	15.1	10.4-19.8	66	19.6	14.7-24.5	33	13.9	09.0-18.8	18	5.5	02.8-08.2
\$25,000- 34,999	249	15,196	63	23.7	18.2-29.2	57	22.5	17.0-28.0	42	17.4	12.3-22.5	44	18.5	13.0-24.0	29	12.2	07.9-16.5	14	5.8	02.7-08.9
\$35,000- 49,999	285	19,019	65	24.3	18.6-30.0	67	23.5	18.2-28.8	46	15.6	11.1-20.1	54	19.1	14.0-24.2	39	13.4	09.3-17.5	14	4.2	01.8-06.6
\$50,000- 74,999	270	20,390	76	28.6	22.9-34.3	65	25.7	20.0-31.4	44	15.0	10.7-19.3	44	14.6	10.3-18.9	30	11.5	07.4-15.6	11	4.6	01.7-07.5
\$75,000+	278	21,797	72	26.9	21.2-32.6	52	18.2	13.3-23.1	54	20.5	15.4-25.6	61	20.3	15.4-25.2	30	10.8	06.9-14.7	9	3.4	01.0-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	663	54,940	179	25.9	22.4-29.4	147	22.8	19.5-26.1	103	16.3	13.2-19.4	121	17.6	14.5-20.7	79	12.3	09.6-15.0	34	5.0	03.2-06.8
Non-Native	648	53,686	172	25.7	22.2-29.2	146	23.2	19.7-26.7	101	16.3	13.2-19.4	116	17.0	13.9-20.1	79	12.6	09.9-15.3	34	5.2	03.4-07.0
45-54	83	8,642				19	22.8	13.4-32.2	10	12.9	05.1-20.7	10	12.6	04.8-20.4	12	14.2	06.6-21.8	7	7.8	01.9-13.7
55-64	243	19,841	52	21.1	15.6-26.6	52	21.5	16.0-27.0	43	19.2	13.7-24.7	48	18.8	13.7-23.9	38	15.5	10.8-20.2	10	3.9	01.4-06.4
65+	337	26,457	102	28.3	23.2-33.4	76	23.8	18.9-28.7	50	15.2	11.1-19.3	63	18.3	13.8-22.8	29	9.4	05.9-12.9	17	5.0	02.6-07.4
Less Than H.S.	62	5,178										13	16.7	07.5-25.9	12	17.2	07.6-26.8	5	8.1	00.8-15.4
H.S. or G.E.D.	214	17,635	63	29.3	22.8-35.8	60	27.5	21.2-33.8	27	12.4	07.7-17.1	30	13.3	08.4-18.2	26	12.9	08.0-17.8	8	4.5	01.4-07.6
Some Post-H.S.	165	14,004	45	24.0	17.3-30.7	43	26.3	19.2-33.4	24	17.2	10.7-23.7	22	13.4	07.7-19.1	19	13.3	07.4-19.2	12	5.8	02.3-09.3
College Graduate	221	18,034	58	25.1	19.0-31.2	34	16.9	11.4-22.4	43	19.3	13.8-24.8	55	24.9	18.8-31.0	22	9.7	05.6-13.8	9	4.1	01.4-06.8
\$15,000- 24,999	90	7,103	26	25.4	15.6-35.2	14	16.4	08.0-24.8	13	17.0	07.6-26.4	17	15.7	08.1-23.3	14	18.9	09.1-28.7	6	6.5	01.0-12.0
\$25,000- 34,999	83	6,194	14	14.0	06.7-21.3	22	26.1	16.1-36.1	15	18.2	09.4-27.0	16	20.9	11.1-30.7	12	15.4	07.2-23.6	4	5.4	00.1-10.7
\$35,000- 49,999	115	9,629	26	23.0	14.6-31.4	35	30.2	21.4-39.0	15	12.3	06.0-18.6	17	16.7	08.9-24.5	16	13.1	06.8-19.4	6	4.7	00.8-08.6
\$50,000- 74,999	143	12,575	40	27.2	19.8-34.6	40	30.1	22.1-38.1	17	11.0	05.7-16.3	24	14.5	08.6-20.4	16	12.7	06.8-18.6	6	4.6	00.9-08.3
\$75,000+	143	13,093	41	28.8	20.8-36.8	21	15.0	08.7-21.3	31	23.1	15.8-30.4	30	20.2	13.5-26.9	14	8.9	04.2-13.6	6	4.0	00.9-07.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1150	63,997	321	29.0	26.1-31.9	225	19.3	16.9-21.7	184	15.9	13.5-18.3	238	19.8	17.4-22.2	128	11.6	09.6-13.6	54	4.4	03.2-05.6
Non-Native	1133	63,095	314	28.9	26.0-31.8	221	19.3	16.8-21.8	182	15.9	13.5-18.3	235	19.8	17.3-22.3	127	11.7	09.7-13.7	54	4.4	03.2-05.6
45-54	123	8,774	39	32.0	23.2-40.8	22	16.3	09.6-23.0	19	15.2	08.3-22.1	16	12.4	06.1-18.7	15	15.5	08.1-22.9	12	8.6	03.5-13.7
55-64	327	18,772	79	26.8	21.5-32.1	67	20.1	15.6-24.6	58	17.3	13.0-21.6	69	20.6	16.1-25.1	42	11.9	08.4-15.4	12	3.3	01.3-05.3
65+	700	36,450	203	29.5	25.8-33.2	136	19.7	16.6-22.8	107	15.3	12.4-18.2	153	21.2	18.1-24.3	71	10.4	08.0-12.8	30	3.9	02.5-05.3
Less Than H.S.	101	5,767	33	32.6	22.8-42.4	18	18.9	10.5-27.3	22	21.0	12.6-29.4	19	20.4	11.6-29.2	7	5.7	01.4-10.0	2	1.5	00.0-03.5
H.S. or G.E.D.	402	22,377	119	29.7	25.0-34.4	77	18.1	14.2-22.0	56	15.0	11.3-18.7	90	21.6	17.3-25.9	42	11.1	07.8-14.4	18	4.5	02.3-06.7
Some Post-H.S.	369	20,550	99	28.4	23.3-33.5	71	18.7	14.6-22.8	59	15.6	11.5-19.7	75	19.7	15.4-24.0	45	12.6	08.9-16.3	20	4.9	02.5-07.3
College Graduate	276	15,232	69	27.5	21.6-33.4	59	22.1	16.8-27.4	46	15.5	11.2-19.8	54	17.3	12.8-21.8	34	13.1	08.6-17.6	14	4.5	02.0-07.0
Less than \$15,000	110	5,097	37	36.3	26.3-46.3	18	20.4	11.4-29.4	16	12.8	06.5-19.1	21	15.2	08.7-21.7	15	12.8	06.3-19.3	3	2.5	00.0-05.4
\$15,000- 24,999	216	10,755	67	32.0	25.1-38.9	37	16.6	11.1-22.1	32	13.8	09.1-18.5	49	22.1	16.0-28.2	19	10.7	05.6-15.8	12	4.9	02.2-07.6
\$25,000- 34,999	166	9,002	49	30.3	22.9-37.7	35	20.1	13.6-26.6	27	16.8	10.5-23.1	28	16.8	10.7-22.9	17	10.0	05.3-14.7	10	6.1	02.2-10.0
\$35,000- 49,999	170	9,391	39	25.6	18.2-33.0	32	16.7	11.0-22.4	31	19.0	12.5-25.5	37	21.5	14.8-28.2	23	13.6	08.1-19.1	8	3.6	01.1-06.1
\$50,000- 74,999	127	7,815	36	30.9	22.3-39.5	25	18.7	11.8-25.6	27	21.5	13.9-29.1	20	14.8	08.5-21.1	14	9.5	04.6-14.4	5	4.7	00.6-08.8
\$75,000+	135	8,704	31	24.2	16.4-32.0	31	22.9	15.5-30.3	23	16.4	09.7-23.1	31	20.4	13.5-27.3	16	13.6	07.1-20.1	3	2.5	00.0-05.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

**SECTION 21: HIV/AIDS CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)	
1	MALES AND FEMALES	225
2	MALES ONLY	226
3	FEMALES ONLY	227
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD2)	
4	MALES AND FEMALES	228
5	MALES ONLY	229
6	FEMALES ONLY	230
	WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)	
7	MALES AND FEMALES	231
8	MALES ONLY	232
9	FEMALES ONLY	233
	WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)	
10	MALES AND FEMALES	234
11	MALES ONLY	235
12	FEMALES ONLY	236
	17	
13	MALES AND FEMALES	237
14	MALES ONLY	238
15	FEMALES ONLY	239



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3307	379,295	815	26.4	24.2-28.6	2492	73.6	71.4-75.8
Male	1450	195,865	327	23.0	20.3-25.7	1123	77.0	74.3-79.7
Female	1857	183,430	488	30.1	27.2-33.0	1369	69.9	67.0-72.8
Non-Native	3186	356,951	764	25.5	23.5-27.5	2422	74.5	72.5-76.5
18-24	159	77,295	33	21.5	14.2-28.8	126	78.5	71.2-85.8
25-34	486	74,789	234	45.1	40.4-49.8	252	54.9	50.2-59.6
35-44	668	73,197	233	34.2	30.3-38.1	435	65.8	61.9-69.7
45-54	1035	88,973	219	20.7	18.0-23.4	816	79.3	76.6-82.0
55-64	959	65,040	96	9.8	07.6-12.0	863	90.2	88.0-92.4
H.S. or G.E.D.	889	105,183	177	21.8	17.9-25.7	712	78.2	74.3-82.1
Some Post-H.S.	1109	129,757	299	30.0	26.1-33.9	810	70.0	66.1-73.9
College Graduate	1181	123,343	311	27.2	24.3-30.1	870	72.8	69.9-75.7
\$15,000- 24,999	378	46,211	116	32.2	25.1-39.3	262	67.8	60.7-74.9
\$25,000- 34,999	352	38,615	72	20.6	14.9-26.3	280	79.4	73.7-85.1
\$35,000- 49,999	581	62,916	130	25.5	20.2-30.8	451	74.5	69.2-79.8
\$50,000- 74,999	683	77,226	158	26.4	22.3-30.5	525	73.6	69.5-77.7
\$75,000+	869	100,136	225	25.9	22.6-29.2	644	74.1	70.8-77.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1450	195,865	327	23.0	20.3-25.7	1123	77.0	74.3-79.7
Non-Native	1409	186,411	316	22.5	19.8-25.2	1093	77.5	74.8-80.2
18-24	78	40,318	10	14.5	05.5-23.5	68	85.5	76.5-94.5
25-34	207	39,958	73	34.5	27.6-41.4	134	65.5	58.6-72.4
35-44	306	37,738	90	30.2	24.7-35.7	216	69.8	64.3-75.3
45-54	446	44,282	103	22.3	18.2-26.4	343	77.7	73.6-81.8
55-64	413	33,570	51	12.4	08.9-15.9	362	87.6	84.1-91.1
Less Than H.S.	63	10,796	11	11.9	03.9-19.9	52	88.1	80.1-96.1
H.S. or G.E.D.	451	63,577	85	19.1	14.0-24.2	366	80.9	75.8-86.0
Some Post-H.S.	437	59,356	115	28.8	23.1-34.5	322	71.2	65.5-76.9
College Graduate	497	61,498	116	23.6	19.3-27.9	381	76.4	72.1-80.7
\$15,000- 24,999	146	21,904	44	26.0	17.2-34.8	102	74.0	65.2-82.8
\$25,000- 34,999	144	21,217	21	13.9	06.8-21.0	123	86.1	79.0-93.2
\$35,000- 49,999	274	33,417	54	22.0	15.3-28.7	220	78.0	71.3-84.7
\$50,000- 74,999	327	42,684	65	23.2	17.5-28.9	262	76.8	71.1-82.5
\$75,000+	404	52,221	102	26.1	21.0-31.2	302	73.9	68.8-79.0

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1857	183,430	488	30.1	27.2-33.0	1369	69.9	67.0-72.8
Non-Native	1777	170,540	448	28.8	25.9-31.7	1329	71.2	68.3-74.1
25-34	279	34,831	161	57.2	50.9-63.5	118	42.8	36.5-49.1
35-44	362	35,459	143	38.5	33.2-43.8	219	61.5	56.2-66.8
45-54	589	44,691	116	19.2	15.9-22.5	473	80.8	77.5-84.1
55-64	546	31,471	45	7.2	05.0-09.4	501	92.8	90.6-95.0
H.S. or G.E.D.	438	41,607	92	25.9	20.0-31.8	346	74.1	68.2-80.0
Some Post-H.S.	672	70,400	184	31.0	25.7-36.3	488	69.0	63.7-74.3
College Graduate	684	61,845	195	30.7	26.8-34.6	489	69.3	65.4-73.2
\$25,000- 34,999	208	17,398	51	28.7	20.1-37.3	157	71.3	62.7-79.9
\$35,000- 49,999	307	29,499	76	29.4	21.0-37.8	231	70.6	62.2-79.0
\$50,000- 74,999	356	34,542	93	30.3	24.4-36.2	263	69.7	63.8-75.6
\$75,000+	465	47,915	123	25.6	21.3-29.9	342	74.4	70.1-78.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	661	84,352	40	4.2	02.6-05.8	72	8.3	06.1-10.5	120	14.9	12.0-17.8	368	60.3	55.4-65.2	61	12.3	08.6-16.0
Male	254	36,458	12	3.5	01.1-05.9	30	9.0	05.5-12.5	43	15.0	10.1-19.9	134	56.2	48.4-64.0	35	16.3	10.0-22.6
Female	407	47,894	28	4.8	02.8-06.8	42	7.8	05.1-10.5	77	14.8	11.3-18.3	234	63.4	57.3-69.5	26	9.2	04.9-13.5
Non-Native	614	75,470	36	3.9	02.5-05.3	70	9.0	06.6-11.4	114	15.8	12.7-18.9	338	59.4	54.5-64.3	56	11.9	08.4-15.4
25-34	205	29,692				8	4.3	01.2-07.4	26	13.2	08.1-18.3	146	69.3	62.2-76.4	25	13.2	07.7-18.7
35-44	193	20,277	10	7.1	02.6-11.6	29	15.0	09.7-20.3	42	20.8	14.9-26.7	95	47.2	39.8-54.6	17	9.9	05.2-14.6
45-54	167	14,087	20	11.9	06.8-17.0	19	11.5	06.0-17.0	41	27.1	19.5-34.7	84	46.8	38.6-55.0	3	2.6	00.0-05.5
55-64	64	4,233	10	10.4	03.7-17.1				11	15.2	06.2-24.2				8	10.9	03.1-18.7
H.S. or G.E.D.	137	19,280	7	4.4	00.7-08.1	10	5.3	01.4-09.2	23	13.3	07.4-19.2				17	15.9	07.3-24.5
Some Post-H.S.	247	33,050	12	3.3	01.3-05.3	27	7.4	04.3-10.5	48	14.7	10.0-19.4	138	62.3	54.3-70.3	22	12.3	06.0-18.6
College Graduate	254	27,763	20	5.4	02.9-07.9	29	10.8	06.7-14.9	48	17.5	12.6-22.4	137	56.9	50.0-63.8	20	9.4	04.7-14.1
Less than \$15,000	58	7,718	3	2.2	00.0-04.9	3	4.8	00.0-12.1	6	5.3	00.6-10.0				6	9.4	01.4-17.4
\$15,000- 24,999	99	13,324	7	4.8	00.9-08.7	7	5.6	01.1-10.1	15	9.7	03.8-15.6				6	9.4	00.6-18.2
\$25,000- 34,999	64	7,208	2	1.8	00.0-04.3	11	7.6	02.5-12.7	8	14.2	04.2-24.2				4	7.1	00.0-14.5
\$35,000- 49,999	97	12,720	4	1.6	00.0-03.4	8	7.5	01.6-13.4	28	23.0	13.2-32.8						
\$50,000- 74,999	123	16,182	7	5.6	01.1-10.1	14	8.9	04.0-13.8	26	19.6	11.8-27.4				9	8.6	02.9-14.3
\$75,000+	185	21,664	14	6.0	02.7-09.3	26	12.6	07.7-17.5	35	16.7	11.2-22.2	91	53.7	45.5-61.9	19	11.0	05.7-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older  
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	254	36,458	12	3.5	01.1-05.9	30	9.0	05.5-12.5	43	15.0	10.1-19.9	134	56.2	48.4-64.0	35	16.3	09.8-22.8
Non-Native	245	33,488	10	2.5	00.7-04.3	29	9.5	05.8-13.2	42	16.0	10.9-21.1	131	57.1	49.7-64.5	33	14.9	09.4-20.4
25-34	66	12,338				4	5.1	00.0-10.2	11	16.7	07.1-26.3						
35-44	65	8,112	6	11.0	02.2-19.8	8	12.5	04.3-20.7	7	10.2	02.9-17.5				13	20.0	10.0-30.0
45-54	79	7,459	4	3.8	00.0-07.7	8	11.1	02.7-19.5							2	3.5	00.0-08.4
H.S. or G.E.D.	62	9,837	5	7.3	00.0-14.6	4	6.3	00.0-13.0	10	12.8	04.4-21.2				8	9.6	02.3-16.9
Some Post-H.S.	91	14,022	3	1.7	00.0-03.7	10	6.6	02.3-10.9	15	14.7	06.7-22.7						
College Graduate	92	11,533	4	2.7	00.0-05.6	11	11.1	04.2-18.0	17	16.3	08.5-24.1				13	16.6	06.6-26.6
\$50,000- 74,999	50	7,629	4	8.0	00.0-16.6	7	9.8	02.4-17.2									
\$75,000+	79	10,923	1	1.2	00.0-03.6	12	13.0	05.6-20.4	12	11.7	04.6-18.8				12	15.3	05.9-24.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older  
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	407	47,894	28	4.8	02.8-06.8	42	7.8	05.1-10.5	77	14.8	11.3-18.3	234	63.4	57.3-69.5	26	9.2	04.9-13.5
Non-Native	369	41,983	26	5.0	02.8-07.2	41	8.6	05.7-11.5	72	15.7	11.8-19.6	207	61.2	54.7-67.7	23	9.5	04.6-14.4
25-34	139	17,354				4	3.7	00.0-07.6	15	10.6	05.1-16.1	106	76.6	69.2-84.0	14	9.0	04.1-13.9
35-44	128	12,165	4	4.5	00.2-08.8	21	16.6	09.7-23.5	35	27.8	19.6-36.0	64	47.9	38.5-57.3	4	3.2	00.0-06.5
45-54	88	6,628	16	21.0	11.6-30.4	11	11.9	04.8-19.0	21	23.9	14.5-33.3				1	1.7	00.0-05.0
H.S. or G.E.D.	75	9,443	2	1.3	00.0-03.1	6	4.2	00.5-07.9	13	13.8	05.8-21.8						
Some Post-H.S.	156	19,029	9	4.4	01.3-07.5	17	8.0	03.5-12.5	33	14.8	09.1-20.5	89	67.6	58.4-76.8	8	5.3	00.8-09.8
College Graduate	162	16,230	16	7.2	03.5-10.9	18	10.7	05.6-15.8	31	18.4	12.1-24.7	90	59.5	51.5-67.5	7	4.3	01.2-07.4
\$15,000- 24,999	60	7,950	5	4.9	00.0-10.0	2	3.1	00.0-07.6	8	7.4	01.1-13.7						
\$35,000- 49,999	61	7,369	2	1.5	00.0-03.7	7	9.4	01.6-17.2							5	6.4	00.3-12.5
\$50,000- 74,999	73	8,552	3	3.5	00.0-07.6	7	8.0	01.7-14.3	16	17.5	08.9-26.1				1	2.2	00.0-06.3
\$75,000+	106	10,741	13	10.8	04.7-16.9	14	12.2	05.9-18.5	23	21.7	13.5-29.9	49	48.6	38.6-58.6	7	6.6	01.7-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	810	99,665	183	21.6	17.7-25.5	14	1.4	00.6-02.2	479	60.1	55.6-64.6	16	2.3	00.9-03.7	39	4.1	02.5-05.7	79	10.6	07.9-13.3
Male	324	44,650	56	16.5	11.4-21.6	6	1.6	00.2-03.0	175	52.7	45.6-59.8	12	4.3	01.6-07.0	19	5.5	02.4-08.6	56	19.3	13.6-25.0
Female	486	55,015	127	25.7	20.2-31.2	8	1.2	00.4-02.0	304	66.0	60.3-71.7	4	0.6	00.0-01.2	20	3.0	01.6-04.4	23	3.5	01.9-05.1
Non-Native	759	90,567	172	21.5	17.6-25.4	14	1.5	00.7-02.3	445	59.2	54.7-63.7	14	2.3	00.9-03.7	38	4.4	02.6-06.2	76	11.1	08.2-14.0
25-34	233	33,525	56	22.4	16.7-28.1	2	0.9	00.0-02.3	148	63.3	56.6-70.0	7	3.6	00.9-06.3	4	1.9	00.0-03.9	16	7.9	04.0-11.8
35-44	232	24,960	63	26.4	20.3-32.5	3	1.3	00.0-02.9	121	51.7	44.8-58.6	2	1.1	00.0-02.7	14	5.7	02.8-08.6	29	13.8	08.7-18.9
45-54	217	18,276	43	19.8	13.9-25.7	5	2.1	00.1-04.1	123	57.2	49.9-64.5	6	2.2	00.4-04.0	16	6.6	03.3-09.9	24	12.2	07.1-17.3
55-64	95	6,312	17	16.4	08.8-24.0	3	3.0	00.0-06.3							4	5.1	00.0-10.4	7	9.3	02.4-16.2
H.S. or G.E.D.	175	22,618	34	15.3	09.6-21.0	4	2.1	00.0-04.3	112	64.9	55.7-74.1	5	3.5	00.4-06.6	7	4.9	00.0-10.0	13	9.3	03.0-15.6
Some Post-H.S.	298	38,838	67	24.7	16.9-32.5	3	0.7	00.0-01.5	174	57.2	49.2-65.2	7	3.1	00.4-05.8	13	2.5	00.9-04.1	34	11.7	06.8-16.6
College Graduate	310	33,465	77	23.9	18.8-29.0	7	1.9	00.3-03.5	176	57.6	51.5-63.7	1	0.1	00.0-00.3	18	5.7	03.0-08.4	31	10.7	06.8-14.6
Less than \$15,000	65	8,242										3	3.7	00.0-08.2	1	0.4	00.0-01.2	3	6.3	00.0-15.1
\$15,000- 24,999	114	14,735	23	19.8	10.8-28.8	1	1.2	00.0-03.6				8	7.1	01.4-12.8	2	1.5	00.0-03.7	9	9.1	01.1-17.1
\$25,000- 34,999	72	7,941	15	17.5	07.9-27.1	1	0.8	00.0-02.4				3	5.5	00.0-12.2	2	7.1	00.0-19.8	3	2.4	00.0-05.1
\$35,000- 49,999	127	15,655				1	0.5	00.0-01.5							5	2.8	00.3-05.3	11	7.5	02.4-12.6
\$50,000- 74,999	158	20,364	33	19.5	12.8-26.2	2	1.1	00.0-02.7	96	58.3	48.9-67.7				7	2.8	00.6-05.0	20	18.2	09.6-26.8
\$75,000+	225	25,896	57	22.8	16.9-28.7	9	3.3	00.9-05.7	111	52.2	44.8-59.6	1	1.4	00.0-04.1	20	8.3	04.6-12.0	27	12.0	07.5-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	324	44,650	56	16.5	11.4-21.6	6	1.6	00.2-03.0	175	52.7	45.6-59.8	12	4.3	01.6-07.0	19	5.5	02.4-08.6	56	19.3	13.6-25.0
Non-Native	313	41,550	54	15.4	11.1-19.7	6	1.8	00.2-03.4	171	53.3	46.6-60.0	10	4.1	01.2-07.0	19	5.9	02.6-09.2	53	19.5	13.8-25.2
25-34	72	13,586	11	15.2	06.4-24.0	1	1.4	00.0-04.1				7	8.8	02.1-15.5	2	2.8	00.0-06.7	12	16.3	07.5-25.1
35-44	90	11,388	15	17.0	08.8-25.2	1	1.1	00.0-03.3				1	1.1	00.0-03.3	7	6.4	01.5-11.3	20	22.9	13.5-32.3
45-54	102	9,765	21	20.3	11.7-28.9	3	2.4	00.0-05.1				3	2.4	00.0-05.1	7	6.0	01.5-10.5	16	17.0	08.6-25.4
55-64	50	4,060	8	13.7	04.3-23.1										2	5.5	00.0-12.9	5	12.1	02.1-22.1
H.S. or G.E.D.	83	11,836	14	13.0	05.2-20.8	2	2.4	00.0-05.9				5	6.6	00.7-12.5	4	7.0	00.0-16.0			
Some Post-H.S.	115	17,091										5	5.8	00.1-11.5	5	2.2	00.0-04.4			
College Graduate	116	14,529	22	16.9	09.6-24.2	4	3.1	00.0-06.4				10	8.7	03.2-14.2				19	17.1	09.3-24.9
\$35,000- 49,999	51	6,976				1	1.1	00.0-03.3							3	3.5	00.0-07.8			
\$50,000- 74,999	65	9,888	8	14.2	04.4-24.0										4	3.7	00.0-07.4			
\$75,000+	102	13,652	18	14.2	07.3-21.1	4	3.5	00.0-07.2				1	2.7	00.0-07.8	9	8.6	02.9-14.3	20	17.6	10.0-25.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WVRTST8)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	486	55,015	127	25.7	20.2-31.2	8	1.2	00.4-02.0	304	66.0	60.3-71.7	4	0.6	00.0-01.2	20	3.0	01.6-04.4	23	3.5	01.9-05.1
Non-Native	446	49,017	118	26.7	20.8-32.6	8	1.4	00.4-02.4	274	64.3	58.2-70.4	4	0.6	00.0-01.4	19	3.1	01.7-04.5	23	3.9	02.1-05.7
25-34	161	19,939	45	27.3	20.0-34.6	1	0.6	00.0-01.8	109	68.7	61.3-76.1				2	1.2	00.0-03.0	4	2.2	00.0-04.4
35-44	142	13,572	48	34.2	26.0-42.4	2	1.5	00.0-03.5	75	52.0	43.2-60.8	1	1.1	00.0-03.3	7	5.1	01.4-08.8	9	6.2	02.1-10.3
45-54	115	8,511	22	19.2	11.6-26.8	2	1.8	00.0-04.2	71	63.1	53.7-72.5	3	2.0	00.0-04.4	9	7.3	02.4-12.2	8	6.6	01.7-11.5
H.S. or G.E.D.	92	10,782	20	17.8	09.4-26.2	2	1.8	00.0-04.3	63	75.0	65.2-84.8				3	2.5	00.0-05.4	4	2.9	00.0-06.0
Some Post-H.S.	183	21,747				3	1.2	00.0-02.6				2	1.0	00.0-02.6	8	2.8	00.6-05.0	7	2.4	00.4-04.4
College Graduate	194	18,937	55	29.3	22.4-36.2	3	1.1	00.0-02.3	115	60.2	52.8-67.6	1	0.2	00.0-00.6	8	3.3	00.9-05.7	12	5.9	02.4-09.4
\$15,000- 24,999	70	9,046										2	1.0	00.0-02.6	1	1.6	00.0-04.7	3	2.2	00.0-04.9
\$25,000- 34,999	51	4,999				1	1.3	00.0-03.8				1	0.4	00.0-01.2	1	1.5	00.0-04.4	4	3.3	00.0-07.0
\$35,000- 49,999	76	8,679										2	2.3	00.0-05.4	4	3.3	00.0-05.4	4	3.3	00.0-07.0
\$50,000- 74,999	93	10,476	25	24.6	15.4-33.8	2	2.1	00.0-05.0				3	2.0	00.0-04.4	5	4.9	00.6-09.2	5	4.9	00.6-09.2
\$75,000+	123	12,244	39	32.3	23.7-40.9	5	3.1	00.4-05.8	61	50.9	41.7-60.1				11	7.9	03.2-12.6	7	5.8	01.5-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 10: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	132	21,769	18	13.7	05.7-21.7	114	86.3	78.3-94.3
Male	62	10,227	5	8.4	00.0-17.0	57	91.6	83.0-0100
Non-Native	119	17,515	15	15.1	05.9-24.3	104	84.9	75.7-94.1
25-34	53	7,493	6	10.4	02.0-18.8	47	89.6	81.2-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS**

**TABLE 11: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	62	10,227	5	8.4	00.0-17.0	57	91.6	83.0-0100

**NOTE:**

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 21: HIV/AIDS

TABLE 12: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 65 or older

All of the Confidence Intervals for this table are too wide  
(half-width greater than 10)  
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	241
2	MALES ONLY	242
3	FEMALES ONLY	243
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	244
5	MALES ONLY	245
6	FEMALES ONLY	246

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**  
**SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**  
**TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4864	474,937	2323	48.8	46.8-50.8	1667	35.1	33.3-36.9	512	9.5	08.3-10.7	124	2.2	01.6-02.8	238	4.3	03.5-05.1
Male	1952	234,701	906	47.7	44.8-50.6	630	33.5	30.8-36.2	210	10.2	08.2-12.2	59	2.3	01.3-03.3	147	6.3	04.7-07.9
Female	2912	240,236	1417	50.0	47.5-52.5	1037	36.6	34.2-39.0	302	8.9	07.7-10.1	65	2.1	01.3-02.9	91	2.4	01.8-03.0
Native	126	21,395										6	7.1	00.0-16.7	8	3.2	00.7-05.7
Non-Native	4701	450,707	2244	48.8	46.8-50.8	1630	35.8	34.0-37.6	488	9.2	08.2-10.2	112	1.9	01.3-02.5	227	4.4	03.6-05.2
18-24	158	76,909	85	53.6	45.2-62.0	54	32.1	24.3-39.9	9	6.4	01.5-11.3	5	3.7	00.2-07.2	5	4.3	00.6-08.0
25-34	490	75,504	235	48.8	43.9-53.7	195	40.0	35.3-44.7	47	8.7	06.2-11.2	6	1.1	00.1-02.1	7	1.4	00.2-02.6
35-44	672	73,478	292	44.1	40.0-48.2	268	40.5	36.6-44.4	84	11.5	09.0-14.0	11	1.0	00.4-01.6	17	2.9	01.3-04.5
45-54	1050	90,214	467	45.0	41.7-48.3	393	37.8	34.7-40.9	137	12.6	10.4-14.8	27	2.2	01.2-03.2	26	2.4	01.4-03.4
55-64	973	66,306	456	48.7	45.4-52.0	343	34.7	31.6-37.8	106	10.5	08.5-12.5	23	1.9	01.1-02.7	45	4.3	02.9-05.7
65+	1475	89,579	762	52.3	49.6-55.0	406	27.2	24.7-29.7	123	7.3	05.9-08.7	50	3.3	02.3-04.3	134	9.9	08.1-11.7
Less Than H.S.	352	34,087	152	50.7	42.5-58.9	73	21.7	15.2-28.2	54	11.8	08.1-15.5	17	3.0	01.2-04.8	56	12.9	07.8-18.0
H.S. or G.E.D.	1473	140,003	733	51.6	47.9-55.3	424	28.3	25.2-31.4	171	11.3	08.8-13.8	49	3.5	01.7-05.3	96	5.3	03.7-06.9
Some Post-H.S.	1512	154,256	714	47.9	44.4-51.4	548	36.7	33.2-40.2	164	9.5	07.5-11.5	33	2.1	01.1-03.1	53	3.8	02.2-05.4
College Graduate	1520	146,270	719	46.8	43.9-49.7	620	42.9	40.0-45.8	123	7.4	06.0-08.8	25	1.0	00.6-01.4	33	2.0	01.2-02.8
Less than \$15,000	360	28,931	140	33.6	25.8-41.4	91	25.3	18.0-32.6	64	21.5	11.9-31.1	23	9.9	02.1-17.7	42	9.7	06.2-13.2
\$15,000- 24,999	715	65,482	302	45.3	39.6-51.0	218	30.7	25.6-35.8	104	13.5	10.2-16.8	31	3.4	01.8-05.0	60	7.0	04.5-09.5
\$25,000- 34,999	590	53,223	259	44.8	38.9-50.7	219	35.5	30.2-40.8	67	9.5	06.8-12.2	20	3.4	01.0-05.8	25	6.7	02.2-11.2
\$35,000- 49,999	795	77,116	366	47.6	42.9-52.3	284	38.1	33.4-42.8	84	8.4	06.4-10.4	21	1.8	00.8-02.8	40	4.1	02.7-05.5
\$50,000- 74,999	824	87,362	386	47.5	43.4-51.6	333	40.2	36.3-44.1	76	9.1	06.9-11.3	5	0.4	00.0-00.8	24	2.8	01.4-04.2
\$75,000+	994	109,230	528	54.5	50.8-58.2	368	36.5	33.0-40.0	76	6.7	05.1-08.3	6	0.5	00.1-00.9	16	1.8	00.4-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

**TABLE 2. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always		Usually		Sometimes		Rarely		Never						
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1952	234,701	906	47.7	44.8-50.6	630	33.5	30.8-36.2	210	10.2	08.2-12.2	59	2.3	01.3-03.3	147	6.3	04.7-07.9
Non-Native	1898	225,055	880	48.0	45.1-50.9	621	34.2	31.5-36.9	202	9.7	08.1-11.3	53	1.8	01.2-02.4	142	6.3	04.7-07.9
18-24	76	39,403							6	9.3	01.1-17.5	1	2.8	00.0-08.1	4	7.0	00.1-13.9
25-34	207	40,150	99	48.3	41.0-55.6	80	39.0	31.9-46.1	22	9.7	05.6-13.8	2	1.0	00.0-02.4	4	2.0	00.0-04.2
35-44	302	37,229	139	46.6	40.7-52.5	110	36.9	31.2-42.6	36	11.2	07.5-14.9	5	0.9	00.1-01.7	12	4.4	01.5-07.3
45-54	452	45,033	196	44.6	39.7-49.5	166	36.5	31.8-41.2	57	12.3	09.0-15.6	14	2.8	01.2-04.4	19	3.9	02.1-05.7
55-64	420	34,484	195	49.4	44.3-54.5	137	31.8	27.1-36.5	51	11.4	08.3-14.5	9	1.5	00.5-02.5	28	5.9	03.5-08.3
65+	488	37,675	235	49.4	44.7-54.1	111	24.0	19.9-28.1	35	6.4	04.2-08.6	27	4.9	02.9-06.9	80	15.3	12.0-18.6
Less Than H.S.	147	17,026							16	9.0	04.3-13.7	13	5.2	01.9-08.5	30	17.9	08.5-27.3
H.S. or G.E.D.	621	76,376	293	49.2	43.7-54.7	170	27.5	22.8-32.2	82	13.3	08.8-17.8	19	3.3	00.4-06.2	57	6.6	04.1-09.1
Some Post-H.S.	538	67,069	242	46.5	40.8-52.2	182	34.9	29.6-40.2	65	10.4	07.3-13.5	13	1.6	00.6-02.6	36	6.5	03.4-09.6
College Graduate	645	74,141	313	48.3	43.8-52.8	247	40.4	35.9-44.9	47	7.0	04.8-09.2	14	1.3	00.5-02.1	24	3.0	01.6-04.4
Less than \$15,000	103	11,197													26	17.2	08.2-26.2
\$15,000- 24,999	244	29,620	93	40.9	32.1-49.7	75	33.2	24.6-41.8	39	15.8	09.7-21.9	10	2.4	00.8-04.0	27	7.7	04.2-11.2
\$25,000- 34,999	222	27,226	94	43.9	34.5-53.3	71	30.4	22.0-38.8	31	11.4	06.9-15.9	9	3.0	00.8-05.2	17	11.3	03.1-19.5
\$35,000- 49,999	364	40,747	159	47.1	40.6-53.6	123	35.2	28.9-41.5	42	9.2	06.3-12.1	11	2.4	00.8-04.0	29	6.2	03.8-08.6
\$50,000- 74,999	403	48,952	186	47.2	41.3-53.1	153	38.2	32.7-43.7	39	9.6	06.3-12.9	4	0.7	00.0-01.5	21	4.3	02.1-06.5
\$75,000+	476	58,004	266	56.8	51.5-62.1	158	32.9	28.0-37.8	32	6.2	03.8-08.6	5	0.9	00.1-01.7	15	3.2	00.7-05.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

**TABLE 3. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2912	240,236	1417	50.0	47.5-52.5	1037	36.6	34.2-39.0	302	8.9	07.7-10.1	65	2.1	01.3-02.9	91	2.4	01.8-03.0
Native	87	12,986										2	1.5	00.0-03.7	4	1.9	00.0-03.9
Non-Native	2803	225,652	1364	49.6	47.1-52.1	1009	37.3	34.8-39.8	286	8.7	07.5-09.9	59	2.0	01.2-02.8	85	2.4	01.8-03.0
18-24	82	37,506							3	3.3	00.0-07.6	4	4.7	00.2-09.2	1	1.4	00.0-04.1
25-34	283	35,354	136	49.3	43.0-55.6	115	41.1	35.0-47.2	25	7.6	04.7-10.5	4	1.2	00.0-02.6	3	0.8	00.0-01.8
35-44	370	36,249	153	41.5	36.0-47.0	158	44.1	38.6-49.6	48	11.9	08.6-15.2	6	1.2	00.2-02.2	5	1.3	00.0-02.7
45-54	598	45,181	271	45.4	41.1-49.7	227	39.1	35.0-43.2	80	12.9	10.0-15.8	13	1.6	00.6-02.6	7	0.9	00.1-01.7
55-64	553	31,822	261	47.8	43.3-52.3	206	37.8	33.5-42.1	55	9.4	06.9-11.9	14	2.3	00.9-03.7	17	2.7	01.3-04.1
65+	987	51,903	527	54.4	51.1-57.7	295	29.6	26.5-32.7	88	8.0	06.2-09.8	23	2.1	01.3-02.9	54	5.9	04.3-07.5
Less Than H.S.	205	17,061				43	18.5	10.9-26.1	38	14.6	08.7-20.5	4	0.8	00.0-01.6	26	7.8	04.5-11.1
H.S. or G.E.D.	852	63,627	440	54.4	49.9-58.9	254	29.2	25.1-33.3	89	8.9	06.9-10.9	30	3.7	01.7-05.7	39	3.8	02.4-05.2
Some Post-H.S.	974	87,187	472	49.0	44.3-53.7	366	38.2	33.7-42.7	99	8.7	06.3-11.1	20	2.5	00.7-04.3	17	1.6	00.2-03.0
College Graduate	875	72,129	406	45.2	41.3-49.1	373	45.4	41.5-49.3	76	7.8	05.8-09.8	11	0.7	00.3-01.1	9	0.9	00.3-01.5
Less than \$15,000	257	17,735	112	40.8	31.4-50.2	74	29.4	20.8-38.0	46	19.1	10.1-28.1	9	5.9	00.0-11.8	16	4.9	02.4-07.4
\$15,000- 24,999	471	35,862	209	49.0	41.7-56.3	143	28.7	22.6-34.8	65	11.7	08.4-15.0	21	4.3	01.8-06.8	33	6.4	03.1-09.7
\$25,000- 34,999	368	25,997	165	45.8	38.9-52.7	148	40.8	34.3-47.3	36	7.6	04.9-10.3	11	4.0	00.0-08.1	8	1.8	00.4-03.2
\$35,000- 49,999	431	36,369	207	48.2	41.3-55.1	161	41.2	33.9-48.5	42	7.5	05.0-10.0	10	1.2	00.4-02.0	11	1.8	00.6-03.0
\$50,000- 74,999	421	38,410	200	47.9	42.0-53.8	180	42.7	37.0-48.4	37	8.5	05.8-11.2	1	0.1	00.0-00.3	3	0.8	00.0-01.8
\$75,000+	518	51,226	262	51.8	46.3-57.3	210	40.6	35.3-45.9	44	7.3	04.9-09.7	1	0.1	00.0-00.3	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM**  
**NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**  
**SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**  
**TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4921	479,009	2199	46.6	44.6-48.6	2545	50.0	48.0-52.0	141	2.6	01.8-03.4	36	0.7	00.3-01.1
Male	1986	237,705	863	45.1	42.2-48.0	1042	51.4	48.5-54.3	64	2.9	01.5-04.3	17	0.6	00.2-01.0
Female	2935	241,304	1336	48.2	45.7-50.7	1503	48.7	46.2-51.2	77	2.4	01.6-03.2	19	0.8	00.2-01.4
Native	126	21,529										1	0.9	00.0-02.7
Non-Native	4755	453,991	2132	47.0	45.0-49.0	2457	50.0	48.0-52.0	132	2.3	01.7-02.9	34	0.7	00.3-01.1
18-24	159	77,458	74	47.7	39.3-56.1	79	48.1	39.7-56.5	4	3.1	00.0-06.8	2	1.1	00.0-02.7
25-34	492	75,792	245	50.2	45.3-55.1	234	47.0	42.1-51.9	9	1.8	00.6-03.0	4	1.0	00.0-02.0
35-44	675	73,778	303	45.4	41.3-49.5	340	50.9	46.8-55.0	27	3.2	01.8-04.6	5	0.4	00.0-00.8
45-54	1049	89,950	474	47.7	44.4-51.0	527	48.6	45.3-51.9	42	3.3	02.1-04.5	6	0.5	00.1-00.9
55-64	984	66,904	435	45.7	42.4-49.0	508	50.2	46.9-53.5	34	3.5	02.1-04.9	7	0.6	00.0-01.2
65+	1514	92,097	641	43.0	40.3-45.7	837	55.1	52.4-57.8	24	1.3	00.7-01.9	12	0.6	00.2-01.0
Less Than H.S.	370	35,307	119	36.1	28.1-44.1	238	61.9	53.9-69.9	7	1.2	00.0-02.4	6	0.8	00.0-01.6
H.S. or G.E.D.	1493	141,139	606	44.0	40.3-47.7	831	51.6	47.9-55.3	49	3.7	01.7-05.7	7	0.7	00.0-01.5
Some Post-H.S.	1524	155,370	654	44.6	41.1-48.1	814	51.9	48.4-55.4	45	2.6	01.6-03.6	11	0.8	00.2-01.4
College Graduate	1526	146,322	814	53.6	50.7-56.5	660	43.8	40.9-46.7	40	2.1	01.3-02.9	12	0.5	00.1-00.9
Less than \$15,000	366	29,284	110	27.8	20.5-35.1	206	56.7	47.5-65.9	38	11.9	03.3-20.5	12	3.5	01.0-06.0
\$15,000- 24,999	726	65,972	227	36.7	31.0-42.4	446	57.0	51.3-62.7	40	4.6	02.8-06.4	13	1.7	00.5-02.9
\$25,000- 34,999	594	53,340	202	33.7	28.2-39.2	374	63.4	57.7-69.1	16	1.8	00.8-02.8	2	1.1	00.0-03.1
\$35,000- 49,999	804	78,045	374	48.3	43.6-53.0	415	49.8	45.1-54.5	12	1.7	00.7-02.7	3	0.2	00.0-00.4
\$50,000- 74,999	829	87,606	407	47.5	43.4-51.6	408	51.0	46.9-55.1	13	1.3	00.5-02.1	1	0.2	00.0-00.6
\$75,000+	998	109,340	595	60.0	56.3-63.7	392	39.1	35.4-42.8	10	0.7	00.1-01.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

**TABLE 5. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1986	237,705	863	45.1	42.2-48.0	1042	51.4	48.5-54.3	64	2.9	01.5-04.3	17	0.6	00.2-01.0
Non-Native	1930	227,320	842	45.5	42.6-48.4	1011	51.5	48.6-54.4	62	2.4	01.8-03.0	15	0.6	00.2-01.0
18-24	77	39,952							1	3.4	00.0-09.9			
25-34	209	40,438	98	48.1	40.8-55.4	104	48.5	41.2-55.8	4	1.9	00.0-03.9	3	1.5	00.0-03.3
35-44	305	37,579	137	45.1	39.2-51.0	160	52.9	47.0-58.8	7	1.9	00.3-03.5	1	0.2	00.0-00.6
45-54	452	44,826	198	46.4	41.5-51.3	225	48.6	43.7-53.5	25	4.3	02.5-06.1	4	0.7	00.1-01.3
55-64	431	35,098	181	43.5	38.6-48.4	229	51.5	46.4-56.6	20	4.6	02.4-06.8	1	0.4	00.0-01.2
65+	504	39,036	210	42.7	38.0-47.4	279	55.2	50.5-59.9	7	1.1	00.1-02.1	8	1.0	00.2-01.8
Less Than H.S.	155	17,673							1	0.3	00.0-00.9	3	1.0	00.0-02.2
H.S. or G.E.D.	632	77,043	242	42.2	36.7-47.7	363	53.0	47.5-58.5	23	4.3	00.8-07.8	4	0.4	00.0-00.8
Some Post-H.S.	547	68,141	211	40.5	35.0-46.0	312	56.0	50.5-61.5	20	2.7	01.3-04.1	4	0.8	00.0-01.8
College Graduate	650	74,211	361	54.7	50.2-59.2	263	42.5	38.0-47.0	20	2.2	01.0-03.4	6	0.6	00.0-01.2
Less than \$15,000	105	11,345										7	6.7	00.4-13.0
\$15,000- 24,999	249	29,869	66	33.0	24.2-41.8	160	60.4	51.6-69.2	20	5.9	02.8-09.0	3	0.7	00.0-01.5
\$25,000- 34,999	225	27,314	66	32.9	23.9-41.9	153	66.0	57.0-75.0	5	1.0	00.0-02.0	1	0.1	00.0-00.3
\$35,000- 49,999	371	41,526	158	45.6	39.1-52.1	204	52.2	45.7-58.7	6	1.9	00.3-03.5	3	0.4	00.0-00.8
\$50,000- 74,999	408	49,273	196	44.0	38.3-49.7	202	53.8	48.1-59.5	9	1.8	00.6-03.0	1	0.4	00.0-01.2
\$75,000+	479	58,055	284	60.2	54.9-65.5	189	38.9	33.8-44.0	5	0.7	00.1-01.3	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008  
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

**TABLE 6. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2935	241,304	1336	48.2	45.7-50.7	1503	48.7	46.2-51.2	77	2.4	01.6-03.2	19	0.8	00.2-01.4
Native	86	12,930							6	3.8	00.3-07.3			
Non-Native	2825	226,670	1290	48.5	46.0-51.0	1446	48.5	46.0-51.0	70	2.2	01.4-03.0	19	0.8	00.2-01.4
18-24	82	37,506							3	2.8	00.0-06.1	2	2.3	00.0-05.6
25-34	283	35,354	147	52.7	46.4-59.0	130	45.3	39.0-51.6	5	1.7	00.1-03.3	1	0.3	00.0-00.9
35-44	370	36,199	166	45.8	40.3-51.3	180	48.9	43.4-54.4	20	4.6	02.2-07.0	4	0.7	00.0-01.5
45-54	597	45,124	276	49.0	44.7-53.3	302	48.5	44.2-52.8	17	2.3	01.1-03.5	2	0.3	00.0-00.7
55-64	553	31,806	254	48.1	43.6-52.6	279	48.8	44.3-53.3	14	2.2	01.0-03.4	6	0.9	00.1-01.7
65+	1010	53,061	431	43.3	40.0-46.6	558	55.0	51.7-58.3	17	1.4	00.6-02.2	4	0.3	00.0-00.7
Less Than H.S.	215	17,634							6	2.0	00.0-04.2	3	0.6	00.0-01.4
H.S. or G.E.D.	861	64,096	364	46.2	41.7-50.7	468	49.9	45.4-54.4	26	2.9	01.5-04.3	3	1.0	00.0-02.6
Some Post-H.S.	977	87,229	443	47.9	43.2-52.6	502	48.8	44.1-53.5	25	2.5	00.9-04.1	7	0.8	00.0-01.6
College Graduate	876	72,111	453	52.3	48.4-56.2	397	45.3	41.4-49.2	20	2.0	01.0-03.0	6	0.4	00.0-00.8
Less than \$15,000	261	17,940	81	31.1	22.1-40.1	150	59.5	50.1-68.9	25	7.9	04.2-11.6	5	1.5	00.1-02.9
\$15,000- 24,999	477	36,103	161	39.8	32.4-47.2	286	54.1	46.7-61.5	20	3.6	01.6-05.6	10	2.5	00.3-04.7
\$25,000- 34,999	369	26,026	136	34.7	28.4-41.0	221	60.7	54.0-67.4	11	2.6	00.8-04.4	1	2.0	00.0-05.9
\$35,000- 49,999	433	36,518	216	51.3	44.4-58.2	211	47.1	40.2-54.0	6	1.6	00.2-03.0			
\$50,000- 74,999	421	38,334	211	51.9	46.2-57.6	206	47.4	41.7-53.1	4	0.7	00.0-01.5			
\$75,000+	519	51,285	311	59.9	54.4-65.4	203	39.3	33.8-44.8	5	0.8	00.0-01.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2008**

End of Core Data Report