

NORTH DAKOTA

2009 Core Variables Report

Behavioral Risk Factor Surveillance System

March 10, 2010



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4756	496,800	804	19.3	17.7-20.9	1686	38.3	36.3-40.3	1534	30.7	28.9-32.5	541	8.8	07.8-09.8	191	2.8	02.2-03.4
Male	1897	248,283	317	19.7	17.2-22.2	663	37.6	34.5-40.7	612	30.7	28.0-33.4	225	8.8	07.4-10.2	80	3.1	02.3-03.9
Female	2859	248,517	487	18.9	16.7-21.1	1023	39.1	36.6-41.6	922	30.7	28.3-33.1	316	8.8	07.6-10.0	111	2.5	01.9-03.1
Native	131	23,036										25	17.5	08.9-26.1	19	7.3	03.4-11.2
Non-Native	4555	467,137	782	19.6	17.8-21.4	1634	39.1	37.1-41.1	1471	30.6	28.8-32.4	499	8.1	07.3-08.9	169	2.6	02.0-03.2
18-24	150	81,057	35	22.9	15.6-30.2	69	48.0	39.4-56.6	42	27.1	19.5-34.7	4	2.0	00.0-04.2			
25-34	432	81,506	124	28.4	23.7-33.1	172	38.7	33.6-43.8	114	26.5	21.8-31.2	20	5.2	02.7-07.7	2	1.1	00.0-02.7
35-44	642	74,670	136	20.6	17.3-23.9	284	43.9	39.8-48.0	178	28.1	24.4-31.8	33	5.8	03.6-08.0	11	1.7	00.5-02.9
45-54	1025	91,167	195	19.3	16.8-21.8	407	40.2	36.9-43.5	297	29.2	26.3-32.1	94	8.4	06.6-10.2	32	2.9	01.7-04.1
55-64	993	70,589	167	16.7	14.2-19.2	338	34.3	31.2-37.4	324	33.3	30.2-36.4	124	12.0	09.8-14.2	40	3.7	02.3-05.1
65+	1462	94,690	139	9.4	07.8-11.0	396	26.8	24.3-29.3	563	39.1	36.4-41.8	259	17.9	15.7-20.1	105	6.8	05.4-08.2
Less Than H.S.	361	41,596	23	9.9	03.8-16.0	75	34.2	24.6-43.8	136	33.4	25.4-41.4	97	17.1	12.6-21.6	30	5.4	03.0-07.8
H.S. or G.E.D.	1418	141,141	171	15.0	12.1-17.9	418	32.0	28.3-35.7	518	35.9	32.2-39.6	224	12.7	10.7-14.7	87	4.3	03.1-05.5
Some Post-H.S.	1481	156,567	251	18.8	15.9-21.7	554	39.9	36.4-43.4	486	31.4	28.1-34.7	139	7.8	06.0-09.6	51	2.1	01.5-02.7
College Graduate	1493	157,354	359	26.2	23.3-29.1	637	43.6	40.5-46.7	393	24.7	22.2-27.2	81	4.1	03.1-05.1	23	1.4	00.6-02.2
Less than \$15,000	333	31,289	30	17.7	09.7-25.7	53	16.5	09.8-23.2	108	30.4	23.1-37.7	89	25.8	18.5-33.1	53	9.6	06.5-12.7
\$15,000- 24,999	672	57,166	75	13.8	09.9-17.7	154	28.3	22.8-33.8	270	38.5	33.4-43.6	130	14.3	11.6-17.0	43	5.1	03.1-07.1
\$25,000- 34,999	539	50,592	70	13.9	09.4-18.4	177	36.8	30.3-43.3	187	32.9	27.2-38.6	79	12.4	08.9-15.9	26	4.0	02.2-05.8
\$35,000- 49,999	708	75,761	112	17.7	13.8-21.6	265	39.4	34.5-44.3	244	31.9	27.4-36.4	68	8.5	06.3-10.7	19	2.5	01.3-03.7
\$50,000- 74,999	786	84,116	167	23.7	19.8-27.6	331	41.1	37.0-45.2	229	28.3	24.6-32.0	47	5.8	04.0-07.6	12	1.1	00.5-01.7
\$75,000+	1034	119,151	260	25.1	21.8-28.4	458	47.2	43.3-51.1	263	23.9	21.0-26.8	47	3.3	02.3-04.3	6	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1897	248,283	317	19.7	17.2-22.2	663	37.6	34.5-40.7	612	30.7	28.0-33.4	225	8.8	07.4-10.2	80	3.1	02.3-03.9
Non-Native	1815	232,381	305	19.6	17.1-22.1	642	38.2	35.1-41.3	588	31.1	28.4-33.8	207	8.2	07.0-09.4	73	3.0	02.2-03.8
18-24	74	43,289										2	1.8	00.0-04.5			
25-34	178	43,663	57	31.0	23.7-38.3	70	37.7	30.1-45.3	42	24.3	17.0-31.6	7	5.0	00.9-09.1	2	2.1	00.0-05.0
35-44	269	37,994	53	19.0	14.1-23.9	126	45.8	39.5-52.1	72	28.0	22.1-33.9	12	5.1	02.2-08.0	6	2.2	00.2-04.2
45-54	452	45,157	73	16.4	12.7-20.1	173	39.2	34.3-44.1	150	33.4	28.7-38.1	44	8.8	06.1-11.5	12	2.2	00.8-03.6
55-64	432	37,046	63	15.1	11.6-18.6	137	31.4	26.9-35.9	151	35.5	30.8-40.2	63	13.8	10.5-17.1	18	4.2	02.0-06.4
65+	482	40,301	47	9.8	07.1-12.5	122	24.8	20.7-28.9	174	37.2	32.5-41.9	97	19.9	16.2-23.6	42	8.3	05.8-10.8
Less Than H.S.	149	20,605	9	5.6	00.3-10.9							41	16.7	10.2-23.2	14	6.1	02.4-09.8
H.S. or G.E.D.	570	74,946	69	17.2	12.1-22.3	164	30.2	24.5-35.9	213	36.4	30.9-41.9	94	12.3	09.2-15.4	30	3.9	02.3-05.5
Some Post-H.S.	559	74,370	92	18.9	14.2-23.6	207	40.3	34.6-46.0	179	30.3	25.2-35.4	60	8.3	05.6-11.0	21	2.2	01.2-03.2
College Graduate	619	78,361	147	26.7	22.2-31.2	262	42.8	38.1-47.5	165	24.3	20.4-28.2	30	3.9	02.3-05.5	15	2.3	00.5-04.1
Less than \$15,000	111	12,801				18	12.9	03.9-21.9	34	26.3	16.3-36.3				17	9.9	04.4-15.4
\$15,000- 24,999	208	25,676	16	10.4	04.1-16.7	51	33.1	23.5-42.7	81	37.6	28.4-46.8	43	13.0	08.7-17.3	17	5.9	02.4-09.4
\$25,000- 34,999	192	23,604	24	11.9	06.4-17.4				62	31.7	21.9-41.5	36	12.7	07.8-17.6	12	4.7	01.6-07.8
\$35,000- 49,999	302	37,506	47	20.5	14.0-27.0	106	34.7	28.0-41.4	98	31.4	24.7-38.1	40	10.3	07.0-13.6	11	3.1	01.1-05.1
\$50,000- 74,999	355	45,202	76	25.4	19.1-31.7	142	40.1	33.8-46.4	106	26.5	21.2-31.8	23	6.4	03.5-09.3	8	1.6	00.4-02.8
\$75,000+	535	69,500	113	21.5	17.2-25.8	231	46.9	41.6-52.2	158	27.2	22.9-31.5	29	3.8	02.4-05.2	4	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2859	248,517	487	18.9	16.7-21.1	1023	39.1	36.6-41.6	922	30.7	28.3-33.1	316	8.8	07.6-10.0	111	2.5	01.9-03.1
Native	87	11,812	8	8.5	02.4-14.6										12	7.5	02.8-12.2
Non-Native	2740	234,756	477	19.5	17.3-21.7	992	40.0	37.5-42.5	883	30.1	27.7-32.5	292	8.0	06.8-09.2	96	2.3	01.7-02.9
18-24	76	37,768	15	20.1	10.3-29.9							2	2.2	00.0-05.3			
25-34	254	37,843	67	25.5	20.0-31.0	102	39.9	33.6-46.2	72	29.1	23.2-35.0	13	5.5	02.4-08.6			
35-44	373	36,676	83	22.3	18.0-26.6	158	41.9	36.6-47.2	106	28.2	23.5-32.9	21	6.5	03.4-09.6	5	1.2	00.0-02.4
45-54	573	46,010	122	22.1	18.4-25.8	234	41.1	36.8-45.4	147	25.1	21.4-28.8	50	8.0	05.6-10.4	20	3.6	02.0-05.2
55-64	561	33,542	104	18.6	15.3-21.9	201	37.4	33.1-41.7	173	30.8	26.7-34.9	61	10.1	07.6-12.6	22	3.1	01.7-04.5
65+	980	54,389	92	9.1	07.1-11.1	274	28.2	25.1-31.3	389	40.5	37.2-43.8	162	16.5	14.0-19.0	63	5.7	04.1-07.3
Less Than H.S.	212	20,991							81	30.5	20.5-40.5	56	17.6	11.5-23.7	16	4.6	02.1-07.1
H.S. or G.E.D.	848	66,195	102	12.6	09.9-15.3	254	33.9	29.0-38.8	305	35.4	30.9-39.9	130	13.2	10.7-15.7	57	4.8	03.4-06.2
Some Post-H.S.	922	82,197	159	18.7	15.2-22.2	347	39.5	35.2-43.8	307	32.5	28.4-36.6	79	7.2	05.0-09.4	30	2.1	01.3-02.9
College Graduate	874	78,993	212	25.6	21.9-29.3	375	44.4	40.3-48.5	228	25.1	21.8-28.4	51	4.3	02.9-05.7	8	0.6	00.2-01.0
Less than \$15,000	222	18,489				35	19.1	09.9-28.3	74	33.3	23.5-43.1	57	19.8	12.9-26.7	36	9.4	05.9-12.9
\$15,000- 24,999	464	31,491	59	16.7	11.6-21.8	103	24.3	18.4-30.2	189	39.1	33.4-44.8	87	15.4	11.9-18.9	26	4.4	02.4-06.4
\$25,000- 34,999	347	26,988	46	15.6	08.7-22.5	119	34.9	28.4-41.4	125	33.9	27.6-40.2	43	12.2	07.3-17.1	14	3.5	01.5-05.5
\$35,000- 49,999	406	38,255	65	14.9	10.4-19.4	159	44.1	37.0-51.2	146	32.3	26.2-38.4	28	6.8	03.9-09.7	8	1.9	00.5-03.3
\$50,000- 74,999	431	38,914	91	21.6	17.3-25.9	189	42.3	37.0-47.6	123	30.4	25.1-35.7	24	5.1	02.7-07.5	4	0.7	00.1-01.3
\$75,000+	499	49,651	147	30.1	24.8-35.4	227	47.7	42.0-53.4	105	19.2	15.5-22.9	18	2.7	01.3-04.1	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4672	490,688	3087	67.2	65.2-69.2	542	13.7	12.1-15.3	466	9.3	08.3-10.3	324	5.6	04.8-06.4	253	4.1	03.5-04.7
Male	1870	245,181	1305	70.1	67.2-73.0	190	12.7	10.2-15.2	159	8.2	06.6-09.8	106	4.8	03.6-06.0	110	4.2	03.2-05.2
Female	2802	245,508	1782	64.3	61.8-66.8	352	14.8	12.6-17.0	307	10.5	08.9-12.1	218	6.4	05.4-07.4	143	4.0	03.2-04.8
Native	128	22,669							23	12.9	06.4-19.4	12	5.5	01.6-09.4	13	5.5	02.0-09.0
Non-Native	4479	461,714	2981	67.8	65.8-69.8	523	13.7	12.1-15.3	436	9.1	08.1-10.1	304	5.5	04.7-06.3	235	3.9	03.3-04.5
18-24	150	81,057	102	67.9	59.7-76.1	31	22.3	14.7-29.9	11	6.2	02.3-10.1	3	2.1	00.0-04.5	3	1.5	00.0-03.3
25-34	432	81,533	288	67.1	62.2-72.0	69	15.6	11.7-19.5	50	11.3	08.2-14.4	19	4.5	02.1-06.9	6	1.6	00.4-02.8
35-44	639	74,284	433	67.8	63.9-71.7	96	14.4	11.5-17.3	60	10.3	07.6-13.0	33	4.8	03.0-06.6	17	2.6	01.2-04.0
45-54	1016	90,413	691	69.0	65.9-72.1	129	12.8	10.6-15.0	100	9.1	07.3-10.9	51	5.0	03.6-06.4	45	4.1	02.9-05.3
55-64	980	69,619	655	67.3	64.2-70.4	112	11.2	09.0-13.4	80	8.5	06.5-10.5	76	7.3	05.5-09.1	57	5.7	04.1-07.3
65+	1408	90,951	881	64.0	61.3-66.7	99	6.9	05.5-08.3	163	10.6	08.8-12.4	141	9.8	08.0-11.6	124	8.7	07.1-10.3
Less Than H.S.	345	40,451	190	57.9	48.9-66.9	36	14.8	06.6-23.0	40	10.1	05.6-14.6	49	10.2	06.3-14.1	30	7.1	04.0-10.2
H.S. or G.E.D.	1378	138,567	894	64.5	60.6-68.4	121	13.0	09.5-16.5	129	9.2	07.0-11.4	137	8.0	06.2-09.8	97	5.2	04.0-06.4
Some Post-H.S.	1464	155,023	977	68.8	65.7-71.9	158	12.3	09.8-14.8	156	9.6	07.6-11.6	88	5.0	03.6-06.4	85	4.3	03.1-05.5
College Graduate	1482	156,506	1023	70.4	67.7-73.1	227	15.6	13.4-17.8	141	9.0	07.4-10.6	50	2.9	01.9-03.9	41	2.1	01.3-02.9
Less than \$15,000	323	30,505	148	51.9	43.5-60.3	34	13.0	06.7-19.3	36	11.1	05.8-16.4	52	11.9	07.8-16.0	53	12.1	07.4-16.8
\$15,000- 24,999	648	55,537	376	59.8	54.5-65.1	74	13.7	09.2-18.2	81	11.3	08.4-14.2	66	8.6	06.2-11.0	51	6.5	04.3-08.7
\$25,000- 34,999	534	50,221	338	62.9	56.6-69.2	55	13.7	07.6-19.8	63	11.6	08.1-15.1	45	6.5	04.3-08.7	33	5.3	03.1-07.5
\$35,000- 49,999	700	74,998	474	68.1	63.6-72.6	80	12.6	09.3-15.9	73	10.6	07.5-13.7	43	5.1	03.3-06.9	30	3.5	02.1-04.9
\$50,000- 74,999	786	84,178	536	69.7	66.0-73.4	113	14.9	11.8-18.0	80	9.4	07.0-11.8	35	3.3	02.1-04.5	22	2.6	01.4-03.8
\$75,000+	1029	118,799	766	73.1	69.6-76.6	124	13.3	10.4-16.2	79	7.6	05.6-09.6	33	3.8	02.0-05.6	27	2.2	01.2-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1870	245,181	1305	70.1	67.2-73.0	190	12.7	10.2-15.2	159	8.2	06.6-09.8	106	4.8	03.6-06.0	110	4.2	03.2-05.2
Non-Native	1792	229,776	1255	70.6	67.7-73.5	183	12.5	10.1-14.9	150	7.9	06.3-09.5	100	5.0	03.8-06.2	104	4.0	03.2-04.8
18-24	74	43,289							4	4.4	00.0-08.9	2	2.7	00.0-06.4	1	1.3	00.0-03.8
25-34	177	43,435	125	70.1	62.7-77.5	23	13.8	08.1-19.5	21	11.2	06.3-16.1	5	3.4	00.1-06.7	3	1.6	00.0-03.4
35-44	267	37,643	187	69.3	63.4-75.2	38	14.2	09.9-18.5	24	9.8	05.9-13.7	9	3.4	01.0-05.8	9	3.4	01.0-05.8
45-54	449	44,887	322	72.4	67.9-76.9	49	11.2	08.1-14.3	40	8.2	05.7-10.7	18	4.7	02.3-07.1	20	3.4	01.8-05.0
55-64	429	36,657	310	71.2	66.7-75.7	38	9.2	06.3-12.1	26	6.9	04.2-09.6	31	6.9	04.4-09.4	24	5.9	03.4-08.4
65+	464	38,436	301	66.9	62.4-71.4	27	5.4	03.2-07.6	42	8.3	05.8-10.8	41	8.7	06.0-11.4	53	10.7	07.8-13.6
Less Than H.S.	141	19,708							18	9.1	04.2-14.0	17	9.7	03.0-16.4	13	5.9	02.2-09.6
H.S. or G.E.D.	563	74,134	381	66.2	60.3-72.1	45	12.2	07.1-17.3	49	9.2	05.9-12.5	46	7.2	04.7-09.7	42	5.2	03.4-07.0
Some Post-H.S.	549	73,314	398	74.9	70.2-79.6	57	11.4	07.7-15.1	36	6.0	03.8-08.2	28	3.7	02.1-05.3	30	4.1	02.1-06.1
College Graduate	617	78,024	450	73.0	68.9-77.1	71	12.5	09.4-15.6	56	9.0	06.5-11.5	15	2.4	00.6-04.2	25	2.9	01.5-04.3
Less than \$15,000	107	12,235				13	11.3	02.5-20.1	9	12.0	03.2-20.8	14	9.4	03.7-15.1			
\$15,000- 24,999	202	24,997	124	63.4	54.2-72.6	20	13.1	05.5-20.7	23	10.4	05.3-15.5	20	8.1	04.0-12.2	15	5.0	02.3-07.7
\$25,000- 34,999	188	23,156							22	10.5	05.4-15.6	13	4.9	02.0-07.8	16	5.7	02.6-08.8
\$35,000- 49,999	299	37,117	214	73.2	67.3-79.1	25	10.1	05.6-14.6	28	8.0	04.7-11.3	20	5.5	03.0-08.0	12	3.1	01.1-05.1
\$50,000- 74,999	355	45,196	264	74.7	69.4-80.0	40	12.5	08.2-16.8	29	7.9	04.8-11.0	11	2.3	00.9-03.7	11	2.6	01.0-04.2
\$75,000+	533	69,316	404	75.0	70.5-79.5	55	10.8	07.5-14.1	39	7.5	04.8-10.2	18	4.0	01.8-06.2	17	2.8	01.4-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2802	245,508	1782	64.3	61.8-66.8	352	14.8	12.6-17.0	307	10.5	08.9-12.1	218	6.4	05.4-07.4	143	4.0	03.2-04.8
Native	86	11,748							19	17.1	08.1-26.1	9	8.5	01.6-15.4	9	7.1	01.6-12.6
Non-Native	2687	231,937	1726	65.0	62.5-67.5	340	14.8	12.6-17.0	286	10.2	08.6-11.8	204	6.1	05.1-07.1	131	3.8	03.0-04.6
18-24	76	37,768							7	8.3	01.8-14.8	1	1.5	00.0-04.4	2	1.7	00.0-04.1
25-34	255	38,098	163	63.8	57.5-70.1	46	17.7	12.8-22.6	29	11.4	07.3-15.5	14	5.6	02.5-08.7	3	1.5	00.0-03.3
35-44	372	36,640	246	66.1	61.0-71.2	58	14.7	11.0-18.4	36	10.9	07.4-14.4	24	6.4	03.9-08.9	8	1.9	00.5-03.3
45-54	567	45,526	369	65.6	61.5-69.7	80	14.4	11.3-17.5	60	10.0	07.5-12.5	33	5.2	03.2-07.2	25	4.7	02.7-06.7
55-64	551	32,962	345	63.0	58.7-67.3	74	13.5	10.4-16.6	54	10.1	07.4-12.8	45	7.8	05.4-10.2	33	5.6	03.4-07.8
65+	944	52,515	580	61.8	58.5-65.1	72	7.9	05.9-09.9	121	12.3	10.1-14.5	100	10.7	08.5-12.9	71	7.3	05.5-09.1
Less Than H.S.	204	20,743				19	9.3	01.3-17.3	22	11.1	03.5-18.7	32	10.6	06.1-15.1	17	8.2	03.1-13.3
H.S. or G.E.D.	815	64,433	513	62.6	57.7-67.5	76	14.0	09.1-18.9	80	9.2	06.8-11.6	91	9.0	06.8-11.2	55	5.2	03.6-06.8
Some Post-H.S.	915	81,708	579	63.3	59.0-67.6	101	13.1	09.8-16.4	120	12.9	10.0-15.8	60	6.2	04.0-08.4	55	4.6	03.2-06.0
College Graduate	865	78,481	573	67.7	64.0-71.4	156	18.6	15.5-21.7	85	9.1	06.9-11.3	35	3.4	02.2-04.6	16	1.3	00.5-02.1
Less than \$15,000	216	18,270				21	14.1	05.3-22.9	27	10.4	03.9-16.9	38	13.5	08.0-19.0	28	8.1	04.4-11.8
\$15,000- 24,999	446	30,541	252	56.9	50.6-63.2	54	14.2	08.5-19.9	58	12.2	08.7-15.7	46	9.1	06.2-12.0	36	7.6	04.3-10.9
\$25,000- 34,999	346	27,064	217	64.6	58.1-71.1	39	10.1	06.8-13.4	41	12.5	08.0-17.0	32	7.9	04.8-11.0	17	5.0	02.3-07.7
\$35,000- 49,999	401	37,881	260	63.0	56.3-69.7	55	15.1	10.2-20.0	45	13.2	07.9-18.5	23	4.8	02.6-07.0	18	3.9	01.9-05.9
\$50,000- 74,999	431	38,983	272	63.9	58.6-69.2	73	17.8	13.3-22.3	51	11.2	08.1-14.3	24	4.6	02.6-06.6	11	2.6	01.0-04.2
\$75,000+	496	49,483	362	70.4	64.7-76.1	69	16.9	11.6-22.2	40	7.8	05.3-10.3	15	3.5	01.0-06.0	10	1.4	00.6-02.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4698	492,873	3424	70.8	68.8-72.8	441	10.8	09.4-12.2	412	9.3	08.1-10.5	294	6.6	05.6-07.6	127	2.5	01.9-03.1
Male	1866	245,537	1439	76.2	73.5-78.9	170	10.0	08.0-12.0	115	6.6	05.0-08.2	94	4.7	03.5-05.9	48	2.5	01.5-03.5
Female	2832	247,336	1985	65.4	62.9-67.9	271	11.6	09.8-13.4	297	12.0	10.2-13.8	200	8.4	06.8-10.0	79	2.6	01.8-03.4
Native	128	22,783				7	7.3	00.4-14.2	16	10.6	03.0-18.2	12	8.7	03.0-14.4	11	5.3	01.6-09.0
Non-Native	4506	463,909	3292	70.9	68.9-72.9	430	11.1	09.7-12.5	394	9.3	08.1-10.5	278	6.4	05.4-07.4	112	2.4	01.8-03.0
18-24	150	81,057	92	61.5	53.1-69.9	22	15.2	08.9-21.5	20	12.2	06.9-17.5	13	8.6	03.9-13.3	3	2.5	00.0-05.2
25-34	433	81,761	281	68.3	63.6-73.0	58	12.1	09.0-15.2	56	11.6	08.5-14.7	29	6.2	03.8-08.6	9	1.8	00.4-03.2
35-44	637	73,979	402	64.2	60.3-68.1	83	12.9	10.2-15.6	82	11.8	09.3-14.3	50	8.1	05.7-10.5	20	3.0	01.6-04.4
45-54	1017	90,689	694	69.4	66.5-72.3	117	11.2	09.2-13.2	99	9.2	07.2-11.2	75	7.1	05.3-08.9	32	3.0	01.8-04.2
55-64	979	69,694	725	75.7	72.8-78.6	86	9.1	07.1-11.1	73	6.3	04.7-07.9	67	6.0	04.4-07.6	28	2.9	01.7-04.1
65+	1431	92,636	1184	83.4	81.2-85.6	74	5.2	04.0-06.4	82	5.5	04.3-06.7	59	4.0	02.8-05.2	32	2.0	01.2-02.8
Less Than H.S.	352	41,022	262	71.6	63.6-79.6	20	9.4	02.9-15.9	17	5.4	01.7-09.1	38	9.7	05.4-14.0	15	4.0	00.9-07.1
H.S. or G.E.D.	1387	139,084	1055	75.6	72.3-78.9	91	7.1	04.9-09.3	110	8.0	05.8-10.2	84	6.1	04.5-07.7	47	3.1	01.9-04.3
Some Post-H.S.	1468	155,693	1052	67.2	63.7-70.7	145	12.3	09.8-14.8	132	9.9	07.5-12.3	100	8.0	05.8-10.2	39	2.7	01.3-04.1
College Graduate	1488	156,932	1052	69.9	67.0-72.8	185	13.0	10.8-15.2	153	10.9	08.9-12.9	72	4.8	03.2-06.4	26	1.4	00.8-02.0
Less than \$15,000	323	30,657	204	60.7	52.3-69.1	21	7.7	02.2-13.2	34	10.5	06.2-14.8	31	11.7	05.8-17.6	33	9.4	04.9-13.9
\$15,000- 24,999	657	56,262	460	69.4	64.5-74.3	49	8.1	05.2-11.0	63	8.7	06.0-11.4	62	10.8	07.3-14.3	23	3.0	01.4-04.6
\$25,000- 34,999	531	50,167	394	73.0	67.1-78.9	34	6.4	02.5-10.3	51	8.9	05.4-12.4	38	9.1	05.2-13.0	14	2.6	01.0-04.2
\$35,000- 49,999	700	75,027	491	68.3	63.6-73.0	71	11.2	08.1-14.3	70	10.5	07.4-13.6	50	7.6	04.9-10.3	18	2.4	01.0-03.8
\$50,000- 74,999	787	84,250	570	71.1	67.2-75.0	98	12.6	09.9-15.3	66	9.6	06.9-12.3	43	4.8	03.2-06.4	10	1.9	00.0-04.1
\$75,000+	1032	118,967	761	70.7	67.0-74.4	121	13.0	10.3-15.7	96	10.1	07.7-12.5	39	4.4	02.4-06.4	15	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1866	245,537	1439	76.2	73.5-78.9	170	10.0	08.0-12.0	115	6.6	05.0-08.2	94	4.7	03.5-05.9	48	2.5	01.5-03.5
Non-Native	1791	230,232	1381	76.0	73.3-78.7	166	10.3	08.3-12.3	111	6.8	05.2-08.4	91	4.6	03.4-05.8	42	2.3	01.3-03.3
18-24	74	43,289				9	13.1	04.7-21.5	8	8.9	02.4-15.4	3	4.0	00.0-08.5	2	3.3	00.0-08.0
25-34	178	43,663	135	77.7	71.4-84.0	19	9.4	05.1-13.7	12	6.8	02.9-10.7	10	4.8	01.7-07.9	2	1.3	00.0-03.1
35-44	265	37,398	183	69.1	63.2-75.0	34	12.9	08.6-17.2	26	9.5	05.8-13.2	16	6.1	03.0-09.2	6	2.4	00.2-04.6
45-54	448	44,912	329	74.5	70.2-78.8	51	11.0	07.9-14.1	34	7.5	04.8-10.2	20	4.4	02.2-06.6	14	2.6	01.0-04.2
55-64	425	36,474	337	79.6	75.5-83.7	33	8.3	05.4-11.2	15	3.0	01.2-04.8	27	5.8	03.6-08.0	13	3.3	01.3-05.3
65+	466	38,969	393	85.9	82.8-89.0	24	4.9	02.9-06.9	20	3.7	01.9-05.5	18	3.5	01.7-05.3	11	1.9	00.7-03.1
Less Than H.S.	143	20,121	112	83.7	76.4-91.0	7	4.1	00.8-07.4	8	5.6	00.7-10.5	9	3.2	00.8-05.6	7	3.5	00.6-06.4
H.S. or G.E.D.	556	73,843	437	79.3	74.6-84.0	36	6.7	03.6-09.8	29	5.3	02.8-07.8	35	5.7	03.5-07.9	19	3.0	01.0-05.0
Some Post-H.S.	550	73,631	411	69.8	64.1-75.5	57	12.9	08.6-17.2	34	7.3	03.8-10.8	38	7.4	04.3-10.5	10	2.6	00.1-05.1
College Graduate	617	77,942	479	77.5	73.4-81.6	70	11.8	08.5-15.1	44	7.5	05.0-10.0	12	1.7	00.5-02.9	12	1.6	00.6-02.6
Less than \$15,000	105	12,325							9	8.2	02.1-14.3	13	12.6	02.6-22.6	14	9.0	03.5-14.5
\$15,000- 24,999	201	25,105	149	71.7	62.9-80.5	16	9.1	03.4-14.8	15	8.0	02.9-13.1	14	8.0	02.5-13.5	7	3.3	00.2-06.4
\$25,000- 34,999	186	23,204	147	78.1	69.1-87.1	9	3.7	01.0-06.4	12	7.2	00.5-13.9	14	9.2	03.1-15.3	4	1.9	00.0-03.9
\$35,000- 49,999	298	36,932	235	79.4	73.7-85.1	19	6.9	03.6-10.2	20	6.4	02.7-10.1	15	4.4	02.0-06.8	9	2.9	00.5-05.3
\$50,000- 74,999	355	45,190	277	76.6	70.9-82.3	39	10.5	07.0-14.0	18	6.2	03.1-09.3	15	4.0	01.8-06.2	6	2.8	00.0-06.5
\$75,000+	533	69,316	420	76.4	71.7-81.1	63	13.7	09.6-17.8	31	6.0	03.6-08.4	14	2.4	01.0-03.8	5	1.6	00.0-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2832	247,336	1985	65.4	62.9-67.9	271	11.6	09.8-13.4	297	12.0	10.2-13.8	200	8.4	06.8-10.0	79	2.6	01.8-03.4
Native	86	11,748				6	9.2	00.0-18.8				10	13.4	04.2-22.6	6	4.5	00.0-09.0
Non-Native	2715	233,678	1911	65.9	63.4-68.4	264	11.8	09.8-13.8	283	11.8	10.0-13.6	187	8.1	06.5-09.7	70	2.4	01.6-03.2
18-24	76	37,768				13	17.6	08.4-26.8	12	15.9	07.3-24.5	10	14.0	05.6-22.4	1	1.5	00.0-04.4
25-34	255	38,098	146	57.5	51.0-64.0	39	15.3	10.8-19.8	44	17.0	12.1-21.9	19	7.8	04.3-11.3	7	2.4	00.4-04.4
35-44	372	36,581	219	59.3	54.0-64.6	49	12.9	09.4-16.4	56	14.1	10.6-17.6	34	10.2	06.7-13.7	14	3.5	01.5-05.5
45-54	569	45,778	365	64.5	60.4-68.6	66	11.4	08.7-14.1	65	11.0	08.3-13.7	55	9.7	07.2-12.2	18	3.5	01.7-05.3
55-64	554	33,220	388	71.4	67.5-75.3	53	10.1	07.4-12.8	58	9.9	07.4-12.4	40	6.3	04.3-08.3	15	2.4	01.2-03.6
65+	965	53,667	791	81.5	78.8-84.2	50	5.5	03.9-07.1	62	6.7	04.9-08.5	41	4.3	02.9-05.7	21	2.0	01.0-03.0
Less Than H.S.	209	20,902							9	5.2	00.0-10.7	29	15.9	08.1-23.7	8	4.4	00.0-09.7
H.S. or G.E.D.	831	65,241	618	71.4	66.9-75.9	55	7.6	04.9-10.3	81	11.1	07.8-14.4	49	6.6	04.1-09.1	28	3.3	01.7-04.9
Some Post-H.S.	918	82,062	641	64.8	60.3-69.3	88	11.6	08.5-14.7	98	12.2	08.9-15.5	62	8.5	05.6-11.4	29	2.8	01.6-04.0
College Graduate	871	78,990	573	62.4	58.3-66.5	115	14.2	11.5-16.9	109	14.2	11.3-17.1	60	7.9	05.2-10.6	14	1.3	00.5-02.1
Less than \$15,000	218	18,332				9	4.3	00.6-08.0	25	12.0	06.1-17.9	18	11.1	03.8-18.4	19	9.7	03.0-16.4
\$15,000- 24,999	456	31,157	311	67.6	62.1-73.1	33	7.3	04.4-10.2	48	9.3	06.4-12.2	48	13.1	08.6-17.6	16	2.7	01.3-04.1
\$25,000- 34,999	345	26,963	247	68.6	61.2-76.0	25	8.8	02.1-15.5	39	10.4	06.9-13.9	24	9.0	04.1-13.9	10	3.2	00.8-05.6
\$35,000- 49,999	402	38,095	256	57.6	50.7-64.5	52	15.3	10.2-20.4	50	14.5	09.4-19.6	35	10.7	06.0-15.4	9	1.9	00.5-03.3
\$50,000- 74,999	432	39,060	293	64.9	59.4-70.4	59	15.2	11.3-19.1	48	13.6	09.1-18.1	28	5.7	03.3-08.1	4	0.7	00.0-01.5
\$75,000+	499	49,651	341	62.9	57.2-68.6	58	11.9	08.8-15.0	65	15.9	11.4-20.4	25	7.1	02.8-11.4	10	2.3	00.9-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None		1-2 days		3-7 days		8-29 days		30 days	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
TOTAL	2309	245,583	1471	65.5 62.8-68.2	282	13.2 11.2-15.2	220	8.9 07.1-10.7	211	8.0 06.4-09.6	125	4.4 03.4-05.4
Male	822	110,189	533	66.2 61.7-70.7	83	11.6 08.3-14.9	77	9.8 06.7-12.9	69	7.0 04.8-09.2	60	5.4 03.6-07.2
Female	1487	135,393	938	65.0 61.7-68.3	199	14.4 11.9-16.9	143	8.2 06.6-09.8	142	8.7 06.7-10.7	65	3.6 02.4-04.8
Native	76	12,807			4	3.8 00.0-07.7			13	11.4 03.6-19.2	5	4.9 00.0-10.4
Non-Native	2199	229,402	1403	65.9 63.2-68.6	277	13.9 11.7-16.1	205	8.0 06.6-09.4	194	7.8 06.2-09.4	120	4.4 03.4-05.4
18-24	86	47,001			14	16.5 08.1-24.9	6	6.9 00.4-13.4	5	6.0 00.9-11.1	3	3.2 00.0-06.9
25-34	227	40,653	170	74.7 68.4-81.0	34	13.5 09.0-18.0	13	6.1 02.6-09.6	8	5.2 01.3-09.1	2	0.5 00.0-01.1
35-44	341	39,223	211	62.5 57.0-68.0	59	16.4 12.3-20.5	41	12.1 08.4-15.8	16	4.8 02.3-07.3	14	4.3 01.8-06.8
45-54	504	44,067	301	61.3 56.8-65.8	71	13.5 10.4-16.6	54	10.5 07.6-13.4	52	10.0 07.1-12.9	26	4.7 02.7-06.7
55-64	460	31,317	279	61.6 56.7-66.5	59	12.3 09.2-15.4	42	9.0 06.1-11.9	54	11.1 08.0-14.2	26	6.0 03.6-08.4
65+	672	42,168	435	64.0 59.9-68.1	45	6.8 04.6-09.0	64	9.6 07.1-12.1	75	11.4 08.7-14.1	53	8.1 05.7-10.5
Less Than H.S.	193	22,134			16	12.1 03.7-20.5			31	9.8 05.3-14.3	21	11.0 04.3-17.7
H.S. or G.E.D.	680	68,099	448	68.2 62.9-73.5	56	10.2 06.1-14.3	56	7.3 04.8-09.8	73	8.3 05.9-10.7	47	5.9 03.5-08.3
Some Post-H.S.	725	79,740	450	64.4 59.5-69.3	89	12.9 09.2-16.6	74	8.8 06.4-11.2	71	9.7 06.6-12.8	41	4.2 02.6-05.8
College Graduate	711	75,609	464	67.7 63.6-71.8	121	16.5 13.4-19.6	74	9.2 06.8-11.6	36	5.2 02.8-07.6	16	1.4 00.6-02.2
Less than \$15,000	214	19,457			12	6.4 02.1-10.7	26	10.6 05.1-16.1	38	16.4 09.1-23.7	29	13.3 06.2-20.4
\$15,000- 24,999	373	31,472	229	61.1 53.8-68.4	39	11.4 05.5-17.3	33	7.5 04.6-10.4	45	12.8 07.7-17.9	27	7.1 03.8-10.4
\$25,000- 34,999	264	25,965	169	66.0 57.6-74.4	28	10.8 05.7-15.9	26	9.4 05.1-13.7	25	9.7 04.4-15.0	16	4.2 02.0-06.4
\$35,000- 49,999	346	38,142	215	62.7 55.8-69.6	41	15.8 09.9-21.7	36	8.8 05.7-11.9	38	9.3 05.4-13.2	16	3.4 01.6-05.2
\$50,000- 74,999	371	39,967	252	73.7 68.8-78.6	54	12.0 08.7-15.3	34	7.6 04.9-10.3	21	4.3 02.3-06.3	10	2.5 00.9-04.1
\$75,000+	440	55,012	297	70.9 65.8-76.0	74	14.1 10.8-17.4	40	9.1 05.8-12.4	19	4.4 01.9-06.9	10	1.6 00.4-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	822	110,189	533	66.2	61.7-70.7	83	11.6	08.3-14.9	77	9.8	06.7-12.9	69	7.0	04.8-09.2	60	5.4	03.6-07.2
Non-Native	783	102,543	507	66.6	62.1-71.1	82	12.4	08.9-15.9	72	8.4	06.0-10.8	64	7.2	04.8-09.6	58	5.4	03.6-07.2
25-34	77	18,290				7	9.3	02.4-16.2	4	6.9	00.4-13.4	3	6.2	00.0-13.5	1	0.6	00.0-01.8
35-44	132	18,728	82	63.5	54.9-72.1	22	15.0	09.1-20.9	17	12.0	06.3-17.7	4	3.4	00.0-06.9	7	6.2	01.3-11.1
45-54	197	19,610	128	66.4	59.3-73.5	19	9.4	04.9-13.9	19	9.4	05.1-13.7	20	10.1	05.6-14.6	11	4.7	01.8-07.6
55-64	167	14,413	97	59.4	51.6-67.2	17	10.3	05.4-15.2	16	10.3	05.0-15.6	20	10.2	05.7-14.7	17	9.8	05.1-14.5
65+	210	16,926	137	64.5	57.4-71.6	11	5.1	02.0-08.2	18	8.9	04.6-13.2	21	11.5	06.2-16.8	23	10.1	05.8-14.4
Less Than H.S.	78	10,431										6	7.2	00.1-14.3	12	9.7	03.2-16.2
H.S. or G.E.D.	247	33,478	160	65.5	56.9-74.1	15	10.0	03.1-16.9	21	8.7	04.0-13.4	31	9.0	05.3-12.7	20	6.8	02.7-10.9
Some Post-H.S.	243	33,644	160	69.4	61.8-77.0	26	11.9	06.0-17.8	19	6.6	03.5-09.7	21	6.9	02.8-11.0	17	5.3	02.4-08.2
College Graduate	254	32,636	167	69.8	63.1-76.5	34	12.2	07.9-16.5	31	10.5	06.2-14.8	11	5.0	01.1-08.9	11	2.5	00.9-04.1
Less than \$15,000	75	8,370				4	5.6	00.0-11.7	5	9.0	00.0-18.4	12	9.7	03.6-15.8			
\$15,000- 24,999	104	13,455				8	8.8	00.2-17.4	9	5.8	01.9-09.7				10	6.1	02.0-10.2
\$25,000- 34,999	88	11,543				7	6.8	00.1-13.5	9	11.2	02.8-19.6	8	7.3	01.2-13.4	7	3.8	00.7-06.9
\$35,000- 49,999	119	14,125	72	64.1	54.1-74.1	13	13.9	06.1-21.7	12	8.0	03.3-12.7	16	9.6	04.5-14.7	6	4.4	00.7-08.1
\$50,000- 74,999	147	19,261	110	80.6	74.1-87.1	12	6.6	02.7-10.5	10	5.4	01.9-08.9	8	3.8	01.1-06.5	7	3.7	01.0-06.4
\$75,000+	208	28,683	142	71.3	64.0-78.6	25	10.3	06.0-14.6	25	12.2	06.5-17.9	8	3.5	01.0-06.0	8	2.7	00.7-04.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1487	135,393	938	65.0	61.7-68.3	199	14.4	11.9-16.9	143	8.2	06.6-09.8	142	8.7	06.7-10.7	65	3.6	02.4-04.8
Native	55	7,604				4	6.4	00.0-12.9				3	3.2	00.0-06.9			
Non-Native	1416	126,859	896	65.4	61.9-68.9	195	15.0	12.3-17.7	133	7.6	06.0-09.2	130	8.3	06.3-10.3	62	3.7	02.3-05.1
25-34	150	22,363	108	72.8	65.4-80.2	27	16.9	10.8-23.0	9	5.5	01.6-09.4	5	4.4	00.3-08.5	1	0.3	00.0-00.9
35-44	209	20,494	129	61.6	54.5-68.7	37	17.7	12.2-23.2	24	12.1	07.0-17.2	12	6.0	02.5-09.5	7	2.6	00.6-04.6
45-54	307	24,457	173	57.3	51.4-63.2	52	16.9	12.4-21.4	35	11.3	07.4-15.2	32	9.9	06.2-13.6	15	4.7	02.3-07.1
55-64	293	16,904	182	63.4	57.5-69.3	42	14.0	09.9-18.1	26	7.9	04.8-11.0	34	11.9	07.8-16.0	9	2.8	01.0-04.6
65+	462	25,242	298	63.6	58.9-68.3	34	8.0	05.3-10.7	46	10.1	07.2-13.0	54	11.4	08.3-14.5	30	6.8	04.3-09.3
Less Than H.S.	115	11,702				8	9.9	00.3-19.5	10	6.1	00.8-11.4	25	12.2	06.1-18.3			
H.S. or G.E.D.	433	34,621	288	70.9	65.2-76.6	41	10.4	06.1-14.7	35	6.0	03.6-08.4	42	7.7	05.0-10.4	27	5.0	02.8-07.2
Some Post-H.S.	482	46,097	290	60.8	54.5-67.1	63	13.6	09.1-18.1	55	10.4	07.3-13.5	50	11.8	07.1-16.5	24	3.4	02.0-04.8
College Graduate	457	42,973	297	66.1	60.8-71.4	87	19.8	15.3-24.3	43	8.2	05.5-10.9	25	5.4	02.5-08.3	5	0.5	00.1-00.9
Less than \$15,000	139	11,088				8	7.0	00.9-13.1	21	11.9	05.2-18.6				15	11.7	01.9-21.5
\$15,000- 24,999	269	18,018	165	59.4	51.0-67.8	31	13.4	05.6-21.2	24	8.8	04.7-12.9	32	10.5	06.4-14.6	17	7.9	03.0-12.8
\$25,000- 34,999	176	14,423				21	14.0	06.7-21.3	17	7.9	03.8-12.0	17	11.5	03.5-19.5	9	4.5	01.6-07.4
\$35,000- 49,999	227	24,017	143	61.9	52.9-70.9	28	16.9	09.1-24.7	24	9.3	05.0-13.6	22	9.1	03.8-14.4	10	2.8	01.0-04.6
\$50,000- 74,999	224	20,706	142	67.2	60.3-74.1	42	17.1	11.8-22.4	24	9.7	05.4-14.0	13	4.7	02.0-07.4	3	1.3	00.0-02.9
\$75,000+	232	26,329	155	70.4	63.1-77.7	49	18.1	12.6-23.6	15	5.7	02.6-08.8	11	5.4	00.9-09.9	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4753	493,557	4385	89.3	87.7-90.9	368	10.7	09.1-12.3
Male	1894	246,091	1706	87.0	84.5-89.5	188	13.0	10.5-15.5
Female	2859	247,466	2679	91.5	89.5-93.5	180	8.5	06.5-10.5
Non-Native	4556	464,262	4225	90.4	89.0-91.8	331	9.6	08.2-11.0
18-24	145	77,840	116	77.3	69.5-85.1	29	22.7	14.9-30.5
25-34	433	81,724	392	88.2	84.3-92.1	41	11.8	07.9-15.7
35-44	641	74,530	572	89.1	86.4-91.8	69	10.9	08.2-13.6
45-54	1025	91,138	913	89.2	87.0-91.4	112	10.8	08.6-13.0
55-64	994	70,602	904	91.4	89.6-93.2	90	8.6	06.8-10.4
65+	1464	94,674	1438	98.2	97.4-99.0	26	1.8	01.0-02.6
Less Than H.S.	363	40,673	327	80.1	71.1-89.1	36	19.9	10.9-28.9
H.S. or G.E.D.	1414	139,499	1263	83.2	79.5-86.9	151	16.8	13.1-20.5
Some Post-H.S.	1479	155,832	1348	90.3	88.1-92.5	131	9.7	07.5-11.9
College Graduate	1494	157,411	1445	95.9	94.3-97.5	49	4.1	02.5-05.7
Less than \$15,000	336	31,413	283	81.4	74.5-88.3	53	18.6	11.7-25.5
\$15,000- 24,999	670	56,445	570	76.0	70.3-81.7	100	24.0	18.3-29.7
\$25,000- 34,999	542	50,896	495	88.1	83.6-92.6	47	11.9	07.4-16.4
\$35,000- 49,999	707	75,684	668	93.9	91.5-96.3	39	6.1	03.7-08.5
\$50,000- 74,999	788	84,342	747	93.8	91.1-96.5	41	6.2	03.5-08.9
\$75,000+	1033	118,575	993	95.0	92.6-97.4	40	5.0	02.6-07.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1894	246,091	1706	87.0	84.5-89.5	188	13.0	10.5-15.5
Non-Native	1814	230,349	1643	88.7	86.5-90.9	171	11.3	09.1-13.5
25-34	178	43,663	153	82.9	76.2-89.6	25	17.1	10.4-23.8
35-44	268	37,854	238	88.8	84.7-92.9	30	11.2	07.1-15.3
45-54	453	45,206	393	87.5	84.2-90.8	60	12.5	09.2-15.8
55-64	433	37,092	386	89.6	86.7-92.5	47	10.4	07.5-13.3
65+	482	40,242	471	97.8	96.4-99.2	11	2.2	00.8-03.6
H.S. or G.E.D.	567	73,368	480	78.7	73.0-84.4	87	21.3	15.6-27.0
Some Post-H.S.	557	73,688	501	89.6	86.1-93.1	56	10.4	06.9-13.9
College Graduate	620	78,349	588	93.7	90.8-96.6	32	6.3	03.4-09.2
\$15,000- 24,999	207	25,100				43	34.1	24.1-44.1
\$25,000- 34,999	192	23,604	169	83.9	75.5-92.3	23	16.1	07.7-24.5
\$35,000- 49,999	302	37,506	279	92.9	89.8-96.0	23	7.1	04.0-10.2
\$50,000- 74,999	356	45,282	328	91.5	87.0-96.0	28	8.5	04.0-13.0
\$75,000+	534	68,925	508	95.1	93.1-97.1	26	4.9	02.9-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2859	247,466	2679	91.5	89.5-93.5	180	8.5	06.5-10.5
Non-Native	2742	233,914	2582	92.2	90.4-94.0	160	7.8	06.0-09.6
25-34	255	38,061	239	94.3	91.4-97.2	16	5.7	02.8-08.6
35-44	373	36,676	334	89.4	86.1-92.7	39	10.6	07.3-13.9
45-54	572	45,933	520	90.9	88.4-93.4	52	9.1	06.6-11.6
55-64	561	33,510	518	93.4	91.2-95.6	43	6.6	04.4-08.8
65+	982	54,432	967	98.6	97.8-99.4	15	1.4	00.6-02.2
H.S. or G.E.D.	847	66,131	783	88.3	83.8-92.8	64	11.7	07.2-16.2
Some Post-H.S.	922	82,143	847	91.0	88.3-93.7	75	9.0	06.3-11.7
College Graduate	874	79,062	857	98.1	97.1-99.1	17	1.9	00.9-02.9
Less than \$15,000	224	18,563	194	85.9	78.8-93.0	30	14.1	07.0-21.2
\$15,000- 24,999	463	31,345	406	84.0	78.9-89.1	57	16.0	10.9-21.1
\$25,000- 34,999	350	27,291	326	91.7	88.0-95.4	24	8.3	04.6-12.0
\$35,000- 49,999	405	38,178	389	95.0	91.7-98.3	16	5.0	01.7-08.3
\$50,000- 74,999	432	39,060	419	96.5	94.3-98.7	13	3.5	01.3-05.7
\$75,000+	499	49,651	485	94.8	90.1-99.5	14	5.2	00.5-09.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4754	494,774	3556	68.1	66.1-70.1	395	8.3	07.3-09.3	803	23.6	21.6-25.6
Male	1897	246,221	1246	58.9	55.8-62.0	185	9.8	08.0-11.6	466	31.3	28.2-34.4
Female	2857	248,553	2310	77.3	74.9-79.7	210	6.8	05.6-08.0	337	15.9	13.5-18.3
Native	130	21,886				21	13.8	06.9-20.7			
Non-Native	4555	466,293	3436	69.4	67.4-71.4	367	7.9	06.9-08.9	752	22.7	20.7-24.7
18-24	148	79,044	80	51.9	43.1-60.7	8	5.3	01.6-09.0	60	42.8	34.0-51.6
25-34	433	81,642	265	56.7	51.4-62.0	38	9.0	06.1-11.9	130	34.3	29.2-39.4
35-44	641	74,622	439	66.1	62.2-70.0	47	8.0	05.6-10.4	155	25.9	22.2-29.6
45-54	1024	90,992	735	71.1	68.0-74.2	88	9.0	07.0-11.0	201	19.9	17.2-22.6
55-64	994	70,602	777	77.3	74.4-80.2	85	9.6	07.4-11.8	132	13.1	10.7-15.5
65+	1462	94,749	1221	83.4	81.2-85.6	126	8.9	07.3-10.5	115	7.8	06.2-09.4
Less Than H.S.	364	41,937	274	65.3	55.9-74.7	38	8.8	04.5-13.1	52	25.9	16.3-35.5
H.S. or G.E.D.	1412	138,946	1055	65.9	62.0-69.8	104	7.4	05.6-09.2	253	26.8	22.7-30.9
Some Post-H.S.	1483	156,521	1095	67.6	64.1-71.1	135	9.1	07.1-11.1	253	23.3	20.0-26.6
College Graduate	1492	157,228	1130	71.4	68.3-74.5	118	8.3	06.5-10.1	244	20.3	17.4-23.2
Less than \$15,000	335	31,371	240	61.9	53.3-70.5	32	8.1	04.0-12.2	63	29.9	21.1-38.7
\$15,000- 24,999	669	57,045	498	68.5	63.2-73.8	57	9.3	06.0-12.6	114	22.1	17.2-27.0
\$25,000- 34,999	542	50,896	418	68.1	61.2-75.0	37	7.1	04.4-09.8	87	24.8	17.7-31.9
\$35,000- 49,999	708	75,761	533	72.4	68.1-76.7	60	8.2	05.8-10.6	115	19.4	15.5-23.3
\$50,000- 74,999	787	84,114	575	67.5	63.4-71.6	70	9.5	07.1-11.9	142	23.0	19.1-26.9
\$75,000+	1033	119,102	777	68.9	64.8-73.0	75	7.6	05.6-09.6	181	23.5	19.6-27.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1897	246,221	1246	58.9	55.8-62.0	185	9.8	08.0-11.6	466	31.3	28.2-34.4
Non-Native	1816	231,469	1205	60.5	57.4-63.6	170	9.3	07.5-11.1	441	30.3	27.2-33.4
18-24	72	41,276				6	7.9	01.6-14.2			
25-34	177	43,435	81	44.6	36.6-52.6	19	10.8	05.9-15.7	77	44.6	36.6-52.6
35-44	269	37,994	156	56.2	49.9-62.5	21	9.0	05.3-12.7	92	34.7	28.6-40.8
45-54	452	45,157	285	63.9	59.0-68.8	39	9.2	06.3-12.1	128	26.9	22.4-31.4
55-64	433	37,092	313	72.7	68.2-77.2	45	11.0	07.7-14.3	75	16.3	12.6-20.0
65+	484	40,435	377	79.0	75.1-82.9	54	11.1	08.2-14.0	53	9.9	07.0-12.8
Less Than H.S.	150	20,686				22	13.0	04.8-21.2			
H.S. or G.E.D.	568	72,933	369	57.3	51.4-63.2	52	9.0	05.9-12.1	147	33.6	27.5-39.7
Some Post-H.S.	560	74,423	359	57.9	52.2-63.6	59	10.0	06.9-13.1	142	32.1	26.4-37.8
College Graduate	619	78,179	422	61.8	56.9-66.7	52	9.4	06.7-12.1	145	28.8	23.9-33.7
Less than \$15,000	112	12,850				17	10.4	04.5-16.3			
\$15,000- 24,999	208	25,676	132	56.9	47.3-66.5	19	10.6	04.1-17.1	57	32.4	23.2-41.6
\$25,000- 34,999	192	23,604				18	7.7	03.4-12.0			
\$35,000- 49,999	302	37,506	208	64.7	57.8-71.6	29	9.7	05.6-13.8	65	25.6	19.1-32.1
\$50,000- 74,999	355	45,054	240	61.9	55.6-68.2	38	11.0	07.3-14.7	77	27.1	21.0-33.2
\$75,000+	534	69,451	358	60.9	55.4-66.4	43	8.8	06.1-11.5	133	30.3	24.8-35.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2857	248,553	2310	77.3	74.9-79.7	210	6.8	05.6-08.0	337	15.9	13.5-18.3
Native	87	11,812				11	10.9	04.0-17.8			
Non-Native	2739	234,823	2231	78.3	75.9-80.7	197	6.6	05.4-07.8	311	15.2	12.8-17.6
18-24	76	37,768				2	2.5	00.0-06.0			
25-34	256	38,207	184	70.4	64.5-76.3	19	7.1	04.0-10.2	53	22.6	17.1-28.1
35-44	372	36,628	283	76.4	71.9-80.9	26	6.9	04.4-09.4	63	16.7	12.8-20.6
45-54	572	45,836	450	78.2	74.7-81.7	49	8.8	06.3-11.3	73	13.1	10.2-16.0
55-64	561	33,510	464	82.3	78.8-85.8	40	8.1	05.4-10.8	57	9.6	07.1-12.1
65+	978	54,314	844	86.6	84.2-89.0	72	7.2	05.4-09.0	62	6.1	04.5-07.7
Less Than H.S.	214	21,252				16	4.6	01.9-07.3			
H.S. or G.E.D.	844	66,013	686	75.3	70.2-80.4	52	5.5	03.9-07.1	106	19.1	14.0-24.2
Some Post-H.S.	923	82,097	736	76.4	72.5-80.3	76	8.2	05.8-10.6	111	15.4	11.9-18.9
College Graduate	873	79,049	708	81.0	78.1-83.9	66	7.1	05.1-09.1	99	11.9	09.4-14.4
Less than \$15,000	223	18,521	182	76.2	66.4-86.0	15	6.6	00.7-12.5	26	17.2	08.4-26.0
\$15,000- 24,999	461	31,369	366	78.1	73.2-83.0	38	8.2	05.3-11.1	57	13.7	09.6-17.8
\$25,000- 34,999	350	27,291	295	77.8	70.2-85.4	19	6.6	02.9-10.3	36	15.7	08.4-23.0
\$35,000- 49,999	406	38,255	325	79.9	75.2-84.6	31	6.7	04.2-09.2	50	13.4	09.5-17.3
\$50,000- 74,999	432	39,060	335	74.0	68.9-79.1	32	7.8	05.1-10.5	65	18.2	13.3-23.1
\$75,000+	499	49,651	419	80.2	74.5-85.9	32	5.9	03.7-08.1	48	13.9	08.4-19.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4759	496,860	282	6.2	05.2-07.2	4477	93.8	92.8-94.8
Male	1899	248,404	87	4.7	03.3-06.1	1812	95.3	93.9-96.7
Female	2860	248,456	195	7.7	06.1-09.3	2665	92.3	90.7-93.9
Native	131	23,036	24	14.8	07.7-21.9	107	85.2	78.1-92.3
Non-Native	4560	467,420	253	5.8	04.8-06.8	4307	94.2	93.2-95.2
18-24	150	81,057	11	6.4	02.3-10.5	139	93.6	89.5-97.7
25-34	433	81,724	28	7.2	04.3-10.1	405	92.8	89.9-95.7
35-44	642	74,670	55	8.4	06.0-10.8	587	91.6	89.2-94.0
45-54	1025	91,138	84	7.6	05.8-09.4	941	92.4	90.6-94.2
55-64	994	70,602	76	6.9	05.3-08.5	918	93.1	91.5-94.7
65+	1463	94,546	26	1.6	01.0-02.2	1437	98.4	97.8-99.0
Less Than H.S.	362	41,628	30	8.7	03.8-13.6	332	91.3	86.4-96.2
H.S. or G.E.D.	1417	141,076	93	7.6	05.4-09.8	1324	92.4	90.2-94.6
Some Post-H.S.	1482	156,564	113	7.4	05.6-09.2	1369	92.6	90.8-94.4
College Graduate	1495	157,449	46	3.1	01.9-04.3	1449	96.9	95.7-98.1
Less than \$15,000	336	31,413	59	16.9	11.2-22.6	277	83.1	77.4-88.8
\$15,000- 24,999	669	56,993	77	13.2	09.3-17.1	592	86.8	82.9-90.7
\$25,000- 34,999	540	50,778	51	11.5	07.4-15.6	489	88.5	84.4-92.6
\$35,000- 49,999	707	75,615	32	5.0	02.8-07.2	675	95.0	92.8-97.2
\$50,000- 74,999	788	84,342	23	2.8	01.6-04.0	765	97.2	96.0-98.4
\$75,000+	1034	119,151	18	1.8	00.8-02.8	1016	98.2	97.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1899	248,404	87	4.7	03.3-06.1	1812	95.3	93.9-96.7
Non-Native	1818	232,556	79	4.4	03.0-05.8	1739	95.6	94.2-97.0
18-24	74	43,289	2	2.7	00.0-06.6	72	97.3	93.4-0100
25-34	178	43,663	8	6.1	01.4-10.8	170	93.9	89.2-98.6
35-44	269	37,994	19	7.4	04.1-10.7	250	92.6	89.3-95.9
45-54	453	45,206	33	6.5	04.1-08.9	420	93.5	91.1-95.9
55-64	433	37,092	18	4.2	02.2-06.2	415	95.8	93.8-97.8
65+	482	40,328	7	1.5	00.3-02.7	475	98.5	97.3-99.7
Less Than H.S.	149	20,632	12	5.6	02.1-09.1	137	94.4	90.9-97.9
H.S. or G.E.D.	570	74,946	39	7.3	04.4-10.2	531	92.7	89.8-95.6
Some Post-H.S.	559	74,370	27	5.0	02.3-07.7	532	95.0	92.3-97.7
College Graduate	621	78,456	9	1.7	00.1-03.3	612	98.3	96.7-99.9
Less than \$15,000	112	12,850	22	16.7	08.5-24.9	90	83.3	75.1-91.5
\$15,000- 24,999	207	25,622	16	11.2	04.1-18.3	191	88.8	81.7-95.9
\$25,000- 34,999	191	23,551	17	10.9	03.8-18.0	174	89.1	82.0-96.2
\$35,000- 49,999	302	37,506	11	3.4	01.0-05.8	291	96.6	94.2-99.0
\$50,000- 74,999	356	45,282	7	1.9	00.5-03.3	349	98.1	96.7-99.5
\$75,000+	535	69,500	6	1.1	00.1-02.1	529	98.9	97.9-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2860	248,456	195	7.7	06.1-09.3	2665	92.3	90.7-93.9
Native	87	11,812	17	17.0	07.6-26.4	70	83.0	73.6-92.4
Non-Native	2742	234,865	174	7.1	05.5-08.7	2568	92.9	91.3-94.5
18-24	76	37,768	9	10.8	03.4-18.2	67	89.2	81.8-96.6
25-34	255	38,061	20	8.3	04.6-12.0	235	91.7	88.0-95.4
35-44	373	36,676	36	9.4	06.3-12.5	337	90.6	87.5-93.7
45-54	572	45,933	51	8.7	06.2-11.2	521	91.3	88.8-93.8
55-64	561	33,510	58	9.9	07.4-12.4	503	90.1	87.6-92.6
65+	981	54,218	19	1.8	01.0-02.6	962	98.2	97.4-99.0
Less Than H.S.	213	20,996	18	11.8	02.8-20.8	195	88.2	79.2-97.2
H.S. or G.E.D.	847	66,130	54	7.9	05.0-10.8	793	92.1	89.2-95.0
Some Post-H.S.	923	82,194	86	9.6	07.2-12.0	837	90.4	88.0-92.8
College Graduate	874	78,993	37	4.4	02.4-06.4	837	95.6	93.6-97.6
Less than \$15,000	224	18,563	37	17.0	09.4-24.6	187	83.0	75.4-90.6
\$15,000- 24,999	462	31,371	61	14.8	10.7-18.9	401	85.2	81.1-89.3
\$25,000- 34,999	349	27,227	34	12.1	07.6-16.6	315	87.9	83.4-92.4
\$35,000- 49,999	405	38,110	21	6.6	03.1-10.1	384	93.4	89.9-96.9
\$50,000- 74,999	432	39,060	16	4.0	01.8-06.2	416	96.0	93.8-98.2
\$75,000+	499	49,651	12	2.7	00.9-04.5	487	97.3	95.5-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4724	492,269	3268	63.3	61.3-65.3	643	15.5	13.9-17.1	318	8.2	07.0-09.4	463	12.2	10.8-13.6	32	0.8	00.2-01.4
Male	1885	245,250	1146	53.9	50.8-57.0	286	17.2	14.8-19.6	171	10.9	08.9-12.9	266	17.3	14.8-19.8	16	0.7	00.3-01.1
Female	2839	247,019	2122	72.6	70.2-75.0	357	13.9	11.9-15.9	147	5.5	04.3-06.7	197	7.2	05.8-08.6	16	0.9	00.0-01.9
Native	130	22,653				18	13.4	06.1-20.7	10	10.1	01.3-18.9				1	0.2	00.0-00.6
Non-Native	4525	463,022	3138	63.5	61.5-65.5	617	15.8	14.2-17.4	303	7.9	06.7-09.1	437	12.1	10.7-13.5	30	0.8	00.2-01.4
18-24	147	79,331	73	51.3	42.5-60.1	34	21.0	14.1-27.9	19	12.0	06.7-17.3	20	14.4	07.9-20.9	1	1.4	00.0-04.1
25-34	429	80,790	233	52.0	46.7-57.3	85	19.5	15.4-23.6	43	10.8	07.5-14.1	64	17.0	12.9-21.1	4	0.6	00.0-01.2
35-44	639	74,385	391	58.1	54.0-62.2	102	16.6	13.5-19.7	53	9.2	06.7-11.7	86	15.0	11.9-18.1	7	1.1	00.3-01.9
45-54	1021	90,728	663	64.3	61.2-67.4	142	13.5	11.3-15.7	79	7.8	06.0-09.6	129	13.7	11.3-16.1	8	0.6	00.2-01.0
55-64	992	70,478	700	69.9	66.8-73.0	126	13.1	10.7-15.5	58	5.9	04.3-07.5	101	10.2	08.0-12.4	7	0.9	00.1-01.7
65+	1447	93,661	1172	81.1	78.9-83.3	150	10.6	08.8-12.4	63	3.9	02.9-04.9	57	4.0	02.8-05.2	5	0.3	00.1-00.5
Less Than H.S.	361	41,310	263	66.4	57.6-75.2	46	17.5	10.2-24.8	24	5.9	02.2-09.6	27	10.0	03.9-16.1	1	0.3	00.0-00.9
H.S. or G.E.D.	1400	139,924	974	63.8	59.9-67.7	186	14.9	12.2-17.6	85	6.8	04.8-08.8	147	13.2	10.3-16.1	8	1.3	00.0-02.9
Some Post-H.S.	1474	154,680	991	61.4	57.9-64.9	208	14.9	12.5-17.3	103	9.4	06.9-11.9	157	13.4	10.7-16.1	15	1.0	00.4-01.6
College Graduate	1486	156,213	1038	63.9	60.8-67.0	203	16.2	13.5-18.9	106	8.8	06.8-10.8	131	10.7	08.5-12.9	8	0.3	00.1-00.5
Less than \$15,000	332	31,200	222	60.4	52.0-68.8	50	18.9	12.2-25.6	20	7.2	02.1-12.3	36	12.7	06.8-18.6	4	0.8	00.0-01.8
\$15,000- 24,999	667	56,785	466	64.6	59.3-69.9	89	14.8	10.9-18.7	43	7.9	04.4-11.4	67	12.5	09.0-16.0	2	0.2	00.0-00.4
\$25,000- 34,999	541	50,800	373	64.0	57.9-70.1	75	16.6	11.7-21.5	35	7.3	04.2-10.4	52	11.1	07.2-15.0	6	1.0	00.2-01.8
\$35,000- 49,999	703	74,741	486	66.5	61.8-71.2	103	14.4	10.9-17.9	46	7.4	04.9-09.9	64	11.0	07.7-14.3	4	0.8	00.0-01.6
\$50,000- 74,999	782	83,789	535	61.6	57.1-66.1	107	14.9	11.8-18.0	51	8.2	05.5-10.9	85	14.8	11.1-18.5	4	0.6	00.0-01.2
\$75,000+	1030	118,288	694	60.2	56.1-64.3	145	16.8	13.5-20.1	83	9.6	07.2-12.0	100	11.9	09.2-14.6	8	1.4	00.0-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1885	245,250	1146	53.9	50.8-57.0	286	17.2	14.8-19.6	171	10.9	08.9-12.9	266	17.3	14.8-19.8	16	0.7	00.3-01.1
Non-Native	1804	229,731	1097	54.0	50.9-57.1	275	17.5	15.0-20.0	163	10.6	08.6-12.6	254	17.2	14.7-19.7	15	0.7	00.3-01.1
18-24	71	41,563				16	21.3	11.5-31.1	13	16.1	07.5-24.7						
25-34	176	43,093	63	37.7	29.7-45.7	38	21.2	14.7-27.7	26	14.7	09.0-20.4	48	26.2	19.3-33.1	1	0.3	00.0-00.9
35-44	269	37,994	124	43.9	37.6-50.2	51	20.0	14.9-25.1	34	12.9	08.6-17.2	54	21.2	15.9-26.5	6	1.9	00.3-03.5
45-54	450	44,912	252	56.8	51.9-61.7	71	15.3	11.8-18.8	47	9.7	06.8-12.6	76	17.4	13.5-21.3	4	0.8	00.0-01.6
55-64	432	37,000	291	66.8	62.1-71.5	62	14.5	11.0-18.0	27	6.6	04.1-09.1	48	10.7	07.6-13.8	4	1.4	00.0-02.8
65+	478	39,953	383	79.4	75.5-83.3	47	10.6	07.5-13.7	24	4.7	02.7-06.7	23	5.0	02.8-07.2	1	0.2	00.0-00.6
Less Than H.S.	149	20,302				20	15.0	06.2-23.8	14	8.0	01.1-14.9						
H.S. or G.E.D.	566	74,569	360	59.4	53.5-65.3	74	14.0	09.9-18.1	38	8.2	04.9-11.5	88	17.6	12.7-22.5	6	0.8	00.0-01.6
Some Post-H.S.	553	72,692	317	49.8	44.1-55.5	94	17.5	13.2-21.8	54	12.8	08.5-17.1	81	18.7	13.8-23.6	7	1.2	00.2-02.2
College Graduate	617	77,686	369	50.9	46.2-55.6	98	20.5	16.2-24.8	65	12.3	09.0-15.6	82	15.9	12.2-19.6	3	0.4	00.0-00.8
Less than \$15,000	111	12,743							8	8.6	00.0-17.6				2	1.4	00.0-03.4
\$15,000- 24,999	208	25,676	135	56.3	46.7-65.9	32	17.6	10.5-24.7	17	11.2	03.9-18.5	24	14.9	08.4-21.4			
\$25,000- 34,999	192	23,604				20	16.2	07.4-25.0	17	9.9	03.8-16.0	27	14.5	07.1-21.9	4	1.5	00.0-03.1
\$35,000- 49,999	299	36,850	184	58.6	51.5-65.7	46	16.2	10.7-21.7	24	8.0	04.5-11.5	42	16.1	10.6-21.6	3	1.1	00.0-02.5
\$50,000- 74,999	353	44,994	212	52.6	46.1-59.1	51	14.3	10.0-18.6	36	11.5	07.2-15.8	52	20.8	14.5-27.1	2	0.7	00.0-01.7
\$75,000+	533	68,818	303	48.4	43.3-53.5	93	21.1	16.2-26.0	58	13.3	09.4-17.2	75	16.7	12.6-20.8	4	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2839	247,019	2122	72.6	70.2-75.0	357	13.9	11.9-15.9	147	5.5	04.3-06.7	197	7.2	05.8-08.6	16	0.9	00.0-01.9
Native	87	11,812				9	9.4	02.7-16.1				9	9.9	02.8-17.0	1	0.3	00.0-00.9
Non-Native	2721	233,290	2041	72.8	70.4-75.2	342	14.0	12.0-16.0	140	5.3	04.1-06.5	183	7.0	05.6-08.4	15	0.9	00.0-01.9
18-24	76	37,768				18	20.6	11.2-30.0	6	7.4	01.3-13.5	5	6.1	00.4-11.8	1	2.9	00.0-08.6
25-34	253	37,697	170	68.4	62.5-74.3	47	17.7	12.8-22.6	17	6.5	03.4-09.6	16	6.5	03.4-09.6	3	1.0	00.0-02.2
35-44	370	36,391	267	72.9	68.2-77.6	51	13.0	09.5-16.5	19	5.4	03.0-07.8	32	8.5	05.6-11.4	1	0.3	00.0-00.9
45-54	571	45,816	411	71.7	67.8-75.6	71	11.8	09.1-14.5	32	5.9	03.7-08.1	53	10.1	07.4-12.8	4	0.5	00.0-01.1
55-64	560	33,478	409	73.2	69.3-77.1	64	11.5	08.8-14.2	31	5.2	03.2-07.2	53	9.6	06.9-12.3	3	0.5	00.0-01.1
65+	969	53,709	789	82.4	79.9-84.9	103	10.6	08.4-12.8	39	3.3	02.1-04.5	34	3.3	02.1-04.5	4	0.3	00.0-00.7
Less Than H.S.	212	21,008							10	3.8	00.9-06.7	12	3.7	01.0-06.4	1	0.5	00.0-01.5
H.S. or G.E.D.	834	65,354	614	68.9	64.0-73.8	112	15.9	12.2-19.6	47	5.1	03.5-06.7	59	8.2	05.3-11.1	2	1.8	00.0-05.1
Some Post-H.S.	921	81,988	674	71.6	67.7-75.5	114	12.6	10.1-15.1	49	6.3	03.6-09.0	76	8.7	06.2-11.2	8	0.8	00.2-01.4
College Graduate	869	78,527	669	76.8	73.3-80.3	105	12.0	09.1-14.9	41	5.3	03.1-07.5	49	5.6	03.8-07.4	5	0.3	00.1-00.5
Less than \$15,000	221	18,457	156	68.8	59.4-78.2	36	16.9	10.0-23.8	12	6.2	00.1-12.3	15	7.6	02.7-12.5	2	0.5	00.0-01.1
\$15,000- 24,999	459	31,109	331	71.4	66.1-76.7	57	12.5	08.6-16.4	26	5.2	02.7-07.7	43	10.5	07.0-14.0	2	0.3	00.0-00.7
\$25,000- 34,999	349	27,196	249	69.3	63.0-75.6	55	16.9	11.6-22.2	18	5.1	02.6-07.6	25	8.1	04.4-11.8	2	0.6	00.0-01.6
\$35,000- 49,999	404	37,891	302	74.1	68.0-80.2	57	12.7	08.6-16.8	22	6.8	03.1-10.5	22	6.0	02.5-09.5	1	0.4	00.0-01.2
\$50,000- 74,999	429	38,794	323	72.1	67.0-77.2	56	15.6	11.1-20.1	15	4.3	01.8-06.8	33	7.7	05.0-10.4	2	0.4	00.0-01.0
\$75,000+	497	49,470	391	76.6	70.9-82.3	52	11.0	07.1-14.9	25	4.5	02.5-06.5	25	5.2	02.5-07.9	4	2.7	00.0-07.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 4: SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 4: SLEEP**

TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4667	489,976	126	2.6	01.8-03.4	1256	29.1	27.1-31.1	500	11.3	10.1-12.5	560	14.1	12.5-15.7	457	10.2	09.0-11.4	1768	32.6	30.8-34.4
Male	1864	244,605	46	2.5	01.3-03.7	483	29.6	26.7-32.5	171	10.3	08.3-12.3	211	13.3	11.1-15.5	169	9.5	07.5-11.5	784	34.8	32.1-37.5
Female	2803	245,371	80	2.7	01.9-03.5	773	28.6	26.2-31.0	329	12.4	10.8-14.0	349	14.9	12.9-16.9	288	10.9	09.1-12.7	984	30.5	28.1-32.9
Native	128	22,663	2	6.1	00.0-17.1				11	7.5	02.6-12.4	18	11.6	05.3-17.9	19	11.5	05.4-17.6			
Non-Native	4475	461,385	122	2.5	01.9-03.1	1202	29.0	27.0-31.0	487	11.6	10.2-13.0	538	14.3	12.7-15.9	432	10.2	08.8-11.6	1694	32.5	30.7-34.3
18-24	148	80,680	4	3.5	00.0-07.2	48	34.4	26.0-42.8	14	10.0	04.9-15.1	29	18.3	11.8-24.8	14	9.5	04.4-14.6	39	24.3	17.0-31.6
25-34	432	81,533	5	0.8	00.0-01.6	132	32.9	27.8-38.0	68	15.2	11.5-18.9	88	19.2	15.3-23.1	57	13.7	09.8-17.6	82	18.3	14.4-22.2
35-44	632	73,192	15	2.5	01.1-03.9	210	32.2	28.5-35.9	90	13.2	10.5-15.9	114	18.9	15.6-22.2	79	12.1	09.4-14.8	124	21.1	17.6-24.6
45-54	1018	90,601	26	2.6	01.6-03.6	312	30.5	27.6-33.4	141	14.6	12.2-17.0	151	14.7	12.3-17.1	109	10.3	08.3-12.3	279	27.4	24.5-30.3
55-64	979	69,613	37	4.0	02.6-05.4	254	26.0	23.1-28.9	100	10.1	08.1-12.1	113	11.0	08.8-13.2	100	10.3	08.1-12.5	375	38.6	35.3-41.9
65+	1410	91,397	37	2.5	01.7-03.3	288	19.7	17.5-21.9	84	5.4	04.2-06.6	63	4.2	03.0-05.4	94	6.0	04.6-07.4	844	62.1	59.4-64.8
Less Than H.S.	350	40,852	10	4.5	00.0-10.8	69	27.3	18.3-36.3	24	5.7	02.4-09.0	27	10.8	04.5-17.1	32	10.7	05.2-16.2	188	41.0	32.6-49.4
H.S. or G.E.D.	1382	138,374	30	2.2	01.0-03.4	315	23.0	19.5-26.5	131	9.7	07.3-12.1	157	13.9	11.2-16.6	142	11.0	08.5-13.5	607	40.1	36.4-43.8
Some Post-H.S.	1451	154,147	35	2.3	01.3-03.3	402	29.0	25.7-32.3	163	12.1	09.7-14.5	192	15.9	13.0-18.8	157	11.3	08.9-13.7	502	29.4	26.5-32.3
College Graduate	1482	156,493	51	2.8	02.0-03.6	469	35.1	32.0-38.2	182	13.4	11.2-15.6	184	13.4	11.2-15.6	126	8.3	06.5-10.1	470	27.0	24.5-29.5
Less than \$15,000	326	30,867	7	1.2	00.2-02.2	77	27.4	19.2-35.6	22	6.5	02.4-10.6	35	13.3	07.6-19.0	48	14.2	08.3-20.1	137	37.4	29.4-45.4
\$15,000- 24,999	648	55,483	12	1.4	00.4-02.4	137	21.9	17.0-26.8	58	10.4	06.7-14.1	68	12.1	08.0-16.2	69	12.2	08.7-15.7	304	41.9	36.6-47.2
\$25,000- 34,999	531	50,182	14	3.1	00.9-05.3	125	28.4	21.5-35.3	53	9.6	06.3-12.9	61	15.5	10.4-20.6	54	9.1	06.4-11.8	224	34.3	29.0-39.6
\$35,000- 49,999	704	75,536	27	3.6	01.8-05.4	178	25.8	21.3-30.3	81	12.5	09.0-16.0	105	16.5	13.0-20.0	65	9.5	06.4-12.6	248	32.1	27.8-36.4
\$50,000- 74,999	775	82,666	23	2.6	01.4-03.8	237	30.7	26.8-34.6	94	11.9	09.4-14.4	97	14.7	11.2-18.2	70	10.2	07.1-13.3	254	29.9	26.2-33.6
\$75,000+	1027	118,531	26	2.0	01.2-02.8	340	35.0	31.1-38.9	136	14.8	11.9-17.7	132	14.1	11.4-16.8	96	10.0	07.6-12.4	297	24.0	21.1-26.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 4: SLEEP**

**TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1864	244,605	46	2.5	01.3-03.7	483	29.6	26.7-32.5	171	10.3	08.3-12.3	211	13.3	11.1-15.5	169	9.5	07.5-11.5	784	34.8	32.1-37.5
Non-Native	1787	229,599	44	2.1	01.3-02.9	463	29.5	26.4-32.6	169	10.8	08.6-13.0	203	13.5	11.3-15.7	159	9.6	07.6-11.6	749	34.6	31.9-37.3
18-24	73	43,097	2	4.4	00.0-10.9				10	13.1	05.1-21.1	12	15.4	06.8-24.0	4	6.7	00.2-13.2	18	21.4	11.8-31.0
25-34	177	43,435				59	36.2	28.4-44.0	22	12.6	07.1-18.1	35	17.6	11.9-23.3	22	14.0	07.7-20.3	39	19.6	13.7-25.5
35-44	263	36,837	5	2.1	00.3-03.9	82	30.1	24.4-35.8	27	9.4	05.9-12.9	55	22.2	16.7-27.7	30	11.1	07.0-15.2	64	25.0	19.5-30.5
45-54	448	44,765	14	3.0	01.4-04.6	138	31.0	26.5-35.5	56	12.8	09.5-16.1	54	12.4	09.1-15.7	38	8.5	05.8-11.2	148	32.4	27.7-37.1
55-64	427	36,634	10	2.5	00.9-04.1	98	23.8	19.5-28.1	40	9.2	06.5-11.9	43	10.2	07.1-13.3	45	11.4	08.1-14.7	191	42.8	37.9-47.7
65+	466	39,004	14	2.9	01.3-04.5	77	15.2	11.9-18.5	16	3.6	01.6-05.6	12	2.3	00.9-03.7	29	5.6	03.4-07.8	318	70.4	66.1-74.7
Less Than H.S.	141	19,975	2	7.2	00.0-19.5				5	2.8	00.3-05.3				14	7.9	03.0-12.8			
H.S. or G.E.D.	561	73,876	11	2.1	00.3-03.9	105	20.7	15.0-26.4	48	9.3	05.8-12.8	71	15.3	11.2-19.4	58	11.2	07.5-14.9	268	41.3	35.6-47.0
Some Post-H.S.	545	72,732	12	1.4	00.6-02.2	135	27.8	22.5-33.1	51	11.1	07.2-15.0	77	15.4	11.3-19.5	56	11.1	07.2-15.0	214	33.2	28.3-38.1
College Graduate	617	78,022	21	2.7	01.5-03.9	219	39.9	35.0-44.8	67	12.3	08.8-15.8	56	10.1	07.2-13.0	41	6.9	04.4-09.4	213	28.0	24.1-31.9
Less than \$15,000	108	12,570	2	0.9	00.0-02.1				4	6.6	00.0-15.4	10	9.6	02.9-16.3	15	10.5	04.2-16.8			
\$15,000- 24,999	200	24,843	3	1.4	00.0-03.0	29	20.4	11.0-29.8	18	11.4	04.1-18.7	17	10.4	03.9-16.9	17	9.8	04.3-15.3	116	46.7	37.1-56.3
\$25,000- 34,999	188	23,408	2	0.8	00.0-02.0				16	9.2	03.1-15.3	23	18.0	09.0-27.0	15	7.0	02.9-11.1	99	41.3	31.3-51.3
\$35,000- 49,999	301	37,420	6	1.6	00.2-03.0	74	25.8	19.3-32.3	30	10.8	05.9-15.7	40	13.8	09.3-18.3	25	10.7	05.2-16.2	126	37.4	30.9-43.9
\$50,000- 74,999	347	43,931	8	2.0	00.4-03.6	97	28.3	22.6-34.0	34	9.4	06.1-12.7	39	14.8	09.3-20.3	31	9.8	05.3-14.3	138	35.6	29.7-41.5
\$75,000+	532	69,124	17	2.3	01.1-03.5	182	38.2	32.9-43.5	55	12.1	08.2-16.0	63	13.1	09.6-16.6	47	9.2	06.3-12.1	168	25.0	21.1-28.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 4: SLEEP**

TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2803	245,371	80	2.7	01.9-03.5	773	28.6	26.2-31.0	329	12.4	10.8-14.0	349	14.9	12.9-16.9	288	10.9	09.1-12.7	984	30.5	28.1-32.9
Native	86	11,754	1	0.3	00.0-00.9				10	11.5	04.1-18.9	11	13.6	04.4-22.8	12	12.8	04.8-20.8			
Non-Native	2688	231,785	78	2.9	02.1-03.7	739	28.4	26.0-30.8	318	12.5	10.9-14.1	335	15.1	12.9-17.3	273	10.8	09.0-12.6	945	30.4	28.0-32.8
18-24	75	37,583	2	2.5	00.0-06.0				4	6.4	00.3-12.5	17	21.7	11.9-31.5	10	12.8	04.8-20.8			
25-34	255	38,098	5	1.7	00.1-03.3	73	29.1	23.2-35.0	46	18.1	13.2-23.0	53	21.1	15.8-26.4	35	13.3	09.0-17.6	43	16.7	12.0-21.4
35-44	369	36,355	10	2.9	00.9-04.9	128	34.2	29.1-39.3	63	17.1	13.2-21.0	59	15.6	11.7-19.5	49	13.1	09.4-16.8	60	17.1	13.0-21.2
45-54	570	45,836	12	2.2	00.8-03.6	174	30.0	26.1-33.9	85	16.3	13.0-19.6	97	17.0	13.7-20.3	71	12.1	09.4-14.8	131	22.4	18.7-26.1
55-64	552	32,978	27	5.7	03.3-08.1	156	28.5	24.4-32.6	60	11.0	08.3-13.7	70	11.9	09.2-14.6	55	9.1	06.7-11.5	184	33.8	29.5-38.1
65+	944	52,393	23	2.2	01.2-03.2	211	23.1	20.2-26.0	68	6.7	05.1-08.3	51	5.7	04.1-07.3	65	6.4	04.8-08.0	526	55.9	52.6-59.2
Less Than H.S.	209	20,877	8	1.9	00.5-03.3				19	8.6	02.7-14.5	20	10.9	04.2-17.6	18	13.3	03.7-22.9			
H.S. or G.E.D.	821	64,498	19	2.3	01.1-03.5	210	25.6	21.3-29.9	83	10.2	07.5-12.9	86	12.4	08.7-16.1	84	10.7	07.8-13.6	339	38.7	34.0-43.4
Some Post-H.S.	906	81,415	23	3.2	01.4-05.0	267	30.0	25.9-34.1	112	13.0	10.1-15.9	115	16.3	12.4-20.2	101	11.5	08.8-14.2	288	25.9	22.4-29.4
College Graduate	865	78,471	30	2.9	01.7-04.1	250	30.3	26.4-34.2	115	14.5	11.8-17.2	128	16.7	13.6-19.8	85	9.7	07.2-12.2	257	26.0	22.5-29.5
Less than \$15,000	218	18,297	5	1.5	00.1-02.9	50	22.8	14.0-31.6	18	6.4	02.7-10.1	25	15.8	07.6-24.0	33	16.7	08.1-25.3			
\$15,000- 24,999	448	30,640	9	1.5	00.5-02.5	108	23.1	18.4-27.8	40	9.7	06.4-13.0	51	13.5	08.0-19.0	52	14.2	09.5-18.9	188	38.0	32.1-43.9
\$25,000- 34,999	343	26,774	12	5.1	01.4-08.8	92	32.6	25.2-40.0	37	10.0	06.5-13.5	38	13.3	07.6-19.0	39	10.9	07.2-14.6	125	28.1	22.6-33.6
\$35,000- 49,999	403	38,116	21	5.5	02.2-08.8	104	25.9	19.6-32.2	51	14.2	08.9-19.5	65	19.1	13.6-24.6	40	8.4	05.5-11.3	122	26.9	21.2-32.6
\$50,000- 74,999	428	38,736	15	3.3	01.5-05.1	140	33.4	28.3-38.5	60	14.8	11.1-18.5	58	14.5	10.8-18.2	39	10.7	06.6-14.8	116	23.3	19.0-27.6
\$75,000+	495	49,407	9	1.6	00.4-02.8	158	30.5	25.2-35.8	81	18.5	14.0-23.0	69	15.5	11.0-20.0	49	11.2	07.3-15.1	129	22.6	18.3-26.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 5: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 5: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4760	496,514	3336	73.2	71.4-75.0	1424	26.8	25.0-28.6
Male	1898	247,749	1319	73.6	71.1-76.1	579	26.4	23.9-28.9
Female	2862	248,765	2017	72.8	70.6-75.0	845	27.2	25.0-29.4
Non-Native	4559	466,851	3206	73.3	71.5-75.1	1353	26.7	24.9-28.5
18-24	149	80,482	121	81.1	74.2-88.0	28	18.9	12.0-25.8
25-34	434	81,870	350	81.1	77.0-85.2	84	18.9	14.8-23.0
35-44	642	74,670	482	74.2	70.5-77.9	160	25.8	22.1-29.5
45-54	1024	91,051	745	72.8	69.9-75.7	279	27.2	24.3-30.1
55-64	993	70,433	681	68.5	65.4-71.6	312	31.5	28.4-34.6
65+	1466	94,888	924	63.1	60.4-65.8	542	36.9	34.2-39.6
Less Than H.S.	366	42,022	180	55.3	46.7-63.9	186	44.7	36.1-53.3
H.S. or G.E.D.	1414	140,796	898	66.5	63.0-70.0	516	33.5	30.0-37.0
Some Post-H.S.	1482	156,056	1041	74.0	71.3-76.7	441	26.0	23.3-28.7
College Graduate	1495	157,498	1215	83.2	81.0-85.4	280	16.8	14.6-19.0
Less than \$15,000	335	31,276	190	60.0	52.0-68.0	145	40.0	32.0-48.0
\$15,000- 24,999	671	57,103	415	66.9	62.2-71.6	256	33.1	28.4-37.8
\$25,000- 34,999	542	50,896	367	73.3	68.6-78.0	175	26.7	22.0-31.4
\$35,000- 49,999	706	75,070	490	71.4	67.1-75.7	216	28.6	24.3-32.9
\$50,000- 74,999	788	84,342	600	77.6	74.1-81.1	188	22.4	18.9-25.9
\$75,000+	1034	119,151	816	80.2	77.5-82.9	218	19.8	17.1-22.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 5: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	247,749	1319	73.6	71.1-76.1	579	26.4	23.9-28.9
Non-Native	1816	231,848	1267	73.5	71.0-76.0	549	26.5	24.0-29.0
18-24	73	42,714	62	84.7	75.5-93.9	11	15.3	06.1-24.5
25-34	178	43,663	146	83.2	77.1-89.3	32	16.8	10.7-22.9
35-44	269	37,994	193	71.9	66.2-77.6	76	28.1	22.4-33.8
45-54	452	45,157	305	68.0	63.3-72.7	147	32.0	27.3-36.7
55-64	432	36,955	289	66.5	61.8-71.2	143	33.5	28.8-38.2
65+	484	40,435	317	66.0	61.5-70.5	167	34.0	29.5-38.5
H.S. or G.E.D.	568	74,760	353	67.2	61.9-72.5	215	32.8	27.5-38.1
Some Post-H.S.	559	73,848	393	74.8	70.5-79.1	166	25.2	20.9-29.5
College Graduate	621	78,456	498	82.7	79.6-85.8	123	17.3	14.2-20.4
\$15,000- 24,999	208	25,676	133	71.6	64.0-79.2	75	28.4	20.8-36.0
\$25,000- 34,999	192	23,604	129	75.9	68.3-83.5	63	24.1	16.5-31.7
\$35,000- 49,999	301	36,931	196	65.5	58.8-72.2	105	34.5	27.8-41.2
\$50,000- 74,999	356	45,282	267	78.3	73.2-83.4	89	21.7	16.6-26.8
\$75,000+	535	69,500	403	77.2	73.3-81.1	132	22.8	18.9-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 5: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	248,765	2017	72.8	70.6-75.0	845	27.2	25.0-29.4
Non-Native	2743	235,003	1939	73.2	71.0-75.4	804	26.8	24.6-29.0
18-24	76	37,768	59	77.0	67.0-87.0	17	23.0	13.0-33.0
25-34	256	38,207	204	78.8	73.5-84.1	52	21.2	15.9-26.5
35-44	373	36,676	289	76.6	71.9-81.3	84	23.4	18.7-28.1
45-54	572	45,894	440	77.5	73.8-81.2	132	22.5	18.8-26.2
55-64	561	33,478	392	70.8	66.7-74.9	169	29.2	25.1-33.3
65+	982	54,453	607	60.9	57.6-64.2	375	39.1	35.8-42.4
H.S. or G.E.D.	846	66,036	545	65.6	61.1-70.1	301	34.4	29.9-38.9
Some Post-H.S.	923	82,208	648	73.3	69.8-76.8	275	26.7	23.2-30.2
College Graduate	874	79,042	717	83.8	80.7-86.9	157	16.2	13.1-19.3
\$15,000- 24,999	463	31,427	282	63.0	57.3-68.7	181	37.0	31.3-42.7
\$25,000- 34,999	350	27,291	238	71.0	65.1-76.9	112	29.0	23.1-34.9
\$35,000- 49,999	405	38,139	294	77.2	72.3-82.1	111	22.8	17.9-27.7
\$50,000- 74,999	432	39,060	333	76.8	72.1-81.5	99	23.2	18.5-27.9
\$75,000+	499	49,651	413	84.4	80.9-87.9	86	15.6	12.1-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 6: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 6: DIABETES**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4764	497,326	486	7.5	06.7-08.3	33	0.7	00.5-00.9	4175	90.8	90.0-91.6	70	1.0	00.8-01.2
Male	1898	248,242	219	8.1	06.9-09.3				1646	90.8	89.4-92.2	33	1.1	00.7-01.5
Female	2866	249,084	267	6.9	05.9-07.9	33	1.3	00.7-01.9	2529	90.9	89.7-92.1	37	0.9	00.5-01.3
Native	131	23,036	28	13.8	06.5-21.1	4	2.8	00.0-05.7	98	83.1	75.3-90.9	1	0.3	00.0-00.9
Non-Native	4564	467,749	445	7.2	06.4-08.0	28	0.5	00.3-00.7	4022	91.3	90.5-92.1	69	1.1	00.9-01.3
18-24	150	81,057	1	0.5	00.0-01.5	1	0.3	00.0-00.9	148	99.2	98.0-100.0			
25-34	434	81,870	10	2.5	00.5-04.5	7	1.4	00.4-02.4	417	96.0	93.8-98.2			
35-44	642	74,670	19	3.1	01.7-04.5	8	1.1	00.3-01.9	611	95.5	93.7-97.3	4	0.4	00.0-00.8
45-54	1026	91,216	74	6.9	05.3-08.5	6	0.5	00.1-00.9	930	91.0	89.0-93.0	16	1.6	00.8-02.4
55-64	993	70,484	132	13.4	11.0-15.8	5	0.3	00.0-00.7	838	84.7	82.3-87.1	18	1.6	00.8-02.4
65+	1467	94,908	246	17.5	15.3-19.7	6	0.3	00.1-00.5	1184	79.9	77.5-82.3	31	2.3	01.5-03.1
Less Than H.S.	366	42,022	55	8.9	06.2-11.6	3	0.6	00.0-01.4	301	89.4	86.3-92.5	7	1.0	00.2-01.8
H.S. or G.E.D.	1417	141,095	182	10.2	08.2-12.2	8	0.5	00.0-01.1	1203	88.0	86.0-90.0	24	1.3	00.7-01.9
Some Post-H.S.	1483	156,609	146	7.0	05.8-08.2	11	0.7	00.3-01.1	1299	91.1	89.7-92.5	27	1.2	00.8-01.6
College Graduate	1495	157,458	103	5.2	04.0-06.4	11	0.7	00.1-01.3	1369	93.4	92.2-94.6	12	0.6	00.2-01.0
Less than \$15,000	336	31,413	66	16.2	10.7-21.7	1	0.2	00.0-00.6	258	81.7	76.0-87.4	11	2.0	00.6-03.4
\$15,000- 24,999	672	57,166	106	13.1	10.2-16.0	9	1.4	00.2-02.6	547	84.6	81.5-87.7	10	0.8	00.2-01.4
\$25,000- 34,999	542	50,896	54	7.6	05.2-10.0	3	0.4	00.0-00.8	471	90.0	87.3-92.7	14	2.0	00.8-03.2
\$35,000- 49,999	708	75,761	63	6.9	05.1-08.7	6	1.2	00.2-02.2	630	91.0	88.8-93.2	9	0.9	00.3-01.5
\$50,000- 74,999	788	84,342	55	5.5	03.9-07.1	8	1.0	00.2-01.8	715	92.7	90.9-94.5	10	0.9	00.3-01.5
\$75,000+	1032	118,968	59	4.2	03.0-05.4	4	0.4	00.0-00.8	960	94.7	93.3-96.1	9	0.7	00.3-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 6: DIABETES**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	248,242	219	8.1	06.9-09.3	1646	90.8	89.4-92.2	33	1.1	00.7-01.5
Non-Native	1817	232,426	198	7.6	06.4-08.8	1586	91.2	90.0-92.4	33	1.2	00.8-01.6
18-24	74	43,289				74	100.0	0100-0100			
25-34	178	43,663	2	2.3	00.0-05.6	176	97.7	94.4-0100			
35-44	269	37,994	9	3.2	01.0-05.4	260	96.8	94.6-99.0			
45-54	453	45,206	36	7.5	05.0-10.0	408	90.6	87.9-93.3	9	1.9	00.5-03.3
55-64	431	36,909	68	16.0	12.3-19.7	353	82.1	78.2-86.0	10	1.9	00.7-03.1
65+	483	40,349	102	20.6	16.9-24.3	367	76.3	72.4-80.2	14	3.1	01.3-04.9
Less Than H.S.	150	20,686	25	9.6	05.3-13.9	123	89.4	84.7-94.1	2	0.9	00.0-02.3
H.S. or G.E.D.	569	74,901	83	10.7	07.8-13.6	477	88.0	85.1-90.9	9	1.3	00.3-02.3
Some Post-H.S.	559	74,337	58	7.2	05.2-09.2	487	91.5	89.3-93.7	14	1.3	00.5-02.1
College Graduate	620	78,319	53	6.1	04.3-07.9	559	93.1	91.1-95.1	8	0.8	00.2-01.4
Less than \$15,000	112	12,850							5	2.6	00.1-05.1
\$15,000- 24,999	208	25,676	40	13.7	08.8-18.6	164	85.4	80.3-90.5	4	0.9	00.0-01.9
\$25,000- 34,999	192	23,604	22	8.3	04.4-12.2	166	90.2	85.9-94.5	4	1.5	00.0-03.1
\$35,000- 49,999	302	37,506	32	8.6	05.5-11.7	264	90.1	86.8-93.4	6	1.3	00.1-02.5
\$50,000- 74,999	356	45,282	35	7.1	04.6-09.6	316	92.0	89.5-94.5	5	0.9	00.1-01.7
\$75,000+	533	69,317	33	3.9	02.5-05.3	494	95.2	93.6-96.8	6	0.9	00.1-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 6: DIABETES**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2866	249,084	267	6.9	05.9-07.9	33	1.3	00.7-01.9	2529	90.9	89.7-92.1	37	0.9	00.5-01.3
Native	87	11,812	15	10.5	04.2-16.8	4	5.5	00.0-11.2	67	83.3	74.9-91.7	1	0.7	00.0-02.1
Non-Native	2747	235,323	247	6.7	05.7-07.7	28	1.0	00.6-01.4	2436	91.3	90.1-92.5	36	0.9	00.5-01.3
18-24	76	37,768	1	1.0	00.0-03.0	1	0.7	00.0-02.1	74	98.3	95.9-100.0			
25-34	256	38,207	8	2.8	00.8-04.8	7	3.1	00.7-05.5	241	94.2	91.3-97.1			
35-44	373	36,676	10	3.0	01.2-04.8	8	2.1	00.5-03.7	351	94.2	91.7-96.7	4	0.7	00.0-01.5
45-54	573	46,010	38	6.2	04.0-08.4	6	1.1	00.1-02.1	522	91.4	88.9-93.9	7	1.3	00.3-02.3
55-64	562	33,575	64	10.5	07.8-13.2	5	0.7	00.1-01.3	485	87.6	84.9-90.3	8	1.2	00.2-02.2
65+	984	54,559	144	15.1	12.6-17.6	6	0.6	00.0-01.2	817	82.6	80.1-85.1	17	1.7	00.9-02.5
Less Than H.S.	216	21,337	30	8.2	04.7-11.7	3	1.3	00.0-02.9	178	89.3	85.2-93.4	5	1.2	00.0-02.4
H.S. or G.E.D.	848	66,195	99	9.6	07.2-12.0	8	1.1	00.1-02.1	726	88.0	85.5-90.5	15	1.2	00.6-01.8
Some Post-H.S.	924	82,272	88	6.9	05.3-08.5	11	1.3	00.5-02.1	812	90.8	88.8-92.8	13	1.0	00.4-01.6
College Graduate	875	79,139	50	4.4	03.0-05.8	11	1.5	00.5-02.5	810	93.7	91.9-95.5	4	0.5	00.0-01.1
Less than \$15,000	224	18,563	39	12.6	07.7-17.5	1	0.3	00.0-00.9	178	85.6	80.3-90.9	6	1.6	00.2-03.0
\$15,000- 24,999	464	31,491	66	12.7	09.4-16.0	9	2.6	00.6-04.6	383	83.9	80.0-87.8	6	0.8	00.2-01.4
\$25,000- 34,999	350	27,291	32	6.9	04.2-09.6	3	0.7	00.0-01.5	305	89.9	86.6-93.2	10	2.5	00.7-04.3
\$35,000- 49,999	406	38,255	31	5.2	03.2-07.2	6	2.3	00.3-04.3	366	91.8	88.9-94.7	3	0.6	00.0-01.2
\$50,000- 74,999	432	39,060	20	3.6	02.0-05.2	8	2.1	00.3-03.9	399	93.6	91.1-96.1	5	0.8	00.0-01.6
\$75,000+	499	49,651	26	4.7	02.5-06.9	4	0.8	00.0-01.8	466	94.0	91.6-96.4	3	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 7: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44
	ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)	
4	MALES AND FEMALES	45
5	MALES ONLY	46
6	FEMALES ONLY	47

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	497,182	1692	26.8	25.2-28.4	25	0.8	00.2-01.4	2970	71.2	69.6-72.8	74	1.2	00.8-01.6
Male	1899	248,333	683	27.8	25.3-30.3				1178	70.6	68.1-73.1	38	1.6	01.0-02.2
Female	2862	248,849	1009	25.8	24.0-27.6	25	1.6	00.6-02.6	1792	71.8	69.8-73.8	36	0.9	00.5-01.3
Native	131	23,036	50	25.3	16.5-34.1	1	0.5	00.0-01.5	78	73.1	63.9-82.3	2	1.1	00.0-02.7
Non-Native	4561	467,605	1610	26.6	25.0-28.2	24	0.8	00.2-01.4	2857	71.3	69.7-72.9	70	1.2	00.8-01.6
18-24	150	81,057	13	8.2	03.3-13.1	3	2.4	00.0-05.3	134	89.4	83.9-94.9			
25-34	434	81,870	35	7.7	05.2-10.2	9	1.6	00.6-02.6	387	90.2	87.3-93.1	3	0.6	00.0-01.4
35-44	642	74,670	93	15.3	12.2-18.4	4	0.4	00.0-00.8	537	83.2	79.9-86.5	8	1.2	00.4-02.0
45-54	1026	91,216	263	25.9	23.0-28.8	4	0.3	00.0-00.7	737	71.3	68.4-74.2	22	2.5	01.3-03.7
55-64	992	70,446	428	43.0	39.7-46.3	4	0.3	00.0-00.7	548	55.5	52.2-58.8	12	1.2	00.4-02.0
65+	1465	94,802	843	56.8	54.1-59.5	1	0.0	00.0-00.0	592	41.3	38.6-44.0	29	1.8	01.0-02.6
Less Than H.S.	366	42,022	184	35.2	27.4-43.0	1	2.2	00.0-06.5	176	61.6	53.4-69.8	5	1.0	00.0-02.0
H.S. or G.E.D.	1417	141,076	613	32.5	29.4-35.6	3	0.1	00.0-00.3	782	66.3	63.2-69.4	19	1.0	00.6-01.4
Some Post-H.S.	1481	156,481	502	25.8	23.1-28.5	8	1.1	00.1-02.1	947	71.8	69.1-74.5	24	1.3	00.7-01.9
College Graduate	1494	157,461	391	20.3	18.1-22.5	13	0.8	00.4-01.2	1064	77.4	75.0-79.8	26	1.5	00.7-02.3
Less than \$15,000	336	31,413	158	34.5	27.2-41.8	1	0.9	00.0-02.7	173	63.5	56.1-70.9	4	1.1	00.0-02.3
\$15,000- 24,999	671	57,124	320	37.6	32.7-42.5	5	1.7	00.0-04.2	337	60.0	54.9-65.1	9	0.7	00.3-01.1
\$25,000- 34,999	542	50,896	208	30.0	25.1-34.9	3	2.2	00.0-05.7	314	65.2	59.7-70.7	17	2.6	01.2-04.0
\$35,000- 49,999	708	75,761	264	28.9	25.2-32.6	5	0.7	00.0-01.5	427	69.0	65.1-72.9	12	1.4	00.4-02.4
\$50,000- 74,999	787	84,277	225	23.8	20.3-27.3	4	0.6	00.0-01.2	547	74.7	71.2-78.2	11	0.9	00.3-01.5
\$75,000+	1033	119,087	240	18.6	16.1-21.1	5	0.4	00.0-00.8	771	79.3	76.8-81.8	17	1.7	00.7-02.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 2. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1899	248,333	683	27.8	25.3-30.3	1178	70.6	68.1-73.1	38	1.6	01.0-02.2	
Non-Native	1818	232,518	647	27.6	25.1-30.1	1134	70.7	68.2-73.2	37	1.7	01.1-02.3	
18-24	74	43,289	10	13.1	04.7-21.5	64	86.9	78.5-95.3				
25-34	178	43,663	17	8.5	04.4-12.6	159	90.7	86.4-95.0	2	0.8	00.0-02.0	
35-44	269	37,994	52	19.1	14.0-24.2	211	78.8	73.5-84.1	6	2.0	00.4-03.6	
45-54	453	45,206	137	29.6	25.1-34.1	301	66.8	62.1-71.5	15	3.6	01.4-05.8	
55-64	432	37,000	199	45.3	40.4-50.2	229	53.7	48.8-58.6	4	1.0	00.0-02.0	
65+	483	40,349	265	54.4	49.7-59.1	207	43.3	38.6-48.0	11	2.3	00.9-03.7	
Less Than H.S.	150	20,686							2	1.1	00.0-02.7	
H.S. or G.E.D.	570	74,946	229	29.9	25.4-34.4	330	68.7	64.0-73.4	11	1.4	00.6-02.2	
Some Post-H.S.	559	74,337	197	28.3	23.8-32.8	352	70.4	65.7-75.1	10	1.3	00.3-02.3	
College Graduate	620	78,364	195	23.6	20.1-27.1	410	74.1	70.6-77.6	15	2.3	00.9-03.7	
Less than \$15,000	112	12,850							3	2.3	00.0-05.0	
\$15,000- 24,999	208	25,676	99	35.2	27.0-43.4	106	64.2	56.0-72.4	3	0.7	00.0-01.5	
\$25,000- 34,999	192	23,604	74	30.3	21.9-38.7	110	66.6	57.8-75.4	8	3.1	00.7-05.5	
\$35,000- 49,999	302	37,506	115	30.7	25.0-36.4	182	67.7	61.8-73.6	5	1.6	00.0-03.2	
\$50,000- 74,999	356	45,282	121	28.0	22.5-33.5	230	71.1	65.4-76.8	5	0.9	00.1-01.7	
\$75,000+	535	69,500	156	22.3	18.8-25.8	367	75.3	71.4-79.2	12	2.4	01.0-03.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 3. HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE HIGH BLOOD PRESSURE? (BPHIGH4)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Borderline high or pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	248,849	1009	25.8	24.0-27.6	25	1.6	00.6-02.6	1792	71.8	69.8-73.8	36	0.9	00.5-01.3
Native	87	11,812				1	0.9	00.0-02.7				2	2.2	00.0-05.3
Non-Native	2743	235,088	963	25.6	23.8-27.4	24	1.7	00.5-02.9	1723	71.9	69.9-73.9	33	0.8	00.6-01.0
18-24	76	37,768	3	2.7	00.0-06.0	3	5.1	00.0-11.2	70	92.2	85.3-99.1			
25-34	256	38,207	18	6.8	03.7-09.9	9	3.3	00.9-05.7	228	89.5	85.6-93.4	1	0.4	00.0-01.2
35-44	373	36,676	41	11.3	07.8-14.8	4	0.8	00.0-01.6	326	87.6	83.9-91.3	2	0.3	00.0-00.7
45-54	573	46,010	126	22.3	18.6-26.0	4	0.6	00.0-01.2	436	75.7	72.0-79.4	7	1.4	00.4-02.4
55-64	560	33,446	229	40.4	36.1-44.7	4	0.6	00.0-01.4	319	57.6	53.3-61.9	8	1.3	00.3-02.3
65+	982	54,453	578	58.6	55.3-61.9	1	0.1	00.0-00.3	385	39.9	36.6-43.2	18	1.5	00.7-02.3
Less Than H.S.	216	21,337	122	36.5	26.9-46.1	1	4.3	00.0-12.5				3	0.9	00.0-02.1
H.S. or G.E.D.	847	66,130	384	35.5	31.6-39.4	3	0.3	00.0-00.7	452	63.7	59.6-67.8	8	0.5	00.1-00.9
Some Post-H.S.	922	82,144	305	23.5	20.6-26.4	8	2.1	00.1-04.1	595	73.1	69.6-76.6	14	1.3	00.5-02.1
College Graduate	874	79,096	196	17.0	14.5-19.5	13	1.6	00.6-02.6	654	80.7	78.0-83.4	11	0.8	00.2-01.4
Less than \$15,000	224	18,563	108	33.4	24.6-42.2	1	1.5	00.0-04.4	114	64.9	55.9-73.9	1	0.2	00.0-00.6
\$15,000- 24,999	463	31,448	221	39.6	34.1-45.1	5	3.1	00.0-07.6	231	56.6	50.7-62.5	6	0.7	00.1-01.3
\$25,000- 34,999	350	27,291	134	29.7	24.2-35.2	3	4.2	00.0-10.7	204	63.9	56.8-71.0	9	2.2	00.6-03.8
\$35,000- 49,999	406	38,255	149	27.2	22.3-32.1	5	1.3	00.0-02.7	245	70.3	65.0-75.6	7	1.1	00.1-02.1
\$50,000- 74,999	431	38,996	104	18.9	15.2-22.6	4	1.3	00.0-02.7	317	78.9	74.8-83.0	6	0.8	00.2-01.4
\$75,000+	498	49,587	84	13.4	10.3-16.5	5	0.9	00.1-01.7	404	84.9	81.8-88.0	5	0.7	00.1-01.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 4. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1689	132,898	1476	81.4	78.3-84.5	213	18.6	15.5-21.7
Male	682	68,940	559	75.1	69.8-80.4	123	24.9	19.6-30.2
Female	1007	63,958	917	88.2	85.5-90.9	90	11.8	09.1-14.5
Non-Native	1607	124,180	1407	82.1	79.0-85.2	200	17.9	14.8-21.0
45-54	263	23,643	205	80.1	75.0-85.2	58	19.9	14.8-25.0
55-64	426	30,140	378	88.0	84.7-91.3	48	12.0	08.7-15.3
65+	842	53,782	806	95.9	94.5-97.3	36	4.1	02.7-05.5
H.S. or G.E.D.	611	45,767	536	83.7	79.4-88.0	75	16.3	12.0-20.6
Some Post-H.S.	502	40,391	440	80.5	74.8-86.2	62	19.5	13.8-25.2
College Graduate	390	31,870	331	81.1	76.4-85.8	59	18.9	14.2-23.6
\$15,000- 24,999	319	21,390	279	82.5	75.8-89.2	40	17.5	10.8-24.2
\$25,000- 34,999	208	15,254	185	84.4	77.3-91.5	23	15.6	08.5-22.7
\$35,000- 49,999	264	21,928	234	84.5	79.0-90.0	30	15.5	10.0-21.0
\$50,000- 74,999	225	20,045	204	84.8	75.8-93.8	21	15.2	06.2-24.2
\$75,000+	240	22,177	190	76.7	70.8-82.6	50	23.3	17.4-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 5. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	682	68,940	559	75.1	69.8-80.4	123	24.9	19.6-30.2
Non-Native	646	64,065	532	76.7	71.4-82.0	114	23.3	18.0-28.6
45-54	137	13,392	100	77.1	69.8-84.4	37	22.9	15.6-30.2
55-64	198	16,678	168	84.4	79.1-89.7	30	15.6	10.3-20.9
65+	265	21,969	254	96.2	93.8-98.6	11	3.8	01.4-06.2
H.S. or G.E.D.	229	22,433	185	77.0	69.6-84.4	44	23.0	15.6-30.4
Some Post-H.S.	197	21,058	165	73.3	63.7-82.9	32	26.7	17.1-36.3
College Graduate	194	18,432	156	78.5	72.2-84.8	38	21.5	15.2-27.8
\$35,000- 49,999	115	11,504	93	77.7	68.9-86.5	22	22.3	13.5-31.1
\$75,000+	156	15,508	118	74.1	66.7-81.5	38	25.9	18.5-33.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 6. ARE YOU CURRENTLY TAKING MEDICINE FOR YOUR HIGH BLOOD PRESSURE? (BPMEDS)

Denominator excludes: Respondents who did not report having high blood pressure

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1007	63,958	917	88.2	85.5-90.9	90	11.8	09.1-14.5
Non-Native	961	60,115	875	87.9	85.0-90.8	86	12.1	09.2-15.0
45-54	126	10,251	105	83.8	76.9-90.7	21	16.2	09.3-23.1
55-64	228	13,462	210	92.5	88.8-96.2	18	7.5	03.8-11.2
65+	577	31,813	552	95.6	93.8-97.4	25	4.4	02.6-06.2
H.S. or G.E.D.	382	23,334	351	90.0	86.3-93.7	31	10.0	06.3-13.7
Some Post-H.S.	305	19,333	275	88.3	84.0-92.6	30	11.7	07.4-16.0
College Graduate	196	13,438	175	84.7	78.0-91.4	21	15.3	08.6-22.0
\$15,000- 24,999	220	12,361	197	88.0	82.5-93.5	23	12.0	06.5-17.5
\$25,000- 34,999	134	8,108	122	87.6	80.2-95.0	12	12.4	05.0-19.8
\$35,000- 49,999	149	10,424	141	92.0	86.5-97.5	8	8.0	02.5-13.5
\$50,000- 74,999	104	7,379	95	88.9	81.8-96.0	9	11.1	04.0-18.2
\$75,000+	84	6,669	72	82.9	73.7-92.1	12	17.1	07.9-26.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 8: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)	
1 MALES AND FEMALES	49
2 MALES ONLY	50
3 FEMALES ONLY	51
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)	
4 MALES AND FEMALES	52
5 MALES ONLY	53
6 FEMALES ONLY	54
HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)	
7 MALES AND FEMALES	55
8 MALES ONLY	56
9 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 1: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4696	485,845	4158	79.6	77.6-81.6	538	20.4	18.4-22.4
Male	1872	243,335	1606	77.3	74.2-80.4	266	22.7	19.6-25.8
Female	2824	242,509	2552	81.9	79.4-84.4	272	18.1	15.6-20.6
Non-Native	4496	456,213	4007	80.8	78.8-82.8	489	19.2	17.2-21.2
18-24	143	75,820	64	45.1	36.3-53.9	79	54.9	46.1-63.7
25-34	425	79,774	286	66.7	61.8-71.6	139	33.3	28.4-38.2
35-44	625	72,882	505	79.3	75.8-82.8	120	20.7	17.2-24.2
45-54	1015	90,377	908	89.5	87.5-91.5	107	10.5	08.5-12.5
55-64	989	70,309	950	96.1	94.7-97.5	39	3.9	02.5-05.3
65+	1448	93,625	1400	96.5	95.5-97.5	48	3.5	02.5-04.5
Less Than H.S.	352	39,066	304	70.2	60.6-79.8	48	29.8	20.2-39.4
H.S. or G.E.D.	1399	138,107	1219	75.7	71.6-79.8	180	24.3	20.2-28.4
Some Post-H.S.	1464	153,759	1300	80.5	77.2-83.8	164	19.5	16.2-22.8
College Graduate	1479	154,848	1333	84.7	82.0-87.4	146	15.3	12.6-18.0
Less than \$15,000	329	30,917	271	65.8	56.8-74.8	58	34.2	25.2-43.2
\$15,000- 24,999	666	56,611	591	79.4	74.1-84.7	75	20.6	15.3-25.9
\$25,000- 34,999	531	49,974	465	75.7	68.3-83.1	66	24.3	16.9-31.7
\$35,000- 49,999	700	74,452	623	83.0	78.7-87.3	77	17.0	12.7-21.3
\$50,000- 74,999	778	83,028	688	82.2	78.1-86.3	90	17.8	13.7-21.9
\$75,000+	1023	116,077	924	84.9	81.6-88.2	99	15.1	11.8-18.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 2: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1872	243,335	1606	77.3	74.2-80.4	266	22.7	19.6-25.8
Non-Native	1790	227,433	1544	78.4	75.3-81.5	246	21.6	18.5-24.7
25-34	174	42,295	113	65.8	58.2-73.4	61	34.2	26.6-41.8
35-44	260	36,872	195	73.7	67.8-79.6	65	26.3	20.4-32.2
45-54	447	44,716	391	88.4	85.3-91.5	56	11.6	08.5-14.7
55-64	430	36,863	407	95.2	93.0-97.4	23	4.8	02.6-07.0
65+	479	40,002	457	95.7	93.7-97.7	22	4.3	02.3-06.3
H.S. or G.E.D.	562	74,121	460	70.7	64.2-77.2	102	29.3	22.8-35.8
Some Post-H.S.	555	72,644	471	76.4	70.9-81.9	84	23.6	18.1-29.1
College Graduate	611	76,433	552	85.3	81.2-89.4	59	14.7	10.6-18.8
\$15,000- 24,999	204	25,200	170	71.8	62.2-81.4	34	28.2	18.6-37.8
\$35,000- 49,999	297	36,533	253	81.1	75.0-87.2	44	18.9	12.8-25.0
\$50,000- 74,999	351	44,470	308	79.7	73.4-86.0	43	20.3	14.0-26.6
\$75,000+	529	67,933	468	84.4	80.1-88.7	61	15.6	11.3-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 3: BLOOD CHOLESTEROL IS A FATTY SUBSTANCE FOUND IN THE BLOOD. HAVE YOU EVER HAD YOUR BLOOD CHOLESTEROL CHECKED? (BLOODCHO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2824	242,509	2552	81.9	79.4-84.4	272	18.1	15.6-20.6
Non-Native	2706	228,780	2463	83.1	80.6-85.6	243	16.9	14.4-19.4
25-34	251	37,479	173	67.8	61.7-73.9	78	32.2	26.1-38.3
35-44	365	36,011	310	85.0	81.1-88.9	55	15.0	11.1-18.9
45-54	568	45,661	517	90.6	87.9-93.3	51	9.4	06.7-12.1
55-64	559	33,446	543	97.1	95.5-98.7	16	2.9	01.3-04.5
65+	969	53,623	943	97.2	96.0-98.4	26	2.8	01.6-04.0
H.S. or G.E.D.	837	63,987	759	81.4	76.7-86.1	78	18.6	13.9-23.3
Some Post-H.S.	909	81,115	829	84.1	80.0-88.2	80	15.9	11.8-20.0
College Graduate	868	78,415	781	84.1	80.2-88.0	87	15.9	12.0-19.8
\$15,000- 24,999	462	31,412	421	85.5	80.4-90.6	41	14.5	09.4-19.6
\$25,000- 34,999	343	26,817	307	77.3	68.9-85.7	36	22.7	14.3-31.1
\$35,000- 49,999	403	37,920	370	84.7	78.6-90.8	33	15.3	09.2-21.4
\$50,000- 74,999	427	38,558	380	85.2	80.5-89.9	47	14.8	10.1-19.5
\$75,000+	494	48,144	456	85.6	80.1-91.1	38	14.4	08.9-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 4: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4121	383,189	3083	71.6	69.6-73.6	518	13.8	12.4-15.2	319	9.7	08.3-11.1	201	4.9	04.1-05.7
Male	1597	186,419	1182	71.0	68.1-73.9	199	13.6	11.2-16.0	129	10.1	07.9-12.3	87	5.2	04.0-06.4
Female	2524	196,771	1901	72.1	69.7-74.5	319	14.1	12.3-15.9	190	9.3	07.7-10.9	114	4.6	03.6-05.6
Native	86	12,649							4	5.4	00.0-11.3	4	2.9	00.0-06.2
Non-Native	3973	365,180	2963	71.2	69.2-73.2	501	14.0	12.4-15.6	314	9.9	08.5-11.3	195	5.0	04.2-05.8
18-24	63	33,367				11	17.5	07.7-27.3	9	14.8	05.4-24.2	1	1.7	00.0-05.0
25-34	282	52,763	165	58.0	51.5-64.5	52	19.8	14.3-25.3	50	17.2	12.5-21.9	15	5.0	02.3-07.7
35-44	502	57,431	308	60.2	55.7-64.7	86	17.2	13.7-20.7	67	14.4	10.9-17.9	41	8.2	05.7-10.7
45-54	906	80,711	626	69.4	66.3-72.5	130	13.6	11.2-16.0	99	11.2	08.8-13.6	51	5.8	04.2-07.4
55-64	944	67,052	722	76.4	73.5-79.3	125	13.5	11.1-15.9	49	4.9	03.5-06.3	48	5.2	03.6-06.8
65+	1380	89,245	1188	87.3	85.3-89.3	109	7.4	05.8-09.0	41	2.5	01.7-03.3	42	2.8	01.8-03.8
Less Than H.S.	299	27,090	239	72.7	63.5-81.9	29	12.7	05.8-19.6	22	11.9	04.3-19.5	9	2.6	00.4-04.8
H.S. or G.E.D.	1204	102,736	933	74.1	70.6-77.6	144	13.4	10.7-16.1	77	8.4	06.0-10.8	50	4.2	02.8-05.6
Some Post-H.S.	1292	123,032	936	70.1	66.8-73.4	173	14.2	11.7-16.7	110	9.9	07.7-12.1	73	5.8	04.2-07.4
College Graduate	1324	130,266	973	70.8	67.9-73.7	172	14.1	11.7-16.5	110	10.0	07.8-12.2	69	5.0	03.6-06.4
Less than \$15,000	266	19,938	215	79.2	71.8-86.6	24	10.4	04.1-16.7	15	6.6	02.3-10.9	12	3.8	01.4-06.2
\$15,000- 24,999	587	44,679	456	70.4	64.3-76.5	61	12.5	08.0-17.0	42	11.2	06.3-16.1	28	5.9	03.2-08.6
\$25,000- 34,999	462	37,536	360	76.9	72.2-81.6	49	11.5	07.8-15.2	29	6.5	03.8-09.2	24	5.1	02.9-07.3
\$35,000- 49,999	620	61,468	460	71.3	66.4-76.2	82	14.5	10.4-18.6	46	9.2	06.1-12.3	32	5.0	02.6-07.4
\$50,000- 74,999	685	68,013	503	70.5	66.2-74.8	91	13.2	10.5-15.9	59	11.1	07.6-14.6	32	5.1	03.3-06.9
\$75,000+	921	98,251	639	66.2	62.5-69.9	144	17.2	14.1-20.3	95	12.0	09.3-14.7	43	4.6	03.0-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 5: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1597	186,419	1182	71.0	68.1-73.9	199	13.6	11.2-16.0	129	10.1	07.9-12.3	87	5.2	04.0-06.4
Non-Native	1535	176,585	1131	70.6	67.7-73.5	191	13.6	11.2-16.0	128	10.5	08.3-12.7	85	5.4	04.0-06.8
25-34	112	27,595	68	60.6	50.6-70.6	19	18.8	10.2-27.4	18	14.9	08.2-21.6	7	5.8	01.3-10.3
35-44	194	27,052	112	57.8	50.5-65.1	40	20.0	14.3-25.7	25	13.4	08.1-18.7	17	8.8	04.5-13.1
45-54	390	39,453	263	68.8	63.9-73.7	49	11.3	08.0-14.6	52	13.2	09.5-16.9	26	6.7	04.0-09.4
55-64	405	34,896	310	76.3	72.0-80.6	50	12.8	09.3-16.3	18	4.3	02.3-06.3	27	6.6	04.1-09.1
65+	454	38,089	400	88.7	85.6-91.8	36	7.8	05.1-10.5	9	1.6	00.4-02.8	9	1.9	00.5-03.3
Less Than H.S.	123	14,954				13	11.8	02.0-21.6				6	4.1	00.4-07.8
H.S. or G.E.D.	456	51,350	346	71.9	66.0-77.8	58	14.5	09.6-19.4	32	9.4	05.5-13.3	20	4.2	02.0-06.4
Some Post-H.S.	470	55,361	336	71.0	65.9-76.1	64	12.9	09.2-16.6	41	10.4	06.9-13.9	29	5.7	03.3-08.1
College Graduate	548	64,754	408	70.9	66.2-75.6	64	14.0	10.3-17.7	44	9.4	06.1-12.7	32	5.8	03.6-08.0
Less than \$15,000	84	8,443							4	2.8	00.1-05.5	5	4.9	00.2-09.6
\$15,000- 24,999	170	18,091				19	13.2	05.0-21.4				8	7.0	01.3-12.7
\$25,000- 34,999	158	17,106	124	79.3	71.9-86.7	13	9.2	03.7-14.7	12	6.7	02.4-11.0	9	4.8	01.5-08.1
\$35,000- 49,999	251	29,396	182	70.7	63.4-78.0	34	13.7	08.2-19.2	20	10.7	05.2-16.2	15	4.9	02.2-07.6
\$50,000- 74,999	307	35,364	235	72.6	66.1-79.1	32	10.5	06.8-14.2	25	11.4	05.5-17.3	15	5.4	02.7-08.1
\$75,000+	467	57,130	320	65.9	60.6-71.2	74	17.2	12.7-21.7	48	11.5	08.0-15.0	25	5.4	03.2-07.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 6: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD YOUR BLOOD CHOLESTEROL CHECKED? (CHOLCHK)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Year			1 - < 2 Years			2 - < 5 Years			≥ 5 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2524	196,771	1901	72.1	69.7-74.5	319	14.1	12.3-15.9	190	9.3	07.7-10.9	114	4.6	03.6-05.6
Native	58	6,679				3	4.6	00.0-10.3				3	3.3	00.0-07.8
Non-Native	2438	188,594	1832	71.7	69.3-74.1	310	14.3	12.3-16.3	186	9.3	07.7-10.9	110	4.6	03.6-05.6
25-34	170	25,168	97	55.3	47.5-63.1	33	20.8	14.1-27.5	32	19.8	13.5-26.1	8	4.1	01.4-06.8
35-44	308	30,379	196	62.3	56.6-68.0	46	14.7	10.6-18.8	42	15.3	10.8-19.8	24	7.7	04.8-10.6
45-54	516	41,259	363	69.9	65.8-74.0	81	15.8	12.5-19.1	47	9.3	06.6-12.0	25	4.9	02.9-06.9
55-64	539	32,156	412	76.5	72.8-80.2	75	14.3	11.2-17.4	31	5.5	03.5-07.5	21	3.8	02.0-05.6
65+	926	51,156	788	86.3	83.9-88.7	73	7.1	05.3-08.9	32	3.1	01.9-04.3	33	3.5	02.3-04.7
Less Than H.S.	176	12,137				16	13.7	04.1-23.3	10	8.1	01.8-14.4	3	0.9	00.0-01.9
H.S. or G.E.D.	748	51,386	587	76.2	72.5-79.9	86	12.4	09.7-15.1	45	7.3	04.8-09.8	30	4.1	02.5-05.7
Some Post-H.S.	822	67,671	600	69.4	64.9-73.9	109	15.2	11.5-18.9	69	9.6	06.9-12.3	44	5.9	03.7-08.1
College Graduate	776	65,512	565	70.7	67.0-74.4	108	14.3	11.6-17.0	66	10.6	07.9-13.3	37	4.3	02.7-05.9
Less than \$15,000	182	11,495	149	80.8	72.8-88.8	15	6.8	02.9-10.7	11	9.5	02.4-16.6	7	3.0	00.6-05.4
\$15,000- 24,999	417	26,588	326	74.1	68.0-80.2	42	12.1	06.8-17.4	29	8.7	05.0-12.4	20	5.1	02.7-07.5
\$25,000- 34,999	304	20,430	236	74.9	69.0-80.8	36	13.5	08.6-18.4	17	6.3	03.0-09.6	15	5.3	02.4-08.2
\$35,000- 49,999	369	32,071	278	71.8	64.9-78.7	48	15.3	09.2-21.4	26	7.8	04.5-11.1	17	5.0	01.3-08.7
\$50,000- 74,999	378	32,648	268	68.2	62.9-73.5	59	16.1	11.8-20.4	34	10.8	07.1-14.5	17	4.8	02.4-07.2
\$75,000+	454	41,121	319	66.6	61.5-71.7	70	17.1	13.2-21.0	47	12.8	08.9-16.7	18	3.5	01.9-05.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 7: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4125	384,580	1685	34.8	33.0-36.6	2440	65.2	63.4-67.0
Male	1594	187,127	670	35.4	32.7-38.1	924	64.6	61.9-67.3
Female	2531	197,453	1015	34.2	32.0-36.4	1516	65.8	63.6-68.0
Non-Native	3977	366,364	1632	35.0	33.2-36.8	2345	65.0	63.2-66.8
18-24	64	34,230	6	9.1	01.8-16.4	58	90.9	83.6-98.2
25-34	285	53,132	44	13.9	09.4-18.4	241	86.1	81.6-90.6
35-44	503	57,619	123	24.5	20.6-28.4	380	75.5	71.6-79.4
45-54	906	80,778	302	34.2	30.9-37.5	604	65.8	62.5-69.1
55-64	943	67,116	488	52.2	48.7-55.7	455	47.8	44.3-51.3
65+	1379	89,020	709	51.3	48.4-54.2	670	48.7	45.8-51.6
Less Than H.S.	301	27,282	141	37.8	29.6-46.0	160	62.2	54.0-70.4
H.S. or G.E.D.	1203	103,341	543	38.2	34.9-41.5	660	61.8	58.5-65.1
Some Post-H.S.	1291	123,157	524	34.9	31.6-38.2	767	65.1	61.8-68.4
College Graduate	1328	130,736	477	31.3	28.6-34.0	851	68.7	66.0-71.4
Less than \$15,000	268	20,105	138	43.1	34.5-51.7	130	56.9	48.3-65.5
\$15,000- 24,999	588	44,728	270	38.0	33.1-42.9	318	62.0	57.1-66.9
\$25,000- 34,999	458	37,499	206	39.6	34.1-45.1	252	60.4	54.9-65.9
\$35,000- 49,999	620	61,518	250	34.0	29.5-38.5	370	66.0	61.5-70.5
\$50,000- 74,999	683	67,818	271	35.2	31.3-39.1	412	64.8	60.9-68.7
\$75,000+	923	98,478	306	29.6	26.5-32.7	617	70.4	67.3-73.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 8: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1594	187,127	670	35.4	32.7-38.1	924	64.6	61.9-67.3
Non-Native	1532	177,294	646	35.3	32.6-38.0	886	64.7	62.0-67.4
25-34	112	27,709	16	13.4	06.3-20.5	96	86.6	79.5-93.7
35-44	195	27,192	56	28.5	21.8-35.2	139	71.5	64.8-78.2
45-54	389	39,404	152	39.1	33.8-44.4	237	60.9	55.6-66.2
55-64	404	34,896	217	53.4	48.3-58.5	187	46.6	41.5-51.7
65+	451	37,730	221	48.5	43.6-53.4	230	51.5	46.6-56.4
H.S. or G.E.D.	454	51,898	196	34.8	29.7-39.9	258	65.2	60.1-70.3
Some Post-H.S.	468	55,308	197	36.7	31.4-42.0	271	63.3	58.0-68.6
College Graduate	549	64,968	229	35.4	30.9-39.9	320	64.6	60.1-69.1
\$15,000- 24,999	169	18,046	71	32.7	24.3-41.1	98	67.3	58.9-75.7
\$25,000- 34,999	156	17,003	69	37.9	28.5-47.3	87	62.1	52.7-71.5
\$35,000- 49,999	251	29,445	103	33.2	26.7-39.7	148	66.8	60.3-73.3
\$50,000- 74,999	306	35,240	142	40.5	34.2-46.8	164	59.5	53.2-65.8
\$75,000+	467	57,260	170	31.5	26.8-36.2	297	68.5	63.8-73.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 9: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOUR BLOOD CHOLESTEROL IS HIGH? (TOLDHI2)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2531	197,453	1015	34.2	32.0-36.4	1516	65.8	63.6-68.0
Non-Native	2445	189,070	986	34.7	32.5-36.9	1459	65.3	63.1-67.5
25-34	173	25,423	28	14.3	09.2-19.4	145	85.7	80.6-90.8
35-44	308	30,427	67	20.9	16.2-25.6	241	79.1	74.4-83.8
45-54	517	41,375	150	29.4	25.3-33.5	367	70.6	66.5-74.7
55-64	539	32,220	271	50.8	46.3-55.3	268	49.2	44.7-53.7
65+	928	51,291	488	53.3	49.8-56.8	440	46.7	43.2-50.2
H.S. or G.E.D.	749	51,443	347	41.6	37.5-45.7	402	58.4	54.3-62.5
Some Post-H.S.	823	67,848	327	33.5	29.6-37.4	496	66.5	62.6-70.4
College Graduate	779	65,769	248	27.2	23.9-30.5	531	72.8	69.5-76.1
Less than \$15,000	186	11,810	95	38.0	29.0-47.0	91	62.0	53.0-71.0
\$15,000- 24,999	419	26,683	199	41.6	35.7-47.5	220	58.4	52.5-64.3
\$25,000- 34,999	302	20,495	137	41.0	34.9-47.1	165	59.0	52.9-65.1
\$35,000- 49,999	369	32,073	147	34.6	28.3-40.9	222	65.4	59.1-71.7
\$50,000- 74,999	377	32,577	129	29.4	24.5-34.3	248	70.6	65.7-75.5
\$75,000+	456	41,218	136	26.9	22.6-31.2	320	73.1	68.8-77.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	59
2	MALES ONLY	60
3	FEMALES ONLY	61
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	62
5	MALES ONLY	63
6	FEMALES ONLY	64
	[HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	65
8	MALES ONLY	66
9	FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4744	495,036	255	3.9	03.3-04.5	4489	96.1	95.5-96.7
Male	1891	246,928	144	5.2	04.2-06.2	1747	94.8	93.8-95.8
Female	2853	248,108	111	2.6	02.0-03.2	2742	97.4	96.8-98.0
Native	130	22,993	7	3.3	00.6-06.0	123	96.7	94.0-99.4
Non-Native	4545	465,562	242	3.9	03.3-04.5	4303	96.1	95.5-96.7
18-24	149	80,194				149	100.0	0100-0100
25-34	432	81,579				432	100.0	0100-0100
35-44	642	74,670	6	1.1	00.1-02.1	636	98.9	97.9-99.9
45-54	1023	90,967	21	2.1	01.1-03.1	1002	97.9	96.9-98.9
55-64	994	70,621	52	5.6	04.0-07.2	942	94.4	92.8-96.0
65+	1453	93,916	174	13.4	11.4-15.4	1279	86.6	84.6-88.6
Less Than H.S.	363	41,716	42	7.9	05.0-10.8	321	92.1	89.2-95.0
H.S. or G.E.D.	1407	139,571	105	5.7	04.5-06.9	1302	94.3	93.1-95.5
Some Post-H.S.	1479	156,306	66	3.1	02.3-03.9	1413	96.9	96.1-97.7
College Graduate	1492	157,300	42	2.1	01.5-02.7	1450	97.9	97.3-98.5
Less than \$15,000	336	31,413	44	9.4	06.1-12.7	292	90.6	87.3-93.9
\$15,000- 24,999	664	56,464	66	7.7	05.5-09.9	598	92.3	90.1-94.5
\$25,000- 34,999	538	50,651	35	5.5	03.5-07.5	503	94.5	92.5-96.5
\$35,000- 49,999	707	75,675	30	3.6	02.2-05.0	677	96.4	95.0-97.8
\$50,000- 74,999	785	84,067	14	1.5	00.7-02.3	771	98.5	97.7-99.3
\$75,000+	1033	119,108	25	1.9	01.1-02.7	1008	98.1	97.3-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	246,928	144	5.2	04.2-06.2	1747	94.8	93.8-95.8
Non-Native	1810	231,069	136	5.2	04.2-06.2	1674	94.8	93.8-95.8
18-24	73	42,426				73	100.0	0100-0100
25-34	178	43,663				178	100.0	0100-0100
35-44	269	37,994	5	1.9	00.1-03.7	264	98.1	96.3-99.9
45-54	451	45,034	13	2.9	01.1-04.7	438	97.1	95.3-98.9
55-64	432	37,046	40	9.0	06.3-11.7	392	91.0	88.3-93.7
65+	478	39,932	85	18.5	14.8-22.2	393	81.5	77.8-85.2
Less Than H.S.	148	20,525	20	9.9	04.8-15.0	128	90.1	85.0-95.2
H.S. or G.E.D.	565	73,738	59	7.2	05.2-09.2	506	92.8	90.8-94.8
Some Post-H.S.	559	74,325	37	4.2	02.8-05.6	522	95.8	94.4-97.2
College Graduate	619	78,339	28	3.0	01.8-04.2	591	97.0	95.8-98.2
Less than \$15,000	112	12,850	21	15.0	07.6-22.4	91	85.0	77.6-92.4
\$15,000- 24,999	203	25,289	30	9.3	05.6-13.0	173	90.7	87.0-94.4
\$25,000- 34,999	192	23,604	21	7.8	04.3-11.3	171	92.2	88.7-95.7
\$35,000- 49,999	301	37,420	20	5.3	02.9-07.7	281	94.7	92.3-97.1
\$50,000- 74,999	355	45,184	13	2.7	01.1-04.3	342	97.3	95.7-98.9
\$75,000+	534	69,457	20	2.7	01.5-03.9	514	97.3	96.1-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2853	248,108	111	2.6	02.0-03.2	2742	97.4	96.8-98.0
Native	87	11,812	2	1.5	00.0-03.7	85	98.5	96.3-0100
Non-Native	2735	234,493	106	2.6	02.0-03.2	2629	97.4	96.8-98.0
18-24	76	37,768				76	100.0	0100-0100
25-34	254	37,916				254	100.0	0100-0100
35-44	373	36,676	1	0.3	00.0-00.9	372	99.7	99.1-0100
45-54	572	45,933	8	1.3	00.3-02.3	564	98.7	97.7-99.7
55-64	562	33,575	12	1.7	00.7-02.7	550	98.3	97.3-99.3
65+	975	53,984	89	9.6	07.6-11.6	886	90.4	88.4-92.4
Less Than H.S.	215	21,191	22	5.9	03.0-08.8	193	94.1	91.2-97.0
H.S. or G.E.D.	842	65,833	46	4.0	02.6-05.4	796	96.0	94.6-97.4
Some Post-H.S.	920	81,981	29	2.0	01.2-02.8	891	98.0	97.2-98.8
College Graduate	873	78,961	14	1.2	00.6-01.8	859	98.8	98.2-99.4
Less than \$15,000	224	18,563	23	5.5	03.0-08.0	201	94.5	92.0-97.0
\$15,000- 24,999	461	31,175	36	6.5	04.1-08.9	425	93.5	91.1-95.9
\$25,000- 34,999	346	27,047	14	3.5	01.5-05.5	332	96.5	94.5-98.5
\$35,000- 49,999	406	38,255	10	2.0	00.6-03.4	396	98.0	96.6-99.4
\$50,000- 74,999	430	38,883	1	0.2	00.0-00.6	429	99.8	99.4-0100
\$75,000+	499	49,651	5	0.8	00.2-01.4	494	99.2	98.6-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 4: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRD4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4697	491,358	239	3.6	03.0-04.2	4458	96.4	95.8-97.0
Male	1865	244,180	128	4.7	03.9-05.5	1737	95.3	94.5-96.1
Female	2832	247,177	111	2.5	01.9-03.1	2721	97.5	96.9-98.1
Native	131	23,036	10	4.1	01.2-07.0	121	95.9	93.0-98.8
Non-Native	4499	461,918	223	3.5	02.9-04.1	4276	96.5	95.9-97.1
18-24	149	80,194				149	100.0	0100-0100
25-34	433	81,642	1	0.1	00.0-00.3	432	99.9	99.7-0100
35-44	639	74,109	5	0.8	00.0-01.6	634	99.2	98.4-0100
45-54	1018	90,445	22	2.2	01.2-03.2	996	97.8	96.8-98.8
55-64	986	69,950	55	6.1	04.3-07.9	931	93.9	92.1-95.7
65+	1422	92,035	155	11.7	09.7-13.7	1267	88.3	86.3-90.3
Less Than H.S.	351	40,869	34	5.8	03.4-08.2	317	94.2	91.8-96.6
H.S. or G.E.D.	1383	137,742	93	5.1	03.9-06.3	1290	94.9	93.7-96.1
Some Post-H.S.	1475	155,972	70	3.2	02.4-04.0	1405	96.8	96.0-97.6
College Graduate	1485	156,633	42	2.2	01.4-03.0	1443	97.8	97.0-98.6
Less than \$15,000	325	30,617	31	6.1	03.6-08.6	294	93.9	91.4-96.4
\$15,000- 24,999	663	56,680	54	6.3	04.5-08.1	609	93.7	91.9-95.5
\$25,000- 34,999	531	49,899	43	5.8	03.8-07.8	488	94.2	92.2-96.2
\$35,000- 49,999	702	75,184	31	3.8	02.2-05.4	671	96.2	94.6-97.8
\$50,000- 74,999	781	83,729	16	1.8	00.8-02.8	765	98.2	97.2-99.2
\$75,000+	1029	118,599	26	1.9	01.1-02.7	1003	98.1	97.3-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 5: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1865	244,180	128	4.7	03.9-05.5	1737	95.3	94.5-96.1
Non-Native	1785	228,438	118	4.6	03.6-05.6	1667	95.4	94.4-96.4
18-24	73	42,426				73	100.0	0100-0100
25-34	177	43,435				177	100.0	0100-0100
35-44	266	37,433	4	1.4	00.0-02.8	262	98.6	97.2-0100
45-54	448	44,667	10	2.5	00.9-04.1	438	97.5	95.9-99.1
55-64	427	36,520	41	9.6	06.7-12.5	386	90.4	87.5-93.3
65+	465	38,940	73	16.1	12.6-19.6	392	83.9	80.4-87.4
Less Than H.S.	143	19,917	16	7.2	03.3-11.1	127	92.8	88.9-96.7
H.S. or G.E.D.	551	72,414	44	5.5	03.7-07.3	507	94.5	92.7-96.3
Some Post-H.S.	558	74,121	40	4.6	03.0-06.2	518	95.4	93.8-97.0
College Graduate	613	77,728	28	3.4	02.0-04.8	585	96.6	95.2-98.0
Less than \$15,000	107	12,318	13	8.3	03.2-13.4	94	91.7	86.6-96.8
\$15,000- 24,999	203	25,423	23	7.6	04.3-10.9	180	92.4	89.1-95.7
\$25,000- 34,999	184	22,756	20	7.1	03.6-10.6	164	92.9	89.4-96.4
\$35,000- 49,999	297	36,992	19	5.4	02.9-07.9	278	94.6	92.1-97.1
\$50,000- 74,999	353	44,870	13	2.8	01.2-04.4	340	97.2	95.6-98.8
\$75,000+	530	68,948	22	2.9	01.5-04.3	508	97.1	95.7-98.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 6: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2832	247,177	111	2.5	01.9-03.1	2721	97.5	96.9-98.1	
Native	87	11,812	4	2.2	00.0-04.6	83	97.8	95.4-0100	
Non-Native	2714	233,480	105	2.5	01.9-03.1	2609	97.5	96.9-98.1	
18-24	76	37,768				76	100.0	0100-0100	
25-34	256	38,207	1	0.3	00.0-00.9	255	99.7	99.1-0100	
35-44	373	36,676	1	0.1	00.0-00.3	372	99.9	99.7-0100	
45-54	570	45,778	12	1.9	00.7-03.1	558	98.1	96.9-99.3	
55-64	559	33,430	14	2.2	01.0-03.4	545	97.8	96.6-99.0	
65+	957	53,094	82	8.4	06.4-10.4	875	91.6	89.6-93.6	
Less Than H.S.	208	20,952	18	4.5	02.1-06.9	190	95.5	93.1-97.9	
H.S. or G.E.D.	832	65,328	49	4.6	03.2-06.0	783	95.4	94.0-96.8	
Some Post-H.S.	917	81,851	30	1.9	01.1-02.7	887	98.1	97.3-98.9	
College Graduate	872	78,905	14	0.9	00.3-01.5	858	99.1	98.5-99.7	
Less than \$15,000	218	18,299	18	4.6	02.2-07.0	200	95.4	93.0-97.8	
\$15,000- 24,999	460	31,256	31	5.2	03.2-07.2	429	94.8	92.8-96.8	
\$25,000- 34,999	347	27,143	23	4.7	02.7-06.7	324	95.3	93.3-97.3	
\$35,000- 49,999	405	38,192	12	2.2	00.8-03.6	393	97.8	96.4-99.2	
\$50,000- 74,999	428	38,859	3	0.7	00.0-01.5	425	99.3	98.5-0100	
\$75,000+	499	49,651	4	0.4	00.0-00.8	495	99.6	99.2-0100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 7: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4756	497,002	187	2.9	02.3-03.5	4569	97.1	96.5-97.7
Male	1896	248,147	78	2.7	02.1-03.3	1818	97.3	96.7-97.9
Female	2860	248,856	109	3.0	02.2-03.8	2751	97.0	96.2-97.8
Native	131	23,036	8	4.8	00.9-08.7	123	95.2	91.3-99.1
Non-Native	4555	467,339	176	2.8	02.2-03.4	4379	97.2	96.6-97.8
18-24	150	81,057	2	1.0	00.0-02.6	148	99.0	97.4-0100
25-34	434	81,870				434	100.0	0100-0100
35-44	642	74,670	10	1.7	00.5-02.9	632	98.3	97.1-99.5
45-54	1024	91,118	18	1.7	00.7-02.7	1006	98.3	97.3-99.3
55-64	993	70,497	32	3.2	02.0-04.4	961	96.8	95.6-98.0
65+	1461	94,669	122	8.7	07.1-10.3	1339	91.3	89.7-92.9
Less Than H.S.	364	41,943	39	7.0	04.5-09.5	325	93.0	90.5-95.5
H.S. or G.E.D.	1415	140,912	62	3.2	02.2-04.2	1353	96.8	95.8-97.8
Some Post-H.S.	1482	156,577	49	2.6	01.6-03.6	1433	97.4	96.4-98.4
College Graduate	1492	157,428	36	1.8	01.2-02.4	1456	98.2	97.6-98.8
Less than \$15,000	332	31,152	33	8.4	04.1-12.7	299	91.6	87.3-95.9
\$15,000- 24,999	668	56,970	49	5.8	04.0-07.6	619	94.2	92.4-96.0
\$25,000- 34,999	541	50,853	22	3.0	01.6-04.4	519	97.0	95.6-98.4
\$35,000- 49,999	708	75,761	26	2.8	01.6-04.0	682	97.2	96.0-98.4
\$50,000- 74,999	788	84,342	16	1.7	00.7-02.7	772	98.3	97.3-99.3
\$75,000+	1033	119,102	15	1.1	00.5-01.7	1018	98.9	98.3-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 8: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1896	248,147	78	2.7	02.1-03.3	1818	97.3	96.7-97.9
Non-Native	1814	232,245	74	2.7	02.1-03.3	1740	97.3	96.7-97.9
18-24	74	43,289				74	100.0	0100-0100
25-34	178	43,663				178	100.0	0100-0100
35-44	269	37,994	5	1.7	00.1-03.3	264	98.3	96.7-99.9
45-54	451	45,108	11	2.0	00.6-03.4	440	98.0	96.6-99.4
55-64	432	36,955	13	2.8	01.2-04.4	419	97.2	95.6-98.8
65+	482	40,306	49	10.2	07.3-13.1	433	89.8	86.9-92.7
Less Than H.S.	150	20,686	19	8.4	03.9-12.9	131	91.6	87.1-96.1
H.S. or G.E.D.	568	74,760	23	2.6	01.4-03.8	545	97.4	96.2-98.6
Some Post-H.S.	559	74,337	16	1.8	00.8-02.8	543	98.2	97.2-99.2
College Graduate	619	78,364	20	2.2	01.2-03.2	599	97.8	96.8-98.8
Less than \$15,000	109	12,620	10	6.8	01.9-11.7	99	93.2	88.3-98.1
\$15,000- 24,999	207	25,590	14	4.6	02.1-07.1	193	95.4	92.9-97.9
\$25,000- 34,999	192	23,604	11	3.7	01.3-06.1	181	96.3	93.9-98.7
\$35,000- 49,999	302	37,506	14	3.2	01.4-05.0	288	96.8	95.0-98.6
\$50,000- 74,999	356	45,282	7	1.3	00.3-02.3	349	98.7	97.7-99.7
\$75,000+	534	69,451	10	1.3	00.5-02.1	524	98.7	97.9-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 9: CARDIOVASCULAR DISEASE PREVALENCE**

TABLE 9: [HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:] (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2860	248,856	109	3.0	02.2-03.8	2751	97.0	96.2-97.8	
Native	87	11,812	5	5.8	00.0-12.1	82	94.2	87.9-0100	
Non-Native	2741	235,094	102	2.9	02.1-03.7	2639	97.1	96.3-97.9	
18-24	76	37,768	2	2.2	00.0-05.3	74	97.8	94.7-0100	
25-34	256	38,207				256	100.0	0100-0100	
35-44	373	36,676	5	1.7	00.0-03.5	368	98.3	96.5-0100	
45-54	573	46,010	7	1.3	00.1-02.5	566	98.7	97.5-99.9	
55-64	561	33,542	19	3.6	02.0-05.2	542	96.4	94.8-98.0	
65+	979	54,363	73	7.5	05.7-09.3	906	92.5	90.7-94.3	
Less Than H.S.	214	21,258	20	5.6	02.7-08.5	194	94.4	91.5-97.3	
H.S. or G.E.D.	847	66,152	39	3.9	02.3-05.5	808	96.1	94.5-97.7	
Some Post-H.S.	923	82,240	33	3.3	01.5-05.1	890	96.7	94.9-98.5	
College Graduate	873	79,064	16	1.4	00.6-02.2	857	98.6	97.8-99.4	
Less than \$15,000	223	18,531	23	9.5	03.0-16.0	200	90.5	84.0-97.0	
\$15,000- 24,999	461	31,380	35	6.8	04.3-09.3	426	93.2	90.7-95.7	
\$25,000- 34,999	349	27,249	11	2.4	00.8-04.0	338	97.6	96.0-99.2	
\$35,000- 49,999	406	38,255	12	2.3	00.5-04.1	394	97.7	95.9-99.5	
\$50,000- 74,999	432	39,060	9	2.0	00.2-03.8	423	98.0	96.2-99.8	
\$75,000+	499	49,651	5	0.8	00.0-01.6	494	99.2	98.4-0100	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 10: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	69
2	MALES ONLY	70
3	FEMALES ONLY	71
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	72
5	MALES ONLY	73
6	FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4752	496,328	520	12.0	10.6-13.4	4232	88.0	86.6-89.4
Male	1894	247,703	178	9.2	07.6-10.8	1716	90.8	89.2-92.4
Female	2858	248,626	342	14.7	12.5-16.9	2516	85.3	83.1-87.5
Native	131	23,036	20	12.7	05.1-20.3	111	87.3	79.7-94.9
Non-Native	4551	466,665	490	12.0	10.6-13.4	4061	88.0	86.6-89.4
18-24	150	81,057	26	16.9	10.6-23.2	124	83.1	76.8-89.4
25-34	433	81,797	59	12.6	09.3-15.9	374	87.4	84.1-90.7
35-44	642	74,670	72	11.9	09.2-14.6	570	88.1	85.4-90.8
45-54	1021	90,551	103	10.4	08.4-12.4	918	89.6	87.6-91.6
55-64	993	70,511	98	9.5	07.5-11.5	895	90.5	88.5-92.5
65+	1461	94,621	155	10.6	08.8-12.4	1306	89.4	87.6-91.2
Less Than H.S.	365	41,991	54	11.6	07.5-15.7	311	88.4	84.3-92.5
H.S. or G.E.D.	1410	140,507	155	11.9	09.5-14.3	1255	88.1	85.7-90.5
Some Post-H.S.	1479	156,185	171	12.9	10.4-15.4	1308	87.1	84.6-89.6
College Graduate	1495	157,503	139	11.2	08.8-13.6	1356	88.8	86.4-91.2
Less than \$15,000	334	31,309	63	18.7	12.6-24.8	271	81.3	75.2-87.4
\$15,000- 24,999	667	56,758	80	11.6	08.5-14.7	587	88.4	85.3-91.5
\$25,000- 34,999	540	50,746	58	9.9	07.0-12.8	482	90.1	87.2-93.0
\$35,000- 49,999	707	75,663	78	14.4	10.3-18.5	629	85.6	81.5-89.7
\$50,000- 74,999	787	84,250	69	10.2	07.3-13.1	718	89.8	86.9-92.7
\$75,000+	1033	118,906	92	10.5	07.8-13.2	941	89.5	86.8-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1894	247,703	178	9.2	07.6-10.8	1716	90.8	89.2-92.4
Non-Native	1812	231,801	166	9.3	07.5-11.1	1646	90.7	88.9-92.5
18-24	74	43,289	4	5.1	00.0-10.4	70	94.9	89.6-0100
25-34	178	43,663	18	9.4	04.9-13.9	160	90.6	86.1-95.1
35-44	269	37,994	31	12.4	08.1-16.7	238	87.6	83.3-91.9
45-54	449	44,618	42	10.3	07.2-13.4	407	89.7	86.6-92.8
55-64	432	37,000	35	8.1	05.4-10.8	397	91.9	89.2-94.6
65+	482	40,306	47	10.3	07.4-13.2	435	89.7	86.8-92.6
Less Than H.S.	150	20,686	20	9.9	04.8-15.0	130	90.1	85.0-95.2
H.S. or G.E.D.	566	74,561	61	9.8	06.9-12.7	505	90.2	87.3-93.1
Some Post-H.S.	558	74,092	49	7.7	05.3-10.1	509	92.3	89.9-94.7
College Graduate	620	78,364	48	9.9	06.4-13.4	572	90.1	86.6-93.6
Less than \$15,000	112	12,850	17	14.0	06.6-21.4	95	86.0	78.6-93.4
\$15,000- 24,999	205	25,388	19	7.8	03.7-11.9	186	92.2	88.1-96.3
\$25,000- 34,999	191	23,518	20	9.4	04.7-14.1	171	90.6	85.9-95.3
\$35,000- 49,999	301	37,408	27	8.3	05.0-11.6	274	91.7	88.4-95.0
\$50,000- 74,999	355	45,190	29	9.0	05.1-12.9	326	91.0	87.1-94.9
\$75,000+	534	69,255	48	10.4	06.7-14.1	486	89.6	85.9-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2858	248,626	342	14.7	12.5-16.9	2516	85.3	83.1-87.5
Non-Native	2739	234,864	324	14.6	12.4-16.8	2415	85.4	83.2-87.6
25-34	255	38,134	41	16.2	11.3-21.1	214	83.8	78.9-88.7
35-44	373	36,676	41	11.3	07.8-14.8	332	88.7	85.2-92.2
45-54	572	45,933	61	10.6	07.9-13.3	511	89.4	86.7-92.1
55-64	561	33,510	63	11.1	08.4-13.8	498	88.9	86.2-91.6
65+	979	54,316	108	10.7	08.7-12.7	871	89.3	87.3-91.3
Less Than H.S.	215	21,305	34	13.3	06.8-19.8	181	86.7	80.2-93.2
H.S. or G.E.D.	844	65,947	94	14.2	10.3-18.1	750	85.8	81.9-89.7
Some Post-H.S.	921	82,093	122	17.5	13.2-21.8	799	82.5	78.2-86.8
College Graduate	875	79,139	91	12.5	09.2-15.8	784	87.5	84.2-90.8
Less than \$15,000	222	18,459	46	22.0	13.4-30.6	176	78.0	69.4-86.6
\$15,000- 24,999	462	31,371	61	14.8	10.5-19.1	401	85.2	80.9-89.5
\$25,000- 34,999	349	27,228	38	10.3	06.8-13.8	311	89.7	86.2-93.2
\$35,000- 49,999	406	38,255	51	20.4	13.1-27.7	355	79.6	72.3-86.9
\$50,000- 74,999	432	39,060	40	11.5	07.2-15.8	392	88.5	84.2-92.8
\$75,000+	499	49,651	44	10.7	06.6-14.8	455	89.3	85.2-93.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	504	57,881	384	75.2	69.7-80.7	120	24.8	19.3-30.3
Male	169	21,618	114	67.3	58.1-76.5	55	32.7	23.5-41.9
Female	335	36,263	270	80.0	73.5-86.5	65	20.0	13.5-26.5
Non-Native	477	54,579	361	74.7	69.0-80.4	116	25.3	19.6-31.0
45-54	100	9,048	75	74.6	65.4-83.8	25	25.4	16.2-34.6
55-64	94	6,560	73	76.7	67.5-85.9	21	23.3	14.1-32.5
65+	150	9,677	122	80.9	74.0-87.8	28	19.1	12.2-26.0
H.S. or G.E.D.	149	15,996	119	79.6	70.0-89.2	30	20.4	10.8-30.0
Some Post-H.S.	166	19,635	124	77.7	70.1-85.3	42	22.3	14.7-29.9
\$25,000- 34,999	55	4,725	47	85.5	75.5-95.5	8	14.5	04.5-24.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	169	21,618	114	67.3	57.9-76.7	55	32.7	23.3-42.1
Non-Native	159	20,487	108	68.0	58.4-77.6	51	32.0	22.4-41.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	335	36,263	270	80.0	73.5-86.5	65	20.0	13.5-26.5
Non-Native	318	34,092	253	78.7	71.8-85.6	65	21.3	14.4-28.2
45-54	61	4,861	52	84.5	74.7-94.3	9	15.5	05.7-25.3
55-64	59	3,563	48	82.8	73.2-92.4	11	17.2	07.6-26.8
65+	105	5,688	86	81.0	72.8-89.2	19	19.0	10.8-27.2
Some Post-H.S.	119	14,256	95	82.3	73.9-90.7	24	17.7	09.3-26.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	76
2 MALES ONLY	77
3 FEMALES ONLY	78
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	79
5 MALES ONLY	80
6 FEMALES ONLY	81
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	82
8 MALES ONLY	83
9 FEMALES ONLY	84
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)	
10 MALES AND FEMALES	85
11 MALES ONLY	86
12 FEMALES ONLY	87
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)	
13 MALES AND FEMALES	88
14 MALES ONLY	89
15 FEMALES ONLY	90

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4749	496,302	2166	42.6	40.6-44.6	2583	57.4	55.4-59.4
Male	1892	247,875	1011	46.9	43.8-50.0	881	53.1	50.0-56.2
Female	2857	248,428	1155	38.4	36.0-40.8	1702	61.6	59.2-64.0
Non-Native	4550	466,746	2038	41.1	39.1-43.1	2512	58.9	56.9-60.9
18-24	150	81,057	35	23.8	16.2-31.4	115	76.2	68.6-83.8
25-34	432	81,651	169	41.5	36.2-46.8	263	58.5	53.2-63.8
35-44	642	74,670	253	41.4	37.3-45.5	389	58.6	54.5-62.7
45-54	1024	91,012	477	45.2	41.9-48.5	547	54.8	51.5-58.1
55-64	988	70,250	507	52.6	49.3-55.9	481	47.4	44.1-50.7
65+	1462	94,573	704	50.8	48.1-53.5	758	49.2	46.5-51.9
Less Than H.S.	365	41,969	207	53.3	44.3-62.3	158	46.7	37.7-55.7
H.S. or G.E.D.	1412	140,794	756	50.9	47.0-54.8	656	49.1	45.2-53.0
Some Post-H.S.	1477	156,168	720	45.9	42.4-49.4	757	54.1	50.6-57.6
College Graduate	1492	157,230	482	29.0	26.3-31.7	1010	71.0	68.3-73.7
Less than \$15,000	332	31,157	192	55.5	47.1-63.9	140	44.5	36.1-52.9
\$15,000- 24,999	668	57,003	368	54.3	48.8-59.8	300	45.7	40.2-51.2
\$25,000- 34,999	542	50,896	271	48.9	42.6-55.2	271	51.1	44.8-57.4
\$35,000- 49,999	708	75,761	323	43.6	38.7-48.5	385	56.4	51.5-61.3
\$50,000- 74,999	786	84,202	348	42.2	38.1-46.3	438	57.8	53.7-61.9
\$75,000+	1031	118,835	409	36.9	33.4-40.4	622	63.1	59.6-66.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1892	247,875	1011	46.9	43.8-50.0	881	53.1	50.0-56.2
Non-Native	1810	231,973	954	45.6	42.5-48.7	856	54.4	51.3-57.5
25-34	178	43,663	60	39.0	30.8-47.2	118	61.0	52.8-69.2
35-44	269	37,994	121	45.9	39.6-52.2	148	54.1	47.8-60.4
45-54	452	45,157	227	46.9	42.0-51.8	225	53.1	48.2-58.0
55-64	428	36,772	261	60.5	55.6-65.4	167	39.5	34.6-44.4
65+	481	40,168	321	67.3	62.8-71.8	160	32.7	28.2-37.2
H.S. or G.E.D.	568	74,847	359	55.4	49.5-61.3	209	44.6	38.7-50.5
Some Post-H.S.	557	74,240	311	47.7	42.2-53.2	246	52.3	46.8-57.8
College Graduate	618	78,155	237	33.3	29.0-37.6	381	66.7	62.4-71.0
\$15,000- 24,999	206	25,576	126	56.0	46.4-65.6	80	44.0	34.4-53.6
\$35,000- 49,999	302	37,506	168	52.2	45.1-59.3	134	47.8	40.7-54.9
\$50,000- 74,999	354	45,141	176	43.8	37.5-50.1	178	56.2	49.9-62.5
\$75,000+	533	69,248	255	42.5	37.4-47.6	278	57.5	52.4-62.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2857	248,428	1155	38.4	36.0-40.8	1702	61.6	59.2-64.0
Non-Native	2740	234,773	1084	36.7	34.3-39.1	1656	63.3	60.9-65.7
18-24	76	37,768	19	22.5	12.9-32.1	57	77.5	67.9-87.1
25-34	254	37,988	109	44.3	37.8-50.8	145	55.7	49.2-62.2
35-44	373	36,676	132	36.7	31.4-42.0	241	63.3	58.0-68.6
45-54	572	45,855	250	43.4	39.1-47.7	322	56.6	52.3-60.9
55-64	560	33,478	246	44.0	39.7-48.3	314	56.0	51.7-60.3
65+	981	54,405	383	38.6	35.3-41.9	598	61.4	58.1-64.7
H.S. or G.E.D.	844	65,947	397	45.8	41.1-50.5	447	54.2	49.5-58.9
Some Post-H.S.	920	81,928	409	44.4	40.1-48.7	511	55.6	51.3-59.9
College Graduate	874	79,075	245	24.8	21.5-28.1	629	75.2	71.9-78.5
\$15,000- 24,999	462	31,426	242	52.9	46.8-59.0	220	47.1	41.0-53.2
\$25,000- 34,999	350	27,291	157	45.2	38.1-52.3	193	54.8	47.7-61.9
\$35,000- 49,999	406	38,255	155	35.1	29.0-41.2	251	64.9	58.8-71.0
\$50,000- 74,999	432	39,060	172	40.4	35.1-45.7	260	59.6	54.3-64.9
\$75,000+	498	49,586	154	29.1	24.4-33.8	344	70.9	66.2-75.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2165	211,491	602	31.4	28.5-34.3	208	12.3	09.9-14.7	1355	56.4	53.5-59.3
Male	1010	116,146	272	29.5	25.2-33.8	89	11.8	08.5-15.1	649	58.7	54.4-63.0
Female	1155	95,345	330	33.6	29.9-37.3	119	12.9	09.8-16.0	706	53.5	49.8-57.2
Non-Native	2038	192,053	554	29.6	26.9-32.3	183	11.3	09.1-13.5	1301	59.1	56.2-62.0
25-34	169	33,862	63	36.6	28.2-45.0	31	20.7	12.9-28.5	75	42.6	34.2-51.0
35-44	253	30,879	97	39.0	32.3-45.7	41	15.1	10.6-19.6	115	46.0	39.3-52.7
45-54	477	41,093	172	35.6	30.9-40.3	51	9.0	06.5-11.5	254	55.5	50.6-60.4
55-64	507	36,980	142	28.2	23.9-32.5	32	6.2	03.8-08.6	333	65.6	61.1-70.1
65+	703	48,022	102	12.4	09.9-14.9	39	5.7	03.7-07.7	562	81.8	78.7-84.9
Less Than H.S.	207	22,388				22	13.2	05.2-21.2			
H.S. or G.E.D.	755	71,676	225	35.7	30.4-41.0	69	12.7	08.4-17.0	461	51.6	46.5-56.7
Some Post-H.S.	720	71,746	220	33.2	28.5-37.9	75	13.7	09.8-17.6	425	53.1	48.4-57.8
College Graduate	482	45,604	98	19.0	15.1-22.9	42	9.0	06.1-11.9	342	72.0	67.3-76.7
Less than \$15,000	192	17,281							91	34.7	26.1-43.3
\$15,000- 24,999	368	30,934	115	38.8	31.5-46.1	48	12.2	08.3-16.1	205	49.0	41.9-56.1
\$25,000- 34,999	271	24,885				26	12.2	06.1-18.3	170	49.9	40.5-59.3
\$35,000- 49,999	323	33,002	94	30.6	24.1-37.1	25	10.9	05.0-16.8	204	58.5	51.4-65.6
\$50,000- 74,999	347	35,530	84	24.6	19.3-29.9	24	8.5	04.4-12.6	239	66.8	60.7-72.9
\$75,000+	409	43,870	95	24.8	19.7-29.9	38	11.5	07.0-16.0	276	63.7	57.8-69.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1010	116,146	272	29.5	25.2-33.8	89	11.8	08.7-14.9	649	58.7	54.4-63.0
Non-Native	954	105,804	256	28.1	24.0-32.2	79	10.8	07.7-13.9	619	61.2	56.9-65.5
35-44	121	17,430	48	37.8	28.6-47.0	18	14.3	07.8-20.8	55	47.9	38.3-57.5
45-54	227	21,177	90	38.0	31.1-44.9	24	8.9	05.2-12.6	113	53.1	46.0-60.2
55-64	261	22,237	70	27.7	21.8-33.6	16	5.3	02.6-08.0	175	67.0	60.9-73.1
65+	320	27,015	38	10.0	06.9-13.1	14	5.3	02.4-08.2	268	84.7	80.6-88.8
Less Than H.S.	104	13,295				10	10.8	02.0-19.6			
H.S. or G.E.D.	358	41,445	117	37.3	29.5-45.1	27	12.3	05.8-18.8	214	50.4	43.0-57.8
Some Post-H.S.	311	35,388	88	29.6	22.9-36.3	31	13.7	07.8-19.6	192	56.8	49.5-64.1
College Graduate	237	26,019	44	16.5	11.4-21.6	21	8.9	04.6-13.2	172	74.6	68.3-80.9
\$15,000- 24,999	126	14,315				15	9.8	04.1-15.5			
\$25,000- 34,999	114	12,555				13	11.7	03.9-19.5			
\$35,000- 49,999	168	19,590	46	26.5	18.5-34.5	9	11.2	02.0-20.4	113	62.3	52.3-72.3
\$50,000- 74,999	175	19,759	35	20.9	13.8-28.0	15	9.0	04.3-13.7	125	70.1	62.1-78.1
\$75,000+	255	29,427	60	22.9	17.0-28.8	21	11.9	05.6-18.2	174	65.3	58.0-72.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1155	95,345	330	33.6	29.9-37.3	119	12.9	09.8-16.0	706	53.5	49.8-57.2
Non-Native	1084	86,249	298	31.5	27.8-35.2	104	11.9	08.8-15.0	682	56.6	52.7-60.5
25-34	109	16,827	45	43.9	33.9-53.9	20	16.7	09.6-23.8	44	39.4	29.8-49.0
35-44	132	13,449	49	40.5	31.3-49.7	23	16.1	09.6-22.6	60	43.5	34.5-52.5
45-54	250	19,916	82	33.0	26.5-39.5	27	9.0	05.5-12.5	141	58.0	51.3-64.7
55-64	246	14,744	72	28.9	22.8-35.0	16	7.4	03.5-11.3	158	63.6	56.9-70.3
65+	383	21,007	64	15.6	11.7-19.5	25	6.3	03.8-08.8	294	78.1	73.8-82.4
H.S. or G.E.D.	397	30,231	108	33.4	27.1-39.7	42	13.3	07.8-18.8	247	53.3	46.8-59.8
Some Post-H.S.	409	36,357	132	36.7	30.2-43.2	44	13.7	08.6-18.8	233	49.6	43.3-55.9
College Graduate	245	19,585	54	22.4	16.3-28.5	21	9.1	05.0-13.2	170	68.5	61.8-75.2
\$15,000- 24,999	242	16,618	72	37.7	29.5-45.9	33	14.3	08.8-19.8	137	47.9	40.1-55.7
\$25,000- 34,999	157	12,330	41	33.1	23.3-42.9	13	12.8	03.8-21.8			
\$35,000- 49,999	155	13,413	48	36.6	26.8-46.4	16	10.3	04.8-15.8	91	53.1	43.5-62.7
\$50,000- 74,999	172	15,770	49	29.3	21.5-37.1	9	8.0	00.7-15.3	114	62.7	53.7-71.7
\$75,000+	154	14,443	35	28.8	19.4-38.2	17	10.8	05.7-15.9	102	60.4	51.0-69.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	810	92,295	425	54.9	49.8-60.0	385	45.1	40.0-50.2	
Male	361	47,933	178	51.7	43.9-59.5	183	48.3	40.5-56.1	
Female	449	44,362	247	58.2	52.1-64.3	202	41.8	35.7-47.9	
Non-Native	737	78,555	381	56.6	51.7-61.5	356	43.4	38.5-48.3	
35-44	138	16,687	73	51.9	42.7-61.1	65	48.1	38.9-57.3	
45-54	223	18,306	115	49.4	42.1-56.7	108	50.6	43.3-57.9	
55-64	174	12,704	93	51.9	43.7-60.1	81	48.1	39.9-56.3	
65+	141	8,725	64	48.6	39.4-57.8	77	51.4	42.2-60.6	
H.S. or G.E.D.	294	34,684	157	56.7	48.1-65.3	137	43.3	34.7-51.9	
Some Post-H.S.	295	33,625	158	55.7	48.1-63.3	137	44.3	36.7-51.9	
College Graduate	140	12,774	69	49.5	39.9-59.1	71	50.5	40.9-60.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	361	47,933	178	51.7	43.9-59.5	183	48.3	40.5-56.1	
Non-Native	335	41,086	164	55.1	47.5-62.7	171	44.9	37.3-52.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	449	44,362	247	58.2	52.1-64.3	202	41.8	35.7-47.9	
Non-Native	402	37,469	217	58.3	52.0-64.6	185	41.7	35.4-48.0	
Some Post-H.S.	176	18,321	97	56.0	46.0-66.0	79	44.0	34.0-54.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1349	118,484	80	9.2	06.5-11.9	157	13.8	11.4-16.2	148	11.9	09.7-14.1	946	63.1	59.8-66.4	18	2.0	00.8-03.2
Male	645	67,597	34	9.2	04.9-13.5	62	11.6	08.5-14.7	72	12.5	09.2-15.8	464	63.7	58.8-68.6	13	3.0	01.0-05.0
Female	704	50,887	46	9.1	06.2-12.0	95	16.7	13.2-20.2	76	11.1	08.4-13.8	482	62.3	58.0-66.6	5	0.8	00.0-01.6
Non-Native	1296	113,127	76	9.2	06.5-11.9	149	13.7	11.3-16.1	141	11.4	09.2-13.6	913	63.6	60.3-66.9	17	2.1	00.9-03.3
25-34	74	14,093	12	13.2	05.8-20.6							15	17.1	08.7-25.5	6	9.9	01.9-17.9
35-44	115	14,192	16	15.1	07.5-22.7	26	23.0	14.8-31.2	15	13.6	06.7-20.5	57	47.7	37.9-57.5	1	0.7	00.0-02.1
45-54	254	22,787	19	7.1	03.8-10.4	33	14.3	09.6-19.0	35	12.4	08.3-16.5	165	65.1	58.8-71.4	2	1.0	00.0-02.4
55-64	330	24,002	15	4.6	02.2-07.0	34	10.2	06.7-13.7	36	11.1	07.6-14.6	243	73.2	68.1-78.3	2	1.0	00.0-02.4
65+	561	39,265	13	2.4	01.0-03.8	36	5.7	03.7-07.7	44	7.1	04.9-09.3	461	83.6	80.3-86.9	7	1.2	00.2-02.2
Less Than H.S.	126	11,177				10	7.1	02.6-11.6							2	0.7	00.0-01.7
H.S. or G.E.D.	461	36,991	20	7.0	03.1-10.9	55	14.4	10.3-18.5	52	11.2	07.9-14.5	329	66.0	60.5-71.5	5	1.3	00.1-02.5
Some Post-H.S.	423	37,938	31	10.2	05.9-14.5	61	17.1	12.6-21.6	49	10.9	07.6-14.2	278	60.5	54.8-66.2	4	1.4	00.0-03.0
College Graduate	338	32,300	23	10.0	04.5-15.5	31	11.7	07.4-16.0	41	15.1	10.2-20.0	236	59.0	52.3-65.7	7	4.1	00.8-07.4
Less than \$15,000	90	5,912							9	9.4	02.5-16.3				1	0.5	00.0-01.5
\$15,000- 24,999	205	15,147	11	9.0	00.0-18.4	21	11.9	05.4-18.4	27	11.9	06.8-17.0	144	66.2	56.4-76.0	2	1.1	00.0-02.7
\$25,000- 34,999	169	12,396	9	7.4	02.3-12.5	20	16.8	09.2-24.4	16	10.3	04.8-15.8	124	65.5	56.7-74.3			
\$35,000- 49,999	203	19,224	10	10.4	03.1-17.7	31	19.5	12.4-26.6	28	15.4	09.1-21.7	132	53.8	45.4-62.2	2	0.9	00.0-02.3
\$50,000- 74,999	238	23,399	14	9.3	02.0-16.6	28	15.5	09.6-21.4	23	8.9	04.8-13.0	168	63.8	55.8-71.8	5	2.5	00.1-04.9
\$75,000+	275	27,862	21	10.3	05.0-15.6	23	8.4	04.9-11.9	33	13.9	09.0-18.8	192	63.9	57.0-70.8	6	3.5	00.4-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not used or tried smokeless tobacco products

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4767	497,595	129	3.6	02.8-04.4	79	3.0	02.0-04.0	4559	93.4	92.2-94.6
Male	1901	248,511	117	6.4	05.0-07.8	60	5.0	03.0-07.0	1724	88.6	86.4-90.8
Female	2866	249,084	12	0.8	00.2-01.4	19	1.0	00.2-01.8	2835	98.2	97.2-99.2
Native	131	23,036	5	3.7	00.0-07.4						
Non-Native	4566	467,932	120	3.5	02.7-04.3	73	2.6	01.6-03.6	4373	93.9	92.7-95.1
18-24	150	81,057	7	3.3	00.8-05.8	11	9.5	03.8-15.2	132	87.2	81.1-93.3
25-34	434	81,870	16	4.7	02.3-07.1	9	2.2	00.6-03.8	409	93.1	90.4-95.8
35-44	642	74,670	37	7.5	05.1-09.9	16	2.8	01.4-04.2	589	89.7	87.0-92.4
45-54	1026	91,216	34	3.7	02.3-05.1	16	1.2	00.6-01.8	976	95.1	93.7-96.5
55-64	995	70,667	18	1.9	00.9-02.9	12	1.5	00.7-02.3	965	96.7	95.5-97.9
65+	1468	94,994	17	1.2	00.6-01.8	15	1.2	00.6-01.8	1436	97.6	96.6-98.6
Less Than H.S.	366	42,022	6	1.3	00.1-02.5	11	9.6	01.6-17.6	349	89.0	81.0-97.0
H.S. or G.E.D.	1418	141,141	46	4.4	02.8-06.0	27	3.8	01.8-05.8	1345	91.8	89.3-94.3
Some Post-H.S.	1484	156,695	50	4.8	03.0-06.6	22	2.4	01.0-03.8	1412	92.8	90.6-95.0
College Graduate	1496	157,595	27	2.3	01.3-03.3	19	1.1	00.5-01.7	1450	96.6	95.6-97.6
Less than \$15,000	336	31,413	9	4.7	00.4-09.0	11	3.3	00.9-05.7	316	92.0	87.3-96.7
\$15,000- 24,999	672	57,166	13	3.7	01.0-06.4	8	1.8	00.0-03.8	651	94.6	91.3-97.9
\$25,000- 34,999	542	50,896	12	2.9	00.9-04.9	9	6.1	01.0-11.2	521	91.1	85.8-96.4
\$35,000- 49,999	708	75,761	15	3.1	01.1-05.1	10	1.3	00.3-02.3	683	95.6	93.4-97.8
\$50,000- 74,999	788	84,342	24	3.3	01.9-04.7	20	4.0	01.6-06.4	744	92.7	90.0-95.4
\$75,000+	1034	119,151	45	5.2	03.6-06.8	18	2.2	00.8-03.6	971	92.6	90.6-94.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUZ EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUZ (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not used or tried smokeless tobacco products

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	248,511	117	6.4	05.0-07.8	60	5.0	03.0-07.0	1724	88.6	86.4-90.8
Non-Native	1819	232,609	108	6.2	04.8-07.6	54	4.2	02.6-05.8	1657	89.6	87.6-91.6
18-24	74	43,289	4	3.5	00.0-07.4	9	15.1	05.5-24.7	61	81.4	71.4-91.4
25-34	178	43,663	14	8.1	03.6-12.6	7	3.7	01.0-06.4	157	88.3	83.2-93.4
35-44	269	37,994	35	14.0	09.5-18.5	13	4.6	02.1-07.1	221	81.4	76.3-86.5
45-54	453	45,206	32	7.3	04.8-09.8	12	1.9	00.7-03.1	409	90.8	87.9-93.7
55-64	433	37,092	18	3.6	01.8-05.4	9	2.2	00.8-03.6	406	94.3	91.9-96.7
65+	484	40,435	14	2.4	01.0-03.8	10	2.0	00.6-03.4	460	95.6	93.6-97.6
Less Than H.S.	150	20,686	5	2.4	00.0-04.9						
H.S. or G.E.D.	570	74,946	42	6.7	04.3-09.1	22	6.4	02.9-09.9	506	87.0	82.9-91.1
Some Post-H.S.	560	74,423	45	9.5	06.2-12.8	17	4.6	01.7-07.5	498	85.9	81.6-90.2
College Graduate	621	78,456	25	4.4	02.6-06.2	12	1.4	00.4-02.4	584	94.2	92.2-96.2
Less than \$15,000	112	12,850	9	11.6	01.6-21.6	7	5.4	00.5-10.3			
\$15,000- 24,999	208	25,676	9	7.3	01.4-13.2	6	3.5	00.0-08.0	193	89.2	82.1-96.3
\$25,000- 34,999	192	23,604	10	4.3	01.2-07.4	6	8.4	00.4-16.4	176	87.3	78.9-95.7
\$35,000- 49,999	302	37,506	13	4.3	01.6-07.0	7	2.3	00.5-04.1	282	93.5	90.4-96.6
\$50,000- 74,999	356	45,282	23	5.9	03.4-08.4	16	6.1	01.8-10.4	317	88.0	83.3-92.7
\$75,000+	535	69,500	45	9.0	06.3-11.7	15	3.4	01.2-05.6	475	87.6	84.3-90.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUF EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUF (SWEDISH FOR SNUFF) IS A MOIST SMOKELESS TOBACCO, USUALLY SOLD IN SMALL POUCHES THAT ARE PLACED UNDER THE LIP AGAINST THE GUM. (USENOW3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not used or tried smokeless tobacco products

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2866	249,084	12	0.8	00.2-01.4	19	1.0	00.2-01.8	2835	98.2	97.2-99.2
Native	87	11,812							87	100.0	0100-0100
Non-Native	2747	235,323	12	0.8	00.2-01.4	19	1.1	00.3-01.9	2716	98.1	97.1-99.1
18-24	76	37,768	3	2.9	00.0-06.4	2	3.2	00.0-08.1	71	93.9	88.0-99.8
25-34	256	38,207	2	0.8	00.0-01.8	2	0.6	00.0-01.4	252	98.7	97.3-0100
35-44	373	36,676	2	0.6	00.0-01.6	3	0.9	00.0-01.9	368	98.4	97.0-99.8
45-54	573	46,010	2	0.2	00.0-00.6	4	0.5	00.0-01.1	567	99.3	98.7-99.9
55-64	562	33,575				3	0.7	00.0-01.5	559	99.3	98.5-0100
65+	984	54,559	3	0.4	00.0-00.8	5	0.6	00.0-01.2	976	99.1	98.5-99.7
Less Than H.S.	216	21,337	1	0.3	00.0-00.9	2	4.8	00.0-13.0	213	94.9	86.7-0100
H.S. or G.E.D.	848	66,195	4	1.9	00.0-04.1	5	0.9	00.0-01.9	839	97.2	95.0-99.4
Some Post-H.S.	924	82,272	5	0.6	00.0-01.2	5	0.4	00.0-00.8	914	99.0	98.2-99.8
College Graduate	875	79,139	2	0.1	00.0-00.3	7	0.8	00.2-01.4	866	99.1	98.5-99.7
Less than \$15,000	224	18,563				4	1.8	00.0-03.8	220	98.2	96.2-0100
\$15,000- 24,999	464	31,491	4	0.8	00.0-01.6	2	0.3	00.0-00.7	458	98.9	97.9-99.9
\$25,000- 34,999	350	27,291	2	1.6	00.0-04.3	3	4.1	00.0-10.6	345	94.4	87.5-0100
\$35,000- 49,999	406	38,255	2	1.9	00.0-04.8	3	0.4	00.0-01.0	401	97.6	94.7-0100
\$50,000- 74,999	432	39,060	1	0.4	00.0-01.2	4	1.5	00.0-03.3	427	98.1	96.3-99.9
\$75,000+	499	49,651				3	0.4	00.0-01.0	496	99.6	99.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT IS YOUR AGE? (AGE)	
1	MALES AND FEMALES	94
2	MALES ONLY	95
3	FEMALES ONLY	96
	ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4	MALES AND FEMALES	97
5	MALES ONLY	98
6	FEMALES ONLY	99
	WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7	MALES AND FEMALES	100
8	MALES ONLY	101
9	FEMALES ONLY	102
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10	MALES AND FEMALES	103
11	MALES ONLY	104
12	FEMALES ONLY	105
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)	
13	MALES AND FEMALES	106
14	MALES ONLY	107
15	FEMALES ONLY	108
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	109
17	MALES ONLY	110
18	FEMALES ONLY	111
	HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19	MALES AND FEMALES	112
20	MALES ONLY	113
21	FEMALES ONLY	114

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	115
23 MALES ONLY	116
24 FEMALES ONLY	117
ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25 MALES AND FEMALES	118
26 MALES ONLY	119
27 FEMALES ONLY	120
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	121
29 MALES ONLY	122
30 FEMALES ONLY	123
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	124
32 MALES ONLY	125
33 FEMALES ONLY	126
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	127
35 MALES ONLY	128
36 FEMALES ONLY	129
HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)	
37 MALES AND FEMALES	130
38 MALES ONLY	131
39 FEMALES ONLY	132
WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)	
40 MALES AND FEMALES	133
41 MALES ONLY	134
42 FEMALES ONLY	135

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
43	MALES AND FEMALES	136
44	MALES ONLY	137
45	FEMALES ONLY	138
	WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
46	MALES AND FEMALES	139
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
47	FEMALES ONLY	140
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
52	MALES AND FEMALES	145
53	MALES ONLY	146
54	FEMALES ONLY	147
	DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)	
55	MALES AND FEMALES	148
56	MALES ONLY	149
57	FEMALES ONLY	150
	INDICATE SEX OF RESPONDENT. (SEX)	
58	MALES AND FEMALES	151
59	MALES ONLY	152
60	FEMALES ONLY	153
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61	MALES AND FEMALES	154
62	MALES ONLY	155
63	FEMALES ONLY	156

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4715	494,473	150	16.4	14.0-18.8	434	16.6	15.0-18.2	642	15.1	13.9-16.3	1026	18.4	17.2-19.6	995	14.3	13.3-15.3	1468	19.2	18.0-20.4
Male	1891	247,679	74	17.5	13.8-21.2	178	17.6	15.1-20.1	269	15.3	13.3-17.3	453	18.3	16.5-20.1	433	15.0	13.4-16.6	484	16.3	14.7-17.9
Female	2824	246,795	76	15.3	12.2-18.4	256	15.5	13.7-17.3	373	14.9	13.3-16.5	573	18.6	17.0-20.2	562	13.6	12.4-14.8	984	22.1	20.5-23.7
Native	131	23,036							32	21.1	12.9-29.3	31	12.6	07.3-17.9	14	5.1	02.0-08.2	14	3.1	01.3-04.9
Non-Native	4519	465,233	137	15.7	13.3-18.1	402	16.1	14.5-17.7	606	14.8	13.6-16.0	991	18.9	17.7-20.1	968	14.8	13.8-15.8	1415	19.7	18.5-20.9
Less Than H.S.	364	41,942				13	7.3	02.6-12.0	18	5.2	02.5-07.9	35	7.4	04.5-10.3	29	4.3	02.5-06.1	245	40.0	32.4-47.6
H.S. or G.E.D.	1399	139,848	51	19.3	14.4-24.2	71	10.8	08.3-13.3	128	11.4	09.2-13.6	282	17.8	15.4-20.2	275	13.5	11.7-15.3	592	27.2	24.7-29.7
Some Post-H.S.	1468	155,813	49	16.9	12.6-21.2	132	15.7	13.0-18.4	226	16.9	14.5-19.3	360	20.6	18.2-23.0	352	15.9	14.1-17.7	349	13.9	12.1-15.7
College Graduate	1483	156,792	26	8.0	04.9-11.1	218	25.1	22.2-28.0	270	19.2	17.0-21.4	348	19.8	17.6-22.0	339	16.0	14.2-17.8	282	11.8	10.2-13.4
Less than \$15,000	331	31,236	20	27.5	17.7-37.3	19	11.7	05.4-18.0	36	14.4	09.3-19.5	49	10.5	07.0-14.0	54	10.4	07.1-13.7	153	25.6	20.3-30.9
\$15,000- 24,999	667	56,892	16	13.4	07.3-19.5	47	16.8	11.9-21.7	57	10.1	07.4-12.8	90	11.1	08.6-13.6	101	9.8	07.6-12.0	356	38.9	34.2-43.6
\$25,000- 34,999	541	50,799	16	16.9	08.9-24.9	47	15.7	11.2-20.2	49	10.3	07.2-13.4	85	13.7	10.4-17.0	112	14.1	11.2-17.0	232	29.3	24.8-33.8
\$35,000- 49,999	704	75,471	18	12.8	07.3-18.3	78	20.5	16.2-24.8	95	14.8	11.7-17.9	159	18.6	15.5-21.7	166	16.0	13.3-18.7	188	17.4	14.7-20.1
\$50,000- 74,999	784	84,132	12	7.3	03.2-11.4	91	19.6	15.9-23.3	138	20.0	16.7-23.3	227	24.6	21.5-27.7	190	17.5	15.0-20.0	126	11.0	09.0-13.0
\$75,000+	1026	118,615	22	10.4	06.1-14.7	114	18.4	15.3-21.5	228	22.7	19.8-25.6	322	26.4	23.5-29.3	246	16.3	14.1-18.5	94	5.8	04.6-07.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	247,679	74	17.5	13.8-21.2	178	17.6	15.1-20.1	269	15.3	13.3-17.3	453	18.3	16.5-20.1	433	15.0	13.4-16.6	484	16.3	14.7-17.9
Non-Native	1812	232,071	67	16.5	12.8-20.2	169	17.3	14.8-19.8	248	14.8	13.0-16.6	445	19.2	17.2-21.2	421	15.6	14.0-17.2	462	16.7	14.9-18.5
Less Than H.S.	150	20,686				5	8.5	00.3-16.7	7	4.7	01.0-08.4	18	9.1	04.2-14.0	10	4.0	01.3-06.7			
H.S. or G.E.D.	567	74,702	30	22.9	15.6-30.2	39	13.7	09.4-18.0	56	11.6	08.5-14.7	153	19.3	15.8-22.8	118	13.0	10.3-15.7	171	19.4	16.1-22.7
Some Post-H.S.	557	74,203	25	19.1	12.4-25.8	46	15.6	11.1-20.1	98	18.3	14.6-22.0	149	20.6	17.1-24.1	146	16.4	13.5-19.3	93	10.0	07.8-12.2
College Graduate	617	78,089	10	7.0	02.7-11.3	88	25.7	21.0-30.4	108	18.8	15.5-22.1	133	17.5	14.4-20.6	159	18.4	15.5-21.3	119	12.6	10.2-15.0
Less than \$15,000	112	12,850							17	19.7	10.1-29.3	22	11.8	06.1-17.5	26	15.7	08.8-22.6	36	19.2	11.8-26.6
\$15,000- 24,999	208	25,676				17	18.0	09.6-26.4	20	9.4	05.1-13.7	29	9.6	05.7-13.5	33	8.6	05.3-11.9	97	32.3	24.9-39.7
\$25,000- 34,999	192	23,604				18	16.2	08.8-23.6	17	9.5	04.6-14.4	35	13.7	08.4-19.0	40	12.1	07.6-16.6	74	25.8	18.7-32.9
\$35,000- 49,999	302	37,506	7	8.7	02.4-15.0	32	21.9	14.8-29.0	38	14.6	09.9-19.3	67	17.8	13.3-22.3	76	18.4	14.1-22.7	82	18.6	14.3-22.9
\$50,000- 74,999	355	45,233	7	9.3	02.6-16.0	34	17.3	12.0-22.6	57	19.5	14.6-24.4	99	22.6	18.1-27.1	91	18.4	14.5-22.3	67	12.8	09.7-15.9
\$75,000+	532	69,206	13	10.0	04.5-15.5	60	19.8	15.3-24.3	106	21.1	17.2-25.0	167	25.3	21.4-29.2	128	16.7	13.8-19.6	58	7.0	05.0-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2824	246,795	76	15.3	12.2-18.4	256	15.5	13.7-17.3	373	14.9	13.3-16.5	573	18.6	17.0-20.2	562	13.6	12.4-14.8	984	22.1	20.5-23.7
Native	87	11,812							15	16.9	07.5-26.3	25	19.6	10.8-28.4	8	5.3	01.0-09.6	12	4.9	01.8-08.0
Non-Native	2707	233,162	70	14.9	11.6-18.2	233	14.9	13.1-16.7	358	14.9	13.3-16.5	546	18.7	17.1-20.3	547	14.0	12.6-15.4	953	22.7	21.1-24.3
Less Than H.S.	214	21,256				8	6.0	01.7-10.3	11	5.6	01.7-09.5	17	5.8	02.7-08.9	19	4.6	02.1-07.1	144	37.9	28.3-47.5
H.S. or G.E.D.	832	65,147	21	15.2	09.1-21.3	32	7.4	04.9-09.9	72	11.2	08.5-13.9	129	16.0	13.1-18.9	157	14.0	11.6-16.4	421	36.1	32.2-40.0
Some Post-H.S.	911	81,611	24	15.0	09.5-20.5	86	15.7	12.4-19.0	128	15.7	13.0-18.4	211	20.6	17.7-23.5	206	15.5	13.1-17.9	256	17.5	15.1-19.9
College Graduate	866	78,704	16	9.1	04.8-13.4	130	24.5	20.8-28.2	162	19.6	16.7-22.5	215	22.1	19.2-25.0	180	13.7	11.5-15.9	163	11.1	09.3-12.9
Less than \$15,000	219	18,386				12	7.7	02.6-12.8	19	10.7	05.4-16.0	27	9.6	05.3-13.9	28	6.7	03.8-09.6	117	30.0	22.7-37.3
\$15,000- 24,999	459	31,217	4	6.2	00.1-12.3	30	15.8	10.5-21.1	37	10.6	06.9-14.3	61	12.4	09.1-15.7	68	10.8	07.9-13.7	259	44.3	38.6-50.0
\$25,000- 34,999	349	27,195	8	11.9	03.5-20.3	29	15.3	09.8-20.8	32	11.0	07.1-14.9	50	13.7	09.6-17.8	72	15.8	11.7-19.9	158	32.3	26.6-38.0
\$35,000- 49,999	402	37,965	11	16.8	08.2-25.4	46	19.1	14.0-24.2	57	15.0	10.9-19.1	92	19.4	15.1-23.7	90	13.6	10.5-16.7	106	16.1	12.6-19.6
\$50,000- 74,999	429	38,899	5	5.0	00.7-09.3	57	22.3	17.2-27.4	81	20.5	16.4-24.6	128	26.8	22.5-31.1	99	16.4	13.1-19.7	59	9.0	06.6-11.4
\$75,000+	494	49,409	9	10.9	04.0-17.8	54	16.4	12.3-20.5	122	24.9	20.6-29.2	155	28.1	23.6-32.6	118	15.7	12.8-18.6	36	4.1	02.7-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4731	494,065	65	2.0	01.2-02.8	4666	98.0	97.2-98.8
Male	1886	246,315	22	1.3	00.5-02.1	1864	98.7	97.9-99.5
Female	2845	247,751	43	2.7	01.5-03.9	2802	97.3	96.1-98.5
18-24	149	80,482	9	5.8	01.9-09.7	140	94.2	90.3-98.1
25-34	433	81,724	8	1.7	00.3-03.1	425	98.3	96.9-99.7
35-44	638	73,863	10	1.8	00.6-03.0	628	98.2	97.0-99.4
45-54	1024	91,061	8	0.8	00.2-01.4	1016	99.2	98.6-99.8
55-64	991	70,469	10	0.9	00.3-01.5	981	99.1	98.5-99.7
65+	1448	93,694	19	1.3	00.7-01.9	1429	98.7	98.1-99.3
Less Than H.S.	356	41,200	12	4.6	00.3-08.9	344	95.4	91.1-99.7
H.S. or G.E.D.	1402	139,179	21	1.9	00.7-03.1	1381	98.1	96.9-99.3
Some Post-H.S.	1476	156,202	20	2.7	01.1-04.3	1456	97.3	95.7-98.9
College Graduate	1494	157,343	12	0.7	00.3-01.1	1482	99.3	98.9-99.7
Less than \$15,000	332	31,177	8	4.1	00.2-08.0	324	95.9	92.0-99.8
\$15,000- 24,999	665	56,755	20	6.3	02.6-10.0	645	93.7	90.0-97.4
\$25,000- 34,999	540	50,696	7	2.0	00.0-04.2	533	98.0	95.8-0100
\$35,000- 49,999	704	75,341	7	1.4	00.0-03.0	697	98.6	97.0-0100
\$50,000- 74,999	787	83,921	9	1.1	00.3-01.9	778	98.9	98.1-99.7
\$75,000+	1031	118,823	8	0.9	00.3-01.5	1023	99.1	98.5-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1886	246,315	22	1.3	00.5-02.1	1864	98.7	97.9-99.5
18-24	73	42,714	3	2.7	00.0-06.0	70	97.3	94.0-0100
25-34	178	43,663	2	0.7	00.0-01.7	176	99.3	98.3-0100
35-44	265	37,187	6	2.1	00.3-03.9	259	97.9	96.1-99.7
45-54	453	45,206	2	0.8	00.0-01.8	451	99.2	98.2-0100
55-64	432	37,023	4	0.7	00.0-01.5	428	99.3	98.5-0100
65+	477	39,909	5	1.1	00.1-02.1	472	98.9	97.9-99.9
Less Than H.S.	145	20,256	4	2.2	00.0-04.6	141	97.8	95.4-0100
H.S. or G.E.D.	565	73,601	7	1.5	00.1-02.9	558	98.5	97.1-99.9
Some Post-H.S.	557	74,253	6	1.4	00.0-03.0	551	98.6	97.0-0100
College Graduate	619	78,204	5	0.9	00.1-01.7	614	99.1	98.3-99.9
Less than \$15,000	111	12,709	2	2.1	00.0-05.2	109	97.9	94.8-0100
\$15,000- 24,999	206	25,526	6	5.3	00.0-10.6	200	94.7	89.4-0100
\$25,000- 34,999	191	23,551	2	0.9	00.0-02.1	189	99.1	97.9-0100
\$35,000- 49,999	299	37,183	2	0.8	00.0-02.0	297	99.2	98.0-0100
\$50,000- 74,999	355	44,861	3	0.7	00.0-01.5	352	99.3	98.5-0100
\$75,000+	534	69,353	5	1.0	00.0-02.0	529	99.0	98.0-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2845	247,751	43	2.7	01.5-03.9	2802	97.3	96.1-98.5
18-24	76	37,768	6	9.3	01.9-16.7	70	90.7	83.3-98.1
25-34	255	38,061	6	2.8	00.3-05.3	249	97.2	94.7-99.7
35-44	373	36,676	4	1.6	00.0-03.4	369	98.4	96.6-0100
45-54	571	45,855	6	0.8	00.0-01.6	565	99.2	98.4-0100
55-64	559	33,446	6	1.1	00.3-01.9	553	98.9	98.1-99.7
65+	971	53,784	14	1.5	00.7-02.3	957	98.5	97.7-99.3
Less Than H.S.	211	20,943	8	7.0	00.0-14.8	203	93.0	85.2-0100
H.S. or G.E.D.	837	65,578	14	2.4	00.4-04.4	823	97.6	95.6-99.6
Some Post-H.S.	919	81,948	14	3.9	01.2-06.6	905	96.1	93.4-98.8
College Graduate	875	79,139	7	0.6	00.0-01.2	868	99.4	98.8-0100
Less than \$15,000	221	18,467	6	5.6	00.0-11.9	215	94.4	88.1-0100
\$15,000- 24,999	459	31,229	14	7.1	01.8-12.4	445	92.9	87.6-98.2
\$25,000- 34,999	349	27,146	5	2.9	00.0-06.8	344	97.1	93.2-0100
\$35,000- 49,999	405	38,159	5	2.0	00.0-04.9	400	98.0	95.1-0100
\$50,000- 74,999	432	39,060	6	1.5	00.0-03.1	426	98.5	96.9-0100
\$75,000+	497	49,470	3	0.7	00.0-01.5	494	99.3	98.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4767	497,595	4729	98.7	98.1-99.3	38	1.3	00.7-01.9
Male	1901	248,511	1889	99.1	98.3-99.9	12	0.9	00.1-01.7
Female	2866	249,084	2840	98.3	97.3-99.3	26	1.7	00.7-02.7
18-24	150	81,057	144	96.0	92.7-99.3	6	4.0	00.7-07.3
25-34	434	81,870	427	98.3	96.9-99.7	7	1.7	00.3-03.1
35-44	642	74,670	641	99.8	99.4-0100	1	0.2	00.0-00.6
45-54	1026	91,216	1013	98.6	97.8-99.4	13	1.4	00.6-02.2
55-64	995	70,667	990	99.6	99.2-0100	5	0.4	00.0-00.8
65+	1468	94,994	1464	99.8	99.6-0100	4	0.2	00.0-00.4
Less Than H.S.	366	42,022	363	99.4	98.6-0100	3	0.6	00.0-01.4
H.S. or G.E.D.	1418	141,141	1403	98.3	97.1-99.5	15	1.7	00.5-02.9
Some Post-H.S.	1484	156,695	1473	98.6	97.4-99.8	11	1.4	00.2-02.6
College Graduate	1496	157,595	1487	98.8	97.6-0100	9	1.2	00.0-02.4
Less than \$15,000	336	31,413	330	98.1	96.3-99.9	6	1.9	00.1-03.7
\$15,000- 24,999	672	57,166	666	98.8	97.6-0100	6	1.2	00.0-02.4
\$25,000- 34,999	542	50,896	534	98.1	96.5-99.7	8	1.9	00.3-03.5
\$35,000- 49,999	708	75,761	702	99.2	98.4-0100	6	0.8	00.0-01.6
\$50,000- 74,999	788	84,342	786	99.4	98.6-0100	2	0.6	00.0-01.4
\$75,000+	1034	119,151	1029	98.3	96.3-0100	5	1.7	00.0-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	248,511	1889	99.1	98.3-99.9	12	0.9	00.1-01.7
18-24	74	43,289	73	98.0	94.1-0100	1	2.0	00.0-05.9
25-34	178	43,663	175	98.6	97.0-0100	3	1.4	00.0-03.0
35-44	269	37,994	269	100.0	0100-0100			
45-54	453	45,206	447	98.5	97.1-99.9	6	1.5	00.1-02.9
55-64	433	37,092	432	99.8	99.4-0100	1	0.2	00.0-00.6
65+	484	40,435	483	99.9	99.7-0100	1	0.1	00.0-00.3
Less Than H.S.	150	20,686	149	99.5	98.5-0100	1	0.5	00.0-01.5
H.S. or G.E.D.	570	74,946	564	99.0	98.0-0100	6	1.0	00.0-02.0
Some Post-H.S.	560	74,423	557	99.5	98.9-0100	3	0.5	00.0-01.1
College Graduate	621	78,456	619	98.6	96.4-0100	2	1.4	00.0-03.6
Less than \$15,000	112	12,850	109	96.8	93.1-0100	3	3.2	00.0-06.9
\$15,000- 24,999	208	25,676	207	99.8	99.4-0100	1	0.2	00.0-00.6
\$25,000- 34,999	192	23,604	190	98.8	96.8-0100	2	1.2	00.0-03.2
\$35,000- 49,999	302	37,506	299	99.0	97.6-0100	3	1.0	00.0-02.4
\$50,000- 74,999	356	45,282	355	99.5	98.5-0100	1	0.5	00.0-01.5
\$75,000+	535	69,500	534	98.8	96.4-0100	1	1.2	00.0-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2866	249,084	2840	98.3	97.3-99.3	26	1.7	00.7-02.7
18-24	76	37,768	71	93.6	87.9-99.3	5	6.4	00.7-12.1
25-34	256	38,207	252	97.9	95.9-99.9	4	2.1	00.1-04.1
35-44	373	36,676	372	99.6	98.8-0100	1	0.4	00.0-01.2
45-54	573	46,010	566	98.8	97.8-99.8	7	1.2	00.2-02.2
55-64	562	33,575	558	99.5	98.9-0100	4	0.5	00.0-01.1
65+	984	54,559	981	99.7	99.3-0100	3	0.3	00.0-00.7
Less Than H.S.	216	21,337	214	99.3	98.3-0100	2	0.7	00.0-01.7
H.S. or G.E.D.	848	66,195	839	97.5	95.0-0100	9	2.5	00.0-05.0
Some Post-H.S.	924	82,272	916	97.8	95.8-99.8	8	2.2	00.2-04.2
College Graduate	875	79,139	868	99.1	98.1-0100	7	0.9	00.0-01.9
Less than \$15,000	224	18,563	221	99.0	97.6-0100	3	1.0	00.0-02.4
\$15,000- 24,999	464	31,491	459	98.0	95.8-0100	5	2.0	00.0-04.2
\$25,000- 34,999	350	27,291	344	97.4	95.0-99.8	6	2.6	00.2-05.0
\$35,000- 49,999	406	38,255	403	99.5	98.9-0100	3	0.5	00.0-01.1
\$50,000- 74,999	432	39,060	431	99.3	97.9-0100	1	0.7	00.0-02.1
\$75,000+	499	49,651	495	97.5	94.4-0100	4	2.5	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mths but not now			Yes, active duty in the past but not last 12 mths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4758	496,927	32	1.2	00.8-01.6	23	0.6	00.2-01.0	548	10.5	09.5-11.5	67	1.4	01.0-01.8	4088	86.4	85.2-87.6
Male	1894	247,929	30	2.4	01.4-03.4	14	0.8	00.2-01.4	508	19.5	17.5-21.5	52	2.0	01.4-02.6	1290	75.4	73.0-77.8
Female	2864	248,999	2	0.1	00.1-00.1	9	0.3	00.1-00.5	40	1.4	00.8-02.0	15	0.9	00.1-01.7	2798	97.3	96.3-98.3
18-24	150	81,057	1	0.7	00.0-02.1	1	0.7	00.0-02.1	3	1.9	00.0-04.1	3	1.6	00.0-03.6	142	95.1	91.6-98.6
25-34	434	81,870	15	4.3	01.9-06.7	4	0.9	00.0-01.9	10	3.1	00.7-05.5	3	0.9	00.0-01.9	402	90.8	87.3-94.3
35-44	641	74,530	11	1.9	00.7-03.1	4	0.7	00.0-01.5	40	8.1	05.6-10.6	4	0.8	00.0-01.8	582	88.6	85.7-91.5
45-54	1026	91,216	4	0.5	00.1-00.9	5	0.5	00.1-00.9	73	7.5	05.7-09.3	13	1.1	00.5-01.7	931	90.5	88.5-92.5
55-64	994	70,621	1	0.1	00.0-00.3	6	0.6	00.0-01.2	163	19.1	16.4-21.8	18	2.1	01.1-03.1	806	78.0	75.1-80.9
65+	1461	94,512				3	0.2	00.0-00.4	258	22.7	20.2-25.2	24	1.9	01.1-02.7	1176	75.3	72.8-77.8
Less Than H.S.	365	41,916				1	0.2	00.0-00.6	54	11.1	07.6-14.6	4	0.7	00.0-01.5	306	88.0	84.3-91.7
H.S. or G.E.D.	1413	140,783	7	1.2	00.2-02.2	5	0.5	00.0-01.1	178	12.3	10.1-14.5	25	1.8	01.0-02.6	1198	84.1	81.6-86.6
Some Post-H.S.	1482	156,545	10	1.3	00.3-02.3	9	0.8	00.0-01.6	177	11.2	09.2-13.2	28	1.7	00.9-02.5	1258	85.0	82.6-87.4
College Graduate	1495	157,541	15	1.4	00.6-02.2	8	0.5	00.1-00.9	139	7.9	06.5-09.3	10	0.9	00.0-01.9	1323	89.2	87.2-91.2
Less than \$15,000	334	31,264				2	0.2	00.0-00.6	40	11.3	06.6-16.0	7	2.2	00.0-04.4	285	86.2	81.1-91.3
\$15,000- 24,999	668	56,917				5	0.8	00.0-01.8	83	13.8	10.3-17.3	7	0.9	00.1-01.7	573	84.5	80.8-88.2
\$25,000- 34,999	542	50,896	8	4.0	00.9-07.1	3	1.7	00.0-04.1	76	12.3	09.2-15.4	6	0.8	00.2-01.4	449	81.2	76.5-85.9
\$35,000- 49,999	708	75,761	6	1.8	00.2-03.4	3	0.4	00.0-00.8	88	12.3	09.2-15.4	12	1.9	00.5-03.3	599	83.6	79.9-87.3
\$50,000- 74,999	787	84,256	7	1.2	00.2-02.2	2	0.2	00.0-00.4	88	10.3	07.9-12.7	13	1.5	00.5-02.5	677	86.8	84.3-89.3
\$75,000+	1033	119,010	8	1.1	00.3-01.9	6	0.7	00.1-01.3	103	8.5	06.7-10.3	15	1.8	00.4-03.2	901	87.9	85.5-90.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mths but not now			Yes, active duty in the past but not last 12 mths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1894	247,929	30	2.4	01.4-03.4	14	0.8	00.2-01.4	508	19.5	17.5-21.5	52	2.0	01.4-02.6	1290	75.4	73.0-77.8
18-24	74	43,289	1	1.3	00.0-03.8	1	1.3	00.0-03.8	3	3.5	00.0-07.6				69	93.8	88.5-99.1
25-34	178	43,663	14	7.9	03.6-12.2	1	0.5	00.0-01.5	4	3.5	00.0-07.6	2	1.3	00.0-03.1	157	86.8	80.9-92.7
35-44	268	37,854	11	3.7	01.5-05.9	2	0.9	00.0-02.3	36	14.7	10.0-19.4	3	1.5	00.0-03.3	216	79.2	73.9-84.5
45-54	453	45,206	3	0.8	00.0-01.6	4	0.9	00.0-01.9	61	12.8	09.5-16.1	9	1.4	00.4-02.4	376	84.2	80.7-87.7
55-64	432	37,046	1	0.2	00.0-00.6	4	1.0	00.0-02.0	157	35.6	30.9-40.3	18	4.0	02.0-06.0	252	59.2	54.3-64.1
65+	479	40,039				2	0.3	00.0-00.7	246	51.7	47.0-56.4	19	3.8	02.0-05.6	212	44.2	39.5-48.9
Less Than H.S.	149	20,579				1	0.4	00.0-01.2	53	22.4	14.6-30.2	3	1.2	00.0-02.6	92	76.0	67.8-84.2
H.S. or G.E.D.	566	74,631	7	2.3	00.5-04.1	3	0.6	00.0-01.4	170	22.2	18.3-26.1	18	2.5	01.1-03.9	368	72.4	67.9-76.9
Some Post-H.S.	559	74,316	8	2.5	00.3-04.7	6	1.5	00.0-03.1	167	22.4	18.3-26.5	24	2.9	01.5-04.3	354	70.7	66.0-75.4
College Graduate	620	78,402	15	2.9	01.3-04.5	4	0.6	00.0-01.2	118	13.4	10.9-15.9	7	0.7	00.1-01.3	476	82.4	79.3-85.5
Less than \$15,000	111	12,743				1	0.3	00.0-00.9				4	2.3	00.0-04.7			
\$15,000- 24,999	204	25,427				2	1.3	00.0-03.3	75	28.5	20.9-36.1	6	1.9	00.3-03.5	121	68.4	60.4-76.4
\$25,000- 34,999	192	23,604	7	8.3	01.6-15.0	3	3.7	00.0-08.8	74	26.1	18.8-33.4	5	1.4	00.0-02.8	103	60.5	50.5-70.5
\$35,000- 49,999	302	37,506	6	3.7	00.6-06.8	3	0.8	00.0-01.8	83	23.3	17.4-29.2	12	3.8	01.1-06.5	198	68.4	61.7-75.1
\$50,000- 74,999	355	45,196	7	2.2	00.4-04.0	1	0.2	00.0-00.6	78	16.8	12.9-20.7	9	1.7	00.5-02.9	260	79.1	74.6-83.6
\$75,000+	534	69,360	7	1.7	00.3-03.1	2	0.3	00.0-00.7	96	13.7	10.8-16.6	12	1.8	00.6-03.0	417	82.5	79.2-85.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mnths but not now			Yes, active duty in the past but not last 12 mnths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2864	248,999	2	0.1	00.1-00.1	9	0.3	00.1-00.5	40	1.4	00.8-02.0	15	0.9	00.1-01.7	2798	97.3	96.3-98.3
18-24	76	37,768										3	3.4	00.0-07.7	73	96.6	92.3-0100
25-34	256	38,207	1	0.2	00.0-00.6	3	1.3	00.0-03.1	6	2.7	00.5-04.9	1	0.4	00.0-01.2	245	95.4	92.7-98.1
35-44	373	36,676				2	0.4	00.0-01.0	4	1.2	00.0-02.4	1	0.1	00.0-00.3	366	98.3	96.9-99.7
45-54	573	46,010	1	0.2	00.0-00.6	1	0.1	00.0-00.3	12	2.3	00.9-03.7	4	0.8	00.0-01.6	555	96.7	95.1-98.3
55-64	562	33,575				2	0.3	00.0-00.7	6	1.0	00.2-01.8				554	98.8	97.8-99.8
65+	982	54,474				1	0.1	00.0-00.3	12	1.4	00.6-02.2	5	0.4	00.0-00.8	964	98.1	97.1-99.1
Less Than H.S.	216	21,337							1	0.2	00.0-00.6	1	0.2	00.0-00.6	214	99.6	99.0-0100
H.S. or G.E.D.	847	66,152				2	0.5	00.0-01.3	8	1.1	00.3-01.9	7	1.1	00.1-02.1	830	97.4	95.8-99.0
Some Post-H.S.	923	82,229	2	0.2	00.0-00.4	3	0.2	00.0-00.4	10	1.1	00.3-01.9	4	0.6	00.0-01.4	904	98.0	96.8-99.2
College Graduate	875	79,139				4	0.4	00.0-00.8	21	2.4	01.2-03.6	3	1.2	00.0-03.0	847	96.0	93.8-98.2
Less than \$15,000	223	18,521				1	0.1	00.0-00.3				3	2.1	00.0-05.2	219	97.7	94.6-0100
\$15,000- 24,999	464	31,491				3	0.4	00.0-00.8	8	2.0	00.4-03.6	1	0.1	00.0-00.3	452	97.5	95.9-99.1
\$25,000- 34,999	350	27,291	1	0.3	00.0-00.9				2	0.4	00.0-01.0	1	0.3	00.0-00.9	346	99.1	98.1-0100
\$35,000- 49,999	406	38,255							5	1.5	00.0-03.1				401	98.5	96.9-0100
\$50,000- 74,999	432	39,060				1	0.2	00.0-00.6	10	2.9	00.9-04.9	4	1.2	00.0-02.8	417	95.7	93.2-98.2
\$75,000+	499	49,651	1	0.2	00.0-00.6	4	1.2	00.0-02.6	7	1.2	00.2-02.2	3	1.9	00.0-04.8	484	95.5	92.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4750	495,882	2960	64.2	62.0-66.4	490	6.2	05.6-06.8	715	6.8	06.2-07.4	34	0.6	00.4-00.8	482	19.6	17.2-22.0	69	2.6	01.8-03.4
Male	1891	247,160	1261	64.5	61.2-67.8	197	5.3	04.5-06.1	111	2.6	02.0-03.2	9	0.2	00.0-00.4	282	24.7	21.2-28.2	31	2.7	01.5-03.9
Female	2859	248,721	1699	64.0	61.3-66.7	293	7.0	06.0-08.0	604	10.9	09.9-11.9	25	1.0	00.6-01.4	200	14.6	11.9-17.3	38	2.5	01.3-03.7
Native	131	23,036				21	10.9	05.0-16.8	10	2.4	00.4-04.4	10	5.0	01.3-08.7				8	9.0	01.2-16.8
Non-Native	4551	466,345	2884	66.1	63.9-68.3	462	6.0	05.4-06.6	684	6.8	06.2-07.4	23	0.4	00.2-00.6	438	18.4	16.0-20.8	60	2.3	01.5-03.1
18-24	149	80,482	20	12.4	07.1-17.7	1	0.2	00.0-00.6	1	0.3	00.0-00.9	2	0.7	00.0-01.7	118	81.7	75.4-88.0	7	4.7	01.2-08.2
25-34	433	81,642	305	72.2	67.3-77.1	24	4.2	02.2-06.2	4	0.7	00.0-01.5	6	0.7	00.1-01.3	76	16.3	12.2-20.4	18	5.9	02.8-09.0
35-44	641	74,575	472	77.7	74.4-81.0	66	8.3	06.1-10.5	6	0.5	00.1-00.9	10	1.1	00.3-01.9	71	9.4	07.0-11.8	16	2.9	01.3-04.5
45-54	1024	91,044	745	81.4	79.0-83.8	144	9.7	07.9-11.5	21	1.2	00.6-01.8	9	0.8	00.2-01.4	90	5.6	04.2-07.0	15	1.3	00.5-02.1
55-64	992	70,492	683	79.0	76.5-81.5	145	10.2	08.4-12.0	83	5.1	03.9-06.3	2	0.1	00.0-00.3	71	4.9	03.7-06.1	8	0.7	00.1-01.3
65+	1462	94,663	710	63.4	60.9-65.9	101	4.7	03.7-05.7	588	28.6	26.2-31.0	4	0.2	00.0-00.4	54	2.7	01.9-03.5	5	0.4	00.0-00.8
Less Than H.S.	364	41,916	147	36.3	28.9-43.7	32	5.8	03.3-08.3	131	15.6	11.9-19.3	3	0.9	00.0-02.3				7	2.0	00.2-03.8
H.S. or G.E.D.	1416	140,459	804	58.0	53.9-62.1	153	6.4	05.2-07.6	287	9.4	08.0-10.8	9	0.5	00.1-00.9	139	22.0	17.5-26.5	24	3.8	01.8-05.8
Some Post-H.S.	1478	156,343	956	66.1	62.4-69.8	176	7.6	06.2-09.0	180	5.3	04.3-06.3	15	0.9	00.3-01.5	134	17.5	13.8-21.2	17	2.6	01.0-04.2
College Graduate	1489	157,022	1052	75.5	72.4-78.6	129	4.7	03.7-05.7	115	3.5	02.7-04.3	7	0.4	00.0-00.8	165	14.3	11.2-17.4	21	1.7	00.7-02.7
Less than \$15,000	334	31,335	49	17.5	11.8-23.2	79	17.1	12.2-22.0	113	16.5	12.8-20.2	6	2.5	00.0-05.0	81	40.8	32.0-49.6	6	5.6	00.1-11.1
\$15,000- 24,999	671	57,060	229	41.0	35.9-46.1	110	11.7	09.0-14.4	216	17.5	14.6-20.4	10	1.7	00.5-02.9	94	23.1	17.4-28.8	12	5.0	01.5-08.5
\$25,000- 34,999	540	50,614	260	54.2	47.7-60.7	81	9.4	07.0-11.8	114	11.0	08.6-13.4	6	1.0	00.0-02.0	70	22.1	14.5-29.7	9	2.3	00.3-04.3
\$35,000- 49,999	705	75,613	473	70.0	64.9-75.1	82	7.1	05.1-09.1	67	4.1	03.1-05.1	6	0.5	00.1-00.9	64	15.1	10.2-20.0	13	3.3	01.1-05.5
\$50,000- 74,999	784	84,075	639	84.3	80.4-88.2	49	3.6	02.4-04.8	39	2.3	01.3-03.3	1	0.0	00.0-00.0	44	8.5	04.6-12.4	12	1.3	00.5-02.1
\$75,000+	1032	119,021	902	83.4	79.1-87.7	43	2.3	01.5-03.1	23	0.9	00.5-01.3	1	0.0	00.0-00.0	51	10.8	06.7-14.9	12	2.5	00.5-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	247,160	1261	64.5	61.2-67.8	197	5.3	04.5-06.1	111	2.6	02.0-03.2	9	0.2	00.0-00.4	282	24.7	21.2-28.2	31	2.7	01.5-03.9
Non-Native	1811	231,385	1227	66.7	63.4-70.0	190	5.5	04.5-06.5	103	2.6	02.0-03.2	7	0.2	00.0-00.4	258	23.0	19.5-26.5	26	2.1	01.1-03.1
18-24	73	42,714	6	6.7	01.4-12.0										65	90.6	84.1-97.1	2	2.7	00.0-06.4
25-34	177	43,435	121	69.2	61.4-77.0	4	1.7	00.0-03.5	1	0.3	00.0-00.9				44	22.3	15.4-29.2	7	6.6	01.5-11.7
35-44	269	37,994	191	76.5	71.4-81.6	23	5.8	03.3-08.3	1	0.2	00.0-00.6	3	0.7	00.0-01.5	44	13.5	09.4-17.6	7	3.3	00.8-05.8
45-54	451	45,034	317	80.1	76.6-83.6	71	10.1	07.6-12.6	2	0.3	00.0-00.7	2	0.3	00.0-00.7	50	7.3	05.1-09.5	9	1.9	00.7-03.1
55-64	432	37,046	305	80.4	76.9-83.9	58	9.2	06.7-11.7	14	2.3	00.9-03.7	2	0.2	00.0-00.6	49	7.1	04.9-09.3	4	0.7	00.0-01.5
65+	480	40,178	317	77.4	73.9-80.9	39	5.2	03.4-07.0	91	12.9	10.2-15.6	2	0.3	00.0-00.7	29	3.7	02.3-05.1	2	0.5	00.0-01.3
Less Than H.S.	148	20,579				12	4.6	01.7-07.5	31	8.9	05.0-12.8	1	0.2	00.0-00.6				3	1.5	00.0-03.3
H.S. or G.E.D.	568	74,264	355	57.3	51.0-63.6	67	5.7	04.1-07.3	36	3.0	01.8-04.2	4	0.3	00.1-00.5	93	29.0	22.1-35.9	13	4.8	01.7-07.9
Some Post-H.S.	557	74,231	369	64.6	58.5-70.7	77	7.3	05.3-09.3	21	1.4	00.8-02.0	3	0.3	00.0-00.7	83	25.1	18.8-31.4	4	1.2	00.0-02.4
College Graduate	618	78,087	459	77.0	72.3-81.7	41	3.3	02.1-04.5	23	1.7	00.9-02.5	1	0.1	00.0-00.3	83	15.5	11.0-20.0	11	2.4	00.4-04.4
Less than \$15,000	111	12,804	27	24.3	14.3-34.3	25	12.8	06.9-18.7	13	6.2	02.5-09.9	1	0.3	00.0-00.9				3	7.7	00.0-18.1
\$15,000- 24,999	207	25,569	85	39.7	31.1-48.3	29	8.1	04.4-11.8	26	5.6	03.2-08.0	1	0.4	00.0-01.2	61	39.4	29.4-49.4	5	6.8	00.0-13.7
\$25,000- 34,999	190	23,323				35	9.6	05.9-13.3	25	6.0	03.3-08.7	2	0.5	00.0-01.3				1	0.4	00.0-01.2
\$35,000- 49,999	301	37,432	210	73.1	66.4-79.8	32	5.6	03.4-07.8	15	2.4	01.0-03.8	3	0.5	00.0-01.1	36	15.3	09.0-21.6	5	3.0	00.1-05.9
\$50,000- 74,999	355	45,239	290	81.7	75.2-88.2	20	3.1	01.5-04.7	10	1.3	00.5-02.1				28	12.6	05.9-19.3	7	1.3	00.3-02.3
\$75,000+	534	69,402	447	82.2	76.7-87.7	34	3.2	02.0-04.4	8	0.7	00.1-01.3				38	11.4	06.1-16.7	7	2.4	00.2-04.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2859	248,721	1699	64.0	61.3-66.7	293	7.0	06.0-08.0	604	10.9	09.9-11.9	25	1.0	00.6-01.4	200	14.6	11.9-17.3	38	2.5	01.3-03.7
Native	87	11,812							10	4.8	01.3-08.3	9	8.9	02.0-15.8				3	2.3	00.0-05.0
Non-Native	2740	234,960	1657	65.5	62.8-68.2	272	6.4	05.4-07.4	581	11.0	10.0-12.0	16	0.6	00.2-01.0	180	14.0	11.1-16.9	34	2.5	01.3-03.7
18-24	76	37,768	14	18.9	09.5-28.3	1	0.5	00.0-01.5	1	0.7	00.0-02.1	2	1.5	00.0-03.5				5	6.9	00.8-13.0
25-34	256	38,207	184	75.6	70.1-81.1	20	7.1	03.8-10.4	3	1.2	00.0-03.0	6	1.4	00.2-02.6	32	9.4	05.9-12.9	11	5.2	02.1-08.3
35-44	372	36,581	281	79.0	74.7-83.3	43	10.9	07.4-14.4	5	0.9	00.0-01.9	7	1.6	00.2-03.0	27	5.2	03.2-07.2	9	2.5	00.9-04.1
45-54	573	46,010	428	82.6	79.7-85.5	73	9.3	06.9-11.7	19	2.1	01.1-03.1	7	1.3	00.1-02.5	40	4.0	02.6-05.4	6	0.7	00.1-01.3
55-64	560	33,446	378	77.3	74.0-80.6	87	11.2	08.7-13.7	69	8.1	05.9-10.3				22	2.6	01.4-03.8	4	0.8	00.0-01.6
65+	982	54,485	393	53.1	49.8-56.4	62	4.4	03.2-05.6	497	40.2	37.1-43.3	2	0.1	00.0-00.3	25	1.9	01.1-02.7	3	0.4	00.0-00.8
Less Than H.S.	216	21,337	69	30.1	20.5-39.7	20	6.9	02.8-11.0	100	22.0	15.7-28.3	2	1.5	00.0-04.0				4	2.5	00.0-05.4
H.S. or G.E.D.	848	66,195	449	58.7	53.6-63.8	86	7.2	05.4-09.0	251	16.6	14.2-19.0	5	0.7	00.0-01.5	46	14.2	08.5-19.9	11	2.7	00.9-04.5
Some Post-H.S.	921	82,113	587	67.4	62.9-71.9	99	7.8	05.8-09.8	159	8.9	07.1-10.7	12	1.3	00.3-02.3	51	10.7	06.6-14.8	13	3.8	01.1-06.5
College Graduate	871	78,935	593	74.0	69.9-78.1	88	6.1	04.5-07.7	92	5.2	04.0-06.4	6	0.6	00.0-01.2	82	13.0	08.9-17.1	10	1.1	00.3-01.9
Less than \$15,000	223	18,531	22	12.9	06.0-19.8	54	20.0	13.1-26.9	100	23.6	17.5-29.7	5	4.0	00.0-08.3				3	4.2	00.0-10.1
\$15,000- 24,999	464	31,491	144	42.1	36.0-48.2	81	14.6	10.7-18.5	190	27.2	22.7-31.7	9	2.7	00.7-04.7	33	9.9	05.0-14.8	7	3.5	00.6-06.4
\$25,000- 34,999	350	27,291	168	56.6	49.3-63.9	46	9.3	06.2-12.4	89	15.2	11.7-18.7	4	1.4	00.0-03.0	35	13.6	06.2-21.0	8	3.9	00.6-07.2
\$35,000- 49,999	404	38,181	263	66.9	59.5-74.3	50	8.6	05.5-11.7	52	5.6	03.8-07.4	3	0.6	00.0-01.4	28	14.8	07.2-22.4	8	3.4	00.3-06.5
\$50,000- 74,999	429	38,836	349	87.2	83.3-91.1	29	4.1	02.3-05.9	29	3.5	01.7-05.3	1	0.1	00.0-00.3	16	3.7	00.8-06.6	5	1.3	00.1-02.5
\$75,000+	498	49,618	455	85.1	78.2-92.0	9	1.0	00.2-01.8	15	1.2	00.6-01.8	1	0.1	00.0-00.3	13	10.0	03.5-16.5	5	2.7	00.0-06.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4762	497,107	460	14.7	12.9-16.5	526	14.9	13.5-16.3	233	6.8	05.8-07.8	84	2.5	01.9-03.1	21	0.9	00.3-01.5	3438	60.3	58.3-62.3
Male	1898	248,157	183	14.3	11.8-16.8	220	14.1	11.9-16.3	100	7.2	05.4-09.0	30	2.5	01.5-03.5	9	1.1	00.0-02.3	1356	60.9	57.8-64.0
Female	2864	248,950	277	15.1	12.7-17.5	306	15.7	13.7-17.7	133	6.4	05.2-07.6	54	2.5	01.7-03.3	12	0.7	00.3-01.1	2082	59.6	57.1-62.1
Native	131	23,036	24	20.6	10.6-30.6							11	8.4	01.7-15.1	2	1.8	00.0-04.3	51	24.0	14.8-33.2
Non-Native	4562	467,517	435	14.5	12.7-16.3	502	14.6	13.2-16.0	213	6.2	05.2-07.2	72	2.2	01.6-02.8	17	0.8	00.2-01.4	3323	61.7	59.7-63.7
18-24	150	81,057	43	29.8	21.8-37.8	17	10.6	05.3-15.9	6	3.9	00.2-07.6	1	0.5	00.0-01.5	2	2.1	00.0-05.6	81	53.1	44.5-61.7
25-34	434	81,870	81	18.4	14.3-22.5	132	30.0	25.3-34.7	72	16.7	12.8-20.6	32	7.0	04.3-09.7	5	1.2	00.0-02.4	112	26.7	22.0-31.4
35-44	639	74,294	110	17.1	14.0-20.2	230	35.8	31.9-39.7	110	17.4	14.3-20.5	41	6.9	04.7-09.1	10	1.7	00.7-02.7	138	21.1	17.8-24.4
45-54	1025	91,177	194	20.3	17.6-23.0	127	13.6	11.2-16.0	40	4.0	02.6-05.4	10	1.1	00.3-01.9	4	0.6	00.0-01.2	650	60.4	57.1-63.7
55-64	995	70,667	24	3.0	01.6-04.4	11	1.1	00.5-01.7	4	0.6	00.0-01.2							956	95.3	93.7-96.9
65+	1468	94,994	7	0.5	00.1-00.9	5	0.8	00.0-01.6										1456	98.7	97.9-99.5
Less Than H.S.	366	42,022	17	11.9	04.6-19.2	13	8.7	03.4-14.0	11	7.3	00.8-13.8	4	3.0	00.0-06.5	1	0.6	00.0-01.8	320	68.5	59.1-77.9
H.S. or G.E.D.	1417	141,102	116	15.1	11.6-18.6	87	9.5	07.0-12.0	44	4.4	02.8-06.0	15	1.7	00.7-02.7	11	2.1	00.0-04.3	1144	67.2	63.1-71.3
Some Post-H.S.	1481	156,386	167	16.7	13.6-19.8	185	15.7	13.2-18.2	62	6.2	04.4-08.0	33	2.8	01.8-03.8	6	0.7	00.1-01.3	1028	57.8	54.3-61.3
College Graduate	1495	157,455	160	13.1	10.7-15.5	241	20.5	18.0-23.0	116	9.5	07.7-11.3	32	2.6	01.6-03.6	3	0.2	00.0-00.4	943	54.2	51.1-57.3
Less than \$15,000	336	31,413	25	12.2	06.3-18.1	14	8.6	03.1-14.1	4	2.9	00.0-05.8	5	2.5	00.0-05.0				288	73.9	66.1-81.7
\$15,000- 24,999	672	57,166	54	13.6	08.7-18.5	35	9.4	05.3-13.5	15	4.0	01.8-06.2	12	2.8	00.8-04.8	1	0.3	00.0-00.9	555	69.9	64.0-75.8
\$25,000- 34,999	542	50,896	39	12.4	07.3-17.5	34	10.0	06.3-13.7	19	5.5	03.0-08.0	5	1.3	00.1-02.5	4	3.5	00.0-09.0	441	67.3	60.4-74.2
\$35,000- 49,999	707	75,621	70	12.8	09.3-16.3	83	15.1	11.6-18.6	44	9.2	05.9-12.5	12	2.6	01.0-04.2	5	1.2	00.0-02.4	493	59.0	54.1-63.9
\$50,000- 74,999	788	84,342	97	15.5	12.2-18.8	117	18.6	15.3-21.9	52	7.8	05.6-10.0	18	3.0	01.6-04.4	5	0.8	00.0-01.6	499	54.3	50.0-58.6
\$75,000+	1034	119,151	129	17.8	14.1-21.5	193	22.1	19.0-25.2	87	9.5	07.3-11.7	27	2.9	01.7-04.1	5	0.5	00.0-01.1	593	47.1	43.4-50.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	248,157	183	14.3	11.8-16.8	220	14.1	11.9-16.3	100	7.2	05.4-09.0	30	2.5	01.5-03.5	9	1.1	00.0-02.3	1356	60.9	57.8-64.0
Non-Native	1817	232,329	176	14.4	11.9-16.9	215	14.1	12.1-16.1	93	6.6	05.0-08.2	25	2.0	01.2-02.8	7	1.0	00.0-02.2	1301	61.9	58.8-65.0
18-24	74	43,289				2	4.7	00.0-11.0	3	4.9	00.0-11.4	1	0.9	00.0-02.7	1	3.3	00.0-09.6			
25-34	178	43,663	29	17.4	11.3-23.5	49	26.8	19.9-33.7	20	12.9	07.0-18.8	11	6.5	02.4-10.6	2	1.3	00.0-03.1	67	35.1	27.5-42.7
35-44	267	37,713	33	13.8	09.1-18.5	91	34.3	28.4-40.2	51	19.7	14.6-24.8	14	6.2	02.9-09.5	2	0.7	00.0-01.7	76	25.2	19.9-30.5
45-54	453	45,206	84	20.7	16.6-24.8	67	15.8	12.3-19.3	23	5.1	02.9-07.3	4	1.1	00.0-02.3	4	1.2	00.0-02.6	271	56.0	51.1-60.9
55-64	433	37,092	16	4.6	02.2-07.0	7	1.5	00.3-02.7	3	0.9	00.0-02.1							407	93.0	90.3-95.7
65+	484	40,435	3	0.6	00.0-01.4	3	1.2	00.0-02.6										478	98.2	96.6-99.8
Less Than H.S.	150	20,686	5	5.2	00.0-11.1	3	4.7	00.0-10.4				1	3.3	00.0-09.6	1	1.2	00.0-03.6			
H.S. or G.E.D.	570	74,946	56	16.0	11.1-20.9	44	10.1	06.2-14.0	27	5.9	03.4-08.4	6	1.7	00.1-03.3	3	2.4	00.0-06.1	434	64.0	57.7-70.3
Some Post-H.S.	558	74,210	68	18.3	13.2-23.4	73	13.2	10.1-16.3	27	6.9	03.8-10.0	9	2.3	00.7-03.9	3	0.8	00.0-01.8	378	58.5	52.8-64.2
College Graduate	620	78,316	54	11.3	07.8-14.8	100	21.2	17.1-25.3	40	7.9	05.4-10.4	14	3.0	01.4-04.6	2	0.3	00.0-00.7	410	56.3	51.4-61.2
Less than \$15,000	112	12,850	6	7.0	00.9-13.1	2	5.1	00.0-12.9	1	1.5	00.0-04.4	2	4.2	00.0-10.1						
\$15,000- 24,999	208	25,676	16	17.1	07.3-26.9	6	2.9	00.4-05.4	6	4.8	00.9-08.7	3	2.3	00.0-05.4				177	72.8	62.8-82.8
\$25,000- 34,999	192	23,604	13	9.8	03.5-16.1	12	8.9	03.6-14.2	9	6.3	01.8-10.8				2	6.5	00.0-17.7			
\$35,000- 49,999	301	37,366	29	11.7	07.0-16.4	28	11.6	07.1-16.1	17	9.7	04.2-15.2	6	3.3	00.6-06.0	1	0.9	00.0-02.7	220	62.8	55.5-70.1
\$50,000- 74,999	356	45,282	39	15.6	10.3-20.9	51	16.4	11.9-20.9	20	6.8	03.9-09.7	6	2.4	00.4-04.4	2	0.5	00.0-01.3	238	58.3	52.0-64.6
\$75,000+	535	69,500	64	18.0	12.9-23.1	106	24.1	19.6-28.6	44	9.4	06.5-12.3	12	2.8	01.2-04.4	3	0.7	00.0-01.5	306	45.0	39.9-50.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2864	248,950	277	15.1	12.7-17.5	306	15.7	13.7-17.7	133	6.4	05.2-07.6	54	2.5	01.7-03.3	12	0.7	00.3-01.1	2082	59.6	57.1-62.1
Native	87	11,812							12	17.1	07.1-27.1	6	4.9	00.6-09.2	2	3.5	00.0-08.2	30	17.6	09.8-25.4
Non-Native	2745	235,189	259	14.7	12.3-17.1	287	15.1	13.1-17.1	120	5.9	04.7-07.1	47	2.3	01.5-03.1	10	0.5	00.1-00.9	2022	61.5	58.8-64.2
18-24	76	37,768				15	17.4	08.8-26.0	3	2.7	00.0-05.8				1	0.7	00.0-02.1			
25-34	256	38,207	52	19.5	14.4-24.6	83	33.7	27.6-39.8	52	21.1	15.8-26.4	21	7.5	04.2-10.8	3	1.1	00.0-02.5	45	17.1	12.2-22.0
35-44	372	36,581	77	20.6	16.3-24.9	139	37.4	32.3-42.5	59	14.9	11.2-18.6	27	7.6	04.7-10.5	8	2.6	00.8-04.4	62	16.9	12.8-21.0
45-54	572	45,971	110	19.8	16.3-23.3	60	11.5	08.6-14.4	17	2.9	01.5-04.3	6	1.0	00.2-01.8				379	64.8	60.7-68.9
55-64	562	33,575	8	1.2	00.2-02.2	4	0.6	00.0-01.2	1	0.3	00.0-00.9							549	97.9	96.7-99.1
65+	984	54,559	4	0.4	00.0-00.8	2	0.5	00.0-01.1										978	99.2	98.4-0100
Less Than H.S.	216	21,337				10	12.6	03.8-21.4	5	4.4	00.0-08.9	3	2.7	00.0-05.8						
H.S. or G.E.D.	847	66,156	60	14.1	09.2-19.0	43	8.9	05.8-12.0	17	2.7	01.3-04.1	9	1.7	00.5-02.9	8	1.7	00.3-03.1	710	70.9	65.6-76.2
Some Post-H.S.	923	82,177	99	15.4	11.7-19.1	112	18.0	14.3-21.7	35	5.6	03.6-07.6	24	3.3	01.9-04.7	3	0.6	00.0-01.2	650	57.2	52.7-61.7
College Graduate	875	79,139	106	14.9	12.0-17.8	141	19.8	16.7-22.9	76	11.0	08.5-13.5	18	2.1	01.1-03.1	1	0.1	00.0-00.3	533	52.1	48.0-56.2
Less than \$15,000	224	18,563	19	15.8	07.0-24.6	12	11.0	03.4-18.6	3	3.8	00.0-08.3	3	1.3	00.0-02.9						
\$15,000- 24,999	464	31,491	38	10.8	06.9-14.7	29	14.7	08.0-21.4	9	3.3	00.9-05.7	9	3.2	00.8-05.6	1	0.6	00.0-01.8	378	67.5	60.6-74.4
\$25,000- 34,999	350	27,291	26	14.7	07.3-22.1	22	11.0	05.9-16.1	10	4.7	01.8-07.6	5	2.4	00.2-04.6	2	0.9	00.0-02.1	285	66.3	58.5-74.1
\$35,000- 49,999	406	38,255	41	13.9	08.8-19.0	55	18.4	13.1-23.7	27	8.8	05.1-12.5	6	1.9	00.3-03.5	4	1.6	00.0-03.2	273	55.4	48.5-62.3
\$50,000- 74,999	432	39,060	58	15.5	11.4-19.6	66	21.1	16.4-25.8	32	8.9	05.8-12.0	12	3.6	01.4-05.8	3	1.2	00.0-02.8	261	49.7	44.2-55.2
\$75,000+	499	49,651	65	17.6	12.1-23.1	87	19.1	15.0-23.2	43	9.8	06.9-12.7	15	3.0	01.4-04.6	2	0.3	00.0-00.7	287	50.1	44.4-55.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4764	497,453	170	2.7	02.1-03.3	196	5.8	04.4-07.2	1418	28.4	26.6-30.2	1484	31.5	29.7-33.3	1496	31.7	29.9-33.5
Male	1901	248,511	74	2.8	02.0-03.6	76	5.6	03.6-07.6	570	30.2	27.3-33.1	560	29.9	27.2-32.6	621	31.6	28.9-34.3
Female	2863	248,942	96	2.6	01.8-03.4	120	6.0	04.2-07.8	848	26.6	24.4-28.8	924	33.0	30.6-35.4	875	31.8	29.4-34.2
Native	131	23,036	1	1.7	00.0-05.0										30	17.7	10.3-25.1
Non-Native	4563	467,790	158	2.6	02.0-03.2	167	4.9	03.7-06.1	1361	28.2	26.4-30.0	1418	31.6	29.6-33.6	1459	32.7	30.9-34.5
18-24	150	81,057	3	1.8	00.0-04.2	21	16.7	09.6-23.8	51	33.3	25.1-41.5	49	32.6	24.6-40.6	26	15.5	09.4-21.6
25-34	434	81,870	1	0.1	00.0-00.3	12	3.6	01.2-06.0	71	18.4	14.1-22.7	132	29.8	24.9-34.7	218	48.1	42.8-53.4
35-44	642	74,670	1	0.2	00.0-00.6	17	2.7	01.3-04.1	128	21.4	17.9-24.9	226	35.3	31.4-39.2	270	40.3	36.4-44.2
45-54	1025	91,138	7	1.0	00.2-01.8	28	2.4	01.4-03.4	282	27.3	24.4-30.2	360	35.2	32.1-38.3	348	34.1	31.0-37.2
55-64	995	70,667	10	0.9	00.3-01.5	19	1.7	00.9-02.5	275	26.7	23.8-29.6	352	35.2	32.1-38.3	339	35.6	32.3-38.9
65+	1468	94,994	146	10.3	08.5-12.1	99	7.3	05.7-08.9	592	40.0	37.3-42.7	349	22.8	20.4-25.2	282	19.5	17.3-21.7
Less than \$15,000	336	31,413	39	7.2	04.7-09.7	41	13.4	07.7-19.1	133	35.7	27.9-43.5	78	24.4	17.3-31.5	45	19.2	11.6-26.8
\$15,000- 24,999	672	57,166	49	6.1	04.1-08.1	47	8.3	05.2-11.4	287	41.7	36.4-47.0	186	29.0	23.9-34.1	103	14.9	11.2-18.6
\$25,000- 34,999	542	50,896	21	3.1	01.5-04.7	33	6.7	02.8-10.6	211	40.3	33.8-46.8	182	34.7	28.8-40.6	95	15.2	11.7-18.7
\$35,000- 49,999	708	75,761	10	1.1	00.3-01.9	10	1.9	00.3-03.5	219	28.4	24.3-32.5	259	39.1	34.2-44.0	210	29.5	25.0-34.0
\$50,000- 74,999	788	84,342	3	0.4	00.0-01.0	15	2.4	00.2-04.6	183	23.3	19.6-27.0	259	31.9	28.0-35.8	328	41.9	37.8-46.0
\$75,000+	1034	119,151	6	0.6	00.0-01.2	9	1.2	00.0-02.4	133	14.0	10.9-17.1	311	30.3	26.6-34.0	575	53.9	50.0-57.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	248,511	74	2.8	02.0-03.6	76	5.6	03.6-07.6	570	30.2	27.3-33.1	560	29.9	27.2-32.6	621	31.6	28.9-34.3
Non-Native	1819	232,609	66	2.6	01.8-03.4	66	4.5	02.7-06.3	544	29.8	26.9-32.7	535	30.3	27.4-33.2	608	32.9	30.2-35.6
18-24	74	43,289	1	0.9	00.0-02.7	8	14.2	04.4-24.0							10	12.6	04.8-20.4
25-34	178	43,663				5	4.0	00.1-07.9	39	23.5	16.4-30.6	46	26.5	19.2-33.8	88	46.0	38.2-53.8
35-44	269	37,994	1	0.4	00.0-01.2	6	2.2	00.4-04.0	56	22.9	17.4-28.4	98	35.8	29.7-41.9	108	38.7	32.6-44.8
45-54	453	45,206	5	1.6	00.0-03.2	13	2.5	01.1-03.9	153	31.9	27.4-36.4	149	33.8	29.1-38.5	133	30.2	25.7-34.7
55-64	433	37,092	5	1.1	00.1-02.1	5	1.1	00.1-02.1	118	26.2	21.9-30.5	146	32.8	28.1-37.5	159	38.7	33.8-43.6
65+	484	40,435	62	12.9	09.6-16.2	39	8.7	06.0-11.4	171	35.8	31.3-40.3	93	18.3	14.8-21.8	119	24.3	20.2-28.4
Less than \$15,000	112	12,850	12	7.1	02.6-11.6	15	14.0	04.8-23.2									
\$15,000- 24,999	208	25,676	21	8.1	04.2-12.0	14	6.7	03.0-10.4	90	47.2	37.6-56.8	50	23.6	15.4-31.8	33	14.3	07.4-21.2
\$25,000- 34,999	192	23,604	12	3.7	01.3-06.1	14	5.3	02.2-08.4				54	31.4	21.4-41.4	30	13.7	08.0-19.4
\$35,000- 49,999	302	37,506	9	2.0	00.6-03.4	4	1.0	00.0-02.0	114	35.1	28.6-41.6	103	38.9	31.6-46.2	72	23.1	17.6-28.6
\$50,000- 74,999	356	45,282	3	0.8	00.0-01.8	8	3.4	00.0-07.1	92	24.9	19.4-30.4	112	29.9	24.0-35.8	141	40.9	34.6-47.2
\$75,000+	535	69,500	4	0.8	00.0-01.6	6	1.6	00.0-03.4	82	14.9	11.2-18.6	156	30.5	25.4-35.6	287	52.2	46.9-57.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2863	248,942	96	2.6	01.8-03.4	120	6.0	04.2-07.8	848	26.6	24.4-28.8	924	33.0	30.6-35.4	875	31.8	29.4-34.2
Native	87	11,812													23	22.9	12.9-32.9
Non-Native	2744	235,181	92	2.6	01.8-03.4	101	5.2	03.4-07.0	817	26.7	24.5-28.9	883	32.9	30.5-35.3	851	32.5	30.1-34.9
18-24	76	37,768	2	2.9	00.0-07.4	13	19.6	09.6-29.6							16	18.9	09.9-27.9
25-34	256	38,207	1	0.3	00.0-00.9	7	3.1	00.7-05.5	32	12.7	08.4-17.0	86	33.6	27.5-39.7	130	50.4	43.9-56.9
35-44	373	36,676				11	3.2	00.8-05.6	72	19.9	15.6-24.2	128	34.9	29.8-40.0	162	42.0	36.7-47.3
45-54	572	45,933	2	0.4	00.0-01.0	15	2.3	01.1-03.5	129	22.7	19.0-26.4	211	36.7	32.6-40.8	215	37.9	33.6-42.2
55-64	562	33,575	5	0.7	00.1-01.3	14	2.3	00.9-03.7	157	27.2	23.3-31.1	206	37.7	33.4-42.0	180	32.1	28.0-36.2
65+	984	54,559	84	8.5	06.5-10.5	60	6.3	04.7-07.9	421	43.1	39.8-46.4	256	26.2	23.3-29.1	163	16.0	13.6-18.4
Less than \$15,000	224	18,563	27	7.3	04.2-10.4	26	12.9	05.6-20.2				51	25.4	16.0-34.8	28	17.2	08.4-26.0
\$15,000- 24,999	464	31,491	28	4.5	02.7-06.3	33	9.6	04.9-14.3	197	37.2	31.7-42.7	136	33.3	27.2-39.4	70	15.4	11.3-19.5
\$25,000- 34,999	350	27,291	9	2.6	00.2-05.0	19	8.0	01.3-14.7	129	35.4	28.9-41.9	128	37.6	30.7-44.5	65	16.4	11.9-20.9
\$35,000- 49,999	406	38,255	1	0.2	00.0-00.6	6	2.8	00.0-05.9	105	21.8	16.9-26.7	156	39.3	32.4-46.2	138	35.8	29.1-42.5
\$50,000- 74,999	432	39,060				7	1.2	00.2-02.2	91	21.4	16.7-26.1	147	34.3	29.2-39.4	187	43.1	37.8-48.4
\$75,000+	499	49,651	2	0.3	00.0-00.7	3	0.7	00.0-01.5	51	12.7	07.4-18.0	155	30.1	25.0-35.2	288	56.2	50.3-62.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4758	496,816	2857	64.8	62.8-66.8	100	3.2	0.2-0.4.2	316	5.6	0.4-0.6.4	86	6.7	0.5-1-0.8.3	1190	15.9	14.9-16.9	209	3.8	0.3-0-0.4.6
Male	1898	248,034	1300	71.4	68.5-74.3	44	3.7	0.2-1-0.5.3	3	0.1	0.0-0-0.3	29	6.0	0.3-6-0.8.4	444	15.3	13.7-16.9	78	3.5	0.2-1-0.4.9
Female	2860	248,782	1557	58.2	55.7-60.7	56	2.7	0.1-7-0.3.7	313	11.0	0.9-6-12.4	57	7.5	0.5-3-0.9.7	746	16.5	15.1-17.9	131	4.1	0.2-9-0.5.3
Native	131	23,036				15	12.6	0.4-6-20.6	6	3.2	0.0-3-0.6.1	9	14.5	0.4-5-24.5	12	3.7	0.1-2-0.6.2			
Non-Native	4559	467,581	2764	65.8	63.8-67.8	80	2.5	0.1-5-0.3.5	307	5.7	0.4-9-0.6.5	77	6.4	0.4-8-0.8.0	1151	16.4	15.2-17.6	180	3.2	0.2-6-0.3.8
18-24	150	81,057	77	48.1	39.5-56.7	12	8.8	0.3-7-13.9	4	2.4	0.0-0-0.4.9	50	35.4	27.2-43.6	1	0.7	0.0-0-0.2.1	6	4.6	0.0-3-0.8.9
25-34	433	81,528	363	85.3	81.6-89.0	14	3.6	0.1-2-0.6.0	34	6.9	0.4-5-0.9.3	19	3.6	0.1-6-0.5.6				3	0.7	0.0-0-0.1.7
35-44	642	74,670	553	86.8	84.1-89.5	18	2.8	0.1-4-0.4.2	41	5.6	0.3-8-0.7.4	10	1.8	0.0-6-0.3.0				20	3.1	0.1-5-0.4.7
45-54	1024	91,089	893	87.7	85.5-89.9	25	2.3	0.1-3-0.3.3	29	2.9	0.1-9-0.3.9	4	0.4	0.0-0-0.0.8	12	1.2	0.0-4-0.2.0	61	5.6	0.4-0-0.7.2
55-64	994	70,602	708	72.7	69.8-75.6	20	1.5	0.0-7-0.2.3	49	4.7	0.3-3-0.6.1				162	15.9	13.5-18.3	55	5.3	0.3-7-0.6.9
65+	1464	94,780	235	16.3	14.1-18.5	9	0.6	0.0-2-0.1.0	156	10.5	0.8-7-12.3	2	0.1	0.0-0-0.0.3	1000	68.9	66.4-71.4	62	3.6	0.2-6-0.4.6
Less Than H.S.	366	42,022	103	34.3	25.9-42.7	10	10.2	0.2-8-17.6	30	5.3	0.2-9-0.7.7	6	8.9	0.2-2-1.5.6	179	29.1	23.0-35.2	38	12.3	0.5-0-1.9.6
H.S. or G.E.D.	1413	140,932	711	57.8	54.1-61.5	27	3.4	0.1-4-0.5.4	115	6.3	0.5-1-0.7.5	19	6.4	0.3-5-0.9.3	448	21.2	18.8-23.6	93	5.0	0.3-8-0.6.2
Some Post-H.S.	1480	156,125	941	66.6	63.1-70.1	39	2.9	0.1-5-0.4.3	118	6.8	0.5-2-0.8.4	34	8.4	0.5-3-1.1.5	296	12.1	10.5-13.7	52	3.2	0.2-0-0.4.4
College Graduate	1496	157,595	1100	77.3	74.6-80.0	24	1.5	0.0-9-0.2.1	53	3.8	0.2-6-0.5.0	27	4.8	0.2-4-0.7.2	266	11.4	0.9-8-13.0	26	1.1	0.0-7-0.1.5
Less than \$15,000	336	31,413	78	28.3	20.5-36.1	19	9.7	0.3-6-15.8	26	5.7	0.3-0-0.8.4	19	16.6	0.8-6-24.6	110	18.7	14.4-23.0	84	21.1	15.2-27.0
\$15,000- 24,999	670	57,092	276	48.4	42.9-53.9	21	4.2	0.1-7-0.6.7	46	7.9	0.4-6-11.2	11	4.1	0.0-8-0.7.4	270	29.3	25.2-33.4	46	6.1	0.3-9-0.8.3
\$25,000- 34,999	541	50,853	279	58.9	52.8-65.0	10	4.4	0.0-5-0.8.3	39	6.9	0.4-4-0.9.4	2	1.4	0.0-0-0.3.6	191	24.6	20.5-28.7	20	3.9	0.1-4-0.6.4
\$35,000- 49,999	707	75,419	461	69.4	64.9-73.9	11	1.9	0.0-1-0.3.7	41	5.5	0.3-7-0.7.3	9	4.9	0.1-4-0.8.4	164	15.6	12.9-18.3	21	2.7	0.1-5-0.3.9
\$50,000- 74,999	788	84,342	619	81.6	78.3-84.9	12	1.3	0.0-5-0.2.1	31	3.5	0.2-1-0.4.9	7	2.8	0.0-3-0.5.3	115	10.4	0.8-4-12.4	4	0.4	0.0-0-0.0.8
\$75,000+	1033	119,073	864	84.0	80.5-87.5	9	1.3	0.0-0-0.2.7	51	3.8	0.2-6-0.5.0	12	4.4	0.1-5-0.7.3	93	6.1	0.4-5-0.7.7	4	0.3	0.0-1-0.0.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	248,034	1300	71.4	68.5-74.3	44	3.7	02.1-05.3	3	0.1	00.0-00.3	29	6.0	03.6-08.4	444	15.3	13.7-16.9	78	3.5	02.1-04.9
Non-Native	1818	232,560	1260	72.6	69.7-75.5	34	2.6	01.2-04.0	3	0.1	00.0-00.3	28	6.3	03.8-08.8	425	15.7	13.9-17.5	68	2.7	01.9-03.5
18-24	74	43,289				8	11.5	03.5-19.5							1	1.3	00.0-03.8	2	3.5	00.0-09.6
25-34	177	43,321	166	93.0	88.3-97.7	4	3.4	00.0-07.1				5	2.5	00.0-05.2				2	1.1	00.0-02.7
35-44	269	37,994	246	91.0	87.3-94.7	10	3.2	01.0-05.4	1	0.4	00.0-01.2	3	1.5	00.0-03.3				9	3.9	01.4-06.4
45-54	452	45,157	406	91.0	88.3-93.7	10	1.8	00.6-03.0				1	0.2	00.0-00.6	6	1.1	00.1-02.1	29	5.8	03.4-08.2
55-64	433	37,092	326	77.1	73.0-81.2	9	1.2	00.4-02.0	1	0.2	00.0-00.6				74	16.7	13.0-20.4	23	4.7	02.7-06.7
65+	483	40,349	107	21.9	18.0-25.8	3	0.5	00.0-01.1	1	0.1	00.0-00.3				359	75.4	71.5-79.3	13	2.1	00.9-03.3
Less Than H.S.	150	20,686										1	2.8	00.0-08.1						
H.S. or G.E.D.	569	74,897	357	66.2	60.5-71.9	17	5.2	01.7-08.7				7	6.0	01.7-10.3	151	17.8	14.5-21.1	37	4.8	03.0-06.6
Some Post-H.S.	558	73,995	412	75.4	70.1-80.7	14	3.2	00.8-05.6	3	0.4	00.0-00.8	11	7.9	03.0-12.8	101	10.9	08.5-13.3	17	2.2	01.0-03.4
College Graduate	621	78,456	476	80.4	76.3-84.5	9	1.2	00.4-02.0				10	5.0	01.3-08.7	116	12.4	10.0-14.8	10	1.0	00.2-01.8
Less than \$15,000	112	12,850													31	16.1	09.4-22.8			
\$15,000- 24,999	208	25,676	94	57.9	48.9-66.9	3	0.5	00.0-01.1	1	0.2	00.0-00.6	4	6.2	00.0-13.3	88	28.6	21.5-35.7	18	6.5	02.8-10.2
\$25,000- 34,999	192	23,604	105	65.8	56.8-74.8	6	3.2	00.0-06.5				2	2.9	00.0-07.6	76	26.4	19.1-33.7	3	1.7	00.0-03.7
\$35,000- 49,999	301	37,164	212	75.4	69.7-81.1	5	2.6	00.0-05.7	2	0.6	00.0-01.6	1	1.5	00.0-04.4	71	17.1	13.0-21.2	10	2.8	01.0-04.6
\$50,000- 74,999	356	45,282	289	83.8	78.7-88.9	5	0.8	00.0-01.6				2	3.2	00.0-07.5	59	11.9	08.8-15.0	1	0.3	00.0-00.9
\$75,000+	535	69,500	470	85.8	80.7-90.9	5	1.8	00.0-04.2				5	5.1	00.8-09.4	54	7.2	04.8-09.6	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2860	248,782	1557	58.2	55.7-60.7	56	2.7	01.7-03.7	313	11.0	09.6-12.4	57	7.5	05.3-09.7	746	16.5	15.1-17.9	131	4.1	02.9-05.3
Native	87	11,812				10	9.9	02.6-17.2	6	6.2	00.5-11.9				7	3.0	00.5-05.5	15	11.5	04.2-18.8
Non-Native	2741	235,021	1504	59.0	56.5-61.5	46	2.4	01.2-03.6	304	11.3	09.7-12.9	49	6.6	04.4-08.8	726	17.1	15.7-18.5	112	3.7	02.5-04.9
18-24	76	37,768				4	5.6	00.0-11.5	4	5.1	00.0-10.4							4	5.9	00.0-11.8
25-34	256	38,207	197	76.5	71.0-82.0	10	3.8	01.3-06.3	34	14.7	10.0-19.4	14	4.8	02.3-07.3				1	0.3	00.0-00.9
35-44	373	36,676	307	82.4	78.3-86.5	8	2.3	00.5-04.1	40	11.0	07.7-14.3	7	2.1	00.5-03.7				11	2.3	00.9-03.7
45-54	572	45,933	487	84.4	81.1-87.7	15	2.8	01.4-04.2	29	5.7	03.5-07.9	3	0.6	00.0-01.2	6	1.3	00.1-02.5	32	5.3	03.3-07.3
55-64	561	33,510	382	67.8	63.7-71.9	11	1.8	00.6-03.0	48	9.5	07.0-12.0				88	15.0	11.9-18.1	32	5.8	03.6-08.0
65+	981	54,431	128	12.2	10.0-14.4	6	0.6	00.0-01.2	155	18.2	15.5-20.9	2	0.2	00.0-00.4	641	64.0	60.7-67.3	49	4.7	03.3-06.1
Less Than H.S.	216	21,337				6	10.7	00.7-20.7	30	10.4	05.9-14.9				103	25.5	18.4-32.6	24	11.9	03.9-19.9
H.S. or G.E.D.	844	66,034	354	48.2	43.3-53.1	10	1.4	00.4-02.4	115	13.4	10.9-15.9	12	6.8	02.5-11.1	297	25.0	21.9-28.1	56	5.3	03.7-06.9
Some Post-H.S.	922	82,130	529	58.6	54.1-63.1	25	2.7	01.5-03.9	115	12.6	09.7-15.5	23	8.8	04.5-13.1	195	13.1	10.9-15.3	35	4.1	01.9-06.3
College Graduate	875	79,139	624	74.3	70.6-78.0	15	1.7	00.7-02.7	53	7.6	05.2-10.0	17	4.7	02.2-07.2	150	10.5	08.7-12.3	16	1.1	00.5-01.7
Less than \$15,000	224	18,563				10	5.0	00.9-09.1	26	9.7	05.0-14.4				79	20.5	14.8-26.2	45	16.5	09.2-23.8
\$15,000- 24,999	462	31,416	182	40.6	34.7-46.5	18	7.1	02.6-11.6	45	14.2	08.7-19.7	7	2.3	00.3-04.3	182	30.0	25.3-34.7	28	5.8	03.4-08.2
\$25,000- 34,999	349	27,249	174	52.9	45.6-60.2	4	5.4	00.0-12.1	39	12.8	08.1-17.5				115	23.0	18.3-27.7	17	5.9	01.6-10.2
\$35,000- 49,999	406	38,255	249	63.5	56.8-70.2	6	1.3	00.1-02.5	39	10.1	06.6-13.6	8	8.2	02.1-14.3	93	14.2	10.9-17.5	11	2.6	00.8-04.4
\$50,000- 74,999	432	39,060	330	79.1	74.8-83.4	7	1.8	00.2-03.4	31	7.5	04.6-10.4	5	2.4	00.0-04.8	56	8.8	06.4-11.2	3	0.4	00.0-01.0
\$75,000+	498	49,573	394	81.5	77.0-86.0	4	0.5	00.0-01.1	51	9.2	06.7-11.7	7	3.5	00.0-07.2	39	4.6	03.0-06.2	3	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4080	418,729	139	3.5	02.7-04.3	197	4.0	03.2-04.8	261	4.6	03.8-05.4	411	9.0	07.8-10.2	542	12.2	10.8-13.6	2530	66.7	64.7-68.7
Male	1705	214,417	45	2.8	01.6-04.0	67	3.2	02.2-04.2	68	3.6	02.4-04.8	140	8.4	06.6-10.2	192	11.0	08.8-13.2	1193	71.0	68.1-73.9
Female	2375	204,312	94	4.2	03.0-05.4	130	4.9	03.5-06.3	193	5.8	04.8-06.8	271	9.6	08.0-11.2	350	13.4	11.6-15.2	1337	62.1	59.6-64.6
Native	118	17,280				11	8.1	01.0-15.2	15	7.1	02.8-11.4	16	15.6	06.8-24.4	13	9.7	03.8-15.6			
Non-Native	3917	397,016	115	2.5	01.7-03.3	180	3.7	02.9-04.5	242	4.5	03.7-05.3	387	8.7	07.5-09.9	523	12.3	10.7-13.9	2470	68.3	66.3-70.3
18-24	104	52,929	9	7.2	02.3-12.1	11	9.0	03.5-14.5	5	4.5	00.6-08.4	11	9.9	03.8-16.0	16	16.3	08.1-24.5			
25-34	396	74,888	10	3.1	00.6-05.6	9	1.8	00.4-03.2	9	2.4	00.4-04.4	38	10.3	06.8-13.8	47	10.6	07.5-13.7	283	71.8	66.7-76.9
35-44	603	70,329	25	4.6	02.6-06.6	11	1.8	00.6-03.0	25	3.1	01.7-04.5	32	5.0	03.2-06.8	49	7.4	05.2-09.6	461	78.0	74.5-81.5
45-54	932	82,645	23	1.8	01.0-02.6	26	2.2	01.2-03.2	34	2.8	01.8-03.8	56	4.8	03.4-06.2	85	8.4	06.4-10.4	708	79.9	77.2-82.6
55-64	869	62,118	23	1.7	00.9-02.5	31	3.5	02.1-04.9	42	3.4	02.2-04.6	59	5.6	04.0-07.2	112	11.5	09.3-13.7	602	74.2	71.1-77.3
65+	1149	74,237	48	3.6	02.4-04.8	105	7.1	05.7-08.5	143	11.5	09.5-13.5	213	18.3	15.8-20.8	232	20.0	17.5-22.5	408	39.4	36.3-42.5
Less Than H.S.	283	26,567	34	13.4	07.1-19.7	46	11.0	07.1-14.9	47	14.7	09.0-20.4	49	16.4	11.1-21.7	54	18.8	11.4-26.2	53	25.7	17.3-34.1
H.S. or G.E.D.	1166	113,411	64	5.7	03.5-07.9	69	4.2	02.8-05.6	113	7.6	05.6-09.6	174	13.4	10.7-16.1	211	18.1	14.6-21.6	535	51.0	46.9-55.1
Some Post-H.S.	1275	134,621	24	1.7	00.7-02.7	54	4.0	02.4-05.6	65	3.4	02.2-04.6	121	8.9	06.7-11.1	182	13.1	10.6-15.6	829	68.9	65.4-72.4
College Graduate	1356	144,130	17	1.6	00.4-02.8	28	2.6	01.2-04.0	36	1.6	01.0-02.2	67	4.3	02.9-05.7	95	5.4	04.2-06.6	1113	84.6	82.1-87.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1705	214,417	45	2.8	01.6-04.0	67	3.2	02.2-04.2	68	3.6	02.4-04.8	140	8.4	06.6-10.2	192	11.0	08.8-13.2	1193	71.0	68.1-73.9
Non-Native	1640	203,640	35	1.7	00.7-02.7	60	2.9	01.9-03.9	67	3.7	02.5-04.9	131	8.0	06.2-09.8	185	11.1	08.7-13.5	1162	72.6	69.7-75.5
18-24	51	27,565	2	3.5	00.0-09.0	2	4.2	00.0-09.9	3	5.2	00.0-11.3	9	15.3	05.3-25.3						
25-34	168	40,396	3	3.4	00.0-07.5	4	2.1	00.0-04.3	3	2.8	00.0-05.9	14	8.6	03.7-13.5	18	9.4	04.9-13.9	126	73.6	66.0-81.2
35-44	255	36,100	12	5.4	02.3-08.5	5	1.6	00.0-03.2	10	3.0	01.0-05.0	10	3.7	01.3-06.1	17	6.2	03.1-09.3	201	80.1	75.0-85.2
45-54	419	41,631	9	1.2	00.4-02.0	13	2.4	01.0-03.8	11	2.2	00.8-03.6	18	3.8	02.0-05.6	35	7.8	05.1-10.5	333	82.7	79.0-86.4
55-64	394	33,912	8	1.3	00.3-02.3	18	4.7	02.3-07.1	12	1.9	00.7-03.1	21	4.7	02.5-06.9	40	8.4	05.7-11.1	295	79.1	75.0-83.2
65+	414	34,469	11	2.3	00.7-03.9	25	4.8	02.8-06.8	29	7.2	04.5-09.9	68	16.9	12.8-21.0	74	17.6	13.7-21.5	207	51.2	46.1-56.3
Less Than H.S.	122	13,358	10	11.2	02.6-19.8	17	9.1	04.4-13.8	12	9.6	04.1-15.1	23	19.0	10.6-27.4	26	15.8	08.9-22.7			
H.S. or G.E.D.	501	62,092	21	4.1	01.6-06.6	20	2.8	01.4-04.2	28	6.0	02.9-09.1	62	13.5	09.2-17.8	82	17.5	12.0-23.0	288	56.0	49.9-62.1
Some Post-H.S.	502	65,771	6	1.1	00.0-02.3	21	3.4	01.2-05.6	19	3.1	01.1-05.1	31	6.1	03.2-09.0	54	11.3	07.2-15.4	371	75.0	69.7-80.3
College Graduate	580	73,197	8	1.7	00.0-03.9	9	2.2	00.2-04.2	9	0.9	00.3-01.5	24	4.1	01.7-06.5	30	4.4	02.6-06.2	500	86.7	82.8-90.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2375	204,312	94	4.2	03.0-05.4	130	4.9	03.5-06.3	193	5.8	04.8-06.8	271	9.6	08.0-11.2	350	13.4	11.6-15.2	1337	62.1	59.6-64.6
Native	79	9,721							14	11.9	04.5-19.3	11	13.7	05.3-22.1	10	10.1	03.6-16.6			
Non-Native	2277	193,376	80	3.4	02.2-04.6	120	4.5	03.1-05.9	175	5.4	04.4-06.4	256	9.4	07.8-11.0	338	13.5	11.7-15.3	1308	63.8	61.3-66.3
18-24	53	25,364	7	11.3	02.9-19.7	9	14.2	04.8-23.6	2	3.6	00.0-08.7	2	4.0	00.0-10.1	8	12.8	03.4-22.2			
25-34	228	34,492	7	2.7	00.3-05.1	5	1.4	00.2-02.6	6	2.0	00.2-03.8	24	12.2	07.3-17.1	29	12.0	07.7-16.3	157	69.6	63.3-75.9
35-44	348	34,229	13	3.7	01.5-05.9	6	2.1	00.1-04.1	15	3.2	01.4-05.0	22	6.5	03.6-09.4	32	8.7	05.6-11.8	260	75.9	71.0-80.8
45-54	513	41,013	14	2.4	00.8-04.0	13	1.9	00.7-03.1	23	3.5	01.9-05.1	38	5.9	03.9-07.9	50	9.1	06.6-11.6	375	77.2	73.5-80.9
55-64	475	28,206	15	2.2	01.0-03.4	13	2.2	00.8-03.6	30	5.1	03.1-07.1	38	6.8	04.4-09.2	72	15.3	11.8-18.8	307	68.4	63.9-72.9
65+	735	39,768	37	4.8	03.2-06.4	80	9.1	07.1-11.1	114	15.2	12.5-17.9	145	19.6	16.5-22.7	158	22.1	18.8-25.4	201	29.3	25.8-32.8
Less Than H.S.	161	13,209	24	15.6	06.4-24.8	29	12.8	06.5-19.1	35	19.9	10.1-29.7	26	13.8	07.1-20.5				19	16.0	06.6-25.4
H.S. or G.E.D.	665	51,319	43	7.6	04.1-11.1	49	5.8	03.3-08.3	85	9.5	07.1-11.9	112	13.3	10.6-16.0	129	18.8	15.1-22.5	247	44.9	39.6-50.2
Some Post-H.S.	773	68,850	18	2.3	00.9-03.7	33	4.6	02.1-07.1	46	3.7	02.5-04.9	90	11.5	08.2-14.8	128	14.9	11.8-18.0	458	63.0	58.5-67.5
College Graduate	776	70,933	9	1.5	00.1-02.9	19	3.0	00.8-05.2	27	2.4	01.2-03.6	43	4.4	02.8-06.0	65	6.3	04.5-08.1	613	82.3	79.0-85.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4533	477,825	37	0.8	00.4-01.2	1370	28.3	26.3-30.3	2056	44.6	42.6-46.6	842	20.6	19.0-22.2	227	5.7	04.7-06.7	1	0.0	00.0-00.0
Male	1886	247,086				118	9.1	06.6-11.6	962	50.1	47.0-53.2	627	31.9	29.2-34.6	178	8.8	07.2-10.4	1	0.0	00.0-00.0
Female	2647	230,739	37	1.6	00.8-02.4	1252	48.9	46.2-51.6	1094	38.7	36.2-41.2	215	8.5	07.1-09.9	49	2.4	01.4-03.4			
Native	129	22,186							47	27.6	17.8-37.4				9	10.7	02.3-19.1			
Non-Native	4339	449,358	36	0.8	00.4-01.2	1317	28.5	26.5-30.5	1981	45.4	43.4-47.4	789	19.9	18.3-21.5	215	5.4	04.6-06.2	1	0.0	00.0-00.0
18-24	146	79,113	4	2.2	00.0-04.4	61	42.7	33.9-51.5	52	36.6	28.2-45.0	21	14.3	08.2-20.4	8	4.2	01.1-07.3			
25-34	416	78,869	1	0.2	00.0-00.6	122	24.6	20.5-28.7	174	41.6	36.3-46.9	95	26.0	21.1-30.9	24	7.6	04.5-10.7			
35-44	616	72,035	5	0.7	00.1-01.3	172	23.8	20.5-27.1	266	44.1	40.0-48.2	138	25.2	21.5-28.9	35	6.2	04.0-08.4			
45-54	973	87,079	6	0.4	00.0-00.8	236	21.8	19.1-24.5	456	48.4	45.1-51.7	201	21.6	18.9-24.3	74	7.9	06.1-09.7			
55-64	935	67,014	3	0.3	00.0-00.7	227	20.6	18.1-23.1	446	49.0	45.5-52.5	206	23.8	20.9-26.7	52	6.2	04.4-08.0	1	0.1	00.0-00.3
65+	1415	91,830	18	0.9	00.5-01.3	533	33.9	31.4-36.4	651	47.7	44.8-50.6	179	14.7	12.5-16.9	34	2.8	01.8-03.8			
Less Than H.S.	351	41,053	7	2.1	00.0-04.3	126	46.9	37.5-56.3	157	32.0	24.9-39.1	47	12.8	08.1-17.5	14	6.3	01.2-11.4			
H.S. or G.E.D.	1348	135,567	10	1.2	00.0-02.4	414	26.4	22.9-29.9	629	46.7	42.8-50.6	228	19.9	16.6-23.2	67	5.8	04.0-07.6			
Some Post-H.S.	1406	149,197	10	0.5	00.1-00.9	400	25.7	22.6-28.8	635	44.8	41.3-48.3	287	23.5	20.4-26.6	74	5.5	03.9-07.1			
College Graduate	1426	151,898	10	0.4	00.2-00.6	429	27.5	24.6-30.4	634	45.8	42.5-49.1	280	20.5	18.0-23.0	72	5.7	04.1-07.3	1	0.1	00.0-00.3
Less than \$15,000	321	30,298	7	2.7	00.0-06.2	107	29.6	21.8-37.4	134	38.9	30.7-47.1	60	23.6	16.2-31.0	13	5.2	01.1-09.3			
\$15,000- 24,999	653	55,953	10	1.5	00.1-02.9	227	28.8	24.3-33.3	303	51.0	45.5-56.5	83	13.5	10.2-16.8	30	5.2	03.0-07.4			
\$25,000- 34,999	523	48,947	4	1.1	00.0-02.5	164	30.5	23.8-37.2	238	44.3	38.0-50.6	94	18.6	14.3-22.9	23	5.6	02.9-08.3			
\$35,000- 49,999	683	73,358	2	0.2	00.0-00.4	166	23.5	19.0-28.0	328	45.8	40.9-50.7	135	23.0	18.5-27.5	52	7.6	05.2-10.0			
\$50,000- 74,999	752	81,080	4	0.9	00.0-02.3	193	24.9	21.0-28.8	363	46.3	42.0-50.6	161	23.7	19.8-27.6	31	4.3	02.7-05.9			
\$75,000+	996	115,488	3	0.2	00.0-00.4	260	23.7	20.6-26.8	449	48.4	44.5-52.3	225	21.4	18.5-24.3	58	6.1	04.3-07.9	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1886	247,086	118	9.1	06.6-11.6	962	50.1	47.0-53.2	627	31.9	29.2-34.6	178	8.8	07.2-10.4	1	0.0	00.0-00.0
Non-Native	1805	231,257	112	8.8	06.3-11.3	929	51.6	48.5-54.7	593	31.0	28.3-33.7	170	8.5	07.1-09.9	1	0.0	00.0-00.0
18-24	74	43,289							16	20.8	11.0-30.6	4	3.1	00.0-06.4			
25-34	177	43,321	11	6.0	02.5-09.5	86	45.9	37.9-53.9	59	35.5	27.7-43.3	21	12.5	07.0-18.0			
35-44	268	37,854	12	3.7	01.5-05.9	132	48.8	42.5-55.1	98	37.8	31.7-43.9	26	9.7	06.0-13.4			
45-54	451	45,059	14	2.7	01.1-04.3	219	50.3	45.4-55.2	158	34.3	29.6-39.0	60	12.6	09.5-15.7			
55-64	429	36,817	18	3.4	01.8-05.0	213	51.6	46.5-56.7	158	35.5	30.8-40.2	39	9.3	06.4-12.2	1	0.2	00.0-00.6
65+	481	40,232	44	8.4	05.9-10.9	273	57.4	52.7-62.1	136	28.4	24.1-32.7	28	5.9	03.7-08.1			
Less Than H.S.	148	20,525							28	17.9	09.7-26.1	11	8.1	01.2-15.0			
H.S. or G.E.D.	567	74,653	34	9.6	04.7-14.5	292	50.3	44.4-56.2	184	31.7	26.2-37.2	57	8.4	05.7-11.1			
Some Post-H.S.	556	73,916	27	6.5	03.2-09.8	269	48.1	42.4-53.8	205	36.3	31.0-41.6	55	9.1	06.4-11.8			
College Graduate	615	77,992	35	5.2	03.0-07.4	314	53.8	49.1-58.5	210	31.6	27.3-35.9	55	9.2	06.7-11.7	1	0.1	00.0-00.3
Less than \$15,000	111	12,804	9	6.9	02.0-11.8							6	3.5	00.4-06.6			
\$15,000- 24,999	207	25,622	22	8.9	03.8-14.0	112	62.7	54.1-71.3	53	20.1	13.8-26.4	20	8.3	04.0-12.6			
\$25,000- 34,999	191	23,497							56	25.5	17.5-33.5	17	9.4	03.9-14.9			
\$35,000- 49,999	300	37,316	15	4.5	01.8-07.2	150	49.9	42.8-57.0	97	33.8	26.7-40.9	38	11.8	07.7-15.9			
\$50,000- 74,999	356	45,282	15	9.1	03.4-14.8	190	49.7	43.2-56.2	126	35.1	29.0-41.2	25	6.1	03.6-08.6			
\$75,000+	531	68,920	21	4.5	02.1-06.9	257	53.1	48.0-58.2	198	32.5	28.0-37.0	54	9.8	07.1-12.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2647	230,739	37	1.6	00.8-02.4	1252	48.9	46.2-51.6	1094	38.7	36.2-41.2	215	8.5	07.1-09.9	49	2.4	01.4-03.4
Native	85	10,963										18	18.6	09.0-28.2	3	7.8	00.0-18.0
Non-Native	2534	218,101	36	1.7	00.9-02.5	1205	49.4	46.7-52.1	1052	38.8	36.3-41.3	196	8.0	06.6-09.4	45	2.1	01.1-03.1
18-24	72	35,824	4	4.9	00.0-09.8							5	6.5	00.8-12.2	4	5.4	00.0-11.1
25-34	239	35,548	1	0.4	00.0-01.2	111	47.2	40.5-53.9	88	36.4	29.9-42.9	36	14.3	09.6-19.0	3	1.6	00.0-03.6
35-44	348	34,181	5	1.4	00.2-02.6	160	46.1	40.6-51.6	134	38.8	33.5-44.1	40	11.3	07.8-14.8	9	2.4	00.8-04.0
45-54	522	42,020	6	0.7	00.1-01.3	222	42.3	37.8-46.8	237	46.2	41.7-50.7	43	8.0	05.5-10.5	14	2.8	01.2-04.4
55-64	506	30,197	3	0.6	00.0-01.4	209	41.5	37.0-46.0	233	45.9	41.2-50.6	48	9.5	06.8-12.2	13	2.5	01.1-03.9
65+	934	51,598	18	1.7	00.9-02.5	489	53.8	50.3-57.3	378	40.1	36.8-43.4	43	4.0	02.8-05.2	6	0.5	00.1-00.9
Less Than H.S.	203	20,528	7	4.2	00.0-08.7				70	21.5	14.4-28.6	19	7.6	03.3-11.9	3	4.5	00.0-12.1
H.S. or G.E.D.	781	60,914	10	2.6	00.1-05.1	380	47.0	42.1-51.9	337	42.3	37.4-47.2	44	5.4	03.6-07.2	10	2.6	00.4-04.8
Some Post-H.S.	850	75,281	10	1.0	00.2-01.8	373	44.6	40.1-49.1	366	41.6	37.1-46.1	82	10.9	07.8-14.0	19	2.0	00.8-03.2
College Graduate	811	73,906	10	0.8	00.2-01.4	394	51.0	46.7-55.3	320	37.4	33.3-41.5	70	8.8	06.4-11.2	17	2.0	00.8-03.2
Less than \$15,000	210	17,494	7	4.7	00.0-10.8				78	31.4	22.4-40.4	20	11.2	03.9-18.5	7	6.4	00.0-13.3
\$15,000- 24,999	446	30,331	10	2.8	00.3-05.3	205	45.6	39.3-51.9	191	41.2	35.1-47.3	30	8.0	04.7-11.3	10	2.5	00.5-04.5
\$25,000- 34,999	332	25,450	4	2.1	00.0-04.5	146	44.6	37.2-52.0	138	39.1	32.2-46.0	38	12.2	08.1-16.3	6	2.0	00.2-03.8
\$35,000- 49,999	383	36,042	2	0.4	00.0-01.0	151	43.1	35.8-50.4	178	41.5	34.8-48.2	38	11.8	07.3-16.3	14	3.2	01.2-05.2
\$50,000- 74,999	396	35,798	4	1.9	00.0-04.8	178	44.8	39.1-50.5	173	42.0	36.5-47.5	35	9.1	05.8-12.4	6	2.1	00.1-04.1
\$75,000+	465	46,568	3	0.6	00.0-01.4	239	52.1	46.2-58.0	192	41.5	35.4-47.6	27	5.1	02.9-07.3	4	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4742	495,748	214	3.2	02.6-03.8	2222	38.6	36.6-40.6	1892	46.4	44.4-48.4	406	11.4	10.0-12.8	8	0.4	00.0-00.8
Male	1897	248,236	7	0.5	00.0-01.1	152	7.2	05.6-08.8	1329	69.0	66.1-71.9	401	22.5	20.0-25.0	8	0.8	00.0-01.6
Female	2845	247,512	207	6.0	05.0-07.0	2070	70.2	67.7-72.7	563	23.7	21.3-26.1	5	0.2	00.0-00.4			
Native	130	22,989	4	1.1	00.0-02.3							11	14.3	05.3-23.3			
Non-Native	4543	466,206	202	3.3	02.7-03.9	2131	38.8	36.8-40.8	1812	46.4	44.4-48.4	390	11.1	09.7-12.5	8	0.4	00.0-00.8
18-24	149	80,779	4	2.4	00.0-04.8	47	30.7	22.9-38.5	78	54.5	45.9-63.1	18	10.7	05.4-16.0	2	1.7	00.0-04.1
25-34	434	81,870	7	1.3	00.3-02.3	175	32.7	28.2-37.2	188	46.7	41.4-52.0	63	19.0	14.5-23.5	1	0.3	00.0-00.9
35-44	642	74,670	21	3.0	01.6-04.4	266	35.2	31.5-38.9	298	50.9	46.8-55.0	56	10.7	07.8-13.6	1	0.2	00.0-00.6
45-54	1024	91,022	27	2.1	01.3-02.9	455	40.8	37.7-43.9	432	45.3	42.0-48.6	110	11.7	09.5-13.9			
55-64	989	70,266	35	2.9	01.9-03.9	455	40.3	37.2-43.4	405	45.3	42.0-48.6	94	11.5	09.1-13.9			
65+	1457	94,319	116	6.9	05.5-08.3	794	49.3	46.6-52.0	478	37.7	35.0-40.4	65	5.7	04.3-07.1	4	0.4	00.0-00.8
Less Than H.S.	363	41,670	25	4.7	01.8-07.6	184	45.5	36.7-54.3	135	41.3	32.5-50.1	18	8.2	02.5-13.9	1	0.3	00.0-00.9
H.S. or G.E.D.	1407	140,404	88	4.5	03.1-05.9	682	38.7	35.2-42.2	549	47.8	43.9-51.7	87	8.5	06.1-10.9	1	0.4	00.0-01.2
Some Post-H.S.	1478	156,349	59	2.5	01.7-03.3	715	39.6	36.3-42.9	571	45.9	42.4-49.4	130	11.2	08.8-13.6	3	0.7	00.0-01.7
College Graduate	1492	157,260	41	2.3	01.3-03.3	640	35.8	32.9-38.7	637	46.9	43.8-50.0	171	14.9	12.4-17.4	3	0.1	00.0-00.3
Less than \$15,000	336	31,413	27	4.6	02.4-06.8	171	42.4	34.4-50.4	117	42.0	33.6-50.4	21	11.0	04.7-17.3			
\$15,000- 24,999	667	56,826	47	5.3	03.5-07.1	377	45.8	40.5-51.1	211	40.7	35.2-46.2	31	8.0	04.3-11.7	1	0.2	00.0-00.6
\$25,000- 34,999	540	50,570	38	4.5	02.9-06.1	276	44.3	38.2-50.4	185	40.4	33.9-46.9	40	9.3	05.8-12.8	1	1.5	00.0-04.4
\$35,000- 49,999	708	75,761	28	3.5	01.7-05.3	309	38.7	33.8-43.6	313	47.9	43.0-52.8	58	9.9	07.0-12.8			
\$50,000- 74,999	787	84,226	18	2.2	01.0-03.4	353	38.3	34.2-42.4	350	49.3	45.0-53.6	63	9.8	07.3-12.3	3	0.4	00.0-00.8
\$75,000+	1031	118,941	17	1.1	00.5-01.7	383	31.1	27.8-34.4	471	50.3	46.4-54.2	158	17.2	14.3-20.1	2	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1897	248,236	7	0.5	00.0-01.1	152	7.2	05.6-08.8	1329	69.0	66.1-71.9	401	22.5	20.0-25.0	8	0.8	00.0-01.6
Non-Native	1816	232,408	7	0.5	00.0-01.1	145	6.9	05.5-08.3	1271	69.7	67.0-72.4	385	22.0	19.5-24.5	8	0.9	00.1-01.7
18-24	74	43,289	1	1.3	00.0-03.8	2	4.7	00.0-11.0				18	20.0	10.6-29.4	2	3.1	00.0-07.4
25-34	178	43,663				11	6.3	02.6-10.0	104	58.0	50.2-65.8	62	35.2	27.6-42.8	1	0.5	00.0-01.5
35-44	269	37,994	2	0.7	00.0-01.9	13	3.8	01.6-06.0	198	74.2	68.7-79.7	55	20.9	15.6-26.2	1	0.4	00.0-01.2
45-54	453	45,206				28	6.2	03.8-08.6	316	70.5	66.0-75.0	109	23.4	19.3-27.5			
55-64	432	37,046	2	0.4	00.0-01.0	38	9.0	06.3-11.7	300	69.1	64.4-73.8	92	21.6	17.5-25.7			
65+	483	40,328	2	0.5	00.0-01.3	60	13.8	10.3-17.3	352	71.4	66.9-75.9	65	13.4	10.1-16.7	4	0.8	00.0-01.6
Less Than H.S.	150	20,686				24	16.1	06.9-25.3							1	0.5	00.0-01.5
H.S. or G.E.D.	568	74,791	4	1.3	00.0-02.9	57	9.8	06.1-13.5	419	72.1	66.6-77.6	87	16.0	11.7-20.3	1	0.8	00.0-02.4
Some Post-H.S.	559	74,350	2	0.2	00.0-00.6	39	5.5	03.5-07.5	386	69.4	64.3-74.5	129	23.4	18.9-27.9	3	1.5	00.0-03.7
College Graduate	620	78,410	1	0.1	00.0-00.3	32	4.0	02.4-05.6	416	66.0	61.5-70.5	168	29.6	25.1-34.1	3	0.3	00.0-00.7
Less than \$15,000	112	12,850	3	3.0	00.0-06.7	10	7.6	02.5-12.7									
\$15,000- 24,999	207	25,569				29	12.2	06.9-17.5	146	69.5	60.9-78.1	31	17.9	10.3-25.5	1	0.4	00.0-01.2
\$25,000- 34,999	192	23,604	1	0.2	00.0-00.6	24	10.1	05.6-14.6	126	66.5	56.9-76.1	40	20.0	12.6-27.4	1	3.2	00.0-09.5
\$35,000- 49,999	302	37,506	1	0.2	00.0-00.6	22	7.2	03.7-10.7	223	72.8	66.5-79.1	56	19.8	14.1-25.5			
\$50,000- 74,999	356	45,282				23	6.7	02.6-10.8	268	74.7	69.0-80.4	62	17.9	13.2-22.6	3	0.7	00.0-01.5
\$75,000+	534	69,451				29	4.8	03.0-06.6	345	65.3	60.4-70.2	158	29.5	24.8-34.2	2	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2845	247,512	207	6.0	05.0-07.0	2070	70.2	67.7-72.7	563	23.7	21.3-26.1	5	0.2	00.0-00.4
Native	86	11,765	4	2.1	00.0-04.5									
Non-Native	2727	233,798	195	6.0	04.8-07.2	1986	70.5	68.0-73.0	541	23.3	20.9-25.7	5	0.2	00.0-00.4
18-24	75	37,490	3	3.7	00.0-08.0									
25-34	256	38,207	7	2.9	00.7-05.1	164	62.9	56.6-69.2	84	33.8	27.7-39.9	1	0.4	00.0-01.2
35-44	373	36,676	19	5.4	03.0-07.8	253	67.7	62.6-72.8	100	26.7	22.0-31.4	1	0.2	00.0-00.6
45-54	571	45,816	27	4.3	02.5-06.1	427	75.1	71.4-78.8	116	20.5	17.0-24.0	1	0.1	00.0-00.3
55-64	557	33,220	33	5.8	03.8-07.8	417	75.2	71.5-78.9	105	18.8	15.3-22.3	2	0.3	00.0-00.7
65+	974	53,991	114	11.6	09.4-13.8	734	75.9	73.0-78.8	126	12.5	10.3-14.7			
Less Than H.S.	213	20,985	25	9.4	03.5-15.3	160	74.6	64.6-84.6	27	15.9	07.3-24.5	1	0.2	00.0-00.6
H.S. or G.E.D.	839	65,613	84	8.2	06.2-10.2	625	71.7	66.8-76.6	130	20.2	15.3-25.1			
Some Post-H.S.	919	81,999	57	4.6	03.2-06.0	676	70.6	66.3-74.9	185	24.7	20.4-29.0	1	0.2	00.0-00.6
College Graduate	872	78,850	40	4.6	02.6-06.6	608	67.3	63.4-71.2	221	27.8	23.9-31.7	3	0.2	00.0-00.4
Less than \$15,000	224	18,563	24	5.7	03.2-08.2							1	0.2	00.0-00.6
\$15,000- 24,999	460	31,257	47	9.7	06.6-12.8	348	73.2	67.9-78.5	65	17.2	12.3-22.1			
\$25,000- 34,999	348	26,966	37	8.3	05.4-11.2	252	74.2	68.5-79.9	59	17.6	12.5-22.7			
\$35,000- 49,999	406	38,255	27	6.7	03.2-10.2	287	69.5	63.4-75.6	90	23.4	17.9-28.9	2	0.3	00.0-00.7
\$50,000- 74,999	431	38,944	18	4.9	02.5-07.3	330	74.9	70.2-79.6	82	19.8	15.5-24.1	1	0.4	00.0-01.2
\$75,000+	497	49,489	17	2.6	01.2-04.0	354	68.1	62.0-74.2	126	29.2	23.1-35.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 37: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4456	467,036	34	0.9	00.5-01.3	1323	28.8	26.8-30.8	1980	44.5	42.5-46.5	866	19.9	18.3-21.5	252	5.9	04.9-06.9	1	0.0	00.0-00.0
Male	1862	241,089				122	10.2	07.7-12.7	906	49.8	46.7-52.9	647	30.9	28.4-33.4	186	9.1	07.5-10.7	1	0.0	00.0-00.0
Female	2594	225,947	34	1.8	00.8-02.8	1201	48.6	45.9-51.3	1074	38.8	36.3-41.3	219	8.2	06.8-09.6	66	2.5	01.7-03.3			
Native	125	20,651	2	0.4	00.0-01.0									10	10.9	02.3-19.5				
Non-Native	4267	440,212	31	0.9	00.3-01.5	1277	28.9	26.9-30.9	1907	45.1	42.9-47.3	813	19.4	17.8-21.0	238	5.6	04.8-06.4	1	0.0	00.0-00.0
18-24	137	73,427	4	2.8	00.1-05.5	64	47.7	38.7-56.7	50	38.4	29.6-47.2	14	8.4	03.9-12.9	5	2.7	00.2-05.2			
25-34	409	77,899	2	0.6	00.0-01.6	130	27.5	23.0-32.0	162	41.3	36.0-46.6	89	22.8	18.3-27.3	26	7.7	04.6-10.8			
35-44	609	71,293	4	0.6	00.0-01.2	165	23.3	20.0-26.6	266	44.5	40.2-48.8	135	25.0	21.3-28.7	39	6.5	04.3-08.7			
45-54	966	86,577	7	0.4	00.0-00.8	226	21.1	18.6-23.6	445	47.9	44.6-51.2	204	22.0	19.1-24.9	84	8.6	06.6-10.6			
55-64	924	66,348	2	0.1	00.0-00.3	226	20.8	18.3-23.3	414	46.2	42.7-49.7	220	25.7	22.6-28.8	61	7.1	05.1-09.1	1	0.1	00.0-00.3
65+	1380	89,705	15	0.9	00.5-01.3	494	31.6	29.1-34.1	632	47.8	44.9-50.7	202	16.6	14.4-18.8	37	3.2	02.2-04.2			
Less Than H.S.	337	38,033	9	3.3	00.0-06.8	113	44.2	34.6-53.8	150	34.0	26.6-41.4	48	12.7	08.0-17.4	17	5.8	01.9-09.7			
H.S. or G.E.D.	1318	132,045	7	1.1	00.0-02.3	393	28.0	24.3-31.7	614	47.1	43.2-51.0	231	17.8	15.1-20.5	73	6.0	04.2-07.8			
Some Post-H.S.	1380	145,542	10	0.7	00.1-01.3	392	26.5	23.4-29.6	607	45.1	41.4-48.8	289	22.1	19.2-25.0	82	5.6	04.2-07.0			
College Graduate	1419	151,306	8	0.3	00.1-00.5	424	27.8	24.9-30.7	608	44.2	40.9-47.5	298	21.5	19.0-24.0	80	6.1	04.5-07.7	1	0.1	00.0-00.3
Less than \$15,000	313	29,660	6	2.6	00.0-06.3	102	29.8	21.8-37.8	120	37.8	29.4-46.2	66	22.8	15.7-29.9	19	7.0	02.5-11.5			
\$15,000- 24,999	639	55,020	10	3.0	00.3-05.7	211	27.0	22.5-31.5	298	50.4	44.9-55.9	90	14.3	11.0-17.6	30	5.2	02.8-07.6			
\$25,000- 34,999	515	48,101	5	0.8	00.0-01.6	153	31.6	24.5-38.7	239	42.5	36.2-48.8	87	19.2	14.3-24.1	31	5.9	03.4-08.4			
\$35,000- 49,999	677	72,462	2	0.2	00.0-00.4	168	24.9	20.4-29.4	321	47.7	42.6-52.8	134	19.6	15.9-23.3	52	7.7	05.3-10.1			
\$50,000- 74,999	747	80,470	4	0.9	00.0-02.3	194	25.7	21.6-29.8	348	45.7	41.4-50.0	169	23.6	20.1-27.1	32	4.1	02.5-05.7			
\$75,000+	989	114,709	2	0.2	00.0-00.4	258	24.0	20.7-27.3	428	46.8	42.9-50.7	233	22.4	19.5-25.3	67	6.6	04.8-08.4	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 38: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1862	241,089	122	10.2	07.7-12.7	906	49.8	46.7-52.9	647	30.9	28.4-33.4	186	9.1	07.5-10.7	1	0.0	00.0-00.0
Non-Native	1784	226,728	116	9.6	07.1-12.1	875	50.9	47.8-54.0	615	30.6	28.1-33.1	177	8.8	07.4-10.2	1	0.0	00.0-00.0
18-24	69	39,454							10	11.2	03.9-18.5	3	2.9	00.0-06.4			
25-34	174	42,751	13	8.0	03.7-12.3	86	49.8	41.6-58.0	56	30.9	23.6-38.2	19	11.3	06.0-16.6			
35-44	265	37,433	12	3.9	01.5-06.3	124	46.8	40.5-53.1	103	39.6	33.3-45.9	26	9.7	06.0-13.4			
45-54	448	44,789	15	3.2	01.4-05.0	210	48.7	43.6-53.8	156	34.2	29.5-38.9	67	13.8	10.5-17.1			
55-64	427	36,634	20	3.8	02.0-05.6	196	47.8	42.7-52.9	167	38.1	33.2-43.0	43	10.0	06.9-13.1	1	0.2	00.0-00.6
65+	473	39,513	41	7.5	05.1-09.9	251	54.5	49.8-59.2	153	31.9	27.4-36.4	28	6.1	03.7-08.5			
Less Than H.S.	143	18,999							31	19.5	10.7-28.3	11	9.3	01.7-16.9			
H.S. or G.E.D.	559	72,347	36	12.3	06.6-18.0	276	50.8	44.9-56.7	187	28.0	23.3-32.7	60	8.9	06.2-11.6			
Some Post-H.S.	548	72,069	31	8.6	04.7-12.5	257	48.7	43.0-54.4	204	34.0	28.9-39.1	56	8.7	06.2-11.2			
College Graduate	612	77,675	39	6.1	03.7-08.5	288	50.7	45.8-55.6	225	33.6	29.3-37.9	59	9.6	06.9-12.3	1	0.1	00.0-00.3
Less than \$15,000	109	12,627										9	6.7	01.8-11.6			
\$15,000- 24,999	203	25,305	21	11.5	04.6-18.4	105	58.2	49.0-67.4	60	23.1	16.2-30.0	17	7.2	03.1-11.3			
\$25,000- 34,999	189	23,155							55	29.0	19.6-38.4	20	8.6	03.7-13.5			
\$35,000- 49,999	299	37,230	17	5.6	02.3-08.9	144	52.0	44.9-59.1	99	30.1	23.8-36.4	39	12.4	08.3-16.5			
\$50,000- 74,999	354	44,925	16	9.3	03.4-15.2	185	50.8	44.3-57.3	131	34.7	28.8-40.6	22	5.2	02.8-07.6			
\$75,000+	527	68,302	24	5.0	02.5-07.5	238	50.9	45.6-56.2	203	33.5	29.0-38.0	61	10.4	07.5-13.3	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 39: HOW MUCH DID YOU WEIGH A YEAR AGO? [IF YOU WERE PREGNANT A YEAR AGO, HOW MUCH DID YOU WEIGH BEFORE YOUR PREGNANCY?] ROUND FRACTIONS UP. (WTYRAGO)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2594	225,947	34	1.8	00.8-02.8	1201	48.6	45.9-51.3	1074	38.8	36.3-41.3	219	8.2	06.8-09.6	66	2.5	01.7-03.3
Native	83	10,788	2	0.7	00.0-01.7										4	9.1	00.0-19.5
Non-Native	2483	213,483	31	1.9	00.9-02.9	1161	49.4	46.7-52.1	1032	39.0	36.5-41.5	198	7.5	06.1-08.9	61	2.2	01.6-02.8
18-24	68	33,973	4	6.0	00.1-11.9							4	5.2	00.1-10.3	2	2.5	00.0-06.0
25-34	235	35,148	2	1.3	00.0-03.3	117	51.3	44.6-58.0	76	31.1	25.0-37.2	33	13.0	08.5-17.5	7	3.3	00.8-05.8
35-44	344	33,860	4	1.3	00.1-02.5	153	44.7	39.2-50.2	142	42.1	36.6-47.6	32	8.8	05.9-11.7	13	3.1	01.3-04.9
45-54	518	41,788	7	0.8	00.2-01.4	211	40.3	35.8-44.8	235	46.9	42.4-51.4	48	9.0	06.3-11.7	17	3.0	01.4-04.6
55-64	497	29,713	2	0.3	00.0-00.7	206	41.8	37.1-46.5	218	44.1	39.4-48.8	53	10.3	07.4-13.2	18	3.5	01.7-05.3
65+	907	50,192	15	1.5	00.7-02.3	453	50.5	47.0-54.0	381	42.5	39.0-46.0	49	4.6	03.2-06.0	9	0.8	00.2-01.4
Less Than H.S.	194	19,034	9	6.6	00.0-13.3				65	21.8	14.5-29.1	17	5.8	02.1-09.5	6	2.3	00.3-04.3
H.S. or G.E.D.	759	59,698	7	2.4	00.0-04.9	357	47.0	41.9-52.1	338	42.7	37.8-47.6	44	5.4	03.6-07.2	13	2.6	00.4-04.8
Some Post-H.S.	832	73,474	10	1.3	00.1-02.5	361	44.1	39.6-48.6	350	41.6	37.1-46.1	85	10.4	07.5-13.3	26	2.6	01.4-03.8
College Graduate	807	73,631	8	0.7	00.3-01.1	385	50.6	46.3-54.9	320	37.4	33.3-41.5	73	8.8	06.6-11.0	21	2.5	01.1-03.9
Less than \$15,000	204	17,033	6	4.6	00.0-10.9				70	31.0	21.4-40.6	25	14.6	06.4-22.8	10	7.2	00.1-14.3
\$15,000- 24,999	436	29,715	10	5.6	00.9-10.3	190	40.3	34.4-46.2	193	43.8	37.5-50.1	30	6.8	03.9-09.7	13	3.5	01.1-05.9
\$25,000- 34,999	326	24,945	5	1.5	00.1-02.9	135	45.5	37.9-53.1	143	39.6	32.9-46.3	32	10.2	06.3-14.1	11	3.3	01.1-05.5
\$35,000- 49,999	378	35,231	2	0.4	00.0-01.0	151	45.3	38.2-52.4	177	43.1	36.2-50.0	35	8.5	05.4-11.6	13	2.8	01.0-04.6
\$50,000- 74,999	393	35,545	4	1.9	00.0-05.0	178	46.5	40.8-52.2	163	39.4	33.9-44.9	38	9.5	06.0-13.0	10	2.7	00.9-04.5
\$75,000+	462	46,407	2	0.4	00.0-01.0	234	51.9	46.0-57.8	190	40.8	34.7-46.9	30	5.9	03.5-08.3	6	1.0	00.2-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 40: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1872	212,317	734	36.4	33.3-39.5	1138	63.6	60.5-66.7
Male	702	103,054	293	34.0	29.3-38.7	409	66.0	61.3-70.7
Female	1170	109,264	441	38.7	34.8-42.6	729	61.3	57.4-65.2
Non-Native	1769	197,056	695	36.8	33.7-39.9	1074	63.2	60.1-66.3
25-34	203	37,795	82	33.5	26.6-40.4	121	66.5	59.6-73.4
35-44	291	32,924	116	39.4	33.5-45.3	175	60.6	54.7-66.5
45-54	400	34,517	177	43.9	38.6-49.2	223	56.1	50.8-61.4
55-64	350	24,392	159	48.8	43.1-54.5	191	51.2	45.5-56.9
65+	533	33,713	174	33.1	28.8-37.4	359	66.9	62.6-71.2
H.S. or G.E.D.	559	62,293	172	28.2	22.5-33.9	387	71.8	66.1-77.5
Some Post-H.S.	575	67,519	237	37.0	31.5-42.5	338	63.0	57.5-68.5
College Graduate	581	62,162	279	46.2	41.1-51.3	302	53.8	48.7-58.9
\$15,000- 24,999	276	27,019	91	35.5	26.5-44.5	185	64.5	55.5-73.5
\$25,000- 34,999	233	25,573	91	30.7	22.7-38.7	142	69.3	61.3-77.3
\$35,000- 49,999	263	30,099	103	35.4	28.0-42.8	160	64.6	57.2-72.0
\$50,000- 74,999	297	33,222	127	42.0	34.7-49.3	170	58.0	50.7-65.3
\$75,000+	404	47,280	188	42.7	36.2-49.2	216	57.3	50.8-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 41: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	702	103,054	293	34.0	29.3-38.7	409	66.0	61.3-70.7
Non-Native	660	95,283	278	34.7	29.8-39.6	382	65.3	60.4-70.2
25-34	67	17,435	15	17.3	08.5-26.1	52	82.7	73.9-91.5
35-44	117	15,934	48	40.8	31.4-50.2	69	59.2	49.8-68.6
45-54	167	15,595	75	46.0	38.0-54.0	92	54.0	46.0-62.0
55-64	130	11,027	64	52.7	43.7-61.7	66	47.3	38.3-56.3
65+	168	13,502	77	42.7	34.9-50.5	91	57.3	49.5-65.1
H.S. or G.E.D.	217	33,907	73	27.0	19.0-35.0	144	73.0	65.0-81.0
Some Post-H.S.	195	30,145	80	30.4	22.0-38.8	115	69.6	61.2-78.0
College Graduate	232	30,642	123	48.6	40.2-57.0	109	51.4	43.0-59.8
\$75,000+	195	25,733	95	40.7	31.7-49.7	100	59.3	50.3-68.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 42: WAS THE CHANGE BETWEEN YOUR CURRENT WEIGHT AND YOUR WEIGHT A YEAR AGO INTENTIONAL? (WTCHGINT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1170	109,264	441	38.7	34.8-42.6	729	61.3	57.4-65.2
Non-Native	1109	101,773	417	38.7	34.6-42.8	692	61.3	57.2-65.4
25-34	136	20,360	67	47.4	38.6-56.2	69	52.6	43.8-61.4
35-44	174	16,989	68	38.2	30.8-45.6	106	61.8	54.4-69.2
45-54	233	18,922	102	42.2	35.3-49.1	131	57.8	50.9-64.7
55-64	220	13,365	95	45.6	38.5-52.7	125	54.4	47.3-61.5
65+	365	20,211	97	26.7	21.8-31.6	268	73.3	68.4-78.2
H.S. or G.E.D.	342	28,387	99	29.5	21.9-37.1	243	70.5	62.9-78.1
Some Post-H.S.	380	37,374	157	42.3	35.4-49.2	223	57.7	50.8-64.6
College Graduate	349	31,520	156	43.9	38.0-49.8	193	56.1	50.2-62.0
\$50,000- 74,999	176	16,937	77	42.6	34.0-51.2	99	57.4	48.8-66.0
\$75,000+	209	21,547	93	45.0	36.0-54.0	116	55.0	46.0-64.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 43: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4766	497,510	4707	98.4	97.6-99.2	34	1.2	00.6-01.8	25	0.4	00.2-00.6
Male	1901	248,511	1878	98.4	97.4-99.4	14	1.2	00.2-02.2	9	0.3	00.1-00.5
Female	2865	248,999	2829	98.4	97.4-99.4	20	1.2	00.2-02.2	16	0.5	00.3-00.7
Native	131	23,036	131	100.0	0100-0100						
Non-Native	4565	467,847	4508	98.3	97.5-99.1	34	1.3	00.5-02.1	23	0.4	00.2-00.6
18-24	150	81,057	146	96.2	92.3-0100	4	3.8	00.0-07.7			
25-34	434	81,870	430	98.9	97.7-0100	3	0.9	00.0-02.1	1	0.2	00.0-00.6
35-44	642	74,670	634	98.6	97.6-99.6	5	0.9	00.1-01.7	3	0.5	00.0-01.1
45-54	1026	91,216	1020	99.4	99.0-99.8	3	0.3	00.0-00.7	3	0.3	00.0-00.7
55-64	995	70,667	986	99.2	98.6-99.8	2	0.1	00.0-00.3	7	0.7	00.1-01.3
65+	1467	94,909	1444	98.5	97.9-99.1	14	0.9	00.3-01.5	9	0.6	00.2-01.0
Less Than H.S.	366	42,022	354	92.6	85.9-99.3	7	6.6	00.0-13.3	5	0.8	00.0-01.6
H.S. or G.E.D.	1418	141,141	1403	99.2	98.8-99.6	9	0.5	00.1-00.9	6	0.3	00.1-00.5
Some Post-H.S.	1483	156,610	1463	98.8	98.2-99.4	10	0.6	00.0-01.2	10	0.6	00.2-01.0
College Graduate	1496	157,595	1484	98.8	97.8-99.8	8	0.9	00.1-01.7	4	0.2	00.0-00.4
Less than \$15,000	336	31,413	331	98.0	95.6-0100	3	1.6	00.0-03.8	2	0.4	00.0-01.0
\$15,000- 24,999	672	57,166	663	98.2	96.2-0100	6	1.6	00.0-03.6	3	0.2	00.0-00.4
\$25,000- 34,999	542	50,896	534	99.0	98.2-99.8	6	0.7	00.1-01.3	2	0.3	00.0-00.7
\$35,000- 49,999	708	75,761	701	98.8	97.6-0100	6	1.1	00.0-02.3	1	0.1	00.0-00.3
\$50,000- 74,999	788	84,342	786	99.8	99.4-0100	2	0.2	00.0-00.6			
\$75,000+	1034	119,151	1027	99.4	99.0-99.8	3	0.2	00.0-00.6	4	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 44: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	248,511	1878	98.4	97.4-99.4	14	1.2	00.2-02.2	9	0.3	00.1-00.5
Non-Native	1819	232,609	1798	98.4	97.2-99.6	14	1.3	00.1-02.5	7	0.3	00.1-00.5
18-24	74	43,289	73	97.3	92.2-0100	1	2.7	00.0-07.8			
25-34	178	43,663	176	98.4	96.2-0100	2	1.6	00.0-03.8			
35-44	269	37,994	264	98.2	96.6-99.8	4	1.5	00.0-03.1	1	0.4	00.0-01.2
45-54	453	45,206	449	99.2	98.4-0100	2	0.4	00.0-01.0	2	0.4	00.0-01.0
55-64	433	37,092	430	99.4	98.6-0100	1	0.2	00.0-00.6	2	0.4	00.0-01.0
65+	484	40,435	477	98.3	96.9-99.7	4	0.9	00.0-01.9	3	0.7	00.0-01.5
Less Than H.S.	150	20,686	145	92.8	82.4-0100	3	6.3	00.0-16.7	2	0.9	00.0-02.3
H.S. or G.E.D.	570	74,946	565	99.3	98.7-99.9	4	0.6	00.0-01.2	1	0.1	00.0-00.3
Some Post-H.S.	560	74,423	553	98.7	97.5-99.9	2	0.7	00.0-01.7	5	0.6	00.0-01.2
College Graduate	621	78,456	615	98.8	97.6-0100	5	1.0	00.0-02.0	1	0.2	00.0-00.6
Less than \$15,000	112	12,850	108	95.4	89.9-0100	3	3.9	00.0-09.4	1	0.7	00.0-02.1
\$15,000- 24,999	208	25,676	206	99.2	98.0-0100	2	0.8	00.0-02.0			
\$25,000- 34,999	192	23,604	190	99.4	98.6-0100	1	0.2	00.0-00.6	1	0.3	00.0-00.9
\$35,000- 49,999	302	37,506	298	98.1	95.9-0100	3	1.7	00.0-03.9	1	0.2	00.0-00.6
\$50,000- 74,999	356	45,282	354	99.5	98.9-0100	2	0.5	00.0-01.1			
\$75,000+	535	69,500	533	99.6	99.0-0100	2	0.4	00.0-01.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 45: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2865	248,999	2829	98.4	97.4-99.4	20	1.2	00.2-02.2	16	0.5	00.3-00.7
Native	87	11,812	87	100.0	0100-0100						
Non-Native	2746	235,238	2710	98.3	97.3-99.3	20	1.2	00.2-02.2	16	0.5	00.3-00.7
18-24	76	37,768	73	94.9	89.2-0100	3	5.1	00.0-10.8			
25-34	256	38,207	254	99.4	98.6-0100	1	0.2	00.0-00.6	1	0.4	00.0-01.2
35-44	373	36,676	370	99.1	98.1-0100	1	0.3	00.0-00.9	2	0.6	00.0-01.6
45-54	573	46,010	571	99.7	99.3-0100	1	0.1	00.0-00.3	1	0.2	00.0-00.6
55-64	562	33,575	556	98.9	98.1-99.7	1	0.1	00.0-00.3	5	1.0	00.2-01.8
65+	983	54,474	967	98.6	97.8-99.4	10	0.9	00.3-01.5	6	0.5	00.1-00.9
Less Than H.S.	216	21,337	209	92.4	83.8-0100	4	6.9	00.0-15.5	3	0.7	00.0-01.5
H.S. or G.E.D.	848	66,195	838	99.1	98.5-99.7	5	0.4	00.0-00.8	5	0.5	00.1-00.9
Some Post-H.S.	923	82,186	910	98.8	98.0-99.6	8	0.6	00.2-01.0	5	0.6	00.0-01.2
College Graduate	875	79,139	869	98.9	97.5-0100	3	0.8	00.0-02.2	3	0.3	00.0-00.7
Less than \$15,000	224	18,563	223	99.8	99.4-0100				1	0.2	00.0-00.6
\$15,000- 24,999	464	31,491	457	97.4	93.9-0100	4	2.2	00.0-05.5	3	0.4	00.0-01.0
\$25,000- 34,999	350	27,291	344	98.7	97.5-99.9	5	1.1	00.1-02.1	1	0.2	00.0-00.6
\$35,000- 49,999	406	38,255	403	99.5	98.9-0100	3	0.5	00.0-01.1			
\$50,000- 74,999	432	39,060	432	100.0	0100-0100						
\$75,000+	499	49,651	494	99.2	98.4-0100	1	0.1	00.0-00.3	4	0.8	00.0-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 46: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4767	497,595	4657	97.9	97.3-98.5	60	1.1	00.7-01.5	50	1.0	00.6-01.4
Male	1901	248,511	1858	98.4	97.8-99.0	30	1.1	00.7-01.5	13	0.5	00.3-00.7
Female	2866	249,084	2799	97.5	96.5-98.5	30	1.0	00.2-01.8	37	1.5	00.7-02.3
Native	131	23,036	130	99.1	97.3-0100	1	0.9	00.0-02.7			
Non-Native	4566	467,932	4463	98.0	97.4-98.6	56	1.0	00.6-01.4	47	1.0	00.6-01.4
18-24	150	81,057	147	97.8	95.1-0100	2	1.3	00.0-03.3	1	0.9	00.0-02.7
25-34	434	81,870	427	98.6	97.6-99.6	2	0.5	00.0-01.1	5	0.9	00.1-01.7
35-44	642	74,670	634	98.5	97.5-99.5	4	0.7	00.0-01.5	4	0.8	00.0-01.6
45-54	1026	91,216	1014	98.9	98.1-99.7	3	0.2	00.0-00.4	9	1.0	00.2-01.8
55-64	995	70,667	973	97.6	96.6-98.6	12	1.4	00.6-02.2	10	1.0	00.4-01.6
65+	1468	94,994	1422	97.1	96.1-98.1	33	2.0	01.2-02.8	13	0.9	00.3-01.5
Less Than H.S.	366	42,022	348	95.2	91.1-99.3	16	4.5	00.4-08.6	2	0.3	00.0-00.7
H.S. or G.E.D.	1418	141,141	1378	97.2	95.8-98.6	23	1.3	00.7-01.9	17	1.5	00.3-02.7
Some Post-H.S.	1484	156,695	1451	98.4	97.8-99.0	13	0.5	00.1-00.9	20	1.1	00.5-01.7
College Graduate	1496	157,595	1477	98.9	98.3-99.5	8	0.5	00.1-00.9	11	0.6	00.2-01.0
Less than \$15,000	336	31,413	328	97.6	95.6-99.6	6	2.0	00.0-04.0	2	0.4	00.0-01.0
\$15,000- 24,999	672	57,166	653	97.5	96.1-98.9	13	1.9	00.7-03.1	6	0.5	00.1-00.9
\$25,000- 34,999	542	50,896	529	98.3	97.3-99.3	10	1.4	00.4-02.4	3	0.3	00.0-00.7
\$35,000- 49,999	708	75,761	701	99.0	98.2-99.8	1	0.1	00.0-00.3	6	0.9	00.1-01.7
\$50,000- 74,999	788	84,342	782	99.4	98.8-0100	5	0.5	00.1-00.9	1	0.1	00.0-00.3
\$75,000+	1034	119,151	1019	98.9	98.3-99.5	8	0.4	00.0-00.8	7	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 47: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	248,511	1858	98.4	97.8-99.0	30	1.1	00.7-01.5	13	0.5	00.3-00.7
Non-Native	1819	232,609	1783	98.6	98.0-99.2	26	1.0	00.6-01.4	10	0.4	00.0-00.8
18-24	74	43,289	73	99.6	98.8-0100	1	0.4	00.0-01.2			
25-34	178	43,663	176	99.0	97.6-0100	1	0.5	00.0-01.5	1	0.5	00.0-01.5
35-44	269	37,994	265	98.4	96.8-0100	3	1.2	00.0-02.6	1	0.4	00.0-01.2
45-54	453	45,206	447	99.2	98.6-99.8	3	0.4	00.0-00.8	3	0.4	00.0-01.0
55-64	433	37,092	423	97.7	96.1-99.3	8	1.9	00.5-03.3	2	0.4	00.0-01.0
65+	484	40,435	468	97.0	95.4-98.6	12	2.2	00.8-03.6	4	0.8	00.0-01.6
Less Than H.S.	150	20,686	143	96.7	94.0-99.4	6	2.9	00.4-05.4	1	0.4	00.0-01.2
H.S. or G.E.D.	570	74,946	552	97.6	96.2-99.0	15	1.9	00.7-03.1	3	0.5	00.0-01.1
Some Post-H.S.	560	74,423	549	99.0	98.4-99.6	5	0.4	00.0-00.8	6	0.6	00.0-01.2
College Graduate	621	78,456	614	99.1	98.3-99.9	4	0.5	00.0-01.1	3	0.4	00.0-00.8
Less than \$15,000	112	12,850	108	95.4	90.7-0100	3	3.8	00.0-08.3	1	0.7	00.0-02.1
\$15,000- 24,999	208	25,676	198	96.4	93.7-99.1	9	3.4	00.9-05.9	1	0.2	00.0-00.6
\$25,000- 34,999	192	23,604	185	97.8	96.0-99.6	5	1.8	00.2-03.4	2	0.4	00.0-01.0
\$35,000- 49,999	302	37,506	299	99.0	97.6-0100	1	0.1	00.0-00.3	2	0.8	00.0-02.0
\$50,000- 74,999	356	45,282	354	99.6	99.0-0100	2	0.4	00.0-01.0			
\$75,000+	535	69,500	531	99.7	99.3-0100	3	0.2	00.0-00.4	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 48: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2866	249,084	2799	97.5	96.5-98.5	30	1.0	00.2-01.8	37	1.5	00.7-02.3
Native	87	11,812	87	100.0	0100-0100						
Non-Native	2747	235,323	2680	97.3	96.3-98.3	30	1.1	00.3-01.9	37	1.6	00.8-02.4
18-24	76	37,768	74	95.8	90.1-0100	1	2.2	00.0-06.5	1	2.0	00.0-05.7
25-34	256	38,207	251	98.3	96.7-99.9	1	0.4	00.0-01.2	4	1.3	00.0-02.7
35-44	373	36,676	369	98.6	97.2-0100	1	0.3	00.0-00.9	3	1.2	00.0-02.6
45-54	573	46,010	567	98.5	97.1-99.9				6	1.5	00.1-02.9
55-64	562	33,575	550	97.6	96.2-99.0	4	0.9	00.1-01.7	8	1.5	00.5-02.5
65+	984	54,559	954	97.1	96.1-98.1	21	1.9	01.1-02.7	9	0.9	00.1-01.7
Less Than H.S.	216	21,337	205	93.7	86.3-0100	10	6.1	00.0-13.5	1	0.2	00.0-00.6
H.S. or G.E.D.	848	66,195	826	96.7	94.3-99.1	8	0.6	00.2-01.0	14	2.7	00.3-05.1
Some Post-H.S.	924	82,272	902	97.9	96.9-98.9	8	0.6	00.2-01.0	14	1.5	00.7-02.3
College Graduate	875	79,139	863	98.7	97.9-99.5	4	0.4	00.0-00.8	8	0.9	00.1-01.7
Less than \$15,000	224	18,563	220	99.1	98.1-0100	3	0.7	00.0-01.5	1	0.2	00.0-00.6
\$15,000- 24,999	464	31,491	455	98.4	97.2-99.6	4	0.7	00.0-01.5	5	0.8	00.0-01.6
\$25,000- 34,999	350	27,291	344	98.7	97.5-99.9	5	1.1	00.1-02.1	1	0.2	00.0-00.6
\$35,000- 49,999	406	38,255	402	98.9	97.7-0100				4	1.1	00.0-02.3
\$50,000- 74,999	432	39,060	428	99.1	98.1-0100	3	0.7	00.0-01.5	1	0.2	00.0-00.6
\$75,000+	499	49,651	488	97.8	96.4-99.2	5	0.7	00.1-01.3	6	1.6	00.2-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 49: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4765	497,455	158	2.9	02.1-03.7	4607	97.1	96.3-97.9	
Male	1899	248,371	67	2.9	01.7-04.1	1832	97.1	95.9-98.3	
Female	2866	249,084	91	2.9	02.1-03.7	2775	97.1	96.3-97.9	
Native	131	23,036	3	0.5	00.0-01.1	128	99.5	98.9-0100	
Non-Native	4564	467,791	151	3.0	02.2-03.8	4413	97.0	96.2-97.8	
18-24	150	81,057	8	4.5	00.8-08.2	142	95.5	91.8-99.2	
25-34	434	81,870	9	1.3	00.3-02.3	425	98.7	97.7-99.7	
35-44	642	74,670	26	3.4	02.0-04.8	616	96.6	95.2-98.0	
45-54	1026	91,216	32	2.4	01.4-03.4	994	97.6	96.6-98.6	
55-64	994	70,575	42	3.6	02.4-04.8	952	96.4	95.2-97.6	
65+	1468	94,994	40	2.7	01.7-03.7	1428	97.3	96.3-98.3	
Less Than H.S.	366	42,022	6	3.5	00.0-08.8	360	96.5	91.2-0100	
H.S. or G.E.D.	1418	141,141	50	3.3	02.1-04.5	1368	96.7	95.5-97.9	
Some Post-H.S.	1483	156,646	47	2.0	01.4-02.6	1436	98.0	97.4-98.6	
College Graduate	1495	157,503	55	3.4	02.2-04.6	1440	96.6	95.4-97.8	
Less than \$15,000	336	31,413	5	0.8	00.0-01.6	331	99.2	98.4-0100	
\$15,000- 24,999	672	57,166	15	1.5	00.7-02.3	657	98.5	97.7-99.3	
\$25,000- 34,999	542	50,896	16	1.9	00.7-03.1	526	98.1	96.9-99.3	
\$35,000- 49,999	708	75,761	29	3.8	01.8-05.8	679	96.2	94.2-98.2	
\$50,000- 74,999	788	84,342	26	2.6	01.4-03.8	762	97.4	96.2-98.6	
\$75,000+	1033	119,059	47	3.0	02.0-04.0	986	97.0	96.0-98.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 50: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMMHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	1899	248,371	67	2.9	01.7-04.1	1832	97.1	95.9-98.3	
Non-Native	1817	232,469	63	3.0	01.8-04.2	1754	97.0	95.8-98.2	
18-24	74	43,289	4	5.2	00.0-11.1	70	94.8	88.9-0100	
25-34	178	43,663	2	0.4	00.0-01.0	176	99.6	99.0-0100	
35-44	269	37,994	9	2.8	00.8-04.8	260	97.2	95.2-99.2	
45-54	453	45,206	17	2.7	01.3-04.1	436	97.3	95.9-98.7	
55-64	432	37,000	16	3.0	01.4-04.6	416	97.0	95.4-98.6	
65+	484	40,435	19	3.4	01.6-05.2	465	96.6	94.8-98.4	
Less Than H.S.	150	20,686	2	6.1	00.0-16.5	148	93.9	83.5-0100	
H.S. or G.E.D.	570	74,946	24	3.1	01.3-04.9	546	96.9	95.1-98.7	
Some Post-H.S.	559	74,374	15	1.5	00.7-02.3	544	98.5	97.7-99.3	
College Graduate	620	78,364	26	3.2	01.6-04.8	594	96.8	95.2-98.4	
Less than \$15,000	112	12,850	1	0.5	00.0-01.5	111	99.5	98.5-0100	
\$15,000- 24,999	208	25,676	7	1.7	00.3-03.1	201	98.3	96.9-99.7	
\$25,000- 34,999	192	23,604	4	1.1	00.0-02.3	188	98.9	97.7-0100	
\$35,000- 49,999	302	37,506	9	2.1	00.5-03.7	293	97.9	96.3-99.5	
\$50,000- 74,999	356	45,282	15	2.7	01.1-04.3	341	97.3	95.7-98.9	
\$75,000+	534	69,409	22	2.6	01.4-03.8	512	97.4	96.2-98.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 51: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2866	249,084	91	2.9	02.1-03.7	2775	97.1	96.3-97.9	
Native	87	11,812	3	1.1	00.0-02.3	84	98.9	97.7-0100	
Non-Native	2747	235,323	88	3.1	02.3-03.9	2659	96.9	96.1-97.7	
18-24	76	37,768	4	3.7	00.0-07.4	72	96.3	92.6-0100	
25-34	256	38,207	7	2.2	00.4-04.0	249	97.8	96.0-99.6	
35-44	373	36,676	17	4.0	01.8-06.2	356	96.0	93.8-98.2	
45-54	573	46,010	15	2.2	01.0-03.4	558	97.8	96.6-99.0	
55-64	562	33,575	26	4.2	02.4-06.0	536	95.8	94.0-97.6	
65+	984	54,559	21	2.1	00.9-03.3	963	97.9	96.7-99.1	
Less Than H.S.	216	21,337	4	0.9	00.0-02.1	212	99.1	97.9-0100	
H.S. or G.E.D.	848	66,195	26	3.5	01.7-05.3	822	96.5	94.7-98.3	
Some Post-H.S.	924	82,272	32	2.5	01.5-03.5	892	97.5	96.5-98.5	
College Graduate	875	79,139	29	3.5	01.7-05.3	846	96.5	94.7-98.3	
Less than \$15,000	224	18,563	4	1.0	00.0-02.2	220	99.0	97.8-0100	
\$15,000- 24,999	464	31,491	8	1.3	00.3-02.3	456	98.7	97.7-99.7	
\$25,000- 34,999	350	27,291	12	2.7	00.9-04.5	338	97.3	95.5-99.1	
\$35,000- 49,999	406	38,255	20	5.5	02.0-09.0	386	94.5	91.0-98.0	
\$50,000- 74,999	432	39,060	11	2.5	00.7-04.3	421	97.5	95.7-99.3	
\$75,000+	499	49,651	25	3.6	02.0-05.2	474	96.4	94.8-98.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 52: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	157	14,449	84	69.2	59.2-79.2	64	28.5	18.7-38.3	7	2.1	00.3-03.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3
Male	67	7,217							5	3.2	00.1-06.3						
Female	90	7,232							2	1.0	00.0-02.6	1	0.1	00.0-00.3	1	0.2	00.0-00.6
Non-Native	150	14,057				61	28.6	18.6-38.6	6	1.8	00.2-03.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3
H.S. or G.E.D.	50	4,684							3	2.2	00.0-04.9						
College Graduate	55	5,277							2	2.3	00.0-05.6						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 53: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Three Numbers %	C.I. (95%)
	TOTAL	WEIGHTED			
Male	67	7,217	5	3.2	00.1-06.3
Non-Native	63	6,949	5	3.3	00.0-06.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 54: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	90	7,232	2	1.0	00.0-02.6	1	0.1	00.0-00.3	1	0.2	00.0-00.6
Non-Native	87	7,107	1	0.4	00.0-01.2	1	0.1	00.0-00.5	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 55: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4758	496,606	83	2.3	01.5-03.1	4675	97.7	96.9-98.5	
Male	1898	248,054	38	2.6	01.4-03.8	1860	97.4	96.2-98.6	
Female	2860	248,552	45	2.1	01.3-02.9	2815	97.9	97.1-98.7	
Native	131	23,036	7	6.3	00.4-12.2	124	93.7	87.8-99.6	
Non-Native	4557	466,943	75	2.2	01.6-02.8	4482	97.8	97.2-98.4	
18-24	150	81,057	7	3.5	00.8-06.2	143	96.5	93.8-99.2	
25-34	433	81,642	15	4.6	01.9-07.3	418	95.4	92.7-98.1	
35-44	641	74,480	14	2.0	01.0-03.0	627	98.0	97.0-99.0	
45-54	1024	91,022	19	1.9	00.9-02.9	1005	98.1	97.1-99.1	
55-64	993	70,438	10	1.0	00.4-01.6	983	99.0	98.4-99.6	
65+	1465	94,845	16	1.1	00.5-01.7	1449	98.9	98.3-99.5	
Less Than H.S.	365	41,885	10	3.6	00.5-06.7	355	96.4	93.3-99.5	
H.S. or G.E.D.	1414	140,802	20	2.5	01.1-03.9	1394	97.5	96.1-98.9	
Some Post-H.S.	1482	156,501	31	2.8	01.4-04.2	1451	97.2	95.8-98.6	
College Graduate	1494	157,275	22	1.5	00.9-02.1	1472	98.5	97.9-99.1	
Less than \$15,000	336	31,413	12	4.0	01.5-06.5	324	96.0	93.5-98.5	
\$15,000- 24,999	672	57,166	19	4.4	01.5-07.3	653	95.6	92.7-98.5	
\$25,000- 34,999	542	50,896	9	3.2	00.5-05.9	533	96.8	94.1-99.5	
\$35,000- 49,999	705	75,370	9	2.9	00.4-05.4	696	97.1	94.6-99.6	
\$50,000- 74,999	787	84,114	12	1.7	00.5-02.9	775	98.3	97.1-99.5	
\$75,000+	1033	119,059	12	1.3	00.5-02.1	1021	98.7	97.9-99.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 56: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	248,054	38	2.6	01.4-03.8	1860	97.4	96.2-98.6
Non-Native	1816	232,152	31	2.2	01.0-03.4	1785	97.8	96.6-99.0
18-24	74	43,289	3	3.1	00.0-06.8	71	96.9	93.2-0100
25-34	177	43,435	8	6.0	01.3-10.7	169	94.0	89.3-98.7
35-44	269	37,994	4	1.4	00.0-02.8	265	98.6	97.2-0100
45-54	453	45,206	10	2.4	00.8-04.0	443	97.6	96.0-99.2
55-64	431	36,863	5	1.1	00.0-02.3	426	98.9	97.7-0100
65+	484	40,435	7	1.2	00.2-02.2	477	98.8	97.8-99.8
Less Than H.S.	149	20,548	5	2.1	00.1-04.1	144	97.9	95.9-99.9
H.S. or G.E.D.	570	74,946	7	2.5	00.1-04.9	563	97.5	95.1-99.9
Some Post-H.S.	560	74,423	16	4.3	01.4-07.2	544	95.7	92.8-98.6
College Graduate	619	78,136	10	1.3	00.3-02.3	609	98.7	97.7-99.7
Less than \$15,000	112	12,850	8	7.3	01.6-13.0	104	92.7	87.0-98.4
\$15,000- 24,999	208	25,676	3	2.8	00.0-07.1	205	97.2	92.9-0100
\$25,000- 34,999	192	23,604	5	5.1	00.0-10.6	187	94.9	89.4-0100
\$35,000- 49,999	301	37,369	7	5.2	00.3-10.1	294	94.8	89.9-99.7
\$50,000- 74,999	355	45,054	6	1.2	00.2-02.2	349	98.8	97.8-99.8
\$75,000+	534	69,409	5	1.3	00.0-02.7	529	98.7	97.3-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 57: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2860	248,552	45	2.1	01.3-02.9	2815	97.9	97.1-98.7	
Native	87	11,812	1	0.6	00.0-01.8	86	99.4	98.2-0100	
Non-Native	2741	234,790	44	2.1	01.3-02.9	2697	97.9	97.1-98.7	
18-24	76	37,768	4	3.9	00.0-07.8	72	96.1	92.2-0100	
25-34	256	38,207	7	3.1	00.7-05.5	249	96.9	94.5-99.3	
35-44	372	36,486	10	2.5	00.9-04.1	362	97.5	95.9-99.1	
45-54	571	45,816	9	1.5	00.5-02.5	562	98.5	97.5-99.5	
55-64	562	33,575	5	0.8	00.0-01.6	557	99.2	98.4-0100	
65+	981	54,410	9	1.0	00.2-01.8	972	99.0	98.2-99.8	
Less Than H.S.	216	21,337	5	5.0	00.0-10.7	211	95.0	89.3-0100	
H.S. or G.E.D.	844	65,856	13	2.4	00.8-04.0	831	97.6	96.0-99.2	
Some Post-H.S.	922	82,078	15	1.4	00.6-02.2	907	98.6	97.8-99.4	
College Graduate	875	79,139	12	1.6	00.6-02.6	863	98.4	97.4-99.4	
Less than \$15,000	224	18,563	4	1.7	00.0-03.5	220	98.3	96.5-0100	
\$15,000- 24,999	464	31,491	16	5.6	01.7-09.5	448	94.4	90.5-98.3	
\$25,000- 34,999	350	27,291	4	1.7	00.0-03.9	346	98.3	96.1-0100	
\$35,000- 49,999	404	38,002	2	0.5	00.0-01.3	402	99.5	98.7-0100	
\$50,000- 74,999	432	39,060	6	2.3	00.3-04.3	426	97.7	95.7-99.7	
\$75,000+	499	49,651	7	1.3	00.3-02.3	492	98.7	97.7-99.7	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 58: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4767	497,595	1901	49.9	47.9-51.9	2866	50.1	48.1-52.1
Non-Native	4566	467,932	1819	49.7	47.7-51.7	2747	50.3	48.3-52.3
18-24	150	81,057	74	53.4	44.8-62.0	76	46.6	38.0-55.2
25-34	434	81,870	178	53.3	48.2-58.4	256	46.7	41.6-51.8
35-44	642	74,670	269	50.9	46.8-55.0	373	49.1	45.0-53.2
45-54	1026	91,216	453	49.6	46.3-52.9	573	50.4	47.1-53.7
55-64	995	70,667	433	52.5	49.2-55.8	562	47.5	44.2-50.8
65+	1468	94,994	484	42.6	39.7-45.5	984	57.4	54.5-60.3
Less Than H.S.	366	42,022	150	49.2	40.2-58.2	216	50.8	41.8-59.8
H.S. or G.E.D.	1418	141,141	570	53.1	49.4-56.8	848	46.9	43.2-50.6
Some Post-H.S.	1484	156,695	560	47.5	44.0-51.0	924	52.5	49.0-56.0
College Graduate	1496	157,595	621	49.8	46.7-52.9	875	50.2	47.1-53.3
Less than \$15,000	336	31,413	112	40.9	32.5-49.3	224	59.1	50.7-67.5
\$15,000- 24,999	672	57,166	208	44.9	39.4-50.4	464	55.1	49.6-60.6
\$25,000- 34,999	542	50,896	192	46.4	39.9-52.9	350	53.6	47.1-60.1
\$35,000- 49,999	708	75,761	302	49.5	44.6-54.4	406	50.5	45.6-55.4
\$50,000- 74,999	788	84,342	356	53.7	49.6-57.8	432	46.3	42.2-50.4
\$75,000+	1034	119,151	535	58.3	54.6-62.0	499	41.7	38.0-45.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	703	112,155	36	4.8	03.2-06.4	667	95.2	93.6-96.8
Non-Native	659	103,572	36	5.2	03.4-07.0	623	94.8	93.0-96.6
18-24	75	37,490	1	1.0	00.0-03.0	74	99.0	97.0-100
25-34	255	37,988	26	10.9	06.8-15.0	229	89.1	85.0-93.2
35-44	373	36,676	9	2.4	00.8-04.0	364	97.6	96.0-99.2
H.S. or G.E.D.	124	21,778	7	3.9	00.8-07.0	117	96.1	93.0-99.2
Some Post-H.S.	238	37,823	11	4.7	01.8-07.6	227	95.3	92.4-98.2
College Graduate	307	41,575	17	6.5	03.4-09.6	290	93.5	90.4-96.6
\$15,000- 24,999	70	9,945	2	3.6	00.0-08.7	68	96.4	91.3-100
\$25,000- 34,999	69	10,374	5	4.8	00.3-09.3	64	95.2	90.7-99.7
\$35,000- 49,999	114	19,338	6	4.9	01.0-08.8	108	95.1	91.2-99.0
\$50,000- 74,999	142	18,319	14	13.3	06.4-20.2	128	86.7	79.8-93.6
\$75,000+	185	25,740	7	3.8	01.1-06.5	178	96.2	93.5-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 13: CAREGIVER STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY. DURING THE PAST MONTH, DID YOU PROVIDE ANY SUCH CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER? (CAREGIVE)	
1	MALES AND FEMALES	154
2	MALES ONLY	155
3	FEMALES ONLY	156

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 13: CAREGIVER STATUS**

TABLE 1: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY. DURING THE PAST MONTH, DID YOU PROVIDE ANY SUCH CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER? (CAREGIVE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4742	494,701	1025	20.1	18.5-21.7	3717	79.9	78.3-81.5
Male	1892	246,623	335	18.0	15.5-20.5	1557	82.0	79.5-84.5
Female	2850	248,078	690	22.1	20.1-24.1	2160	77.9	75.9-79.9
Non-Native	4541	465,038	973	19.6	18.0-21.2	3568	80.4	78.8-82.0
18-24	148	79,715	18	13.1	06.8-19.4	130	86.9	80.6-93.2
25-34	434	81,870	69	17.0	12.7-21.3	365	83.0	78.7-87.3
35-44	640	74,480	135	20.9	17.6-24.2	505	79.1	75.8-82.4
45-54	1024	91,093	243	23.8	21.1-26.5	781	76.2	73.5-78.9
55-64	992	70,446	280	27.2	24.3-30.1	712	72.8	69.9-75.7
65+	1454	94,072	265	18.7	16.5-20.9	1189	81.3	79.1-83.5
Less Than H.S.	364	41,862	73	22.7	14.5-30.9	291	77.3	69.1-85.5
H.S. or G.E.D.	1411	140,698	287	20.0	17.1-22.9	1124	80.0	77.1-82.9
Some Post-H.S.	1477	155,470	339	21.5	18.8-24.2	1138	78.5	75.8-81.2
College Graduate	1487	156,529	326	18.0	15.8-20.2	1161	82.0	79.8-84.2
Less than \$15,000	330	31,055	63	18.8	12.7-24.9	267	81.2	75.1-87.3
\$15,000- 24,999	668	56,836	152	24.4	19.3-29.5	516	75.6	70.5-80.7
\$25,000- 34,999	539	49,936	124	21.1	16.8-25.4	415	78.9	74.6-83.2
\$35,000- 49,999	708	75,761	168	20.9	17.2-24.6	540	79.1	75.4-82.8
\$50,000- 74,999	786	84,215	180	20.8	17.5-24.1	606	79.2	75.9-82.5
\$75,000+	1031	118,389	203	16.9	14.4-19.4	828	83.1	80.6-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 13: CAREGIVER STATUS**

TABLE 2: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY. DURING THE PAST MONTH, DID YOU PROVIDE ANY SUCH CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER? (CAREGIVE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1892	246,623	335	18.0	15.5-20.5	1557	82.0	79.5-84.5
Non-Native	1810	230,721	315	17.1	14.7-19.5	1495	82.9	80.5-85.3
25-34	178	43,663	25	16.2	09.3-23.1	153	83.8	76.9-90.7
35-44	269	37,994	44	16.7	12.0-21.4	225	83.3	78.6-88.0
45-54	451	45,083	88	20.4	16.3-24.5	363	79.6	75.5-83.7
55-64	432	37,000	94	21.0	17.1-24.9	338	79.0	75.1-82.9
65+	480	40,103	71	15.2	11.7-18.7	409	84.8	81.3-88.3
H.S. or G.E.D.	569	74,897	96	19.2	14.3-24.1	473	80.8	75.9-85.7
Some Post-H.S.	557	73,476	103	17.8	13.5-22.1	454	82.2	77.9-86.5
College Graduate	618	77,724	107	14.5	11.6-17.4	511	85.5	82.6-88.4
\$15,000- 24,999	206	25,538	25	16.4	08.4-24.4	181	83.6	75.6-91.6
\$25,000- 34,999	190	22,730	35	18.4	11.3-25.5	155	81.6	74.5-88.7
\$35,000- 49,999	302	37,506	64	19.8	13.9-25.7	238	80.2	74.3-86.1
\$50,000- 74,999	356	45,282	65	16.7	11.8-21.6	291	83.3	78.4-88.2
\$75,000+	533	68,833	91	14.9	11.6-18.2	442	85.1	81.8-88.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 13: CAREGIVER STATUS**

TABLE 3: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY. DURING THE PAST MONTH, DID YOU PROVIDE ANY SUCH CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER? (CAREGIVE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2850	248,078	690	22.1	20.1-24.1	2160	77.9	75.9-79.9
Non-Native	2731	234,317	658	22.0	20.0-24.0	2073	78.0	76.0-80.0
18-24	76	37,768	6	7.1	01.2-13.0	70	92.9	87.0-98.8
25-34	256	38,207	44	17.9	12.8-23.0	212	82.1	77.0-87.2
35-44	371	36,486	91	25.2	20.5-29.9	280	74.8	70.1-79.5
45-54	573	46,010	155	27.1	23.2-31.0	418	72.9	69.0-76.8
55-64	560	33,446	186	34.0	29.7-38.3	374	66.0	61.7-70.3
65+	974	53,969	194	21.2	18.3-24.1	780	78.8	75.9-81.7
Less Than H.S.	216	21,337	44	18.3	10.9-25.7	172	81.7	74.3-89.1
H.S. or G.E.D.	842	65,800	191	20.9	17.6-24.2	651	79.1	75.8-82.4
Some Post-H.S.	920	81,994	236	24.7	21.0-28.4	684	75.3	71.6-79.0
College Graduate	869	78,805	219	21.5	18.6-24.4	650	78.5	75.6-81.4
Less than \$15,000	221	18,414	40	16.5	10.2-22.8	181	83.5	77.2-89.8
\$15,000- 24,999	462	31,299	127	30.9	24.6-37.2	335	69.1	62.8-75.4
\$25,000- 34,999	349	27,206	89	23.3	18.0-28.6	260	76.7	71.4-82.0
\$35,000- 49,999	406	38,255	104	21.9	17.2-26.6	302	78.1	73.4-82.8
\$50,000- 74,999	430	38,933	115	25.4	20.9-29.9	315	74.6	70.1-79.1
\$75,000+	498	49,556	112	19.8	15.9-23.7	386	80.2	76.3-84.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 14: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	158
2	MALES ONLY	159
3	FEMALES ONLY	160
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	161
5	MALES ONLY	162
6	FEMALES ONLY	163

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

TABLE 1: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4713	492,797	962	17.2	15.8-18.6	3751	82.8	81.4-84.2
Male	1879	245,663	368	17.3	14.9-19.7	1511	82.7	80.3-85.1
Female	2834	247,134	594	17.0	15.4-18.6	2240	83.0	81.4-84.6
Non-Native	4512	463,134	909	16.5	15.1-17.9	3603	83.5	82.1-84.9
18-24	149	80,290	15	11.7	05.6-17.8	134	88.3	82.2-94.4
25-34	434	81,870	36	9.1	06.0-12.2	398	90.9	87.8-94.0
35-44	637	74,102	72	12.6	09.7-15.5	565	87.4	84.5-90.3
45-54	1015	90,335	197	18.0	15.5-20.5	818	82.0	79.5-84.5
55-64	980	69,280	219	20.7	18.0-23.4	761	79.3	76.6-82.0
65+	1449	93,912	418	29.3	26.8-31.8	1031	70.7	68.2-73.2
Less Than H.S.	360	41,703	109	29.0	20.4-37.6	251	71.0	62.4-79.6
H.S. or G.E.D.	1402	140,035	321	18.7	16.2-21.2	1081	81.3	78.8-83.8
Some Post-H.S.	1467	154,509	300	17.4	14.9-19.9	1167	82.6	80.1-85.1
College Graduate	1482	156,486	232	12.4	10.6-14.2	1250	87.6	85.8-89.4
Less than \$15,000	328	30,948	150	38.4	30.6-46.2	178	61.6	53.8-69.4
\$15,000- 24,999	661	56,508	196	26.9	22.4-31.4	465	73.1	68.6-77.6
\$25,000- 34,999	537	49,745	116	18.4	14.3-22.5	421	81.6	77.5-85.7
\$35,000- 49,999	701	75,143	125	14.0	11.3-16.7	576	86.0	83.3-88.7
\$50,000- 74,999	782	83,855	107	11.8	09.3-14.3	675	88.2	85.7-90.7
\$75,000+	1029	118,548	115	10.0	07.8-12.2	914	90.0	87.8-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

TABLE 2: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1879	245,663	368	17.3	14.9-19.7	1511	82.7	80.3-85.1
Non-Native	1797	229,761	344	16.2	14.0-18.4	1453	83.8	81.6-86.0
18-24	73	42,522	9	16.2	06.2-26.2	64	83.8	73.8-93.8
25-34	178	43,663	14	8.9	04.0-13.8	164	91.1	86.2-96.0
35-44	268	37,854	32	13.7	09.0-18.4	236	86.3	81.6-91.0
45-54	449	44,789	85	16.9	13.4-20.4	364	83.1	79.6-86.6
55-64	424	36,108	82	18.2	14.5-21.9	342	81.8	78.1-85.5
65+	478	39,943	146	30.9	26.4-35.4	332	69.1	64.6-73.6
H.S. or G.E.D.	565	74,470	129	18.7	14.6-22.8	436	81.3	77.2-85.4
Some Post-H.S.	552	72,898	102	16.3	12.2-20.4	450	83.7	79.6-87.8
College Graduate	615	77,823	93	12.2	09.5-14.9	522	87.8	85.1-90.5
\$15,000- 24,999	205	25,400	63	25.8	18.0-33.6	142	74.2	66.4-82.0
\$25,000- 34,999	189	22,639	38	15.0	09.3-20.7	151	85.0	79.3-90.7
\$35,000- 49,999	300	37,208	50	13.4	09.5-17.3	250	86.6	82.7-90.5
\$50,000- 74,999	353	45,050	48	11.8	08.3-15.3	305	88.2	84.7-91.7
\$75,000+	531	68,974	64	10.8	07.9-13.7	467	89.2	86.3-92.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

TABLE 3: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2834	247,134	594	17.0	15.4-18.6	2240	83.0	81.4-84.6
Non-Native	2715	233,373	565	16.9	15.3-18.5	2150	83.1	81.5-84.7
18-24	76	37,768	6	6.6	01.1-12.1	70	93.4	87.9-98.9
25-34	256	38,207	22	9.3	05.4-13.2	234	90.7	86.8-94.6
35-44	369	36,248	40	11.4	07.7-15.1	329	88.6	84.9-92.3
45-54	566	45,545	112	19.1	15.8-22.4	454	80.9	77.6-84.2
55-64	556	33,172	137	23.4	19.7-27.1	419	76.6	72.9-80.3
65+	971	53,969	272	28.0	24.9-31.1	699	72.0	68.9-75.1
Less Than H.S.	213	21,231	65	23.6	15.4-31.8	148	76.4	68.2-84.6
H.S. or G.E.D.	837	65,564	192	18.6	15.7-21.5	645	81.4	78.5-84.3
Some Post-H.S.	915	81,612	198	18.3	15.2-21.4	717	81.7	78.6-84.8
College Graduate	867	78,663	139	12.6	10.2-15.0	728	87.4	85.0-89.8
Less than \$15,000	219	18,312	91	34.0	24.4-43.6	128	66.0	56.4-75.6
\$15,000- 24,999	456	31,108	133	27.7	22.6-32.8	323	72.3	67.2-77.4
\$25,000- 34,999	348	27,106	78	21.2	15.5-26.9	270	78.8	73.1-84.5
\$35,000- 49,999	401	37,935	75	14.7	10.8-18.6	326	85.3	81.4-89.2
\$50,000- 74,999	429	38,806	59	11.8	08.5-15.1	370	88.2	84.9-91.5
\$75,000+	498	49,573	51	8.9	06.4-11.4	447	91.1	88.6-93.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4719	492,952	380	5.9	05.1-06.7	4339	94.1	93.3-94.9
Male	1880	245,779	133	5.8	04.6-07.0	1747	94.2	93.0-95.4
Female	2839	247,174	247	6.0	05.2-06.8	2592	94.0	93.2-94.8
Native	131	23,036	15	6.4	02.5-10.3	116	93.6	89.7-97.5
Non-Native	4518	463,289	357	5.8	05.0-06.6	4161	94.2	93.4-95.0
18-24	149	80,290	3	1.8	00.0-04.0	146	98.2	96.0-0100
25-34	433	81,724	5	1.7	00.0-03.5	428	98.3	96.5-0100
35-44	637	74,195	21	3.6	02.0-05.2	616	96.4	94.8-98.0
45-54	1017	90,455	47	4.6	03.2-06.0	970	95.4	94.0-96.8
55-64	982	69,360	70	6.1	04.5-07.7	912	93.9	92.3-95.5
65+	1449	93,806	231	15.9	13.7-18.1	1218	84.1	81.9-86.3
Less Than H.S.	359	41,586	52	9.2	06.1-12.3	307	90.8	87.7-93.9
H.S. or G.E.D.	1405	140,127	130	7.0	05.4-08.6	1275	93.0	91.4-94.6
Some Post-H.S.	1469	154,594	119	5.9	04.5-07.3	1350	94.1	92.7-95.5
College Graduate	1483	156,504	79	4.0	02.8-05.2	1404	96.0	94.8-97.2
Less than \$15,000	331	31,115	74	15.6	11.1-20.1	257	84.4	79.9-88.9
\$15,000- 24,999	665	56,654	107	13.7	10.6-16.8	558	86.3	83.2-89.4
\$25,000- 34,999	538	49,887	46	6.0	04.0-08.0	492	94.0	92.0-96.0
\$35,000- 49,999	698	74,840	32	3.6	02.2-05.0	666	96.4	95.0-97.8
\$50,000- 74,999	781	83,677	27	2.8	01.6-04.0	754	97.2	96.0-98.4
\$75,000+	1030	118,688	22	1.9	01.1-02.7	1008	98.1	97.3-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1880	245,779	133	5.8	04.6-07.0	1747	94.2	93.0-95.4
Non-Native	1798	229,877	124	5.7	04.5-06.9	1674	94.3	93.1-95.5
18-24	73	42,522	2	2.7	00.0-06.4	71	97.3	93.6-0100
25-34	178	43,663	4	2.9	00.0-06.0	174	97.1	94.0-0100
35-44	269	37,994	13	4.9	02.2-07.6	256	95.1	92.4-97.8
45-54	448	44,716	26	5.6	03.4-07.8	422	94.4	92.2-96.6
55-64	424	36,108	24	5.2	03.0-07.4	400	94.8	92.6-97.0
65+	478	39,943	64	13.8	10.5-17.1	414	86.2	82.9-89.5
Less Than H.S.	147	20,472	19	8.6	04.1-13.1	128	91.4	86.9-95.9
H.S. or G.E.D.	565	74,455	47	6.3	03.9-08.7	518	93.7	91.3-96.1
Some Post-H.S.	554	73,120	33	5.2	03.0-07.4	521	94.8	92.6-97.0
College Graduate	614	77,731	34	5.0	02.8-07.2	580	95.0	92.8-97.2
Less than \$15,000	110	12,743	25	18.4	10.2-26.6	85	81.6	73.4-89.8
\$15,000- 24,999	205	25,400	31	12.6	06.9-18.3	174	87.4	81.7-93.1
\$25,000- 34,999	189	22,639	14	5.2	02.3-08.1	175	94.8	91.9-97.7
\$35,000- 49,999	299	37,135	16	4.5	02.1-06.9	283	95.5	93.1-97.9
\$50,000- 74,999	353	45,050	13	2.9	01.3-04.5	340	97.1	95.5-98.7
\$75,000+	532	69,115	16	2.6	01.2-04.0	516	97.4	96.0-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 14: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2839	247,174	247	6.0	05.2-06.8	2592	94.0	93.2-94.8	
Native	87	11,812	11	8.3	02.4-14.2	76	91.7	85.8-97.6	
Non-Native	2720	233,412	233	5.9	05.1-06.7	2487	94.1	93.3-94.9	
18-24	76	37,768	1	0.7	00.0-02.1	75	99.3	97.9-100.0	
25-34	255	38,061	1	0.4	00.0-01.2	254	99.6	98.8-100.0	
35-44	368	36,201	8	2.2	00.6-03.8	360	97.8	96.2-99.4	
45-54	569	45,739	21	3.7	01.9-05.5	548	96.3	94.5-98.1	
55-64	558	33,252	46	7.1	04.9-09.3	512	92.9	90.7-95.1	
65+	971	53,863	167	17.4	14.9-19.9	804	82.6	80.1-85.1	
Less Than H.S.	212	21,114	33	9.8	05.7-13.9	179	90.2	86.1-94.3	
H.S. or G.E.D.	840	65,672	83	7.9	05.9-09.9	757	92.1	90.1-94.1	
Some Post-H.S.	915	81,473	86	6.5	04.9-08.1	829	93.5	91.9-95.1	
College Graduate	869	78,773	45	2.9	01.9-03.9	824	97.1	96.1-98.1	
Less than \$15,000	221	18,372	49	13.7	08.8-18.6	172	86.3	81.4-91.2	
\$15,000- 24,999	460	31,253	76	14.6	11.1-18.1	384	85.4	81.9-88.9	
\$25,000- 34,999	349	27,249	32	6.7	04.2-09.2	317	93.3	90.8-95.8	
\$35,000- 49,999	399	37,705	16	2.8	01.4-04.2	383	97.2	95.8-98.6	
\$50,000- 74,999	428	38,628	14	2.7	00.9-04.5	414	97.3	95.5-99.1	
\$75,000+	498	49,573	6	0.8	00.2-01.4	492	99.2	98.6-99.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)	
1	MALES AND FEMALES	165
2	MALES ONLY	166
3	FEMALES ONLY	167
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
4	MALES AND FEMALES	168
5	MALES ONLY	169
6	FEMALES ONLY	170
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS. (AVEDRNK2)	
7	MALES AND FEMALES	171
8	MALES ONLY	172
9	FEMALES ONLY	173
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
10	MALES AND FEMALES	174
11	MALES ONLY	175
12	FEMALES ONLY	176
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
13	MALES AND FEMALES	177
14	MALES ONLY	178
15	FEMALES ONLY	179

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4708	492,092	2668	60.5	58.5-62.5	2040	39.5	37.5-41.5
Male	1876	245,432	1226	66.3	63.4-69.2	650	33.7	30.8-36.6
Female	2832	246,660	1442	54.7	52.2-57.2	1390	45.3	42.8-47.8
Non-Native	4508	462,502	2588	61.7	59.7-63.7	1920	38.3	36.3-40.3
18-24	149	80,290	84	55.9	47.3-64.5	65	44.1	35.5-52.7
25-34	433	81,724	307	72.1	67.4-76.8	126	27.9	23.2-32.6
35-44	634	73,819	430	69.2	65.3-73.1	204	30.8	26.9-34.7
45-54	1015	90,392	654	64.6	61.5-67.7	361	35.4	32.3-38.5
55-64	980	69,178	572	60.1	56.8-63.4	408	39.9	36.6-43.2
65+	1446	93,641	598	44.2	41.5-46.9	848	55.8	53.1-58.5
Less Than H.S.	356	41,291	132	42.1	32.9-51.3	224	57.9	48.7-67.1
H.S. or G.E.D.	1400	139,910	695	53.7	49.8-57.6	705	46.3	42.4-50.2
Some Post-H.S.	1467	154,434	859	60.0	56.5-63.5	608	40.0	36.5-43.5
College Graduate	1482	156,315	982	72.1	69.6-74.6	500	27.9	25.4-30.4
Less than \$15,000	330	31,035	102	41.6	32.8-50.4	228	58.4	49.6-67.2
\$15,000- 24,999	663	56,427	272	42.6	37.1-48.1	391	57.4	51.9-62.9
\$25,000- 34,999	536	49,727	273	58.1	52.2-64.0	263	41.9	36.0-47.8
\$35,000- 49,999	699	74,914	432	63.2	58.3-68.1	267	36.8	31.9-41.7
\$50,000- 74,999	781	83,735	523	69.2	65.5-72.9	258	30.8	27.1-34.5
\$75,000+	1028	118,453	759	74.3	70.8-77.8	269	25.7	22.2-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1876	245,432	1226	66.3	63.4-69.2	650	33.7	30.8-36.6
Non-Native	1795	229,604	1188	67.3	64.4-70.2	607	32.7	29.8-35.6
25-34	178	43,663	141	79.5	72.8-86.2	37	20.5	13.8-27.2
35-44	267	37,713	197	74.6	69.1-80.1	70	25.4	19.9-30.9
45-54	447	44,692	312	68.1	63.4-72.8	135	31.9	27.2-36.6
55-64	425	36,200	269	63.7	58.8-68.6	156	36.3	31.4-41.2
65+	477	39,884	262	56.1	51.4-60.8	215	43.9	39.2-48.6
H.S. or G.E.D.	563	74,384	339	60.3	54.4-66.2	224	39.7	33.8-45.6
Some Post-H.S.	554	73,120	364	65.1	59.6-70.6	190	34.9	29.4-40.4
College Graduate	613	77,542	452	77.7	74.2-81.2	161	22.3	18.8-25.8
\$15,000- 24,999	203	25,174	104	50.7	41.1-60.3	99	49.3	39.7-58.9
\$25,000- 34,999	189	22,639	112	65.5	56.5-74.5	77	34.5	25.5-43.5
\$35,000- 49,999	300	37,208	207	66.5	59.2-73.8	93	33.5	26.2-40.8
\$50,000- 74,999	353	45,050	257	76.4	71.5-81.3	96	23.6	18.7-28.5
\$75,000+	531	68,974	412	77.6	73.1-82.1	119	22.4	17.9-26.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2832	246,660	1442	54.7	52.2-57.2	1390	45.3	42.8-47.8
Non-Native	2713	232,899	1400	56.1	53.6-58.6	1313	43.9	41.4-46.4
25-34	255	38,061	166	63.6	57.3-69.9	89	36.4	30.1-42.7
35-44	367	36,106	233	63.6	58.3-68.9	134	36.4	31.1-41.7
45-54	568	45,700	342	61.2	56.9-65.5	226	38.8	34.5-43.1
55-64	555	32,978	303	56.1	51.6-60.6	252	43.9	39.4-48.4
65+	969	53,757	336	35.3	32.0-38.6	633	64.7	61.4-68.0
H.S. or G.E.D.	837	65,526	356	46.1	41.2-51.0	481	53.9	49.0-58.8
Some Post-H.S.	913	81,314	495	55.4	50.9-59.9	418	44.6	40.1-49.1
College Graduate	869	78,773	530	66.5	62.8-70.2	339	33.5	29.8-37.2
\$15,000- 24,999	460	31,253	168	36.1	30.4-41.8	292	63.9	58.2-69.6
\$25,000- 34,999	347	27,089	161	51.8	44.7-58.9	186	48.2	41.1-55.3
\$35,000- 49,999	399	37,705	225	59.9	53.2-66.6	174	40.1	33.4-46.8
\$50,000- 74,999	428	38,686	266	60.9	55.4-66.4	162	39.1	33.6-44.6
\$75,000+	497	49,478	347	69.7	64.4-75.0	150	30.3	25.0-35.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2606	291,605	674	27.4	24.9-29.9	55	1.7	01.1-02.3	1569	59.9	57.4-62.4	286	10.3	08.7-11.9	22	0.7	00.3-01.1
Male	1194	158,706	355	31.2	27.5-34.9	36	2.3	01.5-03.1	608	51.5	47.6-55.4	194	14.6	12.1-17.1	1	0.4	00.0-01.2
Female	1412	132,898	319	22.8	19.7-25.9	19	1.1	00.5-01.7	961	70.0	66.7-73.3	92	5.1	03.9-06.3	21	1.1	00.5-01.7
Native	53	9,739	12	12.5	03.9-21.1				39	86.3	77.5-95.1	2	1.2	00.0-03.0			
Non-Native	2526	279,108	655	28.0	25.5-30.5	54	1.8	01.2-02.4	1518	59.1	56.4-61.8	277	10.4	08.8-12.0	22	0.7	00.3-01.1
18-24	82	44,020										6	8.3	01.6-15.0	1	1.3	00.0-03.8
25-34	304	58,122	87	28.1	22.6-33.6	2	0.8	00.0-02.0	199	64.7	58.8-70.6	16	6.5	03.0-10.0			
35-44	424	50,308	92	21.9	17.8-26.0	3	0.8	00.0-01.8	291	67.0	62.1-71.9	37	10.0	06.9-13.1	1	0.3	00.0-00.9
45-54	645	57,541	184	29.5	25.8-33.2	9	1.2	00.4-02.0	392	60.5	56.4-64.6	56	8.1	05.9-10.3	4	0.7	00.1-01.3
55-64	557	40,613	155	27.7	23.8-31.6	20	4.0	02.2-05.8	305	53.6	49.3-57.9	71	14.0	10.9-17.1	6	0.8	00.2-01.4
65+	573	39,559	127	21.5	18.0-25.0	19	4.4	02.4-06.4	319	54.7	50.4-59.0	99	18.1	14.6-21.6	9	1.3	00.5-02.1
Less Than H.S.	124	16,909	24	14.1	05.9-22.3	4	2.1	00.0-04.3							3	0.8	00.0-01.8
H.S. or G.E.D.	672	72,164	172	29.6	24.1-35.1	14	1.7	00.7-02.7	389	54.3	48.6-60.0	88	12.8	09.5-16.1	9	1.6	00.0-03.2
Some Post-H.S.	838	90,636	212	26.1	22.0-30.2	19	2.1	01.1-03.1	511	61.0	56.5-65.5	88	10.1	07.6-12.6	8	0.6	00.2-01.0
College Graduate	972	111,896	266	29.1	25.2-33.0	18	1.4	00.6-02.2	593	60.9	57.0-64.8	93	8.4	06.2-10.6	2	0.1	00.0-00.3
Less than \$15,000	99	12,548										11	9.5	00.3-18.7	1	0.2	00.0-00.6
\$15,000- 24,999	267	23,675	63	25.9	18.3-33.5	6	1.9	00.3-03.5	161	55.3	46.5-64.1	35	16.4	08.2-24.6	2	0.5	00.0-01.1
\$25,000- 34,999	267	28,297				5	1.5	00.1-02.9	171	61.3	51.3-71.3	25	6.9	03.8-10.0	3	0.6	00.0-01.2
\$35,000- 49,999	419	45,879	113	29.3	23.6-35.0	14	2.9	01.3-04.5	242	58.4	52.3-64.5	47	9.1	06.2-12.0	3	0.3	00.0-00.7
\$50,000- 74,999	518	56,966	117	23.5	19.2-27.8	9	1.3	00.3-02.3	329	62.4	57.3-67.5	60	12.3	08.4-16.2	3	0.5	00.0-01.1
\$75,000+	754	87,576	230	32.1	27.4-36.8	14	1.5	00.7-02.3	427	55.7	51.2-60.2	79	10.3	07.8-12.8	4	0.4	00.0-00.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1194	158,706	355	31.2	27.5-34.9	36	2.3	01.5-03.1	608	51.5	47.6-55.4	194	14.6	12.1-17.1	1	0.4	00.0-01.2
Non-Native	1156	150,594	345	32.3	28.6-36.0	35	2.4	01.6-03.2	587	50.1	46.4-53.8	188	14.9	12.2-17.6	1	0.4	00.0-01.2
25-34	138	33,901	47	30.9	22.9-38.9	2	1.3	00.0-03.1	76	58.0	49.2-66.8	13	9.7	04.0-15.4			
35-44	192	27,426	52	26.7	20.2-33.2	2	1.0	00.0-02.4	109	57.3	50.0-64.6	29	15.0	09.7-20.3			
45-54	307	29,990	101	33.5	27.8-39.2	6	1.5	00.3-02.7	160	53.5	47.4-59.6	40	11.6	07.9-15.3			
55-64	265	22,725	80	29.0	23.3-34.7	14	5.2	02.5-07.9	124	47.4	41.1-53.7	47	18.4	13.5-23.3			
65+	249	21,259	56	20.9	15.8-26.0	12	6.1	02.8-09.4	121	50.4	43.9-56.9	60	22.6	17.1-28.1			
Less Than H.S.	67	9,816	12	11.3	03.7-18.9	3	3.1	00.0-06.8									
H.S. or G.E.D.	323	42,535	101	34.8	27.0-42.6	8	1.7	00.5-02.9	152	45.4	37.8-53.0	61	16.8	11.5-22.1	1	1.4	00.0-03.9
Some Post-H.S.	357	46,553	109	30.5	24.0-37.0	14	3.2	01.4-05.0	182	52.0	45.1-58.9	52	14.3	09.6-19.0			
College Graduate	447	59,802	133	32.6	26.9-38.3	11	1.9	00.7-03.1	236	53.1	47.4-58.8	67	12.4	08.7-16.1			
\$15,000- 24,999	101	12,497				4	2.6	00.0-05.3									
\$25,000- 34,999	108	14,395				3	2.1	00.0-04.6				17	8.9	04.0-13.8			
\$35,000- 49,999	197	23,434	58	33.1	25.1-41.1	11	4.5	01.8-07.2	95	48.6	40.4-56.8	33	13.8	08.7-18.9			
\$50,000- 74,999	255	33,608	74	28.7	22.0-35.4	3	0.8	00.0-01.8	132	53.1	45.5-60.7	46	17.3	11.0-23.6			
\$75,000+	409	53,129	132	33.4	27.3-39.5	10	1.9	00.5-03.3	209	50.8	44.9-56.7	58	13.9	09.8-18.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 6: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1412	132,898	319	22.8	19.7-25.9	19	1.1	00.5-01.7	961	70.0	66.7-73.3	92	5.1	03.9-06.3	21	1.1	00.5-01.7
Non-Native	1370	128,514	310	23.0	19.9-26.1	19	1.1	00.5-01.7	931	69.7	66.4-73.0	89	5.1	03.9-06.3	21	1.1	00.5-01.7
25-34	166	24,221	40	24.1	17.2-31.0				123	74.0	66.9-81.1	3	2.0	00.0-04.4			
35-44	232	22,882	40	16.1	11.4-20.8	1	0.6	00.0-01.8	182	78.7	73.2-84.2	8	3.9	01.0-06.8	1	0.6	00.0-01.8
45-54	338	27,550	83	25.1	20.2-30.0	3	1.0	00.0-02.2	232	68.2	62.9-73.5	16	4.4	02.0-06.8	4	1.4	00.0-02.8
55-64	292	17,888	75	26.0	20.7-31.3	6	2.3	00.3-04.3	181	61.4	55.5-67.3	24	8.5	05.2-11.8	6	1.7	00.3-03.1
65+	324	18,300	71	22.2	17.3-27.1	7	2.4	00.6-04.2	198	59.8	54.1-65.5	39	12.9	09.0-16.8	9	2.7	00.7-04.7
Less Than H.S.	57	7,093				1	0.6	00.0-01.8				3	2.0	00.0-04.5	3	1.8	00.0-04.3
H.S. or G.E.D.	349	29,628	71	22.1	14.7-29.5	6	1.6	00.2-03.0	237	67.2	59.6-74.8	27	7.0	03.9-10.1	8	2.0	00.4-03.6
Some Post-H.S.	481	44,083	103	21.5	16.8-26.2	5	0.9	00.1-01.7	329	70.6	65.5-75.7	36	5.8	03.8-07.8	8	1.2	00.2-02.2
College Graduate	525	52,094	133	25.1	20.2-30.0	7	0.9	00.1-01.7	357	69.9	64.8-75.0	26	3.8	02.2-05.4	2	0.2	00.0-00.6
Less than \$15,000	68	7,419										6	4.9	00.2-09.6	1	0.3	00.0-00.9
\$15,000- 24,999	166	11,178	32	18.8	11.7-25.9	2	1.1	00.0-02.7	117	72.4	64.6-80.2	13	6.8	03.1-10.5	2	1.0	00.0-02.4
\$25,000- 34,999	159	13,902	34	19.3	11.5-27.1	2	0.8	00.0-02.0	112	74.0	65.2-82.8	8	4.8	00.9-08.7	3	1.1	00.0-02.5
\$35,000- 49,999	222	22,445	55	25.3	17.3-33.3	3	1.3	00.0-02.9	147	68.6	60.2-77.0	14	4.2	01.8-06.6	3	0.6	00.0-01.4
\$50,000- 74,999	263	23,358	43	16.1	11.2-21.0	6	2.0	00.4-03.6	197	75.7	70.0-81.4	14	5.0	01.9-08.1	3	1.2	00.0-02.8
\$75,000+	345	34,447	98	30.2	23.1-37.3	4	0.7	00.0-01.5	218	63.2	56.1-70.3	21	4.9	02.5-07.3	4	0.9	00.0-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 7. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS.
(AVEDRNK2)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2579	288,876	1114	36.7	34.3-39.1	770	28.0	25.8-30.2	316	13.7	11.9-15.5	157	8.2	06.4-10.0	222	13.4	11.0-15.8
Male	1194	158,651	416	30.4	27.1-33.7	358	27.9	24.8-31.0	163	14.0	11.6-16.4	98	9.3	06.9-11.7	159	18.3	14.6-22.0
Female	1385	130,225	698	44.3	40.8-47.8	412	28.1	25.2-31.0	153	13.3	10.6-16.0	59	6.8	04.3-09.3	63	7.5	05.1-09.9
Non-Native	2504	276,693	1095	37.3	34.9-39.7	749	28.4	26.0-30.8	306	13.8	11.8-15.8	147	8.0	06.2-09.8	207	12.5	10.3-14.7
18-24	79	42,427	20	23.5	13.7-33.3	14	15.1	07.1-23.1	11	13.2	05.2-21.2	9	14.7	05.7-23.7			
25-34	306	58,811	85	25.6	20.3-30.9	93	31.2	25.3-37.1	54	18.0	13.3-22.7	30	9.9	06.4-13.4	44	15.4	10.5-20.3
35-44	423	50,397	120	27.5	23.0-32.0	125	28.3	23.8-32.8	77	18.2	14.3-22.1	40	10.2	07.1-13.3	61	15.8	11.9-19.7
45-54	638	56,705	238	38.2	34.1-42.3	210	32.1	28.2-36.0	90	14.1	11.2-17.0	43	7.2	04.8-09.6	57	8.4	06.0-10.8
55-64	548	40,183	266	47.0	42.5-51.5	175	32.8	28.7-36.9	55	10.4	07.7-13.1	29	5.0	03.0-07.0	23	4.8	02.8-06.8
65+	564	39,044	374	66.4	62.3-70.5	146	25.6	21.7-29.5	26	4.8	02.8-06.8	6	1.0	00.2-01.8	12	2.1	00.9-03.3
Less Than H.S.	124	16,170				29	16.6	08.0-25.2	10	10.0	00.8-19.2	5	8.6	00.0-19.6			
H.S. or G.E.D.	656	70,717	293	37.2	32.1-42.3	165	20.8	17.1-24.5	82	14.6	10.5-18.7	42	7.0	04.6-09.4	74	20.4	14.5-26.3
Some Post-H.S.	828	90,306	317	33.1	29.0-37.2	261	29.2	25.3-33.1	105	13.7	10.6-16.8	67	11.2	07.7-14.7	78	12.8	09.5-16.1
College Graduate	971	111,684	441	39.4	35.7-43.1	315	33.3	29.6-37.0	119	13.6	10.9-16.3	43	6.5	03.8-09.2	53	7.3	04.8-09.8
Less than \$15,000	100	12,815							10	11.7	02.5-20.9						
\$15,000- 24,999	260	23,214	126	40.8	32.8-48.8	64	21.2	15.1-27.3	28	11.2	05.7-16.7	16	10.1	02.8-17.4	26	16.7	08.5-24.9
\$25,000- 34,999	264	28,096	138	43.4	34.2-52.6	62	17.1	11.8-22.4	30	12.2	06.7-17.7	16	9.8	02.7-16.9			
\$35,000- 49,999	419	46,355	178	37.9	32.0-43.8	116	26.1	20.8-31.4	54	13.3	09.4-17.2	30	12.3	06.8-17.8	41	10.4	06.5-14.3
\$50,000- 74,999	512	56,481	211	36.8	31.9-41.7	155	30.0	25.3-34.7	63	11.9	08.8-15.0	33	8.2	04.5-11.9	50	13.1	08.8-17.4
\$75,000+	745	86,749	271	31.0	27.1-34.9	257	34.3	30.0-38.6	113	17.8	13.9-21.7	44	6.4	04.2-08.6	60	10.5	07.4-13.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 8: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS.
(AVEDRNC2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1194	158,651	416	30.4	27.1-33.7	358	27.9	24.8-31.0	163	14.0	11.6-16.4	98	9.3	06.9-11.7	159	18.3	14.6-22.0
Non-Native	1158	150,653	406	30.8	27.5-34.1	349	28.6	25.3-31.9	160	14.2	11.7-16.7	93	9.4	06.9-11.9	150	17.0	13.5-20.5
25-34	141	34,699	26	18.2	11.3-25.1	46	33.8	25.4-42.2	28	20.4	13.3-27.5	16	9.9	05.0-14.8	25	17.7	10.4-25.0
35-44	195	27,847	44	22.9	16.8-29.0	44	22.2	16.1-28.3	39	19.6	13.9-25.3	26	12.8	07.9-17.7	42	22.4	16.1-28.7
45-54	306	29,697	89	30.9	25.2-36.6	98	31.9	26.4-37.4	44	14.8	10.5-19.1	30	9.6	05.9-13.3	45	12.8	08.9-16.7
55-64	263	22,634	100	38.3	32.2-44.4	89	35.1	29.0-41.2	37	12.9	08.8-17.0	17	6.0	03.1-08.9	20	7.7	04.4-11.0
65+	247	21,044	149	62.1	55.8-68.4	73	28.7	22.8-34.6	11	4.2	01.7-06.7	4	1.4	00.0-02.8	10	3.6	01.4-05.8
Less Than H.S.	69	9,923							7	6.9	00.8-13.0	4	4.6	00.0-09.9			
H.S. or G.E.D.	323	42,296	108	32.4	25.3-39.5	87	21.1	16.2-26.0	46	13.6	09.1-18.1	27	8.1	04.6-11.6	55	24.8	16.6-33.0
Some Post-H.S.	355	46,697	99	23.8	18.5-29.1	107	29.3	22.8-35.8	53	14.8	10.3-19.3	39	12.8	07.5-18.1	57	19.2	13.5-24.9
College Graduate	447	59,735	177	33.6	28.5-38.7	151	33.7	28.4-39.0	57	14.8	10.7-18.9	28	8.3	04.2-12.4	34	9.6	05.5-13.7
\$15,000- 24,999	101	12,482				24	20.1	10.9-29.3	13	13.4	04.0-22.8						
\$25,000- 34,999	108	14,495				24	14.3	07.4-21.2	13	9.3	03.2-15.4	6	5.8	00.0-11.7			
\$35,000- 49,999	200	24,118	66	30.3	23.0-37.6	59	27.0	20.1-33.9	32	17.9	11.4-24.4	15	11.2	04.3-18.1	28	13.7	08.2-19.2
\$50,000- 74,999	254	33,702	82	30.1	23.2-37.0	70	27.2	20.7-33.7	36	13.1	08.6-17.6	26	11.8	05.9-17.7	40	17.9	11.4-24.4
\$75,000+	407	52,798	128	26.2	21.5-30.9	140	35.1	29.2-41.0	61	16.9	12.4-21.4	33	7.6	04.9-10.3	45	14.2	09.3-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 9: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? A 40 OUNCE BEER WOULD COUNT AS 3 DRINKS, OR A COCKTAIL DRINK WITH 2 SHOTS WOULD COUNT AS 2 DRINKS.
(AVEDRNC2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1385	130,225	698	44.3	40.8-47.8	412	28.1	25.2-31.0	153	13.3	10.6-16.0	59	6.8	04.3-09.3	63	7.5	05.1-09.9
Non-Native	1346	126,040	689	45.1	41.6-48.6	400	28.2	25.1-31.3	146	13.3	10.4-16.2	54	6.4	03.9-08.9	57	7.0	04.6-09.4
25-34	165	24,112	59	36.1	28.5-43.7	47	27.3	20.2-34.4	26	14.5	09.0-20.0	14	10.0	04.7-15.3	19	12.1	06.8-17.4
35-44	228	22,550	76	33.2	26.7-39.7	81	35.9	29.4-42.4	38	16.3	11.4-21.2	14	7.0	03.5-10.5	19	7.6	04.1-11.1
45-54	332	27,008	149	46.1	40.4-51.8	112	32.4	27.1-37.7	46	13.3	09.4-17.2	13	4.7	02.0-07.4	12	3.5	01.3-05.7
55-64	285	17,549	166	58.2	52.1-64.3	86	29.8	24.3-35.3	18	7.0	03.7-10.3	12	3.9	01.5-06.3	3	1.1	00.0-02.3
65+	317	18,000	225	71.5	66.2-76.8	73	22.1	17.4-26.8	15	5.4	02.5-08.3	2	0.6	00.0-01.4	2	0.4	00.0-01.0
H.S. or G.E.D.	333	28,421	185	44.3	37.0-51.6	78	20.4	15.1-25.7	36	16.1	08.3-23.9	15	5.3	02.4-08.2	19	13.9	06.3-21.5
Some Post-H.S.	473	43,608	218	43.0	37.1-48.9	154	29.0	24.3-33.7	52	12.6	08.3-16.9	28	9.5	05.2-13.8	21	5.8	02.7-08.9
College Graduate	524	51,949	264	46.0	40.5-51.5	164	32.8	27.5-38.1	62	12.3	09.0-15.6	15	4.4	01.1-07.7	19	4.6	02.4-06.8
Less than \$15,000	69	7,686				18	14.4	05.0-23.8				4	6.9	00.0-14.3			
\$15,000- 24,999	159	10,733	89	56.0	46.2-65.8	40	22.6	15.0-30.2	15	8.7	04.0-13.4	7	6.7	00.2-13.2	8	6.1	01.0-11.2
\$25,000- 34,999	156	13,602				38	20.2	12.8-27.6	17	15.3	06.3-24.3				5	6.6	00.3-12.9
\$35,000- 49,999	219	22,237	112	46.1	36.9-55.3	57	25.3	17.3-33.3	22	8.3	04.6-12.0	15	13.5	04.7-22.3	13	6.8	01.5-12.1
\$50,000- 74,999	258	22,779	129	46.7	40.0-53.4	85	34.1	27.8-40.4	27	10.3	06.2-14.4	7	2.9	00.5-05.3	10	6.0	02.3-09.7
\$75,000+	338	33,952	143	38.4	31.9-44.9	117	33.0	26.9-39.1	52	19.2	12.5-25.9	11	4.6	01.1-08.1	15	4.7	02.2-07.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 10: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2590	290,293	277	13.2	11.2-15.2	142	7.1	05.5-08.7	69	3.7	02.5-04.9	75	4.4	02.8-06.0	144	7.5	05.7-09.3	1883	64.1	61.4-66.8
Male	1197	158,491	130	12.4	09.9-14.9	80	8.0	05.8-10.2	44	4.5	02.9-06.1	45	6.0	03.5-08.5	113	10.9	08.0-13.8	785	58.2	54.3-62.1
Female	1393	131,802	147	14.2	11.3-17.1	62	6.0	03.8-08.2	25	2.8	01.2-04.4	30	2.5	01.3-03.7	31	3.3	01.5-05.1	1098	71.2	67.5-74.9
Native	52	9,630							2	5.8	00.0-13.8				1	1.0	00.0-03.0			
Non-Native	2511	277,905	263	13.1	11.1-15.1	132	6.7	05.1-08.3	65	3.6	02.4-04.8	68	3.9	02.7-05.1	142	7.5	05.7-09.3	1841	65.2	62.5-67.9
18-24	81	43,147	16	20.1	10.5-29.7	8	9.2	02.1-16.3	6	7.0	01.3-12.7	6	10.4	02.0-18.8	12	15.6	06.2-25.0			
25-34	306	58,811	52	16.7	12.2-21.2	28	10.5	06.4-14.6	13	5.0	02.3-07.7	16	4.9	02.4-07.4	19	7.2	03.7-10.7	178	55.7	49.4-62.0
35-44	423	50,329	66	15.8	12.1-19.5	29	8.0	05.1-10.9	18	4.2	02.2-06.2	16	4.6	02.2-07.0	35	8.9	06.0-11.8	259	58.4	53.3-63.5
45-54	635	56,784	86	13.8	10.9-16.7	39	6.3	04.1-08.5	13	2.4	00.8-04.0	18	3.0	01.6-04.4	45	6.4	04.4-08.4	434	68.2	64.3-72.1
55-64	553	40,499	44	7.8	05.4-10.2	24	4.4	02.6-06.2	11	1.9	00.7-03.1	12	2.4	00.8-04.0	26	5.3	03.1-07.5	436	78.2	74.5-81.9
65+	571	39,412	11	2.0	00.8-03.2	14	2.5	01.1-03.9	8	1.4	00.4-02.4	6	1.1	00.3-01.9	7	1.0	00.2-01.8	525	92.0	89.6-94.4
Less Than H.S.	122	16,800				10	9.1	00.7-17.5	2	1.6	00.0-04.3				4	2.0	00.0-04.2			
H.S. or G.E.D.	670	72,101	63	10.3	07.2-13.4	42	8.9	05.0-12.8	18	4.0	01.3-06.7	22	5.0	02.5-07.5	54	12.8	07.9-17.7	471	59.0	53.1-64.9
Some Post-H.S.	827	90,108	103	15.8	11.9-19.7	46	6.8	04.6-09.0	23	3.6	01.4-05.8	31	4.1	02.5-05.7	45	6.4	04.0-08.8	579	63.3	58.8-67.8
College Graduate	971	111,283	99	12.6	09.9-15.3	44	5.8	03.6-08.0	26	3.9	02.3-05.5	17	2.3	00.7-03.9	41	5.6	03.1-08.1	744	69.8	65.7-73.9
Less than \$15,000	98	12,197							1	0.5	00.0-01.5	3	5.6	00.0-14.2	6	7.9	00.0-17.1			
\$15,000- 24,999	261	23,313	21	7.8	03.5-12.1	5	1.9	00.0-04.1	5	4.5	00.0-09.6	11	8.8	01.7-15.9	20	9.9	03.4-16.4	199	67.1	57.7-76.5
\$25,000- 34,999	265	28,280	24	10.8	04.1-17.5	14	6.7	02.4-11.0	8	4.1	00.0-08.4	2	2.1	00.0-06.0	11	10.2	00.4-20.0			
\$35,000- 49,999	422	46,593	59	17.5	12.6-22.4	21	6.2	02.9-09.5	10	3.3	00.4-06.2	15	4.4	01.7-07.1	22	6.6	02.5-10.7	295	61.9	55.6-68.2
\$50,000- 74,999	513	56,703	39	7.4	04.9-09.9	33	7.5	04.6-10.4	14	3.9	01.5-06.3	20	5.7	02.2-09.2	33	7.2	04.5-09.9	374	68.3	63.2-73.4
\$75,000+	747	87,092	98	17.4	13.3-21.5	47	7.9	04.8-11.0	25	3.7	02.1-05.3	20	2.7	01.3-04.1	45	7.7	04.8-10.6	512	60.6	55.9-65.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 11: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1197	158,491	130	12.4	09.9-14.9	80	8.0	05.8-10.2	44	4.5	02.9-06.1	45	6.0	03.5-08.5	113	10.9	08.0-13.8	785	58.2	54.3-62.1
Non-Native	1159	150,379	124	12.4	09.9-14.9	74	7.5	05.3-09.7	41	4.4	02.6-06.2	42	5.3	03.1-07.5	111	11.0	08.1-13.9	767	59.4	55.5-63.3
25-34	141	34,699	25	16.9	10.4-23.4	16	12.2	06.1-18.3	10	7.1	02.6-11.6	8	4.9	01.4-08.4	15	10.5	04.6-16.4	67	48.4	39.4-57.4
35-44	193	27,636	34	17.6	12.1-23.1	16	8.8	04.5-13.1	10	4.6	01.7-07.5	11	7.0	02.9-11.1	24	12.6	07.7-17.5	98	49.5	42.2-56.8
45-54	305	29,892	40	14.3	09.8-18.8	22	7.3	04.2-10.4	7	2.5	00.3-04.7	12	3.8	01.6-06.0	37	10.2	06.7-13.7	187	62.0	56.1-67.9
55-64	267	22,885	21	7.8	04.5-11.1	13	5.1	02.4-07.8	8	2.5	00.7-04.3	7	3.0	00.6-05.4	23	8.6	05.1-12.1	195	73.0	67.3-78.7
65+	250	21,222	6	2.3	00.5-04.1	9	3.3	00.9-05.7	5	1.9	00.1-03.7	2	0.7	00.0-01.7	6	1.7	00.3-03.1	222	90.1	86.4-93.8
Less Than H.S.	66	9,721							2	2.8	00.0-07.5				4	3.5	00.0-07.4			
H.S. or G.E.D.	331	42,984	35	8.9	05.6-12.2	23	8.3	04.2-12.4	13	4.2	01.1-07.3	15	6.8	02.7-10.9	43	16.8	09.4-24.2	202	54.9	47.3-62.5
Some Post-H.S.	351	46,336	51	17.5	11.6-23.4	27	8.4	04.9-11.9	11	4.0	00.9-07.1	17	5.2	02.5-07.9	33	10.4	06.1-14.7	212	54.6	47.7-61.5
College Graduate	449	59,450	39	11.5	07.6-15.4	23	6.7	03.4-10.0	18	5.4	02.7-08.1	9	3.0	00.3-05.7	33	8.1	04.4-11.8	327	65.2	59.3-71.1
\$15,000- 24,999	101	12,476	8	5.8	01.1-10.5	3	3.0	00.0-06.9	3	6.2	00.0-15.2									
\$25,000- 34,999	109	14,558	7	5.2	00.7-09.7	2	3.0	00.0-08.1	6	6.3	00.0-14.1	1	4.0	00.0-11.4						
\$35,000- 49,999	201	24,175	26	15.4	09.3-21.5	14	7.5	02.8-12.2	6	3.0	00.0-06.1	8	5.7	01.2-10.2	18	8.6	04.3-12.9	129	59.8	51.6-68.0
\$50,000- 74,999	253	33,616	22	8.5	04.8-12.2	24	10.0	05.7-14.3	12	5.9	02.2-09.6	13	7.3	01.8-12.8	26	9.5	05.4-13.6	156	58.8	51.2-66.4
\$75,000+	409	53,199	58	18.7	13.0-24.4	25	7.0	04.1-09.9	14	4.1	01.7-06.5	12	3.2	01.2-05.2	37	11.2	06.7-15.7	263	55.7	49.6-61.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 12: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1393	131,802	147	14.2	11.3-17.1	62	6.0	03.8-08.2	25	2.8	01.2-04.4	30	2.5	01.3-03.7	31	3.3	01.5-05.1	1098	71.2	67.5-74.9
Non-Native	1352	127,526	139	14.0	10.9-17.1	58	5.7	03.5-07.9	24	2.7	01.1-04.3	26	2.2	01.0-03.4	31	3.5	01.7-05.3	1074	71.9	68.0-75.8
25-34	165	24,112	27	16.3	10.2-22.4	12	8.2	03.5-12.9	3	2.1	00.0-04.5	8	4.8	01.3-08.3	4	2.4	00.0-04.8	111	66.2	58.6-73.8
35-44	230	22,692	32	13.6	09.1-18.1	13	7.1	03.2-11.0	8	3.8	01.3-06.3	5	1.7	00.1-03.3	11	4.5	01.8-07.2	161	69.3	63.0-75.6
45-54	330	26,892	46	13.3	09.4-17.2	17	5.1	02.4-07.8	6	2.3	00.3-04.3	6	2.2	00.4-04.0	8	2.1	00.7-03.5	247	75.0	69.9-80.1
55-64	286	17,614	23	7.9	04.8-11.0	11	3.5	01.3-05.7	3	1.1	00.0-02.3	5	1.6	00.2-03.0	3	0.9	00.0-01.9	241	85.0	80.9-89.1
65+	321	18,190	5	1.6	00.2-03.0	5	1.6	00.0-03.2	3	0.9	00.0-01.9	4	1.5	00.0-03.1	1	0.3	00.0-00.9	303	94.2	91.5-96.9
Less Than H.S.	56	7,080				3	4.5	00.0-10.4												
H.S. or G.E.D.	339	29,117	28	12.2	06.5-17.9	19	9.8	02.4-17.2	5	3.7	00.0-08.6	7	2.4	00.4-04.4	11	6.8	01.7-11.9	269	65.0	56.2-73.8
Some Post-H.S.	476	43,773	52	14.0	09.1-18.9	19	5.2	02.7-07.7	12	3.3	00.6-06.0	14	3.0	01.2-04.8	12	2.3	00.9-03.7	367	72.4	66.7-78.1
College Graduate	522	51,833	60	13.9	10.0-17.8	21	4.7	02.0-07.4	8	2.1	00.5-03.7	8	1.5	00.3-02.7	8	2.8	00.0-05.9	417	75.0	69.7-80.3
Less than \$15,000	68	7,644				4	8.2	00.0-17.0	1	0.8	00.0-02.4				1	1.9	00.0-05.6			
\$15,000- 24,999	160	10,836	13	10.2	03.1-17.3	2	0.7	00.0-01.7	2	2.6	00.0-06.7	3	2.5	00.0-05.6	6	3.3	00.6-06.0	134	80.7	72.3-89.1
\$25,000- 34,999	156	13,722				12	10.7	03.8-17.6	2	1.7	00.0-04.2	1	0.2	00.0-00.6	1	2.7	00.0-07.8			
\$35,000- 49,999	221	22,417	33	19.8	12.0-27.6	7	4.8	00.0-09.9	4	3.6	00.0-08.5	7	3.0	00.5-05.5	4	4.5	00.0-11.6	166	64.1	54.1-74.1
\$50,000- 74,999	260	23,087	17	5.6	02.9-08.3	9	4.0	01.1-06.9	2	1.0	00.0-02.4	7	3.5	00.8-06.2	7	3.8	00.7-06.9	218	82.1	76.6-87.6
\$75,000+	338	33,893	40	15.4	09.7-21.1	22	9.2	02.7-15.7	11	3.1	01.1-05.1	8	1.8	00.4-03.2	8	2.3	00.5-04.1	249	68.2	60.8-75.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 13: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2539	282,165	668	22.2	20.2-24.2	710	23.8	21.8-25.8	370	13.5	11.9-15.1	237	10.7	08.9-12.5	554	29.8	27.1-32.5
Male	1166	153,776	212	15.8	13.3-18.3	287	21.3	18.6-24.0	175	12.9	10.7-15.1	112	10.4	08.0-12.8	380	39.6	35.7-43.5
Female	1373	128,389	456	29.9	26.8-33.0	423	26.7	24.0-29.4	195	14.2	11.8-16.6	125	11.1	08.4-13.8	174	18.1	14.8-21.4
Native	50	9,240	6	9.5	00.7-18.3				6	4.7	00.4-09.0						
Non-Native	2467	270,940	657	22.7	20.5-24.9	694	24.0	22.0-26.0	362	13.8	12.2-15.4	226	10.3	08.5-12.1	528	29.1	26.4-31.8
18-24	76	40,155	16	20.1	10.5-29.7	7	6.8	01.3-12.3	5	6.3	00.8-11.8	9	13.1	04.7-21.5			
25-34	299	57,142	43	12.9	09.0-16.8	68	21.2	16.1-26.3	51	15.8	11.5-20.1	30	12.4	07.7-17.1	107	37.6	31.3-43.9
35-44	413	49,177	70	15.6	12.1-19.1	96	22.4	18.3-26.5	62	13.9	10.6-17.2	50	11.9	08.6-15.2	135	36.1	31.0-41.2
45-54	626	55,983	141	22.7	19.2-26.2	167	26.0	22.3-29.7	95	14.8	11.9-17.7	68	11.3	08.6-14.0	155	25.1	21.4-28.8
55-64	545	39,770	152	27.3	23.4-31.2	165	29.8	25.7-33.9	84	15.3	12.2-18.4	56	9.9	07.4-12.4	88	17.6	14.1-21.1
65+	559	38,627	238	40.1	35.8-44.4	202	37.6	33.3-41.9	68	12.9	10.0-15.8	23	4.3	02.5-06.1	28	5.1	03.1-07.1
Less Than H.S.	120	15,335				30	18.3	09.1-27.5	11	6.6	02.1-11.1						
H.S. or G.E.D.	652	68,811	181	22.2	18.1-26.3	168	21.9	18.0-25.8	79	9.4	07.0-11.8	60	10.7	07.4-14.0	164	35.8	29.9-41.7
Some Post-H.S.	808	87,667	189	20.4	16.9-23.9	238	24.6	21.3-27.9	111	13.2	10.3-16.1	81	11.8	08.5-15.1	189	30.0	25.5-34.5
College Graduate	959	110,351	252	22.7	19.6-25.8	274	25.1	22.0-28.2	169	17.2	14.3-20.1	87	9.3	07.1-11.5	177	25.6	21.5-29.7
Less than \$15,000	98	11,684							14	9.6	03.1-16.1						
\$15,000- 24,999	255	22,603	87	28.6	21.5-35.7	64	22.9	16.4-29.4	37	10.3	06.6-14.0	15	10.0	03.9-16.1	52	28.2	18.8-37.6
\$25,000- 34,999	261	28,005	87	26.9	19.6-34.2	80	26.3	18.5-34.1	26	7.8	04.3-11.3	25	12.7	05.4-20.0			
\$35,000- 49,999	414	45,439	108	23.1	18.2-28.0	111	21.0	16.7-25.3	61	14.9	10.6-19.2	31	8.9	04.8-13.0	103	32.1	25.8-38.4
\$50,000- 74,999	506	55,571	119	20.4	16.3-24.5	149	26.2	22.1-30.3	74	14.5	10.8-18.2	46	10.5	06.6-14.4	118	28.4	23.3-33.5
\$75,000+	735	85,303	140	16.4	13.3-19.5	202	23.5	20.2-26.8	122	15.6	12.7-18.5	87	11.3	08.8-13.8	184	33.2	28.3-38.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 14: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1166	153,776	212	15.8	13.3-18.3	287	21.3	18.6-24.0	175	12.9	10.7-15.1	112	10.4	08.0-12.8	380	39.6	35.7-43.5
Non-Native	1132	146,671	208	16.2	13.7-18.7	281	21.6	18.9-24.3	173	13.4	11.0-15.8	106	9.8	07.4-12.2	364	39.0	35.1-42.9
25-34	135	33,103	11	8.3	03.6-13.0	24	18.1	11.0-25.2	18	12.4	06.7-18.1	15	13.6	06.5-20.7	67	47.7	38.5-56.9
35-44	188	26,865	18	9.5	05.2-13.8	31	16.8	11.3-22.3	24	12.1	07.4-16.8	27	13.7	08.6-18.8	88	47.8	40.4-55.2
45-54	297	29,207	51	17.6	12.9-22.3	69	23.1	18.0-28.2	39	12.9	09.0-16.8	27	9.5	05.8-13.2	111	37.0	31.1-42.9
55-64	262	22,382	54	21.7	16.4-27.0	65	25.2	19.7-30.7	47	17.0	12.3-21.7	27	9.8	06.3-13.3	69	26.3	20.8-31.8
65+	245	20,926	73	30.2	24.1-36.3	94	39.5	33.0-46.0	43	17.4	12.5-22.3	13	4.8	02.1-07.5	22	8.1	04.8-11.4
Less Than H.S.	67	9,729							8	8.0	01.7-14.3	4	4.9	00.0-10.4			
H.S. or G.E.D.	317	40,561	53	16.4	10.7-22.1	76	20.9	15.2-26.6	39	8.8	05.7-11.9	33	12.2	07.1-17.3	116	41.7	33.7-49.7
Some Post-H.S.	339	44,405	47	11.5	07.8-15.2	86	21.6	16.5-26.7	44	11.3	07.2-15.4	35	12.8	07.3-18.3	127	42.8	35.7-49.9
College Graduate	443	59,080	93	17.5	13.8-21.2	109	21.8	17.5-26.1	84	17.8	13.7-21.9	40	8.3	05.6-11.0	117	34.6	28.7-40.5
\$15,000- 24,999	96	11,840	21	17.5	09.3-25.7	22	19.4	10.2-28.6	12	7.9	02.8-13.0	8	12.3	02.5-22.1			
\$25,000- 34,999	107	14,459	31	22.5	12.7-32.3				13	7.6	02.7-12.5	9	8.0	01.7-14.3			
\$35,000- 49,999	195	23,194	38	16.9	11.4-22.4	44	20.4	14.1-26.7	34	17.1	11.2-23.0	14	8.6	02.7-14.5	65	37.1	28.9-45.3
\$50,000- 74,999	247	32,524	35	13.4	08.3-18.5	59	20.1	14.8-25.4	35	14.0	08.5-19.5	28	13.2	06.9-19.5	90	39.3	31.7-46.9
\$75,000+	401	51,698	56	11.8	08.5-15.1	102	22.2	17.9-26.5	63	13.7	10.2-17.2	42	9.8	06.7-12.9	138	42.4	36.3-48.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 15: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1373	128,389	456	29.9	26.8-33.0	423	26.7	24.0-29.4	195	14.2	11.8-16.6	125	11.1	08.4-13.8	174	18.1	14.8-21.4
Non-Native	1335	124,268	449	30.4	27.1-33.7	413	26.9	24.2-29.6	189	14.3	11.9-16.7	120	10.9	08.2-13.6	164	17.6	14.3-20.9
25-34	164	24,039	32	19.4	13.1-25.7	44	25.6	18.7-32.5	33	20.5	14.0-27.0	15	10.8	05.3-16.3	40	23.8	17.1-30.5
35-44	225	22,312	52	22.9	17.2-28.6	65	29.2	23.1-35.3	38	16.1	11.2-21.0	23	9.8	05.9-13.7	47	22.0	16.1-27.9
45-54	329	26,776	90	28.4	23.3-33.5	98	29.3	24.2-34.4	56	17.0	12.7-21.3	41	13.2	09.1-17.3	44	12.2	08.5-15.9
55-64	283	17,388	98	34.6	28.7-40.5	100	35.7	29.8-41.6	37	13.1	09.0-17.2	29	10.1	06.4-13.8	19	6.5	03.6-09.4
65+	314	17,701	165	51.8	45.9-57.7	108	35.3	29.6-41.0	25	7.5	04.6-10.4	10	3.8	01.4-06.2	6	1.5	00.3-02.7
Less Than H.S.	53	5,606							3	4.1	00.0-09.8				4	6.4	00.0-13.8
H.S. or G.E.D.	335	28,250	128	30.4	24.5-36.3	92	23.2	17.9-28.5	40	10.3	06.8-13.8	27	8.6	04.9-12.3	48	27.4	18.6-36.2
Some Post-H.S.	469	43,262	142	29.6	23.9-35.3	152	27.6	23.1-32.1	67	15.2	11.1-19.3	46	10.8	06.9-14.7	62	16.8	11.7-21.9
College Graduate	516	51,271	159	28.8	23.7-33.9	165	28.9	24.4-33.4	85	16.6	12.7-20.5	47	10.4	06.9-13.9	60	15.3	10.6-20.0
Less than \$15,000	68	7,131							11	13.7	03.7-23.7						
\$15,000- 24,999	159	10,764	66	40.7	30.9-50.5	42	26.8	18.4-35.2	25	12.9	07.6-18.2	7	7.6	00.7-14.5	19	12.0	05.9-18.1
\$25,000- 34,999	154	13,547	56	31.6	21.6-41.6	50	25.9	17.7-34.1	13	8.1	03.4-12.8				19	16.7	08.5-24.9
\$35,000- 49,999	219	22,245	70	29.6	21.6-37.6	67	21.7	15.8-27.6	27	12.6	06.5-18.7	17	9.2	03.3-15.1	38	26.9	16.9-36.9
\$50,000- 74,999	259	23,047	84	30.2	23.9-36.5	90	34.8	28.3-41.3	39	15.3	10.4-20.2	18	6.6	03.5-09.7	28	13.1	08.0-18.2
\$75,000+	334	33,606	84	23.3	17.6-29.0	100	25.6	20.5-30.7	59	18.4	13.7-23.1	45	13.6	08.9-18.3	46	19.0	11.7-26.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 16: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)	
1	MALES AND FEMALES	181
2	MALES ONLY	182
3	FEMALES ONLY	183
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)	
4	MALES AND FEMALES	184
5	MALES ONLY	185
6	FEMALES ONLY	186
	DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. (FLUSPRY2)	
7	MALES AND FEMALES	187
8	MALES ONLY	188
9	FEMALES ONLY	189
	DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)	
10	MALES AND FEMALES	190
11	MALES ONLY	191
12	FEMALES ONLY	192
	A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
13	MALES AND FEMALES	193
14	MALES ONLY	194
15	FEMALES ONLY	195

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 1: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4674	486,880	2333	42.6	40.6-44.6	2341	57.4	55.4-59.4
Male	1860	241,801	789	35.3	32.6-38.0	1071	64.7	62.0-67.4
Female	2814	245,080	1544	49.8	47.3-52.3	1270	50.2	47.7-52.7
Non-Native	4474	457,291	2235	42.5	40.5-44.5	2239	57.5	55.5-59.5
18-24	146	78,296	42	25.5	18.2-32.8	104	74.5	67.2-81.8
25-34	429	80,594	161	35.1	30.2-40.0	268	64.9	60.0-69.8
35-44	631	73,514	228	34.1	30.2-38.0	403	65.9	62.0-69.8
45-54	1012	90,027	388	37.3	34.2-40.4	624	62.7	59.6-65.8
55-64	971	68,772	497	50.6	47.3-53.9	474	49.4	46.1-52.7
65+	1435	92,662	997	69.7	67.2-72.2	438	30.3	27.8-32.8
Less Than H.S.	355	41,274	181	39.7	31.5-47.9	174	60.3	52.1-68.5
H.S. or G.E.D.	1386	136,375	681	42.3	38.6-46.0	705	57.7	54.0-61.4
Some Post-H.S.	1455	153,400	682	38.0	34.7-41.3	773	62.0	58.7-65.3
College Graduate	1475	155,689	788	48.2	45.1-51.3	687	51.8	48.7-54.9
Less than \$15,000	328	30,927	167	43.9	35.7-52.1	161	56.1	47.9-64.3
\$15,000- 24,999	655	55,232	345	44.4	39.1-49.7	310	55.6	50.3-60.9
\$25,000- 34,999	534	49,418	275	43.2	37.1-49.3	259	56.8	50.7-62.9
\$35,000- 49,999	693	74,372	340	42.6	37.7-47.5	353	57.4	52.5-62.3
\$50,000- 74,999	776	83,345	375	43.3	39.2-47.4	401	56.7	52.6-60.8
\$75,000+	1024	117,633	484	41.9	38.2-45.6	540	58.1	54.4-61.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 2: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1860	241,801	789	35.3	32.6-38.0	1071	64.7	62.0-67.4
Non-Native	1779	225,972	753	35.5	32.8-38.2	1026	64.5	61.8-67.2
18-24	71	41,084	11	14.1	05.7-22.5	60	85.9	77.5-94.3
25-34	176	42,751	51	28.8	21.5-36.1	125	71.2	63.9-78.5
35-44	265	37,503	73	27.0	21.5-32.5	192	73.0	67.5-78.5
45-54	446	44,520	130	28.9	24.4-33.4	316	71.1	66.6-75.6
55-64	422	35,971	195	46.0	40.9-51.1	227	54.0	48.9-59.1
65+	471	39,212	327	70.0	65.5-74.5	144	30.0	25.5-34.5
H.S. or G.E.D.	559	71,968	217	33.3	28.2-38.4	342	66.7	61.6-71.8
Some Post-H.S.	547	72,454	216	29.8	25.3-34.3	331	70.2	65.7-74.7
College Graduate	609	77,091	293	43.5	38.8-48.2	316	56.5	51.8-61.2
\$15,000- 24,999	201	24,340	91	34.7	26.3-43.1	110	65.3	56.9-73.7
\$25,000- 34,999	186	22,234	87	35.5	26.5-44.5	99	64.5	55.5-73.5
\$35,000- 49,999	296	36,844	124	36.4	29.7-43.1	172	63.6	56.9-70.3
\$50,000- 74,999	349	44,691	137	34.0	28.3-39.7	212	66.0	60.3-71.7
\$75,000+	530	68,883	221	37.0	32.3-41.7	309	63.0	58.3-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 3: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2814	245,080	1544	49.8	47.3-52.3	1270	50.2	47.7-52.7
Non-Native	2695	231,318	1482	49.4	46.9-51.9	1213	50.6	48.1-53.1
25-34	253	37,843	110	42.3	36.0-48.6	143	57.7	51.4-64.0
35-44	366	36,011	155	41.5	36.2-46.8	211	58.5	53.2-63.8
45-54	566	45,506	258	45.5	41.2-49.8	308	54.5	50.2-58.8
55-64	549	32,801	302	55.6	51.1-60.1	247	44.4	39.9-48.9
65+	964	53,449	670	69.5	66.4-72.6	294	30.5	27.4-33.6
H.S. or G.E.D.	827	64,407	464	52.3	47.4-57.2	363	47.7	42.8-52.6
Some Post-H.S.	908	80,946	466	45.4	41.1-49.7	442	54.6	50.3-58.9
College Graduate	866	78,598	495	52.9	48.8-57.0	371	47.1	43.0-51.2
\$15,000- 24,999	454	30,891	254	52.0	45.7-58.3	200	48.0	41.7-54.3
\$25,000- 34,999	348	27,184	188	49.6	42.5-56.7	160	50.4	43.3-57.5
\$35,000- 49,999	397	37,528	216	48.7	41.8-55.6	181	51.3	44.4-58.2
\$50,000- 74,999	427	38,653	238	54.1	48.6-59.6	189	45.9	40.4-51.4
\$75,000+	494	48,750	263	48.8	43.1-54.5	231	51.2	45.5-56.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2008			May-Aug 2008			Sep-Dec 2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1646	139,466	4	0.4	00.0-00.8	13	0.8	00.2-01.4	1629	98.8	98.0-99.6
Male	532	53,762	3	0.5	00.0-01.1	4	0.9	00.0-01.9	525	98.6	97.4-99.8
Female	1114	85,703	1	0.3	00.0-00.9	9	0.8	00.2-01.4	1104	98.8	97.8-99.8
Non-Native	1578	130,957	3	0.2	00.0-00.4	12	0.8	00.2-01.4	1563	99.0	98.4-99.6
25-34	110	19,209				3	2.7	00.0-06.0	107	97.3	94.0-0100
35-44	160	17,579				1	0.6	00.0-01.8	159	99.4	98.2-0100
45-54	288	24,676	2	0.8	00.0-02.0				286	99.2	98.0-0100
55-64	341	23,476							341	100.0	0100-0100
65+	715	45,707	1	0.2	00.0-00.6	9	1.2	00.4-02.0	705	98.6	97.6-99.6
Less Than H.S.	117	9,455	1	2.9	00.0-08.6	1	0.5	00.0-01.5	115	96.6	90.9-0100
H.S. or G.E.D.	476	37,185				5	1.3	00.0-02.7	471	98.7	97.3-0100
Some Post-H.S.	500	42,276	3	0.7	00.0-01.5	1	0.1	00.0-00.3	496	99.2	98.4-0100
College Graduate	553	50,549				6	1.2	00.0-02.4	547	98.8	97.6-0100
Less than \$15,000	106	7,560	1	3.7	00.0-10.8				105	96.3	89.2-0100
\$15,000- 24,999	248	16,579				6	2.9	00.0-05.8	242	97.1	94.2-0100
\$25,000- 34,999	196	14,172	1	0.7	00.0-02.1	3	1.8	00.0-04.0	192	97.5	95.0-0100
\$35,000- 49,999	235	20,596							235	100.0	0100-0100
\$50,000- 74,999	274	25,655				1	0.4	00.0-01.2	273	99.6	98.8-0100
\$75,000+	348	35,023	1	0.2	00.0-00.6	2	0.9	00.0-02.3	345	98.9	97.5-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2008			May-Aug 2008			Sep-Dec 2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	532	53,762	3	0.5	00.0-01.1	4	0.9	00.0-01.9	525	98.6	97.4-99.8
Non-Native	508	51,017	3	0.6	00.0-01.2	3	0.7	00.0-01.7	502	98.7	97.5-99.9
35-44	50	6,874				1	1.5	00.0-04.4	49	98.5	95.6-0100
45-54	93	9,279	2	2.1	00.0-05.0				91	97.9	95.0-0100
55-64	132	10,981							132	100.0	0100-0100
65+	220	18,457	1	0.5	00.0-01.5	2	0.7	00.0-01.7	217	98.8	97.4-0100
H.S. or G.E.D.	141	13,101				1	0.3	00.0-00.9	140	99.7	99.1-0100
Some Post-H.S.	156	14,971	3	1.9	00.0-04.1				153	98.1	95.9-0100
College Graduate	194	22,062				3	1.9	00.0-04.3	191	98.1	95.7-0100
\$15,000- 24,999	61	5,286				1	0.8	00.0-02.4	60	99.2	97.6-0100
\$25,000- 34,999	66	5,620	1	1.7	00.0-05.0	1	1.5	00.0-04.4	64	96.7	92.2-0100
\$35,000- 49,999	74	7,354							74	100.0	0100-0100
\$50,000- 74,999	96	10,600				1	1.0	00.0-03.0	95	99.0	97.0-0100
\$75,000+	162	18,697	1	0.5	00.0-01.5	1	1.2	00.0-03.6	160	98.3	95.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT? (FLUSHTMY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2008			May-Aug 2008			Sep-Dec 2008		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1114	85,703	1	0.3	00.0-00.9	9	0.8	00.2-01.4	1104	98.8	97.8-99.8
Non-Native	1070	79,940				9	0.9	00.1-01.7	1061	99.1	98.3-99.9
25-34	75	11,327				2	2.6	00.0-06.5	73	97.4	93.5-0100
35-44	110	10,705							110	100.0	0100-0100
45-54	195	15,397							195	100.0	0100-0100
55-64	209	12,495							209	100.0	0100-0100
65+	495	27,250				7	1.6	00.2-03.0	488	98.4	97.0-99.8
Less Than H.S.	76	5,826	1	4.8	00.0-13.8	1	0.7	00.0-02.1	74	94.5	85.5-0100
H.S. or G.E.D.	335	24,084				4	1.8	00.0-04.0	331	98.2	96.0-0100
Some Post-H.S.	344	27,306				1	0.2	00.0-00.6	343	99.8	99.4-0100
College Graduate	359	28,487				3	0.7	00.0-01.5	356	99.3	98.5-0100
Less than \$15,000	83	5,840	1	4.8	00.0-13.8				82	95.2	86.2-0100
\$15,000- 24,999	187	11,293				5	3.8	00.0-07.9	182	96.2	92.1-0100
\$25,000- 34,999	130	8,552				2	2.0	00.0-05.1	128	98.0	94.9-0100
\$35,000- 49,999	161	13,243							161	100.0	0100-0100
\$50,000- 74,999	178	15,055							178	100.0	0100-0100
\$75,000+	186	16,327				1	0.4	00.0-01.2	185	99.6	98.8-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 7. DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.
(FLUSPRY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	4676	487,927	47	1.8	01.2-02.4	4629	98.2	97.6-98.8	
Male	1861	242,353	32	2.8	01.6-04.0	1829	97.2	96.0-98.4	
Female	2815	245,574	15	0.8	00.4-01.2	2800	99.2	98.8-99.6	
Native	131	23,036	1	1.5	00.0-04.4	130	98.5	95.6-0100	
Non-Native	4476	458,337	45	1.8	01.2-02.4	4431	98.2	97.6-98.8	
18-24	148	79,715	5	3.0	00.3-05.7	143	97.0	94.3-99.7	
25-34	428	80,284	18	4.5	02.3-06.7	410	95.5	93.3-97.7	
35-44	633	73,724	16	2.6	01.2-04.0	617	97.4	96.0-98.8	
45-54	1008	89,627	6	0.7	00.1-01.3	1002	99.3	98.7-99.9	
55-64	975	69,065				975	100.0	0100-0100	
65+	1434	92,513	2	0.1	00.0-00.3	1432	99.9	99.7-0100	
Less Than H.S.	353	41,064	2	0.3	00.0-00.7	351	99.7	99.3-0100	
H.S. or G.E.D.	1386	137,404	4	0.7	00.0-01.5	1382	99.3	98.5-0100	
Some Post-H.S.	1458	153,751	14	2.0	00.6-03.4	1444	98.0	96.6-99.4	
College Graduate	1476	155,566	27	2.9	01.7-04.1	1449	97.1	95.9-98.3	
Less than \$15,000	329	31,008	1	0.1	00.0-00.3	328	99.9	99.7-0100	
\$15,000- 24,999	654	54,927				654	100.0	0100-0100	
\$25,000- 34,999	535	49,488	8	4.3	00.8-07.8	527	95.7	92.2-99.2	
\$35,000- 49,999	693	74,453	7	2.3	00.5-04.1	686	97.7	95.9-99.5	
\$50,000- 74,999	776	83,307	10	2.1	00.7-03.5	766	97.9	96.5-99.3	
\$75,000+	1025	118,052	18	2.3	00.9-03.7	1007	97.7	96.3-99.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.
(FLUSPRY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1861	242,353	32	2.8	01.6-04.0	1829	97.2	96.0-98.4
Non-Native	1780	226,525	30	2.7	01.5-03.9	1750	97.3	96.1-98.5
18-24	72	41,947	3	4.1	00.0-08.6	69	95.9	91.4-0100
25-34	174	42,295	13	7.0	03.1-10.9	161	93.0	89.1-96.9
35-44	267	37,713	11	3.9	01.5-06.3	256	96.1	93.7-98.5
45-54	444	44,275	4	1.1	00.0-02.3	440	98.9	97.7-0100
55-64	425	36,200				425	100.0	0100-0100
65+	471	39,212	1	0.2	00.0-00.6	470	99.8	99.4-0100
Less Than H.S.	144	20,141	1	0.4	00.0-01.2	143	99.6	98.8-0100
H.S. or G.E.D.	559	72,603	3	1.0	00.0-02.2	556	99.0	97.8-0100
Some Post-H.S.	548	72,609	12	4.0	01.3-06.7	536	96.0	93.3-98.7
College Graduate	610	77,000	16	4.0	01.8-06.2	594	96.0	93.8-98.2
Less than \$15,000	110	12,743				110	100.0	0100-0100
\$15,000- 24,999	200	24,112				200	100.0	0100-0100
\$25,000- 34,999	187	22,304	7	9.2	01.6-16.8	180	90.8	83.2-98.4
\$35,000- 49,999	296	36,844	6	3.5	00.6-06.4	290	96.5	93.6-99.4
\$50,000- 74,999	350	44,731	6	2.4	00.2-04.6	344	97.6	95.4-99.8
\$75,000+	530	68,747	11	3.0	00.8-05.2	519	97.0	94.8-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? THE FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™.
(FLUSPRY2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Female	2815	245,574	15	0.8	00.4-01.2	2800	99.2	98.8-99.6	
Native	87	11,812				87	100.0	0100-0100	
Non-Native	2696	231,813	15	0.9	00.3-01.5	2681	99.1	98.5-99.7	
18-24	76	37,768	2	1.7	00.0-04.1	74	98.3	95.9-0100	
25-34	254	37,988	5	1.7	00.1-03.3	249	98.3	96.7-99.9	
35-44	366	36,011	5	1.3	00.1-02.5	361	98.7	97.5-99.9	
45-54	564	45,351	2	0.3	00.0-00.7	562	99.7	99.3-0100	
55-64	550	32,865				550	100.0	0100-0100	
65+	963	53,301	1	0.1	00.0-00.3	962	99.9	99.7-0100	
Less Than H.S.	209	20,923	1	0.2	00.0-00.6	208	99.8	99.4-0100	
H.S. or G.E.D.	827	64,801	1	0.4	00.0-01.2	826	99.6	98.8-0100	
Some Post-H.S.	910	81,142	2	0.3	00.0-00.7	908	99.7	99.3-0100	
College Graduate	866	78,566	11	1.8	00.6-03.0	855	98.2	97.0-99.4	
Less than \$15,000	219	18,265	1	0.2	00.0-00.6	218	99.8	99.4-0100	
\$15,000- 24,999	454	30,815				454	100.0	0100-0100	
\$25,000- 34,999	348	27,184	1	0.3	00.0-00.9	347	99.7	99.1-0100	
\$35,000- 49,999	397	37,609	1	1.0	00.0-03.0	396	99.0	97.0-0100	
\$50,000- 74,999	426	38,576	4	1.7	00.0-03.5	422	98.3	96.5-0100	
\$75,000+	495	49,306	7	1.4	00.4-02.4	488	98.6	97.6-99.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION

TABLE 10: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)
Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION

TABLE 11: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION

TABLE 12: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRMY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 13: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4357	435,022	1538	27.2	25.6-28.8	2819	72.8	71.2-74.4
Male	1668	210,375	547	25.6	23.1-28.1	1121	74.4	71.9-76.9
Female	2689	224,647	991	28.6	26.4-30.8	1698	71.4	69.2-73.6
Non-Native	4168	408,680	1455	26.5	24.9-28.1	2713	73.5	71.9-75.1
18-24	117	61,578	17	14.3	07.2-21.4	100	85.7	78.6-92.8
25-34	360	66,251	42	10.7	07.2-14.2	318	89.3	85.8-92.8
35-44	567	65,539	67	11.8	08.9-14.7	500	88.2	85.3-91.1
45-54	953	84,691	142	14.1	11.7-16.5	811	85.9	83.5-88.3
55-64	920	64,562	257	28.3	25.2-31.4	663	71.7	68.6-74.8
65+	1392	89,580	999	70.8	68.3-73.3	393	29.2	26.7-31.7
Less Than H.S.	337	36,382	179	40.1	31.5-48.7	158	59.9	51.3-68.5
H.S. or G.E.D.	1301	121,347	560	34.2	30.9-37.5	741	65.8	62.5-69.1
Some Post-H.S.	1351	136,813	437	24.0	21.3-26.7	914	76.0	73.3-78.7
College Graduate	1365	140,338	361	20.8	18.4-23.2	1004	79.2	76.8-81.6
Less than \$15,000	307	27,420	166	39.9	31.9-47.9	141	60.1	52.1-68.1
\$15,000- 24,999	623	50,989	327	43.0	37.7-48.3	296	57.0	51.7-62.3
\$25,000- 34,999	508	45,880	212	32.3	27.0-37.6	296	67.7	62.4-73.0
\$35,000- 49,999	640	65,798	220	28.6	24.1-33.1	420	71.4	66.9-75.9
\$50,000- 74,999	725	76,349	159	19.1	15.8-22.4	566	80.9	77.6-84.2
\$75,000+	941	105,649	182	14.9	12.5-17.3	759	85.1	82.7-87.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 14: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1668	210,375	547	25.6	23.1-28.1	1121	74.4	71.9-76.9
Non-Native	1592	196,596	510	24.5	22.1-26.9	1082	75.5	73.1-77.9
18-24	60	34,085	8	13.9	03.9-23.9	52	86.1	76.1-96.1
25-34	138	33,179	16	10.5	04.6-16.4	122	89.5	83.6-95.4
35-44	231	32,546	33	13.5	09.0-18.0	198	86.5	82.0-91.0
45-54	404	40,444	60	14.1	10.6-17.6	344	85.9	82.4-89.4
55-64	383	32,471	119	29.7	25.0-34.4	264	70.3	65.6-75.0
65+	445	37,087	310	69.8	65.3-74.3	135	30.2	25.7-34.7
H.S. or G.E.D.	508	63,385	175	28.9	23.8-34.0	333	71.1	66.0-76.2
Some Post-H.S.	481	61,249	151	22.7	18.6-26.8	330	77.3	73.2-81.4
College Graduate	545	67,449	151	21.1	17.6-24.6	394	78.9	75.4-82.4
\$15,000- 24,999	187	22,909	95	38.6	29.4-47.8	92	61.4	52.2-70.6
\$25,000- 34,999	168	20,043	70	32.0	22.6-41.4	98	68.0	58.6-77.4
\$35,000- 49,999	258	30,108	86	29.0	22.5-35.5	172	71.0	64.5-77.5
\$50,000- 74,999	318	40,390	74	18.5	14.0-23.0	244	81.5	77.0-86.0
\$75,000+	472	60,240	107	16.9	13.6-20.2	365	83.1	79.8-86.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 15: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2689	224,647	991	28.6	26.4-30.8	1698	71.4	69.2-73.6
Non-Native	2576	212,084	945	28.5	26.3-30.7	1631	71.5	69.3-73.7
18-24	57	27,493	9	14.8	05.4-24.2	48	85.2	75.8-94.6
25-34	222	33,072	26	10.9	06.8-15.0	196	89.1	85.0-93.2
35-44	336	32,993	34	10.1	06.6-13.6	302	89.9	86.4-93.4
45-54	549	44,248	82	14.1	11.0-17.2	467	85.9	82.8-89.0
55-64	537	32,091	138	27.0	22.9-31.1	399	73.0	68.9-77.1
65+	947	52,493	689	71.5	68.4-74.6	258	28.5	25.4-31.6
H.S. or G.E.D.	793	57,962	385	39.9	35.8-44.0	408	60.1	56.0-64.2
Some Post-H.S.	870	75,564	286	25.1	21.6-28.6	584	74.9	71.4-78.4
College Graduate	820	72,889	210	20.5	17.4-23.6	610	79.5	76.4-82.6
Less than \$15,000	208	16,214	117	40.1	30.5-49.7	91	59.9	50.3-69.5
\$15,000- 24,999	436	28,080	232	46.5	40.8-52.2	204	53.5	47.8-59.2
\$25,000- 34,999	340	25,837	142	32.6	26.7-38.5	198	67.4	61.5-73.3
\$35,000- 49,999	382	35,690	134	28.2	22.1-34.3	248	71.8	65.7-77.9
\$50,000- 74,999	407	35,959	85	19.8	15.1-24.5	322	80.2	75.5-84.9
\$75,000+	469	45,409	75	12.2	09.3-15.1	394	87.8	84.9-90.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 17: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)	
1	MALES AND FEMALES	197
2	MALES ONLY	198
3	FEMALES ONLY	199
	ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)	
4	MALES AND FEMALES	200
5	MALES ONLY	201
6	FEMALES ONLY	202
	IN THIS NEXT QUESTIONS WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)	
7	MALES AND FEMALES	203
8	MALES ONLY	204
9	FEMALES ONLY	205
	DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)	
10	MALES AND FEMALES	206
11	MALES ONLY	207
12	FEMALES ONLY	208
	PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE. (JOINPAIN)	
13	MALES AND FEMALES	209
14	MALES ONLY	210
15	FEMALES ONLY	211

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4627	481,643	1697	27.4	25.8-29.0	2930	72.6	71.0-74.2
Male	1835	238,753	565	23.7	21.3-26.1	1270	76.3	73.9-78.7
Female	2792	242,890	1132	31.0	28.8-33.2	1660	69.0	66.8-71.2
Non-Native	4430	452,207	1620	27.2	25.6-28.8	2810	72.8	71.2-74.4
18-24	144	77,166	9	4.9	01.6-08.2	135	95.1	91.8-98.4
25-34	428	80,366	42	10.1	06.6-13.6	386	89.9	86.4-93.4
35-44	621	72,380	97	16.7	13.4-20.0	524	83.3	80.0-86.6
45-54	997	88,549	311	31.5	28.4-34.6	686	68.5	65.4-71.6
55-64	965	68,407	405	41.1	37.8-44.4	560	58.9	55.6-62.2
65+	1423	91,840	817	55.7	53.0-58.4	606	44.3	41.6-47.0
Less Than H.S.	347	40,171	172	32.5	25.6-39.4	175	67.5	60.6-74.4
H.S. or G.E.D.	1374	135,700	601	32.3	29.2-35.4	773	67.7	64.6-70.8
Some Post-H.S.	1444	152,576	529	28.2	25.3-31.1	915	71.8	68.9-74.7
College Graduate	1459	153,054	395	21.0	18.8-23.2	1064	79.0	76.8-81.2
Less than \$15,000	325	30,233	170	43.6	35.4-51.8	155	56.4	48.2-64.6
\$15,000- 24,999	651	54,414	326	38.5	33.6-43.4	325	61.5	56.6-66.4
\$25,000- 34,999	528	48,998	220	32.9	27.8-38.0	308	67.1	62.0-72.2
\$35,000- 49,999	688	73,976	249	27.7	23.6-31.8	439	72.3	68.2-76.4
\$50,000- 74,999	773	82,999	229	23.7	20.6-26.8	544	76.3	73.2-79.4
\$75,000+	1012	115,879	242	20.2	17.5-22.9	770	79.8	77.1-82.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HVARTH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1835	238,753	565	23.7	21.3-26.1	1270	76.3	73.9-78.7
Non-Native	1755	222,978	536	23.5	21.3-25.7	1219	76.5	74.3-78.7
18-24	70	40,509	4	4.7	00.0-09.4	66	95.3	90.6-100
25-34	175	42,523	12	8.7	03.0-14.4	163	91.3	85.6-97.0
35-44	262	37,082	41	16.8	11.9-21.7	221	83.2	78.3-88.1
45-54	438	43,565	126	29.6	24.9-34.3	312	70.4	65.7-75.1
55-64	419	35,719	151	36.1	31.2-41.0	268	63.9	59.0-68.8
65+	463	38,644	228	48.6	43.7-53.5	235	51.4	46.5-56.3
Less Than H.S.	139	19,792	58	28.2	18.6-37.8	81	71.8	62.2-81.4
H.S. or G.E.D.	551	71,634	191	25.8	21.5-30.1	360	74.2	69.9-78.5
Some Post-H.S.	542	71,946	173	25.2	20.7-29.7	369	74.8	70.3-79.3
College Graduate	603	75,380	143	19.0	15.7-22.3	460	81.0	77.7-84.3
\$15,000- 24,999	198	24,149	77	26.0	19.3-32.7	121	74.0	67.3-80.7
\$25,000- 34,999	183	21,980	60	24.1	16.8-31.4	123	75.9	68.6-83.2
\$35,000- 49,999	291	36,380	85	24.3	18.2-30.4	206	75.7	69.6-81.8
\$50,000- 74,999	349	44,584	110	25.2	20.3-30.1	239	74.8	69.9-79.7
\$75,000+	525	67,291	129	21.1	17.2-25.0	396	78.9	75.0-82.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2792	242,890	1132	31.0	28.8-33.2	1660	69.0	66.8-71.2
Non-Native	2675	229,230	1084	30.8	28.6-33.0	1591	69.2	67.0-71.4
18-24	74	36,657	5	5.1	00.4-09.8	69	94.9	90.2-99.6
25-34	253	37,843	30	11.7	07.4-16.0	223	88.3	84.0-92.6
35-44	359	35,298	56	16.6	12.3-20.9	303	83.4	79.1-87.7
45-54	559	44,984	185	33.3	29.2-37.4	374	66.7	62.6-70.8
55-64	546	32,688	254	46.5	42.0-51.0	292	53.5	49.0-58.0
65+	960	53,196	589	60.8	57.5-64.1	371	39.2	35.9-42.5
Less Than H.S.	208	20,378	114	36.7	26.9-46.5	94	63.3	53.5-73.1
H.S. or G.E.D.	823	64,066	410	39.5	35.2-43.8	413	60.5	56.2-64.8
Some Post-H.S.	902	80,630	356	30.7	27.0-34.4	546	69.3	65.6-73.0
College Graduate	856	77,674	252	22.9	20.0-25.8	604	77.1	74.2-80.0
\$15,000- 24,999	453	30,265	249	48.5	42.6-54.4	204	51.5	45.6-57.4
\$25,000- 34,999	345	27,018	160	40.0	33.5-46.5	185	60.0	53.5-66.5
\$35,000- 49,999	397	37,596	164	30.9	25.4-36.4	233	69.1	63.6-74.6
\$50,000- 74,999	424	38,415	119	21.9	18.0-25.8	305	78.1	74.2-82.0
\$75,000+	487	48,588	113	19.0	15.3-22.7	374	81.0	77.3-84.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 4: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1682	130,835	721	42.4	39.7-45.1	961	57.6	54.9-60.3
Male	561	56,067	248	44.0	39.1-48.9	313	56.0	51.1-60.9
Female	1121	74,768	473	41.3	38.0-44.6	648	58.7	55.4-62.0
Non-Native	1606	122,224	684	42.0	39.3-44.7	922	58.0	55.3-60.7
45-54	308	27,675	134	44.1	38.0-50.2	174	55.9	49.8-62.0
55-64	402	27,881	178	42.9	37.6-48.2	224	57.1	51.8-62.4
65+	809	50,661	347	44.4	40.7-48.1	462	55.6	51.9-59.3
Less Than H.S.	169	12,875	87	52.9	43.9-61.9	82	47.1	38.1-56.1
H.S. or G.E.D.	599	43,735	258	43.5	38.8-48.2	341	56.5	51.8-61.2
Some Post-H.S.	523	42,318	229	41.9	36.6-47.2	294	58.1	52.8-63.4
College Graduate	391	31,907	147	37.5	32.0-43.0	244	62.5	57.0-68.0
\$15,000- 24,999	324	20,859	149	47.3	40.8-53.8	175	52.7	46.2-59.2
\$25,000- 34,999	218	16,017	86	39.2	31.9-46.5	132	60.8	53.5-68.1
\$35,000- 49,999	247	20,325	115	47.9	40.1-55.7	132	52.1	44.3-59.9
\$50,000- 74,999	227	19,535	88	37.0	30.1-43.9	139	63.0	56.1-69.9
\$75,000+	241	23,371	82	34.0	27.3-40.7	159	66.0	59.3-72.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 5: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	561	56,067	248	44.0	39.1-48.9	313	56.0	51.1-60.9
Non-Native	533	52,280	235	43.7	38.8-48.6	298	56.3	51.4-61.2
45-54	126	12,902	55	44.0	34.6-53.4	71	56.0	46.6-65.4
55-64	149	12,743	62	42.0	33.6-50.4	87	58.0	49.6-66.4
65+	227	18,703	107	49.8	42.9-56.7	120	50.2	43.3-57.1
H.S. or G.E.D.	191	18,503	94	48.0	39.4-56.6	97	52.0	43.4-60.6
Some Post-H.S.	170	17,710	70	41.2	32.0-50.4	100	58.8	49.6-68.0
College Graduate	143	14,350	55	38.4	29.4-47.4	88	61.6	52.6-70.6
\$50,000- 74,999	108	11,112	45	39.1	29.3-48.9	63	60.9	51.1-70.7
\$75,000+	129	14,209	40	32.2	23.0-41.4	89	67.8	58.6-77.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 6: ARE YOU NOW LIMITED IN ANY WAY IN ANY OF YOUR USUAL ACTIVITIES BECAUSE OF ARTHRITIS OR JOINT SYMPTOMS? (LMTJOIN2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1121	74,768	473	41.3	38.0-44.6	648	58.7	55.4-62.0
Non-Native	1073	69,944	449	40.7	37.4-44.0	624	59.3	56.0-62.6
45-54	182	14,773	79	44.2	36.4-52.0	103	55.8	48.0-63.6
55-64	253	15,139	116	43.7	37.0-50.4	137	56.3	49.6-63.0
65+	582	31,959	240	41.3	37.0-45.6	342	58.7	54.4-63.0
H.S. or G.E.D.	408	25,232	164	40.2	34.7-45.7	244	59.8	54.3-65.3
Some Post-H.S.	353	24,608	159	42.4	36.3-48.5	194	57.6	51.5-63.7
College Graduate	248	17,557	92	36.8	30.1-43.5	156	63.2	56.5-69.9
\$15,000- 24,999	247	14,582	109	42.8	35.4-50.2	138	57.2	49.8-64.6
\$25,000- 34,999	158	10,715	64	40.9	32.3-49.5	94	59.1	50.5-67.7
\$35,000- 49,999	162	11,476	69	44.5	35.7-53.3	93	55.5	46.7-64.3
\$50,000- 74,999	119	8,423	43	34.3	25.3-43.3	76	65.7	56.7-74.7
\$75,000+	112	9,162	42	36.8	27.2-46.4	70	63.2	53.6-72.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 7. IN THIS NEXT QUESTIONS WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1664	129,850	474	28.8	26.1-31.5	1190	71.2	68.5-73.9
Male	553	55,795	153	28.2	23.7-32.7	400	71.8	67.3-76.3
Female	1111	74,055	321	29.4	26.3-32.5	790	70.6	67.5-73.7
Non-Native	1588	120,967	445	28.4	25.7-31.1	1143	71.6	68.9-74.3
45-54	308	27,644	109	33.6	27.9-39.3	199	66.4	60.7-72.1
55-64	400	27,688	129	31.9	26.8-37.0	271	68.1	63.0-73.2
65+	792	49,585	185	23.4	20.1-26.7	607	76.6	73.3-79.9
Less Than H.S.	167	12,760	72	44.3	35.3-53.3	95	55.7	46.7-64.7
H.S. or G.E.D.	579	42,402	177	31.2	26.5-35.9	402	68.8	64.1-73.5
Some Post-H.S.	524	42,591	151	30.4	25.3-35.5	373	69.6	64.5-74.7
College Graduate	394	32,097	74	17.5	13.4-21.6	320	82.5	78.4-86.6
\$15,000- 24,999	316	20,236	117	38.5	32.2-44.8	199	61.5	55.2-67.8
\$25,000- 34,999	216	15,872	53	25.0	18.5-31.5	163	75.0	68.5-81.5
\$35,000- 49,999	245	20,241	71	32.6	25.3-39.9	174	67.4	60.1-74.7
\$50,000- 74,999	228	19,609	51	21.5	15.8-27.2	177	78.5	72.8-84.2
\$75,000+	241	23,357	44	18.8	12.5-25.1	197	81.2	74.9-87.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 8: IN THIS NEXT QUESTIONS WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	553	55,795	153	28.2	23.7-32.7	400	71.8	67.3-76.3
Non-Native	524	51,693	145	28.0	23.5-32.5	379	72.0	67.5-76.5
45-54	124	12,755	40	31.3	22.5-40.1	84	68.7	59.9-77.5
55-64	149	12,743	41	28.0	20.4-35.6	108	72.0	64.4-79.6
65+	220	18,262	58	27.8	21.3-34.3	162	72.2	65.7-78.7
H.S. or G.E.D.	182	17,886	61	34.7	26.3-43.1	121	65.3	56.9-73.7
Some Post-H.S.	172	18,077	46	27.9	19.3-36.5	126	72.1	63.5-80.7
College Graduate	142	14,296	17	11.4	05.9-16.9	125	88.6	83.1-94.1
\$50,000- 74,999	110	11,250	21	18.3	10.9-25.7	89	81.7	74.3-89.1
\$75,000+	128	14,117	21	18.4	09.2-27.6	107	81.6	72.4-90.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 9: IN THIS NEXT QUESTIONS WE ARE REFERRING TO WORK FOR PAY. DO ARTHRITIS OR JOINT SYMPTOMS NOW AFFECT WHETHER YOU WORK, THE TYPE OF WORK YOU DO OR THE AMOUNT OF WORK YOU DO? (ARTHDIS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have not had joint pain in the past 30 days or were not told they had arthritis

Denominator excludes: Respondents whose age is not greater than or equal to 18 and less than or equal to 64

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1111	74,055	321	29.4	26.3-32.5	790	70.6	67.5-73.7
Non-Native	1064	69,274	300	28.7	25.6-31.8	764	71.3	68.2-74.4
45-54	184	14,889	69	35.6	28.2-43.0	115	64.4	57.0-71.8
55-64	251	14,945	88	35.3	28.8-41.8	163	64.7	58.2-71.2
65+	572	31,323	127	20.7	17.2-24.2	445	79.3	75.8-82.8
H.S. or G.E.D.	397	24,517	116	28.7	23.6-33.8	281	71.3	66.2-76.4
Some Post-H.S.	352	24,514	105	32.3	26.0-38.6	247	67.7	61.4-74.0
College Graduate	252	17,801	57	22.5	16.8-28.2	195	77.5	71.8-83.2
\$15,000- 24,999	243	14,190	90	38.1	30.7-45.5	153	61.9	54.5-69.3
\$25,000- 34,999	157	10,634	39	25.0	17.6-32.4	118	75.0	67.6-82.4
\$35,000- 49,999	163	11,585	41	28.9	20.5-37.3	122	71.1	62.7-79.5
\$50,000- 74,999	118	8,359	30	25.8	17.4-34.2	88	74.2	65.8-82.6
\$75,000+	113	9,240	23	19.5	11.7-27.3	90	80.5	72.7-88.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 10: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	A Lot		Very Little			Not at all		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1686	131,184	218	12.6	10.6-14.6	436	26.4	23.9-28.9	1032	61.0	58.1-63.9
Male	559	56,040	70	12.6	09.3-15.9	134	24.2	19.9-28.5	355	63.1	58.2-68.0
Female	1127	75,144	148	12.6	10.4-14.8	302	28.0	24.9-31.1	677	59.4	56.1-62.7
Non-Native	1609	122,258	202	11.9	10.1-13.7	416	26.1	23.6-28.6	991	62.1	59.4-64.8
35-44	97	12,088	16	14.7	07.3-22.1						
45-54	310	27,771	46	14.5	10.2-18.8	79	23.6	18.7-28.5	185	61.9	56.0-67.8
55-64	400	27,744	46	10.5	07.4-13.6	101	25.1	20.4-29.8	253	64.3	59.2-69.4
65+	812	50,736	106	13.2	10.7-15.7	208	26.4	23.1-29.7	498	60.4	56.7-64.1
Less Than H.S.	170	12,909	35	20.7	13.6-27.8	61	36.0	27.6-44.4	74	43.2	34.2-52.2
H.S. or G.E.D.	595	43,389	83	14.8	11.5-18.1	165	27.7	23.2-32.2	347	57.5	52.6-62.4
Some Post-H.S.	528	42,870	69	12.8	09.1-16.5	124	24.1	19.4-28.8	335	63.1	57.8-68.4
College Graduate	393	32,016	31	6.1	03.7-08.5	86	23.9	18.8-29.0	276	70.0	64.7-75.3
\$15,000- 24,999	322	20,711	60	21.0	15.7-26.3	90	28.0	22.1-33.9	172	51.0	44.5-57.5
\$25,000- 34,999	219	16,035	17	7.0	03.7-10.3	63	32.2	24.8-39.6	139	60.8	53.4-68.2
\$35,000- 49,999	248	20,374	32	12.6	07.9-17.3	64	25.9	19.4-32.4	152	61.5	54.1-68.9
\$50,000- 74,999	229	19,672	10	4.7	01.8-07.6	59	26.2	19.7-32.7	160	69.1	62.2-76.0
\$75,000+	241	23,357	17	6.1	03.2-09.0	41	16.7	11.6-21.8	183	77.2	71.5-82.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 11: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	A Lot		Very Little			Not at all		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	559	56,040	70	12.6	09.3-15.9	134	24.2	19.9-28.5	355	63.1	58.2-68.0
Non-Native	530	51,938	66	11.8	08.9-14.7	127	23.4	19.3-27.5	337	64.7	60.0-69.4
45-54	125	12,804	12	9.8	04.1-15.5	34	22.8	15.4-30.2	79	67.5	58.9-76.1
55-64	148	12,605	16	10.2	05.3-15.1	34	24.5	16.9-32.1	98	65.3	57.1-73.5
65+	226	18,596	35	16.2	10.9-21.5	51	22.8	16.9-28.7	140	61.0	54.1-67.9
H.S. or G.E.D.	187	18,116	30	15.9	10.0-21.8	51	29.7	21.1-38.3	106	54.4	45.6-63.2
Some Post-H.S.	172	18,077	19	11.3	04.2-18.4	34	17.7	11.2-24.2	119	71.0	62.4-79.6
College Graduate	142	14,258	10	6.5	02.4-10.6	26	21.3	12.9-29.7	106	72.3	63.5-81.1
\$25,000- 34,999	59	5,216	3	4.0	00.0-08.7						
\$35,000- 49,999	84	8,757	14	13.9	05.9-21.9	20	21.6	12.0-31.2			
\$50,000- 74,999	110	11,250	8	7.0	02.3-11.7	25	24.5	14.9-34.1	77	68.5	58.5-78.5
\$75,000+	128	14,117	5	3.5	00.4-06.6	24	17.8	10.5-25.1	99	78.6	71.0-86.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 12: DURING THE PAST 30 DAYS, TO WHAT EXTENT HAS YOUR ARTHRITIS OR JOINT SYMPTOMS INTERFERED WITH YOUR NORMAL SOCIAL ACTIVITIES, SUCH AS GOING SHOPPING, TO THE MOVIES, OR TO RELIGIOUS OR SOCIAL GATHERINGS? (ARTHSOCL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	A Lot		Very Little			Not at all		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1127	75,144	148	12.6	10.4-14.8	302	28.0	24.9-31.1	677	59.4	56.1-62.7
Non-Native	1079	70,320	136	11.9	09.7-14.1	289	28.0	24.9-31.1	654	60.1	56.8-63.4
45-54	185	14,967	34	18.6	12.3-24.9	45	24.3	17.6-31.0	106	57.0	49.2-64.8
55-64	252	15,139	30	10.9	06.8-15.0	67	25.7	19.8-31.6	155	63.5	57.0-70.0
65+	586	32,141	71	11.5	08.8-14.2	157	28.4	24.3-32.5	358	60.0	55.7-64.3
Less Than H.S.	112	7,320	24	19.7	11.7-27.7						
H.S. or G.E.D.	408	25,273	53	14.0	10.1-17.9	114	26.3	21.6-31.0	241	59.7	54.2-65.2
Some Post-H.S.	356	24,793	50	13.9	09.8-18.0	90	28.7	22.4-35.0	216	57.4	51.1-63.7
College Graduate	251	17,758	21	5.9	03.2-08.6	60	26.0	19.7-32.3	170	68.2	61.7-74.7
\$15,000- 24,999	245	14,433	43	18.1	12.6-23.6	73	30.3	23.2-37.4	129	51.6	44.2-59.0
\$25,000- 34,999	160	10,819	14	8.4	03.9-12.9	45	29.8	21.8-37.8	101	61.8	53.4-70.2
\$35,000- 49,999	164	11,617	18	11.6	06.1-17.1	44	29.2	20.8-37.6	102	59.2	50.4-68.0
\$50,000- 74,999	119	8,423	2	1.7	00.0-04.1	34	28.4	19.8-37.0	83	70.0	61.2-78.8
\$75,000+	113	9,240	12	9.9	04.2-15.6	17	15.1	08.0-22.2	84	75.0	66.6-83.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

**TABLE 13: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	643	50,349	138	20.4	16.7-24.1	147	26.6	21.9-31.3	208	30.6	26.5-34.7	117	18.2	14.5-21.9	33	4.2	02.6-05.8
Male	228	23,099	53	22.2	15.9-28.5	56	28.5	20.3-36.7	69	27.8	21.1-34.5	39	18.2	11.7-24.7	11	3.3	01.3-05.3
Female	415	27,250	85	18.9	14.8-23.0	91	25.0	19.9-30.1	139	33.0	27.9-38.1	78	18.2	14.1-22.3	22	5.1	02.9-07.3
Non-Native	619	47,781	136	21.0	17.3-24.7	144	27.5	22.6-32.4	196	29.9	25.8-34.0	110	17.2	13.9-20.5	33	4.5	02.9-06.1
45-54	116	10,015	14	10.5	04.8-16.2	29	30.9	21.5-40.3	43	35.5	26.1-44.9	26	19.9	12.3-27.5	4	3.1	00.0-06.2
55-64	162	11,541	36	23.0	15.7-30.3	39	24.7	17.3-32.1	52	31.7	23.9-39.5	27	16.4	10.1-22.7	8	4.3	01.2-07.4
65+	302	18,436	71	22.2	17.3-27.1	66	22.8	17.5-28.1	96	31.9	26.2-37.6	50	16.6	11.9-21.3	19	6.4	03.5-09.3
Less Than H.S.	55	4,110	11	14.3	04.9-23.7										4	6.1	00.0-12.2
H.S. or G.E.D.	220	15,270	43	17.4	11.9-22.9	36	17.4	11.7-23.1	74	32.6	25.5-39.7	51	25.2	18.5-31.9	16	7.5	03.8-11.2
Some Post-H.S.	188	15,756	34	17.6	11.3-23.9				67	32.1	23.9-40.3	29	15.8	08.0-23.6	6	2.4	00.2-04.6
College Graduate	180	15,214	50	27.9	19.9-35.9	48	29.5	21.3-37.7	53	29.6	22.0-37.2	22	10.6	05.9-15.3	7	2.3	00.5-04.1
Less than \$15,000	60	4,239	11	11.2	03.8-18.6	6	8.0	00.2-15.8							5	6.3	00.2-12.4
\$15,000- 24,999	110	7,150	19	19.0	10.0-28.0				35	28.9	19.1-38.7	23	20.5	11.7-29.3	12	11.3	04.8-17.8
\$25,000- 34,999	89	5,907	19	19.7	10.9-28.5							11	10.6	04.1-17.1	6	5.9	01.2-10.6
\$35,000- 49,999	90	7,926	15	12.5	04.9-20.1							17	15.9	07.7-24.1	4	3.7	00.0-07.4
\$50,000- 74,999	92	8,124	21	22.7	13.1-32.3				31	30.1	20.1-40.1	19	21.0	12.0-30.0	2	1.8	00.0-04.3
\$75,000+	106	10,317	25	22.6	14.0-31.2				33	27.5	18.5-36.5	9	9.9	03.2-16.6	1	0.9	00.0-02.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

**TABLE 14: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	228	23,099	53	22.2	15.9-28.5	56	28.5	20.1-36.9	69	27.8	21.1-34.5	39	18.2	11.7-24.7	11	3.3	01.3-05.3
Non-Native	219	21,737	53	23.6	16.9-30.3	55	29.9	21.3-38.5	65	27.1	20.4-33.8	35	15.9	10.6-21.2	11	3.5	01.3-05.7
55-64	71	6,108										12	17.2	07.6-26.8	2	2.2	00.0-05.5
65+	86	6,863	20	21.8	13.0-30.6				22	25.9	16.1-35.7	14	18.4	09.2-27.6	7	6.1	01.6-10.6
H.S. or G.E.D.	73	6,286	9	10.0	03.3-16.7	12	16.0	07.0-25.0							6	7.1	01.4-12.8
Some Post-H.S.	64	7,662													2	2.0	00.0-04.9
College Graduate	74	7,600										6	6.8	01.1-12.5	2	1.3	00.0-03.1
\$75,000+	59	6,339										5	10.0	01.2-18.8	1	1.5	00.0-04.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

**TABLE 15: PLEASE THINK ABOUT THE PAST 30 DAYS, KEEPING IN MIND ALL OF YOUR JOINT PAIN OR ACHING AND WHETHER OR NOT YOU HAVE TAKEN MEDICATION. DURING THE PAST 30 DAYS, HOW BAD WAS YOUR JOINT PAIN ON AVERAGE? PLEASE ANSWER ON A SCALE OF 0 TO 10 WHERE 0 IS NO PAIN OR ACHING AND 10 IS PAIN OR ACHING AS BAD AS IT CAN BE.
(JOINPAIN)**

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-3			4-6			7-8			9-10		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	415	27,250	85	18.9	14.8-23.0	91	25.0	19.9-30.1	139	33.0	27.9-38.1	78	18.2	14.1-22.3	22	5.1	02.9-07.3
Non-Native	400	26,044	83	18.8	14.7-22.9	89	25.5	20.2-30.8	131	32.2	27.1-37.3	75	18.2	13.9-22.5	22	5.3	02.9-07.7
45-54	70	5,535	9	10.1	03.4-16.8							16	18.8	09.6-28.0	2	2.1	00.0-05.2
55-64	91	5,433	17	19.9	10.7-29.1							15	15.4	07.8-23.0	6	6.5	01.2-11.8
65+	216	11,573	51	22.4	16.5-28.3	43	19.9	14.2-25.6	74	35.5	28.6-42.4	36	15.6	10.5-20.7	12	6.6	02.9-10.3
H.S. or G.E.D.	147	8,984	34	22.6	15.0-30.2	24	18.3	11.0-25.6	46	28.0	20.2-35.8	33	23.3	15.5-31.1	10	7.8	02.9-12.7
Some Post-H.S.	124	8,094	17	13.1	07.0-19.2	35	31.5	22.1-40.9	49	38.8	29.4-48.2	19	13.7	07.2-20.2	4	2.9	00.0-05.8
College Graduate	106	7,613	26	22.5	13.5-31.5	24	22.5	13.5-31.5				16	14.4	07.0-21.8	5	3.3	00.4-06.2
\$15,000- 24,999	85	5,206	13	15.7	06.3-25.1							19	20.6	10.6-30.6	10	12.6	04.6-20.6
\$25,000- 34,999	63	3,923										10	13.2	05.0-21.4	3	4.6	00.0-09.9
\$35,000- 49,999	50	3,422										8	13.9	04.3-23.5	2	4.4	00.0-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 18: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)	
1 MALES AND FEMALES	213
2 MALES ONLY	214
3 FEMALES ONLY	215
NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)	
4 MALES AND FEMALES	216
5 MALES ONLY	217
6 FEMALES ONLY	218
HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)	
7 MALES AND FEMALES	219
8 MALES ONLY	220
9 FEMALES ONLY	221
HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)	
10 MALES AND FEMALES	222
11 MALES ONLY	223
12 FEMALES ONLY	224
HOW OFTEN DO YOU EAT CARROTS? (CARROTS)	
13 MALES AND FEMALES	225
14 MALES ONLY	226
15 FEMALES ONLY	227
NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? (EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS.) (VEGETABL)	
16 MALES AND FEMALES	228
17 MALES ONLY	229
18 FEMALES ONLY	230

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 1: HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4568	476,485	1502	30.1	28.3-31.9	1627	39.7	37.7-41.7	793	17.7	16.1-19.3	101	1.9	01.3-02.5	545	10.5	09.3-11.7
Male	1811	235,565	611	31.5	28.6-34.4	710	41.9	38.8-45.0	306	17.1	14.7-19.5	34	1.7	00.9-02.5	150	7.8	06.0-09.6
Female	2757	240,920	891	28.7	26.3-31.1	917	37.6	35.1-40.1	487	18.3	16.3-20.3	67	2.2	01.6-02.8	395	13.1	11.5-14.7
Native	127	22,407										3	1.0	00.0-02.2	13	9.1	02.6-15.6
Non-Native	4374	447,621	1435	30.2	28.4-32.0	1565	40.0	37.8-42.2	761	17.6	16.0-19.2	93	1.9	01.3-02.5	520	10.3	09.1-11.5
18-24	142	76,916	39	24.4	17.0-31.8	69	50.8	41.8-59.8	19	14.9	08.2-21.6	2	1.5	00.0-03.7	13	8.4	03.7-13.1
25-34	425	79,806	110	27.5	22.6-32.4	193	46.0	40.7-51.3	80	17.9	14.2-21.6	9	1.4	00.4-02.4	33	7.2	04.3-10.1
35-44	619	72,067	125	20.9	17.4-24.4	255	41.8	37.7-45.9	146	23.0	19.5-26.5	15	2.3	01.1-03.5	78	12.1	09.4-14.8
45-54	983	87,148	248	26.1	23.2-29.0	387	38.9	35.6-42.2	205	21.3	18.6-24.0	21	2.3	01.1-03.5	122	11.5	09.3-13.7
55-64	960	68,082	295	30.9	27.8-34.0	338	35.9	32.6-39.2	174	18.2	15.7-20.7	28	2.7	01.7-03.7	125	12.3	10.1-14.5
65+	1394	89,824	664	47.5	44.6-50.4	373	27.0	24.5-29.5	163	12.2	10.2-14.2	25	1.7	00.9-02.5	169	11.6	09.8-13.4
Less Than H.S.	343	39,978	135	33.3	25.1-41.5	102	34.4	25.4-43.4	49	18.6	10.2-27.0	7	1.8	00.2-03.4	50	11.9	06.4-17.4
H.S. or G.E.D.	1345	133,158	467	31.6	28.1-35.1	456	39.7	35.6-43.8	219	16.0	13.5-18.5	28	1.5	00.9-02.1	175	11.1	08.9-13.3
Some Post-H.S.	1429	151,252	443	28.5	25.4-31.6	531	40.7	37.2-44.2	257	17.6	14.9-20.3	40	2.8	01.6-04.0	158	10.4	08.2-12.6
College Graduate	1448	151,955	456	29.6	26.7-32.5	536	40.1	37.0-43.2	268	19.2	16.7-21.7	26	1.5	00.7-02.3	162	9.7	07.9-11.5
Less than \$15,000	322	29,952	122	34.0	26.0-42.0	92	30.4	22.6-38.2	47	15.7	09.4-22.0	9	1.9	00.5-03.3	52	18.0	10.9-25.1
\$15,000- 24,999	645	54,497	254	37.0	31.7-42.3	205	36.9	31.2-42.6	94	14.4	10.9-17.9	10	1.7	00.5-02.9	82	10.0	07.5-12.5
\$25,000- 34,999	519	48,381	177	35.1	28.2-42.0	169	33.9	28.0-39.8	90	16.0	12.3-19.7	16	2.5	01.1-03.9	67	12.6	09.1-16.1
\$35,000- 49,999	682	73,101	213	29.2	24.9-33.5	240	39.6	34.5-44.7	140	18.3	15.0-21.6	17	2.3	00.9-03.7	72	10.5	06.8-14.2
\$50,000- 74,999	763	81,950	217	26.1	22.6-29.6	305	41.7	37.4-46.0	156	22.4	18.3-26.5	9	1.0	00.4-01.6	76	8.9	06.5-11.3
\$75,000+	1007	115,169	285	26.7	23.4-30.0	414	44.3	40.4-48.2	180	17.9	15.2-20.6	20	2.2	00.6-03.8	108	8.8	07.0-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 2: HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1811	235,565	611	31.5	28.6-34.4	710	41.9	38.8-45.0	306	17.1	14.7-19.5	34	1.7	00.9-02.5	150	7.8	06.0-09.6
Non-Native	1733	220,314	586	31.9	29.0-34.8	685	42.3	39.2-45.4	294	16.9	14.5-19.3	28	1.6	00.8-02.4	140	7.3	05.7-08.9
18-24	68	39,981										1	1.9	00.0-05.6	5	7.9	01.0-14.8
25-34	174	42,182	58	33.8	26.2-41.4	86	48.5	40.5-56.5	25	13.8	08.5-19.1	1	0.3	00.0-00.9	4	3.6	00.0-07.9
35-44	259	36,626	55	22.2	16.7-27.7	114	43.9	37.4-50.4	63	23.0	17.7-28.3	5	1.9	00.1-03.7	22	9.1	05.2-13.0
45-54	429	42,513	110	26.7	22.2-31.2	187	41.6	36.7-46.5	84	21.1	16.8-25.4	9	2.6	00.6-04.6	39	7.9	05.4-10.4
55-64	416	35,491	146	34.7	29.8-39.6	153	36.7	31.8-41.6	69	16.7	13.0-20.4	9	1.9	00.5-03.3	39	9.9	06.8-13.0
65+	458	38,210	220	48.1	43.2-53.0	135	29.4	24.9-33.9	54	11.8	08.7-14.9	9	1.8	00.6-03.0	40	8.9	06.2-11.6
Less Than H.S.	137	19,302										5	2.9	00.0-05.8	15	10.8	02.0-19.6
H.S. or G.E.D.	541	70,476	194	33.9	28.2-39.6	201	41.7	35.6-47.8	83	14.1	10.4-17.8	10	1.3	00.5-02.1	53	9.0	05.9-12.1
Some Post-H.S.	536	71,077	161	27.4	22.7-32.1	222	42.9	37.2-48.6	94	17.7	13.4-22.0	15	3.1	00.7-05.5	44	8.9	05.2-12.6
College Graduate	597	74,711	205	34.1	29.4-38.8	243	42.5	37.8-47.2	107	18.1	14.6-21.6	4	0.5	00.0-01.1	38	4.8	03.2-06.4
Less than \$15,000	106	12,337				35	24.5	14.7-34.3	14	13.3	03.5-23.1	3	1.7	00.0-03.7			
\$15,000- 24,999	199	24,219	83	39.2	30.0-48.4	72	43.1	33.3-52.9	24	10.1	05.6-14.6	3	0.9	00.0-02.1	17	6.7	02.8-10.6
\$25,000- 34,999	179	21,692							30	13.6	07.7-19.5	6	2.4	00.4-04.4	14	7.8	03.3-12.3
\$35,000- 49,999	288	35,695	99	33.0	26.5-39.5	110	38.8	31.7-45.9	51	17.3	12.0-22.6	6	1.9	00.1-03.7	22	9.0	03.3-14.7
\$50,000- 74,999	342	43,988	93	24.9	19.6-30.2	152	43.6	37.3-49.9	67	23.1	16.6-29.6	2	0.4	00.0-01.0	28	8.0	04.3-11.7
\$75,000+	520	66,678	168	30.7	26.0-35.4	225	45.1	39.8-50.4	88	17.1	13.6-20.6	5	2.1	00.0-04.5	34	5.0	03.2-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 3: HOW OFTEN DO YOU DRINK FRUIT JUICES SUCH AS ORANGE, GRAPEFRUIT, OR TOMATO? (FRUITJUI)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2757	240,920	891	28.7	26.3-31.1	917	37.6	35.1-40.1	487	18.3	16.3-20.3	67	2.2	01.6-02.8	395	13.1	11.5-14.7
Native	85	11,707							16	18.8	08.8-28.8	1	0.6	00.0-01.8	9	11.6	01.6-21.6
Non-Native	2641	227,307	849	28.5	26.1-30.9	880	37.7	35.0-40.4	467	18.4	16.4-20.4	65	2.2	01.6-02.8	380	13.2	11.6-14.8
18-24	74	36,935							10	13.5	05.3-21.7	1	1.0	00.0-03.0	8	9.0	02.5-15.5
25-34	251	37,624	52	20.5	15.2-25.8	107	43.3	36.8-49.8	55	22.5	17.0-28.0	8	2.6	00.6-04.6	29	11.1	07.2-15.0
35-44	360	35,440	70	19.6	15.3-23.9	141	39.6	34.3-44.9	83	22.9	18.4-27.4	10	2.7	00.9-04.5	56	15.2	11.3-19.1
45-54	554	44,635	138	25.4	21.5-29.3	200	36.3	32.0-40.6	121	21.4	17.9-24.9	12	1.9	00.7-03.1	83	15.0	11.9-18.1
55-64	544	32,591	149	26.8	22.9-30.7	185	34.9	30.6-39.2	105	19.7	16.0-23.4	19	3.6	01.8-05.4	86	14.9	11.8-18.0
65+	936	51,615	444	47.1	43.6-50.6	238	25.3	22.4-28.2	109	12.5	10.1-14.9	16	1.6	00.8-02.4	129	13.6	11.2-16.0
Less Than H.S.	206	20,676							27	15.8	06.6-25.0	2	0.8	00.0-02.0	35	13.0	06.3-19.7
H.S. or G.E.D.	804	62,683	273	29.1	25.2-33.0	255	37.6	32.5-42.7	136	18.0	14.5-21.5	18	1.8	00.8-02.8	122	13.5	10.6-16.4
Some Post-H.S.	893	80,175	282	29.4	25.3-33.5	309	38.8	34.3-43.3	163	17.6	14.5-20.7	25	2.5	01.3-03.7	114	11.7	09.3-14.1
College Graduate	851	77,244	251	25.2	21.9-28.5	293	37.8	33.7-41.9	161	20.1	16.6-23.6	22	2.4	01.0-03.8	124	14.4	11.5-17.3
Less than \$15,000	216	17,615	84	27.1	19.7-34.5				33	17.4	09.0-25.8	6	2.0	00.2-03.8	36	19.0	09.8-28.2
\$15,000- 24,999	446	30,278	171	35.2	29.3-41.1	133	32.0	25.9-38.1	70	17.8	12.9-22.7	7	2.4	00.4-04.4	65	12.6	09.1-16.1
\$25,000- 34,999	340	26,689	104	30.5	22.9-38.1	113	32.5	26.0-39.0	60	17.9	13.0-22.8	10	2.7	00.7-04.7	53	16.5	11.6-21.4
\$35,000- 49,999	394	37,407	114	25.6	19.9-31.3	130	40.3	33.0-47.6	89	19.3	14.8-23.8	11	2.8	00.6-05.0	50	12.0	07.3-16.7
\$50,000- 74,999	421	37,963	124	27.5	22.8-32.2	153	39.5	34.0-45.0	89	21.6	17.1-26.1	7	1.6	00.4-02.8	48	9.9	07.0-12.8
\$75,000+	487	48,492	117	21.3	17.0-25.6	189	43.0	37.1-48.9	92	19.1	14.6-23.6	15	2.4	01.0-03.8	74	14.1	10.6-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 4: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4561	476,453	2132	40.2	38.2-42.2	1862	44.5	42.5-46.5	440	11.6	10.2-13.0	41	1.1	00.7-01.5	86	2.6	01.8-03.4
Male	1806	235,586	627	30.4	27.7-33.1	847	49.1	46.0-52.2	255	15.2	12.8-17.6	23	1.4	00.6-02.2	54	3.9	02.3-05.5
Female	2755	240,867	1505	49.8	47.3-52.3	1015	40.0	37.5-42.5	185	8.1	06.5-09.7	18	0.8	00.4-01.2	32	1.3	00.7-01.9
Native	129	22,931	41	17.3	10.2-24.4							5	3.7	00.0-07.6	3	2.4	00.0-05.3
Non-Native	4370	447,516	2060	41.5	39.5-43.5	1784	44.1	41.9-46.3	409	11.0	09.6-12.4	36	1.0	00.6-01.4	81	2.5	01.7-03.3
18-24	144	77,443	44	29.3	21.3-37.3	73	50.8	42.0-59.6	18	13.1	07.0-19.2	2	1.2	00.0-03.0	7	5.5	01.2-09.8
25-34	426	79,879	172	35.1	30.4-39.8	196	48.2	42.9-53.5	47	14.2	09.9-18.5	4	0.8	00.0-01.6	7	1.7	00.5-02.9
35-44	617	71,876	207	30.8	27.1-34.5	295	48.1	43.8-52.4	83	14.9	11.8-18.0	10	2.2	00.6-03.8	22	4.0	02.2-05.8
45-54	985	87,321	400	40.2	36.9-43.5	444	45.0	41.7-48.3	111	11.7	09.3-14.1	7	0.6	00.0-01.2	23	2.4	01.2-03.6
55-64	955	67,772	440	44.1	40.8-47.4	394	42.7	39.4-46.0	99	10.9	08.7-13.1	11	1.3	00.5-02.1	11	1.0	00.4-01.6
65+	1390	89,567	841	58.0	55.1-60.9	449	34.3	31.6-37.0	77	6.0	04.6-07.4	7	0.6	00.2-01.0	16	1.1	00.5-01.7
Less Than H.S.	339	39,921	158	33.9	25.9-41.9	133	44.1	34.7-53.5	22	13.4	05.6-21.2	9	2.8	00.4-05.2	17	5.9	00.2-11.6
H.S. or G.E.D.	1347	133,688	598	36.9	33.2-40.6	538	43.6	39.7-47.5	161	14.4	11.5-17.3	15	1.7	00.5-02.9	35	3.4	02.0-04.8
Some Post-H.S.	1424	150,688	615	38.0	34.7-41.3	630	47.4	43.9-50.9	148	11.7	09.2-14.2	11	0.7	00.3-01.1	20	2.3	00.7-03.9
College Graduate	1448	152,014	760	47.1	44.0-50.2	560	42.5	39.4-45.6	108	8.7	06.7-10.7	6	0.5	00.1-00.9	14	1.3	00.5-02.1
Less than \$15,000	318	29,925	148	32.9	25.8-40.0	118	40.4	32.0-48.8	35	19.4	11.2-27.6	5	1.6	00.0-03.2	12	5.7	01.2-10.2
\$15,000- 24,999	642	54,183	314	42.6	37.3-47.9	251	45.9	40.2-51.6	50	7.6	05.1-10.1	9	1.4	00.4-02.4	18	2.5	01.1-03.9
\$25,000- 34,999	522	48,635	242	42.8	36.3-49.3	210	40.7	34.6-46.8	50	11.3	07.6-15.0	7	1.3	00.3-02.3	13	3.8	01.1-06.5
\$35,000- 49,999	679	72,699	326	42.7	37.8-47.6	255	41.7	36.6-46.8	87	13.2	09.7-16.7	6	1.0	00.0-02.0	5	1.4	00.0-03.2
\$50,000- 74,999	765	82,012	336	39.6	35.5-43.7	330	43.5	39.2-47.8	78	13.2	09.5-16.9	8	2.0	00.2-03.8	13	1.7	00.7-02.7
\$75,000+	1008	115,395	440	39.0	35.3-42.7	459	48.8	44.9-52.7	89	9.3	07.1-11.5	4	0.4	00.0-00.8	16	2.6	01.0-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 5: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1806	235,586	627	30.4	27.7-33.1	847	49.1	46.0-52.2	255	15.2	12.8-17.6	23	1.4	00.6-02.2	54	3.9	02.3-05.5
Non-Native	1729	220,166	606	31.5	28.8-34.2	815	48.9	45.8-52.0	237	14.5	12.1-16.9	20	1.4	00.6-02.2	51	3.7	02.1-05.3
18-24	70	40,509							8	12.8	04.0-21.6	1	1.4	00.0-04.1	5	9.0	01.2-16.8
25-34	174	42,182	52	26.0	19.3-32.7	91	53.2	45.2-61.2	28	19.3	12.2-26.4				3	1.5	00.0-03.3
35-44	259	36,626	61	22.2	17.1-27.3	120	46.7	40.2-53.2	56	21.5	16.2-26.8	7	3.5	00.6-06.4	15	6.0	02.9-09.1
45-54	432	42,880	138	31.8	27.1-36.5	208	47.9	42.8-53.0	63	15.5	11.6-19.4	5	1.1	00.1-02.1	18	3.7	01.9-05.5
55-64	414	35,262	144	34.7	29.8-39.6	202	48.9	43.8-54.0	57	13.6	10.1-17.1	6	1.6	00.2-03.0	5	1.2	00.0-02.4
65+	451	37,613	211	45.8	40.9-50.7	186	43.2	38.3-48.1	42	8.5	06.0-11.0	4	0.9	00.0-01.9	8	1.6	00.4-02.8
Less Than H.S.	133	19,210	44	23.3	14.3-32.3							5	2.4	00.2-04.6			
H.S. or G.E.D.	543	70,840	182	30.7	25.0-36.4	236	45.1	39.0-51.2	96	17.7	13.2-22.2	10	2.7	00.5-04.9	19	3.8	01.6-06.0
Some Post-H.S.	532	70,663	153	24.1	19.6-28.6	277	54.1	48.4-59.8	83	16.8	12.3-21.3	5	0.7	00.1-01.3	14	4.4	01.3-07.5
College Graduate	598	74,872	248	38.1	33.6-42.6	276	49.6	44.7-54.5	61	10.1	07.4-12.8	3	0.5	00.0-01.1	10	1.7	00.5-02.9
Less than \$15,000	106	12,428	35	25.6	15.6-35.6							3	2.1	00.0-04.8	6	8.0	00.0-17.2
\$15,000- 24,999	196	23,912	78	33.7	24.9-42.5	88	55.7	46.3-65.1	20	7.4	03.5-11.3	2	0.5	00.0-01.1	8	2.7	00.7-04.7
\$25,000- 34,999	178	21,681							28	15.8	08.9-22.7	4	2.0	00.0-04.2	8	6.2	00.5-11.9
\$35,000- 49,999	286	35,386	102	34.4	27.5-41.3	119	40.6	33.3-47.9	57	20.8	14.5-27.1	5	1.9	00.0-03.9	3	2.4	00.0-05.7
\$50,000- 74,999	343	44,017	114	30.0	24.3-35.7	161	46.7	40.2-53.2	51	17.1	11.2-23.0	6	3.3	00.2-06.4	11	2.9	01.1-04.7
\$75,000+	522	66,953	177	30.4	25.9-34.9	265	52.9	47.6-58.2	66	13.0	09.7-16.3	2	0.3	00.0-00.7	12	3.4	00.9-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 6: NOT COUNTING JUICE, HOW OFTEN DO YOU EAT FRUIT? (FRUIT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2755	240,867	1505	49.8	47.3-52.3	1015	40.0	37.5-42.5	185	8.1	06.5-09.7	18	0.8	00.4-01.2	32	1.3	00.7-01.9
Native	85	11,707	34	23.9	14.1-33.7							2	5.0	00.0-12.1	2	3.0	00.0-07.3
Non-Native	2641	227,350	1454	51.1	48.4-53.8	969	39.6	36.9-42.3	172	7.6	06.0-09.2	16	0.6	00.2-01.0	30	1.3	00.7-01.9
18-24	74	36,935							10	13.5	05.5-21.5	1	1.0	00.0-03.0	2	1.8	00.0-04.3
25-34	252	37,697	120	45.4	38.9-51.9	105	42.5	36.0-49.0	19	8.5	04.6-12.4	4	1.6	00.0-03.2	4	1.9	00.0-03.9
35-44	358	35,250	146	39.8	34.5-45.1	175	49.5	44.0-55.0	27	8.1	05.0-11.2	3	0.8	00.0-01.8	7	1.9	00.5-03.3
45-54	553	44,441	262	48.3	43.8-52.8	236	42.2	37.9-46.5	48	8.1	05.7-10.5	2	0.2	00.0-00.4	5	1.2	00.0-02.4
55-64	541	32,511	296	54.4	49.9-58.9	192	35.9	31.6-40.2	42	8.0	05.5-10.5	5	0.9	00.1-01.7	6	0.9	00.1-01.7
65+	939	51,954	630	66.9	63.6-70.2	263	27.8	24.7-30.9	35	4.1	02.7-05.5	3	0.4	00.0-00.8	8	0.7	00.1-01.3
Less Than H.S.	206	20,711							7	7.2	00.0-14.6	4	3.1	00.0-06.8	6	1.5	00.1-02.9
H.S. or G.E.D.	804	62,848	416	43.9	39.2-48.6	302	42.0	36.9-47.1	65	10.5	07.0-14.0	5	0.6	00.0-01.2	16	2.9	01.1-04.7
Some Post-H.S.	892	80,025	462	50.2	45.7-54.7	353	41.5	37.0-46.0	65	7.2	04.8-09.6	6	0.7	00.1-01.3	6	0.4	00.0-00.8
College Graduate	850	77,142	512	55.8	51.5-60.1	284	35.6	31.5-39.7	47	7.3	04.6-10.0	3	0.4	00.0-00.8	4	0.9	00.0-01.9
Less than \$15,000	212	17,496	113	38.1	28.5-47.7							2	1.2	00.0-03.0	6	4.1	00.0-08.2
\$15,000- 24,999	446	30,270	236	49.7	43.4-56.0	163	38.2	32.3-44.1	30	7.7	04.6-10.8	7	2.1	00.3-03.9	10	2.4	00.6-04.2
\$25,000- 34,999	344	26,955	182	52.5	45.4-59.6	132	37.2	30.5-43.9	22	7.8	04.1-11.5	3	0.7	00.0-01.5	5	1.9	00.0-03.9
\$35,000- 49,999	393	37,314	224	50.6	43.5-57.7	136	42.7	35.4-50.0	30	6.0	03.6-08.4	1	0.2	00.0-00.6	2	0.6	00.0-01.4
\$50,000- 74,999	422	37,995	222	50.8	45.3-56.3	169	39.7	34.4-45.0	27	8.6	04.7-12.5	2	0.5	00.0-01.3	2	0.4	00.0-01.0
\$75,000+	486	48,442	263	50.8	44.9-56.7	194	43.1	37.2-49.0	23	4.2	02.4-06.0	2	0.4	00.0-01.0	4	1.5	00.0-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 7: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4556	474,582	703	13.5	12.1-14.9	2907	62.3	60.3-64.3	687	17.2	15.6-18.8	52	1.1	00.7-01.5	207	5.9	04.7-07.1
Male	1812	234,526	194	9.7	07.7-11.7	1137	60.4	57.3-63.5	352	20.8	18.3-23.3	28	1.6	00.8-02.4	101	7.5	05.3-09.7
Female	2744	240,056	509	17.2	15.2-19.2	1770	64.2	61.7-66.7	335	13.7	11.7-15.7	24	0.7	00.5-00.9	106	4.2	03.0-05.4
Native	128	21,780	16	13.1	04.1-22.1							3	2.3	00.0-05.4	6	5.2	00.1-10.3
Non-Native	4365	446,654	674	13.5	12.1-14.9	2799	62.9	60.9-64.9	651	16.8	15.2-18.4	47	1.1	00.7-01.5	194	5.8	04.6-07.0
18-24	142	75,430	16	12.3	06.0-18.6	73	49.1	40.1-58.1	31	22.4	15.1-29.7	1	1.0	00.0-03.0	21	15.1	08.6-21.6
25-34	426	79,879	40	8.1	05.4-10.8	291	67.2	62.1-72.3	75	19.9	15.4-24.4	4	0.6	00.0-01.2	16	4.3	02.1-06.5
35-44	617	72,005	77	11.6	09.1-14.1	382	60.8	56.7-64.9	123	21.0	17.5-24.5	8	1.9	00.5-03.3	27	4.7	02.7-06.7
45-54	986	87,448	129	13.5	11.1-15.9	641	64.8	61.7-67.9	165	16.8	14.3-19.3	12	1.1	00.5-01.7	39	3.8	02.4-05.2
55-64	959	67,937	133	13.5	11.1-15.9	642	68.2	65.1-71.3	141	14.4	12.0-16.8	13	1.5	00.5-02.5	30	2.5	01.5-03.5
65+	1382	89,207	298	20.7	18.3-23.1	851	63.3	60.6-66.0	148	10.2	08.4-12.0	13	0.9	00.3-01.5	72	4.9	03.7-06.1
Less Than H.S.	333	39,778	50	13.9	08.0-19.8	185	47.4	38.2-56.6	54	20.3	12.5-28.1	5	2.7	00.0-06.4	39	15.8	08.0-23.6
H.S. or G.E.D.	1349	132,663	207	14.4	11.3-17.5	838	61.1	57.2-65.0	204	17.0	13.9-20.1	23	1.3	00.7-01.9	77	6.2	04.2-08.2
Some Post-H.S.	1424	150,061	199	11.9	09.7-14.1	916	60.7	57.0-64.4	235	20.1	17.0-23.2	16	1.2	00.4-02.0	58	6.0	03.6-08.4
College Graduate	1447	151,938	247	14.2	12.2-16.2	966	68.8	65.9-71.7	194	13.7	11.5-15.9	8	0.6	00.2-01.0	32	2.8	01.4-04.2
Less than \$15,000	320	29,973	50	15.8	09.3-22.3	161	47.1	38.7-55.5	64	22.7	15.4-30.0	7	3.0	00.3-05.7	38	11.3	05.6-17.0
\$15,000- 24,999	641	54,266	100	14.5	10.8-18.2	391	61.8	56.5-67.1	100	15.8	12.1-19.5	16	1.8	00.8-02.8	34	6.1	03.0-09.2
\$25,000- 34,999	522	48,575	89	15.9	10.0-21.8	315	61.3	55.0-67.6	74	13.6	09.7-17.5	10	1.9	00.5-03.3	34	7.3	04.4-10.2
\$35,000- 49,999	683	73,132	98	11.9	09.0-14.8	443	65.8	60.9-70.7	120	19.1	14.8-23.4	3	0.5	00.0-01.1	19	2.8	00.8-04.8
\$50,000- 74,999	764	81,138	103	11.2	08.8-13.6	527	69.6	65.7-73.5	108	15.7	12.2-19.2	3	0.4	00.0-00.8	23	3.2	01.8-04.6
\$75,000+	1008	115,459	156	13.7	11.2-16.2	676	64.5	60.8-68.2	140	15.8	12.9-18.7	7	0.8	00.2-01.4	29	5.3	02.9-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 8: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1812	234,526	194	9.7	07.7-11.7	1137	60.4	57.3-63.5	352	20.8	18.3-23.3	28	1.6	00.8-02.4	101	7.5	05.3-09.7
Non-Native	1736	220,148	185	9.7	07.7-11.7	1098	60.9	57.8-64.0	333	20.5	17.8-23.2	24	1.5	00.7-02.3	96	7.5	05.3-09.7
18-24	68	38,495	3	7.5	00.0-16.1							1	2.0	00.0-05.9			
25-34	174	42,182	9	5.1	01.2-09.0	114	64.5	56.7-72.3	41	25.0	17.7-32.3	1	0.3	00.0-00.9	9	5.1	01.6-08.6
35-44	260	36,766	23	8.6	05.1-12.1	143	55.3	48.8-61.8	71	26.1	20.6-31.6	5	3.0	00.5-05.5	18	7.1	03.8-10.4
45-54	433	42,929	43	10.4	07.3-13.5	266	62.0	57.1-66.9	92	20.7	16.6-24.8	8	1.7	00.5-02.9	24	5.2	03.0-07.4
55-64	416	35,491	43	10.8	07.7-13.9	286	69.6	64.9-74.3	69	15.6	12.1-19.1	7	1.9	00.3-03.5	11	2.2	00.8-03.6
65+	454	38,002	73	16.6	12.9-20.3	289	65.2	60.5-69.9	60	11.4	08.5-14.3	6	1.2	00.2-02.2	26	5.6	03.4-07.8
Less Than H.S.	133	19,413	16	8.0	03.7-12.3							4	5.1	00.0-12.7			
H.S. or G.E.D.	546	70,029	53	11.4	06.3-16.5	341	60.1	54.0-66.2	106	19.9	15.0-24.8	9	1.3	00.3-02.3	37	7.3	04.2-10.4
Some Post-H.S.	535	70,267	48	7.1	04.7-09.5	327	56.0	50.3-61.7	125	27.1	21.8-32.4	9	1.8	00.4-03.2	26	8.0	03.9-12.1
College Graduate	598	74,818	77	11.1	08.6-13.6	397	67.2	62.7-71.7	102	16.9	13.4-20.4	6	0.9	00.1-01.7	16	4.0	01.6-06.4
Less than \$15,000	106	12,434										5	6.2	00.0-12.5			
\$15,000- 24,999	195	23,960	24	11.6	05.7-17.5	117	63.5	54.3-72.7	39	15.6	09.7-21.5	4	1.1	00.0-02.3	11	8.2	01.5-14.9
\$25,000- 34,999	180	21,738							38	18.3	10.9-25.7	7	3.3	00.6-06.0	14	7.3	03.0-11.6
\$35,000- 49,999	288	35,652	29	9.3	05.6-13.0	179	60.7	53.3-68.1	68	26.7	19.4-34.0	2	0.5	00.0-01.3	10	2.8	00.4-05.2
\$50,000- 74,999	344	43,331	31	7.4	04.7-10.1	236	68.8	62.7-74.9	61	19.0	13.3-24.7	2	0.5	00.0-01.3	14	4.3	01.8-06.8
\$75,000+	523	67,060	60	9.1	06.7-11.5	344	62.4	57.1-67.7	92	19.7	15.4-24.0	4	1.0	00.0-02.0	23	7.8	04.1-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 9: HOW OFTEN DO YOU EAT GREEN SALAD? (GREENSAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2744	240,056	509	17.2	15.2-19.2	1770	64.2	61.7-66.7	335	13.7	11.7-15.7	24	0.7	00.5-00.9	106	4.2	03.0-05.4
Native	85	11,707										1	0.9	00.0-02.7	4	5.8	00.0-12.9
Non-Native	2629	226,506	489	17.1	15.1-19.1	1701	64.9	62.4-67.4	318	13.2	11.2-15.2	23	0.7	00.3-01.1	98	4.1	02.9-05.3
18-24	74	36,935	13	17.3	08.1-26.5				13	19.3	09.7-28.9				8	10.0	03.1-16.9
25-34	252	37,697	31	11.4	07.5-15.3	177	70.2	64.3-76.1	34	14.1	09.4-18.8	3	1.0	00.0-02.2	7	3.3	00.9-05.7
35-44	357	35,238	54	14.7	11.0-18.4	239	66.5	61.4-71.6	52	15.7	11.6-19.8	3	0.8	00.0-01.8	9	2.3	00.7-03.9
45-54	553	44,519	86	16.5	13.2-19.8	375	67.5	63.4-71.6	73	13.1	10.2-16.0	4	0.4	00.0-00.8	15	2.5	01.1-03.9
55-64	543	32,446	90	16.4	13.1-19.7	356	66.7	62.6-70.8	72	13.0	09.9-16.1	6	1.1	00.1-02.1	19	2.8	01.4-04.2
65+	928	51,205	225	23.8	20.9-26.7	562	61.8	58.5-65.1	88	9.3	07.3-11.3	7	0.7	00.1-01.3	46	4.5	03.1-05.9
Less Than H.S.	200	20,365	34	19.5	09.5-29.5							1	0.3	00.0-00.9	17	11.5	03.1-19.9
H.S. or G.E.D.	803	62,634	154	17.7	14.4-21.0	497	62.2	57.5-66.9	98	13.7	10.2-17.2	14	1.3	00.5-02.1	40	5.1	02.9-07.3
Some Post-H.S.	889	79,794	151	16.2	12.9-19.5	589	64.9	60.4-69.4	110	14.0	10.7-17.3	7	0.7	00.1-01.3	32	4.2	02.0-06.4
College Graduate	849	77,120	170	17.2	14.1-20.3	569	70.4	66.7-74.1	92	10.5	08.0-13.0	2	0.2	00.0-00.6	16	1.7	00.7-02.7
Less than \$15,000	214	17,539	37	16.1	08.5-23.7				43	24.7	14.9-34.5	2	0.7	00.0-01.9	20	8.1	01.8-14.4
\$15,000- 24,999	446	30,306	76	16.8	11.9-21.7	274	60.4	54.3-66.5	61	16.0	11.3-20.7	12	2.3	00.9-03.7	23	4.5	02.3-06.7
\$25,000- 34,999	342	26,838	71	17.9	13.2-22.6	212	64.3	57.8-70.8	36	9.8	06.3-13.3	3	0.7	00.0-01.5	20	7.2	03.3-11.1
\$35,000- 49,999	395	37,480	69	14.5	10.2-18.8	264	70.6	64.5-76.7	52	11.8	07.7-15.9	1	0.4	00.0-01.2	9	2.7	00.0-05.6
\$50,000- 74,999	420	37,807	72	15.5	11.8-19.2	291	70.4	65.5-75.3	47	11.9	08.2-15.6	1	0.3	00.0-00.9	9	1.9	00.5-03.3
\$75,000+	485	48,400	96	20.0	15.3-24.7	332	67.3	61.8-72.8	48	10.3	07.0-13.6	3	0.5	00.0-01.1	6	1.9	00.1-03.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 10: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4565	474,651	367	7.4	06.2-08.6	3221	69.9	67.9-71.9	804	18.6	16.8-20.4	41	1.0	00.6-01.4	132	3.0	02.2-03.8
Male	1814	234,416	163	8.4	06.4-10.4	1291	69.5	66.6-72.4	299	18.1	15.6-20.6	17	1.4	00.6-02.2	44	2.5	01.5-03.5
Female	2751	240,235	204	6.5	05.3-07.7	1930	70.3	67.9-72.7	505	19.1	16.9-21.3	24	0.7	00.3-01.1	88	3.4	02.4-04.4
Native	127	22,438	10	4.5	01.0-08.0				23	19.2	10.4-28.0	3	0.9	00.0-02.1	6	5.7	00.6-10.8
Non-Native	4374	446,501	341	7.4	06.2-08.6	3102	70.1	68.1-72.1	773	18.6	16.8-20.4	37	1.1	00.7-01.5	121	2.8	02.0-03.6
18-24	141	75,334	10	7.3	02.2-12.4	90	64.1	55.5-72.7	33	23.5	15.9-31.1	1	0.8	00.0-02.4	7	4.4	01.1-07.7
25-34	423	79,396	21	4.8	02.6-07.0	284	67.9	63.0-72.8	92	21.1	16.8-25.4	7	2.2	00.4-04.0	19	4.0	02.0-06.0
35-44	620	72,252	29	4.7	02.7-06.7	422	68.5	64.6-72.4	149	23.6	20.1-27.1	6	1.0	00.2-01.8	14	2.2	00.8-03.6
45-54	983	87,197	49	5.4	03.8-07.0	703	71.9	68.8-75.0	195	19.2	16.5-21.9	10	1.0	00.4-01.6	26	2.5	01.5-03.5
55-64	959	68,047	60	6.7	04.9-08.5	688	73.0	70.1-75.9	178	17.1	14.6-19.6	8	1.0	00.2-01.8	25	2.3	01.3-03.3
65+	1393	89,636	193	14.6	12.4-16.8	1003	73.5	71.0-76.0	150	9.0	07.4-10.6	9	0.4	00.0-00.8	38	2.5	01.7-03.3
Less Than H.S.	339	38,637	62	13.3	09.2-17.4	221	59.3	50.1-68.5	43	24.3	14.9-33.7	3	1.2	00.0-02.6	10	1.9	00.3-03.5
H.S. or G.E.D.	1353	134,127	146	11.3	08.4-14.2	939	68.7	64.8-72.6	218	16.4	13.3-19.5	14	1.5	00.3-02.7	36	2.1	01.3-02.9
Some Post-H.S.	1424	149,914	96	6.1	04.5-07.7	1027	71.4	68.1-74.7	238	16.8	14.1-19.5	11	0.9	00.1-01.7	52	4.8	03.0-06.6
College Graduate	1446	151,830	63	4.0	02.6-05.4	1031	72.2	69.5-74.9	305	20.9	18.4-23.4	13	0.7	00.3-01.1	34	2.2	01.2-03.2
Less than \$15,000	318	29,252	45	11.2	07.1-15.3	197	57.3	48.9-65.7	55	23.5	15.9-31.1	5	1.5	00.0-03.1	16	6.6	01.9-11.3
\$15,000- 24,999	643	54,362	61	9.1	06.0-12.2	446	72.4	67.7-77.1	103	13.0	09.9-16.1	7	1.5	00.0-03.1	26	4.0	01.8-06.2
\$25,000- 34,999	522	48,598	54	14.4	08.1-20.7	348	61.1	54.2-68.0	93	18.8	13.3-24.3	3	0.5	00.0-01.1	24	5.3	02.4-08.2
\$35,000- 49,999	679	72,640	50	7.8	05.1-10.5	501	73.5	68.8-78.2	118	17.4	13.3-21.5	4	0.4	00.0-00.8	6	0.9	00.0-01.9
\$50,000- 74,999	766	82,136	34	4.2	02.6-05.8	558	72.0	67.9-76.1	147	20.6	16.7-24.5	7	0.9	00.1-01.7	20	2.3	01.3-03.3
\$75,000+	1009	115,417	48	4.6	02.8-06.4	735	71.8	68.3-75.3	192	19.6	16.5-22.7	7	0.7	00.1-01.3	27	3.2	01.6-04.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 11: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1814	234,416	163	8.4	06.4-10.4	1291	69.5	66.6-72.4	299	18.1	15.6-20.6	17	1.4	00.6-02.2	44	2.5	01.5-03.5
Non-Native	1737	219,706	153	8.6	06.6-10.6	1242	69.4	66.3-72.5	286	18.2	15.7-20.7	15	1.4	00.6-02.2	41	2.4	01.4-03.4
18-24	67	38,399	5	9.7	00.9-18.5							1	1.5	00.0-04.4	2	3.0	00.0-07.1
25-34	173	41,954	10	5.3	02.0-08.6	117	67.0	59.2-74.8	34	20.2	13.3-27.1	4	3.1	00.0-06.2	8	4.3	01.2-07.4
35-44	261	36,907	13	5.0	02.1-07.9	175	67.7	61.6-73.8	64	23.8	18.5-29.1	4	1.4	00.0-03.0	5	2.1	00.0-04.3
45-54	434	43,027	26	6.3	03.8-08.8	319	72.9	68.4-77.4	75	18.0	13.9-22.1	5	1.4	00.2-02.6	9	1.5	00.5-02.5
55-64	417	35,536	35	8.5	05.8-11.2	298	72.3	67.8-76.8	69	15.7	12.0-19.4	3	0.9	00.0-02.1	12	2.6	01.0-04.2
65+	454	37,883	73	16.2	12.5-19.9	334	74.7	70.4-79.0	39	7.6	05.1-10.1				8	1.5	00.3-02.7
Less Than H.S.	135	18,071	32	16.7	09.8-23.6							2	1.7	00.0-04.2	3	1.0	00.0-02.2
H.S. or G.E.D.	549	71,389	64	13.0	08.1-17.9	371	65.4	59.3-71.5	92	17.3	12.8-21.8	9	2.5	00.3-04.7	13	1.9	00.5-03.3
Some Post-H.S.	533	70,179	42	7.0	04.5-09.5	387	69.7	64.2-75.2	83	18.1	13.2-23.0	3	1.2	00.0-02.8	18	4.1	01.7-06.5
College Graduate	597	74,777	25	3.4	01.8-05.0	450	74.5	70.2-78.8	109	19.5	15.6-23.4	3	0.5	00.0-01.1	10	2.1	00.3-03.9
Less than \$15,000	103	11,645	17	12.5	05.8-19.2							2	1.9	00.0-04.6	5	5.4	00.0-11.3
\$15,000- 24,999	198	24,166	24	11.3	05.2-17.4	141	73.0	64.8-81.2	20	8.0	03.9-12.1	3	2.4	00.0-05.5	10	5.3	01.2-09.4
\$25,000- 34,999	181	21,824							29	17.2	08.8-25.6	1	0.6	00.0-01.8	7	5.8	00.1-11.5
\$35,000- 49,999	287	35,479	26	9.1	05.2-13.0	206	68.4	61.1-75.7	51	21.3	14.2-28.4	1	0.3	00.0-00.9	3	0.9	00.0-02.3
\$50,000- 74,999	344	44,141	24	6.1	03.6-08.6	253	71.4	64.9-77.9	58	20.3	14.0-26.6	2	0.8	00.0-02.0	7	1.4	00.2-02.6
\$75,000+	523	67,060	25	5.3	02.6-08.0	394	73.2	68.5-77.9	89	18.2	14.3-22.1	3	0.8	00.0-01.8	12	2.7	00.5-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 12: HOW OFTEN DO YOU EAT POTATOES NOT INCLUDING FRENCH FRIES, FRIED POTATOES, OR POTATO CHIPS? (POTATOES)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	240,235	204	6.5	05.3-07.7	1930	70.3	67.9-72.7	505	19.1	16.9-21.3	24	0.7	00.3-01.1	88	3.4	02.4-04.4
Native	84	11,597	9	7.6	01.3-13.9							1	0.3	00.0-00.9	4	5.3	00.0-11.4
Non-Native	2637	226,795	188	6.3	05.1-07.5	1860	70.7	68.2-73.2	487	19.0	16.8-21.2	22	0.7	00.3-01.1	80	3.3	02.3-04.3
18-24	74	36,935	5	4.8	00.5-09.1										5	5.8	00.5-11.1
25-34	250	37,442	11	4.3	01.6-07.0	167	68.9	63.0-74.8	58	22.0	16.7-27.3	3	1.2	00.0-02.6	11	3.7	01.3-06.1
35-44	359	35,345	16	4.4	02.0-06.8	247	69.4	64.3-74.5	85	23.3	18.8-27.8	2	0.5	00.0-01.1	9	2.4	00.8-04.0
45-54	549	44,170	23	4.6	02.6-06.6	384	70.9	66.8-75.0	120	20.5	17.0-24.0	5	0.6	00.0-01.2	17	3.4	01.6-05.2
55-64	542	32,511	25	4.7	02.7-06.7	390	73.7	69.8-77.6	109	18.6	15.1-22.1	5	1.1	00.1-02.1	13	1.9	00.7-03.1
65+	939	51,753	120	13.5	11.1-15.9	669	72.7	69.8-75.6	111	9.9	07.9-11.9	9	0.8	00.2-01.4	30	3.1	01.9-04.3
Less Than H.S.	204	20,566	30	10.4	05.7-15.1							1	0.7	00.0-02.1	7	2.6	00.0-05.5
H.S. or G.E.D.	804	62,738	82	9.3	06.9-11.7	568	72.4	67.9-76.9	126	15.4	11.3-19.5	5	0.4	00.0-00.8	23	2.4	01.2-03.6
Some Post-H.S.	891	79,735	54	5.3	03.5-07.1	640	72.9	69.0-76.8	155	15.8	12.9-18.7	8	0.7	00.1-01.3	34	5.4	02.9-07.9
College Graduate	849	77,053	38	4.5	02.5-06.5	581	70.0	66.3-73.7	196	22.2	18.9-25.5	10	0.9	00.3-01.5	24	2.4	01.2-03.6
Less than \$15,000	215	17,607	28	10.3	05.2-15.4							3	1.2	00.0-03.0	11	7.3	00.4-14.2
\$15,000- 24,999	445	30,196	37	7.4	04.5-10.3	305	71.8	66.5-77.1	83	17.1	12.6-21.6	4	0.8	00.0-01.8	16	2.9	01.3-04.5
\$25,000- 34,999	341	26,774	26	10.3	05.8-14.8	232	64.6	57.2-72.0	64	20.0	12.7-27.3	2	0.3	00.0-00.7	17	4.8	02.1-07.5
\$35,000- 49,999	392	37,161	24	6.5	02.8-10.2	295	78.4	72.9-83.9	67	13.7	09.4-18.0	3	0.5	00.0-01.1	3	0.8	00.0-02.0
\$50,000- 74,999	422	37,995	10	1.9	00.7-03.1	305	72.8	68.1-77.5	89	20.8	16.3-25.3	5	1.0	00.0-02.0	13	3.4	01.4-05.4
\$75,000+	486	48,358	23	3.8	02.0-05.6	341	70.0	64.5-75.5	103	21.7	16.6-26.8	4	0.7	00.0-01.5	15	3.9	01.4-06.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 13: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4513	471,092	347	6.3	05.5-07.1	2601	54.8	52.8-56.8	1192	28.4	26.4-30.4	104	2.4	01.8-03.0	269	8.1	06.7-09.5
Male	1800	234,444	106	5.0	03.8-06.2	968	51.3	48.2-54.4	534	30.9	28.0-33.8	54	2.9	01.7-04.1	138	9.9	07.5-12.3
Female	2713	236,649	241	7.6	06.4-08.8	1633	58.2	55.7-60.7	658	25.9	23.5-28.3	50	2.0	01.2-02.8	131	6.3	04.7-07.9
Native	128	22,821	8	5.3	00.0-10.6							2	0.9	00.0-02.3	15	12.3	05.4-19.2
Non-Native	4324	442,742	332	6.3	05.5-07.1	2504	55.3	53.1-57.5	1135	27.9	25.9-29.9	101	2.5	01.7-03.3	252	7.9	06.5-09.3
18-24	141	75,758	6	2.9	00.4-05.4	69	48.5	39.5-57.5	45	32.0	23.6-40.4	3	2.4	00.0-05.1	18	14.2	07.7-20.7
25-34	418	78,549	25	5.0	03.0-07.0	217	50.0	44.7-55.3	123	30.4	25.5-35.3	13	3.4	01.4-05.4	40	11.2	07.3-15.1
35-44	614	71,629	33	4.7	02.9-06.5	313	50.1	45.8-54.4	188	31.6	27.7-35.5	19	3.0	01.6-04.4	61	10.6	07.9-13.3
45-54	975	86,557	64	6.5	04.9-08.1	544	55.9	52.6-59.2	286	29.9	26.8-33.0	31	2.5	01.5-03.5	50	5.2	03.6-06.8
55-64	954	67,624	79	8.6	06.6-10.6	549	56.6	53.3-59.9	261	28.1	25.0-31.2	21	2.3	01.3-03.3	44	4.4	03.0-05.8
65+	1367	88,268	133	9.3	07.7-10.9	885	65.7	63.0-68.4	277	19.9	17.5-22.3	16	1.1	00.5-01.7	56	4.0	02.8-05.2
Less Than H.S.	334	39,008	26	5.2	02.8-07.6	207	54.8	45.4-64.2	59	19.6	12.7-26.5	3	1.0	00.0-02.4	39	19.5	10.5-28.5
H.S. or G.E.D.	1325	131,954	104	7.4	05.6-09.2	711	50.4	46.5-54.3	389	31.2	27.5-34.9	41	3.6	01.8-05.4	80	7.4	05.2-09.6
Some Post-H.S.	1411	148,755	94	4.7	03.7-05.7	808	54.7	51.0-58.4	398	30.1	26.8-33.4	38	2.7	01.5-03.9	73	7.8	05.4-10.2
College Graduate	1440	151,233	122	7.2	05.8-08.6	873	58.7	55.6-61.8	346	26.6	23.7-29.5	22	1.4	00.8-02.0	77	6.1	04.5-07.7
Less than \$15,000	311	28,682	32	10.5	05.4-15.6	160	44.1	35.7-52.5	72	29.9	21.3-38.5	9	1.7	00.5-02.9	38	13.7	07.8-19.6
\$15,000- 24,999	627	53,272	54	8.4	05.7-11.1	343	54.1	48.6-59.6	166	25.0	20.5-29.5	16	2.5	00.9-04.1	48	10.0	06.1-13.9
\$25,000- 34,999	521	48,267	47	7.0	04.6-09.4	303	53.7	47.2-60.2	134	29.6	23.5-35.7	12	2.7	00.7-04.7	25	7.0	02.7-11.3
\$35,000- 49,999	678	72,623	53	6.2	04.2-08.2	392	56.2	51.1-61.3	185	28.7	24.0-33.4	15	1.9	00.7-03.1	33	7.0	03.7-10.3
\$50,000- 74,999	760	81,533	43	4.7	03.1-06.3	437	55.4	51.1-59.7	218	29.8	25.7-33.9	23	2.5	01.3-03.7	39	7.6	04.5-10.7
\$75,000+	1002	114,772	67	5.8	04.2-07.4	595	57.3	53.4-61.2	264	27.5	24.0-31.0	20	2.4	01.0-03.8	56	7.0	04.8-09.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 14: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1800	234,444	106	5.0	03.8-06.2	968	51.3	48.2-54.4	534	30.9	28.0-33.8	54	2.9	01.7-04.1	138	9.9	07.7-12.1
Non-Native	1723	219,438	102	5.1	03.9-06.3	928	51.3	48.2-54.4	507	30.6	27.7-33.5	54	3.1	01.9-04.3	132	10.0	07.6-12.4
18-24	69	39,933	4	3.4	00.0-06.9							2	3.1	00.0-07.6	9	15.4	05.6-25.2
25-34	172	41,726	6	3.1	00.6-05.6	86	47.8	39.8-55.8	53	31.3	23.9-38.7	7	4.2	00.7-07.7	20	13.5	07.2-19.8
35-44	258	36,486	11	3.7	01.3-06.1	114	45.0	38.5-51.5	89	34.2	28.1-40.3	9	3.1	01.1-05.1	35	14.1	09.4-18.8
45-54	430	42,635	20	4.9	02.5-07.3	226	52.6	47.5-57.7	143	34.1	29.2-39.0	14	2.4	01.0-03.8	27	6.0	03.5-08.5
55-64	416	35,468	29	7.7	04.8-10.6	231	55.6	50.5-60.7	123	29.4	24.7-34.1	14	2.9	01.1-04.7	19	4.3	02.1-06.5
65+	448	37,535	35	7.3	04.8-09.8	280	65.5	61.0-70.0	97	20.1	16.2-24.0	8	1.4	00.4-02.4	28	5.7	03.5-07.9
Less Than H.S.	136	19,558	7	3.4	00.7-06.1				22	14.7	05.9-23.5	2	1.6	00.0-04.0			
H.S. or G.E.D.	539	70,599	29	5.2	02.8-07.6	261	47.0	40.9-53.1	182	34.6	28.7-40.5	23	4.3	01.6-07.0	44	8.8	05.5-12.1
Some Post-H.S.	530	69,760	25	3.1	01.9-04.3	281	49.2	43.5-54.9	169	34.1	28.6-39.6	16	3.1	01.1-05.1	39	10.6	06.3-14.9
College Graduate	595	74,526	45	7.0	04.8-09.2	342	55.9	51.0-60.8	161	28.7	24.2-33.2	13	1.6	00.6-02.6	34	6.7	04.2-09.2
Less than \$15,000	100	11,460	13	10.1	03.8-16.4							6	2.7	00.3-05.1	19	16.2	07.8-24.6
\$15,000- 24,999	195	23,888	12	6.2	01.9-10.5	102	54.7	45.1-64.3	54	23.7	16.3-31.1	6	2.4	00.0-05.3	21	13.0	05.6-20.4
\$25,000- 34,999	179	21,537	11	4.5	01.4-07.6							9	5.3	00.8-09.8	13	7.3	02.6-12.0
\$35,000- 49,999	285	35,405	19	5.6	02.9-08.3	150	52.3	44.9-59.7	92	31.3	24.6-38.0	5	1.1	00.1-02.1	19	9.7	04.0-15.4
\$50,000- 74,999	342	43,891	14	3.8	01.6-06.0	188	52.1	45.4-58.8	110	33.1	26.8-39.4	10	2.1	00.5-03.7	20	8.9	03.8-14.0
\$75,000+	520	66,677	30	5.6	03.2-08.0	298	55.1	49.8-60.4	146	28.6	23.9-33.3	12	2.3	00.9-03.7	34	8.3	05.0-11.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 15: HOW OFTEN DO YOU EAT CARROTS? (CARROTS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2713	236,649	241	7.6	06.4-08.8	1633	58.2	55.7-60.7	658	25.9	23.5-28.3	50	2.0	01.2-02.8	131	6.3	04.7-07.9
Native	84	11,597	7	8.5	00.0-17.9							2	1.8	00.0-04.5	10	13.9	04.1-23.7
Non-Native	2601	223,304	230	7.4	06.4-08.4	1576	59.3	56.8-61.8	628	25.4	23.0-27.8	47	2.0	01.2-02.8	120	6.0	04.4-07.6
18-24	72	35,824	2	2.3	00.0-05.6							1	1.6	00.0-04.5	9	12.9	04.7-21.1
25-34	246	36,823	19	7.1	03.8-10.4	131	52.5	46.0-59.0	70	29.5	23.4-35.6	6	2.4	00.4-04.4	20	8.5	04.6-12.4
35-44	356	35,143	22	5.8	03.3-08.3	199	55.4	49.9-60.9	99	28.9	23.8-34.0	10	3.0	01.2-04.8	26	6.9	04.2-09.6
45-54	545	43,922	44	8.1	05.7-10.5	318	59.0	54.7-63.3	143	25.8	21.9-29.7	17	2.7	01.3-04.1	23	4.3	02.3-06.3
55-64	538	32,156	50	9.5	06.8-12.2	318	57.8	53.3-62.3	138	26.6	22.5-30.7	7	1.6	00.4-02.8	25	4.5	02.7-06.3
65+	919	50,733	98	10.8	08.6-13.0	605	65.8	62.5-69.1	180	19.8	17.1-22.5	8	0.8	00.2-01.4	28	2.8	01.6-04.0
Less Than H.S.	198	19,451	19	7.0	03.3-10.7							1	0.4	00.0-01.2			
H.S. or G.E.D.	786	61,355	75	9.9	07.2-12.6	450	54.2	49.3-59.1	207	27.3	22.6-32.0	18	2.8	00.8-04.8	36	5.8	03.3-08.3
Some Post-H.S.	881	78,994	69	6.1	04.5-07.7	527	59.6	55.1-64.1	229	26.6	22.5-30.7	22	2.4	01.4-03.4	34	5.4	02.9-07.9
College Graduate	845	76,707	77	7.4	05.6-09.2	531	61.4	57.3-65.5	185	24.6	20.7-28.5	9	1.2	00.4-02.0	43	5.5	03.5-07.5
Less than \$15,000	211	17,222	19	10.8	03.5-18.1							3	1.1	00.0-02.5	19	12.0	03.8-20.2
\$15,000- 24,999	432	29,385	42	10.2	06.7-13.7	241	53.7	47.4-60.0	112	26.0	20.7-31.3	10	2.5	00.7-04.3	27	7.6	04.1-11.1
\$25,000- 34,999	342	26,731	36	9.0	05.7-12.3	209	57.3	49.9-64.7	82	26.4	19.9-32.9	3	0.5	00.0-01.1	12	6.7	00.0-13.4
\$35,000- 49,999	393	37,218	34	6.8	04.3-09.3	242	59.9	53.0-66.8	93	26.2	19.5-32.9	10	2.7	00.9-04.5	14	4.4	01.1-07.7
\$50,000- 74,999	418	37,642	29	5.7	03.5-07.9	249	59.3	53.8-64.8	108	25.8	21.1-30.5	13	3.0	01.2-04.8	19	6.1	02.6-09.6
\$75,000+	482	48,095	37	6.2	04.0-08.4	297	60.4	54.7-66.1	118	25.9	20.6-31.2	8	2.5	00.1-04.9	22	5.0	02.6-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 16: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? (EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS.) (VEGETABL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4515	470,460	2746	60.5	58.5-62.5	1483	32.5	30.5-34.5	230	5.5	04.5-06.5	7	0.1	00.0-00.3	49	1.3	00.7-01.9
Male	1787	232,179	957	54.5	51.4-57.6	668	36.4	33.5-39.3	135	7.1	05.5-08.7	2	0.1	00.0-00.3	25	1.9	00.9-02.9
Female	2728	238,281	1789	66.4	64.0-68.8	815	28.7	26.3-31.1	95	4.0	02.8-05.2	5	0.2	00.0-00.4	24	0.8	00.4-01.2
Native	128	22,355							10	10.5	03.1-17.9				2	2.2	00.0-05.3
Non-Native	4326	442,521	2637	60.7	58.7-62.7	1418	32.5	30.5-34.5	218	5.3	04.3-06.3	7	0.1	00.0-00.3	46	1.3	00.7-01.9
18-24	140	74,885	83	58.2	49.4-67.0	43	31.8	23.4-40.2	9	6.7	02.2-11.2				5	3.3	00.2-06.4
25-34	422	79,131	287	67.5	62.6-72.4	112	26.9	22.2-31.6	21	5.0	02.6-07.4				2	0.6	00.0-01.6
35-44	613	71,512	359	56.1	51.8-60.4	206	35.3	31.2-39.4	36	6.3	04.1-08.5	2	0.3	00.0-00.7	10	2.0	00.6-03.4
45-54	975	86,712	553	57.3	54.0-60.6	343	34.8	31.7-37.9	65	6.8	05.0-08.6	2	0.1	00.0-00.3	12	1.0	00.4-01.6
55-64	950	67,447	564	59.0	55.7-62.3	322	34.5	31.2-37.8	55	5.9	04.3-07.5	1	0.1	00.0-00.3	8	0.6	00.2-01.0
65+	1373	88,309	875	64.4	61.7-67.1	442	31.7	29.0-34.4	42	2.9	01.9-03.9	2	0.3	00.0-00.9	12	0.7	00.3-01.1
Less Than H.S.	327	38,135	174	53.2	43.8-62.6	129	37.8	28.6-47.0	15	7.0	01.5-12.5	1	0.6	00.0-01.8	8	1.4	00.4-02.4
H.S. or G.E.D.	1334	131,689	753	57.2	53.3-61.1	487	34.5	31.0-38.0	74	6.3	04.1-08.5	2	0.1	00.0-00.3	18	1.8	00.6-03.0
Some Post-H.S.	1410	148,894	851	59.4	55.9-62.9	470	34.2	30.7-37.7	72	4.8	03.4-06.2	3	0.1	00.0-00.3	14	1.5	00.3-02.7
College Graduate	1441	151,600	966	66.4	63.3-69.5	396	27.7	24.8-30.6	69	5.1	03.7-06.5	1	0.1	00.0-00.3	9	0.8	00.0-01.6
Less than \$15,000	308	28,723	169	56.8	48.4-65.2	111	35.2	27.0-43.4	16	5.2	02.1-08.3	1	0.3	00.0-00.9	11	2.6	00.6-04.6
\$15,000- 24,999	630	52,134	383	61.9	56.6-67.2	205	31.8	26.7-36.9	31	5.2	02.8-07.6	3	0.3	00.0-00.7	8	0.8	00.2-01.4
\$25,000- 34,999	519	48,115	306	54.3	47.8-60.8	183	39.0	32.5-45.5	27	5.8	02.9-08.7	1	0.5	00.0-01.5	2	0.3	00.0-00.7
\$35,000- 49,999	677	72,590	420	62.6	57.7-67.5	207	31.4	26.7-36.1	43	4.9	03.3-06.5				7	1.1	00.1-02.1
\$50,000- 74,999	763	81,918	448	58.5	54.2-62.8	262	33.7	29.6-37.8	47	7.2	04.5-09.9	1	0.1	00.0-00.3	5	0.4	00.0-00.8
\$75,000+	1004	114,983	617	61.2	57.5-64.9	334	31.5	28.0-35.0	42	4.3	02.9-05.7	1	0.1	00.0-00.3	10	3.0	00.8-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 17: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? (EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS.) (VEGETABL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1787	232,179	957	54.5	51.4-57.6	668	36.4	33.5-39.3	135	7.1	05.5-08.7	2	0.1	00.0-00.3	25	1.9	00.9-02.9
Non-Native	1711	217,694	917	54.4	51.3-57.5	642	36.7	33.6-39.8	127	7.0	05.4-08.6	2	0.1	00.0-00.3	23	1.8	00.6-03.0
18-24	67	38,783							5	7.7	00.8-14.6				4	5.4	00.0-11.1
25-34	172	41,726	109	64.8	57.2-72.4	52	28.7	21.4-36.0	10	5.7	02.0-09.4				1	0.8	00.0-02.4
35-44	257	36,381	129	48.9	42.4-55.4	98	39.2	32.9-45.5	25	9.4	05.7-13.1				5	2.5	00.1-04.9
45-54	428	42,635	222	52.0	46.9-57.1	161	38.3	33.4-43.2	39	8.7	05.8-11.6				6	1.0	00.2-01.8
55-64	410	35,033	207	51.9	46.8-57.0	163	40.2	35.1-45.3	34	7.1	04.6-09.6	1	0.1	00.0-00.3	5	0.8	00.0-01.6
65+	448	37,205	251	57.5	52.6-62.4	170	36.9	32.2-41.6	22	4.3	02.5-06.1	1	0.6	00.0-01.8	4	0.7	00.0-01.5
Less Than H.S.	128	18,675							7	6.6	00.0-15.4	1	1.3	00.0-03.8	5	2.2	00.0-04.4
H.S. or G.E.D.	539	69,434	276	53.4	47.3-59.5	207	36.0	30.5-41.5	46	8.4	04.9-11.9	1	0.1	00.0-00.3	9	2.2	00.2-04.2
Some Post-H.S.	526	69,488	263	49.9	44.0-55.8	214	41.4	35.7-47.1	41	6.2	04.0-08.4				8	2.5	00.0-05.0
College Graduate	594	74,582	358	61.3	56.6-66.0	192	30.9	26.6-35.2	41	6.9	04.5-09.3				3	0.9	00.0-02.5
Less than \$15,000	98	11,351							7	7.1	00.6-13.6				7	4.5	00.2-08.8
\$15,000- 24,999	191	22,230	105	56.2	46.6-65.8	69	37.1	27.9-46.3	14	6.0	01.5-10.5	1	0.2	00.0-00.6	2	0.5	00.0-01.3
\$25,000- 34,999	178	21,458							16	6.2	02.5-09.9	1	1.1	00.0-03.3	1	0.5	00.0-01.5
\$35,000- 49,999	283	35,227	149	57.1	50.0-64.2	104	34.6	27.9-41.3	28	7.2	04.5-09.9				2	1.1	00.0-02.7
\$50,000- 74,999	343	44,034	182	53.2	46.5-59.9	130	37.2	30.7-43.7	27	8.9	04.2-13.6				4	0.7	00.0-01.5
\$75,000+	519	66,702	284	55.1	49.8-60.4	196	34.7	29.8-39.6	32	6.0	03.8-08.2				7	4.2	00.7-07.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 18: NOT COUNTING CARROTS, POTATOES, OR SALAD, HOW MANY SERVINGS OF VEGETABLES DO YOU USUALLY EAT? (EXAMPLE: A SERVING OF VEGETABLES AT BOTH LUNCH AND DINNER WOULD BE TWO SERVINGS.) (VEGETABL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	238,281	1789	66.4	64.0-68.8	815	28.7	26.3-31.1	95	4.0	02.8-05.2	5	0.2	00.0-00.4	24	0.8	00.4-01.2
Non-Native	2615	224,828	1720	66.9	64.4-69.4	776	28.5	26.1-30.9	91	3.6	02.6-04.6	5	0.2	00.0-00.4	23	0.8	00.4-01.2
18-24	73	36,102							4	5.6	00.1-11.1				1	1.0	00.0-03.0
25-34	250	37,406	178	70.5	64.4-76.6	60	25.0	19.3-30.7	11	4.1	01.6-06.6				1	0.4	00.0-01.2
35-44	356	35,131	230	63.6	58.3-68.9	108	31.2	26.1-36.3	11	3.2	01.2-05.2	2	0.5	00.0-01.3	5	1.5	00.1-02.9
45-54	547	44,077	331	62.4	58.1-66.7	182	31.5	27.4-35.6	26	5.0	02.8-07.2	2	0.3	00.0-00.7	6	0.9	00.1-01.7
55-64	540	32,414	357	66.7	62.4-71.0	159	28.4	24.3-32.5	21	4.6	02.4-06.8				3	0.4	00.0-00.8
65+	925	51,104	624	69.3	66.2-72.4	272	27.9	24.8-31.0	20	1.9	00.9-02.9	1	0.1	00.0-00.3	8	0.7	00.3-01.1
Less Than H.S.	199	19,461							8	7.4	00.5-14.3				3	0.6	00.0-01.4
H.S. or G.E.D.	795	62,255	477	61.6	56.9-66.3	280	32.9	28.6-37.2	28	4.0	01.8-06.2	1	0.1	00.0-00.3	9	1.4	00.0-02.8
Some Post-H.S.	884	79,406	588	67.7	63.6-71.8	256	27.9	24.0-31.8	31	3.6	01.8-05.4	3	0.3	00.0-00.7	6	0.6	00.0-01.2
College Graduate	847	77,017	608	71.3	67.4-75.2	204	24.6	20.7-28.5	28	3.4	02.0-04.8	1	0.1	00.0-00.3	6	0.6	00.0-01.2
Less than \$15,000	210	17,372							9	3.9	00.6-07.2	1	0.5	00.0-01.5	4	1.3	00.0-02.7
\$15,000- 24,999	439	29,904	278	66.1	60.4-71.8	136	27.9	22.6-33.2	17	4.5	02.0-07.0	2	0.3	00.0-00.7	6	1.1	00.1-02.1
\$25,000- 34,999	341	26,657	218	60.9	53.3-68.5	111	33.4	26.0-40.8	11	5.5	01.0-10.0				1	0.2	00.0-00.6
\$35,000- 49,999	394	37,363	271	67.9	61.2-74.6	103	28.3	21.6-35.0	15	2.8	01.2-04.4				5	1.1	00.1-02.1
\$50,000- 74,999	420	37,884	266	64.8	59.7-69.9	132	29.6	24.7-34.5	20	5.3	02.8-07.8	1	0.3	00.0-00.9	1	0.1	00.0-00.3
\$75,000+	485	48,280	333	69.6	64.5-74.7	138	27.1	22.2-32.0	10	1.8	00.6-03.0	1	0.2	00.0-00.6	3	1.3	00.0-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 19: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? WOULD YOU SAY – (JOBACTIV)	
1	MALES AND FEMALES	233
2	MALES ONLY	234
3	FEMALES ONLY	235
	WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)	
4	MALES AND FEMALES	236
5	MALES ONLY	237
6	FEMALES ONLY	238
	HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)	
7	MALES AND FEMALES	239
8	MALES ONLY	240
9	FEMALES ONLY	241
	ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)	
10	MALES AND FEMALES	242
11	MALES ONLY	243
12	FEMALES ONLY	244
	NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)	
13	MALES AND FEMALES	245
14	MALES ONLY	246
15	FEMALES ONLY	247

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 19: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)	
16	MALES AND FEMALES	248
17	MALES ONLY	249
18	FEMALES ONLY	250
	ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)	
19	MALES AND FEMALES	251
20	MALES ONLY	252
21	FEMALES ONLY	253

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 1: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? WOULD YOU SAY — (JOBACTIV)
Denominator excludes: Respondents that are NOT employed,
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2698	304,374	1664	59.3	56.8-61.8	599	22.9	20.7-25.1	435	17.9	15.9-19.9
Male	1216	165,850	651	53.3	49.6-57.0	256	20.5	17.6-23.4	309	26.1	22.8-29.4
Female	1482	138,524	1013	66.4	63.1-69.7	343	25.7	22.6-28.8	126	8.0	06.4-09.6
Non-Native	2613	290,817	1619	59.5	57.0-62.0	576	22.7	20.5-24.9	418	17.9	15.7-20.1
25-34	352	66,920	225	64.5	59.0-70.0	75	19.0	14.9-23.1	52	16.4	12.1-20.7
35-44	525	61,529	345	63.5	59.0-68.0	96	18.7	15.2-22.2	84	17.8	14.1-21.5
45-54	843	74,978	516	59.7	56.2-63.2	182	21.3	18.4-24.2	145	19.0	16.1-21.9
55-64	668	48,178	412	59.5	55.4-63.6	151	23.7	20.2-27.2	105	16.8	13.7-19.9
65+	212	13,841	120	55.4	48.1-62.7	62	28.9	22.4-35.4	30	15.7	10.2-21.2
H.S. or G.E.D.	659	75,716	333	45.9	40.6-51.2	157	25.2	20.1-30.3	169	28.8	23.5-34.1
Some Post-H.S.	894	98,302	520	57.1	53.0-61.2	208	22.8	19.5-26.1	166	20.0	16.7-23.3
College Graduate	1050	116,699	772	71.5	68.2-74.8	204	20.5	17.6-23.4	74	8.0	05.8-10.2
\$15,000- 24,999	255	25,610	138	54.7	46.3-63.1	70	25.4	18.3-32.5	47	20.0	13.3-26.7
\$25,000- 34,999	268	28,091	149	50.1	41.1-59.1	57	18.8	12.9-24.7	62	31.0	21.0-41.0
\$35,000- 49,999	431	49,065	262	57.4	51.1-63.7	95	23.5	18.0-29.0	74	19.1	14.2-24.0
\$50,000- 74,999	591	65,902	379	62.8	58.1-67.5	124	21.2	17.3-25.1	88	16.0	12.1-19.9
\$75,000+	828	96,003	563	64.9	60.8-69.0	158	20.8	17.1-24.5	107	14.3	11.4-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 2: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? WOULD YOU SAY — (JOBACTIV)
Denominator excludes: Respondents that are NOT employed,
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1216	165,850	651	53.3	49.6-57.0	256	20.5	17.6-23.4	309	26.1	22.8-29.4
Non-Native	1180	157,920	633	53.2	49.5-56.9	248	20.2	17.5-22.9	299	26.6	23.3-29.9
25-34	160	38,364	92	60.7	52.7-68.7	26	14.4	09.1-19.7	42	24.9	17.8-32.0
35-44	235	32,979	136	57.0	50.3-63.7	42	18.6	13.3-23.9	57	24.4	18.7-30.1
45-54	377	38,008	188	48.1	42.6-53.6	82	22.5	18.0-27.0	107	29.4	24.3-34.5
55-64	303	26,477	166	55.0	49.1-60.9	69	23.0	17.9-28.1	68	22.0	17.1-26.9
65+	95	7,767				26	26.4	17.4-35.4	20	22.2	13.4-31.0
H.S. or G.E.D.	332	45,981	146	40.5	33.4-47.6	71	21.3	14.8-27.8	115	38.3	30.7-45.9
Some Post-H.S.	388	52,125	166	47.8	41.3-54.3	98	22.2	17.5-26.9	124	30.0	24.5-35.5
College Graduate	446	59,579	318	69.1	64.0-74.2	75	18.2	13.9-22.5	53	12.7	09.0-16.4
\$25,000- 34,999	97	13,933				19	15.3	07.1-23.5			
\$35,000- 49,999	198	26,197	97	48.9	40.1-57.7	45	22.5	15.4-29.6	56	28.6	20.8-36.4
\$50,000- 74,999	273	36,261	145	54.5	47.4-61.6	62	21.6	15.9-27.3	66	23.9	17.6-30.2
\$75,000+	445	56,630	277	60.5	55.4-65.6	80	19.0	14.7-23.3	88	20.4	16.1-24.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 3: WHEN YOU ARE AT WORK, WHICH OF THE FOLLOWING BEST DESCRIBES WHAT YOU DO? WOULD YOU SAY — (JOBACTIV)

Denominator excludes: Respondents that are NOT employed,

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mostly Sitting or Standing			Mostly Walking			Mostly Heavy Labor or physically demanding labor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1482	138,524	1013	66.4	63.1-69.7	343	25.7	22.6-28.8	126	8.0	06.4-09.6
Non-Native	1433	132,897	986	66.9	63.6-70.2	328	25.6	22.3-28.9	119	7.5	05.9-09.1
25-34	192	28,555	133	69.6	62.7-76.5	49	25.3	18.8-31.8	10	5.1	02.0-08.2
35-44	290	28,550	209	71.0	65.3-76.7	54	18.8	14.1-23.5	27	10.2	06.1-14.3
45-54	466	36,970	328	71.7	67.4-76.0	100	20.0	16.3-23.7	38	8.4	05.7-11.1
55-64	365	21,701	246	65.1	59.8-70.4	82	24.5	19.6-29.4	37	10.4	06.9-13.9
65+	117	6,074	71	60.6	51.0-70.2	36	32.1	22.9-41.3	10	7.3	02.6-12.0
H.S. or G.E.D.	327	29,736	187	54.4	46.6-62.2	86	31.3	23.1-39.5	54	14.3	10.0-18.6
Some Post-H.S.	506	46,178	354	67.7	62.4-73.0	110	23.5	18.4-28.6	42	8.8	05.5-12.1
College Graduate	604	57,120	454	74.1	69.8-78.4	129	22.8	18.5-27.1	21	3.1	01.7-04.5
\$15,000- 24,999	166	11,874	96	56.3	46.7-65.9	47	31.9	22.7-41.1	23	11.8	06.5-17.1
\$25,000- 34,999	171	14,158	111	64.0	55.2-72.8	38	22.3	14.5-30.1	22	13.8	07.9-19.7
\$35,000- 49,999	233	22,868	165	67.1	58.3-75.9	50	24.6	16.2-33.0	18	8.2	03.7-12.7
\$50,000- 74,999	318	29,641	234	73.0	67.3-78.7	62	20.7	15.4-26.0	22	6.3	03.6-09.0
\$75,000+	383	39,374	286	71.1	64.4-77.8	78	23.4	16.9-29.9	19	5.5	02.2-08.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 4: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4560	475,067	3938	87.9	86.5-89.3	622	12.1	10.7-13.5
Male	1814	235,823	1543	86.1	83.9-88.3	271	13.9	11.7-16.1
Female	2746	239,244	2395	89.6	88.2-91.0	351	10.4	09.0-11.8
Non-Native	4372	446,717	3781	88.3	87.1-89.5	591	11.7	10.5-12.9
18-24	142	76,035	132	91.9	86.8-97.0	10	8.1	03.0-13.2
25-34	423	79,469	395	91.8	88.3-95.3	28	8.2	04.7-11.7
35-44	618	72,086	562	90.5	88.0-93.0	56	9.5	07.0-12.0
45-54	982	87,019	869	88.0	85.6-90.4	113	12.0	09.6-14.4
55-64	960	68,025	846	88.0	85.6-90.4	114	12.0	09.6-14.4
65+	1389	89,643	1096	79.0	76.6-81.4	293	21.0	18.6-23.4
Less Than H.S.	337	39,184	246	74.8	66.8-82.8	91	25.2	17.2-33.2
H.S. or G.E.D.	1352	134,068	1130	85.7	83.3-88.1	222	14.3	11.9-16.7
Some Post-H.S.	1423	149,908	1254	89.0	86.6-91.4	169	11.0	08.6-13.4
College Graduate	1446	151,798	1306	92.2	90.6-93.8	140	7.8	06.2-09.4
Less than \$15,000	318	29,291	246	82.1	76.8-87.4	72	17.9	12.6-23.2
\$15,000- 24,999	642	54,309	526	84.0	80.5-87.5	116	16.0	12.5-19.5
\$25,000- 34,999	522	48,420	440	88.0	84.9-91.1	82	12.0	08.9-15.1
\$35,000- 49,999	681	72,996	608	89.3	86.0-92.6	73	10.7	07.4-14.0
\$50,000- 74,999	765	82,099	691	90.8	88.4-93.2	74	9.2	06.8-11.6
\$75,000+	1005	115,104	916	91.8	89.8-93.8	89	8.2	06.2-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 5: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1814	235,823	1543	86.1	83.9-88.3	271	13.9	11.7-16.1
Non-Native	1736	220,677	1481	86.8	84.6-89.0	255	13.2	11.0-15.4
18-24	69	39,933	64	90.6	82.4-98.8	5	9.4	01.2-17.6
25-34	173	41,954	157	88.3	82.0-94.6	16	11.7	05.4-18.0
35-44	261	36,907	233	89.1	85.0-93.2	28	10.9	06.8-15.0
45-54	431	42,733	364	83.7	79.8-87.6	67	16.3	12.4-20.2
55-64	414	35,353	355	85.5	81.8-89.2	59	14.5	10.8-18.2
65+	458	38,233	362	79.2	75.3-83.1	96	20.8	16.9-24.7
H.S. or G.E.D.	547	71,225	448	85.4	82.1-88.7	99	14.6	11.3-17.9
Some Post-H.S.	533	70,183	470	87.7	83.6-91.8	63	12.3	08.2-16.4
College Graduate	598	74,858	529	90.6	88.1-93.1	69	9.4	06.9-11.9
\$15,000- 24,999	198	24,113	150	80.9	74.2-87.6	48	19.1	12.4-25.8
\$25,000- 34,999	180	21,657	147	86.9	81.8-92.0	33	13.1	08.0-18.2
\$35,000- 49,999	286	35,555	256	86.7	80.6-92.8	30	13.3	07.2-19.4
\$50,000- 74,999	345	44,212	303	89.8	86.5-93.1	42	10.2	06.9-13.5
\$75,000+	522	66,962	468	90.5	87.8-93.2	54	9.5	06.8-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 6: WE ARE INTERESTED IN TWO TYPES OF PHYSICAL ACTIVITY: VIGOROUS AND MODERATE. VIGOROUS ACTIVITIES CAUSE LARGE INCREASES IN BREATHING OR HEART RATE WHILE MODERATE ACTIVITIES CAUSE SMALL INCREASES IN BREATHING OR HEART RATE. NOW, THINKING ABOUT THE MODERATE ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS BRISK WALKING, BICYCLING, VACUUMING, GARDENING, OR ANYTHING ELSE THAT CAUSES SOME INCREASE IN BREATHING OR HEART RATE? (MODPACT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2746	239,244	2395	89.6	88.2-91.0	351	10.4	09.0-11.8
Non-Native	2636	226,041	2300	89.9	88.5-91.3	336	10.1	08.7-11.5
18-24	73	36,102	68	93.3	87.2-99.4	5	6.7	00.6-12.8
25-34	250	37,515	238	95.6	93.1-98.1	12	4.4	01.9-06.9
35-44	357	35,179	329	92.0	89.1-94.9	28	8.0	05.1-10.9
45-54	551	44,286	505	92.1	89.7-94.5	46	7.9	05.5-10.3
55-64	546	32,672	491	90.6	88.1-93.1	55	9.4	06.9-11.9
65+	931	51,410	734	78.9	76.2-81.6	197	21.1	18.4-23.8
Less Than H.S.	201	19,626	150	83.3	77.0-89.6	51	16.7	10.4-23.0
H.S. or G.E.D.	805	62,843	682	86.1	82.8-89.4	123	13.9	10.6-17.2
Some Post-H.S.	890	79,725	784	90.1	87.6-92.6	106	9.9	07.4-12.4
College Graduate	848	76,940	777	93.6	92.0-95.2	71	6.4	04.8-08.0
Less than \$15,000	214	17,524	164	84.0	78.3-89.7	50	16.0	10.3-21.7
\$15,000- 24,999	444	30,196	376	86.4	82.9-89.9	68	13.6	10.1-17.1
\$25,000- 34,999	342	26,763	293	89.0	85.3-92.7	49	11.0	07.3-14.7
\$35,000- 49,999	395	37,441	352	91.7	89.0-94.4	43	8.3	05.6-11.0
\$50,000- 74,999	420	37,887	388	92.0	88.5-95.5	32	8.0	04.5-11.5
\$75,000+	483	48,143	448	93.7	91.5-95.9	35	6.3	04.1-08.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 7: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3911	415,808	150	3.2	02.4-04.0	345	8.2	07.0-09.4	3410	88.5	87.1-89.9	6	0.1	00.0-00.3
Male	1535	202,553	52	2.8	01.8-03.8	132	8.2	06.4-10.0	1348	88.8	86.8-90.8	3	0.2	00.0-00.4
Female	2376	213,256	98	3.6	02.6-04.6	213	8.2	06.6-09.8	2062	88.2	86.4-90.0	3	0.1	00.1-00.1
Native	101	17,793	3	1.8	00.0-04.3	8	3.9	00.8-07.0	90	94.3	90.2-98.4			
Non-Native	3760	393,351	144	3.3	02.5-04.1	336	8.4	07.2-09.6	3274	88.1	86.7-89.5	6	0.1	00.0-00.3
18-24	132	69,889	4	3.2	00.1-06.3	8	6.1	01.8-10.4	120	90.7	85.4-96.0			
25-34	395	72,930	3	0.9	00.0-02.1	29	7.1	04.4-09.8	362	91.7	88.8-94.6	1	0.3	00.0-00.9
35-44	560	65,059	13	2.2	00.8-03.6	51	9.6	06.9-12.3	496	88.2	85.3-91.1			
45-54	867	76,389	30	3.4	02.0-04.8	71	7.6	05.8-09.4	764	88.8	86.6-91.0	2	0.2	00.0-00.4
55-64	837	59,299	30	3.6	02.2-05.0	75	9.1	06.9-11.3	731	87.1	84.6-89.6	1	0.2	00.0-00.6
65+	1082	70,001	69	5.9	04.3-07.5	107	9.9	07.9-11.9	904	84.0	81.6-86.4	2	0.2	00.0-00.4
Less Than H.S.	243	29,059	19	6.1	01.0-11.2	29	7.4	04.1-10.7	193	85.9	79.8-92.0	2	0.6	00.0-01.4
H.S. or G.E.D.	1114	113,967	58	4.6	03.0-06.2	113	9.0	06.6-11.4	940	86.3	83.6-89.0	3	0.2	00.0-00.4
Some Post-H.S.	1248	132,878	42	2.3	01.5-03.1	109	8.3	06.3-10.3	1096	89.3	87.1-91.5	1	0.2	00.0-00.6
College Graduate	1304	139,794	31	2.4	01.2-03.6	93	7.6	05.6-09.6	1180	90.0	87.8-92.2			
Less than \$15,000	244	23,904	13	5.5	00.6-10.4	34	9.2	05.5-12.9	196	85.0	78.9-91.1	1	0.3	00.0-00.9
\$15,000- 24,999	522	45,381	33	4.9	02.7-07.1	50	8.0	04.9-11.1	437	87.0	83.3-90.7	2	0.2	00.0-00.4
\$25,000- 34,999	436	42,343	19	3.0	01.4-04.6	40	9.8	05.7-13.9	377	87.3	83.0-91.6			
\$35,000- 49,999	605	64,928	15	1.9	00.9-02.9	61	9.6	06.3-12.9	528	88.2	84.7-91.7	1	0.4	00.0-01.2
\$50,000- 74,999	689	74,416	20	2.5	01.3-03.7	57	8.0	05.6-10.4	611	89.4	86.9-91.9	1	0.1	00.0-00.3
\$75,000+	914	105,605	26	2.5	01.3-03.7	56	6.6	04.6-08.6	832	90.9	88.5-93.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 8: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1535	202,553	52	2.8	01.8-03.8	132	8.2	06.4-10.0	1348	88.8	86.8-90.8	3	0.2	00.0-00.4
Non-Native	1475	191,099	50	2.9	01.9-03.9	130	8.6	06.8-10.4	1292	88.3	86.3-90.3	3	0.2	00.0-00.4
18-24	64	36,194	1	1.6	00.0-04.7	5	6.4	00.7-12.1	58	92.1	85.6-98.6			
25-34	157	37,054	2	1.4	00.0-03.4	12	7.4	03.3-11.5	142	90.6	85.9-95.3	1	0.6	00.0-01.8
35-44	233	32,874	6	2.3	00.3-04.3	26	11.4	07.1-15.7	201	86.2	81.5-90.9			
45-54	363	35,731	14	3.9	01.7-06.1	29	7.3	04.6-10.0	319	88.6	85.1-92.1	1	0.3	00.0-00.9
55-64	353	30,061	16	4.6	02.2-07.0	31	9.0	05.7-12.3	305	86.1	82.2-90.0	1	0.3	00.0-00.9
65+	357	29,929	13	3.7	01.5-05.9	29	8.2	05.1-11.3	315	88.2	84.5-91.9			
Less Than H.S.	94	12,793	3	1.9	00.0-04.3	7	6.2	00.7-11.7	83	91.2	84.9-97.5	1	0.8	00.0-02.4
H.S. or G.E.D.	446	60,673	19	4.0	01.5-06.5	43	8.0	05.1-10.9	383	87.8	84.1-91.5	1	0.2	00.0-00.6
Some Post-H.S.	468	61,346	15	2.1	00.9-03.3	44	9.4	05.9-12.9	408	88.1	84.4-91.8	1	0.4	00.0-01.2
College Graduate	527	67,741	15	2.6	01.2-04.0	38	7.5	05.0-10.0	474	89.9	87.0-92.8			
Less than \$15,000	81	9,217	3	3.5	00.0-08.2	12	11.1	03.7-18.5	66	85.5	76.7-94.3			
\$15,000- 24,999	149	19,459	4	2.9	00.0-06.6	13	8.7	02.2-15.2	132	88.4	81.1-95.7			
\$25,000- 34,999	147	18,817	7	3.2	00.7-05.7	12	11.2	03.4-19.0	128	85.6	77.4-93.8			
\$35,000- 49,999	256	30,831	9	2.8	00.8-04.8	26	7.6	04.5-10.7	220	88.9	85.0-92.8	1	0.7	00.0-02.1
\$50,000- 74,999	301	39,573	7	1.7	00.3-03.1	29	9.3	05.6-13.0	264	88.7	84.8-92.6	1	0.2	00.0-00.6
\$75,000+	467	60,561	14	2.5	01.1-03.9	31	7.6	04.5-10.7	422	89.8	86.5-93.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 9: HOW MANY DAYS PER WEEK DO YOU DO THESE MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (MODPADAY)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2376	213,256	98	3.6	02.6-04.6	213	8.2	06.6-09.8	2062	88.2	86.4-90.0	3	0.1	00.1-00.1
Native	67	9,460	1	0.7	00.0-02.1	6	6.2	00.7-11.7	60	93.1	87.4-98.8			
Non-Native	2285	202,252	94	3.6	02.4-04.8	206	8.3	06.7-09.9	1982	88.0	86.0-90.0	3	0.1	00.1-00.1
18-24	68	33,695	3	4.9	00.0-10.6	3	5.8	00.0-12.5	62	89.3	80.9-97.7			
25-34	238	35,876	1	0.4	00.0-01.2	17	6.8	03.5-10.1	220	92.8	89.5-96.1			
35-44	327	32,185	7	2.1	00.5-03.7	25	7.7	04.6-10.8	295	90.2	86.9-93.5			
45-54	504	40,658	16	3.0	01.4-04.6	42	7.9	05.4-10.4	445	89.1	86.2-92.0	1	0.1	00.0-00.3
55-64	484	29,238	14	2.7	01.1-04.3	44	9.3	06.4-12.2	426	88.0	84.9-91.1			
65+	725	40,072	56	7.6	05.6-09.6	78	11.2	08.7-13.7	589	80.9	77.8-84.0	2	0.3	00.0-00.7
Less Than H.S.	149	16,266	16	9.4	00.6-18.2	22	8.4	04.1-12.7	110	81.8	72.2-91.4	1	0.4	00.0-01.2
H.S. or G.E.D.	668	53,294	39	5.2	03.2-07.2	70	10.0	06.5-13.5	557	84.7	80.8-88.6	2	0.2	00.0-00.4
Some Post-H.S.	780	71,532	27	2.4	01.4-03.4	65	7.3	05.3-09.3	688	90.3	88.1-92.5			
College Graduate	777	72,054	16	2.1	00.3-03.9	55	7.7	05.0-10.4	706	90.2	87.1-93.3			
Less than \$15,000	163	14,687	10	6.8	00.0-14.1	22	8.1	04.0-12.2	130	84.7	76.5-92.9	1	0.4	00.0-01.2
\$15,000- 24,999	373	25,922	29	6.3	03.8-08.8	37	7.4	04.7-10.1	305	85.9	82.2-89.6	2	0.3	00.0-00.7
\$25,000- 34,999	289	23,526	12	2.8	01.0-04.6	28	8.6	05.1-12.1	249	88.6	84.7-92.5			
\$35,000- 49,999	349	34,097	6	1.0	00.0-02.0	35	11.4	05.9-16.9	308	87.6	82.1-93.1			
\$50,000- 74,999	388	34,842	13	3.4	01.4-05.4	28	6.6	04.1-09.1	347	90.1	87.0-93.2			
\$75,000+	447	45,044	12	2.5	00.5-04.5	25	5.2	03.0-07.4	410	92.3	89.4-95.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 10: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3932	416,997	522	10.8	09.4-12.2	519	13.0	11.6-14.4	2891	76.2	74.4-78.0
Male	1540	202,700	168	8.9	07.1-10.7	190	11.4	09.4-13.4	1182	79.7	77.2-82.2
Female	2392	214,297	354	12.6	10.8-14.4	329	14.4	12.2-16.6	1709	73.0	70.5-75.5
Native	102	17,888				8	4.3	00.8-07.8			
Non-Native	3775	394,092	501	10.6	09.4-11.8	506	13.4	11.8-15.0	2768	76.0	74.2-77.8
18-24	132	69,889	8	7.1	01.8-12.4	18	14.2	07.9-20.5	106	78.7	71.1-86.3
25-34	394	72,702	25	6.4	03.7-09.1	47	10.6	07.5-13.7	322	83.0	79.1-86.9
35-44	562	65,249	46	8.2	05.8-10.6	67	12.0	09.1-14.9	449	79.7	76.2-83.2
45-54	867	76,418	96	10.2	08.0-12.4	114	13.4	10.9-15.9	657	76.4	73.5-79.3
55-64	845	59,761	117	13.2	10.8-15.6	126	14.2	11.7-16.7	602	72.5	69.4-75.6
65+	1094	70,737	223	19.7	17.2-22.2	142	13.5	11.1-15.9	729	66.8	63.7-69.9
Less Than H.S.	244	29,143	55	20.9	12.1-29.7	29	10.2	04.3-16.1	160	68.9	59.1-78.7
H.S. or G.E.D.	1127	114,743	194	13.5	10.8-16.2	123	11.3	08.6-14.0	810	75.2	71.5-78.9
Some Post-H.S.	1253	133,115	144	8.7	06.9-10.5	172	13.2	10.7-15.7	937	78.1	75.2-81.0
College Graduate	1306	139,886	128	8.5	06.7-10.3	194	14.6	12.2-17.0	984	76.9	74.2-79.6
Less than \$15,000	245	23,979	47	17.5	09.9-25.1	25	9.6	04.1-15.1	173	72.9	64.3-81.5
\$15,000- 24,999	524	45,513	101	13.5	10.6-16.4	54	10.5	06.4-14.6	369	76.0	71.1-80.9
\$25,000- 34,999	440	42,629	65	11.3	08.2-14.4	59	12.0	07.9-16.1	316	76.6	71.5-81.7
\$35,000- 49,999	607	64,945	67	9.4	06.7-12.1	89	13.2	09.9-16.5	451	77.4	73.3-81.5
\$50,000- 74,999	690	74,452	78	10.0	07.6-12.4	94	13.1	10.2-16.0	518	76.8	73.3-80.3
\$75,000+	916	105,719	78	7.0	05.2-08.8	127	14.3	11.4-17.2	711	78.6	75.3-81.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 11: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1540	202,700	168	8.9	07.1-10.7	190	11.4	09.4-13.4	1182	79.7	77.2-82.2
Non-Native	1478	191,053	162	8.3	06.9-09.7	184	11.8	09.8-13.8	1132	79.9	77.5-82.3
18-24	64	36,194	4	5.8	00.0-12.7	5	7.9	01.2-14.6	55	86.2	77.0-95.4
25-34	156	36,826	6	5.0	00.7-09.3	12	7.3	03.0-11.6	138	87.8	81.9-93.7
35-44	233	32,874	18	8.0	04.3-11.7	23	11.4	06.7-16.1	192	80.6	75.1-86.1
45-54	363	35,682	32	7.8	05.1-10.5	46	13.9	10.0-17.8	285	78.3	73.8-82.8
55-64	354	30,153	36	10.2	06.9-13.5	57	15.4	11.5-19.3	261	74.4	69.7-79.1
65+	362	30,261	70	18.1	14.0-22.2	45	13.5	09.6-17.4	247	68.5	63.4-73.6
Less Than H.S.	95	12,855	19	13.5	06.4-20.6	11	8.5	02.2-14.8	65	78.0	68.0-88.0
H.S. or G.E.D.	447	60,716	55	10.8	06.3-15.3	50	10.8	06.9-14.7	342	78.3	72.6-84.0
Some Post-H.S.	469	61,296	49	7.9	05.2-10.6	55	10.7	07.2-14.2	365	81.4	77.1-85.7
College Graduate	529	67,833	45	7.2	04.8-09.6	74	13.1	09.8-16.4	410	79.7	75.8-83.6
Less than \$15,000	82	9,324				10	9.7	02.6-16.8			
\$15,000- 24,999	150	19,513	17	6.8	03.3-10.3	12	7.4	01.9-12.9	121	85.8	79.3-92.3
\$25,000- 34,999	147	18,817	16	7.4	03.5-11.3	14	10.0	02.9-17.1	117	82.6	74.6-90.6
\$35,000- 49,999	255	30,603	26	9.4	04.9-13.9	34	11.6	07.3-15.9	195	79.1	73.2-85.0
\$50,000- 74,999	302	39,610	31	8.5	05.4-11.6	39	10.6	07.1-14.1	232	80.9	76.2-85.6
\$75,000+	468	60,610	38	6.8	04.4-09.2	64	13.5	09.8-17.2	366	79.7	75.6-83.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 12: ON DAYS WHEN YOU DO MODERATE ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (MODPATIM)

Denominator excludes: Respondents reporting no moderate physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of moderate physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2392	214,297	354	12.6	10.8-14.4	329	14.4	12.2-16.6	1709	73.0	70.5-75.5
Native	68	9,555	8	7.7	01.8-13.6	5	4.6	00.3-08.9	55	87.7	80.4-95.0
Non-Native	2297	203,039	339	12.7	10.9-14.5	322	15.0	12.8-17.2	1636	72.3	69.8-74.8
18-24	68	33,695	4	8.5	00.5-16.5						
25-34	238	35,876	19	7.8	04.3-11.3	35	14.1	09.6-18.6	184	78.1	72.6-83.6
35-44	329	32,375	28	8.5	05.4-11.6	44	12.6	09.1-16.1	257	78.9	74.4-83.4
45-54	504	40,736	64	12.3	09.4-15.2	68	12.9	10.0-15.8	372	74.8	70.9-78.7
55-64	491	29,609	81	16.2	12.7-19.7	69	13.1	10.2-16.0	341	70.7	66.4-75.0
65+	732	40,476	153	20.9	17.8-24.0	97	13.5	10.8-16.2	482	65.6	61.9-69.3
Less Than H.S.	149	16,288				18	11.6	02.4-20.8			
H.S. or G.E.D.	680	54,027	139	16.4	13.5-19.3	73	11.9	08.0-15.8	468	71.6	67.1-76.1
Some Post-H.S.	784	71,819	95	9.3	07.1-11.5	117	15.3	11.4-19.2	572	75.3	71.2-79.4
College Graduate	777	72,054	83	9.7	07.2-12.2	120	16.0	12.5-19.5	574	74.4	70.5-78.3
Less than \$15,000	163	14,655	28	14.5	06.3-22.7	15	9.5	01.9-17.1			
\$15,000- 24,999	374	26,000	84	18.6	14.3-22.9	42	12.9	06.8-19.0	248	68.5	62.0-75.0
\$25,000- 34,999	293	23,812	49	14.5	10.0-19.0	45	13.6	08.9-18.3	199	72.0	65.7-78.3
\$35,000- 49,999	352	34,342	41	9.5	06.2-12.8	55	14.6	09.3-19.9	256	75.9	70.0-81.8
\$50,000- 74,999	388	34,842	47	11.8	08.3-15.3	55	16.0	11.3-20.7	286	72.3	67.0-77.6
\$75,000+	448	45,108	40	7.3	04.9-09.7	63	15.5	10.4-20.6	345	77.2	71.9-82.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 13: NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4517	470,901	1970	52.5	50.5-54.5	2547	47.5	45.5-49.5
Male	1793	233,806	933	60.9	58.0-63.8	860	39.1	36.2-42.0
Female	2724	237,095	1037	44.2	41.7-46.7	1687	55.8	53.3-58.3
Non-Native	4331	442,787	1890	52.7	50.7-54.7	2441	47.3	45.3-49.3
18-24	141	75,202	102	74.4	66.8-82.0	39	25.6	18.0-33.2
25-34	421	79,245	279	66.8	61.7-71.9	142	33.2	28.1-38.3
35-44	612	71,393	344	57.7	53.6-61.8	268	42.3	38.2-46.4
45-54	979	86,767	482	51.6	48.3-54.9	497	48.4	45.1-51.7
55-64	945	67,048	378	40.4	37.1-43.7	567	59.6	56.3-62.9
65+	1376	88,650	367	27.1	24.6-29.6	1009	72.9	70.4-75.4
Less Than H.S.	331	37,968	103	47.5	37.9-57.1	228	52.5	42.9-62.1
H.S. or G.E.D.	1334	132,668	501	45.7	41.6-49.8	833	54.3	50.2-58.4
Some Post-H.S.	1413	149,063	633	53.9	50.4-57.4	780	46.1	42.6-49.6
College Graduate	1437	151,092	732	58.2	55.1-61.3	705	41.8	38.7-44.9
Less than \$15,000	317	29,230	85	35.0	26.4-43.6	232	65.0	56.4-73.6
\$15,000- 24,999	641	54,125	205	41.7	35.8-47.6	436	58.3	52.4-64.2
\$25,000- 34,999	520	48,369	199	48.1	41.6-54.6	321	51.9	45.4-58.4
\$35,000- 49,999	667	72,046	305	51.3	46.2-56.4	362	48.7	43.6-53.8
\$50,000- 74,999	757	81,274	393	59.0	54.9-63.1	364	41.0	36.9-45.1
\$75,000+	1001	114,697	550	61.5	58.0-65.0	451	38.5	35.0-42.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 14: NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1793	233,806	933	60.9	58.0-63.8	860	39.1	36.2-42.0
Non-Native	1718	218,962	895	61.2	58.3-64.1	823	38.8	35.9-41.7
18-24	69	39,933	56	85.4	76.8-94.0	13	14.6	06.0-23.2
25-34	172	41,840	132	74.8	67.4-82.2	40	25.2	17.8-32.6
35-44	257	36,381	176	67.9	61.8-74.0	81	32.1	26.0-38.2
45-54	430	42,635	241	58.4	53.5-63.3	189	41.6	36.7-46.5
55-64	411	35,102	174	42.1	37.0-47.2	237	57.9	52.8-63.0
65+	447	37,303	150	32.8	28.1-37.5	297	67.2	62.5-71.9
H.S. or G.E.D.	542	70,827	245	52.7	46.6-58.8	297	47.3	41.2-53.4
Some Post-H.S.	527	69,519	283	62.2	56.9-67.5	244	37.8	32.5-43.1
College Graduate	592	74,306	355	68.4	64.3-72.5	237	31.6	27.5-35.7
\$15,000- 24,999	198	24,113	79	51.4	41.8-61.0	119	48.6	39.0-58.2
\$35,000- 49,999	281	35,111	151	58.5	51.2-65.8	130	41.5	34.2-48.8
\$50,000- 74,999	339	43,622	204	68.2	62.7-73.7	135	31.8	26.3-37.3
\$75,000+	518	66,523	314	66.6	62.1-71.1	204	33.4	28.9-37.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 15: NOW, THINKING ABOUT THE VIGOROUS ACTIVITIES YOU DO [FILL IN "WHEN YOU ARE NOT WORKING" IF "EMPLOYED" OR "SELF-EMPLOYED"] IN A USUAL WEEK, DO YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, SUCH AS RUNNING, AEROBICS, HEAVY YARD WORK, OR ANYTHING ELSE THAT CAUSES LARGE INCREASES IN BREATHING OR HEART RATE? (VIGPACT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2724	237,095	1037	44.2	41.7-46.7	1687	55.8	53.3-58.3
Non-Native	2613	223,825	995	44.4	41.7-47.1	1618	55.6	52.9-58.3
25-34	249	37,406	147	57.8	51.3-64.3	102	42.2	35.7-48.7
35-44	355	35,013	168	47.2	41.7-52.7	187	52.8	47.3-58.3
45-54	549	44,131	241	45.0	40.5-49.5	308	55.0	50.5-59.5
55-64	534	31,946	204	38.6	34.3-42.9	330	61.4	57.1-65.7
65+	929	51,347	217	22.9	20.0-25.8	712	77.1	74.2-80.0
H.S. or G.E.D.	792	61,841	256	37.7	32.6-42.8	536	62.3	57.2-67.4
Some Post-H.S.	886	79,544	350	46.6	42.1-51.1	536	53.4	48.9-57.9
College Graduate	845	76,786	377	48.4	44.1-52.7	468	51.6	47.3-55.9
\$15,000- 24,999	443	30,013	126	33.8	27.1-40.5	317	66.2	59.5-72.9
\$25,000- 34,999	339	26,666	118	41.1	33.8-48.4	221	58.9	51.6-66.2
\$35,000- 49,999	386	36,934	154	44.4	37.3-51.5	232	55.6	48.5-62.7
\$50,000- 74,999	418	37,652	189	48.4	42.9-53.9	229	51.6	46.1-57.1
\$75,000+	483	48,173	236	54.5	48.8-60.2	247	45.5	39.8-51.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 16: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)

Denominator excludes: Respondents reporting no vigorous physical activity
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1943	245,083	346	17.5	15.1-19.9	419	20.6	18.2-23.0	1173	61.6	58.7-64.5	5	0.2	00.0-00.4
Male	924	141,304	172	19.1	15.6-22.6	198	20.3	17.0-23.6	550	60.2	55.9-64.5	4	0.4	00.0-00.8
Female	1019	103,779	174	15.4	12.3-18.5	221	21.0	17.7-24.3	623	63.5	59.4-67.6	1	0.0	00.0-00.0
Native	51	10,126	8	6.1	01.0-11.2	6	5.7	00.6-10.8	37	88.2	80.6-95.8			
Non-Native	1866	231,731	332	17.9	15.4-20.4	411	21.5	19.0-24.0	1118	60.3	57.2-63.4	5	0.3	00.1-00.5
18-24	102	55,931	13	14.8	07.0-22.6	20	17.9	10.3-25.5	69	67.4	57.6-77.2			
25-34	279	52,934	46	17.0	12.1-21.9	57	21.1	15.8-26.4	175	61.5	55.2-67.8	1	0.4	00.0-01.2
35-44	342	41,018	62	18.6	14.1-23.1	69	20.6	16.1-25.1	210	60.2	54.7-65.7	1	0.5	00.0-01.5
45-54	477	44,046	83	18.4	14.5-22.3	109	21.6	17.7-25.5	284	59.8	55.1-64.5	1	0.1	00.0-00.3
55-64	373	26,836	73	19.9	15.6-24.2	96	26.4	21.5-31.3	203	53.3	47.8-58.8	1	0.3	00.0-00.9
65+	353	23,176	66	18.9	14.4-23.4	65	17.8	13.7-21.9	221	63.2	57.7-68.7	1	0.1	00.0-00.3
Less Than H.S.	101	17,914	18	7.7	03.2-12.2							1	0.3	00.0-00.9
H.S. or G.E.D.	489	59,825	101	20.7	14.8-26.6	110	20.3	15.6-25.0	278	58.9	52.2-65.6			
Some Post-H.S.	624	79,623	106	18.1	13.6-22.6	144	22.8	18.3-27.3	372	58.7	53.2-64.2	2	0.4	00.0-01.0
College Graduate	728	87,643	121	16.8	13.5-20.1	149	19.5	16.2-22.8	456	63.4	59.1-67.7	2	0.3	00.0-00.7
Less than \$15,000	83	10,064										1	0.5	00.0-01.5
\$15,000- 24,999	200	22,264	37	17.3	09.9-24.7	40	17.0	09.6-24.4	123	65.7	56.1-75.3			
\$25,000- 34,999	196	23,107	44	20.5	12.3-28.7	42	19.9	11.9-27.9						
\$35,000- 49,999	301	36,352	54	14.4	10.1-18.7	73	24.2	17.7-30.7	173	60.8	53.5-68.1	1	0.6	00.0-01.8
\$50,000- 74,999	390	47,683	65	16.9	12.6-21.2	92	22.2	17.3-27.1	231	60.3	54.4-66.2	2	0.6	00.0-01.6
\$75,000+	548	70,396	95	20.1	15.0-25.2	116	20.0	16.1-23.9	337	59.9	54.4-65.4			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 17: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	924	141,304	172	19.1	15.6-22.6	198	20.3	17.0-23.6	550	60.2	55.9-64.5	4	0.4	00.0-00.8
Non-Native	887	133,204	166	19.6	16.1-23.1	196	21.5	18.0-25.0	521	58.5	54.2-62.8	4	0.4	00.0-00.8
18-24	56	34,085				10	15.8	06.2-25.4						
25-34	132	31,299	21	16.9	10.0-23.8	29	22.6	15.2-30.0	81	59.8	50.8-68.8	1	0.7	00.0-02.1
35-44	174	24,480	33	20.6	13.9-27.3	38	22.2	15.7-28.7	102	56.3	48.5-64.1	1	0.9	00.0-02.7
45-54	239	24,543	44	20.1	14.4-25.8	53	20.8	15.5-26.1	141	58.9	52.2-65.6	1	0.2	00.0-00.6
55-64	173	14,672	35	21.2	14.7-27.7	45	27.0	19.9-34.1	92	51.2	43.4-59.0	1	0.6	00.0-01.8
65+	146	11,906	29	21.3	14.0-28.6	22	14.7	08.8-20.6	95	64.0	55.8-72.2			
H.S. or G.E.D.	241	36,910	50	20.0	12.7-27.3	57	19.9	13.8-26.0	134	60.1	51.5-68.7			
Some Post-H.S.	279	42,809	51	21.7	14.4-29.0	62	22.9	16.0-29.8	164	54.6	46.6-62.6	2	0.7	00.0-01.9
College Graduate	355	50,811	64	18.6	13.9-23.3	75	20.6	15.7-25.5	215	60.4	54.3-66.5	1	0.4	00.0-01.2
\$35,000- 49,999	148	20,112	23	12.2	06.7-17.7	38	28.0	18.4-37.6	86	58.7	48.7-68.7	1	1.1	00.0-03.3
\$50,000- 74,999	202	29,520	44	21.2	14.7-27.7	45	19.8	13.5-26.1	111	58.0	49.8-66.2	2	1.0	00.0-02.6
\$75,000+	314	44,307	57	20.9	14.6-27.2	72	22.3	16.8-27.8	185	56.9	50.0-63.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 18: HOW MANY DAYS PER WEEK DO YOU DO THESE VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME? (VIGPADAY)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One day			Two days			3 or more days			None or <10 mins per week		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1019	103,779	174	15.4	12.3-18.5	221	21.0	17.7-24.3	623	63.5	59.4-67.6	1	0.0	00.0-00.0
Non-Native	979	98,527	166	15.6	12.5-18.7	215	21.6	18.1-25.1	597	62.8	58.5-67.1	1	0.0	00.0-00.0
25-34	147	21,635	25	17.0	10.7-23.3	28	19.0	12.3-25.7	94	64.0	55.8-72.2			
35-44	168	16,538	29	15.7	10.2-21.2	31	18.2	12.1-24.3	108	66.1	58.7-73.5			
45-54	238	19,503	39	16.4	11.3-21.5	56	22.6	17.1-28.1	143	61.0	54.5-67.5			
55-64	200	12,164	38	18.4	12.7-24.1	51	25.7	19.4-32.0	111	55.9	48.6-63.2			
65+	207	11,270	37	16.4	11.1-21.7	43	21.0	15.1-26.9	126	62.3	55.2-69.4	1	0.3	00.0-00.9
Less Than H.S.	52	7,140	11	7.8	02.3-13.3									
H.S. or G.E.D.	248	22,915	51	21.9	12.5-31.3	53	20.9	13.5-28.3	144	57.2	47.4-67.0			
Some Post-H.S.	345	36,814	55	13.9	09.4-18.4	82	22.6	16.7-28.5	208	63.5	56.6-70.4			
College Graduate	373	36,832	57	14.4	10.5-18.3	74	18.0	13.7-22.3	241	67.5	62.0-73.0	1	0.1	00.0-00.3
\$15,000- 24,999	123	10,052	25	16.5	08.7-24.3									
\$25,000- 34,999	115	10,807	25	18.1	10.5-25.7									
\$35,000- 49,999	153	16,240	31	17.1	10.4-23.8	35	19.4	11.2-27.6	87	63.5	53.5-73.5			
\$50,000- 74,999	188	18,163	21	10.0	05.7-14.3	47	26.0	18.4-33.6	120	64.0	56.0-72.0			
\$75,000+	234	26,088	38	18.8	10.4-27.2	44	16.2	11.1-21.3	152	65.0	56.4-73.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 19: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1965	246,506	252	10.7	08.9-12.5	253	12.6	10.6-14.6	1460	76.7	74.2-79.2
Male	929	141,712	103	9.0	06.6-11.4	117	12.5	09.8-15.2	709	78.5	75.0-82.0
Female	1036	104,793	149	12.9	10.0-15.8	136	12.7	10.2-15.2	751	74.4	70.7-78.1
Native	52	10,301	4	4.3	00.0-09.0	4	5.9	00.0-12.0	44	89.8	82.0-97.6
Non-Native	1885	232,841	243	10.9	08.9-12.9	247	13.0	11.0-15.0	1395	76.0	73.5-78.5
18-24	102	55,931	7	7.7	01.6-13.8	12	10.7	04.6-16.8	83	81.6	73.4-89.8
25-34	278	52,706	21	7.2	04.1-10.3	38	12.7	08.6-16.8	219	80.1	75.2-85.0
35-44	343	41,018	35	10.2	06.9-13.5	46	14.0	10.1-17.9	262	75.8	71.1-80.5
45-54	481	44,689	54	12.3	09.0-15.6	64	13.7	10.4-17.0	363	74.0	69.7-78.3
55-64	377	27,014	61	14.9	11.2-18.6	48	12.7	09.2-16.2	268	72.4	67.7-77.1
65+	366	23,975	71	18.2	14.1-22.3	42	12.3	08.4-16.2	253	69.5	64.4-74.6
Less Than H.S.	102	18,004	11	4.0	01.3-06.7	11	6.5	01.8-11.2	80	89.5	83.8-95.2
H.S. or G.E.D.	501	60,625	89	14.5	10.0-19.0	52	9.0	05.9-12.1	360	76.5	71.2-81.8
Some Post-H.S.	631	80,039	82	12.1	08.4-15.8	78	13.1	09.2-17.0	471	74.8	69.9-79.7
College Graduate	730	87,760	69	7.9	05.7-10.1	112	15.9	12.6-19.2	549	76.2	72.5-79.9
Less than \$15,000	84	10,186	15	11.0	03.9-18.1						
\$15,000- 24,999	205	22,548	31	10.8	06.3-15.3	23	9.3	04.4-14.2	151	79.9	73.2-86.6
\$25,000- 34,999	199	23,272	32	14.0	07.3-20.7	23	12.1	05.6-18.6	144	73.9	65.1-82.7
\$35,000- 49,999	304	36,721	41	11.1	07.4-14.8	34	11.4	06.7-16.1	229	77.5	71.8-83.2
\$50,000- 74,999	391	47,683	42	9.8	06.5-13.1	57	13.4	09.7-17.1	292	76.8	72.1-81.5
\$75,000+	550	70,544	54	10.7	06.4-15.0	79	15.0	10.9-19.1	417	74.3	69.0-79.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 20: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	929	141,712	103	9.0	06.6-11.4	117	12.5	09.8-15.2	709	78.5	75.0-82.0
Non-Native	891	133,506	101	9.4	06.9-11.9	114	12.9	10.0-15.8	676	77.6	74.1-81.1
18-24	56	34,085	3	5.6	00.0-12.5	6	10.7	02.3-19.1			
25-34	131	31,071	7	5.1	01.2-09.0	15	11.7	05.8-17.6	109	83.1	76.4-89.8
35-44	175	24,480	18	9.7	05.4-14.0	26	15.6	09.9-21.3	131	74.6	67.9-81.3
45-54	240	24,837	26	12.2	07.3-17.1	29	12.7	08.2-17.2	185	75.1	69.0-81.2
55-64	173	14,672	26	13.7	08.4-19.0	19	11.5	06.4-16.6	128	74.7	67.8-81.6
65+	150	12,249	22	14.4	08.5-20.3	21	14.4	08.1-20.7	107	71.2	63.4-79.0
H.S. or G.E.D.	245	37,342	35	9.1	05.4-12.8	26	9.5	04.8-14.2	184	81.4	75.5-87.3
Some Post-H.S.	281	42,938	34	11.8	05.9-17.7	29	11.9	06.2-17.6	218	76.3	68.9-83.7
College Graduate	354	50,601	30	7.8	04.9-10.7	54	16.4	11.5-21.3	270	75.8	70.5-81.1
\$15,000- 24,999	79	12,389	10	7.9	02.4-13.4	8	7.2	00.7-13.7	61	85.0	76.6-93.4
\$25,000- 34,999	81	12,300	10	9.3	01.9-16.7						
\$35,000- 49,999	150	20,306	23	12.3	06.8-17.8	19	13.6	06.2-21.0	108	74.1	65.5-82.7
\$50,000- 74,999	202	29,456	21	8.1	04.6-11.6	28	13.2	07.9-18.5	153	78.8	72.5-85.1
\$75,000+	314	44,307	27	9.2	04.3-14.1	42	14.4	09.1-19.7	245	76.5	70.0-83.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 21: ON DAYS WHEN YOU DO VIGOROUS ACTIVITIES FOR AT LEAST 10 MINUTES AT A TIME, HOW MUCH TOTAL TIME PER DAY DO YOU SPEND DOING THESE ACTIVITIES? (VIGPATIM)

Denominator excludes: Respondents reporting no vigorous physical activity

Denominator excludes: Respondents reporting no days with ten minutes or more of vigorous physical activity

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 20 minutes			20-29 minutes			30 or more minutes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1036	104,793	149	12.9	10.0-15.8	136	12.7	10.2-15.2	751	74.4	70.7-78.1
Non-Native	994	99,335	142	13.0	09.9-16.1	133	13.1	10.4-15.8	719	73.9	70.2-77.6
25-34	147	21,635	14	10.1	05.0-15.2	23	14.1	08.6-19.6	110	75.8	68.7-82.9
35-44	168	16,538	17	10.8	05.7-15.9	20	11.6	06.7-16.5	131	77.6	70.9-84.3
45-54	241	19,852	28	12.4	07.9-16.9	35	14.8	10.1-19.5	178	72.8	66.7-78.9
55-64	204	12,342	35	16.3	11.0-21.6	29	14.0	09.1-18.9	140	69.7	63.2-76.2
65+	216	11,726	49	22.2	16.3-28.1	21	10.2	05.9-14.5	146	67.6	60.9-74.3
Less Than H.S.	53	7,172	7	5.0	00.7-09.3	3	5.0	00.0-11.7	43	90.0	82.0-98.0
H.S. or G.E.D.	256	23,283	54	23.3	14.1-32.5	26	8.0	04.3-11.7	176	68.7	59.3-78.1
Some Post-H.S.	350	37,101	48	12.5	08.0-17.0	49	14.5	09.4-19.6	253	73.0	66.7-79.3
College Graduate	376	37,160	39	8.1	05.2-11.0	58	15.3	11.2-19.4	279	76.6	71.7-81.5
Less than \$15,000	52	6,017	11	13.1	03.1-23.1						
\$15,000- 24,999	126	10,159	21	14.4	07.3-21.5	15	11.9	04.3-19.5			
\$25,000- 34,999	118	10,972				14	9.2	03.9-14.5			
\$35,000- 49,999	154	16,414	18	9.7	04.8-14.6	15	8.7	04.0-13.4	121	81.7	74.8-88.6
\$50,000- 74,999	189	18,227	21	12.6	06.5-18.7	29	13.8	08.7-18.9	139	73.5	66.2-80.8
\$75,000+	236	26,236	27	13.2	05.0-21.4	37	16.2	09.7-22.7	172	70.6	61.4-79.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

SECTION 20: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)	
1	MALES AND FEMALES	255
2	MALES ONLY	256
3	FEMALES ONLY	257
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD2)	
4	MALES AND FEMALES	258
5	MALES ONLY	259
6	FEMALES ONLY	260
	WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)	
7	MALES AND FEMALES	261
8	MALES ONLY	262
9	FEMALES ONLY	263
	WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)	
10	MALES AND FEMALES	264
11	MALES ONLY	265
12	FEMALES ONLY	266
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)	
13	MALES AND FEMALES	267
14	MALES ONLY	268
15	FEMALES ONLY	269

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3045	375,275	778	27.7	25.5-29.9	2267	72.3	70.1-74.5
Male	1316	193,393	326	25.5	22.4-28.6	990	74.5	71.4-77.6
Female	1729	181,882	452	30.0	27.1-32.9	1277	70.0	67.1-72.9
Non-Native	2908	350,210	709	25.7	23.5-27.9	2199	74.3	72.1-76.5
18-24	142	76,035	28	20.0	12.7-27.3	114	80.0	72.7-87.3
25-34	416	78,248	191	45.3	40.0-50.6	225	54.7	49.4-60.0
35-44	598	69,917	234	38.7	34.6-42.8	364	61.3	57.2-65.4
45-54	957	84,788	202	20.3	17.6-23.0	755	79.7	77.0-82.4
55-64	932	66,287	123	13.5	11.1-15.9	809	86.5	84.1-88.9
H.S. or G.E.D.	751	94,891	173	26.2	21.7-30.7	578	73.8	69.3-78.3
Some Post-H.S.	1048	125,853	275	27.7	24.2-31.2	773	72.3	68.8-75.8
College Graduate	1137	131,050	295	26.9	23.8-30.0	842	73.1	70.0-76.2
\$15,000- 24,999	287	31,984	87	36.0	28.0-44.0	200	64.0	56.0-72.0
\$25,000- 34,999	295	33,870	96	37.9	29.5-46.3	199	62.1	53.7-70.5
\$35,000- 49,999	482	58,795	107	22.8	18.1-27.5	375	77.2	72.5-81.9
\$50,000- 74,999	626	71,768	143	24.1	20.2-28.0	483	75.9	72.0-79.8
\$75,000+	882	105,613	219	25.3	22.0-28.6	663	74.7	71.4-78.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1316	193,393	326	25.5	22.4-28.6	990	74.5	71.4-77.6
Non-Native	1260	179,969	298	23.2	20.3-26.1	962	76.8	73.9-79.7
18-24	69	39,933	10	15.4	05.6-25.2	59	84.6	74.8-94.4
25-34	170	41,498	53	34.7	26.7-42.7	117	65.3	57.3-73.3
35-44	252	35,855	97	39.1	32.6-45.6	155	60.9	54.4-67.4
45-54	420	41,509	96	20.9	16.8-25.0	324	79.1	75.0-83.2
55-64	405	34,598	70	17.5	13.6-21.4	335	82.5	78.6-86.4
H.S. or G.E.D.	376	56,628	90	25.3	19.2-31.4	286	74.7	68.6-80.8
Some Post-H.S.	428	61,529	111	24.7	19.6-29.8	317	75.3	70.2-80.4
College Graduate	468	63,857	110	23.3	18.8-27.8	358	76.7	72.2-81.2
\$35,000- 49,999	203	28,232	36	18.4	11.9-24.9	167	81.6	75.1-88.1
\$50,000- 74,999	274	37,882	66	22.3	16.6-28.0	208	77.7	72.0-83.4
\$75,000+	449	60,563	107	23.3	18.8-27.8	342	76.7	72.2-81.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1729	181,882	452	30.0	27.1-32.9	1277	70.0	67.1-72.9
Non-Native	1648	170,241	411	28.3	25.4-31.2	1237	71.7	68.8-74.6
25-34	246	36,750	138	57.2	50.7-63.7	108	42.8	36.3-49.3
35-44	346	34,062	137	38.2	32.7-43.7	209	61.8	56.3-67.3
45-54	537	43,279	106	19.7	16.0-23.4	431	80.3	76.6-84.0
55-64	527	31,688	53	9.1	06.4-11.8	474	90.9	88.2-93.6
H.S. or G.E.D.	375	38,263	83	27.5	21.0-34.0	292	72.5	66.0-79.0
Some Post-H.S.	620	64,324	164	30.7	25.8-35.6	456	69.3	64.4-74.2
College Graduate	669	67,194	185	30.3	26.0-34.6	484	69.7	65.4-74.0
\$35,000- 49,999	279	30,563	71	26.9	20.2-33.6	208	73.1	66.4-79.8
\$50,000- 74,999	352	33,886	77	26.0	20.7-31.3	275	74.0	68.7-79.3
\$75,000+	433	45,050	112	28.0	22.7-33.3	321	72.0	66.7-77.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	653	90,193	25	2.4	01.4-03.4	64	7.4	05.2-09.6	132	16.6	13.5-19.7	378	63.3	58.6-68.0	54	10.3	07.0-13.6
Male	270	42,821	10	2.5	00.9-04.1	23	7.3	03.6-11.0	55	17.6	12.1-23.1	154	62.7	55.3-70.1	28	9.9	05.6-14.2
Female	383	47,372	15	2.3	01.1-03.5	41	7.6	05.2-10.0	77	15.6	11.9-19.3	224	63.8	57.7-69.9	26	10.7	05.6-15.8
Native	51	10,864				4	5.8	00.0-11.9									
Non-Native	593	77,917	25	2.8	01.6-04.0	60	7.8	05.4-10.2	124	17.3	14.0-20.6	339	62.8	58.1-67.5	45	9.4	05.9-12.9
25-34	174	32,262				6	4.1	00.2-08.0	21	12.4	06.5-18.3	123	69.9	62.1-77.7	24	13.6	08.1-19.1
35-44	205	23,539	5	2.1	00.1-04.1	19	9.8	05.3-14.3	50	24.8	18.3-31.3	118	56.4	49.0-63.8	13	6.9	03.2-10.6
45-54	162	13,738	11	7.2	02.9-11.5	30	18.4	11.9-24.9	40	24.9	17.6-32.2	72	44.6	36.2-53.0	9	5.0	01.7-08.3
55-64	85	6,187	9	10.8	03.5-18.1	9	9.3	02.8-15.8							4	5.7	00.0-11.6
H.S. or G.E.D.	144	21,921	5	2.2	00.2-04.2	11	5.2	01.7-08.7	29	16.2	09.5-22.9	86	67.4	58.2-76.6	13	9.0	02.7-15.3
Some Post-H.S.	232	29,818	8	2.4	00.6-04.2	28	9.9	06.0-13.8	42	12.9	08.6-17.2	133	61.0	53.4-68.6	21	13.7	07.4-20.0
College Graduate	247	30,171	11	2.8	01.0-04.6	25	8.7	04.2-13.2	54	20.8	15.3-26.3	141	61.6	54.7-68.5	16	6.0	03.1-08.9
Less than \$15,000	56	8,986	3	2.5	00.0-06.0	1	2.3	00.0-06.8	11	8.3	02.6-14.0						
\$15,000- 24,999	72	10,065				6	3.1	00.4-05.8	10	10.0	02.9-17.1						
\$25,000- 34,999	82	11,597	4	2.5	00.0-05.2	8	6.8	01.3-12.3	19	17.4	08.0-26.8						
\$35,000- 49,999	93	11,905	4	3.2	00.1-06.3	9	6.7	02.0-11.4	14	13.5	05.9-21.1				8	11.5	03.3-19.7
\$50,000- 74,999	125	15,110	5	3.0	00.3-05.7	15	9.0	04.1-13.9	28	22.4	14.4-30.4	72	61.7	52.5-70.9	5	3.8	00.5-07.1
\$75,000+	184	22,953	8	3.1	00.9-05.3	21	10.6	05.9-15.3	42	20.6	14.5-26.7	101	60.1	52.3-67.9	12	5.7	02.4-09.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	270	42,821	10	2.5	00.9-04.1	23	7.3	03.6-11.0	55	17.6	12.1-23.1	154	62.7	55.3-70.1	28	9.9	05.6-14.2
Non-Native	245	35,676	10	3.0	01.0-05.0	21	7.6	03.5-11.7	52	19.0	13.5-24.5	137	61.4	54.1-68.7	25	9.1	05.2-13.0
35-44	84	12,205	2	1.7	00.0-04.2	6	8.3	01.8-14.8	17	21.6	12.0-31.2				9	10.1	03.6-16.6
45-54	79	7,075	4	6.2	00.1-12.3	12	14.9	06.1-23.7							9	9.7	03.4-16.0
55-64	50	4,301	4	9.6	00.6-18.6	3	5.9	00.0-13.0							3	7.4	00.0-15.6
H.S. or G.E.D.	76	12,850	3	2.6	00.0-05.5	10	8.6	02.7-14.5	13	14.9	05.7-24.1				8	10.7	00.9-20.5
Some Post-H.S.	88	12,480	4	3.6	00.0-07.3	9	9.1	02.4-15.8	13	10.2	04.1-16.3				10	13.2	04.4-22.0
College Graduate	93	12,875	3	2.2	00.0-04.7	4	6.8	00.0-15.4	24	25.0	15.4-34.6				9	8.1	02.8-13.4
\$50,000- 74,999	54	7,031	2	3.3	00.0-08.0	5	7.5	00.2-14.8							4	6.8	00.1-13.5
\$75,000+	91	12,145	2	1.9	00.0-04.6	10	10.1	03.4-16.8	22	21.9	12.9-30.9				8	7.0	02.1-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	383	47,372	15	2.3	01.1-03.5	41	7.6	05.2-10.0	77	15.6	11.9-19.3	224	63.8	57.9-69.7	26	10.7	05.6-15.8
Non-Native	348	42,242	15	2.6	01.2-04.0	39	8.0	05.3-10.7	72	15.9	12.0-19.8	202	63.9	57.6-70.2	20	9.6	04.1-15.1
25-34	127	19,158				4	2.7	00.0-05.4	15	10.8	05.3-16.3	89	70.2	61.6-78.8	19	16.3	09.0-23.6
35-44	121	11,334	3	2.5	00.0-05.2	13	11.3	05.4-17.2	33	28.3	19.7-36.9	68	54.3	44.9-63.7	4	3.6	00.1-07.1
45-54	83	6,662	7	8.1	02.0-14.2	18	22.1	12.5-31.7	22	25.3	15.7-34.9						
H.S. or G.E.D.	68	9,072	2	1.6	00.0-04.1	1	0.4	00.0-01.2	16	18.1	08.3-27.9				5	6.6	00.7-12.5
Some Post-H.S.	144	17,338	4	1.5	00.0-03.1	19	10.4	05.5-15.3	29	14.9	09.0-20.8	81	59.0	49.0-69.0	11	14.1	05.3-22.9
College Graduate	154	17,296	8	3.3	00.9-05.7	21	10.1	05.6-14.6	30	17.7	11.4-24.0	88	64.4	56.2-72.6	7	4.5	01.0-08.0
\$25,000- 34,999	52	6,815	3	3.2	00.0-07.3	6	7.0	00.7-13.3	11	11.2	03.6-18.8						
\$35,000- 49,999	62	7,395	1	1.3	00.0-03.8	7	9.2	02.3-16.1	8	11.0	03.2-18.8				5	9.8	01.2-18.4
\$50,000- 74,999	71	8,079	3	2.7	00.0-05.8	10	10.4	03.9-16.9							1	1.2	00.0-03.6
\$75,000+	93	10,808	6	4.3	00.8-07.8	11	11.1	04.6-17.6	20	19.0	10.8-27.2				4	4.2	00.0-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	768	102,281	171	21.0	17.3-24.7	12	1.4	0.0-02.4	456	60.9	56.4-65.4	10	1.9	0.0-03.5	46	5.2	0.3-07.0	73	9.5	0.6-12.2
Male	320	48,539	58	15.6	11.1-20.1	8	2.3	0.0-04.5	177	57.9	50.8-65.0	7	3.3	0.4-06.2	31	8.0	0.4-11.1	39	12.8	0.7-17.9
Female	448	53,742	113	25.9	20.4-31.4	4	0.6	0.0-01.2	279	63.6	57.9-69.3	3	0.7	0.0-01.5	15	2.6	0.1-04.0	34	6.6	0.4-09.1
Native	60	12,543	5	4.7	0.2-09.2							2	2.0	0.0-04.7						
Non-Native	699	88,327	165	23.6	19.5-27.7	12	1.7	0.0-02.9	404	58.2	53.5-62.9	7	1.9	0.0-03.7	44	5.4	0.3-07.2	67	9.2	0.6-11.9
25-34	190	35,259	40	19.4	13.3-25.5	4	2.6	0.0-05.3	118	62.9	55.1-70.7	4	2.0	0.0-04.2	4	2.0	0.0-04.0	20	11.1	0.5-16.8
35-44	230	26,498	60	25.4	19.3-31.5	1	0.3	0.0-00.9	135	57.0	49.9-64.1	1	0.5	0.0-01.5	17	9.0	0.4-13.7	16	7.8	0.3-11.7
45-54	200	17,071	43	21.5	15.4-27.6	3	1.6	0.0-03.4	117	57.3	49.9-64.7	1	0.4	0.0-01.2	17	8.4	0.4-12.3	19	10.8	0.5-15.9
55-64	121	8,802	24	19.0	11.7-26.3	4	2.4	0.0-04.9	66	54.2	44.4-64.0	2	2.3	0.0-05.6	8	8.5	0.2-14.2	17	13.5	0.7-20.0
H.S. or G.E.D.	171	24,594	37	18.6	11.7-25.5	4	3.3	0.0-07.2	103	61.9	52.5-71.3	4	5.2	0.0-10.9	10	5.7	0.1-10.0	13	5.3	0.2-08.6
Some Post-H.S.	272	34,657	52	18.7	12.8-24.6	4	0.8	0.0-01.6	178	67.3	60.0-74.6	3	1.0	0.0-02.2	17	5.3	0.2-07.8	18	6.9	0.2-11.6
College Graduate	290	34,285	73	22.9	17.6-28.2	4	1.1	0.0-02.3	156	56.5	50.0-63.0	1	0.4	0.0-01.2	18	5.6	0.2-08.3	38	13.3	0.9-17.6
Less than \$15,000	68	10,079	8	9.7	0.2-17.3							1	1.4	0.0-04.1	2	2.1	0.0-05.2			
\$15,000- 24,999	85	11,380				1	0.9	0.0-02.7				3	6.5	0.0-14.1				8	5.5	0.1-09.8
\$25,000- 34,999	96	12,835				2	2.9	0.0-08.0				2	1.6	0.0-04.0				4	3.1	0.0-06.4
\$35,000- 49,999	106	13,385	25	21.3	11.7-30.9	2	3.1	0.0-08.2						6	4.9	0.1-08.8	13	11.6	0.4-18.3	
\$50,000- 74,999	141	17,047	33	22.8	15.4-30.2	1	0.3	0.0-00.9	82	58.3	49.3-67.3				16	11.4	0.5-17.7	9	7.2	0.2-11.9
\$75,000+	217	26,444	57	25.0	18.7-31.3	5	1.7	0.0-03.3	107	50.5	42.9-58.1	2	2.7	0.0-07.0	20	8.2	0.4-11.9	26	11.8	0.7-16.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	320	48,539	58	15.6	11.1-20.1	8	2.3	00.1-04.5	177	57.9	50.8-65.0	7	3.3	00.4-06.2	31	8.0	04.9-11.1	39	12.8	07.7-17.9
Non-Native	292	40,952	56	17.7	12.6-22.8	8	2.8	00.3-05.3	158	55.8	48.7-62.9	5	3.5	00.0-07.0	29	8.3	05.2-11.4	36	12.0	07.1-16.9
25-34	52	14,244				2	4.8	00.0-11.3				1	2.4	00.0-07.1	3	4.0	00.0-08.7			
35-44	94	13,643	17	18.5	10.1-26.9	1	0.5	00.0-01.5				1	1.0	00.0-03.0	13	14.4	06.2-22.6	12	12.3	05.4-19.2
45-54	95	8,568	23	24.3	15.1-33.5	2	2.3	00.0-05.4				1	0.9	00.0-02.7	8	7.7	02.4-13.0	10	10.9	04.0-17.8
55-64	69	5,948	10	14.2	05.6-22.8	3	3.1	00.0-06.8				2	3.5	00.0-08.4	7	11.5	03.5-19.5	9	13.5	05.1-21.9
H.S. or G.E.D.	88	14,064	20	16.4	08.4-24.4	4	5.7	00.0-12.4				4	9.1	00.0-18.7	6	7.6	00.5-14.7	6	5.2	00.9-09.5
Some Post-H.S.	110	15,088	16	15.3	06.7-23.9	1	0.6	00.0-02.0				1	0.9	00.0-02.7	12	8.6	03.7-13.5			
College Graduate	107	14,490	19	16.9	09.3-24.5	3	1.6	00.0-03.6							12	9.5	03.8-15.2	19	17.0	09.6-24.4
\$50,000- 74,999	64	8,223	10	15.9	05.9-25.9	1	0.6	00.0-01.8										4	7.4	00.1-14.7
\$75,000+	106	13,990	23	21.5	12.9-30.1	4	2.2	00.0-04.4				1	4.1	00.0-11.9	14	11.6	05.3-17.9	17	14.4	07.5-21.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	448	53,742	113	25.9	20.4-31.4	4	0.6	00.0-01.2	279	63.6	57.9-69.3	3	0.7	00.0-01.5	15	2.6	01.2-04.0	34	6.6	04.1-09.1
Non-Native	407	47,375	109	28.7	22.6-34.8	4	0.7	00.0-01.5	246	60.2	53.9-66.5	2	0.5	00.0-01.3	15	3.0	01.4-04.6	31	6.8	04.1-09.5
25-34	138	21,015	32	22.5	15.2-29.8	2	1.0	00.0-02.6	87	65.2	57.0-73.4	3	1.7	00.0-03.7	1	0.7	00.0-02.1	13	8.8	03.9-13.7
35-44	136	12,855	43	32.7	24.3-41.1				85	61.0	52.2-69.8				4	3.3	00.0-06.6	4	3.0	00.1-05.9
45-54	105	8,502	20	18.7	10.9-26.5	1	0.9	00.0-02.7							9	9.1	03.2-15.0	9	10.7	03.4-18.0
55-64	52	2,854				1	1.1	00.0-03.3							1	2.3	00.0-06.6	8	13.6	04.2-23.0
H.S. or G.E.D.	83	10,531													4	3.1	00.0-06.2	7	5.6	00.7-10.5
Some Post-H.S.	162	19,569	36	21.3	13.3-29.3	3	0.9	00.0-02.1	110	71.2	62.6-79.8	2	1.1	00.0-02.7	5	2.7	00.3-05.1	6	2.7	00.5-04.9
College Graduate	183	19,795	54	27.4	20.3-34.5	1	0.7	00.0-02.1	102	57.7	49.7-65.7	1	0.7	00.0-02.1	6	2.8	00.4-05.2	19	10.7	05.6-15.8
\$15,000- 24,999	57	6,608										1	1.7	00.0-05.0				4	2.9	00.0-05.8
\$25,000- 34,999	58	7,153				1	0.5	00.0-01.5										3	3.6	00.0-08.1
\$35,000- 49,999	70	8,197				1	0.9	00.0-02.7							3	3.3	00.0-07.0	7	10.9	02.5-19.3
\$50,000- 74,999	77	8,823													4	4.2	00.1-08.3	5	7.0	00.5-13.5
\$75,000+	111	12,454	34	28.9	19.9-37.9	1	1.2	00.0-03.6				1	1.2	00.0-03.6	6	4.5	00.8-08.2	9	8.9	02.6-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS

TABLE 10: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS

TABLE 11: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS

TABLE 12: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

All of the Confidence Intervals for this table are too wide
(half-width greater than 10)
to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 13: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3090	379,272	52	2.8	01.8-03.8	3038	97.2	96.2-98.2
Male	1334	195,145	25	2.5	01.1-03.9	1309	97.5	96.1-98.9
Female	1756	184,127	27	3.1	01.5-04.7	1729	96.9	95.3-98.5
Native	112	21,865	8	9.0	00.8-17.2	104	91.0	82.8-99.2
Non-Native	2953	354,308	44	2.4	01.4-03.4	2909	97.6	96.6-98.6
18-24	142	76,035	10	6.2	02.1-10.3	132	93.8	89.7-97.9
25-34	418	78,539	13	4.1	01.4-06.8	405	95.9	93.2-98.6
35-44	608	71,006	8	1.0	00.2-01.8	600	99.0	98.2-99.8
45-54	971	86,163	15	1.4	00.6-02.2	956	98.6	97.8-99.4
55-64	951	67,528	6	0.8	00.0-01.6	945	99.2	98.4-0100
Less Than H.S.	113	23,916	6	8.0	00.0-16.2	107	92.0	83.8-0100
H.S. or G.E.D.	763	96,048	18	5.1	02.2-08.0	745	94.9	92.0-97.8
Some Post-H.S.	1064	127,178	16	1.9	00.5-03.3	1048	98.1	96.7-99.5
College Graduate	1149	132,052	12	1.0	00.4-01.6	1137	99.0	98.4-99.6
Less than \$15,000	169	21,603	13	10.4	02.4-18.4	156	89.6	81.6-97.6
\$15,000- 24,999	291	32,365	9	5.0	00.9-09.1	282	95.0	90.9-99.1
\$25,000- 34,999	296	33,903	9	6.7	00.4-13.0	287	93.3	87.0-99.6
\$35,000- 49,999	486	59,246	6	1.8	00.0-03.8	480	98.2	96.2-0100
\$50,000- 74,999	633	72,299	5	1.5	00.0-03.3	628	98.5	96.7-0100
\$75,000+	898	107,212	5	1.0	00.0-02.2	893	99.0	97.8-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 14: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1334	195,145	25	2.5	01.1-03.9	1309	97.5	96.1-98.9
Non-Native	1279	181,861	22	2.2	01.0-03.4	1257	97.8	96.6-99.0
18-24	69	39,933	2	1.9	00.0-04.8	67	98.1	95.2-0100
25-34	170	41,498	5	5.6	00.7-10.5	165	94.4	89.5-99.3
35-44	254	36,065	4	1.1	00.0-02.3	250	98.9	97.7-0100
45-54	427	42,341	9	1.9	00.7-03.1	418	98.1	96.9-99.3
55-64	414	35,308	5	1.5	00.1-02.9	409	98.5	97.1-99.9
H.S. or G.E.D.	380	57,108	12	5.2	01.5-08.9	368	94.8	91.1-98.5
Some Post-H.S.	436	62,213	7	1.8	00.0-03.6	429	98.2	96.4-0100
College Graduate	472	64,206	5	0.8	00.0-01.6	467	99.2	98.4-0100
\$15,000- 24,999	104	16,158	5	8.8	00.8-16.8	99	91.2	83.2-99.2
\$25,000- 34,999	110	15,878	3	1.6	00.0-03.6	107	98.4	96.4-0100
\$35,000- 49,999	205	28,425	4	1.3	00.1-02.5	201	98.7	97.5-99.9
\$50,000- 74,999	277	38,098	3	0.8	00.0-01.8	274	99.2	98.2-0100
\$75,000+	457	61,427	2	1.1	00.0-02.9	455	98.9	97.1-0100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 15: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1756	184,127	27	3.1	01.5-04.7	1729	96.9	95.3-98.5
Non-Native	1674	172,447	22	2.6	01.0-04.2	1652	97.4	95.8-99.0
18-24	73	36,102	8	11.0	03.2-18.8	65	89.0	81.2-96.8
25-34	248	37,042	8	2.5	00.7-04.3	240	97.5	95.7-99.3
35-44	354	34,941	4	1.0	00.0-02.0	350	99.0	98.0-0100
45-54	544	43,821	6	0.9	00.1-01.7	538	99.1	98.3-99.9
55-64	537	32,220	1	0.1	00.0-00.3	536	99.9	99.7-0100
H.S. or G.E.D.	383	38,940	6	4.9	00.2-09.6	377	95.1	90.4-99.8
Some Post-H.S.	628	64,965	9	1.9	00.1-03.7	619	98.1	96.3-99.9
College Graduate	677	67,846	7	1.2	00.2-02.2	670	98.8	97.8-99.8
Less than \$15,000	98	12,177	7	8.4	00.0-17.6	91	91.6	82.4-0100
\$15,000- 24,999	187	16,207	4	1.2	00.0-02.4	183	98.8	97.6-0100
\$35,000- 49,999	281	30,821	2	2.3	00.0-05.8	279	97.7	94.2-0100
\$50,000- 74,999	356	34,202	2	2.3	00.0-05.6	354	97.7	94.4-0100
\$75,000+	441	45,785	3	0.8	00.0-01.8	438	99.2	98.2-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	271
2	MALES ONLY	272
3	FEMALES ONLY	273
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	274
5	MALES ONLY	275
6	FEMALES ONLY	276

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4462	465,524	2081	48.5	46.3-50.7	1505	33.6	31.6-35.6	540	10.9	09.7-12.1	136	2.6	02.0-03.2	200	4.5	03.5-05.5
Male	1759	229,045	811	48.4	45.3-51.5	558	32.1	29.2-35.0	212	10.2	08.4-12.0	65	3.1	01.9-04.3	113	6.1	04.3-07.9
Female	2703	236,478	1270	48.5	46.0-51.0	947	34.9	32.4-37.4	328	11.5	09.9-13.1	71	2.1	01.5-02.7	87	3.0	02.0-04.0
Native	125	22,265							23	10.9	05.2-16.6	6	6.2	00.0-12.9	8	8.3	01.2-15.4
Non-Native	4278	437,809	1998	48.5	46.3-50.7	1461	34.0	32.0-36.0	508	10.8	09.6-12.0	129	2.5	01.9-03.1	182	4.2	03.2-05.2
18-24	139	74,309	78	53.4	44.4-62.4	40	30.5	22.1-38.9	13	7.7	03.4-12.0	2	1.9	00.0-04.6	6	6.5	01.0-12.0
25-34	417	78,311	222	54.7	49.4-60.0	143	32.2	27.3-37.1	37	8.8	05.9-11.7	7	2.0	00.0-04.0	8	2.3	00.5-04.1
35-44	608	70,957	247	40.5	36.4-44.6	249	40.7	36.6-44.8	87	13.9	11.0-16.8	11	2.1	00.7-03.5	14	2.8	01.2-04.4
45-54	964	85,551	412	44.2	40.9-47.5	363	37.5	34.2-40.8	123	12.1	09.9-14.3	31	2.9	01.7-04.1	35	3.3	02.1-04.5
55-64	939	66,567	417	45.4	41.9-48.9	349	37.2	33.9-40.5	102	10.4	08.2-12.6	30	3.0	01.8-04.2	41	4.0	02.6-05.4
65+	1351	87,168	684	51.6	48.7-54.5	350	25.1	22.6-27.6	173	12.0	10.2-13.8	52	3.6	02.6-04.6	92	7.8	06.0-09.6
Less Than H.S.	325	38,051	136	42.7	33.5-51.9	62	20.7	12.1-29.3	62	14.0	09.1-18.9	23	8.4	02.5-14.3	42	14.1	07.0-21.2
H.S. or G.E.D.	1315	129,806	600	47.7	43.8-51.6	378	28.0	24.5-31.5	183	13.0	10.6-15.4	64	4.0	02.6-05.4	90	7.3	04.8-09.8
Some Post-H.S.	1395	147,410	653	49.0	45.3-52.7	493	35.8	32.3-39.3	165	10.4	08.4-12.4	35	1.7	01.1-02.3	49	3.1	01.9-04.3
College Graduate	1424	150,114	691	50.0	46.9-53.1	571	39.4	36.3-42.5	130	8.6	06.8-10.4	14	0.8	00.2-01.4	18	1.1	00.5-01.7
Less than \$15,000	314	29,075	115	37.9	29.7-46.1	78	24.6	17.2-32.0	58	17.1	10.8-23.4	24	6.0	02.9-09.1	39	14.4	07.9-20.9
\$15,000- 24,999	626	52,941	260	41.9	36.4-47.4	181	27.7	22.6-32.8	114	20.0	15.3-24.7	26	2.8	01.6-04.0	45	7.5	04.8-10.2
\$25,000- 34,999	511	46,852	215	43.6	37.3-49.9	174	31.8	26.1-37.5	71	12.6	09.1-16.1	23	4.1	02.1-06.1	28	7.9	02.0-13.8
\$35,000- 49,999	664	71,264	303	47.4	42.3-52.5	241	34.9	30.0-39.8	80	11.9	08.6-15.2	13	1.4	00.6-02.2	27	4.4	02.0-06.8
\$50,000- 74,999	752	80,472	355	48.2	43.9-52.5	287	38.3	34.2-42.4	78	9.8	07.3-12.3	17	2.0	01.0-03.0	15	1.7	00.7-02.7
\$75,000+	990	113,863	502	52.1	48.2-56.0	387	38.6	34.7-42.5	72	6.8	05.0-08.6	11	0.9	00.3-01.5	18	1.5	00.7-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 2. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1759	229,045	811	48.4	45.3-51.5	558	32.1	29.2-35.0	212	10.2	08.4-12.0	65	3.1	01.9-04.3	113	6.1	04.3-07.9
Non-Native	1684	214,428	775	48.2	45.1-51.3	545	32.7	29.8-35.6	199	10.3	08.5-12.1	62	2.9	01.7-04.1	103	5.9	03.9-07.9
18-24	66	38,207							4	5.0	00.0-10.1	2	3.8	00.0-09.1	3	7.8	00.0-16.8
25-34	169	41,270	98	58.6	50.6-66.6	44	25.3	18.4-32.2	17	9.8	05.1-14.5	4	2.5	00.0-05.8	6	3.9	00.6-07.2
35-44	255	36,205	105	41.2	34.9-47.5	99	39.5	33.0-46.0	35	13.1	08.8-17.4	4	1.6	00.0-03.2	12	4.6	02.1-07.1
45-54	420	41,729	180	44.7	39.6-49.8	138	33.7	28.8-38.6	55	12.3	09.0-15.6	19	3.6	01.8-05.4	28	5.7	03.5-07.9
55-64	406	34,621	178	44.5	39.4-49.6	145	37.2	32.1-42.3	42	9.7	06.8-12.6	17	3.7	01.7-05.7	24	4.9	02.9-06.9
65+	436	36,400	213	50.9	45.8-56.0	107	24.0	19.7-28.3	59	11.5	08.6-14.4	18	3.4	01.8-05.0	39	10.2	06.7-13.7
Less Than H.S.	127	18,526							22	9.9	04.8-15.0						
H.S. or G.E.D.	529	68,321	230	46.8	40.7-52.9	144	26.8	21.7-31.9	72	12.6	09.1-16.1	30	4.3	02.1-06.5	53	9.5	05.0-14.0
Some Post-H.S.	516	68,480	236	48.7	42.8-54.6	179	36.4	30.7-42.1	59	9.3	06.4-12.2	17	1.9	00.9-02.9	25	3.6	02.0-05.2
College Graduate	587	73,718	296	52.9	48.0-57.8	210	35.3	30.6-40.0	59	8.9	06.2-11.6	7	0.9	00.1-01.7	15	2.0	00.8-03.2
Less than \$15,000	102	11,612										9	5.8	01.3-10.3			
\$15,000- 24,999	190	23,446	81	39.5	30.1-48.9	45	27.8	18.2-37.4	38	20.9	12.5-29.3	8	2.1	00.5-03.7	18	9.7	04.4-15.0
\$25,000- 34,999	173	20,322				52	30.2	20.4-40.0	29	13.1	07.2-19.0	8	3.7	01.0-06.4			
\$35,000- 49,999	277	34,431	134	53.3	45.9-60.7	86	29.3	22.8-35.8	32	10.6	06.5-14.7	8	1.9	00.5-03.3	17	4.8	02.4-07.2
\$50,000- 74,999	337	42,828	155	48.0	41.3-54.7	121	36.7	30.4-43.0	35	9.4	06.1-12.7	12	2.9	01.1-04.7	14	3.1	01.1-05.1
\$75,000+	511	65,960	265	54.6	49.3-59.9	182	34.7	29.6-39.8	44	7.6	05.2-10.0	5	0.7	00.1-01.3	15	2.5	01.1-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 3. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2703	236,478	1270	48.5	46.0-51.0	947	34.9	32.4-37.4	328	11.5	09.9-13.1	71	2.1	01.5-02.7	87	3.0	02.0-04.0
Native	82	11,424							15	13.7	05.3-22.1	3	4.8	00.0-11.1	4	8.1	00.0-17.9
Non-Native	2594	223,382	1223	48.8	46.1-51.5	916	35.2	32.7-37.7	309	11.3	09.7-12.9	67	2.0	01.4-02.6	79	2.6	01.6-03.6
18-24	73	36,102							9	10.5	03.6-17.4				3	5.1	00.0-10.8
25-34	248	37,042	124	50.4	43.9-56.9	99	40.0	33.5-46.5	20	7.7	04.2-11.2	3	1.4	00.0-03.0	2	0.5	00.0-01.3
35-44	353	34,751	142	39.7	34.4-45.0	150	41.9	36.4-47.4	52	14.8	10.9-18.7	7	2.6	00.4-04.8	2	1.0	00.0-02.4
45-54	544	43,821	232	43.6	39.1-48.1	225	41.2	36.9-45.5	68	12.0	09.1-14.9	12	2.2	00.8-03.6	7	1.0	00.2-01.8
55-64	533	31,946	239	46.4	41.9-50.9	204	37.2	32.9-41.5	60	11.2	08.5-13.9	13	2.2	00.8-03.6	17	3.1	01.5-04.7
65+	915	50,768	471	52.0	48.5-55.5	243	25.9	23.0-28.8	114	12.4	10.0-14.8	34	3.7	02.3-05.1	53	6.0	04.2-07.8
Less Than H.S.	198	19,525				37	18.2	09.0-27.4	40	17.9	09.7-26.1	12	5.1	01.4-08.8	22	9.1	03.0-15.2
H.S. or G.E.D.	786	61,485	370	48.7	43.8-53.6	234	29.3	24.6-34.0	111	13.5	10.4-16.6	34	3.6	02.0-05.2	37	4.8	02.6-07.0
Some Post-H.S.	879	78,930	417	49.2	44.7-53.7	314	35.3	31.0-39.6	106	11.4	08.9-13.9	18	1.5	00.7-02.3	24	2.6	00.6-04.6
College Graduate	837	76,396	395	47.2	42.9-51.5	361	43.4	39.3-47.5	71	8.3	05.9-10.7	7	0.8	00.2-01.4	3	0.2	00.0-00.4
Less than \$15,000	212	17,464				47	20.3	12.1-28.5	42	18.8	10.8-26.8	15	6.1	01.6-10.6	18	11.7	03.3-20.1
\$15,000- 24,999	436	29,494	179	43.8	37.3-50.3	136	27.6	22.5-32.7	76	19.3	14.4-24.2	18	3.4	01.6-05.2	27	5.8	03.3-08.3
\$25,000- 34,999	338	26,530	148	47.7	40.4-55.0	122	32.9	26.2-39.6	42	12.1	08.0-16.2	15	4.4	01.9-06.9	11	2.8	01.0-04.6
\$35,000- 49,999	387	36,834	169	41.9	35.0-48.8	155	40.2	33.3-47.1	48	13.1	08.2-18.0	5	0.8	00.0-01.6	10	3.9	00.0-08.0
\$50,000- 74,999	415	37,645	200	48.6	43.1-54.1	166	40.2	34.9-45.5	43	10.2	06.3-14.1	5	1.0	00.0-02.0	1	0.0	00.0-00.0
\$75,000+	479	47,902	237	48.7	42.8-54.6	205	43.9	38.0-49.8	28	5.8	03.6-08.0	6	1.4	00.2-02.6	3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4513	469,920	2026	46.9	44.9-48.9	2327	50.4	48.4-52.4	133	2.2	01.6-02.8	27	0.5	00.3-00.7
Male	1792	232,449	789	46.6	43.5-49.7	939	50.7	47.6-53.8	52	2.2	01.4-03.0	12	0.5	00.1-00.9
Female	2721	237,471	1237	47.3	44.8-49.8	1388	50.0	47.5-52.5	81	2.2	01.6-02.8	15	0.5	00.3-00.7
Native	125	22,553							12	5.9	01.6-10.2	1	0.4	00.0-01.2
Non-Native	4327	441,740	1961	47.4	45.4-49.4	2220	50.0	47.8-52.2	120	2.1	01.7-02.5	26	0.5	00.3-00.7
18-24	141	74,885	65	44.1	35.3-52.9	75	55.1	46.3-63.9	1	0.8	00.0-02.4			
25-34	418	78,539	222	54.8	49.5-60.1	186	42.9	37.6-48.2	8	1.9	00.5-03.3	2	0.4	00.0-01.0
35-44	606	70,862	265	44.1	39.8-48.4	321	53.1	48.8-57.4	17	2.2	01.0-03.4	3	0.5	00.0-01.1
45-54	969	85,841	435	47.6	44.3-50.9	493	48.5	45.2-51.8	32	2.9	01.7-04.1	9	0.9	00.1-01.7
55-64	946	67,291	429	46.6	43.3-49.9	478	50.0	46.5-53.5	32	2.8	01.8-03.8	7	0.6	00.2-01.0
65+	1390	89,875	592	44.4	41.5-47.3	750	52.6	49.7-55.5	42	2.6	01.8-03.4	6	0.3	00.1-00.5
Less Than H.S.	336	38,158	98	33.9	25.1-42.7	214	61.8	53.0-70.6	21	3.8	01.8-05.8	3	0.4	00.0-01.0
H.S. or G.E.D.	1337	133,070	518	39.8	35.9-43.7	762	56.7	52.8-60.6	46	2.6	01.6-03.6	11	0.9	00.3-01.5
Some Post-H.S.	1408	148,082	633	47.7	44.0-51.4	722	49.2	45.5-52.9	43	2.6	01.4-03.8	10	0.5	00.1-00.9
College Graduate	1429	150,468	776	55.8	52.7-58.9	627	43.0	39.9-46.1	23	1.1	00.5-01.7	3	0.1	00.0-00.3
Less than \$15,000	315	29,219	81	26.1	18.5-33.7	193	63.8	55.8-71.8	33	7.5	04.4-10.6	8	2.6	00.4-04.8
\$15,000- 24,999	635	53,502	189	31.6	26.5-36.7	408	61.7	56.2-67.2	33	6.1	03.0-09.2	5	0.6	00.0-01.2
\$25,000- 34,999	520	48,223	198	42.2	35.5-48.9	297	54.6	47.9-61.3	20	2.3	01.1-03.5	5	0.9	00.0-01.9
\$35,000- 49,999	670	72,020	279	44.8	39.7-49.9	372	53.0	47.9-58.1	15	1.7	00.7-02.7	4	0.5	00.0-01.1
\$50,000- 74,999	756	81,251	411	55.1	50.8-59.4	334	43.6	39.3-47.9	10	1.1	00.3-01.9	1	0.1	00.0-00.3
\$75,000+	997	114,254	572	55.8	51.9-59.7	414	43.2	39.3-47.1	10	0.9	00.3-01.5	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 5. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1792	232,449	789	46.6	43.5-49.7	939	50.7	47.6-53.8	52	2.2	01.4-03.0	12	0.5	00.1-00.9
Non-Native	1714	217,303	760	46.9	43.8-50.0	896	50.6	47.5-53.7	46	2.0	01.2-02.8	12	0.5	00.1-00.9
18-24	68	38,783							1	1.5	00.0-04.4			
25-34	170	41,498	91	55.9	47.9-63.9	74	41.3	33.3-49.3	4	2.2	00.0-04.6	1	0.5	00.0-01.5
35-44	255	36,205	111	44.4	37.9-50.9	138	53.3	46.8-59.8	5	1.9	00.1-03.7	1	0.4	00.0-01.2
45-54	426	42,097	182	46.7	41.6-51.8	228	50.1	45.0-55.2	11	2.1	00.7-03.5	5	1.1	00.0-02.3
55-64	413	35,216	177	44.9	39.8-50.0	218	51.6	46.5-56.7	15	3.1	01.5-04.7	3	0.4	00.0-00.8
65+	453	38,039	193	44.0	39.1-48.9	242	53.1	48.2-58.0	16	2.5	01.1-03.9	2	0.4	00.0-01.0
Less Than H.S.	134	18,383							11	5.0	01.5-08.5	1	0.3	00.0-00.9
H.S. or G.E.D.	547	71,216	197	38.6	32.5-44.7	323	57.6	51.5-63.7	21	2.6	01.2-04.0	6	1.1	00.1-02.1
Some Post-H.S.	522	68,820	228	47.4	41.5-53.3	275	49.4	43.5-55.3	16	3.0	00.8-05.2	3	0.2	00.0-00.4
College Graduate	589	74,030	322	56.4	51.5-61.3	261	43.1	38.2-48.0	4	0.4	00.0-00.8	2	0.2	00.0-00.4
Less than \$15,000	103	11,719							15	10.2	04.1-16.3	6	5.0	00.3-09.7
\$15,000- 24,999	196	24,016	54	26.6	18.6-34.6	131	65.3	56.3-74.3	11	8.1	02.0-14.2			
\$25,000- 34,999	181	21,703							6	1.6	00.2-03.0	4	1.8	00.0-04.0
\$35,000- 49,999	282	34,996	112	44.8	37.4-52.2	161	53.2	45.8-60.6	7	1.7	00.3-03.1	2	0.4	00.0-01.0
\$50,000- 74,999	340	43,575	187	55.9	49.4-62.4	147	42.8	36.3-49.3	6	1.3	00.1-02.5			
\$75,000+	516	66,223	283	56.0	50.7-61.3	230	43.6	38.3-48.9	3	0.4	00.0-00.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 21: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 6. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2721	237,471	1237	47.3	44.8-49.8	1388	50.0	47.5-52.5	81	2.2	01.6-02.8	15	0.5	00.3-00.7
Native	81	11,329							7	5.4	00.3-10.5	1	0.9	00.0-02.7
Non-Native	2613	224,437	1201	48.0	45.3-50.7	1324	49.4	46.7-52.1	74	2.1	01.5-02.7	14	0.5	00.3-00.7
25-34	248	37,042	131	53.5	47.0-60.0	112	44.7	38.2-51.2	4	1.5	00.0-03.1	1	0.3	00.0-00.9
35-44	351	34,656	154	43.8	38.3-49.3	183	53.0	47.5-58.5	12	2.5	00.9-04.1	2	0.7	00.0-01.7
45-54	543	43,744	253	48.5	44.0-53.0	265	47.0	42.5-51.5	21	3.7	01.9-05.5	4	0.8	00.0-01.6
55-64	533	32,075	252	48.5	44.0-53.0	260	48.2	43.7-52.7	17	2.5	01.3-03.7	4	0.9	00.0-01.9
65+	937	51,836	399	44.8	41.3-48.3	508	52.2	48.7-55.7	26	2.7	01.5-03.9	4	0.3	00.0-00.7
Less Than H.S.	202	19,775							10	2.7	00.7-04.7	2	0.6	00.0-01.4
H.S. or G.E.D.	790	61,854	321	41.1	36.4-45.8	439	55.6	50.7-60.5	25	2.6	01.4-03.8	5	0.7	00.1-01.3
Some Post-H.S.	886	79,262	405	48.0	43.5-52.5	447	49.0	44.5-53.5	27	2.3	01.3-03.3	7	0.7	00.1-01.3
College Graduate	840	76,438	454	55.2	50.9-59.5	366	43.0	38.7-47.3	19	1.7	00.7-02.7	1	0.0	00.0-00.0
Less than \$15,000	212	17,500	66	30.1	20.3-39.9				18	5.7	02.2-09.2	2	1.1	00.0-02.9
\$15,000- 24,999	439	29,486	135	35.6	29.1-42.1	277	58.8	52.3-65.3	22	4.4	02.2-06.6	5	1.2	00.0-02.4
\$25,000- 34,999	339	26,520	137	42.1	34.7-49.5	187	54.9	47.6-62.2	14	2.9	01.3-04.5	1	0.1	00.0-00.3
\$35,000- 49,999	388	37,024	167	44.8	37.7-51.9	211	52.9	45.8-60.0	8	1.7	00.5-02.9	2	0.6	00.0-01.4
\$50,000- 74,999	416	37,676	224	54.2	48.7-59.7	187	44.6	39.1-50.1	4	0.9	00.0-01.9	1	0.3	00.0-00.9
\$75,000+	481	48,031	289	55.6	49.5-61.7	184	42.7	36.6-48.8	7	1.5	00.3-02.7	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009

SECTION 22: CANCER SURVIVORS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CANCER? READ ONLY IF NECESSARY: BY, OTHER HEALTH PROFESSIONAL, WE MEAN A NURSE PRACTITIONER, A PHYSICIANS ASSISTANT, SOCIAL WORKER, OR SOME OTHER LICENSED PROFESSIONAL. (CNCRHAVE)	
1	MALES AND FEMALES	278
2	MALES ONLY	279
3	FEMALES ONLY	280
	HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIFF)	
4	MALES AND FEMALES	281
5	MALES ONLY	282
6	FEMALES ONLY	283
	AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "AT WHAT AGE WAS YOUR FIRST DIAGNOSIS OF CANCER?" (CNCRAGE)	
7	MALES AND FEMALES	284
8	MALES ONLY	285
9	FEMALES ONLY	286
	WHAT TYPE OF CANCER WAS IT? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "WITH YOUR MOST RECENT DIAGNOSES OF CANCER, WHAT TYPE OF CANCER WAS IT?" (CNCRTYPE)	
10	MALES AND FEMALES	287
11	MALES ONLY	288
12	FEMALES ONLY	289

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CANCER? READ ONLY IF NECESSARY: BY, OTHER HEALTH PROFESSIONAL, WE MEAN A NURSE PRACTITIONER, A PHYSICIANS ASSISTANT, SOCIAL WORKER, OR SOME OTHER LICENSED PROFESSIONAL. (CNCRHAVE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4527	471,923	555	9.0	08.0-10.0	3972	91.0	90.0-92.0
Male	1798	234,049	192	8.0	06.6-09.4	1606	92.0	90.6-93.4
Female	2729	237,874	363	10.0	08.8-11.2	2366	90.0	88.8-91.2
Native	126	22,648	10	3.5	01.0-06.0	116	96.5	94.0-99.0
Non-Native	4339	443,616	538	9.3	08.3-10.3	3801	90.7	89.7-91.7
18-24	142	76,035	3	2.5	00.0-05.2	139	97.5	94.8-0100
25-34	418	78,539	9	2.7	00.7-04.7	409	97.3	95.3-99.3
35-44	609	71,147	28	4.1	02.5-05.7	581	95.9	94.3-97.5
45-54	969	85,987	69	6.5	04.9-08.1	900	93.5	91.9-95.1
55-64	948	67,278	127	13.7	11.3-16.1	821	86.3	83.9-88.7
65+	1397	90,277	314	22.9	20.5-25.3	1083	77.1	74.7-79.5
Less Than H.S.	341	39,480	63	10.7	07.4-14.0	278	89.3	86.0-92.6
H.S. or G.E.D.	1341	133,231	185	11.2	09.0-13.4	1156	88.8	86.6-91.0
Some Post-H.S.	1409	148,396	155	7.7	06.3-09.1	1254	92.3	90.9-93.7
College Graduate	1433	150,674	151	8.0	06.4-09.6	1282	92.0	90.4-93.6
Less than \$15,000	317	29,293	60	11.5	08.0-15.0	257	88.5	85.0-92.0
\$15,000- 24,999	638	53,765	97	10.7	08.2-13.2	541	89.3	86.8-91.8
\$25,000- 34,999	521	48,318	69	10.2	07.5-12.9	452	89.8	87.1-92.5
\$35,000- 49,999	671	72,067	81	9.2	06.8-11.6	590	90.8	88.4-93.2
\$50,000- 74,999	756	81,186	59	6.0	04.4-07.6	697	94.0	92.4-95.6
\$75,000+	997	114,401	96	7.3	05.5-09.1	901	92.7	90.9-94.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CANCER? READ ONLY IF NECESSARY: BY, OTHER HEALTH PROFESSIONAL, WE MEAN A NURSE PRACTITIONER, A PHYSICIANS ASSISTANT, SOCIAL WORKER, OR SOME OTHER LICENSED PROFESSIONAL. (CNCRHAVE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1798	234,049	192	8.0	06.6-09.4	1606	92.0	90.6-93.4
Non-Native	1720	218,903	187	8.4	07.0-09.8	1533	91.6	90.2-93.0
18-24	69	39,933	2	2.9	00.0-06.8	67	97.1	93.2-0100
25-34	170	41,498	3	2.7	00.0-06.0	167	97.3	94.0-0100
35-44	255	36,205	5	1.7	00.1-03.3	250	98.3	96.7-99.9
45-54	426	42,243	13	2.8	01.2-04.4	413	97.2	95.6-98.8
55-64	412	35,170	49	13.0	09.5-16.5	363	87.0	83.5-90.5
65+	459	38,387	120	26.4	22.1-30.7	339	73.6	69.3-77.9
Less Than H.S.	137	19,631	23	9.3	04.8-13.8	114	90.7	86.2-95.2
H.S. or G.E.D.	547	71,216	65	9.6	06.7-12.5	482	90.4	87.5-93.3
Some Post-H.S.	522	69,028	45	6.6	04.4-08.8	477	93.4	91.2-95.6
College Graduate	592	74,175	59	7.5	05.1-09.9	533	92.5	90.1-94.9
Less than \$15,000	103	11,719	13	9.0	03.3-14.7	90	91.0	85.3-96.7
\$15,000- 24,999	197	24,104	21	7.0	03.9-10.1	176	93.0	89.9-96.1
\$25,000- 34,999	181	21,703	24	9.1	05.2-13.0	157	90.9	87.0-94.8
\$35,000- 49,999	282	34,996	36	10.3	06.6-14.0	246	89.7	86.0-93.4
\$50,000- 74,999	341	43,639	26	5.5	03.3-07.7	315	94.5	92.3-96.7
\$75,000+	516	66,370	40	6.3	03.9-08.7	476	93.7	91.3-96.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD CANCER? READ ONLY IF NECESSARY: BY, OTHER HEALTH PROFESSIONAL, WE MEAN A NURSE PRACTITIONER, A PHYSICIANS ASSISTANT, SOCIAL WORKER, OR SOME OTHER LICENSED PROFESSIONAL. (CNCRHAVE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2729	237,874	363	10.0	08.8-11.2	2366	90.0	88.8-91.2
Native	82	11,424	10	7.0	01.9-12.1	72	93.0	87.9-98.1
Non-Native	2619	224,713	351	10.1	08.7-11.5	2268	89.9	88.5-91.3
18-24	73	36,102	1	2.1	00.0-06.0	72	97.9	94.0-100.0
25-34	248	37,042	6	2.8	00.4-05.2	242	97.2	94.8-99.6
35-44	354	34,941	23	6.5	03.8-09.2	331	93.5	90.8-96.2
45-54	543	43,744	56	10.1	07.4-12.8	487	89.9	87.2-92.6
55-64	536	32,107	78	14.4	11.3-17.5	458	85.6	82.5-88.7
65+	938	51,890	194	20.3	17.6-23.0	744	79.7	77.0-82.4
Less Than H.S.	204	19,850	40	12.0	07.3-16.7	164	88.0	83.3-92.7
H.S. or G.E.D.	794	62,015	120	13.0	09.9-16.1	674	87.0	83.9-90.1
Some Post-H.S.	887	79,368	110	8.6	06.8-10.4	777	91.4	89.6-93.2
College Graduate	841	76,499	92	8.4	06.4-10.4	749	91.6	89.6-93.6
Less than \$15,000	214	17,575	47	13.2	08.7-17.7	167	86.8	82.3-91.3
\$15,000- 24,999	441	29,662	76	13.8	10.3-17.3	365	86.2	82.7-89.7
\$25,000- 34,999	340	26,615	45	11.1	07.6-14.6	295	88.9	85.4-92.4
\$35,000- 49,999	389	37,071	45	8.1	05.4-10.8	344	91.9	89.2-94.6
\$50,000- 74,999	415	37,547	33	6.6	04.2-09.0	382	93.4	91.0-95.8
\$75,000+	481	48,031	56	8.8	06.3-11.3	425	91.2	88.7-93.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 4: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	553	42,528	468	84.1	79.8-88.4	65	11.5	08.0-15.0	20	4.4	01.5-07.3
Male	191	18,748	157	79.0	70.6-87.4	25	14.3	07.4-21.2	9	6.7	00.4-13.0
Female	362	23,780	311	88.2	84.9-91.5	40	9.3	06.2-12.4	11	2.6	01.0-04.2
Non-Native	536	41,108	453	84.0	79.5-88.5	65	11.9	08.2-15.6	18	4.1	01.2-07.0
45-54	69	5,596	65	94.6	89.3-99.9	2	2.3	00.0-05.4	2	3.1	00.0-07.4
55-64	126	9,111	106	86.4	80.5-92.3	17	11.4	05.9-16.9	3	2.1	00.0-04.5
65+	313	20,656	257	81.4	76.7-86.1	42	14.1	09.8-18.4	14	4.5	02.0-07.0
Less Than H.S.	62	4,183	51	83.1	73.3-92.9	6	8.7	01.4-16.0	5	8.2	00.9-15.5
H.S. or G.E.D.	185	14,934	153	83.6	75.6-91.6	27	10.4	06.1-14.7	5	6.0	00.0-13.4
Some Post-H.S.	154	11,315	134	87.6	81.9-93.3	15	9.7	04.6-14.8	5	2.7	00.2-05.2
College Graduate	151	12,018	129	81.7	72.1-91.3	17	15.6	06.0-25.2	5	2.6	00.2-05.0
Less than \$15,000	60	3,371	51	88.3	80.7-95.9	7	9.5	02.4-16.6	2	2.2	00.0-05.3
\$15,000- 24,999	97	5,774	74	75.8	66.4-85.2	18	19.2	10.4-28.0	5	5.0	00.5-09.5
\$25,000- 34,999	69	4,924	64	94.2	88.9-99.5	5	5.8	00.5-11.1			
\$35,000- 49,999	81	6,596	71	89.7	82.6-96.8	8	9.0	02.1-15.9	2	1.3	00.0-03.1
\$50,000- 74,999	59	4,889	50	83.9	73.9-93.9	7	13.0	03.8-22.2	2	3.1	00.0-07.4
\$75,000+	96	8,386				11	10.0	04.1-15.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 5: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	191	18,748	157	79.0	70.6-87.4	25	14.3	07.4-21.2	9	6.7	00.4-13.0
Non-Native	186	18,362	153	79.0	70.4-87.6	25	14.6	07.5-21.7	8	6.4	00.1-12.7
65+	120	10,143	95	77.5	69.5-85.5	18	16.8	09.4-24.2	7	5.7	01.4-10.0
H.S. or G.E.D.	65	6,865				7	7.1	01.4-12.8			
College Graduate	59	5,568							1	1.8	00.0-05.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 6: HOW MANY DIFFERENT TYPES OF CANCER HAVE YOU HAD? (CNCRDIF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Only one			Two			Three or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	362	23,780	311	88.2	84.9-91.5	40	9.3	06.2-12.4	11	2.6	01.0-04.2
Non-Native	350	22,745	300	88.0	84.5-91.5	40	9.7	06.6-12.8	10	2.3	00.7-03.9
45-54	56	4,396	54	96.5	91.6-0100	1	1.8	00.0-05.3	1	1.8	00.0-05.3
55-64	78	4,627	63	81.2	72.2-90.2	12	14.6	06.4-22.8	3	4.2	00.0-08.9
65+	193	10,513	162	85.3	80.2-90.4	24	11.5	06.8-16.2	7	3.2	00.7-05.7
H.S. or G.E.D.	120	8,069	97	84.2	77.1-91.3	20	13.2	06.9-19.5	3	2.6	00.0-05.5
Some Post-H.S.	110	6,835	98	90.6	85.1-96.1	9	7.4	02.3-12.5	3	2.0	00.0-04.4
College Graduate	92	6,450	82	90.8	84.5-97.1	6	5.9	00.6-11.2	4	3.4	00.0-06.9
\$15,000- 24,999	76	4,086	60	78.9	68.9-88.9	13	16.7	07.7-25.7	3	4.4	00.0-09.7
\$75,000+	56	4,237	50	90.6	83.3-97.9	4	6.1	00.2-12.0	2	3.4	00.0-08.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

TABLE 7: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "AT WHAT AGE WAS YOUR FIRST DIAGNOSIS OF CANCER?" (CNCRAGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	535	41,432	8	3.6	00.5-06.7	65	17.5	12.0-23.0	124	22.9	18.8-27.0	199	33.4	28.9-37.9	133	21.7	18.0-25.4	6	0.9	00.1-01.7
Male	188	18,550	4	5.2	00.0-11.5	10	12.3	03.5-21.1	33	16.9	11.0-22.8	82	38.6	30.6-46.6	56	25.8	19.1-32.5	3	1.2	00.0-02.6
Female	347	22,882	4	2.3	00.0-04.7	55	21.8	14.7-28.9	91	27.7	22.2-33.2	117	29.1	23.8-34.4	77	18.4	14.3-22.5	3	0.7	00.0-01.5
Non-Native	519	40,065	6	3.2	00.1-06.3	63	17.7	12.0-23.4	121	22.9	18.8-27.0	192	33.1	28.4-37.8	131	22.2	18.3-26.1	6	0.9	00.1-01.7
45-54	68	5,480	1	1.4	00.0-04.1							7	10.5	02.9-18.1						
55-64	123	8,891	1	1.0	00.0-03.0	14	9.6	04.1-15.1	34	29.2	20.4-38.0	74	60.1	50.7-69.5						
65+	300	19,944				11	2.9	01.1-04.7	36	11.3	07.6-15.0	114	38.9	32.8-45.0	133	45.1	39.0-51.2	6	1.8	00.2-03.4
Less Than H.S.	54	3,720				5	9.0	00.2-17.8										3	6.0	00.0-12.9
H.S. or G.E.D.	181	14,622	3	6.1	00.0-13.9				32	15.8	09.9-21.7	68	30.8	22.8-38.8	55	27.5	19.9-35.1	2	0.6	00.0-01.4
Some Post-H.S.	150	11,091	1	2.1	00.0-06.0	20	15.3	07.9-22.7	42	30.3	21.9-38.7	62	39.3	30.7-47.9	25	13.1	07.8-18.4			
College Graduate	149	11,922	4	3.2	00.1-06.3				40	26.0	18.2-33.8	60	35.4	26.8-44.0	25	14.6	08.7-20.5	1	0.4	00.0-01.2
\$15,000- 24,999	92	5,520	1	4.0	00.0-11.4	9	10.0	02.9-17.1	19	20.3	11.1-29.5	30	28.4	18.6-38.2				3	3.5	00.0-07.8
\$25,000- 34,999	67	4,861	2	3.4	00.0-08.1	6	10.4	01.6-19.2										2	2.4	00.0-05.7
\$35,000- 49,999	81	6,596	1	3.5	00.0-10.2				13	13.7	05.9-21.5				17	20.7	11.1-30.3	1	0.8	00.0-02.4
\$75,000+	95	8,270				10	14.3	05.7-22.9							6	5.3	00.8-09.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 8: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "AT WHAT AGE WAS YOUR FIRST DIAGNOSIS OF CANCER?"
(CNCRAGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	188	18,550	4	5.2	00.0-11.7	10	12.3	03.5-21.1	33	16.9	11.0-22.8	82	38.6	30.6-46.6	56	25.8	19.1-32.5	3	1.2	00.0-02.6
Non-Native	184	18,217	4	5.3	00.0-11.8	10	12.5	03.5-21.5	32	16.7	10.8-22.6	80	38.3	30.3-46.3	55	26.0	19.1-32.9	3	1.2	00.0-02.6
65+	118	10,037				1	0.5	00.0-01.5	11	8.9	03.6-14.2	47	40.8	31.4-50.2	56	47.7	38.1-57.3	3	2.1	00.0-04.6
H.S. or G.E.D.	65	6,865							9	13.0	04.2-21.8									
College Graduate	59	5,568	2	2.9	00.0-07.0													1	1.0	00.0-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 9: AT WHAT AGE WERE YOU TOLD THAT YOU HAD CANCER? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "AT WHAT AGE WAS YOUR FIRST DIAGNOSIS OF CANCER?"
(CNCRAGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Infant to 17 yrs.			18 to 34 yrs.			35 to 50 yrs.			51 to 65 yrs.			66 to 85 yrs.			86 - 97 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	347	22,882	4	2.3	00.0-04.7	55	21.8	14.7-28.9	91	27.7	22.2-33.2	117	29.1	23.8-34.4	77	18.4	14.3-22.5	3	0.7	00.0-01.5
Non-Native	335	21,847	2	1.4	00.0-03.6	53	22.0	14.7-29.3	89	28.0	22.3-33.7	112	28.7	23.4-34.0	76	19.1	14.8-23.4	3	0.7	00.0-01.5
45-54	55	4,280	1	1.8	00.0-05.3							5	10.0	01.6-18.4						
55-64	76	4,498				11	11.8	04.5-19.1												
65+	182	9,908				10	5.3	02.0-08.6	25	13.7	08.2-19.2	67	37.0	29.4-44.6	77	42.5	34.9-50.1	3	1.5	00.0-03.3
H.S. or G.E.D.	116	7,756	2	4.0	00.0-09.9				23	18.2	10.4-26.0	38	26.2	17.0-35.4	34	26.3	16.9-35.7	2	1.1	00.0-02.7
Some Post-H.S.	106	6,611				19	20.4	11.8-29.0				35	29.4	20.6-38.2	20	14.9	08.2-21.6			
College Graduate	90	6,354	2	3.5	00.0-08.4									7	5.2	01.3-09.1				
\$15,000- 24,999	72	3,885	1	5.6	00.0-16.2	8	12.8	03.4-22.2										2	2.2	00.0-05.1
\$75,000+	55	4,120	2	5.3	00.0-12.7									3	4.1	00.0-08.8				

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 10: WHAT TYPE OF CANCER WAS IT? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "WITH YOUR MOST RECENT DIAGNOSES OF CANCER, WHAT TYPE OF CANCER WAS IT?"
(CNCRTYPE)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 6-10			Values 11-15			Values 16-20			Values 21-25			Values 26-29		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	233	17,354	95	32.1	25.2-39.0	3	1.6	00.0-03.4	1	0.4	00.0-01.2	8	3.6	00.5-06.7	123	58.2	50.2-66.2	3	4.2	00.0-10.5
Male	53	6,398				3	4.2	00.0-08.9				3	6.3	00.0-14.1						
Female	180	10,956	95	50.9	42.9-58.9				1	0.6	00.0-01.8	5	1.9	00.1-03.7	79	46.5	38.5-54.5			
Non-Native	226	16,731	92	31.4	24.5-38.3	3	1.6	00.0-03.4	1	0.4	00.0-01.2	7	3.5	00.4-06.6	120	58.8	50.6-67.0	3	4.3	00.0-10.8
55-64	55	3,948				2	4.6	00.0-10.9	1	1.6	00.0-04.7	2	4.0	00.0-09.5						
65+	133	8,137	60	37.8	29.0-46.6	1	1.1	00.0-03.3				5	2.9	00.2-05.6	66	57.6	48.6-66.6	1	0.7	00.0-02.1
H.S. or G.E.D.	70	5,062							1	1.3	00.0-03.8	4	2.9	00.0-05.8						
Some Post-H.S.	77	6,046										3	6.7	00.0-14.7				1	1.6	00.0-04.7
College Graduate	68	5,117				3	5.3	00.0-11.2				1	1.3	00.0-03.8						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 11: WHAT TYPE OF CANCER WAS IT? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "WITH YOUR MOST RECENT DIAGNOSES OF CANCER, WHAT TYPE OF CANCER WAS IT?"
(CNCRTYPE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Values 6-10		Values 16-20		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	53	6,398	3	4.2	00.0-09.1	3	6.3	00.0-14.1
Non-Native	52	6,312	3	4.3	00.0-09.2	3	6.4	00.0-14.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009
SECTION 22: CANCER SURVIVORS**

**TABLE 12: WHAT TYPE OF CANCER WAS IT? IF RESPONSE = 2 (TWO) OR 3 (THREE OR MORE), ASK: "WITH YOUR MOST RECENT DIAGNOSES OF CANCER, WHAT TYPE OF CANCER WAS IT?"
(CNCRTYPE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Values 1-5			Values 11-15			Values 16-20			Values 21-25		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	180	10,956	95	50.9	42.9-58.9	1	0.6	00.0-01.8	5	1.9	00.1-03.7	79	46.5	38.5-54.5
Non-Native	174	10,419	92	50.4	42.2-58.6	1	0.6	00.0-01.8	4	1.7	00.0-03.5	77	47.3	39.1-55.5
65+	105	5,654							4	2.6	00.1-05.1			
H.S. or G.E.D.	57	3,396				1	1.9	00.0-05.6	4	4.4	00.1-08.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2009**

End of Core Data Report