

NORTH DAKOTA

2014 ADULT Land Line Only Module Variables Report

Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4758	514,479	3023	54.5	51.8-57.2	1735	45.5	42.8-48.2
Male	1745	257,720	1095	51.2	47.1-55.3	650	48.8	44.7-52.9
Female	3013	256,758	1928	57.7	54.4-61.0	1085	42.3	39.0-45.6
Native	105	24,816	78	62.6	47.7-77.5	27	37.4	22.5-52.3
Non-Native	4578	483,015	2899	54.1	51.4-56.8	1679	45.9	43.2-48.6
18-24	111	79,119	33	25.1	16.1-34.1	78	74.9	65.9-83.9
25-34	284	104,799	133	49.3	41.7-56.9	151	50.7	43.1-58.3
35-44	486	76,837	234	47.5	41.6-53.4	252	52.5	46.6-58.4
45-54	744	81,747	457	63.6	59.1-68.1	287	36.4	31.9-40.9
55-64	1215	79,505	838	69.1	65.6-72.6	377	30.9	27.4-34.4
65+	1853	88,543	1288	71.2	68.7-73.7	565	28.8	26.3-31.3
Less Than H.S.	272	44,546	155	48.3	38.1-58.5	117	51.7	41.5-61.9
H.S. or G.E.D.	1448	138,825	907	52.7	47.4-58.0	541	47.3	42.0-52.6
Some Post-H.S.	1518	198,267	976	55.7	51.0-60.4	542	44.3	39.6-49.0
College Graduate	1492	130,713	969	56.5	52.0-61.0	523	43.5	39.0-48.0
Less than \$15,000	250	30,768	141	43.7	33.1-54.3	109	56.3	45.7-66.9
\$15,000- 24,999	538	61,759	323	53.4	44.4-62.4	215	46.6	37.6-55.6
\$25,000- 34,999	439	45,138	301	58.3	47.9-68.7	138	41.7	31.3-52.1
\$35,000- 49,999	606	60,402	388	56.2	48.9-63.5	218	43.8	36.5-51.1
\$50,000- 74,999	757	83,346	506	58.5	52.0-65.0	251	41.5	35.0-48.0
\$75,000+	1551	173,110	976	54.9	50.6-59.2	575	45.1	40.8-49.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1745	257,720	1095	51.2	47.1-55.3	650	48.8	44.7-52.9
Non-Native	1675	244,971	1046	50.9	46.6-55.2	629	49.1	44.8-53.4
18-24	53	43,297	12	20.9	08.7-33.1	41	79.1	66.9-91.3
25-34	106	52,588	40	42.9	31.3-54.5	66	57.1	45.5-68.7
35-44	200	41,515	94	44.0	35.4-52.6	106	56.0	47.4-64.6
45-54	267	40,215	171	63.0	55.6-70.4	96	37.0	29.6-44.4
55-64	464	40,045	324	69.5	64.0-75.0	140	30.5	25.0-36.0
65+	638	38,889	442	72.5	68.2-76.8	196	27.5	23.2-31.8
Less Than H.S.	118	25,059	74	54.9	40.6-69.2	44	45.1	30.8-59.4
H.S. or G.E.D.	520	69,415	312	48.8	41.0-56.6	208	51.2	43.4-59.0
Some Post-H.S.	533	99,974	337	51.2	44.1-58.3	196	48.8	41.7-55.9
College Graduate	569	62,562	370	52.8	45.5-60.1	199	47.2	39.9-54.5
Less than \$15,000	82	14,462	46	43.7	27.2-60.2	36	56.3	39.8-72.8
\$15,000- 24,999	160	28,224	84	49.1	34.8-63.4	76	50.9	36.6-65.2
\$25,000- 34,999	131	19,071	95	61.7	44.8-78.6	36	38.3	21.4-55.2
\$35,000- 49,999	219	29,165	134	56.0	44.8-67.2	85	44.0	32.8-55.2
\$50,000- 74,999	299	43,629	187	52.0	42.4-61.6	112	48.0	38.4-57.6
\$75,000+	691	95,044	445	51.9	45.8-58.0	246	48.1	42.0-54.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3013	256,758	1928	57.7	54.4-61.0	1085	42.3	39.0-45.6
Native	77	16,832	57	62.7	44.5-80.9	20	37.3	19.1-55.5
Non-Native	2903	238,044	1853	57.3	53.8-60.8	1050	42.7	39.2-46.2
18-24	58	35,822	21	30.1	16.6-43.6	37	69.9	56.4-83.4
25-34	178	52,210	93	55.8	46.2-65.4	85	44.2	34.6-53.8
35-44	286	35,322	140	51.6	44.2-59.0	146	48.4	41.0-55.8
45-54	477	41,532	286	64.1	58.8-69.4	191	35.9	30.6-41.2
55-64	751	39,460	514	68.8	64.7-72.9	237	31.2	27.1-35.3
65+	1215	49,654	846	70.1	67.0-73.2	369	29.9	26.8-33.0
Less Than H.S.	154	19,487	81	39.8	26.5-53.1	73	60.2	46.9-73.5
H.S. or G.E.D.	928	69,410	595	56.7	49.8-63.6	333	43.3	36.4-50.2
Some Post-H.S.	985	98,293	639	60.2	54.5-65.9	346	39.8	34.1-45.5
College Graduate	923	68,151	599	59.9	54.6-65.2	324	40.1	34.8-45.4
Less than \$15,000	168	16,306	95	43.7	30.0-57.4	73	56.3	42.6-70.0
\$15,000- 24,999	378	33,535	239	57.1	45.7-68.5	139	42.9	31.5-54.3
\$25,000- 34,999	308	26,067	206	55.8	42.9-68.7	102	44.2	31.3-57.1
\$35,000- 49,999	387	31,237	254	56.4	47.4-65.4	133	43.6	34.6-52.6
\$50,000- 74,999	458	39,717	319	65.7	58.3-73.1	139	34.3	26.9-41.7
\$75,000+	860	78,066	531	58.6	53.1-64.1	329	41.4	35.9-46.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4925	530,937	475	7.4	06.2-08.6	52	1.1	00.5-01.7	4398	91.5	90.3-92.7
Male	1805	268,285	176	6.5	04.9-08.1				1629	93.5	91.9-95.1
Female	3120	262,653	299	8.3	06.7-09.9	52	2.3	01.3-03.3	2769	89.4	87.6-91.2
Native	106	24,896	11	9.0	00.6-17.4	5	2.8	00.0-05.7	90	88.2	79.4-97.0
Non-Native	4742	498,473	457	7.3	06.1-08.5	47	1.1	00.5-01.7	4238	91.6	90.4-92.8
18-24	116	84,304	3	1.6	00.0-03.6	1	0.1	00.0-00.3	112	98.3	96.1-0100
25-34	289	106,588	9	3.8	00.7-06.9	6	1.9	00.0-03.9	274	94.3	90.6-98.0
35-44	513	78,985	31	6.1	03.2-09.0	10	1.9	00.5-03.3	472	92.0	88.9-95.1
45-54	758	83,091	65	9.6	06.3-12.9	16	1.6	00.4-02.8	677	88.8	85.5-92.1
55-64	1246	81,154	134	10.8	08.6-13.0	8	0.7	00.1-01.3	1104	88.5	86.3-90.7
65+	1939	92,909	229	13.0	11.0-15.0	10	0.4	00.0-00.8	1700	86.6	84.6-88.6
Less Than H.S.	287	46,859	37	10.2	04.7-15.7				250	89.8	84.3-95.3
H.S. or G.E.D.	1488	141,948	155	6.8	05.0-08.6	12	1.1	00.0-02.5	1321	92.1	89.9-94.3
Some Post-H.S.	1564	205,726	151	7.7	05.7-09.7	17	0.9	00.3-01.5	1396	91.4	89.2-93.6
College Graduate	1555	134,141	128	6.3	04.7-07.9	22	1.8	00.8-02.8	1405	91.9	89.9-93.9
Less than \$15,000	255	32,195	31	6.9	03.8-10.0	1	0.1	00.0-00.3	223	93.0	89.9-96.1
\$15,000- 24,999	554	63,835	48	6.9	02.8-11.0	3	0.2	00.0-00.4	503	93.0	88.9-97.1
\$25,000- 34,999	447	45,631	61	13.4	06.9-19.9	4	1.6	00.0-03.8	382	85.0	78.3-91.7
\$35,000- 49,999	630	61,678	69	7.5	05.1-09.9	7	0.6	00.0-01.2	554	91.9	89.5-94.3
\$50,000- 74,999	775	84,650	78	7.7	05.3-10.1	6	0.5	00.0-01.1	691	91.8	89.3-94.3
\$75,000+	1604	177,652	130	6.6	04.8-08.4	24	2.1	00.9-03.3	1450	91.3	89.1-93.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	268,285	176	6.5	04.9-08.1	1629	93.5	91.9-95.1
Non-Native	1734	254,665	168	6.3	04.7-07.9	1566	93.7	92.1-95.3
18-24	58	48,482				58	100.0	0100-0100
25-34	108	54,132	2	2.7	00.0-06.8	106	97.3	93.2-0100
35-44	207	42,213	9	6.2	01.5-10.9	198	93.8	89.1-98.5
45-54	270	40,760	30	10.4	05.1-15.7	240	89.6	84.3-94.9
55-64	478	40,769	46	8.8	05.9-11.7	432	91.2	88.3-94.1
65+	667	40,756	87	13.3	10.0-16.6	580	86.7	83.4-90.0
Less Than H.S.	126	26,788	21	13.4	04.4-22.4	105	86.6	77.6-95.6
H.S. or G.E.D.	537	71,538	52	4.8	02.4-07.2	485	95.2	92.8-97.6
Some Post-H.S.	544	105,272	51	6.0	03.6-08.4	493	94.0	91.6-96.4
College Graduate	593	63,976	52	6.3	03.9-08.7	541	93.7	91.3-96.1
Less than \$15,000	83	15,632	10	6.6	01.7-11.5	73	93.4	88.5-98.3
\$15,000- 24,999	168	29,766	11	8.2	00.0-16.4	157	91.8	83.6-0100
\$25,000- 34,999	133	19,325	21	13.6	03.8-23.4	112	86.4	76.6-96.2
\$35,000- 49,999	232	29,998	23	6.5	03.2-09.8	209	93.5	90.2-96.8
\$50,000- 74,999	306	44,225	32	7.4	03.5-11.3	274	92.6	88.7-96.5
\$75,000+	709	97,284	65	5.2	03.4-07.0	644	94.8	93.0-96.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3120	262,653	299	8.3	06.7-09.9	52	2.3	01.3-03.3	2769	89.4	87.6-91.2
Native	78	16,913	9	7.0	00.0-14.6	5	4.2	00.0-08.5	64	88.9	80.1-97.7
Non-Native	3008	243,808	289	8.4	06.8-10.0	47	2.2	01.2-03.2	2672	89.4	87.6-91.2
18-24	58	35,822	3	3.8	00.0-08.5	1	0.2	00.0-00.6	54	95.9	91.0-0100
25-34	181	52,456	7	5.0	00.1-09.9	6	3.9	00.0-07.8	168	91.1	85.0-97.2
35-44	306	36,772	22	6.1	03.2-09.0	10	4.1	01.2-07.0	274	89.8	85.7-93.9
45-54	488	42,331	35	8.8	04.9-12.7	16	3.1	00.7-05.5	437	88.1	83.6-92.6
55-64	768	40,385	88	12.7	09.6-15.8	8	1.5	00.3-02.7	672	85.8	82.7-88.9
65+	1272	52,153	142	12.7	10.3-15.1	10	0.7	00.1-01.3	1120	86.6	84.2-89.0
Less Than H.S.	161	20,070	16	5.8	02.3-09.3				145	94.2	90.7-97.7
H.S. or G.E.D.	951	70,410	103	8.8	06.1-11.5	12	2.3	00.0-04.8	836	88.9	85.2-92.6
Some Post-H.S.	1020	100,454	100	9.4	06.3-12.5	17	1.9	00.5-03.3	903	88.7	85.4-92.0
College Graduate	962	70,165	76	6.2	04.0-08.4	22	3.4	01.6-05.2	864	90.3	87.6-93.0
Less than \$15,000	172	16,563	21	7.3	03.2-11.4	1	0.2	00.0-00.6	150	92.5	88.4-96.6
\$15,000- 24,999	386	34,068	37	5.7	03.3-08.1	3	0.3	00.0-00.7	346	94.0	91.5-96.5
\$25,000- 34,999	314	26,306	40	13.2	04.6-21.8	4	2.8	00.0-06.5	270	84.1	75.1-93.1
\$35,000- 49,999	398	31,680	46	8.4	05.3-11.5	7	1.2	00.0-02.4	345	90.4	86.9-93.9
\$50,000- 74,999	469	40,425	46	8.0	05.3-10.7	6	1.1	00.1-02.1	417	90.9	88.0-93.8
\$75,000+	895	80,367	65	8.3	05.0-11.6	24	4.7	02.0-07.4	806	87.1	83.0-91.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU NOW TAKING INSULIN? (INSULIN)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	665	52,093	237	36.7	30.0-43.4	428	63.3	56.6-70.0
Male	291	27,692	97	36.6	27.0-46.2	194	63.4	53.8-73.0
Female	374	24,401	140	36.7	27.7-45.7	234	63.3	54.3-72.3
Non-Native	611	45,003	211	37.1	30.2-44.0	400	62.9	56.0-69.8
45-54	61	8,805	23	36.1	21.4-50.8	38	63.9	49.2-78.6
55-64	165	12,298	67	39.1	30.1-48.1	98	60.9	51.9-69.9
65+	408	20,401	140	36.1	30.2-42.0	268	63.9	58.0-69.8
Less Than H.S.	71	7,172	28	27.5	11.8-43.2	43	72.5	56.8-88.2
H.S. or G.E.D.	217	13,342	74	37.4	26.2-48.6	143	62.6	51.4-73.8
Some Post-H.S.	212	20,921	76	42.5	30.0-55.0	136	57.5	45.0-70.0
College Graduate	161	10,274	57	28.2	20.4-36.0	104	71.8	64.0-79.6
Less than \$15,000	74	8,244	30	32.4	12.2-52.6	44	67.6	47.4-87.8
\$15,000- 24,999	102	7,065	48	56.1	42.6-69.6	54	43.9	30.4-57.4
\$25,000- 34,999	76	5,776	36	45.8	26.8-64.8	40	54.2	35.2-73.2
\$35,000- 49,999	93	6,346	25	24.6	14.0-35.2	68	75.4	64.8-86.0
\$50,000- 74,999	87	6,612	31	30.7	19.1-42.3	56	69.3	57.7-80.9
\$75,000+	127	10,735	31	39.2	19.8-58.6	96	60.8	41.4-80.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	291	27,692	97	36.6	26.8-46.4	194	63.4	53.6-73.2
Non-Native	272	24,557	89	36.0	26.4-45.6	183	64.0	54.4-73.6
55-64	85	7,595	26	31.1	19.3-42.9	59	68.9	57.1-80.7
65+	160	9,829	52	35.2	26.2-44.2	108	64.8	55.8-73.8
H.S. or G.E.D.	99	7,643	36	44.6	29.3-59.9	63	55.4	40.1-70.7
Some Post-H.S.	72	8,466	24	48.3	30.1-66.5	48	51.7	33.5-69.9
College Graduate	84	6,497	24	23.5	13.7-33.3	60	76.5	66.7-86.3
\$75,000+	72	7,173	18	34.8	10.7-58.9	54	65.2	41.1-89.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	374	24,401	140	36.7	27.9-45.5	234	63.3	54.5-72.1
Non-Native	339	20,446	122	38.3	28.7-47.9	217	61.7	52.1-71.3
55-64	80	4,702	41	52.1	38.4-65.8	39	47.9	34.2-61.6
65+	248	10,571	88	36.9	29.1-44.7	160	63.1	55.3-70.9
H.S. or G.E.D.	118	5,699	38	27.7	16.3-39.1	80	72.3	60.9-83.7
Some Post-H.S.	140	12,455	52	38.5	23.0-54.0	88	61.5	46.0-77.0
College Graduate	77	3,776	33	36.4	23.9-48.9	44	63.6	51.1-76.1
\$15,000- 24,999	69	4,697	37	62.9	46.4-79.4	32	37.1	20.6-53.6
\$75,000+	55	3,562	13	48.2	16.3-80.1	42	51.8	19.9-83.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	657	51,115	81	10.3	07.6-13.0	153	25.8	19.3-32.3	414	60.5	53.6-67.4	9	3.4	00.0-07.3
Male	292	27,779	38	8.4	05.1-11.7	92	33.3	23.3-43.3	160	57.7	47.9-67.5	2	0.6	00.0-01.4
Female	365	23,335	43	12.5	07.8-17.2	61	16.9	10.6-23.2	254	63.9	54.5-73.3	7	6.7	00.0-15.1
Non-Native	604	44,052	77	11.4	08.3-14.5	145	26.4	20.1-32.7	374	58.6	51.7-65.5	8	3.7	00.0-08.2
45-54	62	8,892	8	8.4	01.9-14.9	9	22.9	03.9-41.9	43	66.5	48.3-84.7	2	2.2	00.0-05.3
55-64	164	12,060	19	11.3	05.6-17.0	42	27.2	18.8-35.6	101	59.9	50.7-69.1	2	1.6	00.0-04.1
65+	401	19,863	49	12.8	08.7-16.9	93	25.8	20.1-31.5	256	60.3	54.2-66.4	3	1.1	00.0-02.3
Less Than H.S.	68	6,905	8	6.4	00.5-12.3	18	50.1	25.6-74.6	42	43.5	21.4-65.6			
H.S. or G.E.D.	216	13,251	27	11.7	06.4-17.0	50	28.7	18.5-38.9	137	58.0	47.2-68.8	2	1.5	00.0-03.7
Some Post-H.S.	208	20,301	26	9.8	05.1-14.5	48	18.4	11.5-25.3	130	65.5	54.5-76.5	4	6.3	00.0-15.9
College Graduate	161	10,274	20	12.5	06.0-19.0	36	21.3	13.5-29.1	103	65.4	56.0-74.8	2	0.9	00.0-02.1
Less than \$15,000	74	8,244	5	7.4	00.1-14.7	18	35.5	10.6-60.4	51	57.0	32.7-81.3			
\$15,000- 24,999	99	6,514	11	12.2	04.0-20.4	16	19.5	08.7-30.3	71	67.1	54.2-80.0	1	1.2	00.0-03.6
\$25,000- 34,999	75	5,762	10	7.3	01.4-13.2	17	21.3	09.1-33.5	47	70.5	56.2-84.8	1	0.9	00.0-02.7
\$35,000- 49,999	91	6,241	16	17.3	07.5-27.1	27	33.1	20.2-46.0	48	49.6	36.1-63.1			
\$50,000- 74,999	87	6,612	11	13.4	04.8-22.0	20	18.2	08.8-27.6	54	66.8	54.6-79.0	2	1.6	00.0-04.0
\$75,000+	127	10,735	15	7.9	02.8-13.0	34	20.5	10.9-30.1	76	60.8	44.3-77.3	2	10.8	00.0-28.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	292	27,779	38	8.4	05.1-11.7	92	33.3	23.3-43.3	160	57.7	47.9-67.5	2	0.6	00.0-01.4
Non-Native	273	24,645	37	9.4	05.7-13.1	89	33.3	23.9-42.7	145	56.6	47.4-65.8	2	0.6	00.0-01.6
55-64	85	7,595	11	10.8	03.5-18.1	30	34.0	22.2-45.8	44	55.1	42.6-67.6			
65+	160	9,829	23	12.7	07.0-18.4	52	33.3	24.3-42.3	84	53.2	43.8-62.6	1	0.9	00.0-02.7
H.S. or G.E.D.	99	7,643	15	10.5	04.0-17.0	30	27.0	15.6-38.4	53	61.4	48.3-74.5	1	1.1	00.0-03.3
Some Post-H.S.	72	8,466	9	9.7	02.6-16.8	25	28.5	15.0-42.0	37	61.0	45.3-76.7	1	0.9	00.0-02.7
College Graduate	84	6,497	11	9.1	02.8-15.4	24	25.0	14.0-36.0	49	65.8	53.8-77.8			
\$75,000+	72	7,173	8	7.2	01.1-13.3	22	21.6	09.4-33.8	42	71.2	57.3-85.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	365	23,335	43	12.5	07.8-17.2	61	16.9	10.4-23.4	254	63.9	54.3-73.5	7	6.7	00.0-15.1
Non-Native	331	19,407	40	13.9	08.6-19.2	56	17.6	10.7-24.5	229	61.1	51.3-70.9	6	7.5	00.0-17.5
55-64	79	4,465	8	12.2	03.0-21.4	12	15.6	06.0-25.2	57	67.9	55.0-80.8	2	4.3	00.0-11.2
65+	241	10,033	26	12.9	07.2-18.6	41	18.4	11.7-25.1	172	67.4	59.6-75.2	2	1.3	00.0-03.1
H.S. or G.E.D.	117	5,608	12	13.4	04.6-22.2	20	31.1	14.0-48.2	84	53.4	38.1-68.7	1	2.1	00.0-06.2
Some Post-H.S.	136	11,834	17	9.9	03.8-16.0	23	11.2	04.5-17.9	93	68.8	53.1-84.5	3	10.2	00.0-26.1
College Graduate	77	3,776	9	18.2	05.3-31.1	12	14.9	05.7-24.1	54	64.5	49.8-79.2	2	2.3	00.0-05.6
\$15,000- 24,999	66	4,145	9	13.3	02.7-23.9	8	15.0	03.0-27.0	48	69.9	54.0-85.8	1	1.9	00.0-05.6
\$75,000+	55	3,562	7	9.2	00.4-18.0	12	18.4	03.5-33.3	34	39.9	13.8-66.0	2	32.6	00.0-72.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	639	50,505	336	50.4	43.3-57.5	142	24.7	18.2-31.2	51	7.1	04.0-10.2	14	1.5	00.5-02.5	96	16.2	09.9-22.5
Male	282	27,017	156	49.8	39.8-59.8	57	27.9	17.9-37.9	23	6.7	02.8-10.6	7	1.9	00.3-03.5	39	13.7	04.9-22.5
Female	357	23,489	180	51.1	41.5-60.7	85	21.2	14.3-28.1	28	7.6	02.3-12.9	7	1.0	00.2-01.8	57	19.1	10.1-28.1
Non-Native	587	43,544	302	46.9	40.2-53.6	132	25.7	19.2-32.2	49	8.0	04.3-11.7	13	1.4	00.6-02.2	91	17.9	10.8-25.0
45-54	60	8,648	38	63.5	47.2-79.8	10	23.2	08.7-37.7	3	5.1	00.0-12.4				9	8.2	01.7-14.7
55-64	163	12,100	101	62.8	53.6-72.0	32	20.9	13.3-28.5	8	4.5	00.8-08.2	2	1.1	00.0-02.9	20	10.7	04.8-16.6
65+	387	19,243	187	51.0	44.7-57.3	91	22.8	17.7-27.9	37	8.4	05.1-11.7	11	2.5	00.9-04.1	61	15.4	10.9-19.9
Less Than H.S.	66	6,703	39	56.5	30.6-82.4	11	12.0	02.6-21.4	6	3.2	00.0-06.9	1	0.6	00.0-01.8	9	27.8	00.0-56.4
H.S. or G.E.D.	206	12,885	103	49.2	38.6-59.8	49	27.6	16.0-39.2	17	10.1	01.3-18.9	6	2.8	00.4-05.2	31	10.3	05.8-14.8
Some Post-H.S.	207	20,603	112	51.6	39.1-64.1	46	26.0	13.8-38.2	18	5.6	02.3-08.9	5	0.9	00.0-01.9	26	16.0	05.8-26.2
College Graduate	156	9,930	81	47.3	37.1-57.5	34	24.6	15.4-33.8	10	9.4	01.4-17.4	2	1.8	00.0-04.9	29	16.9	09.5-24.3
Less than \$15,000	74	8,244	39	42.0	20.2-63.8	20	26.6	07.2-46.0	4	7.5	00.0-20.6	1	0.7	00.0-02.1	10	23.1	00.0-47.8
\$15,000- 24,999	97	6,824	58	58.6	43.5-73.7	18	25.3	09.6-41.0	7	5.7	00.2-11.2	1	0.6	00.0-01.8	13	9.8	02.9-16.7
\$25,000- 34,999	71	5,388	41	64.1	46.7-81.5	17	20.6	07.5-33.7	3	3.7	00.0-08.6	1	1.2	00.0-03.7	9	10.3	02.3-18.3
\$35,000- 49,999	91	6,129	42	50.3	36.6-64.0	22	23.4	12.2-34.6	10	9.0	01.9-16.1	2	1.1	00.0-02.7	15	16.2	06.4-26.0
\$50,000- 74,999	87	6,612	51	59.7	46.0-73.4	19	22.2	10.6-33.8	4	3.0	00.0-06.3	4	4.0	00.0-08.3	9	11.1	01.3-20.9
\$75,000+	127	10,735	56	35.8	21.9-49.7	32	29.1	11.1-47.1	15	10.8	02.4-19.2	3	2.0	00.0-04.9	21	22.3	05.4-39.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	282	27,017	156	49.8	39.6-60.0	57	27.9	17.9-37.9	23	6.7	02.8-10.6	7	1.9	00.3-03.5	39	13.7	05.1-22.3
Non-Native	264	23,916	145	48.0	38.4-57.6	52	27.7	17.9-37.5	22	7.3	03.0-11.6	6	1.5	00.1-02.9	39	15.5	05.9-25.1
55-64	84	7,457	49	58.9	46.4-71.4	14	19.6	09.8-29.4	5	5.7	00.0-11.4	1	1.4	00.0-04.1	15	14.4	05.6-23.2
65+	153	9,326	82	54.6	45.0-64.2	31	22.0	14.0-30.0	14	7.0	02.7-11.3	5	2.8	00.3-05.3	21	13.6	07.1-20.1
H.S. or G.E.D.	97	7,605	51	50.4	35.1-65.7	20	30.3	13.2-47.4	8	5.5	01.0-10.0	3	3.1	00.0-06.8	15	10.6	04.1-17.1
Some Post-H.S.	70	8,294	43	49.5	30.5-68.5	13	36.2	14.4-58.0	6	5.7	00.2-11.2	1	0.8	00.0-02.4	7	7.8	00.5-15.1
College Graduate	82	6,382	42	48.0	33.9-62.1	17	23.5	11.5-35.5	6	12.0	00.0-24.2	2	2.8	00.0-07.5	15	13.7	05.7-21.7
\$75,000+	72	7,173	37	38.9	21.3-56.5	12	33.1	09.0-57.2	8	12.6	00.6-24.6	1	2.2	00.0-06.5	14	13.2	04.0-22.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	357	23,489	180	51.1	41.5-60.7	85	21.2	14.3-28.1	28	7.6	02.3-12.9	7	1.0	00.2-01.8	57	19.1	10.1-28.1
Non-Native	323	19,629	157	45.6	36.6-54.6	80	23.3	15.7-30.9	27	9.0	02.9-15.1	7	1.2	00.2-02.2	52	20.8	10.6-31.0
55-64	79	4,643	52	69.1	56.6-81.6	18	23.0	11.4-34.6	3	2.7	00.0-06.4	1	0.6	00.0-01.8	5	4.6	00.0-09.3
65+	234	9,918	105	47.5	39.3-55.7	60	23.6	17.1-30.1	23	9.6	04.5-14.7	6	2.2	00.4-04.0	40	17.1	10.8-23.4
H.S. or G.E.D.	109	5,279	52	47.5	32.6-62.4	29	23.6	12.4-34.8	9	16.7	00.0-35.5	3	2.3	00.0-05.0	16	9.9	03.8-16.0
Some Post-H.S.	137	12,309	69	53.0	37.5-68.5	33	19.1	08.3-29.9	12	5.5	01.4-09.6	4	1.0	00.0-02.0	19	21.5	06.0-37.0
College Graduate	74	3,548	39	46.1	32.2-60.0	17	26.6	11.7-41.5	4	4.7	00.0-09.4				14	22.6	08.7-36.5
\$15,000- 24,999	65	4,482	38	56.0	36.0-76.0	13	26.4	04.6-48.2	5	6.3	00.0-13.7				9	11.2	01.4-21.0
\$75,000+	55	3,562	19	29.7	08.3-51.1	20	21.0	05.5-36.5	7	7.3	00.0-14.7	2	1.5	00.0-04.0	7	40.5	04.6-76.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LANDWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	647	51,148	130	16.0	12.3-19.7	180	29.2	22.5-35.9	84	9.6	06.9-12.3	118	21.6	15.7-27.5	59	10.3	06.2-14.4	76	13.2	07.7-18.7
Male	286	27,550	65	17.3	11.8-22.8	77	29.0	19.6-38.4	30	9.4	05.3-13.5	50	20.2	12.8-27.6	26	8.0	04.1-11.9	38	16.1	07.3-24.9
Female	361	23,597	65	14.4	09.5-19.3	103	29.6	20.6-38.6	54	9.9	06.4-13.4	68	23.3	14.1-32.5	33	12.9	05.3-20.5	38	9.9	04.6-15.2
Non-Native	598	44,524	123	16.6	12.7-20.5	172	29.8	23.1-36.5	77	10.2	07.1-13.3	105	19.5	14.6-24.4	53	9.2	06.1-12.3	68	14.7	08.6-20.8
45-54	61	8,685	4	4.7	00.0-09.8	21	40.0	21.8-58.2	7	10.1	01.9-18.3	16	26.2	12.1-40.3	7	10.0	01.4-18.6	6	9.2	00.6-17.8
55-64	164	12,247	35	24.9	15.9-33.9	47	27.3	19.3-35.3	23	11.4	05.7-17.1	29	17.3	10.0-24.6	14	10.8	04.7-16.9	16	8.3	03.8-12.8
65+	392	19,638	88	21.5	16.4-26.6	105	27.4	21.9-32.9	49	9.7	06.6-12.8	67	19.2	14.1-24.3	33	7.7	04.4-11.0	50	14.5	09.8-19.2
Less Than H.S.	68	6,995	16	14.0	04.2-23.8	18	32.5	09.4-55.6	3	2.4	00.0-06.3	9	12.7	02.7-22.7	7	7.6	00.2-15.0	15	30.9	03.9-57.9
H.S. or G.E.D.	207	12,826	49	20.1	12.5-27.7	58	21.6	14.7-28.5	18	6.7	03.0-10.4	41	26.6	15.0-38.2	19	10.2	04.7-15.7	22	14.9	05.5-24.3
Some Post-H.S.	208	20,724	44	17.0	10.3-23.7	56	31.1	18.4-43.8	34	10.9	06.0-15.8	35	23.6	12.4-34.8	17	9.8	01.4-18.2	22	7.5	03.6-11.4
College Graduate	160	10,219	21	10.8	05.1-16.5	47	32.3	22.7-41.9	28	14.2	07.3-21.1	33	18.4	10.8-26.0	15	13.5	05.5-21.5	16	10.8	03.5-18.1
Less than \$15,000	71	7,961	14	11.0	02.0-20.0	13	10.8	02.8-18.8	9	5.4	00.5-10.3	12	16.0	00.0-34.2	13	25.3	04.7-45.9	10	31.4	05.1-57.7
\$15,000- 24,999	97	6,868	18	14.8	06.4-23.2	20	19.9	09.7-30.1	12	11.6	03.0-20.2	16	26.0	09.7-42.3	17	15.4	06.2-24.6	14	12.3	04.7-19.9
\$25,000- 34,999	76	5,776	13	13.2	03.8-22.6	18	16.9	06.3-27.5	14	11.4	03.8-19.0	19	45.1	23.9-66.3	6	9.3	00.9-17.7	6	4.0	00.5-07.5
\$35,000- 49,999	90	6,128	23	29.5	16.2-42.8	23	23.9	13.1-34.7	9	3.4	00.9-05.9	19	21.9	10.5-33.3	5	6.9	00.0-14.3	11	14.4	05.4-23.4
\$50,000- 74,999	86	6,557	15	14.5	06.3-22.7	32	36.8	22.7-50.9	9	11.0	02.8-19.2	16	19.1	07.9-30.3	6	9.9	00.5-19.3	8	8.7	02.0-15.4
\$75,000+	127	10,735	25	14.3	06.5-22.1	44	48.9	31.7-66.1	21	11.3	03.9-18.7	20	13.6	05.6-21.6	5	3.3	00.0-06.8	12	8.6	01.5-15.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	286	27,550	65	17.3	11.8-22.8	77	29.0	20.2-37.8	30	9.4	05.3-13.5	50	20.2	12.8-27.6	26	8.0	04.1-11.9	38	16.1	07.3-24.9
Non-Native	269	24,500	62	18.1	12.2-24.0	74	27.4	18.8-36.0	27	9.5	05.0-14.0	45	18.3	12.0-24.6	24	8.7	04.4-13.0	37	18.0	08.2-27.8
55-64	84	7,544	18	27.7	15.0-40.4	27	28.0	17.2-38.8	9	9.6	02.3-16.9	12	16.4	07.0-25.8	7	8.6	01.7-15.5	11	9.8	03.1-16.5
65+	156	9,663	45	25.5	17.3-33.7	38	24.5	16.3-32.7	14	8.0	03.5-12.5	25	17.9	10.5-25.3	14	9.0	03.5-14.5	20	15.1	07.8-22.4
H.S. or G.E.D.	98	7,632	25	23.0	11.4-34.6	25	18.9	10.1-27.7	8	6.9	01.8-12.0	21	32.9	16.4-49.4	10	8.1	02.4-13.8	9	10.1	02.3-17.9
Some Post-H.S.	70	8,374	17	19.8	08.2-31.4	17	31.8	10.8-52.8	9	11.7	02.7-20.7	11	18.4	05.5-31.3	7	7.1	00.0-14.5	9	11.1	03.3-18.9
College Graduate	83	6,442	14	12.2	04.8-19.6	26	34.5	21.4-47.6	12	13.8	03.8-23.8	14	15.3	05.9-24.7	5	9.8	01.0-18.6	12	14.4	03.4-25.4
\$75,000+	72	7,173	15	16.1	05.5-26.7	24	43.7	22.1-65.3	8	10.1	00.7-19.5	10	13.1	03.3-22.9	4	4.5	00.0-09.6	11	12.5	01.9-23.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	361	23,597	65	14.4	09.5-19.3	103	29.6	20.4-38.8	54	9.9	06.4-13.4	68	23.3	14.1-32.5	33	12.9	05.3-20.5	38	9.9	04.6-15.2
Non-Native	329	20,024	61	14.9	09.8-20.0	98	32.7	23.1-42.3	50	11.0	06.9-15.1	60	21.1	13.5-28.7	29	9.7	05.0-14.4	31	10.6	04.5-16.7
55-64	80	4,702	17	20.4	09.6-31.2	20	26.2	14.4-38.0	14	14.5	05.5-23.5	17	18.7	07.3-30.1	7	14.5	03.3-25.7	5	5.8	00.5-11.1
65+	236	9,975	43	17.6	11.3-23.9	67	30.3	22.7-37.9	35	11.3	07.0-15.6	42	20.5	13.8-27.2	19	6.4	02.7-10.1	30	13.9	08.2-19.6
H.S. or G.E.D.	109	5,194	24	15.7	07.5-23.9	33	25.6	14.8-36.4	10	6.3	00.8-11.8	20	17.2	07.8-26.6	9	13.2	03.0-23.4	13	21.9	04.3-39.5
Some Post-H.S.	138	12,350	27	15.1	07.3-22.9	39	30.6	14.7-46.5	25	10.3	04.6-16.0	24	27.1	11.0-43.2	10	11.7	00.0-25.0	13	5.1	01.4-08.8
College Graduate	77	3,776	7	8.3	00.0-17.3	21	28.6	16.8-40.4	16	15.0	07.4-22.6	19	23.8	11.3-36.3	10	19.7	05.2-34.2	4	4.6	00.0-09.9
\$15,000- 24,999	66	4,570	11	14.7	03.7-25.7	14	18.6	06.6-30.6	9	10.3	01.9-18.7	12	31.4	09.6-53.2	13	19.0	06.1-31.9	7	6.0	00.0-12.1
\$75,000+	55	3,562	10	10.8	01.4-20.2	20	59.4	33.1-85.7	13	13.7	01.7-25.7	10	14.7	01.4-28.0	1	0.7	00.0-02.1	1	0.6	00.0-02.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 13: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	634	50,206	327	51.1	44.0-58.2	212	33.6	26.9-40.3	20	2.9	00.7-05.1	11	2.2	00.6-03.8	54	9.0	04.5-13.5	10	1.2	00.4-02.0
Male	279	27,005	168	59.9	50.7-69.1	78	27.9	19.9-35.9	5	2.8	00.0-06.1	6	2.9	00.2-05.6	21	6.3	02.6-10.0	1	0.3	00.0-00.9
Female	355	23,201	159	40.9	31.9-49.9	134	40.3	30.3-50.3	15	3.0	00.5-05.5	5	1.5	00.0-03.1	33	12.1	03.7-20.5	9	2.2	00.4-04.0
Non-Native	586	43,463	309	53.3	46.4-60.2	191	32.4	26.3-38.5	18	3.1	00.6-05.6	10	2.3	00.5-04.1	51	8.2	04.7-11.7	7	0.7	00.0-01.5
45-54	60	8,577	30	52.9	35.7-70.1	21	29.2	15.3-43.1	2	5.5	00.0-15.3	2	4.4	00.0-10.9	4	7.5	00.0-15.7	1	0.5	00.0-01.5
55-64	160	12,042	88	53.6	44.0-63.2	60	40.2	30.6-49.8	4	1.8	00.0-03.8	8	4.5	01.0-08.0	8	4.5	01.0-08.0			
65+	383	18,997	193	50.9	44.6-57.2	121	31.1	25.4-36.8	13	2.6	00.8-04.4	8	3.3	00.6-06.0	39	9.2	05.5-12.9	9	2.8	00.6-05.0
Less Than H.S.	63	6,461	29	60.0	37.9-82.1	18	18.8	05.7-31.9				2	4.8	00.0-11.7	11	11.2	01.2-21.2	3	5.2	00.0-11.3
H.S. or G.E.D.	205	12,648	102	44.7	34.5-54.9	72	39.5	27.9-51.1	5	1.9	00.0-03.9	3	1.5	00.0-03.3	17	10.5	01.5-19.5	6	1.9	00.1-03.7
Some Post-H.S.	204	20,550	106	48.2	35.7-60.7	68	37.7	25.4-50.0	9	3.8	00.0-08.1	4	2.3	00.0-05.2	16	8.0	00.0-16.2	1	0.1	00.0-00.3
College Graduate	159	10,194	89	59.3	49.1-69.5	52	27.0	18.6-35.4	6	4.2	00.0-09.5	2	1.5	00.0-03.9	10	8.0	01.1-14.9			
Less than \$15,000	70	7,854	29	39.9	15.8-64.0	25	27.1	07.1-47.1	4	1.8	00.0-04.0	3	7.1	00.0-15.7	7	23.2	00.3-46.1	2	0.9	00.0-02.5
\$15,000- 24,999	94	6,525	38	43.2	27.7-58.7	38	42.4	28.1-56.7	4	2.7	00.0-06.2	2	0.9	00.0-02.5	11	9.1	03.0-15.2	1	1.7	00.0-05.0
\$25,000- 34,999	72	5,455	32	32.8	16.9-48.7	31	59.4	41.2-77.6	2	1.2	00.0-03.0	2	2.5	00.0-06.2	4	4.0	00.0-08.5	1	0.1	00.0-00.3
\$35,000- 49,999	91	6,259	50	55.8	42.5-69.1	28	29.1	17.1-41.1	4	2.1	00.0-04.3	2	2.6	00.0-06.7	6	9.2	01.2-17.2	1	1.1	00.0-03.3
\$50,000- 74,999	84	6,489	51	60.0	45.9-74.1	26	28.1	15.6-40.6	2	5.8	00.0-14.2	1	1.8	00.0-05.3	4	4.3	00.0-09.2			
\$75,000+	126	10,720	77	61.3	44.2-78.4	37	31.0	14.3-47.7	2	0.3	00.0-00.7	1	0.8	00.0-02.4	9	6.5	00.2-12.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 14: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEM03)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	279	27,005	168	59.9	50.7-69.1	78	27.9	20.1-35.7	5	2.8	00.0-06.1	6	2.9	00.2-05.6	21	6.3	02.6-10.0	1	0.3	00.0-00.9
Non-Native	262	23,955	160	60.5	51.5-69.5	69	25.8	18.7-32.9	5	3.1	00.0-06.8	6	3.3	00.4-06.2	21	7.1	03.0-11.2	1	0.3	00.0-00.9
55-64	82	7,517	55	65.5	53.2-77.8	23	30.3	18.3-42.3	1	1.4	00.0-04.1				3	2.7	00.0-06.4			
65+	151	9,242	91	54.8	45.0-64.6	38	27.9	19.3-36.5	2	1.8	00.0-04.3	5	5.6	00.3-10.9	14	9.1	02.8-15.4	1	0.7	00.0-02.1
H.S. or G.E.D.	96	7,450	55	51.6	36.3-66.9	31	39.9	23.8-56.0	2	2.2	00.0-05.3	1	1.1	00.0-03.3	6	4.3	00.2-08.4	1	0.9	00.0-02.7
Some Post-H.S.	69	8,402	41	57.3	39.9-74.7	19	28.9	14.6-43.2	3	6.9	00.0-17.3	2	4.2	00.0-10.7	4	2.6	00.0-06.1			
College Graduate	82	6,417	55	66.4	52.9-79.9	21	23.5	12.3-34.7				1	0.6	00.0-01.8	5	9.5	00.0-19.9			
\$75,000+	71	7,158	47	70.2	54.1-86.3	16	19.9	07.6-32.2				1	1.2	00.0-03.6	7	8.8	00.0-18.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 15: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	355	23,201	159	40.9	31.9-49.9	134	40.3	30.1-50.5	15	3.0	00.5-05.5	5	1.5	00.0-03.1	33	12.1	03.7-20.5	9	2.2	00.4-04.0
Non-Native	324	19,508	149	44.5	35.3-53.7	122	40.5	30.9-50.1	13	3.0	00.3-05.7	4	1.2	00.0-02.6	30	9.6	03.5-15.7	6	1.3	00.0-02.7
55-64	78	4,525	33	33.7	21.4-46.0	37	56.5	43.0-70.0	3	2.4	00.0-05.1				5	7.3	00.6-14.0			
65+	232	9,756	102	47.1	38.9-55.3	83	34.2	26.8-41.6	11	3.4	01.0-05.8	3	1.1	00.0-02.7	25	9.3	04.8-13.8	8	4.8	00.7-08.9
H.S. or G.E.D.	109	5,198	47	34.9	22.4-47.4	41	38.9	25.0-52.8	3	1.6	00.0-03.8	2	2.0	00.0-04.7	11	19.4	00.8-38.0	5	3.2	00.0-06.7
Some Post-H.S.	135	12,148	65	41.8	26.5-57.1	49	43.8	26.6-61.0	6	1.6	00.0-03.2	2	1.0	00.0-02.8	12	11.7	00.0-25.2	1	0.1	00.0-00.3
College Graduate	77	3,776	34	47.2	32.3-62.1	31	33.1	20.4-45.8	6	11.3	00.0-24.6	1	3.1	00.0-09.0	5	5.3	00.0-10.6			
\$15,000- 24,999	64	4,243	19	38.3	16.9-59.7	30	45.8	26.8-64.8	3	1.7	00.0-03.9	2	1.3	00.0-03.7	9	10.3	02.3-18.3	1	2.6	00.0-07.7
\$75,000+	55	3,562	30	43.6	15.6-71.6	21	53.4	24.0-82.8	2	1.0	00.0-02.6				2	2.0	00.0-05.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	650	51,296	151	18.6	14.7-22.5	170	27.7	21.4-34.0	64	10.3	06.4-14.2	91	15.5	10.4-20.6	42	9.0	04.7-13.3	132	18.9	13.2-24.6
Male	286	27,494	75	20.9	14.6-27.2	81	29.9	20.5-39.3	20	9.9	03.4-16.4	32	10.2	06.1-14.3	16	7.4	02.7-12.1	62	21.7	12.7-30.7
Female	364	23,802	76	16.0	11.1-20.9	89	25.2	16.6-33.8	44	10.6	06.5-14.7	59	21.6	12.2-31.0	26	10.9	03.5-18.3	70	15.7	09.8-21.6
Non-Native	601	44,519	144	20.0	15.7-24.3	159	25.8	19.9-31.7	54	8.6	05.5-11.7	85	16.9	11.2-22.6	39	8.4	04.9-11.9	120	20.3	14.2-26.4
45-54	60	8,643	11	14.9	04.7-25.1	17	36.2	17.6-54.8	5	9.1	00.7-17.5	9	10.1	02.7-17.5	6	14.5	02.2-26.8	12	15.2	04.8-25.6
55-64	163	12,147	39	21.6	13.4-29.8	40	23.3	15.9-30.7	13	8.4	03.5-13.3	22	14.6	07.7-21.5	11	10.5	04.0-17.0	38	21.7	14.1-29.3
65+	396	19,917	96	24.7	19.2-30.2	104	25.7	20.2-31.2	41	10.7	06.8-14.6	56	16.3	11.6-21.0	21	3.7	01.7-05.7	78	18.9	14.0-23.8
Less Than H.S.	67	6,999	16	13.5	04.1-22.9	15	30.2	06.9-53.5	10	11.0	01.4-20.6	8	11.2	01.8-20.6	2	1.5	00.0-04.0	16	32.5	05.8-59.2
H.S. or G.E.D.	210	12,987	56	24.5	16.3-32.7	56	21.5	14.6-28.4	18	13.5	02.1-24.9	30	12.6	07.1-18.1	12	9.2	03.3-15.1	38	18.6	09.2-28.0
Some Post-H.S.	209	20,707	42	17.1	10.0-24.2	47	26.2	13.9-38.5	24	9.4	04.7-14.1	29	20.0	09.0-31.0	15	11.4	02.2-20.6	52	16.1	10.2-22.0
College Graduate	160	10,219	37	18.4	11.7-25.1	51	36.2	26.2-46.2	12	7.8	01.7-13.9	23	11.9	06.0-17.8	12	9.5	02.6-16.4	25	16.2	08.0-24.4
Less than \$15,000	71	8,008	19	12.9	04.5-21.3	8	5.6	00.9-10.3	7	14.7	00.0-32.9	12	9.3	02.0-16.6	7	20.9	00.7-41.1	18	36.6	10.9-62.3
\$15,000- 24,999	98	6,948	17	15.7	06.9-24.5	25	22.7	12.1-33.3	13	15.5	05.3-25.7	11	21.0	04.9-37.1	10	9.4	02.1-16.7	22	15.7	07.3-24.1
\$25,000- 34,999	75	5,744	18	17.5	07.3-27.7	17	30.7	06.6-54.8	10	11.1	01.5-20.7	14	21.0	08.3-33.7	6	10.1	00.1-20.1	10	9.5	02.1-16.9
\$35,000- 49,999	93	6,346	23	24.8	12.5-37.1	26	33.9	21.2-46.6	7	5.8	00.5-11.1	12	11.8	03.8-19.8	6	4.3	00.4-08.2	19	19.5	09.7-29.3
\$50,000- 74,999	85	6,516	16	16.7	07.7-25.7	26	29.4	15.5-43.3	8	10.0	02.4-17.6	11	13.6	03.2-24.0	7	10.8	01.0-20.6	17	19.6	09.8-29.4
\$75,000+	127	10,735	32	20.5	10.1-30.9	40	36.8	19.4-54.2	8	5.6	00.0-11.5	16	18.7	01.8-35.6	2	1.8	00.0-04.5	29	16.6	07.4-25.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	286	27,494	75	20.9	14.6-27.2	81	29.9	20.9-38.9	20	9.9	03.6-16.2	32	10.2	06.1-14.3	16	7.4	02.7-12.1	62	21.7	12.9-30.5
Non-Native	268	24,393	71	21.9	15.4-28.4	77	28.1	18.9-37.3	16	7.4	03.1-11.7	30	11.1	06.6-15.6	15	8.3	03.0-13.6	59	23.2	13.6-32.8
55-64	84	7,457	21	25.1	13.1-37.1	22	23.5	13.3-33.7	4	4.8	00.0-09.7	9	12.8	04.4-21.2	5	9.9	01.7-18.1	23	23.9	13.1-34.7
65+	155	9,683	47	28.5	19.9-37.1	45	27.1	18.7-35.5	8	6.0	01.3-10.7	19	15.0	07.9-22.1	6	1.6	00.0-03.4	30	21.7	13.7-29.7
H.S. or G.E.D.	97	7,604	33	31.0	18.1-43.9	25	20.7	11.3-30.1	5	15.3	00.0-33.5	10	9.5	02.8-16.2	5	6.9	00.0-14.0	19	16.6	08.0-25.2
Some Post-H.S.	70	8,294	15	22.5	09.2-35.8	14	25.8	03.7-47.9	6	8.5	00.9-16.1	8	11.2	03.0-19.4	5	12.5	00.0-25.0	22	19.5	08.9-30.1
College Graduate	83	6,442	17	16.2	07.6-24.8	34	42.9	29.2-56.6	6	9.2	00.0-18.4	9	8.8	01.9-15.7	4	5.9	00.0-12.6	13	17.0	05.2-28.8
\$75,000+	72	7,173	20	25.5	11.4-39.6	23	43.8	22.4-65.2	3	5.0	00.0-12.8	5	5.1	00.2-10.0	2	2.7	00.0-07.0	19	17.8	05.8-29.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	364	23,802	76	16.0	11.1-20.9	89	25.2	16.8-33.6	44	10.6	06.5-14.7	59	21.6	12.2-31.0	26	10.9	03.5-18.3	70	15.7	09.8-21.6
Non-Native	333	20,126	73	17.6	12.1-23.1	82	22.9	16.0-29.8	38	10.1	05.8-14.4	55	24.0	13.6-34.4	24	8.5	04.0-13.0	61	16.9	10.4-23.4
55-64	79	4,691	18	16.0	07.4-24.6	18	22.9	11.7-34.1	9	14.2	04.6-23.8	13	17.4	05.2-29.6	6	11.3	01.3-21.3	15	18.2	08.4-28.0
65+	241	10,234	49	21.2	14.3-28.1	59	24.4	17.3-31.5	33	15.1	08.8-21.4	37	17.5	11.4-23.6	15	5.7	02.2-09.2	48	16.2	10.7-21.7
H.S. or G.E.D.	113	5,383	23	15.5	07.3-23.7	31	22.6	12.6-32.6	13	10.9	04.2-17.6	20	17.0	07.8-26.2	7	12.6	02.4-22.8	19	21.5	04.1-38.9
Some Post-H.S.	139	12,413	27	13.4	06.0-20.8	33	26.4	11.5-41.3	18	10.0	03.9-16.1	21	25.8	09.3-42.3	10	10.6	00.0-23.7	30	13.7	07.0-20.4
College Graduate	77	3,776	20	22.3	11.9-32.7	17	24.8	11.7-37.9	6	5.3	00.6-10.0	14	17.2	07.0-27.4	8	15.5	01.4-29.6	12	14.8	04.4-25.2
\$15,000- 24,999	68	4,638	9	14.9	03.3-26.5	13	13.8	04.6-23.0	11	17.1	04.8-29.4	9	26.3	04.3-48.3	9	12.6	02.2-23.0	17	15.4	05.4-25.4
\$75,000+	55	3,562	12	10.7	01.9-19.5	17	22.5	05.6-39.4	5	6.7	00.0-15.3	11	45.9	12.8-79.0				10	14.3	00.6-28.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	650	51,428	99	13.9	10.0-17.8	372	55.0	47.9-62.1	91	14.0	09.3-18.7	72	10.3	06.8-13.8	16	6.7	00.4-13.0
Male	287	27,523	43	13.3	08.4-18.2	157	53.4	43.4-63.4	42	13.6	08.3-18.9	36	9.0	05.3-12.7	9	10.6	00.0-21.8
Female	363	23,905	56	14.5	08.2-20.8	215	56.9	47.3-66.5	49	14.5	06.7-22.3	36	11.9	05.6-18.2	7	2.2	00.4-04.0
Non-Native	599	44,534	92	14.8	10.5-19.1	340	53.2	46.3-60.1	84	12.7	09.0-16.4	68	11.6	07.7-15.5	15	7.6	00.3-14.9
45-54	62	8,892	9	13.4	04.0-22.8	30	57.5	41.0-74.0	13	14.7	04.7-24.7	9	13.1	02.3-23.9	1	1.3	00.0-03.8
55-64	164	12,281	19	9.0	03.9-14.1	86	54.9	45.5-64.3	29	19.1	11.3-26.9	28	15.2	08.9-21.5	2	1.8	00.0-04.5
65+	394	19,730	65	18.2	13.3-23.1	242	61.1	55.0-67.2	45	10.7	06.8-14.6	31	6.5	04.0-09.0	11	3.5	00.8-06.2
Less Than H.S.	70	7,121	10	8.8	01.5-16.1	33	47.0	23.5-70.5	14	14.7	04.1-25.3	9	7.6	00.9-14.3	4	21.9	00.0-50.3
H.S. or G.E.D.	211	13,123	28	10.4	05.1-15.7	123	55.8	44.8-66.8	22	8.9	04.2-13.6	33	21.9	11.9-31.9	5	3.0	00.0-06.1
Some Post-H.S.	207	20,622	34	16.9	09.1-24.7	122	56.1	43.6-68.6	30	13.8	04.4-23.2	16	6.4	01.5-11.3	5	6.7	00.0-17.3
College Graduate	158	10,177	25	15.8	08.5-23.1	92	56.2	46.0-66.4	25	21.1	11.7-30.5	14	5.8	02.3-09.3	2	1.2	00.0-02.8
Less than \$15,000	74	8,244	6	6.9	00.4-13.4	36	41.4	18.1-64.7	16	16.5	05.1-27.9	12	14.3	00.2-28.4	4	20.9	00.0-46.0
\$15,000- 24,999	101	7,040	13	22.2	06.1-38.3	56	50.3	36.0-64.6	12	9.4	02.1-16.7	16	15.4	07.0-23.8	4	2.8	00.0-05.7
\$25,000- 34,999	75	5,744	13	18.5	06.3-30.7	44	47.9	28.3-67.5	8	22.7	00.0-48.4	9	10.1	02.3-17.9	1	0.8	00.0-02.4
\$35,000- 49,999	90	6,117	13	14.6	05.2-24.0	62	67.7	55.2-80.2	5	5.6	00.0-11.3	8	10.4	02.2-18.6	2	1.6	00.0-04.1
\$50,000- 74,999	87	6,612	14	11.6	04.5-18.7	47	53.5	39.4-67.6	16	21.1	09.5-32.7	9	13.5	01.0-26.0	1	0.3	00.0-00.9
\$75,000+	126	10,708	17	10.7	04.2-17.2	76	59.3	42.1-76.5	22	14.8	05.6-24.0	10	4.3	01.0-07.6	1	11.0	00.0-30.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	287	27,523	43	13.3	08.4-18.2	157	53.4	43.4-63.4	42	13.6	08.3-18.9	36	9.0	05.3-12.7	9	10.6	00.0-22.0
Non-Native	270	24,490	37	13.0	07.9-18.1	150	51.1	41.3-60.9	39	14.0	08.5-19.5	35	9.9	05.8-14.0	9	11.9	00.0-24.4
55-64	84	7,579	10	10.8	03.2-18.4	42	51.3	38.6-64.0	16	21.5	10.3-32.7	16	16.5	07.9-25.1			
65+	156	9,590	25	18.8	11.0-26.6	91	57.3	47.7-66.9	19	13.3	06.4-20.2	15	6.6	02.7-10.5	6	4.0	00.0-08.9
H.S. or G.E.D.	98	7,626	11	9.7	02.3-17.1	59	63.4	50.1-76.7	10	7.6	01.9-13.3	16	17.6	07.6-27.6	2	1.7	00.0-04.8
Some Post-H.S.	70	8,322	12	16.7	05.7-27.7	36	48.8	30.0-67.6	11	13.2	03.2-23.2	8	6.4	01.1-11.7	3	14.9	00.0-38.8
College Graduate	83	6,430	14	17.7	07.5-27.9	49	57.8	44.1-71.5	13	19.3	07.1-31.5	7	5.2	00.9-09.5			
\$75,000+	71	7,146	10	10.8	02.8-18.8	41	50.9	30.5-71.3	12	16.7	03.8-29.6	7	5.2	00.5-09.9	1	16.4	00.0-44.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	363	23,905	56	14.5	08.4-20.6	215	56.9	47.3-66.5	49	14.5	06.7-22.3	36	11.9	05.6-18.2	7	2.2	00.4-04.0
Non-Native	329	20,045	55	17.1	10.0-24.2	190	55.9	46.7-65.1	45	11.0	06.3-15.7	33	13.6	06.3-20.9	6	2.4	00.2-04.6
55-64	80	4,702	9	6.2	01.3-11.1	44	60.8	47.5-74.1	13	15.2	05.4-25.0	12	13.1	04.3-21.9	2	4.7	00.0-11.6
65+	238	10,139	40	17.6	11.3-23.9	151	64.7	57.1-72.3	26	8.3	04.4-12.2	16	6.4	02.9-09.9	5	3.0	00.3-05.7
H.S. or G.E.D.	113	5,497	17	11.4	03.8-19.0	64	45.3	31.2-59.4	12	10.8	03.0-18.6	17	27.8	10.6-45.0	3	4.7	00.0-10.8
Some Post-H.S.	137	12,300	22	17.1	06.1-28.1	86	61.0	44.7-77.3	19	14.3	00.2-28.4	8	6.4	00.0-13.7	2	1.2	00.0-03.0
College Graduate	75	3,748	11	12.6	03.4-21.8	43	53.3	38.4-68.2	12	24.2	08.9-39.5	7	6.8	00.9-12.7	2	3.2	00.0-07.7
\$15,000- 24,999	68	4,672	9	22.1	00.5-43.7	39	55.2	36.0-74.4	6	6.3	00.0-13.7	11	13.1	03.7-22.5	3	3.3	00.0-07.2
\$75,000+	55	3,562	7	10.5	00.0-21.1	35	76.1	58.5-93.7	10	10.9	00.9-20.9	3	2.5	00.0-06.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	655	51,139	89	11.6	08.5-14.7	566	88.4	85.3-91.5
Male	287	27,409	43	12.5	07.6-17.4	244	87.5	82.6-92.4
Female	368	23,731	46	10.6	06.7-14.5	322	89.4	85.5-93.3
Non-Native	603	44,324	79	11.9	08.6-15.2	524	88.1	84.8-91.4
45-54	62	8,892	9	13.3	03.3-23.3	53	86.7	76.7-96.7
55-64	164	12,118	26	17.1	10.0-24.2	138	82.9	75.8-90.0
65+	399	19,829	51	11.8	08.1-15.5	348	88.2	84.5-91.9
Less Than H.S.	70	7,021	13	8.2	01.9-14.5	57	91.8	85.5-98.1
H.S. or G.E.D.	213	13,123	26	11.7	06.4-17.0	187	88.3	83.0-93.6
Some Post-H.S.	210	20,609	27	9.2	04.7-13.7	183	90.8	86.3-95.3
College Graduate	158	10,002	23	19.2	10.4-28.0	135	80.8	72.0-89.6
Less than \$15,000	74	8,244	12	9.8	01.6-18.0	62	90.2	82.0-98.4
\$15,000- 24,999	100	6,838	16	13.0	05.6-20.4	84	87.0	79.6-94.4
\$25,000- 34,999	74	5,697	19	18.9	07.1-30.7	55	81.1	69.3-92.9
\$35,000- 49,999	91	6,122	6	9.5	00.5-18.5	85	90.5	81.5-99.5
\$50,000- 74,999	87	6,612	4	6.6	00.0-13.3	83	93.4	86.7-0100
\$75,000+	126	10,668	11	9.0	01.9-16.1	115	91.0	83.9-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	287	27,409	43	12.5	07.6-17.4	244	87.5	82.6-92.4
Non-Native	269	24,454	37	12.3	07.4-17.2	232	87.7	82.8-92.6
55-64	84	7,416	15	19.3	09.1-29.5	69	80.7	70.5-90.9
65+	156	9,638	22	11.4	05.9-16.9	134	88.6	83.1-94.1
H.S. or G.E.D.	96	7,520	13	10.9	03.8-18.0	83	89.1	82.0-96.2
Some Post-H.S.	72	8,466	9	9.2	01.4-17.0	63	90.8	83.0-98.6
College Graduate	82	6,250	13	23.2	10.3-36.1	69	76.8	63.9-89.7
\$75,000+	71	7,106	10	11.9	01.5-22.3	61	88.1	77.7-98.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	368	23,731	46	10.6	06.7-14.5	322	89.4	85.5-93.3
Non-Native	334	19,871	42	11.4	07.1-15.7	292	88.6	84.3-92.9
55-64	80	4,702	11	13.6	05.0-22.2	69	86.4	77.8-95.0
65+	243	10,191	29	12.0	06.7-17.3	214	88.0	82.7-93.3
H.S. or G.E.D.	117	5,604	13	12.8	04.4-21.2	104	87.2	78.8-95.6
Some Post-H.S.	138	12,143	18	9.1	03.6-14.6	120	90.9	85.4-96.4
College Graduate	76	3,751	10	12.6	03.4-21.8	66	87.4	78.2-96.6
\$15,000- 24,999	67	4,469	9	11.3	02.5-20.1	58	88.7	79.9-97.5
\$75,000+	55	3,562	1	3.3	00.0-10.0	54	96.7	90.0-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	664	52,056	385	61.1	54.6-67.6	279	38.9	32.4-45.4
Male	290	27,656	149	54.2	44.4-64.0	141	45.8	36.0-55.6
Female	374	24,401	236	68.9	61.3-76.5	138	31.1	23.5-38.7
Non-Native	611	45,000	362	62.8	56.3-69.3	249	37.2	30.7-43.7
45-54	62	8,892	38	63.3	45.3-81.3	24	36.7	18.7-54.7
55-64	165	12,298	104	69.8	61.8-77.8	61	30.2	22.2-38.2
65+	406	20,277	219	50.4	44.1-56.7	187	49.6	43.3-55.9
Less Than H.S.	72	7,259	30	22.4	09.5-35.3	42	77.6	64.7-90.5
H.S. or G.E.D.	217	13,342	109	49.6	39.6-59.6	108	50.4	40.4-60.4
Some Post-H.S.	210	20,797	140	77.7	70.3-85.1	70	22.3	14.9-29.7
College Graduate	161	10,274	104	68.5	59.3-77.7	57	31.5	22.3-40.7
Less than \$15,000	74	8,244	31	32.3	12.3-52.3	43	67.7	47.7-87.7
\$15,000- 24,999	102	7,065	67	69.0	57.2-80.8	35	31.0	19.2-42.8
\$25,000- 34,999	76	5,776	42	63.9	47.6-80.2	34	36.1	19.8-52.4
\$35,000- 49,999	93	6,346	44	51.6	38.3-64.9	49	48.4	35.1-61.7
\$50,000- 74,999	87	6,612	61	72.1	60.5-83.7	26	27.9	16.3-39.5
\$75,000+	127	10,735	80	74.6	63.6-85.6	47	25.4	14.4-36.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	290	27,656	149	54.2	44.2-64.2	141	45.8	35.8-55.8
Non-Native	272	24,555	142	57.1	47.7-66.5	130	42.9	33.5-52.3
55-64	85	7,595	50	66.0	54.6-77.4	35	34.0	22.6-45.4
65+	158	9,706	68	40.4	31.2-49.6	90	59.6	50.4-68.8
H.S. or G.E.D.	99	7,643	46	46.3	32.0-60.6	53	53.7	39.4-68.0
Some Post-H.S.	70	8,343	42	72.3	58.8-85.8	28	27.7	14.2-41.2
College Graduate	84	6,497	53	71.5	59.9-83.1	31	28.5	16.9-40.1
\$75,000+	72	7,173	43	71.7	57.8-85.6	29	28.3	14.4-42.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	374	24,401	236	68.9	61.5-76.3	138	31.1	23.7-38.5
Non-Native	339	20,446	220	69.7	62.1-77.3	119	30.3	22.7-37.9
55-64	80	4,702	54	75.9	65.3-86.5	26	24.1	13.5-34.7
65+	248	10,571	151	59.6	51.8-67.4	97	40.4	32.6-48.2
H.S. or G.E.D.	118	5,699	63	54.1	39.4-68.8	55	45.9	31.2-60.6
Some Post-H.S.	140	12,455	98	81.3	72.9-89.7	42	18.7	10.3-27.1
College Graduate	77	3,776	51	63.4	48.9-77.9	26	36.6	22.1-51.1
\$15,000- 24,999	69	4,697	48	72.5	58.0-87.0	21	27.5	13.0-42.0
\$75,000+	55	3,562	37	80.5	65.0-96.0	18	19.5	04.0-35.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE MEDICARE? (MEDICARE)	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
DELAYED GETTING MEDICAL CARE (DELAYMED)	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY- (CARERCVD)	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
37	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5322	532,004	2459	25.6	23.8-27.4	2863	74.4	72.6-76.2
Male	1957	260,436	870	25.2	22.5-27.9	1087	74.8	72.1-77.5
Female	3365	271,567	1589	26.1	23.9-28.3	1776	73.9	71.7-76.1
Native	144	30,512	45	15.2	06.8-23.6	99	84.8	76.4-93.2
Non-Native	5100	494,438	2364	25.9	24.1-27.7	2736	74.1	72.3-75.9
18-24	100	72,428	11	10.2	03.5-16.9	89	89.8	83.1-96.5
25-34	268	95,974	3	1.7	00.0-03.9	265	98.3	96.1-0100
35-44	494	75,582	18	5.0	02.3-07.7	476	95.0	92.3-97.7
45-54	769	86,347	42	6.2	04.0-08.4	727	93.8	91.6-96.0
55-64	1333	88,125	120	11.3	08.9-13.7	1213	88.7	86.3-91.1
65+	2299	110,086	2236	97.0	96.2-97.8	63	3.0	02.2-03.8
Less Than H.S.	327	43,723	256	53.6	43.8-63.4	71	46.4	36.6-56.2
H.S. or G.E.D.	1600	134,288	901	32.4	28.7-36.1	699	67.6	63.9-71.3
Some Post-H.S.	1697	214,429	719	21.1	18.6-23.6	978	78.9	76.4-81.4
College Graduate	1668	137,162	568	17.2	15.2-19.2	1100	82.8	80.8-84.8
Less than \$15,000	299	32,910	236	53.1	42.1-64.1	63	46.9	35.9-57.9
\$15,000- 24,999	600	59,054	444	41.3	34.0-48.6	156	58.7	51.4-66.0
\$25,000- 34,999	501	47,237	338	39.2	31.0-47.4	163	60.8	52.6-69.0
\$35,000- 49,999	689	63,773	358	31.4	26.3-36.5	331	68.6	63.5-73.7
\$50,000- 74,999	829	85,519	299	19.2	15.5-22.9	530	80.8	77.1-84.5
\$75,000+	1693	180,761	379	9.9	08.5-11.3	1314	90.1	88.7-91.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1957	260,436	870	25.2	22.5-27.9	1087	74.8	72.1-77.5
Non-Native	1875	244,706	835	24.7	22.0-27.4	1040	75.3	72.6-78.0
25-34	97	46,287	2	3.3	00.0-07.8	95	96.7	92.2-0100
35-44	191	37,831	11	7.9	02.8-13.0	180	92.1	87.0-97.2
45-54	285	43,423	16	6.1	02.6-09.6	269	93.9	90.4-97.4
55-64	521	45,114	54	12.8	08.9-16.7	467	87.2	83.3-91.1
65+	802	48,564	773	96.7	95.3-98.1	29	3.3	01.9-04.7
Less Than H.S.	144	24,789	107	52.8	39.5-66.1	37	47.2	33.9-60.5
H.S. or G.E.D.	584	65,008	289	29.4	23.9-34.9	295	70.6	65.1-76.1
Some Post-H.S.	570	104,799	204	18.7	14.6-22.8	366	81.3	77.2-85.4
College Graduate	654	65,024	270	21.1	17.6-24.6	384	78.9	75.4-82.4
Less than \$15,000	93	14,524	68	54.9	36.9-72.9	25	45.1	27.1-63.1
\$15,000- 24,999	176	24,063	121	39.1	27.5-50.7	55	60.9	49.3-72.5
\$25,000- 34,999	154	19,174	110	46.3	31.4-61.2	44	53.7	38.8-68.6
\$35,000- 49,999	255	30,906	148	36.1	27.5-44.7	107	63.9	55.3-72.5
\$50,000- 74,999	332	43,376	131	22.2	15.7-28.7	201	77.8	71.3-84.3
\$75,000+	761	98,489	212	11.6	09.4-13.8	549	88.4	86.2-90.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3365	271,567	1589	26.1	23.9-28.3	1776	73.9	71.7-76.1
Native	102	19,574	34	9.1	04.2-14.0	68	90.9	86.0-95.8
Non-Native	3225	249,733	1529	27.2	25.0-29.4	1696	72.8	70.6-75.0
18-24	55	34,214	4	5.9	00.0-13.3	51	94.1	86.7-0100
25-34	171	49,687	1	0.3	00.0-00.9	170	99.7	99.1-0100
35-44	303	37,751	7	2.0	00.2-03.8	296	98.0	96.2-99.8
45-54	484	42,924	26	6.4	03.7-09.1	458	93.6	90.9-96.3
55-64	812	43,011	66	9.7	07.0-12.4	746	90.3	87.6-93.0
65+	1497	61,522	1463	97.2	96.2-98.2	34	2.8	01.8-03.8
Less Than H.S.	183	18,933	149	54.6	40.3-68.9	34	45.4	31.1-59.7
H.S. or G.E.D.	1016	69,280	612	35.1	30.0-40.2	404	64.9	59.8-70.0
Some Post-H.S.	1127	109,630	515	23.4	20.3-26.5	612	76.6	73.5-79.7
College Graduate	1014	72,138	298	13.7	11.5-15.9	716	86.3	84.1-88.5
Less than \$15,000	206	18,387	168	51.7	38.2-65.2	38	48.3	34.8-61.8
\$15,000- 24,999	424	34,991	323	42.9	33.5-52.3	101	57.1	47.7-66.5
\$25,000- 34,999	347	28,063	228	34.3	25.5-43.1	119	65.7	56.9-74.5
\$35,000- 49,999	434	32,867	210	27.0	21.5-32.5	224	73.0	67.5-78.5
\$50,000- 74,999	497	42,144	168	16.0	12.7-19.3	329	84.0	80.7-87.3
\$75,000+	932	82,272	167	7.8	06.2-09.4	765	92.2	90.6-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 4: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5214	526,599	2290	57.0	54.6-59.4	967	15.3	13.5-17.1	1616	19.0	17.2-20.8	169	3.4	02.6-04.2	146	4.8	03.4-06.2	26	0.4	00.2-00.6
Male	1930	260,221	854	57.3	53.6-61.0	347	16.1	13.2-19.0	556	16.3	13.9-18.7	103	4.9	03.3-06.5	58	4.9	03.1-06.7	12	0.5	00.1-00.9
Female	3284	266,378	1436	56.8	53.7-59.9	620	14.5	12.5-16.5	1060	21.6	19.2-24.0	66	2.0	01.4-02.6	88	4.7	02.7-06.7	14	0.3	00.1-00.5
Native	140	30,343	34	23.0	12.4-33.6	9	2.9	00.4-05.4	40	21.3	10.9-31.7	6	3.8	00.0-08.7	51	49.0	35.7-62.3			
Non-Native	5004	489,689	2239	59.6	57.2-62.0	938	16.0	14.2-17.8	1548	18.5	16.9-20.1	161	3.4	02.6-04.2	92	2.1	01.3-02.9	26	0.4	00.2-00.6
18-24	99	72,142	61	67.4	57.0-77.8	25	20.6	12.0-29.2	5	5.6	00.3-10.9				7	5.8	00.9-10.7	1	0.7	00.0-02.1
25-34	268	96,412	204	72.7	65.4-80.0	34	10.1	05.6-14.6	12	8.7	03.6-13.8	9	3.6	00.5-06.7	9	4.8	01.1-08.5			
35-44	494	76,158	361	67.9	61.8-74.0	79	12.1	08.6-15.6	24	9.6	04.9-14.3	14	4.3	01.2-07.4	15	5.8	02.3-09.3	1	0.2	00.0-00.6
45-54	764	85,860	556	71.1	66.6-75.6	114	13.0	09.9-16.1	47	6.5	04.1-08.9	27	4.2	02.2-06.2	17	4.8	01.5-08.1	3	0.4	00.0-01.0
55-64	1325	87,232	844	63.8	60.3-67.3	284	17.2	14.8-19.6	100	9.5	07.1-11.9	52	4.7	03.3-06.1	41	4.7	02.5-06.9	4	0.2	00.0-00.6
65+	2209	105,409	240	11.1	09.5-12.7	417	18.9	16.7-21.1	1416	62.5	59.8-65.2	65	3.3	02.3-04.3	54	3.4	01.6-05.2	17	0.8	00.4-01.2
Less Than H.S.	299	41,407	52	25.9	16.3-35.5	80	16.4	11.3-21.5	134	39.7	30.1-49.3	6	1.3	00.1-02.5	19	15.0	06.8-23.2	8	1.7	00.3-03.1
H.S. or G.E.D.	1558	131,008	545	51.8	46.9-56.7	338	20.1	16.2-24.0	585	21.8	18.9-24.7	34	1.5	00.9-02.1	47	4.6	02.1-07.1	9	0.3	00.0-00.7
Some Post-H.S.	1674	214,391	766	59.3	55.2-63.4	291	13.6	10.7-16.5	490	17.3	14.6-20.0	69	4.4	02.8-06.0	53	5.0	02.8-07.2	5	0.4	00.0-00.8
College Graduate	1655	137,440	915	67.9	64.2-71.6	254	13.2	10.7-15.7	397	12.8	10.6-15.0	59	4.3	02.1-06.5	27	1.8	00.4-03.2	3	0.1	00.1-00.1
Less than \$15,000	284	31,643	17	14.5	04.1-24.9	43	11.6	04.2-19.0	187	53.1	41.7-64.5	9	1.9	00.1-03.7	23	16.5	07.3-25.7	5	2.3	00.0-05.4
\$15,000- 24,999	577	57,225	97	33.0	24.0-42.0	135	18.1	12.8-23.4	294	37.0	29.4-44.6	19	2.9	01.3-04.5	31	8.9	03.2-14.6	1	0.1	00.0-00.3
\$25,000- 34,999	492	46,737	138	38.1	28.5-47.7	103	21.8	14.2-29.4	207	24.7	17.8-31.6	21	4.3	01.6-07.0	22	11.1	03.7-18.5	1	0.0	00.0-00.0
\$35,000- 49,999	679	63,262	274	56.3	49.8-62.8	130	16.7	12.0-21.4	238	20.4	16.7-24.1	18	2.2	01.0-03.4	19	4.4	01.1-07.7			
\$50,000- 74,999	824	86,444	464	65.0	59.3-70.7	107	13.4	08.9-17.9	200	13.5	10.0-17.0	35	6.2	02.5-09.9	15	1.6	00.4-02.8	3	0.2	00.0-00.6
\$75,000+	1681	181,841	1092	76.9	74.0-79.8	274	12.2	09.8-14.6	240	6.5	05.1-07.9	49	3.0	01.8-04.2	18	1.1	00.3-01.9	8	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 5: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1930	260,221	854	57.3	53.6-61.0	347	16.1	13.2-19.0	556	16.3	13.9-18.7	103	4.9	03.3-06.5	58	4.9	03.1-06.7	12	0.5	00.1-00.9
Non-Native	1851	244,763	836	59.7	56.0-63.4	335	16.8	13.9-19.7	535	16.1	13.9-18.3	96	4.7	03.1-06.3	37	2.2	01.2-03.2	12	0.5	00.1-00.9
25-34	98	46,860	76	74.9	64.3-85.5	13	13.2	05.2-21.2	2	3.5	00.0-08.4	5	5.9	00.0-12.0	2	2.4	00.0-05.9			
35-44	192	38,438	141	69.1	60.1-78.1	28	10.7	05.6-15.8	9	8.9	02.6-15.2	7	5.6	00.0-11.3	7	5.7	01.2-10.2			
45-54	282	42,969	200	67.9	60.5-75.3	45	14.2	09.1-19.3	12	5.2	01.9-08.5	16	6.3	03.0-09.6	8	6.0	00.3-11.7	1	0.4	00.0-01.2
55-64	519	44,834	324	62.9	57.6-68.2	113	16.2	12.7-19.7	38	9.0	05.7-12.3	28	5.6	03.2-08.0	15	6.0	01.9-10.1	1	0.3	00.0-00.9
65+	779	47,115	83	11.0	08.5-13.5	128	16.5	13.2-19.8	491	61.0	56.5-65.5	46	5.3	03.3-07.3	22	5.0	01.5-08.5	9	1.2	00.2-02.2
Less Than H.S.	136	24,088	27	23.7	12.7-34.7	27	11.6	05.3-17.9	56	38.9	25.4-52.4	4	1.3	00.0-03.1	17	22.7	10.0-35.4	5	1.8	00.0-03.8
H.S. or G.E.D.	571	63,073	226	55.6	48.5-62.7	120	20.8	14.9-26.7	185	17.4	13.9-20.9	20	1.6	00.6-02.6	16	4.2	01.3-07.1	4	0.4	00.0-01.0
Some Post-H.S.	568	106,232	273	61.9	55.6-68.2	98	15.7	10.4-21.0	135	11.9	09.0-14.8	43	6.5	03.8-09.2	16	3.5	01.1-05.9	3	0.6	00.0-01.6
College Graduate	650	66,012	325	63.6	57.5-69.7	101	14.0	09.7-18.3	180	14.5	11.2-17.8	35	6.6	02.5-10.7	9	1.4	00.2-02.6			
Less than \$15,000	93	14,789	4	14.1	00.0-30.4	11	14.7	00.0-29.4	56	41.9	26.2-57.6	7	3.1	00.0-06.4	10	21.3	05.6-37.0	5	4.9	00.0-11.4
\$15,000- 24,999	168	23,438	28	37.5	22.8-52.2	44	18.7	10.1-27.3	75	31.3	19.7-42.9	10	4.3	01.2-07.4	11	8.2	01.1-15.3			
\$25,000- 34,999	153	19,078	32	32.3	16.4-48.2	35	27.1	12.8-41.4	61	20.5	12.5-28.5	15	8.4	01.9-14.9	10	11.7	00.5-22.9			
\$35,000- 49,999	252	30,794	92	58.0	48.4-67.6	43	13.5	07.2-19.8	100	23.8	17.1-30.5	11	2.7	00.5-04.9	6	2.0	00.2-03.8			
\$50,000- 74,999	332	44,445	178	59.6	50.2-69.0	40	13.8	06.2-21.4	84	14.4	08.7-20.1	23	10.2	03.3-17.1	6	1.7	00.0-03.5	1	0.3	00.0-00.9
\$75,000+	754	99,807	460	75.0	70.5-79.5	128	13.5	09.6-17.4	131	6.7	05.1-08.3	25	3.1	01.3-04.9	7	1.4	00.2-02.6	3	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 6: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT... (HLTHCVR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Plan Purchased thru employer or union			Plan Purchased by you or family member			Medicare, Medicaid or State Prgm			TRICARE (formerly CHAMPUS) VA or Military			Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3284	266,378	1436	56.8	53.7-59.9	620	14.5	12.5-16.5	1060	21.6	19.2-24.0	66	2.0	01.4-02.6	88	4.7	02.7-06.7	14	0.3	00.1-00.5
Native	98	19,434	26	26.8	12.9-40.7	6	3.6	00.0-07.3	35	30.7	15.8-45.6				31	38.9	22.2-55.6			
Non-Native	3153	244,926	1403	59.4	56.5-62.3	603	15.3	13.3-17.3	1013	20.9	18.5-23.3	65	2.1	01.5-02.7	55	2.0	00.8-03.2	14	0.3	00.1-00.5
18-24	53	33,112	37	73.7	60.0-87.4	9	13.9	03.3-24.5	3	5.0	00.0-11.5				4	7.4	00.0-16.2			
25-34	170	49,552	128	70.6	60.8-80.4	21	7.2	03.3-11.1	10	13.6	05.2-22.0	4	1.4	00.0-03.0	7	7.1	00.8-13.4			
35-44	302	37,721	220	66.7	58.7-74.7	51	13.5	09.0-18.0	15	10.4	03.3-17.5	7	3.0	00.8-05.2	8	6.0	00.5-11.5	1	0.4	00.0-01.2
45-54	482	42,891	356	74.2	69.1-79.3	69	11.8	08.5-15.1	35	7.8	04.9-10.7	11	2.1	00.7-03.5	9	3.6	00.7-06.5	2	0.5	00.0-01.3
55-64	806	42,398	520	64.7	60.6-68.8	171	18.1	15.0-21.2	62	10.0	06.9-13.1	24	3.7	02.1-05.3	26	3.3	01.7-04.9	3	0.1	00.0-00.3
65+	1430	58,293	157	11.2	09.2-13.2	289	20.8	18.3-23.3	925	63.8	60.7-66.9	19	1.7	00.7-02.7	32	2.1	01.1-03.1	8	0.4	00.0-00.8
Less Than H.S.	163	17,319	25	28.9	12.4-45.4	53	23.1	14.5-31.7	78	41.0	27.5-54.5	2	1.3	00.0-03.1	2	4.3	00.0-10.8	3	1.4	00.0-03.4
H.S. or G.E.D.	987	67,935	319	48.2	41.5-54.9	218	19.5	14.4-24.6	400	25.9	21.4-30.4	14	1.3	00.5-02.1	31	5.0	01.1-08.9	5	0.1	00.1-00.1
Some Post-H.S.	1106	108,160	493	56.8	51.5-62.1	193	11.6	09.1-14.1	355	22.6	18.3-26.9	26	2.5	01.3-03.7	37	6.4	02.9-09.9	2	0.2	00.0-00.6
College Graduate	1005	71,428	590	71.9	67.6-76.2	153	12.4	09.5-15.3	217	11.2	08.5-13.9	24	2.2	01.0-03.4	18	2.2	00.0-04.6	3	0.1	00.0-00.3
Less than \$15,000	191	16,853	13	14.9	01.4-28.4	32	9.0	04.7-13.3	131	63.0	48.5-77.5	2	0.9	00.0-02.3	13	12.2	01.6-22.8			
\$15,000- 24,999	409	33,787	69	29.9	18.7-41.1	91	17.7	11.0-24.4	219	41.0	30.8-51.2	9	1.9	00.3-03.5	20	9.4	01.2-17.6	1	0.1	00.0-00.3
\$25,000- 34,999	339	27,659	106	42.0	29.8-54.2	68	18.1	09.9-26.3	146	27.7	17.9-37.5	6	1.4	00.0-03.0	12	10.7	00.9-20.5	1	0.1	00.0-00.3
\$35,000- 49,999	427	32,469	182	54.7	46.3-63.1	87	19.7	12.6-26.8	138	17.1	13.0-21.2	7	1.8	00.2-03.4	13	6.7	00.6-12.8			
\$50,000- 74,999	492	41,999	286	70.8	64.9-76.7	67	13.0	08.5-17.5	116	12.5	08.8-16.2	12	2.0	00.6-03.4	9	1.6	00.4-02.8	2	0.1	00.0-00.3
\$75,000+	927	82,034	632	79.2	75.5-82.9	146	10.6	08.1-13.1	109	6.2	03.8-08.6	24	3.0	01.4-04.6	11	0.7	00.1-01.3	5	0.5	00.0-01.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 7: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5554	578,169	35	0.6	00.2-01.0	368	6.4	05.2-07.6	103	2.5	01.5-03.5	33	1.1	00.5-01.7	218	5.4	04.0-06.8	4797	83.9	81.9-85.9
Male	2081	293,693	12	0.4	00.0-00.8	106	4.5	03.1-05.9	38	2.7	01.3-04.1	13	1.5	00.3-02.7	68	5.2	03.2-07.2	1844	85.7	83.0-88.4
Female	3473	284,477	23	0.9	00.3-01.5	262	8.5	06.7-10.3	65	2.2	01.0-03.4	20	0.7	00.1-01.3	150	5.7	03.7-07.7	2953	82.1	79.4-84.8
Native	148	31,319				18	10.1	03.0-17.2	11	11.8	01.8-21.8	2	0.8	00.0-02.0	26	22.7	10.9-34.5	91	54.6	41.5-67.7
Non-Native	5321	539,602	35	0.7	00.3-01.1	343	6.2	05.0-07.4	91	1.9	01.1-02.7	31	1.1	00.3-01.9	185	4.4	03.2-05.6	4636	85.6	83.6-87.6
18-24	117	85,345	1	0.8	00.0-02.4	11	5.9	01.8-10.0	4	4.5	00.0-09.0	2	2.0	00.0-04.9	11	10.1	03.8-16.4	88	76.8	68.2-85.4
25-34	293	108,702	3	0.6	00.0-01.6	26	7.6	03.9-11.3	8	3.0	00.6-05.4	3	1.6	00.0-03.6	9	4.9	01.4-08.4	244	82.3	76.6-88.0
35-44	528	83,439	4	0.7	00.0-01.5	46	8.2	05.1-11.3	13	3.2	00.8-05.6	7	1.3	00.0-02.9	15	4.9	01.0-08.8	443	81.7	76.4-87.0
45-54	814	91,228	6	0.9	00.0-01.9	88	8.1	05.9-10.3	14	2.1	00.9-03.3	4	0.4	00.0-00.8	35	4.7	02.7-06.7	667	83.7	80.6-86.8
55-64	1409	93,323	9	0.5	00.1-00.9	99	5.8	04.2-07.4	24	1.3	00.5-02.1	6	1.0	00.0-02.0	44	2.9	01.9-03.9	1227	88.5	86.3-90.7
65+	2326	112,083	12	0.4	00.2-00.6	96	3.7	02.7-04.7	38	1.2	00.8-01.6	10	0.5	00.1-00.9	100	5.6	03.8-07.4	2070	88.6	86.4-90.8
Less Than H.S.	354	52,650	2	0.9	00.0-02.5	18	3.2	00.8-05.6	12	6.1	00.6-11.6	4	1.3	00.0-02.9	31	12.5	05.4-19.6	287	76.0	67.4-84.6
H.S. or G.E.D.	1691	154,229	13	1.2	00.0-02.4	103	6.6	04.2-09.0	31	3.0	00.8-05.2	4	0.3	00.0-00.7	58	5.1	02.6-07.6	1482	83.9	80.0-87.8
Some Post-H.S.	1765	225,803	13	0.3	00.1-00.5	136	7.6	05.4-09.8	34	2.1	01.1-03.1	15	1.4	00.2-02.6	77	5.0	02.6-07.4	1490	83.6	80.3-86.9
College Graduate	1709	142,838	7	0.4	00.0-00.8	110	5.6	03.8-07.4	25	1.1	00.5-01.7	10	1.5	00.0-03.3	49	3.9	02.1-05.7	1508	87.5	84.6-90.4
Less than \$15,000	327	40,320	2	1.0	00.0-03.0	15	3.1	00.6-05.6	14	3.7	00.2-07.2	1	0.4	00.0-01.2	56	24.7	14.7-34.7	239	67.0	56.8-77.2
\$15,000- 24,999	650	69,339	7	1.1	00.0-02.5	39	6.3	02.6-10.0	15	4.7	00.4-09.0	7	1.1	00.0-02.3	42	8.6	03.5-13.7	540	78.1	71.0-85.2
\$25,000- 34,999	520	51,363	2	0.4	00.0-01.0	30	6.7	02.4-11.0	8	3.5	00.0-08.2	3	0.2	00.0-00.4	22	8.2	01.7-14.7	455	81.1	72.9-89.3
\$35,000- 49,999	721	67,690	2	0.5	00.0-01.1	39	3.1	01.7-04.5	15	2.6	00.6-04.6	2	1.5	00.0-03.9	21	5.3	01.2-09.4	642	86.9	81.8-92.0
\$50,000- 74,999	859	90,634	8	0.6	00.0-01.2	62	6.7	04.3-09.1	14	1.1	00.3-01.9	4	1.0	00.0-02.4	21	2.2	00.4-04.0	750	88.3	85.0-91.6
\$75,000+	1719	186,571	9	0.3	00.1-00.5	145	8.5	06.1-10.9	23	1.9	00.5-03.3	10	1.5	00.0-03.1	25	1.6	00.4-02.8	1507	86.1	83.0-89.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 8: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2081	293,693	12	0.4	00.0-00.8	106	4.5	03.1-05.9	38	2.7	01.3-04.1	13	1.5	00.3-02.7	68	5.2	03.2-07.2	1844	85.7	83.0-88.4
Non-Native	1993	277,816	12	0.4	00.0-00.8	97	4.5	03.1-05.9	36	2.6	01.2-04.0	13	1.6	00.4-02.8	57	4.5	02.7-06.3	1778	86.5	83.8-89.2
18-24	58	48,482				1	1.5	00.0-04.4	3	5.1	00.0-11.2	2	3.4	00.0-08.7	6	8.4	01.1-15.7	46	81.6	71.2-92.0
25-34	111	56,232				9	7.0	01.3-12.7	4	3.4	00.0-07.1	2	2.8	00.0-06.5	4	5.4	00.1-10.7	92	81.4	72.8-90.0
35-44	210	42,946	2	0.7	00.0-01.7	12	4.8	01.7-07.9	5	4.1	00.2-08.0	2	0.2	00.0-00.6	5	5.1	00.0-11.2	184	85.1	77.8-92.4
45-54	304	46,625	3	1.1	00.0-02.7	30	6.3	03.6-09.0	4	1.6	00.0-03.2				15	4.2	01.7-06.7	252	86.8	82.7-90.9
55-64	562	48,268	4	0.4	00.0-00.8	24	3.5	01.7-05.3	8	1.1	00.0-02.3	3	1.6	00.0-03.4	11	2.5	00.9-04.1	512	90.8	87.7-93.9
65+	819	49,974	3	0.2	00.0-00.4	30	3.7	02.1-05.3	14	1.3	00.5-02.1	4	0.5	00.0-01.1	26	5.6	02.1-09.1	742	88.8	84.9-92.7
Less Than H.S.	158	30,571	1	1.3	00.0-03.8	9	1.3	00.3-02.3	5	7.3	00.0-15.9	3	1.8	00.0-04.2	13	12.3	02.3-22.3	127	76.1	63.8-88.4
H.S. or G.E.D.	629	78,486	4	0.3	00.0-00.7	29	2.8	01.4-04.2	11	3.1	00.4-05.8	1	0.2	00.0-00.6	16	5.1	01.6-08.6	568	88.5	84.0-93.0
Some Post-H.S.	612	113,590	5	0.2	00.0-00.4	41	7.0	03.9-10.1	13	2.6	00.8-04.4	5	1.6	00.0-03.6	20	3.5	00.8-06.2	528	85.0	80.3-89.7
College Graduate	675	70,139	2	0.3	00.0-00.9	27	3.8	01.3-06.3	9	0.5	00.0-01.1	4	2.5	00.0-06.2	18	5.0	01.7-08.3	615	87.9	82.6-93.2
Less than \$15,000	110	19,779	2	2.1	00.0-05.8	8	2.0	00.0-04.0	3	3.2	00.0-08.9				22	36.6	19.7-53.5	75	56.0	39.7-72.3
\$15,000- 24,999	199	31,077	3	0.6	00.0-01.4	8	4.3	00.0-09.0	5	3.5	00.0-08.0	3	1.3	00.0-03.5	14	4.6	01.5-07.7	166	85.7	78.3-93.1
\$25,000- 34,999	168	22,212				4	1.5	00.0-03.3	5	6.6	00.0-17.0				8	9.7	00.0-19.7	151	82.2	68.9-95.5
\$35,000- 49,999	275	33,643	1	0.6	00.0-01.8	13	2.8	00.6-05.0	9	2.7	00.3-05.1	2	3.1	00.0-07.8	5	4.6	00.0-09.5	245	86.2	79.1-93.3
\$50,000- 74,999	352	47,528	1	0.1	00.0-00.3	11	2.9	00.9-04.9	3	0.4	00.0-01.0	1	0.1	00.0-00.3	7	2.5	00.0-05.6	329	94.0	90.3-97.7
\$75,000+	777	103,817	5	0.2	00.0-00.4	56	7.1	04.0-10.2	10	2.7	00.3-05.1	5	2.4	00.0-05.3	7	1.1	00.1-02.1	694	86.3	81.6-91.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 9: Have you delayed getting needed medical care for any of the following reasons in the past 12 months? Select the most important reason. (DELAYMED)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3473	284,477	23	0.9	00.3-01.5	262	8.5	06.7-10.3	65	2.2	01.0-03.4	20	0.7	00.1-01.3	150	5.7	03.7-07.7	2953	82.1	79.4-84.8
Native	106	20,381				13	13.4	03.0-23.8	10	14.3	01.0-27.6	2	1.3	00.0-03.1	17	21.0	06.5-35.5	64	50.1	34.2-66.0
Non-Native	3328	261,787	23	1.0	00.4-01.6	246	8.1	06.3-09.9	55	1.3	00.9-01.7	18	0.7	00.1-01.3	128	4.4	02.6-06.2	2858	84.6	82.1-87.1
18-24	59	36,863	1	1.8	00.0-05.3	10	11.7	02.9-20.5	1	3.6	00.0-10.5				5	12.3	01.3-23.3	42	70.6	56.7-84.5
25-34	182	52,470	3	1.3	00.0-03.1	17	8.2	03.3-13.1	4	2.6	00.0-05.3	1	0.2	00.0-00.6	5	4.5	00.0-09.4	152	83.2	75.9-90.5
35-44	318	40,494	2	0.7	00.0-01.7	34	11.8	06.3-17.3	8	2.2	00.0-04.6	5	2.6	00.0-05.7	10	4.7	00.0-09.6	259	78.1	70.7-85.5
45-54	510	44,604	3	0.7	00.0-01.7	58	10.1	06.8-13.4	10	2.6	00.8-04.4	4	0.9	00.0-01.9	20	5.2	02.1-08.3	415	80.5	76.0-85.0
55-64	847	45,055	5	0.7	00.1-01.3	75	8.3	05.6-11.0	16	1.6	00.6-02.6	3	0.3	00.0-00.7	33	3.3	01.9-04.7	715	85.9	82.8-89.0
65+	1507	62,109	9	0.5	00.1-00.9	66	3.8	02.6-05.0	24	1.1	00.5-01.7	6	0.4	00.0-00.8	74	5.6	04.0-07.2	1328	88.5	86.5-90.5
Less Than H.S.	196	22,079	1	0.5	00.0-01.5	9	5.8	00.5-11.1	7	4.5	00.0-09.2	1	0.6	00.0-01.8	18	12.8	03.0-22.6	160	75.9	64.7-87.1
H.S. or G.E.D.	1062	75,743	9	2.2	00.0-04.4	74	10.5	05.8-15.2	20	2.8	00.0-06.1	3	0.3	00.0-00.7	42	5.0	01.5-08.5	914	79.1	72.8-85.4
Some Post-H.S.	1153	112,213	8	0.4	00.0-00.8	95	8.2	05.5-10.9	21	1.6	00.4-02.8	10	1.1	00.0-02.3	57	6.6	02.9-10.3	962	82.1	77.6-86.6
College Graduate	1034	72,698	5	0.5	00.0-01.1	83	7.3	04.9-09.7	16	1.7	00.5-02.9	6	0.6	00.0-01.2	31	2.8	01.4-04.2	893	87.1	84.2-90.0
Less than \$15,000	217	20,541				7	4.1	00.0-08.6	11	4.2	00.1-08.3	1	0.8	00.0-02.4	34	13.3	06.4-20.2	164	77.7	68.7-86.7
\$15,000- 24,999	451	38,262	4	1.6	00.0-04.0	31	7.9	02.4-13.4	10	5.8	00.0-12.7	4	0.9	00.0-01.9	28	11.8	03.4-20.2	374	72.0	61.6-82.4
\$25,000- 34,999	352	29,151	2	0.6	00.0-01.6	26	10.7	03.4-18.0	3	1.1	00.0-02.7	3	0.4	00.0-00.8	14	7.0	00.0-15.4	304	80.2	69.8-90.6
\$35,000- 49,999	446	34,047	1	0.4	00.0-01.2	26	3.4	01.4-05.4	6	2.6	00.0-05.9				16	6.0	00.0-12.7	397	87.6	80.3-94.9
\$50,000- 74,999	507	43,106	7	1.3	00.1-02.5	51	10.9	06.8-15.0	11	1.9	00.1-03.7	3	2.0	00.0-04.9	14	1.9	00.3-03.5	421	82.0	76.7-87.3
\$75,000+	942	82,754	4	0.4	00.0-00.8	89	10.3	06.8-13.8	13	0.9	00.3-01.5	5	0.4	00.0-00.8	18	2.2	00.0-04.7	813	85.8	81.7-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 10: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5340	535,206	176	7.1	05.5-08.7	5164	92.9	91.3-94.5
Male	1969	265,106	65	7.5	05.0-10.0	1904	92.5	90.0-95.0
Female	3371	270,100	111	6.8	04.6-09.0	3260	93.2	91.0-95.4
Native	145	30,545	22	21.6	10.6-32.6	123	78.4	67.4-89.4
Non-Native	5117	497,607	150	6.0	04.4-07.6	4967	94.0	92.4-95.6
18-24	100	72,544	7	7.0	01.3-12.7	93	93.0	87.3-98.7
25-34	269	97,043	23	13.3	07.4-19.2	246	86.7	80.8-92.6
35-44	497	76,818	29	10.7	06.0-15.4	468	89.3	84.6-94.0
45-54	771	86,581	42	6.9	04.0-09.8	729	93.1	90.2-96.0
55-64	1335	88,124	56	5.9	03.7-08.1	1279	94.1	91.9-96.3
65+	2307	110,536	19	0.8	00.4-01.2	2288	99.2	98.8-99.6
Less Than H.S.	325	42,356	16	10.4	04.1-16.7	309	89.6	83.3-95.9
H.S. or G.E.D.	1606	135,670	62	8.3	04.8-11.8	1544	91.7	88.2-95.2
Some Post-H.S.	1707	216,334	70	8.7	05.8-11.6	1637	91.3	88.4-94.2
College Graduate	1671	138,387	25	2.4	00.6-04.2	1646	97.6	95.8-99.4
Less than \$15,000	299	32,969	32	14.6	07.3-21.9	267	85.4	78.1-92.7
\$15,000- 24,999	604	59,257	34	16.0	08.7-23.3	570	84.0	76.7-91.3
\$25,000- 34,999	503	47,344	14	10.2	02.6-17.8	489	89.8	82.2-97.4
\$35,000- 49,999	688	63,841	27	8.0	03.5-12.5	661	92.0	87.5-96.5
\$50,000- 74,999	834	87,120	15	4.2	01.3-07.1	819	95.8	92.9-98.7
\$75,000+	1696	182,456	26	2.8	00.8-04.8	1670	97.2	95.2-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 11: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1969	265,106	65	7.5	05.0-10.0	1904	92.5	90.0-95.0
Non-Native	1886	249,342	57	6.4	04.0-08.8	1829	93.6	91.2-96.0
25-34	99	47,533	9	13.6	04.8-22.4	90	86.4	77.6-95.2
35-44	194	39,066	11	10.6	03.7-17.5	183	89.4	82.5-96.3
45-54	285	43,495	16	8.2	02.9-13.5	269	91.8	86.5-97.1
55-64	522	45,176	23	6.9	03.0-10.8	499	93.1	89.2-97.0
65+	806	48,798	3	0.3	00.0-00.7	803	99.7	99.3-0100
Less Than H.S.	143	24,681	8	13.3	03.5-23.1	135	86.7	76.9-96.5
H.S. or G.E.D.	589	66,413	25	11.3	05.0-17.6	564	88.7	82.4-95.0
Some Post-H.S.	577	106,977	25	8.1	04.2-12.0	552	91.9	88.0-95.8
College Graduate	655	66,219	7	0.5	00.0-01.1	648	99.5	98.9-0100
Less than \$15,000	95	15,168	9	11.8	02.0-21.6	86	88.2	78.4-98.0
\$15,000- 24,999	177	24,147	11	21.9	09.2-34.6	166	78.1	65.4-90.8
\$25,000- 34,999	155	19,203	4	8.1	00.0-18.7	151	91.9	81.3-0100
\$35,000- 49,999	256	31,136	13	12.1	03.5-20.7	243	87.9	79.3-96.5
\$50,000- 74,999	335	44,913	5	3.0	00.0-06.5	330	97.0	93.5-0100
\$75,000+	764	100,184	15	3.3	00.4-06.2	749	96.7	93.8-99.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 12: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3371	270,100	111	6.8	04.6-09.0	3260	93.2	91.0-95.4
Native	102	19,574	17	23.3	09.6-37.0	85	76.7	63.0-90.4
Non-Native	3231	248,265	93	5.6	03.6-07.6	3138	94.4	92.4-96.4
18-24	53	32,510	4	8.2	00.0-16.8	49	91.8	83.2-0100
25-34	170	49,510	14	12.9	04.9-20.9	156	87.1	79.1-95.1
35-44	303	37,751	18	10.8	04.1-17.5	285	89.2	82.5-95.9
45-54	486	43,086	26	5.6	03.1-08.1	460	94.4	91.9-96.9
55-64	813	42,948	33	4.8	02.8-06.8	780	95.2	93.2-97.2
65+	1501	61,738	16	1.3	00.5-02.1	1485	98.7	97.9-99.5
Less Than H.S.	182	17,675	8	6.4	01.1-11.7	174	93.6	88.3-98.9
H.S. or G.E.D.	1017	69,257	37	5.4	02.3-08.5	980	94.6	91.5-97.7
Some Post-H.S.	1130	109,357	45	9.3	05.0-13.6	1085	90.7	86.4-95.0
College Graduate	1016	72,169	18	4.1	01.0-07.2	998	95.9	92.8-99.0
Less than \$15,000	204	17,800	23	16.9	06.7-27.1	181	83.1	72.9-93.3
\$15,000- 24,999	427	35,110	23	12.0	03.8-20.2	404	88.0	79.8-96.2
\$25,000- 34,999	348	28,141	10	11.7	00.9-22.5	338	88.3	77.5-99.1
\$35,000- 49,999	432	32,705	14	4.1	01.6-06.6	418	95.9	93.4-98.4
\$50,000- 74,999	499	42,206	10	5.5	00.8-10.2	489	94.5	89.8-99.2
\$75,000+	932	82,272	11	2.1	00.0-04.3	921	97.9	95.7-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 13: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	219	39,809	36	16.6	07.8-25.4	23	11.8	05.5-18.1	40	20.8	11.4-30.2	74	28.8	18.8-38.8	46	22.0	12.4-31.6
Male	116	27,498	21	16.4	05.0-27.8	8	6.1	00.2-12.0	22	22.5	09.8-35.2	38	29.9	16.4-43.4	27	25.2	12.3-38.1
Female	103	12,312	15	17.2	04.3-30.1	15	24.6	10.7-38.5	18	17.0	05.6-28.4	36	26.2	15.4-37.0	19	15.0	05.6-24.4
Non-Native	205	37,855	35	17.3	08.1-26.5	22	11.0	04.7-17.3	36	20.4	10.6-30.2	70	29.0	18.6-39.4	42	22.3	12.3-32.3
55-64	69	4,895	8	10.6	02.6-18.6	3	2.7	00.0-06.4	12	14.0	02.6-25.4	33	49.2	34.1-64.3	13	23.5	08.6-38.4
H.S. or G.E.D.	82	16,798	11	22.6	05.4-39.8	10	12.4	02.2-22.6	8	5.5	00.4-10.6	29	26.4	11.9-40.9	24	33.1	16.6-49.6
Some Post-H.S.	67	8,427	9	15.8	01.1-30.5	6	8.5	00.0-17.3	18	32.1	15.4-48.8	21	26.0	12.1-39.9	13	17.5	03.6-31.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 14: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	116	27,498	21	16.4	04.8-28.0	8	6.1	00.2-12.0	22	22.5	09.8-35.2	38	29.9	16.6-43.2	27	25.2	12.3-38.1
Non-Native	109	26,507	20	16.7	04.7-28.7	8	6.3	00.2-12.4	19	21.2	08.1-34.3	37	30.5	16.6-44.4	25	25.2	11.9-38.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 15: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	103	12,312	15	17.2	04.1-30.3	15	24.6	10.5-38.7	18	17.0	05.6-28.4	36	26.2	15.2-37.2	19	15.0	05.6-24.4
Non-Native	96	11,347	15	18.7	04.8-32.6	14	22.1	08.4-35.8	17	18.4	06.1-30.7	33	25.4	14.6-36.2	17	15.5	05.3-25.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 16: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5453	571,021	4643	81.2	79.0-83.4	161	3.2	02.2-04.2	35	0.7	00.3-01.1	20	0.4	00.0-00.8	7	0.2	00.0-00.4	587	14.2	12.2-16.2
Male	2055	290,871	1680	77.7	74.4-81.0	44	1.6	00.8-02.4	10	0.4	00.0-00.8	8	0.6	00.0-01.4	3	0.3	00.0-00.7	310	19.4	16.3-22.5
Female	3398	280,150	2963	84.7	82.2-87.2	117	5.0	03.2-06.8	25	1.1	00.3-01.9	12	0.3	00.1-00.5	4	0.2	00.0-00.4	277	8.8	06.8-10.8
Native	148	31,358	123	69.2	56.5-81.9	9	8.1	00.8-15.4	1	3.0	00.0-08.7				1	1.2	00.0-03.6	14	18.5	07.3-29.7
Non-Native	5221	531,715	4450	81.8	79.6-84.0	151	3.0	02.0-04.0	34	0.6	00.2-01.0	19	0.5	00.1-00.9	5	0.2	00.0-00.4	562	14.0	12.0-16.0
18-24	113	82,694	86	80.2	72.0-88.4	3	1.6	00.0-03.8	2	0.4	00.0-01.0	1	0.1	00.0-00.3				21	17.6	09.6-25.6
25-34	290	108,045	223	73.6	66.7-80.5	14	5.8	02.1-09.5	3	1.0	00.0-02.4	2	1.2	00.0-03.4				48	18.3	12.2-24.4
35-44	528	84,038	438	80.0	75.1-84.9	15	3.5	01.0-06.0	2	1.3	00.0-03.5				1	0.1	00.0-00.3	72	15.1	11.2-19.0
45-54	811	90,777	680	81.8	78.1-85.5	17	1.4	00.6-02.2	6	0.6	00.0-01.2	3	0.2	00.0-00.4	2	0.7	00.0-01.7	103	15.3	11.6-19.0
55-64	1400	92,710	1178	83.0	80.1-85.9	41	3.3	01.9-04.7	11	0.7	00.1-01.3	7	0.5	00.0-01.1	1	0.4	00.0-01.2	162	12.2	09.7-14.7
65+	2248	108,928	1989	88.4	86.6-90.2	68	3.1	02.1-04.1	10	0.4	00.0-00.8	7	0.5	00.1-00.9	3	0.2	00.0-00.4	171	7.4	06.0-08.8
Less Than H.S.	339	51,245	279	79.3	71.9-86.7	7	1.2	00.2-02.2				3	0.6	00.0-01.4	1	0.1	00.0-00.3	49	18.8	11.4-26.2
H.S. or G.E.D.	1652	151,199	1412	83.1	79.4-86.8	42	2.6	00.8-04.4	5	0.3	00.0-00.7	9	0.4	00.0-00.8	1	0.1	00.0-00.3	183	13.5	10.2-16.8
Some Post-H.S.	1735	224,165	1464	79.9	76.2-83.6	54	3.8	02.0-05.6	13	1.1	00.1-02.1	3	0.2	00.0-00.4	2	0.4	00.0-01.0	199	14.7	11.4-18.0
College Graduate	1694	141,878	1462	81.7	78.2-85.2	57	3.8	02.2-05.4	16	0.8	00.2-01.4	5	0.9	00.0-02.5	3	0.2	00.0-00.6	151	12.5	09.6-15.4
Less than \$15,000	313	39,177	246	73.9	65.1-82.7	12	5.0	00.1-09.9	2	0.4	00.0-01.0	4	0.6	00.0-01.2	1	0.9	00.0-02.7	48	19.1	11.3-26.9
\$15,000- 24,999	631	68,519	519	74.5	66.7-82.3	30	6.3	02.0-10.6	6	1.5	00.0-03.5	2	0.3	00.0-00.7	2	0.4	00.0-01.0	72	17.0	09.9-24.1
\$25,000- 34,999	511	50,535	440	73.0	63.4-82.6	16	4.8	00.0-09.9	7	2.7	00.0-06.4	3	0.5	00.0-01.1				45	19.1	10.3-27.9
\$35,000- 49,999	707	66,985	607	83.9	78.8-89.0	19	1.7	00.5-02.9	2	0.1	00.0-00.3	2	0.1	00.0-00.3	1	0.1	00.0-00.3	76	14.1	09.2-19.0
\$50,000- 74,999	853	89,179	719	78.4	73.3-83.5	30	4.3	02.1-06.5	5	0.3	00.0-00.7	3	1.7	00.0-04.2				96	15.3	10.8-19.8
\$75,000+	1717	187,419	1493	87.0	84.6-89.4	39	1.7	00.9-02.5	11	0.6	00.2-01.0	4	0.1	00.0-00.3	2	0.1	00.0-00.3	168	10.5	08.3-12.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 17: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2055	290,871	1680	77.7	74.4-81.0	44	1.6	00.8-02.4	10	0.4	00.0-00.8	8	0.6	00.0-01.4	3	0.3	00.0-00.7	310	19.4	16.3-22.5
Non-Native	1965	274,117	1607	77.7	74.4-81.0	42	1.6	00.8-02.4	10	0.4	00.0-01.0	8	0.6	00.0-01.4	1	0.2	00.0-00.6	297	19.4	16.1-22.7
18-24	57	47,311	40	74.4	62.1-86.7													17	25.6	13.3-37.9
25-34	109	54,976	78	71.6	61.4-81.8	1	1.4	00.0-04.1	1	1.3	00.0-03.7	1	2.1	00.0-06.2				28	23.7	14.3-33.1
35-44	211	43,692	161	77.2	70.3-84.1	4	2.0	00.0-04.2	1	0.3	00.0-00.9							45	20.5	13.8-27.2
45-54	305	46,730	240	75.4	68.9-81.9	3	0.8	00.0-01.8	1	0.3	00.0-00.9	1	0.1	00.0-00.3	1	1.0	00.0-02.8	59	22.5	16.2-28.8
55-64	556	47,855	443	79.5	74.8-84.2	12	2.1	00.7-03.5	4	0.4	00.0-00.8	2	0.5	00.0-01.3	1	0.8	00.0-02.4	94	16.8	12.5-21.1
65+	801	49,219	705	88.5	85.8-91.2	24	3.1	01.7-04.5	3	0.2	00.0-00.4	4	0.7	00.1-01.3	1	0.1	00.0-00.3	64	7.5	05.3-09.7
Less Than H.S.	152	29,955	118	72.3	60.5-84.1	4	1.7	00.0-03.5				1	0.4	00.0-01.2	1	0.2	00.0-00.6	28	25.5	13.9-37.1
H.S. or G.E.D.	619	78,194	509	82.1	76.8-87.4	8	1.0	00.2-01.8	3	0.3	00.0-00.7	5	0.5	00.0-01.1				94	16.1	11.0-21.2
Some Post-H.S.	608	113,171	487	76.2	70.3-82.1	10	1.1	00.1-02.1	5	0.8	00.0-02.0				2	0.7	00.0-01.7	104	21.2	15.5-26.9
College Graduate	670	68,729	562	77.5	71.4-83.6	22	3.0	00.6-05.4	1	0.1	00.0-00.3	2	1.7	00.0-04.8				83	17.7	12.4-23.0
Less than \$15,000	107	19,763	82	73.3	60.0-86.6	2	0.8	00.0-02.0				2	0.4	00.0-01.0	1	1.8	00.0-05.3	20	23.6	10.5-36.7
\$15,000- 24,999	196	30,940	158	70.9	58.4-83.4	6	1.4	00.2-02.6	1	2.2	00.0-06.5							31	25.6	13.3-37.9
\$25,000- 34,999	164	21,690	133	63.7	48.0-79.4	3	0.7	00.0-01.9	3	1.2	00.0-02.8	3	1.2	00.0-02.8				22	33.2	17.1-49.3
\$35,000- 49,999	270	33,289	221	80.8	73.4-88.2	6	1.1	00.1-02.1	2	0.3	00.0-00.7							41	17.8	10.4-25.2
\$50,000- 74,999	348	46,258	287	74.0	65.4-82.6	9	2.1	00.3-03.9	1	0.2	00.0-00.6	2	2.9	00.0-07.8				49	20.7	12.9-28.5
\$75,000+	774	103,855	642	84.5	81.0-88.0	14	1.4	00.4-02.4	2	0.1	00.1-00.1				1	0.0	00.0-00.0	115	14.0	10.5-17.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 18: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-76 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3398	280,150	2963	84.7	82.2-87.2	117	5.0	03.2-06.8	25	1.1	00.3-01.9	12	0.3	00.1-00.5	4	0.2	00.0-00.4	277	8.8	06.8-10.8
Native	105	20,387	88	67.4	51.3-83.5	7	12.0	01.2-22.8	1	4.6	00.0-13.4				9	16.0	02.9-29.1			
Non-Native	3256	257,598	2843	86.2	83.8-88.6	109	4.4	02.8-06.0	24	0.8	00.4-01.2	11	0.3	00.1-00.5	4	0.2	00.0-00.4	265	8.2	06.4-10.0
18-24	56	35,383	46	88.0	79.2-96.8	3	3.8	00.0-08.7	2	1.0	00.0-02.4	1	0.2	00.0-00.6				4	7.0	00.0-14.3
25-34	181	53,069	145	75.8	66.6-85.0	13	10.3	03.2-17.4	2	0.7	00.0-01.9	1	0.4	00.0-01.2				20	12.8	05.5-20.1
35-44	317	40,346	277	83.0	76.1-89.9	11	5.2	00.5-09.9	1	2.3	00.0-06.8				1	0.3	00.0-00.9	27	9.2	05.5-12.9
45-54	506	44,047	440	88.6	85.5-91.7	14	2.1	00.7-03.5	5	1.0	00.0-02.0	2	0.3	00.0-00.7	1	0.4	00.0-01.2	44	7.7	05.0-10.4
55-64	844	44,855	735	86.6	83.5-89.7	29	4.5	02.1-06.9	7	1.0	00.0-02.0	5	0.5	00.0-01.1				68	7.3	05.1-09.5
65+	1447	59,709	1284	88.3	86.1-90.5	44	3.1	01.9-04.3	7	0.6	00.0-01.2	3	0.3	00.0-00.7	2	0.3	00.0-00.7	107	7.4	05.6-09.2
Less Than H.S.	187	21,291	161	89.2	83.9-94.5	3	0.5	00.0-01.1				2	0.8	00.0-02.0				21	9.5	04.4-14.6
H.S. or G.E.D.	1033	73,005	903	84.1	79.0-89.2	34	4.4	01.1-07.7	2	0.3	00.0-00.9	4	0.3	00.0-00.7	1	0.1	00.0-00.3	89	10.6	06.5-14.7
Some Post-H.S.	1127	110,994	977	83.7	79.0-88.4	44	6.4	03.1-09.7	8	1.5	00.0-03.3	3	0.3	00.0-00.7				95	8.1	04.8-11.4
College Graduate	1024	73,149	900	85.7	82.2-89.2	35	4.7	02.5-06.9	15	1.4	00.4-02.4	3	0.1	00.0-00.3	3	0.5	00.0-01.1	68	7.6	04.9-10.3
Less than \$15,000	206	19,415	164	74.6	63.0-86.2	10	9.3	00.0-18.7	2	0.8	00.0-02.0	2	0.8	00.0-02.0				28	14.5	06.1-22.9
\$15,000- 24,999	435	37,579	361	77.5	68.1-86.9	24	10.3	02.7-17.9	5	0.9	00.0-01.9	2	0.6	00.0-01.4	2	0.7	00.0-01.7	41	10.0	03.1-16.9
\$25,000- 34,999	347	28,845	307	79.9	68.3-91.5	13	7.8	00.0-16.2	4	3.8	00.0-10.1							23	8.4	00.8-16.0
\$35,000- 49,999	437	33,696	386	86.9	80.0-93.8	13	2.3	00.3-04.3				2	0.2	00.0-00.4	1	0.2	00.0-00.6	35	10.4	03.7-17.1
\$50,000- 74,999	505	42,920	432	83.2	77.9-88.5	21	6.6	02.7-10.5	4	0.4	00.0-00.8	1	0.5	00.0-01.5				47	9.4	05.9-12.9
\$75,000+	943	83,564	851	90.0	87.3-92.7	25	2.1	00.9-03.3	9	1.3	00.3-02.3	4	0.2	00.0-00.4	1	0.1	00.0-00.3	53	6.2	03.8-08.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 19: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5595	582,748	163	4.4	03.2-05.6	5010	87.3	85.5-89.1	422	8.2	06.8-09.6
Male	2098	295,524	45	3.7	02.1-05.3	1866	85.9	83.2-88.6	187	10.4	08.0-12.8
Female	3497	287,224	118	5.2	03.4-07.0	3144	88.8	86.8-90.8	235	6.0	04.8-07.2
Native	149	31,396	6	4.8	00.1-09.5	135	88.7	81.3-96.1	8	6.5	00.4-12.6
Non-Native	5360	543,266	153	4.1	02.9-05.3	4802	87.6	85.8-89.4	405	8.3	06.9-09.7
18-24	117	85,345	3	3.3	00.0-07.0	104	90.3	84.6-96.0	10	6.4	01.9-10.9
25-34	295	109,947	12	6.3	02.4-10.2	252	81.8	75.7-87.9	31	12.0	06.9-17.1
35-44	533	84,449	17	6.0	02.1-09.9	468	84.5	79.8-89.2	48	9.5	06.4-12.6
45-54	820	91,939	51	6.5	04.1-08.9	698	85.7	82.6-88.8	71	7.8	05.6-10.0
55-64	1416	93,764	39	3.3	02.1-04.5	1264	89.0	86.8-91.2	113	7.7	05.9-09.5
65+	2348	113,338	41	1.7	00.9-02.5	2165	92.5	91.1-93.9	142	5.8	04.6-07.0
Less Than H.S.	358	53,892	20	11.1	04.0-18.2	312	78.9	70.3-87.5	26	10.0	03.9-16.1
H.S. or G.E.D.	1704	155,294	51	4.8	02.4-07.2	1522	87.3	84.0-90.6	131	8.0	05.6-10.4
Some Post-H.S.	1779	226,448	54	4.2	02.4-06.0	1587	88.1	85.6-90.6	138	7.7	05.7-09.7
College Graduate	1720	144,548	33	1.7	00.9-02.5	1564	89.6	86.7-92.5	123	8.7	05.8-11.6
Less than \$15,000	329	39,874	21	7.1	00.8-13.4	275	81.1	72.7-89.5	33	11.8	05.3-18.3
\$15,000- 24,999	657	71,052	40	11.6	05.9-17.3	566	80.7	73.8-87.6	51	7.7	03.2-12.2
\$25,000- 34,999	524	51,471	14	4.4	01.3-07.5	493	92.2	87.7-96.7	17	3.4	00.0-06.9
\$35,000- 49,999	724	68,071	24	5.4	01.7-09.1	645	86.5	82.0-91.0	55	8.1	05.2-11.0
\$50,000- 74,999	864	91,361	8	0.7	00.1-01.3	788	89.5	85.4-93.6	68	9.8	05.7-13.9
\$75,000+	1733	188,565	32	2.7	01.1-04.3	1570	89.3	86.8-91.8	131	7.9	05.9-09.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 20: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2098	295,524	45	3.7	02.1-05.3	1866	85.9	83.2-88.6	187	10.4	08.0-12.8
Non-Native	2009	278,798	42	3.2	01.6-04.8	1789	86.2	83.5-88.9	178	10.6	08.1-13.1
18-24	58	48,482				49	89.0	81.2-96.8	9	11.0	03.2-18.8
25-34	111	56,232	5	6.1	00.4-11.8	89	77.7	67.9-87.5	17	16.2	07.6-24.8
35-44	213	43,772	9	9.6	02.3-16.9	177	78.8	70.6-87.0	27	11.6	06.3-16.9
45-54	306	46,776	12	3.5	01.1-05.9	263	88.5	84.4-92.6	31	8.0	04.7-11.3
55-64	565	48,555	10	2.3	00.5-04.1	503	88.6	85.3-91.9	52	9.1	06.2-12.0
65+	829	50,623	9	1.2	00.0-02.4	770	92.8	90.6-95.0	50	5.9	03.9-07.9
Less Than H.S.	159	31,515	11	15.1	03.9-26.3	134	71.0	57.9-84.1	14	13.9	03.9-23.9
H.S. or G.E.D.	635	79,164	13	2.4	00.8-04.0	560	87.2	82.7-91.7	62	10.4	06.3-14.5
Some Post-H.S.	619	113,517	13	3.0	00.6-05.4	544	87.1	83.0-91.2	62	9.9	06.4-13.4
College Graduate	679	70,505	8	1.3	00.0-02.7	622	88.8	83.7-93.9	49	9.9	04.8-15.0
Less than \$15,000	111	19,295	7	9.0	00.0-21.2	90	74.5	59.4-89.6	14	16.4	05.0-27.8
\$15,000- 24,999	202	32,287	10	12.6	03.0-22.2	169	75.0	62.7-87.3	23	12.5	02.9-22.1
\$25,000- 34,999	168	22,212	4	2.9	00.0-06.0	158	92.1	84.1-0100	6	5.0	00.0-12.6
\$35,000- 49,999	277	33,713	8	3.8	00.5-07.1	242	85.1	78.8-91.4	27	11.1	05.6-16.6
\$50,000- 74,999	354	47,764	1	0.1	00.0-00.3	326	87.1	80.0-94.2	27	12.7	05.6-19.8
\$75,000+	783	104,636	11	2.3	00.3-04.3	708	90.0	86.7-93.3	64	7.7	05.0-10.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 21: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3497	287,224	118	5.2	03.4-07.0	3144	88.8	86.8-90.8	235	6.0	04.8-07.2
Native	106	20,425	5	5.6	00.0-12.1	97	88.9	79.9-97.9	4	5.5	00.0-12.2
Non-Native	3351	264,467	111	5.1	03.3-06.9	3013	89.0	86.8-91.2	227	5.9	04.7-07.1
18-24	59	36,863	3	7.7	00.0-16.1	55	92.0	83.6-0100	1	0.3	00.0-00.9
25-34	184	53,715	7	6.5	01.0-12.0	163	86.0	78.9-93.1	14	7.5	02.6-12.4
35-44	320	40,677	8	2.2	00.4-04.0	291	90.6	86.9-94.3	21	7.1	03.8-10.4
45-54	514	45,163	39	9.6	05.5-13.7	435	82.8	78.1-87.5	40	7.6	04.9-10.3
55-64	851	45,209	29	4.3	02.5-06.1	761	89.5	87.0-92.0	61	6.2	04.2-08.2
65+	1519	62,715	32	2.1	01.1-03.1	1395	92.2	90.6-93.8	92	5.6	04.2-07.0
Less Than H.S.	199	22,377	9	5.4	00.1-10.7	178	89.9	83.8-96.0	12	4.6	01.5-07.7
H.S. or G.E.D.	1069	76,130	38	7.2	02.7-11.7	962	87.3	82.6-92.0	69	5.5	03.3-07.7
Some Post-H.S.	1160	112,931	41	5.5	02.8-08.2	1043	89.0	85.9-92.1	76	5.5	03.7-07.3
College Graduate	1041	74,044	25	2.0	00.8-03.2	942	90.4	87.3-93.5	74	7.5	04.6-10.4
Less than \$15,000	218	20,579	14	5.2	02.1-08.3	185	87.3	80.6-94.0	19	7.5	01.6-13.4
\$15,000- 24,999	455	38,765	30	10.9	04.0-17.8	397	85.4	78.3-92.5	28	3.7	01.9-05.5
\$25,000- 34,999	356	29,259	10	5.5	00.6-10.4	335	92.3	87.2-97.4	11	2.2	00.6-03.8
\$35,000- 49,999	447	34,358	16	6.9	00.4-13.4	403	87.9	81.2-94.6	28	5.1	02.4-07.8
\$50,000- 74,999	510	43,597	7	1.4	00.2-02.6	462	92.1	88.6-95.6	41	6.5	03.2-09.8
\$75,000+	950	83,929	21	3.2	00.7-05.7	862	88.6	84.9-92.3	67	8.2	05.3-11.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 22: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5517	575,867	3909	66.3	63.9-68.7	1429	29.2	26.8-31.6	106	2.7	01.7-03.7	73	1.8	01.0-02.6
Male	2059	291,117	1421	65.5	61.8-69.2	546	28.7	25.2-32.2	42	2.7	01.3-04.1	50	3.1	01.5-04.7
Female	3458	284,750	2488	67.0	63.9-70.1	883	29.7	26.8-32.6	64	2.7	01.5-03.9	23	0.5	00.3-00.7
Native	149	31,406	70	48.5	35.6-61.4	69	48.4	35.5-61.3	10	3.1	00.7-05.5			
Non-Native	5287	536,797	3791	67.6	65.2-70.0	1332	28.0	25.6-30.4	92	2.5	01.5-03.5	72	1.9	01.1-02.7
18-24	116	83,953	81	73.6	64.6-82.6	31	22.7	14.3-31.1	1	1.2	00.0-03.6	3	2.6	00.0-06.1
25-34	292	109,460	166	51.2	43.8-58.6	114	43.5	36.1-50.9	6	2.7	00.2-05.2	6	2.6	00.2-05.0
35-44	527	83,532	349	63.9	58.0-69.8	155	29.7	24.4-35.0	12	5.0	01.3-08.7	11	1.4	00.4-02.4
45-54	818	91,991	528	64.6	60.1-69.1	252	30.4	25.9-34.9	27	3.1	01.7-04.5	11	1.9	00.5-03.3
55-64	1399	92,448	997	70.0	66.9-73.1	350	25.6	22.7-28.5	33	3.0	01.6-04.4	19	1.4	00.6-02.2
65+	2300	110,573	1748	75.8	73.4-78.2	505	21.6	19.2-24.0	24	1.4	00.6-02.2	23	1.1	00.5-01.7
Less Than H.S.	340	52,715	230	62.5	53.1-71.9	93	28.6	20.0-37.2	10	5.4	00.0-10.9	7	3.5	00.2-06.8
H.S. or G.E.D.	1674	151,225	1144	64.2	59.7-68.7	465	30.8	26.3-35.3	43	3.5	01.9-05.1	22	1.6	00.4-02.8
Some Post-H.S.	1762	225,505	1240	66.2	62.1-70.3	471	30.0	26.1-33.9	29	2.0	00.8-03.2	22	1.8	00.4-03.2
College Graduate	1709	144,027	1274	70.1	66.0-74.2	392	26.4	22.5-30.3	21	1.9	00.5-03.3	22	1.6	00.6-02.6
Less than \$15,000	320	39,942	200	61.5	51.7-71.3	95	29.2	20.6-37.8	19	6.7	00.4-13.0	6	2.7	00.0-05.6
\$15,000- 24,999	639	67,677	445	57.3	49.1-65.5	167	36.9	28.7-45.1	19	3.6	00.9-06.3	8	2.3	00.0-04.8
\$25,000- 34,999	518	51,151	362	62.6	53.4-71.8	148	33.8	25.0-42.6	5	3.1	00.0-07.4	3	0.5	00.0-01.1
\$35,000- 49,999	716	67,379	505	68.2	62.1-74.3	187	28.6	22.7-34.5	13	1.3	00.5-02.1	11	1.9	00.1-03.7
\$50,000- 74,999	856	90,607	610	65.8	60.1-71.5	224	30.9	25.2-36.6	10	1.3	00.3-02.3	12	2.0	00.2-03.8
\$75,000+	1727	187,864	1272	71.3	67.6-75.0	409	25.4	21.9-28.9	21	1.8	00.6-03.0	25	1.5	00.5-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 23: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2059	291,117	1421	65.5	61.8-69.2	546	28.7	25.2-32.2	42	2.7	01.3-04.1	50	3.1	01.5-04.7
Non-Native	1973	274,704	1375	66.3	62.6-70.0	511	28.0	24.5-31.5	38	2.4	01.2-03.6	49	3.3	01.7-04.9
18-24	57	47,090	41	78.1	66.7-89.5	13	17.4	07.4-27.4				3	4.6	00.0-10.9
25-34	110	56,089	59	50.9	39.7-62.1	44	42.1	30.9-53.3	2	2.1	00.0-05.2	5	5.0	00.3-09.7
35-44	210	43,229	127	57.5	48.5-66.5	70	33.4	25.2-41.6	5	7.2	00.1-14.3	8	1.9	00.3-03.5
45-54	306	46,880	197	64.3	57.0-71.6	90	30.5	23.4-37.6	10	1.8	00.4-03.2	9	3.4	00.7-06.1
55-64	552	47,366	392	70.3	65.4-75.2	130	23.6	19.1-28.1	17	4.2	01.8-06.6	13	1.9	00.5-03.3
65+	807	49,363	594	73.7	69.4-78.0	194	23.4	19.3-27.5	7	1.4	00.2-02.6	12	1.5	00.5-02.5
Less Than H.S.	153	31,277	92	55.9	42.8-69.0	49	30.6	18.4-42.8	6	8.0	00.0-17.0	6	5.4	00.0-11.1
H.S. or G.E.D.	618	75,752	402	65.4	58.7-72.1	183	29.3	23.0-35.6	19	2.9	01.1-04.7	14	2.5	00.3-04.7
Some Post-H.S.	610	113,226	421	66.5	60.2-72.8	166	29.2	23.3-35.1	9	1.2	00.2-02.2	14	3.1	00.2-06.0
College Graduate	673	70,179	504	68.8	62.3-75.3	146	26.2	19.9-32.5	7	2.4	00.0-04.9	16	2.7	00.7-04.7
Less than \$15,000	107	19,717	60	55.4	39.5-71.3	35	30.4	16.5-44.3	9	10.3	00.0-22.3	3	3.9	00.0-09.6
\$15,000- 24,999	190	29,538	123	49.9	36.8-63.0	54	40.0	26.5-53.5	8	5.4	00.0-11.3	5	4.7	00.0-10.4
\$25,000- 34,999	166	22,184	118	72.9	60.7-85.1	45	26.0	14.0-38.0	1	0.6	00.0-01.8	2	0.5	00.0-01.3
\$35,000- 49,999	272	33,301	177	66.0	57.2-74.8	83	29.5	21.1-37.9	5	1.2	00.0-02.4	7	3.2	00.0-06.5
\$50,000- 74,999	350	47,243	257	66.7	57.9-75.5	84	29.5	20.9-38.1	4	0.9	00.0-01.9	5	2.9	00.0-06.0
\$75,000+	778	103,949	561	69.9	64.4-75.4	187	25.5	20.2-30.8	9	2.0	00.0-04.0	21	2.5	00.7-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 24: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3458	284,750	2488	67.0	63.9-70.1	883	29.7	26.8-32.6	64	2.7	01.5-03.9	23	0.5	00.3-00.7
Native	106	20,435	47	43.5	27.8-59.2	50	52.1	36.2-68.0	9	4.4	00.9-07.9			
Non-Native	3314	262,093	2416	68.9	65.8-72.0	821	28.0	25.1-30.9	54	2.5	01.3-03.7	23	0.6	00.2-01.0
18-24	59	36,863	40	67.9	53.8-82.0	18	29.4	15.7-43.1	1	2.7	00.0-07.8			
25-34	182	53,372	107	51.5	41.9-61.1	70	45.1	35.5-54.7	4	3.3	00.0-07.6	1	0.2	00.0-00.6
35-44	317	40,302	222	70.8	63.9-77.7	85	25.7	19.0-32.4	7	2.6	00.4-04.8	3	0.9	00.0-02.1
45-54	512	45,111	331	64.9	59.6-70.2	162	30.3	25.2-35.4	17	4.5	02.1-06.9	2	0.3	00.0-00.7
55-64	847	45,082	605	69.6	65.5-73.7	220	27.7	23.8-31.6	16	1.7	00.7-02.7	6	1.0	00.0-02.0
65+	1493	61,210	1154	77.5	74.8-80.2	311	20.2	17.7-22.7	17	1.5	00.5-02.5	11	0.8	00.2-01.4
Less Than H.S.	187	21,438	138	72.2	60.2-84.2	44	25.5	13.7-37.3	4	1.7	00.0-03.7	1	0.6	00.0-01.8
H.S. or G.E.D.	1056	75,473	742	63.0	56.7-69.3	282	32.3	26.2-38.4	24	4.1	01.4-06.8	8	0.6	00.0-01.2
Some Post-H.S.	1152	112,280	819	65.9	60.6-71.2	305	30.8	25.7-35.9	20	2.8	00.6-05.0	8	0.5	00.1-00.9
College Graduate	1036	73,848	770	71.5	66.8-76.2	246	26.7	22.0-31.4	14	1.3	00.1-02.5	6	0.5	00.0-01.1
Less than \$15,000	213	20,225	140	67.5	56.5-78.5	60	27.9	17.3-38.5	10	3.1	00.4-05.8	3	1.5	00.0-03.5
\$15,000- 24,999	449	38,139	322	63.0	52.8-73.2	113	34.5	24.3-44.7	11	2.2	00.6-03.8	3	0.4	00.0-01.0
\$25,000- 34,999	352	28,967	244	54.6	42.6-66.6	103	39.8	27.8-51.8	4	5.1	00.0-12.5	1	0.4	00.0-01.2
\$35,000- 49,999	444	34,078	328	70.4	62.0-78.8	104	27.7	19.3-36.1	8	1.3	00.1-02.5	4	0.6	00.0-01.2
\$50,000- 74,999	506	43,365	353	64.8	57.7-71.9	140	32.5	25.4-39.6	6	1.7	00.1-03.3	7	1.0	00.2-01.8
\$75,000+	949	83,916	711	72.9	68.2-77.6	222	25.2	20.7-29.7	12	1.6	00.4-02.8	4	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 25: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5576	573,385	792	20.5	18.3-22.7	4784	79.5	77.3-81.7
Male	2092	290,217	245	16.0	13.3-18.7	1847	84.0	81.3-86.7
Female	3484	283,168	547	25.0	22.1-27.9	2937	75.0	72.1-77.9
Native	150	31,439	28	15.5	07.1-23.9	122	84.5	76.1-92.9
Non-Native	5339	533,832	748	20.6	18.4-22.8	4591	79.4	77.2-81.6
18-24	108	76,318	23	19.7	11.5-27.9	85	80.3	72.1-88.5
25-34	294	109,806	85	29.1	22.4-35.8	209	70.9	64.2-77.6
35-44	533	84,750	145	28.4	22.9-33.9	388	71.6	66.1-77.1
45-54	821	92,023	193	23.9	20.0-27.8	628	76.1	72.2-80.0
55-64	1412	93,549	209	17.2	14.7-19.7	1203	82.8	80.3-85.3
65+	2343	113,031	131	6.9	05.1-08.7	2212	93.1	91.3-94.9
Less Than H.S.	357	51,682	52	24.6	15.8-33.4	305	75.4	66.6-84.2
H.S. or G.E.D.	1698	152,775	254	22.6	18.5-26.7	1444	77.4	73.3-81.5
Some Post-H.S.	1770	221,882	267	20.7	17.2-24.2	1503	79.3	75.8-82.8
College Graduate	1716	144,397	213	16.1	13.0-19.2	1503	83.9	80.8-87.0
Less than \$15,000	327	40,244	69	27.9	18.3-37.5	258	72.1	62.5-81.7
\$15,000- 24,999	656	71,018	119	29.1	21.5-36.7	537	70.9	63.3-78.5
\$25,000- 34,999	523	50,300	77	24.2	16.2-32.2	446	75.8	67.8-83.8
\$35,000- 49,999	723	67,765	108	22.5	16.6-28.4	615	77.5	71.6-83.4
\$50,000- 74,999	864	91,361	130	22.0	17.1-26.9	734	78.0	73.1-82.9
\$75,000+	1729	187,327	206	15.0	12.1-17.9	1523	85.0	82.1-87.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

TABLE 26: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2092	290,217	245	16.0	13.3-18.7	1847	84.0	81.3-86.7
Non-Native	2002	273,463	230	15.5	12.6-18.4	1772	84.5	81.6-87.4
18-24	52	42,712	6	11.2	02.0-20.4	46	88.8	79.6-98.0
25-34	110	56,092	17	16.0	07.8-24.2	93	84.0	75.8-92.2
35-44	214	44,362	55	29.8	21.2-38.4	159	70.2	61.6-78.8
45-54	306	46,818	51	17.8	12.3-23.3	255	82.2	76.7-87.7
55-64	563	48,458	76	15.5	11.6-19.4	487	84.5	80.6-88.4
65+	829	50,593	38	7.0	03.5-10.5	791	93.0	89.5-96.5
Less Than H.S.	160	30,585	26	32.6	19.3-45.9	134	67.4	54.1-80.7
H.S. or G.E.D.	632	78,763	78	12.7	08.8-16.6	554	87.3	83.4-91.2
Some Post-H.S.	614	109,459	81	16.2	11.7-20.7	533	83.8	79.3-88.3
College Graduate	679	70,505	59	11.9	07.0-16.8	620	88.1	83.2-93.0
Less than \$15,000	112	19,884	20	25.1	10.0-40.2	92	74.9	59.8-90.0
\$15,000- 24,999	203	32,315	35	21.9	10.9-32.9	168	78.1	67.1-89.1
\$25,000- 34,999	167	21,041	21	23.0	10.3-35.7	146	77.0	64.3-89.7
\$35,000- 49,999	275	33,392	34	15.8	09.1-22.5	241	84.2	77.5-90.9
\$50,000- 74,999	354	47,764	40	14.2	08.7-19.7	314	85.8	80.3-91.3
\$75,000+	780	103,449	74	12.8	08.7-16.9	706	87.2	83.1-91.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 4: HEALTH CARE ACCESS**

**TABLE 27: DO YOU CURRENTLY HAVE ANY HEALTH CARE BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILL1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3484	283,168	547	25.0	22.1-27.9	2937	75.0	72.1-77.9
Native	107	20,468	21	13.8	05.4-22.2	86	86.2	77.8-94.6
Non-Native	3337	260,369	518	25.9	22.8-29.0	2819	74.1	71.0-77.2
18-24	56	33,606	17	30.4	16.5-44.3	39	69.6	55.7-83.5
25-34	184	53,715	68	42.9	33.3-52.5	116	57.1	47.5-66.7
35-44	319	40,388	90	26.8	20.5-33.1	229	73.2	66.9-79.5
45-54	515	45,206	142	30.2	24.9-35.5	373	69.8	64.5-75.1
55-64	849	45,091	133	19.0	15.5-22.5	716	81.0	77.5-84.5
65+	1514	62,438	93	6.9	05.1-08.7	1421	93.1	91.3-94.9
Less Than H.S.	197	21,097	26	13.1	06.6-19.6	171	86.9	80.4-93.4
H.S. or G.E.D.	1066	74,012	176	33.1	26.6-39.6	890	66.9	60.4-73.4
Some Post-H.S.	1156	112,424	186	25.1	20.0-30.2	970	74.9	69.8-80.0
College Graduate	1037	73,892	154	20.2	15.9-24.5	883	79.8	75.5-84.1
Less than \$15,000	215	20,360	49	30.6	18.4-42.8	166	69.4	57.2-81.6
\$15,000- 24,999	453	38,703	84	35.1	24.9-45.3	369	64.9	54.7-75.1
\$25,000- 34,999	356	29,259	56	25.1	14.9-35.3	300	74.9	64.7-85.1
\$35,000- 49,999	448	34,373	74	28.9	19.9-37.9	374	71.1	62.1-80.1
\$50,000- 74,999	510	43,597	90	30.6	23.0-38.2	420	69.4	61.8-77.0
\$75,000+	949	83,878	132	17.8	13.7-21.9	817	82.2	78.1-86.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)	
1 MALES AND FEMALES	71
2 MALES ONLY	72
3 FEMALES ONLY	73
HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)	
4 MALES AND FEMALES	74
5 MALES ONLY	75
6 FEMALES ONLY	76
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)	
7 MALES AND FEMALES	77
8 MALES ONLY	78
9 FEMALES ONLY	79

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 1: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5288	551,871	3045	47.0	44.5-49.5	2243	53.0	50.5-55.5
Male	1984	278,837	1114	44.0	40.3-47.7	870	56.0	52.3-59.7
Female	3304	273,034	1931	50.1	47.0-53.2	1373	49.9	46.8-53.0
Native	138	29,245	89	62.9	50.0-75.8	49	37.1	24.2-50.0
Non-Native	5073	516,111	2909	46.1	43.6-48.6	2164	53.9	51.4-56.4
18-24	112	81,552	28	23.9	14.9-32.9	84	76.1	67.1-85.1
25-34	284	105,179	94	37.9	30.5-45.3	190	62.1	54.7-69.5
35-44	497	79,954	174	37.2	31.3-43.1	323	62.8	56.9-68.7
45-54	776	86,351	365	47.1	42.6-51.6	411	52.9	48.4-57.4
55-64	1344	88,962	796	62.1	58.8-65.4	548	37.9	34.6-41.2
65+	2217	106,364	1555	68.3	65.8-70.8	662	31.7	29.2-34.2
Less Than H.S.	328	49,341	215	54.4	44.4-64.4	113	45.6	35.6-55.6
H.S. or G.E.D.	1597	144,962	993	51.5	46.6-56.4	604	48.5	43.6-53.4
Some Post-H.S.	1694	218,184	962	45.1	40.8-49.4	732	54.9	50.6-59.2
College Graduate	1653	138,538	865	42.6	38.7-46.5	788	57.4	53.5-61.3
Less than \$15,000	307	38,677	214	53.1	42.7-63.5	93	46.9	36.5-57.3
\$15,000- 24,999	626	67,040	399	54.5	46.3-62.7	227	45.5	37.3-53.7
\$25,000- 34,999	504	49,311	347	58.2	48.4-68.0	157	41.8	32.0-51.6
\$35,000- 49,999	707	67,046	425	47.4	40.9-53.9	282	52.6	46.1-59.1
\$50,000- 74,999	830	88,501	477	49.6	43.7-55.5	353	50.4	44.5-56.3
\$75,000+	1681	183,818	785	38.3	34.6-42.0	896	61.7	58.0-65.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 2: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1984	278,837	1114	44.0	40.3-47.7	870	56.0	52.3-59.7
Non-Native	1904	264,705	1065	43.5	39.6-47.4	839	56.5	52.6-60.4
18-24	56	46,244	7	14.4	03.8-25.0	49	85.6	75.0-96.2
25-34	107	52,999	36	37.7	26.3-49.1	71	62.3	50.9-73.7
35-44	202	41,785	74	35.2	26.6-43.8	128	64.8	56.2-73.4
45-54	287	43,498	137	47.1	39.8-54.4	150	52.9	45.6-60.2
55-64	534	45,560	333	64.4	59.5-69.3	201	35.6	30.7-40.5
65+	783	47,746	520	64.9	60.4-69.4	263	35.1	30.6-39.6
Less Than H.S.	142	27,964	82	48.3	34.6-62.0	60	51.7	38.0-65.4
H.S. or G.E.D.	595	72,602	348	45.7	38.6-52.8	247	54.3	47.2-61.4
Some Post-H.S.	592	111,201	317	40.6	34.3-46.9	275	59.4	53.1-65.7
College Graduate	652	66,781	365	46.1	39.6-52.6	287	53.9	47.4-60.4
Less than \$15,000	107	18,808	65	42.1	27.2-57.0	42	57.9	43.0-72.8
\$15,000- 24,999	193	29,615	108	53.6	40.3-66.9	85	46.4	33.1-59.7
\$25,000- 34,999	161	21,622	108	47.3	32.6-62.0	53	52.7	38.0-67.4
\$35,000- 49,999	267	33,031	159	49.1	39.1-59.1	108	50.9	40.9-60.9
\$50,000- 74,999	345	46,717	208	50.6	41.6-59.6	137	49.4	40.4-58.4
\$75,000+	756	102,518	378	37.7	32.2-43.2	378	62.3	56.8-67.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 3: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3304	273,034	1931	50.1	47.0-53.2	1373	49.9	46.8-53.0
Native	98	19,438	61	64.8	49.5-80.1	37	35.2	19.9-50.5
Non-Native	3169	251,406	1844	48.8	45.7-51.9	1325	51.2	48.1-54.3
18-24	56	35,308	21	36.3	21.6-51.0	35	63.7	49.0-78.4
25-34	177	52,180	58	38.1	28.5-47.7	119	61.9	52.3-71.5
35-44	295	38,169	100	39.4	31.4-47.4	195	60.6	52.6-68.6
45-54	489	42,853	228	47.2	41.5-52.9	261	52.8	47.1-58.5
55-64	810	43,402	463	59.6	55.5-63.7	347	40.4	36.3-44.5
65+	1434	58,618	1035	71.0	68.1-73.9	399	29.0	26.1-31.9
Less Than H.S.	186	21,378	133	62.4	48.5-76.3	53	37.6	23.7-51.5
H.S. or G.E.D.	1002	72,360	645	57.3	50.8-63.8	357	42.7	36.2-49.2
Some Post-H.S.	1102	106,983	645	49.8	44.3-55.3	457	50.2	44.7-55.7
College Graduate	1001	71,756	500	39.4	34.7-44.1	501	60.6	55.9-65.3
Less than \$15,000	200	19,870	149	63.5	50.0-77.0	51	36.5	23.0-50.0
\$15,000- 24,999	433	37,425	291	55.2	44.8-65.6	142	44.8	34.4-55.2
\$25,000- 34,999	343	27,689	239	66.6	54.6-78.6	104	33.4	21.4-45.4
\$35,000- 49,999	440	34,015	266	45.8	37.8-53.8	174	54.2	46.2-62.2
\$50,000- 74,999	485	41,784	269	48.4	41.0-55.8	216	51.6	44.2-59.0
\$75,000+	925	81,300	407	39.1	34.0-44.2	518	60.9	55.8-66.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 4: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2887	246,753	165	5.6	04.0-07.2	22	1.0	00.2-01.8	26	2.3	00.9-03.7	192	11.3	08.6-14.0	2482	79.9	76.6-83.2
Male	1057	116,618	51	5.6	03.1-08.1	10	0.6	00.2-01.0	8	1.7	00.0-03.7	64	10.6	06.3-14.9	924	81.6	76.7-86.5
Female	1830	130,135	114	5.5	03.7-07.3	12	1.3	00.0-02.7	18	2.9	00.7-05.1	128	11.9	08.2-15.6	1558	78.4	74.1-82.7
Native	81	16,877	3	2.4	00.0-05.9	3	7.3	00.0-17.5				13	18.3	04.6-32.0	62	72.0	56.1-87.9
Non-Native	2762	226,915	161	5.8	04.2-07.4	19	0.5	00.1-00.9	26	2.5	00.9-04.1	178	10.8	07.9-13.7	2378	80.3	77.0-83.6
25-34	90	36,951	6	8.6	01.0-16.2	2	1.0	00.0-02.4	3	2.1	00.0-05.2	17	18.9	08.7-29.1	62	69.5	57.5-81.5
35-44	170	28,736	9	5.0	01.1-08.9	3	4.0	00.0-09.9	4	2.2	00.0-04.6	27	18.3	09.5-27.1	127	70.4	60.2-80.6
45-54	352	39,874	28	7.4	04.3-10.5	5	1.1	00.0-02.3	1	0.1	00.0-00.3	33	6.2	03.5-08.9	285	85.2	81.1-89.3
55-64	776	52,972	45	5.9	03.7-08.1	2	0.2	00.0-00.6	7	1.0	00.2-01.8	41	5.2	03.4-07.0	681	87.7	85.0-90.4
65+	1441	67,181	75	4.3	03.1-05.5	10	0.5	00.1-00.9	4	0.2	00.0-00.4	61	3.4	02.4-04.4	1291	91.6	89.8-93.4
Less Than H.S.	194	25,129	17	5.5	02.2-08.8	2	0.2	00.0-00.6				17	24.9	11.4-38.4	158	69.4	56.3-82.5
H.S. or G.E.D.	932	69,912	53	7.0	03.3-10.7	8	0.7	00.0-01.5	11	2.7	00.2-05.2	59	10.3	05.6-15.0	801	79.4	73.5-85.3
Some Post-H.S.	916	93,730	49	3.7	02.3-05.1	5	1.4	00.0-03.4	8	2.9	00.0-06.0	65	11.6	06.7-16.5	789	80.4	74.7-86.1
College Graduate	838	57,588	46	7.0	03.7-10.3	7	0.9	00.1-01.7	7	1.9	00.0-03.9	51	6.0	03.5-08.5	727	84.2	79.9-88.5
Less than \$15,000	189	17,899	14	5.6	01.5-09.7	3	6.1	00.0-15.5	3	2.1	00.0-04.5	13	10.4	02.4-18.4	156	75.8	64.2-87.4
\$15,000- 24,999	375	34,461	24	6.5	02.0-11.0	4	0.9	00.0-02.1	2	0.1	00.0-00.3	20	12.2	03.4-21.0	325	80.2	70.8-89.6
\$25,000- 34,999	327	27,795	18	3.3	00.9-05.7	3	0.8	00.0-02.0	4	7.0	00.0-16.0	26	13.7	04.3-23.1	276	75.2	63.6-86.8
\$35,000- 49,999	408	29,550	20	4.4	02.0-06.8	3	0.8	00.0-02.2	2	0.5	00.0-01.3	22	6.5	02.4-10.6	361	87.7	82.8-92.6
\$50,000- 74,999	464	42,712	23	5.1	01.4-08.8				5	3.3	00.0-07.6	31	10.2	05.1-15.3	405	81.4	74.3-88.5
\$75,000+	768	69,259	36	6.5	03.0-10.0	6	0.6	00.0-01.2	6	1.5	00.0-03.3	60	8.9	04.8-13.0	660	82.5	77.2-87.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 5: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1057	116,618	51	5.6	03.1-08.1	10	0.6	00.2-01.0	8	1.7	00.0-03.7	64	10.6	06.3-14.9	924	81.6	76.7-86.5
Non-Native	1012	110,013	49	5.8	03.3-08.3	9	0.5	00.1-00.9	8	1.8	00.0-04.0	60	10.0	05.7-14.3	886	82.0	76.9-87.1
35-44	71	13,820	4	4.9	00.0-10.6	1	0.8	00.0-02.4	1	2.1	00.0-06.2	11	17.3	05.5-29.1	54	74.9	62.0-87.8
45-54	133	20,205	9	7.0	02.3-11.7	1	0.7	00.0-02.1				9	3.6	00.7-06.5	114	88.6	82.9-94.3
55-64	323	28,376	16	5.5	02.4-08.6	2	0.4	00.0-01.0	3	1.1	00.0-02.5	16	4.0	01.6-06.4	286	89.0	85.1-92.9
65+	482	28,958	19	3.7	01.7-05.7	5	0.4	00.0-00.8				18	2.9	01.3-04.5	440	92.9	90.4-95.4
Less Than H.S.	75	12,953	4	3.0	00.0-06.1							7	22.8	04.6-41.0	64	74.2	56.2-92.2
H.S. or G.E.D.	327	31,115	20	11.4	03.6-19.2	3	0.1	00.0-00.3	3	0.7	00.0-01.5	17	9.3	02.8-15.8	284	78.5	69.3-87.7
Some Post-H.S.	298	42,301	13	2.9	00.9-04.9	3	0.6	00.0-01.4	3	3.8	00.0-09.3	23	12.1	03.9-20.3	256	80.5	71.3-89.7
College Graduate	355	30,098	14	4.6	01.7-07.5	4	1.2	00.0-02.6	2	0.5	00.0-01.1	17	4.5	01.0-08.0	318	89.3	84.6-94.0
Less than \$15,000	57	6,787	4	5.1	00.0-10.8	1	0.1	00.0-00.3	1	2.3	00.0-06.8	5	17.5	00.0-36.1	46	75.0	56.2-93.8
\$15,000- 24,999	105	15,657	8	8.1	00.0-17.1	2	1.7	00.0-04.1				6	15.2	00.1-30.3	89	75.1	58.8-91.4
\$25,000- 34,999	96	9,598	3	4.7	00.0-10.4				1	12.2	00.0-33.4	7	3.1	00.2-06.0	85	80.0	59.6-0100
\$35,000- 49,999	150	14,323	7	3.6	00.7-06.5	2	0.4	00.0-01.0				6	7.3	00.0-14.7	135	88.8	81.0-96.6
\$50,000- 74,999	202	22,847	6	2.0	00.2-03.8				1	1.3	00.0-03.8	12	9.6	01.6-17.6	183	87.1	78.7-95.5
\$75,000+	367	37,926	17	7.4	01.5-13.3	5	0.9	00.0-01.9	3	0.6	00.0-01.4	23	6.5	01.4-11.6	319	84.6	77.2-92.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 6: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1830	130,135	114	5.5	03.7-07.3	12	1.3	00.0-02.7	18	2.9	00.7-05.1	128	11.9	08.2-15.6	1558	78.4	74.1-82.7
Native	56	11,986	2	2.6	00.0-07.3	2	9.0	00.0-22.9				9	15.2	00.0-31.1	43	73.2	53.6-92.8
Non-Native	1750	116,902	112	5.9	04.1-07.7	10	0.6	00.2-01.0	18	3.2	00.8-05.6	118	11.6	07.7-15.5	1492	78.8	74.3-83.3
25-34	56	18,896	3	7.0	00.0-15.4	1	1.1	00.0-03.3	2	3.6	00.0-09.5	9	9.9	02.5-17.3	41	78.4	66.1-90.7
35-44	99	14,916	5	5.2	00.0-10.5	2	7.0	00.0-18.0	3	2.2	00.0-04.7	16	19.3	06.4-32.2	73	66.4	51.5-81.3
45-54	219	19,669	19	7.7	03.6-11.8	4	1.5	00.0-03.5	1	0.3	00.0-00.9	24	8.9	04.4-13.4	171	81.6	75.5-87.7
55-64	453	24,596	29	6.4	03.7-09.1	4	0.9	00.0-01.9	25	6.5	03.8-09.2	25	6.5	03.8-09.2	395	86.2	82.3-90.1
65+	959	38,223	56	4.7	02.9-06.5	5	0.5	00.0-01.1	4	0.4	00.0-00.8	43	3.8	02.4-05.2	851	90.6	88.4-92.8
Less Than H.S.	119	12,176	13	8.1	02.2-14.0	2	0.4	00.0-01.0				10	27.1	07.1-47.1	94	64.3	45.9-82.7
H.S. or G.E.D.	605	38,797	33	3.4	01.8-05.0	5	1.2	00.0-02.6	8	4.3	00.0-08.8	42	11.1	04.2-18.0	517	80.0	72.4-87.6
Some Post-H.S.	618	51,429	36	4.3	02.3-06.3	2	2.1	00.0-05.4	5	2.2	00.0-05.5	42	11.2	05.5-16.9	533	80.2	73.1-87.3
College Graduate	483	27,490	32	9.6	03.5-15.7	3	0.6	00.0-01.4	5	3.4	00.0-07.5	34	7.7	04.4-11.0	409	78.7	71.4-86.0
Less than \$15,000	132	11,112	10	6.0	00.5-11.5	2	9.7	00.0-24.2	2	1.9	00.0-04.6	8	6.1	01.0-11.2	110	76.3	61.6-91.0
\$15,000- 24,999	270	18,804	16	5.2	01.5-08.9	2	0.3	00.0-00.9	2	0.3	00.0-00.7	14	9.8	00.0-19.8	236	84.4	74.2-94.6
\$25,000- 34,999	231	18,196	15	2.5	00.7-04.3	3	1.2	00.0-03.0	3	4.3	00.0-11.4	19	19.3	05.8-32.8	191	72.7	58.6-86.8
\$35,000- 49,999	258	15,227	13	5.2	01.3-09.1	1	1.3	00.0-03.7	2	1.0	00.0-02.6	16	5.8	02.1-09.5	226	86.7	80.8-92.6
\$50,000- 74,999	262	19,865	17	8.7	01.3-16.1				4	5.6	00.0-14.0	19	10.8	04.5-17.1	222	74.9	63.9-85.9
\$75,000+	401	31,333	19	5.4	02.3-08.5	1	0.1	00.0-00.3	3	2.6	00.0-06.1	37	11.8	04.9-18.7	341	80.0	72.4-87.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 7: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5283	551,523	1243	18.4	16.6-20.2	4040	81.6	79.8-83.4
Male	1979	278,169	498	19.4	16.7-22.1	1481	80.6	77.9-83.3
Female	3304	273,355	745	17.3	15.1-19.5	2559	82.7	80.5-84.9
Native	138	29,245	43	21.3	11.5-31.1	95	78.7	68.9-88.5
Non-Native	5070	515,823	1178	18.2	16.4-20.0	3892	81.8	80.0-83.6
18-24	112	81,552	7	6.0	01.3-10.7	105	94.0	89.3-98.7
25-34	284	105,179	26	11.8	06.5-17.1	258	88.2	82.9-93.5
35-44	497	79,880	49	12.5	07.8-17.2	448	87.5	82.8-92.2
45-54	775	86,202	106	16.9	13.4-20.4	669	83.1	79.6-86.6
55-64	1344	89,064	320	26.2	23.1-29.3	1024	73.8	70.7-76.9
65+	2213	106,138	727	33.6	31.1-36.1	1486	66.4	63.9-68.9
Less Than H.S.	327	49,266	107	26.6	18.6-34.6	220	73.4	65.4-81.4
H.S. or G.E.D.	1589	144,656	431	19.3	16.2-22.4	1158	80.7	77.6-83.8
Some Post-H.S.	1699	218,360	388	17.7	14.8-20.6	1311	82.3	79.4-85.2
College Graduate	1652	138,394	313	15.4	12.7-18.1	1339	84.6	81.9-87.3
Less than \$15,000	306	38,556	99	30.9	21.7-40.1	207	69.1	59.9-78.3
\$15,000- 24,999	630	67,402	185	22.2	16.1-28.3	445	77.8	71.7-83.9
\$25,000- 34,999	501	49,025	156	22.7	15.4-30.0	345	77.3	70.0-84.6
\$35,000- 49,999	707	66,972	181	18.9	15.0-22.8	526	81.1	77.2-85.0
\$50,000- 74,999	835	89,022	173	16.9	13.0-20.8	662	83.1	79.2-87.0
\$75,000+	1679	183,294	296	14.0	11.6-16.4	1383	86.0	83.6-88.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 8: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1979	278,169	498	19.4	16.7-22.1	1481	80.6	77.9-83.3
Non-Native	1901	264,095	473	19.5	16.8-22.2	1428	80.5	77.8-83.2
18-24	56	46,244	3	5.6	00.0-12.1	53	94.4	87.9-100.0
25-34	107	52,999	12	12.8	04.8-20.8	95	87.2	79.2-95.2
35-44	201	41,594	23	13.6	06.2-21.0	178	86.4	79.0-93.8
45-54	285	43,223	57	20.6	15.1-26.1	228	79.4	73.9-84.9
55-64	532	45,581	159	31.8	26.7-36.9	373	68.2	63.1-73.3
65+	783	47,524	244	32.5	28.2-36.8	539	67.5	63.2-71.8
Less Than H.S.	142	27,916	47	30.1	17.6-42.6	95	69.9	57.4-82.4
H.S. or G.E.D.	592	72,415	153	18.1	13.4-22.8	439	81.9	77.2-86.6
Some Post-H.S.	592	110,968	152	17.7	13.6-21.8	440	82.3	78.2-86.4
College Graduate	650	66,580	144	18.8	14.1-23.5	506	81.2	76.5-85.9
Less than \$15,000	107	18,722	36	30.9	16.4-45.4	71	69.1	54.6-83.6
\$15,000- 24,999	192	29,605	49	25.2	13.2-37.2	143	74.8	62.8-86.8
\$25,000- 34,999	159	21,359	57	17.4	10.1-24.7	102	82.6	75.3-89.9
\$35,000- 49,999	267	32,957	66	21.0	14.3-27.7	201	79.0	72.3-85.7
\$50,000- 74,999	345	46,897	86	17.8	12.5-23.1	259	82.2	76.9-87.5
\$75,000+	757	102,221	167	16.6	12.9-20.3	590	83.4	79.7-87.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 9: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3304	273,355	745	17.3	15.1-19.5	2559	82.7	80.5-84.9
Native	98	19,438	28	23.2	10.1-36.3	70	76.8	63.7-89.9
Non-Native	3169	251,728	705	16.9	14.7-19.1	2464	83.1	80.9-85.3
18-24	56	35,308	4	6.6	00.0-13.5	52	93.4	86.5-0100
25-34	177	52,180	14	10.8	03.9-17.7	163	89.2	82.3-96.1
35-44	296	38,286	26	11.3	05.4-17.2	270	88.7	82.8-94.6
45-54	490	42,980	49	13.2	08.7-17.7	441	86.8	82.3-91.3
55-64	812	43,483	161	20.3	16.8-23.8	651	79.7	76.2-83.2
65+	1430	58,614	483	34.4	31.3-37.5	947	65.6	62.5-68.7
Less Than H.S.	185	21,350	60	22.1	14.1-30.1	125	77.9	69.9-85.9
H.S. or G.E.D.	997	72,241	278	20.6	16.5-24.7	719	79.4	75.3-83.5
Some Post-H.S.	1107	107,393	236	17.6	13.5-21.7	871	82.4	78.3-86.5
College Graduate	1002	71,815	169	12.3	09.6-15.0	833	87.7	85.0-90.4
Less than \$15,000	199	19,834	63	30.9	19.7-42.1	136	69.1	57.9-80.3
\$15,000- 24,999	438	37,796	136	19.8	14.5-25.1	302	80.2	74.9-85.5
\$25,000- 34,999	342	27,665	99	26.7	15.5-37.9	243	73.3	62.1-84.5
\$35,000- 49,999	440	34,015	115	16.8	12.5-21.1	325	83.2	78.9-87.5
\$50,000- 74,999	490	42,124	87	16.0	10.1-21.9	403	84.0	78.1-89.9
\$75,000+	922	81,072	129	10.7	08.0-13.4	793	89.3	86.6-92.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2014**

End of Module Data Report