

NORTH DAKOTA

2016 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5727	590,211	4825	85.2	84.0-86.4	902	14.8	13.6-16.0
Male	2630	302,441	2209	85.8	84.2-87.4	421	14.2	12.6-15.8
Female	3097	287,770	2616	84.5	82.7-86.3	481	15.5	13.7-17.3
Native	164	24,190	114	73.4	65.2-81.6	50	26.6	18.4-34.8
Non-Native	5484	557,834	4644	85.7	84.5-86.9	840	14.3	13.1-15.5
18-24	271	91,825	249	90.0	85.7-94.3	22	10.0	5.7-14.3
25-34	600	111,161	549	89.9	87.2-92.6	51	10.1	7.4-12.8
35-44	595	89,555	542	88.9	85.8-92.0	53	11.1	8.0-14.2
45-54	800	82,171	702	86.4	83.7-89.1	98	13.6	10.9-16.3
55-64	1354	96,281	1136	81.2	78.7-83.7	218	18.8	16.3-21.3
65+	2043	113,246	1589	75.9	73.7-78.1	454	24.1	21.9-26.3
Less Than H.S.	323	49,250	207	67.6	60.7-74.5	116	32.4	25.5-39.3
H.S. or G.E.D.	1646	157,959	1318	82.7	80.3-85.1	328	17.3	14.9-19.7
Some Post-H.S.	1877	234,880	1575	85.1	83.1-87.1	302	14.9	12.9-16.9
College Graduate	1866	147,104	1716	93.9	92.7-95.1	150	6.1	4.9- 7.3
Less than \$15,000	314	36,831	190	63.0	55.9-70.1	124	37.0	29.9-44.1
\$15,000- 24,999	622	64,504	439	72.0	67.1-76.9	183	28.0	23.1-32.9
\$25,000- 34,999	532	56,149	428	83.6	79.5-87.7	104	16.4	12.3-20.5
\$35,000- 49,999	803	80,626	664	83.8	80.5-87.1	139	16.2	12.9-19.5
\$50,000- 74,999	938	95,144	835	89.6	87.2-92.0	103	10.4	8.0-12.8
\$75,000+	1825	188,286	1698	93.1	91.5-94.7	127	6.9	5.3- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2630	302,441	2209	85.8	84.2-87.4	421	14.2	12.6-15.8
Native	68	10,128	49	76.5	65.3-87.7	19	23.5	12.3-34.7
Non-Native	2518	287,083	2123	86.2	84.6-87.8	395	13.8	12.2-15.4
18-24	171	49,584	159	92.9	88.8-97.0	12	7.1	3.0-11.2
25-34	336	60,331	315	92.8	89.7-95.9	21	7.2	4.1-10.3
35-44	284	47,036	255	87.9	83.4-92.4	29	12.1	7.6-16.6
45-54	400	42,577	355	88.1	84.4-91.8	45	11.9	8.2-15.6
55-64	658	49,069	539	79.2	75.5-82.9	119	20.8	17.1-24.5
65+	761	51,837	567	72.9	69.2-76.6	194	27.1	23.4-30.8
Less Than H.S.	162	26,685	102	73.0	65.6-80.4	60	27.0	19.6-34.4
H.S. or G.E.D.	817	91,387	662	84.8	82.1-87.5	155	15.2	12.5-17.9
Some Post-H.S.	832	116,272	707	85.9	83.2-88.6	125	14.1	11.4-16.8
College Graduate	812	67,509	733	92.2	90.2-94.2	79	7.8	5.8- 9.8
Less than \$15,000	112	15,647	68	64.7	53.9-75.5	44	35.3	24.5-46.1
\$15,000- 24,999	243	29,721	169	74.8	68.5-81.1	74	25.2	18.9-31.5
\$25,000- 34,999	223	29,033	181	85.7	80.8-90.6	42	14.3	9.4-19.2
\$35,000- 49,999	395	43,787	315	81.6	76.9-86.3	80	18.4	13.7-23.1
\$50,000- 74,999	468	53,801	401	87.8	84.3-91.3	67	12.2	8.7-15.7
\$75,000+	959	103,562	883	92.8	90.8-94.8	76	7.2	5.2- 9.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3097	287,770	2616	84.5	82.7-86.3	481	15.5	13.7-17.3
Native	96	14,062	65	71.3	59.7-82.9	31	28.7	17.1-40.3
Non-Native	2966	270,750	2521	85.2	83.2-87.2	445	14.8	12.8-16.8
18-24	100	42,241	90	86.6	78.8-94.4	10	13.4	5.6-21.2
25-34	264	50,830	234	86.4	81.7-91.1	30	13.6	8.9-18.3
35-44	311	42,519	287	90.0	85.7-94.3	24	10.0	5.7-14.3
45-54	400	39,594	347	84.6	80.3-88.9	53	15.4	11.1-19.7
55-64	696	47,213	597	83.3	80.0-86.6	99	16.7	13.4-20.0
65+	1282	61,409	1022	78.3	75.6-81.0	260	21.7	19.0-24.4
Less Than H.S.	161	22,565	105	61.3	49.5-73.1	56	38.7	26.9-50.5
H.S. or G.E.D.	829	66,573	656	79.9	76.0-83.8	173	20.1	16.2-24.0
Some Post-H.S.	1045	118,608	868	84.4	81.7-87.1	177	15.6	12.9-18.3
College Graduate	1054	79,595	983	95.3	93.9-96.7	71	4.7	3.3- 6.1
Less than \$15,000	202	21,184	122	61.7	52.5-70.9	80	38.3	29.1-47.5
\$15,000- 24,999	379	34,783	270	69.5	62.2-76.8	109	30.5	23.2-37.8
\$25,000- 34,999	309	27,116	247	81.4	74.9-87.9	62	18.6	12.1-25.1
\$35,000- 49,999	408	36,839	349	86.4	81.7-91.1	59	13.6	8.9-18.3
\$50,000- 74,999	470	41,342	434	91.9	88.8-95.0	36	8.1	5.0-11.2
\$75,000+	866	84,724	815	93.5	91.1-95.9	51	6.5	4.1- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5611	579,788	3689	66.2	64.6-67.8	1352	24.9	23.3-26.5	570	8.9	7.9- 9.9
Male	2582	297,256	1775	68.8	66.6-71.0	574	23.1	21.1-25.1	233	8.1	6.9- 9.3
Female	3029	282,532	1914	63.4	61.0-65.8	778	26.8	24.4-29.2	337	9.7	8.3-11.1
Native	157	23,040	86	56.5	46.7-66.3	38	25.1	16.1-34.1	33	18.4	11.0-25.8
Non-Native	5382	549,047	3559	66.7	64.9-68.5	1293	24.9	23.3-26.5	530	8.5	7.5- 9.5
18-24	268	90,567	174	64.0	57.7-70.3	83	31.8	25.7-37.9	11	4.2	1.7- 6.7
25-34	594	110,042	412	68.4	64.3-72.5	147	24.6	20.9-28.3	35	6.9	4.5- 9.3
35-44	592	88,837	412	70.2	66.1-74.3	140	22.4	18.7-26.1	40	7.4	4.9- 9.9
45-54	796	81,607	535	66.0	62.3-69.7	197	25.3	22.0-28.6	64	8.7	6.3-11.1
55-64	1334	94,705	899	66.9	64.0-69.8	283	21.0	18.5-23.5	152	12.0	10.0-14.0
65+	1965	108,199	1210	61.3	58.8-63.8	494	25.2	23.0-27.4	261	13.4	11.6-15.2
Less Than H.S.	295	45,555	156	58.2	50.6-65.8	90	30.1	22.7-37.5	49	11.7	7.4-16.0
H.S. or G.E.D.	1610	155,588	1062	67.6	64.5-70.7	353	21.9	19.2-24.6	195	10.4	8.4-12.4
Some Post-H.S.	1845	231,943	1198	65.1	62.4-67.8	447	25.2	22.7-27.7	200	9.7	8.1-11.3
College Graduate	1848	145,818	1264	68.9	66.4-71.4	461	26.1	23.6-28.6	123	5.0	3.8- 6.2
Less than \$15,000	300	35,050	139	49.2	41.4-57.0	87	27.9	21.0-34.8	74	22.9	16.8-29.0
\$15,000- 24,999	602	62,957	321	55.0	49.3-60.7	164	29.8	24.3-35.3	117	15.2	11.9-18.5
\$25,000- 34,999	518	54,696	313	57.8	51.9-63.7	138	30.8	25.1-36.5	67	11.4	8.1-14.7
\$35,000- 49,999	792	79,783	506	61.9	57.2-66.6	199	28.5	24.2-32.8	87	9.6	6.9-12.3
\$50,000- 74,999	924	94,031	643	70.7	67.0-74.4	201	21.6	18.3-24.9	80	7.7	5.7- 9.7
\$75,000+	1812	187,057	1335	74.3	71.9-76.7	396	21.8	19.4-24.2	81	3.9	2.9- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2582	297,256	1775	68.8	66.6-71.0	574	23.1	21.1-25.1	233	8.1	6.9- 9.3
Native	65	9,761	42	65.6	52.1-79.1	14	19.8	9.2-30.4	9	14.6	4.0-25.2
Non-Native	2476	282,554	1706	69.0	66.6-71.4	550	23.2	21.0-25.4	220	7.8	6.6- 9.0
18-24	169	48,889	114	68.1	60.7-75.5	48	27.8	20.7-34.9	7	4.1	1.0- 7.2
25-34	333	59,903	237	70.0	64.7-75.3	83	25.0	19.9-30.1	13	5.1	2.4- 7.8
35-44	282	46,652	199	71.0	65.1-76.9	63	20.8	15.7-25.9	20	8.2	4.3-12.1
45-54	400	42,520	287	71.1	66.0-76.2	84	21.8	17.3-26.3	29	7.1	4.2-10.0
55-64	645	48,038	452	69.8	65.9-73.7	115	18.0	14.7-21.3	78	12.2	9.5-14.9
65+	734	49,320	473	63.0	59.1-66.9	178	24.5	21.0-28.0	83	12.5	9.6-15.4
Less Than H.S.	153	25,528	93	71.1	63.3-78.9	35	18.6	12.1-25.1	25	10.3	5.4-15.2
H.S. or G.E.D.	802	90,024	556	70.3	66.4-74.2	163	20.5	17.0-24.0	83	9.2	6.8-11.6
Some Post-H.S.	819	114,632	551	65.9	62.0-69.8	196	25.4	21.7-29.1	72	8.7	6.3-11.1
College Graduate	803	66,617	571	70.8	67.1-74.5	180	24.5	21.0-28.0	52	4.7	3.1- 6.3
Less than \$15,000	111	15,565	58	54.0	42.2-65.8	24	21.0	12.0-30.0	29	25.0	14.8-35.2
\$15,000- 24,999	236	29,040	132	61.8	54.4-69.2	58	23.7	17.0-30.4	46	14.5	9.8-19.2
\$25,000- 34,999	215	27,976	134	60.3	52.1-68.5	57	27.8	20.2-35.4	24	11.8	6.5-17.1
\$35,000- 49,999	387	43,004	244	60.7	54.4-67.0	105	30.8	24.9-36.7	38	8.5	5.2-11.8
\$50,000- 74,999	459	52,869	324	70.8	65.7-75.9	92	21.4	16.7-26.1	43	7.8	5.1-10.5
\$75,000+	952	102,941	722	76.4	73.3-79.5	196	20.6	17.5-23.7	34	2.9	1.7- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3029	282,532	1914	63.4	61.0-65.8	778	26.8	24.4-29.2	337	9.7	8.3-11.1
Native	92	13,279	44	49.8	36.5-63.1	24	29.0	15.9-42.1	24	21.2	11.0-31.4
Non-Native	2906	266,493	1853	64.2	61.7-66.7	743	26.6	24.2-29.0	310	9.1	7.7-10.5
18-24	99	41,677	60	59.1	48.7-69.5	35	36.6	26.4-46.8	4	4.3	0.0- 8.6
25-34	261	50,139	175	66.6	60.3-72.9	64	24.3	18.6-30.0	22	9.1	5.0-13.2
35-44	310	42,186	213	69.3	63.4-75.2	77	24.2	18.7-29.7	20	6.6	3.7- 9.5
45-54	396	39,088	248	60.5	55.0-66.0	113	29.2	24.1-34.3	35	10.4	6.9-13.9
55-64	689	46,667	447	64.0	59.9-68.1	168	24.1	20.6-27.6	74	11.8	9.1-14.5
65+	1231	58,879	737	59.9	56.8-63.0	316	25.8	23.1-28.5	178	14.2	12.0-16.4
Less Than H.S.	142	20,027	63	41.8	29.5-54.1	55	44.7	31.8-57.6	24	13.5	5.9-21.1
H.S. or G.E.D.	808	65,564	506	64.0	59.1-68.9	190	23.8	19.3-28.3	112	12.1	9.2-15.0
Some Post-H.S.	1026	117,311	647	64.2	60.3-68.1	251	25.1	21.6-28.6	128	10.7	8.3-13.1
College Graduate	1045	79,200	693	67.3	63.6-71.0	281	27.5	24.0-31.0	71	5.2	3.6- 6.8
Less than \$15,000	189	19,485	81	45.3	34.9-55.7	63	33.4	23.4-43.4	45	21.2	13.8-28.6
\$15,000- 24,999	366	33,917	189	49.2	41.2-57.2	106	35.0	26.8-43.2	71	15.8	10.9-20.7
\$25,000- 34,999	303	26,720	179	55.1	46.7-63.5	81	33.9	25.3-42.5	43	11.0	7.1-14.9
\$35,000- 49,999	405	36,779	262	63.2	56.3-70.1	94	25.8	19.5-32.1	49	11.0	6.7-15.3
\$50,000- 74,999	465	41,162	319	70.6	65.3-75.9	109	21.9	17.2-26.6	37	7.5	4.6-10.4
\$75,000+	860	84,116	613	71.7	68.0-75.4	200	23.2	19.7-26.7	47	5.1	3.3- 6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5653	581,409	4100	66.9	65.1-68.7	1180	24.1	22.5-25.7	373	9.0	7.8-10.2
Male	2591	296,837	1996	72.2	70.0-74.4	438	19.7	17.7-21.7	157	8.1	6.7- 9.5
Female	3062	284,572	2104	61.4	58.9-63.9	742	28.7	26.3-31.1	216	9.9	8.1-11.7
Native	160	23,463	95	60.1	50.5-69.7	49	30.7	21.5-39.9	16	9.2	3.7-14.7
Non-Native	5420	550,225	3958	67.3	65.5-69.1	1115	23.8	22.2-25.4	347	8.9	7.7-10.1
18-24	268	90,723	141	51.5	45.0-58.0	90	32.9	26.8-39.0	37	15.6	10.7-20.5
25-34	594	109,524	373	62.1	57.8-66.4	166	27.7	23.8-31.6	55	10.2	7.5-12.9
35-44	591	88,724	377	63.2	58.9-67.5	165	27.9	23.8-32.0	49	8.9	6.2-11.6
45-54	790	80,814	534	66.5	62.8-70.2	182	23.0	19.7-26.3	74	10.5	8.0-13.0
55-64	1343	95,474	1004	74.3	71.8-76.8	268	20.0	17.6-22.4	71	5.7	4.3- 7.1
65+	2006	110,418	1624	80.9	78.9-82.9	299	14.9	13.1-16.7	83	4.2	3.0- 5.4
Less Than H.S.	298	45,258	215	63.5	55.7-71.3	47	16.4	10.5-22.3	36	20.1	12.8-27.4
H.S. or G.E.D.	1622	155,675	1191	67.5	64.4-70.6	314	22.4	19.7-25.1	117	10.1	7.9-12.3
Some Post-H.S.	1861	233,316	1333	66.5	63.8-69.2	391	24.7	22.2-27.2	137	8.8	7.0-10.6
College Graduate	1860	146,369	1350	67.9	65.2-70.6	428	27.4	24.7-30.1	82	4.6	3.4- 5.8
Less than \$15,000	306	35,366	172	49.5	41.9-57.1	70	24.0	17.7-30.3	64	26.5	19.6-33.4
\$15,000- 24,999	612	63,612	391	53.6	47.9-59.3	147	30.4	24.7-36.1	74	16.0	11.3-20.7
\$25,000- 34,999	522	54,989	369	61.5	55.6-67.4	110	26.5	21.0-32.0	43	12.0	7.9-16.1
\$35,000- 49,999	792	79,288	571	64.3	59.6-69.0	167	26.9	22.4-31.4	54	8.8	5.9-11.7
\$50,000- 74,999	930	94,185	700	72.6	68.9-76.3	193	22.9	19.4-26.4	37	4.6	2.8- 6.4
\$75,000+	1821	187,852	1384	73.2	70.7-75.7	371	21.8	19.4-24.2	66	5.0	3.4- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2591	296,837	1996	72.2	70.0-74.4	438	19.7	17.7-21.7	157	8.1	6.7- 9.5
Native	68	10,083	46	67.3	54.2-80.4	20	28.4	15.9-40.9	2	4.4	0.0-10.3
Non-Native	2482	281,814	1924	72.6	70.2-75.0	411	19.3	17.3-21.3	147	8.0	6.4- 9.6
18-24	169	48,793	97	56.6	48.8-64.4	53	31.0	23.7-38.3	19	12.4	6.9-17.9
25-34	333	59,439	231	69.8	64.5-75.1	75	21.3	16.6-26.0	27	8.8	5.5-12.1
35-44	280	46,205	198	69.3	63.2-75.4	59	21.5	16.2-26.8	23	9.2	5.1-13.3
45-54	393	41,339	289	73.3	68.4-78.2	72	17.2	13.1-21.3	32	9.5	6.0-13.0
55-64	649	48,433	518	79.3	75.8-82.8	103	15.8	12.7-18.9	28	4.8	2.8- 6.8
65+	749	50,793	651	85.2	82.1-88.3	72	10.9	8.2-13.6	26	3.9	2.1- 5.7
Less Than H.S.	152	24,445	116	70.8	61.6-80.0	18	13.4	6.7-20.1	18	15.7	7.9-23.5
H.S. or G.E.D.	802	89,666	616	70.6	66.5-74.7	131	20.3	16.6-24.0	55	9.1	6.4-11.8
Some Post-H.S.	822	115,061	622	71.9	68.2-75.6	151	20.3	17.0-23.6	49	7.8	5.4-10.2
College Graduate	810	67,264	637	75.0	71.3-78.7	138	20.2	16.7-23.7	35	4.7	2.9- 6.5
Less than \$15,000	111	14,933	61	45.8	34.2-57.4	25	24.4	14.6-34.2	25	29.8	18.2-41.4
\$15,000- 24,999	238	29,236	165	61.5	53.5-69.5	42	23.0	15.7-30.3	31	15.5	9.4-21.6
\$25,000- 34,999	215	27,968	157	66.5	58.5-74.5	39	20.9	14.2-27.6	19	12.6	6.7-18.5
\$35,000- 49,999	387	42,689	294	69.1	62.8-75.4	70	22.6	16.9-28.3	23	8.3	4.4-12.2
\$50,000- 74,999	463	53,062	368	76.5	71.4-81.6	76	19.0	14.3-23.7	19	4.5	2.1- 6.9
\$75,000+	956	103,296	771	79.1	76.0-82.2	155	16.7	14.0-19.4	30	4.3	2.5- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3062	284,572	2104	61.4	58.9-63.9	742	28.7	26.3-31.1	216	9.9	8.1-11.7
Native	92	13,381	49	54.7	41.2-68.2	29	32.4	19.5-45.3	14	12.9	4.5-21.3
Non-Native	2938	268,411	2034	61.7	59.2-64.2	704	28.4	26.0-30.8	200	9.8	8.0-11.6
18-24	99	41,930	44	45.7	35.3-56.1	37	35.0	25.2-44.8	18	19.3	10.9-27.7
25-34	261	50,085	142	52.8	46.1-59.5	91	35.4	29.1-41.7	28	11.8	7.3-16.3
35-44	311	42,519	179	56.5	50.2-62.8	106	34.9	28.8-41.0	26	8.6	5.1-12.1
45-54	397	39,474	245	59.5	54.0-65.0	110	29.1	24.0-34.2	42	11.4	7.7-15.1
55-64	694	47,041	486	69.0	65.1-72.9	165	24.3	20.6-28.0	43	6.6	4.4- 8.8
65+	1257	59,625	973	77.2	74.5-79.9	227	18.3	15.8-20.8	57	4.5	3.1- 5.9
Less Than H.S.	146	20,813	99	55.0	42.3-67.7	29	19.9	9.9-29.9	18	25.2	12.9-37.5
H.S. or G.E.D.	820	66,009	575	63.1	58.2-68.0	183	25.4	21.1-29.7	62	11.5	8.0-15.0
Some Post-H.S.	1039	118,255	711	61.2	57.1-65.3	240	28.9	25.0-32.8	88	9.9	7.4-12.4
College Graduate	1050	79,105	713	61.9	58.0-65.8	290	33.6	29.7-37.5	47	4.6	3.0- 6.2
Less than \$15,000	195	20,432	111	52.3	42.3-62.3	45	23.6	15.6-31.6	39	24.1	15.9-32.3
\$15,000- 24,999	374	34,376	226	46.8	39.0-54.6	105	36.7	28.7-44.7	43	16.4	9.5-23.3
\$25,000- 34,999	307	27,020	212	56.3	47.9-64.7	71	32.3	23.9-40.7	24	11.4	5.7-17.1
\$35,000- 49,999	405	36,599	277	58.8	51.5-66.1	97	31.9	24.8-39.0	31	9.3	5.0-13.6
\$50,000- 74,999	467	41,124	332	67.5	61.8-73.2	117	27.8	22.3-33.3	18	4.6	2.1- 7.1
\$75,000+	865	84,556	613	66.0	61.9-70.1	216	28.2	24.5-31.9	36	5.8	3.3- 8.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3619	470,304	3351	90.7	89.3-92.1	268	9.3	7.9-10.7
Male	1847	247,773	1665	87.5	85.5-89.5	182	12.5	10.5-14.5
Female	1772	222,531	1686	94.2	92.6-95.8	86	5.8	4.2- 7.4
Native	134	21,822	118	83.0	74.6-91.4	16	17.0	8.6-25.4
Non-Native	3440	442,620	3193	91.1	89.7-92.5	247	8.9	7.5-10.3
18-24	269	91,164	233	86.6	82.1-91.1	36	13.4	8.9-17.9
25-34	599	110,953	550	91.0	88.5-93.5	49	9.0	6.5-11.5
35-44	595	89,555	554	91.6	88.9-94.3	41	8.4	5.7-11.1
45-54	802	82,342	744	91.5	89.1-93.9	58	8.5	6.1-10.9
55-64	1354	96,289	1270	92.6	90.8-94.4	84	7.4	5.6- 9.2
Less Than H.S.	129	32,765	102	74.2	64.8-83.6	27	25.8	16.4-35.2
H.S. or G.E.D.	959	122,679	836	86.0	83.3-88.7	123	14.0	11.3-16.7
Some Post-H.S.	1214	190,045	1131	92.4	90.6-94.2	83	7.6	5.8- 9.4
College Graduate	1315	124,669	1280	97.1	95.9-98.3	35	2.9	1.7- 4.1
Less than \$15,000	174	28,298	135	74.9	66.5-83.3	39	25.1	16.7-33.5
\$15,000- 24,999	260	42,825	210	80.4	74.1-86.7	50	19.6	13.3-25.9
\$25,000- 34,999	263	41,639	227	86.6	81.9-91.3	36	13.4	8.7-18.1
\$35,000- 49,999	457	62,871	424	91.8	88.7-94.9	33	8.2	5.1-11.3
\$50,000- 74,999	650	78,468	615	91.7	88.8-94.6	35	8.3	5.4-11.2
\$75,000+	1489	169,502	1445	96.4	95.0-97.8	44	3.6	2.2- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1847	247,773	1665	87.5	85.5-89.5	182	12.5	10.5-14.5
Native	57	9,047	50	82.4	69.9-94.9	7	17.6	5.1-30.1
Non-Native	1758	234,497	1586	87.7	85.7-89.7	172	12.3	10.3-14.3
18-24	169	48,923	140	82.5	76.4-88.6	29	17.5	11.4-23.6
25-34	335	60,123	298	87.3	83.4-91.2	37	12.7	8.8-16.6
35-44	284	47,036	255	88.2	83.7-92.7	29	11.8	7.3-16.3
45-54	401	42,612	365	88.9	85.2-92.6	36	11.1	7.4-14.8
55-64	658	49,078	607	91.0	88.5-93.5	51	9.0	6.5-11.5
Less Than H.S.	85	18,437	64	69.3	57.5-81.1	21	30.7	18.9-42.5
H.S. or G.E.D.	580	76,220	493	82.7	79.0-86.4	87	17.3	13.6-21.0
Some Post-H.S.	604	96,899	551	89.9	87.0-92.8	53	10.1	7.2-13.0
College Graduate	577	56,130	556	96.0	94.0-98.0	21	4.0	2.0- 6.0
Less than \$15,000	79	12,836	54	62.3	48.6-76.0	25	37.7	24.0-51.4
\$15,000- 24,999	134	21,053	104	74.4	65.4-83.4	30	25.6	16.6-34.6
\$25,000- 34,999	134	22,618	110	84.2	77.7-90.7	24	15.8	9.3-22.3
\$35,000- 49,999	247	34,541	223	88.5	83.4-93.6	24	11.5	6.4-16.6
\$50,000- 74,999	332	44,632	308	88.5	83.8-93.2	24	11.5	6.8-16.2
\$75,000+	776	92,571	739	94.5	92.5-96.5	37	5.5	3.5- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1772	222,531	1686	94.2	92.6-95.8	86	5.8	4.2- 7.4
Native	77	12,775	68	83.4	71.8-95.0	9	16.6	5.0-28.2
Non-Native	1682	208,123	1607	94.9	93.3-96.5	75	5.1	3.5- 6.7
18-24	100	42,241	93	91.4	85.1-97.7	7	8.6	2.3-14.9
25-34	264	50,830	252	95.4	92.7-98.1	12	4.6	1.9- 7.3
35-44	311	42,519	299	95.5	92.6-98.4	12	4.5	1.6- 7.4
45-54	401	39,730	379	94.2	91.7-96.7	22	5.8	3.3- 8.3
55-64	696	47,211	663	94.4	92.2-96.6	33	5.6	3.4- 7.8
H.S. or G.E.D.	379	46,459	343	91.3	88.2-94.4	36	8.7	5.6-11.8
Some Post-H.S.	610	93,146	580	94.9	92.7-97.1	30	5.1	2.9- 7.3
College Graduate	738	68,539	724	98.1	96.7-99.5	14	1.9	0.5- 3.3
Less than \$15,000	95	15,462	81	85.4	76.2-94.6	14	14.6	5.4-23.8
\$15,000- 24,999	126	21,772	106	86.1	77.5-94.7	20	13.9	5.3-22.5
\$25,000- 34,999	129	19,021	117	89.5	82.8-96.2	12	10.5	3.8-17.2
\$35,000- 49,999	210	28,330	201	95.9	92.6-99.2	9	4.1	0.8- 7.4
\$50,000- 74,999	318	33,836	307	95.9	93.2-98.6	11	4.1	1.4- 6.8
\$75,000+	713	76,931	706	98.6	96.8- 100	7	1.4	0.0- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5729	589,974	4321	77.8	76.4-79.2	1408	22.2	20.8-23.6
Male	2627	301,913	2000	78.6	76.8-80.4	627	21.4	19.6-23.2
Female	3102	288,061	2321	77.0	75.0-79.0	781	23.0	21.0-25.0
Native	166	24,305	111	68.7	59.9-77.5	55	31.3	22.5-40.1
Non-Native	5485	557,768	4155	78.2	76.8-79.6	1330	21.8	20.4-23.2
18-24	270	91,538	237	85.7	80.8-90.6	33	14.3	9.4-19.2
25-34	600	111,161	505	82.9	79.6-86.2	95	17.1	13.8-20.4
35-44	595	89,555	509	84.4	81.1-87.7	86	15.6	12.3-18.9
45-54	801	82,167	637	79.1	76.0-82.2	164	20.9	17.8-24.0
55-64	1353	96,201	991	70.8	68.1-73.5	362	29.2	26.5-31.9
65+	2045	113,316	1394	66.4	64.0-68.8	651	33.6	31.2-36.0
Less Than H.S.	321	49,050	179	60.8	53.5-68.1	142	39.2	31.9-46.5
H.S. or G.E.D.	1647	157,858	1103	71.8	69.1-74.5	544	28.2	25.5-30.9
Some Post-H.S.	1879	234,869	1422	78.6	76.4-80.8	457	21.4	19.2-23.6
College Graduate	1867	147,140	1605	88.7	86.9-90.5	262	11.3	9.5-13.1
Less than \$15,000	314	36,778	184	61.1	53.7-68.5	130	38.9	31.5-46.3
\$15,000- 24,999	621	64,478	384	64.5	59.2-69.8	237	35.5	30.2-40.8
\$25,000- 34,999	529	55,833	368	75.0	70.5-79.5	161	25.0	20.5-29.5
\$35,000- 49,999	804	80,681	576	76.7	73.2-80.2	228	23.3	19.8-26.8
\$50,000- 74,999	940	95,327	745	80.2	77.1-83.3	195	19.8	16.7-22.9
\$75,000+	1826	188,303	1561	87.0	85.2-88.8	265	13.0	11.2-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2627	301,913	2000	78.6	76.8-80.4	627	21.4	19.6-23.2
Native	69	10,205	50	72.5	60.2-84.8	19	27.5	15.2-39.8
Non-Native	2515	286,764	1920	78.8	76.8-80.8	595	21.2	19.2-23.2
18-24	170	49,297	151	88.3	83.2-93.4	19	11.7	6.6-16.8
25-34	336	60,331	285	83.5	79.0-88.0	51	16.5	12.0-21.0
35-44	284	47,036	239	83.6	78.9-88.3	45	16.4	11.7-21.1
45-54	400	42,436	314	78.3	73.8-82.8	86	21.7	17.2-26.2
55-64	657	49,072	462	68.2	64.1-72.3	195	31.8	27.7-35.9
65+	760	51,733	531	68.3	64.6-72.0	229	31.7	28.0-35.4
Less Than H.S.	161	26,616	93	66.2	57.8-74.6	68	33.8	25.4-42.2
H.S. or G.E.D.	816	91,186	560	72.4	68.9-75.9	256	27.6	24.1-31.1
Some Post-H.S.	832	116,062	638	80.2	77.3-83.1	194	19.8	16.9-22.7
College Graduate	811	67,460	702	88.7	86.2-91.2	109	11.3	8.8-13.8
Less than \$15,000	113	15,724	77	69.7	58.7-80.7	36	30.3	19.3-41.3
\$15,000- 24,999	243	29,721	157	68.1	61.0-75.2	86	31.9	24.8-39.0
\$25,000- 34,999	220	28,717	157	75.9	69.2-82.6	63	24.1	17.4-30.8
\$35,000- 49,999	396	43,842	272	73.7	68.6-78.8	124	26.3	21.2-31.4
\$50,000- 74,999	468	53,801	358	78.1	73.6-82.6	110	21.9	17.4-26.4
\$75,000+	958	103,513	809	86.2	83.7-88.7	149	13.8	11.3-16.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3102	288,061	2321	77.0	75.0-79.0	781	23.0	21.0-25.0
Native	97	14,100	61	66.0	53.5-78.5	36	34.0	21.5-46.5
Non-Native	2970	271,004	2235	77.6	75.4-79.8	735	22.4	20.2-24.6
18-24	100	42,241	86	82.5	73.9-91.1	14	17.5	8.9-26.1
25-34	264	50,830	220	82.2	77.1-87.3	44	17.8	12.7-22.9
35-44	311	42,519	270	85.3	80.6-90.0	41	14.7	10.0-19.4
45-54	401	39,730	323	80.1	75.6-84.6	78	19.9	15.4-24.4
55-64	696	47,129	529	73.4	69.5-77.3	167	26.6	22.7-30.5
65+	1285	61,582	863	64.8	61.7-67.9	422	35.2	32.1-38.3
Less Than H.S.	160	22,435	86	54.4	42.4-66.4	74	45.6	33.6-57.6
H.S. or G.E.D.	831	66,672	543	71.0	66.9-75.1	288	29.0	24.9-33.1
Some Post-H.S.	1047	118,807	784	77.0	73.7-80.3	263	23.0	19.7-26.3
College Graduate	1056	79,679	903	88.6	86.2-91.0	153	11.4	9.0-13.8
Less than \$15,000	201	21,054	107	54.7	44.7-64.7	94	45.3	35.3-55.3
\$15,000- 24,999	378	34,757	227	61.4	53.8-69.0	151	38.6	31.0-46.2
\$25,000- 34,999	309	27,116	211	74.1	67.8-80.4	98	25.9	19.6-32.2
\$35,000- 49,999	408	36,839	304	80.4	75.7-85.1	104	19.6	14.9-24.3
\$50,000- 74,999	472	41,526	387	82.9	78.6-87.2	85	17.1	12.8-21.4
\$75,000+	868	84,790	752	87.9	85.2-90.6	116	12.1	9.4-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5708	587,394	505	6.5	5.7- 7.3	5203	93.5	92.7-94.3
Male	2624	300,765	301	8.0	7.0- 9.0	2323	92.0	91.0-93.0
Female	3084	286,629	204	4.9	3.9- 5.9	2880	95.1	94.1-96.1
Native	164	23,840	24	9.7	4.6-14.8	140	90.3	85.2-95.4
Non-Native	5465	555,189	478	6.4	5.6- 7.2	4987	93.6	92.8-94.4
18-24	269	91,221	5	2.3	0.1- 4.5	264	97.7	95.5-99.9
25-34	599	110,897	5	1.3	0.1- 2.5	594	98.7	97.5-99.9
35-44	594	89,058	7	1.2	0.2- 2.2	587	98.8	97.8-99.8
45-54	796	81,365	35	4.9	3.1- 6.7	761	95.1	93.3-96.9
55-64	1350	95,784	117	9.4	7.6-11.2	1233	90.6	88.8-92.4
65+	2034	112,823	335	18.2	16.2-20.2	1699	81.8	79.8-83.8
Less Than H.S.	323	49,292	57	14.0	9.7-18.3	266	86.0	81.7-90.3
H.S. or G.E.D.	1637	156,279	170	6.9	5.7- 8.1	1467	93.1	91.9-94.3
Some Post-H.S.	1868	233,766	165	6.4	5.2- 7.6	1703	93.6	92.4-94.8
College Graduate	1864	146,975	111	3.7	2.9- 4.5	1753	96.3	95.5-97.1
Less than \$15,000	309	35,521	46	12.9	8.0-17.8	263	87.1	82.2-92.0
\$15,000- 24,999	617	63,933	75	8.8	6.4-11.2	542	91.2	88.8-93.6
\$25,000- 34,999	530	55,948	56	9.4	6.1-12.7	474	90.6	87.3-93.9
\$35,000- 49,999	802	80,581	91	7.5	5.7- 9.3	711	92.5	90.7-94.3
\$50,000- 74,999	937	95,057	72	5.1	3.7- 6.5	865	94.9	93.5-96.3
\$75,000+	1823	188,030	102	3.7	2.9- 4.5	1721	96.3	95.5-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2624	300,765	301	8.0	7.0- 9.0	2323	92.0	91.0-93.0
Native	68	9,839	10	9.2	2.7-15.7	58	90.8	84.3-97.3
Non-Native	2512	285,519	288	8.0	6.8- 9.2	2224	92.0	90.8-93.2
18-24	169	48,980	4	3.0	0.0- 6.1	165	97.0	93.9- 100
25-34	335	60,067	1	0.4	0.0- 1.2	334	99.6	98.8- 100
35-44	283	46,539	3	0.9	0.0- 2.1	280	99.1	97.9- 100
45-54	399	42,343	23	5.9	3.4- 8.4	376	94.1	91.6-96.6
55-64	655	48,637	85	13.2	10.5-15.9	570	86.8	84.1-89.5
65+	762	51,982	185	24.8	21.3-28.3	577	75.2	71.7-78.7
Less Than H.S.	164	26,868	31	16.3	10.0-22.6	133	83.7	77.4-90.0
H.S. or G.E.D.	815	90,227	96	7.4	5.8- 9.0	719	92.6	91.0-94.2
Some Post-H.S.	827	115,612	100	7.8	6.0- 9.6	727	92.2	90.4-94.0
College Graduate	811	67,469	73	5.7	4.3- 7.1	738	94.3	92.9-95.7
Less than \$15,000	109	14,445	18	17.6	8.2-27.0	91	82.4	73.0-91.8
\$15,000- 24,999	242	29,608	34	8.7	5.2-12.2	208	91.3	87.8-94.8
\$25,000- 34,999	222	28,858	31	10.7	6.2-15.2	191	89.3	84.8-93.8
\$35,000- 49,999	395	43,768	64	10.6	7.7-13.5	331	89.4	86.5-92.3
\$50,000- 74,999	467	53,768	53	7.0	4.8- 9.2	414	93.0	90.8-95.2
\$75,000+	957	103,353	79	5.2	4.0- 6.4	878	94.8	93.6-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	286,629	204	4.9	3.9- 5.9	2880	95.1	94.1-96.1
Native	96	14,000	14	10.0	2.6-17.4	82	90.0	82.6-97.4
Non-Native	2953	269,671	190	4.7	3.9- 5.5	2763	95.3	94.5-96.1
18-24	100	42,241	1	1.4	0.0- 4.1	99	98.6	95.9- 100
25-34	264	50,830	4	2.3	0.0- 4.7	260	97.7	95.3- 100
35-44	311	42,519	4	1.5	0.0- 3.1	307	98.5	96.9- 100
45-54	397	39,022	12	3.7	1.5- 5.9	385	96.3	94.1-98.5
55-64	695	47,147	32	5.5	3.5- 7.5	663	94.5	92.5-96.5
65+	1272	60,840	150	12.5	10.3-14.7	1122	87.5	85.3-89.7
Less Than H.S.	159	22,423	26	11.1	5.4-16.8	133	88.9	83.2-94.6
H.S. or G.E.D.	822	66,052	74	6.2	4.4- 8.0	748	93.8	92.0-95.6
Some Post-H.S.	1041	118,154	65	4.9	3.3- 6.5	976	95.1	93.5-96.7
College Graduate	1053	79,506	38	2.0	1.2- 2.8	1015	98.0	97.2-98.8
Less than \$15,000	200	21,076	28	9.8	4.7-14.9	172	90.2	85.1-95.3
\$15,000- 24,999	375	34,325	41	8.9	5.6-12.2	334	91.1	87.8-94.4
\$25,000- 34,999	308	27,090	25	8.0	3.1-12.9	283	92.0	87.1-96.9
\$35,000- 49,999	407	36,813	27	3.9	2.1- 5.7	380	96.1	94.3-97.9
\$50,000- 74,999	470	41,289	19	2.6	1.4- 3.8	451	97.4	96.2-98.6
\$75,000+	866	84,677	23	1.8	0.8- 2.8	843	98.2	97.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5734	590,098	5091	87.2	86.0-88.4	643	12.8	11.6-14.0
Male	2630	301,919	2372	88.5	86.9-90.1	258	11.5	9.9-13.1
Female	3104	288,179	2719	85.8	84.0-87.6	385	14.2	12.4-16.0
Native	166	24,305	138	84.6	78.1-91.1	28	15.4	8.9-21.9
Non-Native	5488	557,395	4881	87.2	86.0-88.4	607	12.8	11.6-14.0
18-24	269	91,258	222	82.5	77.6-87.4	47	17.5	12.6-22.4
25-34	599	110,897	521	86.3	83.4-89.2	78	13.7	10.8-16.6
35-44	594	89,378	511	85.3	82.0-88.6	83	14.7	11.4-18.0
45-54	802	82,342	705	87.4	84.9-89.9	97	12.6	10.1-15.1
55-64	1355	96,342	1222	90.5	88.7-92.3	133	9.5	7.7-11.3
65+	2049	113,634	1847	89.8	88.2-91.4	202	10.2	8.6-11.8
Less Than H.S.	325	49,433	276	81.5	75.2-87.8	49	18.5	12.2-24.8
H.S. or G.E.D.	1649	158,076	1468	86.5	84.1-88.9	181	13.5	11.1-15.9
Some Post-H.S.	1880	234,800	1665	87.3	85.3-89.3	215	12.7	10.7-14.7
College Graduate	1864	146,706	1668	89.7	87.9-91.5	196	10.3	8.5-12.1
Less than \$15,000	313	36,580	249	79.2	73.1-85.3	64	20.8	14.7-26.9
\$15,000- 24,999	622	64,504	539	83.8	79.3-88.3	83	16.2	11.7-20.7
\$25,000- 34,999	531	55,910	476	87.5	83.2-91.8	55	12.5	8.2-16.8
\$35,000- 49,999	803	80,353	707	85.0	81.5-88.5	96	15.0	11.5-18.5
\$50,000- 74,999	939	95,150	837	87.6	84.7-90.5	102	12.4	9.5-15.3
\$75,000+	1825	188,286	1645	89.6	87.8-91.4	180	10.4	8.6-12.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2630	301,919	2372	88.5	86.9-90.1	258	11.5	9.9-13.1
Native	69	10,205	59	84.5	74.7-94.3	10	15.5	5.7-25.3
Non-Native	2516	286,273	2271	88.5	86.7-90.3	245	11.5	9.7-13.3
18-24	169	49,017	138	81.2	74.9-87.5	31	18.8	12.5-25.1
25-34	335	60,067	294	87.7	84.0-91.4	41	12.3	8.6-16.0
35-44	283	46,859	246	86.9	82.4-91.4	37	13.1	8.6-17.6
45-54	401	42,612	362	90.1	86.8-93.4	39	9.9	6.6-13.2
55-64	659	49,146	610	92.9	90.7-95.1	49	7.1	4.9- 9.3
65+	762	52,000	701	92.0	89.8-94.2	61	8.0	5.8-10.2
Less Than H.S.	164	26,868	147	88.7	82.4-95.0	17	11.3	5.0-17.6
H.S. or G.E.D.	819	91,468	729	86.6	83.5-89.7	90	13.4	10.3-16.5
Some Post-H.S.	832	115,967	753	88.5	85.8-91.2	79	11.5	8.8-14.2
College Graduate	808	67,027	737	91.3	88.9-93.7	71	8.7	6.3-11.1
Less than \$15,000	112	15,460	98	83.9	74.1-93.7	14	16.1	6.3-25.9
\$15,000- 24,999	243	29,721	218	86.5	80.4-92.6	25	13.5	7.4-19.6
\$25,000- 34,999	222	28,794	203	91.3	86.8-95.8	19	8.7	4.2-13.2
\$35,000- 49,999	395	43,514	351	86.0	81.3-90.7	44	14.0	9.3-18.7
\$50,000- 74,999	467	53,625	415	87.1	83.2-91.0	52	12.9	9.0-16.8
\$75,000+	957	103,496	873	90.0	87.6-92.4	84	10.0	7.6-12.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3104	288,179	2719	85.8	84.0-87.6	385	14.2	12.4-16.0
Native	97	14,100	79	84.7	75.9-93.5	18	15.3	6.5-24.1
Non-Native	2972	271,122	2610	85.8	83.8-87.8	362	14.2	12.2-16.2
18-24	100	42,241	84	84.0	76.2-91.8	16	16.0	8.2-23.8
25-34	264	50,830	227	84.6	79.7-89.5	37	15.4	10.5-20.3
35-44	311	42,519	265	83.6	78.7-88.5	46	16.4	11.5-21.3
45-54	401	39,730	343	84.5	80.4-88.6	58	15.5	11.4-19.6
55-64	696	47,196	612	87.9	85.2-90.6	84	12.1	9.4-14.8
65+	1287	61,634	1146	88.0	85.8-90.2	141	12.0	9.8-14.2
Less Than H.S.	161	22,565	129	72.9	61.7-84.1	32	27.1	15.9-38.3
H.S. or G.E.D.	830	66,608	739	86.4	82.9-89.9	91	13.6	10.1-17.1
Some Post-H.S.	1048	118,833	912	86.1	83.4-88.8	136	13.9	11.2-16.6
College Graduate	1056	79,679	931	88.3	85.9-90.7	125	11.7	9.3-14.1
Less than \$15,000	201	21,120	151	75.8	68.2-83.4	50	24.2	16.6-31.8
\$15,000- 24,999	379	34,783	321	81.6	74.9-88.3	58	18.4	11.7-25.1
\$25,000- 34,999	309	27,116	273	83.5	76.2-90.8	36	16.5	9.2-23.8
\$35,000- 49,999	408	36,839	356	83.9	78.4-89.4	52	16.1	10.6-21.6
\$50,000- 74,999	472	41,526	422	88.2	84.3-92.1	50	11.8	7.9-15.7
\$75,000+	868	84,790	772	89.2	86.7-91.7	96	10.8	8.3-13.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5720	588,111	5242	91.0	90.0-92.0	478	9.0	8.0-10.0
Male	2622	300,765	2441	92.6	91.2-94.0	181	7.4	6.0- 8.8
Female	3098	287,346	2801	89.3	87.7-90.9	297	10.7	9.1-12.3
Native	165	23,973	145	90.6	85.5-95.7	20	9.4	4.3-14.5
Non-Native	5475	555,739	5024	91.0	90.0-92.0	451	9.0	8.0-10.0
18-24	267	90,730	237	88.7	84.6-92.8	30	11.3	7.2-15.4
25-34	598	110,565	548	91.5	89.1-93.9	50	8.5	6.1-10.9
35-44	590	88,837	533	89.8	86.9-92.7	57	10.2	7.3-13.1
45-54	801	82,184	729	90.7	88.3-93.1	72	9.3	6.9-11.7
55-64	1353	96,266	1249	92.5	90.9-94.1	104	7.5	5.9- 9.1
65+	2045	113,282	1882	91.8	90.4-93.2	163	8.2	6.8- 9.6
Less Than H.S.	325	49,433	288	88.2	83.1-93.3	37	11.8	6.7-16.9
H.S. or G.E.D.	1644	157,329	1512	90.9	88.9-92.9	132	9.1	7.1-11.1
Some Post-H.S.	1876	233,970	1710	90.4	88.6-92.2	166	9.6	7.8-11.4
College Graduate	1859	146,297	1717	92.9	91.5-94.3	142	7.1	5.7- 8.5
Less than \$15,000	313	36,580	257	82.3	76.8-87.8	56	17.7	12.2-23.2
\$15,000- 24,999	620	64,330	559	89.8	86.5-93.1	61	10.2	6.9-13.5
\$25,000- 34,999	531	55,910	486	90.4	86.5-94.3	45	9.6	5.7-13.5
\$35,000- 49,999	801	79,979	737	90.0	86.9-93.1	64	10.0	6.9-13.1
\$50,000- 74,999	937	94,749	862	91.8	89.4-94.2	75	8.2	5.8-10.6
\$75,000+	1820	187,583	1692	93.1	91.7-94.5	128	6.9	5.5- 8.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2622	300,765	2441	92.6	91.2-94.0	181	7.4	6.0- 8.8
Native	69	10,205	62	90.2	82.6-97.8	7	9.8	2.2-17.4
Non-Native	2508	285,119	2337	92.6	91.2-94.0	171	7.4	6.0- 8.8
18-24	167	48,489	149	89.8	85.1-94.5	18	10.2	5.5-14.9
25-34	335	60,067	310	93.4	90.7-96.1	25	6.6	3.9- 9.3
35-44	280	46,512	254	90.1	86.0-94.2	26	9.9	5.8-14.0
45-54	400	42,454	373	93.4	90.7-96.1	27	6.6	3.9- 9.3
55-64	658	49,106	622	95.0	93.2-96.8	36	5.0	3.2- 6.8
65+	761	51,919	712	93.4	91.4-95.4	49	6.6	4.6- 8.6
Less Than H.S.	164	26,868	154	96.1	93.4-98.8	10	3.9	1.2- 6.6
H.S. or G.E.D.	815	90,812	752	91.6	89.2-94.0	63	8.4	6.0-10.8
Some Post-H.S.	830	115,620	777	92.1	89.7-94.5	53	7.9	5.5-10.3
College Graduate	806	66,876	752	93.6	91.6-95.6	54	6.4	4.4- 8.4
Less than \$15,000	112	15,460	101	88.5	80.5-96.5	11	11.5	3.5-19.5
\$15,000- 24,999	242	29,639	228	94.1	90.4-97.8	14	5.9	2.2- 9.6
\$25,000- 34,999	222	28,794	208	94.7	91.4-98.0	14	5.3	2.0- 8.6
\$35,000- 49,999	393	43,141	366	91.4	87.5-95.3	27	8.6	4.7-12.5
\$50,000- 74,999	465	53,224	428	92.2	89.1-95.3	37	7.8	4.7-10.9
\$75,000+	955	103,356	894	92.9	90.7-95.1	61	7.1	4.9- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3098	287,346	2801	89.3	87.7-90.9	297	10.7	9.1-12.3
Native	96	13,768	83	90.9	84.0-97.8	13	9.1	2.2-16.0
Non-Native	2967	270,620	2687	89.2	87.4-91.0	280	10.8	9.0-12.6
18-24	100	42,241	88	87.4	80.5-94.3	12	12.6	5.7-19.5
25-34	263	50,498	238	89.3	85.0-93.6	25	10.7	6.4-15.0
35-44	310	42,324	279	89.4	85.3-93.5	31	10.6	6.5-14.7
45-54	401	39,730	356	87.8	84.1-91.5	45	12.2	8.5-15.9
55-64	695	47,160	627	89.8	87.3-92.3	68	10.2	7.7-12.7
65+	1284	61,363	1170	90.4	88.4-92.4	114	9.6	7.6-11.6
Less Than H.S.	161	22,565	134	78.8	68.8-88.8	27	21.2	11.2-31.2
H.S. or G.E.D.	829	66,516	760	89.9	86.6-93.2	69	10.1	6.8-13.4
Some Post-H.S.	1046	118,350	933	88.8	86.3-91.3	113	11.2	8.7-13.7
College Graduate	1053	79,421	965	92.3	90.3-94.3	88	7.7	5.7- 9.7
Less than \$15,000	201	21,120	156	77.8	70.4-85.2	45	22.2	14.8-29.6
\$15,000- 24,999	378	34,691	331	86.1	80.8-91.4	47	13.9	8.6-19.2
\$25,000- 34,999	309	27,116	278	85.9	79.0-92.8	31	14.1	7.2-21.0
\$35,000- 49,999	408	36,839	371	88.3	83.4-93.2	37	11.7	6.8-16.6
\$50,000- 74,999	472	41,526	434	91.2	87.7-94.7	38	8.8	5.3-12.3
\$75,000+	865	84,227	798	93.3	91.3-95.3	67	6.7	4.7- 8.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5720	588,111	478	9.0	8.0-10.0	151	3.5	2.7- 4.3	5091	87.5	86.3-88.7
Male	2622	300,765	181	7.4	6.0- 8.8	69	3.8	2.8- 4.8	2372	88.9	87.3-90.5
Female	3098	287,346	297	10.7	9.1-12.3	82	3.2	2.2- 4.2	2719	86.0	84.2-87.8
Native	165	23,973	20	9.4	4.3-14.5	7	4.8	1.1- 8.5	138	85.8	79.7-91.9
Non-Native	5475	555,739	451	9.0	8.0-10.0	143	3.5	2.7- 4.3	4881	87.5	86.3-88.7
18-24	267	90,730	30	11.3	7.2-15.4	15	5.7	2.6- 8.8	222	82.9	78.0-87.8
25-34	598	110,565	50	8.5	6.1-10.9	27	5.0	3.0- 7.0	521	86.6	83.7-89.5
35-44	590	88,837	57	10.2	7.3-13.1	22	3.9	2.1- 5.7	511	85.9	82.6-89.2
45-54	801	82,184	72	9.3	6.9-11.7	24	3.1	1.7- 4.5	705	87.6	85.1-90.1
55-64	1353	96,266	104	7.5	5.9- 9.1	27	1.9	1.1- 2.7	1222	90.5	88.7-92.3
65+	2045	113,282	163	8.2	6.8- 9.6	35	1.7	1.1- 2.3	1847	90.1	88.5-91.7
Less Than H.S.	325	49,433	37	11.8	6.7-16.9	12	6.8	2.3-11.3	276	81.5	75.2-87.8
H.S. or G.E.D.	1644	157,329	132	9.1	7.1-11.1	44	3.9	2.5- 5.3	1468	87.0	84.6-89.4
Some Post-H.S.	1876	233,970	166	9.6	7.8-11.4	45	2.8	1.8- 3.8	1665	87.6	85.6-89.6
College Graduate	1859	146,297	142	7.1	5.7- 8.5	49	3.0	2.0- 4.0	1668	89.9	88.3-91.5
Less than \$15,000	313	36,580	56	17.7	12.2-23.2	8	3.1	0.0- 6.2	249	79.2	73.1-85.3
\$15,000- 24,999	620	64,330	61	10.2	6.9-13.5	20	5.7	2.2- 9.2	539	84.1	79.6-88.6
\$25,000- 34,999	531	55,910	45	9.6	5.7-13.5	10	2.9	0.7- 5.1	476	87.5	83.2-91.8
\$35,000- 49,999	801	79,979	64	10.0	6.9-13.1	30	4.6	2.6- 6.6	707	85.4	81.9-88.9
\$50,000- 74,999	937	94,749	75	8.2	5.8-10.6	25	3.8	2.0- 5.6	837	88.0	85.3-90.7
\$75,000+	1820	187,583	128	6.9	5.5- 8.3	47	3.1	2.1- 4.1	1645	90.0	88.2-91.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2622	300,765	181	7.4	6.0- 8.8	69	3.8	2.8- 4.8	2372	88.9	87.3-90.5
Native	69	10,205	7	9.8	2.2-17.4	3	5.7	0.0-12.4	59	84.5	74.7-94.3
Non-Native	2508	285,119	171	7.4	6.0- 8.8	66	3.8	2.6- 5.0	2271	88.9	87.3-90.5
18-24	167	48,489	18	10.2	5.5-14.9	11	7.8	3.3-12.3	138	82.0	75.7-88.3
25-34	335	60,067	25	6.6	3.9- 9.3	16	5.8	3.1- 8.5	294	87.7	84.0-91.4
35-44	280	46,512	26	9.9	5.8-14.0	8	2.6	0.6- 4.6	246	87.5	83.0-92.0
45-54	400	42,454	27	6.6	3.9- 9.3	11	3.0	1.0- 5.0	362	90.5	87.4-93.6
55-64	658	49,106	36	5.0	3.2- 6.8	12	2.0	0.8- 3.2	610	93.0	90.8-95.2
65+	761	51,919	49	6.6	4.6- 8.6	11	1.3	0.3- 2.3	701	92.2	90.0-94.4
Less Than H.S.	164	26,868	10	3.9	1.2- 6.6	7	7.4	1.7-13.1	147	88.7	82.4-95.0
H.S. or G.E.D.	815	90,812	63	8.4	6.0-10.8	23	4.4	2.4- 6.4	729	87.2	84.3-90.1
Some Post-H.S.	830	115,620	53	7.9	5.5-10.3	24	3.4	1.8- 5.0	753	88.7	86.0-91.4
College Graduate	806	66,876	54	6.4	4.4- 8.4	15	2.1	0.9- 3.3	737	91.5	89.1-93.9
Less than \$15,000	112	15,460	11	11.5	3.5-19.5	3	4.6	0.0-11.3	98	83.9	74.1-93.7
\$15,000- 24,999	242	29,639	14	5.9	2.2- 9.6	10	7.4	2.3-12.5	218	86.7	80.6-92.8
\$25,000- 34,999	222	28,794	14	5.3	2.0- 8.6	5	3.4	0.1- 6.7	203	91.3	86.8-95.8
\$35,000- 49,999	393	43,141	27	8.6	4.7-12.5	15	4.7	2.0- 7.4	351	86.8	82.1-91.5
\$50,000- 74,999	465	53,224	37	7.8	4.7-10.9	13	4.4	1.7- 7.1	415	87.8	83.9-91.7
\$75,000+	955	103,356	61	7.1	4.9- 9.3	21	2.8	1.4- 4.2	873	90.1	87.7-92.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3098	287,346	297	10.7	9.1-12.3	82	3.2	2.2- 4.2	2719	86.0	84.2-87.8
Native	96	13,768	13	9.1	2.2-16.0	4	4.2	0.0- 8.5	79	86.7	78.9-94.5
Non-Native	2967	270,620	280	10.8	9.0-12.6	77	3.2	2.2- 4.2	2610	86.0	84.0-88.0
18-24	100	42,241	12	12.6	5.7-19.5	4	3.4	0.0- 7.5	84	84.0	76.2-91.8
25-34	263	50,498	25	10.7	6.4-15.0	11	4.1	1.7- 6.5	227	85.2	80.5-89.9
35-44	310	42,324	31	10.6	6.5-14.7	14	5.4	2.5- 8.3	265	84.0	79.1-88.9
45-54	401	39,730	45	12.2	8.5-15.9	13	3.3	1.3- 5.3	343	84.5	80.4-88.6
55-64	695	47,160	68	10.2	7.7-12.7	15	1.9	0.9- 2.9	612	87.9	85.2-90.6
65+	1284	61,363	114	9.6	7.6-11.6	24	2.0	1.0- 3.0	1146	88.3	86.1-90.5
Less Than H.S.	161	22,565	27	21.2	11.2-31.2	5	6.0	0.0-13.3	129	72.9	61.7-84.1
H.S. or G.E.D.	829	66,516	69	10.1	6.8-13.4	21	3.4	1.8- 5.0	739	86.6	83.1-90.1
Some Post-H.S.	1046	118,350	113	11.2	8.7-13.7	21	2.3	1.1- 3.5	912	86.5	83.8-89.2
College Graduate	1053	79,421	88	7.7	5.7- 9.7	34	3.7	2.1- 5.3	931	88.6	86.2-91.0
Less than \$15,000	201	21,120	45	22.2	14.8-29.6	5	2.0	0.0- 4.0	151	75.8	68.2-83.4
\$15,000- 24,999	378	34,691	47	13.9	8.6-19.2	10	4.3	0.0- 9.0	321	81.8	75.1-88.5
\$25,000- 34,999	309	27,116	31	14.1	7.2-21.0	5	2.5	0.0- 5.0	273	83.5	76.2-90.8
\$35,000- 49,999	408	36,839	37	11.7	6.8-16.6	15	4.4	1.9- 6.9	356	83.9	78.4-89.4
\$50,000- 74,999	472	41,526	38	8.8	5.3-12.3	12	3.0	1.0- 5.0	422	88.2	84.3-92.1
\$75,000+	865	84,227	67	6.7	4.7- 8.7	26	3.6	2.0- 5.2	772	89.8	87.4-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5722	588,834	1887	23.3	22.1-24.5	3835	76.7	75.5-77.9
Male	2633	302,583	707	20.1	18.5-21.7	1926	79.9	78.3-81.5
Female	3089	286,251	1180	26.7	24.7-28.7	1909	73.3	71.3-75.3
Native	165	24,137	65	29.3	21.3-37.3	100	70.7	62.7-78.7
Non-Native	5478	556,423	1795	22.9	21.7-24.1	3683	77.1	75.9-78.3
18-24	270	91,182	4	2.1	0.0- 4.3	266	97.9	95.7- 100
25-34	598	110,719	45	8.1	5.6-10.6	553	91.9	89.4-94.4
35-44	595	89,555	64	11.1	8.2-14.0	531	88.9	86.0-91.8
45-54	798	81,659	208	27.1	23.6-30.6	590	72.9	69.4-76.4
55-64	1353	96,152	491	37.7	34.8-40.6	862	62.3	59.4-65.2
65+	2043	113,360	1057	49.7	47.2-52.2	986	50.3	47.8-52.8
Less Than H.S.	325	49,433	142	31.2	24.9-37.5	183	68.8	62.5-75.1
H.S. or G.E.D.	1646	157,766	627	26.3	23.9-28.7	1019	73.7	71.3-76.1
Some Post-H.S.	1873	233,605	637	23.6	21.4-25.8	1236	76.4	74.2-78.6
College Graduate	1862	146,947	473	16.7	14.9-18.5	1389	83.3	81.5-85.1
Less than \$15,000	314	36,622	156	36.7	29.8-43.6	158	63.3	56.4-70.2
\$15,000- 24,999	618	63,349	281	34.2	29.3-39.1	337	65.8	60.9-70.7
\$25,000- 34,999	530	55,964	203	25.2	20.9-29.5	327	74.8	70.5-79.1
\$35,000- 49,999	800	80,424	292	24.4	21.1-27.7	508	75.6	72.3-78.9
\$50,000- 74,999	937	95,070	291	22.6	19.7-25.5	646	77.4	74.5-80.3
\$75,000+	1826	188,290	409	16.2	14.4-18.0	1417	83.8	82.0-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2633	302,583	707	20.1	18.5-21.7	1926	79.9	78.3-81.5
Native	68	10,037	22	25.2	14.2-36.2	46	74.8	63.8-85.8
Non-Native	2520	287,106	674	19.9	18.1-21.7	1846	80.1	78.3-81.9
18-24	171	49,584	1	1.1	0.0- 3.3	170	98.9	96.7- 100
25-34	335	60,226	21	6.8	3.9- 9.7	314	93.2	90.3-96.1
35-44	284	47,036	31	11.6	7.3-15.9	253	88.4	84.1-92.7
45-54	399	42,294	100	25.7	20.8-30.6	299	74.3	69.4-79.2
55-64	659	49,146	216	33.3	29.2-37.4	443	66.7	62.6-70.8
65+	764	52,080	334	44.1	40.2-48.0	430	55.9	52.0-59.8
Less Than H.S.	164	26,868	52	25.0	17.6-32.4	112	75.0	67.6-82.4
H.S. or G.E.D.	818	91,277	241	21.7	18.6-24.8	577	78.3	75.2-81.4
Some Post-H.S.	833	116,391	234	20.4	17.7-23.1	599	79.6	76.9-82.3
College Graduate	811	67,459	175	14.9	12.4-17.4	636	85.1	82.6-87.6
Less than \$15,000	113	15,724	38	29.4	18.8-40.0	75	70.6	60.0-81.2
\$15,000- 24,999	242	29,671	78	25.8	19.5-32.1	164	74.2	67.9-80.5
\$25,000- 34,999	222	28,928	73	21.9	16.2-27.6	149	78.1	72.4-83.8
\$35,000- 49,999	395	43,674	117	20.7	16.4-25.0	278	79.3	75.0-83.6
\$50,000- 74,999	467	53,652	131	20.8	16.7-24.9	336	79.2	75.1-83.3
\$75,000+	959	103,562	212	16.2	13.8-18.6	747	83.8	81.4-86.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3089	286,251	1180	26.7	24.7-28.7	1909	73.3	71.3-75.3
Native	97	14,100	43	32.2	20.8-43.6	54	67.8	56.4-79.2
Non-Native	2958	269,317	1121	26.2	24.2-28.2	1837	73.8	71.8-75.8
18-24	99	41,598	3	3.3	0.0- 7.4	96	96.7	92.6- 100
25-34	263	50,493	24	9.7	5.6-13.8	239	90.3	86.2-94.4
35-44	311	42,519	33	10.5	6.6-14.4	278	89.5	85.6-93.4
45-54	399	39,365	108	28.5	23.4-33.6	291	71.5	66.4-76.6
55-64	694	47,006	275	42.2	37.9-46.5	419	57.8	53.5-62.1
65+	1279	61,280	723	54.4	51.3-57.5	556	45.6	42.5-48.7
Less Than H.S.	161	22,565	90	38.5	27.7-49.3	71	61.5	50.7-72.3
H.S. or G.E.D.	828	66,489	386	32.5	28.6-36.4	442	67.5	63.6-71.4
Some Post-H.S.	1040	117,214	403	26.7	23.6-29.8	637	73.3	70.2-76.4
College Graduate	1051	79,488	298	18.2	15.7-20.7	753	81.8	79.3-84.3
Less than \$15,000	201	20,898	118	42.1	32.7-51.5	83	57.9	48.5-67.3
\$15,000- 24,999	376	33,678	203	41.6	34.2-49.0	173	58.4	51.0-65.8
\$25,000- 34,999	308	27,036	130	28.6	22.3-34.9	178	71.4	65.1-77.7
\$35,000- 49,999	405	36,750	175	28.8	23.3-34.3	230	71.2	65.7-76.7
\$50,000- 74,999	470	41,418	160	24.9	20.6-29.2	310	75.1	70.8-79.4
\$75,000+	867	84,727	197	16.3	13.8-18.8	670	83.7	81.2-86.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	41
5	MALES ONLY	42
6	FEMALES ONLY	43
	ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7	MALES AND FEMALES	44
8	MALES ONLY	45
9	FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5664	585,991	2663	57.3	55.7-58.9	3001	42.7	41.1-44.3
Male	2611	300,966	1237	56.9	54.5-59.3	1374	43.1	40.7-45.5
Female	3053	285,025	1426	57.8	55.4-60.2	1627	42.2	39.8-44.6
Native	165	24,272	56	42.3	32.5-52.1	109	57.7	47.9-67.5
Non-Native	5421	553,468	2565	57.9	56.1-59.7	2856	42.1	40.3-43.9
18-24	271	91,825	234	85.8	81.1-90.5	37	14.2	9.5-18.9
25-34	599	111,012	472	76.8	73.1-80.5	127	23.2	19.5-26.9
35-44	592	89,222	410	65.8	61.5-70.1	182	34.2	29.9-38.5
45-54	800	82,039	453	55.3	51.4-59.2	347	44.7	40.8-48.6
55-64	1351	95,936	567	39.0	36.1-41.9	784	61.0	58.1-63.9
65+	1986	109,775	493	24.3	22.1-26.5	1493	75.7	73.5-77.9
Less Than H.S.	313	48,516	77	32.2	24.8-39.6	236	67.8	60.4-75.2
H.S. or G.E.D.	1619	156,038	569	48.5	45.2-51.8	1050	51.5	48.2-54.8
Some Post-H.S.	1860	233,752	847	58.3	55.6-61.0	1013	41.7	39.0-44.4
College Graduate	1860	146,798	1166	73.5	71.3-75.7	694	26.5	24.3-28.7
Less than \$15,000	303	36,156	83	38.5	30.7-46.3	220	61.5	53.7-69.3
\$15,000- 24,999	605	63,369	175	44.2	38.3-50.1	430	55.8	49.9-61.7
\$25,000- 34,999	517	55,100	189	51.3	45.4-57.2	328	48.7	42.8-54.6
\$35,000- 49,999	798	80,117	328	54.4	49.9-58.9	470	45.6	41.1-50.1
\$50,000- 74,999	939	95,238	468	59.0	55.1-62.9	471	41.0	37.1-44.9
\$75,000+	1823	188,165	1121	67.9	65.4-70.4	702	32.1	29.6-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2611	300,966	1237	56.9	54.5-59.3	1374	43.1	40.7-45.5
Native	69	10,205	23	37.8	24.3-51.3	46	62.2	48.7-75.7
Non-Native	2497	285,321	1189	57.5	55.1-59.9	1308	42.5	40.1-44.9
18-24	171	49,584	149	88.1	83.0-93.2	22	11.9	6.8-17.0
25-34	336	60,331	265	77.0	71.9-82.1	71	23.0	17.9-28.1
35-44	283	46,951	190	64.0	57.7-70.3	93	36.0	29.7-42.3
45-54	401	42,612	216	52.9	47.4-58.4	185	47.1	41.6-52.6
55-64	656	48,813	235	33.0	29.1-36.9	421	67.0	63.1-70.9
65+	743	50,458	169	21.7	18.4-25.0	574	78.3	75.0-81.6
Less Than H.S.	159	26,340	50	39.7	30.1-49.3	109	60.3	50.7-69.9
H.S. or G.E.D.	810	90,733	311	50.1	45.8-54.4	499	49.9	45.6-54.2
Some Post-H.S.	826	115,950	382	57.9	54.0-61.8	444	42.1	38.2-46.0
College Graduate	810	67,420	493	71.2	67.9-74.5	317	28.8	25.5-32.1
Less than \$15,000	109	15,373	37	46.4	34.4-58.4	72	53.6	41.6-65.6
\$15,000- 24,999	235	29,043	85	49.5	41.5-57.5	150	50.5	42.5-58.5
\$25,000- 34,999	218	28,643	84	51.4	43.2-59.6	134	48.6	40.4-56.8
\$35,000- 49,999	394	43,681	168	54.3	48.2-60.4	226	45.7	39.6-51.8
\$50,000- 74,999	468	53,801	204	53.9	48.4-59.4	264	46.1	40.6-51.6
\$75,000+	958	103,500	549	64.5	61.0-68.0	409	35.5	32.0-39.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3053	285,025	1426	57.8	55.4-60.2	1627	42.2	39.8-44.6
Native	96	14,066	33	45.6	32.3-58.9	63	54.4	41.1-67.7
Non-Native	2924	268,147	1376	58.3	55.9-60.7	1548	41.7	39.3-44.1
18-24	100	42,241	85	83.1	74.7-91.5	15	16.9	8.5-25.3
25-34	263	50,681	207	76.7	71.0-82.4	56	23.3	17.6-29.0
35-44	309	42,272	220	67.7	61.6-73.8	89	32.3	26.2-38.4
45-54	399	39,428	237	58.0	52.5-63.5	162	42.0	36.5-47.5
55-64	695	47,122	332	45.2	41.1-49.3	363	54.8	50.7-58.9
65+	1243	59,317	324	26.6	23.7-29.5	919	73.4	70.5-76.3
Less Than H.S.	154	22,176	27	23.4	12.4-34.4	127	76.6	65.6-87.6
H.S. or G.E.D.	809	65,305	258	46.2	41.1-51.3	551	53.8	48.7-58.9
Some Post-H.S.	1034	117,801	465	58.8	55.1-62.5	569	41.2	37.5-44.9
College Graduate	1050	79,378	673	75.5	72.6-78.4	377	24.5	21.6-27.4
Less than \$15,000	194	20,782	46	32.8	22.6-43.0	148	67.2	57.0-77.4
\$15,000- 24,999	370	34,326	90	39.7	31.3-48.1	280	60.3	51.9-68.7
\$25,000- 34,999	299	26,457	105	51.3	42.9-59.7	194	48.7	40.3-57.1
\$35,000- 49,999	404	36,436	160	54.5	47.4-61.6	244	45.5	38.4-52.6
\$50,000- 74,999	471	41,436	264	65.5	60.2-70.8	207	34.5	29.2-39.8
\$75,000+	865	84,666	572	72.0	68.5-75.5	293	28.0	24.5-31.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1986	109,775	1747	86.4	84.4-88.4	239	13.6	11.6-15.6
Male	743	50,458	663	86.8	83.7-89.9	80	13.2	10.1-16.3
Female	1243	59,317	1084	86.1	83.7-88.5	159	13.9	11.5-16.3
Non-Native	1930	105,976	1705	86.7	84.7-88.7	225	13.3	11.3-15.3
65+	1986	109,775	1747	86.4	84.4-88.4	239	13.6	11.6-15.6
Less Than H.S.	181	15,340	134	73.4	65.8-81.0	47	26.6	19.0-34.2
H.S. or G.E.D.	646	32,026	538	84.2	81.1-87.3	108	15.8	12.7-18.9
Some Post-H.S.	627	41,258	557	87.4	84.3-90.5	70	12.6	9.5-15.7
College Graduate	525	20,707	512	97.4	95.8-99.0	13	2.6	1.0- 4.2
Less than \$15,000	130	7,906	96	70.1	60.1-80.1	34	29.9	19.9-39.9
\$15,000- 24,999	341	20,105	276	80.2	75.1-85.3	65	19.8	14.7-24.9
\$25,000- 34,999	253	13,324	211	79.7	73.0-86.4	42	20.3	13.6-27.0
\$35,000- 49,999	338	17,306	309	92.0	88.9-95.1	29	8.0	4.9-11.1
\$50,000- 74,999	285	16,634	265	93.4	90.3-96.5	20	6.6	3.5- 9.7
\$75,000+	319	16,965	308	94.7	91.2-98.2	11	5.3	1.8- 8.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	743	50,458	663	86.8	83.7-89.9	80	13.2	10.1-16.3
Non-Native	724	48,892	647	86.8	83.7-89.9	77	13.2	10.1-16.3
65+	743	50,458	663	86.8	83.7-89.9	80	13.2	10.1-16.3
Less Than H.S.	73	7,558	56	73.4	61.6-85.2	17	26.6	14.8-38.4
H.S. or G.E.D.	228	14,164	198	86.8	81.9-91.7	30	13.2	8.3-18.1
Some Post-H.S.	215	17,836	189	86.4	81.1-91.7	26	13.6	8.3-18.9
College Graduate	223	10,563	217	96.8	94.1-99.5	6	3.2	0.5- 5.9
\$15,000- 24,999	100	7,782	76	78.1	68.9-87.3	24	21.9	12.7-31.1
\$25,000- 34,999	85	6,136	70	73.4	61.4-85.4	15	26.6	14.6-38.6
\$35,000- 49,999	144	8,987	129	90.8	86.1-95.5	15	9.2	4.5-13.9
\$50,000- 74,999	135	9,102	128	94.7	90.4-99.0	7	5.3	1.0- 9.6
\$75,000+	175	10,320	168	94.2	89.5-98.9	7	5.8	1.1-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1243	59,317	1084	86.1	83.7-88.5	159	13.9	11.5-16.3
Non-Native	1206	57,084	1058	86.6	84.2-89.0	148	13.4	11.0-15.8
65+	1243	59,317	1084	86.1	83.7-88.5	159	13.9	11.5-16.3
Less Than H.S.	108	7,782	78	73.5	63.9-83.1	30	26.5	16.9-36.1
H.S. or G.E.D.	418	17,862	340	82.1	78.2-86.0	78	17.9	14.0-21.8
Some Post-H.S.	412	23,422	368	88.2	84.5-91.9	44	11.8	8.1-15.5
College Graduate	302	10,144	295	98.0	96.4-99.6	7	2.0	0.4- 3.6
Less than \$15,000	99	5,321	71	69.9	58.5-81.3	28	30.1	18.7-41.5
\$15,000- 24,999	241	12,323	200	81.5	75.6-87.4	41	18.5	12.6-24.4
\$25,000- 34,999	168	7,189	141	85.0	79.1-90.9	27	15.0	9.1-20.9
\$35,000- 49,999	194	8,319	180	93.2	89.3-97.1	14	6.8	2.9-10.7
\$50,000- 74,999	150	7,533	137	91.8	87.1-96.5	13	8.2	3.5-12.9
\$75,000+	144	6,645	140	95.6	90.3- 100	4	4.4	0.0- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5720	588,495	3957	66.1	64.5-67.7	1763	33.9	32.3-35.5
Male	2626	301,274	1682	61.3	58.9-63.7	944	38.7	36.3-41.1
Female	3094	287,221	2275	71.1	68.7-73.5	819	28.9	26.5-31.3
Native	164	24,052	77	42.3	32.9-51.7	87	57.7	48.3-67.1
Non-Native	5477	556,155	3828	67.1	65.3-68.9	1649	32.9	31.1-34.7
18-24	269	91,014	176	65.0	58.7-71.3	93	35.0	28.7-41.3
25-34	597	110,502	370	61.6	57.3-65.9	227	38.4	34.1-42.7
35-44	593	89,318	420	67.3	63.0-71.6	173	32.7	28.4-37.0
45-54	802	82,342	570	68.6	64.9-72.3	232	31.4	27.7-35.1
55-64	1355	96,296	992	70.5	67.8-73.2	363	29.5	26.8-32.2
65+	2039	112,840	1386	64.9	62.4-67.4	653	35.1	32.6-37.6
Less Than H.S.	320	48,628	144	44.9	37.5-52.3	176	55.1	47.7-62.5
H.S. or G.E.D.	1642	157,241	994	59.8	56.7-62.9	648	40.2	37.1-43.3
Some Post-H.S.	1878	234,860	1317	67.4	64.7-70.1	561	32.6	29.9-35.3
College Graduate	1866	146,795	1490	77.6	75.2-80.0	376	22.4	20.0-24.8
Less than \$15,000	314	36,823	144	47.8	40.2-55.4	170	52.2	44.6-59.8
\$15,000- 24,999	617	63,613	330	51.0	45.3-56.7	287	49.0	43.3-54.7
\$25,000- 34,999	531	56,063	300	54.2	48.3-60.1	231	45.8	39.9-51.7
\$35,000- 49,999	802	80,524	545	63.3	58.6-68.0	257	36.7	32.0-41.4
\$50,000- 74,999	935	94,571	683	69.6	65.9-73.3	252	30.4	26.7-34.1
\$75,000+	1825	188,200	1477	77.8	75.4-80.2	348	22.2	19.8-24.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2626	301,274	1682	61.3	58.9-63.7	944	38.7	36.3-41.1
Native	68	10,083	31	43.4	29.5-57.3	37	56.6	42.7-70.5
Non-Native	2514	285,860	1621	61.8	59.4-64.2	893	38.2	35.8-40.6
18-24	169	48,773	107	64.8	57.2-72.4	62	35.2	27.6-42.8
25-34	335	60,087	184	53.8	48.1-59.5	151	46.2	40.5-51.9
35-44	282	46,799	185	63.4	57.1-69.7	97	36.6	30.3-42.9
45-54	401	42,612	264	63.0	57.7-68.3	137	37.0	31.7-42.3
55-64	658	49,036	433	62.8	58.7-66.9	225	37.2	33.1-41.3
65+	760	51,749	494	61.7	57.8-65.6	266	38.3	34.4-42.2
Less Than H.S.	162	26,298	73	43.2	34.0-52.4	89	56.8	47.6-66.0
H.S. or G.E.D.	816	91,210	458	56.2	52.1-60.3	358	43.8	39.7-47.9
Some Post-H.S.	831	116,078	551	64.1	60.2-68.0	280	35.9	32.0-39.8
College Graduate	811	67,147	595	70.3	66.6-74.0	216	29.7	26.0-33.4
Less than \$15,000	112	15,639	46	45.9	34.1-57.7	66	54.1	42.3-65.9
\$15,000- 24,999	241	29,236	107	45.2	37.4-53.0	134	54.8	47.0-62.6
\$25,000- 34,999	222	28,947	109	50.1	41.9-58.3	113	49.9	41.7-58.1
\$35,000- 49,999	394	43,686	248	61.0	54.9-67.1	146	39.0	32.9-45.1
\$50,000- 74,999	465	53,139	303	61.8	56.3-67.3	162	38.2	32.7-43.7
\$75,000+	958	103,500	720	71.3	67.8-74.8	238	28.7	25.2-32.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 7: ORAL HEALTH**

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3094	287,221	2275	71.1	68.7-73.5	819	28.9	26.5-31.3
Native	96	13,969	46	41.6	28.9-54.3	50	58.4	45.7-71.1
Non-Native	2963	270,294	2207	72.7	70.3-75.1	756	27.3	24.9-29.7
18-24	100	42,241	69	65.2	55.0-75.4	31	34.8	24.6-45.0
25-34	262	50,415	186	70.8	64.7-76.9	76	29.2	23.1-35.3
35-44	311	42,519	235	71.6	65.7-77.5	76	28.4	22.5-34.3
45-54	401	39,730	306	74.6	69.7-79.5	95	25.4	20.5-30.3
55-64	697	47,260	559	78.4	74.7-82.1	138	21.6	17.9-25.3
65+	1279	61,091	892	67.6	64.7-70.5	387	32.4	29.5-35.3
Less Than H.S.	158	22,330	71	47.0	35.0-59.0	87	53.0	41.0-65.0
H.S. or G.E.D.	826	66,031	536	64.8	60.1-69.5	290	35.2	30.5-39.9
Some Post-H.S.	1047	118,782	766	70.7	66.8-74.6	281	29.3	25.4-33.2
College Graduate	1055	79,649	895	83.8	80.9-86.7	160	16.2	13.3-19.1
Less than \$15,000	202	21,184	98	49.2	39.2-59.2	104	50.8	40.8-60.8
\$15,000- 24,999	376	34,377	223	55.9	47.9-63.9	153	44.1	36.1-52.1
\$25,000- 34,999	309	27,116	191	58.7	50.5-66.9	118	41.3	33.1-49.5
\$35,000- 49,999	408	36,839	297	66.1	58.8-73.4	111	33.9	26.6-41.2
\$50,000- 74,999	470	41,431	380	79.6	75.1-84.1	90	20.4	15.9-24.9
\$75,000+	867	84,700	757	85.7	82.6-88.8	110	14.3	11.2-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
40	MALES AND FEMALES	89
41	MALES ONLY	90
42	FEMALES ONLY	91
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).	
43	MALES AND FEMALES	92
44	MALES ONLY	93
45	FEMALES ONLY	94
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).	
46	MALES AND FEMALES	95
47	MALES ONLY	96
48	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5684	584,535	5367	90.5	89.3-91.7	63	2.6	1.8- 3.4	188	4.8	4.0- 5.6	43	1.3	0.9- 1.7	11	0.4	0.0- 0.8	12	0.4	0.2- 0.6
Male	2600	298,625	2439	90.5	88.9-92.1	42	3.0	2.0- 4.0	80	4.3	3.1- 5.5	24	1.4	0.8- 2.0	8	0.4	0.0- 0.8	7	0.4	0.0- 0.8
Female	3084	285,911	2928	90.6	88.8-92.4	21	2.1	1.1- 3.1	108	5.3	3.9- 6.7	19	1.2	0.6- 1.8	3	0.4	0.0- 1.0	5	0.3	0.0- 0.7
18-24	269	91,363	222	80.8	75.5-86.1	18	7.9	4.2-11.6	15	6.2	3.1- 9.3	9	2.9	0.7- 5.1	4	1.9	0.0- 3.9	1	0.4	0.0- 1.2
25-34	595	110,442	523	86.3	83.2-89.4	16	3.3	1.7- 4.9	32	6.5	4.1- 8.9	18	2.6	1.4- 3.8	1	0.1	0.0- 0.3	5	1.2	0.2- 2.2
35-44	587	88,409	545	91.6	88.9-94.3	9	1.8	0.6- 3.0	24	4.7	2.5- 6.9	7	1.6	0.4- 2.8	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3
45-54	795	81,213	739	92.0	89.8-94.2	12	2.3	0.9- 3.7	38	5.0	3.2- 6.8	3	0.4	0.0- 0.8	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3
55-64	1342	95,023	1288	94.4	92.6-96.2	7	0.8	0.2- 1.4	42	4.3	2.7- 5.9	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7	2	0.2	0.0- 0.4
65+	2037	112,773	1993	97.2	96.2-98.2	1	0.1	0.0- 0.3	36	2.4	1.4- 3.4	4	0.1	0.0- 0.3	1	0.1	0.0- 0.3	2	0.1	0.0- 0.3
Less Than H.S.	321	48,860	283	79.5	72.8-86.2	7	4.9	1.2- 8.6	27	13.6	8.1-19.1	3	1.7	0.0- 4.1	1	0.3	0.0- 0.9			
H.S. or G.E.D.	1636	156,798	1538	88.2	85.7-90.7	24	3.6	2.0- 5.2	59	5.7	3.9- 7.5	8	1.3	0.3- 2.3	5	1.0	0.0- 2.0	2	0.3	0.0- 0.7
Some Post-H.S.	1863	232,713	1776	93.0	91.2-94.8	18	2.1	0.9- 3.3	59	4.0	2.8- 5.2	3	0.2	0.0- 0.4	1	0.2	0.0- 0.6	6	0.5	0.1- 0.9
College Graduate	1849	145,181	1755	92.7	90.9-94.5	14	1.5	0.7- 2.3	43	2.1	1.3- 2.9	29	2.9	1.7- 4.1	4	0.3	0.1- 0.5	4	0.4	0.0- 0.8
Less than \$15,000	308	35,912	253	70.5	62.5-78.5	8	6.0	1.3-10.7	43	21.0	13.9-28.1	3	2.0	0.0- 4.9	1	0.4	0.0- 1.2			
\$15,000- 24,999	616	63,785	562	84.7	80.4-89.0	11	4.2	1.5- 6.9	34	8.0	5.1-10.9	5	1.8	0.0- 3.6	2	0.4	0.0- 1.0	2	0.8	0.0- 2.0
\$25,000- 34,999	531	56,134	489	85.1	80.2-90.0	13	6.0	2.7- 9.3	23	7.0	3.7-10.3	4	0.9	0.1- 1.7	1	1.0	0.0- 3.0	1	0.1	0.0- 0.3
\$35,000- 49,999	800	80,374	759	92.8	90.3-95.3	8	1.8	0.4- 3.2	24	3.6	1.8- 5.4	8	1.7	0.3- 3.1				1	0.1	0.0- 0.3
\$50,000- 74,999	934	94,544	896	94.6	92.4-96.8	6	1.2	0.2- 2.2	22	2.1	0.9- 3.3	4	0.9	0.0- 1.9	3	0.8	0.0- 2.0	3	0.3	0.0- 0.7
\$75,000+	1812	186,731	1758	95.7	94.3-97.1	7	0.6	0.0- 1.2	27	2.1	1.1- 3.1	12	0.7	0.3- 1.1	3	0.2	0.0- 0.4	5	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2600	298,625	2439	90.5	88.9-92.1	42	3.0	2.0- 4.0	80	4.3	3.1- 5.5	24	1.4	0.8- 2.0	8	0.4	0.0- 0.8	7	0.4	0.0- 0.8
18-24	169	49,122	140	81.4	74.9-87.9	11	7.4	2.9-11.9	8	5.7	1.6- 9.8	7	3.6	0.7- 6.5	2	1.3	0.0- 3.3	1	0.7	0.0- 2.1
25-34	333	59,849	294	86.5	82.4-90.6	9	3.5	1.1- 5.9	15	5.6	2.7- 8.5	12	3.2	1.4- 5.0	1	0.2	0.0- 0.6	2	0.9	0.0- 2.3
35-44	278	46,279	259	92.4	88.7-96.1	7	2.8	0.6- 5.0	9	4.0	1.1- 6.9	3	0.8	0.0- 1.8						
45-54	398	42,059	368	91.5	88.4-94.6	8	3.0	0.8- 5.2	18	4.5	2.3- 6.7	1	0.3	0.0- 0.9	2	0.5	0.0- 1.3	1	0.2	0.0- 0.6
55-64	650	48,280	622	94.4	92.2-96.6	6	1.3	0.1- 2.5	18	3.5	1.7- 5.3	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3
65+	756	51,518	741	97.3	95.7-98.9	1	0.2	0.0- 0.6	11	2.0	0.6- 3.4				1	0.1	0.0- 0.3	2	0.3	0.0- 0.7
Less Than H.S.	162	26,665	148	81.9	73.1-90.7	3	4.4	0.0- 9.3	8	10.2	3.1-17.3	2	3.0	0.0- 7.3	1	0.6	0.0- 1.8			
H.S. or G.E.D.	810	90,473	747	87.3	84.0-90.6	19	4.5	2.3- 6.7	34	6.1	3.7- 8.5	5	1.2	0.0- 2.4	3	0.5	0.0- 1.1	2	0.4	0.0- 1.2
Some Post-H.S.	823	114,822	781	94.0	92.0-96.0	11	1.9	0.7- 3.1	24	2.9	1.5- 4.3	2	0.2	0.0- 0.4	1	0.4	0.0- 1.2	4	0.6	0.0- 1.4
College Graduate	799	66,176	757	92.1	89.6-94.6	9	2.3	0.7- 3.9	14	1.7	0.7- 2.7	15	3.3	1.5- 5.1	3	0.4	0.0- 1.0	1	0.1	0.0- 0.3
Less than \$15,000	110	15,254	87	66.4	53.9-78.9	3	6.7	0.0-14.7	17	21.3	10.5-32.1	2	4.6	0.0-11.5	1	1.0	0.0- 3.0			
\$15,000- 24,999	240	29,275	213	83.7	77.4-90.0	8	6.4	1.7-11.1	12	5.8	2.1- 9.5	4	2.3	0.0- 4.7	2	0.9	0.0- 2.3	1	0.8	0.0- 2.4
\$25,000- 34,999	223	29,033	195	82.1	75.4-88.8	11	8.9	3.6-14.2	12	7.1	2.8-11.4	4	1.7	0.0- 3.5				1	0.3	0.0- 0.9
\$35,000- 49,999	393	43,569	372	93.0	89.9-96.1	6	2.0	0.4- 3.6	12	3.9	1.5- 6.3	3	1.1	0.0- 2.5						
\$50,000- 74,999	463	53,153	440	93.4	90.3-96.5	5	1.9	0.1- 3.7	10	2.3	0.5- 4.1	4	1.6	0.0- 3.4	2	0.5	0.0- 1.1	2	0.3	0.0- 0.7
\$75,000+	949	102,643	920	95.7	93.7-97.7	5	0.9	0.1- 1.7	15	2.1	0.7- 3.5	4	0.5	0.0- 1.1	2	0.2	0.0- 0.4	3	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	285,911	2928	90.6	88.8-92.4	21	2.1	1.1- 3.1	108	5.3	3.9- 6.7	19	1.2	0.6- 1.8	3	0.4	0.0- 1.0	5	0.3	0.0- 0.7
18-24	100	42,241	82	80.1	71.7-88.5	7	8.4	2.3-14.5	7	6.7	1.6-11.8	2	2.1	0.0- 5.0	2	2.6	0.0- 6.1			
25-34	262	50,593	229	86.0	81.1-90.9	7	3.0	0.6- 5.4	17	7.7	3.8-11.6	6	1.9	0.3- 3.5				3	1.5	0.0- 3.3
35-44	309	42,130	286	90.8	86.7-94.9	2	0.7	0.0- 1.7	15	5.5	2.2- 8.8	4	2.5	0.1- 4.9	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6
45-54	397	39,155	371	92.6	89.5-95.7	4	1.5	0.0- 3.1	20	5.5	2.8- 8.2	2	0.5	0.0- 1.3						
55-64	692	46,743	666	94.4	91.9-96.9	1	0.2	0.0- 0.6	24	5.1	2.6- 7.6							1	0.3	0.0- 0.9
65+	1281	61,255	1252	97.1	95.7-98.5				25	2.7	1.3- 4.1	4	0.2	0.0- 0.4						
Less Than H.S.	159	22,195	135	76.6	66.6-86.6	4	5.5	0.0-11.4	19	17.8	9.0-26.6	1	0.1	0.0- 0.3						
H.S. or G.E.D.	826	66,325	791	89.5	85.4-93.6	5	2.3	0.0- 4.7	25	5.0	2.5- 7.5	3	1.4	0.0- 3.2	2	1.7	0.0- 4.1			
Some Post-H.S.	1040	117,891	995	92.1	89.4-94.8	7	2.2	0.4- 4.0	35	5.1	3.1- 7.1	1	0.2	0.0- 0.6				2	0.3	0.0- 0.9
College Graduate	1050	79,005	998	93.2	90.8-95.6	5	0.8	0.0- 1.6	29	2.5	1.3- 3.7	14	2.6	0.8- 4.4	1	0.2	0.0- 0.6	3	0.7	0.0- 1.5
Less than \$15,000	198	20,657	166	73.5	63.3-83.7	5	5.6	0.0-11.3	26	20.8	11.4-30.2	1	0.1	0.0- 0.3						
\$15,000- 24,999	376	34,510	349	85.6	79.7-91.5	3	2.4	0.0- 5.3	22	9.8	5.3-14.3	1	1.4	0.0- 4.1				1	0.8	0.0- 2.4
\$25,000- 34,999	308	27,101	294	88.2	80.9-95.5	2	2.8	0.0- 6.9	11	6.9	1.8-12.0				1	2.1	0.0- 6.0			
\$35,000- 49,999	407	36,805	387	92.5	88.2-96.8	2	1.5	0.0- 3.9	12	3.2	0.5- 5.9	5	2.4	0.0- 4.8				1	0.3	0.0- 0.9
\$50,000- 74,999	471	41,391	456	96.1	93.2-99.0	1	0.3	0.0- 0.9	12	1.9	0.7- 3.1				1	1.3	0.0- 3.8	1	0.4	0.0- 1.2
\$75,000+	863	84,088	838	95.8	93.8-97.8	2	0.4	0.0- 1.0	12	2.2	0.8- 3.6	8	1.0	0.0- 2.0	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5684	584,535	5332	89.4	88.2-90.6	59	2.4	1.8- 3.0	174	4.3	3.5- 5.1	43	1.3	0.9- 1.7	11	0.4	0.0- 0.8	65	2.2	1.6- 2.8
Male	2600	298,625	2420	89.1	87.3-90.9	42	3.0	2.0- 4.0	72	3.6	2.6- 4.6	24	1.4	0.8- 2.0	8	0.4	0.0- 0.8	34	2.4	1.4- 3.4
Female	3084	285,911	2912	89.6	87.6-91.6	17	1.7	0.7- 2.7	102	5.1	3.9- 6.3	19	1.2	0.6- 1.8	3	0.4	0.0- 1.0	31	2.0	1.2- 2.8
18-24	269	91,363	217	78.5	73.0-84.0	16	6.9	3.6-10.2	13	5.0	2.1- 7.9	9	2.9	0.7- 5.1	4	1.9	0.0- 3.9	10	4.8	1.9- 7.7
25-34	595	110,442	518	85.2	81.9-88.5	15	3.1	1.5- 4.7	30	6.3	3.9- 8.7	18	2.6	1.4- 3.8	1	0.1	0.0- 0.3	13	2.7	1.1- 4.3
35-44	587	88,409	536	89.6	86.7-92.5	9	1.8	0.6- 3.0	23	4.2	2.2- 6.2	7	1.6	0.4- 2.8	1	0.1	0.0- 0.3	11	2.7	0.9- 4.5
45-54	795	81,213	735	91.3	88.9-93.7	11	2.1	0.7- 3.5	34	4.4	2.8- 6.0	3	0.4	0.0- 0.8	2	0.3	0.0- 0.7	10	1.5	0.5- 2.5
55-64	1342	95,023	1281	93.5	91.7-95.3	7	0.8	0.2- 1.4	39	3.9	2.5- 5.3	1	0.1	0.0- 0.3	2	0.3	0.0- 0.7	12	1.4	0.6- 2.2
65+	2037	112,773	1988	97.0	96.0-98.0	1	0.1	0.0- 0.3	34	2.3	1.3- 3.3	4	0.1	0.0- 0.3	1	0.1	0.0- 0.3	9	0.5	0.1- 0.9
Less Than H.S.	321	48,860	282	79.1	72.4-85.8	7	4.9	1.2- 8.6	25	11.5	6.6-16.4	3	1.7	0.0- 4.1	1	0.3	0.0- 0.9	3	2.5	0.0- 5.4
H.S. or G.E.D.	1636	156,798	1528	86.8	84.1-89.5	21	3.1	1.7- 4.5	55	5.2	3.6- 6.8	8	1.3	0.3- 2.3	5	1.0	0.0- 2.0	19	2.7	1.3- 4.1
Some Post-H.S.	1863	232,713	1764	91.7	89.9-93.5	17	1.9	0.9- 2.9	57	3.9	2.7- 5.1	3	0.2	0.0- 0.4	1	0.2	0.0- 0.6	21	2.1	1.1- 3.1
College Graduate	1849	145,181	1743	91.8	90.0-93.6	14	1.5	0.7- 2.3	37	1.7	1.1- 2.3	29	2.9	1.7- 4.1	4	0.3	0.1- 0.5	22	1.8	1.0- 2.6
Less than \$15,000	308	35,912	247	67.9	59.9-75.9	7	5.8	1.1-10.5	40	17.9	11.2-24.6	3	2.0	0.0- 4.9	1	0.4	0.0- 1.2	10	6.0	1.7-10.3
\$15,000- 24,999	616	63,785	555	82.0	77.3-86.7	11	4.2	1.5- 6.9	31	7.6	4.7-10.5	5	1.8	0.0- 3.6	2	0.4	0.0- 1.0	12	4.0	1.1- 6.9
\$25,000- 34,999	531	56,134	483	83.0	77.9-88.1	12	5.1	2.2- 8.0	23	7.0	3.7-10.3	4	0.9	0.1- 1.7	1	1.0	0.0- 3.0	8	3.1	0.6- 5.6
\$35,000- 49,999	800	80,374	755	91.9	89.2-94.6	7	1.2	0.2- 2.2	22	3.3	1.5- 5.1	8	1.7	0.3- 3.1				8	1.8	0.2- 3.4
\$50,000- 74,999	934	94,544	894	94.1	91.9-96.3	6	1.2	0.2- 2.2	21	2.1	0.9- 3.3	4	0.9	0.0- 1.9	3	0.8	0.0- 2.0	6	0.9	0.1- 1.7
\$75,000+	1812	186,731	1751	95.1	93.7-96.5	6	0.5	0.1- 0.9	22	1.5	0.7- 2.3	12	0.7	0.3- 1.1	3	0.2	0.0- 0.4	18	1.9	0.9- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2600	298,625	2420	89.1	87.3-90.9	42	3.0	2.0- 4.0	72	3.6	2.6- 4.6	24	1.4	0.8- 2.0	8	0.4	0.0- 0.8	34	2.4	1.4- 3.4
18-24	169	49,122	136	78.5	71.6-85.4	11	7.4	2.9-11.9	6	3.5	0.6- 6.4	7	3.6	0.7- 6.5	2	1.3	0.0- 3.3	7	5.7	1.4-10.0
25-34	333	59,849	290	84.9	80.6-89.2	9	3.5	1.1- 5.9	15	5.6	2.7- 8.5	12	3.2	1.4- 5.0	1	0.2	0.0- 0.6	6	2.6	0.6- 4.6
35-44	278	46,279	254	90.3	86.2-94.4	7	2.8	0.6- 5.0	8	2.9	0.7- 5.1	3	0.8	0.0- 1.8				6	3.1	0.4- 5.8
45-54	398	42,059	367	91.3	88.2-94.4	8	3.0	0.8- 5.2	15	3.8	1.6- 6.0	1	0.3	0.0- 0.9	2	0.5	0.0- 1.3	5	1.0	0.0- 2.0
55-64	650	48,280	618	93.5	91.1-95.9	6	1.3	0.1- 2.5	16	3.0	1.4- 4.6	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3	7	1.5	0.3- 2.7
65+	756	51,518	740	97.3	95.7-98.9	1	0.2	0.0- 0.6	11	2.0	0.6- 3.4				1	0.1	0.0- 0.3	3	0.4	0.0- 0.8
Less Than H.S.	162	26,665	147	81.2	72.4-90.0	3	4.4	0.0- 9.3	6	6.3	1.2-11.4	2	3.0	0.0- 7.3	1	0.6	0.0- 1.8	3	4.6	0.0-10.1
H.S. or G.E.D.	810	90,473	739	85.0	81.5-88.5	19	4.5	2.3- 6.7	31	5.3	3.1- 7.5	5	1.2	0.0- 2.4	3	0.5	0.0- 1.1	13	3.5	1.3- 5.7
Some Post-H.S.	823	114,822	777	93.0	90.8-95.2	11	1.9	0.7- 3.1	24	2.9	1.5- 4.3	2	0.2	0.0- 0.4	1	0.4	0.0- 1.2	8	1.5	0.3- 2.7
College Graduate	799	66,176	751	91.1	88.6-93.6	9	2.3	0.7- 3.9	11	1.2	0.4- 2.0	15	3.3	1.5- 5.1	3	0.4	0.0- 1.0	10	1.5	0.3- 2.7
Less than \$15,000	110	15,254	82	61.5	49.2-73.8	3	6.7	0.0-14.7	15	15.2	6.6-23.8	2	4.6	0.0-11.5	1	1.0	0.0- 3.0	7	11.1	2.1-20.1
\$15,000- 24,999	240	29,275	210	80.9	74.0-87.8	8	6.4	1.7-11.1	10	5.2	1.5- 8.9	4	2.3	0.0- 4.7	2	0.9	0.0- 2.3	6	4.3	0.4- 8.2
\$25,000- 34,999	223	29,033	192	78.8	71.5-86.1	11	8.9	3.6-14.2	12	7.1	2.8-11.4	4	1.7	0.0- 3.5				4	3.5	0.0- 7.2
\$35,000- 49,999	393	43,569	370	92.1	88.8-95.4	6	2.0	0.4- 3.6	11	3.6	1.4- 5.8	3	1.1	0.0- 2.5				3	1.2	0.0- 3.0
\$50,000- 74,999	463	53,153	439	92.9	89.8-96.0	5	1.9	0.1- 3.7	10	2.3	0.5- 4.1	4	1.6	0.0- 3.4	2	0.5	0.0- 1.1	3	0.8	0.0- 2.0
\$75,000+	949	102,643	917	95.3	93.3-97.3	5	0.9	0.1- 1.7	12	1.3	0.5- 2.1	4	0.5	0.0- 1.1	2	0.2	0.0- 0.4	9	1.8	0.2- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	285,911	2912	89.6	87.6-91.6	17	1.7	0.7- 2.7	102	5.1	3.9- 6.3	19	1.2	0.6- 1.8	3	0.4	0.0- 1.0	31	2.0	1.2- 2.8
18-24	100	42,241	81	78.6	69.8-87.4	5	6.2	0.9-11.5	7	6.7	1.6-11.8	2	2.1	0.0- 5.0	2	2.6	0.0- 6.1	3	3.7	0.0- 7.8
25-34	262	50,593	228	85.6	80.7-90.5	6	2.6	0.4- 4.8	15	7.1	3.4-10.8	6	1.9	0.3- 3.5				7	2.8	0.6- 5.0
35-44	309	42,130	282	88.7	84.2-93.2	2	0.7	0.0- 1.7	15	5.5	2.2- 8.8	4	2.5	0.1- 4.9	1	0.3	0.0- 0.9	5	2.3	0.1- 4.5
45-54	397	39,155	368	91.3	88.0-94.6	3	1.2	0.0- 2.8	19	5.0	2.5- 7.5	2	0.5	0.0- 1.3				5	2.0	0.2- 3.8
55-64	692	46,743	663	93.6	90.9-96.3	1	0.2	0.0- 0.6	23	4.8	2.4- 7.2							5	1.4	0.2- 2.6
65+	1281	61,255	1248	96.7	95.3-98.1				23	2.6	1.4- 3.8	4	0.2	0.0- 0.4				6	0.5	0.1- 0.9
Less Than H.S.	159	22,195	135	76.6	66.6-86.6	4	5.5	0.0-11.4	19	17.8	9.0-26.6	1	0.1	0.0- 0.3						
H.S. or G.E.D.	826	66,325	789	89.3	85.0-93.6	2	1.1	0.0- 2.9	24	5.0	2.5- 7.5	3	1.4	0.0- 3.2	2	1.7	0.0- 4.1	6	1.6	0.0- 3.4
Some Post-H.S.	1040	117,891	987	90.5	87.6-93.4	6	1.9	0.3- 3.5	33	4.8	2.8- 6.8	1	0.2	0.0- 0.6				13	2.6	1.0- 4.2
College Graduate	1050	79,005	992	92.3	89.9-94.7	5	0.8	0.0- 1.6	26	2.1	1.1- 3.1	14	2.6	0.8- 4.4	1	0.2	0.0- 0.6	12	2.0	0.6- 3.4
Less than \$15,000	198	20,657	165	72.7	62.5-82.9	4	5.1	0.0-10.8	25	19.8	10.4-29.2	1	0.1	0.0- 0.3				3	2.2	0.0- 4.7
\$15,000- 24,999	376	34,510	345	82.9	76.2-89.6	3	2.4	0.0- 5.3	21	9.7	5.2-14.2	1	1.4	0.0- 4.1				6	3.7	0.0- 7.8
\$25,000- 34,999	308	27,101	291	87.4	80.1-94.7	1	1.0	0.0- 3.0	11	6.9	1.8-12.0				1	2.1	0.0- 6.0	4	2.7	0.0- 6.4
\$35,000- 49,999	407	36,805	385	91.7	87.4-96.0	1	0.4	0.0- 1.2	11	3.0	0.3- 5.7	5	2.4	0.0- 4.8				5	2.5	0.0- 5.0
\$50,000- 74,999	471	41,391	455	95.7	92.8-98.6	1	0.3	0.0- 0.9	11	1.8	0.6- 3.0				1	1.3	0.0- 3.8	3	0.9	0.0- 2.1
\$75,000+	863	84,088	834	94.9	92.7-97.1	1	0.1	0.0- 0.3	10	1.7	0.3- 3.1	8	1.0	0.0- 2.0	1	0.2	0.0- 0.6	9	2.0	0.6- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5662	582,901	5261	87.7	86.3-89.1	55	2.2	1.6- 2.8	175	4.6	3.8- 5.4	39	1.2	0.8- 1.6	59	1.9	1.3- 2.5	73	2.3	1.7- 2.9
Male	2592	297,616	2385	87.7	85.9-89.5	38	2.7	1.7- 3.7	75	3.8	2.8- 4.8	21	1.3	0.7- 1.9	31	2.1	1.1- 3.1	42	2.4	1.6- 3.2
Female	3070	285,285	2876	87.8	85.6-90.0	17	1.7	0.7- 2.7	100	5.4	4.0- 6.8	18	1.2	0.6- 1.8	28	1.8	1.0- 2.6	31	2.2	1.2- 3.2
18-24	267	90,910	209	74.9	69.0-80.8	14	6.3	3.0- 9.6	16	6.7	3.4-10.0	8	2.6	0.6- 4.6	9	4.5	1.6- 7.4	11	5.1	1.8- 8.4
25-34	591	109,725	505	83.4	80.1-86.7	15	3.1	1.5- 4.7	31	6.5	4.1- 8.9	17	2.4	1.2- 3.6	9	1.7	0.5- 2.9	14	2.9	1.3- 4.5
35-44	588	88,419	527	87.8	84.7-90.9	8	1.6	0.4- 2.8	24	4.3	2.3- 6.3	7	1.6	0.4- 2.8	11	2.7	0.9- 4.5	11	1.9	0.7- 3.1
45-54	796	81,656	726	89.6	87.1-92.1	11	2.1	0.7- 3.5	33	4.2	2.6- 5.8	3	0.4	0.0- 0.8	10	1.5	0.5- 2.5	13	2.2	1.0- 3.4
55-64	1337	94,715	1270	93.0	91.0-95.0	6	0.7	0.1- 1.3	39	3.9	2.5- 5.3				12	1.4	0.6- 2.2	10	1.0	0.2- 1.8
65+	2024	112,162	1967	96.3	95.1-97.5	1	0.1	0.0- 0.3	31	2.1	1.1- 3.1	3	0.1	0.1- 0.1	8	0.4	0.0- 0.8	14	1.0	0.4- 1.6
Less Than H.S.	317	48,777	273	72.8	65.2-80.4	7	4.9	1.2- 8.6	22	11.0	6.1-15.9	2	1.6	0.0- 4.0	3	2.5	0.0- 5.4	10	7.1	1.8-12.4
H.S. or G.E.D.	1622	155,293	1497	85.4	82.7-88.1	20	2.9	1.5- 4.3	58	6.0	4.0- 8.0	7	1.1	0.1- 2.1	17	2.3	0.9- 3.7	23	2.2	1.2- 3.2
Some Post-H.S.	1861	232,902	1750	90.5	88.5-92.5	16	1.8	0.8- 2.8	58	4.1	2.9- 5.3	2	0.2	0.0- 0.4	19	1.8	0.8- 2.8	16	1.6	0.8- 2.4
College Graduate	1847	144,946	1726	90.8	89.0-92.6	12	1.2	0.4- 2.0	37	1.7	1.1- 2.3	28	2.8	1.6- 4.0	20	1.5	0.7- 2.3	24	1.9	1.1- 2.7
Less than \$15,000	306	36,059	242	66.2	58.2-74.2	6	5.4	0.7-10.1	37	17.0	10.5-23.5	3	2.0	0.0- 4.9	10	5.9	1.8-10.0	8	3.4	0.9- 5.9
\$15,000- 24,999	613	63,434	545	79.3	74.0-84.6	11	4.3	1.6- 7.0	32	7.9	4.8-11.0	5	1.8	0.0- 3.6	10	3.5	0.8- 6.2	10	3.1	0.2- 6.0
\$25,000- 34,999	525	55,603	475	81.5	76.2-86.8	11	4.7	1.8- 7.6	23	7.6	3.9-11.3	3	0.7	0.0- 1.5	8	3.2	0.5- 5.9	5	2.3	0.1- 4.5
\$35,000- 49,999	797	80,309	745	89.9	86.8-93.0	7	1.2	0.2- 2.2	20	3.1	1.3- 4.9	7	1.7	0.3- 3.1	8	1.8	0.2- 3.4	10	2.3	0.5- 4.1
\$50,000- 74,999	935	94,861	883	92.3	89.8-94.8	4	0.6	0.0- 1.2	24	2.9	1.3- 4.5	3	0.7	0.0- 1.5	6	0.9	0.1- 1.7	15	2.6	1.2- 4.0
\$75,000+	1806	185,545	1734	94.3	92.7-95.9	6	0.5	0.1- 0.9	24	1.6	0.8- 2.4	12	0.7	0.3- 1.1	14	1.3	0.5- 2.1	16	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2592	297,616	2385	87.7	85.9-89.5	38	2.7	1.7- 3.7	75	3.8	2.8- 4.8	21	1.3	0.7- 1.9	31	2.1	1.1- 3.1	42	2.4	1.6- 3.2
18-24	167	48,669	133	77.5	70.4-84.6	9	6.3	2.2-10.4	7	4.5	1.2- 7.8	6	3.1	0.4- 5.8	6	5.1	1.0- 9.2	6	3.6	0.7- 6.5
25-34	330	59,432	280	82.2	77.5-86.9	9	3.6	1.2- 6.0	16	5.8	2.9- 8.7	11	2.9	1.1- 4.7	4	1.6	0.0- 3.2	10	3.8	1.4- 6.2
35-44	280	46,450	250	88.6	84.3-92.9	6	2.4	0.4- 4.4	8	2.9	0.7- 5.1	3	0.8	0.0- 1.8	6	3.1	0.4- 5.8	7	2.1	0.5- 3.7
45-54	397	42,126	359	88.9	85.4-92.4	8	3.0	0.8- 5.2	16	4.1	1.9- 6.3	1	0.3	0.0- 0.9	5	1.0	0.0- 2.0	8	2.6	0.6- 4.6
55-64	645	47,802	612	93.4	91.0-95.8	5	1.1	0.1- 2.1	16	3.0	1.4- 4.6				7	1.5	0.3- 2.7	5	1.0	0.0- 2.0
65+	757	51,618	736	96.3	94.5-98.1	1	0.2	0.0- 0.6	11	2.0	0.6- 3.4				3	0.4	0.0- 0.8	6	1.1	0.1- 2.1
Less Than H.S.	161	26,584	143	78.8	69.6-88.0	3	4.4	0.0- 9.3	6	6.3	1.0-11.6	2	3.0	0.0- 7.3	3	4.6	0.0-10.1	4	2.9	0.0- 6.0
H.S. or G.E.D.	803	89,420	723	83.4	79.7-87.1	18	4.2	2.0- 6.4	32	5.5	3.3- 7.7	4	0.9	0.0- 1.9	12	3.2	1.2- 5.2	14	2.8	1.2- 4.4
Some Post-H.S.	821	114,783	772	92.2	89.8-94.6	10	1.8	0.6- 3.0	25	3.3	1.7- 4.9	1	0.1	0.0- 0.3	6	1.0	0.0- 2.0	7	1.5	0.3- 2.7
College Graduate	801	66,340	741	89.1	86.4-91.8	7	1.7	0.3- 3.1	12	1.4	0.4- 2.4	14	3.1	1.5- 4.7	10	1.5	0.5- 2.5	17	3.2	1.6- 4.8
Less than \$15,000	110	15,234	81	60.1	47.8-72.4	2	5.8	0.0-13.6	14	14.6	6.2-23.0	2	4.6	0.0-11.5	7	11.1	2.1-20.1	4	3.8	0.0- 7.7
\$15,000- 24,999	238	29,151	207	80.4	73.5-87.3	8	6.5	1.8-11.2	11	5.8	1.9- 9.7	4	2.3	0.0- 4.7	5	3.5	0.0- 7.0	3	1.5	0.0- 3.5
\$25,000- 34,999	220	28,594	189	77.2	69.6-84.8	10	8.1	2.8-13.4	11	6.4	2.3-10.5	3	1.4	0.0- 3.0	4	3.6	0.0- 7.3	3	3.2	0.0- 6.9
\$35,000- 49,999	392	43,588	364	89.8	85.9-93.7	6	2.0	0.4- 3.6	10	3.3	1.1- 5.5	3	1.1	0.0- 2.5	3	1.2	0.0- 3.0	6	2.5	0.3- 4.7
\$50,000- 74,999	464	53,470	433	90.7	87.2-94.2	3	0.9	0.0- 1.9	12	2.7	0.7- 4.7	3	1.3	0.0- 2.9	3	0.8	0.0- 2.0	10	3.5	1.3- 5.7
\$75,000+	945	101,803	903	94.2	92.0-96.4	5	0.9	0.1- 1.7	14	1.5	0.7- 2.3	4	0.5	0.0- 1.1	7	1.2	0.0- 2.6	12	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3070	285,285	2876	87.8	85.6-90.0	17	1.7	0.7- 2.7	100	5.4	4.0- 6.8	18	1.2	0.6- 1.8	28	1.8	1.0- 2.6	31	2.2	1.2- 3.2
18-24	100	42,241	76	71.8	62.0-81.6	5	6.2	0.9-11.5	9	9.3	3.2-15.4	2	2.1	0.0- 5.0	3	3.7	0.0- 7.8	5	6.8	0.7-12.9
25-34	261	50,293	225	84.9	80.0-89.8	6	2.6	0.4- 4.8	15	7.2	3.5-10.9	6	1.9	0.3- 3.5	5	1.7	0.1- 3.3	4	1.7	0.0- 3.5
35-44	308	41,970	277	87.0	82.3-91.7	2	0.7	0.0- 1.7	16	5.9	2.6- 9.2	4	2.5	0.1- 4.9	5	2.3	0.1- 4.5	4	1.7	0.0- 3.5
45-54	399	39,530	367	90.2	86.7-93.7	3	1.2	0.0- 2.8	17	4.4	2.0- 6.8	2	0.5	0.0- 1.3	5	2.0	0.2- 3.8	5	1.8	0.2- 3.4
55-64	692	46,913	658	92.5	89.6-95.4	1	0.2	0.0- 0.6	23	4.8	2.4- 7.2				5	1.4	0.2- 2.6	5	1.1	0.0- 2.3
65+	1267	60,545	1231	96.3	94.7-97.9				20	2.2	1.0- 3.4	3	0.1	0.0- 0.3	5	0.4	0.0- 0.8	8	0.9	0.1- 1.7
Less Than H.S.	156	22,193	130	65.7	53.4-78.0	4	5.5	0.0-11.4	16	16.7	7.9-25.5				6	12.2	1.6-22.8			
H.S. or G.E.D.	819	65,873	774	88.1	83.8-92.4	2	1.1	0.0- 2.9	26	6.7	3.4-10.0	3	1.5	0.0- 3.3	5	1.3	0.0- 2.9	9	1.4	0.2- 2.6
Some Post-H.S.	1040	118,118	978	88.9	85.8-92.0	6	1.9	0.3- 3.5	33	4.8	2.8- 6.8	1	0.2	0.0- 0.6	13	2.6	1.0- 4.2	9	1.6	0.4- 2.8
College Graduate	1046	78,607	985	92.1	89.7-94.5	5	0.8	0.0- 1.6	25	2.0	1.0- 3.0	14	2.6	0.8- 4.4	10	1.5	0.3- 2.7	7	0.9	0.1- 1.7
Less than \$15,000	196	20,826	161	70.6	60.4-80.8	4	5.1	0.0-10.8	23	18.8	9.4-28.2	1	0.1	0.0- 0.3	3	2.2	0.0- 4.7	4	3.1	0.0- 6.2
\$15,000- 24,999	375	34,283	338	78.4	70.6-86.2	3	2.4	0.0- 5.3	21	9.7	5.2-14.2	1	1.4	0.0- 4.1	5	3.6	0.0- 7.7	7	4.5	0.0- 9.8
\$25,000- 34,999	305	27,009	286	86.0	78.6-93.4	1	1.0	0.0- 3.0	12	9.0	2.7-15.3				4	2.7	0.0- 6.4	2	1.3	0.0- 3.3
\$35,000- 49,999	405	36,721	381	90.0	84.9-95.1	1	0.4	0.0- 1.2	10	2.8	0.1- 5.5	4	2.3	0.0- 4.7	5	2.5	0.0- 5.0	4	2.0	0.0- 4.9
\$50,000- 74,999	471	41,391	450	94.5	91.2-97.8	1	0.3	0.0- 0.9	12	3.1	0.4- 5.8				3	0.9	0.0- 2.1	5	1.3	0.0- 2.9
\$75,000+	861	83,742	831	94.4	92.0-96.8	1	0.1	0.0- 0.3	10	1.7	0.3- 3.1	8	1.1	0.1- 2.1	7	1.4	0.2- 2.6	4	1.3	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5662	582,901	5261	87.7	86.3-89.1	401	12.3	10.9-13.7
Male	2592	297,616	2385	87.7	85.9-89.5	207	12.3	10.5-14.1
Female	3070	285,285	2876	87.8	85.6-90.0	194	12.2	10.0-14.4
18-24	267	90,910	209	74.9	69.0-80.8	58	25.1	19.2-31.0
25-34	591	109,725	505	83.4	80.1-86.7	86	16.6	13.3-19.9
35-44	588	88,419	527	87.8	84.7-90.9	61	12.2	9.1-15.3
45-54	796	81,656	726	89.6	87.1-92.1	70	10.4	7.9-12.9
55-64	1337	94,715	1270	93.0	91.0-95.0	67	7.0	5.0- 9.0
65+	2024	112,162	1967	96.3	95.1-97.5	57	3.7	2.5- 4.9
Less Than H.S.	317	48,777	273	72.8	65.2-80.4	44	27.2	19.6-34.8
H.S. or G.E.D.	1622	155,293	1497	85.4	82.7-88.1	125	14.6	11.9-17.3
Some Post-H.S.	1861	232,902	1750	90.5	88.5-92.5	111	9.5	7.5-11.5
College Graduate	1847	144,946	1726	90.8	89.0-92.6	121	9.2	7.4-11.0
Less than \$15,000	306	36,059	242	66.2	58.2-74.2	64	33.8	25.8-41.8
\$15,000- 24,999	613	63,434	545	79.3	74.0-84.6	68	20.7	15.4-26.0
\$25,000- 34,999	525	55,603	475	81.5	76.2-86.8	50	18.5	13.2-23.8
\$35,000- 49,999	797	80,309	745	89.9	86.8-93.0	52	10.1	7.0-13.2
\$50,000- 74,999	935	94,861	883	92.3	89.8-94.8	52	7.7	5.2-10.2
\$75,000+	1806	185,545	1734	94.3	92.7-95.9	72	5.7	4.1- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2592	297,616	2385	87.7	85.9-89.5	207	12.3	10.5-14.1
18-24	167	48,669	133	77.5	70.4-84.6	34	22.5	15.4-29.6
25-34	330	59,432	280	82.2	77.5-86.9	50	17.8	13.1-22.5
35-44	280	46,450	250	88.6	84.3-92.9	30	11.4	7.1-15.7
45-54	397	42,126	359	88.9	85.4-92.4	38	11.1	7.6-14.6
55-64	645	47,802	612	93.4	91.0-95.8	33	6.6	4.2- 9.0
65+	757	51,618	736	96.3	94.5-98.1	21	3.7	1.9- 5.5
Less Than H.S.	161	26,584	143	78.8	69.6-88.0	18	21.2	12.0-30.4
H.S. or G.E.D.	803	89,420	723	83.4	79.7-87.1	80	16.6	12.9-20.3
Some Post-H.S.	821	114,783	772	92.2	89.8-94.6	49	7.8	5.4-10.2
College Graduate	801	66,340	741	89.1	86.4-91.8	60	10.9	8.2-13.6
Less than \$15,000	110	15,234	81	60.1	47.8-72.4	29	39.9	27.6-52.2
\$15,000- 24,999	238	29,151	207	80.4	73.5-87.3	31	19.6	12.7-26.5
\$25,000- 34,999	220	28,594	189	77.2	69.6-84.8	31	22.8	15.2-30.4
\$35,000- 49,999	392	43,588	364	89.8	85.9-93.7	28	10.2	6.3-14.1
\$50,000- 74,999	464	53,470	433	90.7	87.2-94.2	31	9.3	5.8-12.8
\$75,000+	945	101,803	903	94.2	92.0-96.4	42	5.8	3.6- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3070	285,285	2876	87.8	85.6-90.0	194	12.2	10.0-14.4
18-24	100	42,241	76	71.8	62.0-81.6	24	28.2	18.4-38.0
25-34	261	50,293	225	84.9	80.0-89.8	36	15.1	10.2-20.0
35-44	308	41,970	277	87.0	82.3-91.7	31	13.0	8.3-17.7
45-54	399	39,530	367	90.2	86.7-93.7	32	9.8	6.3-13.3
55-64	692	46,913	658	92.5	89.6-95.4	34	7.5	4.6-10.4
65+	1267	60,545	1231	96.3	94.7-97.9	36	3.7	2.1- 5.3
Less Than H.S.	156	22,193	130	65.7	53.4-78.0	26	34.3	22.0-46.6
H.S. or G.E.D.	819	65,873	774	88.1	83.8-92.4	45	11.9	7.6-16.2
Some Post-H.S.	1040	118,118	978	88.9	85.8-92.0	62	11.1	8.0-14.2
College Graduate	1046	78,607	985	92.1	89.7-94.5	61	7.9	5.5-10.3
Less than \$15,000	196	20,826	161	70.6	60.4-80.8	35	29.4	19.2-39.6
\$15,000- 24,999	375	34,283	338	78.4	70.6-86.2	37	21.6	13.8-29.4
\$25,000- 34,999	305	27,009	286	86.0	78.6-93.4	19	14.0	6.6-21.4
\$35,000- 49,999	405	36,721	381	90.0	84.9-95.1	24	10.0	4.9-15.1
\$50,000- 74,999	471	41,391	450	94.5	91.2-97.8	21	5.5	2.2- 8.8
\$75,000+	861	83,742	831	94.4	92.0-96.8	30	5.6	3.2- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5662	582,901	5261	87.7	86.3-89.1	55	2.2	1.6- 2.8	217	5.9	4.9- 6.9	56	1.9	1.3- 2.5	73	2.3	1.7- 2.9
Male	2592	297,616	2385	87.7	85.9-89.5	38	2.7	1.7- 3.7	97	5.1	3.9- 6.3	30	2.1	1.1- 3.1	42	2.4	1.6- 3.2
Female	3070	285,285	2876	87.8	85.6-90.0	17	1.7	0.7- 2.7	120	6.7	5.1- 8.3	26	1.7	0.9- 2.5	31	2.2	1.2- 3.2
18-24	267	90,910	209	74.9	69.0-80.8	14	6.3	3.0- 9.6	24	9.4	5.5-13.3	9	4.5	1.6- 7.4	11	5.1	1.8- 8.4
25-34	591	109,725	505	83.4	80.1-86.7	15	3.1	1.5- 4.7	49	9.2	6.5-11.9	8	1.4	0.4- 2.4	14	2.9	1.3- 4.5
35-44	588	88,419	527	87.8	84.7-90.9	8	1.6	0.4- 2.8	32	6.0	3.6- 8.4	10	2.6	0.8- 4.4	11	1.9	0.7- 3.1
45-54	796	81,656	726	89.6	87.1-92.1	11	2.1	0.7- 3.5	36	4.6	3.0- 6.2	10	1.5	0.5- 2.5	13	2.2	1.0- 3.4
55-64	1337	94,715	1270	93.0	91.0-95.0	6	0.7	0.1- 1.3	39	3.9	2.5- 5.3	12	1.4	0.6- 2.2	10	1.0	0.2- 1.8
65+	2024	112,162	1967	96.3	95.1-97.5	1	0.1	0.0- 0.3	35	2.3	1.3- 3.3	7	0.3	0.1- 0.5	14	1.0	0.4- 1.6
Less Than H.S.	317	48,777	273	72.8	65.2-80.4	7	4.9	1.2- 8.6	24	12.6	7.3-17.9	3	2.5	0.0- 5.4	10	7.1	1.8-12.4
H.S. or G.E.D.	1622	155,293	1497	85.4	82.7-88.1	20	2.9	1.5- 4.3	65	7.1	4.9- 9.3	17	2.3	0.9- 3.7	23	2.2	1.2- 3.2
Some Post-H.S.	1861	232,902	1750	90.5	88.5-92.5	16	1.8	0.8- 2.8	61	4.4	3.0- 5.8	18	1.7	0.7- 2.7	16	1.6	0.8- 2.4
College Graduate	1847	144,946	1726	90.8	89.0-92.6	12	1.2	0.4- 2.0	67	4.7	3.3- 6.1	18	1.4	0.6- 2.2	24	1.9	1.1- 2.7
Less than \$15,000	306	36,059	242	66.2	58.2-74.2	6	5.4	0.7-10.1	40	19.1	12.2-26.0	10	5.9	1.8-10.0	8	3.4	0.9- 5.9
\$15,000- 24,999	613	63,434	545	79.3	74.0-84.6	11	4.3	1.6- 7.0	38	10.2	6.7-13.7	9	3.1	0.4- 5.8	10	3.1	0.2- 6.0
\$25,000- 34,999	525	55,603	475	81.5	76.2-86.8	11	4.7	1.8- 7.6	26	8.4	4.5-12.3	8	3.2	0.5- 5.9	5	2.3	0.1- 4.5
\$35,000- 49,999	797	80,309	745	89.9	86.8-93.0	7	1.2	0.2- 2.2	27	4.8	2.6- 7.0	8	1.8	0.2- 3.4	10	2.3	0.5- 4.1
\$50,000- 74,999	935	94,861	883	92.3	89.8-94.8	4	0.6	0.0- 1.2	28	3.7	1.9- 5.5	5	0.8	0.0- 1.6	15	2.6	1.2- 4.0
\$75,000+	1806	185,545	1734	94.3	92.7-95.9	6	0.5	0.1- 0.9	37	2.4	1.4- 3.4	13	1.2	0.4- 2.0	16	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2592	297,616	2385	87.7	85.9-89.5	38	2.7	1.7- 3.7	97	5.1	3.9- 6.3	30	2.1	1.1- 3.1	42	2.4	1.6- 3.2
18-24	167	48,669	133	77.5	70.4-84.6	9	6.3	2.2-10.4	13	7.6	3.3-11.9	6	5.1	1.0- 9.2	6	3.6	0.7- 6.5
25-34	330	59,432	280	82.2	77.5-86.9	9	3.6	1.2- 6.0	27	8.8	5.5-12.1	4	1.6	0.0- 3.2	10	3.8	1.4- 6.2
35-44	280	46,450	250	88.6	84.3-92.9	6	2.4	0.4- 4.4	11	3.7	1.3- 6.1	6	3.1	0.4- 5.8	7	2.1	0.5- 3.7
45-54	397	42,126	359	88.9	85.4-92.4	8	3.0	0.8- 5.2	17	4.4	2.2- 6.6	5	1.0	0.0- 2.0	8	2.6	0.6- 4.6
55-64	645	47,802	612	93.4	91.0-95.8	5	1.1	0.1- 2.1	16	3.0	1.4- 4.6	7	1.5	0.3- 2.7	5	1.0	0.0- 2.0
65+	757	51,618	736	96.3	94.5-98.1	1	0.2	0.0- 0.6	12	2.2	0.8- 3.6	2	0.2	0.0- 0.6	6	1.1	0.1- 2.1
Less Than H.S.	161	26,584	143	78.8	69.6-88.0	3	4.4	0.0- 9.3	8	9.3	2.8-15.8	3	4.6	0.0-10.1	4	2.9	0.0- 6.0
H.S. or G.E.D.	803	89,420	723	83.4	79.7-87.1	18	4.2	2.0- 6.4	36	6.4	4.0- 8.8	12	3.2	1.2- 5.2	14	2.8	1.2- 4.4
Some Post-H.S.	821	114,783	772	92.2	89.8-94.6	10	1.8	0.6- 3.0	26	3.4	1.8- 5.0	6	1.0	0.0- 2.0	7	1.5	0.3- 2.7
College Graduate	801	66,340	741	89.1	86.4-91.8	7	1.7	0.3- 3.1	27	4.6	2.8- 6.4	9	1.4	0.4- 2.4	17	3.2	1.6- 4.8
Less than \$15,000	110	15,234	81	60.1	47.8-72.4	2	5.8	0.0-13.6	16	19.2	9.0-29.4	7	11.1	2.1-20.1	4	3.8	0.0- 7.7
\$15,000- 24,999	238	29,151	207	80.4	73.5-87.3	8	6.5	1.8-11.2	15	8.1	3.6-12.6	5	3.5	0.0- 7.0	3	1.5	0.0- 3.5
\$25,000- 34,999	220	28,594	189	77.2	69.6-84.8	10	8.1	2.8-13.4	14	7.8	3.5-12.1	4	3.6	0.0- 7.3	3	3.2	0.0- 6.9
\$35,000- 49,999	392	43,588	364	89.8	85.9-93.7	6	2.0	0.4- 3.6	13	4.5	2.0- 7.0	3	1.2	0.0- 3.0	6	2.5	0.3- 4.7
\$50,000- 74,999	464	53,470	433	90.7	87.2-94.2	3	0.9	0.0- 1.9	16	4.2	1.7- 6.7	2	0.7	0.0- 1.9	10	3.5	1.3- 5.7
\$75,000+	945	101,803	903	94.2	92.0-96.4	5	0.9	0.1- 1.7	18	2.0	1.0- 3.0	7	1.2	0.0- 2.6	12	1.7	0.5- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3070	285,285	2876	87.8	85.6-90.0	17	1.7	0.7- 2.7	120	6.7	5.1- 8.3	26	1.7	0.9- 2.5	31	2.2	1.2- 3.2
18-24	100	42,241	76	71.8	62.0-81.6	5	6.2	0.9-11.5	11	11.4	4.7-18.1	3	3.7	0.0- 7.8	5	6.8	0.7-12.9
25-34	261	50,293	225	84.9	80.0-89.8	6	2.6	0.4- 4.8	22	9.6	5.5-13.7	4	1.2	0.0- 2.4	4	1.7	0.0- 3.5
35-44	308	41,970	277	87.0	82.3-91.7	2	0.7	0.0- 1.7	21	8.6	4.5-12.7	4	2.0	0.0- 4.0	4	1.7	0.0- 3.5
45-54	399	39,530	367	90.2	86.7-93.7	3	1.2	0.0- 2.8	19	4.9	2.5- 7.3	5	2.0	0.2- 3.8	5	1.8	0.2- 3.4
55-64	692	46,913	658	92.5	89.6-95.4	1	0.2	0.0- 0.6	23	4.8	2.4- 7.2	5	1.4	0.2- 2.6	5	1.1	0.0- 2.3
65+	1267	60,545	1231	96.3	94.7-97.9				23	2.3	1.1- 3.5	5	0.4	0.0- 0.8	8	0.9	0.1- 1.7
Less Than H.S.	156	22,193	130	65.7	53.4-78.0	4	5.5	0.0-11.4	16	16.7	7.9-25.5				6	12.2	1.6-22.8
H.S. or G.E.D.	819	65,873	774	88.1	83.8-92.4	2	1.1	0.0- 2.9	29	8.1	4.4-11.8	5	1.3	0.0- 2.9	9	1.4	0.2- 2.6
Some Post-H.S.	1040	118,118	978	88.9	85.8-92.0	6	1.9	0.3- 3.5	35	5.3	3.1- 7.5	12	2.4	0.8- 4.0	9	1.6	0.4- 2.8
College Graduate	1046	78,607	985	92.1	89.7-94.5	5	0.8	0.0- 1.6	40	4.8	2.8- 6.8	9	1.4	0.2- 2.6	7	0.9	0.1- 1.7
Less than \$15,000	196	20,826	161	70.6	60.4-80.8	4	5.1	0.0-10.8	24	19.0	9.6-28.4	3	2.2	0.0- 4.7	4	3.1	0.0- 6.2
\$15,000- 24,999	375	34,283	338	78.4	70.6-86.2	3	2.4	0.0- 5.3	23	11.9	6.6-17.2	4	2.7	0.0- 6.4	7	4.5	0.0- 9.8
\$25,000- 34,999	305	27,009	286	86.0	78.6-93.4	1	1.0	0.0- 3.0	12	9.0	2.7-15.3	4	2.7	0.0- 6.4	2	1.3	0.0- 3.3
\$35,000- 49,999	405	36,721	381	90.0	84.9-95.1	1	0.4	0.0- 1.2	14	5.2	1.7- 8.7	5	2.5	0.0- 5.0	4	2.0	0.0- 4.9
\$50,000- 74,999	471	41,391	450	94.5	91.2-97.8	1	0.3	0.0- 0.9	12	3.1	0.4- 5.8	3	0.9	0.0- 2.1	5	1.3	0.0- 2.9
\$75,000+	861	83,742	831	94.4	92.0-96.8	1	0.1	0.0- 0.3	19	2.9	1.3- 4.5	6	1.3	0.3- 2.3	4	1.3	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5676	585,052	557	24.9	23.1-26.7	632	18.2	16.8-19.6	614	12.7	11.5-13.9	1098	16.1	15.1-17.1	1345	14.7	13.7-15.7	1430	13.4	12.6-14.2
Male	2616	300,839	341	26.6	24.2-29.0	312	18.4	16.4-20.4	304	13.2	11.6-14.8	532	15.5	14.1-16.9	634	15.1	13.7-16.5	493	11.2	10.0-12.4
Female	3060	284,214	216	23.0	20.3-25.7	320	18.1	16.1-20.1	310	12.2	10.6-13.8	566	16.7	15.1-18.3	711	14.2	13.0-15.4	937	15.7	14.5-16.9
Native	165	24,200	26	31.3	21.3-41.3	28	25.0	16.0-34.0	23	11.4	6.3-16.5	40	16.4	10.5-22.3	29	10.0	5.7-14.3	19	5.8	2.5- 9.1
Non-Native	5438	553,388	523	24.7	22.7-26.7	594	17.9	16.5-19.3	585	12.8	11.6-14.0	1050	16.1	15.1-17.1	1297	14.8	13.8-15.8	1389	13.6	12.8-14.4
Less Than H.S.	323	49,367	45	36.7	28.7-44.7	13	8.2	3.7-12.7	12	5.3	2.2- 8.4	46	13.7	9.4-18.0	36	8.2	5.3-11.1	171	27.9	22.6-33.2
H.S. or G.E.D.	1633	156,575	181	29.3	25.8-32.8	135	14.7	12.3-17.1	121	9.4	7.6-11.2	333	16.7	14.7-18.7	356	14.4	12.6-16.2	507	15.5	13.9-17.1
Some Post-H.S.	1861	232,772	171	23.1	20.0-26.2	197	18.2	15.8-20.6	202	13.4	11.4-15.4	383	17.2	15.4-19.0	478	16.1	14.5-17.7	430	11.9	10.5-13.3
College Graduate	1847	145,618	160	19.0	16.3-21.7	287	25.6	22.9-28.3	278	17.8	15.6-20.0	335	14.4	12.6-16.2	474	15.0	13.4-16.6	313	8.1	7.1- 9.1
Less than \$15,000	313	36,612	40	32.8	24.6-41.0	24	11.3	6.6-16.0	24	9.6	5.1-14.1	46	14.8	10.1-19.5	70	13.6	9.7-17.5	109	17.8	13.7-21.9
\$15,000- 24,999	619	64,273	66	31.6	25.3-37.9	33	10.1	6.6-13.6	39	8.2	5.3-11.1	73	10.7	8.0-13.4	125	13.2	10.5-15.9	283	26.2	22.3-30.1
\$25,000- 34,999	528	55,755	68	33.5	27.2-39.8	48	17.0	12.3-21.7	26	5.8	3.3- 8.3	70	11.3	8.4-14.2	123	14.9	11.8-18.0	193	17.5	14.4-20.6
\$35,000- 49,999	798	80,373	85	28.0	22.9-33.1	75	16.5	12.8-20.2	67	11.0	8.1-13.9	132	14.3	11.6-17.0	199	15.4	12.9-17.9	240	14.8	12.4-17.2
\$50,000- 74,999	936	95,170	106	25.8	21.5-30.1	114	19.0	15.5-22.5	82	9.8	7.4-12.2	211	18.4	15.7-21.1	258	16.8	14.4-19.2	165	10.2	8.4-12.0
\$75,000+	1812	186,654	123	14.3	11.8-16.8	306	26.5	23.8-29.2	327	20.2	18.0-22.4	452	19.7	17.7-21.7	437	14.7	13.1-16.3	167	4.6	3.8- 5.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2616	300,839	341	26.6	24.2-29.0	312	18.4	16.4-20.4	304	13.2	11.6-14.8	532	15.5	14.1-16.9	634	15.1	13.7-16.5	493	11.2	10.0-12.4
Native	68	10,100	11	28.5	14.4-42.6	12	26.8	13.3-40.3	11	11.9	4.5-19.3	16	14.4	6.6-22.2	14	15.3	6.7-23.9	4	3.0	0.0- 6.3
Non-Native	2508	285,997	322	26.5	24.0-29.0	294	18.1	16.1-20.1	290	13.4	11.8-15.0	510	15.6	14.0-17.2	609	15.0	13.6-16.4	483	11.5	10.3-12.7
Less Than H.S.	164	26,868	27	34.1	24.3-43.9	8	8.8	2.7-14.9	9	6.3	2.2-10.4	30	15.3	9.4-21.2	25	11.0	6.5-15.5	65	24.4	17.9-30.9
H.S. or G.E.D.	816	91,165	120	30.5	26.0-35.0	84	16.6	13.3-19.9	78	11.4	8.7-14.1	188	16.5	14.0-19.0	185	14.4	12.2-16.6	161	10.5	8.7-12.3
Some Post-H.S.	828	115,534	101	24.8	20.7-28.9	102	19.4	15.9-22.9	99	14.0	11.3-16.7	178	16.3	13.8-18.8	213	15.9	13.5-18.3	135	9.6	7.8-11.4
College Graduate	802	66,783	93	21.7	17.8-25.6	118	22.9	19.2-26.6	118	17.3	14.2-20.4	135	12.8	10.4-15.2	210	16.3	13.9-18.7	128	9.0	7.2-10.8
Less than \$15,000	112	15,534	24	41.3	29.0-53.6	8	7.4	2.1-12.7	9	9.4	2.0-16.8	20	15.3	7.9-22.7	27	13.1	7.4-18.8	24	13.6	7.5-19.7
\$15,000- 24,999	243	29,721	39	34.7	26.3-43.1	15	9.3	4.6-14.0	20	8.8	4.9-12.7	33	10.4	6.5-14.3	55	16.3	11.6-21.0	81	20.5	15.4-25.6
\$25,000- 34,999	222	28,963	40	36.1	27.5-44.7	26	19.1	12.2-26.0	12	5.9	2.4- 9.4	33	10.4	6.3-14.5	50	13.8	9.5-18.1	61	14.6	10.5-18.7
\$35,000- 49,999	393	43,689	55	29.7	23.2-36.2	32	13.2	8.5-17.9	38	12.8	8.5-17.1	76	15.0	11.3-18.7	91	15.3	11.8-18.8	101	13.9	10.8-17.0
\$50,000- 74,999	468	53,801	71	28.4	22.5-34.3	62	21.0	16.1-25.9	40	10.3	7.0-13.6	96	15.3	12.0-18.6	117	14.6	11.7-17.5	82	10.4	7.9-12.9
\$75,000+	952	102,954	76	15.7	12.4-19.0	155	25.3	21.8-28.8	164	19.1	16.2-22.0	227	19.0	16.5-21.5	241	16.0	13.8-18.2	89	4.9	3.7- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3060	284,214	216	23.0	20.3-25.7	320	18.1	16.1-20.1	310	12.2	10.6-13.8	566	16.7	15.1-18.3	711	14.2	13.0-15.4	937	15.7	14.5-16.9
Native	97	14,100	15	33.2	19.3-47.1	16	23.7	11.7-35.7	12	11.1	4.2-18.0	24	17.9	9.5-26.3	15	6.3	2.6-10.0	15	7.8	2.7-12.9
Non-Native	2930	267,392	201	22.7	20.0-25.4	300	17.7	15.7-19.7	295	12.3	10.7-13.9	540	16.7	15.1-18.3	688	14.6	13.2-16.0	906	16.0	14.8-17.2
Less Than H.S.	159	22,499	18	39.8	26.7-52.9	5	7.5	0.8-14.2	3	4.0	0.0- 8.5	16	11.7	5.4-18.0	11	4.8	1.5- 8.1	106	32.1	23.5-40.7
H.S. or G.E.D.	817	65,410	61	27.6	21.9-33.3	51	12.1	8.8-15.4	43	6.6	4.4- 8.8	145	17.0	14.1-19.9	171	14.3	11.8-16.8	346	22.4	19.5-25.3
Some Post-H.S.	1033	117,238	70	21.5	17.0-26.0	95	16.9	13.6-20.2	103	12.9	10.4-15.4	205	18.2	15.5-20.9	265	16.3	14.1-18.5	295	14.3	12.3-16.3
College Graduate	1045	78,835	67	16.8	13.1-20.5	169	27.9	24.2-31.6	160	18.3	15.4-21.2	200	15.7	13.3-18.1	264	13.9	11.9-15.9	185	7.4	6.2- 8.6
Less than \$15,000	201	21,078	16	26.6	15.4-37.8	16	14.2	6.9-21.5	15	9.8	4.1-15.5	26	14.4	8.1-20.7	43	14.0	8.9-19.1	85	20.9	15.2-26.6
\$15,000- 24,999	376	34,552	27	28.9	19.7-38.1	18	10.9	5.8-16.0	19	7.8	3.7-11.9	40	11.0	6.9-15.1	70	10.5	7.4-13.6	202	31.0	25.1-36.9
\$25,000- 34,999	306	26,792	28	30.7	21.3-40.1	22	14.7	8.4-21.0	14	5.7	2.0- 9.4	37	12.1	7.6-16.6	73	16.1	11.6-20.6	132	20.7	16.0-25.4
\$35,000- 49,999	405	36,684	30	26.0	17.8-34.2	43	20.4	14.3-26.5	29	8.9	5.4-12.4	56	13.4	9.5-17.3	108	15.5	12.0-19.0	139	15.8	12.5-19.1
\$50,000- 74,999	468	41,368	35	22.5	16.0-29.0	52	16.5	12.0-21.0	42	9.1	6.2-12.0	115	22.4	18.1-26.7	141	19.6	15.9-23.3	83	9.9	7.5-12.3
\$75,000+	860	83,700	47	12.5	9.0-16.0	151	28.0	24.1-31.9	163	21.6	18.3-24.9	225	20.7	17.8-23.6	196	13.2	11.2-15.2	78	4.1	3.1- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5676	585,052	3624	80.6	79.6-81.6	2052	19.4	18.4-20.4
Male	2616	300,839	1851	82.7	81.3-84.1	765	17.3	15.9-18.7
Female	3060	284,214	1773	78.3	76.9-79.7	1287	21.7	20.3-23.1
Native	165	24,200	134	90.2	85.9-94.5	31	9.8	5.5-14.1
Non-Native	5438	553,388	3445	80.2	79.2-81.2	1993	19.8	18.8-20.8
Less Than H.S.	323	49,367	130	67.1	61.4-72.8	193	32.9	27.2-38.6
H.S. or G.E.D.	1633	156,575	961	78.6	76.6-80.6	672	21.4	19.4-23.4
Some Post-H.S.	1861	232,772	1216	81.8	80.2-83.4	645	18.2	16.6-19.8
College Graduate	1847	145,618	1315	85.6	84.2-87.0	532	14.4	13.0-15.8
Less than \$15,000	313	36,612	174	77.3	72.6-82.0	139	22.7	18.0-27.4
\$15,000- 24,999	619	64,273	261	67.0	62.7-71.3	358	33.0	28.7-37.3
\$25,000- 34,999	528	55,755	263	74.7	70.8-78.6	265	25.3	21.4-29.2
\$35,000- 49,999	798	80,373	457	78.2	75.3-81.1	341	21.8	18.9-24.7
\$50,000- 74,999	936	95,170	651	82.5	80.1-84.9	285	17.5	15.1-19.9
\$75,000+	1812	186,654	1489	90.8	89.6-92.0	323	9.2	8.0-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2616	300,839	1851	82.7	81.3-84.1	765	17.3	15.9-18.7
Native	68	10,100	57	89.6	82.7-96.5	11	10.4	3.5-17.3
Non-Native	2508	285,997	1762	82.3	80.9-83.7	746	17.7	16.3-19.1
Less Than H.S.	164	26,868	86	69.9	62.6-77.2	78	30.1	22.8-37.4
H.S. or G.E.D.	816	91,165	581	84.0	81.6-86.4	235	16.0	13.6-18.4
Some Post-H.S.	828	115,534	606	84.1	81.7-86.5	222	15.9	13.5-18.3
College Graduate	802	66,783	577	84.0	81.6-86.4	225	16.0	13.6-18.4
Less than \$15,000	112	15,534	79	82.6	75.7-89.5	33	17.4	10.5-24.3
\$15,000- 24,999	243	29,721	135	71.5	65.4-77.6	108	28.5	22.4-34.6
\$25,000- 34,999	222	28,963	134	78.1	72.8-83.4	88	21.9	16.6-27.2
\$35,000- 49,999	393	43,689	247	79.1	75.2-83.0	146	20.9	17.0-24.8
\$50,000- 74,999	468	53,801	333	83.1	80.0-86.2	135	16.9	13.8-20.0
\$75,000+	952	102,954	776	89.9	88.1-91.7	176	10.1	8.3-11.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3060	284,214	1773	78.3	76.9-79.7	1287	21.7	20.3-23.1
Native	97	14,100	77	90.6	85.3-95.9	20	9.4	4.1-14.7
Non-Native	2930	267,392	1683	77.9	76.5-79.3	1247	22.1	20.7-23.5
Less Than H.S.	159	22,499	44	63.7	54.3-73.1	115	36.3	26.9-45.7
H.S. or G.E.D.	817	65,410	380	71.1	67.8-74.4	437	28.9	25.6-32.2
Some Post-H.S.	1033	117,238	610	79.5	77.1-81.9	423	20.5	18.1-22.9
College Graduate	1045	78,835	738	86.9	85.1-88.7	307	13.1	11.3-14.9
Less than \$15,000	201	21,078	95	73.4	66.7-80.1	106	26.6	19.9-33.3
\$15,000- 24,999	376	34,552	126	63.0	56.5-69.5	250	37.0	30.5-43.5
\$25,000- 34,999	306	26,792	129	71.0	65.3-76.7	177	29.0	23.3-34.7
\$35,000- 49,999	405	36,684	210	77.2	72.9-81.5	195	22.8	18.5-27.1
\$50,000- 74,999	468	41,368	318	81.8	78.5-85.1	150	18.2	14.9-21.5
\$75,000+	860	83,700	713	91.9	90.3-93.5	147	8.1	6.5- 9.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5589	572,056	269	3.7	3.1- 4.3	2348	36.9	35.3-38.5	2422	47.2	45.4-49.0	549	12.2	11.0-13.4	1	0.0	0.0- 0.0
Male	2565	293,334	6	0.1	0.0- 0.3	229	9.2	7.8-10.6	1792	67.4	65.0-69.8	537	23.1	20.9-25.3	1	0.1	0.0- 0.3
Female	3024	278,721	263	7.4	6.0- 8.8	2119	66.1	63.6-68.6	630	25.8	23.4-28.2	12	0.7	0.1- 1.3			
Native	158	23,030	7	1.6	0.2- 3.0	67	43.5	33.5-53.5	67	43.3	33.5-53.1	17	11.6	5.5-17.7			
Non-Native	5359	541,271	258	3.7	2.9- 4.5	2255	36.8	35.0-38.6	2323	47.3	45.5-49.1	523	12.2	11.0-13.4			
18-24	261	88,715	6	3.8	0.9- 6.7	60	28.0	21.7-34.3	148	52.4	45.9-58.9	47	15.9	11.4-20.4			
25-34	579	106,682	8	1.6	0.4- 2.8	187	34.3	30.0-38.6	286	48.2	43.7-52.7	98	15.9	12.8-19.0			
35-44	576	86,504	13	2.5	0.9- 4.1	199	31.8	27.7-35.9	298	52.3	47.8-56.8	66	13.4	10.3-16.5			
45-54	784	80,184	21	2.3	1.1- 3.5	298	37.1	33.4-40.8	375	49.6	45.7-53.5	90	11.0	8.6-13.4			
55-64	1319	93,514	45	3.4	2.2- 4.6	539	40.5	37.6-43.4	596	44.7	41.8-47.6	138	11.3	9.3-13.3	1	0.2	0.0- 0.6
65+	2014	111,425	174	7.8	6.4- 9.2	1038	47.0	44.5-49.5	697	38.7	36.2-41.2	105	6.5	5.1- 7.9			
Less Than H.S.	309	47,060	36	9.1	4.6-13.6	128	39.6	32.2-47.0	133	46.9	39.3-54.5	12	4.4	1.5- 7.3			
H.S. or G.E.D.	1604	152,212	89	3.5	2.5- 4.5	679	36.1	33.0-39.2	693	48.6	45.5-51.7	142	11.7	9.5-13.9	1	0.1	0.0- 0.3
Some Post-H.S.	1834	229,136	77	3.3	2.3- 4.3	796	37.0	34.3-39.7	769	46.1	43.2-49.0	192	13.6	11.4-15.8			
College Graduate	1830	142,937	65	2.5	1.7- 3.3	740	36.9	34.2-39.6	823	47.5	44.6-50.4	202	13.1	11.1-15.1			
Less than \$15,000	313	36,495	35	8.1	4.4-11.8	149	42.7	35.3-50.1	110	40.6	33.2-48.0	19	8.6	4.1-13.1			
\$15,000- 24,999	619	64,163	54	5.7	3.5- 7.9	298	39.4	33.9-44.9	219	44.5	38.8-50.2	48	10.3	6.8-13.8			
\$25,000- 34,999	526	55,044	31	3.3	1.7- 4.9	249	40.9	35.2-46.6	203	44.7	38.8-50.6	43	11.1	7.4-14.8			
\$35,000- 49,999	796	79,752	37	4.2	2.0- 6.4	334	36.5	32.0-41.0	354	48.1	43.4-52.8	71	11.2	8.3-14.1			
\$50,000- 74,999	934	94,729	33	2.3	1.3- 3.3	350	33.3	29.6-37.0	445	50.6	46.5-54.7	106	13.9	11.0-16.8			
\$75,000+	1817	187,201	35	1.8	1.0- 2.6	645	32.8	30.3-35.3	908	50.5	47.8-53.2	229	14.9	12.7-17.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2565	293,334	6	0.1	0.0- 0.3	229	9.2	7.8-10.6	1792	67.4	65.0-69.8	537	23.1	20.9-25.3	1	0.1	0.0- 0.3
Native	65	9,451				4	3.3	0.0- 6.8	44	68.4	55.1-81.7	17	28.3	15.2-41.4			
Non-Native	2459	278,755	6	0.1	0.0- 0.3	220	9.4	8.0-10.8	1722	67.6	65.2-70.0	511	22.9	20.7-25.1			
18-24	166	48,395				10	6.8	2.5-11.1	112	66.0	58.4-73.6	44	27.2	19.9-34.5			
25-34	321	57,307				26	9.8	6.1-13.5	199	61.4	55.7-67.1	96	28.8	23.5-34.1			
35-44	275	45,402				24	8.3	4.8-11.8	186	66.6	60.5-72.7	65	25.1	19.4-30.8			
45-54	395	41,747	2	0.4	0.0- 1.0	24	5.5	3.0- 8.0	280	73.2	68.5-77.9	89	20.9	16.6-25.2			
55-64	639	47,704	2	0.4	0.0- 1.0	52	9.6	6.9-12.3	447	67.7	63.6-71.8	137	22.0	18.5-25.5	1	0.3	0.0- 0.9
65+	752	51,139	2	0.1	0.0- 0.3	93	14.7	11.6-17.8	556	71.3	67.6-75.0	101	13.8	10.9-16.7			
Less Than H.S.	155	25,398	1	0.3	0.0- 0.9	27	18.2	10.8-25.6	115	73.4	65.0-81.8	12	8.1	2.8-13.4			
H.S. or G.E.D.	797	88,327	2	0.1	0.0- 0.3	90	11.6	8.9-14.3	567	68.6	64.5-72.7	137	19.5	16.0-23.0	1	0.2	0.0- 0.6
Some Post-H.S.	815	114,239	2	0.1	0.0- 0.3	64	7.1	5.1- 9.1	561	66.3	62.4-70.2	188	26.4	22.7-30.1			
College Graduate	792	64,882				47	6.0	4.0- 8.0	546	65.8	61.9-69.7	199	28.2	24.3-32.1			
Less than \$15,000	112	15,361	2	0.8	0.0- 2.0	21	20.7	10.5-30.9	72	59.2	47.4-71.0	17	19.3	9.5-29.1			
\$15,000- 24,999	241	29,456	1	0.1	0.0- 0.3	28	11.0	6.5-15.5	164	66.5	59.1-73.9	48	22.4	15.5-29.3			
\$25,000- 34,999	218	27,979	1	0.3	0.0- 0.9	32	14.2	8.7-19.7	144	64.4	56.6-72.2	41	21.0	14.1-27.9			
\$35,000- 49,999	393	43,448	1	0.2	0.0- 0.6	40	8.9	5.6-12.2	282	71.5	66.0-77.0	70	19.4	14.5-24.3			
\$50,000- 74,999	465	53,421				35	9.2	5.7-12.7	325	66.2	60.7-71.7	105	24.6	19.7-29.5			
\$75,000+	956	103,221				52	5.6	3.8- 7.4	681	68.5	65.0-72.0	223	26.0	22.5-29.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3024	278,721	263	7.4	6.0- 8.8	2119	66.1	63.6-68.6	630	25.8	23.4-28.2	12	0.7	0.1- 1.3
Native	93	13,579	7	2.7	0.2- 5.2	63	71.5	59.3-83.7	23	25.8	13.8-37.8			
Non-Native	2900	262,517	252	7.5	6.1- 8.9	2035	65.9	63.4-68.4	601	25.9	23.5-28.3	12	0.8	0.2- 1.4
18-24	95	40,320	6	8.3	1.8-14.8	50	53.4	42.8-64.0	36	36.0	25.8-46.2	3	2.4	0.0- 5.3
25-34	258	49,374	8	3.4	0.9- 5.9	161	62.7	56.2-69.2	87	32.8	26.5-39.1	2	1.0	0.0- 2.4
35-44	301	41,102	13	5.2	2.1- 8.3	175	57.8	51.5-64.1	112	36.5	30.4-42.6	1	0.5	0.0- 1.5
45-54	389	38,438	19	4.3	2.1- 6.5	274	71.5	66.4-76.6	95	23.9	19.2-28.6	1	0.3	0.0- 0.9
55-64	680	45,810	43	6.6	4.4- 8.8	487	72.7	69.0-76.4	149	20.7	17.4-24.0	1	0.1	0.0- 0.3
65+	1262	60,286	172	14.2	11.8-16.6	945	74.4	71.7-77.1	141	11.0	9.0-13.0	4	0.4	0.0- 0.8
Less Than H.S.	154	21,662	35	19.4	10.0-28.8	101	64.7	52.7-76.7	18	15.9	5.9-25.9			
H.S. or G.E.D.	807	63,886	87	8.3	5.9-10.7	589	69.9	65.4-74.4	126	21.0	16.7-25.3	5	0.9	0.0- 1.9
Some Post-H.S.	1019	114,897	75	6.5	4.3- 8.7	732	66.6	62.5-70.7	208	26.0	22.1-29.9	4	0.9	0.0- 1.9
College Graduate	1038	78,055	65	4.6	3.0- 6.2	693	62.5	58.6-66.4	277	32.4	28.7-36.1	3	0.5	0.0- 1.3
Less than \$15,000	201	21,134	33	13.4	7.1-19.7	128	58.6	48.6-68.6	38	27.1	17.7-36.5	2	0.9	0.0- 2.1
\$15,000- 24,999	378	34,706	53	10.5	6.4-14.6	270	63.6	55.6-71.6	55	25.9	18.1-33.7			
\$25,000- 34,999	308	27,065	30	6.4	3.3- 9.5	217	68.5	60.7-76.3	59	24.4	17.0-31.8	2	0.8	0.0- 2.0
\$35,000- 49,999	403	36,304	36	9.1	4.6-13.6	294	69.6	62.7-76.5	72	20.0	14.1-25.9	1	1.3	0.0- 3.8
\$50,000- 74,999	469	41,308	33	5.2	3.2- 7.2	315	64.4	58.5-70.3	120	30.3	24.6-36.0	1	0.0	0.0- 0.0
\$75,000+	861	83,980	35	3.9	2.3- 5.5	593	66.3	62.4-70.2	227	28.4	24.7-32.1	6	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5593	573,157	269	3.7	3.1- 4.3	2349	36.9	35.3-38.5	2425	47.3	45.5-49.1	549	12.2	11.0-13.4	1	0.0	0.0- 0.0
Male	2568	293,989	6	0.1	0.0- 0.3	230	9.2	7.8-10.6	1794	67.5	65.1-69.9	537	23.1	20.9-25.3	1	0.1	0.0- 0.3
Female	3025	279,168	263	7.4	6.0- 8.8	2119	66.0	63.5-68.5	631	25.9	23.5-28.3	12	0.7	0.1- 1.3			
Native	158	23,030	7	1.6	0.2- 3.0	67	43.5	33.5-53.5	67	43.3	33.5-53.1	17	11.6	5.5-17.7			
Non-Native	5363	542,373	258	3.7	2.9- 4.5	2256	36.7	34.9-38.5	2326	47.4	45.6-49.2	523	12.2	11.0-13.4			
18-24	263	89,591	6	3.7	0.8- 6.6	60	27.7	21.6-33.8	150	52.8	46.3-59.3	47	15.7	11.2-20.2			
25-34	580	106,819	8	1.6	0.4- 2.8	187	34.2	29.9-38.5	287	48.3	44.0-52.6	98	15.9	12.8-19.0			
35-44	576	86,504	13	2.5	0.9- 4.1	199	31.8	27.7-35.9	298	52.3	47.8-56.8	66	13.4	10.3-16.5			
45-54	784	80,184	21	2.3	1.1- 3.5	298	37.1	33.4-40.8	375	49.6	45.7-53.5	90	11.0	8.6-13.4			
55-64	1319	93,514	45	3.4	2.2- 4.6	539	40.5	37.6-43.4	596	44.7	41.8-47.6	138	11.3	9.3-13.3	1	0.2	0.0- 0.6
65+	2015	111,513	174	7.8	6.4- 9.2	1039	47.0	44.5-49.5	697	38.7	36.2-41.2	105	6.5	5.1- 7.9			
Less Than H.S.	309	47,060	36	9.1	4.6-13.6	128	39.6	32.2-47.0	133	46.9	39.3-54.5	12	4.4	1.5- 7.3			
H.S. or G.E.D.	1604	152,212	89	3.5	2.5- 4.5	679	36.1	33.0-39.2	693	48.6	45.5-51.7	142	11.7	9.5-13.9	1	0.1	0.0- 0.3
Some Post-H.S.	1836	230,012	77	3.3	2.3- 4.3	796	36.8	34.1-39.5	771	46.3	43.4-49.2	192	13.6	11.4-15.8			
College Graduate	1832	143,162	65	2.5	1.7- 3.3	741	36.9	34.2-39.6	824	47.6	44.7-50.5	202	13.1	11.1-15.1			
Less than \$15,000	313	36,495	35	8.1	4.4-11.8	149	42.7	35.3-50.1	110	40.6	33.2-48.0	19	8.6	4.1-13.1			
\$15,000- 24,999	619	64,163	54	5.7	3.5- 7.9	298	39.4	33.9-44.9	219	44.5	38.8-50.2	48	10.3	6.8-13.8			
\$25,000- 34,999	527	55,473	31	3.3	1.7- 4.9	249	40.6	34.9-46.3	204	45.2	39.3-51.1	43	11.0	7.3-14.7			
\$35,000- 49,999	797	79,890	37	4.2	2.0- 6.4	334	36.4	31.9-40.9	355	48.2	43.5-52.9	71	11.1	8.2-14.0			
\$50,000- 74,999	935	94,817	33	2.3	1.3- 3.3	351	33.3	29.6-37.0	445	50.5	46.4-54.6	106	13.9	11.0-16.8			
\$75,000+	1817	187,201	35	1.8	1.0- 2.6	645	32.8	30.3-35.3	908	50.5	47.8-53.2	229	14.9	12.7-17.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2568	293,989	6	0.1	0.0- 0.3	230	9.2	7.8-10.6	1794	67.5	65.1-69.9	537	23.1	20.9-25.3	1	0.1	0.0- 0.3
Native	65	9,451				4	3.3	0.0- 6.8	44	68.4	55.1-81.7	17	28.3	15.2-41.4			
Non-Native	2462	279,409	6	0.1	0.0- 0.3	221	9.4	8.0-10.8	1724	67.6	65.2-70.0	511	22.9	20.7-25.1			
18-24	167	48,824				10	6.7	2.4-11.0	113	66.3	58.7-73.9	44	26.9	19.6-34.2			
25-34	322	57,445				26	9.8	6.1-13.5	200	61.5	55.8-67.2	96	28.7	23.4-34.0			
35-44	275	45,402				24	8.3	4.8-11.8	186	66.6	60.5-72.7	65	25.1	19.4-30.8			
45-54	395	41,747	2	0.4	0.0- 1.0	24	5.5	3.0- 8.0	280	73.2	68.5-77.9	89	20.9	16.6-25.2			
55-64	639	47,704	2	0.4	0.0- 1.0	52	9.6	6.9-12.3	447	67.7	63.6-71.8	137	22.0	18.5-25.5	1	0.3	0.0- 0.9
65+	753	51,227	2	0.1	0.0- 0.3	94	14.9	11.8-18.0	556	71.2	67.5-74.9	101	13.8	10.9-16.7			
Less Than H.S.	155	25,398	1	0.3	0.0- 0.9	27	18.2	10.8-25.6	115	73.4	65.0-81.8	12	8.1	2.8-13.4			
H.S. or G.E.D.	797	88,327	2	0.1	0.0- 0.3	90	11.6	8.9-14.3	567	68.6	64.5-72.7	137	19.5	16.0-23.0	1	0.2	0.0- 0.6
Some Post-H.S.	816	114,668	2	0.1	0.0- 0.3	64	7.1	5.1- 9.1	562	66.5	62.6-70.4	188	26.3	22.6-30.0			
College Graduate	794	65,107				48	6.1	4.1- 8.1	547	65.7	61.8-69.6	199	28.1	24.2-32.0			
Less than \$15,000	112	15,361	2	0.8	0.0- 2.0	21	20.7	10.5-30.9	72	59.2	47.4-71.0	17	19.3	9.5-29.1			
\$15,000- 24,999	241	29,456	1	0.1	0.0- 0.3	28	11.0	6.5-15.5	164	66.5	59.1-73.9	48	22.4	15.5-29.3			
\$25,000- 34,999	219	28,408	1	0.3	0.0- 0.9	32	14.0	8.5-19.5	145	65.0	57.2-72.8	41	20.7	14.0-27.4			
\$35,000- 49,999	394	43,586	1	0.2	0.0- 0.6	40	8.8	5.5-12.1	283	71.6	66.1-77.1	70	19.4	14.5-24.3			
\$50,000- 74,999	466	53,509				36	9.4	5.9-12.9	325	66.1	60.6-71.6	105	24.5	19.6-29.4			
\$75,000+	956	103,221				52	5.6	3.8- 7.4	681	68.5	65.0-72.0	223	26.0	22.5-29.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3025	279,168	263	7.4	6.0- 8.8	2119	66.0	63.5-68.5	631	25.9	23.5-28.3	12	0.7	0.1- 1.3
Native	93	13,579	7	2.7	0.2- 5.2	63	71.5	59.3-83.7	23	25.8	13.8-37.8			
Non-Native	2901	262,964	252	7.5	6.1- 8.9	2035	65.7	63.2-68.2	602	26.0	23.6-28.4	12	0.8	0.2- 1.4
18-24	96	40,767	6	8.2	1.9-14.5	50	52.8	42.2-63.4	37	36.7	26.5-46.9	3	2.3	0.0- 5.0
25-34	258	49,374	8	3.4	0.9- 5.9	161	62.7	56.2-69.2	87	32.8	26.5-39.1	2	1.0	0.0- 2.4
35-44	301	41,102	13	5.2	2.1- 8.3	175	57.8	51.5-64.1	112	36.5	30.4-42.6	1	0.5	0.0- 1.5
45-54	389	38,438	19	4.3	2.1- 6.5	274	71.5	66.4-76.6	95	23.9	19.2-28.6	1	0.3	0.0- 0.9
55-64	680	45,810	43	6.6	4.4- 8.8	487	72.7	69.0-76.4	149	20.7	17.4-24.0	1	0.1	0.0- 0.3
65+	1262	60,286	172	14.2	11.8-16.6	945	74.4	71.7-77.1	141	11.0	9.0-13.0	4	0.4	0.0- 0.8
Less Than H.S.	154	21,662	35	19.4	10.0-28.8	101	64.7	52.7-76.7	18	15.9	5.9-25.9			
H.S. or G.E.D.	807	63,886	87	8.3	5.9-10.7	589	69.9	65.4-74.4	126	21.0	16.7-25.3	5	0.9	0.0- 1.9
Some Post-H.S.	1020	115,344	75	6.5	4.3- 8.7	732	66.4	62.3-70.5	209	26.2	22.3-30.1	4	0.9	0.0- 1.9
College Graduate	1038	78,055	65	4.6	3.0- 6.2	693	62.5	58.6-66.4	277	32.4	28.7-36.1	3	0.5	0.0- 1.3
Less than \$15,000	201	21,134	33	13.4	7.1-19.7	128	58.6	48.6-68.6	38	27.1	17.7-36.5	2	0.9	0.0- 2.1
\$15,000- 24,999	378	34,706	53	10.5	6.4-14.6	270	63.6	55.6-71.6	55	25.9	18.1-33.7			
\$25,000- 34,999	308	27,065	30	6.4	3.3- 9.5	217	68.5	60.7-76.3	59	24.4	17.0-31.8	2	0.8	0.0- 2.0
\$35,000- 49,999	403	36,304	36	9.1	4.6-13.6	294	69.6	62.7-76.5	72	20.0	14.1-25.9	1	1.3	0.0- 3.8
\$50,000- 74,999	469	41,308	33	5.2	3.2- 7.2	315	64.4	58.5-70.3	120	30.3	24.6-36.0	1	0.0	0.0- 0.0
\$75,000+	861	83,980	35	3.9	2.3- 5.5	593	66.3	62.4-70.2	227	28.4	24.7-32.1	6	1.4	0.2- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5387	553,036	32	0.3	0.1- 0.5	1412	25.5	23.9-27.1	2473	45.4	43.6-47.2	1106	21.1	19.7-22.5	307	6.2	5.4- 7.0	57	1.4	1.0- 1.8
Male	2548	290,750	2	0.0	0.0- 0.0	183	9.1	7.5-10.7	1250	49.6	47.2-52.0	814	29.3	27.1-31.5	253	9.8	8.4-11.2	46	2.2	1.4- 3.0
Female	2839	262,286	30	0.6	0.2- 1.0	1229	43.6	41.1-46.1	1223	40.8	38.3-43.3	292	12.1	10.3-13.9	54	2.3	1.5- 3.1	11	0.5	0.1- 0.9
Native	156	22,844	2	0.4	0.0- 1.0	32	20.5	12.1-28.9	64	45.9	35.7-56.1	38	20.8	13.2-28.4	16	10.1	4.8-15.4	4	2.2	0.0- 4.7
Non-Native	5169	523,820	28	0.3	0.1- 0.5	1368	25.8	24.2-27.4	2377	45.4	43.6-47.2	1055	21.1	19.7-22.5	288	6.1	5.3- 6.9	53	1.4	1.0- 1.8
18-24	255	85,928				95	40.8	34.1-47.5	114	43.2	36.7-49.7	31	10.8	6.9-14.7	12	4.2	1.7- 6.7	3	1.0	0.0- 2.2
25-34	571	105,729	1	0.2	0.0- 0.6	131	22.7	19.0-26.4	257	44.5	40.0-49.0	125	22.8	19.1-26.5	49	8.4	5.9-10.9	8	1.4	0.4- 2.4
35-44	555	83,272				120	19.4	15.9-22.9	253	47.7	43.0-52.4	122	22.3	18.4-26.2	47	8.3	5.8-10.8	13	2.3	0.9- 3.7
45-54	741	75,799	4	0.6	0.0- 1.2	155	20.1	17.0-23.2	305	40.3	36.4-44.2	200	29.1	25.4-32.8	66	8.3	6.1-10.5	11	1.7	0.5- 2.9
55-64	1262	89,659	3	0.3	0.0- 0.7	261	20.0	17.5-22.5	596	47.0	43.9-50.1	321	25.9	23.2-28.6	68	5.4	4.0- 6.8	13	1.5	0.7- 2.3
65+	1966	109,133	24	0.9	0.5- 1.3	634	28.2	26.0-30.4	933	48.8	46.3-51.3	302	17.5	15.5-19.5	64	3.7	2.7- 4.7	9	0.9	0.3- 1.5
Less Than H.S.	300	46,685	2	0.4	0.0- 1.0	83	27.8	20.4-35.2	155	51.3	43.7-58.9	47	14.5	9.6-19.4	10	4.9	1.8- 8.0	3	1.2	0.0- 2.6
H.S. or G.E.D.	1549	146,986	16	0.4	0.2- 0.6	379	24.4	21.5-27.3	738	46.3	43.0-49.6	307	20.9	18.4-23.4	90	6.5	4.9- 8.1	19	1.5	0.7- 2.3
Some Post-H.S.	1763	219,596	8	0.3	0.1- 0.5	439	23.4	20.9-25.9	792	44.5	41.6-47.4	392	23.7	21.2-26.2	110	6.5	5.1- 7.9	22	1.7	0.9- 2.5
College Graduate	1765	139,195	6	0.3	0.0- 0.7	507	29.1	26.4-31.8	783	44.1	41.2-47.0	359	19.5	17.3-21.7	97	6.1	4.7- 7.5	13	0.9	0.3- 1.5
Less than \$15,000	308	36,378	5	0.6	0.0- 1.4	89	23.8	17.5-30.1	150	54.5	47.1-61.9	44	14.2	9.3-19.1	12	4.0	1.5- 6.5	8	2.9	0.7- 5.1
\$15,000- 24,999	604	62,914	8	0.7	0.1- 1.3	184	29.9	24.4-35.4	267	42.7	37.2-48.2	101	18.7	14.4-23.0	35	6.4	3.9- 8.9	9	1.6	0.4- 2.8
\$25,000- 34,999	506	52,328	1	0.0	0.0- 0.0	140	25.0	19.7-30.3	237	45.8	39.9-51.7	93	20.3	15.4-25.2	31	8.2	4.5-11.9	4	0.8	0.0- 1.8
\$35,000- 49,999	779	78,560	4	0.2	0.0- 0.4	184	23.1	18.8-27.4	360	43.9	39.2-48.6	187	26.3	22.2-30.4	35	5.1	3.1- 7.1	9	1.4	0.2- 2.6
\$50,000- 74,999	910	92,550	4	0.5	0.0- 1.1	210	22.9	19.4-26.4	423	46.2	42.1-50.3	211	23.3	20.0-26.6	55	6.0	4.0- 8.0	7	1.1	0.1- 2.1
\$75,000+	1763	182,677	5	0.2	0.0- 0.4	407	22.7	20.3-25.1	805	45.7	43.0-48.4	404	22.5	20.1-24.9	123	7.3	5.9- 8.7	19	1.6	0.8- 2.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2548	290,750	2	0.0	0.0- 0.0	183	9.1	7.5-10.7	1250	49.6	47.2-52.0	814	29.3	27.1-31.5	253	9.8	8.4-11.2	46	2.2	1.4- 3.0
Native	66	9,815				4	8.7	0.0-17.5	26	47.1	32.6-61.6	21	22.5	11.7-33.3	13	17.7	7.7-27.7	2	4.0	0.0- 9.5
Non-Native	2445	276,501	1	0.0	0.0- 0.0	177	9.1	7.5-10.7	1205	49.7	47.2-52.2	781	29.5	27.3-31.7	237	9.5	8.1-10.9	44	2.2	1.4- 3.0
18-24	164	47,631				39	23.7	16.8-30.6	87	55.5	47.5-63.5	25	13.3	8.2-18.4	10	5.7	2.0- 9.4	3	1.8	0.0- 3.8
25-34	323	57,847				28	8.9	5.6-12.2	161	49.2	43.3-55.1	91	28.9	23.6-34.2	39	11.8	7.9-15.7	4	1.2	0.0- 2.4
35-44	271	44,542				8	2.7	0.7- 4.7	126	49.7	43.0-56.4	85	29.6	23.7-35.5	42	14.1	9.8-18.4	10	3.9	1.4- 6.4
45-54	391	41,118				17	4.5	2.1- 6.9	166	42.0	36.5-47.5	147	38.9	33.4-44.4	53	12.4	8.9-15.9	8	2.1	0.5- 3.7
55-64	635	47,414	1	0.1	0.0- 0.3	32	5.6	3.4- 7.8	306	47.7	43.4-52.0	228	35.4	31.3-39.5	56	8.5	6.1-10.9	12	2.6	1.0- 4.2
65+	751	50,998	1	0.1	0.0- 0.3	58	8.1	5.7-10.5	398	52.4	48.3-56.5	233	30.7	27.0-34.4	52	6.8	4.6- 9.0	9	1.9	0.5- 3.3
Less Than H.S.	154	25,436				20	12.0	6.3-17.7	87	60.3	51.1-69.5	35	17.6	11.1-24.1	10	8.9	3.2-14.6	2	1.2	0.0- 2.8
H.S. or G.E.D.	793	87,696	2	0.1	0.0- 0.3	66	12.4	9.1-15.7	394	49.1	44.8-53.4	239	27.8	24.1-31.5	76	8.4	6.2-10.6	16	2.1	0.9- 3.3
Some Post-H.S.	804	111,934				48	7.5	5.0-10.0	365	46.6	42.5-50.7	285	32.7	29.0-36.4	88	10.5	8.1-12.9	18	2.8	1.4- 4.2
College Graduate	792	65,282				49	6.3	4.3- 8.3	400	51.0	46.9-55.1	254	30.1	26.4-33.8	79	10.8	8.1-13.5	10	1.7	0.5- 2.9
Less than \$15,000	113	15,724	1	0.4	0.0- 1.2	15	12.6	5.7-19.5	68	64.9	54.5-75.3	19	15.0	7.4-22.6	5	3.1	0.0- 6.4	5	4.0	0.1- 7.9
\$15,000- 24,999	242	29,601				31	14.4	9.1-19.7	118	49.1	41.3-56.9	60	23.2	16.7-29.7	26	10.4	5.7-15.1	7	3.0	0.6- 5.4
\$25,000- 34,999	215	27,407				21	15.2	8.1-22.3	110	51.6	43.2-60.0	57	20.8	14.7-26.9	23	10.9	5.6-16.2	4	1.5	0.0- 3.5
\$35,000- 49,999	395	43,670	1	0.1	0.0- 0.3	35	10.3	6.2-14.4	181	44.0	37.7-50.3	136	34.2	28.3-40.1	34	9.1	5.6-12.6	8	2.3	0.3- 4.3
\$50,000- 74,999	465	52,937				28	8.4	4.7-12.1	227	49.0	43.3-54.7	162	33.0	27.9-38.1	43	8.3	5.4-11.2	5	1.3	0.1- 2.5
\$75,000+	952	102,560				32	3.7	2.1- 5.3	464	49.6	45.9-53.3	331	32.6	29.1-36.1	109	11.6	9.2-14.0	16	2.5	1.1- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2839	262,286	30	0.6	0.2- 1.0	1229	43.6	41.1-46.1	1223	40.8	38.3-43.3	292	12.1	10.3-13.9	54	2.3	1.5- 3.1	11	0.5	0.1- 0.9
Native	90	13,030	2	0.8	0.0- 2.0	28	29.3	16.4-42.2	38	44.9	31.0-58.8	17	19.6	9.0-30.2	3	4.5	0.0-10.0	2	0.9	0.0- 2.1
Non-Native	2724	247,319	27	0.6	0.4- 0.8	1191	44.3	41.6-47.0	1172	40.6	38.1-43.1	274	11.7	9.9-13.5	51	2.2	1.4- 3.0	9	0.5	0.1- 0.9
18-24	91	38,296				56	62.1	51.5-72.7	27	27.9	18.3-37.5	6	7.7	1.8-13.6	2	2.3	0.0- 5.4			
25-34	248	47,883	1	0.3	0.0- 0.9	103	39.5	33.0-46.0	96	38.9	32.2-45.6	34	15.5	10.4-20.6	10	4.4	1.7- 7.1	4	1.5	0.0- 3.1
35-44	284	38,730				112	38.6	32.3-44.9	127	45.3	38.8-51.8	37	14.0	9.3-18.7	5	1.6	0.2- 3.0	3	0.5	0.0- 1.1
45-54	350	34,681	4	1.2	0.0- 2.6	138	38.7	32.8-44.6	139	38.2	32.5-43.9	53	17.3	12.6-22.0	13	3.3	1.3- 5.3	3	1.3	0.0- 2.9
55-64	627	42,245	2	0.4	0.0- 1.0	229	36.2	31.9-40.5	290	46.2	41.7-50.7	93	15.2	11.9-18.5	12	1.8	0.6- 3.0	1	0.1	0.0- 0.3
65+	1215	58,134	23	1.6	0.8- 2.4	576	45.9	42.6-49.2	535	45.6	42.3-48.9	69	6.0	4.4- 7.6	12	1.0	0.4- 1.6			
Less Than H.S.	146	21,249	2	0.8	0.0- 2.0	63	46.7	34.2-59.2	68	40.4	28.6-52.2	12	10.9	3.6-18.2				1	1.2	0.0- 3.6
H.S. or G.E.D.	756	59,289	14	0.8	0.4- 1.2	313	42.2	37.1-47.3	344	42.1	37.2-47.0	68	10.7	7.6-13.8	14	3.6	1.1- 6.1	3	0.6	0.0- 1.4
Some Post-H.S.	959	107,662	8	0.6	0.2- 1.0	391	39.9	35.8-44.0	427	42.3	38.2-46.4	107	14.3	11.2-17.4	22	2.3	1.1- 3.5	4	0.6	0.0- 1.2
College Graduate	973	73,913	6	0.6	0.0- 1.2	458	49.2	45.1-53.3	383	37.9	34.0-41.8	105	10.2	7.8-12.6	18	1.9	0.9- 2.9	3	0.2	0.0- 0.4
Less than \$15,000	195	20,654	4	0.8	0.0- 1.8	74	32.4	23.2-41.6	82	46.6	36.4-56.8	25	13.6	6.9-20.3	7	4.6	0.7- 8.5	3	2.0	0.0- 4.7
\$15,000- 24,999	362	33,313	8	1.2	0.0- 2.4	153	43.7	35.3-52.1	149	37.0	29.6-44.4	41	14.8	8.9-20.7	9	2.9	0.4- 5.4	2	0.4	0.0- 1.0
\$25,000- 34,999	291	24,921	1	0.0	0.0- 0.0	119	35.7	27.7-43.7	127	39.4	31.4-47.4	36	19.7	12.1-27.3	8	5.2	0.1-10.3			
\$35,000- 49,999	384	34,889	3	0.3	0.0- 0.7	149	39.0	31.6-46.4	179	43.8	36.5-51.1	51	16.5	10.8-22.2	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6
\$50,000- 74,999	445	39,613	4	1.2	0.0- 2.4	182	42.2	36.1-48.3	196	42.5	36.4-48.6	49	10.4	7.1-13.7	12	3.0	0.8- 5.2	2	0.8	0.0- 2.0
\$75,000+	811	80,117	5	0.4	0.0- 0.8	375	46.9	42.6-51.2	341	40.7	36.6-44.8	73	9.6	7.1-12.1	14	1.8	0.6- 3.0	3	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5348	544,910	47	0.9	0.5- 1.3	1508	31.1	29.3-32.9	2045	36.2	34.6-37.8	1118	19.5	18.1-20.9	630	12.2	11.0-13.4
Male	2541	289,646	11	0.6	0.2- 1.0	542	25.9	23.5-28.3	1117	41.5	39.1-43.9	577	20.5	18.7-22.3	294	11.5	9.9-13.1
Female	2807	255,264	36	1.3	0.5- 2.1	966	36.9	34.4-39.4	928	30.2	27.8-32.6	541	18.4	16.4-20.4	336	13.1	11.3-14.9
Native	154	21,917	5	2.5	0.0- 5.2	26	20.1	11.5-28.7	52	30.7	21.9-39.5	33	22.8	13.8-31.8	38	23.9	15.7-32.1
Non-Native	5133	516,674	39	0.8	0.4- 1.2	1466	31.6	29.8-33.4	1966	36.4	34.6-38.2	1074	19.4	18.0-20.8	588	11.8	10.6-13.0
18-24	250	83,644	5	2.3	0.0- 4.7	136	55.5	48.8-62.2	65	24.5	18.8-30.2	28	11.5	7.2-15.8	16	6.2	3.1- 9.3
25-34	549	101,070	4	0.7	0.0- 1.5	175	30.9	26.8-35.0	197	36.4	32.1-40.7	99	17.3	14.0-20.6	74	14.7	11.4-18.0
35-44	549	82,374	1	0.2	0.0- 0.6	155	27.2	23.1-31.3	199	37.4	32.9-41.9	120	22.3	18.4-26.2	74	12.9	9.8-16.0
45-54	740	75,728	6	0.8	0.2- 1.4	188	25.2	21.7-28.7	257	35.2	31.3-39.1	160	20.8	17.5-24.1	129	18.0	14.9-21.1
55-64	1261	89,602	7	0.5	0.1- 0.9	295	23.4	20.9-25.9	511	40.1	37.2-43.0	289	22.7	20.2-25.2	159	13.3	11.1-15.5
65+	1962	108,974	24	1.1	0.5- 1.7	542	25.1	22.9-27.3	801	41.7	39.2-44.2	417	22.4	20.2-24.6	178	9.6	8.0-11.2
Less Than H.S.	296	45,384	6	3.1	0.0- 7.0	79	30.5	23.1-37.9	117	36.7	29.4-44.0	62	17.1	11.4-22.8	32	12.7	7.8-17.6
H.S. or G.E.D.	1542	145,493	21	1.1	0.3- 1.9	399	30.3	27.2-33.4	599	36.3	33.2-39.4	338	19.8	17.3-22.3	185	12.5	10.3-14.7
Some Post-H.S.	1753	216,786	11	0.5	0.1- 0.9	475	29.7	26.8-32.6	654	35.9	33.2-38.6	387	20.5	18.1-22.9	226	13.4	11.4-15.4
College Graduate	1747	136,673	9	0.6	0.0- 1.2	549	34.3	31.4-37.2	671	36.4	33.7-39.1	331	18.6	16.4-20.8	187	10.0	8.2-11.8
Less than \$15,000	306	35,451	11	2.7	0.7- 4.7	85	32.5	25.2-39.8	107	29.9	23.2-36.6	55	20.2	13.5-26.9	48	14.7	10.0-19.4
\$15,000- 24,999	602	62,649	8	2.3	0.0- 5.2	182	35.4	29.7-41.1	195	28.9	24.2-33.6	129	19.4	15.3-23.5	88	14.0	10.3-17.7
\$25,000- 34,999	503	51,783	3	0.9	0.0- 2.5	145	33.0	27.1-38.9	172	28.0	23.1-32.9	109	20.1	15.6-24.6	74	17.9	13.0-22.8
\$35,000- 49,999	768	75,668	8	0.7	0.0- 1.5	200	27.4	22.9-31.9	288	37.3	32.6-42.0	178	20.6	17.1-24.1	94	13.9	10.4-17.4
\$50,000- 74,999	902	91,089	6	0.7	0.1- 1.3	237	29.2	25.3-33.1	343	37.6	33.5-41.7	212	21.7	18.6-24.8	104	10.8	8.4-13.2
\$75,000+	1755	181,194	9	0.5	0.1- 0.9	478	28.1	25.6-30.6	731	41.3	38.6-44.0	351	19.1	16.9-21.3	186	11.1	9.3-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2541	289,646	11	0.6	0.2- 1.0	542	25.9	23.5-28.3	1117	41.5	39.1-43.9	577	20.5	18.7-22.3	294	11.5	9.9-13.1
Native	65	9,451	1	2.6	0.0- 7.7	8	20.4	6.9-33.9	24	37.2	23.3-51.1	15	17.1	7.9-26.3	17	22.6	11.4-33.8
Non-Native	2439	275,761	9	0.5	0.1- 0.9	525	26.1	23.7-28.5	1074	41.6	39.2-44.0	556	20.7	18.7-22.7	275	11.1	9.5-12.7
18-24	164	47,631	3	1.7	0.0- 3.9	83	52.6	44.6-60.6	50	30.3	22.9-37.7	17	9.2	4.7-13.7	11	6.1	2.4- 9.8
25-34	319	56,908	1	0.4	0.0- 1.2	92	28.5	23.2-33.8	129	41.1	35.2-47.0	61	18.1	13.6-22.6	36	11.9	8.0-15.8
35-44	271	44,542				52	20.1	14.8-25.4	108	41.5	34.8-48.2	71	24.6	19.1-30.1	40	13.7	9.4-18.0
45-54	390	41,047	1	0.4	0.0- 1.2	66	17.6	13.3-21.9	158	40.9	35.4-46.4	99	24.8	20.1-29.5	66	16.3	12.2-20.4
55-64	634	47,357	3	0.3	0.0- 0.7	109	17.7	14.4-21.0	298	46.4	42.1-50.7	156	24.3	20.6-28.0	68	11.2	8.5-13.9
65+	750	50,961	3	0.5	0.0- 1.1	137	17.3	14.4-20.2	367	48.4	44.3-52.5	170	23.0	19.7-26.3	73	10.8	8.1-13.5
Less Than H.S.	152	25,035	2	1.2	0.0- 2.8	43	33.4	24.0-42.8	64	41.2	31.8-50.6	26	10.8	6.3-15.3	17	13.4	6.7-20.1
H.S. or G.E.D.	792	87,639	7	1.1	0.0- 2.3	169	27.4	23.3-31.5	334	39.6	35.5-43.7	190	21.1	17.8-24.4	92	10.8	8.3-13.3
Some Post-H.S.	804	111,934	1	0.2	0.0- 0.6	161	24.7	20.8-28.6	339	40.9	36.8-45.0	198	21.8	18.7-24.9	105	12.3	9.8-14.8
College Graduate	788	64,636	1	0.2	0.0- 0.6	167	23.1	19.6-26.6	377	45.2	41.1-49.3	163	21.3	17.8-24.8	80	10.2	7.7-12.7
Less than \$15,000	112	15,361	4	3.9	0.0- 8.0	37	42.3	30.5-54.1	47	35.0	24.0-46.0	14	11.7	4.3-19.1	10	7.2	2.1-12.3
\$15,000- 24,999	240	29,336	1	0.2	0.0- 0.6	73	35.7	27.9-43.5	81	31.5	24.2-38.8	52	19.8	13.9-25.7	33	12.7	7.4-18.0
\$25,000- 34,999	214	27,245	1	1.6	0.0- 4.7	54	34.4	26.0-42.8	77	30.3	23.2-37.4	47	16.4	11.1-21.7	35	17.3	10.8-23.8
\$35,000- 49,999	393	43,414	2	0.6	0.0- 1.6	86	23.7	18.2-29.2	171	42.3	36.0-48.6	90	22.3	17.4-27.2	44	11.1	7.4-14.8
\$50,000- 74,999	464	52,880	1	0.1	0.0- 0.3	89	23.3	18.2-28.4	203	43.6	37.9-49.3	123	23.6	19.1-28.1	48	9.3	6.2-12.4
\$75,000+	952	102,560	2	0.2	0.0- 0.4	154	18.2	15.1-21.3	466	48.1	44.4-51.8	220	21.4	18.5-24.3	110	12.1	9.6-14.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	255,264	36	1.3	0.5- 2.1	966	36.9	34.4-39.4	928	30.2	27.8-32.6	541	18.4	16.4-20.4	336	13.1	11.3-14.9
Native	89	12,466	4	2.4	0.0- 5.1	18	19.8	8.8-30.8	28	25.7	14.5-36.9	18	27.2	13.5-40.9	21	24.9	13.1-36.7
Non-Native	2694	240,912	30	1.2	0.4- 2.0	941	37.9	35.4-40.4	892	30.4	28.0-32.8	518	17.9	15.9-19.9	313	12.6	10.8-14.4
18-24	86	36,012	2	3.0	0.0- 7.9	53	59.4	48.2-70.6	15	16.8	8.4-25.2	11	14.4	6.2-22.6	5	6.5	1.0-12.0
25-34	230	44,163	3	1.1	0.0- 2.3	83	34.0	27.5-40.5	68	30.4	23.9-36.9	38	16.2	10.9-21.5	38	18.3	12.8-23.8
35-44	278	37,832	1	0.4	0.0- 1.2	103	35.7	29.4-42.0	91	32.5	26.2-38.8	49	19.6	14.1-25.1	34	11.8	7.5-16.1
45-54	350	34,681	5	1.2	0.0- 2.4	122	34.2	28.5-39.9	99	28.4	23.1-33.7	61	16.1	11.8-20.4	63	20.0	15.1-24.9
55-64	627	42,245	4	0.7	0.0- 1.5	186	29.8	25.7-33.9	213	33.0	28.9-37.1	133	20.8	17.3-24.3	91	15.7	12.2-19.2
65+	1212	58,013	21	1.7	0.7- 2.7	405	32.0	29.1-34.9	434	35.9	32.8-39.0	247	21.9	19.2-24.6	105	8.6	6.8-10.4
Less Than H.S.	144	20,348	4	5.4	0.0-13.8	36	26.8	15.0-38.6	53	31.1	20.1-42.1	36	24.9	14.1-35.7	15	11.8	4.5-19.1
H.S. or G.E.D.	750	57,853	14	1.1	0.3- 1.9	230	34.8	29.7-39.9	265	31.3	27.0-35.6	148	17.7	14.0-21.4	93	15.1	11.2-19.0
Some Post-H.S.	949	104,852	10	0.9	0.3- 1.5	314	34.9	30.8-39.0	315	30.6	26.7-34.5	189	19.0	15.7-22.3	121	14.6	11.7-17.5
College Graduate	959	72,037	8	1.0	0.2- 1.8	382	44.4	40.3-48.5	294	28.6	25.1-32.1	168	16.2	13.3-19.1	107	9.7	7.5-11.9
Less than \$15,000	194	20,090	7	1.8	0.2- 3.4	48	25.1	16.5-33.7	60	26.0	17.8-34.2	41	26.7	16.7-36.7	38	20.5	13.1-27.9
\$15,000- 24,999	362	33,313	7	4.2	0.0- 9.5	109	35.1	26.7-43.5	114	26.5	20.2-32.8	77	19.1	13.2-25.0	55	15.1	10.0-20.2
\$25,000- 34,999	289	24,538	2	0.2	0.0- 0.4	91	31.5	23.5-39.5	95	25.4	18.9-31.9	62	24.2	16.8-31.6	39	18.7	11.3-26.1
\$35,000- 49,999	375	32,254	6	1.0	0.0- 2.0	114	32.4	25.1-39.7	117	30.6	23.7-37.5	88	18.4	13.5-23.3	50	17.6	11.3-23.9
\$50,000- 74,999	438	38,209	5	1.6	0.0- 3.2	148	37.4	31.3-43.5	140	29.2	23.7-34.7	89	19.1	14.6-23.6	56	12.7	8.8-16.6
\$75,000+	803	78,635	7	0.8	0.0- 1.6	324	40.9	36.8-45.0	265	32.4	28.5-36.3	131	16.1	12.8-19.4	76	9.8	7.3-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5348	544,910	70	1.5	0.9- 2.1	1478	30.3	28.5-32.1	2043	36.2	34.6-37.8	1757	31.9	30.3-33.5
Male	2541	289,646	15	0.7	0.3- 1.1	535	25.7	23.3-28.1	1113	41.4	39.0-43.8	878	32.2	30.0-34.4
Female	2807	255,264	55	2.5	1.5- 3.5	943	35.7	33.2-38.2	930	30.3	27.9-32.7	879	31.6	29.2-34.0
Native	154	21,917	5	2.5	0.0- 5.2	25	19.4	11.0-27.8	53	31.3	22.3-40.3	71	46.7	36.7-56.7
Non-Native	5133	516,674	62	1.5	0.9- 2.1	1437	30.9	29.1-32.7	1963	36.3	34.5-38.1	1671	31.4	29.8-33.0
18-24	250	83,644	7	3.2	0.5- 5.9	134	54.6	47.9-61.3	65	24.5	18.8-30.2	44	17.7	12.6-22.8
25-34	549	101,070	8	1.6	0.4- 2.8	170	29.8	25.7-33.9	197	36.6	32.3-40.9	174	32.0	27.7-36.3
35-44	549	82,374	5	0.8	0.0- 1.6	151	26.6	22.5-30.7	197	37.1	32.6-41.6	196	35.5	31.0-40.0
45-54	740	75,728	11	1.5	0.5- 2.5	182	24.3	20.8-27.8	256	35.2	31.3-39.1	291	39.0	35.1-42.9
55-64	1261	89,602	9	0.7	0.1- 1.3	290	23.1	20.6-25.6	512	40.0	37.1-42.9	450	36.2	33.3-39.1
65+	1962	108,974	29	1.3	0.7- 1.9	535	24.8	22.6-27.0	801	41.6	39.1-44.1	597	32.3	29.8-34.8
Less Than H.S.	296	45,384	7	3.4	0.0- 7.3	77	29.9	22.5-37.3	116	36.2	28.9-43.5	96	30.5	23.6-37.4
H.S. or G.E.D.	1542	145,493	31	1.8	0.8- 2.8	389	29.6	26.5-32.7	597	36.1	33.0-39.2	525	32.5	29.6-35.4
Some Post-H.S.	1753	216,786	15	0.9	0.3- 1.5	469	29.1	26.2-32.0	654	36.0	33.3-38.7	615	34.0	31.3-36.7
College Graduate	1747	136,673	17	1.7	0.7- 2.7	537	33.2	30.5-35.9	672	36.4	33.7-39.1	521	28.7	26.2-31.2
Less than \$15,000	306	35,451	14	3.3	1.1- 5.5	82	32.0	24.7-39.3	107	29.9	23.2-36.6	103	34.9	27.5-42.3
\$15,000- 24,999	602	62,649	12	2.8	0.0- 5.7	177	34.9	29.2-40.6	195	28.6	23.9-33.3	218	33.7	28.6-38.8
\$25,000- 34,999	503	51,783	5	1.4	0.0- 3.2	143	32.6	26.7-38.5	171	27.6	22.7-32.5	184	38.4	32.5-44.3
\$35,000- 49,999	768	75,668	8	0.7	0.0- 1.5	200	27.4	22.9-31.9	285	36.8	32.1-41.5	275	35.0	30.5-39.5
\$50,000- 74,999	902	91,089	11	1.6	0.6- 2.6	230	27.9	24.0-31.8	344	37.9	33.8-42.0	317	32.5	28.8-36.2
\$75,000+	1755	181,194	16	1.2	0.6- 1.8	468	27.3	24.8-29.8	733	41.3	38.6-44.0	538	30.2	27.7-32.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2541	289,646	15	0.7	0.3- 1.1	535	25.7	23.3-28.1	1113	41.4	39.0-43.8	878	32.2	30.0-34.4
Native	65	9,451	1	2.6	0.0- 7.7	8	20.4	6.9-33.9	24	37.2	23.3-51.1	32	39.8	26.3-53.3
Non-Native	2439	275,761	13	0.7	0.3- 1.1	518	25.8	23.4-28.2	1070	41.5	39.1-43.9	838	32.1	29.9-34.3
18-24	164	47,631	3	1.7	0.0- 3.9	83	52.6	44.6-60.6	50	30.3	22.9-37.7	28	15.3	9.8-20.8
25-34	319	56,908	2	0.7	0.0- 1.7	90	27.8	22.5-33.1	129	41.4	35.5-47.3	98	30.1	24.6-35.6
35-44	271	44,542				52	20.1	14.8-25.4	107	41.3	34.6-48.0	112	38.6	32.3-44.9
45-54	390	41,047	2	0.6	0.0- 1.4	65	17.3	13.0-21.6	156	40.7	35.2-46.2	167	41.4	35.9-46.9
55-64	634	47,357	4	0.6	0.0- 1.4	106	17.3	14.0-20.6	298	46.1	41.8-50.4	226	36.0	31.9-40.1
65+	750	50,961	4	0.6	0.0- 1.2	136	17.2	14.3-20.1	366	48.1	44.0-52.2	244	34.1	30.2-38.0
Less Than H.S.	152	25,035	3	1.7	0.0- 3.7	42	32.9	23.5-42.3	62	39.8	30.4-49.2	45	25.6	17.8-33.4
H.S. or G.E.D.	792	87,639	10	1.5	0.3- 2.7	166	27.0	22.9-31.1	333	39.5	35.4-43.6	283	32.1	28.2-36.0
Some Post-H.S.	804	111,934	1	0.2	0.0- 0.6	160	24.5	20.6-28.4	339	41.1	37.0-45.2	304	34.2	30.5-37.9
College Graduate	788	64,636	1	0.2	0.0- 0.6	165	23.0	19.5-26.5	376	45.0	40.9-49.1	246	31.7	27.8-35.6
Less than \$15,000	112	15,361	5	4.6	0.3- 8.9	36	41.6	29.6-53.6	47	35.0	24.0-46.0	24	18.8	10.2-27.4
\$15,000- 24,999	240	29,336	2	0.7	0.0- 1.7	71	35.2	27.4-43.0	81	31.0	23.9-38.1	86	33.1	25.8-40.4
\$25,000- 34,999	214	27,245	2	2.3	0.0- 5.6	53	33.7	25.3-42.1	77	30.3	23.2-37.4	82	33.7	26.1-41.3
\$35,000- 49,999	393	43,414	2	0.6	0.0- 1.6	86	23.7	18.2-29.2	169	41.6	35.3-47.9	136	34.0	28.3-39.7
\$50,000- 74,999	464	52,880	1	0.1	0.0- 0.3	88	22.9	17.8-28.0	203	44.0	38.3-49.7	172	33.0	27.9-38.1
\$75,000+	952	102,560	2	0.2	0.0- 0.4	153	18.2	15.1-21.3	466	48.0	44.3-51.7	331	33.6	30.1-37.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	255,264	55	2.5	1.5- 3.5	943	35.7	33.2-38.2	930	30.3	27.9-32.7	879	31.6	29.2-34.0
Native	89	12,466	4	2.4	0.0- 5.1	17	18.7	7.9-29.5	29	26.9	15.7-38.1	39	52.0	38.1-65.9
Non-Native	2694	240,912	49	2.4	1.4- 3.4	919	36.6	34.1-39.1	893	30.4	28.0-32.8	833	30.6	28.2-33.0
18-24	86	36,012	4	5.2	0.0-10.9	51	57.2	46.0-68.4	15	16.8	8.4-25.2	16	20.9	11.5-30.3
25-34	230	44,163	6	2.7	0.5- 4.9	80	32.4	25.9-38.9	68	30.4	23.9-36.9	76	34.5	27.8-41.2
35-44	278	37,832	5	1.8	0.2- 3.4	99	34.2	28.1-40.3	90	32.1	26.0-38.2	84	31.9	25.6-38.2
45-54	350	34,681	9	2.6	0.6- 4.6	117	32.5	27.0-38.0	100	28.8	23.3-34.3	124	36.1	30.4-41.8
55-64	627	42,245	5	0.8	0.0- 1.6	184	29.6	25.5-33.7	214	33.1	29.0-37.2	224	36.6	32.3-40.9
65+	1212	58,013	25	1.9	0.9- 2.9	399	31.5	28.6-34.4	435	36.0	32.9-39.1	353	30.6	27.5-33.7
Less Than H.S.	144	20,348	4	5.4	0.0-13.8	35	26.1	14.3-37.9	54	31.8	20.8-42.8	51	36.6	24.6-48.6
H.S. or G.E.D.	750	57,853	21	2.4	0.6- 4.2	223	33.5	28.4-38.6	264	31.0	26.7-35.3	242	33.1	28.2-38.0
Some Post-H.S.	949	104,852	14	1.6	0.6- 2.6	309	34.1	30.0-38.2	315	30.6	26.7-34.5	311	33.7	29.8-37.6
College Graduate	959	72,037	16	3.0	1.2- 4.8	372	42.3	38.2-46.4	296	28.7	25.2-32.2	275	26.0	22.7-29.3
Less than \$15,000	194	20,090	9	2.2	0.4- 4.0	46	24.6	16.0-33.2	60	26.0	17.8-34.2	79	47.2	37.0-57.4
\$15,000- 24,999	362	33,313	10	4.6	0.0- 9.9	106	34.6	26.2-43.0	114	26.5	20.2-32.8	132	34.2	26.9-41.5
\$25,000- 34,999	289	24,538	3	0.3	0.0- 0.7	90	31.4	23.4-39.4	94	24.7	18.2-31.2	102	43.6	35.0-52.2
\$35,000- 49,999	375	32,254	6	1.0	0.0- 2.0	114	32.4	25.1-39.7	116	30.2	23.3-37.1	139	36.4	29.3-43.5
\$50,000- 74,999	438	38,209	10	3.7	1.2- 6.2	142	34.9	28.8-41.0	141	29.5	24.0-35.0	145	31.9	26.4-37.4
\$75,000+	803	78,635	14	2.5	0.9- 4.1	315	39.1	35.0-43.2	267	32.5	28.6-36.4	207	25.9	22.0-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5348	544,910	1548	31.9	30.1-33.7	3800	68.1	66.3-69.9
Male	2541	289,646	550	26.4	24.0-28.8	1991	73.6	71.2-76.0
Female	2807	255,264	998	38.1	35.6-40.6	1809	61.9	59.4-64.4
Native	154	21,917	30	21.9	13.3-30.5	124	78.1	69.5-86.7
Non-Native	5133	516,674	1499	32.3	30.5-34.1	3634	67.7	65.9-69.5
18-24	250	83,644	141	57.8	51.1-64.5	109	42.2	35.5-48.9
25-34	549	101,070	178	31.4	27.3-35.5	371	68.6	64.5-72.7
35-44	549	82,374	156	27.4	23.3-31.5	393	72.6	68.5-76.7
45-54	740	75,728	193	25.8	22.3-29.3	547	74.2	70.7-77.7
55-64	1261	89,602	299	23.8	21.1-26.5	962	76.2	73.5-78.9
65+	1962	108,974	564	26.1	23.9-28.3	1398	73.9	71.7-76.1
Less Than H.S.	296	45,384	84	33.3	25.5-41.1	212	66.7	58.9-74.5
H.S. or G.E.D.	1542	145,493	420	31.4	28.1-34.7	1122	68.6	65.3-71.9
Some Post-H.S.	1753	216,786	484	30.0	27.1-32.9	1269	70.0	67.1-72.9
College Graduate	1747	136,673	554	34.9	32.0-37.8	1193	65.1	62.2-68.0
Less than \$15,000	306	35,451	96	35.2	27.8-42.6	210	64.8	57.4-72.2
\$15,000- 24,999	602	62,649	189	37.7	31.8-43.6	413	62.3	56.4-68.2
\$25,000- 34,999	503	51,783	148	34.0	28.1-39.9	355	66.0	60.1-71.9
\$35,000- 49,999	768	75,668	208	28.2	23.7-32.7	560	71.8	67.3-76.3
\$50,000- 74,999	902	91,089	241	29.5	25.6-33.4	661	70.5	66.6-74.4
\$75,000+	1755	181,194	484	28.5	26.0-31.0	1271	71.5	69.0-74.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2541	289,646	550	26.4	24.0-28.8	1991	73.6	71.2-76.0
Native	65	9,451	9	23.0	9.1-36.9	56	77.0	63.1-90.9
Non-Native	2439	275,761	531	26.5	24.1-28.9	1908	73.5	71.1-75.9
18-24	164	47,631	86	54.4	46.4-62.4	78	45.6	37.6-53.6
25-34	319	56,908	92	28.5	23.2-33.8	227	71.5	66.2-76.8
35-44	271	44,542	52	20.1	14.8-25.4	219	79.9	74.6-85.2
45-54	390	41,047	67	17.9	13.6-22.2	323	82.1	77.8-86.4
55-64	634	47,357	110	18.0	14.7-21.3	524	82.0	78.7-85.3
65+	750	50,961	140	17.8	14.9-20.7	610	82.2	79.3-85.1
Less Than H.S.	152	25,035	45	34.6	25.2-44.0	107	65.4	56.0-74.8
H.S. or G.E.D.	792	87,639	176	28.4	24.3-32.5	616	71.6	67.5-75.7
Some Post-H.S.	804	111,934	161	24.7	20.8-28.6	643	75.3	71.4-79.2
College Graduate	788	64,636	166	23.2	19.7-26.7	622	76.8	73.3-80.3
Less than \$15,000	112	15,361	41	46.2	34.4-58.0	71	53.8	42.0-65.6
\$15,000- 24,999	240	29,336	73	35.9	28.1-43.7	167	64.1	56.3-71.9
\$25,000- 34,999	214	27,245	55	36.0	27.4-44.6	159	64.0	55.4-72.6
\$35,000- 49,999	393	43,414	88	24.3	18.8-29.8	305	75.7	70.2-81.2
\$50,000- 74,999	464	52,880	89	23.0	17.9-28.1	375	77.0	71.9-82.1
\$75,000+	952	102,560	155	18.4	15.3-21.5	797	81.6	78.5-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2807	255,264	998	38.1	35.6-40.6	1809	61.9	59.4-64.4
Native	89	12,466	21	21.1	9.9-32.3	68	78.9	67.7-90.1
Non-Native	2694	240,912	968	39.0	36.3-41.7	1726	61.0	58.3-63.7
18-24	86	36,012	55	62.3	51.3-73.3	31	37.7	26.7-48.7
25-34	230	44,163	86	35.1	28.4-41.8	144	64.9	58.2-71.6
35-44	278	37,832	104	36.0	29.7-42.3	174	64.0	57.7-70.3
45-54	350	34,681	126	35.1	29.4-40.8	224	64.9	59.2-70.6
55-64	627	42,245	189	30.3	26.2-34.4	438	69.7	65.6-73.8
65+	1212	58,013	424	33.4	30.3-36.5	788	66.6	63.5-69.7
Less Than H.S.	144	20,348	39	31.6	18.9-44.3	105	68.4	55.7-81.1
H.S. or G.E.D.	750	57,853	244	35.9	30.8-41.0	506	64.1	59.0-69.2
Some Post-H.S.	949	104,852	323	35.7	31.4-40.0	626	64.3	60.0-68.6
College Graduate	959	72,037	388	45.3	41.2-49.4	571	54.7	50.6-58.8
Less than \$15,000	194	20,090	55	26.8	18.0-35.6	139	73.2	64.4-82.0
\$15,000- 24,999	362	33,313	116	39.3	30.7-47.9	246	60.7	52.1-69.3
\$25,000- 34,999	289	24,538	93	31.7	23.7-39.7	196	68.3	60.3-76.3
\$35,000- 49,999	375	32,254	120	33.4	26.0-40.8	255	66.6	59.2-74.0
\$50,000- 74,999	438	38,209	152	38.6	32.5-44.7	286	61.4	55.3-67.5
\$75,000+	803	78,635	329	41.6	37.5-45.7	474	58.4	54.3-62.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5664	580,558	4376	66.3	64.5-68.1	473	12.8	11.4-14.2	445	11.2	10.0-12.4	233	6.1	5.1- 7.1	98	2.6	2.0- 3.2	39	0.9	0.5- 1.3
Male	2594	297,593	1994	69.6	67.2-72.0	231	11.8	10.2-13.4	205	10.0	8.4-11.6	100	5.2	4.0- 6.4	41	2.2	1.4- 3.0	23	1.3	0.7- 1.9
Female	3070	282,965	2382	62.8	60.3-65.3	242	13.9	11.9-15.9	240	12.6	10.8-14.4	133	7.0	5.6- 8.4	57	3.1	2.1- 4.1	16	0.6	0.2- 1.0
Native	163	23,957	76	36.6	27.6-45.6	30	21.0	12.8-29.2	24	14.1	7.6-20.6	18	16.5	8.1-24.9	8	8.7	2.4-15.0	7	3.1	0.6- 5.6
Non-Native	5427	549,010	4239	67.4	65.6-69.2	435	12.5	11.1-13.9	419	11.2	10.0-12.4	214	5.7	4.9- 6.5	89	2.4	1.8- 3.0	31	0.8	0.4- 1.2
18-24	267	90,670	189	68.4	62.1-74.7	43	17.6	12.5-22.7	19	7.1	3.6-10.6	10	5.0	1.9- 8.1	1	0.4	0.0- 1.2	5	1.6	0.0- 3.2
25-34	588	108,659	258	43.1	38.8-47.4	114	21.0	17.3-24.7	121	20.6	17.1-24.1	61	9.5	7.0-12.0	30	5.4	3.2- 7.6	4	0.5	0.0- 1.1
35-44	578	86,654	135	24.8	20.9-28.7	93	17.8	14.3-21.3	176	28.4	24.3-32.5	109	17.7	14.4-21.0	47	8.5	6.0-11.0	18	2.9	1.5- 4.3
45-54	791	80,979	504	65.8	62.1-69.5	133	16.1	13.4-18.8	102	12.1	9.6-14.6	32	3.9	2.3- 5.5	16	1.7	0.7- 2.7	4	0.4	0.0- 0.8
55-64	1334	94,687	1231	91.2	89.4-93.0	65	5.6	4.0- 7.2	18	1.5	0.7- 2.3	13	1.2	0.4- 2.0				7	0.6	0.2- 1.0
65+	2045	113,348	2009	97.7	96.9-98.5	22	1.3	0.7- 1.9	6	0.3	0.1- 0.5	3	0.2	0.0- 0.6	4	0.4	0.0- 0.8	1	0.1	0.0- 0.3
Less Than H.S.	321	48,882	268	66.8	59.0-74.6	28	15.8	9.5-22.1	9	6.6	1.9-11.3	8	6.1	1.6-10.6	5	3.1	0.2- 6.0	3	1.5	0.0- 3.7
H.S. or G.E.D.	1628	154,680	1347	71.2	68.1-74.3	113	11.8	9.4-14.2	89	8.6	6.6-10.6	45	4.6	3.0- 6.2	22	2.7	1.5- 3.9	12	1.2	0.4- 2.0
Some Post-H.S.	1854	231,648	1441	66.9	64.0-69.8	167	13.2	11.0-15.4	134	11.0	9.0-13.0	67	5.5	4.1- 6.9	35	2.6	1.6- 3.6	10	0.7	0.3- 1.1
College Graduate	1847	144,425	1307	59.6	56.9-62.3	165	12.4	10.4-14.4	212	15.9	13.7-18.1	113	8.7	6.9-10.5	36	2.5	1.7- 3.3	14	0.8	0.4- 1.2
Less than \$15,000	314	36,783	259	69.8	62.0-77.6	24	12.6	7.1-18.1	12	4.5	1.6- 7.4	11	7.6	1.9-13.3	5	3.6	0.3- 6.9	3	1.9	0.0- 4.8
\$15,000- 24,999	622	64,504	539	76.2	70.9-81.5	39	12.3	7.8-16.8	27	7.4	4.3-10.5	8	1.4	0.2- 2.6	7	2.2	0.4- 4.0	2	0.5	0.0- 1.3
\$25,000- 34,999	530	55,679	439	70.3	64.4-76.2	41	12.5	8.0-17.0	22	7.1	3.8-10.4	16	5.8	2.7- 8.9	9	3.1	0.9- 5.3	3	1.1	0.0- 2.3
\$35,000- 49,999	803	80,611	669	71.9	67.2-76.6	45	10.1	6.6-13.6	47	9.5	6.4-12.6	24	4.7	2.5- 6.9	11	3.0	1.2- 4.8	7	0.8	0.0- 1.6
\$50,000- 74,999	938	94,955	744	70.4	66.5-74.3	74	11.8	8.9-14.7	60	9.1	6.6-11.6	42	5.6	3.8- 7.4	11	1.9	0.5- 3.3	7	1.1	0.1- 2.1
\$75,000+	1821	187,478	1170	53.4	50.7-56.1	210	15.0	12.8-17.2	252	18.2	15.8-20.6	121	9.2	7.4-11.0	53	3.3	2.3- 4.3	15	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2594	297,593	1994	69.6	67.2-72.0	231	11.8	10.2-13.4	205	10.0	8.4-11.6	100	5.2	4.0- 6.4	41	2.2	1.4- 3.0	23	1.3	0.7- 1.9
Native	69	10,205	34	44.5	30.8-58.2	15	24.0	12.2-35.8	8	8.7	1.8-15.6	6	11.1	0.7-21.5	4	9.5	0.3-18.7	2	2.3	0.0- 5.6
Non-Native	2484	282,393	1927	70.4	68.0-72.8	211	11.3	9.7-12.9	196	10.1	8.5-11.7	94	5.1	3.9- 6.3	36	2.0	1.2- 2.8	20	1.2	0.6- 1.8
18-24	169	49,237	128	75.6	68.7-82.5	21	11.9	7.0-16.8	9	4.7	1.4- 8.0	6	4.6	0.7- 8.5	1	0.6	0.0- 1.8	4	2.5	0.0- 5.0
25-34	331	59,267	179	52.3	46.4-58.2	64	20.5	15.8-25.2	54	16.4	12.1-20.7	20	5.8	3.1- 8.5	12	4.6	1.9- 7.3	2	0.5	0.0- 1.1
35-44	274	45,214	87	33.8	27.5-40.1	45	17.2	12.3-22.1	72	24.0	18.5-29.5	44	15.6	10.7-20.5	17	6.1	3.0- 9.2	9	3.4	1.0- 5.8
45-54	397	42,084	257	67.6	62.5-72.7	55	13.2	9.5-16.9	55	13.2	9.5-16.9	17	3.5	1.7- 5.3	10	1.8	0.6- 3.0	3	0.7	0.0- 1.5
55-64	643	47,989	581	89.5	86.8-92.2	38	6.2	4.0- 8.4	11	1.9	0.7- 3.1	9	1.7	0.5- 2.9				4	0.7	0.0- 1.5
65+	762	51,949	748	97.7	96.3-99.1	7	1.3	0.3- 2.3	3	0.3	0.0- 0.7	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6
Less Than H.S.	160	26,317	135	74.2	64.8-83.6	9	7.1	1.8-12.4	6	5.7	1.0-10.4	6	7.8	1.1-14.5	2	2.8	0.0- 6.5	2	2.4	0.0- 6.3
H.S. or G.E.D.	806	89,637	636	70.9	66.8-75.0	75	12.6	9.5-15.7	53	9.0	6.3-11.7	19	3.0	1.4- 4.6	14	3.0	1.2- 4.8	9	1.5	0.3- 2.7
Some Post-H.S.	820	115,061	624	68.8	64.9-72.7	77	12.7	9.8-15.6	65	10.2	7.7-12.7	33	5.4	3.4- 7.4	14	1.8	0.8- 2.8	7	1.1	0.1- 2.1
College Graduate	802	66,089	593	67.1	63.2-71.0	70	11.0	8.5-13.5	81	12.5	9.8-15.2	42	7.0	4.8- 9.2	11	1.7	0.7- 2.7	5	0.7	0.1- 1.3
Less than \$15,000	112	15,599	98	81.4	70.4-92.4	4	5.7	0.0-12.0	3	2.3	0.0- 5.2	4	4.3	0.0-10.8	1	2.3	0.0- 6.8	2	3.9	0.0-10.4
\$15,000- 24,999	243	29,721	209	81.1	74.6-87.6	14	9.1	4.2-14.0	12	6.1	2.0-10.2	4	1.5	0.0- 3.1	2	1.2	0.0- 2.8	2	1.1	0.0- 2.7
\$25,000- 34,999	222	28,891	183	73.3	65.5-81.1	21	11.8	6.5-17.1	7	5.8	1.3-10.3	3	2.9	0.0- 6.2	6	4.9	0.8- 9.0	2	1.4	0.0- 3.4
\$35,000- 49,999	396	43,842	340	79.1	73.6-84.6	20	7.7	4.2-11.2	20	7.2	3.7-10.7	9	3.1	0.6- 5.6	5	2.5	0.1- 4.9	2	0.5	0.0- 1.3
\$50,000- 74,999	467	53,596	371	71.1	65.8-76.4	39	11.4	7.5-15.3	30	9.2	5.7-12.7	18	5.2	2.7- 7.7	5	1.7	0.1- 3.3	4	1.3	0.0- 2.7
\$75,000+	955	103,056	622	55.9	52.0-59.8	123	16.8	13.7-19.9	122	15.7	12.8-18.6	58	8.1	5.7-10.5	21	2.3	1.1- 3.5	9	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3070	282,965	2382	62.8	60.3-65.3	242	13.9	11.9-15.9	240	12.6	10.8-14.4	133	7.0	5.6- 8.4	57	3.1	2.1- 4.1	16	0.6	0.2- 1.0
Native	94	13,752	42	30.7	19.5-41.9	15	18.8	7.4-30.2	16	18.1	8.1-28.1	12	20.6	8.4-32.8	4	8.2	0.0-16.8	5	3.7	0.0- 7.4
Non-Native	2943	266,616	2312	64.3	61.8-66.8	224	13.7	11.5-15.9	223	12.4	10.6-14.2	120	6.3	4.9- 7.7	53	2.8	2.0- 3.6	11	0.4	0.2- 0.6
18-24	98	41,433	61	59.8	49.4-70.2	22	24.4	15.2-33.6	10	9.8	3.3-16.3	4	5.4	0.3-10.5				1	0.5	0.0- 1.5
25-34	257	49,392	79	32.1	25.8-38.4	50	21.6	15.9-27.3	67	25.6	19.9-31.3	41	13.9	9.4-18.4	18	6.2	3.1- 9.3	2	0.6	0.0- 1.4
35-44	304	41,440	48	14.9	10.6-19.2	48	18.5	13.2-23.8	104	33.2	27.3-39.1	65	20.0	15.1-24.9	30	11.1	6.8-15.4	9	2.3	0.7- 3.9
45-54	394	38,895	247	63.8	58.3-69.3	78	19.2	14.9-23.5	47	10.9	7.4-14.4	15	4.4	1.9- 6.9	6	1.6	0.0- 3.2	1	0.1	0.0- 0.3
55-64	691	46,698	650	92.8	90.4-95.2	27	4.9	2.7- 7.1	7	1.0	0.2- 1.8	4	0.8	0.0- 1.6				3	0.4	0.0- 1.0
65+	1283	61,399	1261	97.8	96.8-98.8	15	1.4	0.6- 2.2	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	3	0.6	0.0- 1.2			
Less Than H.S.	161	22,565	133	58.3	46.0-70.6	19	26.0	14.6-37.4	3	7.6	0.0-16.4	2	4.1	0.0-10.0	3	3.5	0.0- 7.8	1	0.4	0.0- 1.2
H.S. or G.E.D.	822	65,043	711	71.6	66.5-76.7	38	10.7	6.8-14.6	36	7.9	5.0-10.8	26	6.8	3.7- 9.9	8	2.2	0.6- 3.8	3	0.8	0.0- 1.6
Some Post-H.S.	1034	116,586	817	65.1	61.0-69.2	90	13.8	10.5-17.1	69	11.8	8.9-14.7	34	5.5	3.5- 7.5	21	3.4	1.8- 5.0	3	0.3	0.0- 0.7
College Graduate	1045	78,336	714	53.3	49.4-57.2	95	13.5	10.6-16.4	131	18.8	15.7-21.9	71	10.2	7.7-12.7	25	3.2	1.8- 4.6	9	1.0	0.4- 1.6
Less than \$15,000	202	21,184	161	61.3	50.9-71.7	20	17.6	9.4-25.8	9	6.2	1.5-10.9	7	10.0	1.6-18.4	4	4.5	0.0- 9.4	1	0.5	0.0- 1.5
\$15,000- 24,999	379	34,783	330	72.1	64.3-79.9	25	15.0	8.1-21.9	15	8.5	3.8-13.2	4	1.3	0.0- 2.7	5	3.1	0.4- 5.8			
\$25,000- 34,999	308	26,788	256	67.1	58.5-75.7	20	13.3	6.0-20.6	15	8.5	3.6-13.4	13	9.0	3.5-14.5	3	1.3	0.0- 2.7	1	0.8	0.0- 2.4
\$35,000- 49,999	407	36,769	329	63.4	56.0-70.8	25	13.0	6.9-19.1	27	12.2	6.9-17.5	15	6.7	3.2-10.2	6	3.5	0.6- 6.4	5	1.2	0.0- 2.4
\$50,000- 74,999	471	41,359	373	69.5	63.6-75.4	35	12.4	7.7-17.1	30	9.0	5.5-12.5	24	6.2	3.5- 8.9	6	2.2	0.0- 4.4	3	0.8	0.0- 1.8
\$75,000+	866	84,422	548	50.3	46.2-54.4	87	12.8	10.1-15.5	130	21.1	17.6-24.6	63	10.4	7.7-13.1	32	4.6	2.8- 6.4	6	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5726	590,217	325	8.4	7.2-9.6	1651	26.8	25.2-28.4	1882	39.9	38.1-41.7	1868	24.9	23.5-26.3
Male	2630	302,468	164	8.9	7.3-10.5	820	30.3	28.1-32.5	834	38.5	36.1-40.9	812	22.3	20.5-24.1
Female	3096	287,749	161	7.8	6.0-9.6	831	23.2	21.2-25.2	1048	41.3	38.8-43.8	1056	27.7	25.7-29.7
Native	166	24,305	22	22.1	13.1-31.1	53	31.9	23.1-40.7	57	37.0	27.6-46.4	34	8.9	5.2-12.6
Non-Native	5481	557,613	295	7.8	6.6-9.0	1569	26.5	24.9-28.1	1804	40.2	38.4-42.0	1813	25.6	24.2-27.0
18-24	271	91,825	28	14.3	9.2-19.4	104	34.6	28.7-40.5	90	38.1	31.8-44.4	49	13.0	9.3-16.7
25-34	600	111,161	26	7.0	4.3-9.7	141	23.0	19.5-26.5	183	38.7	34.4-43.0	250	31.3	27.6-35.0
35-44	595	89,555	9	2.9	0.9-4.9	121	21.7	18.0-25.4	181	38.1	33.6-42.6	284	37.3	33.2-41.4
45-54	801	82,283	27	5.6	3.4-7.8	201	23.0	19.9-26.1	284	44.3	40.4-48.2	289	27.1	24.0-30.2
55-64	1355	96,319	40	5.2	3.4-7.0	394	28.3	25.8-30.8	478	43.4	40.5-46.3	443	23.1	20.9-25.3
65+	2042	113,190	193	14.4	12.2-16.6	672	29.6	27.4-31.8	645	37.5	35.0-40.0	532	18.5	16.7-20.3
Less Than H.S.	325	49,433	325	100.0	100.0- 100									
H.S. or G.E.D.	1651	158,203				1651	100.0	100.0- 100						
Some Post-H.S.	1882	235,392							1882	100.0	100.0- 100			
College Graduate	1868	147,189										1868	100.0	100.0- 100
Less than \$15,000	314	36,816	61	27.0	19.4-34.6	131	36.1	29.0-43.2	85	30.0	23.3-36.7	37	6.9	4.0- 9.8
\$15,000- 24,999	618	64,261	86	19.6	14.5-24.7	251	35.3	30.2-40.4	194	35.2	29.7-40.7	87	10.0	7.1-12.9
\$25,000- 34,999	532	56,149	34	7.6	4.5-10.7	227	41.0	35.3-46.7	180	40.1	34.2-46.0	91	11.3	8.2-14.4
\$35,000- 49,999	803	80,634	27	4.4	2.2- 6.6	280	30.0	25.9-34.1	284	46.3	41.6-51.0	212	19.2	15.9-22.5
\$50,000- 74,999	940	95,327	25	5.6	3.2- 8.0	218	23.1	19.8-26.4	349	43.7	39.6-47.8	348	27.6	24.3-30.9
\$75,000+	1825	188,250	31	2.8	1.6- 4.0	312	16.9	14.7-19.1	544	38.1	35.4-40.8	938	42.2	39.5-44.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2630	302,468	164	8.9	7.3-10.5	820	30.3	28.1-32.5	834	38.5	36.1-40.9	812	22.3	20.5-24.1
Native	69	10,205	6	16.4	4.1-28.7	29	43.7	29.8-57.6	24	32.8	20.3-45.3	10	7.0	1.9-12.1
Non-Native	2517	286,922	155	8.7	7.1-10.3	774	29.6	27.4-31.8	797	38.8	36.4-41.2	791	22.9	21.1-24.7
18-24	171	49,584	16	11.7	6.0-17.4	71	38.8	31.2-46.4	56	38.1	30.3-45.9	28	11.4	7.1-15.7
25-34	336	60,331	16	8.0	4.1-11.9	88	26.0	21.1-30.9	100	37.0	31.3-42.7	132	29.0	24.3-33.7
35-44	284	47,036	6	3.2	0.5- 5.9	80	29.9	24.0-35.8	93	39.6	33.1-46.1	105	27.2	22.1-32.3
45-54	401	42,612	19	7.5	4.0-11.0	126	29.0	24.3-33.7	131	40.1	34.6-45.6	125	23.4	19.3-27.5
55-64	658	49,059	29	7.0	4.3- 9.7	216	31.0	27.3-34.7	226	41.2	36.9-45.5	187	20.8	17.9-23.7
65+	760	51,728	78	15.6	12.3-18.9	235	28.3	24.8-31.8	222	35.5	31.6-39.4	225	20.6	17.9-23.3
Less Than H.S.	164	26,868	164	100.0	100.0- 100									
H.S. or G.E.D.	820	91,531				820	100.0	100.0- 100						
Some Post-H.S.	834	116,559							834	100.0	100.0- 100			
College Graduate	812	67,509										812	100.0	100.0- 100
Less than \$15,000	112	15,632	23	28.6	16.8-40.4	45	37.6	26.2-49.0	25	22.8	13.8-31.8	19	11.0	4.9-17.1
\$15,000- 24,999	242	29,598	34	15.9	10.0-21.8	104	43.8	36.0-51.6	69	29.9	22.6-37.2	35	10.3	6.0-14.6
\$25,000- 34,999	223	29,033	18	8.0	3.7-12.3	96	39.5	31.7-47.3	81	43.4	35.2-51.6	28	9.1	5.0-13.2
\$35,000- 49,999	395	43,795	19	5.6	2.7- 8.5	159	35.4	29.5-41.3	136	44.0	37.7-50.3	81	15.0	11.1-18.9
\$50,000- 74,999	468	53,801	22	9.4	5.3-13.5	135	27.1	22.2-32.0	156	40.9	35.2-46.6	155	22.6	18.5-26.7
\$75,000+	958	103,488	22	3.8	1.8- 5.8	208	22.0	18.9-25.1	289	38.9	35.0-42.8	439	35.3	32.0-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3096	287,749	161	7.8	6.0-9.6	831	23.2	21.2-25.2	1048	41.3	38.8-43.8	1056	27.7	25.7-29.7
Native	97	14,100	16	26.2	13.7-38.7	24	23.4	12.2-34.6	33	40.1	27.0-53.2	24	10.3	5.2-15.4
Non-Native	2964	270,691	140	6.8	5.0-8.6	795	23.1	21.1-25.1	1007	41.5	39.0-44.0	1022	28.5	26.3-30.7
18-24	100	42,241	12	17.4	8.4-26.4	33	29.8	20.6-39.0	34	38.0	27.8-48.2	21	14.8	8.5-21.1
25-34	264	50,830	10	5.7	2.2-9.2	53	19.5	14.4-24.6	83	40.7	34.0-47.4	118	34.1	28.2-40.0
35-44	311	42,519	3	2.5	0.0-5.2	41	12.7	8.8-16.6	88	36.4	30.1-42.7	179	48.4	42.1-54.7
45-54	400	39,671	8	3.6	1.1-6.1	75	16.5	12.6-20.4	153	48.8	43.1-54.5	164	31.1	26.4-35.8
55-64	697	47,260	11	3.4	1.2-5.6	178	25.5	22.0-29.0	252	45.6	41.3-49.9	256	25.4	22.3-28.5
65+	1282	61,461	115	13.3	10.8-15.8	437	30.8	28.1-33.5	423	39.2	36.1-42.3	307	16.8	14.8-18.8
Less Than H.S.	161	22,565	161	100.0	100.0-100									
H.S. or G.E.D.	831	66,672				831	100.0	100.0-100						
Some Post-H.S.	1048	118,833							1048	100.0	100.0-100			
College Graduate	1056	79,679										1056	100.0	100.0-100
Less than \$15,000	202	21,184	38	25.8	15.8-35.8	86	35.0	25.8-44.2	60	35.3	25.9-44.7	18	3.8	1.4-6.2
\$15,000- 24,999	376	34,664	52	22.7	14.9-30.5	147	28.0	21.9-34.1	125	39.7	31.9-47.5	52	9.6	5.9-13.3
\$25,000- 34,999	309	27,116	16	7.2	2.7-11.7	131	42.6	34.4-50.8	99	36.6	28.4-44.8	63	13.6	8.9-18.3
\$35,000- 49,999	408	36,839	8	3.1	0.0-6.4	121	23.6	18.1-29.1	148	49.1	41.8-56.4	131	24.2	18.5-29.9
\$50,000- 74,999	472	41,526	3	0.7	0.0-1.5	83	18.0	13.3-22.7	193	47.3	41.4-53.2	193	34.0	28.7-39.3
\$75,000+	867	84,763	9	1.6	0.0-3.2	104	10.7	8.2-13.2	255	37.2	33.1-41.3	499	50.5	46.4-54.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5040	521,921	315	7.1	6.1- 8.1	622	12.4	11.0-13.8	532	10.8	9.6-12.0	804	15.5	14.1-16.9	2767	54.4	52.6-56.2
Male	2402	275,684	113	5.7	4.3- 7.1	243	10.8	9.2-12.4	223	10.5	8.9-12.1	396	15.9	14.1-17.7	1427	57.1	54.6-59.6
Female	2638	246,237	202	8.6	7.0-10.2	379	14.1	12.1-16.1	309	11.0	9.2-12.8	408	15.0	13.0-17.0	1340	51.3	48.6-54.0
Native	152	21,822	37	28.1	18.3-37.9	31	22.3	14.1-30.5	22	16.9	9.1-24.7	20	11.4	5.3-17.5	42	21.2	13.8-28.6
Non-Native	4830	493,989	269	6.1	5.1- 7.1	582	11.9	10.5-13.3	503	10.5	9.3-11.7	777	15.8	14.4-17.2	2699	55.8	54.0-57.6
18-24	228	76,010	25	11.9	7.2-16.6	39	19.5	13.6-25.4	36	15.8	10.7-20.9	50	21.9	16.2-27.6	78	30.9	24.6-37.2
25-34	556	102,220	25	4.9	2.9- 6.9	46	9.5	6.8-12.2	59	11.9	9.0-14.8	76	13.0	9.9-16.1	350	60.6	56.1-65.1
35-44	561	84,291	23	4.7	2.5- 6.9	31	6.1	3.7- 8.5	32	6.5	4.0- 9.0	70	13.4	10.1-16.7	405	69.3	64.8-73.8
45-54	732	74,739	36	6.7	4.3- 9.1	55	7.9	5.7-10.1	42	5.8	3.8- 7.8	94	12.8	10.1-15.5	505	66.7	62.8-70.6
55-64	1218	86,619	65	6.1	4.5- 7.7	90	8.6	6.6-10.6	94	8.7	6.7-10.7	167	13.8	11.6-16.0	802	62.7	59.6-65.8
65+	1711	94,958	139	8.8	7.2-10.4	358	22.4	20.0-24.8	265	14.9	12.9-16.9	341	18.4	16.2-20.6	608	35.6	33.1-38.1
Less Than H.S.	264	40,993	61	24.2	16.9-31.5	86	30.7	23.1-38.3	34	10.4	6.1-14.7	27	8.7	4.4-13.0	56	25.9	18.8-33.0
H.S. or G.E.D.	1419	137,057	131	9.7	7.5-11.9	251	16.5	14.0-19.0	227	16.8	14.1-19.5	280	17.7	15.2-20.2	530	39.3	36.0-42.6
Some Post-H.S.	1636	206,988	85	5.3	3.9- 6.7	194	10.9	8.9-12.9	180	10.9	8.9-12.9	284	18.0	15.5-20.5	893	54.8	51.7-57.9
College Graduate	1713	136,399	37	1.9	1.1- 2.7	87	4.7	3.3- 6.1	91	4.6	3.2- 6.0	212	11.4	9.4-13.4	1286	77.4	74.9-79.9
Less than \$15,000	315	36,908	315	100.0	100.0- 100												
\$15,000- 24,999	622	64,504				622	100.0	100.0- 100									
\$25,000- 34,999	532	56,149							532	100.0	100.0- 100						
\$35,000- 49,999	804	80,681										804	100.0	100.0- 100			
\$50,000- 74,999	940	95,327													940	100.0	100.0- 100
\$75,000+	1827	188,352													1827	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2402	275,684	113	5.7	4.3- 7.1	243	10.8	9.2-12.4	223	10.5	8.9-12.1	396	15.9	14.1-17.7	1427	57.1	54.6-59.6
Native	67	9,597	14	23.1	10.6-35.6	10	15.9	5.3-26.5	11	19.1	7.7-30.5	10	15.1	5.5-24.7	22	26.9	15.1-38.7
Non-Native	2302	262,244	96	5.0	3.8- 6.2	228	10.5	8.9-12.1	209	10.2	8.6-11.8	382	16.1	14.1-18.1	1387	58.2	55.7-60.7
18-24	148	43,428	15	10.8	5.3-16.3	23	16.3	9.8-22.8	21	14.8	8.7-20.9	32	20.9	14.0-27.8	57	37.1	28.9-45.3
25-34	315	56,221	10	3.5	1.1- 5.9	28	9.6	6.1-13.1	35	13.0	8.9-17.1	39	12.4	8.5-16.3	203	61.5	55.6-67.4
35-44	266	44,120	11	4.4	1.5- 7.3	9	3.5	1.1- 5.9	14	6.5	3.2- 9.8	38	14.3	9.6-19.0	194	71.3	65.2-77.4
45-54	376	39,701	11	3.8	1.3- 6.3	30	8.4	5.3-11.5	20	6.2	3.3- 9.1	56	14.0	10.1-17.9	259	67.6	62.3-72.9
55-64	599	45,055	32	6.1	3.7- 8.5	45	8.7	6.0-11.4	44	7.8	5.3-10.3	82	14.6	11.3-17.9	396	62.7	58.2-67.2
65+	686	46,137	33	5.8	3.6- 8.0	108	18.3	14.8-21.8	88	13.8	10.9-16.7	146	19.8	16.5-23.1	311	42.2	38.1-46.3
Less Than H.S.	138	22,884	23	19.5	10.7-28.3	34	20.6	13.0-28.2	18	10.1	4.6-15.6	19	10.6	5.1-16.1	44	39.1	29.1-49.1
H.S. or G.E.D.	747	83,151	45	7.1	4.6- 9.6	104	15.6	12.3-18.9	96	13.8	10.7-16.9	159	18.6	15.3-21.9	343	44.9	40.6-49.2
Some Post-H.S.	756	106,599	25	3.3	1.9- 4.7	69	8.3	5.9-10.7	81	11.8	8.9-14.7	136	18.1	14.8-21.4	445	58.4	54.1-62.7
College Graduate	757	62,713	19	2.7	1.1- 4.3	35	4.9	2.7- 7.1	28	4.2	2.2- 6.2	81	10.5	7.8-13.2	594	77.7	74.0-81.4
Less than \$15,000	113	15,724	113	100.0	100.0- 100												
\$15,000- 24,999	243	29,721				243	100.0	100.0- 100									
\$25,000- 34,999	223	29,033							223	100.0	100.0- 100						
\$35,000- 49,999	396	43,842										396	100.0	100.0- 100			
\$50,000- 74,999	468	53,801													468	100.0	100.0- 100
\$75,000+	959	103,562													959	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2638	246,237	202	8.6	7.0-10.2	379	14.1	12.1-16.1	309	11.0	9.2-12.8	408	15.0	13.0-17.0	1340	51.3	48.6-54.0
Native	85	12,226	23	32.1	17.8-46.4	21	27.3	15.3-39.3	11	15.3	4.3-26.3	10	8.5	0.7-16.3	20	16.8	7.6-26.0
Non-Native	2528	231,745	173	7.3	5.7- 8.9	354	13.4	11.2-15.6	294	10.8	9.0-12.6	395	15.4	13.4-17.4	1312	53.1	50.4-55.8
18-24	80	32,582	10	13.4	5.2-21.6	16	23.7	13.1-34.3	15	17.1	8.7-25.5	18	23.2	13.4-33.0	21	22.6	13.4-31.8
25-34	241	45,999	15	6.7	3.2-10.2	18	9.4	5.1-13.7	24	10.7	6.4-15.0	37	13.8	9.1-18.5	147	59.5	52.6-66.4
35-44	295	40,171	12	5.0	1.7- 8.3	22	9.0	5.1-12.9	18	6.6	3.1-10.1	32	12.5	8.0-17.0	211	67.0	60.7-73.3
45-54	356	35,038	25	10.0	5.9-14.1	25	7.3	4.2-10.4	22	5.4	2.9- 7.9	38	11.5	7.6-15.4	246	65.8	59.9-71.7
55-64	619	41,563	33	6.1	3.7- 8.5	45	8.5	5.6-11.4	50	9.6	6.7-12.5	85	13.0	10.1-15.9	406	62.8	58.3-67.3
65+	1025	48,821	106	11.5	9.1-13.9	250	26.2	22.9-29.5	177	15.9	13.4-18.4	195	17.1	14.6-19.6	297	29.3	26.2-32.4
Less Than H.S.	126	18,109	38	30.2	18.2-42.2	52	43.4	30.1-56.7	16	10.8	3.9-17.7	8	6.3	0.0-13.0	12	9.3	1.7-16.9
H.S. or G.E.D.	672	53,907	86	13.8	9.9-17.7	147	18.0	14.1-21.9	131	21.4	16.7-26.1	121	16.1	12.4-19.8	187	30.7	25.8-35.6
Some Post-H.S.	880	100,389	60	7.5	5.1- 9.9	125	13.7	10.4-17.0	99	9.9	7.2-12.6	148	18.0	14.5-21.5	448	50.9	46.6-55.2
College Graduate	956	73,686	18	1.1	0.5- 1.7	52	4.5	2.7- 6.3	63	5.0	3.2- 6.8	131	12.1	9.2-15.0	692	77.2	73.7-80.7
Less than \$15,000	202	21,184	202	100.0	100.0- 100												
\$15,000- 24,999	379	34,783				379	100.0	100.0- 100									
\$25,000- 34,999	309	27,116							309	100.0	100.0- 100						
\$35,000- 49,999	408	36,839										408	100.0	100.0- 100			
\$50,000- 74,999	472	41,526													472	100.0	100.0- 100
\$75,000+	868	84,790													868	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 9: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	99
2	MALES ONLY	100
3	FEMALES ONLY	101
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	102
5	MALES ONLY	103
6	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5542	564,451	596	14.0	12.6-15.4	242	5.7	4.7- 6.7	1615	24.8	23.4-26.2	3089	55.5	53.7-57.3
Male	2529	287,999	346	15.8	14.0-17.6	127	6.5	5.1- 7.9	853	28.0	26.0-30.0	1203	49.6	47.2-52.0
Female	3013	276,453	250	12.1	10.3-13.9	115	5.0	3.8- 6.2	762	21.3	19.5-23.1	1886	61.6	59.2-64.0
Native	152	21,430	33	26.5	17.5-35.5	25	23.2	13.8-32.6	49	21.5	14.6-28.4	45	28.8	19.8-37.8
Non-Native	5318	535,528	554	13.5	12.1-14.9	211	5.0	4.2- 5.8	1548	24.9	23.5-26.3	3005	56.6	54.8-58.4
18-24	257	87,355	32	12.8	8.3-17.3	20	7.6	4.1-11.1	23	7.9	4.6-11.2	182	71.8	65.9-77.7
25-34	571	104,466	86	17.7	14.2-21.2	41	7.7	5.2-10.2	103	18.6	15.1-22.1	341	56.0	51.5-60.5
35-44	566	84,814	82	15.6	12.3-18.9	33	6.6	4.1- 9.1	117	22.1	18.2-26.0	334	55.6	50.9-60.3
45-54	781	79,148	117	17.6	14.5-20.7	43	6.0	4.0- 8.0	194	26.7	23.2-30.2	427	49.7	45.8-53.6
55-64	1317	93,197	166	15.0	12.6-17.4	58	5.0	3.6- 6.4	384	30.0	27.3-32.7	709	50.0	47.1-52.9
65+	1993	110,303	108	7.0	5.6- 8.4	46	2.5	1.7- 3.3	782	40.4	37.9-42.9	1057	50.0	47.5-52.5
Less Than H.S.	303	45,598	56	26.9	19.8-34.0	17	7.2	2.5-11.9	87	21.4	16.3-26.5	143	44.4	36.8-52.0
H.S. or G.E.D.	1591	149,604	258	20.9	18.2-23.6	95	8.5	6.3-10.7	525	27.1	24.6-29.6	713	43.6	40.5-46.7
Some Post-H.S.	1811	226,006	204	12.9	10.9-14.9	78	5.2	3.8- 6.6	572	27.5	25.1-29.9	957	54.4	51.5-57.3
College Graduate	1825	142,450	77	4.6	3.4- 5.8	52	3.3	2.1- 4.5	425	18.9	16.9-20.9	1271	73.2	70.8-75.6
Less than \$15,000	305	35,202	59	24.5	18.2-30.8	28	11.6	6.1-17.1	85	19.1	14.2-24.0	133	44.8	37.0-52.6
\$15,000- 24,999	609	62,669	88	18.1	14.0-22.2	40	8.7	4.8-12.6	178	22.6	18.5-26.7	303	50.6	44.9-56.3
\$25,000- 34,999	525	54,834	79	23.2	17.9-28.5	31	7.2	4.1-10.3	169	23.3	19.0-27.6	246	46.3	40.4-52.2
\$35,000- 49,999	788	79,060	99	15.6	12.1-19.1	30	4.9	2.7- 7.1	244	24.6	21.1-28.1	415	55.0	50.3-59.7
\$50,000- 74,999	925	92,888	87	11.2	8.5-13.9	45	6.1	3.9- 8.3	290	26.8	23.5-30.1	503	55.8	51.7-59.9
\$75,000+	1803	185,471	140	9.3	7.5-11.1	48	3.6	2.4- 4.8	512	27.5	25.0-30.0	1103	59.6	56.9-62.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2529	287,999	346	15.8	14.0-17.6	127	6.5	5.1- 7.9	853	28.0	26.0-30.0	1203	49.6	47.2-52.0
Native	63	9,265	15	24.5	11.8-37.2	10	25.3	11.0-39.6	21	24.6	13.2-36.0	17	25.6	13.4-37.8
Non-Native	2427	274,111	323	15.4	13.6-17.2	114	5.9	4.7- 7.1	821	28.2	26.0-30.4	1169	50.6	48.1-53.1
18-24	164	47,948	21	12.2	6.9-17.5	13	7.3	3.2-11.4	20	12.1	6.8-17.4	110	68.4	61.0-75.8
25-34	315	55,826	43	16.2	11.7-20.7	32	10.9	7.0-14.8	58	19.8	15.1-24.5	182	53.2	47.3-59.1
35-44	270	44,513	48	18.9	13.6-24.2	18	7.7	3.8-11.6	62	24.3	18.6-30.0	142	49.1	42.4-55.8
45-54	390	40,757	73	22.1	17.2-27.0	20	5.5	3.0- 8.0	100	26.1	21.2-31.0	197	46.3	40.8-51.8
55-64	634	47,167	99	17.4	13.9-20.9	31	5.4	3.2- 7.6	202	32.8	28.7-36.9	302	44.3	40.0-48.6
65+	740	50,375	61	10.0	7.3-12.7	13	1.8	0.6- 3.0	405	52.5	48.4-56.6	261	35.7	31.8-39.6
Less Than H.S.	151	24,639	36	27.7	18.9-36.5	7	5.5	0.8-10.2	54	27.8	20.0-35.6	54	39.0	29.2-48.8
H.S. or G.E.D.	785	86,158	163	23.6	19.9-27.3	54	9.9	7.0-12.8	288	29.0	25.5-32.5	280	37.6	33.3-41.9
Some Post-H.S.	800	112,103	97	12.6	9.9-15.3	38	5.8	3.8- 7.8	288	30.8	27.1-34.5	377	50.8	46.7-54.9
College Graduate	788	64,675	50	6.8	4.6- 9.0	28	3.6	2.0- 5.2	219	21.7	18.6-24.8	491	67.9	64.2-71.6
Less than \$15,000	107	14,713	25	22.5	13.5-31.5	8	9.4	1.2-17.6	31	19.4	11.8-27.0	43	48.7	36.5-60.9
\$15,000- 24,999	233	28,250	48	23.2	16.5-29.9	16	6.4	2.9- 9.9	70	24.0	17.5-30.5	99	46.4	38.4-54.4
\$25,000- 34,999	221	28,674	45	25.4	18.1-32.7	15	7.9	3.4-12.4	84	26.9	20.4-33.4	77	39.7	31.5-47.9
\$35,000- 49,999	392	43,510	67	20.5	15.2-25.8	15	6.0	2.7- 9.3	133	25.8	20.7-30.9	177	47.7	41.4-54.0
\$50,000- 74,999	461	52,188	56	14.3	10.2-18.4	30	8.9	5.4-12.4	173	29.8	24.9-34.7	202	47.1	41.4-52.8
\$75,000+	944	101,729	87	9.7	7.3-12.1	34	4.6	2.8- 6.4	304	30.7	27.2-34.2	519	55.0	51.3-58.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3013	276,453	250	12.1	10.3-13.9	115	5.0	3.8- 6.2	762	21.3	19.5-23.1	1886	61.6	59.2-64.0
Native	89	12,164	18	28.0	15.5-40.5	15	21.7	9.0-34.4	28	19.0	10.6-27.4	28	31.3	18.6-44.0
Non-Native	2891	261,417	231	11.5	9.7-13.3	97	4.1	2.9- 5.3	727	21.4	19.4-23.4	1836	62.9	60.5-65.3
18-24	93	39,407	11	13.5	5.9-21.1	7	7.9	1.6-14.2	3	2.7	0.0- 5.8	72	75.9	66.5-85.3
25-34	256	48,640	43	19.4	13.9-24.9	9	4.0	1.3- 6.7	45	17.3	12.4-22.2	159	59.3	52.6-66.0
35-44	296	40,300	34	12.0	7.9-16.1	15	5.5	2.4- 8.6	55	19.7	14.6-24.8	192	62.8	56.5-69.1
45-54	391	38,391	44	12.8	8.9-16.7	23	6.5	3.6- 9.4	94	27.3	22.0-32.6	230	53.4	47.7-59.1
55-64	683	46,030	67	12.6	9.3-15.9	27	4.5	2.7- 6.3	182	27.1	23.4-30.8	407	55.9	51.6-60.2
65+	1253	59,928	47	4.5	3.1- 5.9	33	3.1	1.9- 4.3	377	30.3	27.4-33.2	796	62.1	59.0-65.2
Less Than H.S.	152	20,959	20	26.1	14.7-37.5	10	9.2	0.6-17.8	33	13.9	8.0-19.8	89	50.8	38.5-63.1
H.S. or G.E.D.	806	63,446	95	17.2	13.1-21.3	41	6.6	3.7- 9.5	237	24.5	20.6-28.4	433	51.7	46.8-56.6
Some Post-H.S.	1011	113,903	107	13.2	10.5-15.9	40	4.6	2.8- 6.4	284	24.2	21.1-27.3	580	58.0	54.1-61.9
College Graduate	1037	77,775	27	2.7	1.5- 3.9	24	3.0	1.4- 4.6	206	16.6	13.9-19.3	780	77.7	74.6-80.8
Less than \$15,000	198	20,489	34	26.0	17.2-34.8	20	13.1	5.8-20.4	54	18.8	12.5-25.1	90	42.1	32.1-52.1
\$15,000- 24,999	376	34,419	40	13.9	8.6-19.2	24	10.6	4.3-16.9	108	21.4	16.1-26.7	204	54.0	46.2-61.8
\$25,000- 34,999	304	26,159	34	20.7	12.9-28.5	16	6.5	2.4-10.6	85	19.4	14.1-24.7	169	53.5	45.3-61.7
\$35,000- 49,999	396	35,550	32	9.6	5.5-13.7	15	3.5	1.3- 5.7	111	23.1	17.8-28.4	238	63.9	57.4-70.4
\$50,000- 74,999	464	40,700	31	7.3	4.2-10.4	15	2.6	1.0- 4.2	117	23.0	18.5-27.5	301	67.0	61.7-72.3
\$75,000+	859	83,743	53	8.7	6.0-11.4	14	2.5	0.9- 4.1	208	23.5	20.0-27.0	584	65.3	61.2-69.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5542	564,451	4704	80.2	78.6-81.8	838	19.8	18.2-21.4
Male	2529	287,999	2056	77.7	75.5-79.9	473	22.3	20.1-24.5
Female	3013	276,453	2648	82.9	80.7-85.1	365	17.1	14.9-19.3
Native	152	21,430	94	50.3	40.3-60.3	58	49.7	39.7-59.7
Non-Native	5318	535,528	4553	81.5	80.1-82.9	765	18.5	17.1-19.9
18-24	257	87,355	205	79.6	74.1-85.1	52	20.4	14.9-25.9
25-34	571	104,466	444	74.6	70.7-78.5	127	25.4	21.5-29.3
35-44	566	84,814	451	77.8	73.9-81.7	115	22.2	18.3-26.1
45-54	781	79,148	621	76.5	73.0-80.0	160	23.5	20.0-27.0
55-64	1317	93,197	1093	80.0	77.5-82.5	224	20.0	17.5-22.5
65+	1993	110,303	1839	90.4	88.8-92.0	154	9.6	8.0-11.2
Less Than H.S.	303	45,598	230	65.9	58.3-73.5	73	34.1	26.5-41.7
H.S. or G.E.D.	1591	149,604	1238	70.6	67.5-73.7	353	29.4	26.3-32.5
Some Post-H.S.	1811	226,006	1529	81.9	79.5-84.3	282	18.1	15.7-20.5
College Graduate	1825	142,450	1696	92.2	90.6-93.8	129	7.8	6.2- 9.4
Less than \$15,000	305	35,202	218	63.9	56.5-71.3	87	36.1	28.7-43.5
\$15,000- 24,999	609	62,669	481	73.2	68.1-78.3	128	26.8	21.7-31.9
\$25,000- 34,999	525	54,834	415	69.6	63.9-75.3	110	30.4	24.7-36.1
\$35,000- 49,999	788	79,060	659	79.5	75.6-83.4	129	20.5	16.6-24.4
\$50,000- 74,999	925	92,888	793	82.6	79.3-85.9	132	17.4	14.1-20.7
\$75,000+	1803	185,471	1615	87.1	84.9-89.3	188	12.9	10.7-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2529	287,999	2056	77.7	75.5-79.9	473	22.3	20.1-24.5
Native	63	9,265	38	50.2	35.5-64.9	25	49.8	35.1-64.5
Non-Native	2427	274,111	1990	78.7	76.5-80.9	437	21.3	19.1-23.5
18-24	164	47,948	130	80.5	74.2-86.8	34	19.5	13.2-25.8
25-34	315	55,826	240	72.9	67.4-78.4	75	27.1	21.6-32.6
35-44	270	44,513	204	73.5	67.4-79.6	66	26.5	20.4-32.6
45-54	390	40,757	297	72.4	67.1-77.7	93	27.6	22.3-32.9
55-64	634	47,167	504	77.2	73.5-80.9	130	22.8	19.1-26.5
65+	740	50,375	666	88.1	85.2-91.0	74	11.9	9.0-14.8
Less Than H.S.	151	24,639	108	66.8	57.6-76.0	43	33.2	24.0-42.4
H.S. or G.E.D.	785	86,158	568	66.5	62.4-70.6	217	33.5	29.4-37.6
Some Post-H.S.	800	112,103	665	81.6	78.5-84.7	135	18.4	15.3-21.5
College Graduate	788	64,675	710	89.6	87.1-92.1	78	10.4	7.9-12.9
Less than \$15,000	107	14,713	74	68.1	57.1-79.1	33	31.9	20.9-42.9
\$15,000- 24,999	233	28,250	169	70.3	63.0-77.6	64	29.7	22.4-37.0
\$25,000- 34,999	221	28,674	161	66.6	58.8-74.4	60	33.4	25.6-41.2
\$35,000- 49,999	392	43,510	310	73.5	67.6-79.4	82	26.5	20.6-32.4
\$50,000- 74,999	461	52,188	375	76.9	71.8-82.0	86	23.1	18.0-28.2
\$75,000+	944	101,729	823	85.7	83.0-88.4	121	14.3	11.6-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3013	276,453	2648	82.9	80.7-85.1	365	17.1	14.9-19.3
Native	89	12,164	56	50.4	36.7-64.1	33	49.6	35.9-63.3
Non-Native	2891	261,417	2563	84.3	82.3-86.3	328	15.7	13.7-17.7
18-24	93	39,407	75	78.6	69.4-87.8	18	21.4	12.2-30.6
25-34	256	48,640	204	76.6	70.7-82.5	52	23.4	17.5-29.3
35-44	296	40,300	247	82.5	77.6-87.4	49	17.5	12.6-22.4
45-54	391	38,391	324	80.7	76.0-85.4	67	19.3	14.6-24.0
55-64	683	46,030	589	82.9	79.4-86.4	94	17.1	13.6-20.6
65+	1253	59,928	1173	92.3	90.5-94.1	80	7.7	5.9- 9.5
Less Than H.S.	152	20,959	122	64.7	52.2-77.2	30	35.3	22.8-47.8
H.S. or G.E.D.	806	63,446	670	76.2	71.5-80.9	136	23.8	19.1-28.5
Some Post-H.S.	1011	113,903	864	82.2	79.1-85.3	147	17.8	14.7-20.9
College Graduate	1037	77,775	986	94.3	92.3-96.3	51	5.7	3.7- 7.7
Less than \$15,000	198	20,489	144	60.9	51.1-70.7	54	39.1	29.3-48.9
\$15,000- 24,999	376	34,419	312	75.5	68.1-82.9	64	24.5	17.1-31.9
\$25,000- 34,999	304	26,159	254	72.9	64.7-81.1	50	27.1	18.9-35.3
\$35,000- 49,999	396	35,550	349	87.0	82.5-91.5	47	13.0	8.5-17.5
\$50,000- 74,999	464	40,700	418	90.0	86.7-93.3	46	10.0	6.7-13.3
\$75,000+	859	83,743	792	88.8	85.7-91.9	67	11.2	8.1-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 10: E-Cigarettes CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 1: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5546	563,642	26	0.9	0.5- 1.3	86	2.8	2.0- 3.6	639	18.4	16.8-20.0	4795	78.0	76.4-79.6
Male	2533	288,345	14	1.2	0.6- 1.8	45	2.7	1.7- 3.7	356	20.7	18.5-22.9	2118	75.4	73.0-77.8
Female	3013	275,297	12	0.6	0.2- 1.0	41	2.8	1.6- 4.0	283	15.9	13.7-18.1	2677	80.7	78.3-83.1
Native	151	21,064				2	1.6	0.0- 4.1	44	36.9	26.7-47.1	105	61.5	51.3-71.7
Non-Native	5323	535,020	25	0.9	0.5- 1.3	82	2.8	2.0- 3.6	587	17.7	16.1-19.3	4629	78.6	77.0-80.2
18-24	256	86,572	6	2.0	0.2- 3.8	14	6.7	3.0-10.4	98	37.0	30.7-43.3	138	54.3	47.6-61.0
25-34	571	104,614	6	1.5	0.3- 2.7	23	4.1	2.3- 5.9	138	26.7	22.6-30.8	404	67.7	63.4-72.0
35-44	566	84,895	7	1.1	0.3- 1.9	9	2.1	0.7- 3.5	96	17.9	14.2-21.6	454	78.8	74.9-82.7
45-54	776	78,666				15	1.8	0.8- 2.8	110	16.2	13.1-19.3	651	81.9	78.8-85.0
55-64	1318	93,391	3	0.4	0.0- 1.0	21	2.2	1.2- 3.2	122	11.4	9.2-13.6	1172	86.0	83.6-88.4
65+	2000	110,275	4	0.2	0.0- 0.4	4	0.2	0.0- 0.4	69	3.8	2.8- 4.8	1923	95.7	94.7-96.7
Less Than H.S.	303	45,689	4	2.4	0.0- 4.8	8	6.8	1.3-12.3	50	27.1	19.7-34.5	241	63.8	55.8-71.8
H.S. or G.E.D.	1583	148,764	10	1.3	0.5- 2.1	31	2.6	1.4- 3.8	225	23.7	20.6-26.8	1317	72.3	69.0-75.6
Some Post-H.S.	1819	225,774	10	0.8	0.2- 1.4	34	3.0	1.8- 4.2	216	17.8	15.3-20.3	1559	78.5	76.0-81.0
College Graduate	1828	142,556	2	0.1	0.0- 0.3	13	1.3	0.5- 2.1	148	11.0	9.0-13.0	1665	87.6	85.4-89.8
Less than \$15,000	305	34,810	1	0.1	0.0- 0.3	10	4.6	1.5- 7.7	52	26.9	19.5-34.3	242	68.5	60.9-76.1
\$15,000- 24,999	608	62,463	3	0.8	0.0- 2.0	13	4.3	1.2- 7.4	76	19.7	14.8-24.6	516	75.2	69.7-80.7
\$25,000- 34,999	524	54,646	2	0.9	0.0- 2.3	12	3.9	1.2- 6.6	68	23.5	18.0-29.0	442	71.7	65.8-77.6
\$35,000- 49,999	790	78,546	4	1.1	0.0- 2.3	10	2.0	0.6- 3.4	94	19.9	15.6-24.2	682	77.0	72.5-81.5
\$50,000- 74,999	926	93,241	6	1.3	0.1- 2.5	18	2.9	1.3- 4.5	110	16.4	13.1-19.7	792	79.4	75.7-83.1
\$75,000+	1804	185,316	10	1.0	0.4- 1.6	13	0.9	0.3- 1.5	190	15.3	12.9-17.7	1591	82.9	80.5-85.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 2: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2533	288,345	14	1.2	0.6- 1.8	45	2.7	1.7- 3.7	356	20.7	18.5-22.9	2118	75.4	73.0-77.8
Native	62	8,900				1	1.0	0.0- 3.0	17	34.1	19.6-48.6	44	64.9	50.4-79.4
Non-Native	2432	274,758	14	1.2	0.4- 2.0	42	2.7	1.7- 3.7	335	20.4	18.2-22.6	2041	75.7	73.3-78.1
18-24	164	47,812	5	3.3	0.4- 6.2	10	6.6	2.5-10.7	69	40.4	32.6-48.2	80	49.7	41.7-57.7
25-34	317	56,355	4	1.9	0.0- 3.9	12	3.6	1.4- 5.8	79	27.8	22.3-33.3	222	66.7	61.0-72.4
35-44	271	44,671	3	1.1	0.0- 2.5	6	2.5	0.3- 4.7	55	21.1	15.6-26.6	207	75.2	69.3-81.1
45-54	388	40,583				7	1.8	0.4- 3.2	55	16.1	11.8-20.4	326	82.1	77.6-86.6
55-64	634	47,246	1	0.4	0.0- 1.2	8	1.5	0.5- 2.5	70	13.9	10.6-17.2	555	84.2	80.9-87.5
65+	743	50,264	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	27	4.1	2.3- 5.9	713	95.7	93.9-97.5
Less Than H.S.	150	24,702	3	3.9	0.0- 8.2	2	2.8	0.0- 6.7	32	29.6	20.4-38.8	113	63.7	53.9-73.5
H.S. or G.E.D.	784	85,868	6	1.5	0.3- 2.7	17	2.6	1.2- 4.0	130	25.3	21.2-29.4	631	70.6	66.3-74.9
Some Post-H.S.	801	112,294	4	0.8	0.0- 1.8	16	3.1	1.3- 4.9	117	20.3	16.8-23.8	664	75.8	71.9-79.7
College Graduate	792	64,993	1	0.2	0.0- 0.6	10	2.3	0.7- 3.9	77	12.1	9.2-15.0	704	85.4	82.3-88.5
Less than \$15,000	108	14,534				2	3.4	0.0- 7.9	21	25.7	14.7-36.7	85	70.9	59.5-82.3
\$15,000- 24,999	233	28,094	2	1.3	0.0- 3.7	6	3.4	0.7- 6.1	43	26.3	18.5-34.1	182	69.0	61.0-77.0
\$25,000- 34,999	220	28,536	1	1.3	0.0- 3.8	5	3.8	0.1- 7.5	34	22.7	15.3-30.1	180	72.2	64.4-80.0
\$35,000- 49,999	393	43,573	3	1.7	0.0- 3.7	7	3.1	0.7- 5.5	56	23.2	17.3-29.1	327	72.0	65.9-78.1
\$50,000- 74,999	462	52,532	4	2.0	0.0- 4.2	14	3.9	1.4- 6.4	68	20.5	15.6-25.4	376	73.5	68.0-79.0
\$75,000+	946	101,785	4	0.8	0.0- 1.6	8	0.9	0.1- 1.7	106	16.0	12.9-19.1	828	82.4	79.3-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 3: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3013	275,297	12	0.6	0.2- 1.0	41	2.8	1.6- 4.0	283	15.9	13.7-18.1	2677	80.7	78.3-83.1
Native	89	12,164				1	2.1	0.0- 6.2	27	38.9	25.0-52.8	61	59.0	45.1-72.9
Non-Native	2891	260,262	11	0.6	0.2- 1.0	40	2.8	1.6- 4.0	252	14.8	12.6-17.0	2588	81.8	79.4-84.2
18-24	92	38,760	1	0.5	0.0- 1.5	4	6.7	0.2-13.2	29	32.8	22.6-43.0	58	60.1	49.3-70.9
25-34	254	48,259	2	1.1	0.0- 2.7	11	4.6	1.9- 7.3	59	25.5	19.4-31.6	182	68.8	62.5-75.1
35-44	295	40,223	4	1.2	0.0- 2.4	3	1.6	0.0- 3.6	41	14.3	9.8-18.8	247	82.8	77.9-87.7
45-54	388	38,082				8	1.9	0.5- 3.3	55	16.4	11.9-20.9	325	81.8	77.1-86.5
55-64	684	46,145	2	0.5	0.0- 1.3	13	2.9	1.1- 4.7	52	8.7	6.2-11.2	617	87.9	85.0-90.8
65+	1257	60,011	3	0.3	0.0- 0.7	2	0.2	0.0- 0.6	42	3.6	2.4- 4.8	1210	95.8	94.4-97.2
Less Than H.S.	153	20,987	1	0.5	0.0- 1.5	6	11.5	0.9-22.1	18	24.1	12.3-35.9	128	63.9	50.8-77.0
H.S. or G.E.D.	799	62,897	4	0.9	0.0- 1.9	14	2.7	0.9- 4.5	95	21.6	16.7-26.5	686	74.7	69.6-79.8
Some Post-H.S.	1018	113,481	6	0.8	0.0- 1.6	18	2.8	1.2- 4.4	99	15.3	12.0-18.6	895	81.1	77.6-84.6
College Graduate	1036	77,563	1	0.0	0.0- 0.0	3	0.5	0.0- 1.1	71	10.0	7.5-12.5	961	89.5	86.8-92.2
Less than \$15,000	197	20,276	1	0.1	0.0- 0.3	8	5.5	1.2- 9.8	31	27.7	17.7-37.7	157	66.7	56.5-76.9
\$15,000- 24,999	375	34,368	1	0.4	0.0- 1.2	7	5.0	0.0-10.3	33	14.3	8.4-20.2	334	80.4	73.1-87.7
\$25,000- 34,999	304	26,110	1	0.5	0.0- 1.5	7	4.0	0.0- 8.1	34	24.4	16.2-32.6	262	71.2	62.8-79.6
\$35,000- 49,999	397	34,973	1	0.5	0.0- 1.5	3	0.6	0.0- 1.4	38	15.7	9.4-22.0	355	83.2	76.7-89.7
\$50,000- 74,999	464	40,710	2	0.4	0.0- 1.0	4	1.6	0.0- 3.4	42	11.0	7.1-14.9	416	87.0	82.9-91.1
\$75,000+	858	83,531	6	1.2	0.0- 2.4	5	0.8	0.0- 1.6	84	14.5	11.0-18.0	763	83.5	80.0-87.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 10: E-Cigarettes

TABLE 4: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5546	563,642	5434	96.4	95.6-97.2	112	3.6	2.8- 4.4
Male	2533	288,345	2474	96.1	94.9-97.3	59	3.9	2.7- 5.1
Female	3013	275,297	2960	96.6	95.4-97.8	53	3.4	2.2- 4.6
Native	151	21,064	149	98.4	95.9- 100	2	1.6	0.0- 4.1
Non-Native	5323	535,020	5216	96.3	95.5-97.1	107	3.7	2.9- 4.5
18-24	256	86,572	236	91.3	87.4-95.2	20	8.7	4.8-12.6
25-34	571	104,614	542	94.4	92.2-96.6	29	5.6	3.4- 7.8
35-44	566	84,895	550	96.8	95.0-98.6	16	3.2	1.4- 5.0
45-54	776	78,666	761	98.2	97.2-99.2	15	1.8	0.8- 2.8
55-64	1318	93,391	1294	97.4	96.2-98.6	24	2.6	1.4- 3.8
65+	2000	110,275	1992	99.6	99.2- 100	8	0.4	0.0- 0.8
Less Than H.S.	303	45,689	291	90.9	85.0-96.8	12	9.1	3.2-15.0
H.S. or G.E.D.	1583	148,764	1542	96.1	94.7-97.5	41	3.9	2.5- 5.3
Some Post-H.S.	1819	225,774	1775	96.2	94.8-97.6	44	3.8	2.4- 5.2
College Graduate	1828	142,556	1813	98.6	97.8-99.4	15	1.4	0.6- 2.2
Less than \$15,000	305	34,810	294	95.3	92.2-98.4	11	4.7	1.6- 7.8
\$15,000- 24,999	608	62,463	592	94.9	91.6-98.2	16	5.1	1.8- 8.4
\$25,000- 34,999	524	54,646	510	95.2	92.1-98.3	14	4.8	1.7- 7.9
\$35,000- 49,999	790	78,546	776	96.8	95.0-98.6	14	3.2	1.4- 5.0
\$50,000- 74,999	926	93,241	902	95.8	93.8-97.8	24	4.2	2.2- 6.2
\$75,000+	1804	185,316	1781	98.2	97.4-99.0	23	1.8	1.0- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 5: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2533	288,345	2474	96.1	94.9-97.3	59	3.9	2.7- 5.1
Native	62	8,900	61	99.0	97.0- 100	1	1.0	0.0- 3.0
Non-Native	2432	274,758	2376	96.1	94.9-97.3	56	3.9	2.7- 5.1
18-24	164	47,812	149	90.1	85.2-95.0	15	9.9	5.0-14.8
25-34	317	56,355	301	94.5	91.8-97.2	16	5.5	2.8- 8.2
35-44	271	44,671	262	96.4	93.9-98.9	9	3.6	1.1- 6.1
45-54	388	40,583	381	98.2	96.8-99.6	7	1.8	0.4- 3.2
55-64	634	47,246	625	98.1	96.7-99.5	9	1.9	0.5- 3.3
65+	743	50,264	740	99.8	99.6- 100	3	0.2	0.0- 0.4
Less Than H.S.	150	24,702	145	93.3	87.6-99.0	5	6.7	1.0-12.4
H.S. or G.E.D.	784	85,868	761	95.9	94.1-97.7	23	4.1	2.3- 5.9
Some Post-H.S.	801	112,294	781	96.0	94.0-98.0	20	4.0	2.0- 6.0
College Graduate	792	64,993	781	97.6	95.8-99.4	11	2.4	0.6- 4.2
Less than \$15,000	108	14,534	106	96.6	92.1- 100	2	3.4	0.0- 7.9
\$15,000- 24,999	233	28,094	225	95.2	91.5-98.9	8	4.8	1.1- 8.5
\$25,000- 34,999	220	28,536	214	94.9	90.6-99.2	6	5.1	0.8- 9.4
\$35,000- 49,999	393	43,573	383	95.2	92.3-98.1	10	4.8	1.9- 7.7
\$50,000- 74,999	462	52,532	444	94.0	90.7-97.3	18	6.0	2.7- 9.3
\$75,000+	946	101,785	934	98.3	97.3-99.3	12	1.7	0.7- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 10: E-Cigarettes**

TABLE 6: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3013	275,297	2960	96.6	95.4-97.8	53	3.4	2.2- 4.6
Native	89	12,164	88	97.9	93.8- 100	1	2.1	0.0- 6.2
Non-Native	2891	260,262	2840	96.6	95.4-97.8	51	3.4	2.2- 4.6
18-24	92	38,760	87	92.9	86.4-99.4	5	7.1	0.6-13.6
25-34	254	48,259	241	94.3	91.2-97.4	13	5.7	2.6- 8.8
35-44	295	40,223	288	97.2	94.8-99.6	7	2.8	0.4- 5.2
45-54	388	38,082	380	98.1	96.7-99.5	8	1.9	0.5- 3.3
55-64	684	46,145	669	96.6	94.6-98.6	15	3.4	1.4- 5.4
65+	1257	60,011	1252	99.4	98.8- 100	5	0.6	0.0- 1.2
Less Than H.S.	153	20,987	146	88.0	77.4-98.6	7	12.0	1.4-22.6
H.S. or G.E.D.	799	62,897	781	96.3	94.3-98.3	18	3.7	1.7- 5.7
Some Post-H.S.	1018	113,481	994	96.4	94.6-98.2	24	3.6	1.8- 5.4
College Graduate	1036	77,563	1032	99.5	98.9- 100	4	0.5	0.0- 1.1
Less than \$15,000	197	20,276	188	94.4	90.1-98.7	9	5.6	1.3- 9.9
\$15,000- 24,999	375	34,368	367	94.7	89.4- 100	8	5.3	0.0-10.6
\$25,000- 34,999	304	26,110	296	95.6	91.3-99.9	8	4.4	0.1- 8.7
\$35,000- 49,999	397	34,973	393	98.8	97.4- 100	4	1.2	0.0- 2.6
\$50,000- 74,999	464	40,710	458	97.9	96.1-99.7	6	2.1	0.3- 3.9
\$75,000+	858	83,531	847	97.9	96.5-99.3	11	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5513	561,124	3295	63.4	61.8-65.0	2218	36.6	35.0-38.2
Male	2510	286,030	1699	68.7	66.3-71.1	811	31.3	28.9-33.7
Female	3003	275,094	1596	57.9	55.5-60.3	1407	42.1	39.7-44.5
Native	150	20,702	54	44.9	34.7-55.1	96	55.1	44.9-65.3
Non-Native	5293	532,997	3208	64.4	62.6-66.2	2085	35.6	33.8-37.4
18-24	256	86,572	175	65.6	59.1-72.1	81	34.4	27.9-40.9
25-34	573	104,995	425	73.1	69.2-77.0	148	26.9	23.0-30.8
35-44	562	83,838	401	69.4	65.1-73.7	161	30.6	26.3-34.9
45-54	776	78,768	543	70.2	66.7-73.7	233	29.8	26.3-33.3
55-64	1310	92,870	791	59.4	56.5-62.3	519	40.6	37.7-43.5
65+	1980	109,046	934	46.8	44.3-49.3	1046	53.2	50.7-55.7
Less Than H.S.	300	45,120	117	39.2	31.6-46.8	183	60.8	53.2-68.4
H.S. or G.E.D.	1573	148,312	843	58.9	55.8-62.0	730	41.1	38.0-44.2
Some Post-H.S.	1809	224,749	1092	64.8	62.1-67.5	717	35.2	32.5-37.9
College Graduate	1819	142,149	1238	73.7	71.3-76.1	581	26.3	23.9-28.7
Less than \$15,000	304	34,752	97	38.6	31.0-46.2	207	61.4	53.8-69.0
\$15,000- 24,999	599	61,666	248	50.2	44.5-55.9	351	49.8	44.1-55.5
\$25,000- 34,999	520	54,535	263	56.6	50.9-62.3	257	43.4	37.7-49.1
\$35,000- 49,999	786	78,268	464	63.0	58.5-67.5	322	37.0	32.5-41.5
\$50,000- 74,999	925	92,880	615	68.9	65.2-72.6	310	31.1	27.4-34.8
\$75,000+	1799	184,836	1332	75.5	73.1-77.9	467	24.5	22.1-26.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2510	286,030	1699	68.7	66.3-71.1	811	31.3	28.9-33.7
Native	61	8,538	22	36.6	22.5-50.7	39	63.4	49.3-77.5
Non-Native	2410	272,768	1658	70.2	67.8-72.6	752	29.8	27.4-32.2
18-24	164	47,812	113	65.1	57.3-72.9	51	34.9	27.1-42.7
25-34	317	56,355	245	75.3	70.0-80.6	72	24.7	19.4-30.0
35-44	267	43,614	207	78.5	73.2-83.8	60	21.5	16.2-26.8
45-54	387	40,483	291	74.4	69.5-79.3	96	25.6	20.7-30.5
55-64	629	46,921	408	63.8	59.5-68.1	221	36.2	31.9-40.5
65+	731	49,501	427	56.6	52.5-60.7	304	43.4	39.3-47.5
Less Than H.S.	147	24,134	73	44.0	34.4-53.6	74	56.0	46.4-65.6
H.S. or G.E.D.	776	85,293	494	64.6	60.5-68.7	282	35.4	31.3-39.5
Some Post-H.S.	797	111,675	546	71.9	68.2-75.6	251	28.1	24.4-31.8
College Graduate	785	64,505	583	78.0	74.7-81.3	202	22.0	18.7-25.3
Less than \$15,000	106	14,307	45	42.7	30.9-54.5	61	57.3	45.5-69.1
\$15,000- 24,999	227	27,596	115	55.8	47.8-63.8	112	44.2	36.2-52.2
\$25,000- 34,999	219	28,562	133	62.9	54.9-70.9	86	37.1	29.1-45.1
\$35,000- 49,999	391	43,424	265	69.1	63.4-74.8	126	30.9	25.2-36.6
\$50,000- 74,999	461	52,170	317	71.0	65.9-76.1	144	29.0	23.9-34.1
\$75,000+	941	101,128	729	78.3	75.2-81.4	212	21.7	18.6-24.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3003	275,094	1596	57.9	55.5-60.3	1407	42.1	39.7-44.5
Native	89	12,164	32	50.7	37.0-64.4	57	49.3	35.6-63.0
Non-Native	2883	260,229	1550	58.3	55.8-60.8	1333	41.7	39.2-44.2
18-24	92	38,760	62	66.2	55.8-76.6	30	33.8	23.4-44.2
25-34	256	48,640	180	70.5	64.4-76.6	76	29.5	23.4-35.6
35-44	295	40,223	194	59.6	53.1-66.1	101	40.4	33.9-46.9
45-54	389	38,285	252	65.7	60.4-71.0	137	34.3	29.0-39.6
55-64	681	45,949	383	55.0	50.7-59.3	298	45.0	40.7-49.3
65+	1249	59,545	507	38.6	35.5-41.7	742	61.4	58.3-64.5
Less Than H.S.	153	20,987	44	33.7	21.5-45.9	109	66.3	54.1-78.5
H.S. or G.E.D.	797	63,019	349	51.2	46.3-56.1	448	48.8	43.9-53.7
Some Post-H.S.	1012	113,074	546	57.9	54.0-61.8	466	42.1	38.2-46.0
College Graduate	1034	77,644	655	70.1	66.8-73.4	379	29.9	26.6-33.2
Less than \$15,000	198	20,445	52	35.7	25.7-45.7	146	64.3	54.3-74.3
\$15,000- 24,999	372	34,070	133	45.7	37.7-53.7	239	54.3	46.3-62.3
\$25,000- 34,999	301	25,973	130	49.7	41.3-58.1	171	50.3	41.9-58.7
\$35,000- 49,999	395	34,844	199	55.5	48.4-62.6	196	44.5	37.4-51.6
\$50,000- 74,999	464	40,710	298	66.3	60.8-71.8	166	33.7	28.2-39.2
\$75,000+	858	83,708	603	72.0	68.3-75.7	255	28.0	24.3-31.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION
TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5513	561,124	1984	37.7	35.9-39.5	723	15.0	13.6-16.4	248	4.7	3.9- 5.5	340	6.1	5.3- 6.9	2218	36.6	35.0-38.2
Male	2510	286,030	890	36.2	33.8-38.6	426	18.2	16.2-20.2	160	6.4	5.2- 7.6	223	7.9	6.7- 9.1	811	31.3	28.9-33.7
Female	3003	275,094	1094	39.2	36.8-41.6	297	11.6	9.8-13.4	88	2.8	2.0- 3.6	117	4.3	3.1- 5.5	1407	42.1	39.7-44.5
Native	150	20,702	39	33.7	23.7-43.7	9	6.5	1.2-11.8	1	0.2	0.0- 0.6	5	4.5	0.2- 8.8	96	55.1	44.9-65.3
Non-Native	5293	532,997	1929	38.1	36.3-39.9	704	15.2	13.8-16.6	245	4.8	4.0- 5.6	330	6.2	5.2- 7.2	2085	35.6	33.8-37.4
18-24	256	86,572	100	37.1	30.8-43.4	47	17.3	12.4-22.2	15	5.6	2.7- 8.5	13	5.6	2.3- 8.9	81	34.4	27.9-40.9
25-34	573	104,995	258	44.4	40.1-48.7	117	19.6	16.1-23.1	30	5.1	3.1- 7.1	20	4.0	2.2- 5.8	148	26.9	23.0-30.8
35-44	562	83,838	247	41.3	36.8-45.8	103	18.4	14.7-22.1	20	3.4	1.8- 5.0	31	6.4	3.9- 8.9	161	30.6	26.3-34.9
45-54	776	78,768	347	44.9	41.0-48.8	114	14.5	11.8-17.2	35	4.5	2.9- 6.1	47	6.3	4.3- 8.3	233	29.8	26.3-33.3
55-64	1310	92,870	461	34.1	31.2-37.0	176	13.5	11.3-15.7	61	4.9	3.5- 6.3	93	6.9	5.3- 8.5	519	40.6	37.7-43.5
65+	1980	109,046	552	26.7	24.5-28.9	162	7.9	6.5- 9.3	86	4.5	3.5- 5.5	134	7.6	6.2- 9.0	1046	53.2	50.7-55.7
Less Than H.S.	300	45,120	68	18.7	13.4-24.0	23	9.8	4.9-14.7	9	1.8	0.4- 3.2	17	8.8	3.3-14.3	183	60.8	53.2-68.4
H.S. or G.E.D.	1573	148,312	508	34.9	31.8-38.0	179	13.1	10.7-15.5	53	4.4	3.0- 5.8	103	6.6	5.0- 8.2	730	41.1	38.0-44.2
Some Post-H.S.	1809	224,749	663	38.8	35.9-41.7	232	14.9	12.7-17.1	85	5.1	3.7- 6.5	112	6.0	4.6- 7.4	717	35.2	32.5-37.9
College Graduate	1819	142,149	743	44.9	42.0-47.8	288	18.7	16.3-21.1	100	5.2	4.0- 6.4	107	4.9	3.7- 6.1	581	26.3	23.9-28.7
Less than \$15,000	304	34,752	69	26.2	19.5-32.9	15	8.0	2.9-13.1	7	2.6	0.2- 5.0	6	1.8	0.2- 3.4	207	61.4	53.8-69.0
\$15,000- 24,999	599	61,666	158	30.2	24.7-35.7	41	9.1	5.8-12.4	12	2.4	0.8- 4.0	37	8.5	4.4-12.6	351	49.8	44.1-55.5
\$25,000- 34,999	520	54,535	182	39.7	33.8-45.6	45	9.4	6.1-12.7	13	4.3	1.4- 7.2	23	3.2	1.6- 4.8	257	43.4	37.7-49.1
\$35,000- 49,999	786	78,268	277	38.0	33.3-42.7	90	13.8	10.3-17.3	32	4.0	2.2- 5.8	65	7.3	5.1- 9.5	322	37.0	32.5-41.5
\$50,000- 74,999	925	92,880	339	37.8	33.9-41.7	141	16.2	13.1-19.3	62	7.6	5.2-10.0	73	7.5	5.3- 9.7	310	31.1	27.4-34.8
\$75,000+	1799	184,836	779	43.2	40.5-45.9	334	20.9	18.5-23.3	103	5.4	4.2- 6.6	116	6.0	4.6- 7.4	467	24.5	22.1-26.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION
TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2510	286,030	890	36.2	33.8-38.6	426	18.2	16.2-20.2	160	6.4	5.2- 7.6	223	7.9	6.7- 9.1	811	31.3	28.9-33.7
Native	61	8,538	16	29.3	15.6-43.0	3	3.2	0.0- 7.3				3	4.0	0.0- 8.9	39	63.4	49.3-77.5
Non-Native	2410	272,768	867	36.8	34.4-39.2	418	18.7	16.7-20.7	158	6.7	5.5- 7.9	215	8.0	6.6- 9.4	752	29.8	27.4-32.2
18-24	164	47,812	60	34.8	27.2-42.4	35	19.9	13.6-26.2	11	6.9	2.8-11.0	7	3.5	1.0- 6.0	51	34.9	27.1-42.7
25-34	317	56,355	134	41.5	35.6-47.4	75	21.6	16.9-26.3	23	7.6	4.5-10.7	13	4.7	2.2- 7.2	72	24.7	19.4-30.0
35-44	267	43,614	113	40.3	33.8-46.8	61	24.1	18.2-30.0	14	4.9	2.4- 7.4	19	9.2	4.9-13.5	60	21.5	16.2-26.8
45-54	387	40,483	164	42.7	37.2-48.2	70	16.7	12.6-20.8	24	6.1	3.4- 8.8	33	8.9	5.8-12.0	96	25.6	20.7-30.5
55-64	629	46,921	211	32.1	28.0-36.2	97	15.7	12.6-18.8	35	6.0	3.8- 8.2	65	9.9	7.4-12.4	221	36.2	31.9-40.5
65+	731	49,501	202	26.5	23.0-30.0	86	11.1	8.6-13.6	53	6.9	4.9- 8.9	86	12.1	9.4-14.8	304	43.4	39.3-47.5
Less Than H.S.	147	24,134	38	21.9	14.5-29.3	15	12.0	5.5-18.5	8	3.3	0.8- 5.8	12	6.8	2.7-10.9	74	56.0	46.4-65.6
H.S. or G.E.D.	776	85,293	264	33.9	29.8-38.0	117	16.2	12.9-19.5	37	5.5	3.5- 7.5	76	9.0	6.6-11.4	282	35.4	31.3-39.5
Some Post-H.S.	797	111,675	289	38.4	34.3-42.5	129	18.2	14.9-21.5	56	7.2	5.0- 9.4	72	8.1	5.9-10.3	251	28.1	24.4-31.8
College Graduate	785	64,505	298	40.9	36.8-45.0	165	23.3	19.8-26.8	58	7.3	5.1- 9.5	62	6.5	4.5- 8.5	202	22.0	18.7-25.3
Less than \$15,000	106	14,307	28	28.4	18.0-38.8	6	6.9	0.0-14.2	6	4.2	0.3- 8.1	5	3.2	0.1- 6.3	61	57.3	45.5-69.1
\$15,000- 24,999	227	27,596	56	28.5	20.9-36.1	28	16.3	9.8-22.8	6	2.6	0.2- 5.0	25	8.4	4.7-12.1	112	44.2	36.2-52.2
\$25,000- 34,999	219	28,562	81	40.4	32.4-48.4	27	12.7	7.2-18.2	9	5.4	1.1- 9.7	16	4.4	2.0- 6.8	86	37.1	29.1-45.1
\$35,000- 49,999	391	43,424	139	37.0	30.9-43.1	58	16.9	11.8-22.0	22	4.6	2.2- 7.0	46	10.6	6.9-14.3	126	30.9	25.2-36.6
\$50,000- 74,999	461	52,170	152	34.7	29.2-40.2	81	17.2	13.1-21.3	42	10.7	6.8-14.6	42	8.4	5.3-11.5	144	29.0	23.9-34.1
\$75,000+	941	101,128	384	40.6	36.9-44.3	203	23.1	19.8-26.4	66	7.1	5.1- 9.1	76	7.6	5.4- 9.8	212	21.7	18.6-24.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION
TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3003	275,094	1094	39.2	36.8-41.6	297	11.6	9.8-13.4	88	2.8	2.0- 3.6	117	4.3	3.1- 5.5	1407	42.1	39.7-44.5
Native	89	12,164	23	36.8	22.9-50.7	6	8.7	0.5-16.9	1	0.4	0.0- 1.2	2	4.8	0.0-11.3	57	49.3	35.6-63.0
Non-Native	2883	260,229	1062	39.4	36.9-41.9	286	11.6	9.8-13.4	87	2.9	2.1- 3.7	115	4.3	3.1- 5.5	1333	41.7	39.2-44.2
18-24	92	38,760	40	39.9	29.5-50.3	12	14.1	6.5-21.7	4	4.1	0.0- 8.2	6	8.1	1.2-15.0	30	33.8	23.4-44.2
25-34	256	48,640	124	47.7	41.0-54.4	42	17.3	12.2-22.4	7	2.3	0.3- 4.3	7	3.1	0.6- 5.6	76	29.5	23.4-35.6
35-44	295	40,223	134	42.3	36.0-48.6	42	12.2	8.3-16.1	6	1.8	0.2- 3.4	12	3.3	1.3- 5.3	101	40.4	33.9-46.9
45-54	389	38,285	183	47.2	41.5-52.9	44	12.1	8.4-15.8	11	2.8	1.0- 4.6	14	3.6	1.6- 5.6	137	34.3	29.0-39.6
55-64	681	45,949	250	36.2	32.1-40.3	79	11.2	8.7-13.7	26	3.7	2.1- 5.3	28	3.9	2.1- 5.7	298	45.0	40.7-49.3
65+	1249	59,545	350	26.9	24.2-29.6	76	5.2	3.8- 6.6	33	2.6	1.6- 3.6	48	3.9	2.7- 5.1	742	61.4	58.3-64.5
Less Than H.S.	153	20,987	30	15.1	7.8-22.4	8	7.3	0.0-14.6	1	0.1	0.0- 0.3	5	11.1	0.5-21.7	109	66.3	54.1-78.5
H.S. or G.E.D.	797	63,019	244	36.2	31.3-41.1	62	8.8	5.9-11.7	16	2.8	1.0- 4.6	27	3.4	1.6- 5.2	448	48.8	43.9-53.7
Some Post-H.S.	1012	113,074	374	39.1	35.0-43.2	103	11.8	8.9-14.7	29	3.0	1.4- 4.6	40	4.0	2.2- 5.8	466	42.1	38.2-46.0
College Graduate	1034	77,644	445	48.3	44.4-52.2	123	14.9	12.0-17.8	42	3.4	2.2- 4.6	45	3.6	2.2- 5.0	379	29.9	26.6-33.2
Less than \$15,000	198	20,445	41	24.6	15.8-33.4	9	8.8	1.5-16.1	1	1.5	0.0- 4.4	1	0.8	0.0- 2.4	146	64.3	54.3-74.3
\$15,000- 24,999	372	34,070	102	31.5	23.9-39.1	13	3.3	0.9- 5.7	6	2.3	0.1- 4.5	12	8.6	1.9-15.3	239	54.3	46.3-62.3
\$25,000- 34,999	301	25,973	101	38.9	30.5-47.3	18	5.8	2.5- 9.1	4	3.1	0.0- 7.2	7	1.9	0.1- 3.7	171	50.3	41.9-58.7
\$35,000- 49,999	395	34,844	138	39.4	32.1-46.7	32	9.9	5.0-14.8	10	3.2	0.3- 6.1	19	3.1	1.5- 4.7	196	44.5	37.4-51.6
\$50,000- 74,999	464	40,710	187	41.7	35.8-47.6	60	14.8	10.1-19.5	20	3.5	1.5- 5.5	31	6.2	3.7- 8.7	166	33.7	28.2-39.2
\$75,000+	858	83,708	395	46.3	42.2-50.4	131	18.3	14.8-21.8	37	3.3	2.1- 4.5	40	4.1	2.5- 5.7	255	28.0	24.3-31.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5465	556,119	4500	75.2	73.6-76.8	965	24.8	23.2-26.4
Male	2478	282,406	1846	67.9	65.5-70.3	632	32.1	29.7-34.5
Female	2987	273,713	2654	82.8	80.6-85.0	333	17.2	15.0-19.4
Native	148	20,531	122	75.5	66.1-84.9	26	24.5	15.1-33.9
Non-Native	5248	528,272	4320	75.1	73.5-76.7	928	24.9	23.3-26.5
18-24	255	86,386	149	61.1	54.6-67.6	106	38.9	32.4-45.4
25-34	566	103,816	361	64.1	59.8-68.4	205	35.9	31.6-40.2
35-44	553	82,697	397	70.7	66.4-75.0	156	29.3	25.0-33.6
45-54	768	77,956	574	74.2	70.7-77.7	194	25.8	22.3-29.3
55-64	1299	92,011	1091	82.8	80.4-85.2	208	17.2	14.8-19.6
65+	1969	108,309	1878	94.1	92.7-95.5	91	5.9	4.5-7.3
Less Than H.S.	292	44,094	252	79.0	71.7-86.3	40	21.0	13.7-28.3
H.S. or G.E.D.	1551	145,943	1267	73.9	70.8-77.0	284	26.1	23.0-29.2
Some Post-H.S.	1800	223,772	1459	73.9	71.2-76.6	341	26.1	23.4-28.8
College Graduate	1810	141,516	1510	77.3	74.8-79.8	300	22.7	20.2-25.2
Less than \$15,000	301	34,466	269	82.9	76.6-89.2	32	17.1	10.8-23.4
\$15,000- 24,999	595	61,198	529	79.3	73.8-84.8	66	20.7	15.2-26.2
\$25,000- 34,999	516	53,914	449	78.8	73.7-83.9	67	21.2	16.1-26.3
\$35,000- 49,999	781	77,839	641	74.5	70.0-79.0	140	25.5	21.0-30.0
\$50,000- 74,999	916	92,041	707	70.0	65.9-74.1	209	30.0	25.9-34.1
\$75,000+	1783	183,086	1379	71.6	68.9-74.3	404	28.4	25.7-31.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2478	282,406	1846	67.9	65.5-70.3	632	32.1	29.7-34.5
Native	59	8,367	48	80.6	68.8-92.4	11	19.4	7.6-31.2
Non-Native	2381	269,424	1770	67.4	65.0-69.8	611	32.6	30.2-35.0
18-24	163	47,626	84	54.1	46.1-62.1	79	45.9	37.9-53.9
25-34	311	55,381	175	57.3	51.4-63.2	136	42.7	36.8-48.6
35-44	261	42,736	163	60.8	54.1-67.5	98	39.2	32.5-45.9
45-54	381	39,769	253	66.5	61.2-71.8	128	33.5	28.2-38.8
55-64	622	46,484	494	77.8	74.1-81.5	128	22.2	18.5-25.9
65+	725	49,065	663	90.5	87.8-93.2	62	9.5	6.8-12.2
Less Than H.S.	141	23,267	113	77.6	69.4-85.8	28	22.4	14.2-30.6
H.S. or G.E.D.	759	83,493	548	64.7	60.4-69.0	211	35.3	31.0-39.6
Some Post-H.S.	793	111,072	580	66.5	62.4-70.6	213	33.5	29.4-37.6
College Graduate	780	64,150	600	70.7	66.8-74.6	180	29.3	25.4-33.2
Less than \$15,000	104	14,082	89	82.2	72.8-91.6	15	17.8	8.4-27.2
\$15,000- 24,999	226	27,493	185	73.2	65.6-80.8	41	26.8	19.2-34.4
\$25,000- 34,999	215	27,941	169	71.3	63.5-79.1	46	28.7	20.9-36.5
\$35,000- 49,999	386	42,996	288	67.5	61.4-73.6	98	32.5	26.4-38.6
\$50,000- 74,999	455	51,508	319	63.1	57.4-68.8	136	36.9	31.2-42.6
\$75,000+	929	99,729	660	64.9	61.2-68.6	269	35.1	31.4-38.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2987	273,713	2654	82.8	80.6-85.0	333	17.2	15.0-19.4
Native	89	12,164	74	71.9	58.6-85.2	15	28.1	14.8-41.4
Non-Native	2867	258,849	2550	83.1	80.9-85.3	317	16.9	14.7-19.1
18-24	92	38,760	65	69.8	59.6-80.0	27	30.2	20.0-40.4
25-34	255	48,435	186	71.8	65.7-77.9	69	28.2	22.1-34.3
35-44	292	39,961	234	81.3	76.4-86.2	58	18.7	13.8-23.6
45-54	387	38,187	321	82.2	77.7-86.7	66	17.8	13.3-22.3
55-64	677	45,526	597	88.0	85.3-90.7	80	12.0	9.3-14.7
65+	1244	59,243	1215	97.1	95.9-98.3	29	2.9	1.7- 4.1
Less Than H.S.	151	20,827	139	80.5	68.3-92.7	12	19.5	7.3-31.7
H.S. or G.E.D.	792	62,450	719	86.2	82.5-89.9	73	13.8	10.1-17.5
Some Post-H.S.	1007	112,700	879	81.2	77.5-84.9	128	18.8	15.1-22.5
College Graduate	1030	77,366	910	82.7	79.4-86.0	120	17.3	14.0-20.6
Less than \$15,000	197	20,383	180	83.4	75.0-91.8	17	16.6	8.2-25.0
\$15,000- 24,999	369	33,705	344	84.3	76.7-91.9	25	15.7	8.1-23.3
\$25,000- 34,999	301	25,973	280	86.9	80.6-93.2	21	13.1	6.8-19.4
\$35,000- 49,999	395	34,844	353	83.2	76.9-89.5	42	16.8	10.5-23.1
\$50,000- 74,999	461	40,534	388	78.8	73.5-84.1	73	21.2	15.9-26.5
\$75,000+	854	83,356	719	79.6	76.1-83.1	135	20.4	16.9-23.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5478	556,312	1138	19.1	17.7-20.5	468	9.4	8.4-10.4	731	14.5	13.3-15.7	500	10.3	9.1-11.5	423	9.9	8.7-11.1	2218	36.9	35.3-38.5
Male	2495	284,129	417	15.2	13.6-16.8	215	8.7	7.3-10.1	402	16.0	14.2-17.8	335	14.2	12.4-16.0	315	14.4	12.6-16.2	811	31.5	29.1-33.9
Female	2983	272,183	721	23.1	21.1-25.1	253	10.0	8.4-11.6	329	13.0	11.2-14.8	165	6.2	5.0- 7.4	108	5.1	3.7- 6.5	1407	42.6	40.2-45.0
Native	149	20,627	14	8.3	3.4-13.2	7	9.2	1.8-16.6	15	12.4	5.1-19.7	8	6.3	1.4-11.2	9	8.4	2.1-14.7	96	55.3	45.1-65.5
Non-Native	5259	528,259	1114	19.7	18.3-21.1	457	9.4	8.4-10.4	709	14.7	13.5-15.9	488	10.4	9.2-11.6	406	9.9	8.7-11.1	2085	36.0	34.2-37.8
18-24	253	84,532	37	14.6	10.1-19.1	27	11.7	7.4-16.0	36	12.9	8.6-17.2	30	11.0	6.9-15.1	42	14.6	10.1-19.1	81	35.3	28.8-41.8
25-34	571	104,724	104	18.3	15.0-21.6	66	11.3	8.6-14.0	123	20.0	16.5-23.5	71	12.5	9.6-15.4	59	10.9	8.2-13.6	148	27.0	23.1-30.9
35-44	557	83,205	107	17.6	14.3-20.9	54	9.5	6.8-12.2	110	18.1	14.6-21.6	73	13.4	10.1-16.7	52	10.5	7.6-13.4	161	30.8	26.5-35.1
45-54	772	78,208	177	22.4	19.1-25.7	80	10.2	7.8-12.6	129	17.2	14.3-20.1	77	10.1	7.7-12.5	76	10.1	7.7-12.5	233	30.0	26.3-33.7
55-64	1303	92,286	286	20.9	18.5-23.3	108	8.0	6.4- 9.6	167	12.8	10.8-14.8	118	8.8	7.0-10.6	105	8.7	6.9-10.5	519	40.8	37.9-43.7
65+	1967	108,413	413	20.1	18.1-22.1	129	6.3	5.1- 7.5	165	7.8	6.4- 9.2	127	6.7	5.5- 7.9	87	5.7	4.3- 7.1	1046	53.5	51.0-56.0
Less Than H.S.	295	43,011	44	12.0	7.7-16.3	16	3.9	1.5- 6.3	20	5.9	2.8- 9.0	7	3.0	0.3- 5.7	25	11.4	6.3-16.5	183	63.8	56.5-71.1
H.S. or G.E.D.	1566	147,692	292	17.4	15.0-19.8	108	8.0	6.0-10.0	167	11.6	9.4-13.8	137	10.0	8.0-12.0	132	11.6	9.4-13.8	730	41.3	38.2-44.4
Some Post-H.S.	1796	223,182	376	18.9	16.7-21.1	154	9.7	7.7-11.7	232	15.0	12.8-17.2	176	11.1	9.1-13.1	141	9.8	8.0-11.6	717	35.4	32.7-38.1
College Graduate	1809	141,632	424	23.2	20.8-25.6	189	11.9	9.9-13.9	312	19.4	17.0-21.8	178	11.3	9.3-13.3	125	7.7	6.1- 9.3	581	26.4	24.0-28.8
Less than \$15,000	302	34,660	41	14.9	9.6-20.2	13	5.5	1.4- 9.6	17	5.8	2.7- 8.9	10	5.3	0.8- 9.8	14	6.8	2.7-10.9	207	61.6	54.0-69.2
\$15,000- 24,999	594	60,415	92	13.1	9.6-16.6	42	10.5	6.6-14.4	39	8.2	5.1-11.3	27	6.6	3.7- 9.5	43	10.9	7.2-14.6	351	50.8	45.1-56.5
\$25,000- 34,999	517	53,980	121	23.5	18.6-28.4	34	6.2	3.5- 8.9	43	10.2	6.5-13.9	28	5.7	3.0- 8.4	34	10.5	6.6-14.4	257	43.9	38.0-49.8
\$35,000- 49,999	783	78,088	165	18.6	15.3-21.9	63	10.1	6.8-13.4	97	15.3	11.6-19.0	64	7.3	5.1- 9.5	72	11.7	8.6-14.8	322	37.0	32.5-41.5
\$50,000- 74,999	921	92,579	182	18.2	15.3-21.1	82	8.7	6.3-11.1	148	18.1	14.8-21.4	100	11.1	8.6-13.6	99	12.7	9.8-15.6	310	31.2	27.5-34.9
\$75,000+	1789	183,738	422	20.7	18.5-22.9	185	11.4	9.6-13.2	333	18.7	16.5-20.9	239	15.3	13.1-17.5	143	9.3	7.5-11.1	467	24.7	22.3-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2495	284,129	417	15.2	13.6-16.8	215	8.7	7.3-10.1	402	16.0	14.2-17.8	335	14.2	12.4-16.0	315	14.4	12.6-16.2	811	31.5	29.1-33.9
Native	60	8,463	4	6.1	0.0-12.8	2	8.1	0.0-18.7	8	12.3	3.3-21.3	4	6.6	0.1-13.1	3	2.9	0.0- 6.4	39	64.0	49.7-78.3
Non-Native	2396	270,941	410	15.7	13.9-17.5	211	8.8	7.4-10.2	391	16.3	14.5-18.1	328	14.5	12.7-16.3	304	14.6	12.8-16.4	752	30.1	27.7-32.5
18-24	163	47,383	19	11.4	6.3-16.5	12	7.4	3.3-11.5	23	12.5	7.2-17.8	24	14.5	8.8-20.2	34	18.9	12.8-25.0	51	35.2	27.2-43.2
25-34	316	56,245	38	12.4	8.5-16.3	36	11.5	7.8-15.2	74	20.7	16.0-25.4	51	15.7	11.4-20.0	45	15.0	10.7-19.3	72	24.7	19.4-30.0
35-44	265	43,286	39	13.5	9.2-17.8	24	9.3	5.4-13.2	54	19.3	14.0-24.6	51	20.0	14.5-25.5	37	16.3	11.2-21.4	60	21.6	16.3-26.9
45-54	385	40,116	70	18.2	13.9-22.5	38	10.1	6.8-13.4	77	19.6	15.3-23.9	50	12.4	8.9-15.9	54	13.8	10.1-17.5	96	25.8	20.9-30.7
55-64	625	46,564	115	18.1	14.8-21.4	47	6.5	4.5- 8.5	88	14.1	11.0-17.2	78	12.2	9.5-14.9	76	12.6	9.7-15.5	221	36.5	32.2-40.8
65+	726	49,191	131	18.0	14.9-21.1	57	7.2	5.0- 9.4	86	10.3	7.9-12.7	79	10.3	7.9-12.7	69	10.4	7.9-12.9	304	43.7	39.6-47.8
Less Than H.S.	145	23,733	21	11.7	6.4-17.0	10	5.1	1.2- 9.0	15	8.6	3.5-13.7	5	4.7	0.0- 9.6	20	12.8	6.7-18.9	74	57.0	47.4-66.6
H.S. or G.E.D.	772	84,904	116	12.5	10.0-15.0	65	8.9	6.4-11.4	102	12.5	9.8-15.2	106	15.0	11.9-18.1	101	15.6	12.3-18.9	282	35.5	31.4-39.6
Some Post-H.S.	791	110,766	143	17.2	14.1-20.3	60	8.1	5.7-10.5	120	16.5	13.4-19.6	115	15.1	12.0-18.2	102	14.8	11.7-17.9	251	28.4	24.7-32.1
College Graduate	782	64,302	136	16.7	13.6-19.8	80	10.8	8.3-13.3	165	22.6	19.1-26.1	107	14.7	11.8-17.6	92	13.0	10.1-15.9	202	22.1	18.8-25.4
Less than \$15,000	106	14,307	18	18.6	9.6-27.6	4	3.6	0.0- 7.5	8	7.0	1.9-12.1	7	6.5	0.0-13.6	8	7.0	1.7-12.3	61	57.3	45.5-69.1
\$15,000- 24,999	225	27,356	22	7.3	3.8-10.8	20	12.0	6.1-17.9	22	9.6	4.9-14.3	19	10.8	5.1-16.5	30	15.6	9.7-21.5	112	44.6	36.6-52.6
\$25,000- 34,999	216	28,007	42	19.8	13.5-26.1	17	8.0	3.3-12.7	26	10.9	6.0-15.8	18	7.2	3.5-10.9	27	16.3	9.6-23.0	86	37.8	29.8-45.8
\$35,000- 49,999	390	43,297	77	18.3	13.6-23.0	30	7.2	4.1-10.3	56	16.9	11.8-22.0	44	9.8	6.3-13.3	57	16.9	12.2-21.6	126	31.0	25.3-36.7
\$50,000- 74,999	460	52,109	66	14.3	10.4-18.2	36	7.5	4.6-10.4	79	17.2	12.9-21.5	67	15.2	10.9-19.5	68	16.8	12.3-21.3	144	29.0	23.9-34.1
\$75,000+	935	100,347	168	15.6	12.9-18.3	91	10.2	7.8-12.6	191	20.1	17.2-23.0	162	19.2	16.1-22.3	111	13.0	10.3-15.7	212	21.8	18.7-24.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2983	272,183	721	23.1	21.1-25.1	253	10.0	8.4-11.6	329	13.0	11.2-14.8	165	6.2	5.0- 7.4	108	5.1	3.7- 6.5	1407	42.6	40.2-45.0
Native	89	12,164	10	9.9	2.8-17.0	5	10.0	0.0-20.4	7	12.4	2.0-22.8	4	6.1	0.0-13.0	6	12.3	2.3-22.3	57	49.3	35.6-63.0
Non-Native	2863	257,318	704	23.8	21.6-26.0	246	10.0	8.4-11.6	318	13.0	11.2-14.8	160	6.2	5.0- 7.4	102	4.9	3.7- 6.1	1333	42.2	39.7-44.7
18-24	90	37,149	18	18.6	10.4-26.8	15	17.2	9.0-25.4	13	13.2	6.1-20.3	6	6.6	1.1-12.1	8	9.1	2.6-15.6	30	35.3	24.7-45.9
25-34	255	48,480	66	25.1	19.4-30.8	30	11.1	6.8-15.4	49	19.2	13.9-24.5	20	8.7	5.0-12.4	14	6.2	2.7- 9.7	76	29.6	23.5-35.7
35-44	292	39,919	68	22.0	16.9-27.1	30	9.8	6.1-13.5	56	16.9	12.2-21.6	22	6.3	3.6- 9.0	15	4.2	2.0- 6.4	101	40.7	34.2-47.2
45-54	387	38,092	107	26.8	21.9-31.7	42	10.2	6.9-13.5	52	14.7	10.6-18.8	27	7.7	4.6-10.8	22	6.2	3.5- 8.9	137	34.5	29.2-39.8
55-64	678	45,722	171	23.8	20.3-27.3	61	9.4	6.9-11.9	79	11.5	8.8-14.2	40	5.4	3.6- 7.2	29	4.8	2.8- 6.8	298	45.2	40.9-49.5
65+	1241	59,221	282	21.8	19.3-24.3	72	5.4	4.0- 6.8	79	5.7	4.3- 7.1	48	3.7	2.5- 4.9	18	1.7	0.7- 2.7	742	61.7	58.6-64.8
Less Than H.S.	150	19,278	23	12.4	5.5-19.3	6	2.3	0.0- 4.7	5	2.5	0.0- 5.8	2	0.9	0.0- 2.3	5	9.6	1.0-18.2	109	72.2	61.4-83.0
H.S. or G.E.D.	794	62,788	176	24.1	19.8-28.4	43	6.8	3.9- 9.7	65	10.4	6.9-13.9	31	3.4	1.8- 5.0	31	6.2	3.7- 8.7	448	49.0	44.1-53.9
Some Post-H.S.	1005	112,417	233	20.6	17.5-23.7	94	11.3	8.4-14.2	112	13.6	10.7-16.5	61	7.2	4.8- 9.6	39	5.0	3.0- 7.0	466	42.4	38.3-46.5
College Graduate	1027	77,330	288	28.5	25.0-32.0	109	12.8	9.9-15.7	147	16.8	13.7-19.9	71	8.4	6.0-10.8	33	3.4	2.0- 4.8	379	30.0	26.7-33.3
Less than \$15,000	196	20,354	23	12.4	6.3-18.5	9	6.9	0.4-13.4	9	5.0	0.9- 9.1	3	4.4	0.0-10.3	6	6.7	1.0-12.4	146	64.6	54.6-74.6
\$15,000- 24,999	369	33,058	70	17.8	11.9-23.7	22	9.2	3.7-14.7	17	7.0	2.5-11.5	8	3.1	0.4- 5.8	13	7.0	2.1-11.9	239	55.9	48.1-63.7
\$25,000- 34,999	301	25,973	79	27.6	20.0-35.2	17	4.3	1.8- 6.8	17	9.4	3.7-15.1	10	4.1	0.0- 8.4	7	4.2	0.9- 7.5	171	50.3	41.9-58.7
\$35,000- 49,999	393	34,791	88	18.9	13.8-24.0	33	13.8	7.5-20.1	41	13.3	8.2-18.4	20	4.1	1.7- 6.5	15	5.3	1.4- 9.2	196	44.6	37.5-51.7
\$50,000- 74,999	461	40,469	116	23.2	18.5-27.9	46	10.4	6.7-14.1	69	19.2	13.9-24.5	33	5.8	3.4- 8.2	31	7.5	4.4-10.6	166	33.9	28.4-39.4
\$75,000+	854	83,392	254	26.7	23.2-30.2	94	12.7	9.8-15.6	142	16.9	14.0-19.8	77	10.7	8.0-13.4	32	4.8	2.6- 7.0	255	28.1	24.4-31.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5478	556,312	5159	92.5	91.5-93.5	319	7.5	6.5- 8.5
Male	2495	284,129	2333	91.9	90.5-93.3	162	8.1	6.7- 9.5
Female	2983	272,183	2826	93.1	91.7-94.5	157	6.9	5.5- 8.3
Native	149	20,627	141	92.1	86.0-98.2	8	7.9	1.8-14.0
Non-Native	5259	528,259	4952	92.5	91.5-93.5	307	7.5	6.5- 8.5
18-24	253	84,532	223	88.7	84.6-92.8	30	11.3	7.2-15.4
25-34	571	104,724	533	93.0	90.6-95.4	38	7.0	4.6- 9.4
35-44	557	83,205	509	90.6	87.9-93.3	48	9.4	6.7-12.1
45-54	772	78,208	711	91.7	89.5-93.9	61	8.3	6.1-10.5
55-64	1303	92,286	1224	93.3	91.7-94.9	79	6.7	5.1- 8.3
65+	1967	108,413	1907	96.4	95.4-97.4	60	3.6	2.6- 4.6
Less Than H.S.	295	43,011	279	91.4	86.7-96.1	16	8.6	3.9-13.3
H.S. or G.E.D.	1566	147,692	1470	91.1	89.1-93.1	96	8.9	6.9-10.9
Some Post-H.S.	1796	223,182	1686	92.6	91.0-94.2	110	7.4	5.8- 9.0
College Graduate	1809	141,632	1712	94.0	92.6-95.4	97	6.0	4.6- 7.4
Less than \$15,000	302	34,660	293	94.6	90.9-98.3	9	5.4	1.7- 9.1
\$15,000- 24,999	594	60,415	561	91.1	87.6-94.6	33	8.9	5.4-12.4
\$25,000- 34,999	517	53,980	496	93.2	89.9-96.5	21	6.8	3.5-10.1
\$35,000- 49,999	783	78,088	733	91.6	88.9-94.3	50	8.4	5.7-11.1
\$50,000- 74,999	921	92,579	838	89.5	86.8-92.2	83	10.5	7.8-13.2
\$75,000+	1789	183,738	1684	93.1	91.5-94.7	105	6.9	5.3- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2495	284,129	2333	91.9	90.5-93.3	162	8.1	6.7- 9.5
Native	60	8,463	58	98.3	95.8- 100	2	1.7	0.0- 4.2
Non-Native	2396	270,941	2240	91.8	90.4-93.2	156	8.2	6.8- 9.6
18-24	163	47,383	143	88.6	83.7-93.5	20	11.4	6.5-16.3
25-34	316	56,245	297	93.8	91.1-96.5	19	6.2	3.5- 8.9
35-44	265	43,286	242	88.6	84.1-93.1	23	11.4	6.9-15.9
45-54	385	40,116	353	91.3	88.2-94.4	32	8.7	5.6-11.8
55-64	625	46,564	588	92.9	90.5-95.3	37	7.1	4.7- 9.5
65+	726	49,191	695	95.2	93.4-97.0	31	4.8	3.0- 6.6
Less Than H.S.	145	23,733	134	92.3	87.6-97.0	11	7.7	3.0-12.4
H.S. or G.E.D.	772	84,904	716	90.0	87.3-92.7	56	10.0	7.3-12.7
Some Post-H.S.	791	110,766	739	92.3	89.9-94.7	52	7.7	5.3-10.1
College Graduate	782	64,302	739	93.5	91.1-95.9	43	6.5	4.1- 8.9
Less than \$15,000	106	14,307	103	96.6	92.9- 100	3	3.4	0.0- 7.1
\$15,000- 24,999	225	27,356	208	90.2	85.1-95.3	17	9.8	4.7-14.9
\$25,000- 34,999	216	28,007	206	93.6	89.3-97.9	10	6.4	2.1-10.7
\$35,000- 49,999	390	43,297	361	89.7	85.8-93.6	29	10.3	6.4-14.2
\$50,000- 74,999	460	52,109	420	89.1	85.2-93.0	40	10.9	7.0-14.8
\$75,000+	935	100,347	881	93.5	91.5-95.5	54	6.5	4.5- 8.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2983	272,183	2826	93.1	91.7-94.5	157	6.9	5.5- 8.3
Native	89	12,164	83	87.7	77.7-97.7	6	12.3	2.3-22.3
Non-Native	2863	257,318	2712	93.3	91.9-94.7	151	6.7	5.3- 8.1
18-24	90	37,149	80	88.8	81.7-95.9	10	11.2	4.1-18.3
25-34	255	48,480	236	92.0	88.1-95.9	19	8.0	4.1-11.9
35-44	292	39,919	267	92.8	89.9-95.7	25	7.2	4.3-10.1
45-54	387	38,092	358	92.1	89.0-95.2	29	7.9	4.8-11.0
55-64	678	45,722	636	93.6	91.4-95.8	42	6.4	4.2- 8.6
65+	1241	59,221	1212	97.4	96.4-98.4	29	2.6	1.6- 3.6
Less Than H.S.	150	19,278	145	90.4	81.8-99.0	5	9.6	1.0-18.2
H.S. or G.E.D.	794	62,788	754	92.5	89.8-95.2	40	7.5	4.8-10.2
Some Post-H.S.	1005	112,417	947	92.9	90.5-95.3	58	7.1	4.7- 9.5
College Graduate	1027	77,330	973	94.4	92.6-96.2	54	5.6	3.8- 7.4
Less than \$15,000	196	20,354	190	93.3	87.6-99.0	6	6.7	1.0-12.4
\$15,000- 24,999	369	33,058	353	91.8	86.7-96.9	16	8.2	3.1-13.3
\$25,000- 34,999	301	25,973	290	92.7	87.6-97.8	11	7.3	2.2-12.4
\$35,000- 49,999	393	34,791	372	94.0	89.9-98.1	21	6.0	1.9-10.1
\$50,000- 74,999	461	40,469	418	90.1	86.6-93.6	43	9.9	6.4-13.4
\$75,000+	854	83,392	803	92.6	90.1-95.1	51	7.4	4.9- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 12: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	129
2	MALES ONLY	130
3	FEMALES ONLY	131
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	132
5	MALES ONLY	133
6	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1989	109,631	1202	58.6	56.1-61.1	787	41.4	38.9-43.9
Male	737	49,890	424	55.9	51.8-60.0	313	44.1	40.0-48.2
Female	1252	59,741	778	60.8	57.7-63.9	474	39.2	36.1-42.3
Non-Native	1938	106,242	1168	58.3	55.8-60.8	770	41.7	39.2-44.2
65+	1989	109,631	1202	58.6	56.1-61.1	787	41.4	38.9-43.9
Less Than H.S.	181	15,110	97	53.0	44.8-61.2	84	47.0	38.8-55.2
H.S. or G.E.D.	646	32,074	404	59.4	55.1-63.7	242	40.6	36.3-44.9
Some Post-H.S.	630	41,404	369	57.3	53.0-61.6	261	42.7	38.4-47.0
College Graduate	523	20,495	324	62.9	58.4-67.4	199	37.1	32.6-41.6
Less than \$15,000	136	8,202	79	59.5	49.7-69.3	57	40.5	30.7-50.3
\$15,000- 24,999	347	20,315	207	56.2	49.7-62.7	140	43.8	37.3-50.3
\$25,000- 34,999	264	14,096	172	61.8	54.9-68.7	92	38.2	31.3-45.1
\$35,000- 49,999	336	17,231	210	60.9	54.8-67.0	126	39.1	33.0-45.2
\$50,000- 74,999	281	16,441	167	56.8	50.3-63.3	114	43.2	36.7-49.7
\$75,000+	319	16,938	192	59.1	53.0-65.2	127	40.9	34.8-47.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	737	49,890	424	55.9	51.8-60.0	313	44.1	40.0-48.2
Non-Native	723	48,763	415	55.8	51.7-59.9	308	44.2	40.1-48.3
65+	737	49,890	424	55.9	51.8-60.0	313	44.1	40.0-48.2
Less Than H.S.	70	7,159	36	51.7	38.8-64.6	34	48.3	35.4-61.2
H.S. or G.E.D.	227	14,086	140	57.9	50.6-65.2	87	42.1	34.8-49.4
Some Post-H.S.	214	17,814	111	51.3	44.0-58.6	103	48.7	41.4-56.0
College Graduate	221	10,430	132	62.3	55.4-69.2	89	37.7	30.8-44.6
\$15,000- 24,999	101	7,765	51	47.0	35.6-58.4	50	53.0	41.6-64.4
\$25,000- 34,999	88	6,345	52	58.3	46.7-69.9	36	41.7	30.1-53.3
\$35,000- 49,999	144	9,022	87	60.0	51.0-69.0	57	40.0	31.0-49.0
\$50,000- 74,999	135	9,102	83	59.4	50.0-68.8	52	40.6	31.2-50.0
\$75,000+	174	10,301	103	58.3	49.9-66.7	71	41.7	33.3-50.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1252	59,741	778	60.8	57.7-63.9	474	39.2	36.1-42.3
Non-Native	1215	57,478	753	60.3	57.2-63.4	462	39.7	36.6-42.8
65+	1252	59,741	778	60.8	57.7-63.9	474	39.2	36.1-42.3
Less Than H.S.	111	7,951	61	54.2	43.6-64.8	50	45.8	35.2-56.4
H.S. or G.E.D.	419	17,988	264	60.6	55.3-65.9	155	39.4	34.1-44.7
Some Post-H.S.	416	23,591	258	61.9	56.6-67.2	158	38.1	32.8-43.4
College Graduate	302	10,065	192	63.5	57.6-69.4	110	36.5	30.6-42.4
Less than \$15,000	104	5,547	64	62.5	51.3-73.7	40	37.5	26.3-48.7
\$15,000- 24,999	246	12,550	156	61.9	54.6-69.2	90	38.1	30.8-45.4
\$25,000- 34,999	176	7,750	120	64.8	56.4-73.2	56	35.2	26.8-43.6
\$35,000- 49,999	192	8,209	123	61.9	53.7-70.1	69	38.1	29.9-46.3
\$50,000- 74,999	146	7,339	84	53.6	44.6-62.6	62	46.4	37.4-55.4
\$75,000+	145	6,637	89	60.3	51.5-69.1	56	39.7	30.9-48.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1950	107,274	1502	74.9	72.5-77.3	448	25.1	22.7-27.5
Male	718	48,591	527	71.9	68.0-75.8	191	28.1	24.2-32.0
Female	1232	58,683	975	77.4	74.7-80.1	257	22.6	19.9-25.3
Non-Native	1900	103,950	1466	75.0	72.6-77.4	434	25.0	22.6-27.4
65+	1950	107,274	1502	74.9	72.5-77.3	448	25.1	22.7-27.5
Less Than H.S.	176	14,537	131	69.2	61.0-77.4	45	30.8	22.6-39.0
H.S. or G.E.D.	635	31,453	500	76.7	72.8-80.6	135	23.3	19.4-27.2
Some Post-H.S.	618	40,561	476	74.8	70.9-78.7	142	25.2	21.3-29.1
College Graduate	513	20,204	388	76.0	71.9-80.1	125	24.0	19.9-28.1
Less than \$15,000	127	7,558	92	68.8	58.8-78.8	35	31.2	21.2-41.2
\$15,000- 24,999	342	20,021	267	75.6	69.9-81.3	75	24.4	18.7-30.1
\$25,000- 34,999	263	14,038	209	77.0	70.5-83.5	54	23.0	16.5-29.5
\$35,000- 49,999	331	17,053	256	76.0	70.5-81.5	75	24.0	18.5-29.5
\$50,000- 74,999	278	16,251	207	74.1	68.2-80.0	71	25.9	20.0-31.8
\$75,000+	311	16,416	242	75.9	70.2-81.6	69	24.1	18.4-29.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	718	48,591	527	71.9	68.0-75.8	191	28.1	24.2-32.0
Non-Native	704	47,465	517	72.0	68.1-75.9	187	28.0	24.1-31.9
65+	718	48,591	527	71.9	68.0-75.8	191	28.1	24.2-32.0
Less Than H.S.	67	6,771	45	63.6	50.7-76.5	22	36.4	23.5-49.3
H.S. or G.E.D.	222	13,761	170	74.3	67.6-81.0	52	25.7	19.0-32.4
Some Post-H.S.	208	17,345	147	70.3	63.4-77.2	61	29.7	22.8-36.6
College Graduate	216	10,313	160	76.0	69.9-82.1	56	24.0	17.9-30.1
\$15,000- 24,999	100	7,708	69	67.5	56.3-78.7	31	32.5	21.3-43.7
\$25,000- 34,999	87	6,288	66	73.1	61.9-84.3	21	26.9	15.7-38.1
\$35,000- 49,999	141	8,901	103	71.3	62.5-80.1	38	28.7	19.9-37.5
\$50,000- 74,999	132	8,912	105	81.9	74.8-89.0	27	18.1	11.0-25.2
\$75,000+	170	10,061	128	71.9	63.9-79.9	42	28.1	20.1-36.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 12: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1232	58,683	975	77.4	74.7-80.1	257	22.6	19.9-25.3
Non-Native	1196	56,486	949	77.5	74.8-80.2	247	22.5	19.8-25.2
65+	1232	58,683	975	77.4	74.7-80.1	257	22.6	19.9-25.3
Less Than H.S.	109	7,766	86	74.1	63.9-84.3	23	25.9	15.7-36.1
H.S. or G.E.D.	413	17,692	330	78.7	74.2-83.2	83	21.3	16.8-25.8
Some Post-H.S.	410	23,216	329	78.2	73.7-82.7	81	21.8	17.3-26.3
College Graduate	297	9,891	228	75.9	70.4-81.4	69	24.1	18.6-29.6
Less than \$15,000	99	5,259	77	73.4	62.0-84.8	22	26.6	15.2-38.0
\$15,000- 24,999	242	12,313	198	80.8	74.7-86.9	44	19.2	13.1-25.3
\$25,000- 34,999	176	7,750	143	80.2	73.1-87.3	33	19.8	12.7-26.9
\$35,000- 49,999	190	8,152	153	81.3	75.2-87.4	37	18.7	12.6-24.8
\$50,000- 74,999	146	7,339	102	64.8	55.8-73.8	44	35.2	26.2-44.2
\$75,000+	141	6,355	114	82.3	75.8-88.8	27	17.7	11.2-24.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 14: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5486	556,428	4919	87.6	86.4-88.8	567	12.4	11.2-13.6
Male	2496	283,633	2110	83.6	81.8-85.4	386	16.4	14.6-18.2
Female	2990	272,795	2809	91.8	90.2-93.4	181	8.2	6.6- 9.8
Native	145	20,466	129	87.2	80.3-94.1	16	12.8	5.9-19.7
Non-Native	5268	528,193	4728	87.6	86.4-88.8	540	12.4	11.2-13.6
18-24	251	85,035	216	85.7	80.8-90.6	35	14.3	9.4-19.2
25-34	566	103,770	481	84.5	81.2-87.8	85	15.5	12.2-18.8
35-44	559	83,614	488	86.0	82.7-89.3	71	14.0	10.7-17.3
45-54	773	77,842	680	88.0	85.5-90.5	93	12.0	9.5-14.5
55-64	1305	92,551	1167	88.4	86.4-90.4	138	11.6	9.6-13.6
65+	1973	108,268	1833	92.0	90.4-93.6	140	8.0	6.4- 9.6
Less Than H.S.	292	44,206	235	75.3	68.0-82.6	57	24.7	17.4-32.0
H.S. or G.E.D.	1568	147,271	1355	85.3	82.9-87.7	213	14.7	12.3-17.1
Some Post-H.S.	1797	222,344	1604	87.6	85.6-89.6	193	12.4	10.4-14.4
College Graduate	1819	141,888	1717	93.8	92.4-95.2	102	6.2	4.8- 7.6
Less than \$15,000	303	34,760	258	82.4	76.1-88.7	45	17.6	11.3-23.9
\$15,000- 24,999	596	61,039	528	85.4	81.1-89.7	68	14.6	10.3-18.9
\$25,000- 34,999	520	54,213	458	87.6	83.7-91.5	62	12.4	8.5-16.3
\$35,000- 49,999	783	77,650	700	86.7	83.2-90.2	83	13.3	9.8-16.8
\$50,000- 74,999	918	92,110	820	85.7	82.6-88.8	98	14.3	11.2-17.4
\$75,000+	1788	182,984	1618	89.7	87.9-91.5	170	10.3	8.5-12.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2496	283,633	2110	83.6	81.8-85.4	386	16.4	14.6-18.2
Native	59	8,523	55	93.2	86.3- 100	4	6.8	0.0-13.7
Non-Native	2397	270,213	2020	83.2	81.2-85.2	377	16.8	14.8-18.8
18-24	161	46,982	135	83.9	77.8-90.0	26	16.1	10.0-22.2
25-34	313	55,688	262	82.6	77.9-87.3	51	17.4	12.7-22.1
35-44	268	43,869	216	80.5	75.4-85.6	52	19.5	14.4-24.6
45-54	385	39,879	323	84.3	80.4-88.2	62	15.7	11.8-19.6
55-64	623	46,475	512	81.5	78.0-85.0	111	18.5	15.0-22.0
65+	729	49,117	646	88.2	85.5-90.9	83	11.8	9.1-14.5
Less Than H.S.	142	23,464	103	73.5	64.9-82.1	39	26.5	17.9-35.1
H.S. or G.E.D.	769	84,226	619	81.9	78.6-85.2	150	18.1	14.8-21.4
Some Post-H.S.	792	111,012	658	82.6	79.5-85.7	134	17.4	14.3-20.5
College Graduate	788	64,529	726	91.1	88.6-93.6	62	8.9	6.4-11.4
Less than \$15,000	105	14,274	86	82.1	72.7-91.5	19	17.9	8.5-27.3
\$15,000- 24,999	224	27,051	187	83.6	77.9-89.3	37	16.4	10.7-22.1
\$25,000- 34,999	216	28,102	182	86.6	81.3-91.9	34	13.4	8.1-18.7
\$35,000- 49,999	390	43,283	327	82.5	77.4-87.6	63	17.5	12.4-22.6
\$50,000- 74,999	458	52,092	380	79.2	74.3-84.1	78	20.8	15.9-25.7
\$75,000+	936	100,013	801	84.7	82.0-87.4	135	15.3	12.6-18.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	272,795	2809	91.8	90.2-93.4	181	8.2	6.6- 9.8
Native	86	11,943	74	82.9	72.5-93.3	12	17.1	6.7-27.5
Non-Native	2871	257,980	2708	92.3	90.7-93.9	163	7.7	6.1- 9.3
18-24	90	38,053	81	88.0	80.2-95.8	9	12.0	4.2-19.8
25-34	253	48,083	219	86.7	82.2-91.2	34	13.3	8.8-17.8
35-44	291	39,745	272	92.0	88.1-95.9	19	8.0	4.1-11.9
45-54	388	37,963	357	91.8	88.9-94.7	31	8.2	5.3-11.1
55-64	682	46,076	655	95.4	93.4-97.4	27	4.6	2.6- 6.6
65+	1244	59,151	1187	95.1	93.7-96.5	57	4.9	3.5- 6.3
Less Than H.S.	150	20,742	132	77.4	65.1-89.7	18	22.6	10.3-34.9
H.S. or G.E.D.	799	63,045	736	89.9	87.0-92.8	63	10.1	7.2-13.0
Some Post-H.S.	1005	111,332	946	92.5	90.1-94.9	59	7.5	5.1- 9.9
College Graduate	1031	77,359	991	96.1	94.5-97.7	40	3.9	2.3- 5.5
Less than \$15,000	198	20,487	172	82.6	74.4-90.8	26	17.4	9.2-25.6
\$15,000- 24,999	372	33,988	341	86.8	80.3-93.3	31	13.2	6.7-19.7
\$25,000- 34,999	304	26,110	276	88.6	82.7-94.5	28	11.4	5.5-17.3
\$35,000- 49,999	393	34,367	373	92.1	87.6-96.6	20	7.9	3.4-12.4
\$50,000- 74,999	460	40,018	440	94.1	91.2-97.0	20	5.9	3.0- 8.8
\$75,000+	852	82,971	817	95.7	93.9-97.5	35	4.3	2.5- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5486	556,428	4011	72.2	70.6-73.8	1475	27.8	26.2-29.4
Male	2496	283,633	1594	64.7	62.3-67.1	902	35.3	32.9-37.7
Female	2990	272,795	2417	80.0	77.8-82.2	573	20.0	17.8-22.2
Native	145	20,466	113	75.1	66.3-83.9	32	24.9	16.1-33.7
Non-Native	5268	528,193	3845	72.0	70.4-73.6	1423	28.0	26.4-29.6
18-24	251	85,035	163	67.5	61.4-73.6	88	32.5	26.4-38.6
25-34	566	103,770	392	70.3	66.2-74.4	174	29.7	25.6-33.8
35-44	559	83,614	408	73.3	69.2-77.4	151	26.7	22.6-30.8
45-54	773	77,842	549	71.9	68.4-75.4	224	28.1	24.6-31.6
55-64	1305	92,551	932	71.4	68.7-74.1	373	28.6	25.9-31.3
65+	1973	108,268	1515	76.6	74.4-78.8	458	23.4	21.2-25.6
Less Than H.S.	292	44,206	193	60.1	52.3-67.9	99	39.9	32.1-47.7
H.S. or G.E.D.	1568	147,271	1064	68.3	65.4-71.2	504	31.7	28.8-34.6
Some Post-H.S.	1797	222,344	1308	72.3	69.8-74.8	489	27.7	25.2-30.2
College Graduate	1819	141,888	1439	79.8	77.4-82.2	380	20.2	17.8-22.6
Less than \$15,000	303	34,760	224	72.2	65.1-79.3	79	27.8	20.7-34.9
\$15,000- 24,999	596	61,039	428	69.4	63.9-74.9	168	30.6	25.1-36.1
\$25,000- 34,999	520	54,213	375	72.1	66.8-77.4	145	27.9	22.6-33.2
\$35,000- 49,999	783	77,650	554	69.4	65.1-73.7	229	30.6	26.3-34.9
\$50,000- 74,999	918	92,110	653	68.1	64.2-72.0	265	31.9	28.0-35.8
\$75,000+	1788	182,984	1328	74.7	72.3-77.1	460	25.3	22.9-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2496	283,633	1594	64.7	62.3-67.1	902	35.3	32.9-37.7
Native	59	8,523	47	76.3	63.0-89.6	12	23.7	10.4-37.0
Non-Native	2397	270,213	1519	64.1	61.7-66.5	878	35.9	33.5-38.3
18-24	161	46,982	97	62.0	54.2-69.8	64	38.0	30.2-45.8
25-34	313	55,688	206	66.4	60.7-72.1	107	33.6	27.9-39.3
35-44	268	43,869	170	64.5	58.2-70.8	98	35.5	29.2-41.8
45-54	385	39,879	243	65.0	59.7-70.3	142	35.0	29.7-40.3
55-64	623	46,475	367	60.0	55.7-64.3	256	40.0	35.7-44.3
65+	729	49,117	496	68.7	64.8-72.6	233	31.3	27.4-35.2
Less Than H.S.	142	23,464	78	55.2	45.2-65.2	64	44.8	34.8-54.8
H.S. or G.E.D.	769	84,226	456	63.0	58.9-67.1	313	37.0	32.9-41.1
Some Post-H.S.	792	111,012	484	62.7	58.8-66.6	308	37.3	33.4-41.2
College Graduate	788	64,529	573	73.7	70.0-77.4	215	26.3	22.6-30.0
Less than \$15,000	105	14,274	71	71.4	60.2-82.6	34	28.6	17.4-39.8
\$15,000- 24,999	224	27,051	142	63.9	56.1-71.7	82	36.1	28.3-43.9
\$25,000- 34,999	216	28,102	148	71.5	64.1-78.9	68	28.5	21.1-35.9
\$35,000- 49,999	390	43,283	240	62.2	56.1-68.3	150	37.8	31.7-43.9
\$50,000- 74,999	458	52,092	274	58.3	52.6-64.0	184	41.7	36.0-47.4
\$75,000+	936	100,013	604	65.4	61.7-69.1	332	34.6	30.9-38.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2990	272,795	2417	80.0	77.8-82.2	573	20.0	17.8-22.2
Native	86	11,943	66	74.3	62.3-86.3	20	25.7	13.7-37.7
Non-Native	2871	257,980	2326	80.3	78.1-82.5	545	19.7	17.5-21.9
18-24	90	38,053	66	74.3	64.7-83.9	24	25.7	16.1-35.3
25-34	253	48,083	186	74.8	69.1-80.5	67	25.2	19.5-30.9
35-44	291	39,745	238	83.1	78.2-88.0	53	16.9	12.0-21.8
45-54	388	37,963	306	79.2	74.7-83.7	82	20.8	16.3-25.3
55-64	682	46,076	565	82.9	79.8-86.0	117	17.1	14.0-20.2
65+	1244	59,151	1019	83.2	80.8-85.6	225	16.8	14.4-19.2
Less Than H.S.	150	20,742	115	65.5	53.0-78.0	35	34.5	22.0-47.0
H.S. or G.E.D.	799	63,045	608	75.5	71.4-79.6	191	24.5	20.4-28.6
Some Post-H.S.	1005	111,332	824	81.9	78.8-85.0	181	18.1	15.0-21.2
College Graduate	1031	77,359	866	84.8	82.1-87.5	165	15.2	12.5-17.9
Less than \$15,000	198	20,487	153	72.8	63.6-82.0	45	27.2	18.0-36.4
\$15,000- 24,999	372	33,988	286	73.7	66.3-81.1	86	26.3	18.9-33.7
\$25,000- 34,999	304	26,110	227	72.8	65.4-80.2	77	27.2	19.8-34.6
\$35,000- 49,999	393	34,367	314	78.4	72.3-84.5	79	21.6	15.5-27.7
\$50,000- 74,999	460	40,018	379	80.9	76.0-85.8	81	19.1	14.2-24.0
\$75,000+	852	82,971	724	85.8	83.1-88.5	128	14.2	11.5-16.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DRINKING AND DRIVING (_DRNKDRV)	
1	MALES AND FEMALES	143
2	MALES ONLY	144
3	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 15: DRINKING AND DRIVING
TABLE 1: DRINKING AND DRIVING (_DRNKDRV)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3276	351,794	168	6.4	5.2- 7.6	3108	93.6	92.4-94.8
Male	1686	193,908	118	7.9	6.3- 9.5	1568	92.1	90.5-93.7
Female	1590	157,886	50	4.6	2.8- 6.4	1540	95.4	93.6-97.2
Native	51	9,253	6	6.9	0.8-13.0	45	93.1	87.0-99.2
Non-Native	3191	339,037	161	6.5	5.3- 7.7	3030	93.5	92.3-94.7
18-24	170	55,233	18	11.3	5.8-16.8	152	88.7	83.2-94.2
25-34	420	75,806	28	6.6	4.1- 9.1	392	93.4	90.9-95.9
35-44	398	57,989	32	7.7	5.0-10.4	366	92.3	89.6-95.0
45-54	539	54,304	37	6.0	3.8- 8.2	502	94.0	91.8-96.2
55-64	787	54,890	39	5.1	3.3- 6.9	748	94.9	93.1-96.7
65+	934	50,875	13	1.6	0.6- 2.6	921	98.4	97.4-99.4
Less Than H.S.	115	17,288	8	14.1	2.1-26.1	107	85.9	73.9-97.9
H.S. or G.E.D.	840	86,507	41	5.9	3.9- 7.9	799	94.1	92.1-96.1
Some Post-H.S.	1080	143,218	65	6.3	4.5- 8.1	1015	93.7	91.9-95.5
College Graduate	1237	104,427	54	5.7	3.9- 7.5	1183	94.3	92.5-96.1
Less than \$15,000	96	13,451	8	7.9	2.2-13.6	88	92.1	86.4-97.8
\$15,000- 24,999	247	30,682	13	8.3	1.8-14.8	234	91.7	85.2-98.2
\$25,000- 34,999	264	30,675	17	9.9	4.4-15.4	247	90.1	84.6-95.6
\$35,000- 49,999	460	48,584	29	8.5	5.0-12.0	431	91.5	88.0-95.0
\$50,000- 74,999	611	63,605	32	5.2	3.0- 7.4	579	94.8	92.6-97.0
\$75,000+	1319	137,260	62	5.6	3.8- 7.4	1257	94.4	92.6-96.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 15: DRINKING AND DRIVING
TABLE 2: DRINKING AND DRIVING (_DRNKDRV)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1686	193,908	118	7.9	6.3- 9.5	1568	92.1	90.5-93.7
Non-Native	1648	188,873	114	8.0	6.2- 9.8	1534	92.0	90.2-93.8
18-24	110	30,281	13	12.5	5.8-19.2	97	87.5	80.8-94.2
25-34	241	41,780	18	7.4	3.9-10.9	223	92.6	89.1-96.1
35-44	208	34,498	21	9.5	5.4-13.6	187	90.5	86.4-94.6
45-54	287	29,237	23	7.1	4.0-10.2	264	92.9	89.8-96.0
55-64	403	29,471	32	8.3	5.4-11.2	371	91.7	88.8-94.6
65+	428	27,867	11	2.6	0.8- 4.4	417	97.4	95.6-99.2
Less Than H.S.	71	10,223	5	5.2	0.5- 9.9	66	94.8	90.1-99.5
H.S. or G.E.D.	488	54,093	28	6.7	4.0- 9.4	460	93.3	90.6-96.0
Some Post-H.S.	538	78,997	50	9.7	6.6-12.8	488	90.3	87.2-93.4
College Graduate	585	50,240	35	7.0	4.5- 9.5	550	93.0	90.5-95.5
\$15,000- 24,999	113	14,930	4	4.1	0.0- 8.2	109	95.9	91.8- 100
\$25,000- 34,999	131	17,641	13	13.2	5.0-21.4	118	86.8	78.6-95.0
\$35,000- 49,999	262	29,605	21	9.8	4.9-14.7	241	90.2	85.3-95.1
\$50,000- 74,999	316	37,157	23	7.3	4.0-10.6	293	92.7	89.4-96.0
\$75,000+	722	77,797	47	7.2	4.8- 9.6	675	92.8	90.4-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 15: DRINKING AND DRIVING
TABLE 3: DRINKING AND DRIVING (_DRNKDRV)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1590	157,886	50	4.6	2.8- 6.4	1540	95.4	93.6-97.2
Non-Native	1543	150,164	47	4.5	2.5- 6.5	1496	95.5	93.5-97.5
18-24	60	24,952	5	9.9	0.9-18.9	55	90.1	81.1-99.1
25-34	179	34,026	10	5.6	1.9- 9.3	169	94.4	90.7-98.1
35-44	190	23,491	11	5.2	2.1- 8.3	179	94.8	91.7-97.9
45-54	252	25,067	14	4.7	2.0- 7.4	238	95.3	92.6-98.0
55-64	384	25,420	7	1.4	0.4- 2.4	377	98.6	97.6-99.6
65+	506	23,008	2	0.3	0.0- 0.7	504	99.7	99.3- 100
H.S. or G.E.D.	352	32,414	13	4.5	1.8- 7.2	339	95.5	92.8-98.2
Some Post-H.S.	542	64,221	15	2.2	0.8- 3.6	527	97.8	96.4-99.2
College Graduate	652	54,186	19	4.5	2.1- 6.9	633	95.5	93.1-97.9
Less than \$15,000	52	7,379	3	6.5	0.0-13.8	49	93.5	86.2- 100
\$15,000- 24,999	134	15,752	9	12.3	0.7-23.9	125	87.7	76.1-99.3
\$25,000- 34,999	133	13,034	4	5.5	0.0-11.6	129	94.5	88.4- 100
\$35,000- 49,999	198	18,979	8	6.4	1.5-11.3	190	93.6	88.7-98.5
\$50,000- 74,999	295	26,448	9	2.2	0.6- 3.8	286	97.8	96.2-99.4
\$75,000+	597	59,463	15	3.5	1.0- 6.0	582	96.5	94.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 16: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	147
2	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021) FEMALES ONLY	148
3	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33) FEMALES ONLY	149

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2430	159,323	1786	71.4	69.0-73.8	644	28.6	26.2-31.0
Native	59	5,341	43	75.2	62.3-88.1	16	24.8	11.9-37.7
Non-Native	2345	152,129	1729	71.5	69.1-73.9	616	28.5	26.1-30.9
40-44	130	17,320	71	56.5	46.7-66.3	59	43.5	33.7-53.3
45-54	386	37,800	277	70.7	65.4-76.0	109	29.3	24.0-34.6
55-64	675	45,515	517	75.2	71.3-79.1	158	24.8	20.9-28.7
65+	1239	58,688	921	73.3	70.4-76.2	318	26.7	23.8-29.6
Less Than H.S.	127	10,903	81	62.5	52.1-72.9	46	37.5	27.1-47.9
H.S. or G.E.D.	678	37,883	493	70.0	65.9-74.1	185	30.0	25.9-34.1
Some Post-H.S.	833	68,633	606	70.8	67.1-74.5	227	29.2	25.5-32.9
College Graduate	789	41,784	604	76.0	72.5-79.5	185	24.0	20.5-27.5
Less than \$15,000	162	11,856	93	51.1	41.1-61.1	69	48.9	38.9-58.9
\$15,000- 24,999	323	20,217	206	60.2	53.3-67.1	117	39.8	32.9-46.7
\$25,000- 34,999	252	14,399	181	69.0	61.6-76.4	71	31.0	23.6-38.4
\$35,000- 49,999	322	18,761	231	69.4	63.1-75.7	91	30.6	24.3-36.9
\$50,000- 74,999	371	24,610	288	75.4	70.1-80.7	83	24.6	19.3-29.9
\$75,000+	649	48,486	522	79.7	76.0-83.4	127	20.3	16.6-24.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1489	97,359	1150	75.2	72.5-77.9	339	24.8	22.1-27.5
Non-Native	1432	92,659	1110	75.4	72.7-78.1	322	24.6	21.9-27.3
50-54	222	22,595	160	70.6	63.7-77.5	62	29.4	22.5-36.3
55-64	675	45,515	517	75.2	71.5-78.9	158	24.8	21.1-28.5
65+	592	29,249	473	78.6	74.7-82.5	119	21.4	17.5-25.3
H.S. or G.E.D.	400	24,248	301	72.2	67.1-77.3	99	27.8	22.7-32.9
Some Post-H.S.	528	43,442	396	73.8	69.5-78.1	132	26.2	21.9-30.5
College Graduate	523	25,323	427	82.2	78.5-85.9	96	17.8	14.1-21.5
Less than \$15,000	84	6,547	50	51.7	38.4-65.0	34	48.3	35.0-61.6
\$15,000- 24,999	151	9,600	101	62.2	52.6-71.8	50	37.8	28.2-47.4
\$25,000- 34,999	148	9,436	110	71.6	62.6-80.6	38	28.4	19.4-37.4
\$35,000- 49,999	205	12,417	146	69.9	62.3-77.5	59	30.1	22.5-37.7
\$50,000- 74,999	284	18,779	220	76.2	70.3-82.1	64	23.8	17.9-29.7
\$75,000+	444	29,362	373	84.1	80.2-88.0	71	15.9	12.0-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1301	157,496	1033	78.9	76.0-81.8	268	21.1	18.2-24.0
Native	53	8,640	42	80.8	67.5-94.1	11	19.2	5.9-32.5
Non-Native	1236	147,287	983	78.8	75.7-81.9	253	21.2	18.1-24.3
18-24	53	22,508	35	65.8	52.3-79.3	18	34.2	20.7-47.7
25-34	224	42,101	191	85.8	80.9-90.7	33	14.2	9.3-19.1
35-44	246	33,547	202	81.9	76.4-87.4	44	18.1	12.6-23.6
45-54	281	27,012	222	78.7	73.2-84.2	59	21.3	15.8-26.8
55-64	453	30,011	346	75.6	70.9-80.3	107	24.4	19.7-29.1
H.S. or G.E.D.	256	30,053	190	76.2	69.9-82.5	66	23.8	17.5-30.1
Some Post-H.S.	428	63,959	334	77.6	72.5-82.7	94	22.4	17.3-27.5
College Graduate	593	56,130	495	84.7	81.2-88.2	98	15.3	11.8-18.8
Less than \$15,000	75	12,187	48	61.8	47.5-76.1	27	38.2	23.9-52.5
\$15,000- 24,999	86	15,178	56	72.3	60.3-84.3	30	27.7	15.7-39.7
\$25,000- 34,999	88	12,092	63	76.0	65.0-87.0	25	24.0	13.0-35.0
\$35,000- 49,999	142	17,385	104	71.8	61.8-81.8	38	28.2	18.2-38.2
\$50,000- 74,999	251	25,594	204	81.8	76.1-87.5	47	18.2	12.5-23.9
\$75,000+	554	60,939	477	86.9	83.6-90.2	77	13.1	9.8-16.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 17: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) MALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 17: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1779	148,355	755	37.2	34.7-39.7	1024	62.8	60.3-65.3
Non-Native	1720	142,728	736	37.3	34.8-39.8	984	62.7	60.2-65.2
40-44	126	19,448	11	7.9	3.0-12.8	115	92.1	87.2-97.0
45-54	373	38,797	82	22.2	17.5-26.9	291	77.8	73.1-82.5
55-64	590	44,096	267	42.8	38.5-47.1	323	57.2	52.9-61.5
65+	690	46,014	395	56.8	52.5-61.1	295	43.2	38.9-47.5
Less Than H.S.	98	11,518	29	26.8	17.4-36.2	69	73.2	63.8-82.6
H.S. or G.E.D.	551	43,106	227	36.4	31.9-40.9	324	63.6	59.1-68.1
Some Post-H.S.	561	58,340	238	37.3	33.0-41.6	323	62.7	58.4-67.0
College Graduate	564	34,989	258	41.1	36.6-45.6	306	58.9	54.4-63.4
Less than \$15,000	68	6,593	21	26.6	14.8-38.4	47	73.4	61.6-85.2
\$15,000- 24,999	165	14,477	54	27.4	20.0-34.8	111	72.6	65.2-80.0
\$25,000- 34,999	140	11,728	56	37.0	28.0-46.0	84	63.0	54.0-72.0
\$35,000- 49,999	290	23,537	114	34.0	27.7-40.3	176	66.0	59.7-72.3
\$50,000- 74,999	312	25,236	150	42.8	36.5-49.1	162	57.2	50.9-63.5
\$75,000+	689	57,495	307	38.8	34.7-42.9	382	61.2	57.1-65.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016**

SECTION 18: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFLDS3)	
1 MALES AND FEMALES	153
2 MALES ONLY	154
3 FEMALES ONLY	155
RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)	
4 MALES AND FEMALES	156
5 MALES ONLY	157
6 FEMALES ONLY	158
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)	
7 MALES AND FEMALES	159
8 MALES ONLY	160
9 FEMALES ONLY	161
RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)	
10 MALES AND FEMALES	162
11 MALES ONLY	163
12 FEMALES ONLY	164
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)	
13 MALES AND FEMALES	165
14 MALES ONLY	166
15 FEMALES ONLY	167
RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
16 MALES AND FEMALES	168
17 MALES ONLY	169
18 FEMALES ONLY	170

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBlds3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2815	197,646	170	5.8	4.8- 6.8	2645	94.2	93.2-95.2
Male	1285	98,784	68	5.4	4.0- 6.8	1217	94.6	93.2-96.0
Female	1530	98,862	102	6.1	4.7- 7.5	1428	93.9	92.5-95.3
Native	69	5,910	11	12.7	3.5-21.9	58	87.3	78.1-96.5
Non-Native	2717	189,419	159	5.6	4.6- 6.6	2558	94.4	93.4-95.4
50-54	441	44,921	22	5.2	2.8- 7.6	419	94.8	92.4-97.2
55-64	1289	90,965	69	5.1	3.7- 6.5	1220	94.9	93.5-96.3
65+	1085	61,761	79	7.1	5.3- 8.9	1006	92.9	91.1-94.7
Less Than H.S.	103	12,043	6	5.3	0.4-10.2	97	94.7	89.8-99.6
H.S. or G.E.D.	812	54,230	58	7.0	5.0- 9.0	754	93.0	91.0-95.0
Some Post-H.S.	962	83,622	50	4.7	3.3- 6.1	912	95.3	93.9-96.7
College Graduate	937	47,660	56	6.3	4.5- 8.1	881	93.7	91.9-95.5
Less than \$15,000	138	11,359	11	7.2	2.1-12.3	127	92.8	87.7-97.9
\$15,000- 24,999	263	18,957	22	7.6	3.9-11.3	241	92.4	88.7-96.1
\$25,000- 34,999	256	17,918	18	5.9	2.6- 9.2	238	94.1	90.8-97.4
\$35,000- 49,999	401	27,538	23	5.5	3.0- 8.0	378	94.5	92.0-97.0
\$50,000- 74,999	532	36,781	39	6.8	4.4- 9.2	493	93.2	90.8-95.6
\$75,000+	958	67,379	46	5.0	3.4- 6.6	912	95.0	93.4-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1285	98,784	68	5.4	4.0- 6.8	1217	94.6	93.2-96.0
Non-Native	1242	94,797	66	5.4	4.0- 6.8	1176	94.6	93.2-96.0
50-54	222	22,531	10	4.8	1.7- 7.9	212	95.2	92.1-98.3
55-64	615	45,787	30	5.0	3.0- 7.0	585	95.0	93.0-97.0
65+	448	30,466	28	6.6	3.9- 9.3	420	93.4	90.7-96.1
Less Than H.S.	60	7,454	4	7.1	0.0-14.5	56	92.9	85.5- 100
H.S. or G.E.D.	397	29,346	25	6.4	3.7- 9.1	372	93.6	90.9-96.3
Some Post-H.S.	422	39,745	18	4.2	2.2- 6.2	404	95.8	93.8-97.8
College Graduate	405	22,147	21	5.9	3.2- 8.6	384	94.1	91.4-96.8
Less than \$15,000	51	4,461	4	9.1	0.0-19.5	47	90.9	80.5- 100
\$15,000- 24,999	106	9,191	6	5.4	0.5-10.3	100	94.6	89.7-99.5
\$25,000- 34,999	101	8,190	9	7.6	1.9-13.3	92	92.4	86.7-98.1
\$35,000- 49,999	189	14,789	10	5.5	1.8- 9.2	179	94.5	90.8-98.2
\$50,000- 74,999	244	17,847	13	5.5	2.4- 8.6	231	94.5	91.4-97.6
\$75,000+	509	37,847	22	4.6	2.6- 6.6	487	95.4	93.4-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBlds3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1530	98,862	102	6.1	4.7- 7.5	1428	93.9	92.5-95.3
Non-Native	1475	94,621	93	5.8	4.4- 7.2	1382	94.2	92.8-95.6
50-54	219	22,389	12	5.7	2.2- 9.2	207	94.3	90.8-97.8
55-64	674	45,178	39	5.1	3.3- 6.9	635	94.9	93.1-96.7
65+	637	31,295	51	7.7	5.3-10.1	586	92.3	89.9-94.7
H.S. or G.E.D.	415	24,884	33	7.6	4.7-10.5	382	92.4	89.5-95.3
Some Post-H.S.	540	43,876	32	5.2	3.2- 7.2	508	94.8	92.8-96.8
College Graduate	532	25,513	35	6.6	4.1- 9.1	497	93.4	90.9-95.9
Less than \$15,000	87	6,897	7	6.0	1.1-10.9	80	94.0	89.1-98.9
\$15,000- 24,999	157	9,767	16	9.7	4.4-15.0	141	90.3	85.0-95.6
\$25,000- 34,999	155	9,728	9	4.4	0.9- 7.9	146	95.6	92.1-99.1
\$35,000- 49,999	212	12,749	13	5.4	2.1- 8.7	199	94.6	91.3-97.9
\$50,000- 74,999	288	18,934	26	8.1	5.0-11.2	262	91.9	88.8-95.0
\$75,000+	449	29,531	24	5.6	3.1- 8.1	425	94.4	91.9-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2746	192,517	1781	62.2	60.0-64.4	965	37.8	35.6-40.0
Male	1253	96,083	777	59.8	56.7-62.9	476	40.2	37.1-43.3
Female	1493	96,434	1004	64.7	61.8-67.6	489	35.3	32.4-38.2
Native	64	5,348	29	43.4	28.5-58.3	35	56.6	41.7-71.5
Non-Native	2654	184,928	1737	62.9	60.7-65.1	917	37.1	34.9-39.3
50-54	434	44,122	192	44.9	39.6-50.2	242	55.1	49.8-60.4
55-64	1258	88,649	809	64.0	61.1-66.9	449	36.0	33.1-38.9
65+	1054	59,746	780	72.3	69.2-75.4	274	27.7	24.6-30.8
Less Than H.S.	100	11,548	57	54.7	43.5-65.9	43	45.3	34.1-56.5
H.S. or G.E.D.	795	53,059	459	55.3	51.4-59.2	336	44.7	40.8-48.6
Some Post-H.S.	930	80,860	606	63.4	59.9-66.9	324	36.6	33.1-40.1
College Graduate	920	46,958	658	69.9	66.6-73.2	262	30.1	26.8-33.4
Less than \$15,000	129	10,814	54	39.1	29.1-49.1	75	60.9	50.9-70.9
\$15,000- 24,999	256	18,090	138	48.3	40.9-55.7	118	51.7	44.3-59.1
\$25,000- 34,999	247	17,214	159	61.8	54.7-68.9	88	38.2	31.1-45.3
\$35,000- 49,999	393	26,939	253	64.6	59.1-70.1	140	35.4	29.9-40.9
\$50,000- 74,999	531	36,687	366	67.2	62.5-71.9	165	32.8	28.1-37.5
\$75,000+	933	65,790	637	66.0	62.5-69.5	296	34.0	30.5-37.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1253	96,083	777	59.8	56.7-62.9	476	40.2	37.1-43.3
Non-Native	1213	92,315	761	60.5	57.4-63.6	452	39.5	36.4-42.6
50-54	217	21,941	90	42.1	34.7-49.5	127	57.9	50.5-65.3
55-64	597	44,357	363	59.4	54.9-63.9	234	40.6	36.1-45.1
65+	439	29,784	324	73.3	68.6-78.0	115	26.7	22.0-31.4
Less Than H.S.	58	7,148	32	54.9	40.8-69.0	26	45.1	31.0-59.2
H.S. or G.E.D.	393	29,039	215	51.9	46.4-57.4	178	48.1	42.6-53.6
Some Post-H.S.	406	38,117	247	60.4	55.1-65.7	159	39.6	34.3-44.9
College Graduate	395	21,687	282	70.6	65.5-75.7	113	29.4	24.3-34.5
Less than \$15,000	50	4,384	19	40.1	23.8-56.4	31	59.9	43.6-76.2
\$15,000- 24,999	103	8,798	48	42.1	31.3-52.9	55	57.9	47.1-68.7
\$25,000- 34,999	96	7,694	55	55.4	44.0-66.8	41	44.6	33.2-56.0
\$35,000- 49,999	186	14,555	111	61.2	53.4-69.0	75	38.8	31.0-46.6
\$50,000- 74,999	245	17,876	158	63.7	56.8-70.6	87	36.3	29.4-43.2
\$75,000+	492	36,704	330	63.9	59.0-68.8	162	36.1	31.2-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1493	96,434	1004	64.7	61.8-67.6	489	35.3	32.4-38.2
Non-Native	1441	92,613	976	65.3	62.4-68.2	465	34.7	31.8-37.6
50-54	217	22,180	102	47.8	40.4-55.2	115	52.2	44.8-59.6
55-64	661	44,292	446	68.7	64.8-72.6	215	31.3	27.4-35.2
65+	615	29,962	456	71.3	67.0-75.6	159	28.7	24.4-33.0
H.S. or G.E.D.	402	24,020	244	59.3	53.8-64.8	158	40.7	35.2-46.2
Some Post-H.S.	524	42,744	359	66.0	61.3-70.7	165	34.0	29.3-38.7
College Graduate	525	25,271	376	69.3	64.6-74.0	149	30.7	26.0-35.4
Less than \$15,000	79	6,430	35	38.4	25.7-51.1	44	61.6	48.9-74.3
\$15,000- 24,999	153	9,293	90	54.1	44.5-63.7	63	45.9	36.3-55.5
\$25,000- 34,999	151	9,520	104	67.0	58.0-76.0	47	33.0	24.0-42.0
\$35,000- 49,999	207	12,385	142	68.6	61.2-76.0	65	31.4	24.0-38.8
\$50,000- 74,999	286	18,811	208	70.5	64.2-76.8	78	29.5	23.2-35.8
\$75,000+	441	29,086	307	68.6	63.7-73.5	134	31.4	26.5-36.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2815	197,646	364	12.1	10.7-13.5	2451	87.9	86.5-89.3
Male	1285	98,784	135	10.2	8.4-12.0	1150	89.8	88.0-91.6
Female	1530	98,862	229	13.9	11.9-15.9	1301	86.1	84.1-88.1
Native	69	5,910	15	21.7	9.5-33.9	54	78.3	66.1-90.5
Non-Native	2717	189,419	349	11.9	10.5-13.3	2368	88.1	86.7-89.5
50-54	441	44,921	39	8.3	5.6-11.0	402	91.7	89.0-94.4
55-64	1289	90,965	146	10.9	8.9-12.9	1143	89.1	87.1-91.1
65+	1085	61,761	179	16.5	14.0-19.0	906	83.5	81.0-86.0
Less Than H.S.	103	12,043	15	13.8	6.4-21.2	88	86.2	78.8-93.6
H.S. or G.E.D.	812	54,230	105	12.5	10.0-15.0	707	87.5	85.0-90.0
Some Post-H.S.	962	83,622	122	11.3	9.1-13.5	840	88.7	86.5-90.9
College Graduate	937	47,660	122	12.6	10.2-15.0	815	87.4	85.0-89.8
Less than \$15,000	138	11,359	15	10.0	4.1-15.9	123	90.0	84.1-95.9
\$15,000- 24,999	263	18,957	42	14.6	9.7-19.5	221	85.4	80.5-90.3
\$25,000- 34,999	256	17,918	38	13.4	8.7-18.1	218	86.6	81.9-91.3
\$35,000- 49,999	401	27,538	52	13.9	9.8-18.0	349	86.1	82.0-90.2
\$50,000- 74,999	532	36,781	75	12.5	9.6-15.4	457	87.5	84.6-90.4
\$75,000+	958	67,379	110	10.9	8.7-13.1	848	89.1	86.9-91.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1285	98,784	135	10.2	8.4-12.0	1150	89.8	88.0-91.6
Non-Native	1242	94,797	133	10.4	8.6-12.2	1109	89.6	87.8-91.4
50-54	222	22,531	16	6.5	3.2- 9.8	206	93.5	90.2-96.8
55-64	615	45,787	62	10.4	7.7-13.1	553	89.6	86.9-92.3
65+	448	30,466	57	12.8	9.3-16.3	391	87.2	83.7-90.7
Less Than H.S.	60	7,454	8	13.8	4.2-23.4	52	86.2	76.6-95.8
H.S. or G.E.D.	397	29,346	41	10.3	7.0-13.6	356	89.7	86.4-93.0
Some Post-H.S.	422	39,745	42	8.8	6.1-11.5	380	91.2	88.5-93.9
College Graduate	405	22,147	44	11.6	8.1-15.1	361	88.4	84.9-91.9
Less than \$15,000	51	4,461	5	12.3	0.5-24.1	46	87.7	75.9-99.5
\$15,000- 24,999	106	9,191	10	8.6	2.9-14.3	96	91.4	85.7-97.1
\$25,000- 34,999	101	8,190	15	12.5	5.6-19.4	86	87.5	80.6-94.4
\$35,000- 49,999	189	14,789	26	14.9	9.0-20.8	163	85.1	79.2-91.0
\$50,000- 74,999	244	17,847	23	8.3	4.6-12.0	221	91.7	88.0-95.4
\$75,000+	509	37,847	51	9.6	6.9-12.3	458	90.4	87.7-93.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1530	98,862	229	13.9	11.9-15.9	1301	86.1	84.1-88.1
Non-Native	1475	94,621	216	13.4	11.4-15.4	1259	86.6	84.6-88.6
50-54	219	22,389	23	10.0	5.7-14.3	196	90.0	85.7-94.3
55-64	674	45,178	84	11.5	9.0-14.0	590	88.5	86.0-91.0
65+	637	31,295	122	20.1	16.4-23.8	515	79.9	76.2-83.6
H.S. or G.E.D.	415	24,884	64	15.1	11.2-19.0	351	84.9	81.0-88.8
Some Post-H.S.	540	43,876	80	13.5	10.4-16.6	460	86.5	83.4-89.6
College Graduate	532	25,513	78	13.5	10.4-16.6	454	86.5	83.4-89.6
Less than \$15,000	87	6,897	10	8.5	2.6-14.4	77	91.5	85.6-97.4
\$15,000- 24,999	157	9,767	32	20.2	12.6-27.8	125	79.8	72.2-87.4
\$25,000- 34,999	155	9,728	23	14.3	7.6-21.0	132	85.7	79.0-92.4
\$35,000- 49,999	212	12,749	26	12.6	6.9-18.3	186	87.4	81.7-93.1
\$50,000- 74,999	288	18,934	52	16.5	11.8-21.2	236	83.5	78.8-88.2
\$75,000+	449	29,531	59	12.6	9.3-15.9	390	87.4	84.1-90.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1370	98,258	20	1.3	0.7- 1.9	1350	98.7	98.1-99.3
Male	642	50,101	9	1.4	0.4- 2.4	633	98.6	97.6-99.6
Female	728	48,156	11	1.2	0.4- 2.0	717	98.8	98.0-99.6
Non-Native	1315	93,641	18	1.1	0.5- 1.7	1297	98.9	98.3-99.5
50-54	264	26,029	2	0.7	0.0- 1.7	262	99.3	98.3- 100
55-64	647	45,374	9	1.4	0.4- 2.4	638	98.6	97.6-99.6
65+	459	26,854	9	1.7	0.5- 2.9	450	98.3	97.1-99.5
Less Than H.S.	53	6,206				53	100.0	100.0- 100
H.S. or G.E.D.	435	30,088	8	1.6	0.4- 2.8	427	98.4	97.2-99.6
Some Post-H.S.	459	40,260	8	1.5	0.3- 2.7	451	98.5	97.3-99.7
College Graduate	423	21,703	4	0.8	0.0- 1.6	419	99.2	98.4- 100
Less than \$15,000	93	7,742	3	1.8	0.0- 4.2	90	98.2	95.8- 100
\$15,000- 24,999	150	11,295	3	2.3	0.0- 5.0	147	97.7	95.0- 100
\$25,000- 34,999	114	8,228	1	0.4	0.0- 1.2	113	99.6	98.8- 100
\$35,000- 49,999	202	13,853	4	1.9	0.0- 3.9	198	98.1	96.1- 100
\$50,000- 74,999	252	17,074	1	0.2	0.0- 0.6	251	99.8	99.4- 100
\$75,000+	430	30,936	6	1.4	0.2- 2.6	424	98.6	97.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	642	50,101	9	1.4	0.4- 2.4	633	98.6	97.6-99.6
Non-Native	616	47,690	8	1.3	0.3- 2.3	608	98.7	97.7-99.7
50-54	140	13,737				140	100.0	100.0- 100
55-64	325	24,154	5	1.7	0.1- 3.3	320	98.3	96.7-99.9
65+	177	12,210	4	2.2	0.0- 4.4	173	97.8	95.6- 100
H.S. or G.E.D.	218	16,749	2	0.8	0.0- 2.0	216	99.2	98.0- 100
Some Post-H.S.	207	19,115	6	2.6	0.4- 4.8	201	97.4	95.2-99.6
College Graduate	184	10,191	1	0.5	0.0- 1.5	183	99.5	98.5- 100
\$15,000- 24,999	64	5,687	2	2.5	0.0- 6.2	62	97.5	93.8- 100
\$35,000- 49,999	100	7,744	2	2.0	0.0- 4.7	98	98.0	95.3- 100
\$50,000- 74,999	120	8,369				120	100.0	100.0- 100
\$75,000+	238	18,313	4	1.7	0.0- 3.5	234	98.3	96.5- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	728	48,156	11	1.2	0.4- 2.0	717	98.8	98.0-99.6
Non-Native	699	45,951	10	1.0	0.4- 1.6	689	99.0	98.4-99.6
50-54	124	12,292	2	1.5	0.0- 3.7	122	98.5	96.3- 100
55-64	322	21,220	4	1.0	0.0- 2.0	318	99.0	98.0- 100
65+	282	14,644	5	1.3	0.1- 2.5	277	98.7	97.5-99.9
H.S. or G.E.D.	217	13,339	6	2.5	0.1- 4.9	211	97.5	95.1-99.9
Some Post-H.S.	252	21,146	2	0.6	0.0- 1.6	250	99.4	98.4- 100
College Graduate	239	11,512	3	1.0	0.0- 2.2	236	99.0	97.8- 100
Less than \$15,000	57	4,659	2	1.3	0.0- 3.3	55	98.7	96.7- 100
\$15,000- 24,999	86	5,608	1	2.2	0.0- 6.3	85	97.8	93.7- 100
\$25,000- 34,999	68	4,458	1	0.8	0.0- 2.4	67	99.2	97.6- 100
\$35,000- 49,999	102	6,109	2	1.8	0.0- 4.3	100	98.2	95.7- 100
\$50,000- 74,999	132	8,705	1	0.4	0.0- 1.2	131	99.6	98.8- 100
\$75,000+	192	12,623	2	1.1	0.0- 2.7	190	98.9	97.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2601	183,755	2	0.1	0.0- 0.3	2599	99.9	99.7- 100
Male	1205	92,836	1	0.1	0.0- 0.3	1204	99.9	99.7- 100
Female	1396	90,919	1	0.1	0.0- 0.3	1395	99.9	99.7- 100
Native	58	5,006				58	100.0	100.0- 100
Non-Native	2514	176,432	2	0.1	0.0- 0.3	2512	99.9	99.7- 100
50-54	421	43,026				421	100.0	100.0- 100
55-64	1216	85,718	1	0.1	0.0- 0.3	1215	99.9	99.7- 100
65+	964	55,011	1	0.2	0.0- 0.6	963	99.8	99.4- 100
Less Than H.S.	91	10,840				91	100.0	100.0- 100
H.S. or G.E.D.	753	50,317				753	100.0	100.0- 100
Some Post-H.S.	897	78,563	2	0.2	0.0- 0.6	895	99.8	99.4- 100
College Graduate	859	43,944				859	100.0	100.0- 100
Less than \$15,000	130	10,836				130	100.0	100.0- 100
\$15,000- 24,999	239	17,235	1	0.6	0.0- 1.8	238	99.4	98.2- 100
\$25,000- 34,999	228	16,190				228	100.0	100.0- 100
\$35,000- 49,999	369	25,044				369	100.0	100.0- 100
\$50,000- 74,999	488	34,135				488	100.0	100.0- 100
\$75,000+	902	63,879	1	0.1	0.0- 0.3	901	99.9	99.7- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1205	92,836	1	0.1	0.0- 0.3	1204	99.9	99.7- 100
Non-Native	1162	88,850	1	0.1	0.0- 0.3	1161	99.9	99.7- 100
50-54	212	21,676				212	100.0	100.0- 100
55-64	585	43,399				585	100.0	100.0- 100
65+	408	27,761	1	0.4	0.0- 1.2	407	99.6	98.8- 100
Less Than H.S.	54	6,782				54	100.0	100.0- 100
H.S. or G.E.D.	373	27,586				373	100.0	100.0- 100
Some Post-H.S.	402	37,870	1	0.3	0.0- 0.9	401	99.7	99.1- 100
College Graduate	375	20,505				375	100.0	100.0- 100
\$15,000- 24,999	100	8,666	1	1.2	0.0- 3.6	99	98.8	96.4- 100
\$25,000- 34,999	87	7,261				87	100.0	100.0- 100
\$35,000- 49,999	174	13,349				174	100.0	100.0- 100
\$50,000- 74,999	231	17,024				231	100.0	100.0- 100
\$75,000+	482	36,048				482	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1396	90,919	1	0.1	0.0- 0.3	1395	99.9	99.7- 100
Non-Native	1352	87,583	1	0.1	0.0- 0.3	1351	99.9	99.7- 100
50-54	209	21,350				209	100.0	100.0- 100
55-64	631	42,319	1	0.2	0.0- 0.6	630	99.8	99.4- 100
65+	556	27,250				556	100.0	100.0- 100
H.S. or G.E.D.	380	22,731				380	100.0	100.0- 100
Some Post-H.S.	495	40,692	1	0.2	0.0- 0.6	494	99.8	99.4- 100
College Graduate	484	23,439				484	100.0	100.0- 100
Less than \$15,000	81	6,517				81	100.0	100.0- 100
\$15,000- 24,999	139	8,569				139	100.0	100.0- 100
\$25,000- 34,999	141	8,929				141	100.0	100.0- 100
\$35,000- 49,999	195	11,695				195	100.0	100.0- 100
\$50,000- 74,999	257	17,111				257	100.0	100.0- 100
\$75,000+	420	27,831	1	0.3	0.0- 0.9	419	99.7	99.1- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2749	192,924	1853	64.7	62.5-66.9	896	35.3	33.1-37.5
Male	1255	96,269	806	62.0	58.9-65.1	449	38.0	34.9-41.1
Female	1494	96,655	1047	67.4	64.5-70.3	447	32.6	29.7-35.5
Native	65	5,538	34	52.1	37.4-66.8	31	47.9	33.2-62.6
Non-Native	2656	185,146	1804	65.2	63.0-67.4	852	34.8	32.6-37.0
50-54	434	44,122	205	48.2	42.9-53.5	229	51.8	46.5-57.1
55-64	1259	88,708	839	66.2	63.3-69.1	420	33.8	30.9-36.7
65+	1056	60,094	809	74.6	71.5-77.7	247	25.4	22.3-28.5
Less Than H.S.	101	11,737	59	57.2	46.2-68.2	42	42.8	31.8-53.8
H.S. or G.E.D.	795	53,054	485	58.4	54.5-62.3	310	41.6	37.7-45.5
Some Post-H.S.	933	81,134	628	65.3	61.8-68.8	305	34.7	31.2-38.2
College Graduate	919	46,906	680	72.5	69.2-75.8	239	27.5	24.2-30.8
Less than \$15,000	130	10,836	60	43.0	32.8-53.2	70	57.0	46.8-67.2
\$15,000- 24,999	257	18,355	149	52.2	44.8-59.6	108	47.8	40.4-55.2
\$25,000- 34,999	247	17,214	161	62.0	54.9-69.1	86	38.0	30.9-45.1
\$35,000- 49,999	394	27,023	263	67.0	61.7-72.3	131	33.0	27.7-38.3
\$50,000- 74,999	531	36,687	379	69.6	65.1-74.1	152	30.4	25.9-34.9
\$75,000+	934	65,878	663	68.7	65.4-72.0	271	31.3	28.0-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1255	96,269	806	62.0	58.9-65.1	449	38.0	34.9-41.1
Non-Native	1215	92,501	788	62.5	59.4-65.6	427	37.5	34.4-40.6
50-54	217	21,941	95	44.6	37.2-52.0	122	55.4	48.0-62.8
55-64	597	44,357	377	61.8	57.5-66.1	220	38.2	33.9-42.5
65+	441	29,970	334	74.9	70.2-79.6	107	25.1	20.4-29.8
Less Than H.S.	58	7,148	33	57.9	44.0-71.8	25	42.1	28.2-56.0
H.S. or G.E.D.	393	29,039	228	54.9	49.4-60.4	165	45.1	39.6-50.6
Some Post-H.S.	408	38,302	256	61.9	56.6-67.2	152	38.1	32.8-43.4
College Graduate	395	21,687	288	72.6	67.7-77.5	107	27.4	22.5-32.3
Less than \$15,000	50	4,384	21	46.0	29.5-62.5	29	54.0	37.5-70.5
\$15,000- 24,999	104	8,899	52	44.6	33.8-55.4	52	55.4	44.6-66.2
\$25,000- 34,999	96	7,694	55	55.4	44.0-66.8	41	44.6	33.2-56.0
\$35,000- 49,999	187	14,638	117	63.5	55.7-71.3	70	36.5	28.7-44.3
\$50,000- 74,999	245	17,876	163	65.8	59.1-72.5	82	34.2	27.5-40.9
\$75,000+	492	36,704	340	66.1	61.4-70.8	152	33.9	29.2-38.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 18: COLORECTAL CANCER SCREENING**

TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1494	96,655	1047	67.4	64.5-70.3	447	32.6	29.7-35.5
Non-Native	1441	92,645	1016	67.9	65.0-70.8	425	32.1	29.2-35.0
50-54	217	22,180	110	51.8	44.4-59.2	107	48.2	40.8-55.6
55-64	662	44,350	462	70.6	66.7-74.5	200	29.4	25.5-33.3
65+	615	30,125	475	74.2	70.1-78.3	140	25.8	21.7-29.9
H.S. or G.E.D.	402	24,015	257	62.6	57.1-68.1	145	37.4	31.9-42.9
Some Post-H.S.	525	42,832	372	68.4	63.7-73.1	153	31.6	26.9-36.3
College Graduate	524	25,219	392	72.4	67.9-76.9	132	27.6	23.1-32.1
Less than \$15,000	80	6,451	39	41.0	28.1-53.9	41	59.0	46.1-71.9
\$15,000- 24,999	153	9,456	97	59.3	49.7-68.9	56	40.7	31.1-50.3
\$25,000- 34,999	151	9,520	106	67.4	58.4-76.4	45	32.6	23.6-41.6
\$35,000- 49,999	207	12,385	146	71.1	63.8-78.4	61	28.9	21.6-36.2
\$50,000- 74,999	286	18,811	216	73.3	67.0-79.6	70	26.7	20.4-33.0
\$75,000+	442	29,175	323	72.1	67.4-76.8	119	27.9	23.2-32.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016

SECTION 19: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	172
2	MALES ONLY	173
3	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 19: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5327	539,356	1084	27.7	25.9-29.5	4243	72.3	70.5-74.1
Male	2414	274,883	552	28.2	25.8-30.6	1862	71.8	69.4-74.2
Female	2913	264,472	532	27.1	24.7-29.5	2381	72.9	70.5-75.3
Native	141	19,785	66	52.7	42.3-63.1	75	47.3	36.9-57.7
Non-Native	5118	512,441	1000	26.6	24.8-28.4	4118	73.4	71.6-75.2
18-24	246	83,320	61	27.1	21.0-33.2	185	72.9	66.8-79.0
25-34	549	100,537	216	41.4	36.9-45.9	333	58.6	54.1-63.1
35-44	545	81,108	237	43.6	38.9-48.3	308	56.4	51.7-61.1
45-54	751	75,897	244	34.4	30.5-38.3	507	65.6	61.7-69.5
55-64	1269	89,376	186	15.9	13.5-18.3	1083	84.1	81.7-86.5
65+	1914	104,418	133	8.1	6.5- 9.7	1781	91.9	90.3-93.5
Less Than H.S.	285	43,087	38	22.8	15.4-30.2	247	77.2	69.8-84.6
H.S. or G.E.D.	1531	144,264	267	26.5	23.4-29.6	1264	73.5	70.4-76.6
Some Post-H.S.	1726	213,768	381	29.4	26.5-32.3	1345	70.6	67.7-73.5
College Graduate	1775	137,519	398	27.8	25.1-30.5	1377	72.2	69.5-74.9
Less than \$15,000	294	34,088	84	36.0	28.4-43.6	210	64.0	56.4-71.6
\$15,000- 24,999	580	59,681	110	29.1	23.4-34.8	470	70.9	65.2-76.6
\$25,000- 34,999	504	52,160	97	31.5	25.6-37.4	407	68.5	62.6-74.4
\$35,000- 49,999	762	75,462	139	27.0	22.3-31.7	623	73.0	68.3-77.7
\$50,000- 74,999	897	90,224	164	23.2	19.5-26.9	733	76.8	73.1-80.5
\$75,000+	1735	176,742	410	28.3	25.8-30.8	1325	71.7	69.2-74.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2414	274,883	552	28.2	25.8-30.6	1862	71.8	69.4-74.2
Native	57	8,080	24	52.6	37.5-67.7	33	47.4	32.3-62.5
Non-Native	2320	262,439	516	27.2	24.8-29.6	1804	72.8	70.4-75.2
18-24	158	46,155	36	24.4	17.1-31.7	122	75.6	68.3-82.9
25-34	309	54,998	109	39.4	33.3-45.5	200	60.6	54.5-66.7
35-44	262	42,756	90	36.6	30.1-43.1	172	63.4	56.9-69.9
45-54	374	38,749	125	36.2	30.7-41.7	249	63.8	58.3-69.3
55-64	601	44,469	112	20.5	16.8-24.2	489	79.5	75.8-83.2
65+	698	46,688	77	11.6	8.9-14.3	621	88.4	85.7-91.1
Less Than H.S.	137	22,771	25	22.8	13.8-31.8	112	77.2	68.2-86.2
H.S. or G.E.D.	753	82,530	163	28.6	24.5-32.7	590	71.4	67.3-75.5
Some Post-H.S.	753	106,635	187	29.9	25.8-34.0	566	70.1	66.0-74.2
College Graduate	766	62,545	177	26.6	22.7-30.5	589	73.4	69.5-77.3
Less than \$15,000	101	13,861	31	30.7	19.1-42.3	70	69.3	57.7-80.9
\$15,000- 24,999	220	26,676	54	31.4	23.2-39.6	166	68.6	60.4-76.8
\$25,000- 34,999	206	26,478	54	38.6	30.0-47.2	152	61.4	52.8-70.0
\$35,000- 49,999	380	42,518	79	27.3	21.4-33.2	301	72.7	66.8-78.6
\$50,000- 74,999	445	50,975	81	22.0	16.9-27.1	364	78.0	72.9-83.1
\$75,000+	909	97,073	223	28.6	25.1-32.1	686	71.4	67.9-74.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016
SECTION 19: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2913	264,472	532	27.1	24.7-29.5	2381	72.9	70.5-75.3
Native	84	11,706	42	52.8	38.7-66.9	42	47.2	33.1-61.3
Non-Native	2798	250,002	484	26.0	23.6-28.4	2314	74.0	71.6-76.4
18-24	88	37,166	25	30.3	19.9-40.7	63	69.7	59.3-80.1
25-34	240	45,539	107	43.8	36.9-50.7	133	56.2	49.3-63.1
35-44	283	38,351	147	51.5	45.0-58.0	136	48.5	42.0-55.0
45-54	377	37,148	119	32.5	27.0-38.0	258	67.5	62.0-73.0
55-64	668	44,907	74	11.4	8.7-14.1	594	88.6	85.9-91.3
65+	1216	57,730	56	5.2	3.6-6.8	1160	94.8	93.2-96.4
Less Than H.S.	148	20,315	13	22.9	10.6-35.2	135	77.1	64.8-89.4
H.S. or G.E.D.	778	61,733	104	23.7	19.0-28.4	674	76.3	71.6-81.0
Some Post-H.S.	973	107,134	194	28.8	24.7-32.9	779	71.2	67.1-75.3
College Graduate	1009	74,974	221	28.8	25.1-32.5	788	71.2	67.5-74.9
Less than \$15,000	193	20,228	53	39.6	29.6-49.6	140	60.4	50.4-70.4
\$15,000- 24,999	360	33,005	56	27.2	19.2-35.2	304	72.8	64.8-80.8
\$25,000- 34,999	298	25,682	43	24.2	16.8-31.6	255	75.8	68.4-83.2
\$35,000- 49,999	382	32,944	60	26.5	19.1-33.9	322	73.5	66.1-80.9
\$50,000- 74,999	452	39,249	83	24.8	19.1-30.5	369	75.2	69.5-80.9
\$75,000+	826	79,669	187	28.0	24.1-31.9	639	72.0	68.1-75.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2016**

End of Calculated Variable Data Report