


NORTH DAKOTA

2020 Core Variables Report

Behavioral Risk Factor Surveillance System

July 6, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4462	584,125	774	21.1	19.3-22.9	1642	36.4	34.4-38.4	1429	30.4	28.4-32.4	474	9.6	8.4-10.8	143	2.5	1.9- 3.1
Male	2159	298,945	409	22.9	20.4-25.4	793	37.0	34.3-39.7	662	28.8	26.3-31.3	230	8.8	7.2-10.4	65	2.4	1.6- 3.2
Female	2303	285,181	365	19.2	16.8-21.6	849	35.8	33.1-38.5	767	32.0	29.3-34.7	244	10.4	8.4-12.4	78	2.6	1.8- 3.4
Native	191	25,524	20	12.3	5.8-18.8	48	24.6	16.6-32.6	72	35.3	25.9-44.7	39	21.8	13.6-30.0	12	6.0	1.9-10.1
Non-Native	4198	549,690	744	21.7	19.9-23.5	1575	37.1	35.1-39.1	1331	30.1	28.1-32.1	420	8.9	7.7-10.1	128	2.3	1.7- 2.9
18-24	224	81,452	75	31.9	25.0-38.8	85	37.2	30.1-44.3	55	27.8	20.9-34.7	8	2.7	0.7- 4.7	1	0.4	0.0- 1.2
25-34	402	113,068	113	26.4	21.5-31.3	157	34.8	29.5-40.1	91	24.7	19.6-29.8	34	11.5	7.4-15.6	7	2.7	0.5- 4.9
35-44	481	95,234	109	23.7	19.0-28.4	200	39.4	34.1-44.7	138	29.1	24.2-34.0	30	7.2	4.1-10.3	4	0.6	0.0- 1.2
45-54	512	79,138	115	21.8	17.5-26.1	200	37.7	32.8-42.6	155	31.5	26.6-36.4	32	7.2	4.5- 9.9	10	1.8	0.4- 3.2
55-64	930	91,622	145	16.1	13.2-19.0	371	38.7	35.0-42.4	287	31.1	27.6-34.6	97	10.3	7.9-12.7	30	3.9	2.1- 5.7
65+	1913	123,611	217	10.5	8.9-12.1	629	32.6	30.1-35.1	703	37.0	34.5-39.5	273	15.3	13.3-17.3	91	4.7	3.5- 5.9
Less Than H.S.	193	45,870	23	14.3	6.3-22.3	36	22.5	13.7-31.3	67	33.0	23.4-42.6	47	22.4	14.2-30.6	20	7.8	3.1-12.5
H.S. or G.E.D.	1167	155,122	164	19.7	16.4-23.0	375	33.7	30.0-37.4	413	32.6	28.9-36.3	159	10.6	8.4-12.8	56	3.4	2.2- 4.6
Some Post-H.S.	1440	223,729	222	18.9	16.0-21.8	535	37.7	34.4-41.0	475	31.6	28.5-34.7	170	9.9	7.9-11.9	38	1.8	1.0- 2.6
College Graduate	1653	158,034	363	27.4	24.5-30.3	692	41.2	38.1-44.3	473	25.9	23.2-28.6	96	4.4	3.2- 5.6	29	1.2	0.6- 1.8
Less than \$15,000	210	30,554	24	17.4	8.8-26.0	37	21.7	13.3-30.1	65	26.3	17.9-34.7	50	21.3	14.0-28.6	34	13.3	6.6-20.0
\$15,000- 24,999	425	54,239	46	11.7	7.4-16.0	109	27.0	20.5-33.5	170	39.9	32.6-47.2	75	17.9	11.8-24.0	25	3.4	1.8- 5.0
\$25,000- 34,999	351	42,118	48	16.7	11.2-22.2	116	29.6	23.1-36.1	116	34.8	27.7-41.9	55	15.4	9.3-21.5	16	3.5	1.1- 5.9
\$35,000- 49,999	527	61,453	77	18.2	13.3-23.1	199	37.0	31.1-42.9	184	33.6	27.7-39.5	53	8.5	5.6-11.4	14	2.6	0.4- 4.8
\$50,000- 74,999	646	78,889	115	21.4	16.5-26.3	248	37.1	32.0-42.2	216	32.0	27.1-36.9	58	8.6	5.5-11.7	9	0.9	0.1- 1.7
\$75,000+	1457	206,410	337	26.5	23.4-29.6	633	42.0	38.7-45.3	398	26.4	23.5-29.3	76	4.3	3.1- 5.5	13	0.7	0.3- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2159	298,945	409	22.9	20.4-25.4	793	37.0	34.3-39.7	662	28.8	26.3-31.3	230	8.8	7.2-10.4	65	2.4	1.6- 3.2
Native	83	11,300	11	14.4	4.8-24.0	19	26.9	13.4-40.4	34	34.8	21.1-48.5	15	18.7	7.1-30.3	4	5.2	0.0-11.5
Non-Native	2031	281,831	390	23.4	20.9-25.9	764	37.6	34.7-40.5	613	28.5	26.0-31.0	205	8.3	6.7- 9.9	59	2.2	1.4- 3.0
18-24	126	43,057	52	39.4	29.8-49.0	43	34.2	24.8-43.6	26	23.2	14.6-31.8	4	2.4	0.0- 4.8	1	0.8	0.0- 2.4
25-34	242	61,159	72	27.7	21.4-34.0	96	37.1	30.2-44.0	51	22.2	16.1-28.3	18	9.6	5.1-14.1	5	3.4	0.3- 6.5
35-44	268	50,192	67	26.2	19.5-32.9	106	37.6	30.3-44.9	78	30.9	24.0-37.8	15	5.0	1.9- 8.1	2	0.3	0.0- 0.7
45-54	256	40,999	57	20.2	14.3-26.1	97	40.4	33.1-47.7	84	31.4	24.7-38.1	15	7.1	3.0-11.2	3	0.8	0.0- 1.8
55-64	418	46,382	61	14.7	10.6-18.8	164	39.0	33.3-44.7	133	32.5	27.0-38.0	49	10.2	6.7-13.7	11	3.5	1.1- 5.9
65+	849	57,155	100	11.0	8.5-13.5	287	34.2	30.3-38.1	290	33.6	29.7-37.5	129	16.4	13.1-19.7	43	4.8	3.0- 6.6
Less Than H.S.	104	26,522	14	16.6	5.4-27.8	27	34.7	21.4-48.0	28	24.3	13.3-35.3	26	18.8	9.8-27.8	9	5.5	0.0-11.4
H.S. or G.E.D.	601	83,660	94	21.1	16.6-25.6	199	33.5	28.6-38.4	197	32.7	27.8-37.6	85	9.6	6.9-12.3	26	3.1	1.5- 4.7
Some Post-H.S.	704	116,975	116	20.1	16.2-24.0	267	39.6	35.1-44.1	219	28.6	24.3-32.9	82	9.3	6.8-11.8	20	2.3	0.9- 3.7
College Graduate	745	70,863	183	31.4	26.9-35.9	298	37.7	33.2-42.2	218	26.6	22.7-30.5	36	3.6	2.0- 5.2	10	0.7	0.3- 1.1
Less than \$15,000	87	12,321	10	18.7	6.7-30.7	18	22.7	9.6-35.8	23	20.6	8.8-32.4	22	19.6	8.8-30.4	14	18.4	4.5-32.3
\$15,000- 24,999	166	21,507	18	15.6	7.0-24.2	48	31.8	21.0-42.6	55	33.2	21.8-44.6	34	15.3	7.7-22.9	11	4.1	1.2- 7.0
\$25,000- 34,999	154	20,207	22	19.5	11.3-27.7	48	27.6	18.4-36.8	48	34.2	24.2-44.2	26	12.6	6.5-18.7	10	6.2	1.5-10.9
\$35,000- 49,999	238	31,153	37	15.5	9.6-21.4	91	40.0	31.0-49.0	76	32.6	24.0-41.2	27	9.9	5.0-14.8	7	2.0	0.4- 3.6
\$50,000- 74,999	351	42,724	66	23.9	16.8-31.0	132	36.2	29.3-43.1	118	29.5	23.4-35.6	31	10.0	5.3-14.7	4	0.5	0.1- 0.9
\$75,000+	807	117,795	189	25.9	22.0-29.8	330	39.2	34.9-43.5	236	29.5	25.4-33.6	45	4.7	2.9- 6.5	7	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2303	285,181	365	19.2	16.8-21.6	849	35.8	33.1-38.5	767	32.0	29.3-34.7	244	10.4	8.4-12.4	78	2.6	1.8- 3.4
Native	108	14,224	9	10.6	2.0-19.2	29	22.8	13.6-32.0	38	35.7	23.0-48.4	24	24.3	12.7-35.9	8	6.6	1.1-12.1
Non-Native	2167	267,859	354	19.8	17.3-22.3	811	36.5	33.6-39.4	718	31.7	28.8-34.6	215	9.6	7.6-11.6	69	2.4	1.6- 3.2
18-24	98	38,395	23	23.4	14.0-32.8	42	40.5	29.9-51.1	29	33.0	22.4-43.6	4	3.1	0.0- 6.2			
25-34	160	51,909	41	24.7	17.1-32.3	61	32.0	24.0-40.0	40	27.8	19.6-36.0	16	13.7	6.6-20.8	2	1.8	0.0- 4.3
35-44	213	45,042	42	20.9	14.2-27.6	94	41.4	33.4-49.4	60	27.1	20.0-34.2	15	9.6	4.3-14.9	2	1.0	0.0- 2.4
45-54	256	38,139	58	23.5	17.4-29.6	103	34.7	28.0-41.4	71	31.6	24.7-38.5	17	7.3	3.6-11.0	7	2.9	0.2- 5.6
55-64	512	45,240	84	17.5	13.4-21.6	207	38.3	33.4-43.2	154	29.6	24.9-34.3	48	10.3	7.0-13.6	19	4.3	1.8- 6.8
65+	1064	66,456	117	10.0	7.8-12.2	342	31.2	27.9-34.5	413	39.9	36.4-43.4	144	14.3	11.8-16.8	48	4.7	3.1- 6.3
Less Than H.S.	89	19,348	9	11.0	0.0-22.2	9	5.8	1.3-10.3	39	44.8	29.1-60.5	21	27.4	12.7-42.1	11	11.1	3.3-18.9
H.S. or G.E.D.	566	71,463	70	18.0	12.9-23.1	176	34.0	28.3-39.7	216	32.5	27.0-38.0	74	11.8	8.3-15.3	30	3.7	1.7- 5.7
Some Post-H.S.	736	106,754	106	17.5	13.4-21.6	268	35.6	30.7-40.5	256	34.9	30.0-39.8	88	10.7	7.8-13.6	18	1.2	0.4- 2.0
College Graduate	908	87,171	180	24.2	20.3-28.1	394	44.0	39.7-48.3	255	25.2	21.5-28.9	60	5.0	3.2- 6.8	19	1.6	0.6- 2.6
Less than \$15,000	123	18,233	14	16.6	4.6-28.6	19	20.9	9.7-32.1	42	30.1	18.5-41.7	28	22.5	12.7-32.3	20	9.9	4.8-15.0
\$15,000- 24,999	259	32,732	28	9.2	4.7-13.7	61	23.9	15.9-31.9	115	44.4	34.8-54.0	41	19.6	11.2-28.0	14	2.9	1.1- 4.7
\$25,000- 34,999	197	21,911	26	14.2	6.9-21.5	68	31.4	22.2-40.6	68	35.4	25.2-45.6	29	18.1	8.1-28.1	6	1.0	0.2- 1.8
\$35,000- 49,999	289	30,300	40	21.0	13.2-28.8	108	33.9	26.3-41.5	108	34.7	26.9-42.5	26	7.1	3.8-10.4	7	3.3	0.0- 7.2
\$50,000- 74,999	295	36,166	49	18.4	11.7-25.1	116	38.3	30.7-45.9	98	34.8	27.0-42.6	27	7.0	2.7-11.3	5	1.5	0.0- 3.1
\$75,000+	650	88,614	148	27.3	22.6-32.0	303	45.8	40.7-50.9	162	22.3	18.4-26.2	31	3.9	2.1- 5.7	6	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	None		1-2 days			3-7 days			8-29 days			30 days						
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4407	578,671	3235	73.7	71.9-75.5	330	8.0	6.8- 9.2	329	7.7	6.5- 8.9	267	5.9	4.9- 6.9	246	4.7	3.9- 5.5			
Male	2142	297,499	1639	77.5	75.1-79.9	147	7.2	5.6- 8.8	138	6.5	5.1- 7.9	117	5.0	3.6- 6.4	101	3.7	2.7- 4.7			
Female	2265	281,171	1596	69.6	66.9-72.3	183	8.9	7.1-10.7	191	9.0	7.2-10.8	150	6.9	5.3- 8.5	145	5.7	4.3- 7.1			
Native	186	25,085	135	71.8	62.8-80.8	13	8.5	2.6-14.4	14	8.2	3.1-13.3	12	4.6	1.5- 7.7	12	6.9	0.8-13.0			
Non-Native	4148	544,573	3044	73.7	71.7-75.7	313	8.0	6.8- 9.2	313	7.7	6.5- 8.9	249	5.9	4.9- 6.9	229	4.6	3.8- 5.4			
18-24	223	80,974	165	70.3	63.4-77.2	22	11.3	6.6-16.0	22	10.8	5.9-15.7	10	5.7	1.8- 9.6	4	1.9	0.1- 3.7			
25-34	402	112,851	314	77.3	72.6-82.0	33	8.1	5.0-11.2	28	6.6	4.1- 9.1	14	3.8	1.4- 6.2	13	4.1	1.7- 6.5			
35-44	478	94,647	363	75.3	70.4-80.2	43	8.4	5.5-11.3	43	8.7	5.6-11.8	21	5.3	2.6- 8.0	8	2.2	0.4- 4.0			
45-54	505	78,371	375	73.2	68.5-77.9	44	8.4	5.5-11.3	35	6.3	3.9- 8.7	32	8.2	5.1-11.3	19	3.9	1.7- 6.1			
55-64	923	90,869	658	71.7	68.2-75.2	69	6.7	4.9- 8.5	75	7.8	5.8- 9.8	64	6.9	4.9- 8.9	57	6.9	4.7- 9.1			
65+	1876	120,960	1360	73.0	70.6-75.4	119	6.3	4.9- 7.7	126	6.6	5.2- 8.0	126	6.2	4.8- 7.6	145	7.8	6.4- 9.2			
Less Than H.S.	189	45,386	128	64.8	54.8-74.8	9	6.2	0.7-11.7	16	11.5	4.6-18.4	14	10.0	3.3-16.7	22	7.5	3.2-11.8			
H.S. or G.E.D.	1144	152,553	814	75.3	72.0-78.6	79	6.7	4.7- 8.7	78	6.6	4.6- 8.6	80	5.2	3.6- 6.8	93	6.2	4.4- 8.0			
Some Post-H.S.	1424	222,027	1035	71.7	68.6-74.8	102	8.6	6.4-10.8	107	7.9	5.9- 9.9	100	7.2	5.2- 9.2	80	4.6	3.2- 6.0			
College Graduate	1642	157,368	1250	77.2	74.5-79.9	140	9.2	7.2-11.2	128	7.5	5.9- 9.1	73	3.6	2.4- 4.8	51	2.6	1.6- 3.6			
Less than \$15,000	201	29,140	100	54.4	44.4-64.4	15	6.6	2.5-10.7	15	6.7	2.8-10.6	29	13.5	6.2-20.8	42	18.9	11.5-26.3			
\$15,000- 24,999	420	54,013	280	64.8	57.5-72.1	23	9.4	4.3-14.5	42	9.9	5.6-14.2	45	9.7	5.4-14.0	30	6.3	3.0- 9.6			
\$25,000- 34,999	343	41,394	246	72.5	65.4-79.6	28	8.4	3.1-13.7	27	6.4	3.1- 9.7	24	5.9	2.8- 9.0	18	6.8	2.7-10.9			
\$35,000- 49,999	521	60,986	389	74.8	69.5-80.1	36	8.3	4.8-11.8	31	6.0	3.1- 8.9	36	6.4	3.5- 9.3	29	4.4	2.0- 6.8			
\$50,000- 74,999	643	78,709	470	72.5	67.6-77.4	53	8.0	5.3-10.7	56	10.5	7.0-14.0	33	5.0	2.6- 7.4	31	4.0	2.2- 5.8			
\$75,000+	1451	205,949	1137	79.8	77.3-82.3	129	8.5	6.7-10.3	97	5.9	4.5- 7.3	55	3.8	2.4- 5.2	33	2.1	1.1- 3.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2142	297,499	1639	77.5	75.1-79.9	147	7.2	5.6- 8.8	138	6.5	5.1- 7.9	117	5.0	3.6- 6.4	101	3.7	2.7- 4.7
Native	82	11,202	57	69.8	56.3-83.3	8	11.0	1.4-20.6	7	10.6	1.4-19.8	7	5.3	0.8- 9.8	3	3.3	0.0- 8.8
Non-Native	2015	280,382	1544	77.7	75.2-80.2	138	7.2	5.6- 8.8	130	6.3	4.9- 7.7	107	5.0	3.6- 6.4	96	3.8	2.8- 4.8
18-24	126	43,057	98	76.3	67.9-84.7	14	13.0	6.1-19.9	11	7.9	3.0-12.8	3	2.8	0.0- 6.3			
25-34	243	61,338	200	81.0	75.1-86.9	17	6.1	3.0- 9.2	12	5.4	2.3- 8.5	8	4.1	0.6- 7.6	6	3.4	0.5- 6.3
35-44	265	49,605	212	80.9	75.0-86.8	23	7.3	3.6-11.0	19	7.4	3.5-11.3	8	3.8	0.5- 7.1	3	0.6	0.0- 1.4
45-54	253	40,759	194	76.3	70.0-82.6	20	6.3	3.2- 9.4	16	6.1	2.6- 9.6	15	7.4	3.5-11.3	8	3.9	0.8- 7.0
55-64	416	46,259	309	75.9	71.0-80.8	27	6.0	3.3- 8.7	29	5.8	3.3- 8.3	28	5.8	3.1- 8.5	23	6.4	3.3- 9.5
65+	839	56,482	626	74.1	70.4-77.8	46	5.8	3.8- 7.8	51	6.6	4.2- 9.0	55	6.3	4.3- 8.3	61	7.2	5.0- 9.4
Less Than H.S.	103	26,324	70	70.2	58.4-82.0	3	2.6	0.0- 6.7	10	10.8	3.4-18.2	8	10.6	2.0-19.2	12	5.9	1.6-10.2
H.S. or G.E.D.	589	82,608	438	79.2	75.3-83.1	41	7.1	4.6- 9.6	36	5.1	2.9- 7.3	38	5.1	3.1- 7.1	36	3.6	2.2- 5.0
Some Post-H.S.	704	117,108	526	74.9	70.8-79.0	50	8.5	5.6-11.4	48	6.9	4.5- 9.3	44	5.1	2.9- 7.3	36	4.6	2.6- 6.6
College Graduate	742	70,567	601	82.6	79.3-85.9	53	7.2	4.7- 9.7	44	5.9	3.7- 8.1	27	2.7	1.3- 4.1	17	1.6	0.8- 2.4
Less than \$15,000	85	12,195	40	51.2	35.7-66.7	8	9.8	1.8-17.8	8	6.9	1.2-12.6	14	14.5	2.0-27.0	15	17.7	5.7-29.7
\$15,000- 24,999	165	21,496	112	63.9	52.1-75.7	10	9.3	0.9-17.7	16	10.8	3.4-18.2	14	9.5	1.5-17.5	13	6.5	2.0-11.0
\$25,000- 34,999	150	19,619	111	73.4	64.0-82.8	12	8.3	2.2-14.4	9	6.4	0.9-11.9	11	6.3	1.4-11.2	7	5.6	0.9-10.3
\$35,000- 49,999	236	31,032	174	76.1	68.8-83.4	17	9.6	4.3-14.9	11	5.3	1.2- 9.4	16	4.5	1.8- 7.2	18	4.5	2.1- 6.9
\$50,000- 74,999	350	42,681	266	76.7	70.8-82.6	27	6.7	3.4-10.0	22	7.8	3.7-11.9	23	5.7	2.8- 8.6	12	3.1	0.6- 5.6
\$75,000+	805	117,671	657	82.7	79.4-86.0	60	7.1	4.9- 9.3	48	5.1	3.3- 6.9	26	3.4	1.6- 5.2	14	1.8	0.6- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2265	281,171	1596	69.6	66.9-72.3	183	8.9	7.1-10.7	191	9.0	7.2-10.8	150	6.9	5.3- 8.5	145	5.7	4.3- 7.1
Native	104	13,883	78	73.3	61.1-85.5	5	6.5	0.0-13.6	7	6.4	1.1-11.7	5	4.0	0.0- 8.1	9	9.8	0.0-19.6
Non-Native	2133	264,191	1500	69.5	66.6-72.4	175	8.9	7.1-10.7	183	9.2	7.2-11.2	142	7.0	5.2- 8.8	133	5.4	4.2- 6.6
18-24	97	37,917	67	63.6	52.6-74.6	8	9.4	2.9-15.9	11	14.1	5.7-22.5	7	9.0	1.9-16.1	4	4.0	0.1- 7.9
25-34	159	51,513	114	72.9	65.1-80.7	16	10.5	4.8-16.2	16	8.1	3.8-12.4	6	3.5	0.2- 6.8	7	4.9	1.2- 8.6
35-44	213	45,042	151	69.2	61.6-76.8	20	9.5	4.6-14.4	24	10.2	5.3-15.1	13	6.9	2.8-11.0	5	4.1	0.4- 7.8
45-54	252	37,612	181	69.7	62.8-76.6	24	10.7	5.8-15.6	19	6.5	3.2- 9.8	17	9.1	4.4-13.8	11	3.9	1.2- 6.6
55-64	507	44,610	349	67.4	62.5-72.3	42	7.4	4.9- 9.9	46	9.8	6.7-12.9	36	8.1	5.0-11.2	34	7.4	4.5-10.3
65+	1037	64,479	734	72.1	69.0-75.2	73	6.8	5.0- 8.6	75	6.7	4.9- 8.5	71	6.1	4.3- 7.9	84	8.3	6.3-10.3
Less Than H.S.	86	19,062	58	57.3	41.0-73.6	6	11.3	0.0-22.7	6	12.5	0.0-25.2	6	9.2	0.0-19.2	10	9.7	1.7-17.7
H.S. or G.E.D.	555	69,944	376	70.8	65.5-76.1	38	6.4	3.5- 9.3	42	8.3	4.8-11.8	42	5.2	2.8- 7.6	57	9.3	6.0-12.6
Some Post-H.S.	720	104,919	509	68.3	63.4-73.2	52	8.6	5.5-11.7	59	9.0	6.1-11.9	56	9.6	6.5-12.7	44	4.5	2.7- 6.3
College Graduate	900	86,801	649	72.7	68.8-76.6	87	10.7	8.0-13.4	84	8.8	6.4-11.2	46	4.3	2.5- 6.1	34	3.4	1.6- 5.2
Less than \$15,000	116	16,945	60	56.6	43.7-69.5	7	4.3	0.0- 8.6	7	6.5	1.0-12.0	15	12.7	4.1-21.3	27	19.8	10.4-29.2
\$15,000- 24,999	255	32,517	168	65.3	56.3-74.3	13	9.4	2.9-15.9	26	9.2	4.3-14.1	31	9.9	5.0-14.8	17	6.2	1.7-10.7
\$25,000- 34,999	193	21,776	135	71.6	61.2-82.0	16	8.5	0.1-16.9	18	6.4	2.7-10.1	13	5.6	1.5- 9.7	11	7.8	1.3-14.3
\$35,000- 49,999	285	29,955	215	73.4	65.6-81.2	19	7.0	2.5-11.5	20	6.8	2.3-11.3	20	8.5	3.2-13.8	11	4.4	0.3- 8.5
\$50,000- 74,999	293	36,027	204	67.5	59.7-75.3	26	9.6	4.9-14.3	34	13.6	7.5-19.7	10	4.1	0.0- 8.2	19	5.1	2.4- 7.8
\$75,000+	646	88,278	480	75.8	71.7-79.9	69	10.3	7.4-13.2	49	7.0	4.6- 9.4	29	4.4	2.4- 6.4	19	2.5	1.1- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None		1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4419	579,867	3127	65.0 63.0-67.0	354	8.6	7.4-9.8	457	12.6	11.2-14.0	314	9.0	7.6-10.4	167	4.8	3.8-5.8
Male	2140	297,465	1650	73.3 70.6-76.0	139	6.8	5.2-8.4	179	9.9	8.1-11.7	113	6.5	4.9-8.1	59	3.6	2.4-4.8
Female	2279	282,401	1477	56.3 53.4-59.2	215	10.5	8.7-12.3	278	15.5	13.1-17.9	201	11.6	9.4-13.8	108	6.1	4.5-7.7
Native	191	25,524	109	47.9 38.3-57.5	13	9.9	4.0-15.8	36	17.1	10.0-24.2	21	17.4	8.8-26.0	12	7.8	2.5-13.1
Non-Native	4158	545,496	2967	65.7 63.5-67.9	337	8.6	7.4-9.8	416	12.5	10.9-14.1	288	8.6	7.2-10.0	150	4.7	3.7-5.7
18-24	224	81,452	123	54.2 46.9-61.5	18	9.4	4.9-13.9	41	18.3	12.8-23.8	29	12.6	7.9-17.3	13	5.5	2.4-8.6
25-34	399	112,449	221	53.0 47.3-58.7	44	10.3	7.0-13.6	68	18.1	13.6-22.6	45	12.1	8.2-16.0	21	6.4	3.3-9.5
35-44	477	93,979	295	62.1 56.8-67.4	44	8.5	5.4-11.6	61	13.3	9.6-17.0	51	10.5	7.0-14.0	26	5.5	3.1-7.9
45-54	508	78,621	340	67.4 62.5-72.3	45	8.6	5.7-11.5	51	9.1	6.2-12.0	53	10.3	7.2-13.4	19	4.6	2.2-7.0
55-64	922	91,042	639	69.7 66.0-73.4	88	9.6	7.2-12.0	97	9.4	7.2-11.6	64	6.5	4.7-8.3	34	4.7	2.5-6.9
65+	1889	122,324	1509	80.4 78.2-82.6	115	5.8	4.6-7.0	139	7.8	6.2-9.4	72	3.4	2.4-4.4	54	2.7	1.9-3.5
Less Than H.S.	191	45,767	142	64.7 54.5-74.9	10	6.8	1.3-12.3	14	10.3	3.4-17.2	14	11.2	4.1-18.3	11	7.0	1.7-12.3
H.S. or G.E.D.	1151	153,367	845	66.3 62.4-70.2	60	5.7	3.7-7.7	101	10.8	8.1-13.5	86	11.2	8.5-13.9	59	6.0	3.8-8.2
Some Post-H.S.	1428	222,539	1009	64.7 61.4-68.0	111	8.9	6.7-11.1	148	13.0	10.5-15.5	101	7.9	5.9-9.9	59	5.3	3.7-6.9
College Graduate	1641	156,857	1124	63.9 60.8-67.0	173	11.5	9.3-13.7	193	14.4	12.0-16.8	113	7.7	5.9-9.5	38	2.4	1.4-3.4
Less than \$15,000	206	30,352	108	49.1 39.1-59.1	15	7.5	2.6-12.4	30	12.5	6.6-18.4	25	13.3	6.8-19.8	28	17.6	9.6-25.6
\$15,000- 24,999	423	54,182	290	58.5 51.1-65.9	29	6.9	3.2-10.6	50	14.1	9.0-19.2	39	16.0	9.5-22.5	15	4.5	1.4-7.6
\$25,000- 34,999	346	41,248	251	65.9 58.6-73.2	27	10.0	5.7-14.3	29	8.2	4.5-11.9	23	10.5	5.2-15.8	16	5.4	1.9-8.9
\$35,000- 49,999	521	60,673	357	61.7 55.4-68.0	42	7.7	4.2-11.2	60	15.0	10.3-19.7	43	11.3	7.0-15.6	19	4.3	1.8-6.8
\$50,000- 74,999	636	77,762	430	63.0 57.7-68.3	65	10.7	7.2-14.2	68	12.8	9.1-16.5	53	10.2	6.9-13.5	20	3.4	1.0-5.8
\$75,000+	1451	205,971	1046	68.3 65.2-71.4	131	9.4	7.4-11.4	154	12.3	9.9-14.7	90	7.3	5.3-9.3	30	2.7	1.5-3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2140	297,465	1650	73.3	70.6-76.0	139	6.8	5.2- 8.4	179	9.9	8.1-11.7	113	6.5	4.9- 8.1	59	3.6	2.4- 4.8
Native	83	11,300	50	48.2	33.5-62.9	5	11.2	0.6-21.8	16	15.8	5.8-25.8	9	20.2	6.7-33.7	3	4.7	0.0-10.2
Non-Native	2013	280,294	1564	74.0	71.3-76.7	132	6.7	5.1- 8.3	161	9.8	8.0-11.6	102	6.0	4.4- 7.6	54	3.5	2.3- 4.7
18-24	126	43,057	90	71.3	62.3-80.3	9	9.0	2.5-15.5	17	12.6	6.5-18.7	7	5.7	1.2-10.2	3	1.4	0.0- 3.0
25-34	241	60,979	153	63.0	55.9-70.1	21	8.1	4.4-11.8	34	13.9	9.2-18.6	23	9.9	5.4-14.4	10	5.2	1.5- 8.9
35-44	268	50,250	183	69.4	62.5-76.3	18	5.4	2.3- 8.5	32	12.1	7.2-17.0	25	9.1	4.6-13.6	10	4.0	1.3- 6.7
45-54	253	40,545	182	72.1	65.4-78.8	21	7.6	3.3-11.9	18	6.9	3.4-10.4	21	8.2	4.3-12.1	11	5.3	1.8- 8.8
55-64	413	46,048	323	77.4	72.1-82.7	37	8.3	5.2-11.4	31	6.9	4.0- 9.8	12	3.2	1.2- 5.2	10	4.3	1.0- 7.6
65+	839	56,586	719	86.8	84.1-89.5	33	3.4	2.0- 4.8	47	6.0	4.0- 8.0	25	2.5	1.3- 3.7	15	1.4	0.6- 2.2
Less Than H.S.	102	26,419	78	66.9	53.8-80.0	7	9.3	0.7-17.9	5	7.2	0.3-14.1	6	8.2	0.2-16.2	6	8.4	0.4-16.4
H.S. or G.E.D.	593	83,279	477	79.5	75.2-83.8	27	4.2	2.0- 6.4	43	7.5	4.6-10.4	30	6.4	3.7- 9.1	16	2.4	1.0- 3.8
Some Post-H.S.	696	116,013	538	72.4	68.1-76.7	39	6.8	4.3- 9.3	59	10.1	7.2-13.0	37	6.3	3.8- 8.8	23	4.4	2.4- 6.4
College Graduate	745	70,863	553	69.3	65.0-73.6	66	9.0	6.5-11.5	72	13.4	9.9-16.9	40	6.4	4.0- 8.8	14	1.9	0.7- 3.1
Less than \$15,000	83	12,120	41	47.5	31.8-63.2	6	8.8	0.8-16.8	18	16.2	6.0-26.4	8	8.0	0.9-15.1	10	19.5	4.8-34.2
\$15,000- 24,999	166	21,558	123	65.1	53.5-76.7	11	7.1	0.0-14.2	15	12.6	4.8-20.4	12	12.3	3.1-21.5	5	2.9	0.0- 5.8
\$25,000- 34,999	152	20,122	120	73.0	63.4-82.6	9	8.4	2.5-14.3	10	8.0	2.1-13.9	10	9.3	2.4-16.2	3	1.3	0.0- 2.9
\$35,000- 49,999	238	31,153	180	68.3	59.5-77.1	13	7.6	1.7-13.5	22	11.2	5.7-16.7	16	9.0	3.1-14.9	7	3.9	0.8- 7.0
\$50,000- 74,999	346	41,878	262	75.0	69.1-80.9	27	5.5	3.0- 8.0	32	10.6	6.3-14.9	19	6.8	3.3-10.3	6	2.1	0.1- 4.1
\$75,000+	805	117,637	632	75.5	71.6-79.4	60	8.0	5.3-10.7	62	8.9	6.4-11.4	38	5.7	3.5- 7.9	13	1.9	0.7- 3.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.															
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2279	282,401	1477	56.3	53.4-59.2	215	10.5	8.7-12.3	278	15.5	13.1-17.9	201	11.6	9.4-13.8	108	6.1	4.5- 7.7	
Native	108	14,224	59	47.6	34.9-60.3	8	8.8	2.3-15.3	20	18.2	8.6-27.8	12	15.1	4.1-26.1	9	10.2	1.8-18.6	
Non-Native	2145	265,202	1403	56.9	53.8-60.0	205	10.5	8.5-12.5	255	15.4	12.9-17.9	186	11.4	9.2-13.6	96	5.9	4.3- 7.5	
18-24	98	38,395	33	35.0	24.2-45.8	9	9.9	3.4-16.4	24	24.7	15.3-34.1	22	20.4	12.0-28.8	10	10.0	3.7-16.3	
25-34	158	51,469	68	41.2	32.4-50.0	23	12.9	7.2-18.6	34	23.2	15.4-31.0	22	14.7	8.0-21.4	11	8.0	2.9-13.1	
35-44	209	43,729	112	53.8	45.6-62.0	26	12.2	6.7-17.7	29	14.6	8.9-20.3	26	12.2	6.7-17.7	16	7.2	3.3-11.1	
45-54	255	38,076	158	62.4	55.3-69.5	24	9.7	5.4-14.0	33	11.4	6.9-15.9	32	12.6	7.7-17.5	8	3.8	0.7- 6.9	
55-64	509	44,994	316	61.9	56.8-67.0	51	11.1	7.6-14.6	66	12.0	8.7-15.3	52	9.9	6.8-13.0	24	5.1	2.4- 7.8	
65+	1050	65,738	790	74.9	71.8-78.0	82	7.8	5.8- 9.8	92	9.3	7.1-11.5	47	4.1	2.7- 5.5	39	3.8	2.4- 5.2	
Less Than H.S.	89	19,348	64	61.6	45.7-77.5	3	3.3	0.0- 7.6	9	14.5	1.4-27.6	8	15.4	2.7-28.1	5	5.2	0.0-10.5	
H.S. or G.E.D.	558	70,088	368	50.6	44.5-56.7	33	7.6	4.1-11.1	58	14.6	9.9-19.3	56	17.0	11.9-22.1	43	10.3	6.0-14.6	
Some Post-H.S.	732	106,526	471	56.4	51.3-61.5	72	11.2	7.9-14.5	89	16.3	12.2-20.4	64	9.7	6.8-12.6	36	6.4	3.9- 8.9	
College Graduate	896	85,994	571	59.5	55.2-63.8	107	13.6	10.5-16.7	121	15.3	12.0-18.6	73	8.8	6.3-11.3	24	2.7	1.1- 4.3	
Less than \$15,000	123	18,233	67	50.2	37.3-63.1	9	6.6	0.3-12.9	12	10.0	2.7-17.3	17	16.9	7.5-26.3	18	16.3	7.3-25.3	
\$15,000- 24,999	257	32,624	167	54.2	44.4-64.0	18	6.8	2.5-11.1	35	15.0	8.1-21.9	27	18.5	9.7-27.3	10	5.6	0.7-10.5	
\$25,000- 34,999	194	21,126	131	59.1	48.5-69.7	18	11.5	5.2-17.8	19	8.3	3.4-13.2	13	11.7	3.7-19.7	13	9.4	2.7-16.1	
\$35,000- 49,999	283	29,521	177	54.7	46.1-63.3	29	7.9	4.2-11.6	38	18.9	11.5-26.3	27	13.7	7.6-19.8	12	4.7	0.6- 8.8	
\$50,000- 74,999	290	35,884	168	48.9	40.7-57.1	38	16.7	10.0-23.4	36	15.3	9.2-21.4	34	14.1	8.4-19.8	14	4.9	0.2- 9.6	
\$75,000+	646	88,334	414	58.6	53.5-63.7	71	11.3	8.2-14.4	92	16.7	12.6-20.8	52	9.4	6.3-12.5	17	3.8	1.6- 6.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1949	277,080	1187	58.0	54.9-61.1	191	11.9	9.7-14.1	201	10.3	8.5-12.1	241	14.1	11.7-16.5	129	5.7	4.3- 7.1
Male	800	116,149	496	58.5	53.8-63.2	78	11.1	8.2-14.0	78	10.0	7.3-12.7	92	13.9	10.4-17.4	56	6.5	4.1- 8.9
Female	1149	160,931	691	57.6	53.5-61.7	113	12.5	9.6-15.4	123	10.5	8.1-12.9	149	14.2	11.3-17.1	73	5.1	3.5- 6.7
Native	105	16,498	49	43.0	30.7-55.3	11	11.0	3.6-18.4	18	12.0	5.1-18.9	20	24.4	12.2-36.6	7	9.6	0.4-18.8
Non-Native	1817	257,371	1122	59.0	55.9-62.1	179	11.9	9.7-14.1	181	10.2	8.2-12.2	214	13.3	10.9-15.7	121	5.5	4.1- 6.9
18-24	121	45,890	71	56.1	46.3-65.9	14	13.5	6.6-20.4	14	12.1	5.8-18.4	21	17.7	10.3-25.1	1	0.7	0.0- 2.1
25-34	208	60,360	113	55.5	47.7-63.3	37	16.6	11.1-22.1	18	8.1	4.0-12.2	28	12.2	7.1-17.3	12	7.5	3.0-12.0
35-44	227	45,014	135	55.5	47.5-63.5	24	11.3	6.0-16.6	35	13.2	8.3-18.1	27	17.5	10.6-24.4	6	2.5	0.1- 4.9
45-54	234	36,700	135	58.5	50.9-66.1	23	8.2	3.5-12.9	28	10.3	6.0-14.6	34	15.2	9.7-20.7	14	7.8	3.5-12.1
55-64	415	41,244	251	58.5	52.6-64.4	43	11.8	7.9-15.7	41	9.3	6.0-12.6	52	12.7	8.6-16.8	28	7.7	4.4-11.0
65+	744	47,873	482	64.3	60.2-68.4	50	8.1	5.6-10.6	65	9.4	6.9-11.9	79	10.2	7.5-12.9	68	7.9	5.7-10.1
Less Than H.S.	87	25,045	49	57.2	42.9-71.5	7	9.0	1.2-16.8	6	2.3	0.1- 4.5	16	20.1	8.3-31.9	9	11.5	2.5-20.5
H.S. or G.E.D.	487	68,539	284	57.1	51.0-63.2	34	8.6	5.1-12.1	50	11.5	7.4-15.6	63	16.0	11.1-20.9	56	6.9	4.7- 9.1
Some Post-H.S.	645	108,735	387	55.4	50.3-60.5	66	14.2	10.3-18.1	63	10.1	7.0-13.2	91	14.8	11.3-18.3	38	5.5	3.3- 7.7
College Graduate	728	74,581	465	62.7	58.2-67.2	84	12.7	9.6-15.8	82	12.2	9.1-15.3	71	9.4	6.7-12.1	26	2.9	1.3- 4.5
Less than \$15,000	126	18,881	41	30.5	19.7-41.3	13	12.0	4.4-19.6	15	14.2	6.0-22.4	30	20.7	11.1-30.3	27	22.6	11.8-33.4
\$15,000- 24,999	204	30,816	115	45.1	34.7-55.5	15	14.3	6.3-22.3	26	11.6	5.1-18.1	36	24.6	15.2-34.0	12	4.4	0.9- 7.9
\$25,000- 34,999	160	21,308	107	67.8	57.6-78.0	11	5.3	1.4- 9.2	13	9.2	2.7-15.7	21	15.4	7.2-23.6	8	2.3	0.0- 4.7
\$35,000- 49,999	246	30,543	145	52.8	44.0-61.6	27	16.4	8.8-24.0	21	8.7	4.2-13.2	38	16.7	10.2-23.2	15	5.3	2.2- 8.4
\$50,000- 74,999	305	40,149	194	61.8	54.4-69.2	26	10.7	5.4-16.0	37	12.1	7.4-16.8	34	12.5	7.4-17.6	14	2.9	0.9- 4.9
\$75,000+	586	86,238	384	64.0	58.9-69.1	64	11.2	8.1-14.3	63	10.4	7.3-13.5	53	11.0	7.3-14.7	22	3.4	1.6- 5.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	800	116,149	496	58.5	53.8-63.2	78	11.1	8.2-14.0	78	10.0	7.3-12.7	92	13.9	10.4-17.4	56	6.5	4.1- 8.9
Non-Native	744	107,599	463	58.1	53.2-63.0	77	11.9	8.6-15.2	68	10.0	7.1-12.9	82	13.1	9.6-16.6	54	6.9	4.4- 9.4
25-34	106	26,626	63	56.5	45.5-67.5	16	14.1	7.0-21.2	5	6.2	0.7-11.7	16	13.2	5.9-20.5	6	10.0	2.0-18.0
35-44	108	19,603	69	60.5	48.7-72.3	9	7.7	2.0-13.4	13	10.3	4.0-16.6	14	20.5	9.1-31.9	3	1.0	0.0- 2.4
45-54	100	16,097	56	53.5	41.5-65.5	9	6.6	0.0-14.8	15	15.6	7.2-24.0	11	12.0	4.4-19.6	9	12.2	4.0-20.4
55-64	155	17,465	98	59.8	50.0-69.6	14	11.5	5.0-18.0	19	10.5	4.8-16.2	15	11.9	5.0-18.8	9	6.4	1.3-11.5
65+	283	19,508	179	61.6	54.5-68.7	24	10.5	5.6-15.4	21	7.5	4.0-11.0	30	12.2	6.7-17.7	29	8.3	5.0-11.6
H.S. or G.E.D.	218	27,561	133	58.0	49.2-66.8	16	9.0	3.9-14.1	20	9.9	5.0-14.8	23	13.5	6.4-20.6	26	9.7	5.2-14.2
Some Post-H.S.	269	48,462	161	56.3	48.7-63.9	30	11.5	6.6-16.4	28	12.4	7.1-17.7	32	13.4	8.1-18.7	18	6.5	2.6-10.4
College Graduate	267	28,014	177	66.6	59.5-73.7	28	11.8	6.7-16.9	27	9.6	5.3-13.9	27	10.7	6.0-15.4	8	1.4	0.2- 2.6
Less than \$15,000	53	7,426	19	26.9	11.4-42.4	4	5.6	0.0-13.6	8	17.8	4.1-31.5	10	16.1	3.0-29.2	12	33.7	12.9-54.5
\$15,000- 24,999	78	11,814	47	46.7	30.2-63.2	5	9.6	0.0-20.0	11	16.0	3.1-28.9	10	22.7	6.8-38.6	5	5.1	0.0-11.4
\$25,000- 34,999	59	8,902	39	68.5	53.4-83.6	5	4.4	0.0- 9.1	6	12.6	1.0-24.2	6	12.6	1.2-24.0	3	2.0	0.0- 5.1
\$35,000- 49,999	99	13,873	53	47.8	34.3-61.3	13	19.2	7.0-31.4	7	8.2	1.1-15.3	18	17.8	8.0-27.6	8	7.0	1.3-12.7
\$50,000- 74,999	137	16,811	93	64.6	54.2-75.0	5	3.8	0.0- 8.1	15	13.3	5.7-20.9	17	14.7	6.7-22.7	7	3.6	0.0- 7.3
\$75,000+	265	40,382	176	64.3	56.7-71.9	32	11.8	7.3-16.3	22	7.8	3.5-12.1	25	12.5	6.6-18.4	10	3.7	0.8- 6.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1149	160,931	691	57.6	53.5-61.7	113	12.5	9.6-15.4	123	10.5	8.1-12.9	149	14.2	11.3-17.1	73	5.1	3.5- 6.7
Native	62	9,421	25	29.4	15.9-42.9	10	18.8	6.3-31.3	8	11.5	1.5-21.5	13	23.8	7.7-39.9	6	16.5	1.2-31.8
Non-Native	1073	149,772	659	59.7	55.4-64.0	102	11.9	9.0-14.8	113	10.4	7.9-12.9	132	13.5	10.6-16.4	67	4.5	3.1- 5.9
18-24	73	29,040	40	54.5	42.0-67.0	8	12.7	4.1-21.3	9	11.6	4.0-19.2	15	20.2	10.0-30.4	1	1.0	0.0- 3.0
25-34	102	33,734	50	54.7	43.5-65.9	21	18.7	10.7-26.7	13	9.7	4.0-15.4	12	11.4	4.5-18.3	6	5.5	0.4-10.6
35-44	119	25,411	66	51.7	40.9-62.5	15	14.1	5.9-22.3	22	15.3	8.0-22.6	13	15.2	6.8-23.6	3	3.7	0.0- 7.8
45-54	134	20,602	79	62.4	52.8-72.0	14	9.4	4.1-14.7	13	6.2	2.5- 9.9	23	17.7	9.9-25.5	5	4.3	0.4- 8.2
55-64	260	23,779	153	57.7	50.4-65.0	29	12.0	7.3-16.7	22	8.4	4.5-12.3	37	13.3	8.4-18.2	19	8.7	4.2-13.2
65+	461	28,365	303	66.3	61.2-71.4	26	6.4	3.7- 9.1	44	10.7	7.2-14.2	49	8.9	6.2-11.6	39	7.7	5.2-10.2
H.S. or G.E.D.	269	40,978	151	56.4	48.0-64.8	18	8.3	3.6-13.0	30	12.6	6.7-18.5	40	17.6	10.7-24.5	30	5.0	2.8- 7.2
Some Post-H.S.	376	60,273	226	54.8	47.9-61.7	36	16.3	10.4-22.2	35	8.2	4.7-11.7	59	15.9	11.0-20.8	20	4.8	2.3- 7.3
College Graduate	461	46,567	288	60.4	54.5-66.3	56	13.3	9.2-17.4	55	13.8	9.7-17.9	44	8.7	5.2-12.2	18	3.8	1.4- 6.2
Less than \$15,000	73	11,455	22	32.9	18.4-47.4	9	16.2	4.8-27.6	7	11.9	1.7-22.1	20	23.6	10.5-36.7	15	15.4	5.8-25.0
\$15,000- 24,999	126	19,002	68	44.1	30.8-57.4	10	17.2	5.8-28.6	15	8.8	2.5-15.1	26	25.9	14.1-37.7	7	4.0	0.1- 7.9
\$25,000- 34,999	101	12,407	68	67.3	53.8-80.8	6	6.0	0.1-11.9	7	6.8	0.0-13.9	15	17.4	6.0-28.8	5	2.6	0.0- 5.9
\$35,000- 49,999	147	16,670	92	57.0	45.4-68.6	14	14.2	4.6-23.8	14	9.1	3.2-15.0	20	15.8	7.0-24.6	7	3.9	0.6- 7.2
\$50,000- 74,999	168	23,338	101	59.8	49.4-70.2	21	15.7	7.5-23.9	22	11.2	5.3-17.1	17	10.9	4.4-17.4	7	2.4	0.4- 4.4
\$75,000+	321	45,855	208	63.7	56.8-70.6	32	10.8	6.5-15.1	41	12.7	8.0-17.4	28	9.7	5.2-14.2	12	3.2	1.0- 5.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4450	581,763	4233	91.4	90.0-92.8	217	8.6	7.2-10.0
Male	2154	297,546	2024	90.5	88.5-92.5	130	9.5	7.5-11.5
Female	2296	284,217	2209	92.4	90.2-94.6	87	7.6	5.4- 9.8
Native	189	25,459	173	87.9	81.2-94.6	16	12.1	5.4-18.8
Non-Native	4189	547,796	3995	91.6	90.0-93.2	194	8.4	6.8-10.0
18-24	221	80,351	198	86.1	80.2-92.0	23	13.9	8.0-19.8
25-34	400	112,768	349	85.9	81.8-90.0	51	14.1	10.0-18.2
35-44	480	95,084	441	89.4	85.5-93.3	39	10.6	6.7-14.5
45-54	509	78,811	483	93.3	90.2-96.4	26	6.7	3.6- 9.8
55-64	928	91,321	881	94.2	92.2-96.2	47	5.8	3.8- 7.8
65+	1912	123,428	1881	98.4	97.6-99.2	31	1.6	0.8- 2.4
Less Than H.S.	191	45,408	163	74.0	63.8-84.2	28	26.0	15.8-36.2
H.S. or G.E.D.	1163	154,011	1082	87.7	84.8-90.6	81	12.3	9.4-15.2
Some Post-H.S.	1440	223,704	1374	94.0	92.2-95.8	66	6.0	4.2- 7.8
College Graduate	1647	157,269	1606	96.5	95.1-97.9	41	3.5	2.1- 4.9
Less than \$15,000	206	29,924	183	85.2	77.2-93.2	23	14.8	6.8-22.8
\$15,000- 24,999	425	54,309	380	81.6	75.1-88.1	45	18.4	11.9-24.9
\$25,000- 34,999	350	42,080	325	86.7	80.2-93.2	25	13.3	6.8-19.8
\$35,000- 49,999	527	61,453	506	93.2	89.3-97.1	21	6.8	2.9-10.7
\$50,000- 74,999	645	78,798	619	90.1	85.8-94.4	26	9.9	5.6-14.2
\$75,000+	1454	205,744	1425	96.9	95.5-98.3	29	3.1	1.7- 4.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2154	297,546	2024	90.5	88.5-92.5	130	9.5	7.5-11.5
Native	81	11,234	75	87.8	77.6-98.0	6	12.2	2.0-22.4
Non-Native	2029	280,901	1910	90.7	88.7-92.7	119	9.3	7.3-11.3
18-24	124	42,413	110	86.7	79.4-94.0	14	13.3	6.0-20.6
25-34	240	60,859	205	85.5	80.6-90.4	35	14.5	9.6-19.4
35-44	267	50,042	243	87.4	81.5-93.3	24	12.6	6.7-18.5
45-54	255	40,821	239	92.2	87.5-96.9	16	7.8	3.1-12.5
55-64	416	46,081	387	92.5	89.2-95.8	29	7.5	4.2-10.8
65+	852	57,329	840	98.6	97.6-99.6	12	1.4	0.4- 2.4
Less Than H.S.	103	26,151	84	73.8	61.3-86.3	19	26.2	13.7-38.7
H.S. or G.E.D.	600	83,191	548	86.3	82.4-90.2	52	13.7	9.8-17.6
Some Post-H.S.	706	117,142	669	93.9	91.5-96.3	37	6.1	3.7- 8.5
College Graduate	740	70,136	718	96.0	94.0-98.0	22	4.0	2.0- 6.0
Less than \$15,000	85	12,240	72	85.2	75.6-94.8	13	14.8	5.2-24.4
\$15,000- 24,999	167	21,688	142	79.2	70.0-88.4	25	20.8	11.6-30.0
\$25,000- 34,999	154	20,207	139	82.7	73.9-91.5	15	17.3	8.5-26.1
\$35,000- 49,999	238	31,153	227	91.3	85.0-97.6	11	8.7	2.4-15.0
\$50,000- 74,999	350	42,632	331	87.3	80.6-94.0	19	12.7	6.0-19.4
\$75,000+	804	117,130	786	96.9	95.3-98.5	18	3.1	1.5- 4.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2296	284,217	2209	92.4	90.2-94.6	87	7.6	5.4- 9.8
Native	108	14,224	98	88.0	79.4-96.6	10	12.0	3.4-20.6
Non-Native	2160	266,895	2085	92.6	90.4-94.8	75	7.4	5.2- 9.6
18-24	97	37,937	88	85.4	76.2-94.6	9	14.6	5.4-23.8
25-34	160	51,909	144	86.2	79.1-93.3	16	13.8	6.7-20.9
35-44	213	45,042	198	91.6	86.9-96.3	15	8.4	3.7-13.1
45-54	254	37,990	244	94.5	90.6-98.4	10	5.5	1.6- 9.4
55-64	512	45,240	494	95.8	93.4-98.2	18	4.2	1.8- 6.6
65+	1060	66,099	1041	98.2	97.2-99.2	19	1.8	0.8- 2.8
Less Than H.S.	88	19,258	79	74.4	57.7-91.1	9	25.6	8.9-42.3
H.S. or G.E.D.	563	70,819	534	89.3	84.8-93.8	29	10.7	6.2-15.2
Some Post-H.S.	734	106,562	705	94.1	91.2-97.0	29	5.9	3.0- 8.8
College Graduate	907	87,133	888	97.0	95.4-98.6	19	3.0	1.4- 4.6
Less than \$15,000	121	17,685	111	85.2	73.2-97.2	10	14.8	2.8-26.8
\$15,000- 24,999	258	32,621	238	83.2	74.4-92.0	20	16.8	8.0-25.6
\$25,000- 34,999	196	21,873	186	90.3	80.9-99.7	10	9.7	0.3-19.1
\$35,000- 49,999	289	30,300	279	95.1	90.8-99.4	10	4.9	0.6- 9.2
\$50,000- 74,999	295	36,166	288	93.4	88.3-98.5	7	6.6	1.5-11.7
\$75,000+	650	88,614	639	96.8	94.6-99.0	11	3.2	1.0- 5.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4450	582,016	3181	63.6	61.4-65.8	279	5.4	4.4- 6.4	990	31.0	29.0-33.0
Male	2154	297,728	1379	56.0	53.1-58.9	128	4.7	3.5- 5.9	647	39.4	36.5-42.3
Female	2296	284,288	1802	71.5	68.6-74.4	151	6.2	4.8- 7.6	343	22.3	19.6-25.0
Native	190	25,439	104	51.9	42.1-61.7	14	6.5	2.4-10.6	72	41.6	32.0-51.2
Non-Native	4187	547,779	3035	64.3	62.1-66.5	259	5.3	4.3- 6.3	893	30.4	28.2-32.6
18-24	223	81,290	94	41.1	34.0-48.2	15	6.1	2.6- 9.6	114	52.8	45.5-60.1
25-34	401	112,629	189	48.9	43.2-54.6	13	3.8	1.4- 6.2	199	47.3	41.6-53.0
35-44	478	94,641	294	61.8	56.3-67.3	27	4.7	2.3- 7.1	157	33.4	28.1-38.7
45-54	509	78,831	355	69.9	65.2-74.6	22	3.9	2.1- 5.7	132	26.2	21.7-30.7
55-64	928	91,379	688	73.2	69.7-76.7	60	6.1	4.5- 7.7	180	20.8	17.5-24.1
65+	1911	123,247	1561	82.0	79.8-84.2	142	7.3	5.9- 8.7	208	10.7	8.9-12.5
Less Than H.S.	192	45,761	121	47.5	37.3-57.7	16	6.7	2.4-11.0	55	45.8	35.4-56.2
H.S. or G.E.D.	1163	154,465	803	58.8	54.9-62.7	74	6.0	4.0- 8.0	286	35.2	31.3-39.1
Some Post-H.S.	1438	223,235	1022	65.5	62.2-68.8	99	5.2	3.8- 6.6	317	29.3	26.0-32.6
College Graduate	1648	157,184	1230	70.2	67.3-73.1	89	4.7	3.5- 5.9	329	25.1	22.2-28.0
Less than \$15,000	209	30,502	142	65.8	56.2-75.4	20	8.3	2.4-14.2	47	25.9	17.3-34.5
\$15,000- 24,999	426	54,270	303	60.1	52.7-67.5	36	8.3	4.6-12.0	87	31.6	24.2-39.0
\$25,000- 34,999	350	41,910	238	60.8	53.4-68.2	25	4.7	2.3- 7.1	87	34.5	27.1-41.9
\$35,000- 49,999	526	61,426	381	61.1	54.8-67.4	32	4.7	2.3- 7.1	113	34.2	27.9-40.5
\$50,000- 74,999	642	78,538	471	65.5	60.0-71.0	35	5.0	2.8- 7.2	136	29.5	24.0-35.0
\$75,000+	1457	206,410	1055	66.5	63.2-69.8	70	4.6	3.2- 6.0	332	29.0	25.9-32.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2154	297,728	1379	56.0	53.1-58.9	128	4.7	3.5- 5.9	647	39.4	36.5-42.3
Native	82	11,215	39	41.9	27.4-56.4	4	5.0	0.0-11.3	39	53.1	38.4-67.8
Non-Native	2027	280,813	1319	56.9	54.0-59.8	120	4.6	3.4- 5.8	588	38.5	35.6-41.4
18-24	125	42,895	46	35.4	26.2-44.6	5	3.0	0.1- 5.9	74	61.6	52.2-71.0
25-34	242	61,149	91	39.6	32.3-46.9	5	2.8	0.3- 5.3	146	57.6	50.3-64.9
35-44	265	49,599	137	48.9	41.5-56.3	10	4.1	1.0- 7.2	118	47.0	39.4-54.6
45-54	253	40,692	159	63.8	56.7-70.9	10	3.5	1.1- 5.9	84	32.7	25.8-39.6
55-64	418	46,235	293	71.3	66.2-76.4	21	4.5	2.3- 6.7	104	24.2	19.3-29.1
65+	851	57,159	653	77.1	73.6-80.6	77	9.3	6.8-11.8	121	13.6	10.7-16.5
Less Than H.S.	104	26,522	60	43.9	31.0-56.8	12	7.7	2.2-13.2	32	48.5	35.0-62.0
H.S. or G.E.D.	601	83,330	358	48.5	43.2-53.8	33	5.1	2.9- 7.3	210	46.4	41.1-51.7
Some Post-H.S.	704	116,938	452	59.4	54.7-64.1	47	4.1	2.5- 5.7	205	36.5	31.8-41.2
College Graduate	740	70,013	506	63.5	59.0-68.0	36	4.1	2.3- 5.9	198	32.4	27.9-36.9
Less than \$15,000	87	12,321	55	68.0	54.3-81.7	7	2.2	0.4- 4.0	25	29.7	16.2-43.2
\$15,000- 24,999	167	21,538	101	52.1	40.5-63.7	22	13.4	5.8-21.0	44	34.5	22.9-46.1
\$25,000- 34,999	153	19,999	91	52.5	42.1-62.9	13	6.8	2.3-11.3	49	40.8	30.4-51.2
\$35,000- 49,999	238	31,153	157	52.1	43.1-61.1	9	2.3	0.5- 4.1	72	45.6	36.6-54.6
\$50,000- 74,999	348	42,429	234	58.9	51.5-66.3	23	5.4	2.7- 8.1	91	35.7	28.3-43.1
\$75,000+	807	117,795	531	59.5	55.0-64.0	33	3.3	1.7- 4.9	243	37.2	32.7-41.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2296	284,288	1802	71.5	68.6-74.4	151	6.2	4.8- 7.6	343	22.3	19.6-25.0
Native	108	14,224	65	59.8	47.5-72.1	10	7.6	2.3-12.9	33	32.6	20.6-44.6
Non-Native	2160	266,966	1716	72.2	69.3-75.1	139	6.1	4.5- 7.7	305	21.7	18.8-24.6
18-24	98	38,395	48	47.4	36.6-58.2	10	9.7	3.2-16.2	40	43.0	32.2-53.8
25-34	159	51,480	98	59.8	50.8-68.8	8	5.0	1.1- 8.9	53	35.2	26.4-44.0
35-44	213	45,042	157	76.0	69.1-82.9	17	5.5	2.2- 8.8	39	18.5	12.2-24.8
45-54	256	38,139	196	76.5	70.4-82.6	12	4.3	1.6- 7.0	48	19.2	13.5-24.9
55-64	510	45,144	395	75.0	70.3-79.7	39	7.7	5.2-10.2	76	17.3	13.0-21.6
65+	1060	66,088	908	86.2	83.7-88.7	65	5.5	3.9- 7.1	87	8.2	6.0-10.4
Less Than H.S.	88	19,239	61	52.5	36.4-68.6	4	5.5	0.0-12.8	23	42.0	25.7-58.3
H.S. or G.E.D.	562	71,135	445	70.8	64.9-76.7	41	7.0	3.7-10.3	76	22.2	16.7-27.7
Some Post-H.S.	734	106,298	570	72.2	67.3-77.1	52	6.4	4.0- 8.8	112	21.4	16.7-26.1
College Graduate	908	87,171	724	75.6	71.7-79.5	53	5.2	3.4- 7.0	131	19.2	15.5-22.9
Less than \$15,000	122	18,181	87	64.3	51.4-77.2	13	12.4	2.8-22.0	22	23.3	11.9-34.7
\$15,000- 24,999	259	32,732	202	65.4	55.8-75.0	14	4.9	1.6- 8.2	43	29.7	20.1-39.3
\$25,000- 34,999	197	21,911	147	68.5	57.7-79.3	12	2.7	0.9- 4.5	38	28.8	18.0-39.6
\$35,000- 49,999	288	30,273	224	70.4	62.0-78.8	23	7.1	2.8-11.4	41	22.6	14.6-30.6
\$50,000- 74,999	294	36,109	237	73.3	65.3-81.3	12	4.4	1.1- 7.7	45	22.3	14.7-29.9
\$75,000+	650	88,614	524	75.8	71.1-80.5	37	6.2	3.7- 8.7	89	18.1	13.8-22.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4456	581,917	221	7.4	6.2- 8.6	4235	92.6	91.4-93.8
Male	2158	298,066	103	6.3	4.7- 7.9	2055	93.7	92.1-95.3
Female	2298	283,851	118	8.6	6.6-10.6	2180	91.4	89.4-93.4
Native	189	24,704	15	8.3	3.2-13.4	174	91.7	86.6-96.8
Non-Native	4195	548,447	200	7.3	6.1- 8.5	3995	92.7	91.5-93.9
18-24	222	80,780	18	9.2	4.7-13.7	204	90.8	86.3-95.3
25-34	402	112,938	45	12.1	8.4-15.8	357	87.9	84.2-91.6
35-44	478	94,264	30	8.0	4.9-11.1	448	92.0	88.9-95.1
45-54	510	78,819	35	7.8	4.9-10.7	475	92.2	89.3-95.1
55-64	928	91,288	46	5.7	3.7- 7.7	882	94.3	92.3-96.3
65+	1916	123,828	47	2.8	1.8- 3.8	1869	97.2	96.2-98.2
Less Than H.S.	191	44,826	19	12.5	5.6-19.4	172	87.5	80.6-94.4
H.S. or G.E.D.	1162	153,725	77	9.1	6.7-11.5	1085	90.9	88.5-93.3
Some Post-H.S.	1444	224,263	65	6.9	4.9- 8.9	1379	93.1	91.1-95.1
College Graduate	1650	157,732	58	5.0	3.4- 6.6	1592	95.0	93.4-96.6
Less than \$15,000	206	29,964	31	19.9	11.3-28.5	175	80.1	71.5-88.7
\$15,000- 24,999	426	53,791	39	16.9	11.0-22.8	387	83.1	77.2-89.0
\$25,000- 34,999	351	42,118	27	11.9	6.8-17.0	324	88.1	83.0-93.2
\$35,000- 49,999	525	61,250	32	8.2	4.9-11.5	493	91.8	88.5-95.1
\$50,000- 74,999	644	78,473	25	5.6	2.9- 8.3	619	94.4	91.7-97.1
\$75,000+	1457	206,410	34	3.3	1.9- 4.7	1423	96.7	95.3-98.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2158	298,066	103	6.3	4.7- 7.9	2055	93.7	92.1-95.3
Native	83	11,300	6	5.3	0.0-10.6	77	94.7	89.4- 100
Non-Native	2030	281,066	93	6.3	4.7- 7.9	1937	93.7	92.1-95.3
18-24	125	42,863	4	3.0	0.0- 6.1	121	97.0	93.9- 100
25-34	242	61,029	25	12.0	7.1-16.9	217	88.0	83.1-92.9
35-44	267	50,042	13	5.8	2.1- 9.5	254	94.2	90.5-97.9
45-54	254	40,680	22	9.5	5.0-14.0	232	90.5	86.0-95.0
55-64	418	46,123	19	4.7	2.3- 7.1	399	95.3	92.9-97.7
65+	852	57,329	20	2.2	1.0- 3.4	832	97.8	96.6-99.0
Less Than H.S.	103	26,127	8	10.0	1.6-18.4	95	90.0	81.6-98.4
H.S. or G.E.D.	599	82,943	40	8.0	5.1-10.9	559	92.0	89.1-94.9
Some Post-H.S.	708	117,477	26	5.3	2.9- 7.7	682	94.7	92.3-97.1
College Graduate	743	70,594	28	4.6	2.6- 6.6	715	95.4	93.4-97.4
Less than \$15,000	86	12,285	16	28.0	12.7-43.3	70	72.0	56.7-87.3
\$15,000- 24,999	168	21,708	17	14.4	6.0-22.8	151	85.6	77.2-94.0
\$25,000- 34,999	154	20,207	9	6.4	1.3-11.5	145	93.6	88.5-98.7
\$35,000- 49,999	238	31,153	18	9.1	4.2-14.0	220	90.9	86.0-95.8
\$50,000- 74,999	349	42,307	14	6.0	2.5- 9.5	335	94.0	90.5-97.5
\$75,000+	807	117,795	20	3.6	1.8- 5.4	787	96.4	94.6-98.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2298	283,851	118	8.6	6.6-10.6	2180	91.4	89.4-93.4
Native	106	13,405	9	10.8	2.8-18.8	97	89.2	81.2-97.2
Non-Native	2165	267,381	107	8.3	6.3-10.3	2058	91.7	89.7-93.7
18-24	97	37,917	14	16.1	7.7-24.5	83	83.9	75.5-92.3
25-34	160	51,909	20	12.2	6.7-17.7	140	87.8	82.3-93.3
35-44	211	44,222	17	10.4	5.1-15.7	194	89.6	84.3-94.9
45-54	256	38,139	13	6.0	2.3-9.7	243	94.0	90.3-97.7
55-64	510	45,165	27	6.7	3.8-9.6	483	93.3	90.4-96.2
65+	1064	66,499	27	3.3	1.9-4.7	1037	96.7	95.3-98.1
Less Than H.S.	88	18,699	11	16.0	4.4-27.6	77	84.0	72.4-95.6
H.S. or G.E.D.	563	70,783	37	10.5	6.6-14.4	526	89.5	85.6-93.4
Some Post-H.S.	736	106,786	39	8.6	5.3-11.9	697	91.4	88.1-94.7
College Graduate	907	87,138	30	5.4	3.0-7.8	877	94.6	92.2-97.0
Less than \$15,000	120	17,680	15	14.3	4.7-23.9	105	85.7	76.1-95.3
\$15,000- 24,999	258	32,083	22	18.6	10.6-26.6	236	81.4	73.4-89.4
\$25,000- 34,999	197	21,911	18	17.0	8.4-25.6	179	83.0	74.4-91.6
\$35,000- 49,999	287	30,097	14	7.3	2.4-12.2	273	92.7	87.8-97.6
\$50,000- 74,999	295	36,166	11	5.2	1.1-9.3	284	94.8	90.7-98.9
\$75,000+	650	88,614	14	2.8	1.2-4.4	636	97.2	95.6-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4413	578,308	3390	69.8	67.8-71.8	521	14.3	12.7-15.9	239	8.0	6.6- 9.4	236	6.8	5.8- 7.8	27	1.0	0.4- 1.6
Male	2138	296,141	1533	65.0	62.1-67.9	255	13.7	11.7-15.7	159	10.3	8.3-12.3	174	9.5	7.7-11.3	17	1.4	0.4- 2.4
Female	2275	282,167	1857	74.9	72.2-77.6	266	14.9	12.5-17.3	80	5.6	4.0- 7.2	62	3.9	2.7- 5.1	10	0.6	0.0- 1.2
Native	189	25,335	148	72.6	63.6-81.6	21	10.0	4.7-15.3	8	8.0	1.9-14.1	12	9.4	3.1-15.7			
Non-Native	4156	544,700	3194	69.9	67.7-72.1	493	14.6	13.0-16.2	227	8.0	6.6- 9.4	216	6.5	5.3- 7.7	26	1.0	0.4- 1.6
18-24	220	80,540	127	58.6	51.3-65.9	44	18.9	13.2-24.6	34	16.2	10.5-21.9	14	5.7	2.4- 9.0	1	0.7	0.0- 2.1
25-34	395	111,403	222	56.7	51.0-62.4	63	17.1	12.6-21.6	52	12.8	9.1-16.5	54	12.3	8.8-15.8	4	1.2	0.0- 2.4
35-44	473	94,229	309	66.6	61.3-71.9	80	16.7	12.4-21.0	32	6.0	3.5- 8.5	42	7.7	5.0-10.4	10	3.0	0.5- 5.5
45-54	509	78,531	357	70.2	65.5-74.9	76	13.6	10.3-16.9	36	7.9	4.8-11.0	36	7.6	4.7-10.5	4	0.7	0.0- 1.5
55-64	922	90,985	702	74.2	70.7-77.7	128	14.9	12.2-17.6	39	4.3	2.7- 5.9	50	6.1	4.1- 8.1	3	0.5	0.0- 1.1
65+	1894	122,621	1673	88.2	86.4-90.0	130	7.1	5.7- 8.5	46	2.7	1.7- 3.7	40	1.8	1.2- 2.4	5	0.2	0.0- 0.4
Less Than H.S.	187	45,404	148	65.5	54.9-76.1	18	12.2	4.6-19.8	9	9.6	2.3-16.9	9	8.8	2.7-14.9	3	3.9	0.0- 8.8
H.S. or G.E.D.	1153	153,865	883	66.9	63.0-70.8	124	13.7	10.8-16.6	61	9.5	6.8-12.2	73	8.7	6.3-11.1	12	1.2	0.4- 2.0
Some Post-H.S.	1430	221,328	1100	71.8	68.7-74.9	172	14.5	12.0-17.0	75	7.3	5.3- 9.3	76	5.7	4.1- 7.3	7	0.8	0.0- 1.6
College Graduate	1636	156,607	1253	71.2	68.3-74.1	206	15.3	12.9-17.7	94	7.1	5.3- 8.9	78	6.0	4.4- 7.6	5	0.4	0.0- 0.8
Less than \$15,000	203	30,145	163	77.7	69.5-85.9	22	11.0	4.7-17.3	8	5.5	0.8-10.2	8	4.9	1.0- 8.8	2	0.9	0.0- 2.5
\$15,000- 24,999	423	54,301	339	72.0	65.1-78.9	41	13.0	7.7-18.3	18	7.0	3.1-10.9	24	7.0	3.1-10.9	1	1.0	0.0- 3.0
\$25,000- 34,999	347	41,564	272	71.7	64.3-79.1	32	13.0	6.5-19.5	21	6.1	3.2- 9.0	22	9.3	4.6-14.0			
\$35,000- 49,999	524	60,939	409	67.6	61.3-73.9	57	13.2	8.9-17.5	25	10.4	5.3-15.5	31	8.4	4.9-11.9	2	0.4	0.0- 1.0
\$50,000- 74,999	640	77,975	485	68.8	63.5-74.1	77	15.8	11.3-20.3	41	7.6	4.7-10.5	32	6.1	3.6- 8.6	5	1.8	0.0- 3.6
\$75,000+	1450	205,127	1067	68.3	65.0-71.6	209	16.3	13.8-18.8	90	8.3	6.1-10.5	74	6.4	4.6- 8.2	10	0.7	0.3- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2138	296,141	1533	65.0	62.3-67.7	255	13.7	11.7-15.7	159	10.3	8.3-12.3	174	9.5	7.7-11.3	17	1.4	0.4- 2.4
Native	82	11,179	59	60.4	45.1-75.7	11	13.2	4.2-22.2	6	14.8	2.3-27.3	6	11.6	0.0-23.2			
Non-Native	2014	279,511	1446	65.4	62.5-68.3	240	13.8	11.6-16.0	150	10.1	8.1-12.1	161	9.2	7.4-11.0	17	1.5	0.5- 2.5
18-24	124	42,859	66	56.3	46.5-66.1	27	19.8	12.4-27.2	23	17.7	10.1-25.3	8	6.1	1.2-11.0			
25-34	236	59,779	115	51.0	43.7-58.3	34	13.0	8.3-17.7	39	16.9	11.2-22.6	45	17.7	12.2-23.2	3	1.3	0.0- 2.9
35-44	260	49,187	152	58.3	50.7-65.9	44	17.3	11.0-23.6	18	6.6	3.1-10.1	37	12.1	7.8-16.4	9	5.7	1.0-10.4
45-54	256	40,999	158	61.2	53.9-68.5	37	14.1	9.2-19.0	28	12.1	6.8-17.4	29	11.2	6.5-15.9	4	1.4	0.0- 3.0
55-64	416	46,186	304	73.4	68.3-78.5	58	14.3	10.4-18.2	23	5.4	2.7- 8.1	30	6.6	3.9- 9.3	1	0.3	0.0- 0.9
65+	846	57,132	738	87.8	85.3-90.3	55	6.1	4.1- 8.1	28	3.9	2.3- 5.5	25	2.2	1.0- 3.4			
Less Than H.S.	102	26,419	76	61.0	47.1-74.9	10	9.8	1.2-18.4	7	12.3	1.7-22.9	6	10.2	1.4-19.0	3	6.7	0.0-14.7
H.S. or G.E.D.	594	82,847	422	61.4	56.1-66.7	66	12.7	9.2-16.2	39	11.6	7.7-15.5	58	12.2	8.5-15.9	9	2.0	0.6- 3.4
Some Post-H.S.	701	116,001	502	67.8	63.3-72.3	96	15.4	11.9-18.9	51	9.1	6.2-12.0	50	7.4	5.0- 9.8	2	0.3	0.0- 0.7
College Graduate	736	69,948	528	65.6	61.1-70.1	83	13.9	10.6-17.2	62	10.3	7.4-13.2	60	9.5	6.8-12.2	3	0.7	0.0- 1.7
Less than \$15,000	84	12,194	67	78.9	67.1-90.7	9	11.9	2.5-21.3	4	3.9	0.0- 8.6	3	3.3	0.0- 8.2	1	2.0	0.0- 5.9
\$15,000- 24,999	167	21,681	123	64.9	53.5-76.3	17	14.0	4.8-23.2	10	9.1	2.4-15.8	17	12.0	4.6-19.4			
\$25,000- 34,999	153	20,060	112	67.9	58.1-77.7	13	10.8	3.9-17.7	15	10.5	4.8-16.2	13	10.9	4.0-17.8			
\$35,000- 49,999	236	30,708	163	57.7	48.5-66.9	33	16.2	9.7-22.7	16	14.4	6.0-22.8	22	11.0	5.7-16.3	2	0.7	0.0- 1.7
\$50,000- 74,999	348	42,360	254	63.8	56.4-71.2	42	18.3	11.6-25.0	27	8.6	4.3-12.9	23	7.9	4.0-11.8	2	1.5	0.0- 3.5
\$75,000+	802	116,629	556	64.0	59.7-68.3	110	14.3	11.2-17.4	65	11.0	7.9-14.1	63	9.6	6.9-12.3	8	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? (A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1))

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2275	282,167	1857	74.9	72.2-77.6	266	14.9	12.5-17.3	80	5.6	4.0- 7.2	62	3.9	2.7- 5.1	10	0.6	0.0- 1.2
Native	107	14,156	89	82.3	73.1-91.5	10	7.4	1.5-13.3	2	2.6	0.0- 6.1	6	7.7	1.0-14.4			
Non-Native	2142	265,189	1748	74.6	71.7-77.5	253	15.4	13.0-17.8	77	5.8	4.0- 7.6	55	3.8	2.4- 5.2	9	0.5	0.1- 0.9
18-24	96	37,681	61	61.3	50.5-72.1	17	17.8	9.2-26.4	11	14.4	6.2-22.6	6	5.1	0.8- 9.4	1	1.4	0.0- 4.1
25-34	159	51,624	107	63.2	54.4-72.0	29	21.7	13.9-29.5	13	8.0	3.3-12.7	9	6.0	1.9-10.1	1	1.0	0.0- 3.0
35-44	213	45,042	157	75.6	68.7-82.5	36	16.0	10.3-21.7	14	5.4	1.9- 8.9	5	2.9	0.0- 5.8	1	0.1	0.0- 0.3
45-54	253	37,532	199	80.1	74.4-85.8	39	13.0	8.5-17.5	8	3.3	0.6- 6.0	7	3.6	0.7- 6.5			
55-64	506	44,799	398	75.1	70.2-80.0	70	15.4	11.5-19.3	16	3.1	1.3- 4.9	20	5.6	2.7- 8.5	2	0.8	0.0- 2.0
65+	1048	65,489	935	88.5	86.1-90.9	75	8.0	5.8-10.2	18	1.8	0.8- 2.8	15	1.3	0.5- 2.1	5	0.4	0.0- 0.8
Less Than H.S.	85	18,985	72	71.8	55.9-87.7	8	15.6	2.1-29.1	2	5.9	0.0-15.3	3	6.7	0.0-14.5			
H.S. or G.E.D.	559	71,018	461	73.2	67.3-79.1	58	15.0	10.1-19.9	22	7.1	3.4-10.8	15	4.5	1.8- 7.2	3	0.2	0.0- 0.4
Some Post-H.S.	729	105,327	598	76.1	71.4-80.8	76	13.4	9.7-17.1	24	5.3	2.6- 8.0	26	3.7	1.9- 5.5	5	1.4	0.0- 2.8
College Graduate	900	86,659	725	75.7	71.8-79.6	123	16.5	13.2-19.8	32	4.6	2.6- 6.6	18	3.1	1.3- 4.9	2	0.1	0.0- 0.3
Less than \$15,000	119	17,952	96	77.0	65.6-88.4	13	10.4	1.8-19.0	4	6.6	0.0-13.7	5	5.9	0.2-11.6	1	0.1	0.0- 0.3
\$15,000- 24,999	256	32,620	216	76.7	68.3-85.1	24	12.3	6.0-18.6	8	5.6	0.9-10.3	7	3.7	0.0- 7.8	1	1.7	0.0- 4.8
\$25,000- 34,999	194	21,504	160	75.3	64.1-86.5	19	15.0	4.6-25.4	6	2.0	0.0- 4.2	9	7.7	1.2-14.2			
\$35,000- 49,999	288	30,231	246	77.6	69.6-85.6	24	10.2	4.5-15.9	9	6.3	1.2-11.4	9	5.8	1.3-10.3			
\$50,000- 74,999	292	35,615	231	74.6	67.2-82.0	35	12.7	6.6-18.8	14	6.4	2.5-10.3	9	4.0	0.9- 7.1	3	2.3	0.0- 5.4
\$75,000+	648	88,499	511	73.9	69.2-78.6	99	18.9	14.6-23.2	25	4.7	2.2- 7.2	11	2.3	0.7- 3.9	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4465	584,508	3307	75.4	73.6-77.2	1158	24.6	22.8-26.4
Male	2163	299,340	1637	75.9	73.4-78.4	526	24.1	21.6-26.6
Female	2302	285,168	1670	74.8	72.3-77.3	632	25.2	22.7-27.7
Native	191	25,524	128	63.8	54.2-73.4	63	36.2	26.6-45.8
Non-Native	4200	549,938	3126	76.0	74.2-77.8	1074	24.0	22.2-25.8
18-24	224	81,452	193	85.3	80.0-90.6	31	14.7	9.4-20.0
25-34	403	113,247	321	80.4	75.9-84.9	82	19.6	15.1-24.1
35-44	482	95,368	380	73.7	68.6-78.8	102	26.3	21.2-31.4
45-54	511	78,985	397	75.6	71.1-80.1	114	24.4	19.9-28.9
55-64	930	91,715	695	72.6	68.9-76.3	235	27.4	23.7-31.1
65+	1915	123,740	1321	67.4	64.9-69.9	594	32.6	30.1-35.1
Less Than H.S.	193	45,870	111	59.5	49.5-69.5	82	40.5	30.5-50.5
H.S. or G.E.D.	1167	155,154	762	70.1	66.6-73.6	405	29.9	26.4-33.4
Some Post-H.S.	1443	224,079	1034	75.2	72.5-77.9	409	24.8	22.1-27.5
College Graduate	1653	158,034	1394	85.6	83.2-88.0	259	14.4	12.0-16.8
Less than \$15,000	209	30,511	121	65.6	56.6-74.6	88	34.4	25.4-43.4
\$15,000- 24,999	427	54,441	275	71.0	64.7-77.3	152	29.0	22.7-35.3
\$25,000- 34,999	350	42,072	232	67.2	60.3-74.1	118	32.8	25.9-39.7
\$35,000- 49,999	527	61,453	380	70.5	64.8-76.2	147	29.5	23.8-35.2
\$50,000- 74,999	646	78,889	496	78.6	74.3-82.9	150	21.4	17.1-25.7
\$75,000+	1456	206,335	1214	82.7	80.2-85.2	242	17.3	14.8-19.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2163	299,340	1637	75.9	73.4-78.4	526	24.1	21.6-26.6
Native	83	11,300	59	71.9	58.4-85.4	24	28.1	14.6-41.6
Non-Native	2034	282,092	1544	76.1	73.6-78.6	490	23.9	21.4-26.4
18-24	126	43,057	107	82.3	74.3-90.3	19	17.7	9.7-25.7
25-34	243	61,338	195	80.9	74.8-87.0	48	19.1	13.0-25.2
35-44	269	50,326	213	74.1	67.0-81.2	56	25.9	18.8-33.0
45-54	255	40,846	201	77.5	71.2-83.8	54	22.5	16.2-28.8
55-64	419	46,518	316	73.0	67.5-78.5	103	27.0	21.5-32.5
65+	851	57,255	605	68.6	64.7-72.5	246	31.4	27.5-35.3
Less Than H.S.	104	26,522	56	53.4	39.9-66.9	48	46.6	33.1-60.1
H.S. or G.E.D.	603	83,780	415	72.5	68.0-77.0	188	27.5	23.0-32.0
Some Post-H.S.	706	117,250	517	76.5	72.6-80.4	189	23.5	19.6-27.4
College Graduate	745	70,863	646	88.0	84.9-91.1	99	12.0	8.9-15.1
Less than \$15,000	87	12,321	51	71.3	59.0-83.6	36	28.7	16.4-41.0
\$15,000- 24,999	168	21,708	108	69.5	59.1-79.9	60	30.5	20.1-40.9
\$25,000- 34,999	154	20,207	109	69.7	60.5-78.9	45	30.3	21.1-39.5
\$35,000- 49,999	238	31,153	168	70.8	62.4-79.2	70	29.2	20.8-37.6
\$50,000- 74,999	351	42,724	275	79.3	73.8-84.8	76	20.7	15.2-26.2
\$75,000+	806	117,721	676	82.8	79.3-86.3	130	17.2	13.7-20.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2302	285,168	1670	74.8	72.3-77.3	632	25.2	22.7-27.7
Native	108	14,224	69	57.4	44.5-70.3	39	42.6	29.7-55.5
Non-Native	2166	267,846	1582	75.8	73.3-78.3	584	24.2	21.7-26.7
18-24	98	38,395	86	88.7	82.0-95.4	12	11.3	4.6-18.0
25-34	160	51,909	126	79.8	72.9-86.7	34	20.2	13.3-27.1
35-44	213	45,042	167	73.3	65.7-80.9	46	26.7	19.1-34.3
45-54	256	38,139	196	73.6	66.9-80.3	60	26.4	19.7-33.1
55-64	511	45,197	379	72.2	67.5-76.9	132	27.8	23.1-32.5
65+	1064	66,486	716	66.4	63.1-69.7	348	33.6	30.3-36.9
Less Than H.S.	89	19,348	55	67.9	54.6-81.2	34	32.1	18.8-45.4
H.S. or G.E.D.	564	71,375	347	67.3	61.8-72.8	217	32.7	27.2-38.2
Some Post-H.S.	737	106,829	517	73.9	69.8-78.0	220	26.1	22.0-30.2
College Graduate	908	87,171	748	83.6	80.3-86.9	160	16.4	13.1-19.7
Less than \$15,000	122	18,190	70	61.7	49.4-74.0	52	38.3	26.0-50.6
\$15,000- 24,999	259	32,732	167	72.0	64.2-79.8	92	28.0	20.2-35.8
\$25,000- 34,999	196	21,866	123	64.9	55.1-74.7	73	35.1	25.3-44.9
\$35,000- 49,999	289	30,300	212	70.2	62.4-78.0	77	29.8	22.0-37.6
\$50,000- 74,999	295	36,166	221	77.8	71.3-84.3	74	22.2	15.7-28.7
\$75,000+	650	88,614	538	82.5	78.8-86.2	112	17.5	13.8-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020

SECTION 5: INADEQUATE SLEEP CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 5: INADEQUATE SLEEP**

TABLE 1: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4419	578,327	1173	30.1	28.1-32.1	3084	66.8	64.8-68.8	162	3.1	2.5- 3.7
Male	2148	296,287	594	30.6	27.9-33.3	1469	66.5	63.8-69.2	85	2.9	2.1- 3.7
Female	2271	282,040	579	29.5	26.6-32.4	1615	67.2	64.3-70.1	77	3.3	2.1- 4.5
Native	190	25,509	75	42.4	32.8-52.0	107	54.2	44.6-63.8	8	3.4	0.3- 6.5
Non-Native	4161	544,472	1073	29.3	27.3-31.3	2938	67.7	65.7-69.7	150	3.1	2.3- 3.9
18-24	224	81,452	58	27.1	20.4-33.8	158	68.4	61.5-75.3	8	4.4	1.1- 7.7
25-34	399	112,337	144	38.3	32.6-44.0	247	60.3	54.6-66.0	8	1.3	0.3- 2.3
35-44	477	94,131	158	35.0	29.7-40.3	314	63.8	58.5-69.1	5	1.2	0.0- 2.4
45-54	507	78,259	152	29.9	25.2-34.6	346	68.1	63.4-72.8	9	2.0	0.4- 3.6
55-64	921	90,220	255	27.5	24.0-31.0	630	68.5	64.8-72.2	36	4.0	2.4- 5.6
65+	1891	121,927	406	22.6	20.2-25.0	1389	72.1	69.6-74.6	96	5.3	3.9- 6.7
Less Than H.S.	187	44,546	60	36.5	26.5-46.5	114	57.6	47.4-67.8	13	5.8	1.1-10.5
H.S. or G.E.D.	1149	152,945	343	33.3	29.6-37.0	743	61.8	57.9-65.7	63	5.0	3.2- 6.8
Some Post-H.S.	1432	222,583	407	31.7	28.4-35.0	977	66.1	62.8-69.4	48	2.2	1.4- 3.0
College Graduate	1643	157,102	362	23.0	20.3-25.7	1244	75.3	72.6-78.0	37	1.7	0.9- 2.5
Less than \$15,000	201	29,720	78	41.3	31.3-51.3	106	52.2	42.0-62.4	17	6.4	2.1-10.7
\$15,000- 24,999	419	53,541	148	46.4	39.0-53.8	241	47.1	39.7-54.5	30	6.6	3.5- 9.7
\$25,000- 34,999	349	42,047	85	30.7	23.6-37.8	248	65.9	58.8-73.0	16	3.4	1.2- 5.6
\$35,000- 49,999	526	61,198	141	31.4	25.5-37.3	365	66.8	60.9-72.7	20	1.9	0.9- 2.9
\$50,000- 74,999	641	78,514	176	32.4	27.1-37.7	443	65.3	60.0-70.6	22	2.3	1.1- 3.5
\$75,000+	1454	205,901	345	25.5	22.6-28.4	1086	72.8	69.9-75.7	23	1.7	0.7- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 5: INADEQUATE SLEEP**

TABLE 2: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2148	296,287	594	30.6	27.9-33.3	1469	66.5	63.8-69.2	85	2.9	2.1- 3.7
Native	83	11,300	24	31.6	18.1-45.1	55	66.7	53.0-80.4	4	1.7	0.0- 3.5
Non-Native	2024	279,519	551	30.1	27.4-32.8	1393	66.9	64.2-69.6	80	3.0	2.2- 3.8
18-24	126	43,057	29	21.8	13.6-30.0	95	76.7	68.5-84.9	2	1.5	0.0- 3.7
25-34	239	60,428	100	45.2	37.9-52.5	135	53.8	46.5-61.1	4	1.0	0.0- 2.0
35-44	267	50,002	92	34.4	27.5-41.3	171	63.7	56.6-70.8	4	1.9	0.0- 3.9
45-54	254	40,656	84	31.7	25.0-38.4	166	66.7	60.0-73.4	4	1.6	0.0- 3.2
55-64	414	45,456	121	26.5	21.4-31.6	276	69.6	64.3-74.9	17	3.9	1.7- 6.1
65+	848	56,687	168	20.9	17.6-24.2	626	72.0	68.3-75.7	54	7.1	4.7- 9.5
Less Than H.S.	101	25,440	30	31.4	18.9-43.9	64	65.3	52.6-78.0	7	3.3	0.2- 6.4
H.S. or G.E.D.	598	82,884	181	31.5	26.6-36.4	380	63.6	58.5-68.7	37	4.9	2.9- 6.9
Some Post-H.S.	702	116,652	201	31.4	26.9-35.9	476	66.5	62.0-71.0	25	2.1	1.1- 3.1
College Graduate	742	70,385	181	28.3	24.0-32.6	545	69.8	65.5-74.1	16	1.9	0.7- 3.1
Less than \$15,000	84	12,153	27	33.8	18.3-49.3	50	61.1	45.6-76.6	7	5.1	0.8- 9.4
\$15,000- 24,999	167	21,372	51	34.6	23.2-46.0	95	53.9	42.3-65.5	21	11.5	5.2-17.8
\$25,000- 34,999	154	20,207	40	32.6	22.8-42.4	104	61.5	51.5-71.5	10	5.9	1.8-10.0
\$35,000- 49,999	238	31,153	77	37.5	28.9-46.1	153	61.4	52.8-70.0	8	1.1	0.3- 1.9
\$50,000- 74,999	350	42,525	104	35.4	28.3-42.5	233	62.2	55.1-69.3	13	2.4	0.8- 4.0
\$75,000+	804	117,287	199	27.8	23.7-31.9	593	70.8	66.7-74.9	12	1.4	0.4- 2.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 5: INADEQUATE SLEEP**

TABLE 3: ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2271	282,040	579	29.5	26.6-32.4	1615	67.2	64.3-70.1	77	3.3	2.1- 4.5
Native	107	14,209	51	50.9	38.0-63.8	52	44.3	31.6-57.0	4	4.8	0.0-10.1
Non-Native	2137	264,953	522	28.5	25.6-31.4	1545	68.4	65.5-71.3	70	3.1	1.9- 4.3
18-24	98	38,395	29	33.2	22.8-43.6	63	59.1	48.1-70.1	6	7.7	1.2-14.2
25-34	160	51,909	44	30.3	21.7-38.9	112	68.0	59.4-76.6	4	1.7	0.0- 3.7
35-44	210	44,130	66	35.7	27.7-43.7	143	64.0	56.0-72.0	1	0.3	0.0- 0.9
45-54	253	37,603	68	27.9	21.4-34.4	180	69.7	63.0-76.4	5	2.4	0.0- 4.9
55-64	507	44,764	134	28.5	23.6-33.4	354	67.3	62.2-72.4	19	4.1	1.9- 6.3
65+	1043	65,240	238	24.1	21.0-27.2	763	72.2	68.9-75.5	42	3.8	2.4- 5.2
Less Than H.S.	86	19,106	30	43.4	27.5-59.3	50	47.4	31.5-63.3	6	9.2	0.0-19.2
H.S. or G.E.D.	551	70,061	162	35.4	29.3-41.5	363	59.5	53.4-65.6	26	5.1	2.4- 7.8
Some Post-H.S.	730	105,930	206	32.1	27.2-37.0	501	65.7	60.8-70.6	23	2.2	1.0- 3.4
College Graduate	901	86,717	181	18.6	15.3-21.9	699	79.8	76.5-83.1	21	1.6	0.6- 2.6
Less than \$15,000	117	17,567	51	46.5	33.2-59.8	56	46.1	32.8-59.4	10	7.3	0.6-14.0
\$15,000- 24,999	252	32,169	97	54.2	44.8-63.6	146	42.6	33.4-51.8	9	3.3	0.6- 6.0
\$25,000- 34,999	195	21,840	45	28.8	18.8-38.8	144	70.1	60.1-80.1	6	1.1	0.1- 2.1
\$35,000- 49,999	288	30,046	64	25.0	17.2-32.8	212	72.3	64.5-80.1	12	2.7	0.9- 4.5
\$50,000- 74,999	291	35,989	72	28.9	21.1-36.7	210	68.9	60.9-76.9	9	2.3	0.3- 4.3
\$75,000+	650	88,614	146	22.5	18.2-26.8	493	75.4	70.9-79.9	11	2.1	0.5- 3.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	(EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44
	(EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	45
8	MALES ONLY	46
9	FEMALES ONLY	47
	(EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	48
11	MALES ONLY	49
12	FEMALES ONLY	50
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	51
14	MALES ONLY	52
15	FEMALES ONLY	53
	(EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	54
17	MALES ONLY	55
18	FEMALES ONLY	56
	(EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	57
20	MALES ONLY	58
21	FEMALES ONLY	59
	(EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)	62
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)	65
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)	68
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)	71
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)	74
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4453	582,511	282	4.1	3.5- 4.7	4171	95.9	95.3-96.5
Male	2156	298,218	183	5.2	4.2- 6.2	1973	94.8	93.8-95.8
Female	2297	284,293	99	2.9	2.1- 3.7	2198	97.1	96.3-97.9
Native	191	25,524	13	4.2	1.1- 7.3	178	95.8	92.7-98.9
Non-Native	4189	547,979	264	4.1	3.5- 4.7	3925	95.9	95.3-96.5
18-24	223	81,290				223	100.0	100.0- 100
25-34	401	112,326	3	1.1	0.0- 2.3	398	98.9	97.7- 100
35-44	480	94,892	6	1.8	0.2- 3.4	474	98.2	96.6-99.8
45-54	512	79,138	11	2.3	0.7- 3.9	501	97.7	96.1-99.3
55-64	929	91,677	45	4.6	3.0- 6.2	884	95.4	93.8-97.0
65+	1908	123,188	217	11.9	10.1-13.7	1691	88.1	86.3-89.9
Less Than H.S.	190	45,575	32	9.8	5.5-14.1	158	90.2	85.9-94.5
H.S. or G.E.D.	1162	154,550	86	4.5	3.3- 5.7	1076	95.5	94.3-96.7
Some Post-H.S.	1441	223,168	91	3.7	2.7- 4.7	1350	96.3	95.3-97.3
College Graduate	1651	157,847	72	2.4	1.6- 3.2	1579	97.6	96.8-98.4
Less than \$15,000	205	29,902	24	6.0	3.1- 8.9	181	94.0	91.1-96.9
\$15,000- 24,999	424	54,265	48	9.2	5.5-12.9	376	90.8	87.1-94.5
\$25,000- 34,999	350	42,033	24	4.8	2.4- 7.2	326	95.2	92.8-97.6
\$35,000- 49,999	526	61,400	39	4.6	2.8- 6.4	487	95.4	93.6-97.2
\$50,000- 74,999	645	78,355	55	5.9	3.9- 7.9	590	94.1	92.1-96.1
\$75,000+	1457	206,410	40	1.9	1.1- 2.7	1417	98.1	97.3-98.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2156	298,218	183	5.2	4.2- 6.2	1973	94.8	93.8-95.8
Native	83	11,300	6	3.4	0.0- 6.9	77	96.6	93.1- 100
Non-Native	2028	281,008	173	5.2	4.2- 6.2	1855	94.8	93.8-95.8
18-24	125	42,895				125	100.0	100.0- 100
25-34	241	60,417	2	1.1	0.0- 2.7	239	98.9	97.3- 100
35-44	268	50,290	5	2.6	0.1- 5.1	263	97.4	94.9-99.9
45-54	256	40,999	7	2.7	0.2- 5.2	249	97.3	94.8-99.8
55-64	417	46,437	27	5.0	2.8- 7.2	390	95.0	92.8-97.2
65+	849	57,180	142	17.5	14.2-20.8	707	82.5	79.2-85.8
Less Than H.S.	104	26,522	21	11.6	5.1-18.1	83	88.4	81.9-94.9
H.S. or G.E.D.	597	83,151	54	5.6	3.8- 7.4	543	94.4	92.6-96.2
Some Post-H.S.	707	116,942	61	4.7	3.1- 6.3	646	95.3	93.7-96.9
College Graduate	743	70,676	46	3.1	1.9- 4.3	697	96.9	95.7-98.1
Less than \$15,000	84	11,856	10	5.7	1.4-10.0	74	94.3	90.0-98.6
\$15,000- 24,999	166	21,643	27	12.5	5.4-19.6	139	87.5	80.4-94.6
\$25,000- 34,999	153	20,122	18	8.3	3.8-12.8	135	91.7	87.2-96.2
\$35,000- 49,999	238	31,153	27	7.1	4.0-10.2	211	92.9	89.8-96.0
\$50,000- 74,999	350	42,189	42	8.6	5.1-12.1	308	91.4	87.9-94.9
\$75,000+	807	117,795	32	2.4	1.4- 3.4	775	97.6	96.6-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2297	284,293	99	2.9	2.1- 3.7	2198	97.1	96.3-97.9
Native	108	14,224	7	4.9	0.0- 9.8	101	95.1	90.2- 100
Non-Native	2161	266,972	91	2.8	2.0- 3.6	2070	97.2	96.4-98.0
18-24	98	38,395				98	100.0	100.0- 100
25-34	160	51,909	1	1.0	0.0- 3.0	159	99.0	97.0- 100
35-44	212	44,602	1	1.0	0.0- 3.0	211	99.0	97.0- 100
45-54	256	38,139	4	1.9	0.0- 3.9	252	98.1	96.1- 100
55-64	512	45,240	18	4.1	1.7- 6.5	494	95.9	93.5-98.3
65+	1059	66,008	75	7.1	5.1- 9.1	984	92.9	90.9-94.9
Less Than H.S.	86	19,053	11	7.2	1.9-12.5	75	92.8	87.5-98.1
H.S. or G.E.D.	565	71,398	32	3.3	1.9- 4.7	533	96.7	95.3-98.1
Some Post-H.S.	734	106,226	30	2.7	1.1- 4.3	704	97.3	95.7-98.9
College Graduate	908	87,171	26	1.9	0.9- 2.9	882	98.1	97.1-99.1
Less than \$15,000	121	18,047	14	6.2	2.1-10.3	107	93.8	89.7-97.9
\$15,000- 24,999	258	32,621	21	6.9	2.8-11.0	237	93.1	89.0-97.2
\$25,000- 34,999	197	21,911	6	1.6	0.2- 3.0	191	98.4	97.0-99.8
\$35,000- 49,999	288	30,248	12	2.0	0.6- 3.4	276	98.0	96.6-99.4
\$50,000- 74,999	295	36,166	13	2.7	1.1- 4.3	282	97.3	95.7-98.9
\$75,000+	650	88,614	8	1.2	0.0- 2.4	642	98.8	97.6- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4413	579,496	305	4.1	3.5- 4.7	4108	95.9	95.3-96.5
Male	2136	296,358	188	5.0	4.2- 5.8	1948	95.0	94.2-95.8
Female	2277	283,138	117	3.0	2.2- 3.8	2160	97.0	96.2-97.8
Native	189	25,436	17	5.3	2.0- 8.6	172	94.7	91.4-98.0
Non-Native	4151	545,052	284	4.0	3.4- 4.6	3867	96.0	95.4-96.6
18-24	224	81,452				224	100.0	100.0- 100
25-34	401	112,358				401	100.0	100.0- 100
35-44	478	94,471	3	0.8	0.0- 1.8	475	99.2	98.2- 100
45-54	512	79,138	10	2.2	0.6- 3.8	502	97.8	96.2-99.4
55-64	924	91,383	51	5.0	3.4- 6.6	873	95.0	93.4-96.6
65+	1874	120,693	241	13.7	11.7-15.7	1633	86.3	84.3-88.3
Less Than H.S.	187	45,175	29	8.6	4.9-12.3	158	91.4	87.7-95.1
H.S. or G.E.D.	1152	154,049	86	4.5	3.3- 5.7	1066	95.5	94.3-96.7
Some Post-H.S.	1423	221,384	108	3.7	2.9- 4.5	1315	96.3	95.5-97.1
College Graduate	1642	157,518	82	2.9	2.1- 3.7	1560	97.1	96.3-97.9
Less than \$15,000	206	30,109	21	5.9	3.0- 8.8	185	94.1	91.2-97.0
\$15,000- 24,999	422	53,910	46	8.3	5.2-11.4	376	91.7	88.6-94.8
\$25,000- 34,999	347	41,911	42	7.8	5.1-10.5	305	92.2	89.5-94.9
\$35,000- 49,999	523	61,139	47	4.7	3.1- 6.3	476	95.3	93.7-96.9
\$50,000- 74,999	635	77,404	46	4.1	2.7- 5.5	589	95.9	94.5-97.3
\$75,000+	1452	206,101	52	2.0	1.4- 2.6	1400	98.0	97.4-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2136	296,358	188	5.0	4.2- 5.8	1948	95.0	94.2-95.8
Native	81	11,212	5	3.6	0.0- 7.5	76	96.4	92.5- 100
Non-Native	2010	279,236	181	5.1	4.1- 6.1	1829	94.9	93.9-95.9
18-24	126	43,057				126	100.0	100.0- 100
25-34	241	60,449				241	100.0	100.0- 100
35-44	266	49,869	2	0.6	0.0- 1.4	264	99.4	98.6- 100
45-54	256	40,999	7	2.6	0.2- 5.0	249	97.4	95.0-99.8
55-64	417	46,428	29	5.8	3.4- 8.2	388	94.2	91.8-96.6
65+	830	55,556	150	19.6	16.3-22.9	680	80.4	77.1-83.7
Less Than H.S.	100	25,968	19	9.2	4.1-14.3	81	90.8	85.7-95.9
H.S. or G.E.D.	594	83,057	57	5.3	3.7- 6.9	537	94.7	93.1-96.3
Some Post-H.S.	697	115,769	62	4.6	3.2- 6.0	635	95.4	94.0-96.8
College Graduate	740	70,638	50	4.0	2.6- 5.4	690	96.0	94.6-97.4
Less than \$15,000	85	11,931	11	7.6	2.3-12.9	74	92.4	87.1-97.7
\$15,000- 24,999	166	21,355	24	10.7	5.2-16.2	142	89.3	83.8-94.8
\$25,000- 34,999	153	20,191	24	11.6	6.5-16.7	129	88.4	83.3-93.5
\$35,000- 49,999	237	31,002	29	6.5	3.8- 9.2	208	93.5	90.8-96.2
\$50,000- 74,999	343	41,410	32	5.3	3.1- 7.5	311	94.7	92.5-96.9
\$75,000+	804	117,659	42	3.0	2.0- 4.0	762	97.0	96.0-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: (EVER TOLD) (YOU HAD) ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2277	283,138	117	3.0	2.2- 3.8	2160	97.0	96.2-97.8
Native	108	14,224	12	6.6	1.3-11.9	96	93.4	88.1-98.7
Non-Native	2141	265,816	103	2.8	2.0- 3.6	2038	97.2	96.4-98.0
18-24	98	38,395				98	100.0	100.0- 100
25-34	160	51,909				160	100.0	100.0- 100
35-44	212	44,602	1	1.0	0.0- 3.0	211	99.0	97.0- 100
45-54	256	38,139	3	1.8	0.0- 4.0	253	98.2	96.0- 100
55-64	507	44,956	22	4.2	2.0- 6.4	485	95.8	93.6-98.0
65+	1044	65,137	91	8.5	6.5-10.5	953	91.5	89.5-93.5
Less Than H.S.	87	19,206	10	7.8	2.1-13.5	77	92.2	86.5-97.9
H.S. or G.E.D.	558	70,991	29	3.5	1.7- 5.3	529	96.5	94.7-98.3
Some Post-H.S.	726	105,615	46	2.8	1.8- 3.8	680	97.2	96.2-98.2
College Graduate	902	86,880	32	1.9	1.1- 2.7	870	98.1	97.3-98.9
Less than \$15,000	121	18,178	10	4.7	1.2- 8.2	111	95.3	91.8-98.8
\$15,000- 24,999	256	32,556	22	6.7	3.2-10.2	234	93.3	89.8-96.8
\$25,000- 34,999	194	21,720	18	4.4	2.0- 6.8	176	95.6	93.2-98.0
\$35,000- 49,999	286	30,136	18	2.8	1.0- 4.6	268	97.2	95.4-99.0
\$50,000- 74,999	292	35,995	14	2.6	1.0- 4.2	278	97.4	95.8-99.0
\$75,000+	648	88,442	10	0.8	0.2- 1.4	638	99.2	98.6-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 7: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4455	582,784	182	2.8	2.2- 3.4	4273	97.2	96.6-97.8
Male	2156	298,174	95	3.0	2.2- 3.8	2061	97.0	96.2-97.8
Female	2299	284,610	87	2.7	1.7- 3.7	2212	97.3	96.3-98.3
Native	191	25,524	10	2.7	0.2- 5.2	181	97.3	94.8-99.8
Non-Native	4191	548,252	170	2.8	2.2- 3.4	4021	97.2	96.6-97.8
18-24	223	81,290				223	100.0	100.0- 100
25-34	402	112,712	3	1.4	0.0- 3.2	399	98.6	96.8- 100
35-44	481	94,928	3	0.3	0.0- 0.7	478	99.7	99.3- 100
45-54	512	79,138	10	2.1	0.5- 3.7	502	97.9	96.3-99.5
55-64	926	91,384	33	5.1	2.7- 7.5	893	94.9	92.5-97.3
65+	1911	123,332	133	6.7	5.3- 8.1	1778	93.3	91.9-94.7
Less Than H.S.	192	45,546	17	8.5	2.8-14.2	175	91.5	85.8-97.2
H.S. or G.E.D.	1165	155,072	69	3.3	2.3- 4.3	1096	96.7	95.7-97.7
Some Post-H.S.	1439	222,978	54	2.3	1.5- 3.1	1385	97.7	96.9-98.5
College Graduate	1650	157,817	41	1.5	0.9- 2.1	1609	98.5	97.9-99.1
Less than \$15,000	208	30,418	16	4.9	1.6- 8.2	192	95.1	91.8-98.4
\$15,000- 24,999	426	54,392	36	5.2	2.7- 7.7	390	94.8	92.3-97.3
\$25,000- 34,999	351	42,118	20	3.0	1.4- 4.6	331	97.0	95.4-98.6
\$35,000- 49,999	527	61,453	24	2.7	1.3- 4.1	503	97.3	95.9-98.7
\$50,000- 74,999	643	78,209	25	2.4	1.2- 3.6	618	97.6	96.4-98.8
\$75,000+	1455	206,302	28	1.5	0.9- 2.1	1427	98.5	97.9-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 8: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2156	298,174	95	3.0	2.2- 3.8	2061	97.0	96.2-97.8
Native	83	11,300	3	1.0	0.0- 2.2	80	99.0	97.8- 100
Non-Native	2028	280,964	92	3.1	2.1- 4.1	1936	96.9	95.9-97.9
18-24	125	42,895				125	100.0	100.0- 100
25-34	242	60,803	1	0.6	0.0- 1.8	241	99.4	98.2- 100
35-44	269	50,326	2	0.3	0.0- 0.7	267	99.7	99.3- 100
45-54	256	40,999	5	2.6	0.0- 5.3	251	97.4	94.7- 100
55-64	416	46,257	23	7.4	3.5-11.3	393	92.6	88.7-96.5
65+	848	56,894	64	6.8	4.8- 8.8	784	93.2	91.2-95.2
Less Than H.S.	103	26,198	7	5.8	0.0-11.9	96	94.2	88.1- 100
H.S. or G.E.D.	601	83,705	35	3.6	2.2- 5.0	566	96.4	95.0-97.8
Some Post-H.S.	704	116,671	26	2.6	1.2- 4.0	678	97.4	96.0-98.8
College Graduate	743	70,674	27	1.9	0.9- 2.9	716	98.1	97.1-99.1
Less than \$15,000	86	12,216	6	6.0	0.0-12.5	80	94.0	87.5- 100
\$15,000- 24,999	167	21,659	18	7.4	2.1-12.7	149	92.6	87.3-97.9
\$25,000- 34,999	154	20,207	9	2.8	0.6- 5.0	145	97.2	95.0-99.4
\$35,000- 49,999	238	31,153	13	2.7	0.9- 4.5	225	97.3	95.5-99.1
\$50,000- 74,999	349	42,071	17	2.9	1.3- 4.5	332	97.1	95.5-98.7
\$75,000+	806	117,769	20	1.9	0.9- 2.9	786	98.1	97.1-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 9: (EVER TOLD) (YOU HAD) A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2299	284,610	87	2.7	1.7- 3.7	2212	97.3	96.3-98.3
Native	108	14,224	7	4.0	0.0- 8.5	101	96.0	91.5- 100
Non-Native	2163	267,288	78	2.5	1.5- 3.5	2085	97.5	96.5-98.5
18-24	98	38,395				98	100.0	100.0- 100
25-34	160	51,909	2	2.4	0.0- 6.1	158	97.6	93.9- 100
35-44	212	44,602	1	0.3	0.0- 0.9	211	99.7	99.1- 100
45-54	256	38,139	5	1.6	0.0- 3.2	251	98.4	96.8- 100
55-64	510	45,127	10	2.6	0.6- 4.6	500	97.4	95.4-99.4
65+	1063	66,438	69	6.6	4.6- 8.6	994	93.4	91.4-95.4
Less Than H.S.	89	19,348	10	12.1	1.7-22.5	79	87.9	77.5-98.3
H.S. or G.E.D.	564	71,367	34	2.9	1.7- 4.1	530	97.1	95.9-98.3
Some Post-H.S.	735	106,307	28	1.9	0.9- 2.9	707	98.1	97.1-99.1
College Graduate	907	87,142	14	1.2	0.4- 2.0	893	98.8	98.0-99.6
Less than \$15,000	122	18,201	10	4.2	0.9- 7.5	112	95.8	92.5-99.1
\$15,000- 24,999	259	32,732	18	3.7	1.3- 6.1	241	96.3	93.9-98.7
\$25,000- 34,999	197	21,911	11	3.1	0.9- 5.3	186	96.9	94.7-99.1
\$35,000- 49,999	289	30,300	11	2.6	0.4- 4.8	278	97.4	95.2-99.6
\$50,000- 74,999	294	36,137	8	1.7	0.1- 3.3	286	98.3	96.7-99.9
\$75,000+	649	88,532	8	0.9	0.1- 1.7	641	99.1	98.3-99.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 10: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4453	582,564	467	11.9	10.5-13.3	3986	88.1	86.7-89.5
Male	2155	298,105	177	9.1	7.3-10.9	1978	90.9	89.1-92.7
Female	2298	284,459	290	14.8	12.4-17.2	2008	85.2	82.8-87.6
Native	191	25,524	35	19.7	11.7-27.7	156	80.3	72.3-88.3
Non-Native	4189	548,032	427	11.6	10.2-13.0	3762	88.4	87.0-89.8
18-24	223	81,096	39	16.5	11.2-21.8	184	83.5	78.2-88.8
25-34	401	112,672	49	12.3	8.2-16.4	352	87.7	83.6-91.8
35-44	480	94,737	64	16.2	11.9-20.5	416	83.8	79.5-88.1
45-54	512	79,138	52	8.9	6.2-11.6	460	91.1	88.4-93.8
55-64	930	91,720	85	9.1	6.9-11.3	845	90.9	88.7-93.1
65+	1907	123,200	178	9.2	7.6-10.8	1729	90.8	89.2-92.4
Less Than H.S.	192	45,815	19	13.2	5.6-20.8	173	86.8	79.2-94.4
H.S. or G.E.D.	1166	155,093	136	14.0	11.1-16.9	1030	86.0	83.1-88.9
Some Post-H.S.	1437	223,044	139	10.9	8.7-13.1	1298	89.1	86.9-91.3
College Graduate	1649	157,241	173	10.9	8.9-12.9	1476	89.1	87.1-91.1
Less than \$15,000	208	30,458	35	22.2	14.2-30.2	173	77.8	69.8-85.8
\$15,000- 24,999	425	54,279	49	14.1	8.4-19.8	376	85.9	80.2-91.6
\$25,000- 34,999	348	41,665	44	15.7	9.4-22.0	304	84.3	78.0-90.6
\$35,000- 49,999	526	61,097	57	11.7	7.4-16.0	469	88.3	84.0-92.6
\$50,000- 74,999	644	78,628	64	9.5	6.6-12.4	580	90.5	87.6-93.4
\$75,000+	1454	205,971	126	10.2	8.0-12.4	1328	89.8	87.6-92.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 11: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2155	298,105	177	9.1	7.3-10.9	1978	90.9	89.1-92.7
Native	83	11,300	15	19.7	8.3-31.1	68	80.3	68.9-91.7
Non-Native	2027	280,896	161	8.8	7.0-10.6	1866	91.2	89.4-93.0
18-24	125	42,701	21	16.8	9.4-24.2	104	83.2	75.8-90.6
25-34	242	60,979	22	7.1	3.8-10.4	220	92.9	89.6-96.2
35-44	268	50,136	31	13.7	8.4-19.0	237	86.3	81.0-91.6
45-54	256	40,999	26	7.8	4.3-11.3	230	92.2	88.7-95.7
55-64	418	46,480	25	5.1	2.7- 7.5	393	94.9	92.5-97.3
65+	846	56,810	52	5.5	3.7- 7.3	794	94.5	92.7-96.3
Less Than H.S.	103	26,467	7	7.6	0.7-14.5	96	92.4	85.5-99.3
H.S. or G.E.D.	601	83,695	63	10.8	7.3-14.3	538	89.2	85.7-92.7
Some Post-H.S.	703	116,701	47	8.1	5.4-10.8	656	91.9	89.2-94.6
College Graduate	743	70,317	60	9.5	6.6-12.4	683	90.5	87.6-93.4
Less than \$15,000	85	12,225	12	22.1	8.6-35.6	73	77.9	64.4-91.4
\$15,000- 24,999	166	21,547	13	11.5	2.9-20.1	153	88.5	79.9-97.1
\$25,000- 34,999	153	19,848	18	11.3	5.0-17.6	135	88.7	82.4-95.0
\$35,000- 49,999	237	30,797	14	5.9	1.8-10.0	223	94.1	90.0-98.2
\$50,000- 74,999	349	42,462	27	7.4	3.9-10.9	322	92.6	89.1-96.1
\$75,000+	806	117,605	63	8.2	5.7-10.7	743	91.8	89.3-94.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 12: (EVER TOLD) (YOU HAD) ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2298	284,459	290	14.8	12.4-17.2	2008	85.2	82.8-87.6
Native	108	14,224	20	19.7	8.3-31.1	88	80.3	68.9-91.7
Non-Native	2162	267,137	266	14.6	12.2-17.0	1896	85.4	83.0-87.8
18-24	98	38,395	18	16.1	8.7-23.5	80	83.9	76.5-91.3
25-34	159	51,693	27	18.5	10.9-26.1	132	81.5	73.9-89.1
35-44	212	44,602	33	19.0	12.1-25.9	179	81.0	74.1-87.9
45-54	256	38,139	26	10.1	5.8-14.4	230	89.9	85.6-94.2
55-64	512	45,240	60	13.1	9.4-16.8	452	86.9	83.2-90.6
65+	1061	66,390	126	12.2	9.8-14.6	935	87.8	85.4-90.2
Less Than H.S.	89	19,348	12	20.9	6.2-35.6	77	79.1	64.4-93.8
H.S. or G.E.D.	565	71,399	73	17.9	13.0-22.8	492	82.1	77.2-87.0
Some Post-H.S.	734	106,342	92	14.1	10.6-17.6	642	85.9	82.4-89.4
College Graduate	906	86,924	113	11.9	9.2-14.6	793	88.1	85.4-90.8
Less than \$15,000	123	18,233	23	22.2	12.0-32.4	100	77.8	67.6-88.0
\$15,000- 24,999	259	32,732	36	15.8	8.2-23.4	223	84.2	76.6-91.8
\$25,000- 34,999	195	21,817	26	19.8	9.6-30.0	169	80.2	70.0-90.4
\$35,000- 49,999	289	30,300	43	17.7	10.6-24.8	246	82.3	75.2-89.4
\$50,000- 74,999	295	36,166	37	11.9	7.0-16.8	258	88.1	83.2-93.0
\$75,000+	648	88,366	63	12.9	9.0-16.8	585	87.1	83.2-91.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	451	67,704	352	73.7	67.6-79.8	99	26.3	20.2-32.4
Male	167	25,884	117	61.5	51.3-71.7	50	38.5	28.3-48.7
Female	284	41,819	235	81.2	73.9-88.5	49	18.8	11.5-26.1
Non-Native	413	62,102	323	73.8	67.5-80.1	90	26.2	19.9-32.5
35-44	61	14,579	45	79.8	69.0-90.6	16	20.2	9.4-31.0
45-54	51	7,046	42	84.4	74.0-94.8	9	15.6	5.2-26.0
55-64	83	8,174	71	83.8	74.4-93.2	12	16.2	6.8-25.6
65+	171	10,945	143	86.3	80.2-92.4	28	13.7	7.6-19.8
H.S. or G.E.D.	135	21,698	102	68.4	57.4-79.4	33	31.6	20.6-42.6
Some Post-H.S.	131	23,315	105	76.3	66.1-86.5	26	23.7	13.5-33.9
College Graduate	166	16,638	130	75.4	66.4-84.4	36	24.6	15.6-33.6
\$35,000- 49,999	56	7,126	44	77.1	62.0-92.2	12	22.9	7.8-38.0
\$50,000- 74,999	61	7,246	44	71.9	55.8-88.0	17	28.1	12.0-44.2
\$75,000+	122	20,638	92	66.1	54.1-78.1	30	33.9	21.9-45.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	167	25,884	117	61.5	51.3-71.7	50	38.5	28.3-48.7
Non-Native	151	23,366	106	61.6	50.8-72.4	45	38.4	27.6-49.2
65+	50	3,059	44	94.1	88.8-99.4	6	5.9	0.6-11.2
H.S. or G.E.D.	63	9,004	43	48.9	32.0-65.8	20	51.1	34.2-68.0
College Graduate	54	6,330	39	63.1	45.9-80.3	15	36.9	19.7-54.1
\$75,000+	60	9,317	40	52.4	35.9-68.9	20	47.6	31.1-64.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	284	41,819	235	81.2	73.9-88.5	49	18.8	11.5-26.1
Non-Native	262	38,736	217	81.1	73.5-88.7	45	18.9	11.3-26.5
55-64	60	5,930	53	87.6	77.8-97.4	7	12.4	2.6-22.2
65+	121	7,886	99	83.2	75.4-91.0	22	16.8	9.0-24.6
H.S. or G.E.D.	72	12,694	59	82.3	70.5-94.1	13	17.7	5.9-29.5
Some Post-H.S.	88	14,779	76	82.8	70.8-94.8	12	17.2	5.2-29.2
College Graduate	112	10,308	91	82.9	74.3-91.5	21	17.1	8.5-25.7
\$75,000+	62	11,321	52	77.5	61.6-93.4	10	22.5	6.6-38.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 16: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4461	583,629	361	4.9	4.3- 5.5	4100	95.1	94.5-95.7
Male	2160	298,951	169	4.5	3.5- 5.5	1991	95.5	94.5-96.5
Female	2301	284,678	192	5.3	4.3- 6.3	2109	94.7	93.7-95.7
Native	191	25,524	6	1.7	0.0- 3.5	185	98.3	96.5- 100
Non-Native	4196	549,059	352	5.1	4.5- 5.7	3844	94.9	94.3-95.5
18-24	223	81,098				223	100.0	100.0- 100
25-34	403	113,247	3	0.6	0.0- 1.4	400	99.4	98.6- 100
35-44	481	94,928	7	1.4	0.2- 2.6	474	98.6	97.4-99.8
45-54	511	79,065	12	2.7	0.9- 4.5	499	97.3	95.5-99.1
55-64	931	91,758	65	7.4	5.2- 9.6	866	92.6	90.4-94.8
65+	1912	123,533	274	14.1	12.1-16.1	1638	85.9	83.9-87.9
Less Than H.S.	193	45,870	20	6.5	3.2- 9.8	173	93.5	90.2-96.8
H.S. or G.E.D.	1167	154,824	95	4.5	3.3- 5.7	1072	95.5	94.3-96.7
Some Post-H.S.	1442	223,656	109	4.4	3.4- 5.4	1333	95.6	94.6-96.6
College Graduate	1650	157,908	136	5.5	4.3- 6.7	1514	94.5	93.3-95.7
Less than \$15,000	210	30,554	13	4.1	1.2- 7.0	197	95.9	93.0-98.8
\$15,000- 24,999	427	54,441	33	4.8	2.6- 7.0	394	95.2	93.0-97.4
\$25,000- 34,999	351	42,118	31	4.9	2.4- 7.4	320	95.1	92.6-97.6
\$35,000- 49,999	526	61,388	47	5.7	3.7- 7.7	479	94.3	92.3-96.3
\$50,000- 74,999	645	78,863	62	5.7	3.9- 7.5	583	94.3	92.5-96.1
\$75,000+	1455	206,310	98	4.4	3.2- 5.6	1357	95.6	94.4-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 17: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2160	298,951	169	4.5	3.5- 5.5	1991	95.5	94.5-96.5
Native	83	11,300	2	0.5	0.0- 1.1	81	99.5	98.9- 100
Non-Native	2031	281,703	165	4.7	3.7- 5.7	1866	95.3	94.3-96.3
18-24	125	42,703				125	100.0	100.0- 100
25-34	243	61,338	1	0.5	0.0- 1.5	242	99.5	98.5- 100
35-44	269	50,326	1	0.3	0.0- 0.9	268	99.7	99.1- 100
45-54	256	40,999	3	1.7	0.0- 3.7	253	98.3	96.3- 100
55-64	419	46,518	27	7.2	3.9-10.5	392	92.8	89.5-96.1
65+	848	57,067	137	15.9	12.8-19.0	711	84.1	81.0-87.2
Less Than H.S.	104	26,522	12	7.4	2.3-12.5	92	92.6	87.5-97.7
H.S. or G.E.D.	602	83,426	51	4.9	3.1- 6.7	551	95.1	93.3-96.9
Some Post-H.S.	706	117,266	48	3.7	2.3- 5.1	658	96.3	94.9-97.7
College Graduate	743	70,811	58	4.4	3.0- 5.8	685	95.6	94.2-97.0
Less than \$15,000	87	12,321	7	6.7	0.2-13.2	80	93.3	86.8-99.8
\$15,000- 24,999	168	21,708	15	6.5	2.2-10.8	153	93.5	89.2-97.8
\$25,000- 34,999	154	20,207	17	6.3	1.8-10.8	137	93.7	89.2-98.2
\$35,000- 49,999	238	31,153	18	4.0	1.6- 6.4	220	96.0	93.6-98.4
\$50,000- 74,999	350	42,697	37	5.2	3.2- 7.2	313	94.8	92.8-96.8
\$75,000+	806	117,770	47	3.7	2.3- 5.1	759	96.3	94.9-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 18: (EVER TOLD) (YOU HAD) SKIN CANCER? (CHCSCNCR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2301	284,678	192	5.3	4.3- 6.3	2109	94.7	93.7-95.7
Native	108	14,224	4	2.8	0.0- 5.7	104	97.2	94.3- 100
Non-Native	2165	267,357	187	5.4	4.4- 6.4	1978	94.6	93.6-95.6
18-24	98	38,395				98	100.0	100.0- 100
25-34	160	51,909	2	0.8	0.0- 2.0	158	99.2	98.0- 100
35-44	212	44,602	6	2.7	0.5- 4.9	206	97.3	95.1-99.5
45-54	255	38,066	9	3.9	1.0- 6.8	246	96.1	93.2-99.0
55-64	512	45,240	38	7.6	4.9-10.3	474	92.4	89.7-95.1
65+	1064	66,467	137	12.7	10.3-15.1	927	87.3	84.9-89.7
Less Than H.S.	89	19,348	8	5.3	1.2- 9.4	81	94.7	90.6-98.8
H.S. or G.E.D.	565	71,399	44	4.0	2.4- 5.6	521	96.0	94.4-97.6
Some Post-H.S.	736	106,389	61	5.1	3.5- 6.7	675	94.9	93.3-96.5
College Graduate	907	87,097	78	6.5	4.7- 8.3	829	93.5	91.7-95.3
Less than \$15,000	123	18,233	6	2.3	0.1- 4.5	117	97.7	95.5-99.9
\$15,000- 24,999	259	32,732	18	3.7	1.5- 5.9	241	96.3	94.1-98.5
\$25,000- 34,999	197	21,911	14	3.7	1.5- 5.9	183	96.3	94.1-98.5
\$35,000- 49,999	288	30,236	29	7.3	4.0-10.6	259	92.7	89.4-96.0
\$50,000- 74,999	295	36,166	25	6.3	3.4- 9.2	270	93.7	90.8-96.6
\$75,000+	649	88,541	51	5.3	3.5- 7.1	598	94.7	92.9-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4461	583,794	492	6.6	5.8- 7.4	3969	93.4	92.6-94.2
Male	2161	299,392	213	6.2	5.0- 7.4	1948	93.8	92.6-95.0
Female	2300	284,402	279	7.1	5.9- 8.3	2021	92.9	91.7-94.1
Native	190	25,492	8	1.4	0.2- 2.6	182	98.6	97.4-99.8
Non-Native	4198	549,290	479	6.9	6.1- 7.7	3719	93.1	92.3-93.9
18-24	224	81,452				224	100.0	100.0- 100
25-34	403	113,247	3	1.6	0.0- 3.6	400	98.4	96.4- 100
35-44	480	94,680	13	1.9	0.7- 3.1	467	98.1	96.9-99.3
45-54	511	79,104	27	6.0	3.5- 8.5	484	94.0	91.5-96.5
55-64	931	91,758	88	9.1	6.9-11.3	843	90.9	88.7-93.1
65+	1912	123,553	361	17.9	15.9-19.9	1551	82.1	80.1-84.1
Less Than H.S.	192	45,758	23	8.7	3.6-13.8	169	91.3	86.2-96.4
H.S. or G.E.D.	1168	155,191	144	6.4	5.2- 7.6	1024	93.6	92.4-94.8
Some Post-H.S.	1441	223,532	158	6.7	5.3- 8.1	1283	93.3	91.9-94.7
College Graduate	1652	157,976	167	6.3	5.1- 7.5	1485	93.7	92.5-94.9
Less than \$15,000	208	30,193	16	2.8	1.0- 4.6	192	97.2	95.4-99.0
\$15,000- 24,999	427	54,441	67	8.4	5.7-11.1	360	91.6	88.9-94.3
\$25,000- 34,999	350	42,086	46	10.5	5.4-15.6	304	89.5	84.4-94.6
\$35,000- 49,999	527	61,453	70	8.3	5.9-10.7	457	91.7	89.3-94.1
\$50,000- 74,999	646	78,889	73	6.9	4.9- 8.9	573	93.1	91.1-95.1
\$75,000+	1457	206,410	122	5.2	4.0- 6.4	1335	94.8	93.6-96.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 20: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2161	299,392	213	6.2	5.2- 7.2	1948	93.8	92.8-94.8
Native	82	11,268	2	0.9	0.0- 2.5	80	99.1	97.5- 100
Non-Native	2034	282,210	208	6.5	5.3- 7.7	1826	93.5	92.3-94.7
18-24	126	43,057				126	100.0	100.0- 100
25-34	243	61,338	1	0.7	0.0- 2.1	242	99.3	97.9- 100
35-44	269	50,326	6	1.7	0.1- 3.3	263	98.3	96.7-99.9
45-54	255	40,965	12	7.1	3.0-11.2	243	92.9	88.8-97.0
55-64	419	46,518	35	7.8	4.7-10.9	384	92.2	89.1-95.3
65+	849	57,188	159	18.9	15.8-22.0	690	81.1	78.0-84.2
Less Than H.S.	104	26,522	14	6.5	2.2-10.8	90	93.5	89.2-97.8
H.S. or G.E.D.	602	83,728	65	5.8	4.0- 7.6	537	94.2	92.4-96.0
Some Post-H.S.	707	117,445	73	7.1	5.1- 9.1	634	92.9	90.9-94.9
College Graduate	744	70,806	61	5.2	3.6- 6.8	683	94.8	93.2-96.4
Less than \$15,000	87	12,321	4	1.7	0.0- 3.7	83	98.3	96.3- 100
\$15,000- 24,999	168	21,708	28	10.8	5.3-16.3	140	89.2	83.7-94.7
\$25,000- 34,999	153	20,175	20	9.4	4.1-14.7	133	90.6	85.3-95.9
\$35,000- 49,999	238	31,153	25	7.0	3.7-10.3	213	93.0	89.7-96.3
\$50,000- 74,999	351	42,724	39	7.3	4.4-10.2	312	92.7	89.8-95.6
\$75,000+	807	117,795	62	5.0	3.4- 6.6	745	95.0	93.4-96.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 21: (EVER TOLD) (YOU HAD) ANY OTHER TYPES OF CANCER? (CHCOCNCR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2300	284,402	279	7.1	5.9- 8.3	2021	92.9	91.7-94.1
Native	108	14,224	6	1.8	0.2- 3.4	102	98.2	96.6-99.8
Non-Native	2164	267,080	271	7.4	6.2- 8.6	1893	92.6	91.4-93.8
18-24	98	38,395				98	100.0	100.0- 100
25-34	160	51,909	2	2.6	0.0- 6.5	158	97.4	93.5- 100
35-44	211	44,354	7	2.2	0.4- 4.0	204	97.8	96.0-99.6
45-54	256	38,139	15	4.8	2.1- 7.5	241	95.2	92.5-97.9
55-64	512	45,240	53	10.4	7.3-13.5	459	89.6	86.5-92.7
65+	1063	66,365	202	17.0	14.5-19.5	861	83.0	80.5-85.5
Less Than H.S.	88	19,236	9	11.7	1.1-22.3	79	88.3	77.7-98.9
H.S. or G.E.D.	566	71,463	79	7.0	5.0- 9.0	487	93.0	91.0-95.0
Some Post-H.S.	734	106,087	85	6.2	4.6- 7.8	649	93.8	92.2-95.4
College Graduate	908	87,171	106	7.2	5.4- 9.0	802	92.8	91.0-94.6
Less than \$15,000	121	17,872	12	3.5	1.0- 6.0	109	96.5	94.0-99.0
\$15,000- 24,999	259	32,732	39	6.7	4.0- 9.4	220	93.3	90.6-96.0
\$25,000- 34,999	197	21,911	26	11.5	2.9-20.1	171	88.5	79.9-97.1
\$35,000- 49,999	289	30,300	45	9.6	6.1-13.1	244	90.4	86.9-93.9
\$50,000- 74,999	295	36,166	34	6.3	3.6- 9.0	261	93.7	91.0-96.4
\$75,000+	650	88,614	60	5.5	3.7- 7.3	590	94.5	92.7-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4453	582,774	315	5.5	4.5- 6.5	4138	94.5	93.5-95.5
Male	2159	299,145	136	4.6	3.4- 5.8	2023	95.4	94.2-96.6
Female	2294	283,629	179	6.5	5.1- 7.9	2115	93.5	92.1-94.9
Native	191	25,524	9	3.6	0.5- 6.7	182	96.4	93.3-99.5
Non-Native	4188	548,205	300	5.6	4.6- 6.6	3888	94.4	93.4-95.4
18-24	224	81,452	1	0.3	0.0- 0.9	223	99.7	99.1- 100
25-34	403	113,247	9	3.1	0.6- 5.6	394	96.9	94.4-99.4
35-44	480	94,659	19	5.7	3.0- 8.4	461	94.3	91.6-97.0
45-54	511	79,066	17	3.9	1.7- 6.1	494	96.1	93.9-98.3
55-64	928	91,198	59	7.0	4.8- 9.2	869	93.0	90.8-95.2
65+	1907	123,153	210	11.1	9.3-12.9	1697	88.9	87.1-90.7
Less Than H.S.	190	45,707	19	11.1	4.6-17.6	171	88.9	82.4-95.4
H.S. or G.E.D.	1165	154,697	112	6.7	5.1- 8.3	1053	93.3	91.7-94.9
Some Post-H.S.	1438	223,065	116	5.5	4.1- 6.9	1322	94.5	93.1-95.9
College Graduate	1651	157,935	67	2.8	1.8- 3.8	1584	97.2	96.2-98.2
Less than \$15,000	207	29,983	41	16.4	9.9-22.9	166	83.6	77.1-90.1
\$15,000- 24,999	422	53,961	49	13.0	7.3-18.7	373	87.0	81.3-92.7
\$25,000- 34,999	349	42,037	39	11.3	6.6-16.0	310	88.7	84.0-93.4
\$35,000- 49,999	526	61,426	43	4.2	2.6- 5.8	483	95.8	94.2-97.4
\$50,000- 74,999	646	78,889	44	4.8	3.0- 6.6	602	95.2	93.4-97.0
\$75,000+	1456	206,338	37	1.8	1.0- 2.6	1419	98.2	97.4-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 23: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2159	299,145	136	4.6	3.4- 5.8	2023	95.4	94.2-96.6
Native	83	11,300	4	5.5	0.0-12.0	79	94.5	88.0- 100
Non-Native	2030	281,897	129	4.6	3.4- 5.8	1901	95.4	94.2-96.6
18-24	126	43,057				126	100.0	100.0- 100
25-34	243	61,338	3	0.8	0.0- 2.0	240	99.2	98.0- 100
35-44	269	50,326	12	6.8	2.5-11.1	257	93.2	88.9-97.5
45-54	255	40,927	6	2.9	0.0- 6.0	249	97.1	94.0- 100
55-64	418	46,424	21	5.3	2.6- 8.0	397	94.7	92.0-97.4
65+	848	57,073	94	10.9	8.4-13.4	754	89.1	86.6-91.6
Less Than H.S.	101	26,359	9	7.3	1.2-13.4	92	92.7	86.6-98.8
H.S. or G.E.D.	602	83,688	51	5.3	3.3- 7.3	551	94.7	92.7-96.7
Some Post-H.S.	707	117,383	51	5.0	3.0- 7.0	656	95.0	93.0-97.0
College Graduate	744	70,791	24	2.1	1.1- 3.1	720	97.9	96.9-98.9
Less than \$15,000	86	12,266	14	11.2	2.6-19.8	72	88.8	80.2-97.4
\$15,000- 24,999	166	21,548	21	11.7	4.3-19.1	145	88.3	80.9-95.7
\$25,000- 34,999	153	20,167	21	15.5	7.7-23.3	132	84.5	76.7-92.3
\$35,000- 49,999	238	31,153	15	3.3	0.9- 5.7	223	96.7	94.3-99.1
\$50,000- 74,999	351	42,724	25	5.3	2.6- 8.0	326	94.7	92.0-97.4
\$75,000+	806	117,724	18	1.5	0.5- 2.5	788	98.5	97.5-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 24: (EVER TOLD) (YOU HAD) CHRONIC OBSTRUCTIVE PULMONARY DISEASE, C.O.P.D., EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2294	283,629	179	6.5	5.1- 7.9	2115	93.5	92.1-94.9
Native	108	14,224	5	2.1	0.1- 4.1	103	97.9	95.9-99.9
Non-Native	2158	266,307	171	6.7	5.1- 8.3	1987	93.3	91.7-94.9
18-24	98	38,395	1	0.6	0.0- 1.8	97	99.4	98.2- 100
25-34	160	51,909	6	5.8	0.5-11.1	154	94.2	88.9-99.5
35-44	211	44,333	7	4.4	0.9- 7.9	204	95.6	92.1-99.1
45-54	256	38,139	11	4.9	1.8- 8.0	245	95.1	92.0-98.2
55-64	510	44,774	38	8.7	5.6-11.8	472	91.3	88.2-94.4
65+	1059	66,080	116	11.2	8.7-13.7	943	88.8	86.3-91.3
Less Than H.S.	89	19,348	10	16.3	3.6-29.0	79	83.7	71.0-96.4
H.S. or G.E.D.	563	71,010	61	8.3	5.6-11.0	502	91.7	89.0-94.4
Some Post-H.S.	731	105,682	65	6.1	4.1- 8.1	666	93.9	91.9-95.9
College Graduate	907	87,144	43	3.3	1.7- 4.9	864	96.7	95.1-98.3
Less than \$15,000	121	17,717	27	20.1	11.1-29.1	94	79.9	70.9-88.9
\$15,000- 24,999	256	32,414	28	13.8	6.0-21.6	228	86.2	78.4-94.0
\$25,000- 34,999	196	21,871	18	7.4	2.1-12.7	178	92.6	87.3-97.9
\$35,000- 49,999	288	30,273	28	5.1	2.7- 7.5	260	94.9	92.5-97.3
\$50,000- 74,999	295	36,166	19	4.3	2.1- 6.5	276	95.7	93.5-97.9
\$75,000+	650	88,614	19	2.4	1.0- 3.8	631	97.6	96.2-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4445	581,578	1462	22.6	21.0-24.2	2983	77.4	75.8-79.0
Male	2158	298,507	612	19.1	17.1-21.1	1546	80.9	78.9-82.9
Female	2287	283,071	850	26.4	24.0-28.8	1437	73.6	71.2-76.0
Native	191	25,524	57	24.0	16.2-31.8	134	76.0	68.2-83.8
Non-Native	4181	547,186	1385	22.6	21.0-24.2	2796	77.4	75.8-79.0
18-24	224	81,452	9	4.3	1.4- 7.2	215	95.7	92.8-98.6
25-34	403	113,247	27	7.8	4.7-10.9	376	92.2	89.1-95.3
35-44	479	94,495	57	12.2	8.5-15.9	422	87.8	84.1-91.5
45-54	509	78,558	98	17.9	14.0-21.8	411	82.1	78.2-86.0
55-64	929	91,402	328	34.5	30.8-38.2	601	65.5	61.8-69.2
65+	1901	122,424	943	50.8	48.1-53.5	958	49.2	46.5-51.9
Less Than H.S.	192	45,546	90	29.9	21.7-38.1	102	70.1	61.9-78.3
H.S. or G.E.D.	1159	153,718	419	22.4	19.7-25.1	740	77.6	74.9-80.3
Some Post-H.S.	1438	223,506	503	25.7	23.0-28.4	935	74.3	71.6-77.0
College Graduate	1647	157,437	448	16.5	14.5-18.5	1199	83.5	81.5-85.5
Less than \$15,000	207	30,349	90	27.1	19.5-34.7	117	72.9	65.3-80.5
\$15,000- 24,999	425	54,369	194	31.7	25.4-38.0	231	68.3	62.0-74.6
\$25,000- 34,999	350	42,062	136	30.9	24.2-37.6	214	69.1	62.4-75.8
\$35,000- 49,999	526	61,398	191	24.7	20.2-29.2	335	75.3	70.8-79.8
\$50,000- 74,999	644	78,708	198	22.8	18.9-26.7	446	77.2	73.3-81.1
\$75,000+	1451	205,285	364	16.6	14.4-18.8	1087	83.4	81.2-85.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 26: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2158	298,507	612	19.1	17.1-21.1	1546	80.9	78.9-82.9
Native	83	11,300	24	20.6	10.6-30.6	59	79.4	69.4-89.4
Non-Native	2030	281,437	576	19.1	17.1-21.1	1454	80.9	78.9-82.9
18-24	126	43,057	4	3.2	0.0- 6.5	122	96.8	93.5- 100
25-34	243	61,338	14	6.2	2.7- 9.7	229	93.8	90.3-97.3
35-44	269	50,326	26	8.1	4.4-11.8	243	91.9	88.2-95.6
45-54	255	40,821	49	15.0	10.3-19.7	206	85.0	80.3-89.7
55-64	417	46,162	136	32.0	26.3-37.7	281	68.0	62.3-73.7
65+	848	56,802	383	47.1	43.0-51.2	465	52.9	48.8-57.0
Less Than H.S.	103	26,198	43	25.3	15.5-35.1	60	74.7	64.9-84.5
H.S. or G.E.D.	600	83,357	190	19.7	16.4-23.0	410	80.3	77.0-83.6
Some Post-H.S.	707	117,414	206	20.6	17.3-23.9	501	79.4	76.1-82.7
College Graduate	743	70,612	171	13.6	11.1-16.1	572	86.4	83.9-88.9
Less than \$15,000	87	12,321	33	22.6	12.4-32.8	54	77.4	67.2-87.6
\$15,000- 24,999	167	21,666	59	23.8	15.4-32.2	108	76.2	67.8-84.6
\$25,000- 34,999	154	20,207	62	28.9	20.7-37.1	92	71.1	62.9-79.3
\$35,000- 49,999	238	31,153	72	17.8	12.5-23.1	166	82.2	76.9-87.5
\$50,000- 74,999	351	42,724	107	23.3	17.8-28.8	244	76.7	71.2-82.2
\$75,000+	806	117,618	179	15.1	12.4-17.8	627	84.9	82.2-87.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 27: (EVER TOLD) (YOU HAD) SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2287	283,071	850	26.4	24.0-28.8	1437	73.6	71.2-76.0
Native	108	14,224	33	26.6	15.0-38.2	75	73.4	61.8-85.0
Non-Native	2151	265,749	809	26.4	24.0-28.8	1342	73.6	71.2-76.0
18-24	98	38,395	5	5.5	0.6-10.4	93	94.5	89.6-99.4
25-34	160	51,909	13	9.5	3.8-15.2	147	90.5	84.8-96.2
35-44	210	44,169	31	16.9	10.2-23.6	179	83.1	76.4-89.8
45-54	254	37,737	49	21.1	15.0-27.2	205	78.9	72.8-85.0
55-64	512	45,240	192	37.2	32.3-42.1	320	62.8	57.9-67.7
65+	1053	65,621	560	54.0	50.5-57.5	493	46.0	42.5-49.5
Less Than H.S.	89	19,348	47	36.2	22.3-50.1	42	63.8	49.9-77.7
H.S. or G.E.D.	559	70,362	229	25.5	21.2-29.8	330	74.5	70.2-78.8
Some Post-H.S.	731	106,092	297	31.4	27.1-35.7	434	68.6	64.3-72.9
College Graduate	904	86,824	277	18.9	16.2-21.6	627	81.1	78.4-83.8
Less than \$15,000	120	18,028	57	30.1	19.5-40.7	63	69.9	59.3-80.5
\$15,000- 24,999	258	32,703	135	37.0	28.4-45.6	123	63.0	54.4-71.6
\$25,000- 34,999	196	21,855	74	32.8	22.8-42.8	122	67.2	57.2-77.2
\$35,000- 49,999	288	30,245	119	31.9	24.8-39.0	169	68.1	61.0-75.2
\$50,000- 74,999	293	35,984	91	22.1	16.2-28.0	202	77.9	72.0-83.8
\$75,000+	645	87,667	185	18.6	15.3-21.9	460	81.4	78.1-84.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4454	581,777	708	19.2	17.4-21.0	3746	80.8	79.0-82.6
Male	2155	297,642	251	13.4	11.4-15.4	1904	86.6	84.6-88.6
Female	2299	284,135	457	25.3	22.6-28.0	1842	74.7	72.0-77.4
Native	191	25,524	39	26.1	17.1-35.1	152	73.9	64.9-82.9
Non-Native	4190	547,241	659	19.0	17.2-20.8	3531	81.0	79.2-82.8
18-24	224	81,452	51	23.8	17.5-30.1	173	76.2	69.9-82.5
25-34	400	112,047	81	22.6	17.7-27.5	319	77.4	72.5-82.3
35-44	479	94,231	103	22.8	18.1-27.5	376	77.2	72.5-81.9
45-54	509	78,704	91	21.0	16.5-25.5	418	79.0	74.5-83.5
55-64	929	91,633	156	17.7	14.6-20.8	773	82.3	79.2-85.4
65+	1913	123,710	226	10.4	8.8-12.0	1687	89.6	88.0-91.2
Less Than H.S.	193	45,870	32	25.2	15.6-34.8	161	74.8	65.2-84.4
H.S. or G.E.D.	1165	154,171	182	19.8	16.5-23.1	983	80.2	76.9-83.5
Some Post-H.S.	1440	222,672	227	19.2	16.5-21.9	1213	80.8	78.1-83.5
College Graduate	1648	157,727	266	17.1	14.7-19.5	1382	82.9	80.5-85.3
Less than \$15,000	208	30,125	69	38.2	28.4-48.0	139	61.8	52.0-71.6
\$15,000- 24,999	427	54,441	91	33.6	26.2-41.0	336	66.4	59.0-73.8
\$25,000- 34,999	350	41,663	53	17.6	11.9-23.3	297	82.4	76.7-88.1
\$35,000- 49,999	527	61,453	87	19.2	14.1-24.3	440	80.8	75.7-85.9
\$50,000- 74,999	644	78,706	108	18.5	14.2-22.8	536	81.5	77.2-85.8
\$75,000+	1452	205,960	177	13.6	11.2-16.0	1275	86.4	84.0-88.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 29: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2155	297,642	251	13.4	11.4-15.4	1904	86.6	84.6-88.6
Native	83	11,300	12	15.7	5.7-25.7	71	84.3	74.3-94.3
Non-Native	2027	280,427	237	13.5	11.3-15.7	1790	86.5	84.3-88.7
18-24	126	43,057	15	11.7	5.6-17.8	111	88.3	82.2-94.4
25-34	240	60,138	35	16.0	10.5-21.5	205	84.0	78.5-89.5
35-44	268	50,028	42	15.2	9.9-20.5	226	84.8	79.5-90.1
45-54	254	40,722	37	16.9	11.0-22.8	217	83.1	77.2-89.0
55-64	419	46,518	46	13.6	8.9-18.3	373	86.4	81.7-91.1
65+	848	57,179	76	7.8	5.8- 9.8	772	92.2	90.2-94.2
Less Than H.S.	104	26,522	16	18.0	7.2-28.8	88	82.0	71.2-92.8
H.S. or G.E.D.	601	83,149	69	12.3	8.8-15.8	532	87.7	84.2-91.2
Some Post-H.S.	705	116,365	85	14.4	10.9-17.9	620	85.6	82.1-89.1
College Graduate	741	70,713	81	11.5	8.6-14.4	660	88.5	85.6-91.4
Less than \$15,000	86	11,935	24	33.0	17.7-48.3	62	67.0	51.7-82.3
\$15,000- 24,999	168	21,708	24	22.6	12.2-33.0	144	77.4	67.0-87.8
\$25,000- 34,999	153	19,752	20	15.2	7.6-22.8	133	84.8	77.2-92.4
\$35,000- 49,999	238	31,153	27	13.3	6.8-19.8	211	86.7	80.2-93.2
\$50,000- 74,999	350	42,697	48	15.5	10.4-20.6	302	84.5	79.4-89.6
\$75,000+	803	117,428	66	8.5	6.0-11.0	737	91.5	89.0-94.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 30: (EVER TOLD) (YOU HAD) A DEPRESSIVE DISORDER (INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION)? (ADDEPEV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2299	284,135	457	25.3	22.6-28.0	1842	74.7	72.0-77.4
Native	108	14,224	27	34.3	21.2-47.4	81	65.7	52.6-78.8
Non-Native	2163	266,814	422	24.7	22.0-27.4	1741	75.3	72.6-78.0
18-24	98	38,395	36	37.4	26.8-48.0	62	62.6	52.0-73.2
25-34	160	51,909	46	30.2	21.8-38.6	114	69.8	61.4-78.2
35-44	211	44,203	61	31.5	23.7-39.3	150	68.5	60.7-76.3
45-54	255	37,982	54	25.3	18.8-31.8	201	74.7	68.2-81.2
55-64	510	45,115	110	22.0	17.7-26.3	400	78.0	73.7-82.3
65+	1065	66,531	150	12.7	10.3-15.1	915	87.3	84.9-89.7
Less Than H.S.	89	19,348	16	35.1	18.8-51.4	73	64.9	48.6-81.2
H.S. or G.E.D.	564	71,021	113	28.5	22.6-34.4	451	71.5	65.6-77.4
Some Post-H.S.	735	106,307	142	24.4	19.9-28.9	593	75.6	71.1-80.1
College Graduate	907	87,014	185	21.7	18.0-25.4	722	78.3	74.6-82.0
Less than \$15,000	122	18,190	45	41.5	28.8-54.2	77	58.5	45.8-71.2
\$15,000- 24,999	259	32,732	67	41.0	31.2-50.8	192	59.0	49.2-68.8
\$25,000- 34,999	197	21,911	33	19.9	11.5-28.3	164	80.1	71.7-88.5
\$35,000- 49,999	289	30,300	60	25.3	17.5-33.1	229	74.7	66.9-82.5
\$50,000- 74,999	294	36,009	60	21.9	15.0-28.8	234	78.1	71.2-85.0
\$75,000+	649	88,532	111	20.5	16.2-24.8	538	79.5	75.2-83.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4459	583,848	175	2.9	2.3- 3.5	4284	97.1	96.5-97.7
Male	2161	299,126	76	2.6	1.8- 3.4	2085	97.4	96.6-98.2
Female	2298	284,722	99	3.2	2.2- 4.2	2199	96.8	95.8-97.8
Native	190	25,461	8	3.0	0.6- 5.4	182	97.0	94.6-99.4
Non-Native	4195	549,341	165	2.9	2.3- 3.5	4030	97.1	96.5-97.7
18-24	223	81,186				223	100.0	100.0- 100
25-34	403	113,247	3	1.3	0.0- 3.3	400	98.7	96.7- 100
35-44	482	95,368	6	1.2	0.0- 2.4	476	98.8	97.6- 100
45-54	512	79,138	12	3.0	1.2- 4.8	500	97.0	95.2-98.8
55-64	928	91,589	36	4.0	2.4- 5.6	892	96.0	94.4-97.6
65+	1911	123,320	118	6.5	5.1- 7.9	1793	93.5	92.1-94.9
Less Than H.S.	192	45,546	9	4.9	0.0- 9.8	183	95.1	90.2- 100
H.S. or G.E.D.	1165	154,814	62	3.3	2.3- 4.3	1103	96.7	95.7-97.7
Some Post-H.S.	1442	224,166	52	2.8	1.8- 3.8	1390	97.2	96.2-98.2
College Graduate	1651	157,950	52	1.9	1.3- 2.5	1599	98.1	97.5-98.7
Less than \$15,000	210	30,554	17	6.0	2.5- 9.5	193	94.0	90.5-97.5
\$15,000- 24,999	424	54,084	23	6.8	2.3-11.3	401	93.2	88.7-97.7
\$25,000- 34,999	350	42,091	12	2.3	0.7- 3.9	338	97.7	96.1-99.3
\$35,000- 49,999	527	61,453	28	3.2	1.8- 4.6	499	96.8	95.4-98.2
\$50,000- 74,999	646	78,889	25	2.2	1.0- 3.4	621	97.8	96.6-99.0
\$75,000+	1456	206,370	36	2.0	1.2- 2.8	1420	98.0	97.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 32: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2161	299,126	76	2.6	1.8- 3.4	2085	97.4	96.6-98.2
Native	82	11,237	3	3.1	0.0- 7.2	79	96.9	92.8- 100
Non-Native	2033	281,941	72	2.6	1.8- 3.4	1961	97.4	96.6-98.2
18-24	126	43,057				126	100.0	100.0- 100
25-34	243	61,338	2	0.7	0.0- 1.9	241	99.3	98.1- 100
35-44	269	50,326	3	0.9	0.0- 2.1	266	99.1	97.9- 100
45-54	256	40,999	7	3.1	0.4- 5.8	249	96.9	94.2-99.6
55-64	418	46,455	19	4.7	2.3- 7.1	399	95.3	92.9-97.7
65+	849	56,951	45	5.9	3.9- 7.9	804	94.1	92.1-96.1
Less Than H.S.	103	26,198	5	2.7	0.0- 5.6	98	97.3	94.4- 100
H.S. or G.E.D.	601	83,725	28	3.5	1.9- 5.1	573	96.5	94.9-98.1
Some Post-H.S.	707	117,414	23	2.5	1.3- 3.7	684	97.5	96.3-98.7
College Graduate	745	70,863	20	1.7	0.9- 2.5	725	98.3	97.5-99.1
Less than \$15,000	87	12,321	9	9.8	2.0-17.6	78	90.2	82.4-98.0
\$15,000- 24,999	167	21,681	7	3.3	0.0- 6.6	160	96.7	93.4- 100
\$25,000- 34,999	153	20,180	5	2.8	0.1- 5.5	148	97.2	94.5-99.9
\$35,000- 49,999	238	31,153	12	3.2	1.2- 5.2	226	96.8	94.8-98.8
\$50,000- 74,999	351	42,724	12	1.9	0.3- 3.5	339	98.1	96.5-99.7
\$75,000+	807	117,795	19	2.2	1.0- 3.4	788	97.8	96.6-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 33: NOT INCLUDING KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE, WERE YOU EVER TOLD YOU HAD KIDNEY DISEASE? (CHCKDNY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2298	284,722	99	3.2	2.2- 4.2	2199	96.8	95.8-97.8
Native	108	14,224	5	2.8	0.3- 5.3	103	97.2	94.7-99.7
Non-Native	2162	267,400	93	3.2	2.2- 4.2	2069	96.8	95.8-97.8
18-24	97	38,129				97	100.0	100.0- 100
25-34	160	51,909	1	2.1	0.0- 6.2	159	97.9	93.8- 100
35-44	213	45,042	3	1.5	0.0- 3.5	210	98.5	96.5- 100
45-54	256	38,139	5	2.9	0.4- 5.4	251	97.1	94.6-99.6
55-64	510	45,134	17	3.3	1.5- 5.1	493	96.7	94.9-98.5
65+	1062	66,369	73	7.0	5.2- 8.8	989	93.0	91.2-94.8
Less Than H.S.	89	19,348	4	7.8	0.0-18.4	85	92.2	81.6- 100
H.S. or G.E.D.	564	71,089	34	3.1	1.9- 4.3	530	96.9	95.7-98.1
Some Post-H.S.	735	106,752	29	3.2	1.6- 4.8	706	96.8	95.2-98.4
College Graduate	906	87,088	32	2.1	1.3- 2.9	874	97.9	97.1-98.7
Less than \$15,000	123	18,233	8	3.3	0.6- 6.0	115	96.7	94.0-99.4
\$15,000- 24,999	257	32,403	16	9.1	2.0-16.2	241	90.9	83.8-98.0
\$25,000- 34,999	197	21,911	7	1.9	0.3- 3.5	190	98.1	96.5-99.7
\$35,000- 49,999	289	30,300	16	3.1	1.3- 4.9	273	96.9	95.1-98.7
\$50,000- 74,999	295	36,166	13	2.5	0.9- 4.1	282	97.5	95.9-99.1
\$75,000+	649	88,574	17	1.8	0.8- 2.8	632	98.2	97.2-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 34: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4466	583,537	593	9.9	8.7-11.1	31	1.0	0.4- 1.6	3756	87.9	86.7-89.1	86	1.2	0.8- 1.6
Male	2163	298,721	300	10.4	8.8-12.0				1826	88.6	87.0-90.2	37	1.1	0.7- 1.5
Female	2303	284,816	293	9.4	7.8-11.0	31	2.1	1.1- 3.1	1930	87.2	85.4-89.0	49	1.3	0.9- 1.7
Native	191	25,524	51	20.7	14.0-27.4	2	2.8	0.0- 7.7	134	75.5	67.7-83.3	4	1.0	0.0- 2.2
Non-Native	4201	548,967	537	9.5	8.3-10.7	29	1.0	0.4- 1.6	3556	88.4	87.2-89.6	79	1.1	0.7- 1.5
18-24	224	81,452	3	1.3	0.0- 2.9	1	0.5	0.0- 1.5	220	98.2	96.4- 100			
25-34	401	112,401	12	3.5	1.0- 6.0	6	2.2	0.2- 4.2	382	94.2	91.1-97.3	1	0.1	0.0- 0.3
35-44	481	94,928	20	4.5	2.3- 6.7	8	1.9	0.3- 3.5	451	93.3	90.6-96.0	2	0.2	0.0- 0.6
45-54	512	79,138	59	12.8	9.3-16.3	5	0.4	0.0- 0.8	442	85.6	81.9-89.3	6	1.2	0.0- 2.4
55-64	931	91,758	147	15.9	13.0-18.8	7	0.9	0.1- 1.7	754	81.0	77.9-84.1	23	2.2	1.2- 3.2
65+	1917	123,860	352	19.2	17.0-21.4	4	0.2	0.0- 0.4	1507	77.9	75.5-80.3	54	2.7	1.9- 3.5
Less Than H.S.	193	45,870	34	14.8	7.9-21.7	1	1.4	0.0- 4.1	156	83.3	76.0-90.6	2	0.5	0.0- 1.1
H.S. or G.E.D.	1169	155,242	178	11.2	9.0-13.4	6	0.6	0.0- 1.4	959	86.9	84.5-89.3	26	1.2	0.6- 1.8
Some Post-H.S.	1443	223,331	210	10.3	8.5-12.1	7	0.8	0.0- 1.8	1198	87.7	85.7-89.7	28	1.1	0.5- 1.7
College Graduate	1652	157,722	170	6.7	5.3- 8.1	17	1.6	0.6- 2.6	1436	90.5	88.9-92.1	29	1.2	0.6- 1.8
Less than \$15,000	210	30,554	50	19.0	12.1-25.9	1	0.7	0.0- 2.1	155	79.2	72.1-86.3	4	1.1	0.0- 2.3
\$15,000- 24,999	426	54,130	82	15.2	10.1-20.3	6	4.4	0.1- 8.7	331	79.6	73.3-85.9	7	0.8	0.0- 1.6
\$25,000- 34,999	351	42,118	46	10.7	7.0-14.4	1	0.1	0.0- 0.5	293	87.2	83.3-91.1	11	2.0	0.6- 3.4
\$35,000- 49,999	527	61,453	79	10.5	7.6-13.4	3	0.5	0.0- 1.1	430	87.1	83.8-90.4	15	1.8	0.6- 3.0
\$50,000- 74,999	645	78,355	87	10.7	7.8-13.6	3	0.6	0.0- 1.4	542	87.6	84.7-90.5	13	1.0	0.4- 1.6
\$75,000+	1457	206,410	133	6.6	5.2- 8.0	9	0.9	0.1- 1.7	1294	91.4	89.8-93.0	21	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 35: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2163	298,721	300	10.4	8.8-12.0	1826	88.6	87.0-90.2	37	1.1	0.7- 1.5
Native	83	11,300	22	20.1	10.3-29.9	59	79.1	69.3-88.9	2	0.9	0.0- 2.1
Non-Native	2034	281,473	274	10.1	8.5-11.7	1726	88.9	87.3-90.5	34	1.0	0.6- 1.4
18-24	126	43,057	1	1.0	0.0- 3.0	125	99.0	97.0- 100			
25-34	241	60,492	7	2.8	0.4- 5.2	233	97.0	94.6-99.4	1	0.2	0.0- 0.6
35-44	269	50,326	11	5.5	2.0- 9.0	257	94.2	90.7-97.7	1	0.3	0.0- 0.9
45-54	256	40,999	34	13.4	8.5-18.3	219	85.1	80.0-90.2	3	1.4	0.0- 3.2
55-64	419	46,518	76	18.9	14.0-23.8	332	79.2	74.1-84.3	11	2.0	0.6- 3.4
65+	852	57,329	171	20.7	17.4-24.0	660	76.9	73.4-80.4	21	2.4	1.2- 3.6
Less Than H.S.	104	26,522	22	13.9	6.3-21.5	81	85.8	78.2-93.4	1	0.3	0.0- 0.9
H.S. or G.E.D.	603	83,780	92	10.9	8.2-13.6	500	87.9	85.0-90.8	11	1.2	0.2- 2.2
Some Post-H.S.	707	116,942	110	11.5	8.8-14.2	584	87.5	84.8-90.2	13	1.0	0.4- 1.6
College Graduate	744	70,552	76	6.9	4.9- 8.9	656	91.8	89.6-94.0	12	1.3	0.5- 2.1
Less than \$15,000	87	12,321	18	15.7	5.5-25.9	68	83.9	73.7-94.1	1	0.4	0.0- 1.2
\$15,000- 24,999	167	21,397	33	13.1	7.0-19.2	132	86.4	80.3-92.5	2	0.5	0.0- 1.3
\$25,000- 34,999	154	20,207	27	14.2	7.9-20.5	122	83.7	77.2-90.2	5	2.1	0.1- 4.1
\$35,000- 49,999	238	31,153	33	10.6	5.9-15.3	200	88.2	83.3-93.1	5	1.2	0.0- 2.8
\$50,000- 74,999	350	42,189	50	11.2	7.3-15.1	291	87.4	83.5-91.3	9	1.4	0.2- 2.6
\$75,000+	807	117,795	96	8.6	6.4-10.8	700	90.2	88.0-92.4	11	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS
TABLE 36: (EVER TOLD) (YOU HAD) DIABETES? (DIABETE4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2303	284,816	293	9.4	7.8-11.0	31	2.1	1.1- 3.1	1930	87.2	85.4-89.0	49	1.3	0.9- 1.7
Native	108	14,224	29	21.2	12.2-30.2	2	5.0	0.0-13.6	75	72.7	61.3-84.1	2	1.2	0.0- 3.2
Non-Native	2167	267,494	263	8.9	7.3-10.5	29	2.0	1.0- 3.0	1830	87.9	86.1-89.7	45	1.2	0.8- 1.6
18-24	98	38,395	2	1.6	0.0- 4.1	1	1.0	0.0- 3.0	95	97.4	94.3- 100			
25-34	160	51,909	5	4.3	0.0- 8.8	6	4.9	0.6- 9.2	149	90.8	84.7-96.9			
35-44	212	44,602	9	3.5	0.8- 6.2	8	4.1	0.6- 7.6	194	92.2	87.9-96.5	1	0.2	0.0- 0.6
45-54	256	38,139	25	12.1	6.8-17.4	5	0.8	0.0- 1.6	223	86.0	80.5-91.5	3	1.1	0.0- 2.3
55-64	512	45,240	71	12.8	9.5-16.1	7	1.9	0.1- 3.7	422	82.9	79.0-86.8	12	2.4	0.8- 4.0
65+	1065	66,531	181	17.9	15.0-20.8	4	0.3	0.0- 0.7	847	78.7	75.8-81.6	33	3.0	1.8- 4.2
Less Than H.S.	89	19,348	12	16.1	3.9-28.3	1	3.4	0.0- 9.9	75	79.8	66.5-93.1	1	0.7	0.0- 2.1
H.S. or G.E.D.	566	71,463	86	11.6	8.3-14.9	6	1.4	0.0- 3.0	459	85.8	82.1-89.5	15	1.3	0.5- 2.1
Some Post-H.S.	736	106,389	100	9.1	6.9-11.3	7	1.7	0.0- 3.5	614	87.9	85.0-90.8	15	1.3	0.5- 2.1
College Graduate	908	87,171	94	6.5	4.7- 8.3	17	3.0	1.2- 4.8	780	89.4	87.0-91.8	17	1.1	0.5- 1.7
Less than \$15,000	123	18,233	32	21.2	12.0-30.4	1	1.1	0.0- 3.3	87	76.1	66.5-85.7	3	1.6	0.0- 3.6
\$15,000- 24,999	259	32,732	49	16.5	9.1-23.9	6	7.2	0.1-14.3	199	75.2	66.0-84.4	5	1.0	0.0- 2.2
\$25,000- 34,999	197	21,911	19	7.4	3.5-11.3	1	0.3	0.0- 0.9	171	90.5	86.0-95.0	6	1.9	0.0- 3.9
\$35,000- 49,999	289	30,300	46	10.4	6.7-14.1	3	1.1	0.0- 2.3	230	86.1	81.8-90.4	10	2.5	0.9- 4.1
\$50,000- 74,999	295	36,166	37	10.1	5.8-14.4	3	1.4	0.0- 3.0	251	87.9	83.2-92.6	4	0.6	0.0- 1.2
\$75,000+	650	88,614	37	3.9	2.3- 5.5	9	2.1	0.5- 3.7	594	93.0	90.6-95.4	10	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	576	56,606	21	7.1	2.6-11.6	42	12.0	7.7-16.3	109	25.1	19.8-30.4	241	35.3	30.2-40.4	163	20.5	16.8-24.2
Male	293	30,517	8	3.7	0.8- 6.6	19	10.0	4.3-15.7	61	30.1	22.5-37.7	116	35.0	28.1-41.9	89	21.2	16.1-26.3
Female	283	26,089	13	11.1	2.3-19.9	23	14.3	7.8-20.8	48	19.3	12.4-26.2	125	35.7	28.3-43.1	74	19.6	14.1-25.1
Native	51	5,280	1	4.3	0.0-12.5	13	32.7	17.0-48.4	14	27.3	16.3-38.3	18	28.8	15.3-42.3	5	6.9	0.2-13.6
Non-Native	520	51,001	20	7.4	2.5-12.3	29	9.9	5.6-14.2	94	24.9	19.0-30.8	221	36.1	30.6-41.6	156	21.7	17.6-25.8
45-54	59	10,136	3	4.2	0.0- 9.3	7	8.2	0.9-15.5	25	53.5	38.6-68.4	24	34.1	20.6-47.6			
55-64	146	14,473	2	0.7	0.0- 1.7	9	6.0	0.9-11.1	40	34.8	23.8-45.8	85	53.6	42.8-64.4	10	4.9	1.4- 8.4
65+	336	22,725	5	1.2	0.0- 2.4	10	3.5	1.0- 6.0	36	8.8	5.3-12.3	132	38.6	32.1-45.1	153	47.9	41.2-54.6
H.S. or G.E.D.	170	16,787	7	6.1	0.0-12.4	17	14.0	5.8-22.2	27	23.7	14.1-33.3	70	37.4	28.2-46.6	49	18.7	12.6-24.8
Some Post-H.S.	206	22,739	5	3.1	0.0- 6.2	17	14.9	7.3-22.5	39	25.7	17.7-33.7	88	36.0	28.0-44.0	57	20.4	14.3-26.5
College Graduate	169	10,495	8	11.6	3.0-20.2	6	4.8	0.3- 9.3	37	23.5	14.7-32.3	73	39.0	29.6-48.4	45	21.0	14.1-27.9
\$15,000- 24,999	78	7,915	5	23.0	0.1-45.9	4	2.3	0.0- 4.8	9	11.8	0.8-22.8	30	33.4	17.9-48.9	30	29.5	16.0-43.0
\$35,000- 49,999	77	6,346	3	3.4	0.0- 7.3	5	15.4	0.9-29.9	18	25.7	12.8-38.6	27	30.7	18.0-43.4	24	24.9	13.9-35.9
\$50,000- 74,999	87	8,381	2	3.4	0.0- 8.9	4	4.7	0.0- 9.6	18	36.9	22.2-51.6	44	40.8	27.9-53.7	19	14.2	6.8-21.6
\$75,000+	132	13,433	5	5.3	0.2-10.4	13	14.8	5.4-24.2	26	23.8	14.2-33.4	63	42.7	32.3-53.1	25	13.4	7.3-19.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	293	30,517	8	3.7	0.8- 6.6	19	10.0	4.3-15.7	61	30.1	22.3-37.9	116	35.0	28.1-41.9	89	21.2	16.1-26.3
Non-Native	267	27,951	8	4.0	0.9- 7.1	15	9.4	3.3-15.5	52	29.0	20.6-37.4	107	35.7	28.3-43.1	85	21.8	16.3-27.3
55-64	75	8,669	1	0.5	0.0- 1.5	3	1.9	0.0- 4.3	23	42.4	26.7-58.1	42	49.8	34.9-64.7	6	5.3	0.4-10.2
65+	165	11,469				4	1.3	0.0- 2.7	18	8.1	3.0-13.2	60	38.2	28.8-47.6	83	52.4	42.8-62.0
H.S. or G.E.D.	88	8,752	3	5.0	0.0-11.1	7	8.3	0.0-17.9	19	30.3	16.8-43.8	34	36.8	24.3-49.3	25	19.6	10.8-28.4
Some Post-H.S.	109	13,348	2	2.4	0.0- 6.5	9	15.1	4.5-25.7	22	29.6	17.8-41.4	43	32.2	21.8-42.6	33	20.6	12.4-28.8
College Graduate	76	4,846	3	7.5	0.0-16.1	3	6.5	0.0-14.7	15	23.0	9.3-36.7	33	42.9	28.8-57.0	22	20.1	10.5-29.7
\$50,000- 74,999	50	4,713	1	1.3	0.0- 3.8	4	8.3	0.0-16.9	13	44.3	26.1-62.5	20	31.1	16.2-46.0	12	15.0	5.0-25.0
\$75,000+	95	10,004	3	5.8	0.0-12.5	6	7.8	0.0-15.8	19	25.5	13.5-37.5	49	46.5	34.2-58.8	18	14.4	7.0-21.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAD DIABETES? (DIABAGE3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	283	26,089	13	11.1	2.5-19.7	23	14.3	7.8-20.8	48	19.3	12.4-26.2	125	35.7	28.3-43.1	74	19.6	14.1-25.1
Non-Native	253	23,050	12	11.6	2.0-21.2	14	10.5	4.2-16.8	42	20.0	12.4-27.6	114	36.5	28.7-44.3	71	21.5	15.2-27.8
55-64	71	5,804	1	1.0	0.0- 3.0	6	12.0	0.4-23.6	17	23.4	12.2-34.6	43	59.3	45.2-73.4	4	4.3	0.0- 8.8
65+	171	11,257	5	2.4	0.0- 4.8	6	5.7	0.8-10.6	18	9.4	4.3-14.5	72	39.1	30.1-48.1	70	43.3	33.9-52.7
H.S. or G.E.D.	82	8,035	4	7.3	0.0-18.5	10	20.2	7.1-33.3	8	16.6	3.1-30.1	36	38.1	24.6-51.6	24	17.8	9.6-26.0
Some Post-H.S.	97	9,390	3	3.9	0.0- 8.8	8	14.7	3.7-25.7	17	20.0	10.0-30.0	45	41.4	29.4-53.4	24	20.0	11.2-28.8
College Graduate	93	5,649	5	15.1	1.4-28.8	3	3.4	0.0- 7.7	22	24.0	12.8-35.2	40	35.7	23.4-48.0	23	21.8	12.0-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)	
1	MALES AND FEMALES	79
2	MALES ONLY	80
3	FEMALES ONLY	81
	NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? (RMVTETH4)	
4	MALES AND FEMALES	82
5	MALES ONLY	83
6	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 1: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1405	195,393	523	35.0	31.5-38.5	380	30.9	27.4-34.4	487	32.4	28.9-35.9	15	1.7	0.7- 2.7
Male	756	110,463	256	32.5	28.0-37.0	201	27.7	23.4-32.0	294	38.6	33.7-43.5	5	1.3	0.1- 2.5
Female	649	84,930	267	38.3	33.0-43.6	179	35.1	29.4-40.8	193	24.3	19.8-28.8	10	2.4	0.4- 4.4
Native	94	12,338	33	32.0	19.1-44.9	18	16.6	5.8-27.4	43	51.4	37.3-65.5			
Non-Native	1283	179,313	481	35.2	31.5-38.9	354	31.9	28.2-35.6	434	31.1	27.6-34.6	14	1.8	0.6- 3.0
18-24	75	27,475	34	41.5	29.2-53.8	28	41.6	28.9-54.3	12	15.3	6.1-24.5	1	1.7	0.0- 5.0
25-34	154	45,935	50	30.8	22.6-39.0	44	31.6	23.0-40.2	57	35.3	26.7-43.9	3	2.2	0.0- 4.7
35-44	146	30,678	59	35.3	25.9-44.7	39	27.6	18.8-36.4	46	35.5	25.1-45.9	2	1.6	0.0- 4.0
45-54	152	23,960	50	36.0	26.8-45.2	55	32.8	24.0-41.6	44	26.9	18.7-35.1	3	4.3	0.0- 9.2
55-64	275	28,202	104	33.5	26.6-40.4	71	28.3	21.4-35.2	99	38.1	30.5-45.7	1	0.1	0.0- 0.3
65+	603	39,143	226	35.6	31.1-40.1	143	25.8	21.5-30.1	229	37.6	32.9-42.3	5	0.9	0.0- 2.1
Less Than H.S.	88	23,534	22	23.2	12.0-34.4	20	27.1	13.0-41.2	44	46.7	31.8-61.6	2	3.0	0.0- 7.3
H.S. or G.E.D.	473	63,690	156	31.3	25.6-37.0	123	31.9	25.8-38.0	185	34.5	28.8-40.2	9	2.3	0.1- 4.5
Some Post-H.S.	462	71,520	185	37.9	32.0-43.8	130	31.5	25.8-37.2	147	30.5	25.0-36.0			
College Graduate	378	36,455	159	43.4	36.7-50.1	105	30.2	23.9-36.5	110	23.0	17.5-28.5	4	3.3	0.2- 6.4
Less than \$15,000	115	14,857	26	28.2	15.5-40.9	38	37.3	23.6-51.0	51	34.4	21.7-47.1			
\$15,000- 24,999	212	26,555	65	33.2	23.6-42.8	72	36.8	27.4-46.2	71	27.5	19.1-35.9	4	2.5	0.0- 5.6
\$25,000- 34,999	132	16,218	53	32.5	21.9-43.1	19	19.8	7.5-32.1	58	45.7	33.4-58.0	2	2.0	0.0- 5.5
\$35,000- 49,999	183	22,838	79	39.0	29.4-48.6	43	37.4	27.0-47.8	60	23.4	16.0-30.8	1	0.2	0.0- 0.6
\$50,000- 74,999	189	27,073	62	31.1	21.9-40.3	67	39.4	29.6-49.2	58	27.3	17.9-36.7	2	2.2	0.0- 5.1
\$75,000+	309	50,940	138	41.7	34.6-48.8	79	25.5	19.0-32.0	92	32.8	25.7-39.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 2: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	756	110,463	256	32.5	28.0-37.0	201	27.7	23.4-32.0	294	38.6	33.7-43.5	5	1.3	0.1- 2.5
Non-Native	692	101,384	237	32.7	28.0-37.4	187	28.3	23.8-32.8	264	37.9	32.8-43.0	4	1.2	0.0- 2.4
25-34	97	25,970	31	31.7	21.3-42.1	23	25.3	15.5-35.1	42	41.8	30.6-53.0	1	1.2	0.0- 3.6
35-44	102	20,717	34	23.7	14.5-32.9	29	31.3	19.9-42.7	37	42.6	29.7-55.5	2	2.4	0.0- 5.9
45-54	96	14,658	30	34.8	23.0-46.6	30	25.2	15.4-35.0	34	36.1	24.7-47.5	2	3.9	0.0- 9.2
55-64	144	16,766	43	24.8	16.4-33.2	37	29.3	19.7-38.9	64	45.9	35.3-56.5			
65+	278	18,437	97	34.0	27.3-40.7	71	25.8	19.3-32.3	110	40.2	32.9-47.5			
H.S. or G.E.D.	258	36,658	83	30.4	23.1-37.7	60	27.4	20.0-34.8	112	39.8	32.2-47.4	3	2.4	0.0- 5.1
Some Post-H.S.	251	41,804	83	32.2	24.8-39.6	74	32.2	24.9-39.5	94	35.7	28.3-43.1			
College Graduate	199	18,395	80	46.1	36.7-55.5	56	26.8	18.4-35.2	61	24.3	16.7-31.9	2	2.7	0.0- 6.6
\$15,000- 24,999	87	11,276	26	38.1	22.2-54.0	26	26.2	13.1-39.3	35	35.7	21.0-50.4			
\$25,000- 34,999	65	8,312	18	21.7	9.4-34.0	11	17.2	5.2-29.2	35	57.4	41.7-73.1	1	3.6	0.0-10.5
\$35,000- 49,999	98	11,900	38	35.9	23.6-48.2	22	34.8	21.5-48.1	38	29.3	18.1-40.5			
\$50,000- 74,999	120	18,031	35	24.1	14.9-33.3	43	39.7	27.5-51.9	40	33.1	20.8-45.4	2	3.2	0.0- 7.7
\$75,000+	214	35,682	88	38.2	29.8-46.6	51	25.1	17.3-32.9	75	36.8	28.4-45.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

TABLE 3: INCLUDING ALL TYPES OF DENTISTS, SUCH AS ORTHODONTISTS, ORAL SURGEONS, AND ALL OTHER DENTAL SPECIALISTS, AS WELL AS DENTAL HYGIENISTS, HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	649	84,930	267	38.3	33.0-43.6	179	35.1	29.4-40.8	193	24.3	19.8-28.8	10	2.4	0.4- 4.4
Non-Native	591	77,930	244	38.5	32.8-44.2	167	36.6	30.5-42.7	170	22.3	17.8-26.8	10	2.6	0.4- 4.8
25-34	57	19,965	19	29.6	16.7-42.5	21	39.9	25.0-54.8	15	26.9	14.0-39.8	2	3.5	0.0- 8.4
45-54	56	9,302	20	37.8	22.9-52.7	25	44.8	29.3-60.3	10	12.4	3.0-21.8	1	5.1	0.0-14.7
55-64	131	11,436	61	46.1	35.7-56.5	34	26.9	18.1-35.7	35	26.7	17.7-35.7	1	0.3	0.0- 0.9
65+	325	20,705	129	37.0	30.7-43.3	72	25.8	19.9-31.7	119	35.3	29.0-41.6	5	1.8	0.0- 4.2
H.S. or G.E.D.	215	27,032	73	32.5	23.5-41.5	63	38.0	28.4-47.6	73	27.2	19.0-35.4	6	2.3	0.0- 5.6
Some Post-H.S.	211	29,716	102	46.1	36.5-55.7	56	30.6	21.4-39.8	53	23.3	15.3-31.3			
College Graduate	179	18,060	79	40.7	31.1-50.3	49	33.7	24.3-43.1	49	21.7	13.7-29.7	2	3.9	0.0- 9.2
Less than \$15,000	69	8,983	16	27.4	11.9-42.9	22	44.3	26.1-62.5	31	28.4	15.3-41.5			
\$15,000- 24,999	125	15,279	39	29.6	17.8-41.4	46	44.7	32.2-57.2	36	21.4	12.0-30.8	4	4.3	0.0- 9.6
\$25,000- 34,999	67	7,906	35	43.8	25.6-62.0	8	22.4	1.0-43.8	23	33.4	16.0-50.8	1	0.4	0.0- 1.2
\$35,000- 49,999	85	10,938	41	42.4	27.3-57.5	21	40.3	24.6-56.0	22	17.0	8.2-25.8	1	0.3	0.0- 1.1
\$50,000- 74,999	69	9,042	27	45.3	27.7-62.9	24	39.0	22.3-55.7	18	15.7	5.7-25.7			
\$75,000+	95	15,257	50	49.9	36.8-63.0	28	26.6	15.6-37.6	17	23.5	11.0-36.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 4: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	771	69,348	506	68.9	64.4-73.4	265	31.1	26.6-35.6
Male	341	33,922	231	69.1	62.0-76.2	110	30.9	23.8-38.0
Female	430	35,427	275	68.8	62.9-74.7	155	31.2	25.3-37.1
Non-Native	712	62,712	459	67.5	62.6-72.4	253	32.5	27.6-37.4
55-64	141	14,469	105	72.2	61.4-83.0	36	27.8	17.0-38.6
65+	554	36,490	339	61.5	56.4-66.6	215	38.5	33.4-43.6
Less Than H.S.	77	13,193	41	61.2	46.3-76.1	36	38.8	23.9-53.7
H.S. or G.E.D.	299	24,242	189	65.3	58.4-72.2	110	34.7	27.8-41.6
Some Post-H.S.	243	24,129	174	76.7	69.8-83.6	69	23.3	16.4-30.2
College Graduate	150	7,551	101	69.9	60.7-79.1	49	30.1	20.9-39.3
Less than \$15,000	74	6,372	48	75.0	64.2-85.8	26	25.0	14.2-35.8
\$15,000- 24,999	154	15,839	98	73.5	63.7-83.3	56	26.5	16.7-36.3
\$25,000- 34,999	99	9,864	65	67.1	53.0-81.2	34	32.9	18.8-47.0
\$35,000- 49,999	112	7,296	71	64.4	53.8-75.0	41	35.6	25.0-46.2
\$50,000- 74,999	83	6,836	56	70.0	55.7-84.3	27	30.0	15.7-44.3
\$75,000+	93	10,284	70	75.6	64.6-86.6	23	24.4	13.4-35.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 5: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	341	33,922	231	69.1	62.0-76.2	110	30.9	23.8-38.0	
Non-Native	315	31,004	211	68.3	60.7-75.9	104	31.7	24.1-39.3	
55-64	72	8,282	57	71.7	55.0-88.4	15	28.3	11.6-45.0	
65+	227	16,165	141	63.8	55.8-71.8	86	36.2	28.2-44.2	
H.S. or G.E.D.	131	11,845	92	72.7	63.7-81.7	39	27.3	18.3-36.3	
Some Post-H.S.	108	11,259	77	77.6	67.0-88.2	31	22.4	11.8-33.0	
College Graduate	60	3,115	41	67.3	52.2-82.4	19	32.7	17.6-47.8	
\$15,000- 24,999	66	7,826	46	78.8	63.5-94.1	20	21.2	5.9-36.5	
\$35,000- 49,999	50	3,448	32	67.9	52.8-83.0	18	32.1	17.0-47.2	
\$75,000+	51	6,132	39	78.8	66.1-91.5	12	21.2	8.5-33.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 7: ORAL HEALTH**

**TABLE 6: NOT INCLUDING TEETH LOST FOR INJURY OR ORTHODONTICS, HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE?
(RMVTETH4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 or more but not all			All		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	430	35,427	275	68.8	62.9-74.7	155	31.2	25.3-37.1
Non-Native	397	31,708	248	66.6	60.3-72.9	149	33.4	27.1-39.7
55-64	69	6,187	48	72.9	60.9-84.9	21	27.1	15.1-39.1
65+	327	20,324	198	59.6	53.1-66.1	129	40.4	33.9-46.9
H.S. or G.E.D.	168	12,398	97	58.1	48.3-67.9	71	41.9	32.1-51.7
Some Post-H.S.	135	12,870	97	75.8	66.8-84.8	38	24.2	15.2-33.2
College Graduate	90	4,436	60	71.7	59.9-83.5	30	28.3	16.5-40.1
Less than \$15,000	51	4,588	29	71.3	57.8-84.8	22	28.7	15.2-42.2
\$15,000- 24,999	88	8,013	52	68.4	56.1-80.7	36	31.6	19.3-43.9
\$25,000- 34,999	52	4,945	36	72.2	51.4-93.0	16	27.8	7.0-48.6
\$35,000- 49,999	62	3,848	39	61.3	46.6-76.0	23	38.7	24.0-53.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
1	89
4	92
5	93
6	94
7	95
8	96
9	97
10	98
11	99
12	100
13	101
14	102
15	103
16	104
17	105
18	106
19	107
20	108
21	109

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)	
22 MALES AND FEMALES	110
23 MALES ONLY	111
24 FEMALES ONLY	112
WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
25 MALES AND FEMALES	113
26 MALES ONLY	114
27 FEMALES ONLY	115
NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)	
28 MALES AND FEMALES	116
29 MALES ONLY	117
30 FEMALES ONLY	118
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)	
31 MALES AND FEMALES	119
32 MALES ONLY	120
33 FEMALES ONLY	121
HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)	
34 MALES AND FEMALES	122
35 MALES ONLY	123
36 FEMALES ONLY	124
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
37 MALES AND FEMALES	125
38 MALES ONLY	126
39 FEMALES ONLY	127
ARE YOU CURRENTLY...? (EMPLOY1)	
40 MALES AND FEMALES	128
41 MALES ONLY	129
42 FEMALES ONLY	130

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
43 MALES AND FEMALES	131
44 MALES ONLY	132
45 FEMALES ONLY	133
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
46 MALES AND FEMALES	134
47 MALES ONLY	135
48 FEMALES ONLY	136
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
49 MALES AND FEMALES	137
50 MALES ONLY	138
51 FEMALES ONLY	139
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
52 MALES AND FEMALES	140
53 MALES ONLY	141
54 FEMALES ONLY	142
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
55 MALES AND FEMALES	143
56 MALES ONLY	144
57 FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-24			25-34			35-44			45-54			55-64			65+		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4469	584,823	224	13.9	12.1-15.7	403	19.4	17.4-21.4	482	16.3	14.7-17.9	512	13.5	12.1-14.9	931	15.7	14.5-16.9	1917	21.2	20.0-22.4
Male	2165	299,567	126	14.4	11.9-16.9	243	20.5	18.0-23.0	269	16.8	14.6-19.0	256	13.7	11.7-15.7	419	15.5	13.7-17.3	852	19.1	17.5-20.7
Female	2304	285,256	98	13.5	11.0-16.0	160	18.2	15.5-20.9	213	15.8	13.4-18.2	256	13.4	11.6-15.2	512	15.9	14.3-17.5	1065	23.3	21.5-25.1
Native	191	25,524	20	20.0	11.2-28.8	25	23.7	14.5-32.9	31	19.7	11.7-27.7	26	9.3	5.4-13.2	48	18.0	11.7-24.3	41	9.3	5.6-13.0
Non-Native	4204	550,253	198	13.5	11.5-15.5	376	19.4	17.4-21.4	445	16.2	14.6-17.8	473	13.5	12.1-14.9	865	15.6	14.4-16.8	1847	21.8	20.6-23.0
Less Than H.S.	193	45,870	12	17.5	8.3-26.7	16	21.2	11.4-31.0	12	12.8	5.0-20.6	11	8.0	2.7-13.3	19	10.6	5.3-15.9	123	30.0	22.7-37.3
H.S. or G.E.D.	1169	155,242	90	20.4	16.5-24.3	95	18.2	14.7-21.7	99	13.2	10.3-16.1	90	9.8	7.6-12.0	248	16.1	13.7-18.5	547	22.3	19.9-24.7
Some Post-H.S.	1445	224,306	77	13.8	10.9-16.7	114	16.6	13.7-19.5	145	16.4	13.7-19.1	168	15.1	12.7-17.5	330	16.9	14.7-19.1	611	21.2	19.2-23.2
College Graduate	1653	158,034	45	6.9	4.9- 8.9	178	24.0	20.9-27.1	226	20.4	17.7-23.1	239	16.1	13.9-18.3	333	15.1	13.3-16.9	632	17.5	15.7-19.3
Less than \$15,000	210	30,554	24	33.3	22.7-43.9	18	16.3	8.3-24.3	16	8.2	3.5-12.9	21	11.7	5.8-17.6	39	10.1	6.0-14.2	92	20.4	14.7-26.1
\$15,000- 24,999	427	54,441	26	20.9	13.6-28.2	27	16.8	9.9-23.7	26	12.1	6.6-17.6	20	6.7	3.4-10.0	60	11.5	8.0-15.0	268	32.1	26.6-37.6
\$25,000- 34,999	351	42,118	20	12.0	6.7-17.3	31	21.6	14.0-29.2	25	14.2	8.3-20.1	21	7.7	4.0-11.4	51	12.2	8.1-16.3	203	32.4	26.7-38.1
\$35,000- 49,999	527	61,453	22	12.5	7.4-17.6	56	23.7	17.6-29.8	36	12.0	7.5-16.5	33	8.3	4.8-11.8	103	14.4	11.1-17.7	277	29.2	24.7-33.7
\$50,000- 74,999	646	78,889	21	8.2	4.7-11.7	59	21.0	15.7-26.3	65	15.1	10.6-19.6	75	14.3	10.6-18.0	169	22.2	18.3-26.1	257	19.1	16.2-22.0
\$75,000+	1457	206,410	40	6.8	4.4- 9.2	165	21.8	18.7-24.9	247	22.2	19.5-24.9	278	19.9	17.4-22.4	357	17.6	15.6-19.6	370	11.6	10.2-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2165	299,567	126	14.4	11.9-16.9	243	20.5	18.0-23.0	269	16.8	14.6-19.0	256	13.7	11.7-15.7	419	15.5	13.7-17.3	852	19.1	17.5-20.7
Native	83	11,300	8	21.0	6.1-35.9	12	23.6	10.5-36.7	13	16.4	6.0-26.8	11	9.0	3.1-14.9	23	20.8	10.4-31.2	16	9.1	3.2-15.0
Non-Native	2036	282,319	113	13.9	11.4-16.4	230	20.7	18.2-23.2	252	16.9	14.5-19.3	235	13.6	11.6-15.6	384	15.3	13.5-17.1	822	19.6	18.0-21.2
Less Than H.S.	104	26,522	5	13.4	2.2-24.6	9	17.6	6.0-29.2	10	18.9	6.9-30.9	6	10.1	2.1-18.1	12	12.4	4.6-20.2	62	27.6	18.4-36.8
H.S. or G.E.D.	603	83,780	46	18.5	13.4-23.6	65	20.3	15.6-25.0	69	14.2	10.7-17.7	58	12.1	8.8-15.4	139	17.4	14.1-20.7	226	17.5	14.8-20.2
Some Post-H.S.	708	117,477	46	14.3	10.2-18.4	82	21.1	16.8-25.4	83	15.7	12.2-19.2	87	14.2	11.1-17.3	155	16.3	13.4-19.2	255	18.4	15.7-21.1
College Graduate	745	70,863	29	10.1	6.4-13.8	87	21.0	16.9-25.1	107	21.0	17.1-24.9	102	15.1	12.0-18.2	113	13.5	10.8-16.2	307	19.2	16.7-21.7
Less than \$15,000	87	12,321	10	30.0	14.3-45.7	10	23.1	8.2-38.0	8	7.6	0.9-14.3	9	12.4	2.6-22.2	16	9.9	4.0-15.8	34	17.1	9.5-24.7
\$15,000- 24,999	168	21,708	11	23.3	11.3-35.3	12	13.0	5.0-21.0	13	15.1	5.5-24.7	7	5.9	0.8-11.0	26	12.1	6.4-17.8	99	30.6	22.0-39.2
\$25,000- 34,999	154	20,207	10	11.3	3.9-18.7	19	22.7	13.1-32.3	13	12.7	5.1-20.3	12	11.1	4.2-18.0	14	9.5	3.4-15.6	86	32.7	24.5-40.9
\$35,000- 49,999	238	31,153	14	14.7	7.4-22.0	34	29.2	20.0-38.4	19	9.3	4.4-14.2	16	10.0	4.1-15.9	34	10.6	6.3-14.9	121	26.1	20.0-32.2
\$50,000- 74,999	351	42,724	13	8.9	4.0-13.8	38	22.4	15.5-29.3	31	12.8	6.9-18.7	38	12.6	8.1-17.1	85	23.4	17.9-28.9	146	20.0	15.9-24.1
\$75,000+	807	117,795	26	7.8	4.5-11.1	101	21.3	17.4-25.2	145	22.2	18.5-25.9	143	19.2	15.9-22.5	175	16.9	14.2-19.6	217	12.6	10.6-14.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2304	285,256	98	13.5	11.0-16.0	160	18.2	15.5-20.9	213	15.8	13.4-18.2	256	13.4	11.6-15.2	512	15.9	14.3-17.5	1065	23.3	21.5-25.1
Native	108	14,224	12	19.2	8.6-29.8	13	23.8	11.1-36.5	18	22.4	10.8-34.0	15	9.5	4.0-15.0	25	15.7	8.3-23.1	25	9.4	4.7-14.1
Non-Native	2168	267,934	85	13.1	10.4-15.8	146	18.0	15.1-20.9	193	15.5	13.1-17.9	238	13.5	11.5-15.5	481	15.9	14.1-17.7	1025	24.0	22.2-25.8
Less Than H.S.	89	19,348	7	23.0	7.3-38.7	7	26.1	9.6-42.6	2	4.4	0.0-11.1	5	5.2	0.0-10.7	7	8.0	1.3-14.7	61	33.3	21.5-45.1
H.S. or G.E.D.	566	71,463	44	22.5	16.6-28.4	30	15.8	10.3-21.3	30	12.0	7.5-16.5	32	7.2	4.3-10.1	109	14.5	11.4-17.6	321	28.0	24.1-31.9
Some Post-H.S.	737	106,829	31	13.3	8.8-17.8	32	11.7	7.6-15.8	62	17.1	12.8-21.4	81	16.0	12.5-19.5	175	17.6	14.7-20.5	356	24.3	21.2-27.4
College Graduate	908	87,171	16	4.2	2.0- 6.4	91	26.4	21.7-31.1	119	19.9	16.2-23.6	137	16.8	13.9-19.7	220	16.4	13.9-18.9	325	16.2	14.0-18.4
Less than \$15,000	123	18,233	14	35.5	21.2-49.8	8	11.7	3.5-19.9	8	8.7	2.2-15.2	12	11.3	4.2-18.4	23	10.2	4.7-15.7	58	22.7	14.9-30.5
\$15,000- 24,999	259	32,732	15	19.3	10.3-28.3	15	19.2	9.4-29.0	13	10.1	3.6-16.6	13	7.3	3.0-11.6	34	11.1	6.8-15.4	169	33.0	25.7-40.3
\$25,000- 34,999	197	21,911	10	12.6	5.0-20.2	12	20.6	9.0-32.2	12	15.6	6.6-24.6	9	4.5	1.2- 7.8	37	14.6	8.7-20.5	117	32.1	24.3-39.9
\$35,000- 49,999	289	30,300	8	10.2	3.3-17.1	22	18.1	10.5-25.7	17	14.7	7.1-22.3	17	6.5	3.2- 9.8	69	18.2	13.1-23.3	156	32.3	25.8-38.8
\$50,000- 74,999	295	36,166	8	7.4	2.3-12.5	21	19.4	11.6-27.2	34	17.7	10.8-24.6	37	16.4	10.5-22.3	84	20.9	15.4-26.4	111	18.2	13.9-22.5
\$75,000+	650	88,614	14	5.5	2.6- 8.4	64	22.5	17.4-27.6	102	22.3	18.0-26.6	135	21.0	17.1-24.9	182	18.4	15.3-21.5	153	10.3	8.3-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 4: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano--a			Puerto Rican			Another Hispanic, Latino--a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4428	580,003	42	2.7	1.7- 3.7	7	0.5	0.1- 0.9	14	1.0	0.4- 1.6	1	0.0	0.0- 0.0	4364	95.8	94.6-97.0
Male	2142	296,614	26	3.4	2.0- 4.8	2	0.2	0.0- 0.6	10	1.3	0.5- 2.1				2104	95.1	93.3-96.9
Female	2286	283,389	16	2.1	0.9- 3.3	5	0.7	0.1- 1.3	4	0.6	0.0- 1.4	1	0.0	0.0- 0.0	2260	96.6	95.0-98.2
18-24	221	80,248	8	4.5	1.2- 7.8	1	0.8	0.0- 2.4	4	3.0	0.1- 5.9				208	91.7	87.2-96.2
25-34	402	113,094	14	5.0	2.1- 7.9	5	1.6	0.0- 3.2	2	0.4	0.0- 1.0				381	93.0	89.7-96.3
35-44	477	94,404	6	3.0	0.3- 5.7				4	1.8	0.0- 3.6				467	95.2	92.1-98.3
45-54	506	78,377	5	2.2	0.0- 4.4				3	1.3	0.0- 2.9				498	96.5	93.8-99.2
55-64	923	91,154	6	1.6	0.0- 3.4	1	0.1	0.0- 0.3							916	98.3	96.5- 100
65+	1899	122,726	3	0.4	0.0- 0.8				1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1894	99.4	98.8- 100
Less Than H.S.	192	45,814	7	9.6	2.3-16.9				2	3.4	0.0- 8.1				183	87.1	78.9-95.3
H.S. or G.E.D.	1160	154,443	17	4.2	2.0- 6.4				3	0.9	0.0- 1.9				1140	95.0	92.6-97.4
Some Post-H.S.	1432	221,744	10	1.5	0.3- 2.7	3	0.6	0.0- 1.4	4	0.8	0.0- 1.6	1	0.1	0.0- 0.3	1414	97.0	95.4-98.6
College Graduate	1639	156,896	8	1.0	0.2- 1.8	4	0.8	0.0- 1.6	5	0.7	0.1- 1.3				1622	97.5	96.1-98.9
Less than \$15,000	207	30,052	3	4.0	0.0- 9.3				1	0.2	0.0- 0.6				203	95.8	90.5- 100
\$15,000- 24,999	422	53,319	7	4.7	0.6- 8.8	2	1.9	0.0- 4.6	1	0.4	0.0- 1.2				412	93.0	88.1-97.9
\$25,000- 34,999	350	41,965	5	2.7	0.2- 5.2				1	1.0	0.0- 3.0				344	96.3	93.2-99.4
\$35,000- 49,999	522	61,095	6	4.2	0.7- 7.7										516	95.8	92.3-99.3
\$50,000- 74,999	645	78,833	3	1.4	0.0- 3.2	1	0.7	0.0- 2.1	2	0.8	0.0- 2.0				639	97.1	94.6-99.6
\$75,000+	1451	205,697	8	1.5	0.5- 2.5	3	0.3	0.0- 0.7	4	0.9	0.0- 1.9	1	0.1	0.0- 0.3	1435	97.2	95.8-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2142	296,614	26	3.4	2.0- 4.8	2	0.2	0.0- 0.6	10	1.3	0.5- 2.1	2104	95.1	93.3-96.9
18-24	124	42,392	4	4.6	0.1- 9.1				2	2.3	0.0- 5.4	118	93.2	87.9-98.5
25-34	242	61,185	11	6.6	2.5-10.7	2	1.1	0.0- 2.9	2	0.7	0.0- 1.7	227	91.5	87.0-96.0
35-44	265	49,638	4	3.9	0.0- 8.4				3	2.8	0.0- 5.9	258	93.3	88.0-98.6
45-54	251	40,376	1	1.7	0.0- 5.0				3	2.6	0.0- 5.5	247	95.7	91.4- 100
55-64	415	46,239	5	2.6	0.0- 5.7							410	97.4	94.3- 100
65+	845	56,783	1	0.2	0.0- 0.6							844	99.8	99.4- 100
Less Than H.S.	104	26,522	6	13.9	2.9-24.9				1	2.3	0.0- 6.8	97	83.8	72.2-95.4
H.S. or G.E.D.	598	83,222	11	5.1	2.0- 8.2				2	1.0	0.0- 2.4	585	93.9	90.6-97.2
Some Post-H.S.	700	116,092	4	0.9	0.1- 1.7	2	0.6	0.0- 1.6	4	1.5	0.1- 2.9	690	97.1	95.1-99.1
College Graduate	738	70,086	5	1.5	0.0- 3.1				3	1.0	0.0- 2.2	730	97.5	95.7-99.3
Less than \$15,000	85	11,875	2	4.1	0.0-11.2							83	95.9	88.8- 100
\$15,000- 24,999	167	21,488	3	2.9	0.0- 6.6				1	1.1	0.0- 3.3	163	95.9	91.6- 100
\$25,000- 34,999	153	20,054	3	3.8	0.0- 8.5				1	2.0	0.0- 5.9	149	94.1	88.2- 100
\$35,000- 49,999	237	31,037	4	5.9	0.2-11.6							233	94.1	88.4-99.8
\$50,000- 74,999	351	42,724	1	1.2	0.0- 3.6	1	1.3	0.0- 3.8	2	1.5	0.0- 3.7	347	96.0	92.1-99.9
\$75,000+	803	117,179	5	1.8	0.2- 3.4	1	0.1	0.0- 0.3	3	1.2	0.0- 2.6	794	96.9	94.7-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2286	283,389	16	2.1	0.9- 3.3	5	0.7	0.1- 1.3	4	0.6	0.0- 1.4	1	0.0	0.0- 0.0	2260	96.6	95.0-98.2
18-24	97	37,856	4	4.5	0.0- 9.2	1	1.8	0.0- 5.3	2	3.7	0.0- 9.0				90	90.0	82.4-97.6
25-34	160	51,909	3	3.0	0.0- 6.9	3	2.3	0.0- 4.8							154	94.7	90.0-99.4
35-44	212	44,765	2	2.0	0.0- 4.7				1	0.7	0.0- 2.1				209	97.3	94.2- 100
45-54	255	38,001	4	2.7	0.0- 5.6										251	97.3	94.4- 100
55-64	508	44,915	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6							506	99.3	98.3- 100
65+	1054	65,943	2	0.6	0.0- 1.4				1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	1050	99.1	98.1- 100
Less Than H.S.	88	19,292	1	3.7	0.0-10.8				1	4.8	0.0-14.0				86	91.5	80.3- 100
H.S. or G.E.D.	562	71,221	6	3.2	0.7- 5.7				1	0.7	0.0- 2.1				555	96.2	93.3-99.1
Some Post-H.S.	732	105,652	6	2.3	0.1- 4.5	1	0.6	0.0- 1.8				1	0.1	0.0- 0.3	724	96.9	94.4-99.4
College Graduate	901	86,810	3	0.5	0.0- 1.1	4	1.4	0.0- 3.0	2	0.4	0.0- 1.2				892	97.6	95.8-99.4
Less than \$15,000	122	18,177	1	3.9	0.0-11.3				1	0.4	0.0- 1.2				120	95.7	88.3- 100
\$15,000- 24,999	255	31,832	4	5.8	0.0-12.3	2	3.2	0.0- 7.7							249	90.9	83.3-98.5
\$25,000- 34,999	197	21,911	2	1.8	0.0- 4.2										195	98.2	95.8- 100
\$35,000- 49,999	285	30,058	2	2.4	0.0- 6.1										283	97.6	93.9- 100
\$50,000- 74,999	294	36,109	2	1.7	0.0- 4.4										292	98.3	95.6- 100
\$75,000+	648	88,518	3	1.0	0.0- 2.2	2	0.6	0.0- 1.6	1	0.5	0.0- 1.5	1	0.2	0.0- 0.6	641	97.7	95.7-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 7: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4405	574,309	4030	87.2	85.6-88.8	51	3.2	2.2- 4.2	193	4.6	3.8- 5.4	23	1.3	0.7- 1.9	4	0.1	0.0- 0.3	104	3.5	2.5- 4.5
Male	2125	293,422	1919	86.4	84.0-88.8	31	3.4	2.0- 4.8	82	3.7	2.7- 4.7	18	2.0	0.8- 3.2	3	0.1	0.0- 0.3	72	4.4	3.0- 5.8
Female	2280	280,887	2111	88.1	85.7-90.5	20	3.1	1.5- 4.7	111	5.5	4.1- 6.9	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3	32	2.5	1.1- 3.9
18-24	216	77,897	170	79.4	73.3-85.5	7	5.6	1.3- 9.9	20	6.6	3.3- 9.9	5	2.6	0.1- 5.1	1	0.5	0.0- 1.5	13	5.4	2.3- 8.5
25-34	399	111,564	328	80.4	75.5-85.3	11	4.3	1.6- 7.0	26	6.0	3.3- 8.7	7	2.7	0.3- 5.1	1	0.2	0.0- 0.6	26	6.3	3.2- 9.4
35-44	478	94,669	415	83.8	79.1-88.5	12	5.2	2.1- 8.3	32	5.7	3.3- 8.1	6	2.0	0.4- 3.6				13	3.4	0.9- 5.9
45-54	501	77,024	448	89.2	85.7-92.7	8	3.6	1.1- 6.1	26	3.1	1.7- 4.5	3	0.7	0.0- 1.5				16	3.5	1.5- 5.5
55-64	916	90,601	841	91.5	89.3-93.7	8	1.4	0.4- 2.4	48	5.1	3.3- 6.9	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	17	1.9	0.9- 2.9
65+	1895	122,554	1828	96.7	95.7-97.7	5	0.4	0.0- 0.8	41	1.9	1.1- 2.7	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	19	0.9	0.3- 1.5
Less Than H.S.	190	44,165	157	70.5	60.1-80.9	3	5.6	0.0-11.9	24	13.9	7.4-20.4	1	2.3	0.0- 6.6				5	7.7	0.3-15.1
H.S. or G.E.D.	1153	152,078	1042	85.6	82.5-88.7	18	3.9	1.9- 5.9	53	4.6	3.0- 6.2	8	1.6	0.4- 2.8	1	0.0	0.0- 0.0	31	4.2	2.4- 6.0
Some Post-H.S.	1429	221,045	1302	89.1	86.6-91.6	13	2.8	1.2- 4.4	75	4.6	3.2- 6.0	2	0.4	0.0- 1.0	3	0.3	0.0- 0.7	34	2.9	1.7- 4.1
College Graduate	1626	156,044	1523	91.3	89.1-93.5	16	2.2	1.0- 3.4	41	2.1	1.3- 2.9	12	2.0	0.8- 3.2				34	2.4	1.4- 3.4
Less than \$15,000	209	30,479	173	77.3	68.5-86.1	5	9.3	1.3-17.3	23	9.6	5.1-14.1	1	0.4	0.0- 1.2	1	1.2	0.0- 3.6	6	2.1	0.0- 4.5
\$15,000- 24,999	422	52,529	365	75.5	68.1-82.9	4	1.7	0.0- 3.7	32	10.5	5.2-15.8	6	4.5	0.8- 8.2				15	7.7	2.2-13.2
\$25,000- 34,999	346	41,668	312	85.0	79.1-90.9	5	4.9	0.4- 9.4	19	6.3	3.0- 9.6	1	0.7	0.0- 2.1				9	3.1	0.6- 5.6
\$35,000- 49,999	519	60,432	479	89.0	84.5-93.5	4	1.4	0.0- 2.8	26	4.6	2.4- 6.8	3	2.8	0.0- 6.3				7	2.2	0.2- 4.2
\$50,000- 74,999	641	77,888	586	86.8	82.1-91.5	13	7.1	2.8-11.4	28	3.6	1.8- 5.4	1	0.4	0.0- 1.2				13	2.1	0.5- 3.7
\$75,000+	1447	205,445	1358	91.5	89.3-93.7	11	1.5	0.5- 2.5	34	2.7	1.5- 3.9	7	1.0	0.2- 1.8	3	0.1	0.0- 0.3	34	3.1	1.9- 4.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2125	293,422	1919	86.4	84.0-88.8	31	3.4	2.0- 4.8	82	3.7	2.7- 4.7	18	2.0	0.8- 3.2	3	0.1	0.0- 0.3	72	4.4	3.0- 5.8
18-24	122	41,844	101	82.6	74.6-90.6	1	2.4	0.0- 6.9	8	5.7	1.0-10.4	4	3.8	0.0- 8.1	1	0.9	0.0- 2.7	7	4.6	0.9- 8.3
25-34	240	60,084	201	83.3	77.6-89.0	4	2.3	0.0- 4.7	11	3.9	1.4- 6.4	5	3.7	0.0- 7.4				19	6.9	3.4-10.4
35-44	267	49,963	227	78.9	71.6-86.2	11	8.7	3.2-14.2	13	3.7	1.2- 6.2	5	2.8	0.3- 5.3				11	5.8	1.1-10.5
45-54	247	39,308	218	86.5	81.0-92.0	6	5.2	0.9- 9.5	11	2.6	1.0- 4.2	2	1.1	0.0- 2.7				10	4.7	1.4- 8.0
55-64	409	45,645	365	90.1	86.8-93.4	6	1.8	0.2- 3.4	23	5.2	2.7- 7.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	13	2.8	1.0- 4.6
65+	840	56,579	807	96.3	94.7-97.9	3	0.5	0.0- 1.1	16	1.8	0.6- 3.0	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	12	1.3	0.3- 2.3
Less Than H.S.	102	25,749	86	74.7	61.0-88.4	2	7.8	0.0-18.0	10	8.3	1.8-14.8	1	3.9	0.0-11.3				3	5.3	0.0-12.9
H.S. or G.E.D.	590	81,188	522	85.0	80.9-89.1	10	3.0	1.0- 5.0	27	4.1	1.9- 6.3	6	2.0	0.2- 3.8	1	0.0	0.0- 0.0	24	5.9	3.2- 8.6
Some Post-H.S.	698	116,058	632	89.3	86.2-92.4	7	2.4	0.6- 4.2	35	4.3	2.5- 6.1	2	0.7	0.0- 1.9	2	0.4	0.0- 1.0	20	2.9	1.1- 4.7
College Graduate	731	69,676	676	88.4	84.9-91.9	11	2.8	1.0- 4.6	10	0.7	0.1- 1.3	9	3.2	1.0- 5.4				25	4.7	2.5- 6.9
Less than \$15,000	86	12,246	69	80.5	69.1-91.9	1	3.2	0.0- 9.3	9	7.7	1.4-14.0	1	1.1	0.0- 3.3	1	3.1	0.0- 9.0	5	4.4	0.0-10.3
\$15,000- 24,999	167	21,488	142	77.8	67.4-88.2	1	0.7	0.0- 2.1	12	5.4	1.1- 9.7	5	9.4	1.0-17.8				7	6.8	0.3-13.3
\$25,000- 34,999	150	19,954	129	81.6	73.0-90.2	3	4.6	0.0- 9.9	9	6.7	1.4-12.0	1	1.5	0.0- 4.4				8	5.7	0.6-10.8
\$35,000- 49,999	235	30,407	219	87.2	79.6-94.8	3	1.8	0.0- 4.0	6	3.4	0.3- 6.5	2	4.2	0.0-10.7				5	3.4	0.1- 6.7
\$50,000- 74,999	347	41,779	313	83.9	77.0-90.8	8	7.6	1.7-13.5	17	5.0	2.1- 7.9	1	0.8	0.0- 2.4				8	2.8	0.1- 5.5
\$75,000+	801	117,230	744	89.6	86.5-92.7	8	2.0	0.4- 3.6	18	3.1	1.1- 5.1	5	1.3	0.1- 2.5	2	0.1	0.1- 0.1	24	4.0	2.2- 5.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Five or More Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2280	280,887	2111	88.1	85.7-90.5	20	3.1	1.5- 4.7	111	5.5	4.1- 6.9	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3	32	2.5	1.1- 3.9
18-24	94	36,053	69	75.7	66.3-85.1	6	9.4	2.0-16.8	12	7.6	3.1-12.1	1	1.2	0.0- 3.4				6	6.2	0.9-11.5
25-34	159	51,480	127	77.1	68.7-85.5	7	6.7	1.6-11.8	15	8.6	3.3-13.9	2	1.6	0.0- 4.0	1	0.3	0.0- 0.9	7	5.6	0.1-11.1
35-44	211	44,707	188	89.1	83.8-94.4	1	1.3	0.0- 3.8	19	7.8	3.5-12.1	1	1.0	0.0- 3.0				2	0.7	0.0- 1.9
45-54	254	37,716	230	92.1	88.2-96.0	2	1.9	0.0- 4.6	15	3.6	1.6- 5.6	1	0.3	0.0- 0.9				6	2.2	0.0- 4.6
55-64	507	44,957	476	93.0	90.1-95.9	2	1.0	0.0- 2.6	25	5.0	2.6- 7.4							4	1.0	0.0- 2.2
65+	1055	65,975	1021	97.2	96.0-98.4	2	0.2	0.0- 0.6	25	2.0	1.0- 3.0							7	0.6	0.0- 1.2
Less Than H.S.	88	18,416	71	64.6	48.5-80.7	1	2.6	0.0- 7.5	14	21.8	9.5-34.1							2	11.0	0.0-24.9
H.S. or G.E.D.	563	70,890	520	86.4	81.7-91.1	8	5.1	1.4- 8.8	26	5.2	2.8- 7.6	2	1.2	0.0- 3.0				7	2.1	0.1- 4.1
Some Post-H.S.	731	104,987	670	88.8	85.1-92.5	6	3.1	0.6- 5.6	40	4.9	2.5- 7.3				1	0.2	0.0- 0.6	14	3.0	1.0- 5.0
College Graduate	895	86,368	847	93.6	91.2-96.0	5	1.6	0.0- 3.2	31	3.1	1.7- 4.5	3	1.1	0.0- 2.5				9	0.6	0.2- 1.0
Less than \$15,000	123	18,233	104	75.2	62.7-87.7	4	13.4	1.1-25.7	14	10.9	4.6-17.2							1	0.5	0.0- 1.5
\$15,000- 24,999	255	31,042	223	73.9	63.5-84.3	3	2.5	0.0- 5.6	20	14.0	5.8-22.2	1	1.1	0.0- 3.3				8	8.4	0.4-16.4
\$25,000- 34,999	196	21,714	183	88.1	80.1-96.1	2	5.2	0.0-12.3	10	6.0	1.7-10.3							1	0.7	0.0- 2.1
\$35,000- 49,999	284	30,026	260	90.8	86.3-95.3	1	1.0	0.0- 3.0	20	5.7	2.8- 8.6	1	1.4	0.0- 4.1				2	1.1	0.0- 2.7
\$50,000- 74,999	294	36,109	273	90.1	83.8-96.4	5	6.6	0.5-12.7	11	2.1	0.5- 3.7							5	1.3	0.0- 2.9
\$75,000+	646	88,214	614	93.9	91.4-96.4	3	1.0	0.0- 2.2	16	2.3	1.1- 3.5	2	0.7	0.0- 1.9	1	0.2	0.0- 0.6	10	1.9	0.3- 3.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 13: ARE YOU: (MARITAL STATUS) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Married			Divorced			Widowed			Separated			Never married			Unmarried couple				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	4446	581,546	2519	55.2	53.0-57.4	459	9.2	8.0-10.4	591	6.3	5.5- 7.1	29	1.2	0.6- 1.8	736	23.7	21.7-25.7	112	4.4	3.4- 5.4											
Male	2155	298,134	1239	54.9	52.0-57.8	229	9.0	7.4-10.6	136	3.0	2.2- 3.8	15	1.3	0.3- 2.3	469	26.8	24.1-29.5	67	5.0	3.6- 6.4											
Female	2291	283,412	1280	55.6	52.7-58.5	230	9.3	7.5-11.1	455	9.9	8.7-11.1	14	1.0	0.2- 1.8	267	20.4	17.7-23.1	45	3.7	2.3- 5.1											
Native	191	25,524	73	43.3	33.7-52.9	34	10.7	6.4-15.0	15	4.3	1.4- 7.2	3	2.6	0.0- 6.1	55	29.9	21.3-38.5	11	9.2	1.8-16.6											
Non-Native	4190	547,954	2407	55.8	53.6-58.0	420	9.2	8.0-10.4	570	6.5	5.7- 7.3	26	1.1	0.5- 1.7	667	23.2	21.2-25.2	100	4.2	3.2- 5.2											
18-24	223	81,374	13	7.0	3.1-10.9	1	1.1	0.0- 3.3	1	0.5	0.0- 1.5	2	1.6	0.0- 4.0	178	77.4	71.1-83.7	28	12.3	7.6-17.0											
25-34	400	112,021	183	48.1	42.4-53.8	14	4.9	2.0- 7.8	2	0.6	0.0- 1.4	6	2.1	0.3- 3.9	163	36.6	31.1-42.1	32	7.7	4.8-10.6											
35-44	481	95,091	323	68.2	62.9-73.5	55	13.0	9.1-16.9	7	1.6	0.0- 3.2	2	1.1	0.0- 3.1	79	13.1	9.6-16.6	15	3.0	1.2- 4.8											
45-54	507	78,116	351	70.9	66.2-75.6	65	13.3	9.8-16.8	6	1.3	0.1- 2.5	4	1.1	0.0- 2.3	70	11.2	8.1-14.3	11	2.3	0.7- 3.9											
55-64	930	91,595	631	70.9	67.2-74.6	121	13.8	10.9-16.7	53	5.9	3.7- 8.1	6	0.5	0.0- 1.1	105	7.2	5.4- 9.0	14	1.8	0.6- 3.0											
65+	1905	123,349	1018	62.1	59.6-64.6	203	9.5	7.9-11.1	522	22.6	20.4-24.8	9	0.5	0.1- 0.9	141	4.8	3.8- 5.8	12	0.5	0.1- 0.9											
Less Than H.S.	192	45,740	75	38.9	29.1-48.7	15	9.4	3.3-15.5	58	13.1	8.4-17.8	3	3.5	0.0- 8.2	35	30.2	19.8-40.6	6	4.9	0.4- 9.4											
H.S. or G.E.D.	1165	155,034	563	47.2	43.3-51.1	120	9.6	7.4-11.8	208	8.1	6.5- 9.7	6	0.8	0.0- 1.6	232	28.6	24.7-32.5	36	5.7	3.5- 7.9											
Some Post-H.S.	1438	222,279	794	55.0	51.5-58.5	164	9.9	7.9-11.9	196	5.9	4.7- 7.1	12	1.3	0.3- 2.3	231	23.3	20.2-26.4	41	4.6	3.0- 6.2											
College Graduate	1646	157,387	1086	68.2	65.3-71.1	160	7.8	6.2- 9.4	127	3.2	2.4- 4.0	8	0.7	0.0- 1.5	236	17.3	14.8-19.8	29	2.7	1.5- 3.9											
Less than \$15,000	209	30,216	22	7.6	3.5-11.7	45	21.8	13.8-29.8	54	13.4	8.9-17.9	3	3.2	0.0- 8.7	76	46.0	36.0-56.0	9	7.9	2.2-13.6											
\$15,000- 24,999	425	54,334	98	22.9	17.2-28.6	91	17.8	12.5-23.1	116	15.5	11.4-19.6	6	2.8	0.3- 5.3	99	34.0	26.4-41.6	15	7.0	2.9-11.1											
\$25,000- 34,999	349	41,961	133	37.3	30.2-44.4	46	13.0	8.1-17.9	78	9.7	7.0-12.4	5	0.8	0.0- 1.6	83	37.3	29.7-44.9	4	1.9	0.0- 3.9											
\$35,000- 49,999	527	61,453	252	48.8	42.7-54.9	70	11.2	7.5-14.9	84	7.5	5.1- 9.9	2	0.2	0.0- 0.6	105	26.3	20.8-31.8	14	6.0	2.5- 9.5											
\$50,000- 74,999	645	78,610	414	64.8	59.5-70.1	60	7.3	4.4-10.2	55	4.2	2.6- 5.8	6	1.9	0.1- 3.7	92	17.9	13.6-22.2	18	3.9	1.5- 6.3											
\$75,000+	1455	206,098	1174	78.9	76.0-81.8	74	5.6	3.8- 7.4	55	1.4	0.8- 2.0	3	0.3	0.0- 0.7	115	10.2	8.0-12.4	34	3.5	2.1- 4.9											

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2155	298,134	1239	54.9	52.0-57.8	229	9.0	7.4-10.6	136	3.0	2.2- 3.8	15	1.3	0.3- 2.3	469	26.8	24.1-29.5	67	5.0	3.6- 6.4
Native	83	11,300	34	48.2	33.5-62.9	7	3.2	0.5- 5.9	5	3.7	0.0- 7.8	2	2.0	0.0- 4.9	27	30.0	16.7-43.3	8	12.9	1.1-24.7
Non-Native	2032	281,537	1181	55.0	52.1-57.9	220	9.4	7.6-11.2	129	3.0	2.2- 3.8	13	1.3	0.3- 2.3	431	26.6	23.9-29.3	58	4.7	3.3- 6.1
18-24	125	42,979	6	6.6	1.3-11.9	1	2.1	0.0- 6.2				1	1.1	0.0- 3.3	101	77.1	68.5-85.7	16	13.1	6.6-19.6
25-34	242	60,878	104	46.2	38.9-53.5	7	4.1	0.8- 7.4				3	2.2	0.0- 4.7	104	38.5	31.6-45.4	24	9.1	5.2-13.0
35-44	269	50,326	174	65.8	58.5-73.1	27	11.6	6.7-16.5	3	0.5	0.0- 1.1	2	2.1	0.0- 6.0	56	17.2	11.7-22.7	7	2.8	0.4- 5.2
45-54	253	40,512	159	66.0	59.1-72.9	37	14.3	9.2-19.4	1	0.7	0.0- 2.1	2	0.9	0.0- 2.3	47	15.1	10.2-20.0	7	3.0	0.6- 5.4
55-64	418	46,355	269	69.7	64.2-75.2	55	13.1	9.0-17.2	14	4.5	1.0- 8.0	4	0.9	0.0- 1.9	68	9.8	6.9-12.7	8	2.0	0.2- 3.8
65+	848	57,084	527	70.9	67.2-74.6	102	10.4	7.9-12.9	118	10.9	8.5-13.3	3	0.4	0.0- 1.0	93	7.1	5.1- 9.1	5	0.4	0.0- 0.8
Less Than H.S.	103	26,392	49	48.8	35.3-62.3	10	12.7	3.1-22.3	17	7.5	1.6-13.4	2	4.3	0.0-11.6	21	21.5	10.1-32.9	4	5.3	0.0-11.2
H.S. or G.E.D.	601	83,673	304	49.1	43.8-54.4	69	9.1	6.4-11.8	47	3.6	2.2- 5.0	4	1.3	0.0- 2.9	153	30.9	25.8-36.0	24	6.0	3.3- 8.7
Some Post-H.S.	705	116,575	389	53.6	48.9-58.3	87	9.5	7.0-12.0	42	2.4	1.6- 3.2	6	0.9	0.0- 1.9	155	28.2	23.7-32.7	26	5.3	2.9- 7.7
College Graduate	744	70,802	496	65.8	61.3-70.3	63	6.9	4.7- 9.1	29	1.4	0.8- 2.0	3	0.7	0.0- 1.9	140	21.9	17.8-26.0	13	3.3	1.1- 5.5
Less than \$15,000	87	12,321	11	7.4	1.7-13.1	16	24.7	9.8-39.6	12	7.9	2.4-13.4				44	54.4	39.1-69.7	4	5.5	0.0-11.8
\$15,000- 24,999	168	21,708	38	19.7	11.7-27.7	42	20.5	12.1-28.9	20	6.8	2.9-10.7	3	2.6	0.0- 6.3	59	44.9	33.1-56.7	6	5.7	0.2-11.2
\$25,000- 34,999	153	20,076	55	34.6	25.0-44.2	18	9.8	4.3-15.3	21	5.6	2.7- 8.5	3	1.4	0.0- 3.2	53	46.1	35.7-56.5	3	2.5	0.0- 5.8
\$35,000- 49,999	238	31,153	109	46.5	37.5-55.5	34	9.9	5.6-14.2	23	3.0	1.6- 4.4	1	0.1	0.0- 0.3	62	32.4	24.0-40.8	9	8.2	2.5-13.9
\$50,000- 74,999	350	42,444	219	61.8	54.7-68.9	38	7.5	4.4-10.6	18	3.0	1.0- 5.0	5	3.4	0.1- 6.7	60	21.6	15.3-27.9	10	2.7	0.5- 4.9
\$75,000+	806	117,632	627	75.7	71.8-79.6	48	6.6	4.2- 9.0	21	0.8	0.4- 1.2	1	0.4	0.0- 1.2	84	11.6	8.7-14.5	25	5.0	2.8- 7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	Married			Divorced			Widowed			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2291	283,412	1280	55.6	52.7-58.5	230	9.3	7.5-11.1	455	9.9	8.7-11.1	14	1.0	0.2- 1.8	267	20.4	17.7-23.1	45	3.7	2.3- 5.1
Native	108	14,224	39	39.5	26.8-52.2	27	16.6	9.2-24.0	10	4.9	0.6- 9.2	1	3.1	0.0- 9.2	28	29.7	18.3-41.1	3	6.2	0.0-15.6
Non-Native	2158	266,417	1226	56.7	53.6-59.8	200	8.9	7.1-10.7	441	10.2	8.8-11.6	13	0.9	0.1- 1.7	236	19.6	16.7-22.5	42	3.7	2.3- 5.1
18-24	98	38,395	7	7.4	1.9-12.9				1	1.1	0.0- 3.3	1	2.3	0.0- 6.8	77	77.8	68.6-87.0	12	11.4	4.7-18.1
25-34	158	51,143	79	50.4	41.4-59.4	7	6.0	0.9-11.1	2	1.3	0.0- 3.1	3	2.1	0.0- 4.5	59	34.3	25.7-42.9	8	6.0	1.5-10.5
35-44	212	44,765	149	70.9	63.5-78.3	28	14.6	8.5-20.7	4	2.8	0.0- 5.9				23	8.4	4.5-12.3	8	3.2	0.7- 5.7
45-54	254	37,604	192	76.1	69.8-82.4	28	12.2	7.3-17.1	5	1.9	0.0- 3.9	2	1.3	0.0- 3.1	23	6.9	3.2-10.6	4	1.6	0.0- 3.4
55-64	512	45,240	362	72.0	67.3-76.7	66	14.5	10.6-18.4	39	7.3	4.6-10.0	2	0.2	0.0- 0.4	37	4.5	2.7- 6.3	6	1.5	0.0- 3.1
65+	1057	66,265	491	54.5	51.0-58.0	101	8.7	6.5-10.9	404	32.8	29.5-36.1	6	0.5	0.1- 0.9	48	2.9	1.9- 3.9	7	0.6	0.0- 1.2
Less Than H.S.	89	19,348	26	25.5	13.5-37.5	5	4.9	0.0-10.2	41	20.8	12.2-29.4	1	2.3	0.0- 6.8	14	42.1	25.2-59.0	2	4.4	0.0-11.5
H.S. or G.E.D.	564	71,361	259	44.9	39.0-50.8	51	10.3	6.6-14.0	161	13.4	10.5-16.3	2	0.1	0.0- 0.3	79	26.0	20.1-31.9	12	5.3	2.0- 8.6
Some Post-H.S.	733	105,705	405	56.6	51.5-61.7	77	10.2	7.1-13.3	154	9.7	7.5-11.9	6	1.6	0.0- 3.4	76	17.9	13.4-22.4	15	3.8	1.4- 6.2
College Graduate	902	86,584	590	70.2	66.1-74.3	97	8.5	6.1-10.9	98	4.7	3.3- 6.1	5	0.7	0.0- 1.5	96	13.6	10.3-16.9	16	2.2	0.8- 3.6
Less than \$15,000	122	17,895	11	7.7	2.0-13.4	29	19.7	10.9-28.5	42	17.2	10.3-24.1	3	5.5	0.0-14.7	32	40.2	26.9-53.5	5	9.6	1.0-18.2
\$15,000- 24,999	257	32,625	60	25.0	17.2-32.8	49	16.1	9.2-23.0	96	21.4	15.1-27.7	3	2.9	0.0- 6.2	40	26.8	17.2-36.4	9	7.8	1.9-13.7
\$25,000- 34,999	196	21,885	78	39.8	29.6-50.0	28	16.0	8.4-23.6	57	13.4	8.9-17.9	2	0.4	0.0- 1.0	30	29.2	18.0-40.4	1	1.3	0.0- 3.8
\$35,000- 49,999	289	30,300	143	51.3	42.9-59.7	36	12.6	6.7-18.5	61	12.1	7.6-16.6	1	0.4	0.0- 1.2	43	20.0	12.7-27.3	5	3.7	0.0- 8.0
\$50,000- 74,999	295	36,166	195	68.3	60.5-76.1	22	7.1	2.2-12.0	37	5.6	3.1- 8.1	1	0.2	0.0- 0.6	32	13.5	7.6-19.4	8	5.3	1.0- 9.6
\$75,000+	649	88,466	547	83.1	79.0-87.2	26	4.4	2.0- 6.8	34	2.3	1.1- 3.5	2	0.3	0.0- 0.7	31	8.4	5.1-11.7	9	1.5	0.3- 2.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 16: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4460	583,452	3	0.3	0.0-0.7	72	1.5	1.1-1.9	118	6.0	4.6-7.4	1169	26.6	24.8-28.4	1445	38.4	36.4-40.4	1653	27.1	25.5-28.7
Male	2160	298,641	2	0.5	0.0-1.3	41	1.9	1.1-2.7	61	6.5	4.5-8.5	603	28.1	25.6-30.6	708	39.3	36.6-42.0	745	23.7	21.5-25.9
Female	2300	284,811	1	0.2	0.0-0.6	31	1.1	0.7-1.5	57	5.6	3.6-7.6	566	25.1	22.6-27.6	737	37.5	34.6-40.4	908	30.6	28.1-33.1
Native	191	25,524				4	2.0	0.0-4.2	20	22.1	12.3-31.9	54	28.8	20.2-37.4	74	36.2	27.2-45.2	39	11.0	6.5-15.5
Non-Native	4200	549,367	3	0.3	0.0-0.7	67	1.5	1.1-1.9	97	5.4	4.0-6.8	1098	26.5	24.5-28.5	1350	38.5	36.3-40.7	1585	27.9	26.1-29.7
18-24	224	81,452							12	9.8	4.3-15.3	90	38.8	31.7-45.9	77	38.0	30.7-45.3	45	13.3	9.2-17.4
25-34	403	113,247	1	0.3	0.0-0.9	1	0.5	0.0-1.5	14	7.7	3.4-12.0	95	25.0	20.1-29.9	114	33.0	27.5-38.5	178	33.4	28.5-38.3
35-44	482	95,368	1	1.1	0.0-3.1	1	0.5	0.0-1.5	10	4.6	1.3-7.9	99	21.5	17.0-26.0	145	38.5	33.0-44.0	226	33.9	29.2-38.6
45-54	508	78,106	1	0.6	0.0-1.8	4	1.6	0.0-3.4	6	2.5	0.1-4.9	90	19.5	15.4-23.6	168	43.3	38.0-48.6	239	32.5	28.2-36.8
55-64	930	91,612				2	0.3	0.0-0.7	17	5.0	2.5-7.5	248	27.2	23.9-30.5	330	41.4	37.5-45.3	333	26.1	23.0-29.2
65+	1913	123,667				64	5.0	3.6-6.4	59	6.1	4.3-7.9	547	28.0	25.6-30.4	611	38.4	35.7-41.1	632	22.4	20.4-24.4
Less than \$15,000	210	30,554				14	4.0	1.6-6.4	17	12.9	5.3-20.5	83	40.6	31.0-50.2	67	34.3	24.7-43.9	29	8.2	3.9-12.5
\$15,000- 24,999	427	54,441				16	4.1	1.2-7.0	27	13.0	6.9-19.1	173	32.1	25.8-38.4	140	40.0	32.6-47.4	71	10.7	7.0-14.4
\$25,000- 34,999	351	42,118				11	2.7	0.9-4.5	5	3.6	0.0-8.3	123	35.4	28.3-42.5	133	42.3	35.0-49.6	79	16.0	11.3-20.7
\$35,000- 49,999	527	61,453				8	1.7	0.5-2.9	10	5.5	1.0-10.0	153	30.7	25.0-36.4	169	37.5	31.6-43.4	187	24.7	20.0-29.4
\$50,000- 74,999	646	78,889	1	1.3	0.0-3.8	1	0.1	0.0-0.3	9	2.6	0.8-4.4	129	23.2	18.5-27.9	232	43.0	37.5-48.5	274	29.8	25.3-34.3
\$75,000+	1456	205,804				3	0.3	0.0-0.9	13	1.9	0.5-3.3	242	20.3	17.6-23.0	423	36.9	33.6-40.2	775	40.6	37.5-43.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2160	298,641	2	0.5	0.0- 1.3	41	1.9	1.1- 2.7	61	6.5	4.5- 8.5	603	28.1	25.6-30.6	708	39.3	36.6-42.0	745	23.7	21.5-25.9
Native	83	11,300				3	3.4	0.0- 7.5	7	15.5	2.6-28.4	28	32.4	18.5-46.3	35	44.3	29.8-58.8	10	4.5	0.8- 8.2
Non-Native	2034	281,626	2	0.5	0.0- 1.3	37	1.9	1.1- 2.7	54	6.2	4.0- 8.4	563	27.8	25.3-30.3	658	39.1	36.2-42.0	720	24.5	22.3-26.7
18-24	126	43,057							5	8.3	1.2-15.4	46	36.1	26.7-45.5	46	39.0	29.4-48.6	29	16.7	10.4-23.0
25-34	243	61,338	1	0.6	0.0- 1.8	1	1.0	0.0- 3.0	7	6.0	0.9-11.1	65	27.7	21.4-34.0	82	40.4	33.1-47.7	87	24.2	18.9-29.5
35-44	269	50,326	1	2.0	0.0- 5.9	1	0.9	0.0- 2.7	8	7.0	1.5-12.5	69	23.7	17.8-29.6	83	36.7	29.4-44.0	107	29.6	23.5-35.7
45-54	253	40,186				2	2.4	0.0- 5.7	4	4.2	0.0- 8.5	58	25.1	18.8-31.4	87	41.6	34.3-48.9	102	26.6	21.1-32.1
55-64	419	46,518				2	0.6	0.0- 1.4	10	6.5	2.2-10.8	139	31.3	26.0-36.6	155	41.1	35.2-47.0	113	20.6	16.5-24.7
65+	850	57,216				35	6.1	3.9- 8.3	27	6.7	3.8- 9.6	226	25.7	22.2-29.2	255	37.8	33.7-41.9	307	23.8	20.9-26.7
Less than \$15,000	87	12,321				4	2.8	0.0- 6.1	6	13.6	0.3-26.9	35	43.9	28.6-59.2	27	29.4	15.7-43.1	15	10.2	2.8-17.6
\$15,000- 24,999	168	21,708				9	7.7	0.8-14.6	11	11.6	3.6-19.6	67	28.6	19.4-37.8	51	41.0	29.2-52.8	30	11.0	4.9-17.1
\$25,000- 34,999	154	20,207				10	5.1	1.6- 8.6	2	2.0	0.0- 5.7	57	36.3	26.5-46.1	59	45.2	34.8-55.6	26	11.4	5.9-16.9
\$35,000- 49,999	238	31,153				6	2.5	0.3- 4.7	6	8.9	0.7-17.1	79	30.1	22.3-37.9	73	36.2	27.8-44.6	74	22.3	15.6-29.0
\$50,000- 74,999	351	42,724	1	2.4	0.0- 6.9	1	0.1	0.0- 0.3	6	3.2	0.5- 5.9	87	27.4	20.9-33.9	128	43.4	36.1-50.7	128	23.4	18.1-28.7
\$75,000+	806	117,190				3	0.6	0.0- 1.6	10	3.0	0.6- 5.4	168	24.2	20.3-28.1	251	39.7	35.2-44.2	374	32.5	28.8-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2300	284,811	1	0.2	0.0- 0.6	31	1.1	0.7- 1.5	57	5.6	3.6- 7.6	566	25.1	22.6-27.6	737	37.5	34.6-40.4	908	30.6	28.1-33.1
Native	108	14,224				1	0.9	0.0- 2.7	13	27.3	13.6-41.0	26	26.0	15.4-36.6	39	29.7	18.7-40.7	29	16.1	8.7-23.5
Non-Native	2166	267,741	1	0.2	0.0- 0.6	30	1.1	0.7- 1.5	43	4.5	2.5- 6.5	535	25.1	22.4-27.8	692	37.8	34.9-40.7	865	31.4	28.9-33.9
18-24	98	38,395							7	11.6	3.0-20.2	44	41.9	31.3-52.5	31	36.9	26.1-47.7	16	9.6	4.7-14.5
25-34	160	51,909							7	9.7	2.6-16.8	30	21.8	14.2-29.4	32	24.2	16.2-32.2	91	44.3	35.7-52.9
35-44	213	45,042							2	1.9	0.0- 4.8	30	19.0	12.1-25.9	62	40.5	32.3-48.7	119	38.6	31.3-45.9
45-54	255	37,920	1	1.2	0.0- 3.6	2	0.7	0.0- 1.7	2	0.7	0.0- 1.7	32	13.6	8.5-18.7	81	45.1	37.7-52.5	137	38.7	32.0-45.4
55-64	511	45,094							7	3.4	0.5- 6.3	109	23.0	18.7-27.3	175	41.8	36.5-47.1	220	31.8	27.5-36.1
65+	1063	66,451				29	4.1	2.5- 5.7	32	5.6	3.4- 7.8	321	30.1	26.8-33.4	356	39.0	35.5-42.5	325	21.2	18.7-23.7
Less than \$15,000	123	18,233				10	4.8	1.7- 7.9	11	12.4	3.2-21.6	48	38.4	26.1-50.7	40	37.6	24.5-50.7	14	6.9	1.6-12.2
\$15,000- 24,999	259	32,732				7	1.7	0.1- 3.3	16	13.9	5.3-22.5	106	34.5	26.1-42.9	89	39.4	30.0-48.8	41	10.5	5.8-15.2
\$25,000- 34,999	197	21,911				1	0.4	0.0- 1.2	3	5.0	0.0-13.4	66	34.6	24.2-45.0	74	39.6	29.4-49.8	53	20.2	12.8-27.6
\$35,000- 49,999	289	30,300				2	0.9	0.0- 2.3	4	1.9	0.0- 3.9	74	31.2	23.0-39.4	96	38.8	30.4-47.2	113	27.1	20.6-33.6
\$50,000- 74,999	295	36,166							3	1.8	0.0- 4.2	42	18.3	11.0-25.6	104	42.5	34.3-50.7	146	37.4	30.1-44.7
\$75,000+	650	88,614							3	0.5	0.0- 1.1	74	15.1	11.0-19.2	172	33.1	28.2-38.0	401	51.3	46.2-56.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 19: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4452	582,773	3514	66.4	64.2-68.6	778	27.3	25.3-29.3	160	6.3	5.1- 7.5
Male	2157	298,791	1691	64.7	61.8-67.6	381	28.5	25.6-31.4	85	6.7	4.9- 8.5
Female	2295	283,982	1823	68.1	65.2-71.0	397	26.0	23.1-28.9	75	5.9	4.1- 7.7
Native	191	25,524	121	54.2	44.4-64.0	60	36.5	26.9-46.1	10	9.3	3.2-15.4
Non-Native	4195	548,727	3345	67.2	65.0-69.4	704	26.7	24.5-28.9	146	6.1	4.9- 7.3
18-24	222	81,027	37	15.2	9.9-20.5	120	56.4	49.1-63.7	65	28.5	21.8-35.2
25-34	401	112,691	218	51.6	45.9-57.3	164	44.1	38.4-49.8	19	4.3	2.1- 6.5
35-44	480	94,962	374	71.8	66.5-77.1	92	24.6	19.5-29.7	14	3.5	1.0- 6.0
45-54	510	78,956	428	81.6	77.3-85.9	74	17.1	13.0-21.2	8	1.3	0.1- 2.5
55-64	930	91,679	830	86.7	83.6-89.8	82	10.9	8.0-13.8	18	2.4	1.0- 3.8
65+	1909	123,458	1627	84.6	82.4-86.8	246	13.5	11.5-15.5	36	1.9	1.1- 2.7
Less Than H.S.	193	45,870	123	43.1	33.5-52.7	55	42.9	32.5-53.3	15	14.1	6.1-22.1
H.S. or G.E.D.	1163	154,337	856	59.6	55.5-63.7	246	31.5	27.6-35.4	61	9.0	6.5-11.5
Some Post-H.S.	1442	223,700	1143	68.5	65.0-72.0	249	25.6	22.3-28.9	50	5.9	3.9- 7.9
College Graduate	1648	157,586	1389	77.0	74.1-79.9	225	20.9	18.0-23.8	34	2.1	1.1- 3.1
Less than \$15,000	209	30,499	95	27.0	19.6-34.4	95	60.8	51.6-70.0	19	12.2	5.3-19.1
\$15,000- 24,999	427	54,441	271	44.6	37.5-51.7	138	47.5	40.1-54.9	18	7.9	3.2-12.6
\$25,000- 34,999	351	42,118	247	52.8	45.4-60.2	89	41.7	34.1-49.3	15	5.5	2.0- 9.0
\$35,000- 49,999	526	61,415	426	66.6	60.1-73.1	92	32.1	25.6-38.6	8	1.3	0.1- 2.5
\$50,000- 74,999	645	78,762	544	74.2	68.7-79.7	82	22.6	17.1-28.1	19	3.2	1.4- 5.0
\$75,000+	1455	205,914	1318	84.2	81.5-86.9	113	13.1	10.6-15.6	24	2.7	1.5- 3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2157	298,791	1691	64.7	61.8-67.6	381	28.5	25.6-31.4	85	6.7	4.9- 8.5
Native	83	11,300	51	56.2	41.3-71.1	31	43.3	28.4-58.2	1	0.5	0.0- 1.5
Non-Native	2034	281,920	1613	65.4	62.3-68.5	341	27.8	24.9-30.7	80	6.8	4.8- 8.8
18-24	125	42,979	23	16.8	9.5-24.1	65	54.5	44.7-64.3	37	28.7	19.7-37.7
25-34	242	61,211	124	48.8	41.5-56.1	103	45.2	37.9-52.5	15	6.0	2.7- 9.3
35-44	267	49,920	201	65.5	57.7-73.3	55	29.4	22.0-36.8	11	5.1	0.6- 9.6
45-54	255	40,965	204	77.4	70.9-83.9	46	21.0	14.5-27.5	5	1.6	0.0- 3.4
55-64	419	46,518	372	86.4	81.7-91.1	41	12.8	8.1-17.5	6	0.8	0.0- 1.6
65+	849	57,198	767	90.6	88.1-93.1	71	8.4	5.9-10.9	11	1.0	0.2- 1.8
Less Than H.S.	104	26,522	72	41.3	29.1-53.5	25	42.9	29.2-56.6	7	15.8	4.2-27.4
H.S. or G.E.D.	601	83,430	450	62.5	57.2-67.8	119	28.9	23.8-34.0	32	8.5	5.0-12.0
Some Post-H.S.	706	117,300	559	67.0	62.3-71.7	120	27.3	22.6-32.0	27	5.7	3.3- 8.1
College Graduate	743	70,672	608	72.2	67.7-76.7	116	24.7	20.2-29.2	19	3.1	1.3- 4.9
Less than \$15,000	87	12,321	40	26.0	14.6-37.4	38	58.1	43.4-72.8	9	15.9	3.9-27.9
\$15,000- 24,999	168	21,708	107	43.2	32.2-54.2	50	45.7	34.1-57.3	11	11.0	2.8-19.2
\$25,000- 34,999	154	20,207	109	52.4	42.0-62.8	42	43.6	33.0-54.2	3	4.0	0.0- 8.5
\$35,000- 49,999	238	31,153	184	61.2	51.6-70.8	50	37.1	27.5-46.7	4	1.8	0.0- 4.0
\$50,000- 74,999	350	42,596	296	71.2	63.6-78.8	43	26.1	18.5-33.7	11	2.6	0.6- 4.6
\$75,000+	807	117,795	709	80.2	76.1-84.3	83	16.9	13.0-20.8	15	2.9	1.1- 4.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2295	283,982	1823	68.1	65.2-71.0	397	26.0	23.1-28.9	75	5.9	4.1- 7.7
Native	108	14,224	70	52.6	39.7-65.5	29	31.1	18.4-43.8	9	16.3	5.9-26.7
Non-Native	2161	266,808	1732	69.2	66.1-72.3	363	25.4	22.5-28.3	66	5.4	3.6- 7.2
18-24	97	38,047	14	13.3	5.9-20.7	55	58.5	47.7-69.3	28	28.2	18.4-38.0
25-34	159	51,480	94	55.0	46.0-64.0	61	42.7	33.7-51.7	4	2.3	0.0- 4.8
35-44	213	45,042	173	78.9	72.0-85.8	37	19.3	12.6-26.0	3	1.8	0.0- 4.0
45-54	255	37,991	224	86.1	80.8-91.4	28	13.0	7.9-18.1	3	0.9	0.0- 2.3
55-64	511	45,161	458	87.0	82.9-91.1	41	9.0	5.7-12.3	12	4.0	1.3- 6.7
65+	1060	66,261	860	79.4	76.3-82.5	175	17.9	15.0-20.8	25	2.8	1.4- 4.2
Less Than H.S.	89	19,348	51	45.6	30.1-61.1	30	42.7	26.6-58.8	8	11.7	0.9-22.5
H.S. or G.E.D.	562	70,907	406	56.1	50.0-62.2	127	34.5	28.2-40.8	29	9.5	5.6-13.4
Some Post-H.S.	736	106,400	584	70.2	65.1-75.3	129	23.7	19.0-28.4	23	6.1	3.2- 9.0
College Graduate	905	86,914	781	80.8	76.9-84.7	109	17.8	14.1-21.5	15	1.4	0.4- 2.4
Less than \$15,000	122	18,177	55	27.7	17.9-37.5	57	62.7	50.9-74.5	10	9.6	1.8-17.4
\$15,000- 24,999	259	32,732	164	45.5	36.3-54.7	88	48.6	39.0-58.2	7	5.9	0.4-11.4
\$25,000- 34,999	197	21,911	138	53.1	42.3-63.9	47	40.0	29.2-50.8	12	6.9	1.8-12.0
\$35,000- 49,999	288	30,262	242	72.3	64.1-80.5	42	26.9	18.5-35.3	4	0.9	0.0- 1.9
\$50,000- 74,999	295	36,166	248	77.7	70.1-85.3	39	18.4	11.0-25.8	8	3.9	1.0- 6.8
\$75,000+	648	88,118	609	89.7	86.2-93.2	30	8.0	4.7-11.3	9	2.3	0.5- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 22: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4341	547,876	4134	95.2	94.4-96.0	120	2.8	2.0- 3.6	87	2.0	1.4- 2.6
Male	2086	279,646	1973	94.8	93.6-96.0	62	2.7	1.9- 3.5	51	2.5	1.7- 3.3
Female	2255	268,230	2161	95.6	94.4-96.8	58	3.0	1.8- 4.2	36	1.4	0.8- 2.0
Native	186	23,787	175	94.7	91.2-98.2	10	5.1	1.6- 8.6	1	0.2	0.0- 0.6
Non-Native	4086	515,946	3908	95.7	94.9-96.5	106	2.6	1.8- 3.4	72	1.7	1.1- 2.3
18-24	206	73,170	192	95.5	92.8-98.2	6	2.0	0.2- 3.8	8	2.5	0.5- 4.5
25-34	361	97,750	338	94.0	91.3-96.7	12	3.7	1.3- 6.1	11	2.2	0.6- 3.8
35-44	459	88,976	438	95.0	92.5-97.5	14	3.7	1.5- 5.9	7	1.3	0.3- 2.3
45-54	498	76,338	471	95.0	92.8-97.2	11	1.7	0.5- 2.9	16	3.3	1.5- 5.1
55-64	912	88,870	878	96.5	95.1-97.9	13	1.5	0.5- 2.5	21	2.0	0.8- 3.2
65+	1905	122,773	1817	95.4	94.2-96.6	64	3.6	2.6- 4.6	24	1.0	0.6- 1.4
Less Than H.S.	187	41,065	173	94.9	91.8-98.0	10	3.8	1.1- 6.5	4	1.3	0.0- 2.9
H.S. or G.E.D.	1136	145,384	1072	94.0	92.0-96.0	39	3.7	1.9- 5.5	25	2.3	1.1- 3.5
Some Post-H.S.	1403	210,741	1345	96.2	94.8-97.6	40	2.7	1.5- 3.9	18	1.1	0.5- 1.7
College Graduate	1606	149,315	1540	95.5	94.1-96.9	29	1.6	0.8- 2.4	37	2.9	1.7- 4.1
Less than \$15,000	206	29,851	187	91.4	86.5-96.3	15	5.7	2.2- 9.2	4	2.9	0.0- 6.2
\$15,000- 24,999	416	49,579	395	96.6	94.8-98.4	16	2.4	1.0- 3.8	5	1.0	0.0- 2.2
\$25,000- 34,999	347	41,066	336	97.0	94.6-99.4	7	2.0	0.0- 4.0	4	1.0	0.0- 2.0
\$35,000- 49,999	513	57,976	491	94.8	91.7-97.9	16	4.2	1.3- 7.1	6	1.0	0.0- 2.0
\$50,000- 74,999	635	76,776	617	96.8	94.3-99.3	15	2.9	0.4- 5.4	3	0.3	0.0- 0.7
\$75,000+	1398	191,013	1361	97.5	96.5-98.5	21	1.4	0.6- 2.2	16	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 23: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2086	279,646	1973	94.8	93.6-96.0	62	2.7	1.9- 3.5	51	2.5	1.7- 3.3
Native	79	9,949	77	97.6	93.9- 100	1	1.9	0.0- 5.6	1	0.5	0.0- 1.5
Non-Native	1965	264,375	1868	95.3	94.1-96.5	58	2.6	1.6- 3.6	39	2.0	1.2- 2.8
18-24	116	38,851	106	94.7	91.0-98.4	4	1.8	0.0- 4.0	6	3.5	0.4- 6.6
25-34	218	53,951	203	93.5	89.8-97.2	8	3.8	0.9- 6.7	7	2.7	0.3- 5.1
35-44	250	45,434	238	94.9	91.8-98.0	6	2.7	0.3- 5.1	6	2.3	0.1- 4.5
45-54	246	39,215	230	94.4	91.3-97.5	5	1.4	0.0- 3.0	11	4.2	1.7- 6.7
55-64	409	45,383	395	97.1	95.1-99.1	5	1.1	0.0- 2.5	9	1.7	0.3- 3.1
65+	847	56,814	801	94.6	92.8-96.4	34	4.2	2.4- 6.0	12	1.2	0.4- 2.0
Less Than H.S.	102	25,054	93	93.9	89.2-98.6	6	4.4	0.3- 8.5	3	1.7	0.0- 4.1
H.S. or G.E.D.	578	76,514	539	93.1	90.4-95.8	24	4.1	1.9- 6.3	15	2.8	1.0- 4.6
Some Post-H.S.	683	110,285	655	97.0	95.4-98.6	19	1.9	0.7- 3.1	9	1.2	0.2- 2.2
College Graduate	718	66,867	684	94.0	91.6-96.4	12	1.6	0.4- 2.8	22	4.4	2.2- 6.6
Less than \$15,000	84	11,865	76	93.5	87.8-99.2	7	6.1	0.6-11.6	1	0.4	0.0- 1.2
\$15,000- 24,999	165	20,383	154	96.7	94.0-99.4	8	2.0	0.4- 3.6	3	1.4	0.0- 3.8
\$25,000- 34,999	152	19,790	147	96.2	92.1- 100	3	2.6	0.0- 6.3	2	1.2	0.0- 3.0
\$35,000- 49,999	229	29,358	218	95.4	91.7-99.1	7	3.2	0.0- 6.5	4	1.4	0.0- 3.2
\$50,000- 74,999	343	41,204	333	97.4	95.2-99.6	8	2.1	0.0- 4.3	2	0.5	0.0- 1.3
\$75,000+	764	107,167	743	97.4	96.0-98.8	12	1.4	0.4- 2.4	9	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 24: IN WHAT COUNTY DO YOU CURRENTLY LIVE? (CTYCODE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2255	268,230	2161	95.6	94.4-96.8	58	3.0	1.8- 4.2	36	1.4	0.8- 2.0
Native	107	13,838	98	92.6	87.3-97.9	9	7.4	2.1-12.7			
Non-Native	2121	251,571	2040	96.0	94.8-97.2	48	2.7	1.5- 3.9	33	1.3	0.7- 1.9
18-24	90	34,319	86	96.5	92.8- 100	2	2.2	0.0- 5.1	2	1.3	0.0- 3.5
25-34	143	43,799	135	94.7	90.4-99.0	4	3.7	0.0- 7.8	4	1.6	0.0- 3.4
35-44	209	43,542	200	95.1	91.2-99.0	8	4.7	0.8- 8.6	1	0.2	0.0- 0.6
45-54	252	37,124	241	95.6	92.9-98.3	6	2.1	0.3- 3.9	5	2.4	0.2- 4.6
55-64	503	43,487	483	95.8	93.6-98.0	8	1.9	0.5- 3.3	12	2.3	0.7- 3.9
65+	1058	65,959	1016	96.0	94.6-97.4	30	3.1	1.9- 4.3	12	0.9	0.3- 1.5
Less Than H.S.	85	16,011	80	96.5	93.4-99.6	4	2.9	0.0- 5.8	1	0.6	0.0- 1.8
H.S. or G.E.D.	558	68,870	533	94.9	92.0-97.8	15	3.3	0.8- 5.8	10	1.8	0.4- 3.2
Some Post-H.S.	720	100,456	690	95.4	93.2-97.6	21	3.7	1.5- 5.9	9	1.0	0.2- 1.8
College Graduate	888	82,448	856	96.7	95.1-98.3	17	1.7	0.7- 2.7	15	1.7	0.5- 2.9
Less than \$15,000	122	17,987	111	90.1	83.0-97.2	8	5.3	0.8- 9.8	3	4.6	0.0-10.1
\$15,000- 24,999	251	29,196	241	96.6	94.2-99.0	8	2.6	0.6- 4.6	2	0.7	0.0- 1.9
\$25,000- 34,999	195	21,276	189	97.8	95.8-99.8	4	1.5	0.0- 3.1	2	0.7	0.0- 1.9
\$35,000- 49,999	284	28,618	273	94.2	89.1-99.3	9	5.2	0.1-10.3	2	0.6	0.0- 1.4
\$50,000- 74,999	292	35,572	284	96.1	91.4- 100	7	3.8	0.0- 8.5	1	0.0	0.0- 0.0
\$75,000+	634	83,846	618	97.7	96.3-99.1	9	1.5	0.3- 2.7	7	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 25: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4469	584,823	4229	93.4	92.2-94.6	68	2.1	1.3- 2.9	172	4.4	3.4- 5.4
Male	2165	299,567	2037	92.4	90.8-94.0	39	2.9	1.7- 4.1	89	4.7	3.5- 5.9
Female	2304	285,256	2192	94.5	92.9-96.1	29	1.3	0.5- 2.1	83	4.2	2.8- 5.6
Native	191	25,524	180	96.2	93.7-98.7	6	1.9	0.1- 3.7	5	2.0	0.0- 4.0
Non-Native	4204	550,253	4002	93.9	92.7-95.1	57	2.0	1.2- 2.8	145	4.1	3.1- 5.1
18-24	224	81,452	203	91.1	87.0-95.2	8	3.4	0.7- 6.1	13	5.6	2.3- 8.9
25-34	403	113,247	372	91.1	87.6-94.6	7	2.5	0.5- 4.5	24	6.4	3.3- 9.5
35-44	482	95,368	460	94.3	91.4-97.2	8	2.8	0.3- 5.3	14	2.9	1.1- 4.7
45-54	512	79,138	481	93.1	90.6-95.6	6	1.4	0.2- 2.6	25	5.5	3.1- 7.9
55-64	931	91,758	897	96.6	95.2-98.0	4	0.5	0.0- 1.1	30	2.9	1.7- 4.1
65+	1917	123,860	1816	94.4	93.0-95.8	35	2.1	1.3- 2.9	66	3.5	2.5- 4.5
Less Than H.S.	193	45,870	176	88.7	81.6-95.8	11	5.9	0.8-11.0	6	5.3	0.0-10.8
H.S. or G.E.D.	1169	155,242	1095	92.6	90.4-94.8	25	3.1	1.5- 4.7	49	4.3	2.7- 5.9
Some Post-H.S.	1445	224,306	1370	93.9	92.1-95.7	20	1.6	0.6- 2.6	55	4.5	2.9- 6.1
College Graduate	1653	158,034	1583	95.2	93.8-96.6	11	0.8	0.2- 1.4	59	4.0	2.8- 5.2
Less than \$15,000	210	30,554	195	90.8	85.1-96.5	9	5.1	0.8- 9.4	6	4.2	0.3- 8.1
\$15,000- 24,999	427	54,441	402	90.5	85.0-96.0	7	3.6	0.3- 6.9	18	5.9	1.2-10.6
\$25,000- 34,999	351	42,118	340	96.3	93.6-99.0	4	1.2	0.0- 2.8	7	2.5	0.1- 4.9
\$35,000- 49,999	527	61,453	513	96.4	93.9-98.9	6	1.3	0.1- 2.5	8	2.4	0.2- 4.6
\$50,000- 74,999	646	78,889	631	95.1	92.2-98.0	6	3.0	0.3- 5.7	9	1.9	0.3- 3.5
\$75,000+	1457	206,410	1409	96.0	94.4-97.6	9	0.7	0.1- 1.3	39	3.3	1.9- 4.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2165	299,567	2037	92.4	90.8-94.0	39	2.9	1.7- 4.1	89	4.7	3.5- 5.9
Native	83	11,300	76	95.7	92.0-99.4	3	1.2	0.0- 2.6	4	3.1	0.0- 6.6
Non-Native	2036	282,319	1934	93.1	91.3-94.9	32	2.7	1.5- 3.9	70	4.2	3.0- 5.4
18-24	126	43,057	113	90.7	85.2-96.2	6	4.6	0.5- 8.7	7	4.8	0.9- 8.7
25-34	243	61,338	224	90.8	86.5-95.1	4	2.6	0.1- 5.1	15	6.6	3.1-10.1
35-44	269	50,326	255	92.7	87.8-97.6	6	4.6	0.1- 9.1	8	2.7	0.7- 4.7
45-54	256	40,999	232	89.7	85.4-94.0	6	2.6	0.2- 5.0	18	7.7	4.0-11.4
55-64	419	46,518	400	95.9	93.7-98.1	3	0.8	0.0- 1.8	16	3.2	1.2- 5.2
65+	852	57,329	813	94.4	92.2-96.6	14	2.2	0.6- 3.8	25	3.4	1.8- 5.0
Less Than H.S.	104	26,522	94	86.4	76.8-96.0	6	8.8	0.4-17.2	4	4.8	0.0-10.1
H.S. or G.E.D.	603	83,780	565	91.4	88.3-94.5	13	3.8	1.4- 6.2	25	4.8	2.4- 7.2
Some Post-H.S.	708	117,477	673	94.5	92.1-96.9	12	2.1	0.5- 3.7	23	3.5	1.7- 5.3
College Graduate	745	70,863	702	92.8	90.3-95.3	8	0.9	0.1- 1.7	35	6.3	3.9- 8.7
Less than \$15,000	87	12,321	80	90.0	80.2-99.8	5	9.1	0.0-18.9	2	0.9	0.0- 2.1
\$15,000- 24,999	168	21,708	158	91.8	85.1-98.5	3	3.8	0.0- 8.9	7	4.4	0.0- 8.9
\$25,000- 34,999	154	20,207	149	94.2	88.7-99.7	1	1.7	0.0- 5.0	4	4.1	0.0- 8.6
\$35,000- 49,999	238	31,153	230	96.0	92.9-99.1	3	1.6	0.0- 3.8	5	2.3	0.0- 4.7
\$50,000- 74,999	351	42,724	339	93.2	88.9-97.5	5	3.8	0.3- 7.3	7	3.0	0.3- 5.7
\$75,000+	807	117,795	779	96.2	94.4-98.0	8	1.1	0.1- 2.1	20	2.7	1.3- 4.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2304	285,256	2192	94.5	92.9-96.1	29	1.3	0.5- 2.1	83	4.2	2.8- 5.6
Native	108	14,224	104	96.5	93.0- 100	3	2.4	0.0- 5.3	1	1.1	0.0- 3.3
Non-Native	2168	267,934	2068	94.8	93.2-96.4	25	1.3	0.5- 2.1	75	3.9	2.5- 5.3
18-24	98	38,395	90	91.5	85.2-97.8	2	2.1	0.0- 5.6	6	6.4	1.1-11.7
25-34	160	51,909	148	91.4	85.5-97.3	3	2.5	0.0- 5.6	9	6.1	1.0-11.2
35-44	213	45,042	205	96.1	93.2-99.0	2	0.8	0.0- 2.0	6	3.1	0.4- 5.8
45-54	256	38,139	249	96.9	94.5-99.3				7	3.1	0.7- 5.5
55-64	512	45,240	497	97.2	95.6-98.8	1	0.2	0.0- 0.6	14	2.6	1.0- 4.2
65+	1065	66,531	1003	94.3	92.7-95.9	21	2.0	1.0- 3.0	41	3.7	2.3- 5.1
Less Than H.S.	89	19,348	82	91.9	81.3- 100	5	2.0	0.0- 4.0	2	6.1	0.0-16.7
H.S. or G.E.D.	566	71,463	530	94.0	91.1-96.9	12	2.3	0.1- 4.5	24	3.6	1.6- 5.6
Some Post-H.S.	737	106,829	697	93.2	90.3-96.1	8	1.1	0.0- 2.5	32	5.7	3.2- 8.2
College Graduate	908	87,171	881	97.1	95.5-98.7	3	0.7	0.0- 1.7	24	2.3	1.1- 3.5
Less than \$15,000	123	18,233	115	91.3	84.4-98.2	4	2.3	0.0- 4.8	4	6.4	0.0-12.9
\$15,000- 24,999	259	32,732	244	89.6	81.6-97.6	4	3.5	0.0- 8.0	11	7.0	0.0-14.1
\$25,000- 34,999	197	21,911	191	98.2	96.6-99.8	3	0.8	0.0- 1.8	3	1.0	0.0- 2.4
\$35,000- 49,999	289	30,300	283	96.8	92.9- 100	3	0.8	0.0- 2.0	3	2.4	0.0- 6.1
\$50,000- 74,999	295	36,166	292	97.3	93.2- 100	1	2.1	0.0- 6.2	2	0.6	0.0- 1.8
\$75,000+	650	88,614	630	95.6	93.1-98.1	1	0.2	0.0- 0.6	19	4.2	1.7- 6.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 28: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2424	172,935	419	14.9	13.1-16.7	2005	85.1	83.3-86.9
Male	1001	72,228	171	13.9	11.4-16.4	830	86.1	83.6-88.6
Female	1423	100,707	248	15.6	13.2-18.0	1175	84.4	82.0-86.8
Native	74	7,447	21	16.0	7.6-24.4	53	84.0	75.6-92.4
Non-Native	2315	163,230	391	14.8	13.0-16.6	1924	85.2	83.4-87.0
25-34	52	9,796	9	18.4	6.4-30.4	43	81.6	69.6-93.6
35-44	141	15,396	19	11.5	5.4-17.6	122	88.5	82.4-94.6
45-54	180	18,671	31	16.9	10.4-23.4	149	83.1	76.6-89.6
55-64	547	41,569	97	14.4	11.3-17.5	450	85.6	82.5-88.7
65+	1479	80,381	259	15.3	13.1-17.5	1220	84.7	82.5-86.9
Less Than H.S.	114	13,833	12	6.0	2.3- 9.7	102	94.0	90.3-97.7
H.S. or G.E.D.	682	48,236	114	15.7	12.2-19.2	568	84.3	80.8-87.8
Some Post-H.S.	775	66,689	142	15.8	12.9-18.7	633	84.2	81.3-87.1
College Graduate	850	43,498	150	15.6	12.5-18.7	700	84.4	81.3-87.5
Less than \$15,000	122	8,054	14	10.8	2.4-19.2	108	89.2	80.8-97.6
\$15,000- 24,999	261	15,562	39	12.1	7.8-16.4	222	87.9	83.6-92.2
\$25,000- 34,999	220	14,544	29	11.1	6.6-15.6	191	88.9	84.4-93.4
\$35,000- 49,999	306	19,402	56	18.0	12.5-23.5	250	82.0	76.5-87.5
\$50,000- 74,999	365	25,414	69	16.6	11.9-21.3	296	83.4	78.7-88.1
\$75,000+	641	53,587	119	16.4	12.9-19.9	522	83.6	80.1-87.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 29: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1001	72,228	171	13.9	11.4-16.4	830	86.1	83.6-88.6
Non-Native	955	68,224	158	13.4	10.9-15.9	797	86.6	84.1-89.1
35-44	62	5,401	6	6.8	0.3-13.3	56	93.2	86.7-99.7
45-54	76	7,374	15	17.1	7.5-26.7	61	82.9	73.3-92.5
55-64	214	18,005	33	11.1	6.8-15.4	181	88.9	84.6-93.2
65+	607	32,725	109	16.0	12.7-19.3	498	84.0	80.7-87.3
Less Than H.S.	58	7,453	6	6.0	0.5-11.5	52	94.0	88.5-99.5
H.S. or G.E.D.	293	21,481	51	14.6	10.1-19.1	242	85.4	80.9-89.9
Some Post-H.S.	302	26,605	51	15.9	11.0-20.8	251	84.1	79.2-89.0
College Graduate	346	16,058	62	13.8	9.9-17.7	284	86.2	82.3-90.1
\$15,000- 24,999	88	4,434	15	17.5	8.3-26.7	73	82.5	73.3-91.7
\$25,000- 34,999	81	5,824	10	10.3	2.9-17.7	71	89.7	82.3-97.1
\$35,000- 49,999	121	7,121	23	20.7	11.1-30.3	98	79.3	69.7-88.9
\$50,000- 74,999	187	12,595	39	19.0	12.3-25.7	148	81.0	74.3-87.7
\$75,000+	302	24,425	50	11.7	7.4-16.0	252	88.3	84.0-92.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 30: NOT INCLUDING CELL PHONES OR NUMBERS USED FOR COMPUTERS, FAX MACHINES OR SECURITY SYSTEMS, DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? (NUMHHOL3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1423	100,707	248	15.6	13.2-18.0	1175	84.4	82.0-86.8
Non-Native	1360	95,006	233	15.9	13.5-18.3	1127	84.1	81.7-86.5
35-44	79	9,995	13	14.1	5.3-22.9	66	85.9	77.1-94.7
45-54	104	11,297	16	16.7	8.1-25.3	88	83.3	74.7-91.9
55-64	333	23,564	64	16.9	12.4-21.4	269	83.1	78.6-87.6
65+	872	47,655	150	14.9	12.4-17.4	722	85.1	82.6-87.6
Less Than H.S.	56	6,381	6	5.9	0.8-11.0	50	94.1	89.0-99.2
H.S. or G.E.D.	389	26,755	63	16.7	11.6-21.8	326	83.3	78.2-88.4
Some Post-H.S.	473	40,084	91	15.7	12.0-19.4	382	84.3	80.6-88.0
College Graduate	504	27,440	88	16.7	12.4-21.0	416	83.3	79.0-87.6
Less than \$15,000	75	5,076	8	12.8	0.3-25.3	67	87.2	74.7-99.7
\$15,000- 24,999	173	11,128	24	9.9	5.2-14.6	149	90.1	85.4-94.8
\$25,000- 34,999	139	8,720	19	11.7	5.8-17.6	120	88.3	82.4-94.2
\$35,000- 49,999	185	12,280	33	16.3	9.4-23.2	152	83.7	76.8-90.6
\$50,000- 74,999	178	12,819	30	14.3	8.0-20.6	148	85.7	79.4-92.0
\$75,000+	339	29,163	69	20.3	15.0-25.6	270	79.7	74.4-85.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS

TABLE 31: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	One Number			Two Numbers			Three Numbers			Four Numbers			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	417	25,643	294	84.5	81.0-88.0	88	11.4	8.3-14.5	29	2.7	1.7- 3.7	2	0.1	0.0- 0.3	4	1.2	0.0- 2.6
Male	170	9,981	112	79.6	72.9-86.3	36	14.0	8.1-19.9	18	4.0	2.4- 5.6	1	0.2	0.0- 0.6	3	2.2	0.0- 4.9
Female	247	15,663	182	87.6	83.9-91.3	52	9.8	6.5-13.1	11	1.9	0.5- 3.3	1	0.1	0.0- 0.3	1	0.6	0.0- 1.8
Non-Native	389	24,089	270	83.8	80.1-87.5	86	12.0	8.7-15.3	29	2.9	1.9- 3.9	1	0.1	0.0- 0.3	3	1.2	0.0- 2.6
55-64	97	5,970	69	84.2	77.3-91.1	17	10.1	4.0-16.2	11	5.8	2.9- 8.7						
65+	257	12,207	176	81.8	77.1-86.5	60	13.6	9.5-17.7	16	2.5	1.1- 3.9	2	0.3	0.0- 0.7	3	1.7	0.0- 3.9
H.S. or G.E.D.	113	7,537	80	83.9	77.0-90.8	26	11.9	6.2-17.6	5	1.6	0.0- 3.2				2	2.5	0.0- 6.0
Some Post-H.S.	141	10,472	101	83.9	78.0-89.8	26	11.2	6.1-16.3	12	3.7	1.7- 5.7	1	0.2	0.0- 0.6	1	1.0	0.0- 3.0
College Graduate	150	6,784	105	88.1	83.8-92.4	31	8.6	4.9-12.3	12	2.7	0.9- 4.5	1	0.2	0.0- 0.6	1	0.3	0.0- 0.9
\$35,000- 49,999	56	3,484	42	88.3	80.1-96.5	9	9.0	1.2-16.8	5	2.7	0.2- 5.2						
\$50,000- 74,999	68	4,164	52	87.5	79.1-95.9	12	11.0	2.8-19.2	4	1.5	0.0- 3.1						
\$75,000+	119	8,764	81	84.9	78.8-91.0	26	11.0	5.7-16.3	11	3.0	1.0- 5.0				1	1.1	0.0- 3.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	170	9,981	112	79.6	72.7-86.5	36	14.0	7.9-20.1	18	4.0	2.4- 5.6	1	0.2	0.0- 0.6	3	2.2	0.0- 4.9
Non-Native	157	9,065	101	78.0	70.6-85.4	35	15.2	8.5-21.9	18	4.4	2.6- 6.2	1	0.2	0.0- 0.6	2	2.2	0.0- 5.1
65+	108	5,166	73	83.8	77.1-90.5	22	10.4	5.3-15.5	10	3.1	1.1- 5.1	1	0.4	0.0- 1.2	2	2.3	0.0- 6.2
H.S. or G.E.D.	51	3,128	34	77.6	65.1-90.1	13	17.2	6.0-28.4	3	2.0	0.0- 4.4				1	3.2	0.0- 9.3
Some Post-H.S.	50	4,166	37	83.1	71.9-94.3	6	9.9	0.3-19.5	5	4.1	1.7- 6.5	1	0.5	0.0- 1.5	1	2.4	0.0- 7.1
College Graduate	62	2,212	37	80.2	71.4-89.0	14	11.4	4.5-18.3	10	7.4	2.5-12.3				1	0.9	0.0- 2.7
\$75,000+	50	2,849	29	74.5	60.6-88.4	13	17.7	5.5-29.9	7	4.2	0.7- 7.7				1	3.5	0.0-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON3)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	247	15,663	182	87.6	83.9-91.3	52	9.8	6.5-13.1	11	1.9	0.5- 3.3	1	0.1	0.0- 0.3	1	0.6	0.0- 1.8
Non-Native	232	15,024	169	87.3	83.4-91.2	51	10.1	6.8-13.4	11	2.0	0.6- 3.4				1	0.6	0.0- 1.8
55-64	64	3,972	49	90.2	84.5-95.9	10	6.1	1.8-10.4	5	3.7	0.2- 7.2						
65+	149	7,041	103	80.3	73.8-86.8	38	16.1	10.2-22.0	6	2.1	0.1- 4.1	1	0.2	0.0- 0.6	1	1.3	0.0- 3.8
H.S. or G.E.D.	62	4,409	46	88.4	81.3-95.5	13	8.2	3.1-13.3	2	1.3	0.0- 3.5				1	2.1	0.0- 6.2
Some Post-H.S.	91	6,306	64	84.4	77.5-91.3	20	12.1	5.8-18.4	7	3.5	0.8- 6.2						
College Graduate	88	4,572	68	91.9	87.4-96.4	17	7.3	3.0-11.6	2	0.4	0.0- 1.0	1	0.3	0.0- 0.9			
\$75,000+	69	5,915	52	89.9	84.4-95.4	13	7.7	3.0-12.4	4	2.4	0.0- 4.8						

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 34: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4440	581,927	3675	85.7	84.3-87.1	430	8.9	7.7-10.1	42	1.3	0.7- 1.9	16	0.5	0.3- 0.7	9	0.2	0.0- 0.4	3	0.1	0.1- 0.1	265	3.3	2.7- 3.3
Male	2147	297,447	1768	84.6	82.6-86.6	224	10.1	8.3-11.9	19	1.5	0.7- 2.3	2	0.1	0.0- 0.3	7	0.3	0.1- 0.5	3	0.1	0.0- 0.3	124	3.2	2.4- 4.4
Female	2293	284,480	1907	86.8	85.0-88.6	206	7.7	6.3- 9.1	23	1.0	0.4- 1.6	14	0.9	0.3- 1.5	2	0.2	0.0- 0.4				141	3.5	2.9- 4.4
Native	191	25,524	150	80.7	73.6-87.8	23	9.8	4.9-14.7	6	4.2	0.1- 8.3	1	1.6	0.0- 4.5							11	3.8	1.3- 6.6
Non-Native	4182	547,877	3470	86.0	84.6-87.4	399	8.8	7.6-10.0	36	1.2	0.6- 1.8	15	0.5	0.3- 0.7	9	0.2	0.0- 0.4	3	0.1	0.1- 0.1	250	3.3	2.7- 3.3
18-24	223	81,374	208	93.9	90.6-97.2	12	4.9	2.0- 7.8	2	0.7	0.0- 1.7										1	0.6	0.0- 1.1
25-34	402	113,087	353	88.1	84.4-91.8	37	9.0	5.7-12.3	7	2.0	0.2- 3.8	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	1	0.1	0.0- 0.0
35-44	478	94,823	393	84.5	80.8-88.2	53	10.1	7.0-13.2	14	2.8	1.0- 4.6	5	1.0	0.0- 2.0	1	0.1	0.0- 0.3				12	1.5	0.5- 2.2
45-54	510	78,917	437	88.1	85.0-91.2	37	6.1	3.9- 8.3	9	1.5	0.3- 2.7	9	2.0	0.6- 3.4	4	1.0	0.0- 2.0	1	0.1	0.0- 0.3	13	1.3	0.5- 2.2
55-64	924	90,916	755	82.9	80.0-85.8	117	11.9	9.5-14.3	7	0.8	0.2- 1.4				1	0.1	0.0- 0.3				44	4.4	2.4- 6.6
65+	1903	122,810	1529	79.4	77.2-81.6	174	10.2	8.4-12.0	3	0.1	0.0- 0.3				2	0.1	0.0- 0.3	1	0.0	0.0- 0.0	194	10.2	8.6-11.1
Less Than H.S.	190	45,309	149	82.4	75.0-89.8	12	9.0	2.7-15.3	2	1.3	0.0- 3.3										27	7.3	3.4-11.1
H.S. or G.E.D.	1160	154,594	929	84.2	81.7-86.7	108	9.1	6.9-11.3	9	1.2	0.2- 2.2	4	0.6	0.0- 1.2	3	0.2	0.0- 0.4	1	0.0	0.0- 0.0	106	4.6	3.6- 5.5
Some Post-H.S.	1439	223,538	1203	86.5	84.3-88.7	135	8.5	6.7-10.3	16	1.7	0.7- 2.7	3	0.3	0.0- 0.7	3	0.3	0.0- 0.7				79	2.8	2.0- 3.3
College Graduate	1643	157,147	1386	86.8	84.8-88.8	175	9.4	7.6-11.2	15	0.7	0.3- 1.1	9	0.9	0.3- 1.5	3	0.3	0.0- 0.7	2	0.2	0.0- 0.4	53	1.8	1.2- 2.2
Less than \$15,000	210	30,554	154	87.5	83.4-91.6	7	1.8	0.0- 3.6	1	0.2	0.0- 0.6										48	10.5	6.8-14.1
\$15,000- 24,999	427	54,441	338	82.1	76.2-88.0	29	9.8	4.3-15.3	2	0.1	0.0- 0.3	2	1.4	0.0- 3.4							56	6.5	4.3- 8.8
\$25,000- 34,999	350	42,037	289	87.3	83.2-91.4	28	6.0	3.3- 8.7	2	1.6	0.0- 4.0							1	0.1	0.0- 0.3	30	4.9	2.7- 7.1
\$35,000- 49,999	525	61,296	452	88.1	84.6-91.6	48	7.9	5.0-10.8	4	1.4	0.0- 3.0	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6				18	2.1	0.9- 3.3
\$50,000- 74,999	645	78,663	557	89.4	86.5-92.3	66	7.4	5.0- 9.8	7	1.7	0.1- 3.3				1	0.1	0.0- 0.3				14	1.5	0.5- 2.2
\$75,000+	1455	206,150	1211	83.9	81.5-86.3	185	12.0	9.8-14.2	20	1.7	0.7- 2.7	10	0.7	0.3- 1.1	6	0.5	0.1- 0.9	2	0.1	0.0- 0.3	21	1.1	0.5- 1.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 35: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2147	297,447	1768	84.6	82.6-86.6	224	10.1	8.3-11.9	19	1.5	0.7- 2.3	2	0.1	0.0- 0.3	7	0.3	0.1- 0.5	3	0.1	0.0- 0.3	124	3.2	2.4- 4.0
Native	83	11,300	66	78.9	67.3-90.5	10	12.1	3.5-20.7	2	4.3	0.0-11.6										5	4.6	0.1- 9.1
Non-Native	2023	280,623	1666	84.8	82.8-86.8	210	10.0	8.2-11.8	17	1.4	0.6- 2.2	2	0.1	0.0- 0.3	7	0.3	0.1- 0.5	3	0.1	0.0- 0.3	118	3.2	2.4- 4.0
18-24	125	42,979	117	93.5	88.8-98.2	6	4.4	0.7- 8.1	1	1.0	0.0- 3.0										1	1.1	0.0- 3.0
25-34	243	61,338	204	83.7	78.4-89.0	30	12.8	7.9-17.7	6	2.6	0.2- 5.0				1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	1	0.2	0.0- 0.0
35-44	265	49,781	218	82.0	76.1-87.9	30	12.5	7.4-17.6	5	2.9	0.0- 5.8	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6				10	2.0	0.6- 3.3
45-54	255	40,848	223	89.7	85.6-93.8	16	5.6	2.5- 8.7	4	2.0	0.0- 4.2	1	0.5	0.0- 1.5	2	0.9	0.0- 2.1	1	0.2	0.0- 0.6	8	1.3	0.3- 2.2
55-64	414	45,784	339	83.2	78.7-87.7	47	11.0	7.5-14.5	1	0.3	0.0- 0.9				1	0.1	0.0- 0.3				26	5.4	2.1- 8.7
65+	845	56,717	667	78.7	75.4-82.0	95	12.1	9.4-14.8	2	0.2	0.0- 0.4				2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	78	8.7	6.3-11.1
Less Than H.S.	102	26,070	78	81.3	71.5-91.1	7	8.5	1.1-15.9	1	1.6	0.0- 4.7										16	8.5	2.2-14.8
H.S. or G.E.D.	598	83,433	479	83.1	79.4-86.8	62	10.9	7.8-14.0	5	1.2	0.0- 2.4	2	0.5	0.0- 1.1	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	47	4.1	2.7- 5.5
Some Post-H.S.	703	116,806	584	85.0	81.7-88.3	72	10.1	7.2-13.0	10	2.3	0.7- 3.9				2	0.3	0.0- 0.7				35	2.3	1.3- 3.3
College Graduate	739	70,213	622	86.8	83.9-89.7	83	10.0	7.5-12.5	3	0.5	0.0- 1.3				3	0.6	0.0- 1.4	2	0.4	0.0- 1.0	26	1.7	0.9- 2.2
Less than \$15,000	87	12,321	66	89.7	84.0-95.4	4	2.4	0.0- 5.5	1	0.5	0.0- 1.5										16	7.5	3.2-11.8
\$15,000- 24,999	168	21,708	136	84.9	77.1-92.7	11	8.8	1.5-16.1	1	0.3	0.0- 0.9										20	6.0	2.3- 9.7
\$25,000- 34,999	153	20,126	127	85.8	78.9-92.7	12	7.3	2.4-12.2	1	2.3	0.0- 6.6							1	0.3	0.0- 0.9	12	4.4	1.3- 7.5
\$35,000- 49,999	237	31,053	199	86.2	80.5-91.9	24	9.4	4.5-14.3	2	2.0	0.0- 4.7										12	2.4	0.6- 4.2
\$50,000- 74,999	350	42,497	301	88.3	84.0-92.6	36	8.8	5.1-12.5	2	1.3	0.0- 3.3				1	0.1	0.0- 0.3				10	1.6	0.4- 2.2
\$75,000+	806	117,605	665	82.5	79.2-85.8	108	13.5	10.6-16.4	10	1.9	0.5- 3.3	1	0.2	0.0- 0.6	5	0.6	0.0- 1.2	2	0.2	0.0- 0.6	15	1.1	0.5- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 36: HOW MANY CELL PHONES DO YOU HAVE FOR PERSONAL USE? (CPDEMO1B)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2293	284,480	1907	86.8	85.0-88.6	206	7.7	6.3- 9.1	23	1.0	0.4- 1.6	14	0.9	0.3- 1.5	2	0.2	0.0- 0.4	141	3.5	2.9- 4.1
Native	108	14,224	84	82.2	73.6-90.8	13	7.9	2.8-13.0	4	4.1	0.0- 8.4	1	2.8	0.0- 8.1				6	3.1	0.4- 5.8
Non-Native	2159	267,253	1804	87.1	85.3-88.9	189	7.5	5.9- 9.1	19	0.9	0.3- 1.5	13	0.8	0.4- 1.2	2	0.2	0.0- 0.4	132	3.5	2.7- 4.3
18-24	98	38,395	91	94.4	89.7-99.1	6	5.3	0.6-10.0	1	0.3	0.0- 0.9									
25-34	159	51,749	149	93.3	88.2-98.4	7	4.6	0.1- 9.1	1	1.2	0.0- 3.6	2	0.9	0.0- 2.3						
35-44	213	45,042	175	87.3	82.6-92.0	23	7.5	4.0-11.0	9	2.6	0.2- 5.0	4	1.6	0.0- 3.6				2	0.9	0.0- 2.9
45-54	255	38,069	214	86.5	82.0-91.0	21	6.7	3.4-10.0	5	0.9	0.0- 1.9	8	3.6	1.1- 6.1	2	1.1	0.0- 2.9	5	1.2	0.0- 2.4
55-64	510	45,132	416	82.5	78.8-86.2	70	12.8	9.5-16.1	6	1.3	0.1- 2.5							18	3.4	1.6- 5.3
65+	1058	66,093	862	79.9	77.0-82.8	79	8.6	6.4-10.8	1	0.0	0.0- 0.0							116	11.5	9.3-13.7
Less Than H.S.	88	19,239	71	83.8	72.4-95.2	5	9.6	0.0-20.6	1	0.9	0.0- 2.7							11	5.6	1.7- 9.5
H.S. or G.E.D.	562	71,162	450	85.5	82.0-89.0	46	6.9	4.5- 9.3	4	1.3	0.0- 3.1	2	0.8	0.0- 2.0	1	0.2	0.0- 0.6	59	5.3	3.7- 6.9
Some Post-H.S.	736	106,732	619	88.1	85.4-90.8	63	6.8	4.6- 9.0	6	1.0	0.0- 2.0	3	0.6	0.0- 1.4	1	0.3	0.0- 0.9	44	3.2	2.0- 4.4
College Graduate	904	86,934	764	86.8	84.1-89.5	92	8.9	6.7-11.1	12	0.9	0.3- 1.5	9	1.6	0.4- 2.8				27	1.9	0.9- 2.9
Less than \$15,000	123	18,233	88	86.0	80.3-91.7	3	1.4	0.0- 3.4										32	12.5	7.2-17.7
\$15,000- 24,999	259	32,732	202	80.3	72.3-88.3	18	10.5	2.9-18.1	1	0.1	0.0- 0.3	2	2.3	0.0- 5.4				36	6.8	4.3- 9.3
\$25,000- 34,999	197	21,911	162	88.7	84.2-93.2	16	4.9	2.2- 7.6	1	1.1	0.0- 3.3							18	5.3	2.4- 8.2
\$35,000- 49,999	288	30,243	253	89.9	86.0-93.8	24	6.3	3.2- 9.4	2	0.8	0.0- 2.0	2	0.8	0.0- 1.8	1	0.5	0.0- 1.5	6	1.7	0.1- 3.3
\$50,000- 74,999	295	36,166	256	90.7	86.8-94.6	30	5.7	3.3- 8.1	5	2.2	0.0- 4.7							4	1.4	0.0- 3.0
\$75,000+	649	88,545	546	85.8	82.7-88.9	77	10.1	7.6-12.6	10	1.4	0.0- 3.0	9	1.5	0.5- 2.5	1	0.3	0.0- 0.9	6	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 37: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4459	583,275	565	10.8	9.6-12.0	3894	89.2	88.0-90.4
Male	2157	298,121	513	18.8	16.6-21.0	1644	81.2	79.0-83.4
Female	2302	285,154	52	2.4	1.4- 3.4	2250	97.6	96.6-98.6
Native	190	25,480	13	4.5	1.2- 7.8	177	95.5	92.2-98.8
Non-Native	4197	549,030	544	11.2	10.0-12.4	3653	88.8	87.6-90.0
18-24	222	80,957	11	5.5	2.2- 8.8	211	94.5	91.2-97.8
25-34	403	113,247	24	7.4	4.3-10.5	379	92.6	89.5-95.7
35-44	479	94,505	42	9.9	6.6-13.2	437	90.1	86.8-93.4
45-54	510	79,073	39	8.3	5.4-11.2	471	91.7	88.8-94.6
55-64	931	91,758	83	10.9	8.4-13.4	848	89.1	86.6-91.6
65+	1914	123,735	366	19.7	17.5-21.9	1548	80.3	78.1-82.5
Less Than H.S.	193	45,870	27	8.4	4.1-12.7	166	91.6	87.3-95.9
H.S. or G.E.D.	1165	154,411	156	10.5	8.3-12.7	1009	89.5	87.3-91.7
Some Post-H.S.	1444	224,262	194	12.9	10.7-15.1	1250	87.1	84.9-89.3
College Graduate	1649	157,394	187	9.0	7.2-10.8	1462	91.0	89.2-92.8
Less than \$15,000	210	30,554	25	9.0	2.9-15.1	185	91.0	84.9-97.1
\$15,000- 24,999	427	54,441	67	12.8	8.5-17.1	360	87.2	82.9-91.5
\$25,000- 34,999	351	42,118	59	15.8	10.7-20.9	292	84.2	79.1-89.3
\$35,000- 49,999	527	61,453	70	10.4	7.1-13.7	457	89.6	86.3-92.9
\$50,000- 74,999	645	78,868	90	14.1	10.4-17.8	555	85.9	82.2-89.6
\$75,000+	1457	206,410	168	9.8	7.8-11.8	1289	90.2	88.2-92.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2157	298,121	513	18.8	16.6-21.0	1644	81.2	79.0-83.4
Native	82	11,256	11	9.3	1.9-16.7	71	90.7	83.3-98.1
Non-Native	2030	281,165	496	19.4	17.2-21.6	1534	80.6	78.4-82.8
18-24	124	42,562	10	9.5	3.6-15.4	114	90.5	84.6-96.4
25-34	243	61,338	21	11.8	6.7-16.9	222	88.2	83.1-93.3
35-44	266	49,463	36	15.2	9.9-20.5	230	84.8	79.5-90.1
45-54	254	40,934	34	14.3	9.2-19.4	220	85.7	80.6-90.8
55-64	419	46,518	64	17.6	13.1-22.1	355	82.4	77.9-86.9
65+	851	57,306	348	40.7	36.6-44.8	503	59.3	55.2-63.4
Less Than H.S.	104	26,522	26	14.3	6.9-21.7	78	85.7	78.3-93.1
H.S. or G.E.D.	599	82,948	144	17.4	13.7-21.1	455	82.6	78.9-86.3
Some Post-H.S.	707	117,433	178	22.3	18.4-26.2	529	77.7	73.8-81.6
College Graduate	742	70,292	164	16.8	13.7-19.9	578	83.2	80.1-86.3
Less than \$15,000	87	12,321	21	18.0	4.9-31.1	66	82.0	68.9-95.1
\$15,000- 24,999	168	21,708	62	30.3	20.3-40.3	106	69.7	59.7-79.7
\$25,000- 34,999	154	20,207	56	28.7	19.9-37.5	98	71.3	62.5-80.1
\$35,000- 49,999	238	31,153	66	19.5	13.2-25.8	172	80.5	74.2-86.8
\$50,000- 74,999	350	42,703	86	23.7	17.6-29.8	264	76.3	70.2-82.4
\$75,000+	807	117,795	145	14.9	12.0-17.8	662	85.1	82.2-88.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
(VETERAN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2302	285,154	52	2.4	1.4- 3.4	2250	97.6	96.6-98.6
Native	108	14,224	2	0.6	0.0- 1.6	106	99.4	98.4- 100
Non-Native	2167	267,865	48	2.5	1.5- 3.5	2119	97.5	96.5-98.5
18-24	98	38,395	1	1.0	0.0- 3.0	97	99.0	97.0- 100
25-34	160	51,909	3	2.1	0.0- 4.6	157	97.9	95.4- 100
35-44	213	45,042	6	4.0	0.5- 7.5	207	96.0	92.5-99.5
45-54	256	38,139	5	1.9	0.0- 3.9	251	98.1	96.1- 100
55-64	512	45,240	19	4.0	1.8- 6.2	493	96.0	93.8-98.2
65+	1063	66,429	18	1.7	0.7- 2.7	1045	98.3	97.3-99.3
Less Than H.S.	89	19,348	1	0.4	0.0- 1.2	88	99.6	98.8- 100
H.S. or G.E.D.	566	71,463	12	2.4	0.4- 4.4	554	97.6	95.6-99.6
Some Post-H.S.	737	106,829	16	2.6	1.0- 4.2	721	97.4	95.8-99.0
College Graduate	907	87,101	23	2.7	1.1- 4.3	884	97.3	95.7-98.9
Less than \$15,000	123	18,233	4	2.8	0.0- 6.9	119	97.2	93.1- 100
\$15,000- 24,999	259	32,732	5	1.2	0.0- 2.6	254	98.8	97.4- 100
\$25,000- 34,999	197	21,911	3	3.9	0.0- 9.2	194	96.1	90.8- 100
\$35,000- 49,999	289	30,300	4	1.0	0.0- 2.4	285	99.0	97.6- 100
\$50,000- 74,999	295	36,166	4	2.8	0.0- 5.9	291	97.2	94.1- 100
\$75,000+	650	88,614	23	3.0	1.4- 4.6	627	97.0	95.4-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 40: ARE YOU CURRENTLY...? (EMPLOY1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4437	578,848	2273	63.1	61.1-65.1	157	5.5	4.3- 6.7	134	3.3	2.5- 4.1	88	5.3	4.1- 6.5	1612	18.4	17.2-19.6	173	4.4	3.4- 5.4
Male	2148	295,785	1276	70.6	68.1-73.1	75	4.9	3.5- 6.3	3	0.1	0.0- 0.3	44	4.9	3.3- 6.5	686	16.1	14.5-17.7	64	3.4	2.2- 4.6
Female	2289	283,063	997	55.3	52.4-58.2	82	6.2	4.4- 8.0	131	6.6	5.2- 8.0	44	5.6	3.8- 7.4	926	20.9	19.1-22.7	109	5.3	3.9- 6.7
Native	189	25,309	103	55.3	45.5-65.1	21	13.6	6.9-20.3	10	5.1	1.0- 9.2	8	6.2	1.3-11.1	28	5.7	3.0- 8.4	19	14.1	6.1-22.1
Non-Native	4179	545,205	2133	63.5	61.5-65.5	133	5.2	4.0- 6.4	123	3.3	2.5- 4.1	79	5.2	4.0- 6.4	1563	19.0	17.8-20.2	148	3.8	3.0- 4.6
18-24	220	80,411	128	54.3	46.9-61.7	18	9.0	4.5-13.5	3	1.7	0.0- 3.7	66	31.5	24.6-38.4				5	3.5	0.4- 6.6
25-34	400	111,980	330	82.0	77.7-86.3	29	7.1	4.2-10.0	16	3.5	1.7- 5.3	16	4.2	1.8- 6.6	1	0.2	0.0- 0.6	8	3.1	0.9- 5.3
35-44	478	94,480	417	84.4	80.1-88.7	24	6.1	3.0- 9.2	27	6.8	4.1- 9.5	1	0.1	0.0- 0.3				9	2.6	0.6- 4.6
45-54	504	77,604	425	82.8	78.9-86.7	26	6.6	3.9- 9.3	18	2.7	1.3- 4.1				11	2.4	0.8- 4.0	24	5.6	3.1- 8.1
55-64	927	91,165	622	68.1	64.4-71.8	44	5.4	3.4- 7.4	20	2.1	1.1- 3.1	2	0.2	0.0- 0.4	159	14.5	12.0-17.0	80	9.7	7.0-12.4
65+	1908	123,209	351	19.2	17.0-21.4	16	0.9	0.3- 1.5	50	2.8	2.0- 3.6	3	0.2	0.0- 0.4	1441	74.2	71.8-76.6	47	2.7	1.7- 3.7
Less Than H.S.	190	45,026	53	46.6	36.2-57.0	15	14.0	5.6-22.4	7	2.0	0.2- 3.8	2	3.1	0.0- 7.6	95	22.6	16.5-28.7	18	11.6	5.1-18.1
H.S. or G.E.D.	1161	153,561	521	58.9	55.2-62.6	49	6.8	4.6- 9.0	40	4.0	2.4- 5.6	25	5.1	2.9- 7.3	453	19.5	17.3-21.7	73	5.6	3.8- 7.4
Some Post-H.S.	1438	222,912	734	62.6	59.3-65.9	52	4.8	3.2- 6.4	49	3.2	2.0- 4.4	39	7.0	4.6- 9.4	510	18.3	16.3-20.3	54	4.0	2.6- 5.4
College Graduate	1642	156,330	962	72.6	70.1-75.1	41	2.9	1.9- 3.9	38	3.1	1.9- 4.3	22	3.6	2.0- 5.2	551	16.3	14.5-18.1	28	1.6	0.8- 2.4
Less than \$15,000	208	30,113	34	23.2	13.8-32.6	24	13.7	7.4-20.0	8	4.9	1.0- 8.8	11	14.6	6.6-22.6	75	16.3	11.2-21.4	56	27.3	18.3-36.3
\$15,000- 24,999	425	54,220	106	40.5	32.9-48.1	24	9.1	4.6-13.6	9	2.9	0.5- 5.3	11	8.8	3.3-14.3	240	29.4	24.1-34.7	35	9.4	5.3-13.5
\$25,000- 34,999	350	41,759	129	52.8	45.5-60.1	19	9.5	4.6-14.4	11	3.6	0.9- 6.3	5	2.6	0.1- 5.1	179	29.3	23.8-34.8	7	2.2	0.0- 4.4
\$35,000- 49,999	523	60,865	234	61.2	55.5-66.9	20	4.7	2.2- 7.2	17	3.6	1.4- 5.8	8	3.4	0.7- 6.1	230	24.2	20.3-28.1	14	2.7	0.5- 4.9
\$50,000- 74,999	646	78,889	381	73.6	69.5-77.7	15	3.0	1.2- 4.8	19	2.9	0.9- 4.9	5	1.5	0.1- 2.9	213	16.7	13.8-19.6	13	2.4	0.8- 4.0
\$75,000+	1452	205,660	1047	80.3	77.8-82.8	28	2.7	1.5- 3.9	36	2.9	1.7- 4.1	19	2.6	1.2- 4.0	309	10.6	9.2-12.0	13	0.9	0.1- 1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2148	295,785	1276	70.6	68.1-73.1	75	4.9	3.5- 6.3	3	0.1	0.0- 0.3	44	4.9	3.3- 6.5	686	16.1	14.7-17.5	64	3.4	2.2- 4.6
Native	82	11,256	52	66.7	52.4-81.0	9	7.5	0.8-14.2	1	0.8	0.0- 2.4	2	4.1	0.0-11.2	9	4.3	0.8- 7.8	9	16.6	3.7-29.5
Non-Native	2023	279,056	1197	70.8	68.3-73.3	65	4.9	3.3- 6.5	2	0.1	0.0- 0.3	41	4.9	3.3- 6.5	666	16.6	15.0-18.2	52	2.7	1.7- 3.7
18-24	124	42,562	79	59.9	50.1-69.7	9	8.3	2.2-14.4				34	29.7	20.5-38.9				2	2.2	0.0- 5.3
25-34	240	60,071	212	88.0	83.3-92.7	14	4.7	2.0- 7.4				7	2.8	0.6- 5.0	1	0.3	0.0- 0.9	6	4.2	0.9- 7.5
35-44	266	49,692	244	92.4	87.9-96.9	15	5.9	1.4-10.4	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3				4	1.2	0.0- 2.6
45-54	250	40,056	222	86.9	81.6-92.2	14	6.8	2.7-10.9							5	1.8	0.0- 3.8	9	4.5	1.2- 7.8
55-64	418	46,338	311	75.6	70.3-80.9	18	4.7	2.2- 7.2	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	59	11.7	8.4-15.0	28	7.5	3.6-11.4
65+	850	57,066	208	25.7	22.0-29.4	5	0.6	0.0- 1.2				1	0.1	0.0- 0.3	621	72.2	68.5-75.9	15	1.4	0.6- 2.2
Less Than H.S.	103	25,807	37	54.8	41.5-68.1	9	12.8	2.2-23.4				1	1.9	0.0- 5.4	51	23.0	14.8-31.2	5	7.5	0.0-15.1
H.S. or G.E.D.	597	82,644	344	70.7	66.2-75.2	24	5.5	3.0- 8.0	1	0.1	0.0- 0.3	10	3.4	0.9- 5.9	185	15.8	13.1-18.5	33	4.4	2.2- 6.6
Some Post-H.S.	704	116,733	438	71.3	67.2-75.4	22	3.8	1.8- 5.8	2	0.2	0.0- 0.6	19	6.7	3.6- 9.8	202	14.5	12.1-16.9	21	3.4	1.6- 5.2
College Graduate	740	69,849	455	74.8	71.1-78.5	20	3.1	1.5- 4.7				14	4.9	2.4- 7.4	246	16.4	13.9-18.9	5	0.8	0.0- 1.6
Less than \$15,000	87	12,321	20	30.6	15.5-45.7	12	11.8	3.0-20.6				6	20.5	6.2-34.8	29	14.5	7.6-21.4	20	22.7	10.4-35.0
\$15,000- 24,999	168	21,708	50	44.5	32.7-56.3	10	7.3	1.8-12.8				7	12.9	3.5-22.3	90	28.4	20.2-36.6	11	6.9	0.6-13.2
\$25,000- 34,999	153	19,848	62	54.6	44.6-64.6	10	9.1	2.4-15.8				3	3.9	0.0- 8.8	76	29.7	21.9-37.5	2	2.7	0.0- 6.4
\$35,000- 49,999	238	31,153	125	69.7	62.4-77.0	9	3.9	1.2- 6.6				4	4.0	0.0- 8.3	93	20.3	15.0-25.6	7	2.1	0.1- 4.1
\$50,000- 74,999	351	42,724	221	78.6	73.9-83.3	7	2.2	0.2- 4.2	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	116	16.4	12.7-20.1	5	2.3	0.0- 4.8
\$75,000+	804	117,313	614	84.6	81.7-87.5	13	2.3	0.9- 3.7				10	2.0	0.6- 3.4	162	10.2	8.2-12.2	5	0.9	0.0- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2289	283,063	997	55.3	52.4-58.2	82	6.2	4.4- 8.0	131	6.6	5.2- 8.0	44	5.6	3.8- 7.4	926	20.9	19.3-22.5	109	5.3	3.9- 6.7
Native	107	14,054	51	46.2	33.3-59.1	12	18.4	8.0-28.8	9	8.6	1.5-15.7	6	7.9	0.8-15.0	19	6.8	2.7-10.9	10	12.0	2.0-22.0
Non-Native	2156	266,149	936	55.7	52.8-58.6	68	5.6	3.8- 7.4	121	6.6	5.0- 8.2	38	5.6	3.6- 7.6	897	21.6	19.8-23.4	96	4.9	3.5- 6.3
18-24	96	37,849	49	48.0	37.0-59.0	9	9.9	3.0-16.8	3	3.5	0.0- 7.4	32	33.6	23.2-44.0				3	4.9	0.0-10.4
25-34	160	51,909	118	75.0	67.4-82.6	15	9.8	4.3-15.3	16	7.5	3.6-11.4	9	5.8	1.5-10.1				2	1.8	0.0- 4.3
35-44	212	44,788	173	75.6	68.2-83.0	9	6.4	1.9-10.9	25	14.0	8.3-19.7							5	4.1	0.2- 8.0
45-54	254	37,548	203	78.5	72.6-84.4	12	6.3	2.6-10.0	18	5.5	2.6- 8.4				6	2.9	0.5- 5.3	15	6.7	3.0-10.4
55-64	509	44,827	311	60.3	55.2-65.4	26	6.1	3.4- 8.8	19	3.9	1.9- 5.9	1	0.3	0.0- 0.9	100	17.4	13.7-21.1	52	12.0	8.3-15.7
65+	1058	66,143	143	13.6	11.1-16.1	11	1.2	0.4- 2.0	50	5.2	3.6- 6.8	2	0.2	0.0- 0.4	820	76.0	72.9-79.1	32	3.8	2.2- 5.4
Less Than H.S.	87	19,219	16	35.6	19.3-51.9	6	15.5	2.0-29.0	7	4.8	0.9- 8.7	1	4.8	0.0-14.0	44	22.1	13.1-31.1	13	17.2	6.0-28.4
H.S. or G.E.D.	564	70,917	177	45.0	38.9-51.1	25	8.4	4.9-11.9	39	8.6	5.1-12.1	15	7.2	3.5-10.9	268	23.9	20.2-27.6	40	6.9	4.0- 9.8
Some Post-H.S.	734	106,179	296	53.1	48.2-58.0	30	6.0	3.5- 8.5	47	6.5	4.1- 8.9	20	7.3	3.8-10.8	308	22.4	19.3-25.5	33	4.7	2.5- 6.9
College Graduate	902	86,482	507	70.7	67.0-74.4	21	2.7	1.3- 4.1	38	5.6	3.2- 8.0	8	2.5	0.7- 4.3	305	16.3	13.9-18.7	23	2.2	1.0- 3.4
Less than \$15,000	121	17,792	14	18.1	6.1-30.1	12	15.0	6.4-23.6	8	8.3	1.6-15.0	5	10.5	1.3-19.7	46	17.6	10.5-24.7	36	30.6	18.3-42.9
\$15,000- 24,999	257	32,512	56	37.8	27.8-47.8	14	10.3	4.0-16.6	9	4.8	0.9- 8.7	4	6.0	0.0-12.9	150	30.1	23.2-37.0	24	11.1	5.6-16.6
\$25,000- 34,999	197	21,911	67	51.3	40.7-61.9	9	9.8	2.5-17.1	11	6.9	1.6-12.2	2	1.4	0.0- 3.6	103	28.9	21.5-36.3	5	1.6	0.0- 3.6
\$35,000- 49,999	285	29,713	109	52.4	44.0-60.8	11	5.6	1.1-10.1	17	7.4	2.9-11.9	4	2.8	0.0- 5.9	137	28.4	22.3-34.5	7	3.4	0.0- 7.3
\$50,000- 74,999	295	36,166	160	67.6	60.5-74.7	8	4.0	0.9- 7.1	18	6.0	2.1- 9.9	4	2.9	0.0- 5.8	97	17.1	12.6-21.6	8	2.4	0.4- 4.4
\$75,000+	648	88,347	433	74.5	70.4-78.6	15	3.2	1.2- 5.2	36	6.8	4.3- 9.3	9	3.6	1.2- 6.0	147	11.0	8.8-13.2	8	1.0	0.2- 1.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 43: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4410	573,618	315	12.1	10.5-13.7	303	10.8	9.4-12.2	197	6.6	5.6- 7.6	67	2.2	1.6- 2.8	41	1.6	1.0- 2.2	3487	66.6	64.4-68.8
Male	2124	291,116	139	9.3	7.5-11.1	146	9.3	7.5-11.1	92	6.0	4.6- 7.4	35	2.3	1.3- 3.3	17	1.3	0.5- 2.1	1695	71.9	69.2-74.6
Female	2286	282,502	176	15.0	12.5-17.5	157	12.5	10.1-14.9	105	7.3	5.7- 8.9	32	2.1	1.1- 3.1	24	1.9	0.9- 2.9	1792	61.2	58.1-64.3
Native	186	24,506	24	11.0	5.9-16.1	19	10.6	4.1-17.1	24	17.0	9.6-24.4	6	2.6	0.2- 5.0	12	9.7	2.4-17.0	101	49.0	39.2-58.8
Non-Native	4157	541,171	288	12.3	10.7-13.9	280	10.9	9.3-12.5	171	6.2	5.0- 7.4	59	2.1	1.5- 2.7	28	1.2	0.6- 1.8	3331	67.3	65.1-69.5
18-24	220	80,730	32	15.3	9.8-20.8	16	5.4	2.5- 8.3	7	2.7	0.5- 4.9	2	1.0	0.0- 2.4	6	4.0	0.7- 7.3	157	71.6	64.9-78.3
25-34	392	109,752	54	15.3	11.0-19.6	66	20.8	15.7-25.9	40	9.5	6.4-12.6	21	4.2	2.0- 6.4	7	1.8	0.2- 3.4	204	48.3	42.6-54.0
35-44	464	91,496	71	18.2	13.7-22.7	121	26.1	21.4-30.8	111	22.3	17.8-26.8	29	5.7	3.3- 8.1	18	3.1	1.1- 5.1	114	24.6	19.5-29.7
45-54	504	77,828	103	22.9	18.4-27.4	65	9.8	7.1-12.5	30	5.3	3.1- 7.5	11	2.1	0.3- 3.9	4	0.9	0.0- 1.9	291	59.0	53.9-64.1
55-64	918	90,376	38	5.0	3.2- 6.8	21	2.7	1.3- 4.1	6	0.7	0.0- 1.5	3	0.4	0.0- 0.8	6	0.4	0.0- 0.8	844	90.9	88.5-93.3
65+	1912	123,436	17	1.1	0.5- 1.7	14	0.9	0.3- 1.5	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3				1877	97.8	97.0-98.6
Less Than H.S.	190	44,559	12	12.3	4.7-19.9	12	12.5	4.7-20.3	5	3.5	0.0- 7.0				7	8.0	1.7-14.3	154	63.7	53.1-74.3
H.S. or G.E.D.	1151	152,395	77	12.9	9.8-16.0	57	8.1	5.7-10.5	43	6.5	4.3- 8.7	5	0.7	0.0- 1.5	7	0.6	0.0- 1.2	962	71.2	67.3-75.1
Some Post-H.S.	1424	220,294	113	12.5	10.0-15.0	91	10.7	8.2-13.2	51	6.1	4.3- 7.9	22	2.7	1.5- 3.9	11	1.3	0.3- 2.3	1136	66.7	63.2-70.2
College Graduate	1637	155,218	113	10.8	8.6-13.0	143	13.4	11.0-15.8	98	8.4	6.4-10.4	39	3.3	2.1- 4.5	16	1.2	0.4- 2.0	1228	63.0	59.9-66.1
Less than \$15,000	210	30,554	11	10.5	2.9-18.1	8	6.7	0.8-12.6	7	6.2	1.5-10.9	3	1.4	0.0- 3.2	2	2.9	0.0- 7.4	179	72.3	62.3-82.3
\$15,000- 24,999	427	54,441	26	15.6	9.1-22.1	14	6.2	1.7-10.7	5	2.5	0.1- 4.9	2	1.0	0.0- 2.6	7	3.6	0.3- 6.9	373	71.1	63.5-78.7
\$25,000- 34,999	351	42,118	16	9.6	4.3-14.9	16	9.1	3.6-14.6	6	3.1	0.2- 6.0	3	1.5	0.0- 3.7	3	0.7	0.0- 1.5	307	76.0	68.6-83.4
\$35,000- 49,999	526	61,406	28	8.5	4.8-12.2	24	8.7	4.6-12.8	22	7.6	3.9-11.3	6	0.7	0.1- 1.3	4	1.1	0.0- 2.5	442	73.4	67.5-79.3
\$50,000- 74,999	644	78,560	47	12.9	8.6-17.2	47	11.6	7.7-15.5	27	3.9	2.1- 5.7	12	3.6	1.2- 6.0	6	0.6	0.0- 1.2	505	67.4	61.9-72.9
\$75,000+	1453	205,430	150	14.4	11.9-16.9	153	14.2	11.7-16.7	114	10.5	8.3-12.7	35	3.2	1.8- 4.6	16	1.7	0.5- 2.9	985	56.0	52.7-59.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2124	291,116	139	9.3	7.5-11.1	146	9.3	7.5-11.1	92	6.0	4.6- 7.4	35	2.3	1.3- 3.3	17	1.3	0.5- 2.1	1695	71.9	69.2-74.6
Native	80	10,760	13	12.8	5.0-20.6	5	3.8	0.1- 7.5	5	8.2	0.2-16.2	1	1.0	0.0- 3.0	3	2.0	0.0- 4.5	53	72.2	60.4-84.0
Non-Native	2003	275,266	124	9.2	7.4-11.0	139	9.5	7.7-11.3	87	6.0	4.6- 7.4	33	2.3	1.3- 3.3	14	1.3	0.3- 2.3	1606	71.7	69.0-74.4
18-24	122	42,335	12	7.9	3.2-12.6	9	6.1	1.8-10.4							4	4.6	0.0- 9.7	97	81.4	73.8-89.0
25-34	237	59,073	22	10.2	5.7-14.7	32	14.0	8.7-19.3	19	8.9	4.8-13.0	13	4.3	1.6- 7.0	2	0.6	0.0- 1.8	149	62.0	54.9-69.1
35-44	254	46,873	35	15.3	9.4-21.2	61	22.9	16.8-29.0	56	20.0	14.1-25.9	15	6.2	2.7- 9.7	8	1.9	0.3- 3.5	79	33.8	26.0-41.6
45-54	250	40,082	40	17.4	11.7-23.1	31	10.3	6.4-14.2	16	6.7	3.0-10.4	5	2.4	0.0- 5.5	3	1.4	0.0- 3.2	155	61.8	54.5-69.1
55-64	412	45,731	21	5.9	2.8- 9.0	11	2.8	0.8- 4.8				2	0.5	0.0- 1.3				378	90.8	87.3-94.3
65+	849	57,022	9	1.3	0.3- 2.3	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3							837	98.4	97.2-99.6
Less Than H.S.	102	25,531	8	10.6	2.6-18.6	3	5.6	0.0-12.7	2	3.3	0.0- 8.2				4	7.0	0.0-14.8	85	73.5	61.2-85.8
H.S. or G.E.D.	589	81,331	42	9.9	6.6-13.2	35	7.9	5.0-10.8	24	6.4	3.5- 9.3	1	0.2	0.0- 0.6	4	0.6	0.0- 1.4	483	75.0	70.3-79.7
Some Post-H.S.	692	114,113	50	9.6	6.7-12.5	47	8.8	6.1-11.5	26	5.8	3.4- 8.2	14	3.0	1.2- 4.8	5	1.0	0.0- 2.0	550	71.9	67.4-76.4
College Graduate	736	69,215	39	7.6	5.1-10.1	61	13.2	9.7-16.7	40	6.8	4.4- 9.2	19	3.6	1.6- 5.6	4	0.5	0.0- 1.1	573	68.2	63.7-72.7
Less than \$15,000	87	12,321	3	3.5	0.0- 8.4	3	8.4	0.0-20.4	3	7.2	0.0-15.2							78	81.0	67.1-94.9
\$15,000- 24,999	168	21,708	11	15.2	5.4-25.0	1	0.2	0.0- 0.6							2	0.5	0.0- 1.3	154	84.1	74.3-93.9
\$25,000- 34,999	154	20,207	5	5.5	0.0-11.2	5	3.9	0.2- 7.6	1	1.7	0.0- 4.8							143	88.9	81.6-96.2
\$35,000- 49,999	237	31,106	6	3.9	0.6- 7.2	11	7.0	2.5-11.5	9	4.4	1.1- 7.7	3	0.8	0.0- 1.8	1	1.0	0.0- 3.0	207	82.9	76.4-89.4
\$50,000- 74,999	349	42,394	22	9.7	5.0-14.4	28	12.3	7.0-17.6	10	2.4	0.6- 4.2	6	2.5	0.3- 4.7	2	0.5	0.0- 1.3	281	72.5	65.6-79.4
\$75,000+	803	116,816	81	12.9	9.8-16.0	74	11.7	8.8-14.6	63	10.4	7.5-13.3	24	4.3	2.3- 6.3	10	2.0	0.2- 3.8	551	58.7	54.2-63.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2286	282,502	176	15.0	12.5-17.5	157	12.5	10.1-14.9	105	7.3	5.7- 8.9	32	2.1	1.1- 3.1	24	1.9	0.9- 2.9	1792	61.2	58.1-64.3
Native	106	13,746	11	9.6	2.9-16.3	14	15.9	5.1-26.7	19	23.9	12.5-35.3	5	4.0	0.0- 8.1	9	15.7	3.5-27.9	48	30.9	20.3-41.5
Non-Native	2154	265,905	164	15.4	12.9-17.9	141	12.3	9.9-14.7	84	6.4	4.8- 8.0	26	1.9	1.1- 2.7	14	1.2	0.4- 2.0	1725	62.8	59.7-65.9
18-24	98	38,395	20	23.5	13.9-33.1	7	4.7	0.8- 8.6	7	5.7	1.4-10.0	2	2.0	0.0- 4.7	2	3.3	0.0- 7.8	60	60.9	50.3-71.5
25-34	155	50,679	32	21.2	13.6-28.8	34	28.8	19.8-37.8	21	10.3	5.6-15.0	8	4.0	0.9- 7.1	5	3.2	0.3- 6.1	55	32.5	24.3-40.7
35-44	210	44,623	36	21.1	14.0-28.2	60	29.5	22.1-36.9	55	24.7	17.6-31.8	14	5.2	1.9- 8.5	10	4.5	1.0- 8.0	35	14.9	9.4-20.4
45-54	254	37,745	63	28.8	22.1-35.5	34	9.3	5.8-12.8	14	3.9	1.5- 6.3	6	1.8	0.2- 3.4	1	0.2	0.0- 0.6	136	56.1	48.8-63.4
55-64	506	44,645	17	4.0	1.8- 6.2	10	2.5	0.5- 4.5	6	1.5	0.0- 3.1	1	0.3	0.0- 0.9	6	0.8	0.0- 1.6	466	91.0	87.7-94.3
65+	1063	66,414	8	0.8	0.2- 1.4	12	1.6	0.6- 2.6	2	0.2	0.0- 0.4	1	0.2	0.0- 0.6				1040	97.3	96.1-98.5
Less Than H.S.	88	19,028	4	14.5	0.4-28.6	9	21.8	6.9-36.7	3	3.8	0.0- 8.5				3	9.5	0.0-19.7	69	50.5	34.4-66.6
H.S. or G.E.D.	562	71,064	35	16.3	11.0-21.6	22	8.2	4.3-12.1	19	6.6	3.5- 9.7	4	1.4	0.0- 3.0	3	0.6	0.0- 1.4	479	66.9	60.6-73.2
Some Post-H.S.	732	106,181	63	15.6	11.5-19.7	44	12.8	8.7-16.9	25	6.5	3.6- 9.4	8	2.3	0.5- 4.1	6	1.6	0.0- 3.2	586	61.2	55.9-66.5
College Graduate	901	86,003	74	13.4	10.1-16.7	82	13.5	10.2-16.8	58	9.6	6.9-12.3	20	3.0	1.4- 4.6	12	1.7	0.5- 2.9	655	58.8	54.3-63.3
Less than \$15,000	123	18,233	8	15.3	3.3-27.3	5	5.6	0.0-11.3	4	5.5	0.0-11.0	3	2.3	0.0- 5.2	2	4.8	0.0-12.4	101	66.4	52.9-79.9
\$15,000- 24,999	259	32,732	15	15.9	7.3-24.5	13	10.2	2.9-17.5	5	4.1	0.4- 7.8	2	1.6	0.0- 4.1	5	5.7	0.2-11.2	219	62.4	52.2-72.6
\$25,000- 34,999	197	21,911	11	13.5	4.9-22.1	11	13.9	4.1-23.7	5	4.4	0.0- 9.1	3	3.0	0.0- 6.9	3	1.3	0.0- 2.9	164	64.1	52.7-75.5
\$35,000- 49,999	289	30,300	22	13.2	6.9-19.5	13	10.4	3.7-17.1	13	10.8	4.3-17.3	3	0.7	0.0- 1.5	3	1.2	0.0- 2.8	235	63.7	54.9-72.5
\$50,000- 74,999	295	36,166	25	16.7	9.3-24.1	19	10.8	4.7-16.9	17	5.5	2.4- 8.6	6	5.0	0.7- 9.3	4	0.8	0.0- 1.8	224	61.3	52.9-69.7
\$75,000+	650	88,614	69	16.4	12.3-20.5	79	17.4	13.1-21.7	51	10.7	7.4-14.0	11	1.9	0.7- 3.1	6	1.2	0.0- 2.4	434	52.3	47.2-57.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 8: DEMOGRAPHICS

TABLE 46: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3618	473,864	100	3.4	2.4- 4.4	110	3.1	2.3- 3.9	177	5.0	3.8- 6.2	250	6.5	5.3- 7.7	351	8.9	7.7-10.1	2630	73.2	71.0-75.4
Male	1805	245,908	44	2.7	1.7- 3.7	43	2.3	1.1- 3.5	70	3.9	2.5- 5.3	98	5.0	3.6- 6.4	154	8.2	6.6- 9.8	1396	77.9	75.2-80.6
Female	1813	227,956	56	4.0	2.4- 5.6	67	4.0	2.6- 5.4	107	6.1	4.3- 7.9	152	8.2	6.2-10.2	197	9.6	7.6-11.6	1234	68.0	64.9-71.1
Native	161	21,572	15	7.6	3.1-12.1	8	6.0	1.5-10.5	18	14.1	5.7-22.5	13	7.3	1.4-13.2	19	12.2	5.7-18.7	88	52.9	42.5-63.3
Non-Native	3419	447,265	81	3.1	2.1- 4.1	102	3.0	2.2- 3.8	156	4.5	3.5- 5.5	234	6.3	5.1- 7.5	328	8.8	7.4-10.2	2518	74.4	72.2-76.6
18-24	153	54,782	14	10.7	4.8-16.6	10	7.8	2.9-12.7	14	10.9	5.0-16.8	12	9.9	4.4-15.4	20	9.2	4.9-13.5	83	51.5	42.7-60.3
25-34	356	99,371	12	2.8	1.0- 4.6	6	2.2	0.2- 4.2	10	3.9	1.2- 6.6	17	5.3	2.2- 8.4	31	9.2	5.5-12.9	280	76.7	71.2-82.2
35-44	415	80,256	9	2.0	0.4- 3.6	7	1.2	0.2- 2.2	9	2.8	0.4- 5.2	17	5.4	2.3- 8.5	25	7.5	4.2-10.8	348	81.2	76.3-86.1
45-54	448	68,025	9	2.2	0.4- 4.0	12	3.1	1.1- 5.1	6	1.6	0.2- 3.0	14	3.7	1.5- 5.9	21	4.7	2.3- 7.1	386	84.6	80.5-88.7
55-64	779	77,099	24	2.5	1.3- 3.7	15	1.5	0.5- 2.5	29	4.0	2.2- 5.8	31	4.1	2.3- 5.9	51	6.7	4.3- 9.1	629	81.3	78.0-84.6
65+	1467	94,331	32	2.5	1.5- 3.5	60	4.1	2.7- 5.5	109	7.6	5.8- 9.4	159	10.9	8.9-12.9	203	14.5	12.3-16.7	904	60.4	57.3-63.5
Less Than H.S.	135	29,244	15	6.9	2.4-11.4	16	10.7	3.1-18.3	19	13.0	5.6-20.4	24	19.0	9.0-29.0	16	9.1	2.0-16.2	45	41.4	29.1-53.7
H.S. or G.E.D.	903	123,714	42	5.8	3.6- 8.0	41	4.3	2.5- 6.1	71	5.2	3.4- 7.0	102	9.0	6.6-11.4	123	12.1	9.2-15.0	524	63.8	59.5-68.1
Some Post-H.S.	1164	182,957	30	2.9	1.3- 4.5	37	2.9	1.5- 4.3	64	6.0	3.8- 8.2	76	5.9	3.9- 7.9	133	9.7	7.5-11.9	824	72.6	69.1-76.1
College Graduate	1415	137,344	13	1.1	0.1- 2.1	16	0.7	0.3- 1.1	23	1.6	0.6- 2.6	48	2.6	1.6- 3.6	79	4.9	3.5- 6.3	1236	89.0	86.8-91.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1805	245,908	44	2.7	1.7- 3.7	43	2.3	1.1- 3.5	70	3.9	2.5- 5.3	98	5.0	3.6- 6.4	154	8.2	6.6- 9.8	1396	77.9	75.2-80.6
Native	72	10,499	8	8.7	1.4-16.0	1	0.3	0.0- 0.9	7	7.8	0.0-16.0	5	3.3	0.0- 6.8	9	12.7	2.9-22.5	42	67.1	53.2-81.0
Non-Native	1712	232,564	33	2.3	1.3- 3.3	42	2.4	1.2- 3.6	62	3.6	2.2- 5.0	93	5.1	3.5- 6.7	141	8.0	6.4- 9.6	1341	78.6	75.9-81.3
18-24	84	28,609	7	8.2	1.9-14.5	3	4.7	0.0-10.0	7	10.7	2.5-18.9	4	6.9	0.2-13.6	10	8.0	2.5-13.5	53	61.5	49.7-73.3
25-34	214	54,018	6	1.8	0.0- 3.6	4	3.5	0.0- 7.0	5	3.0	0.1- 5.9	7	2.3	0.5- 4.1	19	8.5	4.4-12.6	173	81.0	74.9-87.1
35-44	229	41,324	5	1.5	0.0- 3.3	3	0.7	0.0- 1.7	3	0.6	0.0- 1.4	10	7.4	2.1-12.7	13	6.2	2.3-10.1	195	83.6	77.1-90.1
45-54	225	36,090	3	2.6	0.0- 5.7	6	1.7	0.1- 3.3	1	0.6	0.0- 1.8	6	2.9	0.0- 5.8	12	6.2	2.3-10.1	197	86.0	80.3-91.7
55-64	350	38,989	12	2.6	0.8- 4.4	4	0.5	0.0- 1.1	15	3.8	1.4- 6.2	11	3.0	0.8- 5.2	14	4.9	1.8- 8.0	294	85.2	80.7-89.7
65+	703	46,878	11	1.8	0.6- 3.0	23	2.7	1.3- 4.1	39	6.2	3.7- 8.7	60	8.0	5.5-10.5	86	14.1	10.8-17.4	484	67.3	63.0-71.6
Less Than H.S.	75	17,832	6	6.0	0.0-12.1	4	5.4	0.0-13.6	6	7.4	0.0-15.0	14	16.2	5.6-26.8	12	8.1	2.2-14.0	33	56.9	41.4-72.4
H.S. or G.E.D.	493	68,384	17	4.9	2.2- 7.6	18	3.0	0.8- 5.2	29	4.1	1.9- 6.3	38	5.0	2.8- 7.2	57	10.7	7.4-14.0	334	72.3	67.2-77.4
Some Post-H.S.	589	98,059	14	1.6	0.4- 2.8	13	2.1	0.5- 3.7	23	4.5	2.0- 7.0	28	4.6	2.2- 7.0	59	9.3	6.4-12.2	452	77.9	73.4-82.4
College Graduate	647	61,027	7	1.2	0.0- 2.6	8	0.9	0.1- 1.7	12	1.5	0.1- 2.9	18	2.4	0.6- 4.2	26	3.8	1.8- 5.8	576	90.3	87.2-93.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1813	227,956	56	4.0	2.4- 5.6	67	4.0	2.6- 5.4	107	6.1	4.3- 7.9	152	8.2	6.2-10.2	197	9.6	7.6-11.6	1234	68.0	64.9-71.1
Native	89	11,073	7	6.6	1.3-11.9	7	11.3	2.9-19.7	11	20.0	6.3-33.7	8	11.0	0.4-21.6	10	11.7	3.3-20.1	46	39.3	26.8-51.8
Non-Native	1707	214,701	48	3.9	2.3- 5.5	60	3.6	2.2- 5.0	94	5.3	3.5- 7.1	141	7.7	5.7- 9.7	187	9.6	7.6-11.6	1177	69.8	66.5-73.1
18-24	69	26,173	7	13.5	3.5-23.5	7	11.2	2.8-19.6	7	11.0	2.8-19.2	8	13.1	4.3-21.9	10	10.5	3.8-17.2	30	40.6	28.3-52.9
25-34	142	45,353	6	4.0	0.7- 7.3	2	0.7	0.0- 1.7	5	5.0	0.1- 9.9	10	8.8	2.5-15.1	12	9.9	3.6-16.2	107	71.5	62.3-80.7
35-44	186	38,931	4	2.4	0.0- 4.9	4	1.7	0.0- 3.5	6	5.2	0.5- 9.9	7	3.3	0.4- 6.2	12	8.8	3.5-14.1	153	78.7	71.3-86.1
45-54	223	31,936	6	1.8	0.4- 3.2	6	4.7	0.8- 8.6	5	2.8	0.1- 5.5	8	4.6	1.3- 7.9	9	3.1	0.7- 5.5	189	83.0	77.1-88.9
55-64	429	38,109	12	2.4	0.8- 4.0	11	2.5	0.5- 4.5	14	4.3	1.8- 6.8	20	5.2	2.5- 7.9	37	8.4	5.1-11.7	335	77.2	72.3-82.1
65+	764	47,453	21	3.1	1.7- 4.5	37	5.6	3.2- 8.0	70	9.0	6.5-11.5	99	13.8	10.7-16.9	117	14.8	11.9-17.7	420	53.7	49.4-58.0
Less Than H.S.	60	11,412	9	8.3	2.2-14.4	12	19.1	4.8-33.4	13	21.7	7.0-36.4	10	23.2	4.4-42.0	4	10.5	0.0-26.0	12	17.1	5.9-28.3
H.S. or G.E.D.	410	55,330	25	6.9	3.4-10.4	23	5.8	2.7- 8.9	42	6.5	3.6- 9.4	64	13.9	9.2-18.6	66	13.7	9.0-18.4	190	53.2	46.1-60.3
Some Post-H.S.	575	84,898	16	4.3	1.2- 7.4	24	3.8	1.8- 5.8	41	7.8	4.3-11.3	48	7.4	4.5-10.3	74	10.2	7.1-13.3	372	66.5	61.0-72.0
College Graduate	768	76,317	6	1.1	0.0- 2.3	8	0.5	0.1- 0.9	11	1.7	0.1- 3.3	30	2.8	1.4- 4.2	53	5.8	3.6- 8.0	660	88.1	85.0-91.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 49: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 49 years and older

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	576	149,564	22	4.4	2.2- 6.6	554	95.6	93.4-97.8
Native	50	9,636	4	8.8	0.0-18.6	46	91.2	81.4- 100
Non-Native	522	138,625	18	4.1	1.9- 6.3	504	95.9	93.7-98.1
18-24	97	38,041	7	7.5	1.4-13.6	90	92.5	86.4-98.6
25-34	154	50,408	10	6.3	2.2-10.4	144	93.7	89.6-97.8
35-44	209	44,183	4	1.0	0.0- 2.0	205	99.0	98.0- 100
45-54	116	16,932	1	0.3	0.0- 0.9	115	99.7	99.1- 100
H.S. or G.E.D.	111	37,030	5	5.3	0.4-10.2	106	94.7	89.8-99.6
Some Post-H.S.	164	52,320	3	2.2	0.0- 4.9	161	97.8	95.1- 100
College Graduate	282	49,257	12	4.5	1.6- 7.4	270	95.5	92.6-98.4
\$35,000- 49,999	53	13,790	2	2.0	0.0- 4.7	51	98.0	95.3- 100
\$50,000- 74,999	81	19,273	3	4.9	0.0-10.8	78	95.1	89.2- 100
\$75,000+	246	53,041	8	3.1	0.6- 5.6	238	96.9	94.4-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 50: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4119	542,674	32	0.6	0.4- 0.8	996	24.1	22.1-26.1	1905	45.5	43.3-47.7	876	21.2	19.4-23.0	309	8.5	7.3- 9.7	1	0.0	0.0- 0.0
Male	2075	284,115	1	0.1	0.0- 0.3	157	8.6	6.8-10.4	1008	47.7	44.8-50.6	672	31.5	29.0-34.0	236	12.0	10.2-13.8	1	0.1	0.0- 0.3
Female	2044	258,559	31	1.1	0.5- 1.7	839	41.2	38.1-44.3	897	43.1	40.0-46.2	204	9.9	8.1-11.7	73	4.7	3.1- 6.3			
Native	181	24,122				27	12.3	6.4-18.2	85	49.4	39.4-59.4	46	25.3	16.5-34.1	23	12.9	7.0-18.8			
Non-Native	3881	512,140	31	0.6	0.4- 0.8	958	24.7	22.7-26.7	1786	45.2	43.0-47.4	824	21.1	19.3-22.9	281	8.4	7.2- 9.6	1	0.0	0.0- 0.0
18-24	211	78,184	2	0.8	0.0- 1.8	66	33.1	26.0-40.2	92	46.1	38.7-53.5	32	13.7	8.8-18.6	19	6.4	3.1- 9.7			
25-34	377	106,494	2	0.6	0.0- 1.4	89	24.8	19.7-29.9	161	42.8	36.9-48.7	80	19.1	14.8-23.4	44	12.5	8.4-16.6	1	0.2	0.0- 0.6
35-44	445	87,870	1	0.3	0.0- 0.9	71	17.9	13.4-22.4	206	48.6	42.9-54.3	115	23.8	19.1-28.5	52	9.4	6.5-12.3			
45-54	457	70,791	2	0.2	0.0- 0.6	83	18.5	14.2-22.8	194	42.4	36.9-47.9	133	29.0	24.1-33.9	45	9.9	6.6-13.2			
55-64	853	84,704	5	0.4	0.0- 0.8	186	21.7	18.2-25.2	406	45.0	40.9-49.1	185	23.9	20.4-27.4	71	9.0	6.5-11.5			
65+	1776	114,630	20	1.1	0.5- 1.7	501	27.4	24.9-29.9	846	47.5	44.8-50.2	331	19.6	17.2-22.0	78	4.5	3.3- 5.7			
Less Than H.S.	178	41,394				51	24.8	15.8-33.8	77	48.1	37.3-58.9	40	20.8	13.0-28.6	10	6.4	0.5-12.3			
H.S. or G.E.D.	1072	144,214	8	0.6	0.0- 1.2	269	24.8	21.1-28.5	497	44.1	40.0-48.2	218	22.2	18.9-25.5	80	8.4	6.0-10.8			
Some Post-H.S.	1334	210,087	16	0.9	0.3- 1.5	324	23.4	20.3-26.5	586	43.4	39.9-46.9	295	22.4	19.5-25.3	113	10.0	7.8-12.2			
College Graduate	1533	146,340	8	0.4	0.0- 0.8	351	24.5	21.6-27.4	744	49.0	45.7-52.3	323	18.7	16.3-21.1	106	7.3	5.5- 9.1	1	0.1	0.0- 0.3
Less than \$15,000	196	28,498				67	36.4	26.0-46.8	77	39.2	29.4-49.0	35	15.4	8.0-22.8	17	9.0	3.3-14.7			
\$15,000- 24,999	398	51,054	2	0.6	0.0- 1.6	107	25.5	18.8-32.2	206	51.0	43.4-58.6	58	16.2	10.5-21.9	25	6.7	2.0-11.4			
\$25,000- 34,999	337	40,882	5	0.7	0.1- 1.3	91	30.6	23.2-38.0	155	41.8	34.4-49.2	62	18.6	13.1-24.1	24	8.3	4.2-12.4			
\$35,000- 49,999	503	59,225	3	0.3	0.0- 0.7	104	20.4	15.1-25.7	240	48.6	42.3-54.9	120	23.4	18.3-28.5	36	7.4	4.5-10.3			
\$50,000- 74,999	617	75,564	2	0.1	0.0- 0.3	114	18.0	13.7-22.3	310	47.5	42.0-53.0	146	22.9	18.6-27.2	45	11.5	7.6-15.4			
\$75,000+	1399	199,666	7	0.5	0.1- 0.9	288	20.7	18.0-23.4	631	44.9	41.6-48.2	339	24.0	21.3-26.7	134	9.9	7.9-11.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 51: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2075	284,115	1	0.1	0.0- 0.3	157	8.6	6.8-10.4	1008	47.7	44.8-50.6	672	31.5	29.0-34.0	236	12.0	10.2-13.8	1	0.1	0.0- 0.3
Native	80	11,107				3	3.1	0.0- 6.8	32	41.6	26.3-56.9	25	31.7	18.0-45.4	20	23.7	12.3-35.1			
Non-Native	1956	268,346	1	0.1	0.0- 0.3	151	8.7	6.9-10.5	949	47.8	44.9-50.7	641	31.7	29.0-34.4	213	11.6	9.6-13.6	1	0.1	0.0- 0.3
18-24	117	41,353				19	15.7	8.6-22.8	60	57.4	47.6-67.2	21	16.5	9.4-23.6	17	10.4	4.7-16.1			
25-34	230	57,842				26	11.7	6.6-16.8	103	44.7	37.3-52.1	67	28.3	21.8-34.8	33	15.0	9.7-20.3	1	0.4	0.0- 1.2
35-44	253	46,343	1	0.6	0.0- 1.8	13	5.5	2.2- 8.8	108	47.3	39.7-54.9	95	35.9	28.6-43.2	36	10.7	6.8-14.6			
45-54	237	37,968				9	2.9	0.7- 5.1	91	39.9	32.3-47.5	104	43.3	35.9-50.7	33	13.9	8.6-19.2			
55-64	406	44,881				18	5.7	2.0- 9.4	203	45.0	39.1-50.9	129	34.6	28.9-40.3	56	14.8	10.5-19.1			
65+	832	55,727				72	8.8	6.3-11.3	443	51.6	47.5-55.7	256	32.0	28.1-35.9	61	7.6	5.4- 9.8			
Less Than H.S.	98	23,757				9	14.3	3.7-24.9	49	52.5	38.8-66.2	31	26.6	15.8-37.4	9	6.5	0.6-12.4			
H.S. or G.E.D.	571	79,027				54	10.3	6.8-13.8	278	44.8	39.5-50.1	173	32.5	27.4-37.6	66	12.3	8.8-15.8			
Some Post-H.S.	685	113,413				52	7.9	5.4-10.4	313	45.3	40.4-50.2	229	32.6	28.3-36.9	91	14.3	11.0-17.6			
College Graduate	719	67,279	1	0.4	0.0- 1.2	41	5.7	3.5- 7.9	367	53.2	48.5-57.9	239	30.7	26.4-35.0	70	9.7	7.0-12.4	1	0.3	0.0- 0.9
Less than \$15,000	85	12,247				16	32.7	16.6-48.8	40	44.9	29.6-60.2	20	11.9	4.6-19.2	9	10.5	1.7-19.3			
\$15,000- 24,999	161	20,647	1	1.3	0.0- 3.8	14	4.1	1.2- 7.0	92	59.1	47.5-70.7	38	27.1	16.1-38.1	16	8.3	2.6-14.0			
\$25,000- 34,999	152	19,917				26	18.5	10.5-26.5	70	43.7	33.3-54.1	39	26.3	17.3-35.3	17	11.5	4.8-18.2			
\$35,000- 49,999	234	30,495				14	7.1	1.8-12.4	118	50.7	41.7-59.7	77	31.4	23.4-39.4	25	10.8	5.7-15.9			
\$50,000- 74,999	348	42,085				17	4.1	1.4- 6.8	183	50.4	43.1-57.7	114	32.3	25.6-39.0	34	13.2	7.9-18.5			
\$75,000+	796	116,249				37	4.8	2.8- 6.8	358	45.0	40.5-49.5	293	36.6	32.5-40.7	108	13.7	10.8-16.6			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 52: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2044	258,559	31	1.1	0.5- 1.7	839	41.2	38.1-44.3	897	43.1	40.0-46.2	204	9.9	8.1-11.7	73	4.7	3.1- 6.3
Native	101	13,016				24	20.2	10.0-30.4	53	56.2	42.9-69.5	21	19.9	8.7-31.1	3	3.7	0.0- 8.0
Non-Native	1925	243,794	30	1.1	0.5- 1.7	807	42.2	38.9-45.5	837	42.4	39.3-45.5	183	9.4	7.4-11.4	68	4.8	3.2- 6.4
18-24	94	36,831	2	1.6	0.0- 3.8	47	52.6	41.4-63.8	32	33.3	22.7-43.9	11	10.5	3.8-17.2	2	1.9	0.0- 4.8
25-34	147	48,651	2	1.2	0.0- 3.0	63	40.4	31.2-49.6	58	40.6	31.4-49.8	13	8.2	3.1-13.3	11	9.5	3.2-15.8
35-44	192	41,527				58	31.8	23.8-39.8	98	50.1	41.5-58.7	20	10.2	4.9-15.5	16	7.9	3.8-12.0
45-54	220	32,823	2	0.5	0.0- 1.5	74	36.5	28.9-44.1	103	45.3	37.5-53.1	29	12.5	7.6-17.4	12	5.2	1.7- 8.7
55-64	447	39,823	5	0.8	0.0- 1.6	168	39.8	34.3-45.3	203	45.0	39.5-50.5	56	11.9	8.4-15.4	15	2.5	1.1- 3.9
65+	944	58,903	20	2.1	1.1- 3.1	429	44.9	41.2-48.6	403	43.6	39.9-47.3	75	7.8	5.6-10.0	17	1.5	0.7- 2.3
Less Than H.S.	80	17,637				42	38.8	23.1-54.5	28	42.1	25.2-59.0	9	12.9	1.7-24.1	1	6.1	0.0-17.7
H.S. or G.E.D.	501	65,187	8	1.2	0.0- 2.4	215	42.2	35.9-48.5	219	43.2	36.9-49.5	45	9.7	6.0-13.4	14	3.6	1.1- 6.1
Some Post-H.S.	649	96,674	16	1.9	0.7- 3.1	272	41.6	36.1-47.1	273	41.3	36.0-46.6	66	10.5	7.4-13.6	22	4.8	2.3- 7.3
College Graduate	814	79,061	7	0.4	0.0- 0.8	310	40.5	35.8-45.2	377	45.3	40.8-49.8	84	8.6	6.2-11.0	36	5.2	3.0- 7.4
Less than \$15,000	111	16,251				51	39.1	25.6-52.6	37	34.8	22.1-47.5	15	18.1	6.5-29.7	8	7.9	0.6-15.2
\$15,000- 24,999	237	30,407	1	0.1	0.0- 0.3	93	40.0	30.0-50.0	114	45.5	35.7-55.3	20	8.8	3.7-13.9	9	5.6	0.0-12.7
\$25,000- 34,999	185	20,965	5	1.3	0.1- 2.5	65	42.2	30.8-53.6	85	40.0	29.6-50.4	23	11.4	5.5-17.3	7	5.2	0.1-10.3
\$35,000- 49,999	269	28,731	3	0.6	0.0- 1.4	90	34.5	25.9-43.1	122	46.4	37.8-55.0	43	14.8	8.5-21.1	11	3.7	1.0- 6.4
\$50,000- 74,999	269	33,479	2	0.2	0.0- 0.4	97	35.4	27.4-43.4	127	43.9	35.5-52.3	32	11.2	6.5-15.9	11	9.3	3.0-15.6
\$75,000+	603	83,417	7	1.2	0.2- 2.2	251	43.0	37.7-48.3	273	44.8	39.5-50.1	46	6.4	4.2- 8.6	26	4.6	2.4- 6.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4336	565,314	168	3.2	2.4- 4.0	1750	37.7	35.7-39.7	1955	46.7	44.5-48.9	449	11.9	10.5-13.3	10	0.3	0.1- 0.5	4	0.2	0.0- 0.4
Male	2098	287,915	4	0.2	0.0- 0.6	185	9.1	7.3-10.9	1454	66.7	64.0-69.4	441	23.0	20.6-25.4	10	0.6	0.2- 1.0	4	0.4	0.0- 0.8
Female	2238	277,399	164	6.3	4.9- 7.7	1565	67.4	64.5-70.3	501	26.0	23.3-28.7	8	0.4	0.0- 0.8						
Native	184	24,390	10	9.3	1.7-16.9	74	39.6	29.8-49.4	86	40.9	31.5-50.3	14	10.2	3.7-16.7						
Non-Native	4087	532,853	157	3.0	2.4- 3.6	1654	37.7	35.5-39.9	1832	46.8	44.6-49.0	430	12.0	10.6-13.4	10	0.3	0.1- 0.5	4	0.2	0.0- 0.4
18-24	217	79,782	1	0.1	0.0- 0.3	67	36.1	28.8-43.4	110	50.9	43.5-58.3	37	12.3	8.0-16.6	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6
25-34	381	107,224	6	2.2	0.2- 4.2	117	33.9	28.4-39.4	174	45.1	39.2-51.0	80	18.1	14.0-22.2	3	0.6	0.0- 1.2	1	0.2	0.0- 0.6
35-44	464	91,454	9	2.8	0.6- 5.0	143	34.9	29.6-40.2	229	46.4	40.9-51.9	78	14.5	10.8-18.2	3	0.5	0.0- 1.1	2	0.8	0.0- 2.0
45-54	491	75,954	15	4.5	2.0- 7.0	170	34.5	29.4-39.6	247	50.1	44.8-55.4	58	10.7	7.6-13.8	1	0.2	0.0- 0.6			
55-64	908	89,611	25	2.4	1.4- 3.4	387	39.5	35.6-43.4	416	47.1	43.2-51.0	78	10.9	8.2-13.6	2	0.2	0.0- 0.4			
65+	1875	121,290	112	6.2	4.8- 7.6	866	45.1	42.4-47.8	779	43.2	40.5-45.9	118	5.5	4.3- 6.7						
Less Than H.S.	184	42,962	16	7.5	2.2-12.8	72	40.3	30.1-50.5	90	47.3	36.7-57.9	5	3.7	0.0- 7.4				1	1.1	0.0- 3.3
H.S. or G.E.D.	1121	148,483	63	4.1	2.5- 5.7	433	34.6	30.9-38.3	527	50.2	46.1-54.3	92	10.4	7.9-12.9	5	0.6	0.0- 1.2	1	0.1	0.0- 0.3
Some Post-H.S.	1414	219,843	51	2.7	1.7- 3.7	586	37.8	34.5-41.1	619	45.4	41.9-48.9	157	14.1	11.6-16.6	1	0.1	0.0- 0.3			
College Graduate	1612	153,106	38	1.9	1.1- 2.7	658	40.2	37.1-43.3	716	44.8	41.7-47.9	194	12.4	10.2-14.6	4	0.5	0.1- 0.9	2	0.3	0.0- 0.7
Less than \$15,000	205	29,639	17	5.6	2.3- 8.9	91	44.5	34.5-54.5	83	43.3	33.3-53.3	13	6.0	1.1-10.9	1	0.6	0.0- 1.8			
\$15,000- 24,999	420	54,091	27	5.5	2.4- 8.6	209	49.8	42.4-57.2	153	35.6	28.5-42.7	29	8.4	4.1-12.7	1	0.2	0.0- 0.6	1	0.5	0.0- 1.5
\$25,000- 34,999	346	41,490	14	3.5	0.8- 6.2	160	40.7	33.3-48.1	154	48.6	41.2-56.0	18	7.3	3.4-11.2						
\$35,000- 49,999	521	60,360	23	3.7	1.3- 6.1	220	38.1	32.2-44.0	234	47.0	40.7-53.3	44	11.2	7.3-15.1						
\$50,000- 74,999	641	77,099	21	2.3	1.1- 3.5	235	37.1	31.8-42.4	313	45.6	40.3-50.9	71	14.6	10.5-18.7	1	0.4	0.0- 1.2			
\$75,000+	1444	204,593	21	1.2	0.6- 1.8	488	31.6	28.5-34.7	719	51.9	48.6-55.2	210	14.8	12.4-17.2	6	0.5	0.1- 0.9			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 54: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2098	287,915	4	0.2	0.0- 0.6	185	9.1	7.3-10.9	1454	66.7	64.0-69.4	441	23.0	20.6-25.4	10	0.6	0.2- 1.0	4	0.4	0.0- 0.8
Native	80	10,818				6	12.4	0.0-25.1	61	65.5	50.0-81.0	13	22.1	9.0-35.2						
Non-Native	1977	271,769	4	0.2	0.0- 0.6	177	9.1	7.3-10.9	1359	66.4	63.5-69.3	423	23.3	20.8-25.8	10	0.6	0.2- 1.0	4	0.4	0.0- 0.8
18-24	121	42,116				8	8.6	2.5-14.7	76	67.4	58.2-76.6	35	23.0	15.2-30.8	1	0.8	0.0- 2.4	1	0.3	0.0- 0.9
25-34	231	58,191				15	7.1	3.4-10.8	132	58.1	50.8-65.4	80	33.4	26.5-40.3	3	1.0	0.0- 2.2	1	0.3	0.0- 0.9
35-44	256	46,977				16	8.0	3.7-12.3	158	61.8	54.5-69.1	77	27.6	21.1-34.1	3	1.0	0.0- 2.2	2	1.6	0.0- 3.8
45-54	244	39,109	1	1.1	0.0- 3.3	21	11.0	5.7-16.3	164	67.2	60.1-74.3	57	20.5	14.8-26.2	1	0.3	0.0- 0.9			
55-64	410	45,466	1	0.1	0.0- 0.3	37	9.4	5.3-13.5	296	69.4	63.5-75.3	74	20.7	15.6-25.8	2	0.4	0.0- 1.0			
65+	836	56,057	2	0.3	0.0- 0.7	88	11.2	8.5-13.9	628	76.7	73.2-80.2	118	11.8	9.3-14.3						
Less Than H.S.	99	24,145	1	1.7	0.0- 5.0	14	20.4	9.2-31.6	78	69.3	56.6-82.0	5	6.6	0.0-13.3				1	1.9	0.0- 5.6
H.S. or G.E.D.	575	79,563	1	0.1	0.0- 0.3	57	8.8	5.9-11.7	422	70.9	66.0-75.8	89	18.9	14.6-23.2	5	1.1	0.0- 2.3	1	0.2	0.0- 0.6
Some Post-H.S.	693	114,999	1	0.0	0.0- 0.0	57	8.2	5.5-10.9	478	64.7	60.0-69.4	156	27.0	22.7-31.3	1	0.1	0.0- 0.3			
College Graduate	728	68,481	1	0.2	0.0- 0.6	57	7.3	4.8- 9.8	474	64.0	59.5-68.5	190	27.0	22.9-31.1	4	1.0	0.0- 2.0	2	0.6	0.0- 1.4
Less than \$15,000	87	12,321				11	12.5	2.3-22.7	63	72.1	58.0-86.2	12	14.0	2.6-25.4	1	1.4	0.0- 4.1			
\$15,000- 24,999	164	21,553	1	1.9	0.0- 5.6	23	14.8	5.6-24.0	111	61.4	49.6-73.2	27	20.2	10.2-30.2	1	0.4	0.0- 1.2	1	1.3	0.0- 3.7
\$25,000- 34,999	151	19,673				17	8.7	3.4-14.0	116	75.9	66.9-84.9	18	15.3	7.3-23.3						
\$35,000- 49,999	235	30,540				23	11.2	5.3-17.1	168	66.7	58.3-75.1	44	22.1	14.8-29.4						
\$50,000- 74,999	348	41,990				30	9.2	4.9-13.5	246	63.2	55.9-70.5	71	26.8	19.9-33.7	1	0.8	0.0- 2.4			
\$75,000+	800	116,724	2	0.1	0.0- 0.3	50	6.6	4.2- 9.0	535	66.9	62.8-71.0	207	25.5	21.8-29.2	6	0.9	0.1- 1.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 8: DEMOGRAPHICS**

TABLE 55: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2238	277,399	164	6.3	4.9- 7.7	1565	67.4	64.5-70.3	501	26.0	23.3-28.7	8	0.4	0.0- 0.8
Native	104	13,572	10	16.7	3.8-29.6	68	61.3	48.0-74.6	25	21.2	11.6-30.8	1	0.7	0.0- 2.1
Non-Native	2110	261,084	153	5.8	4.6- 7.0	1477	67.6	64.7-70.5	473	26.3	23.6-29.0	7	0.3	0.0- 0.7
18-24	96	37,666	1	0.3	0.0- 0.9	59	66.8	56.8-76.8	34	32.4	22.4-42.4	2	0.4	0.0- 1.0
25-34	150	49,033	6	4.8	0.7- 8.9	102	65.6	56.4-74.8	42	29.6	20.8-38.4			
35-44	208	44,477	9	5.8	1.3-10.3	127	63.4	55.6-71.2	71	30.1	22.8-37.4	1	0.8	0.0- 2.2
45-54	247	36,845	14	8.1	3.4-12.8	149	59.4	52.1-66.7	83	32.1	25.4-38.8	1	0.4	0.0- 1.2
55-64	498	44,146	24	4.7	2.5- 6.9	350	70.5	65.6-75.4	120	24.1	19.6-28.6	4	0.7	0.0- 1.7
65+	1039	65,232	110	11.3	8.9-13.7	778	74.2	70.9-77.5	151	14.5	11.8-17.2			
Less Than H.S.	85	18,817	15	15.0	4.2-25.8	58	65.9	50.2-81.6	12	19.1	5.0-33.2			
H.S. or G.E.D.	546	68,920	62	8.8	5.7-11.9	376	64.3	58.2-70.4	105	26.3	20.6-32.0	3	0.5	0.0- 1.1
Some Post-H.S.	721	104,843	50	5.6	3.6- 7.6	529	70.2	65.5-74.9	141	24.1	19.6-28.6	1	0.1	0.0- 0.3
College Graduate	884	84,625	37	3.3	1.9- 4.7	601	66.8	62.7-70.9	242	29.3	25.2-33.4	4	0.6	0.0- 1.4
Less than \$15,000	118	17,318	17	9.6	3.9-15.3	80	67.3	55.1-79.5	20	22.8	11.2-34.4	1	0.3	0.0- 0.9
\$15,000- 24,999	256	32,538	26	7.8	3.1-12.5	186	73.0	64.2-81.8	42	18.5	10.5-26.5	2	0.7	0.0- 1.9
\$25,000- 34,999	195	21,817	14	6.7	1.4-12.0	143	69.4	59.6-79.2	38	23.9	14.9-32.9			
\$35,000- 49,999	286	29,820	23	7.5	2.8-12.2	197	65.6	57.4-73.8	66	26.9	19.1-34.7			
\$50,000- 74,999	293	35,109	21	4.9	2.4- 7.4	205	70.6	63.3-77.9	67	24.5	17.4-31.6			
\$75,000+	644	87,869	19	2.5	1.1- 3.9	438	65.0	60.1-69.9	184	32.0	27.1-36.9	3	0.6	0.0- 1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 9: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
1 MALES AND FEMALES	143
2 MALES ONLY	144
3 FEMALES ONLY	145
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
4 MALES AND FEMALES	146
5 MALES ONLY	147
6 FEMALES ONLY	148
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
7 MALES AND FEMALES	149
8 MALES ONLY	150
9 FEMALES ONLY	151
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
10 MALES AND FEMALES	152
11 MALES ONLY	153
12 FEMALES ONLY	154
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
13 MALES AND FEMALES	155
14 MALES ONLY	156
15 FEMALES ONLY	157
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
16 MALES AND FEMALES	158
17 MALES ONLY	159
18 FEMALES ONLY	160

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 9: DISABILITY

TABLE 1: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4383	571,698	565	9.0	8.0-10.0	3818	91.0	90.0-92.0
Male	2109	290,364	326	11.0	9.4-12.6	1783	89.0	87.4-90.6
Female	2274	281,334	239	6.9	5.7- 8.1	2035	93.1	91.9-94.3
Native	187	24,964	21	5.8	2.5- 9.1	166	94.2	90.9-97.5
Non-Native	4124	538,081	533	9.2	8.0-10.4	3591	90.8	89.6-92.0
18-24	219	80,235	1	0.7	0.0- 2.1	218	99.3	97.9- 100
25-34	389	109,622	13	5.0	2.1- 7.9	376	95.0	92.1-97.9
35-44	467	91,644	15	3.0	1.2- 4.8	452	97.0	95.2-98.8
45-54	501	77,380	36	7.8	4.9-10.7	465	92.2	89.3-95.1
55-64	919	90,662	89	10.2	7.7-12.7	830	89.8	87.3-92.3
65+	1888	122,155	411	22.3	19.9-24.7	1477	77.7	75.3-80.1
Less Than H.S.	189	43,611	43	16.1	9.2-23.0	146	83.9	77.0-90.8
H.S. or G.E.D.	1141	151,546	204	10.5	8.5-12.5	937	89.5	87.5-91.5
Some Post-H.S.	1415	220,433	183	9.0	7.2-10.8	1232	91.0	89.2-92.8
College Graduate	1631	155,130	134	5.4	4.2- 6.6	1497	94.6	93.4-95.8
Less than \$15,000	210	30,554	37	15.7	8.3-23.1	173	84.3	76.9-91.7
\$15,000- 24,999	421	54,127	75	9.4	6.7-12.1	346	90.6	87.9-93.3
\$25,000- 34,999	345	41,541	58	16.3	10.4-22.2	287	83.7	77.8-89.6
\$35,000- 49,999	522	61,053	74	9.6	6.9-12.3	448	90.4	87.7-93.1
\$50,000- 74,999	642	77,965	74	7.7	5.2-10.2	568	92.3	89.8-94.8
\$75,000+	1450	205,554	112	6.1	4.5- 7.7	1338	93.9	92.3-95.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 2: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2109	290,364	326	11.0	9.4-12.6	1783	89.0	87.4-90.6
Native	81	11,169	10	7.2	0.7-13.7	71	92.8	86.3-99.3
Non-Native	1983	273,421	311	11.3	9.5-13.1	1672	88.7	86.9-90.5
18-24	122	42,194	1	1.4	0.0- 3.9	121	98.6	96.1- 100
25-34	236	59,337	11	7.1	2.6-11.6	225	92.9	88.4-97.4
35-44	257	47,021	11	3.5	1.3- 5.7	246	96.5	94.3-98.7
45-54	249	40,000	24	10.4	5.7-15.1	225	89.6	84.9-94.3
55-64	412	45,699	53	13.3	9.2-17.4	359	86.7	82.6-90.8
65+	833	56,113	226	27.1	23.4-30.8	607	72.9	69.2-76.6
Less Than H.S.	101	24,534	22	16.3	7.3-25.3	79	83.7	74.7-92.7
H.S. or G.E.D.	582	80,739	111	11.5	8.6-14.4	471	88.5	85.6-91.4
Some Post-H.S.	691	115,170	107	11.2	8.5-13.9	584	88.8	86.1-91.5
College Graduate	731	69,169	85	8.2	6.0-10.4	646	91.8	89.6-94.0
Less than \$15,000	87	12,321	15	24.1	8.6-39.6	72	75.9	60.4-91.4
\$15,000- 24,999	164	21,562	31	10.1	5.6-14.6	133	89.9	85.4-94.4
\$25,000- 34,999	151	19,740	35	19.9	12.3-27.5	116	80.1	72.5-87.7
\$35,000- 49,999	235	30,896	40	10.7	6.6-14.8	195	89.3	85.2-93.4
\$50,000- 74,999	348	42,092	57	10.7	6.8-14.6	291	89.3	85.4-93.2
\$75,000+	801	117,211	82	8.1	5.7-10.5	719	91.9	89.5-94.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 3: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2274	281,334	239	6.9	5.7- 8.1	2035	93.1	91.9-94.3
Native	106	13,796	11	4.6	1.5- 7.7	95	95.4	92.3-98.5
Non-Native	2141	264,660	222	7.0	5.6- 8.4	1919	93.0	91.6-94.4
18-24	97	38,041				97	100.0	100.0- 100
25-34	153	50,285	2	2.5	0.0- 6.4	151	97.5	93.6- 100
35-44	210	44,623	4	2.4	0.0- 5.3	206	97.6	94.7- 100
45-54	252	37,380	12	4.9	1.8- 8.0	240	95.1	92.0-98.2
55-64	507	44,962	36	7.1	4.4- 9.8	471	92.9	90.2-95.6
65+	1055	66,042	185	18.2	15.5-20.9	870	81.8	79.1-84.5
Less Than H.S.	88	19,077	21	15.9	5.3-26.5	67	84.1	73.5-94.7
H.S. or G.E.D.	559	70,807	93	9.5	7.1-11.9	466	90.5	88.1-92.9
Some Post-H.S.	724	105,263	76	6.6	4.6- 8.6	648	93.4	91.4-95.4
College Graduate	900	85,961	49	3.2	2.0- 4.4	851	96.8	95.6-98.0
Less than \$15,000	123	18,233	22	10.1	4.6-15.6	101	89.9	84.4-95.4
\$15,000- 24,999	257	32,566	44	8.9	5.6-12.2	213	91.1	87.8-94.4
\$25,000- 34,999	194	21,801	23	13.0	4.2-21.8	171	87.0	78.2-95.8
\$35,000- 49,999	287	30,158	34	8.5	5.0-12.0	253	91.5	88.0-95.0
\$50,000- 74,999	294	35,873	17	4.3	1.8- 6.8	277	95.7	93.2-98.2
\$75,000+	649	88,343	30	3.5	1.7- 5.3	619	96.5	94.7-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 4: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4383	569,664	171	3.6	2.8- 4.4	4212	96.4	95.6-97.2
Male	2112	289,273	80	3.6	2.4- 4.8	2032	96.4	95.2-97.6
Female	2271	280,391	91	3.6	2.4- 4.8	2180	96.4	95.2-97.6
Native	185	23,828	8	4.7	0.6- 8.8	177	95.3	91.2-99.4
Non-Native	4126	537,184	159	3.5	2.7- 4.3	3967	96.5	95.7-97.3
18-24	218	79,583	6	3.6	0.7- 6.5	212	96.4	93.5-99.3
25-34	387	109,142	7	2.4	0.4- 4.4	380	97.6	95.6-99.6
35-44	468	91,801	9	2.9	0.7- 5.1	459	97.1	94.9-99.3
45-54	498	76,600	12	3.5	1.3- 5.7	486	96.5	94.3-98.7
55-64	916	89,719	30	3.3	1.9- 4.7	886	96.7	95.3-98.1
65+	1896	122,818	107	5.6	4.2- 7.0	1789	94.4	93.0-95.8
Less Than H.S.	188	42,959	17	9.2	3.5-14.9	171	90.8	85.1-96.5
H.S. or G.E.D.	1141	151,034	64	4.6	3.0- 6.2	1077	95.4	93.8-97.0
Some Post-H.S.	1416	219,416	53	3.2	2.0- 4.4	1363	96.8	95.6-98.0
College Graduate	1631	155,278	36	1.8	1.0- 2.6	1595	98.2	97.4-99.0
Less than \$15,000	208	30,442	29	13.9	6.6-21.2	179	86.1	78.8-93.4
\$15,000- 24,999	421	53,672	30	6.0	2.5- 9.5	391	94.0	90.5-97.5
\$25,000- 34,999	347	41,665	11	4.8	1.3- 8.3	336	95.2	91.7-98.7
\$35,000- 49,999	523	61,270	18	3.7	1.5- 5.9	505	96.3	94.1-98.5
\$50,000- 74,999	641	77,408	18	2.1	0.7- 3.5	623	97.9	96.5-99.3
\$75,000+	1451	204,914	27	1.9	0.9- 2.9	1424	98.1	97.1-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 9: DISABILITY

TABLE 5: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2112	289,273	80	3.6	2.4- 4.8	2032	96.4	95.2-97.6
Native	80	10,517				80	100.0	100.0- 100
Non-Native	1987	272,982	78	3.7	2.5- 4.9	1909	96.3	95.1-97.5
18-24	121	41,542	3	3.1	0.0- 6.6	118	96.9	93.4- 100
25-34	234	59,219	5	3.6	0.3- 6.9	229	96.4	93.1-99.7
35-44	258	47,178	5	2.2	0.0- 4.6	253	97.8	95.4- 100
45-54	247	39,549	6	3.9	0.6- 7.2	241	96.1	92.8-99.4
55-64	410	45,003	13	3.3	1.1- 5.5	397	96.7	94.5-98.9
65+	842	56,782	48	5.3	3.5- 7.1	794	94.7	92.9-96.5
Less Than H.S.	100	23,882	8	8.7	1.3-16.1	92	91.3	83.9-98.7
H.S. or G.E.D.	584	80,716	32	4.6	2.4- 6.8	552	95.4	93.2-97.6
Some Post-H.S.	693	114,648	20	2.7	1.1- 4.3	673	97.3	95.7-98.9
College Graduate	731	69,276	20	2.3	0.9- 3.7	711	97.7	96.3-99.1
Less than \$15,000	86	12,260	12	13.1	1.7-24.5	74	86.9	75.5-98.3
\$15,000- 24,999	164	21,468	12	7.7	0.6-14.8	152	92.3	85.2-99.4
\$25,000- 34,999	152	19,826	3	3.0	0.0- 6.9	149	97.0	93.1- 100
\$35,000- 49,999	235	31,042	12	6.2	2.1-10.3	223	93.8	89.7-97.9
\$50,000- 74,999	348	41,781	9	1.8	0.2- 3.4	339	98.2	96.6-99.8
\$75,000+	802	116,570	21	2.9	1.3- 4.5	781	97.1	95.5-98.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 6: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2271	280,391	91	3.6	2.4- 4.8	2180	96.4	95.2-97.6
Native	105	13,311	8	8.4	1.1-15.7	97	91.6	84.3-98.9
Non-Native	2139	264,202	81	3.4	2.2- 4.6	2058	96.6	95.4-97.8
18-24	97	38,041	3	4.1	0.0- 8.8	94	95.9	91.2- 100
25-34	153	49,923	2	1.0	0.0- 2.6	151	99.0	97.4- 100
35-44	210	44,623	4	3.5	0.0- 7.0	206	96.5	93.0- 100
45-54	251	37,052	6	3.2	0.5- 5.9	245	96.8	94.1-99.5
55-64	506	44,716	17	3.3	1.3- 5.3	489	96.7	94.7-98.7
65+	1054	66,036	59	5.8	4.0- 7.6	995	94.2	92.4-96.0
Less Than H.S.	88	19,077	9	9.8	1.0-18.6	79	90.2	81.4-99.0
H.S. or G.E.D.	557	70,318	32	4.5	2.1- 6.9	525	95.5	93.1-97.9
Some Post-H.S.	723	104,768	33	3.7	1.9- 5.5	690	96.3	94.5-98.1
College Graduate	900	86,002	16	1.4	0.4- 2.4	884	98.6	97.6-99.6
Less than \$15,000	122	18,182	17	14.5	5.1-23.9	105	85.5	76.1-94.9
\$15,000- 24,999	257	32,204	18	4.8	1.7- 7.9	239	95.2	92.1-98.3
\$25,000- 34,999	195	21,839	8	6.5	1.0-12.0	187	93.5	88.0-99.0
\$35,000- 49,999	288	30,227	6	1.3	0.1- 2.5	282	98.7	97.5-99.9
\$50,000- 74,999	293	35,627	9	2.4	0.2- 4.6	284	97.6	95.4-99.8
\$75,000+	649	88,343	6	0.5	0.0- 1.1	643	99.5	98.9- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 7: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4362	568,117	341	9.5	8.1-10.9	4021	90.5	89.1-91.9
Male	2098	288,124	146	7.5	5.9- 9.1	1952	92.5	90.9-94.1
Female	2264	279,992	195	11.7	9.5-13.9	2069	88.3	86.1-90.5
Native	184	24,218	23	16.7	8.5-24.9	161	83.3	75.1-91.5
Non-Native	4109	535,375	312	9.2	7.8-10.6	3797	90.8	89.4-92.2
18-24	218	79,583	26	13.1	8.0-18.2	192	86.9	81.8-92.0
25-34	387	109,504	40	11.6	7.7-15.5	347	88.4	84.5-92.3
35-44	466	91,211	33	9.5	5.8-13.2	433	90.5	86.8-94.2
45-54	498	76,676	39	7.9	5.2-10.6	459	92.1	89.4-94.8
55-64	913	89,413	63	7.5	5.3- 9.7	850	92.5	90.3-94.7
65+	1880	121,730	140	7.9	6.3- 9.5	1740	92.1	90.5-93.7
Less Than H.S.	186	42,839	26	15.8	8.2-23.4	160	84.2	76.6-91.8
H.S. or G.E.D.	1131	150,098	127	13.9	11.0-16.8	1004	86.1	83.2-89.0
Some Post-H.S.	1408	219,185	120	9.4	7.2-11.6	1288	90.6	88.4-92.8
College Graduate	1631	155,104	67	3.7	2.5- 4.9	1564	96.3	95.1-97.5
Less than \$15,000	206	30,303	50	29.1	20.1-38.1	156	70.9	61.9-79.9
\$15,000- 24,999	419	53,954	58	18.5	12.2-24.8	361	81.5	75.2-87.8
\$25,000- 34,999	347	41,653	31	10.4	5.5-15.3	316	89.6	84.7-94.5
\$35,000- 49,999	522	61,208	48	12.0	7.7-16.3	474	88.0	83.7-92.3
\$50,000- 74,999	638	77,131	37	7.5	4.2-10.8	601	92.5	89.2-95.8
\$75,000+	1447	204,446	53	4.3	2.9- 5.7	1394	95.7	94.3-97.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 8: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2098	288,124	146	7.5	5.9- 9.1	1952	92.5	90.9-94.1
Native	79	10,460	7	8.0	0.4-15.6	72	92.0	84.4-99.6
Non-Native	1976	271,972	137	7.5	5.9- 9.1	1839	92.5	90.9-94.1
18-24	121	41,542	6	4.0	0.5- 7.5	115	96.0	92.5-99.5
25-34	234	59,219	22	10.6	5.7-15.5	212	89.4	84.5-94.3
35-44	257	46,987	19	9.1	4.4-13.8	238	90.9	86.2-95.6
45-54	248	39,702	19	7.8	3.7-11.9	229	92.2	88.1-96.3
55-64	407	44,697	19	4.4	2.0- 6.8	388	95.6	93.2-98.0
65+	831	55,978	61	7.6	5.4- 9.8	770	92.4	90.2-94.6
Less Than H.S.	98	23,761	13	13.8	4.0-23.6	85	86.2	76.4-96.0
H.S. or G.E.D.	578	80,417	49	7.0	4.5- 9.5	529	93.0	90.5-95.5
Some Post-H.S.	688	114,167	56	9.1	6.4-11.8	632	90.9	88.2-93.6
College Graduate	731	69,114	28	3.2	1.8- 4.6	703	96.8	95.4-98.2
Less than \$15,000	84	12,148	20	30.7	15.6-45.8	64	69.3	54.2-84.4
\$15,000- 24,999	164	21,468	18	17.3	7.1-27.5	146	82.7	72.5-92.9
\$25,000- 34,999	152	19,826	19	10.8	4.5-17.1	133	89.2	82.9-95.5
\$35,000- 49,999	236	31,071	23	9.6	4.5-14.7	213	90.4	85.3-95.5
\$50,000- 74,999	345	41,504	19	6.2	2.7- 9.7	326	93.8	90.3-97.3
\$75,000+	799	116,143	24	3.5	1.7- 5.3	775	96.5	94.7-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 9: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2264	279,992	195	11.7	9.5-13.9	2069	88.3	86.1-90.5
Native	105	13,759	16	23.2	10.5-35.9	89	76.8	64.1-89.5
Non-Native	2133	263,404	175	11.0	8.8-13.2	1958	89.0	86.8-91.2
18-24	97	38,041	20	23.0	13.8-32.2	77	77.0	67.8-86.2
25-34	153	50,285	18	12.8	6.5-19.1	135	87.2	80.9-93.5
35-44	209	44,224	14	10.0	4.5-15.5	195	90.0	84.5-95.5
45-54	250	36,974	20	8.1	4.2-12.0	230	91.9	88.0-95.8
55-64	506	44,716	44	10.7	7.2-14.2	462	89.3	85.8-92.8
65+	1049	65,752	79	8.1	5.9-10.3	970	91.9	89.7-94.1
Less Than H.S.	88	19,077	13	18.2	5.9-30.5	75	81.8	69.5-94.1
H.S. or G.E.D.	553	69,681	78	21.9	16.4-27.4	475	78.1	72.6-83.6
Some Post-H.S.	720	105,018	64	9.7	6.6-12.8	656	90.3	87.2-93.4
College Graduate	900	85,990	39	4.1	2.5- 5.7	861	95.9	94.3-97.5
Less than \$15,000	122	18,155	30	28.0	17.0-39.0	92	72.0	61.0-83.0
\$15,000- 24,999	255	32,486	40	19.2	11.4-27.0	215	80.8	73.0-88.6
\$25,000- 34,999	195	21,827	12	10.0	2.7-17.3	183	90.0	82.7-97.3
\$35,000- 49,999	286	30,137	25	14.6	7.7-21.5	261	85.4	78.5-92.3
\$50,000- 74,999	293	35,627	18	9.2	3.5-14.9	275	90.8	85.1-96.5
\$75,000+	648	88,303	29	5.2	2.7- 7.7	619	94.8	92.3-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 10: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4368	568,357	624	10.4	9.2-11.6	3744	89.6	88.4-90.8
Male	2103	288,115	245	8.5	6.9-10.1	1858	91.5	89.9-93.1
Female	2265	280,243	379	12.4	10.6-14.2	1886	87.6	85.8-89.4
Native	184	24,212	37	17.9	10.1-25.7	147	82.1	74.3-89.9
Non-Native	4114	535,853	575	10.1	8.9-11.3	3539	89.9	88.7-91.1
18-24	216	78,852	3	1.5	0.0- 3.3	213	98.5	96.7- 100
25-34	387	109,556	15	5.7	2.6- 8.8	372	94.3	91.2-97.4
35-44	467	91,610	20	6.3	3.2- 9.4	447	93.7	90.6-96.8
45-54	498	76,676	28	6.1	3.4- 8.8	470	93.9	91.2-96.6
55-64	912	89,434	120	13.8	10.9-16.7	792	86.2	83.3-89.1
65+	1888	122,229	438	23.7	21.3-26.1	1450	76.3	73.9-78.7
Less Than H.S.	186	42,841	60	26.1	17.5-34.7	126	73.9	65.3-82.5
H.S. or G.E.D.	1134	150,057	197	11.5	9.3-13.7	937	88.5	86.3-90.7
Some Post-H.S.	1411	219,417	222	10.2	8.4-12.0	1189	89.8	88.0-91.6
College Graduate	1630	155,066	143	5.5	4.3- 6.7	1487	94.5	93.3-95.7
Less than \$15,000	206	30,297	83	31.5	22.9-40.1	123	68.5	59.9-77.1
\$15,000- 24,999	421	54,086	118	21.6	15.7-27.5	303	78.4	72.5-84.3
\$25,000- 34,999	345	41,433	60	13.6	9.3-17.9	285	86.4	82.1-90.7
\$35,000- 49,999	523	60,857	80	11.5	8.2-14.8	443	88.5	85.2-91.8
\$50,000- 74,999	640	77,353	62	7.2	4.7- 9.7	578	92.8	90.3-95.3
\$75,000+	1448	204,402	83	3.7	2.7- 4.7	1365	96.3	95.3-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 11: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2103	288,115	245	8.5	6.9-10.1	1858	91.5	89.9-93.1
Native	79	10,454	11	14.8	3.4-26.2	68	85.2	73.8-96.6
Non-Native	1981	272,248	227	8.2	6.6- 9.8	1754	91.8	90.2-93.4
18-24	119	40,811	1	1.0	0.0- 3.0	118	99.0	97.0- 100
25-34	233	59,148	8	5.3	1.4- 9.2	225	94.7	90.8-98.6
35-44	257	46,987	9	4.2	1.1- 7.3	248	95.8	92.7-98.9
45-54	248	39,702	12	3.9	1.0- 6.8	236	96.1	93.2-99.0
55-64	408	45,004	48	13.0	8.3-17.7	360	87.0	82.3-91.7
65+	838	56,463	167	20.5	17.0-24.0	671	79.5	76.0-83.0
Less Than H.S.	99	23,826	27	22.6	11.8-33.4	72	77.4	66.6-88.2
H.S. or G.E.D.	580	80,109	75	7.8	5.4-10.2	505	92.2	89.8-94.6
Some Post-H.S.	689	114,314	88	8.3	5.9-10.7	601	91.7	89.3-94.1
College Graduate	731	69,114	54	4.8	3.0- 6.6	677	95.2	93.4-97.0
Less than \$15,000	84	12,141	30	31.5	16.8-46.2	54	68.5	53.8-83.2
\$15,000- 24,999	163	21,397	44	18.4	10.6-26.2	119	81.6	73.8-89.4
\$25,000- 34,999	151	19,674	30	16.2	9.1-23.3	121	83.8	76.7-90.9
\$35,000- 49,999	235	30,629	33	9.5	5.2-13.8	202	90.5	86.2-94.8
\$50,000- 74,999	347	41,726	23	6.0	2.5- 9.5	324	94.0	90.5-97.5
\$75,000+	800	116,265	37	2.8	1.6- 4.0	763	97.2	96.0-98.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 12: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2265	280,243	379	12.4	10.6-14.2	1886	87.6	85.8-89.4
Native	105	13,759	26	20.3	9.5-31.1	79	79.7	68.9-90.5
Non-Native	2133	263,606	348	11.9	10.1-13.7	1785	88.1	86.3-89.9
18-24	97	38,041	2	2.1	0.0- 5.0	95	97.9	95.0- 100
25-34	154	50,408	7	6.2	0.9-11.5	147	93.8	88.5-99.1
35-44	210	44,623	11	8.6	3.3-13.9	199	91.4	86.1-96.7
45-54	250	36,974	16	8.5	4.0-13.0	234	91.5	87.0-96.0
55-64	504	44,430	72	14.7	11.0-18.4	432	85.3	81.6-89.0
65+	1050	65,766	271	26.5	23.2-29.8	779	73.5	70.2-76.8
Less Than H.S.	87	19,014	33	30.6	16.7-44.5	54	69.4	55.5-83.3
H.S. or G.E.D.	554	69,948	122	15.7	12.0-19.4	432	84.3	80.6-88.0
Some Post-H.S.	722	105,103	134	12.2	9.5-14.9	588	87.8	85.1-90.5
College Graduate	899	85,951	89	6.0	4.2- 7.8	810	94.0	92.2-95.8
Less than \$15,000	122	18,155	53	31.5	20.9-42.1	69	68.5	57.9-79.1
\$15,000- 24,999	258	32,689	74	23.7	15.5-31.9	184	76.3	68.1-84.5
\$25,000- 34,999	194	21,759	30	11.3	5.8-16.8	164	88.7	83.2-94.2
\$35,000- 49,999	288	30,227	47	13.6	8.3-18.9	241	86.4	81.1-91.7
\$50,000- 74,999	293	35,627	39	8.5	5.0-12.0	254	91.5	88.0-95.0
\$75,000+	648	88,138	46	5.0	3.0- 7.0	602	95.0	93.0-97.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 9: DISABILITY

TABLE 13: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4375	569,234	127	2.7	1.9- 3.5	4248	97.3	96.5-98.1
Male	2108	288,768	56	2.0	1.2- 2.8	2052	98.0	97.2-98.8
Female	2267	280,466	71	3.3	2.1- 4.5	2196	96.7	95.5-97.9
Native	184	24,212	4	4.6	0.0-10.3	180	95.4	89.7- 100
Non-Native	4120	536,659	120	2.6	1.8- 3.4	4000	97.4	96.6-98.2
18-24	216	78,852	2	0.7	0.0- 1.7	214	99.3	98.3- 100
25-34	388	109,627	4	2.4	0.0- 4.9	384	97.6	95.1- 100
35-44	465	91,476	8	2.5	0.3- 4.7	457	97.5	95.3-99.7
45-54	499	77,000	10	2.4	0.6- 4.2	489	97.6	95.8-99.4
55-64	914	89,676	28	3.3	1.7- 4.9	886	96.7	95.1-98.3
65+	1893	122,604	75	4.0	2.8- 5.2	1818	96.0	94.8-97.2
Less Than H.S.	188	42,959	6	5.4	0.0-11.3	182	94.6	88.7- 100
H.S. or G.E.D.	1139	150,809	50	3.7	2.3- 5.1	1089	96.3	94.9-97.7
Some Post-H.S.	1413	219,557	44	2.6	1.6- 3.6	1369	97.4	96.4-98.4
College Graduate	1628	154,931	27	1.0	0.4- 1.6	1601	99.0	98.4-99.6
Less than \$15,000	209	30,493	21	6.4	2.7-10.1	188	93.6	89.9-97.3
\$15,000- 24,999	421	54,119	29	7.7	2.8-12.6	392	92.3	87.4-97.2
\$25,000- 34,999	347	41,577	13	2.9	0.7- 5.1	334	97.1	94.9-99.3
\$35,000- 49,999	522	60,805	8	2.1	0.1- 4.1	514	97.9	95.9-99.9
\$50,000- 74,999	640	77,367	10	1.8	0.2- 3.4	630	98.2	96.6-99.8
\$75,000+	1449	204,608	22	1.4	0.6- 2.2	1427	98.6	97.8-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 14: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2108	288,768	56	2.0	1.2- 2.8	2052	98.0	97.2-98.8
Native	79	10,454	1	1.1	0.0- 3.3	78	98.9	96.7- 100
Non-Native	1985	272,830	53	2.1	1.3- 2.9	1932	97.9	97.1-98.7
18-24	119	40,811				119	100.0	100.0- 100
25-34	234	59,219	1	0.8	0.0- 2.4	233	99.2	97.6- 100
35-44	256	46,946	4	1.2	0.0- 2.6	252	98.8	97.4- 100
45-54	249	40,000	5	1.9	0.0- 3.9	244	98.1	96.1- 100
55-64	409	45,076	11	3.1	0.7- 5.5	398	96.9	94.5-99.3
65+	841	56,718	35	4.7	2.7- 6.7	806	95.3	93.3-97.3
Less Than H.S.	100	23,882	4	2.5	0.0- 5.6	96	97.5	94.4- 100
H.S. or G.E.D.	583	80,548	21	2.7	1.3- 4.1	562	97.3	95.9-98.7
Some Post-H.S.	691	114,514	21	2.4	1.0- 3.8	670	97.6	96.2-99.0
College Graduate	730	69,073	10	0.6	0.2- 1.0	720	99.4	99.0-99.8
Less than \$15,000	86	12,260	9	8.3	1.4-15.2	77	91.7	84.8-98.6
\$15,000- 24,999	164	21,468	12	5.6	0.9-10.3	152	94.4	89.7-99.1
\$25,000- 34,999	152	19,826	5	1.6	0.0- 3.6	147	98.4	96.4- 100
\$35,000- 49,999	235	30,629	3	1.3	0.0- 2.9	232	98.7	97.1- 100
\$50,000- 74,999	347	41,740	4	2.0	0.0- 4.4	343	98.0	95.6- 100
\$75,000+	800	116,265	9	0.6	0.0- 1.2	791	99.4	98.8- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

TABLE 15: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2267	280,466	71	3.3	2.1- 4.5	2196	96.7	95.5-97.9
Native	105	13,759	3	7.2	0.0-17.0	102	92.8	83.0- 100
Non-Native	2135	263,829	67	3.1	1.9- 4.3	2068	96.9	95.7-98.1
18-24	97	38,041	2	1.4	0.0- 3.4	95	98.6	96.6- 100
25-34	154	50,408	3	4.3	0.0- 9.4	151	95.7	90.6- 100
35-44	209	44,530	4	4.0	0.1- 7.9	205	96.0	92.1-99.9
45-54	250	37,000	5	2.9	0.2- 5.6	245	97.1	94.4-99.8
55-64	505	44,600	17	3.6	1.6- 5.6	488	96.4	94.4-98.4
65+	1052	65,886	40	3.3	2.1- 4.5	1012	96.7	95.5-97.9
Less Than H.S.	88	19,077	2	9.1	0.0-21.3	86	90.9	78.7- 100
H.S. or G.E.D.	556	70,261	29	4.8	2.1- 7.5	527	95.2	92.5-97.9
Some Post-H.S.	722	105,044	23	2.9	1.3- 4.5	699	97.1	95.5-98.7
College Graduate	898	85,858	17	1.3	0.3- 2.3	881	98.7	97.7-99.7
Less than \$15,000	123	18,233	12	5.1	1.0- 9.2	111	94.9	90.8-99.0
\$15,000- 24,999	257	32,651	17	9.0	1.6-16.4	240	91.0	83.6-98.4
\$25,000- 34,999	195	21,752	8	4.0	0.3- 7.7	187	96.0	92.3-99.7
\$35,000- 49,999	287	30,176	5	2.9	0.0- 6.6	282	97.1	93.4- 100
\$50,000- 74,999	293	35,627	6	1.5	0.0- 3.1	287	98.5	96.9- 100
\$75,000+	649	88,343	13	2.6	0.8- 4.4	636	97.4	95.6-99.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 16: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4359	566,438	252	5.8	4.8- 6.8	4107	94.2	93.2-95.2
Male	2101	287,431	90	4.1	2.9- 5.3	2011	95.9	94.7-97.1
Female	2258	279,007	162	7.5	5.9- 9.1	2096	92.5	90.9-94.1
Native	183	24,153	21	16.1	7.9-24.3	162	83.9	75.7-92.1
Non-Native	4106	533,970	229	5.3	4.3- 6.3	3877	94.7	93.7-95.7
18-24	213	77,912	17	7.6	3.9-11.3	196	92.4	88.7-96.1
25-34	387	108,629	16	4.4	1.9- 6.9	371	95.6	93.1-98.1
35-44	463	91,018	10	2.8	0.8- 4.8	453	97.2	95.2-99.2
45-54	499	77,000	22	5.3	2.9- 7.7	477	94.7	92.3-97.1
55-64	914	89,731	57	7.6	5.1-10.1	857	92.4	89.9-94.9
65+	1883	122,149	130	7.0	5.6- 8.4	1753	93.0	91.6-94.4
Less Than H.S.	186	41,899	27	13.2	6.7-19.7	159	86.8	80.3-93.3
H.S. or G.E.D.	1131	149,264	92	8.9	6.5-11.3	1039	91.1	88.7-93.5
Some Post-H.S.	1410	219,494	81	4.8	3.4- 6.2	1329	95.2	93.8-96.6
College Graduate	1625	154,802	51	2.0	1.2- 2.8	1574	98.0	97.2-98.8
Less than \$15,000	205	29,937	52	22.7	14.7-30.7	153	77.3	69.3-85.3
\$15,000- 24,999	420	54,050	43	10.0	5.7-14.3	377	90.0	85.7-94.3
\$25,000- 34,999	347	41,648	26	8.5	4.2-12.8	321	91.5	87.2-95.8
\$35,000- 49,999	519	59,711	25	5.6	2.5- 8.7	494	94.4	91.3-97.5
\$50,000- 74,999	640	77,367	17	2.1	0.7- 3.5	623	97.9	96.5-99.3
\$75,000+	1447	204,082	28	2.0	1.0- 3.0	1419	98.0	97.0-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 17: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2101	287,431	90	4.1	2.9- 5.3	2011	95.9	94.7-97.1
Native	78	10,395	8	18.0	4.5-31.5	70	82.0	68.5-95.5
Non-Native	1979	271,552	81	3.6	2.4- 4.8	1898	96.4	95.2-97.6
18-24	118	40,724	4	3.3	0.0- 7.0	114	96.7	93.0- 100
25-34	233	58,221	10	5.3	1.4- 9.2	223	94.7	90.8-98.6
35-44	255	46,887	4	1.1	0.0- 2.5	251	98.9	97.5- 100
45-54	249	40,000	7	3.0	0.5- 5.5	242	97.0	94.5-99.5
55-64	408	45,014	19	6.0	2.3- 9.7	389	94.0	90.3-97.7
65+	838	56,585	46	5.1	3.1- 7.1	792	94.9	92.9-96.9
Less Than H.S.	99	22,884	12	13.7	3.7-23.7	87	86.3	76.3-96.3
H.S. or G.E.D.	580	80,349	34	5.3	2.9- 7.7	546	94.7	92.3-97.1
Some Post-H.S.	689	114,414	27	3.3	1.7- 4.9	662	96.7	95.1-98.3
College Graduate	729	69,033	17	0.8	0.4- 1.2	712	99.2	98.8-99.6
Less than \$15,000	83	12,080	23	24.8	10.7-38.9	60	75.2	61.1-89.3
\$15,000- 24,999	163	21,409	14	7.5	1.0-14.0	149	92.5	86.0-99.0
\$25,000- 34,999	152	19,826	10	5.8	1.3-10.3	142	94.2	89.7-98.7
\$35,000- 49,999	234	29,631	11	4.1	0.8- 7.4	223	95.9	92.6-99.2
\$50,000- 74,999	347	41,740	4	1.3	0.0- 3.1	343	98.7	96.9- 100
\$75,000+	800	116,265	8	1.3	0.0- 2.7	792	98.7	97.3- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 9: DISABILITY**

**TABLE 18: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?
(DIFFALON)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2258	279,007	162	7.5	5.9- 9.1	2096	92.5	90.9-94.1
Native	105	13,759	13	14.7	4.7-24.7	92	85.3	75.3-95.3
Non-Native	2127	262,418	148	7.1	5.5- 8.7	1979	92.9	91.3-94.5
18-24	95	37,187	13	12.3	5.6-19.0	82	87.7	81.0-94.4
25-34	154	50,408	6	3.5	0.2- 6.8	148	96.5	93.2-99.8
35-44	208	44,131	6	4.5	0.8- 8.2	202	95.5	91.8-99.2
45-54	250	37,000	15	7.7	3.6-11.8	235	92.3	88.2-96.4
55-64	506	44,716	38	9.2	5.7-12.7	468	90.8	87.3-94.3
65+	1045	65,564	84	8.5	6.3-10.7	961	91.5	89.3-93.7
Less Than H.S.	87	19,016	15	12.7	5.1-20.3	72	87.3	79.7-94.9
H.S. or G.E.D.	551	68,915	58	13.2	8.9-17.5	493	86.8	82.5-91.1
Some Post-H.S.	721	105,080	54	6.4	4.2- 8.6	667	93.6	91.4-95.8
College Graduate	896	85,769	34	2.9	1.5- 4.3	862	97.1	95.7-98.5
Less than \$15,000	122	17,857	29	21.2	11.8-30.6	93	78.8	69.4-88.2
\$15,000- 24,999	257	32,641	29	11.6	5.9-17.3	228	88.4	82.7-94.1
\$25,000- 34,999	195	21,822	16	11.0	4.1-17.9	179	89.0	82.1-95.9
\$35,000- 49,999	285	30,080	14	7.2	1.9-12.5	271	92.8	87.5-98.1
\$50,000- 74,999	293	35,627	13	3.1	0.7- 5.5	280	96.9	94.5-99.3
\$75,000+	647	87,817	20	3.1	1.5- 4.7	627	96.9	95.3-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 10: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	158
2 MALES ONLY	159
3 FEMALES ONLY	160
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	161
5 MALES ONLY	162
6 FEMALES ONLY	163
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	164
8 MALES ONLY	165
9 FEMALES ONLY	166
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10 MALES AND FEMALES	167
11 MALES ONLY	168
12 FEMALES ONLY	169
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	170
14 MALES ONLY	171
15 FEMALES ONLY	172

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4335	562,945	1785	40.2	38.2-42.2	2550	59.8	57.8-61.8
Male	2087	284,952	963	44.2	41.3-47.1	1124	55.8	52.9-58.7
Female	2248	277,993	822	36.1	33.2-39.0	1426	63.9	61.0-66.8
Native	182	24,138	110	61.1	51.7-70.5	72	38.9	29.5-48.3
Non-Native	4084	530,799	1652	39.2	37.0-41.4	2432	60.8	58.6-63.0
18-24	211	77,055	44	20.9	14.6-27.2	167	79.1	72.8-85.4
25-34	385	107,834	141	40.1	34.4-45.8	244	59.9	54.2-65.6
35-44	462	91,155	195	45.9	40.2-51.6	267	54.1	48.4-59.8
45-54	497	76,817	173	38.3	33.2-43.4	324	61.7	56.6-66.8
55-64	907	88,772	356	42.0	38.1-45.9	551	58.0	54.1-61.9
65+	1873	121,312	876	48.0	45.3-50.7	997	52.0	49.3-54.7
Less Than H.S.	186	41,899	107	66.3	56.7-75.9	79	33.7	24.1-43.3
H.S. or G.E.D.	1123	148,231	562	47.7	43.6-51.8	561	52.3	48.2-56.4
Some Post-H.S.	1402	217,677	659	43.0	39.7-46.3	743	57.0	53.7-60.3
College Graduate	1617	154,160	456	22.0	19.5-24.5	1161	78.0	75.5-80.5
Less than \$15,000	206	29,976	111	47.5	37.5-57.5	95	52.5	42.5-62.5
\$15,000- 24,999	417	53,472	226	55.0	47.6-62.4	191	45.0	37.6-52.4
\$25,000- 34,999	342	40,874	169	52.3	44.9-59.7	173	47.7	40.3-55.1
\$35,000- 49,999	520	59,513	234	41.0	35.1-46.9	286	59.0	53.1-64.9
\$50,000- 74,999	635	77,046	270	39.7	34.4-45.0	365	60.3	55.0-65.6
\$75,000+	1440	203,120	490	34.6	31.5-37.7	950	65.4	62.3-68.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2087	284,952	963	44.2	41.3-47.1	1124	55.8	52.9-58.7
Native	78	10,395	43	53.3	38.6-68.0	35	46.7	32.0-61.4
Non-Native	1967	269,428	905	43.9	41.0-46.8	1062	56.1	53.2-59.0
18-24	117	40,152	22	20.1	11.9-28.3	95	79.9	71.7-88.1
25-34	232	57,862	95	45.4	38.1-52.7	137	54.6	47.3-61.9
35-44	254	46,848	119	48.3	40.7-55.9	135	51.7	44.1-59.3
45-54	248	39,928	100	43.9	36.5-51.3	148	56.1	48.7-63.5
55-64	403	44,156	169	44.7	38.8-50.6	234	55.3	49.4-61.2
65+	833	56,006	458	56.4	52.3-60.5	375	43.6	39.5-47.7
Less Than H.S.	98	22,822	65	65.2	51.7-78.7	33	34.8	21.3-48.3
H.S. or G.E.D.	576	79,628	314	52.5	47.0-58.0	262	47.5	42.0-53.0
Some Post-H.S.	684	112,919	352	46.0	41.3-50.7	332	54.0	49.3-58.7
College Graduate	725	68,832	231	24.8	21.1-28.5	494	75.2	71.5-78.9
Less than \$15,000	85	12,174	47	51.6	36.1-67.1	38	48.4	32.9-63.9
\$15,000- 24,999	163	21,409	100	54.2	42.4-66.0	63	45.8	34.0-57.6
\$25,000- 34,999	149	19,195	88	58.7	48.3-69.1	61	41.3	30.9-51.7
\$35,000- 49,999	233	29,337	120	48.1	39.3-56.9	113	51.9	43.1-60.7
\$50,000- 74,999	344	41,526	165	44.9	37.6-52.2	179	55.1	47.8-62.4
\$75,000+	794	115,762	313	41.0	36.5-45.5	481	59.0	54.5-63.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2248	277,993	822	36.1	33.2-39.0	1426	63.9	61.0-66.8
Native	104	13,744	67	67.0	55.4-78.6	37	33.0	21.4-44.6
Non-Native	2117	261,371	747	34.2	31.3-37.1	1370	65.8	62.9-68.7
18-24	94	36,903	22	21.9	12.5-31.3	72	78.1	68.7-87.5
25-34	153	49,971	46	33.9	24.7-43.1	107	66.1	56.9-75.3
35-44	208	44,307	76	43.4	35.2-51.6	132	56.6	48.4-64.8
45-54	249	36,889	73	32.3	25.4-39.2	176	67.7	60.8-74.6
55-64	504	44,616	187	39.3	34.2-44.4	317	60.7	55.6-65.8
65+	1040	65,305	418	40.8	37.3-44.3	622	59.2	55.7-62.7
Less Than H.S.	88	19,077	42	67.6	54.1-81.1	46	32.4	18.9-45.9
H.S. or G.E.D.	547	68,603	248	42.2	36.3-48.1	299	57.8	51.9-63.7
Some Post-H.S.	718	104,758	307	39.8	34.9-44.7	411	60.2	55.3-65.1
College Graduate	892	85,328	225	19.8	16.5-23.1	667	80.2	76.9-83.5
Less than \$15,000	121	17,802	64	44.7	32.2-57.2	57	55.3	42.8-67.8
\$15,000- 24,999	254	32,063	126	55.5	46.1-64.9	128	44.5	35.1-53.9
\$25,000- 34,999	193	21,679	81	46.6	35.8-57.4	112	53.4	42.6-64.2
\$35,000- 49,999	287	30,176	114	34.2	26.4-42.0	173	65.8	58.0-73.6
\$50,000- 74,999	291	35,520	105	33.6	26.0-41.2	186	66.4	58.8-74.0
\$75,000+	646	87,358	177	26.2	21.9-30.5	469	73.8	69.5-78.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1783	225,980	446	31.6	28.3-34.9	153	11.6	9.2-14.0	1184	56.8	53.5-60.1
Male	962	125,714	233	30.2	26.1-34.3	83	12.7	9.6-15.8	646	57.2	52.9-61.5
Female	821	100,266	213	33.4	28.3-38.5	70	10.3	7.0-13.6	538	56.3	51.0-61.6
Native	109	14,654	44	43.1	30.2-56.0	18	16.0	6.4-25.6	47	40.9	28.0-53.8
Non-Native	1651	207,751	393	30.5	27.2-33.8	135	11.5	9.0-14.0	1123	58.0	54.5-61.5
25-34	140	43,109	56	39.8	30.2-49.4	18	16.2	8.6-23.8	66	44.0	34.6-53.4
35-44	195	41,854	63	34.0	25.8-42.2	21	11.7	6.4-17.0	111	54.3	45.7-62.9
45-54	173	29,435	58	36.5	28.1-44.9	21	12.2	5.9-18.5	94	51.3	42.5-60.1
55-64	356	37,259	105	30.8	24.7-36.9	38	9.8	6.1-13.5	213	59.4	53.1-65.7
65+	875	58,185	141	15.1	12.2-18.0	44	5.3	3.3- 7.3	690	79.6	76.3-82.9
Less Than H.S.	106	27,667	31	45.7	32.4-59.0	10	13.6	4.0-23.2	65	40.7	28.5-52.9
H.S. or G.E.D.	561	70,635	169	35.3	29.8-40.8	51	13.1	8.6-17.6	341	51.6	45.9-57.3
Some Post-H.S.	659	93,632	175	29.0	24.3-33.7	53	10.6	7.3-13.9	431	60.4	55.3-65.5
College Graduate	456	33,959	71	19.5	14.0-25.0	39	9.9	6.0-13.8	346	70.6	64.5-76.7
Less than \$15,000	111	14,247	50	46.5	33.4-59.6	20	19.1	8.7-29.5	41	34.4	21.5-47.3
\$15,000- 24,999	224	29,219	78	49.3	39.1-59.5	18	8.9	3.4-14.4	128	41.8	32.4-51.2
\$25,000- 34,999	169	21,369	43	29.3	19.9-38.7	12	14.9	4.9-24.9	114	55.8	45.0-66.6
\$35,000- 49,999	234	24,428	49	24.8	16.8-32.8	14	8.1	1.6-14.6	171	67.0	58.0-76.0
\$50,000- 74,999	270	30,585	53	21.0	14.1-27.9	21	10.1	4.8-15.4	196	68.9	61.1-76.7
\$75,000+	490	70,334	106	26.9	21.4-32.4	44	11.7	7.4-16.0	340	61.4	55.5-67.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	962	125,714	233	30.2	26.1-34.3	83	12.7	9.6-15.8	646	57.2	52.9-61.5
Non-Native	905	118,413	212	29.3	25.0-33.6	73	11.9	8.6-15.2	620	58.8	54.3-63.3
25-34	94	26,180	40	38.1	27.1-49.1	13	15.9	7.5-24.3	41	46.0	34.6-57.4
35-44	119	22,642	37	33.8	23.0-44.6	14	14.6	6.4-22.8	68	51.6	40.4-62.8
45-54	100	17,509	31	31.4	20.8-42.0	12	13.3	4.3-22.3	57	55.3	43.7-66.9
55-64	169	19,723	51	32.0	23.2-40.8	20	10.4	4.7-16.1	98	57.6	48.4-66.8
65+	458	31,596	65	14.8	10.3-19.3	17	4.3	1.9- 6.7	376	80.8	75.9-85.7
Less Than H.S.	64	14,780	17	40.0	23.5-56.5	6	14.7	2.4-27.0	41	45.4	29.3-61.5
H.S. or G.E.D.	314	41,771	84	31.4	24.5-38.3	32	14.5	8.6-20.4	198	54.1	46.8-61.4
Some Post-H.S.	352	51,988	95	29.6	23.3-35.9	27	11.0	6.3-15.7	230	59.4	52.7-66.1
College Graduate	231	17,088	37	20.6	13.0-28.2	18	11.5	5.4-17.6	176	67.9	59.5-76.3
\$15,000- 24,999	99	11,503	34	52.2	37.5-66.9	8	8.2	1.3-15.1	57	39.6	26.3-52.9
\$25,000- 34,999	88	11,270	26	35.6	22.3-48.9	5	10.4	0.8-20.0	57	54.0	40.1-67.9
\$35,000- 49,999	120	14,100	28	32.5	20.7-44.3	6	9.6	0.0-20.0	86	57.9	45.4-70.4
\$50,000- 74,999	165	18,634	31	24.1	14.5-33.7	11	12.0	4.2-19.8	123	63.9	53.3-74.5
\$75,000+	313	47,406	61	23.3	16.8-29.8	30	12.0	6.7-17.3	222	64.8	57.5-72.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	821	100,266	213	33.4	28.3-38.5	70	10.3	7.0-13.6	538	56.3	51.0-61.6
Native	67	9,209	30	46.5	29.4-63.6	8	6.1	1.2-11.0	29	47.4	30.2-64.6
Non-Native	746	89,338	181	32.1	26.6-37.6	62	10.9	7.2-14.6	503	56.9	51.4-62.4
35-44	76	19,212	26	34.2	21.7-46.7	7	8.4	1.9-14.9	43	57.4	44.3-70.5
45-54	73	11,926	27	44.0	30.9-57.1	9	10.5	2.7-18.3	37	45.5	32.4-58.6
55-64	187	17,536	54	29.4	21.4-37.4	18	9.1	4.4-13.8	115	61.5	53.1-69.9
65+	417	26,588	76	15.4	11.7-19.1	27	6.5	3.4-9.6	314	78.1	73.4-82.8
H.S. or G.E.D.	247	28,864	85	41.0	32.2-49.8	19	10.9	4.0-17.8	143	48.0	39.2-56.8
Some Post-H.S.	307	41,644	80	28.3	21.0-35.6	26	10.1	5.6-14.6	201	61.6	54.0-69.2
College Graduate	225	16,871	34	18.4	10.6-26.2	21	8.3	3.4-13.2	170	73.3	64.9-81.7
Less than \$15,000	64	7,965	29	51.8	35.7-67.9	10	17.8	4.5-31.1	25	30.4	15.9-44.9
\$15,000- 24,999	125	17,716	44	47.4	33.3-61.5	10	9.4	1.6-17.2	71	43.3	30.2-56.4
\$25,000- 34,999	81	10,099	17	22.2	9.5-34.9	7	20.0	2.4-37.6	57	57.9	40.7-75.1
\$35,000- 49,999	114	10,328	21	14.3	5.9-22.7	8	6.2	1.1-11.3	85	79.5	69.9-89.1
\$50,000- 74,999	105	11,952	22	16.2	7.8-24.6	10	7.1	1.8-12.4	73	76.7	66.9-86.5
\$75,000+	177	22,928	45	34.5	24.9-44.1	14	11.1	3.8-18.4	118	54.4	44.6-64.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	597	97,215	285	50.0	44.3-55.7	312	50.0	44.3-55.7
Male	314	53,403	150	53.2	45.9-60.5	164	46.8	39.5-54.1
Female	283	43,812	135	46.1	37.5-54.7	148	53.9	45.3-62.5
Native	62	8,668	30	48.6	31.9-65.3	32	51.4	34.7-68.1
Non-Native	526	86,890	251	50.0	43.9-56.1	275	50.0	43.9-56.1
25-34	74	24,134	43	58.0	44.5-71.5	31	42.0	28.5-55.5
35-44	84	19,136	41	51.9	39.0-64.8	43	48.1	35.2-61.0
45-54	79	14,332	31	39.4	26.9-51.9	48	60.6	48.1-73.1
55-64	142	14,745	76	52.1	42.1-62.1	66	47.9	37.9-57.9
65+	184	11,817	75	44.9	35.5-54.3	109	55.1	45.7-64.5
H.S. or G.E.D.	220	34,199	105	51.2	42.4-60.0	115	48.8	40.0-57.6
Some Post-H.S.	228	37,066	107	50.6	42.0-59.2	121	49.4	40.8-58.0
College Graduate	110	9,985	57	58.7	46.2-71.2	53	41.3	28.8-53.8
Less than \$15,000	70	9,340	33	47.9	32.0-63.8	37	52.1	36.2-68.0
\$15,000- 24,999	95	16,935	52	54.0	38.5-69.5	43	46.0	30.5-61.5
\$25,000- 34,999	55	9,436	27	64.3	48.6-80.0	28	35.7	20.0-51.4
\$35,000- 49,999	63	8,053	29	54.0	36.6-71.4	34	46.0	28.6-63.4
\$50,000- 74,999	74	9,503	29	39.1	23.8-54.4	45	60.9	45.6-76.2
\$75,000+	150	27,152	76	50.2	39.8-60.6	74	49.8	39.4-60.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	314	53,403	150	53.2	45.9-60.5	164	46.8	39.5-54.1
Non-Native	283	48,402	135	53.3	45.7-60.9	148	46.7	39.1-54.3
25-34	53	14,148	32	59.2	44.1-74.3	21	40.8	25.7-55.9
35-44	51	10,953	27	61.7	45.2-78.2	24	38.3	21.8-54.8
55-64	70	7,987	33	49.1	34.6-63.6	37	50.9	36.4-65.4
65+	81	5,994	34	50.6	35.9-65.3	47	49.4	34.7-64.1
H.S. or G.E.D.	116	19,191	59	58.2	46.6-69.8	57	41.8	30.2-53.4
Some Post-H.S.	122	21,094	59	51.0	39.6-62.4	63	49.0	37.6-60.4
College Graduate	55	5,478	23	51.2	34.1-68.3	32	48.8	31.7-65.9
\$75,000+	91	16,699	43	52.8	39.5-66.1	48	47.2	33.9-60.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	283	43,812	135	46.1	37.5-54.7	148	53.9	45.3-62.5
Non-Native	243	38,488	116	45.9	36.5-55.3	127	54.1	44.7-63.5
55-64	72	6,757	43	55.6	41.7-69.5	29	44.4	30.5-58.3
65+	103	5,823	41	39.1	27.7-50.5	62	60.9	49.5-72.3
H.S. or G.E.D.	104	15,008	46	42.2	29.5-54.9	58	57.8	45.1-70.5
Some Post-H.S.	106	15,973	48	50.0	36.9-63.1	58	50.0	36.9-63.1
College Graduate	55	4,507	34	67.7	48.7-86.7	21	32.3	13.3-51.3
\$15,000- 24,999	54	10,054	30	54.5	33.5-75.5	24	45.5	24.5-66.5
\$75,000+	59	10,453	33	46.1	30.0-62.2	26	53.9	37.8-70.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1178	127,617	96	16.1	12.6-19.6	139	17.2	13.9-20.5	108	10.2	7.7-12.7	830	56.0	52.1-59.9	5	0.5	0.0- 1.1
Male	644	71,400	58	16.6	11.9-21.3	77	16.3	12.2-20.4	56	10.6	7.3-13.9	452	56.4	51.1-61.7	1	0.1	0.0- 0.3
Female	534	56,217	38	15.4	9.7-21.1	62	18.5	13.2-23.8	52	9.6	6.1-13.1	378	55.5	49.2-61.8	4	1.0	0.0- 2.2
Non-Native	1117	119,712	83	14.3	10.8-17.8	125	16.9	13.6-20.2	98	10.1	7.6-12.6	806	58.1	54.0-62.2	5	0.5	0.0- 1.1
25-34	66	18,975	31	49.4	35.9-62.9	21	31.7	19.4-44.0	6	8.5	1.1-15.9	7	8.9	1.6-16.2	1	1.6	0.0- 4.7
35-44	110	22,419	19	21.9	11.5-32.3	32	29.6	19.0-40.2	18	13.9	6.1-21.7	41	34.5	23.5-45.5			
45-54	94	15,103	8	8.2	1.9-14.5	13	14.8	5.8-23.8	16	20.0	9.6-30.4	57	56.9	44.9-68.9			
55-64	212	22,063	13	7.3	2.8-11.8	29	13.7	8.2-19.2	23	10.4	5.9-14.9	146	67.9	60.5-75.3	1	0.7	0.0- 2.1
65+	686	45,969	19	3.0	1.4- 4.6	40	6.5	4.0- 9.0	45	6.4	4.2- 8.6	579	83.7	80.2-87.2	3	0.4	0.0- 0.8
Less Than H.S.	65	11,267	7	24.5	6.5-42.5	4	8.2	0.0-17.6	5	8.5	0.0-18.3	49	58.9	41.1-76.7			
H.S. or G.E.D.	339	36,309	32	16.7	10.4-23.0	47	22.2	15.3-29.1	31	11.6	6.9-16.3	228	49.1	42.0-56.2	1	0.4	0.0- 1.2
Some Post-H.S.	427	55,980	42	17.5	12.0-23.0	57	16.6	11.7-21.5	39	10.1	6.2-14.0	287	55.6	49.1-62.1	2	0.2	0.0- 0.4
College Graduate	346	23,974	15	7.8	3.3-12.3	31	15.6	9.3-21.9	33	9.2	5.7-12.7	265	65.9	58.8-73.0	2	1.5	0.0- 4.0
\$15,000- 24,999	128	12,220	9	16.3	3.4-29.2	15	15.6	6.6-24.6	11	8.4	2.9-13.9	93	59.6	46.9-72.3			
\$25,000- 34,999	113	11,878	5	9.6	0.0-19.6	18	30.7	17.0-44.4	3	2.3	0.0- 5.4	87	57.4	43.9-70.9			
\$35,000- 49,999	171	16,376	17	21.2	10.0-32.4	25	21.4	11.6-31.2	10	5.2	1.3- 9.1	118	51.4	40.4-62.4	1	0.9	0.0- 2.7
\$50,000- 74,999	196	21,082	14	14.2	6.6-21.8	21	14.8	7.0-22.6	22	12.4	5.0-19.8	138	58.3	48.3-68.3	1	0.3	0.0- 0.9
\$75,000+	339	42,884	27	12.5	7.2-17.8	37	14.6	9.5-19.7	42	15.2	9.9-20.5	232	57.0	49.9-64.1	1	0.7	0.0- 2.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	644	71,400	58	16.6	11.9-21.3	77	16.3	12.2-20.4	56	10.6	7.1-14.1	452	56.4	51.1-61.7	1	0.1	0.0- 0.3
Non-Native	618	69,100	52	16.1	11.4-20.8	74	16.5	12.2-20.8	54	10.7	7.2-14.2	437	56.6	51.1-62.1	1	0.1	0.0- 0.3
35-44	67	11,391	13	21.3	9.0-33.6	19	30.9	17.2-44.6	9	10.5	2.3-18.7	26	37.3	23.0-51.6			
45-54	57	9,675	5	7.7	0.3-15.1	10	19.0	6.5-31.5	9	19.5	5.8-33.2	33	53.8	38.5-69.1			
55-64	98	11,364	7	6.6	1.3-11.9	16	14.0	6.4-21.6	12	12.9	5.5-20.3	63	66.5	55.7-77.3			
65+	375	25,361	8	2.3	0.1- 4.5	21	5.5	3.0- 8.0	22	6.8	3.7- 9.9	323	85.1	80.8-89.4	1	0.3	0.0- 0.9
H.S. or G.E.D.	198	22,580	18	15.1	7.5-22.7	29	19.7	11.9-27.5	16	13.1	6.2-20.0	135	52.1	43.1-61.1			
Some Post-H.S.	228	30,419	26	20.6	13.0-28.2	31	17.5	10.6-24.4	21	8.9	4.2-13.6	150	53.0	44.6-61.4			
College Graduate	176	11,610	10	9.4	2.9-15.9	14	10.9	4.6-17.2	16	9.4	4.5-14.3	135	69.8	61.0-78.6	1	0.6	0.0- 1.8
\$15,000- 24,999	57	4,557	3	6.4	0.0-15.4	9	25.9	7.7-44.1	6	15.3	3.1-27.5	39	52.4	34.8-70.0			
\$25,000- 34,999	57	6,091	4	14.1	0.0-30.8	9	25.5	7.5-43.5	1	2.9	0.0- 8.4	43	57.6	38.6-76.6			
\$35,000- 49,999	86	8,170	7	16.2	3.1-29.3	11	18.3	6.1-30.5	2	1.5	0.0- 3.7	66	64.0	49.1-78.9			
\$50,000- 74,999	123	11,910	10	14.9	5.5-24.3	14	15.2	6.0-24.4	14	9.9	3.2-16.6	84	59.5	47.9-71.1	1	0.6	0.0- 1.8
\$75,000+	221	30,409	22	15.1	8.2-22.0	26	14.9	8.6-21.2	24	15.4	8.5-22.3	149	54.5	45.9-63.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	534	56,217	38	15.4	9.9-20.9	62	18.5	13.2-23.8	52	9.6	6.1-13.1	378	55.5	49.4-61.6	4	1.0	0.0- 2.2
Non-Native	499	50,612	31	11.9	7.0-16.8	51	17.5	12.0-23.0	44	9.3	5.6-13.0	369	60.2	53.9-66.5	4	1.1	0.0- 2.5
55-64	114	10,698	6	8.0	0.7-15.3	13	13.3	5.5-21.1	11	7.9	3.0-12.8	83	69.4	59.0-79.8	1	1.4	0.0- 4.1
65+	311	20,608	11	3.9	1.4- 6.4	19	7.8	3.3-12.3	23	5.9	3.4- 8.4	256	81.9	76.4-87.4	2	0.5	0.0- 1.1
H.S. or G.E.D.	141	13,728	14	19.2	8.2-30.2	18	26.3	14.0-38.6	15	9.0	3.9-14.1	93	44.3	33.5-55.1	1	1.1	0.0- 3.3
Some Post-H.S.	199	25,561	16	13.9	5.9-21.9	26	15.5	8.2-22.8	18	11.5	4.8-18.2	137	58.7	48.9-68.5	2	0.4	0.0- 1.0
College Graduate	170	12,364	5	6.4	0.1-12.7	17	20.0	9.8-30.2	17	9.1	4.2-14.0	130	62.2	51.4-73.0	1	2.4	0.0- 7.1
\$15,000- 24,999	71	7,663	6	22.2	3.6-40.8	6	9.6	1.4-17.8	5	4.3	0.2- 8.4	54	63.9	46.1-81.7			
\$25,000- 34,999	56	5,787	1	4.9	0.0-14.3	9	36.3	15.9-56.7	2	1.6	0.0- 4.0	44	57.2	37.6-76.8			
\$35,000- 49,999	85	8,205	10	26.2	8.6-43.8	14	24.4	8.9-39.9	8	8.8	1.4-16.2	52	38.8	24.9-52.7	1	1.8	0.0- 5.3
\$50,000- 74,999	73	9,172	4	13.2	0.5-25.9	7	14.2	1.1-27.3	8	15.7	1.2-30.2	54	56.8	39.6-74.0			
\$75,000+	118	12,474	5	6.2	0.0-12.7	11	13.8	5.4-22.2	18	14.6	7.2-22.0	83	63.0	51.8-74.2	1	2.4	0.0- 6.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4353	564,047	147	3.9	3.1- 4.7	83	2.5	1.7- 3.3	4123	93.7	92.7-94.7
Male	2093	285,680	141	7.2	5.8- 8.6	63	3.9	2.7- 5.1	1889	88.8	87.0-90.6
Female	2260	278,367	6	0.4	0.0- 0.8	20	1.0	0.4- 1.6	2234	98.6	97.8-99.4
Native	181	23,986	9	6.2	1.1-11.3	5	2.2	0.0- 4.4	167	91.6	86.1-97.1
Non-Native	4103	531,847	135	3.7	2.9- 4.5	75	2.5	1.7- 3.3	3893	93.8	92.8-94.8
18-24	211	76,800	8	1.9	0.5- 3.3	9	4.6	1.5- 7.7	194	93.5	90.2-96.8
25-34	385	108,097	21	5.6	3.1- 8.1	12	2.7	0.9- 4.5	352	91.7	88.8-94.6
35-44	463	91,194	32	5.8	3.3- 8.3	17	3.2	1.4- 5.0	414	90.9	88.0-93.8
45-54	497	76,856	26	5.0	2.6- 7.4	12	2.5	0.7- 4.3	459	92.5	89.6-95.4
55-64	909	88,778	28	3.4	2.0- 4.8	14	1.8	0.6- 3.0	867	94.7	92.7-96.7
65+	1888	122,321	32	1.7	0.9- 2.5	19	0.7	0.3- 1.1	1837	97.6	96.8-98.4
Less Than H.S.	185	41,494	2	1.4	0.0- 3.6	3	2.6	0.0- 5.7	180	96.0	92.1-99.9
H.S. or G.E.D.	1128	148,634	55	4.6	3.0- 6.2	27	2.7	1.3- 4.1	1046	92.7	90.7-94.7
Some Post-H.S.	1408	218,141	56	5.2	3.6- 6.8	27	2.7	1.5- 3.9	1325	92.1	90.1-94.1
College Graduate	1625	154,800	34	1.9	1.1- 2.7	25	1.9	0.9- 2.9	1566	96.2	94.8-97.6
Less than \$15,000	207	30,031	5	2.5	0.0- 5.6	5	1.8	0.0- 3.6	197	95.8	92.3-99.3
\$15,000- 24,999	417	52,955	8	2.1	0.3- 3.9	7	3.1	0.2- 6.0	402	94.8	91.5-98.1
\$25,000- 34,999	347	41,667	4	1.8	0.0- 4.2	7	2.2	0.0- 4.6	336	95.9	92.6-99.2
\$35,000- 49,999	520	59,513	13	3.3	0.9- 5.7	10	1.4	0.2- 2.6	497	95.3	92.8-97.8
\$50,000- 74,999	639	77,257	30	5.2	2.8- 7.6	13	2.3	0.5- 4.1	596	92.5	89.6-95.4
\$75,000+	1442	203,505	65	5.1	3.5- 6.7	30	2.7	1.5- 3.9	1347	92.2	90.4-94.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2093	285,680	141	7.2	5.8- 8.6	63	3.9	2.7- 5.1	1889	88.8	87.0-90.6
Native	77	10,299	6	8.6	0.0-17.6	1	0.6	0.0- 1.8	70	90.9	81.9-99.9
Non-Native	1974	270,045	132	7.1	5.5- 8.7	61	4.1	2.7- 5.5	1781	88.7	86.7-90.7
18-24	117	40,152	7	3.4	0.9- 5.9	7	6.5	1.6-11.4	103	90.1	84.6-95.6
25-34	232	58,126	21	10.4	5.9-14.9	11	4.5	1.6- 7.4	200	85.1	79.8-90.4
35-44	255	46,887	28	9.3	5.2-13.4	14	5.7	2.4- 9.0	213	85.0	79.9-90.1
45-54	248	39,928	26	9.5	5.2-13.8	8	4.0	0.7- 7.3	214	86.5	81.2-91.8
55-64	404	44,112	28	6.9	4.0- 9.8	11	2.7	0.5- 4.9	365	90.3	86.8-93.8
65+	837	56,476	31	3.6	2.0- 5.2	12	0.9	0.3- 1.5	794	95.5	93.9-97.1
Less Than H.S.	97	22,417	2	2.5	0.0- 6.6	2	4.2	0.0-10.1	93	93.2	86.1- 100
H.S. or G.E.D.	576	79,690	51	7.4	4.9- 9.9	20	3.2	1.4- 5.0	505	89.4	86.5-92.3
Some Post-H.S.	687	113,759	56	10.0	7.1-12.9	24	4.9	2.7- 7.1	607	85.1	81.6-88.6
College Graduate	729	69,063	32	4.1	2.3- 5.9	17	3.1	1.1- 5.1	680	92.8	90.1-95.5
Less than \$15,000	85	12,174	5	6.1	0.0-13.7	2	1.0	0.0- 2.4	78	92.9	85.3- 100
\$15,000- 24,999	162	21,314	6	2.8	0.1- 5.5	4	4.3	0.0- 9.6	152	92.8	86.9-98.7
\$25,000- 34,999	152	19,826	3	1.9	0.0- 5.0	6	4.6	0.0- 9.5	143	93.5	87.6-99.4
\$35,000- 49,999	233	29,337	13	6.7	2.0-11.4	5	1.5	0.0- 3.3	215	91.8	86.7-96.9
\$50,000- 74,999	346	41,629	30	9.6	5.5-13.7	11	4.1	0.8- 7.4	305	86.4	81.3-91.5
\$75,000+	795	115,863	63	8.9	6.4-11.4	26	4.2	2.2- 6.2	706	86.9	83.8-90.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 10: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2260	278,367	6	0.4	0.0- 0.8	20	1.0	0.4- 1.6	2234	98.6	97.8-99.4
Native	104	13,687	3	4.4	0.0-10.3	4	3.4	0.0- 7.1	97	92.2	85.3-99.1
Non-Native	2129	261,802	3	0.2	0.0- 0.4	14	0.8	0.2- 1.4	2112	99.0	98.4-99.6
18-24	94	36,648	1	0.3	0.0- 0.9	2	2.6	0.0- 6.1	91	97.1	93.6- 100
25-34	153	49,971				1	0.7	0.0- 2.1	152	99.3	97.9- 100
35-44	208	44,307	4	2.1	0.0- 4.6	3	0.7	0.0- 1.5	201	97.2	94.7-99.7
45-54	249	36,929				4	0.9	0.0- 1.9	245	99.1	98.1- 100
55-64	505	44,666				3	1.0	0.0- 2.2	502	99.0	97.8- 100
65+	1051	65,845	1	0.0	0.0- 0.0	7	0.6	0.0- 1.2	1043	99.4	98.8- 100
Less Than H.S.	88	19,077				1	0.7	0.0- 2.1	87	99.3	97.9- 100
H.S. or G.E.D.	552	68,944	4	1.4	0.0- 3.0	7	2.1	0.1- 4.1	541	96.5	94.0-99.0
Some Post-H.S.	721	104,382				3	0.4	0.0- 0.8	718	99.6	99.2- 100
College Graduate	896	85,737	2	0.1	0.0- 0.3	8	0.9	0.0- 1.9	886	99.0	98.0- 100
Less than \$15,000	122	17,857				3	2.3	0.0- 5.0	119	97.7	95.0- 100
\$15,000- 24,999	255	31,641	2	1.5	0.0- 4.0	3	2.4	0.0- 5.5	250	96.1	92.2- 100
\$25,000- 34,999	195	21,841	1	1.7	0.0- 5.0	1	0.1	0.0- 0.3	193	98.2	94.9- 100
\$35,000- 49,999	287	30,176				5	1.3	0.0- 2.7	282	98.7	97.3- 100
\$50,000- 74,999	293	35,627				2	0.3	0.0- 0.7	291	99.7	99.3- 100
\$75,000+	647	87,642	2	0.1	0.0- 0.3	4	0.6	0.0- 1.4	641	99.3	98.5- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 11: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1	MALES AND FEMALES	174
2	MALES ONLY	175
3	FEMALES ONLY	176
	ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)	
4	MALES AND FEMALES	177
5	MALES ONLY	178
6	FEMALES ONLY	179
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7	MALES AND FEMALES	180
8	MALES ONLY	181
9	FEMALES ONLY	182
	DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK5)	
10	MALES AND FEMALES	183
11	MALES ONLY	184
12	FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4300	558,151	505	12.1	10.7-13.5	95	2.0	1.4- 2.6	1383	35.4	33.4-37.4	405	9.5	8.3-10.7	1912	41.1	39.1-43.1
Male	2066	282,177	282	13.0	11.0-15.0	64	2.6	1.8- 3.4	667	34.5	31.8-37.2	289	14.1	12.1-16.1	764	35.8	33.1-38.5
Female	2234	275,973	223	11.1	9.3-12.9	31	1.4	0.8- 2.0	716	36.2	33.3-39.1	116	4.8	3.6- 6.0	1148	46.5	43.6-49.4
Native	178	23,475	14	9.8	3.7-15.9	3	2.0	0.0- 4.4	45	29.4	19.8-39.0	8	9.2	2.7-15.7	108	49.6	39.6-59.6
Non-Native	4054	526,589	483	12.1	10.7-13.5	91	2.0	1.4- 2.6	1323	35.8	33.6-38.0	394	9.5	8.3-10.7	1763	40.6	38.4-42.8
18-24	210	75,809	28	12.8	7.9-17.7	2	0.4	0.0- 1.0	81	37.0	29.7-44.3	13	6.3	3.0- 9.6	86	43.5	36.1-50.9
25-34	383	107,661	44	9.7	6.6-12.8	9	2.4	0.6- 4.2	170	44.9	39.0-50.8	45	11.9	8.4-15.4	115	31.1	25.6-36.6
35-44	458	90,139	76	15.0	11.3-18.7	8	1.2	0.2- 2.2	169	37.8	32.3-43.3	54	9.8	6.9-12.7	151	36.3	30.8-41.8
45-54	493	75,985	61	12.7	9.2-16.2	15	2.7	1.1- 4.3	198	39.1	34.0-44.2	47	10.1	7.0-13.2	172	35.4	30.3-40.5
55-64	896	87,908	119	14.5	11.8-17.2	20	2.9	1.3- 4.5	293	30.4	26.9-33.9	75	8.8	6.6-11.0	389	43.4	39.5-47.3
65+	1860	120,650	177	9.4	7.8-11.0	41	2.1	1.3- 2.9	472	25.2	22.8-27.6	171	9.3	7.7-10.9	999	54.0	51.3-56.7
Less Than H.S.	184	40,502	15	4.2	1.7- 6.7	4	1.9	0.0- 4.3	36	22.5	13.5-31.5	9	4.1	0.0- 8.2	120	67.2	57.4-77.0
H.S. or G.E.D.	1117	147,331	103	9.7	7.3-12.1	17	1.0	0.4- 1.6	318	33.9	30.0-37.8	100	9.1	6.9-11.3	579	46.3	42.2-50.4
Some Post-H.S.	1393	216,522	172	12.6	10.2-15.0	41	2.5	1.5- 3.5	444	36.5	33.0-40.0	132	10.2	8.2-12.2	604	38.2	34.9-41.5
College Graduate	1600	152,850	214	15.5	13.1-17.9	33	2.3	1.3- 3.3	585	38.8	35.7-41.9	164	10.3	8.3-12.3	604	33.2	30.3-36.1
Less than \$15,000	206	29,867	16	8.7	2.6-14.8	4	1.3	0.0- 2.7	36	23.5	14.7-32.3	13	4.2	1.3- 7.1	137	62.2	52.4-72.0
\$15,000- 24,999	412	51,797	32	8.4	4.3-12.5	6	1.0	0.0- 2.0	105	32.3	24.7-39.9	17	3.2	1.0- 5.4	252	55.2	47.6-62.8
\$25,000- 34,999	347	41,667	28	8.4	4.3-12.5	7	1.4	0.2- 2.6	96	35.5	28.2-42.8	33	6.8	3.9- 9.7	183	47.9	40.5-55.3
\$35,000- 49,999	514	58,980	50	11.5	7.6-15.4	11	1.4	0.2- 2.6	172	38.9	32.8-45.0	49	10.1	6.4-13.8	232	38.2	32.3-44.1
\$50,000- 74,999	633	76,783	89	11.9	8.8-15.0	19	2.9	1.1- 4.7	241	39.0	33.7-44.3	60	10.6	7.3-13.9	224	35.6	30.3-40.9
\$75,000+	1431	202,643	226	15.7	13.3-18.1	37	2.7	1.5- 3.9	530	38.7	35.4-42.0	189	13.1	10.9-15.3	449	29.7	26.8-32.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2066	282,177	282	13.0	11.0-15.0	64	2.6	1.8-3.4	667	34.5	31.8-37.2	289	14.1	12.1-16.1	764	35.8	33.1-38.5
Native	76	10,202	9	16.3	4.5-28.1	2	3.4	0.0-8.5	19	20.8	8.5-33.1	8	21.1	7.4-34.8	38	38.4	24.7-52.1
Non-Native	1948	266,735	269	13.0	11.0-15.0	61	2.6	1.8-3.4	642	35.4	32.5-38.3	278	13.8	11.8-15.8	698	35.1	32.2-38.0
18-24	116	39,160	14	11.2	5.1-17.3	1	0.5	0.0-1.5	46	39.8	29.8-49.8	9	8.0	2.7-13.3	46	40.4	30.4-50.4
25-34	230	57,689	32	12.6	7.9-17.3	7	3.2	0.5-5.9	103	43.9	36.6-51.2	38	19.2	13.3-25.1	50	21.0	14.9-27.1
35-44	252	46,434	42	14.5	9.6-19.4	4	1.1	0.0-2.3	83	32.4	25.3-39.5	46	15.3	10.2-20.4	77	36.7	29.1-44.3
45-54	246	39,574	25	9.5	5.0-14.0	11	4.1	1.4-6.8	91	36.5	29.4-43.6	32	13.8	8.7-18.9	87	36.1	28.8-43.4
55-64	399	43,761	65	16.8	12.5-21.1	13	3.5	1.3-5.7	118	26.9	21.8-32.0	48	12.3	8.6-16.0	155	40.6	34.5-46.7
65+	823	55,560	104	13.0	10.1-15.9	28	3.0	1.6-4.4	226	27.5	23.8-31.2	116	13.7	11.0-16.4	349	42.8	38.5-47.1
Less Than H.S.	96	21,425	13	7.1	2.4-11.8	1	0.2	0.0-0.6	19	17.7	7.7-27.7	7	7.0	0.0-14.4	56	68.0	55.7-80.3
H.S. or G.E.D.	571	79,203	63	10.9	7.6-14.2	13	1.5	0.5-2.5	170	34.8	29.5-40.1	77	12.4	9.1-15.7	248	40.4	35.1-45.7
Some Post-H.S.	682	113,199	94	13.1	10.0-16.2	26	3.5	1.7-5.3	219	36.0	31.3-40.7	95	15.6	12.1-19.1	248	31.8	27.5-36.1
College Graduate	713	67,599	111	16.5	13.0-20.0	24	3.2	1.6-4.8	259	37.5	33.0-42.0	110	16.0	12.5-19.5	209	26.9	22.8-31.0
Less than \$15,000	84	12,009	9	10.0	1.0-19.0	3	2.1	0.0-4.6	17	27.3	12.0-42.6	9	5.7	1.0-10.4	46	54.8	39.1-70.5
\$15,000- 24,999	161	21,276	17	10.5	3.2-17.8	3	0.6	0.0-1.4	46	30.7	19.5-41.9	13	6.2	1.3-11.1	82	52.0	40.2-63.8
\$25,000- 34,999	152	19,826	19	14.1	6.3-21.9	3	1.6	0.0-3.6	41	31.5	21.7-41.3	19	9.7	4.2-15.2	70	43.1	32.9-53.3
\$35,000- 49,999	230	29,032	25	12.4	6.7-18.1	10	2.6	0.2-5.0	73	38.8	30.2-47.4	37	15.6	8.9-22.3	85	30.6	22.4-38.8
\$50,000- 74,999	342	41,286	56	14.2	9.7-18.7	12	3.4	0.9-5.9	124	33.4	26.5-40.3	42	15.6	9.9-21.3	108	33.4	26.1-40.7
\$75,000+	789	115,216	125	14.4	11.5-17.3	27	3.4	1.8-5.0	281	37.5	33.2-41.8	142	17.8	14.5-21.1	214	26.9	23.0-30.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2234	275,973	223	11.1	9.3-12.9	31	1.4	0.8- 2.0	716	36.2	33.3-39.1	116	4.8	3.6- 6.0	1148	46.5	43.6-49.4
Native	102	13,273	5	4.8	0.1- 9.5	1	0.9	0.0- 2.7	26	36.1	22.6-49.6				70	58.2	44.7-71.7
Non-Native	2106	259,854	214	11.2	9.2-13.2	30	1.4	0.8- 2.0	681	36.1	33.0-39.2	116	5.1	3.9- 6.3	1065	46.2	43.1-49.3
18-24	94	36,648	14	14.5	6.9-22.1	1	0.3	0.0- 0.9	35	34.0	23.6-44.4	4	4.4	0.1- 8.7	40	46.8	35.6-58.0
25-34	153	49,971	12	6.4	2.3-10.5	2	1.4	0.0- 3.4	67	46.1	36.9-55.3	7	3.4	0.9- 5.9	65	42.7	33.7-51.7
35-44	206	43,705	34	15.5	9.8-21.2	4	1.4	0.0- 3.0	86	43.5	35.3-51.7	8	3.9	1.0- 6.8	74	35.7	27.7-43.7
45-54	247	36,411	36	16.2	10.7-21.7	4	1.2	0.0- 2.4	107	42.0	34.7-49.3	15	6.0	2.5- 9.5	85	34.6	27.5-41.7
55-64	497	44,147	54	12.3	8.8-15.8	7	2.3	0.1- 4.5	175	33.9	29.0-38.8	27	5.4	3.0- 7.8	234	46.2	40.9-51.5
65+	1037	65,091	73	6.4	4.6- 8.2	13	1.4	0.4- 2.4	246	23.1	20.2-26.0	55	5.6	4.0- 7.2	650	63.5	60.0-67.0
Less Than H.S.	88	19,077	2	0.9	0.0- 2.1	3	3.9	0.0- 8.6	17	27.9	12.8-43.0	2	0.9	0.0- 2.3	64	66.4	51.1-81.7
H.S. or G.E.D.	546	68,128	40	8.2	4.7-11.7	4	0.5	0.0- 1.1	148	32.9	27.0-38.8	23	5.3	2.6- 8.0	331	53.1	47.0-59.2
Some Post-H.S.	711	103,323	78	12.0	8.7-15.3	15	1.3	0.5- 2.1	225	36.9	31.8-42.0	37	4.4	2.6- 6.2	356	45.3	40.2-50.4
College Graduate	887	85,252	103	14.7	11.4-18.0	9	1.5	0.1- 2.9	326	39.8	35.5-44.1	54	5.7	3.7- 7.7	395	38.2	33.9-42.5
Less than \$15,000	122	17,857	7	7.9	0.0-15.9	1	0.7	0.0- 2.1	19	21.0	10.8-31.2	4	3.3	0.0- 7.2	91	67.2	55.0-79.4
\$15,000- 24,999	251	30,521	15	6.9	2.2-11.6	3	1.3	0.0- 3.1	59	33.4	23.0-43.8	4	1.1	0.0- 2.3	170	57.4	47.2-67.6
\$25,000- 34,999	195	21,841	9	3.2	0.5- 5.9	4	1.3	0.0- 2.7	55	39.1	28.5-49.7	14	4.2	1.5- 6.9	113	52.3	41.7-62.9
\$35,000- 49,999	284	29,948	25	10.5	4.8-16.2	1	0.2	0.0- 0.6	99	38.9	30.5-47.3	12	4.7	1.4- 8.0	147	45.7	37.3-54.1
\$50,000- 74,999	291	35,496	33	9.2	4.9-13.5	7	2.3	0.0- 4.8	117	45.6	37.4-53.8	18	4.8	2.1- 7.5	116	38.1	30.1-46.1
\$75,000+	642	87,426	101	17.6	13.9-21.3	10	1.9	0.5- 3.3	249	40.3	35.2-45.4	47	7.0	4.5- 9.5	235	33.3	28.6-38.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRKN3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2354	323,721	1054	35.7	33.2-38.2	649	29.2	26.7-31.7	282	14.8	12.8-16.8	141	7.3	5.7- 8.9	219	12.8	10.8-14.8	9	0.2	0.0- 0.4
Male	1283	178,886	470	30.6	27.5-33.7	368	28.3	25.2-31.4	174	15.8	13.1-18.5	108	10.0	7.6-12.4	159	15.0	12.3-17.7	4	0.2	0.0- 0.4
Female	1071	144,835	584	42.0	38.1-45.9	281	30.3	26.4-34.2	108	13.5	10.4-16.6	33	4.0	2.4- 5.6	60	10.1	7.2-13.0	5	0.2	0.0- 0.4
Native	66	11,183	19	27.5	12.8-42.2	16	19.1	8.5-29.7	10	19.5	6.4-32.6	6	7.7	0.0-15.5	15	26.2	12.1-40.3			
Non-Native	2263	308,923	1025	36.1	33.6-38.6	622	29.3	26.8-31.8	269	14.6	12.6-16.6	134	7.3	5.7- 8.9	204	12.5	10.5-14.5	9	0.2	0.0- 0.4
18-24	120	41,693	25	22.6	14.2-31.0	27	22.2	14.2-30.2	25	18.0	10.9-25.1	13	9.7	4.0-15.4	30	27.5	18.5-36.5			
25-34	265	73,246	76	29.1	22.8-35.4	77	30.7	24.0-37.4	46	18.3	13.0-23.6	21	6.6	3.3- 9.9	43	15.0	10.3-19.7	2	0.4	0.0- 1.0
35-44	303	56,668	92	26.8	21.1-32.5	85	30.0	23.7-36.3	56	20.8	15.1-26.5	27	9.0	4.9-13.1	42	13.2	8.5-17.9	1	0.1	0.0- 0.3
45-54	319	48,521	107	31.2	25.3-37.1	112	34.7	28.6-40.8	33	11.6	7.5-15.7	26	9.5	5.4-13.6	40	12.6	8.3-16.9	1	0.3	0.0- 0.9
55-64	503	49,444	234	42.8	37.7-47.9	147	31.2	26.3-36.1	55	11.4	8.1-14.7	24	6.2	3.3- 9.1	42	8.3	5.6-11.0	1	0.1	0.0- 0.3
65+	844	54,148	520	61.6	57.7-65.5	201	24.7	21.2-28.2	67	7.2	5.2- 9.2	30	3.7	2.1- 5.3	22	2.4	1.2- 3.6	4	0.3	0.0- 0.7
Less Than H.S.	61	12,596	29	33.3	17.6-49.0	13	29.2	11.2-47.2	3	3.4	0.0- 7.7	5	14.8	0.0-29.7	10	18.8	3.5-34.1	1	0.4	0.0- 1.2
H.S. or G.E.D.	526	77,228	209	29.3	24.4-34.2	140	27.7	22.6-32.8	70	17.2	12.5-21.9	34	7.7	4.4-11.0	72	18.0	13.5-22.5	1	0.0	0.0- 0.0
Some Post-H.S.	777	131,951	310	32.9	28.8-37.0	223	27.8	23.7-31.9	100	15.5	12.2-18.8	59	8.6	6.1-11.1	83	15.1	11.6-18.6	2	0.2	0.0- 0.4
College Graduate	989	101,341	505	44.1	40.2-48.0	273	32.1	28.2-36.0	109	13.5	10.6-16.4	43	4.6	2.8- 6.4	54	5.2	3.4- 7.0	5	0.4	0.0- 0.8
Less than \$15,000	64	10,154	13	15.7	2.6-28.8	19	27.5	13.8-41.2	8	20.9	6.6-35.2	6	9.6	0.0-23.5	17	25.7	11.8-39.6	1	0.5	0.0- 1.5
\$15,000- 24,999	154	22,270	67	30.3	19.7-40.9	47	38.7	25.8-51.6	10	3.4	0.7- 6.1	6	3.4	0.0- 7.3	23	24.0	13.0-35.0	1	0.1	0.0- 0.3
\$25,000- 34,999	162	21,608	78	37.4	28.0-46.8	34	23.9	14.7-33.1	18	12.5	5.4-19.6	12	11.8	4.0-19.6	18	13.2	6.1-20.3	2	1.3	0.0- 3.1
\$35,000- 49,999	281	36,240	125	35.0	27.7-42.3	83	31.3	23.7-38.9	31	13.6	7.9-19.3	17	5.6	2.3- 8.9	25	14.5	8.2-20.8			
\$50,000- 74,999	406	49,306	179	39.3	32.8-45.8	108	26.4	20.7-32.1	54	16.2	10.9-21.5	29	6.6	3.7- 9.5	35	11.6	6.9-16.3	1	0.0	0.0- 0.0
\$75,000+	980	142,236	413	34.7	31.0-38.4	292	31.4	27.7-35.1	135	17.4	14.1-20.7	57	6.9	4.7- 9.1	81	9.5	7.1-11.9	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1283	178,886	470	30.6	27.5-33.7	368	28.3	25.2-31.4	174	15.8	13.1-18.5	108	10.0	7.6-12.4	159	15.0	12.3-17.7	4	0.2	0.0- 0.4
Non-Native	1233	170,918	459	31.2	27.9-34.5	354	28.6	25.3-31.9	164	15.2	12.5-17.9	103	10.1	7.7-12.5	149	14.7	12.0-17.4	4	0.3	0.1- 0.5
18-24	68	22,634	16	26.5	14.5-38.5	10	15.2	5.6-24.8	13	16.4	7.4-25.4	11	15.3	5.9-24.7	18	26.6	15.2-38.0			
25-34	179	45,237	40	23.1	16.2-30.0	52	28.0	20.7-35.3	36	21.7	15.0-28.4	17	8.5	3.4-13.6	32	17.9	11.6-24.2	2	0.7	0.0- 1.7
35-44	173	29,210	44	23.9	16.5-31.3	47	30.8	22.2-39.4	31	19.4	12.1-26.7	19	10.5	4.6-16.4	32	15.4	9.1-21.7			
45-54	159	25,304	38	23.6	15.8-31.4	53	33.8	25.2-42.4	22	12.9	7.0-18.8	17	13.3	6.6-20.0	29	16.4	9.9-22.9			
55-64	241	25,769	85	33.6	26.5-40.7	80	32.2	25.3-39.1	30	13.5	8.2-18.8	18	9.3	4.4-14.2	28	11.4	6.9-15.9			
65+	463	30,731	247	54.3	48.8-59.8	126	28.0	22.9-33.1	42	7.5	4.8-10.2	26	6.0	3.3- 8.7	20	3.8	1.8- 5.8	2	0.4	0.0- 1.0
H.S. or G.E.D.	315	45,957	110	28.3	22.0-34.6	88	28.3	22.0-34.6	42	15.5	10.0-21.0	24	8.3	4.0-12.6	51	19.5	13.8-25.2			
Some Post-H.S.	428	76,649	140	29.7	24.4-35.0	119	24.6	19.5-29.7	59	16.1	11.6-20.6	48	12.0	8.1-15.9	61	17.5	12.8-22.2	1	0.1	0.0- 0.3
College Graduate	500	49,122	200	32.6	27.5-37.7	153	34.7	29.2-40.2	71	17.4	12.9-21.9	31	6.3	3.6- 9.0	43	8.5	5.4-11.6	2	0.6	0.0- 1.6
\$15,000- 24,999	76	9,780	28	31.7	14.8-48.6	25	35.8	18.7-52.9	4	3.9	0.0- 9.0	4	6.4	0.0-14.8	15	22.2	8.3-36.1			
\$25,000- 34,999	80	11,179	31	33.4	20.9-45.9	18	17.9	7.9-27.9	9	12.4	2.2-22.6	9	15.1	3.7-26.5	12	20.2	8.2-32.2	1	1.1	0.0- 3.3
\$35,000- 49,999	145	20,162	57	30.9	21.9-39.9	41	29.2	19.0-39.4	19	15.7	7.9-23.5	10	6.1	1.6-10.6	18	18.2	9.4-27.0			
\$50,000- 74,999	232	27,387	88	34.2	26.0-42.4	61	25.8	18.4-33.2	29	14.7	8.2-21.2	25	9.2	4.5-13.9	29	16.1	9.2-23.0			
\$75,000+	574	84,119	193	29.0	24.5-33.5	180	30.7	26.0-35.4	91	18.7	14.6-22.8	44	9.0	5.9-12.1	65	12.4	8.9-15.9	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRKN3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1071	144,835	584	42.0	38.1-45.9	281	30.3	26.4-34.2	108	13.5	10.4-16.6	33	4.0	2.4- 5.6	60	10.1	7.2-13.0	5	0.2	0.0- 0.4
Non-Native	1030	138,004	566	42.1	38.0-46.2	268	30.1	26.0-34.2	105	13.8	10.7-16.9	31	3.9	2.3- 5.5	55	9.8	6.7-12.9	5	0.2	0.0- 0.4
18-24	52	19,059	9	17.9	6.3-29.5	17	30.5	17.2-43.8	12	19.9	8.9-30.9	2	3.1	0.0- 7.4	12	28.5	14.0-43.0			
25-34	86	28,009	36	38.6	26.6-50.6	25	34.9	22.6-47.2	10	12.7	4.3-21.1	4	3.4	0.1- 6.7	11	10.4	3.5-17.3			
35-44	130	27,458	48	29.8	21.0-38.6	38	29.2	19.8-38.6	25	22.3	13.5-31.1	8	7.4	1.7-13.1	10	11.0	3.9-18.1	1	0.3	0.0- 0.9
45-54	160	23,217	69	39.5	30.7-48.3	59	35.7	26.9-44.5	11	10.1	4.0-16.2	9	5.4	1.5- 9.3	11	8.5	3.2-13.8	1	0.7	0.0- 2.1
55-64	262	23,675	149	52.9	45.8-60.0	67	30.1	23.2-37.0	25	9.1	5.0-13.2	6	2.9	0.0- 5.8	14	4.9	2.0- 7.8	1	0.1	0.0- 0.3
65+	381	23,417	273	71.2	65.5-76.9	75	20.5	15.4-25.6	25	6.7	3.8- 9.6	4	0.8	0.0- 1.6	2	0.6	0.0- 1.6	2	0.2	0.0- 0.4
H.S. or G.E.D.	211	31,271	99	30.8	22.6-39.0	52	26.9	18.3-35.5	28	19.6	11.2-28.0	10	6.6	1.7-11.5	21	15.9	8.5-23.3	1	0.1	0.0- 0.3
Some Post-H.S.	349	55,302	170	37.3	30.6-44.0	104	32.3	25.4-39.2	41	14.5	9.4-19.6	11	3.9	1.4- 6.4	22	11.7	6.4-17.0	1	0.3	0.0- 0.9
College Graduate	489	52,219	305	55.0	49.1-60.9	120	29.8	24.3-35.3	38	9.9	6.2-13.6	12	2.9	0.9- 4.9	11	2.2	0.6- 3.8	3	0.2	0.0- 0.6
\$15,000- 24,999	78	12,490	39	29.2	15.9-42.5	22	41.0	22.4-59.6	6	3.0	0.1- 5.9	2	1.2	0.0- 2.8	8	25.4	9.3-41.5	1	0.2	0.0- 0.6
\$25,000- 34,999	82	10,429	47	41.7	27.6-55.8	16	30.3	15.4-45.2	9	12.7	3.1-22.3	3	8.2	0.0-19.0	6	5.6	0.3-10.9	1	1.5	0.0- 4.4
\$35,000- 49,999	136	16,078	68	40.3	28.7-51.9	42	33.9	22.3-45.5	12	10.9	2.7-19.1	7	5.0	0.1- 9.9	7	9.8	1.2-18.4			
\$50,000- 74,999	174	21,919	91	45.7	35.5-55.9	47	27.2	18.4-36.0	25	17.9	9.3-26.5	4	3.2	0.1- 6.3	6	5.9	0.2-11.6	1	0.1	0.0- 0.3
\$75,000+	406	58,117	220	43.0	36.9-49.1	112	32.4	26.1-38.7	44	15.5	10.4-20.6	13	3.8	1.4- 6.2	16	5.2	2.3- 8.1	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2345	323,501	208	11.7	9.7-13.7	141	7.6	6.0- 9.2	53	3.4	2.2- 4.6	48	2.5	1.5- 3.5	186	10.4	8.6-12.2	1709	64.5	61.8-67.2
Male	1275	178,023	116	10.7	8.3-13.1	91	8.4	6.4-10.4	38	4.4	2.8- 6.0	27	2.0	1.0- 3.0	138	14.0	11.5-16.5	865	60.6	57.1-64.1
Female	1070	145,478	92	12.9	10.0-15.8	50	6.6	4.4- 8.8	15	2.1	0.7- 3.5	21	3.0	1.2- 4.8	48	6.1	3.9- 8.3	844	69.3	65.2-73.4
Native	68	11,233	6	10.6	1.0-20.2	9	14.3	4.5-24.1	1	1.8	0.0- 5.3	2	7.6	0.0-17.6	11	15.4	4.8-26.0	39	50.3	34.8-65.8
Non-Native	2250	308,175	201	11.8	9.8-13.8	131	7.3	5.7- 8.9	50	3.3	2.1- 4.5	46	2.3	1.3- 3.3	175	10.4	8.6-12.2	1647	64.8	62.1-67.5
18-24	121	41,872	21	17.9	10.5-25.3	14	9.6	4.3-14.9	10	8.1	2.8-13.4	4	5.1	0.0-10.4	18	14.5	7.4-21.6	54	44.8	35.0-54.6
25-34	265	73,305	32	11.4	7.1-15.7	33	11.3	7.0-15.6	14	5.4	2.3- 8.5	7	2.2	0.2- 4.2	37	14.4	9.7-19.1	142	55.3	48.4-62.2
35-44	299	56,251	43	15.6	10.5-20.7	25	8.6	4.9-12.3	8	2.7	0.3- 5.1	7	2.2	0.0- 4.4	40	12.5	8.0-17.0	176	58.4	51.5-65.3
45-54	318	48,576	33	11.4	7.3-15.5	18	6.0	3.1- 8.9	4	1.2	0.0- 2.4	11	3.2	0.8- 5.6	38	11.8	7.7-15.9	214	66.4	60.3-72.5
55-64	499	48,960	48	10.2	6.9-13.5	27	5.9	3.4- 8.4	9	2.2	0.6- 3.8	7	1.4	0.2- 2.6	27	5.8	3.3- 8.3	381	74.5	69.8-79.2
65+	843	54,538	31	4.9	2.7- 7.1	24	2.9	1.7- 4.1	8	0.9	0.3- 1.5	12	1.2	0.4- 2.0	26	2.6	1.4- 3.8	742	87.5	84.8-90.2
Less Than H.S.	63	13,214	6	9.0	1.0-17.0	5	7.1	0.0-14.4	1	2.0	0.0- 5.9	5	11.8	0.0-25.9	5	6.1	0.0-13.2	41	64.0	47.1-80.9
H.S. or G.E.D.	518	76,739	48	12.6	8.5-16.7	33	9.1	5.6-12.6	17	5.1	2.2- 8.0	14	2.5	0.7- 4.3	49	11.5	7.8-15.2	357	59.2	53.3-65.1
Some Post-H.S.	776	131,681	77	12.2	9.1-15.3	50	7.2	4.8- 9.6	17	3.6	1.6- 5.6	16	2.6	1.0- 4.2	77	13.4	10.1-16.7	539	61.0	56.5-65.5
College Graduate	987	101,261	77	10.7	8.0-13.4	53	7.0	4.8- 9.2	18	2.0	0.8- 3.2	13	1.1	0.3- 1.9	55	6.3	4.3- 8.3	771	72.8	69.1-76.5
Less than \$15,000	68	11,213	4	8.7	0.0-18.3	10	12.4	3.2-21.6	2	6.6	0.0-15.4	3	9.0	0.0-20.4	11	12.6	3.6-21.6	38	50.7	34.2-67.2
\$15,000- 24,999	155	22,415	14	11.2	4.1-18.3	8	6.6	0.9-12.3	8	11.1	2.3-19.9	3	2.2	0.0- 6.1	13	9.2	1.8-16.6	109	59.6	47.3-71.9
\$25,000- 34,999	163	21,635	10	7.4	1.5-13.3	10	10.0	3.3-16.7	3	2.5	0.0- 5.8	1	0.1	0.0- 0.3	17	11.2	3.9-18.5	122	68.8	58.8-78.8
\$35,000- 49,999	275	35,697	29	13.8	7.9-19.7	16	7.5	3.4-11.6	7	2.6	0.2- 5.0	5	2.6	0.0- 5.5	18	9.9	4.6-15.2	200	63.6	55.6-71.6
\$50,000- 74,999	402	48,755	37	12.1	7.6-16.6	19	6.0	2.7- 9.3	8	1.8	0.0- 3.6	6	1.4	0.2- 2.6	29	9.8	5.5-14.1	303	68.9	62.4-75.4
\$75,000+	972	141,379	92	11.7	9.0-14.4	63	8.1	5.7-10.5	19	2.6	1.2- 4.0	23	2.3	1.1- 3.5	77	9.9	7.4-12.4	698	65.4	61.5-69.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1275	178,023	116	10.7	8.3-13.1	91	8.4	6.4-10.4	38	4.4	2.8- 6.0	27	2.0	1.0- 3.0	138	14.0	11.5-16.5	865	60.6	57.1-64.1
Non-Native	1224	170,256	112	10.7	8.3-13.1	87	8.4	6.2-10.6	35	4.3	2.5- 6.1	26	1.8	0.8- 2.8	130	13.8	11.1-16.5	834	61.0	57.3-64.7
18-24	69	22,874	11	15.4	6.0-24.8	7	8.0	1.7-14.3	7	10.2	2.2-18.2	3	5.3	0.0-11.4	11	15.3	5.9-24.7	30	45.8	32.7-58.9
25-34	179	45,113	21	10.5	5.6-15.4	25	13.1	7.6-18.6	12	7.2	2.9-11.5	4	1.7	0.0- 3.7	28	18.1	11.6-24.6	89	49.4	41.2-57.6
35-44	169	28,425	22	12.0	6.1-17.9	14	9.0	3.7-14.3	6	3.1	0.0- 6.2	4	1.3	0.0- 2.7	33	18.8	11.5-26.1	90	56.0	47.0-65.0
45-54	158	25,215	19	12.2	6.3-18.1	9	6.2	1.7-10.7	3	1.8	0.0- 4.0	5	1.8	0.0- 3.8	30	18.6	11.7-25.5	92	59.4	50.6-68.2
55-64	239	25,390	24	9.2	4.9-13.5	21	8.5	4.4-12.6	6	3.1	0.4- 5.8	5	1.9	0.1- 3.7	16	8.2	3.9-12.5	167	69.2	62.1-76.3
65+	461	31,006	19	6.3	3.0- 9.6	15	3.0	1.2- 4.8	4	0.6	0.0- 1.2	6	0.9	0.1- 1.7	20	3.5	1.7- 5.3	397	85.8	81.7-89.9
H.S. or G.E.D.	311	45,687	25	9.7	5.2-14.2	19	7.1	3.4-10.8	12	5.6	2.1- 9.1	8	3.0	0.3- 5.7	33	12.4	7.7-17.1	214	62.3	55.2-69.4
Some Post-H.S.	425	75,855	44	11.5	7.6-15.4	35	8.9	5.4-12.4	13	5.0	2.1- 7.9	10	2.2	0.4- 4.0	59	17.7	13.0-22.4	264	54.6	48.5-60.7
College Graduate	498	49,009	43	10.3	6.8-13.8	35	9.1	5.8-12.4	13	3.1	0.9- 5.3	8	1.0	0.2- 1.8	42	10.3	6.6-14.0	357	66.2	60.7-71.7
\$15,000- 24,999	76	9,640	6	16.5	2.8-30.2	5	7.6	0.0-16.2	4	12.0	0.0-26.1	1	0.3	0.0- 0.9	7	4.9	0.4- 9.4	53	58.8	41.2-76.4
\$25,000- 34,999	81	11,206	3	4.3	0.0-10.0	8	14.5	3.7-25.3	2	4.4	0.0-10.7	1	0.1	0.0- 0.3	11	14.8	4.0-25.6	56	61.9	47.8-76.0
\$35,000- 49,999	141	19,683	19	14.9	7.1-22.7	10	8.7	2.4-15.0	4	3.3	0.0- 7.4	1	0.2	0.0- 0.6	13	12.3	4.7-19.9	94	60.6	49.8-71.4
\$50,000- 74,999	228	26,801	20	8.9	4.4-13.4	15	9.5	3.6-15.4	7	3.1	0.0- 6.2	4	1.4	0.0- 3.0	21	14.4	7.3-21.5	161	62.6	53.8-71.4
\$75,000+	568	83,358	54	9.8	6.7-12.9	40	8.0	5.1-10.9	14	3.1	1.1- 5.1	13	1.9	0.5- 3.3	67	14.9	11.0-18.8	380	62.3	57.2-67.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1070	145,478	92	12.9	10.0-15.8	50	6.6	4.4- 8.8	15	2.1	0.7- 3.5	21	3.0	1.2- 4.8	48	6.1	3.9- 8.3	844	69.3	65.2-73.4
Non-Native	1026	137,918	89	13.3	10.2-16.4	44	5.9	3.7- 8.1	15	2.2	0.6- 3.8	20	2.9	1.1- 4.7	45	6.1	3.7- 8.5	813	69.6	65.5-73.7
18-24	52	18,998	10	20.8	9.0-32.6	7	11.6	2.8-20.4	3	5.5	0.0-11.8	1	4.9	0.0-14.1	7	13.6	2.8-24.4	24	43.5	28.8-58.2
25-34	86	28,192	11	12.8	4.8-20.8	8	8.5	1.8-15.2	2	2.5	0.0- 6.8	3	3.1	0.0- 6.8	9	8.3	2.4-14.2	53	64.9	53.3-76.5
35-44	130	27,826	21	19.3	11.1-27.5	11	8.2	3.1-13.3	2	2.3	0.0- 6.0	3	3.2	0.0- 7.1	7	6.1	1.0-11.2	86	60.9	50.7-71.1
45-54	160	23,361	14	10.5	4.8-16.2	9	5.8	1.9- 9.7	1	0.5	0.0- 1.5	6	4.8	0.5- 9.1	8	4.6	1.1- 8.1	122	73.9	65.9-81.9
55-64	260	23,570	24	11.3	6.4-16.2	6	3.2	0.7- 5.7	3	1.2	0.0- 2.8	2	0.8	0.0- 2.0	11	3.3	0.9- 5.7	214	80.2	74.3-86.1
65+	382	23,531	12	3.1	0.9- 5.3	9	2.8	0.8- 4.8	4	1.3	0.0- 2.7	6	1.6	0.2- 3.0	6	1.5	0.1- 2.9	345	89.7	86.2-93.2
H.S. or G.E.D.	207	31,053	23	16.8	9.0-24.6	14	12.1	5.4-18.8	5	4.3	0.0- 9.2	6	1.8	0.0- 3.8	16	10.2	4.1-16.3	143	54.7	44.9-64.5
Some Post-H.S.	351	55,825	33	13.2	8.1-18.3	15	4.8	1.7- 7.9	4	1.6	0.0- 3.6	6	3.0	0.5- 5.5	18	7.5	3.2-11.8	275	69.9	63.0-76.8
College Graduate	489	52,252	34	11.2	7.1-15.3	18	5.1	2.4- 7.8	5	1.1	0.0- 2.3	5	1.2	0.0- 2.6	13	2.5	0.7- 4.3	414	79.0	73.9-84.1
\$15,000- 24,999	79	12,775	8	7.3	1.0-13.6	3	5.9	0.0-13.5	4	10.5	0.0-21.5	2	3.7	0.0-10.4	6	12.4	0.1-24.7	56	60.2	43.1-77.3
\$25,000- 34,999	82	10,429	7	10.7	0.3-21.1	2	5.1	0.0-12.2	1	0.5	0.0- 1.5				6	7.4	0.0-16.6	66	76.2	62.3-90.1
\$35,000- 49,999	134	16,013	10	12.5	3.7-21.3	6	6.0	0.7-11.3	3	1.7	0.0- 3.7	4	5.6	0.0-12.1	5	6.8	0.0-14.1	106	67.3	55.3-79.3
\$50,000- 74,999	174	21,954	17	16.1	7.9-24.3	4	1.7	0.0- 3.5	1	0.3	0.0- 0.9	2	1.3	0.0- 3.5	8	4.0	0.5- 7.5	142	76.6	67.8-85.4
\$75,000+	404	58,021	38	14.5	9.4-19.6	23	8.2	4.3-12.1	5	1.8	0.0- 4.2	10	2.9	0.7- 5.1	10	2.7	0.7- 4.7	318	70.0	63.7-76.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having not consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2303	316,682	665	22.4	20.2-24.6	569	22.4	20.2-24.6	361	16.2	14.2-18.2	179	8.7	7.1-10.3	529	30.3	27.8-32.8
Male	1248	173,344	259	16.8	14.3-19.3	272	19.7	16.8-22.6	221	16.7	14.2-19.2	100	8.2	6.2-10.2	396	38.7	35.2-42.2
Female	1055	143,338	406	29.1	25.6-32.6	297	25.7	22.2-29.2	140	15.7	12.4-19.0	79	9.3	6.8-11.8	133	20.2	16.5-23.9
Native	64	10,328	17	22.7	8.4-37.0	8	11.5	2.3-20.7	11	17.1	4.6-29.6	3	2.6	0.0- 6.1	25	46.1	30.2-62.0
Non-Native	2214	302,554	640	22.4	20.2-24.6	552	22.5	20.1-24.9	347	16.3	14.1-18.5	174	8.9	7.3-10.5	501	29.9	27.2-32.6
18-24	119	40,892	19	17.6	9.8-25.4	16	13.6	6.9-20.3	15	11.3	5.4-17.2	7	6.4	1.7-11.1	62	51.1	41.1-61.1
25-34	255	71,436	43	18.2	12.5-23.9	49	19.3	13.6-25.0	32	14.2	9.1-19.3	25	8.5	5.0-12.0	106	39.8	32.9-46.7
35-44	297	55,273	38	11.2	7.3-15.1	68	22.7	17.0-28.4	51	18.4	12.9-23.9	33	13.9	8.8-19.0	107	33.8	27.3-40.3
45-54	312	47,318	68	20.7	15.4-26.0	79	24.3	18.6-30.0	53	17.8	12.9-22.7	25	8.8	5.1-12.5	87	28.5	22.6-34.4
55-64	490	47,785	138	23.2	19.1-27.3	130	27.3	22.6-32.0	91	21.4	16.9-25.9	37	7.8	4.9-10.7	94	20.3	16.0-24.6
65+	830	53,977	359	43.6	39.5-47.7	227	26.9	23.2-30.6	119	14.5	11.6-17.4	52	6.0	4.0- 8.0	73	9.0	6.6-11.4
Less Than H.S.	57	12,525	24	33.1	16.4-49.8	10	21.8	3.6-40.0	6	9.3	1.1-17.5	4	6.0	0.0-15.4	13	29.9	12.7-47.1
H.S. or G.E.D.	513	76,009	155	20.8	16.3-25.3	99	19.8	15.3-24.3	85	16.5	12.2-20.8	35	7.8	4.5-11.1	139	35.1	29.4-40.8
Some Post-H.S.	758	128,077	193	19.6	16.1-23.1	191	21.8	18.1-25.5	116	16.3	12.8-19.8	55	7.8	5.4-10.2	203	34.5	30.0-39.0
College Graduate	974	99,466	292	25.2	21.9-28.5	269	25.4	21.9-28.9	154	17.0	13.9-20.1	85	10.9	8.2-13.6	174	21.5	18.0-25.0
Less than \$15,000	58	9,932	9	13.2	0.1-26.3	12	22.0	5.9-38.1	13	19.7	7.2-32.2	2	1.8	0.0- 4.9	22	43.3	25.7-60.9
\$15,000- 24,999	151	22,013	51	22.5	13.1-31.9	35	27.0	15.0-39.0	21	13.2	3.6-22.8	13	7.7	1.6-13.8	31	29.5	17.9-41.1
\$25,000- 34,999	157	20,758	51	27.0	18.4-35.6	42	25.0	16.0-34.0	22	13.1	6.4-19.8	10	8.3	1.2-15.4	32	26.5	16.7-36.3
\$35,000- 49,999	274	35,389	82	22.9	16.4-29.4	62	16.0	11.1-20.9	45	19.9	12.8-27.0	20	8.1	4.0-12.2	65	33.1	25.3-40.9
\$50,000- 74,999	397	48,035	112	25.0	19.1-30.9	100	24.0	18.3-29.7	68	16.6	11.7-21.5	33	8.6	5.1-12.1	84	25.8	19.7-31.9
\$75,000+	962	139,091	228	18.6	15.7-21.5	249	23.7	20.4-27.0	163	17.7	14.6-20.8	85	10.4	7.7-13.1	237	29.7	26.0-33.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1248	173,344	259	16.8	14.3-19.3	272	19.7	16.8-22.6	221	16.7	14.2-19.2	100	8.2	6.2-10.2	396	38.7	35.2-42.2
Non-Native	1201	166,391	250	17.0	14.3-19.7	263	19.9	17.0-22.8	213	16.4	13.9-18.9	97	8.3	6.1-10.5	378	38.3	34.6-42.0
18-24	67	22,007	13	20.5	9.3-31.7	5	8.8	1.0-16.6	8	12.2	3.8-20.6	4	6.1	0.0-12.2	37	52.4	39.1-65.7
25-34	168	42,998	16	9.9	4.6-15.2	34	20.5	13.4-27.6	21	13.1	7.4-18.8	15	7.8	3.7-11.9	82	48.7	40.3-57.1
35-44	171	28,407	14	8.0	3.3-12.7	32	19.9	12.6-27.2	23	11.8	6.5-17.1	19	14.3	7.2-21.4	83	46.0	37.0-55.0
45-54	155	24,681	21	14.0	7.3-20.7	28	17.7	10.8-24.6	29	20.3	12.9-27.7	12	7.2	2.3-12.1	65	40.8	31.8-49.8
55-64	231	24,413	34	12.2	7.7-16.7	55	23.1	16.6-29.6	57	27.7	20.6-34.8	15	5.8	2.3-9.3	70	31.2	23.9-38.5
65+	456	30,837	161	37.6	32.1-43.1	118	25.0	20.1-29.9	83	17.6	13.3-21.9	35	7.0	4.5-9.5	59	12.7	9.0-16.4
H.S. or G.E.D.	308	45,024	73	17.0	12.1-21.9	59	20.6	14.9-26.3	62	19.8	13.9-25.7	17	5.8	2.5-9.1	97	36.7	29.6-43.8
Some Post-H.S.	414	73,594	78	15.7	11.6-19.8	85	17.8	13.3-22.3	65	13.9	10.0-17.8	30	7.4	4.3-10.5	156	45.2	39.1-51.3
College Graduate	489	47,551	91	14.3	10.6-18.0	121	21.7	17.2-26.2	90	19.2	14.7-23.7	51	11.5	7.8-15.2	136	33.2	27.7-38.7
\$15,000- 24,999	73	9,127	19	25.1	9.0-41.2	15	21.0	6.5-35.5	18	15.3	5.1-25.5	2	5.6	0.0-14.4	19	33.0	15.8-50.2
\$25,000- 34,999	78	10,767	21	23.4	12.6-34.2	16	16.7	6.3-27.1	13	12.2	3.6-20.8	5	8.5	0.0-18.1	23	39.2	24.7-53.7
\$35,000- 49,999	141	19,562	30	19.2	10.4-28.0	33	18.1	10.7-25.5	21	15.4	7.8-23.0	12	8.7	3.0-14.4	45	38.5	27.9-49.1
\$50,000- 74,999	226	26,227	53	18.5	12.2-24.8	48	21.5	13.9-29.1	39	16.4	10.3-22.5	17	6.0	2.5-9.5	69	37.6	28.8-46.4
\$75,000+	559	81,614	90	13.3	9.8-16.8	126	20.0	16.1-23.9	103	18.7	14.6-22.8	54	9.9	6.6-13.2	186	38.0	32.9-43.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 11: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1055	143,338	406	29.1	25.6-32.6	297	25.7	22.2-29.2	140	15.7	12.4-19.0	79	9.3	6.8-11.8	133	20.2	16.5-23.9
Non-Native	1013	136,163	390	28.8	25.3-32.3	289	25.8	22.1-29.5	134	16.1	12.8-19.4	77	9.7	7.2-12.2	123	19.6	15.7-23.5
18-24	52	18,885	6	14.2	3.4-25.0	11	19.3	8.3-30.3	7	10.3	1.9-18.7	3	6.6	0.0-14.0	25	49.6	34.7-64.5
25-34	87	28,438	27	30.8	19.4-42.2	15	17.4	7.6-27.2	11	15.9	6.3-25.5	10	9.5	3.0-16.0	24	26.4	15.8-37.0
35-44	126	26,866	24	14.6	8.1-21.1	36	25.6	16.8-34.4	28	25.3	15.7-34.9	14	13.6	6.2-21.0	24	20.9	12.3-29.5
45-54	157	22,637	47	27.9	19.9-35.9	51	31.4	22.6-40.2	24	15.0	8.7-21.3	13	10.5	4.6-16.4	22	15.2	8.7-21.7
55-64	259	23,373	104	34.7	28.2-41.2	75	31.7	25.0-38.4	34	14.9	9.4-20.4	22	9.9	5.4-14.4	24	8.9	5.0-12.8
65+	374	23,140	198	51.5	45.4-57.6	109	29.4	23.9-34.9	36	10.3	6.4-14.2	17	4.8	2.3- 7.3	14	4.1	1.7- 6.5
H.S. or G.E.D.	205	30,986	82	26.3	18.3-34.3	40	18.5	11.2-25.8	23	11.7	5.8-17.6	18	10.8	4.1-17.5	42	32.8	23.4-42.2
Some Post-H.S.	344	54,483	115	25.0	19.1-30.9	106	27.1	21.0-33.2	51	19.4	12.9-25.9	25	8.4	4.7-12.1	47	20.1	13.8-26.4
College Graduate	485	51,915	201	35.2	29.7-40.7	148	28.8	23.7-33.9	64	14.9	10.6-19.2	34	10.2	6.3-14.1	38	10.8	6.9-14.7
\$15,000- 24,999	78	12,886	32	20.7	9.7-31.7	20	31.2	14.1-48.3	3	11.7	0.0-26.4	11	9.2	1.0-17.4	12	27.1	11.6-42.6
\$25,000- 34,999	79	9,991	30	30.8	17.5-44.1	26	34.0	19.5-48.5	9	14.2	4.0-24.4	5	8.1	0.0-18.5	9	12.9	1.9-23.9
\$35,000- 49,999	133	15,827	52	27.5	17.7-37.3	29	13.5	7.4-19.6	24	25.5	13.3-37.7	8	7.3	1.2-13.4	20	26.3	14.5-38.1
\$50,000- 74,999	171	21,808	59	32.8	22.8-42.8	52	27.0	18.4-35.6	29	17.0	9.0-25.0	16	11.7	5.0-18.4	15	11.6	4.5-18.7
\$75,000+	403	57,477	138	26.0	20.7-31.3	123	29.0	23.3-34.7	60	16.1	11.2-21.0	31	11.1	6.6-15.6	51	17.8	12.3-23.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 12: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)	
1 MALES AND FEMALES	187
2 MALES ONLY	188
3 FEMALES ONLY	189
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)	
4 MALES AND FEMALES	190
5 MALES ONLY	191
6 FEMALES ONLY	192
HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)	
7 MALES AND FEMALES	193
8 MALES ONLY	194
9 FEMALES ONLY	195
HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)	
10 MALES AND FEMALES	196
11 MALES ONLY	197
12 FEMALES ONLY	198

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4313	556,967	2484	50.7	48.5-52.9	1829	49.3	47.1-51.5
Male	2070	281,668	1054	44.6	41.7-47.5	1016	55.4	52.5-58.3
Female	2243	275,299	1430	56.9	53.8-60.0	813	43.1	40.0-46.2
Native	177	23,026	96	46.5	36.7-56.3	81	53.5	43.7-63.3
Non-Native	4066	525,688	2359	51.1	48.9-53.3	1707	48.9	46.7-51.1
18-24	209	75,971	95	44.1	36.7-51.5	114	55.9	48.5-63.3
25-34	380	106,318	157	39.9	34.2-45.6	223	60.1	54.4-65.8
35-44	454	89,079	204	48.5	42.8-54.2	250	51.5	45.8-57.2
45-54	491	75,783	221	43.3	38.2-48.4	270	56.7	51.6-61.8
55-64	906	88,430	494	52.7	48.8-56.6	412	47.3	43.4-51.2
65+	1873	121,386	1313	68.9	66.4-71.4	560	31.1	28.6-33.6
Less Than H.S.	184	41,385	84	29.9	21.5-38.3	100	70.1	61.7-78.5
H.S. or G.E.D.	1115	146,317	571	42.0	38.1-45.9	544	58.0	54.1-61.9
Some Post-H.S.	1393	214,824	785	51.8	48.3-55.3	608	48.2	44.7-51.7
College Graduate	1614	153,462	1041	62.7	59.6-65.8	573	37.3	34.2-40.4
Less than \$15,000	203	29,659	104	54.6	44.6-64.6	99	45.4	35.4-55.4
\$15,000- 24,999	413	51,497	233	49.4	42.0-56.8	180	50.6	43.2-58.0
\$25,000- 34,999	344	41,226	184	44.7	37.4-52.0	160	55.3	48.0-62.6
\$35,000- 49,999	515	59,004	318	53.6	47.5-59.7	197	46.4	40.3-52.5
\$50,000- 74,999	629	74,989	366	52.0	46.5-57.5	263	48.0	42.5-53.5
\$75,000+	1436	202,499	844	53.1	49.8-56.4	592	46.9	43.6-50.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	281,668	1054	44.6	41.7-47.5	1016	55.4	52.5-58.3
Native	75	9,787	29	30.9	17.6-44.2	46	69.1	55.8-82.4
Non-Native	1952	266,508	1011	45.3	42.4-48.2	941	54.7	51.8-57.6
18-24	116	39,698	46	40.3	30.3-50.3	70	59.7	49.7-69.7
25-34	228	56,566	74	33.3	26.4-40.2	154	66.7	59.8-73.6
35-44	250	46,025	95	39.7	32.3-47.1	155	60.3	52.9-67.7
45-54	247	39,780	87	35.0	27.9-42.1	160	65.0	57.9-72.1
55-64	401	43,764	185	46.5	40.6-52.4	216	53.5	47.6-59.4
65+	828	55,834	567	68.4	64.5-72.3	261	31.6	27.7-35.5
Less Than H.S.	97	22,417	43	32.3	20.3-44.3	54	67.7	55.7-79.7
H.S. or G.E.D.	569	78,335	253	36.8	31.7-41.9	316	63.2	58.1-68.3
Some Post-H.S.	678	111,730	331	44.6	39.9-49.3	347	55.4	50.7-60.1
College Graduate	722	68,434	425	56.8	52.1-61.5	297	43.2	38.5-47.9
Less than \$15,000	82	11,879	37	50.3	34.4-66.2	45	49.7	33.8-65.6
\$15,000- 24,999	160	20,486	73	40.1	28.3-51.9	87	59.9	48.1-71.7
\$25,000- 34,999	149	19,385	71	40.6	30.4-50.8	78	59.4	49.2-69.6
\$35,000- 49,999	231	29,101	130	48.7	39.9-57.5	101	51.3	42.5-60.1
\$50,000- 74,999	340	40,314	176	44.7	37.4-52.0	164	55.3	48.0-62.6
\$75,000+	791	115,139	411	46.2	41.9-50.5	380	53.8	49.5-58.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLUSHOT7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2243	275,299	1430	56.9	53.8-60.0	813	43.1	40.0-46.2
Native	102	13,240	67	58.0	44.5-71.5	35	42.0	28.5-55.5
Non-Native	2114	259,181	1348	57.0	53.9-60.1	766	43.0	39.9-46.1
18-24	93	36,273	49	48.2	37.0-59.4	44	51.8	40.6-63.0
25-34	152	49,752	83	47.6	38.4-56.8	69	52.4	43.2-61.6
35-44	204	43,054	109	57.9	49.9-65.9	95	42.1	34.1-50.1
45-54	244	36,003	134	52.5	45.1-59.9	110	47.5	40.1-54.9
55-64	505	44,666	309	58.8	53.7-63.9	196	41.2	36.1-46.3
65+	1045	65,552	746	69.3	65.8-72.8	299	30.7	27.2-34.2
Less Than H.S.	87	18,969	41	27.1	15.7-38.5	46	72.9	61.5-84.3
H.S. or G.E.D.	546	67,982	318	48.0	41.9-54.1	228	52.0	45.9-58.1
Some Post-H.S.	715	103,095	454	59.5	54.4-64.6	261	40.5	35.4-45.6
College Graduate	892	85,028	616	67.5	63.4-71.6	276	32.5	28.4-36.6
Less than \$15,000	121	17,780	67	57.4	44.5-70.3	54	42.6	29.7-55.5
\$15,000- 24,999	253	31,011	160	55.5	45.7-65.3	93	44.5	34.7-54.3
\$25,000- 34,999	195	21,841	113	48.4	37.8-59.0	82	51.6	41.0-62.2
\$35,000- 49,999	284	29,902	188	58.4	50.0-66.8	96	41.6	33.2-50.0
\$50,000- 74,999	289	34,675	190	60.6	52.4-68.8	99	39.4	31.2-47.6
\$75,000+	645	87,359	433	62.2	57.1-67.3	212	37.8	32.7-42.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1286	151,294	2	0.3	0.0- 0.9	23	2.9	1.3- 4.5	1261	96.8	95.2-98.4
Male	535	65,906	1	0.7	0.0- 2.1	10	2.4	0.4- 4.4	524	96.9	94.5-99.3
Female	751	85,388	1	0.1	0.0- 0.3	13	3.3	1.1- 5.5	737	96.7	94.5-98.9
Non-Native	1229	144,694	2	0.4	0.0- 1.0	21	2.7	1.1- 4.3	1206	96.9	95.3-98.5
18-24	52	18,516				3	6.8	0.0-14.2	49	93.2	85.8- 100
25-34	84	22,782	1	2.1	0.0- 6.2	3	5.0	0.0-10.5	80	92.9	86.2-99.6
35-44	114	23,277				2	3.0	0.0- 7.1	112	97.0	92.9- 100
45-54	124	18,528							124	100.0	100.0- 100
55-64	281	27,608	1	0.2	0.0- 0.6	4	1.8	0.0- 4.0	276	98.0	95.6- 100
65+	631	40,584				11	1.9	0.5- 3.3	620	98.1	96.7-99.5
H.S. or G.E.D.	269	31,023				9	6.8	1.5-12.1	260	93.2	87.9-98.5
Some Post-H.S.	395	59,708	1	0.8	0.0- 2.4	7	2.9	0.5- 5.3	387	96.3	93.6-99.0
College Graduate	594	55,838	1	0.1	0.0- 0.3	7	0.9	0.0- 1.9	586	99.0	98.0- 100
\$15,000- 24,999	101	9,609				3	3.1	0.0- 7.6	98	96.9	92.4- 100
\$25,000- 34,999	95	10,632				3	4.0	0.0-10.7	92	96.0	89.3- 100
\$35,000- 49,999	148	15,733				2	0.9	0.0- 2.1	146	99.1	97.9- 100
\$50,000- 74,999	188	20,352				2	0.4	0.0- 1.0	186	99.6	99.0- 100
\$75,000+	489	64,155	1	0.7	0.0- 2.1	7	2.3	0.1- 4.5	481	96.9	94.4-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	535	65,906	1	0.7	0.0- 2.1	10	2.4	0.4- 4.4	524	96.9	94.5-99.3
Non-Native	521	63,680	1	0.8	0.0- 2.2	8	1.8	0.2- 3.4	512	97.4	95.2-99.6
35-44	50	9,597							50	100.0	100.0- 100
55-64	96	10,843				3	4.3	0.0- 9.8	93	95.7	90.2- 100
65+	280	19,495				5	1.6	0.0- 3.2	275	98.4	96.8- 100
H.S. or G.E.D.	114	14,064				3	2.2	0.0- 5.1	111	97.8	94.9- 100
Some Post-H.S.	172	27,732	1	1.7	0.0- 5.0	4	4.1	0.0- 8.4	167	94.2	88.9-99.5
College Graduate	234	21,344				3	0.6	0.0- 1.4	231	99.4	98.6- 100
\$35,000- 49,999	58	7,766				1	1.1	0.0- 3.3	57	98.9	96.7- 100
\$50,000- 74,999	81	7,858				2	1.1	0.0- 2.7	79	98.9	97.3- 100
\$75,000+	231	31,003	1	1.5	0.0- 4.4	5	3.2	0.0- 6.5	225	95.2	90.9-99.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE OR FLU SHOT INJECTED INTO YOUR ARM? (FLSHTMY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2020			May-Aug 2020			Sep-Dec 2020		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	751	85,388	1	0.1	0.0- 0.3	13	3.3	1.1- 5.5	737	96.7	94.5-98.9
Non-Native	708	81,014	1	0.1	0.0- 0.3	13	3.5	1.1- 5.9	694	96.5	94.1-98.9
35-44	64	13,680				2	5.1	0.0-12.0	62	94.9	88.0- 100
45-54	75	10,422							75	100.0	100.0- 100
55-64	185	16,765	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	183	99.5	98.7- 100
65+	351	21,089				6	2.2	0.0- 4.4	345	97.8	95.6- 100
H.S. or G.E.D.	155	16,958				6	10.6	1.6-19.6	149	89.4	80.4-98.4
Some Post-H.S.	223	31,976				3	1.9	0.0- 4.4	220	98.1	95.6- 100
College Graduate	360	34,493	1	0.1	0.0- 0.3	4	1.1	0.0- 2.7	355	98.7	97.1- 100
\$15,000- 24,999	68	6,580				2	4.2	0.0-10.7	66	95.8	89.3- 100
\$25,000- 34,999	50	5,337				3	7.9	0.0-20.6	47	92.1	79.4- 100
\$35,000- 49,999	90	7,968				1	0.7	0.0- 2.1	89	99.3	97.9- 100
\$50,000- 74,999	107	12,494							107	100.0	100.0- 100
\$75,000+	258	33,151				2	1.5	0.0- 4.0	256	98.5	96.0- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

**TABLE 7. HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3002	247,118	1443	42.7	40.5-44.9	1559	57.3	55.1-59.5
Male	1336	118,218	572	37.1	34.0-40.2	764	62.9	59.8-66.0
Female	1666	128,900	871	47.9	45.0-50.8	795	52.1	49.2-55.0
Native	97	7,954	47	42.2	29.9-54.5	50	57.8	45.5-70.1
Non-Native	2852	234,811	1378	43.1	40.7-45.5	1474	56.9	54.5-59.3
45-54	260	40,525	47	17.9	12.4-23.4	213	82.1	76.6-87.6
55-64	894	87,157	331	35.6	31.9-39.3	563	64.4	60.7-68.1
65+	1848	119,436	1065	56.3	53.6-59.0	783	43.7	41.0-46.4
Less Than H.S.	141	18,907	55	35.1	25.5-44.7	86	64.9	55.3-74.5
H.S. or G.E.D.	804	64,124	363	41.2	37.1-45.3	441	58.8	54.7-62.9
Some Post-H.S.	982	98,605	467	42.8	39.1-46.5	515	57.2	53.5-60.9
College Graduate	1068	64,503	556	46.8	43.1-50.5	512	53.2	49.5-56.9
Less than \$15,000	142	11,829	45	27.8	18.6-37.0	97	72.2	63.0-81.4
\$15,000- 24,999	328	24,661	147	40.1	33.4-46.8	181	59.9	53.2-66.6
\$25,000- 34,999	255	19,468	113	48.1	40.5-55.7	142	51.9	44.3-59.5
\$35,000- 49,999	393	29,629	204	45.1	38.8-51.4	189	54.9	48.6-61.2
\$50,000- 74,999	443	35,422	230	46.6	40.9-52.3	213	53.4	47.7-59.1
\$75,000+	853	79,696	400	40.1	36.2-44.0	453	59.9	56.0-63.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 8: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1336	118,218	572	37.1	34.0-40.2	764	62.9	59.8-66.0
Non-Native	1262	111,512	552	38.3	35.0-41.6	710	61.7	58.4-65.0
45-54	130	20,864	15	9.2	3.7-14.7	115	90.8	85.3-96.3
55-64	393	42,962	121	30.1	24.6-35.6	272	69.9	64.4-75.4
65+	813	54,392	436	53.3	49.0-57.6	377	46.7	42.4-51.0
Less Than H.S.	73	11,002	28	32.8	19.9-45.7	45	67.2	54.3-80.1
H.S. or G.E.D.	369	31,389	141	35.4	29.5-41.3	228	64.6	58.7-70.5
Some Post-H.S.	432	46,852	175	35.5	30.2-40.8	257	64.5	59.2-69.8
College Graduate	458	28,223	227	44.1	38.4-49.8	231	55.9	50.2-61.6
Less than \$15,000	55	4,548	14	18.4	6.4-30.4	41	81.6	69.6-93.6
\$15,000- 24,999	122	9,255	47	32.2	22.0-42.4	75	67.8	57.6-78.0
\$25,000- 34,999	100	8,774	45	55.6	43.6-67.6	55	44.4	32.4-56.4
\$35,000- 49,999	161	13,322	67	36.2	26.4-46.0	94	63.8	54.0-73.6
\$50,000- 74,999	235	19,249	112	40.8	33.2-48.4	123	59.2	51.6-66.8
\$75,000+	453	44,658	196	36.8	31.5-42.1	257	63.2	57.9-68.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 9: HAVE YOU EVER HAD THE SHINGLES OR ZOSTER VACCINE? (SHINGLE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap			Yes, received tetanus shot but not Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1666	128,900	871	47.9	45.0-50.8	795	52.1	49.2-55.0
Native	54	4,075	32	59.6	43.3-75.9	22	40.4	24.1-56.7
Non-Native	1590	123,299	826	47.5	44.6-50.4	764	52.5	49.6-55.4
45-54	130	19,660	32	27.2	18.2-36.2	98	72.8	63.8-81.8
55-64	501	44,195	210	40.9	35.8-46.0	291	59.1	54.0-64.2
65+	1035	65,045	629	58.8	55.1-62.5	406	41.2	37.5-44.9
Less Than H.S.	68	7,905	27	38.4	24.9-51.9	41	61.6	48.1-75.1
H.S. or G.E.D.	435	32,736	222	46.8	41.1-52.5	213	53.2	47.5-58.9
Some Post-H.S.	550	51,753	292	49.3	44.2-54.4	258	50.7	45.6-55.8
College Graduate	610	36,280	329	49.0	44.3-53.7	281	51.0	46.3-55.7
Less than \$15,000	87	7,282	31	33.6	21.1-46.1	56	66.4	53.9-78.9
\$15,000- 24,999	206	15,406	100	44.8	36.2-53.4	106	55.2	46.6-63.8
\$25,000- 34,999	155	10,695	68	42.0	32.6-51.4	87	58.0	48.6-67.4
\$35,000- 49,999	232	16,307	137	52.4	44.6-60.2	95	47.6	39.8-55.4
\$50,000- 74,999	208	16,173	118	53.6	45.0-62.2	90	46.4	37.8-55.0
\$75,000+	400	35,038	204	44.4	38.5-50.3	196	55.6	49.7-61.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 10: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4007	500,252	1760	33.3	31.3-35.3	2247	66.7	64.7-68.7
Male	1901	251,300	710	28.2	25.7-30.7	1191	71.8	69.3-74.3
Female	2106	248,952	1050	38.5	35.6-41.4	1056	61.5	58.6-64.4
Native	164	20,769	61	27.3	19.1-35.5	103	72.7	64.5-80.9
Non-Native	3783	472,503	1679	33.7	31.7-35.7	2104	66.3	64.3-68.3
18-24	174	63,470	50	29.2	21.6-36.8	124	70.8	63.2-78.4
25-34	320	88,444	64	21.9	16.6-27.2	256	78.1	72.8-83.4
35-44	392	76,285	66	16.2	11.9-20.5	326	83.8	79.5-88.1
45-54	454	70,439	79	19.1	14.8-23.4	375	80.9	76.6-85.2
55-64	870	84,796	221	24.1	20.8-27.4	649	75.9	72.6-79.2
65+	1797	116,818	1280	70.8	68.3-73.3	517	29.2	26.7-31.7
Less Than H.S.	170	37,596	77	28.8	19.6-38.0	93	71.2	62.0-80.4
H.S. or G.E.D.	1038	131,583	483	33.9	30.2-37.6	555	66.1	62.4-69.8
Some Post-H.S.	1309	193,255	577	36.0	32.7-39.3	732	64.0	60.7-67.3
College Graduate	1483	136,841	622	30.5	27.6-33.4	861	69.5	66.6-72.4
Less than \$15,000	183	23,789	85	41.3	30.9-51.7	98	58.7	48.3-69.1
\$15,000- 24,999	391	46,689	222	43.6	36.2-51.0	169	56.4	49.0-63.8
\$25,000- 34,999	324	37,878	169	39.9	32.8-47.0	155	60.1	53.0-67.2
\$35,000- 49,999	494	55,922	252	37.9	32.2-43.6	242	62.1	56.4-67.8
\$50,000- 74,999	581	67,269	234	28.0	23.5-32.5	347	72.0	67.5-76.5
\$75,000+	1323	180,806	436	25.6	22.7-28.5	887	74.4	71.5-77.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

TABLE 11: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1901	251,300	710	28.2	25.7-30.7	1191	71.8	69.3-74.3
Native	71	9,175	19	18.2	8.0-28.4	52	81.8	71.6-92.0
Non-Native	1793	237,552	682	28.6	26.1-31.1	1111	71.4	68.9-73.9
18-24	99	33,611	25	24.1	14.9-33.3	74	75.9	66.7-85.1
25-34	188	45,831	34	21.1	14.2-28.0	154	78.9	72.0-85.8
35-44	212	39,663	25	11.5	6.4-16.6	187	88.5	83.4-93.6
45-54	228	36,606	37	15.9	10.4-21.4	191	84.1	78.6-89.6
55-64	383	41,964	75	20.8	15.7-25.9	308	79.2	74.1-84.3
65+	791	53,624	514	63.5	59.2-67.8	277	36.5	32.2-40.8
Less Than H.S.	93	21,320	37	22.1	12.1-32.1	56	77.9	67.9-87.9
H.S. or G.E.D.	519	68,414	188	26.3	21.8-30.8	331	73.7	69.2-78.2
Some Post-H.S.	631	100,675	233	29.8	25.3-34.3	398	70.2	65.7-74.7
College Graduate	654	60,138	251	30.2	25.9-34.5	403	69.8	65.5-74.1
Less than \$15,000	74	9,165	29	40.2	23.1-57.3	45	59.8	42.7-76.9
\$15,000- 24,999	152	19,018	72	35.3	24.3-46.3	80	64.7	53.7-75.7
\$25,000- 34,999	140	17,736	70	42.8	32.4-53.2	70	57.2	46.8-67.6
\$35,000- 49,999	217	27,115	93	30.0	22.6-37.4	124	70.0	62.6-77.4
\$50,000- 74,999	313	36,766	114	24.2	18.5-29.9	199	75.8	70.1-81.5
\$75,000+	724	101,381	218	22.8	19.3-26.3	506	77.2	73.7-80.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 12: IMMUNIZATION**

**TABLE 12: HAVE YOU EVER HAD A PNEUMONIA SHOT ALSO KNOWN AS A PNEUMOCOCCAL VACCINE? (PNEUVAC4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2106	248,952	1050	38.5	35.6-41.4	1056	61.5	58.6-64.4
Native	93	11,595	42	34.4	22.2-46.6	51	65.6	53.4-77.8
Non-Native	1990	234,951	997	38.8	35.9-41.7	993	61.2	58.3-64.1
18-24	75	29,859	25	34.8	22.8-46.8	50	65.2	53.2-77.2
25-34	132	42,612	30	22.8	14.4-31.2	102	77.2	68.8-85.6
35-44	180	36,622	41	21.3	14.2-28.4	139	78.7	71.6-85.8
45-54	226	33,833	42	22.5	15.6-29.4	184	77.5	70.6-84.4
55-64	487	42,833	146	27.4	22.9-31.9	341	72.6	68.1-77.1
65+	1006	63,193	766	77.0	74.1-79.9	240	23.0	20.1-25.9
Less Than H.S.	77	16,276	40	37.7	21.6-53.8	37	62.3	46.2-78.4
H.S. or G.E.D.	519	63,169	295	42.1	36.2-48.0	224	57.9	52.0-63.8
Some Post-H.S.	678	92,580	344	42.8	37.7-47.9	334	57.2	52.1-62.3
College Graduate	829	76,702	371	30.7	26.8-34.6	458	69.3	65.4-73.2
Less than \$15,000	109	14,624	56	41.9	28.8-55.0	53	58.1	45.0-71.2
\$15,000- 24,999	239	27,672	150	49.3	39.3-59.3	89	50.7	40.7-60.7
\$25,000- 34,999	184	20,142	99	37.3	27.9-46.7	85	62.7	53.3-72.1
\$35,000- 49,999	277	28,807	159	45.3	36.9-53.7	118	54.7	46.3-63.1
\$50,000- 74,999	268	30,503	120	32.5	25.4-39.6	148	67.5	60.4-74.6
\$75,000+	599	79,425	218	29.3	24.6-34.0	381	70.7	66.0-75.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020

SECTION 13: FALLS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	200
2	MALES ONLY	201
3	FEMALES ONLY	202
	HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)	
4	MALES AND FEMALES	203
5	MALES ONLY	204
6	FEMALES ONLY	205

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3224	281,809	396	10.6	9.4-11.8	208	6.2	5.2- 7.2	78	2.0	1.4- 2.6	28	0.7	0.3- 1.1	106	3.7	2.7- 4.7	2408	76.8	75.0-78.6
Male	1449	136,793	152	8.9	7.1-10.7	95	6.3	4.7- 7.9	34	1.8	1.0- 2.6	14	0.7	0.3- 1.1	54	4.5	2.9- 6.1	1100	77.7	75.0-80.4
Female	1775	145,015	244	12.1	10.3-13.9	113	6.1	4.7- 7.5	44	2.2	1.4- 3.0	14	0.6	0.2- 1.0	52	3.0	2.0- 4.0	1308	76.0	73.6-78.4
Native	111	9,116	12	10.8	3.9-17.7	9	11.1	2.7-19.5	5	3.2	0.3- 6.1				7	9.7	1.3-18.1	78	65.3	53.7-76.9
Non-Native	3058	268,049	378	10.6	9.4-11.8	196	5.9	4.9- 6.9	71	2.0	1.4- 2.6	28	0.7	0.3- 1.1	97	3.5	2.5- 4.5	2288	77.3	75.5-79.1
45-54	482	74,568	48	7.8	5.3-10.3	27	6.2	3.5- 8.9	6	1.3	0.1- 2.5	4	0.4	0.0- 0.8	20	3.8	1.6- 6.0	377	80.4	76.3-84.5
55-64	894	87,271	96	8.7	6.7-10.7	66	6.7	4.7- 8.7	24	2.0	1.0- 3.0	6	0.6	0.0- 1.2	31	4.2	2.4- 6.0	671	77.7	74.6-80.8
65+	1848	119,969	252	13.7	11.7-15.7	115	5.8	4.6- 7.0	48	2.4	1.6- 3.2	18	0.9	0.5- 1.3	55	3.3	2.3- 4.3	1360	74.0	71.6-76.4
Less Than H.S.	147	21,170	14	7.5	3.0-12.0	16	10.9	4.8-17.0	6	4.0	0.7- 7.3				6	4.9	0.0- 9.8	105	72.8	64.0-81.6
H.S. or G.E.D.	835	69,815	85	10.3	7.8-12.8	43	4.3	2.7- 5.9	24	2.4	1.2- 3.6	9	1.0	0.2- 1.8	36	5.3	3.1- 7.5	638	76.7	73.2-80.2
Some Post-H.S.	1067	114,842	138	10.1	8.1-12.1	69	6.7	4.7- 8.7	23	1.6	0.8- 2.4	10	0.6	0.0- 1.2	21	2.4	1.0- 3.8	806	78.5	75.6-81.4
College Graduate	1169	75,149	159	12.5	10.1-14.9	80	5.9	4.3- 7.5	25	1.7	0.9- 2.5	9	0.7	0.1- 1.3	42	3.9	2.5- 5.3	854	75.3	72.4-78.2
Less than \$15,000	146	12,251	19	13.2	6.3-20.1	20	14.9	6.9-22.9	7	4.2	0.9- 7.5	2	0.8	0.0- 2.0	16	18.6	8.2-29.0	82	48.2	37.4-59.0
\$15,000- 24,999	335	26,565	41	9.6	6.3-12.9	23	7.4	3.5-11.3	13	2.5	0.9- 4.1	5	1.4	0.0- 3.2	18	7.0	2.9-11.1	235	72.1	65.8-78.4
\$25,000- 34,999	271	21,602	26	9.6	5.3-13.9	22	6.2	3.3- 9.1	7	1.4	0.0- 2.8	2	0.6	0.0- 1.4	13	7.2	2.7-11.7	201	75.0	68.5-81.5
\$35,000- 49,999	404	31,106	58	12.4	8.7-16.1	31	8.8	5.1-12.5	10	2.8	0.8- 4.8	5	1.0	0.0- 2.0	5	0.9	0.0- 1.9	295	74.1	68.8-79.4
\$50,000- 74,999	486	41,745	57	8.9	6.0-11.8	22	3.6	1.8- 5.4	10	2.4	0.4- 4.4	3	0.5	0.0- 1.1	17	3.8	1.6- 6.0	377	80.8	76.5-85.1
\$75,000+	981	98,976	114	9.9	7.7-12.1	57	4.7	3.1- 6.3	18	1.5	0.7- 2.3	6	0.4	0.0- 0.8	22	2.0	1.0- 3.0	764	81.4	78.7-84.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1449	136,793	152	8.9	7.1-10.7	95	6.3	4.7- 7.9	34	1.8	1.0- 2.6	14	0.7	0.3- 1.1	54	4.5	2.9- 6.1	1100	77.7	75.0-80.4
Non-Native	1367	129,110	144	8.8	7.0-10.6	88	6.0	4.4- 7.6	31	1.9	1.1- 2.7	14	0.7	0.3- 1.1	48	4.2	2.6- 5.8	1042	78.4	75.7-81.1
45-54	240	38,712	22	7.4	3.9-10.9	15	6.9	2.8-11.0	4	2.1	0.0- 4.3	3	0.5	0.0- 1.1	11	4.3	1.0- 7.6	185	78.9	72.8-85.0
55-64	393	42,965	35	7.4	4.5-10.3	33	6.7	4.2- 9.2	12	2.1	0.7- 3.5	3	0.3	0.0- 0.7	18	5.7	2.6- 8.8	292	77.8	72.9-82.7
65+	816	55,116	95	11.2	8.7-13.7	47	5.7	3.7- 7.7	18	1.4	0.6- 2.2	8	1.1	0.1- 2.1	25	3.7	1.9- 5.5	623	76.8	73.3-80.3
Less Than H.S.	76	12,451	8	8.4	1.5-15.3	9	10.8	2.4-19.2	1	0.9	0.0- 2.7				3	5.4	0.0-13.0	55	74.4	62.1-86.7
H.S. or G.E.D.	391	35,914	32	9.3	5.6-13.0	19	3.9	1.9- 5.9	18	3.9	1.7- 6.1	5	1.3	0.0- 2.7	20	6.2	3.1- 9.3	297	75.3	70.0-80.6
Some Post-H.S.	474	54,658	46	7.5	5.0-10.0	35	7.5	4.6-10.4	6	1.0	0.0- 2.2	5	0.4	0.0- 0.8	12	3.3	0.9- 5.7	370	80.3	76.0-84.6
College Graduate	504	33,019	66	11.3	8.0-14.6	32	5.6	3.2- 8.0	9	1.3	0.3- 2.3	4	0.7	0.0- 1.5	18	4.2	1.8- 6.6	375	76.8	72.3-81.3
Less than \$15,000	56	4,577	6	14.9	2.2-27.6	7	8.0	1.1-14.9	1	1.2	0.0- 3.7	2	2.2	0.0- 5.3	9	34.7	14.7-54.7	31	39.0	23.1-54.9
\$15,000- 24,999	124	10,139	13	7.8	3.1-12.5	9	11.5	2.5-20.5	8	3.8	1.1- 6.5				7	6.0	0.0-13.1	87	70.8	59.6-82.0
\$25,000- 34,999	110	10,430	7	6.1	0.0-12.2	12	7.6	2.5-12.7	4	1.8	0.0- 4.2	1	0.6	0.0- 1.8	6	8.2	0.8-15.6	80	75.7	65.5-85.9
\$35,000- 49,999	166	14,033	21	10.9	5.4-16.4	18	13.0	5.9-20.1	5	2.7	0.2- 5.2	3	1.5	0.0- 3.3	3	1.2	0.0- 2.8	116	70.7	61.9-79.5
\$50,000- 74,999	259	22,427	24	8.3	4.0-12.6	14	4.1	1.6- 6.6	4	1.6	0.0- 4.1	2	0.7	0.0- 1.7	10	4.8	1.3- 8.3	205	80.5	74.4-86.6
\$75,000+	515	55,316	55	8.2	5.7-10.7	27	4.8	2.4- 7.2	8	1.6	0.2- 3.0	3	0.3	0.0- 0.7	11	2.1	0.5- 3.7	411	82.9	79.0-86.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1775	145,015	244	12.1	10.3-13.9	113	6.1	4.7- 7.5	44	2.2	1.4- 3.0	14	0.6	0.2- 1.0	52	3.0	2.0- 4.0	1308	76.0	73.6-78.4
Native	63	4,820	7	8.4	1.9-14.9	4	11.1	0.0-24.0	4	4.9	0.0- 9.8				3	4.5	0.0-10.2	45	71.1	56.8-85.4
Non-Native	1691	138,940	234	12.2	10.4-14.0	108	5.8	4.4- 7.2	40	2.1	1.3- 2.9	14	0.7	0.3- 1.1	49	3.0	2.0- 4.0	1246	76.2	73.8-78.6
45-54	242	35,856	26	8.3	4.6-12.0	12	5.4	1.9- 8.9	2	0.5	0.0- 1.3	1	0.3	0.0- 0.9	9	3.4	0.9- 5.9	192	82.1	76.6-87.6
55-64	501	44,306	61	10.0	7.3-12.7	33	6.8	4.1- 9.5	12	2.0	0.8- 3.2	3	0.9	0.0- 2.1	13	2.8	1.0- 4.6	379	77.6	73.3-81.9
65+	1032	64,853	157	15.7	13.0-18.4	68	5.9	4.3- 7.5	30	3.2	1.8- 4.6	10	0.7	0.3- 1.1	30	3.0	1.6- 4.4	737	71.5	68.2-74.8
Less Than H.S.	71	8,719	6	6.1	1.0-11.2	7	11.1	2.1-20.1	5	8.3	0.9-15.7				3	4.0	0.0- 8.5	50	70.5	58.2-82.8
H.S. or G.E.D.	444	33,901	53	11.3	8.0-14.6	24	4.7	2.5- 6.9	6	0.9	0.1- 1.7	4	0.6	0.0- 1.2	16	4.3	1.6- 7.0	341	78.2	73.7-82.7
Some Post-H.S.	593	60,184	92	12.6	9.7-15.5	34	6.1	3.6- 8.6	17	2.1	0.9- 3.3	5	0.8	0.0- 1.6	9	1.7	0.5- 2.9	436	76.8	72.7-80.9
College Graduate	665	42,130	93	13.4	10.3-16.5	48	6.2	4.0- 8.4	16	2.0	0.8- 3.2	5	0.7	0.0- 1.5	24	3.6	1.8- 5.4	479	74.1	70.2-78.0
Less than \$15,000	90	7,674	13	12.2	4.4-20.0	13	19.0	7.2-30.8	6	6.0	0.7-11.3				7	9.1	0.1-18.1	51	53.7	40.2-67.2
\$15,000- 24,999	211	16,427	28	10.7	6.2-15.2	14	4.9	1.8- 8.0	5	1.7	0.1- 3.3	5	2.3	0.0- 5.2	11	7.6	2.5-12.7	148	72.8	65.4-80.2
\$25,000- 34,999	161	11,171	19	12.8	6.7-18.9	10	4.9	1.6- 8.2	3	1.1	0.0- 2.3	1	0.5	0.0- 1.5	7	6.2	1.1-11.3	121	74.5	66.5-82.5
\$35,000- 49,999	238	17,073	37	13.6	8.7-18.5	13	5.3	1.6- 9.0	5	2.8	0.1- 5.5	2	0.6	0.0- 1.6	2	0.7	0.0- 1.7	179	76.9	70.6-83.2
\$50,000- 74,999	227	19,317	33	9.5	5.8-13.2	8	3.1	0.6- 5.6	6	3.3	0.4- 6.2	1	0.3	0.0- 0.9	7	2.6	0.4- 4.8	172	81.3	75.6-87.0
\$75,000+	466	43,660	59	12.1	8.6-15.6	30	4.5	2.5- 6.5	10	1.3	0.5- 2.1	3	0.6	0.0- 1.4	11	1.8	0.6- 3.0	353	79.6	75.5-83.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 13: FALLS

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting not having a fall in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	815	65,228	179	22.0	18.3-25.7	36	4.4	2.6- 6.2	13	2.1	0.7- 3.5	3	0.2	0.0- 0.4	13	2.2	0.6- 3.8	571	69.0	64.9-73.1
Male	348	30,409	58	16.8	11.1-22.5	13	3.7	1.0- 6.4	3	1.0	0.0- 2.4	3	0.5	0.0- 1.1	3	1.4	0.0- 3.6	268	76.6	70.3-82.9
Female	467	34,819	121	26.5	21.4-31.6	23	5.0	2.5- 7.5	10	3.1	0.9- 5.3				10	3.0	0.6- 5.4	303	62.5	57.0-68.0
Non-Native	769	60,809	163	21.5	17.6-25.4	35	4.3	2.5- 6.1	13	2.3	0.9- 3.7	3	0.2	0.0- 0.6	9	1.4	0.2- 2.6	546	70.2	65.9-74.5
45-54	105	14,616	19	22.1	11.1-33.1	4	3.6	0.0- 7.9	5	4.2	0.3- 8.1	1	0.4	0.0- 1.2	3	3.9	0.0- 8.8	73	65.9	54.1-77.7
55-64	223	19,437	50	19.3	13.2-25.4	7	4.6	0.7- 8.5	2	0.3	0.0- 0.7				8	4.1	0.4- 7.8	156	71.7	64.4-79.0
65+	487	31,175	110	23.6	19.1-28.1	25	4.6	2.4- 6.8	6	2.3	0.3- 4.3	2	0.3	0.0- 0.7	2	0.3	0.0- 0.7	342	68.9	63.8-74.0
H.S. or G.E.D.	197	16,244	37	17.7	11.6-23.8	8	3.4	0.5- 6.3	3	1.8	0.0- 4.2	1	0.5	0.0- 1.5	6	4.2	0.0- 8.5	142	72.4	64.8-80.0
Some Post-H.S.	260	24,632	67	27.8	20.5-35.1	13	5.2	1.5- 8.9	3	1.9	0.0- 4.1				1	1.3	0.0- 3.8	176	63.8	56.2-71.4
College Graduate	315	18,563	66	17.3	12.6-22.0	12	3.3	1.1- 5.5	6	2.5	0.0- 5.0	1	0.3	0.0- 0.9	5	1.9	0.0- 3.9	225	74.6	68.9-80.3
Less than \$15,000	64	6,345	23	39.5	23.2-55.8	3	3.1	0.0- 7.0	3	4.3	0.0- 9.6				6	9.7	0.0-20.1	29	43.5	27.0-60.0
\$15,000- 24,999	100	7,421	22	24.8	12.3-37.3	7	8.2	0.4-16.0	3	5.2	0.0-11.9				3	3.5	0.0- 7.6	65	58.3	45.0-71.6
\$25,000- 34,999	70	5,390	12	13.8	5.4-22.2	1	0.8	0.0- 2.4	3	6.7	0.0-14.7	1	0.3	0.0- 0.9	1	5.9	0.0-16.9	52	72.5	58.6-86.4
\$35,000- 49,999	109	8,054	23	22.0	12.6-31.4	5	6.2	0.3-12.1				1	0.7	0.0- 2.1				80	71.1	60.7-81.5
\$50,000- 74,999	109	7,998	27	18.9	11.1-26.7	6	7.1	0.0-14.5				1	1.0	0.0- 2.8	2	2.4	0.0- 6.3	73	70.7	60.1-81.3
\$75,000+	216	18,301	43	22.1	14.5-29.7	6	2.3	0.3- 4.3	3	1.8	0.0- 4.0				1	0.4	0.0- 1.2	163	73.4	65.6-81.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Four Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	348	30,409	58	16.8	11.1-22.5	13	3.7	1.0- 6.4	3	1.0	0.0- 2.4	3	0.5	0.0- 1.1	3	1.4	0.0- 3.6	268	76.6	70.3-82.9
Non-Native	324	27,788	52	16.7	10.8-22.6	12	3.2	0.7- 5.7	3	1.1	0.0- 2.5	3	0.5	0.0- 1.1	1	0.1	0.0- 0.3	253	78.3	72.0-84.6
45-54	55	8,180	9	25.0	9.1-40.9	2	4.2	0.0-11.1	1	1.5	0.0- 4.4	1	0.7	0.0- 2.1				42	68.6	52.3-84.9
55-64	101	9,523	12	6.4	1.9-10.9	3	4.1	0.0- 9.6	1	0.3	0.0- 0.9				2	4.1	0.0-10.6	83	85.1	76.1-94.1
65+	192	12,706	37	19.3	12.4-26.2	8	3.1	0.6- 5.6	1	1.3	0.0- 3.8	2	0.7	0.0- 1.9	1	0.3	0.0- 0.9	143	75.3	67.9-82.7
H.S. or G.E.D.	94	8,854	11	11.0	3.6-18.4	1	1.0	0.0- 3.0	2	2.1	0.0- 5.6	1	0.9	0.0- 2.7	1	0.8	0.0- 2.4	78	84.2	75.8-92.6
Some Post-H.S.	103	10,681	19	20.8	9.6-32.0	5	6.6	0.0-13.7							1	3.0	0.0- 8.7	78	69.6	57.1-82.1
College Graduate	129	7,653	23	13.6	7.3-19.9	6	2.8	0.3- 5.3	1	1.6	0.0- 4.7	1	0.7	0.0- 2.1	1	0.5	0.0- 1.5	97	80.8	73.4-88.2
\$35,000- 49,999	50	4,108	6	10.1	0.9-19.3	2	5.0	0.0-11.9				1	1.3	0.0- 3.8				41	83.6	72.2-95.0
\$50,000- 74,999	54	4,378	13	15.7	5.5-25.9	4	10.7	0.0-23.6				1	1.7	0.0- 5.0				36	71.8	56.5-87.1
\$75,000+	103	9,390	17	19.0	7.8-30.2	1	0.7	0.0- 2.1	1	1.3	0.0- 3.8							84	79.0	67.6-90.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 13: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY THAT LIMITED YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY? (FALLINJ4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a fall in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	One Time			Two Times			Three Times			Five+ Times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	467	34,819	121	26.5	21.4-31.6	23	5.0	2.5- 7.5	10	3.1	0.9- 5.3	10	3.0	0.6- 5.4	303	62.5	57.0-68.0
Non-Native	445	33,021	111	25.6	20.5-30.7	23	5.3	2.8- 7.8	10	3.2	0.8- 5.6	8	2.5	0.1- 4.9	293	63.4	57.7-69.1
45-54	50	6,436	10	18.4	4.5-32.3	2	2.8	0.0- 6.9	4	7.6	0.0-15.4	3	8.9	0.0-19.7	31	62.4	45.7-79.1
55-64	122	9,914	38	31.6	21.6-41.6	4	5.1	0.0-10.8	1	0.3	0.0- 0.9	6	4.1	0.6- 7.6	73	58.9	48.5-69.3
65+	295	18,469	73	26.6	20.5-32.7	17	5.7	2.6- 8.8	5	3.0	0.1- 5.9	1	0.3	0.0- 0.9	199	64.4	57.7-71.1
H.S. or G.E.D.	103	7,390	26	25.8	16.2-35.4	7	6.4	0.5-12.3	1	1.5	0.0- 4.4	5	8.2	0.0-17.0	64	58.2	46.6-69.8
Some Post-H.S.	157	13,951	48	33.2	23.8-42.6	8	4.0	0.5- 7.5	3	3.4	0.0- 7.3				98	59.4	49.8-69.0
College Graduate	186	10,909	43	19.8	13.1-26.5	6	3.7	0.6- 6.8	5	3.2	0.0- 6.9	4	2.9	0.0- 6.2	128	70.3	62.3-78.3
\$15,000- 24,999	63	4,463	16	26.8	12.7-40.9	5	12.9	0.6-25.2	2	5.1	0.0-13.7	3	5.8	0.0-12.5	37	49.4	34.1-64.7
\$35,000- 49,999	59	3,946	17	34.3	19.2-49.4	3	7.5	0.0-17.1							39	58.1	42.4-73.8
\$50,000- 74,999	55	3,620	14	22.7	10.5-34.9	2	2.8	0.0- 6.7				2	5.2	0.0-13.4	37	69.3	55.2-83.4
\$75,000+	113	8,911	26	25.3	15.1-35.5	5	4.0	0.3- 7.7	2	2.3	0.0- 5.8	1	0.9	0.0- 2.7	79	67.4	56.6-78.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020

SECTION 14: SEATBELT USE AND DRINKING AND DRIVING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY- (SEATBELT)	
1	MALES AND FEMALES	207
2	MALES ONLY	208
3	FEMALES ONLY	209
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
4	MALES AND FEMALES	210
5	MALES ONLY	211
6	FEMALES ONLY	212

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING
TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Always			Nearly Always			Sometimes			Seldom			Never			6		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4303	556,777	3128	73.5	71.7-75.3	688	15.1	13.7-16.5	269	6.7	5.7- 7.7	97	2.1	1.5- 2.7	112	2.4	1.8- 3.0	9	0.2	0.0- 0.4
Male	2057	280,314	1305	64.8	62.1-67.5	395	18.0	15.8-20.2	190	9.8	8.0-11.6	75	3.1	2.1- 4.1	88	3.9	2.7- 5.1	4	0.3	0.0- 0.7
Female	2246	276,464	1823	82.2	79.8-84.6	293	12.2	10.2-14.2	79	3.6	2.4- 4.8	22	1.0	0.4- 1.6	24	0.8	0.2- 1.4	5	0.1	0.0- 0.3
Native	178	23,075	132	73.9	65.9-81.9	22	12.6	6.9-18.3	16	9.1	3.6-14.6	2	1.0	0.0- 2.4	6	3.3	0.0- 6.6			
Non-Native	4056	525,654	2943	73.3	71.3-75.3	656	15.3	13.7-16.9	250	6.7	5.5- 7.9	94	2.2	1.6- 2.8	104	2.4	1.8- 3.0	9	0.2	0.0- 0.4
18-24	209	76,135	146	73.6	67.3-79.9	36	14.9	10.0-19.8	19	8.1	4.2-12.0	5	2.3	0.1- 4.5	3	1.2	0.0- 2.8			
25-34	381	106,875	255	70.2	64.9-75.5	70	17.4	13.1-21.7	28	6.0	3.5- 8.5	14	2.9	1.1- 4.7	14	3.6	1.6- 5.6			
35-44	453	89,283	324	75.2	70.5-79.9	77	15.0	11.1-18.9	31	6.3	3.4- 9.2	11	1.7	0.5- 2.9	10	1.8	0.4- 3.2			
45-54	490	75,701	349	72.2	67.5-76.9	75	13.3	10.0-16.6	34	7.9	4.8-11.0	15	3.3	1.3- 5.3	14	2.5	0.9- 4.1	3	0.8	0.0- 2.0
55-64	901	87,892	644	72.6	69.1-76.1	163	16.6	13.9-19.3	60	7.0	5.0- 9.0	12	0.8	0.2- 1.4	21	2.8	1.2- 4.4	1	0.1	0.0- 0.3
65+	1869	120,891	1410	76.4	74.0-78.8	267	13.4	11.6-15.2	97	5.9	4.5- 7.3	40	1.8	1.0- 2.6	50	2.1	1.3- 2.9	5	0.5	0.0- 1.1
Less Than H.S.	182	41,105	123	68.9	59.5-78.3	24	14.0	6.7-21.3	22	11.6	5.5-17.7	4	0.6	0.0- 1.2	7	3.2	0.3- 6.1	2	1.8	0.0- 4.3
H.S. or G.E.D.	1110	145,650	744	67.7	64.0-71.4	189	16.3	13.4-19.2	93	8.9	6.5-11.3	30	2.4	1.2- 3.6	52	4.6	2.8- 6.4	2	0.1	0.0- 0.3
Some Post-H.S.	1394	215,885	982	72.0	68.9-75.1	240	16.1	13.6-18.6	98	7.0	5.2- 8.8	39	3.0	1.8- 4.2	31	1.8	1.0- 2.6	4	0.1	0.0- 0.3
College Graduate	1610	153,159	1275	82.2	79.8-84.6	234	13.0	11.0-15.0	56	3.0	2.0- 4.0	23	1.0	0.4- 1.6	21	0.9	0.5- 1.3	1	0.0	0.0- 0.0
Less than \$15,000	204	29,767	137	71.8	63.4-80.2	33	16.7	9.6-23.8	19	7.8	2.9-12.7	6	1.0	0.0- 2.0	7	2.2	0.0- 4.6	2	0.5	0.0- 1.3
\$15,000- 24,999	412	51,343	297	72.6	65.9-79.3	60	14.6	9.3-19.9	30	7.7	3.6-11.8	10	1.2	0.0- 2.4	12	2.3	0.3- 4.3	3	1.6	0.0- 3.6
\$25,000- 34,999	345	41,302	257	73.9	67.0-80.8	44	13.7	7.6-19.8	24	8.6	4.5-12.7	9	2.5	0.5- 4.5	10	1.1	0.3- 1.9	1	0.2	0.0- 0.6
\$35,000- 49,999	515	58,896	353	65.3	59.2-71.4	98	17.3	13.0-21.6	40	11.4	6.9-15.9	12	3.9	1.0- 6.8	11	2.1	0.5- 3.7	1	0.1	0.0- 0.3
\$50,000- 74,999	630	76,061	465	75.6	71.1-80.1	108	17.1	13.0-21.2	33	3.8	2.2- 5.4	10	1.3	0.1- 2.5	14	2.1	0.5- 3.7			
\$75,000+	1430	201,920	1063	76.2	73.5-78.9	233	14.5	12.3-16.7	70	4.8	3.4- 6.2	35	2.2	1.4- 3.0	29	2.2	1.2- 3.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2057	280,314	1305	64.8	62.1-67.5	395	18.0	15.8-20.2	190	9.8	8.0-11.6	75	3.1	2.1- 4.1	88	3.9	2.7- 5.1	4	0.3	0.0- 0.7
Native	75	9,787	49	70.6	58.3-82.9	9	11.8	3.4-20.2	13	14.4	5.2-23.6	1	0.9	0.0- 2.7	3	2.3	0.0- 5.2			
Non-Native	1939	265,153	1226	64.3	61.4-67.2	377	18.2	16.0-20.4	175	9.8	8.0-11.6	73	3.3	2.3- 4.3	84	4.0	2.8- 5.2	4	0.3	0.0- 0.7
18-24	115	39,487	74	69.1	59.9-78.3	21	16.4	9.1-23.7	14	9.7	4.0-15.4	4	3.6	0.0- 7.3	2	1.1	0.0- 2.9			
25-34	229	57,124	136	61.7	54.6-68.8	45	18.5	13.0-24.0	26	10.9	6.2-15.6	10	3.1	0.9- 5.3	12	5.9	2.4- 9.4			
35-44	247	45,569	152	65.3	58.0-72.6	54	20.6	14.5-26.7	23	8.4	4.1-12.7	9	2.6	0.6- 4.6	9	3.1	0.7- 5.5			
45-54	245	39,437	153	62.3	55.0-69.6	39	14.3	9.4-19.2	26	11.8	6.5-17.1	13	5.9	2.4- 9.4	13	4.7	1.8- 7.6	1	1.1	0.0- 3.1
55-64	397	43,305	230	61.5	55.8-67.2	96	21.8	17.1-26.5	41	10.2	6.9-13.5	9	1.2	0.2- 2.2	20	5.0	2.1- 7.9	1	0.2	0.0- 0.6
65+	824	55,392	560	69.1	65.2-73.0	140	15.9	13.0-18.8	60	8.4	5.9-10.9	30	2.9	1.5- 4.3	32	3.0	1.6- 4.4	2	0.7	0.0- 1.9
Less Than H.S.	95	22,244	51	58.7	45.4-72.0	15	15.2	5.8-24.6	19	17.8	7.8-27.8	3	0.8	0.0- 1.8	5	4.2	0.0- 8.7	2	3.3	0.0- 7.8
H.S. or G.E.D.	561	77,167	320	57.0	51.7-62.3	112	20.0	15.7-24.3	63	12.2	8.5-15.9	24	3.9	2.1- 5.7	42	6.9	4.2- 9.6			
Some Post-H.S.	676	111,928	411	64.1	59.6-68.6	141	18.7	15.2-22.2	67	9.7	7.0-12.4	31	4.2	2.2- 6.2	25	3.2	1.4- 5.0	1	0.1	0.0- 0.3
College Graduate	721	68,223	521	76.6	72.9-80.3	126	15.4	12.1-18.7	41	4.9	3.1- 6.7	16	1.3	0.5- 2.1	16	1.6	0.6- 2.6	1	0.1	0.0- 0.3
Less than \$15,000	82	11,910	50	67.3	53.6-81.0	16	22.9	10.2-35.6	10	7.3	2.2-12.4	4	1.1	0.0- 2.3	1	0.7	0.0- 2.1	1	0.7	0.0- 2.1
\$15,000- 24,999	159	20,316	100	59.1	47.3-70.9	25	20.4	10.4-30.4	16	9.4	2.3-16.5	7	2.3	0.0- 5.0	9	5.3	0.6-10.0	2	3.6	0.0- 8.5
\$25,000- 34,999	150	19,460	98	65.7	55.7-75.7	19	12.5	5.2-19.8	21	17.1	8.9-25.3	4	3.1	0.0- 6.6	8	1.6	0.2- 3.0			
\$35,000- 49,999	230	28,945	134	57.6	48.8-66.4	51	16.4	10.7-22.1	27	18.2	10.0-26.4	9	3.9	0.2- 7.6	8	3.6	0.5- 6.7	1	0.2	0.0- 0.6
\$50,000- 74,999	339	40,570	219	67.1	60.4-73.8	70	20.4	14.7-26.1	28	6.3	3.4- 9.2	9	2.3	0.1- 4.5	13	3.9	0.8- 7.0			
\$75,000+	786	114,764	517	68.3	64.4-72.2	156	17.7	14.6-20.8	56	6.9	4.7- 9.1	30	3.3	1.9- 4.7	27	3.7	1.9- 5.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			6		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2246	276,464	1823	82.2	79.8-84.6	293	12.2	10.2-14.2	79	3.6	2.4- 4.8	22	1.0	0.4- 1.6	24	0.8	0.2- 1.4	5	0.1	0.0- 0.3
Native	103	13,288	83	76.3	65.5-87.1	13	13.2	5.4-21.0	3	5.3	0.0-12.0	1	1.1	0.0- 3.3	3	4.1	0.0- 9.4			
Non-Native	2117	260,501	1717	82.4	80.0-84.8	279	12.3	10.3-14.3	75	3.5	2.3- 4.7	21	1.0	0.4- 1.6	20	0.7	0.3- 1.1	5	0.1	0.0- 0.3
18-24	94	36,648	72	78.3	69.5-87.1	15	13.3	6.4-20.2	5	6.3	0.8-11.8	1	0.9	0.0- 2.7	1	1.3	0.0- 3.8			
25-34	152	49,752	119	79.9	72.5-87.3	25	16.1	9.2-23.0	2	0.4	0.0- 1.0	4	2.6	0.0- 5.5	2	1.0	0.0- 2.4			
35-44	206	43,714	172	85.5	79.8-91.2	23	9.3	4.8-13.8	8	4.1	0.6- 7.6	2	0.8	0.0- 1.8	1	0.4	0.0- 1.2			
45-54	245	36,264	196	82.9	77.6-88.2	36	12.2	7.7-16.7	8	3.6	1.1- 6.1	2	0.6	0.0- 1.4	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3
55-64	504	44,587	414	83.4	79.7-87.1	67	11.6	8.5-14.7	19	3.9	1.9- 5.9	3	0.3	0.0- 0.7	1	0.7	0.0- 2.1			
65+	1045	65,499	850	82.7	80.0-85.4	127	11.2	9.0-13.4	37	3.8	2.4- 5.2	10	0.9	0.3- 1.5	18	1.2	0.6- 1.8	3	0.3	0.0- 0.7
Less Than H.S.	87	18,861	72	80.8	68.3-93.3	9	12.6	1.0-24.2	3	4.2	0.0- 9.1	1	0.3	0.0- 0.9	2	2.0	0.0- 5.3			
H.S. or G.E.D.	549	68,483	424	79.7	75.0-84.4	77	12.1	8.4-15.8	30	5.1	2.6- 7.6	6	0.8	0.0- 1.8	10	2.0	0.2- 3.8	2	0.3	0.0- 0.7
Some Post-H.S.	718	103,957	571	80.5	76.4-84.6	99	13.3	9.8-16.8	31	4.2	2.0- 6.4	8	1.6	0.2- 3.0	6	0.3	0.1- 0.5	3	0.2	0.0- 0.4
College Graduate	889	84,936	754	86.7	84.0-89.4	108	11.0	8.5-13.5	15	1.4	0.6- 2.2	7	0.7	0.1- 1.3	5	0.2	0.0- 0.4			
Less than \$15,000	122	17,857	87	74.8	64.0-85.6	17	12.6	4.6-20.6	9	8.2	0.9-15.5	2	0.9	0.0- 2.3	6	3.1	0.0- 6.8	1	0.4	0.0- 1.2
\$15,000- 24,999	253	31,027	197	81.4	74.1-88.7	35	10.8	5.3-16.3	14	6.6	1.5-11.7	3	0.5	0.0- 1.1	3	0.4	0.0- 0.8	1	0.4	0.0- 1.2
\$25,000- 34,999	195	21,841	159	81.1	71.7-90.5	25	14.8	5.6-24.0	3	1.1	0.0- 2.5	5	2.0	0.0- 4.0	2	0.7	0.0- 1.7	1	0.3	0.0- 0.9
\$35,000- 49,999	285	29,950	219	72.8	65.2-80.4	47	18.0	11.7-24.3	13	4.7	1.4- 8.0	3	3.8	0.0- 8.3	3	0.7	0.0- 1.9			
\$50,000- 74,999	291	35,490	246	85.5	79.8-91.2	38	13.3	7.6-19.0	5	1.0	0.2- 1.8	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3			
\$75,000+	644	87,156	546	86.7	83.4-90.0	77	10.3	7.2-13.4	14	2.1	0.7- 3.5	5	0.6	0.0- 1.2	2	0.3	0.0- 0.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	No Times			1-5 Times			6-10 Times			11-30 Times			> 30 Times			6		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2394	327,239	40	1.7	1.1- 2.3	24	0.7	0.3- 1.1	4	0.2	0.0- 0.4	3	0.1	0.0- 0.3	17	0.8	0.4- 1.2	2306	96.5	95.5-97.5
Male	1294	178,977	30	2.4	1.2- 3.6	20	1.2	0.4- 2.0	3	0.3	0.0- 0.7	2	0.1	0.1- 0.1	16	1.5	0.5- 2.5	1223	94.6	93.0-96.2
Female	1100	148,262	10	0.8	0.2- 1.4	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1083	98.8	98.0-99.6
Native	70	11,484	1	1.5	0.0- 4.4	1	0.4	0.0- 1.2							1	1.3	0.0- 3.8	67	96.8	92.9- 100
Non-Native	2296	311,701	39	1.7	0.9- 2.5	23	0.8	0.4- 1.2	4	0.2	0.0- 0.4	3	0.1	0.0- 0.3	16	0.8	0.2- 1.4	2211	96.4	95.4-97.4
18-24	122	42,805	3	2.2	0.0- 4.7										1	0.7	0.0- 2.1	118	97.1	94.2- 100
25-34	264	72,769	6	2.6	0.4- 4.8	2	0.7	0.0- 1.7				1	0.3	0.0- 0.9	2	0.8	0.0- 2.0	253	95.7	93.0-98.4
35-44	306	57,143	8	1.9	0.3- 3.5	6	0.9	0.0- 1.9	1	0.0	0.0- 0.0				1	0.1	0.0- 0.3	290	97.0	95.2-98.8
45-54	319	48,906	5	0.7	0.0- 1.5	4	1.1	0.0- 2.5	2	0.9	0.0- 2.3				7	2.6	0.4- 4.8	301	94.6	91.7-97.5
55-64	513	49,873	11	1.4	0.4- 2.4	6	1.1	0.1- 2.1							2	0.5	0.0- 1.3	494	97.0	95.4-98.6
65+	870	55,745	7	0.8	0.2- 1.4	6	0.6	0.0- 1.2	1	0.2	0.0- 0.6	2	0.2	0.0- 0.6	4	0.5	0.0- 1.1	850	97.8	96.6-99.0
Less Than H.S.	64	13,955	1	0.4	0.0- 1.2	1	0.6	0.0- 1.8							1	1.0	0.0- 3.0	61	98.0	95.5- 100
H.S. or G.E.D.	533	77,663	15	3.3	1.3- 5.3	6	0.7	0.0- 1.5	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	3	0.4	0.0- 1.0	507	95.4	93.2-97.6
Some Post-H.S.	789	132,821	12	1.3	0.3- 2.3	7	0.8	0.0- 1.6	2	0.3	0.0- 0.9	1	0.1	0.0- 0.3	7	1.2	0.2- 2.2	760	96.3	94.7-97.9
College Graduate	1006	102,162	12	1.1	0.3- 1.9	10	0.7	0.3- 1.1	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	6	0.7	0.0- 1.5	976	97.4	96.2-98.6
Less than \$15,000	67	11,152	4	6.0	0.0-12.5	1	0.5	0.0- 1.5							1	0.2	0.0- 0.6	61	93.2	86.7-99.7
\$15,000- 24,999	161	22,819	4	1.4	0.0- 3.0	1	0.2	0.0- 0.6							2	0.7	0.0- 1.9	154	97.7	95.5-99.9
\$25,000- 34,999	161	21,316	6	5.5	0.0-11.0	3	1.0	0.0- 2.2	1	0.1	0.0- 0.3				1	0.8	0.0- 2.4	150	92.7	86.8-98.6
\$35,000- 49,999	282	36,203	2	0.5	0.0- 1.1				2	1.2	0.0- 3.0				5	1.3	0.1- 2.5	273	97.1	94.7-99.5
\$50,000- 74,999	406	48,530	7	1.2	0.0- 2.4	4	1.0	0.0- 2.4				2	0.6	0.0- 1.4				393	97.2	95.2-99.2
\$75,000+	982	141,334	15	1.5	0.5- 2.5	12	0.9	0.3- 1.5	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	7	1.3	0.3- 2.3	946	96.2	94.6-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

**TABLE 5: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	No Times			1-5 Times			6-10 Times			11-30 Times			> 30 Times			6		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1294	178,977	30	2.4	1.2- 3.6	20	1.2	0.4- 2.0	3	0.3	0.0- 0.7	2	0.1	0.1- 0.1	16	1.5	0.5- 2.5	1223	94.6	93.0-96.2
Non-Native	1242	171,012	30	2.5	1.3- 3.7	19	1.2	0.4- 2.0	3	0.3	0.0- 0.7	2	0.1	0.0- 0.3	15	1.5	0.5- 2.5	1173	94.5	92.9-96.1
18-24	68	23,323	1	1.5	0.0- 4.4										1	1.3	0.0- 3.8	66	97.2	93.3- 100
25-34	177	44,331	5	3.9	0.6- 7.2	2	1.1	0.0- 2.9							2	1.3	0.0- 3.3	168	93.7	89.4-98.0
35-44	174	29,041	8	3.8	0.9- 6.7	6	1.8	0.0- 3.8	1	0.1	0.0- 0.3				1	0.2	0.0- 0.6	158	94.1	90.6-97.6
45-54	159	25,223	4	1.0	0.0- 2.0	4	2.2	0.0- 4.9	2	1.8	0.0- 4.5				6	4.9	0.8- 9.0	143	90.2	84.7-95.7
55-64	243	25,677	6	1.7	0.1- 3.3	3	1.2	0.0- 2.6							2	1.0	0.0- 2.4	232	96.0	93.5-98.5
65+	473	31,381	6	1.1	0.1- 2.1	5	0.8	0.0- 1.6				2	0.4	0.0- 1.0	4	0.8	0.0- 2.0	456	96.9	95.1-98.7
H.S. or G.E.D.	316	45,452	11	4.0	1.1- 6.9	5	1.1	0.0- 2.3				1	0.2	0.0- 0.6	3	0.7	0.0- 1.7	296	94.1	90.8-97.4
Some Post-H.S.	427	75,636	9	1.8	0.2- 3.4	6	1.3	0.0- 2.7	2	0.6	0.0- 1.6				6	2.0	0.2- 3.8	404	94.3	91.6-97.0
College Graduate	510	49,739	9	2.0	0.4- 3.6	8	1.2	0.2- 2.2	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	6	1.5	0.1- 2.9	485	95.2	92.8-97.6
\$15,000- 24,999	77	9,099	4	3.4	0.0- 7.3	1	0.6	0.0- 1.8							2	1.9	0.0- 5.0	70	94.1	88.8-99.4
\$25,000- 34,999	79	10,887	1	4.2	0.0-12.2	1	0.9	0.0- 2.7	1	0.2	0.0- 0.6				1	1.6	0.0- 4.7	75	93.1	84.5- 100
\$35,000- 49,999	144	19,928	1	0.4	0.0- 1.2				1	1.6	0.0- 4.7				4	2.0	0.0- 4.2	138	96.0	92.1-99.9
\$50,000- 74,999	230	26,446	5	1.9	0.0- 4.1	3	1.7	0.0- 4.2				1	0.3	0.0- 0.9				221	96.1	92.8-99.4
\$75,000+	573	83,268	15	2.5	0.9- 4.1	11	1.4	0.2- 2.6	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0	7	2.2	0.4- 4.0	538	93.7	91.2-96.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 14: SEATBELT USE AND DRINKING AND DRIVING**

TABLE 6: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	No Times			1-5 Times			6-10 Times			11-30 Times			> 30 Times			6		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1100	148,262	10	0.8	0.2- 1.4	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1083	98.8	98.0-99.6
Non-Native	1054	140,689	9	0.7	0.1- 1.3	4	0.2	0.0- 0.4	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1038	98.8	98.0-99.6
18-24	54	19,481	2	2.9	0.0- 7.2													52	97.1	92.8- 100
25-34	87	28,438	1	0.6	0.0- 1.8							1	0.7	0.0- 2.1				85	98.7	96.9- 100
35-44	132	28,102																132	100.0	100.0- 100
45-54	160	23,683	1	0.5	0.0- 1.5										1	0.3	0.0- 0.9	158	99.2	98.0- 100
55-64	270	24,195	5	1.0	0.0- 2.2	3	0.9	0.0- 2.1										262	98.0	96.4-99.6
65+	397	24,363	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	1	0.4	0.0- 1.2							394	98.9	97.7- 100
H.S. or G.E.D.	217	32,211	4	2.3	0.0- 5.0	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9							211	97.3	94.6- 100
Some Post-H.S.	362	57,185	3	0.5	0.0- 1.3	1	0.2	0.0- 0.6				1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	356	98.8	97.6- 100
College Graduate	496	52,424	3	0.3	0.0- 0.7	2	0.3	0.0- 0.7										491	99.5	98.9- 100
\$15,000- 24,999	84	13,720																84	100.0	100.0- 100
\$25,000- 34,999	82	10,429	5	6.8	0.0-14.6	2	1.1	0.0- 2.7										75	92.1	84.1- 100
\$35,000- 49,999	138	16,275	1	0.6	0.0- 1.8				1	0.6	0.0- 1.8				1	0.4	0.0- 1.2	135	98.5	96.7- 100
\$50,000- 74,999	176	22,084	2	0.5	0.0- 1.3	1	0.3	0.0- 0.9				1	0.8	0.0- 2.4				172	98.4	96.4- 100
\$75,000+	409	58,066				1	0.2	0.0- 0.6										408	99.8	99.4- 100

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020

SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)	
1 FEMALES ONLY	214
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)	
2 FEMALES ONLY	215
HAVE YOU EVER HAD A PAP TEST? (HADPAP2)	
3 FEMALES ONLY	216
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)	
4 FEMALES ONLY	217
AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)	
5 FEMALES ONLY	218
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)	
6 FEMALES ONLY	219
HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)	
7 FEMALES ONLY	220

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING
TABLE 1: HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2234	274,278	1833	61.5	58.4-64.6	401	38.5	35.4-41.6
Native	100	12,776	77	63.6	50.3-76.9	23	36.4	23.1-49.7
Non-Native	2108	258,827	1737	61.5	58.2-64.8	371	38.5	35.2-41.8
18-24	93	36,477	6	4.3	0.6- 8.0	87	95.7	92.0-99.4
25-34	151	49,575	23	14.0	7.5-20.5	128	86.0	79.5-92.5
35-44	203	42,468	108	53.5	45.3-61.7	95	46.5	38.3-54.7
45-54	243	36,041	224	92.1	88.0-96.2	19	7.9	3.8-12.0
55-64	502	44,506	480	94.6	91.9-97.3	22	5.4	2.7- 8.1
65+	1042	65,211	992	95.6	94.2-97.0	50	4.4	3.0- 5.8
Less Than H.S.	86	18,690	68	51.6	35.1-68.1	18	48.4	31.9-64.9
H.S. or G.E.D.	542	67,389	440	56.1	49.6-62.6	102	43.9	37.4-50.4
Some Post-H.S.	716	103,123	604	67.2	61.7-72.7	112	32.8	27.3-38.3
College Graduate	887	84,849	720	61.2	56.5-65.9	167	38.8	34.1-43.5
Less than \$15,000	122	17,857	89	47.5	34.8-60.2	33	52.5	39.8-65.2
\$15,000- 24,999	250	30,788	206	58.2	47.8-68.6	44	41.8	31.4-52.2
\$25,000- 34,999	195	21,841	164	62.0	50.4-73.6	31	38.0	26.4-49.6
\$35,000- 49,999	282	28,982	244	65.3	55.9-74.7	38	34.7	25.3-44.1
\$50,000- 74,999	291	35,490	237	64.1	55.5-72.7	54	35.9	27.3-44.5
\$75,000+	643	87,104	519	63.8	58.3-69.3	124	36.2	30.7-41.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1800	165,842	1095	61.0	57.9-64.1	330	18.7	16.3-21.1	106	5.9	4.3- 7.5	82	5.2	3.6- 6.8	187	9.2	7.4-11.0
Native	75	7,898	45	62.7	46.0-79.4	9	13.8	0.0-28.9	5	4.5	0.2- 8.8	9	10.8	1.4-20.2	7	8.2	1.3-15.1
Non-Native	1707	156,408	1038	60.8	57.7-63.9	319	19.0	16.6-21.4	99	5.9	4.3- 7.5	72	4.9	3.1- 6.7	179	9.3	7.5-11.1
35-44	107	22,341	65	58.3	46.9-69.7	21	21.0	11.8-30.2	4	6.0	0.0-12.3	7	6.0	1.1-10.9	10	8.6	2.3-14.9
45-54	223	33,044	157	72.4	65.7-79.1	35	13.2	8.5-17.9	11	5.3	1.6- 9.0	9	3.5	0.8- 6.2	11	5.7	2.0- 9.4
55-64	476	41,690	303	60.7	55.4-66.0	87	19.7	15.4-24.0	29	6.2	3.7- 8.7	17	4.3	1.9- 6.7	40	9.0	5.7-12.3
65+	965	60,251	558	58.0	54.3-61.7	178	18.8	15.9-21.7	61	6.5	4.5- 8.5	45	4.7	3.1- 6.3	123	12.1	9.7-14.5
Less Than H.S.	63	8,695	22	37.7	19.9-55.5	8	15.0	0.5-29.5	8	9.7	2.4-17.0	12	24.2	5.0-43.4	13	13.5	5.3-21.7
H.S. or G.E.D.	430	36,821	239	53.5	47.4-59.6	83	20.7	15.6-25.8	28	6.5	3.6- 9.4	20	7.3	3.6-11.0	60	12.0	8.3-15.7
Some Post-H.S.	594	68,577	352	62.2	57.1-67.3	122	18.6	14.7-22.5	32	6.1	3.4- 8.8	24	3.1	1.5- 4.7	64	9.9	6.8-13.0
College Graduate	712	51,603	482	68.7	64.4-73.0	117	18.0	14.1-21.9	38	4.4	2.6- 6.2	26	3.4	1.8- 5.0	49	5.3	3.5- 7.1
Less than \$15,000	85	7,858	36	39.7	26.4-53.0	16	21.7	10.3-33.1	5	8.3	0.0-17.9	10	11.2	2.0-20.4	18	19.1	9.5-28.7
\$15,000- 24,999	204	17,803	107	50.9	41.1-60.7	38	19.6	11.2-28.0	16	11.6	4.3-18.9	9	4.7	1.2- 8.2	34	13.2	7.5-18.9
\$25,000- 34,999	161	13,348	82	52.5	42.1-62.9	35	21.5	13.3-29.7	17	10.4	3.7-17.1	6	2.5	0.1- 4.9	21	13.1	5.7-20.5
\$35,000- 49,999	239	18,367	150	58.4	50.4-66.4	47	23.9	16.5-31.3	11	3.3	1.1- 5.5	13	6.7	2.6-10.8	18	7.7	3.8-11.6
\$50,000- 74,999	235	22,635	156	71.4	64.0-78.8	35	14.4	8.3-20.5	14	3.4	1.2- 5.6	9	4.3	1.0- 7.6	21	6.6	3.1-10.1
\$75,000+	518	55,439	360	67.8	62.7-72.9	89	18.5	14.2-22.8	21	4.2	1.8- 6.6	20	4.3	1.9- 6.7	28	5.2	2.8- 7.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING
TABLE 3: HAVE YOU EVER HAD A PAP TEST? (HADPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2213	272,038	2068	88.3	85.9-90.7	145	11.7	9.3-14.1
Native	100	12,645	89	81.3	70.5-92.1	11	18.7	7.9-29.5
Non-Native	2091	256,917	1961	88.7	86.2-91.2	130	11.3	8.8-13.8
18-24	91	35,694	39	40.1	29.1-51.1	52	59.9	48.9-70.9
25-34	152	49,752	147	96.1	92.6-99.6	5	3.9	0.4- 7.4
35-44	203	42,468	195	95.0	90.9-99.1	8	5.0	0.9- 9.1
45-54	241	35,740	236	97.7	95.0- 100	5	2.3	0.0- 5.0
55-64	501	44,407	487	96.6	94.4-98.8	14	3.4	1.2- 5.6
65+	1025	63,978	964	93.6	91.6-95.6	61	6.4	4.4- 8.4
Less Than H.S.	81	17,913	69	79.1	64.0-94.2	12	20.9	5.8-36.0
H.S. or G.E.D.	537	66,590	478	80.7	75.4-86.0	59	19.3	14.0-24.6
Some Post-H.S.	713	103,017	661	87.8	83.7-91.9	52	12.2	8.1-16.3
College Graduate	880	84,325	859	96.9	95.1-98.7	21	3.1	1.3- 4.9
Less than \$15,000	120	17,476	100	68.5	54.6-82.4	20	31.5	17.6-45.4
\$15,000- 24,999	249	30,663	222	84.4	76.6-92.2	27	15.6	7.8-23.4
\$25,000- 34,999	192	21,701	181	90.3	83.6-97.0	11	9.7	3.0-16.4
\$35,000- 49,999	280	28,678	267	90.0	83.5-96.5	13	10.0	3.5-16.5
\$50,000- 74,999	291	35,490	277	92.6	87.3-97.9	14	7.4	2.1-12.7
\$75,000+	640	86,467	624	96.5	94.3-98.7	16	3.5	1.3- 5.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2002	235,963	461	30.8	27.9-33.7	339	19.9	17.4-22.4	251	13.7	11.3-16.1	224	10.8	8.8-12.8	727	24.8	22.6-27.0
Native	86	10,037	34	44.9	29.6-60.2	13	18.0	4.9-31.1	15	21.8	9.5-34.1	9	5.9	1.2-10.6	15	9.4	3.9-14.9
Non-Native	1899	224,130	424	30.1	27.0-33.2	323	20.1	17.4-22.8	231	13.3	10.9-15.7	215	11.1	8.9-13.3	706	25.5	23.1-27.9
25-34	147	47,823	65	38.9	29.7-48.1	36	26.3	18.1-34.5	22	16.5	9.4-23.6	19	14.0	7.1-20.9	5	4.3	0.4- 8.2
35-44	195	40,328	71	34.4	26.6-42.2	56	31.2	23.2-39.2	30	15.4	9.1-21.7	23	9.7	5.2-14.2	15	9.3	4.2-14.4
45-54	233	34,703	100	44.2	36.8-51.6	52	19.6	13.9-25.3	34	15.3	9.6-21.0	14	5.4	2.1- 8.7	33	15.4	9.9-20.9
55-64	478	42,047	120	23.8	19.3-28.3	91	17.5	13.6-21.4	70	13.7	10.2-17.2	42	9.5	6.2-12.8	155	35.5	30.2-40.8
65+	910	56,750	76	8.2	6.0-10.4	98	10.3	7.9-12.7	92	10.5	8.1-12.9	125	14.0	11.3-16.7	519	57.1	53.2-61.0
Less Than H.S.	65	13,672	7	20.1	3.0-37.2	7	15.6	0.1-31.1	6	8.9	0.5-17.3	7	19.2	2.0-36.4	38	36.2	20.5-51.9
H.S. or G.E.D.	457	52,601	95	31.5	24.6-38.4	60	18.1	12.2-24.0	48	10.5	6.6-14.4	48	9.0	5.3-12.7	206	30.9	25.4-36.4
Some Post-H.S.	641	88,816	146	30.5	25.4-35.6	93	16.9	12.8-21.0	78	15.8	11.3-20.3	79	10.3	7.2-13.4	245	26.5	22.6-30.4
College Graduate	838	80,826	213	32.7	28.4-37.0	179	25.1	21.0-29.2	119	14.3	11.2-17.4	90	11.0	8.1-13.9	237	16.9	14.2-19.6
Less than \$15,000	95	11,636	25	33.2	19.7-46.7	13	11.9	3.3-20.5	6	11.3	0.0-23.3	12	16.8	6.2-27.4	39	26.9	15.7-38.1
\$15,000- 24,999	214	25,494	39	31.8	20.8-42.8	21	12.0	5.1-18.9	20	15.1	6.5-23.7	22	7.5	3.4-11.6	112	33.5	24.9-42.1
\$25,000- 34,999	174	19,126	26	19.9	10.5-29.3	22	21.5	9.7-33.3	19	9.6	4.1-15.1	23	14.2	6.0-22.4	84	34.7	24.9-44.5
\$35,000- 49,999	258	25,292	55	34.0	24.8-43.2	44	14.9	9.2-20.6	34	11.3	6.2-16.4	33	9.3	5.4-13.2	92	30.5	22.9-38.1
\$50,000- 74,999	272	32,598	78	41.7	33.1-50.3	45	19.3	12.0-26.6	34	10.9	6.2-15.6	23	5.9	2.8- 9.0	92	22.2	16.5-27.9
\$75,000+	615	82,663	172	31.1	26.2-36.0	132	25.1	20.4-29.8	98	17.7	13.6-21.8	68	10.3	7.0-13.6	145	15.8	12.7-18.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 5: AN H.P.V. TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN H.P.V. TEST? (HPVTEST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1617	211,045	551	45.3	41.8-48.8	1066	54.7	51.2-58.2
Native	75	10,773	37	51.1	35.8-66.4	38	48.9	33.6-64.2
Non-Native	1519	197,815	508	44.7	41.0-48.4	1011	55.3	51.6-59.0
18-24	77	31,499	16	20.5	10.3-30.7	61	79.5	69.3-89.7
25-34	122	41,410	90	76.3	68.1-84.5	32	23.7	15.5-31.9
35-44	155	33,716	109	69.5	60.7-78.3	46	30.5	21.7-39.3
45-54	177	26,046	108	64.5	56.3-72.7	69	35.5	27.3-43.7
55-64	364	32,724	121	30.6	25.1-36.1	243	69.4	63.9-74.9
65+	722	45,649	107	15.9	12.6-19.2	615	84.1	80.8-87.4
Less Than H.S.	69	16,328	17	45.5	27.1-63.9	52	54.5	36.1-72.9
H.S. or G.E.D.	386	52,379	91	34.2	26.9-41.5	295	65.8	58.5-73.1
Some Post-H.S.	512	78,543	177	45.1	39.0-51.2	335	54.9	48.8-61.0
College Graduate	647	63,569	266	54.7	49.6-59.8	381	45.3	40.2-50.4
Less than \$15,000	93	14,838	31	35.9	22.4-49.4	62	64.1	50.6-77.6
\$15,000- 24,999	193	25,815	52	45.8	34.4-57.2	141	54.2	42.8-65.6
\$25,000- 34,999	136	16,105	36	37.8	24.1-51.5	100	62.2	48.5-75.9
\$35,000- 49,999	209	23,437	70	39.7	29.9-49.5	139	60.3	50.5-70.1
\$50,000- 74,999	212	26,779	78	47.6	37.8-57.4	134	52.4	42.6-62.2
\$75,000+	473	65,909	220	58.1	52.4-63.8	253	41.9	36.2-47.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST H.P.V. TEST? (HPLSTTST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	503	89,397	156	35.8	29.9-41.7	93	17.3	13.0-21.6	50	11.6	7.3-15.9	67	13.8	9.3-18.3	137	21.4	16.9-25.9
Non-Native	461	82,787	140	35.0	28.9-41.1	85	16.7	12.4-21.0	47	12.3	7.8-16.8	62	14.4	9.5-19.3	127	21.5	16.8-26.2
25-34	81	29,295	33	37.7	25.2-50.2	13	16.2	7.4-25.0	7	11.0	2.2-19.8	14	18.9	8.5-29.3	14	16.3	6.7-25.9
35-44	106	23,051	36	32.4	22.2-42.6	29	24.4	15.0-33.8	13	17.0	7.2-26.8	7	6.8	1.3-12.3	21	19.4	11.2-27.6
45-54	99	15,301	39	39.7	28.5-50.9	18	13.5	6.4-20.6	11	11.2	3.8-18.6	9	9.9	2.6-17.2	22	25.7	15.3-36.1
55-64	105	8,618	27	24.8	15.2-34.4	20	21.3	10.9-31.7	11	11.3	3.5-19.1	21	20.6	11.2-30.0	26	21.9	12.9-30.9
65+	96	6,667	9	10.0	2.7-17.3	11	9.9	3.6-16.2	8	8.1	2.0-14.2	15	15.2	6.6-23.8	53	56.8	44.8-68.8
H.S. or G.E.D.	82	16,945	26	36.4	22.5-50.3	12	17.9	6.7-29.1	8	9.8	1.8-17.8	13	15.0	5.0-25.0	23	20.9	9.9-31.9
Some Post-H.S.	168	34,271	47	33.9	24.3-43.5	24	12.4	5.9-18.9	23	20.6	11.4-29.8	24	11.6	5.3-17.9	50	21.5	14.4-28.6
College Graduate	237	31,197	80	39.4	31.4-47.4	54	24.3	17.4-31.2	18	4.8	2.1- 7.5	26	12.0	6.1-17.9	59	19.5	13.8-25.2
\$35,000- 49,999	60	8,466	17	42.6	24.8-60.4	9	15.5	3.3-27.7	6	5.6	0.3-10.9	15	18.8	7.0-30.6	13	17.6	3.9-31.3
\$50,000- 74,999	73	12,170	24	38.3	22.4-54.2	16	20.5	9.3-31.7	7	14.4	1.7-27.1	6	5.1	0.0-10.2	20	21.8	9.5-34.1
\$75,000+	202	35,696	61	32.6	24.6-40.6	45	21.5	14.1-28.9	22	12.4	6.1-18.7	23	14.6	7.7-21.5	51	18.9	13.0-24.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 15: BREAST/CERVICAL CANCER SCREENING
TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2197	266,438	668	21.4	19.4-23.4	1529	78.6	76.6-80.6
Native	96	11,982	23	16.6	5.8-27.4	73	83.4	72.6-94.2
Non-Native	2075	251,782	641	21.7	19.5-23.9	1434	78.3	76.1-80.5
18-24	87	34,052	1	1.4	0.0- 4.1	86	98.6	95.9- 100
25-34	141	46,151	3	1.1	0.0- 2.3	138	98.9	97.7- 100
35-44	197	41,898	22	13.6	7.1-20.1	175	86.4	79.9-92.9
45-54	240	35,697	60	24.4	18.1-30.7	180	75.6	69.3-81.9
55-64	500	44,291	166	34.6	29.5-39.7	334	65.4	60.3-70.5
65+	1032	64,349	416	40.8	37.3-44.3	616	59.2	55.7-62.7
Less Than H.S.	78	16,772	31	24.9	13.1-36.7	47	75.1	63.3-86.9
H.S. or G.E.D.	534	64,904	181	21.7	17.6-25.8	353	78.3	74.2-82.4
Some Post-H.S.	711	102,340	232	23.8	20.1-27.5	479	76.2	72.5-79.9
College Graduate	871	82,195	224	17.5	14.8-20.2	647	82.5	79.8-85.2
Less than \$15,000	118	16,230	32	19.0	10.6-27.4	86	81.0	72.6-89.4
\$15,000- 24,999	248	30,180	99	25.0	17.9-32.1	149	75.0	67.9-82.1
\$25,000- 34,999	193	21,393	71	23.6	16.5-30.7	122	76.4	69.3-83.5
\$35,000- 49,999	279	28,589	84	23.5	17.2-29.8	195	76.5	70.2-82.8
\$50,000- 74,999	288	34,554	80	20.9	14.8-27.0	208	79.1	73.0-85.2
\$75,000+	633	85,207	173	19.5	16.0-23.0	460	80.5	77.0-84.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
1	222
2	223
3	224
4	225
5	226
6	227

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PROSTATE-SPECIFIC ANTIGEN OR P.S.A. TEST?
(PCPSAAD3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1508	150,736	693	38.2	35.1-41.3	815	61.8	58.7-64.9
Native	53	5,268	19	30.6	15.3-45.9	34	69.4	54.1-84.7
Non-Native	1423	142,453	665	38.8	35.7-41.9	758	61.2	58.1-64.3
35-44	103	17,177	8	9.9	2.1-17.7	95	90.1	82.3-97.9
45-54	238	38,536	59	23.4	17.1-29.7	179	76.6	70.3-82.9
55-64	383	41,767	172	41.4	35.5-47.3	211	58.6	52.7-64.5
65+	784	53,256	454	55.4	51.1-59.7	330	44.6	40.3-48.9
Less Than H.S.	75	12,738	24	22.0	11.6-32.4	51	78.0	67.6-88.4
H.S. or G.E.D.	408	38,544	173	36.1	30.6-41.6	235	63.9	58.4-69.4
Some Post-H.S.	494	60,652	222	38.2	33.1-43.3	272	61.8	56.7-66.9
College Graduate	527	38,050	272	44.8	39.5-50.1	255	55.2	49.9-60.5
Less than \$15,000	58	4,628	25	49.6	31.6-67.6	33	50.4	32.4-68.4
\$15,000- 24,999	123	10,319	57	41.5	29.9-53.1	66	58.5	46.9-70.1
\$25,000- 34,999	107	10,621	44	34.0	23.4-44.6	63	66.0	55.4-76.6
\$35,000- 49,999	171	14,658	80	39.6	30.2-49.0	91	60.4	51.0-69.8
\$50,000- 74,999	263	24,293	127	40.9	33.3-48.5	136	59.1	51.5-66.7
\$75,000+	570	65,814	268	38.7	33.8-43.6	302	61.3	56.4-66.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1480	147,973	303	16.5	14.3-18.7	1177	83.5	81.3-85.7
Native	51	5,010	7	9.4	0.8-18.0	44	90.6	82.0-99.2
Non-Native	1397	139,949	292	16.9	14.5-19.3	1105	83.1	80.7-85.5
35-44	100	16,522	1	2.9	0.0- 8.4	99	97.1	91.6- 100
45-54	237	38,362	24	9.5	5.2-13.8	213	90.5	86.2-94.8
55-64	377	41,005	71	16.7	12.4-21.0	306	83.3	79.0-87.6
65+	766	52,085	207	25.7	22.0-29.4	559	74.3	70.6-78.0
Less Than H.S.	74	12,665	14	15.6	6.2-25.0	60	84.4	75.0-93.8
H.S. or G.E.D.	397	37,600	70	14.1	10.2-18.0	327	85.9	82.0-89.8
Some Post-H.S.	490	60,213	82	14.3	10.6-18.0	408	85.7	82.0-89.4
College Graduate	515	36,744	137	23.2	18.9-27.5	378	76.8	72.5-81.1
Less than \$15,000	55	4,339	9	17.0	4.3-29.7	46	83.0	70.3-95.7
\$15,000- 24,999	120	10,192	30	23.0	13.6-32.4	90	77.0	67.6-86.4
\$25,000- 34,999	105	10,207	19	15.3	7.5-23.1	86	84.7	76.9-92.5
\$35,000- 49,999	170	14,718	33	14.1	8.4-19.8	137	85.9	80.2-91.6
\$50,000- 74,999	256	23,716	53	17.5	11.4-23.6	203	82.5	76.4-88.6
\$75,000+	563	64,702	124	16.9	13.4-20.4	439	83.1	79.6-86.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A P.S.A. TEST? (PCPSARE1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1479	147,457	666	36.1	33.2-39.0	813	63.9	61.0-66.8
Native	50	4,807	17	27.5	13.0-42.0	33	72.5	58.0-87.0
Non-Native	1400	139,771	644	36.9	33.8-40.0	756	63.1	60.0-66.2
35-44	100	16,619	6	9.2	1.2-17.2	94	90.8	82.8-98.8
45-54	236	38,064	54	21.3	15.2-27.4	182	78.7	72.6-84.8
55-64	377	40,899	161	36.8	31.1-42.5	216	63.2	57.5-68.9
65+	766	51,875	445	55.2	50.7-59.7	321	44.8	40.3-49.3
Less Than H.S.	73	12,882	20	14.0	6.9-21.1	53	86.0	78.9-93.1
H.S. or G.E.D.	395	37,256	163	33.5	28.2-38.8	232	66.5	61.2-71.8
Some Post-H.S.	485	59,217	219	37.7	32.6-42.8	266	62.3	57.2-67.4
College Graduate	522	37,351	262	43.1	37.8-48.4	260	56.9	51.6-62.2
Less than \$15,000	56	4,374	16	30.6	13.7-47.5	40	69.4	52.5-86.3
\$15,000- 24,999	119	10,096	52	38.0	26.6-49.4	67	62.0	50.6-73.4
\$25,000- 34,999	104	10,441	44	34.5	23.7-45.3	60	65.5	54.7-76.3
\$35,000- 49,999	169	14,505	76	35.8	26.8-44.8	93	64.2	55.2-73.2
\$50,000- 74,999	258	23,582	118	36.1	28.8-43.4	140	63.9	56.6-71.2
\$75,000+	559	64,124	261	37.7	33.0-42.4	298	62.3	57.6-67.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 4: HAVE YOU EVER HAD A P.S.A. TEST? (PSATEST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	664	53,019	619	91.7	88.6-94.8	45	8.3	5.2-11.4
Non-Native	642	51,305	601	92.0	88.9-95.1	41	8.0	4.9-11.1
45-54	54	8,116	42	84.8	75.6-94.0	12	15.2	6.0-24.4
55-64	161	15,052	148	92.5	87.6-97.4	13	7.5	2.6-12.4
65+	443	28,330	427	97.0	95.4-98.6	16	3.0	1.4- 4.6
H.S. or G.E.D.	163	12,482	152	96.4	94.0-98.8	11	3.6	1.2- 6.0
Some Post-H.S.	217	22,016	198	88.1	81.6-94.6	19	11.9	5.4-18.4
College Graduate	262	16,092	248	92.2	87.9-96.5	14	7.8	3.5-12.1
\$15,000- 24,999	52	3,835	46	87.1	75.5-98.7	6	12.9	1.3-24.5
\$35,000- 49,999	76	5,191	68	87.9	79.1-96.7	8	12.1	3.3-20.9
\$50,000- 74,999	118	8,520	113	91.4	80.8- 100	5	8.6	0.0-19.2
\$75,000+	261	24,143	245	91.7	86.8-96.6	16	8.3	3.4-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST P.S.A. TEST? (PSATIME)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	726	57,088	435	60.6	56.1-65.1	96	13.4	10.3-16.5	51	7.1	4.7- 9.5	50	5.6	3.8- 7.4	94	13.4	10.3-16.5
Non-Native	700	55,366	421	60.9	56.4-65.4	90	12.9	9.8-16.0	49	6.9	4.7- 9.1	50	5.7	3.7- 7.7	90	13.6	10.3-16.9
55-64	182	17,453	106	59.4	51.0-67.8	32	14.7	9.2-20.2	16	9.2	4.1-14.3	10	4.8	1.5- 8.1	18	11.9	5.6-18.2
65+	496	32,087	303	61.4	56.3-66.5	54	11.9	8.4-15.4	31	6.3	3.8- 8.8	38	6.3	4.1- 8.5	70	14.0	10.3-17.7
H.S. or G.E.D.	180	14,585	110	64.2	56.2-72.2	22	10.6	5.9-15.3	10	7.2	2.5-11.9	10	3.5	1.0- 6.0	28	14.5	8.6-20.4
Some Post-H.S.	229	22,500	127	55.6	47.8-63.4	33	16.4	10.5-22.3	23	8.3	4.2-12.4	16	5.7	2.8- 8.6	30	14.0	8.1-19.9
College Graduate	292	16,895	180	61.6	54.5-68.7	38	12.8	8.3-17.3	17	6.1	2.6- 9.6	23	6.9	3.8-10.0	34	12.6	7.3-17.9
\$15,000- 24,999	55	3,997	28	47.8	31.3-64.3	5	17.0	1.7-32.3	5	10.7	0.0-22.3	5	9.1	0.7-17.5	12	15.6	5.0-26.2
\$25,000- 34,999	51	4,465	30	61.3	45.6-77.0	5	12.3	1.5-23.1	5	6.1	0.4-11.8	1	1.4	0.0- 4.1	10	18.9	6.0-31.8
\$35,000- 49,999	79	5,071	42	51.8	38.1-65.5	11	18.9	7.5-30.3	5	4.6	0.3- 8.9	8	5.1	1.2- 9.0	13	19.6	8.0-31.2
\$50,000- 74,999	136	9,595	77	55.6	45.4-65.8	14	9.0	3.9-14.1	10	8.4	2.5-14.3	12	7.2	2.9-11.5	23	19.8	11.0-28.6
\$75,000+	284	25,393	183	65.5	58.6-72.4	37	11.9	7.4-16.4	25	8.9	5.0-12.8	17	5.0	2.1- 7.9	22	8.6	4.1-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS P.S.A. TEST – WAS IT ...? (PCPSARS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 40 years old.
Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	742	58,266	536	74.3	70.6-78.0	51	6.9	4.5- 9.3	44	5.6	3.6- 7.6	58	7.5	5.1- 9.9	53	5.6	3.8- 7.4
Non-Native	716	56,544	518	74.4	70.5-78.3	48	6.9	4.5- 9.3	42	5.6	3.4- 7.8	55	7.3	4.9- 9.7	53	5.8	4.0- 7.6
55-64	186	17,888	143	77.6	70.7-84.5	6	4.0	0.7- 7.3	15	6.8	2.9-10.7	11	6.6	2.1-11.1	11	5.0	1.9- 8.1
65+	508	32,830	358	71.9	67.2-76.6	42	8.5	5.6-11.4	21	3.6	1.8- 5.4	45	8.8	5.9-11.7	42	7.2	4.7- 9.7
H.S. or G.E.D.	184	14,868	124	69.9	62.3-77.5	14	7.7	3.6-11.8	7	2.5	0.3- 4.7	20	9.1	4.2-14.0	19	10.7	5.6-15.8
Some Post-H.S.	233	22,988	171	74.6	67.9-81.3	18	8.1	3.8-12.4	15	7.6	3.3-11.9	14	5.9	2.6- 9.2	15	3.8	1.8- 5.8
College Graduate	299	17,262	221	76.3	70.4-82.2	16	4.3	1.6- 7.0	21	5.6	3.1- 8.1	23	9.4	4.9-13.9	18	4.4	2.0- 6.8
\$15,000- 24,999	56	4,133	33	57.5	41.4-73.6	6	10.8	1.2-20.4	6	12.6	1.6-23.6	8	13.5	3.5-23.5	3	5.7	0.0-13.5
\$25,000- 34,999	55	4,643	37	69.2	55.3-83.1	6	11.3	1.5-21.1	1	1.0	0.0- 3.0	6	9.7	1.5-17.9	5	8.7	0.9-16.5
\$35,000- 49,999	81	5,171	52	62.8	49.7-75.9	6	7.0	0.5-13.5	7	9.2	1.4-17.0	5	8.0	0.0-16.4	11	13.0	4.4-21.6
\$50,000- 74,999	136	9,645	99	76.6	68.8-84.4	7	4.2	0.5- 7.9	11	8.6	2.9-14.3	9	5.7	1.8- 9.6	10	4.9	1.8- 8.0
\$75,000+	290	25,862	213	77.2	71.5-82.9	19	5.8	2.9- 8.7	18	5.3	2.0- 8.6	21	7.2	3.5-10.9	19	4.4	2.2- 6.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)	
1	MALES AND FEMALES	230
2	MALES ONLY	231
3	FEMALES ONLY	232
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)	
4	MALES AND FEMALES	233
5	MALES ONLY	234
6	FEMALES ONLY	235
	A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)	
7	MALES AND FEMALES	236
8	MALES ONLY	237
9	FEMALES ONLY	238
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)	
10	MALES AND FEMALES	239
11	MALES ONLY	240
12	FEMALES ONLY	241
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)	
13	MALES AND FEMALES	242
14	MALES ONLY	243
15	FEMALES ONLY	244
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)	
16	MALES AND FEMALES	245
17	MALES ONLY	246
18	FEMALES ONLY	247
	ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)	
19	MALES AND FEMALES	248
20	MALES ONLY	249
21	FEMALES ONLY	250
	HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
22 MALES AND FEMALES	251
23 MALES ONLY	252
24 FEMALES ONLY	253
FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)	
25 MALES AND FEMALES	254
26 MALES ONLY	255
27 FEMALES ONLY	256
HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)	
28 MALES AND FEMALES	257
29 MALES ONLY	258
30 FEMALES ONLY	259

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2964	242,314	2221	73.0	70.8-75.2	743	27.0	24.8-29.2
Male	1319	116,067	977	72.0	68.7-75.3	342	28.0	24.7-31.3
Female	1645	126,247	1244	73.8	71.1-76.5	401	26.2	23.5-28.9
Native	96	7,851	59	58.6	45.9-71.3	37	41.4	28.7-54.1
Non-Native	2822	231,158	2134	73.6	71.4-75.8	688	26.4	24.2-28.6
45-54	236	36,498	124	55.2	47.8-62.6	112	44.8	37.4-52.2
55-64	894	87,398	637	70.6	66.9-74.3	257	29.4	25.7-33.1
65+	1834	118,418	1460	80.2	78.0-82.4	374	19.8	17.6-22.0
Less Than H.S.	138	18,788	98	66.9	56.1-77.7	40	33.1	22.3-43.9
H.S. or G.E.D.	790	62,694	567	70.6	66.7-74.5	223	29.4	25.5-33.3
Some Post-H.S.	980	97,271	719	71.7	68.2-75.2	261	28.3	24.8-31.8
College Graduate	1050	62,617	832	78.7	75.6-81.8	218	21.3	18.2-24.4
Less than \$15,000	145	12,108	82	58.3	47.7-68.9	63	41.7	31.1-52.3
\$15,000- 24,999	329	25,011	233	67.1	60.4-73.8	96	32.9	26.2-39.6
\$25,000- 34,999	253	19,356	186	73.5	66.4-80.6	67	26.5	19.4-33.6
\$35,000- 49,999	391	29,430	288	70.3	63.8-76.8	103	29.7	23.2-36.2
\$50,000- 74,999	445	35,356	356	77.8	72.5-83.1	89	22.2	16.9-27.5
\$75,000+	843	78,299	666	76.0	72.3-79.7	177	24.0	20.3-27.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1319	116,067	977	72.0	68.7-75.3	342	28.0	24.7-31.3
Non-Native	1251	110,141	939	72.9	69.6-76.2	312	27.1	23.8-30.4
45-54	113	18,312	50	47.6	36.4-58.8	63	52.4	41.2-63.6
55-64	393	43,009	263	69.3	63.8-74.8	130	30.7	25.2-36.2
65+	813	54,746	664	82.4	79.3-85.5	149	17.6	14.5-20.7
Less Than H.S.	73	11,251	54	72.0	57.5-86.5	19	28.0	13.5-42.5
H.S. or G.E.D.	360	30,678	253	70.8	64.9-76.7	107	29.2	23.3-35.1
Some Post-H.S.	431	46,017	308	68.6	63.1-74.1	123	31.4	25.9-36.9
College Graduate	452	27,403	359	78.6	73.9-83.3	93	21.4	16.7-26.1
Less than \$15,000	56	4,567	32	65.3	50.0-80.6	24	34.7	19.4-50.0
\$15,000- 24,999	124	9,738	83	60.1	48.5-71.7	41	39.9	28.3-51.5
\$25,000- 34,999	99	8,753	71	75.6	64.8-86.4	28	24.4	13.6-35.2
\$35,000- 49,999	160	13,258	110	64.3	53.1-75.5	50	35.7	24.5-46.9
\$50,000- 74,999	236	19,224	194	80.2	73.3-87.1	42	19.8	12.9-26.7
\$75,000+	447	43,919	341	72.3	66.8-77.8	106	27.7	22.2-33.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A COLONOSCOPY CHECKS THE ENTIRE COLON. YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. HAVE YOU EVER HAD A COLONOSCOPY? (COLNSCPY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1645	126,247	1244	73.8	71.1-76.5	401	26.2	23.5-28.9
Native	54	4,006	36	59.6	42.7-76.5	18	40.4	23.5-57.3
Non-Native	1571	121,018	1195	74.3	71.6-77.0	376	25.7	23.0-28.4
45-54	123	18,186	74	63.0	53.4-72.6	49	37.0	27.4-46.6
55-64	501	44,389	374	71.9	66.8-77.0	127	28.1	23.0-33.2
65+	1021	63,672	796	78.2	75.1-81.3	225	21.8	18.7-24.9
Less Than H.S.	65	7,537	44	59.3	44.2-74.4	21	40.7	25.6-55.8
H.S. or G.E.D.	430	32,016	314	70.5	65.0-76.0	116	29.5	24.0-35.0
Some Post-H.S.	549	51,253	411	74.6	70.1-79.1	138	25.4	20.9-29.9
College Graduate	598	35,214	473	78.7	74.8-82.6	125	21.3	17.4-25.2
Less than \$15,000	89	7,541	50	54.1	40.4-67.8	39	45.9	32.2-59.6
\$15,000- 24,999	205	15,274	150	71.5	63.5-79.5	55	28.5	20.5-36.5
\$25,000- 34,999	154	10,603	115	71.7	62.3-81.1	39	28.3	18.9-37.7
\$35,000- 49,999	231	16,172	178	75.2	68.1-82.3	53	24.8	17.7-31.9
\$50,000- 74,999	209	16,132	162	74.9	67.1-82.7	47	25.1	17.3-32.9
\$75,000+	396	34,380	325	80.8	75.9-85.7	71	19.2	14.3-24.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2181	174,301	389	19.0	16.8-21.2	372	18.5	16.3-20.7	793	36.9	34.4-39.4	423	17.1	15.1-19.1	204	8.4	7.0- 9.8
Male	961	82,538	183	19.0	15.9-22.1	167	19.0	15.7-22.3	355	37.6	33.7-41.5	173	16.8	13.9-19.7	83	7.5	5.3- 9.7
Female	1220	91,763	206	19.0	16.1-21.9	205	18.0	15.3-20.7	438	36.4	33.1-39.7	250	17.4	15.0-19.8	121	9.2	7.2-11.2
Native	58	4,550	17	34.1	18.0-50.2	8	13.1	2.3-23.9	19	26.7	13.8-39.6	11	22.2	8.3-36.1	3	3.9	0.0- 8.6
Non-Native	2095	167,680	367	18.6	16.4-20.8	361	18.8	16.6-21.0	760	36.9	34.4-39.4	412	17.2	15.2-19.2	195	8.5	7.1- 9.9
45-54	124	20,161	39	29.3	20.3-38.3	21	15.3	8.0-22.6	42	39.0	28.8-49.2	8	7.0	1.3-12.7	14	9.4	4.1-14.7
55-64	632	61,337	101	16.5	13.2-19.8	120	20.5	16.4-24.6	240	36.1	31.8-40.4	127	19.6	15.9-23.3	44	7.4	4.9- 9.9
65+	1425	92,804	249	18.4	15.9-20.9	231	17.9	15.5-20.3	511	37.1	34.0-40.2	288	17.7	15.5-19.9	146	8.9	7.1-10.7
Less Than H.S.	94	12,251	15	18.1	8.1-28.1	14	22.1	9.2-35.0	29	27.8	17.4-38.2	22	20.1	10.3-29.9	14	11.9	4.6-19.2
H.S. or G.E.D.	548	43,290	99	19.6	15.5-23.7	103	20.4	16.3-24.5	177	32.8	28.1-37.5	108	16.3	12.8-19.8	61	10.9	7.8-14.0
Some Post-H.S.	706	68,783	125	18.7	15.2-22.2	130	18.1	14.8-21.4	274	39.7	35.4-44.0	134	17.5	14.2-20.8	43	6.0	3.8- 8.2
College Graduate	828	49,066	149	19.4	16.1-22.7	125	16.8	13.7-19.9	312	38.5	34.4-42.6	159	16.9	14.0-19.8	83	8.3	6.1-10.5
Less than \$15,000	79	6,914	12	14.9	5.3-24.5	12	17.9	6.9-28.9	18	26.5	12.2-40.8	19	23.5	9.8-37.2	18	17.1	7.7-26.5
\$15,000- 24,999	225	16,164	36	19.7	12.3-27.1	30	14.0	8.1-19.9	71	32.8	25.0-40.6	55	18.7	13.0-24.4	33	14.7	8.0-21.4
\$25,000- 34,999	184	14,054	30	16.7	10.0-23.4	36	19.9	12.5-27.3	75	42.1	33.5-50.7	26	14.4	8.3-20.5	17	6.9	3.4-10.4
\$35,000- 49,999	282	20,377	56	23.0	16.7-29.3	49	20.8	14.9-26.7	109	36.6	29.7-43.5	54	15.0	10.5-19.5	14	4.6	1.7- 7.5
\$50,000- 74,999	352	27,297	52	15.3	10.8-19.8	52	14.7	10.2-19.2	144	40.3	34.0-46.6	71	22.0	16.3-27.7	33	7.7	4.6-10.8
\$75,000+	664	59,311	133	19.2	15.7-22.7	122	19.8	16.1-23.5	238	38.6	33.9-43.3	122	16.0	12.9-19.1	49	6.5	4.3- 8.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	961	82,538	183	19.0	15.9-22.1	167	19.0	15.7-22.3	355	37.6	33.7-41.5	173	16.8	13.9-19.7	83	7.5	5.3-9.7
Non-Native	924	79,237	173	18.7	15.6-21.8	161	19.2	15.7-22.7	342	37.8	33.9-41.7	167	16.7	13.8-19.6	81	7.7	5.5-9.9
45-54	50	8,711	16	25.4	12.5-38.3	5	9.0	0.0-18.0	18	44.9	28.4-61.4	3	8.2	0.0-19.0	8	12.4	3.6-21.2
55-64	260	29,565	43	15.8	10.9-20.7	58	24.4	17.3-31.5	88	32.8	26.1-39.5	58	21.7	15.6-27.8	13	5.3	2.0-8.6
65+	651	44,263	124	19.9	16.0-23.8	104	17.4	13.9-20.9	249	39.4	34.7-44.1	112	15.3	12.2-18.4	62	8.1	5.6-10.6
Less Than H.S.	50	7,780	11	21.3	7.4-35.2	8	25.2	6.8-43.6	15	26.5	12.6-40.4	12	19.8	6.3-33.3	4	7.3	0.0-16.3
H.S. or G.E.D.	246	21,334	52	20.8	14.7-26.9	43	19.3	13.2-25.4	88	34.6	27.5-41.7	42	14.9	9.8-20.0	21	10.4	5.3-15.5
Some Post-H.S.	304	31,291	59	18.7	13.6-23.8	65	20.1	14.8-25.4	109	38.1	31.4-44.8	57	17.9	12.6-23.2	14	5.2	2.3-8.1
College Graduate	358	21,415	60	17.4	12.5-22.3	51	15.6	10.7-20.5	142	42.3	35.8-48.8	62	16.7	12.0-21.4	43	8.0	5.3-10.7
\$15,000- 24,999	81	5,725	17	25.7	11.8-39.6	12	15.5	5.5-25.5	20	20.9	10.1-31.7	19	23.4	11.6-35.2	13	14.4	2.4-26.4
\$25,000- 34,999	70	6,540	13	17.0	6.8-27.2	16	24.8	11.5-38.1	31	45.8	31.7-59.9	6	8.6	1.0-16.2	4	3.9	0.0-8.2
\$35,000- 49,999	109	8,376	20	22.2	12.2-32.2	19	19.8	10.2-29.4	48	43.9	32.1-55.7	17	9.7	4.0-15.4	5	4.4	0.1-8.7
\$50,000- 74,999	191	15,276	31	17.4	10.7-24.1	25	13.1	7.0-19.2	80	38.5	29.9-47.1	38	24.2	16.0-32.4	17	6.7	2.8-10.6
\$75,000+	340	31,623	68	16.7	12.4-21.0	65	20.0	14.9-25.1	122	41.1	34.4-47.8	62	16.6	11.9-21.3	23	5.6	2.9-8.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (COLNTEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1220	91,763	206	19.0	16.3-21.7	205	18.0	15.3-20.7	438	36.4	33.1-39.7	250	17.4	15.0-19.8	121	9.2	7.2-11.2
Non-Native	1171	88,443	194	18.6	15.7-21.5	200	18.5	15.8-21.2	418	36.1	32.8-39.4	245	17.7	15.2-20.2	114	9.2	7.2-11.2
45-54	74	11,450	23	32.3	20.0-44.6	16	20.1	9.5-30.7	24	34.5	21.8-47.2	5	6.0	0.1-11.9	6	7.0	0.5-13.5
55-64	372	31,772	58	17.2	12.5-21.9	62	16.8	12.3-21.3	152	39.2	33.5-44.9	69	17.6	13.1-22.1	31	9.3	5.8-12.8
65+	774	48,541	125	17.1	14.0-20.2	127	18.4	15.1-21.7	262	35.0	30.9-39.1	176	19.9	16.8-23.0	84	9.7	7.3-12.1
H.S. or G.E.D.	302	21,956	47	18.5	13.0-24.0	60	21.6	16.1-27.1	89	30.9	24.6-37.2	66	17.6	12.9-22.3	40	11.4	7.5-15.3
Some Post-H.S.	402	37,492	66	18.8	13.9-23.7	65	16.4	12.1-20.7	165	41.0	35.1-46.9	77	17.1	13.0-21.2	29	6.7	3.6-9.8
College Graduate	470	27,650	89	20.9	16.2-25.6	74	17.7	13.4-22.0	170	35.6	30.5-40.7	97	17.1	13.4-20.8	40	8.6	5.5-11.7
\$15,000- 24,999	144	10,439	19	16.4	8.0-24.8	18	13.2	6.1-20.3	51	39.4	29.2-49.6	36	16.2	10.3-22.1	20	14.8	6.8-22.8
\$25,000- 34,999	114	7,513	17	16.5	8.1-24.9	20	15.6	8.7-22.5	44	38.9	28.3-49.5	20	19.5	10.7-28.3	13	9.5	4.0-15.0
\$35,000- 49,999	173	12,001	36	23.5	15.7-31.3	30	21.5	14.1-28.9	61	31.4	23.6-39.2	37	18.8	12.1-25.5	9	4.8	0.9-8.7
\$50,000- 74,999	161	12,021	21	12.6	6.7-18.5	27	16.6	9.5-23.7	64	42.6	33.2-52.0	33	19.2	11.6-26.8	16	9.0	3.5-14.5
\$75,000+	324	27,688	65	22.0	16.1-27.9	57	19.5	14.0-25.0	116	35.6	29.3-41.9	60	15.2	10.9-19.5	26	7.6	4.3-10.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 7: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2827	230,991	421	12.8	11.4-14.2	2406	87.2	85.8-88.6
Male	1255	109,713	192	12.4	10.2-14.6	1063	87.6	85.4-89.8
Female	1572	121,278	229	13.2	11.2-15.2	1343	86.8	84.8-88.8
Native	94	7,701	6	4.8	0.7- 8.9	88	95.2	91.1-99.3
Non-Native	2691	220,248	410	13.1	11.5-14.7	2281	86.9	85.3-88.5
45-54	232	35,227	9	4.9	1.6- 8.2	223	95.1	91.8-98.4
55-64	870	84,345	53	5.9	4.1- 7.7	817	94.1	92.3-95.9
65+	1725	111,419	359	20.7	18.3-23.1	1366	79.3	76.9-81.7
Less Than H.S.	125	16,113	20	14.8	8.1-21.5	105	85.2	78.5-91.9
H.S. or G.E.D.	749	59,885	97	12.0	9.3-14.7	652	88.0	85.3-90.7
Some Post-H.S.	930	93,201	125	12.4	10.0-14.8	805	87.6	85.2-90.0
College Graduate	1017	60,849	179	14.1	11.7-16.5	838	85.9	83.5-88.3
Less than \$15,000	136	11,415	16	10.4	4.3-16.5	120	89.6	83.5-95.7
\$15,000- 24,999	304	23,543	45	12.6	8.3-16.9	259	87.4	83.1-91.7
\$25,000- 34,999	240	18,344	45	18.9	13.0-24.8	195	81.1	75.2-87.0
\$35,000- 49,999	376	27,685	72	19.0	14.1-23.9	304	81.0	76.1-85.9
\$50,000- 74,999	427	34,314	60	10.6	7.5-13.7	367	89.4	86.3-92.5
\$75,000+	826	76,531	104	9.2	7.0-11.4	722	90.8	88.6-93.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 8: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1255	109,713	192	12.4	10.2-14.6	1063	87.6	85.4-89.8
Non-Native	1189	103,969	190	12.9	10.7-15.1	999	87.1	84.9-89.3
45-54	110	17,428	5	4.3	0.0- 8.6	105	95.7	91.4- 100
55-64	381	41,192	21	5.6	2.9- 8.3	360	94.4	91.7-97.1
65+	764	51,093	166	20.7	17.4-24.0	598	79.3	76.0-82.6
Less Than H.S.	66	9,049	14	16.0	7.0-25.0	52	84.0	75.0-93.0
H.S. or G.E.D.	344	29,286	43	12.0	7.9-16.1	301	88.0	83.9-92.1
Some Post-H.S.	405	44,099	44	9.7	6.4-13.0	361	90.3	87.0-93.6
College Graduate	437	26,562	91	16.6	12.9-20.3	346	83.4	79.7-87.1
Less than \$15,000	54	4,409	6	8.5	1.1-15.9	48	91.5	84.1-98.9
\$15,000- 24,999	116	9,081	15	10.9	4.2-17.6	101	89.1	82.4-95.8
\$25,000- 34,999	90	7,901	16	18.0	9.0-27.0	74	82.0	73.0-91.0
\$35,000- 49,999	153	11,991	29	17.1	9.7-24.5	124	82.9	75.5-90.3
\$50,000- 74,999	225	18,673	26	6.9	4.0- 9.8	199	93.1	90.2-96.0
\$75,000+	438	43,091	69	11.2	8.1-14.3	369	88.8	85.7-91.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 9: A SIGMOIDOSCOPY CHECKS PART OF THE COLON AND YOU ARE FULLY AWAKE. HAVE YOU EVER HAD A SIGMOIDOSCOPY? (SIGMSCPY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1572	121,278	229	13.2	11.2-15.2	1343	86.8	84.8-88.8
Native	52	3,856	6	9.7	1.5-17.9	46	90.3	82.1-98.5
Non-Native	1502	116,279	220	13.3	11.3-15.3	1282	86.7	84.7-88.7
45-54	122	17,799	4	5.4	0.1-10.7	118	94.6	89.3-99.9
55-64	489	43,153	32	6.1	3.7- 8.5	457	93.9	91.5-96.3
65+	961	60,326	193	20.6	17.5-23.7	768	79.4	76.3-82.5
Less Than H.S.	59	7,064	6	13.1	2.7-23.5	53	86.9	76.5-97.3
H.S. or G.E.D.	405	30,599	54	12.1	8.4-15.8	351	87.9	84.2-91.6
Some Post-H.S.	525	49,102	81	14.8	11.3-18.3	444	85.2	81.7-88.7
College Graduate	580	34,287	88	12.1	9.4-14.8	492	87.9	85.2-90.6
Less than \$15,000	82	7,006	10	11.7	3.1-20.3	72	88.3	79.7-96.9
\$15,000- 24,999	188	14,462	30	13.6	7.9-19.3	158	86.4	80.7-92.1
\$25,000- 34,999	150	10,443	29	19.5	12.1-26.9	121	80.5	73.1-87.9
\$35,000- 49,999	223	15,694	43	20.4	13.7-27.1	180	79.6	72.9-86.3
\$50,000- 74,999	202	15,641	34	14.9	9.0-20.8	168	85.1	79.2-91.0
\$75,000+	388	33,441	35	6.7	4.2- 9.2	353	93.3	90.8-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	393	27,771	23	6.8	3.7- 9.9	31	8.8	5.1-12.5	51	12.4	8.5-16.3	53	13.1	9.2-17.0	235	58.8	52.7-64.9
Male	180	12,786	13	7.8	2.9-12.7	14	8.5	3.0-14.0	30	15.9	9.6-22.2	24	13.7	7.6-19.8	99	54.1	45.1-63.1
Female	213	14,985	10	6.0	1.9-10.1	17	9.1	4.2-14.0	21	9.4	4.5-14.3	29	12.6	7.3-17.9	136	62.9	54.9-70.9
Non-Native	382	27,038	22	6.8	3.7- 9.9	31	9.1	5.4-12.8	48	12.3	8.4-16.2	53	13.5	9.4-17.6	228	58.4	52.3-64.5
55-64	52	4,794	1	2.4	0.0- 7.1	9	22.3	7.6-37.0	8	14.1	2.9-25.3	5	12.8	1.6-24.0	29	48.4	32.1-64.7
65+	333	21,337	21	7.4	3.9-10.9	22	6.5	3.4- 9.6	43	12.9	8.6-17.2	48	14.2	9.7-18.7	199	59.0	52.5-65.5
H.S. or G.E.D.	88	6,685	5	8.1	0.7-15.5	12	11.6	4.7-18.5	15	15.7	6.7-24.7	15	17.8	7.6-28.0	41	46.7	34.0-59.4
Some Post-H.S.	118	11,009	7	4.8	1.1- 8.5	12	12.3	4.7-19.9	16	11.8	5.1-18.5	12	7.5	2.8-12.2	71	63.7	53.5-73.9
College Graduate	171	8,201	6	3.0	0.0- 6.1	7	4.0	0.0- 8.5	19	11.5	6.2-16.8	21	13.8	7.5-20.1	118	67.7	59.3-76.1
\$35,000- 49,999	69	5,053	5	7.5	0.0-15.9	7	8.1	1.6-14.6	9	12.4	2.8-22.0	13	19.1	7.5-30.7	35	52.9	38.0-67.8
\$50,000- 74,999	56	3,375	1	0.7	0.0- 2.1	8	14.7	3.5-25.9	6	8.8	1.5-16.1	4	9.4	0.2-18.6	37	66.4	51.7-81.1
\$75,000+	101	6,866	2	2.4	0.0- 5.9	6	9.7	1.7-17.7	13	10.4	4.5-16.3	11	11.8	3.8-19.8	69	65.6	54.2-77.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	180	12,786	13	7.8	2.9-12.7	14	8.5	2.8-14.2	30	15.9	9.6-22.2	24	13.7	7.6-19.8	99	54.1	44.9-63.3
Non-Native	178	12,620	13	7.9	3.0-12.8	14	8.6	2.9-14.3	29	15.8	9.5-22.1	24	13.9	7.6-20.2	98	53.8	44.6-63.0
65+	155	9,803	13	10.1	4.0-16.2	9	4.5	1.2- 7.8	28	19.5	11.9-27.1	20	12.5	6.4-18.6	85	53.4	43.8-63.0
College Graduate	87	4,210	3	1.3	0.0- 2.9	4	5.8	0.0-14.2	12	13.8	6.0-21.6	11	14.8	5.4-24.2	57	64.4	52.1-76.7
\$75,000+	67	4,719	1	1.1	0.0- 3.3	4	8.2	0.0-17.0	9	9.7	3.2-16.2	9	15.4	4.0-26.8	44	65.6	51.7-79.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SIGMTEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	213	14,985	10	6.0	1.9-10.1	17	9.1	4.2-14.0	21	9.4	4.5-14.3	29	12.6	7.3-17.9	136	62.9	54.9-70.9
Non-Native	204	14,418	9	5.9	1.6-10.2	17	9.5	4.4-14.6	19	9.1	4.0-14.2	29	13.1	7.6-18.6	130	62.4	54.0-70.8
65+	178	11,535	8	5.1	1.2- 9.0	13	8.1	3.0-13.2	15	7.4	2.7-12.1	28	15.7	9.2-22.2	114	63.8	55.2-72.4
Some Post-H.S.	76	6,849	5	6.0	0.3-11.7	9	14.1	4.5-23.7	9	12.0	2.8-21.2	7	6.0	0.7-11.3	46	62.0	49.1-74.9
College Graduate	84	3,991	3	4.9	0.0-11.0	3	2.0	0.0- 4.4	7	9.2	1.9-16.5	10	12.8	4.2-21.4	61	71.1	59.5-82.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 13: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	413	29,157	199	43.0	37.3-48.7	214	57.0	51.3-62.7
Male	186	13,251	89	42.2	33.6-50.8	97	57.8	49.2-66.4
Female	227	15,906	110	43.7	35.9-51.5	117	56.3	48.5-64.1
Non-Native	403	28,459	197	43.7	37.8-49.6	206	56.3	50.4-62.2
55-64	53	4,946	17	31.7	17.0-46.4	36	68.3	53.6-83.0
65+	351	22,499	180	47.6	41.3-53.9	171	52.4	46.1-58.7
H.S. or G.E.D.	95	7,131	44	39.7	28.3-51.1	51	60.3	48.9-71.7
Some Post-H.S.	123	11,293	55	40.7	30.5-50.9	68	59.3	49.1-69.5
College Graduate	175	8,353	91	48.1	39.5-56.7	84	51.9	43.3-60.5
\$35,000- 49,999	70	5,159	33	35.9	22.6-49.2	37	64.1	50.8-77.4
\$50,000- 74,999	58	3,550	28	43.2	27.7-58.7	30	56.8	41.3-72.3
\$75,000+	102	6,829	48	44.9	33.3-56.5	54	55.1	43.5-66.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 14: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	186	13,251	89	42.2	33.8-50.6	97	57.8	49.4-66.2
Non-Native	185	13,119	89	42.6	34.0-51.2	96	57.4	48.8-66.0
65+	160	10,196	79	43.0	34.2-51.8	81	57.0	48.2-65.8
College Graduate	89	4,344	50	51.3	39.0-63.6	39	48.7	36.4-61.0
\$75,000+	67	4,596	31	45.4	30.9-59.9	36	54.6	40.1-69.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 15: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOL1)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	227	15,906	110	43.7	35.9-51.5	117	56.3	48.5-64.1
Non-Native	218	15,339	108	44.5	36.5-52.5	110	55.5	47.5-63.5
65+	191	12,303	101	51.3	42.7-59.9	90	48.7	40.1-57.3
H.S. or G.E.D.	54	3,704	29	43.1	27.8-58.4	25	56.9	41.6-72.2
Some Post-H.S.	81	7,265	37	43.5	30.8-56.2	44	56.5	43.8-69.2
College Graduate	86	4,009	41	44.7	32.7-56.7	45	55.3	43.3-67.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 16: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	940	71,016	222	25.5	21.8-29.2	128	12.9	10.2-15.6	90	9.2	6.8-11.6	108	12.0	9.5-14.5	392	40.5	36.4-44.6
Male	373	31,759	79	25.7	19.2-32.2	49	13.4	8.9-17.9	34	7.7	4.4-11.0	48	11.9	8.0-15.8	163	41.4	34.7-48.1
Female	567	39,258	143	25.3	21.0-29.6	79	12.4	9.3-15.5	56	10.4	7.3-13.5	60	12.1	8.6-15.6	229	39.8	34.7-44.9
Non-Native	894	67,635	208	25.7	21.8-29.6	124	13.0	10.3-15.7	83	8.5	6.3-10.7	98	11.3	8.6-14.0	381	41.5	37.4-45.6
55-64	226	20,132	60	28.0	19.8-36.2	39	15.0	9.5-20.5	27	13.1	7.4-18.8	26	11.3	6.4-16.2	74	32.6	24.8-40.4
65+	667	42,721	139	21.8	17.9-25.7	84	11.7	8.8-14.6	61	8.5	6.0-11.0	80	13.4	10.1-16.7	303	44.6	40.1-49.1
H.S. or G.E.D.	243	18,109	60	22.2	16.3-28.1	31	14.6	8.5-20.7	26	12.0	6.9-17.1	36	13.7	8.8-18.6	90	37.5	30.1-44.9
Some Post-H.S.	307	28,173	80	27.6	21.5-33.7	40	11.1	7.4-14.8	25	8.7	4.8-12.6	42	14.8	9.7-19.9	120	37.8	31.1-44.5
College Graduate	345	18,403	74	25.5	19.4-31.6	52	15.3	10.4-20.2	37	9.4	5.9-12.9	24	6.0	3.3- 8.7	158	43.8	37.3-50.3
\$15,000- 24,999	113	6,915	28	29.4	18.6-40.2	12	8.8	2.9-14.7	13	16.9	6.7-27.1	15	12.4	5.5-19.3	45	32.4	22.4-42.4
\$25,000- 34,999	100	6,684	24	24.0	13.8-34.2	15	15.1	7.1-23.1	14	12.2	5.3-19.1	9	11.0	2.8-19.2	38	37.8	26.4-49.2
\$35,000- 49,999	139	8,804	37	25.0	16.8-33.2	21	13.1	6.8-19.4	8	4.8	0.7- 8.9	14	12.1	4.8-19.4	59	45.0	35.0-55.0
\$50,000- 74,999	137	10,142	29	20.7	12.5-28.9	11	7.8	2.5-13.1	13	9.8	3.1-16.5	15	11.9	4.8-19.0	69	49.7	39.1-60.3
\$75,000+	230	19,980	58	27.3	19.9-34.7	34	15.4	9.5-21.3	16	6.0	2.5- 9.5	27	11.8	6.9-16.7	95	39.6	31.6-47.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 17: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	373	31,759	79	25.7	19.2-32.2	49	13.4	8.9-17.9	34	7.7	4.4-11.0	48	11.9	8.2-15.6	163	41.4	34.9-47.9
Non-Native	351	29,941	74	26.2	19.3-33.1	46	13.3	8.6-18.0	30	7.0	3.9-10.1	43	11.0	7.1-14.9	158	42.5	35.6-49.4
55-64	84	8,918	17	28.6	13.3-43.9	15	15.5	6.5-24.5	11	12.0	3.6-20.4	8	7.8	1.5-14.1	33	36.1	22.8-49.4
65+	267	18,736	52	21.6	14.9-28.3	31	11.0	6.5-15.5	23	7.4	3.5-11.3	40	16.4	10.9-21.9	121	43.6	36.3-50.9
H.S. or G.E.D.	84	7,626	20	22.1	12.1-32.1	12	21.3	9.0-33.6	8	9.1	2.2-16.0	12	9.1	3.6-14.6	32	38.3	26.0-50.6
Some Post-H.S.	133	13,122	32	27.4	17.6-37.2	19	10.0	4.9-15.1	10	8.1	2.2-14.0	23	16.8	9.2-24.4	49	37.8	27.6-48.0
College Graduate	134	7,261	22	20.7	10.7-30.7	15	12.3	5.0-19.6	15	8.7	2.8-14.6	12	9.4	3.5-15.3	70	48.8	38.0-59.6
\$50,000- 74,999	66	4,820	11	20.6	8.1-33.1	6	11.0	1.4-20.6	7	10.9	0.0-21.9	9	16.5	4.2-28.8	33	40.9	25.6-56.2
\$75,000+	109	10,622	26	27.8	16.6-39.0	17	15.0	6.6-23.4	8	7.5	1.4-13.6	13	8.7	3.6-13.8	45	41.0	29.2-52.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 18: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (LSTBLDS4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	567	39,258	143	25.3	21.0-29.6	79	12.4	9.3-15.5	56	10.4	7.3-13.5	60	12.1	8.6-15.6	229	39.8	34.7-44.9
Non-Native	543	37,695	134	25.2	20.7-29.7	78	12.9	9.6-16.2	53	9.8	6.7-12.9	55	11.5	7.8-15.2	223	40.6	35.5-45.7
55-64	142	11,213	43	27.5	19.3-35.7	24	14.6	7.9-21.3	16	13.9	6.3-21.5	18	14.1	7.0-21.2	41	29.8	20.2-39.4
65+	400	23,985	87	22.0	17.1-26.9	53	12.3	8.6-16.0	38	9.3	6.0-12.6	40	11.0	7.1-14.9	182	45.3	39.6-51.0
H.S. or G.E.D.	159	10,482	40	22.2	14.9-29.5	19	9.7	5.0-14.4	18	14.0	6.7-21.3	24	17.1	9.8-24.4	58	37.0	27.4-46.6
Some Post-H.S.	174	15,051	48	27.9	20.3-35.5	21	12.0	6.5-17.5	15	9.2	3.9-14.5	19	13.1	6.2-20.0	71	37.8	29.6-46.0
College Graduate	211	11,142	52	28.6	20.8-36.4	37	17.3	10.8-23.8	22	9.8	5.3-14.3	12	3.8	1.4- 6.2	88	40.6	32.6-48.6
\$15,000- 24,999	74	4,520	16	24.3	12.0-36.6	8	8.4	1.7-15.1	11	24.6	10.3-38.9	10	12.5	3.9-21.1	29	30.2	18.8-41.6
\$25,000- 34,999	65	3,842	19	31.0	17.7-44.3	8	13.0	3.4-22.6	10	14.7	5.3-24.1	6	12.0	1.6-22.4	22	29.4	17.2-41.6
\$35,000- 49,999	90	5,210	27	31.1	19.9-42.3	15	16.1	7.1-25.1	4	4.3	0.0- 9.8	4	5.5	0.0-11.6	40	43.0	31.0-55.0
\$50,000- 74,999	71	5,322	18	20.8	10.0-31.6	5	4.8	0.3- 9.3	6	8.9	1.1-16.7	6	7.8	1.1-14.5	36	57.7	44.0-71.4
\$75,000+	121	9,358	32	26.7	17.3-36.1	17	15.8	7.4-24.2	8	4.3	1.2- 7.4	14	15.2	6.6-23.8	50	38.0	27.4-48.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 19: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2923	238,497	202	7.2	6.0- 8.4	2721	92.8	91.6-94.0
Male	1305	114,002	82	6.8	5.0- 8.6	1223	93.2	91.4-95.0
Female	1618	124,495	120	7.4	5.8- 9.0	1498	92.6	91.0-94.2
Native	93	7,701	11	10.3	3.6-17.0	82	89.7	83.0-96.4
Non-Native	2785	227,526	185	6.9	5.7- 8.1	2600	93.1	91.9-94.3
45-54	235	36,005	17	8.0	3.9-12.1	218	92.0	87.9-96.1
55-64	886	86,337	39	4.2	2.6- 5.8	847	95.8	94.2-97.4
65+	1802	116,154	146	9.1	7.3-10.9	1656	90.9	89.1-92.7
Less Than H.S.	132	17,504	16	12.3	5.4-19.2	116	87.7	80.8-94.6
H.S. or G.E.D.	779	61,742	60	7.4	5.2- 9.6	719	92.6	90.4-94.8
Some Post-H.S.	967	96,122	79	8.1	5.9-10.3	888	91.9	89.7-94.1
College Graduate	1039	62,185	47	4.0	2.6- 5.4	992	96.0	94.6-97.4
Less than \$15,000	143	11,776	13	12.0	4.2-19.8	130	88.0	80.2-95.8
\$15,000- 24,999	320	24,164	23	6.9	3.6-10.2	297	93.1	89.8-96.4
\$25,000- 34,999	248	18,881	29	12.4	7.3-17.5	219	87.6	82.5-92.7
\$35,000- 49,999	384	28,292	29	6.4	3.7- 9.1	355	93.6	90.9-96.3
\$50,000- 74,999	443	35,145	32	6.8	4.1- 9.5	411	93.2	90.5-95.9
\$75,000+	835	77,797	35	4.7	2.7- 6.7	800	95.3	93.3-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 20: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1305	114,002	82	6.8	5.0- 8.6	1223	93.2	91.4-95.0
Non-Native	1238	108,194	75	6.8	4.8- 8.8	1163	93.2	91.2-95.2
45-54	113	17,852	7	6.7	1.0-12.4	106	93.3	87.6-99.0
55-64	388	42,393	21	5.0	2.6- 7.4	367	95.0	92.6-97.4
65+	804	53,757	54	8.3	5.6-11.0	750	91.7	89.0-94.4
Less Than H.S.	70	10,184	6	10.3	0.9-19.7	64	89.7	80.3-99.1
H.S. or G.E.D.	355	30,242	25	7.9	4.6-11.2	330	92.1	88.8-95.4
Some Post-H.S.	427	45,569	33	7.6	4.7-10.5	394	92.4	89.5-95.3
College Graduate	450	27,289	18	3.2	1.2- 5.2	432	96.8	94.8-98.8
Less than \$15,000	55	4,480	6	13.8	1.8-25.8	49	86.2	74.2-98.2
\$15,000- 24,999	121	9,367	8	4.1	1.2- 7.0	113	95.9	93.0-98.8
\$25,000- 34,999	98	8,548	10	13.6	5.0-22.2	88	86.4	77.8-95.0
\$35,000- 49,999	157	12,321	10	4.3	1.2- 7.4	147	95.7	92.6-98.8
\$50,000- 74,999	236	19,212	15	4.7	2.2- 7.2	221	95.3	92.8-97.8
\$75,000+	443	43,595	21	6.1	3.2- 9.0	422	93.9	91.0-96.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 21: ANOTHER TEST USES A SPECIAL KIT TO OBTAIN AN ENTIRE BOWEL MOVEMENT AT HOME AND RETURNS THE KIT TO A LAB. HAVE YOU EVER HAD THIS TEST? (STOOLDNA)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1618	124,495	120	7.4	5.8- 9.0	1498	92.6	91.0-94.2
Native	51	3,856	6	12.6	1.6-23.6	45	87.4	76.4-98.4
Non-Native	1547	119,332	110	7.0	5.4- 8.6	1437	93.0	91.4-94.6
45-54	122	18,154	10	9.3	3.2-15.4	112	90.7	84.6-96.8
55-64	498	43,945	18	3.4	1.4- 5.4	480	96.6	94.6-98.6
65+	998	62,397	92	9.8	7.6-12.0	906	90.2	88.0-92.4
Less Than H.S.	62	7,320	10	15.0	5.4-24.6	52	85.0	75.4-94.6
H.S. or G.E.D.	424	31,499	35	7.0	4.5- 9.5	389	93.0	90.5-95.5
Some Post-H.S.	540	50,553	46	8.5	5.6-11.4	494	91.5	88.6-94.4
College Graduate	589	34,896	29	4.7	2.7- 6.7	560	95.3	93.3-97.3
Less than \$15,000	88	7,295	7	10.9	0.5-21.3	81	89.1	78.7-99.5
\$15,000- 24,999	199	14,797	15	8.7	3.8-13.6	184	91.3	86.4-96.2
\$25,000- 34,999	150	10,333	19	11.5	5.6-17.4	131	88.5	82.6-94.4
\$35,000- 49,999	227	15,972	19	8.0	3.9-12.1	208	92.0	87.9-96.1
\$50,000- 74,999	207	15,934	17	9.3	4.2-14.4	190	90.7	85.6-95.8
\$75,000+	392	34,203	14	2.9	0.9- 4.9	378	97.1	95.1-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
 SECTION 17: COLORECTAL CANCER SCREENING
 TABLE 22: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	189	16,146	65	33.4	24.8-42.0	35	20.4	13.3-27.5	16	7.9	3.4-12.4	31	17.0	9.9-24.1	42	21.3	14.2-28.4
Male	76	7,373	22	36.3	21.8-50.8	17	24.1	12.1-36.1	7	9.8	1.6-18.0	11	10.5	3.8-17.2	19	19.3	8.9-29.7
Female	113	8,773	43	31.0	21.4-40.6	18	17.2	8.8-25.6	9	6.4	1.5-11.3	20	22.5	11.7-33.3	23	23.0	13.6-32.4
Non-Native	172	14,779	61	35.3	26.1-44.5	31	20.4	13.0-27.8	15	8.2	3.3-13.1	26	14.4	7.5-21.3	39	21.7	14.3-29.1
65+	133	9,642	48	36.0	25.6-46.4	16	13.0	5.6-20.4	14	9.4	3.9-14.9	22	12.8	7.1-18.5	33	28.9	19.1-38.7
H.S. or G.E.D.	57	4,394	19	29.1	15.8-42.4	11	24.4	10.5-38.3	4	4.1	0.0- 8.2	12	20.5	8.2-32.8	11	21.9	8.6-35.2
Some Post-H.S.	74	7,320	24	36.0	22.3-49.7	12	14.5	5.5-23.5	9	12.0	3.2-20.8	15	22.3	9.8-34.8	14	15.2	6.4-24.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 23: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	76	7,373	22	36.3	21.6-51.0	17	24.1	12.1-36.1	7	9.8	1.6-18.0	11	10.5	4.0-17.0	19	19.3	8.7-29.9
Non-Native	69	6,929	20	37.1	21.8-52.4	16	25.0	12.5-37.5	7	10.4	1.8-19.0	9	9.2	2.9-15.5	17	18.3	7.5-29.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 24: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (SDNATEST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	113	8,773	43	31.0	21.4-40.6	18	17.2	8.8-25.6	9	6.4	1.5-11.3	20	22.5	11.7-33.3	23	23.0	13.4-32.6
Non-Native	103	7,850	41	33.7	23.1-44.3	15	16.3	7.5-25.1	8	6.3	1.2-11.4	17	19.0	7.8-30.2	22	24.7	14.3-35.1
65+	85	5,601	33	34.5	23.3-45.7	9	10.8	3.5-18.1	8	7.7	1.6-13.8	14	13.1	5.8-20.4	21	33.8	21.5-46.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 25: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2864	233,847	158	4.9	3.9- 5.9	2706	95.1	94.1-96.1
Male	1272	111,280	92	6.5	4.9- 8.1	1180	93.5	91.9-95.1
Female	1592	122,567	66	3.6	2.6- 4.6	1526	96.4	95.4-97.4
Native	93	7,593	8	6.1	0.6-11.6	85	93.9	88.4-99.4
Non-Native	2725	223,033	149	4.9	3.9- 5.9	2576	95.1	94.1-96.1
45-54	233	35,429	1	0.3	0.0- 0.9	232	99.7	99.1- 100
55-64	878	85,745	28	3.1	1.5- 4.7	850	96.9	95.3-98.5
65+	1753	112,673	129	7.8	6.2- 9.4	1624	92.2	90.6-93.8
Less Than H.S.	124	16,406	10	8.0	2.1-13.9	114	92.0	86.1-97.9
H.S. or G.E.D.	755	60,052	58	7.2	5.0- 9.4	697	92.8	90.6-95.0
Some Post-H.S.	949	94,804	57	4.7	3.3- 6.1	892	95.3	93.9-96.7
College Graduate	1030	61,641	33	2.5	1.5- 3.5	997	97.5	96.5-98.5
Less than \$15,000	140	11,774	12	5.7	1.6- 9.8	128	94.3	90.2-98.4
\$15,000- 24,999	313	23,746	35	7.4	4.5-10.3	278	92.6	89.7-95.5
\$25,000- 34,999	242	18,084	23	12.1	6.2-18.0	219	87.9	82.0-93.8
\$35,000- 49,999	378	27,953	15	4.4	1.7- 7.1	363	95.6	92.9-98.3
\$50,000- 74,999	435	34,634	18	3.0	1.2- 4.8	417	97.0	95.2-98.8
\$75,000+	830	77,064	31	3.6	2.2- 5.0	799	96.4	95.0-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 26: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1272	111,280	92	6.5	4.9- 8.1	1180	93.5	91.9-95.1
Non-Native	1205	105,580	86	6.4	4.8- 8.0	1119	93.6	92.0-95.2
45-54	111	17,417				111	100.0	100.0- 100
55-64	386	42,068	18	4.6	1.9- 7.3	368	95.4	92.7-98.1
65+	775	51,795	74	10.1	7.4-12.8	701	89.9	87.2-92.6
Less Than H.S.	66	9,505	7	9.8	0.8-18.8	59	90.2	81.2-99.2
H.S. or G.E.D.	343	29,246	38	10.6	6.7-14.5	305	89.4	85.5-93.3
Some Post-H.S.	416	44,967	30	5.4	3.2- 7.6	386	94.6	92.4-96.8
College Graduate	444	26,844	17	2.6	1.0- 4.2	427	97.4	95.8-99.0
Less than \$15,000	55	4,480	7	6.4	1.1-11.7	48	93.6	88.3-98.9
\$15,000- 24,999	117	9,141	20	10.6	4.9-16.3	97	89.4	83.7-95.1
\$25,000- 34,999	93	7,913	13	20.4	8.4-32.4	80	79.6	67.6-91.6
\$35,000- 49,999	151	12,067	8	5.8	1.1-10.5	143	94.2	89.5-98.9
\$50,000- 74,999	229	18,782	10	3.2	0.7- 5.7	219	96.8	94.3-99.3
\$75,000+	440	43,147	23	5.0	2.6- 7.4	417	95.0	92.6-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 27: FOR A VIRTUAL COLONOSCOPY, YOUR COLON IS FILLED WITH AIR AND YOU ARE MOVED THROUGH A DONUT SHAPED X-RAY MACHINE AS YOU LIE ON YOUR BACK AND THEN ON YOUR STOMACH. HAVE YOU EVER HAD A VIRTUAL COLONOSCOPY? (VIRCOLON)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1592	122,567	66	3.6	2.6- 4.6	1526	96.4	95.4-97.4
Native	52	3,890	3	3.8	0.0- 8.5	49	96.2	91.5- 100
Non-Native	1520	117,453	63	3.6	2.6- 4.6	1457	96.4	95.4-97.4
45-54	122	18,012	1	0.6	0.0- 1.8	121	99.4	98.2- 100
55-64	492	43,678	10	1.7	0.5- 2.9	482	98.3	97.1-99.5
65+	978	60,877	55	5.8	4.0- 7.6	923	94.2	92.4-96.0
Less Than H.S.	58	6,901	3	5.5	0.0-12.0	55	94.5	88.0- 100
H.S. or G.E.D.	412	30,805	20	3.9	1.9- 5.9	392	96.1	94.1-98.1
Some Post-H.S.	533	49,837	27	4.0	2.2- 5.8	506	96.0	94.2-97.8
College Graduate	586	34,797	16	2.4	1.0- 3.8	570	97.6	96.2-99.0
Less than \$15,000	85	7,294	5	5.3	0.0-11.2	80	94.7	88.8- 100
\$15,000- 24,999	196	14,605	15	5.4	2.1- 8.7	181	94.6	91.3-97.9
\$25,000- 34,999	149	10,170	10	5.6	1.9- 9.3	139	94.4	90.7-98.1
\$35,000- 49,999	227	15,886	7	3.3	0.2- 6.4	220	96.7	93.6-99.8
\$50,000- 74,999	206	15,852	8	2.9	0.5- 5.3	198	97.1	94.7-99.5
\$75,000+	390	33,917	8	1.7	0.3- 3.1	382	98.3	96.9-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING
TABLE 28: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	145	10,524	28	19.4	11.8-27.0	20	15.4	7.8-23.0	20	14.2	7.3-21.1	15	12.3	5.4-19.2	62	38.8	29.6-48.0
Male	85	6,346	16	19.6	9.2-30.0	10	9.7	2.8-16.6	14	16.5	7.1-25.9	9	15.6	5.4-25.8	36	38.6	26.1-51.1
Female	60	4,178	12	19.0	8.0-30.0	10	24.2	9.7-38.7	6	10.7	1.5-19.9	6	7.2	0.9-13.5	26	38.9	24.8-53.0
Non-Native	136	9,951	23	16.5	9.2-23.8	20	16.3	8.3-24.3	20	15.0	7.7-22.3	15	13.0	5.7-20.3	58	39.2	29.6-48.8
65+	119	8,232	24	19.9	11.3-28.5	14	13.9	5.7-22.1	17	15.2	7.4-23.0	10	8.4	2.5-14.3	54	42.6	32.0-53.2
H.S. or G.E.D.	56	4,249	10	13.9	4.7-23.1	7	15.5	3.3-27.7	8	12.7	2.7-22.7	5	14.7	1.6-27.8	26	43.2	27.5-58.9
Some Post-H.S.	54	4,226	11	24.3	10.2-38.4	8	17.2	3.7-30.7	11	22.1	9.0-35.2	5	10.1	1.3-18.9	19	26.3	14.0-38.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 29: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	85	6,346	16	19.6	9.2-30.0	10	9.7	2.8-16.6	14	16.5	7.1-25.9	9	15.6	5.4-25.8	36	38.6	26.1-51.1
Non-Native	79	5,923	13	15.7	6.1-25.3	10	10.4	3.1-17.7	14	17.7	7.5-27.9	9	16.7	5.9-27.5	33	39.5	26.6-52.4
65+	68	4,803	13	19.7	7.7-31.7	6	7.5	0.8-14.2	12	18.7	7.3-30.1	6	10.9	1.7-20.1	31	43.1	28.8-57.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 30: HOW LONG HAS IT BEEN SINCE YOU HAD THIS TEST? (VCLNTEST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	60	4,178	12	19.0	7.8-30.2	10	24.2	10.7-37.7	6	10.7	1.3-20.1	6	7.2	0.9-13.5	26	38.9	25.4-52.4
Non-Native	57	4,028	10	17.7	6.5-28.9	10	25.1	11.2-39.0	6	11.1	1.3-20.9	6	7.4	0.9-13.9	25	38.7	24.8-52.6
65+	51	3,429	11	20.1	7.8-32.4	8	22.9	7.6-38.2	5	10.3	0.1-20.5	4	4.8	0.0-10.1	23	41.9	26.6-57.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

SECTION 18: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V.? (HIVTST7)	
1	MALES AND FEMALES	261
2	MALES ONLY	262
3	FEMALES ONLY	263
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVTSTD3)	
4	MALES AND FEMALES	264
5	MALES ONLY	265
6	FEMALES ONLY	266
	I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)	
7	MALES AND FEMALES	267
8	MALES ONLY	268
9	FEMALES ONLY	269

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

**TABLE 1: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4024	523,014	932	31.7	29.5-33.9	3092	68.3	66.1-70.5
Male	1919	263,771	482	31.7	28.8-34.6	1437	68.3	65.4-71.2
Female	2105	259,243	450	31.7	28.6-34.8	1655	68.3	65.2-71.4
Native	165	21,204	80	52.8	42.6-63.0	85	47.2	37.0-57.4
Non-Native	3801	494,577	840	31.0	28.8-33.2	2961	69.0	66.8-71.2
18-24	200	72,460	55	27.8	20.7-34.9	145	72.2	65.1-79.3
25-34	363	101,133	147	45.0	38.9-51.1	216	55.0	48.9-61.1
35-44	434	85,778	187	47.1	41.4-52.8	247	52.9	47.2-58.6
45-54	461	70,144	155	35.4	30.1-40.7	306	64.6	59.3-69.9
55-64	853	82,856	197	26.9	23.0-30.8	656	73.1	69.2-77.0
65+	1713	110,644	191	11.7	9.7-13.7	1522	88.3	86.3-90.3
Less Than H.S.	163	37,246	40	45.3	33.7-56.9	123	54.7	43.1-66.3
H.S. or G.E.D.	1029	136,573	212	28.3	24.4-32.2	817	71.7	67.8-75.6
Some Post-H.S.	1302	201,792	304	30.8	27.3-34.3	998	69.2	65.7-72.7
College Graduate	1523	146,426	374	32.5	29.2-35.8	1149	67.5	64.2-70.8
Less than \$15,000	199	29,300	66	41.4	31.2-51.6	133	58.6	48.4-68.8
\$15,000- 24,999	380	47,959	89	37.6	29.4-45.8	291	62.4	54.2-70.6
\$25,000- 34,999	325	38,492	67	30.4	23.0-37.8	258	69.6	62.2-77.0
\$35,000- 49,999	474	53,040	102	27.5	21.8-33.2	372	72.5	66.8-78.2
\$50,000- 74,999	598	72,774	162	36.3	30.4-42.2	436	63.7	57.8-69.6
\$75,000+	1365	192,772	327	30.5	27.2-33.8	1038	69.5	66.2-72.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 2: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1919	263,771	482	31.7	28.8-34.6	1437	68.3	65.4-71.2
Native	69	8,902	30	49.4	33.7-65.1	39	50.6	34.9-66.3
Non-Native	1812	249,952	445	31.4	28.3-34.5	1367	68.6	65.5-71.7
18-24	111	37,619	29	27.1	17.5-36.7	82	72.9	63.3-82.5
25-34	220	54,575	82	41.4	34.0-48.8	138	58.6	51.2-66.0
35-44	237	43,967	91	42.5	34.5-50.5	146	57.5	49.5-65.5
45-54	232	36,650	71	32.6	25.3-39.9	161	67.4	60.1-74.7
55-64	373	40,479	100	31.2	24.9-37.5	273	68.8	62.5-75.1
65+	746	50,482	109	15.2	11.9-18.5	637	84.8	81.5-88.1
Less Than H.S.	89	20,433	26	50.8	36.3-65.3	63	49.2	34.7-63.7
H.S. or G.E.D.	520	72,600	128	29.0	23.9-34.1	392	71.0	65.9-76.1
Some Post-H.S.	630	105,036	162	30.5	25.8-35.2	468	69.5	64.8-74.2
College Graduate	676	64,950	164	30.2	25.5-34.9	512	69.8	65.1-74.5
Less than \$15,000	79	11,707	29	40.7	24.6-56.8	50	59.3	43.2-75.4
\$15,000- 24,999	149	19,455	41	37.0	24.8-49.2	108	63.0	50.8-75.2
\$25,000- 34,999	138	17,775	37	33.5	22.7-44.3	101	66.5	55.7-77.3
\$35,000- 49,999	206	25,587	47	28.0	19.6-36.4	159	72.0	63.6-80.4
\$50,000- 74,999	324	39,386	90	35.9	28.1-43.7	234	64.1	56.3-71.9
\$75,000+	748	108,990	182	30.0	25.7-34.3	566	70.0	65.7-74.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 3: INCLUDING FLUID TESTING FROM YOUR MOUTH, BUT NOT INCLUDING TESTS YOU MAY HAVE HAD FOR BLOOD DONATION, HAVE YOU EVER BEEN TESTED FOR H.I.V? (HIVTST7)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2105	259,243	450	31.7	28.6-34.8	1655	68.3	65.2-71.4
Native	96	12,302	50	55.3	42.0-68.6	46	44.7	31.4-58.0
Non-Native	1989	244,625	395	30.5	27.4-33.6	1594	69.5	66.4-72.6
18-24	89	34,841	26	28.5	17.9-39.1	63	71.5	60.9-82.1
25-34	143	46,558	65	49.1	39.5-58.7	78	50.9	41.3-60.5
35-44	197	41,811	96	51.9	43.5-60.3	101	48.1	39.7-56.5
45-54	229	33,494	84	38.4	31.0-45.8	145	61.6	54.2-69.0
55-64	480	42,377	97	22.7	17.8-27.6	383	77.3	72.4-82.2
65+	967	60,163	82	8.8	6.6-11.0	885	91.2	89.0-93.4
Less Than H.S.	74	16,813	14	38.6	20.4-56.8	60	61.4	43.2-79.6
H.S. or G.E.D.	509	63,972	84	27.6	21.5-33.7	425	72.4	66.3-78.5
Some Post-H.S.	672	96,755	142	31.1	25.8-36.4	530	68.9	63.6-74.2
College Graduate	847	81,476	210	34.4	29.9-38.9	637	65.6	61.1-70.1
Less than \$15,000	120	17,594	37	41.9	28.6-55.2	83	58.1	44.8-71.4
\$15,000- 24,999	231	28,504	48	37.9	26.9-48.9	183	62.1	51.1-73.1
\$25,000- 34,999	187	20,717	30	27.7	17.5-37.9	157	72.3	62.1-82.5
\$35,000- 49,999	268	27,454	55	27.0	19.2-34.8	213	73.0	65.2-80.8
\$50,000- 74,999	274	33,388	72	36.8	28.2-45.4	202	63.2	54.6-71.8
\$75,000+	617	83,782	145	31.3	26.2-36.4	472	68.7	63.6-73.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	600	112,871	28	2.1	1.1- 3.1	55	5.3	3.7- 6.9	113	16.7	13.0-20.4	40	7.3	4.4-10.2	245	45.8	40.7-50.9	119	22.9	18.6-27.2
Male	306	55,756	9	1.1	0.1- 2.1	20	3.7	1.7- 5.7	60	16.1	11.2-21.0	22	9.0	4.1-13.9	136	48.9	41.8-56.0	59	21.1	15.4-26.8
Female	294	57,115	19	3.1	1.3- 4.9	35	6.8	4.3- 9.3	53	17.2	11.7-22.7	18	5.6	2.3- 8.9	109	42.8	35.2-50.4	60	24.6	17.9-31.3
Native	51	7,199	1	1.2	0.0- 3.6				5	5.3	0.4-10.2	5	10.4	0.0-21.6	25	49.4	31.2-67.6	15	33.7	14.9-52.5
Non-Native	545	104,776	27	2.2	1.0- 3.4	54	5.6	3.8- 7.4	107	17.4	13.5-21.3	35	7.1	4.0-10.2	219	45.4	39.9-50.9	103	22.2	17.7-26.7
25-34	106	32,362							10	6.7	2.0-11.4	6	6.6	1.1-12.1	63	61.6	51.2-72.0	27	25.1	15.9-34.3
35-44	134	30,327				3	0.9	0.0- 2.1	32	25.5	16.5-34.5	15	14.1	5.7-22.5	62	44.5	34.3-54.7	22	15.0	8.3-21.7
45-54	106	17,303	3	1.8	0.0- 4.3	18	15.4	8.0-22.8	31	29.3	18.7-39.9	7	4.8	0.5- 9.1	32	30.6	20.0-41.2	15	18.1	8.9-27.3
55-64	122	13,894	10	8.3	2.4-14.2	21	15.6	8.3-22.9	26	20.7	11.9-29.5	6	4.5	0.0- 9.2	42	36.6	25.6-47.6	17	14.4	6.8-22.0
65+	97	6,596	15	14.4	5.0-23.8	13	12.4	4.8-20.0	14	14.3	6.5-22.1	6	5.0	0.7- 9.3	31	35.9	24.3-47.5	18	18.0	9.6-26.4
H.S. or G.E.D.	134	26,623	5	1.6	0.0- 3.2	6	3.1	0.6- 5.6	25	15.5	8.6-22.4	9	7.3	2.2-12.4	54	41.8	31.8-51.8	35	30.7	20.9-40.5
Some Post-H.S.	193	42,486	5	2.3	0.1- 4.5	21	6.3	3.2- 9.4	40	19.8	12.9-26.7	10	4.4	1.3- 7.5	80	49.0	40.2-57.8	37	18.2	11.1-25.3
College Graduate	251	33,663	18	2.9	1.1- 4.7	27	6.9	4.0- 9.8	46	16.1	10.8-21.4	18	6.4	2.9- 9.9	99	41.7	34.1-49.3	43	26.0	18.7-33.3
\$15,000- 24,999	56	11,314	2	1.0	0.0- 2.6	6	6.3	0.6-12.0	8	11.3	1.1-21.5	4	11.0	0.0-23.3	22	48.2	31.1-65.3	14	22.2	9.3-35.1
\$35,000- 49,999	69	11,293	1	0.1	0.0- 0.3	3	2.3	0.0- 5.0	11	9.2	3.1-15.3	4	6.3	0.0-14.1	29	46.0	30.9-61.1	21	36.1	21.6-50.6
\$50,000- 74,999	113	19,372	9	5.0	0.9- 9.1	12	5.0	1.7- 8.3	20	15.0	6.4-23.6	5	7.2	0.0-17.0	50	50.4	37.9-62.9	17	17.5	7.7-27.3
\$75,000+	222	40,437	8	1.8	0.2- 3.4	23	7.2	3.9-10.5	53	23.5	16.8-30.2	21	9.2	4.5-13.9	86	41.9	33.7-50.1	31	16.4	10.1-22.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	306	55,756	9	1.1	0.1- 2.1	20	3.7	1.7- 5.7	60	16.1	11.2-21.0	22	9.0	4.1-13.9	136	48.9	41.8-56.0	59	21.1	15.4-26.8
Non-Native	287	52,694	9	1.2	0.2- 2.2	20	3.9	1.9- 5.9	57	16.5	11.4-21.6	21	8.9	3.8-14.0	124	47.9	40.6-55.2	56	21.6	15.7-27.5
25-34	61	17,212							5	5.7	0.2-11.2	5	8.8	1.4-16.2	36	63.5	50.4-76.6	15	22.1	10.9-33.3
35-44	60	13,174				2	1.7	0.0- 4.2	16	22.1	9.9-34.3	7	18.5	2.6-34.4	26	42.4	26.7-58.1	9	15.2	4.2-26.2
45-54	50	8,195				7	12.0	2.6-21.4	15	34.6	18.1-51.1	3	4.6	0.0-10.1	20	37.5	21.4-53.6	5	11.2	1.6-20.8
55-64	59	7,378	3	2.8	0.0- 6.3	4	6.1	0.0-12.2	14	22.3	10.0-34.6	4	6.5	0.0-14.7	25	48.8	32.9-64.7	9	13.5	3.7-23.3
65+	57	3,955	6	10.5	0.0-21.3	7	10.7	0.5-20.9	10	15.7	5.3-26.1	3	5.1	0.0-11.2	21	41.4	26.1-56.7	10	16.7	6.1-27.3
H.S. or G.E.D.	81	14,540	3	1.3	0.0- 2.9	3	3.4	0.0- 7.3	17	17.6	8.4-26.8	8	13.1	4.1-22.1	29	38.7	26.0-51.4	21	25.9	14.5-37.3
Some Post-H.S.	107	21,999	2	1.4	0.0- 3.6	9	4.8	1.3- 8.3	22	18.8	10.2-27.4	3	2.3	0.0- 5.2	51	53.4	42.0-64.8	20	19.4	9.8-29.0
College Graduate	104	13,237	4	0.9	0.0- 1.9	8	4.1	0.8- 7.4	20	13.8	6.5-21.1	9	7.5	1.8-13.2	46	46.0	34.2-57.8	17	27.7	16.3-39.1
\$50,000- 74,999	62	10,655	5	2.2	0.0- 4.6	6	4.9	0.0- 9.8	12	11.1	3.7-18.5	4	12.6	0.0-29.7	24	50.8	33.2-68.4	11	18.5	5.0-32.0
\$75,000+	121	21,815	1	0.2	0.0- 0.6	9	4.6	1.3- 7.9	31	24.8	15.6-34.0	12	10.8	3.5-18.1	56	48.3	37.5-59.1	12	11.4	4.5-18.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST H.I.V. TEST? (HIVSTD3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report having been tested for HIV**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWWT.																	
	TOTAL	WEIGHTED	1990 and before			1991-1998			1999-2008			2009-2010			2011-2018			2019		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	294	57,115	19	3.1	1.3- 4.9	35	6.8	4.3- 9.3	53	17.2	11.7-22.7	18	5.6	2.3- 8.9	109	42.8	35.2-50.4	60	24.6	17.9-31.3
Non-Native	258	52,082	18	3.3	1.3- 5.3	34	7.2	4.3-10.1	50	18.4	12.5-24.3	14	5.3	1.8- 8.8	95	42.9	34.9-50.9	47	22.8	15.9-29.7
35-44	74	17,153				1	0.4	0.0- 1.2	16	28.1	15.6-40.6	8	10.7	2.9-18.5	36	46.0	32.7-59.3	13	14.8	6.6-23.0
45-54	56	9,108	3	3.4	0.0- 8.1	11	18.4	7.2-29.6	16	24.5	11.6-37.4	4	5.0	0.0-11.5	12	24.4	11.1-37.7	10	24.3	9.8-38.8
55-64	63	6,516	7	14.4	3.2-25.6	17	26.4	13.3-39.5	12	18.8	6.1-31.5	2	2.1	0.0- 5.0	17	22.9	10.6-35.2	8	15.4	3.4-27.4
H.S. or G.E.D.	53	12,083	2	2.0	0.0- 4.9	3	2.7	0.0- 5.8	8	12.8	2.2-23.4	1	0.4	0.0- 1.2	25	45.7	29.6-61.8	14	36.4	19.9-52.9
Some Post-H.S.	86	20,486	3	3.3	0.0- 7.0	12	8.0	2.5-13.5	18	20.8	10.0-31.6	7	6.6	0.7-12.5	29	44.3	31.0-57.6	17	16.9	6.5-27.3
College Graduate	147	20,426	14	4.3	1.4- 7.2	19	8.7	4.4-13.0	26	17.6	10.2-25.0	9	5.7	1.2-10.2	53	38.8	28.8-48.8	26	24.9	15.7-34.1
\$50,000- 74,999	51	8,717	4	8.4	0.0-17.0	6	5.1	0.6- 9.6	8	19.8	3.9-35.7	1	0.6	0.0- 1.8	26	49.9	31.7-68.1	6	16.3	2.2-30.4
\$75,000+	101	18,623	7	3.8	0.5- 7.1	14	10.3	4.2-16.4	22	21.9	12.3-31.5	9	7.3	1.8-12.8	30	34.3	22.1-46.5	19	22.3	11.5-33.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4200	540,335	114	5.5	4.3- 6.7	4086	94.5	93.3-95.7
Male	2003	271,841	76	6.4	4.6- 8.2	1927	93.6	91.8-95.4
Female	2197	268,494	38	4.5	2.9- 6.1	2159	95.5	93.9-97.1
Native	173	22,165	15	13.6	5.8-21.4	158	86.4	78.6-94.2
Non-Native	3961	510,493	96	5.1	3.9- 6.3	3865	94.9	93.7-96.1
18-24	204	74,385	35	19.2	13.1-25.3	169	80.8	74.7-86.9
25-34	378	105,896	35	8.3	5.2-11.4	343	91.7	88.6-94.8
35-44	443	86,477	20	4.0	1.8- 6.2	423	96.0	93.8-98.2
45-54	470	70,843	8	2.1	0.3- 3.9	462	97.9	96.1-99.7
55-64	884	85,880	8	1.3	0.3- 2.3	876	98.7	97.7-99.7
65+	1821	116,855	8	0.4	0.0- 0.8	1813	99.6	99.2- 100
Less Than H.S.	170	37,884	4	4.7	0.0-10.4	166	95.3	89.6- 100
H.S. or G.E.D.	1076	141,787	38	6.2	3.8- 8.6	1038	93.8	91.4-96.2
Some Post-H.S.	1365	209,661	38	6.2	4.0- 8.4	1327	93.8	91.6-96.0
College Graduate	1582	150,025	34	4.0	2.4- 5.6	1548	96.0	94.4-97.6
Less than \$15,000	200	29,213	9	7.5	1.8-13.2	191	92.5	86.8-98.2
\$15,000- 24,999	400	49,090	16	10.1	4.2-16.0	384	89.9	84.0-95.8
\$25,000- 34,999	339	40,309	12	6.9	2.6-11.2	327	93.1	88.8-97.4
\$35,000- 49,999	503	56,355	13	5.1	2.2- 8.0	490	94.9	92.0-97.8
\$50,000- 74,999	619	74,618	18	5.3	2.4- 8.2	601	94.7	91.8-97.6
\$75,000+	1407	197,385	25	3.1	1.7- 4.5	1382	96.9	95.5-98.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	271,841	76	6.4	4.6- 8.2	1927	93.6	91.8-95.4
Native	73	9,610	12	23.6	9.7-37.5	61	76.4	62.5-90.3
Non-Native	1889	257,113	61	5.6	3.8- 7.4	1828	94.4	92.6-96.2
18-24	113	38,739	19	20.0	11.4-28.6	94	80.0	71.4-88.6
25-34	228	56,875	26	10.2	6.1-14.3	202	89.8	85.7-93.9
35-44	242	44,508	14	4.5	1.6- 7.4	228	95.5	92.6-98.4
45-54	233	36,186	6	2.8	0.3- 5.3	227	97.2	94.7-99.7
55-64	386	41,863	5	1.5	0.0- 3.3	381	98.5	96.7- 100
65+	801	53,670	6	0.5	0.0- 1.1	795	99.5	98.9- 100
Less Than H.S.	92	20,608	3	8.4	0.0-18.4	89	91.6	81.6- 100
H.S. or G.E.D.	542	74,985	29	7.9	4.6-11.2	513	92.1	88.8-95.4
Some Post-H.S.	662	109,444	18	4.7	2.3- 7.1	644	95.3	92.9-97.7
College Graduate	703	66,053	26	7.1	4.2-10.0	677	92.9	90.0-95.8
Less than \$15,000	81	11,695	4	2.6	0.0- 6.1	77	97.4	93.9- 100
\$15,000- 24,999	155	19,847	9	8.2	1.7-14.7	146	91.8	85.3-98.3
\$25,000- 34,999	146	18,755	7	9.3	2.0-16.6	139	90.7	83.4-98.0
\$35,000- 49,999	223	27,568	11	9.3	3.6-15.0	212	90.7	85.0-96.4
\$50,000- 74,999	330	39,346	14	7.8	3.1-12.5	316	92.2	87.5-96.9
\$75,000+	771	111,371	17	3.7	1.5- 5.9	754	96.3	94.1-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020
SECTION 18: HIV/AIDS**

TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE INJECTED ANY DRUG OTHER THAN THOSE PRESCRIBED FOR YOU IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED DISEASE OR STD IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2197	268,494	38	4.5	2.9- 6.1	2159	95.5	93.9-97.1
Native	100	12,555	3	6.0	0.0-13.8	97	94.0	86.2- 100
Non-Native	2072	253,380	35	4.5	2.9- 6.1	2037	95.5	93.9-97.1
18-24	91	35,646	16	18.3	9.7-26.9	75	81.7	73.1-90.3
25-34	150	49,021	9	6.2	1.5-10.9	141	93.8	89.1-98.5
35-44	201	41,969	6	3.5	0.4- 6.6	195	96.5	93.4-99.6
45-54	237	34,656	2	1.3	0.0- 3.5	235	98.7	96.5- 100
55-64	498	44,017	3	1.0	0.0- 2.2	495	99.0	97.8- 100
65+	1020	63,185	2	0.2	0.0- 0.6	1018	99.8	99.4- 100
Less Than H.S.	78	17,276	1	0.4	0.0- 1.2	77	99.6	98.8- 100
H.S. or G.E.D.	534	66,802	9	4.3	1.4- 7.2	525	95.7	92.8-98.6
Some Post-H.S.	703	100,218	20	7.9	4.4-11.4	683	92.1	88.6-95.6
College Graduate	879	83,972	8	1.5	0.3- 2.7	871	98.5	97.3-99.7
Less than \$15,000	119	17,518	5	10.7	1.7-19.7	114	89.3	80.3-98.3
\$15,000- 24,999	245	29,244	7	11.5	2.7-20.3	238	88.5	79.7-97.3
\$25,000- 34,999	193	21,555	5	4.8	0.0- 9.7	188	95.2	90.3- 100
\$35,000- 49,999	280	28,787	2	1.2	0.0- 2.8	278	98.8	97.2- 100
\$50,000- 74,999	289	35,272	4	2.5	0.0- 5.4	285	97.5	94.6- 100
\$75,000+	636	86,014	8	2.4	0.6- 4.2	628	97.6	95.8-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2020**

End of Core Data Report