

NORTH DAKOTA

2020 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 28, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020

MODULE 01: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 01: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3609	476,121	2030	45.5	43.3-47.7	1579	54.5	52.3-56.7
Male	1725	240,353	944	44.1	41.0-47.2	781	55.9	52.8-59.0
Female	1884	235,768	1086	47.0	43.9-50.1	798	53.0	49.9-56.1
Native	133	18,113	76	51.2	39.4-63.0	57	48.8	37.0-60.6
Non-Native	3415	450,690	1928	45.6	43.2-48.0	1487	54.4	52.0-56.8
18-24	199	70,711	38	16.6	11.1-22.1	161	83.4	77.9-88.9
25-34	335	91,202	108	29.9	24.4-35.4	227	70.1	64.6-75.6
35-44	432	83,309	179	42.8	37.1-48.5	253	57.2	51.5-62.9
45-54	426	64,537	224	50.9	45.2-56.6	202	49.1	43.4-54.8
55-64	737	72,021	492	66.8	62.7-70.9	245	33.2	29.1-37.3
65+	1480	94,341	989	64.9	62.0-67.8	491	35.1	32.2-38.0
Less Than H.S.	143	33,684	68	38.1	27.1-49.1	75	61.9	50.9-72.9
H.S. or G.E.D.	932	125,648	489	40.7	36.6-44.8	443	59.3	55.2-63.4
Some Post-H.S.	1145	181,066	645	46.5	42.8-50.2	500	53.5	49.8-57.2
College Graduate	1381	134,400	826	50.9	47.4-54.4	555	49.1	45.6-52.6
Less than \$15,000	152	23,708	64	26.0	17.4-34.6	88	74.0	65.4-82.6
\$15,000- 24,999	325	41,734	173	48.8	40.6-57.0	152	51.2	43.0-59.4
\$25,000- 34,999	286	34,061	159	45.9	37.7-54.1	127	54.1	45.9-62.3
\$35,000- 49,999	418	49,874	239	42.5	35.8-49.2	179	57.5	50.8-64.2
\$50,000- 74,999	529	66,195	340	52.9	46.8-59.0	189	47.1	41.0-53.2
\$75,000+	1230	174,444	709	48.4	44.9-51.9	521	51.6	48.1-55.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 01: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1725	240,353	944	44.1	41.0-47.2	781	55.9	52.8-59.0
Native	56	7,634	32	51.6	33.2-70.0	24	48.4	30.0-66.8
Non-Native	1632	227,942	896	44.0	40.9-47.1	736	56.0	52.9-59.1
18-24	114	38,247	17	11.9	05.8-18.0	97	88.1	82.0-94.2
25-34	199	49,010	60	27.6	20.7-34.5	139	72.4	65.5-79.3
35-44	235	41,947	96	43.0	35.2-50.8	139	57.0	49.2-64.8
45-54	204	32,568	114	52.2	44.0-60.4	90	47.8	39.6-56.0
55-64	325	35,602	217	69.2	63.3-75.1	108	30.8	24.9-36.7
65+	648	42,978	440	65.5	60.8-70.2	208	34.5	29.8-39.2
Less Than H.S.	74	20,364	38	37.7	23.2-52.2	36	62.3	47.8-76.8
H.S. or G.E.D.	473	66,047	240	38.9	33.4-44.4	233	61.1	55.6-66.6
Some Post-H.S.	553	93,517	302	45.4	40.1-50.7	251	54.6	49.3-59.9
College Graduate	620	59,500	362	50.3	45.2-55.4	258	49.7	44.6-54.8
Less than \$15,000	65	9,853	27	21.7	10.9-32.5	38	78.3	67.5-89.1
\$15,000- 24,999	130	17,236	63	41.7	29.0-54.4	67	58.3	45.6-71.0
\$25,000- 34,999	114	14,744	60	44.9	32.9-56.9	54	55.1	43.1-67.1
\$35,000- 49,999	190	25,021	99	37.4	28.0-46.8	91	62.6	53.2-72.0
\$50,000- 74,999	280	34,954	174	52.0	43.8-60.2	106	48.0	39.8-56.2
\$75,000+	656	96,126	384	49.9	45.0-54.8	272	50.1	45.2-55.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 01: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1884	235,768	1086	47.0	43.9-50.1	798	53.0	49.9-56.1
Native	77	10,479	44	50.9	35.4-66.4	33	49.1	33.6-64.6
Non-Native	1783	222,748	1032	47.1	43.8-50.4	751	52.9	49.6-56.2
18-24	85	32,464	21	22.1	12.7-31.5	64	77.9	68.5-87.3
25-34	136	42,192	48	32.6	23.6-41.6	88	67.4	58.4-76.4
35-44	197	41,361	83	42.5	34.1-50.9	114	57.5	49.1-65.9
45-54	222	31,969	110	49.5	41.9-57.1	112	50.5	42.9-58.1
55-64	412	36,419	275	64.4	58.9-69.9	137	35.6	30.1-41.1
65+	832	51,363	549	64.3	60.4-68.2	283	35.7	31.8-39.6
Less Than H.S.	69	13,320	30	38.8	22.5-55.1	39	61.2	44.9-77.5
H.S. or G.E.D.	459	59,601	249	42.6	36.1-49.1	210	57.4	50.9-63.9
Some Post-H.S.	592	87,549	343	47.7	42.2-53.2	249	52.3	46.8-57.8
College Graduate	761	74,901	464	51.4	46.7-56.1	297	48.6	43.9-53.3
Less than \$15,000	87	13,855	37	29.0	16.5-41.5	50	71.0	58.5-83.5
\$15,000- 24,999	195	24,498	110	53.8	43.2-64.4	85	46.2	35.6-56.8
\$25,000- 34,999	172	19,318	99	46.6	35.2-58.0	73	53.4	42.0-64.8
\$35,000- 49,999	228	24,853	140	47.6	38.4-56.8	88	52.4	43.2-61.6
\$50,000- 74,999	249	31,242	166	53.9	44.9-62.9	83	46.1	37.1-55.1
\$75,000+	574	78,318	325	46.6	41.3-51.9	249	53.4	48.1-58.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 01: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3740	490,630	482	9.0	08.0-10.0	31	0.9	00.5-01.3	3227	90.1	88.9-91.3
Male	1783	248,246	228	8.5	07.1-09.9				1555	91.5	90.1-92.9
Female	1957	242,384	254	9.6	08.0-11.2	31	1.8	01.0-02.6	1672	88.6	86.8-90.4
Native	135	18,507	27	10.6	05.5-15.7	5	4.3	00.0-09.0	103	85.1	78.2-92.0
Non-Native	3542	464,553	446	9.0	07.8-10.2	26	0.8	00.4-01.2	3070	90.2	89.0-91.4
18-24	203	72,130	6	2.8	00.4-05.2	2	0.8	00.0-02.0	195	96.5	94.0-99.0
25-34	349	94,661	7	2.2	00.2-04.2	1	0.4	00.0-01.2	341	97.4	95.4-99.4
35-44	439	84,897	25	5.4	02.9-07.9	9	2.2	00.6-03.8	405	92.4	89.5-95.3
45-54	439	66,202	49	9.6	06.5-12.7	5	1.2	00.0-02.6	385	89.1	85.8-92.4
55-64	762	74,085	113	14.9	11.8-18.0	6	0.7	00.1-01.3	643	84.3	81.2-87.4
65+	1548	98,656	282	18.5	16.1-20.9	8	0.3	00.1-00.5	1258	81.2	78.8-83.6
Less Than H.S.	152	35,222	16	6.9	02.4-11.4				136	93.1	88.6-97.6
H.S. or G.E.D.	957	128,429	129	9.8	07.6-12.0	7	1.0	00.0-02.0	821	89.2	86.8-91.6
Some Post-H.S.	1190	187,500	159	9.2	07.4-11.0	6	0.6	00.0-01.2	1025	90.2	88.2-92.2
College Graduate	1433	138,156	175	8.5	06.9-10.1	18	1.6	00.6-02.6	1240	89.9	88.1-91.7
Less than \$15,000	155	24,200	17	7.8	03.3-12.3	1	1.6	00.0-04.5	137	90.7	85.4-96.0
\$15,000- 24,999	334	42,431	55	12.2	07.3-17.1	7	2.5	00.1-04.9	272	85.3	80.0-90.6
\$25,000- 34,999	301	36,573	44	10.5	06.6-14.4	5	1.9	00.0-04.1	252	87.6	83.3-91.9
\$35,000- 49,999	433	51,463	74	12.0	08.3-15.7	6	1.1	00.1-02.1	353	86.9	83.0-90.8
\$50,000- 74,999	546	68,284	82	9.3	06.6-12.0	2	0.1	00.0-00.3	462	90.6	87.9-93.3
\$75,000+	1263	177,608	135	8.2	06.6-09.8	8	0.9	00.1-01.7	1120	91.0	89.2-92.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 01: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1783	248,246	228	8.5	07.1-09.9	1555	91.5	90.1-92.9
Native	57	7,679	13	9.7	02.6-16.8	44	90.3	83.2-97.4
Non-Native	1689	235,789	210	8.4	07.0-09.8	1479	91.6	90.2-93.0
18-24	115	38,409	2	1.0	00.0-02.6	113	99.0	97.4-0100
25-34	210	51,961	4	1.7	00.0-03.5	206	98.3	96.5-0100
35-44	239	42,916	12	4.8	01.5-08.1	227	95.2	91.9-98.5
45-54	212	33,710	27	11.0	05.9-16.1	185	89.0	83.9-94.1
55-64	333	36,458	56	16.3	11.6-21.0	277	83.7	79.0-88.4
65+	674	44,792	127	18.1	14.6-21.6	547	81.9	78.4-85.4
Less Than H.S.	78	21,250	11	9.2	02.1-16.3	67	90.8	83.7-97.9
H.S. or G.E.D.	486	67,675	62	10.0	07.1-12.9	424	90.0	87.1-92.9
Some Post-H.S.	574	97,006	72	7.4	05.2-09.6	502	92.6	90.4-94.8
College Graduate	640	61,390	81	8.2	05.8-10.6	559	91.8	89.4-94.2
Less than \$15,000	66	9,898	8	8.3	00.9-15.7	58	91.7	84.3-99.1
\$15,000- 24,999	130	17,216	22	12.6	04.6-20.6	108	87.4	79.4-95.4
\$25,000- 34,999	125	16,919	21	12.4	06.1-18.7	104	87.6	81.3-93.9
\$35,000- 49,999	196	26,061	27	7.5	03.8-11.2	169	92.5	88.8-96.2
\$50,000- 74,999	292	36,436	47	10.5	06.6-14.4	245	89.5	85.6-93.4
\$75,000+	667	97,229	74	8.0	05.8-10.2	593	92.0	89.8-94.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 01: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1957	242,384	254	9.6	08.0-11.2	31	1.8	01.0-02.6	1672	88.6	86.8-90.4
Native	78	10,828	14	11.3	04.0-18.6	5	7.3	00.0-15.1	59	81.5	71.1-91.9
Non-Native	1853	228,764	236	9.5	07.9-11.1	26	1.6	00.8-02.4	1591	88.9	87.1-90.7
18-24	88	33,720	4	4.8	00.1-09.5	2	1.6	00.0-04.0	82	93.6	88.3-98.9
25-34	139	42,700	3	2.8	00.0-06.3	1	0.9	00.0-02.7	135	96.3	92.4-0100
35-44	200	41,982	13	6.0	02.3-09.7	9	4.4	01.3-07.5	178	89.6	84.7-94.5
45-54	227	32,492	22	8.1	04.4-11.8	5	2.5	00.0-05.2	200	89.3	84.8-93.8
55-64	429	37,627	57	13.6	09.7-17.5	6	1.5	00.3-02.7	366	85.0	80.9-89.1
65+	874	53,864	155	18.8	15.7-21.9	8	0.6	00.2-01.0	711	80.6	77.5-83.7
Less Than H.S.	74	13,973	5	3.4	00.1-06.7				69	96.6	93.3-99.9
H.S. or G.E.D.	471	60,754	67	9.6	06.7-12.5	7	2.1	00.1-04.1	397	88.3	84.8-91.8
Some Post-H.S.	616	90,495	87	11.1	08.0-14.2	6	1.2	00.0-02.4	523	87.7	84.4-91.0
College Graduate	793	76,766	94	8.8	06.6-11.0	18	2.8	01.2-04.4	681	88.4	85.9-90.9
Less than \$15,000	89	14,303	9	7.4	01.7-13.1	1	2.6	00.0-07.7	79	90.0	82.6-97.4
\$15,000- 24,999	204	25,215	33	11.9	05.6-18.2	7	4.3	00.4-08.2	164	83.8	76.7-90.9
\$25,000- 34,999	176	19,654	23	8.8	04.1-13.5	5	3.5	00.0-07.4	148	87.7	81.6-93.8
\$35,000- 49,999	237	25,403	47	16.7	10.4-23.0	6	2.2	00.0-04.4	184	81.1	74.6-87.6
\$50,000- 74,999	254	31,848	35	8.0	04.7-11.3	2	0.2	00.0-00.6	217	91.8	88.5-95.1
\$75,000+	596	80,379	61	8.4	05.9-10.9	8	1.9	00.3-03.5	527	89.8	86.9-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU NOW TAKING INSULIN? (INSULIN1)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10	MALES AND FEMALES	20
11	MALES ONLY	21
12	FEMALES ONLY	22
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13	MALES AND FEMALES	23
14	MALES ONLY	24
15	FEMALES ONLY	25
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16	MALES AND FEMALES	26
17	MALES ONLY	27
18	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	582	54,782	219	37.7	32.2-43.2	363	62.3	56.8-67.8
Male	294	30,151	116	38.9	31.3-46.5	178	61.1	53.5-68.7
Female	288	24,632	103	36.3	28.7-43.9	185	63.7	56.1-71.3
Native	51	5,280	27	52.5	34.3-70.7	24	47.5	29.3-65.7
Non-Native	526	49,177	191	36.3	30.6-42.0	335	63.7	58.0-69.4
45-54	59	10,136	15	24.1	11.0-37.2	44	75.9	62.8-89.0
55-64	144	14,189	51	35.5	24.7-46.3	93	64.5	53.7-75.3
65+	349	23,595	135	38.7	32.2-45.2	214	61.3	54.8-67.8
H.S. or G.E.D.	174	16,149	66	36.5	26.9-46.1	108	63.5	53.9-73.1
Some Post-H.S.	209	22,931	75	34.5	26.5-42.5	134	65.5	57.5-73.5
College Graduate	165	9,941	60	32.9	23.7-42.1	105	67.1	57.9-76.3
\$15,000- 24,999	80	6,774	30	37.2	23.3-51.1	50	62.8	48.9-76.7
\$35,000- 49,999	79	6,448	30	41.1	26.2-56.0	49	58.9	44.0-73.8
\$50,000- 74,999	87	8,381	24	20.0	10.6-29.4	63	80.0	70.6-89.4
\$75,000+	130	12,860	52	38.1	27.5-48.7	78	61.9	51.3-72.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	294	30,151	116	38.9	31.3-46.5	178	61.1	53.5-68.7
Non-Native	268	27,584	105	39.5	31.5-47.5	163	60.5	52.5-68.5
55-64	74	8,631	26	33.5	18.2-48.8	48	66.5	51.2-81.8
65+	169	11,717	69	42.2	32.8-51.6	100	57.8	48.4-67.2
H.S. or G.E.D.	90	8,528	38	37.3	24.4-50.2	52	62.7	49.8-75.6
Some Post-H.S.	109	13,280	40	35.3	23.9-46.7	69	64.7	53.3-76.1
College Graduate	73	4,668	27	35.4	21.1-49.7	46	64.6	50.3-78.9
\$50,000- 74,999	50	4,713	12	16.5	06.1-26.9	38	83.5	73.1-93.9
\$75,000+	93	9,431	39	40.0	27.7-52.3	54	60.0	47.7-72.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	288	24,632	103	36.3	28.7-43.9	185	63.7	56.1-71.3
Non-Native	258	21,593	86	32.3	24.5-40.1	172	67.7	59.9-75.5
55-64	70	5,558	25	38.6	24.3-52.9	45	61.4	47.1-75.7
65+	180	11,878	66	35.2	26.8-43.6	114	64.8	56.4-73.2
H.S. or G.E.D.	84	7,621	28	35.7	21.4-50.0	56	64.3	50.0-78.6
Some Post-H.S.	100	9,651	35	33.4	22.2-44.6	65	66.6	55.4-77.8
College Graduate	92	5,273	33	30.8	19.0-42.6	59	69.2	57.4-81.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	571	53,587	65	12.0	08.5-15.5	177	31.4	26.3-36.5	302	52.1	46.6-57.6	27	4.6	02.4-06.8	
Male	289	29,896	35	13.0	07.9-18.1	89	32.0	24.9-39.1	151	50.5	42.9-58.1	14	4.5	01.6-07.4	
Female	282	23,692	30	10.8	06.1-15.5	88	30.5	23.4-37.6	151	54.0	46.2-61.8	13	4.7	01.4-08.0	
Native	50	4,960	2	6.2	00.0-14.4	11	22.5	09.6-35.4	34	59.8	44.5-75.1	3	11.6	00.0-23.9	
Non-Native	516	48,302	62	12.6	08.7-16.5	164	32.1	26.6-37.6	266	51.4	45.5-57.3	24	3.9	01.9-05.9	
45-54	57	9,740	5	9.6	01.4-17.8	18	33.0	18.1-47.9	34	57.5	42.0-73.0				
55-64	140	13,538	15	15.6	07.4-23.8	51	33.4	24.0-42.8	66	47.9	37.1-58.7	8	3.0	00.8-05.2	
65+	344	23,447	43	12.3	07.8-16.8	101	31.0	24.9-37.1	187	52.9	46.4-59.4	13	3.7	01.3-06.1	
H.S. or G.E.D.	171	15,934	18	10.7	05.0-16.4	50	26.9	18.9-34.9	96	60.1	50.9-69.3	7	2.4	00.4-04.4	
Some Post-H.S.	204	22,329	23	11.6	05.9-17.3	65	35.3	26.9-43.7	108	47.9	39.3-56.5	8	5.2	01.3-09.1	
College Graduate	165	9,985	19	13.9	06.8-21.0	53	31.2	22.6-39.8	81	45.8	36.2-55.4	12	9.1	02.6-15.6	
\$15,000- 24,999	77	6,457	5	5.4	00.1-10.7	27	34.6	20.9-48.3	43	58.4	44.3-72.5	2	1.6	00.0-04.1	
\$35,000- 49,999	79	6,448	7	6.3	01.2-11.4	23	30.6	17.3-43.9	48	61.4	47.5-75.3	1	1.6	00.0-04.7	
\$50,000- 74,999	84	8,175	9	11.7	02.7-20.7	28	39.8	25.9-53.7	45	45.5	31.6-59.4	2	3.0	00.0-08.3	
\$75,000+	129	12,705	19	18.7	09.5-27.9	41	31.1	21.1-41.1	57	41.4	30.8-52.0	12	8.9	02.8-15.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	289	29,896	35	13.0	07.9-18.1	89	32.0	24.7-39.3	151	50.5	42.9-58.1	14	4.5	01.6-07.4	
Non-Native	263	27,329	34	13.7	08.2-19.2	82	32.2	24.6-39.8	133	49.3	41.1-57.5	14	4.9	01.8-08.0	
55-64	73	8,495	12	21.8	09.6-34.0	22	27.2	15.4-39.0	36	49.2	34.1-64.3	3	1.7	00.0-03.9	
65+	165	11,597	20	10.4	05.1-15.7	53	35.9	26.5-45.3	85	49.6	40.0-59.2	7	4.1	00.6-07.6	
H.S. or G.E.D.	89	8,505	7	10.5	01.9-19.1	27	29.1	17.9-40.3	51	57.8	45.1-70.5	4	2.6	00.0-05.3	
Some Post-H.S.	107	13,115	15	15.5	06.5-24.5	35	33.4	21.8-45.0	52	46.1	33.9-58.3	5	5.0	00.1-09.9	
College Graduate	72	4,655	9	12.3	02.5-22.1	20	29.0	16.3-41.7	38	48.9	34.2-63.6	5	9.9	00.0-19.9	
\$75,000+	93	9,431	15	20.7	09.3-32.1	27	26.4	16.0-36.8	41	42.1	29.9-54.3	10	10.8	02.8-18.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	282	23,692	30	10.8	06.1-15.5	88	30.5	23.4-37.6	151	54.0	46.2-61.8	13	4.7	01.4-08.0	
Non-Native	253	20,973	28	11.3	06.2-16.4	82	32.0	24.4-39.6	133	54.2	46.0-62.4	10	2.5	00.5-04.5	
55-64	67	5,043	3	5.2	00.0-12.1	29	44.0	30.1-57.9	30	45.6	31.7-59.5	5	5.2	00.5-09.9	
65+	179	11,850	23	14.2	06.9-21.5	48	26.3	18.7-33.9	102	56.2	47.4-65.0	6	3.2	00.0-06.5	
H.S. or G.E.D.	82	7,429	11	11.0	03.6-18.4	23	24.3	12.9-35.7	45	62.6	49.3-75.9	3	2.1	00.0-04.6	
Some Post-H.S.	97	9,214	8	6.1	01.2-11.0	30	37.9	25.4-50.4	56	50.5	38.2-62.8	3	5.4	00.0-11.7	
College Graduate	93	5,330	10	15.3	05.1-25.5	33	33.1	21.3-44.9	43	43.1	30.8-55.4	7	8.5	00.0-17.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	554	52,117	300	57.3	51.8-62.8	111	16.3	12.6-20.0	41	6.7	04.2-09.2	32	6.3	03.6-09.0	68	13.1	09.2-17.0	2	0.4	00.0-01.0
Male	274	28,378	145	54.3	46.5-62.1	46	12.5	08.0-17.0	23	8.7	04.8-12.6	24	8.9	04.4-13.4	34	14.9	08.8-21.0	2	0.8	00.0-02.0
Female	280	23,739	155	60.9	53.6-68.2	65	20.8	14.7-26.9	18	4.2	01.7-06.7	8	3.1	00.7-05.5	34	10.9	06.6-15.2			
Non-Native	500	46,886	267	56.5	50.6-62.4	102	16.4	12.5-20.3	37	6.4	03.9-08.9	30	6.6	03.7-09.5	62	13.6	09.5-17.7	2	0.5	00.0-01.1
45-54	56	9,611	31	60.6	45.7-75.5	7	11.6	02.4-20.8	5	7.0	00.5-13.5	5	6.5	00.0-13.0	8	14.2	03.6-24.8			
55-64	139	13,539	88	65.2	55.4-75.0	26	14.9	08.4-21.4	11	8.3	02.6-14.0	7	4.7	00.8-08.6	7	6.9	01.2-12.6			
65+	329	22,104	165	51.3	44.6-58.0	76	23.1	17.2-29.0	21	5.4	02.5-08.3	17	5.5	02.4-08.6	48	13.7	09.4-18.0	2	1.0	00.0-02.4
H.S. or G.E.D.	166	15,428	99	62.4	53.0-71.8	25	13.2	07.5-18.9	10	6.0	01.5-10.5	9	7.0	01.9-12.1	22	10.9	05.4-16.4	1	0.5	00.0-01.5
Some Post-H.S.	200	21,978	111	54.5	45.7-63.3	38	16.2	10.3-22.1	12	5.7	01.8-09.6	12	6.3	01.4-11.2	26	16.7	09.4-24.0	1	0.6	00.0-01.8
College Graduate	158	9,531	77	53.9	44.1-63.7	43	21.3	13.9-28.7	15	10.0	03.9-16.1	8	5.4	00.9-09.9	15	9.5	03.4-15.6			
\$15,000- 24,999	72	6,054	40	56.9	42.0-71.8	16	20.5	09.1-31.9	3	1.2	00.0-02.8	3	5.7	00.0-12.6	10	15.6	04.0-27.2			
\$35,000- 49,999	77	6,247	40	61.7	48.2-75.2	18	14.7	06.9-22.5	7	8.8	01.4-16.2	3	2.1	00.0-04.6	8	11.4	01.6-21.2	1	1.3	00.0-03.8
\$50,000- 74,999	85	8,131	41	53.8	40.1-67.5	22	23.3	11.7-34.9	4	4.5	00.0-10.0	7	5.8	00.7-10.9	10	11.0	03.0-19.0	1	1.6	00.0-04.7
\$75,000+	125	12,542	72	57.7	46.7-68.7	22	11.9	06.2-17.6	9	9.1	02.8-15.4	10	10.7	02.9-18.5	12	10.5	03.2-17.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	274	28,378	145	54.3	46.5-62.1	46	12.5	08.0-17.0	23	8.7	04.6-12.8	24	8.9	04.2-13.6	34	14.9	08.8-21.0	2	0.8	00.0-02.0
Non-Native	248	25,812	129	53.7	45.3-62.1	41	12.0	07.3-16.7	21	8.4	04.3-12.5	22	9.1	04.2-14.0	33	16.0	09.5-22.5	2	0.8	00.0-02.0
55-64	71	8,356	51	71.1	58.0-84.2	6	7.1	01.0-13.2	6	9.0	01.0-17.0	5	5.7	00.0-11.6	3	7.1	00.0-15.3			
65+	155	10,745	75	52.1	42.3-61.9	35	19.9	12.3-27.5	11	8.4	02.5-14.3	12	6.2	02.1-10.3	20	11.3	05.4-17.2	2	2.0	00.0-04.7
H.S. or G.E.D.	84	7,928	53	62.7	49.6-75.8	11	10.2	03.3-17.1	5	8.2	00.4-16.0	6	8.5	00.5-16.5	8	9.4	01.2-17.6	1	1.0	00.0-03.0
Some Post-H.S.	102	12,603	48	45.3	33.0-57.6	20	15.3	07.3-23.3	8	6.8	01.1-12.5	10	10.2	02.0-18.4	15	21.4	10.2-32.6	1	1.1	00.0-03.3
College Graduate	68	4,386	35	54.4	39.3-69.5	12	11.3	03.5-19.1	7	15.1	03.5-26.7	6	8.9	00.3-17.5	8	10.3	00.7-19.9			
\$75,000+	88	9,114	51	54.1	41.2-67.0	14	11.3	04.6-18.0	8	10.7	02.9-18.5	8	13.3	02.9-23.7	7	10.7	01.3-20.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	280	23,739	155	60.9	53.6-68.2	65	20.8	14.7-26.9	18	4.2	01.7-06.7	8	3.1	00.7-05.5	34	10.9	06.6-15.2
Non-Native	252	21,074	138	59.9	52.1-67.7	61	21.7	15.2-28.2	16	4.0	01.5-06.5	8	3.5	00.8-06.2	29	10.8	06.3-15.3
55-64	68	5,184	37	55.8	42.1-69.5	20	27.3	15.0-39.6	5	7.2	00.0-14.8	2	3.0	00.0-07.1	4	6.6	00.0-13.3
65+	174	11,360	90	50.5	41.3-59.7	41	26.2	17.2-35.2	10	2.6	00.8-04.4	5	4.8	00.3-09.3	28	15.9	09.6-22.2
H.S. or G.E.D.	82	7,500	46	62.1	48.8-75.4	14	16.3	06.9-25.7	5	3.7	00.0-07.4	3	5.4	00.0-11.7	14	12.5	05.2-19.8
Some Post-H.S.	98	9,374	63	66.8	55.4-78.2	18	17.5	08.5-26.5	4	4.2	00.0-09.1	2	1.2	00.0-03.0	11	10.3	03.0-17.6
College Graduate	90	5,145	42	53.4	40.5-66.3	31	29.7	18.3-41.1	8	5.6	00.7-10.5	2	2.4	00.0-05.7	7	8.9	01.3-16.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	573	53,617	123	20.6	16.1-25.1	167	29.3	24.4-34.2	66	11.7	08.2-15.2	105	16.7	12.6-20.8	47	8.9	05.0-12.8	65	12.9	09.2-16.6			
Male	289	29,615	65	21.9	15.2-28.6	87	28.6	21.9-35.3	28	10.6	05.7-15.5	52	15.8	10.7-20.9	26	10.3	04.4-16.2	31	12.9	07.6-18.2			
Female	284	24,002	58	19.0	12.9-25.1	80	30.1	23.0-37.2	38	13.0	08.1-17.9	53	17.9	11.6-24.2	21	7.1	02.4-11.8	34	12.9	08.0-17.8			
Native	51	5,280	11	21.6	06.3-36.9	14	26.7	12.6-40.8	4	12.9	00.0-27.6	13	18.8	07.4-30.2	4	8.1	00.0-17.3	5	11.9	01.9-21.9			
Non-Native	517	48,012	111	20.5	15.8-25.2	151	29.5	24.4-34.6	61	11.4	07.9-14.9	92	16.6	12.3-20.9	43	9.0	04.7-13.3	59	13.0	09.1-16.9			
45-54	57	9,513	17	24.0	11.1-36.9	13	24.0	11.5-36.5	4	8.5	00.3-16.7	14	24.4	10.5-38.3	3	3.4	00.0-07.7	6	15.8	03.8-27.8			
55-64	144	14,189	38	24.8	16.0-33.6	37	25.8	17.0-34.6	14	9.3	04.0-14.6	20	11.5	05.6-17.4	17	14.0	04.0-24.0	18	14.6	07.2-22.0			
65+	342	23,053	64	16.9	12.4-21.4	111	36.6	30.1-43.1	40	11.1	07.0-15.2	68	18.9	13.8-24.0	22	4.6	02.4-06.8	37	11.8	07.5-16.1			
H.S. or G.E.D.	172	15,951	31	13.5	08.0-19.0	57	31.0	22.4-39.6	24	13.9	07.0-20.8	27	18.5	10.1-26.9	16	11.4	03.4-19.4	17	11.8	05.7-17.9			
Some Post-H.S.	205	22,610	48	23.7	15.9-31.5	62	28.9	21.3-36.5	20	10.9	05.4-16.4	35	15.2	09.1-21.3	12	5.0	01.7-08.3	28	16.3	09.4-23.2			
College Graduate	166	9,998	37	24.1	15.7-32.5	39	23.7	15.7-31.7	17	10.5	04.2-16.8	39	19.8	12.4-27.2	15	9.5	03.0-16.0	19	12.4	06.3-18.5			
\$15,000- 24,999	78	6,479	21	28.0	14.7-41.3	23	30.5	17.0-44.0	10	13.7	03.1-24.3	14	15.4	06.2-24.6	6	2.8	00.3-05.3	4	9.5	00.0-19.7			
\$35,000- 49,999	79	6,448	14	11.2	04.1-18.3	24	27.7	15.9-39.5	7	6.1	01.0-11.2	19	25.4	12.9-37.9	5	13.7	00.2-27.2	10	15.9	04.5-27.3			
\$50,000- 74,999	87	8,381	20	28.4	16.1-40.7	25	23.5	12.9-34.1	7	5.5	00.6-10.4	18	18.5	06.3-30.7	4	6.4	00.0-13.1	13	17.7	06.3-29.1			
\$75,000+	130	12,860	28	20.5	11.7-29.3	46	38.8	28.0-49.6	11	11.1	03.7-18.5	21	11.0	05.5-16.5	9	6.2	01.3-11.1	15	12.4	05.3-19.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	289	29,615	65	21.9	15.2-28.6	87	28.6	21.9-35.3	28	10.6	05.7-15.5	52	15.8	10.7-20.9	26	10.3	04.4-16.2	31	12.9	07.6-18.2			
Non-Native	263	27,048	58	21.0	14.1-27.9	78	28.5	21.2-35.8	25	9.7	05.0-14.4	49	16.7	11.0-22.4	24	10.8	04.3-17.3	29	13.3	07.6-19.0			
55-64	74	8,631	19	24.8	12.5-37.1	19	22.2	11.2-33.2	7	8.2	01.7-14.7	9	10.4	02.6-18.2	12	20.8	05.3-36.3	8	13.6	03.4-23.8			
65+	165	11,334	35	19.5	12.4-26.6	57	37.9	28.3-47.5	14	8.1	02.8-13.4	34	20.7	13.1-28.3	9	3.8	00.9-06.7	16	9.9	03.8-16.0			
H.S. or G.E.D.	88	8,331	16	13.8	06.0-21.6	30	33.9	21.7-46.1	12	15.6	04.8-26.4	16	16.2	07.6-24.8	9	12.4	01.6-23.2	5	8.1	00.5-15.7			
Some Post-H.S.	108	13,127	31	27.1	16.1-38.1	29	24.0	13.8-34.2	8	10.0	02.6-17.4	19	14.6	06.4-22.8	8	6.4	01.1-11.7	13	17.8	07.8-27.8			
College Graduate	73	4,668	13	18.7	07.5-29.9	21	28.5	15.6-41.4	6	7.8	00.0-15.6	15	21.7	09.0-34.4	6	8.3	00.0-17.7	12	15.0	05.2-24.8			
\$50,000- 74,999	50	4,713	13	32.3	15.6-49.0	15	24.2	10.5-37.9	3	2.5	00.0-05.8	9	11.9	03.9-19.9	2	5.2	00.0-12.5	8	23.8	06.2-41.4			
\$75,000+	93	9,431	17	15.6	07.8-23.4	36	41.1	28.6-53.6	9	12.8	03.4-22.2	14	11.3	04.6-18.0	7	7.2	00.7-13.7	10	11.9	03.5-20.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	284	24,002	58	19.0	12.9-25.1	80	30.1	23.2-37.0	38	13.0	08.1-17.9	53	17.9	11.6-24.2	21	7.1	02.4-11.8	34	12.9	08.0-17.8			
Non-Native	254	20,963	53	19.8	13.1-26.5	73	30.7	23.3-38.1	36	13.5	08.2-18.8	43	16.5	09.8-23.2	19	6.7	01.8-11.6	30	12.8	07.7-17.9			
55-64	70	5,558	19	24.8	13.2-36.4	18	31.4	17.3-45.5	7	11.1	01.7-20.5	11	13.1	04.7-21.5	5	3.5	00.2-06.8	10	16.1	05.9-26.3			
65+	177	11,719	29	14.4	08.3-20.5	54	35.4	26.4-44.4	26	14.1	07.6-20.6	34	17.2	10.3-24.1	13	5.3	02.2-08.4	21	13.5	07.2-19.8			
H.S. or G.E.D.	84	7,621	15	13.2	05.6-20.8	27	27.8	15.8-39.8	12	12.0	04.4-19.6	11	21.0	06.5-35.5	7	10.3	00.0-22.3	12	15.8	06.0-25.6			
Some Post-H.S.	97	9,483	17	18.9	07.9-29.9	33	35.8	24.4-47.2	12	12.2	04.4-20.0	16	16.0	07.2-24.8	4	3.0	00.0-06.7	15	14.2	05.8-22.6			
College Graduate	93	5,330	24	28.8	16.8-40.8	18	19.4	09.8-29.0	11	12.9	03.3-22.5	24	18.2	10.2-26.2	9	10.5	01.5-19.5	7	10.2	02.6-17.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	561	51,901	334	58.9	53.4-64.4	162	29.5	24.2-34.8	14	1.8	00.6-03.0	7	1.1	00.1-02.1	37	7.7	04.8-10.6	7	1.1	00.0-02.5
Male	283	28,122	178	62.6	55.0-70.2	70	24.2	17.5-30.9	9	1.9	00.3-03.5	6	1.8	00.0-03.8	18	8.1	03.4-12.8	2	1.4	00.0-03.8
Female	278	23,779	156	54.6	46.6-62.6	92	35.7	27.7-43.7	5	1.6	00.0-03.4	1	0.2	00.0-00.6	19	7.1	03.6-10.6	5	0.7	00.0-01.5
Native	51	5,280	23	44.1	25.7-62.5	16	35.0	17.0-53.0	3	3.0	00.0-07.3				9	17.9	06.3-29.5			
Non-Native	505	46,296	306	60.3	54.4-66.2	146	29.0	23.5-34.5	11	1.6	00.4-02.8	7	1.2	00.0-02.4	28	6.6	03.5-09.7	7	1.2	00.0-02.8
45-54	58	9,849	34	51.6	36.1-67.1	16	33.0	17.7-48.3	3	3.3	00.0-07.4				5	12.1	00.9-23.3			
55-64	140	13,082	85	63.7	54.5-72.9	39	24.1	16.3-31.9	3	1.6	00.0-03.8	1	1.5	00.0-04.4	11	8.8	03.3-14.3	1	0.3	00.0-00.9
65+	334	22,319	200	61.6	55.1-68.1	95	26.6	20.9-32.3	8	1.7	00.3-03.1	6	1.6	00.0-03.4	19	6.1	03.0-09.2	6	2.4	00.0-05.3
H.S. or G.E.D.	167	15,654	94	51.4	41.4-61.4	51	35.7	25.5-45.9	2	0.3	00.0-00.7	2	1.6	00.0-04.1	16	10.7	05.0-16.4	2	0.3	00.0-00.7
Some Post-H.S.	203	21,868	134	66.7	58.5-74.9	50	24.2	16.6-31.8	6	2.8	00.4-05.2				11	5.8	01.9-09.7	2	0.5	00.0-01.1
College Graduate	164	9,956	94	60.6	51.2-70.0	54	33.0	23.6-42.4	6	2.7	00.3-05.1	3	0.8	00.0-01.8	6	2.7	00.0-05.4	1	0.2	00.0-00.6
\$15,000- 24,999	78	6,537	44	55.3	40.6-70.0	22	26.0	13.8-38.2	1	0.1	00.0-00.3	1	2.6	00.0-07.7	6	8.8	00.6-17.0	4	7.1	00.0-16.9
\$35,000- 49,999	76	6,067	42	52.8	37.9-67.7	27	34.7	21.0-48.4	1	2.8	00.0-08.1	1	0.5	00.0-01.5	5	9.3	00.0-19.3			
\$50,000- 74,999	86	8,094	51	61.6	47.7-75.5	25	27.5	14.2-40.8	3	3.8	00.0-08.3	1	0.3	00.0-00.9	6	6.9	00.2-13.6			
\$75,000+	128	12,478	86	67.8	57.6-78.0	33	25.0	15.2-34.8	3	1.8	00.0-04.0	1	1.6	00.0-04.7	5	3.8	00.1-07.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	283	28,122	178	62.6	55.0-70.2	70	24.2	17.5-30.9	9	1.9	00.3-03.5	6	1.8	00.0-03.8	18	8.1	03.4-12.8	2	1.4	00.0-03.8
Non-Native	257	25,555	164	63.5	55.7-71.3	66	24.6	17.9-31.3	6	1.5	00.0-03.1	6	2.0	00.0-04.2	13	6.9	02.0-11.8	2	1.6	00.0-04.1
55-64	71	7,551	42	62.3	49.2-75.4	18	22.7	11.7-33.7	3	2.8	00.0-06.5	1	2.6	00.0-07.7	7	9.6	02.3-16.9			
65+	162	11,055	104	64.1	54.7-73.5	41	24.9	16.9-32.9	4	1.6	00.0-03.8	5	2.8	00.0-06.1	6	3.0	00.3-05.7	2	3.6	00.0-09.5
H.S. or G.E.D.	87	8,365	50	61.4	48.7-74.1	27	26.7	15.5-37.9	2	0.6	00.0-01.4	1	2.4	00.0-06.9	7	8.9	01.6-16.2			
Some Post-H.S.	106	12,569	72	66.8	55.2-78.4	24	24.5	13.7-35.3	5	3.5	00.2-06.8				5	5.2	00.0-10.5			
College Graduate	73	4,668	49	67.8	54.1-81.5	16	25.9	12.6-39.2	2	1.2	00.0-03.2	3	1.6	00.0-03.6	3	3.5	00.0-08.6			
\$75,000+	91	9,049	65	71.7	59.9-83.5	20	21.8	10.8-32.8	2	1.6	00.0-04.1	1	2.2	00.0-06.5	3	2.7	00.0-06.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	278	23,779	156	54.6	46.6-62.6	92	35.7	27.7-43.7	5	1.6	00.0-03.4	1	0.2	00.0-00.6	19	7.1	03.4-10.8	5	0.7	00.0-01.5
Non-Native	248	20,741	142	56.4	47.8-65.0	80	34.5	25.9-43.1	5	1.8	00.0-03.8	1	0.3	00.0-00.9	15	6.1	02.6-09.6	5	0.8	00.0-01.6
55-64	69	5,531	43	65.6	52.7-78.5	21	25.9	14.5-37.3							4	7.7	00.0-15.7	1	0.7	00.0-02.1
65+	172	11,264	96	59.1	50.1-68.1	54	28.2	20.2-36.2	4	1.9	00.0-03.9	1	0.5	00.0-01.5	13	9.1	03.4-14.8	4	1.2	00.0-02.6
H.S. or G.E.D.	80	7,289	44	39.9	26.6-53.2	24	46.1	30.6-61.6				1	0.7	00.0-02.1	9	12.7	03.9-21.5	2	0.6	00.0-01.6
Some Post-H.S.	97	9,299	62	66.7	55.3-78.1	26	23.8	13.8-33.8	1	1.8	00.0-05.3				6	6.6	00.9-12.3	2	1.1	00.0-02.7
College Graduate	91	5,288	45	54.2	41.3-67.1	38	39.3	26.6-52.0	4	4.0	00.0-08.1				3	1.9	00.0-04.6	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	569	52,584	165	30.5	25.6-35.4	148	24.5	20.2-28.8	45	9.0	05.5-12.5	68	10.1	07.0-13.2	34	5.4	02.9-07.9	109	20.5	15.8-25.2
Male	285	28,322	85	31.3	24.4-38.2	75	23.3	17.4-29.2	22	10.4	05.1-15.7	33	11.7	06.8-16.6	17	5.0	01.3-08.7	53	18.2	12.3-24.1
Female	284	24,262	80	29.4	22.3-36.5	73	25.9	19.4-32.4	23	7.4	02.7-12.1	35	8.2	04.7-11.7	17	5.8	02.3-09.3	56	23.2	15.9-30.5
Native	51	5,280	14	35.5	21.4-49.6	12	18.5	08.3-28.7	2	2.0	00.0-04.9	7	10.6	01.4-19.8	4	9.3	00.0-21.1	12	24.1	10.8-37.4
Non-Native	513	46,979	148	29.7	24.4-35.0	136	25.3	20.6-30.0	42	9.6	05.7-13.5	61	10.1	06.8-13.4	30	5.0	02.5-07.5	96	20.2	15.3-25.1
45-54	57	9,686	19	23.3	11.7-34.9	14	28.5	14.6-42.4	6	11.3	00.5-22.1	5	7.3	00.0-15.3	2	6.6	00.0-16.2	11	23.0	09.5-36.5
55-64	141	13,099	46	36.3	26.5-46.1	30	17.7	10.8-24.6	9	6.8	01.9-11.7	15	9.1	03.6-14.6	9	7.7	01.4-14.0	32	22.3	14.1-30.5
65+	341	22,937	88	26.4	20.7-32.1	99	30.8	24.7-36.9	27	7.3	04.0-10.6	46	12.4	08.1-16.7	22	4.9	02.5-07.3	59	18.1	12.4-23.8
H.S. or G.E.D.	169	15,585	42	22.8	15.0-30.6	53	29.9	21.3-38.5	16	14.8	06.0-23.6	14	8.4	03.3-13.5	13	5.1	02.0-08.2	31	19.0	10.8-27.2
Some Post-H.S.	203	22,044	69	37.9	29.3-46.5	60	26.0	18.9-33.1	9	5.8	00.9-10.7	19	7.8	02.9-12.7	9	3.8	00.9-06.7	37	18.6	11.7-25.5
College Graduate	164	9,892	51	38.1	28.3-47.9	28	14.5	08.6-20.4	16	9.2	03.5-14.9	29	14.7	07.8-21.6	7	2.6	00.2-05.0	33	21.0	13.2-28.8
\$15,000- 24,999	80	6,774	28	40.9	26.8-55.0	17	20.5	09.7-31.3	6	4.0	00.1-07.9	9	8.9	02.0-15.8	4	2.2	00.0-04.6	16	23.5	10.0-37.0
\$35,000- 49,999	76	6,261	21	23.8	12.4-35.2	18	18.4	08.8-28.0	7	14.5	01.0-28.0	14	17.6	06.0-29.2	5	10.0	01.4-18.6	11	15.6	04.6-26.6
\$50,000- 74,999	86	8,247	27	31.7	19.0-44.4	24	28.7	16.2-41.2	8	11.8	00.0-23.6	9	6.1	01.6-10.6	1	0.5	00.0-01.5	17	21.2	10.0-32.4
\$75,000+	128	12,528	45	40.1	29.1-51.1	34	26.2	16.6-35.8	7	6.9	01.6-12.2	15	9.1	03.4-14.8	7	4.5	00.2-08.8	20	13.4	06.9-19.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	285	28,322	85	31.3	24.4-38.2	75	23.3	17.4-29.2	22	10.4	05.1-15.7	33	11.7	06.8-16.6	17	5.0	01.3-08.7	53	18.2	12.3-24.1
Non-Native	259	25,755	76	30.3	22.9-37.7	70	23.8	17.5-30.1	19	10.6	04.7-16.5	33	12.9	07.4-18.4	15	5.3	01.2-09.4	46	17.1	11.0-23.2
55-64	71	7,541	25	38.5	24.6-52.4	15	15.6	06.8-24.4	7	11.2	02.8-19.6	7	9.6	01.4-17.8	5	5.4	00.0-11.9	12	19.5	08.5-30.5
65+	165	11,428	44	28.1	19.7-36.5	49	31.1	22.3-39.9	9	6.0	01.3-10.7	21	13.8	07.1-20.5	10	4.3	01.0-07.6	32	16.6	09.0-24.2
H.S. or G.E.D.	87	8,048	22	27.6	15.6-39.6	26	27.1	16.1-38.1	10	17.2	04.9-29.5	8	8.5	01.4-15.6	7	4.3	00.6-08.0	14	15.4	06.2-24.6
Some Post-H.S.	105	12,669	37	36.9	24.9-48.9	28	21.6	12.4-30.8	5	8.2	00.0-16.4	12	11.0	03.0-19.0	5	4.0	00.0-08.3	18	18.4	08.6-28.2
College Graduate	72	4,628	26	42.9	28.0-57.8	15	16.0	06.8-25.2	4	7.0	00.0-14.8	10	16.8	04.5-29.1	2	0.7	00.0-01.9	15	16.6	06.6-26.6
\$75,000+	91	9,100	32	40.8	28.3-53.3	25	24.1	13.3-34.9	5	7.9	01.0-14.8	11	10.8	03.4-18.2	6	5.3	00.0-11.0	12	11.0	04.1-17.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	284	24,262	80	29.4	22.3-36.5	73	25.9	19.4-32.4	23	7.4	02.7-12.1	35	8.2	04.9-11.5	17	5.8	02.3-09.3	56	23.2	16.1-30.3
Non-Native	254	21,223	72	29.0	21.6-36.4	66	27.2	19.9-34.5	23	8.5	03.2-13.8	28	6.8	03.7-09.9	15	4.6	01.9-07.3	50	24.0	16.2-31.8
55-64	70	5,558	21	33.2	19.9-46.5	15	20.6	09.8-31.4	2	0.9	00.0-02.3	8	8.3	01.6-15.0	4	10.8	00.0-22.8	20	26.1	14.1-38.1
65+	176	11,509	44	24.8	17.2-32.4	50	30.4	22.2-38.6	18	8.6	03.9-13.3	25	11.1	05.8-16.4	12	5.5	02.2-08.8	27	19.6	11.4-27.8
H.S. or G.E.D.	82	7,537	20	17.8	08.6-27.0	27	32.9	19.4-46.4	6	12.3	00.0-25.0	6	8.3	01.0-15.6	6	5.9	00.6-11.2	17	22.8	09.3-36.3
Some Post-H.S.	98	9,374	32	39.3	27.0-51.6	32	31.9	20.7-43.1	4	2.6	00.0-05.3	7	3.5	00.6-06.4	4	3.6	00.0-07.7	19	19.0	09.4-28.6
College Graduate	92	5,264	25	33.8	20.7-46.9	13	13.2	05.8-20.6	12	11.1	03.1-19.1	19	12.7	06.2-19.2	5	4.3	00.0-08.6	18	24.8	13.2-36.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	577	54,515	128	18.8	14.9-22.7	307	52.3	46.6-58.0	74	15.5	11.2-19.8	54	11.1	07.0-15.2	14	2.4	00.4-04.4
Male	291	29,689	66	18.3	13.0-23.6	156	54.4	46.6-62.2	36	15.9	09.8-22.0	28	10.7	05.0-16.4	5	0.8	00.0-01.6
Female	286	24,827	62	19.4	13.7-25.1	151	49.8	42.0-57.6	38	15.0	09.1-20.9	26	11.7	05.8-17.6	9	4.2	00.1-08.3
Native	51	5,280	12	20.4	07.3-33.5	29	60.9	42.7-79.1	7	11.9	00.0-25.0	1	3.1	00.0-09.0	2	3.8	00.0-09.5
Non-Native	521	48,910	116	18.7	14.6-22.8	273	51.0	45.1-56.9	67	16.0	11.5-20.5	53	12.1	07.6-16.6	12	2.2	00.2-04.2
45-54	58	9,839	9	14.4	04.4-24.4	31	49.8	34.5-65.1	6	10.6	01.8-19.4	9	19.5	06.6-32.4	3	5.8	00.0-14.8
55-64	144	14,189	29	20.8	12.6-29.0	70	45.8	35.4-56.2	21	15.5	08.1-22.9	21	16.7	06.5-26.9	3	1.2	00.0-03.0
65+	344	23,227	85	21.5	16.4-26.6	192	58.9	52.4-65.4	38	11.4	07.1-15.7	23	6.8	03.3-10.3	6	1.5	00.1-02.9
H.S. or G.E.D.	170	16,036	43	21.9	14.3-29.5	84	49.0	39.0-59.0	23	16.6	08.8-24.4	17	11.6	04.2-19.0	3	1.0	00.0-02.2
Some Post-H.S.	208	22,799	37	16.0	10.1-21.9	118	56.0	47.4-64.6	27	16.5	09.2-23.8	21	9.9	04.8-15.0	5	1.6	00.0-03.4
College Graduate	165	9,919	41	24.1	15.9-32.3	84	46.4	36.8-56.0	22	17.6	09.8-25.4	13	9.1	03.2-15.0	5	2.9	00.2-05.6
\$15,000- 24,999	80	6,774	18	18.9	08.5-29.3	42	54.2	39.9-68.5	11	13.4	02.8-24.0	8	12.9	02.3-23.5	1	0.6	00.0-01.8
\$35,000- 49,999	77	6,278	19	16.2	08.0-24.4	45	62.9	49.2-76.6	4	7.3	00.0-16.5	6	9.4	00.8-18.0	3	4.2	00.0-09.3
\$50,000- 74,999	87	8,381	16	14.7	06.5-22.9	51	54.3	40.4-68.2	8	10.5	01.9-19.1	10	18.4	05.3-31.5	2	2.0	00.0-04.9
\$75,000+	130	12,860	38	32.4	22.0-42.8	64	43.9	33.3-54.5	18	16.9	08.3-25.5	7	5.5	00.4-10.6	3	1.4	00.0-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	291	29,689	66	18.3	13.0-23.6	156	54.4	46.6-62.2	36	15.9	09.8-22.0	28	10.7	05.0-16.4	5	0.8	00.0-01.6
Non-Native	265	27,122	61	18.5	12.8-24.2	139	53.2	45.0-61.4	32	15.8	09.7-21.9	28	11.7	05.6-17.8	5	0.9	00.1-01.7
55-64	74	8,631	16	18.3	08.1-28.5	37	46.1	31.4-60.8	10	15.5	04.9-26.1	11	20.1	04.8-35.4			
65+	167	11,552	43	22.4	15.0-29.8	92	58.6	49.4-67.8	16	9.9	03.6-16.2	13	7.9	02.4-13.4	3	1.2	00.0-02.6
H.S. or G.E.D.	88	8,198	27	25.5	14.7-36.3	42	50.5	37.4-63.6	9	13.1	02.9-23.3	9	10.1	02.7-17.5	1	0.8	00.0-02.4
Some Post-H.S.	108	13,148	19	15.5	07.5-23.5	62	58.0	46.0-70.0	15	18.7	08.3-29.1	10	7.3	01.8-12.8	2	0.5	00.0-01.3
College Graduate	73	4,668	16	21.8	09.3-34.3	38	47.6	32.9-62.3	11	21.6	08.7-34.5	6	7.0	00.7-13.3	2	2.1	00.0-05.0
\$50,000- 74,999	50	4,713	8	12.7	03.1-22.3	30	64.2	47.9-80.5	6	10.6	00.0-21.6	6	12.5	01.1-23.9			
\$75,000+	93	9,431	26	30.2	18.4-42.0	47	48.6	36.1-61.1	12	13.3	05.5-21.1	7	7.5	00.6-14.4	1	0.5	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	286	24,827	62	19.4	13.7-25.1	151	49.8	42.0-57.6	38	15.0	09.1-20.9	26	11.7	05.8-17.6	9	4.2	00.1-08.3
Non-Native	256	21,788	55	19.0	13.1-24.9	134	48.3	39.9-56.7	35	16.2	09.7-22.7	25	12.6	06.1-19.1	7	3.9	00.0-08.4
55-64	70	5,558	13	24.6	10.9-38.3	33	45.2	31.3-59.1	11	15.6	06.0-25.2	10	11.4	02.8-20.0	3	3.2	00.0-07.5
65+	177	11,675	42	20.5	13.6-27.4	100	59.2	50.4-68.0	22	12.9	07.0-18.8	10	5.7	01.6-09.8	3	1.7	00.0-03.9
H.S. or G.E.D.	82	7,838	16	18.1	07.5-28.7	42	47.3	32.4-62.2	14	20.4	08.4-32.4	8	13.1	00.4-25.8	2	1.1	00.0-02.7
Some Post-H.S.	100	9,651	18	16.6	08.0-25.2	56	53.3	41.0-65.6	12	13.5	03.7-23.3	11	13.5	04.3-22.7	3	3.1	00.0-07.0
College Graduate	92	5,251	25	26.2	15.4-37.0	46	45.3	32.6-58.0	11	14.0	04.8-23.2	7	10.9	01.3-20.5	3	3.6	00.0-08.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	576	54,470	97	18.0	13.7-22.3	479	82.0	77.7-86.3
Male	288	29,499	57	20.0	13.5-26.5	231	80.0	73.5-86.5
Female	288	24,971	40	15.5	09.8-21.2	248	84.5	78.8-90.2
Native	50	5,041	17	30.2	14.9-45.5	33	69.8	54.5-85.1
Non-Native	523	49,286	79	16.6	12.1-21.1	444	83.4	78.9-87.9
45-54	59	10,136	12	16.6	06.8-26.4	47	83.4	73.6-93.2
55-64	140	13,711	26	23.6	12.4-34.8	114	76.4	65.2-87.6
65+	346	23,361	53	15.6	11.1-20.1	293	84.4	79.9-88.9
H.S. or G.E.D.	174	16,477	35	18.4	11.3-25.5	139	81.6	74.5-88.7
Some Post-H.S.	206	22,455	29	15.2	08.9-21.5	177	84.8	78.5-91.1
College Graduate	162	9,777	23	17.2	09.6-24.8	139	82.8	75.2-90.4
\$15,000- 24,999	79	6,762	17	18.5	08.7-28.3	62	81.5	71.7-91.3
\$35,000- 49,999	79	6,448	11	19.1	07.3-30.9	68	80.9	69.1-92.7
\$50,000- 74,999	85	8,016	9	12.0	03.2-20.8	76	88.0	79.2-96.8
\$75,000+	128	12,727	23	17.3	09.7-24.9	105	82.7	75.1-90.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	288	29,499	57	20.0	13.3-26.7	231	80.0	73.3-86.7
Non-Native	265	27,353	51	20.4	13.3-27.5	214	79.6	72.5-86.7
55-64	71	8,229	14	25.0	08.9-41.1	57	75.0	58.9-91.1
65+	166	11,466	32	19.1	12.0-26.2	134	80.9	73.8-88.0
H.S. or G.E.D.	89	8,457	22	20.5	11.3-29.7	67	79.5	70.3-88.7
Some Post-H.S.	106	12,804	17	18.6	09.0-28.2	89	81.4	71.8-91.0
College Graduate	71	4,563	12	15.7	05.7-25.7	59	84.3	74.3-94.3
\$75,000+	92	9,339	17	17.9	08.7-27.1	75	82.1	72.9-91.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	288	24,971	40	15.5	09.8-21.2	248	84.5	78.8-90.2
Non-Native	258	21,932	28	11.9	06.6-17.2	230	88.1	82.8-93.4
55-64	69	5,482	12	21.4	08.1-34.7	57	78.6	65.3-91.9
65+	180	11,895	21	12.2	06.9-17.5	159	87.8	82.5-93.1
H.S. or G.E.D.	85	8,019	13	16.1	05.3-26.9	72	83.9	73.1-94.7
Some Post-H.S.	100	9,651	12	10.7	04.0-17.4	88	89.3	82.6-96.0
College Graduate	91	5,214	11	18.6	07.0-30.2	80	81.4	69.8-93.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	581	55,097	338	55.6	50.1-61.1	243	44.4	38.9-49.9
Male	293	30,112	161	55.3	47.5-63.1	132	44.7	36.9-52.5
Female	288	24,985	177	56.0	48.2-63.8	111	44.0	36.2-51.8
Native	51	5,280	24	46.8	28.4-65.2	27	53.2	34.8-71.6
Non-Native	525	49,492	313	56.8	50.9-62.7	212	43.2	37.3-49.1
45-54	59	10,136	32	55.6	40.5-70.7	27	44.4	29.3-59.5
55-64	144	14,189	85	53.7	42.9-64.5	59	46.3	35.5-57.1
65+	347	23,511	207	59.0	52.5-65.5	140	41.0	34.5-47.5
H.S. or G.E.D.	174	16,510	87	50.4	40.6-60.2	87	49.6	39.8-59.4
Some Post-H.S.	207	22,828	125	59.3	50.9-67.7	82	40.7	32.3-49.1
College Graduate	166	9,998	107	60.5	50.9-70.1	59	39.5	29.9-49.1
\$15,000- 24,999	80	6,774	48	60.3	46.4-74.2	32	39.7	25.8-53.6
\$35,000- 49,999	78	6,410	47	60.5	46.4-74.6	31	39.5	25.4-53.6
\$50,000- 74,999	87	8,381	52	59.5	46.2-72.8	35	40.5	27.2-53.8
\$75,000+	130	12,860	83	63.0	52.8-73.2	47	37.0	26.8-47.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	293	30,112	161	55.3	47.5-63.1	132	44.7	36.9-52.5
Non-Native	267	27,546	152	57.4	49.2-65.6	115	42.6	34.4-50.8
55-64	74	8,631	38	46.3	31.6-61.0	36	53.7	39.0-68.4
65+	168	11,678	96	59.1	49.9-68.3	72	40.9	31.7-50.1
H.S. or G.E.D.	90	8,528	47	54.3	41.4-67.2	43	45.7	32.8-58.6
Some Post-H.S.	108	13,241	60	57.3	45.3-69.3	48	42.7	30.7-54.7
College Graduate	73	4,668	41	53.6	38.9-68.3	32	46.4	31.7-61.1
\$50,000- 74,999	50	4,713	27	56.0	38.8-73.2	23	44.0	26.8-61.2
\$75,000+	93	9,431	58	61.4	49.2-73.6	35	38.6	26.4-50.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 2: DIABETES**

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	288	24,985	177	56.0	48.2-63.8	111	44.0	36.2-51.8
Non-Native	258	21,946	161	56.1	47.7-64.5	97	43.9	35.5-52.3
55-64	70	5,558	47	65.2	51.7-78.7	23	34.8	21.3-48.3
65+	179	11,833	111	59.0	50.0-68.0	68	41.0	32.0-50.0
H.S. or G.E.D.	84	7,981	40	46.2	31.5-60.9	44	53.8	39.1-68.5
Some Post-H.S.	99	9,587	65	62.0	49.8-74.2	34	38.0	25.8-50.2
College Graduate	93	5,330	66	66.5	53.8-79.2	27	33.5	20.8-46.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 6: E-CIGARETTES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1 MALES AND FEMALES	39
2 MALES ONLY	40
3 FEMALES ONLY	41
DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4 MALES AND FEMALES	42
5 MALES ONLY	43
6 FEMALES ONLY	44

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
TOTAL	4101	508,974	583	25.1	22.9-27.3
Male	1941	255,806	326	28.4	25.5-31.3
Female	2160	253,168	257	21.7	18.8-24.6
Native	169	20,862	38	38.6	27.6-49.6
Non-Native	3871	481,355	537	24.6	22.4-26.8
18-24	187	66,606	102	57.1	49.3-64.9
25-34	341	91,643	136	40.7	34.6-46.8
35-44	423	81,402	113	30.5	25.0-36.0
45-54	461	69,062	66	17.2	12.9-21.5
55-64	870	83,915	90	12.0	09.1-14.9
65+	1819	116,346	76	4.7	03.5-05.9
Less Than H.S.	165	34,076	27	33.3	21.5-45.1
H.S. or G.E.D.	1053	133,447	186	30.6	26.5-34.7
Some Post-H.S.	1328	197,843	214	26.1	22.6-29.6
College Graduate	1548	142,629	156	16.7	14.0-19.4
Less than \$15,000	198	28,750	49	33.9	24.1-43.7
\$15,000- 24,999	392	44,714	65	29.5	21.9-37.1
\$25,000- 34,999	337	39,533	51	26.8	19.4-34.2
\$35,000- 49,999	492	53,414	63	23.6	17.7-29.5
\$50,000- 74,999	614	73,749	87	23.1	18.0-28.2
\$75,000+	1348	182,242	175	21.1	18.0-24.2

Data was weighted using _LLCPWT.

	No			7			9		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
	3512	74.8	72.6-77.0	4	0.1	00.1-00.1	2	0.0	00.0-00.0
	1614	71.5	68.6-74.4	1	0.0	00.0-00.0			
	1898	78.1	75.2-81.0	3	0.1	00.0-00.3	2	0.1	00.0-00.3
	131	61.4	50.4-72.4						
	3329	75.4	73.2-77.6	4	0.1	00.1-00.1	1	0.0	00.0-00.0
	85	42.9	35.1-50.7						
	205	59.3	53.2-65.4						
	310	69.5	64.0-75.0						
	394	82.7	78.4-87.0				1	0.1	00.0-00.3
	779	88.0	85.1-90.9	1	0.0	00.0-00.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

No			7			9		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
1739	94.9	93.5-96.3	3	0.3	00.0-00.7	1	0.1	00.0-00.3
138	66.7	54.9-78.5						
865	69.3	65.2-73.4	1	0.0	00.0-00.0	1	0.1	00.0-00.3
1111	73.8	70.3-77.3	3	0.2	00.0-00.4			
1391	83.3	80.6-86.0				1	0.1	00.0-00.3
148	65.4	55.6-75.2	1	0.7	00.0-02.1			
327	70.5	62.9-78.1						
286	73.2	65.8-80.6						
428	76.3	70.4-82.2				1	0.1	00.0-00.3
527	76.9	71.8-82.0						
1173	78.9	75.8-82.0						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	1941	255,806	326	28.4	25.5-31.3
Native	70	8,694	17	39.9	23.6-56.2
Non-Native	1835	242,753	304	28.2	25.1-31.3
18-24	103	34,840	56	60.8	50.4-71.2
25-34	208	50,731	88	44.6	37.0-52.2
35-44	226	40,933	69	33.0	25.4-40.6
45-54	225	34,813	41	21.6	15.1-28.1
55-64	378	41,174	46	14.1	09.2-19.0
65+	801	53,315	26	3.9	02.1-05.7
Less Than H.S.	91	20,137	19	36.0	20.9-51.1
H.S. or G.E.D.	523	68,773	102	31.5	25.8-37.2
Some Post-H.S.	638	103,091	125	30.6	25.7-35.5
College Graduate	685	63,053	80	19.4	15.1-23.7
Less than \$15,000	79	11,299	19	36.7	20.2-53.2
\$15,000- 24,999	155	19,007	29	32.8	20.5-45.1
\$25,000- 34,999	145	18,417	28	32.1	21.1-43.1
\$35,000- 49,999	216	26,237	34	26.6	18.0-35.2
\$50,000- 74,999	326	38,767	52	25.8	18.7-32.9
\$75,000+	727	100,609	110	23.7	19.2-28.2

Data was weighted using _LLCPWT.

N	No		N	7	
	%	C.I. (95%)		%	C.I. (95%)
1614	71.5	68.6-74.4	1	0.0	00.0-00.0
53	60.1	43.8-76.4			
1530	71.7	68.6-74.8	1	0.0	00.0-00.0
47	39.2	28.8-49.6			
120	55.4	47.8-63.0			
157	67.0	59.4-74.6			
184	78.4	71.9-84.9			
331	85.8	80.9-90.7	1	0.1	00.0-00.3
775	96.1	94.3-97.9			
72	64.0	48.9-79.1			
420	68.4	62.7-74.1	1	0.1	00.0-00.3
513	69.4	64.5-74.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

No			7		
N	%	C.I. (95%)	N	%	C.I. (95%)
605	80.6	76.3-84.9			
60	63.3	46.8-79.8			
126	67.2	54.9-79.5			
117	67.9	56.9-78.9			
182	73.4	64.8-82.0			
274	74.2	67.1-81.3			
617	76.3	71.8-80.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
Female	2160	253,168	257	21.7	18.8-24.6
Native	99	12,168	21	37.7	23.0-52.4
Non-Native	2036	238,601	233	20.8	17.9-23.7
18-24	84	31,766	46	53.2	41.4-65.0
25-34	133	40,912	48	35.8	26.4-45.2
35-44	197	40,469	44	27.9	19.9-35.9
45-54	236	34,249	25	12.8	07.3-18.3
55-64	492	42,741	44	9.9	06.6-13.2
65+	1018	63,030	50	5.4	03.6-07.2
Less Than H.S.	74	13,939	8	29.4	11.0-47.8
H.S. or G.E.D.	530	64,674	84	29.7	23.4-36.0
Some Post-H.S.	690	94,752	89	21.1	16.4-25.8
College Graduate	863	79,576	76	14.5	10.8-18.2
Less than \$15,000	119	17,450	30	32.2	20.2-44.2
\$15,000- 24,999	237	25,707	36	27.1	17.3-36.9
\$25,000- 34,999	192	21,116	23	22.1	12.5-31.7
\$35,000- 49,999	276	27,178	29	20.7	12.5-28.9
\$50,000- 74,999	288	34,981	35	20.1	12.7-27.5
\$75,000+	621	81,634	65	18.0	13.3-22.7

Data was weighted using _LLCPWT.

N	No			7			9		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
1898	78.1	75.2-81.0	3	0.1	00.0-00.3	2	0.1	00.0-00.3	
78	62.3	47.6-77.0							
1799	79.0	76.1-81.9	3	0.1	00.0-00.3	1	0.0	00.0-00.0	
38	46.8	35.0-58.6							
85	64.2	54.8-73.6							
153	72.1	64.1-80.1							
210	87.0	81.5-92.5				1	0.2	00.0-00.6	
448	90.1	86.8-93.4							
964	93.9	91.9-95.9	3	0.5	00.0-01.1	1	0.2	00.0-00.6	
66	70.6	52.2-89.0							
445	70.1	63.8-76.4				1	0.2	00.0-00.6	
598	78.6	73.9-83.3	3	0.3	00.0-00.7				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

No			7			9		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
786	85.4	81.7-89.1				1	0.1	00.0-00.3
88	66.7	54.5-78.9	1	1.2	00.0-03.6			
201	72.9	63.1-82.7						
169	77.9	68.3-87.5						
246	79.0	70.8-87.2				1	0.3	00.0-00.9
253	79.9	72.5-87.3						
556	82.0	77.3-86.7						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	582	127,427	42	8.7	06.0-11.4	53	9.2	06.5-11.9	487	82.0	78.3-85.7
Male	325	72,577	21	7.8	04.3-11.3	38	11.5	07.4-15.6	266	80.7	75.6-85.8
Female	257	54,850	21	9.9	05.2-14.6	15	6.3	02.6-10.0	221	83.8	78.1-89.5
Non-Native	536	118,074	39	8.8	05.9-11.7	49	9.4	06.5-12.3	448	81.8	77.9-85.7
18-24	102	38,056	12	11.0	04.7-17.3	11	8.0	02.9-13.1	79	81.0	73.2-88.8
25-34	136	37,297	10	8.9	03.4-14.4	17	12.4	06.3-18.5	109	78.7	71.1-86.3
35-44	112	24,643	7	8.3	02.2-14.4	13	10.1	03.6-16.6	92	81.6	73.2-90.0
45-54	66	11,901	5	7.2	00.7-13.7	4	7.1	00.0-14.4	57	85.7	76.3-95.1
55-64	90	10,037	4	5.8	00.0-12.5	6	6.1	01.0-11.2	80	88.1	79.9-96.3
65+	76	5,494	4	2.8	00.0-06.3	2	2.5	00.0-06.2	70	94.7	89.6-99.8
H.S. or G.E.D.	186	40,867	13	9.6	04.1-15.1	18	10.4	05.3-15.5	155	80.0	72.9-87.1
Some Post-H.S.	213	51,432	16	9.0	04.3-13.7	20	10.0	05.1-14.9	177	81.0	74.7-87.3
College Graduate	156	23,770	11	8.9	03.2-14.6	14	9.7	03.6-15.8	131	81.5	73.7-89.3
\$15,000- 24,999	65	13,195	1	1.8	00.0-05.3	6	6.2	00.9-11.5	58	92.0	85.7-98.3
\$25,000- 34,999	51	10,582	5	14.7	02.0-27.4	4	7.7	00.0-16.1	42	77.5	63.2-91.8
\$35,000- 49,999	63	12,604	9	17.5	05.9-29.1	4	6.1	00.0-12.6	50	76.4	63.9-88.9
\$50,000- 74,999	87	17,015	6	8.6	01.0-16.2	10	16.0	06.0-26.0	71	75.4	63.6-87.2
\$75,000+	174	38,351	7	4.6	01.1-08.1	14	7.5	02.8-12.2	153	87.9	82.2-93.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	325	72,577	21	7.8	04.3-11.3	38	11.5	07.4-15.6	266	80.7	75.6-85.8
Non-Native	303	68,389	20	7.8	04.3-11.3	35	11.2	07.1-15.3	248	81.0	75.7-86.3
18-24	56	21,169	5	8.2	00.9-15.5	10	13.5	04.5-22.5	41	78.3	67.3-89.3
25-34	88	22,639	6	8.9	02.0-15.8	13	14.6	06.4-22.8	69	76.5	66.5-86.5
35-44	68	13,336	3	6.8	00.0-14.4	8	10.3	02.3-18.3	57	82.9	72.3-93.5
H.S. or G.E.D.	102	21,665	6	9.4	02.0-16.8	11	12.1	05.0-19.2	85	78.5	68.9-88.1
Some Post-H.S.	124	31,433	8	7.8	02.3-13.3	15	12.2	05.3-19.1	101	79.9	71.7-88.1
College Graduate	80	12,222	6	8.6	01.3-15.9	11	14.5	04.5-24.5	63	76.9	65.5-88.3
\$50,000- 74,999	52	9,994	2	3.7	00.0-10.6	10	27.3	11.6-43.0	40	69.0	52.9-85.1
\$75,000+	109	23,669	4	3.8	00.0-07.9	9	6.4	01.1-11.7	96	89.7	83.0-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	257	54,850	21	9.9	05.2-14.6	15	6.3	02.6-10.0	221	83.8	78.1-89.5
Non-Native	233	49,684	19	10.2	05.1-15.3	14	6.8	02.7-10.9	200	83.0	76.9-89.1
65+	50	3,407	2	1.2	00.0-03.0	1	2.7	00.0-08.0	47	96.1	90.6-0100
H.S. or G.E.D.	84	19,203	7	9.9	01.9-17.9	7	8.5	01.2-15.8	70	81.6	71.2-92.0
Some Post-H.S.	89	19,999	8	10.9	02.7-19.1	5	6.4	00.1-12.7	76	82.7	72.9-92.5
College Graduate	76	11,548	5	9.1	00.1-18.1	3	4.6	00.0-10.5	68	86.3	75.9-96.7
\$75,000+	65	14,683	3	5.9	00.0-12.6	5	9.3	00.5-18.1	57	84.8	74.2-95.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 09: MARIJUANA USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1 MALES AND FEMALES	46
2 MALES ONLY	47
3 FEMALES ONLY	48
DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN2)	
4 MALES AND FEMALES	49
5 MALES ONLY	50
6 FEMALES ONLY	51
WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)	
7 MALES AND FEMALES	52
8 MALES ONLY	53
9 FEMALES ONLY	54

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Data was weighted using _LLCPWT.																	
			NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4082	504,635	3896	93.0	91.8-94.2	19	0.9	00.5-01.3	50	1.9	01.3-02.5	21	0.9	00.5-01.3	27	1.2	00.6-01.8	69	2.2	01.4-03.0
Male	1931	254,083	1823	91.8	89.8-93.8	13	1.3	00.5-02.1	22	1.5	00.7-02.3	12	1.1	00.3-01.9	17	1.3	00.5-02.1	44	2.9	01.7-04.1
Female	2151	250,552	2073	94.1	92.5-95.7	6	0.5	00.1-00.9	28	2.3	01.3-03.3	9	0.6	00.0-01.2	10	1.0	00.2-01.8	25	1.5	00.7-02.3
Native	167	20,759	149	84.8	76.4-93.2	2	0.8	00.0-02.0	3	3.0	00.0-07.1				2	1.3	00.0-03.1	11	10.1	02.7-17.5
Non-Native	3855	477,235	3690	93.4	92.2-94.6	17	0.9	00.3-01.5	47	1.9	01.1-02.7	20	0.8	00.4-01.2	24	1.2	00.6-01.8	57	1.9	01.3-02.5
18-24	184	64,938	159	84.4	78.5-90.3	3	2.3	00.0-05.0	6	4.2	00.9-07.5	3	1.7	00.0-03.7	4	1.7	00.0-03.5	9	5.8	02.1-09.5
25-34	338	90,708	306	90.4	86.7-94.1	4	1.2	00.0-02.4	7	1.2	00.2-02.2	4	1.5	00.0-03.1	8	2.7	00.5-04.9	9	3.0	00.8-05.2
35-44	422	81,238	388	90.9	87.4-94.4	2	0.6	00.0-01.6	8	3.1	00.7-05.5	4	1.1	00.0-02.3	9	2.3	00.3-04.3	11	1.9	00.7-03.1
45-54	458	68,204	436	95.0	92.6-97.4	6	1.5	00.1-02.9	6	1.5	00.1-02.9	4	0.6	00.0-01.2				6	1.4	00.2-02.6
55-64	865	83,608	833	95.5	93.7-97.3	3	0.4	00.0-01.0	8	1.5	00.3-02.7	2	0.4	00.0-01.0	3	0.4	00.0-01.0	16	1.7	00.7-02.7
65+	1815	115,939	1774	98.2	97.6-98.8	1	0.1	00.0-00.3	15	0.9	00.3-01.5	4	0.1	00.0-00.3	3	0.1	00.0-00.3	18	0.5	00.3-00.7
Less Than H.S.	164	33,124	153	91.4	84.9-97.9				2	0.8	00.0-02.0	1	0.4	00.0-01.2	2	2.3	00.0-06.0	6	5.1	00.0-10.4
H.S. or G.E.D.	1045	131,903	987	90.9	88.2-93.6	11	1.9	00.5-03.3	12	2.1	00.7-03.5	2	0.1	00.1-00.1	12	1.7	00.5-02.9	21	3.3	01.5-05.1
Some Post-H.S.	1321	196,288	1255	92.6	90.4-94.8	6	0.8	00.0-01.6	17	2.4	01.0-03.8	11	1.5	00.5-02.5	6	1.0	00.2-01.8	26	1.7	00.9-02.5
College Graduate	1545	142,342	1494	95.7	94.1-97.3	2	0.3	00.0-00.9	19	1.3	00.5-02.1	7	0.8	00.0-01.6	7	0.6	00.0-01.2	16	1.2	00.4-02.0
Less than \$15,000	193	28,182	174	86.0	78.2-93.8	2	0.7	00.0-01.7	3	3.1	00.0-07.0	2	2.1	00.0-05.4	2	1.5	00.0-04.0	10	6.6	00.7-12.5
\$15,000- 24,999	392	44,714	368	85.5	78.8-92.2	5	3.2	00.0-06.7	5	4.4	00.3-08.5	1	1.2	00.0-03.6	4	2.5	00.0-05.4	9	3.1	00.4-05.8
\$25,000- 34,999	335	39,251	312	90.4	85.7-95.1	3	2.1	00.0-04.6	5	2.7	00.0-05.4	2	1.0	00.0-02.8	2	0.6	00.0-01.6	11	3.2	00.8-05.6
\$35,000- 49,999	491	52,842	472	94.7	91.8-97.6	1	0.7	00.0-02.1	3	0.9	00.0-02.5	3	0.7	00.0-01.7	3	0.8	00.0-02.0	9	2.2	00.4-04.0
\$50,000- 74,999	613	73,552	581	93.1	90.0-96.2	2	0.3	00.0-00.7	13	3.4	01.0-05.8	3	0.7	00.0-01.5	3	1.0	00.0-02.4	11	1.5	00.1-02.9
\$75,000+	1345	181,909	1303	95.3	93.5-97.1	5	0.7	00.1-01.3	14	1.2	00.4-02.0	7	0.7	00.1-01.3	9	1.2	00.2-02.2	7	0.9	00.1-01.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1931	254,083	1823	91.8	89.8-93.8	13	1.3	00.5-02.1	22	1.5	00.7-02.3	12	1.1	00.3-01.9	17	1.3	00.5-02.1	44	2.9	01.7-04.1
Native	68	8,591	58	78.4	63.1-93.7	1	1.0	00.0-03.0	1	4.8	00.0-13.8				2	3.1	00.0-07.4	6	12.8	00.0-26.1
Non-Native	1827	241,134	1730	92.2	90.2-94.2	12	1.4	00.4-02.4	21	1.4	00.6-02.2	12	1.2	00.4-02.0	14	1.2	00.4-02.0	38	2.6	01.4-03.8
18-24	102	34,320	88	83.9	75.7-92.1	3	4.3	00.0-09.4	3	3.5	00.0-07.4	2	1.6	00.0-04.0	2	1.2	00.0-03.0	4	5.4	00.1-10.7
25-34	206	50,369	180	86.2	80.5-91.9	4	2.1	00.0-04.3	4	0.8	00.0-01.6	4	2.8	00.1-05.5	7	3.8	00.5-07.1	7	4.4	00.7-08.1
35-44	225	40,769	202	89.9	85.2-94.6	1	0.3	00.0-00.9	5	3.4	00.0-06.9	2	1.3	00.0-03.1	6	2.3	00.1-04.5	9	2.8	00.6-05.0
45-54	224	34,534	214	95.4	92.3-98.5	4	1.7	00.0-03.7	1	0.8	00.0-02.4	1	0.1	00.0-00.3				4	1.9	00.0-03.9
55-64	376	41,067	362	96.0	93.6-98.4	1	0.3	00.0-00.9	1	0.4	00.0-01.2	1	0.5	00.0-01.5				11	2.8	00.8-04.8
65+	798	53,024	777	98.3	97.3-99.3				8	0.9	00.1-01.7	2	0.1	00.0-00.3	2	0.2	00.0-00.4	9	0.5	00.1-00.9
Less Than H.S.	91	20,137	84	90.2	80.8-99.6				1	0.8	00.0-02.4				2	3.7	00.0-09.6	4	5.2	00.0-12.6
H.S. or G.E.D.	519	68,046	482	90.2	86.3-94.1	7	2.4	00.4-04.4	7	2.2	00.2-04.2	1	0.1	00.0-00.3	6	1.0	00.2-01.8	16	4.1	01.4-06.8
Some Post-H.S.	633	102,105	596	91.5	88.4-94.6	5	1.3	00.0-02.9	7	1.8	00.2-03.4	7	1.9	00.3-03.5	3	1.1	00.0-02.3	15	2.4	01.0-03.8
College Graduate	684	63,043	657	94.5	91.8-97.2	1	0.6	00.0-01.8	7	0.7	00.0-01.5	4	1.3	00.0-02.7	6	1.4	00.0-02.8	9	1.6	00.0-03.2
Less than \$15,000	76	11,135	67	83.7	69.0-98.4							1	4.2	00.0-12.2	1	0.3	00.0-00.9	7	11.8	00.0-24.9
\$15,000- 24,999	155	19,007	141	82.5	71.7-93.3	5	7.5	00.0-15.7	1	2.2	00.0-06.3				3	5.2	00.0-11.9	5	2.5	00.0-05.4
\$25,000- 34,999	144	18,332	128	86.6	79.0-94.2	2	2.4	00.0-06.3	1	2.0	00.0-05.9	2	2.1	00.0-05.8	2	1.4	00.0-03.4	9	5.5	01.2-09.8
\$35,000- 49,999	216	26,237	205	91.5	86.0-97.0	1	1.4	00.0-03.9	2	1.8	00.0-04.7	1	1.0	00.0-03.0	2	1.5	00.0-03.9	5	2.9	00.0-05.8
\$50,000- 74,999	325	38,571	306	91.4	86.5-96.3				7	3.9	00.2-07.6	3	1.3	00.0-02.9	2	1.1	00.0-02.9	7	2.3	00.0-04.8
\$75,000+	726	100,445	702	95.1	92.7-97.5	4	0.9	00.0-01.9	8	1.0	00.2-01.8	4	0.9	00.0-01.9	4	0.9	00.0-01.9	4	1.2	00.0-02.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Data was weighted using _LLCPWT.																	
			NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2151	250,552	2073	94.1	92.5-95.7	6	0.5	00.1-00.9	28	2.3	01.3-03.3	9	0.6	00.0-01.2	10	1.0	00.2-01.8	25	1.5	00.7-02.3
Native	99	12,168	91	89.3	80.5-98.1	1	0.7	00.0-02.1	2	1.7	00.0-04.4							5	8.2	00.0-16.6
Non-Native	2028	236,101	1960	94.6	93.0-96.2	5	0.4	00.0-00.8	26	2.3	01.1-03.5	8	0.4	00.0-00.8	10	1.1	00.3-01.9	19	1.1	00.3-01.9
18-24	82	30,618	71	84.8	76.2-93.4				3	4.9	00.0-10.6	1	1.8	00.0-05.1	2	2.3	00.0-05.4	5	6.2	00.9-11.5
25-34	132	40,339	126	95.8	92.1-99.5				3	1.7	00.0-03.9				1	1.3	00.0-03.8	2	1.2	00.0-02.8
35-44	197	40,469	186	91.9	86.8-97.0	1	0.9	00.0-02.7	3	2.9	00.0-06.0	2	1.0	00.0-02.4	3	2.4	00.0-05.5	2	0.9	00.0-02.3
45-54	234	33,670	222	94.6	91.3-97.9	2	1.2	00.0-03.2	5	2.2	00.0-04.6	3	1.0	00.0-02.2				2	0.9	00.0-02.3
55-64	489	42,540	471	95.1	92.6-97.6	2	0.5	00.0-01.3	7	2.5	00.5-04.5	1	0.4	00.0-01.2	3	0.9	00.0-02.1	5	0.7	00.1-01.3
65+	1017	62,915	997	98.1	97.1-99.1	1	0.2	00.0-00.6	7	0.9	00.1-01.7	2	0.2	00.0-00.4	1	0.1	00.0-00.3	9	0.6	00.2-01.0
Less Than H.S.	73	12,987	69	93.1	85.8-0100				1	0.8	00.0-02.4	1	1.0	00.0-03.0				2	5.0	00.0-11.9
H.S. or G.E.D.	526	63,857	505	91.6	87.7-95.5	4	1.4	00.0-03.0	5	1.9	00.1-03.7	1	0.1	00.0-00.3	6	2.6	00.2-05.0	5	2.4	00.0-04.8
Some Post-H.S.	688	94,183	659	93.7	90.8-96.6	1	0.2	00.0-00.6	10	3.2	01.0-05.4	4	1.1	00.0-02.5	3	1.0	00.0-02.4	11	0.9	00.3-01.5
College Graduate	861	79,299	837	96.8	95.0-98.6	1	0.1	00.0-00.3	12	1.8	00.4-03.2	3	0.4	00.0-01.0	1	0.0	00.0-00.0	7	0.9	00.1-01.7
Less than \$15,000	117	17,046	107	87.5	78.9-96.1	2	1.2	00.0-03.0	3	5.1	00.0-11.6	1	0.8	00.0-02.4	1	2.2	00.0-06.5	3	3.2	00.0-07.3
\$15,000- 24,999	237	25,707	227	87.7	79.5-95.9				4	6.1	00.0-12.4	1	2.1	00.0-06.2	1	0.6	00.0-01.8	4	3.5	00.0-08.0
\$25,000- 34,999	191	20,919	184	93.7	88.2-99.2	1	1.8	00.0-05.3	4	3.3	00.0-07.2				2	1.2	00.0-03.2	2	1.2	00.0-03.2
\$35,000- 49,999	275	26,605	267	97.8	95.8-99.8				1	0.1	00.0-00.3	2	0.5	00.0-01.1	1	0.1	00.0-00.3	4	1.5	00.0-03.3
\$50,000- 74,999	288	34,981	275	95.0	91.5-98.5	2	0.7	00.0-01.7	6	2.9	00.2-05.6				1	0.9	00.0-02.7	4	0.6	00.0-01.2
\$75,000+	619	81,464	601	95.5	93.1-97.9	1	0.4	00.0-01.2	6	1.5	00.1-02.9	3	0.5	00.0-01.3	5	1.5	00.0-03.1	3	0.6	00.0-01.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	183	35,228	125	74.1	66.1-82.1	22	11.7	05.6-17.8	3	2.2	00.0-05.3	10	4.2	00.9-07.5	5	2.0	00.0-04.2	18	5.9	02.0-09.8
Male	107	20,726	85	83.0	73.6-92.4	8	9.7	01.3-18.1	2	1.1	00.0-03.1	4	2.9	00.0-06.4	3	2.3	00.0-05.2	5	1.1	00.1-02.1
Female	76	14,502	40	61.4	47.5-75.3	14	14.5	05.7-23.3	1	3.7	00.0-10.8	6	6.0	00.0-12.3	2	1.7	00.0-04.4	13	12.7	03.3-22.1
Non-Native	162	31,331	105	71.0	62.2-79.8	22	13.1	06.2-20.0	3	2.4	00.0-05.9	10	4.7	01.0-08.4	5	2.3	00.0-04.7	17	6.4	01.9-10.9
H.S. or G.E.D.	57	11,989	48	84.6	73.2-96.0	4	6.0	00.0-12.5				1	3.1	00.0-09.0	1	0.4	00.0-01.2	3	6.0	00.0-14.0
Some Post-H.S.	66	14,550	39	65.6	51.3-79.9	7	12.0	00.8-23.2	2	5.1	00.0-12.7	7	5.8	00.0-11.7	3	4.3	00.0-09.2	8	7.2	00.3-14.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	107	20,726	85	83.0	73.6-92.4	8	9.7	01.3-18.1	2	1.1	00.0-03.1	4	2.9	00.0-06.6	3	2.3	00.0-05.2	5	1.1	00.1-02.1
Non-Native	96	18,716	74	81.2	70.8-91.6	8	10.7	01.5-19.9	2	1.2	00.0-03.4	4	3.2	00.0-07.1	3	2.5	00.0-05.8	5	1.2	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	76	14,502	40	61.4	47.5-75.3	14	14.5	05.5-23.5	1	3.7	00.0-11.0	6	6.0	00.0-12.3	2	1.7	00.0-04.4	13	12.7	03.3-22.1
Non-Native	66	12,615	31	56.0	40.7-71.3	14	16.6	06.4-26.8	1	4.3	00.0-12.5	6	6.9	00.0-14.2	2	2.0	00.0-05.1	12	14.2	03.6-24.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	181	34,937	73	35.0	26.0-44.0	62	38.6	29.4-47.8	46	26.4	17.8-35.0
Male	106	20,474	35	26.8	15.6-38.0	42	45.0	32.7-57.3	29	28.2	16.6-39.8
Female	75	14,464	38	46.7	32.0-61.4	20	29.4	16.3-42.5	17	23.9	11.2-36.6
Non-Native	161	31,079	65	32.8	23.4-42.2	53	38.6	28.8-48.4	43	28.6	19.2-38.0
H.S. or G.E.D.	57	11,989	19	33.3	17.4-49.2	25	46.7	30.6-62.8	13	20.0	07.5-32.5
Some Post-H.S.	66	14,550	32	42.5	27.6-57.4	20	34.8	20.3-49.3	14	22.7	10.0-35.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	106	20,474	35	26.8	15.6-38.0	42	45.0	32.5-57.5	29	28.2	16.6-39.8
Non-Native	95	18,464	33	24.3	13.3-35.3	35	45.4	32.3-58.5	27	30.3	17.8-42.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	75	14,464	38	46.7	31.8-61.6	20	29.4	16.3-42.5	17	23.9	11.0-36.8
Non-Native	66	12,615	32	45.4	29.7-61.1	18	28.7	14.8-42.6	16	26.0	11.7-40.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)	
1 MALES AND FEMALES	57
2 MALES ONLY	58
3 FEMALES ONLY	59
HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)	
4 MALES AND FEMALES	60
5 MALES ONLY	61
6 FEMALES ONLY	62
ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)	
7 MALES AND FEMALES	63
8 MALES ONLY	64
9 FEMALES ONLY	65
IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSCTSCN)	
10 MALES AND FEMALES	66
11 MALES ONLY	67
12 FEMALES ONLY	68

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening
TABLE 1: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes regularly			<= 01-17 years old			18-44 years old			45-54 years old			55-64 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1643	198,271	61	3.5	02.3-04.7	742	51.5	48.2-54.8	829	44.6	41.3-47.9	9	0.4	00.0-00.8	2	0.0	00.0-00.0
Male	881	110,073	42	4.9	02.9-06.9	428	53.4	48.9-57.9	408	41.3	37.0-45.6	3	0.4	00.0-01.0			
Female	762	88,198	19	1.9	00.7-03.1	314	49.0	43.9-54.1	421	48.7	43.6-53.8	6	0.3	00.0-00.7	2	0.1	00.0-00.3
Native	97	12,457	1	0.3	00.0-00.9	48	60.9	47.6-74.2	46	37.0	23.9-50.1	1	1.5	00.0-04.2	1	0.3	00.0-00.9
Non-Native	1530	183,392	59	3.8	02.4-05.2	686	50.5	47.0-54.0	776	45.4	41.9-48.9	8	0.3	00.0-00.7	1	0.0	00.0-00.0
25-34	119	33,709	5	4.2	00.3-08.1	55	46.1	35.9-56.3	59	49.7	39.5-59.9						
35-44	175	36,934	9	3.9	00.6-07.2	97	57.5	48.5-66.5	69	38.6	29.8-47.4						
45-54	156	24,812	8	4.0	00.7-07.3	75	52.2	43.2-61.2	72	43.2	34.2-52.2	1	0.6	00.0-01.8			
55-64	336	34,374	11	3.8	01.1-06.5	179	57.4	51.1-63.7	145	38.1	32.0-44.2	1	0.7	00.0-02.1			
65+	819	54,251	27	3.0	01.6-04.4	312	41.7	37.4-46.0	471	54.6	50.3-58.9	7	0.6	00.0-01.4	2	0.1	00.0-00.3
Less Than H.S.	90	21,435	1	0.3	00.0-00.9	59	73.9	62.1-85.7	30	25.8	14.0-37.6						
H.S. or G.E.D.	511	62,891	11	1.9	00.3-03.5	281	56.8	51.1-62.5	218	41.2	35.5-46.9	1	0.1	00.0-00.3			
Some Post-H.S.	604	82,307	25	4.7	02.3-07.1	267	48.4	43.1-53.7	308	46.2	41.1-51.3	4	0.7	00.0-01.5			
College Graduate	437	31,550	24	6.0	02.9-09.1	134	33.5	27.6-39.4	273	60.0	53.9-66.1	4	0.3	00.0-00.7	2	0.2	00.0-00.6
Less than \$15,000	102	13,472	2	0.8	00.0-02.0	51	50.8	37.1-64.5	49	48.3	34.4-62.2						
\$15,000- 24,999	204	24,127	5	2.5	00.0-05.4	103	62.0	52.6-71.4	94	35.2	26.2-44.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3
\$25,000- 34,999	163	20,102	4	2.4	00.0-05.9	71	52.9	41.9-63.9	86	44.5	33.7-55.3	2	0.2	00.0-00.6			
\$35,000- 49,999	215	21,175	5	2.8	00.0-05.7	90	46.0	36.8-55.2	119	50.3	41.1-59.5	1	0.9	00.0-02.7			
\$50,000- 74,999	256	28,167	14	7.8	02.7-12.9	113	43.9	35.5-52.3	126	47.9	39.5-56.3	2	0.2	00.0-00.4	1	0.1	00.0-00.3
\$75,000+	455	61,769	24	4.2	02.0-06.4	188	48.5	42.4-54.6	242	47.0	41.1-52.9	1	0.2	00.0-00.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 2: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes regularly			<= 01-17 years old			18-44 years old			45-54 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	881	110,073	42	4.9	02.9-06.9	428	53.4	48.9-57.9	408	41.3	37.0-45.6	3	0.4	00.0-01.0
Non-Native	833	104,352	40	5.1	03.1-07.1	402	52.8	48.3-57.3	389	41.8	37.3-46.3	2	0.2	00.0-00.6
25-34	81	21,849	4	5.1	00.0-10.4	36	45.9	33.6-58.2	41	48.9	36.7-61.1			
35-44	104	19,538	9	7.3	01.0-13.6	62	64.2	53.0-75.4	33	28.5	18.3-38.7			
45-54	91	14,647	7	6.2	00.9-11.5	40	49.8	38.0-61.6	44	44.0	32.4-55.6			
55-64	155	17,980	5	4.1	00.2-08.0	88	59.3	50.1-68.5	61	35.3	26.5-44.1	1	1.3	00.0-03.8
65+	432	29,557	16	3.2	01.2-05.2	192	47.8	41.9-53.7	222	48.4	42.5-54.3	2	0.7	00.0-01.9
Less Than H.S.	57	12,080				38	76.2	61.9-90.5	19	23.8	09.5-38.1			
H.S. or G.E.D.	287	36,996	8	2.5	00.1-04.9	168	57.7	50.3-65.1	111	39.8	32.4-47.2			
Some Post-H.S.	316	45,024	18	7.2	03.3-11.1	148	50.5	43.4-57.6	148	41.4	34.5-48.3	2	0.9	00.0-02.3
College Graduate	220	15,886	16	7.8	02.9-12.7	73	34.4	26.4-42.4	130	57.8	49.4-66.2	1	0.1	00.0-00.3
\$15,000- 24,999	96	10,585	3	4.4	00.0-10.5	52	65.5	52.4-78.6	41	30.1	17.9-42.3			
\$25,000- 34,999	84	10,638	3	3.8	00.0-10.1	42	54.6	40.3-68.9	39	41.6	27.7-55.5			
\$35,000- 49,999	108	12,467	2	2.6	00.0-06.7	53	45.8	33.3-58.3	52	50.1	37.6-62.6	1	1.5	00.0-04.2
\$50,000- 74,999	154	16,520	12	11.8	03.6-20.0	68	44.4	33.8-55.0	73	43.7	33.3-54.1	1	0.1	00.0-00.3
\$75,000+	286	40,259	18	5.0	02.1-07.9	127	53.5	46.1-60.9	141	41.6	34.3-48.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening
TABLE 3: HOW OLD WERE YOU WHEN YOU FIRST STARTED TO SMOKE CIGARETTES REGULARLY (LCSFIRST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never smoked cigarettes regularly			<= 01-17 years old			18-44 years old			45-54 years old			55-64 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	762	88,198	19	1.9	00.7-03.1	314	49.0	43.9-54.1	421	48.7	43.6-53.8	6	0.3	00.0-00.7	2	0.1	00.0-00.3
Native	59	7,830				27	59.5	41.7-77.3	31	40.0	22.2-57.8				1	0.5	00.0-01.5
Non-Native	697	79,041	19	2.1	00.9-03.3	284	47.4	41.9-52.9	387	50.1	44.6-55.6	6	0.4	00.0-00.8	1	0.0	00.0-00.0
35-44	71	17,396				35	50.1	36.2-64.0	36	49.9	36.0-63.8						
45-54	65	10,165	1	0.8	00.0-02.4	35	55.6	41.7-69.5	28	42.1	28.2-56.0	1	1.5	00.0-04.4			
55-64	181	16,394	6	3.5	00.0-07.0	91	55.4	46.8-64.0	84	41.1	32.7-49.5						
65+	387	24,694	11	2.9	00.9-04.9	120	34.4	28.3-40.5	249	62.0	55.9-68.1	5	0.5	00.0-01.1	2	0.3	00.0-00.7
H.S. or G.E.D.	224	25,896	3	1.0	00.0-02.4	113	55.6	46.4-64.8	107	43.2	34.2-52.2	1	0.1	00.0-00.3			
Some Post-H.S.	288	37,283	7	1.8	00.2-03.4	119	45.9	38.3-53.5	160	51.8	44.2-59.4	2	0.5	00.0-01.3			
College Graduate	217	15,664	8	4.2	00.1-08.3	61	32.6	24.0-41.2	143	62.3	53.5-71.1	3	0.5	00.0-01.1	2	0.4	00.0-01.0
Less than \$15,000	62	7,830	2	1.4	00.0-03.4	31	54.7	38.6-70.8	29	43.9	27.8-60.0						
\$15,000- 24,999	108	13,543	2	1.0	00.0-02.6	51	59.3	46.4-72.2	53	39.2	26.3-52.1	1	0.2	00.0-00.6	1	0.2	00.0-00.6
\$25,000- 34,999	79	9,464	1	0.8	00.0-02.4	29	50.9	34.0-67.8	47	47.8	31.1-64.5	2	0.4	00.0-01.0			
\$35,000- 49,999	107	8,708	3	3.1	00.0-07.2	37	46.2	32.9-59.5	67	50.6	37.5-63.7						
\$50,000- 74,999	102	11,647	2	2.2	00.0-06.1	45	43.3	29.6-57.0	53	53.9	40.2-67.6	1	0.3	00.0-00.9	1	0.3	00.0-00.9
\$75,000+	169	21,510	6	2.9	00.0-05.8	61	39.2	29.8-48.6	101	57.2	47.6-66.8	1	0.7	00.0-02.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

**MODULE 10: Lung Cancer Screening
TABLE 4: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-17 years old			18-44 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1538	186,669	12	0.7	00.1-01.3	827	66.2	63.3-69.1
Male	820	102,418	9	1.1	00.1-02.1	466	66.9	63.0-70.8
Female	718	84,251	3	0.2	00.0-00.4	361	65.3	60.8-69.8
Native	93	12,141				52	71.1	59.9-82.3
Non-Native	1432	172,282	11	0.7	00.1-01.3	770	66.0	62.9-69.1
25-34	113	31,893				113	100.0	0100-0100
35-44	164	35,119				164	100.0	0100-0100
45-54	143	23,080	1	0.5	00.0-01.5	68	45.0	35.8-54.2
55-64	317	32,231	3	0.7	00.0-01.7	123	37.3	30.8-43.8
65+	764	50,407	6	0.7	00.1-01.3	324	41.1	36.8-45.4
Less Than H.S.	83	20,543				41	66.8	54.8-78.8
H.S. or G.E.D.	484	60,109	2	0.2	00.0-00.6	253	66.2	61.1-71.3
Some Post-H.S.	563	76,775	6	1.1	00.0-02.3	291	64.7	60.0-69.4
College Graduate	407	29,154	4	1.1	00.0-02.3	242	69.7	64.4-75.0
Less than \$15,000	96	13,075				38	55.2	41.5-68.9
\$15,000- 24,999	191	22,676				75	54.6	44.4-64.8
\$25,000- 34,999	154	19,357				79	67.5	58.3-76.7
\$35,000- 49,999	206	20,223	2	2.1	00.0-05.8	103	59.4	50.6-68.2
\$50,000- 74,999	236	25,345	3	1.1	00.0-02.3	129	66.4	59.0-73.8
\$75,000+	426	58,177	3	0.4	00.0-01.0	283	74.3	69.4-79.2

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	45-54 years old			55-64 years old			65-100 years old		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
	213	12.6	10.6-14.6	260	12.1	10.3-13.9	226	8.4	07.0-09.8
	108	12.5	09.8-15.2	129	11.9	09.4-14.4	108	7.6	05.6-09.6
	105	12.8	09.9-15.7	131	12.3	09.8-14.8	118	9.4	07.2-11.6
	9	5.7	01.4-10.0	22	19.9	09.9-29.9	10	3.3	00.9-05.7
	200	12.9	10.7-15.1	236	11.6	09.8-13.4	215	8.8	07.2-10.4
	74	54.5	45.3-63.7						
	40	13.7	09.0-18.4	151	48.3	41.6-55.0			
	99	13.1	10.2-16.0	109	13.9	11.0-16.8	226	31.1	26.8-35.4

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 4: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

	45-54 years old			55-64 years old			65-100 years old		
	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
	9	7.1	01.4-12.8	15	10.9	04.0-17.8	18	15.2	07.0-23.4
	63	12.0	08.7-15.3	89	13.4	10.3-16.5	77	8.1	05.9-10.3
	78	14.0	10.5-17.5	104	12.7	09.8-15.6	84	7.6	05.6-09.6
	63	14.3	10.2-18.4	51	8.5	05.8-11.2	47	6.4	04.2-08.6
	13	16.8	06.0-27.6	21	14.7	07.3-22.1	24	13.4	06.0-20.8
	27	13.9	07.4-20.4	42	16.9	10.6-23.2	47	14.6	09.1-20.1
	30	11.9	06.8-17.0	25	14.6	07.5-21.7	20	6.0	02.9-09.1
	23	13.9	07.6-20.2	46	14.5	09.4-19.6	32	10.1	05.6-14.6
	29	9.5	05.2-13.8	44	15.2	09.9-20.5	31	7.9	04.4-11.4
	69	15.2	11.1-19.3	40	6.6	04.2-09.0	31	3.5	02.1-04.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 5: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-17 years old			18-44 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	820	102,418	9	1.1	00.1-02.1	466	66.9	63.0-70.8
Non-Native	777	97,093	8	1.1	00.1-02.1	443	67.3	63.2-71.4
25-34	76	20,329				76	100.0	0100-0100
35-44	94	17,955				94	100.0	0100-0100
45-54	83	13,698	1	0.8	00.0-02.4	40	48.1	35.8-60.4
55-64	145	16,693	2	0.9	00.0-02.5	51	33.3	24.1-42.5
65+	405	27,493	4	1.0	00.0-02.2	190	45.2	39.3-51.1
Less Than H.S.	53	11,531				27	62.9	46.6-79.2
H.S. or G.E.D.	272	35,166				160	68.7	62.2-75.2
Some Post-H.S.	291	41,031	6	2.1	00.0-04.3	157	66.4	59.9-72.9
College Graduate	203	14,604	3	1.9	00.0-04.3	122	67.3	59.7-74.9
\$15,000- 24,999	90	9,733				37	53.9	38.6-69.2
\$25,000- 34,999	79	10,105				40	64.8	51.9-77.7
\$35,000- 49,999	104	11,852	1	3.3	00.0-09.6	57	60.8	48.6-73.0
\$50,000- 74,999	138	14,095	2	1.5	00.0-03.7	78	64.8	54.8-74.8
\$75,000+	267	37,859	2	0.4	00.0-01.0	183	75.5	69.4-81.6

Data was weighted using _LLCPWT.

45-54 years old			55-64 years old			65-100 years old		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
108	12.5	09.8-15.2	129	11.9	09.4-14.4	108	7.6	05.6-09.6
100	12.2	09.5-14.9	119	11.4	08.9-13.9	107	8.0	06.0-10.0
42	51.1	38.8-63.4						
18	14.5	07.2-21.8	74	51.4	41.4-61.4			
48	12.3	08.4-16.2	55	13.1	09.2-17.0	108	28.3	22.6-34.0
4	7.7	00.0-16.5	12	14.1	04.1-24.1	10	15.3	04.5-26.1
37	13.2	08.5-17.9	42	11.9	07.8-16.0	33	6.2	03.7-08.7
38	12.7	08.0-17.4	51	12.4	08.3-16.5	39	6.4	03.9-08.9
29	14.2	08.3-20.1	23	8.3	04.2-12.4	26	8.3	04.6-12.0
12	11.8	03.6-20.0	19	20.2	09.2-31.2	22	14.1	06.5-21.7
17	15.0	07.2-22.8	12	15.1	04.7-25.5	10	5.1	01.8-08.4
11	13.2	04.6-21.8	19	12.1	05.4-18.8	16	10.6	04.3-16.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 5: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.								
45-54 years old			55-64 years old			65-100 years old		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
15	9.5	03.6-15.4	27	17.5	09.9-25.1	16	6.8	02.5-11.1
39	14.8	09.7-19.9	24	6.0	03.3-08.7	19	3.2	01.4-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 6: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		11-17 years old			18-44 years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	718	84,251	3	0.2	00.0-00.4	361	65.3	60.8-69.8
Native	58	7,782				32	72.7	59.2-86.2
Non-Native	655	75,189	3	0.2	00.0-00.4	327	64.3	59.6-69.0
35-44	70	17,164				70	100.0	0100-0100
45-54	60	9,383				28	40.5	26.6-54.4
55-64	172	15,538	1	0.5	00.0-01.5	72	41.7	32.9-50.5
65+	359	22,913	2	0.4	00.0-01.0	134	36.2	30.1-42.3
H.S. or G.E.D.	212	24,943	2	0.6	00.0-01.4	93	62.7	54.7-70.7
Some Post-H.S.	272	35,744				134	62.6	55.5-69.7
College Graduate	204	14,550	1	0.2	00.0-00.6	120	72.1	64.8-79.4
Less than \$15,000	58	7,557				23	51.1	34.4-67.8
\$15,000- 24,999	101	12,942				38	55.2	41.7-68.7
\$25,000- 34,999	75	9,252				39	70.5	57.6-83.4
\$35,000- 49,999	102	8,371	1	0.3	00.0-00.9	46	57.3	44.8-69.8
\$50,000- 74,999	98	11,250	1	0.5	00.0-01.5	51	68.4	57.2-79.6
\$75,000+	159	20,318	1	0.4	00.0-01.2	100	72.1	64.1-80.1

Data was weighted using _LLCPWT.

N	45-54 years old		55-64 years old		65-100 years old			
	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
105	12.8	09.9-15.7	131	12.3	09.8-14.8	118	9.4	07.2-11.6
4	4.1	00.0-08.4	13	18.4	06.6-30.2	9	4.8	01.1-08.5
100	13.7	10.4-17.0	117	11.9	09.4-14.4	108	9.9	07.5-12.3
32	59.5	45.6-73.4						
22	12.8	06.9-18.7	77	45.0	36.0-54.0			
51	14.1	09.8-18.4	54	14.8	10.3-19.3	118	34.5	28.2-40.8
26	10.4	05.5-15.3	47	15.6	10.3-20.9	44	10.8	07.1-14.5
40	15.5	10.0-21.0	53	13.0	08.9-17.1	45	8.9	05.8-12.0
34	14.5	08.8-20.2	28	8.6	04.7-12.5	21	4.5	02.1-06.9
10	21.1	07.0-35.2	10	11.6	03.2-20.0	15	16.2	05.2-27.2
15	15.5	06.3-24.7	23	14.4	07.1-21.7	25	14.9	07.5-22.3
13	8.5	02.4-14.6	13	14.1	04.5-23.7	10	6.9	01.4-12.4
12	15.0	05.8-24.2	27	17.8	10.0-25.6	16	9.5	03.8-15.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 6: HOW OLD WERE YOU WHEN YOU LAST SMOKED CIGARETTES REGULARLY? (LCSLAST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.								
45-54 years old			55-64 years old			65-100 years old		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
14	9.6	03.3-15.9	17	12.2	04.9-19.5	15	9.3	03.4-15.2
30	15.8	09.1-22.5	16	7.8	03.5-12.1	12	3.9	01.4-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 10: Lung Cancer Screening**

**TABLE 7: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 cigarettes			11-20 cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1532	185,481	687	47.0	43.5-50.5	637	41.0	37.7-44.3
Male	816	101,990	301	38.6	34.1-43.1	376	45.6	40.9-50.3
Female	716	83,491	386	57.1	52.0-62.2	261	35.4	30.3-40.5
Native	93	11,970	56	64.8	52.1-77.5	28	30.7	18.4-43.0
Non-Native	1424	171,142	626	45.7	42.2-49.2	601	41.8	38.3-45.3
25-34	111	31,260	64	56.6	45.8-67.4	40	36.4	26.0-46.8
35-44	164	35,110	87	54.9	45.7-64.1	62	36.9	27.9-45.9
45-54	145	23,409	74	46.6	37.4-55.8	59	46.4	37.0-55.8
55-64	318	32,466	134	38.6	32.3-44.9	135	43.6	36.9-50.3
65+	759	50,544	306	37.4	33.3-41.5	330	45.9	41.6-50.2
Less Than H.S.	82	19,767	28	39.7	25.2-54.2	36	41.2	26.9-55.5
H.S. or G.E.D.	482	59,702	191	46.1	40.0-52.2	214	39.7	34.0-45.4
Some Post-H.S.	565	77,055	250	45.8	40.5-51.1	244	43.9	38.6-49.2
College Graduate	402	28,870	218	57.0	50.7-63.3	143	36.1	29.8-42.4
Less than \$15,000	96	13,112	37	47.6	33.3-61.9	50	48.9	34.8-63.0
\$15,000- 24,999	194	23,099	86	43.4	33.0-53.8	80	41.4	31.0-51.8
\$25,000- 34,999	156	19,452	60	43.3	32.1-54.5	75	47.9	36.5-59.3
\$35,000- 49,999	203	19,905	84	40.7	31.5-49.9	88	43.3	33.9-52.7
\$50,000- 74,999	237	25,547	109	44.1	35.3-52.9	91	40.8	32.2-49.4
\$75,000+	423	57,987	204	48.3	42.0-54.6	174	40.7	34.6-46.8

Data was weighted using _LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
167	10.3	08.1-12.5	28	1.1	00.5-01.7	11	0.5	00.1-00.9	2	0.0	00.0-00.0
113	13.6	10.3-16.9	18	1.3	00.5-02.1	6	0.7	00.1-01.3	2	0.1	00.0-00.3
54	6.3	03.9-08.7	10	0.8	00.2-01.4	5	0.3	00.1-00.5			
7	3.6	00.3-06.9	1	0.5	00.0-01.5	1	0.4	00.0-01.2			
158	10.8	08.4-13.2	27	1.2	00.6-01.8	10	0.6	00.2-01.0	2	0.1	00.1-00.1
5	5.7	00.2-11.2	2	1.3	00.0-03.1						
13	7.8	02.7-12.9	1	0.3	00.0-00.9	1	0.1	00.0-00.3			
11	6.5	02.0-11.0				1	0.5	00.0-01.5			
42	15.6	10.5-20.7	4	1.2	00.0-02.6	2	0.8	00.0-02.0	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

**TABLE 7: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
94	13.2	10.3-16.1	21	2.3	01.1-03.5	7	1.1	00.1-02.1	1	0.0	00.0-00.0
14	17.0	05.8-28.2	3	1.7	00.0-04.1	1	0.4	00.0-01.2			
65	12.3	08.6-16.0	10	1.5	00.3-02.7	1	0.3	00.0-00.9	1	0.1	00.0-00.3
57	8.9	06.0-11.8	7	0.6	00.0-01.2	7	0.8	00.0-01.6			
31	5.7	03.3-08.1	7	0.7	00.1-01.3	2	0.4	00.0-01.0	1	0.1	00.0-00.3
8	3.3	00.6-06.0				1	0.2	00.0-00.6			
24	14.5	06.5-22.5	4	0.7	00.0-01.5						
14	5.8	02.1-09.5	5	2.6	00.1-05.1	1	0.3	00.0-00.9	1	0.1	00.0-00.3
24	13.0	06.1-19.9	3	0.9	00.0-02.1	4	2.1	00.0-04.5			
31	13.4	07.7-19.1	3	0.6	00.0-01.4	2	0.9	00.0-02.5	1	0.2	00.0-00.6
37	9.8	05.5-14.1	6	1.0	00.0-02.0	2	0.3	00.0-00.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 10: Lung Cancer Screening**

TABLE 8: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 cigarettes			11-20 cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	816	101,990	301	38.6	34.1-43.1	376	45.6	40.9-50.3
Non-Native	770	96,353	277	37.6	32.9-42.3	360	46.2	41.5-50.9
25-34	74	19,696	40	53.6	40.7-66.5	27	35.2	23.0-47.4
35-44	94	18,032	44	46.5	34.2-58.8	39	42.3	30.0-54.6
45-54	81	13,322	34	36.9	25.3-48.5	39	54.7	42.5-66.9
55-64	147	16,972	51	29.1	20.7-37.5	66	47.5	37.7-57.3
65+	403	27,718	123	28.5	23.0-34.0	198	50.2	44.1-56.3
Less Than H.S.	55	11,820	18	36.3	19.1-53.5	23	38.4	21.3-55.5
H.S. or G.E.D.	272	34,921	86	34.9	27.3-42.5	130	47.4	39.8-55.0
Some Post-H.S.	290	40,797	101	37.8	30.5-45.1	143	48.0	40.6-55.4
College Graduate	198	14,365	96	52.1	43.3-60.9	80	40.4	31.6-49.2
\$15,000- 24,999	90	9,827	26	26.0	14.0-38.0	47	47.4	31.5-63.3
\$25,000- 34,999	79	10,119	20	30.4	16.3-44.5	46	58.4	43.9-72.9
\$35,000- 49,999	101	11,596	35	37.4	24.7-50.1	46	46.1	33.2-59.0
\$50,000- 74,999	139	14,291	55	35.9	25.5-46.3	60	46.5	35.3-57.7
\$75,000+	263	37,237	109	41.6	33.8-49.4	113	42.0	34.4-49.6

Data was weighted using _LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
113	13.6	10.3-16.9	18	1.3	00.5-02.1	6	0.7	00.1-01.3	2	0.1	00.0-00.3
107	13.9	10.4-17.4	18	1.4	00.6-02.2	6	0.8	00.2-01.4	2	0.1	00.0-00.3
5	9.1	00.7-17.5	2	2.1	00.0-04.8						
10	10.7	02.9-18.5	1	0.5	00.0-01.5						
7	7.4	01.1-13.7				1	0.9	00.0-02.7			
27	21.6	13.6-29.6	1	0.2	00.0-00.6	1	1.2	00.0-03.6	1	0.4	00.0-01.2
63	16.7	12.2-21.2	14	3.0	01.0-05.0	4	1.5	00.0-03.3	1	0.1	00.0-00.3
11	22.6	06.1-39.1	2	2.0	00.0-05.3	1	0.7	00.0-02.1			
46	14.7	10.0-19.4	8	2.2	00.4-04.0	1	0.6	00.0-01.8	1	0.2	00.0-00.6
38	12.6	07.5-17.7	4	0.5	00.0-01.1	4	1.1	00.0-02.3			
18	6.7	03.2-10.2	3	0.6	00.0-01.4				1	0.2	00.0-00.6
16	26.3	10.6-42.0	1	0.4	00.0-01.2						
8	6.6	01.3-11.9	4	4.4	00.0-09.1				1	0.2	00.0-00.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 8: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes			81+ cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
15	12.6	05.2-20.0	2	0.6	00.0-01.6	3	3.3	00.0-07.2			
19	15.1	07.7-22.5	2	0.4	00.0-01.0	2	1.6	00.0-04.3	1	0.4	00.0-01.2
34	14.6	08.3-20.9	6	1.6	00.0-03.2	1	0.3	00.0-00.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 10: Lung Cancer Screening**

TABLE 9: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 cigarettes			11-20 cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	716	83,491	386	57.1	51.8-62.4	261	35.4	30.3-40.5
Native	56	7,374	35	69.3	53.2-85.4	16	27.1	11.4-42.8
Non-Native	654	74,789	349	56.0	50.5-61.5	241	36.1	30.8-41.4
35-44	70	17,078	43	63.7	50.4-77.0	23	31.3	18.6-44.0
45-54	64	10,087	40	59.3	45.4-73.2	20	35.3	21.6-49.0
55-64	171	15,494	83	49.0	40.2-57.8	69	39.3	30.5-48.1
65+	356	22,826	183	48.1	41.6-54.6	132	40.7	34.2-47.2
H.S. or G.E.D.	210	24,780	105	61.8	53.0-70.6	84	28.8	21.4-36.2
Some Post-H.S.	275	36,258	149	54.7	46.9-62.5	101	39.2	31.6-46.8
College Graduate	204	14,505	122	61.9	53.1-70.7	63	31.7	23.1-40.3
Less than \$15,000	56	7,470	25	55.4	38.9-71.9	26	40.8	24.5-57.1
\$15,000- 24,999	104	13,271	60	56.4	42.5-70.3	33	36.9	23.2-50.6
\$25,000- 34,999	77	9,334	40	57.4	40.0-74.8	29	36.5	18.7-54.3
\$35,000- 49,999	102	8,309	49	45.4	32.3-58.5	42	39.3	26.4-52.2
\$50,000- 74,999	98	11,256	54	54.4	40.3-68.5	31	33.4	19.9-46.9
\$75,000+	160	20,750	95	60.2	50.4-70.0	61	38.4	28.6-48.2

Data was weighted using _LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
54	6.3	03.9-08.7	10	0.8	00.2-01.4	5	0.3	00.1-00.5
3	2.3	00.0-05.0	1	0.7	00.0-02.3	1	0.6	00.0-01.8
51	6.8	04.1-09.5	9	0.8	00.2-01.4	4	0.3	00.0-00.7
3	4.7	00.0-11.2				1	0.3	00.0-00.9
4	5.3	00.0-11.4						
15	9.1	03.2-15.0	3	2.2	00.0-04.9	1	0.4	00.0-01.2
31	9.0	05.1-12.9	7	1.4	00.2-02.6	3	0.7	00.0-01.5
19	8.9	03.0-14.8	2	0.5	00.0-01.3			
19	4.7	02.2-07.2	3	0.8	00.0-02.0	3	0.4	00.0-01.0
13	4.8	01.9-07.7	4	0.8	00.0-01.8	2	0.7	00.0-01.7
4	3.5	00.0-07.4				1	0.4	00.0-01.2
8	5.7	00.4-11.0	3	0.9	00.0-02.1			
6	4.9	00.0-09.8	1	0.6	00.0-01.8	1	0.6	00.0-01.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 9: ON AVERAGE, WHEN YOU SMOKE/SMOKED REGULARLY, ABOUT HOW MANY CIGARETTES DO/DID YOU USUALLY SMOKE EACH DAY? (LCSNUMCG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

21-40 cigarettes			41-60 cigarettes			61-80 cigarettes		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
9	13.5	01.2-25.8	1	1.2	00.0-03.6	1	0.6	00.0-01.8
12	11.3	02.7-19.9	1	0.9	00.0-02.7			
3	1.1	00.0-02.5				1	0.3	00.0-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 10: IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSTSCN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, to check for lung cancer			No (did not have a CT scan)			Had a CT scan, but for some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1648	198,406	106	4.3	03.3-05.3	1213	77.5	74.8-80.2	329	18.2	15.7-20.7
Male	873	109,349	55	4.4	03.0-05.8	656	78.4	74.9-81.9	162	17.3	14.0-20.6
Female	775	89,057	51	4.2	02.6-05.8	557	76.5	72.4-80.6	167	19.4	15.7-23.1
Native	98	12,461	4	1.3	00.0-02.7	81	85.0	75.2-94.8	13	13.7	03.9-23.5
Non-Native	1533	183,485	101	4.4	03.2-05.6	1117	76.9	74.2-79.6	315	18.7	16.2-21.2
25-34	120	33,798				109	88.5	81.6-95.4	11	11.5	04.6-18.4
35-44	175	36,934	5	3.0	00.0-06.1	143	81.7	74.4-89.0	27	15.3	08.6-22.0
45-54	157	25,136	3	1.0	00.0-02.2	128	80.8	73.4-88.2	26	18.2	10.8-25.6
55-64	340	35,023	28	8.0	04.7-11.3	247	73.9	68.4-79.4	65	18.1	13.2-23.0
65+	819	53,521	69	7.6	05.4-09.8	559	68.6	64.7-72.5	191	23.8	20.3-27.3
Less Than H.S.	90	21,297	5	2.5	00.1-04.9	68	82.6	73.6-91.6	17	14.9	06.1-23.7
H.S. or G.E.D.	516	63,280	29	4.1	02.3-05.9	372	74.2	69.3-79.1	115	21.7	17.0-26.4
Some Post-H.S.	607	82,332	39	4.3	02.5-06.1	460	79.3	75.2-83.4	108	16.4	12.5-20.3
College Graduate	435	31,497	33	5.8	03.3-08.3	313	76.0	70.9-81.1	89	18.2	13.5-22.9
Less than \$15,000	101	13,410	3	1.8	00.0-04.2	66	68.2	55.9-80.5	32	30.0	17.8-42.2
\$15,000- 24,999	207	24,719	21	7.2	02.7-11.7	145	72.7	63.9-81.5	41	20.1	11.9-28.3
\$25,000- 34,999	160	19,553	7	2.6	00.2-05.0	115	76.0	67.0-85.0	38	21.4	12.6-30.2
\$35,000- 49,999	215	21,074	18	5.8	02.7-08.9	152	78.3	71.6-85.0	45	15.8	09.7-21.9
\$50,000- 74,999	255	28,128	21	5.0	02.5-07.5	190	80.4	74.5-86.3	44	14.7	09.4-20.0
\$75,000+	454	61,686	17	2.8	01.2-04.4	357	80.2	75.5-84.9	80	17.0	12.5-21.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 10: Lung Cancer Screening

TABLE 11: IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSTSCN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, to check for lung cancer			No (did not have a CT scan)			Had a CT scan, but for some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	873	109,349	55	4.4	03.0-05.8	656	78.4	74.9-81.9	162	17.3	14.0-20.6
Non-Native	824	103,589	55	4.6	03.0-06.2	612	77.9	74.2-81.6	157	17.5	14.0-21.0
25-34	82	21,938				76	91.5	84.8-98.2	6	8.5	01.8-15.2
35-44	104	19,538	2	2.9	00.0-06.8	86	79.5	69.3-89.7	16	17.6	08.0-27.2
45-54	91	14,775				77	84.5	75.5-93.5	14	15.5	06.5-24.5
55-64	158	18,347	16	8.9	04.0-13.8	115	74.7	66.7-82.7	27	16.4	09.5-23.3
65+	420	28,248	36	8.3	05.2-11.4	291	70.1	64.8-75.4	93	21.6	16.9-26.3
Less Than H.S.	56	11,878	3	2.5	00.0-05.8	43	77.7	63.6-91.8	10	19.8	05.9-33.7
H.S. or G.E.D.	285	36,997	17	4.9	02.2-07.6	208	75.0	68.7-81.3	60	20.1	14.2-26.0
Some Post-H.S.	314	44,640	19	3.6	01.6-05.6	244	82.4	77.1-87.7	51	14.0	08.9-19.1
College Graduate	218	15,833	16	6.5	02.2-10.8	161	75.6	68.2-83.0	41	17.9	11.2-24.6
\$15,000- 24,999	95	10,930	7	5.9	00.6-11.2	69	73.3	59.6-87.0	19	20.8	07.3-34.3
\$25,000- 34,999	82	10,286	4	2.4	00.0-05.1	60	79.6	68.8-90.4	18	18.1	07.5-28.7
\$35,000- 49,999	107	12,330	10	7.1	02.2-12.0	76	77.4	67.8-87.0	21	15.5	06.9-24.1
\$50,000- 74,999	152	16,443	12	4.2	01.3-07.1	109	77.1	68.9-85.3	31	18.7	10.9-26.5
\$75,000+	284	39,980	11	3.1	00.9-05.3	227	82.3	76.8-87.8	46	14.6	09.5-19.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 10: Lung Cancer Screening**

TABLE 12: IN THE LAST 12 MONTHS, DID YOU HAVE A CT OR CAT SCAN? (LCSTSCN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, to check for lung cancer			No (did not have a CT scan)			Had a CT scan, but for some other reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	775	89,057	51	4.2	02.6-05.8	557	76.5	72.6-80.4	167	19.4	15.7-23.1
Native	60	7,834	4	2.1	00.0-04.5	47	84.6	72.1-97.1	9	13.3	01.0-25.6
Non-Native	709	79,896	46	4.2	02.6-05.8	505	75.5	71.2-79.8	158	20.3	16.2-24.4
35-44	71	17,396	3	3.2	00.0-08.1	57	84.2	74.2-94.2	11	12.7	03.7-21.7
45-54	66	10,361	3	2.4	00.0-05.3	51	75.6	63.1-88.1	12	22.0	09.7-34.3
55-64	182	16,675	12	7.0	02.7-11.3	132	73.0	65.6-80.4	38	20.0	13.3-26.7
65+	399	25,273	33	6.9	04.2-09.6	268	67.0	61.3-72.7	98	26.2	20.9-31.5
H.S. or G.E.D.	231	26,282	12	3.0	01.0-05.0	164	73.0	65.0-81.0	55	23.9	16.1-31.7
Some Post-H.S.	293	37,692	20	5.0	02.1-07.9	216	75.8	69.5-82.1	57	19.2	13.3-25.1
College Graduate	217	15,664	17	5.1	02.2-08.0	152	76.5	69.4-83.6	48	18.4	11.7-25.1
Less than \$15,000	61	7,745	1	1.7	00.0-05.0	37	65.5	50.0-81.0	23	32.8	17.5-48.1
\$15,000- 24,999	112	13,789	14	8.2	01.3-15.1	76	72.3	60.7-83.9	22	19.5	09.3-29.7
\$25,000- 34,999	78	9,267	3	2.9	00.0-06.6	55	72.0	57.3-86.7	20	25.1	10.8-39.4
\$35,000- 49,999	108	8,744	8	4.0	00.9-07.1	76	79.7	71.3-88.1	24	16.4	08.6-24.2
\$50,000- 74,999	103	11,685	9	6.1	01.4-10.8	81	85.0	77.6-92.4	13	8.9	03.2-14.6
\$75,000+	170	21,706	6	2.3	00.3-04.3	130	76.1	67.3-84.9	34	21.6	12.8-30.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020

MODULE 15:HPV Vaccination CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)	
1	MALES AND FEMALES	70
2	MALES ONLY	71
3	FEMALES ONLY	72
	HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4	MALES AND FEMALES	73
5	MALES ONLY	74
6	FEMALES ONLY	75

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 15:HPV Vaccination**

TABLE 1: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1015	233,422	209	27.1	23.6-30.6	806	72.9	69.4-76.4
Male	546	119,139	76	19.7	15.4-24.0	470	80.3	76.0-84.6
Female	469	114,282	133	34.8	29.5-40.1	336	65.2	59.9-70.5
Native	65	10,794	21	35.4	20.9-49.9	44	64.6	50.1-79.1
Non-Native	942	220,449	187	26.7	23.2-30.2	755	73.3	69.8-76.8
18-24	159	57,113	78	51.3	42.7-59.9	81	48.7	40.1-57.3
25-34	290	77,035	93	34.4	28.1-40.7	197	65.6	59.3-71.9
35-44	368	69,771	32	8.7	05.4-12.0	336	91.3	88.0-94.6
45-54	198	29,502	6	4.7	00.6-08.8	192	95.3	91.2-99.4
H.S. or G.E.D.	220	58,263	42	22.9	16.2-29.6	178	77.1	70.4-83.8
Some Post-H.S.	323	91,015	68	28.2	22.1-34.3	255	71.8	65.7-77.9
College Graduate	447	71,854	95	29.2	23.9-34.5	352	70.8	65.5-76.1
\$15,000- 24,999	59	17,895	24	42.2	27.1-57.3	35	57.8	42.7-72.9
\$25,000- 34,999	76	18,685	20	30.3	17.8-42.8	56	69.7	57.2-82.2
\$35,000- 49,999	96	22,303	25	30.6	19.6-41.6	71	69.4	58.4-80.4
\$50,000- 74,999	159	34,466	29	25.0	16.4-33.6	130	75.0	66.4-83.6
\$75,000+	461	93,946	72	22.2	17.1-27.3	389	77.8	72.7-82.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 15:HPV Vaccination**

TABLE 2: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	546	119,139	76	19.7	15.4-24.0	470	80.3	76.0-84.6
Non-Native	512	112,722	72	19.7	15.2-24.2	440	80.3	75.8-84.8
18-24	85	28,636	34	44.6	32.8-56.4	51	55.4	43.6-67.2
25-34	175	41,984	26	17.1	10.6-23.6	149	82.9	76.4-89.4
35-44	189	33,831	13	8.6	03.5-13.7	176	91.4	86.3-96.5
45-54	97	14,689	3	3.7	00.0-08.6	94	96.3	91.4-0100
H.S. or G.E.D.	138	31,133	13	12.8	05.9-19.7	125	87.2	80.3-94.1
Some Post-H.S.	190	50,760	31	23.7	16.3-31.1	159	76.3	68.9-83.7
College Graduate	202	30,585	30	19.2	12.5-25.9	172	80.8	74.1-87.5
\$35,000- 49,999	53	12,438	10	22.3	09.4-35.2	43	77.7	64.8-90.6
\$50,000- 74,999	81	16,285	7	11.5	02.7-20.3	74	88.5	79.7-97.3
\$75,000+	253	50,659	27	16.2	09.9-22.5	226	83.8	77.5-90.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 15:HPV Vaccination**

TABLE 3: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	469	114,282	133	34.8	29.5-40.1	336	65.2	59.9-70.5
Non-Native	430	107,728	115	34.0	28.5-39.5	315	66.0	60.5-71.5
18-24	74	28,478	44	58.0	45.5-70.5	30	42.0	29.5-54.5
25-34	115	35,051	67	55.0	44.4-65.6	48	45.0	34.4-55.6
35-44	179	35,940	19	8.8	04.3-13.3	160	91.2	86.7-95.7
45-54	101	14,813	3	5.6	00.0-12.1	98	94.4	87.9-0100
H.S. or G.E.D.	82	27,131	29	34.6	23.2-46.0	53	65.4	54.0-76.8
Some Post-H.S.	133	40,255	37	33.9	24.1-43.7	96	66.1	56.3-75.9
College Graduate	245	41,269	65	36.7	29.4-44.0	180	63.3	56.0-70.6
\$50,000- 74,999	78	18,181	22	37.1	23.8-50.4	56	62.9	49.6-76.2
\$75,000+	208	43,288	45	29.4	21.6-37.2	163	70.6	62.8-78.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 15:HPV Vaccination**

**TABLE 4: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	164	49,558	16	9.7	04.6-14.8	44	26.5	18.9-34.1	104	63.9	55.5-72.3
Male	51	15,083	8	14.4	03.8-25.0	20	38.7	23.8-53.6	23	46.9	31.8-62.0
Female	113	34,476	8	7.6	01.9-13.3	24	21.1	12.7-29.5	81	71.3	61.7-80.9
Non-Native	148	46,083	16	10.4	04.9-15.9	41	27.4	19.4-35.4	91	62.2	53.4-71.0
18-24	65	23,895	4	7.4	00.0-15.0	21	31.5	19.2-43.8	40	61.1	48.0-74.2
25-34	75	21,006	7	8.8	01.9-15.7	17	21.8	11.4-32.2	51	69.4	57.8-81.0
College Graduate	83	19,047	9	10.6	03.3-17.9	20	22.2	12.8-31.6	54	67.1	56.3-77.9
\$75,000+	56	15,953	8	15.4	04.6-26.2	11	21.9	09.2-34.6	37	62.7	48.2-77.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 15:HPV Vaccination**

TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	51	15,083	8	14.4	03.8-25.0	20	38.7	23.8-53.6	23	46.9	32.0-61.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 15:HPV Vaccination**

TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 shot			2 shots			All shots		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	113	34,476	8	7.6	01.9-13.3	24	21.1	12.7-29.5	81	71.3	61.7-80.9
Non-Native	100	32,002	8	8.2	02.1-14.3	22	22.0	13.0-31.0	70	69.8	59.6-80.0
25-34	59	16,860	4	6.0	00.3-11.7	12	20.8	09.0-32.6	43	73.2	60.7-85.7
College Graduate	58	13,656	4	7.8	00.5-15.1	8	11.7	03.5-19.9	46	80.5	70.1-90.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 21: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)	
1	MALES AND FEMALES	78
2	MALES ONLY	79
3	FEMALES ONLY	80
	DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)	
4	MALES AND FEMALES	81
5	MALES ONLY	82
6	FEMALES ONLY	83
	DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)	
7	MALES AND FEMALES	84
8	MALES ONLY	85
9	FEMALES ONLY	86
	DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)	
10	MALES AND FEMALES	87
11	MALES ONLY	88
12	FEMALES ONLY	89
	WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)	
13	MALES AND FEMALES	90
14	MALES ONLY	91
15	FEMALES ONLY	92
	HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)	
16	MALES AND FEMALES	93
17	MALES ONLY	94
18	FEMALES ONLY	95
	NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT- (ACEHURT1)	
19	MALES AND FEMALES	96
20	MALES ONLY	97
21	FEMALES ONLY	98
	HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)	
22	MALES AND FEMALES	99

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

MODULE 21: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
23 MALES ONLY	100
24 FEMALES ONLY	101
HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)	
25 MALES AND FEMALES	102
26 MALES ONLY	103
27 FEMALES ONLY	104
HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)	
28 MALES AND FEMALES	105
29 MALES ONLY	106
30 FEMALES ONLY	107
HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)	
31 MALES AND FEMALES	108
32 MALES ONLY	109
33 FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 1: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3978	491,711	516	18.7	16.7-20.7	3462	81.3	79.3-83.3
Male	1875	245,348	193	14.9	12.5-17.3	1682	85.1	82.7-87.5
Female	2103	246,363	323	22.5	19.6-25.4	1780	77.5	74.6-80.4
Native	166	20,371	32	28.5	18.1-38.9	134	71.5	61.1-81.9
Non-Native	3756	464,866	476	18.3	16.3-20.3	3280	81.7	79.7-83.7
18-24	181	65,303	51	29.7	22.3-37.1	130	70.3	62.9-77.7
25-34	334	89,916	89	30.6	24.7-36.5	245	69.4	63.5-75.3
35-44	405	77,040	85	23.0	18.1-27.9	320	77.0	72.1-81.9
45-54	438	64,965	64	16.1	12.0-20.2	374	83.9	79.8-88.0
55-64	847	81,510	111	12.5	09.8-15.2	736	87.5	84.8-90.2
65+	1773	112,976	116	6.1	04.7-07.5	1657	93.9	92.5-95.3
Less Than H.S.	157	31,980	16	17.8	07.8-27.8	141	82.2	72.2-92.2
H.S. or G.E.D.	1015	128,368	127	21.2	17.3-25.1	888	78.8	74.9-82.7
Some Post-H.S.	1296	192,119	164	19.1	16.0-22.2	1132	80.9	77.8-84.0
College Graduate	1505	138,387	209	16.3	13.8-18.8	1296	83.7	81.2-86.2
Less than \$15,000	189	27,325	39	26.2	17.4-35.0	150	73.8	65.0-82.6
\$15,000- 24,999	375	43,333	52	27.0	19.4-34.6	323	73.0	65.4-80.6
\$25,000- 34,999	327	37,787	39	19.3	12.0-26.6	288	80.7	73.4-88.0
\$35,000- 49,999	479	51,028	67	22.5	16.6-28.4	412	77.5	71.6-83.4
\$50,000- 74,999	602	71,492	90	18.8	14.1-23.5	512	81.2	76.5-85.9
\$75,000+	1323	179,026	169	15.2	12.5-17.9	1154	84.8	82.1-87.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 2: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1875	245,348	193	14.9	12.5-17.3	1682	85.1	82.7-87.5
Native	69	8,359	12	26.8	11.1-42.5	57	73.2	57.5-88.9
Non-Native	1774	232,880	178	14.5	12.1-16.9	1596	85.5	83.1-87.9
18-24	100	34,222	18	20.3	11.3-29.3	82	79.7	70.7-88.7
25-34	202	49,577	48	27.0	19.9-34.1	154	73.0	65.9-80.1
35-44	213	37,551	36	18.7	12.0-25.4	177	81.3	74.6-88.0
45-54	209	31,874	21	11.4	06.3-16.5	188	88.6	83.5-93.7
55-64	371	40,370	29	7.8	04.7-10.9	342	92.2	89.1-95.3
65+	780	51,755	41	4.8	03.0-06.6	739	95.2	93.4-97.0
Less Than H.S.	85	18,284	5	7.9	00.0-16.3	80	92.1	83.7-0100
H.S. or G.E.D.	504	66,290	55	16.3	11.6-21.0	449	83.7	79.0-88.4
Some Post-H.S.	621	99,511	67	16.8	12.7-20.9	554	83.2	79.1-87.3
College Graduate	663	60,632	66	12.6	09.1-16.1	597	87.4	83.9-90.9
Less than \$15,000	75	10,211	10	19.6	07.3-31.9	65	80.4	68.1-92.7
\$15,000- 24,999	148	18,475	18	21.5	09.9-33.1	130	78.5	66.9-90.1
\$25,000- 34,999	140	17,411	16	18.7	08.9-28.5	124	81.3	71.5-91.1
\$35,000- 49,999	209	25,197	25	20.2	12.0-28.4	184	79.8	71.6-88.0
\$50,000- 74,999	318	36,821	31	11.6	06.7-16.5	287	88.4	83.5-93.3
\$75,000+	709	97,971	67	12.3	09.0-15.6	642	87.7	84.4-91.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 3: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2103	246,363	323	22.5	19.6-25.4	1780	77.5	74.6-80.4
Native	97	12,012	20	29.7	15.8-43.6	77	70.3	56.4-84.2
Non-Native	1982	231,986	298	22.0	19.1-24.9	1684	78.0	75.1-80.9
18-24	81	31,081	33	40.1	28.3-51.9	48	59.9	48.1-71.7
25-34	132	40,339	41	35.0	25.2-44.8	91	65.0	55.2-74.8
35-44	192	39,490	49	27.1	19.7-34.5	143	72.9	65.5-80.3
45-54	229	33,092	43	20.5	14.2-26.8	186	79.5	73.2-85.8
55-64	476	41,140	82	17.0	12.9-21.1	394	83.0	78.9-87.1
65+	993	61,221	75	7.2	05.2-09.2	918	92.8	90.8-94.8
Less Than H.S.	72	13,696	11	31.0	12.6-49.4	61	69.0	50.6-87.4
H.S. or G.E.D.	511	62,078	72	26.3	20.0-32.6	439	73.7	67.4-80.0
Some Post-H.S.	675	92,609	97	21.5	16.8-26.2	578	78.5	73.8-83.2
College Graduate	842	77,754	143	19.3	15.6-23.0	699	80.7	77.0-84.4
Less than \$15,000	114	17,114	29	30.1	18.3-41.9	85	69.9	58.1-81.7
\$15,000- 24,999	227	24,858	34	31.0	20.8-41.2	193	69.0	58.8-79.2
\$25,000- 34,999	187	20,376	23	19.8	09.0-30.6	164	80.2	69.4-91.0
\$35,000- 49,999	270	25,831	42	24.7	16.1-33.3	228	75.3	66.7-83.9
\$50,000- 74,999	284	34,671	59	26.4	18.4-34.4	225	73.6	65.6-81.6
\$75,000+	614	81,056	102	18.7	14.4-23.0	512	81.3	77.0-85.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 4: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3981	491,642	859	24.6	22.6-26.6	3122	75.4	73.4-77.4
Male	1876	245,731	347	22.2	19.5-24.9	1529	77.8	75.1-80.5
Female	2105	245,911	512	26.9	24.2-29.6	1593	73.1	70.4-75.8
Native	165	20,317	75	51.1	40.7-61.5	90	48.9	38.5-59.3
Non-Native	3758	464,709	773	23.5	21.5-25.5	2985	76.5	74.5-78.5
18-24	182	65,617	44	23.4	16.7-30.1	138	76.6	69.9-83.3
25-34	332	89,800	84	26.9	21.2-32.6	248	73.1	67.4-78.8
35-44	405	76,754	104	28.9	23.4-34.4	301	71.1	65.6-76.6
45-54	435	64,761	108	25.9	21.0-30.8	327	74.1	69.2-79.0
55-64	851	81,852	223	27.8	24.1-31.5	628	72.2	68.5-75.9
65+	1776	112,858	296	17.3	15.1-19.5	1480	82.7	80.5-84.9
Less Than H.S.	159	32,651	46	37.3	26.1-48.5	113	62.7	51.5-73.9
H.S. or G.E.D.	1018	128,261	231	26.6	22.7-30.5	787	73.4	69.5-77.3
Some Post-H.S.	1294	191,558	278	23.7	20.6-26.8	1016	76.3	73.2-79.4
College Graduate	1505	138,315	303	21.1	18.4-23.8	1202	78.9	76.2-81.6
Less than \$15,000	191	28,048	60	35.1	25.1-45.1	131	64.9	54.9-74.9
\$15,000- 24,999	378	43,387	98	32.4	25.0-39.8	280	67.6	60.2-75.0
\$25,000- 34,999	330	38,084	73	27.2	19.6-34.8	257	72.8	65.2-80.4
\$35,000- 49,999	477	50,832	108	26.9	21.0-32.8	369	73.1	67.2-79.0
\$50,000- 74,999	604	71,647	114	21.7	17.0-26.4	490	78.3	73.6-83.0
\$75,000+	1320	178,117	279	23.9	20.8-27.0	1041	76.1	73.0-79.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 5: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1876	245,731	347	22.2	19.5-24.9	1529	77.8	75.1-80.5
Native	69	8,359	28	52.9	37.6-68.2	41	47.1	31.8-62.4
Non-Native	1773	233,122	314	21.3	18.6-24.0	1459	78.7	76.0-81.4
18-24	101	34,536	24	23.3	14.1-32.5	77	76.7	67.5-85.9
25-34	200	49,461	47	25.8	18.7-32.9	153	74.2	67.1-81.3
35-44	212	37,085	48	26.5	18.9-34.1	164	73.5	65.9-81.1
45-54	209	32,045	39	21.9	14.8-29.0	170	78.1	71.0-85.2
55-64	373	40,668	84	24.5	18.8-30.2	289	75.5	69.8-81.2
65+	781	51,936	105	13.6	10.7-16.5	676	86.4	83.5-89.3
Less Than H.S.	87	18,955	21	34.3	19.4-49.2	66	65.7	50.8-80.6
H.S. or G.E.D.	504	66,118	102	23.5	18.6-28.4	402	76.5	71.6-81.4
Some Post-H.S.	620	99,411	118	22.5	18.2-26.8	502	77.5	73.2-81.8
College Graduate	663	60,616	106	17.0	13.1-20.9	557	83.0	79.1-86.9
Less than \$15,000	75	10,758	21	29.3	13.2-45.4	54	70.7	54.6-86.8
\$15,000- 24,999	150	18,660	32	26.5	15.1-37.9	118	73.5	62.1-84.9
\$25,000- 34,999	142	17,653	29	28.7	18.1-39.3	113	71.3	60.7-81.9
\$35,000- 49,999	209	25,197	46	26.7	18.1-35.3	163	73.3	64.7-81.9
\$50,000- 74,999	318	36,948	49	17.4	11.9-22.9	269	82.6	77.1-88.1
\$75,000+	707	97,136	119	20.7	16.6-24.8	588	79.3	75.2-83.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 6: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2105	245,911	512	26.9	24.2-29.6	1593	73.1	70.4-75.8
Native	96	11,958	47	49.9	36.2-63.6	49	50.1	36.4-63.8
Non-Native	1985	231,587	459	25.8	23.1-28.5	1526	74.2	71.5-76.9
18-24	81	31,081	20	23.6	13.8-33.4	61	76.4	66.6-86.2
25-34	132	40,339	37	28.3	19.1-37.5	95	71.7	62.5-80.9
35-44	193	39,669	56	31.2	23.2-39.2	137	68.8	60.8-76.8
45-54	226	32,716	69	29.8	22.9-36.7	157	70.2	63.3-77.1
55-64	478	41,184	139	31.2	26.1-36.3	339	68.8	63.7-73.9
65+	995	60,922	191	20.5	17.4-23.6	804	79.5	76.4-82.6
Less Than H.S.	72	13,696	25	41.4	24.0-58.8	47	58.6	41.2-76.0
H.S. or G.E.D.	514	62,143	129	29.9	24.0-35.8	385	70.1	64.2-76.0
Some Post-H.S.	674	92,147	160	25.0	20.5-29.5	514	75.0	70.5-79.5
College Graduate	842	77,700	197	24.4	20.5-28.3	645	75.6	71.7-79.5
Less than \$15,000	116	17,290	39	38.7	26.0-51.4	77	61.3	48.6-74.0
\$15,000- 24,999	228	24,727	66	36.8	27.2-46.4	162	63.2	53.6-72.8
\$25,000- 34,999	188	20,432	44	25.8	15.2-36.4	144	74.2	63.6-84.8
\$35,000- 49,999	268	25,635	62	27.2	19.2-35.2	206	72.8	64.8-80.8
\$50,000- 74,999	286	34,699	65	26.2	18.6-33.8	221	73.8	66.2-81.4
\$75,000+	613	80,981	160	27.8	23.1-32.5	453	72.2	67.5-76.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 7: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3992	493,344	259	10.4	08.8-12.0	3733	89.6	88.0-91.2
Male	1886	247,160	125	10.0	08.0-12.0	1761	90.0	88.0-92.0
Female	2106	246,184	134	10.7	08.5-12.9	1972	89.3	87.1-91.5
Native	165	20,350	25	19.0	10.4-27.6	140	81.0	72.4-89.6
Non-Native	3769	466,379	226	9.7	08.1-11.3	3543	90.3	88.7-91.9
18-24	182	65,617	32	17.9	11.8-24.0	150	82.1	76.0-88.2
25-34	334	90,398	44	13.9	09.6-18.2	290	86.1	81.8-90.4
35-44	404	76,470	50	15.1	10.6-19.6	354	84.9	80.4-89.4
45-54	440	65,481	41	10.8	07.3-14.3	399	89.2	85.7-92.7
55-64	850	81,735	59	7.1	04.9-09.3	791	92.9	90.7-95.1
65+	1782	113,642	33	2.1	01.3-02.9	1749	97.9	97.1-98.7
Less Than H.S.	161	32,790	12	11.4	04.0-18.8	149	88.6	81.2-96.0
H.S. or G.E.D.	1015	127,959	88	14.1	10.8-17.4	927	85.9	82.6-89.2
Some Post-H.S.	1301	193,218	85	10.6	08.1-13.1	1216	89.4	86.9-91.9
College Graduate	1510	138,521	73	6.4	04.6-08.2	1437	93.6	91.8-95.4
Less than \$15,000	193	28,331	24	12.4	05.7-19.1	169	87.6	80.9-94.3
\$15,000- 24,999	380	43,595	28	18.2	11.3-25.1	352	81.8	74.9-88.7
\$25,000- 34,999	329	37,883	20	11.3	05.6-17.0	309	88.7	83.0-94.4
\$35,000- 49,999	478	50,976	29	10.1	05.8-14.4	449	89.9	85.6-94.2
\$50,000- 74,999	608	71,975	29	7.8	04.5-11.1	579	92.2	88.9-95.5
\$75,000+	1323	178,907	92	9.5	07.3-11.7	1231	90.5	88.3-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 8: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1886	247,160	125	10.0	08.0-12.0	1761	90.0	88.0-92.0
Native	69	8,359	14	27.0	11.9-42.1	55	73.0	57.9-88.1
Non-Native	1783	234,552	108	9.3	07.3-11.3	1675	90.7	88.7-92.7
18-24	101	34,536	11	11.3	04.4-18.2	90	88.7	81.8-95.6
25-34	202	50,059	25	13.3	08.0-18.6	177	86.7	81.4-92.0
35-44	213	37,231	30	17.9	10.8-25.0	183	82.1	75.0-89.2
45-54	213	32,789	17	11.3	05.8-16.8	196	88.7	83.2-94.2
55-64	371	40,322	26	7.4	04.1-10.7	345	92.6	89.3-95.9
65+	786	52,223	16	1.7	00.5-02.9	770	98.3	97.1-99.5
Less Than H.S.	88	19,003	8	14.2	03.4-25.0	80	85.8	75.0-96.6
H.S. or G.E.D.	503	66,016	49	11.9	08.2-15.6	454	88.1	84.4-91.8
Some Post-H.S.	625	100,546	44	11.5	07.8-15.2	581	88.5	84.8-92.2
College Graduate	668	60,964	24	4.3	02.1-06.5	644	95.7	93.5-97.9
Less than \$15,000	77	11,003	11	6.9	01.8-12.0	66	93.1	88.0-98.2
\$15,000- 24,999	151	18,673	12	16.4	05.8-27.0	139	83.6	73.0-94.2
\$25,000- 34,999	143	18,011	11	11.4	03.8-19.0	132	88.6	81.0-96.2
\$35,000- 49,999	209	25,197	13	10.8	04.3-17.3	196	89.2	82.7-95.7
\$50,000- 74,999	320	36,994	16	9.2	04.3-14.1	304	90.8	85.9-95.7
\$75,000+	710	97,873	44	9.2	06.1-12.3	666	90.8	87.7-93.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 9: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2106	246,184	134	10.7	08.5-12.9	1972	89.3	87.1-91.5
Native	96	11,991	11	13.4	03.8-23.0	85	86.6	77.0-96.2
Non-Native	1986	231,827	118	10.2	08.0-12.4	1868	89.8	87.6-92.0
18-24	81	31,081	21	25.2	15.0-35.4	60	74.8	64.6-85.0
25-34	132	40,339	19	14.7	07.6-21.8	113	85.3	78.2-92.4
35-44	191	39,240	20	12.5	06.8-18.2	171	87.5	81.8-93.2
45-54	227	32,692	24	10.4	05.7-15.1	203	89.6	84.9-94.3
55-64	479	41,413	33	6.8	04.1-09.5	446	93.2	90.5-95.9
65+	996	61,419	17	2.4	01.0-03.8	979	97.6	96.2-99.0
Less Than H.S.	73	13,786	4	7.7	00.0-17.7	69	92.3	82.3-0100
H.S. or G.E.D.	512	61,943	39	16.4	10.9-21.9	473	83.6	78.1-89.1
Some Post-H.S.	676	92,672	41	9.6	06.3-12.9	635	90.4	87.1-93.7
College Graduate	842	77,557	49	8.0	05.3-10.7	793	92.0	89.3-94.7
Less than \$15,000	116	17,329	13	15.8	05.6-26.0	103	84.2	74.0-94.4
\$15,000- 24,999	229	24,922	16	19.6	10.4-28.8	213	80.4	71.2-89.6
\$25,000- 34,999	186	19,872	9	11.2	02.8-19.6	177	88.8	80.4-97.2
\$35,000- 49,999	269	25,778	16	9.4	03.7-15.1	253	90.6	84.9-96.3
\$50,000- 74,999	288	34,981	13	6.4	01.9-10.9	275	93.6	89.1-98.1
\$75,000+	613	81,034	48	9.7	06.4-13.0	565	90.3	87.0-93.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 10: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3998	493,674	201	8.6	07.2-10.0	3797	91.4	90.0-92.8
Male	1889	247,869	113	9.7	07.7-11.7	1776	90.3	88.3-92.3
Female	2109	245,805	88	7.4	05.6-09.2	2021	92.6	90.8-94.4
Native	166	20,371	30	23.3	14.5-32.1	136	76.7	67.9-85.5
Non-Native	3774	466,688	168	8.0	06.6-09.4	3606	92.0	90.6-93.4
18-24	182	65,617	29	16.4	10.5-22.3	153	83.6	77.7-89.5
25-34	332	89,450	44	13.5	09.4-17.6	288	86.5	82.4-90.6
35-44	407	77,262	40	11.0	07.1-14.9	367	89.0	85.1-92.9
45-54	441	65,677	27	6.5	03.8-09.2	414	93.5	90.8-96.2
55-64	851	82,012	35	5.4	03.2-07.6	816	94.6	92.4-96.8
65+	1785	113,655	26	2.0	01.2-02.8	1759	98.0	97.2-98.8
Less Than H.S.	161	32,790	11	12.0	04.4-19.6	150	88.0	80.4-95.6
H.S. or G.E.D.	1019	128,335	81	13.1	10.0-16.2	938	86.9	83.8-90.0
Some Post-H.S.	1302	192,975	70	8.4	06.0-10.8	1232	91.6	89.2-94.0
College Graduate	1511	138,717	39	3.8	02.4-05.2	1472	96.2	94.8-97.6
Less than \$15,000	192	27,798	21	12.7	05.6-19.8	171	87.3	80.2-94.4
\$15,000- 24,999	381	43,639	31	19.7	12.4-27.0	350	80.3	73.0-87.6
\$25,000- 34,999	331	38,443	22	11.1	05.8-16.4	309	88.9	83.6-94.2
\$35,000- 49,999	479	51,028	29	9.9	05.6-14.2	450	90.1	85.8-94.4
\$50,000- 74,999	607	71,456	26	7.5	04.2-10.8	581	92.5	89.2-95.8
\$75,000+	1325	179,199	48	6.0	04.0-08.0	1277	94.0	92.0-96.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 11: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1889	247,869	113	9.7	07.7-11.7	1776	90.3	88.3-92.3
Native	69	8,359	13	24.9	11.0-38.8	56	75.1	61.2-89.0
Non-Native	1786	235,261	97	9.2	07.0-11.4	1689	90.8	88.6-93.0
18-24	101	34,536	14	14.1	06.7-21.5	87	85.9	78.5-93.3
25-34	202	50,059	31	16.5	10.6-22.4	171	83.5	77.6-89.4
35-44	214	37,593	23	12.2	06.3-18.1	191	87.8	81.9-93.7
45-54	213	32,789	13	8.7	03.8-13.6	200	91.3	86.4-96.2
55-64	373	40,668	18	5.8	02.7-08.9	355	94.2	91.1-97.3
65+	786	52,223	14	2.2	00.8-03.6	772	97.8	96.4-99.2
Less Than H.S.	88	19,003	7	13.1	02.9-23.3	81	86.9	76.7-97.1
H.S. or G.E.D.	505	66,362	47	12.6	08.7-16.5	458	87.4	83.5-91.3
Some Post-H.S.	626	100,909	40	10.4	06.9-13.9	586	89.6	86.1-93.1
College Graduate	668	60,964	19	4.5	02.1-06.9	649	95.5	93.1-97.9
Less than \$15,000	77	11,003	9	9.0	01.4-16.6	68	91.0	83.4-98.6
\$15,000- 24,999	151	18,673	19	27.2	14.9-39.5	132	72.8	60.5-85.1
\$25,000- 34,999	143	18,011	13	17.9	08.3-27.5	130	82.1	72.5-91.7
\$35,000- 49,999	209	25,197	14	9.6	04.1-15.1	195	90.4	84.9-95.9
\$50,000- 74,999	320	36,994	18	8.8	04.3-13.3	302	91.2	86.7-95.7
\$75,000+	711	98,099	27	7.0	04.1-09.9	684	93.0	90.1-95.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 12: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2109	245,805	88	7.4	05.6-09.2	2021	92.6	90.8-94.4
Native	97	12,012	17	22.2	10.6-33.8	80	77.8	66.2-89.4
Non-Native	1988	231,427	71	6.7	04.9-08.5	1917	93.3	91.5-95.1
18-24	81	31,081	15	19.0	09.8-28.2	66	81.0	71.8-90.2
25-34	130	39,391	13	9.6	03.9-15.3	117	90.4	84.7-96.1
35-44	193	39,669	17	9.9	04.8-15.0	176	90.1	85.0-95.2
45-54	228	32,888	14	4.2	01.7-06.7	214	95.8	93.3-98.3
55-64	478	41,344	17	5.0	02.3-07.7	461	95.0	92.3-97.7
65+	999	61,432	12	1.8	00.6-03.0	987	98.2	97.0-99.4
Less Than H.S.	73	13,786	4	10.6	00.0-22.0	69	89.4	78.0-100.0
H.S. or G.E.D.	514	61,973	34	13.5	08.4-18.6	480	86.5	81.4-91.6
Some Post-H.S.	676	92,066	30	6.2	03.7-08.7	646	93.8	91.3-96.3
College Graduate	843	77,753	20	3.3	01.5-05.1	823	96.7	94.9-98.5
Less than \$15,000	115	16,796	12	15.2	04.8-25.6	103	84.8	74.4-95.2
\$15,000- 24,999	230	24,965	12	14.0	06.0-22.0	218	86.0	78.0-94.0
\$25,000- 34,999	188	20,432	9	5.1	00.6-09.6	179	94.9	90.4-99.4
\$35,000- 49,999	270	25,831	15	10.1	03.6-16.6	255	89.9	83.4-96.4
\$50,000- 74,999	287	34,462	8	6.0	01.1-10.9	279	94.0	89.1-98.9
\$75,000+	614	81,100	21	4.7	02.5-06.9	593	95.3	93.1-97.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE
TABLE 13: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3993	493,827	638	24.4	22.4-26.4	3329	74.9	72.7-77.1	26	0.7	00.3-01.1
Male	1882	247,111	309	23.1	20.4-25.8	1560	76.3	73.6-79.0	13	0.6	00.2-01.0
Female	2111	246,717	329	25.7	22.8-28.6	1769	73.4	70.5-76.3	13	0.9	00.3-01.5
Native	166	20,371	63	50.0	39.6-60.4	99	47.4	37.2-57.6	4	2.6	00.0-05.9
Non-Native	3770	466,975	567	23.2	21.0-25.4	3182	76.1	73.9-78.3	21	0.7	00.3-01.1
18-24	182	65,617	59	33.6	25.8-41.4	120	65.3	57.5-73.1	3	1.1	00.0-02.5
25-34	333	90,089	104	36.4	30.3-42.5	224	62.6	56.5-68.7	5	1.1	00.0-02.3
35-44	406	77,131	133	36.5	30.6-42.4	270	62.9	57.0-68.8	3	0.6	00.0-01.4
45-54	440	65,544	109	25.9	21.0-30.8	329	73.6	68.7-78.5	2	0.6	00.0-01.4
55-64	851	81,918	107	14.5	11.6-17.4	740	84.9	82.0-87.8	4	0.6	00.0-01.2
65+	1781	113,528	126	7.6	06.0-09.2	1646	91.8	90.2-93.4	9	0.6	00.2-01.0
Less Than H.S.	160	32,705	37	39.8	28.2-51.4	123	60.2	48.6-71.8			
H.S. or G.E.D.	1016	128,113	192	26.8	22.7-30.9	810	71.5	67.4-75.6	14	1.7	00.5-02.9
Some Post-H.S.	1302	193,500	204	24.1	20.8-27.4	1092	75.4	72.1-78.7	6	0.5	00.1-00.9
College Graduate	1510	138,653	205	19.0	16.3-21.7	1299	80.5	77.6-83.4	6	0.4	00.0-00.8
Less than \$15,000	194	28,383	51	36.1	26.3-45.9	140	62.7	52.7-72.7	3	1.3	00.0-02.9
\$15,000- 24,999	380	43,629	78	37.2	29.2-45.2	299	62.0	54.0-70.0	3	0.8	00.0-01.8
\$25,000- 34,999	328	38,155	51	28.6	20.6-36.6	275	70.8	62.8-78.8	2	0.6	00.0-01.6
\$35,000- 49,999	478	50,939	67	19.4	13.9-24.9	408	79.9	74.4-85.4	3	0.7	00.0-01.7
\$50,000- 74,999	607	71,921	87	20.8	15.7-25.9	515	77.8	72.7-82.9	5	1.3	00.0-02.7
\$75,000+	1323	179,030	222	23.6	20.3-26.9	1098	76.2	72.9-79.5	3	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 14: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1882	247,111	309	23.1	20.4-25.8	1560	76.3	73.6-79.0	13	0.6	00.2-01.0
Native	69	8,359	25	41.7	26.2-57.2	41	52.3	36.6-68.0	3	6.0	00.0-13.6
Non-Native	1780	234,635	281	22.6	19.7-25.5	1490	77.0	74.1-79.9	9	0.4	00.0-00.8
18-24	101	34,536	29	29.6	19.4-39.8	70	69.5	59.1-79.9	2	0.9	00.0-02.3
25-34	201	49,750	58	30.5	23.2-37.8	142	69.1	61.8-76.4	1	0.4	00.0-01.2
35-44	214	37,593	72	36.8	28.8-44.8	141	62.9	54.9-70.9	1	0.3	00.0-00.9
45-54	212	32,656	54	27.8	20.4-35.2	157	71.5	64.1-78.9	1	0.7	00.0-02.1
55-64	372	40,617	42	12.9	08.6-17.2	326	85.8	81.5-90.1	4	1.2	00.0-02.6
65+	782	51,958	54	6.6	04.6-08.6	724	93.1	90.9-95.3	4	0.3	00.0-00.7
Less Than H.S.	87	18,919	17	30.3	16.2-44.4	70	69.7	55.6-83.8			
H.S. or G.E.D.	502	65,910	99	23.5	18.6-28.4	397	75.6	70.7-80.5	6	0.8	00.0-01.6
Some Post-H.S.	624	100,820	110	26.0	21.1-30.9	511	73.4	68.5-78.3	3	0.6	00.0-01.4
College Graduate	667	60,831	83	15.7	12.0-19.4	580	83.7	80.0-87.4	4	0.6	00.0-01.4
Less than \$15,000	77	11,003	20	32.4	17.1-47.7	57	67.6	52.3-82.9			
\$15,000- 24,999	151	18,673	34	35.2	22.5-47.9	117	64.8	52.1-77.5			
\$25,000- 34,999	142	17,961	28	30.0	19.2-40.8	112	68.7	57.9-79.5	2	1.3	00.0-03.5
\$35,000- 49,999	208	25,109	28	15.9	09.0-22.8	178	82.7	75.6-89.8	2	1.4	00.0-03.4
\$50,000- 74,999	319	36,939	46	19.6	13.3-25.9	269	78.8	72.5-85.1	4	1.6	00.0-03.4
\$75,000+	710	98,061	113	22.3	18.0-26.6	596	77.7	73.4-82.0	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE
TABLE 15: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2111	246,717	329	25.7	22.8-28.6	1769	73.4	70.5-76.3	13	0.9	00.3-01.5
Native	97	12,012	38	55.7	42.6-68.8	58	44.0	31.1-56.9	1	0.3	00.0-00.9
Non-Native	1990	232,339	286	23.9	20.8-27.0	1692	75.2	72.1-78.3	12	0.9	00.3-01.5
18-24	81	31,081	30	38.2	26.4-50.0	50	60.6	48.8-72.4	1	1.2	00.0-03.6
25-34	132	40,339	46	43.5	33.5-53.5	82	54.5	44.5-64.5	4	2.0	00.0-04.5
35-44	192	39,538	61	36.2	28.0-44.4	129	62.8	54.4-71.2	2	0.9	00.0-02.5
45-54	228	32,888	55	23.9	17.2-30.6	172	75.6	68.9-82.3	1	0.5	00.0-01.5
55-64	479	41,300	65	15.9	11.8-20.0	414	84.1	80.0-88.2			
65+	999	61,570	72	8.4	06.2-10.6	922	90.8	88.4-93.2	5	0.8	00.0-01.6
Less Than H.S.	73	13,786	20	52.7	35.5-69.9	53	47.3	30.1-64.5			
H.S. or G.E.D.	514	62,203	93	30.3	23.8-36.8	413	67.2	60.7-73.7	8	2.5	00.3-04.7
Some Post-H.S.	678	92,680	94	22.1	17.4-26.8	581	77.6	72.9-82.3	3	0.4	00.0-00.8
College Graduate	843	77,822	122	21.6	17.5-25.7	719	78.0	73.9-82.1	2	0.3	00.0-00.7
Less than \$15,000	117	17,380	31	38.4	25.5-51.3	83	59.5	46.6-72.4	3	2.1	00.0-04.6
\$15,000- 24,999	229	24,955	44	38.7	28.1-49.3	182	59.8	49.4-70.2	3	1.5	00.0-03.3
\$25,000- 34,999	186	20,194	23	27.4	15.6-39.2	163	72.6	60.8-84.4			
\$35,000- 49,999	270	25,831	39	22.7	14.5-30.9	230	77.1	68.9-85.3	1	0.1	00.0-00.3
\$50,000- 74,999	288	34,981	41	22.1	14.3-29.9	246	76.8	68.8-84.8	1	1.1	00.0-03.3
\$75,000+	613	80,969	109	25.1	20.2-30.0	502	74.4	69.5-79.3	2	0.5	00.0-01.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 16: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3932	484,957	3483	86.3	84.7-87.9	117	3.2	02.2-04.2	332	10.5	09.1-11.9
Male	1854	243,355	1650	86.6	84.2-89.0	60	3.5	02.1-04.9	144	9.9	07.9-11.9
Female	2078	241,602	1833	85.9	83.5-88.3	57	3.0	01.8-04.2	188	11.1	09.1-13.1
Native	159	19,253	103	59.4	49.0-69.8	8	5.3	00.8-09.8	48	35.3	25.1-45.5
Non-Native	3716	459,167	3328	87.3	85.7-88.9	107	3.2	02.2-04.2	281	9.5	08.1-10.9
18-24	180	64,855	154	86.2	80.5-91.9	8	3.6	00.9-06.3	18	10.2	05.1-15.3
25-34	326	88,177	279	83.1	78.0-88.2	10	4.6	01.3-07.9	37	12.3	08.2-16.4
35-44	401	75,139	336	81.7	77.0-86.4	11	2.6	00.4-04.8	54	15.6	11.1-20.1
45-54	431	64,045	366	85.2	81.3-89.1	12	2.6	00.8-04.4	53	12.2	08.7-15.7
55-64	838	80,847	725	87.0	84.3-89.7	35	3.8	02.2-05.4	78	9.2	06.8-11.6
65+	1756	111,894	1623	92.0	90.4-93.6	41	2.3	01.5-03.1	92	5.7	04.3-07.1
Less Than H.S.	154	31,544	129	79.3	69.3-89.3	5	7.9	00.0-15.9	20	12.8	05.4-20.2
H.S. or G.E.D.	1003	126,606	864	82.3	78.8-85.8	35	4.0	02.2-05.8	104	13.8	10.7-16.9
Some Post-H.S.	1284	189,562	1145	87.1	84.6-89.6	32	2.6	01.4-03.8	107	10.3	07.9-12.7
College Graduate	1486	136,389	1340	90.4	88.4-92.4	45	2.5	01.5-03.5	101	7.1	05.3-08.9
Less than \$15,000	183	26,698	148	79.7	71.7-87.7	10	7.0	01.5-12.5	25	13.3	07.0-19.6
\$15,000- 24,999	375	42,777	325	83.6	77.7-89.5	11	3.2	00.1-06.3	39	13.2	07.9-18.5
\$25,000- 34,999	324	37,586	281	79.4	72.0-86.8	13	7.7	01.8-13.6	30	12.9	07.2-18.6
\$35,000- 49,999	474	50,374	413	81.9	76.4-87.4	17	5.0	01.5-08.5	44	13.1	08.4-17.8
\$50,000- 74,999	600	70,617	529	87.1	83.4-90.8	18	3.4	01.0-05.8	53	9.5	06.4-12.6
\$75,000+	1311	177,396	1172	87.8	85.3-90.3	33	1.8	01.0-02.6	106	10.4	07.9-12.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 17: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1854	243,355	1650	86.6	84.2-89.0	60	3.5	02.1-04.9	144	9.9	07.9-11.9
Native	67	8,256	46	58.7	42.4-75.0	4	7.4	00.0-16.2	17	33.9	17.6-50.2
Non-Native	1754	230,928	1573	87.5	85.1-89.9	56	3.4	02.0-04.8	125	9.1	07.1-11.1
18-24	100	34,458	86	85.1	76.9-93.3	5	4.1	00.0-08.4	9	10.8	03.4-18.2
25-34	197	48,774	170	84.6	78.7-90.5	5	4.0	00.3-07.7	22	11.4	06.5-16.3
35-44	212	36,899	177	81.1	74.4-87.8	10	5.2	00.9-09.5	25	13.7	08.0-19.4
45-54	208	31,986	182	85.7	79.8-91.6	4	2.3	00.0-05.0	22	12.0	06.5-17.5
55-64	366	39,945	321	88.9	85.2-92.6	13	2.9	00.9-04.9	32	8.1	05.0-11.2
65+	771	51,293	714	92.4	90.0-94.8	23	2.6	01.2-04.0	34	5.0	03.0-07.0
Less Than H.S.	85	18,676	71	78.1	64.8-91.4	2	7.1	00.0-16.5	12	14.7	03.7-25.7
H.S. or G.E.D.	497	65,076	436	84.0	79.5-88.5	18	4.3	01.6-07.0	43	11.7	07.8-15.6
Some Post-H.S.	616	99,418	544	86.9	83.6-90.2	20	2.8	01.2-04.4	52	10.3	07.2-13.4
College Graduate	654	59,555	597	91.5	88.6-94.4	20	2.8	01.0-04.6	37	5.7	03.3-08.1
Less than \$15,000	72	10,658	58	76.8	62.5-91.1	6	10.7	00.0-22.1	8	12.6	02.2-23.0
\$15,000- 24,999	147	17,924	126	82.2	72.2-92.2	5	4.7	00.0-11.4	16	13.1	05.1-21.1
\$25,000- 34,999	140	17,722	120	82.6	73.8-91.4	7	7.0	00.5-13.5	13	10.5	03.6-17.4
\$35,000- 49,999	206	24,698	180	81.3	72.9-89.7	10	7.1	00.6-13.6	16	11.6	05.1-18.1
\$50,000- 74,999	313	36,230	281	88.4	83.5-93.3	10	2.9	00.2-05.6	22	8.7	04.6-12.8
\$75,000+	704	97,086	634	87.4	83.9-90.9	16	2.0	00.8-03.2	54	10.6	07.3-13.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 18: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2078	241,602	1833	85.9	83.5-88.3	57	3.0	01.8-04.2	188	11.1	09.1-13.1
Native	92	10,998	57	60.0	46.7-73.3	4	3.7	00.0-08.0	31	36.3	23.2-49.4
Non-Native	1962	228,239	1755	87.2	84.8-89.6	51	2.9	01.7-04.1	156	9.9	07.9-11.9
18-24	80	30,397	68	87.4	80.1-94.7	3	3.1	00.0-06.8	9	9.4	02.9-15.9
25-34	129	39,404	109	81.3	72.7-89.9	5	5.4	00.0-11.3	15	13.3	06.0-20.6
35-44	189	38,240	159	82.3	75.6-89.0	1	0.2	00.0-00.6	29	17.5	10.8-24.2
45-54	223	32,060	184	84.7	79.6-89.8	8	3.0	00.8-05.2	31	12.4	07.7-17.1
55-64	472	40,902	404	85.1	81.2-89.0	22	4.7	02.3-07.1	46	10.2	06.9-13.5
65+	985	60,601	909	91.7	89.5-93.9	18	2.0	01.0-03.0	58	6.3	04.5-08.1
Less Than H.S.	69	12,867	58	81.0	65.9-96.1	3	9.0	00.0-22.9	8	10.0	01.6-18.4
H.S. or G.E.D.	506	61,531	428	80.4	75.1-85.7	17	3.6	01.4-05.8	61	15.9	10.8-21.0
Some Post-H.S.	668	90,144	601	87.3	83.6-91.0	12	2.4	00.6-04.2	55	10.3	07.0-13.6
College Graduate	832	76,834	743	89.5	86.8-92.2	25	2.2	01.2-03.2	64	8.3	05.8-10.8
Less than \$15,000	111	16,040	90	81.7	72.5-90.9	4	4.5	00.0-09.8	17	13.8	06.0-21.6
\$15,000- 24,999	228	24,852	199	84.5	77.4-91.6	6	2.2	00.2-04.2	23	13.3	06.4-20.2
\$25,000- 34,999	184	19,864	161	76.6	65.0-88.2	6	8.3	00.0-17.7	17	15.1	06.3-23.9
\$35,000- 49,999	268	25,675	233	82.5	75.4-89.6	7	3.0	00.5-05.5	28	14.5	07.6-21.4
\$50,000- 74,999	287	34,387	248	85.7	79.8-91.6	8	3.9	00.0-08.0	31	10.3	05.6-15.0
\$75,000+	607	80,311	538	88.2	84.5-91.9	17	1.7	00.7-02.7	52	10.1	06.6-13.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 19: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—
(ACEHURT1)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3958	489,353	3254	78.4	76.4-80.4	206	5.6	04.6-06.6	498	16.0	14.2-17.8
Male	1866	244,519	1506	77.9	75.2-80.6	99	4.9	03.5-06.3	261	17.3	14.8-19.8
Female	2092	244,834	1748	78.9	76.2-81.6	107	6.3	04.5-08.1	237	14.8	12.4-17.2
Native	164	20,215	113	65.7	55.7-75.7	11	5.4	00.9-09.9	40	29.0	19.2-38.8
Non-Native	3738	463,200	3091	78.8	76.8-80.8	194	5.6	04.4-06.8	453	15.6	13.8-17.4
18-24	180	64,332	139	76.1	69.0-83.2	16	9.6	04.7-14.5	25	14.4	08.5-20.3
25-34	331	89,450	261	75.4	69.9-80.9	16	5.6	02.5-08.7	54	19.0	13.9-24.1
35-44	404	76,668	311	74.4	69.1-79.7	24	4.7	02.5-06.9	69	20.9	15.8-26.0
45-54	439	65,379	342	74.3	69.2-79.4	19	4.5	02.1-06.9	78	21.1	16.4-25.8
55-64	840	80,938	680	80.9	77.6-84.2	42	4.6	03.0-06.2	118	14.5	11.6-17.4
65+	1764	112,586	1521	85.3	83.1-87.5	89	5.2	04.0-06.4	154	9.5	07.7-11.3
Less Than H.S.	159	32,635	121	67.0	56.0-78.0	7	6.0	00.0-12.1	31	27.0	16.6-37.4
H.S. or G.E.D.	1000	127,272	820	76.8	73.1-80.5	46	5.5	03.3-07.7	134	17.7	14.2-21.2
Some Post-H.S.	1293	191,306	1044	78.4	75.3-81.5	71	5.6	03.8-07.4	178	16.0	13.3-18.7
College Graduate	1501	137,283	1265	82.9	80.4-85.4	82	5.5	03.9-07.1	154	11.6	09.4-13.8
Less than \$15,000	191	28,169	138	66.5	56.7-76.3	11	8.2	01.9-14.5	42	25.3	16.5-34.1
\$15,000- 24,999	371	41,585	296	70.1	62.5-77.7	19	5.6	01.9-09.3	56	24.2	16.8-31.6
\$25,000- 34,999	326	37,754	254	73.0	65.6-80.4	27	10.3	04.2-16.4	45	16.8	11.1-22.5
\$35,000- 49,999	478	50,999	391	78.0	72.3-83.7	32	6.0	03.3-08.7	55	16.0	10.7-21.3
\$50,000- 74,999	603	71,358	486	76.7	71.8-81.6	30	4.6	02.4-06.8	87	18.7	14.2-23.2
\$75,000+	1319	178,646	1110	81.6	78.7-84.5	54	4.1	02.7-05.5	155	14.3	11.6-17.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 20: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—
(ACEHURT1)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1866	244,519	1506	77.9	75.2-80.6	99	4.9	03.5-06.3	261	17.3	14.8-19.8
Native	68	8,261	49	70.2	56.1-84.3	2	5.4	00.0-14.8	17	24.5	12.2-36.8
Non-Native	1765	232,147	1426	77.9	75.2-80.6	97	4.9	03.5-06.3	242	17.2	14.7-19.7
18-24	100	33,790	82	80.2	71.2-89.2	5	5.4	00.5-10.3	13	14.5	06.3-22.7
25-34	200	49,458	158	74.1	66.8-81.4	7	4.5	01.0-08.0	35	21.3	14.4-28.2
35-44	211	36,999	165	75.0	67.6-82.4	12	4.0	01.3-06.7	34	21.0	13.7-28.3
45-54	212	32,569	160	72.9	65.6-80.2	11	5.0	01.5-08.5	41	22.1	15.2-29.0
55-64	367	40,020	293	80.9	76.2-85.6	17	4.5	02.0-07.0	57	14.6	10.3-18.9
65+	776	51,683	648	82.8	79.5-86.1	47	5.6	03.6-07.6	81	11.6	08.7-14.5
Less Than H.S.	88	19,003	62	64.2	49.9-78.5	5	4.5	00.4-08.6	21	31.3	17.2-45.4
H.S. or G.E.D.	495	65,457	412	81.4	76.9-85.9	17	3.0	01.2-04.8	66	15.7	11.4-20.0
Some Post-H.S.	619	99,419	483	76.5	72.2-80.8	38	5.8	03.3-08.3	98	17.7	13.8-21.6
College Graduate	662	60,009	548	81.4	77.5-85.3	39	5.6	03.2-08.0	75	13.0	09.5-16.5
Less than \$15,000	76	10,898	59	78.4	66.2-90.6	3	3.1	00.0-07.0	14	18.5	06.9-30.1
\$15,000- 24,999	146	17,647	110	66.9	54.4-79.4	8	4.2	00.0-09.1	28	28.9	16.6-41.2
\$25,000- 34,999	139	17,368	99	70.8	60.6-81.0	14	9.3	02.2-16.4	26	19.9	11.3-28.5
\$35,000- 49,999	208	25,168	169	77.4	69.0-85.8	16	7.0	02.7-11.3	23	15.7	07.9-23.5
\$50,000- 74,999	315	36,376	251	75.8	69.1-82.5	17	4.4	01.7-07.1	47	19.8	13.3-26.3
\$75,000+	708	97,733	587	80.8	76.9-84.7	26	3.5	01.9-05.1	95	15.7	12.0-19.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 21: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT—
(ACEHURT1)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2092	244,834	1748	78.9	76.2-81.6	107	6.3	04.5-08.1	237	14.8	12.4-17.2
Native	96	11,954	64	62.5	48.8-76.2	9	5.4	01.3-09.5	23	32.1	18.4-45.8
Non-Native	1973	231,053	1665	79.7	77.0-82.4	97	6.3	04.5-08.1	211	13.9	11.5-16.3
18-24	80	30,542	57	71.5	60.7-82.3	11	14.2	05.8-22.6	12	14.3	06.1-22.5
25-34	131	39,992	103	77.0	68.4-85.6	9	7.0	01.5-12.5	19	16.1	08.7-23.5
35-44	193	39,669	146	73.9	66.5-81.3	12	5.3	01.8-08.8	35	20.8	13.7-27.9
45-54	227	32,810	182	75.8	68.9-82.7	8	4.0	01.1-06.9	37	20.2	13.7-26.7
55-64	473	40,918	387	81.0	76.7-85.3	25	4.6	02.4-06.8	61	14.3	10.2-18.4
65+	988	60,903	873	87.4	84.9-89.9	42	4.9	03.3-06.5	73	7.7	05.5-09.9
Less Than H.S.	71	13,631	59	70.9	53.5-88.3	2	8.0	00.0-21.3	10	21.1	06.6-35.6
H.S. or G.E.D.	505	61,815	408	72.0	65.9-78.1	29	8.2	04.5-11.9	68	19.8	14.3-25.3
Some Post-H.S.	674	91,887	561	80.4	76.1-84.7	33	5.5	03.0-08.0	80	14.2	10.5-17.9
College Graduate	839	77,274	717	84.1	80.8-87.4	43	5.5	03.3-07.7	79	10.5	07.8-13.2
Less than \$15,000	115	17,271	79	58.9	45.8-72.0	8	11.5	01.9-21.1	28	29.6	17.6-41.6
\$15,000- 24,999	225	23,939	186	72.5	62.9-82.1	11	6.7	01.2-12.2	28	20.8	12.0-29.6
\$25,000- 34,999	187	20,386	155	74.8	64.0-85.6	13	11.1	01.7-20.5	19	14.1	06.7-21.5
\$35,000- 49,999	270	25,831	222	78.6	71.2-86.0	16	5.0	01.7-08.3	32	16.3	09.2-23.4
\$50,000- 74,999	288	34,981	235	77.5	70.4-84.6	13	4.8	01.5-08.1	40	17.6	10.9-24.3
\$75,000+	611	80,913	523	82.6	78.3-86.9	28	4.9	02.7-07.1	60	12.6	08.7-16.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 22: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3937	487,605	2819	65.3	63.1-67.5	220	6.4	05.2-07.6	898	28.3	26.3-30.3
Male	1856	243,361	1313	65.9	63.0-68.8	113	6.0	04.6-07.4	430	28.1	25.2-31.0
Female	2081	244,243	1506	64.7	61.6-67.8	107	6.7	04.9-08.5	468	28.5	25.6-31.4
Native	165	20,313	99	50.0	39.6-60.4	9	3.8	00.9-06.7	57	46.2	35.6-56.8
Non-Native	3717	460,952	2683	66.1	63.9-68.3	209	6.5	05.3-07.7	825	27.4	25.2-29.6
18-24	181	64,823	101	54.1	46.1-62.1	24	14.3	08.6-20.0	56	31.6	24.2-39.0
25-34	332	89,786	196	56.9	50.8-63.0	23	7.0	04.1-09.9	113	36.1	30.2-42.0
35-44	401	75,742	253	59.9	54.0-65.8	24	3.6	01.8-05.4	124	36.5	30.6-42.4
45-54	438	65,002	266	62.9	57.6-68.2	31	5.9	03.4-08.4	141	31.1	26.0-36.2
55-64	836	80,837	580	69.6	65.9-73.3	43	5.3	03.5-07.1	213	25.2	21.7-28.7
65+	1749	111,415	1423	80.6	78.2-83.0	75	4.3	03.1-05.5	251	15.1	12.9-17.3
Less Than H.S.	157	32,345	123	70.6	60.0-81.2	3	0.7	00.0-01.5	31	28.7	18.1-39.3
H.S. or G.E.D.	1006	127,677	732	63.2	58.9-67.5	46	5.8	03.6-08.0	228	31.0	26.7-35.3
Some Post-H.S.	1282	190,503	919	64.4	60.9-67.9	76	7.4	05.2-09.6	287	28.3	25.0-31.6
College Graduate	1487	136,223	1040	67.1	64.0-70.2	95	6.9	05.1-08.7	352	25.9	23.0-28.8
Less than \$15,000	191	28,408	124	55.5	45.1-65.9	9	4.5	00.4-08.6	58	40.0	29.6-50.4
\$15,000- 24,999	376	42,423	270	58.6	50.8-66.4	22	8.0	03.1-12.9	84	33.4	25.8-41.0
\$25,000- 34,999	330	38,396	239	65.3	57.7-72.9	17	5.1	01.8-08.4	74	29.6	22.2-37.0
\$35,000- 49,999	471	50,455	331	64.4	58.1-70.7	29	8.4	04.7-12.1	111	27.2	21.3-33.1
\$50,000- 74,999	598	70,887	405	61.5	55.8-67.2	33	7.0	04.1-09.9	160	31.6	26.1-37.1
\$75,000+	1307	176,999	936	67.9	64.6-71.2	72	5.2	03.6-06.8	299	26.9	23.6-30.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 23: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1856	243,361	1313	65.9	63.0-68.8	113	6.0	04.6-07.4	430	28.1	25.2-31.0
Native	69	8,359	42	46.9	31.6-62.2	5	6.0	00.1-11.9	22	47.1	31.2-63.0
Non-Native	1756	231,028	1250	66.7	63.6-69.8	106	6.0	04.6-07.4	400	27.3	24.4-30.2
18-24	100	33,742	64	62.6	52.0-73.2	9	7.5	02.4-12.6	27	29.9	19.7-40.1
25-34	202	50,059	120	54.7	46.9-62.5	15	8.1	03.8-12.4	67	37.2	29.6-44.8
35-44	210	36,623	134	61.9	53.7-70.1	13	4.4	01.3-07.5	63	33.7	25.7-41.7
45-54	210	32,114	125	64.0	56.6-71.4	19	5.5	02.6-08.4	66	30.6	23.3-37.9
55-64	365	39,820	245	68.9	63.2-74.6	25	6.6	03.5-09.7	95	24.4	19.1-29.7
65+	769	51,004	625	80.9	77.4-84.4	32	4.0	02.4-05.6	112	15.1	11.8-18.4
Less Than H.S.	86	18,714	67	69.2	54.9-83.5	1	0.3	00.0-00.9	18	30.5	16.0-45.0
H.S. or G.E.D.	499	65,857	372	68.7	63.2-74.2	26	6.0	03.3-08.7	101	25.3	20.0-30.6
Some Post-H.S.	611	98,187	422	63.7	58.8-68.6	39	6.0	03.6-08.4	150	30.3	25.4-35.2
College Graduate	658	59,973	450	65.1	60.2-70.0	47	8.0	05.1-10.9	161	26.9	22.4-31.4
Less than \$15,000	76	11,102	55	60.1	43.0-77.2	5	3.1	00.0-06.8	16	36.9	19.8-54.0
\$15,000- 24,999	150	17,927	106	60.5	48.2-72.8	10	6.7	02.0-11.4	34	32.8	20.5-45.1
\$25,000- 34,999	143	18,011	100	63.4	52.4-74.4	10	6.9	01.0-12.8	33	29.7	19.1-40.3
\$35,000- 49,999	205	24,867	141	62.7	53.5-71.9	15	9.4	03.9-14.9	49	27.9	19.5-36.3
\$50,000- 74,999	312	36,003	218	68.2	61.1-75.3	12	4.8	01.3-08.3	82	27.0	20.5-33.5
\$75,000+	701	96,704	495	66.3	61.6-71.0	46	6.1	03.7-08.5	160	27.6	23.1-32.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 24: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2081	244,243	1506	64.7	61.6-67.8	107	6.7	04.9-08.5	468	28.5	25.6-31.4
Native	96	11,954	57	52.2	38.3-66.1	4	2.3	00.0-05.0	35	45.5	31.6-59.4
Non-Native	1961	229,923	1433	65.5	62.4-68.6	103	7.0	05.2-08.8	425	27.5	24.6-30.4
18-24	81	31,081	37	44.9	32.7-57.1	15	21.5	11.5-31.5	29	33.5	22.5-44.5
25-34	130	39,727	76	59.6	50.0-69.2	8	5.6	01.5-09.7	46	34.8	25.4-44.2
35-44	191	39,119	119	58.0	49.4-66.6	11	2.9	01.1-04.7	61	39.1	30.5-47.7
45-54	228	32,888	141	61.9	54.5-69.3	12	6.4	02.3-10.5	75	31.7	24.4-39.0
55-64	471	41,017	335	70.2	65.1-75.3	18	3.9	01.7-06.1	118	25.9	21.0-30.8
65+	980	60,411	798	80.4	77.5-83.3	43	4.5	02.9-06.1	139	15.1	12.4-17.8
Less Than H.S.	71	13,631	56	72.6	57.3-87.9	2	1.2	00.0-03.0	13	26.1	10.8-41.4
H.S. or G.E.D.	507	61,820	360	57.4	50.9-63.9	20	5.6	02.5-08.7	127	37.0	30.5-43.5
Some Post-H.S.	671	92,316	497	65.0	59.7-70.3	37	8.9	05.4-12.4	137	26.1	21.4-30.8
College Graduate	829	76,250	590	68.8	64.5-73.1	48	6.1	03.9-08.3	191	25.1	21.2-29.0
Less than \$15,000	115	17,306	69	52.6	39.3-65.9	4	5.4	00.0-11.7	42	42.0	29.1-54.9
\$15,000- 24,999	226	24,496	164	57.3	47.1-67.5	12	8.9	01.5-16.3	50	33.8	23.8-43.8
\$25,000- 34,999	187	20,385	139	67.0	56.4-77.6	7	3.5	00.0-07.2	41	29.5	19.3-39.7
\$35,000- 49,999	266	25,588	190	66.1	57.7-74.5	14	7.4	02.3-12.5	62	26.5	18.7-34.3
\$50,000- 74,999	286	34,885	187	54.5	46.1-62.9	21	9.2	04.7-13.7	78	36.3	27.9-44.7
\$75,000+	606	80,295	441	69.9	65.0-74.8	26	4.1	01.9-06.3	139	26.0	21.1-30.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 25: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3952	485,410	3634	89.6	88.0-91.2	135	4.3	03.3-05.3	183	6.1	04.9-07.3
Male	1879	245,588	1803	94.9	93.5-96.3	38	2.4	01.4-03.4	38	2.6	01.6-03.6
Female	2073	239,822	1831	84.2	81.7-86.7	97	6.1	04.3-07.9	145	9.6	07.4-11.8
Native	160	19,116	133	76.5	66.3-86.7	9	8.2	01.3-15.1	18	15.3	06.5-24.1
Non-Native	3734	459,679	3447	90.3	88.7-91.9	125	4.1	03.1-05.1	162	5.7	04.5-06.9
18-24	180	63,641	159	85.7	79.6-91.8	12	7.1	03.0-11.2	9	7.2	02.5-11.9
25-34	325	87,164	299	90.5	86.4-94.6	12	4.0	01.1-06.9	14	5.4	02.3-08.5
35-44	403	76,417	359	86.6	82.3-90.9	20	5.6	02.9-08.3	24	7.7	04.2-11.2
45-54	435	64,771	384	86.9	83.0-90.8	16	3.4	01.6-05.2	35	9.7	06.2-13.2
55-64	837	80,333	754	90.0	87.6-92.4	31	4.0	02.4-05.6	52	6.0	04.2-07.8
65+	1772	113,084	1679	94.6	93.2-96.0	44	2.6	01.6-03.6	49	2.9	01.9-03.9
Less Than H.S.	155	30,021	142	82.7	72.3-93.1	3	4.8	00.0-11.3	10	12.5	03.5-21.5
H.S. or G.E.D.	1006	126,798	921	86.8	83.5-90.1	33	5.2	03.0-07.4	52	8.0	05.3-10.7
Some Post-H.S.	1291	190,856	1189	91.1	88.9-93.3	46	3.9	02.5-05.3	56	5.0	03.4-06.6
College Graduate	1495	136,878	1377	91.7	89.9-93.5	53	3.8	02.6-05.0	65	4.4	03.0-05.8
Less than \$15,000	187	27,315	164	82.3	74.3-90.3	8	5.5	01.2-09.8	15	12.2	04.9-19.5
\$15,000- 24,999	376	41,585	340	81.1	74.0-88.2	12	7.2	02.3-12.1	24	11.7	05.8-17.6
\$25,000- 34,999	328	38,157	300	89.4	83.3-95.5	11	6.3	00.6-12.0	17	4.2	01.8-06.6
\$35,000- 49,999	477	50,904	420	87.6	83.5-91.7	24	5.9	02.8-09.0	33	6.5	03.4-09.6
\$50,000- 74,999	602	71,002	559	90.3	86.6-94.0	14	2.6	01.0-04.2	29	7.1	03.6-10.6
\$75,000+	1313	177,813	1214	91.9	89.9-93.9	54	4.2	02.8-05.6	45	3.9	02.5-05.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 26: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1879	245,588	1803	94.9	93.5-96.3	38	2.4	01.4-03.4	38	2.6	01.6-03.6
Native	69	8,359	62	83.2	67.9-98.5	2	7.7	00.0-20.6	5	9.2	00.0-19.6
Non-Native	1776	232,980	1707	95.3	93.9-96.7	36	2.3	01.3-03.3	33	2.5	01.5-03.5
18-24	101	34,036	97	95.0	90.1-99.9	2	2.5	00.0-06.2	2	2.4	00.0-05.7
25-34	200	49,520	195	96.7	93.6-99.8	3	2.1	00.0-04.6	2	1.3	00.0-03.3
35-44	214	37,593	201	93.5	89.2-97.8	4	1.6	00.0-03.4	9	4.9	01.0-08.8
45-54	211	32,448	198	92.0	87.3-96.7	7	3.4	00.7-06.1	6	4.7	00.8-08.6
55-64	368	39,809	350	94.5	91.6-97.4	9	3.4	00.9-05.9	9	2.1	00.5-03.7
65+	785	52,182	762	96.4	94.6-98.2	13	1.9	00.7-03.1	10	1.6	00.2-03.0
Less Than H.S.	88	19,003	84	95.0	89.5-0100	1	0.9	00.0-02.7	3	4.1	00.0-09.4
H.S. or G.E.D.	501	65,944	476	93.3	90.2-96.4	15	4.0	01.5-06.5	10	2.7	00.9-04.5
Some Post-H.S.	623	99,703	601	95.3	92.9-97.7	9	1.8	00.4-03.2	13	2.9	00.9-04.9
College Graduate	665	60,307	640	96.2	94.4-98.0	13	2.2	00.8-03.6	12	1.6	00.4-02.8
Less than \$15,000	78	11,249	74	92.1	83.1-0100	2	2.1	00.0-05.6	2	5.8	00.0-14.2
\$15,000- 24,999	149	17,616	142	91.1	83.1-99.1	2	1.4	00.0-03.6	5	7.4	00.0-15.2
\$25,000- 34,999	142	17,968	137	97.0	94.1-99.9				5	3.0	00.1-05.9
\$35,000- 49,999	209	25,197	199	93.8	89.3-98.3	7	5.4	00.9-09.9	3	0.8	00.0-02.0
\$50,000- 74,999	318	36,545	310	97.7	95.7-99.7	2	0.6	00.0-01.6	6	1.7	00.0-03.5
\$75,000+	708	97,862	674	94.1	91.6-96.6	22	3.6	01.6-05.6	12	2.4	00.8-04.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 27: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2073	239,822	1831	84.2	81.7-86.7	97	6.1	04.3-07.9	145	9.6	07.4-11.8
Native	91	10,757	71	71.4	57.9-84.9	7	8.6	01.3-15.9	13	20.0	06.9-33.1
Non-Native	1958	226,699	1740	85.2	82.7-87.7	89	5.9	04.1-07.7	129	8.9	06.7-11.1
18-24	79	29,606	62	75.0	64.0-86.0	10	12.3	04.5-20.1	7	12.7	03.5-21.9
25-34	125	37,644	104	82.5	74.3-90.7	9	6.6	00.9-12.3	12	10.9	04.4-17.4
35-44	189	38,824	158	79.9	72.6-87.2	16	9.6	04.5-14.7	15	10.5	04.6-16.4
45-54	224	32,323	186	81.8	75.7-87.9	9	3.4	01.0-05.8	29	14.8	08.9-20.7
55-64	469	40,524	404	85.6	81.9-89.3	22	4.7	02.5-06.9	43	9.7	06.6-12.8
65+	987	60,901	917	93.0	91.0-95.0	31	3.1	01.7-04.5	39	3.9	02.5-05.3
Less Than H.S.	67	11,018	58	61.5	41.1-81.9	2	11.6	00.0-28.1	7	26.9	07.3-46.5
H.S. or G.E.D.	505	60,854	445	79.8	73.9-85.7	18	6.5	02.8-10.2	42	13.7	08.6-18.8
Some Post-H.S.	668	91,153	588	86.6	83.1-90.1	37	6.1	03.6-08.6	43	7.3	04.6-10.0
College Graduate	830	76,572	737	88.2	85.3-91.1	40	5.1	03.1-07.1	53	6.7	04.5-08.9
Less than \$15,000	109	16,067	90	75.5	63.5-87.5	6	7.8	00.9-14.7	13	16.7	05.9-27.5
\$15,000- 24,999	227	23,969	198	73.7	63.5-83.9	10	11.5	03.5-19.5	19	14.9	06.7-23.1
\$25,000- 34,999	186	20,190	163	82.7	72.3-93.1	11	12.0	01.6-22.4	12	5.3	01.6-09.0
\$35,000- 49,999	268	25,707	221	81.6	74.9-88.3	17	6.4	02.3-10.5	30	12.1	06.4-17.8
\$50,000- 74,999	284	34,457	249	82.4	75.3-89.5	12	4.7	01.6-07.8	23	12.9	06.2-19.6
\$75,000+	605	79,951	540	89.2	86.1-92.3	32	5.0	02.8-07.2	33	5.8	03.4-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 28: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3948	483,624	3721	92.4	91.0-93.8	109	3.2	02.4-04.0	118	4.4	03.4-05.4
Male	1874	245,030	1809	95.7	94.3-97.1	37	2.2	01.2-03.2	28	2.0	01.0-03.0
Female	2074	238,594	1912	88.9	86.7-91.1	72	4.3	02.9-05.7	90	6.8	05.0-08.6
Native	159	18,467	141	85.8	77.8-93.8	6	6.2	00.0-12.9	12	8.0	02.7-13.3
Non-Native	3731	458,542	3524	92.7	91.3-94.1	102	3.1	02.3-03.9	105	4.2	03.2-05.2
18-24	180	63,641	165	89.8	84.5-95.1	8	4.2	01.1-07.3	7	6.0	01.5-10.5
25-34	325	87,234	303	92.0	88.3-95.7	10	3.4	00.7-06.1	12	4.7	02.0-07.4
35-44	401	75,320	369	90.4	86.7-94.1	13	3.4	01.2-05.6	19	6.3	03.2-09.4
45-54	432	64,283	395	90.5	87.2-93.8	13	2.8	01.0-04.6	24	6.6	03.7-09.5
55-64	837	80,152	783	92.9	90.7-95.1	25	3.5	01.9-05.1	29	3.6	02.2-05.0
65+	1773	112,994	1706	96.1	94.9-97.3	40	2.6	01.6-03.6	27	1.4	00.8-02.0
Less Than H.S.	154	29,372	144	87.5	77.7-97.3	3	4.2	00.0-10.7	7	8.3	00.5-16.1
H.S. or G.E.D.	1003	126,332	940	90.3	87.6-93.0	30	4.3	02.3-06.3	33	5.4	03.2-07.6
Some Post-H.S.	1290	190,711	1214	92.6	90.6-94.6	34	2.7	01.5-03.9	42	4.6	02.8-06.4
College Graduate	1496	136,352	1418	94.9	93.5-96.3	42	2.8	01.8-03.8	36	2.3	01.3-03.3
Less than \$15,000	188	27,652	168	86.7	79.6-93.8	10	4.5	01.0-08.0	10	8.8	02.3-15.3
\$15,000- 24,999	375	40,935	347	87.0	81.1-92.9	11	3.2	00.5-05.9	17	9.8	04.5-15.1
\$25,000- 34,999	328	38,140	306	90.6	84.5-96.7	7	6.0	00.1-11.9	15	3.3	01.3-05.3
\$35,000- 49,999	477	50,904	434	89.7	85.8-93.6	21	5.6	02.7-08.5	22	4.7	02.0-07.4
\$50,000- 74,999	600	70,314	574	93.4	90.3-96.5	10	1.5	00.5-02.5	16	5.1	02.0-08.2
\$75,000+	1311	177,714	1245	94.4	92.6-96.2	41	3.1	01.9-04.3	25	2.5	01.3-03.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 29: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1874	245,030	1809	95.7	94.3-97.1	37	2.2	01.2-03.2	28	2.0	01.0-03.0
Native	69	8,359	65	90.8	77.7-0100	2	7.4	00.0-20.3	2	1.8	00.0-04.5
Non-Native	1771	232,422	1710	95.8	94.4-97.2	35	2.1	01.1-03.1	26	2.1	01.1-03.1
18-24	101	34,036	99	97.0	92.9-0100	1	1.7	00.0-05.0	1	1.2	00.0-03.6
25-34	200	49,520	191	94.4	90.5-98.3	6	3.3	00.4-06.2	3	2.3	00.0-05.0
35-44	213	37,517	202	94.6	90.5-98.7	3	0.8	00.0-02.0	8	4.6	00.7-08.5
45-54	209	32,079	199	94.2	90.5-97.9	5	2.6	00.2-05.0	5	3.2	00.5-05.9
55-64	367	39,733	353	96.0	93.5-98.5	9	3.0	00.6-05.4	5	1.0	00.0-02.0
65+	784	52,144	765	97.6	96.2-99.0	13	1.9	00.5-03.3	6	0.5	00.0-01.1
Less Than H.S.	88	19,003	86	98.3	95.8-0100	1	1.1	00.0-03.3	1	0.6	00.0-01.8
H.S. or G.E.D.	499	65,793	482	94.8	91.9-97.7	8	2.8	00.4-05.2	9	2.4	00.6-04.2
Some Post-H.S.	621	99,512	599	95.1	92.6-97.6	11	2.1	00.5-03.7	11	2.8	00.8-04.8
College Graduate	664	60,091	640	96.8	95.2-98.4	17	2.3	00.9-03.7	7	0.8	00.0-01.6
Less than \$15,000	78	11,249	74	97.0	93.3-0100	4	3.0	00.0-06.7			
\$15,000- 24,999	149	17,616	142	93.3	86.4-0100	3	1.6	00.0-03.8	4	5.1	00.0-11.8
\$25,000- 34,999	142	17,968	137	95.8	91.3-0100	1	2.0	00.0-05.9	4	2.2	00.0-04.7
\$35,000- 49,999	209	25,197	200	94.5	90.2-98.8	5	4.2	00.1-08.3	4	1.3	00.0-02.9
\$50,000- 74,999	317	36,329	310	96.7	93.4-0100	4	1.3	00.0-02.7	3	2.0	00.0-04.9
\$75,000+	705	97,672	678	95.3	92.9-97.7	19	2.9	00.9-04.9	8	1.8	00.2-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 30: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2074	238,594	1912	88.9	86.7-91.1	72	4.3	02.9-05.7	90	6.8	05.0-08.6
Native	90	10,108	76	81.6	71.4-91.8	4	5.2	00.1-10.3	10	13.2	04.0-22.4
Non-Native	1960	226,120	1814	89.4	87.2-91.6	67	4.2	02.8-05.6	79	6.4	04.6-08.2
18-24	79	29,606	66	81.5	71.5-91.5	7	7.0	01.5-12.5	6	11.4	02.4-20.4
25-34	125	37,714	112	88.8	81.7-95.9	4	3.5	00.0-08.6	9	7.7	02.4-13.0
35-44	188	37,803	167	86.2	79.9-92.5	10	5.9	01.6-10.2	11	7.9	03.0-12.8
45-54	223	32,203	196	86.9	81.4-92.4	8	3.1	00.7-05.5	19	10.1	05.0-15.2
55-64	470	40,418	430	89.9	86.6-93.2	16	4.0	01.8-06.2	24	6.1	03.4-08.8
65+	989	60,849	941	94.7	92.9-96.5	27	3.2	01.8-04.6	21	2.1	01.1-03.1
Less Than H.S.	66	10,369	58	67.8	46.4-89.2	2	9.9	00.0-26.8	6	22.3	02.9-41.7
H.S. or G.E.D.	504	60,540	458	85.3	80.4-90.2	22	6.0	02.7-09.3	24	8.7	04.8-12.6
Some Post-H.S.	669	91,198	615	89.9	86.8-93.0	23	3.5	01.9-05.1	31	6.6	03.9-09.3
College Graduate	832	76,261	778	93.4	91.2-95.6	25	3.1	01.7-04.5	29	3.5	01.9-05.1
Less than \$15,000	110	16,403	94	79.6	68.4-90.8	6	5.6	00.1-11.1	10	14.8	04.4-25.2
\$15,000- 24,999	226	23,319	205	82.2	73.6-90.8	8	4.4	00.0-08.9	13	13.4	05.6-21.2
\$25,000- 34,999	186	20,173	169	86.1	75.9-96.3	6	9.6	00.0-19.8	11	4.3	01.2-07.4
\$35,000- 49,999	268	25,707	234	85.1	78.6-91.6	16	6.9	02.6-11.2	18	8.0	02.7-13.3
\$50,000- 74,999	283	33,985	264	89.8	84.3-95.3	6	1.8	00.2-03.4	13	8.4	03.1-13.7
\$75,000+	606	80,041	567	93.3	90.9-95.7	22	3.4	01.8-05.0	17	3.3	01.5-05.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 31: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3950	484,962	3812	94.9	93.7-96.1	55	1.5	00.9-02.1	83	3.6	02.6-04.6
Male	1872	244,992	1839	97.6	96.4-98.8	17	1.1	00.3-01.9	16	1.3	00.5-02.1
Female	2078	239,970	1973	92.2	90.2-94.2	38	1.8	01.0-02.6	67	6.0	04.0-08.0
Native	161	18,597	147	88.5	80.9-96.1	8	5.3	00.4-10.2	6	6.2	00.0-12.5
Non-Native	3731	459,749	3609	95.2	94.0-96.4	47	1.3	00.7-01.9	75	3.4	02.4-04.4
18-24	180	63,641	171	93.0	88.3-97.7	2	1.1	00.0-02.7	7	5.9	01.4-10.4
25-34	325	87,425	309	93.5	90.0-97.0	4	1.3	00.0-02.7	12	5.2	02.1-08.3
35-44	403	76,214	382	92.7	89.2-96.2	5	1.8	00.0-03.6	16	5.5	02.4-08.6
45-54	433	64,317	418	96.1	93.9-98.3	1	0.1	00.0-00.3	14	3.8	01.6-06.0
55-64	838	80,325	800	94.8	92.8-96.8	19	2.9	01.3-04.5	19	2.4	01.2-03.6
65+	1771	113,039	1732	97.9	97.1-98.7	24	1.3	00.7-01.9	15	0.7	00.3-01.1
Less Than H.S.	154	29,372	148	91.9	84.1-99.7	1	0.4	00.0-01.2	5	7.7	00.0-15.5
H.S. or G.E.D.	1005	126,937	958	92.9	90.4-95.4	17	1.8	00.6-03.0	30	5.3	02.9-07.7
Some Post-H.S.	1292	190,989	1241	94.6	92.8-96.4	27	2.0	01.0-03.0	24	3.3	01.7-04.9
College Graduate	1494	136,807	1460	97.8	96.8-98.8	10	0.6	00.2-01.0	24	1.6	00.8-02.4
Less than \$15,000	187	27,634	173	90.8	84.5-97.1	2	0.8	00.0-02.2	12	8.4	02.3-14.5
\$15,000- 24,999	376	41,246	356	89.6	84.1-95.1	8	2.4	00.0-04.8	12	8.0	02.9-13.1
\$25,000- 34,999	328	38,147	314	95.2	91.9-98.5	6	2.3	00.0-05.2	8	2.4	00.4-04.4
\$35,000- 49,999	477	50,896	456	94.2	90.9-97.5	10	2.3	00.5-04.1	11	3.5	00.8-06.2
\$50,000- 74,999	601	70,720	581	94.3	91.0-97.6	7	0.9	00.1-01.7	13	4.8	01.5-08.1
\$75,000+	1312	178,058	1282	97.1	95.9-98.3	15	1.4	00.6-02.2	15	1.5	00.5-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 32: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1872	244,992	1839	97.6	96.4-98.8	17	1.1	0.3-01.9	16	1.3	0.5-02.1
Native	69	8,359	64	92.5	82.9-0100	4	7.3	0.0-16.9	1	0.2	0.0-00.6
Non-Native	1769	232,383	1741	97.7	96.5-98.9	13	0.9	0.3-01.5	15	1.4	0.6-02.2
18-24	101	34,036	99	97.6	94.3-0100	1	1.2	0.0-03.6	1	1.2	0.0-03.6
25-34	200	49,522	196	96.8	93.5-0100	2	1.7	0.0-04.1	2	1.5	0.0-03.7
35-44	213	37,517	206	96.2	92.7-99.7				7	3.8	0.3-07.3
45-54	209	32,079	206	98.3	96.1-0100	1	0.3	0.0-00.9	2	1.4	0.0-03.4
55-64	367	39,733	360	97.4	95.0-99.8	6	2.5	0.1-04.9	1	0.2	0.0-00.6
65+	782	52,104	772	99.1	98.5-99.7	7	0.7	0.1-01.3	3	0.2	0.0-00.4
Less Than H.S.	88	19,003	87	99.4	98.2-0100				1	0.6	0.0-01.8
H.S. or G.E.D.	498	65,484	488	97.6	95.8-99.4	5	1.0	0.0-02.2	5	1.4	0.0-02.8
Some Post-H.S.	622	99,550	610	96.5	94.1-98.9	7	1.7	0.1-03.3	5	1.7	0.0-03.5
College Graduate	662	60,324	652	98.7	97.7-99.7	5	0.6	0.0-01.2	5	0.7	0.0-01.5
Less than \$15,000	77	11,231	77	100.0	0100-0100						
\$15,000- 24,999	150	17,927	145	92.8	85.2-0100	2	2.8	0.0-07.3	3	4.4	0.0-10.9
\$25,000- 34,999	142	17,968	138	97.8	95.3-0100	2	0.9	0.0-02.1	2	1.4	0.0-03.6
\$35,000- 49,999	209	25,197	205	97.7	94.6-0100	3	2.2	0.0-05.3	1	0.1	0.0-00.3
\$50,000- 74,999	316	36,304	312	97.6	94.5-0100	1	0.4	0.0-01.2	3	2.0	0.0-04.9
\$75,000+	705	97,675	693	97.4	95.6-99.2	7	1.3	0.0-02.7	5	1.2	0.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020
MODULE 21: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 33: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2078	239,970	1973	92.2	90.2-94.2	38	1.8	01.0-02.6	67	6.0	04.2-07.8
Native	92	10,238	83	85.2	73.8-96.6	4	3.7	00.0-07.6	5	11.1	00.1-22.1
Non-Native	1962	227,366	1868	92.7	90.7-94.7	34	1.8	01.0-02.6	60	5.6	03.8-07.4
18-24	79	29,606	72	87.8	78.8-96.8	1	1.0	00.0-03.0	6	11.2	02.4-20.0
25-34	125	37,903	113	89.2	82.5-95.9	2	0.8	00.0-02.0	10	10.0	03.5-16.5
35-44	190	38,697	176	89.3	83.4-95.2	5	3.4	00.1-06.7	9	7.2	02.1-12.3
45-54	224	32,238	212	93.9	90.2-97.6				12	6.1	02.4-09.8
55-64	471	40,592	440	92.2	89.3-95.1	13	3.2	01.2-05.2	18	4.5	02.1-06.9
65+	989	60,935	960	96.9	95.5-98.3	17	1.9	00.9-02.9	12	1.2	00.4-02.0
Less Than H.S.	66	10,369	61	78.3	58.9-97.7	1	1.1	00.0-03.3	4	20.6	01.0-40.2
H.S. or G.E.D.	507	61,454	470	87.8	82.9-92.7	12	2.7	00.5-04.9	25	9.4	04.9-13.9
Some Post-H.S.	670	91,438	631	92.6	89.7-95.5	20	2.3	01.1-03.5	19	5.1	02.4-07.8
College Graduate	832	76,483	808	97.0	95.4-98.6	5	0.6	00.0-01.4	19	2.4	01.0-03.8
Less than \$15,000	110	16,403	96	84.4	74.2-94.6	2	1.4	00.0-03.8	12	14.2	04.2-24.2
\$15,000- 24,999	226	23,319	211	87.2	79.4-95.0	6	2.0	00.0-04.2	9	10.8	03.2-18.4
\$25,000- 34,999	186	20,179	176	93.0	87.1-98.9	4	3.7	00.0-09.0	6	3.4	00.5-06.3
\$35,000- 49,999	268	25,699	251	90.7	85.2-96.2	7	2.4	00.4-04.4	10	6.8	01.5-12.1
\$50,000- 74,999	285	34,416	269	90.8	84.7-96.9	6	1.5	00.1-02.9	10	7.6	01.7-13.5
\$75,000+	607	80,383	589	96.7	94.9-98.5	8	1.5	00.3-02.7	10	1.9	00.3-03.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA MODULE QUESTIONS DATA REPORT, 2020**

End of Module Data Report